


- Test Pit
- Boring
- Monitoring Well
- Decommissioned Monitoring Well
- Sump
- Storm Manhole
- Catch Basin
- Bubble Up Catch Basin
- Sewer Line
- Storm Line
- Water Line
- Gas Line
- Petroleum Line
- Electrical Line
- Telephone Line
- Overhead Power Line
- Unknown Buried Utility
- Limits of Temporary Shoring
- Property Boundary
- Walla Walla Tax Parcel
- Sample Locations

Notes:

- On-property utility locations from 1/22/2024 survey provided by PBS Engineering and Environmental.
- Offproperty utility locations approximate from map provided by the City of Walla Walla.
- Monitoring Well locations from survey provided by PBS Engineering and Environmental.
- Decommissioned monitoring well locations approximate from Plateau Geoscience Group Quarterly Monitoring Report, Sept 2012.
- Sump locations approximate from map provided by Clean Harbors.
- Parcel boundaries from County of Walla Walla GIS.
- Mill Creek boundary from WADNR GIS.



Site Map Showing Fuel Dispenser and Conveyance Piping Sample Locations

Stillwater Holdings Chevron
Walla Walla, Washington

Aspect CONSULTING	APR-2024	BY DIM / NLK	FIGURE NO. 1
	PROJECT NO. 230442	REVISED BY ---	

Data source credits: None | Basemap Service Layer Credits: NA



September 23, 2024

Ms. Carla Brock
Aspect Consulting, LLC
710 - 2nd Ave, Suite 550
Seattle, WA 98104

Dear Ms. Brock,

On September 9th, 6 samples were received by our laboratory and assigned our laboratory project number EV24090045. The project was identified as your Colony Claim No. 317275. The sample identification and requested analyses are outlined on the attached chain of custody record.

No abnormalities or nonconformances were observed during the analyses of the project samples.

Please do not hesitate to call me if you have any questions or if I can be of further assistance.

Sincerely,

ALS Laboratory Group

Carl Nott
Operations Manager



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-01
CLIENT SAMPLE ID	B-1-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 10:40:00 AM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	4.9	3.0	1	MG/KG	09/11/2024	MNC
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Acetone - Reanalysis1	EPA-8260	U	140	1	UG/KG	09/11/2024	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Methylene Chloride	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Acrylonitrile	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Butanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Benzene	EPA-8260	14	5.0	1	UG/KG	09/10/2024	DLC
Trichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Toluene	EPA-8260	24	10	1	UG/KG	09/10/2024	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Hexanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-01
CLIENT SAMPLE ID	B-1-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 10:40:00 AM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Chlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Ethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
m,p-Xylene	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Styrene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
o-Xylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromoform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Naphthalene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT	NWTPH-GX	79.5	09/11/2024	MNC
1,2-Dichloroethane-d4	EPA-8260	120	09/10/2024	DLC
1,2-Dichloroethane-d4 - Reanalysis1	EPA-8260	95.7	09/11/2024	DLC
Toluene-d8	EPA-8260	101	09/10/2024	DLC
Toluene-d8 - Reanalysis1	EPA-8260	98.1	09/11/2024	DLC
4-Bromofluorobenzene	EPA-8260	109	09/10/2024	DLC
4-Bromofluorobenzene -	EPA-8260	103	09/11/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-01
CLIENT SAMPLE ID	B-1-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 10:40:00 AM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Reanalysis1				

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.
 Soil results reported on a dry-weight basis.



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-02
CLIENT SAMPLE ID	B-2-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 11:40:00 AM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	U	3.0	1	MG/KG	09/11/2024	MNC
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Acetone	EPA-8260	U	98	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Methylene Chloride	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Acrylonitrile	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Butanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Benzene	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Trichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Toluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Hexanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-02
CLIENT SAMPLE ID	B-2-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 11:40:00 AM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Chlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Ethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
m,p-Xylene	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Styrene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
o-Xylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromoform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Naphthalene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT	NWTPH-GX	80.1	09/11/2024	MNC
1,2-Dichloroethane-d4	EPA-8260	119	09/10/2024	DLC
Toluene-d8	EPA-8260	98.1	09/10/2024	DLC
4-Bromofluorobenzene	EPA-8260	104	09/10/2024	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

Soil results reported on a dry-weight basis.



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-03
CLIENT SAMPLE ID	B-3-3.0-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 12:20:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	U	3.0	1	MG/KG	09/11/2024	MNC
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Acetone	EPA-8260	U	69	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Methylene Chloride	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Acrylonitrile	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Butanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Benzene	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Trichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Toluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Hexanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-03
CLIENT SAMPLE ID	B-3-3.0-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 12:20:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Chlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Ethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
m,p-Xylene	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Styrene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
o-Xylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromoform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Naphthalene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT	NWTPH-GX	76.1	09/11/2024	MNC
1,2-Dichloroethane-d4	EPA-8260	121	09/10/2024	DLC
Toluene-d8	EPA-8260	99.3	09/10/2024	DLC
4-Bromofluorobenzene	EPA-8260	108	09/10/2024	DLC

U - Analyte analyzed for but not detected at level above reporting limit.

Soil results reported on a dry-weight basis.



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-04
CLIENT SAMPLE ID	B-4-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 2:55:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	3.2	3.0	1	MG/KG	09/11/2024	MNC
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Acetone - Reanalysis1	EPA-8260	U	91	1	UG/KG	09/11/2024	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Methylene Chloride	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Acrylonitrile	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Butanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Benzene	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Trichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Toluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Hexanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-04
CLIENT SAMPLE ID	B-4-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 2:55:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Chlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Ethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
m,p-Xylene	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Styrene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
o-Xylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromoform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Naphthalene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT	NWTPH-GX	81.6	09/11/2024	MNC
1,2-Dichloroethane-d4	EPA-8260	116	09/10/2024	DLC
1,2-Dichloroethane-d4 - Reanalysis1	EPA-8260	97.1	09/11/2024	DLC
Toluene-d8	EPA-8260	98.9	09/10/2024	DLC
Toluene-d8 - Reanalysis1	EPA-8260	98.6	09/11/2024	DLC
4-Bromofluorobenzene	EPA-8260	106	09/10/2024	DLC
4-Bromofluorobenzene -	EPA-8260	103	09/11/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-04
CLIENT SAMPLE ID	B-4-2.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 2:55:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Reanalysis1				

U - Analyte analyzed for but not detected at level above reporting limit.
 Chromatogram indicates that it is likely that sample contains an unidentified gasoline range product.
 Soil results reported on a dry-weight basis.



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-05
CLIENT SAMPLE ID	Stockpile-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 6:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	4.2	3.0	1	MG/KG	09/11/2024	MNC
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Acetone	EPA-8260	U	66	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Methylene Chloride	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Acrylonitrile	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Butanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Benzene	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Trichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Toluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Hexanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-05
CLIENT SAMPLE ID	Stockpile-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 6:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Chlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Ethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
m,p-Xylene	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Styrene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
o-Xylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromoform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Propyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Naphthalene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT	NWTPH-GX	76.2	09/11/2024	MNC
1,2-Dichloroethane-d4	EPA-8260	115	09/10/2024	DLC
Toluene-d8	EPA-8260	96.3	09/10/2024	DLC
4-Bromofluorobenzene	EPA-8260	105	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-05
CLIENT SAMPLE ID	Stockpile-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 6:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

U - Analyte analyzed for but not detected at level above reporting limit.
Chromatogram indicates that it is likely that sample contains highly weathered gasoline.

Soil results reported on a dry-weight basis.



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-06
CLIENT SAMPLE ID	B-5-1.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 7:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
TPH-Volatile Range	NWTPH-GX	300	30	10	MG/KG	09/11/2024	MNC
Dichlorodifluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Vinyl Chloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Tetrachloride	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trichlorofluoromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Carbon Disulfide	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Acetone	EPA-8260	U	95	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Methylene Chloride	EPA-8260	U	20	1	UG/KG	09/10/2024	DLC
Acrylonitrile	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Methyl T-Butyl Ether	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Butanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Chloroform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Benzene	EPA-8260	12	5.0	1	UG/KG	09/10/2024	DLC
Trichloroethene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromomethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromodichloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
4-Methyl-2-Pentanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
Toluene - Reanalysis1	EPA-8260	650	18	1	UG/KG	09/11/2024	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2-Trichloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
2-Hexanone	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,3-Dichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Tetrachloroethylene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Dibromochloromethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-06
CLIENT SAMPLE ID	B-5-1.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 7:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

ANALYTE	METHOD	RESULTS	REPORTING LIMITS	DILUTION FACTOR	UNITS	ANALYSIS	ANALYSIS
						DATE	BY
1,2-Dibromoethane	EPA-8260	U	5.0	1	UG/KG	09/10/2024	DLC
Chlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Ethylbenzene	EPA-8260	47	10	1	UG/KG	09/10/2024	DLC
m,p-Xylene - Reanalysis1	EPA-8260	1600	50	1	UG/KG	09/11/2024	DLC
Styrene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
o-Xylene - Reanalysis1	EPA-8260	770	31	1	UG/KG	09/11/2024	DLC
Bromoform	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Isopropylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichloropropane	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Bromobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Propyl Benzene	EPA-8260	11	10	1	UG/KG	09/10/2024	DLC
2-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3,5-Trimethylbenzene - 10X Dilution1	EPA-8260	6100	330	10	UG/KG	09/11/2024	DLC
4-Chlorotoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
T-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,4-Trimethylbenzene - Reanalysis1	EPA-8260	940	31	1	UG/KG	09/11/2024	DLC
S-Butyl Benzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
P-Isopropyltoluene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,3-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,4-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
N-Butylbenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	50	1	UG/KG	09/10/2024	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Hexachlorobutadiene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
Naphthalene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	10	1	UG/KG	09/10/2024	DLC

SURROGATE	METHOD	%REC	ANALYSIS	ANALYSIS
			DATE	BY
TFT	NWTPH-GX	57.3 SUR12	09/11/2024	MNC
1,2-Dichloroethane-d4	EPA-8260	115	09/10/2024	DLC
1,2-Dichloroethane-d4 - Reanalysis1	EPA-8260	97.1	09/11/2024	DLC
1,2-Dichloroethane-d4 - 10X Dilution1	EPA-8260	95.5	09/11/2024	DLC
Toluene-d8	EPA-8260	95.3	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS JOB#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	ALS SAMPLE#:	EV24090045-06
CLIENT SAMPLE ID	B-5-1.5-090524	DATE RECEIVED:	09/09/2024
		COLLECTION DATE:	9/5/2024 7:00:00 PM
		WDOE ACCREDITATION:	C601

SAMPLE DATA RESULTS

SURROGATE	METHOD	%REC	ANALYSIS DATE	ANALYSIS BY
Toluene-d8 - Reanalysis1	EPA-8260	106	09/11/2024	DLC
Toluene-d8 - 10X Dilution1	EPA-8260	97.7	09/11/2024	DLC
4-Bromofluorobenzene	EPA-8260	115	09/10/2024	DLC
4-Bromofluorobenzene - Reanalysis1	EPA-8260	104	09/11/2024	DLC
4-Bromofluorobenzene - 10X Dilution1	EPA-8260	104	09/11/2024	DLC

U - Analyte analyzed for but not detected at level above reporting limit.
 SUR12 -Surrogate recoveries were outside of the control limits due to matrix interference.
 Chromatogram indicates that it is likely that sample contains highly weathered gasoline.
 Gasoline range product results biased high due to semivolatle range product overlap.

Soil results reported on a dry-weight basis.



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS SDG#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	WDOE ACCREDITATION:	C601

LABORATORY BLANK RESULTS

MBG-091024S - Batch 217593 - Soil by NWTPH-GX

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
TPH-Volatile Range	NWTPH-GX	U	MG/KG	3.0	09/10/2024	MNC

U - Analyte analyzed for but not detected at level above reporting limit.

MB-091024S - Batch 217400 - Soil by EPA-8260

ANALYTE	METHOD	RESULTS	UNITS	REPORTING LIMITS	ANALYSIS DATE	ANALYSIS BY
Dichlorodifluoromethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Chloromethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Vinyl Chloride	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Bromomethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Chloroethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Carbon Tetrachloride	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Trichlorofluoromethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Carbon Disulfide	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Acetone	EPA-8260	U	UG/KG	50	09/10/2024	DLC
1,1-Dichloroethene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Methylene Chloride	EPA-8260	U	UG/KG	20	09/10/2024	DLC
Acrylonitrile	EPA-8260	U	UG/KG	50	09/10/2024	DLC
Methyl T-Butyl Ether	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Trans-1,2-Dichloroethene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,1-Dichloroethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
2-Butanone	EPA-8260	U	UG/KG	50	09/10/2024	DLC
Cis-1,2-Dichloroethene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
2,2-Dichloropropane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Bromochloromethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Chloroform	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,1,1-Trichloroethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,1-Dichloropropene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2-Dichloroethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Benzene	EPA-8260	U	UG/KG	5.0	09/10/2024	DLC
Trichloroethene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2-Dichloropropane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Dibromomethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Bromodichloromethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Trans-1,3-Dichloropropene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
4-Methyl-2-Pentanone	EPA-8260	U	UG/KG	50	09/10/2024	DLC
Toluene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Cis-1,3-Dichloropropene	EPA-8260	U	UG/KG	10	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT: Aspect Consulting, LLC
 710 - 2nd Ave, Suite 550
 Seattle, WA 98104

DATE: 9/23/2024
 ALS SDG#: EV24090045
 WDOE ACCREDITATION: C601

CLIENT CONTACT: Carla Brock
 CLIENT PROJECT: Colony Claim No. 317275

LABORATORY BLANK RESULTS

MB-091024S - Batch 217400 - Soil by EPA-8260

1,1,2-Trichloroethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
2-Hexanone	EPA-8260	U	UG/KG	50	09/10/2024	DLC
1,3-Dichloropropane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Tetrachloroethylene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Dibromochloromethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2-Dibromoethane	EPA-8260	U	UG/KG	5.0	09/10/2024	DLC
Chlorobenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,1,1,2-Tetrachloroethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Ethylbenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
m,p-Xylene	EPA-8260	U	UG/KG	20	09/10/2024	DLC
Styrene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
o-Xylene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Bromoform	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Isopropylbenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,1,2,2-Tetrachloroethane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2,3-Trichloropropane	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Bromobenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
N-Propyl Benzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
2-Chlorotoluene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,3,5-Trimethylbenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
4-Chlorotoluene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
T-Butyl Benzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2,4-Trimethylbenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
S-Butyl Benzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
P-Isopropyltoluene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,3-Dichlorobenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,4-Dichlorobenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
N-Butylbenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2-Dichlorobenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane	EPA-8260	U	UG/KG	50	09/10/2024	DLC
1,2,4-Trichlorobenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Hexachlorobutadiene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
Naphthalene	EPA-8260	U	UG/KG	10	09/10/2024	DLC
1,2,3-Trichlorobenzene	EPA-8260	U	UG/KG	10	09/10/2024	DLC

U - Analyte analyzed for but not detected at level above reporting limit.



CERTIFICATE OF ANALYSIS

CLIENT:	Aspect Consulting, LLC 710 - 2nd Ave, Suite 550 Seattle, WA 98104	DATE:	9/23/2024
CLIENT CONTACT:	Carla Brock	ALS SDG#:	EV24090045
CLIENT PROJECT:	Colony Claim No. 317275	WDOE ACCREDITATION:	C601

LABORATORY CONTROL SAMPLE RESULTS

ALS Test Batch ID: 217593 - Soil by NWTPH-GX

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
TPH-Volatile Range - BS	NWTPH-GX	81.9			66.5	122.7	09/10/2024	MNC
TPH-Volatile Range - BSD	NWTPH-GX	82.0	0		66.5	122.7	09/10/2024	MNC

ALS Test Batch ID: 217400 - Soil by EPA-8260

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
Dichlorodifluoromethane - BS	EPA-8260	102			50	150	09/10/2024	DLC
Dichlorodifluoromethane - BSD	EPA-8260	85.0	18		50	150	09/10/2024	DLC
Chloromethane - BS	EPA-8260	105			50	150	09/10/2024	DLC
Chloromethane - BSD	EPA-8260	88.3	17		50	150	09/10/2024	DLC
Vinyl Chloride - BS	EPA-8260	102			50	150	09/10/2024	DLC
Vinyl Chloride - BSD	EPA-8260	85.8	17		50	150	09/10/2024	DLC
Bromomethane - BS	EPA-8260	102			50	150	09/10/2024	DLC
Bromomethane - BSD	EPA-8260	88.6	14		50	150	09/10/2024	DLC
Chloroethane - BS	EPA-8260	105			50	150	09/10/2024	DLC
Chloroethane - BSD	EPA-8260	88.4	17		50	150	09/10/2024	DLC
Carbon Tetrachloride - BS	EPA-8260	105			50	150	09/10/2024	DLC
Carbon Tetrachloride - BSD	EPA-8260	88.3	17		50	150	09/10/2024	DLC
Trichlorofluoromethane - BS	EPA-8260	103			50	150	09/10/2024	DLC
Trichlorofluoromethane - BSD	EPA-8260	86.3	18		50	150	09/10/2024	DLC
Carbon Disulfide - BS	EPA-8260	101			50	150	09/10/2024	DLC
Carbon Disulfide - BSD	EPA-8260	85.0	18		50	150	09/10/2024	DLC
Acetone - BS	EPA-8260	101			50	150	09/10/2024	DLC
Acetone - BSD	EPA-8260	89.3	13		50	150	09/10/2024	DLC
1,1-Dichloroethene - BS	EPA-8260	104			70	130	09/10/2024	DLC
1,1-Dichloroethene - BSD	EPA-8260	87.7	17		70	130	09/10/2024	DLC
Methylene Chloride - BS	EPA-8260	111			50	150	09/10/2024	DLC
Methylene Chloride - BSD	EPA-8260	82.7	29	SR1	50	150	09/10/2024	DLC
Acrylonitrile - BS	EPA-8260	105			50	150	09/10/2024	DLC
Acrylonitrile - BSD	EPA-8260	88.4	17		50	150	09/10/2024	DLC
Methyl T-Butyl Ether - BS	EPA-8260	105			50	150	09/10/2024	DLC
Methyl T-Butyl Ether - BSD	EPA-8260	91.0	14		50	150	09/10/2024	DLC
Trans-1,2-Dichloroethene - BS	EPA-8260	104			50	150	09/10/2024	DLC
Trans-1,2-Dichloroethene - BSD	EPA-8260	87.5	18		50	150	09/10/2024	DLC
1,1-Dichloroethane - BS	EPA-8260	105			50	150	09/10/2024	DLC
1,1-Dichloroethane - BSD	EPA-8260	88.1	17		50	150	09/10/2024	DLC
2-Butanone - BS	EPA-8260	94.2			50	150	09/10/2024	DLC
2-Butanone - BSD	EPA-8260	83.3	12		50	150	09/10/2024	DLC
Cis-1,2-Dichloroethene - BS	EPA-8260	105			50	150	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT: Aspect Consulting, LLC
 710 - 2nd Ave, Suite 550
 Seattle, WA 98104

DATE: 9/23/2024
ALS SDG#: EV24090045
WDOE ACCREDITATION: C601

CLIENT CONTACT: Carla Brock
CLIENT PROJECT: Colony Claim No. 317275

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
Cis-1,2-Dichloroethene - BSD	EPA-8260	88.3	17		50	150	09/10/2024	DLC
2,2-Dichloropropane - BS	EPA-8260	97.4			50	150	09/10/2024	DLC
2,2-Dichloropropane - BSD	EPA-8260	80.9	19		50	150	09/10/2024	DLC
Bromochloromethane - BS	EPA-8260	101			50	150	09/10/2024	DLC
Bromochloromethane - BSD	EPA-8260	86.0	16		50	150	09/10/2024	DLC
Chloroform - BS	EPA-8260	100			50	150	09/10/2024	DLC
Chloroform - BSD	EPA-8260	84.5	17		50	150	09/10/2024	DLC
1,1,1-Trichloroethane - BS	EPA-8260	103			50	150	09/10/2024	DLC
1,1,1-Trichloroethane - BSD	EPA-8260	86.9	17		50	150	09/10/2024	DLC
1,1-Dichloropropene - BS	EPA-8260	105			50	150	09/10/2024	DLC
1,1-Dichloropropene - BSD	EPA-8260	87.6	18		50	150	09/10/2024	DLC
1,2-Dichloroethane - BS	EPA-8260	100			50	150	09/10/2024	DLC
1,2-Dichloroethane - BSD	EPA-8260	84.2	18		50	150	09/10/2024	DLC
Benzene - BS	EPA-8260	99.8			75	138	09/10/2024	DLC
Benzene - BSD	EPA-8260	83.0	18		75	138	09/10/2024	DLC
Trichloroethene - BS	EPA-8260	102			75	136	09/10/2024	DLC
Trichloroethene - BSD	EPA-8260	84.4	19		75	136	09/10/2024	DLC
1,2-Dichloropropane - BS	EPA-8260	103			50	150	09/10/2024	DLC
1,2-Dichloropropane - BSD	EPA-8260	86.9	17		50	150	09/10/2024	DLC
Dibromomethane - BS	EPA-8260	105			50	150	09/10/2024	DLC
Dibromomethane - BSD	EPA-8260	88.9	16		50	150	09/10/2024	DLC
Bromodichloromethane - BS	EPA-8260	105			50	150	09/10/2024	DLC
Bromodichloromethane - BSD	EPA-8260	87.6	18		50	150	09/10/2024	DLC
Trans-1,3-Dichloropropene - BS	EPA-8260	105			50	150	09/10/2024	DLC
Trans-1,3-Dichloropropene - BSD	EPA-8260	86.0	20		50	150	09/10/2024	DLC
4-Methyl-2-Pentanone - BS	EPA-8260	99.4			50	150	09/10/2024	DLC
4-Methyl-2-Pentanone - BSD	EPA-8260	87.0	13		50	150	09/10/2024	DLC
Toluene - BS	EPA-8260	97.7			71.6	122.1	09/10/2024	DLC
Toluene - BSD	EPA-8260	81.2	18		71.6	122.1	09/10/2024	DLC
Cis-1,3-Dichloropropene - BS	EPA-8260	104			50	150	09/10/2024	DLC
Cis-1,3-Dichloropropene - BSD	EPA-8260	87.1	18		50	150	09/10/2024	DLC
1,1,2-Trichloroethane - BS	EPA-8260	104			50	150	09/10/2024	DLC
1,1,2-Trichloroethane - BSD	EPA-8260	86.4	18		50	150	09/10/2024	DLC
2-Hexanone - BS	EPA-8260	97.1			50	150	09/10/2024	DLC
2-Hexanone - BSD	EPA-8260	83.8	15		50	150	09/10/2024	DLC
1,3-Dichloropropane - BS	EPA-8260	104			50	150	09/10/2024	DLC
1,3-Dichloropropane - BSD	EPA-8260	86.3	19		50	150	09/10/2024	DLC
Tetrachloroethylene - BS	EPA-8260	102			50	150	09/10/2024	DLC
Tetrachloroethylene - BSD	EPA-8260	82.6	21		50	150	09/10/2024	DLC
Dibromochloromethane - BS	EPA-8260	108			50	150	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT: Aspect Consulting, LLC
 710 - 2nd Ave, Suite 550
 Seattle, WA 98104

DATE: 9/23/2024
ALS SDG#: EV24090045
WDOE ACCREDITATION: C601

CLIENT CONTACT: Carla Brock
CLIENT PROJECT: Colony Claim No. 317275

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
Dibromochloromethane - BSD	EPA-8260	89.2	19		50	150	09/10/2024	DLC
1,2-Dibromoethane - BS	EPA-8260	106			50	150	09/10/2024	DLC
1,2-Dibromoethane - BSD	EPA-8260	88.4	18		50	150	09/10/2024	DLC
Chlorobenzene - BS	EPA-8260	103			79	128	09/10/2024	DLC
Chlorobenzene - BSD	EPA-8260	83.3	21	SR1	79	128	09/10/2024	DLC
1,1,1,2-Tetrachloroethane - BS	EPA-8260	105			50	150	09/10/2024	DLC
1,1,1,2-Tetrachloroethane - BSD	EPA-8260	86.0	20		50	150	09/10/2024	DLC
Ethylbenzene - BS	EPA-8260	102			50	150	09/10/2024	DLC
Ethylbenzene - BSD	EPA-8260	82.6	21		50	150	09/10/2024	DLC
m,p-Xylene - BS	EPA-8260	100			50	150	09/10/2024	DLC
m,p-Xylene - BSD	EPA-8260	80.7	21		50	150	09/10/2024	DLC
Styrene - BS	EPA-8260	105			50	150	09/10/2024	DLC
Styrene - BSD	EPA-8260	85.3	21		50	150	09/10/2024	DLC
o-Xylene - BS	EPA-8260	102			50	150	09/10/2024	DLC
o-Xylene - BSD	EPA-8260	83.0	20		50	150	09/10/2024	DLC
Bromoform - BS	EPA-8260	97.1			50	150	09/10/2024	DLC
Bromoform - BSD	EPA-8260	81.8	17		50	150	09/10/2024	DLC
Isopropylbenzene - BS	EPA-8260	103			50	150	09/10/2024	DLC
Isopropylbenzene - BSD	EPA-8260	83.7	21		50	150	09/10/2024	DLC
1,1,2,2-Tetrachloroethane - BS	EPA-8260	108			50	150	09/10/2024	DLC
1,1,2,2-Tetrachloroethane - BSD	EPA-8260	92.8	15		50	150	09/10/2024	DLC
1,2,3-Trichloropropane - BS	EPA-8260	106			50	150	09/10/2024	DLC
1,2,3-Trichloropropane - BSD	EPA-8260	91.3	15		50	150	09/10/2024	DLC
Bromobenzene - BS	EPA-8260	108			50	150	09/10/2024	DLC
Bromobenzene - BSD	EPA-8260	88.3	20		50	150	09/10/2024	DLC
N-Propyl Benzene - BS	EPA-8260	106			50	150	09/10/2024	DLC
N-Propyl Benzene - BSD	EPA-8260	87.0	20		50	150	09/10/2024	DLC
2-Chlorotoluene - BS	EPA-8260	105			50	150	09/10/2024	DLC
2-Chlorotoluene - BSD	EPA-8260	86.2	20		50	150	09/10/2024	DLC
1,3,5-Trimethylbenzene - BS	EPA-8260	106			50	150	09/10/2024	DLC
1,3,5-Trimethylbenzene - BSD	EPA-8260	86.6	20		50	150	09/10/2024	DLC
4-Chlorotoluene - BS	EPA-8260	106			50	150	09/10/2024	DLC
4-Chlorotoluene - BSD	EPA-8260	85.8	21		50	150	09/10/2024	DLC
T-Butyl Benzene - BS	EPA-8260	109			50	150	09/10/2024	DLC
T-Butyl Benzene - BSD	EPA-8260	90.3	19		50	150	09/10/2024	DLC
1,2,4-Trimethylbenzene - BS	EPA-8260	99.1			50	150	09/10/2024	DLC
1,2,4-Trimethylbenzene - BSD	EPA-8260	80.5	21		50	150	09/10/2024	DLC
S-Butyl Benzene - BS	EPA-8260	105			50	150	09/10/2024	DLC
S-Butyl Benzene - BSD	EPA-8260	85.8	20		50	150	09/10/2024	DLC
P-Isopropyltoluene - BS	EPA-8260	105			50	150	09/10/2024	DLC



CERTIFICATE OF ANALYSIS

CLIENT: Aspect Consulting, LLC
 710 - 2nd Ave, Suite 550
 Seattle, WA 98104

DATE: 9/23/2024
 ALS SDG#: EV24090045
 WDOE ACCREDITATION: C601

CLIENT CONTACT: Carla Brock
 CLIENT PROJECT: Colony Claim No. 317275

LABORATORY CONTROL SAMPLE RESULTS

SPIKED COMPOUND	METHOD	%REC	RPD	QUAL	LIMITS		ANALYSIS DATE	ANALYSIS BY
					MIN	MAX		
P-Isopropyltoluene - BSD	EPA-8260	84.5	22		50	150	09/10/2024	DLC
1,3-Dichlorobenzene - BS	EPA-8260	105			50	150	09/10/2024	DLC
1,3-Dichlorobenzene - BSD	EPA-8260	85.5	21		50	150	09/10/2024	DLC
1,4-Dichlorobenzene - BS	EPA-8260	105			50	150	09/10/2024	DLC
1,4-Dichlorobenzene - BSD	EPA-8260	84.3	22		50	150	09/10/2024	DLC
N-Butylbenzene - BS	EPA-8260	104			50	150	09/10/2024	DLC
N-Butylbenzene - BSD	EPA-8260	82.8	23		50	150	09/10/2024	DLC
1,2-Dichlorobenzene - BS	EPA-8260	106			50	150	09/10/2024	DLC
1,2-Dichlorobenzene - BSD	EPA-8260	87.0	20		50	150	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane - BS	EPA-8260	93.5			50	150	09/10/2024	DLC
1,2-Dibromo 3-Chloropropane - BSD	EPA-8260	83.6	11		50	150	09/10/2024	DLC
1,2,4-Trichlorobenzene - BS	EPA-8260	71.6			50	150	09/10/2024	DLC
1,2,4-Trichlorobenzene - BSD	EPA-8260	63.2	12		50	150	09/10/2024	DLC
Hexachlorobutadiene - BS	EPA-8260	82.5			50	150	09/10/2024	DLC
Hexachlorobutadiene - BSD	EPA-8260	70.7	15		50	150	09/10/2024	DLC
Naphthalene - BS	EPA-8260	66.6			50	150	09/10/2024	DLC
Naphthalene - BSD	EPA-8260	64.9	3		50	150	09/10/2024	DLC
1,2,3-Trichlorobenzene - BS	EPA-8260	80.6			50	150	09/10/2024	DLC
1,2,3-Trichlorobenzene - BSD	EPA-8260	74.3	8		50	150	09/10/2024	DLC

SR1 - RPD outside of control limits.

APPROVED BY

Carl Nott
 Operations Manager



SAMPLE RECEIVING CHECKLIST

Client: Aspect
Project: Colony Claim No. 317 & 75

ALS Job #: EW24090045
Login Date: 9/9/24
Login Time: 0825
Login By: AV

Type of Shipping Container: Cooler
 Box
 Other: _____

Shipped Via: FedEx Ground
 FedEx Express First Overnight
 UPS
 External Courier
 ALS Courier
 Hand Delivered

Were custody seals on the outside of the shipping container?
How Many? _____ Where? _____ Date: _____ Name: _____
Was CoC filled out properly? (in ink, signed, dated, etc.)
Did all bottles have labels?
Did all bottle labels and tags agree with CoC?
Were samples received within hold time?
Did all bottles arrive in good condition?
Was sufficient amount of sample sent for tests requested?
Was correct preservation added to samples?
Subcontract test containers added to subcontract bin?
Wetchem test containers marked with applicable tests?
Short hold time test containers delivered to analysts?
VOA vials checked for bubbles?
Bubbles in sample number(s): _____
5035A kits received?
Low kits: 6 High kits: _____
5035A kits returned?
Low kits: _____ High kits: _____

Yes	No	N/A
_____	<u>✓</u>	_____
<u>✓</u>	_____	_____
<u>✓</u>	_____	_____
<u>✓</u>	_____	_____
<u>✓</u>	_____	_____
<u>✓</u>	_____	_____
<u>✓</u>	_____	_____
_____	_____	<u>✓</u>
_____	_____	<u>✓</u>
_____	_____	<u>✓</u>
<u>✓</u>	_____	_____
_____	_____	<u>✓</u>

Temperature upon receipt: 14.8 °C On ice? 4-melted Thermometer ID: 189

Other discrepancies:

Was client contacted? _____ Who was called? _____ By whom? _____ Date: _____
Outcome of call: