



March 31, 2015

Mr. Phil Nollmeyer  
Lincoln County Department of Public Works  
27234 SR 25 N  
Davenport, Washington 99122

Re: Chemical and Biological Remediation Annual Progress Report  
South Wilbur Petroleum Contamination Site  
Wilbur, Washington

Dear Mr. Nollmeyer,

This memorandum summarizes performance one year after beginning *in situ* remediation of petroleum-contaminated soil and groundwater using chemical and biological oxidation. The primary site (site) address is 108 Southeast Anne Street in Wilbur, WA (Figure 1). The cleanup is registered with the Washington State Department of Ecology (Ecology) as facility identification number 7096 and cleanup identification number 1949. This technical memorandum was prepared on behalf of Lincoln County Department of Public Works (LCPW) and in collaboration with Budinger & Associates of Spokane Valley, WA (Budinger).

### **PROJECT OVERVIEW AND STATUS**

The *in situ* chemical and biological remediation scope includes the combination of a one-time injection of chemical and biological oxidants coupled with subsequent slug injections of biological oxidants to maintain loading in key areas of residual contamination and respond to site-specific conditions. The one-time injection was conducted using a lance approach between September 30 and October 3, 2013. This event introduced a total of 30 gallons of NovIOX™ chemical oxidant; and a biological oxidant package consisting of 6,300 pounds of AnoxEA® AQ brand biological oxidant; 26.5 liters of ReleaSE-Dx™ brand surfactant; and 4.54 kilograms of AM3™ brand petroleum-degrading microbes (discussed below). These amendments were introduced across three properties and applied to approximately 5,550 square feet of impacted soil and groundwater between 5 and 12 feet below ground surface (bgs). Additional details are provided in Hart Crowser's *Chemical and Biological Remediation Services Report*, dated March 19, 2014.

A series of five lateral infiltration galleries and three vertical injection galleries were installed to complete the supporting slug injections (Figure 2). Horizontal infiltration galleries were pre-treated with NovIOX-S™ soil conditioner to enhance solution infiltration rates through fine-grained native soils. Biological oxidant slug injections into these features were conducted during October 2013 and in January, April, and May of 2014. Additional biological oxidant slug injections were completed into the three vertical



injection points during August 2014. During 2014, a total of 3,875 pounds of AnoxEA AQ was introduced via slug injection, along with 26.4 liters of ReleaSE-Dx and 54 grams of AM3-S. Slug injection totals are presented in Table 1.

**2014 Routine Maintenance.** With the decline of groundwater elevations during the summer of 2014, tap water chases were completed during August 2014 to push any unused amendment down deeper into the formation. Further maintenance was performed during October 2014, including injection of NovIOX-S solution (1:150 dilution) into the five horizontal infiltration galleries. The goal of this work was to maintain soil permeability and minimize potential impacts from biofouling while groundwater elevations were still low.

The final 2014 maintenance task includes redevelopment of MW-4 and MW-6 using a solution of NovIOX-S. Groundwater data suggested that MW-6, and possibly MW-4, were not well connected to the aquifer and could be biasing analytical results. For both wells, approximately 75 gallons of NovIOX-S solution (1:140 dilution) was initially introduced via compression coupling, resulting in full saturation of the well screen and sand pack. This level of contact was maintained for a minimum of 5 minutes. The coupling was then removed and the well surged with a stainless steel bailer to break up mineralization and biofouling. This process was then repeated several times until all 280 gallons of solution had been introduced. As the effects of NovIOX-S typically dissipate within 7 to 14 days, water quality bias is not anticipated.

## **REMEDIATION PROCESS OVERVIEW**

As part of the remediation approach, NovIOX is injected first to both directly react with weathered petroleum hydrocarbons and release petroleum from the soil matrix for subsequent destruction. NovIOX is biodegradable and active for up to 30 days. AnoxEA AQ provides a source of oxidants for biological respiration of petroleum and other organics to the end product of carbon dioxide. AnoxEA AQ also provides a source of pH buffering and macro- and micro-nutrients to support growth and maintenance of microbes. ReleaSE-Dx is a non-ionic surfactant with rhamnolipids to promote mobilization of petroleum for subsequent destruction. AM3 is a blend of petroleum-degrading microbes specifically selected to utilize AnoxEA AQ for petroleum respiration.

During this remedial process, increases of total organic carbon (TOC), petroleum constituents, iron, nitrate, and sulfate concentrations are commonly observed. TOC captures the carbon in petroleum, dissolved biomass, and non-volatile and volatile fatty acids (simplified as VFAs for ease). VFAs are the intermediate compounds of petroleum oxidation to carbon dioxide. VFAs can also be absorbed by microbes, modified, and used for growth and reproduction. When optimal conditions are no longer present, the resulting death of excess microbes can result in the release of biomass that can



compete with petroleum for oxidation due to their generally better biodegradability. Thus TOC is an accurate measure of total oxidant demand based on the overall system.

The overall process of biological degradation of petroleum typically follows a predictable pattern. NovIOX and ReleaSE-Dx will broadly promote desorption of petroleum hydrocarbons from soils in the short term. Within groundwater straight chain alkanes, light aromatics, and simple alkenes are degraded first due to enzyme access and greater solubility. Within the standard volatile organic compound (VOC) analysis regiment, this commonly manifests as groundwater concentration increases in benzene and toluene, followed by ethylbenzene and xylene (BTEX). As xylene concentrations decline, trimethylbenzene and naphthalene concentrations are mobilized and degraded next.

Simultaneously with this light petroleum mobilization, heavier hydrocarbons in the diesel and oil range are also mobilized by the introduction of NovIOX and ReleaSE-Dx, and begin to degrade. A common degradation pathway includes acetogenesis, in which long hydrocarbon chains are converted to a VFA and shortened by two carbons with each enzyme cycle. These two carbons are commonly released as acetic acid, a VFA that tends to reduce groundwater pH, and is detected as TOC. As the diesel and oil hydrocarbon VFAs are shortened, the carbon chains transition into the gasoline range. While laboratory cleanup of the sample with silica gel can reduce diesel- (Dx) and oil-range (Ox) VFAs, there is no such cleanup available for gasoline-range (Gx) organics. Thus mobilization of Gx-range hydrocarbons and Dx/Ox degradation simultaneously contribute to temporary increases in Gx-range organics under the Northwest analytical method for quantifying gasoline (NWTPH-Gx). As the last stage in this remedial process, the generic Gx-range organics concentration declines.

## **PERFORMANCE RESULTS**

Monitoring work performed through 2014 was conducted by Budinger and Associates of Spokane, WA. Analytical data for key treatment area wells are provided in Table 2. Budinger's historical "physical water quality data" is provided in Table 3 and historical petroleum results are presented in Table 4. Analytical laboratory reports are presented in Attachment A. It is important to note that data through December 2014 has not received a silica gel cleanup, meaning that biomass and heavier-range VFAs are included in the TPH-Dx and TPH-Ox reported values. Based on proximity to both treatment areas and areas of residual petroleum hydrocarbons, wells MW-2, -3, -4, -6, and -10 are of primary focus with this data assessment (Figure 2).

### ***General Groundwater Quality Observations.***

The December 2014 groundwater monitoring event represents the fourth quarterly data set after the initial AMOR treatment (Figure 3). Because of the substantial smear zone and the fact that the aquifer can go dry during the summer months (e.g., September and



early December 2014), it is best to compare both general trending and year over year changes. So as groundwater elevations raised to the point where sampling was possible during December 2014, the “first seasonal flush” revealed some interesting trends given that the last broad biological oxidant application occurred during May 2014.

Wells such as MW-2, MW-4, and MW-10 experienced an appreciable spike in TOC, ranging between 38 mg/L and 53 mg/L. This TOC is a combination of partially-degraded petroleum, biomass, and organic acids. Despite the release from organics from the soil matrix, concentrations of risk-driving VOCs are generally noted as being much lower. This pattern is expected using this process with generic TPH-Gx more complex VOCs being degraded last.

### ***Key Well Evaluations.***

There are several wells identified as key to evaluating bioremediation performance. These include treatment area well MW-6; downgradient and impacted wells MW-2, MW-3, MW-4, and MW-10; and compliance well MW-1. While MW-11 and MW-12 are also “downgradient compliance wells” due to their location next to the creek, data suggests MW-1 is the well most likely to observe impacts from source area treatment and is thus important for evaluating that underground injection control requirements are met.

**Groundwater Well MW-1.** Down-gradient MW-1 continues to display low-levels of mobilization and increased TOC concentrations, likely a product of source area treatments and increased microbial activity. Lower pH values are noted during December 2014; however, a review of all pH values collected during the December 3 sampling event appear to be biased. This suggests the pH excursion is actually instrument-related instead of evidence of fatty acid accumulation, excessive migration, and pH buffering issues.

**Groundwater Well MW-2.** Despite a 40 percent higher concentrations of generic gasoline-range hydrocarbons (TPH-Gx) compared to December 2013, the concentration of risk-driving VOCs continues to decline. BTEX constituents have declined between 44 percent (xylene) and 64 percent (toluene) compared to December 2013 levels, consistent with the typical preference of microbial degradation. The presence of acetone and 2-butanone (Table 2) is consistent with the microbial fermentation of petroleum. Thus in the vicinity of MW-2, the microbes are active and reducing risk. To maintain degradation in this well vicinity, further amendment additions will be required.

**Groundwater Well MW-3.** Unfortunately MW-3 was dry during December 2013, making season-over-season comparisons difficult. However, there a clear pattern of VOC reduction at this location compared to March 2014, when similar TPH-Gx concentrations were noted. BTEX concentrations have declined by an average of approximately 50 percent since March 2014, with even greater reductions noted compared to pre-



treatment April 2013 concentrations. Also worth noting, trimethylbenzene concentrations declined by an average of 85 percent compared to March 2014. These trends are expected to continue at this down-gradient location as source mass continues to degrade and concentrations decline.

**Groundwater Well MW-4.** MW-4 was redeveloped during October 2014 due to concerns about bio-fouling and lack of connectivity with the surrounding aquifer. The well was dry during the December 3, 2014, sampling event but had sufficiently recharged by December 22 to collect a sample. The sample contained historically high TOC (49.7 mg/L) while TPH-Gx remained within historical ranges. However, compared to December 2013 data, appreciable declines in VOC concentrations are noted, including 67 percent reduction in ethylbenzene and 85 percent reduction in total trimethylbenzene (TMB). Because nitrate/nitrogen cycling is not noted in MW-4, it is unclear whether the infiltration gallery at the former state shop is actually having an influence at this location. The sulfate and ORP spike at this location are most likely related to NovIOX reaction by-products coupled with some degree of oxidative groundwater flux through the area. Further assessment is warranted.

**Groundwater Well MW-6.** MW-6 was also redeveloped during October 2014 due to bio-fouling concerns. This well had sufficient water during the December 3, 2014, monitoring event, which means that the 5.15 pH should not be considered reliable. For the first time, the seasonal flux of nitrate noted in nearby MW-7 was also detected in MW-6. Additionally, the ORP value of these wells was also similar, reflecting the second time since 2009 that MW-6 had a positive seasonal ORP consistent with the flux of oxidative groundwater into the well. As a result, we see total BTEX concentrations declining by 46 percent compared to December 2013. Naphthalene declined by 70 percent during this time period. However, because 1,3,5-TMB is still going through an apparent mobilization process, that typically means that appreciable residual TPH mass must still be addressed at this location. Again, the elevated sulfate is likely linked to by-products of the NovIOX treatment. Looking forward, we should be able to more accurately assess the impacts from use of the upgradient county garage infiltration galleries during 2015.

**Groundwater Well MW-10.** There were no strong changes in groundwater conditions at MW-10 following AMOR treatment beyond the typical spike of TPH-Dx (non-silica gel cleanup value) observed in wells downgradient of the initial treatment areas. However, during December 2014, a substantial slug of TOC was noted to move through the MW-10 vicinity at a concentration of almost four-times the spike observed during December 2013 post-AMOR sampling. This spike of organics did not include a substantially higher concentration of VOCs except 1,3,5-TMB. This spike in TOC could be related to infiltration of seasonal precipitation, resulting in the mobilization of lance-



injected AnoxEA AQ from the soil matrix to the groundwater phase where it was utilized before it could be detected at MW-10.

## CONCLUSIONS

December 2014 monitoring was conducted during to the onset of “first-flush” seasonal return of groundwater at the site. This groundwater contained a much higher concentration of TOC in MW-2, MW-4, and MW-10. However, VOC concentrations were generally noted as being significantly lower compared to December 2013 seasonal data (March 2014 for MW-3). By December 2014, downgradient wells MW-2, -3, -4, and -6 reflected an average total VOC concentration decline of 81 percent, a reduction in BTEX of 52 percent, and reduction in naphthalene of 69 percent. In contrast, the generic TPH-Gx value (which includes low boiling point volatile organic acids) has only declined by an average of 16 percent as TOC increased by 30 percent in these wells and over this time period. As TPH and TOC values are the typically the last to decline, there is a reasonable chance that several treatment area wells will be cleanup by the end of the originally planned 24 month treatment window, which ends in the fourth quarter 2015.

## RECOMMENDATIONS

Looking forward, we recommend the following work be completed.

- Continue quarterly groundwater monitoring for the current analytical suite, scheduled for March and June 2015.
- Perform additional AnoxEA AQ injections into infiltration galleries and vertical injection wells during February and April 2015.

Please let me know if you have any questions.

Sincerely,

Troy Fowler  
Bioremediation Specialists

### Attachments:

Table 1 – Permanent Point Injection Summary – Through December 2014

Table 2 – Analytical Results for Key Monitoring Wells

Table 3 – Summary of Physical Water Quality Results (Budinger & Associates Table)

Table 4 – Summary of Petroleum Results (Budinger & Associates Table)

Figure 1 – Vicinity Map



---

Figure 2 – Site Layout

Figure 3 – Injection Plan

Attachment A – Analytical Laboratory Reports

Cc: Sandra Treccani, Ecology

Rick Becker, LCPW

Steven Burchett, Budinger



Table 1 - Permanent Point Injection Summary  
Table 2 - Analytical Result for Key Monitoring Wells  
Table 3 - Summary of Physical Water Quality Results  
Table 4 - Summary of Petroleum Results

## **ATTACHMENT** **Analytical Tables**



**Table 1 - Permanent Point Injection Summary - Through December 2014**  
**South Wilbur Petroleum Contamination Site**  
**Wilbur, Washington**

Point Name	Date	Chemical Oxidation			Biological Oxidation			
		NovIOX-S™ Solution (gallons)	NovIOX-S Concentrate (gallons)	Tap Water Chase (gallons)	AnoxEA® AQ (pounds)	ReleaSE-Dx™ (liters)	AM3™ (grams)	Tap Water Chase (gallons)
<i>Vertical Injection Points</i>								
CG-1	10/1/13	0	0	0	125	0.3	54	54
	1/6/14	0	0	0	100	2.0	0	100
	4/15/14	0	0	0	200	1.5	0	100
	5/7/14	0	0	0	200	0	0	150
	8/6/14	0	0	0	200	0	0	200
WG-1	10/2/13	0	0	0	100	0.3	0	50
	1/6/14	0	0	0	50	1.0	0	75
	4/15/14	0	0	0	100	1.0	0	100
	5/7/14	0	0	0	50	0	0	100
	8/6/14	0	0	0	100	0	0	150
WG-2	10/2/13	0	0	0	100	0.3	0	50
	1/6/14	0	0	0	50	1.0	0	75
	4/15/14	0	0	0	50	1.0	0	75
	5/7/14	0	0	0	50	0	0	75
	8/6/14	0	0	0	50	0	0	100
MW-4	10/21/14	280	2.0	0	0	0	0	0
MW-6	10/21/14	280	2.0	0	0	0	0	0
<i>Horizontal Infiltration Galleries</i>								
CGG-N	10/14/13	250	2.0	250	0	0	0	0
	1/6/14	0	0	0	100	2.0	0	250
	4/15/14	0	0	0	200	1.5	0	250
	5/6/14	0	0	0	150	0	0	150
	8/6/14	0	0	0	0	0	0	250
	8/11/14	0	0	0	0	0	0	250
	10/22/14	250	2.0	250	0	0	0	0
CGG-SW	10/2/13	250	2.0	250	0	0	0	0
	1/2/14	0	0	0	100	2.0	0	250
	4/15/14	0	0	0	250	2.0	0	250
	5/6/14	0	0	0	200	1.0	0	200
	8/6/14	0	0	0	0	0	0	250
	8/11/14	0	0	0	0	0	0	250
	10/22/14	250	1.0	250	0	0	0	0
CGG-SE	10/2/13	250	2.0	250	0	0	0	0
	1/2/14	0	0	0	100	2.0	0	250
	4/15/14	0	0	0	250	2.0	0	250
	5/6/14	0	0	0	200	0.5	0	200
	8/6/14	0	0	0	0	0	0	250
	8/11/14	0	0	0	0	0	0	250
	10/22/14	280	2.0	250	0	0	0	0
WGG-N	10/2/13	250	2.0	250	0	0	0	0
	1/6/14	0	0	0	50	1.0	0	250
	4/15/14	0	0	0	200	1.5	0	250
	5/7/14	0	0	0	150	0	0	150
	8/6/14	0	0	0	0	0	0	250
	8/11/14	0	0	0	0	0	0	250
	10/22/14	250	1.0	250	0	0	0	0
WGG-S	10/2/13	250	2.0	250	0	0	0	0
	1/6/14	0	0	0	50	1.0	0	250
	4/15/14	0	0	0	200	1.5	0	250
	5/7/14	0	0	0	150	0	0	150
	8/6/14	0	0	0	0	0	0	250
	8/11/14	0	0	0	0	0	0	250
	10/22/14	250	2.0	250	0	0	0	0
<b>Totals</b>		<b>3,090</b>	<b>22</b>	<b>2,500</b>	<b>3,875</b>	<b>26.4</b>	<b>54</b>	<b>7,304</b>

**Notes:**

- NovIOX-S is a soil-conditioning chemical oxidant. Solution volume followed by an equal volume of tap water.
- NovIOX-S, AnoxEA AQ, ReleaSE-Dx, and AM3 products manufactured by Bioremediation Specialists, L.L.C.
- AnoxEA AQ generally mixed into an injection solution of 1 or 2 pounds of AnoxEA AQ per gallon of water.

**Table 2 - Analytical Results for Key Monitoring Wells  
South Wilbur Petroleum Contamination Site  
Wilbur, Washington**

<b>GROUNDWATER WELL MW-1</b>									
DATE SAMPLED	3/1/2014	6/12/2013	10/16/2013	12/17/2013	3/17/2014	6/4/2014	9/22/2014	12/3/2014	12/22/2014
TOTAL ORGANIC CARBON	NT	NT	NT	<b>7,090</b>	<b>8,270</b>	<b>10,200</b>	NT	<b>10,500</b>	NT
TOTAL PETROLEUM HYDROCARBONS									
TPH-Gx	<b>128</b>	<100	NT	<100	<b>1,930</b>	<b>195</b>	NT	<b>126</b>	NT
TPH-Dx	<100	<100	<100	<100	<100	<100	NT	<100	NT
TPH-Ox	<500	<500	<500	<500	<500	<500	NT	<500	NT
VOLATILE ORGANIC COMPOUNDS									
1,2,4-Trimethylbenzene	NT	NT	<0.5	<0.5	<0.5	<0.5	NT-Dry	<0.5	NT
1,3,5-Trimethylbenzene	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
Acetone	NT	NT	<2.5	<2.5	<2.5	<2.5		<2.5	NT
Benzene	<1.0	<1.0	<0.5	<0.5	<0.5	<0.5		<0.5	NT
Chloroform	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
Chloromethane	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
Ethylbenzene	<3.0	<2.0	<0.5	<0.5	<0.5	<0.5		<0.5	NT
Isopropylbenzene	NT	NT	<0.5	<0.5	<b>0.57</b>	<0.5		<0.5	NT
m+p-Xylene	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0		<1.0	NT
Methyl ethyl ketone (MEK)	NT	NT	<2.5	<2.5	<2.5	<2.5		<2.5	NT
Methyl isobutyl ketone (MIBK)	NT	NT	<2.5	<2.5	<2.5	<2.5		<2.5	NT
Methylene chloride	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
methyl-t-butyl ether (MTBE)	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
Naphthalene	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
n-Butylbenzene	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
n-Propylbenzene	NT	NT	<0.5	<0.5	<b>0.62</b>	<0.5		<0.5	NT
o-Xylene	NT	NT	<0.5	<0.5	<0.5	<0.5		<0.5	NT
p-isopropyltoluene	NT	NT	<0.5	<0.5	<0.5	<0.5	<0.5	NT	
sec-Butylbenzene	NT	NT	<0.5	<0.5	<0.5	<0.5	<0.5	NT	
tert-Butylbenzene	NT	NT	<0.5	<0.5	<0.5	<0.5	<0.5	NT	
Toluene	<b>1.1</b>	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	NT	
<b>GROUNDWATER WELL MW-2</b>									
DATE SAMPLED	4/2/2013	6/12/2013	10/16/2013	12/17/2013	3/17/2014	6/4/2014	9/22/2014	12/3/2014	12/22/2014
TOTAL ORGANIC CARBON	NT	NT	NT-Dry	<b>57,200</b>	<b>14,400</b>	<b>12,700</b>	NT-Dry	NT-Dry	<b>53,000</b>
TOTAL PETROLEUM HYDROCARBONS									
TPH-Gx	<b>7,580</b>	<b>15,300</b>	NT-Dry	<b>7,040</b>	<b>8,610</b>	<b>3,000</b>	NT-Dry	NT-Dry	<b>9,850</b>
TPH-Dx	<100	<b>428</b>		<b>4,230</b>	<b>634</b>	<100			<100
TPH-Ox	<500	<500		<b>676</b>	<500	<500			<500
VOLATILE ORGANIC COMPOUNDS									
1,2,4-Trimethylbenzene	NT	NT	NT-Dry	<b>245</b>	<b>429</b>	<b>128</b>	NT-Dry	NT-Dry	<b>113</b>
1,3,5-Trimethylbenzene	NT	NT		<50	<b>41.7</b>	<b>44.0</b>			<b>40.6</b>
Acetone	NT	NT		<250	<125	<b>77.9</b>			<b>60.7</b>
Benzene	<b>299</b>	<b>560</b>		<b>412</b>	<b>272</b>	<b>176</b>			<b>189</b>
Chloroform	NT	NT		<50	<25	<5.0			<5.0
Chloromethane	NT	NT		<50	<25	<5.0			<5.0
Ethylbenzene	<b>576</b>	<b>959</b>		<b>754</b>	<b>390</b>	<b>59.7</b>			<b>316</b>
Isopropylbenzene	NT	NT		<50	<25	<b>7.61</b>			<b>5.58</b>
m+p-Xylene	<b>526*</b>	<b>1,193*</b>		<b>979</b>	<b>637</b>	<b>272</b>			<b>550</b>
Methyl ethyl ketone (MEK)	NT	NT		<250	<125	<b>32.0</b>			<b>57.3</b>
Methyl isobutyl ketone (MIBK)	NT	NT		<250	<125	<25			<25
Methylene chloride	NT	NT		<50	<25	<5.0			<5.0
methyl-t-butyl ether (MTBE)	NT	NT		<50	<25	<5.0			<5.0
Naphthalene	NT	NT		<50	<b>116</b>	<b>34.0</b>			<b>13.3</b>
n-Butylbenzene	NT	NT		<50	<25	<5.0			<b>11.9</b>
n-Propylbenzene	NT	NT		<50	<b>54.3</b>	<b>10.7</b>			<b>14.2</b>
o-Xylene	NT	NT		<50	<b>27.1</b>	<b>13.3</b>			<b>23.3</b>
p-isopropyltoluene	NT	NT	<50	<25	<5.0	<5.0			
sec-Butylbenzene	NT	NT	<50	<25	<5.0	<5.0			
tert-Butylbenzene	NT	NT	<50	<25	<5.0	<5.0			
Toluene	<b>51.0</b>	<b>118</b>	<b>94.6</b>	<25	<b>25.8</b>	<b>34.4</b>			

Please refer to the notes at the end of the table.

**Table 2 - Analytical Results for Key Monitoring Wells  
South Wilbur Petroleum Contamination Site  
Wilbur, Washington**

<b>GROUNDWATER WELL MW-3</b>									
DATE SAMPLED	4/2/2013	6/12/2013	10/16/2013	12/17/2013	3/18/2014	6/4/2014	9/22/2014	12/3/2014	12/22/2014
TOTAL ORGANIC CARBON	NT	NT	NT-DRY	NT-DRY	<b>13,000</b>	<b>9,810</b>	NT	NT	<b>9,080</b>
TOTAL PETROLEUM HYDROCARBONS									
TPH-Gx	<b>4,250</b>	<b>5,280</b>	NT-Dry	NT-Dry	<b>3,470</b>	<b>6,740</b>	NT-Dry	NT-Dry	<b>2,960</b>
TPH-Dx	<100	<b>221</b>			<b>646</b>	<100			<100
TPH-Ox	<500	<500			<500	<500			<500
VOLATILE ORGANIC COMPOUNDS									
1,2,4-Trimethylbenzene	NT	NT	NT-Dry	NT-Dry	<b>86.1</b>	<12.5	NT-Dry	NT-Dry	<5.0
1,3,5-Trimethylbenzene	NT	NT			<b>70.8</b>	<b>24.3</b>			<b>16.7</b>
Acetone	NT	NT			<12.5	<12.5			<25
Benzene	<b>41.7</b>	<b>37.2</b>			<b>28.1</b>	<b>29.7</b>			<b>18.2</b>
Chloroform	NT	NT			<2.5	<12.5			<5.0
Chloromethane	NT	NT			<2.5	<12.5			<5.0
Ethylbenzene	<b>174</b>	<b>234</b>			<b>134</b>	<b>263</b>			<b>44.5</b>
Isopropylbenzene	NT	NT			<b>23.5</b>	<b>38.6</b>			<b>13.6</b>
m+p-Xylene	<b>107*</b>	<b>96*</b>			<b>44.8</b>	<b>44.4</b>			<b>24.5</b>
Methyl ethyl ketone (MEK)	NT	NT			<12.5	<62.5			<25
Methyl isobutyl ketone (MIBK)	NT	NT			<12.5	<12.5			<25
Methylene chloride	NT	NT			<2.5	<2.5			<5.0
methyl-t-butyl ether (MTBE)	NT	NT			<2.5	<2.5			<5.0
Naphthalene	NT	NT			<b>6.27</b>	<b>13.6</b>			<5.0
n-Butylbenzene	NT	NT			<b>11.5</b>	<12.5			<b>9.89</b>
n-Propylbenzene	NT	NT			<b>43.4</b>	<b>71.5</b>			<b>20.1</b>
o-Xylene	NT	NT			<b>10.2</b>	<b>19.1</b>			<b>9.06</b>
p-isopropyltoluene	NT	NT			<b>11.3</b>	<12.5			<b>6.76</b>
sec-Butylbenzene	NT	NT			<b>8.00</b>	<12.5			<5.0
tert-Butylbenzene	NT	NT			<2.5	<12.5			<5.0
Toluene	<b>10.9</b>	<10	<b>5.38</b>	<12.5	<5.0				
<b>GROUNDWATER WELL MW-4</b>									
DATE SAMPLED	4/2/2013	6/12/2013	10/16/2013	12/17/2013	3/17/2014	6/4/2014	9/22/2014	12/3/2014	12/22/2014
TOTAL ORGANIC CARBON	NT	NT	NT-Dry	<b>19,800</b>	<b>9,380</b>	<b>11,600</b>	NT	NT	<b>49,700</b>
TOTAL PETROLEUM HYDROCARBONS									
TPH-Gx	<b>2,050</b>	<b>5,360</b>	NT-Dry	<b>7,670</b>	<b>1,400</b>	<b>9,840</b>	NT-Dry	NT-Dry	<b>3,350</b>
TPH-Dx	<100	<b>371</b>		<b>4,270</b>	<100	<100			
TPH-Ox	<500	<500		<b>583</b>	<500	<500			
VOLATILE ORGANIC COMPOUNDS									
1,2,4-Trimethylbenzene	NT	NT	NT-Dry	NT-Dry	<b>231</b>	<b>18.5</b>	NT-Dry	NT-Dry	<5.0
1,3,5-Trimethylbenzene	NT	NT			<b>343</b>	<b>24.1</b>			<b>118</b>
Acetone	NT	NT			<25	<2.5			<25.0
Benzene	<b>6.16</b>	<b>19.3</b>			<b>24.4</b>	<b>5.16</b>			<b>23.1</b>
Chloroform	NT	NT			<5.0	<0.5			<5.0
Chloromethane	NT	NT			<5.0	<0.5			<5.0
Ethylbenzene	<b>55.4</b>	<b>136</b>			<b>259</b>	<b>48.9</b>			<b>271</b>
Isopropylbenzene	NT	NT			<b>67.9</b>	<b>5.56</b>			<b>48.3</b>
m+p-Xylene	<b>56.2*</b>	<b>130*</b>			<b>134</b>	<b>7.23</b>			<b>32.5</b>
Methyl ethyl ketone (MEK)	NT	NT			<25	<2.5			<25.0
Methyl isobutyl ketone (MIBK)	NT	NT			<25	<2.5			<25.0
Methylene chloride	NT	NT			<5.0	<0.5			<5.0
methyl-t-butyl ether (MTBE)	NT	NT			<5.0	<0.5			<5.0
Naphthalene	NT	NT			<b>78.4</b>	<b>20.3</b>			<b>252</b>
n-Butylbenzene	NT	NT			<b>30.9</b>	<b>9.63</b>			<5.0
n-Propylbenzene	NT	NT			<b>187</b>	<b>14.1</b>			<b>128</b>
o-Xylene	NT	NT			<b>14.3</b>	<b>1.74</b>			<b>13.8</b>
p-isopropyltoluene	NT	NT			<b>19.4</b>	<b>1.53</b>			<b>11.6</b>
sec-Butylbenzene	NT	NT			<5.0	<0.5			<5.0
tert-Butylbenzene	NT	NT			<5.0	<0.5			<5.0
Toluene	<b>2.58</b>	<b>2.66</b>	<b>5.37</b>	<b>0.97</b>	<b>5.37</b>				

Please refer to the notes at the end of the table.

**Table 2 - Analytical Results for Key Monitoring Wells  
South Wilbur Petroleum Contamination Site  
Wilbur, Washington**

<b>GROUNDWATER WELL MW-6</b>									
DATE SAMPLED	4/2/2013	6/12/2013	10/16/2013	12/17/2013	3/17/2014	6/4/2014	9/22/2014	12/3/2014	12/22/2014
TOTAL ORGANIC CARBON	NT	NT	NT-Dry	11,500	15,700	14,300	NT	19,800	NT
<b>TOTAL PETROLEUM HYDROCARBONS</b>									
TPH-Gx	23,900	21,900	NT-Dry	21,700	23,600	21,800	NT-Dry	17,300	NT
TPH-Dx	831	736		3,630	<100	<100		<100	NT
TPH-Ox	<500	<500		<500	<500	<500		<500	NT
<b>VOLATILE ORGANIC COMPOUNDS</b>									
1,2,4-Trimethylbenzene	NT	NT	NT-Dry	1,570	1,970	1,610	NT-Dry	804	NT
1,3,5-Trimethylbenzene	NT	NT		74.4	150	461		311	NT
Acetone	NT	NT		<250	<125	<25		<125	NT
Benzene	614	515		253	541	298		121	NT
Chloroform	NT	NT		<50	<25	<25		<25	NT
Chloromethane	NT	NT		<50	<25	<25		<25	NT
Ethylbenzene	1,210	1,120		1,000	402	541		255	NT
Isopropylbenzene	NT	NT		68.2	67.6	59.5		37.2	NT
m+p-Xylene	1,587*	1,467*		1,150	1,760	1,350		922	NT
Methyl ethyl ketone (MEK)	NT	NT		<250	<125	<125		<125	NT
Methyl isobutyl ketone (MIBK)	NT	NT		<250	<125	<125		<125	NT
Methylene chloride	NT	NT		<50	<25	<25		<25	NT
methyl-t-butyl ether (MTBE)	NT	NT		<50	<25	<25		<25	NT
Naphthalene	NT	NT		516	357	277		156	NT
n-Butylbenzene	NT	NT		<50	69.6	<25		55.1	NT
n-Propylbenzene	NT	NT		149	147	122		65.2	NT
o-Xylene	NT	NT		67.6	84.7	66.0		38.1	NT
p-isopropyltoluene	NT	NT		<50	30.4	<25		26.3	NT
sec-Butylbenzene	NT	NT		<50	<25	<25		<25	NT
tert-Butylbenzene	NT	NT		<50	<25	<25		<25	NT
Toluene	223	210	106	145	91.1	62.8	NT		
<b>GROUNDWATER WELL MW-10</b>									
DATE SAMPLED	4/2/2013	6/12/2013	10/16/2013	12/17/2013	3/18/2014	6/4/2014	9/22/2014	12/3/2014	12/22/2014
TOTAL ORGANIC CARBON	NT	NT	NT-Dry	10,400	6,260	5,570	NT	NT	38,300
<b>TOTAL PETROLEUM HYDROCARBONS</b>									
TPH-Gx	5,520	1,900	NT-Dry	3,650	3,490	3,800	NT-Dry	NT-Dry	4,210
TPH-Dx	130	<100		2,200	311	<100			<100
TPH-Ox	<500	<500		<500	<500	<500			<500
<b>VOLATILE ORGANIC COMPOUNDS</b>									
1,2,4-Trimethylbenzene	NT	NT	NT-Dry	253	171	221	NT-Dry	NT-Dry	182
1,3,5-Trimethylbenzene	NT	NT		9.86	63.2	81.8			90.7
Acetone	NT	NT		<2.5	<2.5	<2.5			<12.5
Acrylonitrile	NT	NT		<0.5	<0.5	<2.5			<2.5
Benzene	<1.0	2.78		1.18	0.74	<2.5			<2.5
Chloroform	NT	NT		<0.5	<0.5	<2.5			<2.5
Chloromethane	NT	NT		<0.5	<0.5	<2.5			<2.5
Ethylbenzene	22.8	10.6		16.1	5.17	11.8			9.16
Isopropylbenzene	NT	NT		39.4	14.0	24.2			18.7
m+p-Xylene	105*	26.9*		54.0	19.2	34.6			33.9
Methyl ethyl ketone (MEK)	NT	NT		<2.5	<2.5	<12.5			<12.5
Methyl isobutyl ketone (MIBK)	NT	NT		<2.5	<2.5	<12.5			<12.5
Methylene chloride	NT	NT		<0.5	<0.5	<2.5			<2.5
methyl-t-butyl ether (MTEB)	NT	NT		<0.5	<0.5	<2.5			<2.5
Naphthalene	NT	NT		17.5	7.50	16.3			6.06
n-Butylbenzene	NT	NT		6.71	8.65	<2.5			9.01
n-Propylbenzene	NT	NT		53.9	23.0	31.7			24.3
o-Xylene	NT	NT		5.85	2.57	3.03			3.74
p-isopropyltoluene	NT	NT		12.3	6.59	4.05			10.6
sec-Butylbenzene	NT	NT		11.5	5.66	5.66			<2.5
tert-Butylbenzene	NT	NT	<0.5	<0.5	<2.5	<2.5			
Toluene	5.55	<1.0	1.36	<0.5	<2.5	<2.5			

**Notes:**

NT = Not tested.

Results are presented in micrograms per liter (µg/L)

Volatile organic compounds by EPA Method 8021 through October 2013 and by EPA Method 8206B thereafter.

**Total petroleum hydrocarbons by Northwest Methods NWTPH-Gx and NWTPH-Dx.**

\* Total Xylenes

Data provided by Budinger &amp; Associates.

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp- erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-1</b>													
Elevation (toc)	3/25/09	2161.59	7.22	5.03	249	1,420	6.19	9.22	2.2	2.0	<0.1	0.40	62.3
2168.81	6/26/09	2157.36	11.45	2.18	-1.5	1,104	6.87	11.77	NT	2.0	<0.1	<0.1	74.1
Depth (ft)	9/29/09	2158.41	10.40	0.03	-65	1,077	7.16	12.63	55	5.5	<0.1	<0.1	47.1
12.52	12/10/09	2159.86	8.95	0.06	-247	825	7.08	12.05	NT	2.0	NT	<0.1	95.9
	3/24/10	2161.61	7.20	0.03	-269	857	7.23	9.62	6.5	2.0	<0.1	<0.1	69.7
	6/17/10	2161.41	7.40	0.01	-232	976	6.78	11.09	13.5	2.0	<0.1	<0.1	66.0
	9/14/10	2157.20	11.61	0.16	-72	1,386	6.73	13.48	12.5	4.0	<0.1	<0.1	56.9
	12/7/10	2159.89	8.92	0.08	-99	380	6.62	11.21	4.2	4.0	<0.1	<0.1	97.1
	3/24/11	2162.54	6.27	0.32	-79	846	6.83	9.70	1.6	2.0	<0.1	0.37	60.0
	6/21/11	2161.79	7.02	0.53	-61	1,051	6.45	11.01	8.5	14	<0.1	<0.1	46.5
	11/22/11	2159.72	9.09	1.16	-78	1,696	6.36	12.38	NT	4.0	<0.1	<0.1	110
	12/28/11	2160.66	8.15	1.13	-67	1,488	6.70	11.80	NT	4.0	<0.1	<0.1	106
	3/16/12	2161.30	7.51	2.08	-39.9	1,427	7.00	9.01	2.8	3.0	<0.1	<0.1	94.9
	6/28/12	2160.10	7.91	1.37	-102	1,984	7.25	10.50	NT	NT	<0.1	<0.1	66.1
	9/28/12	<2156.81	NT-Dry										
	1/10/13	2160.38	8.43	3.13	90.8	992	7.03	9.95	10.7	2.0	NT	<0.1	118
	4/1/13	2162.02	6.79	0.17	67.2	1,266	7.28	9.37	1.65	0.0	<0.1	0.39	88.8
	6/12/13	2159.41	9.40	3.10	-1.8	1,080	7.07	9.97	5.04	NT	<0.1	<0.1	72.9
	10/16/13	2157.06	11.75	1.89	-8.5	720	6.43	12.80	NT	16.1	<0.1	<0.1	120
	12/17/13	2158.96	9.85	1.50	-71	680	6.70	11.80	NT	3.0	NT	<0.1	118
	Duplicate	Duplicate									<0.1	<0.1	98.2
	3/18/14	2161.63	7.18	3.00	-58	950	6.60	9.30	NT	0.4	<0.1	<0.1	74.8
	6/4/14	2157.94	10.87	1.97	-64	824	6.74	9.18	NT		<0.1	<0.1	74.6
	9/22/14	<2156.81	NT-Dry										
	12/3/14	2158.16	10.65	5.19	34	516	5.55	10.93	NT	NT	NT	0.139	55.5

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp- erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-2</b>													
Elevation (toc)	3/28/09	2161.74	7.17	10.43	-95.5	1,760	6.65	9.54	50	30.0	<0.1	<0.1	326
2168.91	6/26/09	<2156.20	NT-Dry										
Depth (ft)	9/29/09	<2156.20	NT-Dry										
12.71	12/11/09	2157.77	11.14	0.10	-265.5	988	6.90	12.98	NT	> 10	NT	<0.1	0.15
	3/24/10	2161.50	7.41	0.06	-280.7	1,136	7.02	10.63	2.10	> 10	<0.1	<0.1	261
	6/16/10	2161.50	7.41	0.09	-356.4	817	6.51	10.75	1.15	> 10	<0.1	<0.1	77.5
	9/14/10	2156.42	12.49	NT - Dry, would not recharge									
	12/8/10	2158.46	10.45	0.04	-111.9	552	6.58	12.64	7.40	10.0	<0.1	<0.1	0.23
	3/24/11	2156.40	12.51	0.25	-96.8	699	6.65	8.90	2.10	6.0	<0.1	<0.1	60.1
	Duplicate	Duplicate									<0.1	<0.1	54.9
	6/22/11	2161.75	7.16	0.69	-82.0	933	6.55	10.00	1.87	10.0	<0.1	<0.1	67.2
	11/22/11	2157.31	11.60	2.76	-114.0	1,035	6.09	12.51	NT	10.0	<0.1	<0.1	0.36
	12/28/11	2159.71	9.20	1.06	-98.4	1,097	6.61	12.12	NT	>10	<0.1	<0.1	0.81
	3/16/12	2161.13	7.78	2.20	-123.4	1,140	6.67	9.44	2.10	10.0	<0.1	<0.1	33.0
	6/28/12	2060.54	8.37	0.21	-180.6	1,102	6.85	10.80	NT	NT	<0.1	<0.1	67.4
	9/28/12	<2156.20	NT-Dry										
	1/10/13	2159.96	8.95	0.90	-6.20	960	6.78	9.28	37.7	4.5	NT	<0.1	13.3
	4/2/13	2161.44	7.47	0.36	-81.0	984	6.87	9.78	31.6	10.0	<0.1	<0.1	143
	6/12/13	2159.41	9.50	1.33	-90.8	1,009	7.02	10.84	16.0	8.0	<0.1	<0.1	44.8
	10/16/13	<2156.2	NT-Dry	NT									
	12/17/13	2157.26	11.65	2.00	1.00	983	6.50	13.09	NT	12.0	NT	<0.1	109
	3/17/14	2161.49	7.32	1.68	-198	1,319	6.45	10.11	NT	12.0	<0.1	3.25	129
	6/4/14	2159.57	9.24	1.70	23.0	1,615	6.49	10.42	NT	3.1	0.36	11.7	300
	9/22/14	<2156.20	NT-Dry										
	12/3/14	<2156.20	NT-Dry										
	12/22/14	2158.07	10.74	NA	-10.4	1,238	6.79	12.99	NT	NT	NT	1.62	189

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp- erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-3</b>													
Elevation (toc)	3/25/09	2161.18	7.00	6.36	-58.6	1,386	6.97	10.06	12.0	15.0	<0.1	<0.1	12.4
2168.18	6/26/09	<2157.57	NT-Dry										
Depth (ft)	9/29/09	<2157.57	NT-Dry										
10.61	12/11/09	2158.03	10.15	0.05	-264.0	2,051	6.99	14.43	NT	6.7	NT	<0.1	25.1
	3/25/10	2161.61	6.57	0.01	-222.5	2,019	7.13	11.49	3.1	6.0	<0.1	<0.1	11.7
	Duplicate										<0.1	<0.1	13.0
	6/16/10	2160.49	7.69	0.03	-271.5	1,180	6.54	12.00	11.5	5.0	<0.1	0.17	18.7
	Duplicate										<0.1	0.20	17.6
	9/14/10	<2157.57	NT-Dry										
	12/8/10	2158.66	9.52	0.06	-106.9	839	6.66	12.63	7.80	8.0	<0.1	<0.1	<0.1
	Duplicate										<0.1	<0.1	<0.1
	3/24/11	2162.96	5.22	0.16	-130.5	1,431	6.67	10.23	4.9	12	<0.1	0.28	17.7
	6/21/11	2161.90	6.28	0.46	-115.3	2,146	6.58	13.22	2.8	8.0	<0.1	2.02	36.6
	11/22/11	2157.83	10.35	0.96	-108.4	1,656	6.60	13.98	NT	9.0	<0.1	<0.1	0.51
	12/28/11	2159.97	8.21	0.77	-113.8	2,600	6.49	13.59	NT	>10	<0.1	<0.1	0.70
	3/16/12	2161.25	6.93	1.51	-129.6	1,684	6.78	10.52	17.7	10.0	<0.1	<0.1	10.1
	6/28/12	2160.73	7.45	0.031	-166.0	1,650	6.90	12.42	NT	NT	<0.1	<0.1	11.4
	9/28/12	<2157.57	NT-Dry										
	1/10/13	2159.90	8.28	3.0	-19.8	1,245	7.01	10.28	67.6	27.0	NT	<0.1	0.41
	4/2/13	2162.64	6.17	0.18	-79.6	1,144	7.00	11.13	29.4	7.0	<0.1	<0.1	21.3
	6/12/13	2158.78	9.4	0.96	-65.1	1,633	7.09	11.60	15.5	8.0	<0.1	<0.1	20.1
	10/16/13	<2157.57	NT-Dry										
	12/17/13	<2157.57	NT-Dry										
	3/18/14	2161.80	6.38	1.64	-150.0	1,093	6.65	9.65	NT	8.0	<0.1	<0.1	8.44
	6/4/14	2157.63	10.55	1.63	-94.0	2,492	6.74	11.69	NT	9.8	<0.1	<0.1	3.91
	9/22/14	<2157.57	NT-Dry										
	12/3/14	<2157.57	NT-Dry										
	12/22/14	2158.29	9.89	NA	-97.5	900	7.17	12.17	NT	NT	NT	<0.1	5.09

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp-erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-4</b>													
Elevation (toc)	3/25/09	2161.97	6.19	6.91	21.7	794	7.14	9.54	3.10	0.1	<0.1	0.37	24.8
2168.16	6/26/09	2156.33	11.83	0.06	-99.3	937	6.87	11.80	34.0	55.0	<0.1	<0.1	3.57
Depth (ft)	9/29/09	<2155.44	NT-Dry										
12.92	12/11/09	2158.06	10.10	0.08	-263.0	987	6.93	12.87	NT	9.0	NT	<0.1	<0.1
	3/24/10	2161.56	6.6	0.03	-236.2	1,000	7.14	10.41	2.2	7.0	<0.1	<0.1	22.2
	6/16/10	2161.48	6.68	0.04	-254.6	736	6.56	10.35	1.28	4.0	<0.1	<0.1	16.2
	9/14/10	2155.79	12.37	NT - Dry, would not recharge									
	12/7/10	2158.69	9.47	0.15	-92.9	516	6.47	12.78	12.9	3.0	<0.1	<0.1	14.6
	3/24/11	2162.86	5.30	0.33	-25.7	533	6.73	8.84	3.30	0.8	<0.1	<0.1	12.7
	6/22/11	2161.61	6.55	0.59	-50.3	1,018	6.53	11.13	2.10	2.0	<0.1	<0.1	14.8
	11/22/11	2157.76	10.40	1.41	-80.9	1,322	6.26	12.21	NT	10.0	<0.1	<0.1	5.90
	12/28/11	2159.92	8.24	1.45	-116.9	1,262	6.53	11.77	NT	>10	<0.1	<0.1	1.87
	3/16/12	2161.15	7.01	9.57	13.8	1,094	6.95	8.72	3.20	<0.1	<0.1	1.4	54.9
	Duplicate												
	6/28/12	2160.88	7.28	1.27	-140.0	953	7.81	10.61	NT	NT	<0.1	<0.1	11.0
	9/28/12	<2155.44	NT-Dry										
	1/10/13	2160.02	8.14	1.20	10.6	1,108	6.94	11.10	1.35	0.3	NT	<0.1	55.0
	4/2/13	2161.91	6.25	0.74	-17.7	756	6.86	9.34	2.64	1.0	<0.1	<0.1	11.4
	6/12/13	2158.81	9.35	1.16	-75.8	1,148	6.98	10.19	16.2	6.0	<0.1	<0.1	3.73
	10/16/13	<2155.44	NT-Dry										
	12/17/13	2157.06	11.1	1.70	-121.0	1,009	6.42	12.76	NT	10.0	NT	<0.1	3.90
	3/17/14	2161.73	6.43	2.28	-153.0	1,665	6.68	9.72	NT	4.0	<0.1	<0.1	71.3
	6/4/14	2157.71	10.45	1.87	-154.1	1,401	6.54	10.47	NT	10.0	<0.1	<0.1	2.70
	9/22/14	<2155.44	NT-Dry										
	12/3/14	<2155.44	NT-Dry										
	12/22/14	2158.38	9.78	NA	15.5	929	6.31	12.94	NT	NT	NT	<0.1	318



Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp-erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-6</b>													
Elevation (toc)	3/28/2009	2162.51	6.65	9.93	-73.6	1,216	6.65	11.01	44	2.0	<0.1	<0.1	<0.1
2169.16	Duplicate								40		<0.1	<0.1	2.49
Depth (ft)	6/26/09	2158.80	10.36	0.06	-72.7	991	6.81	12.45	27	12.0	<0.1	<0.1	0.81
14.81	9/29/09	<2154.35	NT-Dry										
	12/10/09	2158.15	11.01	0.16	-234.0	1,027	6.89	14.15	NT	6.0	NT	<0.1	0.13
	3/24/10	2162.25	6.91	0.08	-212.1	960	7.08	12.30	5.3	8.0	<0.1	<0.1	1.22
	6/16/10	2162.37	6.79	0.06	-253.6	742	6.44	12.20	2.1	7.0	<0.1	<0.1	3.05
	9/14/10	2154.21	13.95	NT - Dry, would not recharge									
	12/7/10	2157.40	10.76	0.12	-85.0	539	6.54	13.89	2.50	7.0	<0.1	<0.1	0.26
	3/25/11	2162.67	5.49	0.20	-71.3	1,444	6.61	11.78	2.40	7.0	<0.1	<0.1	14.4
	6/22/11	2161.66	6.50	0.51	-77.5	1,018	6.47	12.64	1.53	5.0	<0.1	<0.1	4.85
	Duplicate										<0.1	<0.1	4.58
	11/22/11	2155.10	13.06	1.94	-145.4	1,147	6.22	13.52	NT	7.0	<0.1	<0.1	0.30
	12/28/11	2158.83	9.33	1.47	-122.4	1,158	6.34	13.63	NT	10.0	<0.1	<0.1	0.67
	3/16/12	2160.66	7.5	2.12	-116.2	1,118	6.85	11.07	1.50	0.9	<0.1	<0.1	0.36
	6/28/12	2161.88	7.28	2.31	-141.0	1,209	6.79	12.37	NT	NT	<0.1	<0.1	4.65
	9/28/12	<2154.35	NT-Dry										
	1/10/13	2160.40	8.76	3.57	20.1	993	6.83	11.73	47.8	22	NT	<0.1	0.47
	4/2/13	2162.60	6.56	0.24	-51.0	999	6.87	12.07	27.0	8.0	<0.1	<0.1	0.58
	6/12/13	2159.46	8.70	1.02	-63.3	1,011	6.95	12.16	14.4	8.0	<0.1	<0.1	<0.1
	10/16/13	<2154.35	NT-Dry										
	12/17/13	2155.26	12.90	1.83	-215.0	886	6.42	14.10	NT	10.0	NT	<0.1	1.93
	3/17/14	2161.71	6.45	1.74	-208.0	1,265	6.52	12.19	NT	8.0	<0.1	<0.1	51.0
	6/4/14	2159.66	8.50	3.77	-172.4	1,257	6.50	12.74	NT	9.0	<0.1	<0.1	40.6
	9/22/14	<2154.35	NT-Dry										
	12/3/14	2155.33	12.83	3.05	84.8	955	5.15	14.02	NT	NT	NT	2.06	366

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp-erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-7</b>													
Elevation (toc)	3/28/09	2163.10	5.93	12.55	-3	672	6.99	9.72	8.00	<0.1	<0.1	3.4	13.0
2169.03	6/26/09	2159.49	9.54	0.92	1	507	7.06	12.70	8.60	<0.1	<0.1	2.2	18.7
Depth (ft)	9/29/09	<2153.10	NT-Dry										
15.93	12/11/09	2159.94	9.09	1.27	-78	401	7.16	14.10	NT	1.2	NT	0.20	35.6
	Duplicate									1.0		0.13	36.3
	3/24/10	2162.72	6.31	3.48	-97	461	7.30	11.99	25.0	0.1	<0.1	2.3	11.2
	6/16/10	2162.76	6.27	5.50	-144	395	6.86	12.83	2.1	<0.1	<0.1	3.8	11.6
	9/14/10	2153.93	15.1	NT - Dry, would not recharge									
	12/8/10	2158.78	10.25	0.17	82	251	6.66	14.02	7.1	<0.1	<0.1	<0.1	27.8
	3/25/11	2164.21	4.82	6.48	100	1,220	7.00	8.77	6.5	<0.1	<0.1	2.5	9.57
	6/22/11	2163.14	5.89	6.00	68	530	6.83	12.77	3.1	<0.1	<0.1	3.5	13.2
	11/22/11	2157.19	11.84	5.03	-33	547	6.26	14.01	NT	<0.1	<0.1	0.2	35.7
	12/28/11	2159.90	9.13	2.92	-51	580	6.30	13.42	NT	<0.1	<0.1	<0.1	29.9
	3/15/12	2161.09	7.94	7.57	17.0	487	7.74	9.85	11.0	<0.1	<0.1	1.6	6.80
	6/28/12	2162.75	6.28	6.42	29.6	547	7.26	13.51	NT	NT	<0.1	2.5	8.09
	9/28/12	<2153.10	NT-Dry										
	1/10/13	2161.38	7.65	6.82	249.0	725	6.82	10.22	58.4	0.2	NT	1.0	8.32
	4/1/13	2162.90	6.125	6.50	212.6	532	7.43	10.13	9.63	<0.1	<0.1	3.32	9.56
	6/12/13	2160.91	8.12	7.60	184.0	554	7.40	12.42	5.37	<0.2	<0.1	2.81	12.2
	10/16/13	<2153.10	NT-Dry										
	12/17/13	2156.83	12.2	7.04	122.10	466	6.37	13.08	NT	0.0	NT	0.14	41.1
	3/17/14	2162.98	6.05	9.47	67.60	833	6.94	9.87	NT	0.0	<0.1	3.23	14.7
	6/4/14	2160.61	8.42	7.64	76.20	804	6.68	12.01	NT	0.0	<0.1	3.45	15.9
	9/22/14	<2153.10	NT-Dry										
	12/3/14	2156.21	12.82	2.06	100.9	606	5.61	13.87	NT	NT	NT	1.35	59.3
	12/22/14	2160.79	8.24	NA	66.3	539	7.06	14.28	NT	NT	NT	1.71	21.9

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp-erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-8</b>													
Elevation (toc)	3/25/09	<2162.49	NT-Dry										
2172.26	6/26/09	<2162.49	NT-Dry										
Depth (ft)	9/29/09	<2162.49	NT-Dry										
9.77	12/10/09	<2162.49	NT-Dry										
	3/25/10	<2163.49	8.89	NT - Dry, would not recharge									
	6/16/10	<2163.49	8.91	NT - Dry, would not recharge									
	9/14/10	<2162.49	NT-Dry										
	12/7/10	<2162.49	NT	snow had been plowed many feet high in the area covering this well. Did not find.									
	3/24/11	2162.49	9.77	0.64	57.0	1,250	6.90	9.0	1.38	<0.1	<0.1	<0.1	134
	6/21/11	2163.85	8.41	2.29	17.2	1,412	6.73	14.0	7.70	<0.1	<0.1	<0.1	98.7
	11/22/11	<2162.49	NT-Dry										
	12/28/11	<2162.49	NT-Dry										
	3/15/12	<2162.49	10.08	NT- Dry, would not recharge									
	6/28/12	<2162.49	NT-Dry										
	9/28/12	<2162.49	NT-Dry										
	1/10/13	<2162.49	NT-Dry										
	4/1/13	<2162.49	NT-Dry										
	6/12/13	<2162.49	NT-Dry										
	10/16/13	<2162.49	NT-Dry										
	12/17/13	<2162.49	NT-Dry										
	3/17/14	<2162.49	NT-Dry										
	6/4/14	<2162.49	NT-Dry										
	9/22/14	<2162.50	NT-Dry										
	12/3/14	<2162.50	NT-Dry										
	12/22/14	<2162.50	NT-Dry										

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp- erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-9</b>													
Elevation (toc)	3/25/09	2162.37	6.61	6.47	84.0	1,440	7.48	9.43	2.4	<0.1	<0.1	3.6	73.8
2168.98	6/26/09	2160.35	8.63	5.88	31.7	1,025	7.38	10.70	36	<0.1	<0.1	2.9	81.3
Depth (ft)	Duplicate										<0.1	2.9	81.9
12.75	9/29/09	<2156.23	NT-Dry										
	12/11/09	2157.70	11.28	4.56	38.8	975	7.45	12.78	NT	<0.1	NT	3.3	60.0
	3/25/10	2162.25	6.73	5.33	-95.3	897	7.62	10.26	8.5	<0.1	<0.1	4.9	45.6
	6/16/10	2162.27	6.71	4.37	-49.6	700	7.14	10.72	10.5	<0.1	<0.1	6.7	39.7
	9/14/10	2156.68	12.3	NT - Dry, would not recharge									
	12/7/10	2159.28	9.7	4.45	5.00	477	7.02	12.72	20	<0.1	<0.1	4.9	47.0
	3/24/11	2164.23	4.75	5.15	86.5	847	7.21	8.24	1.3	<0.1	<0.1	13.8	32.8
	6/21/11	2162.66	6.32	7.18	52.1	1,036	7.18	11.97	1.5	<0.1	<0.1	9.8	49.5
	11/22/11	2156.26	12.72	NT - Dry, would not recharge									
	12/28/11	NT - Inaccessible, vehicle parked over well											
	3/15/12	2161.33	7.65	7.72	16.9	1,138	7.88	9.31	9.4	<0.1	<0.1	6.9	46.2
	6/28/12	2161.80	7.18	6.91	42.5	1,660	8.83	10.99	NT	NT	<0.1	6.7	45.3
	9/28/12	<2156.23	NT-Dry										
	1/10/13	NT-Inaccessible											
	4/1/13	2162.66	6.32	5.88	187	1,035	7.59	9.85	2.47	<1	<0.1	10.3	41.3
	6/12/13	2160.13	8.85	6.68	226	899	7.32	10.70	6.92	<0.2	<0.1	8.94	48.8
	10/16/13	<2156.23	DRY	NT									
	12/17/13	<2156.23	DRY										
	3/17/14	2161.86	7.12	8.14	63.1	882	7.11	9.38	NT	0.0	<0.1	9.61	33.0
	6/4/14	2159.90	9.08	6.08	84.8	973	6.91	10.33	NT	0.0	<0.1	11.1	41.9
	9/22/14	<2156.23	NT-Dry										
	12/3/14	<2156.23	NT-Dry										
	12/22/14	2158.28	10.7	NA	-26.6	811	7.37	12.99	NT	NT	NT	11.6	37.3

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp- erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-10</b>													
Elevation (toc)	3/25/09	2162.51	7.56	4.49	-85	1,089	6.92	10.92	18	10.0	<0.1	<0.1	43.3
2170.07	6/26/09	<2155.93	NT-Dry										
Depth (ft)	9/29/09	<2155.93	NT-Dry										
14.14	12/11/09	2158.39	11.68	0.05	-246	819	7.00	13.95	NT	3.6	NT	<0.1	<0.1
	3/25/10	2162.08	7.99	0.03	-263	815	7.13	11.72	2.9	4.0	<0.1	0.14	8.6
	6/16/10	2161.96	8.11	0.09	-268	613	6.51	11.72	2.6	3.0	<0.1	0.30	38.3
	9/14/10	2156.83	13.24	NT - Dry, would not recharge									
	12/7/10	2158.87	11.2	0.18	-145	449	6.59	13.75	0.50	8.0	<0.1	<0.1	<0.1
	3/24/11	2155.73	14.34	0.30	-116	643	6.68	10.94	1.03	4.0	<0.1	2.02	30.0
	6/22/11	2162.35	7.72	0.59	35.3	947	6.55	12.22	2.00	0.1	<0.1	10.7	43.5
	11/22/11	2158.26	11.81	1.23	-100.9	925	6.42	13.47	NT	6.0	<0.1	<0.1	0.24
	12/28/11	2160.30	9.77	0.86	-65.5	891	6.64	13.29	NT	5.0	<0.1	<0.1	0.55
	Duplicate										<0.1	<0.1	0.69
	3/16/12	2161.62	8.45	1.77	-86.2	1,132	6.63	10.58	2.50	3.0	<0.1	3.85	80.9
	6/28/12	2161.01	9.06	0.92	-131.0	762	7.90	11.66	NT	NT	<0.1	1.88	20.9
	9/28/12	2156.30	13.77	NT - Dry, would not recharge									
	1/10/13	NT-Inaccessible due to snow bank											
	4/2/13	2162.53	7.54	0.18	-49.3	743	7.03	11.13	23.4	3.0	<0.1	0.30	3.11
	6/12/13	2159.27	10.8	1.12	-22.7	677	7.06	11.59	1.41	0.0	<0.1	<0.1	23.7
	10/16/13	<2155.93	DRY										
	12/17/13	2157.87	12.2	1.61	-138.7	628	6.65	14.20	NT	6.0	NT	<0.1	0.46
	3/18/14	2162.22	7.85	1.60	-136.0	851	6.58	11.05	NT	2.0	<0.1	0.31	21.8
	6/4/14	2157.87	12.2	1.67	-115.7	774	6.59	11.91	NT	2.0	<0.1	<0.1	32.1
	9/22/14	<2155.93	DRY										
	12/3/14	<2155.93	DRY										
	12/22/14	2158.97	11.1	NA	-139.7	756	7.02	14.31	NT	NT	NT	<0.1	7.41

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp-erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)
<b>MW-11</b>													
Elevation (toc)	3/25/09	2161.70	8.35	10.65	30	1,779	6.53	10.87	28	3.0	<0.1	<0.1	98.8
2170.05	6/26/09	<2156.93	NT-Dry	NT-Dry									
Depth (ft)	9/29/09	<2156.93	13.12	NT-Dry									
13.12	12/10/09	2161.08	8.97	0.14	-242	1,170	6.43	13.20	NT	4.0	NT	<0.1	170
	3/24/10	2161.8	8.25	0.52	-68.6	1,293	6.6	10.67	2.4	4.0	<0.1	<0.1	164
	6/17/10	2161.67	8.38	0.00	-170.5	550	5.98	10.49	0.85	4.0	<0.1	<0.1	243
	9/14/10	2159.75	10.30	0.20	12.9	1,388	6.09	14.64	23	3.0	<0.1	0.15	96.2
	Duplicate										<0.1	<0.1	116
	12/7/10	2161.33	8.72	0.11	-26.0	616	6.14	12.28	2.1	0.8	<0.1	<0.1	117
	3/24/11	2162.66	7.39	0.22	45.0	1,129	6.23	10.86	1.22	5.0	<0.1	<0.1	114
	6/21/11	2161.64	8.41	0.51	-21.4	1,803	6.06	12.64	0.63	20	<0.1	<0.1	144
	11/22/11	2160.98	9.07	0.95	-1.9	1,281	6.07	13.32	NT	>10	<0.1	<0.1	77.0
	Duplicate										<0.1	<0.1	66.4
	12/28/11	2161.08	8.97	1.38	-2.4	1,189	6.01	12.63	NT	2.0	<0.1	<0.1	73.0
	3/16/12	2161.56	8.49	1.87	6.1	1,528	6.31	9.93	3.2	3.0	<0.1	<0.1	83.1
	6/28/12	2161.07	8.98	2.11	-37.4	1,758	6.62	10.93	NT	NT	<0.1	<0.1	99.2
	9/28/12	2157.99	12.06	NT - Dry, would not recharge		1,780	6.34	NT	640	15.0	<0.1	<0.1	95.4
	1/10/13	2160.68	9.37	2.45	171.2	1,407	6.31	10.38	20.9	8.0	NT	<0.1	100
	4/1/13	2162.05	8.00	0.23	27.5	1,148	6.72	10.31	2.49	6.0	<0.1	<0.1	98.1
	6/12/13	2159.75	10.30	4.39	36.2	1,601	6.57	10.88	3.71	<0.2	<0.1	<0.1	136
	10/16/13	2157.97	12.08	1.80	-50.7	1,018	6.3	13.3	NT	15.0	<0.1	<0.1	78.7
	12/17/13	2160.05	10.00	1.67	-3.8	1,032	6.04	13.34	NT	1.0		<0.1	214
	3/18/14	2161.90	8.15	2.97	-10.3	1,732	6.13	10.32	NT	0.80	<0.1	<0.1	228
	6/4/14	2159.17	10.88	2.27	-7.4	1,736	6.18	10.06	NT	10.0	<0.1	<0.1	254
	9/22/14	2158.17	11.88	NT - Dry, would not recharge									
	12/3/14	2159.90	10.15	2.05	-94.8	766	5.52	12.89	NT	NT	NT	<0.1	129

Table 3  
Summary of Physical Water Quality Results

Well ID (top of PVC casing elevation above MSL in feet)	Date Sampled	Ground- water Elevation (ft)	Ground- water Depth (ft)	Dissolved Oxygen (mg/l)	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (µS/cm)	pH (pH unit)	Temp-erature (degrees C)	Turbidity (NTU)	Ferrous Iron (mg/L)	NO2/N (mg/L)	NO3/N (mg/L)	Sulfate (mg/L)	
<b>MW-12</b>														
Elevation (toc)	3/25/09	2161.31	6.95	4.6	17.6	417	7.13	7.7	0.25	<0.1	<0.1	<0.1	26.7	
2168.26	7/16/09	2156.62	11.64	1.8	24	520	7.06	10.94	NT	NT	<0.5	<0.5	113	
Depth (ft)	9/29/09	<2154.66	13.6	NT-Dry										
13.60	12/11/09	2159.28	8.98	0.04	-50.7	367	7.55	6.14	NT	<0.1	NT	2.61	29.8	
	3/24/10	2161.29	6.97	0.1	-137.7	319	7.46	5.93	1.62	<0.1	<0.1	<0.1	29.6	
	6/17/10	2161.01	7.25	0.08	-195.1	119	6.79	12.21	16.9	<0.1	<0.1	<0.1	29.8	
	9/14/10	2155.02	13.24	NT - Dry, would not recharge										
	12/7/10	well head covered with Christmas decorations and snow, could not access the well												
	3/25/11	2162.11	6.15	1.04	99.7	1,019	6.84	7.51	2.1	<0.1	<0.1	0.23	58.3	
	6/21/11	2161.05	7.21	1.19	34.9	862	6.58	10.29	0.48	<0.1	<0.1	0.24	84.8	
	11/22/11	2159.55	8.71	6.14	-5.2	441	6.76	7.75	NT	<0.1	<0.1	3.02	38.1	
	12/28/11	2160.35	7.91	4.48	-30.8	396	7.05	7.83	NT	<0.1	<0.1	2.76	31.4	
	3/15/12	2160.89	7.37	4.5	-3.1	312	7.27	5.81	1.14	<0.1	<0.1	<0.1	22.6	
	6/28/12	2160.48	7.78	9.1	-56.1	494	8.21	12.39	NT	NT	<0.1	<0.1	24.6	
	9/28/12	<2154.66	NT-Dry											
	1/10/13		7.76	8.1	94.2	350	7.10	5.66	0.344	<0.1	NT	2.62	30.2	
	4/1/13	2161.67	6.59	0.63	145.2	637	7.27	7.23	18.4	<0.1	<0.1	1.26	58.2	
	6/12/13	2158.31	9.95	1.03	112.6	429	7.28	12.54	0.234	<0.2	<0.1	<0.1	18.5	
	10/16/13	<2154.66	NT-Dry											
	12/17/13	2158.91	9.35	6.63	-16.8	328	6.87	5.73	NT	0.0	NT	2.93	34.7	
	3/17/14	2161.31	6.95	3.04	-60.0	343	7.10	5.32	NT	0.0	<0.1	0.35	25.7	
	6/4/14	2156.91	11.35	1.71	42.3	450	6.75	11.75	NT	1.0	<0.1	<0.1	29.3	
	9/22/14	<2154.66	NT-Dry											
	12/3/2014	<2154.66	NT-Dry											
	12/22/2014	2159.64	8.62	NA	108.7	385	7.46	7.25	NT	NT	NT	3.30	44.0	

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
<b>MW-1</b>	12/1/04	314	<0.5	<2.0	2.52	<1.5	<250	<500
	4/29/05	302	<0.5	<2.0	<1.0	<1.5	<250	<500
<b>NT-Dry</b>	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	4/27/06	<b>6000</b>	<b>120</b>	29.5	141	211	<b>901</b>	<500
	9/29/06	<b>963</b>	<b>16.2</b>	<2.0	29.2	6.56	349	<500
	12/19/06	478	2.81	<2.0	8.02	3.29	<250	<500
	3/19/07	<b>150000</b>	<b>2170</b>	615	<b>3860</b>	<b>4720</b>	<b>1000</b>	<500
	6/26/07	819	27.6	<2.0	31.2	13.0	<250	<500
	11/2/07	333	<0.5	<2.0	2.44	3.46	<250	<500
	3/27/08	<b>1140</b>	<b>12.9</b>	2.30	31.8	11.3	<b>650</b>	<500
	Duplicate	<b>1430</b>	<b>14.8</b>	2.73	34.2	30.9	<b>680</b>	<500
	6/4/08	<b>1240</b>	<b>19.7</b>	3.77	25.0	8.63	<b>921</b>	<472
<b>NT-Dry</b>	9/12/08	NT	NT	NT	NT	NT	NT	NT
	12/3/08	132	<0.5	<2.0	<1.0	<1.5	<236	<472
	3/25/09	<500	<1.0	<1.0	1.3	<2.0	<100	<500
	6/26/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	9/29/09	535	<1.0	<1.0	<1.0	<2.0	164	<500
	12/10/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/24/10	301	<1.0	<1.0	<1.0	1.25	119	<500
	6/17/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	9/14/10	314	<1.0	<1.0	2.14	1.89	<100	<500
	12/7/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/24/11	483	<1.0	1.16	6.20	4.89	161	<500
	6/21/11	<b>1320</b>	<b>8.23</b>	2.42	24.8	16.5	182	<500
	11/22/11	176	<1.0	<1.0	<1.0	<2.0	<100	<500
	12/28/11	185	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/16/12	167	<1.0	<1.0	<1.0	<3.0	<1.0	<500
	6/28/12	268	<1.0	<1.0	<1.0	<3.0	<0.1	<500
<b>NT-Dry</b>	9/28/12	NT	NT	NT	NT	NT	NT	NT
	1/10/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	4/1/13	128	<1.0	1.11	<1.0	<3.0	<100	<500
	6/12/13	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	10/16/13	NT	<1.0	<1.0	<1.0	<1.0	<100	<500
	12/17/13	<100	<0.5	<0.5	<0.5	<1.5	<100	<500
	Duplicate	<100	<0.5	<0.5	<0.5	<1.5	<100	<500
	3/18/14	<b>1930</b>	<0.5	<0.5	<0.5	<1.5	<100	<500
	6/4/14	195	<0.5	<0.5	<0.5	<1.0	<100	<500
<b>NT-Dry</b>	9/22/14	NT	NT	NT	NT	NT	NT	NT
	12/3/14	126	<0.5	<0.5	<0.5	<1.0	<100	<500



Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
MW-2	12/1/04	<b>14700</b>	<b>1700</b>	490	<b>1220</b>	<b>1920</b>	<b>1630</b>	<500
	4/29/05	<b>18200</b>	<b>1190</b>	<100	<b>1170</b>	<b>1300</b>	<b>3400</b>	<500
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	<b>11700</b>	<b>1790</b>	421	262	<b>1740</b>	<b>5330</b>	<500
	4/29/06	<b>20400</b>	<b>1380</b>	313	<b>1330</b>	<b>1930</b>	<b>1900</b>	<500
	12/19/06	<b>15000</b>	<b>645</b>	213	<b>1020</b>	<b>1420</b>	<b>5290</b>	<b>539</b>
	3/19/07	<b>15800</b>	861	153	<b>969</b>	<b>1250</b>	<b>4730</b>	<b>1000</b>
	6/26/07	<b>21800</b>	<b>2320</b>	709	<b>1690</b>	<b>2710</b>	<b>4020</b>	<500
	3/28/08	<b>10900</b>	<b>672</b>	128	690	938	<b>4630</b>	<500
NT-Dry	12/3/08	NT	NT	NT	NT	NT	NT	NT
	3/28/09	<b>14200</b>	<b>570</b>	101	<b>717</b>	913	<b>2500</b>	<500
NT-Dry	6/26/09	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/10/09	<b>16700</b>	<b>1210</b>	287	<b>1050</b>	<b>1260</b>	<100	<500
	3/24/10	<b>14500</b>	<b>649</b>	102	<b>828</b>	709	<b>3540</b>	<500
	6/16/10	<b>16100</b>	<b>1050</b>	241	<b>1090</b>	<b>1435</b>	<b>823</b>	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
	12/8/10	<b>21600</b>	<b>1150</b>	167	<b>1680</b>	<b>2154</b>	<100	<b>1340</b>
	3/23/11	<b>5510</b>	<b>353</b>	68.6	570	488	<b>881</b>	<b>706</b>
	Duplicate	<b>5750</b>	<b>379</b>	74.0	568	530	<b>1690</b>	<b>702</b>
	6/22/11	<b>8130</b>	<b>382</b>	72.6	<b>729</b>	626	<b>616</b>	<500
	11/22/11	<b>1730</b>	<b>73.0</b>	17.0	111	140	<100	<500
	12/28/11	<b>10400</b>	<b>335</b>	52.0	579	514	<100	<500
	3/16/12	<b>13600</b>	<b>587</b>	118	<b>988</b>	<b>1192</b>	408	<500
	6/28/12	<b>13000</b>	<b>413</b>	85.2	<b>712</b>	<b>859</b>	<100	<500
NT-Dry	9/28/12	NT	NT	NT	NT	NT	NT	NT
	1/10/13	<b>19000</b>	<b>572</b>	185	<b>1130</b>	<b>1452</b>	<100	200
	4/2/13	<b>7580</b>	<b>299</b>	50.6	576	526	<100	<500
	6/12/13	<b>15300</b>	<b>560</b>	118	<b>959</b>	<b>1193</b>	428	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
	12/17/13	<b>7040</b>	<b>412</b>	94.6	<b>754</b>	1000	<b>4230</b>	<b>676</b>
	3/18/14	<b>8610</b>	<b>272</b>	<25	390	664	<b>634</b>	<500
	6/4/14	<b>3000</b>	<b>176</b>	25.8	59.7	272	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/14	NT	NT	NT	NT	NT	NT	NT
	12/22/14	<b>9850</b>	<b>189</b>	34.4	316	573	<100	<500

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
MW-3	12/1/04	1540	6.1	<2.0	7.90	10.5	1240	<500
	4/29/05	4160	88.3	17.7	94.6	141	1760	1010
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	7780	142	23.9	127	368	2360	546
	4/27/06	1290	14.8	3.6	13.7	27.6	329	<500
	12/19/06	5350	109	40.8	201	273	2130	<500
	3/19/07	6670	116	43.1	292	410	2420	502
	3/28/08	2840	47.9	<10.0	140	196	1810	<500
	6/4/08	2970	33.0	<20	152	212	3180	<472
NT-Dry	9/12/08	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/08	NT	NT	NT	NT	NT	NT	NT
	3/25/09	2630	79.2	20.9	164	230	471	<500
NT-Dry	6/26/09	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/11/09	7550	87.0	42.5	298	429	3370	<500
	3/25/10	4600	86.6	31.8	278	376	1270	<500
	Duplicate	4880	86.3	32.3	286	393	1330	<500
	6/16/10	3090	29.0	14.9	133	184	454	<500
	Duplicate	3510	25.4	11.1	136	188	460	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
	12/8/10	5490	109	23.3	278	391	<100	<500
	Duplicate	8820	168	39.0	447	634	<100	<500
	3/24/11	3600	67.3	14.8	184	270	1210	658
	6/21/11	3980	18.6	7.92	185	266	581	<500
	11/22/11	6030	70.0	18.0	291	379	<100	2940
	12/28/11	8380	142	37.1	468	583	<100	<500
	3/16/12	3500	29.9	8.86	153	176	855	<500
	6/28/12	4000	41.2	9.17	163	152	339	<500
NT-Dry	9/28/12	NT	NT	NT	NT	NT	NT	NT
	1/10/13	7000	116	30.4	369	323	<100	1000
	4/2/13	4250	41.7	10.9	174	107	<100	<500
	6/12/13	5280	37.2	<10	234	96.4	221	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/17/13	NT	NT	NT	NT	NT	NT	NT
	3/17/14	3470	28.1	5.38	134	55.0	646	<500
	6/4/14	6740	29.7	<12.5	263	44.4	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/14	NT	NT	NT	NT	NT	NT	NT
	12/22/14	2960	18.2	<5.0	44.5	33.6	<100	<500

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
<b>MW-4</b>	12/1/04	<b>1350</b>	<b>17.8</b>	2.28	50.0	98.2	<b>2150</b>	<500
	4/29/05	<b>10200</b>	<b>72.1</b>	<10	219	414	<b>1980</b>	<500
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	<b>11000</b>	<b>98.6</b>	<10.0	179	887	<b>9150</b>	<500
	4/27/06	633	4.71	<2.0	18.2	38.7	260	<500
	9/29/06	<b>14000</b>	<b>70.5</b>	11.6	453	917	411	<500
	12/19/06	<b>9770</b>	<b>38.5</b>	20.1	205	411	<b>3840</b>	<500
	3/19/07	<b>7140</b>	<b>39.5</b>	5.00	182	427	<b>2690</b>	<b>821</b>
	6/26/07	<b>17200</b>	<b>143</b>	46.2	602	1210	<b>4570</b>	<500
NT-Dry	11/2/07	NT	NT	NT	NT	NT	NT	NT
	3/27/08	<b>6850</b>	<b>69.0</b>	<10	251	548	<b>2540</b>	<500
	6/4/08	<b>13200</b>	<b>59.5</b>	18.1	262	540	<b>3070</b>	<472
NT-Dry	9/12/08	NT	NT	NT	NT	NT	NT	NT
	12/3/08	<b>19100</b>	<b>94.6</b>	11.5	423	857	<b>5300</b>	<472
	Duplicate	<b>17700</b>	<b>90.0</b>	11.8	380	770	<b>5320</b>	<472
	3/25/09	<b>981</b>	<b>3.48</b>	1.41	28.2	57.5	280	<500
	6/26/09	<b>19800</b>	<b>132</b>	31.0	545	1050	<b>5890</b>	<500
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/10/09	<b>22100</b>	<b>40.3</b>	19.8	390	730	<100	<500
	3/24/10	<b>7560</b>	<b>14.0</b>	6.05	172	341	<b>1990</b>	<500
	6/16/10	<b>11000</b>	<b>23.5</b>	9.11	210	419	<b>1090</b>	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
	12/7/10	<b>4470</b>	<5.0	6.15	24.8	81.5	<b>2620</b>	<500
	3/24/11	<b>3250</b>	<b>9.48</b>	3.04	83.7	158	158	<b>597</b>
	6/22/11	<b>4700</b>	<b>35.4</b>	4.87	114	220	<b>552</b>	<500
	11/22/11	<b>1430</b>	<b>55.3</b>	23.0	286	578	<100	<500
	12/28/11	<b>17300</b>	<b>62.4</b>	11.5	318	638	<100	<500
	3/16/12	<100	<10	<10	<10	<30	<100	<500
	3/16/12	<100	<10	<10	<10	<30	<100	<500
	4/19/12	<100	<1.0	<1.0	<1.0	<2.0	<100	<100
	6/28/12	<b>4000</b>	<b>12.8</b>	3.02	91.0	144	<100	<500
NT-Dry	9/28/12	NT	NT	NT	NT	NT	NT	NT
	1/10/13	202	<1.0	<1.0	1.19	2.31	<100	<500
	4/2/13	<b>2050</b>	<b>6.16</b>	2.58	55.4	56.2	<100	<500
	6/12/13	<b>5360</b>	<b>19.3</b>	2.66	136	130	371	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
	12/17/13	<b>7670</b>	<b>24.4</b>	5.37	259	148	<b>4270</b>	<b>583</b>
	3/18/14	<b>1400</b>	<b>5.20</b>	0.97	48.9	8.80	<100	<500
	6/4/14	<b>9840</b>	<b>23.1</b>	5.37	271	32.5	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/14	NT	NT	NT	NT	NT	NT	NT
	12/22/14	<b>3350</b>	<b>5.21</b>	<5.0	61.6	<10	<100	<500

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
<b>MW-6</b>	12/1/04	<b>17700</b>	<b>389</b>	304	538	911	<b>2130</b>	<b>949</b>
	4/29/05	<b>25300</b>	<b>2100</b>	<b>1260</b>	<b>763</b>	<b>1210</b>	<b>14400</b>	<b>2430</b>
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	<100	<0.5	<2.0	<1.0	<1.5	<b>7230</b>	<b>514</b>
	4/27/06	<b>15200</b>	<b>759</b>	384	852	1320	<b>2090</b>	<500
NT-Dry	9/29/06	NT	NT	NT	NT	NT	NT	NT
	12/19/06	<b>19300</b>	<b>967</b>	462	<b>1260</b>	<b>1860</b>	<b>4540</b>	<b>566</b>
	3/19/07	<b>15000</b>	<b>954</b>	278	<b>791</b>	<b>1160</b>	<b>15200</b>	<b>563</b>
	6/26/07	<b>13400</b>	<b>659</b>	296	<b>781</b>	<b>1180</b>	<b>3800</b>	<500
	12/13/07	<b>22000</b>	<b>730</b>	290	<b>940</b>	<b>1310</b>	<b>4700</b>	<500
	3/27/08	<b>12600</b>	<b>538</b>	251	682	<b>1130</b>	<b>4190</b>	<500
	6/4/08	<b>16900</b>	<b>459</b>	232	689	<b>1050</b>	<b>3910</b>	<472
	3/28/09	<b>18500</b>	<b>816</b>	120	<b>1040</b>	<b>1440</b>	<b>2500</b>	<500
	Duplicate	<b>19000</b>	<b>836</b>	329	<b>1060</b>	<b>1472</b>	<b>3400</b>	<500
	6/26/09	<b>21000</b>	<b>995</b>	418	<b>1240</b>	<b>1540</b>	<b>5730</b>	<500
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/10/09	<b>23900</b>	<b>1080</b>	451	<b>1300</b>	<b>1610</b>	<100	<500
	3/24/10	<b>21100</b>	<b>961</b>	440	<b>1370</b>	<b>1837</b>	<b>4610</b>	<500
	6/16/10	<b>21400</b>	<b>937</b>	406	<b>1230</b>	<b>1704</b>	<b>1030</b>	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
	12/7/10	<b>23300</b>	<b>803</b>	260	<b>1490</b>	<b>1963</b>	<100	<500
	3/25/11	<b>22700</b>	<b>848</b>	405	<b>1510</b>	<b>1984</b>	<b>1710</b>	<b>629</b>
	6/22/11	<b>22200</b>	<b>701</b>	306	<b>1350</b>	<b>1785</b>	<b>541</b>	<500
	Duplicate	<b>21800</b>	<b>706</b>	306	<b>1330</b>	<b>1764</b>	<b>755</b>	<500
	11/22/11	<b>24000</b>	<b>538</b>	290	<b>1320</b>	<b>1786</b>	<100	<500
	12/28/11	<b>22500</b>	<b>832</b>	322	<b>1240</b>	<b>1671</b>	<100	<500
	3/16/12	<b>19900</b>	<b>549</b>	224	<b>1160</b>	<b>1493</b>	100	<500
	6/28/12	<b>24600</b>	<b>711</b>	313	<b>1400</b>	<b>1816</b>	<100	<500
NT-Dry	9/28/12	NT	NT	NT	NT	NT	NT	NT
	1/10/13	<b>24000</b>	<b>408</b>	209	<b>1220</b>	<b>1570</b>	<100	<500
	4/2/13	<b>23900</b>	<b>614</b>	223	<b>1210</b>	<b>1587</b>	<b>831</b>	<500
	6/12/13	<b>21900</b>	<b>515</b>	210	<b>1120</b>	<b>1467</b>	<b>736</b>	<500
	Duplicate	<b>19800</b>	<b>333</b>	148	<b>949</b>	<b>1271</b>	<b>703</b>	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
	12/17/13	<b>21700</b>	<b>253</b>	106	<b>1000</b>	<b>1218</b>	<b>3630</b>	<500
	3/18/14	<b>23600</b>	<b>541</b>	145	402	<b>1845</b>	<100	<500
	6/4/14	<b>21800</b>	<b>298</b>	91	541	<b>1350</b>	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
	12/3/14	<b>17300</b>	<b>121</b>	62.8	255	960	<100	<500

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
MW-7	12/1/04	133	8.79	9.50	3.65	9.47	<250	<500
	4/29/05	<100	3.99	2.27	<1.0	0.75	<250	<500
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	<100	<0.5	<2.0	<1.0	0.75	<250	<500
	4/27/06	<100	<0.5	<2.0	<1.0	0.75	<250	<500
NT-Dry	9/29/06	NT	NT	NT	NT	NT	NT	NT
	12/14/06	<100	<0.5	<2.0	<1.0	0.75	<b>2420</b>	<b>8380</b>
	3/19/07	ND	ND	ND	ND	ND	<250	<500
	6/26/07	<100	<0.5	<2.0	<1.0	0.75	<250	<500
NT-Dry	9/27/07	NT	NT	NT	NT	NT	NT	NT
NT-Dry	11/2/07	NT	NT	NT	NT	NT	NT	NT
	4/29/05	NT	NT	NT	NT	NT	NT	NT
	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	NT	NT	NT	NT	NT	NT	NT
	4/27/06	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	9/29/06	NT	NT	NT	NT	NT	NT	NT
	12/14/06	NT	NT	NT	NT	NT	NT	NT
	3/19/07	NT	NT	NT	NT	NT	NT	NT
	6/26/07	NT	NT	NT	NT	NT	NT	NT
	9/27/07	NT	NT	NT	NT	NT	NT	NT
	11/2/07	NT	NT	NT	NT	NT	NT	NT
	12/13/07	NT	NT	NT	NT	NT	NT	NT
	3/27/08	50.0	0.25	1.00	0.50	0.75	125	250
	3/27/08	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	6/4/08	<100	<0.5	<2.0	<1.0	0.75	274	<472
	Duplicate	<100	<0.5	<2.0	<1.0	<1.5	<236	<472
NT-Dry	9/12/08	NT	NT	NT	NT	NT	NT	NT
	12/3/08	<100	<0.5	<2.0	<1.0	0.75	<236	<472
	3/28/09	<500	2.39	1.86	9.26	14.3	<100	<500
	6/26/09	<b>951</b>	<b>8.43</b>	7.34	36.0	54.6	<100	<500
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/11/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	Duplicate	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/24/10	<250	<1.0	<1.0	2.14	2.53	<100	<500
	6/16/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
	12/8/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<b>648</b>
	3/25/11	<100	<1.0	<1.0	<1.0	<2.0	160	<b>671</b>
	6/22/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	11/22/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
MW-7 Continued	12/28/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/15/12	<100	<10	<10	<10	<30	<100	<500
	4/6/14		<0.5	<0.5	<0.5	<1.0	<100	<500
	6/28/12	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
NT-Dry	9/28/12	NT	NT	NT	NT	NT	NT	NT
	1/10/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	4/1/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	6/12/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
	12/17/13	<100	<0.5	<0.5	<0.5	<1.0	<100	<500
	3/18/14	<100	<0.5	<0.5	<0.5	<1.5	<100	<500
	6/4/14	<100	<0.5	<0.5	<0.5	<1.5	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
No DRPH	12/3/14	<100	<0.5	<0.5	<0.5	<1.0	NT	NT
	12/22/14	NT	NT	NT	NT	NT	<100	<500
Duplicate	12/22/14	<100	<0.5	<0.5	<0.5	<1.0	<100	<500

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
MW-8	12/1/04	NT	NT	NT	NT	NT	NT	NT
NT-Dry	4/29/05	NT	NT	NT	NT	NT	NT	NT
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/19/05	NT	NT	NT	NT	NT	NT	NT
NT-Dry	4/27/06	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/29/06	NT	NT	NT	NT	NT	NT	NT
	12/14/06	105	<0.5	<2.0	<1.0	<1.5	<250	<500
NT-Dry	3/19/07	NT	NT	NT	NT	NT	NT	NT
NT-Dry	6/26/07	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/27/07	NT	NT	NT	NT	NT	NT	NT
NT-Dry	11/2/07	NT	NT	NT	NT	NT	NT	NT
	3/27/08	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
NT-Dry	6/4/08	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/12/08	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/08	NT	NT	NT	NT	NT	NT	NT
NT-Dry	3/28/09	NT	NT	NT	NT	NT	NT	NT
	3/24/11	<100	<1.0	<1.0	<1.0	<2.0	144	<b>702</b>
	6/21/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
NT-Dry	11/22/11	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/28/11	NT	NT	NT	NT	NT	NT	NT
NT-Dry	3/15/12	NT	NT	NT	NT	NT	NT	NT
NT-Dry	6/28/12	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/28/12	NT	NT	NT	NT	NT	NT	NT
NT-Dry	1/10/13	NT	NT	NT	NT	NT	NT	NT
NT-Dry	4/1/13	NT	NT	NT	NT	NT	NT	NT
NT-Dry	6/12/13	NT	NT	NT	NT	NT	NT	NT
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/17/13	NT	NT	NT	NT	NT	NT	NT
NT-Dry	3/17/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	6/4/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/14	NT	NT	NT	NT	NT	NT	NT

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
MW-9	12/1/04	NT	NT	NT	NT	NT	NT	NT
	4/29/05	<100	1.06	<2.0	<1.0	<1.5	<250	<500
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/19/05	NT	NT	NT	NT	NT	NT	NT
	4/27/06	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
NT-Dry	9/29/06	NT	NT	NT	NT	NT	NT	NT
	12/14/06	<100	<0.5	<2.0	<1.0	<1.5	<250	<b>603</b>
	3/19/07	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	6/26/07	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
NT-Dry	9/27/07	NT	NT	NT	NT	NT	NT	NT
NT-Dry	11/2/07	NT	NT	NT	NT	NT	NT	NT
	12/13/07	NT	NT	NT	NT	NT	NT	NT
	3/27/08	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	6/2/08	<100	<0.5	<2.0	<1.0	<1.5	<236	<472
NT-Dry	9/12/08	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/08	NT	NT	NT	NT	NT	NT	NT
	3/25/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	6/26/09	<500	<1.0	<1.0	<1.0	2.27	<100	<500
	Duplicate	<500	<1.0	<1.0	1.6	2.79	<100	<500
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/11/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/25/10	<250	<1.0	<1.0	<1.0	<2.0	<100	<500
	6/16/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
	12/7/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/24/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	6/21/11	<100	<1.0	<1.0	<1.0	<2.0	145	<500
NT-Dry	11/22/11	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/28/11	NT	NT	NT	NT	NT	NT	NT
	3/15/12	132	<10	<10	<10	-	<100	<500
	6/28/12	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
NT-Dry	9/28/12	NT	NT	NT	NT	NT	NT	NT
NT-Dry	1/10/13	NT	NT	NT	NT	NT	NT	NT
	4/1/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	6/12/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/17/13	NT	NT	NT	NT	NT	NT	NT
	3/18/14	<100	<0.5	<0.5	<0.5	<2.0	<100	<500
	6/4/14	<100	<0.5	<0.5	<0.5	<1.0	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/14	NT	NT	NT	NT	NT	NT	NT
	12/22/14	<100	<0.5	<0.5	<0.5	<1.0	<100	<500



Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
<b>MW-10</b>	12/1/04	NT	NT	NT	NT	NT	NT	NT
	4/29/05	<b>5790</b>	<b>20.3</b>	<2.0	16.5	42.3	<b>1690</b>	<500
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	<b>5880</b>	<b>38.6</b>	16.9	35.3	86.3	<b>4150</b>	<500
	4/27/06	<b>6000</b>	<b>43.1</b>	14.5	38.2	114	<b>1080</b>	<500
NT-Dry	9/29/06	NT	NT	NT	NT	NT	NT	NT
	12/19/06	<b>7010</b>	<b>34.2</b>	25.8	30.3	86.2	<b>2920</b>	<500
	3/19/07	<b>6900</b>	<b>37.8</b>	16.8	42.0	139	<b>3500</b>	<500
	6/26/07	<b>3220</b>	<b>14.9</b>	6.39	20.2	57.5	<b>2490</b>	<500
NT-Dry	9/27/07	NT	NT	NT	NT	NT	NT	NT
NT-Dry	11/2/07	NT	NT	NT	NT	NT	NT	NT
	3/28/08	<b>2450</b>	<b>5.57</b>	2.48	4.29	12.0	<b>1550</b>	<500
	6/4/08	<b>2410</b>	<b>8.07</b>	3.90	9.58	23.6	<b>1560</b>	<472
NT-Dry	9/12/08	NT	NT	NT	NT	NT	NT	NT
	12/3/08	<b>6240</b>	<b>19.6</b>	12.6	24.5	61.2	<b>2510</b>	<472
	3/25/09	<b>3370</b>	3.61	17.1	18.6	59.1	<b>533</b>	<500
NT-Dry	6/26/09	NT	NT	NT	NT	NT	NT	NT
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/11/09	<b>4540</b>	<1.0	<1.0	23.8	71.2	<b>4100</b>	<500
	3/25/10	<b>5100</b>	2.87	<1.0	30.4	114	<b>1210</b>	<500
	6/16/10	<b>3020</b>	<1.0	<1.0	13.1	35.8	<b>897</b>	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
	12/7/10	<b>9090</b>	<b>25.4</b>	7.7	231	486	<b>1720</b>	<500
	3/24/11	<b>3260</b>	<1.0	4.0	21.3	72.8	<b>1540</b>	<500
	6/22/11	<b>2380</b>	<1.0	3.3	10.8	55.0	<b>829</b>	<500
	11/22/11	<b>4000</b>	4.35	5.6	17.8	78.4	<b>1450</b>	<500
	12/28/11	<b>5120</b>	<1.0	6.4	26.6	115	<b>1020</b>	<500
	Duplicate	<b>5300</b>	<1.0	6.3	27.3	116	<b>1070</b>	<500
	3/16/12	<b>3230</b>	<10	<b>3780</b>	<b>10300</b>	<b>51600</b>	394	<500
	6/28/12	2420	<1.0	2.40	12.1	40.8	357	<500
	9/28/12	<b>2170</b>	<1.0	4.04	8.22	30.6	NT	NT
	4/2/13	<b>5520</b>	<1.0	5.55	22.8	104.5	130	<500
	6/12/13	<b>1900</b>	2.78	<1.0	10.6	26.9	<100	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
	12/17/13	<b>3650</b>	<1.0	1.36	16.1	60.0	<b>2200</b>	<500
	3/17/14	<b>3490</b>	<1.0	<0.5	5.17	21.8	311	<500
	6/4/14	<b>3800</b>	<2.5	<2.5	11.8	34.6	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/14	NT	NT	NT	NT	NT	NT	NT
	12/22/14	<b>4210</b>	<2.5	<2.5	9.16	37.6	<100	<500

Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5.00</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
<b>MW-11</b>	12/1/04	149	4.98	5.48	1.20	3.98	280	<500
	4/29/05	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	8/10/05	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	12/19/05	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	4/27/06	225	<0.5	<2.0	<1.0	<1.5	<250	<500
	9/29/06	347	<0.5	<2.0	<1.0	2.7	312	<500
	12/19/06	117	<0.5	<2.0	3.9	17.5	<250	<500
	3/19/07	155	<0.5	<2.0	2.0	9.8	253	<500
	6/26/07	223	<0.5	<2.0	1.3	11.5	362	<500
<b>NT-Dry</b>	9/27/07	NT	NT	NT	NT	NT	NT	NT
	11/2/07	<100	<0.5	<2.0	<1.0	1.7	<250	<500
	3/28/08	<100	<0.5	<2.0	<1.0	<1.5	328	<500
	6/4/08	<100	<0.5	<2.0	<1.0	<1.5	383	<472
	9/12/08	<100	<0.5	<2.0	<1.0	<1.5	378	<472
	Duplicate	<100	<0.5	<2.0	<1.0	<1.5	385	<472
	12/3/08	<100	<0.5	<2.0	<1.0	<1.5	<236	<472
	3/25/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
<b>NT-Dry</b>	6/26/09	NT	NT	NT	NT	NT	NT	NT
<b>NT-Dry</b>	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/10/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/24/10	<250	<1.0	<1.0	<1.0	<2.0	190	<500
	6/17/10	<100	<1.0	<1.0	<1.0	<2.0	135	<500
	9/14/10	<100	<1.0	<1.0	<1.0	<2.0	268	<500
	Duplicate	<100	<1.0	<1.0	<1.0	<2.0	379	<500
	12/7/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/24/11	<100	<1.0	<1.0	<1.0	<2.0	150	<b>668</b>
	6/21/11	139	<1.0	<1.0	1.42	<2.0	<b>745</b>	<500
	11/22/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	Duplicate	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	12/28/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/16/12	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	9/28/12	<100	<1.0	<1.0	<1.0	<1.0	<b>876</b>	<500
	6/28/12	<100	<1.0	<1.0	<1.0	<3.0	300	<500
	1/10/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	4/1/13	<100	<1.0	<1.0	<1.0	<3.0	155	<500
	6/12/13	<100	<1.0	<1.0	<1.0	<3.0	170	<500
	10/16/13	NT	<1.0	<1.0	<1.0	<1.5	<100	<500
	12/17/13	<100	<0.5	<0.5	<0.5	<1.0	<100	<500
	3/17/14	<100	<0.5	<0.5	<0.5	<1.5	<100	<500
	6/4/14	<100	<0.5	<0.5	<0.5	<1.0	<100	<500
<b>NT-Dry</b>	9/22/14	NT	NT	NT	NT	NT	NT	NT
	12/3/14	<100	<0.5	<0.5	<0.5	<1.0	<100	<500




Table 4  
Summary of Petroleum Results

Well Number	Date Sampled	GRPH (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-benzene (µg/L)	Total Xylenes (µg/L)	DRPH (µg/L)	ORPH (µg/L)
<b>Cleanup Level</b>		<b>800</b>	<b>5</b>	<b>1000</b>	<b>700</b>	<b>1000</b>	<b>500</b>	<b>500</b>
<b>MW-12</b>	12/1/04	<100	2.24	2.70	<1.0	<1.5	<250	<500
	4/29/05	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
NT-Dry	8/10/05	NT	NT	NT	NT	NT	NT	NT
	12/19/05	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	4/27/06	195	<b>7.55</b>	<2.0	<1.0	<1.5	<250	<500
NT-Dry	9/29/06	NT	NT	NT	NT	NT	NT	NT
	12/19/06	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	3/19/07	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	6/26/07	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
NT-Dry	9/27/07	NT	NT	NT	NT	NT	NT	NT
	11/2/07	<100	<0.5	<2.0	<1.0	<1.5	<250	<500
	3/28/08	<100	3.8	<2.0	<1.0	<1.5	<250	<500
	6/4/08	<100	<0.5	<2.0	<1.0	<1.5	<236	<472
NT-Dry	9/12/08	NT	NT	NT	NT	NT	NT	NT
	12/3/08	<100	<0.5	<2.0	<1.0	<1.5	<236	<472
	3/25/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	7/16/09	<500	<1.0	<1.0	<1.0	<2.0	104	<500
NT-Dry	9/29/09	NT	NT	NT	NT	NT	NT	NT
	12/11/09	<500	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/24/10	<250	<1.0	<1.0	<1.0	<2.0	<100	<500
	6/17/10	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
NT-Dry	9/14/10	NT	NT	NT	NT	NT	NT	NT
obstructed	12/7/10	NT	NT	NT	NT	NT	NT	NT
	3/25/11	<100	2.51	<1.0	1.10	<2.0	<100	<500
	6/21/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	11/22/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	12/28/11	<100	<1.0	<1.0	<1.0	<2.0	<100	<500
	3/15/12	<100	<10	<10	<10	<30	<100	<500
	6/28/12	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	9/28/12	<100	<1.0	<1.0	<1.0	<1.0	NT	NT
	1/10/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	4/1/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
	6/12/13	<100	<1.0	<1.0	<1.0	<3.0	<100	<500
NT-Dry	10/16/13	NT	NT	NT	NT	NT	NT	NT
	12/17/13	<100	<0.5	<0.5	<0.5	<1.0	<100	<500
	3/18/14	<100	<0.5	<0.5	<0.5	<1.5	<100	<500
	6/4/14	<100	<0.5	<0.5	<0.5	<1.5	<100	<500
NT-Dry	9/22/14	NT	NT	NT	NT	NT	NT	NT
NT-Dry	12/3/14	NT	NT	NT	NT	NT	NT	NT
	12/22/14	<100	<0.5	<0.5	<0.5	<1.0	<100	<500





Figure 1 – Location Map  
Figure 2 – Site Plan Map  
Figure 3 – Injection Plan Map

## **ATTACHMENT Figures**



Source: DeLorme Topo USA®.

South Wilbur LCPW Wilbur, Washington	
<b>Vicinity Map</b>	
SWI01	4/15
 <b>BIOREMEDIATION SPECIALISTS L.L.C.</b> <small>A Billion Years in the Making™</small>	
Figure <b>1</b>	



MW-1 ⊕ Monitoring Well Location and Number

▨ Prior Source Soil Removals (Approximate)

▬ Prior OCR Trench (Approximate)

CGG-N Horizontal Infiltration Gallery and Designation

WG-2 ⊕ Vertical Injection Well and Number

⚠ Control Point

⚙ Water Valve

⊕ Sewer Manhole

⊕ Fire Hydrant

⚡ Power Pole

⊕ Guy Wire


⚡ Sign

—SS— Underground Sewer Line

—W— Underground Water Line

—OP— Overhead Power Line

Site Plan



South Wilbur LCPW  
Wilbur, Washington

Site Plan


SWI01

4/15



Figure

2



MW-1 ⊕ Monitoring Well Location and Number

▤ Prior Source Soil Removals (Approximate)

▬ Prior OCR Trench (Approximate)

▨ AMOR Injection Area

—●— Horizontal Infiltration Gallery and Designation  
WGG-S

WG-2 ⊕ Vertical Injection Well and Number

⊖ NovIOX™ Only Injection Point

⊙ 25 Pounds AMOR™ Injection Point

⊕ 50 Pounds AMOR™ Injection Point

○ 100 Pounds AMOR™ Injection Point

△ Control Point

⋈ Water Valve

⊕ Sewer Manhole

⊕ Fire Hydrant

⊕ Power Pole


⊖ Guy Wire

⊖ Sign

—SS— Underground Sewer Line

—W— Underground Water Line

—OP— Overhead Power Line



South Wilbur LCPW  
Wilbur, Washington

### Injection Plan

SWI01

4/15



Figure

**3**

Source: Google Earth aerial photograph, GeoEngineers Site Remedial Action Components (12/19/05), and on-site reconnaissance by Hart Crowser personnel.



# **ATTACHMENT A**

## **Analytical Laboratory Reports**



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-001      **Sample Date** 3/17/2014      **Date Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW9      **Sample Time** 11:22 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	9.61	mg/L	0.1	3/18/2014	4:03:00 PM	WOZ	EPA 300.0
Sulfate	33.0	mg/L	0.2	3/24/2014	6:19:00 PM	WOZ	EPA 300.0
TOC	4.25	mg/L	0.5	3/18/2014	12:32:00 PM	WOZ	SM5310C

**Sample Number** 140318001-002      **Sample Date** 3/17/2014      **Date Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW7      **Sample Time** 12:02 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	3.23	mg/L	0.1	3/18/2014	4:24:00 PM	WOZ	EPA 300.0
Sulfate	14.7	mg/L	0.1	3/24/2014	6:39:00 PM	WOZ	EPA 300.0
TOC	2.64	mg/L	0.5	3/18/2014	11:36:00 AM	WOZ	SM5310C

**Sample Number** 140318001-003      **Sample Date** 3/17/2014      **Date Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW6      **Sample Time** 12:57 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	3/18/2014	4:45:00 PM	WOZ	EPA 300.0
Sulfate	51.0	mg/L	0.2	3/24/2014	6:59:00 PM	WOZ	EPA 300.0
TOC	15.7	mg/L	0.5	3/18/2014	11:49:00 AM	WOZ	SM5310C

**Sample Number** 140318001-004      **Sample Date** 3/17/2014      **Date Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW12      **Sample Time** 1:44 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	0.352	mg/L	0.1	3/18/2014	5:06:00 PM	WOZ	EPA 300.0
Sulfate	25.7	mg/L	0.1	3/24/2014	7:19:00 PM	WOZ	EPA 300.0
TOC	2.89	mg/L	0.5	3/18/2014	11:59:00 AM	WOZ	SM5310C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318001  
**ddre** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

## analytical results report


**Sample Number** 140318001-005 **Sample Date** 3/17/2014 **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW4 **Sample Time** 2:33 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	PQL	Sample Date	Sample Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	3/18/2014 5:27:00 PM	WOZ	EPA 300.0	
Sulfate	71.3	mg/L	0.4	3/24/2014 7:39:00 PM	WOZ	EPA 300.0	
TOC	9.38	mg/L	0.5	3/18/2014 12:09:00 PM	WOZ	SM5310C	

**Sample Number** 140318001-006 **Sample Date** 3/17/2014 **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW2 **Sample Time** 3:17 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	PQL	Sample Date	Sample Time	Method	Qualifier
NO3/N	3.25	mg/L	0.1	3/18/2014 5:48:00 PM	WOZ	EPA 300.0	
Sulfate	129	mg/L	0.5	3/25/2014 11:40:00 AM	WOZ	EPA 300.0	
TOC	14.4	mg/L	0.5	3/18/2014 12:22:00 PM	WOZ	SM5310C	

Authorized Signature

  
 \_\_\_\_\_  
 Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
 ND Not Detected  
 PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
 The results reported relate only to the samples indicated.  
 Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318001  
**Project Name** WILBUR X09032

## Analytical Report

**Sample Number** 140318001-001      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW9      **Sample Time** 11:22 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	<0.1	mg/L	0.1	3/28/2014	8:28:00 PM	APM	NWTPHDX
Lube Oil	<0.5	mg/L	0.5	3/28/2014	8:28:00 PM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	3/24/2014	12:17:00 PM	WOZ	NWTPHG

## Surrogate Data

**Sample Number** 140318001-001

Surrogate Standard	Method	Percent Recover	Control Limit
hexacosane	NWTPHDX	60.6	50-150
4-Bromofluorobenzene	NWTPHG	105.9	70-130

**Sample Number** 140318001-002      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW7      **Sample Time** 12:02 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	<0.1	mg/L	0.1	3/28/2014	9:23:00 PM	APM	NWTPHDX
Lube Oil	<0.5	mg/L	0.5	3/28/2014	9:23:00 PM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	3/24/2014	12:55:00 PM	WOZ	NWTPHG

## Surrogate Data

**Sample Number** 140318001-002

Surrogate Standard	Method	Percent Recover	Control Limit
hexacosane	NWTPHDX	59.8	50-150
4-Bromofluorobenzene	NWTPHG	107.6	70-130

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140318001-003      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW6      **Sample Time** 12:57 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	<0.1	mg/L	0.1	3/28/2014	10:17:00 PM	APM	NWTPHDX
Lube Oil	<0.5	mg/L	0.5	3/28/2014	10:17:00 PM	APM	NWTPHDX
Gasoline	23.6	mg/L	0.5	3/24/2014	1:33:00 PM	WOZ	NWTPHG

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
140318001-003	hexacosane	NWTPHDX	58.0	50-150
	4-Bromofluorobenzene	NWTPHG	110.3	70-130

**Sample Number** 140318001-004      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW12      **Sample Time** 1:44 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	<0.1	mg/L	0.1	3/28/2014	11:12:00 PM	APM	NWTPHDX
Lube Oil	<0.5	mg/L	0.5	3/28/2014	11:12:00 PM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	3/24/2014	2:11:00 PM	WOZ	NWTPHG

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
140318001-004	hexacosane	NWTPHDX	59.4	50-150
	4-Bromofluorobenzene	NWTPHG	106.1	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140318001-005      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW4      **Sample Time** 2:33 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Analysis Date	Analysis Time	Method	Qualifier
Diesel	<0.1	mg/L	0.1	3/29/2014 12:06:00 AM	APM	NWTPHDX	
Lube Oil	<0.5	mg/L	0.5	3/29/2014 12:06:00 AM	APM	NWTPHDX	
Gasoline	1.40	mg/L	0.1	3/24/2014 2:49:00 PM	WOZ	NWTPHG	

## Summary Data

Sample Number	140318001-005	Method	Percent Recovered	Control Limit
<b>Summary Standard</b>				
hexacosane	NWTPHDX	60.0	50-150	
4-Bromofluorobenzene	NWTPHG	109.2	70-130	

**Sample Number** 140318001-006      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW2      **Sample Time** 3:17 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Analysis Date	Analysis Time	Method	Qualifier
Diesel	0.634	mg/L	0.1	3/29/2014 1:00:00 AM	APM	NWTPHDX	
Lube Oil	<0.5	mg/L	0.5	3/29/2014 1:00:00 AM	APM	NWTPHDX	
Gasoline	8.61	mg/L	0.5	3/24/2014 5:07:00 PM	WOZ	NWTPHG	

## Summary Data

Sample Number	140318001-006	Method	Percent Recovered	Control Limit
<b>Summary Standard</b>				
hexacosane	NWTPHDX	58.2	50-150	
4-Bromofluorobenzene	NWTPHG	103.5	70-130	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


---

**Client**  BUDINGER AND ASSOCIATES  
**ddre**  1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**ttn**  STEVE BURCHETT

**atc**  140318001  
**Project Name**  WILBUR X09032

**nal**  **tical**  **e**  **lt**  **e**  **ort**

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## Analytical Report

**Sample Number** 140318001-001      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW9      **Sample Time** 11:22 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C599  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-001      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW9      **Sample Time** 11:22 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Chloroethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	5:34:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318001  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140318001-001 **Sample Date** 3/17/2014 **Analysis Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW9 **Sample Time** 11:22 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318001-001	1,2-Dichlorobenzene-d4	EPA 8260C	100.4	70-130
	4-Bromofluorobenzene	EPA 8260C	82.2	70-130
	Toluene-d8	EPA 8260C	83.2	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-002      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW7      **Sample Time** 12:02 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-002      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW7      **Sample Time** 12:02 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	6:07:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318001  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140318001-002 **Sample Date** 3/17/2014 **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW7 **Sample Time** 12:02 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318001-002	1,2-Dichlorobenzene-d4	EPA 8260C	101.8	70-130
	4-Bromofluorobenzene	EPA 8260C	83.4	70-130
	Toluene-d8	EPA 8260C	82.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140318001-003      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW6      **Sample Time** 12:57 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	1970	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	150	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
2-hexanone	<125	µg/L	125	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	79.8	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Acetone	<125	µg/L	125	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Acrylonitrile	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Benzene	541	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Bromobenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Bromochloromethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Bromoform	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Bromomethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Carbon disulfide	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Chlorobenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-003      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW6      **Sample Time** 12:57 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chloroethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Chloroform	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Chloromethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Dibromomethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Ethylbenzene	402	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Isopropylbenzene	67.6	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
m+p-Xylene	1760	µg/L	50	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<125	µg/L	125	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<125	µg/L	125	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Methylene chloride	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Naphthalene	357	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
n-Butylbenzene	69.6	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
n-Propylbenzene	147	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
o-Xylene	84.7	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	30.4	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Styrene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Toluene	145	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Trichloroethene	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<25	µg/L	25	3/27/2014	6:40:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318001  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140318001-003 **Sample Date** 3/17/2014 **Analysis Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW6 **Sample Time** 12:57 PM **Extraction Rate**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Analyst** **Analyst** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318001-003	1,2-Dichlorobenzene-d4	EPA 8260C	101.6	70-130
	4-Bromofluorobenzene	EPA 8260C	87.4	70-130
	Toluene-d8	EPA 8260C	85.6	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-004      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW12      **Sample Time** 1:44 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Account** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-004      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW12      **Sample Time** 1:44 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	7:12:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318001  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140318001-004 **Sample Date** 3/17/2014 **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW12 **Sample Time** 1:44 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318001-004	1,2-Dichlorobenzene-d4	EPA 8260C	102.0	70-130
	4-Bromofluorobenzene	EPA 8260C	83.0	70-130
	Toluene-d8	EPA 8260C	81.2	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140318001-005      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW4      **Sample Time** 2:33 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	18.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	24.1	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Benzene	5.16	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-005      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW4      **Sample Time** 2:33 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Ethylbenzene	48.9	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Isopropylbenzene	5.56	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
m+p-Xylene	7.23	µg/L	1	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Naphthalene	20.3	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
n-Butylbenzene	9.63	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
n-Propylbenzene	14.1	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
o-Xylene	1.74	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	1.53	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Toluene	0.97	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	7:45:00 PM	WOZ	EPA 8260C

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318001  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140318001-005 **Sample Date** 3/17/2014 **Analysis Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW4 **Sample Time** 2:33 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comments**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318001-005	1,2-Dichlorobenzene-d4	EPA 8260C	71.6	70-130
	4-Bromofluorobenzene	EPA 8260C	70.4	70-130
	Toluene-d8	EPA 8260C	90.6	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-006      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW2      **Sample Time** 3:17 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Sample Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	429	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	41.7	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
2-hexanone	<125	µg/L	125	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Acetone	<125	µg/L	125	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Acrylonitrile	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Benzene	272	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Bromobenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Bromochloromethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Bromoform	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Bromomethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Carbon disulfide	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Chlorobenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Lab** 140318001  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318001-006      **Sample Date** 3/17/2014      **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW2      **Sample Time** 3:17 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chloroethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Chloroform	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Chloromethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Dibromomethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Ethylbenzene	390	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
m+p-Xylene	637	µg/L	50	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<125	µg/L	125	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<125	µg/L	125	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Methylene chloride	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Naphthalene	116	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
n-Propylbenzene	54.3	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
o-Xylene	27.1	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Styrene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Toluene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Trichloroethene	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<25	µg/L	25	3/27/2014	8:51:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318001  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

## ANALYTICAL RESULTS REPORT


**Sample Number** 140318001-006 **Sample Date** 3/17/2014 **Sample Received** 3/18/2014 8:30 AM  
**Client Sample ID** MW2 **Sample Time** 3:17 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **PQL** **Analyst Date** **Analyst** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318001-006	1,2-Dichlorobenzene-d4	EPA 8260C	101.0	70-130
	4-Bromofluorobenzene	EPA 8260C	100.0	70-130
	Toluene-d8	EPA 8260C	100.0	70-130

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318001  
**Project Name** WILBUR X09032

## Final Report Report Quality Control Data

### Quality Control Sample

Parameter	CS Result	Unit	CS Size	Sec	Flow	Prep Date	Final Date
1,1-Dichloroethene	4.55	µg/L	5	91.0	70-130	3/27/2014	3/27/2014
Sulfate	5.26	mg/L	5	105.2	90-110	3/25/2014	3/25/2014
Sulfate	5.38	mg/L	5	107.6	90-110	3/24/2014	3/24/2014
Gasoline	1.31	mg/L	1.1	119.1	70-130	3/24/2014	3/24/2014
Diesel	0.403	mg/L	0.5	80.6	50-150	3/28/2014	3/28/2014
Trichloroethene	5.01	µg/L	5	100.2	70-130	3/27/2014	3/27/2014
Toluene	5.05	µg/L	5	101.0	70-130	3/27/2014	3/27/2014
Tetrachloroethene	4.75	µg/L	5	95.0	70-130	3/27/2014	3/27/2014
o-Xylene	5.03	µg/L	5	100.6	70-130	3/27/2014	3/27/2014
Ethylbenzene	5.15	µg/L	5	103.0	70-130	3/27/2014	3/27/2014
Chlorobenzene	5.27	µg/L	5	105.4	70-130	3/27/2014	3/27/2014
Benzene	5.10	µg/L	5	102.0	70-130	3/27/2014	3/27/2014
TOC	10.1	mg/L	10	101.0	80-120	3/18/2014	3/18/2014
NO3/N	5.41	mg/L	5	108.2	90-110	3/18/2014	3/18/2014

### Matrix Spike

Sample No	Parameter	Sample Result	MS Result	Unit	MS Size	Sec	Flow	Prep Date	Final Date
140324021-001	Sulfate	15.4	20.1	mg/L	5	94.0	80-120	3/24/2014	3/24/2014
140321035-004A	Sulfate	ND	5.19	mg/L	5	103.8	80-120	3/25/2014	3/25/2014
140321001-001	Gasoline	0.263	1.43	mg/L	1.1	106.1	70-130	3/24/2014	3/24/2014
140318001-003A	NO3/N	ND	5.08	mg/L	5	101.6	80-120	3/18/2014	3/18/2014
140318001-002	TOC	2.64	13.6	mg/L	10	109.6	70-130	3/18/2014	3/18/2014
140318001-001	Diesel	<0.1	0.749	mg/L	1	74.9	50-150	3/28/2014	3/28/2014

### Matrix Spike Dilicate

Parameter	MS Result	Unit	MS Size	Sec	Flow	Prep Date	Final Date
Sulfate	20.1	mg/L	5	94.0	0.0 0-20	3/24/2014	3/24/2014
Sulfate	5.13	mg/L	5	102.6	1.2 0-20	3/25/2014	3/25/2014
Gasoline	1.39	mg/L	1.1	102.5	2.8 0-20	3/24/2014	3/24/2014
NO3/N	5.30	mg/L	5	106.0	4.2 0-20	3/18/2014	3/18/2014
TOC	13.6	mg/L	10	109.6	0.0 0-20	3/18/2014	3/18/2014
Diesel	0.775	mg/L	1	77.5	3.4 0-50	3/28/2014	3/28/2014

### Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

**analytical report**  
**Quality Control Data**

## Method Plan

Parameter	Limit	Unit	P	Prep Date	Final Date
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
2-hexanone	<2.5	µg/L	2.5	3/27/2014	3/27/2014
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Acetone	<2.5	µg/L	2.5	3/27/2014	3/27/2014
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Benzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromoform	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromomethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Chloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Chloroform	<0.5	µg/L	0.5	3/27/2014	3/27/2014

## Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**ddre** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

**atc** 140318001  
**Project Name** WILBUR X09032

**analytical equipment report**  
**Quality Control data**

## Method plan

Parameter	Limit	Unit	P	Prep Date	Final Date
Chloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Diesel	<0.1	mg/L	0.1	3/28/2014	3/28/2014
Ethylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Gasoline	<0.1	mg/L	0.1	3/24/2014	3/24/2014
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Isopropylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Lube Oil	<0.5	mg/L	0.5	3/28/2014	3/28/2014
m+p-Xylene	<1.0	µg/L	0.5	3/27/2014	3/27/2014
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	3/27/2014
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	3/27/2014
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	3/27/2014
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Naphthalene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
n-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
NO3/N	ND	mg/L	0.1	3/18/2014	3/18/2014
n-Propylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
o-Xylene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
p-isopropyltoluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Styrene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Sulfate	ND	mg/L	0.1	3/25/2014	3/25/2014
Sulfate	ND	mg/L	0.1	3/24/2014	3/24/2014
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
TOC	<0.5	mg/L	0.5	3/18/2014	3/18/2014
Toluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	3/27/2014

## Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

---

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Lab** 140318001  
**Project Name** WILBUR X09032

**Analytical Methods**  
**Quality Control Data**

AR Acceptable Range  
ND Not Detected  
PQL Practical Quantitation Limit  
RPD Relative Percentage Difference

---

## Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

---



**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order I** 140318001  
**Order Date** 3/18/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

**Sample** 140318001-003 **Contractor Sample** MW6

**Record** **Collector** STEVE WARD **Date Collected** 3/17/2014  
 **Quantity** 7 **Matrix** Water **Date Received** 3/18/2014 8:30:00 AM  
**Company**

Item	Unit	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	3/28/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	3/28/2014	<u>or</u> <input type="checkbox"/>

**Sample** 140318001-004 **Contractor Sample** MW12

**Record** **Collector** STEVE WARD **Date Collected** 3/17/2014  
 **Quantity** 7 **Matrix** Water **Date Received** 3/18/2014 8:30:00 AM  
**Company**

Item	Unit	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	3/28/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	3/28/2014	<u>or</u> <input type="checkbox"/>

**Sample** 140318001-005 **Contractor Sample** MW4

**Record** **Collector** STEVE WARD **Date Collected** 3/17/2014  
 **Quantity** 7 **Matrix** Water **Date Received** 3/18/2014 8:30:00 AM  
**Company**

Item	Unit	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	3/28/2014	<u>or</u> <input type="checkbox"/>



**Chain of Custody Record**

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

140318 001 **BUDI** Last Due **3/28/2014**  
 1st SAMP 3/17/2014 1st RCVD 3/18/2014  
 WILBUR X09032

Company Name: <b>BUDINGER</b>	Project Manager: <b>STEVE BURCHETT</b>
Address: <b>1101 N. FANCHER</b>	Project Name & #: <b>WILBUR X09032</b>
City: <b>SPOKANE VALLEY</b> State: <b>WA</b> Zip: <b>99212</b>	Email Address: <b>SBURCHETT@BUDINGERINC.COM</b>
Phone: <b>535-8841</b>	Purchase Order #: <b>LINCOLN COUNTY</b>
Fax: <b>535-9589</b>	Sampler Name & phone: <b>STEVE WARD 251-5705</b>

**Turn Around Time & Reporting**

Please refer to our normal turn around times at  
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input type="checkbox"/> Normal	<input type="checkbox"/> *All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input type="checkbox"/> Email

Provide Sample Description				List Analyses Requested									
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:									
				# of Containers	Sample Volume	TPH - G	VOCs 8260	TOC EPAH15	TPH - DX	NITRATES	SULFATE		
	MW 9	3-17-11:22	MW	7									
	MW 7	3-17 12:02	↓	7									
	MW 6	3-17 12:57		7									
	MW 12	3-17 1:44		7									
	MW 4	3-17 2:33		7									
	MW 2	3-17 3:17		7									

**Note Special Instructions/Comments**

*Bill to Lincoln County*

	Printed Name	Signature	Company	Date	Time
Relinquished by	STEVE WARD	<i>Steve Ward</i>	BUDINGER	3-18-14	08:30
Received by	Kathy Sattler	<i>Kathy Sattler</i>	Anatek Labs	3-18-14	08:30
Relinquished by					
Received by					
Relinquished by					
Received by					

**Inspection Checklist**

Received Intact?	<input checked="" type="radio"/> Y	<input type="radio"/> N
Labels & Chains Agree?	<input checked="" type="radio"/> Y	<input type="radio"/> N
Containers Sealed?	<input checked="" type="radio"/> Y	<input type="radio"/> N
VOC Head Space?	<input type="radio"/> Y	<input type="radio"/> N

*Cooler / Ice / Hand delivered*

Temperature (°C): *2.8*

Preservative: *HCl*

Date & Time: *3-18-14 / 08:30*

Inspected By: *KAS*

**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 140318001  
**Order Date** 3/18/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

VOC 8260 SPO S EPA 8260C 3/28/2014 Order

**Sample ID** 140318001-006 **Contractor Sample ID** MW2

**Record**  **Collector** STEVE WARD **Date Collected** 3/17/2014  
**Quantity** 7 **Matrix** Water **Date Received** 3/18/2014 8:30:00 AM  
**Company**

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	3/28/2014	<u>Order</u>
SULFATE	S	EPA 300.0	3/28/2014	<u>Order</u>
TOC	S	SM5310C	3/28/2014	<u>Order</u>
TPHDX-NW	S	NWTPHDX	3/28/2014	<u>Order</u>
TPHG-NW-SPO	S	NWTPHG	3/28/2014	<u>Order</u>
VOC 8260 SPO	S	EPA 8260C	3/28/2014	<u>Order</u>

**SAMPLE CONTAINER CHECK**

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature inside the cooler?	2.8
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	No
Labels and chain agree?	Yes



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318046  
**Project Name** WILBUR X09032

## Analytical Report

**Sample Number** 140318046-001      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW11      **Sample Time** 10:39 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	3/20/2014 12:17:00 PM	WOZ	EPA 300.0	H1
Sulfate	228	mg/L	1	3/24/2014 8:19:00 PM	WOZ	EPA 300.0	
TOC	11.8	mg/L	0.5	3/31/2014 1:35:00 PM	WOZ	SM5310C	

**Sample Number** 140318046-002      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW1      **Sample Time** 11:22 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	3/20/2014 11:02:00 AM	WOZ	EPA 300.0	
Sulfate	74.8	mg/L	0.4	3/24/2014 8:39:00 PM	WOZ	EPA 300.0	
TOC	8.27	mg/L	0.5	3/31/2014 1:46:00 PM	WOZ	SM5310C	

**Sample Number** 140318046-003      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW10      **Sample Time** 12:03 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	0.305	mg/L	0.1	3/20/2014 11:20:00 AM	WOZ	EPA 300.0	
Sulfate	21.8	mg/L	0.1	3/20/2014 11:20:00 AM	WOZ	EPA 300.0	
TOC	6.26	mg/L	0.5	3/31/2014 1:55:00 PM	WOZ	SM5310C	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


**Client** BUDINGER AND ASSOCIATES **atc** 140318046  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## ANALYTICAL REPORT

**Sample Number** 140318046-004 **Sample Date** 3/18/2014 **Time Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW3 **Sample Time** 12:38 PM **Extraction Rate**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	PQL	Analysis Date	Analyst	Method	Qualifier
NO3/N	ND	mg/L	0.1	3/20/2014 11:58:00 AM	WOZ	EPA 300.0	
Sulfate	8.44	mg/L	0.1	3/20/2014 11:58:00 AM	WOZ	EPA 300.0	
TOC	13.0	mg/L	0.5	3/31/2014 2:07:00 PM	WOZ	SM5310C	

Authorized Signature

  
Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318046  
**Project Name** WILBUR X09032

## Analytical Report

**Sample Number** 140318046-001      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW11      **Sample Time** 10:39 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	<0.1	mg/L	0.1	3/29/2014	1:55:00 AM	APM	NWTPHDX
Lube Oil	<0.5	mg/L	0.5	3/29/2014	1:55:00 AM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	3/24/2014	5:45:00 PM	WOZ	NWTPHG

## Surrogate Data

**Sample Number** 140318046-001

Surrogate Standard	Method	Percent Recovered	Control Limit
hexacosane	NWTPHDX	54.4	50-150
4-Bromofluorobenzene	NWTPHG	102.3	70-130

**Sample Number** 140318046-002      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW1      **Sample Time** 11:22 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	<0.1	mg/L	0.1	3/29/2014	2:49:00 AM	APM	NWTPHDX
Lube Oil	<0.5	mg/L	0.5	3/29/2014	2:49:00 AM	APM	NWTPHDX
Gasoline	0.193	mg/L	0.1	3/24/2014	6:23:00 PM	WOZ	NWTPHG

## Surrogate Data

**Sample Number** 140318046-002

Surrogate Standard	Method	Percent Recovered	Control Limit
hexacosane	NWTPHDX	50.4	50-150
4-Bromofluorobenzene	NWTPHG	109.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140318046-003      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW10      **Sample Time** 12:03 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Analysis Date	Analysis Time	Method	Qualifier
Diesel	0.311	mg/L	0.1	3/29/2014 3:43:00 AM	APM	NWTPHDX	
Lube Oil	<0.5	mg/L	0.5	3/29/2014 3:43:00 AM	APM	NWTPHDX	
Gasoline	3.49	mg/L	0.1	3/24/2014 7:00:00 PM	WOZ	NWTPHG	

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
140318046-003	hexacosane	NWTPHDX	57.6	50-150
	4-Bromofluorobenzene	NWTPHG	108.9	70-130

**Sample Number** 140318046-004      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW3      **Sample Time** 12:38 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Analysis Date	Analysis Time	Method	Qualifier
Diesel	0.646	mg/L	0.1	3/29/2014 4:38:00 AM	APM	NWTPHDX	
Lube Oil	<0.5	mg/L	0.5	3/29/2014 4:38:00 AM	APM	NWTPHDX	
Gasoline	3.47	mg/L	0.1	3/24/2014 7:38:00 PM	WOZ	NWTPHG	

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
140318046-004	hexacosane	NWTPHDX	50.6	50-150
	4-Bromofluorobenzene	NWTPHG	105.1	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


---

**Client**  BUDINGER AND ASSOCIATES  
**ddre**  1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**ttn**  STEVE BURCHETT

**atc**  140318046  
**Project Name**  WILBUR X09032

**analytical results report**

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Account** 140318046  
**Project Name** WILBUR X09032

## Analytical Report

**Sample Number** 140318046-001      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW11      **Sample Time** 10:39 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	1.88	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	9:24:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318046-001      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW11      **Sample Time** 10:39 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014 9:24:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318046  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140318046-001 **Sample Date** 3/18/2014 **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW11 **Sample Time** 10:39 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318046-001	1,2-Dichlorobenzene-d4	EPA 8260C	106.0	70-130
	4-Bromofluorobenzene	EPA 8260C	87.8	70-130
	Toluene-d8	EPA 8260C	87.8	70-130



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318046-002      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW1      **Sample Time** 11:22 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318046-002      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW1      **Sample Time** 11:22 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Isopropylbenzene	0.57	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
n-Propylbenzene	0.62	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	9:56:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318046  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140318046-002 **Sample Date** 3/18/2014 **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW1 **Sample Time** 11:22 AM **Extraction Rate**  
**Matrix** Water **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Anal Date	Anal Time	Method	Qualifier
-----------	--------	------	---	-----------	-----------	--------	-----------

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318046-002	1,2-Dichlorobenzene-d4	EPA 8260C	101.8	70-130
	4-Bromofluorobenzene	EPA 8260C	87.4	70-130
	Toluene-d8	EPA 8260C	90.4	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318046-003      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW10      **Sample Time** 12:03 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	171	µg/L	5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	63.2	µg/L	2.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	8.38	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Benzene	0.74	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140318046-003      **Sample Date** 3/18/2014      **Analysis Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW10      **Sample Time** 12:03 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Analysis Date	Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Ethylbenzene	5.17	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Isopropylbenzene	14.0	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
m+p-Xylene	19.2	µg/L	1	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Naphthalene	7.50	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
n-Butylbenzene	8.65	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
n-Propylbenzene	23.0	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
o-Xylene	2.57	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	6.59	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	5.66	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	10:29:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318046  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140318046-003 **Sample Date** 3/18/2014 **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW10 **Sample Time** 12:03 PM **Extraction Rate**  
**Matrix** Water **Sample Location**  
**Comments**

**Parameter** **Result** **Unit** **P** **Analyst** **Analyst** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140318046-003	1,2-Dichlorobenzene-d4	EPA 8260C	101.6	70-130
	4-Bromofluorobenzene	EPA 8260C	72.6	70-130
	Toluene-d8	EPA 8260C	86.6	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318046-004      **Sample Date** 3/18/2014      **Sample Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW3      **Sample Time** 12:38 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	86.1	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	70.8	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
2-hexanone	<12.5	µg/L	12.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Acetone	<12.5	µg/L	12.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Acrylonitrile	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Benzene	28.1	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Bromobenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Bromochloromethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Bromoform	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Bromomethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Carbon disulfide	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Chlorobenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140318046-004      **Sample Date** 3/18/2014      **Analysis Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW3      **Sample Time** 12:38 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Analysis Date	Analysis Time	Method	Qualifier
Chloroethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Chloroform	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Chloromethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Dibromomethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Ethylbenzene	134	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Isopropylbenzene	23.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
m+p-Xylene	44.8	µg/L	5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<12.5	µg/L	12.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<12.5	µg/L	12.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Methylene chloride	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Naphthalene	6.27	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
n-Butylbenzene	11.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
n-Propylbenzene	43.4	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
o-Xylene	10.2	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	11.3	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	8.00	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Styrene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Toluene	5.38	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Trichloroethene	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<2.5	µg/L	2.5	3/27/2014	11:02:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140318046  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## ANALYTICAL RESULTS REPORT


**Sample Number** 140318046-004 **Sample Date** 3/18/2014 **Date Received** 3/18/2014 2:30 PM  
**Client Sample ID** MW3 **Sample Time** 12:38 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **PQL** **Analyst** **Analyst** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
140318046-004	1,2-Dichlorobenzene-d4	EPA 8260C	100.0	70-130
	4-Bromofluorobenzene	EPA 8260C	115.4	70-130
	Toluene-d8	EPA 8260C	111.2	70-130

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140318046  
**Project Name** WILBUR X09032

## Qualitative Report Control Data

### Quality Control Sample

Parameter	CS Result	Unit	CS Spec	Sec	Sec	Pre Date	Final Date
Gasoline	1.31	mg/L	1.1	119.1	70-130	3/24/2014	3/24/2014
Diesel	0.403	mg/L	0.5	80.6	50-150	3/28/2014	3/28/2014
TOC	9.40	mg/L	10	94.0	80-120	3/31/2014	3/31/2014
Sulfate	5.38	mg/L	5	107.6	90-110	3/24/2014	3/24/2014
Sulfate	4.99	mg/L	5	99.8	90-110	3/20/2014	3/20/2014
1,1-Dichloroethene	4.55	µg/L	5	91.0	70-130	3/27/2014	3/27/2014
Trichloroethene	5.01	µg/L	5	100.2	70-130	3/27/2014	3/27/2014
Toluene	5.05	µg/L	5	101.0	70-130	3/27/2014	3/27/2014
Tetrachloroethene	4.75	µg/L	5	95.0	70-130	3/27/2014	3/27/2014
o-Xylene	5.03	µg/L	5	100.6	70-130	3/27/2014	3/27/2014
Ethylbenzene	5.15	µg/L	5	103.0	70-130	3/27/2014	3/27/2014
Chlorobenzene	5.27	µg/L	5	105.4	70-130	3/27/2014	3/27/2014
Benzene	5.10	µg/L	5	102.0	70-130	3/27/2014	3/27/2014
NO3/N	5.02	mg/L	5	100.4	90-110	3/20/2014	3/20/2014

### Matrix Spike

Spike Number	Parameter	Spike Result	MS Result	Unit	MS Spec	Sec	Sec	Pre Date	Final Date
140327026-001	TOC	2.04	11.9	mg/L	10	98.6	70-130	3/31/2014	3/31/2014
140324021-001	Sulfate	15.4	20.1	mg/L	5	94.0	80-120	3/24/2014	3/24/2014
140321001-001	Gasoline	0.263	1.43	mg/L	1.1	106.1	70-130	3/24/2014	3/24/2014
140318047-001	Sulfate	3.15	8.28	mg/L	5	102.6	80-120	3/20/2014	3/20/2014
140318047-001	NO3/N	ND	4.97	mg/L	5	99.4	80-120	3/20/2014	3/20/2014
140318001-001	Diesel	<0.1	0.749	mg/L	1	74.9	50-150	3/28/2014	3/28/2014

### Matrix Spike Dilicate

Parameter	MS Result	Unit	MS Spec	Sec	P	P	Pre Date	Final Date
TOC	11.9	mg/L	10	98.6	0.0	0-20	3/31/2014	3/31/2014
Sulfate	20.1	mg/L	5	94.0	0.0	0-20	3/24/2014	3/24/2014
Gasoline	1.39	mg/L	1.1	102.5	2.8	0-20	3/24/2014	3/24/2014
Sulfate	8.39	mg/L	5	104.8	1.3	0-20	3/20/2014	3/20/2014
NO3/N	5.15	mg/L	5	103.0	3.6	0-20	3/20/2014	3/20/2014
Diesel	0.775	mg/L	1	77.5	3.4	0-50	3/28/2014	3/28/2014

### Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

**analytical equipment report**  
**Quality Control data**

## Method plan

Parameter	Result	Unit	P	Predate	Final date
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1,1-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1,2-Trichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,1-dichloropropene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,3-Trichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dibromoethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dichloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,3-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,3-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
1,4-Dichlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
2,2-Dichloropropane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
2-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
2-hexanone	<2.5	µg/L	2.5	3/27/2014	3/27/2014
4-Chlorotoluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Acetone	<2.5	µg/L	2.5	3/27/2014	3/27/2014
Acrylonitrile	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Benzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromochloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromodichloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromoform	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Bromomethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Carbon disulfide	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Carbon Tetrachloride	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Chlorobenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Chloroethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Chloroform	<0.5	µg/L	0.5	3/27/2014	3/27/2014

## Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**ddre** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

**analytical report**  
**Quality Control Data**

## Method Plan

Parameter	Limit	Unit	P	Prep Date	Final Date
Chloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
cis-1,2-dichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Dibromochloromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Dibromomethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Dichlorodifluoromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Diesel	<0.1	mg/L	0.1	3/28/2014	3/28/2014
Ethylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Gasoline	<0.1	mg/L	0.1	3/24/2014	3/24/2014
Hexachlorobutadiene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Isopropylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Lube Oil	<0.5	mg/L	0.5	3/28/2014	3/28/2014
m+p-Xylene	<1.0	µg/L	0.5	3/27/2014	3/27/2014
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	3/27/2014	3/27/2014
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	3/27/2014	3/27/2014
Methylene chloride	<0.5	µg/L	0.5	3/27/2014	3/27/2014
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Naphthalene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
n-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
NO3/N	ND	mg/L	0.1	3/20/2014	3/20/2014
n-Propylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
o-Xylene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
p-isopropyltoluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
sec-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Styrene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Sulfate	ND	mg/L	0.1	3/24/2014	3/24/2014
Sulfate	ND	mg/L	0.1	3/20/2014	3/20/2014
tert-Butylbenzene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Tetrachloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
TOC	<0.5	mg/L	0.5	3/31/2014	3/31/2014
Toluene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Trichloroethene	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Trichlorofluoromethane	<0.5	µg/L	0.5	3/27/2014	3/27/2014
Vinyl Chloride	<0.5	µg/L	0.5	3/27/2014	3/27/2014

## Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

---

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

**atc** 140318046  
**Project Name** WILBUR X09032

**analytical equipment report**  
**Quality Control data**

AR Acceptable Range  
ND Not Detected  
PQL Practical Quantitation Limit  
RPD Relative Percentage Difference

---

## Content

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

---

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

## Location

Customer Name BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

Order ID 140318046  
Order Date 3/18/2014

Contact Name STEVE BURCHETT  
Company

Project Name WILBUR X09032

Sample 140318046-001 Customer Sample MW11

Record  Collector STEVE WARD Date Collected 3/18/2014  
Anticount 7 Matrix Water Date Received 3/18/2014 2:30:00 PM  
Company

Item	Area	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	3/20/2014	Order <input type="checkbox"/>
SULFATE	S	EPA 300.0	3/28/2014	Order <input type="checkbox"/>
TOC	S	SM5310C	3/28/2014	Order <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	3/25/2014	Order <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	3/25/2014	Order <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	3/28/2014	Order <input type="checkbox"/>

Sample 140318046-002 Customer Sample MW11

Record  Collector STEVE WARD Date Collected 3/18/2014  
Anticount 7 Matrix Water Date Received 3/18/2014 2:30:00 PM  
Company

Item	Area	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	3/20/2014	Order <input type="checkbox"/>
SULFATE	S	EPA 300.0	3/28/2014	Order <input type="checkbox"/>
TOC	S	SM5310C	3/28/2014	Order <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	3/25/2014	Order <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	3/25/2014	Order <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	3/28/2014	Order <input type="checkbox"/>

**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 140318046  
**Order Date** 3/18/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

**Sample ID** 140318046-003 **Contractor Sample ID** MW10

**Record**  **Collector** STEVE WARD **Date Collected** 3/18/2014  
**Quantity** 7 **Matrix** Water **Date Received** 3/18/2014 2:30:00 PM  
**Company**

Item	QA	Method	Release Date	Priority
NITRATE/N	S	EPA 300.0	3/20/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	3/25/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	3/25/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	3/28/2014	<u>or</u> <input type="checkbox"/>

**Sample ID** 140318046-004 **Contractor Sample ID** MW3

**Record**  **Collector** STEVE WARD **Date Collected** 3/18/2014  
**Quantity** 7 **Matrix** Water **Date Received** 3/18/2014 2:30:00 PM  
**Company**

Item	QA	Method	Release Date	Priority
NITRATE/N	S	EPA 300.0	3/20/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	3/28/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	3/28/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	3/25/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	3/25/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	3/28/2014	<u>or</u> <input type="checkbox"/>

**SAMPLE COLLECTION CHECK**

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature inside the cooler?	10.7
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	No
Labels and chain agree?	Yes



**Chain of Custody Record**

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

140318 046 **BUDI** Last Due **3/28/2014**  
 1st SAMP 3/18/2014 1st RCVD 3/18/2014  
 WILBUR X09032

Company Name: **BUDINGER** Project Manager: **STEVE BURCHETT**  
 Address: **1101 N. FANCHER** Project Name & #: **WILBUR X09032**  
 City: **SPOKANE VALLEY WA** State: **WA** Zip: **99212** Email Address: **STEVE SBURCHETT@BUDINGERINC.COM**  
 Phone: **535 8841** Purchase Order #: **LINCOLN COUNTY**  
 Fax: **535 9589** Sampler Name & phone: **WARD 251-5705**

Please refer to our normal turn around times at:  
<http://www.anateklabs.com/services/guidelines/reporting.asp>

Normal  \*All rush order  Phone   
 Next Day\*  requests must be  Mail   
 2nd Day\*  prior approved.  Fax   
 Other\*  Email

Provide Sample Description				List Analyses Requested							Note Special Instructions/Comments		
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:									
				# of Containers	Sample Volume	TPH-G	VOC's 8260	TOC EPA 415	TPH-DX	NITRATES		SULFATE	
	—	3-18-14											
	MW 11	10:39	WW										
	MW 1	11:22											
	MW 10	12:03											
	MW 3	12:38											

**Inspection Checklist**

Received Intact?  Y  N  
 Labels & Chains Agree?  Y  N  
 Containers Sealed?  Y  N  
 VOC Head Space?  Y  N

	Printed Name	Signature	Company	Date	Time
Relinquished by	STEVE WARD	<i>Steve E Ward</i>	BUDINGER	3-18	14:30
Received by	Mlemis	<i>Mlemis</i>	Anatek	3-18-14	14:30
Relinquished by					
Received by					
Relinquished by					
Received by					

*hand/cooler / in*  
 Temperature (°C): 10.7°C  
 Preservative: HCl  
 Date & Time: 3-18-14 14:30  
 Inspected By: Mlemis



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140604054-001      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-9      **Sample Time** 9:13 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	11.1	mg/L	0.1	6/5/2014 12:24:00 PM	RAW	EPA 300.0	
Sulfate	41.9	mg/L	0.2	6/12/2014 10:37:00 AM	WOZ	EPA 300.0	
TOC	4.52	mg/L	0.5	6/6/2014 2:19:00 PM	WOZ	SM5310C	

**Sample Number** 140604054-002      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-12      **Sample Time** 9:45 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	6/5/2014 12:46:00 PM	RAW	EPA 300.0	
Sulfate	29.3	mg/L	0.2	6/17/2014 3:30:00 AM	WOZ	EPA 300.0	
TOC	2.50	mg/L	0.5	6/6/2014 2:27:00 PM	WOZ	SM5310C	

**Sample Number** 140604054-003      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-7      **Sample Time** 10:28 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	3.45	mg/L	0.1	6/5/2014 1:08:00 PM	RAW	EPA 300.0	
Sulfate	15.9	mg/L	0.1	6/12/2014 11:37:00 AM	WOZ	EPA 300.0	
TOC	2.61	mg/L	0.5	6/6/2014 2:37:00 PM	WOZ	SM5310C	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-004      **Sample Date** 6/4/2014      **Time Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-6      **Sample Time** 10:59 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	6/5/2014 1:30:00 PM	RAW	EPA 300.0	
Sulfate	40.6	mg/L	0.2	6/12/2014 11:57:00 AM	WOZ	EPA 300.0	
TOC	14.3	mg/L	0.5	6/6/2014 2:50:00 PM	WOZ	SM5310C	

**Sample Number** 140604054-005      **Sample Date** 6/4/2014      **Time Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-4      **Sample Time** 11:37 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	6/5/2014 1:52:00 PM	RAW	EPA 300.0	
Sulfate	2.70	mg/L	0.1	6/12/2014 12:17:00 PM	WOZ	EPA 300.0	
TOC	11.6	mg/L	0.5	6/6/2014 3:11:00 PM	WOZ	SM5310C	

**Sample Number** 140604054-006      **Sample Date** 6/4/2014      **Time Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-10      **Sample Time** 12:07 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	6/5/2014 2:14:00 PM	RAW	EPA 300.0	
Sulfate	32.1	mg/L	0.2	6/12/2014 12:37:00 PM	WOZ	EPA 300.0	
TOC	5.57	mg/L	0.5	6/6/2014 3:22:00 PM	WOZ	SM5310C	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140604054-007      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-11      **Sample Time** 12:34 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	6/5/2014 2:36:00 PM	RAW	EPA 300.0	
Sulfate	254	mg/L	1	6/12/2014 12:57:00 PM	WOZ	EPA 300.0	
TOC	10.4	mg/L	0.5	6/6/2014 3:35:00 PM	WOZ	SM5310C	

**Sample Number** 140604054-008      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-1      **Sample Time** 12:59 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	6/5/2014 2:58:00 PM	RAW	EPA 300.0	
Sulfate	74.6	mg/L	0.5	6/12/2014 1:17:00 PM	WOZ	EPA 300.0	
TOC	10.2	mg/L	0.5	6/6/2014 3:47:00 PM	WOZ	SM5310C	

**Sample Number** 140604054-009      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-3      **Sample Time** 1:20 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
Iron	9.79	mg/L	0.05	6/13/2014 5:11:00 PM	KEB	EPA 200.8	
NO3/N	ND	mg/L	0.1	6/5/2014 3:20:00 PM	RAW	EPA 300.0	
Sulfate	3.91	mg/L	0.1	6/17/2014 3:50:00 AM	WOZ	EPA 300.0	
TOC	9.81	mg/L	0.5	6/6/2014 4:00:00 PM	WOZ	SM5310C	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT


**Sample Number** 140604054-010      **Sample Date** 6/4/2014      **Time Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-2      **Sample Time** 1:43 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Analysis Date	Analysis Time	Method	Qualifier
NO3/N	11.7	mg/L	0.1	6/5/2014 3:42:00 PM	RAW	EPA 300.0	
Sulfate	300	mg/L	2	6/17/2014 4:10:00 AM	WOZ	EPA 300.0	
TOC	12.7	mg/L	0.5	6/6/2014 4:13:00 PM	WOZ	SM5310C	

**Sample Number** 140604054-011      **Sample Date** 6/4/2014      **Time Received** 6/4/2014 3:52 PM  
**Client Sample ID** DUP      **Sample Time** 1:55 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Analysis Date	Analysis Time	Method	Qualifier
Iron	3.13	mg/L	0.05	6/13/2014 5:26:00 PM	KEB	EPA 200.8	
NO3/N	7.56	mg/L	0.1	6/5/2014 4:04:00 PM	RAW	EPA 300.0	
Sulfate	255	mg/L	1	6/12/2014 1:57:00 PM	WOZ	EPA 300.0	
TOC	11.0	mg/L	0.5	6/6/2014 4:26:00 PM	WOZ	SM5310C	

Authorized Signature

  
 \_\_\_\_\_  
 Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
 ND Not Detected  
 PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
 The results reported relate only to the samples indicated.  
 Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## Analytical Report

**Sample Number** 140604054-001      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-9      **Sample Time** 9:13 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	3/18/2014	12:29:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	3/18/2014	12:29:00 AM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	6/5/2014	12:42:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C599  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140604054-001      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-9      **Sample Time** 9:13 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Bromomethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Chloroethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	6/12/2014	6:59:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140604054-001 **Sample Date** 6/4/2014 **Analysis Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-9 **Sample Time** 9:13 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-001	1,2-Dichlorobenzene-d4	EPA 8260C	106.4	70-130
	4-Bromofluorobenzene	EPA 8260C	95.8	70-130
	Toluene-d8	EPA 8260C	94.2	70-130
	hexacosane	NWTPHDX	88.6	50-150
	4-Bromofluorobenzene	NWTPHG	106.3	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-002      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-12      **Sample Time** 9:45 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014 1:23:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	6/18/2014 1:23:00 AM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	6/5/2014 2:35:00 PM	WOZ	NWTPHG	
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Acetone	<2.5	µg/L	2.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Benzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

## ANALYTICAL RESULTS REPORT

**Sample Number** 140604054-002 **Sample Date** 6/4/2014 **Sample Received** 6/4/2014 **Time** 3:52 PM  
**Client Sample ID** MW-12 **Sample Time** 9:45 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	6/12/2014 7:32:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140604054-002 **Sample Date** 6/4/2014 **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-12 **Sample Time** 9:45 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-002	1,2-Dichlorobenzene-d4	EPA 8260C	105.2	70-130
	4-Bromofluorobenzene	EPA 8260C	94.0	70-130
	Toluene-d8	EPA 8260C	96.6	70-130
	hexacosane	NWTPHDX	86.4	50-150
	4-Bromofluorobenzene	NWTPHG	110.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-003      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-7      **Sample Time** 10:28 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014 2:17:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	6/18/2014 2:17:00 AM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	6/5/2014 3:13:00 PM	WOZ	NWTPHG	
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Acetone	<2.5	µg/L	2.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Benzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

## ANALYTICAL REPORT

**Sample Number** 140604054-003 **Sample Date** 6/4/2014 **Sample Received** 6/4/2014 **Time** 3:52 PM  
**Client Sample ID** MW-7 **Sample Time** 10:28 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	6/12/2014 8:05:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140604054-003 **Sample Date** 6/4/2014 **Analysis Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-7 **Sample Time** 10:28 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-003	1,2-Dichlorobenzene-d4	EPA 8260C	105.0	70-130
	4-Bromofluorobenzene	EPA 8260C	95.4	70-130
	Toluene-d8	EPA 8260C	100.2	70-130
	hexacosane	NWTPHDX	88.0	50-150
	4-Bromofluorobenzene	NWTPHG	108.8	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-004      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-6      **Sample Time** 10:59 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014	3:11:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	6/18/2014	3:11:00 AM	APM	NWTPHDX
Gasoline	21.8	mg/L	0.5	6/5/2014	3:51:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	1610	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	461	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
2-hexanone	<125	µg/L	125	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Acetone	<125	µg/L	125	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Acrylonitrile	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Benzene	298	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Bromobenzene	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Bromochloromethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Bromoform	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C
Bromomethane	<25.0	µg/L	25	6/12/2014	9:43:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140604054-004      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-6      **Sample Time** 10:59 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Sample Time	Method	Qualifier
Carbon disulfide	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Chloroethane	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Chloroform	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Chloromethane	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Dibromomethane	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Ethylbenzene	541	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	59.5	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
m+p-Xylene	1350	µg/L	50	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<125	µg/L	125	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<125	µg/L	125	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Methylene chloride	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Naphthalene	277	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	122	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
o-Xylene	66.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Styrene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Toluene	91.1	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Trichloroethene	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<25.0	µg/L	25	6/12/2014 9:43:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140604054-004 **Sample Date** 6/4/2014 **Analysis Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-6 **Sample Time** 10:59 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Qualifier** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-004	1,2-Dichlorobenzene-d4	EPA 8260C	105.0	70-130
	4-Bromofluorobenzene	EPA 8260C	94.0	70-130
	Toluene-d8	EPA 8260C	99.2	70-130
	hexacosane	NWTPHDX	88.8	50-150
	4-Bromofluorobenzene	NWTPHG	110.2	70-130



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-005      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-4      **Sample Time** 11:37 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014	4:05:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	6/18/2014	4:05:00 AM	APM	NWTPHDX
Gasoline	9.84	mg/L	0.5	6/5/2014	4:29:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	60.7	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	118	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
2-hexanone	<25.0	µg/L	25	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Acetone	<25.0	µg/L	25	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Acrylonitrile	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Benzene	23.1	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Bromobenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Bromochloromethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Bromoform	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Bromomethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-005      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-4      **Sample Time** 11:37 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Time	Method	Qualifier
Carbon disulfide	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Chlorobenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Chloroethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Chloroform	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Chloromethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Dibromomethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Ethylbenzene	271	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Isopropylbenzene	48.3	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
m+p-Xylene	32.5	µg/L	10	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<25.0	µg/L	25	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<25.0	µg/L	25	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Methylene chloride	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Naphthalene	252	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
n-Propylbenzene	128	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
o-Xylene	13.8	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	11.6	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Styrene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Toluene	5.37	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Trichloroethene	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<5.0	µg/L	5	3/12/2014	10:16:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140604054-005 **Sample Date** 6/4/2014 **Analysis Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-4 **Sample Time** 11:37 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-005	1,2-Dichlorobenzene-d4	EPA 8260C	108.0	70-130
	4-Bromofluorobenzene	EPA 8260C	96.4	70-130
	Toluene-d8	EPA 8260C	102.0	70-130
	hexacosane	NWTPHDX	87.2	50-150
	4-Bromofluorobenzene	NWTPHG	106.4	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-006      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-10      **Sample Time** 12:07 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014	4:59:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	6/18/2014	4:59:00 AM	APM	NWTPHDX
Gasoline	3.80	mg/L	0.5	6/5/2014	5:06:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	221	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	81.8	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
2-hexanone	<12.5	µg/L	12.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	14.4	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Acetone	<12.5	µg/L	12.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Acrylonitrile	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Benzene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Bromobenzene	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Bromochloromethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Bromoform	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C
Bromomethane	<2.5	µg/L	2.5	6/12/2014	10:49:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-006      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-10      **Sample Time** 12:07 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Chlorobenzene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Chloroethane	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Chloroform	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Chloromethane	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Dibromomethane	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Ethylbenzene	11.8	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Isopropylbenzene	24.2	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
m+p-Xylene	34.6	µg/L	5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<12.5	µg/L	12.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<12.5	µg/L	12.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Methylene chloride	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Naphthalene	16.3	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
n-Propylbenzene	31.7	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
o-Xylene	3.03	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	4.05	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Styrene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Toluene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Trichloroethene	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<2.5	µg/L	2.5	3/12/2014	10:49:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140604054-006 **Sample Date** 6/4/2014 **Analysis Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-10 **Sample Time** 12:07 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Qualifier** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-006	1,2-Dichlorobenzene-d4	EPA 8260C	104.0	70-130
	4-Bromofluorobenzene	EPA 8260C	98.6	70-130
	Toluene-d8	EPA 8260C	100.6	70-130
	hexacosane	NWTPHDX	83.8	50-150
	4-Bromofluorobenzene	NWTPHG	112.4	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-007      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-11      **Sample Time** 12:34 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014 5:54:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	6/18/2014 5:54:00 AM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	6/5/2014 5:45:00 PM	WOZ	NWTPHG	
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	3.75	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	0.56	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Acetone	<2.5	µg/L	2.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Benzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Account** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140604054-007      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-11      **Sample Time** 12:34 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	6/12/2014 8:37:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 140604054-007 **Sample Date** 6/4/2014 **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-11 **Sample Time** 12:34 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-007	1,2-Dichlorobenzene-d4	EPA 8260C	105.2	70-130
	4-Bromofluorobenzene	EPA 8260C	93.4	70-130
	Toluene-d8	EPA 8260C	100.4	70-130
	hexacosane	NWTPHDX	85.0	50-150
	4-Bromofluorobenzene	NWTPHG	111.2	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-008      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-1      **Sample Time** 12:59 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014	6:48:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	6/18/2014	6:48:00 AM	APM	NWTPHDX
Gasoline	0.195	mg/L	0.1	6/5/2014	6:23:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	6/12/2014	9:10:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 140604054-008      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-1      **Sample Time** 12:59 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	6/12/2014 9:10:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140604054-008 **Sample Date** 6/4/2014 **Analysis Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-1 **Sample Time** 12:59 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-008	1,2-Dichlorobenzene-d4	EPA 8260C	104.4	70-130
	4-Bromofluorobenzene	EPA 8260C	93.0	70-130
	Toluene-d8	EPA 8260C	104.6	70-130
	hexacosane	NWTPHDX	83.8	50-150
	4-Bromofluorobenzene	NWTPHG	112.5	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## Analitical Report

**Sample Number** 140604054-009      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-3      **Sample Time** 1:20 PM      **Extraction**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/18/2014 7:42:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	6/18/2014 7:42:00 AM	APM	NWTPHDX	
Gasoline	6.74	mg/L	0.5	6/5/2014 7:01:00 PM	WOZ	NWTPHG	
1,1,1,2-Tetrachloroethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	24.3	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
2-hexanone	<62.5	µg/L	62.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Acetone	<62.5	µg/L	62.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Benzene	29.7	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Bromobenzene	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Bromoform	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	
Bromomethane	<12.5	µg/L	12.5	3/12/2014 11:21:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-009      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-3      **Sample Time** 1:20 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Chlorobenzene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Chloroethane	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Chloroform	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Chloromethane	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Dibromomethane	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Ethylbenzene	263	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Isopropylbenzene	38.6	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
m+p-Xylene	44.4	µg/L	25	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<62.5	µg/L	62.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<62.5	µg/L	62.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Methylene chloride	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Naphthalene	13.6	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
n-Propylbenzene	71.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
o-Xylene	19.1	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Styrene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Toluene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Trichloroethene	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<12.5	µg/L	12.5	3/12/2014	11:21:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140604054-009 **Sample Date** 6/4/2014 **Analysis Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-3 **Sample Time** 1:20 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Qualifier** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-009	1,2-Dichlorobenzene-d4	EPA 8260C	101.2	70-130
	4-Bromofluorobenzene	EPA 8260C	97.8	70-130
	Toluene-d8	EPA 8260C	101.4	70-130
	hexacosane	NWTPHDX	83.6	50-150
	4-Bromofluorobenzene	NWTPHG	110.9	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## Analitical Report

**Sample Number** 140604054-010      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-2      **Sample Time** 1:43 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/23/2014	1:02:00 PM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	6/23/2014	1:02:00 PM	APM	NWTPHDX
Gasoline	3.00	mg/L	0.5	6/5/2014	7:39:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	128	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	44.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
2-hexanone	<25.0	µg/L	25	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Acetone	77.9	µg/L	25	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Acrylonitrile	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Benzene	176	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Bromobenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Bromochloromethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Bromoform	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Bromomethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-010      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** MW-2      **Sample Time** 1:43 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Sample Time	Method	Qualifier
Carbon disulfide	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Chlorobenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Chloroethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Chloroform	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Chloromethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Dibromomethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Ethylbenzene	59.7	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Isopropylbenzene	7.61	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
m+p-Xylene	272	µg/L	10	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	32.0	µg/L	25	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<25.0	µg/L	25	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Methylene chloride	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Naphthalene	34.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
n-Propylbenzene	10.7	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
o-Xylene	13.3	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Styrene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Toluene	25.8	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Trichloroethene	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<5.0	µg/L	5	3/12/2014	11:54:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 140604054-010 **Sample Date** 6/4/2014 **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** MW-2 **Sample Time** 1:43 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-010	1,2-Dichlorobenzene-d4	EPA 8260C	102.0	70-130
	4-Bromofluorobenzene	EPA 8260C	99.6	70-130
	Toluene-d8	EPA 8260C	100.8	70-130
	hexacosane	NWTPHDX	85.2	50-150
	4-Bromofluorobenzene	NWTPHG	116.3	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-011      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** DUP      **Sample Time** 1:55 PM      **Extraction**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	6/19/2014	4:50:00 PM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	6/19/2014	4:50:00 PM	APM	NWTPHDX
Gasoline	3.33	mg/L	0.1	6/5/2014	8:16:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,1-Dichloroethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,1-Dichloroethene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,1-dichloropropene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	246	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2-Dibromoethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2-Dichloroethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,2-Dichloropropane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	61.8	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,3-Dichloropropane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
2,2-Dichloropropane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
2-Chlorotoluene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
2-hexanone	<25.0	µg/L	25	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
4-Chlorotoluene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Acetone	145	µg/L	25	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Acrylonitrile	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Benzene	315	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Bromobenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Bromochloromethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Bromodichloromethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Bromoform	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Bromomethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 140604054-011      **Sample Date** 6/4/2014      **Sample Received** 6/4/2014      **Time** 3:52 PM  
**Client Sample ID** DUP      **Sample Time** 1:55 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Carbon Tetrachloride	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Chlorobenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Chloroethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Chloroform	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Chloromethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Dibromochloromethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Dibromomethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Dichlorodifluoromethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Ethylbenzene	105	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Hexachlorobutadiene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Isopropylbenzene	13.7	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
m+p-Xylene	506	µg/L	10	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	60.9	µg/L	25	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<25.0	µg/L	25	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Methylene chloride	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Naphthalene	84.4	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
n-Butylbenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
n-Propylbenzene	21.4	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
o-Xylene	27.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
p-isopropyltoluene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
sec-Butylbenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Styrene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
tert-Butylbenzene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Tetrachloroethene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Toluene	50.9	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Trichloroethene	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Trichlorofluoromethane	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C
Vinyl Chloride	<5.0	µg/L	5	3/13/2014	12:27:00 AM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**ddre** 1101 N FANCHER RD **Project Name** WILBUR X09032  
SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

## Analitical Report


**Sample Number** 140604054-011 **Sample Date** 6/4/2014 **Sample Received** 6/4/2014 3:52 PM  
**Client Sample ID** DUP **Sample Time** 1:55 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **PQL** **Analysate** **Unit** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
140604054-011	1,2-Dichlorobenzene-d4	EPA 8260C	100.6	70-130
	4-Bromofluorobenzene	EPA 8260C	95.6	70-130
	Toluene-d8	EPA 8260C	99.8	70-130
	hexacosane	NWTPHDX	84.6	50-150
	4-Bromofluorobenzene	NWTPHG	115.4	70-130

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Contract** 140604054  
**Project Name** WILBUR X09032

## Analitical Report

### Quality Control Data

#### Quality Control Sample

Parameter	CS Result	Unit	CS Size	Rec	Spec	Pre Date	Final Date
Trichloroethene	4.99	µg/L	5	99.8	70-130	6/12/2014	6/12/2014
Toluene	5.53	µg/L	5	110.6	70-130	6/12/2014	6/12/2014
TOC	10.4	mg/L	10	104.0	80-120	6/6/2014	6/6/2014
Tetrachloroethene	4.99	µg/L	5	99.8	70-130	6/12/2014	6/12/2014
Sulfate	5.20	mg/L	5	104.0	90-110	6/17/2014	6/17/2014
Sulfate	5.19	mg/L	5	103.8	90-110	6/12/2014	6/12/2014
o-Xylene	5.70	µg/L	5	114.0	70-130	6/12/2014	6/12/2014
NO3/N	5.21	mg/L	5	104.2	90-110	6/5/2014	6/5/2014
Iron	0.0980	mg/L	0.1	98.0	85-115	6/9/2014	6/13/2014
Gasoline	1.19	mg/L	1.1	108.2	70-130	6/5/2014	6/5/2014
Ethylbenzene	5.33	µg/L	5	106.6	70-130	6/12/2014	6/12/2014
Diesel	1.8	mg/L	2	90.0	50-150	6/18/2014	6/18/2014
Chlorobenzene	5.31	µg/L	5	106.2	70-130	6/12/2014	6/12/2014
Benzene	4.96	µg/L	5	99.2	70-130	6/12/2014	6/12/2014
1,1-Dichloroethene	4.49	µg/L	5	89.8	70-130	6/12/2014	6/12/2014

#### Quality Control Sample Dilicate

Parameter	CS Result	Unit	CS Size	Rec	P	Pre Date	Final Date
Diesel		mg/L	2		0-50	6/18/2014	6/18/2014

#### Matrix Spike

Sample Number	Parameter	Sample Result	MS Result	Unit	MS Size	Rec	Spec	Pre Date	Final Date
140604054-001	Gasoline	<0.1	1.21	mg/L	1.1	110.0	70-130	6/5/2014	6/5/2014
140605042-001	TOC	2.05	12.6	mg/L	10	105.5	70-130	6/6/2014	6/6/2014
140604054-009	Sulfate	3.91	8.92	mg/L	5	100.2	80-120	6/17/2014	6/17/2014
140604054-003	Sulfate	15.9	21.4	mg/L	5	110.0	80-120	6/12/2014	6/12/2014
140604054-001	NO3/N	11.1	16.3	mg/L	5	104.0	80-120	6/5/2014	6/5/2014
140604035-002A	Iron	0.0700	0.172	mg/L	0.1	102.0	70-130	6/9/2014	6/13/2014

#### Matrix Spike Dilicate

Parameter	MS Result	Unit	MS Size	Rec	P	Pre Date	Final Date
Gasoline	1.33	mg/L	1.1	120.9	9.4	0-20	6/5/2014

#### Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

## Qualitative Report Quality Control Data

### Matrix Spike Dilute

Parameter	MS Conc	Unit	MS Spike	Rec	P	P	Prep Date	Final Date
TOC	12.6	mg/L	10	105.5	0.0	0-20	6/6/2014	6/6/2014
Sulfate	9.15	mg/L	5	104.8	2.5	0-20	6/17/2014	6/17/2014
Sulfate	21.5	mg/L	5	112.0	0.5	0-20	6/12/2014	6/12/2014
NO3/N	16.5	mg/L	5	108.0	1.2	0-20	6/5/2014	6/5/2014
Iron	0.171	mg/L	0.1	101.0	0.6	0-20	6/9/2014	6/13/2014

### Method Plan

Parameter	Conc	Unit	P	Prep Date	Final Date
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,1,1-Trichloroethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,1,2-Trichloroethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,1-Dichloroethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,1-Dichloroethene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,1-dichloropropene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2,3-Trichloropropane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2-Dibromoethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2-Dichloroethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,3-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,3-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
1,4-Dichlorobenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
2,2-Dichloropropane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
2-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
2-hexanone	<2.5	µg/L	2.5	6/12/2014	6/12/2014
4-Chlorotoluene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Acetone	<2.5	µg/L	2.5	6/12/2014	6/12/2014
Acrylonitrile	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Benzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Bromobenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014

### Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**ddre** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

**atc** 140604054  
**Project Name** WILBUR X09032

**analytical report**  
**Quality Control Data**

## Method Plan

Parameter	Limit	Unit	P	Pre-Date	Final-Date
Bromochloromethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Bromodichloromethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Bromoform	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Bromomethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Carbon disulfide	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Carbon Tetrachloride	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Chlorobenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Chloroethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Chloroform	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Chloromethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
cis-1,2-dichloroethene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Dibromochloromethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Dibromomethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Dichlorodifluoromethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Diesel	ND	mg/L	0.1	6/18/2014	6/18/2014
Ethylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Gasoline	<0.1	mg/L	0.1	6/5/2014	6/5/2014
Hexachlorobutadiene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Iron	ND	mg/L	0.01	6/9/2014	6/13/2014
Isopropylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Lube Oil	ND	mg/L	0.5	6/18/2014	6/18/2014
m+p-Xylene	<1.0	µg/L	0.5	6/12/2014	6/12/2014
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	6/12/2014	6/12/2014
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	6/12/2014	6/12/2014
Methylene chloride	<0.5	µg/L	0.5	6/12/2014	6/12/2014
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Naphthalene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
n-Butylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
NO3/N	ND	mg/L	0.1	6/5/2014	6/5/2014
n-Propylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
o-Xylene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
p-isopropyltoluene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
sec-Butylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Styrene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Sulfate	ND	mg/L	0.1	6/17/2014	6/17/2014
Sulfate	ND	mg/L	0.1	6/12/2014	6/12/2014

## Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 140604054  
**ddre** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

**analytical report**  
**Quality Control data**

## Method Plan

Parameter	Result	Unit	PQL	Prep Date	Analysis Date
tert-Butylbenzene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Tetrachloroethene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
TOC	<0.5	mg/L	0.5	6/6/2014	6/6/2014
Toluene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Trichloroethene	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Trichlorofluoromethane	<0.5	µg/L	0.5	6/12/2014	6/12/2014
Vinyl Chloride	<0.5	µg/L	0.5	6/12/2014	6/12/2014

## Sample

Sample Name	Parameter	Sample Result	Unit	PQL	Prep Date	Analysis Date
140617046-001 Diesel		3.64	mg/L	0-50	6/18/2014	6/18/2014

AR Acceptable Range  
 ND Not Detected  
 PQL Practical Quantitation Limit  
 RPD Relative Percentage Difference

## Comments

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

## Location

Customer Name: BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

Order ID: 140604054  
Order Date: 6/4/2014

Contact Name: STEVE BURCHETT  
Company:

Project Name: WILBUR X09032

Sample ID: 140604054-001 Customer Sample ID: MW-9

Received:  Collector: STEVE WARD Date Collected: 6/4/2014  
Quantity: 7 Matrix: Water Date Received: 6/4/2014 3:52:00 PM  
Company:

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	Order <input type="checkbox"/>
SULFATE	S	EPA 300.0	6/16/2014	Order <input type="checkbox"/>
TOC	S	SM5310C	6/16/2014	Order <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	6/16/2014	Order <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	Order <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	Order <input type="checkbox"/>

Sample ID: 140604054-002 Customer Sample ID: MW-12

Received:  Collector: STEVE WARD Date Collected: 6/4/2014  
Quantity: 7 Matrix: Water Date Received: 6/4/2014 3:52:00 PM  
Company:

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	Order <input type="checkbox"/>
SULFATE	S	EPA 300.0	6/16/2014	Order <input type="checkbox"/>
TOC	S	SM5310C	6/16/2014	Order <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	6/16/2014	Order <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	Order <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	Order <input type="checkbox"/>

**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 140604054  
**Order Date** 6/4/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

**Sample ID** 140604054-003 **Contractor Sample ID** MW-7

**Record** **Collector** STEVE WARD **Date Collected** 6/4/2014  
 **Quantity** 7 **Matrix** Water **Date Received** 6/4/2014 3:52:00 PM  
**Company**

Parameter	Unit	Method	Collection Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	<u>Order</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	6/16/2014	<u>Order</u> <input type="checkbox"/>
TOC	S	SM5310C	6/16/2014	<u>Order</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>Order</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>Order</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>Order</u> <input type="checkbox"/>

**Sample ID** 140604054-004 **Contractor Sample ID** MW-6

**Record** **Collector** STEVE WARD **Date Collected** 6/4/2014  
 **Quantity** 7 **Matrix** Water **Date Received** 6/4/2014 3:52:00 PM  
**Company**

Parameter	Unit	Method	Collection Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	<u>Order</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	6/16/2014	<u>Order</u> <input type="checkbox"/>
TOC	S	SM5310C	6/16/2014	<u>Order</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>Order</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>Order</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>Order</u> <input type="checkbox"/>

**Sample ID** 140604054-005 **Contractor Sample ID** MW-4

**Record** **Collector** STEVE WARD **Date Collected** 6/4/2014  
 **Quantity** 7 **Matrix** Water **Date Received** 6/4/2014 3:52:00 PM  
**Company**

Parameter	Unit	Method	Collection Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	<u>Order</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	6/16/2014	<u>Order</u> <input type="checkbox"/>
TOC	S	SM5310C	6/16/2014	<u>Order</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>Order</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>Order</u> <input type="checkbox"/>

**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 140604054  
**Order Date** 6/4/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

VOC 8260 SPO S EPA 8260C 6/16/2014 or

**Sample** 140604054-006 **Contractor Sample** MW-10

**Record** **Collector** STEVE WARD **Date Collected** 6/4/2014  
 **Antic** 7 **Matrix** Water **Date Received** 6/4/2014 3:52:00 PM  
**Company**

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	<u>or</u>
SULFATE	S	EPA 300.0	6/16/2014	<u>or</u>
TOC	S	SM5310C	6/16/2014	<u>or</u>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>or</u>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>or</u>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>or</u>

**Sample** 140604054-007 **Contractor Sample** MW-11

**Record** **Collector** STEVE WARD **Date Collected** 6/4/2014  
 **Antic** 7 **Matrix** Water **Date Received** 6/4/2014 3:52:00 PM  
**Company**

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	<u>or</u>
SULFATE	S	EPA 300.0	6/16/2014	<u>or</u>
TOC	S	SM5310C	6/16/2014	<u>or</u>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>or</u>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>or</u>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>or</u>

**Sample** 140604054-008 **Contractor Sample** MW-1

**Record** **Collector** STEVE WARD **Date Collected** 6/4/2014  
 **Antic** 7 **Matrix** Water **Date Received** 6/4/2014 3:52:00 PM  
**Company**

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	<u>or</u>
SULFATE	S	EPA 300.0	6/16/2014	<u>or</u>
TOC	S	SM5310C	6/16/2014	<u>or</u>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>or</u>

Contractor Name BUDINGER AND ASSOCIATES

Order ID 140604054

1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

Order Date 6/4/2014

Contact Name STEVE BURCHETT

Project Name WILBUR X09032

Company

TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>or</u> <input type="checkbox"/>

Sample 140604054-009 Contractor Sample MW-3

Recd  Collector STEVE WARD Date Collected 6/4/2014  
 Antit 7 Matrix Water Date Received 6/4/2014 3:52:00 PM

Company

Item	Pa	Method	Date	Priority
IRON	S	EPA 200.8	6/16/2014	<u>or</u> <input type="checkbox"/>
NITRATE/N	S	EPA 300.0	6/16/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	6/16/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	6/16/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>or</u> <input type="checkbox"/>

Sample 140604054-010 Contractor Sample MW-2

Recd  Collector STEVE WARD Date Collected 6/4/2014  
 Antit 7 Matrix Water Date Received 6/4/2014 3:52:00 PM

Company

Item	Pa	Method	Date	Priority
NITRATE/N	S	EPA 300.0	6/16/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	6/16/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	6/16/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>or</u> <input type="checkbox"/>

Sample 140604054-011 Contractor Sample DUP

Recd  Collector STEVE WARD Date Collected 6/4/2014  
 Antit 7 Matrix Water Date Received 6/4/2014 3:52:00 PM

Company

Item	Pa	Method	Date	Priority
IRON	S	EPA 200.8	6/16/2014	<u>or</u> <input type="checkbox"/>
NITRATE/N	S	EPA 300.0	6/16/2014	<u>or</u> <input type="checkbox"/>

**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 140604054  
**Order Date** 6/4/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

SULFATE	S	EPA 300.0	6/16/2014	<u>Order</u>
TOC	S	SM5310C	6/16/2014	<u>Order</u>
TPHDX-NW	S	NWTPHDX	6/16/2014	<u>Order</u>
TPHG-NW-SPO	S	NWTPHG	6/16/2014	<u>Order</u>
VOC 8260 SPO	S	EPA 8260C	6/16/2014	<u>Order</u>

**SAMPLE COLLECTION RECORD**

---

Samples received in a cooler?	Yes
Samples received intact?	YES/NO
What is the temperature inside the cooler?	6.2,8.0
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	Yes
Labels and chain agree?	Yes



### Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
504 E. Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

**40604 054 BUDI** Last Due **6/16/2014**  
1st SAMP 6/4/2014 1st RCVD 6/4/2014  
**WILBUR X09032**

Company Name: <b>BUDINGER</b>	Project Manager: <b>STEVE BURCHETT</b>
Address: <b>1101 N. FANCHER</b>	Project Name & #: <b>WILBUR X09032</b>
City: <b>SPokane</b> State: <b>WA</b> Zip: <b>99212</b>	Email Address: <b>SBURCHETT@BUDINGERINC.COM</b>
Phone: <b>535-8841</b>	Purchase Order #: <b>X09032</b>
Fax: <b>535-9589</b>	Sampler Name & phone: <b>STEVE WARD 251-5705</b>

**Turn Around Time & Reporting**

Please refer to our normal turn around times at:  
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input checked="" type="checkbox"/> Normal	*All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input type="checkbox"/> Email

Provide Sample Description				List Analyses Requested							Note Special Instructions/Comments		
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:		TPH-g	VOC's 8260	TOC EPA 415	TPH-DX	NITRATES	Sulfates	IRON	
				# of Containers	Sample Volume								
	MW-9	9:13	WLU ↓										
	MW-12	9:45											
	MW-7	10:28											
	MW-6	10:59											
	MW-4	11:37											
	MW-10	12:07											
	MW-11	12:34											
	MW-1	12:59											
	MW-3	1:20											
	MW-2	1:43											
	DUP	1:55											

Some VOC's broken upon receipt - OK

**Inspection Checklist**

Received Intact?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Labels & Chains Agree?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Containers Sealed?	<input type="checkbox"/> Y	<input type="checkbox"/> N
VOC Head Space?	<input type="checkbox"/> Y	<input type="checkbox"/> N

Temperature (°C): **6.2°, 8.0**

Preservative: **H2SO4 ice**

Date & Time: **6-4-14**

Inspected By: **KTS**

	Printed Name	Signature	Company	Date	Time
Relinquished by	<b>STEVE WARD</b>	<i>Steve Ward</i>	<b>BUDINGER</b>	<b>6-4-14</b>	
Received by	<i>Scott</i>	<i>Scott</i>	<b>Anatek</b>	<b>6-4-14</b>	<b>1552</b>
Relinquished by	<b>1</b>				
Received by					
Relinquished by					
Received by					

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 141203044  
**Project Name** WILBUR X09032

## Analytical Report

**Sample Number** 141203044-001      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-7      **Sample Time** 9:34 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Concentration	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	1.35	mg/L	0.1	12/3/2014	9:16:00 PM	WOZ	EPA 300.0 Q3
Sulfate	59.3	mg/L	2.5	12/8/2014	11:27:00 AM	WOZ	EPA 300.0 Q3
TOC	3.53	mg/L	0.5	12/5/2014	1:06:00 PM	WOZ	SM5310C

**Sample Number** 141203044-002      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-11      **Sample Time** 10:36 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Concentration	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	12/3/2014	9:35:00 PM	WOZ	EPA 300.0
Sulfate	129	mg/L	1	12/5/2014	7:18:00 PM	WOZ	EPA 300.0
TOC	6.27	mg/L	0.5	12/5/2014	1:16:00 PM	WOZ	SM5310C

**Sample Number** 141203044-003      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-6      **Sample Time** 11:13 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Concentration	Unit	P	Sample Date	Sample Time	Method	Qualifier
NO3/N	2.06	mg/L	0.1	12/3/2014	9:54:00 PM	WOZ	EPA 300.0
Sulfate	366	mg/L	10	12/5/2014	7:37:00 PM	WOZ	EPA 300.0
TOC	19.8	mg/L	0.5	12/5/2014	1:27:00 PM	WOZ	SM5310C



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


**Client** BUDINGER AND ASSOCIATES **atc** 141203044  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## ANALYTICAL REPORT

**Sample Number** 141203044-004 **Sample Date** 12/3/2014 **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-1 **Sample Time** 11:42 AM **Extraction Rate**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	PQL	Sample Date	Time	Method	Qualifier
NO3/N	0.139	mg/L	0.1	12/3/2014	10:13:00 PM	WOZ	EPA 300.0
Sulfate	55.5	mg/L	0.4	12/5/2014	7:56:00 PM	WOZ	EPA 300.0
TOC	10.5	mg/L	0.5	12/5/2014	1:40:00 PM	WOZ	SM5310C

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit  
Q3 Sample received with improper chemical preservation

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141203044  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

## Analytical Report

**Sample Number** 141203044-001 **Sample Date** 12/3/2014 **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-7 **Sample Time** 9:34 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Analysis Date	Analyst	Method	Qualifier
Gasoline	<0.1	mg/L	0.1	12/5/2014 5:45:00 PM	WOZ	NWTPHG	

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
141203044-001	4-Bromofluorobenzene	NWTPHG	104.3	70-130

**Sample Number** 141203044-002 **Sample Date** 12/3/2014 **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-11 **Sample Time** 10:36 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Analysis Date	Analyst	Method	Qualifier
Diesel	ND	mg/L	0.1	12/5/2014 5:22:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	12/5/2014 5:22:00 PM	APM	NWTPHDX	
Gasoline	<0.1	mg/L	0.1	12/5/2014 6:24:00 PM	WOZ	NWTPHG	

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
141203044-002	hexacosane	NWTPHDX	78.4	50-150
	4-Bromofluorobenzene	NWTPHG	105.9	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141203044-003      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-6      **Sample Time** 11:13 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Pass	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	12/5/2014 6:16:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	12/5/2014 6:16:00 PM	APM	NWTPHDX	
Gasoline	17.3	mg/L	1	12/5/2014 7:01:00 PM	WOZ	NWTPHG	

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
141203044-003	hexacosane	NWTPHDX	79.6	50-150
	4-Bromofluorobenzene	NWTPHG	109.5	70-130

**Sample Number** 141203044-004      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-1      **Sample Time** 11:42 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Pass	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	12/5/2014 7:10:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	12/5/2014 7:10:00 PM	APM	NWTPHDX	
Gasoline	0.126	mg/L	0.1	12/5/2014 7:39:00 PM	WOZ	NWTPHG	

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
141203044-004	hexacosane	NWTPHDX	79.0	50-150
	4-Bromofluorobenzene	NWTPHG	108.8	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com


---

**Client**  BUDINGER AND ASSOCIATES  
**ddre**  1101 N FANCHER RD  
SPOKANE VALLEY, WA 99212  
**ttn**  STEVE BURCHETT

**atc**  141203044  
**Project Name**  WILBUR X09032

**nal**  **tical**  **e**  **lt**  **e**  **ort**

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab #** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141203044-001      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-7      **Sample Time** 9:34 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**atc** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141203044-001      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-7      **Sample Time** 9:34 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	12/3/2014	7:46:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141203044  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 141203044-001 **Sample Date** 12/3/2014 **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-7 **Sample Time** 9:34 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **Precision** **Qualifier** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
141203044-001	1,2-Dichlorobenzene-d4	EPA 8260C	103.2	70-130
	4-Bromofluorobenzene	EPA 8260C	94.6	70-130
	Toluene-d8	EPA 8260C	101.0	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141203044-002      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-11      **Sample Time** 10:36 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Lab	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
2-hexanone	<2.5	µg/L	2.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Acetone	<2.5	µg/L	2.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Benzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Bromobenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Bromoform	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Bromomethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Carbon disulfide	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141203044-002      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-11      **Sample Time** 10:36 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	12/3/2014 8:18:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141203044  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 141203044-002 **Sample Date** 12/3/2014 **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-11 **Sample Time** 10:36 AM **Extraction Rate**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141203044-002	1,2-Dichlorobenzene-d4	EPA 8260C	112.8	70-130
	4-Bromofluorobenzene	EPA 8260C	94.8	70-130
	Toluene-d8	EPA 8260C	99.4	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141203044-003      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-6      **Sample Time** 11:13 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Sample Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	804	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	311	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
2-hexanone	<125	µg/L	125	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Acetone	<125	µg/L	125	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Benzene	121	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Bromobenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Bromoform	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Bromomethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Carbon disulfide	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Lab No** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141203044-003      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-6      **Sample Time** 11:13 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Sample Time	Method	Qualifier
Chloroethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Chloroform	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Chloromethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Dibromomethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Ethylbenzene	255	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	37.2	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
m+p-Xylene	922	µg/L	50	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<125	µg/L	125	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<125	µg/L	125	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Methylene chloride	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Naphthalene	156	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	55.1	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	65.2	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
o-Xylene	38.1	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	26.3	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Styrene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Toluene	62.8	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Trichloroethene	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<25.0	µg/L	25	12/3/2014 9:24:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141203044  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 141203044-003 **Sample Date** 12/3/2014 **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-6 **Sample Time** 11:13 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141203044-003	1,2-Dichlorobenzene-d4	EPA 8260C	101.4	70-130
	4-Bromofluorobenzene	EPA 8260C	93.8	70-130
	Toluene-d8	EPA 8260C	97.6	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141203044-004      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-1      **Sample Time** 11:42 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Carbon disulfide	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Chlorobenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 141203044  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141203044-004      **Sample Date** 12/3/2014      **Sample Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-1      **Sample Time** 11:42 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Chloroethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Chloroform	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Chloromethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Dibromomethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Ethylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Isopropylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
m+p-Xylene	<1.0	µg/L	1	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Methylene chloride	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Naphthalene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
n-Butylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
n-Propylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
o-Xylene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Styrene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Toluene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Trichloroethene	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<0.5	µg/L	0.5	12/3/2014	8:51:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141203044  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## ANALYTICAL RESULTS REPORT


**Sample Number** 141203044-004 **Sample Date** 12/3/2014 **Date Received** 12/3/2014 2:08 PM  
**Client Sample ID** MW-1 **Sample Time** 11:42 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **PQL** **Analyst** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recovered	Control Limit
141203044-004	1,2-Dichlorobenzene-d4	EPA 8260C	105.8	70-130
	4-Bromofluorobenzene	EPA 8260C	94.0	70-130
	Toluene-d8	EPA 8260C	104.2	70-130

Authorized Signature



Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.





**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 141203044  
**Order Date** 12/3/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

**Sample ID** 141203044-003 **Contractor Sample ID** MW-6

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/3/2014  
 **Quantity** 6 **Date Received** 12/3/2014 2:08:00 PM **Time Collected** 11:13 AM  
**Company**

Item	Sample	Method	Collection Date	Priority
NITRATE/N	S	EPA 300.0	12/15/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	12/15/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	12/15/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	12/15/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	12/15/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	12/15/2014	<u>or</u> <input type="checkbox"/>

**Sample ID** 141203044-004 **Contractor Sample ID** MW-1

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/3/2014  
 **Quantity** 6 **Date Received** 12/3/2014 2:08:00 PM **Time Collected** 11:42 AM  
**Company**

Item	Sample	Method	Collection Date	Priority
NITRATE/N	S	EPA 300.0	12/15/2014	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	12/15/2014	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	12/15/2014	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	12/15/2014	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	12/15/2014	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	12/15/2014	<u>or</u> <input type="checkbox"/>

**SAMPLE CONTAINER CHECK**

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature inside the cooler?	4.9
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	N/A
Labels and chain agree?	Yes



**Chain of Custody Record**

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

**141203 044 BUDI** Last Due **12/15/2014**  
1st SAMP 12/3/2014 1st RCVD 12/3/2014  
**WILBUR X09032**

Company Name: <b>BUDINGER</b>	Project Manager: <b>STEVE BURCHETT</b>
Address: <b>1101 N. FANCHER</b>	Project Name & #: <b>WILBUR X09032</b>
City: <b>SPOKANE</b> State: <b>WA</b> Zip: <b>99212</b>	Email Address: <b>SBURCHETT@BUDINGERINC.COM</b>
Phone: <b>535-8841</b>	Purchase Order #: <b>LINCOLN COUNTY</b>
Fax: <b>535-9589</b>	Sampler Name & phone: <b>STEVE WARD 251-5705</b>

Turn Around Time & Reporting

Please refer to our normal turn around times at:  
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input type="checkbox"/> Normal	*All rush order requests must be prior approved.	<input type="checkbox"/> Phone
<input type="checkbox"/> Next Day*		<input type="checkbox"/> Mail
<input type="checkbox"/> 2nd Day*		<input type="checkbox"/> Fax
<input type="checkbox"/> Other*		<input type="checkbox"/> Email

Provide Sample Description				List Analyses Requested							Note Special Instructions/Comments							
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:		TPH-G	VOC'S 8210	TDC EPA 415	TPH-DX	NITRATES	SULFATES							
				# of Containers	Sample Volume													
	MW-7	12-3 / 9:34	WW	6		X	X	X	X	X	X							
	MW-11	12-3 / 10:36	WW	7		X	X	X	X	X	X							
	MW-6	12-3 / 11:13	WW	7		X	X	X	X	X	X							
	MW-1	12-3 / 11:42	WW	7		X	X	X	X	X	X							

*DX sample not collected @ MW-7 / Not enough water*

	Printed Name	Signature	Company	Date	Time
Relinquished by	STEVE WARD	<i>Stephen E Ward</i>	BUDINGER	12-3-14	
Received by	<i>K Scott</i>	<i>[Signature]</i>	Anatek	12/3/14	1408
Relinquished by					
Received by					
Relinquished by					
Received by					

**Inspection Checklist**

Received Intact?  Y  N

Labels & Chains Agree?  Y  N

Containers Sealed?  Y  N

VOC Head Space?  Y  N

Temperature (°C) *Cooler / hot 4.9*

Preservative: *HCl Ice H2SO4*

Date & Time: *12-3-14*

Inspected By: *KS*

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-001      **Sample Date** 12/22/2014      **Time Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-9      **Sample Time** 9:37 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	11.6	mg/L	0.1	12/23/2014 5:33:00 PM	WOZ	EPA 300.0	
Sulfate	37.3	mg/L	0.2	12/30/2014 10:12:00 PM	WOZ	EPA 300.0	
TOC	4.88	mg/L	0.5	12/24/2014 2:33:00 PM	WOZ	SM5310C	

**Sample Number** 141222036-002      **Sample Date** 12/22/2014      **Time Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-12      **Sample Time** 10:28 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	3.30	mg/L	0.1	12/23/2014 5:52:00 PM	WOZ	EPA 300.0	
Sulfate	44.0	mg/L	0.2	12/30/2014 10:32:00 PM	WOZ	EPA 300.0	
TOC	2.35	mg/L	0.5	12/24/2014 2:42:00 PM	WOZ	SM5310C	

**Sample Number** 141222036-003      **Sample Date** 12/22/2014      **Time Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-10      **Sample Time** 10:52 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	12/23/2014 6:12:00 PM	WOZ	EPA 300.0	
Sulfate	7.41	mg/L	0.1	12/30/2014 10:52:00 PM	WOZ	EPA 300.0	
TOC	38.3	mg/L	2.5	12/24/2014 3:18:00 PM	WOZ	SM5310C	

**Sample Number** 141222036-004      **Sample Date** 12/22/2014      **Time Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-4      **Sample Time** 11:26 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Final Date	Final Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	12/23/2014 6:31:00 PM	WOZ	EPA 300.0	
Sulfate	318	mg/L	2	12/30/2014 11:12:00 PM	WOZ	EPA 300.0	
TOC	49.7	mg/L	2.5	12/24/2014 3:31:00 PM	WOZ	SM5310C	

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-005      **Sample Date** 12/22/2014      **Time Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-2      **Sample Time** 11:54 AM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	PQL	Sample Date	Sample Time	Method	Qualifier
NO3/N	1.62	mg/L	0.1	12/23/2014	6:51:00 PM	WOZ	EPA 300.0
Sulfate	189	mg/L	1	12/30/2014	11:32:00 PM	WOZ	EPA 300.0
TOC	53.0	mg/L	2.5	12/24/2014	4:09:00 PM	WOZ	SM5310C


**Sample Number** 141222036-006      **Sample Date** 12/22/2014      **Time Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-3      **Sample Time** 12:28 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	PQL	Sample Date	Sample Time	Method	Qualifier
NO3/N	ND	mg/L	0.1	12/23/2014	7:10:00 PM	WOZ	EPA 300.0
Sulfate	5.09	mg/L	0.1	12/30/2014	11:52:00 PM	WOZ	EPA 300.0
TOC	9.08	mg/L	0.5	12/24/2014	3:56:00 PM	WOZ	SM5310C

**Sample Number** 141222036-008      **Sample Date** 12/22/2014      **Time Received** 12/22/2014 3:11 PM  
**Client Sample ID** DUPLICATE      **Sample Time** 1:05 PM      **Extraction Rate**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	PQL	Sample Date	Sample Time	Method	Qualifier
NO3/N	1.71	mg/L	0.1	12/23/2014	7:30:00 PM	WOZ	EPA 300.0
Sulfate	21.9	mg/L	0.1	12/31/2014	12:12:00 AM	WOZ	EPA 300.0
TOC	2.75	mg/L	0.5	12/24/2014	4:19:00 PM	WOZ	SM5310C

Authorized Signature

  
 \_\_\_\_\_  
 Kathy Sattler, Lab Manager

MCL EPA's Maximum Contaminant Level  
 ND Not Detected  
 PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
 The results reported relate only to the samples indicated.  
 Soil/solid results are reported on a dry-weight basis unless otherwise noted.

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-001      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-9      **Sample Time** 9:37 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	12/30/2014	7:25:00 PM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	12/30/2014	7:25:00 PM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	12/31/2014	1:18:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	12/31/2014	5:13:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Lab No** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-001      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-9      **Sample Time** 9:37 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Carbon disulfide	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	12/31/2014 5:13:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141222036  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 141222036-001 **Sample Date** 12/22/2014 **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-9 **Sample Time** 9:37 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141222036-001	1,2-Dichlorobenzene-d4	EPA 8260C	100.6	70-130
	4-Bromofluorobenzene	EPA 8260C	99.4	70-130
	Toluene-d8	EPA 8260C	99.2	70-130
	hexacosane	NWTPHDX	98.6	50-150
	4-Bromofluorobenzene	NWTPHG	103.0	70-130



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-002      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-12      **Sample Time** 10:28 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	12/30/2014	8:18:00 PM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	12/30/2014	8:18:00 PM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	12/31/2014	3:11:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	12/31/2014	5:45:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-002      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-12      **Sample Time** 10:28 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Carbon disulfide	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	12/31/2014 5:45:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141222036  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 141222036-002 **Sample Date** 12/22/2014 **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-12 **Sample Time** 10:28 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Qualifier** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141222036-002	1,2-Dichlorobenzene-d4	EPA 8260C	104.4	70-130
	4-Bromofluorobenzene	EPA 8260C	99.4	70-130
	Toluene-d8	EPA 8260C	99.4	70-130
	hexacosane	NWTPHDX	64.8	50-150
	4-Bromofluorobenzene	NWTPHG	102.8	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-003      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-10      **Sample Time** 10:52 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	12/30/2014	9:11:00 PM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	12/30/2014	9:11:00 PM	APM	NWTPHDX
Gasoline	4.21	mg/L	0.1	12/31/2014	3:49:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	182	µg/L	5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C H2
1,2-Dibromo-3-chloropropane(DBCP)	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	90.7	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
2-hexanone	<12.5	µg/L	12.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Acetone	<12.5	µg/L	12.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Acrylonitrile	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Benzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Bromobenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Bromochloromethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Bromoform	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Bromomethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-003      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-10      **Sample Time** 10:52 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Carbon disulfide	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Carbon Tetrachloride	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Chlorobenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Chloroethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Chloroform	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Chloromethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
cis-1,2-dichloroethene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
cis-1,3-Dichloropropene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Dibromochloromethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Dibromomethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Dichlorodifluoromethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Ethylbenzene	9.16	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Hexachlorobutadiene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Isopropylbenzene	18.7	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
m+p-Xylene	33.9	µg/L	5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Methyl ethyl ketone (MEK)	<12.5	µg/L	12.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Methyl isobutyl ketone (MIBK)	<12.5	µg/L	12.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Methylene chloride	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
methyl-t-butyl ether (MTBE)	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Naphthalene	6.06	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
n-Butylbenzene	9.01	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
n-Propylbenzene	24.3	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
o-Xylene	3.74	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
p-isopropyltoluene	10.6	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
sec-Butylbenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Styrene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
tert-Butylbenzene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Tetrachloroethene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Toluene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
trans-1,2-Dichloroethene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
trans-1,3-Dichloropropene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Trichloroethene	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Trichlorofluoromethane	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C
Vinyl Chloride	<2.5	µg/L	2.5	12/31/2014	6:18:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141222036  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 141222036-003 **Sample Date** 12/22/2014 **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-10 **Sample Time** 10:52 AM **Extraction**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Analyst** **Analyst** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141222036-003	1,2-Dichlorobenzene-d4	EPA 8260C	102.2	70-130
	4-Bromofluorobenzene	EPA 8260C	95.2	70-130
	Toluene-d8	EPA 8260C	109.4	70-130
	hexacosane	NWTPHDX	95.0	50-150
	4-Bromofluorobenzene	NWTPHG	104.2	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-004      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-4      **Sample Time** 11:26 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	2/30/2014 10:04:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	2/30/2014 10:04:00 AM	APM	NWTPHDX	
Gasoline	3.35	mg/L	0.5	12/31/2014 4:27:00 PM	WOZ	NWTPHG	
1,1,1,2-Tetrachloroethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	25.9	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
2-hexanone	<25.0	µg/L	25	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Acetone	<25.0	µg/L	25	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Benzene	5.21	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Bromobenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Bromoform	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Bromomethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-004      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-4      **Sample Time** 11:26 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Carbon disulfide	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Chloroethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Chloroform	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Chloromethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Dibromomethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Ethylbenzene	61.6	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	11.5	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<10.0	µg/L	10	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<25.0	µg/L	25	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<25.0	µg/L	25	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Methylene chloride	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Naphthalene	19.3	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	18.7	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	26.6	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
o-Xylene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Styrene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Toluene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Trichloroethene	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<5.0	µg/L	5	12/31/2014 6:51:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141222036  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Results Report

**Sample Number** 141222036-004 **Sample Date** 12/22/2014 **Analysis Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-4 **Sample Time** 11:26 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141222036-004	1,2-Dichlorobenzene-d4	EPA 8260C	97.6	70-130
	4-Bromofluorobenzene	EPA 8260C	97.2	70-130
	Toluene-d8	EPA 8260C	98.0	70-130
	hexacosane	NWTPHDX	87.6	50-150
	4-Bromofluorobenzene	NWTPHG	105.1	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-005      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-2      **Sample Time** 11:54 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Diesel	ND	mg/L	0.1	2/30/2014 10:57:00 PM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	2/30/2014 10:57:00 PM	APM	NWTPHDX	
Gasoline	9.85	mg/L	0.1	12/31/2014 5:05:00 PM	WOZ	NWTPHG	
1,1,1,2-Tetrachloroethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,1,1-Trichloroethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,1,2,2-Tetrachloroethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,1,2-Trichloroethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,1-Dichloroethene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,1-dichloropropene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2,3-Trichlorobenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2,3-Trichloropropane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2,4-Trichlorobenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2,4-Trimethylbenzene	113	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2-Dibromo-3-chloropropane(DBCP)	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2-Dibromoethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2-Dichlorobenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2-Dichloroethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,2-Dichloropropane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,3,5-Trimethylbenzene	40.6	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,3-Dichlorobenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,3-Dichloropropane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
1,4-Dichlorobenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
2,2-Dichloropropane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
2-Chlorotoluene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
2-hexanone	281	µg/L	25	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
4-Chlorotoluene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Acetone	60.7	µg/L	25	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Acrylonitrile	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Benzene	189	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Bromobenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Bromochloromethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Bromodichloromethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Bromoform	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Bromomethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:Cert0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Client** STEVE BURCHETT

**Lab** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-005      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-2      **Sample Time** 11:54 AM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	Ppt	Sample Date	Sample Time	Method	Qualifier
Carbon disulfide	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Chloroethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Chloroform	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Chloromethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Dibromomethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Ethylbenzene	316	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	5.58	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
m+p-Xylene	550	µg/L	10	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	57.3	µg/L	25	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<25.0	µg/L	25	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Methylene chloride	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Naphthalene	13.3	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	11.9	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	14.2	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
o-Xylene	23.3	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Styrene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Toluene	34.4	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Trichloroethene	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<5.0	µg/L	5	12/31/2014 7:24:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141222036  
**Address** 1101 N FANCHER RD **Project Name** WILBUR X09032  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

## Analytical Report

**Sample Number** 141222036-005 **Sample Date** 12/22/2014 **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-2 **Sample Time** 11:54 AM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Anal Date** **Anal Time** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141222036-005	1,2-Dichlorobenzene-d4	EPA 8260C	97.2	70-130
	4-Bromofluorobenzene	EPA 8260C	91.0	70-130
	Toluene-d8	EPA 8260C	101.4	70-130
	hexacosane	NWTPHDX	94.8	50-150
	4-Bromofluorobenzene	NWTPHG	109.8	70-130

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-006      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-3      **Sample Time** 12:28 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comment**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	2/30/2014	11:50:00 PM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	2/30/2014	11:50:00 PM	APM	NWTPHDX
Gasoline	2.96	mg/L	0.1	12/31/2014	5:42:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C H2
1,1,1-Trichloroethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	16.7	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
2-hexanone	<25.0	µg/L	25	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Acetone	<25.0	µg/L	25	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Acrylonitrile	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Benzene	18.2	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Bromobenzene	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Bromochloromethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Bromoform	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C
Bromomethane	<5.0	µg/L	5	1/5/2015	5:54:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-006      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-3      **Sample Time** 12:28 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Lab	Method	Qualifier
Carbon disulfide	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Chloroethane	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Chloroform	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Chloromethane	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Dibromomethane	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Ethylbenzene	44.5	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	13.6	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
m+p-Xylene	24.5	µg/L	10	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<25.0	µg/L	25	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<25.0	µg/L	25	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Methylene chloride	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Naphthalene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	9.89	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	20.1	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
o-Xylene	9.06	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	6.76	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Styrene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Toluene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Trichloroethene	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<5.0	µg/L	5	1/5/2015 5:54:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab No** 141222036  
**Project Name** WILBUR X09032

## Analytical Report

**Sample No** 141222036-006 **Sample Date** 12/22/2014 **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-3 **Sample Time** 12:28 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Analysis Date	Analysis Time	Method	Qualifier
-----------	--------	------	---	---------------	---------------	--------	-----------

## Summary Data

**Sample No** 141222036-006

Summary Standard	Method	Percent Recover	Control Limit
1,2-Dichlorobenzene-d4	EPA 8260C	92.6	70-130
4-Bromofluorobenzene	EPA 8260C	76.6	70-130
Toluene-d8	EPA 8260C	105.2	70-130
hexacosane	NWTPHDX	80.4	50-150
4-Bromofluorobenzene	NWTPHG	101.2	70-130

**Sample No** 141222036-007 **Sample Date** 12/22/2014 **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** MW-7 **Sample Time** 12:55 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Analysis Date	Analysis Time	Method	Qualifier
Diesel	ND	mg/L	0.1	2/31/2014 12:42:00 AM	APM	NWTPHDX	
Lube Oil	ND	mg/L	0.5	2/31/2014 12:42:00 AM	APM	NWTPHDX	

## Summary Data

**Sample No** 141222036-007

Summary Standard	Method	Percent Recover	Control Limit
hexacosane	NWTPHDX	100.4	50-150

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**atc** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL REPORT

**Sample Number** 141222036-008      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** DUPLICATE      **Sample Time** 1:05 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Time	Method	Qualifier
Diesel	ND	mg/L	0.1	12/31/2014	1:35:00 AM	APM	NWTPHDX
Lube Oil	ND	mg/L	0.5	12/31/2014	1:35:00 AM	APM	NWTPHDX
Gasoline	<0.1	mg/L	0.1	12/31/2014	6:20:00 PM	WOZ	NWTPHG
1,1,1,2-Tetrachloroethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,1,1-Trichloroethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,1,2,2-Tetrachloroethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,1,2-Trichloroethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,1-Dichloroethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,1-Dichloroethene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,1-dichloropropene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2,3-Trichlorobenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2,3-Trichloropropane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2,4-Trichlorobenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2,4-Trimethylbenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2-Dibromo-3-chloropropane(DBCP)	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2-Dibromoethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2-Dichloroethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,2-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,3,5-Trimethylbenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,3-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,3-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
1,4-Dichlorobenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
2,2-Dichloropropane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
2-Chlorotoluene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
2-hexanone	<2.5	µg/L	2.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
4-Chlorotoluene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Acetone	<2.5	µg/L	2.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Acrylonitrile	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Benzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Bromobenzene	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Bromochloromethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Bromodichloromethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Bromoform	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C
Bromomethane	<0.5	µg/L	0.5	12/31/2014	8:29:00 PM	WOZ	EPA 8260C

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099



# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES  
**Address** 1101 N FANCHER RD  
 SPOKANE VALLEY, WA 99212  
**Attorney** STEVE BURCHETT

**Lab ID** 141222036  
**Project Name** WILBUR X09032

## ANALYTICAL RESULTS REPORT

**Sample Number** 141222036-008      **Sample Date** 12/22/2014      **Sample Received** 12/22/2014 3:11 PM  
**Client Sample ID** DUPLICATE      **Sample Time** 1:05 PM      **Extraction Date**  
**Matrix** Water      **Sample Location**  
**Comments**

Parameter	Result	Unit	P	Sample Date	Sample Time	Method	Qualifier
Carbon disulfide	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Carbon Tetrachloride	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Chlorobenzene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Chloroethane	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Chloroform	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Chloromethane	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
cis-1,2-dichloroethene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
cis-1,3-Dichloropropene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Dibromochloromethane	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Dibromomethane	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Dichlorodifluoromethane	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Ethylbenzene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Hexachlorobutadiene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Isopropylbenzene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
m+p-Xylene	<1.0	µg/L	1	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Methyl ethyl ketone (MEK)	<2.5	µg/L	2.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Methyl isobutyl ketone (MIBK)	<2.5	µg/L	2.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Methylene chloride	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
methyl-t-butyl ether (MTBE)	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Naphthalene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
n-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
n-Propylbenzene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
o-Xylene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
p-isopropyltoluene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
sec-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Styrene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
tert-Butylbenzene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Tetrachloroethene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Toluene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
trans-1,2-Dichloroethene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
trans-1,3-Dichloropropene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Trichloroethene	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Trichlorofluoromethane	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	
Vinyl Chloride	<0.5	µg/L	0.5	12/31/2014 8:29:00 PM	WOZ	EPA 8260C	

Certifications held by Anatek Labs ID: EPA:ID00013; AZ:0701; CO:ID00013; FL(NELAP):E87893; ID:ID00013; MT:CERT0028; NM: ID00013; OR:ID200001-002; WA:C595  
 Certifications held by Anatek Labs WA: EPA:WA00169; ID:WA00169; WA:C585; MT:Cert0095; FL(NELAP): E871099

# Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com  
504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

**Client** BUDINGER AND ASSOCIATES **atc** 141222036  
**ddre** 1101 N FANCHER RD **Project Name** WILBUR X09032  
SPOKANE VALLEY, WA 99212  
**ttn** STEVE BURCHETT

## Analitical Report


**Sample Number** 141222036-008 **Sample Date** 12/22/2014 **Date Received** 12/22/2014 3:11 PM  
**Client Sample ID** DUPLICATE **Sample Time** 1:05 PM **Extraction Date**  
**Matrix** Water **Sample Location**  
**Comment**

**Parameter** **Result** **Unit** **P** **Qualifier** **Method** **Qualifier**

## Surrogate Data

Sample Number	Surrogate Standard	Method	Percent Recover	Control Limit
141222036-008	1,2-Dichlorobenzene-d4	EPA 8260C	98.4	70-130
	4-Bromofluorobenzene	EPA 8260C	99.8	70-130
	Toluene-d8	EPA 8260C	98.6	70-130
	hexacosane	NWTPHDX	94.6	50-150
	4-Bromofluorobenzene	NWTPHG	104.6	70-130

Authorized Signature



Kathy Sattler, Lab Manager

H2 Initial analysis within holding time, Reanalysis for the required dilution was past holding time.  
MCL EPA's Maximum Contaminant Level  
ND Not Detected  
PQL Practical Quantitation Limit

This report shall not be reproduced except in full, without the written approval of the laboratory.  
The results reported relate only to the samples indicated.  
Soil/solid results are reported on a dry-weight basis unless otherwise noted.



**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 141222036  
**Order Date** 12/22/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

**Sample ID** 141222036-003 **Contractor Sample ID** MW-10

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/22/2014  
 **Quantity** 7 **Date Received** 12/22/2014 3:11:00 PM **Time Collected** 10:52 AM  
**Company**

Item	Area	Method	Release Date	Priority
NITRATE/N	S	EPA 300.0	1/7/2015	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	1/7/2015	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	1/7/2015	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	1/7/2015	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	1/7/2015	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	1/7/2015	<u>or</u> <input type="checkbox"/>

**Sample ID** 141222036-004 **Contractor Sample ID** MW-4

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/22/2014  
 **Quantity** 7 **Date Received** 12/22/2014 3:11:00 PM **Time Collected** 11:26 AM  
**Company**

Item	Area	Method	Release Date	Priority
NITRATE/N	S	EPA 300.0	1/7/2015	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	1/7/2015	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	1/7/2015	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	1/7/2015	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	1/7/2015	<u>or</u> <input type="checkbox"/>
VOC 8260 SPO	S	EPA 8260C	1/7/2015	<u>or</u> <input type="checkbox"/>

**Sample ID** 141222036-005 **Contractor Sample ID** MW-2

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/22/2014  
 **Quantity** 7 **Date Received** 12/22/2014 3:11:00 PM **Time Collected** 11:54 AM  
**Company**

Item	Area	Method	Release Date	Priority
NITRATE/N	S	EPA 300.0	1/7/2015	<u>or</u> <input type="checkbox"/>
SULFATE	S	EPA 300.0	1/7/2015	<u>or</u> <input type="checkbox"/>
TOC	S	SM5310C	1/7/2015	<u>or</u> <input type="checkbox"/>
TPHDX-NW	S	NWTPHDX	1/7/2015	<u>or</u> <input type="checkbox"/>
TPHG-NW-SPO	S	NWTPHG	1/7/2015	<u>or</u> <input type="checkbox"/>

**Contractor Name** BUDINGER AND ASSOCIATES  
 1101 N FANCHER RD  
 SPOKANE VALLEY WA 99212

**Order ID** 141222036  
**Order Date** 12/22/2014

**Contact Name** STEVE BURCHETT  
**Company**

**Project Name** WILBUR X09032

VOC 8260 SPO S EPA 8260C 1/7/2015 or

**Sample** 141222036-006 **Contractor Sample** MW-3

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/22/2014  
 **Antic** 7 **Date Received** 12/22/2014 3:11:00 PM **Time Collected** 12:28 PM  
**Company**

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	1/7/2015	<u>or</u>
SULFATE	S	EPA 300.0	1/7/2015	<u>or</u>
TOC	S	SM5310C	1/7/2015	<u>or</u>
TPHDX-NW	S	NWTPHDX	1/7/2015	<u>or</u>
TPHG-NW-SPO	S	NWTPHG	1/7/2015	<u>or</u>
VOC 8260 SPO	S	EPA 8260C	1/7/2015	<u>or</u>

**Sample** 141222036-007 **Contractor Sample** MW-7

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/22/2014  
 **Antic** 1 **Date Received** 12/22/2014 3:11:00 PM **Time Collected** 12:55 PM  
**Company**

Item	Sample	Method	Sample Date	Priority
TPHDX-NW	S	NWTPHDX	1/7/2015	<u>or</u>

**Sample** 141222036-008 **Contractor Sample** DUPLICATE

**Record**  **Matrix** Water **Collector** STEVE WARD **Date Collected** 12/22/2014  
 **Antic** 7 **Date Received** 12/22/2014 3:11:00 PM **Time Collected** 1:05 PM  
**Company**

Item	Sample	Method	Sample Date	Priority
NITRATE/N	S	EPA 300.0	1/7/2015	<u>or</u>
SULFATE	S	EPA 300.0	1/7/2015	<u>or</u>
TOC	S	SM5310C	1/7/2015	<u>or</u>
TPHDX-NW	S	NWTPHDX	1/7/2015	<u>or</u>
TPHG-NW-SPO	S	NWTPHG	1/7/2015	<u>or</u>
VOC 8260 SPO	S	EPA 8260C	1/7/2015	<u>or</u>

Customer Name BUDINGER AND ASSOCIATES  
1101 N FANCHER RD  
SPOKANE VALLEY WA 99212

Order ID 141222036  
Order Date 12/22/2014

Contact Name STEVE BURCHETT  
Company

Project Name WILBUR X09032

### SAMPLE COLLECTION CHECK

---

Samples received in a cooler?	Yes
Samples received intact?	Yes
What is the temperature inside the cooler?	11.1
Samples received with a COC?	Yes
Samples received within holding time?	Yes
Are all sample bottles properly preserved?	Yes
Are VOC samples free of headspace?	Yes
Is there a trip blank to accompany VOC samples?	Yes
Labels and chain agree?	Yes



### Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246  
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

**141222 036 BUDI** Last Due **1/7/2011**  
 1st SAMP 12/22/201 1st RCVD 12/22/201  
**WILBUR X09032**

Company Name: <b>BUDINGER</b>	Project Manager: <b>STEVE BURCHETT</b>
Address: <b>1101 N. FANCHER</b>	Project Name & #: <b>WILBUR X09032</b>
City: <b>SPOKANE WA</b> State: <b>WA</b> Zip: <b>99212</b>	Email Address: <b>S.BURCHETT@BUDINGERINC.COM</b>
Phone: <b>535-8841</b>	Purchase Order #: <b>LINCOLN COUNTY</b>
Fax: <b>535-9589</b>	Sampler Name & phone: <b>STEVE WARD 251-5705</b>

**Turn Around Time & Reporting**

Please refer to our normal turn around times at:  
<http://www.anateklabs.com/services/guidelines/reporting.asp>

<input checked="" type="checkbox"/> Normal	*All rush order requests must be prior approved.	___ Phone
___ Next Day*		___ Mail
___ 2nd Day*		___ Fax
___ Other*		___ Email

Provide Sample Description				List Analyses Requested							Note Special Instructions/Comments			
Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:		X TPH-G	X VOC's 8260	X TOC EPA 415	X TPH-DX	X NITRATES	X SULFATES			
				# of Containers	Sample Volume									
		<b>12-22-14</b>												
	<b>MW-9</b>	<b>9:37</b>	<b>WW</b>	<b>7</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>			
	<b>MW-12</b>	<b>10:28</b>		<b>7</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>			
	<b>MW-10</b>	<b>10:52</b>		<b>7</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>			
	<b>MW-4</b>	<b>11:26</b>		<b>7</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>			
	<b>MW-2</b>	<b>11:54</b>		<b>7</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>			
	<b>MW-3</b>	<b>12:28</b>		<b>7</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>			
	<b>MW-7</b>	<b>12:55</b>		<b>1</b>					<b>X</b>					
	<b>DUPLICATE</b>	<b>13:05</b>	<b>✓</b>	<b>7</b>		<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>	<b>X</b>			

**Inspection Checklist**

Received Intact?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Labels & Chains Agree?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
Containers Sealed?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N
VOC Head Space?	<input checked="" type="checkbox"/> Y	<input type="checkbox"/> N

*Cooler/ice*

Temperature (°C): **11.1**

Preservative: **H<sub>2</sub>SO<sub>4</sub> Ice**

Date & Time: **12-22-14**

Inspected By: **KTS**

	Printed Name	Signature	Company	Date	Time
Relinquished by	<b>STEVE WARD</b>	<i>Steve Ward</i>	<b>BUDINGER</b>	<b>12-22</b>	
Received by	<i>Scott</i>	<i>Scott</i>	<b>Anatek</b>	<b>12/22/14</b>	<b>1511</b>
Relinquished by					
Received by					
Relinquished by					
Received by					