

**Whitten Oil
Groundwater Monitoring
March 2024
Sampling Report**

**Whitty's Chevron
370 West 5th Avenue
Colville, Washington 99114**

Project Number: 233710.00


Date: May 03, 2024

Prepared for:

Whitten Oil
Attn: Jeff Whitten
1118 27th Avenue
Seattle, Washington 98122

Prepared by:

Fulcrum Environmental Consulting, Inc.
207 West Boone Avenue
Spokane, Washington 99201





Report Title: Whitten Oil Groundwater Monitoring March 2024 Sampling Report

Project Number: 233710.00

Date: May 03, 2024


Site: Whitty's Chevron
370 West 5th Avenue
Colville, Washington 99114

Prepared for: Whitten Oil
Attn: Jeff Whitten
1118 27th Avenue
Seattle, Washington 98122


Prepared by: Fulcrum Environmental Consulting, Inc.
207 West Boone Avenue
Spokane, Washington 99201
509.459.9220

The professionals who completed site services and prepared and reviewed this report include, but are not limited to:

Authored by:  Date: 05/03/2024
Abby Whitmore
Senior Environmental Technician

Reviewed by:  Date: 05/03/2024
Travis Trent, LHG
Hydrogeologist

Reviewed by:  Date: 05/03/2024
Scott Groat, LG
Project Scientist





Report Integrity

Fulcrum Environmental Consulting, Inc.'s scope of service for this project was limited to those services as established in the proposal, contract, verbal direction, and/or agreement. This report is subject to applicable federal, state, and local regulations governing project-specific conditions and was performed using recognized procedures and standards of the industry. Scientific data collected in situ may document conditions that may be specific to the time and day of service, and subject to change as a result of conditions beyond Fulcrum's control or knowledge. Fulcrum makes no warranties, expressed or implied, as to the accuracy or completeness of other's work included herein. Fulcrum has performed these services in accordance with generally accepted environmental science standards of care at the time of the inspection. No warranty, expressed or implied, is made.



TABLE OF CONTENTS

SECTION	PAGE
1.0 INTRODUCTION	1
1.1 Scope of Services.....	1
1.2 Site Description	1
1.3 Site Hydrogeology	2
1.4 Background.....	2
2.0 DISCUSSION OF PERTINENT REGULATIONS AND GUIDANCE	5
2.1 MTCA Regulations.....	5
2.2 MTCA Cleanup Standards.....	5
3.0 FIELD ACTIVITIES	5
3.1 Groundwater Sampling.....	5
4.0 RESULTS	6
4.1 Laboratory Analytical Results	6
5.0 DISCUSSION.....	7
6.0 Trending Evaluation	8
6.1 Concentration Trending	8
6.2 Area Extent Trending	10
6.3 Laboratory Evaluation	10
6.4 Trending Findings.....	11
7.0 Findings and Recommendations.....	11



TABLES

Table 1: Whitty's Chevron Groundwater Analytical Results for March 5, 2024	6
--	---

GRAPHS

Graph 1: September 2017-March 2024 Gasoline (NWTPH-Gx) Concentrations	8
Graph 2: September 2017-March 2024 Combined Diesel-Range and Heavy Oil-Range Concentrations..	9
Graph 3: September 2017-March 2024 Benzene Concentrations	9

FIGURES

Figure 1	Site Location Map
Figure 2	Historical Site Diagram Map
Figure 3	Site Diagram Map
Figure 4	Groundwater Elevation Map
Figure 5	Gasoline Concentrations
Figure 6	Combined Diesel-Range and Heavy Oil-Range Hydrocarbons
Figure 7	Benzene Concentrations

APPENDICES

Appendix A	Professional Certifications
Appendix B	Summary of Historical Data
Appendix C	2005 Soil Sampling Results
Appendix D	Laboratory Analytical Results



1.0 INTRODUCTION

On March 5, 2024, Fulcrum Environmental Consulting, Inc. (Fulcrum) conducted semi-annual groundwater monitoring for seven monitoring wells located at the Whitty's Chevron in Colville, Washington. The purpose of the monitoring was to evaluate petroleum hydrocarbon impacts to site groundwater associated with a historical gasoline release identified in September 1989.



Whitty's Chevron
370 West 5th Avenue, Colville, Washington

Site services were completed by Ethan Ducken, a Washington State recognized Geologist-In-Training (GIT), and Abby Whitmore, a Senior Environmental Technician, both with Fulcrum.

Work was completed under the direction of Scott Groat, a Washington State Licensed Geologist and Travis Trent, a Washington State Licensed Hydrogeologist, both with Fulcrum. Relevant professional certifications are presented in Appendix A.

1.1 Scope of Services

Fulcrum has been retained by Whitten Oil (Whitten) since 2017 to complete semi-annual groundwater sampling services for onsite groundwater monitoring wells at Whitty's Chevron located at 370 West 5th Avenue in Colville, Washington. Each semi-annual sampling event consists of measurement of water depths in seven onsite groundwater monitoring wells followed by collection of water samples from each well. Samples are collected in accordance with industry standard of care and submitted under chain of custody to a Washington State accredited laboratory to be analyzed for benzene, toluene, ethylbenzene, xylene (BTEX), gasoline-range organics, diesel-range organics, and heavy oil-range organics. Results of the investigation and testing from March 5, 2024 are presented in this summary report.

1.2 Site Description

The site is located on the northeast corner of West Fifth Avenue (U.S. Highway 395) and North Lincoln Street in Colville, Washington. The subject facility functions as an active gasoline service station and car wash.



One refueling area containing one dispenser island was observed to be located south of the convenience store, while another gasoline/diesel refueling area with two dispenser islands was observed to be located north of the convenience store. A more recently constructed dispensing island is located southeast of the convenience store. Four operational underground storage tanks (USTs) were reported to be located west of the convenience store within the southern portion of the property: two 10,000-gallon diesel tanks, one 6,000-gallon premium gasoline tank, and one 10,000-gallon unleaded gasoline tank. A six-bay carwash station is located northwest of the convenience store.

The entire surface of the property was observed to be covered by building footprints, concrete, or asphalt. Historical reports and observations from Fulcrum's September 2020 groundwater monitoring well installation event identified that beneath the paved surface are three to eight feet (ft) of sandy fill material underlain by fine-grained alluvium down to 14.5 feet below ground surface (ft bgs).

1.3 Site Hydrogeology

The site sits approximately 1,586 ft above mean sea level (MSL). The inferred groundwater flow direction is to the northwest, generally following surface topography of the area, with a hydraulic gradient of 0.014. During Fulcrum's investigation, recorded site groundwater levels have ranged from 3.5 to 5.5 feet bgs.

1.4 Background

The following information is summarized in part from prior project reporting provided by the owner. Fulcrum has made no independent investigation to verify accuracy of provided historical site information. A copy of the site's historical documentation is provided in Appendix B.

The subject facility has been in operation as a service station or bulk plant since the 1950s. Whitten Oil began operation around 1973, and the carwash was constructed around 1988. In September 1989, Petroleum Equipment Sales, Inc. (PES) was reportedly retained to decommission and replace onsite USTs during the construction of a new tank basin. Sunrise Environmental Services (SES) was retained by PES to observe the removal of the USTs and provide recommendations for corrective action. PES reportedly removed a total of six USTs from the site with one UST abandoned in place due to its location beneath the onsite office building. Three of the USTs were reported to have been suspect for leakage. Approximately 1,200 cubic yards of petroleum-contaminated soil was removed along with the USTs.



Following removal of the USTs and associated contaminated soils, additional site investigation was conducted to evaluate the potential for residual soil and/or groundwater impact. In January 1990, Delta Environmental Consultants (Delta) supervised drilling activities performed by Budinger & Associates. Six soil borings were drilled in suspected areas of petroleum hydrocarbon contamination to investigate for potential petroleum hydrocarbon impact to site soils/groundwater. The depth of soil borings ranged from 10 to 14.5 ft bgs. Soil samples were collected at 5-foot intervals during the advancement of soil borings. Soil samples that exhibited a petroleum hydrocarbon odor were submitted to the Technology Laboratory, Inc. of Fort Collins, Colorado for benzene, toluene, ethylbenzene, xylenes (BTEX) and total hydrocarbon analyses. Laboratory analysis identified petroleum hydrocarbons in only one of the collected samples (SB-5). Concentrations were reportedly below Washington State Department of Ecology's specified guidelines at the time.

All soil borings, with the exception of SB-5, were completed as groundwater monitoring wells, and groundwater samples were collected and submitted to the Technology Laboratory, Inc. of Fort Collins, Colorado, for BTEX and total hydrocarbon analyses. Laboratory analyses for BTEX and total hydrocarbons indicated that the groundwater had been impacted at the subject site. The highest hydrocarbon concentrations were detected in groundwater samples from monitoring wells MW-2 and MW-4, which were located in close proximity to the former UST basin. Detectable hydrocarbon concentrations were also found in downgradient monitoring well MW-6. It was Delta's professional opinion that site conditions posed little threat to humans or the environment due to tight soil conditions, thus preventing the contamination from migrating offsite. Therefore, no significant remedial action was recommended. Locations of the historical soil borings, monitoring wells, and approximate areas of excavation are presented as Figure 2. Historical soil boring and groundwater monitoring data is presented as Appendix B.

In December 2005, additional soil sampling was conducted by Northwest Environmental Solutions, Inc. to facilitate the change in ownership for the subject site. The investigation consisted of five soil borings drilled in areas proximal to regions of historical soil work or current UST presence. The depth of the soil borings ranged from 5 to 15 ft bgs. One soil sample was collected at the bottom of each soil boring. All five soil samples were submitted to Spectra Laboratories of Tacoma, Washington, for lead, methyl tert-butyl ether (MTBE), BTEX, and for concentrations of diesel-range hydrocarbons by Northwest Total Petroleum Hydrocarbons as diesel (NWTPH-Dx), as oil (NWTPH-Oil), and as gasoline (NWTPH-Gx). Laboratory analytical identified detectable concentrations of gasoline range petroleum hydrocarbons, ethyl benzene, toluene, xylene, and lead in soil boring 2-A and toluene and xylene were detected in soil borings 2-C and 2-D; all analytes were identified below MTCA Method A cleanup levels for soil. The 2005 historical soil boring results and locations are presented as Appendix C.



In 2017 Fulcrum was retained to conduct semi-annual groundwater sampling at the site. Monitoring wells MW-04 and MW-06 were identified to be in poor condition (poor surface seals and slow recharge). They were decommissioned and replaced by new wells under Fulcrum's oversight on September 30, 2020. Concurrent with the well replacement, Fulcrum directed the installation of two new monitoring wells to better characterize site conditions.



Monitoring well MW-02 was installed upgradient north of the gas station building where the former Leaking Underground Storage Tanks (LUSTs) were removed and monitoring well MW-07 was installed at the northwest corner of the property to act as a downgradient sentinel well. Fulcrum continues to conduct groundwater monitoring on a semi-annual basis.

In May of 2022, Ecology, observing the trend of increasing concentrations, requested additional investigation to be included in the September 2022 groundwater monitoring report. Fulcrum consulted with the project laboratory who indicated that current increasing concentrations were inconsistent with a 1980 era fuel loss and likely associated with a new release. Fulcrum spoke with the property owner about the increasing concentrations and laboratory findings. The property owner indicated that they were unaware of any spill, leak, or overfill events that would contribute to the change in conditions and proposed waiting until results of March 2023 sampling to determine a course of action.

The March 2023 sampling event showed a modest reduction in concentration and areal extent relative to the September 2022 testing event. Fulcrum discussed the results with the property owner who again confirmed that they had no indications of a leak or knowledge of any spill, overfill, or loss and recommended waiting for the results of the September 2023 event to determine a course of action. Results from the September 2023 event identified elevated petroleum concentrations, which were especially high within monitoring well MW-07.

During Fulcrum's March 2024 sampling event, the sentinel well MW-07 was identified to be unsecured and inundated with sediment making the well incapable of being sampled.



2.0 DISCUSSION OF PERTINENT REGULATIONS AND GUIDANCE

2.1 MTCA Regulations

In Washington State, MTCA Cleanup Regulations became effective in March of 1989, with amended MTCA Cleanup Regulations effective in February of 2001. The MTCA Cleanup Regulations set standards to ensure quality of cleanup and protection of human health and the environment. A major portion of the MTCA regulations are the development of numerical cleanup standards and requirements for cleanup actions. MTCA establishes three options for site-specific cleanup levels: Method A, B, and C. Method A defines cleanup levels for 25-30 of the most common hazardous substances found in soil and groundwater. Method B cleanup levels are established using applicable state and federal laws, risk assessment equations, and other requirements specified for each medium. Method C is similar to Method B, but cleanup levels are based on less stringent exposure assumptions, and the lifetime cancer risk is set at 1 in 100,000 rather than 1 in 1,000,000.

2.2 MTCA Cleanup Standards

Contaminants of concern at the subject site are gasoline-range hydrocarbons, diesel-range hydrocarbons, and BTEX, for which regulatory cleanup limits are provided under MTCA Method A. Based on the contaminants released at the subject site, the Method A cleanup levels are the most appropriate and conservative for determining site cleanup.

3.0 FIELD ACTIVITIES

3.1 Groundwater Sampling

On March 5, 2024, Fulcrum collected groundwater samples from six of the seven onsite monitoring wells. One field duplicate sample (WOS-091923-MW08) was collected for a total of seven groundwater samples. Prior to sample collection, Fulcrum measured the depth to groundwater (DTW) and depth to bottom (DTB) utilizing an electronic water level indicator accurate to ± 0.01 foot. Elevation corrections were made using wellhead elevation data from the subject site.

While onsite Fulcrum discovered MW-07 to be compromised. The monitoring well cover was discovered unsecured and the pressure cap was not in place. The well was found to have filled with sediment and was not able to be cleared for sampling.



The groundwater flow direction, as determined by this sampling and monitoring event, is northwest with a hydraulic gradient of 0.025 (2.79-ft change in groundwater elevation over 111.43-feet), which is consistent with site geomorphology. A groundwater elevation map is presented as Figure 4. Sampling activities were completed using a peristaltic pump, submersible pump, and field water quality instruments. In each location the monitoring well was purged for a minimum of three well volumes following the stabilization of field parameters. Field parameters were measured prior to, during, and following completion of the monitoring well pumping to ensure that they stabilized, indicating a representative sample of groundwater.

Samples were placed in a pre-cooled ice chest and shipped under standard chain-of-custody for analysis to Fremont Analytical Inc. (Fremont); a Washington State certified laboratory located in Seattle, Washington. A site diagram map is presented as Figure 3.

4.0 RESULTS

4.1 Laboratory Analytical Results

All groundwater samples were analyzed for concentrations of gasoline-range hydrocarbons by Northwest Total Petroleum Hydrocarbons as Gasoline (NWTPH-Gx), diesel-range and heavy oil-range hydrocarbons by Northwest Total Petroleum Hydrocarbons as diesel (NWTPH-Dx), and benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8260c.

Table 1 summarizes sample identification, locations, and analyte concentrations, which are reported in micrograms per liter ($\mu\text{g/L}$). Copies of current groundwater sampling laboratory analytical results are presented in Appendix D.



Table 1: Whitty’s Chevron Groundwater Analytical Results for March 5, 2024

Location	Sample Number	Ground-water Elevation	Results (µg/L)						
			NWTPH-Dx		Gasoline	Benzene	Toluene	Ethyl-benzene	Xylene
			Diesel	Oil					
CW-01	WOS-030524-CW01	94.79	445	ND	31	ND	ND	ND	ND
CW-02	WOS-030524-CW02	94.51	7,570	7,940	301	20.1	0.57	0.57	1.16
MW-02	WOS-030524-MW02	94.52	738	ND	289	1.03	ND	0.26	ND
	WOS-030524-MW-08		901	ND	275	0.97	ND	0.19	ND
MW-03	WOS-030524-MW03	94.27	590	ND	376	40.6	1.57	3.39	2.79
MW-04	WOS-030524-MW04	94.37	1,050	ND	1,270	95.8	2.78	25.8	5.92
MW-06	WOS-030524-MW06	91.72	307	ND	382	2.37	ND	0.91	ND
MW-07	-	-	-	-	-	-	-	-	-
Applicable Cleanup Levels (µg/L)			500		800	5	1,000	700	1,000

Bold – MTCA Method A exceedance ND – Non-detect µg/L – Micrograms per liter (µg/L), equivalent to parts per billion (ppb)

Analytical results document concentrations of select analytes in excess of regulatory thresholds in all monitoring wells except CW-01 and MW-06. Combined diesel-range and heavy oil-range hydrocarbons were identified at concentrations above regulatory thresholds in four of the six sampled wells. Gasoline-range hydrocarbons were identified at concentrations above the regulatory thresholds in MW-04, and benzene was identified at concentrations above the regulatory thresholds in three of the six sampled monitoring wells. MW-07 was inundated with sediment and was not able to be sampled.

Samples were shown as received by the laboratory at an acceptable temperature. Based on laboratory reports, it is Fulcrum’s opinion that field and laboratory data quality results confirm acceptable accuracy of analytical data for all samples.

5.0 DISCUSSION

Fulcrum’s March 2024 semi-annual groundwater monitoring event for seven onsite groundwater monitoring wells documented presence of petroleum hydrocarbon concentrations in excess of regulatory thresholds in four of the six sampled monitoring wells. MW-07 was not sampled due to well conditions.




6.0 TRENDING EVALUATION

Review of monitoring data shows a trend of increased contaminant concentrations and areal extent that is inconsistent with ongoing degradation of a 1989 spill. Review of data generated during Fulcrum’s monitoring from December of 2017 to current shows an increasing trend in both concentration and areal extent. Results of this monitoring event and trending data indicate that a new release(s) of petroleum product has or is occurring.

6.1 Concentration Trending

Fulcrum reviewed concentration trending for gasoline-range hydrocarbons, benzene, and diesel-range hydrocarbons. Fulcrum notes a variety of site conditions with potential to result in short term influence on contaminant concentrations including periodically dry wells, replacement of select monitoring wells, and placement of new monitoring wells. It is Fulcrum’s opinion that review of contaminant concentrations over a longer period provides a strong understanding of site conditions.

Graph 1: September 2017-March 2024: Gasoline (NWTPH-Gx) Concentrations




Graph 1 presents gasoline-range hydrocarbons concentrations in seven site monitoring wells over 17 consecutive events of monitoring. Results show a relatively stable range of concentrations in MW-04 until the October 2020 sampling event where concentrations increased significantly. During the same sampling event elevated concentrations were also identified in CW-02, a location that had been previously clean. A second increase in concentrations is noted in MW-02 and MW-04 in September 2021, and a third notable increase in concentrations is observed in CW-02 in



March of 2022. In March 2023 gasoline concentrations in CW-02 and MW-03 are shown to increase. In September 2023 gasoline concentrations in CW-02, MW-04 and MW-06 are shown to increase, while all other wells are shown to decrease or remain non-detect. In March 2024, gasoline concentrations in CW-01 are detected where previously the monitoring well had been non-detect. MW-03, MW-04, and MW-06 are shown to increase while CW-02 is shown to decrease and MW-07 was not sampled due to damaged well conditions.

Graph 2 below presents combined diesel-range and heavy oil-range hydrocarbon concentrations in the seven monitored wells. All wells were reported as non-detect for combined diesel-range and heavy oil-range hydrocarbon concentrations until September 2018 where a notable increase is observed in MW-04. A second notable increase in concentrations is observed in CW-02 in March 2020 and again in September 2022. In September 2023 concentrations are shown to increase significantly in MW-07 while all other wells are shown to decrease. In March 2024 CW-02 was observed to have a notable increase in concentrations. CW-01 and MW-03 have slight increases in concentrations, while MW-02, MW-04, and MW-06 have lower concentrations compared to the September 2023 sampling event. MW-07 was not sampled during the March 2024 sampling event due to damaged well conditions.

Graph 2: September 2017-March 2024: Combined Diesel and Oil-Range Concentrations




Graph 3 below presents identified benzene concentrations in the seven monitored wells. All wells were reported as non-detect or below cleanup for benzene concentrations with the exception of MW-04 through September 2018. Notable concentration increases occur in CW-02 in September 2018, October 2020, and again in September 2022. A notable increase in concentrations is noted in MW-03 in March 2019. Notable increases in concentrations in MW-04 are observed in March 2021, September 2022, and September 2023. Notable increases in CW-02 and CW-03 are observed in March 2023. In March 2024 notable increases in concentrations are observed in MW-03, with



slight increases in concentrations in MW-02 and MW-06 and decrease in concentrations or non-detect values in CW-01, CW-02, and MW-04. MW-07 was not sampled during the March 2024 sampling event due to damaged well conditions.

Graph 3: September 2017- March 2024: Benzene Concentrations



6.2 Areal Extent Trending

Review of historical monitoring data shows an initial zone of contaminant concentration in the 1990 sampling data noting that the results are likely a generalization and that well placement was likely insufficient to fully characterize the exact extent of contaminant presence. In September of 2020, Fulcrum replaced two historical monitoring wells and added two additional monitoring wells to assist in better characterizing the groundwater contaminant plume at the site. Monitoring results from 2017 to 2024 show a trend of expanding contaminant presence for gasoline-range hydrocarbons, diesel-range hydrocarbons, and benzene. See Figures 5, 6, and 7 for a presentation of contaminant plume changes over time.

6.3 Laboratory Evaluation

Following the September 2022 sampling event, Fulcrum contacted Fremont Analytical of Seattle, Washington to request review of the data. Fremont Analytical is a Washington State accredited laboratory (79636). Fremont has been providing analytical services for the project since the initial monitoring event in December 2017. Fremont provided a general review of chromatographic data noting that results would only be generalized in nature and not a substitute for site specific forensic chemistry. Review of chromatographic data was limited to historical data collected from monitoring well CW-02.



Following review of the historical chromatographic data, Fremont's laboratory director reported that from 2018-2019 CW-02 reported low to non-detect concentrations of gasoline. From 2020-2021 an apparent increase in gasoline-range materials with a chemical footprint indicative of old, weathered gasoline was reported. In September of 2022, an apparent new material with a unique chemical footprint likely related to diesel was identified. Fremont reported that the weathered nature of the new material indicates that a new release likely occurred after the March 2022 sampling event.

6.4 Trending Findings

Trending data shows increases in both concentrations and areal extent of contaminant presence at the site up to the March 2024 event. The September 2023 sampling event observed significant increases for combined diesel and oil-range hydrocarbons in well MW-07. The March 2024 monitoring event found MW-07 inundated with sediment that prevented sampling. The March 2024 sampling event also observed a notable spike in combined diesel and oil-range hydrocarbons within well CW-02, with the majority of the wells showing a leveling off of increased concentrations.

Results indicate that a new source(s) of contaminant has likely been introduced at the site some time prior to and after the September 2022 sampling event. Potential sources include but are not limited to spill/overflow events associated with the current USTs, leaks from the USTs or associated piping or dispensers, spills associated with normal fuel station operations, and/or run off from carwash activities.

7.0 FINDINGS AND RECOMMENDATIONS

Current monitoring data shows that concentrations and areal extent have increased in March 2024. Review of trending data indicates the likely introduction of a new source(s) of contaminant presence. Fulcrum recommends additional investigation to identify the source(s) of increasing contaminant presence. MW-07 was discovered to be inundated with sediment during the March 2024 sampling event and was not sampled. Fulcrum recommends replacement of the MW-07 well and placement of additional monitoring wells as necessary to characterize contaminant plume boundaries.

Following identification and correction of the source/cause of increasing trends, Fulcrum recommends re-evaluation of the site monitoring plan to ensure that it is positioned and designed to effectively characterize environmental conditions of site groundwater. Remedial action may be required to protect off-site resources.




Subject Site

Figure 1: General Site Location Map

LEGEND

Map Location



First Semi-annual Groundwater Sampling Event March 2024
Whitty's Chevron
370 West 5th Avenue
Colville, Washington




FULCRUM ENVIRONMENTAL CONSULTING, INC.
207 W. BOONE AVENUE
SPOKANE, WASHINGTON 99201
(509) 459-9220 www.efulcrum.net

MAP BY: Ethan Ducken

PROJECT NUMBER: 233710.00

DATE: April 24, 2024

REVIEWED BY: S. Groat



LEGEND

- Approximate extent of soil excavation
- Existing onsite UST
- Historical UST removed from site
- Historic Soil Boring
- Historical Monitoring Well
- Existing onsite Monitoring Well
- Existing onsite Compliance Well





Figure 2: Historical USTs, Soil Borings, and Monitoring Wells Site Diagram Map

First Semi-annual Groundwater Sampling Event March 2024
 Whitty's Chevron
 370 West 5th Avenue
 Colville, Washington



FULCRUM ENVIRONMENTAL CONSULTING, INC.
 207 W. BOONE AVENUE
 SPOKANE, WASHINGTON 99201
 (509) 459-9220 www.efulcrum.net

MAP BY: Ethan Ducken	PROJECT NUMBER: 233710.00
DATE: April 26, 2024	REVIEWED BY: S. Groat



LEGEND

Parameters (µg/L)

1. Benzene
2. Toluene
3. Ethyl-benzene
4. Xylenes
5. NWTPH-GX
6. Combined Diesel-range and Heavy Oil-range Hydrocarbons

⊕ Monitoring Well

⊕ Compliance Well

* Analyte Concentration Exceeds MTCA Method A Cleanup Level


Approximate Scale In Feet

Figure 3: Site Diagram Map






Second Semi-annual Groundwater Sampling Event March 2023
Whitty's Chevron
370 West 5th Avenue
Colville, Washington

FULCRUM ENVIRONMENTAL CONSULTING, INC.
207 W. BOONE AVENUE
SPOKANE, WASHINGTON 99201
(509) 459-9220 www.efulcrum.net

MAP BY: Ethan Ducken	PROJECT NUMBER: 233710.00
DATE: April 26, 2024	REVIEWED BY: S. Groat



LEGEND

-  Approximate Groundwater Flow Direction & Gradient
-  Groundwater Elevation Contour
-  Monitoring Well Groundwater Elevation (In Feet)
-  Monitoring Well
-  Compliance Well




Figure 4: Groundwater Elevation Map

First Semi-annual Groundwater Sampling Event March 2024
 Whitty's Chevron
 370 West 5th Avenue
 Colville, Washington




FULCRUM ENVIRONMENTAL CONSULTING, INC.
 207 W. BOONE AVENUE
 SPOKANE, WASHINGTON 99201
 (509) 459-9220 www.efulcrum.net

MAP BY: Ethan Ducken





PROJECT NUMBER: 233710.00

DATE: April 26, 2024

REVIEWED BY: S. Groat



LEGEND

-  Concentrations above 1,000.00 ppb
-  Concentrations 800.00 - 1,000.00 ppb
-  Detectable concentrations below the regulatory threshold of 800 ppb
-  Missing Data




Figure 5: Gasoline Concentrations - Areal Extent Over Time


First Semi-annual Groundwater Sampling Event March 2024
 Whitty's Chevron
 370 West 5th Avenue
 Colville, Washington







FULCRUM ENVIRONMENTAL CONSULTING, INC.
 207 W. BOONE AVENUE
 SPOKANE, WASHINGTON 99201
 (509) 459-9220 www.efulcrum.net


MAP BY: Abby Whitmore
 DATE: April 1, 2024

PROJECT NUMBER: 233710.00
 REVIEWED BY: S. Groat




LEGEND

-  Concentrations above 1,000.00 ppb
-  Concentrations 500.00 - 1,000.00 ppb
-  Detectable concentrations below the regulatory threshold of 500 ppb
-  Missing Data




N

Figure 6: Combined Diesel-Range and Heavy Oil-Range Hydrocarbons - Areal Extent Over Time
 First Semi-annual Groundwater Sampling Event March 2024
 Whitty's Chevron
 370 West 5th Avenue
 Colville, Washington

 FULCRUM ENVIRONMENTAL CONSULTING, INC.
 207 W. BOONE AVENUE
 SPOKANE, WASHINGTON 99201
 (509) 459-9220 www.efulcrum.net

MAP BY: Abby Whitmore	PROJECT NUMBER: 233710.00
DATE: March 29, 2024	REVIEWED BY: S. Groat



LEGEND

- Concentrations above 10.00 ppb
- Concentrations 5.00 - 10.00 ppb
- Detectable concentrations below the regulatory threshold of 5.00 ppb
- Missing Data




Figure 7: Benzene Concentrations - Areal Extent Over Time

First Semi-annual Groundwater Sampling Event March 2024
 Whitty's Chevron
 370 West 5th Avenue
 Colville, Washington

FULCRUM ENVIRONMENTAL CONSULTING, INC.
 207 W. BOONE AVENUE
 SPOKANE, WASHINGTON 99201
 (509) 459-9220 www.efulcrum.net

MAP BY: Abby Whitmore
 DATE: April 1, 2024

PROJECT NUMBER: 233710.00
 REVIEWED BY: S. Groat



APPENDIX A

Professional Certifications



STATE OF WASHINGTON

DEPARTMENT OF LICENSING - BUSINESS AND PROFESSIONS DIVISION



THIS CERTIFIES THE PERSON OR BUSINESS NAMED BELOW IS AUTHORIZED AS A

**GEOLOGIST
HYDROGEOLOGIST**

TRAVIS L TRENT

364


License Number

01/08/2002

Issue Date

06/06/2024

Expiration Date



Marcus J Glasper, Director



STATE OF WASHINGTON

DEPARTMENT OF LICENSING - BUSINESS AND PROFESSIONS DIVISION



THIS CERTIFIES THE PERSON OR BUSINESS NAMED BELOW IS AUTHORIZED AS A

GEOLOGIST

SCOTT MICHAEL GROAT

22034387


License Number

11/17/2022

Issue Date

12/03/2024

Expiration Date



Marcus J Glasper, Director



STATE OF WASHINGTON

DEPARTMENT OF LICENSING – BUSINESS AND PROFESSIONS DIVISION

THIS CERTIFIES THAT THE PERSON OR BUSINESS NAMED BELOW IS AUTHORIZED AS A



GEOLOGIST IN TRAINING

ETHAN JEFFREY DUCKEN

510 E 33rd Ave

Spokane WA 99203-2611

22010959

License Number

05/04/2022

Issue Date

//

Expiration Date

Teresa Berntsen

Teresa Berntsen, Director



APPENDIX B

Summary of Historical Data

HISTORICAL GROUNDWATER ELEVATION AND ANALYTICAL DATA
Whitty's Chervon

370 West Fifth Avenue
Colville, Washington

Boring ID	Sampling Date	ERP (feet)	DS (feet)	TD (feet)	TPH (µg/L)	Diesel-range hydrocarbons (µg/L)	Heavy oil-range hydrocarbons (µg/L)	Combined Diesel-range and Heavy oil-range hydrocarbons (µg/L)	NWTPH-Gx (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
SB-1	1/8/1990	100.20	---	15.00	---	---	---	---	---	---	---	---	---
SB-2	1/8/1990	99.39	10.00	15.00	ND	---	---	---	ND	ND	ND	ND	ND
SB-3	1/9/1990	99.30	---	15.00	---	---	---	---	---	---	---	---	---
SB-4	1/9/1990	98.96	5.00	15.00	ND	---	---	---	ND	ND	ND	ND	ND
SB-5	1/9/1990	99.29	5.00	15.00	1,220	---	---	---	---	0.476	1.38	5.62	50.2
SB-6	1/9/1990	97.87	---	15.00	---	---	---	---	---	---	---	---	---

Well ID	Sampling Date	ERP (feet)	DTW (feet)	GWE (feet)	TPH (µg/L)	Diesel-range hydrocarbons (µg/L)	Heavy oil-range hydrocarbons (µg/L)	Combined Diesel-range and Heavy oil-range hydrocarbons (µg/L)	NWTPH-Gx (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
CW-01	1/10/1990	99.50	5.82	93.68	---	---	---	---	---	---	---	---	---	
	9/13/2017	99.50	5.91	93.59	---	---	---	---	ND	ND	ND	ND	ND	
	12/11/2017	99.50	4.96	94.54	---	---	---	---	ND	ND	ND	ND	ND	
	3/26/2018	99.50	4.71	94.79	---	---	---	---	ND	ND	ND	ND	ND	
	3/26/2018	99.50	4.71	94.79	---	---	---	---	ND	ND	ND	ND	ND	
	6/27/2018	99.50	5.53	93.97	---	---	---	---	ND	ND	ND	ND	ND	
	9/19/2018	99.50	5.86	93.64	---	214.00	ND	214.00	ND	ND	ND	ND	ND	
	3/21/2019	99.50	4.84	94.66	---	ND	ND	ND	ND	ND	ND	ND	ND	
	9/17/2019	99.50	5.85	93.65	---	63.30	ND	63.30	ND	ND	ND	ND	ND	
	3/10/2020	99.50	4.89	94.61	---	ND	ND	ND	ND	ND	ND	ND	ND	
	10/14/2020	99.50	5.81	93.69	---	212.00	ND	212.00	ND	ND	ND	ND	ND	
	3/25/2021	99.50	5.81	93.69	---	ND	ND	ND	ND	ND	ND	ND	ND	
	9/22/2021	99.50	6.03	93.47	---	441.00	ND	441.00	ND	ND	ND	ND	ND	
	3/7/2022	99.50	4.65	94.85	---	253.00	ND	253.00	ND	ND	ND	ND	ND	
	9/27/2022	99.50	5.97	93.53	---	830.00	ND	830.00	ND	1.61	ND	ND	ND	
	3/28/2023	99.50	4.85	94.65	---	173.00	ND	173.00	ND	6.05	ND	ND	ND	
	9/19/2023	99.50	5.39	94.11	---	292.00	ND	292.00	ND	3.98	ND	ND	ND	
	3/5/2024	99.50	4.71	94.79	---	445.00	ND	445.00	31.00	ND	ND	ND	ND	
	CW-02	1/10/1990	99.01	5.33	93.68	---	---	---	---	---	---	---	---	---
		9/13/2017	99.01	5.64	93.36	---	---	---	---	ND	ND	ND	ND	ND
12/11/2017		99.01	4.65	94.36	---	---	---	---	ND	ND	ND	ND	ND	
3/26/2018		99.01	4.39	94.62	---	---	---	---	ND	ND	ND	ND	ND	
6/27/2018		99.01	5.24	93.77	---	---	---	---	ND	ND	ND	ND	ND	
9/19/2018		99.01	5.56	93.45	---	ND	ND	ND	50.60	10.60	16.60	ND	ND	
9/19/2018		99.01	5.56	93.45	---	ND	188.00	188.00	56.80	9.94	15.90	ND	ND	
3/21/2019		99.01	4.53	94.48	---	ND	261.00	261.00	ND	ND	ND	ND	ND	
9/17/2019		99.01	5.54	93.46	---	ND	ND	ND	ND	ND	ND	ND	ND	
3/10/2020		99.01	5.20	93.81	---	ND	255.00	255.00	ND	ND	ND	ND	ND	
10/14/2020		99.01	5.54	93.47	---	ND	777.00	777.00	864.00	7.58	1.89	8.41	43.10	
10/14/2020		99.01	5.54	93.47	---	4,570.00	ND	4,570.00	818.00	7.45	1.89	8.26	42.20	
3/25/2021		99.01	5.41	93.60	---	364.00	ND	364.00	180.00	ND	ND	0.49	0.94	
9/22/2021		99.01	5.72	93.29	---	354.00	ND	354.00	0.72	ND	ND	ND	ND	
3/7/2022		99.01	4.91	94.10	---	703.00	ND	703.00	828.00	0.95	ND	ND	ND	
9/27/2022	99.01	5.68	93.33	---	17,600.00	ND	17,600	256.00	21.50	5.81	ND	ND		
3/28/2023	99.01	4.53	94.48	---	355.00	ND	355.00	429.00	104.00	20.50	0.46	10.32		
9/19/2023	99.01	5.08	93.94	---	719.00	ND	719.00	162.00	75.10	5.58	0.49	0.91		
3/5/2024	99.01	3.50	95.51	---	7,570.00	7940.00	15,500.00	301.00	20.10	0.57	0.57	1.16		

2001 MTCA Method A Cleanup Levels for Groundwater					NE	500	800	5	1000	700	1000
--	--	--	--	--	----	-----	-----	---	------	-----	------

Well ID	Sampling Date	ERP (feet)	DTW (feet)	GWE (feet)	TPH (µg/L)	Diesel-range hydrocarbons (µg/L)	Heavy oil-range hydrocarbons (µg/L)	Combined Diesel-range and Heavy oil-range hydrocarbons (µg/L)	NWTPH-Gx (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)
MW-1	1/10/1990	100.00	5.59	94.41	ND	---	---	---	---	ND	ND	ND	ND
<i>Decommissioned</i>													
MW-2	1/10/1990	98.92	4.51	94.41	2,460	---	---	---	---	1,643.0	409.00	ND	2955.00
<i>Decommissioned</i>													
New Well Installed	10/14/2020	98.92	5.83	93.09	---	249.00	ND	249.00	106.00	ND	ND	ND	ND
MW-02	3/25/2021	98.92				534.00	3,300.00	3,834.00	725.00	8.04	ND	27.70	1.74
	9/22/2021	98.92				1,010.00	ND	1,010.00	872.00	3.57	ND	4.73	ND
	3/25/2022	98.92				1,750.00	ND	1,750.00	828.00	2.95	ND	4.10	ND
	9/27/2022	98.92				1,260.00	ND	1,260.00	953.00	2.63	ND	1.49	ND
	3/28/2023	98.92	4.59	94.33	---	1,250.00	ND	1,250.00	489.00	4.97	ND	1.58	ND
	9/19/2023	98.92	5.36	93.56	---	1,070.00	ND	1,070.00	420.00	0.48	ND	ND	ND
	3/5/2024	98.92	4.6	94.32	---	738.00	ND	738.00	289.00	1.03	ND	0.26	ND
MW-03	1/10/1990	98.56	5.77	92.79	ND	---	---	---	---	ND	ND	ND	ND
	9/13/2017	98.56	5.55	93.02	---	---	---	---	131.00	ND	ND	ND	ND
	12/11/2017	98.56	5.05	93.51	---	---	---	---	ND	1.65	ND	ND	ND
	12/11/2017	98.56	5.05	93.51	---	---	---	---	ND	1.60	ND	ND	ND
	3/26/2018	98.56	4.44	94.12	---	---	---	---	ND	ND	ND	ND	ND
	6/27/2018	98.56	5.26	93.30	---	---	---	---	ND	ND	ND	ND	ND
	9/19/2018	98.56	5.56	93.01	---	ND	172.00	172.00	ND	ND	ND	ND	ND
	3/21/2019	98.56	4.80	93.76	---	273	ND	273	202.00	24.40	32.00	1.10	16.54
	9/17/2019	98.56	5.55	93.01	---	ND	ND	ND	67.30	ND	ND	ND	ND
	3/10/2020	98.56	5.57	92.99	---	ND	122.00	122.00	ND	ND	ND	ND	ND
	10/14/2020	98.56	5.86	92.70	---	ND	ND	ND	ND	ND	ND	ND	ND
	3/25/2021	98.56	6.11	92.45	---	ND	135.00	135.00	ND	ND	ND	ND	ND
	9/22/2021	98.56	5.58	92.28	---	159.00	ND	ND	ND	ND	ND	ND	ND
	3/7/2022	98.56	4.41	94.15	---	913.00	ND	913.00	111.00	2.64	ND	0.94	ND
	9/27/2022	98.56	5.56	92.91	---	552.00	ND	552.00	ND	ND	ND	ND	ND
	3/28/2023	98.56	5.32	93.24	---	518.00	ND	518.00	389.00	88.30	20.30	0.54	3.00
	9/19/2023	98.56	5.23	93.33	---	521.00	ND	521.00	53.00	15.30	0.52	ND	ND
	3/5/2024	98.56	4.29	94.27	---	590.00	ND	590.00	376.00	40.60	1.57	3.39	2.79
MW-04	1/10/1990	98.27	4.06	94.21	---	---	---	---	---	118	23.00	ND	284.00
	9/13/2017	98.27	5.32	92.96	---	---	---	---	558.00	4.03	ND	1.51	1.46
	9/13/2017	98.27	5.32	92.96	---	---	---	---	547.00	ND	ND	ND	ND
	12/11/2017	98.27	4.13	94.17	---	---	---	---	702.00	6.81	1.07	9.07	ND
	3/26/2018	98.27	3.75	94.52	---	---	---	---	302.00	4.63	1.34	15.70	ND
	6/27/2018	98.27	4.80	93.47	---	---	---	---	284.00	5.84	1.32	16.60	ND
	9/19/2018	98.27	4.83	93.44	---	1,450.00	2,080.00	3,530.00	644.00	7.25	2.61	25.80	2.72
	3/21/2019	98.27	3.60	94.67	---	220.00	376.00	596.00	718.00	4.46	1.78	18.10	2.70
	9/17/2019	98.27	4.92	93.35	---	181.00	310.00	491.00	780.00	5.09	ND	3.08	1.16
	3/10/2020	98.27	4.12	94.15	---	ND	552.00	552.00	96.00	ND	ND	2.60	ND
Lab Filtered	3/10/2020	98.27	4.12	94.15	---	ND	602.00	602.00	80.10	ND	ND	2.61	ND
New Well Installed	10/14/2020	98.27	4.80	93.47	---	707.00	ND	707.00	818.00	10.50	1.19	9.92	1.91
	3/25/2021	98.27	5.64	92.63	---	497.00	964.00	1,461.00	1,740.00	139.00	3.84	56.20	12.02
	9/22/2021	98.27	4.64	93.63	---	1,580.00	ND	1,580.00	2,050.00	128.00	3.10	36.50	6.07
	3/7/2022	98.27	4.55	93.72	---	1,130.00	ND	1,130.00	1,840.00	68.70	2.48	33.00	5.93
	9/27/2022	98.27	4.69	93.58	---	1,800.00	ND	1,800.00	1,400.00	115.00	2.47	35.60	4.30
	3/28/2023	98.27	4.73	93.54	---	1,250.00	ND	1,250.00	1,180.00	70.20	ND	15.50	3.94
	9/19/2023	98.27	4.22	94.05	---	1,710.00	ND	1,710.00	1,190.00	117.00	2.50	15.00	ND
	3/5/2024	98.27	3.60	94.67	---	1,050.00	ND	1,050.00	1,270.00	95.80	2.78	25.80	5.92
MW-06	1/10/1990	97.27	9.01	88.26	ND	---	---	---	---	9.00	5.00	15.00	80.00
	9/13/2017	97.27	---	---	---	---	---	---	---	ND	ND	ND	ND
2001 MTCA Method A Cleanup Levels for Groundwater					NE		500		800	5	1,000	700	1,000

Well ID	Sampling Date	ERP (feet)	DTW (feet)	GWE (feet)	TPH (µg/L)	Diesel-range hydrocarbons (µg/L)	Heavy oil-range hydrocarbons (µg/L)	Combined Diesel-range and Heavy oil-range hydrocarbons (µg/L)	NWTPH-Gx (µg/L)	B (µg/L)	T (µg/L)	E (µg/L)	X (µg/L)	
MW-06	12/11/2017	97.27	---	---	---	---	---	---	---	---	---	---	---	
	3/26/2018	97.27	5.24	92.03	---	---	---	---	404.00	ND	ND	ND	ND	
	6/27/2018	97.27	5.31	91.96	---	---	---	---	101.00	ND	ND	ND	ND	
	9/19/2018	97.27	6.36	90.92	---	102.00	369.00	471.00	119.00	ND	ND	ND	ND	
	3/21/2019	97.27	5.08	92.19	---	ND	409.00	409.00	ND	ND	ND	ND	ND	
	9/17/2019	97.27	4.95	92.32	---	ND	1,440.00	1,440.00	90.20	ND	ND	ND	ND	
	3/10/2020	97.27	4.51	92.76	---	ND	1,580.00	1,580.00	ND	ND	ND	ND	ND	
	<i>Lab Filtered</i>	3/10/2020	97.27	4.51	92.76	---	ND	1,350.00	1,350.00	ND	ND	ND	ND	ND
	<i>New well installed</i>	10/14/2020	97.27	9.65	87.62	---	357.00	ND	357.00	202.00	ND	ND	ND	ND
		3/25/2021	97.27	5.91	91.36	---	128.00	372.00	500.00	499.00	4.01	ND	1.70	1.33
	9/22/2021	97.27	6.10	91.17	---	597.00	ND	597.00	575.00	2.32	ND	0.75	ND	
	3/7/2022	97.27	5.48	91.79	---	600.00	ND	600.00	292.00	1.34	ND	ND	ND	
	9/27/2022	97.27	6.12	91.15	---	550.00	ND	550.00	470.00	2.69	ND	ND	ND	
	3/28/2023	97.27	5.65	91.62	---	374.00	ND	374.00	80.00	2.09	ND	ND	ND	
	9/19/2023	97.27	6.02	91.25	---	356.00	ND	356.00	221.00	0.44	ND	0.21	ND	
	3/5/2024	97.27	5.55	91.72	---	307.00	ND	307.00	382.00	2.37	ND	0.91	ND	
MW-07														
<i>New well installed</i>	10/14/2020	95.27	8.72	86.55	---	179.00	ND	179.00	ND	ND	ND	ND	ND	
	3/25/2021	95.27	5.95	89.32	---	ND	105.00	105.00	ND	ND	ND	ND	ND	
	9/22/2021	95.27	5.47	89.80	---	ND	112.00	ND	ND	ND	ND	ND	ND	
	3/7/2022	95.27	4.45	93.86	---	244.00	ND	244.00	ND	ND	ND	ND	ND	
	9/27/2022	95.27	5.81	89.46	---	838.00	ND	838.00	ND	ND	ND	ND	ND	
	3/28/2023	95.27	5.34	89.93	---	225.00	ND	225.00	ND	ND	ND	ND	ND	
	9/19/2023	95.27	4.44	90.83	---	34,100.00	ND	34,100.00	ND	ND	ND	ND	ND	
<i>Well observed inundated</i>	3/5/2024	---	---	---	---	---	---	---	---	---	---	---	---	
2001 MTCA Method A Cleanup Levels for Groundwater					NE	500	800	5	1000	700	1000			

Notes :

MTCA Method A exceedences shown in bold

Historic Data not collected by Fulcrum shown in italics

NE Not Established. Individual analyte thresholds for Total Petroleum Hydrocarbons (TPH) have not been established and are referenced as the appropriate regulatory values above

TPH Total Petroleum Hydrocarbons

TD Total Boring Depth

Notes :

DS Depth Sampled

ERP Elevation of riser pipe based on an arbitrary datum of 100.00 feet

DTW Depth to water

GWE Groundwater elevation based on an arbitrary datum of 100.00 feet

NWTPHGx Northwest total petroleum hydrocarbons as gasoline;

BTEX Benzene, toluene, ethylbenzene and total xylenes

µg/L micrograms per liter or parts per billion

ND Not detected in concentrations exceeding laboratory method detection limit

--- Not available, not tested, not measured



APPENDIX C

2005 Soil Sampling Results




TABLE 1
SOIL SAMPLE RESULTS
CHEVRON
NORTH COLVILLE

DEPTH OF SAMPLE	15'	14'	5'	5'	5'
ANALYSES	2-A	2-B	2-C	2-D	2-E
NWTPH-OIL	<100	<100	<100	<100	<100
NWTPH-DIESEL	<10	<10	<10	<10	<10
NWTPH-GAS	R	<5.0	<5.0	<5.0	<5.0
BENZENE	<0.025	<0.025	<0.025	<0.025	<0.025
ETHYLBENZENE	0.12	<0.025	<0.025	<0.025	<0.025
MTBE	<0.025	<0.025	<0.025	<0.025	<0.025
TOLUENE	0.229	<0.05	0.111	0.066	<0.05
XYLENE	0.69	<0.05	0.099	0.081	<0.05
TOTAL LEAD	13	N/A	N/A	N/A	N/A

CLEANUP STANDARD
 2000 mg/Kg
 2000 mg/Kg
 100 mg/Kg OR 30mg/Kg
 0.03 mg/Kg
 6.0 mg/Kg
 0.1 mg/Kg
 7.0 mg/Kg
 9.0 mg/Kg
 250 mg/Kg

N/A = NOT ANALYZED (verifies analytic is below cleanup standards for highest NWTPH-G concentration reported)

BOLDED RESULTS = ABOVE CLEANUP STANDARDS

ITALICIZED RESULTS = ESTIMATED CONCENTRATION. RESULT IS ABOVE NORMAL CALIBRATION RANGE. FINAL RESULT IS MOST LIKELY HIGHER

<1.25 ? = SAMPLE METHOD DETECTION LIMIT WAS DILUTED ABOVE CLEANUP STANDARD DUE TO HIGH CONCENTRATION OF OTHER ANALYTE DETECTED



SPECTRA Laboratories

2221 Ross Way • Tacoma, WA 98421 • (253) 272-4850 • Fax (253) 572-9838 • www.spectra-lab.com

12/16/2005

Northwest Environmental Solutions, Inc
 PO Box 1583
 Sumner, WA 98390
 Attn: Pete Vanderveide

P.O.#: Pd Ck #7160319036
 Project: Whitton Oil
 Client ID: 2-A
 Sample Matrix: Soil
 Date Sampled: 12/08/2005
 Date Received: 12/12/2005
 Spectra Project: 2005120166
 Spectra Number: 1
 Rush

Analyte	Result	Units	Method
Diesel	<10	mg/Kg	NWIPH-D
Oil	<100	mg/Kg	NWIPH-U
Gasoline	8	mg/Kg	NWIPH-G
Benzene	<0.025	mg/Kg	SW846 8200B
Ethylbenzene	0.12	mg/Kg	SW846 8200B
Methyl-tert-Butyl Ether	<0.025	mg/Kg	SW846 8200B
Toluene	0.229	mg/Kg	SW846 8200B
Total Xylenes	0.69	mg/Kg	SW846 8200B

Substrate	Recovery	Method
Toluene	113	NWIPH-G
4-Methylphenol	118	NWIPH-G
p-Toluenol	10	NWIPH-G

SPECTRA LABORATORIES

2221 ROSS WAY
 TACOMA, WA 98421
 (253) 272-4850

MSDR 1010



SPECTRA Laboratories

2221 Ross Way • Tacoma, WA 98421 • (253) 272-4850 • Fax (253) 572-9838 • www.spectra-lab.com

12/16/2005


Northwest Environmental Solutions, Inc
 PO Box 1583
 Sumner, WA 98390
 Attn: Pete Vanderveide

P.O.#: Pd Ck #7160319036
 Project: Whirton Oil
 Client ID: 2-B
 Sample Matrix: Soil
 Date Sampled: 12/08/2005
 Date Received: 12/12/2005
 Spectra Project: 2005120166
 Spectra Number: 2
 Rush

Analyte	Result	Units	Method
Diesel	<10	mg/Kg	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
Gasoline	<5	mg/Kg	NWTPH-G
Benzene	<0.025	mg/Kg	SW846 8260B
Ethylbenzene	<0.025	mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025	mg/Kg	SW846 8260B
Toluene	<0.05	mg/Kg	SW846 8260B
Total Xylenes	<0.05	mg/Kg	SW846 8260B

Substrate	Recovery	Method
Toluene-d8	118	NWTPH-G
4-Fluorofluorobenzene	111	NWTPH-G
p-Terphenyl	60	NWTPH-D

SPECTRA LABORATORIES



Steve Hibbs, Laboratory Manager

sh/hh



SPECTRA Laboratories

2221 Ross Way • Tacoma, WA 98421 • (253) 272-4850 • Fax (253) 572-9838 • www.spectra-lab.com

12/16/2005


Northwest Environmental Solutions, Inc
 PO Box 1583
 Sumner, WA 98390
 Attn: Pete Vandervelde

P.O.#: Pd Ck #7160319036
 Project: Whitton Oil
 Client ID: 2-C
 Sample Matrix: Soil
 Date Sampled: 12/08/2005
 Date Received: 12/12/2005
 Spectra Project: 2005120166
 Spectra Number: 3
 Rush

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>Method</u>
Diesel	<10	mg/Kg	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
Gasoline	<5	mg/Kg	NWTPH-G
Benzene	<0.025	mg/Kg	SW846 8260B
Ethylbenzene	<0.025	mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025	mg/Kg	SW846 8260B
Toluene	0.111	mg/Kg	SW846 8260B
Total Xylenes	0.099	mg/Kg	SW846 8260B

<u>Surrogate</u>	<u>Recovery</u>	<u>Method</u>
Toluene-d8	111	NWTPH-G
4-Bromofluorobenzene	119	NWTPH-G
p-Terphenyl	62	NWTPH-D

SPECTRA LABORATORIES



Steve Hibbs, Laboratory Manager



SPECTRA Laboratories

2221 Ross Way • Tacoma, WA 98421 • (253) 272-4850 • Fax (253) 572-9838 • www.spectra-lab.com

12/16/2005

Northwest Environmental Solutions, Inc
 PO Box 1583
 Sumner, WA 98390
 Attn: Pete Vandervelde

P.O.#: Pd Ck #7160319036
 Project: Whitton Oil
 Client ID: 2-D
 Sample Matrix: Soil
 Date Sampled: 12/08/2005
 Date Received: 12/12/2005
 Spectra Project: 2005120166
 Spectra Number: 4
 Rush

Analyte	Result	Units	Method
Diesel	<10	mg/Kg	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
Gasoline	<5	mg/Kg	NWTPH-G
Benzene	<0.025	mg/Kg	SW846 8260B
Ethylbenzene	<0.025	mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025	mg/Kg	SW846 8260B
Toluene	0.066	mg/Kg	SW846 8260B
Total Xylenes	0.081	mg/Kg	SW846 8260B

Substrate	Recovery	Method
Toluene IS	115	NWTPH-G
4-Methylchlorobenzene	112	NWTPH-G
p-Terphenyl	76	NWTPH-D

SPECTRA LABORATORIES



Steve Hibbs, Laboratory Manager

SPECTRA Laboratories

2221 Ross Way • Tacoma, WA 98421 • (253) 272-4850 • Fax (253) 572-9838 • www.spectra-lab.com

12/16/2005

Northwest Environmental Solutions, Inc
PO Box 1583
Sumner, WA 98390
Attn: Pete Vandervelde

P.O.#: Pd Ck #7160319036
Project: Whitton Oil
Client ID: 2-E
Sample Matrix: Soil
Date Sampled: 12/08/2005
Date Received: 12/12/2005
Spectra Project: 2005120166
Spectra Number: 5
Rush

Analyte	Result	Units	Method
Diesel	<10	mg/Kg	NWTPH-D
Oil	<100	mg/Kg	NWTPH-D
Gasoline	<5	mg/Kg	NWTPH-G
Benzene	<0.025	mg/Kg	SW846 8260B
Ethylbenzene	<0.025	mg/Kg	SW846 8260B
Methyl-tert-Butyl Ether	<0.025	mg/Kg	SW846 8260B
Toluene	<0.05	mg/Kg	SW846 8260B
Total Xylenes	<0.05	mg/Kg	SW846 8260B

Surrogate	Recovery	Method
Toluene-d8	112	NWTPH-G
4-Bromofluorobenzene	113	NWTPH-G
p-Terphenyl	62	NWTPH-D

SPECTRA LABORATORIES


Steve Hibbs, Laboratory Manager



APPENDIX D

Laboratory Analytical Results



Fremont

Analytical

An Alliance Technical Group Company

3600 Fremont Ave. N.

Seattle, WA 98103

T: (206) 352-3790

F: (206) 352-7178

info@fremontanalytical.com

Fulcrum Environmental

Ethan Ducken
207 W Boone Ave.
Spokane, WA 99201

RE: Whitten Oil

Work Order Number: 2403135

March 14, 2024

Attention Ethan Ducken:

Fremont Analytical, Inc. received 7 sample(s) on 3/7/2024 for the analyses presented in the following report.

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Gasoline by NWTPH-Gx

Volatile Organic Compounds by EPA Method 8260

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Brianna Barnes
Project Manager

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 5.4 for Environmental Testing

ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing

Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Original

www.fremontanalytical.com

CLIENT: Fulcrum Environmental
Project: Whitten Oil
Work Order: 2403135

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2403135-001	WOS-030524-CW01	03/05/2024 9:00 AM	03/07/2024 4:11 PM
2403135-002	WOS-030524-CW02	03/05/2024 10:00 AM	03/07/2024 4:11 PM
2403135-003	WOS-030524-MW02	03/05/2024 12:50 PM	03/07/2024 4:11 PM
2403135-004	WOS-030524-MW03	03/05/2024 11:00 AM	03/07/2024 4:11 PM
2403135-005	WOS-030524-MW04	03/05/2024 10:45 AM	03/07/2024 4:11 PM
2403135-006	WOS-030524-MW06	03/05/2024 2:40 PM	03/07/2024 4:11 PM
2403135-007	WOS-030524-MW08	03/05/2024 12:30 PM	03/07/2024 4:11 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Fulcrum Environmental

Project: Whitten Oil

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Qualifiers:

- * - Associated LCS is outside of control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Method Detection Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



Analytical Report

Work Order: 2403135
Date Reported: 3/14/2024

Client: Fulcrum Environmental

Collection Date: 3/5/2024 9:00:00 AM

Project: Whitten Oil

Lab ID: 2403135-001

Matrix: Groundwater

Client Sample ID: WOS-030524-CW01

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Batch ID: 43187

Analyst: AP

Diesel Range Organics	445	93.8	35.1		µg/L	1	03/11/24 14:32:06
Heavy Oil	ND	93.8	26.8		µg/L	1	03/11/24 14:32:06
Total Petroleum Hydrocarbons	445	188	61.8		µg/L	1	03/11/24 14:32:06
Surr: 2-Fluorobiphenyl	96.3	50 - 150			%Rec	1	03/11/24 14:32:06
Surr: o-Terphenyl	106	50 - 150			%Rec	1	03/11/24 14:32:06

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material

Gasoline by NWTPH-Gx

Batch ID: 43190

Analyst: KJ

Gasoline Range Organics	31.0	50.0	21.6	J	µg/L	1	03/08/24 22:41:02
Surr: Toluene-d8	96.4	65 - 135			%Rec	1	03/08/24 22:41:02
Surr: 4-Bromofluorobenzene	99.5	65 - 135			%Rec	1	03/08/24 22:41:02

Volatile Organic Compounds by EPA Method 8260

Batch ID: 43190

Analyst: KJ

Benzene	ND	0.440	0.179		µg/L	1	03/08/24 22:41:02
Toluene	ND	1.00	0.346		µg/L	1	03/08/24 22:41:02
Ethylbenzene	ND	0.400	0.143		µg/L	1	03/08/24 22:41:02
m,p-Xylene	ND	1.00	0.375		µg/L	1	03/08/24 22:41:02
o-Xylene	ND	0.500	0.144		µg/L	1	03/08/24 22:41:02
Surr: Dibromofluoromethane	102	83.2 - 122			%Rec	1	03/08/24 22:41:02
Surr: Toluene-d8	101	82.4 - 120			%Rec	1	03/08/24 22:41:02
Surr: 1-Bromo-4-fluorobenzene	100	83.8 - 114			%Rec	1	03/08/24 22:41:02



Analytical Report

Work Order: 2403135
Date Reported: 3/14/2024

Client: Fulcrum Environmental

Collection Date: 3/5/2024 10:00:00 AM

Project: Whitten Oil

Lab ID: 2403135-002

Matrix: Groundwater

Client Sample ID: WOS-030524-CW02

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Batch ID: 43187

Analyst: AP

Diesel Range Organics	7,570	93.5	34.9		µg/L	1	03/11/24 16:00:44
Heavy Oil	7,940	93.5	26.7		µg/L	1	03/11/24 16:00:44
Total Petroleum Hydrocarbons	15,500	187	61.6		µg/L	1	03/11/24 16:00:44
Surr: 2-Fluorobiphenyl	72.4	50 - 150			%Rec	1	03/11/24 16:00:44
Surr: o-Terphenyl	100	50 - 150			%Rec	1	03/11/24 16:00:44

NOTES:

Chromatographic pattern indicates the presence of two overlapping products, divided into diesel and oil ranges

Gasoline by NWTPH-Gx

Batch ID: 43190

Analyst: KJ

Gasoline Range Organics	301	50.0	21.6		µg/L	1	03/09/24 3:49:24
Surr: Toluene-d8	98.3	65 - 135			%Rec	1	03/09/24 3:49:24
Surr: 4-Bromofluorobenzene	101	65 - 135			%Rec	1	03/09/24 3:49:24

NOTES:

Chromatographic pattern indicates a material consistent with weathered gasoline or stoddard solvent

Volatile Organic Compounds by EPA Method 8260

Batch ID: 43190

Analyst: KJ

Benzene	20.1	0.440	0.179		µg/L	1	03/09/24 3:49:24
Toluene	0.570	1.00	0.346	J	µg/L	1	03/09/24 3:49:24
Ethylbenzene	0.567	0.400	0.143		µg/L	1	03/09/24 3:49:24
m,p-Xylene	0.981	1.00	0.375	J	µg/L	1	03/09/24 3:49:24
o-Xylene	0.183	0.500	0.144	J	µg/L	1	03/09/24 3:49:24
Surr: Dibromofluoromethane	102	83.2 - 122			%Rec	1	03/09/24 3:49:24
Surr: Toluene-d8	101	82.4 - 120			%Rec	1	03/09/24 3:49:24
Surr: 1-Bromo-4-fluorobenzene	100	83.8 - 114			%Rec	1	03/09/24 3:49:24



Analytical Report

Work Order: 2403135
Date Reported: 3/14/2024

Client: Fulcrum Environmental

Collection Date: 3/5/2024 12:50:00 PM

Project: Whitten Oil

Lab ID: 2403135-003

Matrix: Groundwater

Client Sample ID: WOS-030524-MW02

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Batch ID: 43187

Analyst: AP

Diesel Range Organics	738	94.0	35.1		µg/L	1	03/11/24 14:43:06
Heavy Oil	ND	94.0	26.8		µg/L	1	03/11/24 14:43:06
Total Petroleum Hydrocarbons	738	188	61.9		µg/L	1	03/11/24 14:43:06
Surr: 2-Fluorobiphenyl	96.5	50 - 150			%Rec	1	03/11/24 14:43:06
Surr: o-Terphenyl	104	50 - 150			%Rec	1	03/11/24 14:43:06

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material
Detection is biased high by overlap with gasoline-range material

Gasoline by NWTPH-Gx

Batch ID: 43190

Analyst: KJ

Gasoline Range Organics	289	50.0	21.6		µg/L	1	03/09/24 0:13:34
Surr: Toluene-d8	98.0	65 - 135			%Rec	1	03/09/24 0:13:34
Surr: 4-Bromofluorobenzene	101	65 - 135			%Rec	1	03/09/24 0:13:34

NOTES:

Chromatographic pattern indicates a material consistent with weathered gasoline or stoddard solvent

Volatile Organic Compounds by EPA Method 8260

Batch ID: 43190

Analyst: KJ

Benzene	1.03	0.440	0.179		µg/L	1	03/09/24 0:13:34
Toluene	ND	1.00	0.346		µg/L	1	03/09/24 0:13:34
Ethylbenzene	0.260	0.400	0.143	J	µg/L	1	03/09/24 0:13:34
m,p-Xylene	ND	1.00	0.375		µg/L	1	03/09/24 0:13:34
o-Xylene	ND	0.500	0.144		µg/L	1	03/09/24 0:13:34
Surr: Dibromofluoromethane	102	83.2 - 122			%Rec	1	03/09/24 0:13:34
Surr: Toluene-d8	102	82.4 - 120			%Rec	1	03/09/24 0:13:34
Surr: 1-Bromo-4-fluorobenzene	102	83.8 - 114			%Rec	1	03/09/24 0:13:34



Analytical Report

Work Order: 2403135
Date Reported: 3/14/2024

Client: Fulcrum Environmental

Collection Date: 3/5/2024 11:00:00 AM

Project: Whitten Oil

Lab ID: 2403135-004

Matrix: Groundwater

Client Sample ID: WOS-030524-MW03

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Batch ID: 43187

Analyst: AP

Diesel Range Organics	590	93.6	35.0		µg/L	1	03/11/24 14:54:11
Heavy Oil	ND	93.6	26.7		µg/L	1	03/11/24 14:54:11
Total Petroleum Hydrocarbons	590	187	61.6		µg/L	1	03/11/24 14:54:11
Surr: 2-Fluorobiphenyl	100	50 - 150			%Rec	1	03/11/24 14:54:11
Surr: o-Terphenyl	112	50 - 150			%Rec	1	03/11/24 14:54:11

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material
Detection is biased high by overlap with gasoline-range material

Gasoline by NWTPH-Gx

Batch ID: 43190

Analyst: KJ

Gasoline Range Organics	376	50.0	21.6		µg/L	1	03/08/24 23:42:41
Surr: Toluene-d8	94.9	65 - 135			%Rec	1	03/08/24 23:42:41
Surr: 4-Bromofluorobenzene	101	65 - 135			%Rec	1	03/08/24 23:42:41

NOTES:

Chromatographic pattern indicates a material consistent with weathered gasoline or stoddard solvent

Volatile Organic Compounds by EPA Method 8260

Batch ID: 43190

Analyst: KJ

Benzene	40.6	4.40	1.79	D	µg/L	10	03/11/24 13:16:09
Toluene	1.57	1.00	0.346		µg/L	1	03/08/24 23:42:41
Ethylbenzene	3.39	0.400	0.143		µg/L	1	03/08/24 23:42:41
m,p-Xylene	2.79	1.00	0.375		µg/L	1	03/08/24 23:42:41
o-Xylene	ND	0.500	0.144		µg/L	1	03/08/24 23:42:41
Surr: Dibromofluoromethane	100	83.2 - 122			%Rec	1	03/08/24 23:42:41
Surr: Toluene-d8	104	82.4 - 120			%Rec	1	03/08/24 23:42:41
Surr: 1-Bromo-4-fluorobenzene	102	83.8 - 114			%Rec	1	03/08/24 23:42:41



Analytical Report

Work Order: 2403135
Date Reported: 3/14/2024

Client: Fulcrum Environmental

Collection Date: 3/5/2024 10:45:00 AM

Project: Whitten Oil

Lab ID: 2403135-005

Matrix: Groundwater

Client Sample ID: WOS-030524-MW04

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
<u>Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.</u>				Batch ID: 43187		Analyst: AP	
Diesel Range Organics	1,050	94.2	35.2		µg/L	1	03/11/24 15:05:12
Heavy Oil	ND	94.2	26.9		µg/L	1	03/11/24 15:05:12
Total Petroleum Hydrocarbons	1,050	188	62.1		µg/L	1	03/11/24 15:05:12
Surr: 2-Fluorobiphenyl	93.6	50 - 150			%Rec	1	03/11/24 15:05:12
Surr: o-Terphenyl	101	50 - 150			%Rec	1	03/11/24 15:05:12

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material
Detection is biased high by overlap with gasoline-range material

<u>Gasoline by NWTPH-Gx</u>				Batch ID: 43190		Analyst: KJ	
Gasoline Range Organics	1,270	50.0	21.6		µg/L	1	03/09/24 5:21:55
Surr: Toluene-d8	98.3	65 - 135			%Rec	1	03/09/24 5:21:55
Surr: 4-Bromofluorobenzene	101	65 - 135			%Rec	1	03/09/24 5:21:55

NOTES:

Chromatographic pattern indicates a material consistent with weathered gasoline or stoddard solvent

<u>Volatile Organic Compounds by EPA Method 8260</u>				Batch ID: 43190		Analyst: KJ	
Benzene	95.8	4.40	1.79	D	µg/L	10	03/09/24 1:46:08
Toluene	2.78	1.00	0.346		µg/L	1	03/09/24 5:21:55
Ethylbenzene	25.8	0.400	0.143		µg/L	1	03/09/24 5:21:55
m,p-Xylene	5.73	1.00	0.375		µg/L	1	03/09/24 5:21:55
o-Xylene	0.187	0.500	0.144	J	µg/L	1	03/09/24 5:21:55
Surr: Dibromofluoromethane	101	83.2 - 122			%Rec	1	03/09/24 5:21:55
Surr: Toluene-d8	102	82.4 - 120			%Rec	1	03/09/24 5:21:55
Surr: 1-Bromo-4-fluorobenzene	103	83.8 - 114			%Rec	1	03/09/24 5:21:55



Analytical Report

Work Order: 2403135
Date Reported: 3/14/2024

Client: Fulcrum Environmental

Collection Date: 3/5/2024 2:40:00 PM

Project: Whitten Oil

Lab ID: 2403135-006

Matrix: Groundwater

Client Sample ID: WOS-030524-MW06

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Batch ID: 43187

Analyst: AP

Diesel Range Organics	307	94.3	35.3		µg/L	1	03/12/24 9:51:33
Heavy Oil	ND	94.3	26.9		µg/L	1	03/12/24 9:51:33
Total Petroleum Hydrocarbons	307	189	62.1		µg/L	1	03/12/24 9:51:33
Surr: 2-Fluorobiphenyl	87.5	50 - 150			%Rec	1	03/12/24 9:51:33
Surr: o-Terphenyl	99.4	50 - 150			%Rec	1	03/12/24 9:51:33

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material

Gasoline by NWTPH-Gx

Batch ID: 43190

Analyst: KJ

Gasoline Range Organics	382	50.0	21.6		µg/L	1	03/09/24 0:44:25
Surr: Toluene-d8	102	65 - 135			%Rec	1	03/09/24 0:44:25
Surr: 4-Bromofluorobenzene	102	65 - 135			%Rec	1	03/09/24 0:44:25

NOTES:

Chromatographic pattern indicates a material consistent with weathered gasoline or stoddard solvent

Volatile Organic Compounds by EPA Method 8260

Batch ID: 43190

Analyst: KJ

Benzene	2.37	0.440	0.179		µg/L	1	03/09/24 0:44:25
Toluene	ND	1.00	0.346		µg/L	1	03/09/24 0:44:25
Ethylbenzene	0.907	0.400	0.143		µg/L	1	03/09/24 0:44:25
m,p-Xylene	ND	1.00	0.375		µg/L	1	03/09/24 0:44:25
o-Xylene	ND	0.500	0.144		µg/L	1	03/09/24 0:44:25
Surr: Dibromofluoromethane	101	83.2 - 122			%Rec	1	03/09/24 0:44:25
Surr: Toluene-d8	102	82.4 - 120			%Rec	1	03/09/24 0:44:25
Surr: 1-Bromo-4-fluorobenzene	103	83.8 - 114			%Rec	1	03/09/24 0:44:25



Analytical Report

Work Order: 2403135
Date Reported: 3/14/2024

Client: Fulcrum Environmental

Collection Date: 3/5/2024 12:30:00 PM

Project: Whitten Oil

Lab ID: 2403135-007

Matrix: Groundwater

Client Sample ID: WOS-030524-MW08

Analyses	Result	RL	MDL	Qual	Units	DF	Date Analyzed
----------	--------	----	-----	------	-------	----	---------------

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Batch ID: 43187

Analyst: AP

Diesel Range Organics	901	94.2	35.2		µg/L	1	03/12/24 10:02:28
Heavy Oil	ND	94.2	26.8		µg/L	1	03/12/24 10:02:28
Total Petroleum Hydrocarbons	901	188	62.0		µg/L	1	03/12/24 10:02:28
Surr: 2-Fluorobiphenyl	112	50 - 150			%Rec	1	03/12/24 10:02:28
Surr: o-Terphenyl	123	50 - 150			%Rec	1	03/12/24 10:02:28

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material
Detection is biased high by overlap with gasoline-range material

Gasoline by NWTPH-Gx

Batch ID: 43190

Analyst: KJ

Gasoline Range Organics	275	50.0	21.6		µg/L	1	03/08/24 23:11:50
Surr: Toluene-d8	99.4	65 - 135			%Rec	1	03/08/24 23:11:50
Surr: 4-Bromofluorobenzene	102	65 - 135			%Rec	1	03/08/24 23:11:50

NOTES:

Chromatographic pattern indicates a material consistent with weathered gasoline or stoddard solvent

Volatile Organic Compounds by EPA Method 8260

Batch ID: 43190

Analyst: KJ

Benzene	0.969	0.440	0.179		µg/L	1	03/08/24 23:11:50
Toluene	ND	1.00	0.346		µg/L	1	03/08/24 23:11:50
Ethylbenzene	0.188	0.400	0.143	J	µg/L	1	03/08/24 23:11:50
m,p-Xylene	ND	1.00	0.375		µg/L	1	03/08/24 23:11:50
o-Xylene	ND	0.500	0.144		µg/L	1	03/08/24 23:11:50
Surr: Dibromofluoromethane	102	83.2 - 122			%Rec	1	03/08/24 23:11:50
Surr: Toluene-d8	101	82.4 - 120			%Rec	1	03/08/24 23:11:50
Surr: 1-Bromo-4-fluorobenzene	103	83.8 - 114			%Rec	1	03/08/24 23:11:50

Work Order: 2403135
CLIENT: Fulcrum Environmental
Project: Whitten Oil

QC SUMMARY REPORT

Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Sample ID: MB-43187		SampType: MBLK		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90113			
Client ID: MBLKW		Batch ID: 43187				Analysis Date: 3/8/2024		SeqNo: 1880104			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Range Organics	ND	95.1									
Heavy Oil	ND	95.1									
Total Petroleum Hydrocarbons	ND	190									
Surr: 2-Fluorobiphenyl	19.6		23.77		82.3	50	150				
Surr: o-Terphenyl	19.4		23.77		81.6	50	150				

Sample ID: LCS-43187		SampType: LCS		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90113			
Client ID: LCSW		Batch ID: 43187				Analysis Date: 3/8/2024		SeqNo: 1880105			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Petroleum Hydrocarbons	912	188	1,176	0	77.6	34.9	125				
Surr: 2-Fluorobiphenyl	20.8		23.52		88.5	50	150				
Surr: o-Terphenyl	25.2		23.52		107	50	150				

Sample ID: 2403132-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90113			
Client ID: BATCH		Batch ID: 43187				Analysis Date: 3/8/2024		SeqNo: 1880107			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Range Organics	98.7	93.9						98.32	0.408	30	
Heavy Oil	ND	93.9						0	0	30	
Total Petroleum Hydrocarbons	98.7	188						98.32	0.408	30	J
Surr: 2-Fluorobiphenyl	18.6		23.48		79.1	50	150		0		
Surr: o-Terphenyl	19.8		23.48		84.4	50	150		0		

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material

Sample ID: 2403132-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90113			
Client ID: BATCH		Batch ID: 43187				Analysis Date: 3/8/2024		SeqNo: 1880109			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Range Organics	464	93.0						428.8	7.88	30	

Work Order: 2403135
CLIENT: Fulcrum Environmental
Project: Whitten Oil

QC SUMMARY REPORT
Diesel and Heavy Oil by NWTPH-Dx/Dx Ext.

Sample ID: 2403132-002ADUP	SampType: DUP	Units: µg/L	Prep Date: 3/8/2024	RunNo: 90113							
Client ID: BATCH	Batch ID: 43187		Analysis Date: 3/8/2024	SeqNo: 1880109							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Heavy Oil	ND	93.0						0	0	30	
Total Petroleum Hydrocarbons	464	186						428.8	7.88	30	
Surr: 2-Fluorobiphenyl	23.3		23.25		100	50	150		0		
Surr: o-Terphenyl	24.7		23.25		106	50	150		0		

NOTES:

Chromatographic pattern indicates an unresolved complex mixture, which may be weathered and/or organic material

Work Order: 2403135
CLIENT: Fulcrum Environmental
Project: Whitten Oil

QC SUMMARY REPORT
Gasoline by NWTPH-Gx

Sample ID: LCS-43190		SampType: LCS		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90137			
Client ID: LCSW		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880793			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics	462	50.0	500.0	0	92.4	65	135				
Surr: Toluene-d8	24.9		25.00		99.6	65	135				
Surr: 4-Bromofluorobenzene	24.7		25.00		98.8	65	135				

Sample ID: MB-43190		SampType: MBLK		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90137			
Client ID: MBLKW		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880745			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics	ND	50.0									
Surr: Toluene-d8	24.2		25.00		96.7	65	135				
Surr: 4-Bromofluorobenzene	24.6		25.00		98.6	65	135				

Sample ID: 2403055-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90137			
Client ID: BATCH		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880750			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics	ND	50.0						0	0	30	
Surr: Toluene-d8	24.3		25.00		97.4	65	135		0		
Surr: 4-Bromofluorobenzene	24.5		25.00		98.0	65	135		0		

Sample ID: 2403055-005AMS		SampType: MS		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90137			
Client ID: BATCH		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880756			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics	519	50.0	500.0	0	104	65	135				
Surr: Toluene-d8	24.6		25.00		98.3	65	135				
Surr: 4-Bromofluorobenzene	25.0		25.00		100	65	135				

Work Order: 2403135
 CLIENT: Fulcrum Environmental
 Project: Whitten Oil

QC SUMMARY REPORT
Gasoline by NWTPH-Gx

Sample ID: 2403123-001ADUP	SampType: DUP	Units: µg/L	Prep Date: 3/8/2024	RunNo: 90137							
Client ID: BATCH	Batch ID: 43190	Analysis Date: 3/9/2024	SeqNo: 1880766								
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline Range Organics	ND	50.0						0	0	30	
Surr: Toluene-d8	24.3		25.00		97.2	65	135		0		
Surr: 4-Bromofluorobenzene	25.0		25.00		99.9	65	135		0		

Work Order: 2403135
CLIENT: Fulcrum Environmental
Project: Whitten Oil

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260

Sample ID: LCS-43190		SampType: LCS		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90136			
Client ID: LCSW		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880528			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	20.4	0.440	20.00	0	102	80	120				
Toluene	20.0	1.00	20.00	0	99.8	80	120				
Ethylbenzene	20.0	0.400	20.00	0	100	80	120				
m,p-Xylene	41.1	1.00	40.00	0	103	80	120				
o-Xylene	20.8	0.500	20.00	0	104	80	120				
Surr: Dibromofluoromethane	25.4		25.00		101	83.2	122				
Surr: Toluene-d8	26.3		25.00		105	82.4	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.2	83.8	114				

Sample ID: MB-43190		SampType: MBLK		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90136			
Client ID: MBLKW		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880425			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	0.440									
Toluene	ND	1.00									
Ethylbenzene	ND	0.400									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Surr: Dibromofluoromethane	25.1		25.00		100	80	120				
Surr: Toluene-d8	25.0		25.00		100	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.9		25.00		99.5	80	120				

Sample ID: 2403055-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90136			
Client ID: BATCH		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880431			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	0.440						0	0	30	
Toluene	ND	1.00						0	0	30	
Ethylbenzene	ND	0.400						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	

Work Order: 2403135
CLIENT: Fulcrum Environmental
Project: Whitten Oil

QC SUMMARY REPORT
Volatile Organic Compounds by EPA Method 8260

Sample ID: 2403055-002ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90136			
Client ID: BATCH		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880431			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Dibromofluoromethane	25.6		25.00		102	83.2	122		0		
Surr: Toluene-d8	25.3		25.00		101	82.4	120		0		
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.3	83.8	114		0		

Sample ID: 2403111-001AMS		SampType: MS		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90136			
Client ID: BATCH		Batch ID: 43190				Analysis Date: 3/8/2024		SeqNo: 1880437			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	20.6	0.440	20.00	0	103	53.7	154				
Toluene	20.4	1.00	20.00	0	102	45.5	160				
Ethylbenzene	20.7	0.400	20.00	0	104	58.2	145				
m,p-Xylene	42.0	1.00	40.00	0	105	50.6	153				
o-Xylene	20.9	0.500	20.00	0	105	54.7	147				
Surr: Dibromofluoromethane	25.7		25.00		103	83.2	122				
Surr: Toluene-d8	26.3		25.00		105	82.4	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.3	83.8	114				

Sample ID: 2403123-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/8/2024		RunNo: 90136			
Client ID: BATCH		Batch ID: 43190				Analysis Date: 3/9/2024		SeqNo: 1880447			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	0.440						0	0	30	
Toluene	ND	1.00						0	0	30	
Ethylbenzene	ND	0.400						0	0	30	
m,p-Xylene	ND	1.00						0	0	30	
o-Xylene	ND	0.500						0	0	30	
Surr: Dibromofluoromethane	25.5		25.00		102	83.2	122		0		
Surr: Toluene-d8	25.2		25.00		101	82.4	120		0		
Surr: 1-Bromo-4-fluorobenzene	25.2		25.00		101	83.8	114		0		

Client Name: FES	Work Order Number: 2403135
Logged by: Morgan Wilson	Date Received: 3/7/2024 4:11:00 PM

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
2. How was the sample delivered? FedEx

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes No Not Present
4. Was an attempt made to cool the samples? Yes No NA
5. Were all items received at a temperature of >2°C to 6°C * Yes No NA
6. Sample(s) in proper container(s)? Yes No
7. Sufficient sample volume for indicated test(s)? Yes No
8. Are samples properly preserved? Yes No
9. Was preservative added to bottles? Yes No NA
10. Is there headspace in the VOA vials? Yes No NA
11. Did all samples containers arrive in good condition(unbroken)? Yes No
12. Does paperwork match bottle labels? Yes No
13. Are matrices correctly identified on Chain of Custody? Yes No
14. Is it clear what analyses were requested? Yes No
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes No

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text"/>	Date:	<input type="text"/>
By Whom:	<input type="text"/>	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text"/>		
Client Instructions:	<input type="text"/>		

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	0.8

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 3/6/2024 Page: 1 of 1
Project Name: Whitten O.I
Laboratory Project No (Internal): 2403135

Client: Fulcrum Environmental 1

Address: 207 W Boone Ave

City, State, Zip: Spokane, WA 99201

Telephone: 509 459 9220

Email(s): ethan.ducken@fulcrum.net

Project No: 233710.00

Collected by: Ethan Ducken

Location: Colville, WA

Report To (PM):

Special Remarks:

Disposal: Samples will be disposed in 30 days unless otherwise requested.
 Retain volume (specify above) Return to client

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	Analytes										Comments		
					VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (GX)	Diesel/Heavy Oil Range Organics (HX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)		Anions (C)**	EDB (8011)
1 W05-030524-CW01	3/5/24	0900	GW	4	X	X	X	X	X	X	X	X	X	X	X	X	
2 -CW02		1000		4													
3 -MW02		1250		4													
4 -MW03		1100		4													
5 -MW04		1045		4													
6 -MW06		1440		4													
7 -MW08		1230		10													Extra QALC Volume
8																	
9																	
10																	

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MICA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Tl V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I Represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature) *Ethan Ducken* Print Name Ethan Ducken Date/Time 03/06/24 1100

Relinquished (Signature) *Brianna Ballard* Print Name Brianna Ballard Date/Time 3/7 4:11 PM