

Our ref: 11218519

August 15, 2024

Mr. Vance Atkins  
Washington Department of Ecology  
Northwest Regional Office  
15700 Dayton Ave. N.  
Shoreline, WA 98133

**Quarterly Progress Report  
Shell Harbor Island Terminal  
Seattle, Washington**

Dear Mr. Atkins:

GHD Services Inc. (GHD) has prepared this letter on behalf of Equilon Enterprises dba Shell Oil Products US (Shell) as a progress report update for the Seattle Terminal (Site) Model Toxics Control Act remedial action in accordance with Consent Decree No. 99-2-07176-0SEA Section XI. This progress report covers the period from April 1, 2024, to June 30, 2024.

Table 1 summarizes Groundwater Cleanup Levels established for the Site, and Table 2 summarizes the established groundwater monitoring program. Depth to groundwater and groundwater elevation data are summarized in Table 3, and product gauging data in Table 4. Natural attenuation parameters are summarized in Table 5, and chemical constituent data are summarized in Tables 6 and 7.

## 1. Current Reporting Period Activities

- Monthly gauging events with product monitoring were conducted at monitoring wells MW-208, MW-210, MW-211, and MW-212 on April 11, May 23, and June 17, 2024, within the Shoreline Manifold Area. Monitoring wells MW-210 and MW-212 have absorbent socks that are checked during each monitoring event. The sock in monitoring well MW-210 was changed during the April, May, and June events, and the sock in MW-212 was not changed. In MW-210, 0.23 feet of free product was detected during the April 2024 monitoring event. No free product was detected in May or June. Measurable free product was not detected in wells MW-208, MW-211, or MW-212 during the monthly gauging events.
- The second quarter 2024 groundwater monitoring and sampling event was conducted on June 17, 18, and 19, 2024, in accordance with the groundwater monitoring program as shown on Table 2.
- Monitoring wells gauged during this event included:
  - TX-03A Area Excluding the North Tank Farm: MW-101, MW-102, MW-301 through MW-304, MW-307 through MW-315, TES-MW-1, and TX-03A.
  - TX-03A Area North Tank Farm: MW-201 through MW-204, and MW-206A.
  - SH-04 Area: MW-05, MW-111, MW-112A, SH-04, and MW-104.

- Pump House Area: MW-113, MW-114, and MW-115.
  - Shoreline Manifold Area: MW-208 and MW-210 through MW-214.
- Monitoring wells sampled during this event included:
- TX-03A Area Excluding the North Tank Farm: MW-301 through MW-304, MW-307 through MW-315, and TX-03A.
  - TX-03A Area North Tank Farm: MW-202 and MW-203.
  - SH-04 Area: MW-05, MW-111, MW-112A, SH-04, and MW-104.
  - Pump House Area: MW-113, MW-114, and MW-115.
  - Shoreline Manifold Area: MW-213 and MW-214.

## 2. Deviations from Required Tasks Not Otherwise Documented

### 2.1 TX-03A Area Bio-Sparge System

Construction of a bio-sparging system was completed in May 2017, and the system started on May 25, 2017. The bio-sparging system was shut off December 6, 2019, and rebound testing was initiated. Wells evaluated for rebound testing during the second quarter 2024 include MW-301 through MW-304, MW-307 through MW-315, and TX-03A. Benzene concentrations in the wells within the bio-sparging area during the June 2024 event remained below cleanup levels, except for wells MW-301, MW-304, and TX-03A. Total petroleum hydrocarbons (TPH) as gasoline (TPHg) exceeded cleanup levels in wells MW-301, MW-303, MW-304, MW-307, MW-310, MW-311, MW-312, MW-315, and TX-03A.

TPHg concentrations in all wells sampled generally remain below or within the range of concentrations reported between 2012 and 2016, prior to system operation, except for wells MW-311, MW-312, and MW-315. The reported concentrations of TPHg in MW-311 (3.01 milligrams per liter [mg/L]), MW-312 (3.61 mg/L), and MW-315 (4.09 mg/L) are the highest reported TPHg concentrations since the installation of these wells.

Concentrations in wells MW-311, MW-312, and MW-315 may continue to fluctuate and decrease as treated groundwater from the remediation system travels downgradient from the treatment area. Based on these results, GHD does not recommend restarting the bio sparge system and will continue to conduct rebound monitoring to further assess concentration trends.

### 2.2 Pump House Area

Groundwater monitoring wells MW-113 through MW-115 were installed near the pump house, east of the main tank farm, in June 2022 to assess potential groundwater impacts from a 2020 gasoline release. TPHg, TPH as diesel (TPHd), and TPH as oil (TPHo), and benzene, toluene, ethylbenzene, and total xylenes (BTEX) concentrations were below cleanup levels in these wells, except for the benzene concentration in MW-113. The benzene concentration in MW-113 seasonally fluctuates, with concentrations above the cleanup level in June, during the dry season, and below the cleanup level in December, during the wet season. The benzene concentration in June 2024 (0.162 mg/L) is less than the concentration detected in June 2023, but higher than the concentration detected in June 2022.

### **3. Deviations from Schedule and Any Planned Deviations in Upcoming Reporting Period**

No deviations are currently planned for the third quarter 2024.

### **4. Plan for any Deviations in Schedule for Recovery of List Time and Maintaining Compliance with Schedule**

None.

### **5. All Raw Data (including laboratory analysis) Received by Shell during the Post Quarter and a List of Deliverables for the Upcoming Reporting Period**

- The groundwater cleanup levels are provided on Table 1, and the groundwater monitoring program is provided in Table 2. The groundwater elevation data, product monitoring data, compliance monitoring natural attenuation parameters, and groundwater sample results for the second quarter 2024 are included with the historical data on Tables 3 through 7. New groundwater data from the second quarter 2024 monitoring events are highlighted on these tables in yellow.
- The laboratory report for the second quarter 2024 monitoring event is included in Attachment 1.
- Groundwater samples were analyzed for one or more of the following during the second quarter 2024 groundwater monitoring event, in accordance with Table 2:
  - Volatile organic compounds: BTEX.
  - TPHg, TPHd, TPHo.
  - Polycyclic aromatic hydrocarbons (PAHs)
  - Total lead
- A data quality review report is included in Attachment 2.

### **6. List of Deliverables for the Upcoming Reporting Period if Different from the Schedule**

No deviations from the reporting schedule.


### **7. List of Deliverables in Review with Washington State Ecology or Other Agency**

- AECOM, 2020a. Shell Harbor Island Terminal Major Remedial Efforts Summary (2016-2020). April 2.
- AECOM, 2020b. Shell Harbor Island Terminal Bio-Sparging System. April 9.

- AECOM, 2020c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 15, 2020. May 15.
- AECOM, 2020d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 14, 2020. August 14.
- GHD, 2020. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 13, 2020. November 13.
- GHD, 2021a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2020 Annual Compliance Monitoring Report, February 15, 2021. February 15.
- GHD, 2021b. Shell Harbor Island Terminal Interim Action Report. March 11.
- GHD, 2021c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 13, 2021. May 13.
- GHD, 2021d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 11, 2021. August 11.
- GHD, 2021e. Shell Harbor Island Terminal Well Installation Work Plan. August 21, 2021. August 21.
- GHD, 2021f. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 15, 2021. November 15.
- GHD, 2022a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2021 Annual Compliance Monitoring Report, February 15, 2022. February 15.
- GHD, 2022b. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 12, 2022. May 12
- GHD, 2022c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 15, 2022. August 15.
- GHD, 2022d. Shell Harbor Island Terminal Site Investigation Report. October 14, 2022. October 14.
- GHD, 2022e. Shell Harbor Island Terminal Revised Site Investigation Report. December 15, 2022. December 15.
- GHD, 2023a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2022 Annual Compliance Monitoring Report, February 15, 2023. February 15.
- GHD, 2023b. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, May 12, 2023. May 12.
- GHD, 2023c. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, August 15, 2023. August 15.
- GHD, 2023d. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA Quarterly Progress Report, November 7, 2023. November 7.
- GHD, 2024a. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2021 Annual Compliance Monitoring Report, February 14, 2024. February 14.
- GHD, 2024b. Env-Agency Correspondence CONSENT DECREE 99-2-07176-0SEA 2024 Quarterly Progress Report, May 13, 2024. May 13.

Please do not hesitate to contact me at (425) 563-6502 if you have any questions or comments.

Sincerely,



**Emily Blakeway**  
Project Manager

+1 425 563-6502  
emily.blakeway@ghd.com

EB/trc/ECY13

Encl.


Tables:

Table 1	Groundwater Cleanup Levels
Table 2	Groundwater Monitoring Program
Table 3	Groundwater Elevation Data
Table 4	Performance Product Monitoring Data
Table 5	Compliance Monitoring Natural Attenuation Parameters
Table 6	BTEX, Petroleum Hydrocarbons, and Lead in Groundwater
Table 7	Carcinogenic PAHs in Groundwater

Attachments:

Attachment 1 Laboratory Report  
Attachment 2 Data Quality Review Report

Copy to: Andrea Wing, Shell Oil Products US  
Joshua Lokomiak, Seattle Terminal Manager, Shell Oil Products US  
Theresa Geijer, Shell Terminal Environmental Advisor



**Jacquelyn England, LG**  
Technical Director

+1 707 540-9686  
jacquelyn.england@ghd.com



Jacquelyn England

# Tables

**Groundwater Cleanup Levels  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Constituent</b>	<b>Cleanup Level<sup>a</sup> (mg/L)</b>
Arsenic	0.036 <sup>b</sup>
Benzene	0.071
cPAH TEQ	0.000031
Ethylbenzene	29.0
Lead	0.0058
TPH-G	1.0
TPH-D	10
TPH-O	10
Toluene	200.0

**Notes:**

<sup>a</sup> Cleanup levels per the Consent Decree (Ecology, 1998), except where noted.

<sup>b</sup> Cleanup level based on ambient water quality criteria (chronic criteria for the protection of aquatic organisms) per WAC 173-201A-040.

mg/L = milligrams per liter

cPAH TEQ = There are not established individual cleanup levels for polycyclic aromatic hydrocarbons (PAHs). The carcinogenic PAHs total toxic equivalent concentration (TEQ) is calculated and compared to the established cleanup level.

TPH-D = total petroleum hydrocarbons as diesel

TPH-G = total petroleum hydrocarbons as gasoline

TPH-O = total petroleum hydrocarbons as oil

**Groundwater Monitoring Program  
Shell Harbor Island Terminal  
Seattle, Washington**

Well	Schedule								Analysis						Compliance Monitoring Well				Well Construction		Comments and Deviations from Monitoring Program		
	1Q		2Q		3Q		4Q (2nd Semi-Annual & Annual)		Total Lead	BTEX	TPH-Gx	TPH-Dx	PAHs	NA Parameters	Performance Product	NA Performance	Groundwater Quality Confirmation	Sentry	Network	Well Class		Total Depth (ft bgs)	Screened Interval (ft bgs)
	Gauge	Sample	Gauge	Sample	Gauge	Sample	Gauge	Sample															
<b>TX-03A Area - North Tank Farm</b>																							
MW-201	G		G		G		G	S		X	X	X					X			15	5 - 14.5		
MW-202	G		G	S	G		G	S		xA	X	X		xA		X				15	5 - 14.5		
MW-203	G		G	S	G		G	S			X	X		xA		X				15	5 - 14.5		
MW-204	G		G		G		G	S		X	X	X			X				X	15	5 - 14.5		
MW-206A	G		G		G		G	S		X	X	X						X-BGD		15	5 - 14.5		
<b>TX-03A Area - Excluding the North Tank Farm</b>																							
MW-101	G		G		G		G	S		X	X	X								15	5 - 14.5		
MW-102	G		G		G		G	S		X	X	X					X			15	5 - 14.5		
MW-301	G	S	G	S	G	S	G	S		X	X									15	5 - 15		
MW-302	G	S	G	S	G	S	G	S		X	X	xA		xA		X				15	5 - 15		
MW-303	G	S	G	S	G	S	G	S		X	X	xA								15	5 - 15		
MW-304	G	S	G	S	G	S	G	S		X	X	xA		xA		X				15	5 - 15		
MW-307	G	S	G	S	G	S	G	S		X	X	xS		xA		X				15	5 - 15		
MW-308	G	S	G	S	G	S	G	S		X	X			xA		X				15	5 - 15		
MW-309	G		G	S	G		G	S		X	X	xA								15	5 - 15		
MW-310	G	S	G	S	G	S	G	S		X	X	xA		xA		X				15	5 - 15		
MW-311	G	S	G	S	G	S	G	S		X	X			xA		X			X	15	5 - 15		
MW-312	G	S	G	S	G	S	G	S		X	X			xA		X			X	15	5 - 15		
MW-313	G	S	G	S	G	S	G	S		X	X	X							X	15	5 - 15		
MW-314	G	S	G	S	G	S	G	S		X	X	X							X	15	5 - 15		
MW-315	G	S	G	S	G	S	G	S		X	X	X							X	15	5 - 15		
TES-MW-1	G		G		G		G	S		X	X	X								18.5	2.5 - 18		
TX-03A	G	S	G	S	G	S	G	S		X	X	xA		xA		X				16	6 - 16		
<b>SH-04 Area</b>																							
MW-05			G	S			G	S		X	X	X							X	19.5	4.5 - 14.5		
MW-111			G	S			G	S		X	X	X							X	15	5 - 14.5		
MW-112A			G	S			G	S		X	X	X							X	15	5.5 - 15		
SH-04			G	S			G	S		X	X	X							X	16	6 - 16		
MW-104			G	S			G	S	X		X	X							X	15	5 - 14.5		
<b>Pump House Area Wells</b>																							
MW-113			G	S			G	S		X	X	X								15	5 - 15		
MW-114			G	S			G	S		X	X	X								15	5 - 15		
MW-115			G	S			G	S		X	X	X								15	5 - 15		
<b>Additional Compliance Monitoring Wells</b>																							
MW-105							G	S	X	X	X	X							X	15	5 - 14.5		
TX-04							G	S		X	X	X							X	16	6 - 16		
TX-06A							G	S		X	X	X							X	15.8	5.5 - 15.5		
<b>Shoreline Manifold Area</b>																							
MW-208	MG		MG		MG		MG							X						15	5 - 14.5		
MW-210	MG		MG		MG		MG							X						15	unknown		
MW-211	MG		MG		MG		MG							X						13	3 - 13		
MW-212	MG		MG		MG		MG							X						13	3 - 13		
MW-213			G	S			G	S		X	X	X	X						X-POC	41	30 - 40		
MW-214			G	S			G	S		X	X	X	X						X-POC	42	29.5-39.5		



**Groundwater Monitoring Program  
Shell Harbor Island Terminal  
Seattle, Washington**

Well	Schedule								Analysis						Compliance Monitoring Well Network Well Class				Well Construction		Comments and Deviations from Monitoring Program
	1Q		2Q		3Q		4Q (2nd Semi-Annual & Annual)		Total Lead	BTEX	TPH-Gx	TPH-Dx	PAHs	NA Parameters	Performance Product	NA Performance	Groundwater Quality Confirmation	Sentry	Total Depth (ft bgs)	Screened Interval (ft bgs)	
	Gauge	Sample	Gauge	Sample	Gauge	Sample	Gauge	Sample													
<b>Additional Wells (Included in Annual Inspection only)</b>																					
ASW-1																			14	13 - 14	Air sparge well
PSV-1																			4	3 - 4	Soil gas well
PSV-2																			4	3 - 4	Soil gas well
SVE-1																			4	3 - 4	Soil vapor extraction well
TW-01																			14	4 - 14	Pumping test well
DP-06																			65.5	55.5 - 61.5	Wells were discovered during consultant transition. Groundwater monitoring of these wells is required.
MW-06																			71.5	56.5 - 66.5	
MW-103																			49.5	39.5 - 49	
MW-106																			15	5 - 14	
MW-107																			15.5	5 - 15	
MW-108																			50.5	40.5 - 50	
MW-109																			15	5 - 14.5	
MW-110																			15	5 - 14.5	
MW-205																			48.5	38.5 - 48	
MW-209																			49.5	39.5 - 49	
MW-305																			15	5 - 15	
MW-306																			15	5 - 15	
AMW-8																			24.5	4.5-24.5	Wells were discovered during TSO Terminal Audit and are no longer used by operations for leak detection.
AMW-X																				unknown	Groundwater monitoring of these wells is not required. Checking for well logs for future well abandonment.

**Notes:**

1Q = March  
 2Q = June  
 3Q = August  
 4Q = December

Q = quarter  
 Total Lead by EPA Method 6020

BTEX = benzene, toluene, ethylbenzene, and total xylenes by EPA Method 8260B

TPH-Gx = total petroleum hydrocarbons as gasoline by NWTPH-Gx

TPH-Dx = total petroleum hydrocarbons as diesel by NWTPH-Dx

PAHs = polycyclic aromatic hydrocarbons by EPA Method 8270C-SIM

NA = natural attenuation

NA Parameters = Natural Attenuation Parameters: Nitrate and Nitrite by EPA Method 353.2, Sulfate by EPA Method 300.0,

Dissolved Iron and Manganese by EPA Method 6010B/6020A (Lab Filtered), and Ferrous Iron collected in the field.

ft bgs = below ground surface

G = indicates a well to be gauged during that event

S = indicates a well to be sampled during that event

X = indicates a well to be analyzed for that analyte

xA = indicates a well to be analyzed for that analyte during the annual sampling event only

BGD = Background well with respect to confirmational sampling

xS = indicates a well to be analyzed for that analyte during both semi-annual sampling events only

MG = monthly gauge

POC = Conditional Point of Compliance Well

**Red** = Modifications to the program since the November 2008 proposed changes which were established in correspondence between URS and Ecology.

Additional modifications to incorporate Pump House Area Wells per GHD's October 14, 2022 Site Investigation Report.

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-05	04/06/93	10.39	6.12	4.27
MW-05	05/13/93	10.39	5.92	4.47
MW-05	06/10/93	10.39	5.98	4.41
MW-05	07/08/93	10.39	6.23	4.16
MW-05	08/03/93	10.39	6.50	3.89
MW-05	10/08/93	10.39	7.22	3.17
MW-05	11/05/93	10.39	7.42	2.97
MW-05	12/03/93	10.39	7.38	3.01
MW-05	01/05/94	10.39	6.64	3.75
MW-05	02/04/94	10.39	6.54	3.85
MW-05	08/28/95	10.39	Not Measured	Not Measured
MW-05	09/27/95	10.39	8.35	2.04
MW-05	04/27/99	10.39	8.07	2.32
MW-05	07/14/99	10.39	5.88	4.51
MW-05	10/18/99	10.39	7.00	3.39
MW-05	04/05/00	10.39	5.05	5.34
MW-05	07/18/00	10.39	6.30	4.09
MW-05	10/02/00	10.39	7.15	3.24
MW-05	01/22/01	10.39	6.50	3.89
MW-05	07/23/01	10.39	7.43	2.96
MW-05	07/18/02	10.39	7.10	3.29
MW-05	01/30/03	10.39	5.84	4.55
MW-05	04/15/03	10.39	5.80	4.59
MW-05	07/17/03	10.39	7.12	3.27
MW-05	10/15/03	10.39	7.78	2.61
MW-05	10/23/03	10.39	7.80	2.59
MW-05	01/13/04	10.39	5.65	4.74
MW-05	04/19/04	13.57	6.35	7.22
MW-05	07/27/04	13.57	7.32	6.25
MW-05	10/18/04	13.57	7.36	6.21
MW-05	01/24/05	13.57	6.26	7.31
MW-05	04/18/05	13.57	6.27	7.30
MW-05	07/12/05	13.57	6.85	6.72
MW-05	10/18/05	13.57	7.60	5.97
MW-05	01/25/06	13.57	4.78	8.79
MW-05	04/25/06	13.57	5.90	7.67
MW-05	10/11/06	13.57	7.62	5.95
MW-05	11/19/08	13.57	8.23	5.34
MW-05	11/16/09	13.57	6.44	7.13
MW-05	10/29/10	13.57	6.57	7.00
MW-05	10/25/11	13.57	7.25	6.32
MW-05	05/30/12	13.57	5.86	7.71
MW-05	08/23/12	13.57	6.63	6.94
MW-05	11/27/12	13.57	5.30	8.27
MW-05	05/16/13	13.57	5.72	7.85
MW-05	11/07/13	13.57	6.49	7.08
MW-05	04/22/14	13.57	5.25	8.32

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-05	12/08/15	13.57	5.42	8.15
MW-05	05/04/16	13.57	5.22	8.35
MW-05	12/14/16	13.57	4.78	8.79
MW-05	06/13/17	13.57	5.45	8.12
MW-05	12/04/17	13.57	5.64	7.93
MW-05	06/12/18	13.57	6.43	7.14
MW-05	12/17/18	13.57	6.27	7.30
MW-05	05/15/19	13.57	6.69	6.88
MW-05	12/09/19	13.57	7.09	6.48
MW-05	06/29/20	13.57	6.30	7.27
MW-05	12/14/20	13.57	6.31	7.26
MW-05	04/12/21	13.57	5.40	8.17
MW-05	06/14/21	13.57	6.27	7.30
MW-05	12/15/21	13.57	5.00	8.57
MW-05	04/18/22	13.57	5.35	8.22
MW-05	06/27/22	13.57	5.73	7.84
MW-05	12/12/22	13.57	5.95	7.62
MW-05	06/12/23	13.57	5.98	7.59
MW-05	12/18/23	13.57	4.85	8.72
MW-05	06/17/24	13.57	8.03	5.54
MW-101	04/06/93	15.14	10.48	4.66
MW-101	05/13/93	15.14	10.32	4.82
MW-101	06/10/93	15.14	10.45	4.69
MW-101	07/08/93	15.14	10.75	4.39
MW-101	08/03/93	15.14	11.09	4.05
MW-101	09/08/93	15.14	11.52	3.62
MW-101	10/08/93	15.14	11.89	3.25
MW-101	11/05/93	15.14	12.13	3.01
MW-101	12/03/93	15.14	12.14	3.00
MW-101	01/05/94	15.14	11.16	3.98
MW-101	02/04/94	15.14	11.02	4.12
MW-101	08/28/95	15.14	11.25	3.89
MW-101	09/27/95	15.14	11.49	3.65
MW-101	04/27/99	15.14	9.22	5.92
MW-101	07/14/99	15.14	10.73	4.41
MW-101	10/18/99	15.14	11.78	3.36
MW-101	01/11/00	15.14	9.73	5.41
MW-101	04/05/00	15.14	9.85	5.29
MW-101	07/18/00	15.14	11.01	4.13
MW-101	10/02/00	15.14	11.85	3.29
MW-101	01/22/01	15.14	11.67	3.47
MW-101	07/23/01	15.14	12.33	2.81
MW-101	10/16/01	15.14	13.15	1.99
MW-101	04/23/02	15.14	10.81	4.33
MW-101	07/18/02	15.14	11.88	3.26
MW-101	10/23/02	15.14	12.73	2.41

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-101	01/30/03	15.14	10.09	5.05
MW-101	04/15/03	15.14	10.36	4.78
MW-101	07/17/03	15.14	11.94	3.20
MW-101	10/15/03	15.14	12.68	2.46
MW-101	01/13/04	15.14	10.06	5.08
MW-101	04/19/04	18.21	11.13	7.08
MW-101	07/27/04	18.21	12.07	6.14
MW-101	10/18/04	18.21	12.19	6.02
MW-101	01/24/05	18.21	10.61	7.60
MW-101	04/18/05	18.21	10.86	7.35
MW-101	07/12/05	18.21	11.61	6.60
MW-101	10/18/05	18.21	12.45	5.76
MW-101	01/25/06	18.21	9.21	9.00
MW-101	04/25/06	18.21	10.75	7.46
MW-101	10/11/06	18.21	12.39	5.82
MW-101	11/18/08	18.21	11.45	6.76
MW-101	11/16/09	18.21	10.95	7.26
MW-101	10/26/10	18.21	11.36	6.85
MW-101	10/25/11	18.21	12.15	6.06
MW-101	05/30/12	18.21	10.79	7.42
MW-101	06/13/12	18.21	10.90	7.31
MW-101	09/26/12	18.21	12.04	6.17
MW-101	11/27/12	18.21	9.90	8.31
MW-101	02/22/13	18.21	10.24	7.97
MW-101	05/16/13	18.21	10.89	7.32
MW-101	09/06/13	18.21	11.99	6.22
MW-101	11/07/13	18.21	11.78	6.43
MW-101	04/22/14	18.21	10.16	8.05
MW-101	11/04/14	18.21	10.70	7.51
MW-101	03/10/15	18.21	10.31	7.90
MW-101	05/15/15	18.21	10.03	8.18
MW-101	07/29/15	18.21	11.86	6.35
MW-101	12/10/15	18.21	9.12	9.09
MW-101	02/23/16	18.21	8.81	9.40
MW-101	05/03/16	18.21	10.29	7.92
MW-101	08/30/16	18.21	11.29	6.92
MW-101	12/14/16	18.21	9.62	8.59
MW-101	03/13/17	18.21	8.87	9.34
MW-101	06/13/17	18.21	10.53	7.68
MW-101	08/22/17	18.21	11.63	6.58
MW-101	12/04/17	18.21	10.18	8.03
MW-101	03/06/18	18.21	10.05	8.16
MW-101	06/12/18	18.21	11.03	7.18
MW-101	09/05/18	18.21	11.97	6.24
MW-101	12/17/18	18.21	10.98	7.23
MW-101	03/18/19	18.21	10.17	8.04
MW-101	05/15/19	18.21	10.58	7.63

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-101	09/17/19	18.21	12.03	6.18
MW-101	12/09/19	18.21	11.82	6.39
MW-101	04/27/20	18.21	10.53	7.68
MW-101	06/29/20	18.21	11.15	7.06
MW-101	09/21/20	18.21	12.00	6.21
MW-101	12/14/20	18.21	11.10	7.11
MW-101	04/12/21	18.21	10.20	8.01
MW-101	06/14/21	18.21	11.05	7.16
MW-101	09/22/21	18.21	12.00	6.21
MW-101	12/14/21	18.21	9.41	8.80
MW-101	03/28/22	18.21	9.67	8.54
MW-101	06/27/22	18.21	11.22	6.99
MW-101	09/19/22	18.21	11.79	6.42
MW-101	12/12/22	18.21	10.70	7.51
MW-101	03/27/23	18.21	11.26	6.95
MW-101	06/12/23	18.21	10.30	7.91
MW-101	09/11/23	18.21	10.96	7.25
MW-101	12/18/23	18.21	9.31	8.90
MW-101	03/11/24	18.21	9.31	8.90
MW-101	06/17/24	18.21	10.63	7.58
MW-102	04/06/93	12.51	7.99	4.52
MW-102	05/13/93	12.51	7.82	4.69
MW-102	06/10/93	12.51	7.80	4.71
MW-102	07/08/93	12.51	8.32	4.19
MW-102	08/03/93	12.51	8.68	3.83
MW-102	09/08/93	12.51	9.03	3.48
MW-102	10/08/93	12.51	9.44	3.07
MW-102	11/05/93	12.51	9.62	2.89
MW-102	12/03/93	12.51	9.42	3.09
MW-102	01/05/94	12.51	8.50	4.01
MW-102	02/04/94	12.51	8.52	3.99
MW-102	08/28/95	12.51	8.86	3.65
MW-102	09/27/95	12.51	9.17	3.34
MW-102	04/27/99	12.51	6.68	5.83
MW-102	07/14/99	12.51	8.40	4.11
MW-102	10/18/99	12.51	9.38	3.13
MW-102	01/11/00	12.51	7.43	5.08
MW-102	04/05/00	12.51	7.55	4.96
MW-102	07/18/00	12.51	8.37	4.14
MW-102	10/02/00	12.51	9.45	3.06
MW-102	01/22/01	12.51	9.12	3.39
MW-102	07/23/01	12.51	9.91	2.60
MW-102	04/23/02	12.51	8.17	4.34
MW-102	07/18/02	12.51	9.44	3.07
MW-102	07/18/02	12.51	9.44	3.07
MW-102	10/23/02	12.51	10.05	2.46

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Sample ID</b>	<b>Sample Date</b>	<b>TOC Elevation ft AMSL</b>	<b>Depth to Water ft below TOC</b>	<b>GW Elevation ft AMSL</b>
MW-102	01/28/03	12.51	7.20	5.31
MW-102	04/15/03	12.51	7.75	4.76
MW-102	07/17/03	12.51	9.51	3.00
MW-102	10/15/03	12.51	10.11	2.40
MW-102	01/13/04	12.51	7.49	5.02
MW-102	04/19/04	15.60	8.72	6.88
MW-102	07/27/04	15.60	9.62	5.98
MW-102	10/18/04	15.60	9.54	6.06
MW-102	01/24/05	15.60	7.92	7.68
MW-102	04/18/05	15.60	8.20	7.40
MW-102	07/12/05	15.60	9.10	6.50
MW-102	10/18/05	15.60	9.87	5.73
MW-102	01/25/06	15.60	3.94	11.66
MW-102	04/25/06	15.60	8.24	7.36
MW-102	10/11/06	15.60	9.84	5.76
MW-102	11/19/08	15.60	8.79	6.81
MW-102	11/16/09	15.60	8.10	7.50
MW-102	10/28/10	15.60	8.64	6.96
MW-102	10/25/11	15.60	9.59	6.01
MW-102	05/30/12	15.60	8.27	7.33
MW-102	06/13/12	15.60	8.32	7.28
MW-102	09/26/12	15.60	9.53	6.07
MW-102	11/27/12	15.60	7.03	8.57
MW-102	02/22/13	15.60	7.88	7.72
MW-102	05/16/13	15.60	8.40	7.20
MW-102	09/06/13	15.60	9.36	6.24
MW-102	11/07/13	15.60	9.18	6.42
MW-102	04/22/14	15.60	7.69	7.91
MW-102	11/04/14	15.60	7.91	7.69
MW-102	03/10/15	15.60	7.90	7.70
MW-102	05/15/15	15.60	8.47	7.13
MW-102	07/29/15	15.60	9.39	6.21
MW-102	12/10/15	15.60	6.53	9.07
MW-102	02/23/16	15.60	6.78	8.82
MW-102	05/03/16	15.60	7.92	7.68
MW-102	08/30/16	15.60	8.98	6.62
MW-102	12/14/16	15.60	7.27	8.33
MW-102	03/13/17	15.60	6.75	8.85
MW-102	06/13/17	15.60	8.10	7.50
MW-102	08/22/17	15.60	9.20	6.40
MW-102	12/04/17	15.60	7.32	8.28
MW-102	03/06/18	15.60	8.61	6.99
MW-102	06/12/18	15.60	9.02	6.58
MW-102	09/05/18	15.60	9.47	6.13
MW-102	12/17/18	15.60	8.20	7.40
MW-102	03/18/19	15.60	7.69	7.91
MW-102	05/15/19	15.60	7.83	7.77

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-102	09/17/19	15.60	9.36	6.24
MW-102	12/09/19	15.60	9.23	6.37
MW-102	04/27/20	15.60	7.97	7.63
MW-102	06/29/20	15.60	8.53	7.07
MW-102	09/21/20	15.60	9.48	6.12
MW-102	12/14/20	15.60	8.31	7.29
MW-102	04/12/21	15.60	7.77	7.83
MW-102	06/14/21	15.60	8.47	7.13
MW-102	09/22/21	15.60	9.39	6.21
MW-102	12/16/21	15.60	6.81	8.79
MW-102	03/28/22	15.60	7.28	8.32
MW-102	06/27/22	15.60	8.46	7.14
MW-102	09/19/22	15.60	9.44	6.16
MW-102	12/12/22	15.60	7.25	8.35
MW-102	03/27/23	15.60	8.02	7.58
MW-102	06/12/23	15.60	7.97	7.63
MW-102	09/11/23	15.60	9.00	6.60
MW-102	12/18/23	15.60	6.84	8.76
MW-102	03/11/24	15.60	6.91	8.69
MW-102	06/17/24	15.60	8.35	7.25
MW-104	04/06/93	10.22	5.98	4.24
MW-104	05/13/93	10.22	6.79	3.43
MW-104	06/10/93	10.22	5.85	4.37
MW-104	07/08/93	10.22	6.13	4.09
MW-104	08/03/93	10.22	6.38	3.84
MW-104	09/08/93	10.22	6.72	3.50
MW-104	10/08/93	10.22	7.05	3.17
MW-104	11/05/93	10.22	7.26	2.96
MW-104	12/03/93	10.22	7.26	2.96
MW-104	01/05/94	10.22	6.64	3.58
MW-104	02/04/94	10.22	6.46	3.76
MW-104	08/28/95	10.22	6.43	3.79
MW-104	09/27/95	10.22	6.70	3.52
MW-104	04/27/99	10.22	2.41	7.81
MW-104	07/14/99	10.22	5.62	4.60
MW-104	10/18/99	10.22	6.80	3.42
MW-104	01/11/00	10.22	5.04	5.18
MW-104	04/05/00	10.22	4.80	5.42
MW-104	07/18/00	10.22	6.15	4.07
MW-104	10/02/00	10.22	7.02	3.20
MW-104	01/22/01	10.22	6.45	3.77
MW-104	07/23/01	10.22	7.39	2.83
MW-104	10/16/01	10.22	8.59	1.63
MW-104	04/23/02	10.22	5.91	4.31
MW-104	07/18/02	10.22	7.07	3.15
MW-104	10/23/02	10.22	7.74	2.48

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-104	01/28/03	10.22	6.03	4.19
MW-104	04/15/03	10.22	5.75	4.47
MW-104	07/17/03	10.22	7.08	3.14
MW-104	10/15/03	10.22	7.76	2.46
MW-104	01/13/04	10.22	5.58	4.64
MW-104	04/19/04	13.46	6.30	7.16
MW-104	07/27/04	13.46	7.25	6.21
MW-104	10/18/04	13.46	7.34	6.12
MW-104	01/24/05	13.46	6.27	7.19
MW-104	04/18/05	13.46	6.22	7.24
MW-104	07/12/05	13.46	6.81	6.65
MW-104	10/18/05	13.46	7.55	5.91
MW-104	01/25/06	13.46	4.78	8.68
MW-104	04/25/06	13.46	5.82	7.64
MW-104	10/11/06	13.46	7.54	5.92
MW-104	11/18/08	13.46	6.74	6.72
MW-104	04/08/09	13.46	6.27	7.19
MW-104	11/16/09	13.46	6.39	7.07
MW-104	04/27/10	13.46	5.45	8.01
MW-104	10/26/10	13.46	6.53	6.93
MW-104	10/25/11	13.46	7.15	6.31
MW-104	03/01/12	13.46	5.82	7.64
MW-104	05/30/12	13.46	5.74	7.72
MW-104	06/13/12	13.46	5.86	7.60
MW-104	08/23/12	13.46	6.50	6.96
MW-104	09/26/12	13.46	6.90	6.56
MW-104	11/27/12	13.46	5.24	8.22
MW-104	05/16/13	13.46	5.65	7.81
MW-104	11/07/13	13.46	6.44	7.02
MW-104	04/22/14	13.46	5.20	8.26
MW-104	11/05/14	13.46	6.02	7.44
MW-104	05/20/15	13.46	5.86	7.60
MW-104	12/09/15	13.46	5.32	8.14
MW-104	12/14/16	13.46	4.78	8.68
MW-104	06/13/17	13.46	5.41	8.05
MW-104	12/04/17	13.46	5.75	7.71
MW-104	06/12/18	13.46	5.96	7.50
MW-104	12/17/18	13.46	6.23	7.23
MW-104	05/15/19	13.46	5.97	7.49
MW-104	12/09/19	13.46	6.99	6.47
MW-104	06/29/20	13.46	6.22	7.24
MW-104	12/14/20	13.46	6.18	7.28
MW-104	04/12/21	13.46	5.30	8.16
MW-104	06/14/21	13.46	6.17	7.29
MW-104	12/15/21	13.46	4.99	8.47
MW-104	04/18/22	13.46	5.21	8.25
MW-104	06/27/22	13.46	5.62	7.84



**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-104	12/12/22	13.46	5.81	7.65
MW-104	06/12/23	13.46	5.96	7.50
MW-104	12/18/23	13.46	4.78	8.68
MW-104	06/19/24	13.46	6.09	7.37
MW-105	04/06/93	9.05	4.97	4.08
MW-105	05/13/93	9.05	4.88	4.17
MW-105	06/10/93	9.05	4.83	4.22
MW-105	07/08/93	9.05	5.20	3.85
MW-105	08/03/93	9.05	5.43	3.62
MW-105	09/08/93	9.05	6.76	2.29
MW-105	10/08/93	9.05	6.06	2.99
MW-105	11/05/93	9.05	6.28	2.77
MW-105	12/03/93	9.05	6.18	2.87
MW-105	01/05/94	9.05	5.65	3.40
MW-105	02/04/94	9.05	5.63	3.42
MW-105	08/28/95	9.05	5.39	3.66
MW-105	09/27/95	9.05	5.70	3.35
MW-105	04/27/99	9.05	3.39	5.66
MW-105	07/14/99	9.05	4.58	4.47
MW-105	10/18/99	9.05	5.79	3.26
MW-105	01/11/00	9.05	3.97	5.08
MW-105	04/05/00	9.05	3.84	5.21
MW-105	07/18/00	9.05	4.90	4.15
MW-105	10/02/00	9.05	6.22	2.83
MW-105	01/22/01	9.05	5.56	3.49
MW-105	07/23/01	9.05	6.48	2.57
MW-105	04/23/02	9.05	5.25	3.80
MW-105	07/18/02	9.05	6.17	2.88
MW-105	10/23/02	9.05	6.78	2.27
MW-105	01/28/03	9.05	5.02	4.03
MW-105	04/15/03	9.05	4.97	4.08
MW-105	07/17/03	9.05	6.2	2.85
MW-105	10/15/03	9.05	6.66	2.39
MW-105	01/13/04	9.05	5.01	4.04
MW-105	04/19/04	12.18	5.51	6.67
MW-105	07/27/04	12.18	6.28	5.90
MW-105	10/18/04	12.18	6.15	6.03
MW-105	01/24/05	12.18	5.02	7.16
MW-105	04/18/05	12.18	5.19	6.99
MW-105	07/12/05	12.18	5.82	6.36
MW-105	10/18/05	12.18	6.44	5.74
MW-105	01/25/06	12.18	4.05	8.13
MW-105	04/25/06	12.18	5.00	7.18
MW-105	10/11/06	12.18	6.51	5.67
MW-105	11/19/08	12.18	5.52	6.66
MW-105	11/16/09	12.18	5.03	7.15

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-105	10/26/10	12.18	5.33	6.85
MW-105	10/25/11	12.18	6.06	6.12
MW-105	11/26/12	12.18	3.82	8.36
MW-105	11/07/13	12.18	5.42	6.76
MW-105	11/05/14	12.18	4.62	7.56
MW-105	12/08/15	12.18	4.00	8.18
MW-105	12/14/16	12.18	4.15	8.03
MW-105	12/04/17	12.18	4.55	7.63
MW-105	12/17/18	12.18	5.04	7.14
MW-105	12/09/19	12.18	5.83	6.35
MW-105	12/14/20	12.18	5.18	7.00
MW-105	04/12/21	12.18	4.55	7.63
MW-105	12/15/21	12.18	3.99	8.19
MW-105	12/12/22	12.18	4.35	7.83
MW-105	12/18/23	12.18	3.99	8.19
MW-111	04/06/93	8.61	4.95	3.66
MW-111	05/13/93	8.61	4.87	3.74
MW-111	06/10/93	8.61	4.84	3.77
MW-111	07/08/93	8.61	5.11	3.50
MW-111	08/03/93	8.61	5.29	3.32
MW-111	09/08/93	8.61	5.56	3.05
MW-111	10/08/93	8.61	5.81	2.80
MW-111	11/05/93	8.61	5.97	2.64
MW-111	12/03/93	8.61	5.93	2.68
MW-111	01/05/94	8.61	5.45	3.16
MW-111	02/04/94	8.61	5.28	3.33
MW-111	08/28/95	8.61	5.28	3.33
MW-111	09/27/95	8.61	5.45	3.16
MW-111	04/27/99	8.61	3.55	5.06
MW-111	07/14/99	8.61	4.65	3.96
MW-111	10/18/99	8.61	5.59	3.02
MW-111	01/11/00	8.61	4.18	4.43
MW-111	04/05/00	8.61	3.94	4.67
MW-111	07/13/00	8.61	5.30	3.31
MW-111	10/02/00	8.61	5.68	2.93
MW-111	01/22/01	8.61	5.37	3.24
MW-111	07/23/01	8.61	6.22	2.39
MW-111	10/16/01	8.61	7.37	1.24
MW-111	04/23/02	8.61	5.28	3.33
MW-111	07/18/02	8.61	5.94	2.67
MW-111	10/23/02	8.61	6.50	2.11
MW-111	01/28/03	8.61	5.05	3.56
MW-111	04/15/03	8.61	5.03	3.58
MW-111	07/17/03	8.61	6.05	2.56
MW-111	10/15/03	8.61	6.45	2.16
MW-111	01/13/04	8.61	4.84	3.77

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-111	04/19/04	11.88	5.46	6.42
MW-111	07/27/04	11.88	6.16	5.72
MW-111	10/18/04	11.88	6.11	5.77
MW-111	01/24/05	11.88	5.33	6.55
MW-111	04/18/05	11.88	5.27	6.61
MW-111	07/12/05	11.88	5.75	6.13
MW-111	10/18/05	11.88	6.26	5.62
MW-111	01/25/06	11.88	4.42	7.46
MW-111	04/25/06	11.88	4.88	7.00
MW-111	10/11/06	11.88	6.30	5.58
MW-111	11/19/08	11.88	8.62	3.26
MW-111	11/16/09	11.88	5.30	6.58
MW-111	10/26/10	11.88	5.35	6.53
MW-111	10/25/11	11.88	5.89	5.99
MW-111	05/30/12	11.88	4.81	7.07
MW-111	08/23/12	11.88	Not Measured	Not Measured
MW-111	11/29/12	11.88	4.14	7.74
MW-111	05/16/13	11.88	4.63	7.25
MW-111	11/07/13	11.88	5.10	6.78
MW-111	04/22/14	11.88	4.32	7.56
MW-111	11/05/14	11.88	4.58	7.30
MW-111	12/08/15	11.88	4.36	7.52
MW-111	12/14/16	11.88	4.04	7.84
MW-111	06/13/17	11.88	4.51	7.37
MW-111	12/04/17	11.88	4.59	7.29
MW-111	06/12/18	11.88	5.25	6.63
MW-111	12/17/18	11.88	4.98	6.90
MW-111	05/15/19	11.88	4.97	6.91
MW-111	12/09/19	11.88	5.66	6.22
MW-111	06/29/20	11.88	5.12	6.76
MW-111	12/14/20	11.88	5.10	6.78
MW-111	04/12/21	11.88	4.46	7.42
MW-111	06/14/21	11.88	5.10	6.78
MW-111	12/15/21	11.88	4.14	7.74
MW-111	04/18/22	11.88	4.38	7.50
MW-111	06/27/22	11.88	4.67	7.21
MW-111	12/12/22	11.88	4.75	7.13
MW-111	06/12/23	11.88	4.59	7.29
MW-111	12/18/23	11.88	3.95	7.93
MW-111	06/17/24	11.88	5.00	6.88
MW-112	04/06/93	9.98	6.69	3.29
MW-112	05/13/93	9.98	6.61	3.37
MW-112	06/10/93	9.98	6.51	3.47
MW-112	07/08/93	9.98	6.83	3.15
MW-112	08/03/93	9.98	7.00	2.98

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-112	09/08/93	9.98	7.24	2.74
MW-112	10/08/93	9.98	7.50	2.48
MW-112	11/05/93	9.98	7.56	2.42
MW-112	12/03/93	9.98	7.41	2.57
MW-112	01/05/94	9.98	6.93	3.05
MW-112	02/04/94	9.98	6.83	3.15
MW-112	08/28/95	9.98	6.98	3.00
MW-112	09/27/95	9.98	7.13	2.85
MW-112	04/27/99	9.98	5.66	4.32
MW-112	07/14/99	9.98	6.57	3.41
MW-112	10/18/99	9.98	7.36	2.62
MW-112	01/11/00	9.98	5.89	4.09
MW-112	04/05/00	9.98	5.81	4.17
MW-112	07/18/00	9.98	7.11	2.87
MW-112	10/02/00	9.98	7.57	2.41
MW-112	04/25/06	9.98	6.44	3.54
MW-112A	04/24/02	9.98	6.85	3.13
MW-112A	07/18/02	9.98	7.22	2.76
MW-112A	10/23/02	9.98	7.52	2.46
MW-112A	01/28/03	9.98	6.25	3.73
MW-112A	04/15/03	9.98	6.47	3.51
MW-112A	07/17/03	9.98	7.3	2.68
MW-112A	10/15/03	9.98	7.49	2.49
MW-112A	01/13/04	9.98	6.2	3.78
MW-112A	04/19/04	12.52	6.93	5.59
MW-112A	07/27/04	12.52	7.41	5.11
MW-112A	10/18/04	12.52	7.15	5.37
MW-112A	01/24/05	12.52	6.52	6.00
MW-112A	04/18/05	12.52	6.6	5.92
MW-112A	07/12/05	12.52	7.1	5.42
MW-112A	10/18/05	12.52	7.34	5.18
MW-112A	01/25/06	12.52	5.95	6.57
MW-112A	10/11/06	12.52	7.43	5.09
MW-112A	11/19/08	12.52	6.73	5.79
MW-112A	11/16/09	12.52	6.35	6.17
MW-112A	10/29/10	12.52	6.51	6.01
MW-112A	10/25/11	12.52	7.03	5.49
MW-112A	05/30/12	12.52	6.28	6.24
MW-112A	08/23/12	12.52	6.56	5.96
MW-112A	11/25/12	12.52	5.23	7.29
MW-112A	05/16/13	12.52	6.24	6.28
MW-112A	11/04/13	12.52	-	-
MW-112A	04/22/14	12.52	5.90	6.62
MW-112A	11/06/14	12.52	5.68	6.84
MW-112A	12/08/15	12.52	5.42	7.10
MW-112A	12/14/16	12.52	5.69	6.83

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-112A	06/13/17	12.52	6.25	6.27
MW-112A	12/04/17	12.52	5.93	6.59
MW-112A	06/12/18	12.52	6.51	6.01
MW-112A	12/17/18	12.52	5.97	6.55
MW-112A	05/16/19	12.52	6.39	6.13
MW-112A	12/09/19	12.52	6.73	5.79
MW-112A	06/29/20	12.52	6.31	6.21
MW-112A	12/14/20	12.52	6.45	6.07
MW-112A	04/12/21	12.52	6.11	6.41
MW-112A	06/14/21	12.52	6.40	6.12
MW-112A	12/15/21	12.52	5.52	7.00
MW-112A	04/18/22	12.52	6.04	6.48
MW-112A	06/27/22	12.52	6.17	6.35
MW-112A	12/12/22	12.52	5.88	6.64
MW-112A	06/12/23	12.52	5.46	7.06
MW-112A	12/18/23	12.52	5.52	7.00
MW-112A	06/18/24	12.52	6.36	6.16
MW-113	06/27/22	12.47	4.76	7.71
MW-113	12/12/22	12.47	4.82	7.65
MW-113	06/12/23	12.47	5.05	7.42
MW-113	12/18/23	12.47	3.95	8.52
MW-113	06/17/24	12.47	5.18	7.29
MW-114	06/27/22	13.18	5.03	8.15
MW-114	12/12/22	13.18	5.10	8.08
MW-114	06/12/23	13.18	5.18	8.00
MW-114	12/18/23	13.18	4.22	8.96
MW-114	06/17/24	13.18	5.57	7.61
MW-115	06/27/22	12.64	4.74	7.90
MW-115	12/12/22	12.64	4.60	8.04
MW-115	06/12/23	12.64	5.10	7.54
MW-115	12/18/23	12.64	3.98	8.66
MW-115	06/17/24	12.64	5.20	7.44
MW-201	04/06/93	17.07	14.03	3.04
MW-201	05/13/93	17.07	14.02	3.05
MW-201	06/10/93	17.07	13.97	3.10
MW-201	07/08/93	17.07	14.25	2.82
MW-201	08/03/93	17.07	14.48	2.59
MW-201	09/08/93	17.07	14.68	2.39
MW-201	10/08/93	17.07	14.90	2.17
MW-201	11/05/93	17.07	15.03	2.04
MW-201	12/03/93	17.07	14.96	2.11
MW-201	01/05/94	17.07	14.10	2.97

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-201	02/04/94	17.07	14.32	2.75
MW-201	08/28/95	17.07	14.49	2.58
MW-201	09/27/95	17.07	14.56	2.51
MW-201	04/27/99	17.07	13.04	4.03
MW-201	07/14/99	17.07	14.26	2.81
MW-201	10/18/99	17.07	14.93	2.14
MW-201	01/11/00	17.07	13.03	4.04
MW-201	04/05/00	17.07	13.90	3.17
MW-201	07/18/00	17.07	14.09	2.98
MW-201	10/02/00	17.07	14.82	2.25
MW-201	01/22/01	17.07	14.43	2.64
MW-201	07/23/01	17.07	14.95	2.12
MW-201	10/16/01	17.07	16.11	0.96
MW-201	04/24/02	17.07	14.23	2.84
MW-201	07/18/02	17.07	14.73	2.34
MW-201	10/23/02	17.07	15.13	1.94
MW-201	01/28/03	17.07	13.13	3.94
MW-201	04/15/03	17.07	13.58	3.49
MW-201	07/17/03	17.07	14.70	2.37
MW-201	10/15/03	17.07	14.99	2.08
MW-201	01/13/04	17.07	12.71	4.36
MW-201	04/19/04	20.18	14.07	6.11
MW-201	07/27/04	20.18	14.70	5.48
MW-201	10/18/04	20.18	14.70	5.48
MW-201	01/24/05	20.18	13.44	6.74
MW-201	04/18/05	20.18	13.73	6.45
MW-201	07/12/05	20.18	14.47	5.71
MW-201	10/18/05	20.18	14.99	5.19
MW-201	01/25/06	20.18	12.61	7.57
MW-201	04/25/06	20.18	13.94	6.24
MW-201	10/11/06	20.18	15.00	5.18
MW-201	11/20/08	20.18	13.77	6.41
MW-201	11/16/09	20.18	13.74	6.44
MW-201	10/27/10	20.18	14.42	5.76
MW-201	10/26/11	20.18	14.94	5.24
MW-201	11/27/12	20.18	13.10	7.08
MW-201	02/22/13	20.18	13.74	6.44
MW-201	05/16/13	20.18	14.45	5.73
MW-201	09/06/13	20.18	14.78	5.40
MW-201	11/07/13	20.18	14.70	5.48
MW-201	04/22/14	20.18	13.42	6.76
MW-201	11/04/14	20.18	13.65	6.53
MW-201	03/10/15	20.18	13.64	6.54
MW-201	05/15/15	20.18	14.34	5.84
MW-201	07/29/15	20.18	14.65	5.53
MW-201	12/10/15	20.18	12.23	7.95
MW-201	02/23/16	20.18	12.33	7.85

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-201	05/03/16	20.18	13.74	6.44
MW-201	08/30/16	20.18	14.04	6.14
MW-201	12/14/16	20.18	12.86	7.32
MW-201	03/13/17	20.18	12.18	8.00
MW-201	06/13/17	20.18	13.85	6.33
MW-201	08/22/17	20.18	14.43	5.75
MW-201	12/04/17	20.18	12.87	7.31
MW-201	03/06/18	20.18	13.28	6.90
MW-201	06/12/18	20.18	13.58	6.60
MW-201	09/05/18	20.18	8.22	11.96
MW-201	12/17/18	20.18	13.66	6.52
MW-201	03/18/19	20.18	13.14	7.04
MW-201	05/15/19	20.18	14.06	6.12
MW-201	09/17/19	20.18	14.64	5.54
MW-201	12/09/19	20.18	14.52	5.66
MW-201	04/27/20	20.18	14.05	6.13
MW-201	06/29/20	20.18	14.32	5.86
MW-201	09/21/20	20.18	14.59	5.59
MW-201	12/14/20	20.18	14.28	5.90
MW-201	04/12/21	20.18	13.74	6.44
MW-201	06/14/21	20.18	14.32	5.86
MW-201	09/22/21	20.18	14.68	5.50
MW-201	12/16/21	20.18	--	--
MW-201	03/28/22	20.18	13.16	7.02
MW-201	06/27/22	20.18	14.06	6.12
MW-201	09/19/22	20.18	14.31	5.87
MW-201	12/12/22	20.18	13.90	6.28
MW-201	03/27/23	20.18	13.41	6.77
MW-201	06/12/23	20.18	12.96	7.22
MW-201	09/11/23	20.18	14.07	6.11
MW-201	12/18/23	20.18	12.91	7.27
MW-201	03/11/24	20.18	12.95	7.23
MW-201	06/17/24	20.18	14.18	6.00
MW-202	04/06/93	16.77	13.23	3.54
MW-202	05/13/93	16.77	13.17	3.60
MW-202	06/10/93	16.77	13.26	3.51
MW-202	07/08/93	16.77	13.54	3.23
MW-202	08/03/93	16.77	13.76	3.01
MW-202	09/08/93	16.77	14.04	2.73
MW-202	10/08/93	16.77	14.30	2.47
MW-202	11/05/93	16.77	14.48	2.29
MW-202	12/03/93	16.77	14.34	2.43
MW-202	01/05/94	16.77	13.73	3.04
MW-202	02/04/94	16.77	13.63	3.14
MW-202	08/28/95	16.77	13.78	2.99
MW-202	09/27/95	16.77	13.95	2.82

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Sample ID</b>	<b>Sample Date</b>	<b>TOC Elevation ft AMSL</b>	<b>Depth to Water ft below TOC</b>	<b>GW Elevation ft AMSL</b>
MW-202	04/27/99	16.77	12.38	4.39
MW-202	07/14/99	16.77	13.57	3.20
MW-202	10/18/99	16.77	14.31	2.46
MW-202	01/11/00	16.77	12.95	3.82
MW-202	04/05/00	16.77	12.96	3.81
MW-202	07/18/00	16.77	13.21	3.56
MW-202	10/02/00	16.77	14.25	2.52
MW-202	01/22/01	16.77	14.46	2.31
MW-202	07/23/01	16.77	14.64	2.13
MW-202	10/16/01	16.77	15.81	0.96
MW-202	04/24/02	16.77	13.80	2.97
MW-202	07/18/02	16.77	14.28	2.49
MW-202	10/23/02	16.77	14.73	2.04
MW-202	01/28/03	16.77	12.95	3.82
MW-202	04/15/03	16.77	13.13	3.64
MW-202	07/17/03	16.77	14.30	2.47
MW-202	10/15/03	16.77	14.62	2.15
MW-202	01/13/04	16.77	12.81	3.96
MW-202	04/19/04	19.86	13.61	6.25
MW-202	07/27/04	19.86	14.29	5.57
MW-202	10/18/04	19.86	14.30	5.56
MW-202	01/24/05	19.86	13.29	6.57
MW-202	04/18/05	19.86	13.51	6.35
MW-202	07/12/05	19.86	14.02	5.84
MW-202	10/18/05	19.86	14.59	5.27
MW-202	01/25/06	19.86	12.38	7.48
MW-202	04/25/06	19.86	13.43	6.43
MW-202	10/11/06	19.86	14.58	5.28
MW-202	11/20/08	19.86	13.92	5.94
MW-202	04/07/09	19.86	13.71	6.15
MW-202	11/16/09	19.86	13.70	6.16
MW-202	04/27/10	19.86	13.24	6.62
MW-202	10/27/10	19.86	14.04	5.82
MW-202	10/26/11	19.86	14.45	5.41
MW-202	03/02/12	19.86	13.70	6.16
MW-202	05/30/12	19.86	13.65	6.21
MW-202	06/13/12	19.86	13.76	6.10
MW-202	09/26/12	19.86	14.42	5.44
MW-202	11/27/12	19.86	13.09	6.77
MW-202	02/22/13	19.86	13.27	6.59
MW-202	05/16/13	19.86	13.80	6.06
MW-202	09/06/13	19.86	14.38	5.48
MW-202	11/07/13	19.86	14.25	5.61
MW-202	04/22/14	19.86	13.23	6.63
MW-202	11/04/14	19.86	13.44	6.42
MW-202	03/10/15	19.86	13.23	6.63
MW-202	05/15/15	19.86	13.76	6.10



**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-202	07/29/15	19.86	14.18	5.68
MW-202	12/10/15	19.86	12.76	7.10
MW-202	02/23/16	19.86	12.15	7.71
MW-202	05/03/16	19.86	13.11	6.75
MW-202	08/30/16	19.86	14.00	5.86
MW-202	12/14/16	19.86	12.81	7.05
MW-202	03/13/17	19.86	12.25	7.61
MW-202	06/13/17	19.86	13.23	6.63
MW-202	08/22/17	19.86	13.98	5.88
MW-202	12/04/17	19.86	13.15	6.71
MW-202	03/06/18	19.86	13.03	6.83
MW-202	06/12/18	19.86	13.53	6.33
MW-202	09/05/18	19.86	8.20	11.66
MW-202	12/17/18	19.86	13.45	6.41
MW-202	03/18/19	19.86	12.95	6.91
MW-202	05/15/19	19.86	13.42	6.44
MW-202	09/17/19	19.86	14.16	5.70
MW-202	12/09/19	19.86	14.10	5.76
MW-202	04/27/20	19.86	13.49	6.37
MW-202	06/29/20	19.86	13.75	6.11
MW-202	09/21/20	19.86	14.20	5.66
MW-202	12/14/20	19.86	13.65	6.21
MW-202	04/12/21	19.86	13.15	6.71
MW-202	06/14/21	19.86	13.75	6.11
MW-202	09/22/21	19.86	14.20	5.66
MW-202	12/16/21	19.86	12.70	7.16
MW-202	03/28/22	19.86	12.77	7.09
MW-202	06/27/22	19.86	13.23	6.63
MW-202	09/19/22	19.86	13.84	6.02
MW-202	12/12/22	19.86	13.56	6.30
MW-202	03/27/23	19.86	12.98	6.88
MW-202	06/12/23	19.86	12.35	7.51
MW-202	09/11/23	19.86	13.69	6.17
MW-202	12/18/23	19.86	12.62	7.24
MW-202	03/11/24	19.86	12.58	7.28
MW-202	06/18/24	19.86	13.47	6.39
MW-203	04/06/93	11.04	7.39	3.65
MW-203	05/13/93	11.04	7.31	3.73
MW-203	06/10/93	11.04	7.40	3.64
MW-203	07/08/93	11.04	7.66	3.38
MW-203	08/03/93	11.04	7.93	3.11
MW-203	09/08/93	11.04	8.20	2.84
MW-203	10/08/93	11.04	8.46	2.58
MW-203	11/05/93	11.04	8.65	2.39
MW-203	12/03/93	11.04	8.64	2.40
MW-203	01/05/94	11.04	7.99	3.05

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-203	02/04/94	11.04	7.88	3.16
MW-203	08/28/95	11.04	7.86	3.18
MW-203	09/27/95	11.04	8.02	3.02
MW-203	04/27/99	11.04	6.32	4.72
MW-203	07/14/99	11.04	7.58	3.46
MW-203	10/18/99	11.04	8.42	2.62
MW-203	01/11/00	11.04	6.98	4.06
MW-203	04/05/00	11.04	6.92	4.12
MW-203	07/18/00	11.04	8.00	3.04
MW-203	10/02/00	11.04	8.40	2.64
MW-203	01/22/01	11.04	8.47	2.57
MW-203	07/23/01	11.04	8.69	2.35
MW-203	10/16/01	11.04	9.73	1.31
MW-203	04/24/02	11.04	7.45	3.59
MW-203	10/23/02	11.04	8.80	2.24
MW-203	01/28/03	11.04	6.76	4.28
MW-203	04/15/03	11.04	7.05	3.99
MW-203	07/17/03	11.04	8.25	2.79
MW-203	01/13/04	11.04	6.71	4.33
MW-203	04/19/04	13.99	7.58	6.41
MW-203	07/27/04	13.99	8.25	5.74
MW-203	10/18/04	13.99	8.34	5.65
MW-203	01/24/05	13.99	7.31	6.68
MW-203	04/18/05	13.99	7.43	6.56
MW-203	07/12/05	13.99	7.96	6.03
MW-203	10/18/05	13.99	8.64	5.35
MW-203	01/25/06	13.99	6.41	7.58
MW-203	04/25/06	13.99	7.18	6.81
MW-203	10/11/06	13.99	8.58	5.41
MW-203	11/18/08	13.99	8.01	5.98
MW-203	04/08/09	13.99	7.63	6.36
MW-203	11/16/09	13.99	4.97	9.02
MW-203	04/26/10	13.99	7.17	6.82
MW-203	10/25/10	13.99	8.10	5.89
MW-203	10/26/11	13.99	5.45	8.54
MW-203	05/30/12	13.99	7.61	6.38
MW-203	06/13/12	13.99	7.65	6.34
MW-203	09/26/12	13.99	8.40	5.59
MW-203	11/27/12	13.99	7.25	6.74
MW-203	02/22/13	13.99	7.26	6.73
MW-203	05/16/13	13.99	7.80	6.19
MW-203	09/06/13	13.99	8.37	5.62
MW-203	11/07/13	13.99	8.27	5.72
MW-203	04/22/14	13.99	7.33	6.66
MW-203	11/04/14	13.99	7.59	6.40
MW-203	03/10/15	13.99	6.70	7.29
MW-203	05/15/15	13.99	7.74	6.25

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-203	07/29/15	13.99	8.18	5.81
MW-203	12/10/15	13.99	6.83	7.16
MW-203	02/23/16	13.99	5.92	8.07
MW-203	05/03/16	13.99	7.02	6.97
MW-203	08/30/16	13.99	8.17	5.82
MW-203	12/14/16	13.99	6.62	7.37
MW-203	03/13/17	13.99	5.83	8.16
MW-203	06/13/17	13.99	7.17	6.82
MW-203	08/22/17	13.99	7.98	6.01
MW-203	12/04/17	13.99	7.24	6.75
MW-203	03/06/18	13.99	6.57	7.42
MW-203	06/12/18	13.99	7.55	6.44
MW-203	09/05/18	13.99	8.14	5.85
MW-203	12/17/18	13.99	7.68	6.31
MW-203	03/18/19	13.99	6.96	7.03
MW-203	05/16/19	13.99	7.38	6.61
MW-203	09/17/19	13.99	8.19	5.80
MW-203	12/09/19	13.99	8.13	5.86
MW-203	04/27/20	13.99	7.39	6.60
MW-203	06/29/20	13.99	7.55	6.44
MW-203	09/21/20	13.99	8.14	5.85
MW-203	12/14/20	13.99	7.62	6.37
MW-203	04/12/21	13.99	7.13	6.86
MW-203	06/14/21	13.99	7.75	6.24
MW-203	09/22/21	13.99	8.26	5.73
MW-203	12/16/21	13.99	6.80	7.19
MW-203	03/28/22	13.99	6.90	7.09
MW-203	06/27/22	13.99	7.02	6.97
MW-203	09/19/22	13.99	7.39	6.60
MW-203	12/12/22	13.99	7.04	6.95
MW-203	03/27/23	13.99	6.29	7.70
MW-203	06/12/23	13.99	5.63	8.36
MW-203	09/12/23	13.99	7.24	6.75
MW-203	12/20/23	13.99	5.16	8.83
MW-203	03/11/24	13.99	4.98	9.01
MW-203	06/18/24	13.99	7.49	6.50
MW-204	04/06/93	14.21	10.97	3.24
MW-204	05/13/93	14.21	10.92	3.29
MW-204	06/10/93	14.21	10.98	3.23
MW-204	07/08/93	14.21	11.20	3.01
MW-204	08/03/93	14.21	11.44	2.77
MW-204	09/08/93	14.21	11.64	2.57
MW-204	10/08/93	14.21	11.85	2.36
MW-204	11/05/93	14.21	12.03	2.18
MW-204	12/03/93	14.21	12.01	2.20
MW-204	01/05/94	14.21	11.42	2.79

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-204	02/04/94	14.21	11.35	2.86
MW-204	08/28/95	14.21	11.58	2.63
MW-204	09/27/95	14.21	11.57	2.64
MW-204	04/05/00	14.21	Not Measured	Not Measured
MW-204	10/02/00	14.21	Not Measured	Not Measured
MW-204	01/22/01	14.21	11.69	2.52
MW-204	07/23/01	14.21	12.05	2.16
MW-204	10/16/01	14.21	13.17	1.04
MW-204	07/27/04	14.21	11.67	2.54
MW-204	10/18/04	17.27	11.71	5.56
MW-204	01/24/05	17.27	10.72	6.55
MW-204	04/18/05	17.27	10.98	6.29
MW-204	07/12/05	17.27	11.4	5.87
MW-204	10/18/05	17.27	11.98	5.29
MW-204	01/25/06	17.27	9.96	7.31
MW-204	10/11/06	17.27	11.96	5.31
MW-204	11/20/08	17.27	11.45	5.82
MW-204	11/16/09	17.27	11.20	6.07
MW-204	10/27/10	17.27	11.54	5.73
MW-204	10/27/11	17.27	10.71	6.56
MW-204	03/26/12	17.27	Not Measured	Not Measured
MW-204	06/12/12	17.27	11.20	6.07
MW-204	09/27/12	17.27	Not Measured	Not Measured
MW-204	11/27/12	17.27	10.81	6.46
MW-204	12/20/12	17.27	Not Measured	Not Measured
MW-204	02/22/13	17.27	10.81	6.46
MW-204	05/16/13	17.27	11.30	5.97
MW-204	09/06/13	17.27	11.77	5.50
MW-204	11/07/13	17.27	11.71	5.56
MW-204	04/22/14	17.27	10.78	6.49
MW-204	11/04/14	17.27	11.04	6.23
MW-204	03/10/15	17.27	10.75	6.52
MW-204	05/15/15	17.27	11.21	6.06
MW-204	07/29/15	17.27	11.59	5.68
MW-204	12/10/15	17.27	9.91	7.36
MW-204	02/23/16	17.27	9.67	7.60
MW-204	05/03/16	17.27	10.53	6.74
MW-204	08/30/16	17.27	11.78	5.49
MW-204	12/14/16	17.27	10.34	6.93
MW-204	03/13/17	17.27	9.83	7.44
MW-204	08/22/17	17.27	11.34	5.93
MW-204	12/04/17	17.27	10.84	6.43
MW-204	03/06/18	17.27	10.55	6.72
MW-204	06/12/18	17.27	11.04	6.23
MW-204	09/05/18	17.27	8.20	9.07
MW-204	12/17/18	17.27	11.10	6.17
MW-204	03/18/19	17.27	10.51	6.76

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-204	05/15/19	17.27	10.98	6.29
MW-204	09/17/19	17.27	11.65	5.62
MW-204	12/09/19	17.27	11.54	5.73
MW-204	04/27/20	17.27	10.94	6.33
MW-204	06/29/20	17.27	11.26	6.01
MW-204	09/21/20	17.27	11.59	5.68
MW-204	12/14/20	17.27	11.22	6.05
MW-204	04/12/21	17.27	10.71	6.56
MW-204	06/14/21	17.27	11.27	6.00
MW-204	09/22/21	17.27	11.65	5.62
MW-204	12/16/21	17.27	10.42	6.85
MW-204	03/28/22	17.27	10.48	6.79
MW-204	06/27/22	17.27	11.18	6.09
MW-204	09/19/22	17.27	11.58	5.69
MW-204	12/12/22	17.27	10.88	6.39
MW-204	03/27/23	17.27	9.70	7.57
MW-204	06/12/23	17.27	10.23	7.04
MW-204	09/11/23	17.27	11.33	5.94
MW-204	12/18/23	17.27	9.89	7.38
MW-204	03/11/24	17.27	9.92	7.35
MW-204	06/17/24	17.27	11.23	6.04
MW-206	04/06/93	10.75	9.83	0.92
MW-206	05/13/93	10.75	6.72	4.03
MW-206	06/10/93	10.75	6.78	3.97
MW-206	07/08/93	10.75	7.08	3.67
MW-206	08/03/93	10.75	7.35	3.40
MW-206	09/08/93	10.75	7.66	3.09
MW-206	10/08/93	10.75	7.95	2.80
MW-206	11/05/93	10.75	8.15	2.60
MW-206	12/03/93	10.75	8.17	2.58
MW-206	01/05/94	10.75	7.42	3.33
MW-206	02/04/94	10.75	7.24	3.51
MW-206	08/28/95	10.75	7.01	3.74
MW-206	09/27/95	10.75	7.19	3.56
MW-206	04/27/99	10.75	5.59	5.16
MW-206	07/14/99	10.75	6.97	3.78
MW-206	10/18/99	10.75	7.88	2.87
MW-206	01/11/00	10.75	6.34	4.41
MW-206	04/05/00	10.75	6.32	4.43
MW-206	07/18/00	10.75	7.11	3.64
MW-206	10/02/00	10.75	7.92	2.83
MW-206	01/22/01	10.75	8.93	1.82
MW-206	04/25/06	10.75	9.30	1.45
MW-206	10/11/06	10.75	10.44	0.31
MW-206A	04/24/02	10.75	7.43	3.32

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Sample ID</b>	<b>Sample Date</b>	<b>TOC Elevation ft AMSL</b>	<b>Depth to Water ft below TOC</b>	<b>GW Elevation ft AMSL</b>
MW-206A	07/18/02	10.75	8.07	2.68
MW-206A	10/23/02	10.75	8.55	2.20
MW-206A	01/28/03	10.75	6.40	4.35
MW-206A	04/15/03	10.75	5.26	5.49
MW-206A	07/17/03	10.75	8.06	2.69
MW-206A	04/19/04	15.90	9.51	6.39
MW-206A	07/27/04	15.90	10.23	5.67
MW-206A	10/18/04	15.90	10.17	5.73
MW-206A	01/24/05	15.90	9.18	6.72
MW-206A	04/18/05	15.90	9.38	6.52
MW-206A	07/12/05	15.90	9.87	6.03
MW-206A	10/18/05	15.90	10.50	5.40
MW-206A	01/25/06	15.90	8.23	7.67
MW-206A	11/20/08	15.90	9.81	6.09
MW-206A	11/16/09	15.90	9.48	6.42
MW-206A	10/25/10	15.90	9.74	6.16
MW-206A	10/26/11	15.90	10.25	5.65
MW-206A	05/30/12	15.90	9.44	6.46
MW-206A	06/13/12	15.90	9.49	6.41
MW-206A	09/26/12	15.90	10.21	5.69
MW-206A	11/27/12	15.90	9.05	6.85
MW-206A	02/22/13	15.90	9.04	6.86
MW-206A	05/16/13	15.90	8.44	7.46
MW-206A	09/06/13	15.90	10.06	5.84
MW-206A	11/07/13	15.90	10.04	5.86
MW-206A	04/22/14	15.90	9.01	6.89
MW-206A	11/04/14	15.90	9.25	6.65
MW-206A	03/10/15	15.90	9.03	6.87
MW-206A	05/15/15	15.90	9.49	6.41
MW-206A	07/29/15	15.90	9.99	5.91
MW-206A	12/10/15	15.90	8.36	7.54
MW-206A	02/23/16	15.90	8.09	7.81
MW-206A	05/03/16	15.90	9.03	6.87
MW-206A	08/30/16	15.90	10.25	5.65
MW-206A	12/14/16	15.90	8.51	7.39
MW-206A	03/13/17	15.90	7.98	7.92
MW-206A	06/13/17	15.90	9.02	6.88
MW-206A	08/22/17	15.90	9.74	6.16
MW-206A	12/04/17	15.90	9.07	6.83
MW-206A	03/06/18	15.90	8.78	7.12
MW-206A	06/12/18	15.90	6.90	9.00
MW-206A	09/05/18	15.90	9.94	5.96
MW-206A	12/17/18	15.90	9.23	6.67
MW-206A	03/18/19	15.90	8.86	7.04
MW-206A	05/15/19	15.90	9.30	6.60
MW-206A	09/17/19	15.90	10.13	5.77
MW-206A	12/09/19	15.90	9.98	5.92

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-206A	04/27/20	15.90	9.22	6.68
MW-206A	06/29/20	15.90	9.40	6.50
MW-206A	09/21/20	15.90	10.08	5.82
MW-206A	12/14/20	15.90	7.15	8.75
MW-206A	04/12/21	15.90	7.20	8.70
MW-206A	06/14/21	15.90	9.45	6.45
MW-206A	09/22/21	15.90	10.05	5.85
MW-206A	12/16/21	15.90	8.57	7.33
MW-206A	03/28/22	15.90	8.79	7.11
MW-206A	06/27/22	15.90	7.23	8.67
MW-206A	09/19/22	15.90	9.23	6.67
MW-206A	12/12/22	15.90	9.31	6.59
MW-206A	03/27/23	15.90	6.80	9.10
MW-206A	06/12/23	15.90	7.88	8.02
MW-206A	09/11/23	15.90	9.84	6.06
MW-206A	12/18/23	15.90	9.24	6.66
MW-206A	03/11/24	15.90	8.22	7.68
MW-206A	06/17/24	15.90	9.19	6.71
MW-208	06/28/13	--	4.98	--
MW-208	09/11/13	--	5.67	--
MW-208	10/30/13	--	5.97	--
MW-208	11/05/13	--	5.51	--
MW-208	01/16/14	--	5.46	--
MW-208	02/27/14	--	4.72	--
MW-208	03/25/14	--	4.91	--
MW-208	04/22/14	--	4.98	--
MW-208	06/10/14	--	5.62	--
MW-208	07/24/14	--	5.50	--
MW-208	08/28/14	--	5.73	--
MW-208	09/23/14	--	5.76	--
MW-208	10/22/14	--	4.82	--
MW-208	11/05/14	--	4.50	--
MW-208	12/18/14	12.16	4.28	7.88
MW-208	01/27/15	12.16	4.52	7.64
MW-208	02/26/15	12.16	4.92	7.24
MW-208	03/11/15	12.16	5.29	6.87
MW-208	04/21/15	12.16	5.08	7.08
MW-208	05/19/15	12.16	5.31	6.85
MW-208	06/11/15	12.16	5.34	6.82
MW-208	07/29/15	12.16	5.81	6.35
MW-208	08/25/15	12.16	5.95	6.21
MW-208	09/24/15	12.16	5.72	6.44
MW-208	10/15/15	12.16	5.35	6.81
MW-208	11/20/15	12.16	4.37	7.79
MW-208	12/09/15	12.16	2.55	9.61
MW-208	02/23/16	12.16	4.18	7.98

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Sample ID</b>	<b>Sample Date</b>	<b>TOC Elevation ft AMSL</b>	<b>Depth to Water ft below TOC</b>	<b>GW Elevation ft AMSL</b>
MW-208	04/22/16	12.16	4.90	7.26
MW-208	05/03/16	12.16	5.27	6.89
MW-208	06/02/16	12.16	5.34	6.82
MW-208	07/14/16	12.16	5.58	6.58
MW-208	08/18/16	12.16	5.80	6.36
MW-208	09/08/16	12.16	5.88	6.28
MW-208	10/21/16	12.16	5.40	6.76
MW-208	11/17/16	12.16	3.67	8.49
MW-208	12/01/16	12.16	3.93	8.23
MW-208	01/11/17	12.16	2.83	9.33
MW-208	02/14/17	12.16	3.81	8.35
MW-208	03/13/17	12.16	4.04	8.12
MW-208	04/13/17	12.16	3.78	8.38
MW-208	05/08/17	12.16	4.78	7.38
MW-208	06/13/17	12.16	5.00	7.16
MW-208	07/18/17	12.16	5.32	6.84
MW-208	08/22/17	12.16	5.32	6.84
MW-208	09/13/17	12.16	5.68	6.48
MW-208	10/31/17	12.16	5.58	6.58
MW-208	11/13/17	12.16	4.67	7.49
MW-208	12/04/17	12.16	4.15	8.01
MW-208	03/06/18	12.16	4.57	7.59
MW-208	06/12/18	12.16	5.25	6.91
MW-208	09/05/18	12.16	5.75	6.41
MW-208	12/17/18	12.16	4.13	8.03
MW-208	01/16/19	12.16	4.48	7.68
MW-208	02/20/19	12.16	3.98	8.18
MW-208	03/18/19	12.16	4.95	7.21
MW-208	04/10/19	12.16	4.66	7.50
MW-208	05/15/19	12.16	4.91	7.25
MW-208	06/26/19	12.16	5.47	6.69
MW-208	07/24/19	12.16	5.43	6.73
MW-208	08/13/19	12.16	5.45	6.71
MW-208	09/17/19	12.16	5.23	6.93
MW-208	10/16/19	12.16	5.61	6.55
MW-208	11/05/19	12.16	5.62	6.54
MW-208	12/09/19	12.16	5.08	7.08
MW-208	01/28/20	12.16	3.05	9.11
MW-208	02/26/20	12.16	4.81	7.35
MW-208	04/27/20	12.16	5.18	6.98
MW-208	06/16/20	12.16	5.25	6.91
MW-208	06/29/20	12.16	5.08	7.08
MW-208	07/29/20	12.16	5.20	6.96
MW-208	08/27/20	12.16	5.41	6.75
MW-208	09/21/20	12.16	5.09	7.07
MW-208	10/29/20	12.16	5.58	6.58
MW-208	11/30/20	12.16	4.82	7.34



**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-208	12/14/20	12.16	4.75	7.41
MW-208	01/21/21	12.16	4.27	7.89
MW-208	02/16/21	12.16	3.69	8.47
MW-208	03/23/21	12.16	4.53	7.63
MW-208	04/12/21	12.16	5.28	6.88
MW-208	05/12/21	12.16	5.54	6.62
MW-208	06/14/21	12.16	4.97	7.19
MW-208	07/15/21	12.16	5.31	6.85
MW-208	08/18/21	12.16	5.52	6.64
MW-208	09/22/21	12.16	5.46	6.70
MW-208	10/21/21	12.16	5.32	6.84
MW-208	11/23/21	12.16	4.28	7.88
MW-208	12/14/21	12.16	3.99	8.17
MW-208	01/25/22	12.16	4.34	7.82
MW-208	02/28/22	12.16	4.59	7.57
MW-208	03/28/22	12.16	4.63	7.53
MW-208	04/18/22	12.16	5.08	7.08
MW-208	05/23/22	12.16	4.81	7.35
MW-208	06/27/22	12.16	5.02	7.14
MW-208	07/20/22	12.16	5.03	7.13
MW-208	08/23/22	12.16	5.55	6.61
MW-208	09/19/22	12.16	5.58	6.58
MW-208	12/12/22	12.16	4.21	7.95
MW-208	01/26/23	12.16	4.41	7.75
MW-208	02/23/23	12.16	4.11	8.05
MW-208	03/27/23	12.16	4.34	7.82
MW-208	04/13/23	12.16	4.44	7.72
MW-208	05/16/23	12.16	4.63	7.53
MW-208	06/12/23	12.16	4.88	7.28
MW-208	07/20/23	12.16	5.32	6.84
MW-208	08/17/23	12.16	5.37	6.79
MW-208	09/11/23	12.16	5.62	6.54
MW-208	11/16/23	12.16	4.52	7.64
MW-208	12/18/23	12.16	4.25	7.91
MW-208	01/16/24	12.16	4.02	8.14
MW-208	02/22/24	12.16	4.15	8.01
MW-208	03/11/24	12.16	3.72	8.44
MW-208	04/11/24	12.16	4.66	7.50
MW-208	05/23/24	12.16	5.48	6.68
MW-208	06/17/24	12.16	5.59	6.57
MW-209	09/11/13	--	6.61	--
MW-209	10/30/13	--	5.65	--
MW-209	01/16/14	--	5.56	--
MW-209	02/27/14	--	6.04	--
MW-209	03/25/14	--	5.90	--

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-209	04/22/14	--	5.89	--
MW-209	06/10/14	--	8.31	--
MW-209	07/24/14	--	6.91	--
MW-209	08/28/14	--	6.79	--
MW-209	09/23/14	--	5.73	--
MW-209	10/22/14	--	4.91	--
MW-209	11/05/14	--	6.60	--
MW-209	12/18/14	12.10	5.27	6.83
MW-209	01/27/15	12.10	4.88	7.22
MW-209	02/26/15	12.10	5.54	6.56
MW-209	03/11/15	12.10	5.55	6.55
MW-209	05/19/15	12.10	8.60	3.50
MW-210	03/29/13	--	6.53	--
MW-210	06/28/13	--	6.35	--
MW-210	09/11/13	--	6.63	--
MW-210	10/30/13	--	7.08	--
MW-210	11/05/13	--	6.41	--
MW-210	01/16/14	--	6.48	--
MW-210	02/27/14	--	6.79	--
MW-210	03/25/14	--	6.96	--
MW-210	04/22/14	--	6.32	--
MW-210	06/10/14	--	7.08	--
MW-210	07/24/14	--	6.64	--
MW-210	08/28/14	--	6.72	--
MW-210	09/23/14	--	6.56	--
MW-210	10/22/14	--	5.87	--
MW-210	11/05/14	--	6.45	--
MW-210	12/18/14	12.85	5.49	7.36
MW-210	01/27/15	12.85	6.15	6.70
MW-210	02/26/15	12.85	6.69	6.16
MW-210	03/11/15	12.85	6.56	6.29
MW-210	04/21/15	12.85	6.44	6.41
MW-210	05/19/15	12.85	6.50	6.35
MW-210	06/11/15	12.85	6.48	6.37
MW-210	07/29/15	12.85	6.73	6.12
MW-210	08/25/15	12.85	6.23	6.62
MW-210	09/24/15	12.85	6.60	6.25
MW-210	10/15/15	12.85	6.30	6.55
MW-210	11/20/15	12.85	6.47	6.38
MW-210	12/09/15	12.85	4.45	8.40
MW-210	02/23/16	12.85	5.82	7.03
MW-210	04/22/16	12.85	5.96	6.89
MW-210	05/03/16	12.85	6.42	6.43
MW-210	06/02/16	12.85	6.44	6.41
MW-210	07/14/16	12.85	6.67	6.18
MW-210	08/18/16	12.85	6.78	6.07

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Sample ID</b>	<b>Sample Date</b>	<b>TOC Elevation ft AMSL</b>	<b>Depth to Water ft below TOC</b>	<b>GW Elevation ft AMSL</b>
MW-210	09/08/16	12.85	6.78	6.07
MW-210	10/21/16	12.85	6.32	6.53
MW-210	11/17/16	12.85	5.43	7.42
MW-210	12/01/16	12.85	6.00	6.85
MW-210	01/11/17	12.85	5.38	7.47
MW-210	02/14/17	12.85	5.69	7.16
MW-210	03/13/17	12.85	5.98	6.87
MW-210	04/13/17	12.85	6.42	6.43
MW-210	05/08/17	12.85	6.74	6.11
MW-210	06/13/17	12.85	6.18	6.67
MW-210	07/18/17	12.85	6.47	6.38
MW-210	08/22/17	12.85	6.42	6.43
MW-210	09/13/17	12.85	6.60	6.25
MW-210	10/31/17	12.85	6.64	6.21
MW-210	11/13/17	12.85	6.08	6.77
MW-210	12/04/17	12.85	6.05	6.80
MW-210	03/06/18	12.85	6.19	6.66
MW-210	06/12/18	12.85	6.50	6.35
MW-210	09/05/18	12.85	6.74	6.11
MW-210	12/17/18	12.85	5.31	7.54
MW-210	01/16/19	12.85	6.07	6.78
MW-210	02/20/19	12.85	6.45	6.40
MW-210	03/18/19	12.85	6.67	6.18
MW-210	04/10/19	12.85	5.24	7.61
MW-210	05/15/19	12.85	7.05	5.80
MW-210	06/26/19	12.85	6.58	6.27
MW-210	07/24/19	12.85	5.59	7.26
MW-210	08/13/19	12.85	6.58	6.27
MW-210	09/17/19	12.85	6.18	6.67
MW-210	10/16/19	12.85	6.47	6.38
MW-210	11/05/19	12.85	6.78	6.07
MW-210	12/09/19	12.85	6.27	6.58
MW-210	01/28/20	12.85	4.06	8.79
MW-210	02/26/20	12.85	5.78	7.07
MW-210	04/27/20	12.85	6.43	6.42
MW-210	06/16/20	12.85	5.56	7.29
MW-210	06/29/20	12.85	6.58	6.27
MW-210	07/29/20	12.85	6.43	6.42
MW-210	08/27/20	12.85	6.71	6.14
MW-210	09/21/20	12.85	6.35	6.50
MW-210	10/29/20	12.85	6.87	5.98
MW-210	11/30/20	12.85	6.23	6.62
MW-210	12/14/20	12.85	6.05	6.80
MW-210	01/21/21	12.85	6.96	5.89
MW-210	02/16/21	12.85	5.83	7.02
MW-210	03/23/21	12.85	6.57	6.28
MW-210	04/12/21	12.85	6.42	6.43

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-210	05/12/21	12.85	6.61	6.24
MW-210	06/14/21	12.85	6.15	6.70
MW-210	07/15/21	12.85	6.36	6.49
MW-210	08/18/21	12.85	6.60	6.25
MW-210	09/22/21	12.85	6.50	6.35
MW-210	10/21/21	12.85	6.36	6.49
MW-210	11/23/21	12.85	6.20	6.65
MW-210	12/14/21	12.85	5.12	7.73
MW-210	01/25/22	12.85	6.34	6.51
MW-210	02/28/22	12.85	6.31	6.54
MW-210	03/28/22	12.85	5.92	6.93
MW-210	04/18/22	12.85	6.18	6.69
MW-210	05/23/22	12.85	6.50	6.35
MW-210	06/27/22	12.85	6.21	6.64
MW-210	07/20/22	12.85	6.24	6.61
MW-210	08/23/22	12.85	6.62	6.23
MW-210	09/19/22	12.85	6.99	5.86
MW-210	12/12/22	12.85	5.15	7.70
MW-210	01/26/23	12.85	6.12	7.11
MW-210	02/23/23	12.85	5.79	7.06
MW-210	03/27/23	12.85	6.53	6.18
MW-210	04/13/23	12.85	5.68	7.17
MW-210	05/16/23	12.85	6.27	6.58
MW-210	06/12/23	12.85	6.90	5.95
MW-210	07/20/23	12.85	6.32	6.53
MW-210	08/17/23	12.85	6.42	6.43
MW-210	09/11/23	12.85	6.81	6.04
MW-210	11/16/23	12.85	5.66	7.19
MW-210	12/18/23	12.85	5.11	7.74
MW-210	01/16/24	12.85	5.88	6.97
MW-210	02/22/24	12.85	5.52	7.33
MW-210	03/11/24	12.85	5.28	7.57
MW-210	04/11/24	12.85	5.97	6.88
MW-210	05/23/24	12.85	6.41	6.44
MW-210	06/17/24	12.85	6.05	6.80
MW-211	03/29/13	--	5.97	--
MW-211	06/28/13	--	5.68	--
MW-211	10/30/13	--	6.43	--
MW-211	11/05/13	--	5.68	--
MW-211	01/16/14	--	5.51	--
MW-211	02/27/14	--	5.01	--
MW-211	03/25/14	--	5.38	--
MW-211	04/22/14	--	5.33	--
MW-211	06/10/14	--	6.02	--
MW-211	07/24/14	--	6.85	--

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-211	08/28/14	--	6.06	--
MW-211	09/23/14	--	5.96	--
MW-211	10/22/14	--	4.96	--
MW-211	11/05/14	--	4.70	--
MW-211	12/18/14	12.21	4.50	7.71
MW-211	01/27/15	12.21	4.82	7.39
MW-211	02/26/15	12.21	5.38	6.83
MW-211	03/11/15	12.21	5.52	6.69
MW-211	04/21/15	12.21	5.50	6.71
MW-211	05/19/15	12.21	5.71	6.50
MW-211	06/11/15	12.21	5.70	6.51
MW-211	07/29/15	12.21	6.10	6.11
MW-211	08/25/15	12.21	6.17	6.04
MW-211	09/24/15	12.21	5.72	6.49
MW-211	10/15/15	12.21	5.30	6.91
MW-211	11/20/15	12.21	4.78	7.43
MW-211	12/09/15	12.21	2.80	9.41
MW-211	02/23/16	12.21	4.45	7.76
MW-211	04/22/16	12.21	4.67	7.54
MW-211	05/03/16	12.21	5.63	6.58
MW-211	06/02/16	12.21	5.77	6.44
MW-211	07/14/16	12.21	6.02	6.19
MW-211	08/18/16	12.21	6.16	6.05
MW-211	09/08/16	12.21	6.22	5.99
MW-211	10/21/16	12.21	6.01	6.20
MW-211	11/17/16	12.21	3.86	8.35
MW-211	12/01/16	12.21	4.14	8.07
MW-211	01/11/17	12.21	3.18	9.03
MW-211	02/14/17	12.21	4.02	8.19
MW-211	03/13/17	12.21	4.27	7.94
MW-211	04/13/17	12.21	4.02	8.19
MW-211	05/08/17	12.21	5.32	6.89
MW-211	06/13/17	12.21	5.36	6.85
MW-211	07/18/17	12.21	5.78	6.43
MW-211	08/22/17	12.21	5.76	6.45
MW-211	09/13/17	12.21	Not Measured	Not Measured
MW-211	10/31/17	12.21	Not Measured	Not Measured
MW-211	11/13/17	12.21	Not Measured	Not Measured
MW-211	12/04/17	12.21	Not Measured	Not Measured
MW-211	03/06/18	12.21	5.03	7.18
MW-211	06/12/18	12.21	5.73	6.48
MW-211	09/05/18	12.21	6.16	6.05
MW-211	12/17/18	12.21	4.14	8.07
MW-211	01/16/19	12.21	4.30	7.91
MW-211	02/20/19	12.21	4.22	7.99
MW-211	03/18/19	12.21	5.34	6.87
MW-211	04/10/19	12.21	4.66	7.55

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-211	05/15/19	12.21	5.38	6.83
MW-211	06/26/19	12.21	6.88	5.33
MW-211	07/24/19	12.21	5.88	6.33
MW-211	08/13/19	12.21	5.72	6.49
MW-211	09/17/19	12.21	5.54	6.67
MW-211	10/16/19	12.21	5.77	6.44
MW-211	11/05/19	12.21	6.01	6.20
MW-211	12/09/19	12.21	5.54	6.67
MW-211	01/28/20	12.21	3.12	9.09
MW-211	02/26/20	12.21	5.19	7.02
MW-211	04/27/20	12.21	5.47	6.74
MW-211	06/16/20	12.21	5.72	6.49
MW-211	06/29/20	12.21	5.78	6.43
MW-211	07/29/20	12.21	5.67	6.54
MW-211	08/27/20	12.21	5.85	6.36
MW-211	09/21/20	12.21	5.45	6.76
MW-211	10/29/20	12.21	5.99	6.22
MW-211	11/30/20	12.21	5.11	7.10
MW-211	12/14/20	12.21	5.28	6.93
MW-211	01/21/21	12.21	4.82	7.39
MW-211	02/16/21	12.21	4.18	8.03
MW-211	03/23/21	12.21	5.37	6.84
MW-211	04/12/21	12.21	5.65	6.56
MW-211	05/12/21	12.21	5.86	6.35
MW-211	06/14/21	12.21	5.24	6.97
MW-211	07/15/21	12.21	5.60	6.61
MW-211	08/18/21	12.21	5.90	6.31
MW-211	09/22/21	12.21	5.70	6.51
MW-211	10/21/21	12.21	5.50	6.71
MW-211	11/23/21	12.21	4.42	7.79
MW-211	12/14/21	12.21	4.39	7.82
MW-211	01/25/22	12.21	4.85	7.36
MW-211	02/28/22	12.21	4.51	7.70
MW-211	03/28/22	12.21	5.00	7.21
MW-211	04/18/22	12.21	5.28	6.93
MW-211	05/23/22	12.21	5.28	6.93
MW-211	06/27/22	12.21	5.28	6.93
MW-211	07/20/22	12.21	5.42	6.79
MW-211	08/23/22	12.21	5.94	6.27
MW-211	09/19/22	12.21	5.93	6.28
MW-211	12/12/22	12.21	4.39	7.82
MW-211	01/26/23	12.21	4.58	7.63
MW-211	02/23/23	12.21	4.45	7.76
MW-211	03/27/23	12.21	5.35	6.86
MW-211	04/13/23	12.21	4.66	7.55
MW-211	05/16/23	12.21	5.21	7.00
MW-211	06/12/23	12.21	5.35	6.86

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-211	07/20/23	12.21	5.60	6.61
MW-211	08/17/23	12.21	5.50	6.71
MW-211	09/11/23	12.21	5.94	6.27
MW-211	11/16/23	12.21	4.68	7.53
MW-211	12/18/23	12.21	4.82	7.39
MW-211	01/16/24	12.21	4.61	7.60
MW-211	02/22/24	12.21	4.36	7.85
MW-211	03/11/24	12.21	3.70	8.51
MW-211	04/11/24	12.21	4.92	7.29
MW-211	05/23/24	12.21	5.80	6.41
MW-211	06/17/24	12.21	6.00	6.21
MW-212	03/29/13	--	4.90	--
MW-212	06/28/13	--	4.42	--
MW-212	09/11/13	--	5.32	--
MW-212	09/12/13	--	5.52	--
MW-212	10/30/13	--	5.28	--
MW-212	11/05/13	--	5.51	--
MW-212	01/16/14	--	5.47	--
MW-212	02/27/14	--	6.12	--
MW-212	03/25/14	--	6.30	--
MW-212	04/22/14	--	5.85	--
MW-212	06/10/14	--	Not Measured	Not Measured
MW-212	07/24/14	--	6.06	--
MW-212	08/28/14	--	6.23	--
MW-212	09/23/14	--	6.08	--
MW-212	10/22/14	--	4.13	--
MW-212	11/05/14	--	5.12	--
MW-212	12/18/14	11.95	4.89	7.06
MW-212	01/27/15	11.95	5.38	6.57
MW-212	02/26/15	11.95	5.59	6.36
MW-212	03/11/15	11.95	5.45	6.50
MW-212	04/21/15	11.95	5.85	6.10
MW-212	05/19/15	11.95	5.67	6.28
MW-212	06/11/15	11.95	5.46	6.49
MW-212	07/29/15	11.95	5.85	6.10
MW-212	08/25/15	11.95	6.82	5.13
MW-212	09/24/15	11.95	6.33	5.62
MW-212	10/15/15	11.95	5.82	6.13
MW-212	11/20/15	11.95	5.51	6.44
MW-212	12/09/15	11.95	3.61	8.34
MW-212	02/23/16	11.95	4.38	7.57
MW-212	04/22/16	11.95	5.37	6.58
MW-212	05/03/16	11.95	6.00	5.95
MW-212	06/02/16	11.95	6.18	5.77
MW-212	07/14/16	11.95	6.27	5.68

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-212	08/18/16	11.95	6.44	5.51
MW-212	09/08/16	11.95	6.55	5.40
MW-212	10/21/16	11.95	6.10	5.85
MW-212	11/17/16	11.95	4.68	7.27
MW-212	12/01/16	11.95	4.88	7.07
MW-212	01/11/17	11.95	3.88	8.07
MW-212	02/14/17	11.95	4.79	7.16
MW-212	03/13/17	11.95	4.98	6.97
MW-212	04/13/17	11.95	5.02	6.93
MW-212	05/08/17	11.95	5.31	6.64
MW-212	06/13/17	11.95	5.60	6.35
MW-212	07/18/17	11.95	5.83	6.12
MW-212	08/22/17	11.95	5.92	6.03
MW-212	09/13/17	11.95	6.21	5.74
MW-212	10/31/17	11.95	6.17	5.78
MW-212	11/13/17	11.95	4.98	6.97
MW-212	12/04/17	11.95	5.38	6.57
MW-212	03/06/18	11.95	5.46	6.49
MW-212	06/12/18	11.95	6.06	5.89
MW-212	09/05/18	11.95	6.35	5.60
MW-212	12/17/18	11.95	4.43	7.52
MW-212	01/16/19	11.95	5.56	6.39
MW-212	02/20/19	11.95	4.32	7.63
MW-212	03/18/19	11.95	6.12	5.83
MW-212	04/10/19	11.95	5.78	6.17
MW-212	05/15/19	11.95	6.13	5.82
MW-212	06/26/19	11.95	6.11	5.84
MW-212	07/24/19	11.95	5.96	5.99
MW-212	08/13/19	11.95	6.02	5.93
MW-212	09/17/19	11.95	6.28	5.67
MW-212	10/16/19	11.95	6.36	5.59
MW-212	11/05/19	11.95	6.51	5.44
MW-212	12/09/19	11.95	6.14	5.81
MW-212	01/28/20	11.95	2.03	9.92
MW-212	02/26/20	11.95	4.97	6.98
MW-212	04/27/20	11.95	5.29	6.66
MW-212	06/16/20	11.95	6.25	5.70
MW-212	06/29/20	11.95	5.85	6.10
MW-212	07/29/20	11.95	6.31	5.64
MW-212	08/27/20	11.95	6.15	5.80
MW-212	09/21/20	11.95	6.23	5.72
MW-212	10/29/20	11.95	6.23	5.72
MW-212	11/30/20	11.95	5.10	6.85
MW-212	12/14/20	11.95	5.83	6.12
MW-212	01/21/21	11.95	5.63	6.32
MW-212	02/16/21	11.95	4.25	7.70
MW-212	03/23/21	11.95	5.74	6.21



**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-212	04/12/21	11.95	6.31	5.64
MW-212	05/12/21	11.95	6.21	5.74
MW-212	06/14/21	11.95	5.62	6.33
MW-212	07/15/21	11.95	6.01	5.94
MW-212	08/18/21	11.95	6.16	5.79
MW-212	09/22/21	11.95	6.10	5.85
MW-212	10/21/21	11.95	6.05	5.90
MW-212	11/23/21	11.95	5.19	6.76
MW-212	12/14/21	11.95	4.79	7.16
MW-212	01/25/22	11.95	5.67	6.28
MW-212	02/28/22	11.95	2.86	9.09
MW-212	03/28/22	11.95	5.98	5.97
MW-212	04/18/22	11.95	5.98	5.97
MW-212	05/23/22	11.95	5.70	6.25
MW-212	06/27/22	11.95	5.90	6.05
MW-212	07/20/22	11.95	5.85	6.10
MW-212	08/23/22	11.95	6.19	5.76
MW-212	09/19/22	11.95	6.19	5.76
MW-212	12/12/22	11.95	4.70	7.25
MW-212	01/26/23	11.95	4.59	7.36
MW-212	02/23/23	11.95	5.07	6.88
MW-212	03/27/23	11.95	5.61	6.34
MW-212	04/13/23	11.95	5.17	6.78
MW-212	05/16/23	11.95	5.70	6.25
MW-212	06/12/23	11.95	5.65	6.30
MW-212	07/20/23	11.95	6.01	5.94
MW-212	08/17/23	11.95	5.99	5.96
MW-212	09/11/23	11.95	6.39	5.56
MW-212	11/16/23	11.95	5.43	6.52
MW-212	12/18/23	11.95	5.13	6.82
MW-212	01/16/24	11.95	5.15	6.80
MW-212	02/22/24	11.95	4.31	7.64
MW-212	03/11/24	11.95	4.18	7.77
MW-212	04/11/24	11.95	5.68	6.27
MW-212	05/23/24	11.95	5.65	6.30
MW-212	06/17/24	11.95	6.12	5.83
MW-213	07/23/01	8.57	10.17	-1.60
MW-213	10/16/01	8.57	5.81	2.76
MW-213	04/24/02	8.57	7.34	1.23
MW-213	07/18/02	8.57	7.39	1.18
MW-213	10/23/02	8.57	5.04	3.53
MW-213	01/28/03	8.57	4.60	3.97
MW-213	04/15/03	8.57	4.43	4.14
MW-213	07/17/03	8.57	10.24	-1.67
MW-213	10/15/03	8.57	5.85	2.72

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-213	01/13/04	8.57	5.02	3.55
MW-213	04/19/04	8.57	7.91	0.66
MW-213	07/27/04	8.57	6.94	1.63
MW-213	10/18/04	8.57	5.70	2.87
MW-213	01/24/05	8.57	4.70	3.87
MW-213	04/18/05	8.57	7.43	1.14
MW-213	07/12/05	8.57	8.72	-0.15
MW-213	10/18/05	8.57	7.24	1.33
MW-213	01/25/06	8.57	5.79	2.78
MW-213	04/25/06	8.57	7.82	0.75
MW-213	10/11/06	8.57	6.09	2.48
MW-213	11/19/08	8.57	5.98	2.59
MW-213	04/07/09	8.57	7.69	0.88
MW-213	11/16/09	8.57	4.97	3.60
MW-213	04/26/10	8.57	8.22	0.35
MW-213	10/28/10	8.57	5.33	3.24
MW-213	10/25/11	8.57	7.43	1.14
MW-213	06/12/12	8.57	7.84	0.73
MW-213	11/29/12	8.57	4.65	3.92
MW-213	05/15/13	8.57	8.86	-0.29
MW-213	10/30/13	8.57	5.45	3.12
MW-213	11/05/13	8.57	5.29	3.28
MW-213	04/22/14	8.57	6.39	2.18
MW-213	11/05/14	12.17	6.55	5.62
MW-213	05/19/15	12.17	7.85	4.32
MW-213	12/09/15	12.17	4.18	7.99
MW-213	12/14/16	12.17	5.22	6.95
MW-213	06/13/17	12.17	5.75	6.42
MW-213	12/04/17	12.17	6.33	5.84
MW-213	06/12/18	12.17	9.38	2.79
MW-213	12/17/18	12.17	3.87	8.30
MW-213	05/15/19	12.17	8.76	3.41
MW-213	12/09/19	12.17	6.26	5.91
MW-213	06/29/20	12.17	7.30	4.87
MW-213	12/14/20	12.17	5.21	6.96
MW-213	04/12/21	12.17	6.01	6.16
MW-213	06/14/21	12.17	5.45	6.72
MW-213	12/16/21	12.17	5.76	6.41
MW-213	06/27/22	12.17	6.88	5.29
MW-213	12/12/22	12.17	4.35	7.82
MW-213	06/12/23	12.17	5.97	6.20
MW-213	12/18/23	12.17	4.00	8.17
MW-213	06/19/24	12.17	8.60	3.57
MW-214	07/23/01	8.63	10.37	-1.74
MW-214	10/19/01	8.63	5.74	2.89
MW-214	04/24/02	8.63	7.94	0.69

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-214	07/18/02	8.63	7.25	1.38
MW-214	10/23/02	8.63	5.85	2.78
MW-214	01/28/03	8.63	4.25	4.38
MW-214	04/15/03	8.63	4.66	3.97
MW-214	07/17/03	8.63	10.40	-1.77
MW-214	10/15/03	8.63	4.89	3.74
MW-214	01/13/04	8.63	4.86	3.77
MW-214	04/19/04	8.63	7.92	0.71
MW-214	07/27/04	8.63	6.42	2.21
MW-214	10/18/04	8.63	5.37	3.26
MW-214	01/24/05	8.63	5.00	3.63
MW-214	04/18/05	8.63	7.65	0.98
MW-214	07/12/05	8.63	8.82	-0.19
MW-214	10/18/05	8.63	7.18	1.45
MW-214	01/25/06	8.63	5.96	2.67
MW-214	04/25/06	8.63	7.80	0.83
MW-214	10/11/06	8.63	5.95	2.68
MW-214	11/19/08	8.63	5.50	3.13
MW-214	04/07/09	12.92	7.05	5.87
MW-214	11/16/09	12.92	5.28	7.64
MW-214	04/26/10	12.92	7.80	5.12
MW-214	10/28/10	12.92	5.25	7.67
MW-214	10/25/11	12.92	7.78	5.14
MW-214	06/12/12	12.92	7.80	5.12
MW-214	11/29/12	12.92	5.00	7.92
MW-214	05/15/13	12.92	9.23	3.69
MW-214	10/30/13	12.92	7.88	5.04
MW-214	11/05/13	12.92	5.38	7.54
MW-214	02/27/14	12.92	6.08	6.84
MW-214	04/22/14	12.92	6.78	6.14
MW-214	11/05/14	12.39	6.80	5.59
MW-214	05/19/15	12.39	8.10	4.29
MW-214	12/09/15	12.39	4.74	7.65
MW-214	12/14/16	12.39	5.58	6.81
MW-214	06/13/17	12.39	6.04	6.35
MW-214	12/04/17	12.39	6.41	5.98
MW-214	06/12/18	12.39	9.70	2.69
MW-214	12/17/18	12.39	4.13	8.26
MW-214	05/15/19	12.39	7.81	4.58
MW-214	12/09/19	12.39	6.39	6.00
MW-214	06/29/20	12.39	7.59	4.80
MW-214	12/14/20	12.39	5.32	7.07
MW-214	04/12/21	12.39	5.87	6.52
MW-214	06/14/21	12.39	5.63	6.76
MW-214	12/16/21	12.39	5.71	6.68
MW-214	06/27/22	12.39	7.74	4.65
MW-214	12/12/22	12.39	4.38	8.01

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-214	06/12/23	12.39	6.70	5.69
MW-214	12/18/23	12.39	3.86	8.53
MW-214	06/19/24	12.39	8.81	3.58
MW-301	03/02/12	12.56	6.03	6.53
MW-301	05/30/12	12.56	6.03	6.53
MW-301	06/13/12	12.56	6.11	6.45
MW-301	09/26/12	12.56	6.82	5.74
MW-301	11/27/12	12.56	5.34	7.22
MW-301	02/21/13	12.56	5.66	6.90
MW-301	05/16/13	12.56	6.14	6.42
MW-301	09/06/13	12.56	6.71	5.85
MW-301	11/07/13	12.56	6.60	5.96
MW-301	04/22/14	12.56	5.56	7.00
MW-301	07/24/14	12.56	6.38	6.18
MW-301	09/23/14	12.56	6.71	5.85
MW-301	11/04/14	12.56	5.73	6.83
MW-301	03/10/15	12.56	5.64	6.92
MW-301	05/15/15	12.56	6.10	6.46
MW-301	07/29/15	12.56	6.63	5.93
MW-301	12/10/15	12.56	4.57	7.99
MW-301	02/23/16	12.56	4.50	8.06
MW-301	05/03/16	12.56	5.53	7.03
MW-301	08/30/16	12.56	6.68	5.88
MW-301	12/14/16	12.56	5.08	7.48
MW-301	03/13/17	12.56	7.60	4.96
MW-301	05/16/17	12.56	5.21	7.35
MW-301	06/13/17	12.56	5.70	6.86
MW-301	08/22/17	12.56	6.43	6.13
MW-301	12/04/17	12.56	5.40	7.16
MW-301	03/06/18	12.56	5.37	7.19
MW-301	06/12/18	12.56	5.90	6.66
MW-301	09/05/18	12.56	6.58	5.98
MW-301	12/17/18	12.56	5.75	6.81
MW-301	03/18/19	12.56	5.23	7.33
MW-301	05/16/19	12.56	5.74	6.82
MW-301	09/17/19	12.56	6.49	6.07
MW-301	12/09/19	12.56	6.41	6.15
MW-301	04/27/20	12.56	5.50	7.06
MW-301	06/29/20	12.56	5.85	6.71
MW-301	09/21/20	12.56	6.57	5.99
MW-301	12/14/20	12.56	5.90	6.66
MW-301	04/12/21	12.56	5.26	7.30
MW-301	06/14/21	12.56	5.95	6.61
MW-301	09/22/21	12.56	6.57	5.99
MW-301	12/16/21	12.56	4.67	7.89
MW-301	03/28/22	12.56	4.91	7.65

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-301	06/27/22	12.56	5.34	7.22
MW-301	09/21/22	12.56	6.95	5.61
MW-301	12/12/22	12.56	5.22	7.34
MW-301	03/27/23	12.56	5.56	7.00
MW-301	06/12/23	12.56	5.90	6.66
MW-301	09/11/23	12.56	6.17	6.39
MW-301	12/18/23	12.56	4.49	8.07
MW-301	03/12/24	12.56	4.39	8.17
MW-301	06/18/24	12.56	5.78	6.78
MW-302	03/01/12	12.85	6.47	6.38
MW-302	05/30/12	12.85	Not Measured	Not Measured
MW-302	06/13/12	12.85	Not Measured	Not Measured
MW-302	09/26/12	12.85	7.23	5.62
MW-302	11/27/12	12.85	5.83	7.02
MW-302	02/22/13	12.85	6.10	6.75
MW-302	05/16/13	12.85	6.61	6.24
MW-302	09/06/13	12.85	7.11	5.74
MW-302	11/07/13	12.85	6.99	5.86
MW-302	01/16/14	12.85	6.80	6.05
MW-302	04/22/14	12.85	6.09	6.76
MW-302	06/10/14	12.85	6.40	6.45
MW-302	07/24/14	12.85	6.85	6.00
MW-302	09/23/14	12.85	7.13	5.72
MW-302	11/04/14	12.85	6.28	6.57
MW-302	03/10/15	12.85	6.22	6.63
MW-302	05/15/15	12.85	6.60	6.25
MW-302	07/29/15	12.85	7.07	5.78
MW-302	12/10/15	12.85	5.12	7.73
MW-302	02/23/16	12.85	5.23	7.62
MW-302	05/03/16	12.85	6.15	6.70
MW-302	08/30/16	12.85	7.26	5.59
MW-302	12/14/16	12.85	5.74	7.11
MW-302	03/13/17	12.85	5.33	7.52
MW-302	05/16/17	12.85	5.79	7.06
MW-302	06/13/17	12.85	6.30	6.55
MW-302	08/22/17	12.85	6.92	5.93
MW-302	12/04/17	12.85	5.80	7.05
MW-302	03/06/18	12.85	5.91	6.94
MW-302	06/12/18	12.85	6.48	6.37
MW-302	09/05/18	12.85	6.96	5.89
MW-302	12/17/18	12.85	6.10	6.75
MW-302	03/18/19	12.85	5.65	7.20
MW-302	05/16/19	12.85	6.20	6.65
MW-302	09/17/19	12.85	7.33	5.52
MW-302	12/09/19	12.85	6.75	6.10
MW-302	04/27/20	12.85	5.95	6.90

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-302	06/29/20	12.85	6.22	6.63
MW-302	09/21/20	12.85	6.92	5.93
MW-302	12/15/20	12.85	6.15	6.70
MW-302	04/13/21	12.85	5.67	7.18
MW-302	06/15/21	12.85	6.28	6.57
MW-302	09/23/21	12.85	6.84	6.01
MW-302	12/16/21	12.85	4.98	7.87
MW-302	03/28/22	12.85	5.25	7.60
MW-302	06/27/22	12.85	5.68	7.17
MW-302	09/21/22	12.85	7.38	5.47
MW-302	12/12/22	12.85	5.88	6.97
MW-302	03/27/23	12.85	5.44	7.41
MW-302	06/13/23	12.85	6.32	6.53
MW-302	09/12/23	12.85	6.80	6.05
MW-302	12/20/23	12.85	4.38	8.47
MW-302	03/11/24	12.85	4.75	8.10
MW-302	06/18/24	12.85	6.01	6.84
MW-303	03/02/12	12.64	5.96	6.68
MW-303	05/30/12	12.64	5.97	6.67
MW-303	06/13/12	12.64	6.06	6.58
MW-303	09/26/12	12.64	6.86	5.78
MW-303	11/27/12	12.64	5.22	7.42
MW-303	02/21/13	12.64	5.58	7.06
MW-303	05/16/13	12.64	6.10	6.54
MW-303	09/06/13	12.64	6.80	5.84
MW-303	11/07/13	12.64	6.61	6.03
MW-303	04/22/14	12.64	5.49	7.15
MW-303	07/24/14	12.64	6.44	6.20
MW-303	09/23/14	12.64	6.80	5.84
MW-303	11/04/14	12.64	5.73	6.91
MW-303	03/10/15	12.64	5.62	7.02
MW-303	05/15/15	12.64	6.11	6.53
MW-303	07/29/15	12.64	6.71	5.93
MW-303	12/10/15	12.64	4.38	8.26
MW-303	02/23/16	12.64	4.44	8.20
MW-303	05/03/16	12.64	5.56	7.08
MW-303	08/30/16	12.64	6.82	5.82
MW-303	12/14/16	12.64	5.06	7.58
MW-303	03/13/17	12.64	4.51	8.13
MW-303	05/16/17	12.64	5.18	7.46
MW-303	06/13/17	12.64	5.75	6.89
MW-303	08/22/17	12.64	6.55	6.09
MW-303	12/04/17	12.64	5.35	7.29
MW-303	03/06/18	12.64	5.35	7.29
MW-303	06/12/18	12.64	6.07	6.57
MW-303	09/05/18	12.64	6.73	5.91

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-303	12/17/18	12.64	5.83	6.81
MW-303	03/18/19	12.64	5.33	7.31
MW-303	05/16/19	12.64	5.89	6.75
MW-303	09/17/19	12.64	6.68	5.96
MW-303	12/09/19	12.64	6.54	6.10
MW-303	04/27/20	12.64	5.63	7.01
MW-303	06/29/20	12.64	6.10	6.54
MW-303	09/21/20	12.64	6.72	5.92
MW-303	12/14/20	12.64	5.95	6.69
MW-303	04/12/21	12.64	5.33	7.31
MW-303	06/14/21	12.64	6.00	6.64
MW-303	09/22/21	12.64	6.69	5.95
MW-303	12/15/21	12.64	4.61	8.03
MW-303	03/28/22	12.64	4.84	7.80
MW-303	06/27/22	12.64	5.38	7.26
MW-303	09/21/22	12.64	7.02	5.62
MW-303	12/12/22	12.64	5.24	7.40
MW-303	03/27/23	12.64	5.33	7.31
MW-303	06/12/23	12.64	6.02	6.62
MW-303	09/11/23	12.64	6.36	6.28
MW-303	12/18/23	12.64	4.58	8.06
MW-303	03/12/24	12.64	4.44	8.20
MW-303	06/18/24	12.64	5.78	6.86
MW-304	03/01/12	12.70	6.07	6.63
MW-304	05/30/12	12.70	6.12	6.58
MW-304	06/13/12	12.70	6.22	6.48
MW-304	09/26/12	12.70	6.98	5.72
MW-304	11/27/12	12.70	5.43	7.27
MW-304	02/22/13	12.70	5.78	6.92
MW-304	05/16/13	12.70	Not Measured	Not Measured
MW-304	09/06/13	12.70	6.89	5.81
MW-304	11/07/13	12.70	6.75	5.95
MW-304	01/16/14	12.70	6.50	6.20
MW-304	04/22/14	12.70	5.67	7.03
MW-304	07/24/14	12.70	6.57	6.13
MW-304	09/23/14	12.70	6.89	5.81
MW-304	11/04/14	12.70	5.91	6.79
MW-304	03/10/15	12.70	5.80	6.90
MW-304	05/15/15	12.70	6.28	6.42
MW-304	07/29/15	12.70	6.84	5.86
MW-304	12/10/15	12.70	4.80	7.90
MW-304	02/23/16	12.70	Not Measured	Not Measured
MW-304	05/03/16	12.70	5.79	6.91
MW-304	08/30/16	12.70	Not Measured	Not Measured
MW-304	12/14/16	12.70	5.27	7.43
MW-304	03/13/17	12.70	4.82	7.88

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-304	06/13/17	12.70	5.95	6.75
MW-304	08/22/17	12.70	6.67	6.03
MW-304	12/04/17	12.70	5.53	7.17
MW-304	03/06/18	12.70	5.46	7.24
MW-304	06/12/18	12.70	6.18	6.52
MW-304	09/05/18	12.70	6.78	5.92
MW-304	12/17/18	12.70	5.90	6.80
MW-304	03/18/19	12.70	5.39	7.31
MW-304	05/16/19	12.70	5.98	6.72
MW-304	09/17/19	12.70	6.67	6.03
MW-304	12/09/19	12.70	6.58	6.12
MW-304	04/27/20	12.70	5.71	6.99
MW-304	06/29/20	12.70	6.10	6.60
MW-304	09/21/20	12.70	6.78	5.92
MW-304	12/14/20	12.70	6.00	6.70
MW-304	04/12/21	12.70	5.42	7.28
MW-304	06/14/21	12.70	6.05	6.65
MW-304	09/22/21	12.70	6.72	5.98
MW-304	12/16/21	12.70	4.69	8.01
MW-304	03/28/22	12.70	5.08	7.62
MW-304	06/27/22	12.70	5.45	7.25
MW-304	09/20/22	12.70	7.03	5.67
MW-304	12/12/22	12.70	5.28	7.42
MW-304	03/27/23	12.70	5.71	6.99
MW-304	06/12/23	12.70	6.05	6.65
MW-304	09/11/23	12.70	6.39	6.31
MW-304	12/18/23	12.70	4.57	8.13
MW-304	03/12/24	12.70	4.59	8.11
MW-304	06/18/24	12.70	5.81	6.89
MW-305	03/01/12	13.48	6.47	7.01
MW-305	05/30/12	13.48	6.43	7.05
MW-305	06/11/12	13.48	6.43	7.05
MW-305	09/26/12	13.48	7.22	6.26
MW-305	11/28/12	13.48	5.86	7.62
MW-305	05/16/13	13.48	6.01	7.47
MW-305	11/07/13	13.48	6.40	7.08
MW-305	04/22/14	13.48	5.92	7.56
MW-305	11/06/14	13.48	6.22	7.26
MW-305	05/21/15	13.48	6.32	7.16
MW-306	03/01/12	13.36	6.24	7.12
MW-306	05/30/12	13.36	6.14	7.22
MW-306	06/11/12	13.36	6.12	7.24
MW-306	09/26/12	13.36	6.99	6.37
MW-306	11/28/12	13.36	5.64	7.72
MW-306	05/16/13	13.36	5.57	7.79



**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Sample ID</b>	<b>Sample Date</b>	<b>TOC Elevation ft AMSL</b>	<b>Depth to Water ft below TOC</b>	<b>GW Elevation ft AMSL</b>
MW-306	11/07/13	13.36	6.04	7.32
MW-306	04/22/14	13.36	5.63	7.73
MW-306	05/21/15	13.36	5.99	7.37
MW-306	12/10/15	13.36	4.80	8.56
MW-307	11/27/12	15.62	7.94	7.68
MW-307	02/22/13	15.62	8.42	7.20
MW-307	05/16/13	15.62	8.91	6.71
MW-307	09/06/13	15.62	9.67	5.95
MW-307	11/07/13	15.62	9.49	6.13
MW-307	04/22/14	15.62	8.52	7.10
MW-307	03/10/15	15.62	8.42	7.20
MW-307	05/15/15	15.62	8.92	6.70
MW-307	07/29/15	15.62	9.58	6.04
MW-307	12/10/15	15.62	7.33	8.29
MW-307	02/23/16	15.62	7.24	8.38
MW-307	05/03/16	15.62	8.39	7.23
MW-307	08/30/16	15.62	9.51	6.11
MW-307	12/14/16	15.62	7.84	7.78
MW-307	03/13/17	15.62	7.32	8.30
MW-307	05/16/17	15.62	8.02	7.60
MW-307	06/13/17	15.62	8.51	7.11
MW-307	08/22/17	15.62	9.42	6.20
MW-307	09/25/17	15.62	9.76	5.86
MW-307	12/04/17	15.62	8.18	7.44
MW-307	03/06/18	15.62	8.16	7.46
MW-307	06/12/18	15.62	8.70	6.92
MW-307	09/05/18	15.62	9.61	6.01
MW-307	12/17/18	15.62	8.62	7.00
MW-307	03/18/19	15.62	8.07	7.55
MW-307	05/15/19	15.62	8.69	6.93
MW-307	09/17/19	15.62	9.52	6.10
MW-307	12/09/19	15.62	9.39	6.23
MW-307	04/27/20	15.62	8.42	7.20
MW-307	06/29/20	15.62	8.83	6.79
MW-307	09/21/20	15.62	9.57	6.05
MW-307	12/14/20	15.62	8.72	6.90
MW-307	04/12/21	15.62	8.10	7.52
MW-307	06/14/21	15.62	8.80	6.82
MW-307	09/22/21	15.62	9.54	6.08
MW-307	12/14/21	15.62	7.32	8.30
MW-307	03/28/22	15.62	7.73	7.89
MW-307	06/27/22	15.62	8.61	7.01
MW-307	09/20/22	15.62	9.17	6.45
MW-307	12/12/22	15.62	7.98	7.64
MW-307	03/27/23	15.62	8.25	7.37
MW-307	06/12/23	15.62	8.46	7.16

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-307	09/11/23	15.62	8.50	7.12
MW-307	12/18/23	15.62	7.23	8.39
MW-307	03/11/24	15.62	7.25	8.37
MW-307	06/19/24	15.62	8.40	7.22
MW-308	11/27/12	15.59	7.90	7.69
MW-308	02/22/13	15.59	8.22	7.37
MW-308	05/16/13	15.59	8.80	6.79
MW-308	09/06/13	15.59	9.56	6.03
MW-308	11/07/13	15.59	9.45	6.14
MW-308	04/22/14	15.59	8.10	7.49
MW-308	11/04/14	15.59	8.40	7.19
MW-308	03/10/15	15.59	8.31	7.28
MW-308	05/15/15	15.59	9.01	6.58
MW-308	07/29/15	15.59	9.62	5.97
MW-308	12/10/15	15.59	6.15	9.44
MW-308	02/23/16	15.59	6.88	8.71
MW-308	05/03/16	15.59	8.20	7.39
MW-308	08/30/16	15.59	9.59	6.00
MW-308	12/14/16	15.59	7.56	8.03
MW-308	03/13/17	15.59	6.72	8.87
MW-308	05/16/17	15.59	7.69	7.90
MW-308	06/13/17	15.59	8.38	7.21
MW-308	08/22/17	15.59	9.29	6.30
MW-308	09/25/17	15.59	9.74	5.85
MW-308	12/04/17	15.59	7.90	7.69
MW-308	03/06/18	15.59	7.98	7.61
MW-308	06/12/18	15.59	8.78	6.81
MW-308	09/05/18	15.59	9.55	6.04
MW-308	12/17/18	15.59	8.38	7.21
MW-308	03/18/19	15.59	8.02	7.57
MW-308	05/15/19	15.59	8.65	6.94
MW-308	09/17/19	15.59	9.49	6.10
MW-308	12/09/19	15.59	9.34	6.25
MW-308	04/27/20	15.59	8.32	7.27
MW-308	06/29/20	15.59	8.78	6.81
MW-308	09/21/20	15.59	9.53	6.06
MW-308	12/14/20	15.59	8.70	6.89
MW-308	04/12/21	15.59	8.00	7.59
MW-308	06/14/21	15.59	8.65	6.94
MW-308	09/22/21	15.59	9.50	6.09
MW-308	12/14/21	15.59	7.07	8.52
MW-308	03/28/22	15.59	7.43	8.16
MW-308	06/27/22	15.59	8.34	7.25
MW-308	09/20/22	15.59	8.85	6.74
MW-308	12/12/22	15.59	7.94	7.65
MW-308	03/27/23	15.59	8.18	7.41

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-308	06/12/23	15.59	7.73	7.86
MW-308	09/11/23	15.59	8.22	7.37
MW-308	12/18/23	15.59	7.09	8.50
MW-308	03/11/24	15.59	6.98	8.61
MW-308	06/19/24	15.59	8.45	7.14
MW-309	11/27/12	12.67	5.41	7.26
MW-309	02/21/13	12.67	5.73	6.94
MW-309	05/16/13	12.67	6.21	6.46
MW-309	09/06/13	12.67	6.84	5.83
MW-309	11/07/13	12.67	6.76	5.91
MW-309	04/22/14	12.67	5.60	7.07
MW-309	07/24/14	12.67	6.47	6.20
MW-309	09/23/14	12.67	6.81	5.86
MW-309	11/04/14	12.67	5.81	6.86
MW-309	03/10/15	12.67	5.72	6.95
MW-309	05/15/15	12.67	6.18	6.49
MW-309	07/29/15	12.67	6.74	5.93
MW-309	12/10/15	12.67	4.59	8.08
MW-309	02/23/16	12.67	4.70	7.97
MW-309	05/03/16	12.67	5.60	7.07
MW-309	08/30/16	12.67	6.75	5.92
MW-309	12/12/16	12.67	5.12	7.55
MW-309	03/13/17	12.67	4.62	8.05
MW-309	06/13/17	12.67	5.76	6.91
MW-309	08/22/17	12.67	6.56	6.11
MW-309	12/04/17	12.67	5.52	7.15
MW-309	03/06/18	12.67	5.40	7.27
MW-309	06/12/18	12.67	6.18	6.49
MW-309	09/05/18	12.67	6.72	5.95
MW-309	12/17/18	12.67	5.93	6.74
MW-309	03/18/19	12.67	5.41	7.26
MW-309	05/16/19	12.67	5.95	6.72
MW-309	09/17/19	12.67	6.74	5.93
MW-309	12/09/19	12.67	6.59	6.08
MW-309	04/27/20	12.67	5.74	6.93
MW-309	06/29/20	12.67	6.00	6.67
MW-309	09/21/20	12.67	6.75	5.92
MW-309	12/14/20	12.67	6.08	6.59
MW-309	04/12/21	12.67	5.42	7.25
MW-309	06/14/21	12.67	6.10	6.57
MW-309	09/22/21	12.67	6.72	5.95
MW-309	12/15/21	12.67	4.84	7.83
MW-309	03/28/22	12.67	5.03	7.64
MW-309	06/27/22	12.67	5.51	7.16
MW-309	09/19/22	12.67	7.20	5.47
MW-309	12/12/22	12.67	5.41	7.26

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-309	03/27/23	12.67	5.62	7.05
MW-309	06/12/23	12.67	5.95	6.72
MW-309	09/11/23	12.67	6.86	5.81
MW-309	12/18/23	12.67	4.71	7.96
MW-309	03/11/24	12.67	4.67	8.00
MW-309	06/18/24	12.67	5.88	6.79
MW-310	11/27/12	13.51	6.42	7.09
MW-310	02/21/13	13.51	6.78	6.73
MW-310	05/16/13	13.51	7.20	6.31
MW-310	09/06/13	13.51	7.72	5.79
MW-310	11/07/13	13.51	7.61	5.90
MW-310	01/16/14	13.51	7.39	6.12
MW-310	04/23/14	13.51	6.64	6.87
MW-310	07/24/14	13.51	7.43	6.08
MW-310	09/23/14	13.51	7.73	5.78
MW-310	11/04/14	13.51	6.84	6.67
MW-310	03/10/15	13.51	6.78	6.73
MW-310	05/15/15	13.51	7.19	6.32
MW-310	07/29/15	13.51	7.67	5.84
MW-310	12/10/15	13.51	5.80	7.71
MW-310	02/23/16	13.51	5.77	7.74
MW-310	05/03/16	13.51	6.70	6.81
MW-310	08/30/16	13.51	7.76	5.75
MW-310	12/14/16	13.51	6.32	7.19
MW-310	03/13/17	13.51	5.90	7.61
MW-310	05/16/17	13.51	6.39	7.12
MW-310	06/13/17	13.51	6.88	6.63
MW-310	08/22/17	13.51	7.56	5.95
MW-310	12/04/17	13.51	6.48	7.03
MW-310	03/06/18	13.51	6.52	6.99
MW-310	06/12/18	13.51	7.08	6.43
MW-310	09/05/18	13.51	7.57	5.94
MW-310	12/17/18	13.51	6.73	6.78
MW-310	03/18/19	13.51	5.28	8.23
MW-310	05/16/19	13.51	6.92	6.59
MW-310	09/17/19	13.51	7.59	5.92
MW-310	12/09/19	13.51	7.41	6.10
MW-310	04/27/20	13.51	6.60	6.91
MW-310	06/29/20	13.51	6.78	6.73
MW-310	09/21/20	13.51	7.57	5.94
MW-310	12/14/20	13.51	8.95	4.56
MW-310	04/12/21	13.51	6.41	7.10
MW-310	06/14/21	13.51	6.98	6.53
MW-310	09/22/21	13.51	7.62	5.89
MW-310	12/16/21	13.51	5.58	7.93
MW-310	03/28/22	13.51	5.85	7.66

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-310	06/27/22	13.51	7.08	6.43
MW-310	09/20/22	13.51	8.08	5.43
MW-310	12/12/22	13.51	6.20	7.31
MW-310	03/27/23	13.51	5.91	7.60
MW-310	06/12/23	13.51	6.17	7.34
MW-310	09/11/23	13.51	7.15	6.36
MW-310	12/18/23	13.51	5.43	8.08
MW-310	03/12/24	13.51	5.43	8.08
MW-310	06/18/24	13.51	6.71	6.80
MW-311	11/05/14	14.91	8.03	6.88
MW-311	03/10/15	14.91	8.02	6.89
MW-311	05/15/15	14.91	8.42	6.49
MW-311	07/29/15	14.91	8.83	6.08
MW-311	12/10/15	14.91	7.08	7.83
MW-311	02/23/16	14.91	6.97	7.94
MW-311	05/03/16	14.91	7.92	6.99
MW-311	08/30/16	14.91	8.92	5.99
MW-311	12/14/16	14.91	7.53	7.38
MW-311	03/13/17	14.91	7.10	7.81
MW-311	06/13/17	14.91	8.05	6.86
MW-311	08/22/17	14.91	8.70	6.21
MW-311	12/04/17	14.91	7.70	7.21
MW-311	03/06/18	14.91	7.74	7.17
MW-311	06/12/18	14.91	8.32	6.59
MW-311	09/05/18	14.91	8.78	6.13
MW-311	12/17/18	14.91	8.02	6.89
MW-311	03/18/19	14.91	7.63	7.28
MW-311	05/15/19	14.91	8.06	6.85
MW-311	09/17/19	14.91	8.78	6.13
MW-311	12/09/19	14.91	8.64	6.27
MW-311	04/27/20	14.91	7.94	6.97
MW-311	06/29/20	14.91	8.24	6.67
MW-311	09/21/20	14.91	8.80	6.11
MW-311	12/14/20	14.91	8.20	6.71
MW-311	04/12/21	14.91	7.68	7.23
MW-311	06/14/21	14.91	--	--
MW-311	09/22/21	14.91	8.79	6.12
MW-311	12/16/21	14.91	7.05	7.86
MW-311	03/28/22	14.91	7.25	7.66
MW-311	06/27/22	14.91	7.69	7.22
MW-311	09/20/22	14.91	9.23	5.68
MW-311	12/12/22	14.91	7.62	7.29
MW-311	03/27/23	14.91	7.77	7.14
MW-311	06/12/23	14.91	7.62	7.29
MW-311	09/11/23	14.91	8.58	6.33
MW-311	12/18/23	14.91	6.92	7.99

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-311	03/12/24	14.91	6.81	8.10
MW-311	06/17/24	14.91	7.94	6.97
MW-312	11/05/14	14.31	7.58	6.73
MW-312	03/10/15	14.31	7.56	6.75
MW-312	05/15/15	14.31	7.95	6.36
MW-312	07/29/15	14.31	8.34	5.97
MW-312	12/10/15	14.31	6.97	7.34
MW-312	02/23/16	14.31	6.68	7.63
MW-312	05/03/16	14.31	7.49	6.82
MW-312	08/30/16	14.31	8.44	5.87
MW-312	12/14/16	14.31	7.10	7.21
MW-312	03/13/17	14.31	6.75	7.56
MW-312	06/13/17	14.31	7.61	6.70
MW-312	08/22/17	14.31	8.22	6.09
MW-312	12/04/17	14.31	7.36	6.95
MW-312	03/06/18	14.31	7.32	6.99
MW-312	06/12/18	14.31	7.83	6.48
MW-312	09/05/18	14.31	8.31	6.00
MW-312	12/17/18	14.31	7.57	6.74
MW-312	03/18/19	14.31	7.23	7.08
MW-312	05/15/19	14.31	7.59	6.72
MW-312	09/17/19	14.31	8.26	6.05
MW-312	12/09/19	14.31	8.12	6.19
MW-312	04/27/20	14.31	7.52	6.79
MW-312	06/29/20	14.31	7.70	6.61
MW-312	09/21/20	14.31	8.30	6.01
MW-312	12/14/20	14.31	7.77	6.54
MW-312	04/12/21	14.31	7.31	7.00
MW-312	06/14/21	14.31	7.80	6.51
MW-312	09/22/21	14.31	8.25	6.06
MW-312	12/16/21	14.31	6.63	7.68
MW-312	03/28/22	14.31	5.90	8.41
MW-312	06/27/22	14.31	7.56	6.75
MW-312	09/20/22	14.31	7.11	7.20
MW-312	12/12/22	14.31	7.08	7.23
MW-312	03/27/23	14.31	7.46	6.85
MW-312	06/12/23	14.31	5.78	8.53
MW-312	09/11/23	14.31	7.96	6.35
MW-312	12/18/23	14.31	6.58	7.73
MW-312	03/12/24	14.31	6.50	7.81
MW-312	06/18/24	14.31	7.63	6.68
MW-313	08/30/16	13.25	7.05	6.20
MW-313	12/14/16	13.25	5.63	7.62
MW-313	03/13/17	13.25	5.31	7.94
MW-313	06/13/17	13.25	6.10	7.15

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-313	08/22/17	13.25	6.80	6.45
MW-313	12/04/17	13.25	5.77	7.48
MW-313	03/06/18	13.25	5.87	7.38
MW-313	06/12/18	13.25	6.38	6.87
MW-313	09/05/18	13.25	6.98	6.27
MW-313	12/17/18	13.25	6.04	7.21
MW-313	03/18/19	13.25	5.87	7.38
MW-313	05/15/19	13.25	6.21	7.04
MW-313	09/17/19	13.25	6.82	6.43
MW-313	12/09/19	13.25	6.74	6.51
MW-313	04/27/20	13.25	6.03	7.22
MW-313	06/29/20	13.25	6.36	6.89
MW-313	09/21/20	13.25	6.95	6.30
MW-313	12/14/20	13.25	6.27	6.98
MW-313	04/12/21	13.25	5.96	7.29
MW-313	06/14/21	13.25	6.27	6.98
MW-313	09/22/21	13.25	6.83	6.42
MW-313	12/16/21	13.25	5.11	8.14
MW-313	03/28/22	13.25	5.48	7.77
MW-313	06/27/22	13.25	5.87	7.38
MW-313	09/20/22	13.25	7.30	5.95
MW-313	12/12/22	13.25	5.48	7.77
MW-313	03/27/23	13.25	5.90	7.35
MW-313	06/12/23	13.25	6.15	7.10
MW-313	09/11/23	13.25	6.73	6.52
MW-313	12/18/23	13.25	5.58	7.67
MW-313	03/12/24	13.25	5.16	8.09
MW-313	06/18/24	13.25	6.32	6.93
MW-314	08/30/16	13.49	7.72	5.77
MW-314	12/14/16	13.49	6.77	6.72
MW-314	03/13/17	13.49	6.55	6.94
MW-314	06/13/17	13.49	7.08	6.41
MW-314	08/22/17	13.49	7.55	5.94
MW-314	12/04/17	13.49	7.00	6.49
MW-314	03/06/18	13.49	6.99	6.50
MW-314	06/12/18	13.49	7.38	6.11
MW-314	09/05/18	13.49	7.66	5.83
MW-314	12/17/18	13.49	6.98	6.51
MW-314	03/18/19	13.49	6.92	6.57
MW-314	05/16/19	13.49	7.13	6.36
MW-314	09/17/19	13.49	Not Measured	Not Measured
MW-314	12/09/19	13.49	7.46	6.03
MW-314	04/27/20	13.49	7.19	6.30
MW-314	06/29/20	13.49	7.40	6.09
MW-314	09/22/20	13.49	7.53	5.96
MW-314	12/15/20	13.49	7.31	6.18

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
MW-314	04/13/21	13.49	7.13	6.36
MW-314	06/14/21	13.49	--	--
MW-314	09/22/21	13.49	--	--
MW-314	12/16/21	13.49	--	--
MW-314	03/28/22	13.49	6.68	6.81
MW-314	06/27/22	13.49	6.93	6.56
MW-314	09/20/22	13.49	8.41	5.08
MW-314	12/12/22	13.49	--	--
MW-314	03/27/23	13.49	6.75	6.74
MW-314	06/14/23	13.49	7.00	6.49
MW-314	09/11/23	13.49	--	--
MW-314	12/20/23	13.49	5.60	7.89
MW-314	03/11/24	13.49	--	--
MW-314	06/19/24	13.49	7.29	6.20
MW-315	08/30/16	14.61	8.56	6.05
MW-315	12/14/16	14.61	7.26	7.35
MW-315	03/13/17	14.61	6.93	7.68
MW-315	06/13/17	14.61	7.72	6.89
MW-315	08/22/17	14.61	8.32	6.29
MW-315	12/04/17	14.61	7.45	7.16
MW-315	03/06/18	14.61	7.47	7.14
MW-315	06/12/18	14.61	7.98	6.63
MW-315	09/05/18	14.61	8.46	6.15
MW-315	12/17/18	14.61	7.64	6.97
MW-315	03/18/19	14.61	7.43	7.18
MW-315	05/15/19	14.61	7.73	6.88
MW-315	09/17/19	14.61	9.43	5.18
MW-315	12/09/19	14.61	8.21	6.40
MW-315	04/27/20	14.61	7.64	6.97
MW-315	06/29/20	14.61	7.95	6.66
MW-315	09/21/20	14.61	8.41	6.20
MW-315	12/14/20	14.61	7.77	6.84
MW-315	04/12/21	14.61	7.52	7.09
MW-315	06/14/21	14.61	7.90	6.71
MW-315	09/22/21	14.61	8.34	6.27
MW-315	12/16/21	14.61	6.76	7.85
MW-315	03/28/22	14.61	7.03	7.58
MW-315	06/27/22	14.61	7.42	7.19
MW-315	09/20/22	14.61	9.08	5.53
MW-315	12/12/22	14.61	7.08	7.53
MW-315	03/27/23	14.61	7.43	7.18
MW-315	06/12/23	14.61	7.61	7.00
MW-315	09/11/23	14.61	8.10	6.51
MW-315	12/18/23	14.61	6.74	7.87
MW-315	03/12/24	14.61	6.69	7.92
MW-315	06/19/24	14.61	7.77	6.84



**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
SH-04	07/08/93	12.92	9.94	2.98
SH-04	08/03/93	12.92	10.15	2.77
SH-04	09/08/93	12.92	10.50	2.42
SH-04	10/08/93	12.92	10.72	2.20
SH-04	11/05/93	12.92	10.88	2.04
SH-04	12/03/93	12.92	10.78	2.14
SH-04	01/05/94	12.92	10.20	2.72
SH-04	02/04/94	12.92	10.12	2.80
SH-04	08/28/95	12.92	10.15	2.77
SH-04	09/27/95	12.92	10.37	2.55
SH-04	04/27/99	12.92	8.55	4.37
SH-04	07/14/99	12.92	7.63	5.29
SH-04	10/18/99	12.92	10.58	2.34
SH-04	01/11/00	12.92	9.06	3.86
SH-04	04/05/00	12.92	8.94	3.98
SH-04	07/18/00	12.92	9.96	2.96
SH-04	10/02/00	12.92	10.62	2.30
SH-04	01/22/01	12.92	10.13	2.79
SH-04	07/23/01	12.92	6.98	5.94
SH-04	10/16/01	12.92	12.20	0.72
SH-04	04/23/02	12.92	9.91	3.01
SH-04	07/18/02	12.92	10.74	2.18
SH-04	10/23/02	12.92	11.27	1.65
SH-04	01/28/03	12.92	9.73	3.19
SH-04	04/15/03	12.92	9.69	3.23
SH-04	07/17/03	12.92	10.78	2.14
SH-04	10/15/03	12.92	11.19	1.73
SH-04	01/13/04	12.92	9.61	3.31
SH-04	04/19/04	16.62	10.05	6.57
SH-04	07/27/04	16.62	10.90	5.72
SH-04	10/18/04	16.62	10.89	5.73
SH-04	01/24/05	16.62	10.03	6.59
SH-04	04/18/05	16.62	10.03	6.59
SH-04	07/12/05	16.62	10.51	6.11
SH-04	10/18/05	16.62	11.01	5.61
SH-04	01/25/06	16.62	8.98	7.64
SH-04	10/11/06	16.62	11.06	5.56
SH-04	11/20/08	16.62	10.40	6.22
SH-04	04/08/09	16.62	10.01	6.61
SH-04	11/16/09	16.62	10.09	6.53
SH-04	04/27/10	16.62	9.33	7.29
SH-04	10/25/10	16.62	10.23	6.39
SH-04	10/27/11	16.62	10.68	5.94
SH-04	03/01/12	16.62	9.63	6.99
SH-04	05/30/12	16.62	9.56	7.06
SH-04	06/11/12	16.62	9.55	7.07

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
SH-04	08/23/12	16.62	9.95	6.67
SH-04	09/25/12	16.62	10.21	6.41
SH-04	11/25/12	16.62	8.77	7.85
SH-04	05/16/13	16.62	8.64	7.98
SH-04	11/04/13	16.62	8.75	7.87
SH-04	04/22/14	16.62	9.00	7.62
SH-04	11/06/14	16.62	9.23	7.39
SH-04	05/21/15	16.62	9.15	7.47
SH-04	12/08/15	16.62	8.80	7.82
SH-04	12/14/16	16.62	8.34	8.28
SH-04	06/13/17	16.62	8.75	7.87
SH-04	12/04/17	16.62	9.33	7.29
SH-04	06/12/18	16.62	9.39	7.23
SH-04	12/17/18	16.62	9.65	6.97
SH-04	05/16/19	16.62	9.72	6.90
SH-04	12/09/19	16.62	10.50	6.12
SH-04	06/29/20	16.62	9.89	6.73
SH-04	12/14/20	16.62	9.90	6.72
SH-04	04/12/21	16.62	9.18	7.44
SH-04	06/14/21	16.62	9.60	7.02
SH-04	12/15/21	16.62	8.79	7.83
SH-04	04/18/22	16.62	9.15	7.47
SH-04	06/27/22	16.62	9.33	7.29
SH-04	12/12/22	16.62	9.20	7.42
SH-04	06/12/23	16.62	8.95	7.67
SH-04	12/19/23	16.62	8.05	8.57
SH-04	06/18/24	16.62	9.71	6.91
TES-MW-1	04/06/93	13.10	8.79	4.31
TES-MW-1	05/13/93	13.10	8.61	4.49
TES-MW-1	06/10/93	13.10	8.63	4.47
TES-MW-1	07/08/93	13.10	8.98	4.12
TES-MW-1	08/03/93	13.10	9.28	3.82
TES-MW-1	09/08/93	13.10	8.66	4.44
TES-MW-1	10/08/93	13.10	9.98	3.12
TES-MW-1	11/05/93	13.10	10.20	2.90
TES-MW-1	12/03/93	13.10	10.17	2.93
TES-MW-1	01/05/94	13.10	9.30	3.80
TES-MW-1	02/04/94	13.10	9.19	3.91
TES-MW-1	08/28/95	13.10	9.26	3.84
TES-MW-1	09/27/95	13.10	9.53	3.57
TES-MW-1	04/27/99	13.10	7.49	5.61
TES-MW-1	07/14/99	13.10	8.90	4.20
TES-MW-1	10/18/99	13.10	9.88	3.22
TES-MW-1	01/11/00	13.10	7.59	5.51
TES-MW-1	04/05/00	13.10	8.20	4.90
TES-MW-1	10/02/00	13.10	9.99	3.11

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

<b>Sample ID</b>	<b>Sample Date</b>	<b>TOC Elevation ft AMSL</b>	<b>Depth to Water ft below TOC</b>	<b>GW Elevation ft AMSL</b>
TES-MW-1	01/22/01	13.10	9.65	3.45
TES-MW-1	07/23/01	13.10	10.77	2.33
TES-MW-1	10/16/01	13.10	11.93	1.17
TES-MW-1	04/23/02	13.10	9.32	3.78
TES-MW-1	07/18/02	13.10	10.34	2.76
TES-MW-1	10/23/02	13.10	10.92	2.18
TES-MW-1	01/30/03	13.10	8.43	4.67
TES-MW-1	04/15/03	13.10	8.89	4.21
TES-MW-1	07/17/03	13.10	10.41	2.69
TES-MW-1	10/15/03	13.10	10.82	2.28
TES-MW-1	01/13/04	13.10	8.82	4.28
TES-MW-1	04/19/04	16.15	9.76	6.39
TES-MW-1	07/27/04	16.15	10.48	5.67
TES-MW-1	10/18/04	16.15	10.27	5.88
TES-MW-1	01/24/05	16.15	9.26	6.89
TES-MW-1	04/18/05	16.15	9.46	6.69
TES-MW-1	07/12/05	16.15	10.10	6.05
TES-MW-1	10/18/05	16.15	10.70	5.45
TES-MW-1	01/25/06	16.15	8.17	7.98
TES-MW-1	04/25/06	16.15	9.33	6.82
TES-MW-1	10/11/06	16.15	10.66	5.49
TES-MW-1	11/18/08	16.15	9.85	6.30
TES-MW-1	11/16/09	16.15	9.35	6.80
TES-MW-1	10/26/10	16.15	9.66	6.49
TES-MW-1	10/27/11	16.15	10.42	5.73
TES-MW-1	05/30/12	16.15	9.37	6.78
TES-MW-1	06/13/12	16.15	9.43	6.72
TES-MW-1	06/26/12	16.15	10.31	5.84
TES-MW-1	11/27/12	16.15	8.62	7.53
TES-MW-1	05/16/13	16.15	9.46	6.69
TES-MW-1	11/07/13	16.15	10.06	6.09
TES-MW-1	04/22/14	16.15	8.70	7.45
TES-MW-1	11/04/14	16.15	9.07	7.08
TES-MW-1	03/10/15	16.15	8.92	7.23
TES-MW-1	05/15/15	16.15	9.40	6.75
TES-MW-1	07/29/15	16.15	10.08	6.07
TES-MW-1	12/10/15	16.15	7.14	9.01
TES-MW-1	02/23/16	16.15	7.58	8.57
TES-MW-1	05/03/16	16.15	8.80	7.35
TES-MW-1	08/30/16	16.15	9.86	6.29
TES-MW-1	12/14/16	16.15	8.30	7.85
TES-MW-1	03/13/17	16.15	7.57	8.58
TES-MW-1	06/13/17	16.15	9.01	7.14
TES-MW-1	08/22/17	16.15	9.90	6.25
TES-MW-1	12/04/17	16.15	8.75	7.40
TES-MW-1	03/06/18	16.15	8.61	7.54
TES-MW-1	06/12/18	16.15	9.56	6.59

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
TES-MW-1	09/05/18	16.15	10.17	5.98
TES-MW-1	12/17/18	16.15	9.08	7.07
TES-MW-1	03/18/19	16.15	8.73	7.42
TES-MW-1	05/15/19	16.15	9.34	6.81
TES-MW-1	09/17/19	16.15	10.19	5.96
TES-MW-1	12/09/19	16.15	9.99	6.16
TES-MW-1	04/27/20	16.15	9.04	7.11
TES-MW-1	06/29/20	16.15	9.50	6.65
TES-MW-1	09/21/20	16.15	10.23	5.92
TES-MW-1	12/14/20	16.15	9.43	6.72
TES-MW-1	04/12/21	16.15	8.79	7.36
TES-MW-1	06/14/21	16.15	9.35	6.80
TES-MW-1	09/22/21	16.15	10.15	6.00
TES-MW-1	12/14/21	16.15	7.87	8.28
TES-MW-1	03/28/22	16.15	8.19	7.96
TES-MW-1	06/27/22	16.15	9.18	6.97
TES-MW-1	09/19/22	16.15	10.50	5.65
TES-MW-1	12/12/22	16.15	10.35	5.80
TES-MW-1	03/27/23	16.15	8.10	8.05
TES-MW-1	06/12/23	16.15	8.86	7.29
TES-MW-1	09/11/23	16.15	9.36	6.79
TES-MW-1	12/19/23	16.15	7.92	8.23
TES-MW-1	03/11/24	16.15	7.68	8.47
TES-MW-1	06/17/24	16.15	9.21	6.94
TX-03	04/06/93	9.58	5.57	4.01
TX-03	06/10/93	9.58	5.50	4.08
TX-03	07/08/93	9.58	5.81	3.77
TX-03	08/03/93	9.58	6.08	3.50
TX-03	09/08/93	9.58	6.42	3.16
TX-03	10/08/93	9.58	6.74	2.84
TX-03	11/05/93	9.58	6.91	2.67
TX-03	12/03/93	9.58	6.90	2.68
TX-03	01/05/94	9.58	6.16	3.42
TX-03	02/04/94	9.58	Not Measured	Not Measured
TX-03	08/28/95	9.58	6.16	3.42
TX-03	09/27/95	9.58	Not Measured	Not Measured
TX-03	04/27/99	9.58	4.68	4.90
TX-03	07/14/99	9.58	5.87	3.71
TX-03	10/18/99	9.58	6.71	2.87
TX-03	01/11/00	9.58	5.30	4.28
TX-03	04/05/00	9.58	5.31	4.27
TX-03	07/18/00	9.58	5.98	3.60
TX-03	10/02/00	9.58	6.65	2.93
TX-03A	04/23/02	9.58	6.25	3.33
TX-03A	07/18/02	9.58	6.75	2.83

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
TX-03A	10/23/02	9.58	7.15	2.43
TX-03A	01/28/03	9.58	5.40	4.18
TX-03A	04/15/03	9.58	5.76	3.82
TX-03A	07/17/03	9.58	6.76	2.82
TX-03A	10/15/03	9.58	7.05	2.53
TX-03A	01/13/04	9.58	5.46	4.12
TX-03A	04/19/04	12.26	6.22	6.04
TX-03A	07/27/04	12.26	6.78	5.48
TX-03A	10/18/04	12.26	6.69	5.57
TX-03A	01/24/05	12.26	5.76	6.50
TX-03A	04/18/05	12.26	5.91	6.35
TX-03A	07/12/05	12.26	6.41	5.85
TX-03A	10/18/05	12.26	6.92	5.34
TX-03A	01/25/06	12.26	4.82	7.44
TX-03A	04/25/06	12.26	5.82	6.44
TX-03A	10/11/06	12.26	6.91	5.35
TX-03A	11/20/08	12.26	6.14	6.12
TX-03A	04/08/09	12.26	5.90	6.36
TX-03A	11/16/09	12.26	5.80	6.46
TX-03A	04/27/10	12.26	5.53	6.73
TX-03A	10/25/10	12.26	6.20	6.06
TX-03A	10/27/11	12.26	6.74	5.52
TX-03A	03/01/12	12.26	5.86	6.40
TX-03A	06/13/12	12.26	5.97	6.29
TX-03A	09/26/12	12.26	6.67	5.59
TX-03A	11/27/12	12.26	5.21	7.05
TX-03A	02/21/13	12.26	5.55	6.71
TX-03A	05/16/13	12.26	6.01	6.25
TX-03A	09/06/13	12.26	6.56	5.70
TX-03A	11/07/13	12.26	6.45	5.81
TX-03A	04/22/14	12.26	5.45	6.81
TX-03A	07/24/14	12.26	6.28	5.98
TX-03A	09/23/14	12.26	6.57	5.69
TX-03A	11/04/14	12.26	5.64	6.62
TX-03A	03/10/15	12.26	5.57	6.69
TX-03A	05/15/15	12.26	5.98	6.28
TX-03A	07/29/15	12.26	6.51	5.75
TX-03A	12/10/15	12.26	4.48	7.78
TX-03A	02/23/16	12.26	4.44	7.82
TX-03A	05/03/16	12.26	5.46	6.80
TX-03A	08/30/16	12.26	6.59	5.67
TX-03A	12/14/16	12.26	5.04	7.22
TX-03A	03/13/17	12.26	4.56	7.70
TX-03A	05/16/17	12.26	5.12	7.14
TX-03A	06/13/17	12.26	5.63	6.63
TX-03A	08/22/17	12.26	6.37	5.89
TX-03A	12/04/17	12.26	5.20	7.06

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
TX-03A	03/27/18	12.26	5.42	6.84
TX-03A	06/12/18	12.26	6.33	5.93
TX-03A	09/05/18	12.26	6.43	5.83
TX-03A	12/17/18	12.26	5.61	6.65
TX-03A	03/18/19	12.26	5.12	7.14
TX-03A	05/16/19	12.26	5.56	6.70
TX-03A	09/17/19	12.26	6.42	5.84
TX-03A	12/09/19	12.26	6.27	5.99
TX-03A	04/27/20	12.26	5.45	6.81
TX-03A	06/29/20	12.26	5.65	6.61
TX-03A	09/21/20	12.26	6.43	5.83
TX-03A	12/15/20	12.26	5.70	6.56
TX-03A	04/12/21	12.26	5.12	7.14
TX-03A	06/14/21	12.26	5.72	6.54
TX-03A	09/23/21	12.26	6.35	5.91
TX-03A	12/16/21	12.26	--	--
TX-03A	03/28/22	12.26	4.90	7.36
TX-03A	06/27/22	12.26	5.17	7.09
TX-03A	09/21/22	12.26	6.75	5.51
TX-03A	12/12/22	12.26	5.05	7.21
TX-03A	03/27/23	12.26	4.97	7.29
TX-03A	06/14/23	12.26	5.42	6.84
TX-03A	09/12/23	12.26	6.84	5.42
TX-03A	12/20/23	12.26	4.45	7.81
TX-03A	03/11/24	12.26	4.28	7.98
TX-03A	06/19/24	12.26	5.45	6.81
TX-04	04/06/93	14.36	9.97	4.39
TX-04	05/13/93	14.36	9.83	4.53
TX-04	06/10/93	14.36	9.87	4.49
TX-04	07/08/93	14.36	10.24	4.12
TX-04	08/03/93	14.36	10.54	3.82
TX-04	09/08/93	14.36	10.96	3.40
TX-04	10/08/93	14.36	11.28	3.08
TX-04	11/05/93	14.36	11.51	2.85
TX-04	12/03/93	14.36	11.43	2.93
TX-04	01/05/94	14.36	10.60	3.76
TX-04	02/04/94	14.36	10.45	3.91
TX-04	08/28/95	14.36	10.64	3.72
TX-04	09/27/95	14.36	10.88	3.48
TX-04	04/27/99	14.36	8.57	5.79
TX-04	07/14/99	14.36	10.01	4.35
TX-04	10/18/99	14.36	11.12	3.24
TX-04	01/11/00	14.36	9.06	5.30
TX-04	04/05/00	14.36	9.04	5.32
TX-04	07/18/00	14.36	10.41	3.95
TX-04	10/02/00	14.36	11.23	3.13

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
TX-04	01/22/01	14.36	10.70	3.66
TX-04	07/23/01	14.36	11.50	2.86
TX-04	10/16/01	14.36	9.57	4.79
TX-04	04/23/02	14.36	6.81	7.55
TX-04	07/18/02	14.36	11.33	3.03
TX-04	10/23/02	14.36	11.79	2.57
TX-04	01/28/03	14.36	9.51	4.85
TX-04	04/15/03	14.36	9.55	4.81
TX-04	07/17/03	14.36	11.28	3.08
TX-04	10/15/03	14.36	11.93	2.43
TX-04	01/13/04	14.36	9.54	4.82
TX-04	04/19/04	17.65	10.50	7.15
TX-04	07/27/04	17.65	11.46	6.19
TX-04	10/18/04	17.65	11.46	6.19
TX-04	01/24/05	17.65	10.16	7.49
TX-04	04/18/05	17.65	10.35	7.30
TX-04	07/12/05	17.65	11.04	6.61
TX-04	10/18/05	17.65	11.79	5.86
TX-04	01/25/06	17.65	8.43	9.22
TX-04	04/25/06	17.65	10.22	7.43
TX-04	10/11/06	17.65	11.77	5.88
TX-04	11/18/08	17.65	10.84	6.81
TX-04	11/16/09	17.65	10.39	7.26
TX-04	10/25/10	17.65	10.77	6.88
TX-04	10/26/11	17.65	11.47	6.18
TX-04	11/26/12	17.65	9.26	8.39
TX-04	11/04/13	17.65	10.98	6.67
TX-04	11/06/14	17.65	10.05	7.60
TX-04	02/27/15	17.65	9.37	8.28
TX-04	12/08/15	17.65	9.27	8.38
TX-04	12/14/16	17.65	8.97	8.68
TX-04	12/04/17	17.65	9.64	8.01
TX-04	12/17/18	17.65	10.39	7.26
TX-04	12/09/19	17.65	11.22	6.43
TX-04	12/14/20	17.65	10.45	7.20
TX-04	04/12/21	17.65	9.63	8.02
TX-04	12/15/21	17.65	8.90	8.75
TX-04	12/12/22	17.65	9.81	7.84
TX-04	12/18/23	17.65	8.07	9.58
TX-06	04/06/93	8.58	3.85	4.73
TX-06	06/10/93	8.58	3.71	4.87
TX-06	09/08/93	8.58	4.96	3.62
TX-06	10/08/93	8.58	5.35	3.23
TX-06	11/05/93	8.58	5.54	3.04
TX-06	12/03/93	8.58	5.37	3.21
TX-06	01/05/94	8.58	4.48	4.10

**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
TX-06	02/04/94	8.58	4.43	4.15
TX-06	08/28/95	8.58	4.75	3.83
TX-06	09/27/95	8.58	5.78	2.80
TX-06	04/27/99	8.58	2.62	5.96
TX-06	07/14/99	8.58	4.05	4.53
TX-06	10/18/99	8.58	5.19	3.39
TX-06	01/11/00	8.58	2.98	5.60
TX-06	04/05/00	8.58	3.16	5.42
TX-06	07/18/00	8.58	4.25	4.33
TX-06	10/02/00	8.58	5.23	3.35
TX-06	04/25/06	8.58	3.88	4.70
TX-06A	04/23/02	8.58	3.98	4.60
TX-06A	07/18/02	8.58	4.14	4.44
TX-06A	10/23/02	8.58	5.98	2.60
TX-06A	01/28/03	8.58	3.40	5.18
TX-06A	04/15/03	8.58	3.57	5.01
TX-06A	07/17/03	8.58	5.24	3.34
TX-06A	10/15/03	8.58	6.01	2.57
TX-06A	01/13/04	8.58	3.36	5.22
TX-06A	04/19/04	11.67	4.41	7.26
TX-06A	07/27/04	11.67	5.39	6.28
TX-06A	10/18/04	11.67	5.23	6.44
TX-06A	01/24/05	11.67	3.66	8.01
TX-06A	04/18/05	11.67	3.89	7.78
TX-06A	07/12/05	11.67	4.78	6.89
TX-06A	10/18/05	11.67	5.63	6.04
TX-06A	01/25/06	11.67	3.00	8.67
TX-06A	04/25/06	11.67	5.54	6.13
TX-06A	11/18/08	11.67	4.56	7.11
TX-06A	11/16/09	11.67	3.99	7.68
TX-06A	10/28/10	11.67	4.47	7.20
TX-06A	10/25/11	11.67	5.40	6.27
TX-06A	11/25/12	11.67	3.03	8.64
TX-06A	11/07/13	11.67	4.87	6.80
TX-06A	11/06/14	11.67	4.03	7.64
TX-06A	12/08/15	11.67	2.80	8.87
TX-06A	12/14/16	11.67	3.26	8.41
TX-06A	12/04/17	11.67	3.36	8.31
TX-06A	12/17/18	11.67	4.18	7.49
TX-06A	12/09/19	11.67	5.20	6.47
TX-06A	12/14/20	11.67	4.32	7.35
TX-06A	04/12/21	11.67	3.91	7.76
TX-06A	12/15/21	11.67	2.90	8.77
TX-06A	12/12/22	11.67	7.46	4.21
TX-06A	12/19/23	11.67	2.45	9.22



**Groundwater Elevation Data  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	TOC Elevation ft AMSL	Depth to Water ft below TOC	GW Elevation ft AMSL
-----------	-------------	--------------------------	--------------------------------	-------------------------

**Notes:**

ft = feet

AMSL = above mean sea level

TOC = Top of monitoring well casing

-- = Survey data not available

= Indicates data collected during this progress report period

Table 4

Performance Product Monitoring Data  
Shell Harbor Island Terminal  
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
06/01/04	10.68	NP	NP	5.01	NP	NP	—	—	—	6.20	6.15	0.05	5.33	NP	NP	5.60	NP	NP
10/02/04	10.12	NP	NP	4.77	NP	NP	—	—	—	7.09	6.31	0.78	5.04	NP	NP	4.89	NP	NP
10/03/04	10.50	NP	NP	5.98	NP	NP	—	—	—	7.26	6.71	0.55	5.86	NP	NP	6.06	NP	NP
04/19/04	10.95	NP	NP	6.29	NP	NP	—	—	—	6.99	NP	NP	4.90	NP	NP	5.13	NP	NP
05/13/04	11.24	NP	NP	6.07	NP	NP	—	—	—	6.95	NP	NP	4.78	NP	NP	4.80	NP	NP
08/06/04	11.35	NP	NP	4.76	NP	NP	—	—	—	5.52	NP	NP	4.64	NP	NP	4.41	NP	NP
06/07/04	11.55	NP	NP	5.06	NP	NP	—	—	—	6.98	NP	NP	4.55	NP	NP	4.61	NP	NP
11/08/04	11.79	NP	NP	6.51	NP	NP	—	—	—	7.22	NP	NP	7.18	NP	NP	7.27	NP	NP
09/09/04	11.79	NP	NP	6.66	NP	NP	—	—	—	7.19	7.18	0.01	7.16	NP	NP	7.14	7.14	Trace
06/10/04	11.76	NP	NP	6.58	NP	NP	—	—	—	7.18	NP	NP	7.11	NP	NP	7.08	NP	NP
09/11/04	11.61	NP	NP	6.17	NP	NP	—	—	—	7.04	7.01	0.03	6.93	NP	NP	6.95	6.95	Trace
10/12/04	—	—	—	3.91	NP	NP	—	—	—	6.96	NP	NP	5.31	NP	NP	5.00	NP	NP
11/01/05	11.04	NP	NP	3.80	NP	NP	—	—	—	5.78	NP	NP	4.85	4.85	Trace	4.71	NP	NP
11/02/05	10.81	10.81	Trace	4.47	NP	NP	—	—	—	6.19	6.18	0.01	5.71	NP	NP	5.68	NP	NP
11/03/05	11.18	NP	NP	5.48	NP	NP	—	—	—	6.73	NP	NP	6.56	6.56	Trace	6.50	NP	NP
04/18/05	10.98	NP	NP	5.97	NP	NP	—	—	—	6.95	6.81	0.14	6.18	NP	NP	6.42	NP	NP
05/25/05	10.98	NP	NP	4.78	NP	NP	—	—	—	6.12	NP	NP	5.73	NP	NP	5.78	NP	NP
09/06/05	11.15	NP	NP	5.74	NP	NP	—	—	—	6.68	6.67	0.01	6.11	NP	NP	6.33	NP	NP
11/07/05	11.40	NP	NP	6.12	NP	NP	—	—	—	7.13	NP	NP	6.32	NP	NP	6.65	NP	NP
08/19/05	11.64	NP	NP	6.25	NP	NP	—	—	—	6.91	NP	NP	6.50	NP	NP	7.85	NP	NP
09/16/05	11.83	NP	NP	6.51	NP	NP	—	—	—	7.32	NP	NP	6.85	NP	NP	7.02	NP	NP
10/18/05	11.98	NP	NP	6.06	NP	NP	—	—	—	6.93	NP	NP	6.51	NP	NP	6.54	NP	NP
09/11/05	11.67	NP	NP	4.43	NP	NP	—	—	—	6.34	NP	NP	4.86	NP	NP	4.10	NP	NP
05/12/05	11.48	NP	NP	4.65	NP	NP	—	—	—	6.57	NP	NP	—	—	—	—	—	—
01/26/06	9.96	NP	NP	4.72	NP	NP	—	—	—	5.83	NP	NP	6.65	NP	NP	3.95	NP	NP
02/28/06	10.24	NP	NP	5.34	NP	NP	—	—	—	6.28	NP	NP	4.53	NP	NP	4.88	NP	NP
03/24/06	10.57	NP	NP	5.34	NP	NP	—	—	—	4.20	NP	NP	5.74	NP	NP	4.94	NP	NP
04/18/06	10.78	NP	NP	5.41	NP	NP	—	—	—	6.46	6.45	0.01	5.81	NP	NP	5.28	NP	NP
05/18/06	11.06	NP	NP	6.02	NP	NP	—	—	—	7.01	NP	NP	6.32	NP	NP	5.56	NP	NP
06/19/06	11.26	NP	NP	5.98	NP	NP	—	—	—	6.91	NP	NP	6.23	NP	NP	5.48	NP	NP
08/28/06	11.74	NP	NP	6.45	NP	NP	—	—	—	7.25	NP	NP	6.63	NP	NP	5.68	NP	NP
09/15/06	11.83	NP	NP	6.21	NP	NP	—	—	—	7.02	NP	NP	6.54	NP	NP	5.53	NP	NP
10/11/06	11.96	NP	NP	6.10	NP	NP	—	—	—	6.95	NP	NP	5.93	NP	NP	5.48	NP	NP
11/29/06	—	—	—	4.19	NP	NP	—	—	—	5.83	NP	NP	5.39	NP	NP	4.27	NP	NP
12/13/06	10.53	NP	NP	3.60	NP	NP	—	—	—	5.58	5.58	0.01	4.39	NP	NP	2.81	NP	NP
01/31/07	10.17	NP	NP	3.98	NP	NP	—	—	—	6.32	6.09	0.23	5.58	NP	NP	4.26	NP	NP
02/26/07	10.56	NP	NP	4.55	NP	NP	—	—	—	6.04	NP	NP	5.24	NP	NP	4.12	NP	NP
03/20/07	10.68	NP	NP	4.68	NP	NP	—	—	—	6.42	6.41	0.01	5.68	NP	NP	4.82	NP	NP
04/26/07	10.99	NP	NP	—	NP	NP	—	—	—	—	NP	NP	6.15	NP	NP	4.97	4.96	0.01
05/25/07	11.29	NP	NP	5.68	NP	NP	—	—	—	7.05	NP	NP	6.60	NP	NP	5.11	NP	NP
06/15/07	11.50	NP	NP	5.93	NP	NP	—	—	—	7.04	NP	NP	6.35	NP	NP	5.03	NP	NP
07/19/07	11.70	NP	NP	5.82	5.81	0.01	—	—	—	6.81	6.80	0.01	6.34	NP	NP	5.29	5.28	0.01
08/17/07	11.81	NP	NP	5.90	NP	NP	—	—	—	6.75	NP	NP	6.22	NP	NP	5.35	NP	NP
09/11/07	—	NP	NP	6.24	NP	NP	—	—	—	7.28	7.28	<.01	6.68	6.68	<.01	5.73	NP	NP
10/29/07	11.80	NP	NP	5.60	NP	NP	—	—	—	6.68	NP	NP	5.25	NP	NP	6.03	NP	NP
11/12/07	11.84	NP	NP	5.56	NP	NP	—	—	—	6.58	6.57-6.58	<.01	5.82	NP	NP	4.83	—	—
12/26/07	10.84	NP	NP	4.09	NP	NP	—	—	—	5.85	5.84	<.01	4.84	4.85	<.01	4.44	4.43	<.01

Table 4

Performance Product Monitoring Data  
Shell Harbor Island Terminal  
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
01/11/08	10.64	NP	NP	3.84	NP	NP	—	—	—	5.26	5.25	0.01	4.13	4.12	<.01	3.64	3.63	<.01
02/13/08	10.65	NP	NP	4.58	NP	NP	—	—	—	6.60	6.25	0.35	5.75	NP	NP	4.84	NP	NP
03/14/08	11.05	NP	NP	5.37	NP	NP	—	—	—	6.31	NP	NP	5.65	NP	NP	5.01	NP	NP
04/18/08	10.78	NP	NP	5.41	NP	NP	—	—	—	6.46	6.45	0.01	5.81	NP	NP	5.28	NP	NP
05/05/08	11.39	NP	NP	5.84	NP	NP	—	—	—	7.06	7.05	0.01	6.39	NP	NP	5.49	NP	NP
05/20/08	11.53	NP	NP	5.84	NP	NP	—	—	—	7.03	7.02	0.01	6.69	NP	NP	5.52	NP	NP
06/30/08	11.67	NP	NP	5.85	NP	NP	—	—	—	dry	NP	NP	6.35	6.34	0.01	5.45	5.44	0.01
07/10/08	11.70	NP	NP	5.70	NP	NP	—	—	—	6.83	6.80	0.03	6.23	NP	NP	5.24	NP	NP
08/13/08	11.75	NP	NP	5.61	NP	NP	—	—	—	6.75	NP	NP	6.25	NP	NP	6.17	NP	NP
09/02/08	11.82	NP	NP	5.86	NP	NP	—	—	—	6.98	NP	NP	6.40	NP	NP	5.71	NP	NP
10/10/08	11.82	NP	NP	7.11	NP	NP	—	—	—	5.83	NP	NP	6.59	NP	NP	5.83	NP	NP
11/10/08	10.02	NP	NP	4.68	NP	NP	—	—	—	6.40	NP	NP	5.61	NP	NP	5.21	NP	NP
12/08/08	11.48	NP	NP	5.53	NP	NP	—	—	—	6.70	6.52	0.18	5.82	NP	Sheen	5.17	NP	Sheen
01/07/09	11.00	NP	NP	3.93	NP	NP	—	—	—	5.32	NP	Sheen	4.51	NP	Sheen	4.41	NP	Sheen
02/17/09	11.60	NP	NP	5.20	NP	NP	—	—	—	6.40	NP	Sheen	5.72	NP	Sheen	5.21	NP	Sheen
03/06/09	11.21	NP	NP	4.67	NP	NP	—	—	—	6.02	5.59	0.43	4.45	NP	Sheen	4.83	NP	Sheen
04/07/09	—	—	—	—	—	—	—	—	—	6.98	6.96	0.02	—	—	—	—	—	—
07/09/09	11.55	NP	NP	—	—	—	—	—	—	6.90	NP	Sheen	6.34	NP	Sheen	5.56	NP	Sheen
10/20/09	11.75	NP	NP	4.90	NP	NP	—	—	—	6.28	NP	Sheen	5.63	NP	Sheen	4.91	NP	Sheen
01/05/10	10.98	NP	NP	3.60	NP	NP	—	—	—	5.78	NP	Sheen	3.55	NP	NP	3.30	NP	NP
04/26/10	10.7	NP	NP	5.04	NP	NP	—	—	—	6.29	6.28	0.01	5.76	NP	NP	5.05	NP	NP
07/22/10	11.44	NP	NP	5.83	NP	NP	—	—	—	10.02	NP	Sheen	6.74	NP	NP	5.37	NP	Sheen
10/20/10	11.68	NP	NP	5.90	NP	NP	—	—	—	6.78	NP	Sheen	6.20	NP	Sheen	5.45	NP	Sheen
12/12/10	10.79	NP	NP	4.45	NP	NP	—	—	—	5.97	NP	<0.01	5.27	NP	NP	4.62	NP	Sheen
04/08/11	9.97	NP	NP	4.62	NP	NP	—	—	—	5.72	5.71	0.01	5.22	NP	NP	4.82	NP	NP
07/28/11	11.08	NP	NP	5.71	NP	NP	—	—	—	6.90	6.89	0.01	6.22	NP	NP	5.38	NP	NP
09/21/11	11.75	NP	NP	6.19	NP	NP	—	—	—	7.06	7.05	0.01	6.55	NP	NP	5.78	NP	Sheen
03/26/12	—	—	—	4.68	NP	NP	—	—	—	6.09	5.76	0.33	5.08	NP	NP	4.19	NP	Sheen
06/12/12	11.20	NP	NP	5.24	NP	NP	—	—	—	7.25	6.38	0.87	5.86	NP	NP	4.69	NP	Sheen
09/27/12	—	—	—	8.39	NP	NP	—	—	—	7.29	6.98	0.31	6.73	NP	NP	5.47	NP	Sheen
11/27/12	10.81	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12/20/12	—	—	—	2.15	NP	NP	—	—	—	5.40	4.72	0.68	1.97	NP	NP	0.00	NP	NP
02/22/13	10.81	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
03/29/13	—	—	—	—	—	—	—	—	—	6.53	6.44	0.09	5.97	NP	Sheen	4.90	NP	Sheen
05/16/13	11.30	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
06/28/13	—	—	—	4.98	NP	NP	—	—	—	6.35	6.33	0.02	5.68	NP	NP	4.42	NP	Sheen
09/06/13	11.77	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
09/11/13	—	—	—	5.67	NP	Sheen	—	—	—	6.63	NP	NP	—	—	—	5.32	4.82	0.50
09/12/13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5.52	5.03	0.49
10/30/13	—	—	—	5.97	NP	NP	—	—	—	7.08	6.96	0.12	6.43	NP	NP	5.29	5.28	0.01
11/07/13	11.73	NP	NP	5.51	NP	NP	—	—	—	6.44	6.41	0.03	5.68	NP	NP	5.54	5.51	0.03
01/16/14	—	—	—	5.46	NP	NP	5.46	5.51	0.05	6.48	6.36	0.12	5.51	NP	NP	5.47	5.43	0.04
02/27/14	—	—	—	4.72	NP	NP	6.04	NP	Sheen	6.79	6.12	0.67	5.01	NP	NP	6.12	NP	Sheen
03/25/14	—	—	—	4.91	NP	NP	5.90	NP	NP	6.96	5.84	1.12	5.38	NP	NP	6.30	NP	NP
04/22/14	10.78	NP	NP	4.98	NP	NP	5.89	NP	NP	6.32	5.98	0.34	5.33	NP	NP	5.85	NP	Sheen
06/10/14	—	—	—	5.62	NP	Sheen	8.31	NP	NP	7.08	6.85	0.23	6.02	NP	NP	—	NP	NP
07/24/14	—	—	—	5.50	NP	NP	6.91	NP	NP	6.64	6.56	0.08	6.85	NP	NP	6.06	NP	Sheen

Table 4

Performance Product Monitoring Data  
Shell Harbor Island Terminal  
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
08/28/14	—	—	—	5.73	NP	NP	6.79	NP	NP	6.72	6.65	0.07	6.06	NP	NP	6.23	NP	NP
09/23/14	—	—	—	5.76	NP	NP	5.73	NP	NP	6.65	6.55	0.10	5.96	NP	NP	6.08	NP	NP
10/22/14	—	—	—	4.82	NP	NP	4.91	NP	NP	5.87	NP	NP	4.96	NP	NP	4.13	NP	Sheen
11/05/14	11.04	NP	NP	4.50	NP	NP	6.60	NP	NP	6.45	5.90	0.55	4.70	NP	NP	5.12	NP	NP
12/18/14	—	—	—	4.28	NP	NP	5.77	NP	NP	5.49	5.26	0.23	4.50	NP	NP	4.89	NP	NP
01/27/15	—	—	—	4.52	NP	NP	4.88	NP	NP	6.15	5.60	0.55	4.82	NP	NP	5.38	NP	NP
02/26/15	—	—	—	4.92	NP	NP	5.54	NP	NP	6.69	5.88	0.81	5.38	NP	NP	5.59	NP	NP
03/11/15	10.75	NP	NP	5.29	NP	NP	5.55	NP	NP	6.56	6.15	0.41	5.52	NP	NP	5.45	NP	Sheen
04/21/15	—	—	—	5.08	NP	NP	—	—	—	6.44	6.36	0.08	5.50	NP	NP	5.85	NP	NP
05/19/15	11.21	NP	NP	5.31	NP	NP	8.60	NP	NP	6.50	6.49	0.01	5.71	NP	NP	5.67	NP	NP
06/11/15	—	—	—	5.34	NP	NP	—	—	—	6.48	NP	NP	5.70	NP	NP	5.46	NP	NP
07/29/15	11.59	NP	NP	5.81	NP	NP	—	—	—	6.73	NP	NP	6.10	NP	NP	5.85	NP	NP
08/25/15	—	—	—	5.95	NP	NP	—	—	—	6.23	NP	NP	6.17	NP	NP	6.82	NP	NP
09/24/15	—	—	—	5.72	NP	NP	—	—	—	6.60	NP	NP	5.72	NP	NP	6.33	NP	NP
10/15/15	—	—	—	5.35	NP	NP	—	—	—	6.30	NP	NP	5.30	NP	NP	5.82	NP	NP
11/20/15	—	—	—	4.37	NP	NP	—	—	—	6.47	5.67	0.80	4.78	NP	NP	5.51	NP	NP
12/09/15	9.91	NP	NP	2.55	NP	NP	—	—	—	4.45	4.45	Trace	2.80	NP	NP	3.61	NP	NP
02/23/16	—	—	—	4.18	NP	NP	—	—	—	5.82	5.23	0.59	4.45	NP	NP	4.38	NP	Odor
04/22/16	—	—	—	4.90	NP	NP	—	—	—	5.96	5.83	0.13	4.67	NP	NP	5.37	NP	NP
05/03/16	—	—	—	5.27	NP	NP	—	—	—	6.42	6.19	0.23	5.63	NP	NP	6.00	NP	NP
06/02/16	—	—	—	5.34	NP	NP	—	—	—	6.44	6.44	Odor	5.77	NP	NP	6.18	NP	NP
07/14/16	—	—	—	5.58	NP	NP	—	—	—	6.67	NP	NP	6.02	NP	NP	6.27	NP	NP
08/18/16	—	—	—	5.80	NP	NP	—	—	—	6.78	6.78	Odor	6.16	NP	NP	6.44	NP	NP
09/08/16	—	—	—	5.88	NP	NP	—	—	—	6.78	6.78	Odor	6.22	NP	NP	6.55	NP	NP
10/21/16	—	—	—	5.40	NP	NP	—	—	—	6.32	Trace	Trace	6.01	NP	NP	6.10	NP	NP
11/17/16	—	—	—	3.67	NP	NP	—	—	—	5.43	4.49	0.94	3.86	NP	NP	4.68	NP	NP
12/01/16	—	—	—	3.93	NP	NP	—	—	—	6.00	4.94	1.06	4.14	NP	NP	4.88	NP	NP
12/14/16	10.34	NP	NP	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
01/11/17	—	—	—	2.83	NP	NP	—	—	—	5.38	5.34	0.04	3.18	NP	NP	3.88	NP	Sheen
02/14/17	—	—	—	3.81	NP	NP	—	—	—	5.69	4.75	0.94	4.02	NP	NP	4.79	NP	NP
03/13/17	9.83	NP	NP	4.04	NP	NP	—	—	—	5.98	5.17	0.81	4.27	NP	NP	4.98	NP	NP
04/13/17	—	—	—	3.78	NP	NP	—	—	—	6.42	5.03	1.39	4.02	NP	NP	5.02	NP	NP
05/08/17	—	—	—	4.78	NP	NP	—	—	—	6.74	5.83	0.91	5.32	NP	NP	5.31	NP	NP
06/13/17	—	—	—	5.00	NP	NP	—	—	—	6.18	5.98	0.20	5.36	NP	NP	5.60	NP	NP
07/18/17	—	—	—	5.32	NP	NP	—	—	—	6.47	6.43	0.04	5.78	NP	NP	5.83	NP	NP
08/22/17	11.34	NP	NP	5.32	NP	NP	—	—	—	6.42	NP	NP	5.76	NP	NP	5.92	NP	NP
09/13/17	—	—	—	5.68	NP	NP	—	—	—	6.60	NP	NP	—	—	—	6.21	NP	NP
10/31/17	—	—	—	5.58	NP	NP	—	—	—	6.64	NP	NP	—	—	—	6.17	NP	NP
11/13/17	—	—	—	4.67	NP	NP	—	—	—	6.08	NP	NP	—	—	—	4.98	NP	NP
12/04/17	10.84	NP	NP	4.15	NP	NP	—	—	—	6.05	5.53	0.52	—	—	—	5.38	NP	NP
01/24/18	—	—	—	3.55	NP	NP	—	—	—	5.34	4.95	0.39	3.78	NP	NP	4.16	NP	NP
02/15/18	—	—	—	4.68	NP	NP	—	—	—	6.65	5.64	1.01	4.40	NP	NP	5.42	NP	NP
03/06/18	10.55	NP	NP	4.57	NP	NP	—	—	—	6.19	5.80	0.39	5.03	NP	NP	5.46	NP	NP
04/12/18	—	—	—	4.72	NP	NP	—	—	—	4.96	4.87	0.09	5.68	NP	NP	5.37	NP	NP
05/02/18	—	—	—	4.85	NP	NP	—	—	—	6.22	5.80	0.42	5.17	NP	NP	5.54	NP	NP
06/12/18	11.04	NP	NP	5.25	NP	NP	—	—	—	6.50	6.47	0.03	5.73	NP	NP	6.06	NP	NP
07/12/18	—	—	—	5.24	NP	NP	—	—	—	6.40	6.39	0.01	6.70	NP	NP	5.94	NP	NP

Table 4

Performance Product Monitoring Data  
Shell Harbor Island Terminal  
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
08/23/18	—	—	—	5.57	NP	NP	—	—	—	6.56	6.55	0.01	5.97	NP	NP	6.08	NP	NP
09/05/18	8.20	NP	NP	5.75	NP	NP	—	—	—	6.74	NP	NP	6.16	NP	NP	6.35	NP	NP
10/11/18	—	—	—	5.18	NP	NP	—	—	—	6.32	NP	NP	5.50	NP	NP	5.83	NP	NP
11/07/18	—	—	—	5.01	NP	NP	—	—	—	6.33	NP	NP	5.56	NP	NP	5.66	NP	NP
12/17/18	11.10	NP	NP	4.13	NP	NP	—	—	—	5.31	NP	NP	4.14	NP	NP	4.43	NP	NP
01/16/19	—	—	—	4.48	NP	NP	—	—	—	6.07	5.35	0.72	4.30	NP	NP	5.56	NP	NP
02/20/19	—	—	—	3.98	NP	NP	—	—	—	6.45	5.02	1.43	4.22	NP	NP	4.32	NP	NP
03/18/19	10.51	NP	NP	4.95	4.94	0.01	—	—	—	6.67	5.96	0.71	5.34	NP	NP	6.12	NP	NP
04/10/19	—	—	—	4.66	NP	NP	—	—	—	5.24	NP	NP	4.98	NP	NP	5.78	5.75	0.03
05/15/19	—	—	—	4.19	NP	NP	—	—	—	7.05	6.22	0.83	5.38	NP	NP	6.13	6.10	0.03
06/26/19	—	—	—	5.47	NP	NP	—	—	—	6.58	6.56	0.02	6.88	NP	NP	6.11	NP	NP
07/24/19	—	—	—	5.43	NP	NP	—	—	—	6.59	6.58	0.01	5.88	NP	NP	5.96	NP	NP
08/13/19	—	—	—	5.45	NP	NP	—	—	—	6.58	6.57	0.01	5.72	NP	NP	6.02	NP	NP
09/17/19	11.65	NP	NP	5.23	NP	NP	—	—	—	6.18	6.13	0.05	5.54	NP	NP	6.28	6.25	0.03
10/16/19	—	—	—	5.61	NP	NP	—	—	—	6.47	6.45	0.02	5.77	NP	NP	6.36	NP	NP
11/05/19	—	—	—	5.62	NP	NP	—	—	—	6.78	6.68	0.10	6.01	NP	NP	6.51	NP	NP
12/09/19	11.54	NP	NP	5.08	NP	NP	—	—	—	6.27	NP	NP	5.54	NP	NP	6.14	NP	NP
01/28/20	—	—	—	3.05	NP	NP	—	—	—	4.13	4.06	0.07	3.12	NP	NP	2.03	NP	NP
02/26/20	—	—	—	4.81	NP	NP	—	—	—	6.71	5.78	0.93	5.19	NP	NP	4.97	NP	Sheen
04/27/20	10.94	NP	NP	5.18	NP	NP	—	—	—	6.43	6.23	0.20	5.47	NP	NP	5.29	NP	NP
06/16/20	—	—	—	5.25	NP	NP	—	—	—	5.69	5.56	0.13	5.72	NP	NP	6.25	NP	NP
06/29/20	11.26	NP	NP	5.08	NP	NP	—	—	—	6.58	6.50	0.08	5.78	NP	NP	5.85	NP	NP
07/29/20	—	—	—	5.20	NP	NP	—	—	—	6.43	6.42	0.01	5.67	NP	NP	6.31	NP	NP
08/27/20	—	—	—	5.41	NP	NP	—	—	—	6.71	6.70	0.01	5.85	NP	NP	6.15	NP	NP
09/21/20	11.59	NP	NP	5.09	NP	NP	—	—	—	6.35	NP	NP	5.45	NP	NP	6.23	NP	NP
10/29/20	—	—	—	5.58	NP	NP	—	—	—	6.87	6.50	0.37	5.99	NP	NP	6.23	NP	NP
11/30/20	—	—	—	4.82	NP	NP	—	—	—	6.23	5.78	0.45	5.11	NP	NP	5.10	NP	NP
12/14/20	11.22	NP	NP	4.75	NP	NP	—	—	—	6.05	5.91	0.14	5.28	NP	NP	5.83	NP	NP
01/21/21	—	—	—	4.27	NP	NP	—	—	—	6.96	4.9	2.06	4.82	NP	NP	5.63	NP	NP
02/16/21	—	—	—	3.69	NP	NP	—	—	—	5.83	4.92	0.91	4.18	NP	NP	4.25	NP	NP
03/23/21	—	—	—	4.53	NP	NP	—	—	—	6.57	6.11	0.46	5.37	NP	NP	5.74	NP	NP
04/12/21	—	—	—	5.28	NP	NP	—	—	—	6.42	6.32	0.10	5.65	NP	NP	6.31	NP	NP
05/12/21	—	—	—	5.54	NP	NP	—	—	—	6.61	6.57	0.04	5.86	NP	NP	6.21	NP	NP
06/14/21	—	—	—	4.97	NP	NP	—	—	—	6.15	NP	NP	5.24	NP	NP	5.62	NP	NP
07/15/21	—	—	—	5.31	NP	NP	—	—	—	6.36	6.32	0.04	5.60	NP	NP	6.01	NP	NP
08/18/21	—	—	—	5.52	NP	NP	—	—	—	6.60	NP	Sheen	5.90	NP	NP	6.16	NP	NP
09/22/21	11.65	NP	NP	5.46	NP	NP	—	—	—	6.50	NP	NP	5.70	NP	NP	6.10	NP	NP
10/21/21	—	—	—	5.32	NP	NP	—	—	—	6.36	NP	NP	5.50	NP	NP	6.05	NP	NP
11/23/21	—	—	—	4.28	NP	NP	—	—	—	6.20	5.38	0.82	4.42	NP	NP	5.19	NP	NP
12/14/21	10.42	NP	NP	3.99	NP	NP	—	—	—	5.12	NP	NP	4.39	NP	NP	4.79	NP	NP
01/25/22	—	—	—	4.34	NP	NP	—	—	—	6.34	5.45	0.89	4.85	NP	NP	5.67	NP	NP
02/28/22	—	—	—	4.59	NP	NP	—	—	—	6.31	NP	NP	4.51	NP	NP	2.86	NP	NP
03/28/22	—	—	—	4.63	NP	NP	—	—	—	5.92	NP	NP	5.00	NP	NP	5.98	NP	NP
04/18/22	—	—	—	5.08	NP	NP	—	—	—	6.18	NP	NP	5.28	NP	NP	5.98	NP	NP
04/18/22	—	—	—	5.08	NP	NP	—	—	—	6.18	6.15	0.03	5.28	NP	NP	5.98	NP	NP
05/23/22	—	—	—	4.81	NP	NP	—	—	—	6.50	6.29	0.21	5.28	NP	NP	5.70	NP	NP
06/27/22	11.18	NP	NP	5.02	NP	NP	—	—	—	6.21	6.06	0.15	5.28	NP	NP	5.90	NP	NP

Performance Product Monitoring Data  
Shell Harbor Island Terminal  
Seattle, Washington

Date	MW-204			MW-208			MW-209			MW-210			MW-211			MW-212		
	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness	Groundwater Depth	Product Depth	Product Thickness
07/20/22	—	—	—	5.03	NP	NP	—	—	—	6.24	NP	NP	5.42	NP	NP	5.85	NP	NP
08/23/22	—	—	—	5.55	NP	NP	—	—	—	6.62	6.60	0.02	5.94	NP	NP	6.19	NP	NP
09/19/22	—	—	—	5.58	NP	NP	—	—	—	6.99	NP	NP	5.93	NP	NP	6.19	NP	NP
12/12/22	—	—	—	4.21	NP	NP	—	—	—	5.15	NP	NP	4.39	NP	NP	4.70	NP	NP
01/26/23	—	—	—	4.41	NP	NP	—	—	—	6.12	5.65	0.47	4.58	NP	NP	5.59	NP	NP
02/23/23	—	—	—	4.11	NP	NP	—	—	—	5.79	NP	NP	4.45	NP	NP	5.07	NP	NP
03/27/23	—	—	—	4.34	NP	NP	—	—	—	6.53	6.70	0.17	5.35	NP	NP	5.61	NP	NP
04/13/23	—	—	—	4.44	NP	NP	—	—	—	5.68	5.62	0.06	4.66	NP	NP	5.17	NP	NP
05/16/23	—	—	—	4.63	NP	NP	—	—	—	6.27	6.07	0.20	5.21	NP	NP	5.70	NP	NP
06/12/23	—	—	—	4.88	NP	NP	—	—	—	6.90	NP	NP	5.35	NP	NP	5.65	NP	NP
07/20/23	—	—	—	5.32	NP	NP	—	—	—	6.32	6.27	0.05	5.60	NP	NP	6.01	NP	NP
08/17/23	—	—	—	5.37	NP	NP	—	—	—	6.42	6.41	0.01	5.50	NP	NP	5.99	NP	NP
09/11/23	—	—	—	5.62	NP	NP	—	—	—	6.81	NP	NP	5.94	NP	NP	6.39	NP	NP
11/16/23	—	—	—	4.52	NP	NP	—	—	—	5.66	5.55	0.11	4.68	NP	NP	5.43	NP	NP
12/18/23	—	—	—	4.25	NP	NP	—	—	—	5.11	NP	NP	4.82	NP	NP	5.13	NP	NP
01/16/24	—	—	—	4.02	NP	NP	—	—	—	5.88	5.27	0.61	4.61	NP	NP	5.15	NP	NP
02/22/24	—	—	—	4.15	NP	NP	—	—	—	5.52	5.22	0.3	4.36	NP	NP	4.31	NP	NP
03/11/24	—	—	—	3.72	NP	NP	—	—	—	5.28	NP	NP	3.70	NP	NP	4.18	NP	NP
04/11/24	—	—	—	4.66	NP	NP	—	—	—	5.97	5.74	0.23	4.92	NP	NP	5.68	NP	NP
05/23/24	—	—	—	5.48	NP	NP	—	—	—	6.41	NP	NP	5.80	NP	NP	5.65	NP	NP
06/17/24	—	—	—	5.59	NP	NP	—	—	—	6.05	NP	NP	6.00	NP	NP	6.12	NP	NP

Notes:

Depth relative to the measuring point at the top of the monitoring well PVC pipe

Product depth/thick = product depth/thickness in well measured in feet

— = not measured

NP = no product detected

= Indicates data collected during this progress report period

Table 5

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-05	05/04/16	14.3	357	3.38	6.26	31.6	9.99	--	--	--	--	--	--
MW-05	12/14/16	12.22	308	5.94	6.45	47	0	--	--	--	--	--	--
MW-05	06/14/17	14.8	249	1.7	6.37	25.4	5.13	--	--	--	--	--	--
MW-05	12/07/17	15.16	263	791.21	6.73	-165.1	8.37	--	--	--	--	--	--
MW-05	06/12/18	15.66	211	1.47	6.35	-44.7	6.88	--	--	--	--	--	--
MW-05	12/18/18	15	299	1.73	7.28	-23.6	80	--	--	--	--	--	--
MW-05	05/15/19	15.3	294	0.85	6.92	18.3	45	--	--	--	--	--	--
MW-05	12/10/19	14.31	300	4.76	5.91	32.8	16	--	--	--	--	--	--
MW-05	06/29/20	14.7	289	0.31	6.74	198.90	11	--	--	--	--	--	--
MW-05	12/14/20	13.95	292	0.71	8.25	148.90	16	--	--	--	--	--	--
MW-05	06/15/21	9.16	276	0.99	6.77	29.8	22	--	--	--	--	--	--
MW-05	12/15/21	13.5	241	0.57	10.40	-83.3	21	--	--	--	--	--	--
MW-05	04/18/22	12.06	356	0.14	7.87	77.8	13	--	--	--	--	--	--
MW-05	06/29/22	15	351	0.71	6.21	36.9	34	--	--	--	--	--	--
MW-05	12/14/22	13.77	375	0.21	7.81	220.9	3	--	--	--	--	--	--
MW-05	06/13/23	15.41	302	3.11	7.25	-48.5	21	--	--	--	--	--	--
MW-05	12/18/23	14.82	245	0.32	6.41	-53.4	14	--	--	--	--	--	--
MW-05	06/17/24	15.66	85	6.03	6.79	79.0	35	--	--	--	--	--	--
MW-101	12/13/16	8.35	244	1.67	6.81	-75	0	--	--	--	--	--	--
MW-101	12/06/17	10.99	103	0.32	6.75	-12.3	9	--	--	--	--	--	--
MW-101	12/19/18	12.5	239	1.38	7.39	-74.6	11	--	--	--	--	--	--
MW-101	12/09/19	13.13	207	3.59	6.49	-69.6	44	--	--	--	--	--	--
MW-101	12/16/20	12.73	243	0.25	7.67	118.40	48	--	--	--	--	--	--
MW-101	12/14/21	11.5	314	0.59	6.79	124.0	25	--	--	--	--	--	--
MW-101	12/12/22	11.79	278	0.4	6.75	130.7	5	--	--	--	--	--	--
MW-101	12/19/23	13.49	242	3.87	6.79	-116.6	18	--	--	--	--	--	--
MW-102	12/14/16	9.44	438	1.96	6.77	32	0	--	--	--	--	--	--

Table 5

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-102	12/05/17	11.76	310	1.14	6.43	106.3	9.6	--	--	--	--	--	--
MW-102	12/18/18	14.2	415	1.51	7.49	-35.9	12	--	--	--	--	--	--
MW-102	12/10/19	13.55	410	3.43	6.16	59.4	27	--	--	--	--	--	--
MW-102	12/16/20	13.66	477	0.41	7.72	117.60	30	--	--	--	--	--	--
MW-102	12/16/21	12.2	295	0.77	8.10	73.9	11	--	--	--	--	--	--
MW-102	12/12/22	12.27	346	0.55	6.54	-46.3	83	--	--	--	--	--	--
MW-102	12/18/23	13.18	373	0.46	6.54	-11.7	19	--	--	--	--	--	--
MW-104	05/05/16	17.11	420	0.65	6.19	-105.1	4.31	--	--	--	--	--	--
MW-104	12/14/16	10.9	340	1.76	6.49	-70	0	--	--	--	--	--	--
MW-104	06/14/17	17.09	323	0.82	7.09	-39.3	2.61	--	--	--	--	--	--
MW-104	12/07/17	15.6	349	0.61	6.65	-4	0	--	--	--	--	--	--
MW-104	06/12/18	19.32	180	0.54	6.24	-44	2.52	--	--	--	--	--	--
MW-104	12/18/18	15.8	331	1.34	7.35	-41.6	10	--	--	--	--	--	--
MW-104	05/15/19	17.8	258	0.78	6.6	-74.9	6	--	--	--	--	--	--
MW-104	12/10/19	15.35	345	2.66	5.4	74.8	36	--	--	--	--	--	--
MW-104	06/29/20	17.6	395	0.24	6.73	198.90	9	--	--	--	--	--	--
MW-104	12/14/20	16.19	412	0.34	7.75	172.10	13	--	--	--	--	--	--
MW-104	06/15/21	11.03	309	1.74	7.20	58.9	6	--	--	--	--	--	--
MW-104	12/15/21	14.4	275	0.15	10.06	-115.0	9	--	--	--	--	--	--
MW-104	04/18/22	13.97	297	0.11	8.15	62	27	--	--	--	--	--	--
MW-104	06/29/22	17	314	0.52	6.35	-38.2	13	--	--	--	--	--	--
MW-104	12/14/22	15.42	368	0.13	7.74	216.3	2	--	--	--	--	--	--
MW-104	06/13/23	16.72	389	5.77	7.12	-17.6	24	--	--	--	--	--	--
MW-104	12/19/23	15.13	263	0.73	6.27	66.3	23	--	--	--	--	--	--
MW-104	06/19/24	18.21	329	0.21	5.89	-1.8	24	--	--	--	--	--	--
MW-105	12/14/16	14.63	160	0.32	6.14	-58.1	8.67	--	--	--	--	--	--
MW-105	12/06/17	13.11	136	1.37	6.12	-26.4	0	--	--	--	--	--	--
MW-105	12/18/18	15.5	93	1.01	7.21	-33.7	49	--	--	--	--	--	--
MW-105	12/11/19	15.53	166	0.48	7.31	-17.2	25	--	--	--	--	--	--



Table 5

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-105	12/14/20	14.90	289	0.50	7.83	155.60	27	--	--	--	--	--	--
MW-105	12/15/21	13.0	170	0.13	9.91	-101.9	15	--	--	--	--	--	--
MW-105	12/14/22	13.2	234	0.18	7.8	221.3	15	--	--	--	--	--	--
MW-105	12/18/23	15.3	177	0.58	6.47	-80.5	23	--	--	--	--	--	--
MW-111	05/04/16	15.2	148	3.67	6.29	4.6	23.2	--	--	--	--	--	--
MW-111	12/14/16	13.4	295	0.35	6.45	-87.3	6.48	--	--	--	--	--	--
MW-111	06/14/17	16.6	112	1.12	7.08	1	8.2	--	--	--	--	--	--
MW-111	12/06/17	15.03	386	10.65	6.42	-51.3	5.13	--	--	--	--	--	--
MW-111	06/12/18	17.56	118	0.73	6.22	-46.2	4.01	--	--	--	--	--	--
MW-111	12/18/18	15	417	1.25	7.76	-46.6	20	--	--	--	--	--	--
MW-111	05/15/19	16.1	147	0.75	7.57	-55.6	14	--	--	--	--	--	--
MW-111	12/11/19	15.42	280	0.4	7.54	-13.1	6	--	--	--	--	--	--
MW-111	06/29/20	19	116	0.55	6.75	206.50	9	--	--	--	--	--	--
MW-111	12/14/20	15.93	242	0.28	7.61	169.80	16	--	--	--	--	--	--
MW-111	06/15/21	10.31	110	1.05	6.87	73.4	22	--	--	--	--	--	--
MW-111	12/15/21	14.9	238	0.18	9.85	-72.1	6	--	--	--	--	--	--
MW-111	04/18/22	12.31	139	0.09	8.15	62.3	44	--	--	--	--	--	--
MW-111	06/27/22	18.4	119	0.62	6.21	11.8	34	--	--	--	--	--	--
MW-111	12/14/22	12.94	220	0.15	7.43	190.3	3	--	--	--	--	--	--
MW-111	06/13/23	16.30	130	1.49	7.24	-61.7	20	--	--	--	--	--	--
MW-111	12/19/23	15.09	360	0.07	6.17	37.5	28	--	--	--	--	--	--
MW-111	06/17/24	17.21	107	2.65	6.51	69.8	27	--	--	--	--	--	--
MW-112A	05/05/16	14.28	448	0.87	6.41	-87	4.41	--	--	--	--	--	--
MW-112A	12/12/16	13.7	401	0.67	6.51	-87.1	9.78	--	--	--	--	--	--
MW-112A	06/15/17	15.75	498	0.6	7.26	-62.6	--	--	--	--	--	--	--
MW-112A	12/07/17	13.97	359	0.82	6.5	-27.9	0	--	--	--	--	--	--
MW-112A	06/13/18	16.28	517	0.26	6.51	-56.1	0	--	--	--	--	--	--
MW-112A	12/20/18	14	495	0.12	6.75	-101	128	--	--	--	--	--	--
MW-112A	05/16/19	10.91	529	0.52	6.27	-104	77	--	--	--	--	--	--

Table 5

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-112A	12/12/19	13.87	620	0.5	8.9	-80.8	12	--	--	--	--	--	--
MW-112A	06/29/20	15.7	430	0.32	6.76	189.10	16	--	--	--	--	--	--
MW-112A	12/14/20	14.67	399	0.18	7.77	123.70	5	--	--	--	--	--	--
MW-112A	06/15/21	9.58	338	0.89	6.56	31.4	4	--	--	--	--	--	--
MW-112A	12/15/21	14.4	243	0.19	9.95	-85.8	12	--	--	--	--	--	--
MW-112A	04/18/22	11.44	305	0.09	8.24	56.9	18	--	--	--	--	--	--
MW-112A	06/28/22	16.2	272	0.52	6.27	-37.2	14	--	--	--	--	--	--
MW-112A	12/13/22	12.79	254	0.1	6.38	-36.0	25	--	--	--	--	--	--
MW-112A	06/13/23	14.94	374	1.95	7.37	-62.5	16	--	--	--	--	--	--
MW-112A	12/19/23	10.57	363	0.89	6.16	22.1	17	--	--	--	--	--	--
MW-112A	06/18/24	16.42	396	0.18	6.20	204.1	17	--	--	--	--	--	--
MW-113	06/27/22	15.4	284	0.54	6.28	-38.4	37	--	--	--	--	--	--
MW-113	12/14/22	12.47	265	0.21	7.6	209.5	8	--	--	--	--	--	--
MW-113	06/13/23	13.60	265	1.99	7.28	-26.7	17	--	--	--	--	--	--
MW-113	12/19/23	13.70	228	0.26	6.45	-10.1	13	--	--	--	--	--	--
MW-113	06/17/24	14.63	270	0.11	6.47	210.6	18	--	--	--	--	--	--
MW-114	06/27/22	15.4	139	1.32	6.16	53.6	33	--	--	--	--	--	--
MW-114	12/14/22	12.68	216	0.3	7.77	222.2	30	--	--	--	--	--	--
MW-114	06/13/23	13.76	148	4.47	7.40	-49.0	50	--	--	--	--	--	--
MW-114	12/19/23	13.83	126	0.92	6.29	60.2	36	--	--	--	--	--	--
MW-114	06/17/24	14.69	135	2.37	7.16	223.8	42	--	--	--	--	--	--
MW-115	06/27/22	16.9	248	0.51	6.11	-33.7	46	--	--	--	--	--	--
MW-115	12/14/22	13.69	208	0.18	7.8	224.1	5	--	--	--	--	--	--
MW-115	06/13/23	14.66	276	1.82	7.33	-60.0	17	--	--	--	--	--	--
MW-115	12/19/23	13.88	290	0.62	6.19	6.3	15	--	--	--	--	--	--
MW-115	06/17/24	15.95	274	0.13	8.07	204.2	39	--	--	--	--	--	--
MW-201	01/14/04	12	282	1.98	5.59	-95.5	1.5	--	--	--	--	--	--

Table 5

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-201	04/20/04	11.4	101	5.52	5	61.3	7	ND	--	--	5.71	--	--
MW-201	01/26/05	9	720	9.12	5.48	129	9	--	--	--	--	--	--
MW-201	04/20/05	11.9	700	6.24	6.66	83	8	0	--	--	7.67	--	--
MW-201	07/13/05	15.4	99	0.16	5.64	178.1	1.9	--	--	--	--	--	--
MW-201	10/20/05	14.1	535	0.42	7.21	49.2	3.9	--	--	--	--	--	--
MW-201	01/26/06	8.3	24	7.47	7.02	-72.5	4	--	--	--	--	--	--
MW-201	11/20/08	9.3	172	14.08	6.12	268	38.2	--	--	--	--	--	--
MW-201	04/07/09	--	--	--	--	--	--	--	--	--	--	--	--
MW-201	11/19/09	10.6	13.2	7.79	5.21	61	6.5	--	--	--	--	--	--
MW-201	10/27/10	12.7	15.2	6.92	4.79	157	0.5	--	--	--	--	--	--
MW-201	10/26/11	11.53	655	2.77	7.59	-76	5.9	--	--	--	--	--	--
MW-201	11/27/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-201	11/06/13	11.78	800	0	6.68	-74	0	--	--	--	--	--	--
MW-201	11/06/14	14.1	121	0	6.08	297	3.3	--	--	--	--	--	--
MW-201	12/13/16	8.12	47	3.58	6.13	142.3	9.27	--	--	--	--	--	--
MW-201	12/06/17	11.3	57	14.37	6.08	37.7	12.2	--	--	--	--	--	--
MW-201	12/19/18	12.6	387	0.65	6.81	-87.4	30	--	--	--	--	--	--
MW-201	12/16/20	11.99	116	0.79	6.75	145.80	120	--	--	--	--	--	--
MW-201	12/12/22	10.64	634	0.27	7.08	148.3	15	--	--	--	--	--	--
MW-201	12/18/23	11.19	51	11.03	6.27	97.2	31	--	--	--	--	--	--
MW-202	01/14/04	8	52	12.4	5.32	-40.2	9.1	--	--	--	--	--	--
MW-202	04/20/04	12.1	317	1.31	5.27	112	9.8	3	--	--	< 1	--	--
MW-202	01/26/05	11.6	218	1.69	4.8	3	126	--	--	--	--	--	--
MW-202	04/20/05	12.6	44	0	7.78	-60	26	8	--	--	<1	--	--
MW-202	07/13/05	15.7	281	0.11	6.09	-22	6.3	--	--	--	--	--	--
MW-202	10/20/05	15.5	576	0.44	6.42	-47.9	5.5	--	--	--	--	--	--
MW-202	01/26/06	10.78	213	0.18	7.73	-104.7	70	--	--	--	--	--	--
MW-202	11/20/08	14.5	532	3.65	6.4	232	10.2	36.6	--	--	< 1	--	--
MW-202	04/07/09	11.86	0.175	0	6.12	-82	56.1	--	--	--	--	--	--
MW-202	11/19/09	12.4	51.6	1.65	5.81	-53	29.5	19	--	--	82	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-202	04/27/10	12.3	34	0.22	5.46	-96	55.4	--	--	--	--	--	--
MW-202	10/27/10	15	29.5	2.35	6.15	-48	24	7.4	--	--	< 1.0	--	--
MW-202	10/26/11	12.9	214	2.45	8.22	-104.2	2.72	8.5	--	--	< 0.50	--	--
MW-202	03/02/12	10.03	334	0	6.3	-39	27.2	--	--	--	--	--	--
MW-202	06/13/12	12.5	284	4.36	7.22	-59	25.7	--	--	--	--	--	--
MW-202	09/26/12	14.2	332	0	6.74	-112	25	--	--	--	--	--	--
MW-202	11/27/12	12.99	383	0	7.33	-70	77.7	--	--	--	15	--	--
MW-202	11/06/13	13.67	263	2.28	5.79	-43.6	4.9	3	--	--	0.76	< 0.200	0.439
MW-202	11/06/14	15.87	373	0	6.47	-49	107	5	< 0.25	< 0.25	7	0.288	0.631
MW-202	12/10/15	12.85	241	0.42	6.42	-21.3	98.6	1.5	< 0.10	< 0.10	11.6	24.2	0.628
MW-202	05/03/16	15.95	232	0.36	6.2	-45.6	16.9	--	--	--	--	--	--
MW-202	12/13/16	10.66	223	0.39	6.33	-102.4	9.52	0.5	< 0.0400	< 0.0400	1.24 J	45.3	0.401
MW-202	06/14/17	14.76	222	0.33	7.08	-145.6	9	--	--	--	--	--	--
MW-202	12/06/17	11.62	153	0.71	6	-49	4.5	2.75	< 0.0400	< 0.0400	28.6	11.2	0.45
MW-202	06/14/18	14.22	159	0.69	6.04	-2.9	9.87	--	--	--	--	--	--
MW-202	12/19/18	12.6	287	0.28	6.84	-87.4	22	14	< 0.0400	< 0.0400	58.4	17.9	0.649
MW-202	05/16/19	12.6	266	0.48	6.53	-91.9	71	--	--	--	--	--	--
MW-202	12/10/19	12.88	278	4.97	6.12	-10.2	50	3.5	<0.0600	<0.0600	8.61	28.3	0.543
MW-202	06/29/20	15.4	406	0.77	7.24	173.70	42	--	--	--	--	--	--
MW-202	12/16/20	12.44	272	0.20	7.36	111.10	88	1.20	<0.200	<0.400	9.44 J+	12.90	0.436
MW-202	06/14/21	8.10	254	1.50	6.63	170.6	34	--	--	--	--	--	--
MW-202	12/16/21	11.4	174	0.81	7.76	3.8	125	--	--	--	4.00 J	0.32 J	0.532
MW-202	06/29/22	14.1	637	0.76	6.96	6.3	58	--	--	--	--	--	--
MW-202	12/12/22	10.49	430	0.2	7.21	154.0	52	--	--	--	100	0.122 J	0.868
MW-202	06/12/23	15.92	911	0.46	7.11	39.6	46	--	--	--	--	--	--
MW-202	12/18/23	12.52	532	0.95	5.97	-77.7	17	--	--	--	--	14.5	1.21
MW-202	06/18/24	16.42	327	0.17	6.11	162.5	15	--	--	--	--	--	--
MW-203	01/13/04	12.4	243	2.91	6.38	-6.9	13.7	--	--	--	--	--	--
MW-203	04/19/04	13	369	1.02	6.58	110	39.2	1	--	--	2.4	--	--
MW-203	07/27/04	16.4	514	1.12	6.11	90.9	32.2	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-203	10/18/04	14.8	643	0.35	9.42	136.8	110	--	--	--	--	--	--
MW-203	01/25/05	12.9	476	2.79	6.37	21	210	--	--	--	--	--	--
MW-203	04/19/05	12.8	44	0	6.22	0	5	5.5	--	--	6.48	--	--
MW-203	07/13/05	15	351	0.67	6.34	-46	15	--	--	--	--	--	--
MW-203	10/20/05	15.9	902	1.12	6.69	-48.7	34	--	--	--	--	--	--
MW-203	01/23/06	11.4	131	2.2	6.45	7.6	60	--	--	--	--	--	--
MW-203	11/18/08	13.9	448	10.3	7.11	87	190	1.35	--	--	17.1	--	--
MW-203	04/08/09	12.23	136	1.87	6.83	-31	338	--	--	--	--	--	--
MW-203	11/17/09	12.2	25.8	5.49	6.28	197	45.6	< 0.1	--	--	8.3	--	--
MW-203	04/26/10	12.7	40.9	0.3	6.81	-109	80.1	--	--	--	--	--	--
MW-203	10/25/10	14.1	43.8	1.58	6.1	-4	51.8	4.3	--	--	14	--	--
MW-203	05/23/11	--	--	--	--	--	--	--	--	--	--	--	--
MW-203	10/26/11	13.98	384	2.94	8.4	-80.9	10.9	8.8	--	--	< 0.50	--	--
MW-203	06/13/12	12.8	375	4.27	7.2	-38	22.3	--	--	--	--	--	--
MW-203	11/27/12	14.83	250	0	6.61	22	41.7	--	--	--	24.4	--	--
MW-203	11/06/13	12.59	486	0.18	6.35	-51	0	3	--	--	< 0.50	3.68	0.178
MW-203	11/06/14	16.13	236	4.55	6.71	135.1	28.4	1.5	0.42 J	< 0.25	14.5	< 0.200	0.127
MW-203	12/09/15	12.51	0.407	0	6.05	-60	67.2	5	< 0.10	< 0.10	4.13	24	0.197
MW-203	05/04/16	12.93	266	4.91	6.42	-108	14.5	--	--	--	--	--	--
MW-203	12/13/16	10.46	221	0.73	6.25	-88	9.6	0.5	< 0.0400	< 0.0400	2.27	14.1	0.134
MW-203	06/14/17	15.02	203	0.23	6.09	-205.4	12.7	--	--	--	--	--	--
MW-203	12/08/17	11.65	274	1.6	6.3	43.8	0	1.25	< 0.0400	< 0.0400	21.6	3.32	0.166
MW-203	06/14/18	13.9	265	1.93	6.25	3.9	35.1	--	--	--	--	--	--
MW-203	12/20/18	12.8	357	0.78	7.41	-44.6	>1000	1.4	0.307	0.307	7.81	2.32	0.195
MW-203	05/16/19	10.89	353	1.89	5.52	-1	99	--	--	--	--	--	--
MW-203	12/10/19	12.77	441	4.84	5.3	0.5	41	3	<0.0600	<0.0600	1.34 J	20	0.207
MW-203	06/29/20	15.1	339	1.06	7.18	-9.10	10	--	--	--	--	--	--
MW-203	12/15/20	12.26	319	0.77	8.07	130.10	87	2.00	1.49	<0.400	35.80	<1.00	0.0182
MW-203	06/14/21	7.69	259	1.28	6.33	21.6	406	--	--	--	--	--	--
MW-203	12/16/21	11.6	193	0.21	8.30	16.1	16	--	--	--	16.9	<0.5	0.0505
MW-203	06/28/22	14.1	571	0.57	6.52	13.2	513	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-203	12/14/22	11.74	469	0.23	6.93	174.7	5	--	--	--	7.94	8.34	0.693
MW-203	06/12/23	16.23	436	1.62	6.41	113.4	61	--	--	--	--	--	--
MW-203	12/20/23	13.46	413	0.82	6.41	-40.2	37	--	--	--	1.01 J	<0.5	<0.0100
MW-203	06/18/24	14.60	291	0.06	6.05	-10.9	30	--	--	--	--	--	--
MW-204	12/13/16	10.72	173	0.99	5.84	21	4	--	--	--	--	--	--
MW-204	12/06/17	13.48	129	12.04	5.6	49.8	6.22	--	--	--	--	--	--
MW-204	12/19/18	12.9	218	0.33	6.98	-66.1	27	--	--	--	--	--	--
MW-204	12/10/19	13.47	340	1.83	6.01	-6	22	--	--	--	--	--	--
MW-204	12/16/20	13.41	347	1.00	6.27	190.10	70	--	--	--	--	--	--
MW-204	12/16/21	10.5	144	0.22	7.70	-17.2	25	--	--	--	--	--	--
MW-204	12/12/22	11.69	247	0.58	6.51	-76.1	26	--	--	--	--	--	--
MW-204	12/18/23	14.43	177	1.00	5.8	105.3	8	--	--	--	--	--	--
MW-206A	12/12/16	11.31	482	0.68	6.6	-104.9	9.44	--	--	--	--	--	--
MW-206A	12/08/17	11.87	491	1.39	6.63	34	0	--	--	--	--	--	--
MW-206A	12/20/18	13.1	605	0.81	7.41	-52.3	70	--	--	--	--	--	--
MW-206A	12/10/19	13.08	617	2.28	6.07	-41.9	11	--	--	--	--	--	--
MW-206A	12/16/20	12.02	718	0.22	9.45	42.10	440	--	--	--	--	--	--
MW-206A	12/16/21	8.6	394	0.61	8.20	15.9	21	--	--	--	--	--	--
MW-206A	12/12/22	9.59	404	0.17	7.02	-68.2	96	--	--	--	--	--	--
MW-206A	12/18/23	13.15	499	0.36	7.23	-166.2	93	--	--	--	--	--	--
MW-213	05/03/16	14.65	12440	0.13	8.26	-330	0	--	--	--	--	--	--
MW-213	12/13/16	9.57	18.7	5.52	8.28	-321	5.6	--	--	--	--	--	--
MW-213	06/14/17	15.37	10550	0.23	7.03	-330.2	7.36	--	--	--	--	--	--
MW-213	12/07/17	12.43	13640	0.55	8.14	-72.3	0	--	--	--	--	--	--
MW-213	06/12/18	14.43	8410	0.91	7.65	-91.3	3.02	--	--	--	--	--	--
MW-213	12/19/18	12.8	11390	0.82	7.57	-45.6	5	--	--	--	--	--	--
MW-213	05/16/19	14.8	11641	1.84	7.5	79.5	2	--	--	--	--	--	--
MW-213	12/11/19	10.91	1322	1.28	8.51	-112.7	16	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity μS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-213	06/29/20	13	16341	0.34	7.83	191.70	9	--	--	--	--	--	--
MW-213	12/16/20	12.38	17,924	0.08	7.99	53.20	0	--	--	--	--	--	--
MW-213	06/14/21	7.18	17,427	0.47	7.89	113.6	3	--	--	--	--	--	--
MW-213	12/16/21	9.9	13,386	0.85	9.67	-101.5	5	--	--	--	--	--	--
MW-213	06/29/22	13.8	20,936	0.43	8.09	-313.6	25	--	--	--	--	--	--
MW-213	12/12/22	11.24	3,297	0.26	6.83	140.2	5	--	--	--	--	--	--
MW-213	06/12/23	15.16	9,167	0.11	7.32	-65.8	17	--	--	--	--	--	--
MW-213	12/18/23	12.67	1,843	0.5	8.12	-197.5	18	--	--	--	--	--	--
MW-213	06/19/24	17.91	18.23	0.69	7.51	67.1	16	--	--	--	--	--	--
MW-214	05/03/16	14.91	10960	0.44	8.16	-363	0	--	--	--	--	--	--
MW-214	12/14/16	10.5	312	7.24	6.98	39	0	--	--	--	--	--	--
MW-214	06/14/17	15.55	10395	0.05	8.14	-358.6	0.85	--	--	--	--	--	--
MW-214	12/07/17	14.01	7725	838.05	8.01	-355.1	3.11	--	--	--	--	--	--
MW-214	06/12/18	14.77	3900	0.74	7.82	-90.5	0	--	--	--	--	--	--
MW-214	12/19/18	13.4	11888	0.12	7.45	-101.6	29	--	--	--	--	--	--
MW-214	05/16/19	15.7	10667	0.59	7.43	-62.3	3	--	--	--	--	--	--
MW-214	12/11/19	11.41	1576	1.16	10.33	-211.5	9	--	--	--	--	--	--
MW-214	06/29/20	15.93	1516	1.66	7.91	-152.70	12	--	--	--	--	--	--
MW-214	12/16/20	13.00	17,750	0.15	6.90	95.20	6	--	--	--	--	--	--
MW-214	06/14/21	8.21	2,117	1.49	7.47	78.3	2	--	--	--	--	--	--
MW-214	12/16/21	12.5	8,441	0.30	9.34	-172.8	5	--	--	--	--	--	--
MW-214	06/29/22	14.3	1,680	3.25	7.97	-189.6	13	--	--	--	--	--	--
MW-214	12/12/22	12.4	7,989	0.17	6.52	-50	10	--	--	--	--	--	--
MW-214	06/12/23	16.44	6,045	0.28	6.74	-115.2	1	--	--	--	--	--	--
MW-214	12/18/23	13.2	1,519	0.12	8.47	-185.7	25	--	--	--	--	--	--
MW-214	06/19/24	16.59	699	1.02	5.90	284.6	22	--	--	--	--	--	--
MW-301	02/22/16	12.32	449	0.34	6.5	-127.1	15.1	--	--	--	--	--	--
MW-301	05/02/16	17.58	257	0.29	6.6	-119.6	6.74	--	--	--	--	--	--
MW-301	08/29/16	18.76	183	1.96	6.86	5	0	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-301	12/12/16	10.16	357	2.37	6.73	-140	0	--	--	--	--	--	--
MW-301	03/13/17	11.62	355	0	6.72	-125	0	--	--	--	--	--	--
MW-301	06/13/17	15.6	192	0.37	6.59	-107.4	--	--	--	--	--	--	--
MW-301	08/22/17	20.23	187	0	7.32	-105	0	--	--	--	--	--	--
MW-301	12/08/17	14.93	151	1.2	6.89	-118.3	-11	--	--	--	--	--	--
MW-301	03/06/18	12.6	435	0.82	6.78	19.7	3.19	--	--	--	--	--	--
MW-301	06/13/18	16.7	521	0.21	6.61	-76.4	1.8	--	--	--	--	--	--
MW-301	09/06/18	18.95	651	0.16	6.57	-94.8	1.34	7	--	--	--	--	--
MW-301	12/20/18	15.1	836	0.12	6.53	-50	14	--	--	--	--	--	--
MW-301	03/19/19	13.4	930	1.02	7.52	-48.5	119	--	--	--	--	--	--
MW-301	05/16/19	12.3	693	0.71	6.11	-52	97	--	--	--	--	--	--
MW-301	09/17/19	15.31	373	0.87	6.7	-23.8	11	--	--	--	--	--	--
MW-301	12/11/19	14.25	755	10.14	7.15	55.9	64	--	--	--	--	--	--
MW-301	04/28/20	13.4	628	0.51	7.56	14.60	14	--	--	--	--	--	--
MW-301	06/29/20	20.47	572	0.66	6.50	-28.40	60	--	--	--	--	--	--
MW-301	09/21/20	19.2	699	0.37	6.29	20.80	12	--	--	--	--	--	--
MW-301	12/15/20	11.20	611	0.40	7.53	116.90	33	--	--	--	--	--	--
MW-301	04/13/21	10.6	347	2.26	6.01	35.3	76	--	--	--	--	--	--
MW-301	06/14/21	11.44	726	1.78	7.00	37.3	27	--	--	--	--	--	--
MW-301	09/22/21	18.21	615	1.43	6.54	-35.6	55	--	--	--	--	--	--
MW-301	12/16/21	10.17	502	0.14	6.60	82.3	112	--	--	--	--	--	--
MW-301	03/29/22	12.17	592	0.14	6.82	160.7	30	--	--	--	--	--	--
MW-301	06/27/22	15.9	601	0.44	6.45	-105.6	65	--	--	--	--	--	--
MW-301	09/21/22	16.48	402	0.90	6.40	335.6	42	--	--	--	--	--	--
MW-301	12/13/22	12.78	587	0.09	6.39	-31.4	80	--	--	--	--	--	--
MW-301	03/28/23	12.27	676	0.33	7.6	-63.1	18	--	--	--	--	--	--
MW-301	06/14/23	17.08	723	1.24	7.31	-79	16	--	--	--	--	--	--
MW-301	09/11/23	19.59	534	0.09	6.55	-176.6	10	--	--	--	--	--	--
MW-301	12/20/23	12.88	495	0.92	6.31	-38.6	39	--	--	--	--	--	--
MW-301	03/12/24	10.6	615	2.72	6.71	-40.9	25	--	--	--	--	--	--
MW-301	06/18/24	15.61	406	0.10	6.39	164.9	22	--	--	--	--	--	--



**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-302	03/01/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	06/12/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	06/28/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	09/25/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	11/25/12	--	--	--	--	--	--	--	--	--	--	--	--
MW-302	11/05/13	14.81	346	0.1	6.42	-67	0	6.0-6.5	--	--	13.2	< 0.200	0.349
MW-302	11/03/14	15.91	342	0.53	6.5	-27.8	5.06	2.5	< 0.10	< 0.10	< 0.50	0.765	0.493
MW-302	12/10/15	14.58	337	0.35	6.63	-104.8	0	1.5	< 0.10	< 0.10	< 0.50	27.4	0.402
MW-302	05/04/16	13.6	371	4.92	6.51	-116.5	2.49	--	--	--	--	--	--
MW-302	12/15/16	10.93	388	0.95	6.58	-89	0	1	< 0.0400	< 0.0400	< 0.128	35.1	0.572
MW-302	06/13/17	16.99	143	0.3	5.79	39.2	--	--	--	--	--	--	--
MW-302	08/23/17	20.32	358	9.36	7.08	-54	2.7	--	--	--	--	--	--
MW-302	12/05/17	13.54	755	0.89	5.82	30.4	8.95	4.25	< 0.0400	< 0.0400	97.2	42.9	2.15
MW-302	03/07/18	11.57	984	0.27	6.15	12	9.95	--	--	--	--	--	--
MW-302	06/13/18	16.08	446	0.81	6.04	-61.4	5.51	--	--	--	--	--	--
MW-302	09/06/18	19.67	424	0.74	6.49	-27	3.37	1.75	--	--	--	--	--
MW-302	12/20/18	15.9	726	0.1	6.4	73	55	7	0.105	0.105	364	1.4	2.52
MW-302	03/19/19	14.5	1321	0.4	7.44	-54.1	58	--	--	--	--	--	--
MW-302	05/16/19	12.83	589	0.7	5.81	-53	43	--	--	--	--	--	--
MW-302	09/17/19	14.71	424	0.79	6.75	-35.3	14	--	--	--	--	--	--
MW-302	12/11/19	16.95	1359	2.13	8.06	-57.4	19	3	<0.0600	<0.0600	629	67.4	3.52
MW-302	04/28/20	14	655	0.33	7.32	-25.30	16	--	--	--	--	--	--
MW-302	06/29/20	15.22	509	0.88	6.29	-30.80	34	--	--	--	--	--	--
MW-302	09/21/20	18	499	0.84	6.30	46.20	39	--	--	--	--	--	--
MW-302	12/15/20	10.90	692	0.38	7.46	116.20	131	1.80	<0.200	<0.400	11.80	12.40	1.74
MW-302	04/13/21	13.4	409	1.39	6.53	-53.4	26	--	--	--	--	--	--
MW-302	06/15/21	10.57	538	0.45	7.21	6.0	26	--	--	--	--	--	--
MW-302	09/23/21	16.29	630	1.77	5.97	70.0	17	--	--	--	--	--	--
MW-302	12/16/21	10.70	597	0.10	7.67	20.3	35	--	--	--	104	0.282 J	2.74
MW-302	03/28/22	11.51	769	0.04	7.41	115.1	12	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-302	06/28/22	16	936	0.79	6.4	-115.3	11	--	--	--	--	--	
MW-302	09/21/22	16.92	550	0.09	7.22	343.0	18	--	--	--	--	--	
MW-302	12/13/22	12.55	220	0.18	6.39	-43.9	19	--	--	--	39.1	31.8	0.607
MW-302	03/27/23	12.62	790	0.3	7.52	-58.7	25	--	--	--	--	--	--
MW-302	06/13/23	15.47	360	1.17	7.3	-41.6	28	--	--	--	--	--	--
MW-302	09/12/23	19.37	342	0.21	6.19	-96.2	2	--	--	--	--	--	--
MW-302	12/20/23	14.46	778	0.83	6.4	-59.6	70	--	--	--	49	0.326 J	1.82
MW-302	03/11/24	11.67	593	2.68	6.86	-31.3	16	--	--	--	--	--	--
MW-302	06/18/24	15.41	563	0.10	6.32	188.5	19	--	--	--	--	--	--
MW-303	05/04/16	11.9	91	2.92	6.42	-73.9	9.31	--	--	--	--	--	--
MW-303	12/12/16	11.2	185	1.29	6.49	-50	0	--	--	--	--	--	--
MW-303	06/13/17	15.03	69	0.3	6.2	15.9	--	--	--	--	--	--	NM
MW-303	12/08/17	12.72	257	1.74	5.18	77.1	4.48	--	--	--	--	--	--
MW-303	03/06/18	11.47	382	0.76	5.59	91.7	3.47	--	--	--	--	--	--
MW-303	06/13/18	14.32	148	0.64	5.84	-19.6	4.22	--	--	--	--	--	--
MW-303	09/06/18	18.26	388	0.32	6.38	-56.1	4.4	6	--	--	--	--	--
MW-303	12/20/18	12.9	561	0.39	5.51	145	18	--	--	--	--	--	--
MW-303	03/19/19	11.1	470	0.59	7.19	-34.9	20	--	--	--	--	--	--
MW-303	05/16/19	10.49	590	1.8	5.56	-19	29	--	--	--	--	--	--
MW-303	09/17/19	14.68	474	1.3	6.31	-24.7	7	--	--	--	--	--	--
MW-303	12/11/19	13.89	570	0.71	7.8	-53.9	41	--	--	--	--	--	--
MW-303	04/28/20	12.7	238	0.43	6.65	40.80	20	--	--	--	--	--	--
MW-303	06/29/20	14.79	566	0.72	7.22	2.10	24	--	--	--	--	--	--
MW-303	09/21/20	18.8	1105	0.25	6.50	1.40	20	--	--	--	--	--	--
MW-303	12/15/20	10.93	382	0.42	7.20	115.80	15	--	--	--	--	--	--
MW-303	04/13/21	9.1	87	2.46	5.91	36.1	26	--	--	--	--	--	--
MW-303	06/14/21	9.33	368	1.32	6.65	6.7	12	--	--	--	--	--	--
MW-303	09/22/21	18.13	1,158	1.25	6.53	-47.5	11	--	--	--	--	--	--
MW-303	12/15/21	9.0	251	0.43	7.58	14.9	8	--	--	--	--	--	--
MW-303	03/28/22	10.79	212	0.06	6.93	144.3	12	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-303	06/28/22	15.2	300	0.48	6.03	-51.3	13	--	--	--	--	--	--
MW-303	09/21/22	15.76	641	0.09	6.45	343.4	23	--	--	--	--	--	--
MW-303	12/13/22	10.75	345	0.16	6.44	-16.9	16	--	--	--	--	--	--
MW-303	03/28/23	10.30	211	1.02	7.44	-3.3	21	--	--	--	--	--	--
MW-303	06/14/23	15.83	348	1.17	7.59	-42.4	29	--	--	--	--	--	--
MW-303	09/11/23	17.83	611	0.13	6.27	-103.9	17	--	--	--	--	--	--
MW-303	12/20/23	11.55	295	0.37	6.12	-28.5	22	--	--	--	--	--	--
MW-303	03/12/24	9.54	225	3.4	6.7	-9.2	23	--	--	--	--	--	--
MW-303	06/18/24	14.94	280	0.09	6.13	-47.5	15	--	--	--	--	--	--
MW-304	11/05/13	12.2	396	0.1	6.6	-119	0	7	--	--	< 0.50	0.345	0.273
MW-304	11/03/14	14.86	310	0.62	6.46	-36.9	11.2	5	< 0.10	< 0.10	0.51	3.60 J	0.297 J
MW-304	12/10/15	12.81	345	0.35	6.55	100.1	3.99	3	< 0.10	< 0.10	0.873	33.7	0.39
MW-304	05/04/16	12.9	337	1.95	6.35	-103.1	6.29	--	--	--	--	--	--
MW-304	12/15/16	9.2	342	2.4	6.65	-92	0	0.5	< 0.0400	< 0.0400	3.35	28.2	0.276
MW-304	06/13/17	16.82	162	1.47	6.27	-24.2	--	--	--	--	--	--	--
MW-304	08/23/17	20.76	529	0	7.09	-55	0.1	--	--	--	--	--	--
MW-304	12/05/17	13.01	1421	1	3.42	134.2	3.96	2.25	< 0.0400	< 0.0400	253	18.6	8.94
MW-304	03/06/18	12.36	794	1.52	4.82	105.9	3.92	--	--	--	--	--	--
MW-304	06/13/18	16.04	305	0.19	6.12	-63.2	5.78	--	--	--	--	--	--
MW-304	09/06/18	20.2	439	0.48	4.72	127.5	3.83	--	--	--	--	--	--
MW-304	12/20/18	14.3	830	0.19	4.19	272	96	6.5	0.0730 J	0.0730 J	520	2.51	2.74
MW-304	03/19/19	11.8	155	0.71	7.53	-30.3	24	--	--	--	--	--	--
MW-304	05/16/19	10.89	367	1.27	4.82	36	9	--	--	--	--	--	--
MW-304	09/17/19	13.56	323	1.29	6.73	5.4	15	--	--	--	--	--	--
MW-304	12/11/19	15.3	1518	5.46	8.24	91.6	62	6	<0.0600	<0.0600	908	11.3	4.79
MW-304	04/28/20	12.4	324	0.59	6.92	25.80	10	--	--	--	--	--	--
MW-304	06/29/20	14.78	301	0.78	6.83	-13.60	26	--	--	--	--	--	--
MW-304	09/21/20	16.7	393	0.22	5.78	59.30	41	--	--	--	--	--	--
MW-304	12/15/20	11.07	457	0.33	7.32	120.80	32	1.00	<0.200	<0.400	75.10	50.60	0.483
MW-304	04/13/21	9.0	92	2.60	6.00	79.8	33	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-304	06/15/21	9.80	224	1.12	6.49	55.5	8	--	--	--	--	--	--
MW-304	09/22/21	17.36	370	1.33	5.72	19.8	15	--	--	--	--	--	--
MW-304	12/16/21	9.17	244	0.06	6.60	108.2	23	--	--	--	72.8	19	1.18
MW-304	03/28/22	11.80	135	0.10	6.79	152.3	10	--	--	--	--	--	--
MW-304	06/28/22	15.9	230	0.45	6.64	11.3	10	--	--	--	--	--	--
MW-304	09/20/22	18.11	345	0.11	6.28	349.1	12	--	--	--	--	--	--
MW-304	12/13/22	11.01	317	0.22	6.37	-24.1	17	--	--	--	51.6	8.8	0.462
MW-304	03/27/23	10.31	205	0.22	8.09	-31.5	20	--	--	--	--	--	--
MW-304	06/14/23	18.16	281	0.67	7.11	-59.3	17	--	--	--	--	--	--
MW-304	09/11/23	19.23	356	5.84	6.35	-69.5	3	--	--	--	--	--	--
MW-304	12/20/23	12.56	371	0.48	6.36	-49.4	20	--	--	--	7.22	6.6	1.06
MW-304	03/12/24	10.27	748	2.65	6.84	-58.2	29	--	--	--	--	--	--
MW-304	06/18/24	14.34	388	0.09	6.42	-42.3	19	--	--	--	--	--	--
MW-307	11/26/12	12.7	332	0	7.18	-62	36.6	--	--	--	1.5	--	--
MW-307	11/06/13	12.31	231	0.07	6.42	-106	0.8	3.5	--	--	< 0.50	< 0.200	0.217
MW-307	11/04/14	14.49	383	0.26	6.86	-107	6.9	4.5	< 0.10	< 0.10	< 0.50	18.2	0.513
MW-307	12/09/15	12.78	225	0.51	6.4	-77.6	7.89	2.25	< 0.10	< 0.10	< 0.50	29.6	0.338
MW-307	02/23/16	10.43	225	0.27	6.21	-68.9	9.98	--	--	--	--	--	--
MW-307	05/03/16	12.71	211	0.39	6.05	-54	9.27	--	--	--	--	--	--
MW-307	08/30/16	16.9	198	1.18	6.91	67	0	--	--	--	--	--	--
MW-307	12/13/16	10.28	138	0.57	6.46	-87.4	8.09	1.5	< 0.0400	< 0.0400	< 0.256	21.2	0.235
MW-307	03/14/17	11.62	224	0	6.46	-79	0	--	--	--	--	--	--
MW-307	06/15/17	12.72	126	0.33	5.4	15.1	1.91	--	--	--	--	--	--
MW-307	08/23/17	17.87	149	0	7.03	-13	2.1	--	--	--	--	--	--
MW-307	12/06/17	14.55	405	1.49	6.18	-47.1	0	0.6	< 0.0400	< 0.0400	465	37.1	1.07
MW-307	03/08/18	13.9	270	0.38	6.42	2.6	5.1	--	--	--	--	--	--
MW-307	06/14/18	13.8	205	0.45	6.55	-23	2.92	--	--	--	--	--	--
MW-307	09/04/18	18.44	235	0.99	6.11	-25.6	0	2	--	--	--	--	--
MW-307	12/19/18	16.6	343	2.15	7.69	28.7	17	1.4	< 0.0400	< 0.0400	82.6	7.61	0.669
MW-307	03/18/19	14.3	530	0.85	6.79	-62.3	20	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-307	05/16/19	14.1	315	0.72	6.82	-90.6	4	--	--	--	--	--	--
MW-307	09/17/19	13.21	231	1.15	6.95	1.6	10	--	--	--	--	--	--
MW-307	12/10/19	15.65	541	1.37	6.88	-44.6	18	5.5	<0.0600	<0.0600	210	60.4	1.21
MW-307	04/27/20	13.6	677	0.6	6.72	-96.40	43	--	--	--	--	--	--
MW-307	06/29/20	14.8	505	0.34	6.82	115.90	40	--	--	--	--	--	--
MW-307	09/21/20	15.8	476	0.41	5.96	37.20	29	--	--	--	--	--	--
MW-307	12/16/20	13.16	694	0.32	7.50	130.10	0	2.40	<0.200	<0.400	8.26 J+	51.80	1.17
MW-307	04/12/21	11.2	276	1.91	6.47	-56.9	65	--	--	--	--	--	--
MW-307	06/14/21	6.85	352	0.51	7.35	156.3	11	--	--	--	--	--	--
MW-307	09/22/21	16.03	661	1.12	6.10	0.8	17	--	--	--	--	--	--
MW-307	12/14/21	11.0	423	0.30	9.10	-24.0	18	--	--	--	22.1	0.172 J	0.764
MW-307	03/28/22	11.21	403	0.01	7.43	114.4	40	--	--	--	--	--	--
MW-307	06/29/22	15.2	430	0.66	6.88	34.8	19	--	--	--	--	--	--
MW-307	09/20/22	18.41	685	0.18	7.13	341.8	13	--	--	--	--	--	--
MW-307	12/12/22	11.27	322	0.43	6.45	-16.4	12	--	--	--	1.43 J	0.366 J	0.678
MW-307	03/27/23	14.60	634	0.26	7.03	-19.2	10	--	--	--	--	--	--
MW-307	06/13/23	12.14	403	1.16	6.64	83.9	18	--	--	--	--	--	--
MW-307	09/11/23	16.93	693	0.71	6.88	186.7	18	--	--	--	--	--	--
MW-307	12/19/23	13.22	483	0.68	6.49	-104.2	29	--	--	--	23.6	21.7	0.695
MW-307	03/11/24	10.85	504	2.99	7.1	-18.8	23	--	--	--	--	--	--
MW-307	06/19/24	13.21	287	0.10	6.21	221.0	21	--	--	--	--	--	--
MW-308	02/23/16	10.09	657	0.32	6.78	-36.3	9.17	--	--	--	--	--	--
MW-308	05/03/16	13.49	431	0.31	6.52	-42.7	7.44	--	--	--	--	--	--
MW-308	08/30/16	16.93	224	1.43	7	50	0	--	--	--	--	--	--
MW-308	12/13/16	10.31	577	0.51	6.75	-22.5	8.43	1.5	< 0.0400	< 0.0400	141	1.53	1.05
MW-308	03/14/17	10.27	587	0	6.99	86	0	--	--	--	--	--	--
MW-308	06/15/17	13.16	355	0.9	7.07	-53	7.5	--	--	--	--	--	--
MW-308	08/23/17	18.34	235	0	7.15	-32	0	--	--	--	--	--	--
MW-308	12/06/17	13.3	591	801.24	6.76	-73.2	3.97	1.7	< 0.0400	< 0.0400	21.4	1.24	1.49
MW-308	03/08/18	10.08	758	0.29	6.74	-26.7	6.79	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-308	06/14/18	14.41	208	0.43	6.34	-13.5	4.1	--	--	--	--	--	--
MW-308	09/05/18	17.87	270	0.64	6.57	-45.2	0	2	--	--	--	--	--
MW-308	12/19/18	10.7	579	1.68	6.94	52.4	30	0	< 0.0400	< 0.0400	48.1	0.167 J	0.0912
MW-308	03/18/19	12.5	912	0.63	7.03	-61.3	15	--	--	--	--	--	--
MW-308	05/16/19	13.2	311	0.29	6.78	-107.3	10	--	--	--	--	--	--
MW-308	09/17/19	12.9	213	1.61	6.64	2.6	12	--	--	--	--	--	--
MW-308	12/09/19	14.07	386	1.89	6.32	-53.5	10	5.5	<0.0600 J	<0.0600 J	93.9	16.1	1.01
MW-308	04/27/20	13.3	825	0.77	6.43	-73.10	31	--	--	--	--	--	--
MW-308	06/29/20	15.3	726	0.44	7.05	108.80	24	--	--	--	--	--	--
MW-308	09/21/20	15.7	489	0.7	5.69	239.30	38	--	--	--	--	--	--
MW-308	12/16/20	11.78	556	0.39	7.62	123.70	11	2.60	<0.200	<0.400	3.79 J+	4.57	0.293
MW-308	04/12/21	10.4	323	2.15	6.72	142.2	38	--	--	--	--	--	--
MW-308	06/14/21	7.31	600	1.15	6.97	137.7	11	--	--	--	--	--	--
MW-308	09/22/21	15.90	589	1.44	6.39	-17.2	6	--	--	--	--	--	--
MW-308	12/14/21	7.7	548	0.87	6.95	150.0	10	--	--	--	20.9	<0.5	0.219
MW-308	03/28/22	10.54	647	0.01	7.32	121.8	11	--	--	--	--	--	--
MW-308	06/29/22	15.3	439	0.66	6.68	7.6	17	--	--	--	--	--	--
MW-308	09/20/22	17.72	723	0.29	7.08	337.8	28	--	--	--	--	--	--
MW-308	12/12/22	9.79	369	0.38	6.46	34.4	83	--	--	--	48.0	0.162 J	0.00254 J
MW-308	03/27/23	13.97	684	0.38	7.05	-41.2	22	--	--	--	--	--	--
MW-308	06/13/23	12.31	316	0.64	6.59	-41.6	24	--	--	--	--	--	--
MW-308	09/11/23	16.49	746	0.43	7.01	147.9	36	--	--	--	--	--	--
MW-308	12/19/23	11.23	680	0.69	7.02	-24.4	8	--	--	--	128	0.11 J	0.118
MW-308	03/11/24	9.84	650	2.88	7.16	27	10	--	--	--	--	--	--
MW-308	06/19/24	13.32	772	0.08	6.50	90.1	23	--	--	--	--	--	--
MW-309	05/04/16	14.84	208	2.8	6.5	-102.7	8.08	--	--	--	--	--	--
MW-309	12/12/16	11.39	250	0.67	6.46	-110.3	9.47	--	--	--	--	--	--
MW-309	06/13/17	15.23	147	0.21	6.49	-89.1	--	--	--	--	--	--	--
MW-309	12/05/17	14.56	215	1.1	6.72	-87.3	-20.7	--	--	--	--	--	--
MW-309	06/12/18	16.23	161	0.53	6.41	-42	7.48	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-309	12/20/18	13.9	410	0.16	6.8	-112	21	--	--	--	--	--	--
MW-309	05/16/19	11.48	588	0.57	6.16	-109	62	--	--	--	--	--	--
MW-309	12/11/19	14.91	554	0.37	7.49	-70.1	37	--	--	--	--	--	--
MW-309	06/29/20	17.23	582	0.72	6.71	-12.60	77	--	--	--	--	--	--
MW-309	12/15/20	12.09	6.76	0.36	7.53	119.30	91	--	--	--	--	--	--
MW-309	06/15/21	11.34	322	0.59	6.52	23.4	68	--	--	--	--	--	--
MW-309	12/15/21	12.8	384	0.07	8.17	-22.8	6	--	--	--	--	--	--
MW-309	06/28/22	16	287	0.51	6.35	-76.8	151	--	--	--	--	--	--
MW-309	12/13/22	12.43	298	0.11	6.4	-29.9	120	--	--	--	--	--	--
MW-309	06/14/23	17.21	379	0.86	7.23	-66.5	51	--	--	--	--	--	--
MW-309	12/20/23	13.5	240	0.25	6.24	-37.8	25	--	--	--	--	--	--
MW-309	06/18/24	14.17	468	0.14	6.19	58.7	32	--	--	--	--	--	--
MW-310	11/28/12	13.97	385	0	7.22	-88	80.6	--	--	--	< 0.50	--	--
MW-310	11/05/13	14.07	396	0.05	6.44	-95	0	2.0-2.5	--	--	< 0.50	0.982	0.528
MW-310	11/04/14	15.97	393	0.03	6.88	-101	0	1.5	< 0.10	< 0.10	< 0.50	11.5	0.615
MW-310	12/10/15	13.23	313	0.45	6.39	-78.5	0	2	< 0.10	< 0.10	< 0.50	34.8	0.554
MW-310	02/22/16	11.72	358	0.29	6.4	-98.5	3.83	--	--	--	--	--	--
MW-310	05/02/16	15.68	270	0.34	6.18	-67.1	8.56	--	--	--	--	--	--
MW-310	08/29/16	19.29	283	1.64	6.82	29	0	--	--	--	--	--	--
MW-310	12/15/16	11.6	258	1.26	6.49	-70	0	2	< 0.0400	< 0.0400	1.13	26.4	0.485
MW-310	03/13/17	11.24	317	0	6.53	-102	0	--	--	--	--	--	--
MW-310	06/15/17	15.8	229	0.33	6.21	-69.1	--	--	--	--	--	--	--
MW-310	08/22/17	23.88	365	0	6.96	-80	21.4	--	--	--	--	--	--
MW-310	12/05/17	13.45	603	1.39	4.01	101	3.3	1.5	< 0.0400	< 0.0400	44.2	1.55	2.66
MW-310	03/06/18	12.75	946	0.3	5.25	72.8	5.8	--	--	--	--	--	--
MW-310	06/13/18	17.54	464	0.2	5.84	-34.4	2.01	--	--	--	--	--	--
MW-310	09/06/18	20	293	0.67	5.45	74	2.13	3	--	--	--	--	--
MW-310	12/20/18	15.9	605	1.43	7.1	49.6	18	3.2	0.346	0.346	318	7.48	1.63
MW-310	03/19/19	14.4	804	1.25	7.21	-21.1	28	--	--	--	--	--	--
MW-310	05/16/19	12.36	695	1.09	4.51	87	72	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-310	09/17/19	13.46	281	0.83	6.93	-23.9	16	--	--	--	--	--	--
MW-310	12/11/19	16.4	1551	12.52	6.92	155.8	28	5	<0.0600	<0.0600	999	53.1	7.24
MW-310	04/28/20	14	1460	0.54	6.71	64.40	18	--	--	--	--	--	--
MW-310	06/29/20	15.03	908	0.99	6.96	-21.80	47	--	--	--	--	--	--
MW-310	09/21/20	17.8	745	2.68	6.01	249.70	12	--	--	--	--	--	--
MW-310	12/15/20	11.86	1,020	0.33	7.57	116.90	64	1.60	<0.200	<0.400	167	64.90	1.48
MW-310	04/12/21	13.8	386	1.67	6.39	-28.8	92	--	--	--	--	--	--
MW-310	06/15/21	12.16	571	0.64	7.05	45.9	53	--	--	--	--	--	--
MW-310	09/22/21	18.17	789	1.05	6.02	-15.7	51	--	--	--	--	--	--
MW-310	12/16/21	12.25	648	0.06	6.66	-28.1	85	--	--	--	90.8	0.339 J	2.5
MW-310	03/29/22	11.83	677	0.21	6.95	154.3	22	--	--	--	--	--	--
MW-310	06/28/22	15.4	752	0.41	6.41	-98.6	37	--	--	--	--	--	--
MW-310	09/20/22	19.95	572	0.48	6.32	316.7	23	--	--	--	--	--	--
MW-310	12/13/22	10.61	399	0.31	6.39	-54.3	44	--	--	--	22.2	7.74	0.857
MW-310	03/27/23	13.26	824	0.23	7.58	-92.5	29	--	--	--	--	--	--
MW-310	06/13/23	16.15	767	1.53	7.29	-83	35	--	--	--	--	--	--
MW-310	09/11/23	20.58	473	0.1	6.34	-148	21	--	--	--	--	--	--
MW-310	12/19/23	13.41	973	0.17	6.57	-51.1	42	--	--	--	22.2	10.8	1.49
MW-310	03/12/24	10.91	998	2.7	6.95	-68.5	21	--	--	--	--	--	--
MW-310	06/18/24	15.50	593	0.08	6.34	-12.4	21	--	--	--	--	--	--
MW-311	11/05/14	16.57	606	0	7.42	-146	7	1.5	< 0.25	< 0.25	42.3	< 0.200	1.57
MW-311	12/10/15	14.15	482	0	6.35	-103	1.4	0.75	< 0.10	< 0.10	46.4	27.4	1.45
MW-311	02/22/16	13.84	583	0.26	6.45	-103.1	4.19	--	--	--	--	--	--
MW-311	05/04/16	14.42	564	1.02	6.49	-109.3	6.22	--	--	--	--	--	--
MW-311	08/29/16	22.58	384	1.01	6.89	22	7.66	--	--	--	--	--	--
MW-311	12/15/16	12.91	270	0.4	6.64	-107.3	7.38	3	< 0.0400	< 0.0400	23.7	22.7	0.801
MW-311	03/13/17	12.31	424	0.31	6.73	-98.5	0	--	--	--	--	--	--
MW-311	06/15/17	15.25	453	0.95	7.16	-87.5	--	--	--	--	--	--	--
MW-311	08/22/17	19.69	390	8.27	7.1	-72	0	--	--	--	--	--	--
MW-311	12/07/17	15.15	276	0.38	6.61	-33.2	0	3.75	< 0.0400 J	< 0.0400 J	28.4	8.42	0.703



**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-311	03/08/18	10.87	585	1.04	6.62	-17.2	0	--	--	--	--	--	--
MW-311	06/13/18	17.24	366	0.25	6.44	-45.7	0	--	--	--	--	--	--
MW-311	09/05/18	19.44	455	0.19	6.27	38.8	3.11	--	--	--	--	--	--
MW-311	12/20/18	14.6	522	1.15	7.33	-72.6	14	1.7	< 0.0400	< 0.0400	8.59	4.44	1.02
MW-311	03/18/19	14.8	530	0.32	6.71	-73.9	3	--	--	--	--	--	--
MW-311	05/16/19	14.3	519	0.1	6.82	-71.4	5	--	--	--	--	--	--
MW-311	09/17/19	13.98	338	0.62	6.61	-22.9	3	--	--	--	--	--	--
MW-311	12/12/19	15.24	674	0.8	7.22	-84.4	3	4.5	<0.0600	<0.0600	8.28	41.5	1.81
MW-311	04/27/20	14.2	792	0.72	7.60	-83.20	9	--	--	--	--	--	--
MW-311	06/29/20	15.2	957	0.44	6.97	121.90	15	--	--	--	--	--	--
MW-311	09/21/20	17.5	763	0.26	6.53	-51.20	16	--	--	--	--	--	--
MW-311	12/15/20	14.11	877	0.20	7.80	118.00	30	2.80	<0.200	<0.400	74.20	18.30	2.04
MW-311	04/13/21	13.0	338	2.30	6.75	-71.2	18	--	--	--	--	--	--
MW-311	09/22/21	17.34	812	1.57	6.70	-50.1	9	--	--	--	--	--	--
MW-311	12/16/21	10.67	473	0.08	7.34	37.4	8	--	--	--	4.42	0.144 J	1.77
MW-311	03/29/22	13.47	728	0.01	7.18	137.7	2	--	--	--	--	--	--
MW-311	06/28/22	15.7	636	0.46	6.48	-98.6	17	--	--	--	--	--	--
MW-311	09/20/22	19.90	764	0.03	6.42	380.4	6	--	--	--	--	--	--
MW-311	12/13/22	14.18	616	0.13	6.42	-48.6	6	--	--	--	0.429 J	6.14	1.89
MW-311	03/28/23	12.43	718	0.36	7.22	-11.2	13	--	--	--	--	--	--
MW-311	06/14/23	15.28	751	5.49	7.78	5.3	16	--	--	--	--	--	--
MW-311	09/12/23	18.95	601	0.11	6.47	-127.5	14	--	--	--	--	--	--
MW-311	12/20/23	14.79	641	0.29	6.3	-38.3	9	--	--	--	<1.5	3.1	1.58
MW-311	03/12/24	11.2	707	2.68	6.51	-37.9	5	--	--	--	--	--	--
MW-311	06/17/24	17.53	743	0.11	6.49	153.5	26	--	--	--	--	--	--
MW-312	11/05/14	17.07	459	0.58	6.78	-92	0	5.7	< 0.25	< 0.25	< 1.3	< 0.200	0.787
MW-312	12/10/15	13.74	434	0	6.3	-89	0	1.5	< 0.10	< 0.10	< 0.50	16.8	0.717
MW-312	02/23/16	13.69	578	0.22	6.63	-113.5	8.84	--	--	--	--	--	--
MW-312	05/04/16	14.77	539	1.19	6.63	-122.1	4.05	--	--	--	--	--	--
MW-312	08/29/16	24.31	480	1.01	6.89	28	0	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-312	12/15/16	13.74	452	0.4	6.74	-121.8	9.47	4	< 0.0400	< 0.0400	< 0.500	20.4	0.924
MW-312	03/13/17	12.95	598	0	6.81	-126	0	--	--	--	--	--	--
MW-312	06/15/17	15.14	465	0.27	6.68	-106.8	--	--	--	--	--	--	--
MW-312	08/23/17	19.07	460	0	7.3	-81	0	--	--	--	--	--	--
MW-312	12/07/17	16.15	351	0.88	6.66	-107.7	1.17	2.6	< 0.0400	< 0.0400	488	3.95	0.664
MW-312	03/08/18	11.91	501	1.12	6.88	-6.3	0	--	--	--	--	--	--
MW-312	06/13/18	15.38	349	1.59	6.58	-106.1	0.92	--	--	--	--	--	--
MW-312	09/05/18	20.03	417	0.16	6.55	-72.6	3.75	6	--	--	--	--	--
MW-312	12/20/18	14.1	429	0.75	7.29	-45.3	7	2.5	< 0.0400	< 0.0400	0.164 J	4.35	0.715
MW-312	03/19/19	12.6	553	0.58	7.74	-41	3	--	--	--	--	--	--
MW-312	05/16/19	13.8	524	0.67	6.7	-101.9	2	--	--	--	--	--	--
MW-312	09/17/19	13.84	289	0.55	6.54	-31.9	2	--	--	--	--	--	--
MW-312	12/12/19	14.76	514	0.36	8.17	-86.4	5	2	<0.0600	<0.0600	0.63	22	0.957
MW-312	04/28/20	14.9	596	0.36	7.64	-85.90	4	--	--	--	--	--	--
MW-312	06/29/20	15.03	491	0.94	6.39	-25.70	12	--	--	--	--	--	--
MW-312	09/21/20	17.5	607	0.33	6.56	-35.30	20	--	--	--	--	--	--
MW-312	12/15/20	13.39	571	0.28	7.75	118.20	35	3.00	<0.200	<0.400	<1.20	6.93	1.08
MW-312	04/13/21	12.3	286	2.10	6.78	-84.4	17	--	--	--	--	--	--
MW-312	06/16/21	8.65	476	2.05	6.93	17.3	3	--	--	--	--	--	--
MW-312	09/22/21	16.72	805	2.04	6.62	-30.2	10	--	--	--	--	--	--
MW-312	12/16/21	10.85	338	0.04	7.04	35.2	6	--	--	--	<0.500	0.115 J	0.83
MW-312	03/29/22	12.62	452	0.03	6.89	158.7	1	--	--	--	--	--	--
MW-312	06/29/22	14.5	635	0.78	6.48	10.1	30	--	--	--	--	--	--
MW-312	09/20/22	19.81	714	0.32	6.80	361.9	9	--	--	--	--	--	--
MW-312	12/13/22	13.2	440	0.24	6.48	-12.9	19	--	--	--	4.73	0.399 J	0.903
MW-312	03/28/23	12.05	573	0.18	8.38	-68.7	10	--	--	--	--	--	--
MW-312	06/14/23	16.40	552	2.13	7.90	-49.8	17	--	--	--	--	--	--
MW-312	09/12/23	18.9	543	0.19	6.52	-128.2	1	--	--	--	--	--	--
MW-312	12/20/23	15.16	614	0.08	6.37	-21.5	17	--	--	--	<1.5	1.7	1.04
MW-312	03/12/24	9.63	698	2.92	6.85	-13.7	16	--	--	--	--	--	--
MW-312	06/18/24	15.20	495	0.09	6.39	-40.2	12	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-313	08/29/16	21.96	489	1.07	6.88	23	0	--	--	--	--	--	--
MW-313	12/12/16	14.13	474	1.04	6.82	-34.9	9.06	--	--	--	--	--	--
MW-313	03/13/17	11.3	850	0.03	6.78	-23	3.5	--	--	--	--	--	--
MW-313	06/15/17	15.94	374	1.32	6.85	-24.6	--	--	--	--	--	--	--
MW-313	08/22/17	23.47	400	8.21	7.39	-62	0	--	--	--	--	--	--
MW-313	12/07/17	15.72	395	0.99	6.95	24.8	3.22	--	--	--	--	--	--
MW-313	03/07/18	11.05	615	0.89	6.96	36.8	8.42	--	--	--	--	--	--
MW-313	06/13/18	16.73	400	0.46	6.76	-44.1	3.02	--	--	--	--	--	--
MW-313	09/05/18	20.55	447	0.18	6.76	-29.7	1.34	--	--	--	--	--	--
MW-313	12/20/18	14.7	555	1.03	7.07	-52.9	43	--	--	--	--	--	--
MW-313	03/19/19	11.1	686	0.73	7.81	-30.4	6	--	--	--	--	--	--
MW-313	05/16/19	14.5	781	0.42	7.05	-39.1	10	--	--	--	--	--	--
MW-313	09/17/19	15.71	343	0.71	6.65	-25.3	7	--	--	--	--	--	--
MW-313	12/12/19	14.86	574	0.64	7.99	-55.7	5	--	--	--	--	--	--
MW-313	04/27/20	15.6	683	1.21	7.87	3.40	11	--	--	--	--	--	--
MW-313	06/29/20	16.33	486	1.81	6.73	-74.50	32	--	--	--	--	--	--
MW-313	09/21/20	18.7	605	0.55	6.84	21.90	13	--	--	--	--	--	--
MW-313	12/15/20	13.54	718	0.22	7.93	109.70	69	--	--	--	--	--	--
MW-313	04/13/21	12.9	250	2.02	6.85	-69.0	48	--	--	--	--	--	--
MW-313	06/16/21	9.60	441	0.99	7.38	30.4	38	--	--	--	--	--	--
MW-313	09/22/21	17.25	668	1.34	6.95	-41.6	28	--	--	--	--	--	--
MW-313	12/16/21	11.89	401	0.19	7.16	30.7	80	--	--	--	--	--	--
MW-313	03/29/22	11.77	390	0.10	7.10	141.2	10	--	--	--	--	--	--
MW-313	06/28/22	17.4	631	1.12	6.65	10.8	154	--	--	--	--	--	--
MW-313	09/20/22	21	573	0.05	6.99	378.8	24	--	--	--	--	--	--
MW-313	12/13/22	11.68	548	0.15	6.38	-28.6	81	--	--	--	--	--	--
MW-313	03/28/23	10.12	553	1.48	8.42	-38.5	50	--	--	--	--	--	--
MW-313	06/14/23	16.96	632	0.32	8.03	-50.7	56	--	--	--	--	--	--
MW-313	09/12/23	20.47	440	0.22	6.7	28.4	41	--	--	--	--	--	--
MW-313	12/20/23	13.07	769	0.13	6.53	9.0	32	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-313	03/12/24	10.34	600	3.59	7.03	24.3	50	--	--	--	--	--	--
MW-313	06/18/24	15.10	500	0.09	6.44	4.5	43	--	--	--	--	--	--
MW-314	08/30/16	20.6	565	1.23	6.87	82	8.52	--	--	--	--	--	--
MW-314	12/14/16	13.42	471	0.52	6.73	-90.3	9.44	--	--	--	--	--	--
MW-314	03/13/17	12.34	626	0	6.73	-53	3.9	--	--	--	--	--	--
MW-314	06/14/17	18.28	447	0.46	7.07	-87.9	8.2	--	--	--	--	--	--
MW-314	08/23/17	18.35	453	0	7.33	-35	3.6	--	--	--	--	--	--
MW-314	12/06/17	14	413	0.68	6.56	-62.5	4.2	--	--	--	--	--	--
MW-314	03/07/18	11.95	583	0.9	6.84	23.5	8.42	--	--	--	--	--	--
MW-314	06/12/18	15.92	455	0.74	6.7	-110	2.91	--	--	--	--	--	--
MW-314	09/05/18	18.9	427	0.4	6.49	-40.8	4.24	--	--	--	--	--	--
MW-314	12/20/18	14.7	567	0.16	6.79	-87	29	--	--	--	--	--	--
MW-314	03/19/19	11.4	564	0.97	7.12	-32.4	48	--	--	--	--	--	--
MW-314	05/16/19	11.01	714	0.77	6.27	-61	79	--	--	--	--	--	--
MW-314	09/17/19	--	--	--	--	--	--	--	--	--	--	--	--
MW-314	12/10/19	13.97	725	1.55	5.67	-36	7	--	--	--	--	--	--
MW-314	04/28/20	13.2	749	0.44	7.55	-53.60	7	--	--	--	--	--	--
MW-314	06/29/20	18.27	639	1.02	6.53	-29.80	16	--	--	--	--	--	--
MW-314	09/22/20	16.5	758	0.49	6.28	22.60	16	--	--	--	--	--	--
MW-314	12/15/20	13.53	800	0.15	7.78	114.80	35	--	--	--	--	--	--
MW-314	04/13/21	10.7	272	2.02	6.54	-7.9	58	--	--	--	--	--	--
MW-314	03/28/22	12.03	731	0.06	7.77	76.2	83	--	--	--	--	--	--
MW-314	06/28/22	15.7	819	0.46	6.36	-58.1	14	--	--	--	--	--	--
MW-314	09/20/22	19.23	638	0.10	6.48	351.7	13	--	--	--	--	--	--
MW-314	03/27/23	11.49	699	0.60	8.17	21.0	54	--	--	--	--	--	--
MW-314	06/14/23	16.38	720	2.6	7.63	-56.9	25	--	--	--	--	--	--
MW-314	12/20/23	12.58	269	0.21	6.31	-17.6	30	--	--	--	--	--	--
MW-314	06/19/24	14.81	693	0.05	6.47	40.3	17	--	--	--	--	--	--
MW-315	08/29/16	20.56	558	1.04	6.86	2	8.44	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
MW-315	12/12/16	12.07	488	1.45	6.74	-102	0	--	--	--	--	--	--
MW-315	03/13/17	12.81	522	0	6.77	-117	0	--	--	--	--	--	--
MW-315	06/15/17	14.2	450	1.27	7.21	-99	--	--	--	--	--	--	--
MW-315	08/23/17	18.2	465	0	7.3	-68	0	--	--	--	--	--	--
MW-315	12/07/17	14.59	372	0.84	6.68	-28.7	0	--	--	--	--	--	--
MW-315	03/08/18	11.74	448	1.34	6.84	20.7	0	--	--	--	--	--	--
MW-315	06/13/18	15.32	325	1	6.58	-41.5	0	--	--	--	--	--	--
MW-315	09/05/18	18.81	378	0.12	6.39	-28.8	0.54	--	--	--	--	--	--
MW-315	12/20/18	14.5	460	0.32	7.15	-92	5	--	--	--	--	--	--
MW-315	03/18/19	14.7	497	0.81	6.74	-65.4	3	--	--	--	--	--	--
MW-315	05/16/19	13.6	508	0.2	6.83	-64.3	3	--	--	--	--	--	--
MW-315	09/17/19	13.01	311	0.58	6.37	-41.8	4	--	--	--	--	--	--
MW-315	12/12/19	14.4	587	0.79	7.98	-67.8	3	--	--	--	--	--	--
MW-315	04/27/20	14.8	591	0.53	7.67	-70	8	--	--	--	--	--	--
MW-315	06/29/20	14.3	584	0.64	6.92	189.80	9	--	--	--	--	--	--
MW-315	09/21/20	16.7	589	0.25	6.43	-26.20	14	--	--	--	--	--	--
MW-315	12/15/20	13.69	588	0.09	7.80	119.30	43	--	--	--	--	--	--
MW-315	04/13/21	13.1	289	2.23	6.65	-68.2	22	--	--	--	--	--	--
MW-315	06/16/21	8.01	501	1.37	6.79	0.9	3	--	--	--	--	--	--
MW-315	09/22/21	17.62	785	1.14	6.45	-19.0	10	--	--	--	--	--	--
MW-315	12/16/21	10.40	304	1.36	7.31	-8.2	10	--	--	--	--	--	--
MW-315	03/29/22	12.06	519	0.08	7.21	134.1	3	--	--	--	--	--	--
MW-315	06/28/22	14.4	583	0.48	6.44	-86.4	15	--	--	--	--	--	--
MW-315	09/20/22	17.79	634	0.10	7.32	356.7	5	--	--	--	--	--	--
MW-315	12/13/22	11.9	570	0.25	6.29	-23.1	87	--	--	--	--	--	--
MW-315	03/28/23	12.07	645	0.18	7.70	-76.2	14	--	--	--	--	--	--
MW-315	06/14/23	14.23	663	1.36	7.34	-43	20	--	--	--	--	--	--
MW-315	09/12/23	17.38	553	0.09	6.37	-112	8	--	--	--	--	--	--
MW-315	12/20/23	14.16	579	0.92	6.31	45.3	6	--	--	--	--	--	--
MW-315	03/12/24	10.85	630	2.82	6.96	-13.7	3	--	--	--	--	--	--
MW-315	06/19/24	16.15	583	0.02	6.47	-14.0	15	--	--	--	--	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
SH-04	05/05/16	14.18	129	1.43	6.47	-107.3	8.73	--	--	--	--	--	--
SH-04	12/14/16	8.88	133	0.39	6.41	-48.2	7.21	--	--	--	--	--	--
SH-04	06/14/17	17.02	116	0.27	6.33	52.7	1.67	--	--	--	--	--	--
SH-04	12/05/17	15.32	134	0.71	6.72	-65.4	3.51	--	--	--	--	--	--
SH-04	06/13/18	16.5	140	0.47	6.12	-54.2	1.05	--	--	--	--	--	--
SH-04	12/18/18	12.3	180	1.05	7.31	-30.6	19	--	--	--	--	--	--
SH-04	05/16/19	9.31	226	0.91	5.71	-126	13	--	--	--	--	--	--
SH-04	12/11/19	14.43	391	0.63	7.51	-12.1	19	--	--	--	--	--	--
SH-04	06/29/20	14.4	219	0.49	6.46	215.30	8	--	--	--	--	--	--
SH-04	12/14/20	14.00	371	0.29	7.56	151.80	21	--	--	--	--	--	--
SH-04	06/15/21	8.75	190	0.94	7.00	57.0	6	--	--	--	--	--	--
SH-04	12/15/21	11.6	140	0.15	9.84	-77.1	6	--	--	--	--	--	--
SH-04	04/18/22	9.00	220	0.09	8.12	64.6	39	--	--	--	--	--	--
SH-04	06/28/22	16.9	198	0.49	6.02	-11.9	16	--	--	--	--	--	--
SH-04	12/13/22	9.50	90	0.08	6.41	-25.2	20	--	--	--	--	--	--
SH-04	06/13/23	15.31	149	4.44	7.32	-48.1	18	--	--	--	--	--	--
SH-04	12/19/23	10.14	243	0.66	6.14	24.3	18	--	--	--	--	--	--
SH-04	06/18/24	14.42	352	0.20	6.34	206.1	19	--	--	--	--	--	--
TX-03A	01/13/04	14	480	1.4	6.39	-59	1.8	--	--	--	--	--	--
TX-03A	04/19/04	13.7	560	1.44	6.18	21	2.4	6	--	--	< 1	--	--
TX-03A	07/27/04	17.9	589	1.31	6.26	68	3	--	--	--	--	--	--
TX-03A	10/18/04	16.7	595	2.77	6.63	-100	42	--	--	--	--	--	--
TX-03A	01/24/05	14.6	563	1.79	5.11	5	43.1	--	--	--	--	--	--
TX-03A	04/19/05	13.8	552	0	6.47	-86	20	4	--	--	< 1	--	--
TX-03A	07/12/05	17.3	477	0.16	6.55	-121	55.6	--	--	--	--	--	--
TX-03A	10/31/07	--	--	--	--	--	--	--	--	--	--	--	--
TX-03A	11/20/08	15.8	821	0.49	6.87	-59	31.8	30.4	--	--	< 1	--	--
TX-03A	04/08/09	12.84	236	0	6.58	-145	43.1	--	--	--	--	--	--
TX-03A	11/17/09	16.3	50.6	1.29	6.39	-102	9.7	36	--	--	1.2	--	--

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
TX-03A	04/27/10	13.2	52.8	0.21	5.76	-153	9.5	--	--	--	--	--	
TX-03A	10/25/10	15.5	42.5	1.39	6.68	-115	48	30	--	--	6.8	--	
TX-03A	05/23/11	--	--	--	--	--	--	--	--	--	--	--	
TX-03A	10/27/11	15.44	478	1.72	8.5	-100.9	--	20.3	--	--	< 0.50	--	
TX-03A	03/01/12	12.29	564	0	6.71	-118	12.6	--	--	--	--	--	
TX-03A	06/12/12	14	507	4	7.19	-103	4.5	--	--	--	--	--	
TX-03A	09/25/12	17.83	514	0	6.48	-139	15.2	--	--	--	--	--	
TX-03A	11/28/12	13.79	439	0	6.7	-104	--	--	--	< 0.50	--	--	
TX-03A	11/05/13	10.98	528	0.06	6.57	-114	0	4	--	--	< 0.50	< 0.200	0.47
TX-03A	11/04/14	16.8	424	0.38	6.49	-39	5.83	6	< 0.10	< 0.10	< 0.50	6.18	0.523
TX-03A	12/10/15	15.11	456	0.25	6.51	-103.5	6.7	0.5	< 0.10	< 0.10	< 0.50	31.7	0.5
TX-03A	02/22/16	12.73	484	0.3	6.34	-109.1	7.22	--	--	--	--	--	--
TX-03A	05/02/16	15.06	418	0.22	6.36	-103.1	3.96	--	--	--	--	--	--
TX-03A	08/29/16	18.69	395	2.27	6.84	18	0	--	--	--	--	--	--
TX-03A	12/15/16	12.31	295	0.29	6.54	-109.9	8.97	2	< 0.0400	< 0.0400	< 0.500	37.8	0.517
TX-03A	03/13/17	11.74	287	0.23	6.74	-109.5	0	--	--	--	--	--	--
TX-03A	06/13/17	14.63	322	0.24	6.32	-98	--	--	--	--	--	--	--
TX-03A	08/22/17	18.97	317	0	7.07	-87	0	--	--	--	--	--	--
TX-03A	12/05/17	13.23	477	1.83	6.57	-104.1	2.77	1.5	< 0.0400	< 0.0400	219	25.1	0.784
TX-03A	03/27/18	12.27	465	0.65	6.19	71.9	3.37	--	--	--	--	--	--
TX-03A	06/13/18	15.4	407	4.12	6.07	-82.4	0.69	--	--	--	--	--	--
TX-03A	09/06/18	19.9	551	0.14	6.24	-76.8	1.26	--	--	--	--	--	--
TX-03A	12/20/18	16.5	369	0.1	6.67	-116	16	4.5	< 0.0400	< 0.0400	19	6.46	0.465
TX-03A	03/19/19	13.9	550	0.45	7.55	-67.1	8	--	--	--	--	--	--
TX-03A	05/16/19	12.64	538	0.51	6.11	-84	12	--	--	--	--	--	--
TX-03A	09/17/19	16.79	348	0.97	6.41	3.1	8	--	--	--	--	--	--
TX-03A	12/11/19	16.75	1514	1.86	8.64	-94	5	3	<0.0600 J	<0.0600 J	704	104	2.99
TX-03A	04/28/20	14.1	881	0.46	7.5	-65.10	12	--	--	--	--	--	--
TX-03A	06/29/20	16.13	577	1.24	6.36	-20.20	13	--	--	--	--	--	--
TX-03A	09/21/20	18.1	505	0.32	6.22	74	15	--	--	--	--	--	--
TX-03A	12/15/20	13.20	501	0.31	7.59	114.00	15	2.40	<0.200	<0.400	42.30	26.20	1.16

**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
TX-03A	04/12/21	11.6	259	1.91	6.26	-6.2	40	--	--	--	--	--	--
TX-03A	06/16/21	9.02	416	1.35	7.60	39.3	3	--	--	--	--	--	--
TX-03A	09/23/21	17.45	633	1.17	6.09	-5.6	7	--	--	--	--	--	--
TX-03A	03/28/22	12.57	540	0.12	7.24	126.9	12	--	--	--	--	--	--
TX-03A	06/28/22	15.4	521	0.5	6.49	-91.2	14	--	--	--	--	--	--
TX-03A	09/21/22	16.84	473	0.41	7.29	348.7	29	--	--	--	--	--	--
TX-03A	12/13/22	14.22	368	0.25	6.43	-49.9	8	--	--	--	8.86	0.109 J	0.927
TX-03A	03/27/23	12.92	494	0.28	7.52	-64.4	19	--	--	--	--	--	--
TX-03A	06/14/23	16.15	441	0.89	7.21	-49.4	18	--	--	--	--	--	--
TX-03A	09/12/23	18.21	372	0.16	6.5	-109.7	1	--	--	--	--	--	--
TX-03A	12/20/23	14.33	339	0.79	6.42	-24.3	17	--	--	--	<1.5	0.36 J	0.803
TX-03A	03/11/24	11.84	378	2.82	6.76	-5.8	8	--	--	--	--	--	--
TX-03A	06/19/24	15.30	345	0.27	6.23	218.3	13	--	--	--	--	--	--
TES-MW-1	12/13/16	8.37	99	7.01	5.86	89	0	--	--	--	--	--	--
TES-MW-1	12/06/17	10	69	6.02	5.67	39.9	5.7	--	--	--	--	--	--
TES-MW-1	12/19/18	11.2	172	1.3	6.68	-96	24	--	--	--	--	--	--
TES-MW-1	12/09/19	13.42	172	6.2	6.51	63.9	11	--	--	--	--	--	--
TES-MW-1	12/16/20	12.07	98	0.92	7.72	135.70	36	--	--	--	--	--	--
TES-MW-1	12/14/21	11.2	93	0.70	7.71	132.1	34	--	--	--	--	--	--
TES-MW-1	12/12/22	11.24	430	0.61	6.89	130.7	1	--	--	--	--	--	--
TES-MW-1	12/19/23	12.39	90	5.91	5.63	147.3	2	--	--	--	--	--	--
TX-04	12/12/16	10.65	353	0.82	7.02	-108	0	--	--	--	--	--	--
TX-04	12/05/17	12.06	167	0.68	7.01	-10.8	23.2	--	--	--	--	--	--
TX-04	12/18/18	14.5	233	1.26	7.69	-48.3	44	--	--	--	--	--	--
TX-04	12/12/19	14.81	295	0.44	8.46	-83.3	14	--	--	--	--	--	--
TX-04	12/14/20	14.54	334	0.17	7.81	136.90	7	--	--	--	--	--	--
TX-04	12/15/21	10.4	207	0.21	8.32	-3.0	17	--	--	--	--	--	--
TX-04	12/13/22	12.4	199	0.07	6.4	-47.2	77	--	--	--	--	--	--
TX-04	12/19/23	13.95	185	0.11	6.53	-11.2	42	--	--	--	--	--	--



**Compliance Monitoring Natural Attenuation Parameters  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Field Parameters						Laboratory Parameters					
		Temperature °C	Conductivity µS/cm	Dissolved Oxygen mg/L	pH	ORP mv	Turbidity NTU	Ferrous Iron mg/L	Nitrogen, Nitrate mg/L	Nitrogen, Nitrite mg/L	Sulfate mg/L	Iron Dissolved mg/L	Manganese Dissolved mg/L
TX-06A	12/12/16	11.95	212	0.55	6.55	-97.3	6.56	--	--	--	--	--	--
TX-06A	12/05/17	14.43	248	1.15	6.69	-63.6	5.63	--	--	--	--	--	--
TX-06A	12/20/18	14.5	257	0.17	6.76	-99	11	--	--	--	--	--	--
TX-06A	12/10/19	13.58	230	4.49	5.62	8.6	12	--	--	--	--	--	--
TX-06A	12/14/20	13.92	341	0.20	7.74	123.80	17	--	--	--	--	--	--
TX-06A	12/15/21	12.1	174	0.25	7.85	9.5	10	--	--	--	--	--	--
TX-06A	12/19/23	12.61	1,147	0.07	6.22	3.6	64	--	--	--	--	--	--

**Notes:**

ORP = oxidation-reduction potential

°C = degrees Celsius

µS/cm = microsiemens per centimeter

mg/L = milligrams per liter

mV = millivolts

NTU = nephelometric turbidity unit

J = indicates a estimated value

J+ = The result is an estimated quantity, but the result may be biased high.

NM = not measured

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are laboratory Method Detection Limits (MDLs). Prior to June 12, 2012, limits shown are laboratory Reporting Limits (RLs).

= Indicates data collected during this progress report period

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-05	01/15/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.37	< 0.5	--
MW-05	04/21/04	0.0015	< 0.001	0.0053	< 0.001	< 0.25	0.41	< 0.5	--
MW-05	07/28/04	0.0015	0.001	< 0.001	0.0017	< 0.25	< 0.25	< 0.5	--
MW-05	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-05	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-05	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.072	< 0.25	< 0.5	--
MW-05	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	0.25	< 0.25	< 0.5	--
MW-05	10/19/05	< 0.001	< 0.001	< 0.001	< 0.001	0.11	< 0.25	< 0.5	--
MW-05	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	< 0.238	< 0.476	--
MW-05	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	< 0.25	< 0.5	--
MW-05	11/17/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-05	10/29/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.14	< 0.1	--
MW-05	05/23/11	<.0003	<.0005	<.0003	<.0007	0.0744	--	--	--
MW-05	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.115	< 0.095	< 0.19	--
MW-05	11/29/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0954	< 0.095	--
MW-05	11/07/13	< 0.00020	0.00083 J	< 0.00020	0.00087 J	0.345	< 0.049	< 0.097	--
MW-05	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.0507 J	0.137	< 0.094	--
MW-05	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.233	< 0.388	--
MW-05	05/04/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	70.9 J	< 0.0398	< 0.0598	--
MW-05	12/14/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	< 0.0436	< 0.0654	--
MW-05	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0860	< 0.129	--
MW-05	12/07/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.0968 J	0.105 J	< 0.121	--
MW-05	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.114	< 0.124	--
MW-05	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.230 J	0.119 J	--
MW-05	05/15/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.0589	< 0.108	< 0.118	--
MW-05	12/10/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.111 J	< 0.121	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-05	06/30/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.113	< 0.124	--
MW-05	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	0.163	<0.340	--
MW-05	06/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.240	<0.401	--
MW-05	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.254	<0.424	--
MW-05	04/18/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.235	<0.392	--
MW-05	06/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.243	<0.405	--
MW-05	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.387	0.191 J	--
MW-05	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.241	<0.401	--
MW-05	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.238	0.680	--
MW-05	06/17/24	<0.00100	<0.00100	<0.00100	<0.00200	<0.150	0.122 J	0.224 J	--
MW-101	01/16/04	< 0.001	< 0.001	< 0.001	0.0028	0.55	< 0.25	< 0.5	--
MW-101	04/20/04	0.0016	< 0.001	< 0.001	0.0014	0.67	< 0.25	< 0.5	--
MW-101	07/28/04	0.0012	< 0.001	< 0.001	0.0011	1.0	< 0.25	< 0.5	--
MW-101	10/18/04	0.0011	< 0.001	< 0.001	< 0.001	0.42	< 0.25	< 0.5	--
MW-101	01/26/05	< 0.001	< 0.001	< 0.001	0.0011	0.51	< 0.25	< 0.5	--
MW-101	04/19/05	0.0016	< 0.001	< 0.001	< 0.001	0.58	< 0.25	< 0.5	--
MW-101	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.31	< 0.25	< 0.5	--
MW-101	10/10/05	< 0.001	< 0.001	< 0.001	< 0.001	0.16	< 0.25	< 0.5	--
MW-101	01/27/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	0.223	< 0.236	< 0.476	--
MW-101	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	0.1	< 0.25	< 0.5	--
MW-101	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-101	10/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	0.15	0.13	< 0.1	--
MW-101	10/27/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.0936	< 0.10	< 0.20	--
MW-101	11/26/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.188 J	0.0937 J	< 0.10	--
MW-101	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.118 J	< 0.0048	< 0.0095	--
MW-101	11/04/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.0048	< 0.0095	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-101	12/09/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.129	< 0.201	--
MW-101	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.101	0.0983 J	< 0.0632	--
MW-101	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.237	0.246 J	< 0.127	--
MW-101	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.127 J	0.157 J	< 0.115	--
MW-101	12/09/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.155 J	< 0.125	--
MW-101	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	<0.238	<0.397	--
MW-101	12/14/21	<0.000400	<0.00100	<0.00100	<0.00300	0.433	0.305	0.128 J	--
MW-101	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.247	<0.411	--
MW-101	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	0.208	0.139	0.127 J	--
MW-102	01/14/04	0.0021	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	04/21/04	0.0036	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	07/28/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	10/18/04	0.0011	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	01/25/05	0.0024	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-102	04/18/05	0.0027	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-102	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.077	< 0.25	< 0.5	--
MW-102	10/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-102	01/26/06	0.00498	< 0.0005	0.00174	0.00201	< 0.05	< 0.238	< 0.472	--
MW-102	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	< 0.25	< 0.5	--
MW-102	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-102	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-102	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.113	< 0.20	--
MW-102	11/28/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
MW-102	11/07/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.047	0.144 J	--
MW-102	11/04/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0568 J	< 0.094	--
MW-102	12/08/15	< 0.0020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.233	< 0.388	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-102	12/14/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	< 0.0413	< 0.0620	--
MW-102	12/05/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0834	< 0.125	--
MW-102	12/05/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0834	< 0.125	--
MW-102	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.774	0.197 J	--
MW-102	12/10/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.151 J	< 0.123	--
MW-102	12/16/20	< 0.00020 J	< 0.0002 J	< 0.00020 J	< 0.0005 J	< 0.250	< 0.248	< 0.413	--
MW-102	12/16/21	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	< 0.240	< 0.401	--
MW-102	12/12/22	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	< 0.226	0.143 J	--
MW-102	12/18/23	< 0.00100	< 0.00100	< 0.00100	< 0.00200	< 0.100	0.0869 J	0.133 J	--
MW-104	01/15/04	0.0019	< 0.001	0.15	0.1028	<b>2.7</b>	1.2	< 0.5	0.00555
MW-104	01/15/04	0.0012	< 0.001	0.1	0.0706	<b>2</b>	1.3	< 0.5	< 0.005
MW-104	04/21/04	0.0066	0.0025	0.35	0.0931	<b>4.3</b>	1.7	< 0.5	0.00575
MW-104	07/28/04	0.0018	< 0.001	0.048	0.017	<b>2.2</b>	0.87	< 0.5	< 0.005
MW-104	07/28/04	0.0017	< 0.001	0.049	0.019	<b>2.1</b>	1.3	< 0.5	< 0.005
MW-104	10/19/04	< 0.001	< 0.001	0.0021	0.0016	< 0.25	0.61	< 0.5	< 0.005
MW-104	01/24/05	< 0.001	< 0.001	0.0012	< 0.001	< 0.25	0.74	< 0.5	< 0.005
MW-104	04/18/05	< 0.001	< 0.001	0.057	0.0067	<b>1.4</b>	1.2	< 0.5	< 0.005
MW-104	07/12/05	0.0014	< 0.001	0.11	0.012	<b>1.8</b>	0.7	< 0.5	< 0.005
MW-104	10/19/05	< 0.001	< 0.001	0.024	0.0049	0.29	0.62	< 0.5	< 0.005
MW-104	01/25/06	0.00245	0.00129	0.33	0.0273	<b>2.07</b>	3.73	< 0.962	0.0077
MW-104	10/30/07	--	--	--	--	<b>1.25</b>	--	--	< 0.002
MW-104	05/20/08	--	--	--	--	<b>4.00</b>	2.10	< 0.5	--
MW-104	11/18/08	--	--	--	--	0.13	0.69	< 0.5	< 0.005
MW-104	04/08/09	--	--	--	--	<b>1.80</b>	1.60	< 0.1	0.00326
MW-104	11/17/09	< 0.0005	< 0.001	0.0016	< 0.001	0.21	0.17	< 0.1	0.00778
MW-104	04/27/10	--	--	--	--	<b>3.90</b>	2.50	0.27	0.00232

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-104	10/26/10	--	--	--	--	0.23	0.23	< 0.1	--
MW-104	05/23/11	<0.0006	0.003	0.104	0.0018	4.44	0.45	<0.097	< 0.01
MW-104	10/25/11	--	--	--	--	3.38	0.413	< 0.20	< 0.01
MW-104	03/01/12	0.00079 J	0.0015	0.0467	0.0016 J	3.69	--	--	--
MW-104	06/13/12	--	--	--	--	4.78	0.423	< 0.10	< 0.01
MW-104	09/26/12	0.00066 J	0.0024	0.0509	0.0019 J	4.54	--	--	--
MW-104	11/29/12	0.00038 J	0.00037 J	0.0113	< 0.00046	0.592	0.315	< 0.098	--
MW-104	05/14/13	--	--	--	--	5.07	0.601	< 0.096	< 0.01
MW-104	11/07/13	--	--	--	--	3.62	0.666 J	< 0.095	< 0.01
MW-104	04/24/14	--	--	--	--	5.68	1.13	0.100 J	< 0.01
MW-104	11/05/14	--	--	--	--	0.441	0.527	0.221	< 0.01
MW-104	05/20/15	--	--	--	--	2.82	0.686	< 0.097	< 0.01
MW-104	12/09/15	--	--	--	--	< 0.100	0.408	< 0.398	< 0.00200
MW-104	05/05/16	--	--	--	--	7.45	2.85	0.144 J	0.00285
MW-104	12/14/16	--	--	--	--	3.61	2.22	0.155 J	0.000902 J
MW-104	06/14/17	--	--	--	--	4.85	2.9	0.159 J	0.00444
MW-104	12/07/17	< 0.0000993	< 0.000312	0.00411	< 0.000442	0.53	1.34	0.126 J	--
MW-104	06/12/18	--	--	--	--	3.04	1.86	< 0.122	0.00207 J
MW-104	12/19/18	--	--	--	--	0.552	2.25	0.967	0.00185 J
MW-104	05/15/19	--	--	--	--	2.59	1.64	0.316 J	0.00163 J
MW-104	12/10/19	--	--	--	--	0.956	0.713	< 0.122	< 0.000995
MW-104	06/30/20	--	--	--	--	1.02	0.914	0.117 J	0.00408
MW-104	12/14/20	<0.00020	<0.0002	0.00171	<0.0005	0.487	1.56	1.31	<0.004
MW-104	06/15/21	--	--	--	--	0.948	0.753	<0.395	<0.0600
MW-104	12/15/21	--	--	--	--	0.300	0.456	0.175 J	<0.0600
MW-104	04/18/22	--	--	--	--	0.896	0.503	<0.393	<0.0600
MW-104	06/29/22	<0.000400	<0.00100	0.00106	<0.00300	0.648	0.381	<0.413	<0.0600

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-104	12/14/22	--	--	--	--	0.153	2.57	1.01	<0.0600
MW-104	06/13/23	--	--	--	--	0.160	0.261	<0.393	0.00195 J
MW-104	12/19/23	--	--	--	--	0.466	1.68	1.14	0.00118 J
MW-104	06/19/24	--	--	--	--	<b>1.20</b>	<b>1.24</b>	<b>0.856</b>	<b>0.00368</b>
MW-105	01/15/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.4	< 0.5	0.00647
MW-105	04/21/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.65	< 0.5	0.00793
MW-105	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2.2	< 0.5	0.0128
MW-105	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.8	< 0.5	0.0311
MW-105	01/24/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	3	< 0.5	0.00824
MW-105	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.3	0.78	0.00615
MW-105	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.7	< 0.5	< 0.005
MW-105	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.7	0.66	< 0.005
MW-105	01/25/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	3.95	< 0.962	0.00321
MW-105	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	--	--	< 0.005
MW-105	11/17/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.17	< 0.1	0.021
MW-105	10/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	--	--	--
MW-105	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.253	< 0.20	< 0.01
MW-105	11/26/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.291	< 0.098	< 0.01
MW-105	11/07/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.189	< 0.095	<b>0.0179</b>
MW-105	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.377	0.192	< 0.01
MW-105	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.406	0.408	<b>0.0152</b>
MW-105	12/14/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.850	0.377	<b>0.0116</b>
MW-105	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.146 J	0.624	0.176 J	< 0.00200
MW-105	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.672	0.737	0.0107
MW-105	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.388	0.382 J	<b>0.00754</b>
MW-105	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	1.81	0.972	0.00421

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene <b>0.071</b> mg/L	Toluene <b>200</b> mg/L	Ethylbenzene <b>29</b> mg/L	Total Xylenes <b>NE</b> mg/L	TPHg <b>1</b> mg/L	TPHd <b>10</b> mg/L	TPHo <b>10</b> mg/L	Total <b>0.0058</b> mg/L
MW-105	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.523	0.670	<b>0.0324 J</b>
MW-105	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	1.25	0.679	<b>0.0143 J</b>
MW-105	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	1.47	1.29	<b>0.0336</b>
MW-111	01/15/04	0.047	< 0.001	< 0.001	< 0.001	< 0.25	0.98	< 0.5	--
MW-111	04/21/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.48	< 0.5	--
MW-111	07/27/04	0.015	< 0.001	< 0.001	0.0012	< 0.25	0.45	< 0.5	--
MW-111	10/19/04	0.036	0.0012	< 0.001	0.0035	0.35	0.45	< 0.5	--
MW-111	01/25/05	<b>0.079</b>	< 0.005	< 0.005	< 0.005	0.58 J	0.63	< 0.5	--
MW-111	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.096	< 0.25	< 0.5	--
MW-111	07/12/05	0.0094	< 0.001	< 0.001	< 0.001	0.23	0.26	< 0.5	--
MW-111	10/18/05	0.017	< 0.001	< 0.001	0.0013	0.26	0.27	< 0.5	--
MW-111	01/25/06	<b>0.0956</b>	0.00189	0.000796	0.0037	0.683	0.998	< 0.481	--
MW-111	11/19/08	0.014	< 0.005	< 0.005	< 0.005	0.230	0.370	< 0.5	--
MW-111	11/17/09	0.041	< 0.001	< 0.001	< 0.001	0.240	0.110	< 0.1	--
MW-111	10/26/10	0.0043	< 0.001	< 0.001	< 0.001	< 0.1	0.120	< 0.1	--
MW-111	05/23/11	0.00064	<.0005	<.0003	<.0007	<0.050	--	--	--
MW-111	10/25/11	0.00094	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.122	< 0.20	--
MW-111	11/29/12	0.0248	0.001	< 0.00020	0.0012 J	0.371	0.269	< 0.10	--
MW-111	11/07/13	<b>0.0845</b>	0.001	0.00023 J	0.00069 J	0.208	0.174	< 0.095	--
MW-111	11/05/14	<b>0.0574</b>	0.0012	0.00083 J	0.00047 J	0.232	0.167	0.118 J	--
MW-111	12/08/15	<b>0.386</b>	0.00649	0.00291	0.00333	0.944	0.335	<0.388	--
MW-111	05/04/16	<b>0.0719</b>	0.00157	0.00158	0.00125 J	0.294	0.141	< 0.0598	--
MW-111	12/14/16	<b>0.248</b>	0.00375 J	0.00243 J	<0.00442	0.739 J	0.343	0.0883 J	--
MW-111	06/14/17	0.00575	0.000480 J	< 0.000198	0.000466 J	0.0836 J	0.142 J	< 0.123	--
MW-111	12/06/17	<b>0.202</b>	0.00632	0.00214	0.00507	0.792	0.597	< 0.132	--
MW-111	06/12/18	0.0273	0.00181	0.000334 J	0.00238 J	0.227	0.210 J	< 0.123	--



**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-111	12/19/18	0.0592	0.00574	0.0012	0.00475	0.766	1.27	0.462	--
MW-111	05/15/19	0.00484	< 0.000170	< 0.000190	< 0.000580	0.149	0.195 J	< 0.117	--
MW-111	12/11/19	0.000270 J	< 0.000312	< 0.000198	< 0.000422	< 0.0704	0.255 J	< 0.125	--
MW-111	06/29/20	0.00124	0.000637 J	< 0.000198	0.000648 J	0.0898 J	< 0.110	< 0.120	--
MW-111	12/14/20	0.00163	0.000945	<0.00020	0.00118	<0.250	0.346	0.348	--
MW-111	06/15/21	0.000251 J	0.000593 J	<0.00100	0.00100 J	0.120 J	<0.233	<0.389	--
MW-111	12/15/21	0.00337	0.00161	0.000247 J	0.00166 J	0.421	0.340	0.149 J	--
MW-111	04/18/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.229	<0.381	--
MW-111	06/27/22	0.00274	<0.00100	<0.00100	<0.00300	0.110 J	0.118 J	<0.402	--
MW-111	12/14/22	0.0538	0.00333	0.000527 J	0.00259 J	0.490	1.31	0.326 J	--
MW-111	06/13/23	0.00132	<0.00100	<0.00100	<0.00300	<0.150	<0.232	<0.387	--
MW-111	12/19/23	0.0424	0.00191	<0.00100	0.00187 J	0.129	0.616	0.445	--
MW-111	06/17/24	0.00441	<0.00100	<0.00100	<0.00200	<0.150	0.142 J	0.199 J	--
MW-112A	01/15/04	0.02	< 0.001	< 0.001	< 0.001	0.25	0.63	< 0.5	--
MW-112A	04/21/04	< 0.005	< 0.005	< 0.005	< 0.005	< 1.2	0.56	< 0.75	--
MW-112A	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.51	< 0.5	--
MW-112A	10/19/04	0.0013	< 0.001	< 0.001	< 0.001	< 0.25	0.68	< 0.5	--
MW-112A	01/24/05	0.003	0.0012	< 0.001	0.001	0.44	0.65	< 0.5	--
MW-112A	04/20/05	< 0.001	< 0.001	< 0.001	< 0.001	0.42	1.4	< 0.5	--
MW-112A	07/12/05	0.0029	< 0.001	< 0.001	< 0.001	0.28	0.48	< 0.5	--
MW-112A	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-112A	01/26/06	0.00211	< 0.0005	< 0.0005	< 0.001	0.236	0.602	< 0.485	--
MW-112A	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	0.300	1.30	< 0.5	--
MW-112A	11/18/09	0.00075	< 0.001	< 0.001	< 0.001	0.200	0.230	< 0.1	--
MW-112A	10/29/10	0.036	< 0.001	< 0.001	0.0015	0.770	0.600	< 0.1	--
MW-112A	05/24/11	0.00041	<0.0005	<0.0003	<0.0007	0.129	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene <b>0.071</b> mg/L	Toluene <b>200</b> mg/L	Ethylbenzene <b>29</b> mg/L	Total Xylenes <b>NE</b> mg/L	TPHg <b>1</b> mg/L	TPHd <b>10</b> mg/L	TPHo <b>10</b> mg/L	Total <b>0.0058</b> mg/L
MW-112A	10/25/11	0.0055	< 0.0010	< 0.0010	< 0.0020	0.292	0.200	< 0.20	--
MW-112A	11/25/12	0.0058	0.00022 J	0.00037 J	< 0.00046	0.197 J	0.282	< 0.10	--
MW-112A	11/04/13	0.0238	0.00068 J	0.0376	0.0012 J	0.909	1.72	< 0.19	--
MW-112A	11/06/14	0.0156	0.0014	0.028	0.0016 J	0.760	1.43	0.295	--
MW-112A	12/08/15	0.0297	0.00368	0.00219	0.00406	<b>1.31</b>	5.89	< 0.389	--
MW-112A	05/05/16	0.0248	0.00131	0.0992	0.00688	<b>1.75</b>	7.96	0.132 J	--
MW-112A	12/12/16	0.0426	0.00666	0.0109	0.0103	<b>2.27</b>	2.77	0.180 J	--
MW-112A	06/15/17	0.0348	0.0037	0.02	0.00464 J	<b>1.46</b>	7.34	0.210 J	--
MW-112A	12/07/17	0.00111	0.00169	< 0.000198	0.00196 J	0.811	1.71	0.151 J	--
MW-112A	06/13/18	0.0289	0.00297	0.134	0.00748	<b>2.39</b>	<b>12.6</b>	0.150 J	--
MW-112A	12/20/18	0.00166	0.00171	0.000248 J	0.00196 J	0.728	2.93	0.789	--
MW-112A	05/16/19	0.0111	0.00173	0.0231	0.00208 J	<b>2.00</b>	2.37	0.222 J	--
MW-112A	12/12/19	0.0149	0.00296	0.00154	0.00385	<b>1.91</b>	<b>12.2</b>	0.419 J	--
MW-112A	06/30/20	0.00354 J	0.000903 J	0.0215 J	0.00155 J	<b>1.05</b>	3.62	0.204 J	--
MW-112A	12/14/20	0.00442	0.00253	0.00186	0.00375	<b>1.77 J+</b>	2.30	1.02	--
MW-112A	06/15/21	0.00207	0.000659 J	0.00702	0.00189 J	0.976	2.58	0.161 J	--
MW-112A	12/15/21	0.00235	0.00147	0.000665 J	0.00213 J	<b>2.34</b>	1.10	0.215 J	--
MW-112A	04/18/22	0.00102	0.000759 J	0.0279	0.00269 J	<b>1.87</b>	1.39	<0.389	--
MW-112A	06/28/22	0.00139	0.000935 J	0.0106	0.00263 J	<b>1.26</b>	0.675	<0.407	--
MW-112A	12/13/22	0.00263	0.00159	0.000729 J	0.00225 J	<b>1.06</b>	2.67	0.686	--
MW-112A	06/13/23	0.00246	0.00125	0.0289	0.00317	<b>1.29</b>	2.56	<0.389	--
MW-112A	12/19/23	0.00244	0.00245	0.00129	0.00423	<b>1.09</b>	3.22	0.883	--
MW-112A	06/18/24	0.00195	0.00148	0.0471	0.00349	<b>1.78</b>	5.30	0.644	--
MW-113	06/27/22	<b>0.156</b>	0.00522	0.00405	0.00540	<15	0.933	0.156 J	--
MW-113	12/14/22	0.0650	0.00466	<0.00100	<0.00300	0.177	1.24	0.440	--
MW-113	06/13/23	<b>0.396</b>	0.0322	0.00572	0.00476	0.488	1.30	<0.389	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-113	12/19/23	0.0513	0.0156	<0.00100	0.000649 J	0.153	0.868	0.481	--
MW-113	06/17/24	<b>0.162</b>	0.0248	0.00724 J	0.0209	0.412	3.56 J-	1.18 J-	--
MW-114	06/27/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.413	0.16 J	--
MW-114	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.339	0.523	--
MW-114	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.246	<0.411	--
MW-114	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.144	0.447	--
MW-114	06/17/24	<0.00100	<0.00100	<0.00100	<0.00200	<0.150	0.118 J	0.286 J	--
MW-115	06/27/22	<0.000400	<0.00100	<0.00100	<0.00300	0.372	4.93	0.24 J	--
MW-115	12/14/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	1.24	0.42 J	--
MW-115	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	0.328	2.77	<0.39	--
MW-115	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	0.334	2.46	0.872	--
MW-115	06/17/24	<0.00100	<0.00100	<0.00100	<0.00200	0.993	4.01	1.34	--
MW-201	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-201	04/20/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-201	01/26/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.33	< 0.5	--
MW-201	04/20/05	< 0.001	< 0.001	< 0.001	0.0021	< 0.25	< 0.25	< 0.5	--
MW-201	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.12	0.7	< 0.5	--
MW-201	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	0.22	4.6	2.3	--
MW-201	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.050	0.342	< 0.476	--
MW-201	11/20/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	0.41	< 0.5	--
MW-201	11/19/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-201	10/27/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.18	< 0.1	--
MW-201	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.0899	1.46	0.181	--
MW-201	11/27/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.122	< 0.10	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-201	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	0.0964 J	0.520	< 0.094	--
MW-201	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.173	0.195	--
MW-201	12/10/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	0.121	0.323	< 0.389	--
MW-201	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.203	0.174 J	--
MW-201	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.159 J	< 0.132	--
MW-201	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.281	0.383 J	--
MW-201	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	0.315	<0.368	--
MW-201	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.556	0.163 J	--
MW-201	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.255	0.551	--
MW-202	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	<b>2.5</b>	<b>15</b>	< 10	--
MW-202	04/20/04	0.014	0.0062	0.074	0.021	<b>4.4</b>	<b>28</b>	< 10	--
MW-202	01/26/05	< 0.005	< 0.005	< 0.005	< 0.005	<b>7.7</b>	5.2	< 5	--
MW-202	04/20/05	0.016	0.0022	0.036	0.0237	<b>3.7</b>	6.2	< 5	--
MW-202	07/13/05	0.016	0.0033	0.067	0.0191	<b>3.5</b>	6.2	< 1	--
MW-202	10/20/05	0.019	0.0021	0.058	0.0056	<b>3.3</b>	5.9	< 2.5	--
MW-202	01/26/06	0.0224	0.00598	0.041	0.0191	<b>5.79</b>	<b>11.2</b>	< 4.76	--
MW-202	04/25/06	0.00749	0.00378	0.062	0.0124	<b>6.78</b>	8.7	<4.85	--
MW-202	10/12/06	0.00936	0.00339	0.0828	0.00616	<b>5.65</b>	<b>11.5</b>	0.834	--
MW-202	04/26/07	0.00825	0.0048	0.063	<0.015	<b>4.78</b>	8.24	1.05	--
MW-202	10/30/07	--	--	--	--	<b>4.55</b>	<b>10.9</b>	< 1	--
MW-202	05/20/08	--	--	--	--	<b>2.3</b>	1.8	< 2.5	--
MW-202	11/20/08	--	--	--	--	<b>5.0</b>	2.2	< 0.5	--
MW-202	04/07/09	--	--	--	--	<b>4.8</b>	<b>14</b>	< 0.1	--
MW-202	11/19/09	--	--	--	--	<b>6.6</b>	<b>20</b>	< 0.5	--
MW-202	04/27/10	--	--	--	--	<b>3.3</b>	6.4	0.12	--
MW-202	10/27/10	0.0081	0.0031	0.066	0.0022	<b>6.0</b>	5.4	< 0.1	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-202	05/23/11	--	--	--	--	3.5	1.84	< 0.097	--
MW-202	10/26/11	--	--	--	--	4.3	1.02	< 0.21	--
MW-202	03/02/12	0.0053	0.0019	0.0107	0.0013 J	3.87	--	--	--
MW-202	06/13/12	--	--	--	--	3.31	1.54	< 0.10	--
MW-202	09/26/12	0.0058	0.0029 J	0.0378	< 0.0018	4.07	--	--	--
MW-202	11/27/12	0.0113	0.0034	0.0274	0.0022	6.07	2.67	< 0.30	--
MW-202	05/15/13	--	--	--	--	3.83	1.62	< 0.096	--
MW-202	11/06/13	< 0.00020	0.0027	0.0335	0.0012 J	4.68	1.29	< 0.095	--
MW-202	04/22/14	--	--	--	--	3.22	2.18	< 0.28	--
MW-202	11/06/14	0.0083	0.0026	0.0154	0.0011	5.10	2.45	0.282 J	--
MW-202	05/19/15	--	--	--	--	2.96	0.842	< 0.096	--
MW-202	12/10/15	0.00419	0.00124	0.00277	< 0.0030	5.67	27.2	0.565	--
MW-202	05/03/16	--	--	--	--	2.89	2.29	0.111 J	--
MW-202	12/13/16	0.00606	0.0028	0.00901	0.00110 J	2.92	4.04	0.201	--
MW-202	06/14/17	--	--	--	--	2.58	3.68	0.134 J	--
MW-202	12/06/17	0.00102	< 0.000312	0.00144	0.00129 J	3.02	25.8	0.402 J	--
MW-202	06/14/18	--	--	--	--	1.49	4.10	0.166 J	--
MW-202	12/19/18	0.00178	0.000839 J	0.00444	0.00187 J	4.74	48.3	1.69	--
MW-202	05/16/19	--	--	--	--	3.04	11.8	0.718	--
MW-202	12/10/19	0.00179	0.00159	0.0128	0.00202 J	4.29	24	0.534	--
MW-202	06/29/20	--	--	--	--	1.78	13.1	0.412	--
MW-202	12/16/20	0.00132 J	0.000409 J-	0.00236 J	<0.0005 J	3.47	36.6	0.641	--
MW-202	06/14/21	--	--	--	--	1.32	4.52	0.327 J	--
MW-202	12/16/21	0.00275	0.000751 J	0.00121	0.00169 J	3.71	17.0	0.706	--
MW-202	06/29/22	--	--	--	--	3.33	2.84	1.09	--
MW-202	12/12/22	0.00314	0.00111	0.00193	0.00155 J	2.98	22.1	0.505	--
MW-202	06/12/23	--	--	--	--	0.947	2.18	0.365 J	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-202	12/18/23	0.00276	0.000818 J	0.000989 J	0.00672 J	1.05	14.5	0.990	--
MW-202	06/18/24	--	--	--	--	0.488	3.43	0.688	--
MW-203	01/13/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-203	04/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.26	< 0.5	--
MW-203	07/27/04	0.013	< 0.001	0.0069	< 0.001	2.6	0.45	< 0.5	--
MW-203	10/19/04	0.013	< 0.001	0.015	0.0025	1.6	< 0.25	< 0.5	--
MW-203	10/19/04	0.017	< 0.001	0.012	0.0018	1.4	< 0.25	< 0.5	--
MW-203	01/25/05	0.0063	< 0.001	0.011	0.0013	1.6	0.52	0.68	--
MW-203	04/19/05	0.0068	< 0.001	0.0018	< 0.001	0.63	< 0.25	0.55	--
MW-203	07/13/05	0.01	< 0.001	0.0077	< 0.001	0.89	< 0.25	< 0.5	--
MW-203	10/20/05	0.023	0.002	0.021	0.0026	4.2	2.1	1.1	--
MW-203	01/23/06	0.00186	< 0.0005	0.00182	0.00125	0.76	0.565	< 0.943	--
MW-203	04/26/16	0.00694	0.00076	0.00079	< 0.003	1.38	0.660	0.625	--
MW-203	10/13/16	0.023	0.00553	0.00448	0.00652	6.22	7.39	1.34	--
MW-203	04/27/17	0.00502	< 0.0005	0.00053	< 0.003	1.24	0.507	0.515	--
MW-203	05/20/08	--	--	--	--	0.60	0.32	< 0.5	--
MW-203	11/18/08	--	--	--	--	0.17	< 0.25	< 0.5	--
MW-203	04/08/09	--	--	--	--	< 0.1	0.12	0.11	--
MW-203	11/17/09	--	--	--	--	< 0.1	< 0.1	< 0.1	--
MW-203	04/26/10	--	--	--	--	0.16	0.18	< 0.1	--
MW-203	10/25/10	--	--	--	--	0.92	0.36	< 0.1	--
MW-203	05/23/11	--	--	--	--	0.333	0.0854	0.314	--
MW-203	10/26/11	--	--	--	--	1.38	0.262	0.118	--
MW-203	06/13/12	--	--	--	--	0.459	0.134	0.332	--
MW-203	11/27/12	--	--	--	--	1.05	0.0943 J	< 0.10	--
MW-203	05/15/13	--	--	--	--	0.144 J	< 0.048	< 0.096	--

Table 6

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-203	11/06/13	--	--	--	--	0.680	< 0.047	< 0.094	--
MW-203	04/22/14	--	--	--	--	0.164	0.210 J	0.732 J	--
MW-203	11/06/14	--	--	--	--	0.102	0.0933 J	0.168 J	--
MW-203	05/19/15	--	--	--	--	0.285	0.166	0.170 J	--
MW-203	12/09/15	--	--	--	--	< 0.100	0.319	< 0.394	--
MW-203	05/04/16	--	--	--	--	0.575	0.161	0.133 J	--
MW-203	5/5/2016 DUP	--	--	--	--	0.534	0.151	0.134 J	--
MW-203	12/13/16	--	--	--	--	0.203	0.234	0.125 J	--
MW-203	06/14/17	--	--	--	--	0.0898 J	0.212 J	0.172 J	--
MW-203	12/08/17	--	--	--	--	<b>1.56</b>	0.323	< 0.122	--
MW-203	06/14/18	--	--	--	--	0.156	0.152 J	0.167 J	--
MW-203	12/20/18	--	--	--	--	0.107 J	0.806	0.944	--
MW-203	05/16/19	--	--	--	--	0.471	0.185 J	0.159 J	--
MW-203	12/10/19	--	--	--	--	<b>1.74</b>	0.495	0.189 J	--
MW-203	06/29/20	--	--	--	--	0.256	0.209 J	0.181 J	--
MW-203	12/15/20	--	--	--	--	0.282	<0.229	0.930	--
MW-203	06/15/21	--	--	--	--	<0.150	<0.246	0.267 J	--
MW-203	12/16/21	--	--	--	--	0.129 J	0.138 J	0.273 J	--
MW-203	06/28/22	--	--	--	--	0.0343 J	0.645	1.56	--
MW-203	12/14/22	--	--	--	--	0.227	0.993	0.350 J	--
MW-203	06/12/23	--	--	--	--	0.944	2.91	0.383	--
MW-203	12/20/23	--	--	--	--	<0.100	0.0750 J	0.226 J	--
MW-203	06/18/24	--	--	--	--	0.0923 J	0.397	0.754	--
MW-204	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.6	< 0.5	--
MW-204	01/26/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	6.2	< 1	--
MW-204	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.5	0.79	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-204	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.076	1.1	0.59	--
MW-204	10/19/05	< 0.001	< 0.001	< 0.001	< 0.001	0.082	0.45	< 0.5	--
MW-204	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	5.53	< 0.952	--
MW-204	04/25/06	< 0.0005	< 0.0005	< 0.0005	< 0.003	0.0755	2.51	1.11	--
MW-204	10/12/06	< 0.0005	< 0.0005	< 0.0005	< 0.003	0.0634	0.896	0.519	--
MW-204	04/26/07	< 0.0005	< 0.0005	< 0.0005	< 0.003	0.0855	1.81	0.749	--
MW-204	10/30/07	--	--	--	--	< 0.05	--	--	--
MW-204	11/20/08	< 0.005	< 0.005	< 0.005	< 0.005	0.13	1	< 0.5	--
MW-204	11/19/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	3.5	0.16	--
MW-204	10/27/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.29	< 0.1	--
MW-204	10/27/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.066	0.599	< 0.20	--
MW-204	11/27/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.975	< 0.10	--
MW-204	11/06/13	0.00057 J	< 0.00020	< 0.00020	< 0.00046	0.0762 J	0.28	0.0976 J	--
MW-204	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.505	0.321	--
MW-204	12/10/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.579	< 0.388	--
MW-204	12/13/16	0.000187 J	< 0.000312	0.000555 J	< 0.000442	< 0.0178	0.507	0.215	--
MW-204	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.786	0.232 J	--
MW-204	12/19/18	0.000204 J	< 0.000312	< 0.000198	< 0.000442	0.138 J	0.599	0.729	--
MW-204	12/10/19	0.00105	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.238 J	0.128 J	--
MW-204	12/16/20	0.0003 J	0.000245 J-	< 0.00020 J	< 0.0005 J	< 0.250	0.303	0.405	--
MW-204	12/16/21	0.000342 J	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.379	0.413	--
MW-204	12/12/22	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.351	0.458	--
MW-204	12/18/23	< 0.00100	< 0.00100	< 0.00100	< 0.00200	< 0.100	0.364	0.601	--
MW-206A	01/22/04	< 0.001	< 0.001	< 0.001	0.004	< 0.25	< 0.25	< 0.5	--
MW-206A	04/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-206A	07/27/04	< 0.005	< 0.005	< 0.005	< 0.005	< 1.2	1.8	0.78	--



**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-206A	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2	1.1	--
MW-206A	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2.1	2.2	--
MW-206A	04/18/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.3	1.5	--
MW-206A	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	1.2	1.9	--
MW-206A	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	2.1	7.9	--
MW-206A	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	4.41	2.54	--
MW-206A	11/20/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	2.1	1.7	--
MW-206A	11/19/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.1	< 0.1	--
MW-206A	10/25/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	0.18	--
MW-206A	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.141	< 0.20	--
MW-206A	11/27/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.116	0.111 J	--
MW-206A	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.047	< 0.094	--
MW-206A	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.236	0.392	--
MW-206A	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.242	< 0.403	--
MW-206A	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.180	0.135 J	--
MW-206A	12/08/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.258	0.239 J	--
MW-206A	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	2.25	3.96	--
MW-206A	12/10/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.591	0.396	--
MW-206A	12/16/20	< 0.00020	< 0.0002	< 0.00020	< 0.0005	< 0.250	< 0.236	< 0.394	--
MW-206A	12/16/21	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.150 J	0.215 J	--
MW-206A	12/12/22	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.264	0.575	--
MW-206A	12/18/23	< 0.00100	< 0.00100	< 0.00100	< 0.00200	< 0.100	0.246	0.783	--
MW-213	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-213	04/20/04	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	< 0.25	< 0.5	--
MW-213	07/28/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-213	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-213	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-213	04/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-213	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
MW-213	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.34	< 0.5	--
MW-213	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	0.653	< 0.495	--
MW-213	10/30/07	< 0.001	< 0.001	< 0.001	< 0.003	--	--	--	--
MW-213	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	< 0.25	< 0.5	--
MW-213	04/07/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-213	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-213	04/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-213	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-213	05/24/11	< 0.0003	< 0.0005	< 0.0003	< 0.0007	< 0.050	< 0.049	< 0.098	--
MW-213	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	< 0.11	< 0.21	--
MW-213	06/12/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
MW-213	11/29/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
MW-213	05/15/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.096	--
MW-213	11/05/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0625 J	< 0.095	--
MW-213	04/23/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0586	< 0.094	--
MW-213	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0782 J	< 0.094	--
MW-213	05/19/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.102	< 0.10	--
MW-213	12/09/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.235	< 0.392	--
MW-213	05/03/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	< 0.100	0.0415 J	< 0.0593	--
MW-213	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.100	0.115 J	< 0.0622	--
MW-213	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.128 J	< 0.123	--
MW-213	12/07/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.158 J	< 0.121	--
MW-213	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.111	< 0.121	--
MW-213	12/19/18	< 0.0000930	0.000320 J	< 0.000198	< 0.000442	0.0717 J	0.434	0.411	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-213	05/16/19	< 0.000200	0.000349 J	< 0.000190	< 0.000580	0.0912	0.153 J	< 0.123	--
MW-213	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.147 J	< 0.117	--
MW-213	06/29/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-213	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	<0.233	<0.388	--
MW-213	06/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.235	<0.392	--
MW-213	12/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.158 J	0.199 J	--
MW-213	06/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.163 J	<0.475	--
MW-213	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.270	0.268 J	--
MW-213	06/12/23	<0.000400	<0.00100	<0.00100	<0.00300	0.0426 J	<0.224	<0.373	--
MW-213	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.271	0.396	--
MW-213	06/19/24	<0.00100	<0.00100	<0.00100	<0.00200	0.0946 J	0.288	0.349	--
MW-214	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-214	04/20/04	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	< 0.25	< 0.5	--
MW-214	07/28/04	< 0.005	< 0.005	< 0.005	< 0.005	< 1.2	< 0.25	< 0.5	--
MW-214	10/19/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
MW-214	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	0.36	< 0.5	--
MW-214	04/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.3	< 0.5	--
MW-214	07/12/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.29	< 0.5	--
MW-214	10/20/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	0.33	< 0.5	--
MW-214	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	0.91	< 0.476	--
MW-214	10/30/07	< 0.001	< 0.001	< 0.001	< 0.003	--	--	--	--
MW-214	05/05/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	0.91	< 0.5	--
MW-214	07/10/08	--	--	--	--	--	< 0.5	< 1	--
MW-214	11/19/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.25	0.8	< 0.5	--
MW-214	04/07/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.17	< 0.1	--
MW-214	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.11	< 0.1	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-214	04/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.19	< 0.1	--
MW-214	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
MW-214	05/24/11	<0.0003	<0.0005	<0.0003	<0.0007	<0.050	0.127	<0.097	--
MW-214	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.126	< 0.21	--
MW-214	06/12/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	0.135 J	--
MW-214	11/29/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
MW-214	05/15/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0857 J	< 0.096	--
MW-214	11/05/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0552 J	< 0.094	--
MW-214	04/23/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.118	< 0.094	--
MW-214	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.168	0.103	--
MW-214	05/19/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.106	< 0.094	--
MW-214	12/09/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	0.248	< 0.392	--
MW-214	05/03/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	< 0.100	0.123	< 0.0594	--
MW-214	12/14/16	< 0.0000930	< 0.000312	0.000275 J	< 0.000442	0.0226 J	0.130	< 0.0600	--
MW-214	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.214 J	< 0.121	--
MW-214	12/07/17	< 0.0000930 J	< 0.000312 J	< 0.000198 J	< 0.000442 J	< 0.0704 J	0.305	< 0.128	--
MW-214	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.170 J	< 0.120	--
MW-214	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.547	0.415	--
MW-214	05/16/19	< 0.000200	0.000303 J	< 0.000190	< 0.000580	< 0.0550	0.213 J	< 0.122	--
MW-214	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.239 J	< 0.121	--
MW-214	06/29/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-214	12/16/20	<0.00020 J	<0.0002 J	<0.00020 J	<0.0005 J	<0.250	<0.218	<0.363	--
MW-214	06/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.122 J	<0.395	--
MW-214	12/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.172 J	0.129 J	--
MW-214	06/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.181 J	0.135 J	--
MW-214	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.367	0.275 J	--
MW-214	06/12/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.233	<0.389	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene <b>0.071</b> mg/L	Toluene <b>200</b> mg/L	Ethylbenzene <b>29</b> mg/L	Total Xylenes <b>NE</b> mg/L	TPHg <b>1</b> mg/L	TPHd <b>10</b> mg/L	TPHo <b>10</b> mg/L	Total <b>0.0058</b> mg/L
MW-214	12/18/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.293	0.398	--
MW-214	06/19/24	<0.00100	<0.00100	<0.00100	<0.00200	<0.150	<0.210	<0.368	--
MW-301	03/02/12	<b>0.24</b>	0.0138	0.0099	0.0212	<b>3.37</b>	--	--	--
MW-301	09/25/12	<b>0.333</b>	0.0131	0.0186	0.0192	<b>4.02</b>	--	--	--
MW-301	11/28/12	<b>0.241</b>	0.0099	0.0125	0.0106	<b>2.76</b>	--	--	--
MW-301	02/21/13	<b>0.659</b>	0.0175	0.0264	0.0173 J	<b>3.98</b>	0.315	< 0.10	--
MW-301	05/15/13	<b>0.357</b>	0.0122	0.0231	0.0145	<b>3.63</b>	--	--	--
MW-301	11/04/13	<b>0.16</b>	0.0097	0.0164	0.0109	<b>2.29</b>	--	--	--
MW-301	04/23/14	<b>0.252</b>	0.0072	0.0135	0.0075	<b>3.57</b>	--	--	--
MW-301	07/24/14	<b>0.314</b>	0.008	0.0143	0.0096	<b>3.70</b>	0.361	< 0.094	--
MW-301	11/03/14	<b>0.108</b>	0.0043 J	0.0046 J	0.0051 J	<b>1.76</b>	--	--	--
MW-301	03/09/15	<b>0.222</b>	0.0067	0.0065	0.0062 J	<b>2.27</b>	--	--	--
MW-301	05/21/15	<b>0.194</b>	0.0069	0.01	0.0060 J	<b>2.24</b>	--	--	--
MW-301	07/28/15	<b>0.116</b>	0.0036	0.0037	0.0019 J	<b>2.09</b>	--	--	--
MW-301	12/10/15	0.0437	0.00351	0.00104	0.00551	<b>1.34</b>	--	--	--
MW-301	02/22/16	<b>0.28</b>	0.00881	0.0104	0.00746	<b>3.65</b>	--	--	--
MW-301	05/02/16	<b>0.17</b>	0.00834	0.0138	0.00663	<b>3.32</b>	--	--	--
MW-301	08/29/16	0.0647	0.00551	0.0103	0.0064	<b>2.9</b>	--	--	--
MW-301	12/12/16	<b>0.251</b>	0.00745	0.0173	0.00633	<b>3.00</b>	--	--	--
MW-301	03/13/17	<b>0.206</b>	0.00771	0.0117	0.00585	<b>3.02</b>	--	--	--
MW-301	06/13/17	<b>0.111</b>	0.00659 J	0.0128	0.00713 J	<b>2.50</b>	--	--	--
MW-301	08/22/17	0.0652	0.00472	0.0108	0.00366	<b>1.93</b>	--	--	--
MW-301	12/05/17	0.0222	0.00228	0.00217	0.00272 J	<b>1.67</b>	--	--	--
MW-301	03/06/18	<b>0.207</b>	0.00303	0.00542	0.00248 J	<b>1.32</b>	--	--	--
MW-301	06/13/18	0.0132	0.00108	0.00239	0.000821 J	<b>1.27</b>	--	--	--
MW-301	09/06/18	0.00368	0.000585 J	0.000352 J	0.000489 J	<b>1.45</b>	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	TPHg mg/L	TPHd mg/L	TPHo mg/L	Total mg/L
	Site-Specific Cleanup Level:	<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
MW-301	12/20/18	0.0175	0.000688 J	0.00259	0.000536 J	0.445	--	--	--
MW-301	03/19/19	<b>0.0999</b>	0.00182	0.00923	0.00182 J	<b>1.34</b>	--	--	--
MW-301	05/16/19	0.00684	< 0.000170	0.000357 J	< 0.000580	0.483	--	--	--
MW-301	09/19/19	0.0000937 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-301	12/11/19	0.000093	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-301	04/28/20	0.0399	0.00115	0.00676	0.000676 J	0.368	--	--	--
MW-301	06/29/20	0.0163	< 0.000312	0.00205	< 0.000442	0.114 J	--	--	--
MW-301	09/21/20	0.00732	<0.001	0.00127	0.000442 J	0.167	--	--	--
MW-301	12/15/20	0.0416	0.00146	0.0109	0.00117	0.441	--	--	--
MW-301	04/13/21	0.0238	0.00105	0.00767	0.000879	<b>1.69</b>	--	--	--
MW-301	06/15/21	0.0168	0.00103	0.00822	0.00101 J	0.439	--	--	--
MW-301	09/22/21	0.00333	<0.00100	0.00200	0.000535 J	0.226	--	--	--
MW-301	12/16/21	0.0185	0.000723 J	0.00439	0.000768 J	0.471	--	--	--
MW-301	03/29/22	0.0308	0.000663 J	0.00248	0.00113 J	0.572	--	--	--
MW-301	06/28/22	0.0215	0.000854 J	0.00316	0.000735 J	0.478	--	--	--
MW-301	09/21/22	0.00932	0.000952 J	0.00172	0.000953 J	0.245	--	--	--
MW-301	12/13/22	0.0242	0.00151	0.000703 J	0.00148 J	--	--	--	--
MW-301	03/28/23	<b>0.0782</b>	0.00502	0.0129	0.00396	0.952	--	--	--
MW-301	06/14/23	<b>0.11</b>	0.00408	0.00609	0.00315	0.794	--	--	--
MW-301	09/11/23	0.0704	0.00526	0.000846 J	0.00300	0.590	--	--	--
MW-301	12/20/23	0.0289	0.00480	0.00380	0.00384	0.804	--	--	--
MW-301	03/12/24	0.0193	0.00346	0.00339	0.00351	<b>1.02</b>	--	--	--
MW-301	06/18/24	<b>0.0864</b>	0.00359	0.00121	0.00896	<b>1.44</b>	--	--	--
MW-302	03/01/12	<b>0.831</b>	0.0275	0.213	0.248	<b>5.33</b>	--	--	--
MW-302	06/12/12	<b>0.574</b>	0.0156	0.0183	0.0244	<b>4.18</b>	--	--	--
MW-302	06/28/12	<b>1.23</b>	0.0437	0.403	0.289	<b>5.65</b>	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	<b>Site-Specific Cleanup Level:</b>	<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
MW-302	09/25/12	0.657	0.0247	0.18	0.106	4.07	--	--	--
MW-302	11/25/12	0.449	0.0152	0.191	0.177	4.58	--	--	--
MW-302	02/22/13	0.393	0.0149	0.124	0.116	4.15	0.435	< 0.10	--
MW-302	05/14/13	0.873	0.0231	0.236	0.145	4.19	--	--	--
MW-302	09/05/13	0.783	0.0189	0.162	0.0746	3.70	--	--	--
MW-302	11/05/13	0.607	0.0112	0.0977	0.0529	2.69	--	--	--
MW-302	01/16/14	0.404	0.0161	0.0843	0.0504	3.54	--	--	--
MW-302	04/23/14	0.98	0.0269	0.276	0.232	5.86	--	--	--
MW-302	07/24/14	0.656	0.0206	0.178	0.131	4.66	0.363	< 0.094	--
MW-302	11/03/14	0.506	0.0159	0.221	0.176	4.06	0.361	< 0.094	--
MW-302	05/21/15	0.454	0.0161	0.174	0.15	3.44	--	--	< 0.010
MW-302	12/10/15	0.372	0.00853	0.0139	0.0176	2.16	1	< 0.391	--
MW-302	05/04/16	0.595	0.0145	0.27	0.153	3.75	--	--	--
MW-302	12/15/16	0.759	0.0263	0.453	0.117	5.08	1.73	< 0.0630	--
MW-302	06/13/17	0.487	0.0146 J	0.215	0.0524 J	1.98	--	--	--
MW-302	08/23/17	0.047	0.00305	0.00823	0.00647	0.709	--	--	--
MW-302	12/05/17	0.0414	0.00196	0.00271	0.003	1.79	9.96	0.209 J	--
MW-302	03/07/18	0.0707	0.00314	0.043	0.00763	1.61	--	--	--
MW-302	06/13/18	0.0591	0.00363	0.0481	0.0227	1.00	--	--	--
MW-302	09/06/18	0.0312	0.00138	0.0242	0.00479	0.526	--	--	--
MW-302	12/20/18	0.00121	< 0.000312	0.00431	0.000625 J	0.232	2.5	0.386	--
MW-302	03/19/19	0.0133	0.000823 J	0.0122	0.00433	1.84 J	--	--	--
MW-302	05/16/19	0.0035	0.000363 J	0.00678	0.00177 J	0.578	--	--	--
MW-302	09/19/19	0.0174	0.00115	0.0217	0.00428	0.662	--	--	--
MW-302	12/11/19	0.0132	0.000741 J	0.00976	0.00222 J	0.297	3.69	0.179 J	--
MW-302	04/28/20	0.027	0.00181	0.0397	0.00698	1.23	--	--	--
MW-302	06/30/20	0.0219	0.00152	0.0368	0.00590 J	1.23	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-302	09/21/20	0.00148	<0.001	0.00888	0.00108 J	0.205	--	--	--
MW-302	12/15/20	0.0404 J	0.00282 J-	0.0684 J	0.0117 J-	<b>1.84</b>	<b>10.80</b>	0.529	--
MW-302	04/13/21	0.00616 J-	0.000526 J	0.0178 J-	0.00419 J-	<b>1.85</b>	--	--	--
MW-302	06/15/21	0.0203	0.00193	0.0614	0.0101	0.886	--	--	--
MW-302	09/23/21	0.0184	0.00373	0.0585	0.00883	0.637	--	--	--
MW-302	12/16/21	0.00644	0.000755 J	0.0211	0.00374	<b>1.19</b>	6.39	0.622	--
MW-302	03/28/22	0.00516	0.000712 J	0.0122	0.00292 J	<b>1.18</b>	--	--	--
MW-302	06/28/22	0.00282	0.000505 J	0.0214	0.00456	0.414	--	--	--
MW-302	09/21/22	0.00527	0.00190	0.0296	0.00693	0.540	--	--	--
MW-302	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	0.198	0.387	0.145 J	--
MW-302	03/27/23	0.00557	<0.00100	<0.00100	0.00369	0.508	--	--	--
MW-302	06/13/23	0.0298	0.00162	0.00816	0.00170 J	0.554	--	--	--
MW-302	09/12/23	0.0373	0.00480	<0.00100	0.00694	<b>1.26</b>	--	--	--
MW-302	12/20/23	0.00329	0.000795 J	<0.00100	0.00154 J	0.68	2.9	0.878	--
MW-302	03/11/24	0.00668	<0.00100	<0.00100	<0.00200	0.297	--	--	--
MW-302	06/18/24	0.0352	0.00207	<0.00100	0.00479	0.659	--	--	--
MW-303	03/02/12	<b>3.13</b>	0.0759	0.76	0.232	<b>12.3</b>	--	--	--
MW-303	06/13/12	<b>2.9</b>	0.0957	0.884	0.268	<b>12.5</b>	--	--	--
MW-303	09/25/12	<b>1.83</b>	0.0635	0.474	0.146	<b>9.14</b>	--	--	--
MW-303	11/28/12	<b>1.94</b>	0.0873	1.18	0.319	<b>12.6</b>	--	--	--
MW-303	02/21/13	<b>2.34</b>	0.0955	1.29	0.338	<b>12.8</b>	0.674	< 0.10	--
MW-303	05/15/13	<b>1.9</b>	0.0864	0.983	0.272	<b>10.6</b>	--	--	--
MW-303	11/04/13	<b>0.884</b>	0.0278	0.219	0.0544	<b>6.11</b>	--	--	--
MW-303	04/23/14	<b>1.58</b>	0.071	1.114	0.224	<b>11.8</b>	--	--	--
MW-303	07/24/14	<b>0.808</b>	0.0471	0.653	0.161	<b>9.76</b>	0.622	< 0.094	--
MW-303	11/04/14	<b>1.42</b>	0.0618	0.924	0.18	<b>11.5</b>	1.00	1.15	--



**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	<b>Site-Specific Cleanup Level:</b>	<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
MW-303	05/20/15	0.669	0.0432	0.713	0.157	7.90	--	--	--
MW-303	12/08/15	1.19	0.071	1.33	< 0.300	7.60	2.45	< 0.398	--
MW-303	05/04/16	0.704	0.0625	1.82	0.287	8.60	--	--	--
MW-303	12/12/16	0.831	0.0482	1.45	0.176	8.31	2.52	< 0.0602	--
MW-303	06/13/17	0.353	0.0408	1.54	0.19	5.69	--	--	--
MW-303	12/05/17	0.104	0.0116 J	0.3	0.0400 J	4.29	7.49	< 0.125	--
MW-303	03/06/18	0.039	0.0154	0.147 J	0.0352	2.50	--	--	--
MW-303	06/13/18	0.157	0.0151 J	0.39	0.0317 J	2.94 J	--	--	--
MW-303	09/06/18	0.000729	< 0.000312	0.00117	< 0.000442	< 0.0704	--	--	--
MW-303	12/20/18	0.000581	0.000342 J	0.00136	0.00088 J	0.382	8.25	0.505	--
MW-303	03/19/19	0.0346	0.00611	0.194	0.0111	2.48	--	--	--
MW-303	05/16/19	0.0173	0.0017	0.0869	0.00541	1.33	--	--	--
MW-303	09/19/19	0.00776	0.00207	0.0717	0.00326	0.785	--	--	--
MW-303	12/11/19	0.00114	0.000373 J	0.0404	0.00134 J	0.371	2.73	0.281 J	--
MW-303	04/28/20	0.00258	< 0.000312	0.00511	0.00705	2.46	--	--	--
MW-303	06/30/20	0.0152	0.000897 J	0.0386	0.00696	2.64	--	--	--
MW-303	09/22/20	0.02	0.00254	0.153	0.00623	1.86	--	--	--
MW-303	12/15/20	0.0150 J-	0.00412 J-	0.119 J-	0.0146 J-	3.34	5.28	<0.389	--
MW-303	04/13/21	0.0135 J-	0.00170 J-	0.0371 J-	0.0104 J-	4.07	--	--	--
MW-303	06/15/21	0.0258	0.00343	0.133	0.00867	1.94	--	--	--
MW-303	09/22/21	0.252	0.00724	0.344	0.0194	2.29	--	--	--
MW-303	12/15/21	0.0248	0.000620 J	0.0142	0.00435	2.39	6.51	0.385 J	--
MW-303	03/28/22	0.0270	0.00196	0.0638	0.00892	2.63	--	--	--
MW-303	06/28/22	0.107	0.00303	0.0272	0.00922	2.25	--	--	--
MW-303	09/21/22	0.216	0.00710	0.0558	0.0121	1.99	--	--	--
MW-303	12/13/22	0.139	0.00483	0.0580	0.00982	1.18	3.73	0.321 J	--
MW-303	03/28/23	0.0282	0.00281	0.14	0.0122	1.14	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
<b>Site-Specific Cleanup Level:</b>		<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
MW-303	06/14/23	0.0999	0.00403	0.0399	0.00813	1.26	--	--	--
MW-303	09/11/23	0.366	0.0119	0.0674	0.0179	2.22	--	--	--
MW-303	12/20/23	0.0271	0.00114	0.0133	0.00344	0.924	3.47	0.6	--
MW-303	03/12/24	0.0137	0.00125	0.0298	0.00490	1.33	--	--	--
MW-303	06/18/24	0.0443	0.00238	0.0748	0.00929	2.59	--	--	--
MW-304	03/01/12	0.686	0.0351	0.214	0.264	5.64	--	--	--
MW-304	06/12/12	1.04	0.0408	0.27	0.218	5.98	--	--	--
MW-304	09/25/12	0.63	0.024	0.198	0.105	3.93	--	--	--
MW-304	11/28/12	0.411	0.0244	0.306	0.252	5.89	--	--	--
MW-304	02/22/13	0.507	0.0225	0.208	0.149	5.56	0.762	0.186 J	--
MW-304	05/14/13	0.645	0.0283	0.209	0.144	4.73	--	--	--
MW-304	09/05/13	0.862	0.0188	0.0849	0.0616	3.09	--	--	--
MW-304	11/05/13	0.695	0.0163	0.0629	0.054	2.67	--	--	--
MW-304	01/16/14	0.79	0.0194	0.0472	0.0571	4.89	--	--	--
MW-304	04/23/14	0.778	0.0248	0.185	0.147	5.93	--	--	--
MW-304	07/24/14	0.437	0.0173	0.109	0.0666	3.59	0.557	< 0.094	--
MW-304	11/03/14	1.11	0.0421	0.48	0.214	3.32	0.366	< 0.094	--
MW-304	05/20/15	0.486	0.0136	0.115	0.0373	3.30	--	--	< 0.010
MW-304	12/10/15	0.775	0.0312	0.336	0.114	4.37	1.55	< 0.387	--
MW-304	05/04/16	0.527	0.0187	0.355	0.0559	4.05	--	--	--
MW-304	12/15/16	0.749	0.0271	0.586	0.0664	5.75	1.78	0.0686 J	--
MW-304	06/13/17	0.209	0.0113	0.413	0.0246 J	2.20	--	--	--
MW-304	08/23/17	0.021	0.00437	0.0124	0.00494	0.566	--	--	--
MW-304	12/05/17	0.000217 J	< 0.000312	< 0.000494 J	0.00118 J	0.291	3.20	< 0.122	--
MW-304	03/06/18	0.000493	< 0.000312	0.000337 J	< 0.000442	0.562	--	--	--
MW-304	06/13/18	0.00107	< 0.000312	0.00561	0.00104 J	0.425	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene <b>0.071</b> mg/L	Toluene <b>200</b> mg/L	Ethylbenzene <b>29</b> mg/L	Total Xylenes <b>NE</b> mg/L	TPHg <b>1</b> mg/L	TPHd <b>10</b> mg/L	TPHo <b>10</b> mg/L	Total <b>0.0058</b> mg/L
MW-304	09/06/18	0.000535	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-304	12/20/18	< 0.000093	< 0.000312	< 0.000198	< 0.000442	< 0.0704	1.50	0.219 J	--
MW-304	03/19/19	0.000448	< 0.000312	0.000514 J	< 0.000442	0.105 J	--	--	--
MW-304	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	< 0.055	--	--	--
MW-304	09/19/19	0.000242 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-304	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.188 J	0.120 U	--
MW-304	04/28/20	0.00171	< 0.000312	0.000281 J	< 0.000442	0.113 J	--	--	--
MW-304	06/30/20	0.0399	0.000627 J	0.000544 J	< 0.000442	0.131 J	--	--	--
MW-304	09/21/20	0.0623	0.000391 J	0.00109	0.000491 J	0.191	--	--	--
MW-304	12/15/20	0.0363	0.000932	0.00188	0.000883	0.26	4.22	<0.393	--
MW-304	04/13/21	0.00194	<0.000200	0.00107 J+	<0.000500	0.307	--	--	--
MW-304	06/15/21	0.0263	<0.00100	0.000697 J	<0.00300	0.230	--	--	--
MW-304	09/22/21	0.0389	<0.00100	0.000696 J	<0.00300	0.225	--	--	--
MW-304	12/16/21	0.00339	<0.00100	0.00132	0.000646 J	0.406	1.86	0.292 J	--
MW-304	03/28/22	0.0276	0.000750 J	0.00125	0.000843 J	0.624	--	--	--
MW-304	06/28/22	0.0169	0.000903 J	0.00318	0.00112 J	0.549	--	--	--
MW-304	09/20/22	<b>0.133</b>	0.000434 J	0.00181	0.00134 J	0.594	--	--	--
MW-304	12/13/22	0.00466	<0.00100	0.000588 J	0.000748 J	0.364	2.15	0.674	--
MW-304	03/27/23	0.0692	0.00300	0.000721 J	0.00585	0.609	--	--	--
MW-304	06/14/23	<b>0.116</b>	0.00502	0.000506 J	0.00815	0.734	--	--	--
MW-304	09/11/23	<b>0.0911</b>	0.00648	0.00167	0.0147	0.938	--	--	--
MW-304	12/20/23	0.0249	0.00186	<0.00100	0.00558	0.613	2.23	0.692	--
MW-304	03/12/24	0.0127	<0.00100	<0.00100	0.00255	0.574	--	--	--
MW-304	06/18/24	<b>0.273</b>	0.0132	0.000734 J	0.0313	<b>1.72</b>	--	--	--
MW-305	03/01/12	<b>1.14</b>	0.0227	0.0389	0.0375 J	<b>5.84</b>	--	--	--
MW-305	06/11/12	<b>1.34</b>	0.0221	0.0517	0.0331 J	<b>5.97</b>	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
<b>Site-Specific Cleanup Level:</b>		<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
MW-305	09/26/12	<b>1.27</b>	0.0229	0.0388	0.0355 J	<b>5.89</b>	--	--	--
MW-305	11/28/12	<b>0.286</b>	0.0061	0.0032 J	0.014	<b>1.53</b>	--	--	--
MW-305	05/15/13	<b>0.397</b>	0.0263	0.290	0.0867	<b>6.28</b>	--	--	--
MW-305	11/07/13	<b>0.0844</b>	0.0250	0.216	0.0919	<b>3.59</b>	--	--	--
MW-305	04/23/14	<b>0.0884</b>	0.0139	0.0941	0.0454	<b>2.82</b>	--	--	--
MW-305	11/06/14	0.0419	0.0052	0.002	0.0306	<b>1.16</b>	--	--	--
MW-305	05/21/15	<b>0.120</b>	0.0101	0.191	0.108	<b>2.81</b>	--	--	--
MW-306	03/01/12	<b>0.606</b>	0.015	0.0353	0.718	<b>4.74</b>	--	--	--
MW-306	06/11/12	<b>0.393</b>	0.0115	0.0509	0.763	<b>5.09</b>	--	--	--
MW-306	09/26/12	<b>1.05</b>	0.0261	0.135	0.147	<b>6.56</b>	--	--	--
MW-306	11/28/12	<b>0.393</b>	0.0125	0.0183	0.0895	<b>3.06</b>	--	--	--
MW-306	05/15/13	<b>0.746</b>	0.0472	0.837	3.70	<b>18.5</b>	--	--	--
MW-306	11/07/13	<b>0.101</b>	0.0502	0.482	2.65	<b>12.8</b>	--	--	--
MW-306	04/23/14	<b>0.0762</b>	0.0345	0.325	1.97	<b>11.0</b>	--	--	--
MW-306	11/06/14	<b>0.119</b>	0.0226	0.302 J	0.939 J	<b>5.59</b>	--	--	--
MW-306	05/21/15	<b>0.106</b>	0.0354 J	0.874	5.15	<b>20.6</b>	--	--	--
MW-307	11/26/12	<b>2.15</b>	0.0858	0.833	0.513	<b>10.9</b>	--	--	--
MW-307	02/22/13	<b>0.497</b>	0.0358	0.226	0.145	<b>6.02</b>	0.604	< 0.094	--
MW-307	05/15/13	<b>0.437</b>	0.0461	0.167	0.120	<b>4.56</b>	--	--	--
MW-307	09/05/13	<b>0.643</b>	0.0645	0.154	0.131	<b>5.30</b>	--	--	--
MW-307	11/06/13	<b>0.568</b>	0.0448 J	0.104	0.0912	<b>4.39</b>	--	--	--
MW-307	04/22/14	<b>0.520</b>	0.0408	0.241	0.152	<b>5.68</b>	--	--	--
MW-307	11/04/14	<b>0.596</b>	0.039	0.176	0.095	<b>5.16</b>	0.632	< 0.095	--
MW-307	03/09/15	<b>0.444</b>	0.0358	0.271	0.104	<b>5.41</b>	--	--	--
MW-307	05/19/15	<b>0.306</b>	0.0273	0.140	0.0673	<b>3.44</b>	0.479	< 0.096	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	<b>Site-Specific Cleanup Level:</b>	<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
MW-307	07/29/15	<b>0.298</b>	0.0245	0.109	0.0434	<b>4.09</b>	--	--	--
MW-307	12/09/15	<b>0.699</b>	0.0585	0.334	0.131	<b>5.03</b>	1.63	< 0.392	--
MW-307	02/23/16	<b>0.498</b>	0.0417	0.578	0.110 J	<b>4.98</b>	--	--	--
MW-307	05/03/16	<b>0.469</b>	0.0338	0.456	0.0981	<b>5.04</b>	1.55	< 0.0597	--
MW-307	08/30/16	<b>0.261</b>	0.0299	0.222	0.195	<b>5.13</b>	--	--	--
MW-307	12/13/16	<b>0.275</b>	0.0255	0.302	0.102	<b>4.02</b>	1.34	0.0812 J	--
MW-307	03/14/17	<b>0.418</b>	0.0311	0.540	0.136	<b>6.33</b>	--	--	--
MW-307	06/15/17	<b>0.166</b>	0.0242	0.283	0.194 J	<b>4.18</b>	1.32	< 0.121	--
MW-307	08/23/17	<b>0.102 J</b>	0.0162	0.095	0.0912	<b>3.22</b>	1.33	< 0.126	--
MW-307	12/06/17	0.0501	0.00663	0.0479	0.0134	0.977	1.04	< 0.128	--
MW-307	03/08/18	<b>0.150</b>	0.0158	0.134	0.0255	<b>2.09</b>	--	--	--
MW-307	06/14/18	<b>0.243</b>	0.0256	0.315	0.0329	<b>2.71</b>	1.45	< 0.120	--
MW-307	09/05/18	0.0507	0.00339	0.016	0.00343	<b>1.45</b>	--	--	--
MW-307	12/19/18	0.027	0.000413 J	0.0119	0.00153 J	<b>1.17</b>	1.79	0.396 J	--
MW-307	03/18/19	0.0587	0.00269	0.0500	0.00393	0.965	--	--	--
MW-307	05/16/19	0.0324	0.00693	0.0260	0.0113	<b>2.47</b>	2.74	0.265 J	--
MW-307	09/19/19	0.0126	< 0.000312	0.00135	< 0.000442	0.444	--	--	--
MW-307	12/10/19	0.00497	< 0.000312	0.000291 J	< 0.000442	0.28	0.66	< 0.118	--
MW-307	04/27/20	<b>0.0974</b>	0.00608	0.159	0.0267	<b>1.45</b>	--	--	--
MW-307	06/29/20	<b>0.0946</b>	0.00479	0.0909	0.0164	<b>1.18</b>	7.11	0.273 J	--
MW-307	09/21/20	<b>0.210</b>	0.0102	0.156	0.0516	<b>2.01</b>	--	--	--
MW-307	12/16/20	<b>0.106 J-</b>	0.0072 J-	0.0622 J	0.0336 J-	<b>1.52</b>	7.75	<0.379	--
MW-307	04/12/21	<b>0.133 J</b>	0.0228 J-	0.0930 J	0.0950 J	<b>4.06 J+</b>	--	--	--
MW-307	06/14/21	<b>0.230</b>	0.0180	0.282	0.0885	<b>2.02</b>	6.68	0.422	--
MW-307	09/22/21	<b>0.135</b>	0.0145	0.109	0.0717	<b>1.83</b>	--	--	--
MW-307	12/14/21	0.0426	0.00493	0.0921	0.0402	<b>2.39</b>	4.92	0.492	--
MW-307	03/28/22	<b>0.0982</b>	0.0223	0.147	0.0988	<b>3.69</b>	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	<b>Site-Specific Cleanup Level:</b>	<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
MW-307	06/29/22	0.149	0.0318	0.176	0.158 J	2.87	4.02	0.33 J	--
MW-307	09/20/22	0.16	0.0199	0.117	0.108	2.49	--	--	--
MW-307	12/12/22	0.0820	0.0190	0.0740	0.0793	2.00	5.93	0.699	--
MW-307	03/27/23	0.0698	0.00305	0.000735 J	0.00571	0.569	--	--	--
MW-307	06/13/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.247	<0.412	--
MW-307	09/11/23	0.0545	0.0216	0.0856	0.0928	2.87	--	--	--
MW-307	12/19/23	0.0303	0.0101	0.0260	0.0431	2.00	6.73	0.923	--
MW-307	03/11/24	0.0183	0.00743	0.0267	0.0276	1.09	--	--	--
MW-307	06/19/24	0.0498	0.0164 J+	0.0679	0.0416	2.46	3.55 J-	0.440 J-	--
MW-308	11/26/12	0.144	0.0010 J	0.0072	0.0013 J	0.778	--	--	--
MW-308	02/22/13	0.668	0.0078 J	0.0443	0.0059 J	3.48	0.354	< 0.10	--
MW-308	05/15/13	0.392	0.0052 J	0.0427	< 0.0046	2.54	--	--	--
MW-308	11/06/13	0.237	0.0033 J	0.0056	0.0026 J	1.65	--	--	--
MW-308	04/22/14	0.0165	< 0.00020	0.00036 J	< 0.00046	0.146	--	--	--
MW-308	11/04/14	0.132	0.0012	0.0044	0.00058	0.782	< 0.048	< 0.095	--
MW-308	03/09/15	0.121 J	0.002	0.00064 J	0.0013 J	1.10	--	--	--
MW-308	05/19/15	0.213	0.0013 J	< 0.00050	< 0.0012	0.973	--	--	--
MW-308	07/29/15	0.242	0.0017 J	0.0014 J	< 0.0012	1.77	--	--	--
MW-308	12/09/15	0.146	0.00361	0.0284	0.00527	1.19	--	--	--
MW-308	02/23/16	0.00711	< 0.0000380	0.000101 J	< 0.0000160	0.0619	--	--	--
MW-308	05/03/16	0.281	0.000903 J	0.00376	0.000680 J	1.41	--	--	--
MW-308	08/30/16	0.196	< 0.00312	< 0.00198	< 0.00162	1.48	--	--	--
MW-308	12/13/16	0.0309	< 0.000312	0.000529 J	< 0.000442	0.207	--	--	--
MW-308	03/14/17	0.000861	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	06/15/17	0.383	0.00147	0.00107	0.000477 J	1.28	--	--	--
MW-308	08/23/17	0.234	< 0.00312	< 0.00198	< 0.00442	0.812 J	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
Site-Specific Cleanup Level:		<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-308	12/06/17	<b>0.085</b>	< 0.000312	0.000717 J	< 0.000442	0.245	--	--	--
MW-308	03/08/18	<b>0.252</b>	0.000314 J	< 0.000198	< 0.000442	0.550	--	--	--
MW-308	06/14/18	<b>0.238</b>	0.000765 J	0.00226	< 0.000442	0.487	--	--	--
MW-308	09/05/18	0.00741	< 0.000312	< 0.000198	< 0.000442	0.118 J	--	--	--
MW-308	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	03/18/19	0.000815	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	05/16/19	0.00703	< 0.000170	< 0.000190	< 0.000580	0.397	--	--	--
MW-308	09/19/19	0.0096	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	12/09/19	0.000322 J	< 0.000312	< 0.000198	< 0.000442	0.118 J	--	--	--
MW-308	04/27/20	0.00314	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-308	06/29/20	0.00406	< 0.000312	0.000292 J	< 0.000442	0.140 J	--	--	--
MW-308	09/21/20	0.0175	0.00145	<0.001	<0.003	0.185	--	--	--
MW-308	12/16/20	<b>0.0730 J</b>	0.0954 J	0.026 J	0.0417 J	0.300	--	--	--
MW-308	04/12/21	0.0365 J+	0.000521 J+	0.000515 J+	<0.000500	0.267	--	--	--
MW-308	06/14/21	0.0572	0.00139	0.000975 J	0.00155 J	0.793	--	--	--
MW-308	09/22/21	<b>0.129</b>	0.00408	0.000975 J	0.00257 J	<b>1.25</b>	--	--	--
MW-308	12/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	--	--	--
MW-308	03/28/22	0.00476	<0.00100	0.000244 J	<0.00300	0.106 J	--	--	--
MW-308	06/29/22	<0.000400	<0.00100	0.000281 J	0.000485 J	0.0545 J	--	--	--
MW-308	09/20/22	0.0461	0.00355	0.000888 J	0.00171 J	0.696	--	--	--
MW-308	12/12/22	0.00143	<0.00100	<0.00100	<0.00300	<0.150	--	--	--
MW-308	03/27/23	0.0418	0.00257	0.0254	0.0100	0.854	--	--	--
MW-308	06/13/23	<0.000400	<0.00100	0.000368 J	<0.00300	0.175	--	--	--
MW-308	09/11/23	0.000979 J	0.000845 J	<0.00100	<0.00200	0.154	--	--	--
MW-308	12/19/23	0.00426	<0.00100	<0.00100	<0.00200	<0.100	--	--	--
MW-308	03/11/24	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	--	--	--
MW-308	06/19/24	<0.00100	<0.00100	<0.00100	<0.00200	0.0777 J	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-309	11/28/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	02/21/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0790 J	< 0.10	--
MW-309	05/16/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	04/23/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-309	07/24/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.102	< 0.094	--
MW-309	11/03/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
MW-309	05/20/15	< 0.00020	< 0.00020	0.00027 J	< 0.00046	0.0542 J	--	--	--
MW-309	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.241	< 0.402	--
MW-309	05/04/16	< 0.0000930	< 0.000312	0.000337 J	< 0.000162	< 0.100	--	--	--
MW-309	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.0834 J	< 0.0595	--
MW-309	06/13/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-309	12/05/17	0.000184 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.0877 J	< 0.128	--
MW-309	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-309	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.220 J	< 0.118	--
MW-309	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.300	--	--	--
MW-309	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.0804 J	0.614	< 0.120	--
MW-309	06/29/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.123 J	--	--	--
MW-309	12/15/20	< 0.00020	< 0.0002	< 0.00020	< 0.0005	< 0.250	0.292	< 0.390	--
MW-309	06/15/21	< 0.000400	< 0.00100	< 0.00100	< 0.00300	0.150	--	--	--
MW-309	12/15/21	< 0.000400	< 0.00100	< 0.00100	< 0.00300	0.113 J	0.273	0.140 J	--
MW-309	06/28/22	< 0.000400	< 0.00100	< 0.00100	< 0.00300	0.108 J	--	--	--
MW-309	12/13/22	< 0.000400	< 0.00100	< 0.00100	< 0.00300	< 0.150	0.249	< 0.391	--
MW-309	06/14/23	< 0.000400	< 0.00100	< 0.00100	< 0.00300	0.0514 J	--	--	--
MW-309	12/20/23	< 0.00100	< 0.00100	< 0.00100	< 0.00200	< 0.100	0.149	0.144 J	--
MW-309	06/18/24	< 0.00100	< 0.00100	< 0.00100	< 0.00200	0.129 J	--	--	--



**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-310	11/28/12	0.86	0.0265	0.211	0.147	5.74	--	--	--
MW-310	02/21/13	1.80	0.0768	0.506	0.180	8.37	0.603	< 0.10	--
MW-310	05/14/13	0.993	0.0703	0.654	0.175	6.49	--	--	--
MW-310	09/05/13	0.960	0.0598	0.310	0.110	5.51	--	--	--
MW-310	11/05/13	0.772	0.0409	0.226	0.0846	4.92	--	--	--
MW-310	01/16/14	0.821	0.0414	0.189	0.0775	5.94	--	--	< 0.001 <sup>1</sup>
MW-310	04/23/14	0.796	0.0432	0.187	0.0607	5.88	--	--	--
MW-310	07/24/14	0.920	0.0489	0.368	0.0647	6.36	0.605	< 0.094	--
MW-310	11/04/14	0.739	0.0387	0.132	0.0538	5.15	0.613	< 0.094	--
MW-310	03/09/15	0.736	0.0475	0.189	0.0606	4.71	--	--	--
MW-310	05/21/15	0.641	0.0464	0.169	0.0572	4.39	--	--	< 0.010
MW-310	07/28/15	0.714	0.0428	0.181	0.0488	3.72	--	--	--
MW-310	12/10/15	0.405	0.0396	0.0771	0.0564	3.89	2.75	< 0.390	--
MW-310	02/23/16	0.755	0.0436	0.303	0.0615	4.86	--	--	--
MW-310	05/02/16	0.655	0.0349	0.324	0.0721	4.82	--	--	--
MW-310	08/29/16	0.734	0.0608	0.209	0.0885	5.38	--	--	--
MW-310	12/15/16	0.673	0.0504	0.289	0.0747	5.92	1.72	< 0.0624	--
MW-310	03/13/17	0.809	0.0541	0.387	0.0848	5.58	--	--	--
MW-310	06/15/17	0.984	0.0504	0.318	0.0635	4.29	--	--	--
MW-310	08/22/17	0.0562	0.0135	0.0416	0.0297	2.17	--	--	--
MW-310	12/05/17	0.00444	0.000430 J	0.0122	0.0172	0.459	1.66	< 0.122	--
MW-310	03/06/18	0.0293	< 0.000312	0.00108	0.00167 J	0.724	--	--	--
MW-310	06/13/18	0.0448	0.00103	0.0098	0.00308	0.748	--	--	--
MW-310	09/06/18	0.0182	0.000905 J	< 0.000198	0.000637 J	0.284	--	--	--
MW-310	12/20/18	0.00126	< 0.000312	< 0.000198	< 0.000442	0.0782 J	0.652	0.126 J	--
MW-310	03/19/19	0.00127	< 0.000312	0.000226 J	< 0.000442	0.297	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-310	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.240	--	--	--
MW-310	09/19/19	0.000104 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-310	12/11/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.0739 J	0.453	< 0.120	--
MW-310	04/28/20	0.00595	< 0.000312	0.000357 J	< 0.000442	0.579	--	--	--
MW-310	06/30/20	0.00523	< 0.000312	0.000481 J	< 0.000442	0.669 J	--	--	--
MW-310	09/21/20	0.00903	<0.001	0.000681 J	<0.003	0.427	--	--	--
MW-310	12/15/20	0.00622	<0.0002	0.00156	<0.0005	0.726	8.62	0.508	--
MW-310	04/12/21	0.0221 J-	0.000414 J	0.00269 J-	0.000570 J-	<b>1.61</b>	--	--	--
MW-310	06/15/21	0.0289	0.000421 J	0.00359	0.00117 J	0.554	--	--	--
MW-310	09/22/21	0.0159	<0.00100	0.00137	<0.00300	0.343	--	--	--
MW-310	12/16/21	0.0166	<0.00100	0.00170	0.000730 J	<b>1.40</b>	6.76	0.667	--
MW-310	03/29/22	0.0313	0.000978 J	0.00948	0.00296 J	<b>1.55</b>	--	--	--
MW-310	06/28/22	0.0392	0.000966 J	0.0179	0.00550	0.924	--	--	--
MW-310	09/20/22	0.0244	0.00129	0.00162	0.00206 J	0.770	--	--	--
MW-310	12/13/22	0.0163	0.00103	0.000555 J	0.00144 J	0.463	4.64	0.743	--
MW-310	03/27/23	0.0369	0.00237	0.0216	0.00890	0.879	--	--	--
MW-310	06/13/23	0.0275	0.00153	0.00761	0.00148 J	0.474	--	--	--
MW-310	09/11/23	0.0163	0.00112	<0.00100	0.00163 J	0.872	--	--	--
MW-310	12/19/23	0.0104	0.00150	0.00344	0.00339	0.987	5.56	2.42	--
MW-310	03/12/24	0.0124	0.00183	0.00604	0.00613	0.896	--	--	--
MW-310	06/18/24	0.0233	0.00164	0.00145	0.00245	<b>1.06</b>	--	--	--
MW-311	11/05/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	< 0.010
MW-311	03/09/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-311	06/11/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-311	07/28/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--
MW-311	12/10/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-311	02/23/16	< 0.0000320	< 0.0000380	< 0.0000860	< 0.0000160	< 0.0178	--	--	--
MW-311	05/04/16	0.000716	< 0.000312	< 0.000198	< 0.000162	0.0260 J	--	--	--
MW-311	08/29/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	< 0.0178	--	--	--
MW-311	12/15/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	--	--	--
MW-311	03/13/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	06/15/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	08/22/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	12/07/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	03/08/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	06/13/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	09/05/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	--	--	--
MW-311	03/18/19	0.000107 J	0.000409 J	< 0.000198	< 0.000442	0.300	--	--	--
MW-311	05/16/19	0.000237 J	0.000976 J	< 0.000190	< 0.000580	0.618	--	--	--
MW-311	09/19/19	0.000211 J	< 0.000312	< 0.000198	< 0.000442	0.461	--	--	--
MW-311	12/12/19	< 0.0000930	< 0.000312	0.000290 J	0.000839 J	0.751	--	--	--
MW-311	04/27/20	0.000221 J	0.00104	0.000292 J	0.000654 J	0.919	--	--	--
MW-311	06/30/20	0.000252 J	0.000799 J	0.000361 J	0.000883 J	<b>1.41 J</b>	--	--	--
MW-311	09/22/20	0.000313 J	0.00122	0.000351 J	0.000558 J	0.894	--	--	--
MW-311	12/15/20	0.000211	0.000865	0.000386	0.000641	<b>1.66 J+</b>	--	--	--
MW-311	04/13/21	<0.000200	0.00102	0.000247	<0.000500	<b>1.32</b>	--	--	--
MW-311	09/23/21	0.00207	0.00309	0.000899 J	0.000789 J	<b>1.20</b>	--	--	--
MW-311	12/16/21	0.000347 J	0.000923 J	0.000343 J	0.00105 J	<b>1.63</b>	--	--	--
MW-311	03/29/22	0.000243 J	0.000909 J	0.000302 J	0.000828 J	<b>1.66</b>	--	--	--
MW-311	06/28/22	0.00253	0.00349	0.000596 J	0.000644 J	<b>2.05</b>	--	--	--
MW-311	09/20/22	0.00223	0.00339	0.000472 J	0.00113 J	<b>1.57</b>	--	--	--
MW-311	12/13/22	0.00374	0.00260	0.000542 J	0.00100 J	<b>1.32</b>	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	TPHg mg/L	TPHd mg/L	TPHo mg/L	Total mg/L
	<b>Site-Specific Cleanup Level:</b>	<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
MW-311	03/28/23	0.00191	0.00233	0.000746 J	<0.00300	<b>1.64</b>	--	--	--
MW-311	06/14/23	0.00239	0.00281	0.000568 J	0.00115 J	<b>1.53</b>	--	--	--
MW-311	09/12/23	0.00217	0.00312	0.000520 J	0.000984 J	<b>2.49</b>	--	--	--
MW-311	12/20/23	0.00189	0.00206	<0.00100	0.00105 J	<b>1.84</b>	--	--	--
MW-311	03/12/24	0.00144	0.00207	0.000510 J	<0.00200	<b>2.82</b>	--	--	--
MW-311	06/17/24	0.000662 J	0.00186	<0.00100	<0.00200	<b>3.01</b>	--	--	--
MW-312	11/05/14	<b>0.239</b>	0.0058	0.0065	0.0102	<b>1.64</b>	1.13	0.132 J	< 0.010
MW-312	03/09/15	<b>0.357</b>	0.0044 J	0.0086	0.0050 J	<b>1.91</b>	--	--	--
MW-312	06/11/15	<b>0.204</b>	0.0034 J	0.0023 J	0.0027 J	<b>1.35</b>	--	--	--
MW-312	07/28/15	<b>0.313</b>	0.0041 J	0.0030 J	0.0032 J	<b>1.65</b>	--	--	--
MW-312	12/10/15	<b>0.0718</b>	0.00333	0.00222	0.00461	<b>1.26</b>	--	--	--
MW-312	02/23/16	<b>0.327</b>	0.00354	0.00759	0.00416	<b>1.96</b>	--	--	--
MW-312	05/04/16	<b>0.414</b>	0.00399	0.00662	0.00376	<b>2.22</b>	--	--	--
MW-312	08/29/16	<b>0.370</b>	0.00457 J	0.00354 J	0.00394 J	<b>2.30</b>	--	--	--
MW-312	12/15/16	<b>0.356</b>	0.00336 J	0.00556 J	< 0.000442	<b>2.27</b>	--	--	--
MW-312	03/13/17	<b>0.350</b>	0.00362	0.00527	0.00375	<b>2.07</b>	--	--	--
MW-312	06/15/17	<b>0.383</b>	0.00372	0.00425	0.00368 J	<b>1.89</b>	--	--	--
MW-312	08/23/17	<b>0.330</b>	0.00395	0.00279	0.00422	<b>2.02</b>	--	--	--
MW-312	12/07/17	<b>0.241</b>	0.00441	0.00223	0.00708	<b>1.72</b>	--	--	--
MW-312	03/08/18	<b>0.261</b>	0.00273 J	0.00260 J	0.00311 J	<b>1.77</b>	--	--	--
MW-312	06/13/18	<b>0.284</b>	0.0044	0.00243	0.0048	<b>1.69</b>	--	--	--
MW-312	09/05/18	<b>0.283</b>	0.00405	0.00306	0.0041	<b>2.06</b>	--	--	--
MW-312	12/20/18	<b>0.126</b>	0.00284	0.00231	0.00361	<b>1.44</b>	--	--	--
MW-312	03/19/19	<b>0.183</b>	0.00372	0.00472	0.00447	<b>2.07</b>	--	--	--
MW-312	05/16/19	<b>0.189</b>	0.00286	0.00353	0.00290 J	<b>2.50</b>	--	--	--
MW-312	09/19/19	<b>0.0928</b>	0.00233	0.00307	0.00220 J	<b>1.64</b>	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
	Site-Specific Cleanup Level:	<b>0.071</b> mg/L	<b>200</b> mg/L	<b>29</b> mg/L	<b>NE</b> mg/L	<b>1</b> mg/L	<b>10</b> mg/L	<b>10</b> mg/L	<b>0.0058</b> mg/L
MW-312	12/12/19	<b>0.094</b>	0.00251	0.00341	0.00275 J	<b>1.70</b>	--	--	--
MW-312	04/28/20	<b>0.0721</b>	0.00213	0.00315	0.00274 J	<b>1.66</b>	--	--	--
MW-312	06/30/20	<b>0.0792</b>	0.00238	0.00406	0.00208 J	<b>1.47</b>	--	--	--
MW-312	09/22/20	<b>0.176</b>	0.00286	0.0068	0.00295 J	<b>2.69</b>	--	--	--
MW-312	12/15/20	0.0498	0.00251	0.00437	0.00284	<b>2.56 J+</b>	--	--	--
MW-312	04/13/21	<b>0.121</b>	0.00244	0.00453	0.00219	--	--	--	--
MW-312	06/16/21	0.0472	0.00214	0.00250	0.00199 J	<b>1.57</b>	--	--	--
MW-312	09/23/21	0.0398	0.00264	0.00329	0.00226 J	<b>1.83</b>	--	--	--
MW-312	12/16/21	0.0300	0.00225	0.00290	0.00237 J	<b>2.99</b>	--	--	--
MW-312	03/29/22	0.0136	0.00172	0.00240	0.00180 J	<b>2.77</b>	--	--	--
MW-312	06/29/22	0.0358	0.00269	0.00230	0.00205 J	<b>2.28</b>	--	--	--
MW-312	09/20/22	0.0203	0.00240	0.00207	0.00231 J	<b>1.90</b>	--	--	--
MW-312	12/13/22	0.00392	0.00214	0.00126	0.00198 J	<b>1.72</b>	--	--	--
MW-312	03/28/23	0.00491	0.00205	0.00101	<0.00300	<b>1.32</b>	--	--	--
MW-312	06/14/23	0.00488	0.00196	0.00104	0.00179 J	<b>1.23</b>	--	--	--
MW-312	09/12/23	0.0110	0.00227	0.00118	0.00208	<b>2.58</b>	--	--	--
MW-312	12/20/23	0.0110	0.00246	0.00127	0.00236	<b>2.15</b>	--	--	--
MW-312	03/12/24	0.0108	0.00269	0.00194	0.00244	<b>3.18</b>	--	--	--
MW-312	06/18/24	0.00659	0.00210	0.00123	<0.00200	<b>3.61</b>	--	--	--
MW-313	08/29/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	<0.0178	0.218	< 0.0603	--
MW-313	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.100	0.207	< 0.0598	--
MW-313	03/13/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.146 J	< 0.121	--
MW-313	06/15/17	< 0.0000930	< 0.000312	< 0.000198	0.000463 J	< 0.0704	0.165 J	< 0.122	--
MW-313	08/22/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.222 J	< 0.121	--
MW-313	12/07/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.153 J	< 0.120	--
MW-313	03/07/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.120	< 0.131	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
MW-313	06/13/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.139 J	< 0.123	--
MW-313	09/05/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.362	0.255 J	--
MW-313	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.468	0.327 J	--
MW-313	03/19/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.174 J	< 0.117	--
MW-313	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.0807	0.207 J	0.164 J	--
MW-313	09/19/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.237	< 0.114	--
MW-313	12/12/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.473	0.153 J	--
MW-313	04/27/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.149 J	< 0.122	--
MW-313	06/30/20	0.000136 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.260	< 0.116	--
MW-313	09/22/20	<0.0004	<0.001	<0.001	<0.003	<0.150	0.309	<0.408	--
MW-313	12/15/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	0.288	<0.388	--
MW-313	04/13/21	<0.000200	<0.000200	<0.000200	<0.000500	<0.250	0.272	<0.350	--
MW-313	06/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.156 J	<0.401	--
MW-313	09/23/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.161 J	<0.392	--
MW-313	12/16/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.359	0.185 J	--
MW-313	03/29/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.237	<0.395	--
MW-313	06/28/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.177 J	0.140 J	--
MW-313	09/20/22	<0.000400	<0.00100	<0.00100	<0.00300	0.0407 J	<0.230	<0.383	--
MW-313	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.523	0.333 J	--
MW-313	03/28/23	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.224	<0.373	--
MW-313	06/14/23	<0.000400	<0.00100	<0.00100	<0.00300	0.0325 J	<0.244	<0.407	--
MW-313	09/12/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.0500	0.157	0.140 J	--
MW-313	12/20/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.627	0.517	--
MW-313	03/12/24	<0.00100	<0.00100	<0.00100	<0.00200	0.0740 J	0.184	0.260 J	--
MW-313	06/18/24	<0.00100	<0.00100	<0.00100	<0.00200	<0.150	0.0992 J	0.150 J	--
MW-314	08/30/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000162	0.182	0.293	< 0.0599	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene <b>0.071</b> mg/L	Toluene <b>200</b> mg/L	Ethylbenzene <b>29</b> mg/L	Total Xylenes <b>NE</b> mg/L	TPHg <b>1</b> mg/L	TPHd <b>10</b> mg/L	TPHo <b>10</b> mg/L	Total <b>0.0058</b> mg/L
MW-314	12/14/16	0.00432	0.000374 J	< 0.000198	< 0.000442	0.298	0.401	0.0679 J	--
MW-314	03/13/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.0891 J	0.245	< 0.120	--
MW-314	06/14/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.227 J	< 0.122	--
MW-314	08/23/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.136 J	0.283	< 0.124	--
MW-314	12/06/17	0.000153 J	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.285	< 0.122	--
MW-314	03/07/18	0.00726	< 0.000312	< 0.000198	< 0.000442	0.131 J	0.336	< 0.127	--
MW-314	06/12/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.121 J	0.460	< 0.121	--
MW-314	09/05/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.203	0.825	0.501	--
MW-314	12/20/18	0.000564	0.000600 J	< 0.000198	< 0.000442	0.138 J	0.788	0.471	--
MW-314	03/19/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.157	0.608	0.139 J	--
MW-314	05/16/19	< 0.000200	< 0.000170	< 0.000190	< 0.000580	0.201	2.09	0.248 J	--
MW-314	12/10/19	< 0.000105 J	0.000400 J	< 0.000198	< 0.000442	0.260	1.44	0.178 J	--
MW-314	04/28/20	0.000578	< 0.000312	< 0.000198	< 0.000442	0.283	2.36	0.186 J	--
MW-314	06/29/20	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	0.147 J	2.57	0.214 J	--
MW-314	09/22/20	0.00584	0.000903 J	< 0.001	0.000807 J	0.345	1.60	0.155 J	--
MW-314	12/15/20	0.0146	0.00182	0.00036	0.00186	0.578	1.84	< 0.379	--
MW-314	04/13/21	< 0.000200	0.000391 J+	< 0.000200	< 0.000500	0.363	2.75	0.745	--
MW-314	03/28/22	0.000477	0.000624 J	< 0.00100	0.000682 J	0.253	0.682	< 0.391	--
MW-314	06/28/22	< 0.000400	0.000346 J	< 0.00100	< 0.00300	0.253	0.936	0.166 J	--
MW-314	09/20/22	0.00523	0.00187	0.0294	0.00795	0.634	2.63	0.237 J	--
MW-314	03/27/23	0.000964	< 0.00100	< 0.00100	< 0.00300	0.150	0.664	< 0.393	--
MW-314	06/14/23	< 0.000400	< 0.00100	< 0.00100	< 0.00300	0.123 J	0.666	< 0.405	--
MW-314	12/20/23	0.00147	0.000584 J	< 0.00100	0.000741 J	0.331	1.28	0.466	--
MW-314	06/19/24	0.000334 J	< 0.00100	< 0.00100	< 0.00200	0.376	1.34	0.442	--
MW-315	08/29/16	<b>0.0965</b>	0.00265	0.000548 J	0.00135 J	0.453	1.55	< 0.0600	--
MW-315	12/12/16	0.0174	0.00361	0.0023	0.00408	<b>1.17</b>	1.29	0.0871 J	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene mg/L	Toluene mg/L	Ethylbenzene mg/L	Total Xylenes mg/L	TPHg mg/L	TPHd mg/L	TPHo mg/L	Total mg/L
	Site-Specific Cleanup Level:	<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
MW-315	03/13/17	0.0295	0.00478	0.00153	0.00793	<b>1.24</b>	1.64	< 0.121	--
MW-315	06/15/17	<b>0.0804</b>	0.00426	0.000634 J	0.00965	<b>1.20</b>	2.95	< 0.122	--
MW-315	08/23/17	<b>0.0727</b>	0.00403	0.000909 J	0.00871	<b>1.71</b>	2.74	< 0.123	--
MW-315	12/07/17	0.00479	0.00377	0.000382 J	0.00756	<b>1.19</b>	2.21	< 0.121	--
MW-315	03/08/18	0.0435	0.00411	0.000736 J	0.00712	<b>1.39</b>	1.15	< 0.125	--
MW-315	06/13/18	0.0619	0.00529	0.000648 J	0.00762	<b>1.19</b>	1.78	< 0.120	--
MW-315	09/05/18	0.0178	0.00461	0.000476 J	0.00904	<b>1.33</b>	2.89	0.267 J	--
MW-315	12/20/18	0.00283	0.00464	0.000599 J	0.0106	<b>1.16</b>	3.06	0.310 J	--
MW-315	03/18/19	0.0233	0.00363	0.000959 J	0.0039	<b>1.40</b>	1.89	0.149 J	--
MW-315	05/16/19	0.0565	0.00393	0.000584 J	0.00399	<b>2.16</b>	2.38	0.179 J	--
MW-315	09/19/19	0.0361	0.0036	0.000542 J	0.00353	<b>1.29</b>	2.61	0.133 J	--
MW-315	12/12/19	0.00334	0.00389	0.000667 J	0.005	<b>1.68</b>	3.96	0.266 J	--
MW-315	04/27/20	0.051	0.00406	0.000695 J	0.00368	<b>1.66</b>	2.81	0.126 J	--
MW-315	06/30/20	0.0699	0.00574	0.000878 J	0.00413	<b>1.82</b>	2.74	0.155 J	--
MW-315	09/22/20	0.0297	0.00383	0.000625 J	0.00266 J	<b>1.78</b>	2.89	0.171 J	--
MW-315	12/15/20	0.0028	0.0044	0.000673	0.00368	<b>2.26 J+</b>	3.34	<0.385	--
MW-315	04/13/21	0.0666 J	0.00493	0.00141	0.00256	<b>2.90 J+</b>	5.04	0.691	--
MW-315	06/16/21	0.0578	0.00411	0.00182	0.00289 J	<b>1.66</b>	3.32	0.218 J	--
MW-315	09/23/21	0.00915	0.00392	0.000428 J	0.00276 J	<b>1.48</b>	3.27	0.180 J	--
MW-315	12/16/21	0.00421	0.00375	0.000543 J	0.00251 J	<b>2.81</b>	3.23	0.296 J	--
MW-315	03/29/22	0.0452	0.00420	0.000890 J	0.00252 J	<b>2.41</b>	2.44	0.136 J	--
MW-315	06/28/22	0.0177	0.00382	0.000548 J	0.00284 J	<b>2.37</b>	2.31	0.207 J	--
MW-315	09/20/22	0.00610	0.00379	0.000566 J	0.00230 J	<b>2.21</b>	2.98	0.194 J	--
MW-315	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.15	0.47	0.323 J	--
MW-315	03/28/23	0.0273	0.00410	0.00102	0.00384	<b>1.72</b>	2.01	<0.368	--
MW-315	06/14/23	0.0169	0.00427	0.00118	0.00292 J	<b>1.65</b>	2.50	<0.394	--
MW-315	09/12/23	0.00101	0.00354	<0.00100	0.00296	<b>3.02</b>	4.17	0.290 J	--



**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene <b>0.071</b> mg/L	Toluene <b>200</b> mg/L	Ethylbenzene <b>29</b> mg/L	Total Xylenes <b>NE</b> mg/L	TPHg <b>1</b> mg/L	TPHd <b>10</b> mg/L	TPHo <b>10</b> mg/L	Total <b>0.0058</b> mg/L
MW-315	12/20/23	0.00658	0.00466	0.000664 J	0.00362	<b>2.74</b>	3.02	0.399	--
MW-315	03/12/24	0.00534	0.00315	0.000641 J	0.00251	<b>3.82</b>	4.73	0.531	--
MW-315	06/19/24	<b>0.0174</b>	<b>0.00340</b>	<b>0.000941 J</b>	<b>0.00229</b>	<b>4.09</b>	<b>4.49</b>	<b>0.408</b>	--
SH-04	01/13/04	<b>1.20</b>	0.21	0.14	2.11	<b>15.0</b>	4.7	< 2.5	--
SH-04	04/20/04	<b>1.50</b>	0.49	0.64	5.79	<b>26.0</b>	6.2	< 10	--
SH-04	07/27/04	<b>1.30</b>	0.13	0.55	1.78	<b>15.0</b>	5.4	0.53	--
SH-04	04/20/05	<b>0.98</b>	0.061	0.36	1.07	<b>11.0</b>	4.2	< 1.5	--
SH-04	04/25/06	<b>1.25</b>	0.089	0.65	2.31	<b>20.0</b>	8.23	2.52	--
SH-04	10/30/07	<b>0.884</b>	0.0315	0.315	0.0814	<b>&lt;5.0</b>	--	--	--
SH-04	05/20/08	<b>1.10</b>	0.048	0.52	0.657	<b>8.9</b>	4.80	0.92	--
SH-04	11/20/08	<b>0.79</b>	0.032	0.23	0.0384	<b>6.6</b>	2.70	< 0.5	--
SH-04	04/08/09	<b>0.87</b>	0.04	0.25	0.19	<b>9.2</b>	4.70	< 0.1	--
SH-04	11/16/09	<b>0.48</b>	0.023	0.068	0.016	<b>4.9</b>	3.70	< 0.1	--
SH-04	04/27/10	<b>0.71</b>	0.027	0.27	0.13	<b>7.3</b>	4.70	0.39	--
SH-04	10/25/10	<b>0.58</b>	0.019	0.18	0.013	<b>4.0</b>	2.80	< 0.1	--
SH-04	05/23/11	<b>0.655</b>	0.0145	0.151	0.034	<b>5.4</b>	1.84	0.13	--
SH-04	10/27/11	<b>0.393</b>	0.02	0.0926	0.0279	<b>5.35</b>	1.22	< 0.19	--
SH-04	03/01/12	<b>0.614</b>	0.0227	0.0932	0.0124 J	<b>5.53</b>	--	--	--
SH-04	06/11/12	<b>0.426</b>	0.0142	0.112	0.0198 J	<b>6.00</b>	1.49	0.393	--
SH-04	09/25/12	<b>0.124</b>	0.0184	0.461	0.139	<b>6.52</b>	--	--	--
SH-04	11/25/12	<b>0.073</b>	0.0079 J	0.609	0.326	<b>8.15</b>	0.762	< 0.098	--
SH-04	05/15/13	0.0016 J	0.0005	0.0042	0.0032 J	<b>2.16</b>	0.376	< 0.096	--
SH-04	11/04/13	0.0032	0.00043 J	0.0071	0.005	<b>1.05</b>	0.134	< 0.094	--
SH-04	04/24/14	0.0091	0.00053 J	0.00090 J	0.0014 J	0.938	0.469	0.0944 J	--
SH-04	11/06/14	0.0249	0.0023	0.0173	0.0072	0.984	0.608	< 0.094	--
SH-04	05/21/15	0.0094	0.00048 J	0.0035	0.0021	0.78	0.171	< 0.094	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
SH-04	12/08/15	0.0155	0.00118	0.00359	0.00409	0.927	1.74	0.422	--
SH-04	05/05/16	0.000454	< 0.000312	0.000939 J	0.000887 J	0.941	0.23	< 0.0601	--
SH-04	12/14/16	0.00534	0.000990 J	0.0199	0.0123	0.843	1.00	0.102 J	--
SH-04	06/14/17	0.00158	0.000468 J	0.00192	0.00208 J	0.702	0.242 J	0.138 J	--
SH-04	12/07/17	0.00934	0.0015	0.00205	0.00351	0.796	1.78	< 0.136	--
SH-04	06/13/18	0.0052	0.000593 J	0.0042	0.00212 J	0.724	0.187 J	< 0.123	--
SH-04	12/19/18	0.0118	0.00195	0.0125	0.00477	0.804	0.954	0.210 J	--
SH-04	05/16/19	0.00169	0.000346 J	0.00225	0.00227 J	<b>1.35</b>	0.582	0.174 J	--
SH-04	12/11/19	0.012	0.00186	0.00139	0.00342	0.0805	1.26	< 0.121	--
SH-04	06/30/20	0.00239	0.000477 J	0.00124	0.00123 J	0.379	0.256	< 0.119	--
SH-04	12/14/20	0.0118	0.00164	0.00587	0.00262	0.359	2.78	0.472	--
SH-04	06/15/21	0.00525	0.000511 J	0.00294	0.00162 J	0.472	0.209 J	<0.404	--
SH-04	12/15/21	0.0167	0.00172	0.00150	0.00380	<b>1.29</b>	2.67	0.400 J	--
SH-04	04/18/22	0.00626	0.00105	0.00384	0.00457	<b>1.17</b>	0.549	<0.392	--
SH-04	06/28/22	0.0117	0.00110	0.00263	0.00226 J	0.813	0.38	0.14 J	--
SH-04	12/13/22	0.00697	0.00107	0.00327	0.00283 J	0.369	1.82	0.417	--
SH-04	06/13/23	0.00265	0.000486 J	0.00175	0.00192 J	0.367	0.231 J	<0.398	--
SH-04	12/19/23	0.00223	0.000787 J	0.00329	0.00458	0.363	0.573	0.279 J	--
SH-04	06/18/24	0.00349	<0.00100	0.00106	<0.00200	0.232	0.904	0.287 J	--
TES-MW-1	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	04/20/04	0.0067	< 0.001	0.011	0.043	< 0.25	< 0.25	< 0.5	--
TES-MW-1	04/20/04	0.0075	< 0.001	0.013	0.049	< 0.25	< 0.25	< 0.5	--
TES-MW-1	07/28/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	10/18/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--
TES-MW-1	01/25/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	< 0.25	< 0.5	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene <b>0.071</b> mg/L	Toluene <b>200</b> mg/L	Ethylbenzene <b>29</b> mg/L	Total Xylenes <b>NE</b> mg/L	TPHg <b>1</b> mg/L	TPHd <b>10</b> mg/L	TPHo <b>10</b> mg/L	Total <b>0.0058</b> mg/L
TES-MW-1	04/19/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.05	< 0.25	< 0.5	--
TES-MW-1	07/13/05	0.001	< 0.001	0.006	0.0189	0.10	< 0.25	< 0.5	--
TES-MW-1	10/20/05	0.0039	< 0.001	0.013	0.0437	0.23	< 0.25	< 0.5	--
TES-MW-1	01/27/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	< 0.05	< 0.240	< 0.481	--
TES-MW-1	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	< 0.25	< 0.5	--
TES-MW-1	11/18/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
TES-MW-1	10/26/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	< 0.1	< 0.1	--
TES-MW-1	05/24/11	<0.0003	<0.0005	<0.0003	<0.0007	<0.050	--	--	--
TES-MW-1	10/27/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	< 0.10	< 0.20	--
TES-MW-1	11/26/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.050	< 0.10	--
TES-MW-1	11/06/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
TES-MW-1	11/04/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.095	--
TES-MW-1	12/09/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.234	< 0.390	--
TES-MW-1	12/13/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	< 0.0466	< 0.0699	--
TES-MW-1	12/06/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0816	< 0.122	--
TES-MW-1	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.106	< 0.116	--
TES-MW-1	12/09/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.111	< 0.121	--
TES-MW-1	12/16/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	<0.238	<0.397	--
TES-MW-1	12/14/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.237	0.162 J	--
TES-MW-1	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.256	<0.427	--
TES-MW-1	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	<0.110	0.115 J	--
TX-03A	01/13/04	<b>2.9</b>	0.018	0.038	0.091	<b>2.7</b>	0.86	< 0.5	--
TX-03A	04/19/04	<b>4.4</b>	0.047	0.12	0.11	<b>12</b>	1.3	< 0.5	--
TX-03A	07/27/04	<b>1.7</b>	0.011	0.016	0.037	<b>5.2</b>	0.81	< 0.5	--
TX-03A	10/18/04	<b>3.2</b>	0.024	0.062	0.093	<b>7.5</b>	1.2	< 0.5	--
TX-03A	01/24/05	<b>2.5</b>	0.02	< 0.01	0.065	<b>8.2</b>	0.54	< 0.5	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
<b>Site-Specific Cleanup Level:</b>		<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
TX-03A	04/19/05	2.5	0.021	0.026	0.049	6.1	0.47	< 0.5	--
TX-03A	07/12/05	3.1	0.024	0.044	0.054	10	0.32	< 0.5	--
TX-03A	10/31/07	2.2	0.0233	0.0601	0.0503	<5.0	--	--	--
TX-03A	05/20/08	0.88	0.007	0.016	0.01	3	--	--	--
TX-03A	11/20/08	2.1	0.019	0.038	0.018	4.5	--	--	--
TX-03A	04/08/09	1.2	< 0.025	0.028	< 0.025	3.5	--	--	--
TX-03A	11/17/09	0.97	0.0078	0.016	0.011	2.4	--	--	--
TX-03A	04/27/10	1.7	0.0096	0.0087	0.0099	4.6	--	--	--
TX-03A	10/25/10	1.7	0.011	0.067	0.013	3.3	--	--	--
TX-03A	05/23/11	1.78	<0.025	0.044	<0.035	7.53	--	--	--
TX-03A	10/27/11	3.44	0.0712	0.147	0.111	8.51	--	--	--
TX-03A	03/01/12	1.74	0.0261	0.0272	0.0345 J	5.58	--	--	--
TX-03A	06/12/12	1.57	0.0200 J	0.0139 J	0.0300 J	6.78	--	--	--
TX-03A	09/25/12	1.7	0.0298	0.041	0.0501	5.53	--	--	--
TX-03A	11/28/12	1.18	0.0188 J	0.0232	0.0357 J	4.91	--	--	--
TX-03A	02/21/13	2.81	0.0403	0.0421	0.0489 J	8.20	0.32	< 0.10	--
TX-03A	05/15/13	2.15	0.0459 J	0.189	0.0643 J	3.11	--	--	--
TX-03A	11/05/13	2.72	0.0343 J	0.0364 J	0.0411 J	6.01	--	--	--
TX-03A	04/23/14	1.22	0.0171	0.0251	0.027	5.76	--	--	--
TX-03A	07/24/14	1.64	0.0317	0.0698	0.052	7.55	0.382	< 0.094	--
TX-03A	11/04/14	0.941	0.0137	0.0366	0.0269	5.76	0.448	< 0.094	--
TX-03A	03/09/15	1.86	0.0246 J	0.0581	0.0390 J	7.16	--	--	--
TX-03A	05/21/15	1.15	0.0144 J	0.0462	0.0260 J	3.40	--	--	--
TX-03A	07/28/15	1.72	0.0213 J	0.118	0.0355 J	5.42	--	--	--
TX-03A	12/10/15	0.635	0.0126	0.026	0.0253	3.32	1.34	< 0.391	--
TX-03A	02/23/16	1.78	0.0274	0.0882	0.0385	5.17	--	--	--
TX-03A	05/02/16	1.54	0.037	0.208	0.0503	6.30	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
<b>Site-Specific Cleanup Level:</b>		<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
TX-03A	08/29/16	<b>0.844</b>	0.0257	0.246	0.053	<b>5.89</b>	--	--	--
TX-03A	12/15/16	<b>0.995</b>	0.0197 J	0.0697	0.0357 J	<b>4.81</b>	1.73	0.125 J	--
TX-03A	03/13/17	<b>0.76</b>	0.0208	0.0901	0.0352 J	<b>3.66</b>	--	--	--
TX-03A	06/13/17	<b>1.37</b>	0.0361	0.246	0.0618 J	<b>5.36</b>	--	--	--
TX-03A	08/22/17	<b>1.08</b>	0.0233	0.137	0.0363	<b>4.55</b>	--	--	--
TX-03A	12/05/17	<b>0.258</b>	0.00697 J	0.0172 J	0.0126 J	<b>3.07</b>	2.03	0.172 J	--
TX-03A	03/27/18	<b>0.135</b>	0.00114	0.00395	0.000969 J	<b>1.21</b>	--	--	--
TX-03A	06/13/18	<b>0.204</b>	0.0024	0.015	0.000713 J	0.97	--	--	--
TX-03A	09/06/18	<b>0.263</b>	0.00308	0.0252	0.00115 J	<b>1.31</b>	--	--	--
TX-03A	12/20/18	0.0278	0.000612 J	0.00282	0.000499 J	0.768	2.88	1.05	--
TX-03A	03/19/19	0.0131 J	< 0.000312	0.00143	< 0.000442	0.938	--	--	--
TX-03A	05/16/19	<b>0.102 J</b>	< 0.000170 J	0.00115 J	< 0.000580 J	0.991	--	--	--
TX-03A	09/19/19	0.00642	< 0.000312	0.00722	< 0.000442	0.446	--	--	--
TX-03A	12/11/19	0.00173	< 0.000312	0.0017	< 0.000442	0.521	1.72	0.154 J	--
TX-03A	04/28/20	0.023	< 0.000312	0.000578 J	< 0.000442	0.181	--	--	--
TX-03A	06/30/20	0.00796	< 0.000312	0.00135	< 0.000442	0.129 J	--	--	--
TX-03A	09/21/20	0.00527	<0.001	0.00293	<0.003	0.139 J	--	--	--
TX-03A	12/15/20	0.00499	0.00022	0.0029	<0.0005	<0.250	0.520	<0.371	--
TX-03A	04/12/21	0.0665 J	0.00151	0.00955	<0.000500	0.465	--	--	--
TX-03A	06/16/21	0.0416	0.00151	0.0192	0.000832 J	0.285	--	--	--
TX-03A	09/23/21	0.0183	0.000973 J	0.00677	0.000651 J	0.221	--	--	--
TX-03A	03/28/22	<b>0.121</b>	0.00255	0.0120	0.00163 J	0.998	--	--	--
TX-03A	06/28/22	<b>0.114</b>	0.00632	0.0132	0.00356	<b>1.39</b>	--	--	--
TX-03A	09/21/22	0.00895	0.000999 J	0.00181	0.00111 J	0.294	--	--	--
TX-03A	12/13/22	<b>0.122</b>	0.00701	0.00140	0.00682	<b>1.05</b>	1.51	0.598	--
TX-03A	03/27/23	<b>0.165</b>	0.00807	0.00532	0.00904	<b>1.50</b>	--	--	--
TX-03A	06/14/23	<b>0.241</b>	0.00880	0.00497	0.00791	<b>1.37</b>	--	--	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
TX-03A	09/12/23	0.0890	0.00760	0.000770 J	0.00860	1.98	--	--	--
TX-03A	12/20/23	0.0886	0.00846	0.00165	0.0108	1.99	1.20	0.374	--
TX-03A	03/11/24	0.169	<0.0100	<0.0100	<0.0200	2.84	--	--	--
TX-03A	06/19/24	0.152	<0.0100	<0.0100	<0.0200	2.33	--	--	--
TX-04	01/13/04	0.025	0.0055	< 0.001	0.0194	0.65	0.59	< 0.5	--
TX-04	04/21/04	0.0025	0.0017	< 0.001	0.0031	0.47	2.2	< 0.75	--
TX-04	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	1.5	< 0.5	--
TX-04	10/18/04	< 0.001	< 0.001	< 0.001	0.0022	0.28	1.2	< 0.5	--
TX-04	01/24/05	0.031	0.0071	< 0.001	0.0204	0.87	0.64	< 0.5	--
TX-04	04/20/05	0.014	0.0036	< 0.001	0.0085	0.54	0.73	< 0.5	--
TX-04	07/12/05	< 0.001	< 0.001	< 0.001	0.0014	0.34	0.82	< 0.5	--
TX-04	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.20	1.1	< 0.5	--
TX-04	01/25/06	0.00127	0.001	< 0.0005	0.00151	0.206	0.835	< 0.476	--
TX-04	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	0.076	< 0.25	< 0.5	--
TX-04	11/16/09	< 0.0005	< 0.001	< 0.001	< 0.001	0.17	0.13	< 0.1	--
TX-04	10/25/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.17	< 0.1	--
TX-04	05/23/11	<0.0003	<0.0005	<0.0003	<0.0007	0.0554	--	--	--
TX-04	10/26/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	< 0.20	0.0966	< 0.20	--
TX-04	11/26/12	0.0013	0.00038 J	< 0.00020	0.00052 J	0.0980 J	0.0807 J	< 0.10	--
TX-04	11/04/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.0492 J	< 0.095	--
TX-04	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	< 0.048	< 0.096	--
TX-04	12/08/15	0.000268	< 0.0010	< 0.0010	< 0.0030	< 0.100	< 0.245	< 0.408	--
TX-04	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.0762 J	< 0.0608	--
TX-04	12/05/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.0834	< 0.125	--
TX-04	12/19/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	< 0.104	< 0.114	--
TX-04	12/12/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.122 J	< 0.119	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene 0.071 mg/L	Toluene 200 mg/L	Ethylbenzene 29 mg/L	Total Xylenes NE mg/L	TPHg 1 mg/L	TPHd 10 mg/L	TPHo 10 mg/L	Total 0.0058 mg/L
TX-04	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	<0.110	<0.351	--
TX-04	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.247	<0.411	--
TX-04	12/13/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	<0.232	<0.386	--
TX-04	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	<0.120	0.125 J	--
TX-06A	01/14/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	5.8	< 1	--
TX-06A	04/21/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	3.4	< 0.75	--
TX-06A	07/27/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	3.6	< 0.5	--
TX-06A	10/18/04	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	4.1	< 0.5	--
TX-06A	01/24/05	< 0.001	< 0.001	< 0.001	< 0.001	< 0.25	2.7	< 0.5	--
TX-06A	04/20/05	< 0.001	< 0.001	< 0.001	< 0.001	0.18	6.3	< 1.5	--
TX-06A	07/13/05	< 0.001	< 0.001	< 0.001	< 0.001	0.26	2.5	< 0.5	--
TX-06A	10/18/05	< 0.001	< 0.001	< 0.001	< 0.001	0.072	0.93	< 0.5	--
TX-06A	01/26/06	< 0.0005	< 0.0005	< 0.0005	< 0.001	0.126	1.57	< 0.476	--
TX-06A	11/18/08	< 0.005	< 0.005	< 0.005	< 0.005	< 0.05	0.49	< 0.5	--
TX-06A	11/17/09	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.24	< 0.1	--
TX-06A	10/28/10	< 0.0005	< 0.001	< 0.001	< 0.001	< 0.1	0.72	< 0.1	--
TX-06A	10/25/11	< 0.0010	< 0.0010	< 0.0010	< 0.0020	0.0519	0.499	< 0.21	--
TX-06A	11/25/12	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.50	0.716	< 0.098	--
TX-06A	11/07/13	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.358	< 0.095	--
TX-06A	11/06/14	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	0.758	0.184	--
TX-06A	12/08/15	< 0.00020	< 0.0010	< 0.0010	< 0.0030	< 0.100	1.03	<0.388	--
TX-06A	12/12/16	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0178	0.433	0.0707 J	--
TX-06A	12/05/17	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.36	< 0.122	--
TX-06A	12/20/18	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.592	0.244 J	--
TX-06A	12/10/19	< 0.0000930	< 0.000312	< 0.000198	< 0.000442	< 0.0704	0.244	< 0.119	--
TX-06A	12/14/20	<0.00020	<0.0002	<0.00020	<0.0005	<0.250	1.32	0.589	--

**BTEX, Petroleum Hydrocarbons, and Lead in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	Volatile Organic Compounds				Hydrocarbons			Lead
		Benzene	Toluene	Ethylbenzene	Total Xylenes	TPHg	TPHd	TPHo	Total
<b>Site-Specific Cleanup Level:</b>		<b>0.071</b>	<b>200</b>	<b>29</b>	<b>NE</b>	<b>1</b>	<b>10</b>	<b>10</b>	<b>0.0058</b>
		<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>	<b>mg/L</b>
TX-06A	12/15/21	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.589	0.146 J	--
TX-06A	12/12/22	<0.000400	<0.00100	<0.00100	<0.00300	<0.150	0.659	0.210 J	--
TX-06A	12/19/23	<0.00100	<0.00100	<0.00100	<0.00200	<0.100	0.816	0.483	--
MW-01	07/28/15	< 0.00020	< 0.00020	< 0.00020	< 0.00046	< 0.050	--	--	--

**Note:**

= Indicates data collected during this progress report period

\* = Cleanup levels per the Cleanup Action Plan (Ecology, 1998)

<sup>1</sup> = Dissolved lead result

**Bold** = indicate detected concentration greater than cleanup level

BTEX = benzene, toluene, ethylbenzene, and total xylenes

J = Result is less than the reporting limit, but greater than or equal to the method detection limit, and the concentration is an approximate value.

J+ = The result is an estimated quantity, but the result may be biased high.

J- = The result is an estimated quantity, but the result may be biased low.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are laboratory Method Detection Limits (MDLs). Prior to June 12, 2012, limits shown are laboratory Reporting Limits (RLs).

mg/L = milligrams per liter

NA = not analyzed

NE = not established

TPHg = Total petroleum hydrocarbons as gasoline analyzed by Northwest Method NWTPH-Gx.

TPHd = Total petroleum hydrocarbons as diesel analyzed by Northwest Method NWTPH-Dx.

TPHo = Total petroleum hydrocarbons as oil analyzed by Northwest Method NWTPH-Dx.



Table 7

**Carcinogenic PAHs in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	PAHs							cPAH TEQ 0.000031 mg/L
		Benzo(a)- anthracene mg/L	Benzo(a)- pyrene mg/L	Benzo(b)- fluoranthene mg/L	Benzo(k)- fluoranthene mg/L	Chrysene mg/L	Dibenz(a,h)- anthracene mg/L	Indeno(1,2,3- cd)pyrene mg/L	
MW-213	01/14/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	04/20/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	07/28/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	10/19/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	01/25/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	04/19/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	07/12/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	10/20/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	01/26/06	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943	< 0.0000943
MW-213	10/30/07	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-213	11/19/08	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-213	04/07/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	11/18/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	04/26/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	10/28/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-213	05/24/11	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003	< 0.00003
MW-213	10/25/11	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010
MW-213	06/12/12	< 0.000050	< 0.000041	< 0.000035	< 0.000039	< 0.000045	< 0.000035	< 0.000035	< 0.000050
MW-213	11/29/12	< 0.000053	< 0.000041	< 0.000035	< 0.000039	< 0.000045	< 0.000035	< 0.000035	< 0.000053
MW-213	05/15/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-213	11/05/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-213	04/23/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-213	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-213	05/19/15	< 0.0014	< 0.0011	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016
MW-213	12/09/15	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948	< 0.0000948
MW-213	05/03/16	< 0.0000920	< 0.0000101	< 0.0000101	< 0.0000138	< 0.0000644	< 0.0000120	< 0.0000202	< 0.0000202

**Carcinogenic PAHs in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	PAHs							cPAH TEQ 0.000031 mg/L
		Benzo(a)- anthracene -- mg/L	Benzo(a)- pyrene -- mg/L	Benzo(b)- fluoranthene -- mg/L	Benzo(k)- fluoranthene -- mg/L	Chrysene -- mg/L	Dibenz(a,h)- anthracene -- mg/L	Indeno(1,2,3- cd)pyrene -- mg/L	
MW-213	12/13/16	0.0000122	< 0.0000887	< 0.0000108	< 0.0000148	< 0.00000690	< 0.0000128	< 0.0000217	0.00000122
MW-213	06/14/17	< 0.0000888	< 0.0000109	< 0.0000109	< 0.0000148	< 0.00000691	< 0.0000128	< 0.0000217	< 0.0000128
MW-213	12/07/17	< 0.00000965	< 0.0000106	< 0.0000106	< 0.0000145	< 0.00000676	< 0.0000125	< 0.0000212	< 0.0000212
MW-213	06/12/18	< 0.0000103	< 0.0000113	< 0.0000113	< 0.0000154	< 0.00000720	< 0.0000134	< 0.0000226	< 0.0000226
MW-213	12/19/18	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000893	< 0.0000129	< 0.0000218	< 0.0000218
MW-213	05/16/19	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000893	< 0.0000129	< 0.0000218	< 0.0000218
MW-213	12/11/19	< 0.0000119	< 0.0000896	< 0.0000109	< 0.0000149	< 0.00000995	< 0.0000129	< 0.0000219	< 0.0000219
MW-213	06/29/20	<0.0000124	<0.0000124	<0.0000113	<0.0000154	<0.0000103	<0.0000134	<0.0000226	<0.0000226
MW-213	12/16/20	<0.0000503	<0.000101	<0.0000503	<0.0000503	<0.000101	<0.000101	<0.0000503	<0.000101
MW-213	06/14/21	<0.0000506	<0.000101	<0.0000506	<0.0000506	<0.000101	<0.000101	<0.0000506	<0.000101
MW-213	12/16/21	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895	<0.0000895
MW-213	06/29/22	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905
MW-213	12/12/22	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905
MW-213	06/12/23	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907	<0.0000907
MW-213	12/18/23	<0.0000530	<0.000106	<0.000106	<0.0000530	<0.000106	<0.000106	<0.0000530	<0.000106
MW-213	06/19/24	<0.0000529	<0.000106	<0.000106	<0.0000529	<0.000106	<0.000106	<0.0000529	<0.000106
MW-214	01/30/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	04/17/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	07/17/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/16/03	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	01/14/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	04/20/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	07/28/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/19/04	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	01/25/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001

**Carcinogenic PAHs in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	PAHs							cPAH TEQ 0.000031 mg/L
		Benzo(a)- anthracene -- mg/L	Benzo(a)- pyrene -- mg/L	Benzo(b)- fluoranthene -- mg/L	Benzo(k)- fluoranthene -- mg/L	Chrysene -- mg/L	Dibenz(a,h)- anthracene -- mg/L	Indeno(1,2,3- cd)pyrene -- mg/L	
MW-214	04/19/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	07/12/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/20/05	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	01/26/06	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099	< 0.000099
MW-214	10/30/07	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-214	05/05/08	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-214	11/19/08	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001	< 0.001
MW-214	04/07/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	11/18/09	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	04/26/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	10/28/10	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001	< 0.0001
MW-214	05/24/11	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029	< 0.000029
MW-214	10/25/11	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010	< 0.00010
MW-214	06/12/12	< 0.000051	< 0.000040	< 0.000034	< 0.000038	< 0.000044	< 0.000034	< 0.000034	< 0.000051
MW-214	11/29/12	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	05/15/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	11/05/13	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	04/23/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-214	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-214	05/19/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-214	12/09/15	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0000908	< 0.0015
MW-214	05/04/16	< 0.00000926	< 0.0000102	< 0.0000102	< 0.0000139	< 0.00000648	< 0.0000120	< 0.0000204	< 0.0000204
MW-214	12/14/16	0.00000994	< 0.0000883	< 0.0000108	< 0.0000147	< 0.00000687	< 0.0000128	< 0.0000216	0.00000994
MW-214	06/14/17	< 0.0000850	< 0.0000104	< 0.0000104	< 0.0000142	< 0.00000661	< 0.0000123	< 0.0000208	< 0.0000208
MW-214	12/07/17	< 0.0000102	< 0.0000112	< 0.0000112	< 0.0000153	< 0.00000713	< 0.0000132	< 0.0000224	< 0.0000224
MW-214	06/12/18	< 0.00000976	< 0.0000107	< 0.0000107	< 0.0000146	< 0.00000683	< 0.0000127	< 0.0000215	< 0.0000215

**Carcinogenic PAHs in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	PAHs							cPAH TEQ 0.000031 mg/L
		Benzo(a)- anthracene -- mg/L	Benzo(a)- pyrene -- mg/L	Benzo(b)- fluoranthene -- mg/L	Benzo(k)- fluoranthene -- mg/L	Chrysene -- mg/L	Dibenz(a,h)- anthracene -- mg/L	Indeno(1,2,3- cd)pyrene -- mg/L	
MW-214	12/19/18	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000894	< 0.0000129	< 0.0000219	< 0.0000219
MW-214	05/16/19	< 0.0000119	< 0.0000119	< 0.0000109	< 0.0000149	< 0.00000894	< 0.0000129	< 0.0000219	< 0.0000219
MW-214	12/11/19	0.0000141 J	< 0.0000921	< 0.0000113	< 0.0000154	< 0.0000102	< 0.0000133	< 0.0000225	0.00000141
MW-214	06/29/20	<0.0000117	<0.0000117	<0.0000108	<0.0000147	<0.00000977	<0.0000127	<0.0000215	<0.0000215
MW-214	12/16/20	<0.0000517	<0.000103	<0.0000517	<0.0000517	<0.000103	<0.000103	<0.0000517	<0.0000517
MW-214	06/14/21	<0.0000499	<0.0000999	<0.0000499	<0.0000499	<0.0000999	<0.0000999	<0.0000499	<0.0000499
MW-214	12/16/21	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905	<0.0000905
MW-214	06/29/22	<0.0000910	0.0000123 J	<0.0000910	<0.0000910	0.0000148 J	<0.0000910	<0.0000910	0.0000124
MW-214	12/12/22	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904	<0.0000904
MW-214	06/12/23	0.0000224 J	<0.0000903	<0.0000903	<0.0000903	<0.0000903	<0.0000903	<0.0000903	0.00000224
MW-214	12/18/23	0.0000275 J	0.0000243 J	0.0000275 J	0.0000243 J	<0.0000984	<0.0000984	0.0000228 J	<b>0.0000345 J</b>
MW-214	06/19/24	<0.0000504	<0.000101	<0.000101	<0.0000504	<0.000101	<0.000101	<0.0000504	<0.000101
MW-301	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-301	05/21/15	< 0.0014	< 0.0011	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016
MW-302	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-302	05/21/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-303	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000043	< 0.000033	< 0.000033	< 0.000050
MW-303	05/20/15	< 0.0014	< 0.0011	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016
MW-304	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-304	05/20/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-309	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050

**Carcinogenic PAHs in Groundwater  
Shell Harbor Island Terminal  
Seattle, Washington**

Sample ID	Sample Date	PAHs							
		Benzo(a)-anthracene	Benzo(a)-pyrene	Benzo(b)-fluoranthene	Benzo(k)-fluoranthene	Chrysene	Dibenz(a,h)-anthracene	Indeno(1,2,3-cd)pyrene	cPAH TEQ
Site-Specific Cleanup Level*:		--	--	--	--	--	--	--	0.000031
		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-309	05/20/15	< 0.0014	< 0.0011	< 0.0013	< 0.0014	< 0.0016	< 0.0012	< 0.0013	< 0.0016
MW-310	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-310	05/21/15	< 0.0013	< 0.0010	< 0.0012	< 0.0013	< 0.0015	< 0.0012	< 0.0013	< 0.0015
MW-311	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
MW-312	11/05/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
TX-03A	07/24/14	< 0.000050	< 0.000039	< 0.000033	< 0.000037	< 0.000042	< 0.000033	< 0.000033	< 0.000050
TX-03A	05/21/15	< 0.0014	< 0.0010	< 0.0013	< 0.0013	< 0.0016	< 0.0012	< 0.0013	< 0.0016

**Note:**

PAHs = polycyclic aromatic hydrocarbons

TEQ = toxic equivalent concentration

-- = There are not established individual cleanup levels for PAHs. The carcinogenic PAHs total TEQ is calculated and compared to the established cleanup level.

mg/L = milligrams per liter

J = Result is less than the reporting limit, but greater than or equal to the method detection limit, and the concentration is an approximate value.

< = not detected at or above the indicated limit. Beginning June 12, 2012, limits shown are laboratory Method Detection Limits (MDLs). Prior to June 12, 2012, limits shown are laboratory Reporting Limits (RLs).

\* = Cleanup levels per the Cleanup Action Plan (Ecology, 1998)

= Indicates data collected during this progress report period

# Attachments

# **Attachment 1**

**Laboratory Report**

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Emily Blakeway  
GHD Services Inc.  
9725 3rd Avenue NE, Suite 204  
Seattle, Washington 98115

Generated 7/3/2024 3:16:40 PM

**JOB DESCRIPTION**

Shell - 2555 13th Avenue 12631170

**JOB NUMBER**

580-141296-1



# Eurofins Seattle

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northwest, LLC Project Manager.

## Authorization



Generated  
7/3/2024 3:16:40 PM

Authorized for release by  
Pauline Matlock, Project Manager  
[Pauline.Matlock@et.eurofinsus.com](mailto:Pauline.Matlock@et.eurofinsus.com)  
(253)922-2310



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Case Narrative . . . . .	4
Definitions . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	34
Chronicle . . . . .	50
Certification Summary . . . . .	57
Sample Summary . . . . .	58
Chain of Custody . . . . .	59
Receipt Checklists . . . . .	63

# Case Narrative

Client: GHD Services Inc.  
Project: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Job ID: 580-141296-1**

**Eurofins Seattle**

## Job Narrative 580-141296-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

### Receipt

The samples were received on 6/19/2024 12:29 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.8°C and 4.0°C.

### Gasoline Range Organics

Method NWTPH\_Gx\_MS: The following samples were diluted due to the abundance of non-target analytes: MW-307 (580-141296-16) and TX-03A (580-141296-25). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### GC/MS VOA

Method 8260D: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-113 (580-141296-5), MW-304 (580-141296-15), MW-307 (580-141296-16) and TX-03A (580-141296-25). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### GC/MS Semi VOA

Method 8270E\_SIM: The QC associated with 580-463142 is compliant under 8270E\_SIM criteria for Terphenyl-d14. The software does not display the data to the whole number as is listed in the method (i.e. limit of 20%). When applying the evaluation to a whole number, the QC passes the criteria.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Hydrocarbons

Method NWTPH\_Dx: Surrogate recovery for the following samples were outside control limits: MW-113 (580-141296-5) and MW-307 (580-141296-16). Evidence of matrix interference is present; therefore, re-extraction was not performed. Results have been confirmed by re-analysis.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

### Metals

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Seattle

# Definitions/Glossary

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
⊞	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-05**

**Lab Sample ID: 580-141296-1**

**Date Collected: 06/17/24 12:02**

**Matrix: Water**

**Date Received: 06/19/24 12:29**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/20/24 21:07	1
Toluene	ND		1.00	0.390	ug/L			06/20/24 21:07	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/20/24 21:07	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/20/24 21:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	99		80 - 120		06/20/24 21:07	1
4-Bromofluorobenzene (Surr)	113		80 - 120		06/20/24 21:07	1
Dibromofluoromethane (Surr)	112		80 - 120		06/20/24 21:07	1
1,2-Dichloroethane-d4 (Surr)	108		80 - 120		06/20/24 21:07	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/20/24 21:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		77 - 123		06/20/24 21:07	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		210	95.7	ug/L		06/20/24 08:44	07/01/24 17:55	1
Motor Oil (>C24-C36)	166	J	368	137	ug/L		06/20/24 08:44	07/01/24 17:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	61		50 - 150	06/20/24 08:44	07/01/24 17:55	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	122	J	210	95.7	ug/L		06/20/24 08:44	06/21/24 19:51	1
Motor Oil (>C24-C36)	224	J	368	137	ug/L		06/20/24 08:44	06/21/24 19:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	65		50 - 150	06/20/24 08:44	06/21/24 19:51	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-104**

**Lab Sample ID: 580-141296-2**

Date Collected: 06/19/24 09:55

Matrix: Water

Date Received: 06/19/24 12:29

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1200		150	73.0	ug/L			06/26/24 06:02	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	96		77 - 123					06/26/24 06:02	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	458		204	93.0	ug/L		06/20/24 08:44	07/01/24 18:16	1
Motor Oil (>C24-C36)	ND		358	133	ug/L		06/20/24 08:44	07/01/24 18:16	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
o-Terphenyl	61		50 - 150				06/20/24 08:44	07/01/24 18:16	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	1240		204	93.0	ug/L		06/20/24 08:44	06/21/24 20:12	1
Motor Oil (>C24-C36)	856		358	133	ug/L		06/20/24 08:44	06/21/24 20:12	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
o-Terphenyl	66		50 - 150				06/20/24 08:44	06/21/24 20:12	1

**Method: SW846 6020B - Metals (ICP/MS) - Total Recoverable**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Lead	3.68		2.00	0.200	ug/L		06/24/24 16:51	06/25/24 10:57	5

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-111**

**Lab Sample ID: 580-141296-3**

**Date Collected: 06/17/24 12:35**

**Matrix: Water**

**Date Received: 06/19/24 12:29**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Benzene</b>	<b>4.41</b>		1.00	0.240	ug/L			06/20/24 21:29	1
Toluene	ND		1.00	0.390	ug/L			06/20/24 21:29	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/20/24 21:29	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/20/24 21:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	96		80 - 120		06/20/24 21:29	1
<i>4-Bromofluorobenzene (Surr)</i>	115		80 - 120		06/20/24 21:29	1
<i>Dibromofluoromethane (Surr)</i>	107		80 - 120		06/20/24 21:29	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	103		80 - 120		06/20/24 21:29	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/20/24 21:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>4-Bromofluorobenzene (Surr)</i>	115		77 - 123		06/20/24 21:29	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		208	94.8	ug/L		06/20/24 08:44	07/01/24 18:37	1
Motor Oil (>C24-C36)	ND		365	135	ug/L		06/20/24 08:44	07/01/24 18:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o-Terphenyl</i>	53		50 - 150	06/20/24 08:44	07/01/24 18:37	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Diesel Range Organics (C10-C24)</b>	<b>142</b>	<b>J</b>	208	94.8	ug/L		06/20/24 08:44	06/21/24 20:33	1
<b>Motor Oil (&gt;C24-C36)</b>	<b>199</b>	<b>J</b>	365	135	ug/L		06/20/24 08:44	06/21/24 20:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>o-Terphenyl</i>	58		50 - 150	06/20/24 08:44	06/21/24 20:33	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-112A**

**Lab Sample ID: 580-141296-4**

Date Collected: 06/18/24 08:58

Matrix: Water

Date Received: 06/19/24 12:29

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	1.95		1.00	0.240	ug/L			06/24/24 22:22	1
Toluene	1.48		1.00	0.390	ug/L			06/24/24 22:22	1
Ethylbenzene	47.1		1.00	0.500	ug/L			06/24/24 22:22	1
Xylenes, Total	3.49		2.00	0.530	ug/L			06/24/24 22:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	93		80 - 120		06/24/24 22:22	1
4-Bromofluorobenzene (Surr)	116		80 - 120		06/24/24 22:22	1
Dibromofluoromethane (Surr)	110		80 - 120		06/24/24 22:22	1
1,2-Dichloroethane-d4 (Surr)	101		80 - 120		06/24/24 22:22	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1780		150	73.0	ug/L			06/24/24 22:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		77 - 123		06/24/24 22:22	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	3600		207	94.0	ug/L		06/20/24 08:44	07/01/24 18:58	1
Motor Oil (>C24-C36)	154	J	361	134	ug/L		06/20/24 08:44	07/01/24 18:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	64		50 - 150	06/20/24 08:44	07/01/24 18:58	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	5300		207	94.0	ug/L		06/20/24 08:44	06/28/24 12:34	1
Motor Oil (>C24-C36)	644		361	134	ug/L		06/20/24 08:44	06/28/24 12:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	62		50 - 150	06/20/24 08:44	06/28/24 12:34	1



# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-113**

**Lab Sample ID: 580-141296-5**

Date Collected: 06/17/24 12:55

Matrix: Water

Date Received: 06/19/24 12:29

### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	162		10.0	2.40	ug/L			06/21/24 02:08	10
Toluene	24.8		10.0	3.90	ug/L			06/21/24 02:08	10
Ethylbenzene	7.24	J	10.0	5.00	ug/L			06/21/24 02:08	10
Xylenes, Total	20.9		20.0	5.30	ug/L			06/21/24 02:08	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	89		80 - 120		06/21/24 02:08	10
4-Bromofluorobenzene (Surr)	118		80 - 120		06/21/24 02:08	10
Dibromofluoromethane (Surr)	114		80 - 120		06/21/24 02:08	10
1,2-Dichloroethane-d4 (Surr)	107		80 - 120		06/21/24 02:08	10

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	412		150	73.0	ug/L			06/21/24 22:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		77 - 123		06/21/24 22:17	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	1640		215	98.0	ug/L		06/20/24 08:44	07/01/24 19:20	1
Motor Oil (>C24-C36)	ND		377	140	ug/L		06/20/24 08:44	07/01/24 19:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	54		50 - 150	06/20/24 08:44	07/01/24 19:20	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	3560		215	98.0	ug/L		06/20/24 08:44	06/28/24 12:55	1
Motor Oil (>C24-C36)	1180		377	140	ug/L		06/20/24 08:44	06/28/24 12:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	44	S1-	50 - 150	06/20/24 08:44	06/28/24 12:55	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-114**

**Lab Sample ID: 580-141296-6**

**Date Collected: 06/17/24 12:30**

**Matrix: Water**

**Date Received: 06/19/24 12:29**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/20/24 21:51	1
Toluene	ND		1.00	0.390	ug/L			06/20/24 21:51	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/20/24 21:51	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/20/24 21:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	91		80 - 120		06/20/24 21:51	1
4-Bromofluorobenzene (Surr)	118		80 - 120		06/20/24 21:51	1
Dibromofluoromethane (Surr)	109		80 - 120		06/20/24 21:51	1
1,2-Dichloroethane-d4 (Surr)	109		80 - 120		06/20/24 21:51	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/20/24 21:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		77 - 123		06/20/24 21:51	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		201	91.6	ug/L		06/20/24 08:44	07/01/24 19:41	1
Motor Oil (>C24-C36)	ND		352	131	ug/L		06/20/24 08:44	07/01/24 19:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	57		50 - 150	06/20/24 08:44	07/01/24 19:41	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Diesel Range Organics (C10-C24)</b>	<b>118</b>	<b>J</b>	201	91.6	ug/L		06/20/24 08:44	06/21/24 21:57	1
<b>Motor Oil (&gt;C24-C36)</b>	<b>286</b>	<b>J</b>	352	131	ug/L		06/20/24 08:44	06/21/24 21:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	60		50 - 150	06/20/24 08:44	06/21/24 21:57	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-115**

**Lab Sample ID: 580-141296-7**

**Date Collected: 06/17/24 11:58**

**Matrix: Water**

**Date Received: 06/19/24 12:29**

### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/20/24 23:16	1
Toluene	ND		1.00	0.390	ug/L			06/20/24 23:16	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/20/24 23:16	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/20/24 23:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	92		80 - 120		06/20/24 23:16	1
4-Bromofluorobenzene (Surr)	117		80 - 120		06/20/24 23:16	1
Dibromofluoromethane (Surr)	110		80 - 120		06/20/24 23:16	1
1,2-Dichloroethane-d4 (Surr)	107		80 - 120		06/20/24 23:16	1

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	993		150	73.0	ug/L			06/20/24 23:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		77 - 123		06/20/24 23:16	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	2520		202	91.7	ug/L		06/20/24 08:44	07/01/24 20:24	1
Motor Oil (>C24-C36)	165	J	353	131	ug/L		06/20/24 08:44	07/01/24 20:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	60		50 - 150	06/20/24 08:44	07/01/24 20:24	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	4010		202	91.7	ug/L		06/20/24 08:44	06/21/24 22:18	1
Motor Oil (>C24-C36)	1340		353	131	ug/L		06/20/24 08:44	06/21/24 22:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	54		50 - 150	06/20/24 08:44	06/21/24 22:18	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-202**  
 Date Collected: 06/18/24 12:04  
 Date Received: 06/19/24 12:29

**Lab Sample ID: 580-141296-8**  
 Matrix: Water

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	488		150	73.0	ug/L			06/24/24 22:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		77 - 123					06/24/24 22:44	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	1880		202	91.8	ug/L		06/20/24 08:44	07/01/24 20:46	1
Motor Oil (>C24-C36)	176	J	353	131	ug/L		06/20/24 08:44	07/01/24 20:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	56		50 - 150				06/20/24 08:44	07/01/24 20:46	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	3430		202	91.8	ug/L		06/20/24 08:44	06/21/24 22:39	1
Motor Oil (>C24-C36)	688		353	131	ug/L		06/20/24 08:44	06/21/24 22:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
o-Terphenyl	56		50 - 150				06/20/24 08:44	06/21/24 22:39	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-203**

**Lab Sample ID: 580-141296-9**

Date Collected: 06/18/24 11:48

Matrix: Water

Date Received: 06/19/24 12:29

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	92.3	J	150	73.0	ug/L			06/24/24 19:53	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	115		77 - 123					06/24/24 19:53	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	154	J	204	92.9	ug/L		06/20/24 08:44	07/01/24 21:07	1
Motor Oil (>C24-C36)	296	J	357	133	ug/L		06/20/24 08:44	07/01/24 21:07	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
o-Terphenyl	54		50 - 150				06/20/24 08:44	07/01/24 21:07	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	397		204	92.9	ug/L		06/20/24 08:44	06/21/24 23:00	1
Motor Oil (>C24-C36)	754		357	133	ug/L		06/20/24 08:44	06/21/24 23:00	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
o-Terphenyl	55		50 - 150				06/20/24 08:44	06/21/24 23:00	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-213**

**Lab Sample ID: 580-141296-10**

Date Collected: 06/19/24 09:54

Matrix: Water

Date Received: 06/19/24 12:29

## Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/27/24 22:06	1
Toluene	ND		1.00	0.390	ug/L			06/27/24 22:06	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/27/24 22:06	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/27/24 22:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		80 - 120		06/27/24 22:06	1
4-Bromofluorobenzene (Surr)	102		80 - 120		06/27/24 22:06	1
Dibromofluoromethane (Surr)	104		80 - 120		06/27/24 22:06	1
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		06/27/24 22:06	1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	94.6	J	150	73.0	ug/L			06/27/24 22:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		77 - 123		06/27/24 22:06	1

## Method: SW846 8270E SIM - Compuestos Orgánicos Semivolátiles (GCMS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.529	0.173	ug/L		06/24/24 08:35	06/24/24 20:19	1
2-Methylnaphthalene	ND		0.212	0.0413	ug/L		06/24/24 08:35	06/24/24 20:19	1
1-Methylnaphthalene	ND		0.106	0.0349	ug/L		06/24/24 08:35	06/24/24 20:19	1
Acenaphthylene	ND		0.0529	0.00953	ug/L		06/24/24 08:35	06/24/24 20:19	1
Acenaphthene	ND		0.106	0.0148	ug/L		06/24/24 08:35	06/24/24 20:19	1
Fluorene	ND		0.106	0.0180	ug/L		06/24/24 08:35	06/24/24 20:19	1
Phenanthrene	ND		0.106	0.0392	ug/L		06/24/24 08:35	06/24/24 20:19	1
Anthracene	ND		0.106	0.0233	ug/L		06/24/24 08:35	06/24/24 20:19	1
Fluoranthene	ND		0.212	0.0572	ug/L		06/24/24 08:35	06/24/24 20:19	1
Pyrene	ND		0.106	0.0349	ug/L		06/24/24 08:35	06/24/24 20:19	1
Benzo[a]anthracene	ND		0.0529	0.0148	ug/L		06/24/24 08:35	06/24/24 20:19	1
Chrysene	ND		0.106	0.0392	ug/L		06/24/24 08:35	06/24/24 20:19	1
Benzo[b]fluoranthene	ND		0.106	0.0233	ug/L		06/24/24 08:35	06/24/24 20:19	1
Benzo[k]fluoranthene	ND		0.0529	0.0127	ug/L		06/24/24 08:35	06/24/24 20:19	1
Benzo[a]pyrene	ND		0.106	0.0233	ug/L		06/24/24 08:35	06/24/24 20:19	1
Indeno[1,2,3-cd]pyrene	ND		0.0529	0.0148	ug/L		06/24/24 08:35	06/24/24 20:19	1
Dibenz(a,h)anthracene	ND		0.106	0.0159	ug/L		06/24/24 08:35	06/24/24 20:19	1
Benzo[g,h,i]perylene	ND		0.0529	0.0127	ug/L		06/24/24 08:35	06/24/24 20:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	87		29 - 150	06/24/24 08:35	06/24/24 20:19	1

## Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		200	90.9	ug/L		06/20/24 08:44	07/01/24 21:28	1
Motor Oil (>C24-C36)	ND		349	130	ug/L		06/20/24 08:44	07/01/24 21:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	53		50 - 150	06/20/24 08:44	07/01/24 21:28	1

Eurofins Seattle

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-213**

**Lab Sample ID: 580-141296-10**

Date Collected: 06/19/24 09:54

Matrix: Water

Date Received: 06/19/24 12:29

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	288		200	90.9	ug/L		06/20/24 08:44	06/21/24 23:21	1
Motor Oil (>C24-C36)	349		349	130	ug/L		06/20/24 08:44	06/21/24 23:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	55		50 - 150				06/20/24 08:44	06/21/24 23:21	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-214**

**Lab Sample ID: 580-141296-11**

**Date Collected: 06/19/24 09:23**

**Matrix: Water**

**Date Received: 06/19/24 12:29**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/25/24 17:43	1
Toluene	ND		1.00	0.390	ug/L			06/25/24 17:43	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/25/24 17:43	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/25/24 17:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	99		80 - 120		06/25/24 17:43	1
4-Bromofluorobenzene (Surr)	102		80 - 120		06/25/24 17:43	1
Dibromofluoromethane (Surr)	104		80 - 120		06/25/24 17:43	1
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		06/25/24 17:43	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/27/24 19:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		77 - 123		06/27/24 19:24	1

**Method: SW846 8270E SIM - Compuestos Orgánicos Semivolátiles (GCMS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.504	0.164	ug/L		06/24/24 08:35	06/24/24 20:44	1
2-Methylnaphthalene	ND		0.202	0.0393	ug/L		06/24/24 08:35	06/24/24 20:44	1
1-Methylnaphthalene	ND		0.101	0.0333	ug/L		06/24/24 08:35	06/24/24 20:44	1
Acenaphthylene	ND		0.0504	0.00908	ug/L		06/24/24 08:35	06/24/24 20:44	1
Acenaphthene	ND		0.101	0.0141	ug/L		06/24/24 08:35	06/24/24 20:44	1
Fluorene	ND		0.101	0.0172	ug/L		06/24/24 08:35	06/24/24 20:44	1
Phenanthrene	ND		0.101	0.0373	ug/L		06/24/24 08:35	06/24/24 20:44	1
Anthracene	ND		0.101	0.0222	ug/L		06/24/24 08:35	06/24/24 20:44	1
Fluoranthene	ND		0.202	0.0545	ug/L		06/24/24 08:35	06/24/24 20:44	1
Pyrene	ND		0.101	0.0333	ug/L		06/24/24 08:35	06/24/24 20:44	1
Benzo[a]anthracene	ND		0.0504	0.0141	ug/L		06/24/24 08:35	06/24/24 20:44	1
Chrysene	ND		0.101	0.0373	ug/L		06/24/24 08:35	06/24/24 20:44	1
Benzo[b]fluoranthene	ND		0.101	0.0222	ug/L		06/24/24 08:35	06/24/24 20:44	1
Benzo[k]fluoranthene	ND		0.0504	0.0121	ug/L		06/24/24 08:35	06/24/24 20:44	1
Benzo[a]pyrene	ND		0.101	0.0222	ug/L		06/24/24 08:35	06/24/24 20:44	1
Indeno[1,2,3-cd]pyrene	ND		0.0504	0.0141	ug/L		06/24/24 08:35	06/24/24 20:44	1
Dibenz(a,h)anthracene	ND		0.101	0.0151	ug/L		06/24/24 08:35	06/24/24 20:44	1
Benzo[g,h,i]perylene	ND		0.0504	0.0121	ug/L		06/24/24 08:35	06/24/24 20:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Terphenyl-d14	99		29 - 150	06/24/24 08:35	06/24/24 20:44	1

**Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		210	95.6	ug/L		06/20/24 08:44	06/21/24 23:41	1
Motor Oil (>C24-C36)	ND		368	137	ug/L		06/20/24 08:44	06/21/24 23:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	66		50 - 150	06/20/24 08:44	06/21/24 23:41	1



# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-301**

**Lab Sample ID: 580-141296-12**

Date Collected: 06/18/24 10:31

Matrix: Water

Date Received: 06/19/24 12:29

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	86.4		1.00	0.240	ug/L			06/24/24 20:14	1
Toluene	3.59		1.00	0.390	ug/L			06/24/24 20:14	1
Ethylbenzene	1.21		1.00	0.500	ug/L			06/24/24 20:14	1
Xylenes, Total	8.96		2.00	0.530	ug/L			06/24/24 20:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		80 - 120		06/24/24 20:14	1
4-Bromofluorobenzene (Surr)	114		80 - 120		06/24/24 20:14	1
Dibromofluoromethane (Surr)	107		80 - 120		06/24/24 20:14	1
1,2-Dichloroethane-d4 (Surr)	102		80 - 120		06/24/24 20:14	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1440		150	73.0	ug/L			06/24/24 20:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		77 - 123		06/24/24 20:14	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-302**  
 Date Collected: 06/18/24 09:48  
 Date Received: 06/19/24 12:29

**Lab Sample ID: 580-141296-13**  
 Matrix: Water

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	35.2		1.00	0.240	ug/L			06/24/24 20:35	1
Toluene	2.07		1.00	0.390	ug/L			06/24/24 20:35	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/24/24 20:35	1
<b>Xylenes, Total</b>	<b>4.79</b>		2.00	0.530	ug/L			06/24/24 20:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	92		80 - 120		06/24/24 20:35	1
4-Bromofluorobenzene (Surr)	118		80 - 120		06/24/24 20:35	1
Dibromofluoromethane (Surr)	109		80 - 120		06/24/24 20:35	1
1,2-Dichloroethane-d4 (Surr)	101		80 - 120		06/24/24 20:35	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	659		150	73.0	ug/L			06/24/24 20:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		77 - 123		06/24/24 20:35	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-303**  
 Date Collected: 06/18/24 10:35  
 Date Received: 06/19/24 12:29

**Lab Sample ID: 580-141296-14**  
 Matrix: Water

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	44.3		1.00	0.240	ug/L			06/24/24 20:57	1
Toluene	2.38		1.00	0.390	ug/L			06/24/24 20:57	1
Ethylbenzene	74.8		1.00	0.500	ug/L			06/24/24 20:57	1
Xylenes, Total	9.29		2.00	0.530	ug/L			06/24/24 20:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	94		80 - 120		06/24/24 20:57	1
4-Bromofluorobenzene (Surr)	115		80 - 120		06/24/24 20:57	1
Dibromofluoromethane (Surr)	112		80 - 120		06/24/24 20:57	1
1,2-Dichloroethane-d4 (Surr)	105		80 - 120		06/24/24 20:57	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	2590		150	73.0	ug/L			06/24/24 20:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		77 - 123		06/24/24 20:57	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-304**

**Lab Sample ID: 580-141296-15**

Date Collected: 06/18/24 09:55

Matrix: Water

Date Received: 06/19/24 12:29

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	13.2		1.00	0.390	ug/L			06/24/24 21:18	1
Ethylbenzene	0.734	J	1.00	0.500	ug/L			06/24/24 21:18	1
Xylenes, Total	31.3		2.00	0.530	ug/L			06/24/24 21:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	94		80 - 120		06/24/24 21:18	1
4-Bromofluorobenzene (Surr)	113		80 - 120		06/24/24 21:18	1
Dibromofluoromethane (Surr)	107		80 - 120		06/24/24 21:18	1
1,2-Dichloroethane-d4 (Surr)	99		80 - 120		06/24/24 21:18	1

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS - DL**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	273		10.0	2.40	ug/L			06/25/24 19:15	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	101		80 - 120		06/25/24 19:15	10
4-Bromofluorobenzene (Surr)	100		80 - 120		06/25/24 19:15	10
Dibromofluoromethane (Surr)	100		80 - 120		06/25/24 19:15	10
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		06/25/24 19:15	10

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1720		150	73.0	ug/L			06/24/24 21:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		77 - 123		06/24/24 21:18	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-307**

**Lab Sample ID: 580-141296-16**

Date Collected: 06/19/24 07:56

Matrix: Water

Date Received: 06/19/24 12:29

### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	49.8		10.0	2.40	ug/L			06/25/24 18:52	10
Toluene	16.4		10.0	3.90	ug/L			06/25/24 18:52	10
Ethylbenzene	67.9		10.0	5.00	ug/L			06/25/24 18:52	10
Xylenes, Total	41.6		20.0	5.30	ug/L			06/25/24 18:52	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	101		80 - 120		06/25/24 18:52	10
4-Bromofluorobenzene (Surr)	99		80 - 120		06/25/24 18:52	10
Dibromofluoromethane (Surr)	96		80 - 120		06/25/24 18:52	10
1,2-Dichloroethane-d4 (Surr)	90		80 - 120		06/25/24 18:52	10

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	2460		1500	730	ug/L			06/25/24 18:52	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		77 - 123		06/25/24 18:52	10

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	2300		210	95.5	ug/L		06/20/24 08:44	07/01/24 21:49	1
Motor Oil (>C24-C36)	ND		367	136	ug/L		06/20/24 08:44	07/01/24 21:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	56		50 - 150	06/20/24 08:44	07/01/24 21:49	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	3550		210	95.5	ug/L		06/20/24 08:44	06/28/24 13:16	1
Motor Oil (>C24-C36)	440		367	136	ug/L		06/20/24 08:44	06/28/24 13:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	49	S1-	50 - 150	06/20/24 08:44	06/28/24 13:16	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-308**

**Lab Sample ID: 580-141296-17**

**Date Collected: 06/19/24 08:03**

**Matrix: Water**

**Date Received: 06/19/24 12:29**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/25/24 18:06	1
Toluene	ND		1.00	0.390	ug/L			06/25/24 18:06	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/25/24 18:06	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/25/24 18:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	102		80 - 120		06/25/24 18:06	1
4-Bromofluorobenzene (Surr)	100		80 - 120		06/25/24 18:06	1
Dibromofluoromethane (Surr)	104		80 - 120		06/25/24 18:06	1
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		06/25/24 18:06	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	77.7	J	150	73.0	ug/L			06/25/24 18:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		77 - 123		06/25/24 18:06	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-309**  
**Date Collected: 06/18/24 08:10**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-18**  
**Matrix: Water**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/24/24 21:39	1
Toluene	ND		1.00	0.390	ug/L			06/24/24 21:39	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/24/24 21:39	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/24/24 21:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	92		80 - 120		06/24/24 21:39	1
4-Bromofluorobenzene (Surr)	118		80 - 120		06/24/24 21:39	1
Dibromofluoromethane (Surr)	110		80 - 120		06/24/24 21:39	1
1,2-Dichloroethane-d4 (Surr)	102		80 - 120		06/24/24 21:39	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	129	J	150	73.0	ug/L			06/24/24 21:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		77 - 123		06/24/24 21:39	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-310**

**Lab Sample ID: 580-141296-19**

Date Collected: 06/18/24 09:20

Matrix: Water

Date Received: 06/19/24 12:29

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	23.3		1.00	0.240	ug/L			06/27/24 23:15	1
Toluene	1.64		1.00	0.390	ug/L			06/27/24 23:15	1
Ethylbenzene	1.45		1.00	0.500	ug/L			06/27/24 23:15	1
Xylenes, Total	2.45		2.00	0.530	ug/L			06/27/24 23:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120		06/27/24 23:15	1
4-Bromofluorobenzene (Surr)	99		80 - 120		06/27/24 23:15	1
Dibromofluoromethane (Surr)	103		80 - 120		06/27/24 23:15	1
1,2-Dichloroethane-d4 (Surr)	92		80 - 120		06/27/24 23:15	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	1060		150	73.0	ug/L			06/27/24 23:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		77 - 123		06/27/24 23:15	1



# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-311**  
**Date Collected: 06/17/24 10:58**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-20**  
**Matrix: Water**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Benzene</b>	<b>0.662</b>	<b>J</b>	1.00	0.240	ug/L			06/20/24 23:38	1
<b>Toluene</b>	<b>1.86</b>		1.00	0.390	ug/L			06/20/24 23:38	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/20/24 23:38	1
<b>Xylenes, Total</b>	<b>0.853</b>	<b>J</b>	2.00	0.530	ug/L			06/20/24 23:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	97		80 - 120		06/20/24 23:38	1
<i>4-Bromofluorobenzene (Surr)</i>	115		80 - 120		06/20/24 23:38	1
<i>Dibromofluoromethane (Surr)</i>	112		80 - 120		06/20/24 23:38	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	104		80 - 120		06/20/24 23:38	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>TPH as Gasoline</b>	<b>3010</b>		150	73.0	ug/L			06/20/24 23:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>4-Bromofluorobenzene (Surr)</i>	115		77 - 123		06/20/24 23:38	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-312**  
 Date Collected: 06/18/24 11:05  
 Date Received: 06/19/24 12:29

**Lab Sample ID: 580-141296-21**  
 Matrix: Water

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	6.59		1.00	0.240	ug/L			06/24/24 22:21	1
Toluene	2.10		1.00	0.390	ug/L			06/24/24 22:21	1
Ethylbenzene	1.23		1.00	0.500	ug/L			06/24/24 22:21	1
Xylenes, Total	1.92	J	2.00	0.530	ug/L			06/24/24 22:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	102		80 - 120		06/24/24 22:21	1
4-Bromofluorobenzene (Surr)	97		80 - 120		06/24/24 22:21	1
Dibromofluoromethane (Surr)	95		80 - 120		06/24/24 22:21	1
1,2-Dichloroethane-d4 (Surr)	88		80 - 120		06/24/24 22:21	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	3610		150	73.0	ug/L			06/24/24 22:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		77 - 123		06/24/24 22:21	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-313**

**Lab Sample ID: 580-141296-22**

Date Collected: 06/18/24 08:45

Matrix: Water

Date Received: 06/19/24 12:29

### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/24/24 23:08	1
Toluene	ND		1.00	0.390	ug/L			06/24/24 23:08	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/24/24 23:08	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/24/24 23:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120		06/24/24 23:08	1
4-Bromofluorobenzene (Surr)	102		80 - 120		06/24/24 23:08	1
Dibromofluoromethane (Surr)	109		80 - 120		06/24/24 23:08	1
1,2-Dichloroethane-d4 (Surr)	95		80 - 120		06/24/24 23:08	1

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/24/24 23:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		77 - 123		06/24/24 23:08	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		205	93.5	ug/L		06/20/24 08:44	07/01/24 22:10	1
Motor Oil (>C24-C36)	ND		359	134	ug/L		06/20/24 08:44	07/01/24 22:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	59		50 - 150	06/20/24 08:44	07/01/24 22:10	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	99.2	J	205	93.5	ug/L		06/20/24 08:44	06/28/24 13:37	1
Motor Oil (>C24-C36)	150	J	359	134	ug/L		06/20/24 08:44	06/28/24 13:37	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	54		50 - 150	06/20/24 08:44	06/28/24 13:37	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-314**

**Lab Sample ID: 580-141296-23**

Date Collected: 06/19/24 08:50

Matrix: Water

Date Received: 06/19/24 12:29

### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.334	J	1.00	0.240	ug/L			06/27/24 21:20	1
Toluene	0.504	J	1.00	0.390	ug/L			06/27/24 21:20	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/27/24 21:20	1
<b>Xylenes, Total</b>	<b>0.569</b>	<b>J</b>	<b>2.00</b>	<b>0.530</b>	<b>ug/L</b>			<b>06/27/24 21:20</b>	<b>1</b>

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	99		80 - 120		06/27/24 21:20	1
4-Bromofluorobenzene (Surr)	98		80 - 120		06/27/24 21:20	1
Dibromofluoromethane (Surr)	98		80 - 120		06/27/24 21:20	1
1,2-Dichloroethane-d4 (Surr)	92		80 - 120		06/27/24 21:20	1

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	376		150	73.0	ug/L			06/27/24 21:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		77 - 123		06/27/24 21:20	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	632		205	93.1	ug/L		06/20/24 08:44	07/01/24 22:30	1
Motor Oil (>C24-C36)	ND		358	133	ug/L		06/20/24 08:44	07/01/24 22:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	59		50 - 150	06/20/24 08:44	07/01/24 22:30	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	1340		205	93.1	ug/L		06/20/24 08:44	06/28/24 13:58	1
Motor Oil (>C24-C36)	442		358	133	ug/L		06/20/24 08:44	06/28/24 13:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	56		50 - 150	06/20/24 08:44	06/28/24 13:58	1

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-315**

**Lab Sample ID: 580-141296-24**

Date Collected: 06/19/24 09:18

Matrix: Water

Date Received: 06/19/24 12:29

### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	17.4		1.00	0.240	ug/L			06/27/24 21:43	1
Toluene	3.40		1.00	0.390	ug/L			06/27/24 21:43	1
Ethylbenzene	0.941	J	1.00	0.500	ug/L			06/27/24 21:43	1
Xylenes, Total	2.29		2.00	0.530	ug/L			06/27/24 21:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		80 - 120		06/27/24 21:43	1
4-Bromofluorobenzene (Surr)	97		80 - 120		06/27/24 21:43	1
Dibromofluoromethane (Surr)	97		80 - 120		06/27/24 21:43	1
1,2-Dichloroethane-d4 (Surr)	90		80 - 120		06/27/24 21:43	1

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	4090		150	73.0	ug/L			06/27/24 21:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		77 - 123		06/27/24 21:43	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	2820		207	94.0	ug/L		06/20/24 08:50	07/01/24 16:08	1
Motor Oil (>C24-C36)	ND		361	134	ug/L		06/20/24 08:50	07/01/24 16:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	73		50 - 150	06/20/24 08:50	07/01/24 16:08	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	4490		207	94.0	ug/L		06/20/24 08:50	06/27/24 20:50	1
Motor Oil (>C24-C36)	408		361	134	ug/L		06/20/24 08:50	06/27/24 20:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	69		50 - 150	06/20/24 08:50	06/27/24 20:50	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: TX-03A**  
 Date Collected: 06/19/24 08:42  
 Date Received: 06/19/24 12:29

**Lab Sample ID: 580-141296-25**  
 Matrix: Water

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	152		10.0	2.40	ug/L			06/27/24 23:38	10
Toluene	7.90	J	10.0	3.90	ug/L			06/27/24 23:38	10
Ethylbenzene	ND		10.0	5.00	ug/L			06/27/24 23:38	10
<b>Xylenes, Total</b>	<b>6.29</b>	<b>J</b>	20.0	5.30	ug/L			06/27/24 23:38	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	99		80 - 120		06/27/24 23:38	10
4-Bromofluorobenzene (Surr)	100		80 - 120		06/27/24 23:38	10
Dibromofluoromethane (Surr)	102		80 - 120		06/27/24 23:38	10
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		06/27/24 23:38	10

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	2330		1500	730	ug/L			06/27/24 23:38	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		77 - 123		06/27/24 23:38	10

# Client Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: SH-04**

**Lab Sample ID: 580-141296-26**

Date Collected: 06/18/24 08:12

Matrix: Water

Date Received: 06/19/24 12:29

### Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	3.49		1.00	0.240	ug/L			06/24/24 22:44	1
Toluene	0.817	J	1.00	0.390	ug/L			06/24/24 22:44	1
Ethylbenzene	1.06		1.00	0.500	ug/L			06/24/24 22:44	1
Xylenes, Total	1.76	J	2.00	0.530	ug/L			06/24/24 22:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	102		80 - 120		06/24/24 22:44	1
4-Bromofluorobenzene (Surr)	98		80 - 120		06/24/24 22:44	1
Dibromofluoromethane (Surr)	93		80 - 120		06/24/24 22:44	1
1,2-Dichloroethane-d4 (Surr)	89		80 - 120		06/24/24 22:44	1

### Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	232		150	73.0	ug/L			06/24/24 22:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		77 - 123		06/24/24 22:44	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	401		201	91.4	ug/L		06/20/24 08:50	07/01/24 16:30	1
Motor Oil (>C24-C36)	138	J	352	131	ug/L		06/20/24 08:50	07/01/24 16:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	66		50 - 150	06/20/24 08:50	07/01/24 16:30	1

### Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	904		201	91.4	ug/L		06/20/24 08:50	06/27/24 21:11	1
Motor Oil (>C24-C36)	287	J	352	131	ug/L		06/20/24 08:50	06/27/24 21:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	67		50 - 150	06/20/24 08:50	06/27/24 21:11	1

# Client Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: TB-1**

**Lab Sample ID: 580-141296-27**

**Date Collected: 06/19/24 09:00**

**Matrix: Water**

**Date Received: 06/19/24 12:29**

**Method: SW846 8260D - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/27/24 17:06	1
<b>Toluene</b>	<b>1.06</b>		1.00	0.390	ug/L			06/27/24 17:06	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/27/24 17:06	1
<b>Xylenes, Total</b>	<b>1.39</b>	<b>J</b>	2.00	0.530	ug/L			06/27/24 17:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>Toluene-d8 (Surr)</i>	98		80 - 120		06/27/24 17:06	1
<i>4-Bromofluorobenzene (Surr)</i>	101		80 - 120		06/27/24 17:06	1
<i>Dibromofluoromethane (Surr)</i>	105		80 - 120		06/27/24 17:06	1
<i>1,2-Dichloroethane-d4 (Surr)</i>	94		80 - 120		06/27/24 17:06	1

**Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/27/24 17:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>4-Bromofluorobenzene (Surr)</i>	101		77 - 123		06/27/24 17:06	1



# QC Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8260D - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 580-462865/11**  
**Matrix: Water**  
**Analysis Batch: 462865**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		1.00	0.240	ug/L			06/20/24 20:46	1
Toluene	ND		1.00	0.390	ug/L			06/20/24 20:46	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/20/24 20:46	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/20/24 20:46	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	99		80 - 120		06/20/24 20:46	1
4-Bromofluorobenzene (Surr)	112		80 - 120		06/20/24 20:46	1
Dibromofluoromethane (Surr)	109		80 - 120		06/20/24 20:46	1
1,2-Dichloroethane-d4 (Surr)	106		80 - 120		06/20/24 20:46	1

**Lab Sample ID: LCS 580-462865/6**  
**Matrix: Water**  
**Analysis Batch: 462865**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	5.00	5.109		ug/L		102	80 - 122
Toluene	5.00	4.667		ug/L		93	80 - 120
Ethylbenzene	5.00	4.824		ug/L		96	80 - 120
Xylenes, Total	10.0	10.45		ug/L		104	80 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	97		80 - 120
4-Bromofluorobenzene (Surr)	112		80 - 120
Dibromofluoromethane (Surr)	109		80 - 120
1,2-Dichloroethane-d4 (Surr)	104		80 - 120

**Lab Sample ID: LCSD 580-462865/7**  
**Matrix: Water**  
**Analysis Batch: 462865**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	5.00	5.097		ug/L		102	80 - 122	0	14
Toluene	5.00	4.719		ug/L		94	80 - 120	1	13
Ethylbenzene	5.00	4.797		ug/L		96	80 - 120	1	14
Xylenes, Total	10.0	10.29		ug/L		103	80 - 120	2	16

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Toluene-d8 (Surr)	97		80 - 120
4-Bromofluorobenzene (Surr)	114		80 - 120
Dibromofluoromethane (Surr)	113		80 - 120
1,2-Dichloroethane-d4 (Surr)	105		80 - 120

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 580-463128/11**  
**Matrix: Water**  
**Analysis Batch: 463128**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		1.00	0.240	ug/L			06/24/24 18:07	1
Toluene	ND		1.00	0.390	ug/L			06/24/24 18:07	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/24/24 18:07	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/24/24 18:07	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	101		80 - 120		06/24/24 18:07	1
4-Bromofluorobenzene (Surr)	100		80 - 120		06/24/24 18:07	1
Dibromofluoromethane (Surr)	104		80 - 120		06/24/24 18:07	1
1,2-Dichloroethane-d4 (Surr)	92		80 - 120		06/24/24 18:07	1

**Lab Sample ID: LCS 580-463128/6**  
**Matrix: Water**  
**Analysis Batch: 463128**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Toluene	5.00	4.560		ug/L		91	80 - 120
Ethylbenzene	5.00	4.656		ug/L		93	80 - 120
Xylenes, Total	10.0	9.483		ug/L		95	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	100		80 - 120
Dibromofluoromethane (Surr)	101		80 - 120
1,2-Dichloroethane-d4 (Surr)	93		80 - 120

**Lab Sample ID: LCSD 580-463128/7**  
**Matrix: Water**  
**Analysis Batch: 463128**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	5.00	4.731		ug/L		95	80 - 120	4	13
Ethylbenzene	5.00	4.822		ug/L		96	80 - 120	4	14
Xylenes, Total	10.0	9.718		ug/L		97	80 - 120	2	16

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	102		80 - 120
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	101		80 - 120
1,2-Dichloroethane-d4 (Surr)	90		80 - 120

# QC Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 580-463129/11**  
**Matrix: Water**  
**Analysis Batch: 463129**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		1.00	0.240	ug/L			06/24/24 17:00	1
Toluene	ND		1.00	0.390	ug/L			06/24/24 17:00	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/24/24 17:00	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/24/24 17:00	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	92		80 - 120		06/24/24 17:00	1
4-Bromofluorobenzene (Surr)	116		80 - 120		06/24/24 17:00	1
Dibromofluoromethane (Surr)	106		80 - 120		06/24/24 17:00	1
1,2-Dichloroethane-d4 (Surr)	105		80 - 120		06/24/24 17:00	1

**Lab Sample ID: LCS 580-463129/6**  
**Matrix: Water**  
**Analysis Batch: 463129**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec Limits
		Result	Qualifier				
Benzene	10.0	10.32		ug/L		103	80 - 122
Toluene	10.0	9.454		ug/L		95	80 - 120
Ethylbenzene	10.0	9.923		ug/L		99	80 - 120
Xylenes, Total	20.0	20.35		ug/L		102	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	97		80 - 120
4-Bromofluorobenzene (Surr)	107		80 - 120
Dibromofluoromethane (Surr)	108		80 - 120
1,2-Dichloroethane-d4 (Surr)	103		80 - 120

**Lab Sample ID: LCSD 580-463129/7**  
**Matrix: Water**  
**Analysis Batch: 463129**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD LCSD		Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
		Result	Qualifier						
Benzene	10.0	10.31		ug/L		103	80 - 122	0	14
Toluene	10.0	9.238		ug/L		92	80 - 120	2	13
Ethylbenzene	10.0	9.533		ug/L		95	80 - 120	4	14
Xylenes, Total	20.0	20.35		ug/L		102	80 - 120	0	16

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	97		80 - 120
4-Bromofluorobenzene (Surr)	113		80 - 120
Dibromofluoromethane (Surr)	106		80 - 120
1,2-Dichloroethane-d4 (Surr)	104		80 - 120

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 580-463187/11**  
**Matrix: Water**  
**Analysis Batch: 463187**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		1.00	0.240	ug/L			06/25/24 14:38	1
Toluene	ND		1.00	0.390	ug/L			06/25/24 14:38	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/25/24 14:38	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/25/24 14:38	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	99		80 - 120		06/25/24 14:38	1
4-Bromofluorobenzene (Surr)	101		80 - 120		06/25/24 14:38	1
Dibromofluoromethane (Surr)	103		80 - 120		06/25/24 14:38	1
1,2-Dichloroethane-d4 (Surr)	92		80 - 120		06/25/24 14:38	1

**Lab Sample ID: LCS 580-463187/6**  
**Matrix: Water**  
**Analysis Batch: 463187**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Toluene	5.00	4.385		ug/L		88	80 - 120
Ethylbenzene	5.00	4.307		ug/L		86	80 - 120
Xylenes, Total	10.0	8.839		ug/L		88	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	102		80 - 120
4-Bromofluorobenzene (Surr)	99		80 - 120
Dibromofluoromethane (Surr)	100		80 - 120
1,2-Dichloroethane-d4 (Surr)	92		80 - 120

**Lab Sample ID: LCSD 580-463187/7**  
**Matrix: Water**  
**Analysis Batch: 463187**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	5.00	4.172		ug/L		83	80 - 120	5	13
Ethylbenzene	5.00	4.179		ug/L		84	80 - 120	3	14
Xylenes, Total	10.0	8.482		ug/L		85	80 - 120	4	16

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	100		80 - 120
1,2-Dichloroethane-d4 (Surr)	91		80 - 120

# QC Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 580-463470/11**  
**Matrix: Water**  
**Analysis Batch: 463470**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	ND		1.00	0.240	ug/L			06/27/24 16:42	1
Toluene	ND		1.00	0.390	ug/L			06/27/24 16:42	1
Ethylbenzene	ND		1.00	0.500	ug/L			06/27/24 16:42	1
Xylenes, Total	ND		2.00	0.530	ug/L			06/27/24 16:42	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	99		80 - 120		06/27/24 16:42	1
4-Bromofluorobenzene (Surr)	99		80 - 120		06/27/24 16:42	1
Dibromofluoromethane (Surr)	101		80 - 120		06/27/24 16:42	1
1,2-Dichloroethane-d4 (Surr)	93		80 - 120		06/27/24 16:42	1

**Lab Sample ID: LCS 580-463470/6**  
**Matrix: Water**  
**Analysis Batch: 463470**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Toluene	5.00	4.553		ug/L		91	80 - 120
Ethylbenzene	5.00	4.524		ug/L		90	80 - 120
Xylenes, Total	10.0	9.012		ug/L		90	80 - 120

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	97		80 - 120
Dibromofluoromethane (Surr)	97		80 - 120
1,2-Dichloroethane-d4 (Surr)	90		80 - 120

**Lab Sample ID: LCSD 580-463470/7**  
**Matrix: Water**  
**Analysis Batch: 463470**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	5.00	4.625		ug/L		93	80 - 120	2	13
Ethylbenzene	5.00	4.588		ug/L		92	80 - 120	1	14
Xylenes, Total	10.0	9.247		ug/L		92	80 - 120	3	16

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	100		80 - 120
4-Bromofluorobenzene (Surr)	98		80 - 120
Dibromofluoromethane (Surr)	100		80 - 120
1,2-Dichloroethane-d4 (Surr)	91		80 - 120

# QC Sample Results

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS)

**Lab Sample ID: MB 580-462866/11**  
**Matrix: Water**  
**Analysis Batch: 462866**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/20/24 20:46	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		77 - 123					06/20/24 20:46	1

**Lab Sample ID: LCS 580-462866/8**  
**Matrix: Water**  
**Analysis Batch: 462866**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
TPH as Gasoline	500	507.6		ug/L		102	55 - 148		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	112		77 - 123						

**Lab Sample ID: LCSD 580-462866/9**  
**Matrix: Water**  
**Analysis Batch: 462866**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
TPH as Gasoline	500	528.0		ug/L		106	55 - 148	4	10
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	114		77 - 123						

**Lab Sample ID: MB 580-462989/11**  
**Matrix: Water**  
**Analysis Batch: 462989**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/21/24 15:40	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		77 - 123					06/21/24 15:40	1

**Lab Sample ID: LCS 580-462989/8**  
**Matrix: Water**  
**Analysis Batch: 462989**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
TPH as Gasoline	500	510.8		ug/L		102	55 - 148		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	101		77 - 123						

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS) (Continued)

**Lab Sample ID: LCSD 580-462989/9**  
**Matrix: Water**  
**Analysis Batch: 462989**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
TPH as Gasoline	500	498.9		ug/L		100	55 - 148	2	10
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>						
4-Bromofluorobenzene (Surr)	102		77 - 123						

**Lab Sample ID: MB 580-463124/11**  
**Matrix: Water**  
**Analysis Batch: 463124**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/24/24 18:07	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	100		77 - 123					06/24/24 18:07	1

**Lab Sample ID: LCS 580-463124/8**  
**Matrix: Water**  
**Analysis Batch: 463124**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
TPH as Gasoline	500	507.6		ug/L		102	55 - 148		
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>						
4-Bromofluorobenzene (Surr)	98		77 - 123						

**Lab Sample ID: LCSD 580-463124/9**  
**Matrix: Water**  
**Analysis Batch: 463124**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
TPH as Gasoline	500	520.0		ug/L		104	55 - 148	2	10
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>						
4-Bromofluorobenzene (Surr)	98		77 - 123						

**Lab Sample ID: MB 580-463130/11**  
**Matrix: Water**  
**Analysis Batch: 463130**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/24/24 17:00	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	116		77 - 123					06/24/24 17:00	1

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS) (Continued)

**Lab Sample ID: LCS 580-463130/8**  
**Matrix: Water**  
**Analysis Batch: 463130**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
TPH as Gasoline	500	507.6		ug/L		102	55 - 148
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
4-Bromofluorobenzene (Surr)	111		77 - 123				

**Lab Sample ID: LCSD 580-463130/9**  
**Matrix: Water**  
**Analysis Batch: 463130**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
TPH as Gasoline	500	477.3		ug/L		96	55 - 148	6	10
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCSD Qualifier</b>	<b>Limits</b>						
4-Bromofluorobenzene (Surr)	110		77 - 123						

**Lab Sample ID: 580-141365-H-4 MS**  
**Matrix: Water**  
**Analysis Batch: 463130**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
TPH as Gasoline	ND		500	534.5		ug/L		107	55 - 148
<b>Surrogate</b>	<b>%Recovery</b>	<b>MS Qualifier</b>	<b>Limits</b>						
4-Bromofluorobenzene (Surr)	114		77 - 123						

**Lab Sample ID: 580-141365-I-4 MSD**  
**Matrix: Water**  
**Analysis Batch: 463130**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
TPH as Gasoline	ND		500	507.2		ug/L		102	55 - 148	5	10
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>	<b>Limits</b>								
4-Bromofluorobenzene (Surr)	115		77 - 123								

**Lab Sample ID: MB 580-463183/11**  
**Matrix: Water**  
**Analysis Batch: 463183**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
TPH as Gasoline	ND		150	73.0	ug/L			06/25/24 14:38	1	
<b>Surrogate</b>	<b>%Recovery</b>	<b>MB Qualifier</b>	<b>Limits</b>	<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>				
4-Bromofluorobenzene (Surr)	101		77 - 123		06/25/24 14:38	1				



# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS) (Continued)

**Lab Sample ID: LCS 580-463183/8**  
**Matrix: Water**  
**Analysis Batch: 463183**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
TPH as Gasoline	500	500.3		ug/L		100	55 - 148
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
4-Bromofluorobenzene (Surr)	98		77 - 123				

**Lab Sample ID: LCSD 580-463183/9**  
**Matrix: Water**  
**Analysis Batch: 463183**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
TPH as Gasoline	500	493.5		ug/L		99	55 - 148	1	10
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCSD Qualifier</b>	<b>Limits</b>						
4-Bromofluorobenzene (Surr)	96		77 - 123						

**Lab Sample ID: MB 580-463251/11**  
**Matrix: Water**  
**Analysis Batch: 463251**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/26/24 02:34	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>MB Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
4-Bromofluorobenzene (Surr)	102		77 - 123					06/26/24 02:34	1

**Lab Sample ID: LCS 580-463251/8**  
**Matrix: Water**  
**Analysis Batch: 463251**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
TPH as Gasoline	500	511.0		ug/L		102	55 - 148
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCS Qualifier</b>	<b>Limits</b>				
4-Bromofluorobenzene (Surr)	98		77 - 123				

**Lab Sample ID: LCSD 580-463251/9**  
**Matrix: Water**  
**Analysis Batch: 463251**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
TPH as Gasoline	500	493.5		ug/L		99	55 - 148	3	10
<b>Surrogate</b>	<b>%Recovery</b>	<b>LCSD Qualifier</b>	<b>Limits</b>						
4-Bromofluorobenzene (Surr)	97		77 - 123						

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Gx - Northwest - Volatile Petroleum Products (GC/MS) (Continued)

**Lab Sample ID: MB 580-463466/11**  
**Matrix: Water**  
**Analysis Batch: 463466**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
TPH as Gasoline	ND		150	73.0	ug/L			06/27/24 16:42	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		77 - 123					06/27/24 16:42	1

**Lab Sample ID: LCS 580-463466/8**  
**Matrix: Water**  
**Analysis Batch: 463466**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
TPH as Gasoline	500	508.9		ug/L		102	55 - 148
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	98		77 - 123				

**Lab Sample ID: LCSD 580-463466/9**  
**Matrix: Water**  
**Analysis Batch: 463466**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
TPH as Gasoline	500	510.7		ug/L		102	55 - 148	0	10
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	97		77 - 123						

## Method: 8270E SIM - Compuestos Orgánicos Semivolátiles (GCMS)

**Lab Sample ID: MB 580-463066/1-A**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Naphthalene	ND		0.500	0.163	ug/L		06/24/24 08:35	06/24/24 19:03	1
2-Methylnaphthalene	ND		0.200	0.0390	ug/L		06/24/24 08:35	06/24/24 19:03	1
1-Methylnaphthalene	ND		0.100	0.0330	ug/L		06/24/24 08:35	06/24/24 19:03	1
Acenaphthylene	ND		0.0500	0.00900	ug/L		06/24/24 08:35	06/24/24 19:03	1
Acenaphthene	ND		0.100	0.0140	ug/L		06/24/24 08:35	06/24/24 19:03	1
Fluorene	ND		0.100	0.0170	ug/L		06/24/24 08:35	06/24/24 19:03	1
Phenanthrene	ND		0.100	0.0370	ug/L		06/24/24 08:35	06/24/24 19:03	1
Anthracene	ND		0.100	0.0220	ug/L		06/24/24 08:35	06/24/24 19:03	1
Fluoranthene	ND		0.200	0.0540	ug/L		06/24/24 08:35	06/24/24 19:03	1
Pyrene	ND		0.100	0.0330	ug/L		06/24/24 08:35	06/24/24 19:03	1
Benzo[a]anthracene	ND		0.0500	0.0140	ug/L		06/24/24 08:35	06/24/24 19:03	1
Chrysene	ND		0.100	0.0370	ug/L		06/24/24 08:35	06/24/24 19:03	1
Benzo[b]fluoranthene	ND		0.100	0.0220	ug/L		06/24/24 08:35	06/24/24 19:03	1
Benzo[k]fluoranthene	ND		0.0500	0.0120	ug/L		06/24/24 08:35	06/24/24 19:03	1
Benzo[a]pyrene	ND		0.100	0.0220	ug/L		06/24/24 08:35	06/24/24 19:03	1
Indeno[1,2,3-cd]pyrene	ND		0.0500	0.0140	ug/L		06/24/24 08:35	06/24/24 19:03	1

Eurofins Seattle

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8270E SIM - Compuestos Orgánicos Semivolátiles (GCMS) (Continued)

**Lab Sample ID: MB 580-463066/1-A**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dibenz(a,h)anthracene	ND		0.100	0.0150	ug/L		06/24/24 08:35	06/24/24 19:03	1
Benzo[g,h,i]perylene	ND		0.0500	0.0120	ug/L		06/24/24 08:35	06/24/24 19:03	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
Terphenyl-d14	90		29 - 150				06/24/24 08:35	06/24/24 19:03	1

**Lab Sample ID: LCS 580-463066/2-A**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Naphthalene	8.00	5.428		ug/L		68	34 - 120
2-Methylnaphthalene	8.00	6.040		ug/L		75	33 - 120
1-Methylnaphthalene	8.00	5.260		ug/L		66	29 - 120
Acenaphthylene	8.00	6.212		ug/L		78	38 - 120
Acenaphthene	8.00	5.622		ug/L		70	33 - 120
Fluorene	8.00	6.194		ug/L		77	39 - 120
Phenanthrene	8.00	5.975		ug/L		75	46 - 120
Anthracene	8.00	6.240		ug/L		78	41 - 120
Fluoranthene	8.00	6.784		ug/L		85	51 - 125
Pyrene	8.00	6.493		ug/L		81	51 - 125
Benzo[a]anthracene	8.00	7.071		ug/L		88	55 - 123
Chrysene	8.00	5.326		ug/L		67	47 - 120
Benzo[b]fluoranthene	8.00	6.624		ug/L		83	43 - 120
Benzo[k]fluoranthene	8.00	5.840		ug/L		73	41 - 121
Benzo[a]pyrene	8.00	6.580		ug/L		82	51 - 120
Indeno[1,2,3-cd]pyrene	8.00	7.659		ug/L		96	45 - 123
Dibenz(a,h)anthracene	8.00	7.181		ug/L		90	54 - 123
Benzo[g,h,i]perylene	8.00	6.708		ug/L		84	45 - 120
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Terphenyl-d14	88		29 - 150				

**Lab Sample ID: LCSD 580-463066/3-A**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Naphthalene	8.00	5.018		ug/L		63	34 - 120	8	35
2-Methylnaphthalene	8.00	5.711		ug/L		71	33 - 120	6	35
1-Methylnaphthalene	8.00	4.947		ug/L		62	29 - 120	6	35
Acenaphthylene	8.00	5.850		ug/L		73	38 - 120	6	35
Acenaphthene	8.00	5.259		ug/L		66	33 - 120	7	35
Fluorene	8.00	5.810		ug/L		73	39 - 120	6	35
Phenanthrene	8.00	5.634		ug/L		70	46 - 120	6	32
Anthracene	8.00	5.905		ug/L		74	41 - 120	6	29
Fluoranthene	8.00	6.509		ug/L		81	51 - 125	4	31
Pyrene	8.00	6.249		ug/L		78	51 - 125	4	30

Eurofins Seattle

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8270E SIM - Compuestos Orgánicos Semivolátiles (GCMS) (Continued)

**Lab Sample ID: LCSD 580-463066/3-A**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	RPD Limit
							Limits	RPD		
Benzo[a]anthracene	8.00	6.789		ug/L		85	55 - 123	4	31	
Chrysene	8.00	5.141		ug/L		64	47 - 120	4	30	
Benzo[b]fluoranthene	8.00	6.380		ug/L		80	43 - 120	4	35	
Benzo[k]fluoranthene	8.00	5.618		ug/L		70	41 - 121	4	35	
Benzo[a]pyrene	8.00	6.322		ug/L		79	51 - 120	4	31	
Indeno[1,2,3-cd]pyrene	8.00	7.314		ug/L		91	45 - 123	5	35	
Dibenz(a,h)anthracene	8.00	6.913		ug/L		86	54 - 123	4	35	
Benzo[g,h,i]perylene	8.00	6.406		ug/L		80	45 - 120	5	35	
<b>LCSD LCSD</b>										
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>							
Terphenyl-d14	84		29 - 150							

**Lab Sample ID: 580-141388-B-3-A MS**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec	
									Limits	RPD
Acenaphthylene	0.758		8.68	6.849		ug/L		70	38 - 120	
Fluorene	8.56		8.68	13.71		ug/L		59	39 - 120	
Phenanthrene	0.306		8.68	6.087		ug/L		67	46 - 120	
Anthracene	ND		8.68	6.141		ug/L		71	41 - 120	
Fluoranthene	ND		8.68	6.602		ug/L		76	51 - 125	
Pyrene	ND		8.68	6.536		ug/L		75	51 - 125	
Benzo[a]anthracene	ND		8.68	7.550		ug/L		87	55 - 123	
Chrysene	ND		8.68	5.227		ug/L		60	47 - 120	
Benzo[b]fluoranthene	ND		8.68	6.342		ug/L		73	43 - 120	
Benzo[k]fluoranthene	ND		8.68	5.842		ug/L		67	41 - 121	
Benzo[a]pyrene	ND		8.68	6.781		ug/L		78	51 - 120	
Indeno[1,2,3-cd]pyrene	ND		8.68	7.852		ug/L		90	45 - 123	
Dibenz(a,h)anthracene	ND		8.68	7.282		ug/L		84	54 - 123	
Benzo[g,h,i]perylene	ND		8.68	6.746		ug/L		78	45 - 120	
<b>MS MS</b>										
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>							
Terphenyl-d14	81		29 - 150							

**Lab Sample ID: 580-141388-B-3-B MSD**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec	
									Limits	RPD
Acenaphthylene	0.758		8.14	6.481		ug/L		70	38 - 120	6
Fluorene	8.56		8.14	14.00		ug/L		67	39 - 120	2
Phenanthrene	0.306		8.14	5.901		ug/L		69	46 - 120	3
Anthracene	ND		8.14	5.825		ug/L		72	41 - 120	5
Fluoranthene	ND		8.14	6.326		ug/L		78	51 - 125	4
Pyrene	ND		8.14	6.277		ug/L		77	51 - 125	4
Benzo[a]anthracene	ND		8.14	7.104		ug/L		87	55 - 123	6
Chrysene	ND		8.14	4.931		ug/L		61	47 - 120	6

Eurofins Seattle

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: 8270E SIM - Compuestos Orgánicos Semivolátiles (GCMS) (Continued)

**Lab Sample ID: 580-141388-B-3-B MSD**  
**Matrix: Water**  
**Analysis Batch: 463142**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 463066**

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec		RPD	Limit
	Result	Qualifier		Result	Qualifier				Limits	RPD		
Benzo[b]fluoranthene	ND		8.14	6.431		ug/L		79	43 - 120	1		35
Benzo[k]fluoranthene	ND		8.14	5.119		ug/L		63	41 - 121	13		35
Benzo[a]pyrene	ND		8.14	6.359		ug/L		78	51 - 120	6		31
Indeno[1,2,3-cd]pyrene	ND		8.14	7.387		ug/L		91	45 - 123	6		35
Dibenz(a,h)anthracene	ND		8.14	6.885		ug/L		85	54 - 123	6		35
Benzo[g,h,i]perylene	ND		8.14	6.380		ug/L		78	45 - 120	6		35
<b>MSD MSD</b>												
<b>Surrogate</b>	<b>%Recovery</b>		<b>Qualifier</b>	<b>Limits</b>								
<i>Terphenyl-d14</i>	82			29 - 150								

## Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup

**Lab Sample ID: MB 580-462777/1-C**  
**Matrix: Water**  
**Analysis Batch: 463726**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 462777**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics (C10-C24)	ND		200	91.0	ug/L		06/20/24 08:44	07/01/24 16:51	1
Motor Oil (>C24-C36)	ND		350	130	ug/L		06/20/24 08:44	07/01/24 16:51	1
<b>MB MB</b>									
<b>Surrogate</b>	<b>%Recovery</b>		<b>Qualifier</b>	<b>Limits</b>		<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>	
<i>o-Terphenyl</i>	62			50 - 150		06/20/24 08:44	07/01/24 16:51	1	

**Lab Sample ID: LCS 580-462777/2-C**  
**Matrix: Water**  
**Analysis Batch: 463726**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 462777**

Analyte	Spike	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
Diesel Range Organics (C10-C24)	4000	3375		ug/L		84	50 - 120	
Motor Oil (>C24-C36)	4000	3561		ug/L		89	64 - 120	
<b>LCS LCS</b>								
<b>Surrogate</b>	<b>%Recovery</b>		<b>Qualifier</b>	<b>Limits</b>				
<i>o-Terphenyl</i>	100			50 - 150				

**Lab Sample ID: LCSD 580-462777/3-C**  
**Matrix: Water**  
**Analysis Batch: 463726**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 462777**

Analyte	Spike	LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
Diesel Range Organics (C10-C24)	4000	3413		ug/L		85	50 - 120	1		26
Motor Oil (>C24-C36)	4000	3561		ug/L		89	64 - 120	0		24
<b>LCSD LCSD</b>										
<b>Surrogate</b>	<b>%Recovery</b>		<b>Qualifier</b>	<b>Limits</b>						
<i>o-Terphenyl</i>	85			50 - 150						

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH with Silica Gel Cleanup (Continued)

**Lab Sample ID: MB 580-462778/1-B**  
**Matrix: Water**  
**Analysis Batch: 463726**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 462778**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		200	91.0	ug/L		06/20/24 08:50	07/01/24 15:04	1
Motor Oil (>C24-C36)	ND		350	130	ug/L		06/20/24 08:50	07/01/24 15:04	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	82		50 - 150				06/20/24 08:50	07/01/24 15:04	1

**Lab Sample ID: LCS 580-462778/2-B**  
**Matrix: Water**  
**Analysis Batch: 463726**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 462778**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (C10-C24)	4000	3165		ug/L		79	50 - 120
Motor Oil (>C24-C36)	4000	3286		ug/L		82	64 - 120
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
<i>o</i> -Terphenyl	78		50 - 150				

**Lab Sample ID: LCSD 580-462778/3-B**  
**Matrix: Water**  
**Analysis Batch: 463726**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 462778**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics (C10-C24)	4000	3396		ug/L		85	50 - 120	7	26
Motor Oil (>C24-C36)	4000	3534		ug/L		88	64 - 120	7	24
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
<i>o</i> -Terphenyl	85		50 - 150						

## Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx

**Lab Sample ID: MB 580-462777/1-A**  
**Matrix: Water**  
**Analysis Batch: 462968**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 462777**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24)	ND		200	91.0	ug/L		06/20/24 08:44	06/21/24 16:19	1
Motor Oil (>C24-C36)	ND		350	130	ug/L		06/20/24 08:44	06/21/24 16:19	1
Surrogate	%Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	59		50 - 150				06/20/24 08:44	06/21/24 16:19	1

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx (Continued)

**Lab Sample ID: LCS 580-462777/2-A**  
**Matrix: Water**  
**Analysis Batch: 462968**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 462777**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (C10-C24)	4000	3088		ug/L		77	50 - 120
Motor Oil (>C24-C36)	4000	3110		ug/L		78	64 - 120
<b>Surrogate</b>		<b>LCS %Recovery</b>	<b>LCS Qualifier</b>				<b>Limits</b>
<i>o-Terphenyl</i>		78					50 - 150

**Lab Sample ID: LCSD 580-462777/3-A**  
**Matrix: Water**  
**Analysis Batch: 462968**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 462777**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics (C10-C24)	4000	3259		ug/L		81	50 - 120	5	26
Motor Oil (>C24-C36)	4000	3245		ug/L		81	64 - 120	4	24
<b>Surrogate</b>		<b>LCSD %Recovery</b>	<b>LCSD Qualifier</b>				<b>Limits</b>		
<i>o-Terphenyl</i>		80					50 - 150		

## Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA

**Lab Sample ID: MB 580-462778/1-A**  
**Matrix: Water**  
**Analysis Batch: 463489**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 462778**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (C10-C24) - RA	ND		200	91.0	ug/L		06/20/24 08:50	06/27/24 19:49	1
Motor Oil (>C24-C36) - RA	ND		350	130	ug/L		06/20/24 08:50	06/27/24 19:49	1
<b>Surrogate</b>		<b>MB %Recovery</b>					<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
<i>o-Terphenyl - RA</i>		65					06/20/24 08:50	06/27/24 19:49	1

**Lab Sample ID: LCS 580-462778/2-A**  
**Matrix: Water**  
**Analysis Batch: 463489**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 462778**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (C10-C24) - RA	4000	3371		ug/L		84	50 - 120
Motor Oil (>C24-C36) - RA	4000	3253		ug/L		81	64 - 120
<b>Surrogate</b>		<b>LCS %Recovery</b>	<b>LCS Qualifier</b>				<b>Limits</b>
<i>o-Terphenyl - RA</i>		62					50 - 150

# QC Sample Results

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Method: NWTPH-Dx - Semi-Volatile Petroleum Products by NWTPH-Dx - RA (Continued)

**Lab Sample ID: LCSD 580-462778/3-A**  
**Matrix: Water**  
**Analysis Batch: 463489**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 462778**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Diesel Range Organics (C10-C24) - RA	4000	3363		ug/L		84	50 - 120	0		26
Motor Oil (>C24-C36) - RA	4000	3288		ug/L		82	64 - 120	1		24
<b>Surrogate</b>		<b>LCSD Result</b>	<b>LCSD Qualifier</b>				<b>Limits</b>			
<i>o</i> -Terphenyl - RA		79					50 - 150			

## Method: 6020B - Metals (ICP/MS)

**Lab Sample ID: MB 580-463143/10-A**  
**Matrix: Water**  
**Analysis Batch: 463282**

**Client Sample ID: Method Blank**  
**Prep Type: Total Recoverable**  
**Prep Batch: 463143**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Lead	ND		2.00	0.200	ug/L		06/24/24 16:51	06/25/24 10:50	5

**Lab Sample ID: LCS 580-463143/11-A**  
**Matrix: Water**  
**Analysis Batch: 463282**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total Recoverable**  
**Prep Batch: 463143**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Lead	1000	1022		ug/L		102	80 - 120			

**Lab Sample ID: LCSD 580-463143/12-A**  
**Matrix: Water**  
**Analysis Batch: 463282**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total Recoverable**  
**Prep Batch: 463143**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Lead	1000	1010		ug/L		101	80 - 120	1		20

**Lab Sample ID: 580-141296-2 MS**  
**Matrix: Water**  
**Analysis Batch: 463282**

**Client Sample ID: MW-104**  
**Prep Type: Total Recoverable**  
**Prep Batch: 463143**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
Lead	3.68		1000	1087		ug/L		108	80 - 120			

**Lab Sample ID: 580-141296-2 MSD**  
**Matrix: Water**  
**Analysis Batch: 463282**

**Client Sample ID: MW-104**  
**Prep Type: Total Recoverable**  
**Prep Batch: 463143**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
Lead	3.68		1000	1077		ug/L		107	80 - 120	1		20

**Lab Sample ID: 580-141296-2 DU**  
**Matrix: Water**  
**Analysis Batch: 463282**

**Client Sample ID: MW-104**  
**Prep Type: Total Recoverable**  
**Prep Batch: 463143**

Analyte	Sample Result	Sample Qualifier	Spike Added	DU Result	DU Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
Lead	3.68		1000	3.511		ug/L				5		20

Eurofins Seattle



# Lab Chronicle

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-05**  
**Date Collected: 06/17/24 12:02**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-1**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	462865	AA	EET SEA	06/20/24 21:07
Total/NA	Analysis	NWTPH-Gx		1	462866	AA	EET SEA	06/20/24 21:07
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 19:51
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 17:55

**Client Sample ID: MW-104**  
**Date Collected: 06/19/24 09:55**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-2**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	NWTPH-Gx		1	463251	AA	EET SEA	06/26/24 06:02
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 20:12
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 18:16
Total Recoverable	Prep	3005A			463143	MCMS	EET SEA	06/24/24 16:51
Total Recoverable	Analysis	6020B		5	463282	FCW	EET SEA	06/25/24 10:57

**Client Sample ID: MW-111**  
**Date Collected: 06/17/24 12:35**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-3**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	462865	AA	EET SEA	06/20/24 21:29
Total/NA	Analysis	NWTPH-Gx		1	462866	AA	EET SEA	06/20/24 21:29
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 20:33
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 18:37

**Client Sample ID: MW-112A**  
**Date Collected: 06/18/24 08:58**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-4**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463129	AA	EET SEA	06/24/24 22:22
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 22:22
Total/NA	Prep	3510C	RA		462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx	RA	1	463577	SW	EET SEA	06/28/24 12:34

# Lab Chronicle

Client: GHD Services Inc.  
 Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Client Sample ID: MW-112A

## Lab Sample ID: 580-141296-4

Date Collected: 06/18/24 08:58

Matrix: Water

Date Received: 06/19/24 12:29

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 18:58

## Client Sample ID: MW-113

## Lab Sample ID: 580-141296-5

Date Collected: 06/17/24 12:55

Matrix: Water

Date Received: 06/19/24 12:29

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		10	462865	AA	EET SEA	06/21/24 02:08
Total/NA	Analysis	NWTPH-Gx		1	462989	AA	EET SEA	06/21/24 22:17
Total/NA	Prep	3510C	RA		462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx	RA	1	463577	SW	EET SEA	06/28/24 12:55
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 19:20

## Client Sample ID: MW-114

## Lab Sample ID: 580-141296-6

Date Collected: 06/17/24 12:30

Matrix: Water

Date Received: 06/19/24 12:29

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	462865	AA	EET SEA	06/20/24 21:51
Total/NA	Analysis	NWTPH-Gx		1	462866	AA	EET SEA	06/20/24 21:51
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 21:57
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 19:41

## Client Sample ID: MW-115

## Lab Sample ID: 580-141296-7

Date Collected: 06/17/24 11:58

Matrix: Water

Date Received: 06/19/24 12:29

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	462865	AA	EET SEA	06/20/24 23:16
Total/NA	Analysis	NWTPH-Gx		1	462866	AA	EET SEA	06/20/24 23:16
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 22:18
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 20:24

# Lab Chronicle

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Client Sample ID: MW-202

Date Collected: 06/18/24 12:04

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 22:44
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 22:39
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 20:46

## Client Sample ID: MW-203

Date Collected: 06/18/24 11:48

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 19:53
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 23:00
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 21:07

## Client Sample ID: MW-213

Date Collected: 06/19/24 09:54

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463470	AA	EET SEA	06/27/24 22:06
Total/NA	Analysis	NWTPH-Gx		1	463466	AA	EET SEA	06/27/24 22:06
Total/NA	Prep	3510C			463066	JW	EET SEA	06/24/24 08:35
Total/NA	Analysis	8270E SIM		1	463142	CB	EET SEA	06/24/24 20:19
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 23:21
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 21:28

## Client Sample ID: MW-214

Date Collected: 06/19/24 09:23

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463187	AA	EET SEA	06/25/24 17:43
Total/NA	Analysis	NWTPH-Gx		1	463466	AA	EET SEA	06/27/24 19:24
Total/NA	Prep	3510C			463066	JW	EET SEA	06/24/24 08:35
Total/NA	Analysis	8270E SIM		1	463142	CB	EET SEA	06/24/24 20:44
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx		1	462968	SW	EET SEA	06/21/24 23:41

Eurofins Seattle

# Lab Chronicle

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Client Sample ID: MW-301

Date Collected: 06/18/24 10:31

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-12

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463129	AA	EET SEA	06/24/24 20:14
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 20:14

## Client Sample ID: MW-302

Date Collected: 06/18/24 09:48

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-13

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463129	AA	EET SEA	06/24/24 20:35
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 20:35

## Client Sample ID: MW-303

Date Collected: 06/18/24 10:35

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-14

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463129	AA	EET SEA	06/24/24 20:57
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 20:57

## Client Sample ID: MW-304

Date Collected: 06/18/24 09:55

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-15

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463129	AA	EET SEA	06/24/24 21:18
Total/NA	Analysis	8260D	DL	10	463187	AA	EET SEA	06/25/24 19:15
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 21:18

## Client Sample ID: MW-307

Date Collected: 06/19/24 07:56

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-16

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		10	463187	AA	EET SEA	06/25/24 18:52
Total/NA	Analysis	NWTPH-Gx		10	463183	AA	EET SEA	06/25/24 18:52
Total/NA	Prep	3510C	RA		462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx	RA	1	463577	SW	EET SEA	06/28/24 13:16
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 21:49

# Lab Chronicle

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Client Sample ID: MW-308

Date Collected: 06/19/24 08:03

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-17

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463187	AA	EET SEA	06/25/24 18:06
Total/NA	Analysis	NWTPH-Gx		1	463183	AA	EET SEA	06/25/24 18:06

## Client Sample ID: MW-309

Date Collected: 06/18/24 08:10

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463129	AA	EET SEA	06/24/24 21:39
Total/NA	Analysis	NWTPH-Gx		1	463130	AA	EET SEA	06/24/24 21:39

## Client Sample ID: MW-310

Date Collected: 06/18/24 09:20

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-19

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463470	AA	EET SEA	06/27/24 23:15
Total/NA	Analysis	NWTPH-Gx		1	463466	AA	EET SEA	06/27/24 23:15

## Client Sample ID: MW-311

Date Collected: 06/17/24 10:58

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-20

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	462865	AA	EET SEA	06/20/24 23:38
Total/NA	Analysis	NWTPH-Gx		1	462866	AA	EET SEA	06/20/24 23:38

## Client Sample ID: MW-312

Date Collected: 06/18/24 11:05

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-21

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463128	AA	EET SEA	06/24/24 22:21
Total/NA	Analysis	NWTPH-Gx		1	463124	AA	EET SEA	06/24/24 22:21

## Client Sample ID: MW-313

Date Collected: 06/18/24 08:45

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-22

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463128	AA	EET SEA	06/24/24 23:08
Total/NA	Analysis	NWTPH-Gx		1	463124	AA	EET SEA	06/24/24 23:08
Total/NA	Prep	3510C	RA		462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx	RA	1	463577	SW	EET SEA	06/28/24 13:37

# Lab Chronicle

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

**Client Sample ID: MW-313**  
**Date Collected: 06/18/24 08:45**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-22**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 22:10

**Client Sample ID: MW-314**  
**Date Collected: 06/19/24 08:50**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-23**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463470	AA	EET SEA	06/27/24 21:20
Total/NA	Analysis	NWTPH-Gx		1	463466	AA	EET SEA	06/27/24 21:20
Total/NA	Prep	3510C	RA		462777	JW	EET SEA	06/20/24 08:44
Total/NA	Analysis	NWTPH-Dx	RA	1	463577	SW	EET SEA	06/28/24 13:58
Total/NA	Prep	3510C			462777	JW	EET SEA	06/20/24 08:44
Total/NA	Cleanup	3630C			463768	SW	EET SEA	07/01/24 14:53
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 22:30

**Client Sample ID: MW-315**  
**Date Collected: 06/19/24 09:18**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-24**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463470	AA	EET SEA	06/27/24 21:43
Total/NA	Analysis	NWTPH-Gx		1	463466	AA	EET SEA	06/27/24 21:43
Total/NA	Prep	3510C	RA		462778	JW	EET SEA	06/20/24 08:50
Total/NA	Analysis	NWTPH-Dx	RA	1	463489	SW	EET SEA	06/27/24 20:50
Total/NA	Prep	3510C			462778	JW	EET SEA	06/20/24 08:50
Total/NA	Cleanup	3630C			463716	SW	EET SEA	07/01/24 11:25
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 16:08

**Client Sample ID: TX-03A**  
**Date Collected: 06/19/24 08:42**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-25**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		10	463470	AA	EET SEA	06/27/24 23:38
Total/NA	Analysis	NWTPH-Gx		10	463466	AA	EET SEA	06/27/24 23:38

**Client Sample ID: SH-04**  
**Date Collected: 06/18/24 08:12**  
**Date Received: 06/19/24 12:29**

**Lab Sample ID: 580-141296-26**  
**Matrix: Water**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463128	AA	EET SEA	06/24/24 22:44
Total/NA	Analysis	NWTPH-Gx		1	463124	AA	EET SEA	06/24/24 22:44

# Lab Chronicle

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Client Sample ID: SH-04

Date Collected: 06/18/24 08:12

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-26

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3510C	RA		462778	JW	EET SEA	06/20/24 08:50
Total/NA	Analysis	NWTPH-Dx	RA	1	463489	SW	EET SEA	06/27/24 21:11
Total/NA	Prep	3510C			462778	JW	EET SEA	06/20/24 08:50
Total/NA	Cleanup	3630C			463716	SW	EET SEA	07/01/24 11:25
Total/NA	Analysis	NWTPH-Dx		1	463726	SW	EET SEA	07/01/24 16:30

## Client Sample ID: TB-1

Date Collected: 06/19/24 09:00

Date Received: 06/19/24 12:29

## Lab Sample ID: 580-141296-27

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	463470	AA	EET SEA	06/27/24 17:06
Total/NA	Analysis	NWTPH-Gx		1	463466	AA	EET SEA	06/27/24 17:06

### Laboratory References:

EET SEA = Eurofins Seattle, 5755 8th Street East, Tacoma, WA 98424, TEL (253)922-2310

# Accreditation/Certification Summary

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

## Laboratory: Eurofins Seattle

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	4167	07-07-24
Washington	State	C788	07-13-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8270E SIM	3510C	Water	Acenaphthene
8270E SIM	3510C	Water	Acenaphthylene



# Sample Summary

Client: GHD Services Inc.  
Project/Site: Shell - 2555 13th Avenue 12631170

Job ID: 580-141296-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
580-141296-1	MW-05	Water	06/17/24 12:02	06/19/24 12:29
580-141296-2	MW-104	Water	06/19/24 09:55	06/19/24 12:29
580-141296-3	MW-111	Water	06/17/24 12:35	06/19/24 12:29
580-141296-4	MW-112A	Water	06/18/24 08:58	06/19/24 12:29
580-141296-5	MW-113	Water	06/17/24 12:55	06/19/24 12:29
580-141296-6	MW-114	Water	06/17/24 12:30	06/19/24 12:29
580-141296-7	MW-115	Water	06/17/24 11:58	06/19/24 12:29
580-141296-8	MW-202	Water	06/18/24 12:04	06/19/24 12:29
580-141296-9	MW-203	Water	06/18/24 11:48	06/19/24 12:29
580-141296-10	MW-213	Water	06/19/24 09:54	06/19/24 12:29
580-141296-11	MW-214	Water	06/19/24 09:23	06/19/24 12:29
580-141296-12	MW-301	Water	06/18/24 10:31	06/19/24 12:29
580-141296-13	MW-302	Water	06/18/24 09:48	06/19/24 12:29
580-141296-14	MW-303	Water	06/18/24 10:35	06/19/24 12:29
580-141296-15	MW-304	Water	06/18/24 09:55	06/19/24 12:29
580-141296-16	MW-307	Water	06/19/24 07:56	06/19/24 12:29
580-141296-17	MW-308	Water	06/19/24 08:03	06/19/24 12:29
580-141296-18	MW-309	Water	06/18/24 08:10	06/19/24 12:29
580-141296-19	MW-310	Water	06/18/24 09:20	06/19/24 12:29
580-141296-20	MW-311	Water	06/17/24 10:58	06/19/24 12:29
580-141296-21	MW-312	Water	06/18/24 11:05	06/19/24 12:29
580-141296-22	MW-313	Water	06/18/24 08:45	06/19/24 12:29
580-141296-23	MW-314	Water	06/19/24 08:50	06/19/24 12:29
580-141296-24	MW-315	Water	06/19/24 09:18	06/19/24 12:29
580-141296-25	TX-03A	Water	06/19/24 08:42	06/19/24 12:29
580-141296-26	SH-04	Water	06/18/24 08:12	06/19/24 12:29
580-141296-27	TB-1	Water	06/19/24 09:00	06/19/24 12:29









Therm. ID: 1A Cont: 4.3 Inc: 38  
Cooler Desc: None UPS: \_\_\_\_\_  
Packing: None No X Lab Cont: \_\_\_\_\_  
Cust. Seal: Yes \_\_\_\_\_ No X Other: CD  
Blue Ice: Not Dry, None

#1

Therm. ID: 1B Cont: 4.0 Inc: 35  
Cooler Desc: None UPS: \_\_\_\_\_  
Packing: None No X Lab Cont: \_\_\_\_\_  
Cust. Seal: Yes \_\_\_\_\_ No X Other: CD  
Blue Ice: Not Dry, None

#2

# Login Sample Receipt Checklist

Client: GHD Services Inc.

Job Number: 580-141296-1

**Login Number: 141296**

**List Number: 1**

**Creator: Prigge, Madison**

**List Source: Eurofins Seattle**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



# **Attachment 2**

**Data Quality Review Report**

# Data Verification Report

July 22, 2024

<b>To</b>	Emily Blakeway	<b>Project No.</b>	12631170
<b>Copy to</b>	Simón Villena, Wyatt Copeland	<b>DVR No.</b>	3
<b>From</b>	Jeffrey Cloud/eew	<b>Contact No.</b>	1 971 925 3756
<b>Project Name</b>	Equilon Enterprises LLC dba Shell Oil Products US	<b>Email</b>	Jeffrey.Cloud@ghd.com
<b>Subject</b>	Analytical Results and Data Verification of Report 580-141296-1 Quarterly Groundwater Sampling Triton West Consent Decree Seattle, Washington June 2024		

*The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.*

## 1. Introduction

This document details a data verification of analytical results for groundwater samples collected in support of the Quarterly Groundwater Sampling at the Triton West Consent Decree site in Seattle, Washington during June 2024. Samples were submitted to Eurofins Seattle, located in Tacoma, Washington. A sample collection and analysis summary is presented in Table 1. A summary of the analytical methodology is presented in Table 2. The validated analytical results are summarized in Table 3.

Standard GHD report deliverables were submitted by the laboratory. The analytical results and supporting quality assurance/quality control (QA/QC) data were assessed. Evaluation of the data was based on information obtained from the chain of custody forms, finished report forms, method blank data, laboratory duplicate data, recovery data from surrogate spikes, laboratory control data, matrix spikes and field QC data.

The QA/QC criteria by which these data have been assessed are outlined in the analytical methods referenced in Table 2 and applicable guidance from the documents entitled:

1. "National Functional Guidelines for Organic Superfund Methods Data Review", United States Environmental Protection Agency (USEPA) 540-R-20-005, November 2020
2. "National Functional Guidelines for Inorganic Superfund Methods Data Review", USEPA 542-R-20-006, November 2020

These items will subsequently be referred to as the "Guidelines" in this report.



## **2. Sample Holding Time and Preservation**

The sample holding time criteria and sample preservation requirements for the requested parameters are summarized in the methods. The sample chain of custody documents and analytical report were used to determine sample holding times. All samples were prepared and analyzed within the required holding times.

All sample containers were properly preserved, delivered on ice and stored by the laboratory at the required temperature (0-6°C).

## **3. Laboratory Method Blank Analyses**

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures.

For this study, laboratory method blanks were analyzed at a minimum frequency of one per analytical batch.

All method blank results were non-detect, indicating that laboratory contamination was not a factor for this investigation.

## **4. Surrogate Spike Recoveries**

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for organics are spiked with surrogate compounds prior to sample extraction and/or analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices.

All samples submitted for volatile organic compound (VOC), semi-volatile organic compound (SVOC), gasoline range organics (GRO) and diesel range organics (DRO)/motor oil range organics (ORO) analyses were spiked with the appropriate number of surrogate compounds prior to sample extraction and/or analysis.

Surrogate recoveries were assessed against the control limits. All surrogate recoveries met the associated criteria with the exception of two low DRO/ORO surrogate recoveries. The associated sample results were qualified as estimated due to the implied low bias (see Table 4).

## **5. Laboratory Control Sample Analyses**

Laboratory control samples (LCS)/laboratory control sample duplicates (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision.

For this study, LCS/LCSD were analyzed at a minimum frequency of one per analytical batch.

### **5.1 Organic Analyses**

The LCS/LCSD contained all analytes of interest. All LCS/LCSD recoveries and RPD values were within associated control limits, demonstrating acceptable analytical accuracy and precision.

### **5.2 Inorganic Analyses**

The LCS/LCSD contained all analytes of interest. LCS recoveries were assessed per the "Guidelines". All LCS/LCSD recoveries and RPD values were within the control limits, demonstrating acceptable analytical accuracy and precision.

## 6. Matrix Spike Analyses

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with a known concentration of the analyte of concern and analyzed as matrix spike (MS)/matrix spike duplicate (MSD) samples. The RPD between the MS and MSD is used to assess analytical precision. MS/MSD analyses were performed as specified in Table 1.

The MS/MSD samples were spiked with the analyte of interest and the results were evaluated using the "Guidelines". All percent recoveries and the RPD value were within the control limits, demonstrating acceptable analytical accuracy and precision.

## 7. Duplicate Sample Analyses

Analytical precision is evaluated based on the analysis of laboratory duplicate samples. For this study, one duplicate sample was prepared and analyzed by the laboratory as specified in Table 1. The duplicate results were evaluated per the "Guidelines". The duplicate analysis performed was acceptable, demonstrating acceptable analytical precision.

## 8. Field QA/QC Samples

The field QA/QC consisted of one trip blank sample.

To evaluate contamination from sample collection, transportation, storage, and analytical activities, one trip blank was submitted to the laboratory for analysis. All results were non-detect for the analytes of interest with the exception of two analytes present at low concentrations. The associated sample results with concentrations similar to the blank were qualified as non-detect due to contamination as evidenced by the blank (see Table 5).


## 9. Analyte Reporting

Data were reported down to the laboratory's quantitation limit (QL), which is defined as the method detection limit (MDL) with sample-specific adjustments for dilutions, aliquot size, volumes, etc. Positive analyte detections less than the reporting limit (RL) but greater than the QL were reported as estimated (J) in Table 3 unless qualified otherwise in this report. Non-detect results were presented as non-detect at the RL in Table 3.

## 10. Conclusion

Based on the assessment detailed in the foregoing, the summarized data are acceptable with the specific qualifications noted herein.

Regards



**Jeffrey Cloud**

Data Management Team – Data Validator

Table 1

**Sample Collection and Analysis Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters						Comments
					DRO/ORO	DRO/ORO w/sgc	GRO	Lead	VOCs	SVOCs	
MW-05	MW-05	Water	06/17/2024	12:02	X	X	X		X		
MW-104	MW-104	Water	06/19/2024	09:55	X	X	X	X		MS/MSD - DUP	
MW-111	MW-111	Water	06/17/2024	12:35	X	X	X		X		
MW-112A	MW-112A	Water	06/18/2024	08:58	X	X	X		X		
MW-113	MW-113	Water	06/17/2024	12:55	X	X	X		X		
MW-114	MW-114	Water	06/17/2024	12:30	X	X	X		X		
MW-115	MW-115	Water	06/17/2024	11:58	X	X	X		X		
MW-202	MW-202	Water	06/18/2024	12:04	X	X	X				
MW-203	MW-203	Water	06/18/2024	11:48	X	X	X				
MW-213	MW-213	Water	06/19/2024	09:54	X	X	X		X	X	
MW-214	MW-214	Water	06/19/2024	09:23	X		X		X	X	
MW-301	MW-301	Water	06/18/2024	10:31			X		X		
MW-302	MW-302	Water	06/18/2024	09:48			X		X		
MW-303	MW-303	Water	06/18/2024	10:35			X		X		
MW-304	MW-304	Water	06/18/2024	09:55			X		X		
MW-307	MW-307	Water	06/19/2024	07:56	X	X	X		X		
MW-308	MW-308	Water	06/19/2024	08:03			X		X		
MW-309	MW-309	Water	06/18/2024	08:10			X		X		
MW-310	MW-310	Water	06/18/2024	09:20			X		X		
MW-311	MW-311	Water	06/17/2024	10:58			X		X		
MW-312	MW-312	Water	06/18/2024	11:05			X		X		
MW-313	MW-313	Water	06/18/2024	08:45	X	X	X		X		
MW-314	MW-314	Water	06/19/2024	08:50	X	X	X		X		
MW-315	MW-315	Water	06/19/2024	09:18	X	X	X		X		

Table 1

**Sample Collection and Analysis Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

Sample Identification	Location	Matrix	Collection Date (mm/dd/yyyy)	Collection Time (hr:min)	Analysis/Parameters						Comments
					DRO/ORO	DRO/ORO w/sgc	GRO	Lead	VOCs	SVOCs	
SH-04	SH-04	Water	06/18/2024	08:12	X	X	X		X		
TX-03A	TX-03A	Water	06/19/2024	08:42			X		X		
TB-1	--	Water	06/19/2024	--			X		X	Trip Blank	

## Notes:

- DUP - Laboratory Duplicate
- MS/MSD - Matrix Spike/Matrix Spike Duplicate
- VOCs - Volatile Organic Compounds
- SVOCs - Semi-volatile Organic Compounds
- GRO - Gasoline Range Organics
- DRO/ORO - Diesel Range Organics/Motor Oil Range Organics
- w/sgc - With Silica Gel Cleanup
- "--" - Not Applicable

Table 2

**Analytical Methods**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

<b>Parameter</b>	<b>Method</b>	<b>Matrix</b>
Volatile Organic Compounds (VOCs)	SW-846 8260D <sup>(1)</sup>	Water
Semi-volatile Organic Compounds (SVOCs)	SW-846 8270E SIM <sup>(1)</sup>	Water
Gasoline Range Organics (GRO)	NWTPH-Gx <sup>(2)</sup>	Water
Diesel Range Organics (DRO)/Motor Oil Range Organics (ORO)	NWTPH-Dx <sup>(2)</sup>	Water
Lead	6020B <sup>(1)</sup>	Water

## Notes:

- (1) - SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions
- (2) - NWTPH - Referenced from "Washington State Department of Ecology Analytical Methods for Petroleum Hydrocarbons", Publication No. ECY 97-602, June 1997
- SIM - Selected Ion Monitoring

Table 3

**Analytical Results Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

<b>Location ID:</b>	<b>MW-05</b>	<b>MW-104</b>	<b>MW-111</b>	<b>MW-112A</b>	<b>MW-113</b>	<b>MW-114</b>	<b>MW-115</b>	<b>MW-202</b>	<b>MW-203</b>
<b>Sample Name:</b>	<b>MW-05</b>	<b>MW-104</b>	<b>MW-111</b>	<b>MW-112A</b>	<b>MW-113</b>	<b>MW-114</b>	<b>MW-115</b>	<b>MW-202</b>	<b>MW-203</b>
<b>Sample Date:</b>	<b>06/17/2024</b>	<b>06/19/2024</b>	<b>06/17/2024</b>	<b>06/18/2024</b>	<b>06/17/2024</b>	<b>06/17/2024</b>	<b>06/17/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>

<b>Parameters</b>	<b>Unit</b>									
<b>Volatile Organic Compounds</b>										
Benzene	µg/L	1.00 U	--	4.41	1.95	162	1.00 U	1.00 U	--	--
Ethylbenzene	µg/L	1.00 U	--	1.00 U	47.1	7.24 J	1.00 U	1.00 U	--	--
Toluene	µg/L	1.00 U	--	1.00 U	1.48	24.8	1.00 U	1.00 U	--	--
Xylenes (total)	µg/L	2.00 U	--	2.00 U	3.49	20.9	2.00 U	2.00 U	--	--
<b>Semi-volatile Organic Compounds, SIM</b>										
1-Methylnaphthalene	µg/L	--	--	--	--	--	--	--	--	--
2-Methylnaphthalene	µg/L	--	--	--	--	--	--	--	--	--
Acenaphthene	µg/L	--	--	--	--	--	--	--	--	--
Acenaphthylene	µg/L	--	--	--	--	--	--	--	--	--
Anthracene	µg/L	--	--	--	--	--	--	--	--	--
Benzo(a)anthracene	µg/L	--	--	--	--	--	--	--	--	--
Benzo(a)pyrene	µg/L	--	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	µg/L	--	--	--	--	--	--	--	--	--
Benzo(g,h,i)perylene	µg/L	--	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	µg/L	--	--	--	--	--	--	--	--	--
Chrysene	µg/L	--	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	µg/L	--	--	--	--	--	--	--	--	--
Fluoranthene	µg/L	--	--	--	--	--	--	--	--	--
Fluorene	µg/L	--	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)pyrene	µg/L	--	--	--	--	--	--	--	--	--
Naphthalene	µg/L	--	--	--	--	--	--	--	--	--

Table 3

**Analytical Results Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

<b>Location ID:</b>	<b>MW-05</b>	<b>MW-104</b>	<b>MW-111</b>	<b>MW-112A</b>	<b>MW-113</b>	<b>MW-114</b>	<b>MW-115</b>	<b>MW-202</b>	<b>MW-203</b>
<b>Sample Name:</b>	<b>MW-05</b>	<b>MW-104</b>	<b>MW-111</b>	<b>MW-112A</b>	<b>MW-113</b>	<b>MW-114</b>	<b>MW-115</b>	<b>MW-202</b>	<b>MW-203</b>
<b>Sample Date:</b>	<b>06/17/2024</b>	<b>06/19/2024</b>	<b>06/17/2024</b>	<b>06/18/2024</b>	<b>06/17/2024</b>	<b>06/17/2024</b>	<b>06/17/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>

<b>Parameters</b>	<b>Unit</b>									
<b>Semi-volatile Organic Compounds, SIM (Continued)</b>										
Phenanthrene	µg/L	--	--	--	--	--	--	--	--	--
Pyrene	µg/L	--	--	--	--	--	--	--	--	--
<b>Metals</b>										
Lead	µg/L	--	3.68	--	--	--	--	--	--	--
<b>Total Petroleum Hydrocarbons</b>										
Gasoline	µg/L	150 U	1200	150 U	1780	412	150 U	993	488	92.3 J
Motor oil	µg/L	224 J	856	199 J	644	1180 J-	286 J	1340	688	754
Total Petroleum Hydrocarbons - Extractable (DRO)	µg/L	122 J	1240	142 J	5300	3560 J-	118 J	4010	3430	397
Total Petroleum Hydrocarbons - Extractable (DRO) (Silica Gel)	µg/L	210 U	458	208 U	3600	1640	201 U	2520	1880	154 J
Total Petroleum Hydrocarbons - Motor Oil (Silica Gel)	µg/L	166 J	358 U	365 U	154 J	377 U	352 U	165 J	176 J	296 J

Table 3

**Analytical Results Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

<b>Location ID:</b>	<b>MW-213</b>	<b>MW-214</b>	<b>MW-301</b>	<b>MW-302</b>	<b>MW-303</b>	<b>MW-304</b>	<b>MW-307</b>	<b>MW-308</b>	<b>MW-309</b>
<b>Sample Name:</b>	<b>MW-213</b>	<b>MW-214</b>	<b>MW-301</b>	<b>MW-302</b>	<b>MW-303</b>	<b>MW-304</b>	<b>MW-307</b>	<b>MW-308</b>	<b>MW-309</b>
<b>Sample Date:</b>	<b>06/19/2024</b>	<b>06/19/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/19/2024</b>	<b>06/19/2024</b>	<b>06/18/2024</b>

<b>Parameters</b>	<b>Unit</b>									
<b>Volatile Organic Compounds</b>										
Benzene	µg/L	1.00 U	1.00 U	86.4	35.2	44.3	273	49.8	1.00 U	1.00 U
Ethylbenzene	µg/L	1.00 U	1.00 U	1.21	1.00 U	74.8	0.734 J	67.9	1.00 U	1.00 U
Toluene	µg/L	1.00 U	1.00 U	3.59	2.07	2.38	13.2	16.4 J+	1.00 U	1.00 U
Xylenes (total)	µg/L	2.00 U	2.00 U	8.96	4.79	9.29	31.3	41.6	2.00 U	2.00 U
<b>Semi-volatile Organic Compounds, SIM</b>										
1-Methylnaphthalene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
2-Methylnaphthalene	µg/L	0.212 U	0.202 U	--	--	--	--	--	--	--
Acenaphthene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Acenaphthylene	µg/L	0.0529 U	0.0504 U	--	--	--	--	--	--	--
Anthracene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Benzo(a)anthracene	µg/L	0.0529 U	0.0504 U	--	--	--	--	--	--	--
Benzo(a)pyrene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Benzo(b)fluoranthene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Benzo(g,h,i)perylene	µg/L	0.0529 U	0.0504 U	--	--	--	--	--	--	--
Benzo(k)fluoranthene	µg/L	0.0529 U	0.0504 U	--	--	--	--	--	--	--
Chrysene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Fluoranthene	µg/L	0.212 U	0.202 U	--	--	--	--	--	--	--
Fluorene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Indeno(1,2,3-cd)pyrene	µg/L	0.0529 U	0.0504 U	--	--	--	--	--	--	--
Naphthalene	µg/L	0.529 U	0.504 U	--	--	--	--	--	--	--



Table 3

**Analytical Results Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

<b>Location ID:</b>	<b>MW-213</b>	<b>MW-214</b>	<b>MW-301</b>	<b>MW-302</b>	<b>MW-303</b>	<b>MW-304</b>	<b>MW-307</b>	<b>MW-308</b>	<b>MW-309</b>
<b>Sample Name:</b>	<b>MW-213</b>	<b>MW-214</b>	<b>MW-301</b>	<b>MW-302</b>	<b>MW-303</b>	<b>MW-304</b>	<b>MW-307</b>	<b>MW-308</b>	<b>MW-309</b>
<b>Sample Date:</b>	<b>06/19/2024</b>	<b>06/19/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/19/2024</b>	<b>06/19/2024</b>	<b>06/18/2024</b>

<b>Parameters</b>	<b>Unit</b>									
<b>Semi-volatile Organic Compounds, SIM (Continued)</b>										
Phenanthrene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
Pyrene	µg/L	0.106 U	0.101 U	--	--	--	--	--	--	--
<b>Metals</b>										
Lead	µg/L	--	--	--	--	--	--	--	--	--
<b>Total Petroleum Hydrocarbons</b>										
Gasoline	µg/L	94.6 J	150 U	1440	659	2590	1720	2460	77.7 J	129 J
Motor oil	µg/L	349	368 U	--	--	--	--	440 J-	--	--
Total Petroleum Hydrocarbons - Extractable (DRO)	µg/L	288	210 U	--	--	--	--	3550 J-	--	--
Total Petroleum Hydrocarbons - Extractable (DRO) (Silica Gel)	µg/L	200 U	--	--	--	--	--	2300	--	--
Total Petroleum Hydrocarbons - Motor Oil (Silica Gel)	µg/L	349 U	--	--	--	--	--	367 U	--	--

Table 3

**Analytical Results Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

<b>Location ID:</b>	<b>MW-310</b>	<b>MW-311</b>	<b>MW-312</b>	<b>MW-313</b>	<b>MW-314</b>	<b>MW-315</b>	<b>SH-04</b>	<b>TX-03A</b>
<b>Sample Name:</b>	<b>MW-310</b>	<b>MW-311</b>	<b>MW-312</b>	<b>MW-313</b>	<b>MW-314</b>	<b>MW-315</b>	<b>SH-04</b>	<b>TX-03A</b>
<b>Sample Date:</b>	<b>06/18/2024</b>	<b>06/17/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/19/2024</b>	<b>06/19/2024</b>	<b>06/18/2024</b>	<b>06/19/2024</b>

<b>Parameters</b>	<b>Unit</b>								
<b>Volatile Organic Compounds</b>									
Benzene	µg/L	23.3	0.662 J	6.59	1.00 U	0.334 J	17.4	3.49	152
Ethylbenzene	µg/L	1.45	1.00 U	1.23	1.00 U	1.00 U	0.941 J	1.06	10.0 U
Toluene	µg/L	1.64	1.86	2.10	1.00 U	1.00 U	3.40	1.00 U	10.0 U
Xylenes (total)	µg/L	2.45	2.00 U	2.00 U	2.00 U	2.00 U	2.29	2.00 U	20.0 U
<b>Semi-volatile Organic Compounds, SIM</b>									
1-Methylnaphthalene	µg/L	--	--	--	--	--	--	--	--
2-Methylnaphthalene	µg/L	--	--	--	--	--	--	--	--
Acenaphthene	µg/L	--	--	--	--	--	--	--	--
Acenaphthylene	µg/L	--	--	--	--	--	--	--	--
Anthracene	µg/L	--	--	--	--	--	--	--	--
Benzo(a)anthracene	µg/L	--	--	--	--	--	--	--	--
Benzo(a)pyrene	µg/L	--	--	--	--	--	--	--	--
Benzo(b)fluoranthene	µg/L	--	--	--	--	--	--	--	--
Benzo(g,h,i)perylene	µg/L	--	--	--	--	--	--	--	--
Benzo(k)fluoranthene	µg/L	--	--	--	--	--	--	--	--
Chrysene	µg/L	--	--	--	--	--	--	--	--
Dibenz(a,h)anthracene	µg/L	--	--	--	--	--	--	--	--
Fluoranthene	µg/L	--	--	--	--	--	--	--	--
Fluorene	µg/L	--	--	--	--	--	--	--	--
Indeno(1,2,3-cd)pyrene	µg/L	--	--	--	--	--	--	--	--
Naphthalene	µg/L	--	--	--	--	--	--	--	--

Table 3

**Analytical Results Summary**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

<b>Location ID:</b>	<b>MW-310</b>	<b>MW-311</b>	<b>MW-312</b>	<b>MW-313</b>	<b>MW-314</b>	<b>MW-315</b>	<b>SH-04</b>	<b>TX-03A</b>
<b>Sample Name:</b>	<b>MW-310</b>	<b>MW-311</b>	<b>MW-312</b>	<b>MW-313</b>	<b>MW-314</b>	<b>MW-315</b>	<b>SH-04</b>	<b>TX-03A</b>
<b>Sample Date:</b>	<b>06/18/2024</b>	<b>06/17/2024</b>	<b>06/18/2024</b>	<b>06/18/2024</b>	<b>06/19/2024</b>	<b>06/19/2024</b>	<b>06/18/2024</b>	<b>06/19/2024</b>

<b>Parameters</b>	<b>Unit</b>								
<b>Semi-volatile Organic Compounds, SIM (Continued)</b>									
Phenanthrene	µg/L	--	--	--	--	--	--	--	--
Pyrene	µg/L	--	--	--	--	--	--	--	--
<b>Metals</b>									
Lead	µg/L	--	--	--	--	--	--	--	--
<b>Total Petroleum Hydrocarbons</b>									
Gasoline	µg/L	1060	3010	3610	150 U	376	4090	232	2330
Motor oil	µg/L	--	--	--	150 J	442	408	287 J	--
Total Petroleum Hydrocarbons - Extractable (DRO)	µg/L	--	--	--	99.2 J	1340	4490	904	--
Total Petroleum Hydrocarbons - Extractable (DRO) (Silica Gel)	µg/L	--	--	--	205 U	632	2820	401	--
Total Petroleum Hydrocarbons - Motor Oil (Silica Gel)	µg/L	--	--	--	359 U	358 U	361 U	138 J	--

Notes:

- U - Not detected at the associated reporting limit
- J - Estimated concentration
- J+ - Estimated concentration; implied high bias
- J- - Estimated concentration; implied low bias
- "--" - Not analyzed
- DRO - Diesel Range Organics
- SIM - Selected Ion Monitoring

**Table 4**

**Qualified Sample Data Due to Outlying of Surrogate Recoveries  
 Quarterly Groundwater Sampling  
 Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree  
 Seattle, Washington  
 June 2024**

Parameter	Sample ID	Surrogate	Surrogate	<u>Control Limits</u>	Analyte	Qualified Result	Units
			% Recovery	% Recovery			
TPH	MW-307	o-Terphenyl	49	50-150	Total Petroleum Hydrocarbons - Extractable (DRO)	3550 J-	µg/L
					Motor oil	440 J-	µg/L
	MW-113	o-Terphenyl	44	50-150	Total Petroleum Hydrocarbons - Extractable (DRO)	3560 J-	µg/L
					Motor oil	1180 J-	µg/L

Notes:

J- - Estimated concentration; implied low bias

TPH - Total Petroleum Hydrocarbons

Table 5

**Qualified Sample Data Due to Analyte Concentrations in the Trip Blanks**  
**Quarterly Groundwater Sampling**  
**Equilon Enterprises LLC dba Shell Oil Products US - Triton West Consent Decree**  
**Seattle, Washington**  
**June 2024**

Parameter	Blank Date (mm/dd/yyyy)	Analyte	Blank Result *	Associated Sample ID	Original Result	Qualified Result	Units
VOCs	06/19/2024	Toluene	10.6	MW-307	16.4	16.4 J+	µg/L
				TX-03A	7.90 J	10.0 U	µg/L
			1.06	MW-314	0.504 J	1.00 U	µg/L
				SH-04	0.817 J	1.00 U	µg/L
		Xylenes (total)	13.9 J	TX-03A	6.29 J	20.0 U	µg/L
					1.39 J	MW-311	0.853 J
				MW-312	1.92 J	2.00 U	µg/L
				MW-314	0.569 J	2.00 U	µg/L
				SH-04	1.76 J	2.00 U	µg/L

## Notes:

- \* - Blank result adjusted for sample factors where applicable
- U - Not detected at the associated concentration
- J - Estimated concentration
- J+ - Estimated concentration; implied high bias
- VOCs - Volatile Organic Compounds