



Budinger & Associates

Proudly serving the Inland Northwest since 1976

RECEIVED

APR 24 2023

1101 North Fancher Road
Spokane Valley, WA 99212
Tel: 509.535.8841
Fax: 509.535.9589

Dave Nagra
MHAR LLC
PO Box 665
Veradale, WA 99037

Department of Ecology
Eastern Washington Office

April 20, 2023

Project Number X03390
Report #43

PROJECT: Corner Express Texaco Groundwater Monitoring
Davenport, WA

SUBJECT: Results of Groundwater Sampling and Chemical Analysis

Dear Mr. Nagra,

As you requested, we performed sampling and chemical analysis of 5 monitoring wells and the remediation system at the former Corner Express Texaco facility in Davenport, Washington on March 30, 2023.

The wells were purged using a peristaltic pump until field parameters stabilized. Water quality parameters were measured using a calibrated in-line Aqua Troll 600 multi-meter. The samples were transferred to appropriate containers provided by the analytical laboratory and transported on ice, in a cooler and under chain of custody. Groundwater samples were analyzed for WTPH-G, BTEX and MTBE as required by the WSDOE Enforcement Order.

The test results are presented on the attached Laboratory Summary. The field parameters summary, laboratory reports, chain of custody form, and laboratory QA/QC data are attached.


If you have any questions regarding these results or need further assistance, please do not hesitate to contact us.

Respectfully Submitted:
BUDINGER & ASSOCIATES, INC.

Travis Stephens,
Staff Geologist

Stephen D. Burchett, PE
Principal Environmental Supervisor

*Budinger & Associates, Inc.
Geotechnical & Environmental Engineers
Construction Materials Testing & Special Inspection*



Corner Express Texaco, Davenport, WA - Field Parameters Summary

Well ID	Date Sampled	Depth of Well (ft)	Ground-water Depth (feet below Top of Case)	Dissolved Oxygen (mg/l)	Dissolved Oxygen %	Oxidation Reduction Potential (RE-DOX) (mV)	Specific Conductivity (mS/cm)	pH (pH unit)	Temperature (degrees F)
MW-2(Dup)	3/30/2023	22.77	7.70	0.01	0.05	-320.7	1084.4	7.10	51.9
MW-13	3/30/2023	25.98	8.29	0.11	1.15	-52.2	1356.7	6.63	53.2
West Sump	3/30/2023	12.66	5.56	0.18	1.71	-241.1	1705.9	7.20	47.0
MW-8	3/30/2023	24.74	8.62	0.07	0.74	-238.7	1336.4	6.96	52.9
MW-30	3/30/2023	19.79	6.15	0.18	1.80	49.2	2488.6	6.70	51.3
MW-5	3/30/2023	11.26	2.04	0.06	0.51	-244.0	1419.0	7.42	42.9
* = Readings innacurate due to meter malfunction									

FIGURE 2

Sample I.D. BGS Elev.	Sample Date	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	TPH- Gasoline (ppb)	TPH- Diesel (ppb)	TPH- 418.1 (ppb)	Total Lead (ppb)	MTBE (ppb)	WTE (feet)
MTCA Method A Cleanup Levels:		5	1000	700	1000	800	1,000	1,000	5	20	
MW-2 2389.5	6/21/01	212	73.2	538	1,410	18,400				126	
	6/24/01	133	55.8	791	1,570	19,500				93.9	2377.30
	6/24/01									62.6	
	6/24/01									73.2	
	02/18/03	55	40	250	1,580	13,000				14	
	02/18/03	73	42	300	1,470					19	
	07/07/03	80	39	500	663	8,200				19	2379.00
	08/23/03	100	32	170	394	2,700				<1	2377.00
	11/17/03	92	46	820	2,090	11,000				16	2375.60
	03/31/04	44	29	430	1,080	15,000				5	2380.08
	07/07/04	12	7	140	315	1,500				2	2379.80
	11/22/04	30	23	720	1,380	8,800				<5	2375.50
	03/11/05	36	25.0	780ve	1,090	15,000				8	
	03/11/05	46	30	910	1,240					<10	2376.72
	05/19/05	27	18	270	740	12,000				<5	2378.50
	12/23/05	140	58	340ve	710ve	5,400				2.5	
	12/23/05	150	65	440	900					<5	2376.10
	03/16/06	44	41	130	399ve	7,500				<1	
	03/16/06	<10	<10	150	476					<10	2383.60
	06/21/06	76	78	300ve	636ve	9,000				<1	
	06/21/06	<40	<40	340	810					<40	2383.00
	09/28/06	5	4	200ve	359ve	7,900				<1	
	09/28/06	<10	<10	210	400					<10	2379.90
	12/12/06	14	14	390ve	980ve	16,000				<1	
	12/12/06	15	14	660	1,240					<10	2369.80
	04/17/07	16	16	480ve	830ve	15,000				<1	
	04/17/07	17	16	650	1,250					<10	2371.90
	07/16/07	10	7.4	270ve	465ve					<1	
	07/16/07	11	<10	320	552	9,800				<10	2380.30
	10/29/07	16	11	490ve	685	15,000				1.7	
	10/29/07	16	12	640	933					<10	2376.89
	04/11/08	11	<10	350	659	12,000				<10	2381.48
	10/23/08	17	<10	290	297	5,100				<10	2376.25
	11/16/09	9	11	380	620	6,900				<10	2376.40
	04/30/10	2	2	180ve	230ve	3,400				<1	2380.90
	09/07/10	5	<10	250	328	9,000				<10	2380.90
	03/31/11	4	6	400	572	10,000				<1	2380.90
	11/23/11	5	<10	470	521	10,000				<10	2380.40
	03/20/12	<0.35	<1	3	26	1,800				<1	2379.70
	10/03/12	<0.35	<1	<1	5.4	430				<1	
	03/29/13	<1	3	<1	9	600				<1	2382.46
	10/03/13	1	<1	130	153	7,500				<1	2377.25
	03/21/14	<0.35	<1	<1	3	690				<1	2381.37
	09/03/14	<0.75	<1	110	120	3,300				<1	2378.20
	03/25/15	0	<1	120	142	5,000				<1	2381.30
Duplicate (MW-20)	03/25/15	1	1	140	184	4,500				<1	2381.30
	09/21/15	0.72	<1	62	91	3,600				<1	2377.06
	03/24/16	0	<1	66	108	5,500				<1	2384.80
Duplicate (MW-273)	03/24/16	0.65	<1	110	162	5,900				<1	2384.80
	04/25/17	1.40	<1	28	36	1,100				<1	2386.52
Duplicate (MW-273)	04/25/17	1.10	<1	20	31	1,200				<1	-
	06/28/17	1.96	1.2	19	18	3,430				<1	2382.80
	03/13/18	2.29	<1	12	10	776				<1	2383.87
	09/20/18	8.29	3.7	56	37	5,540				5.14	2380.06
	03/18/19	<1	1.0	1.2	<5.08	812				<1	2381.54
	09/20/19	12.20	2.48	89.2	39.4	3,170				<1	2379.22
	03/18/20	5.93	1.20	18.3	6.09	2,250				<1	2381.69
Duplicate	03/18/20	5.89	1.09	17.8	5.99	1,970				<1	2381.69
	09/17/20	28.0	1.48	98.1	26.46	3,900				<1	2377.41
	03/03/21	13.7	3.66	101.0	29.66	4,590				<1	2380.99
	09/21/21	32.0	3.54	273.0	162.50	9,020				<1	2376.45
	05/04/22	<1	1.37	72.5	23.74	4,530				<1	2379.88
	10/11/22	13.0	1.62	<1	99.85	14,000				<1	2376.78
	03/30/23	7.00	<5.00	55.5	11.00	3,400				<5.00	2381.80
Duplicate	03/30/23	7.44	<5.00	50.0	11.81	2,660				<0.500	

Sample +A1:A49I.D. BGS Elev.	Sample Date	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	TPH- Gasoline (ppb)	TPH- Diesel (ppb)	TPH- 418.1 (ppb)	Total Lead (ppb)	MTBE (ppb)	WTE (feet)
MTCA Method A Cleanup Levels:		5	1000	700	1000	800	1,000	1,000	5	20	
MW-5 2388.2	06/24/01	226	83	570	1,460	20,900				69.2	2,385.1
	10/17/01	513	124	719	1,340	15,700				241	2,383.3
	02/18/03	72	41	410	1,110	7,100				2	
	02/18/03	140	57	350	1,310					<20	
	11/17/03	110	29	160	353	8,600				6	2,383.7
	03/31/04	270	1,300	410	1,610	8,600				2	2,385.3
	07/07/04	140	340	230	900	6,100				7	2,384.8
	11/22/04	86	160	300	900	7,600				4	2,383.3
	03/11/05	80	100	470ve	1090ve	14,000				3	
	03/11/05	110	120	560	1,240					<10	2,384.0
	05/19/05	67	68	310ve	660	11,000				<2	
	05/19/05	70	72	350	700					<20	2,385.2
	12/23/05	350ve	12	8.9	10.1	2,500				17	2,375.1
	12/23/05	410	<20	<20	<20					<20	
	03/16/06	40	40	280ve	570ve	12000ve				<1	
	03/16/06	47	42	350	660	12,000				<10	2,385.9
	06/21/06	62	36	300ve	560ve	8,100				<1	
	06/21/06	69	40	340	660					<10	2,384.9
	09/28/06	200	48	430	740	13,000				<10	2,383.9
	12/12/06	62	31	390ve	690ve	12,000				<1	
	12/12/06	64	29	430	630					<10	2,384.5
	04/17/07	53	30	380	680	13,000				<10	2,385.2
	07/16/07	150	49	360ve	620ve					4.1	
	07/16/07	170	54	480	810	17,000				<10	2,384.6
	10/29/07	100	44	390ve	620	13,000				2.9	
	10/29/07	110	48	470	720					<10	2,383.5
	04/11/08	31	23	350	550	11,000				<10	2,385.5
	10/23/08	110	32	390	530	9,400				<10	2,383.8
	11/16/09	58	22	390	516	8,400				<10	2,384.9
	04/30/10	600	1200	380	840	13,000				<10	2,385.8
	09/07/10	410	470	430	660	12,000				<100	2,384.3
	03/31/11	390	150	410	690	13,000				<1	-2.4
	11/23/11	220	51	300	352	9,100				<10	2,384.6
	03/20/12	140	36	300	353	8,900				<10	2,385.8
	10/03/12	140	26	310	175	6,300				<10	
	03/29/13	180	64	370	350	9,100				<10	2385.28
	10/03/13	190	31	380	282	7,800				<10	2384.30
	03/21/14	190	37	390	376	9,400				<11	2385.52
	03/21/14	190	38	430	412						
	09/03/14	69	14	210	154					<10	2384.65
	09/03/14	100	20	300ve	220	8,300				<10	2384.65
	03/25/15	79	23	390	306	9,100				<10	2385.35
	09/21/15	130	23	390	218	8,100				1.30	
	09/21/15	130	23	390	218	8,000				1.30	2382.37
	03/24/16	26	9.7	120	180	7,600				<1	2385.82
	04/25/17	42	14	320	215	8,300				<1	
	04/25/17	39	13	270	201	-				<10	
	09/28/17	80.5	17	294	136	9,020				<1	2385.69
	03/13/18	77.7	29.2	377	218.5	14,600				21.90	2386.41
	09/20/18	124	20.8	343	120.6	10,200				<5	2384.41
	03/18/19	227	45.8	335	233.5	7,410				<10	2384.68
Duplicate	03/18/19	202	27.3	320	157	7,250				<1	2384.68
	09/20/19	110	20.2	330	99.0	6,090				<1	2385.41
	03/18/20	55.5	11.8	229	92.5	6,030				<1	2386.29
	09/17/20	101	13.7	297	78.3	4,970				<1	2384.06
Duplicate	03/03/21	51.5	11.9	248	107.0	3,640				<1	2385.80
	09/21/21	125	26.9	281	72.6	4,310				<1	2384.39
	09/21/21	131	27.3	312	74.7	4,980				<1	2384.39
	05/04/22	34.8	5.27	180	84.8	4,410				<1	2385.82
	10/11/22	70.3	13.4	305	76.5	9,400				<1	2384.17
	03/30/23	39.0	12.8	312	128.4	6,200				<5	2386.16

Sample I.D. BGS Elev.	Sample Date	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	TPH- Gasoline (ppb)	TPH- Diesel (ppb)	TPH- 418.1 (ppb)	Total Lead (ppb)	MTBE (ppb)	WTE (feet)
MTCA Method A Cleanup Levels:		5	1000	700	1000	800	1,000	1,000	5	20	
MW-8 2386.95	06/21/01	588	27	31	33	4,180				65.2	2376.20
	06/21/01									<10	
	10/17/01	431	27	20	42	2,550				55.8	2373.90
	02/18/03	440	9	5	9	1,900				15	
	07/08/03	710	24	28	22	3,800				24	2374.20
	11/17/03	410	7	4	2	3,000				16	2373.90
	03/31/04	680	11	12	8	2,700				15	2377.52
	07/07/04	390	25	33	22	1,700				23	2376.60
	11/22/04	830	23	15	12	5,900				23	2373.57
	03/11/05	570ve	11	9	10	4,800				26	
	03/11/05	690	15	12	<30					30	2374.90
	05/19/05	520	14	11	<15	3,800				21	2376.00
	12/23/05	370ve	12	9.3	10.3	2,700				16	2373.30
	12/23/05	430	13	<10	<20	<10				17	
	03/16/06	330ve	11	9.9	11.7	2,800				11	
	03/16/06	420	12	<10	<30					12	2379.60
	06/21/06	580ve	21	13	19.7	2,800				17	
	06/21/06	550	18	12	<30					16	2378.50
	09/28/06	570ve	15	6	12	3,600				12	
	09/28/06	660								12	2378.60
	12/12/06	620ve	14	6	11	4,600				9.1	
	12/12/06	630	12	<10	<30					12	2376.60
	04/17/07	450ve	13	8	12	3,400				14	
	04/17/07	540	13	<10	<30					15	2378.40
	07/16/07	700ve	26	19	25.9	7,200				23	
	07/16/07	870	27	20	<32					23	2377.19
	10/29/07	540ve	14	4	10	4700				16js	
	10/29/07	620	15	<10	<30					17	2375.06
	04/11/08	400ve	9	5	6.7	4,500				16	2377.96
	10/23/08	560ve	21	6	13.6	5,600				21	2374.28
	10/23/08	750	22	<10	<30					20	2374.28
	11/16/09	470ve	16	4.7	14.3	5,400				18	2375.00
	11/16/09	630	16	<10	<30	5,400				20	2375.00
	04/30/10	520ve	16	13.0	14.9	5,800				14	2377.20
	04/30/10	560	15	12.0	<30	5,800				15	
	06/07/10	570	21	13.0	<30	5,100				16	-11.53
	03/31/11	250	9	5	8	2,100				12	-7.51
	11/23/11	630	18	<10	<30	4,900				18	2374.72
	03/20/12	240	<10	<10	<30	3,300				<10	2376.00
	10/03/12	56	3.8	3	6	2,600				4.2	
	03/29/13	380	26	20	<30	4,200				<10	2378.17
	10/03/13	69	3	3	4.6	3,800				<1	2374.20
	03/21/14	110	1.4	<1	<3	2,100				9	2376.47
	09/03/14	540	18	18	<30					17.0	2375.10
	09/03/14	450ve	16	17	18.2	4,500				15.0	2

Sample I.D. BGS Elev.	Sample Date	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	TPH- Gasoline (ppb)	TPH- Diesel (ppb)	TPH- 418.1 (ppb)	Total Lead (ppb)	MTBE (ppb)	WTE (feet)
MTCA Method A Cleanup Levels:		5	1000	700	1000	800	1,000	1,000	5	20	
MW-13 2390.1	06/24/01	163	82.9	321	1,240	12,200				58.8	2379.60
	06/24/01	185	98.0	372	1,430	14,000				74.6	2379.60
	10/17/01	116	72.1	371	2,050	20,700				93.5	2375.00
	11/02/01	206	148	826	4,240	44,500					2374.80
	07/07/03	86	27	160	286	3,100				2	2378.50
	11/17/03	52	8	63	60	2,300				<1	2375.60
	03/31/04	120	37	100	710	3,600				<1	2380.10
	07/07/04	86	32	110	313	1,500				<1	2378.80
	11/22/04	71	31	210	480	8,700				3	2375.62
	03/11/05	70	35	350ve	690	9,500				2.0	
	03/11/05	97	45	390	750						2377.09
	05/19/05	68	27	85	321	4,800				<2	2378.60
	12/23/05	140	60	350ve	730ve	5,000				2.5	2377.20
	12/23/05	140	58	400	810					<10	
	03/16/06	62	21	66	226	3,700				<1	2383.40
	06/21/06	43	14	47	168	2,600				<1	2381.80
	09/28/06	47	10	40	59	2,300				<1	2379.40
	12/12/06	39	9.4	56	98	2,200				<1	2378.75
	04/17/07	27	9.9	22	158	2,900				<1	2381.70
	07/16/07	41	18	69	170	3,100				<1	2379.91
	10/29/07	40	10	100	121	2,800				<1	2377.06
	04/11/08	35	16	31	190	2,800				<1	2380.81
	10/23/08	46	13	120	136	2,200				<1	2377.10
	11/16/09	43	10	78	172	2,300				<1	2377.20
	04/30/10	23	3.4	7.3	46	1,700				<1	2380.60
	09/07/10	26	3.0	8.2	33	1,400				<2	2378.16
	03/31/11	50	21	58	296	4,300				<1	-6.32
	11/23/11	69	28	68	322	6,600				<1	2377.60
	03/20/12	23	17	8.7	412ve	6,800				<1	2378.30
	03/20/12	23	17	10	412	6,800				<10	2378.30
	10/03/12	52	8.3	2.8	129	1,900				<1	
	03/29/13	6	4.8	<1	26	1,600				<1	2381.29
	10/03/13	32	22	125	632ve	6,800				<11	2377.75
	03/21/14	4.6	5.3	20	267	7,900				<1	2379.62
	09/03/14	8.3	4.2	4.6	91	2,800				<1	2378.55
	03/25/15	4.4	2.8	3	113	3,700				<1	2380.57
	09/21/15	21	9.9	14	147	6,400				<1	2377.05
	03/24/16	2.5	<1	<1	15.4	1,400				<1	2384.38
	04/25/17	6.7	5.5	30	147	5,200				<1	2387.14
	09/28/17	4.76	1.77	6.08	23.4	1,180				<1	2381.65
	MW-13 Duplicate	09/28/17	15.6	5.77	36.7	139.1	4,870			<1	2381.65
		03/13/18	6.66	2.91	23.8	56.7	1,660			<1	2383.97
		09/20/18	4.75	3.38	15.1	47.79	2,350			<5	2380.22
	Not Tested	03/18/19									
		09/20/19	17.6	7.39	84.8	147.2	3,710			<1	2378.99
	Duplicate	09/20/19	21.4	6.53	87.5	173.8	4,440			<1	
		03/18/20	2.89	1.49	6.0	14.46	1,210			<1	2382.29
		03/18/20	2.89	1.49	6.0	14.46	1,210			<1	2382.29
		09/17/20	24.2	12.2	240	484.6	7,400			<1	2378.29
		03/03/21	2.12	2.68	1.9	49	3,060			11.90	2381.76
		09/21/21	54.9	16.1	295	490.1	12,300			<1	2376.46
		05/04/22	<1	1.17	<1	39.88	3,000			<1	2380.40
	Duplicate	05/04/22	<1	1.14	<1	40.56	3,100			<1	2380.40
		10/11/22	21.0	8.26	131	228.4	14,000			<1	2376.90
	Duplicate	10/11/22	18.7	6.55	163	284	15,700			<1	2376.90
		03/30/23	<2.50	<2.50	<2.50	17	2,300			<2.50	2381.81

Sample I.D. BGS Elev.	Sample Date	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	TPH- Gasoline (ppb)	TPH- Diesel (ppb)	TPH- 418.1 (ppb)	Total Lead (ppb)	MTBE (ppb)	Diesel (ppb)	WTE (feet)
MTCA Method A Cleanup Levels:		5	1000	700	1000	800	1,000	1,000	5	20	500	
MW-30 2385.0	10/17/01	335	117	204	957	10,000				100.0	1,780	2,372.6
	02/18/03	130	19	44	112	6,400				<1		
	07/09/03	130	17	64	59	4,600				<1		2,383.3
	11/17/03	180	35	93	184	5,000				<1		2,372.6
	03/31/04	380	26	45	58	2,400				4		2,374.2
	07/07/04	140	41	74	130	980				<1		2,374.3
	11/22/04	42	6	23	36	2,600				<1		2,372.6
	03/11/05	41	6	18	46	2,000				<1		2,372.0
	05/19/05	57	9	26	33	2,700				<1		2,374.5
	12/25/05	350ve	11	9	10	2,500				15		2,372.4
	03/16/06	64	6.4	31	43.1	4,400				<1	1500*	2,378.3
	06/21/06	58	6.5	51	112	3,500				<1	1600*	2,377.5
	09/28/06	36	4	38	95	3,500				<1	1100*	2,375.3
	12/12/06	47	13	18	41	3,300				<1		2,375.3
	04/17/07	45	3.2	24	76	5,400				<1		2,377.4
	07/16/07	27	6.5	18	36	3,100				<1	640*	2,377.0
	10/29/07	52	4.9	16	33	3,800				<1		2,371.8
	04/11/08	6.9	<1	5	12	1,200				<1		2,376.2
	10/23/08	44	3.3	7.3	7.7	1,700				<1		2,373.1
	11/16/09	7	<1	1.8	<3	850				<1		2,374.2
	04/30/10	15	<1	3.2	<30	750				<1		2377.3
	09/07/10	6	<1	1.9	<3	670				<1		2,377.3
	03/31/11	5	<1	1	<3	1,000						2,378.6
	11/23/11	6.1	<1	6	3.80	840				<1		2,373.5
	03/20/12	<0.35	<1	<1	<3	140				<1		2,377.9
	10/03/12	0.69	<1	1.5	<3	210				<1		
	3/39/2013	<1	<1	<1	<3	<100				<1		2377.52
	10/03/13	<0.35	<1	<1	<3	<100				<1		2374.86
	03/21/14	1.5	<1	<1	<3	720				<1		2373.92
	09/03/14	0.37	<1	1.2	<3	130				<1		2374.75
	03/25/15	1.10	<1	<1	<3	300				<1		2375.50
	09/21/15	0.76	<1	<1	<3	190				<1		2374.50
	03/24/16	1.80	<1	<1	<3	<100				<1		2379.85
	04/25/17	<0.35	<1	<1	<3	<100				<1		2381.80
	06/28/17	1.55	<1	<1	<3	265				<1		2377.57
	03/13/18	<1	<1	<1	<3	<100				<1		2379.75
Duplicate	03/13/18	<1	<1	<1	<3	<100				<1		2379.75
	09/20/18	2.11	<1	1.8	<3	<100				<5		2376.16
	03/18/19	<1	<1	<1	<3	<100				<1		2377.83
	09/20/19	2.56	2.17	2.17	5.59	313				<1		2376.74
Duplicate	03/18/20	<1	<1	<1	<3	<100				<1		2378.55
	09/17/20	<1	<1	<1	<3	<100				<1		2377.01
	03/03/21	<1	<1	<1	<3	<100				<1		2377.63
	03/03/21	<1	<1	<1	<3	<100				<1		2377.63
	09/21/21	<1	<1	<1	<3	<100				<1		2375.75
	05/04/22	<1	<1	<1	<3	<100				<1		2377.81
	10/11/22	<1	<1	<1	<3	<100				<1		2375.02
	03/30/23	<0.500	<0.500	<0.500	<1	<200				<0.500		2378.85

Sample I.D.	BGS Elev.	Sample Date	Benzene (ppb)	Toluene (ppb)	Ethyl- benzene (ppb)	Total Xylenes (ppb)	TPH- Gasoline (ppb)	TPH- Diesel (ppb)	TPH- 418.1 (ppb)	Total Lead (ppb)	MTBE (ppb)	WTE (feet)
MTCA Method A Cleanup Levels:			5	1000	700	1000	800	1,000	1,000	5	20	
Treatment System 2389.30		08/23/03	110	45	590	625	4,500				30	2377.80
		11/17/03	<1	<1	<1	<1	240				<1	2378.50
		03/31/04										2382.80
		07/07/04	<1	<1	2	<1	<50				<1	2384.30
		11/22/04										2378.40
		03/16/06	<1	<1	<1	<3	<100				<1	2384.80
		09/28/06	14	<1	<1	<3	<100				<1	2381.00
		12/12/06	<1	<1	<1	<3	<150				<1	2382.00
		04/17/07	<1	<1	<1	<3	<100				<1	2382.20
		07/16/07	<1	<1	<1	<3	<100				<1	2383.80
		10/29/07	<1	<1	<1	<3	<100				<1	
		04/11/08	<1	<1	<1	<3	<100				<1	2378.40
		10/23/08	<1	<1	<1	<3	<100				<1	2378.40
		11/16/09	<1	<1	<1	<3	<100				<1	
		04/30/10	300ve	24	35ve	417	3,400				<1	
		09/07/10	<1	<1	<1	<1	<100				<1	2380.70
		03/31/11	3	1	<1	<3	<100				<1	2384.81
		11/23/11	2	<1	<1	<3	<100				<1	
		03/20/12	<1	<1	<1	<3	<100				<1	
		10/03/12	<1	<1	<1	<3	<100				<1	
		03/29/13	<1	<1	<1	<3	<100				<1	
		10/03/13	<0.35	<1	<1	<3	<100				<1	2379.10
		03/21/14	<0.35	<1	<1	<3	<100				<1	2384.55
		09/03/14	<0.35	<1	<1	<3	<100				<1	2382.02
		03/25/15	0.6	<1	<1	<3	<100				<1	2384.70
		09/21/15					<100					
BLANK:		03/25/15	<0.35	<1	<1	<3	<100				<1	
		09/21/15	<0.35	<1	<1	<3	<100				<1	
		03/24/16	1.5	1.8	<1	<3	<100				<1	2387.10
		04/27/17	<0.35	<1	<1	<3	<100				<1	2387.80
		09/28/17	20.0	13.1	<1	<5	128				<1	2385.18
		03/13/18	<1	<1	<1	<3	<100				<1	2385.66
		09/20/18	131.0	<1	1.4	<3.83	<100				<5	2382.03
		03/18/19	<1	<1	<1	<3	<100				<1	2384.13
		09/20/19	<1	<1	<1	<3	<100				<1	2381.68
		03/18/20	14.8	1.7	1.9	<3	1,620				<1	2385.85
Duplicate		09/17/20	89.4	3.1	12.8	6.0	402				<1	2381.68
		09/17/20	81.1	3.07	12.0	5.8	392				<1	2381.68
		03/03/21	1.7	<1	<1	<3	<100				<1	2384.46
		09/21/21	43.5	1.33	3.43	<3	<100				<1	2380.67
		05/04/22	<1	<1	1.82	<3	<100				<1	2382.82
		10/11/22	44.1	<1	0.74	3.17	<100				<1	2379.70
		03/30/23	99.80	5.49	1.70	2.23	<200				<0.500	2383.74

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Client: Budinger & Associates, Inc.
Address: 1101 N. Fancher Road
Spokane Valley, WA 99212
Attn: Steve Burchett

Work Order: WDC1434
Project: X03390
Reported: 4/18/2023 14:42

Analytical Results Report

Sample Location: MW-30
Lab/Sample Number: WDC1434-01 **Collect Date:** 03/30/23 08:28
Date Received: 03/30/23 12:38 **Collected By:** Travis Stephens
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	ND	ug/L	0.500	4/11/23 13:09	BKP	EPA 8260D	
Ethylbenzene	ND	ug/L	0.500	4/11/23 13:09	BKP	EPA 8260D	
m+p-Xylene	ND	ug/L	0.500	4/11/23 13:09	BKP	EPA 8260D	
o-Xylene	ND	ug/L	0.500	4/11/23 13:09	BKP	EPA 8260D	
Toluene	ND	ug/L	0.500	4/11/23 13:09	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	102%		70-130	4/11/23 13:09	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	104%		70-130	4/11/23 13:09	BKP	EPA 8260D	
Surrogate: Toluene-d8	104%		70-130	4/11/23 13:09	BKP	EPA 8260D	
Gasoline	ND	mg/L	0.200	4/11/23 13:09	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	112%		70-130	4/11/23 13:09	BKP	EPA 8015D	
methyl-t-butyl ether (MTBE)	ND	ug/L	0.500	4/11/23 13:09	BKP	EPA 8260D	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: MW-8
Lab/Sample Number: WDC1434-02 Collect Date: 03/30/23 09:05
Date Received: 03/30/23 12:38 Collected By: Travis Stephens
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	16.8	ug/L	0.500	4/11/23 13:39	BKP	EPA 8260D	
Ethylbenzene	1.47	ug/L	0.500	4/11/23 13:39	BKP	EPA 8260D	
m+p-Xylene	ND	ug/L	0.500	4/11/23 13:39	BKP	EPA 8260D	
o-Xylene	ND	ug/L	0.500	4/11/23 13:39	BKP	EPA 8260D	
Toluene	ND	ug/L	0.500	4/11/23 13:39	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	102%		70-130	4/11/23 13:39	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	105%		70-130	4/11/23 13:39	BKP	EPA 8260D	
Surrogate: Toluene-d8	100%		70-130	4/11/23 13:39	BKP	EPA 8260D	
Gasoline	0.370	mg/L	0.200	4/11/23 13:39	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	111%		70-130	4/11/23 13:39	BKP	EPA 8015D	
methy1-t-butyl ether (MTBE)	2.18	ug/L	0.500	4/11/23 13:39	BKP	EPA 8260D	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: MW-5
Lab/Sample Number: WDC1434-03 Collect Date: 03/30/23 09:38
Date Received: 03/30/23 12:38 Collected By: Travis Stephens
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	39.0	ug/L	25.0	4/11/23 14:09	BKP	EPA 8260D	
Ethylbenzene	312	ug/L	25.0	4/11/23 14:09	BKP	EPA 8260D	
m+p-Xylene	109	ug/L	25.0	4/11/23 14:09	BKP	EPA 8260D	
o-Xylene	19.4	ug/L	5.00	4/12/23 19:50	BKP	EPA 8260D	
Toluene	12.8	ug/L	5.00	4/12/23 19:50	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	102%		70-130	4/11/23 14:09	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	105%		70-130	4/11/23 14:09	BKP	EPA 8260D	
Surrogate: Toluene-d8	103%		70-130	4/11/23 14:09	BKP	EPA 8260D	
Gasoline	6.20	mg/L	2.00	4/12/23 19:50	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	95.7%		70-130	4/12/23 19:50	BKP	EPA 8015D	
methyl-t-butyl ether (MTBE)	ND	ug/L	5.00	4/12/23 19:50	BKP	EPA 8260D	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: MW-13
Lab/Sample Number: WDC1434-04 Collect Date: 03/30/23 10:14
Date Received: 03/30/23 12:38 Collected By: Travis Stephens
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	ND	ug/L	2.50	4/11/23 14:38	BKP	EPA 8260D	
Ethylbenzene	ND	ug/L	2.50	4/11/23 14:38	BKP	EPA 8260D	
m+p-Xylene	14.5	ug/L	2.50	4/11/23 14:38	BKP	EPA 8260D	
o-Xylene	2.80	ug/L	2.50	4/11/23 14:38	BKP	EPA 8260D	
Toluene	ND	ug/L	2.50	4/11/23 14:38	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	103%		70-130	4/11/23 14:38	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	102%		70-130	4/11/23 14:38	BKP	EPA 8260D	
Surrogate: Toluene-d8	102%		70-130	4/11/23 14:38	BKP	EPA 8260D	
Gasoline	2.30	mg/L	1.00	4/11/23 14:38	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	111%		70-130	4/11/23 14:38	BKP	EPA 8015D	
methyl-t-butyl ether (MTBE)	ND	ug/L	2.50	4/11/23 14:38	BKP	EPA 8260D	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: MW-2
Lab/Sample Number: WDC1434-05 Collect Date: 03/30/23 10:58
Date Received: 03/30/23 12:38 Collected By: Travis Stephens
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	7.00	ug/L	5.00	4/12/23 20:19	BKP	EPA 8260D	
Ethylbenzene	55.5	ug/L	25.0	4/11/23 15:07	BKP	EPA 8260D	
m+p-Xylene	11.0	ug/L	5.00	4/12/23 20:19	BKP	EPA 8260D	
o-Xylene	ND	ug/L	5.00	4/12/23 20:19	BKP	EPA 8260D	
Toluene	ND	ug/L	5.00	4/12/23 20:19	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	101%		70-130	4/11/23 15:07	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	104%		70-130	4/11/23 15:07	BKP	EPA 8260D	
Surrogate: Toluene-d8	104%		70-130	4/11/23 15:07	BKP	EPA 8260D	
Gasoline	3.40	mg/L	2.00	4/12/23 20:19	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	94.7%		70-130	4/12/23 20:19	BKP	EPA 8015D	
methyl-t-butyl ether (MTBE)	ND	ug/L	5.00	4/12/23 20:19	BKP	EPA 8260D	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: West Sump
Lab/Sample Number: WDC1434-06 Collect Date: 03/30/23 11:36
Date Received: 03/30/23 12:38 Collected By: Travis Stephens
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	99.8	ug/L	5.00	4/12/23 20:48	BKP	EPA 8260D	
Ethylbenzene	1.70	ug/L	0.500	4/11/23 15:38	BKP	EPA 8260D	
m+p-Xylene	0.840	ug/L	0.500	4/11/23 15:38	BKP	EPA 8260D	
o-Xylene	1.39	ug/L	0.500	4/11/23 15:38	BKP	EPA 8260D	
Toluene	5.49	ug/L	0.500	4/11/23 15:38	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	102%		70-130	4/11/23 15:38	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	103%		70-130	4/11/23 15:38	BKP	EPA 8260D	
Surrogate: Toluene-d8	101%		70-130	4/11/23 15:38	BKP	EPA 8260D	
Gasoline	ND	mg/L	0.200	4/11/23 15:38	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	111%		70-130	4/11/23 15:38	BKP	EPA 8015D	
methyl-t-butyl ether (MTBE)	ND	ug/L	0.500	4/11/23 15:38	BKP	EPA 8260D	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Analytical Results Report

(Continued)

Sample Location: Duplicate
Lab/Sample Number: WDC1434-07 Collect Date: 03/30/23 00:00
Date Received: 03/30/23 12:38 Collected By: Travis Stephens
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	7.44	ug/L	0.500	4/11/23 16:07	BKP	EPA 8260D	
Ethylbenzene	50.0	ug/L	25.0	4/12/23 21:17	BKP	EPA 8260D	
m+p-Xylene	11.0	ug/L	0.500	4/11/23 16:07	BKP	EPA 8260D	
o-Xylene	0.810	ug/L	0.500	4/11/23 16:07	BKP	EPA 8260D	
Toluene	ND	ug/L	0.500	4/11/23 16:07	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	104%		70-130	4/11/23 16:07	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	91.0%		70-130	4/11/23 16:07	BKP	EPA 8260D	
Surrogate: Toluene-d8	101%		70-130	4/11/23 16:07	BKP	EPA 8260D	
Gasoline	2.66	mg/L	0.200	4/11/23 16:07	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	97.6%		70-130	4/11/23 16:07	BKP	EPA 8015D	
methyl-t-butyl ether (MTBE)	ND	ug/L	0.500	4/11/23 16:07	BKP	EPA 8260D	

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Analytical Results Report (Continued)

Sample Location: Trip Blanks
Lab/Sample Number: WDC1434-08 Collect Date: 03/20/23 08:01
Date Received: 03/30/23 12:38 Collected By: JDP
Matrix: Groundwater

Analyte	Result	Units	PQL	Analyzed	Analyst	Method	Qualifier
Volatiles							
Benzene	ND	ug/L	0.500	4/11/23 12:40	BKP	EPA 8260D	
Ethylbenzene	ND	ug/L	0.500	4/11/23 12:40	BKP	EPA 8260D	
m+p-Xylene	ND	ug/L	0.500	4/11/23 12:40	BKP	EPA 8260D	
o-Xylene	ND	ug/L	0.500	4/11/23 12:40	BKP	EPA 8260D	
Toluene	ND	ug/L	0.500	4/11/23 12:40	BKP	EPA 8260D	
Surrogate: 1,2-Dichlorobenzene-d4	101%		70-130	4/11/23 12:40	BKP	EPA 8260D	
Surrogate: 4-Bromofluorobenzene	104%		70-130	4/11/23 12:40	BKP	EPA 8260D	
Surrogate: Toluene-d8	103%		70-130	4/11/23 12:40	BKP	EPA 8260D	
Gasoline	ND	mg/L	0.200	4/11/23 12:40	BKP	EPA 8015D	*
Surrogate: 4-Bromofluorobenzene	113%		70-130	4/11/23 12:40	BKP	EPA 8015D	
methyl-t-butyl ether (MTBE)	ND	ug/L	0.500	4/11/23 12:40	BKP	EPA 8260D	

Authorized Signature,



Brock Gerger For Kathleen Sattler, Laboratory Manager

PQL Practical Quantitation Limit
ND Not Detected
MCL EPA's Maximum Contaminant Level
Dry Sample results reported on a dry weight basis
* Not a state-certified analyte

This report shall not be reproduced except in full, without the written approval of the laboratory
The results reported related only to the samples indicated.

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Certifications

Code	Description	Facility	Number
DOE WA	Washington Department of Ecology	Anatek-Moscow, ID	C595

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Quality Control Data

Volatiles

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0367 - VOC

Blank (BDD0367-BLK1)

Prepared & Analyzed: 4/11/2023

Benzene	ND		0.500	ug/L						
Ethylbenzene	ND		0.500	ug/L						
m/p Xylenes (MCL for total)	ND		0.500	ug/L						
o-Xylene (MCL for total)	ND		0.500	ug/L						
Toluene	ND		0.500	ug/L						
Surrogate: 4-Bromofluorobenzene			20.7	ug/L	20.0		103	70-130		
Surrogate: Toluene-d8			20.7	ug/L	20.0		104	70-130		
Surrogate: 1,2-Dichlorobenzene-d4			20.4	ug/L	20.0		102	70-130		

LCS (BDD0367-BS1)

Prepared & Analyzed: 4/11/2023

Benzene	11.2		0.500	ug/L	10.0		112	80-120		
Toluene	10.9		0.500	ug/L	10.0		109	80-120		
o-Xylene (MCL for total)	10.6		0.500	ug/L	10.0		106	80-120		
Ethylbenzene	10.7		0.500	ug/L	10.0		107	80-120		
m/p Xylenes (MCL for total)	21.4		0.500	ug/L	20.0		107	80-120		
Surrogate: Toluene-d8			20.5	ug/L	20.0		103	70-130		
Surrogate: 4-Bromofluorobenzene			20.4	ug/L	20.0		102	70-130		
Surrogate: 1,2-Dichlorobenzene-d4			20.2	ug/L	20.0		101	70-130		

Batch: BDD0368 - VOC

Blank (BDD0368-BLK1)

Prepared & Analyzed: 4/11/2023

Gasoline	ND		0.200	mg/L						
Surrogate: 4-Bromofluorobenzene			0.0207	mg/L	0.0200		103	70-130		

LCS (BDD0368-BS1)

Prepared & Analyzed: 4/11/2023

Gasoline	0.930		0.200	mg/L	1.00		93.0	80-120		
Surrogate: 4-Bromofluorobenzene			0.0247	mg/L	0.0200		123	70-130		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Quality Control Data (Continued)

Volatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
---------	--------	------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------

Batch: BDD0423 - VOC

Blank (BDD0423-BLK1)

Prepared & Analyzed: 4/12/2023

Gasoline	ND		0.200	mg/L						
Surrogate: 4-Bromofluorobenzene			0.0213	mg/L	0.0200		107	70-130		

LCS (BDD0423-BS1)

Prepared & Analyzed: 4/12/2023

Gasoline	0.850		0.200	mg/L	1.00		85.0	80-120		
Surrogate: 4-Bromofluorobenzene			0.0214	mg/L	0.0200		107	70-130		

Batch: BDD0677 - VOC

Blank (BDD0677-BLK1)

Prepared & Analyzed: 4/11/2023

methyl-t-butyl ether (MTBE)	ND		0.500	ug/L						
Surrogate: 4-Bromofluorobenzene			20.7	ug/L	20.0		103	70-130		
Surrogate: Toluene-d8			20.7	ug/L	20.0		104	70-130		
Surrogate: 1,2-Dichlorobenzene-d4			20.4	ug/L	20.0		102	70-130		

LCS (BDD0677-BS1)

Prepared & Analyzed: 4/11/2023

1,1-Dichloroethylene	11.8		0.500	ug/L	10.0		118	70-129		
1,2-Dichloropropane	11.2		0.500	ug/L	10.0		112	80-120		
1,2-Dichloroethane	11.1		0.500	ug/L	10.0		111	80-120		
1,2-Dichlorobenzene (ortho-Dichlorobenzene)	10.3		0.500	ug/L	10.0		103	80-120		
EDB (screening)	10.6		0.500	ug/L	10.0		106	70-130		
DBCP (screening)	10.0		0.500	ug/L	10.0		100	71-128		
1,2,4-Trimethylbenzene	10.7		0.500	ug/L	10.0		107	80-120		
1,2,4-Trichlorobenzene	10.4		0.500	ug/L	10.0		104	80-120		
1,2,3-Trichloropropane	10.5		0.500	ug/L	10.0		105	80-120		
1,1-Dichloropropene	11.8		0.500	ug/L	10.0		118	80-120		
1,1-Dichloroethane	11.3		0.500	ug/L	10.0		113	80-120		
1,1,2-Trichloroethane	10.5		0.500	ug/L	10.0		105	80-120		
1,1,2,2-Tetrachloroethane	10.5		0.500	ug/L	10.0		105	77-123		
1,1,1-Trichloroethane	11.4		0.500	ug/L	10.0		114	80-120		
1,1,1,2-Tetrachloroethane	10.5		0.500	ug/L	10.0		105	80-120		
1,3-Dichloropropane	10.7		0.500	ug/L	10.0		107	80-120		
1,2,3-Trichlorobenzene	10.3		0.500	ug/L	10.0		103	78-120		
sec-Butylbenzene	11.1		0.500	ug/L	10.0		111	80-120		
Hexachlorobutadiene	11.2		0.500	ug/L	10.0		112	80-120		
Isopropylbenzene	10.7		0.500	ug/L	10.0		107	80-120		
m/p Xylenes (MCL for total)	21.4		0.500	ug/L	20.0		107	80-120		
Methyl ethyl ketone (MEK)	11.2		2.50	ug/L	10.0		112	55-154		
Methyl isobutyl ketone (MIBK)	ND		2.50	ug/L	10.0			70-136		
methyl-t-butyl ether (MTBE)	10.3		0.500	ug/L	10.0		103	71-130		
Naphthalene	10.7		0.500	ug/L	10.0		107	66-133		
n-Butylbenzene	11.1		0.500	ug/L	10.0		111	74-122		
n-Propylbenzene	10.8		0.500	ug/L	10.0		108	80-120		
1,3,5-Trimethylbenzene	10.6		0.500	ug/L	10.0		106	80-121		
p-isopropyltoluene	10.9		0.500	ug/L	10.0		109	80-120		
Dibromomethane	10.6		0.500	ug/L	10.0		106	80-120		
Styrene	10.7		0.500	ug/L	10.0		107	80-120		
tert-Butylbenzene	10.8		0.500	ug/L	10.0		108	80-120		
Tetrachloroethylene	10.4		0.500	ug/L	10.0		104	80-120		
Toluene	10.9		0.500	ug/L	10.0		109	80-120		
trans-1,2 Dichloroethylene	11.3		0.500	ug/L	10.0		113	80-120		

Anatek Labs, Inc.

1282 Alturas Drive - Moscow, ID 83843 - (208) 883-2839 - email moscow@anateklabs.com
504 E Sprague Ste. D - Spokane, WA 99202 - (509) 838-3999 - email spokane@anateklabs.com

Quality Control Data (Continued)

Volatiles (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BDD0677 - VOC (Continued)										
LCS (BDD0677-BS1)					Prepared & Analyzed: 4/11/2023					
trans-1,3-Dichloropropene	10.5		0.500	ug/L	10.0		105	69-130		
Trichloroethene	11.1		0.500	ug/L	10.0		111	80-120		
Trichlorofluoromethane	11.9		0.500	ug/L				61-140		
o-Xylene (MCL for total)	10.6		0.500	ug/L	10.0		106	80-120		
Bromodichloromethane	11.0		0.500	ug/L	10.0		110	80-120		
Vinyl Chloride	11.7		0.500	ug/L				75-120		
1,4-Dichlorobenzene (para-Dichlorobenzene)	10.2		0.500	ug/L	10.0		102	80-120		
2,2-Dichloropropane	11.3		0.500	ug/L	10.0		113	80-120		
o-Chlorotoluene	10.6		0.500	ug/L	10.0		106	80-120		
2-hexanone	ND		2.50	ug/L	10.0			65-140		
p-Chlorotoluene	10.6		0.500	ug/L	10.0		106	80-124		
Acrylonitrile	11.5		0.500	ug/L	10.0		115	73-131		
Benzene	11.2		0.500	ug/L	10.0		112	80-120		
Ethylbenzene	10.7		0.500	ug/L	10.0		107	80-120		
Bromochloromethane	10.7		0.500	ug/L	10.0		107	80-120		
Dichlorodifluoromethane	11.3		0.500	ug/L				57-130		
Bromoform	9.94		0.500	ug/L	10.0		99.4	68-133		
Carbon disulfide	11.6		0.500	ug/L	10.0		116	80-120		
Carbon Tetrachloride	11.4		0.500	ug/L	10.0		114	80-120		
Chlorobenzene (Monochlorobenzene)	10.4		0.500	ug/L	10.0		104	80-120		
Chloroethane	11.7		0.500	ug/L				78-120		
Chloroform	11.0		0.500	ug/L	10.0		110	80-120		
cis-1,2-Dichloroethylene	11.1		0.500	ug/L	10.0		111	80-120		
cis-1,3-Dichloropropene	10.7		0.500	ug/L	10.0		107	79-123		
Dibromochloromethane	10.3		0.500	ug/L	10.0		103	80-121		
m-Dichlorobenzene	10.3		0.500	ug/L	10.0		103	80-120		
Bromobenzene	10.3		0.500	ug/L	10.0		103	80-120		
Surrogate: Toluene-d8			20.5	ug/L	20.0		103	70-130		
Surrogate: 4-Bromofluorobenzene			20.4	ug/L	20.0		102	70-130		
Surrogate: 1,2-Dichlorobenzene-d4			20.2	ug/L	20.0		101	70-130		



Chain of Custody Record

1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

Anatek Log-In

WDC1434



Due: 04/13/23

Company Name: Budinger & Associates, Inc.			Project Manager: Steve Burchett		
Address: 1101 N. Fancher Rd.			Project Name & #: X03390		
City: Spokane Valley	State: WA	Zip: 99212	Email Address: sburchett@budingerinc.com		
Phone: 509-954-9210			Purchase Order #: X03390		
Fax: 509-535-8841			Sampler Name & phone: Travis Stephens 509-954-9210		

Turn Around Time & Reporting	
Please refer to our normal turn around times at: http://www.anateklabs.com/services/guidelines/reporting.asp	
☒ Normal	*All rush order requests must be prior approved.
☐ Next Day*	___ Phone
☐ 2nd Day*	___ Mail
☐ Other*	___ Fax
	___ Email

Provide Sample Description				List Analyses Requested									
Lab ID	Sample Identification	Sampling Date/Time	Matrix	# of Containers	Sample Volume	MTBE	BTEX	TPH/GAS					
	MW-30	3:30:23/0828	GW	2		X	X	X					
	MW-8	0905											
	MW-5	0938											
	MW-13	1014											
	MW-2	1058											
	West Sump	1136											
	Duplicate	DUP											
	Trip Blank												

Note Special Instructions/Comments

	Printed Name	Signature	Company	Date	Time
Relinquished by	Travis Stephens		Budinger & Associates	3:30:23	12:38
Received by			Anatek	3:30:23	12:38
Relinquished by					
Received by					
Relinquished by					
Received by					

Inspection Checklist	
Received Intact?	☒ Y ☐ N
Labels & Chains Agree?	☒ Y ☐ N
Containers Sealed?	☒ Y ☐ N
VOC Head Space?	☒ Y ☐ N
Temperature (°C)	6.8°C IP2
Preservative:	2105511 HCl L2
Date & Time:	3:30:23 1240
Inspected By:	Dutts

16 g/14