

Tables

Table 1
Shallow Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventional	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-MW-4R																	
8/2/2021	2,000	12	120	0.91	10 U	NC	230	2.4	10 U	NC	20	0.32	0.29	51.2	3.8	0.00022 U	0.00029 U
8/30/2022	1,300	7.8	220	1.7	8.0 U	NC	640	6.6	8.0 U	NC	40	0.64	0.03	-8.2	6.1	0.00022 U	0.00029 U
2/20/2023	490	3.0	110	0.84	10 U	NC	1,200	12	10 U	NC	52	0.83	0.10	-13.9	3.0	0.00022 U	0.00029 U
9/15/2023	390	2.4	70	0.53	2.0 U	NC	380	3.9	2.0 U	NC	18	0.29	0.16	170.9	2.4	0.00022 U	0.0037
4/9/2024	130	0.78	63	0.48	4.0 U	NC	590	6.1	4.0 U	NC	13	0.21	0.61	-47.5	3.2	0.00056 U	0.00058 U
9/25/2024	1.9	0.011	1.9	0.014			150	1.5	0.88	0.0091	42	0.67	0.46	-105	59	0.00056 U	0.022
BSCSS-MW-5R																	
8/3/2021	1,800	11	38	0.29	10 U	NC	34	0.35	10 U	NC	2.2	0.035	0.28	158.6	2.1	0.00022 U	0.00029 U
9/1/2022	2,300	14	57	0.43	10 U	NC	85	0.88	10 U	NC	4.4	0.070	0.07	11.3	1.4	0.00022 U	0.00029 U
2/20/2023	1,700	10	50	0.38	10 U	NC	140	1.4	10 U	NC	2.3	0.037	0.17	116.4	1.2	0.00022 U	0.00029 U
9/20/2023	2,000	12	48	0.37	0.24	0.0025	54	0.56	0.57	0.0059	0.94	0.015	0.03	181.8	1.1	0.00022 U	0.00029 U
4/9/2024	810	4.9	23	0.18	4.0 U	NC	23	0.24	4.0 U	NC	0.59	0.0094	0.47	119.4	1.7	0.00056 U	0.00058 U
9/25/2024	48	0.29	4.0	0.030			13	0.13	0.20 U	NC	0.29	0.0046	0.34	128.7	2.1	0.00056 U	0.00058 U
BSCSS-MW-6																	
12/21/2018	2,700	16	1,000	7.6	1.0 U	NC	2,600	27	40	0.41	26	0.42	0.23	-65.4	14	0.16 U	0.15 U
2/22/2019	1,800	11	570	4.3	10 U	NC	1,000	10	14	0.14	14	0.22	0.15	-52	13	0.016 U	0.015 U
5/22/2019	3,800	23	1,800	14	20 U	NC	750	7.7	20 U	NC	20 U	NC	0.04	-70.8	20	0.0012	0.00050 U
7/25/2019	3,600	22	1,100	8.4	20 U	NC	490	5.1	20 U	NC	7.4	0.12	0.04	-108.1	22	0.00050 U	0.019
10/21/2019	74	0.45	38	0.29	10 U	NC	1,200	12	10 U	NC	3.2	0.051	0.04	-74.6	19	0.00050 U	0.00094
1/22/2020	9.8	0.059	5.2	0.040	0.38	0.0039	170	1.8	0.91	0.0094	74	1.2		-77.8	8.4	0.00022 U	0.028
4/17/2020	23	0.14	7.4	0.056	1.4	0.014	38	0.39	0.47	0.0048	50	0.80	0.12	-7.4	10	0.00022 U	0.015
7/20/2020	0.97	0.0058	1.1	0.0084	0.44	0.0045	47	0.48	0.43	0.0044	58	0.93	0.25	-60.4	49	0.00022 U	0.071
10/19/2020	2.3	0.014	0.61	0.0046	0.20 U	NC	3.8	0.039	0.20 U	NC	8.2	0.13	0.11	-51	63	0.00022 U	0.026
2/23/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	10	0.10	0.20 U	NC	14	0.22		-88.5	14	0.00022 U	0.016
6/15/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.9	0.020	0.20 U	NC	8.0	0.13	0.09	-125.1	10	0.00022 U	0.0048
9/12/2022	17	0.10	12	0.091	0.49	0.0051	11	0.11	0.20 U	NC	0.35	0.0056	0.12	2.9	8.0	0.0023	0.00029 U
2/20/2023	4.0	0.024	4.8	0.037	0.42	0.0043	7.9	0.081	0.20 U	NC	3.1	0.050	0.20	-124.2	14	0.00022 U	0.00029 U
9/14/2023	7.0	0.042	7.0	0.053	0.42	0.0043	8.3	0.086	0.20 U	NC	8.1	0.13	0.23	-43.4	14	0.00022 U	0.0019
4/9/2024	2.1	0.013	4.0	0.030	0.35	0.0036	5.5	0.057	0.20 U	NC	9.4	0.15	-0.01	-134.9	13	0.00056 U	0.0023
9/25/2024	0.20 U	NC	0.20 U	NC			0.86	0.0089	0.20 U	NC	7.0	0.11	0.10	-126.7	9.4	0.00056 U	0.0028
BSCSS-MW-7																	
5/24/2019	1,000	6.0	84	0.64	10 U	NC	240	2.5	10 U	NC	10 U	NC	0.16	-9.2	2.3	0.0030 U	0.0030 U
6/18/2021	190	1.1	35	0.27	2.0 U	NC	140	1.4	2.0 U	NC	17	0.27	0.05	-132.2	2.5	0.00022 U	0.00029 U
9/28/2022	2,100	13	220	1.7	10 U	NC	1,100	11	10 U	NC	130	2.1	0.15	16.8	3.1	0.00022 U	0.0032
2/21/2023	1,300	7.8	210	1.6	10 U	NC	420	4.3	10 U	NC	2.6	0.042	0.23	-7.1	3.2	0.00022 U	0.00029 U
9/15/2023	5,100	31	300	2.3	20 U	NC	780	8.0	20 U	NC	2.7	0.043	0.24	130.5	12	0.00022 U	0.00029 U
4/9/2024	1,600	9.6	230	1.8	10 U	NC	430	4.4	10 U	NC	1.9	0.030	0.45	-6.8	2.9	0.00056 U	0.00058 U
9/25/2024	2.2	0.013	2.8	0.021			130	1.3	0.80 U	NC	18	0.29	0.41	-120	28	0.00056 U	0.0017

Table 1
Shallow Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventional	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-MW-21R																	
8/3/2021	7,000	42	260	2.0	10 U	NC	150	1.5	10 U	NC	1.0 U	NC	1.54	136.7	2.0	0.00022 U	0.00029 U
8/30/2022	240	1.4	15	0.11	1.0 U	NC	21	0.22	1.0 U	NC	0.13	0.0021	0.48	8	3.2	0.00022 U	0.00029 U
2/3/2023	16	0.096	1.7	0.013	0.20 U	NC	4.2	0.043	0.20 U	NC	0.41	0.0066	0.08	60.6	2.9	0.00022 U	0.00029 U
9/19/2023	2,500	15	120	0.91	20 U	NC	150	1.5	20 U	NC	1.9	0.030	0.15	64.1	1.7	0.00022 U	0.00029 U
4/9/2024	410	2.5	26	0.20	2.0 U	NC	20	0.21	2.0 U	NC	2.2	0.035	0.46	66	2.5	0.00056 U	0.00058 U
9/24/2024	7.4	0.045	1.3	0.0099			4.1	0.042	0.20 U	NC	0.21	0.0034	0.44	-22.3	8.7	0.00056 U	0.00058 U
BSCSS-MW-23																	
12/5/2018	1.1	0.0066	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	1.24	49.8	2.4	0.016 U	0.015 U
2/12/2019	2.1	0.013	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	5.16	128.7	1.2	0.016 U	0.015 U
6/4/2019	0.94	0.0057	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.87	19.1	1.6	0.0075 U	0.0075 U
6/17/2021	0.20 U	NC	0.57	0.0043	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.15	-109	3.4	0.00022 U	0.00029 U
10/14/2022	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	1.81	190.2	3.0	0.00022 U	0.00029 U
2/6/2023	0.35	0.0021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	2.13	126.7	1.9	0.00022 U	0.00029 U
9/27/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC		182.8	1.5	0.00022 U	0.00029 U
4/11/2024	0.24	0.0014	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	6.16	215.9	2.0	0.00056 U	0.00058 U
9/23/2024	0.20 U	NC	0.20 U	NC			0.20 U	NC	0.20 U	NC	0.20 U	NC	4.31	174.3	1.7	0.00056 U	0.00058 U
BSCSS-MW-27																	
12/12/2018	170	1.0	0.71	0.0054	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	7.04	48.3	0.79	0.016 U	0.015 U
5/24/2019	110	0.66	1.0 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	8.54	41.5	1.0 U	0.00050 U	0.00050 U
7/16/2019	91	0.55	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.040 U	NC	6.39	155.7	1.0 U	0.00050 U	0.00050 U
10/18/2019	130	0.78	1.0 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.10 U	NC	7.17	243.9	8.7	0.00050 U	0.00050 U
1/29/2020	90	0.54	1.2	0.0091	0.40 U	NC	1.5	0.015	0.40 U	NC	0.040 U	NC	6.26	166.3	1.3	0.00022 U	0.00029 U
4/16/2020	75	0.45	0.51	0.0039	0.40 U	NC	0.89	0.0092	0.40 U	NC	0.040 U	NC	3.53	59.6	1.0 U	0.00022 U	0.00029 U
7/27/2020	60	0.36	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.040 U	NC	3.75	105.3	1.2	0.00022 U	0.00029 U
10/19/2020	69	0.42	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.040 U	NC	3.67	76.3	1.0	0.00022 U	0.00029 U
2/26/2021	54	0.33	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.040 U	NC	0.48	81.8	1.0 U	0.0033 U	0.0043 U
6/17/2021	39	0.24	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	1.55	138.2	1.0 U	0.00022 U	0.00029 U
9/22/2022	35	0.21	6.4	0.049	0.20 U	NC	1.4	0.014	0.20 U	NC	0.020 U	NC	0.59	109.9	3.9	0.00022 U	0.00029 U
2/21/2023	25	0.15	6.7	0.051	0.20 U	NC	8.1	0.084	0.20 U	NC	0.020 U	NC	0.28	108.3	1.5	0.00022 U	0.00029 U
9/7/2023	19	0.11	7.6	0.058	0.20 U	NC	10	0.10	0.20 U	NC	0.20 U	NC	0.32	142.6	1.6	0.00022 U	0.00029 U
4/11/2024	29	0.17	1.6	0.012	0.20 U	NC	2.6	0.027	0.20 U	NC	0.20 U	NC	0.22	191.6	1.3	0.00056 U	0.00058 U
9/25/2024	33	0.20	2.9	0.022			2.1	0.022	0.20 U	NC	0.20 U	NC	0.69	116.6	1.2	0.00056 U	0.00058 U
BSCSS-MW-40																	
12/17/2018	210	1.3	46	0.35	1.0 U	NC	57	0.59	1.0 U	NC	0.20 U	NC	2.39	52.6	1.1	0.016 U	0.015 U
3/13/2019	210	1.3	150	1.1	1.5	0.015	750	7.7	1.3	0.013	0.20 U	NC	1.33	82.2	2.0	0.016 U	0.015 U
5/29/2019	560	3.4	600	4.6	20 U	NC	4,300	44	20 U	NC	20 U	NC	0.23	3.8	11	0.011	0.025 U
7/23/2019	530	3.2	380	2.9	20 U	NC	4,700	48	20 U	NC	11	0.18	0.05	-112.4	12	0.0082	0.00050 U
10/25/2019	65	0.39	84	0.64	10 U	NC	1,500	15	10 U	NC	1.6	0.026	0.06	35.6	13	0.00050 U	0.0016
1/28/2020	150	0.90	130	0.99	10 U	NC	2,300	24	10 U	NC	1,600	26	0.01	-60.6	10	0.00022 U	0.12
4/27/2020	10 U	NC	10 U	NC	10 U	NC	150	1.5	10 U	NC	930	15	0.09	26	9.9	0.00022 U	0.13
7/29/2020	0.20 U	NC	0.20 U	NC			0.52	0.0054			26	0.42	0.14	-47.7	69	0.00022 U	0.48
10/29/2020	7.7	0.046	3.8	0.029	2.0 U	NC	93	0.96	2.0 U	NC	490	7.8	0.17	-43.6	7.4	0.016	0.36
3/5/2021	130	0.78	69	0.53	3.5	0.036	210	2.2	2.0 U	NC	440	7.0			4.9	0.024	0.25

Table 1
Shallow Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventional	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-MW-40 (cont.)																	
3/12/2021	160	0.96	93	0.71	4.8	0.050	280	2.9	2.1	0.022	320	5.1	0.88	-35.9	4.9	0.00022 U	0.14
6/21/2021	19	0.11	64	0.49	3.9	0.040	110	1.1	1.2	0.012	190	3.0	0.10	-130	4.8	0.0042	0.050
9/29/2022	11	0.066	510	3.9	120	1.2	240	2.5	10 U	NC	150	2.4	0.18	-48.1	5.4	0.0012	0.063
2/6/2023	6.3	0.038	340	2.6	26	0.27	160	1.7	3.4	0.035	73	1.2	1.12	37.5	2.1	0.00038	0.038
9/26/2023	4.0 U	NC	43	0.33	23	0.24	470	4.8	4.0 U	NC	140	2.2	0.21	99.3	5.5	0.0066	0.15
4/11/2024	1,900	11	3,700	28	88	0.91	450	4.6	20 U	NC	130	2.1	0.96	-57.6	7.2	0.00056 U	0.049
9/26/2024	890	5.4	1,600	12			330	3.4	10 U	NC	97	1.6	0.40	-91.5	6.0	0.0026	0.096
BSCSS-MW-43R																	
6/23/2021	15	0.090	2.4	0.018	0.20 U	NC	22	0.23	0.21	0.0022	4.9	0.078	0.13	-143.6	26	0.00022 U	0.0045
9/29/2022	4.3	0.026	2.2	0.017	0.20 U	NC	9.0	0.093	0.20 U	NC	0.59	0.0094	0.22	7.9	3.2	0.00022 U	0.00029 U
2/8/2023	8.7	0.052	2.5	0.019	0.20 U	NC	6.4	0.066	0.20 U	NC	0.73	0.012	0.69	31.4	4.3	0.00022 U	0.00029 U
9/22/2023	2.6	0.016	2.6	0.020	0.20 U	NC	6.9	0.071	0.20 U	NC	0.24	0.0038	0.04	73.7	2.4	0.00022 U	0.00029 U
4/10/2024	6.1	0.037	3.9	0.030	0.20 U	NC	14	0.14	0.20 U	NC	1.7	0.027	0.45	4	3.9	0.00056 U	0.00058 U
9/26/2024	4.2	0.025	2.1	0.016			12	0.12	0.20 U	NC	0.81	0.013	0.30	26.7	3.1	0.00056 U	0.00058 U
BSCSS-MW-45R																	
6/23/2021	15	0.090	3.5	0.027	0.20 U	NC	4.0	0.041	0.20 U	NC	0.92	0.015	0.02	-95.3	3.3	0.00022 U	0.00058
9/1/2022	11	0.066	2.7	0.021	0.20 U	NC	0.59	0.0061	0.20 U	NC	0.020 U	NC	3.17	62.1	18	0.00022 U	0.00029 U
2/2/2023	3.0	0.018	0.96	0.0073	0.20 U	NC	0.69	0.0071	0.20 U	NC	0.020 U	NC	0.39	112.4	8.9	0.00022 U	0.00029 U
9/19/2023	2.1	0.013	4.2	0.032	0.20 U	NC	2.0	0.021	0.20 U	NC	0.20 U	NC	0.21	176.7	5.9	0.00022 U	0.00029 U
4/9/2024	0.20 U	NC	0.20 U	NC	0.20 U	NC	3.8	0.039	0.20 U	NC	0.20 U	NC	0.51	-75.8	310	0.00056 U	0.00058 U
9/24/2024	0.20 U	NC	0.20 U	NC			3.0	0.031	0.20 U	NC	9.4	0.15	0.09	-92.1	14	0.00056 U	0.00058 U
BSCSS-HZ-MW-1																	
12/19/2018	7.8	0.047	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	5.00	45	1.2	0.016 U	0.015 U
5/30/2019	11	0.066	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	7.81	15.2	1.1	0.00050 U	0.00050 U
7/29/2019	14	0.084	0.20 U	NC	0.20 U	NC	1.1	0.011	0.20 U	NC	0.020 U	NC	4.08	-70.1	1.0	0.00050 U	0.00050 U
10/21/2019	15	0.090	0.20 U	NC	0.20 U	NC	0.61	0.0063	0.20 U	NC	0.020 U	NC	4.58	200	1.1	0.00050 U	0.00050 U
1/24/2020	5.9	0.036	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	24	86.3	1.2	0.00022 U	0.00029 U
4/14/2020	33	0.20	1.1	0.0084	0.20 U	NC	1.2	0.012	0.20 U	NC	0.15	0.0024	1.14	-3.8	1.6	0.00022 U	0.00029 U
7/17/2020	40	0.24	2.6	0.020	0.20 U	NC	4.5	0.046	0.20 U	NC	2.1	0.034	0.48	71.9	1.7	0.00022 U	0.00029 U
10/27/2020	8.6	0.052	0.53	0.0040	0.20 U	NC	3.2	0.033	0.20 U	NC	0.89	0.014		74.3	1.7	0.00022 U	0.00029 U
3/4/2021	11	0.066	3.6	0.027	1.0 U	NC	120	1.2	1.0 U	NC	3.1	0.050	1.14	-18.6	2.7	0.00022 U	0.0012
6/15/2021	42	0.25	5.3	0.040	0.40 U	NC	13	0.13	0.40 U	NC	0.56	0.0090	0.86	52.3	2.7	0.00022 U	0.00085
9/12/2022	2.4	0.014	3.2	0.024	0.40 U	NC	31	0.32	0.40 U	NC	2.8	0.045	8.83	-32	2.2	0.00022 U	0.00029 U
2/15/2023	3.7	0.022	3.3	0.025	0.40 U	NC	67	0.69	0.52	0.0054	19	0.30	0.19	-6.9	3.3	0.00022 U	0.00029 U
9/20/2023	2.7	0.016	2.2	0.017	0.27	0.0028	110	1.1	0.68	0.0070	17	0.27	0.27	129.2	3.6	0.00022 U	0.00029 U
4/10/2024	0.76	0.0046	1.0	0.0076	0.20 U	NC	44	0.45	0.63	0.0065	21	0.34	0.39	-47.1	2.7	0.00056 U	0.0013
9/24/2024	0.43	0.0026	0.52	0.0040			24	0.25	0.49	0.0051	14	0.22	0.43	-69.6	5.9	0.00056 U	0.00089
BSCSS-HZ-MW-14S																	
12/13/2018	240	1.4	7.3	0.056	1.0 U	NC	6.1	0.063	1.0 U	NC	0.20 U	NC	0.17	20.4	1.9	0.016 U	0.015 U
5/21/2019	240	1.4	7.0	0.053	2.0 U	NC	3.2	0.033	2.0 U	NC	2.0 U	NC	0.11	-26.3	1.7	0.0050 U	0.0050 U
7/25/2019	160	0.96	6.8	0.052	1.0 U	NC	7.0	0.072	1.0 U	NC	0.10 U	NC	0.23	-57.4	1.8	0.00050 U	0.00050 U
10/16/2019	78	0.47	5.9	0.045	0.40 U	NC	3.6	0.037	0.40 U	NC	0.040 U	NC	0.05	103.9	1.9	0.00050 U	0.00050 U

Table 1
Shallow Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventionals	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-HZ-MW-14S (cont.)																	
1/22/2020	23	0.14	4.2	0.032	0.20 U	NC	15	0.15	0.20 U	NC	0.069	0.0011	2.22	115	2.8	0.00022 U	0.00029 U
4/15/2020	55	0.33	3.5	0.027	0.40 U	NC	4.3	0.044	0.40 U	NC	3.0	0.048	0.24	11.5	2.1	0.00022 U	0.019
7/21/2020	160	0.96	15	0.11	1.0 U	NC	88	0.91	1.0 U	NC	26	0.42	0.25	79.6	2.0	0.00022 U	0.015
10/23/2020	270	1.6	37	0.28	2.0 U	NC	120	1.2	2.0 U	NC	34	0.54	0.17	114	2.0	0.00022 U	0.015
3/3/2021	210	1.3	22	0.17	2.0 U	NC	28	0.29	2.0 U	NC	15	0.24	0.57	96.5	2.5	0.00022 U	0.016
6/15/2021	550	3.3	120	0.91	4.0 U	NC	260	2.7	4.0 U	NC	17	0.27	0.44	-4.9	2.7	0.00022 U	0.0043
9/6/2022	250	1.5	100	0.76	4.0 U	NC	60	0.62	4.0 U	NC	0.42	0.0067	0.04	5.9	3.0	0.00022 U	0.00029 U
2/21/2023	1,000	6.0	170	1.3	10 U	NC	220	2.3	10 U	NC	23	0.37	0.42	66.1	1.9	0.00022 U	0.00029 U
9/21/2023	1,200	7.2	250	1.9	10 U	NC	270	2.8	10 U	NC	34	0.54	0.09	208.6	2.1	0.00022 U	0.00029 U
4/9/2024	710	4.3	180	1.4	8.0 U	NC	150	1.5	8.0 U	NC	15	0.24	0.52	30	2.8	0.00056 U	0.00058 U
9/24/2024	170	1.0	40	0.30			23	0.24	1.0 U	NC	1.0 U	NC	0.32	44.4	2.3	0.00056 U	0.00058 U
BSCSS-HZ-MW-15S																	
12/27/2018	12	0.072	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	0.68	38.5	1.4	0.016 U	0.015 U
6/4/2019	8.9	0.054	0.34	0.0026	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.33	-10.7	1.1	0.0010 U	0.0010 U
7/23/2019	11	0.066	0.41	0.0031	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.38	-69.1	1.0	0.00050 U	0.00050 U
10/17/2019	9.8	0.059	0.39	0.0030	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.23	189	1.2	0.00050 U	0.00050 U
1/22/2020	4.2	0.025	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	6.00	129.5	1.4	0.00022 U	0.00029 U
4/15/2020	3.6	0.022	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	1.43	17.6	1.3	0.00022 U	0.00029 U
7/22/2020	4.7	0.028	0.20	0.0015	0.20 U	NC	0.35	0.0036	0.20 U	NC	0.020 U	NC	1.19	66.2	1.2	0.00022 U	0.00029 U
10/23/2020	4.6	0.028	0.27	0.0021	0.20 U	NC	11	0.11	0.20 U	NC	0.43	0.0069	0.35	112.3	1.3	0.0022 U	0.0029 U
3/3/2021	3.8	0.023	0.43	0.0033	0.20 U	NC	10	0.10	0.20 U	NC	1.2	0.019		111.3	1.2	0.00022 U	0.00039
6/22/2021	5.1	0.031	0.62	0.0047	0.20 U	NC	19	0.20	0.20 U	NC	1.4	0.022	0.38	-5.8	1.6	0.00022 U	0.00029 U
9/6/2022	1.6	0.0096	0.89	0.0068	0.40 U	NC	71	0.73	1.2	0.012	4.8	0.077	0.16	-9.7	36	0.00022 U	0.00029 U
2/15/2023	1.8	0.011	0.84	0.0064	0.20 U	NC	27	0.28	0.63	0.0065	2.9	0.046	0.30	44.6	3.3	0.00022 U	0.00029 U
9/20/2023	1.6	0.0096	0.69	0.0053	0.20 U	NC	9.9	0.10	0.28	0.0029	0.68	0.011	0.04	169.9	2.5	0.00022 U	0.00029 U
4/9/2024	1.2	0.0072	0.72	0.0055	0.20 U	NC	5.3	0.055	0.20 U	NC	0.32	0.0051	0.34	90.5	3.5	0.00056 U	0.00058 U
9/23/2024	9.8	0.059	4.0	0.030			9.0	0.093	0.20 U	NC	0.29	0.0046	0.53	67.2	3.0	0.00056 U	0.00058 U
BSCSS-HZ-MW-31																	
12/18/2018	1.0 U	NC	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	0.07	2	5.0	0.016 U	0.015 U
5/29/2019	0.78	0.0047	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.23	19.8	4.6	0.025 U	0.025 U
7/23/2019	2.5	0.015	0.20 U	NC	0.20 U	NC	0.69	0.0071	0.20 U	NC	0.048	0.00077	0.21	-64	4.4	0.00050 U	0.00050 U
10/25/2019	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.048	0.00077	0.10	23.1	4.8	0.00050 U	0.00050 U
1/28/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.054	0.00086	0.24	69.1	4.8	0.00022 U	0.00029 U
4/27/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.049	0.00078	0.25	33.6	4.7	0.00022 U	0.00029 U
7/29/2020	0.20 U	NC	0.20 U	NC			0.20 U	NC			0.049	0.00078	0.20	-4.3	4.9	0.00022 U	0.00029 U
10/29/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.060	0.00096	0.17	-18.3	4.6	0.00022 U	0.00029 U
3/5/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.021	0.00034	3.10	-24.8	6.0	0.00022 U	0.00037
6/21/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.046	0.00074	0.13	-94.7	5.6	0.00022 U	0.00029 U
9/29/2022	0.41	0.0025	0.47	0.0036	0.20 U	NC	2.0	0.021	0.20 U	NC	20	0.32	0.17	-24.53	6.2	0.00022 U	0.027
2/6/2023	0.80 U	NC	0.80 U	NC	0.80 U	NC	16	0.17	0.80 U	NC	94	1.5	0.10	-47.9	6.0	0.00022 U	0.024
9/26/2023	2.0 U	NC	2.0 U	NC	2.0 U	NC	22	0.23	2.0 U	NC	110	1.8	0.12	111.2	4.8	0.00022 U	0.011
9/26/2024	2.0 U	NC	0.40 U	NC			45	0.46	0.40 U	NC	62	0.99	0.33	-78.6	6.1	0.00056 U	0.0028

Table 1
Shallow Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventional	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-HZ-MW-34																	
12/7/2018	4.4	0.027	13	0.099	1.0 U	NC	33	0.34	1.0 U	NC	0.20 U	NC	0.10	0.9	4.0	0.016 U	0.015 U
5/31/2019	0.83	0.0050	3.3	0.025	0.20 U	NC	24	0.25	0.29	0.0030	0.26	0.0042	0.16	-17.2	42	0.050 U	0.050 U
7/17/2019	1.4	0.0084	3.3	0.025	0.20 U	NC	20	0.21	0.27	0.0028	0.28	0.0045	0.08	-158.7	24	0.00050 U	0.00050 U
10/23/2019	1.0 U	NC	1.0 U	NC	1.0 U	NC	110	1.1	1.0 U	NC	0.97	0.016	0.07	24.7	5.8	0.00050 U	0.00050 U
1/27/2020	1.0 U	NC	2.6	0.020	1.0 U	NC	120	1.2	1.0 U	NC	31	0.50	0.14	48.8	2.3	0.00022 U	0.00029 U
4/14/2020	1.0 U	NC	1.6	0.012	1.0 U	NC	100	1.0	1.0 U	NC	130	2.1	0.21	-21.8	2.1	0.00022 U	0.0043
7/21/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	12	0.12	0.32	0.0033	16	0.26	0.20	-42.7	4.4	0.00022 U	0.014
10/28/2020	0.20 U	NC	0.24	0.0018	0.20 U	NC	13	0.13	0.29	0.0030	20	0.32	0.21	-19.7	1.9	0.00022 U	0.012
3/2/2021	0.20 U	NC	0.24	0.0018	0.20 U	NC	11	0.11	0.21	0.0022	12	0.19		-43.5	1.7	0.00022 U	0.0055
6/18/2021	0.34	0.0021	0.88	0.0067	0.20 U	NC	4.2	0.043	0.20 U	NC	1.2	0.019	0.05	-135.1	14	0.00022 U	0.00029 U
9/20/2022	0.48	0.0029	1.6	0.012	0.20 U	NC	13	0.13	0.20 U	NC	5.0	0.080	0.25	-4.2	1.6	0.00022 U	0.00082
2/7/2023	0.35	0.0021	1.0	0.0076	0.20 U	NC	14	0.14	0.20 U	NC	4.6	0.074	0.45	-22.4	1.1	0.00022 U	0.00034
9/8/2023	0.66	0.0040	1.8	0.014	0.20 U	NC	8.4	0.087	0.20 U	NC	2.0	0.032	0.20	75.8	1.2	0.00022 U	0.00029 U
4/10/2024	0.53	0.0032	1.5	0.011	0.20 U	NC	7.2	0.074	0.20 U	NC	0.92	0.015	0.40	-13	1.8	0.00056 U	0.00058 U
9/24/2024	0.33	0.0020	1.4	0.011			6.5	0.067	0.20 U	NC	1.3	0.021	0.29	46.6	1.4	0.00056 U	0.00058 U
BSCSS-S-MW-1																	
6/6/2019	8.9	0.054	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	3.46	5	1.4	0.00050 U	0.00050 U
7/23/2019	6.5	0.039	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	3.10	-74.5	1.0 U	0.00050 U	0.00050 U
10/23/2019	7.3	0.044	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	3.82	164.3	1.0 U	0.00050 U	0.00050 U
1/21/2020	3.4	0.021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	4.38	105.9	1.0 U	0.00022 U	0.00029 U
4/23/2020	3.5	0.021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	4.58	1.3	1.0 U	0.00022 U	0.00029 U
7/28/2020	5.1	0.031	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	3.71	87.5	1.1	0.00022 U	0.00029 U
11/2/2020	4.5	0.027	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	3.18	88.9	1.0	0.00022 U	0.00029 U
3/1/2021	1.7	0.010	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	4.59	73.2	1.0 U	0.00022 U	0.00029 U
6/14/2021	1.2	0.0072	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	7.73	60.2	1.0 U	0.00022 U	0.00029 U
9/27/2022	2.9	0.017	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	3.80	204.4	1.2	0.00022 U	0.00029 U
2/16/2023	2.6	0.016	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	3.68	193.5	1.0 U	0.00022 U	0.00029 U
9/7/2023	3.5	0.021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.31	167.3	1.0 U	0.00022 U	0.00029 U
9/25/2024	2.4	0.014	0.20 U	NC			0.20 U	NC	0.20 U	NC	0.20 U	NC	3.23	125	1.5	0.00056 U	0.00058 U
BSCSS-S-MW-2RR																	
8/5/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	12	0.12	0.21	0.0022	3.6	0.058	0.99	-41.3	2.8	0.00022 U	0.00030
9/8/2022	0.20 U	NC	0.25	0.0019	0.20 U	NC	0.37	0.0038	0.20 U	NC	0.59	0.0094	0.05	-61.1	3.8	0.00022 U	0.00029 U
2/10/2023	0.20 U	NC	0.39	0.0030	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.084	0.0013	0.06	-58.2	24	0.00022 U	0.00029 U
9/12/2023	0.20 U	NC	0.35	0.0027	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.37	0.0059	0.15	68.6	3.0	0.00022 U	0.00029 U
4/10/2024	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.31	-60.6	1.1	0.00056 U	0.00058 U
9/23/2024	0.20 U	NC	0.56	0.0043			0.32	0.0033	0.20 U	NC	0.20 U	NC	0.43	-97.1	2.3	0.00056 U	0.00058 U

**Table 1
Shallow Aquifer Data**

Analyte Class	VOCs												Field Parameters		Conventional	Dissolved Gases	
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-S-MW-5R																	
8/11/2021	630	3.8	4.0 U	NC	4.0 U	NC	4.0 U	NC	4.0 U	NC	0.40 U	NC	1.97	109	1.0 U	0.00022 U	0.00029 U
10/3/2022	450	2.7	3.9	0.030	0.20 U	NC	5.3	0.055	0.20 U	NC	0.081	0.0013	3.50	108.3	1.0 U	0.00022 U	0.00029 U
2/10/2023	270	1.6	6.8	0.052	2.0 U	NC	14	0.14	2.0 U	NC	0.70	0.011	0.14	113.7	1.2	0.00022 U	0.00029 U
9/12/2023	510	3.1	3.9	0.030	2.0 U	NC	3.7	0.038	2.0 U	NC	0.20 U	NC	0.29	346.9	1.0 U	0.00022 U	0.00029 U
4/10/2024	360	2.2	6.6	0.050	2.0 U	NC	13	0.13	2.0 U	NC	0.20 U	NC	0.50	124	1.0	0.00056 U	0.00058 U
9/23/2024	350	2.1	7.8	0.059			17	0.18	2.0 U	NC	2.0 U	NC	0.37	72.8	1.0 U	0.00056 U	0.00058 U

Notes:

- All blank cells are intentional.
- All chemistry results are rounded to two significant figures.
- Field parameters are reported as displayed by the sampling equipment.
- Not available.
- Italic* Analyte was not detected at a reporting limit greater than the CUL.
- RED/BOLD** Analyte was detected at a concentration greater than the CUL.
- 1 CULs are based on MTCA Method A values, except for cis- and trans-1,2-dichloroethene, which use MTCA Method B.

Abbreviations:

- °C Degrees Celsius
- CAS Chemical Abstracts Service
- CUL Cleanup level
- µg/L Micrograms per liter
- µg/L Micromoles per liter
- mg/L Milligrams per kilogram
- MTCA Model Toxics Control Act
- mV Millivolts
- NC Molar concentration not calculated, analyte was not detected
- ORP Oxidation–reduction potential
- VOC Volatile organic compound

Qualifiers:

- J Analyte was detected; concentration is an estimate.
- U Analyte was not detected at the associated reporting limit.

Table 2
Intermediate Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventional	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-MW-11																	
12/20/2018	41	0.25	12	0.091	1.0 U	NC	4.9	0.051	1.0 U	NC	0.20 U	NC	0.16	14.3	9.0	0.16 U	0.15 U
2/21/2019	17	0.10	15	0.11	1.0 U	NC	9.6	0.099	1.0 U	NC	0.20 U	NC	0.16	-70	24	0.016 U	0.015 U
5/22/2019	75	0.45	69	0.53	2.3	0.024	14	0.14	0.77	0.0079	0.40 U	NC	0.04	-18	27	0.00050 U	0.00050 U
7/25/2019	39	0.24	41	0.31	1.9	0.020	7.7	0.079	0.46	0.0047	0.34	0.0054	0.04	-43.8	26	0.00050 U	0.00050 U
10/21/2019	3.5	0.021	3.8	0.029	1.0 U	NC	220	2.3	1.0 U	NC	1.5	0.024	0.08	-59.4	34	0.00050 U	0.00050 U
1/22/2020	2.5	0.015	2.7	0.021	1.0 U	NC	230	2.4	1.0 U	NC	70	1.1	1.10	-35.1	11	0.00022 U	0.0052
4/17/2020	8.0	0.048	20	0.15	3.2	0.033	130	1.3	1.4	0.014	140	2.2	0.20	-15.1	17	0.00022 U	0.0068
7/20/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.1	0.011	0.20 U	NC	18	0.29	0.17	-38.7	92	0.00022 U	0.050
10/19/2020	13	0.078	15	0.11	0.46	0.0047	79	0.81	0.51	0.0053	30	0.48	0.08	-91.3	60	0.00022 U	0.019
2/26/2021	0.40 U	NC	0.92	0.0070	0.40 U	NC	22	0.23	0.40 U	NC	49	0.78		-110.1	7.4	0.00022 U	0.018
6/15/2021	1.5	0.0090	23	0.18	2.8	0.029	49	0.51	1.1	0.011	89	1.4	0.04	-132.2	6.7	0.00022 U	0.0049
9/28/2022	0.40 U	NC	0.45	0.0034	0.40 U	NC	21	0.22	0.40 U	NC	48	0.77	0.16	-41.7	3.8	0.00022 U	0.0032
2/20/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	5.0	0.052	0.20 U	NC	34	0.54	0.40	-67.7	4.1	0.00022 U	0.0039
9/14/2023	0.20 U	NC	0.66	0.0050	0.35	0.0036	6.1	0.063	0.20 U	NC	30	0.48	0.16	18.6	3.0	0.00022 U	0.0016
4/9/2024	0.20 U	NC	0.59	0.0045	0.20 U	NC	4.0	0.041	0.20 U	NC	17	0.27	-0.04	-75.5	4.0	0.00056 U	0.0024
9/24/2024	0.20 U	NC	0.59	0.0045			4.4	0.045	0.20 U	NC	19	0.30	0.15	-82.1	3.9	0.00056 U	0.0011
BSCSS-MW-12																	
5/24/2019	5,400	33	400	3.0	30 U	NC	780	8.0	30 U	NC	30 U	NC	0.30	-89.5	2.5	0.25 U	0.25 U
7/22/2019	910	5.5	240	1.8	5.0 U	NC	630	6.5	5.0 U	NC	6.2	0.099	0.05	-341	2.8	0.00050 U	0.00050 U
10/18/2019	360	2.2	68	0.52	2.0 U	NC	240	2.5	2.0 U	NC	0.84	0.013	0.12	40	2.1	0.00050 U	0.00050 U
1/27/2020	260	1.6	120	0.91	2.0 U	NC	450	4.6	2.0 U	NC	1.9	0.030	0.31	38.2	2.3	0.00022 U	0.00029 U
4/21/2020	330	2.0	84	0.64	2.0 U	NC	52	0.54	2.0 U	NC	0.82	0.013	0.18	27.5	2.9	0.00022 U	0.00029 U
7/22/2020	250	1.5	93	0.71	2.0 U	NC	85	0.88	2.0 U	NC	2.7	0.043	0.19	31.4	3.3	0.00022 U	0.00029 U
10/21/2020	450	2.7	81	0.62	2.0 U	NC	93	0.96	2.0 U	NC	3.6	0.058	0.17	30.6	3.4	0.033 U	0.043 U
3/3/2021	650	3.9	65	0.49	4.0 U	NC	140	1.4	4.0 U	NC	20	0.32		12.5	3.9	0.00022 U	0.00069
6/15/2021	820	4.9	170	1.3	4.0 U	NC	180	1.9	4.0 U	NC	5.1	0.082	0.10	-60.7	3.6	0.00022 U	0.00029 U
9/27/2022	20	0.12	12	0.091	2.0 U	NC	330	3.4	2.0 U	NC	49	0.78	0.19	-30.9	23	0.00022 U	0.014
2/20/2023	59	0.36	33	0.25	2.0 U	NC	130	1.3	2.0 U	NC	18	0.29	0.11	-61.5	11	0.00022 U	0.013
9/15/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.2	0.012	0.20 U	NC	2.5	0.040	0.19	129	4.0	0.00022 U	0.00029 U
4/9/2024	0.36	0.0022	2.9	0.022	0.20 U	NC	15	0.15	0.20 U	NC	4.4	0.070	-0.04	-59.3	7.5	0.00056 U	0.00058 U
9/25/2024	27	0.16	37	0.28			520	5.4	4.0 U	NC	90	1.4	0.32	-28.6	4.0	0.00056 U	0.0048
BSCSS-MW-20R																	
6/22/2021	430	2.6	220	1.7	4.0 U	NC	230	2.4	12	0.12	40	0.64	0.07	-97.2	12	0.00022 U	0.011
9/1/2022	67	0.40	96	0.73	6.9	0.071	160	1.7	6.0	0.062	72	1.2	0.34	-45.5	9.2	0.0036	0.077
2/2/2023	150	0.90	140	1.1	8.1	0.084	120	1.2	6.3	0.065	87	1.4	0.11	-73.4	6.2	0.0040	0.066
9/19/2023	60	0.36	61	0.46	5.7	0.059	74	0.76	3.4	0.035	94	1.5	0.13	42.9	4.2	0.0032	0.032
4/9/2024	69	0.42	94	0.72	9.0	0.093	45	0.46	3.0	0.031	72	1.2	0.31	-86.4	4.8	0.00056 U	0.014
9/24/2024	99	0.60	88	0.67			33	0.34	2.9	0.030	77	1.2	0.29	-70.9	4.4	0.00056 U	0.020

Table 2
Intermediate Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventional	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-MW-42																	
12/14/2018	460	2.8	23	0.18	1.0 U	NC	1.9	0.020	1.0 U	NC	0.20 U	NC			5.3	0.016 U	0.015 U
1/3/2019	1.0 U	NC	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC					
3/18/2019	1.0 U	NC	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	0.06	76.4	1.9	0.016 U	0.015 U
6/5/2019	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.13	5	2.3	0.25 U	0.25 U
7/29/2019	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.72	0.0074	0.20 U	NC	0.053	0.00085	0.05	-321.9	1.7	0.00050 U	0.00050 U
10/22/2019	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.9	0.020	0.20 U	NC	0.056	0.00090	0.10	-10.2	3.9		
1/29/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	20	0.21	0.20 U	NC	3.3	0.053	0.02	-24.8	6.3	0.00022 U	0.00029 U
4/16/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	26	0.27	0.20 U	NC	27	0.43	0.47	-19.2	3.5	0.00022 U	0.012
7/24/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	5.3	0.055	0.20 U	NC	15	0.24	0.23	-34.7	5.5	0.00022 U	0.037
10/26/2020	0.42	0.0025	0.24	0.0018	0.20 U	NC	9.9	0.10	0.20 U	NC	4.5	0.072	0.25	-57.1	46	0.00022 U	0.014
3/1/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.7	0.018	0.20 U	NC	1.4	0.022		-82.6	7.7	0.022 U	0.029 U
6/11/2021	0.20 U	NC	0.23	0.0018	0.20 U	NC	1.4	0.014	0.20 U	NC	1.4	0.022	0.07	-96.4	3.8	0.00022 U	0.00029 U
9/29/2022	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.27	0.0028	4.7	0.048	0.31	0.0050	0.23	-57.5	3.4	0.00022 U	0.00029 U
2/8/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.72	0.012	0.32	-78.5	2.7	0.00022 U	0.00029 U
9/22/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.97	0.010	0.20 U	NC	0.65	0.010	0.07	102.7	2.6	0.00022 U	0.00029 U
4/10/2024	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.62	0.0064	0.20 U	NC	0.60	0.0096	0.32	-78.2	4.3	0.00056 U	0.00058 U
9/26/2024	1.0 U	NC	0.20 U	NC			0.66	0.0068	0.20 U	NC	0.73	0.012	0.48	-101.2	2.9	0.00056 U	0.00058 U
BSCSS-MW-44R																	
6/23/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.82	0.013	0.09	-143.2	4.2	0.00022 U	0.0050
9/27/2022	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.56	0.0090	0.16	-47.8	4.8	0.00057	0.00030
2/8/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.72	0.012	0.11	-49.8	4.5	0.00023	0.00046
9/22/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.47	0.0075	0.05	175.8	5.7	0.00022 U	0.00029 U
9/26/2024	3.7	0.022	2.8	0.021			0.20 U	NC	0.20 U	NC	0.47	0.0075	0.44	-81.2	6.6	0.00056 U	0.00058 U
BSCSS-HZ-MW-14D																	
12/13/2018	44	0.27	3.3	0.025	1.0 U	NC	14	0.14	1.0 U	NC	0.20 U	NC	0.07	36	0.97	0.016 U	0.015 U
5/21/2019	65	0.39	2.9	0.022	0.20 U	NC	12	0.12	0.20 U	NC	0.20 U	NC	0.06	-40.7	1.0 U	0.010 U	0.010 U
7/29/2019	100	0.60	4.7	0.036	0.80 U	NC	28	0.29	0.80 U	NC	0.30	0.0048	0.22	-86.5	1.0	0.00050 U	0.00050 U
10/16/2019	190	1.1	7.9	0.060	1.0 U	NC	48	0.50	1.0 U	NC	0.51	0.0082	0.02	143.8	1.0 U	0.00050 U	0.00050 U
1/22/2020	400	2.4	24	0.18	2.0 U	NC	140	1.4	2.0 U	NC	1.1	0.018	2.10	132.8	1.2	0.00022 U	0.00029 U
4/15/2020	400	2.4	24	0.18	2.0 U	NC	110	1.1	2.0 U	NC	0.76	0.012	0.28	14.4	1.2	0.00022 U	0.00029 U
7/21/2020	210	1.3	15	0.11	1.0 U	NC	61	0.63	1.0 U	NC	0.35	0.0056	0.32	104.2	1.2	0.00022 U	0.00029 U
10/28/2020	110	0.66	9.9	0.075	0.80 U	NC	27	0.28	0.80 U	NC	0.91	0.015	0.25	135.5	1.2	0.00022 U	0.00029 U
3/4/2021	110	0.66	12	0.091	1.0 U	NC	35	0.36	1.0 U	NC	2.4	0.038	0.46	39.4	1.4	0.00022 U	0.00029 U
6/15/2021	56	0.34	9.7	0.074	0.40 U	NC	27	0.28	0.78	0.0080	3.0	0.048	0.38	-9.2	1.6	0.00022 U	0.00029 U
9/6/2022	15	0.090	2.1	0.016	0.40 U	NC	35	0.36	0.40 U	NC	14	0.22	0.08	44.1	2.6	0.00091	0.00043
2/3/2023	8.5	0.051	2.3	0.018	0.24	0.0025	34	0.35	0.30	0.0031	6.7	0.11	0.10	70.8	2.5	0.0011	0.00029 U
9/21/2023	2.3	0.014	3.4	0.026	0.30	0.0031	31	0.32	0.28	0.0029	2.5	0.040	0.12	234.8	2.1	0.00022 U	0.00029 U
4/9/2024	3.8	0.023	2.9	0.022	0.34	0.0035	26	0.27	0.23	0.0024	3.9	0.062	0.34	82.6	2.8	0.00056 U	0.00058 U
9/24/2024	2.5	0.015	3.8	0.029			24	0.25	0.26	0.0027	1.8	0.029	0.18	56.7	2.5	0.00056 U	0.00058 U

Table 2
Intermediate Aquifer Data

Analyte Class	VOCs											Field Parameters		Conventional	Dissolved Gases		
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-HZ-MW-15D																	
12/27/2018	6,400	39	230	1.8	50 U	NC	200	2.1	50 U	NC	10 U	NC	0.09	52.4	1.1	0.16 U	0.15 U
6/4/2019	10,000	60	390	3.0	100 U	NC	260	2.7	100 U	NC	100 U	NC	0.12	20.9	1.5	0.25 U	0.25 U
7/23/2019	9,200	55	390	3.0	50 U	NC	340	3.5	50 U	NC	5.0 U	NC	0.24	-56.6	1.6	0.00050 U	0.00050 U
10/17/2019	7,700	46	410	3.1	50 U	NC	360	3.7	50 U	NC	5.0 U	NC	0.12	173.5	1.3	0.00050 U	0.00050 U
1/22/2020	4,000	24	280	2.1	20 U	NC	410	4.2	20 U	NC	2.0 U	NC	0.11	88.9	1.2	0.00022 U	0.00029 U
4/15/2020	3,300	20	240	1.8	20 U	NC	400	4.1	20 U	NC	2.0 U	NC	0.27	32.4	1.2	0.00022 U	0.00029 U
7/22/2020	2,000	12	170	1.3	10 U	NC	340	3.5	10 U	NC	1.0 U	NC	0.33	80.8	1.4	0.00022 U	0.00029 U
10/23/2020	2,200	13	170	1.3	10 U	NC	330	3.4	10 U	NC	1.3	0.021	0.21	108.6	1.0 U	0.022 U	0.029 U
3/3/2021	2,200	13	190	1.4	10 U	NC	200	2.1	10 U	NC	4.3	0.069		109.4	1.0 U	0.00022 U	0.00029 U
6/22/2021	3,000	18	230	1.8	20 U	NC	290	3.0	20 U	NC	4.3	0.069	0.11	-34.9	1.6	0.00022 U	0.00029 U
9/8/2022	2,700	16	130	0.99	10 U	NC	150	1.5	10 U	NC	3.0	0.048	0.12	19	1.3	0.00022 U	0.00029 U
2/21/2023	4,400	27	190	1.4	10 U	NC	210	2.2	10 U	NC	1.1	0.018	0.16	89.9	1.2	0.00022 U	0.00029 U
9/20/2023	2,200	13	160	1.2	20 U	NC	160	1.7	20 U	NC	0.82	0.013	0.20	204.9	1.3	0.00022 U	0.00029 U
4/10/2024	1,500	9.0	220	1.7	8.0 U	NC	260	2.7	8.0 U	NC	0.84	0.013	0.49	85	1.6	0.00056 U	0.00058 U
9/24/2024	1,100	6.6	450	3.4			380	3.9	8.0 U	NC	8.0 U	NC	0.45	76.5	1.4	0.00056 U	0.00058 U
BSCSS-HZ-MW-24																	
12/10/2018	2.8	0.017	0.91	0.0069	1.0 U	NC	5.4	0.056	1.0 U	NC	0.20 U	NC	0.08	-1.4	7.0	0.016 U	0.015 U
5/31/2019	2.0	0.012	0.92	0.0070	0.20 U	NC	21	0.22	0.20	0.0021	0.77	0.012	0.13	-11.7	3.5	0.25 U	0.25 U
7/17/2019	2.7	0.016	1.1	0.0084	0.20 U	NC	16	0.17	0.20 U	NC	0.58	0.0093	0.07	-167.7	3.8	0.00050 U	0.00050 U
10/24/2019	0.40 U	NC	0.40 U	NC	0.40 U	NC	93	0.96	0.40 U	NC	0.76	0.012	0.16	10	4.7	0.00050 U	0.00050 U
1/27/2020	2.2	0.013	1.3	0.0099	1.0 U	NC	150	1.5	1.0 U	NC	3.2	0.051	0.13	35.3	4.9	0.00022 U	0.00029 U
4/14/2020	0.40 U	NC	0.40 U	NC	0.40 U	NC	73	0.75	0.40 U	NC	30	0.48	0.22	-13.9	5.4	0.00022 U	0.0027
7/22/2020	0.94	0.0057	1.8	0.014	0.20 U	NC	28	0.29	0.20 U	NC	2.6	0.042	0.30	3.7	4.5	0.0022 U	0.0076
10/28/2020	1.3	0.0078	1.3	0.0099	0.20 U	NC	35	0.36	0.27	0.0028	2.0	0.032	0.20	26.6	3.8	0.00022 U	0.00029 U
3/2/2021	0.20 U	NC	0.35	0.0027	0.20 U	NC	6.1	0.063	0.20 U	NC	0.17	0.0027		19.9	2.8	0.00022 U	0.00029 U
6/18/2021	0.20 U	NC	0.21	0.0016	0.20 U	NC	5.0	0.052	0.20 U	NC	0.13	0.0021	0.09	-154.6	4.9	0.0022 U	0.0029 U
9/20/2022	3.8	0.023	4.1	0.031	0.20 U	NC	25	0.26	0.20 U	NC	0.80	0.013	0.18	-53	5.3	0.00022 U	0.00029 U
2/7/2023	2.7	0.016	2.3	0.018	0.20 U	NC	15	0.15	0.20 U	NC	0.55	0.0088	0.09	-7	2.3	0.00022 U	0.00029 U
9/8/2023	2.0	0.012	2.0	0.015	0.20 U	NC	11	0.11	0.20 U	NC	0.61	0.0098	0.25	80.3	2.6	0.00022 U	0.00029 U
4/10/2024	1.0	0.0060	1.3	0.0099	0.20 U	NC	9.0	0.093	0.20 U	NC	0.26	0.0042	0.30	-30.4	1.9	0.00056 U	0.00058 U
9/24/2024	3.6	0.022	2.8	0.021			14	0.14	0.20 U	NC	0.42	0.0067	0.47	-47.8	2.7	0.00056 U	0.00058 U
BSCSS-HZ-MW-26																	
12/4/2018	6.2	0.037	0.50 U	NC	1.0 U	NC	1.0	0.010	1.0 U	NC	0.20 U	NC	0.10	75.6	2.3	0.016 U	0.015 U
5/30/2019	9.7	0.058	0.20 U	NC	0.20 U	NC	1.4	0.014	0.20 U	NC	0.20 U	NC	0.18	17	1.0 U	0.00050 U	0.00050 U
7/29/2019	5.0	0.030	0.20 U	NC	0.20 U	NC	1.0	0.010	0.20 U	NC	0.053	0.00085	0.21	-96.7	1.0 U	0.00050 U	0.00050 U
10/16/2019	2.8	0.017	0.20 U	NC	0.20 U	NC	0.53	0.0055	0.20 U	NC	0.055	0.00088	0.03	152.3	1.0 U	0.00050 U	0.00050 U
1/24/2020	1.5	0.0090	0.20 U	NC	0.20 U	NC	0.42	0.0043	0.20 U	NC	0.041	0.00066	0.10	36.3	1.0 U	0.00022 U	0.00052

Table 2
Intermediate Aquifer Data

Analyte Class	VOCs												Field Parameters		Conventional	Dissolved Gases	
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-HZ-MW-26 (cont.)																	
4/13/2020	73	0.44	2.5	0.019	0.40 U	NC	4.9	0.051	0.40 U	NC	0.040 U	NC	0.66	-4.8	1.0 U	0.00022 U	0.00029 U
7/17/2020	15	0.090	0.84	0.0064	0.20 U	NC	2.2	0.023	0.20 U	NC	0.026	0.00042	0.31	-13.7	1.0 U	0.00022 U	0.00029 U
10/27/2020	14	0.084	0.34	0.0026	0.20 U	NC	1.8	0.019	0.20 U	NC	0.034	0.00054	0.22	110.7	1.0 U	0.00022 U	0.00029 U
3/5/2021	1.7	0.010	0.20 U	NC	0.20 U	NC	0.26	0.0027	0.20 U	NC	0.020 U	NC	2.65	84.4	1.0 U	0.00022 U	0.00029 U
6/14/2021	5.0	0.030	0.20 U	NC	0.20 U	NC	1.2	0.012	0.20 U	NC	0.020	0.00032	0.15	13	1.0 U	0.00022 U	0.00029 U
6/22/2021	4.8	0.029	0.20 U	NC	0.20 U	NC	1.1	0.011	0.20 U	NC	0.020 U	NC			1.1	0.00022 U	0.00029 U
9/8/2022	22	0.13	0.43	0.0033	0.20 U	NC	2.0	0.021	0.20 U	NC	0.048	0.00077	0.15	43.3	1.0 U	0.00022 U	0.00029 U
2/21/2023	7.4	0.045	0.20 U	NC	0.20 U	NC	1.6	0.017	0.20 U	NC	0.076	0.0012	0.14	121.7	1.0 U	0.00022 U	0.00029 U
9/12/2023	11	0.066	0.20 U	NC	0.20 U	NC	1.2	0.012	0.20 U	NC	0.20 U	NC	0.15	315.8	1.0 U	0.00022 U	0.00029 U
4/10/2024	18	0.11	0.22	0.0017	0.20 U	NC	2.0	0.021	0.20 U	NC	0.20 U	NC	0.39	102.9	1.6	0.00056 U	0.00058 U
9/23/2024	32	0.19	0.35	0.0027			3.5	0.036	0.20 U	NC	0.20 U	NC	0.24	146.4	1.0 U	0.00056 U	0.00058 U
BSCSS-HZ-MW-29																	
12/10/2018	14	0.084	4.1	0.031	1.0 U	NC	11	0.11	1.0 U	NC	0.20 U	NC	0.07	3.5	2.7	0.016 U	0.015 U
5/31/2019	1.4	0.0084	0.60	0.0046	0.20 U	NC	32	0.33	0.22	0.0023	0.26	0.0042	0.35	-2.3	52	0.25 U	0.25 U
7/17/2019	1.2	0.0072	0.58	0.0044	0.20 U	NC	32	0.33	0.32	0.0033	0.47	0.0075	0.09	-93.7	15	0.00050 U	0.00050 U
10/24/2019	1.0 U	NC	1.0 U	NC	1.0 U	NC	100	1.0	1.0 U	NC	0.94	0.015	0.14	-9.6	2.1	0.00050 U	0.00050 U
1/27/2020	1.0 U	NC	1.5	0.011	1.0 U	NC	100	1.0	1.0 U	NC	1.5	0.024	0.17	42.1	1.8	0.00022 U	0.00029 U
4/13/2020	1.0 U	NC	5.2	0.040	1.0 U	NC	130	1.3	1.0 U	NC	5.8	0.093	0.28	-76.4	3.2	0.00022 U	0.00029 U
7/17/2020	1.0 U	NC	1.0 U	NC	1.0 U	NC	190	2.0	1.0	0.010	40	0.64	0.24	-49.1	12	0.00022 U	0.014
10/28/2020	0.20 U	NC	0.27	0.0021	0.20 U	NC	21	0.22	0.55	0.0057	9.2	0.15	0.20	-52.5	5.8	0.00022 U	0.026
3/5/2021	0.20 U	NC	0.29	0.0022	0.20 U	NC	19	0.20	0.36	0.0037	5.1	0.082	0.21	-144.6	1.9	0.0022 U	0.0029 U
6/22/2021	0.20 U	NC	0.32	0.0024	0.20 U	NC	20	0.21	0.30	0.0031	9.7	0.16	0.10	-130.1	2.1	0.00022 U	0.0017
9/20/2022	0.20 U	NC	0.24	0.0018	0.20 U	NC	30	0.31	0.25	0.0026	15	0.24	0.21	-35.4	1.3	0.00022 U	0.0018
2/7/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	32	0.33	0.29	0.0030	16	0.26	0.10	-37.7	1.1	0.00022 U	0.00029 U
9/8/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	32	0.33	0.24	0.0025	13	0.21	0.12	35.7	1.1	0.00022 U	0.00029 U
4/10/2024	0.20 U	NC	0.20 U	NC	0.20 U	NC	29	0.30	0.22	0.0023	10	0.16	0.40	-48.5	7.7	0.00056 U	0.00058 U
9/24/2024	0.20 U	NC	0.20 U	NC			22	0.23	0.20 U	NC	8.4	0.13	0.15	-70.8	1.6	0.00056 U	0.00058 U
BSCSS-HZ-MW-33R																	
8/11/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.064	0.0010	0.35	102.6	2.2	0.00022 U	0.00029 U
10/3/2022	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.039	0.00062	0.40	106.3	1.0 U	0.00022 U	0.00029 U
2/7/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.033	0.00053	0.12	146.8	1.0 U	0.00022 U	0.00029 U
9/21/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.10	216.1	1.0 U	0.00022 U	0.00029 U
4/11/2024	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.36	105.9	1.0 U	0.00056 U	0.00058 U
9/24/2024	0.20 U	NC	0.20 U	NC			0.20 U	NC	0.20 U	NC	0.20 U	NC	0.45	82.5	1.0 U	0.00056 U	0.00058 U

Table 2
Intermediate Aquifer Data

Analyte Class	VOCs												Field Parameters		Conventional	Dissolved Gases	
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-S-MW-3RRR																	
8/20/2021	94	0.57	0.72	0.0055	0.40 U	NC	0.40 U	NC	0.40 U	NC	0.040 U	NC	16.7	-317.2	1.0	0.00022 U	0.00029 U
10/14/2022	37	0.22	0.41	0.0031	0.20 U	NC	0.69	0.0071	0.20 U	NC	0.020 U	NC	0.54	192.1	1.3	0.00022 U	0.00029 U
2/10/2023	76	0.46	0.94	0.0072	0.40 U	NC	2.4	0.025	0.40 U	NC	0.040 U	NC	0.12	44.7	1.0 U	0.00022 U	0.00029 U
2/17/2024	89	0.54	1.9	0.014	0.40 U	NC	5.5	0.057	0.40 U	NC	0.47	0.0075	1.60	11.6	9.1	0.00056 U	0.00058 U
4/10/2024	85	0.51	3.5	0.027	0.40 U	NC	10	0.10	0.40 U	NC	1.6	0.026	0.27	-9.3	11	0.00056 U	0.00058 U
BSCSS-S-MW-3RRR																	
9/26/2024	270	1.6	0.82	0.0062			0.55	0.0057	0.20 U	NC	0.20 U	NC	2.86	-44.1	1.1	0.00056 U	0.00058 U

Notes:

- All blank cells are intentional.
- All chemistry results are rounded to two significant figures.
- Field parameters are reported as displayed by the sampling equipment.
- Not available.

Italic Analyte was not detected at a reporting limit greater than the CUL.

RED/BOLD Analyte was detected at a concentration greater than the CUL.

Well is inactive or decommissioned.

¹ CULs are based on MTCA Method A values, except for cis- and trans-1,2-dichloroethene, which use MTCA Method B.

Abbreviations:

- °C Degrees Celsius
- CAS Chemical Abstracts Service
- CUL Cleanup level
- µg/L Micrograms per liter
- µmol/L Micromoles per liter
- mg/L Milligrams per kilogram
- MTCA Model Toxics Control Act
- mV Millivolts
- NC Molar concentration not calculated, analyte was not detected
- ORP Oxidation–reduction potential
- VOC Volatile organic compound

Qualifiers:

- J Analyte was detected; concentration is an estimate.
- U Analyte was not detected at the associated reporting limit.

**Table 3
Deep Aquifer Data**

Analyte Class	VOCs												Field Parameters		Conventionals	Dissolved Gases	
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-MW-29																	
12/12/2018	1.1	0.0066	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	0.15	-16.7	3.0	0.016 U	0.015 U
6/4/2019	0.26	0.0016	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.25	15	2.2	0.015 U	0.015 U
7/16/2019	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.11	-106.2	2.1	0.00050 U	0.00050 U
10/18/2019	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.11	7.4	2.2	0.00050 U	0.00050 U
1/29/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.04	-82	1.9	0.00022 U	0.00029 U
4/16/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.31	-11.6	2.0	0.00022 U	0.00029 U
7/24/2020	9.0	0.054	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC			1.0 U	0.00022 U	0.00029 U
8/10/2020	1.9	0.011	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.14	176.4	2.0	0.00022 U	0.00029 U
10/19/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.17	-62.8	2.0	0.00044 U	0.00058 U
2/26/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC		-60.1	2.3	0.00022 U	0.00029 U
6/17/2021	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.12	-147.7	2.3	0.00022 U	0.00029 U
9/22/2022	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.21	-77.4	1.9	0.00022 U	0.00029 U
2/10/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.020 U	NC	0.11	-24.9	1.8	0.00022 U	0.00029 U
9/7/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.15	5.5	1.7	0.00022 U	0.00029 U
9/23/2024	0.20 U	NC	0.20 U	NC			0.20 U	NC	0.20 U	NC	0.20 U	NC	0.36	-73.7	1.7	0.00056 U	0.00058 U
BSCSS-MW-34																	
12/11/2018	1.0 U	NC	0.50 U	NC	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.20 U	NC	0.09	44.3	1.2	0.016 U	0.015 U
2/21/2019	1.3	0.0078	0.50 U	NC	1.0 U	NC	1.5	0.015	1.0 U	NC	0.20 U	NC	0.22	91.9	1.5	0.016 U	0.015 U
6/3/2019	1.3	0.0078	0.20 U	NC	0.20 U	NC	3.2	0.033	0.20 U	NC	0.20 U	NC	0.19	18.6	1.8	0.0075 U	0.0075 U
6/15/2021	0.30	0.0018	0.34	0.0026	0.20 U	NC	0.44	0.0045	0.20 U	NC	0.11	0.0018	0.11	-22.3	1.8	0.00022 U	0.00029 U
9/1/2022	0.20	0.0012	0.20 U	NC	0.20 U	NC	0.20	0.0021	0.20 U	NC	0.67	0.011	0.42	12.4	1.9	0.00022 U	0.00029 U
2/3/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	2.6	0.042	0.09	32.6	1.6	0.00022 U	0.00029 U
9/14/2023	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.03	81.8	1.5	0.00022 U	0.00029 U
4/9/2024	0.35	0.0021	0.33	0.0025	0.20 U	NC	0.28	0.0029	0.20 U	NC	0.57	0.0091	0.02	16.3	2.8	0.00056 U	0.00058 U
9/24/2024	0.25	0.0015	0.28	0.0021			0.25	0.0026	0.20 U	NC	0.37	0.0059	0.3	64.5	1.9	0.00056 U	0.00058 U
BSCSS-MW-39																	
12/17/2018	2.3	0.014	2.6	0.020	1.0 U	NC	6.8	0.070	1.0 U	NC	0.20 U	NC	0.15	-3.5	3.4	0.016 U	0.015 U
3/13/2019	1.0 U	NC	0.50 U	NC	1.0 U	NC	2.0	0.021	1.0 U	NC	0.20 U	NC	1.33	82.2	4.2	0.016 U	0.015 U
5/29/2019	0.33	0.0020	0.34	0.0026	0.20 U	NC	1.2	0.012	0.20 U	NC	0.20 U	NC	0.14	1.8	3.3	0.10 U	0.10 U
7/23/2019	0.52	0.0031	0.63	0.0048	0.20 U	NC	1.3	0.013	0.20 U	NC	0.020 U	NC	0.25	-96.6	2.9	0.00050 U	0.00050 U
10/24/2019	0.52	0.0031	0.52	0.0040	0.20 U	NC	1.6	0.017	0.20 U	NC	0.020 U	NC	0.24	19.8	3.1	0.00050 U	0.00050 U
1/28/2020	0.20 U	NC	0.20 U	NC	0.20 U	NC	1.8	0.019	0.20 U	NC	0.020 U	NC	0.21	57.1	3.2	0.00022 U	0.00029 U
4/27/2020	3.1	0.019	2.2	0.017	0.20 U	NC	8.9	0.092	0.20 U	NC	0.024	0.00038	4.4	48.5	2.1	0.00022 U	0.00029 U
7/29/2020	0.20 U	NC	0.20	0.0015			0.77	0.0079			0.042	0.00067	0.13	-30	3.6	0.00022 U	0.00029 U

**Table 3
Deep Aquifer Data**

Analyte Class	VOCs												Field Parameters		Conventionals	Dissolved Gases	
	Tetrachloroethene		Trichloroethene		1,1-Dichloroethene		cis-1,2-Dichloroethene		trans-1,2-Dichloroethene		Vinyl Chloride		Dissolved Oxygen	ORP	Total Organic Carbon	Ethane	Ethene
CAS No.	127-18-4		79-01-6		75-35-4		156-59-2		156-60-5		75-01-4		--	--	TOC	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾	5.0	--	5.0	--	--	--	16	--	160	--	0.20	--	--	--	--	--	--
Unit	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	µg/L	µmol/L	mg/L	mV	mg/L	mg/L	mg/L
Sample Date																	
BSCSS-MW-39 (cont.)																	
10/22/2020	1.3	0.0078	0.42	0.0032	0.20 U	NC	1.2	0.012	0.20 U	NC	0.063	0.0010	0.36	13.3	3.3	0.0022 U	0.0029 U
3/5/2021	70	0.42	10	0.076	0.40 U	NC	1.1	0.011	0.40 U	NC	0.040 U	NC			3.2	0.0022 U	0.0029 U
3/12/2021	46	0.28	7.7	0.059	0.20 U	NC	1.5	0.015	0.20 U	NC	0.020 U	NC	0.43	-53.3	2.9	0.00022 U	0.00029 U
6/21/2021	280	1.7	40	0.30	2.0 U	NC	2.0 U	NC	2.0 U	NC	0.20 U	NC	0.13	-106.1	3.9	0.00022 U	0.00029 U
9/29/2022	270	1.6	61	0.46	2.0 U	NC	2.0 U	NC	2.0 U	NC	0.85	0.014	0.19	-10.8	5.0	0.00022 U	0.0020
2/6/2023	210	1.3	60	0.46	1.0 U	NC	1.0 U	NC	1.0 U	NC	0.10	0.0016	0.28	-34.4	4.8	0.00022 U	0.00029 U
9/26/2023	460	2.8	100	0.76	2.0 U	NC	2.0 U	NC	2.0 U	NC	0.20 U	NC	0.12	128.8	4.5	0.00022 U	0.0031
4/11/2024	220	1.3	56	0.43	2.0 U	NC	2.0 U	NC	2.0 U	NC	0.20 U	NC	0.35	-33.3	5.8	0.00056 U	0.00058 U
9/26/2024	200	1.2	53	0.40			1.0 U	NC	1.0 U	NC	1.0 U	NC	0.35	-53.1	4.7	0.00056 U	0.00058 U

Notes:

- All blank cells are intentional.
- All chemistry results are rounded to two significant figures.
- Field parameters are reported as displayed by the sampling equipment.
- Not available.
- Italic* Analyte was not detected at a reporting limit greater than the CUL.
- RED/BOLD** Analyte was detected at a concentration greater than the CUL.
- 1 CULs are based on MTCA Method A values, except for cis- and trans-1,2-dichloroethene, which use MTCA Method B.

Abbreviations:

- °C Degrees Celsius
- CAS Chemical Abstracts Service
- CUL Cleanup level
- µg/L Micrograms per liter
- µmol/L Micromoles per liter
- mg/L Milligrams per kilogram
- MTCA Model Toxics Control Act
- mV Millivolts
- NC Molar concentration not calculated, analyte was not detected
- ORP Oxidation–reduction potential
- VOC Volatile organic compound

Qualifiers:

- J Analyte was detected; concentration is an estimate.
- U Analyte was not detected at the associated reporting limit.

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-MW-4R																
8/2/2021	Shallow	10-25	42	9.33	32.67	2,000	120	10 U	230	10 U	20	6.14	20.2	393.4		0.29
8/30/2022	Shallow	10-25	42	7.68	34.32	1,300	220	8.0 U	640	8.0 U	40	6.17	18.8	571.0		0.03
2/20/2023	Shallow	10-25	42	6.46	35.54	490	110	10 U	1,200	10 U	52	6.35	15.2	453.7		0.10
9/15/2023	Shallow	10-25	42	7.89	34.11	390	70	2.0 U	380	2.0 U	18	6.04	15.5	377.6		0.16
4/9/2024	Shallow	10-25	44.56	6.9	37.66	130	63	4.0 U	590	4.0 U	13	6.50	13.0		367.4	0.61
9/25/2024	Shallow	10-25	44.56	7.58	36.98	1.9	1.9		150	0.88	42	6.41	14.8		918.0	0.46
BSCSS-MW-5R																
8/3/2021	Shallow	10-25	42	8.3	33.7	1,800	38	10 U	34	10 U	2.2	5.80	17.9	255.4		0.28
9/1/2022	Shallow	10-25	42	8.64	33.36	2,300	57	10 U	85	10 U	4.4	5.59	16.9	209.0		0.07
2/20/2023	Shallow	10-25	42	8.9	33.1	1,700	50	10 U	140	10 U	2.3	6.03	14.9	197.9		0.17
9/20/2023	Shallow	10-25	42	8.63	33.37	2,000	48	0.24	54	0.57	0.94	5.53	15.0	185.9		0.03
4/9/2024	Shallow	10-25	44.68	7.7	36.98	810	23	4.0 U	23	4.0 U	0.59	6.28	12.6		133.7	0.47
9/25/2024	Shallow	10-25	44.68	7.9	36.78	48	4.0		13	0.20 U	0.29	6.28	15.2		343.5	0.34
BSCSS-MW-6																
12/21/2018	Shallow	10-25	47.567	8.79	38.777	2,700	1,000	1.0 U	2,600	40	26	5.96	49.4	378.0		0.23
2/22/2019	Shallow	10-25	47.567	7.79	39.777	1,800	570	10 U	1,000	14	14	6.16	42.6	295.1		0.15
5/22/2019	Shallow	10-25	47.567	8.46	39.107	3,800	1,800	20 U	750	20 U	20 U	6.14	43.7	407.0		0.04
7/25/2019	Shallow	10-25	47.567	9.06	38.507	3,600	1,100	20 U	490	20 U	7.4	6.16	41.5	401.0		0.04
10/21/2019	Shallow	10-25	47.567	8.76	38.807	74	38	10 U	1,200	10 U	3.2	6.08	31.3	562.0		0.04
1/22/2020	Shallow	10-25	47.567	7.77	39.797	9.8	5.2	0.38	170	0.91	74	6.62	20.9	364.9		
4/17/2020	Shallow	10-25	47.567	8.19	39.377	23	7.4	1.4	38	0.47	50	6.46	22.1	360.7		0.12
7/20/2020	Shallow	10-25	47.567	8.28	39.287	0.97	1.1	0.44	47	0.43	58	6.32	22.7	639.0		0.25
10/19/2020	Shallow	10-25	47.567	8.83	38.737	2.3	0.61	0.20 U	3.8	0.20 U	8.2	6.00	21.5	654.0		0.11
2/23/2021	Shallow	10-25	47.567	8.23	39.337	0.20 U	0.20 U	0.20 U	10	0.20 U	14	5.94	15.4	629.0		
6/15/2021	Shallow	10-25	47.567	9.37	38.197	0.20 U	0.20 U	0.20 U	1.9	0.20 U	8.0	6.27	17.5	726.0		0.09
9/12/2022	Shallow	10-25	47.567	--	--	17	12	0.49	11	0.20 U	0.35	6.36	18.6	787.0		0.12
2/20/2023	Shallow	10-25	47.567	--	--	4.0	4.8	0.42	7.9	0.20 U	3.1	6.73	14.5	783.0		0.20
9/14/2023	Shallow	10-25	47.567	--	--	7.0	7.0	0.42	8.3	0.20 U	8.1	6.40	15.3	785.0		0.23
4/9/2024	Shallow	10-25	44.77	--	--	2.1	4.0	0.35	5.5	0.20 U	9.4	6.59	12.9		572.0	-0.01
9/25/2024	Shallow	10-25	44.77	--	--	0.20 U	0.20 U		0.86	0.20 U	7.0	6.69	15.1		663.0	0.10
BSCSS-MW-7																
5/24/2019	Shallow	10-25	45.957	7.96	37.997	1,000	84	10 U	240	10 U	10 U	6.68	13.6	409.5		0.16
6/18/2021	Shallow	10-25	45.957	8.73	37.227	190	35	2.0 U	140	2.0 U	17	6.59	19.2	607.0		0.05
9/28/2022	Shallow	10-25	45.957	8.41	37.547	2,100	220	10 U	1,100	10 U	130	6.03	17.5	562.7		0.15
2/21/2023	Shallow	10-25	45.957	7.05	38.907	1,300	210	10 U	420	10 U	2.6	6.40	14.6	489.7		0.23
9/15/2023	Shallow	10-25	45.957	8.34	37.617	5,100	300	20 U	780	20 U	2.7	6.20	16.3	561.6		0.24
4/9/2024	Shallow	10-25	44.51	7.33	37.18	1,600	230	10 U	430	10 U	1.9	6.48	13.3		359.3	0.45
9/25/2024	Shallow	10-25	44.51	8.23	36.28	2.2	2.8		130	0.80 U	18	6.45	15.2		643.0	0.41

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-MW-11																
12/20/2018	Intermediate	25-33	47.677	8.56	39.117	41	12	1.0 U	4.9	1.0 U	0.20 U	5.72	45.7	287.0		0.16
2/21/2019	Intermediate	25-33	47.677	7.9	39.777	17	15	1.0 U	9.6	1.0 U	0.20 U	5.96	47.2	316.3		0.16
5/22/2019	Intermediate	25-33	47.677	8.48	39.197	75	69	2.3	14	0.77	0.40 U	6.13	45.7	468.0		0.04
7/25/2019	Intermediate	25-33	47.677	9.12	38.557	39	41	1.9	7.7	0.46	0.34	6.20	40.8	407.0		0.04
10/21/2019	Intermediate	25-33	47.677	8.92	38.757	3.5	3.8	1.0 U	220	1.0 U	1.5	6.33	27.8	522.0		0.08
1/22/2020	Intermediate	25-33	47.677	8.09	39.587	2.5	2.7	1.0 U	230	1.0 U	70	6.66	20.4	388.6		1.10
4/17/2020	Intermediate	25-33	47.677	8.49	39.187	8.0	20	3.2	130	1.4	140	6.79	22.5	515.3		0.20
7/20/2020	Intermediate	25-33	47.677	8.74	38.937	0.20 U	0.20 U	0.20 U	1.1	0.20 U	18	6.34	23.1	729.0		0.17
10/19/2020	Intermediate	25-33	47.677	9	38.677	13	15	0.46	79	0.51	30	6.18	20.2	745.0		0.08
2/26/2021	Intermediate	25-33	47.677	8.02	39.657	0.40 U	0.92	0.40 U	22	0.40 U	49	6.27	15.5	651.0		
6/15/2021	Intermediate	25-33	47.677	9.24	38.437	1.5	23	2.8	49	1.1	89	6.54	17.8	521.0		0.04
9/28/2022	Intermediate	25-33	47.677	7.5	40.177	0.40 U	0.45	0.40 U	21	0.40 U	48	6.50	16.5	433.2		0.16
2/20/2023	Intermediate	25-33	47.677	6.1	41.577	0.20 U	0.20 U	0.20 U	5.0	0.20 U	34	6.93	14.6	342.0		0.40
9/14/2023	Intermediate	25-33	47.677	7.51	40.167	0.20 U	0.66	0.35	6.1	0.20 U	30	6.79	15.2	391.4		0.16
4/9/2024	Intermediate	25-33	44.75	6.52	38.23	0.20 U	0.59	0.20 U	4.0	0.20 U	17	6.92	13.6		309.0	-0.04
9/24/2024	Intermediate	25-33	44.75	7.12	37.63	0.20 U	0.59		4.4	0.20 U	19	6.92	15.3		443.9	0.15
BSCSS-MW-12																
5/24/2019	Intermediate	25-33	45.837	7.92	37.917	5,400	400	30 U	780	30 U	30 U	6.25	14.1	383.9		0.30
7/22/2019	Intermediate	25-33	45.837	8.4	37.437	910	240	5.0 U	630	5.0 U	6.2	6.12	18.6	672.0		0.05
10/18/2019	Intermediate	25-33	45.837	9.07	36.767	360	68	2.0 U	240	2.0 U	0.84	5.85	16.2	361.6		0.12
1/27/2020	Intermediate	25-33	45.837	7.8	38.037	260	120	2.0 U	450	2.0 U	1.9	6.28	15.5	459.0		0.31
4/21/2020	Intermediate	25-33	45.837	7.64	38.197	330	84	2.0 U	52	2.0 U	0.82	6.26	16.1	472.9		0.18
7/22/2020	Intermediate	25-33	45.837	6.45	39.387	250	93	2.0 U	85	2.0 U	2.7	6.16	19.1	488.0		0.19
10/21/2020	Intermediate	25-33	45.837	8.83	37.007	450	81	2.0 U	93	2.0 U	3.6	5.86	18.8	456.8		0.17
3/3/2021	Intermediate	25-33	45.837	8	37.837	650	65	4.0 U	140	4.0 U	20	5.95	17.4	478.6		
6/15/2021	Intermediate	25-33	45.837	8.77	37.067	820	170	4.0 U	180	4.0 U	5.1	6.28	18.5	468.3		0.10
9/27/2022	Intermediate	25-33	45.837	7.9	37.937	20	12	2.0 U	330	2.0 U	49	6.22	17.6	1,057.0		0.19
2/20/2023	Intermediate	25-33	45.837	6.55	39.287	59	33	2.0 U	130	2.0 U	18	6.52	15.8	855.0		0.11
9/15/2023	Intermediate	25-33	45.837	7.91	37.927	0.20 U	0.20 U	0.20 U	1.2	0.20 U	2.5	6.19	16.1	316.6		0.19
4/9/2024	Intermediate	25-33	44.22	6.98	37.24	0.36	2.9	0.20 U	15	0.20 U	4.4	6.33	14.4		454.6	-0.04
9/25/2024	Intermediate	25-33	44.22	7.92	36.30	27	37		520	4.0 U	90	6.26	15.2		706.0	0.32
BSCSS-MW-20R																
6/22/2021	Intermediate	25-30	43	8.32	34.68	430	220	4.0 U	230	12	40	6.60	21.4	896.0		0.07
9/1/2022	Intermediate	25-30	43	7.8	35.2	67	96	6.9	160	6.0	72	6.48	17.5	405.0		0.34
2/2/2023	Intermediate	25-30	43	6.52	36.48	150	140	8.1	120	6.3	87	6.48	15.5	397.1		0.11
9/19/2023	Intermediate	25-30	43	7.96	35.04	60	61	5.7	74	3.4	94	6.55	15.4	412.1		0.13
4/9/2024	Intermediate	25-30	44.779143	6.91	36.09	69	94	9.0	45	3.0	72	6.62	13.9		238.5	0.31
9/24/2024	Intermediate	25-30	44.779143	7.39	35.61	99	88		33	2.9	77	6.62	14.7		356.8	0.29

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-MW-21R																
8/3/2021	Shallow	10-15	42	8.74	33.26	7,000	260	10 U	150	10 U	1.0 U	6.49	19.1	370.2		1.54
8/30/2022	Shallow	10-15	42	8.5	33.5	240	15	1.0 U	21	1.0 U	0.13	6.34	21.0	367.0		0.48
2/3/2023	Shallow	10-15	42	7.5	34.5	16	1.7	0.20 U	4.2	0.20 U	0.41	6.27	14.3	389.3		0.08
9/19/2023	Shallow	10-15	42	8.55	33.45	2,500	120	20 U	150	20 U	1.9	6.41	15.8	343.5		0.15
4/9/2024	Shallow	10-15	44.71	7.49	37.22	410	26	2.0 U	20	2.0 U	2.2	6.64	12.2		215.7	0.46
9/24/2024	Shallow	10-15	44.71	7.45	37.26	7.4	1.3		4.1	0.20 U	0.21	6.33	15.2		577.0	0.44
BSCSS-MW-23																
12/5/2018	Shallow	6-16	48.027	8.7	39.327	1.1	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	5.65	14.4	112.4		1.24
2/12/2019	Shallow	6-16	48.027	8.18	39.847	2.1	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	5.34	11.6	75.1		5.16
6/4/2019	Shallow	6-16	48.027	8.57	39.457	0.94	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.13	14.9	113.4		0.87
6/17/2021	Shallow	6-16	48.027	8.91	39.117	0.20 U	0.57	0.20 U	0.20 U	0.20 U	0.020 U	6.04	14.6	191.6		0.15
10/14/2022	Shallow	6-16	48.027	10.45	37.577	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.31	16.2	148.1		1.81
2/6/2023	Shallow	6-16	48.027	10	38.027	0.35	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.88	12.1	216.0		2.13
9/27/2023	Shallow	6-16	48.027	10.23	37.797	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	5.30	15.4	126.3		
4/11/2024	Shallow	6-16	48.027	10.44	37.587	0.24	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	5.86	11.7		115.5	6.16
9/23/2024	Shallow	6-16	49.31	11.25	38.06	0.20 U	0.20 U		0.20 U	0.20 U	0.20 U	5.74	15.7		164.3	4.31
BSCSS-MW-27																
12/12/2018	Shallow	6-16	48.487	10.09	38.397	170	0.71	1.0 U	1.0 U	1.0 U	0.20 U	5.17	14.5	133.3		7.04
5/24/2019	Shallow	6-16	48.487	9.65	38.837	110	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	5.73	13.1	131.9		8.54
7/16/2019	Shallow	6-16	48.487	10.39	38.097	91	0.40 U	0.40 U	0.40 U	0.40 U	0.040 U	4.53	16.3	120.9		6.39
10/18/2019	Shallow	6-16	48.487	10.05	38.437	130	1.0 U	1.0 U	1.0 U	1.0 U	0.10 U	5.20	16.0	97.3		7.17
1/29/2020	Shallow	6-16	48.487	8.22	40.267	90	1.2	0.40 U	1.5	0.40 U	0.040 U	5.01	12.2	134.2		6.26
4/16/2020	Shallow	6-16	48.487	8.87	39.617	75	0.51	0.40 U	0.89	0.40 U	0.040 U	5.47	14.6	139.6		3.53
7/27/2020	Shallow	6-16	48.487	9.95	38.537	60	0.40 U	0.40 U	0.40 U	0.40 U	0.040 U	5.20	17.1	147.1		3.75
10/19/2020	Shallow	6-16	48.487	9.98	38.507	69	0.40 U	0.40 U	0.40 U	0.40 U	0.040 U	4.95	16.9	105.6		3.67
2/26/2021	Shallow	6-16	48.487	7.87	40.617	54	0.40 U	0.40 U	0.40 U	0.40 U	0.040 U	4.92	11.8	88.0		0.48
6/17/2021	Shallow	6-16	48.487	9.87	38.617	39	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.62	16.4	85.3		1.55
9/22/2022	Shallow	6-16	48.487	10.22	38.267	35	6.4	0.20 U	1.4	0.20 U	0.020 U	5.15	17.2	185.9		0.59
2/21/2023	Shallow	6-16	48.487	8.59	39.897	25	6.7	0.20 U	8.1	0.20 U	0.020 U	5.31	10.6	139.1		0.28
9/7/2023	Shallow	6-16	48.487	10.33	38.157	19	7.6	0.20 U	10	0.20 U	0.20 U	5.41	16.0	184.8		0.32
4/11/2024	Shallow	6-16	48.487	9.15	39.337	29	1.6	0.20 U	2.6	0.20 U	0.20 U	5.57	10.6		148.4	0.22
9/25/2024	Shallow	6-16	47.49	10.01	37.48	33	2.9		2.1	0.20 U	0.20 U	5.39	15.2		184.9	0.69
BSCSS-MW-29																
12/12/2018	Deep	45-55	48.497	10.25	38.247	1.1	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	7.05	13.8	276.8		0.15
6/4/2019	Deep	45-55	48.497	10.08	38.417	0.26	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	7.40	16.3	265.3		0.25
7/16/2019	Deep	45-55	48.497	10.61	37.887	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.88	16.2	274.4		0.11
10/18/2019	Deep	45-55	48.497	10.48	38.017	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.99	14.5	207.7		0.11
1/29/2020	Deep	45-55	48.497	9.61	38.887	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	7.29	13.7	249.5		0.04
4/16/2020	Deep	45-55	48.497	9.71	38.787	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	7.23	16.2	312.9		0.31

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-MW-29 (cont.)																
7/24/2020	Deep	45-55	48.497	--	--	9.0	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U					
8/10/2020	Deep	45-55	48.497	10.54	37.957	1.9	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.28	17.5	236.5		0.14
10/19/2020	Deep	45-55	48.497	10.4	38.097	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.84	15.6	263.5		0.17
2/26/2021	Deep	45-55	48.497	9.36	39.137	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.56	13.9	255.1		
6/17/2021	Deep	45-55	48.497	10.43	38.067	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	7.25	16.2	266.3		0.12
9/22/2022	Deep	45-55	48.497	10.1	38.397	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.72	16.2	270.8		0.21
2/10/2023	Deep	45-55	48.497	8.71	39.787	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.87	13.6	264.3		0.11
9/7/2023	Deep	45-55	48.497	10.2	38.297	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.89	14.8	269.3		0.15
9/23/2024	Deep	45-55	48.03	10.61	37.42	0.20 U	0.20 U		0.20 U	0.20 U	0.20 U	7.24	14.3		260.9	0.36
BSCSS-MW-34																
12/11/2018	Deep	40-50	47.187	8.5	38.687	1.0 U	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	5.92	22.9	284.6		0.09
2/21/2019	Deep	40-50	47.187	7.59	39.597	1.3	0.50 U	1.0 U	1.5	1.0 U	0.20 U	5.95	27.5	255.8		0.22
6/3/2019	Deep	40-50	47.187	8.28	38.907	1.3	0.20 U	0.20 U	3.2	0.20 U	0.20 U	6.16	32.4	263.9		0.19
6/15/2021	Deep	40-50	47.187	8.65	38.537	0.30	0.34	0.20 U	0.44	0.20 U	0.11	6.32	19.0	183.8		0.11
9/1/2022	Deep	40-50	47.187	7.7	39.487	0.20	0.20 U	0.20 U	0.20	0.20 U	0.67	6.25	18.7	276.0		0.42
2/3/2023	Deep	40-50	47.187	6.65	40.537	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	2.6	6.19	15.3	305.8		0.09
9/14/2023	Deep	40-50	47.187	7.55	39.637	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.01	15.8	252.7		1.03
4/9/2024	Deep	40-50	44.48	6.65	37.83	0.35	0.33	0.20 U	0.28	0.20 U	0.57	6.26	13.7		284.2	0.02
9/24/2024	Deep	40-50	44.48	7.41	37.07	0.25	0.28		0.25	0.20 U	0.37	6.20	14.9		343.5	0.30
BSCSS-MW-39																
12/17/2018	Deep	40-50	44.885	6.33	38.555	2.3	2.6	1.0 U	6.8	1.0 U	0.20 U	6.39	24.1	225.4		0.15
3/13/2019	Deep	40-50	44.885	6.32	38.565	1.0 U	0.50 U	1.0 U	2.0	1.0 U	0.20 U	6.08	26.6	63.3		1.33
5/29/2019	Deep	40-50	44.885	6.49	38.395	0.33	0.34	0.20 U	1.2	0.20 U	0.20 U	6.61	28.4	219.2		0.14
7/23/2019	Deep	40-50	44.885	7.02	37.865	0.52	0.63	0.20 U	1.3	0.20 U	0.020 U	6.33	28.2	215.5		0.25
10/24/2019	Deep	40-50	44.885	6.94	37.945	0.52	0.52	0.20 U	1.6	0.20 U	0.020 U	6.10	26.2	250.0		0.24
1/28/2020	Deep	40-50	44.885	5.53	39.355	0.20 U	0.20 U	0.20 U	1.8	0.20 U	0.020 U	6.50	20.2	272.1		0.21
4/27/2020	Deep	40-50	44.885	6.17	38.715	3.1	2.2	0.20 U	8.9	0.20 U	0.024	6.43	21.2	236.2		4.40
7/29/2020	Deep	40-50	44.885	6.92	37.965	0.20 U	0.20		0.77		0.042	6.49	22.5	335.3		0.13
10/22/2020	Deep	40-50	44.885	6.99	37.895	1.3	0.42	0.20 U	1.2	0.20 U	0.063	6.12	19.1	274.8		0.36
3/5/2021	Deep	40-50	44.885	--	--	70	10	0.40 U	1.1	0.40 U	0.040 U					
3/12/2021	Deep	40-50	44.885	6.29	38.595	46	7.7	0.20 U	1.5	0.20 U	0.020 U	6.79	17.5	259.6		0.43
6/21/2021	Deep	40-50	44.885	7.34	37.545	280	40	2.0 U	2.0 U	2.0 U	0.20 U	6.57	20.9	296.9		0.13
9/29/2022	Deep	40-50	44.885	7.86	37.025	270	61	2.0 U	2.0 U	2.0 U	0.85	6.16	16.6	386.5		0.19
2/6/2023	Deep	40-50	44.885	7.15	37.735	210	60	1.0 U	1.0 U	1.0 U	0.10	6.39	14.1	401.5		0.28
9/26/2023	Deep	40-50	44.885	7.68	37.205	460	100	2.0 U	2.0 U	2.0 U	0.20 U	6.13	15.6	418.1		0.12
4/11/2024	Deep	40-50	44.885	6.77	38.115	220	56	2.0 U	2.0 U	2.0 U	0.20 U	6.54	14.0		220.0	0.35
9/26/2024	Deep	40-50	44.54	7.64	36.90	200	53		1.0 U	1.0 U	1.0 U	6.53	15.6		377.2	0.35

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-MW-40																
12/17/2018	Shallow	15-25	45.001	6.28	38.721	210	46	1.0 U	57	1.0 U	0.20 U	6.43	34.3	69.2		2.39
3/13/2019	Shallow	15-25	45.001	6.29	38.711	210	150	1.5	750	1.3	0.20 U	6.08	29.5	63.3		1.33
5/29/2019	Shallow	15-25	45.001	6.49	38.511	560	600	20 U	4,300	20 U	20 U	6.41	30.7	268.1		0.23
7/23/2019	Shallow	15-25	45.001	7	38.001	530	380	20 U	4,700	20 U	11	6.29	30.5	319.8		0.05
10/25/2019	Shallow	15-25	45.001	6.82	38.181	65	84	10 U	1,500	10 U	1.6	5.82	23.7	163.6		0.06
1/28/2020	Shallow	15-25	45.001	5.51	39.491	150	130	10 U	2,300	10 U	1,600	6.89	21.2	368.4		0.01
4/27/2020	Shallow	15-25	45.001	6.48	38.521	10 U	10 U	10 U	150	10 U	930	6.53	19.9	239.8		0.09
7/29/2020	Shallow	15-25	45.001	7.01	37.991	0.20 U	0.20 U		0.52		26	6.03	22.2	565.0		0.14
10/29/2020	Shallow	15-25	45.001	7.04	37.961	7.7	3.8	2.0 U	93	2.0 U	490	6.13	19.7	482.7		0.17
3/5/2021	Shallow	15-25	45.001	--	--	130	69	3.5	210	2.0 U	440					
3/12/2021	Shallow	15-25	45.001	6.5	38.501	160	93	4.8	280	2.1	320	6.51	16.0	449.6		0.88
6/21/2021	Shallow	15-25	45.001	6.98	38.021	19	64	3.9	110	1.2	190	6.51	19.0	516.0		0.10
9/29/2022	Shallow	15-25	45.001	8.18	36.821	11	510	120	240	10 U	150	6.12	16.8	412.4		0.18
2/6/2023	Shallow	15-25	45.001	6.4	38.601	6.3	340	26	160	3.4	73	6.22	14.3	220.5		1.12
9/26/2023	Shallow	15-25	45.001	7.44	37.561	4.0 U	43	23	470	4.0 U	140	6.31	15.7	448.5		0.21
4/11/2024	Shallow	15-25	45.001	7.73	37.27	1,900	3,700	88	450	20 U	130	6.69	12.8		283.2	0.96
9/26/2024	Shallow	15-25	44.57	9.6	34.97	890	1,600		330	10 U	97	6.46	15.3		401.6	0.40
BSCSS-MW-42																
12/14/2018	Intermediate	30-45	--	--	--	460	23	1.0 U	1.9	1.0 U	0.20 U					
1/3/2019	Intermediate	30-45	--	--	--	1.0 U	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U					
3/18/2019	Intermediate	30-45	--	8.79	--	1.0 U	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	6.63	32.8	155.4		0.06
6/5/2019	Intermediate	30-45	--	9.11	--	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.92	22.9	216.9		0.13
7/29/2019	Intermediate	30-45	--	9.65	--	0.20 U	0.20 U	0.20 U	0.72	0.20 U	0.053	6.49	26.4	713.0		0.05
10/22/2019	Intermediate	30-45	--	9.29	--	0.20 U	0.20 U	0.20 U	1.9	0.20 U	0.056	6.04	18.3	254.0		0.10
1/29/2020	Intermediate	30-45	--	8.49	--	0.20 U	0.20 U	0.20 U	20	0.20 U	3.3	6.52	14.1	454.1		0.02
4/16/2020	Intermediate	30-45	--	8.88	--	0.20 U	0.20 U	0.20 U	26	0.20 U	27	6.46	14.7	567.6		0.47
7/24/2020	Intermediate	30-45	--	9.08	--	0.20 U	0.20 U	0.20 U	5.3	0.20 U	15	6.20	16.4	570.9		0.23
10/26/2020	Intermediate	30-45	--	9.26	--	0.42	0.24	0.20 U	9.9	0.20 U	4.5	6.18	15.6	549.0		0.25
3/1/2021	Intermediate	30-45	--	8.33	--	0.20 U	0.20 U	0.20 U	1.7	0.20 U	1.4	5.86	14.4	626.1		
6/11/2021	Intermediate	30-45	--	9.37	--	0.20 U	0.23	0.20 U	1.4	0.20 U	1.4	5.98	14.5	614.0		0.07
9/29/2022	Intermediate	30-45	--	12.63	--	0.20 U	0.20 U	0.20 U	0.27	4.7	0.31	5.79	15.9	310.0		0.23
2/8/2023	Intermediate	30-45	--	10.73	--	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.72	6.17	12.8	316.6		0.32
9/22/2023	Intermediate	30-45	--	12.15	--	0.20 U	0.20 U	0.20 U	0.97	0.20 U	0.65	6.15	14.5	309.2		0.07
4/10/2024	Intermediate	30-45	--	11.19	--	0.20 U	0.20 U	0.20 U	0.62	0.20 U	0.60	6.36	13.5		190.7	0.32
9/26/2024	Intermediate	30-45	50.11	11.97	38.14	1.0 U	0.20 U		0.66	0.20 U	0.73	6.39	14.7		281.1	0.48

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-MW-43R																
6/23/2021	Shallow	10-25	47	7.65	39.35	15	2.4	0.20 U	22	0.21	4.9	6.48	15.9	482.9		0.13
9/29/2022	Shallow	10-25	47	11.22	35.78	4.3	2.2	0.20 U	9.0	0.20 U	0.59	5.99	16.5	388.6		0.22
2/8/2023	Shallow	10-25	47	7.89	39.11	8.7	2.5	0.20 U	6.4	0.20 U	0.73	6.51	12.2	493.7		0.69
9/22/2023	Shallow	10-25	47	10.5	36.5	2.6	2.6	0.20 U	6.9	0.20 U	0.24	6.30	15.3	375.6		0.04
4/10/2024	Shallow	10-25	47	9.47	37.53	6.1	3.9	0.20 U	14	0.20 U	1.7	6.78	12.1		361.6	0.45
9/26/2024	Shallow	10-25	49.79	10.99	38.80	4.2	2.1		12	0.20 U	0.81	6.41	15.5		408.2	0.30
BSCSS-MW-44R																
6/23/2021	Intermediate	20-30	44	8.07	35.93	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.82	6.60	19.2	395.7		0.09
9/27/2022	Intermediate	20-30	44	8.14	35.86	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.56	6.18	19.2	417.8		0.16
2/8/2023	Intermediate	20-30	44	6.7	37.3	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.72	6.45	14.0	430.2		0.11
9/22/2023	Intermediate	20-30	44	8.15	35.85	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.47	6.31	14.8	489.3		0.05
9/26/2024	Intermediate	20-30	44.85	7.79	37.06	3.7	2.8		0.20 U	0.20 U	0.47	6.42	15.3		396.5	0.44
BSCSS-MW-45R																
6/23/2021	Shallow	7-17	43	8.07	34.93	15	3.5	0.20 U	4.0	0.20 U	0.92	6.66	22.1	514.0		0.02
9/1/2022	Shallow	7-17	43	7.95	35.05	11	2.7	0.20 U	0.59	0.20 U	0.020 U	6.40	21.3	630.0		3.17
2/2/2023	Shallow	7-17	43	5.54	37.46	3.0	0.96	0.20 U	0.69	0.20 U	0.020 U	6.75	13.7	543.0		0.39
9/19/2023	Shallow	7-17	43	8.04	34.96	2.1	4.2	0.20 U	2.0	0.20 U	0.20 U	6.26	16.4	448.0		0.21
4/9/2024	Shallow	7-17	44.55	5.67	38.88	0.20 U	0.20 U	0.20 U	3.8	0.20 U	0.20 U	6.64	12.2		1,104.0	0.51
9/24/2024	Shallow	7-17	44.55	7.85	36.70	0.20 U	0.20 U		3.0	0.20 U	9.4	6.62	16.1		1,255.0	0.09
BSCSS-HZ-MW-1																
12/19/2018	Shallow	5-15	41.997	6.94	35.057	7.8	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	6.21	13.5	159.8		5.00
5/30/2019	Shallow	5-15	41.997	6.81	35.187	11	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.55	14.0	190.5		7.81
7/29/2019	Shallow	5-15	41.997	7.2	34.797	14	0.20 U	0.20 U	1.1	0.20 U	0.020 U	6.17	17.3	189.6		4.08
10/21/2019	Shallow	5-15	41.997	7.45	34.547	15	0.20 U	0.20 U	0.61	0.20 U	0.020 U	5.65	15.9	172.5		4.58
1/24/2020	Shallow	5-15	41.997	6.39	35.607	5.9	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.85	12.6	173.1		24.00
4/14/2020	Shallow	5-15	41.997	6.33	35.667	33	1.1	0.20 U	1.2	0.20 U	0.15	6.20	12.9	301.4		1.14
7/17/2020	Shallow	5-15	41.997	6.88	35.117	40	2.6	0.20 U	4.5	0.20 U	2.1	5.91	17.9	305.0		0.48
10/27/2020	Shallow	5-15	41.997	7.42	34.577	8.6	0.53	0.20 U	3.2	0.20 U	0.89	6.50	16.6	295.6		
3/4/2021	Shallow	5-15	41.997	5.34	36.657	11	3.6	1.0 U	120	1.0 U	3.1	6.24	12.4	334.2		1.14
6/15/2021	Shallow	5-15	41.997	7.15	34.847	42	5.3	0.40 U	13	0.40 U	0.56	5.93	15.8	283.3		0.86
9/12/2022	Shallow	5-15	41.997	9.9	32.097	2.4	3.2	0.40 U	31	0.40 U	2.8	6.78	19.4	520.6		8.83
2/15/2023	Shallow	5-15	41.997	8.64	33.357	3.7	3.3	0.40 U	67	0.52	19	6.05	13.3	749.0		0.19
9/20/2023	Shallow	5-15	41.997	9.81	32.187	2.7	2.2	0.27	110	0.68	17	6.17	15.2	1,052.0		0.27
4/10/2024	Shallow	5-15	43.71	8.81	34.90	0.76	1.0	0.20 U	44	0.63	21	6.38	12.4		1,209.0	0.39
9/24/2024	Shallow	5-15	43.71	8.94	34.77	0.43	0.52		24	0.49	14	6.34	15.1		1,177.0	0.43

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-HZ-MW-14D																
12/13/2018	Intermediate	30-40	42.777	6.7	36.077	44	3.3	1.0 U	14	1.0 U	0.20 U	5.87	14.9	523.1		0.07
5/21/2019	Intermediate	30-40	42.777	6.16	36.617	65	2.9	0.20 U	12	0.20 U	0.20 U	6.09	14.7	500.3		0.06
7/29/2019	Intermediate	30-40	42.777	6.92	35.857	100	4.7	0.80 U	28	0.80 U	0.30	5.84	19.6	454.8		0.22
10/16/2019	Intermediate	30-40	42.777	7.7	35.077	190	7.9	1.0 U	48	1.0 U	0.51	6.13	16.3	443.8		0.02
1/22/2020	Intermediate	30-40	42.777	5.98	36.797	400	24	2.0 U	140	2.0 U	1.1	5.99	13.0	453.7		2.10
4/15/2020	Intermediate	30-40	42.777	6.14	36.637	400	24	2.0 U	110	2.0 U	0.76	6.13	14.2	443.4		0.28
7/21/2020	Intermediate	30-40	42.777	6.78	35.997	210	15	1.0 U	61	1.0 U	0.35	5.86	18.0	415.7		0.32
10/28/2020	Intermediate	30-40	42.777	7.34	35.437	110	9.9	0.80 U	27	0.80 U	0.91	5.62	15.7	370.9		0.25
3/4/2021	Intermediate	30-40	42.777	5.84	36.937	110	12	1.0 U	35	1.0 U	2.4	6.08	14.8	347.8		0.46
6/15/2021	Intermediate	30-40	42.777	6.88	35.897	56	9.7	0.40 U	27	0.78	3.0	5.97	17.9	320.2		0.38
9/6/2022	Intermediate	30-40	42.777	9.3	33.477	15	2.1	0.40 U	35	0.40 U	14	5.95	17.9	532.3		0.08
2/3/2023	Intermediate	30-40	42.777	8.36	34.417	8.5	2.3	0.24	34	0.30	6.7	6.07	15.8	515.3		0.10
9/21/2023	Intermediate	30-40	42.777	9.6	33.177	2.3	3.4	0.30	31	0.28	2.5	6.04	15.8	474.2		0.12
4/9/2024	Intermediate	30-40	44.49	8.55	35.94	3.8	2.9	0.34	26	0.23	3.9	6.17	14.7		280.5	0.34
9/24/2024	Intermediate	30-40	44.49	9.51	34.98	2.5	3.8		24	0.26	1.8	6.23	15.4		621.0	0.18
BSCSS-HZ-MW-14S																
12/13/2018	Shallow	5-15	42.767	6.23	36.537	240	7.3	1.0 U	6.1	1.0 U	0.20 U	6.11	15.5	327.3		0.17
5/21/2019	Shallow	5-15	42.767	6.43	36.337	240	7.0	2.0 U	3.2	2.0 U	2.0 U	6.47	14.7	339.2		0.11
7/25/2019	Shallow	5-15	42.767	6.31	36.457	160	6.8	1.0 U	7.0	1.0 U	0.10 U	6.15	20.8	303.6		0.23
10/16/2019	Shallow	5-15	42.767	6.99	35.777	78	5.9	0.40 U	3.6	0.40 U	0.040 U	6.41	18.7	295.1		0.05
1/22/2020	Shallow	5-15	42.767	5.65	37.117	23	4.2	0.20 U	15	0.20 U	0.069	6.31	11.6	265.0		2.22
4/15/2020	Shallow	5-15	42.767	5.76	37.007	55	3.5	0.40 U	4.3	0.40 U	3.0	6.12	13.0	320.4		0.24
7/21/2020	Shallow	5-15	42.767	7.45	35.317	160	15	1.0 U	88	1.0 U	26	6.04	18.7	315.7		0.25
10/23/2020	Shallow	5-15	42.767	7.13	35.637	270	37	2.0 U	120	2.0 U	34	5.76	17.0	280.3		0.17
3/3/2021	Shallow	5-15	42.767	4.33	38.437	210	22	2.0 U	28	2.0 U	15	5.88	13.1	255.7		0.57
6/15/2021	Shallow	5-15	42.767	6.8	35.967	550	120	4.0 U	260	4.0 U	17	6.08	18.3	285.2		0.44
9/6/2022	Shallow	5-15	42.767	9.45	33.317	250	100	4.0 U	60	4.0 U	0.42	6.03	17.9	287.0		0.04
2/21/2023	Shallow	5-15	42.767	8.5	34.267	1,000	170	10 U	220	10 U	23	5.98	13.3	319.4		0.42
9/21/2023	Shallow	5-15	42.767	9.63	33.137	1,200	250	10 U	270	10 U	34	5.91	15.9	344.0		0.09
4/9/2024	Shallow	5-15	44.61	8.7	35.91	710	180	8.0 U	150	8.0 U	15	6.10	12.9		236.1	0.52
9/24/2024	Shallow	5-15	44.61	9.23	35.38	170	40		23	1.0 U	1.0 U	6.22	15.6		342.0	0.32
BSCSS-HZ-MW-15D																
12/27/2018	Intermediate	20-30	41.997	4.23	37.767	6,400	230	50 U	200	50 U	10 U	5.95		315.5		0.09
6/4/2019	Intermediate	20-30	41.997	6.11	35.887	10,000	390	100 U	260	100 U	100 U	6.25	15.1	337.4		0.12
7/23/2019	Intermediate	20-30	41.997	6.83	35.167	9,200	390	50 U	340	50 U	5.0 U	5.93	16.9	324.0		0.24
10/17/2019	Intermediate	20-30	41.997	7.02	34.977	7,700	410	50 U	360	50 U	5.0 U	5.83	15.1	292.1		0.12
1/22/2020	Intermediate	20-30	41.997	6.05	35.947	4,000	280	20 U	410	20 U	2.0 U	6.21	12.3	430.0		0.11
4/15/2020	Intermediate	20-30	41.997	6.67	35.327	3,300	240	20 U	400	20 U	2.0 U	6.19	14.9	505.3		0.27

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-HZ-MW-15D (cont.)																
7/22/2020	Intermediate	20-30	41.997	6.45	35.547	2,000	170	10 U	340	10 U	1.0 U	6.03	17.1	466.5		0.33
10/23/2020	Intermediate	20-30	41.997	6.79	35.207	2,200	170	10 U	330	10 U	1.3	5.73	14.4	399.9		0.21
3/3/2021	Intermediate	20-30	41.997	6.23	35.767	2,200	190	10 U	200	10 U	4.3	6.00	14.1	383.7		
6/22/2021	Intermediate	20-30	41.997	5.8	36.197	3,000	230	20 U	290	20 U	4.3	6.27	17.9	418.1		0.11
9/8/2022	Intermediate	20-30	41.997	9.44	32.557	2,700	130	10 U	150	10 U	3.0	5.78	15.6	423.6		0.12
2/21/2023	Intermediate	20-30	41.997	8.3	33.697	4,400	190	10 U	210	10 U	1.1	6.11	14.0	437.7		0.16
9/20/2023	Intermediate	20-30	41.997	9.68	32.317	2,200	160	20 U	160	20 U	0.82	6.08	14.8	436.0		0.20
4/10/2024	Intermediate	20-30	44.60	8.61	35.99	1,500	220	8.0 U	260	8.0 U	0.84	6.29	13.2		347.1	0.49
9/24/2024	Intermediate	20-30	44.60	9.58	35.02	1,100	450		380	8.0 U	8.0 U	6.06	14.3		524.0	0.45
BSCSS-HZ-MW-15S																
12/27/2018	Shallow	10-15	42.067	4.4	37.667	12	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	6.07		278.8		0.68
6/4/2019	Shallow	10-15	42.067	4.92	37.147	8.9	0.34	0.20 U	0.20 U	0.20 U	0.20 U	6.32	15.9	256.6		0.33
7/23/2019	Shallow	10-15	42.067	5.66	36.407	11	0.41	0.20 U	0.20 U	0.20 U	0.020 U	6.06	18.7	227.5		0.38
10/17/2019	Shallow	10-15	42.067	5.87	36.197	9.8	0.39	0.20 U	0.20 U	0.20 U	0.020 U	6.01	16.3	202.4		0.23
1/22/2020	Shallow	10-15	42.067	4.02	38.047	4.2	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.99	10.4	295.5		6.00
4/15/2020	Shallow	10-15	42.067	4.51	37.557	3.6	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.34	13.6	267.0		1.43
7/22/2020	Shallow	10-15	42.067	5.85	36.217	4.7	0.20	0.20 U	0.35	0.20 U	0.020 U	6.07	18.1	239.2		1.19
10/23/2020	Shallow	10-15	42.067	6.23	35.837	4.6	0.27	0.20 U	11	0.20 U	0.43	5.66	16.3	279.2		0.35
3/3/2021	Shallow	10-15	42.067	4.82	37.247	3.8	0.43	0.20 U	10	0.20 U	1.2	5.87	11.3	246.1		
6/22/2021	Shallow	10-15	42.067	5.77	36.297	5.1	0.62	0.20 U	19	0.20 U	1.4	6.24	19.2	254.9		0.38
9/6/2022	Shallow	10-15	42.067	9.3	32.767	1.6	0.89	0.40 U	71	1.2	4.8	6.04	19.1	938.0		0.16
2/15/2023	Shallow	10-15	42.067	7.95	34.117	1.8	0.84	0.20 U	27	0.63	2.9	6.04	12.9	632.6		0.30
9/20/2023	Shallow	10-15	42.067	9.33	32.737	1.6	0.69	0.20 U	9.9	0.28	0.68	6.11	15.3	507.5		0.04
4/9/2024	Shallow	10-15	44.73	8.33	36.40	1.2	0.72	0.20 U	5.3	0.20 U	0.32	6.27	12.0		303.5	0.34
9/23/2024	Shallow	10-15	44.73	8.82	35.91	9.8	4.0		9.0	0.20 U	0.29	6.25	15.1		6.3	0.53
BSCSS-HZ-MW-24																
12/10/2018	Intermediate	25-35	41.527	6.04	35.487	2.8	0.91	1.0 U	5.4	1.0 U	0.20 U	6.26	15.0	273.7		0.08
5/31/2019	Intermediate	25-35	41.527	6.06	35.467	2.0	0.92	0.20 U	21	0.20	0.77	6.61	15.3	533.7		0.13
7/17/2019	Intermediate	25-35	41.527	7.1	34.427	2.7	1.1	0.20 U	16	0.20 U	0.58	6.39	17.1	557.4		0.07
10/24/2019	Intermediate	25-35	41.527	6.82	34.707	0.40 U	0.40 U	0.40 U	93	0.40 U	0.76	6.21	16.0	442.3		0.16
1/27/2020	Intermediate	25-35	41.527	5.71	35.817	2.2	1.3	1.0 U	150	1.0 U	3.2	6.47	13.0	452.3		0.13
4/14/2020	Intermediate	25-35	41.527	6.01	35.517	0.40 U	0.40 U	0.40 U	73	0.40 U	30	6.36	15.7	493.7		0.22
7/22/2020	Intermediate	25-35	41.527	6.78	34.747	0.94	1.8	0.20 U	28	0.20 U	2.6	6.26	16.6	452.1		0.30
10/28/2020	Intermediate	25-35	41.527	6.91	34.617	1.3	1.3	0.20 U	35	0.27	2.0	6.02	16.2	417.0		0.20
3/2/2021	Intermediate	25-35	41.527	5.18	36.347	0.20 U	0.35	0.20 U	6.1	0.20 U	0.17	6.06	13.3	277.2		
6/18/2021	Intermediate	25-35	41.527	6.5	35.027	0.20 U	0.21	0.20 U	5.0	0.20 U	0.13	6.39	16.2	244.1		0.09

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-HZ-MW-24 (cont.)																
9/20/2022	Intermediate	25-35	41.527	5.6	35.927	3.8	4.1	0.20 U	25	0.20 U	0.80	6.06	16.3	363.9		0.18
2/7/2023	Intermediate	25-35	41.527	1.9	39.627	2.7	2.3	0.20 U	15	0.20 U	0.55	6.24	13.2	410.8		0.09
9/8/2023	Intermediate	25-35	41.527	5.61	35.917	2.0	2.0	0.20 U	11	0.20 U	0.61	6.23	15.0	473.6		0.25
4/10/2024	Intermediate	25-35	39.78	4.78	35.00	1.0	1.3	0.20 U	9.0	0.20 U	0.26	6.42	13.0		771.3	0.30
9/24/2024	Intermediate	25-35	39.78	5.59	34.19	3.6	2.8		14	0.20 U	0.42	6.36	14.3		404.8	0.47
BSCSS-HZ-MW-26																
12/4/2018	Intermediate	25-35	41.302	7.23	34.072	6.2	0.50 U	1.0 U	1.0	1.0 U	0.20 U	6.38	14.2	334.2		0.10
5/30/2019	Intermediate	25-35	41.302	6.85	34.452	9.7	0.20 U	0.20 U	1.4	0.20 U	0.20 U	6.70	16.6	329.9		0.18
7/29/2019	Intermediate	25-35	41.302	7.34	33.962	5.0	0.20 U	0.20 U	1.0	0.20 U	0.053	6.42	16.5	327.9		0.21
10/16/2019	Intermediate	25-35	41.302	7.91	33.392	2.8	0.20 U	0.20 U	0.53	0.20 U	0.055	6.61	15.1	322.7		0.03
1/24/2020	Intermediate	25-35	41.302	6.86	34.442	1.5	0.20 U	0.20 U	0.42	0.20 U	0.041	6.55	13.1	334.4		0.10
4/13/2020	Intermediate	25-35	41.302	6.33	34.972	73	2.5	0.40 U	4.9	0.40 U	0.040 U	6.52	14.6	396.4		0.66
7/17/2020	Intermediate	25-35	41.302	6.82	34.482	15	0.84	0.20 U	2.2	0.20 U	0.026	6.29	15.7	370.0		0.31
10/27/2020	Intermediate	25-35	41.302	7.34	33.962	14	0.34	0.20 U	1.8	0.20 U	0.034	6.15	15.5	346.9		0.22
3/5/2021	Intermediate	25-35	41.302	6.66	34.642	1.7	0.20 U	0.20 U	0.26	0.20 U	0.020 U	6.51	13.9	180.9		2.65
6/14/2021	Intermediate	25-35	41.302	6.99	34.312	5.0	0.20 U	0.20 U	1.2	0.20 U	0.020	6.41	14.9	337.4		0.15
6/22/2021	Intermediate	25-35	41.302	--	--	4.8	0.20 U	0.20 U	1.1	0.20 U	0.020 U					
9/8/2022	Intermediate	25-35	41.302	11.98	29.322	22	0.43	0.20 U	2.0	0.20 U	0.048	6.23	15.5	365.0		0.15
2/21/2023	Intermediate	25-35	41.302	9.83	31.472	7.4	0.20 U	0.20 U	1.6	0.20 U	0.076	6.44	13.9	366.5		0.14
9/12/2023	Intermediate	25-35	41.302	11.14	30.162	11	0.20 U	0.20 U	1.2	0.20 U	0.20 U	6.07	14.5	385.6		0.15
4/10/2024	Intermediate	25-35	44.48	10.16	34.32	18	0.22	0.20 U	2.0	0.20 U	0.20 U	6.51	13.2		221.2	0.39
9/23/2024	Intermediate	25-35	44.48	11.14	33.34	32	0.35		3.5	0.20 U	0.20 U	6.45	14.4		344.8	0.24
BSCSS-HZ-MW-29																
12/10/2018	Intermediate	25-35	40.739	5.68	35.059	14	4.1	1.0 U	11	1.0 U	0.20 U	6.18	14.3	330.7		0.07
5/31/2019	Intermediate	25-35	40.739	6.29	34.449	1.4	0.60	0.20 U	32	0.22	0.26	6.52	15.8	705.0		0.35
7/17/2019	Intermediate	25-35	40.739	7.03	33.709	1.2	0.58	0.20 U	32	0.32	0.47	6.20	15.9	627.0		0.09
10/24/2019	Intermediate	25-35	40.739	7.98	32.759	1.0 U	1.0 U	1.0 U	100	1.0 U	0.94	6.15	15.2	466.6		0.14
1/27/2020	Intermediate	25-35	40.739	6.41	34.329	1.0 U	1.5	1.0 U	100	1.0 U	1.5	6.33	13.4	579.5		0.17
4/13/2020	Intermediate	25-35	40.739	6.31	34.429	1.0 U	5.2	1.0 U	130	1.0 U	5.8	6.31	13.3	595.4		0.28
7/17/2020	Intermediate	25-35	40.739	10.22	30.519	1.0 U	1.0 U	1.0 U	190	1.0	40	6.22	15.7	655.0		0.24
10/28/2020	Intermediate	25-35	40.739	6.88	33.859	0.20 U	0.27	0.20 U	21	0.55	9.2	6.21	16.7	723.0		0.20
3/5/2021	Intermediate	25-35	40.739	5.47	35.269	0.20 U	0.29	0.20 U	19	0.36	5.1	6.46	13.8	641.0		0.21
6/22/2021	Intermediate	25-35	40.739	6.7	34.039	0.20 U	0.32	0.20 U	20	0.30	9.7	6.45	15.9	551.0		0.10
9/20/2022	Intermediate	25-35	40.739	6.35	34.389	0.20 U	0.24	0.20 U	30	0.25	15	5.97	15.8	403.7		0.21
2/7/2023	Intermediate	25-35	40.739	5.16	35.579	0.20 U	0.20 U	0.20 U	32	0.29	16	6.22	14.5	410.6		0.10
9/8/2023	Intermediate	25-35	40.739	6.44	34.299	0.20 U	0.20 U	0.20 U	32	0.24	13	6.13	14.6	396.6		0.12
4/10/2024	Intermediate	25-35	39.672327	5.48	35.259	0.20 U	0.20 U	0.20 U	29	0.22	10	6.34	12.7		263.7	0.40
9/24/2024	Intermediate	25-35	39.672327	6.3	34.439	0.20 U	0.20 U		22	0.20 U	8.4	6.43	14.4		337.6	0.15

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-HZ-MW-31																
12/18/2018	Shallow	15-25	37	9.4	27.6	1.0 U	0.50 U	1.0 U	1.0 U	1.0 U	0.20 U	6.33	14.2	331.1		0.07
5/29/2019	Shallow	15-25	37	9.34	27.66	0.78	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.58	15.0	320.7		0.23
7/23/2019	Shallow	15-25	37	9.45	27.55	2.5	0.20 U	0.20 U	0.69	0.20 U	0.048	6.33	16.9	295.9		0.21
10/25/2019	Shallow	15-25	37	9.16	27.84	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.048	6.22	15.1	232.9		0.10
1/28/2020	Shallow	15-25	37	8.75	28.25	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.054	6.27	12.9	298.6		0.24
4/27/2020	Shallow	15-25	37	24.75	12.25	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.049	6.50	14.3	347.3		0.25
7/29/2020	Shallow	15-25	37	9.02	27.98	0.20 U	0.20 U		0.20 U		0.049	6.32	16.1	336.7		0.20
10/29/2020	Shallow	15-25	37	9.21	27.79	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.060	6.11	15.1	276.1		0.17
3/5/2021	Shallow	15-25	37	8.3	28.7	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.021	6.61	10.6	230.1		3.10
6/21/2021	Shallow	15-25	37	6.35	30.65	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.046	6.53	20.1	275.4		0.13
9/29/2022	Shallow	15-25	37	9.06	27.94	0.41	0.47	0.20 U	2.0	0.20 U	20	6.08	16.7	304.0		0.17
2/6/2023	Shallow	15-25	37	8.2	28.8	0.80 U	0.80 U	0.80 U	16	0.80 U	94	6.33	13.7	318.2		0.10
9/26/2023	Shallow	15-25	37	8.61	28.39	2.0 U	2.0 U	2.0 U	22	2.0 U	110	6.11	16.1	343.0		0.12
9/26/2024	Shallow	15-25	37	8.7	28.3	2.0 U	0.40 U		45	0.40 U	62	6.42	16.3		370.8	0.33
BSCSS-HZ-MW-33R																
8/11/2021	Intermediate	25-35	35	7.93	27.07	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.064	6.55	17.2	188.0		0.35
10/3/2022	Intermediate	25-35	35	--	--	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.039	5.84	16.1	252.1		0.40
2/7/2023	Intermediate	25-35	35	--	--	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.033	6.33	13.2	177.7		0.12
9/21/2023	Intermediate	25-35	35	--	--	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.17	14.8	180.8		0.10
4/11/2024	Intermediate	25-35	35	--	--	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.57	13.4		105.8	0.36
9/24/2024	Intermediate	25-35	38.38	--	--	0.20 U	0.20 U		0.20 U	0.20 U	0.20 U	6.63	14.9		163.3	0.45
BSCSS-HZ-MW-34																
12/7/2018	Shallow	15-25	37	5.77	31.23	4.4	13	1.0 U	33	1.0 U	0.20 U	6.18	15.9	383.7		0.10
5/31/2019	Shallow	15-25	37	5.88	31.12	0.83	3.3	0.20 U	24	0.29	0.26	6.46	14.7	550.0		0.16
7/17/2019	Shallow	15-25	37	6.41	30.59	1.4	3.3	0.20 U	20	0.27	0.28	6.24	17.3	508.5		0.08
10/23/2019	Shallow	15-25	37	6.6	30.4	1.0 U	1.0 U	1.0 U	110	1.0 U	0.97	6.25	16.2	258.4		0.07
1/27/2020	Shallow	15-25	37	5.22	31.78	1.0 U	2.6	1.0 U	120	1.0 U	31	6.25	14.0	570.1		0.14
4/14/2020	Shallow	15-25	37	5.83	31.17	1.0 U	1.6	1.0 U	100	1.0 U	130	6.50	13.8	646.0		0.21
7/21/2020	Shallow	15-25	37	6.78	30.22	0.20 U	0.20 U	0.20 U	12	0.32	16	6.22	19.3	587.0		0.20
10/28/2020	Shallow	15-25	37	6.74	30.26	0.20 U	0.24	0.20 U	13	0.29	20	6.07	17.2	520.8		0.21
3/2/2021	Shallow	15-25	37	5.15	31.85	0.20 U	0.24	0.20 U	11	0.21	12	6.10	13.6	465.0		
6/18/2021	Shallow	15-25	37	6.35	30.65	0.34	0.88	0.20 U	4.2	0.20 U	1.2	6.39	15.9	350.3		0.05
9/20/2022	Shallow	15-25	37	5.5	31.5	0.48	1.6	0.20 U	13	0.20 U	5.0	5.90	16.6	310.7		0.25
2/7/2023	Shallow	15-25	37	2.4	34.6	0.35	1.0	0.20 U	14	0.20 U	4.6	6.24	14.1	303.4		0.45
9/8/2023	Shallow	15-25	37	5.54	31.46	0.66	1.8	0.20 U	8.4	0.20 U	2.0	6.17	14.7	319.3		0.20
4/10/2024	Shallow	15-25	39.69	4.64	35.05	0.53	1.5	0.20 U	7.2	0.20 U	0.92	6.53	12.4		223.1	0.40
9/24/2024	Shallow	15-25	39.69	5.52	34.17	0.33	1.4		6.5	0.20 U	1.3	6.21	14.3		331.1	0.29

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-S-MW-1																
6/6/2019	Shallow	5.5–15.5	43.527	6	37.527	8.9	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.25	14.4	256.6		3.46
7/23/2019	Shallow	5.5–15.5	43.527	6.61	36.917	6.5	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.01	18.8	200.8		3.10
10/23/2019	Shallow	5.5–15.5	43.527	6.18	37.347	7.3	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.92	15.4	162.8		3.82
1/21/2020	Shallow	5.5–15.5	43.527	4.78	38.747	3.4	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.32	11.0	236.2		4.38
4/23/2020	Shallow	5.5–15.5	43.527	5.01	38.517	3.5	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.13	11.1	324.2		4.58
7/28/2020	Shallow	5.5–15.5	43.527	6.97	36.557	5.1	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.02	17.5	312.3		3.71
11/2/2020	Shallow	5.5–15.5	43.527	7.3	36.227	4.5	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.76	16.5	313.3		3.18
3/1/2021	Shallow	5.5–15.5	43.527	4.99	38.537	1.7	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.83	11.2	197.7		4.59
6/14/2021	Shallow	5.5–15.5	43.527	7.23	36.297	1.2	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.48	14.3	212.1		7.73
9/27/2022	Shallow	5.5–15.5	43.527	8.55	34.977	2.9	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	5.66	18.0	216.2		3.80
2/16/2023	Shallow	5.5–15.5	43.527	6.87	36.657	2.6	0.20 U	0.20 U	0.20 U	0.20 U	0.020 U	6.30	9.9	326.3		3.68
9/7/2023	Shallow	5.5–15.5	43.527	8.71	34.817	3.5	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	5.81	15.9	287.1		1.31
9/25/2024	Shallow	5.5–15.5	45.25	8.29	36.96	2.4	0.20 U		0.20 U	0.20 U	0.20 U	6.29	15.2		402.8	3.23
BSCSS-S-MW-2RR																
8/5/2021	Shallow	5–15	39	6.65	32.35	0.20 U	0.20 U	0.20 U	12	0.21	3.6	6.64	21.5	589.0		0.99
9/8/2022	Shallow	5–15	39	8.6	30.4	0.20 U	0.25	0.20 U	0.37	0.20 U	0.59	6.73	19.9	606.0		0.05
2/10/2023	Shallow	5–15	39	6.85	32.15	0.20 U	0.39	0.20 U	0.20 U	0.20 U	0.084	6.88	12.9	769.0		0.06
9/12/2023	Shallow	5–15	39	8.88	30.12	0.20 U	0.35	0.20 U	0.20 U	0.20 U	0.37	6.74	15.0	831.0		0.15
4/10/2024	Shallow	5–15	44.65	7.51	37.14	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	6.80	11.5		670.0	0.31
9/23/2024	Shallow	5–15	44.65	8.93	35.72	0.20 U	0.56		0.32	0.20 U	0.20 U	6.64	14.5		594.0	0.43
BSCSS-S-MW-3RR																
8/20/2021	Intermediate	24–39	40	11.12	28.88	94	0.72	0.40 U	0.40 U	0.40 U	0.040 U	6.29	16.4	207.6		16.70
10/14/2022	Intermediate	24–39	40	--	--	37	0.41	0.20 U	0.69	0.20 U	0.020 U	5.30	15.6	150.0		0.54
2/10/2023	Intermediate	24–39	40	13.9	26.1	76	0.94	0.40 U	2.4	0.40 U	0.040 U	5.66	14.1	159.4		0.12
2/17/2024	Intermediate	24–39	40	9.11	30.89	89	1.9	0.40 U	5.5	0.40 U	0.47	5.92	12.0	230.0		1.60
4/10/2024	Intermediate	24–39	40	10.58	29.42	85	3.5	0.40 U	10	0.40 U	1.6	6.53	11.4		408.3	0.27
BSCSS-S-MW-3RRR																
9/26/2024	Intermediate	-	45.91	11.3	34.61	270	0.82		0.55	0.20 U	0.20 U	6.13	14.0		249.0	2.86

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						VOCs						Field Parameters				
Analyte						Tetrachloroethene	Trichloroethene	1,1-Dichloroethene	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride	pH	Temperature	Conductivity	Specific Conductance	Dissolved Oxygen
CAS No.						127-18-4	79-01-6	75-35-4	156-59-2	156-60-5	75-01-4	pH	--	--	--	--
MTCA Method A CUL ⁽¹⁾						5.0	5.0	--	16	160	0.20	--	--	--	--	--
Unit						µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	pH	°C	µS/cm	µS/cm	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)											
BSCSS-S-MW-5R																
8/11/2021	Shallow	15-25	39	8.3	30.7	630	4.0 U	4.0 U	4.0 U	4.0 U	0.40 U	6.56	19.1	178.4		1.97
10/3/2022	Shallow	15-25	39	10.88	28.12	450	3.9	0.20 U	5.3	0.20 U	0.081	5.83	16.2	396.5		3.50
2/10/2023	Shallow	15-25	39	7.14	31.86	270	6.8	2.0 U	14	2.0 U	0.70	6.26	13.6	480.3		0.14
9/12/2023	Shallow	15-25	39	8.59	30.41	510	3.9	2.0 U	3.7	2.0 U	0.20 U	6.18	14.3	277.5		0.29
4/10/2024	Shallow	15-25	43.66	7.56	36.10	360	6.6	2.0 U	13	2.0 U	0.20 U	6.68	11.7		286.7	0.50
9/23/2024	Shallow	15-25	43.66	8.39	35.27	350	7.8		17	2.0 U	2.0 U	6.30	13.9		480.9	0.37

Notes:

- All blank cells are intentional.
- All chemistry results are rounded to two significant figures.
- Field parameters are reported as displayed by the sampling equipment.
- Not available.
- Italic* Analyte was not detected at a reporting limit greater than the CUL.
- RED/BOLD** Analyte was detected at a concentration greater than the CUL.
- Well is inactive or decommissioned.
- ¹ CULs are based on MTCA Method A values, except for cis- and trans-1,2-dichloroethene, which use MTCA Method B.

Abbreviations:

- BTOC Below top of casing
- °C Degrees Celsius
- CAS Chemical Abstracts Service
- CUL Cleanup level
- ft Feet
- GW Groundwater
- µg/L Micrograms per liter
- µS/cm Microsiemens per centimeter
- mg/L Milligrams per kilogram
- MTCA Model Toxics Control Act
- mV Millivolts
- NAVD 88 North American Vertical Datum of 1988
- ntu Nephelometric turbidity unit
- ORP Oxidation-reduction potential
- TOC Top of casing
- TPH Total petroleum hydrocarbons
- VOC Volatile organic compound

Qualifiers:

- J Analyte was detected; concentration is an estimate.
- U Analyte was not detected at the associated reporting limit.
- UJ Analyte was not detected at the associated reporting limit, which is an estimate.

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals					Dissolved Metals		Conventionals			
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-MW-4R																			
8/2/2021	Shallow	10-25	42	9.33	32.67	51.2				3,000						25	8.9		
8/30/2022	Shallow	10-25	42	7.68	34.32	-8.2				3,700						28	4.7		
2/20/2023	Shallow	10-25	42	6.46	35.54	-13.9			45,000	2,900	21,000	2,100	20,000			25	3.8		
9/15/2023	Shallow	10-25	42	7.89	34.11	170.9							4,200			24	3.0		
4/9/2024	Shallow	10-25	44.56	6.90	37.66	-47.5	2.29	3.5					3,300	2,100		21		0.053 U	
9/25/2024	Shallow	10-25	44.56	7.58	36.98	-105	2.34	5.0	130,000		62,000		33,000	15,000	4,400	5.0 U	7.3	0.053 U	
BSCSS-MW-5R																			
8/3/2021	Shallow	10-25	42	8.3	33.7	158.6				56 U						21	12		
9/1/2022	Shallow	10-25	42	8.64	33.36	11.3				74						25	5.7		
2/20/2023	Shallow	10-25	42	8.9	33.1	116.4			17,000	56 U	6,200	160	12,000			26	5.7		
9/20/2023	Shallow	10-25	42	8.63	33.37	181.8							130			25	4.1		
4/9/2024	Shallow	10-25	44.68	7.70	36.98	119.4	1.83	0					74	250		24		0.053 U	
9/25/2024	Shallow	10-25	44.68	7.90	36.78	128.7	1.38	1.0	33,000		18,000		17,000	580	800	17	3.3	0.053 U	
BSCSS-MW-6																			
12/21/2018	Shallow	10-25	47.567	8.79	38.777	-65.4							5,300			8.7	11	0.41	
2/22/2019	Shallow	10-25	47.567	7.79	39.777	-52							5,800			13	7.7	0.10 U	
5/22/2019	Shallow	10-25	47.567	8.46	39.107	-70.8							8,800			5.0 U	14		0.16
7/25/2019	Shallow	10-25	47.567	9.06	38.507	-108.1							9,200			5.0 U	14		0.18
10/21/2019	Shallow	10-25	47.567	8.76	38.807	-74.6				13,000						5.0 U	16		
1/22/2020	Shallow	10-25	47.567	7.77	39.797	-77.8				12,000						5.0 U	10		
4/17/2020	Shallow	10-25	47.567	8.19	39.377	-7.4				1,500						13	6.3		
7/20/2020	Shallow	10-25	47.567	8.28	39.287	-60.4				38,000						5.0 U	12		
10/19/2020	Shallow	10-25	47.567	8.83	38.737	-51				11,000						5.0 U	11		
2/23/2021	Shallow	10-25	47.567	8.23	39.337	-88.5										5.0 U	11		
6/15/2021	Shallow	10-25	47.567	9.37	38.197	-125.1				30,000						5.0 U	8.3		
9/12/2022	Shallow	10-25	47.567	--	--	2.9				5,500						18	6.7		
2/20/2023	Shallow	10-25	47.567	--	--	-124.2			69,000	41,000	33,000	6,400	23,000			23	8.2		
9/14/2023	Shallow	10-25	47.567	--	--	-43.4							56 U			23	8.5		
4/9/2024	Shallow	10-25	44.77	--	--	-134.9	1.37	3.0					46,000	5,600		21		2.2	
9/25/2024	Shallow	10-25	44.77	--	--	-126.7	2.69	2.5	53,000		32,000		32,000	32,000	4,400	33	4.3	2.0	
BSCSS-MW-7																			
5/24/2019	Shallow	10-25	45.957	7.96	37.997	-9.2							3,900			37	6.1		0.050 U
6/18/2021	Shallow	10-25	45.957	8.73	37.227	-132.2				13,000						27	11		
9/28/2022	Shallow	10-25	45.957	8.41	37.547	16.8							8,200			17	8.8		
2/21/2023	Shallow	10-25	45.957	7.05	38.907	-7.1			56,000	7,400	22,000	470	20,000			26	6.8		
9/15/2023	Shallow	10-25	45.957	8.34	37.617	130.5							3,200			20	8.9		
4/9/2024	Shallow	10-25	44.51	7.33	37.18	-6.8	2.93	5.5					4,800	430		22		0.053 U	
9/25/2024	Shallow	10-25	44.51	8.23	36.28	-120	2.79	5.0	80,000		44,000		23,000	15,000	720	20	5.2	0.053 U	

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals					Dissolved Metals		Conventionals			
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-MW-11																			
12/20/2018	Intermediate	25-33	47.677	8.56	39.117	14.3									610		37	14	0.10 U
2/21/2019	Intermediate	25-33	47.677	7.9	39.777	-70									1,200		10	14	0.10 U
5/22/2019	Intermediate	25-33	47.677	8.48	39.197	-18									810		13	13	0.050 U
7/25/2019	Intermediate	25-33	47.677	9.12	38.557	-43.8									660		10	11	0.068
10/21/2019	Intermediate	25-33	47.677	8.92	38.757	-59.4				1,500							5.0 U	15	
1/22/2020	Intermediate	25-33	47.677	8.09	39.587	-35.1				4,500							5.0 U	12	
4/17/2020	Intermediate	25-33	47.677	8.49	39.187	-15.1				580							62	8.9	
7/20/2020	Intermediate	25-33	47.677	8.74	38.937	-38.7				6,900							5.0 U	12	
10/19/2020	Intermediate	25-33	47.677	9	38.677	-91.3				8,600							7.6	14	
2/26/2021	Intermediate	25-33	47.677	8.02	39.657	-110.1				16,000							11	12	
6/15/2021	Intermediate	25-33	47.677	9.24	38.437	-132.2				4,700							35	7.6	
9/28/2022	Intermediate	25-33	47.677	7.5	40.177	-41.7								1,000			23	2.9	
2/20/2023	Intermediate	25-33	47.677	6.1	41.577	-67.7			30,000	1,800	13,000	830	25,000				31	2.1	
9/14/2023	Intermediate	25-33	47.677	7.51	40.167	18.6								1,700			21	2.2	
4/9/2024	Intermediate	25-33	44.75	6.52	38.23	-75.5	2.72	1.5						1,500	880		21		0.19
9/24/2024	Intermediate	25-33	44.75	7.12	37.63	-82.1	1.32	2.6						2,000	1,300		28		0.20
BSCSS-MW-12																			
5/24/2019	Intermediate	25-33	45.837	7.92	37.917	-89.5								530			24	9.5	0.050 U
7/22/2019	Intermediate	25-33	45.837	8.4	37.437	-341								3,400			18	42	0.050 U
10/18/2019	Intermediate	25-33	45.837	9.07	36.767	40				6,000							14	36	
1/27/2020	Intermediate	25-33	45.837	7.8	38.037	38.2				6,100							12	32	
4/21/2020	Intermediate	25-33	45.837	7.64	38.197	27.5				5,100							21	30	
7/22/2020	Intermediate	25-33	45.837	6.45	39.387	31.4				6,500							29	19	
10/21/2020	Intermediate	25-33	45.837	8.83	37.007	30.6				5,200							35	14	
3/3/2021	Intermediate	25-33	45.837	8	37.837	12.5				8,200							19	12	
6/15/2021	Intermediate	25-33	45.837	8.77	37.067	-60.7				6,900							16	12	
9/27/2022	Intermediate	25-33	45.837	7.9	37.937	-30.9				7,400							5.0 U	8.7	
2/20/2023	Intermediate	25-33	45.837	6.55	39.287	-61.5			99,000	9,100	43,000	2,900	18,000				5.0 U	6.9	
9/15/2023	Intermediate	25-33	45.837	7.91	37.927	129								7,700			13	9.4	
4/9/2024	Intermediate	25-33	44.22	6.98	37.24	-59.3	1.62	4.5						14,000	3,000		5.0 U		0.061
9/25/2024	Intermediate	25-33	44.22	7.92	36.30	-28.6	1.38	4.0	82,000		42,000		18,000	14,000	2,900		6.7	7.5	0.053 U
BSCSS-MW-20R																			
6/22/2021	Intermediate	25-30	43	8.32	34.68	-97.2				16,000							9.2	11	
9/1/2022	Intermediate	25-30	43	7.8	35.2	-45.5				3,500							15	9.9	
2/2/2023	Intermediate	25-30	43	6.52	36.48	-73.4				6,200							15	15	
9/19/2023	Intermediate	25-30	43	7.96	35.04	42.9								4,900			10	15	
4/9/2024	Intermediate	25-30	43	6.91	36.09	-86.4	1.13	2.5						6,200	260		13		0.11
9/24/2024	Intermediate	25-30	43	7.39	35.61	-70.9	0.50	4.0						6,200	260		18		0.17

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-MW-21R																			
8/3/2021	Shallow	10-15	42	8.74	33.26	136.7										22	16		
8/30/2022	Shallow	10-15	42	8.5	33.5	8										23	2.7		
2/3/2023	Shallow	10-15	42	7.5	34.5	60.6										24	3.5		
9/19/2023	Shallow	10-15	42	8.55	33.45	64.1								56 U		21	8.0		
4/9/2024	Shallow	10-15	44.71	7.49	37.22	66	4.93	0						260	990	22		0.053 U	
9/24/2024	Shallow	10-15	44.71	7.45	37.26	-22.3	1.26	2.5						2,200	2,600	40		0.053 U	
BSCSS-MW-23																			
12/5/2018	Shallow	6-16	48.027	8.7	39.327	49.8								120		11	2.2	0.10 U	
2/12/2019	Shallow	6-16	48.027	8.18	39.847	128.7								100 U		6.0	1.5	0.10 U	
6/4/2019	Shallow	6-16	48.027	8.57	39.457	19.1								720		6.7	3.3		0.050 U
6/17/2021	Shallow	6-16	48.027	8.91	39.117	-109				3,100						6.7	2.1		
10/14/2022	Shallow	6-16	48.027	10.45	37.577	190.2				790						20	2.6		
2/6/2023	Shallow	6-16	48.027	10	38.027	126.7				250						17	6.5		
9/27/2023	Shallow	6-16	48.027	10.23	37.797	182.8								360		17	7.1		
4/11/2024	Shallow	6-16	48.027	10.44	37.587	215.9	2.03	0						56 U	180	9.8		0.053 U	
9/23/2024	Shallow	6-16	49.31	11.25	38.06	174.3	3.15							56 U	50	29		0.053 U	
BSCSS-MW-27																			
12/12/2018	Shallow	6-16	48.487	10.09	38.397	48.3								100 U		35	2.7	0.10 U	
5/24/2019	Shallow	6-16	48.487	9.65	38.837	41.5								56 U		24	4.7		0.050 U
7/16/2019	Shallow	6-16	48.487	10.39	38.097	155.7								56 U		23	3.6		0.050 U
10/18/2019	Shallow	6-16	48.487	10.05	38.437	243.9				56 U						24	4.5		
1/29/2020	Shallow	6-16	48.487	8.22	40.267	166.3				180						17	5.2		
4/16/2020	Shallow	6-16	48.487	8.87	39.617	59.6				91						17	2.0 U		
7/27/2020	Shallow	6-16	48.487	9.95	38.537	105.3				74						21	2.0 U		
10/19/2020	Shallow	6-16	48.487	9.98	38.507	76.3				56 U						26	2.0 U		
2/26/2021	Shallow	6-16	48.487	7.87	40.617	81.8				56 U						18	2.0 U		
6/17/2021	Shallow	6-16	48.487	9.87	38.617	138.2				56 U						15	2.0 U		
9/22/2022	Shallow	6-16	48.487	10.22	38.267	109.9										16	2.0		
2/21/2023	Shallow	6-16	48.487	8.59	39.897	108.3										27	2.0 U		
9/7/2023	Shallow	6-16	48.487	10.33	38.157	142.6								1,200		22	3.8		
4/11/2024	Shallow	6-16	48.487	9.15	39.337	191.6	2.59	0						140	1,200	32		0.053 U	
9/25/2024	Shallow	6-16	47.49	10.01	37.48	116.6	1.39							440	2,500	36		0.053 U	
BSCSS-MW-29																			
12/12/2018	Deep	45-55	48.497	10.25	38.247	-16.7								100 U		6.7	5.3	0.24	
6/4/2019	Deep	45-55	48.497	10.08	38.417	15								450		5.0 U	26		0.25
7/16/2019	Deep	45-55	48.497	10.61	37.887	-106.2								460		5.0 U	5.2		0.30
10/18/2019	Deep	45-55	48.497	10.48	38.017	7.4				610						5.0 U	6.4		
1/29/2020	Deep	45-55	48.497	9.61	38.887	-82				570						5.0 U	6.3		
4/16/2020	Deep	45-55	48.497	9.71	38.787	-11.6				1,100						5.0 U	5.5		

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals					Dissolved Metals		Conventionals			
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-MW-29 (cont.)																			
7/24/2020	Deep	45-55	48.497	--	--					270						7.3	2.8		
8/10/2020	Deep	45-55	48.497	10.54	37.957	176.4				390						5.1	5.5		
10/19/2020	Deep	45-55	48.497	10.4	38.097	-62.8				56 U						5.2	6.1		
2/26/2021	Deep	45-55	48.497	9.36	39.137	-60.1				1,700						7.0	6.9		
6/17/2021	Deep	45-55	48.497	10.43	38.067	-147.7				320						6.1	6.5		
9/22/2022	Deep	45-55	48.497	10.1	38.397	-77.4				56 U						5.0 U	5.9		
2/10/2023	Deep	45-55	48.497	8.71	39.787	-24.9				1,300						5.0 U	4.8		
9/7/2023	Deep	45-55	48.497	10.2	38.297	5.5							1,100		5.0 U	5.6			
9/23/2024	Deep	45-55	48.03	10.61	37.42	-73.7	2.67	1.5					1,200	95	5.0 U			0.29	
BSCSS-MW-34																			
12/11/2018	Deep	40-50	47.187	8.5	38.687	44.3							560		14	32	0.10 U		
2/21/2019	Deep	40-50	47.187	7.59	39.597	91.9							370		15	33	0.10 U		
6/3/2019	Deep	40-50	47.187	8.28	38.907	18.6							440		15	29		0.050 U	
6/15/2021	Deep	40-50	47.187	8.65	38.537	-22.3				900					11	9.5			
9/1/2022	Deep	40-50	47.187	7.7	39.487	12.4				1,600					18	11			
2/3/2023	Deep	40-50	47.187	6.65	40.537	32.6				2,000					20	11			
9/14/2023	Deep	40-50	47.187	7.55	39.637	81.8							2,400		14	12			
4/9/2024	Deep	40-50	44.48	6.65	37.83	16.3	1.04	2.0					2,100	280	31			0.068	
9/24/2024	Deep	40-50	44.48	7.41	37.07	64.5	0.28	2.3					2,100	320	31			0.053 U	
BSCSS-MW-39																			
12/17/2018	Deep	40-50	44.885	6.33	38.555	-3.5							4,600		2.1	3.5	0.56		
3/13/2019	Deep	40-50	44.885	6.32	38.565	82.2							4,400		0.30 U	3.8	0.45		
5/29/2019	Deep	40-50	44.885	6.49	38.395	1.8							4,500		5.0 U	4.3		0.48	
7/23/2019	Deep	40-50	44.885	7.02	37.865	-96.6							4,300		5.0 U	4.3		0.44	
10/24/2019	Deep	40-50	44.885	6.94	37.945	19.8				4,600					5.0 U	4.5			
1/28/2020	Deep	40-50	44.885	5.53	39.355	57.1				5,000					5.0 U	4.8			
4/27/2020	Deep	40-50	44.885	6.17	38.715	48.5				440					5.0 U	4.3			
7/29/2020	Deep	40-50	44.885	6.92	37.965	-30							5,500		5.0 U	4.9			
10/22/2020	Deep	40-50	44.885	6.99	37.895	13.3				100					5.0 U	4.6			
3/5/2021	Deep	40-50	44.885	--	--					4,600					5.0 U	6.3			
3/12/2021	Deep	40-50	44.885	6.29	38.595	-53.3				4,800					5.0 U	4.4			
6/21/2021	Deep	40-50	44.885	7.34	37.545	-106.1				6,800					7.5	5.3			
9/29/2022	Deep	40-50	44.885	7.86	37.025	-10.8				8,600					24	8.5			
2/6/2023	Deep	40-50	44.885	7.15	37.735	-34.4				9,000					21	7.8			
9/26/2023	Deep	40-50	44.885	7.68	37.205	128.8							9,600		22	7.8			
4/11/2024	Deep	40-50	44.885	6.77	38.115	-33.3	2.57	3.5					7,700	130	15			0.60	
9/26/2024	Deep	40-50	44.54	7.64	36.90	-53.1	3.40	5.5					8,200	160	15			0.57	

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-MW-40																			
12/17/2018	Shallow	15-25	45.001	6.28	38.721	52.6								100 U		1.6	0.59	0.10 U	
3/13/2019	Shallow	15-25	45.001	6.29	38.711	82.2								100 U		0.82	2.1	0.10 U	
5/29/2019	Shallow	15-25	45.001	6.49	38.511	3.8								7,600		5.0 U	11		0.35
7/23/2019	Shallow	15-25	45.001	7	38.001	-112.4								19,000		5.0 U	12		0.39
10/25/2019	Shallow	15-25	45.001	6.82	38.181	35.6				4,600						5.0 U	4.9		
1/28/2020	Shallow	15-25	45.001	5.51	39.491	-60.6				9,800						5.0 U	19		
4/27/2020	Shallow	15-25	45.001	6.48	38.521	26				5,600						5.0 U	7.9		
7/29/2020	Shallow	15-25	45.001	7.01	37.991	-47.7								27,000		5.0 U	24		
10/29/2020	Shallow	15-25	45.001	7.04	37.961	-43.6				22,000						5.0 U	18		
3/5/2021	Shallow	15-25	45.001	--	--					22,000						5.0 U	18		
3/12/2021	Shallow	15-25	45.001	6.5	38.501	-35.9				24,000						5.0 U	16		
6/21/2021	Shallow	15-25	45.001	6.98	38.021	-130				26,000						5.0 U	13		
9/29/2022	Shallow	15-25	45.001	8.18	36.821	-48.1				21,000						5.0 U	12		
2/6/2023	Shallow	15-25	45.001	6.4	38.601	37.5				3,600						5.0 U	5.9		
9/26/2023	Shallow	15-25	45.001	7.44	37.561	99.3								21,000		5.0 U	11		
4/11/2024	Shallow	15-25	45.001	7.73	37.27	-57.6	16.70	3.0						24,000	370	5.0 U		0.71	
9/26/2024	Shallow	15-25	44.57	9.60	34.97	-91.5	4.57	6.5						26,000	430	5.0 U		1.7	
BSCSS-MW-42																			
12/14/2018	Intermediate	30-45	--	--	--									850		1.5	3.5	1.2	
1/3/2019	Intermediate	30-45	--	--	--					2,300				720					
3/18/2019	Intermediate	30-45	--	8.79	--	76.4								820		2.0	3.6	0.27	
6/5/2019	Intermediate	30-45	--	9.11	--	5								5,500		5.0 U	6.3		0.20
7/29/2019	Intermediate	30-45	--	9.65	--	-321.9								5,300		8.0	8.1		0.27
10/22/2019	Intermediate	30-45	--	9.29	--	-10.2				7,600						7.3	13		
1/29/2020	Intermediate	30-45	--	8.49	--	-24.8				19,000						5.0 U	14		
4/16/2020	Intermediate	30-45	--	8.88	--	-19.2				25,000						5.0 U	14		
7/24/2020	Intermediate	30-45	--	9.08	--	-34.7				36,000						5.0 U	13		
10/26/2020	Intermediate	30-45	--	9.26	--	-57.1				43,000						5.0 U	15		
3/1/2021	Intermediate	30-45	--	8.33	--	-82.6				42,000						5.0 U	14		
6/11/2021	Intermediate	30-45	--	9.37	--	-96.4				28,000						5.0 U	10		
9/29/2022	Intermediate	30-45	--	12.63	--	-57.5				14,000						6.9	8.1		
2/8/2023	Intermediate	30-45	--	10.73	--	-78.5				20,000						5.0 U	7.5		
9/22/2023	Intermediate	30-45	--	12.15	--	102.7								13,000		5.0 U	5.2		
4/10/2024	Intermediate	30-45	--	11.19	--	-78.2	3.08	5.5						16,000	350	5.0 U		11	
9/26/2024	Intermediate	30-45	50.11	11.97	38.14	-101.2	7.98	5.5						14,000	370	5.4		9.0	

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-MW-43R																			
6/23/2021	Shallow	10-25	47	7.65	39.35	-143.6										14	9.2		
9/29/2022	Shallow	10-25	47	11.22	35.78	7.9				8,900						35	13		
2/8/2023	Shallow	10-25	47	7.89	39.11	31.4				330						51	7.4		
9/22/2023	Shallow	10-25	47	10.5	36.5	73.7							8,200			22	20		
4/10/2024	Shallow	10-25	47	9.47	37.53	4	3.11	1.5					2,200	1,800		33		0.053 U	
9/26/2024	Shallow	10-25	49.79	10.99	38.80	26.7	8.41	4.0					4,000	2,000		22		0.057	
BSCSS-MW-44R																			
6/23/2021	Intermediate	20-30	44	8.07	35.93	-143.2				1,600						5.4	6.7		
9/27/2022	Intermediate	20-30	44	8.14	35.86	-47.8				4,100						20	7.2		
2/8/2023	Intermediate	20-30	44	6.7	37.3	-49.8				6,200						16	8.3		
9/22/2023	Intermediate	20-30	44	8.15	35.85	175.8							7,900			14	7.5		
9/26/2024	Intermediate	20-30	44.85	7.79	37.06	-81.2	3.97	4.5					9,800	340		14		3.2	
BSCSS-MW-45R																			
6/23/2021	Shallow	7-17	43	8.07	34.93	-95.3				56 U						17	26		
9/1/2022	Shallow	7-17	43	7.95	35.05	62.1				65						110	4.9		
2/2/2023	Shallow	7-17	43	5.54	37.46	112.4				56 U						87	8.7		
9/19/2023	Shallow	7-17	43	8.04	34.96	176.7							56 U			71	6.9		
4/9/2024	Shallow	7-17	44.55	5.67	38.88	-75.8	1.70	5.5					33,000	15,000		5.0 U		1.4	
9/24/2024	Shallow	7-17	44.55	7.85	36.70	-92.1	1.80	1.2					32,000	8,400		5.0 U		0.56	
BSCSS-HZ-MW-1																			
12/19/2018	Shallow	5-15	41.997	6.94	35.057	45							100 U			8.5	3.4	0.10 U	
5/30/2019	Shallow	5-15	41.997	6.81	35.187	15.2							56 U			7.4	5.9		0.050 U
7/29/2019	Shallow	5-15	41.997	7.2	34.797	-70.1							56 U			6.6	4.4		0.050 U
10/21/2019	Shallow	5-15	41.997	7.45	34.547	200				56 U						6.5	5.1		
1/24/2020	Shallow	5-15	41.997	6.39	35.607	86.3				56 U						16	4.0		
4/14/2020	Shallow	5-15	41.997	6.33	35.667	-3.8				56 U						16	6.3		
7/17/2020	Shallow	5-15	41.997	6.88	35.117	71.9				56 U						12	6.0		
10/27/2020	Shallow	5-15	41.997	7.42	34.577	74.3				56 U						15	8.5		
3/4/2021	Shallow	5-15	41.997	5.34	36.657	-18.6				9,000						5.0 U	6.4		
6/15/2021	Shallow	5-15	41.997	7.15	34.847	52.3				56 U						27	8.8		
9/12/2022	Shallow	5-15	41.997	9.9	32.097	-32				5,300						20	8.3		
2/15/2023	Shallow	5-15	41.997	8.64	33.357	-6.9				13,000						18	9.2		
9/20/2023	Shallow	5-15	41.997	9.81	32.187	129.2							18,000			12	10		
4/10/2024	Shallow	5-15	43.71	8.81	34.90	-47.1	5.02	3.5					24,000	5,900		5.0 U		0.059	
9/24/2024	Shallow	5-15	43.71	8.94	34.77	-69.6	6.34	3.0					16,000	5,800		5.0 U		0.074	

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals					Dissolved Metals		Conventionals			
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-HZ-MW-14D																			
12/13/2018	Intermediate	30-40	42.777	6.7	36.077	36									100 U	16	91	0.10 U	
5/21/2019	Intermediate	30-40	42.777	6.16	36.617	-40.7									56 U	10	87		0.050 U
7/29/2019	Intermediate	30-40	42.777	6.92	35.857	-86.5									56 U	11	69		0.050 U
10/16/2019	Intermediate	30-40	42.777	7.7	35.077	143.8				56 U						9.3	75		
1/22/2020	Intermediate	30-40	42.777	5.98	36.797	132.8				56 U						11	65		
4/15/2020	Intermediate	30-40	42.777	6.14	36.637	14.4				56 U						13	52		
7/21/2020	Intermediate	30-40	42.777	6.78	35.997	104.2				76						14	44		
10/28/2020	Intermediate	30-40	42.777	7.34	35.437	135.5				180						13	29		
3/4/2021	Intermediate	30-40	42.777	5.84	36.937	39.4				260						14	27		
6/15/2021	Intermediate	30-40	42.777	6.88	35.897	-9.2				650						20	17		
9/6/2022	Intermediate	30-40	42.777	9.3	33.477	44.1				170						12	9.5		
2/3/2023	Intermediate	30-40	42.777	8.36	34.417	70.8				380						10	11		
9/21/2023	Intermediate	30-40	42.777	9.6	33.177	234.8							390			10	9.6		
4/9/2024	Intermediate	30-40	44.49	8.55	35.94	82.6	1.10	-10,000					440	440		7.8		0.053 U	
9/24/2024	Intermediate	30-40	44.49	9.51	34.98	56.7	2.88	1.2					720	810		8.7		0.053 U	
BSCSS-HZ-MW-14S																			
12/13/2018	Shallow	5-15	42.767	6.23	36.537	20.4									100 U	22	7.3	0.10 U	
5/21/2019	Shallow	5-15	42.767	6.43	36.337	-26.3									490	21	7.2		0.050 U
7/25/2019	Shallow	5-15	42.767	6.31	36.457	-57.4									160	18	7.8		0.53
10/16/2019	Shallow	5-15	42.767	6.99	35.777	103.9				56 U						17	8.0		
1/22/2020	Shallow	5-15	42.767	5.65	37.117	115				56 U						19	9.5		
4/15/2020	Shallow	5-15	42.767	5.76	37.007	11.5				56 U						18	8.1		
7/21/2020	Shallow	5-15	42.767	7.45	35.317	79.6				56 U						19	8.6		
10/23/2020	Shallow	5-15	42.767	7.13	35.637	114				56 U						19	7.4		
3/3/2021	Shallow	5-15	42.767	4.33	38.437	96.5				56 U						13	4.1		
6/15/2021	Shallow	5-15	42.767	6.8	35.967	-4.9				510						13	6.7		
9/6/2022	Shallow	5-15	42.767	9.45	33.317	5.9				650						18	10		
2/21/2023	Shallow	5-15	42.767	8.5	34.267	66.1			36,000	2,900	14,000	520	12,000			15	6.6		
9/21/2023	Shallow	5-15	42.767	9.63	33.137	208.6							3,900			15	8.3		
4/9/2024	Shallow	5-15	44.61	8.70	35.91	30	2.21	4.5					6,400	690		17		0.053 U	
9/24/2024	Shallow	5-15	44.61	9.23	35.38	44.4	16.30	4.0					4,600	870		13		0.053 U	
BSCSS-HZ-MW-15D																			
12/27/2018	Intermediate	20-30	41.997	4.23	37.767	52.4									100 U	26	14	0.10 U	
6/4/2019	Intermediate	20-30	41.997	6.11	35.887	20.9									56 U	23	14		0.050 U
7/23/2019	Intermediate	20-30	41.997	6.83	35.167	-56.6									56 U	21	13		0.050 U
10/17/2019	Intermediate	20-30	41.997	7.02	34.977	173.5				100						18	13		
1/22/2020	Intermediate	20-30	41.997	6.05	35.947	88.9				56 U						13	16		
4/15/2020	Intermediate	20-30	41.997	6.67	35.327	32.4				120						9.6	16		

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-HZ-MW-15D (cont.)																			
7/22/2020	Intermediate	20-30	41.997	6.45	35.547	80.8				150						12	14		
10/23/2020	Intermediate	20-30	41.997	6.79	35.207	108.6				56 U						11	15		
3/3/2021	Intermediate	20-30	41.997	6.23	35.767	109.4				56 U						18	13		
6/22/2021	Intermediate	20-30	41.997	5.8	36.197	-34.9				120						15	14		
9/8/2022	Intermediate	20-30	41.997	9.44	32.557	19				56 U						14	9.4		
2/21/2023	Intermediate	20-30	41.997	8.3	33.697	89.9			48,000	56 U	20,000	120	15,000			15	8.8		
9/20/2023	Intermediate	20-30	41.997	9.68	32.317	204.9								56 U		16	7.6		
4/10/2024	Intermediate	20-30	44.60	8.61	35.99	85	1.11	0.50						160	200	15		0.053 U	
9/24/2024	Intermediate	20-30	44.60	9.58	35.02	76.5	3.88	0.50						200	290	11		0.053 U	
BSCSS-HZ-MW-15S																			
12/27/2018	Shallow	10-15	42.067	4.4	37.667	38.5								100 U		20	2.9	0.10 U	
6/4/2019	Shallow	10-15	42.067	4.92	37.147	-10.7								56 U		16	3.0		0.050 U
7/23/2019	Shallow	10-15	42.067	5.66	36.407	-69.1								56 U		13	3.6		0.050 U
10/17/2019	Shallow	10-15	42.067	5.87	36.197	189				56 U						13	5.1		
1/22/2020	Shallow	10-15	42.067	4.02	38.047	129.5				56 U						12	3.0		
4/15/2020	Shallow	10-15	42.067	4.51	37.557	17.6				56 U						14	2.1		
7/22/2020	Shallow	10-15	42.067	5.85	36.217	66.2				56 U						14	2.3		
10/23/2020	Shallow	10-15	42.067	6.23	35.837	112.3				56 U						14	3.3		
3/3/2021	Shallow	10-15	42.067	4.82	37.247	111.3				56 U						12	3.7		
6/22/2021	Shallow	10-15	42.067	5.77	36.297	-5.8				56 U						9.5	4.0		
9/6/2022	Shallow	10-15	42.067	9.3	32.767	-9.7				11,000					5.0 U	6.1			
2/15/2023	Shallow	10-15	42.067	7.95	34.117	44.6				6,500						8.3	6.9		
9/20/2023	Shallow	10-15	42.067	9.33	32.737	169.9								1,500		18	9.1		
4/9/2024	Shallow	10-15	44.73	8.33	36.40	90.5	1.79	0.50						430	740	32		0.053 U	
9/23/2024	Shallow	10-15	44.73	8.82	35.91	67.2	0.85	0.50						310	690	25		0.053 U	
BSCSS-HZ-MW-24																			
12/10/2018	Intermediate	25-35	41.527	6.04	35.487	-1.4								830		10	7.2	0.10 U	
5/31/2019	Intermediate	25-35	41.527	6.06	35.467	-11.7								8,500	5.0 U	13			0.19
7/17/2019	Intermediate	25-35	41.527	7.1	34.427	-167.7								15,000		7.8	13		0.39
10/24/2019	Intermediate	25-35	41.527	6.82	34.707	10				20,000						5.0 U	14		
1/27/2020	Intermediate	25-35	41.527	5.71	35.817	35.3				14,000						5.0 U	15		
4/14/2020	Intermediate	25-35	41.527	6.01	35.517	-13.9				14,000						13	19		
7/22/2020	Intermediate	25-35	41.527	6.78	34.747	3.7				11,000						22	17		
10/28/2020	Intermediate	25-35	41.527	6.91	34.617	26.6				10,000						23	14		
3/2/2021	Intermediate	25-35	41.527	5.18	36.347	19.9				6,000						23	9.7		
6/18/2021	Intermediate	25-35	41.527	6.5	35.027	-154.6				8,000						23	6.1		

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-HZ-MW-24 (cont.)																			
9/20/2022	Intermediate	25-35	41.527	5.6	35.927	-53				4,400						18	11		
2/7/2023	Intermediate	25-35	41.527	1.9	39.627	-7				7,600						23	7.0		
9/8/2023	Intermediate	25-35	41.527	5.61	35.917	80.3							9,500		26	8.0			
4/10/2024	Intermediate	25-35	39.78	4.78	35.00	-30.4	0.59	6.5					9,900	5,200	13			0.48	
9/24/2024	Intermediate	25-35	39.78	5.59	34.19	-47.8	1.87	4.0					10,000	4,400	30			0.33	
BSCSS-HZ-MW-26																			
12/4/2018	Intermediate	25-35	41.302	7.23	34.072	75.6							100 U		25	8.1	0.10 U		
5/30/2019	Intermediate	25-35	41.302	6.85	34.452	17							56 U		28	9.3			0.050 U
7/29/2019	Intermediate	25-35	41.302	7.34	33.962	-96.7							56 U		23	9.3			0.063
10/16/2019	Intermediate	25-35	41.302	7.91	33.392	152.3				56 U					24	11			
1/24/2020	Intermediate	25-35	41.302	6.86	34.442	36.3				56 U					23	14			
4/13/2020	Intermediate	25-35	41.302	6.33	34.972	-4.8				56 U					24	14			
7/17/2020	Intermediate	25-35	41.302	6.82	34.482	-13.7				56 U					24	13			
10/27/2020	Intermediate	25-35	41.302	7.34	33.962	110.7				56 U					27	13			
3/5/2021	Intermediate	25-35	41.302	6.66	34.642	84.4				56 U					13	7.0			
6/14/2021	Intermediate	25-35	41.302	6.99	34.312	13				56 U					23	13			
6/22/2021	Intermediate	25-35	41.302	--	--					120					23	12			
9/8/2022	Intermediate	25-35	41.302	11.98	29.322	43.3				56 U					23	11			
2/21/2023	Intermediate	25-35	41.302	9.83	31.472	121.7			34,000	56 U	17,000	63	12,000		21	13			
9/12/2023	Intermediate	25-35	41.302	11.14	30.162	315.8							56 U		22	14			
4/10/2024	Intermediate	25-35	44.48	10.16	34.32	102.9	2.33	0					56 U	63	22			0.053 U	
9/23/2024	Intermediate	25-35	44.48	11.14	33.34	146.4	0.55	0					56 U	75	23			0.053 U	
BSCSS-HZ-MW-29																			
12/10/2018	Intermediate	25-35	40.739	5.68	35.059	3.5							2,100		18	17	0.10 U		
5/31/2019	Intermediate	25-35	40.739	6.29	34.449	-2.3							10,000		5.0 U	18			0.65
7/17/2019	Intermediate	25-35	40.739	7.03	33.709	-93.7							9,300		5.0 U	16			0.76
10/24/2019	Intermediate	25-35	40.739	7.98	32.759	-9.6				9,500					5.0 U	13			
1/27/2020	Intermediate	25-35	40.739	6.41	34.329	42.1				12,000					6.9	14			
4/13/2020	Intermediate	25-35	40.739	6.31	34.429	-76.4				11,000					8.3	14			
7/17/2020	Intermediate	25-35	40.739	10.22	30.519	-49.1				10,000					5.0 U	13			
10/28/2020	Intermediate	25-35	40.739	6.88	33.859	-52.5				17,000					5.0 U	15			
3/5/2021	Intermediate	25-35	40.739	5.47	35.269	-144.6				17,000					5.4	15			
6/22/2021	Intermediate	25-35	40.739	6.7	34.039	-130.1				13,000					10	11			
9/20/2022	Intermediate	25-35	40.739	6.35	34.389	-35.4				9,200					16	10			
2/7/2023	Intermediate	25-35	40.739	5.16	35.579	-37.7				9,700					20	8.1			
9/8/2023	Intermediate	25-35	40.739	6.44	34.299	35.7							8,700		23	7.2			
4/10/2024	Intermediate	25-35	40.739	5.48	35.259	-48.5	1.50	-10,000					13,000	2,900	30			0.40	
9/24/2024	Intermediate	25-35	40.739	6.3	34.439	-70.8	1.49	3.6					8,400	2,100	18			0.28	

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-HZ-MW-31																			
12/18/2018	Shallow	15-25	37	9.4	27.6	2								1,900		8.7	8.8	0.30	
5/29/2019	Shallow	15-25	37	9.34	27.66	19.8								20,000		5.0 U	8.7		0.26
7/23/2019	Shallow	15-25	37	9.45	27.55	-64								19,000		5.0 U	8.3		0.27
10/25/2019	Shallow	15-25	37	9.16	27.84	23.1				19,000						5.0 U	6.3		
1/28/2020	Shallow	15-25	37	8.75	28.25	69.1				18,000						5.0 U	6.7		
4/27/2020	Shallow	15-25	37	24.75	12.25	33.6				19,000						5.0 U	5.8		
7/29/2020	Shallow	15-25	37	9.02	27.98	-4.3							19,000			5.0 U	6.7		
10/29/2020	Shallow	15-25	37	9.21	27.79	-18.3				19,000						5.0 U	6.5		
3/5/2021	Shallow	15-25	37	8.3	28.7	-24.8				210						5.0 U	11		
6/21/2021	Shallow	15-25	37	6.35	30.65	-94.7				19,000						5.0 U	6.1		
9/29/2022	Shallow	15-25	37	9.06	27.94	-24.53				23,000						5.0 U	9.5		
2/6/2023	Shallow	15-25	37	8.2	28.8	-47.9				24,000						5.0 U	8.3		
9/26/2023	Shallow	15-25	37	8.61	28.39	111.2								23,000		7.9	7.1		
9/26/2024	Shallow	15-25	37	8.7	28.3	-78.6	21.00	3.6						28,000	430	26		0.40	
BSCSS-HZ-MW-33R																			
8/11/2021	Intermediate	25-35	35	7.93	27.07	102.6				56 U						11	6.3		
10/3/2022	Intermediate	25-35	35	--	--	106.3				190						12	5.2		
2/7/2023	Intermediate	25-35	35	--	--	146.8				56 U						11	4.7		
9/21/2023	Intermediate	25-35	35	--	--	216.1							56 U			9.7	4.0		
4/11/2024	Intermediate	25-35	35	--	--	105.9	0.92	0						56 U	65	10		0.053 U	
9/24/2024	Intermediate	25-35	38.38	--	--	82.5	0.88	0						3,900	1,400	6.9		0.053 U	
BSCSS-HZ-MW-34																			
12/7/2018	Shallow	15-25	37	5.77	31.23	0.9								5,800		7.8	14	0.10 U	
5/31/2019	Shallow	15-25	37	5.88	31.12	-17.2								10,000		5.7	13		0.050 U
7/17/2019	Shallow	15-25	37	6.41	30.59	-158.7								11,000		5.2	13		0.050 U
10/23/2019	Shallow	15-25	37	6.6	30.4	24.7				4,900						17	9.0		
1/27/2020	Shallow	15-25	37	5.22	31.78	48.8				6,200						5.0 U	14		
4/14/2020	Shallow	15-25	37	5.83	31.17	-21.8				11,000						5.1	13		
7/21/2020	Shallow	15-25	37	6.78	30.22	-42.7				6,700						5.0 U	12		
10/28/2020	Shallow	15-25	37	6.74	30.26	-19.7				9,300						11	9.5		
3/2/2021	Shallow	15-25	37	5.15	31.85	-43.5				11,000						17	8.8		
6/18/2021	Shallow	15-25	37	6.35	30.65	-135.1				3,700						71	4.1		
9/20/2022	Shallow	15-25	37	5.5	31.5	-4.2				4,500						21	7.0		
2/7/2023	Shallow	15-25	37	2.4	34.6	-22.4				4,000						21	11		
9/8/2023	Shallow	15-25	37	5.54	31.46	75.8							3,900			20	15		
4/10/2024	Shallow	15-25	39.69	4.64	35.05	-13	4.25	2.0						2,100	730	23		0.053 U	
9/24/2024	Shallow	15-25	39.69	5.52	34.17	46.6	3.98	2.0						1,900	590	27		0.056	

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-S-MW-1																			
6/6/2019	Shallow	5.5-15.5	43.527	6	37.527	5									56 U		50	4.6	0.050 U
7/23/2019	Shallow	5.5-15.5	43.527	6.61	36.917	-74.5									56 U		26	4.8	0.15
10/23/2019	Shallow	5.5-15.5	43.527	6.18	37.347	164.3											23	4.2	
1/21/2020	Shallow	5.5-15.5	43.527	4.78	38.747	105.9											42	3.7	
4/23/2020	Shallow	5.5-15.5	43.527	5.01	38.517	1.3											57	4.4	
7/28/2020	Shallow	5.5-15.5	43.527	6.97	36.557	87.5											39	4.3	
11/2/2020	Shallow	5.5-15.5	43.527	7.3	36.227	88.9											64	3.6	
3/1/2021	Shallow	5.5-15.5	43.527	4.99	38.537	73.2											28	2.3	
6/14/2021	Shallow	5.5-15.5	43.527	7.23	36.297	60.2											25	2.7	
9/27/2022	Shallow	5.5-15.5	43.527	8.55	34.977	204.4											33	2.7	
2/16/2023	Shallow	5.5-15.5	43.527	6.87	36.657	193.5											40	2.8	
9/7/2023	Shallow	5.5-15.5	43.527	8.71	34.817	167.3								180			37	5.2	
9/25/2024	Shallow	5.5-15.5	45.25	8.29	36.96	125	7.99							56 U	11 U		76		0.053 U
BSCSS-S-MW-2RR																			
8/5/2021	Shallow	5-15	39	6.65	32.35	-41.3				500							21	4.8	
9/8/2022	Shallow	5-15	39	8.6	30.4	-61.1				760							58	2.0 U	
2/10/2023	Shallow	5-15	39	6.85	32.15	-58.2				1,200							76	54	
9/12/2023	Shallow	5-15	39	8.88	30.12	68.6							2,000				84	34	
4/10/2024	Shallow	5-15	44.65	7.51	37.14	-60.6	1.64	3.5					3,000	3,100			430		6.6
9/23/2024	Shallow	5-15	44.65	8.93	35.72	-97.1	0.82	2.0					2,500	1,900			120		6.0
BSCSS-S-MW-3RR																			
8/20/2021	Intermediate	24-39	40	11.12	28.88	-317.2				56 U							17	10	
10/14/2022	Intermediate	24-39	40	--	--	192.1				56 U							19	3.3	
2/10/2023	Intermediate	24-39	40	13.9	26.1	44.7				120							18	3.7	
2/17/2024	Intermediate	24-39	40	9.11	30.89	11.6							56 U				29	4.1	
4/10/2024	Intermediate	24-39	40	10.58	29.42	-9.3	32.20	2.0					1,400	2,400			21		0.054
BSCSS-S-MW-3RRR																			
9/26/2024	Intermediate	-	45.91	11.30	34.61	-44.1	45.20	0						56 U	510		27		0.053 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Field Parameters (cont.)			Total Metals				Dissolved Metals		Conventionals				
Analyte						ORP	Turbidity	Ferrous iron	Calcium	Iron	Magnesium	Manganese	Sodium	Iron	Manganese	Sulfate	Chloride	Ammonia	Ammonia
CAS No.						--	--	15438-31-0	7440-70-2	7439-89-6	7439-95-4	7439-96-5	7440-23-5	7439-89-6	7439-96-5	14808-79-8	16887-00-6	7664-41-7	7664-41-7
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--	--	--	--	--	--	--
Unit						mV	ntu	mg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	µg/L	mg/L	mg/L	mg/L	mg-N/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)														
BSCSS-S-MW-5R																			
8/11/2021	Shallow	15-25	39	8.3	30.7	109				56 U						14	4.8		
10/3/2022	Shallow	15-25	39	10.88	28.12	108.3				56 U						20	4.6		
2/10/2023	Shallow	15-25	39	7.14	31.86	113.7				56 U						20	4.5		
9/12/2023	Shallow	15-25	39	8.59	30.41	346.9							56 U		20	2.5			
4/10/2024	Shallow	15-25	43.66	7.56	36.10	124	0.64	0					56 U	170	22			0.053 U	
9/23/2024	Shallow	15-25	43.66	8.39	35.27	72.8	1.87	0					56 U	220	25			0.053 U	

Notes:

- All blank cells are intentional.
- All chemistry results are rounded to two significant figures.
- Field parameters are reported as displayed by the sampling equipment.
- Not available.
- Italic* Analyte was not detected at a reporting limit greater than the CUL.
- RED/BOLD** Analyte was detected at a concentration greater than the CUL.
- Well is inactive or decommissioned.
- 1 CULs are based on MTCA Method A values, except for cis- and trans-1,2-Dichloroethene, which use MTCA Method B.

Abbreviations:

- BTOC Below top of casing
- °C Degrees Celsius
- CAS Chemical Abstracts Service
- CUL Cleanup level
- ft Feet
- GW Groundwater
- µg/L Micrograms per liter
- µS/cm Microsiemens per centimeter
- mg/L Milligrams per kilogram
- MTCA Model Toxics Control Act
- mV Millivolts
- NAVD 88 North American Vertical Datum of 1988
- ntu Nephelometric turbidity unit
- ORP Oxidation-reduction potential
- TOC Top of casing
- TPH Total petroleum hydrocarbons
- VOC Volatile organic compound

Qualifiers:

- J Analyte was detected; concentration is an estimate.
- U Analyte was not detected at the associated reporting limit.
- UJ Analyte was not detected at the associated reporting limit, which is an estimate.

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-MW-4R													
8/2/2021	Shallow	10-25	42	9.33	32.67	0.050 U			3.8		3.4	0.00022 U	0.00029 U
8/30/2022	Shallow	10-25	42	7.68	34.32	0.050 U			6.1		15	0.00022 U	0.00029 U
2/20/2023	Shallow	10-25	42	6.46	35.54	0.050 U			3.0		9.9	0.00022 U	0.00029 U
9/15/2023	Shallow	10-25	42	7.89	34.11	0.061			2.4		11	0.00022 U	0.0037
4/9/2024	Shallow	10-25	44.56	6.90	37.66		0.069		3.2	0.096	6.1	0.00056 U	0.00058 U
9/25/2024	Shallow	10-25	44.56	7.58	36.98		0.050 U	0.46 J	59	0.23	6.3	0.00056 U	0.022
BSCSS-MW-5R													
8/3/2021	Shallow	10-25	42	8.3	33.7	0.050 U			2.1		1.3	0.00022 U	0.00029 U
9/1/2022	Shallow	10-25	42	8.64	33.36	0.050 U			1.4		6.5	0.00022 U	0.00029 U
2/20/2023	Shallow	10-25	42	8.9	33.1	0.050 U			1.2		7.1	0.00022 U	0.00029 U
9/20/2023	Shallow	10-25	42	8.63	33.37	0.050 U			1.1		8.6	0.00022 U	0.00029 U
4/9/2024	Shallow	10-25	44.68	7.70	36.98		0.25		1.7	0.012 U	5.6	0.00056 U	0.00058 U
9/25/2024	Shallow	10-25	44.68	7.90	36.78		0.050 U	0.050 U	2.1	0.061	6.7	0.00056 U	0.00058 U
BSCSS-MW-6													
12/21/2018	Shallow	10-25	47.567	8.79	38.777				14		0.081 UJ	0.16 U	0.15 U
2/22/2019	Shallow	10-25	47.567	7.79	39.777				13		0.71	0.016 U	0.015 U
5/22/2019	Shallow	10-25	47.567	8.46	39.107				20		1.0	0.0012	0.00050 U
7/25/2019	Shallow	10-25	47.567	9.06	38.507				22		0.73	0.00050 U	0.019
10/21/2019	Shallow	10-25	47.567	8.76	38.807	0.12			19		2.3	0.00050 U	0.00094
1/22/2020	Shallow	10-25	47.567	7.77	39.797	0.11			8.4		4.3	0.00022 U	0.028
4/17/2020	Shallow	10-25	47.567	8.19	39.377	0.10			10		0.76	0.00022 U	0.015
7/20/2020	Shallow	10-25	47.567	8.28	39.287	0.16			49		10	0.00022 U	0.071
10/19/2020	Shallow	10-25	47.567	8.83	38.737	3.9			63		8.8	0.00022 U	0.026
2/23/2021	Shallow	10-25	47.567	8.23	39.337	2.3			14		13	0.00022 U	0.016
6/15/2021	Shallow	10-25	47.567	9.37	38.197	4.0			10		2.9	0.00022 U	0.0048
9/12/2022	Shallow	10-25	47.567	--	--	3.5			8.0		4.3	0.0023	0.00029 U
2/20/2023	Shallow	10-25	47.567	--	--	4.0			14		6.6	0.00022 U	0.00029 U
9/14/2023	Shallow	10-25	47.567	--	--	2.6			14		9.8	0.00022 U	0.0019
4/9/2024	Shallow	10-25	44.77	--	--		0.11		13	0.92	6.5	0.00056 U	0.0023
9/25/2024	Shallow	10-25	44.77	--	--		0.050 U	0.18 J	9.4	1.3	4.8	0.00056 U	0.0028
BSCSS-MW-7													
5/24/2019	Shallow	10-25	45.957	7.96	37.997				2.3		0.049	0.0030 U	0.0030 U
6/18/2021	Shallow	10-25	45.957	8.73	37.227	0.056			2.5		3.2	0.00022 U	0.00029 U
9/28/2022	Shallow	10-25	45.957	8.41	37.547	0.078			3.1		12	0.00022 U	0.0032
2/21/2023	Shallow	10-25	45.957	7.05	38.907	0.050 U			3.2		4.6	0.00022 U	0.00029 U
9/15/2023	Shallow	10-25	45.957	8.34	37.617	0.050 U			12		9.2	0.00022 U	0.00029 U
4/9/2024	Shallow	10-25	44.51	7.33	37.18		0.064		3.0	0.015	6.6	0.00056 U	0.00058 U
9/25/2024	Shallow	10-25	44.51	8.23	36.28		0.065	0.53 J	28	0.092	6.2	0.00056 U	0.0017

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-MW-11													
12/20/2018	Intermediate	25-33	47.677	8.56	39.117				9.0		0.11	0.16 U	0.15 U
2/21/2019	Intermediate	25-33	47.677	7.9	39.777				24		0.87	0.016 U	0.015 U
5/22/2019	Intermediate	25-33	47.677	8.48	39.197				27		0.49	0.00050 U	0.00050 U
7/25/2019	Intermediate	25-33	47.677	9.12	38.557				26		1.1	0.00050 U	0.00050 U
10/21/2019	Intermediate	25-33	47.677	8.92	38.757	0.050 U			34		1.0	0.00050 U	0.00050 U
1/22/2020	Intermediate	25-33	47.677	8.09	39.587	1.3			11		2.0	0.00022 U	0.0052
4/17/2020	Intermediate	25-33	47.677	8.49	39.187	0.25			17		0.062	0.00022 U	0.0068
7/20/2020	Intermediate	25-33	47.677	8.74	38.937	0.28			92		15	0.00022 U	0.050
10/19/2020	Intermediate	25-33	47.677	9	38.677	5.1			60		9.7	0.00022 U	0.019
2/26/2021	Intermediate	25-33	47.677	8.02	39.657	3.5			7.4		11	0.00022 U	0.018
6/15/2021	Intermediate	25-33	47.677	9.24	38.437	1.5			6.7		1.6	0.00022 U	0.0049
9/28/2022	Intermediate	25-33	47.677	7.5	40.177	0.27			3.8		3.0	0.00022 U	0.0032
2/20/2023	Intermediate	25-33	47.677	6.1	41.577	0.20			4.1		1.6	0.00022 U	0.0039
9/14/2023	Intermediate	25-33	47.677	7.51	40.167	0.17			3.0		0.81	0.00022 U	0.0016
4/9/2024	Intermediate	25-33	44.75	6.52	38.23		0.050 U		4.0	0.31	1.1	0.00056 U	0.0024
9/24/2024	Intermediate	25-33	44.75	7.12	37.63		0.050 U		3.9	0.23	2.0	0.00056 U	0.0011
BSCSS-MW-12													
5/24/2019	Intermediate	25-33	45.837	7.92	37.917				2.5		3.7	0.25 U	0.25 U
7/22/2019	Intermediate	25-33	45.837	8.4	37.437				2.8		3.2	0.00050 U	0.00050 U
10/18/2019	Intermediate	25-33	45.837	9.07	36.767	0.050 U			2.1		3.3	0.00050 U	0.00050 U
1/27/2020	Intermediate	25-33	45.837	7.8	38.037	0.050 U			2.3		2.4	0.00022 U	0.00029 U
4/21/2020	Intermediate	25-33	45.837	7.64	38.197	0.050 U			2.9		3.6	0.00022 U	0.00029 U
7/22/2020	Intermediate	25-33	45.837	6.45	39.387	0.050 U			3.3		7.5	0.00022 U	0.00029 U
10/21/2020	Intermediate	25-33	45.837	8.83	37.007	0.050 U			3.4		7.4	0.033 U	0.043 U
3/3/2021	Intermediate	25-33	45.837	8	37.837	0.050 U			3.9		10	0.00022 U	0.00069
6/15/2021	Intermediate	25-33	45.837	8.77	37.067	0.050 U			3.6		1.8	0.00022 U	0.00029 U
9/27/2022	Intermediate	25-33	45.837	7.9	37.937	0.050 U			23		11	0.00022 U	0.014
2/20/2023	Intermediate	25-33	45.837	6.55	39.287	0.050 U			11		8.3	0.00022 U	0.013
9/15/2023	Intermediate	25-33	45.837	7.91	37.927	0.054			4.0		14	0.00022 U	0.00029 U
4/9/2024	Intermediate	25-33	44.22	6.98	37.24		0.14		7.5	0.36	7.3	0.00056 U	0.00058 U
9/25/2024	Intermediate	25-33	44.22	7.92	36.30		0.059	0.050 U	4.0	0.31	6.7	0.00056 U	0.0048
BSCSS-MW-20R													
6/22/2021	Intermediate	25-30	43	8.32	34.68	0.17			12		4.1	0.00022 U	0.011
9/1/2022	Intermediate	25-30	43	7.8	35.2	0.16			9.2		7.1	0.0036	0.077
2/2/2023	Intermediate	25-30	43	6.52	36.48	0.10			6.2		4.7	0.0040	0.066
9/19/2023	Intermediate	25-30	43	7.96	35.04	0.093			4.2		5.0	0.0032	0.032
4/9/2024	Intermediate	25-30	43	6.91	36.09		0.050 U		4.8	1.8	3.0	0.00056 U	0.014
9/24/2024	Intermediate	25-30	43	7.39	35.61		0.050 U		4.4	1.2	2.8	0.00056 U	0.020

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-MW-21R													
8/3/2021	Shallow	10-15	42	8.74	33.26	0.050 U			2.0		4.1	0.00022 U	0.00029 U
8/30/2022	Shallow	10-15	42	8.5	33.5	0.050 U			3.2		0.22	0.00022 U	0.00029 U
2/3/2023	Shallow	10-15	42	7.5	34.5	0.050 U			2.9		1.2	0.00022 U	0.00029 U
9/19/2023	Shallow	10-15	42	8.55	33.45	0.083			1.7		0.56	0.00022 U	0.00029 U
4/9/2024	Shallow	10-15	44.71	7.49	37.22		0.087		2.5	0.033	2.5	0.00056 U	0.00058 U
9/24/2024	Shallow	10-15	44.71	7.45	37.26		0.050 U		8.7	0.064	0.59	0.00056 U	0.00058 U
BSCSS-MW-23													
12/5/2018	Shallow	6-16	48.027	8.7	39.327				2.4		0.085	0.016 U	0.015 U
2/12/2019	Shallow	6-16	48.027	8.18	39.847				1.2		0.0086 U	0.016 U	0.015 U
6/4/2019	Shallow	6-16	48.027	8.57	39.457				1.6		0.14	0.0075 U	0.0075 U
6/17/2021	Shallow	6-16	48.027	8.91	39.117	0.050 U			3.4		1.4	0.00022 U	0.00029 U
10/14/2022	Shallow	6-16	48.027	10.45	37.577	0.050 U			3.0		0.41	0.00022 U	0.00029 U
2/6/2023	Shallow	6-16	48.027	10	38.027	0.050 U			1.9		3.4	0.00022 U	0.00029 U
9/27/2023	Shallow	6-16	48.027	10.23	37.797	0.050 U			1.5		0.40	0.00022 U	0.00029 U
4/11/2024	Shallow	6-16	48.027	10.44	37.587		3.7		2.0	0.012 U	0.11	0.00056 U	0.00058 U
9/23/2024	Shallow	6-16	49.31	11.25	38.06		4.5		1.7	0.012 U	0.00055 U	0.00056 U	0.00058 U
BSCSS-MW-27													
12/12/2018	Shallow	6-16	48.487	10.09	38.397				0.79		0.0086 U	0.016 U	0.015 U
5/24/2019	Shallow	6-16	48.487	9.65	38.837				1.0 U		0.0010 U	0.00050 U	0.00050 U
7/16/2019	Shallow	6-16	48.487	10.39	38.097				1.0 U		0.0010 U	0.00050 U	0.00050 U
10/18/2019	Shallow	6-16	48.487	10.05	38.437	0.050 U			8.7		0.0010 U	0.00050 U	0.00050 U
1/29/2020	Shallow	6-16	48.487	8.22	40.267	0.050 U			1.3		0.00055 U	0.00022 U	0.00029 U
4/16/2020	Shallow	6-16	48.487	8.87	39.617	0.050 U			1.0 U		0.00055 U	0.00022 U	0.00029 U
7/27/2020	Shallow	6-16	48.487	9.95	38.537	0.050 U			1.2		0.00055 U	0.00022 U	0.00029 U
10/19/2020	Shallow	6-16	48.487	9.98	38.507	0.050 U			1.0		0.0036	0.00022 U	0.00029 U
2/26/2021	Shallow	6-16	48.487	7.87	40.617	0.050 U			1.0 U		1.3	0.0033 U	0.0043 U
6/17/2021	Shallow	6-16	48.487	9.87	38.617	0.050 U			1.0 U		0.68	0.00022 U	0.00029 U
9/22/2022	Shallow	6-16	48.487	10.22	38.267	0.056			3.9		0.46	0.00022 U	0.00029 U
2/21/2023	Shallow	6-16	48.487	8.59	39.897	0.050 U			1.5		2.3	0.00022 U	0.00029 U
9/7/2023	Shallow	6-16	48.487	10.33	38.157	0.050 U			1.6		0.70	0.00022 U	0.00029 U
4/11/2024	Shallow	6-16	48.487	9.15	39.337		0.90		1.3	0.012 U	1.2	0.00056 U	0.00058 U
9/25/2024	Shallow	6-16	47.49	10.01	37.48		0.34		1.2	0.012 U	0.60	0.00056 U	0.00058 U
BSCSS-MW-29													
12/12/2018	Deep	45-55	48.497	10.25	38.247				3.0		0.040	0.016 U	0.015 U
6/4/2019	Deep	45-55	48.497	10.08	38.417				2.2		0.32	0.015 U	0.015 U
7/16/2019	Deep	45-55	48.497	10.61	37.887				2.1		0.35	0.00050 U	0.00050 U
10/18/2019	Deep	45-55	48.497	10.48	38.017	0.29			2.2		0.39	0.00050 U	0.00050 U
1/29/2020	Deep	45-55	48.497	9.61	38.887	0.24			1.9		0.36	0.00022 U	0.00029 U
4/16/2020	Deep	45-55	48.497	9.71	38.787	0.25			2.0		0.093	0.00022 U	0.00029 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-MW-29 (cont.)													
7/24/2020	Deep	45-55	48.497	--	--	0.050 U			1.0 U		0.00055 U	0.00022 U	0.00029 U
8/10/2020	Deep	45-55	48.497	10.54	37.957	0.29			2.0		0.17	0.00022 U	0.00029 U
10/19/2020	Deep	45-55	48.497	10.4	38.097	0.28			2.0		0.20	0.00044 U	0.00058 U
2/26/2021	Deep	45-55	48.497	9.36	39.137	0.27			2.3		0.11	0.00022 U	0.00029 U
6/17/2021	Deep	45-55	48.497	10.43	38.067	0.30			2.3		0.059	0.00022 U	0.00029 U
9/22/2022	Deep	45-55	48.497	10.1	38.397	0.27			1.9		0.22	0.00022 U	0.00029 U
2/10/2023	Deep	45-55	48.497	8.71	39.787	0.21			1.8		0.23	0.00022 U	0.00029 U
9/7/2023	Deep	45-55	48.497	10.2	38.297	0.28			1.7		0.18	0.00022 U	0.00029 U
9/23/2024	Deep	45-55	48.03	10.61	37.42		0.050 U		1.7	0.27	0.30	0.00056 U	0.00058 U
BSCSS-MW-34													
12/11/2018	Deep	40-50	47.187	8.5	38.687				1.2		0.010	0.016 U	0.015 U
2/21/2019	Deep	40-50	47.187	7.59	39.597				1.5		0.027	0.016 U	0.015 U
6/3/2019	Deep	40-50	47.187	8.28	38.907				1.8		0.14	0.0075 U	0.0075 U
6/15/2021	Deep	40-50	47.187	8.65	38.537	0.050 U			1.8		0.29	0.00022 U	0.00029 U
9/1/2022	Deep	40-50	47.187	7.7	39.487	0.050 U			1.9		0.30	0.00022 U	0.00029 U
2/3/2023	Deep	40-50	47.187	6.65	40.537	0.050 U			1.6		0.34	0.00022 U	0.00029 U
9/14/2023	Deep	40-50	47.187	7.55	39.637	0.078			1.5		0.0017	0.00022 U	0.00029 U
4/9/2024	Deep	40-50	44.48	6.65	37.83		0.055		2.8	0.030	0.026	0.00056 U	0.00058 U
9/24/2024	Deep	40-50	44.48	7.41	37.07		0.050 U		1.9	0.029	0.044	0.00056 U	0.00058 U
BSCSS-MW-39													
12/17/2018	Deep	40-50	44.885	6.33	38.555				3.4		0.36	0.016 U	0.015 U
3/13/2019	Deep	40-50	44.885	6.32	38.565				4.2		0.55	0.016 U	0.015 U
5/29/2019	Deep	40-50	44.885	6.49	38.395				3.3		1.1	0.10 U	0.10 U
7/23/2019	Deep	40-50	44.885	7.02	37.865				2.9		1.0	0.00050 U	0.00050 U
10/24/2019	Deep	40-50	44.885	6.94	37.945	0.48			3.1		0.91	0.00050 U	0.00050 U
1/28/2020	Deep	40-50	44.885	5.53	39.355	0.53			3.2		0.67	0.00022 U	0.00029 U
4/27/2020	Deep	40-50	44.885	6.17	38.715	0.050 U			2.1		0.0011	0.00022 U	0.00029 U
7/29/2020	Deep	40-50	44.885	6.92	37.965	0.64			3.6		0.68	0.00022 U	0.00029 U
10/22/2020	Deep	40-50	44.885	6.99	37.895	0.56			3.3		0.66	0.0022 U	0.0029 U
3/5/2021	Deep	40-50	44.885	--	--	0.27			3.2		0.56	0.0022 U	0.0029 U
3/12/2021	Deep	40-50	44.885	6.29	38.595	0.50			2.9		0.11	0.00022 U	0.00029 U
6/21/2021	Deep	40-50	44.885	7.34	37.545	0.59			3.9		0.19	0.00022 U	0.00029 U
9/29/2022	Deep	40-50	44.885	7.86	37.025	0.57			5.0		0.30	0.00022 U	0.0020
2/6/2023	Deep	40-50	44.885	7.15	37.735	0.44			4.8		0.41	0.00022 U	0.00029 U
9/26/2023	Deep	40-50	44.885	7.68	37.205	0.38			4.5		0.26	0.00022 U	0.0031
4/11/2024	Deep	40-50	44.885	6.77	38.115		0.050 U		5.8	0.17	0.33	0.00056 U	0.00058 U
9/26/2024	Deep	40-50	44.54	7.64	36.90		0.054		4.7	0.14	0.37	0.00056 U	0.00058 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-MW-40													
12/17/2018	Shallow	15-25	45.001	6.28	38.721				1.1		0.0086 U	0.016 U	0.015 U
3/13/2019	Shallow	15-25	45.001	6.29	38.711				2.0		0.0096	0.016 U	0.015 U
5/29/2019	Shallow	15-25	45.001	6.49	38.511				11		0.47	0.011	0.025 U
7/23/2019	Shallow	15-25	45.001	7	38.001				12		0.49	0.0082	0.00050 U
10/25/2019	Shallow	15-25	45.001	6.82	38.181	0.14			13		0.51	0.00050 U	0.0016
1/28/2020	Shallow	15-25	45.001	5.51	39.491	0.33			10		10	0.00022 U	0.12
4/27/2020	Shallow	15-25	45.001	6.48	38.521	0.24			9.9		5.6	0.00022 U	0.13
7/29/2020	Shallow	15-25	45.001	7.01	37.991	11			69		11	0.00022 U	0.48
10/29/2020	Shallow	15-25	45.001	7.04	37.961	0.64			7.4		10	0.016	0.36
3/5/2021	Shallow	15-25	45.001	--	--	0.49			4.9		8.8	0.024	0.25
3/12/2021	Shallow	15-25	45.001	6.5	38.501	0.42			4.9		5.0	0.00022 U	0.14
6/21/2021	Shallow	15-25	45.001	6.98	38.021	0.54			4.8		2.3	0.0042	0.050
9/29/2022	Shallow	15-25	45.001	8.18	36.821	0.58			5.4		0.97	0.0012	0.063
2/6/2023	Shallow	15-25	45.001	6.4	38.601	0.23			2.1		0.80	0.00038	0.038
9/26/2023	Shallow	15-25	45.001	7.44	37.561	0.69			5.5		1.8	0.0066	0.15
4/11/2024	Shallow	15-25	45.001	7.73	37.27		0.11		7.0	0.27	0.26	0.00056	0.049
9/26/2024	Shallow	15-25	44.57	9.60	34.97		0.054		6.0	0.49	0.42	0.0026	0.096
BSCSS-MW-42													
12/14/2018	Intermediate	30-45	--	--	--				5.3		0.71	0.016 U	0.015 U
1/3/2019	Intermediate	30-45	--	--	--								
3/18/2019	Intermediate	30-45	--	8.79	--				1.9		0.18	0.016 U	0.015 U
6/5/2019	Intermediate	30-45	--	9.11	--				2.3		4.1	0.25 U	0.25 U
7/29/2019	Intermediate	30-45	--	9.65	--				1.7		2.5	0.00050 U	0.00050 U
10/22/2019	Intermediate	30-45	--	9.29	--				3.9				
1/29/2020	Intermediate	30-45	--	8.49	--	0.16			6.3		7.1	0.00022 U	0.00029 U
4/16/2020	Intermediate	30-45	--	8.88	--	0.21			3.5		8.9	0.00022 U	0.012
7/24/2020	Intermediate	30-45	--	9.08	--	0.41			5.5		5.0	0.00022 U	0.037
10/26/2020	Intermediate	30-45	--	9.26	--	0.39			46		14	0.00022 U	0.014
3/1/2021	Intermediate	30-45	--	8.33	--	1.3			7.7		5.9	0.022 U	0.029 U
6/11/2021	Intermediate	30-45	--	9.37	--	1.7			3.8		6.1	0.00022 U	0.00029 U
9/29/2022	Intermediate	30-45	--	12.63	--	6.5			3.4		2.6	0.00022 U	0.00029 U
2/8/2023	Intermediate	30-45	--	10.73	--	6.9			2.7		4.2	0.00022 U	0.00029 U
9/22/2023	Intermediate	30-45	--	12.15	--	6.5			2.6		8.2	0.00022 U	0.00029 U
4/10/2024	Intermediate	30-45	--	11.19	--		0.19		4.3	4.2	6.7	0.00056 U	0.00058 U
9/26/2024	Intermediate	30-45	50.11	11.97	38.14		0.061		2.9	3.6	5.0	0.00056 U	0.00058 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)					Dissolved Gases		
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-MW-43R													
6/23/2021	Shallow	10-25	47	7.65	39.35	0.18			26		3.1	0.00022 U	0.0045
9/29/2022	Shallow	10-25	47	11.22	35.78	0.21			3.2		2.9	0.00022 U	0.00029 U
2/8/2023	Shallow	10-25	47	7.89	39.11	0.050 U			4.3		1.5	0.00022 U	0.00029 U
9/22/2023	Shallow	10-25	47	10.5	36.5	0.14			2.4		3.0	0.00022 U	0.00029 U
4/10/2024	Shallow	10-25	47	9.47	37.53		0.79		3.9	0.12	2.4	0.00056 U	0.00058 U
9/26/2024	Shallow	10-25	49.79	10.99	38.80		0.12		3.1	0.14	2.7	0.00056 U	0.00058 U
BSCSS-MW-44R													
6/23/2021	Intermediate	20-30	44	8.07	35.93	3.2			4.2		2.3	0.00022 U	0.0050
9/27/2022	Intermediate	20-30	44	8.14	35.86	4.1			4.8		0.69	0.00057	0.00030
2/8/2023	Intermediate	20-30	44	6.7	37.3	4.2			4.5		1.2	0.00023	0.00046
9/22/2023	Intermediate	20-30	44	8.15	35.85	3.0			5.7		0.62	0.00022 U	0.00029 U
9/26/2024	Intermediate	20-30	44.85	7.79	37.06		0.050 U		6.6	1.7	1.7	0.00056 U	0.00058 U
BSCSS-MW-45R													
6/23/2021	Shallow	7-17	43	8.07	34.93	0.053			3.3		0.39	0.00022 U	0.00058
9/1/2022	Shallow	7-17	43	7.95	35.05	0.088			18		0.0022	0.00022 U	0.00029 U
2/2/2023	Shallow	7-17	43	5.54	37.46	0.050 U			8.9		0.0016	0.00022 U	0.00029 U
9/19/2023	Shallow	7-17	43	8.04	34.96	0.050 U			5.9		0.42	0.00022 U	0.00029 U
4/9/2024	Shallow	7-17	44.55	5.67	38.88		0.052		310	0.031	3.5	0.00056 U	0.00058 U
9/24/2024	Shallow	7-17	44.55	7.85	36.70		0.050 U		14	0.022	6.5	0.00056 U	0.00058 U
BSCSS-HZ-MW-1													
12/19/2018	Shallow	5-15	41.997	6.94	35.057				1.2		0.0086 U	0.016 U	0.015 U
5/30/2019	Shallow	5-15	41.997	6.81	35.187				1.1		0.0014	0.00050 U	0.00050 U
7/29/2019	Shallow	5-15	41.997	7.2	34.797				1.0		0.0010 U	0.00050 U	0.00050 U
10/21/2019	Shallow	5-15	41.997	7.45	34.547	0.050 U			1.1		0.0010 U	0.00050 U	0.00050 U
1/24/2020	Shallow	5-15	41.997	6.39	35.607	0.050 U			1.2		1.5	0.00022 U	0.00029 U
4/14/2020	Shallow	5-15	41.997	6.33	35.667	0.050 U			1.6		12	0.00022 U	0.00029 U
7/17/2020	Shallow	5-15	41.997	6.88	35.117	0.050 U			1.7		18	0.00022 U	0.00029 U
10/27/2020	Shallow	5-15	41.997	7.42	34.577	0.13			1.7		7.4	0.00022 U	0.00029 U
3/4/2021	Shallow	5-15	41.997	5.34	36.657	0.31			2.7		8.4	0.00022 U	0.0012
6/15/2021	Shallow	5-15	41.997	7.15	34.847	0.14			2.7		1.9	0.00022 U	0.00085
9/12/2022	Shallow	5-15	41.997	9.9	32.097	0.14			2.2		0.30	0.00022 U	0.00029 U
2/15/2023	Shallow	5-15	41.997	8.64	33.357	0.050 U			3.3		6.2	0.00022 U	0.00029 U
9/20/2023	Shallow	5-15	41.997	9.81	32.187	0.058			3.6		7.3	0.00022 U	0.00029 U
4/10/2024	Shallow	5-15	43.71	8.81	34.90		0.052		2.7	0.21	7.3	0.00056 U	0.0013
9/24/2024	Shallow	5-15	43.71	8.94	34.77		0.050 U		5.9	0.14	3.2	0.00056 U	0.00089

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-HZ-MW-14D													
12/13/2018	Intermediate	30-40	42.777	6.7	36.077				0.97		0.052	0.016 U	0.015 U
5/21/2019	Intermediate	30-40	42.777	6.16	36.617				1.0 U		0.18	0.010 U	0.010 U
7/29/2019	Intermediate	30-40	42.777	6.92	35.857				1.0		0.92	0.00050 U	0.00050 U
10/16/2019	Intermediate	30-40	42.777	7.7	35.077	0.050 U			1.0 U		1.5	0.00050 U	0.00050 U
1/22/2020	Intermediate	30-40	42.777	5.98	36.797	0.050 U			1.2		2.6	0.00022 U	0.00029 U
4/15/2020	Intermediate	30-40	42.777	6.14	36.637	0.050 U			1.2		1.8	0.00022 U	0.00029 U
7/21/2020	Intermediate	30-40	42.777	6.78	35.997	0.050 U			1.2		2.6	0.00022 U	0.00029 U
10/28/2020	Intermediate	30-40	42.777	7.34	35.437	0.050 U			1.2		1.7	0.00022 U	0.00029 U
3/4/2021	Intermediate	30-40	42.777	5.84	36.937	0.050 U			1.4		2.4	0.00022 U	0.00029 U
6/15/2021	Intermediate	30-40	42.777	6.88	35.897	0.050 U			1.6		0.40	0.00022 U	0.00029 U
9/6/2022	Intermediate	30-40	42.777	9.3	33.477	0.050 U			2.6		0.39	0.00091	0.00043
2/3/2023	Intermediate	30-40	42.777	8.36	34.417	0.050 U			2.5		0.15	0.0011	0.00029 U
9/21/2023	Intermediate	30-40	42.777	9.6	33.177	0.050 U			2.1		0.072	0.00022 U	0.00029 U
4/9/2024	Intermediate	30-40	44.49	8.55	35.94		0.050 U		2.8	0.024	0.20	0.00056 U	0.00058 U
9/24/2024	Intermediate	30-40	44.49	9.51	34.98		0.050 U		2.5	0.026	0.21	0.00056 U	0.00058 U
BSCSS-HZ-MW-14S													
12/13/2018	Shallow	5-15	42.767	6.23	36.537				1.9		0.0086 U	0.016 U	0.015 U
5/21/2019	Shallow	5-15	42.767	6.43	36.337				1.7		0.053	0.0050 U	0.0050 U
7/25/2019	Shallow	5-15	42.767	6.31	36.457				1.8		0.018	0.00050 U	0.00050 U
10/16/2019	Shallow	5-15	42.767	6.99	35.777	0.050 U			1.9		0.29	0.00050 U	0.00050 U
1/22/2020	Shallow	5-15	42.767	5.65	37.117	0.050 U			2.8		0.014	0.00022 U	0.00029 U
4/15/2020	Shallow	5-15	42.767	5.76	37.007	0.050 U			2.1		6.9	0.00022 U	0.019
7/21/2020	Shallow	5-15	42.767	7.45	35.317	0.050 U			2.0		8.6	0.00022 U	0.015
10/23/2020	Shallow	5-15	42.767	7.13	35.637	0.051			2.0		9.5	0.00022 U	0.015
3/3/2021	Shallow	5-15	42.767	4.33	38.437	0.050 U			2.5		9.5	0.00022 U	0.016
6/15/2021	Shallow	5-15	42.767	6.8	35.967	0.10			2.7		2.3	0.00022 U	0.0043
9/6/2022	Shallow	5-15	42.767	9.45	33.317	0.066			3.0		4.0	0.00022 U	0.00029 U
2/21/2023	Shallow	5-15	42.767	8.5	34.267	0.050 U			1.9		7.9	0.00022 U	0.00029 U
9/21/2023	Shallow	5-15	42.767	9.63	33.137	0.050 U			2.1		11	0.00022 U	0.00029 U
4/9/2024	Shallow	5-15	44.61	8.70	35.91		0.065		2.8	0.057	8.9	0.00056 U	0.00058 U
9/24/2024	Shallow	5-15	44.61	9.23	35.38		0.12		2.3	0.088	0.27	0.00056 U	0.00058 U
BSCSS-HZ-MW-15D													
12/27/2018	Intermediate	20-30	41.997	4.23	37.767				1.1		0.046 UJ	0.16 U	0.15 U
6/4/2019	Intermediate	20-30	41.997	6.11	35.887				1.5		5.0	0.25 U	0.25 U
7/23/2019	Intermediate	20-30	41.997	6.83	35.167				1.6		5.0	0.00050 U	0.00050 U
10/17/2019	Intermediate	20-30	41.997	7.02	34.977	0.050 U			1.3		5.0	0.00050 U	0.00050 U
1/22/2020	Intermediate	20-30	41.997	6.05	35.947	0.050 U			1.2		2.4	0.00022 U	0.00029 U
4/15/2020	Intermediate	20-30	41.997	6.67	35.327	0.050 U			1.2		3.0	0.00022 U	0.00029 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)					Dissolved Gases		
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-HZ-MW-15D (cont.)													
7/22/2020	Intermediate	20-30	41.997	6.45	35.547	0.050 U			1.4		4.0	0.00022 U	0.00029 U
10/23/2020	Intermediate	20-30	41.997	6.79	35.207	0.050 U			1.0 U		4.6	0.022 U	0.029 U
3/3/2021	Intermediate	20-30	41.997	6.23	35.767	0.050 U			1.0 U		6.1	0.00022 U	0.00029 U
6/22/2021	Intermediate	20-30	41.997	5.8	36.197	0.050 U			1.6		1.9	0.00022 U	0.00029 U
9/8/2022	Intermediate	20-30	41.997	9.44	32.557	0.050 U			1.3		8.2	0.00022 U	0.00029 U
2/21/2023	Intermediate	20-30	41.997	8.3	33.697	0.050 U			1.2		6.5	0.00022 U	0.00029 U
9/20/2023	Intermediate	20-30	41.997	9.68	32.317	0.050 U			1.3		5.7	0.00022 U	0.00029 U
4/10/2024	Intermediate	20-30	44.60	8.61	35.99		0.050 U		1.6	0.020	7.4	0.00056 U	0.00058 U
9/24/2024	Intermediate	20-30	44.60	9.58	35.02		0.050 U		1.4	0.018	4.8	0.00056 U	0.00058 U
BSCSS-HZ-MW-15S													
12/27/2018	Shallow	10-15	42.067	4.4	37.667				1.4		0.0086 U	0.016 U	0.015 U
6/4/2019	Shallow	10-15	42.067	4.92	37.147				1.1		0.019	0.0010 U	0.0010 U
7/23/2019	Shallow	10-15	42.067	5.66	36.407				1.0		0.020	0.00050 U	0.00050 U
10/17/2019	Shallow	10-15	42.067	5.87	36.197	0.050 U			1.2		0.0076	0.00050 U	0.00050 U
1/22/2020	Shallow	10-15	42.067	4.02	38.047	0.050 U			1.4		0.0086	0.00022 U	0.00029 U
4/15/2020	Shallow	10-15	42.067	4.51	37.557	0.050 U			1.3		0.0012	0.00022 U	0.00029 U
7/22/2020	Shallow	10-15	42.067	5.85	36.217	0.050 U			1.2		0.0089	0.00022 U	0.00029 U
10/23/2020	Shallow	10-15	42.067	6.23	35.837	0.050 U			1.3		0.36	0.0022 U	0.0029 U
3/3/2021	Shallow	10-15	42.067	4.82	37.247	0.050 U			1.2		0.56	0.00022 U	0.00039
6/22/2021	Shallow	10-15	42.067	5.77	36.297	0.050 U			1.6		0.28	0.00022 U	0.00029 U
9/6/2022	Shallow	10-15	42.067	9.3	32.767	0.14			36		3.5	0.00022 U	0.00029 U
2/15/2023	Shallow	10-15	42.067	7.95	34.117	0.050 U			3.3		5.7	0.00022 U	0.00029 U
9/20/2023	Shallow	10-15	42.067	9.33	32.737	0.050 U			2.5		2.2	0.00022 U	0.00029 U
4/9/2024	Shallow	10-15	44.73	8.33	36.40		0.050 U		3.5	0.050	0.39	0.00056 U	0.00058 U
9/23/2024	Shallow	10-15	44.73	8.82	35.91		0.050 U		3.0	0.060	0.52	0.00056 U	0.00058 U
BSCSS-HZ-MW-24													
12/10/2018	Intermediate	25-35	41.527	6.04	35.487				7.0		0.0086 U	0.016 U	0.015 U
5/31/2019	Intermediate	25-35	41.527	6.06	35.467				3.5		5.4	0.25 U	0.25 U
7/17/2019	Intermediate	25-35	41.527	7.1	34.427				3.8		6.3	0.00050 U	0.00050 U
10/24/2019	Intermediate	25-35	41.527	6.82	34.707	1.1			4.7		9.7	0.00050 U	0.00050 U
1/27/2020	Intermediate	25-35	41.527	5.71	35.817	2.5			4.9		9.5	0.00022 U	0.00029 U
4/14/2020	Intermediate	25-35	41.527	6.01	35.517	4.1			5.4		4.0	0.00022 U	0.0027
7/22/2020	Intermediate	25-35	41.527	6.78	34.747	2.5			4.5		2.1	0.0022 U	0.0076
10/28/2020	Intermediate	25-35	41.527	6.91	34.617	1.9			3.8		1.6	0.00022 U	0.00029 U
3/2/2021	Intermediate	25-35	41.527	5.18	36.347	0.96			2.8		0.20	0.00022 U	0.00029 U
6/18/2021	Intermediate	25-35	41.527	6.5	35.027	0.96			4.9		0.31	0.0022 U	0.0029 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-HZ-MW-24 (cont.)													
9/20/2022	Intermediate	25-35	41.527	5.6	35.927	0.51			5.3		0.30	0.00022 U	0.00029 U
2/7/2023	Intermediate	25-35	41.527	1.9	39.627	0.47			2.3		0.46	0.00022 U	0.00029 U
9/8/2023	Intermediate	25-35	41.527	5.61	35.917	0.52			2.6		1.7	0.00022 U	0.00029 U
4/10/2024	Intermediate	25-35	39.78	4.78	35.00		0.050 U		1.9	0.076	3.2	0.00056 U	0.00058 U
9/24/2024	Intermediate	25-35	39.78	5.59	34.19		0.050 U		2.7	0.057	0.21	0.00056 U	0.00058 U
BSCSS-HZ-MW-26													
12/4/2018	Intermediate	25-35	41.302	7.23	34.072				2.3		0.0086 U	0.016 U	0.015 U
5/30/2019	Intermediate	25-35	41.302	6.85	34.452				1.0 U		0.0042	0.00050 U	0.00050 U
7/29/2019	Intermediate	25-35	41.302	7.34	33.962				1.0 U		0.010	0.00050 U	0.00050 U
10/16/2019	Intermediate	25-35	41.302	7.91	33.392	0.050 U			1.0 U		0.022	0.00050 U	0.00050 U
1/24/2020	Intermediate	25-35	41.302	6.86	34.442	0.050 U			1.0 U		0.035	0.00022 U	0.00052
4/13/2020	Intermediate	25-35	41.302	6.33	34.972	0.050 U			1.0 U		0.059	0.00022 U	0.00029 U
7/17/2020	Intermediate	25-35	41.302	6.82	34.482	0.050 U			1.0 U		0.090	0.00022 U	0.00029 U
10/27/2020	Intermediate	25-35	41.302	7.34	33.962	0.050 U			1.0 U		0.038	0.00022 U	0.00029 U
3/5/2021	Intermediate	25-35	41.302	6.66	34.642	0.050 U			1.0 U		0.0015	0.00022 U	0.00029 U
6/14/2021	Intermediate	25-35	41.302	6.99	34.312	0.050 U			1.0 U		0.0032	0.00022 U	0.00029 U
6/22/2021	Intermediate	25-35	41.302	--	--	0.050 U			1.1		0.0033	0.00022 U	0.00029 U
9/8/2022	Intermediate	25-35	41.302	11.98	29.322	0.050 U			1.0 U		0.18	0.00022 U	0.00029 U
2/21/2023	Intermediate	25-35	41.302	9.83	31.472	0.050 U			1.0 U		0.14	0.00022 U	0.00029 U
9/12/2023	Intermediate	25-35	41.302	11.14	30.162	0.072			1.0 U		0.15	0.00022 U	0.00029 U
4/10/2024	Intermediate	25-35	44.48	10.16	34.32		0.26		1.6	0.045	0.065	0.00056 U	0.00058 U
9/23/2024	Intermediate	25-35	44.48	11.14	33.34		0.36		1.0 U	0.048	0.067	0.00056 U	0.00058 U
BSCSS-HZ-MW-29													
12/10/2018	Intermediate	25-35	40.739	5.68	35.059				2.7		0.0086 U	0.016 U	0.015 U
5/31/2019	Intermediate	25-35	40.739	6.29	34.449				52		3.9	0.25 U	0.25 U
7/17/2019	Intermediate	25-35	40.739	7.03	33.709				15		9.5	0.00050 U	0.00050 U
10/24/2019	Intermediate	25-35	40.739	7.98	32.759	1.6			2.1		9.9	0.00050 U	0.00050 U
1/27/2020	Intermediate	25-35	40.739	6.41	34.329	3.2			1.8		8.6	0.00022 U	0.00029 U
4/13/2020	Intermediate	25-35	40.739	6.31	34.429	3.0			3.2		19	0.00022 U	0.00029 U
7/17/2020	Intermediate	25-35	40.739	10.22	30.519	1.8			12		14	0.00022 U	0.014
10/28/2020	Intermediate	25-35	40.739	6.88	33.859	2.0			5.8		14	0.00022 U	0.026
3/5/2021	Intermediate	25-35	40.739	5.47	35.269	1.8			1.9		0.82	0.0022 U	0.0029 U
6/22/2021	Intermediate	25-35	40.739	6.7	34.039	1.8			2.1		2.6	0.00022 U	0.0017
9/20/2022	Intermediate	25-35	40.739	6.35	34.389	0.75			1.3		4.9	0.00022 U	0.0018
2/7/2023	Intermediate	25-35	40.739	5.16	35.579	0.37			1.1		8.2	0.00022 U	0.00029 U
9/8/2023	Intermediate	25-35	40.739	6.44	34.299	0.58			1.1		7.3	0.00022 U	0.00029 U
4/10/2024	Intermediate	25-35	40.739	5.48	35.259		0.050 U		7.7	1.0	12	0.00056 U	0.00058 U
9/24/2024	Intermediate	25-35	40.739	6.3	34.439		0.050 U		1.6	0.94	1.5	0.00056 U	0.00058 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-HZ-MW-31													
12/18/2018	Shallow	15-25	37	9.4	27.6				5.0		0.15	0.016 U	0.015 U
5/29/2019	Shallow	15-25	37	9.34	27.66				4.6		0.34	0.025 U	0.025 U
7/23/2019	Shallow	15-25	37	9.45	27.55				4.4		0.62	0.00050 U	0.00050 U
10/25/2019	Shallow	15-25	37	9.16	27.84	0.30			4.8		0.90	0.00050 U	0.00050 U
1/28/2020	Shallow	15-25	37	8.75	28.25	0.29			4.8		0.76	0.00022 U	0.00029 U
4/27/2020	Shallow	15-25	37	24.75	12.25	0.29			4.7		0.84	0.00022 U	0.00029 U
7/29/2020	Shallow	15-25	37	9.02	27.98	0.40			4.9		0.92	0.00022 U	0.00029 U
10/29/2020	Shallow	15-25	37	9.21	27.79	0.44			4.6		0.84	0.00022 U	0.00029 U
3/5/2021	Shallow	15-25	37	8.3	28.7	0.37			6.0		0.11	0.00022 U	0.00037
6/21/2021	Shallow	15-25	37	6.35	30.65	0.38			5.6		0.22	0.00022 U	0.00029 U
9/29/2022	Shallow	15-25	37	9.06	27.94	0.38			6.2		1.5	0.00022 U	0.027
2/6/2023	Shallow	15-25	37	8.2	28.8	0.30			6.0		1.4	0.00022 U	0.024
9/26/2023	Shallow	15-25	37	8.61	28.39	0.23			4.8		0.95	0.00022 U	0.011
9/26/2024	Shallow	15-25	37	8.7	28.3		0.050 U		6.1	0.29	0.41	0.00056 U	0.0028
BSCSS-HZ-MW-33R													
8/11/2021	Intermediate	25-35	35	7.93	27.07	0.050 U			2.2		0.0098	0.00022 U	0.00029 U
10/3/2022	Intermediate	25-35	35	--	--	0.050 U			1.0 U		0.12	0.00022 U	0.00029 U
2/7/2023	Intermediate	25-35	35	--	--	0.050 U			1.0 U		0.23	0.00022 U	0.00029 U
9/21/2023	Intermediate	25-35	35	--	--	0.050 U			1.0 U		0.26	0.00022 U	0.00029 U
4/11/2024	Intermediate	25-35	35	--	--		0.28		1.0 U	0.012 U	0.20	0.00056 U	0.00058 U
9/24/2024	Intermediate	25-35	38.38	--	--		0.30		1.0 U	0.012 U	0.37	0.00056 U	0.00058 U
BSCSS-HZ-MW-34													
12/7/2018	Shallow	15-25	37	5.77	31.23				4.0		0.0086 U	0.016 U	0.015 U
5/31/2019	Shallow	15-25	37	5.88	31.12				42		1.1	0.050 U	0.050 U
7/17/2019	Shallow	15-25	37	6.41	30.59				24		3.1	0.00050 U	0.00050 U
10/23/2019	Shallow	15-25	37	6.6	30.4	0.69			5.8		7.7	0.00050 U	0.00050 U
1/27/2020	Shallow	15-25	37	5.22	31.78	0.67			2.3		11	0.00022 U	0.00029 U
4/14/2020	Shallow	15-25	37	5.83	31.17	0.68			2.1		16	0.00022 U	0.0043
7/21/2020	Shallow	15-25	37	6.78	30.22	1.4			4.4		20	0.00022 U	0.014
10/28/2020	Shallow	15-25	37	6.74	30.26	1.1			1.9		11	0.00022 U	0.012
3/2/2021	Shallow	15-25	37	5.15	31.85	0.47			1.7		14	0.00022 U	0.0055
6/18/2021	Shallow	15-25	37	6.35	30.65	5.6			14		1.2	0.00022 U	0.00029 U
9/20/2022	Shallow	15-25	37	5.5	31.5	0.17			1.6		0.25	0.00022 U	0.00082
2/7/2023	Shallow	15-25	37	2.4	34.6	0.15			1.1		0.15	0.00022 U	0.00034
9/8/2023	Shallow	15-25	37	5.54	31.46	0.19			1.2		0.14	0.00022 U	0.00029 U
4/10/2024	Shallow	15-25	39.69	4.64	35.05		0.050 U		1.8	0.20	0.15	0.00056 U	0.00058 U
9/24/2024	Shallow	15-25	39.69	5.52	34.17		0.050 U		1.4	0.16	0.18	0.00056 U	0.00058 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTC)	GW Elevation (feet NAVD 88)								
BSCSS-S-MW-1													
6/6/2019	Shallow	5.5-15.5	43.527	6	37.527				1.4		0.0010 U	0.00050 U	0.00050 U
7/23/2019	Shallow	5.5-15.5	43.527	6.61	36.917				1.0 U		0.0010 U	0.00050 U	0.00050 U
10/23/2019	Shallow	5.5-15.5	43.527	6.18	37.347	0.050 U			1.0 U		0.0010 U	0.00050 U	0.00050 U
1/21/2020	Shallow	5.5-15.5	43.527	4.78	38.747	0.050 U			1.0 U		0.00055 U	0.00022 U	0.00029 U
4/23/2020	Shallow	5.5-15.5	43.527	5.01	38.517	0.050 U			1.0 U		0.00055 U	0.00022 U	0.00029 U
7/28/2020	Shallow	5.5-15.5	43.527	6.97	36.557	0.050 U			1.1		0.00096	0.00022 U	0.00029 U
11/2/2020	Shallow	5.5-15.5	43.527	7.3	36.227	0.050 U			1.0		0.0012	0.00022 U	0.00029 U
3/1/2021	Shallow	5.5-15.5	43.527	4.99	38.537	0.050 U			1.0 U		0.0061	0.00022 U	0.00029 U
6/14/2021	Shallow	5.5-15.5	43.527	7.23	36.297	0.050 U			1.0 U		0.0011	0.00022 U	0.00029 U
9/27/2022	Shallow	5.5-15.5	43.527	8.55	34.977	0.050 U			1.2		0.0016	0.00022 U	0.00029 U
2/16/2023	Shallow	5.5-15.5	43.527	6.87	36.657	0.050 U			1.0 U		0.0051	0.00022 U	0.00029 U
9/7/2023	Shallow	5.5-15.5	43.527	8.71	34.817	0.050 U			1.0 U		0.086	0.00022 U	0.00029 U
9/25/2024	Shallow	5.5-15.5	45.25	8.29	36.96		2.1		1.5	0.060	0.030	0.00056 U	0.00058 U
BSCSS-S-MW-2RR													
8/5/2021	Shallow	5-15	39	6.65	32.35	5.2			2.8		0.78	0.00022 U	0.00030
9/8/2022	Shallow	5-15	39	8.6	30.4	11			3.8		2.1	0.00022 U	0.00029 U
2/10/2023	Shallow	5-15	39	6.85	32.15	4.7			24		0.40	0.00022 U	0.00029 U
9/12/2023	Shallow	5-15	39	8.88	30.12	7.1			3.0		0.83	0.00022 U	0.00029 U
4/10/2024	Shallow	5-15	44.65	7.51	37.14		0.050 U		1.1	1.5	0.23	0.00056 U	0.00058 U
9/23/2024	Shallow	5-15	44.65	8.93	35.72		0.050 U		2.3	2.4	0.30	0.00056 U	0.00058 U
BSCSS-S-MW-3RR													
8/20/2021	Intermediate	24-39	40	11.12	28.88	0.050 U			1.0		1.3	0.00022 U	0.00029 U
10/14/2022	Intermediate	24-39	40	--	--	0.050 U			1.3		14	0.00022 U	0.00029 U
2/10/2023	Intermediate	24-39	40	13.9	26.1	0.050 U			1.0 U		11	0.00022 U	0.00029 U
2/17/2024	Intermediate	24-39	40	9.11	30.89	0.053 U			9.1		6.9	0.00056 U	0.00058 U
4/10/2024	Intermediate	24-39	40	10.58	29.42		0.11		11	0.11	15	0.00056 U	0.00058 U
BSCSS-S-MW-3RRR													
9/26/2024	Intermediate	-	45.91	11.30	34.61		2.6		1.1	0.12	1.8	0.00056 U	0.00058 U

Table 4
All Wells: GW Elevations and Field Parameters

Analyte Class						Conventionals (cont.)				Dissolved Gases			
Analyte						Ammonia (total as nitrogen)	Nitrate	Sulfide	Total Organic Carbon	Orthophosphate	Methane	Ethane	Ethene
CAS No.						--	14797-55-8	18496-25-8	TOC	14265-44-2	74-82-8	74-84-0	74-85-1
MTCA Method A CUL ⁽¹⁾						--	--	--	--	--	--	--	--
Unit						mg/L	mg-N/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Sample Date	Aquifer Zone	Screen Interval	Elevation TOC (feet NAVD 88)	Depth to Water (feet BTOC)	GW Elevation (feet NAVD 88)								
BSCSS-S-MW-5R													
8/11/2021	Shallow	15-25	39	8.3	30.7	0.050 U			1.0 U		0.0029	0.00022 U	0.00029 U
10/3/2022	Shallow	15-25	39	10.88	28.12	0.050 U			1.0 U		0.30	0.00022 U	0.00029 U
2/10/2023	Shallow	15-25	39	7.14	31.86	0.050 U			1.2		1.3	0.00022 U	0.00029 U
9/12/2023	Shallow	15-25	39	8.59	30.41	0.096			1.0 U		0.40	0.00022 U	0.00029 U
4/10/2024	Shallow	15-25	43.66	7.56	36.10		0.41		1.0	0.026	0.41	0.00056 U	0.00058 U
9/23/2024	Shallow	15-25	43.66	8.39	35.27		0.47		1.0 U	0.031	0.56	0.00056 U	0.00058 U

Notes:

- All blank cells are intentional.
- All chemistry results are rounded to two significant figures.
- Field parameters are reported as displayed by the sampling equipment.
- Not available.
- Italic* Analyte was not detected at a reporting limit greater than the CUL.
- RED/BOLD** Analyte was detected at a concentration greater than the CUL.
- Well is inactive or decommissioned.
- 1 CULs are based on MTCA Method A values, except for cis- and trans-1,2-Dichloroethene, which use MTCA Method B.


Abbreviations:


- BTOC Below top of casing
- °C Degrees Celsius
- CAS Chemical Abstracts Service
- CUL Cleanup level
- ft Feet
- GW Groundwater
- µg/L Micrograms per liter
- µS/cm Microsiemens per centimeter
- mg/L Milligrams per kilogram
- MTCA Model Toxics Control Act
- mV Millivolts
- NAVD 88 North American Vertical Datum of 1988
- ntu Nephelometric turbidity unit
- ORP Oxidation-reduction potential
- TOC Top of casing
- TPH Total petroleum hydrocarbons
- VOC Volatile organic compound


Qualifiers:

- J Analyte was detected; concentration is an estimate.
- U Analyte was not detected at the associated reporting limit.
- U Analyte was not detected at the associated reporting limit.

Figures











Legend


- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- Parcel Boundary


Notes:
 Intermediate screened 25–35 ft bgs.
 Orthoimage obtained from NearMap, 2023.


Abbreviation:
 bgs = Below ground surface
 ft = Feet














Legend

- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- Parcel Boundary
- Groundwater Elevation Contour
0.5 Foot Interval, NAVD88,
Dashed where inferred
- [30.82] GW Elevation not used in contours


Notes:


- Shallow screened 25–35 ft bgs.
- HZ-MW-33R well casing constructed with two 45-degree bends; therefore, DTW measurements are not possible with DTW meter
- Orthoimage obtained from NearMap, 2023.

Abbreviations:

- bgs = Below ground surface
- DTW = Depth to Water
- ft = Feet
- GW = Groundwater
- NAVD 88 = North American Vertical Datum of 1988
- NM = Not Measured

Scale in Feet





Legend

- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- Parcel Boundary
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 500 µg/L (dashed where inferred)
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 5.0 µg/L (dashed where inferred)


Notes:

- Well not accessible, not found or sampled.
- Intermediate screened 25–35 ft bgs.
- Orthoimage obtained from NearMap, 2023.

Abbreviations:

- bgs = Below ground surface
- ft = Feet
- µg/L = Micrograms per liter
- ND = Not detected at or above the PQL
- PCE = Tetrachloroethene
- PQL = Practical quantitation limit

Scale in Feet




- Legend**
- Deep Monitoring Well
 - Parcel Boundary
 - PCE isocontour boundary detection and approximate extent of concentrations at or greater than 500 µg/L (dashed where inferred)
 - PCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
 - PCE isocontour boundary detection and approximate extent of concentrations at or greater than 5.0 µg/L (dashed where inferred)


Notes:


- Well not accessible, not found or sampled.
- Deep screened 35–55 ft bgs.
- Orthoimage obtained from NearMap, 2023.


Abbreviations:

- bgs = Below ground surface
- ft = Feet
- µg/L = Micrograms per liter
- ND = Not detected at or above the PQL
- PCE = Tetrachloroethene
- PQL = Practical quantitation limit











- Legend**
- Deep Monitoring Well
 - Parcel Boundary
 - TCE isocontour boundary detection and approximate extent of concentrations at or greater than 1,000 µg/L (dashed where inferred)
 - TCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
 - TCE isocontour boundary detection and approximate extent of concentrations at or greater than 5.0 µg/L (dashed where inferred)


Notes:


- Well not accessible, not found or sampled.
- Deep screened 35–55 ft bgs.
- Orthoimage obtained from NearMap, 2023.


Abbreviations:
 bgs = Below ground surface
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PQL = Practical quantitation limit
 TCE = Trichloroethene











Legend

- Shallow Monitoring Well
- Shallow Injection/Extraction Well
- Parcel Boundary
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 10 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 1.0 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 0.2 µg/L (dashed where inferred)


Notes:


- Well not accessible, not found or sampled.
- Shallow screened 5–25 ft bgs.
- Orthoimage obtained from NearMap, 2023.

Abbreviations:

- bgs = Below ground surface
- ft = Feet
- µg/L = Micrograms per liter
- ND = Not detected at or above the PQL
- PQL = Practical quantitation limit
- VC = Vinyl chloride

Scale in Feet







Legend


- Deep Monitoring Well
- Parcel Boundary
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 10 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 1.0 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 0.2 µg/L (dashed where inferred)

Notes:
 - Well not accessible, not found or sampled.
 · Deep screened 35–55 ft bgs.
 · Orthoimage obtained from NearMap, 2023.

Abbreviations:
 bgs = Below ground surface
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PQL = Practical quantitation limit
 VC = Vinyl chloride







Legend

- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- Parcel Boundary
- Groundwater Elevation Contour
- 0.5 Foot Interval, NAVD 88, Dashed where inferred
- [30.98] GW Elevation not used in contours


Notes:


- Intermediate screened 25–35 ft bgs.
- HZ-MW-33R well casing constructed with two 45-degree bends; therefore, DTW measurements are not possible with DTW meter
- Orthoimage obtained from NearMap, 2023.


Abbreviations:

- bgs = Below ground surface
- DTW = Depth to Water
- ft = Feet
- GW = Groundwater
- NAVD 88 = North American Vertical Datum of 1988
- NM = Not Measured

Scale in Feet








Legend


- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- Parcel Boundary
- Extraction Wells Currently Running ⁽¹⁾
- Injection Wells Currently Running ⁽¹⁾
- Injection Product Pathway Flow
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 500 µg/L (dashed where inferred)
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 5.0 µg/L (dashed where inferred)

Notes:

- Intermediate screened 25–35 ft bgs.
- Orthoimage obtained from NearMap, 2023.
- 1. After the April Groundwater Sampling event, system adjustments were made to focused Carbstrate injections only to the following intermediate injection wells, 9iR and 11i, which are located within the hotspot and within the vicinity of wells MW-12 and HZ-MW-15D. Additionally, the following extraction well is being operated to focus on the hotspot area: 13eR.

Abbreviations:
 bgs = Below ground surface
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PCE = Tetrachloroethene
 PQL = Practical quantitation limit







Legend

- Deep Monitoring Well
- Parcel Boundary
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 500 µg/L (dashed where inferred)
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
- PCE isocontour boundary detection and approximate extent of concentrations at or greater than 5.0 µg/L (dashed where inferred)

Notes:
 · Deep screened 35–55 ft bgs.
 · Orthoimage obtained from NearMap, 2023.

Abbreviations:
 bgs = Below ground surface
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PCE = Tetrachloroethene
 PQL = Practical quantitation limit






Legend


- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- Parcel Boundary
- Extraction Wells Currently Running ⁽¹⁾
- Injection Wells Currently Running ⁽¹⁾
- Injection Product Pathway Flow
- TCE isocontour boundary detection and approximate extent of concentrations at or greater than 1,000 µg/L (dashed where inferred)
- TCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
- TCE isocontour boundary detection and approximate extent of concentrations at or greater than 5.0 µg/L (dashed where inferred)

Notes:

- Intermediate screened 25–35 ft bgs.
- Orthoimage obtained from NearMap, 2023.
- 1. After the April Groundwater Sampling event, system adjustments were made to focused Carbstrate injections only to the following intermediate injection wells, 9iR and 11i, which are located within the hotspot and within the vicinity of wells MW-12 and HZ-MW-15D. Additionally, the following extraction well is being operated to focus on the hotspot area: 13eR.

Abbreviations:
 bgs = Below ground surface
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PQL = Practical quantitation limit
 TCE = Trichloroethene





- Legend**
- Deep Monitoring Well
 - Parcel Boundary
 - TCE isocontour boundary detection and approximate extent of concentrations at or greater than 1,000 µg/L (dashed where inferred)
 - TCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
 - TCE isocontour boundary detection and approximate extent of concentrations at or greater than 5.0 µg/L (dashed where inferred)


Notes:

- Deep screened 35–55 ft bgs.
- Orthoimage obtained from NearMap, 2023.

Abbreviations:

- bgs = Below ground surface
- ft = Feet
- µg/L = Micrograms per liter
- ND = Not detected at or above the PQL
- PQL = Practical quantitation limit
- TCE = Trichloroethene

0 20 40 80
Scale in Feet




Legend


- Shallow Monitoring Well
- Shallow Injection/Extraction Well
- ▭ Parcel Boundary
- Extraction Wells Currently Running ⁽¹⁾
- Injection Wells Currently Running ⁽¹⁾
- Injection Product Pathway Flow
- cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 500 µg/L (dashed where inferred)
- cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
- cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 16 µg/L (dashed where inferred)

Notes:
 Shallow screened 5–25 ft bgs.
 Orthoimage obtained from NearMap, 2023.
 1. After the April Groundwater Sampling event, system adjustments were made to focused Carbstrate injections only to the following shallow wells, 1iR, 4i, and 6iR, which are located within the hotspot and within the vicinity of wells MW-4R, MW-5R, MW-21R, MW-7, and HZ-MW-14S. Additionally, the following extraction wells are being operated to focus on the hotspot area: 3e and 7e.

Abbreviations:
 bgs = Below ground surface
 DCE = Dichloroethene
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PQL = Practical quantitation limit



I:\GIS\Projects\COB-BSC\00-AI\2024 Annual GW Monitoring Memo\Figure 14a September 2024 cis-1,2-DCE Isocontours and Concentrations Shallow Aquifer Zone Wells (5–25 ft bgs).ai
 3/12/2025





Legend

- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- Parcel Boundary
- Extraction Wells Currently Running ⁽¹⁾
- Injection Wells Currently Running ⁽¹⁾
- Injection Product Pathway Flow
- cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 500 µg/L (dashed where inferred)
- cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
- cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 16 µg/L (dashed where inferred)






Notes:
 · Intermediate screened 25–35 ft bgs.
 · Orthoimage obtained from NearMap, 2023.
 1. After the April Groundwater Sampling event, system adjustments were made to focused Carbstrate injections only to the following intermediate injection wells, 9iR and 11i, which are located within the hotspot and within the vicinity of wells MW-12 and HZ-MW-15D. Additionally, the following extraction well is being operated to focus on the hotspot area: 13eR.

Abbreviations:
 bgs = Below ground surface
 DCE = Dichloroethene
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PQL = Practical quantitation limit







Legend

-  Deep Monitoring Well
-  Parcel Boundary
-  *cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 500 µg/L (dashed where inferred)
-  *cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 100 µg/L (dashed where inferred)
-  *cis*-1,2-DCE isocontour boundary detection and approximate extent of concentrations at or greater than 16 µg/L (dashed where inferred)

Notes:
 · Deep screened 35–55 ft bgs.
 · Orthoimage obtained from NearMap, 2023.

Abbreviations:
 bgs = Below ground surface
 DCE = Dichloroethene
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PQL = Practical quantitation limit





Legend

- Shallow Monitoring Well
- Shallow Injection/Extraction Well
- Parcel Boundary
- Extraction Wells Currently Running ⁽¹⁾
- Injection Wells Currently Running ⁽¹⁾
- Injection Product Pathway Flow
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 10 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 1.0 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 0.2 µg/L (dashed where inferred)


Notes:

- Shallow screened 5–25 ft bgs.
- Orthoimage obtained from NearMap, 2023.
- 1. After the April Groundwater Sampling event, system adjustments were made to focused Carbstrate injections only to the following shallow wells, 1iR, 4i, and 6iR, which are located within the hotspot and within the vicinity of wells MW-4R, MW-5R, MW-21R, MW-7, and HZ-MW-14S. Additionally, the following extraction wells are being operated to focus on the hotspot area: 3e and 7e.
- 2. Vinyl chloride was not detected at or above the PQL of 1.0 µg/L; therefore, this location is assumed to be higher than 0.2 µg/L; based on previous sampling results.

Abbreviations:

- bgs = Below ground surface
- ft = Feet
- µg/L = Micrograms per liter
- ND = Not detected at or above the PQL
- PQL = Practical quantitation limit
- VC = Vinyl chloride

Scale in Feet




Legend


- Intermediate Monitoring Well
- Intermediate Injection/Extraction Well
- ▭ Parcel Boundary
- Extraction Wells Currently Running ⁽¹⁾
- Injection Wells Currently Running ⁽¹⁾
- Injection Product Pathway Flow
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 10 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 1.0 µg/L (dashed where inferred)
- VC isocontour boundary detection and approximate extent of concentrations at or greater than 0.2 µg/L (dashed where inferred)


Notes:

- Intermediate screened 25–35 ft bgs.
- Orthoimage obtained from NearMap, 2023.
- 1. After the April Groundwater Sampling event, system adjustments were made to focused Carbstrate injections only to the following intermediate injection wells, 9iR and 11i, which are located within the hotspot and within the vicinity of wells MW-12 and HZ-MW-15D. Additionally, the following extraction well is being operated to focus on the hotspot area: 13eR.
- 2. Vinyl chloride was not detected at or above the PQL of 8.0 µg/L; therefore, this location is assumed to be higher than 0.2 µg/L; based on previous sampling results.

Abbreviations:
 bgs = Below ground surface
 ft = Feet
 µg/L = Micrograms per liter
 ND = Not detected at or above the PQL
 PQL = Practical quantitation limit
 VC = Vinyl chloride









Abbreviations:

DCE = Dichloroethene, μmol/L = Micromoles per liter, mg/L = Milligrams per liter, PCE = Tetrachloroethene, TCE = Trichloroethene, TOC = Total organic carbon



Abbreviations:

DCE = Dichloroethene, µmol/L = Micromoles per liter, mg/L = Milligrams per liter, PCE = Tetrachloroethene, TCE = Trichloroethene, TOC = Total organic carbon



Abbreviations:

DCE = Dichloroethene, µmol/L = Micromoles per liter, mg/L = Milligrams per liter, PCE = Tetrachloroethene, TCE = Trichloroethene, TOC = Total organic carbon

Attachment 1
Groundwater Sampling Field Forms and O&M Forms

April 2024 Groundwater Sampling Forms

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 2/9/24
 Field Personnel: GS, CO, DG

Purge Data

Well ID: MW7 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 15"

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.33 Time: 1405

Total Depth (from log or field measurement): 29.93

After 5 minutes of purging (from top of casing): ~~7.33~~ 7.53

Begin purge (time): 14:15 End purge (time): 154:18

Volume purged: 7L Purge water disposal method on site

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1420	7.53	0.5	6.41	1.10	356.1	2.27	13.3	4.6	
1425	7.64	2	6.46	.60	359.3	2.47	13.7	-0.7	
1430	7.64	2.5	6.47	.57	359.5	2.41	13.2	-3.0	
1435	7.69	3	6.48	.50	359.4	2.24	13.2	-4.6	
1440	7.73	3.5	6.48	.47	359.3	2.81	13.2	-5.6	
1445	7.76	4	6.48	.45	359.3	2.93	13.3	-6.8	

Sampling Data

Sample No: ~~144-211~~ NY-7-040924 Location and Depth: _____

Date Collected (mo/dy/yr): 2/9/24 Time Collected: 1450 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45um

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>5.5 mg/L</u>

QC samples

Duplicate Sample No: MW-107-090424 Duplicate Time: 1500 MS/MSD: Yes No

Signature: [Signature] Date: 2/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/9/24
 Field Personnel: CU

Purge Data

Well ID: MW-202 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____
 Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____
 Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 6.91 Time: 0854
 Total Depth (from log or field measurement): 28.85
 After 5 minutes of purging (from top of casing): 7.18
 Begin purge (time): 0856 End purge (time): Janet 0945

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Volume purged: 10L Purge water disposal method: Tank

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>0902</u>	<u>7.14</u>	<u>2.0</u>	<u>6.56</u>	<u>6.7</u>	<u>242.8</u>	<u>1.12</u>	<u>13.7</u>	<u>-57.9</u>	<u>300ml/min</u>
<u>0907</u>	<u>7.12</u>	<u>3.0</u>	<u>6.57</u>	<u>6.46</u>	<u>242.3</u>	<u>2.47</u>	<u>13.8</u>	<u>-69.0</u>	
<u>0912</u>	<u>7.17</u>	<u>4.5</u>	<u>6.59</u>	<u>0.37</u>	<u>240.9</u>	<u>1.17</u>	<u>13.8</u>	<u>-72.4</u>	
<u>0917</u>	<u>7.17</u>	<u>6.0</u>	<u>6.62</u>	<u>0.33</u>	<u>238.3</u>	<u>1.10</u>	<u>13.8</u>	<u>-82.4</u>	
<u>0922</u>	<u>7.17</u>	<u>7.5</u>	<u>6.62</u>	<u>0.31</u>	<u>238.5</u>	<u>1.13</u>	<u>13.9</u>	<u>-86.4</u>	
									<u>Fe+3 = 2.5</u>

Sampling Data

Sample No: MW-202-040924 Location and Depth: _____
 Date Collected (mo/dy/yr): 4/9/24 Time Collected: 0926 Weather: —
 Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45um
 Sample Collected with: Bailor Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____
 Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____
 Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced
 Sample Description (Color, Turbidity, Odor, Other): clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement	<u>2.5 mg/L</u>			Result:

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No
 Signature: [Signature] Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/9/24
 Field Personnel: GS, DG, CO

Purge Data

Well ID: MW-4R Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: PVC 2", 5-25', 15'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 6.90 Time: 8:45

Total Depth (from log or field measurement): 923.94

After 5 minutes of purging (from top of casing): 7.10 9:18

Begin purge (time): 9:00 9:10 End purge (time): ~~9:10~~ 10:35

Volume purged: 7L Purge water disposal method: on-site tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
9:20	7.10	1	6.45	1.93	400.0	2.67	12.6	-33.9	
9:25	7.13	2	6.46	.85	376.9	2.40	13.0	-41.6	
9:30	7.05	2.5	6.48	.78	376.1	2.54	12.9	-43.5	
9:35	7.06	2.75	6.49	.72	373.6	2.52	12.9	-45.4	
9:40	7.08	3	6.50	.65	371.0	-	12.9	-46.9	
9:45	7.09	3.5	6.50	.64	369.6	2.40	12.9	-47.2	
9:50	7.11	4	6.50	.61	367.4	2.29	13.0	-47.5	

Sampling Data

Sample No: MW-4R-040924 Location and Depth: int, 99.95c

Date Collected (mo/dy/yr): 4/9/28 Time Collected: 9:55 Weather: int, mainly 50°

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45 µm

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: 3.5 mg/L

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/9/24

Task: 4 - Groundwater Sampling

Field Personnel: CO

Purge Data

Well ID: MW-45R Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 5.47 Time: 1008

Total Depth (from log or field measurement): 14.94

After 5 minutes of purging (from top of casing): 6.09

Begin purge (time): 1009 End purge (time): 1108

Volume purged: 10L Purge water disposal method: Tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1015	6.23	1.0	6.53	1.65	1119	2.47	12.3	-49.6	200ml/min
1020	6.66	2.0	6.60	1.40	1117	2.37	12.2	-60.5	
1025	6.98	3.0	6.61	1.18	1114	2.17	12.2	-62.9	
1030	7.37	4.0	6.61	0.97	1109	1.95	12.1	-65.2	
1035	7.74	5.0	6.62	0.75	1105	-	12.1	-68.6	
1040	8.05	6.0	6.63	0.64	1106	1.71	12.2	-71.0	150ml/min
1045	8.34	7.0	6.63	0.56	1106	1.53	12.1	-73.3	
1050	8.58	8.0	6.64	0.51	1104	1.70	12.2	-75.8	

Sampling Data

Sample No: MW-45R-040924 Location and Depth: _____

Date Collected (mo/dy/yr): 4/9/24 Time Collected: 1055 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45um

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement	5.5 mg/L			Result:

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature:  Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/19/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: MW-34 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: PVC 12" / 50-35'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 6.65 Time: 10:35

Total Depth (from log or field measurement): 48.79

After 5 minutes of purging (from top of casing): 6.75

Begin purge (time): 10:39 End purge (time): 11:30

Volume purged: 6L Purge water disposal method: Poly Tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>10:42</u>	<u>6.75</u>	<u>0.5</u>	<u>6.34</u>	<u>1.90</u>	<u>289.3</u>	<u>2.21</u>	<u>13.4</u>	<u>25.3</u>	
<u>10:47</u>	<u>6.76</u>	<u>1.0</u>	<u>6.27</u>	<u>0.44</u>	<u>288.3</u>	<u>2.17</u>	<u>13.4</u>	<u>21.9</u>	
<u>10:52</u>	<u>6.79</u>	<u>2.0</u>	<u>6.25</u>	<u>0.15</u>	<u>283.6</u>	<u>1.52</u>	<u>13.6</u>	<u>19.2</u>	
<u>10:57</u>	<u>6.80</u>	<u>3.0</u>	<u>6.27</u>	<u>0.05</u>	<u>281.6</u>	<u>1.24</u>	<u>13.6</u>	<u>17.1</u>	
<u>11:02</u>	<u>6.80</u>	<u>3.5</u>	<u>6.26</u>	<u>0.02</u>	<u>284.2</u>	<u>1.04</u>	<u>13.7</u>	<u>16.3</u>	

Sampling Data

Sample No: MW-34-040924 Location and Depth: MW-34 @ 44'

Date Collected (mo/dy/yr): 04/09/24 Time Collected: 11:10 Weather: inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: Dissolved Iron/Manganese Field Filtered

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/19/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/9/24
 Field Personnel: GS, DG, CO

Purge Data

Well ID: MW-21R Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: 7" PVC 2", 10ft
 Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____
 Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.49 Time: 10:57
 Total Depth (from log or field measurement): 14.84
 After 5 minutes of purging (from top of casing): 8.09
 Begin purge (time): 10:58 End purge (time): 12:14
 Volume purged: 105L Purge water disposal method: on-site Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
11:03	8.09	1	6.81	1.18	218.1	6.74	12.1	71.1	
11:08	8.21	1.5	6.72	.76	217.7	6.22	12.2	79.8	
11:13	8.30	2	6.67	.59	217.1	6.38	12.2	82.7	
11:19	8.25	2.5	6.70	.56	216.7	5.65	12.2	80.3	
11:23	8.26	2.75	6.65	.51	216.6	5.05	12.2	76.4	
11:28	8.29	3.25	6.64	.48	215.7	4.55	12.2	72.4	
11:33	8.30	3.75	6.64	.46	215.7	4.92	12.2	66.0	

Sampling Data

Sample No: MW-21R-040924 Location and Depth: pt. 10ft
 Date Collected (mo/dy/yr): 04/09/24 Time Collected: 11:35 Weather: incls - 50° Rain
 Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45um
 Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____
 Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____
 Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced
 Sample Description (Color, Turbidity, Odor, Other): Clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No
 Signature: _____ Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/9/24

Task: 4 - Groundwater Sampling

Field Personnel: CO

Purge Data

Well ID: HZ-MW-14S Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 8.70 Time: 1137

Total Depth (from log or field measurement): 14.83

After 5 minutes of purging (from top of casing): 9.24

Begin purge (time): 1138 End purge (time): 1223

Volume purged: 7.5 Purge water disposal method Tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>1145</u>	<u>9.38</u>	<u>2.0</u>	<u>6.16</u>	<u>0.79</u>	<u>239.3</u>	<u>1.29</u>	<u>12.9</u>	<u>8.3</u>	<u>200ml/min</u>
<u>1150</u>	<u>9.42</u>	<u>3.0</u>	<u>6.13</u>	<u>0.66</u>	<u>237.9</u>	<u>1.21</u>	<u>13.0</u>	<u>23.3</u>	
<u>1155</u>	<u>9.76</u>	<u>4.0</u>	<u>6.11</u>	<u>0.60</u>	<u>236.9</u>	<u>1.29</u>	<u>12.9</u>	<u>28.3</u>	
<u>1200</u>	<u>9.87</u>	<u>5.0</u>	<u>6.11</u>	<u>0.55</u>	<u>236.3</u>	<u>1.46</u>	<u>13.0</u>	<u>29.6</u>	
<u>1205</u>	<u>9.92</u>	<u>6.0</u>	<u>6.10</u>	<u>0.52</u>	<u>236.1</u>	<u>2.21</u>	<u>12.9</u>	<u>30.0</u>	

Sampling Data

Sample No: HZ-MW-14S-040924 Location and Depth: _____

Date Collected (mo/dy/yr): 4/9/24 Time Collected: 1208 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45µm

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): _____

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement	<u>4.5 mg/L</u>			Result:

QC samples

Duplicate Sample No. _____ Duplicate Time: _____ MS/MSD: Yes No

Signature:  Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/9/24

Task: 4 - Groundwater Sampling

Field Personnel: DL

Purge Data

Well ID: MW-6 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12" / 15-25'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): _____ Time: _____

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 12:10 End purge (time): 12:52

Volume purged: 82 Purge water disposal method Poly Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>12:13</u>	<u>*</u>	<u>0.25</u>	<u>6.55</u>	<u>1.66</u>	<u>568</u>	<u>2.04</u>	<u>12.5</u>	<u>-106.6</u>	
<u>12:18</u>		<u>1.75</u>	<u>6.56</u>	<u>0.30</u>	<u>574</u>	<u>1.89</u>	<u>12.6</u>	<u>-123.5</u>	
<u>12:23</u>		<u>3.0</u>	<u>6.57</u>	<u>0.09</u>	<u>573</u>	<u>1.63</u>	<u>12.8</u>	<u>-131.4</u>	
<u>12:28</u>		<u>4.0</u>	<u>6.58</u>	<u>0.04</u>	<u>573</u>	<u>1.51</u>	<u>12.8</u>	<u>-132.6</u>	
<u>12:33</u>		<u>5.0</u>	<u>6.59</u>	<u>-0.01</u>	<u>572</u>	<u>1.37</u>	<u>12.9</u>	<u>-134.9</u>	

* Angled well casing, no Wi-M dam

Sampling Data

Sample No: MW-6-040924 Location and Depth: MW-6 @

Date Collected (mo/dy/yr): 04/09/24 Time Collected: 12:40 Weather: inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: Dissolved Iron/Manganese

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear w/ yellow tint

Field Filtered

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>3.0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/9/24
 Field Personnel: CS, DG, CO

Purge Data

Well ID: MW-SR Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: 15"

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.70 Time: 12:22

Total Depth (from log or field measurement): 25.36

After 5 minutes of purging (from top of casing): 7.93

Begin purge (time): 12:30 End purge (time): 13:37

Volume purged: 6L Purge water disposal method: ON SITE TANK

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
12:35	7.93	1	6.75	2.10	132.9	1.31	17.4	80.7	
12:40	7.98	2.0	6.49	.95	133.5	1.70	17.5	107.7	
12:45	7.91	2.5	6.34	.65	133.5	1.80	17.5	113.6	
12:50	7.93	3.0	6.30	.56	133.2	1.63	17.5	117.7	
12:55	7.93	3.5	6.28	.50	133.6	1.75	17.6	119.1	
13:00	7.94	4.5	6.28	.47	133.7	1.85	17.6	117.4	

Sampling Data

Sample No: MW-SR-040924 Location and Depth: 15"

Date Collected (mo/dy/yr): 4/9/24 Time Collected: 1305 Weather: sof, insh, part

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45µm

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): _____

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/9/24

Task: 4 - Groundwater Sampling

Field Personnel: CO

Purge Data

Well ID: HZ-MW-14D Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 8.55 Time: 1258

Total Depth (from log or field measurement): 46.99

After 5 minutes of purging (from top of casing): 9.60

Begin purge (time): 1259 End purge (time): 1345

Volume purged: 8L Purge water disposal method: Tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1305	9.72	1.0	6.14	0.77	287.6	1.26	14.5	83.9	
1310	10.23	2.75	6.16	0.51	286.6	1.16	14.6	83.7	
1315	10.50	3.75	6.17	0.42	284.3	0.94	14.7	83.3	
1320	10.66	4.75	6.17	0.37	281.6	1.22	14.7	82.9	
1325	10.73	5.5	6.17	0.34	280.5	1.10	14.7	82.6	
0011/9/24 1330									

Sampling Data

Sample No: HZ-MW-14D-040928 Location and Depth: _____

Date Collected (mo/dy/yr): 4/9/24 Time Collected: 1329 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 µm

Sample Collected with: Bailor Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): _____

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result:

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature:  Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/9/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: MW-11 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12"/125'-38'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 6.52 Time: 13:35

Total Depth (from log or field measurement): 32.91

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 13:40 End purge (time): 14:20

Volume purged: 3.5L Purge water disposal method Poly Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
13:45	6.71	1.0	6.93	0.97	313.6	1.15	13.4	-45.6	
13:50	6.72	2.0	6.94	0.27	308.3	0.83	13.5	-56.3	
13:55	6.73	3.0	6.93	0.06	307.2	0.68	13.5	-66.3	
14:00	6.74	4.25	6.92	-0.01	307.8	1.39	13.6	-71.2	
14:05	6.75	5.5	6.92	-0.04	309	2.72	13.6	-75.5	

Sampling Data

Sample No: MW-11-040924 Location and Depth: MW-11 @ 28'

Date Collected (mo/dy/yr): 04/09/24 Time Collected: 14:15 Weather: Inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>1.5 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/9/24
 Field Personnel: CU

Purge Data

Well ID: HZ-MW-155 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 8.33 Time: 1405

Total Depth (from log or field measurement): 15.17

After 5 minutes of purging (from top of casing): 8.74

Begin purge (time): 1407 End purge (time): 1453

Volume purged: 8.5 Purge water disposal method: TANK

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>1415</u>	<u>8.90</u>	<u>2.5</u>	<u>6.23</u>	<u>0.60</u>	<u>303.9</u>	<u>1.98</u>	<u>11.9</u>	<u>101.1</u>	
<u>1420</u>	<u>9.06</u>	<u>3.5</u>	<u>6.22</u>	<u>0.48</u>	<u>300.5</u>	<u>1.75</u>	<u>11.9</u>	<u>102.4</u>	
<u>1425</u>	<u>9.14</u>	<u>4.5</u>	<u>6.24</u>	<u>0.42</u>	<u>302.1</u>	<u>1.54</u>	<u>12.0</u>	<u>100.0</u>	
<u>1430</u>	<u>9.22</u>	<u>5.5</u>	<u>6.26</u>	<u>0.37</u>	<u>302.5</u>	<u>1.51</u>	<u>12.0</u>	<u>95.6</u>	
<u>1435</u>	<u>9.29</u>	<u>6.5</u>	<u>6.27</u>	<u>0.34</u>	<u>303.5</u>	<u>1.79</u>	<u>12.0</u>	<u>90.5</u>	

Sampling Data

Sample No: HZ-MW-155-040924 Location and Depth: _____

Date Collected (mo/dy/yr): 4/9/24 Time Collected: 1437 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45µm

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): _____

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement	<u>0.5 mg/L</u>			Result:

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/9/24
 Field Personnel: DG

Purge Data

Well ID: MW-12 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: PVC/2"/25-33'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 6.98 Time: 14:40

Total Depth (from log or field measurement): 32.04

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 14:42 End purge (time): 15:32

Volume purged: 8L Purge water disposal method: Poly Tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
14:45	7.31	0.5	6.32	0.98	391.4	2.21	14.3	-39.2	
14:50	7.35	1.75	6.31	0.25	404	1.72	14.3	-46.1	
14:55	7.38	2.75	6.32	0.07	419.7	2.01	14.4	-51.9	
15:00	7.40	3.5	6.33	0.01	432.5	1.56	14.4	-55.3	
15:05	7.40	4.5	6.33	-0.03	446.1	1.62	14.4	-58.1	
15:10	7.41	5.25	6.33	-0.04	454.6		14.4	-59.3	

Sampling Data

Sample No: MW-12-040924 Location and Depth: MW-12 @ 28'

Date Collected (mo/dy/yr): 04/09/24 Time Collected: 1520 Weather: Inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: Dissolved Iron/Manganese

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethane/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>4.5 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/9/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/10/24

Task: 4 - Groundwater Sampling

Field Personnel: 173

Purge Data

Well ID: MW-43R Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval PVC 2" 5-25

Replacement Required: Monument Lid Lock Bolts: Missing (#) 1 Stripped (#) - Other Damage: -

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): 9.47 Time: M 15:40

Total Depth (from log or field measurement): 5.5

After 5 minutes of purging (from top of casing): 9.52

Begin purge (time): 15:40 End purge (time): 16:30

Volume purged: 8L Purge water disposal method poly tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (+)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
15:45	9.52	1	6.88	1.74	364.5	8.97	12.1	65.3	- location
15:50	9.53	2	6.88	1.22	366.2	9.39	12.2	57.2	
15:55	9.53	3	6.84	0.68	365.9	6.02	12.1	35.7	
16:00	9.53	4	6.81	0.54	365.7	4.66	12.1	16.9	
16:05	9.54	5	6.80	0.49	364.8	4.59	12.0	5.2	
16:10	9.55	6	6.78	0.45	361.6	3.11	12.1	0.4	

Sampling Data

Sample No: MW-43R-041024 Location and Depth: MW-43R

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 16:20 Weather: 55° F cloudy

Type: Ground Water Surface Water Other: - Sample: Filtered Unfiltered Filter Type: 0.45 dis metals

Sample Collected with: Bailer Pump Other: - Type: Peristaltic Bladder Submersible Other: -

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: -

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>1.5 mg/L</u>

QC samples

Duplicate Sample No: - Duplicate Time: - MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/10/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: S-MW-3RR Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: 2" PVC / 5-19'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 10.58 Time: 14:55

Total Depth (from log or field measurement): 19'

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 15:00 End purge (time): 4:12

Volume purged: 6L Purge water disposal method: Poly Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
15:02	11.75	0.25	6.62	0.53	452.9	25.0	11.0	-0.9	Excessive draw down, but flow as low as possible
15:07	12.55	1.00	6.61	0.32	452	27.1	10.9	-4.6	
15:12	13.34	2.00	6.60	0.20	451	27.0	10.9	-10.8	
15:17	13.97	2.50	6.59	0.12	450.9	21.9	11.0	-13.7	
15:22	14.25	3.0	6.59	0.08	450.4	21.8	11.0	-16.8	
15:36	13.61	3.5	6.60	0.73	447.5	27.8	11.2	-18.7	15:24 off to recharge
15:41	14.08	4.0	6.54	0.50	416.2	36.1	11.3	-10.4	
15:46	14.42	4.5	6.53	0.27	408.3	32.2	11.4	-9.3	

Sampling Data

Sample No: S-MW-3RR-041024 Location and Depth: S-MW-3RR @ 14'

Date Collected (mo/dy/yr): 04/10/24 Time Collected: 15:55 Weather: Clear + Cool

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: Purchased Iron/Manganese

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: Field Filtered

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear Slightly cloudy

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: Danella Gallardo Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/10/24

Task: 4 - Groundwater Sampling

Field Personnel: GS, DG, HPS

Purge Data

Well ID: H7-MW-24 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: 30'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): PA. 478 Time: 1344-1411

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 5.20

Begin purge (time): 1425 End purge (time): 1515

Volume purged: 9.5 Purge water disposal method: TRK

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1430	5.20	1	6.30	1.02	269.5	0.68	17.8	.8	
1435	5.21	2.5	6.35	.53	290.5	0.65	17.8	-15.0	
1440	5.23	3.5	6.35	.41	271.3	0.68	17.8	-21.4	
1445	5.24	4.5	6.35	.37	271.6	0.70	17.9	-24.2	
1450	5.25	5.5	6.36	.33	277.1	0.62	17.9	-27.5	
1455	5.27	7	6.42	.30	271.3	0.59	13.0	-30.4	

Sampling Data

Sample No: H7-MW-24-041024 Location and Depth: 30', 2nd Por.

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 500 Weather: Sunny, SDF

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: US

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): no odor, clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>6.5 mg/L</u>

QC samples

Duplicate Sample No: F Duplicate Time: X MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/10/24
 Field Personnel: HB

Purge Data

Well ID: HZ-MW-34 Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval: 2" PVC 5-25

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) - Other Damage: -

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): 4.64 Time: 13:10

Total Depth (from log or field measurement): 48.79 (22.7)

After 5 minutes of purging (from top of casing): 5.49

Begin purge (time): 13:20 End purge (time): 14:15

Volume purged: 8L Purge water disposal method: poly tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>13:25</u>	<u>5.49</u>	<u>1</u>	<u>6.80</u>	<u>1.85</u>	<u>221.9</u>	<u>7.40</u>	<u>12.2</u>	<u>50.5</u>	
<u>13:30</u>	<u>5.47</u>	<u>2.5</u>	<u>6.56</u>	<u>0.65</u>	<u>222.9</u>	<u>7.77</u>	<u>12.3</u>	<u>39.2</u>	
<u>13:35</u>	<u>5.43</u>	<u>4</u>	<u>6.53</u>	<u>0.50</u>	<u>223.1</u>	<u>10.02</u>	<u>12.4</u>	<u>16.1</u>	
<u>13:40</u>	<u>5.43</u>	<u>5</u>	<u>6.53</u>	<u>0.45</u>	<u>223.2</u>	<u>12.55</u>	<u>12.3</u>	<u>4.2</u>	<u>orange particulate</u>
<u>13:45</u>	<u>5.45</u>	<u>6</u>	<u>6.53</u>	<u>0.42</u>	<u>222.9</u>	<u>8.38</u>	<u>12.4</u>	<u>-5.5</u>	
<u>13:50</u>	<u>5.46</u>	<u>7</u>	<u>6.53</u>	<u>0.40</u>	<u>223.1</u>	<u>4.25</u>	<u>12.4</u>	<u>-13</u>	

Sampling Data

Sample No: HZ-MW-34-041024 Location and Depth: HZ-MW-24

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 13:55 Weather: 55°F sunny

Type: Ground Water Surface Water Other: - Sample: Filtered Unfiltered Filter Type: dis metals 0.45

Sample Collected with: Bailer Pump Other: - Type: Peristaltic Bladder Submersible Other: -

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: -

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): -

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.0 mg/L</u>

QC samples

Duplicate Sample No: - Duplicate Time: - MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/10/24
 Field Personnel: C/S, DG, HB

Purge Data

Well ID: HZ-MW-29 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: _____ 2'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 5.48 Time: 12:18

Total Depth (from log or field measurement): 34.30

After 5 minutes of purging (from top of casing): 5.98

Begin purge (time): 12:38 End purge (time): _____

Volume purged: _____ Purge water disposal method: _____

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>12:43</u>	<u>5.98</u>	<u>1.3</u>	<u>6.35</u>	<u>.81</u>	<u>260.2</u>	<u>-</u>	<u>12.7</u>	<u>-43.8</u>	
<u>12:48</u>	<u>6.09</u>	<u>2.0</u>	<u>6.34</u>	<u>.68</u>	<u>269.0</u>	<u>1.63</u>	<u>12.7</u>	<u>-43.9</u>	
<u>12:53</u>	<u>5.94</u>	<u>2.5</u>	<u>6.34</u>	<u>.81</u>	<u>266.3</u>	<u>1.89</u>	<u>12.6</u>	<u>45.1</u>	
<u>12:58</u>	<u>5.92</u>	<u>3.5</u>	<u>6.34</u>	<u>.44</u>	<u>265.4</u>	<u>1.40</u>	<u>12.6</u>	<u>-45.9</u>	
<u>1:03</u>	<u>5.95</u>	<u>4.0</u>	<u>6.34</u>	<u>.43</u>	<u>264.0</u>	<u>1.47</u>	<u>12.7</u>	<u>-47.8</u>	
<u>1:08</u>	<u>5.96</u>	<u>4.5</u>	<u>6.34</u>	<u>.40</u>	<u>263.7</u>	<u>1.56</u>	<u>12.7</u>	<u>-48.5</u>	

Sampling Data

Sample No: HZ-MW-29-041024 Location and Depth: _____

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 1310 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45a

Sample Collected with: Bailor Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): _____

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: _____

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/10/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: HZ-MW-1 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 1 1/4" PVC/5-17'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 8.81 Time: 09:55

Total Depth (from log or field measurement): 16.79

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 09:57 End purge (time): 12:00

Volume purged: 3L Purge water disposal method Poly Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:00	11.89	0.25	6.36	0.65	1203	16.2	12.2	-24.9	
10:05	12.69	0.5	6.38	0.57	1204	10.0	12.2	-39.7	
10:10	14.11	1.0	6.40	0.78	1204	6.36	12.5	-48.1	10:12 off to recharge
10:25	11.00	1.25	6.46	1.74	1201	5.89	12.3	-49.6	
10:30	13.26	1.75	6.41	1.00	1206	3.48	12.7	-50.3	
10:35	~14.5	2.25	6.40	1.57	1205	3.81	12.6	-50.0	10:36 off to recharge
11:05	10.00	2.25	6.40	1.86	1196	3.56	12.3	-44.9	
11:05	12.74	2.25	6.39	0.68	1209	4.28	12.5	-47.6	
11:10	13.22	2.5	6.38	0.37	1207	5.02	12.4	-47.1	

Sampling Data

Sample No: HZ-MW-1-041024 Location and Depth: HZ-MW-1 @ 14'

Date Collected (mo/dy/yr): 04/10/24 Time Collected: 11:15 Weather: Inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: Dissolved Iron/Manganese

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: Field Filtered

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, ran dry, slow recharge 11:35 allowed well to recharge

Sample Analyses

Fe 3.5 mg/L

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>3.5 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

**lots of draw down due to known issue of running dry + smaller diameter casing size*

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/10/24

Task: 4 - Groundwater Sampling

Field Personnel: GS, DG, HB

Purge Data

Well ID: S-MW-2RR Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 10'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.51 Time: 10:20

Total Depth (from log or field measurement): 17.64

After 5 minutes of purging (from top of casing): 7.61

Begin purge (time): 1025 End purge (time): 1125

Volume purged: 12L Purge water disposal method: on site tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:30	7.61	1.5	6.79	.76	637	3.20	11.5	-36.5	
10:35	7.61	2.5	6.79	.55	646	2.46	11.5	-44.5	
10:40	7.66	3.5	6.80	.44	652	2.74	11.5	-49.3	
10:45	7.64	4.5	6.80	.56	660	2.14	11.5	-55.0	
10:50	7.65	5.5	6.80	.33	666	1.80	11.5	-58.6	
10:55	7.64	6.5	6.80	.31	670	1.66	11.5	-62.6	

Sampling Data

Sample No: S-MW-2RR-041024 Location and Depth: _____

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 11:00 Weather: Cloudy, 50°

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45m

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): (w/ no odor)

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>3.5 mg/L</u>

QC samples

Duplicate Sample No: X Duplicate Time: X MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/10/24
 Field Personnel: HB

Purge Data

Well ID: S-MW-5R Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval: 2" PVC 5-25
 Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) - Other Damage: -
 Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): 7.56 Time: 9:55
 Total Depth (from log or field measurement): 25.13
 After 5 minutes of purging (from top of casing): 8.26
 Begin purge (time): 10:00 End purge (time): 10:45

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Volume purged: 6L Purge water disposal method: poly tank

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:05	8.26	1	6.67	2.20	284.1	0.95	11.6	101.9	clear no odor
10:10	8.43	2	6.62	1.12	286.4	0.62	11.7	110.1	
10:15	8.46	2.5	6.60	0.65	287.2	0.61	11.7	118.0	
10:20	8.49	3	6.69	0.50	286.7	0.64	11.7	124.0	

Sampling Data

Sample No: S-MW-5R-041024 Location and Depth: S-MW-5R
 Date Collected (mo/dy/yr): 4/10/24 Time Collected: 10:25 Weather: 50°F sunny
 Type: Ground Water Surface Water Other: - Sample: Filtered Unfiltered Filter Type: 0.45 d.s. memals
 Sample Collected with: Bailer Pump Other: - Type: Peristaltic Bladder Submersible Other: -
 Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: -

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced
 Sample Description (Color, Turbidity, Odor, Other): clear no odor Fe 0.0

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0.0 mg/L</u>

QC samples

Duplicate Sample No: - Duplicate Time: - MS/MSD: Yes No
 Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/10/24
 Field Personnel: GS, PG, HVS

Purge Data

Well ID: HZ-MW-26 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: _____ 30'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 19.16 Time: 8:45

Total Depth (from log or field measurement): 38.70

After 5 minutes of purging (from top of casing): 11.19

Begin purge (time): 8:55 End purge (time): 10:00

Volume purged: 8L Purge water disposal method: on site

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
9:00	11.19	2L	6.52	.92	222.8	2.53	13.1	103.1	
9:05	11.01	2.5	6.50	.64	221.4	2.78	13.0	107.9	
9:15	10.98	3	6.50	.55	221.1	2.10	13.0	109.5	
9:20	10.97	3.5	6.50	.47	221.1	2.07	13.1	110.6	
9:25	11.04	4.5	6.51	.39	221.2	2.33	13.2	102.9	

Sampling Data

Sample No: HZ-MW-26-041024 Location and Depth: 30"

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 9:30 Weather: 50° Sunny

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45µ

Sample Collected with: Bailor Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: X MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 7/10/24
 Field Personnel: HB

Purge Data

Well ID: H2-MW-15D Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval: 2" PVC 25-35

Replacement Required: Monument Lid Lock Bolts: Missing (#) Stripped (#) Other Damage: -

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal):

Depth of water (from TOC): 8.61 Time: 8:17

Total Depth (from log or field measurement): 35.14

After 5 minutes of purging (from top of casing): 10.00

Begin purge (time): 8:30 End purge (time): 9:15

Volume purged: 7L Purge water disposal method: down poly tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
8:35	10.00	1	6.50	2.31	340.6	1.25	13.3	89.7	organiz odor clear
8:40	10.10	2	6.33	0.93	336.6	0.66	13.2	91.6	
8:45	10.06	3	6.29	0.59	347.2	0.74	13.2	87.9	
8:50	10.09	4	6.29	0.49	347.1	1.11	13.2	85.0	

Sampling Data

Sample No: H2-MW-15D-041024 Location and Depth: H2-MW-15D

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 8:55 Weather: cloudy 50°F

Type: Ground Water Surface Water Other: Sample: Filtered Unfiltered Filter Type: 0.45 dis metals only

Sample Collected with: Bailor Pump Other: Type: Peristaltic Bladder Submersible Other:

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other:

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Fe 0.5 clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0.5 mg/L</u>

QC samples

Duplicate Sample No: Duplicate Time: MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/10/24
 Field Personnel: GS / DG, HP

Purge Data

Well ID: MW-42 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 11.19 Time: 1535

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 11.22

Begin purge (time): 1547 End purge (time): 1642

Volume purged: 9L Purge water disposal method: DNK

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1552	11.22	1.5	6.39	1.10	195.5	4.26	13.3	-52.9	
1557	11.25	2.5	6.36	.53	192.1	3.46	13.3	-66.4	(floc clear) no odor
1602	11.23	3.5	6.37	.40	191.5	3.97	13.4	-73.4	
1607	11.24	4	6.36	.36	190.8	-	13.5	-75.9	
1612	11.23	4.5	6.36	.32	190.7	3.08	13.5	-78.2	

Sampling Data

Sample No: MW-42 - 04/10/24 Location and Depth: _____

Date Collected (mo/dy/yr): 4/10/24 Time Collected: 1615 Weather: air: 56°, sunny

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 45

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): floc clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>5.5 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/10/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/11/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: MW-27 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12" / 15'-17"

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 9.15 Time: 10:40

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 9.36

Begin purge (time): 10:43 End purge (time): 11:23

Volume purged: 6.5L Purge water disposal method Poly Tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:45	9.31	0.5	5.87	21.8	158.0	5.44	10.6	182.2	
10:50	9.39	1.0	5.70	1.02	156.1	4.45	10.5	174.2	
10:55	9.45	1.5	5.63	1.14	149.4	3.71	10.5	181.3	
11:00	9.55	2.5	5.58	0.62	147.3	2.55	10.5	180.1	
11:05	9.64	3.5	5.57	0.35	147.9	-	10.5	191.2	
11:10	9.71	4.25	5.57	0.22	148.4	2.55	10.6	191.6	

Sampling Data

Sample No: MW-27-041124 Location and Depth: MW-27 @ 13'

Date Collected (mo/dy/yr): 04/11/24 Time Collected: 11:15 Weather: Clear & cool

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: Dissolved Iron/Manganese

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: Field Filtered

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/11/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 4/11/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: MW-23 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12"/5-18'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 10.44 Time: 11:53

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 11:58 End purge (time): Poly Tank 12:44

Volume purged: 7L Purge water disposal method: 12:44

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
12:00	10.63	0.25	5.90	8.25	99.8	2.79	11.9	194.4	
12:05	10.67	0.75	5.82	6.85	98.1	3.07	11.9	201.0	
12:10	10.75	1.5	5.79	6.81	99.6	2.66	11.7	208.3	
12:15	10.79	2.25	5.81	6.63	106.9	2.69	11.7	212.4	
12:20	10.84	3.0	5.84	6.41	109.5	2.18	11.7	214.1	
12:25	10.87	3.75	5.86	6.16	115.5	2.03	11.7	215.9	

Sampling Data

Sample No: MW-23-041124 Location and Depth: MW-23 @ 15'

Date Collected (mo/dy/yr): 04/11/24 Time Collected: 12:30 Weather: Clear + cool

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: Dissolved Iron/Manganese

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: Daniel Hall Date: 4/11/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/11/24
 Field Personnel: GS, CO, DCJ

Purge Data

Well ID: MW-40 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: 15'
 Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____
 Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.73 Time: 12:15

Total Depth (from log or field measurement): 25.20

After 5 minutes of purging (from top of casing): 7.39

Begin purge (time): 12:14 End purge (time): 13:25

Volume purged: 7L Purge water disposal method: Final

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
12:20	7.39	1	6.71	2.88	297.2	26.7	17.6	-62.7	
12:25	7.46	2	6.67	1.42	282.1	25.3	17.7	-58.9	
12:30	7.50	2.5	6.68	1.16	285.2	23.8	17.8	-58.4	
12:35	7.49	3.5	6.68	1.08	282.9	20.3	12.8	-57.5	
12:40	7.59	4	6.69	.96	283.3	22.0	12.8	-58.0	
12:45	7.60	5	6.69	.96	282.2	16.7	17.8	-57.6	psi d.s. correct

Sampling Data

Sample No: MW-40-04/11/24 Location and Depth: Street, 15'

Date Collected (mo/dy/yr): 04/11/24 Time Collected: 12:50 Weather: Sunny, 60's

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: CF

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): no odor, slight yellow, flocculent

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>3.0 mg/L</u>

QC samples

Duplicate Sample No: MW-140-04/11/24 Duplicate Time: 13:00 MS/MSD: Yes No

Signature: _____ Date: 4/11/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/11/24
 Field Personnel: W

Purge Data

Well ID: MW-39 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) 1 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 4.77 Time: 1207

Total Depth (from log or field measurement): 50.61

After 5 minutes of purging (from top of casing): 7.08

Begin purge (time): 1200 End purge (time): 1253

Volume purged: 7L Purge water disposal method: TANK

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>1215</u>	<u>7.08</u>	<u>1.0</u>	<u>6.49</u>	<u>0.98</u>	<u>222.0</u>	<u>11.4</u>	<u>13.9</u>	<u>-4.2</u>	
<u>1220</u>	<u>7.10</u>	<u>1.75</u>	<u>6.50</u>	<u>0.54</u>	<u>222.1</u>	<u>8.76</u>	<u>13.9</u>	<u>-18.2</u>	
<u>1225</u>	<u>7.10</u>	<u>2.5</u>	<u>6.51</u>	<u>0.44</u>	<u>221.6</u>	<u>5.7</u>	<u>14.0</u>	<u>-25.2</u>	
<u>1230</u>	<u>7.11</u>	<u>3.5</u>	<u>6.52</u>	<u>0.39</u>	<u>221.7</u>	<u>3.0</u>	<u>14.0</u>	<u>-29.7</u>	
<u>1235</u>	<u>7.11</u>	<u>4.5</u>	<u>6.54</u>	<u>0.35</u>	<u>220.0</u>	<u>2.57</u>	<u>14.0</u>	<u>-33.3</u>	

Sampling Data

Sample No: MW-39-041124 Location and Depth: _____

Date Collected (mo/dy/yr): 4/11/24 Time Collected: 1238 Weather: 67° clear

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 um

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>3.5 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/11/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center
 Task: 4 - Groundwater Sampling

Date of Collection: 4/11/24
 Field Personnel: CO, GS

Purge Data

Well ID: HZ-MW-33R Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: 30'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): _____ Time: _____

Total Depth (from log or field measurement): 30'

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 1036 End purge (time): 1116

Volume purged: 6L Purge water disposal method: to tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	pH (+/- 0.1 s.u.)	DO (+/- 10% or <0.5 mg/L)	Specific Conductivity (+/- 3% (µs/cm))	Turbidity (NTU)	Temp (+/- 3% (°C))	ORP (+/- 10 mV)	Comments
<u>1041</u>	<u>-</u>	<u>1.5</u>	<u>6.6</u>	<u>.91</u>	<u>107.3</u>	<u>-</u>	<u>13.4</u>	<u>106.6</u>	
<u>1046</u>	<u>-</u>	<u>2.0</u>	<u>6.60</u>	<u>0.58</u>	<u>106.4</u>	<u>1.60</u>	<u>13.4</u>	<u>106.8</u>	
<u>1051</u>	<u>-</u>	<u>3.0</u>	<u>6.58</u>	<u>0.45</u>	<u>105.9</u>	<u>1.36</u>	<u>13.4</u>	<u>106.4</u>	
<u>1056</u>	<u>-</u>	<u>4.0</u>	<u>6.57</u>	<u>0.39</u>	<u>105.7</u>	<u>1.48</u>	<u>13.5</u>	<u>106.1</u>	
<u>1101</u>	<u>-</u>	<u>4.5</u>	<u>6.57</u>	<u>0.36</u>	<u>105.8</u>	<u>0.92</u>	<u>13.4</u>	<u>105.9</u>	
<u>1106</u>	<u>-</u>								

Sampling Data

Sample No: HZ-MW-33R-041124 Location and Depth: _____

Date Collected (mo/dy/yr): 4/11/24 Time Collected: 1106 Weather: 62° clear

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 4/11/24

September 2024 Groundwater Sampling Forms

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/23/24

Task: 4 - Groundwater Sampling

Field Personnel: HRB

Purge Data

Well ID: MW-29 Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval: PVC 2" 45-55

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) - Other Damage: -

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): 10.64 Time: 11:29

Total Depth (from log or field measurement): 55 ft

After 5 minutes of purging (from top of casing): 10.79

Begin purge (time): 11:25 End purge (time): 12:15

Volume purged: 6.0 L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1130	10.79	1.0	7.13	1.10	262.1	7.52	14.4	67.5	
1135	10.79	1.5	7.13	0.62	261.1	4.05	14.4	39.0	
1140	10.80	2.0	7.16	0.49	260.9	3.38	14.3	-2.1	
1145	10.80	2.5	7.19	0.43	260.9	3.18	14.3	-33.2	
1150	10.80	3.0	7.22	0.36	260.7	2.55	14.3	-60.3	
1153	10.81	3.5	7.23	0.37	260.7	2.65	14.4	-68.8	
1156	10.81	4.0	7.24	0.36	260.9	2.67	14.3	-73.7	

Sampling Data

Sample No: MW-29-092324 Location and Depth: MW-29

Date Collected (mo/dy/yr): 9/23/24 Time Collected: 1200 Weather: 60° cloudy

Type: Ground Water Surface Water Other: - Sample: Filtered Unfiltered Filter Type: d:s metals 0.45

Sample Collected with: Bailer Pump Other: - Type: Peristaltic Bladder Submersible Other: -

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: -

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>1.5 mg/L</u>

QC samples

Duplicate Sample No: - Duplicate Time: - MS/MSD: Yes No

Signature: [Signature] Date: 9/23/24

SURFACE WATER SAMPLE COLLECTION FORM

Well Number: _____

Date of Collection: 9/23/24

Well Name: _____

Field Personnel: Gillian Sw, Healy, Danielle G.

No Ecology Tag #: — Casing Type/Diameter/Screened Interval: _____

Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Discontinued Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Time (from TOC): 11:45 Time: 11:25

Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 11.51

Begin purge (time): 11:30 End purge (time): 12:30

Volume purged: 5 Purge water disposal method: Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>11:35</u>	<u>11.61</u>	<u>1</u>	<u>6.05</u>	<u>5.96</u>	<u>188.4</u>	<u>4.62</u>	<u>15.7</u>	<u>117.7</u>	
<u>11:40</u>	<u>11.61</u>	<u>2</u>	<u>5.84</u>	<u>5.06</u>	<u>191.1</u>	<u>4.01</u>	<u>15.6</u>	<u>146.5</u>	
<u>11:45</u>	<u>11.59</u>	<u>3.5</u>	<u>5.77</u>	<u>4.55</u>	<u>170.6</u>	<u>2.98</u>	<u>15.7</u>	<u>163.9</u>	
<u>11:50</u>	<u>11.69</u>	<u>4.5</u>	<u>5.76</u>	<u>4.43</u>	<u>166.5</u>	<u>2.90</u>	<u>15.5</u>	<u>168.3</u>	
<u>11:55</u>	<u>11.60</u>	<u>5</u>	<u>5.74</u>	<u>4.31</u>	<u>164.3</u>	<u>3.15</u>	<u>15.7</u>	<u>174.5</u>	

Sampling Data

Sample No: MW-23-092324 Location and Depth: _____

Date Collected (mo/dy/yr): 09/23/24 Time Collected: 12:01 Weather: part, overcast 60°

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result:

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/23/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/23/24

Task: 4 - Groundwater Sampling

Field Personnel: HRB

Purge Data

Well ID: S-MW-5R Secure: Yes No Ecology Tag #: Casing Type/Diameter/Screened Interval 2" PVC 15-25

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) Other Damage:

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal):

Depth of water (from TOC): 8.23 Time: 1259/1300

Total Depth (from log or field measurement): 25.13

After 5 minutes of purging (from top of casing):

Begin purge (time): 1300 End purge (time): 1340

Volume purged: 6.0 L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1305	9.24	0.5	6.27	0.58	505	2.32	13.8	77.3	pump started
1310	9.24	1.0	6.26	0.51	505	1.61	14.1	76.8	
1315	9.23	1.5	6.27	0.44	496.9	2.58	14.0	75.7	
1320	9.25	2.0	6.29	0.38	485.7	1.62	13.9	73.4	
1325	9.26	2.5	6.30	0.37	480.9	1.87	13.9	72.8	

Sampling Data

Sample No: S-MW-5R-092324 Location and Depth: S-MW-5R

Date Collected (mo/dy/yr): 9/23/24 Time Collected: 1335 Weather: 60° cloudy

Type: Ground Water Surface Water Other: Sample: Filtered Unfiltered Filter Type: 0.45 µs metals

Sample Collected with: Bailer Pump Other: Type: Peristaltic Bladder Submersible Other:

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other:

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0.0 mg/L</u>

QC samples

Duplicate Sample No: Duplicate Time: MS/MSD: Yes No

Signature: [Signature] Date: 9/23/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/23/24

Task: 4 - Groundwater Sampling

Field Personnel: GS, HB, DG

Purge Data

Well ID: S-MV-2RR Secure: Yes No Ecology Tag #: — Casing Type/Diameter/Screened Interval: _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.91 Time: 1300

Total Depth (from log or field measurement): 17.64/151

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 13:10 End purge (time): 14:01

Volume purged: 9. Purge water disposal method: TANK

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>13:15</u>	<u>8.00</u>	<u>.5</u>	<u>6.54</u>	<u>1.12</u>	<u>596</u>	<u>1.03</u>	<u>14.6</u>	<u>-75.9</u>	
<u>13:20</u>	<u>8.00</u>	<u>1.5</u>	<u>6.59</u>	<u>.69</u>	<u>596</u>	<u>.76</u>	<u>14.6</u>	<u>-85.1</u>	
<u>13:25</u>	<u>8.01</u>	<u>3</u>	<u>6.62</u>	<u>.55</u>	<u>592</u>	<u>.99</u>	<u>14.6</u>	<u>-90.7</u>	
<u>13:30</u>	<u>8.03</u>	<u>4</u>	<u>6.63</u>	<u>.49</u>	<u>592</u>	<u>.72</u>	<u>14.5</u>	<u>-93.9</u>	
<u>13:35</u>	<u>8.03</u>	<u>5.5</u>	<u>6.64</u>	<u>.93</u>	<u>594</u>	<u>.82</u>	<u>14.5</u>	<u>-97.1</u>	

Sampling Data

Sample No: SMW-2RR-092324 Location and Depth: _____

Date Collected (mo/dy/yr): 9/23/24 Time Collected: 1345 Weather: indian-60' overcast

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): cle

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.0</u>

QC samples

Duplicate Sample No: — Duplicate Time: — MS/MSD: Yes No

Signature: [Signature] Date: 9/23/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/23/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: HZ-MW-26 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12"/30-40'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 11.05 Time: 13:20

Total Depth (from log or field measurement): 38.71'

After 5 minutes of purging (from top of casing): 11.66

Begin purge (time): 13:22 End purge (time): 14:08

Volume purged: 5.5L Purge water disposal method: Poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>13:25</u>	<u>11.66</u>	<u>0.5</u>	<u>6.52</u>	<u>0.52</u>	<u>351.2</u>	<u>0.94</u>	<u>14.5</u>	<u>124.4</u>	
<u>13:30</u>	<u>11.80</u>	<u>1.5</u>	<u>6.49</u>	<u>0.38</u>	<u>346.3</u>	<u>0.69</u>	<u>14.5</u>	<u>136.6</u>	
<u>13:35</u>	<u>11.95</u>	<u>2.0</u>	<u>6.48</u>	<u>0.29</u>	<u>345.3</u>	<u>0.71</u>	<u>14.3</u>	<u>143.3</u>	
<u>13:40</u>	<u>12.0</u>	<u>3.0</u>	<u>6.41</u>	<u>0.27</u>	<u>345.1</u>	<u>-</u>	<u>14.4</u>	<u>148.6</u>	
<u>13:45</u>	<u>11.95</u>	<u>4.0</u>	<u>6.45</u>	<u>0.24</u>	<u>344.8</u>	<u>0.55</u>	<u>14.4</u>	<u>146.4</u>	

Sampling Data

Sample No: HZ-MW-26-092324 Location and Depth: HZ-MW-26 @ 34'

Date Collected (mo/dy/yr): 09/23/24 Time Collected: 13:50 Weather: Inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 micron

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/23/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/23/24

Task: 4 - Groundwater Sampling

Field Personnel: GS, DG, HB

Purge Data

Well ID: HZ-MW-155 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 10'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 8.50 Time: 7:35

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 4.5

Begin purge (time): 19:40 End purge (time): 15:36

Volume purged: 6.0 Purge water disposal method Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>17:45</u>	<u>9.13</u>	<u>1</u>	<u>6.25</u>	<u>1.97</u>	<u>471.2</u>	<u>1.63</u>	<u>15.3</u>	<u>74.2</u>	
<u>17:50</u>	<u>9.29</u>	<u>2</u>	<u>6.17</u>	<u>1.75</u>	<u>510</u>	<u>.95</u>	<u>15.2</u>	<u>85.2</u>	
<u>17:55</u>	<u>9.35</u>	<u>3</u>	<u>6.21</u>	<u>1.70</u>	<u>570</u>	<u>.98</u>	<u>15.3</u>	<u>80.7</u>	
<u>18:00</u>	<u>9.40</u>	<u>4</u>	<u>6.25</u>	<u>1.70</u>	<u>625</u>	<u>.98</u>	<u>15.1</u>	<u>68.7</u>	
<u>18:05</u>	<u>9.35</u>	<u>4.5</u>	<u>6.25</u>	<u>1.53</u>	<u>6.29</u>	<u>.85</u>	<u>15.1</u>	<u>67.2</u>	

Sampling Data

Sample No: HZ-MW-155-092324 Location and Depth: _____

Date Collected (mo/dy/yr): 9/23/24 Time Collected: 18:10 Weather: Mid 60's Cloudy

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0.5</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/23/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: DCJ

Purge Data

Well ID: HZ-MW-145 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12" 5-15'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 9.00 Time: 08:30

Total Depth (from log or field measurement): 14.63'

After 5 minutes of purging (from top of casing): 9.27

Begin purge (time): 08:34 End purge (time): 09:16

Volume purged: 10L Purge water disposal method: Poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
08:35	9.27	0.25	6.43	2.09	341.4	5.92	15.8	84.7	Flow as low
08:40	9.62	2.0	6.17	0.51	336.3	10.5	15.8	68.8	23 possible jump
08:45	9.81	3.0	6.16	0.41	339.2	13.4	15.7	62.0	
08:50	10.01	4.5	6.21	0.34	341.0	18.9	15.6	53.7	
08:53	10.20	5.5	6.22	0.33	341.2	19.6	15.7	49.6	
08:56	10.42	6.5	6.22	0.32	342.0	16.3	15.6	44.4	

Sampling Data

Sample No: HZ-MW-145-092424 Location and Depth: HZ-MW-145 @ ~11'

Date Collected (mo/dy/yr): 09/24/24 Time Collected: 09:00 Weather: Inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 micron

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear, slight cloudy ness

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>4.0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: DG, GS, HB

Purge Data

Well ID: HZ-MW-140 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 35'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 9.40 Time: 8:30

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 9.91

Begin purge (time): 8:35 End purge (time): 9:40

Volume purged: 17 Purge water disposal method Trnk

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
8:40	9.91	0.5	6.23	0.88	626	2.30	15.5	86.5	
8:45	10.50	1.5	6.21	1.33	625	-	15.5	71.5	
8:50	10.60	2	6.22	1.28	624	1.41	15.5	65.7	
8:55	10.71	3	6.23	1.21	622	2.77	15.5	59.7	
9:00	10.79	4	6.23	1.18	621	2.88	15.4	50.7	

Sampling Data

Sample No: HZ-MW-140-092424 Location and Depth: _____

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 9:05 Weather: Endless Rain, 60's

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>1.2</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: HB

Purge Data

Well ID: HZ-MW-1 Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval PVC 1" 5-15'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 1 Stripped (#) - Other Damage: -

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): 9.64 Time: 8:30

Total Depth (from log or field measurement): 16.79

After 5 minutes of purging (from top of casing): 12.14

Begin purge (time): 8:30 End purge (time): 9:50

Volume purged: 2.0 L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
8:35	12.14	0.25	6.34	1.15	1141	6.19	15.2	-60.7	organic odor
8:40	14.09	0.5	6.35	2.63	1157	19.43	15.2	-65.3	
8:45	-	0.75	6.34	0.52	1168	9.94	15.2	-67.0	well dry
9:02	12.76	0.75	6.35	0.46	1198	7.35	15.2	-69.0	pump at 9:00
9:05	13.48	1.0	6.35	0.45	1182	6.04	15.1	-69.4	
9:08	14.04	1.0	6.34	2.43	1177	6.34	15.1	-69.6	

Sampling Data

Sample No: HZ-MW-1-092424 Location and Depth: HZ-MW-1

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 0915 Weather: 55 cloudy

Type: Ground Water Surface Water Other: - Sample: Filtered Unfiltered Filter Type: 0.45 dis metals

Sample Collected with: Bailer Pump Other: - Type: Peristaltic Bladder Submersible Other: -

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: -

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear organic odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>3.0 mg/L</u>

QC samples

Duplicate Sample No: - Duplicate Time: - MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: CS, DG, HB

Purge Data

Well ID: HZ-MW-71 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 3'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 6.54 Time: 9:54

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 6:51

Begin purge (time): 9:50 End purge (time): 10:47

Volume purged: 6 Purge water disposal method TANK

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:00	6.51	1.5	6.44	.58	340.4	—	14.7	-57.9	
10:05	6.60	1.5	6.48	.34	341.1	2.37	14.6	-60.0	
10:10	6.65	2.5	6.45	.22	341.0	1.70	14.5	-63.5	
10:15	6.64	3.5	6.45	.17	339.4	1.51	14.5	-68.7	
10:20	6.71	4.5	6.43	.15	337.6	1.44	14.4	-70.8	

Sampling Data

Sample No: HZ-MW-71-092424 Location and Depth: _____

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 10:25 Weather: indus, 60's

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>3.0</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: DL

Purge Data

Well ID: HZ-MW-34 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: PVC 2" 195-25

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 5.30 Time: 9:50

Total Depth (from log or field measurement): 22.72

After 5 minutes of purging (from top of casing): 6:05

Begin purge (time): 9:59 End purge (time): 10:45

Volume purged: 9.0L Purge water disposal method: Port tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:03	6:05	1.5	6.23	0.76	325.2	9.16	14.6	70.7	
10:08	6:06	2.5	6.19	0.47	334.0	31.9	14.5	67.0	Particulates in tub
10:13	6:10	4.0	6.16	0.38	335.0	31.6	14.5	63.2	Sample
10:18	6:17	5.0	6.18	0.33	334.4	7.74	14.4	56.9	Rental tub meter
10:23	6:16	6.0	6.20	0.31	332.3	3.98	14.4	49.6	reading high
10:26	6:21	7.0	6.21	0.29	331.1		14.3	46.6	

Sampling Data

Sample No: HZ-MW-34-092424 Location and Depth: HZ-MW-34 @ ~17'

Date Collected (mo/dy/yr): 09/24/24 Time Collected: 10:30 Weather: inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 micron

Sample Collected with: Bailor Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear w/ light colored particulates

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: HB

Purge Data

Well ID: HZ-MW-24 Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval PVC 2" 25-35

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) - Other Damage: -

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): 5.40 Time: 1010

Total Depth (from log or field measurement): 32.48

After 5 minutes of purging (from top of casing): 5.79

Begin purge (time): 1010 End purge (time): 1055

Volume purged: 7.0 L Purge water disposal method poly tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	pH (s.u.)	DO (mg/L)	Specific Conductivity (µs/cm)	Turbidity (NTU)	Temp (°C)	ORP (mV)	Comments
1015	5.79	0.5	6.56	1.32	415.2	2.60	14.5	-42.5	
1020	5.90	1.0	6.48	0.87	412.5	2.13	14.3	-42.3	
1025	5.90	2.0	6.41	2.58	409.1	2.28	14.4	-45.3	
1030	5.90	2.5	6.38	0.50	406.6	1.71	14.3	-46.9	
1035	5.90	3.0	6.36	0.47	404.8	1.87	14.3	-47.8	

Sampling Data

Sample No: HZ-MW-24-092424 Location and Depth: HZ-MW-24

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 1045 Weather: 60° cloudy

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 dis metals

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>4.0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: CIS, DCI, HP

Purge Data

Well ID: MW-11 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.25 Time: 11:25

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 7.34

Begin purge (time): 11:30 End purge (time): 12:45

Volume purged: 7 Purge water disposal method: tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
11:35	7.34	1.5	6.84	.32	453.7	1.47	15.3	-54.7	
11:40	7.55	2	6.92	.28	449.7	-	15.4	-73.5	
11:45	7.32	3	6.93	.18	441.0	1.27	15.3	-78.5	
11:50	7.24	3.5	6.92	.18	441.0	1.57	15.3	-76.7	
11:55	-	4.5	6.92	.15	443.9	1.32	15.3	-82.1	

Sampling Data

Sample No: MW-11-092424 Location and Depth: _____

Date Collected (mo/dy/yr): 09/24/24 Time Collected: 1200 Weather: Clear, no wind

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.6</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: HB

Purge Data

Well ID: MW-21R Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval: AVL 2" 10-13

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) - Other Damage: -

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): 7.98 Time: 1140

Total Depth (from log or field measurement): 14.84

After 5 minutes of purging (from top of casing): 8.64

Begin purge (time): 1140 End purge (time): 1220

Volume purged: L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1145	8.64	0.5	6.36	1.09	475.7	2.13	15.4	-7.0	
1150	8.99	1.0	6.33	0.63	583	1.25	15.3	-16.4	
1155	9.19	2.5	6.34	0.51	552	1.00	19.3	-19.2	
1200	9.35	3.5	6.34	0.47	567	1.13	15.3	-21.4	
1205	9.47	4.5	6.33	0.44	577	1.26	15.2	-22.3	

Sampling Data

Sample No: MW-24R-092424 Location and Depth: MW-24R

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 1215 Weather: 60° sunny

Type: Ground Water Surface Water Other: - Sample: Filtered Unfiltered Filter Type: 0.45 d's netals

Sample Collected with: Bailer Pump Other: - Type: Peristaltic Bladder Submersible Other: -

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: -

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.5 mg/L</u>

QC samples

Duplicate Sample No: - Duplicate Time: - MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: DL

Purge Data

Well ID: MW-34 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12" / 35-45'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.09 Time: 11:45

Total Depth (from log or field measurement): 47.75

After 5 minutes of purging (from top of casing): 7.60'

Begin purge (time): 11:50 End purge (time): 12:30

Volume purged: 12L Purge water disposal method: Poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>11:55</u>	<u>7.60</u>	<u>0.5</u>	<u>6.30</u>	<u>2.34</u>	<u>282.8</u>	<u>1.34</u>	<u>15.0</u>	<u>97.4</u>	
<u>12:00</u>	<u>7.72</u>	<u>2.0</u>	<u>6.15</u>	<u>0.56</u>	<u>327.8</u>	<u>0.32</u>	<u>14.9</u>	<u>89.2</u>	
<u>12:05</u>	<u>7.70</u>	<u>3.5</u>	<u>6.16</u>	<u>0.40</u>	<u>337.8</u>	<u>0.24</u>	<u>14.9</u>	<u>81.6</u>	
<u>12:10</u>	<u>7.71</u>	<u>5.0</u>	<u>6.18</u>	<u>0.35</u>	<u>341.9</u>	<u>-</u>	<u>14.9</u>	<u>73.7</u>	
<u>12:15</u>	<u>7.70</u>	<u>7.0</u>	<u>6.18</u>	<u>0.32</u>	<u>340.9</u>	<u>0.23</u>	<u>14.9</u>	<u>69.2</u>	
<u>12:20</u>	<u>7.70</u>	<u>8.5</u>	<u>6.20</u>	<u>0.30</u>	<u>343.5</u>	<u>0.28</u>	<u>14.9</u>	<u>64.5</u>	

Sampling Data

Sample No: MW-34-092424 Location and Depth: MW-34 @ 240'

Date Collected (mo/dy/yr): 09/24/24 Time Collected: 12:25 Weather: inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 micron

Sample Collected with: Bailor Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethane/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>2.25 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: HRB

Purge Data

Well ID: H2-MW-15D Secure: Yes No Ecology Tag #: Casing Type/Diameter/Screened Interval PVC 2" 25-35

Replacement Required: Monument Lid Lock Bolts: Missing (#) 1 Stripped (#) 2 Other Damage:

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal):

Depth of water (from TOC): 9.15 Time: 18:49

Total Depth (from log or field measurement): 35.14

After 5 minutes of purging (from top of casing): 10.42

Begin purge (time): 9:45 End purge (time): 1325

Volume purged: 6.0L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>12:50</u>	<u>10.42</u>	<u>1.0</u>	<u>6.10</u>	<u>1.04</u>	<u>519</u>	<u>1.74</u>	<u>14.3</u>	<u>77.4</u>	<u>pump stalled</u>
<u>12:55</u>	<u>10.56</u>	<u>2.0</u>	<u>6.08</u>	<u>0.66</u>	<u>518</u>	<u>1.68</u>	<u>14.4</u>	<u>76.3</u>	
<u>1:00P</u>	<u>10.63</u>	<u>3.0</u>	<u>6.07</u>	<u>0.53</u>	<u>520</u>	<u>1.87</u>	<u>14.4</u>	<u>75.7</u>	
<u>1:05</u>	<u>10.81</u>	<u>4.0</u>	<u>6.06</u>	<u>0.48</u>	<u>521</u>	<u>2.43</u>	<u>14.3</u>	<u>75.4</u>	
<u>1:10</u>	<u>10.86</u>	<u>5.0</u>	<u>6.06</u>	<u>0.45</u>	<u>524</u>	<u>3.88</u>	<u>14.3</u>	<u>76.5</u>	

Sampling Data

Sample No: H2-MW-15D-092424 Location and Depth: H2-MW-15D

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 1320 Weather: 65° sunny

Type: Ground Water Surface Water Other: Sample: Filtered Unfiltered Filter Type: 0.45 dis metal

Sample Collected with: Bailer Pump Other: Type: Peristaltic Bladder Submersible Other:

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other:

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0.5 mg/L</u>

QC samples

Duplicate Sample No: Duplicate Time: MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: CS, PG, HBS

Purge Data

Well ID: MW45R Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 0'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.77 Time: 13:02

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 8.01

Begin purge (time): 13:05 End purge (time): ~~13:25~~ 14:25

Volume purged: 5 L Purge water disposal method: TANK

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
13:10	8.01	1.5	6.53	2.28	1709	2.05	16.2	-72.4	
13:15	8.11	1.5	6.56	2.42	1707	2.09	16.5	-78.8	
13:20	8.11	2	6.58	3.36	1725	1.92	16.8	-79.2	
13:25	8.59	3	6.61	3.09	1756	1.87	16.0	-90.4	
13:30	8.91	3.5	6.62	3.09	1755	1.80	16.1	-92.1	

Sampling Data

Sample No: MW-45R-092424 Location and Depth: _____

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 13:35 Weather: Inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): original odor, clear, orange tint

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethane/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>12 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: MW-20R Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12"/120-30'

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.73 Time: 13:08

Total Depth (from log or field measurement): 28.83

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 13:10 End purge (time): 13:55

Volume purged: 115L Purge water disposal method Poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
13:15	7.79	0.25	6.60	1.28	343.0	0.61	14.9	57.5	
13:20	7.90	2.25	6.60	0.44	357.7	0.42	14.8	-20.4	
13:25	7.91	3.75	6.62	0.36	357.5	0.66	14.8	-48.0	
13:30	7.94	5.5	6.63	0.31	358.5	0.73	14.7	-65.6	
13:33	7.94	6.5	6.62	0.30	358.9	-	14.7	-68.0	
13:36	7.94	7.25	6.62	0.29	356.8	0.50	14.7	-70.9	

Sampling Data

Sample No: MW-20R-092424 Location and Depth: MW-20R @ 25'

Date Collected (mo/dy/yr): 09/24/24 Time Collected: 13:40 Weather: inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 micron

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Light orange tint, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>4.0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/24/24

Task: 4 - Groundwater Sampling

Field Personnel: HRB

Purge Data

Well ID: HZ-MW-33R Secure: Yes No Ecology Tag #: - Casing Type/Diameter/Screened Interval PVC 2" 25-35

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) - Other Damage: -

Depth Souder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): -

Depth of water (from TOC): - Time: - angled well

Total Depth (from log or field measurement): ~35

After 5 minutes of purging (from top of casing): -

Begin purge (time): 1400 End purge (time): 1440

Volume purged: 7.0 L Purge water disposal method poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1405	-	0.75	7.07	3.09	169.5	1.99	15.5	53.6	no odor
1410	-	2.0	6.77	0.24	161.5	1.18	15.0	73.3	
1415	-	3.0	6.69	0.57	164.1	0.98	14.9	79.1	
1420	-	4.0	6.65	0.48	163.5	0.97	14.9	81.3	
1425	-	5.0	6.63	0.45	163.3	0.88	14.9	82.5	

Sampling Data

Sample No: HZ-MW-33R-092424 Location and Depth: HZ-MW-33R

Date Collected (mo/dy/yr): 9/24/24 Time Collected: 1435 Weather: 70° sunny

Type: Ground Water Surface Water Other: - Sample: Filtered Unfiltered Filter Type: 0.45 µs mesh

Sample Collected with: Bailer Pump Other: - Type: Peristaltic Bladder Submersible Other: -

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: -

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0.0 mg/l</u>

QC samples

Duplicate Sample No: - Duplicate Time: - MS/MSD: Yes No

Signature: [Signature] Date: 9/24/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/25/24

Task: 4 - Groundwater Sampling

Field Personnel: HD

Purge Data

Well ID: S-MW-1 Secure: Yes No Ecology Tag #: — Casing Type/Diameter/Screened Interval: 2" PVC 5.5-15.5

Replacement Required: Monument Lid Lock Bolts: Missing (#) — Stripped (#) — Other Damage: —

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): —

Depth of water (from TOC): 8.26 Time: 8:35

Total Depth (from log or field measurement): 15.5

After 5 minutes of purging (from top of casing): 8.45

Begin purge (time): 8:35 End purge (time): 9:25

Volume purged: 3.5 L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>8:40</u>	<u>8.45</u>	<u>0.5</u>	<u>6.46</u>	<u>4.00</u>	<u>378.3</u>	<u>5.72</u>	<u>15.3</u>	<u>86.8</u>	
<u>8:45</u>	<u>8.67</u>	<u>1.0</u>	<u>6.26</u>	<u>3.73</u>	<u>388.5</u>	<u>8.97</u>	<u>15.3</u>	<u>107.0</u>	
<u>8:50</u>	<u>8.74</u>	<u>1.5</u>	<u>6.30</u>	<u>3.33</u>	<u>405.2</u>	<u>7.45</u>	<u>15.3</u>	<u>112.3</u>	
<u>8:55</u>	<u>8.82</u>	<u>2.0</u>	<u>6.32</u>	<u>3.50</u>	<u>417.4</u>	<u>6.58</u>	<u>15.3</u>	<u>117.0</u>	
<u>9:00</u>	<u>8.91</u>	<u>2.5</u>	<u>6.31</u>	<u>3.41</u>	<u>413.2</u>	<u>6.71</u>	<u>15.2</u>	<u>121.8</u>	
<u>9:05</u>	<u>8.99</u>	<u>3.0</u>	<u>6.29</u>	<u>3.23</u>	<u>402.8</u>	<u>7.99</u>	<u>15.2</u>	<u>125.0</u>	

Sampling Data

Sample No: S-MW-1-092524 Location and Depth: S-MW-1

Date Collected (mo/dy/yr): 9/25/24 Time Collected: 9:15 Weather: 60° cloudy

Type: Ground Water Surface Water Other: — Sample: Filtered Unfiltered Filter Type: 0.45 µm metals

Sample Collected with: Bailer Pump Other: — Type: Peristaltic Bladder Submersible Other: —

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: —

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor white/gray gaps on tubing

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result:

QC samples

Duplicate Sample No: — Duplicate Time: — MS/MSD: Yes No

Signature: [Signature] Date: 9/25/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/25/24

Task: 4 - Groundwater Sampling

Field Personnel: GIS, DC7, HB

Purge Data

Well ID: MW-27 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 12"

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 9.94 Time: 0840

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 0840 End purge (time): 0934

Volume purged: 7.5 Purge water disposal method _____

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>0845</u>	<u>10.10</u>	<u>1.5</u>	<u>5.47</u>	<u>2.17</u>	<u>177.0</u>	<u>7.62</u>	<u>15.5</u>	<u>66.1</u>	
<u>0850</u>	<u>10.20</u>	<u>2</u>	<u>5.36</u>	<u>1.44</u>	<u>180.4</u>	<u>7.02</u>	<u>15.4</u>	<u>84.1</u>	
<u>0855</u>	<u>10.31</u>	<u>3</u>	<u>5.32</u>	<u>1.93</u>	<u>179.5</u>	<u>-</u>	<u>15.3</u>	<u>104.8</u>	
<u>0900</u>	<u>10.39</u>	<u>4.5</u>	<u>5.35</u>	<u>1.66</u>	<u>181.3</u>	<u>1.26</u>	<u>15.3</u>	<u>112.8</u>	
<u>0905</u>	<u>10.41</u>	<u>5.0</u>	<u>5.39</u>	<u>1.69</u>	<u>181.9</u>	<u>1.39</u>	<u>15.2</u>	<u>116.6</u>	

Sampling Data

Sample No: MW-27-092524 Location and Depth: Overcast, 60' 2

Date Collected (mo/dy/yr): 9/25/24 Time Collected: 915 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, no odor [Concrete coating up and down during sample.]

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Res. lit:

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No 9/25/24

Signature: _____ Date: 9/25/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/25/24

Task: 4 - Groundwater Sampling

Field Personnel: DG, GS, HP

Purge Data

Well ID: MW-SR Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval: _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 8:00 Time: 10:11

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 8:50

Begin purge (time): 10:18 End purge (time): 11:32

Volume purged: 10L Purge water disposal method: Tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:23	8.50	1	6.22	1.17	336.8	1.55	15.0	160.7	
10:28	8.51	2.5	6.22	1.45	341.9	-	15.3	148.1	
10:33	8.53	3	6.23	1.42	342.7	0.98	15.3	144.1	
10:38	8.55	4	6.26	1.36	344.5	1.05	15.2	134.4	
10:43	8.59	5	6.28	1.34	343.5	1.38	15.2	128.7	

Sampling Data

Sample No: MW-SR-092524 Location and Depth: _____

Date Collected (mo/dy/yr): 9/25/24 Time Collected: 10:45 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
<u>Total</u>			2	HNO3	
			1	HNO3	
Ferrous Iron	Field Measurement				Result: 1.0

QC samples DNA Sample Start: 11:38 Stop: 11:46

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/25/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/25/24

Task: 4 - Groundwater Sampling

Field Personnel: HPB

Purge Data

Well ID: MW-4R Secure: Yes No Ecology Tag #: ✓ Casing Type/Diameter/Screened Interval: PVC 2" 10-25

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) — Other Damage: —

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): —

Depth of water (from TOC): 7.48 Time: 1020

Total Depth (from log or field measurement): 23.94

After 5 minutes of purging (from top of casing): 7.83

Begin purge (time): 1020 End purge (time): 1140

Volume purged: 10.0 L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1025	7.83	0.5	6.42	1.30	405	2.93	15.0	-81.1	strong sulfur odor
1030	7.82	1.0	6.42	0.76	912	2.21	15.0	-89.4	
1035	7.84	1.5	6.42	0.58	915	1.89	14.4	-99.0	
1040	7.84	2.0	6.42	0.50	916	2.14	14.9	-102.9	
1045	7.84	3.0	6.41	2.40	918	2.34	14.8	-105.0	

Sampling Data

Sample No: MW-4R-092524 Location and Depth: MW-4R

Date Collected (mo/dy/yr): 9/25/24 Time Collected: 1055 Weather: 69° cloudy

Type: Ground Water Surface Water Other: — Sample: Filtered Unfiltered Filter Type: 0.45 disc metal

Sample Collected with: Bailer Pump Other: — Type: Peristaltic Bladder Submersible Other: —

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: —

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear sulfur odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
<u>DNA</u>		<u>Vial</u>	<u>1</u>		<u>started 11:20</u> <u>end 11:40</u>
Ferrous Iron	Field Measurement				Result: <u>5.0 mg/L</u>

QC samples

Duplicate Sample No: — Duplicate Time: — MS/MSD: Yes No

Signature: [Signature] Date: 9/25/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/25/24

Task: 4 - Groundwater Sampling

Field Personnel: DG

Purge Data

Well ID: MW-6 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): N/A Time: — Angled well pipe (3-450 bends)

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 11:21 End purge (time): _____

Volume purged: 9L Purge water disposal method: Poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>11:25</u>	<u>/</u>	<u>0.5</u>	<u>6.67</u>	<u>0.58</u>	<u>664</u>	<u>4.87</u>	<u>15.5</u>	<u>-117.4</u>	
<u>11:30</u>	<u>/</u>	<u>1.5</u>	<u>6.65</u>	<u>0.24</u>	<u>661</u>	<u>3.84</u>	<u>15.3</u>	<u>-121.6</u>	
<u>11:35</u>	<u>/</u>	<u>3.0</u>	<u>6.67</u>	<u>0.15</u>	<u>661</u>	<u>—</u>	<u>15.2</u>	<u>-124.6</u>	
<u>11:40</u>	<u>/</u>	<u>4.0</u>	<u>6.68</u>	<u>0.12</u>	<u>661</u>	<u>3.04</u>	<u>15.2</u>	<u>-125.8</u>	
<u>11:45</u>	<u>/</u>	<u>5.0</u>	<u>6.69</u>	<u>0.10</u>	<u>663</u>	<u>2.67</u>	<u>15.1</u>	<u>-126.7</u>	

Sampling Data

Sample No: MW-6-092524 Location and Depth: MW-6 5' off bottom

Date Collected (mo/dy/yr): 09/25/24 Time Collected: 11:50 Weather: inside

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Brown tint w/ black particulates

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
<u>MI DNA</u>					
Ferrous Iron	Field Measurement				Result: <u>2.5 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/25/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/25/24

Task: 4 - Groundwater Sampling

Field Personnel: HB

Purge Data

Well ID: MW-7 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 2" 10-25

Replacement Required: Monument Lid Lock Bolts: Missing (#) 3 Stripped (#) 2 Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.86 Time: 1215

Total Depth (from log or field measurement): 23.93

After 5 minutes of purging (from top of casing): 5.08

Begin purge (time): 1215 End purge (time): 1355

Volume purged: 11.0L Purge water disposal method: poly tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 100% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1220	8.08	0.5	6.53	1.66	690	3.0	15.4	-82.0	
1225	6.37	1.0	6.46	0.59	685	2.49	15.3	-78.2	
1230	8.52	2.0	6.45	0.47	671	2.89	15.3	-115.5	
1235	8.60	3.0	6.45	0.41	657	2.69	15.3	-118.6	
1240	8.69	4.0	6.45	0.41	643	2.79	15.2	-120.0	

Sampling Data

Sample No: MW-7-092524 Location and Depth: MW-7

Date Collected (mo/dy/yr): 9/25/24 Time Collected: 1250 Weather: 60° cloudy

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 µm net

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear still for odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
<u>DNA</u>					Start time 1325 End time 1355
Ferrous Iron	Field Measurement				Result: <u>5.0 mg/L</u>

QC samples

Duplicate Sample No: MW-107-092524 Duplicate Time: 1255 MS/MSD: Yes No

Signature: [Signature] Date: 9/25/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/25/24

Task: 4 - Groundwater Sampling

Field Personnel: DG, HB, GS

Purge Data

Well ID: MW-12 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 50'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.55 Time: 1227

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 823

Begin purge (time): 13:12 End purge (time): 1400

Volume purged: CL Purge water disposal method: THH

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>1315</u>	<u>8.25</u>	<u>1.5</u>	<u>6.21</u>	<u>.73</u>	<u>764</u>	<u>1.43</u>	<u>15.3</u>	<u>45.8</u>	
<u>1320</u>	<u>8.00</u>	<u>2</u>	<u>6.19</u>	<u>.56</u>	<u>768</u>	<u>-</u>	<u>15.7</u>	<u>13.7</u>	
<u>1325</u>	<u>8.135</u>	<u>3</u>	<u>6.22</u>	<u>.38</u>	<u>748</u>	<u>1.90</u>	<u>15.3</u>	<u>-11.2</u>	
<u>1330</u>	<u>-</u>	<u>5.5</u>	<u>-</u>	<u>-</u>	<u>-</u>	<u>1.85</u>	<u>-</u>	<u>-</u>	
<u>1335</u>	<u>8.57</u>	<u>6</u>	<u>6.26</u>	<u>.32</u>	<u>706</u>	<u>1.38</u>	<u>15.2</u>	<u>-28.6</u>	

Sampling Data

Sample No: MW-12-092524 Location and Depth: _____

Date Collected (mo/dy/yr): 9/25/24 Time Collected: 1340 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>4.0</u>

QC samples PNA Sample Start: 1406 - 1416

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/25/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/26/24

Task: 4 - Groundwater Sampling

Field Personnel: HOB

Purge Data

Well ID: MW-43R Secure: Yes No Ecology Tag #: — Casing Type/Diameter/Screened Interval PVC 2" 10-25

Replacement Required: Monument Lid Lock Bolts: Missing (#) — Stripped (#) — Other Damage: —

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): —

Depth of water (from TOC): 10.96 Time: 835

Total Depth (from log or field measurement): 25.50

After 5 minutes of purging (from top of casing): 11.10

Begin purge (time): 835 End purge (time): 930

Volume purged: 9.5L Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>840</u>	<u>11.10</u>	<u>1.0</u>	<u>6.52</u>	<u>1.33</u>	<u>441.2</u>	<u>31.9</u>	<u>15.6</u>	<u>84.7</u>	<u>orange F1000 part</u>
<u>845</u>	<u>11.11</u>	<u>2.0</u>	<u>6.43</u>	<u>0.60</u>	<u>437.2</u>	<u>27.7</u>	<u>15.5</u>	<u>72.7</u>	
<u>850</u>	<u>11.12</u>	<u>3.0</u>	<u>6.41</u>	<u>0.42</u>	<u>429.0</u>	<u>22.6</u>	<u>15.3</u>	<u>58.7</u>	
<u>855</u>	<u>11.11</u>	<u>4.0</u>	<u>6.44</u>	<u>0.37</u>	<u>422.3</u>	<u>16.3</u>	<u>15.5</u>	<u>49.7</u>	
<u>900</u>	<u>11.12</u>	<u>5.0</u>	<u>6.41</u>	<u>0.34</u>	<u>417.8</u>	<u>13.0</u>	<u>15.5</u>	<u>41.6</u>	
<u>905</u>	<u>11.11</u>	<u>6.0</u>	<u>6.41</u>	<u>0.32</u>	<u>413.6</u>	<u>8.86</u>	<u>15.5</u>	<u>35.1</u>	
<u>910</u>	<u>11.10</u>	<u>7.0</u>	<u>6.41</u>	<u>0.30</u>	<u>408.2</u>	<u>8.41</u>	<u>15.3</u>	<u>26.7</u>	

Sampling Data

Sample No: MW-43R-092624 Location and Depth: MW-43R

Date Collected (mo/dy/yr): 9/26/24 Time Collected: 920 Weather: 55 cloudy

Type: Ground Water Surface Water Other: — Sample: Filtered Unfiltered Filter Type: 0.45 µs metal

Sample Collected with: Bailer Pump Other: — Type: Peristaltic Bladder Submersible Other: —

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: —

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethane/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>4.0 mg/L</u>

QC samples

Duplicate Sample No: — Duplicate Time: — MS/MSD Yes No

Signature: [Signature] Date: 9/26/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/26/24

Task: 4 - Groundwater Sampling

Field Personnel: DG, GS, HB

Purge Data

Well ID: MW-42 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 35'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 11.58 Time: 08:45 08:55

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 11.50

Begin purge (time): 8:40 End purge (time): 10:01

Volume purged: 11 Purge water disposal method: Trunk

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
0900	11.58	2.5	6.39	1.07	285.8	23.4	14.6	96.6	
0905	11.94	3	6.41	1.55	282.6	3.33	14.5	-100.0	
0910	11.95	4	6.47	1.50	281.2	5.90	14.8		
0915	11.94	5	6.39	1.48	281.1	7.98	14.7	-101.2	
0920									
0925									

Sampling Data

Sample No: MW-42-092624 Location and Depth: _____

Date Collected (mo/dy/yr): 9/26/24 Time Collected: 0925 Weather: 60's Rainy/Cloudy

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Clear, no odor, black P6ds

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>5.5</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/26/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/26/24

Task: 4 - Groundwater Sampling

Field Personnel: DG, GS, HB

Purge Data

Well ID: MW-40 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 6.10 Time: 10:45

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 8.11

Begin purge (time): 10:45 End purge (time): 17:01

Volume purged: 13 Purge water disposal method: Bank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
10:50	8.40	1.5	6.41	1.61	400.4	6.08	15.4	-71.7	
10:55	8.65	2.5	6.47	1.51	400.8	7.24	15.5	-79.9	
10:00	8.56	4	6.44	1.46	401.9	-	15.3	-84.9	
11:05	8.56	4.5	6.45	1.44	401.8	4.59	15.3	-87.0	
11:10	8.57	6.0	6.46	1.40	401.6	4.57	15.3	-91.5	

Sampling Data

Sample No: MW-40 - 092624 Location and Depth: _____

Date Collected (mo/dy/yr): 9/26/24 Time Collected: 11:15 Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailor Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): 8.5-9 cloudy & yellow, 5.6-1.2 odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>6.5</u>

QC samples

Duplicate Sample No: MW-140 - 092624 Duplicate Time: 11:35 MS/MSD: Yes No

Signature: _____ Date: 9/26/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/26/24

Task: 4 - Groundwater Sampling

Field Personnel: HRB

Purge Data

Well ID: MW-39 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 40-50 PVC 2"

Replacement Required: Monument Lid Lock Bolts: Missing (#) 2 Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.60 Time: 1045

Total Depth (from log or field measurement): 50.64

After 5 minutes of purging (from top of casing): 7.93

Begin purge (time): 1045 End purge (time): 1130

Volume purged: 7.26 Purge water disposal method: poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (F)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (us/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1059	7.93	1.0	6.58	0.78	379.7	4.16	15.7	-12.7	sulfur odor
1055	7.93	2.0	6.53	0.52	379.4	3.33	15.7	-32.9	
1100	7.94	3.0	6.55	0.43	379.0	3.85	15.6	-42.5	
1105	7.95	4.0	6.53	0.38	379.3	3.30	15.5	-48.9	
1110	7.95	5.0	6.53	0.35	377.2	3.40	15.6	-53.1	

Sampling Data

Sample No: MW-39-092624 Location and Depth: MW-39

Date Collected (mo/dy/yr): 9/26/24 Time Collected: 1120 Weather: 60° cloudy

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 dis net

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing; dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): clear sulfur odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>5.5 mg/L</u>

QC Samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/26/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/26/24

Task: 4 - Groundwater Sampling

Field Personnel: GS, DG, HTB

Purge Data

Well ID: MW-4UR Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 7.69 Time: 12:27

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): 7.73

Begin purge (time): 12:28 End purge (time): 13:05

Volume purged: 5L Purge water disposal method: ink

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
1232	7.75	0.5	6.51	1.57	399.9	4.74	15.6	-59.2	
1237	7.72	1	6.42	1.60	397.1	3.36	15.5	-76.1	
1242	7.75	2.5	6.42	1.57	395.7	3.42	15.4	-74.3	
1247	7.73	3	6.42	1.46	395.9	4.00	15.4	-80.2	
1252	7.74	4	6.42	1.44	396.5	3.97	15.3	-81.2	

Sampling Data

Sample No: MW-4UR - 092624 Location and Depth: _____

Date Collected (mo/dy/yr): 9/26/24 Time Collected: 1259 Weather: clouds 160°

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Slight yellow, slight odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethane/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>4.5</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: 9/26/24

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/26/24

Task: 4 - Groundwater Sampling

Field Personnel: DG/HB

Purge Data

Well ID: HZ-MW-31 Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval PVC 12" 15-25'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 8.70 Time: 12:23

Total Depth (from log or field measurement): 24.95

After 5 minutes of purging (from top of casing): 4.25

Begin purge (time): 12:29 End purge (time): 13:05

Volume purged: 6.5L Purge water disposal method: Poly tank

Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>12:30</u>	<u>9.11</u>	<u>0</u>	<u>6.44</u>	<u>1.29</u>	<u>377.3</u>	<u>14.7</u>	<u>16.1</u>	<u>-70.3</u>	
<u>12:35</u>	<u>9.25</u>	<u>1.5</u>	<u>6.39</u>	<u>0.57</u>	<u>375.9</u>	<u>20.4</u>	<u>16.2</u>	<u>-72.1</u>	
<u>12:40</u>	<u>9.30</u>	<u>2.5</u>	<u>6.39</u>	<u>0.44</u>	<u>375.0</u>	<u>23.7</u>	<u>16.3</u>	<u>-73.8</u>	
<u>12:45</u>	<u>9.33</u>	<u>3.5</u>	<u>6.40</u>	<u>0.37</u>	<u>372.8</u>	<u>24.3</u>	<u>16.3</u>	<u>-76.5</u>	
<u>12:50</u>	<u>9.33</u>	<u>4.5</u>	<u>6.42</u>	<u>0.33</u>	<u>370.8</u>	<u>21.0</u>	<u>16.3</u>	<u>-78.6</u>	

Sampling Data

Sample No: HZ-MW-31-092624 Location and Depth: HZ-MW-31 @ 20'

Date Collected (mo/dy/yr): 09/26/24 Time Collected: 13:00 Weather: Partly cloudy 60°

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 micron

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): Discarded, no odor

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result:

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/26/25

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: COB - Service Center

Date of Collection: 9/26/24

Task: 4 - Groundwater Sampling

Field Personnel: DL

Purge Data

Well ID: S-MW-3RRR Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval 2" PVC/24-3'

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): 11.49 Time: 13:28

Total Depth (from log or field measurement): ~40'

After 5 minutes of purging (from top of casing): _____

Begin purge (time): 13:30 End purge (time): 14:15

Volume purged: 75L Purge water disposal method Poly tank

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Linear Ft.)
1 1/2"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (L)	+/- 0.1 pH (s.u.)	+/- 10% or <0.5 DO (mg/L)	+/- 3% Specific Conductivity (µs/cm)	Turbidity (NTU)	+/- 3% Temp (°C)	+/- 10 mV ORP (mV)	Comments
<u>13:35</u>	<u>12.17</u>	<u>1.0</u>	<u>6.22</u>	<u>3.25</u>	<u>247.7</u>	<u>73.3</u>	<u>14.3</u>	<u>-22.8</u>	<u>Well developed</u>
<u>13:46</u>	<u>12.38</u>	<u>2.0</u>	<u>6.08</u>	<u>2.93</u>	<u>247.5</u>	<u>65.5</u>	<u>14.1</u>	<u>-28.8</u>	<u>moving up</u>
<u>13:45</u>	<u>12.52</u>	<u>3.0</u>	<u>6.08</u>	<u>2.82</u>	<u>246.9</u>	<u>56.8</u>	<u>14.1</u>	<u>-37.3</u>	<u>9/26/24</u>
<u>13:50</u>	<u>12.57</u>	<u>4.0</u>	<u>6.10</u>	<u>2.80</u>	<u>247.6</u>	<u>47.4</u>	<u>14.1</u>	<u>-41.2</u>	
<u>13:55</u>	<u>12.60</u>	<u>5.5</u>	<u>6.13</u>	<u>2.86</u>	<u>249.0</u>	<u>45.2</u>	<u>14.0</u>	<u>-44.1</u>	

Sampling Data

Sample No: S-MW-3RRR-092624 Location and Depth: S-MW-3RRR @ ~32'

Date Collected (mo/dy/yr): 09/26/24 Time Collected: 14:00 Weather: Cloudy 65°

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: 0.45 micron

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): brown & cloudy

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes
HVOCs	EPA 8260	40 mL VOA vials	3	HCl	
Ammonia-Nitrogen		500 mL Poly bottle	1	Sulfuric acid	
Ortho-phosphate/Sulfate/Nitrate		500 mL Poly bottle	1	N/A	Nitrate has a 48 hour holding time
Methane/Ethene/Ethane	RSK 175	40 mL VOA vials	2	HCl	
Total Organic Carbon	SM5310B	250 mL Poly bottle	1	HCl	
Dissolved Iron/Manganese		250 mL Poly bottle	1	HNO3	Field Filtered - label bottle with "FF"
Ferrous Iron	Field Measurement				Result: <u>0 mg/L</u>

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: [Signature] Date: 9/26/24

2024 O&M Forms

FLOYD | SNIDER

BSC Weekly O&M Form

Date: 3/11/2024

Sign-in time with Graham: 11:15 AM Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

List of Tools:

1. Bucket (optional)
2. Pipe wrench – for opening y-strainers
3. Knife – for opening carbstrate bags
4. Knee pad (optional)
5. Lighting
6. Others TBD

Required PPE and other H&S Considerations:

- Hard Hat, High Vis, Work Boots (chemical resistant), Work Pants, Nitrile Gloves, Safety Glasses, Ear Plugs (optional)
- First time visitors need to check in with Ben Conner at the Graham office to receive first time visit safety orientation
- Regular O&M staff must sign in and sign out at the Graham office across the street at every visit
- Work van will not be allowed to drive into the gated site unless for specific circumstances (likely GW monitoring) where advance notice is given to Graham (Ben Conner)

Emergency Contacts:

Ben Conner (Senior PM Graham): (206) 445-8163, ben.conner@grahamus.com

Tobias Joschko (Graham): (206) 678-6321

Rod (Foreman Graham): (509) 445-8163 – can assist in getting equipment/materials moved as needed

David Hazen (ETEC Contact): (503) 348-6185, david@etec.bio – primary ETEC contact, can help with alarm issues

Gavin Ihasz (ETEC): (360) 952-0285, gavin@etec.bio – can help with more technical system questions

Jeff Jensen (Former O&M tech - Kane): (425) 344-3707, jeff@kane-environmental.com – can help with general O&M questions and finding wells

Danielle Gallaher (O&M Tech Floyd Snider): (619) 302-6688

Adia Jumper (Engineer Floyd Snider): (937) 626-9312

Gabe Cisneros (Floyd Snider PM): (206) 582-8223

FLOYD | SNIDER

BSC Weekly O&M Form

Date: 3/18/24

Sign-in time with Graham: 11:11 Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

List of Tools:

1. Bucket (optional) – small one in shed
2. Pipe wrench – for opening y-strainers – channel locks in shed
3. Knife – for opening carbstrate bags in shed
4. Knee pad (optional) – in shed
5. Lighting
6. Others TBD

Required PPE and other H&S Considerations:

- Hard Hat, High Vis, Work Boots (chemical resistant), Work Pants, Nitrile Gloves, Safety Glasses, Ear Plugs (optional)
- First time visitors need to check in with Ben Conner at the Graham office to receive first time visit safety orientation
- Regular O&M staff must sign in and sign out at the Graham office across the street at every visit
- Work van will not be allowed to drive into the gated site unless for specific circumstances (likely GW monitoring) where advance notice is given to Graham (Ben Conner)

Emergency Contacts:

Ben Conner (Senior PM Graham): (206) 445-8163, ben.conner@grahamus.com

Tobias Joschko (Graham): (206) 678-6321

Rod (Foreman Graham): (509) 445-8163 – can assist in getting equipment/materials moved as needed

David Hazen (ETEC Contact): (503) 348-6185, david@etec.bio – primary ETEC contact; can help with alarm issues

Gavin Ihasz (ETEC): (360) 952-0285, gavin@etec.bio – can help with more technical system questions

Jeff Jensen (Former O&M tech - Kane): (425) 344-3707, jeff@kane-environmental.com – can help with general O&M questions and finding wells

Danielle Gallaher (O&M Tech Floyd Snider): (619) 302-6688

Adia Jumper (Engineer Floyd Snider): (937) 626-9312

Gabe Cisneros (Floyd Snider PM): (206) 582-8223

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 3/25/24

Sign-in time with Graham: 10:26 Sign-out time with Graham: 11:30

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

List of Tools:

1. Bucket (optional) – small one in shed
2. Channel locks – for opening y-strainers – in shed
3. Knife – for opening carbstrate bags in shed
4. Knee pad (optional) – in shed
5. Lighting
6. Others TBD

Required PPE and other H&S Considerations:

- Hard Hat, High Vis, Work Boots (chemical resistant), Work Pants, Nitrile Gloves, Safety Glasses, Ear Plugs (optional)
- First time visitors need to check in with Ben Conner at the Graham office to receive first time visit safety orientation
- Regular O&M staff must sign in and sign out at the Graham office across the street at every visit
- Work van will not be allowed to drive into the gated site unless for specific circumstances (likely GW monitoring) where advance notice is given to Graham (Ben Conner)

Emergency Contacts:

Ben Conner (Senior PM Graham): (206) 445-8163, ben.conner@grahamus.com

Tobias Joschko (Graham): (206) 678-6321

Rod (Foreman Graham): (509) 445-8163 – can assist in getting equipment/materials moved as needed

David Hazen (ETEC Contact): (503) 348-6185, david@etec.bio – primary ETEC contact, can help with alarm issues

Gavin Ihasz (ETEC): (360) 952-0285, gavin@etec.bio – can help with more technical system questions

Jeff Jensen (Former O&M tech - Kane): (425) 344-3707, jeff@kane-environmental.com – can help with general O&M questions and finding wells

Danielle Gallaher (O&M Tech Floyd Snider): (619) 302-6688

Adia Jumper (Engineer Floyd Snider): (937) 626-9312

Gabe Cisneros (Floyd Snider PM): (206) 582-8223

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 4/1/24

Personnel: Danielle Galtzer

Sign-in time with Graham: 10:00

Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: Seems to be clogged, see additional notes for ETEC call info

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Some Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 11 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 150 gallons

Notes: _____

Security code?? 12345?

EW-18 total
not moving

Call w/ ETEC Notes: After cleaning post-carbon y-strainer & opening valve up stream, no flow through y-strainer was observed. At end of injection dwell time, injection pump kicked on, but injection pressure was too low (2-3 psi). Normal psi is 35-45 psi, even with flow through the pipe from tank 2 to injection pump, no flow was observed through the post-carbon y-strainer.

Danielle called Gavin @ ETEC for ~~asst~~ assistance. He advised that injection pump may have air trapped in it & would need to be primed. Steps are as follows:

Open Injection Ball Valve (BV), leave to sit then crack open (slightly) the union just above the injection pump, you should be able to hear the release of air & then water should trickle out.

Close union fully then open one gallery valve, manually turn on injection pump on HMI screen & let run for full 60 sec
Repeat until pressures return to normal

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 4/8/24

Personnel: DG, GS

Sign-in time with Graham: 7:40

Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: Leak/Spill - on Shed Floor

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: only Run Friday - Sunday morning

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: ↑ See glove

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: Carbon

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: _____ (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: _____ gallons

Notes: _____

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 4/15/24

Personnel: P.O.

Sign-in time with Graham: 10:15

Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 7 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 210 gallons

Notes: _____

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 4/22/24

Personnel: DG

Sign-in time with Graham: 10:35

Sign-out time with Graham: 13:40

System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 4 (Notify ETEC when 4 bags are remaining)

Notes: ETEC Notified

IDW Tank:

Tank Level: 210 gallons

Notes: _____

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 4/29/24 Personnel: DG Sign-in time with Graham: 10:45 Sign-out time with Graham: 14:00 System Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears-

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 22 (Notify ETEC when 4 bags are remaining)

Notes: Got ETEC CarbStrate delivery today

IDW Tank:

Tank Level: 210 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 38 psi Right: 0 psi

Back Train Left: 38 psi Right: 0 psi

Backflush Needed? Yes No

For optimization
trial run, only operating
wells 4, 9, 11, 1 -

Shutting off all other wells
entirely
Gallery 2 - 1W6 & 8 shut off

Close notes:
1W-2 - 7 full rotation to close
1W-18 - 4/5 rotation to close
1W-10 - 4/5 rotation to close
1W-21 - 1 full rotation to close
1W-14 - 3/5 rotation to close
1W-12 - 6/5 rotation to close
1W-22 - 7 full rotation to close
In 1 - 1 minute injection force feed
215 gallons can be pushed
in to 4 wells

Wells 4, 9, 11 not building pressure
so opened 1/5 turn more
W-9 building pressure to 10 psi

Leaving only
key wells on during
week

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 5/6/24 Personnel: DG Sign-in time with Graham: 09:40 Sign-out time with Graham: 11:15 System

Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 20 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 210 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 1 psi Right: 0 psi
Back Train Left: 1 psi Right: 0 psi

Backflush Needed? Yes No

↳ to be performed when next convenient

** since 25 transfer pump
psi 1/2*

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 5/13/24 Personnel: DB Sign-in time with Graham: 08:00 Sign-out time with Graham: _____ System

Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 13 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 215 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: ~10 psi Right: 0 psi

Back Train Left: ~10 psi Right: 0 psi

Backflush Needed? Yes No

Backflush to be conducted during end of the month O&M visit

**Transfer pump pressure starts low but eventually builds to ~38 psi*

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 5/20/24 Personnel: Pamela Sign-in time with Graham: 9:30 Sign-out time with Graham: ~10:45 System Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: 3 solid chunks (pinkie nail size) of IRB/carbon

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: Some black chunks

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: ~16 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~220 gallons
Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: _____ psi Right: _____ psi
Back Train Left: _____ psi Right: _____ psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 5/28/24 Personnel: DCN 10:23 Sign-in time with Graham: 12:00 Sign-out time with Graham: System

Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms: Power off!

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup Strainer Condition: Okay Noticeable damage or tears

Notes:

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup Strainer Condition: Okay Noticeable damage or tears

Notes:

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup Strainer Condition: Okay Noticeable damage or tears

Notes:

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No Returned on 5/30 to restore power & finish O&M Mixing Tank Level Sensors Cleaned Yes No Number of CarbStrate bags remaining: 16 (Notify ETEC when 4 bags are remaining)

Notes:

IDW Tank:

Tank Level: 215 gallons Notes:

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 30 psi Right: 0 psi Back Train Left: 30 psi Right: 0 psi Backflush Needed? Yes No

Grzechon switched to permanent power
but treatment system needs to remain
on temporary power. Returning to finish
B&M + collect TOC samples when power
is restored

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 6/10/24 Personnel: DG Sign-in time with Graham: 12:02 Sign-out time with Graham: System Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms:

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup Strainer Condition: Okay Noticeable damage or tears

Notes:

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup Strainer Condition: Okay Noticeable damage or tears

Notes:

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup Strainer Condition: Okay Noticeable damage or tears

Notes:

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No Mixing Tank Level Sensors Cleaned Yes No Number of CarbStrate bags remaining: 10 (Notify ETEC when 4 bags are remaining)

Notes:

IDW Tank:

Tank Level: 220 gallons

Notes:

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 38 psi Right: 0 psi Back Train Left: 35 psi Right: 0 psi Backflush Needed? Yes No

DO + ORP
data from:

<u>Tank 2</u>	<u>Mixing Tank</u>
<u>DO (mg/L)</u>	<u>DO (mg/L)</u>
5.15	1.81
↑	↑
decreasing	increasing
	<u>ORP (mV)</u>
	-85.9
	↑
	both moving
	toward 0

after new Carbohydrate added

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 6/17/24 Personnel: DG Sign-in time with Graham: 10:40 Sign-out time with Graham: _____ System Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 2 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 220 gallons
Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 30 psi Right: 0 psi
Back Train Left: 30 psi Right: 0 psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 10/24/24 Personnel: Pamela Sign-in time with Graham: 10:25 Sign-out time with Graham: _____ System Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 6 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 240 gallons
Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 32 psi Right: 0 psi
Back Train Left: 33 psi Right: 0 psi
Backflush Needed? Yes No

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 7/1/24 Personnel: DG Sign-in time with Graham: 10:05 Sign-out time with Graham: _____ System Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 4 (Notify ETEC when 4 bags are remaining)

Notes: ETEC notified

IDW Tank:

Tank Level: 230 gallons
Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 30 psi Right: 0 psi
Back Train Left: 90 psi Right: 0 psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 7/8/24 Personnel: DG Sign-in time with Graham: 10:45 Sign-out time with Graham: _____ System Status Upon Arrival: Running? Yes No Alarms? Yes No If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 2 (Notify ETEC when 4 bags are remaining)

Notes: ETEC notified

IDW Tank:

Tank Level: 230 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 22 psi Right: 0 psi
Back Train Left: 22 psi Right: 0 psi
Backflush Needed? Yes No

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 7/15/24 Personnel: P. Osterhout Sign-in time with Graham: 8:30 Sign-out time with Graham: _____ System

Status Upon Arrival: Running? Yes No (maybe?) Solution tank was empty on arrival. Possible issue w/ Alarms? Yes No If Yes, list alarms: _____

low-low tank float sensor?

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: Stagnant condition + odor - likely b/c solution tank low

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 20 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 240 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 18 psi Right: 0 psi

Back Train Left: 18 psi Right: 0 psi

Backflush Needed? Yes No

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 7/22/24 Personnel: DG
Sign-in time with Graham: 09:20 Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No *- Added by ETEC after visit*
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 18 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 240 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: _____ psi Right: _____ psi

Back Train Left: _____ psi Right: _____ psi

Backflush Needed? Yes No

EFE visit 7/22 @ 11AM

check low float sensor in mixing tank + likely replace

Add drop hoses into Tank 2 to reduce DO from splashing

Refill mixing tank for week

1W-6 in gallery 2 turned on based on discussion

W/Gabe about treatment area groundwater movement

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 7/29/24 Personnel: DG + RA

Sign-in time with Graham: 09:05 Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: High float in solution tank

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

System alarm over weekend tank level too high will return

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 16 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 250 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 20 psi Right: 0 psi

Back Train Left: 20 psi Right: 0 psi

Backflush Needed? Yes No

Back flush conducted on both trains

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 8/5/24 Personnel: DG
Sign-in time with Graham: 10:38 Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: Some "slime" on filter

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 14 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 250 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 20 psi Right: 0 psi

Back Train Left: 20 psi Right: 0 psi

Backflush Needed? Yes No

FLOYD | SNIDER:

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 8/12/24

Personnel: DG

Sign-in time with Graham: 10:27

Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

Carbstrate tank fully empty

If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 12 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 260 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 20 psi Right: 0 psi

Back Train Left: 20 psi Right: 0 psi

Backflush Needed? Yes No

Y51 Data

Tank 2

DOC (mg/L) 4.58

ORP (mV) 100.0

Mixing Tank

0.53

159.8

Infection time
7.26
129.5

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 8/19/24 Personnel: DG/JL

Sign-in time with Graham: 08:11 Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: Slime buildup

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 10 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 250 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 20 psi Right: 0 psi

Back Train Left: 20 psi Right: 0 psi

Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 8/26/24 Personnel: DG
Sign-in time with Graham: 12:37 Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 8 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 256 gallons
Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: _____ psi Right: _____ psi
Back Train Left: _____ psi Right: _____ psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 9/3/24 Personnel: DG
Sign-in time with Graham: 10:30 Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: More biofouling

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 6 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 250 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 15 psi Right: 0 psi

Back Train Left: 15 psi Right: 0 psi

Backflush Needed? Yes No

Next week - low pressure through vessels

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 9/9/24 Personnel: DC/RA
Sign-in time with Graham: 11:53 Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: IRB talk to ETEC about break through

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No -1 bag added - high tank level
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 4 (Notify ETEC when 4 bags are remaining)

Notes: ETEC notified

2nd bag added on 9/10 @ 13:00 while inspecting metering pump fault P.O.

IDW Tank:

Tank Level: 250 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 15 psi Right: 0 psi
Back Train Left: 15 psi Right: 0 psi
Backflush Needed? Yes No

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 9/10/24 Personnel: PO

Sign-in time with Graham: _____ Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 23(?) (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 250 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 43 psi Right: 0 psi

Back Train Left: 43 psi Right: 0 psi

Backflush Needed? Yes No

9/25/24
System shut down
@ 11:00 for

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 09/26/24

Personnel: DG

Semi-annual

Sign-in time with Graham: _____

Sign-out time with Graham: _____

Avant

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: OAM concluded before

system restart

9/26/24

System restarted

@ 1:50 PM

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: Green chunks?

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No 1 bag added

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 40 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 350 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 40 psi Right: 0 psi

Back Train Left: 40 psi Right: 0 psi

Backflush Needed? Yes No

FLOYD | SNIDER

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 9/30/24 Personnel: DG
Sign-in time with Graham: 07:50 Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No 1 bag added
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 40 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 350 gallons
Notes: off pallet on one side, talking to Graham about options

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 42 psi Right: 0 psi
Back Train Left: 42 psi Right: 0 psi
Backflush Needed? Yes No

*pumped
250 gals
into tank
1 on 10/2*

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 10/9/24 Personnel: DG
Sign-in time with Graham: 10:40 Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 38 (Notify ETEC when 4 bags are remaining)

added w/9 coming back later this week to pump down poly tanks add CarbStrate

Notes: _____

IDW Tank:

Tank Level: 240 gallons
Notes: Pumped about 50 gals into tank 1

10/9 - pumped ~ 80 gals into tank 1

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 40 psi Right: 0 psi
Back Train Left: 40 psi Right: 0 psi
Backflush Needed? Yes No

Carbon changeout may be needed

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 10/14/24 Personnel: OG
Sign-in time with Graham: 08:05 Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 36 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~100 gallons
Notes: Transferred ~50 gals into tank 1

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 40 psi Right: 9 psi
Back Train Left: 40 psi Right: 0 psi
Backflush Needed? Yes No
Carbon changeout being scheduled

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 10/21/24 Personnel: 067
Sign-in time with Graham: 10:40 Sign-out time with Graham: 11:10
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: some carbon prohibited

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 34 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 40 psi Right: 0 psi
Back Train Left: 40 psi Right: 0 psi

Backflush Needed? Yes No

Carbon changeout needed

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 10/28/2024 Personnel: John Laws
Sign-in time with Graham: yes Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 32 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: _____ psi Right: _____ psi

Back Train Left: _____ psi Right: _____ psi

Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 11/4/24

Personnel: P.O.

Sign-in time with Graham: _____

Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

*System off Wed - Mon b/c
Carbon vessel leak following
Carbon change out.*

*PO Fixed
11/4-*

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No *only one added*

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 10 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 25 psi Right: 5 psi

Back Train Left: 25 psi Right: 9 psi

Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 11/11/24 Personnel: DG
Sign-in time with Graham: _____ Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: Carbon particulates

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 9 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 18 psi Right: 8 psi
Back Train Left: 18 psi Right: 8 psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 11/18/24 Personnel: DG

Sign-in time with Graham: 1:22 Sign-out time with Graham: _____

System Status Upon Arrival: Running? Yes No

Alarms? Yes No

If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup

Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 7 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 22 psi Right: 6 psi

Back Train Left: 22 psi Right: 6 psi

Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 11/25/24 Personnel: P.O.
~~Sign-in time with Graham: NA~~ ~~Sign-out time with Graham: NA~~

System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 5 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~100 gallons
Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 2 psi Right: 7 psi
Back Train Left: 2 psi Right: 6 psi
Backflush Needed? Yes No

Gallery 1: None 3: 11 + 9
2: 1WB 4: None 1W1

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 12/2/24 Personnel: DG
Sign-in time with Graham: _____ Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 3 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: _____ psi Right: _____ psi
Back Train Left: _____ psi Right: _____ psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 12/9/24 Personnel: P.O.
Sign-in time with Graham: Sign-out time with Graham:
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms:

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes:

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes:

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes:

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 1 (Notify ETEC when 4 bags are remaining)

Notes:

IDW Tank:

Tank Level: ~100 gallons

Notes:

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 23 psi Right: 5 psi
Back Train Left: 23 psi Right: 5 psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 12/16/24 Personnel: OG/GS
Sign-in time with Graham: _____ Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 18 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: 160 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 26 psi Right: 2 psi
Back Train Left: 26 psi Right: 2 psi
Backflush Needed? Yes No

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 12/23 Personnel: C. Cisneros
Sign-in time with Graham: ✓ Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No
Alarms? Yes No
If Yes, list alarms: _____

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No
Mixing Tank Level Sensors Cleaned Yes No
Number of CarbStrate bags remaining: 16 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: -100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 30 psi Right: 2 psi
Back Train Left: 30 psi Right: 2 psi
Backflush Needed? Yes No

Handwritten note: IW-20 pressure @ 20 PSI

BSC Weekly O&M Form – Lockbox Code: 1257

Date: 12/30/24 Personnel: G. Cisneros
Sign-in time with Graham: _____ Sign-out time with Graham: _____
System Status Upon Arrival: Running? Yes No

Alarms? Yes No - Reset alarm on 12/26/24

If Yes, list alarms: Yes Ejection pump low pressure
Transfer Reset on 12/26/24

System Notes

Strainer 1: Pre- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 2: Post- Carbon Filters (Circle):

IRB Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

Strainer 3: Internal Strainer (Circle):

CarbStrate Buildup: Clean Noticeable Buildup Excessive Buildup
Strainer Condition: Okay Noticeable damage or tears

Notes: _____

CarbStrate & CarbStrate Mixer:

Two – 50 lb bags of CarbStrate Added Yes No

Mixing Tank Level Sensors Cleaned Yes No

Number of CarbStrate bags remaining: 14 (Notify ETEC when 4 bags are remaining)

Notes: _____

IDW Tank:

Tank Level: ~100 gallons

Notes: _____

Carbon Vessel Pressure Gauge Readings (while transfer pump is running):

Front Train Left: 26 psi Fight: 4 psi

Back Train Left: 26 psi Fight: 4 psi

Backflush Needed? Yes No

2024 Totalizer Readings

BSC Totalizer Readings

	Injection Wells	Total: 3/4/24	Total: 3/11/24	Total: 3/18/24
	IW2	161,791.20	102,945.6	163,799.0
	IW4	76,994.60	77,612.7	78,978.0*
	IW18	192,740.30	193,529.2	194,120.4
	IW10	260,877.50	261,566.7	262,214.9
	IW6	289,577.70	291,152.1	292,317.7
	IW8	217,766.50	219,288.2	220,380.0
	IW11	333,280.10	334,267.1	334,929.0
	IW9	187,912.10	188,821.6	189,418.7
	IW21	233,447.40	233,667.9	233,695.3
	IW14	423,450.90	424,157.0	424,589.5
	IW12	232,998.20	234,173.7	234,902.7
	IW22	292,073.90	292,946.2	293,478.9
	IW1	135,527.20	136,344.0	136,885.0
	Extraction Wells			
→	16e	101.80	101.7	101.7
	7e	4,630.30	4751.4	4831.5
→	5e	71,248.90	71248.9	71248.9
	13e	88,753.50	92782.6	95590.6
→	23e	9,833.90	9833.8	9833.8
	3e	287,336.60	293151.6	297057.4
	Pressure Notes:			

BSC Totalizer Readings				
Injection Wells	Date: 3/25/24	Date: 4/1/24	Date: 5/13/24	Date: 5/20/24
IW2	164963.8	166135.8	11	168803.5
IW4	78691.9	79179.3	81140.1	81391.1
IW18	194859.6	195545.7	11	196702.2
IW10	262954.6	263578.5	11	264569.5
IW6	293965.4	295591.3	11	299333.0
IW8	221763.2	223138.4	11	226260.1
IW11	335890.9	336846.3	341365.2	342126.7
IW9	190287.8	191157.6	200029.9	202293.5
IW21	233867.2	233935.7	236520.5	237018.2
IW14	425261.4	425889.5	11	427455.8
IW12	236081.4	237161.0	11	239564.6
IW22	294296.4	295067.4	11	296776.0
IW1	137754.6	138602.1	146375.7	148206.2
Extraction Wells				
16e	101.7	101.7	11	11
7e	4941.3	5035.0	5686.4	5868.9
5e	71248.9	71248.9	11	11
13e	99670.7	103664.0	129747.3	133623.9
23e	9833.8	9833.8	11	11
3e	302503.6	307817.5	11	11
Pressure Notes:				

BSC Totalizer Readings				
Injection Wells	Date: 4/15/24	Date: 4/22/24	Date: 4/29/24	Date: 5/6/24
IW2	167619.9	168803.5	168803.5	
IW4	79546.4	80184.3	80554.9	80885.6
IW18	196148.9	196702.1	196702.1	
IW10	264161.7	264569.5	264569.5	
IW6	297687.9	299333.0	299333.0	
IW8	224,008.7	226260.0	226260.1	
IW11	338,044.6	339007.2	339822.7	340599.1
IW9	192,203.7	193035.8	195416.7	197772.2
IW21	234205.8	234647.4	235301.9	235958.7
IW14	426,688.0	427455.7	427455.8	
IW12	238527.9	239564.6	239564.6	
IW22	296,007.7	296766.0	296766.0	
IW1	139546.8	140281.5	142285.4	144336.4
Extraction Wells				
16e	101.7	101.7	101.7	
7e	5055.1	5128.6	5289.8	5486.5
5e	71248.9	71248.9	71248.9	
13e	110825.3	117315.9	121581.8	125730.7
23e	9833.0	9833.8	9833.8	
3e	308871.1	308871.1	308871.1	
Pressure Notes:	only IW-4,11,9+1 on as of 4/22/24 only IW-9+11 show some pressure during injection <W psi okay			

BSC Totalizer Readings				
Injection Wells	Date: 5/29/24	Date: 6/5/24	Date: 6/10/24	Date: 6/17/24
IW2				
IW4	81392.8	82120.4	83239.9	84187.2
IW18				
IW10				
IW6				
IW8				
IW11	342523.2	34360.9	343686.8	344926.0
IW9	203306.7	204500.7	206619.8	208691.4
IW21	237239.7	237726.9	238627.2	2394183
IW14				
IW12				
IW22				
IW1	148947.5	149748.1	151212.8	152639.0
Extraction Wells				
16e				
7e	5938.9	5990.8	6137.9	6268.6
5e				
13e	135250.0	137698.4	142013.1	145903.4
23e				
3e				
Pressure Notes:				

BSC Totalizer Readings				
Injection Wells	Date: 6/24/24	Date: 7/1/24	Date: 7/8/24	Date: 7/15/24
IW2	168803.5			
IW4	85242.9	86170.0	87068.5	87670.1
IW18	196702.1			
IW10	264579.5			
IW6	299333.0			
IW8	226260.0			
IW11	346342.3	347785.7	349254.2	350658.3
IW9	209681.8	21229.8	212794.9	214304.7
IW21	240299.0	241149.2	241855.7	242312.9
IW14	427455.8			
IW12	239564.6			
IW22	296766.0			296766.0
IW1	154202.9	155667.9	157182.5	158627.3
Extraction Wells				
16e				
7e	6421.6	6579.1	6736.8	6894.0
5e	—			
13e	150249.2	154355.0	158471.6	160803.0
23e	—			
3e	—		308871.3	310825.9
Pressure Notes:				

BSC Totalizer Readings				
Injection Wells	Date: 7/22/24	Date: 7/29/24	Date: 8/5/24	Date: 8/12/24
IW2				
IW4	88097.3	91320.3	94244.9	96799.3
IW18				
IW10				
IW6	299333.0	301349.1	303797.6	306094.9
IW8				
IW11	352124.0	353043.0	354359.8	355775.5
IW9	215924.1	216983.9	218546.0	220145.7
IW21	242534.2	242674.9	242825.2	243403.3
IW14				
IW12				
IW22				
IW1	160068.0	160999.6	162399.7	163855.0
Extraction Wells				
16e				
7e	7046.2	7159.5	7340.0	7570.0
5e				
13e	162513.5	166262.7	170525.7	174330.0
23e				
3e	313495.5	317486.4	322343.4	327170.0
Pressure Notes:				

* See O&M sheet from 7/22 for details

BSC Totalizer Readings				
Injection Wells	Date: 8/19/24	Date: 8/26/24	Date: 9/3/24	Date: 9/9/24
IW2				
IW4	98787.1	100549.2	102271.5	163509.0
IW18				
IW10				
IW6	308311.8	310680.6	312946.3	314507.5
IW8				
IW11	357160.2	358551.2	359748.2	360605.4
IW9	221714.9	223381.9	224961.3	226156.7
IW21	244073.3	244538.7	244785.8	244972.3
IW14				
IW12				
IW22				
IW1	165318.0	166858.9	168193.9	169119.5
Extraction Wells				
16e				
7e	7822.0	8139.7	8445.7	8675.6
5e				
13e	177714.4	181054.3	187080.4	186386.8*
23e				
3e	331866.6	336448.4	340700.5	343882.7
Pressure Notes:				

BSC Totalizer Readings

Injection Wells	Date: 9/16/24	Date: 9/26/24	Date: 9/30/24	Date:
IW2	168,803.5			
IW4 ✓	104,588.5	106,305.1	107,206.5	
IW18	196,702.1			
IW10	126,456.9.5			
IW6 ✓	316,154.8	318,580.7	319,883.4	
IW8	122,626.0.2			
IW11 ✓	361,415.6	362,696.7	363,354.5	
IW9 ✓	227,338.1	229,109.8	230,157.3	
IW21 ✓	245,142.3	245,429.8	245,564.0	
IW14	427,455.8			
IW12	239,564.6			
IW22	296,766.0			
IW1 ✓	170,066.5	171,585.2	172,388.3	
Extraction Wells				
16e	101.7			
7e	88,533.3	91,360.0	92,261.1	
5e	712,404.89			
13e	189,135.9	193,652.0	196,124.5	
23e	98,333.8			
3e	346,496.6	350,379.6	352,404.5	
Pressure Notes:				

BSC Totalizer Readings				
Injection Wells	Date: 10/7/24	Date: 10/14/24	Date: 10/21/24	Date: 10/28/24
IW2				
IW4	108438.1	109450.6	110533.2	111534.8
IW18				
IW10				
IW6	322073.9	324191.6	326293.7	328256.7
IW8				
IW11	364547.0	365630.1	366706.4	367719.0
IW9	231994.4	233801.7	235639.2	237350.1
IW21	245849.9	246026.6	246169.2	246285.7
IW14				
IW12				
IW22				
IW1	173908.8	175349.8	176761.0	178095.7
Extraction Wells				
16e				
7e	9412.5	9617.4	9736.1	9809.3
5e				
13e	199984.2	203510.9	207194.7	211317.1
23e				
3e	356243.3	360036.0	363965.9	367179.7
Pressure Notes:				

BSC Totalizer Readings				
Injection Wells	Date: 11/4/24	Date: 11/11/24	Date: 11/18/24	Date: 11/25/24
IW2	—	—	—	—
IW4	111853.9	111985.2	112064.3	112073.7
IW18	—	—	—	—
IW10	—	—	—	—
IW6	328896.3	329966.0	331776.7	333307.4
IW8	—	—	—	—
IW11	368015.2	368539.8	369371.8	370108.8
IW9	237898.9	238674.5	239989.5	241138.0
IW21	—	246294.6	246294.6	246292.1
IW14	—	—	—	—
IW12	—	—	—	—
IW22	—	—	—	—
IW1	178530.0	179255.0	180393.1	181299.1
Extraction Wells				
16e	—	—	—	—
7e	9808.4	9800.1	9822.0	9860.9
5e	—	—	—	—
13e	212771.5	214835.1	217895.8	220535.8
23e	—	—	—	—
3e	368125.1	369658.5	372224.7	374362.0
Pressure Notes:				

BSC Totalizer Readings				
Injection Wells	Date: 12/10/24	Date: 12/9/24	Date: 12/16/24	Date: 12/23/24
IW2	-	-	-	
IW4	112073.5	113211.7	113631.3	115471.2
IW18	-	-	-	-
IW10	-	-	-	-
IW6	335096.9	336904.6	338370.9	340144.3
IW8	-	-	-	-
IW11	370967.7	371823.5	372512.8	373385.5
IW9	242427.1	243810.5	245018.1	246325.2
IW21	246291.1	247455.8	246283.8	246283.8
IW14	-	-	-	-
IW12	-	-	-	-
IW22	-	-	-	-
IW1	182337.5	183357.3	184265.1	185431.6
Extraction Wells				
16e	-	-	-	
7e	9909.0	9943.4	9994.0	10088.8
5e	-	-	-	
13e	223606.5	227267.4	230185.6	23430.71
23e	-	-	-	
3e	376796.0	379776.1	382019.5	385483.2
Pressure Notes:				

Attachment 2
Laboratory Analytical Report and Data Validation Memorandum

April 2024 Event Laboratory Analytical Reports



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

April 18, 2024

Gabe Cisneros
Floyd & Snider
601 Union Street, Suite 600
Seattle, WA 98101

Re: Analytical Data for Project COB-BSC, Task 4
Laboratory Reference No. 2404-114

Dear Gabe:

Enclosed are the analytical results and associated quality control data for samples submitted on April 9, 2024.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 18, 2024
Samples Submitted: April 9, 2024
Laboratory Reference: 2404-114
Project: COB-BSC, Task 4

Case Narrative

Samples were collected on April 9, 2024 and received by the laboratory on April 9, 2024. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D/SIM

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Vinyl Chloride	72	1.0	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	9.0	1.0	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	3.0	1.0	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	45	1.0	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	94	1.0	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	69	1.0	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	96	78-125				

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Vinyl Chloride	13	4.0	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	4.0	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	4.0	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	590	4.0	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	63	4.0	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	130	4.0	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Vinyl Chloride	ND	0.20	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	3.8	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	99	78-125				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D/SIM

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Vinyl Chloride	0.57	0.20	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	0.28	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	0.33	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	0.35	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Vinyl Chloride	2.2	2.0	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	2.0	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	2.0	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	20	2.0	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	26	2.0	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	410	2.0	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				

Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Vinyl Chloride	15	8.0	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	8.0	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	8.0	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	150	8.0	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	180	8.0	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	710	8.0	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	96	78-125				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D/SIM

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Vinyl Chloride	9.4	0.20	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	0.35	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	5.5	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	4.0	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	2.1	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				

Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Vinyl Chloride (SIM)	0.59	0.40	EPA 8260D/SIM	4-11-24	4-11-24	
1,1-Dichloroethene	ND	4.0	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	4.0	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	23	4.0	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	23	4.0	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	810	4.0	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				

Client ID:	HZ-MW-14D-040924					
Laboratory ID:	04-114-09					
Vinyl Chloride	3.9	0.20	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	0.34	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	0.23	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	26	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	2.9	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	3.8	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D/SIM

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Vinyl Chloride	17	0.20	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	4.0	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	0.59	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				

Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Vinyl Chloride	0.32	0.20	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	5.3	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	0.72	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	1.2	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	99	78-125				

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Vinyl Chloride (SIM)	1.8	1.0	EPA 8260D/SIM	4-11-24	4-11-24	
1,1-Dichloroethene	ND	10	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	10	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	430	10	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	230	10	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	1600	10	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D/SIM

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Vinyl Chloride (SIM)	1.9	1.0	EPA 8260D/SIM	4-11-24	4-11-24	
1,1-Dichloroethene	ND	10	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	10	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	430	10	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	230	10	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	1600	10	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Vinyl Chloride	4.4	0.20	EPA 8260D	4-11-24	4-11-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	15	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	2.9	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	0.36	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**VOLATILE ORGANICS EPA 8260D/SIM
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0411W2					
Vinyl Chloride	ND	0.020	EPA 8260D/SIM	4-11-24	4-11-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
Trichloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-11-24	4-11-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	95	78-125				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB0411W2									
	SB	SBD	SB	SBD	SB	SBD				
Vinyl Chloride	8.77	8.80	10.0	10.0	88	88	71-135	0	20	
1,1-Dichloroethene	10.3	10.2	10.0	10.0	103	102	78-125	1	19	
(trans) 1,2-Dichloroethene	10.5	10.4	10.0	10.0	105	104	80-125	1	17	
(cis) 1,2-Dichloroethene	10.6	10.5	10.0	10.0	106	105	80-129	1	17	
Trichloroethene	10.5	10.6	10.0	10.0	105	106	80-122	1	18	
Tetrachloroethene	10.2	10.4	10.0	10.0	102	104	80-124	2	18	
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>					101	99	75-127			
<i>Toluene-d8</i>					100	100	80-127			
<i>4-Bromofluorobenzene</i>					101	102	78-125			



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Iron	6200	56	EPA 6010D		4-10-24	
Manganese	260	11	EPA 6010D		4-10-24	

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Iron	3300	56	EPA 6010D		4-10-24	
Manganese	2100	11	EPA 6010D		4-10-24	

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Iron	33000	500	EPA 6010D		4-10-24	
Manganese	15000	100	EPA 6010D		4-10-24	

Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Iron	2100	56	EPA 6010D		4-10-24	
Manganese	280	11	EPA 6010D		4-10-24	

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Iron	260	56	EPA 6010D		4-10-24	
Manganese	990	11	EPA 6010D		4-10-24	

Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Iron	6400	56	EPA 6010D		4-10-24	
Manganese	690	11	EPA 6010D		4-10-24	

Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Iron	46000	500	EPA 6010D		4-10-24	
Manganese	5600	100	EPA 6010D		4-10-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Iron	74	56	EPA 6010D		4-10-24	
Manganese	250	11	EPA 6010D		4-10-24	

Client ID:	HZ-MW-14D-040924					
Laboratory ID:	04-114-09					
Iron	440	56	EPA 6010D		4-10-24	
Manganese	440	11	EPA 6010D		4-10-24	

Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Iron	1500	56	EPA 6010D		4-10-24	
Manganese	880	11	EPA 6010D		4-10-24	

Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Iron	430	56	EPA 6010D		4-10-24	
Manganese	740	11	EPA 6010D		4-10-24	

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Iron	4800	56	EPA 6010D		4-10-24	
Manganese	430	11	EPA 6010D		4-10-24	

Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Iron	4800	56	EPA 6010D		4-10-24	
Manganese	430	11	EPA 6010D		4-10-24	

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Iron	14000	56	EPA 6010D		4-10-24	
Manganese	3000	11	EPA 6010D		4-10-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**DISSOLVED METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0410D1					
Iron	ND	56	EPA 6010D		4-10-24	
Manganese	ND	11	EPA 6010D		4-10-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-114-08							
	ORIG	DUP						
Iron	76.5	76.0	NA	NA	NA	NA	1	20
Manganese	254	252	NA	NA	NA	NA	1	20

MATRIX SPIKES

Laboratory ID:	04-114-08									
	MS	MSD	MS	MSD		MS	MSD			
Iron	23400	23300	22200	22200	76.5	105	105	75-125	0	20
Manganese	759	763	556	556	254	91	91	75-125	0	20



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Ammonia	0.11	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Ammonia	1.4	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Ammonia	0.068	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Ammonia	2.2	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	HZ-MW-14D-040924					
Laboratory ID:	04-114-09					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Ammonia	0.19	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Ammonia	0.061	0.053	SM 4500-NH3 D	4-11-24	4-11-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D
QUALITY CONTROL

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0411W1					
Ammonia	ND	0.053	SM 4500-NH3 D	4-11-24	4-11-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-114-01							
	ORIG	DUP						
Ammonia	0.109	0.124	NA	NA	NA	NA	13	27

MATRIX SPIKE								
Laboratory ID:	04-114-01							
	MS	MS		MS				
Ammonia	4.92	5.00	0.109	96	78-118	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0411W1							
	SB	SB		SB				
Ammonia	5.21	5.00	NA	104	85-114	NA	NA	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Orthophosphate	1.8	0.048	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Orthophosphate	0.096	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Orthophosphate	0.031	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Orthophosphate	0.030	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Orthophosphate	0.033	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Orthophosphate	0.057	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Orthophosphate	0.92	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Orthophosphate	ND	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	HZ-MW-14D-040924					
Laboratory ID:	04-114-09					
Orthophosphate	0.024	0.012	EPA 365.1	4-10-24	4-10-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Orthophosphate	0.31	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Orthophosphate	0.050	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Orthophosphate	ND	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Orthophosphate	0.015	0.012	EPA 365.1	4-10-24	4-10-24	

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Orthophosphate	0.36	0.012	EPA 365.1	4-10-24	4-10-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0410W1					
Orthophosphate	ND	0.012	EPA 365.1	4-10-24	4-10-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-114-01							
	ORIG	DUP						
Orthophosphate	1.79	1.78	NA	NA	NA	1	22	

MATRIX SPIKE								
Laboratory ID:	04-114-01							
	MS	MS		MS				
Orthophosphate	2.68	1.00	1.79	89	60-125	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0410W1							
	SB	SB		SB				
Orthophosphate	0.238	0.250	NA	95	81-110	NA	NA	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Sulfate	13	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Sulfate	21	10	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Sulfate	ND	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Sulfate	31	10	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Sulfate	22	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Sulfate	17	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Sulfate	21	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Sulfate	24	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	HZ-MW-14D-040924					
Laboratory ID:	04-114-09					
Sulfate	7.8	5.0	ASTM D516-11	4-12-24	4-12-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Sulfate	21	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Sulfate	32	10	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Sulfate	21	10	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Sulfate	22	5.0	ASTM D516-11	4-12-24	4-12-24	

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Sulfate	ND	5.0	ASTM D516-11	4-12-24	4-12-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**SULFATE
 ASTM D516-11
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0412W1					
Sulfate	ND	5.0	ASTM D516-11	4-12-24	4-12-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-114-01							
	ORIG	DUP						
Sulfate	12.5	12.3	NA	NA	NA	2	10	

MATRIX SPIKE								
Laboratory ID:	04-114-01							
	MS	MS		MS				
Sulfate	20.8	10.0	12.5	83	73-127	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0412W1							
	SB	SB		SB				
Sulfate	9.15	10.0	NA	92	85-114	NA	NA	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Nitrate	ND	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Nitrate	0.069	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Nitrate	0.052	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Nitrate	0.055	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Nitrate	0.087	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Nitrate	0.065	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Nitrate	0.11	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Nitrate	0.25	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	HZ-MW-14D-040924					
Laboratory ID:	04-114-09					
Nitrate	ND	0.050	EPA 353.2	4-10-24	4-10-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Nitrate	ND	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Nitrate	ND	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Nitrate	0.050	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Nitrate	0.064	0.050	EPA 353.2	4-10-24	4-10-24	

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Nitrate	0.14	0.050	EPA 353.2	4-10-24	4-10-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

NITRATE (as Nitrogen)
EPA 353.2
QUALITY CONTROL

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0410W1					
Nitrate	ND	0.050	EPA 353.2	4-10-24	4-10-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-114-01							
	ORIG	DUP						
Nitrate	ND	ND	NA	NA	NA	NA	19	

MATRIX SPIKE								
Laboratory ID:	04-114-01							
	MS	MS		MS				
Nitrate	2.09	2.00	ND	105	85-121	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0410W1							
	SB	SB		SB				
Nitrate	2.07	2.00	NA	104	87-118	NA	NA	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Methane	3000	28	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	14	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	89	50-150				

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Methane	6100	55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	109	50-150				

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Methane	3500	28	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	87	50-150				

Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Methane	26	0.55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	130	50-150				

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Methane	2500	28	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	136	50-150				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Methane	8900	83	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	107	50-150				

Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Methane	6500	55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	2.3	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	99	50-150				

Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Methane	5600	55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	122	50-150				

Client ID:	HZ-MW-14D-040924					
Laboratory ID:	04-114-09					
Methane	200	3.3	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	115	50-150				

Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Methane	1100	8.3	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	2.4	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	112	50-150				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Methane	390	3.3	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	110	50-150				

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Methane	5600	55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	85	50-150				

Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Methane	6600	55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	92	50-150				

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Methane	7300	55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	119	50-150				



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**DISSOLVED GASES
 RSK 175
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0412W1					
Methane	ND	0.55	RSK 175	4-12-24	4-12-24	
Ethane	ND	0.56	RSK 175	4-12-24	4-12-24	
Ethene	ND	0.58	RSK 175	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>127</i>	<i>50-150</i>				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK										
Laboratory ID:	SB0412W1									
	SB	SBD	SB	SBD	SB	SBD				
Methane	47.3	49.0	44.2	44.2	107	111	75-125	4	25	
Ethane	90.0	93.5	83.2	83.2	108	112	75-125	4	25	
Ethene	84.5	90.2	77.7	77.7	109	116	75-125	7	25	
<i>Surrogate:</i>										
<i>1-Butene</i>					<i>111</i>	<i>118</i>	<i>50-150</i>			



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**TOTAL ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-20R-040924					
Laboratory ID:	04-114-01					
Total Organic Carbon	4.8	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-4R-040924					
Laboratory ID:	04-114-02					
Total Organic Carbon	3.2	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-45R-040924					
Laboratory ID:	04-114-03					
Total Organic Carbon	310	10	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-34-040924					
Laboratory ID:	04-114-04					
Total Organic Carbon	2.8	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-21R-040924					
Laboratory ID:	04-114-05					
Total Organic Carbon	2.5	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	HZ-MW-14S-040924					
Laboratory ID:	04-114-06					
Total Organic Carbon	2.8	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-6-040924					
Laboratory ID:	04-114-07					
Total Organic Carbon	13	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-5R-040924					
Laboratory ID:	04-114-08					
Total Organic Carbon	1.7	1.0	SM 5310B	4-16-24	4-16-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**TOTAL ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-040924					
Laboratory ID:	04-114-10					
Total Organic Carbon	4.0	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	HZ-MW-15S-040924					
Laboratory ID:	04-114-11					
Total Organic Carbon	3.5	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-7-040924					
Laboratory ID:	04-114-12					
Total Organic Carbon	2.9	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-107-040924					
Laboratory ID:	04-114-13					
Total Organic Carbon	3.0	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-12-040924					
Laboratory ID:	04-114-14					
Total Organic Carbon	7.5	1.0	SM 5310B	4-16-24	4-16-24	



Date of Report: April 18, 2024
 Samples Submitted: April 9, 2024
 Laboratory Reference: 2404-114
 Project: COB-BSC, Task 4

**TOTAL ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0416W1					
Total Organic Carbon	ND	1.0	SM 5310B	4-16-24	4-16-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-114-01							
	ORIG	DUP						
Total Organic Carbon	4.81	5.00	NA	NA	NA	NA	4	13

MATRIX SPIKE

Laboratory ID:	04-114-01							
	MS	MS		MS				
Total Organic Carbon	14.8	10.0	4.81	100	86-127	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0416W1							
	SB	SB		SB				
Total Organic Carbon	11.3	10.0	NA	113	90-122	NA	NA	





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
 - X2 - Sample extract treated with a silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





OnSite Environmental Inc.

Analytical Laboratory Testing Services
 14648 NE 95th Street • Redmond, WA 98052
 Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Turnaround Request (in working days)

(Check One)

- Same Day 1 Day
 2 Days 3 Days
 Standard (7 Days)

(other) _____

Laboratory Number: 04-114

Number of Containers	NWTPH-HCID	NWTPH-Gx/BTEX	NWTPH-Gx	NWTPH-Dx (<input type="checkbox"/> Acid / SG Clean-up)	Volatiles 8260D (HVOCS) <i>* 50% 15%</i>	Halogenated Volatiles 8260D	EDB EPA 8011 (Waters Only)	Semivolatiles 8270E/SIM (with low-level PAHs)	PAHs 8270E/SIM (low-level)	PCBs 8082A	Organochlorine Pesticides 8081B	Organophosphorus Pesticides 8270E/SIM	Chlorinated Acid Herbicides 8151A	Total HCRA Metals <i>DISS FE + MN</i>	Total MTCA Metals	TCLP Metals	HEM (oil and grease) 1664A	Ammonia	OP/SO4/NO3	MEE RSK 175	TOC	% Moisture	
9					X									X					X	X	X	X	
9					X									X					X	X	X	X	
9					X									X					X	X	X	X	
9					X									X					X	X	X	X	
9					X									X					X	X	X	X	
9					X									X					X	X	X	X	
9					X									X					X	X	X	X	
9					X									X					X	X	X	X	

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Company	Date	Time	Comments/Special Instructions
1	MW-20R-040924	4/9/24	0926	GW	FLOYD SNIDER	4/9/24	1554	EMAIL RESULTS TO: LABDATA@FLOYDSNIDER.COM * - PCE, TCE, 1,1-DCP, cis/trans-1,2-DCP, VC.
2	MW-4R-040924		0955	GW				
3	MW-45R-040924		1055	GW				
4	MW-34-040924		1110	GW				
5	MW-21R-040924		1135	GW				
6	HZ-MW-14S-040924		1208	GW				
7	MW-6-040924		1240	GW				
8	MW-5E-040924		1305	GW				
9	HZ-MW-14D-040924		1329	GW				
10	MW-11-040924		1415	GW				
	Signature							
Relinquished					FLOYD SNIDER	4/9/24	1554	EMAIL RESULTS TO: LABDATA@FLOYDSNIDER.COM
Received					Speake Allen	4/9/24	1556	
Relinquished					Speake Allen	4/9/24	4:10	
Received					OSRE	4/9/24	1618	
Relinquished								
Received								
Relinquished								
Received								
Relinquished								
Reviewed/Date								

Standard Level III Level IV
 Chromatograms with final report Electronic Data Deliverables (EDDs)



OnSite Environmental Inc.
 Analytical Laboratory Testing Services
 14648 NE 95th Street • Redmond, WA 98052
 Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Laboratory Number: **04-114**

Turnaround Request
(in working days)

(Check One)

- Same Day 1 Day
 2 Days 3 Days
 Standard (7 Days)

_____ (other)

Number of Containers

NWTPH-HCID	
NWTPH-Gx/BTEX	
NWTPH-Gx	
NWTPH-Dx (<input type="checkbox"/> Acid / SG Clean-up)	
Volatiles 8260D	
Halogenated Volatiles 8260D ^{4/9/24 1517}	X
EDB EPA 8011 (Waters Only)	
Semivolatiles 8270E/SIM (with low-level PAHs)	
PAHs 8270E/SIM (low-level)	
PCBs 8082A	
Organochlorine Pesticides 8081B	
Organophosphorus Pesticides 8270E/SIM	
Chlorinated Acid Herbicides 8151A	
Total RCRA Metals DISS FE + MN	X
Total MTCA Metals	
TCLP Metals	
HEM (oil and grease) 1664A	
AMMONIA	X
OP/SO4/NO3	X
MEE RSK 175	X
TOL	X
% Moisture	

Date Sampled Time Sampled Matrix

11	4/9/24	1437	GW	9
12		1456	GW	9
13		1500	GW	9
14		1520	GW	9



Lab ID	Sample Identification		Date		Time	Matrix	Number of Containers																		
11	HZ-MW-15S-040924		4/9/24	1437	GW	9	NWTPH-HCID																		
12	MW-7-040924			1456	GW	9	NWTPH-Gx/BTEX																		
13	MW-107-040924			1500	GW	9	NWTPH-Gx																		
14	MW-12-040924			1520	GW	9	NWTPH-Dx (<input type="checkbox"/> Acid / SG Clean-up)																		
							Volatiles 8260D																		
							Halogenated Volatiles 8260D																		
							EDB EPA 8011 (Waters Only)																		
							Semivolatiles 8270E/SIM (with low-level PAHs)																		
							PAHs 8270E/SIM (low-level)																		
							PCBs 8082A																		
							Organochlorine Pesticides 8081B																		
							Organophosphorus Pesticides 8270E/SIM																		
							Chlorinated Acid Herbicides 8151A																		
							Total RCRA Metals																		
							Total MTCA Metals																		
							TCLP Metals																		
							HEM (oil and grease) 1664A																		
							AMMONIA																		
							OP/SO4/NO3																		
							MEE RSK 175																		
							TOL																		
							% Moisture																		

Signature	Company	Date	Time	Comments/Special Instructions
<i>[Signature]</i>	CI OYI SNIDER	4/9/24	1554	EMAIL RESULTS TO: LABDATA@CI OYI SNIDER.COM
<i>[Signature]</i>	<i>[Signature]</i>	4/9/24	1556	
<i>[Signature]</i>	<i>[Signature]</i>	4/9/24	1558	
<i>[Signature]</i>	<i>[Signature]</i>	4/9/24	1618	
Received				Data Package: Standard <input type="checkbox"/> Level III <input type="checkbox"/> Level IV <input type="checkbox"/>
Reviewed/Date				Chromatograms with final report <input type="checkbox"/> Electronic Data Deliverables (EDDs) <input type="checkbox"/>



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

April 19, 2024

Gabe Cisneros
Floyd & Snider
601 Union Street, Suite 600
Seattle, WA 98101

Re: Analytical Data for Project COB-BSC Task 4
Laboratory Reference No. 2404-147

Dear Gabe:

Enclosed are the analytical results and associated quality control data for samples submitted on April 10, 2024.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



Date of Report: April 19, 2024
Samples Submitted: April 10, 2024
Laboratory Reference: 2404-147
Project: COB-BSC Task 4

Case Narrative

Samples were collected on April 10, 2024 and received by the laboratory on April 10, 2024. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Vinyl Chloride (SIM)	0.84	0.80	EPA 8260D/SIM	4-12-24	4-12-24	
1,1-Dichloroethene	ND	8.0	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	8.0	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	260	8.0	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	220	8.0	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	1500	8.0	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Vinyl Chloride	ND	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	2.0	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	0.22	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	18	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	95	78-125				

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Vinyl Chloride (SIM)	ND	0.20	EPA 8260D/SIM	4-12-24	4-12-24	
1,1-Dichloroethene	ND	2.0	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	2.0	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	13	2.0	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	6.6	2.0	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	360	2.0	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	99	78-125				



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Vinyl Chloride	ND	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	100	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Vinyl Chloride	21	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	0.63	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	44	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	1.0	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	0.76	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	99	78-125				

Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Vinyl Chloride	10	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	0.22	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	29	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Vinyl Chloride	0.92	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	7.2	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	1.5	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	0.53	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	99	78-125				

Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Vinyl Chloride	0.26	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	9.0	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	1.3	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	1.0	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	100	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	100	78-125				

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Vinyl Chloride	1.6	0.40	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.40	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.40	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	10	0.40	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	3.5	0.40	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	85	0.40	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Vinyl Chloride	1.7	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	14	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	3.9	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	6.1	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				

Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Vinyl Chloride	0.60	0.20	EPA 8260D	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	0.62	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	100	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**VOLATILE ORGANICS EPA 8260D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0412W2					
Vinyl Chloride (SIM)	ND	0.020	EPA 8260D/SIM	4-12-24	4-12-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
Trichloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-12-24	4-12-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	75-127				
<i>Toluene-d8</i>	100	80-127				
<i>4-Bromofluorobenzene</i>	99	78-125				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB0412W2									
	SB	SBD	SB	SBD	SB	SBD				
Vinyl Chloride	9.36	8.95	10.0	10.0	94	90	71-135	4	20	
1,1-Dichloroethene	11.0	10.6	10.0	10.0	110	106	78-125	4	19	
(trans) 1,2-Dichloroethene	11.1	10.8	10.0	10.0	111	108	80-125	3	17	
(cis) 1,2-Dichloroethene	11.2	11.0	10.0	10.0	112	110	80-129	2	17	
Trichloroethene	11.1	11.1	10.0	10.0	111	111	80-122	0	18	
Tetrachloroethene	11.0	10.7	10.0	10.0	110	107	80-124	3	18	
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>					99	100	75-127			
<i>Toluene-d8</i>					101	102	80-127			
<i>4-Bromofluorobenzene</i>					102	101	78-125			



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Iron	160	56	EPA 6010D		4-12-24	
Manganese	200	11	EPA 6010D		4-12-24	

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Iron	ND	56	EPA 6010D		4-12-24	
Manganese	63	11	EPA 6010D		4-12-24	

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Iron	ND	56	EPA 6010D		4-12-24	
Manganese	170	11	EPA 6010D		4-12-24	

Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Iron	3000	56	EPA 6010D		4-12-24	
Manganese	3100	11	EPA 6010D		4-12-24	

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Iron	24000	56	EPA 6010D		4-12-24	
Manganese	5900	11	EPA 6010D		4-12-24	

Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Iron	13000	56	EPA 6010D		4-12-24	
Manganese	2900	11	EPA 6010D		4-12-24	

Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Iron	2100	56	EPA 6010D		4-12-24	
Manganese	730	11	EPA 6010D		4-12-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Iron	9900	56	EPA 6010D		4-12-24	
Manganese	5200	11	EPA 6010D		4-12-24	

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Iron	1400	56	EPA 6010D		4-12-24	
Manganese	2400	11	EPA 6010D		4-12-24	

Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Iron	2200	56	EPA 6010D		4-12-24	
Manganese	1800	11	EPA 6010D		4-12-24	

Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Iron	16000	56	EPA 6010D		4-12-24	
Manganese	350	11	EPA 6010D		4-12-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**DISSOLVED METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0412D1					
Iron	ND	56	EPA 6010D		4-12-24	
Manganese	ND	11	EPA 6010D		4-12-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-147-01							
	ORIG	DUP						
Iron	164	163	NA	NA	NA	NA	1	20
Manganese	198	202	NA	NA	NA	NA	2	20

MATRIX SPIKES

Laboratory ID:	04-147-01									
	MS	MSD	MS	MSD		MS	MSD			
Iron	22500	22400	22200	22200	164	101	100	75-125	1	20
Manganese	720	713	556	556	198	94	93	75-125	1	20



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**AMMONIA (as Nitrogen)
 SM 4500-NH₃ D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Ammonia	6.6	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Ammonia	0.059	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Ammonia	0.40	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Ammonia	0.48	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Ammonia	0.054	0.053	SM 4500-NH3 D	4-19-24	4-19-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Ammonia	11	0.053	SM 4500-NH3 D	4-19-24	4-19-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D
QUALITY CONTROL

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0419W1					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Ammonia	ND	ND	NA	NA	NA	NA	27	

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Ammonia	4.73	5.00	ND	95	78-118	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0419W1							
	SB	SB		SB				
Ammonia	4.67	5.00	NA	93	85-114	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Orthophosphate	0.020	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Orthophosphate	0.045	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Orthophosphate	0.026	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Orthophosphate	1.5	0.048	EPA 365.1	4-11-24	4-11-24	

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Orthophosphate	0.21	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Orthophosphate	1.00	0.024	EPA 365.1	4-11-24	4-11-24	

Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Orthophosphate	0.20	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Orthophosphate	0.076	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Orthophosphate	0.11	0.012	EPA 365.1	4-11-24	4-11-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

TOTAL ORTHOPHOSPHATE
EPA 365.1

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Orthophosphate	0.12	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Orthophosphate	4.2	0.12	EPA 365.1	4-11-24	4-11-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0411W1					
Orthophosphate	ND	0.012	EPA 365.1	4-11-24	4-11-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Orthophosphate	0.0204	0.0216	NA	NA	NA	NA	6	22

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Orthophosphate	0.263	0.250	0.0204	97	60-125	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0411W1							
	SB	SB		SB				
Orthophosphate	0.230	0.250	NA	92	81-110	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Sulfate	15	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Sulfate	22	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Sulfate	22	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Sulfate	430	250	ASTM D516-11	4-17-24	4-17-24	

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Sulfate	ND	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Sulfate	30	10	ASTM D516-11	4-17-24	4-17-24	

Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Sulfate	23	10	ASTM D516-11	4-17-24	4-17-24	

Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Sulfate	13	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Sulfate	21	10	ASTM D516-11	4-17-24	4-17-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Sulfate	33	10	ASTM D516-11	4-17-24	4-17-24	

Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Sulfate	ND	5.0	ASTM D516-11	4-17-24	4-17-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**SULFATE
 ASTM D516-11
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0417W1					
Sulfate	ND	5.0	ASTM D516-11	4-17-24	4-17-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Sulfate	14.5	14.5	NA	NA	NA	0	10	

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Sulfate	33.5	20.0	14.5	95	73-127	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0417W1							
	SB	SB		SB				
Sulfate	8.93	10.0	NA	89	85-114	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Nitrate	0.26	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Nitrate	0.41	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Nitrate	0.052	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Nitrate	0.11	0.050	EPA 353.2	4-11-24	4-11-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Nitrate	0.79	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Nitrate	0.19	0.050	EPA 353.2	4-11-24	4-11-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

NITRATE (as Nitrogen)
EPA 353.2
QUALITY CONTROL

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0411W1					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Nitrate	ND	ND	NA	NA	NA	NA	19	

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Nitrate	2.07	2.00	ND	104	85-121	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0411W1							
	SB	SB		SB				
Nitrate	1.97	2.00	NA	99	87-118	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Methane	7400	55	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	72	50-150				

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Methane	65	0.55	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	86	50-150				

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Methane	410	3.3	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	80	50-150				

Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Methane	230	2.2	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	82	50-150				

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Methane	7300	55	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	1.3	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	71	50-150				



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Methane	12000	83	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	91	50-150				

Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Methane	150	1.1	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	93	50-150				

Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Methane	3200	28	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	92	50-150				

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Methane	15000	83	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	93	50-150				

Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Methane	2400	28	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	96	50-150				



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

DISSOLVED GASES
RSK 175

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Methane	6700	55	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	98	50-150				



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**DISSOLVED GASES
 RSK 175
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0416W1					
Methane	ND	0.55	RSK 175	4-16-24	4-16-24	
Ethane	ND	0.56	RSK 175	4-16-24	4-16-24	
Ethene	ND	0.58	RSK 175	4-16-24	4-16-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	97	50-150				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK										
Laboratory ID:	SB0416W1									
	SB	SBD	SB	SBD	SB	SBD				
Methane	44.0	47.3	44.2	44.2	100	107	75-125	7	25	
Ethane	81.1	86.5	83.2	83.2	98	104	75-125	6	25	
Ethene	73.7	78.1	77.7	77.7	95	101	75-125	6	25	
<i>Surrogate:</i>										
<i>1-Butene</i>					92	97	50-150			



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**TOTAL ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-041024					
Laboratory ID:	04-147-01					
Total Organic Carbon	1.6	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	HZ-MW-26-041024					
Laboratory ID:	04-147-02					
Total Organic Carbon	1.6	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	S-MW-5R-041024					
Laboratory ID:	04-147-03					
Total Organic Carbon	1.0	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	S-MW-2RR-041024					
Laboratory ID:	04-147-04					
Total Organic Carbon	1.1	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	HZ-MW-1-041024					
Laboratory ID:	04-147-05					
Total Organic Carbon	2.7	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	HZ-MW-29-041024					
Laboratory ID:	04-147-06					
Total Organic Carbon	7.7	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	HZ-MW-34-041024					
Laboratory ID:	04-147-07					
Total Organic Carbon	1.8	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	HZ-MW-24-041024					
Laboratory ID:	04-147-08					
Total Organic Carbon	1.9	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	S-MW-3RR-041024					
Laboratory ID:	04-147-09					
Total Organic Carbon	11	1.0	SM 5310B	4-15-24	4-15-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**TOTAL ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-041024					
Laboratory ID:	04-147-10					
Total Organic Carbon	3.9	1.0	SM 5310B	4-15-24	4-15-24	

Client ID:	MW-42-041024					
Laboratory ID:	04-147-11					
Total Organic Carbon	4.3	1.0	SM 5310B	4-15-24	4-15-24	



Date of Report: April 19, 2024
 Samples Submitted: April 10, 2024
 Laboratory Reference: 2404-147
 Project: COB-BSC Task 4

**TOTAL ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0415W1					
Total Organic Carbon	ND	1.0	SM 5310B	4-15-24	4-15-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-077-01							
	ORIG	DUP						
Total Organic Carbon	1.57	1.58	NA	NA	NA	NA	1	13

MATRIX SPIKE

Laboratory ID:	04-077-01							
	MS	MS		MS				
Total Organic Carbon	14.0	10.0	1.57	124	86-127	NA	NA	

SPIKE BLANK

Laboratory ID:	SB0415W1							
	SB	SB		SB				
Total Organic Carbon	12.1	10.0	NA	121	90-122	NA	NA	





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
 - X2 - Sample extract treated with a silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





onsite Environmental Inc.

Analytical Laboratory Testing Services
 14648 NE 95th Street • Redmond, WA 98052
 Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Company: **Floyd Snider**
 Project Number: **C03-BSC Task4**
 Project Name: **Bethell Service Center**
 Project Manager: **Gabe Cisneros**
 Sampled by: **DG, GS, HB**

Lab ID Sample Identification

Lab ID	Sample Identification
1	HZ-MW-15D-041024
2	HZ-MW-26-041024
3	S-MW5R-041024
4	S-MW-2RR-041024
5	HZ-MW-1-041024
6	HZ-MW-29-041024
7	HZ-MW-34-041024
8	HZ-MW-24-041024
9	S-MW-3RR-041024
10	MW-43R-041024

Turnaround Request (in working days)
 (Check One)
 Same Day 1 Day
 2 Days 3 Days
 Standard (7 Days)
 Date Sampled: **4/10/24** Time Sampled: **08:55** Matrix: **GW**
 _____ (other)

Date Sampled Time Sampled Matrix

Lab ID	Date Sampled	Time Sampled	Matrix
1	4/10/24	08:55	GW
2		09:30	GW
3		10:25	GW
4		11:00	GW
5		11:15	GW
6		13:10	GW
7		13:55	GW
8		15:00	GW
9		15:55	GW
10		16:20	GW

Number of Containers

Lab ID	Number of Containers
1	9
2	9
3	9
4	9
5	9
6	9
7	9
8	9
9	9
10	9

Lab ID	NWTPH-HCID	NWTPH-Gx/BTEX	NWTPH-Gx	NWTPH-Dx (<input type="checkbox"/> Acid / SG Clean-up)	Volatiles 8260D	Halogenated Volatiles 8260D (HVOCs)	EDB EPA 8011 (Waters Only)	Semivolatiles 8270E/SIM (with low-level PAHs)	PAHs 8270E/SIM (low-level)	PCBs 8082A	Organochlorine Pesticides 8081B	Organophosphorus Pesticides 8270E/SIM	Chlorinated Acid Herbicides 8151A	Total PCRA Metals Diss Fe+Mn	Total MTCA Metals	TCLP Metals	HEM (oil and grease) 1664A	Ammonia	OP/SO4/NO3	MEE RSK 175	TOC	% Moisture
1						X								X					X	X	X	X
2						X								X					X	X	X	X
3						X								X					X	X	X	X
4						X								X					X	X	X	X
5						X								X					X	X	X	X
6						X								X					X	X	X	X
7						X								X					X	X	X	X
8						X								X					X	X	X	X
9						X								X					X	X	X	X
10						X								X					X	X	X	X

Laboratory Number: **04-147**

Relinquished Signature: *[Signature]* Date: **4/10/24** Time: **5:51**

Company: **Floyd Snider** Date: **4/10/24** Time: **1757**

Comments/Special Instructions:
 Email results to:
 labdata@floyd-snider.com
 * PCE, TCE, 1,1-DCE, C13-1, 2-DCE,
 + trans-1,2-DCE + Vinyl Chloride

Relinquished	Received	Relinquished	Received	Relinquished	Received
<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>	<i>[Signature]</i>
Reviewed/Date			Reviewed/Date		

Data Package: Standard Level III Level IV
 Chromatograms with final report Electronic Data Deliverables (EDDs)



Onsite Environmental Inc.
 Analytical Laboratory/ Testing Services
 14648 NE 95th Street • Redmond, WA 98052
 Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Company: <u>Floyd Snider</u> Project Number: <u>CO3-BSC Task 4</u> Project Name: <u>Bothell Service Center</u> Project Manager: <u>Gabe Cisneros</u> Sampled by: <u>DG, GS, HB</u>		Turnaround Request (in working days) (Check One) <input type="checkbox"/> Same Day <input type="checkbox"/> 1 Day <input type="checkbox"/> 2 Days <input type="checkbox"/> 3 Days <input checked="" type="checkbox"/> Standard (7 Days)			
Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers
<u>11</u>	<u>MW-42-041024</u>	<u>4/10/24</u>	<u>16:15</u>	<u>GW</u>	<u>9</u>
Laboratory Number: 04-147					
NWTPH-HCID NWTPH-Gx/BTEX NWTPH-Gx NWTPH-Dx (<input type="checkbox"/> Acid / SG Clean-up) Volatiles 8260D Halogenated Volatiles 8260D (HVOCS) <input checked="" type="checkbox"/>					
EDB EPA 8011 (Waters Only) Semivolatiles 8270E/SIM (with low-level PAHs) PAHs 8270E/SIM (low-level) PCBs 8082A Organochlorine Pesticides 8081B Organophosphorus Pesticides 8270E/SIM Chlorinated Acid Herbicides 8151A Total BCRA Metals <u>Diss Fe+Mn</u> <input checked="" type="checkbox"/>					
Total MTCA Metals TCLP Metals HEM (oil and grease) 1664A Ammonia <input checked="" type="checkbox"/> OP/SO4/NO3 <input checked="" type="checkbox"/> MEE RSK 175 <input checked="" type="checkbox"/> TOC <input checked="" type="checkbox"/> % Moisture					
Signature		Company		Date	Time
		<u>Floyd Snider</u>		<u>4/10/24</u>	<u>5:51</u>
Comments/Special Instructions <u>Email results to: labdata@floyd-snider.com</u> <u>*PCE, TCE, 1,1,1-DCE, cis-1,2-DCE, trans-1,2-DCE + Vinyl Chloride</u>					
Received		Received		Reviewed/Date	
Relinquished		Relinquished		Reviewed/Date	
Received		Received		Reviewed/Date	
Relinquished		Relinquished		Reviewed/Date	
Received		Received		Reviewed/Date	
Relinquished		Relinquished		Reviewed/Date	
Received		Received		Reviewed/Date	
Relinquished		Relinquished		Reviewed/Date	
Received		Received		Reviewed/Date	
Relinquished		Relinquished		Reviewed/Date	

Data Package: Standard Level III Level IV
 Chromatograms with final report Electronic Data Deliverables (EDDs)

Sample/Cooler Receipt and Acceptance Checklist

Client: FLS

Client Project Name/Number: LOB-BSC Task 4

OnSite Project Number: 04-147

Initiated by: QMV

Date Initiated: 4/10/24

1.0 Cooler Verification

1.1 Were there custody seals on the outside of the cooler?	Yes	<input type="radio"/> No	N/A	1 2 3 4	
1.2 Were the custody seals intact?	Yes	No	<input type="radio"/> N/A	1 2 3 4	
1.3 Were the custody seals signed and dated by last custodian?	Yes	No	<input type="radio"/> N/A	1 2 3 4	
1.4 Were the samples delivered on ice or blue ice?	<input type="radio"/> Yes	No	N/A	1 2 3 4	
1.5 Were samples received between 0-6 degrees Celsius?	<input type="radio"/> Yes	No	N/A	Temperature:	<u>5, 4</u>
1.6 Have shipping bills (if any) been attached to the back of this form?	Yes	<input type="radio"/> N/A			
1.7 How were the samples delivered?	<input type="radio"/> Client	<input type="radio"/> Courier	<input type="radio"/> UPS/FedEx	<input type="radio"/> OSE Pickup	<input type="radio"/> Other

2.0 Chain of Custody Verification

2.1 Was a Chain of Custody submitted with the samples?	<input type="radio"/> Yes	No		1 2 3 4	
2.2 Was the COC legible and written in permanent ink?	<input type="radio"/> Yes	No		1 2 3 4	
2.3 Have samples been relinquished and accepted by each custodian?	<input type="radio"/> Yes	No		1 2 3 4	
2.4 Did the sample labels (ID, date, time, preservative) agree with COC?	<input type="radio"/> Yes	No		1 2 3 4	
2.5 Were all of the samples listed on the COC submitted?	<input type="radio"/> Yes	No		1 2 3 4	
2.6 Were any of the samples submitted omitted from the COC?	Yes	<input type="radio"/> No		1 2 3 4	

3.0 Sample Verification

3.1 Were any sample containers broken or compromised?	Yes	<input type="radio"/> No		1 2 3 4	
3.2 Were any sample labels missing or illegible?	Yes	<input type="radio"/> No		1 2 3 4	
3.3 Have the correct containers been used for each analysis requested?	<input type="radio"/> Yes	No		1 2 3 4	
3.4 Have the samples been correctly preserved?	<input type="radio"/> Yes	No	N/A	1 2 3 4	
3.5 Are volatiles samples free from headspace and bubbles greater than 6mm?	Yes	<input type="radio"/> No	N/A	1 2 3 4	
3.6 Is there sufficient sample submitted to perform requested analyses?	<input type="radio"/> Yes	No		1 2 3 4	
3.7 Have any holding times already expired or will expire in 24 hours?	Yes	<input type="radio"/> No		1 2 3 4	
3.8 Was method 5035A used?	Yes	No	<input type="radio"/> N/A	1 2 3 4	
3.9 If 5035A was used, which sampling option was used (#1, 2, or 3).	#		<input type="radio"/> N/A	1 2 3 4	

Explain any discrepancies:

3.5) #9) (vial w/bubble

1 - Discuss issue in Case Narrative

3 - Client contacted to discuss problem

2 - Process Sample As-is

4 - Sample cannot be analyzed or client does not wish to proceed



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

April 19, 2024

Gabe Cisneros
Floyd & Snider
601 Union Street, Suite 600
Seattle, WA 98101

Re: Analytical Data for Project COB-BSC, Task 4
Laboratory Reference No. 2404-161

Dear Gabe:

Enclosed are the analytical results and associated quality control data for samples submitted on April 11, 2024.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: April 19, 2024
Samples Submitted: April 11, 2024
Laboratory Reference: 2404-161
Project: COB-BSC, Task 4

Case Narrative

Samples were collected on April 11, 2024 and received by the laboratory on April 11, 2024. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	EFF-041124					
Laboratory ID:	04-161-01					
Vinyl Chloride	ND	0.20	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	100	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				

Client ID:	BKTH1-041124					
Laboratory ID:	04-161-02					
Vinyl Chloride	1.7	0.20	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	0.70	0.20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	1.6	0.20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	103	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	99	78-125				

Client ID:	BKTH2-041124					
Laboratory ID:	04-161-03					
Vinyl Chloride	5.7	0.40	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	ND	0.40	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	0.40	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	23	0.40	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	1.8	0.40	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	33	0.40	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	105	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	97	78-125				



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	INF-041124					
Laboratory ID:	04-161-04					
Vinyl Chloride	6.5	1.0	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	ND	1.0	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	1.0	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	90	1.0	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	7.1	1.0	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	140	1.0	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>104</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>101</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>78-125</i>				

Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Vinyl Chloride	ND	0.20	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>100</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>101</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>78-125</i>				

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Vinyl Chloride	ND	0.20	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	2.6	0.20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	1.6	0.20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	29	0.20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>103</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>101</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>78-125</i>				



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Vinyl Chloride	ND	0.20	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	0.24	0.20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>103</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>102</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>98</i>	<i>78-125</i>				
Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Vinyl Chloride (SIM)	ND	0.20	EPA 8260D/SIM	4-15-24	4-15-24	
1,1-Dichloroethene	ND	2.0	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	2.0	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	ND	2.0	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	56	2.0	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	220	2.0	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>101</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>100</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>97</i>	<i>78-125</i>				
Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Vinyl Chloride	130	20	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	88	20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	450	20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	3700	20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	1900	20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>103</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>102</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>98</i>	<i>78-125</i>				



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Vinyl Chloride	110	20	EPA 8260D	4-15-24	4-15-24	
1,1-Dichloroethene	80	20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	400	20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	3400	20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	1700	20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>103</i>	<i>75-127</i>				
<i>Toluene-d8</i>	<i>102</i>	<i>80-127</i>				
<i>4-Bromofluorobenzene</i>	<i>96</i>	<i>78-125</i>				



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**VOLATILE ORGANICS EPA 8260D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0415W2					
Vinyl Chloride (SIM)	ND	0.020	EPA 8260D/SIM	4-15-24	4-15-24	
1,1-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Trichloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
Tetrachloroethene	ND	0.20	EPA 8260D	4-15-24	4-15-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	75-127				
<i>Toluene-d8</i>	101	80-127				
<i>4-Bromofluorobenzene</i>	98	78-125				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB0415W2									
	SB	SBD	SB	SBD	SB	SBD				
Vinyl Chloride	10.8	10.3	10.0	10.0	108	103	71-135	5	20	
1,1-Dichloroethene	10.8	10.3	10.0	10.0	108	103	78-125	5	19	
(trans) 1,2-Dichloroethene	10.6	10.3	10.0	10.0	106	103	80-125	3	17	
(cis) 1,2-Dichloroethene	10.7	10.3	10.0	10.0	107	103	80-129	4	17	
Trichloroethene	10.4	9.91	10.0	10.0	104	99	80-122	5	18	
Tetrachloroethene	10.0	9.63	10.0	10.0	100	96	80-124	4	18	
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>					100	101	75-127			
<i>Toluene-d8</i>					101	100	80-127			
<i>4-Bromofluorobenzene</i>					103	103	78-125			



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Iron	ND	56	EPA 6010D		4-16-24	
Manganese	65	11	EPA 6010D		4-16-24	

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Iron	140	56	EPA 6010D		4-16-24	
Manganese	1200	11	EPA 6010D		4-16-24	

Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Iron	ND	56	EPA 6010D		4-16-24	
Manganese	180	11	EPA 6010D		4-16-24	

Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Iron	7700	56	EPA 6010D		4-16-24	
Manganese	130	11	EPA 6010D		4-16-24	

Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Iron	24000	56	EPA 6010D		4-16-24	
Manganese	370	11	EPA 6010D		4-16-24	

Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Iron	23000	56	EPA 6010D		4-16-24	
Manganese	360	11	EPA 6010D		4-16-24	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**DISSOLVED METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0416D1					
Iron	ND	56	EPA 6010D		4-16-24	
Manganese	ND	11	EPA 6010D		4-16-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	05-161-05							
	ORIG	DUP						
Iron	ND	ND	NA	NA	NA	NA	20	
Manganese	64.9	64.9	NA	NA	NA	0	20	

MATRIX SPIKES

Laboratory ID:	04-147-01									
	MS	MSD	MS	MSD		MS	MSD			
Iron	22000	22000	22200	22200	ND	99	99	75-125	0	20
Manganese	554	547	556	556	64.9	88	87	75-125	1	20



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Ammonia	0.60	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Ammonia	0.71	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Ammonia	0.68	0.053	SM 4500-NH3 D	4-19-24	4-19-24	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D
QUALITY CONTROL

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0419W1					
Ammonia	ND	0.053	SM 4500-NH3 D	4-19-24	4-19-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Ammonia	ND	ND	NA	NA	NA	NA	27	

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Ammonia	4.73	5.00	ND	95	78-118	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0419W1							
	SB	SB		SB				
Ammonia	4.67	5.00	NA	93	85-114	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Orthophosphate	ND	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Orthophosphate	ND	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Orthophosphate	ND	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Orthophosphate	0.17	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Orthophosphate	0.27	0.012	EPA 365.1	4-11-24	4-11-24	

Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Orthophosphate	0.27	0.012	EPA 365.1	4-11-24	4-11-24	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0411W1					
Orthophosphate	ND	0.012	EPA 365.1	4-11-24	4-11-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Orthophosphate	0.0204	0.0216	NA	NA	NA	NA	6	22

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Orthophosphate	0.263	0.250	0.0204	97	60-125	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0411W1							
	SB	SB		SB				
Orthophosphate	0.230	0.250	NA	92	81-110	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Sulfate	10	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Sulfate	32	10	ASTM D516-11	4-17-24	4-17-24	

Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Sulfate	9.8	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Sulfate	15	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Sulfate	ND	5.0	ASTM D516-11	4-17-24	4-17-24	

Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Sulfate	ND	5.0	ASTM D516-11	4-17-24	4-17-24	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**SULFATE
 ASTM D516-11
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0417W1					
Sulfate	ND	5.0	ASTM D516-11	4-17-24	4-17-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Sulfate	14.5	14.5	NA	NA	NA	0	10	

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Sulfate	33.5	20.0	14.5	95	73-127	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0417W1							
	SB	SB		SB				
Sulfate	8.93	10.0	NA	89	85-114	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Nitrate	0.28	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Nitrate	0.90	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Nitrate	3.7	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Nitrate	0.11	0.050	EPA 353.2	4-11-24	4-11-24	

Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Nitrate	0.078	0.050	EPA 353.2	4-11-24	4-11-24	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

NITRATE (as Nitrogen)
EPA 353.2
QUALITY CONTROL

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0411W1					
Nitrate	ND	0.050	EPA 353.2	4-11-24	4-11-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-147-01							
	ORIG	DUP						
Nitrate	ND	ND	NA	NA	NA	NA	19	

MATRIX SPIKE								
Laboratory ID:	04-147-01							
	MS	MS		MS				
Nitrate	2.07	2.00	ND	104	85-121	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0411W1							
	SB	SB		SB				
Nitrate	1.97	2.00	NA	99	87-118	NA	NA	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Methane	200	2.2	RSK 175	4-18-24	4-18-24	
Ethane	ND	0.56	RSK 175	4-18-24	4-18-24	
Ethene	ND	0.58	RSK 175	4-18-24	4-18-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	104	50-150				

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Methane	1200	8.3	RSK 175	4-18-24	4-18-24	
Ethane	ND	0.56	RSK 175	4-18-24	4-18-24	
Ethene	ND	0.58	RSK 175	4-18-24	4-18-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	139	50-150				

Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Methane	110	0.55	RSK 175	4-18-24	4-18-24	
Ethane	ND	0.56	RSK 175	4-18-24	4-18-24	
Ethene	ND	0.58	RSK 175	4-18-24	4-18-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	93	50-150				

Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Methane	330	2.2	RSK 175	4-18-24	4-18-24	
Ethane	ND	0.56	RSK 175	4-18-24	4-18-24	
Ethene	ND	0.58	RSK 175	4-18-24	4-18-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	119	50-150				

Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Methane	210	2.2	RSK 175	4-18-24	4-18-24	
Ethane	ND	0.56	RSK 175	4-18-24	4-18-24	
Ethene	42	0.58	RSK 175	4-18-24	4-18-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	130	50-150				



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

DISSOLVED GASES
RSK 175

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Methane	260	2.2	RSK 175	4-18-24	4-18-24	
Ethane	0.56	0.56	RSK 175	4-18-24	4-18-24	
Ethene	49	0.58	RSK 175	4-18-24	4-18-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	124	50-150				



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**DISSOLVED GASES
 RSK 175
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0418W1					
Methane	ND	0.55	RSK 175	4-18-24	4-18-24	
Ethane	ND	0.56	RSK 175	4-18-24	4-18-24	
Ethene	ND	0.58	RSK 175	4-18-24	4-18-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>127</i>	<i>50-150</i>				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK										
Laboratory ID:	SB0418W1									
	SB	SBD	SB	SBD	SB	SBD				
Methane	48.6	47.4	44.2	44.2	110	107	75-125	3	25	
Ethane	91.1	88.2	83.2	83.2	109	106	75-125	3	25	
Ethene	85.7	80.3	77.7	77.7	110	103	75-125	7	25	
<i>Surrogate:</i>										
<i>1-Butene</i>					<i>110</i>	<i>101</i>	<i>50-150</i>			



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**TOTAL ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-041124					
Laboratory ID:	04-161-05					
Total Organic Carbon	ND	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-27-041124					
Laboratory ID:	04-161-06					
Total Organic Carbon	1.3	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-23-041124					
Laboratory ID:	04-161-07					
Total Organic Carbon	2.0	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-39-041124					
Laboratory ID:	04-161-08					
Total Organic Carbon	5.8	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-40-041124					
Laboratory ID:	04-161-09					
Total Organic Carbon	7.0	1.0	SM 5310B	4-16-24	4-16-24	

Client ID:	MW-140-041124					
Laboratory ID:	04-161-10					
Total Organic Carbon	7.2	1.0	SM 5310B	4-16-24	4-16-24	



Date of Report: April 19, 2024
 Samples Submitted: April 11, 2024
 Laboratory Reference: 2404-161
 Project: COB-BSC, Task 4

**TOTAL ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0416W1					
Total Organic Carbon	ND	1.0	SM 5310B	4-16-24	4-16-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	04-114-01							
	ORIG	DUP						
Total Organic Carbon	4.81	5.00	NA	NA	NA	NA	4	13

MATRIX SPIKE								
Laboratory ID:	04-114-01							
	MS	MS		MS				
Total Organic Carbon	14.8	10.0	4.81	100	86-127	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0416W1							
	SB	SB		SB				
Total Organic Carbon	11.3	10.0	NA	113	90-122	NA	NA	





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
 - X2 - Sample extract treated with a silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference



Sample/Cooler Receipt and Acceptance Checklist

Client: FLS
 Client Project Name/Number: COB-BSC Task 4
 OnSite Project Number: 04-161

Initiated by: MMV
 Date Initiated: 4/11/24

1.0 Cooler Verification

1.1 Were there custody seals on the outside of the cooler?	Yes	<input checked="" type="radio"/> No	N/A	1 2 3 4	
1.2 Were the custody seals intact?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4	
1.3 Were the custody seals signed and dated by last custodian?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4	
1.4 Were the samples delivered on ice or blue ice?	<input checked="" type="radio"/> Yes	No	N/A	1 2 3 4	
1.5 Were samples received between 0-6 degrees Celsius?	<input checked="" type="radio"/> Yes	No	N/A	Temperature:	5
1.6 Have shipping bills (if any) been attached to the back of this form?	Yes	<input checked="" type="radio"/> N/A			
1.7 How were the samples delivered?	Client	<input checked="" type="radio"/> Courier	UPS/FedEx	OSE Pickup	Other

2.0 Chain of Custody Verification

2.1 Was a Chain of Custody submitted with the samples?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.2 Was the COC legible and written in permanent ink?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.3 Have samples been relinquished and accepted by each custodian?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.4 Did the sample labels (ID, date, time, preservative) agree with COC?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.5 Were all of the samples listed on the COC submitted?	<input checked="" type="radio"/> Yes	No		1 2 3 4
2.6 Were any of the samples submitted omitted from the COC?	Yes	<input checked="" type="radio"/> No		1 2 3 4

3.0 Sample Verification

3.1 Were any sample containers broken or compromised?	Yes	<input checked="" type="radio"/> No		1 2 3 4
3.2 Were any sample labels missing or illegible?	Yes	<input checked="" type="radio"/> No		1 2 3 4
3.3 Have the correct containers been used for each analysis requested?	<input checked="" type="radio"/> Yes	No		1 2 3 4
3.4 Have the samples been correctly preserved?	<input checked="" type="radio"/> Yes	No	N/A	1 2 3 4
3.5 Are volatile samples free from headspace and bubbles greater than 6mm?	<input checked="" type="radio"/> Yes	No	N/A	1 2 3 4
3.6 Is there sufficient sample submitted to perform requested analyses?	<input checked="" type="radio"/> Yes	No		1 2 3 4
3.7 Have any holding times already expired or will expire in 24 hours?	Yes	<input checked="" type="radio"/> No		1 2 3 4
3.8 Was method 5035A used?	Yes	No	<input checked="" type="radio"/> N/A	1 2 3 4
3.9 If 5035A was used, which sampling option was used (#1, 2, or 3).	#		<input checked="" type="radio"/> N/A	1 2 3 4

Explain any discrepancies:

1 - Discuss issue in Case Narrative

3 - Client contacted to discuss problem

2 - Process Sample As-is

4 - Sample cannot be analyzed or client does not wish to proceed

September 2024 Event Laboratory Analytical Reports



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

October 8, 2024

Gabe Cisneros
Floyd & Snider
601 Union Street, Suite 600
Seattle, WA 98101

Re: Analytical Data for Project COB-Service Center (BSC); Task 4
Laboratory Reference No. 2409-288

Dear Gabe:

Enclosed are the analytical results and associated quality control data for samples submitted on September 23, 2024.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: October 8, 2024
Samples Submitted: September 23, 2024
Laboratory Reference: 2409-288
Project: COB-Service Center (BSC); Task 4

Case Narrative

Samples were collected on September 23, 2024 and received by the laboratory on September 23, 2024. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Vinyl Chloride	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	99	78-117				

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Vinyl Chloride	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Vinyl Chloride	ND	2.0	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	2.0	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	17	2.0	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	7.8	2.0	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	350	2.0	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	99	78-117				



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Vinyl Chloride	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	0.32	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	0.56	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	68-133				
<i>Toluene-d8</i>	101	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				
Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Vinyl Chloride	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	3.5	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	0.35	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	32	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	98	78-117				
Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Vinyl Chloride	0.29	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	9.0	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	4.0	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	9.8	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	CEFF-092324					
Laboratory ID:	09-288-07					
Vinyl Chloride	5.3	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	14	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	1.3	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	6.9	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>98</i>	<i>68-133</i>				
<i>Toluene-d8</i>	<i>100</i>	<i>79-123</i>				
<i>4-Bromofluorobenzene</i>	<i>100</i>	<i>78-117</i>				

Client ID:	INF-092324					
Laboratory ID:	09-288-08					
Vinyl Chloride	18	1.0	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	1.0	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	130	1.0	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	18	1.0	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	120	1.0	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>94</i>	<i>68-133</i>				
<i>Toluene-d8</i>	<i>99</i>	<i>79-123</i>				
<i>4-Bromofluorobenzene</i>	<i>100</i>	<i>78-117</i>				

Client ID:	BKTH1-092324					
Laboratory ID:	09-288-09					
Vinyl Chloride	10	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	26	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	2.7	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	17	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>98</i>	<i>68-133</i>				
<i>Toluene-d8</i>	<i>100</i>	<i>79-123</i>				
<i>4-Bromofluorobenzene</i>	<i>101</i>	<i>78-117</i>				



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	BKTH2-092324					
Laboratory ID:	09-288-10					
Vinyl Chloride	12	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	39	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	4.5	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	19	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	<i>95</i>	<i>68-133</i>				
<i>Toluene-d8</i>	<i>99</i>	<i>79-123</i>				
<i>4-Bromofluorobenzene</i>	<i>99</i>	<i>78-117</i>				



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**VOLATILE ORGANICS EPA 8260D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0925W1					
Vinyl Chloride	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
Trichloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	92	68-133				
<i>Toluene-d8</i>	98	79-123				
<i>4-Bromofluorobenzene</i>	97	78-117				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB0925W1									
	SB	SBD	SB	SBD	SB	SBD				
Vinyl Chloride	9.13	8.97	10.0	10.0	91	90	67-130	2	15	
(trans) 1,2-Dichloroethene	10.1	10.1	10.0	10.0	101	101	77-125	0	15	
(cis) 1,2-Dichloroethene	10.2	10.5	10.0	10.0	102	105	78-130	3	15	
Trichloroethene	10.7	11.0	10.0	10.0	107	110	80-126	3	15	
Tetrachloroethene	11.1	11.2	10.0	10.0	111	112	80-125	1	15	
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>					95	95	68-133			
<i>Toluene-d8</i>					99	98	79-123			
<i>4-Bromofluorobenzene</i>					98	101	78-117			



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Ammonia	0.29	0.053	SM 4500-NH3 D	10-7-24	10-7-24	

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Ammonia	ND	0.053	SM 4500-NH3 D	10-7-24	10-7-24	

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Ammonia	ND	0.053	SM 4500-NH3 D	10-7-24	10-7-24	

Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Ammonia	6.0	0.053	SM 4500-NH3 D	10-7-24	10-7-24	

Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Ammonia	ND	0.053	SM 4500-NH3 D	10-7-24	10-7-24	

Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Ammonia	ND	0.053	SM 4500-NH3 D	10-7-24	10-7-24	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D
QUALITY CONTROL

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1007W1					
Ammonia	ND	0.053	SM 4500-NH3 D	10-7-24	10-7-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-255-01							
	ORIG	DUP						
Ammonia	0.0726	0.0708	NA	NA	NA	3	15	

MATRIX SPIKE

Laboratory ID:	09-255-01							
	MS	MS		MS				
Ammonia	4.37	5.00	0.0726	86	75-111	NA	NA	

SPIKE BLANK

Laboratory ID:	SB1007W1							
	SB	SB		SB				
Ammonia	4.50	5.00	NA	90	81-110	NA	NA	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORTHOPHOSPHATE
EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Orthophosphate	0.27	0.012	EPA 365.1	09/24/254	9-24-24	

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Orthophosphate	ND	0.012	EPA 365.1	09/24/254	9-24-24	

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Orthophosphate	0.031	0.012	EPA 365.1	09/24/254	9-24-24	

Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Orthophosphate	2.4	0.048	EPA 365.1	09/24/254	9-24-24	

Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Orthophosphate	0.048	0.012	EPA 365.1	09/24/254	9-24-24	

Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Orthophosphate	0.060	0.012	EPA 365.1	09/24/254	9-24-24	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0924W1					
Orthophosphate	ND	0.012	EPA 365.1	09/24/254	9-24-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-288-01							
	ORIG	DUP						
Orthophosphate	0.266	0.265	NA	NA	NA	NA	0	21

MATRIX SPIKE								
Laboratory ID:	09-288-01							
	MS	MS		MS				
Orthophosphate	0.531	0.250	0.266	106	68-121	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0924W1							
	SB	SB		SB				
Orthophosphate	0.274	0.250	NA	110	81-110	NA	NA	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Sulfate	ND	5.0	ASTM D516-11	10-7-24	10-7-24	

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Sulfate	29	10	ASTM D516-11	10-7-24	10-7-24	

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Sulfate	25	5.0	ASTM D516-11	10-7-24	10-7-24	

Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Sulfate	120	50	ASTM D516-11	10-7-24	10-7-24	

Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Sulfate	23	5.0	ASTM D516-11	10-7-24	10-7-24	

Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Sulfate	25	10	ASTM D516-11	10-7-24	10-7-24	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**SULFATE
 ASTM D516-11
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1007W1					
Sulfate	ND	5.0	ASTM D516-11	10-7-24	10-7-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-264-02							
	ORIG	DUP						
Sulfate	10.1	10.2	NA	NA	NA	1	11	

MATRIX SPIKE								
Laboratory ID:	09-264-02							
	MS	MS		MS				
Sulfate	22.3	10.0	10.1	122	69-134	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1007W1							
	SB	SB		SB				
Sulfate	9.36	10.0	NA	94	81-106	NA	NA	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Nitrate	4.5	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Nitrate	0.47	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Nitrate	0.36	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

NITRATE (as Nitrogen)
EPA 353.2
QUALITY CONTROL

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1003W1					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-288-01							
	ORIG	DUP						
Nitrate	ND	ND	NA	NA	NA	NA	22	

MATRIX SPIKE								
Laboratory ID:	09-288-01							
	MS	MS		MS				
Nitrate	2.17	2.00	ND	109	86-119	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1003W1							
	SB	SB		SB				
Nitrate	2.30	2.00	NA	115	85-117	NA	NA	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Methane	300	2.2	RSK 175	9-25-24	9-25-24	
Ethane	ND	0.56	RSK 175	9-25-24	9-25-24	
Ethene	ND	0.58	RSK 175	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	105	50-150				

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Methane	ND	0.55	RSK 175	9-25-24	9-25-24	
Ethane	ND	0.56	RSK 175	9-25-24	9-25-24	
Ethene	ND	0.58	RSK 175	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	100	50-150				

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Methane	560	5.5	RSK 175	9-25-24	9-25-24	
Ethane	ND	0.56	RSK 175	9-25-24	9-25-24	
Ethene	ND	0.58	RSK 175	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	89	50-150				

Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Methane	300	3.3	RSK 175	9-25-24	9-25-24	
Ethane	ND	0.56	RSK 175	9-25-24	9-25-24	
Ethene	ND	0.58	RSK 175	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	107	50-150				

Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Methane	67	0.55	RSK 175	9-25-24	9-25-24	
Ethane	ND	0.56	RSK 175	9-25-24	9-25-24	
Ethene	ND	0.58	RSK 175	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	111	50-150				



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

DISSOLVED GASES
RSK 175

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Methane	520	5.5	RSK 175	9-25-24	9-25-24	
Ethane	ND	0.56	RSK 175	9-25-24	9-25-24	
Ethene	ND	0.58	RSK 175	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	99	50-150				



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED GASES
 RSK 175
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0925W1					
Methane	ND	0.55	RSK 175	9-25-24	9-25-24	
Ethane	ND	0.56	RSK 175	9-25-24	9-25-24	
Ethene	ND	0.58	RSK 175	9-25-24	9-25-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	105	50-150				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK										
Laboratory ID:	SB0925W1									
	SB	SBD	SB	SBD	SB	SBD				
Methane	43.9	38.2	44.2	44.2	99	86	75-125	14	25	
Ethane	82.3	71.9	83.2	83.2	99	86	75-125	13	25	
Ethene	78.8	73.0	77.7	77.7	101	94	75-125	8	25	
<i>Surrogate:</i>										
1-Butene					104	99	50-150			



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Total Organic Carbon	1.7	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Total Organic Carbon	1.7	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Total Organic Carbon	ND	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Total Organic Carbon	2.3	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Total Organic Carbon	ND	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Total Organic Carbon	3.0	1.0	SM 5310B	10-3-24	10-3-24	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1003W1					
Total Organic Carbon	ND	1.0	SM 5310B	10-3-24	10-3-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-288-01							
	ORIG	DUP						
Total Organic Carbon	1.70	1.79	NA	NA	NA	5	11	

MATRIX SPIKE								
Laboratory ID:	09-288-01							
	MS	MS		MS				
Total Organic Carbon	11.6	10.0	1.70	99	85-120	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1003W1							
	SB	SB		SB				
Total Organic Carbon	10.1	10.0	NA	101	79-120	NA	NA	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-29-092324					
Laboratory ID:	09-288-01					
Iron	1200	56	EPA 6010D		10-1-24	
Manganese	95	11	EPA 6010D		10-1-24	

Client ID:	MW-23-092324					
Laboratory ID:	09-288-02					
Iron	ND	56	EPA 6010D		10-1-24	
Manganese	50	11	EPA 6010D		10-1-24	

Client ID:	S-MW-5R-092324					
Laboratory ID:	09-288-03					
Iron	ND	56	EPA 6010D		10-1-24	
Manganese	220	11	EPA 6010D		10-1-24	

Client ID:	S-MW-2RR-092324					
Laboratory ID:	09-288-04					
Iron	2500	56	EPA 6010D		10-1-24	
Manganese	1900	11	EPA 6010D		10-1-24	

Client ID:	HZ-MW-26-092324					
Laboratory ID:	09-288-05					
Iron	ND	56	EPA 6010D		10-1-24	
Manganese	75	11	EPA 6010D		10-1-24	

Client ID:	HZ-MW-15S-092324					
Laboratory ID:	09-288-06					
Iron	310	56	EPA 6010D		10-1-24	
Manganese	690	11	EPA 6010D		10-1-24	



Date of Report: October 8, 2024
 Samples Submitted: September 23, 2024
 Laboratory Reference: 2409-288
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1001D1					
Iron	ND	56	EPA 6010D		10-1-24	
Manganese	ND	11	EPA 6010D		10-1-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-288-05							
	ORIG	DUP						
Iron	ND	ND	NA	NA	NA	NA	NA	20
Manganese	74.9	76.1	NA	NA	NA	NA	2	20

MATRIX SPIKES

Laboratory ID:	09-288-05									
	MS	MSD	MS	MSD		MS	MSD			
Iron	24000	25000	22200	22200	ND	108	113	75-125	4	20
Manganese	612	621	556	556	74.9	97	98	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B - The analyte indicated was also found in the blank sample.
- C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E - The value reported exceeds the quantitation range and is an estimate.
- F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I - Compound recovery is outside of the control limits.
- J - The value reported was below the practical quantitation limit. The value is an estimate.
- K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L - The RPD is outside of the control limits.
- M - Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
- N - Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 - Hydrocarbons in diesel range are impacting lube oil range results.
- O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P - The RPD of the detected concentrations between the two columns is greater than 40.
- Q - Surrogate recovery is outside of the control limits.
- S - Surrogate recovery data is not available due to the necessary dilution of the sample.
- T - The sample chromatogram is not similar to a typical _____.
- U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 - The practical quantitation limit is elevated due to interferences present in the sample.
- V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X - Sample extract treated with a mercury cleanup procedure.
- X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
- X2 - Sample extract treated with a silica gel cleanup procedure.
- Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
- Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
- Z -
- ND - Not Detected at PQL
- PQL - Practical Quantitation Limit
- RPD - Relative Percent Difference





MVA OnSite Environmental Inc.
Analytical Laboratory Testing Services

14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Laboratory Number: **09-288**

Turnaround Request (in working days)

- (Check One)
- Same Day 1 Day
 - 2 Days 3 Days
 - Standard (7 Days)

_____ (other)

Company: Floyd Sander

Project Number: Task 4

Project Name: COB-Service Center (BSC)

Project Manager: Ernie Cisneros

Sampled by: Danille Galtner

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers
1	MW-29-092324	9/23/24	12:00	GW	9
2	MW-23-092324	9/23/24	12:01	GW	9
3	S-MW-5R-092324	9/23/24	13:35	GW	9
4	S-MW-2RR-092324	9/23/24	13:45	GW	9
5	H2-MW-26-092324	9/23/24	13:50	GW	9
6	H2-MW-155-092324	9/23/24	15:10	GW	9
7	CEFF-092324	9/23/24	10:40	GW	3
8	INF-092324	9/23/24	10:45	GW	3
9	BKTH1-092324	9/23/24	10:50	GW	3
16	BKTH2-092324	9/23/24	10:55	GW	3

Signature	Company	Date	Time	Comments/Special Instructions
<i>[Signature]</i>	Floyd Sander	9/23/24	15:57	*Only PCE, TCE, cis-1,2-DCE, trans-1,2-DCE + vinyl chloride send lab results to labdata@floydsander.com
<i>[Signature]</i>	ALPHA	9/23/24	15:57	
<i>[Signature]</i>	ALPHA	9/23/24	16:23	
<i>[Signature]</i>	ORF	9/23/24	16:23	

Data Package: Standard Level III Level IV

Chromatograms with final report Electronic Data Deliverables (EDDs)



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

October 9, 2024

Gabe Cisneros
Floyd & Snider
601 Union Street, Suite 600
Seattle, WA 98101

Re: Analytical Data for Project COB-Service Center (BSC); Task 4
Laboratory Reference No. 2409-301

Dear Gabe:

Enclosed are the analytical results and associated quality control data for samples submitted on September 24, 2024.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



Date of Report: October 9, 2024
Samples Submitted: September 24, 2024
Laboratory Reference: 2409-301
Project: COB-Service Center (BSC); Task 4

Case Narrative

Samples were collected on September 24, 2024 and received by the laboratory on September 24, 2024. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID: HZ-MW-14S-092424						
Laboratory ID: 09-301-01						
Vinyl Chloride	ND	1.0	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	1.0	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	23	1.0	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	40	1.0	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	170	1.0	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate: Percent Recovery Control Limits</i>						
<i>Dibromofluoromethane</i>	99	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	98	78-117				
Client ID: HZ-MW-14D-092424						
Laboratory ID: 09-301-02						
Vinyl Chloride	1.8	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	0.26	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	24	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	3.8	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	2.5	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate: Percent Recovery Control Limits</i>						
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				
Client ID: HZ-MW-1-092424						
Laboratory ID: 09-301-03						
Vinyl Chloride	14	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	0.49	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	24	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	0.52	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	0.43	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate: Percent Recovery Control Limits</i>						
<i>Dibromofluoromethane</i>	97	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	99	78-117				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Vinyl Chloride	8.4	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	22	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				
Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Vinyl Chloride	1.3	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	6.5	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	1.4	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	0.33	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	99	78-117				
Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Vinyl Chloride	0.42	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	14	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	2.8	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	3.6	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	99	78-117				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Vinyl Chloride	ND	8.0	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	8.0	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	380	8.0	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	450	8.0	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	1100	8.0	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	68-133				
<i>Toluene-d8</i>	98	79-123				
<i>4-Bromofluorobenzene</i>	99	78-117				

Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Vinyl Chloride	0.21	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	4.1	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	1.3	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	7.4	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	101	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				

Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Vinyl Chloride	0.37	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	0.25	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	0.28	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	0.25	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	68-133				
<i>Toluene-d8</i>	98	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Vinyl Chloride	19	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	4.4	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	0.59	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	68-133				
<i>Toluene-d8</i>	98	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				

Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Vinyl Chloride	9.4	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	3.0	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	97	78-117				

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Vinyl Chloride	77	1.0	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	2.9	1.0	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	33	1.0	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	88	1.0	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	99	1.0	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Vinyl Chloride	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	92	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	98	78-117				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**VOLATILE ORGANICS EPA 8260D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0926W1					
Vinyl Chloride	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
Trichloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-26-24	9-26-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	95	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB0926W1									
	SB	SBD	SB	SBD	SB	SBD				
Vinyl Chloride	8.82	8.46	10.0	10.0	88	85	67-130	4	15	
(trans) 1,2-Dichloroethene	10.3	9.78	10.0	10.0	103	98	77-125	5	15	
(cis) 1,2-Dichloroethene	10.5	10.1	10.0	10.0	105	101	78-130	4	15	
Trichloroethene	10.9	10.6	10.0	10.0	109	106	80-126	3	15	
Tetrachloroethene	10.9	10.7	10.0	10.0	109	107	80-125	2	15	
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>					96	96	68-133			
<i>Toluene-d8</i>					99	100	79-123			
<i>4-Bromofluorobenzene</i>					101	101	78-117			



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-092424					
Laboratory ID:	09-301-01					
Total Organic Carbon	2.3	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-14D-092424					
Laboratory ID:	09-301-02					
Total Organic Carbon	2.5	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-1-092424					
Laboratory ID:	09-301-03					
Total Organic Carbon	5.9	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Total Organic Carbon	1.6	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Total Organic Carbon	1.4	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Total Organic Carbon	2.7	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Total Organic Carbon	1.4	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Total Organic Carbon	8.7	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Total Organic Carbon	1.9	1.0	SM 5310B	10-3-24	10-3-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORGANIC CARBON
 SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Total Organic Carbon	3.9	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Total Organic Carbon	14	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Total Organic Carbon	4.4	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Total Organic Carbon	ND	1.0	SM 5310B	10-3-24	10-3-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1003W1					
Total Organic Carbon	ND	1.0	SM 5310B	10-3-24	10-3-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-288-01							
	ORIG	DUP						
Total Organic Carbon	1.70	1.79	NA	NA	NA	5	11	

MATRIX SPIKE

Laboratory ID:	09-288-01							
	MS	MS		MS				
Total Organic Carbon	11.6	10.0	1.70	99	85-120	NA	NA	

SPIKE BLANK

Laboratory ID:	SB1003W1							
	SB	SB		SB				
Total Organic Carbon	10.1	10.0	NA	101	79-120	NA	NA	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**AMMONIA (as Nitrogen)
 SM 4500-NH₃ D**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-092424					
Laboratory ID:	09-301-01					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	HZ-MW-14D-092424					
Laboratory ID:	09-301-02					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	HZ-MW-1-092424					
Laboratory ID:	09-301-03					
Ammonia	0.074	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Ammonia	0.28	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Ammonia	0.056	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Ammonia	0.33	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Ammonia	0.20	0.053	SM 4500-NH3 D	10-8-24	10-8-24	

Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Ammonia	0.56	0.053	SM 4500-NH3 D	10-8-24	10-8-24	

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Ammonia	0.17	0.053	SM 4500-NH3 D	10-8-24	10-8-24	

Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

AMMONIA (as Nitrogen)
SM 4500-NH₃ D
QUALITY CONTROL

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1008W1					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-301-01							
	ORIG	DUP						
Ammonia	ND	ND	NA	NA	NA	NA	15	

MATRIX SPIKE								
Laboratory ID:	09-301-01							
	MS	MS		MS				
Ammonia	4.68	5.00	ND	94	75-111	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1008W1							
	SB	SB		SB				
Ammonia	4.59	5.00	NA	92	81-110	NA	NA	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-092424					
Laboratory ID:	09-301-01					
Orthophosphate	0.088	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	HZ-MW-14D-092424					
Laboratory ID:	09-301-02					
Orthophosphate	0.026	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	HZ-MW-1-092424					
Laboratory ID:	09-301-03					
Orthophosphate	0.14	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Orthophosphate	0.94	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Orthophosphate	0.16	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Orthophosphate	0.057	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Orthophosphate	0.018	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Orthophosphate	0.064	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Orthophosphate	0.029	0.012	EPA 365.1	9-25-24	9-25-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Orthophosphate	0.23	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Orthophosphate	0.022	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Orthophosphate	1.2	0.024	EPA 365.1	9-25-24	9-25-24	

Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Orthophosphate	ND	0.012	EPA 365.1	9-25-24	9-25-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**TOTAL ORTHOPHOSPHATE
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0925W1					
Orthophosphate	ND	0.012	EPA 365.1	9-25-24	9-25-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-301-01							
	ORIG	DUP						
Orthophosphate	0.0877	0.0922	NA	NA	NA	NA	5	21

MATRIX SPIKE								
Laboratory ID:	09-301-01							
	MS	MS		MS				
Orthophosphate	0.333	0.250	0.0877	98	68-121	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0925W1							
	SB	SB		SB				
Orthophosphate	0.227	0.250	NA	91	81-110	NA	NA	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-092424					
Laboratory ID:	09-301-01					
Sulfate	13	5.0	ASTM D516-11	10-8-24	10-8-24	

Client ID:	HZ-MW-14D-092424					
Laboratory ID:	09-301-02					
Sulfate	8.7	5.0	ASTM D516-11	10-8-24	10-8-24	

Client ID:	HZ-MW-1-092424					
Laboratory ID:	09-301-03					
Sulfate	ND	5.0	ASTM D516-11	10-8-24	10-8-24	

Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Sulfate	18	10	ASTM D516-11	10-8-24	10-8-24	

Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Sulfate	27	10	ASTM D516-11	10-8-24	10-8-24	

Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Sulfate	30	10	ASTM D516-11	10-8-24	10-8-24	

Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Sulfate	11	5.0	ASTM D516-11	10-8-24	10-8-24	

Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Sulfate	40	10	ASTM D516-11	10-8-24	10-8-24	

Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Sulfate	31	10	ASTM D516-11	10-8-24	10-8-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Sulfate	28	10	ASTM D516-11	10-8-24	10-8-24	

Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Sulfate	ND	5.0	ASTM D516-11	10-8-24	10-8-24	

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Sulfate	18	5.0	ASTM D516-11	10-8-24	10-8-24	

Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Sulfate	6.9	5.0	ASTM D516-11	10-8-24	10-8-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**SULFATE
 ASTM D516-11
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1008W1					
Sulfate	ND	5.0	ASTM D516-11	10-8-24	10-8-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-301-02							
	ORIG	DUP						
Sulfate	8.66	7.93	NA	NA	NA	9	11	

MATRIX SPIKE								
Laboratory ID:	09-301-02							
	MS	MS		MS				
Sulfate	16.0	10.0	8.66	73	69-134	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1008W1							
	SB	SB		SB				
Sulfate	8.72	10.0	NA	87	81-106	NA	NA	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**NITRATE (as Nitrogen)
 EPA 353.2**

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-092424					
Laboratory ID:	09-301-01					
Nitrate	0.12	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-14D-092424					
Laboratory ID:	09-301-02					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-1-092424					
Laboratory ID:	09-301-03					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Nitrate	0.30	0.050	EPA 353.2	10-3-24	10-3-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

NITRATE (as Nitrogen)
EPA 353.2
QUALITY CONTROL

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1003W1					
Nitrate	ND	0.050	EPA 353.2	10-3-24	10-3-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-288-01							
	ORIG	DUP						
Nitrate	ND	ND	NA	NA	NA	NA	22	

MATRIX SPIKE								
Laboratory ID:	09-288-01							
	MS	MS		MS				
Nitrate	2.17	2.00	ND	109	86-119	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1003W1							
	SB	SB		SB				
Nitrate	2.30	2.00	NA	115	85-117	NA	NA	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-092424					
Laboratory ID:	09-301-01					
Methane	270	3.3	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	104	50-150				

Client ID:	HZ-MW-14D-092424					
Laboratory ID:	09-301-02					
Methane	210	2.2	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	91	50-150				

Client ID:	HZ-MW-1-092424					
Laboratory ID:	09-301-03					
Methane	3200	55	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	0.89	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	72	50-150				

Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Methane	1500	17	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	115	50-150				

Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Methane	180	2.2	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	120	50-150				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Methane	210	2.2	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	95	50-150				

Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Methane	4800	55	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	92	50-150				

Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Methane	590	5.5	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	97	50-150				

Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Methane	44	0.55	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	107	50-150				

Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Methane	2000	17	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	1.1	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	113	50-150				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Methane	6500	55	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>77</i>	<i>50-150</i>				

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Methane	2800	28	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	20	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>104</i>	<i>50-150</i>				

Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Methane	370	3.3	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>108</i>	<i>50-150</i>				



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED GASES
 RSK 175
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0927W1					
Methane	ND	0.55	RSK 175	9-27-24	9-27-24	
Ethane	ND	0.56	RSK 175	9-27-24	9-27-24	
Ethene	ND	0.58	RSK 175	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>103</i>	<i>50-150</i>				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK										
Laboratory ID:	SB0927W1									
	SB	SBD	SB	SBD	SB	SBD				
Methane	42.7	43.0	44.2	44.2	97	97	75-125	1	25	
Ethane	80.2	80.6	83.2	83.2	96	97	75-125	0	25	
Ethene	78.1	78.2	77.7	77.7	101	101	75-125	0	25	
<i>Surrogate:</i>										
<i>1-Butene</i>					<i>112</i>	<i>109</i>	<i>50-150</i>			



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-14S-092424					
Laboratory ID:	09-301-01					
Iron	4600	56	EPA 6010D		10-1-24	
Manganese	870	11	EPA 6010D		10-1-24	
Client ID:	HZ-MW-14D-092424					
Laboratory ID:	09-301-02					
Iron	720	56	EPA 6010D		10-1-24	
Manganese	810	11	EPA 6010D		10-1-24	
Client ID:	HZ-MW-1-092424					
Laboratory ID:	09-301-03					
Iron	16000	56	EPA 6010D		10-1-24	
Manganese	5800	11	EPA 6010D		10-1-24	
Client ID:	HZ-MW-29-092424					
Laboratory ID:	09-301-04					
Iron	8400	56	EPA 6010D		10-1-24	
Manganese	2100	11	EPA 6010D		10-1-24	
Client ID:	HZ-MW-34-092424					
Laboratory ID:	09-301-05					
Iron	1900	56	EPA 6010D		10-1-24	
Manganese	590	11	EPA 6010D		10-1-24	
Client ID:	HZ-MW-24-092424					
Laboratory ID:	09-301-06					
Iron	10000	56	EPA 6010D		10-1-24	
Manganese	4400	11	EPA 6010D		10-1-24	
Client ID:	HZ-MW-15D-092424					
Laboratory ID:	09-301-07					
Iron	200	56	EPA 6010D		10-1-24	
Manganese	290	11	EPA 6010D		10-1-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-21R-092424					
Laboratory ID:	09-301-08					
Iron	2200	56	EPA 6010D		10-1-24	
Manganese	2600	11	EPA 6010D		10-1-24	

Client ID:	MW-34-092424					
Laboratory ID:	09-301-09					
Iron	2100	56	EPA 6010D		10-1-24	
Manganese	320	11	EPA 6010D		10-1-24	

Client ID:	MW-11-092424					
Laboratory ID:	09-301-10					
Iron	2000	56	EPA 6010D		10-1-24	
Manganese	1300	11	EPA 6010D		10-1-24	

Client ID:	MW-45R-092424					
Laboratory ID:	09-301-11					
Iron	32000	250	EPA 6010D		10-1-24	
Manganese	8400	50	EPA 6010D		10-1-24	

Client ID:	MW-20R-092424					
Laboratory ID:	09-301-12					
Iron	6200	56	EPA 6010D		10-1-24	
Manganese	260	11	EPA 6010D		10-1-24	

Client ID:	HZ-MW-33R-092424					
Laboratory ID:	09-301-13					
Iron	3900	56	EPA 6010D		10-1-24	
Manganese	1400	11	EPA 6010D		10-1-24	



Date of Report: October 9, 2024
 Samples Submitted: September 24, 2024
 Laboratory Reference: 2409-301
 Project: COB-Service Center (BSC); Task 4

**DISSOLVED METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1001D1					
Iron	ND	56	EPA 6010D		10-1-24	
Manganese	ND	11	EPA 6010D		10-1-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-288-05							
	ORIG	DUP						
Iron	ND	ND	NA	NA	NA	NA	20	
Manganese	74.9	76.1	NA	NA	NA	2	20	

MATRIX SPIKES

Laboratory ID:	09-288-05									
	MS	MSD	MS	MSD	MS	MSD				
Iron	24000	25000	22200	22200	ND	108	113	75-125	4	20
Manganese	612	621	556	556	74.9	97	98	75-125	2	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
 - X2 - Sample extract treated with a silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

October 10, 2024

Gabe Cisneros
Floyd & Snider
601 Union Street, Suite 600
Seattle, WA 98101

Re: Analytical Data for Project Task 4; COB-Service Center
Laboratory Reference No. 2409-322

Dear Gabe:

Enclosed are the analytical results and associated quality control data for samples submitted on September 25, 2024.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: October 10, 2024
Samples Submitted: September 25, 2024
Laboratory Reference: 2409-322
Project: Task 4; COB-Service Center

Case Narrative

Samples were collected on September 25, 2024 and received by the laboratory on September 25, 2024. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Nitrate (as Nitrogen) EPA 353.2 Analysis

The reported Nitrate results are a calculated value based on the subtraction of Nitrite from the Nitrate plus Nitrite result. The Nitrite analysis, which has a 48-hour holding time, was performed within the holding time. Immediately after this analysis, an aliquot from each sample was preserved with concentrated sulfuric acid and stored at 4 degrees C. The preserved samples were then analyzed within the maximum 28-day holding time for the Nitrate plus Nitrite analysis.

Any other QA/QC issues associated with this extraction and analysis will be indicated with a footnote reference and discussed in detail on the Data Qualifier page.



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Vinyl Chloride	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	2.4	0.20	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	99	78-117				
Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Vinyl Chloride	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	2.1	0.20	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	2.9	0.20	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	33	0.20	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				
Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Vinyl Chloride	0.29	0.20	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	13	0.20	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	4.0	0.20	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	48	0.20	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Vinyl Chloride	42	0.80	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	0.88	0.80	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	150	0.80	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	1.9	0.80	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	1.9	0.80	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				

Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Vinyl Chloride	7.0	0.20	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	0.86	0.20	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				

Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Vinyl Chloride	16	0.80	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.80	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	130	0.80	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	1.3	0.80	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	ND	0.80	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Vinyl Chloride	18	0.80	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.80	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	130	0.80	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	2.8	0.80	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	2.2	0.80	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				

Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Vinyl Chloride	90	4.0	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	4.0	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	520	4.0	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	37	4.0	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	27	4.0	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	97	68-133				
<i>Toluene-d8</i>	98	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				

Client ID:	Trip Blank-092524					
Laboratory ID:	09-322-09					
Vinyl Chloride	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	101	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**VOLATILE ORGANICS EPA 8260D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0927W1					
Vinyl Chloride	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
Trichloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
Tetrachloroethene	ND	0.20	EPA 8260D	9-27-24	9-27-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	68-133				
<i>Toluene-d8</i>	98	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
	SB	SBD	SB	SBD	SB	SBD				
SPIKE BLANKS										
Laboratory ID:	SB0927W1									
Vinyl Chloride	10.9	10.6	10.0	10.0	109	106	67-130	3	15	
(trans) 1,2-Dichloroethene	10.5	10.4	10.0	10.0	105	104	77-125	1	15	
(cis) 1,2-Dichloroethene	10.7	10.4	10.0	10.0	107	104	78-130	3	15	
Trichloroethene	11.0	10.9	10.0	10.0	110	109	80-126	1	15	
Tetrachloroethene	11.0	11.1	10.0	10.0	110	111	80-125	1	15	
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>					96	94	68-133			
<i>Toluene-d8</i>					100	99	79-123			
<i>4-Bromofluorobenzene</i>					103	100	78-117			



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

CHLORIDE
SM 4500-Cl E

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Chloride	3.3	2.0	SM 4500-Cl E	10-2-24	10-2-24	

Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Chloride	7.3	2.0	SM 4500-Cl E	10-2-24	10-2-24	

Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Chloride	4.3	2.0	SM 4500-Cl E	10-2-24	10-2-24	

Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Chloride	4.8	2.0	SM 4500-Cl E	10-2-24	10-2-24	

Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Chloride	5.2	2.0	SM 4500-Cl E	10-2-24	10-2-24	

Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Chloride	7.5	2.0	SM 4500-Cl E	10-2-24	10-2-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**CHLORIDE
 SM 4500-Cl E
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1002W1					
Chloride	ND	2.0	SM 4500-Cl E	10-2-24	10-2-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-322-03							
	ORIG	DUP						
Chloride	3.26	3.29	NA	NA	NA	1	21	

MATRIX SPIKE								
Laboratory ID:	09-322-03							
	MS	MS		MS				
Chloride	60.6	50.0	3.26	115	81-115	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1002W1							
	SB	SB		SB				
Chloride	54.2	50.0	NA	108	77-115	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**TOTAL ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Total Organic Carbon	1.5	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Total Organic Carbon	1.2	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Total Organic Carbon	2.1	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Total Organic Carbon	59	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Total Organic Carbon	9.4	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Total Organic Carbon	28	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Total Organic Carbon	28	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Total Organic Carbon	4.0	1.0	SM 5310B	10-3-24	10-3-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**TOTAL ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1003W2					
Total Organic Carbon	ND	1.0	SM 5310B	10-3-24	10-3-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-322-01							
	ORIG	DUP						
Total Organic Carbon	1.52	1.51	NA	NA	NA	1	11	

MATRIX SPIKE								
Laboratory ID:	09-322-01							
	MS	MS		MS				
Total Organic Carbon	11.8	10.0	1.52	103	85-120	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1003W2							
	SB	SB		SB				
Total Organic Carbon	10.2	10.0	NA	102	79-120	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Ammonia	2.0	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**AMMONIA (as Nitrogen)
 SM 4500-NH₃ D
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1008W2					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-322-01							
	ORIG	DUP						
Ammonia	ND	ND	NA	NA	NA	NA	15	

MATRIX SPIKE								
Laboratory ID:	09-322-01							
	MS	MS		MS				
Ammonia	4.48	5.00	ND	90	75-111	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1008W2							
	SB	SB		SB				
Ammonia	4.62	5.00	NA	92	81-110	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Orthophosphate	0.060	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Orthophosphate	ND	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Orthophosphate	0.061	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Orthophosphate	0.23	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Orthophosphate	1.3	0.024	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Orthophosphate	0.089	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Orthophosphate	0.092	0.012	EPA 365.1	9-25-24	9-25-24	

Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Orthophosphate	0.31	0.012	EPA 365.1	9-25-24	9-25-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**TOTAL ORTHOPHOSPHATE
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0925W1					
Orthophosphate	ND	0.012	EPA 365.1	9-25-24	9-25-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-322-01							
	ORIG	DUP						
Orthophosphate	0.0597	0.0599	NA	NA	NA	0	21	

MATRIX SPIKE								
Laboratory ID:	09-322-01							
	MS	MS		MS				
Orthophosphate	0.286	0.250	0.0597	91	68-121	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0925W1							
	SB	SB		SB				
Orthophosphate	0.237	0.250	NA	95	81-110	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Sulfate	76	20	ASTM D516-11	10-9-24	10-9-24	

Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Sulfate	36	10	ASTM D516-11	10-9-24	10-9-24	

Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Sulfate	17	5.0	ASTM D516-11	10-9-24	10-9-24	

Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Sulfate	ND	5.0	ASTM D516-11	10-9-24	10-9-24	

Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Sulfate	33	10	ASTM D516-11	10-9-24	10-9-24	

Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Sulfate	9.7	5.0	ASTM D516-11	10-9-24	10-9-24	

Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Sulfate	20	5.0	ASTM D516-11	10-9-24	10-9-24	

Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Sulfate	6.7	5.0	ASTM D516-11	10-9-24	10-9-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**SULFATE
 ASTM D516-11
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1009W1					
Sulfate	ND	5.0	ASTM D516-11	10-9-24	10-9-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-321-01							
	ORIG	DUP						
Sulfate	72.2	69.0	NA	NA	NA	5	11	

SPIKE BLANK								
Laboratory ID:	SB1009W1							
	SB	SB		SB				
Sulfate	8.60	10.0	NA	86	81-106	NA	NA	

MATRIX SPIKE								
Laboratory ID:	09-321-01							
	MS	MS		MS				
Sulfate	127	50.0	72.2	110	69-134	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Nitrate	2.1	0.050	EPA 353.2	10-7-24	10-7-24	
Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Nitrate	0.34	0.050	EPA 353.2	10-7-24	10-7-24	
Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	
Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	
Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	
Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Nitrate	0.065	0.050	EPA 353.2	10-7-24	10-7-24	
Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	
Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Nitrate	0.059	0.050	EPA 353.2	10-7-24	10-7-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

NITRATE (as Nitrogen)
EPA 353.2
QUALITY CONTROL

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1007W1					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-322-02							
	ORIG	DUP						
Nitrate	0.341	0.324	NA	NA	NA	5	22	

MATRIX SPIKE								
Laboratory ID:	09-322-02							
	MS	MS		MS				
Nitrate	2.60	2.00	0.341	113	86-119	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1007W1							
	SB	SB		SB				
Nitrate	2.07	2.00	NA	104	85-117	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Methane	30	0.55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	113	50-150				
Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Methane	600	5.5	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	123	50-150				
Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Methane	6700	55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	97	50-150				
Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Methane	6300	55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	22	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	84	50-150				
Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Methane	4800	55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	2.8	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	81	50-150				



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Methane	5600	55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	1.2	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>97</i>	<i>50-150</i>				

Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Methane	6200	55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	1.7	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>90</i>	<i>50-150</i>				

Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Methane	6700	55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	4.8	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>100</i>	<i>50-150</i>				



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**DISSOLVED GASES
 RSK 175
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0930W1					
Methane	ND	0.55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>106</i>	<i>50-150</i>				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK										
Laboratory ID:	SB0930W1									
	SB	SBD	SB	SBD	SB	SBD				
Methane	45.3	47.5	44.2	44.2	102	107	75-125	5	25	
Ethane	85.0	89.6	83.2	83.2	102	108	75-125	5	25	
Ethene	79.3	86.0	77.7	77.7	102	111	75-125	8	25	
<i>Surrogate:</i>										
<i>1-Butene</i>					<i>106</i>	<i>113</i>	<i>50-150</i>			



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-1-092524					
Laboratory ID:	09-322-01					
Iron	ND	56	EPA 6010D		9-30-24	
Manganese	ND	11	EPA 6010D		9-30-24	
Client ID:	MW-27-092524					
Laboratory ID:	09-322-02					
Iron	440	56	EPA 6010D		9-30-24	
Manganese	2500	11	EPA 6010D		9-30-24	
Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Iron	580	56	EPA 6010D		9-30-24	
Manganese	800	11	EPA 6010D		9-30-24	
Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Iron	15000	56	EPA 6010D		9-30-24	
Manganese	4400	11	EPA 6010D		9-30-24	
Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Iron	32000	250	EPA 6010D		9-30-24	
Manganese	4400	11	EPA 6010D		9-30-24	
Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Iron	14000	56	EPA 6010D		9-30-24	
Manganese	700	11	EPA 6010D		9-30-24	
Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Iron	15000	56	EPA 6010D		9-30-24	
Manganese	720	11	EPA 6010D		9-30-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

DISSOLVED METALS
EPA 6010D

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Iron	14000	56	EPA 6010D		9-30-24	
Manganese	2900	11	EPA 6010D		9-30-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**DISSOLVED METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0930D1					
Iron	ND	56	EPA 6010D		9-30-24	
Manganese	ND	11	EPA 6010D		9-30-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-264-05							
	ORIG	DUP						
Iron	ND	ND	NA	NA	NA	NA	20	
Manganese	56.0	61.5	NA	NA	NA	9	20	

MATRIX SPIKES

Laboratory ID:	09-264-05									
	MS	MSD	MS	MSD		MS	MSD			
Iron	25200	25200	22200	22200	ND	113	114	75-125	0	20
Manganese	640	642	556	556	56.0	105	105	75-125	0	20



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**TOTAL METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-5R-092524					
Laboratory ID:	09-322-03					
Calcium	33000	1000	EPA 6010D	10-2-24	10-2-24	
Magnesium	18000	1000	EPA 6010D	10-2-24	10-2-24	
Sodium	17000	1000	EPA 6010D	10-4-24	10-4-24	

Client ID:	MW-4R-092524					
Laboratory ID:	09-322-04					
Calcium	130000	10000	EPA 6010D	10-2-24	10-3-24	
Magnesium	62000	10000	EPA 6010D	10-2-24	10-3-24	
Sodium	33000	1000	EPA 6010D	10-4-24	10-4-24	

Client ID:	MW-6-092524					
Laboratory ID:	09-322-05					
Calcium	53000	10000	EPA 6010D	10-2-24	10-3-24	
Magnesium	32000	10000	EPA 6010D	10-2-24	10-3-24	
Sodium	32000	1000	EPA 6010D	10-4-24	10-4-24	

Client ID:	MW-7-092524					
Laboratory ID:	09-322-06					
Calcium	75000	10000	EPA 6010D	10-2-24	10-3-24	
Magnesium	41000	10000	EPA 6010D	10-2-24	10-3-24	
Sodium	22000	1000	EPA 6010D	10-4-24	10-4-24	

Client ID:	MW-107-092524					
Laboratory ID:	09-322-07					
Calcium	80000	10000	EPA 6010D	10-2-24	10-3-24	
Magnesium	44000	10000	EPA 6010D	10-2-24	10-3-24	
Sodium	23000	1000	EPA 6010D	10-4-24	10-4-24	

Client ID:	MW-12-092524					
Laboratory ID:	09-322-08					
Calcium	82000	10000	EPA 6010D	10-2-24	10-3-24	
Magnesium	42000	10000	EPA 6010D	10-2-24	10-3-24	
Sodium	18000	1000	EPA 6010D	10-4-24	10-4-24	



Date of Report: October 10, 2024
 Samples Submitted: September 25, 2024
 Laboratory Reference: 2409-322
 Project: Task 4; COB-Service Center

**TOTAL METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1002WH1					
Calcium	ND	1000	EPA 6010D	10-2-24	10-2-24	
Magnesium	ND	1000	EPA 6010D	10-2-24	10-2-24	
METHOD BLANK						
Laboratory ID:	MB1004WH1					
Sodium	ND	1000	EPA 6010D	10-4-24	10-4-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-215-08							
	ORIG	DUP						
Calcium	33100	32400	NA	NA	NA	NA	2	20
Magnesium	11200	11200	NA	NA	NA	NA	0	20
DUPLICATE								
Laboratory ID:	09-327-02							
	ORIG	DUP						
Sodium	7500	7530	NA	NA	NA	NA	0	20

MATRIX SPIKES

Laboratory ID:	09-215-08									
	MS	MSD	MS	MSD	MS	MSD				
Calcium	51000	49400	20000	20000	33100	90	81	75-125	3	20
Magnesium	30500	29800	20000	20000	11200	97	93	75-125	2	20
MATRIX SPIKES										
Laboratory ID:	09-327-02									
	MS	MSD	MS	MSD	MS	MSD				
Sodium	26900	27600	20000	20000	7500	97	100	75-125	3	20





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
 - X2 - Sample extract treated with a silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference



Am Test Inc.
13600 NE 126th Place Suite C
Kirkland, WA
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

October 09, 2024

David Baumeister
14648 NE 95th ST
Redmond, WA 98052

Project: OSE
Project Number: COB-Service Center Task 4
Project Manager: David Baumeister
RE: OSE

Enclosed are the results of analyses for samples received by our laboratory on 9/25/2024.
Please feel free to contact me with any questions or considerations regarding this report.

Sincerely,

A handwritten signature in black ink that reads "Aaron Young". The signature is written in a cursive style with a long, sweeping tail on the letter "g".

ElementStationManager For Aaron Young
President

Am Test Inc.
13600 NE 126th Place Suite C
Kirkland, WA
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

Date Received: 09/25/24

Date Reported: 10/09/24

OnSite Environmental Inc.
14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: OSE
Project #: COB-Service Center Task 4

Reported Samples

Lab ID	Sample	Matrix	Qualifiers	Date Sampled	Date Received
A24I0459-01	MW-5R-092524	Water		09/25/2024	09/25/2024
A24I0459-02	MW-4R-092524	Water		09/25/2024	09/25/2024
A24I0459-03	MW-6-092524	Water		09/25/2024	09/25/2024
A24I0459-04	MW-7-092524	Water		09/25/2024	09/25/2024
A24I0459-05	MW-107-092524	Water		09/25/2024	09/25/2024
A24I0459-06	MW-12-092524	Water		09/25/2024	09/25/2024

Am Test Inc.
13600 NE 126th Place Suite C
Kirkland, WA
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

Date Received: 09/25/24

Date Reported: 10/09/24

OnSite Environmental Inc.

14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: OSE
Project #: COB-Service Center Task 4

AMTEST Identification Number: A24I0459-01

Client Identification: MW-5R-092524

Sampling Date: 09/25/24 10:45

Conventional Chemistry Parameters by APHA/EPA Methods

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Sulfide	ND	mg/L	MS, U	0.05	SM 4500-S2-D_2011	BV	10/09/2024

AMTEST Identification Number: A24I0459-02

Client Identification: MW-4R-092524

Sampling Date: 09/25/24 10:55

Conventional Chemistry Parameters by APHA/EPA Methods

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Sulfide	0.46	mg/L	MS	0.05	SM 4500-S2-D_2011	BV	10/09/2024

AMTEST Identification Number: A24I0459-03

Client Identification: MW-6-092524

Sampling Date: 09/25/24 11:50

Conventional Chemistry Parameters by APHA/EPA Methods

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Sulfide	0.18	mg/L	MS	0.05	SM 4500-S2-D_2011	BV	10/09/2024

AMTEST Identification Number: A24I0459-04

Client Identification: MW-7-092524

Sampling Date: 09/25/24 12:50

Conventional Chemistry Parameters by APHA/EPA Methods

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Sulfide	0.53	mg/L	MS	0.05	SM 4500-S2-D_2011	BV	10/09/2024

Am Test Inc.
13600 NE 126th Place Suite C
Kirkland, WA
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

Date Received: 09/25/24

Date Reported: 10/09/24

OnSite Environmental Inc.

14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: OSE
Project #: COB-Service Center Task 4

AMTEST Identification Number: A24I0459-05

Client Identification: MW-107-092524

Sampling Date: 09/25/24 12:55

Conventional Chemistry Parameters by APHA/EPA Methods

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Sulfide	ND	mg/L	MS, U	0.05	SM 4500-S2-D_2011	BV	10/09/2024

AMTEST Identification Number: A24I0459-06

Client Identification: MW-12-092524

Sampling Date: 09/25/24 13:40

Conventional Chemistry Parameters by APHA/EPA Methods

PARAMETER	RESULT	UNITS	Q	D.L.	METHOD	ANALYST	DATE
Sulfide	ND	mg/L	U, MS	0.05	SM 4500-S2-D_2011	BV	10/09/2024



ANALYSIS REPORT

Date Received: 09/25/24

Date Reported: 10/09/24

OnSite Environmental Inc.
 14648 NE 95th ST
 Redmond, WA 98052
 Attention: David Baumeister
 Project Name: OSE
 Project #: COB-Service Center Task 4

Quality Control

Conventional Chemistry Parameters by APHA/EPA Methods

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBJ0145 - No Prep - WetChem										
Blank (BBJ0145-BLK1)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	ND	U	0.05	mg/L						
Blank (BBJ0145-BLK2)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	ND	U	0.05	mg/L						
LCS (BBJ0145-BS1)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	0.27		0.05	mg/L	0.2500		107%	80-120%		
LCS (BBJ0145-BS2)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	0.26		0.05	mg/L	0.2500		104%	80-120%		
Calibration Blank (BBJ0145-CCB1)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	-0.006	U		mg/L						
Calibration Blank (BBJ0145-CCB2)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	-0.002	U		mg/L						
Calibration Blank (BBJ0145-CCB3)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	-0.002	U		mg/L						
Calibration Check (BBJ0145-CCV1)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	0.49		0.05	mg/L	0.5000		98%	85-115%		
Calibration Check (BBJ0145-CCV2)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	0.49		0.05	mg/L	0.5000		98%	85-115%		
Calibration Check (BBJ0145-CCV3)					Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	0.47		0.05	mg/L	0.5000		94%	85-115%		
Matrix Spike (BBJ0145-MS1)					Source: A24I0459-05 Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	0.36		0.05	mg/L	0.2500	ND	143%	55-145%		
Matrix Spike (BBJ0145-MS2)					Source: A24J0034-01 Prepared: 10/08/24 Analyzed: 10/09/24					
Sulfide	0.26		0.05	mg/L	0.2500	ND	105%	55-145%		
Matrix Spike (BBJ0145-MS3)					Source: A24J0108-01 Prepared: 10/08/24 Analyzed: 10/09/24					

Am Test Inc.
 13600 NE 126th Place Suite C
 Kirkland, WA
 (425) 885-1664
 www.amtestlab.com



**Professional
 Analytical
 Services**

ANALYSIS REPORT

Date Received: 09/25/24

Date Reported: 10/09/24

OnSite Environmental Inc.
 14648 NE 95th ST
 Redmond, WA 98052
 Attention: David Baumeister
 Project Name: OSE
 Project #: COB-Service Center Task 4

**Quality Control
 (Continued)**

Conventional Chemistry Parameters by APHA/EPA Methods (Continued)

Analyte	Result	Qual	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Batch: BBJ0145 - No Prep - WetChem (Continued)										
Matrix Spike (BBJ0145-MS3)										
Sulfide	0.26		0.05	mg/L	0.2500	ND	104%	55-145%		
Matrix Spike Dup (BBJ0145-MSD1)										
Sulfide	0.38		0.05	mg/L	0.2500	ND	151%	55-145%	5	20
Matrix Spike Dup (BBJ0145-MSD2)										
Sulfide	0.26		0.05	mg/L	0.2500	ND	104%	55-145%	1	20
Matrix Spike Dup (BBJ0145-MSD3)										
Sulfide	0.25		0.05	mg/L	0.2500	ND	99%	55-145%	4	20

Am Test Inc.
13600 NE 126th Place Suite C
Kirkland, WA
(425) 885-1664
www.amtestlab.com



**Professional
Analytical
Services**

ANALYSIS REPORT

Date Received: 09/25/24

Date Reported: 10/09/24

OnSite Environmental Inc.

14648 NE 95th ST
Redmond, WA 98052
Attention: David Baumeister
Project Name: OSE
Project #: COB-Service Center Task 4

Notes and Definitions

Item	Definition
U	The compound was analyzed for but was not detected (Non-detect) at or above the MRL/MDL.
MS	The Matrix Spike sample recovery is not within control limits. See case narrative.
Dry	Sample results reported on a dry weight basis.
ND	Analyte NOT DETECTED at or above the reporting limit.
RPD	Relative Percent Difference
%REC	Percent Recovery
Source	Sample that was matrix spiked or duplicated.

Case Narrative

Case Narrative:

One of the Matrix Spike recoveries was outside of the method specified limits. All other QA/QC was within limits, therefore it is attributed to matrix interference.

No further corrective action was taken.



MVA Onsite Environmental Inc.
 Analytical Laboratory Testing Services
 14648 NE 95th Street • Redmond, WA 98052
 Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Laboratory Number: **09-322**

Company: Flowksunder
 Project Number: Task 4
 Project Name: COB-Sewer Center
 Project Manager: Gabe Cisneros
 Sampled by: Danielle Galbraith

Turnaround Request (in working days)
 (Check One)
 Same Day 1 Day
 2 Days 3 Days
 Standard (7 Days)
 _____ (other)

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers
1	5-MW-1-092524	9/25/24	09:15	GW	9
2	MW-27-092524		09:15	GW	9
3	MW-5R-092524		10:45	GW	12
4	MW-4R-092524		10:55	GW	12
5	MW-6-092524		11:50	GW	12
6	MW-7-092524		12:50	GW	12
7	MW-107-092524		12:55	GW	12
8	MW-12-092524		13:40	GW	12
9	Trip Blank-092524		08:00	W	2

Relinquished	Signature	Company	Reviewed/Date
Received	<u>[Signature]</u>	FS	
Relinquished	<u>[Signature]</u>	OSI	
Received			
Relinquished			
Received			
Relinquished			

Date	Time	Comments/Special Instructions
9/25/24	1527	Send labbers to: labbers@flowksunder.com
1527	1527	Only PCE, TCE, CIS-1, 2-DCE, trans-1,2-DCE & vinyl chloride

	NWTPH-HCID		
	NWTPH-Gx/BTEX (8021 <input type="checkbox"/> 8260 <input checkbox="" type="checkbox/>)</td> <td></td> <td></td> </tr> <tr> <td></td> <td>NWTPH-Gx</td> <td></td> <td></td> </tr> <tr> <td></td> <td>NWTPH-Dx (SG Clean-up <input type="/>)		
	Volatiles 8260 <input checked="" type="checkbox"/>		
	Halogenated Volatiles 8260		
	EDB EPA 8011 (Waters Only)		
	Semivolatiles 8270/SIM (with low-level PAHs)		
	PAHs 8270/SIM (low-level)		
	PCBs-8082 Chloride		
	Organochlorine Pesticides 8081		
	Organophosphorus Pesticides 8270/SIM		
	Chlorinated Acid Herbicides 8151		
	Total RCRA Metals		
	Total MTCA Metals Sulfide		
	TCLP Metals 5M5310B (TOC)		
	HEM (oil and grease) 1664		
	Ammonia-Nitrogen		
	Ortho-phosphate/Sulfate/Nitrate		
	RSx175 (Hexane/Ethane/Ethene)		
	Dissolved Iron/Manganese		
	% Moisture Sodium/Calcium/Magnesium-Total		

Data Package: Standard Level III Level IV

Chromatograms with final report Electronic Data Deliverables (EDDs)



14648 NE 95th Street, Redmond, WA 98052 • (425) 883-3881

October 10, 2024

Gabe Cisneros
Floyd & Snider
601 Union Street, Suite 600
Seattle, WA 98101

Re: Analytical Data for Project Task 4; COB-Service Center
Laboratory Reference No. 2409-353

Dear Gabe:

Enclosed are the analytical results and associated quality control data for samples submitted on September 26, 2024.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "DB", with a long horizontal flourish extending to the right.

David Baumeister
Project Manager

Enclosures



Date of Report: October 10, 2024
Samples Submitted: September 26, 2024
Laboratory Reference: 2409-353
Project: Task 4; COB-Service Center

Case Narrative

Samples were collected on September 26, 2024 and received by the laboratory on September 26, 2024. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below. However the soil results for the QA/QC samples are reported on a wet-weight basis.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Nitrate (as Nitrogen) EPA 353.2 Analysis

The reported Nitrate results are a calculated value based on the subtraction of Nitrite from the Nitrate plus Nitrite result. The Nitrite analysis, which has a 48-hour holding time, was performed within the holding time. Immediately after this analysis, an aliquot from each sample was preserved with concentrated sulfuric acid and stored at 4 degrees C. The preserved samples were then analyzed within the maximum 28-day holding time for the Nitrate plus Nitrite analysis.

Any other QA/QC issues associated with this extraction and analysis will be indicated with a footnote reference and discussed in detail on the Data Qualifier page



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Vinyl Chloride	0.81	0.20	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	12	0.20	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	2.1	0.20	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	4.2	1.0	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	102	78-117				

Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Vinyl Chloride	0.73	0.20	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	0.66	0.20	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	ND	1.0	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	100	68-133				
<i>Toluene-d8</i>	101	79-123				
<i>4-Bromofluorobenzene</i>	103	78-117				

Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Vinyl Chloride	ND	1.0	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	1.0	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	ND	1.0	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	53	1.0	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	200	5.0	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Vinyl Chloride	97	10	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	10	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	330	10	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	1600	10	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	890	50	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				

Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Vinyl Chloride	0.47	0.20	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	2.8	0.20	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	3.7	1.0	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	100	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				

Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Vinyl Chloride	62	0.40	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	0.40	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	45	0.40	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	ND	0.40	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	ND	2.0	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	102	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

VOLATILE ORGANICS EPA 8260D

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Vinyl Chloride	ND	0.20	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	0.55	0.20	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	0.82	0.20	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	270	10	EPA 8260D	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	98	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				

Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Vinyl Chloride	81	10	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	10	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	280	10	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	1400	10	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	850	50	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	96	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	102	78-117				



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**VOLATILE ORGANICS EPA 8260D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0928W2					
Vinyl Chloride	ND	0.20	EPA 8260D	9-28-24	9-28-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
Trichloroethene	ND	0.20	EPA 8260D	9-28-24	9-28-24	
Tetrachloroethene	ND	1.0	EPA 8260D	9-28-24	9-28-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	99	68-133				
<i>Toluene-d8</i>	99	79-123				
<i>4-Bromofluorobenzene</i>	100	78-117				
Laboratory ID:	MB0930W2					
Vinyl Chloride	ND	0.20	EPA 8260D	9-30-24	9-30-24	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-30-24	9-30-24	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260D	9-30-24	9-30-24	
Trichloroethene	ND	0.20	EPA 8260D	9-30-24	9-30-24	
Tetrachloroethene	ND	1.0	EPA 8260D	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>Dibromofluoromethane</i>	98	68-133				
<i>Toluene-d8</i>	100	79-123				
<i>4-Bromofluorobenzene</i>	101	78-117				



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**VOLATILE ORGANICS EPA 8260D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L

Analyte	Result		Spike Level		Source	Percent		Recovery	RPD	
	MS	MSD	MS	MSD	Result	Recovery	Limits	RPD	Limit	Flags
MATRIX SPIKES										
Laboratory ID:	09-344-02									
	MS	MSD	MS	MSD		MS	MSD			
Vinyl Chloride	53.1	49.9	50.0	50.0	ND	106	100	62-121	6	15
(trans) 1,2-Dichloroethene	49.8	47.5	50.0	50.0	ND	100	95	79-120	5	16
(cis) 1,2-Dichloroethene	49.6	47.9	50.0	50.0	ND	99	96	81-128	3	16
Trichloroethene	52.1	49.7	50.0	50.0	ND	104	99	80-130	5	12
Tetrachloroethene	51.8	49.2	50.0	50.0	ND	104	98	84-126	5	19
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>						97	95	68-133		
<i>Toluene-d8</i>						100	98	79-123		
<i>4-Bromofluorobenzene</i>						103	101	78-117		
Laboratory ID:	09-361-01									
	MS	MSD	MS	MSD		MS	MSD			
Vinyl Chloride	51.6	50.5	50.0	50.0	ND	103	101	62-121	2	15
(trans) 1,2-Dichloroethene	51.9	51.4	50.0	50.0	ND	104	103	79-120	1	16
(cis) 1,2-Dichloroethene	53.6	53.4	50.0	50.0	ND	107	107	81-128	0	16
Trichloroethene	53.7	53.5	50.0	50.0	ND	107	107	80-130	0	12
Tetrachloroethene	55.4	52.1	50.0	50.0	ND	111	104	84-126	6	19
<i>Surrogate:</i>										
<i>Dibromofluoromethane</i>						99	100	68-133		
<i>Toluene-d8</i>						100	99	79-123		
<i>4-Bromofluorobenzene</i>						106	107	78-117		



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**TOTAL ORGANIC CARBON
SM 5310B**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Total Organic Carbon	3.1	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Total Organic Carbon	2.9	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Total Organic Carbon	4.7	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Total Organic Carbon	6.0	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Total Organic Carbon	6.6	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Total Organic Carbon	6.1	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Total Organic Carbon	1.1	1.0	SM 5310B	10-3-24	10-3-24	

Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Total Organic Carbon	5.9	1.0	SM 5310B	10-3-24	10-3-24	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**TOTAL ORGANIC CARBON
 SM 5310B
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1003W2					
Total Organic Carbon	ND	1.0	SM 5310B	10-3-24	10-3-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-322-01							
	ORIG	DUP						
Total Organic Carbon	1.52	1.51	NA	NA	NA	1	11	

MATRIX SPIKE								
Laboratory ID:	09-322-01							
	MS	MS		MS				
Total Organic Carbon	11.8	10.0	1.52	103	85-120	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1003W2							
	SB	SB		SB				
Total Organic Carbon	10.2	10.0	NA	102	79-120	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

AMMONIA (as Nitrogen)
SM 4500-NH₃ D

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Ammonia	0.057	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Ammonia	9.0	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Ammonia	0.57	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Ammonia	1.7	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Ammonia	3.2	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Ammonia	0.40	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	
Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Ammonia	1.6	0.053	SM 4500-NH3 D	10-8-24	10-8-24	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

AMMONIA (as Nitrogen)
SM 4500-NH₃ D
QUALITY CONTROL

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1008W2					
Ammonia	ND	0.053	SM 4500-NH3 D	10-8-24	10-8-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-322-01							
	ORIG	DUP						
Ammonia	ND	ND	NA	NA	NA	NA	15	

MATRIX SPIKE								
Laboratory ID:	09-322-01							
	MS	MS		MS				
Ammonia	4.48	5.00	ND	90	75-111	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1008W2							
	SB	SB		SB				
Ammonia	4.62	5.00	NA	92	81-110	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**TOTAL ORTHOPHOSPHATE
 EPA 365.1**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Orthophosphate	0.14	0.012	EPA 365.1	9-27-24	9-27-24	

Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Orthophosphate	3.6	0.060	EPA 365.1	9-27-24	9-27-24	

Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Orthophosphate	0.14	0.012	EPA 365.1	9-27-24	9-27-24	

Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Orthophosphate	0.49	0.012	EPA 365.1	9-27-24	9-27-24	

Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Orthophosphate	1.7	0.060	EPA 365.1	9-27-24	9-27-24	

Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Orthophosphate	0.29	0.012	EPA 365.1	9-27-24	9-27-24	

Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Orthophosphate	0.12	0.012	EPA 365.1	9-27-24	9-27-24	

Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Orthophosphate	0.40	0.012	EPA 365.1	9-27-24	9-27-24	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**TOTAL ORTHOPHOSPHATE
 EPA 365.1
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0927W1					
Orthophosphate	ND	0.012	EPA 365.1	9-27-24	9-27-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-353-01							
	ORIG	DUP						
Orthophosphate	0.139	0.138	NA	NA	NA	NA	1	21

MATRIX SPIKE								
Laboratory ID:	09-353-01							
	MS	MS		MS				
Orthophosphate	0.370	0.250	0.139	92	68-121	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB0927W1							
	SB	SB		SB				
Orthophosphate	0.226	0.250	NA	90	81-110	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

SULFATE
ASTM D516-11

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Sulfate	22	10	ASTM D516-11	10-10-24	10-10-24	

Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Sulfate	5.4	5.0	ASTM D516-11	10-10-24	10-10-24	

Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Sulfate	15	5.0	ASTM D516-11	10-10-24	10-10-24	

Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Sulfate	ND	5.0	ASTM D516-11	10-10-24	10-10-24	

Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Sulfate	14	5.0	ASTM D516-11	10-10-24	10-10-24	

Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Sulfate	26	10	ASTM D516-11	10-10-24	10-10-24	

Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Sulfate	27	10	ASTM D516-11	10-10-24	10-10-24	

Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Sulfate	ND	5.0	ASTM D516-11	10-10-24	10-10-24	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**SULFATE
 ASTM D516-11
 QUALITY CONTROL**

Matrix: Water
 Units: mg/L

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1010W1					
Sulfate	ND	5.0	ASTM D516-11	10-10-24	10-10-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-353-01							
	ORIG	DUP						
Sulfate	22.0	24.2	NA	NA	NA	10	11	

MATRIX SPIKE								
Laboratory ID:	09-353-01							
	MS	MS		MS				
Sulfate	41.1	20.0	22.0	96	69-134	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1010W1							
	SB	SB		SB				
Sulfate	8.45	10.0	NA	85	81-106	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

NITRATE (as Nitrogen)
EPA 353.2

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Nitrate	0.12	0.050	EPA 353.2	10-7-24	10-7-24	

Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Nitrate	0.061	0.050	EPA 353.2	10-7-24	10-7-24	

Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Nitrate	0.054	0.050	EPA 353.2	10-7-24	10-7-24	

Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Nitrate	0.054	0.050	EPA 353.2	10-7-24	10-7-24	

Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	

Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	

Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Nitrate	2.6	0.050	EPA 353.2	10-7-24	10-7-24	

Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

NITRATE (as Nitrogen)
EPA 353.2
QUALITY CONTROL

Matrix: Water
 Units: mg/L-N

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1007W1					
Nitrate	ND	0.050	EPA 353.2	10-7-24	10-7-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-353-01							
	ORIG	DUP						
Nitrate	0.124	0.111	NA	NA	NA	11	22	

MATRIX SPIKE								
Laboratory ID:	09-353-01							
	MS	MS		MS				
Nitrate	2.23	2.00	0.124	105	86-119	NA	NA	

SPIKE BLANK								
Laboratory ID:	SB1007W1							
	SB	SB		SB				
Nitrate	2.25	2.00	NA	113	85-117	NA	NA	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Methane	2700	28	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	110	50-150				

Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Methane	5000	55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	111	50-150				

Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Methane	370	3.3	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	106	50-150				

Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Methane	420	3.3	RSK 175	9-30-24	9-30-24	
Ethane	2.5	0.56	RSK 175	9-30-24	9-30-24	
Ethene	96	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	101	50-150				

Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Methane	1700	11	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	99	50-150				



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**DISSOLVED GASES
RSK 175**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Methane	410	3.3	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	2.8	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	103	50-150				

Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Methane	1800	17	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	104	50-150				

Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Methane	390	3.3	RSK 175	9-30-24	9-30-24	
Ethane	2.6	0.56	RSK 175	9-30-24	9-30-24	
Ethene	96	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
1-Butene	109	50-150				



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**DISSOLVED GASES
 RSK 175
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB0930W1					
Methane	ND	0.55	RSK 175	9-30-24	9-30-24	
Ethane	ND	0.56	RSK 175	9-30-24	9-30-24	
Ethene	ND	0.58	RSK 175	9-30-24	9-30-24	
<i>Surrogate:</i>	<i>Percent Recovery</i>	<i>Control Limits</i>				
<i>1-Butene</i>	<i>106</i>	<i>50-150</i>				

Analyte	Result		Spike Level		Percent Recovery		Recovery Limits	RPD	RPD Limit	Flags
SPIKE BLANK										
Laboratory ID:	SB0930W1									
	SB	SBD	SB	SBD	SB	SBD				
Methane	45.3	47.5	44.2	44.2	102	107	75-125	5	25	
Ethane	85.0	89.6	83.2	83.2	102	108	75-125	5	25	
Ethene	79.3	86.0	77.7	77.7	102	111	75-125	8	25	
<i>Surrogate:</i>										
<i>1-Butene</i>					<i>106</i>	<i>113</i>	<i>50-150</i>			



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-43R-092624					
Laboratory ID:	09-353-01					
Iron	4000	56	EPA 6010D		10-4-24	
Manganese	2000	11	EPA 6010D		10-4-24	

Client ID:	MW-42-092624					
Laboratory ID:	09-353-02					
Iron	14000	56	EPA 6010D		10-4-24	
Manganese	370	11	EPA 6010D		10-4-24	

Client ID:	MW-39-092624					
Laboratory ID:	09-353-03					
Iron	8200	56	EPA 6010D		10-4-24	
Manganese	160	11	EPA 6010D		10-4-24	

Client ID:	MW-40-092624					
Laboratory ID:	09-353-04					
Iron	26000	56	EPA 6010D		10-4-24	
Manganese	420	11	EPA 6010D		10-4-24	

Client ID:	MW-44R-092624					
Laboratory ID:	09-353-05					
Iron	9800	56	EPA 6010D		10-4-24	
Manganese	340	11	EPA 6010D		10-4-24	

Client ID:	HZ-MW-31-092624					
Laboratory ID:	09-353-06					
Iron	28000	56	EPA 6010D		10-4-24	
Manganese	430	11	EPA 6010D		10-4-24	

Client ID:	S-MW-3RRR-092624					
Laboratory ID:	09-353-07					
Iron	ND	56	EPA 6010D		10-4-24	
Manganese	510	11	EPA 6010D		10-4-24	



OnSite Environmental, Inc. 14648 NE 95th Street, Redmond, WA 98052 (425) 883-3881

This report pertains to the samples analyzed in accordance with the chain of custody, and is intended only for the use of the individual or company to whom it is addressed.

Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**DISSOLVED METALS
 EPA 6010D**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
Client ID:	MW-140-092624					
Laboratory ID:	09-353-08					
Iron	26000	56	EPA 6010D		10-4-24	
Manganese	430	11	EPA 6010D		10-4-24	



Date of Report: October 10, 2024
 Samples Submitted: September 26, 2024
 Laboratory Reference: 2409-353
 Project: Task 4; COB-Service Center

**DISSOLVED METALS
 EPA 6010D
 QUALITY CONTROL**

Matrix: Water
 Units: ug/L (ppb)

Analyte	Result	PQL	Method	Date Prepared	Date Analyzed	Flags
METHOD BLANK						
Laboratory ID:	MB1004D1					
Iron	ND	56	EPA 6010D		10-4-24	
Manganese	ND	11	EPA 6010D		10-4-24	

Analyte	Result	Spike Level	Source Result	Percent Recovery	Recovery Limits	RPD	RPD Limit	Flags
DUPLICATE								
Laboratory ID:	09-353-01							
	ORIG	DUP						
Iron	3980	4010	NA	NA	NA	NA	1	20
Manganese	1950	1990	NA	NA	NA	NA	2	20

MATRIX SPIKES

Laboratory ID:	MS	MSD	MS	MSD	MS	MSD	MS	MSD	RPD	RPD Limit	Flags
	09-353-01										
Iron	25200	25700	22200	22200	3980	96	98	75-125	2	20	
Manganese	2430	2450	556	556	1950	87	89	75-125	1	20	





Data Qualifiers and Abbreviations

- A - Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
 - B - The analyte indicated was also found in the blank sample.
 - C - The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
 - E - The value reported exceeds the quantitation range and is an estimate.
 - F - Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
 - H - The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
 - I - Compound recovery is outside of the control limits.
 - J - The value reported was below the practical quantitation limit. The value is an estimate.
 - K - Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
 - L - The RPD is outside of the control limits.
 - M - Hydrocarbons in the gasoline range are impacting the diesel range result.
 - M1 - Hydrocarbons in the gasoline range (toluene-naphthalene) are present in the sample.
 - N - Hydrocarbons in the lube oil range are impacting the diesel range result.
 - N1 - Hydrocarbons in diesel range are impacting lube oil range results.
 - O - Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
 - P - The RPD of the detected concentrations between the two columns is greater than 40.
 - Q - Surrogate recovery is outside of the control limits.
 - S - Surrogate recovery data is not available due to the necessary dilution of the sample.
 - T - The sample chromatogram is not similar to a typical _____.
 - U - The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
 - U1 - The practical quantitation limit is elevated due to interferences present in the sample.
 - V - Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
 - W - Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
 - X - Sample extract treated with a mercury cleanup procedure.
 - X1 - Sample extract treated with a sulfuric acid/silica gel cleanup procedure.
 - X2 - Sample extract treated with a silica gel cleanup procedure.
 - Y - The calibration verification for this analyte exceeded the 20% drift specified in methods 8260 & 8270, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.
 - Y1 - Negative effects of the matrix from this sample on the instrument caused values for this analyte in the bracketing continuing calibration verification standard (CCVs) to be outside of 20% acceptance criteria. Because of this, quantitation limits and sample concentrations should be considered estimates.
 - Z -
- ND - Not Detected at PQL
 PQL - Practical Quantitation Limit
 RPD - Relative Percent Difference





MVA Onsite Environmental Inc.

Analytical Laboratory Testing Services
14648 NE 95th Street • Redmond, WA 98052
Phone: (425) 883-3881 • www.onsite-env.com

Chain of Custody

Turnaround Request
(in working days)
(Check One)

Same Day 1 Day

2 Days 3 Days

Standard (7 Days)

_____ (other)

Laboratory Number: **09-353**

Company: Floyd Snyder

Project Number: Task 4

Project Name: CR3-Service Center (BSC)

Project Manager: Gabe Cisneros

Sampled by: Danville Gahbler

Lab ID	Sample Identification	Date Sampled	Time Sampled	Matrix	Number of Containers
1	MW-43R-092624	9/26/24	09:20	GW	9
2	MW-42-092624		09:25	GW	9
3	MW-39-092624		11:20	GW	9
4	MW-40-092624		11:15	GW	9
5	MW-44R-092624		12:55	GW	9
6	HZ-MW-31-092624		13:00	GW	9
7	S-MW-3RR-092624		14:00	GW	9
8	MW-140-092624		11:35	GW	9

Company	Date	Time	Signature
Floyd Snyder	9/26/24	15:48	[Signature]
DBE	9/26/24	15:48	[Signature]

Comments/Special Instructions	Standard	Level III	Level IV
Send results to: ladd@floydsonder.com Trans-1,2-DCE + Vinyl Chloride	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Data Package: Standard Level III Level IV

Chromatograms with final report Electronic Data Deliverables (EDDs)

Attachment 3
Groundwater Sampling Low-Flow Standard Guideline

F | S STANDARD GUIDELINE

Low-Flow Groundwater Sample Collection

DATE/LAST UPDATE: November 2023

These procedures should be considered standard guidelines and are intended to provide useful guidance when in the field but are not intended to be step-by-step procedures, as some steps may not be applicable to all projects.

All field staff should be sufficiently trained in the standard guidelines for the sampling method they intend to use and should review and understand these procedures prior to going into the field. It is the responsibility of the field staff to review the standard guidelines with the field manager or project manager and identify any deviations from these guidelines prior to field work. When possible, the project-specific Sampling and Analysis Plan should contain any expected deviations and should be referenced in conjunction with these standard guidelines.

1.0 Scope and Purpose

This standard guideline provides details necessary for collecting representative groundwater samples from monitoring wells using low-flow methods. These guidelines are designed to meet or exceed guidelines set forth by the Washington State Department of Ecology (Ecology). Low-Flow sampling provides a method to minimize the volume of water that is purged and disposed from a monitoring well, and minimizes the impact that purging has on groundwater chemistry during sample collection.

2.0 Equipment and Supplies

Groundwater Sampling Equipment and Tools

- For wells with head less than 25 feet:
 - Peristaltic pump with fully charged internal battery or standalone battery and appropriate connectors
- For wells with head greater than 25 feet:
 - Bladder pump and controller, as well as an air cylinder, or air compressor (with extension cord if near an electrical outlet; with battery and appropriate connectors or generator if not near an outlet)

OR

- Low-flow submersible pump and controller (with extension cord if near an electrical outlet; with battery and appropriate connectors or generator if not near an outlet)
- Multi-parameter water quality meter
- Turbidity meter
- Water level meter
- Polyethylene tubing, Teflon tubing, or similar (assume polyethylene unless otherwise specified in SAP) and tubing weights (for wells deeper than approximately 10 feet)
- Silicone tubing
- Filters (if field filtering)
- Tools for opening wells and drums (1/2-inch, 9/16-inch, 5/8 and 15/16-inch sockets ratchet, screwdriver, hammer/rubber mallet, bung wrench; any other necessary tools if non-standard monuments have been used)
- Well keys
- Tube cutters, razor blade, or scissors
- 5-gallon buckets, lids, and clamp
- Decontamination supplies: Alconox (or similar), distilled or deionized water, spray bottles, and paper towels
- Bailer or hand pump to drain well box if full of stormwater
- Trash bags

Lab Equipment

- Sample jars/bottles
- Coolers
- Chain-of-Custody Forms
- Labels
- Ice
- Ziploc bags

Paperwork

- Field notebook with site maps
- Table of well construction details and/or well logs, if available
- Sampling forms (enclosed)
- Purge water plan

- Rite-in-the-Rain pens, paper, and permanent markers
- Site-Specific Health and Safety Plan (HASP) and F|S Accident Prevention Plan (APP)
- List of emergency contacts for the Site or facility
- Safety Data Sheets (SDS) binder
- Sampling and Analysis Plan (SAP) and/or Quality Assurance Project Plan (QAPP) (including tables of analytes and bottle types)

Safety Equipment

- PPE:
 - Waterproof boots (safety toed, depending on site)
 - Safety vest
 - Safety glasses
 - Rain gear
 - Nitrile gloves
 - Work gloves
- First Aid kit
- Emergency kit (fire extinguisher, road flares)
- Traffic barricades or cones

3.0 Standard Procedures

Low-flow groundwater sampling consists of purging groundwater within the well casing at a rate equal to or less than the flow rate of representative groundwater from the surrounding aquifer into the well screen. The flow rate will depend on the hydraulic conductivity of the aquifer and the drawdown, with the goal of minimizing drawdown within the monitoring well. Field parameters are monitored during purging and groundwater samples are collected after field parameters have stabilized. Deviations from these procedures should be approved by the Project Manager and fully documented.

3.1 OFFICE PREPARATION

First, meet with the PM to identify the key objectives of the groundwater sampling effort. This may include the order of wells to be sampled (e.g., if using non-dedicated equipment, wells may need to be sampled in order of least contaminated to most contaminated), whether any wells require redevelopment at least 24-hours prior to sampling, and/or key stabilization parameters (e.g., elevated turbidity may require purging beyond 30 minutes, even if the readings are within 10%).

Conduct a kick-off meeting with the sampling team to discuss site health and safety protocols, data quality objectives, and any site-specific special considerations or sampling procedures.

3.2 TAILGATE SAFETY MEETING

Conduct a tailgate safety meeting prior to beginning work at the site. Emergency evacuation procedures, rally points, and onsite communication protocols should be discussed at the first tailgate meeting and repeated if new personnel join the field team onsite.

The safety meeting should cover the hazards specific to groundwater sampling. Typical hazards include the following:

- Chemical hazards (refer to HASP for site chemical exposure hazards)
- Site hazards
 - Traffic hazards onsite (e.g., truck traffic, heavy machinery)
 - Biological hazards (e.g., spiders or wasps within well monuments)
- Physical hazards associated with lifting and carrying heavy equipment and repeated bending while sampling
- Cuts and abrasions associated with using blades and tools
- Electrical hazards (make sure all wires/cables are in good condition and connections to battery or outlet are secure)
- Heat stress and cold stress

Record the meeting attendees and topics discussed on the front page of the tailgate safety meeting form (included as an attachment to the HASP). All attendees should sign the form.

3.3 OTHER HEALTH AND SAFETY GUIDELINES

The following are additional health and safety guidelines that should be followed in the field. These guidelines are intended to supplement the guidelines and requirements identified in the HASP and are not intended to replace the HASP.

- Review and sign the HASP prior to going into the field.
- Conduct a tailgate safety meeting prior to beginning work at the site as discussed in Section 3.2
- When moving between monitoring wells or switching to different tasks (e.g., transitioning from sampling to cooler QC prior to lab pickup), assess any additional hazards that may be associated with the new location or task. Record additional hazards noted and corrective actions to address those hazards on the Daily Tailgate Safety Meeting and Debrief Form (included as an attachment to the HASP).
- Record near misses and incidents on the Near Miss and Incident Reporting Form (included as an attachment to the HASP) and conduct management/client notifications according to the protocols detailed in the HASP.

3.4 CALIBRATION OF WATER QUALITY METERS

All multi-parameter water quality meters to be used will be calibrated prior to each sampling event. Calibration procedures are outlined in each instrument's specific user manual.

3.5 MONITORING, MAINTENANCE, AND SECURITY

Prior to sampling, depth to water and total depth measurements will be collected and recorded for accessible monitoring wells onsite (or an appropriate subset for larger sites). Check for an existing measuring point (notch or visible mark on top of casing). If a measuring point is not observed, a measuring point should be established on the north side of the casing. The conditions of the well box and bolts will also be observed, and deficiencies will be recorded on the sampling forms or logbook (i.e., missing or stripped bolt). The following should also be recorded:

- Condition of the well box, lid, bolts, locks, and gripper cap, if deficiencies
- Condition of gasket if deficient and if water is present in the well box
- Note any obstructions or kinks in the well casing
- Note any equipment in the well casing, such as transducers, bailers, or tubing
- Condition of general area surrounding the well, such as subsidence, potholes, or if the well is submerged within a puddle.

Replace any missing or stripped bolts and redevelop wells if needed.

3.6 LOW-FLOW PURGING METHOD AND SAMPLING PROCEDURES

Groundwater samples will be collected using low-flow purging and sampling procedures consistent with Ecology guidelines and the U.S. Environmental Protection Agency (USEPA) standard operating procedures (USEPA 1996). The following describes the Low-Flow purging and sampling procedures for collecting groundwater samples using a peristaltic pump. If the water level is greater than approximately 20 to 25 feet below ground surface (bgs), Grundfos or Geotech submersible pumps or bladder pumps can be used since their pumping rates can be adjusted to low-flow levels. Submersible pumps are preferable to bladder pumps in situations where less than 5 feet of water column are present in the well casing.

- Place the peristaltic pump and water quality equipment near the wellhead. Slowly lower new poly tubing down into the well casing approximately to the middle of the well screen. When sampling wells with a bottom screen depth greater than approximately 10 feet, it is important to measure the length of tubing prior to placement as longer lengths of tubing are more likely to get caught or otherwise obstructed and feel like it has reached the well bottom; this issue can be mitigated by using decontaminated stainless steel tubing weights. If the depth of the well screen is not known, lower the appropriate length of tubing to the bottom of the well, making sure that the tubing has not been caught on the slotted well casing, and then raise the tubing 3 to 5 feet off the bottom of the casing (limit this distance to 2 feet for wells with total depth less than 10 feet). Document the estimated depth of the tubing

placement within the well. Connect the tubing to the peristaltic pump using new flex tubing and connect the discharge line to the flow-through cell of the water quality meter. The discharge line from the flow cell should be directed to a bucket to contain the purged water.

- If using a low-flow submersible pump, connect the pump head to dedicated or disposable tubing. If using a bladder pump, connect both the air intake and water discharge ports to decontaminated or disposable tubing, using the manufacturer's instructions to ensure a secure connection. Lower the pump with tubing into the well as described above and connect the water discharge tubing directly to the flow-through cell.
- Measure the depth to water to the nearest 0.01 foot with a decontaminated water level meter and record the information on a sampling form.
- Start pumping the well at a purge rate of 0.1 to 0.2 liters per minute and slowly increase the rate. Purge rate is adjusted using a speed control knob or arrows on peristaltic and low-flow submersible pumps. The purge rate for bladder pumps is controlled by the air compressor, which first pressurizes the pump chamber in order to compress the flexible bladder and force water through the discharge line, and then vents the chamber in order to allow the bladder to refill with water.
 - A good rule of thumb is to pressurize to 10 psi + 0.5 psi/foot of tubing depth and begin with 4 discharge/refill cycles per minute; using greater air pressure and accelerating the pump cycles will increase the purge rate.
- Check the water level. If the water level is dropping, lower the purge rate. Maintain a steady flow with no or minimal drawdown (less than 0.33 feet according to USEPA 2002). Maintaining a drawdown of less than 0.33 feet may not be feasible depending on hydrogeological conditions. If possible, measure the discharge rate of the pump with a graduated cylinder or use a stopwatch when filling sampling jars (500 milliliters [mL] polyethylene or glass ambers) to estimate the rate. When purging water through a flow cell, the maximum flow rate for accurate water quality readings is about 0.5 liters per minute (L/minute).
- The discharge tubing should be connected to the flow cell immediately upon initial water discharge, unless the discharge water is visibly turbid or flocculant is observed. Monitor and record water quality parameters every three to five minutes after one tubing volume (including the volume of water in the flow cell) has been purged.
 - One foot of ¼-inch interior diameter tubing holds about 10 mL of water, and flow-through cells typically hold less than 200 mL of water; one volume should be purged after about 5 minutes at a flow rate of 0.1 L/minute.
- Water-quality indicator parameters that will be monitored and recorded during purging include:
 - pH
 - Specific conductivity

- Dissolved oxygen
- Temperature
- Turbidity
- Oxidation reduction potential (ORP)
- Continue purging until temperature, pH, turbidity, and specific conductivity are approximately stable (when measurements are within 10 percent) for three consecutive readings, or 30 minutes have elapsed. Because these field parameters (especially dissolved oxygen and ORP) may not reach the stabilization criteria, collection of the groundwater sample will be based on the professional judgment of field personnel at the time of sampling. A minimum of 5 water quality readings should be collected prior to sampling.
- The water sample can be collected once the criteria above have been met.
- If drawdown in the well cannot be maintained at 0.33 feet or less, reduce the flow or turn off the pump for 15 minutes and allow for recovery. If the water quality parameters have stabilized, and if at least two tubing volumes and the flow cell volume have been purged, then sample collection can proceed when the water level has recovered, and the pump is turned back on. This should be noted on the sampling form.
- To collect the water sample, maintain the same pumping rate. After the well has been purged and the sample bottles have been labeled, the groundwater sample will be collected by directly filling the laboratory-provided bottles from the pump discharge line prior to passing through the flow cell. All sample containers should be filled with minimum disturbance by allowing the water to flow down the inside of the bottle or vial. When collecting a volatile organic compound (VOC) sample, fill to the top to form a meniscus over the mouth of the vial prior to placing the cap to eliminate air bubbles. Be careful not to overflow preserved bottles/pre-cleaned Volatile Organic Analyte (VOA) vials.
- If sampling for filtered metals, collect these samples last and fit an in-line filter at the end of the discharge line. Take note of the flow direction arrow on the filter prior to fitting, invert filter to eliminate air bubbles, and allow minimum of 0.5 to 1 liter of groundwater to pass through the filter prior to collecting the sample.
- Sample labels will clearly identify the project name, sampler's initials, sample location and unique sample ID, analysis to be performed, date, and time. After collection, place samples a cooler maintained at a temperature of approximately 4 to 6 degrees Celsius (°C) using ice (if required). Complete the chain-of-Custody forms. Upon transfer of the samples to the laboratory, the Chain-of-Custody Form will be signed by the persons transferring custody of the sample containers to document change in possession.
- When sample collection is complete at a designated location, remove and properly dispose of the non-dedicated tubing. In most cases, this waste is considered solid waste and can be disposed of as refuse. Close and lock the well.

4.0 Decontamination

All reusable equipment that comes into contact with groundwater should be decontaminated using the processes described in this section prior to moving to the next sampling location.

Water Level Meter: The water level indicator and tape will be decontaminated between sampling locations and at the end the day by spraying the entire length of tape that came in contact with groundwater with an Alconox (or similar)/clean water solution followed by a thorough rinse with distilled or deionized water.

Water Quality Sensors and Flow-Through Cell: Distilled water or deionized water will be used to rinse the water quality sensors and flow-through cell. No other decontamination procedures are recommended since they are sensitive equipment. After the sampling event, the water quality meters will be cleaned and maintained according to the specific manual.

Submersible Pump (if applicable): Decontaminating the pump requires running the pump in three progressively cleaner grades of water.

1. Fill a bucket with approximately 4 gallons of an Alconox (or similar)/clean water solution to sufficiently cover the pump. Place the pump and the length of the power cord (if applicable) that was in contact with water into the bucket and run the pump for approximately two minutes or until the volume of water in the bucket has been exhausted.
2. Fill a second bucket containing approximately 4 gallons of clean water to sufficiently cover the pump. Place the pump and cord into this bucket and run the pump for approximately two minutes or until the volume of water in the bucket has been exhausted.
3. Fill a third bucket with approximately 4 gallons of distilled or deionized water to sufficiently cover the pump. Place the pump and cord into this bucket and run the pump for approximately two minutes or until the volume of water in the bucket has been exhausted.

The soap/water solution may be reused; however, rinse water should be collected for disposal as described in Section 5.0 below. When done for the day, dry the exterior of the pump and cord with clean towels to the extent practical prior to storage.

Bladder Pump: Clean the inside and outside of the pump body with an Alconox (or similar)/clean water solution, followed by a thorough rinse with distilled or deionized water. The outside of the air supply line that came in contact with groundwater may also be cleaned with Alconox (or similar) solution and re-used; bladders and water discharge lines must be replaced after each sample is collected.

5.0 Investigation-Derived Waste (IDW)

Unless otherwise specified in the project work plan, water generated during groundwater sampling activities will be contained, transported, disposed of in accordance with applicable laws, and stored in a designated area until transported off-site for disposal. This includes purge water and decontamination waste water.

The approach to handling and disposal of these materials for a typical cleanup site is as follows.

For IDW that is containerized, such as purge water, 55-gallon drums (or other smaller sized drums) approved by the Washington State Department of Transportation will be used for temporary storage pending profiling and disposal. Each container holding IDW will be sealed and labeled as to its contents (e.g., “purge water”), the dates on which the wastes were placed in the container, the owner’s name and contact information for the field person who generated the waste, and the site name.

IDW containerized within drums will be characterized relative to applicable waste criteria using data from the sampling locations whenever possible. Material that is designated for off-site disposal will be transported to an off-site facility permitted to accept the waste. Manifests will be used, as appropriate for disposal. Refer to the FS Special Condition Standard Guideline for Investigation Derived Waste for additional information regarding proper profiling and disposal of wastewater generated by groundwater sampling.

Disposable sampling materials and incidental trash such as tubing, paper towels and gloves/other disposable used in sample processing will be placed in heavy-duty garbage bags or other appropriate containers and disposed of as trash in the municipal collection system unless otherwise specified in the SAP.

6.0 Field Documentation

Groundwater sampling activities will be documented in field sampling forms and/or field notebooks, and Chain-of-Custody Forms. Information recorded will, at a minimum, include personnel present (including subcontractors or client representatives), purpose of field event, weather conditions, sample collection date and times, sample analytes, depths to water, water quality parameters, well box/lid conditions, amount of purged water generated, and any deviations from the SAP. Photographs of damaged well casings or well boxes should be taken.

At the end of the day, complete and review the second page of the tailgate safety meeting form detailing additional hazards, corrective actions, near-misses or incidents. Any incidents that result in equipment damage or field staff injuries should be reported immediately to the PM.

7.0 Demobilization

Upon returning to the office, ensure that all equipment is properly cleaned and put away in the field room. Equipment with rechargeable batteries should be plugged in as appropriate. It is

preferable to dispose of trash on-site, but any trash left in the field vehicle should be disposed as regular trash at Two Union Square.

If rented equipment or sample coolers will be placed at the front desk for pickup, clearly label each item with the company picking it up, anticipated pickup time frame, and your contact information so front desk staff can contact you if there are any questions. Notify front desk staff if any items require a signature at pickup.

Within one week of returning from the field, the field lead for the event should review field notes, sampling forms and tailgate safety meeting forms with the PM. Following PM review and approval, field notes will be scanned and saved to the project folder. Hard copies should be filed. The PM will provide copies of near miss and incident reports to the Safety Program Manager.

8.0 References

U.S. Environmental Protection Agency (USEPA). 1996. Low-Stress (low flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells, Revision 2. Region 1. July 30, 1996.

_____. 2002. Groundwater Sampling Guidelines for Superfund and CAR Project Managers. Office of Solid Waste and Emergency Response. EPA 542.S-02-001. May 2002.

Enclosures: Groundwater or Surface Water Sample Collection Form

Record of Revisions:

Revisions	Date
Added health and safety information, reviewed EPA guidance, and added revisions table.	12/9/2022
Added turbidity meter to equipment list and appended updated field form to PDF	11/29/2023

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: _____ Date of Collection: _____

Task: _____ Field Personnel: _____

Purge Data

Well ID: _____ Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): _____ Time: _____

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): _____

Begin purge (time): _____ End purge (time): _____

Volume purged: _____ Purge water disposal method _____

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (_____)	pH (s.u.)	DO (mg/L)	Specific Conductivity (µs/cm)	Turbidity (NTU)	Temp (°C)	ORP (mV)	Comments
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

Sampling Data

Sample No: _____ Location and Depth: _____

Date Collected (mo/dy/yr): _____ Time Collected: _____ Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): _____

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: _____

Attachment 4
Historical Site Data from Kane Environmental

Table 1
Bothell Service Center Simon Son
Groundwater Analytical Results

Well	Well Type and Water Bearing Zone	Screened Depth, (ft. bgs)	Top of Casing (TOC) Elevation (feet) +	Date Sampled	Depth to Water (ft below TOC)	GW Elevation (feet)	PCE (μg/L)	TCE (μg/L)	(cis) 1,2-DCE (μg/L)	Vinyl Chloride (μg/L)	pH (units)	Temp (°C)	Conductivity (μS/cm)	Dissolved Oxygen (mg/L)	Oxidation Potential (mV)	Ferrous Iron (mg/L)	Dissolve d Iron (mg/L)	Dissolve d Manganese (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Ammonia as N (mg/L)	Sulfide (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)	Total Organic Carbon (mg/L)				
MW-1	Shallow Decommissioned	5 to 20	46.952	3/16/01			113	38.3	28.1	<1.0																				
				7/13/01			23.7	10.3	4.82	<1.0																				
				10/26/01			8.71	2.84	1.29	<1.0																				
				12/2/02			239	380	1,200	<1.0																				
				10/1/02			6.8	6.4	17				6.5		196.0	1.14	13.8													
				4/27/05			2,600	80	53				6.7		201.0	3.02	97.6													
				8/15/05			12,000	<50	<50																					
				8/14/06			18,000	<200	<200				5.9		284.0	0.9	499													
				5/14/07			12,000	<50	63				6.1		249.0	2.27	448													
				11/27/07			11,000	<100	<100				6.6		233.0	4.87	135													
				8/26/08			23,000	<200	<200				6.3		189.0	1.87	175		2.2	0	22				<0.05	13.1	<1.2	<1.1	3.25	
				1/9/09			450	10	6.6				6.3		88.0	10.5	120		0.20	0	8.8				<0.05	<0.5	<0.5	<0.5	2.95	
				6/11/09			17,000	<100	<100				6.1		242.0	2.32	80.1		1.2	0	18				<0.05	8.6	<0.5	<0.5	2.2	
				9/14/09			31,000	<200	<200				6.3		328.0	0.74	158		2.2	0	21				<0.05	28	<2.5	<2.5	3.7	
				5/27/10			23,000	<100	<100	<100			6.4		200.0	2.26	58.4										14	<1.0	<1.0	2.6
				9/9/10			24,000	<200	<200	<200			6.8		249.0	0.38	0.3													
				6/10/11			1,900	42	52	<10			6		141.0	5.6	39.3		0	0	13									
				3/21/13			8,000	56	81	<0.2			6.7		203.0	5.5	68.4									<0.05	4.5	<1.2	<1.1	11.8
				4/4/14			270	16	49	<0.02			7.1		117.0	5.5	-14		0							<0.05	<0.7	<1.2	<1.1	8.28
				10/10/14			28,000	160	140	<2.0 U			6.3		348.0	0.3	18.6		0							<0.05 U	36.8	<1.2 U	<1.1 U	3.15
				11/11/15	10.07	36.92		14,000	92	87	<50		6.06		341.0	3.89	80.4		0			19					0.76	<0.50	<0.50	2.9
				9/21/16	9.14	37.81		6,700	170	610	160		6.29		325.0															
10/25/16	7.72	39.23		160	6.6	16	<2.0		6.33	18.4	202.0																			
MW-2	Shallow Decommissioned	5 to 20	48.897	3/16/01			13,800	834	106 ES	<1.0																				
				7/13/01			419	16.4	<1.0	<1.0																				
				10/26/01			532	<20.0	<20.0	<20.0																				
				2/12/02			81.5	8.08	<1.0	<1.0																				
				10/1/02			18	0.65	<0.2			6.4		319.0	0.89	-30														
				4/27/05			2,600	44	<10			5.8		319.0	0.42	149.2														
				8/15/05			29,000	<200	<200																					
				8/14/06			32,000	300	240				5.8		317.0	0.97	478.5													
				5/14/07			6,100	40	38				6		264.0	0.7	479.8													
				11/27/07			38,000	<200	<200				6.5		300.0	1.18	117.8													
				8/26/08			590	200	2,300				6.4		286.0	2.26	-69.2		4.5	0	5.3				1.14	1330	<1.2	<1.1	25.9	
				1/8/09			270	550	290				6.5		296.0	0.56	24.7		5.2	0	7.3				0.322	500	<50	<50	6.36	
				6/11/09			1,100	1,400	1,700				6.3		264.0	0.73	60.9		4.6	0	8.5				<0.05	4400	<500	<500	6.4	
				9/14/09			1,700	2,200	7,800				6.3		323.0	0.68	147.5		4.2	0	12				0.725	3800	<500	<500	13	
				5/27/10			240	<60	12,000	70			6.1		512.0	0.31	-15.9													
				9/9/10			<200	<200	6,400	<200			6.5		420.0	0.21	-49.3													
				6/10/11			150	1,100	11,000	3,200			6.2		809.0	0.34	-101.4		3.9	0	<10						9700	<500	<500	39
				3/20/13			540	690	14,000	830 ES	7.4		7.4		561.0	0.31	-111		6.4						0.49	15900	<1.2	1240	27	
				4/7/14			390	630	5,300	850	7.2		7.2		320.0	0.3	-352		7.0						0.418	14500	<1.2	388	8.26	
				10/10/14			320	93	8,900	1,900	6.2		6.2		382.0	0.2	-117		4.8						0.084	9760	<1.2 U	349	7.49	
				11/11/15	10.17	38.74		2,400	4,100	15,000	1,200	5.78	5.78		463.0	0.00	-85.9		1.5			39					5900	<380	580	11
				9/23/16	9.89	39.01		8.1	6.6	8.1	6.6	6.59	6.59		241.0															
11/1/16	8.31	40.59		8.3	6.1	10	11	6.31	15.3		244.0																			
MW-3	Shallow Decommissioned	5 to 20	47.957	3/16/01			<1.0	<1.0	<1.0	<1.0																				
				10/26/01			<1.0	<1.0	<1.0	<1.0																				
				2/12/02			<1.0	<1.0	<1.0	<1.0																				
				10/1/02			0.37	<0.2	<0.2			5.9		284.0	1.12	30.8														
				4/27/05			<0.2	<0.2	<0.2			5.5		275.0	0.96	132														
				8/14/06			<0.2	<0.2	<0.2			5.8		307.0	1.95	456														
				5/14/07			<1.0	<0.2	<0.2			5.7		264.0	1.75	408														
				11/27/07			<1.0	<0.2	<0.2			6.2		330.0	0.76	78														
				8/26/08			<0.2	<0.2	<0.2			5.9		172.0	2.88	374		0	0	18				<0.05	<1	<1.2	<1.1	2.58		
				4/7/14			<0.2	<0.2	<0.2	<0.02		6.4		192.0	0.7	-71		0.40							<0.05	2960	<1.2	<1.1	4.17	
				10/10/14			0.39	<0.2 U	<0.2 U	<0.02 U		5.7		339.0	0.3	-0.9		0							<0.05 U	1570	<1.2 U	<1.1 U	9.82	
				9/23/16	8.26	39.70		0.22	<0.20	<0.20	<0.20	6.10		243.0																
				11/1/16	6.87	41.09		<0.20	<0.20	<0.20	<0.20	6.00	16.1		305.0															
				7/17/18	7.95	40.01		<1.00	<0.50	<1.00	<0.20	6.30	17.2		144.0															
				9/11/18	8.69	39.27		<1.00	<0.50	<1.00	<0.20	6.20	18.9		118.0		6.23	116.9		<100		19	2.94							

Table 1
Bethell Service Center Simon Son
Groundwater Analytical Results

Well	Well Type and Water Bearing Zone	Screened Depth, (ft. bgs)	Top of Casing (TOC) Elevation (feet) *	Date Sampled	Depth to Water (ft. below TOC)	GW Elevation (feet)	PCE (µg/L)	TCE (µg/L)	(cis) 1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	pH (units)	Temp (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Ferrous Iron (mg/L)	Dissolved Iron (µg/L)	Dissolve d Manganese (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Ammonia as N (mg/L)	Sulfide (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)	Total Organic Carbon (mg/L)					
MW-45R	Shallow	7 to 17	41.637	6/8/21	7.99	37.87	<0.20	<0.20	<0.20	0.85	6.49	18.3	686.0	0.00	-124.2		5,000		<5.0	14	1.5		3.2	<0.0022	<0.0028	3.3					
				6/23/21	8.07		15	3.5	4.0	0.92	6.66	22.1	514.0	0.02	-95.3		<56		17	26	6.7		0.39	<0.0022	0.0058	3.3					
				9/1/22	7.95		11	2.7	0.6	<0.020	6.40	21.3	630.0	3.17	62.1		65		110	4.9	0.088		2.2	<0.0022	0.0058	1.8					
				2/2/23	5.54		3.0	0.96	0.69	<0.020	6.75	13.7	543.0	0.39	112.4		<56		87	8.7	<0.050		0.0016	<0.0022	<0.0029	8.9					
				9/19/23	8.04		2.1	4.2	2.0	<0.20	6.26	16.4	448.0	0.21	176.7		<56		71	6.9	<0.050		0.42	<0.0022	<0.0029	5.9					
HZ-MW-1	Shallow	5 to 15	41.637	9/5/08			0.58	<0.2	<0.20																						
				5/30/14			21	0.22	<0.20	<0.20	6.62		478.0	3.23																	
				9/12/14			33	0.33	<0.20	<0.20	6.51		279.0	2.35																	
				12/15/14			15	<0.20	<0.20	<0.20	6.3		223.0	2.02																	
				3/19/15			11	<0.20	<0.20	<0.20	6.64		265.0	8.29																	
				9/21/16	7.89	33.75	7.2	<0.20	<0.20	<0.20	6.42		120.0																		
				10/31/16	6.23	35.41	6.9	<0.20	<0.20	<0.20	6.49	14.5	113.0																		
				7/20/18	7.47	34.17	<1.00	<0.50	<1.00	<0.20	6.73	16.9	125.0		10.69																
				9/13/18	8.2	33.44	10.8	<0.50	<1.00	<0.20	6.59	18.7	139.0	7.20	100.6				<100		6.43	2.73	<0.100		<0.0063	<0.0162	<0.0151	1.54			
				12/19/18	6.94	34.70	7.8	<0.50	<1.00	<0.20	6.21	13.5	158.8	5.00	45			<100		8.54	3.43	<0.100		<0.0063	<0.0162	<0.0151	1.17				
				5/30/19	6.81	34.83	11	<0.20	<0.20	<0.20	6.55	14.0	190.5	7.81	15.2			<56		7.4	5.9	<0.050		0.0014	<0.0005	<0.0005	1.1				
				7/30/19	7.2	34.44	14	<0.20	1.1	<0.020	6.17	17.3	189.6	4.08	-70.1			<56		6.6	4.4	<0.050		<0.001	<0.0005	<0.0005	1				
				10/21/19	7.45	34.19	15	<0.20	0.61	<0.020	5.65	15.9	172.5	4.58	200			<56		6.5	5.1	<0.050		<0.001	<0.0005	<0.0005	1.1				
				1/24/20	6.39	35.25	5.9	<0.20	<0.20	<0.020	5.85	12.6	173.1	24.0	86.3			<56		16	4.0	<0.050		1.5	<0.0022	<0.0029	1.2				
				4/14/20	6.33	35.35	33	1.1	1.2	0.15	6.20	12.9	301.4	1.14	-3.8			<56		16	6.3	<0.050		1.2	<0.0022	<0.0029	1.6				
				7/17/20	6.88	34.76	40	2.6	4.5	2.1	5.91	17.9	305.0	0.48	71.9			<56		12	6.0	<0.050		1.8	<0.0022	<0.0029	1.7				
				10/27/20	7.42	34.22	8.6	0.53	3.2	0.89	6.50	16.6	295.6		74.3			<56		15	8.5	0.13		7.4	<0.0022	<0.0029	1.7				
				3/4/21	5.34	36.30	11	3.6	120	3.1	6.24	12.4	334.2	1.14	-18.6			9,000		<5.0	6.4	0.31		8.4	<0.0022	0.0012	2.7				
				6/16/21	7.15	34.49	42	5.3	13	0.56	5.93	15.8	283.3	0.86	52.3			<56		27	8.8	0.14		1.9	<0.0022	0.0085	2.7				
				9/12/22	9.90		2.4	3.2	31	2.8	6.78	19.4	520.6	8.83	-32.0			5,300		20	8.3	0.14		0.30	<0.0022	<0.0029	2.3				
				2/15/23	8.64		3.7	3.3	67	19	6.05	13.3	749	0.19	-6.9			13,000		18	9.2	<0.050		6.2	<0.0022	<0.0029	3.3				
				9/20/23	9.81		2.7	2.2	110	17	6.17	15.2	1052	0.27	129.2			18,000		12	10	0.058		7.3	<0.0022	<0.0029	3.6				
				HZ-MW-4	Shallow Decommissioned	8 to 18	40.177	9/5/08			<0.2	<0.2	<0.20																		
								6/9/14			<0.20	<0.20	<0.20	6.35		407.0	2.73														
9/12/14			2.6					<0.20	<0.20	6.42		361.0	2.12																		
12/16/14			0.54					<0.20	<0.20	6.56		316.0	2.17																		
3/30/15			<0.20					<0.20	<0.20	5.47		323.0	2.67																		
11/11/15	6.18	34.06	0.27					<0.20	0.51	0.44	6.22		459.0	39.20	6.5	0															
9/23/16	7.16	33.02	0.31					<0.20	<0.20	<0.20	6.23		331.0																		
10/28/16	5.22	34.96	<0.20					<0.20	<0.20	6.36	16.9	308.0																			
7/24/18	6.95	33.23	<1.00					<0.50	<1.00	<0.20	6.75	15.8	356.0	3.35																	
9/13/18	7.59	32.59	<1.00					<0.50	<1.00	<0.20	6.52	16.9	354.0	2.25	53.6							40.7	13	<0.100		<0.0063	<0.0162	<0.0151	3.95		
12/21/18	6.27	33.91	<1.00					<0.50	<1.00	<0.20	6.21	13.1	420.9	0.19	10							36.5	15	<0.100		<0.0063	<0.0162	<0.0151	3.1		
5/30/19	6.37	33.81	0.41					<0.20	<0.20	6.38	16.3	446.1	0.30	45.3								45	21	<0.050		0.0016	<0.0005	<0.0005	2.6		
HZ-MW-14S	Shallow	5 to 15	42.377					2/25/13			2,400	47	29																		
								5/29/14			1,000	23	11	<1.0	6.46		799.0	0.16													
								9/11/14			4,900	96	78	<2.0	6.51		441.0	0.54													
								12/15/14			790	16	13	<4.0	6.34		396.0	0.48													
								3/20/15			200	6.5	3.8	<1.0	6.4		462.0	13.86													
				11/11/15	7.65	34.79	75.0	3.1	8.6	<0.40	6.10		437.0																		
				9/26/16	7.52	34.86	1,800	67	110	<2.0	6.34		339.0	1.3	24.8	0					30										
				10/28/16	5.82	36.56	440	13	12	<2.0	6.43	18.4	309.0																		
				7/20/18	7	35.38	2,580	52.5	86.6	0.572	6.87	16.9	300.0	0.70																	
				9/21/18	7.36	35.02	2,710	61.9	203	<2.0	6.52	19.1	346.0	0.13	42.9							27.4	7.81	<0.100		0.361	<0.0162	<0.0151	3.87		
				12/13/18	6.23	36.15	240	7.33	6.12	<0.20	6.11	15.5	327.3	0.17	20.4			<100				22.4	7.29	<0.100		<0.0063	<0.0162	<0.0151	1.89		
				5/21/19	6.43	35.95	240	7.0	3.2	<2.0	6.47	14.7	339.2	0.11	-26.3			490				21	7.2	<0.050		0.053	<0.0005	<0.0005	1.7		
				7/25/19	6.31	36.07	160	6.8	7	<0.10	6.15	20.8	303.6	0.23	-57.4			160				18	7.8	0.53		0.018	<0.0005	<0.0005	1.8		
				10/16/19	6.99	35.39	78	5.9	3.6	<0.04	6.41	18.7	295.1	0.05	103.9			<56				17	8	<0.050		0.29	<0.0005	<0.0005	1.9		
				1/22/20	5.65	36.73	23	4.2	15	0.069	6.31	11.6	265.0	2.22	115			<56				19	9.5	<0.050		0.014	<0.0022	<0.0029	2.8		
				4/15/20	5.76	36.62	55	3.5	4.3	3.0	6.12	13.0	320.4	0.24	11.5			<56				18	8.1	<0.050		6.9	<0.0022	0.019	2.1		
				7/21/20	7.45	34.93	160	15	88	26	6.04	18.7	315.7	0.25	79.6			76				19	8.6	<0.050							

Table 1
Bothell Service Center Simon Son
Groundwater Analytical Results

Well	Well Type and Water Bearing Zone	Screened Depth, (ft bgs)	Top of Casing (TOC) Elevation (feet) +	Date Sampled	Depth to Water (ft below TOC)	GW Elevation (feet)	PCE (µg/L)	TCE (µg/L)	(cis) 1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	pH (units)	Temp (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Ferrous Iron (mg/L)	Dissolved Iron (mg/L)	Dissolved Manganese (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Ammonia as N (mg/L)	Sulfide (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)	Total Organic Carbon (mg/L)						
				9/7/18	8.26	33.42	<1.00	<0.500	<1.00	<0.20	6.84	15.6	401.0	0.07	24.8			3.800		13.2	11.1	<0.100		0.527	<0.0162	<0.0151	6.14					
				12/19/18	7.40	34.28	<1.00	<0.50	<1.00	<0.20	6.53	14.2	416.2	0.06	7.5			1,200		16.6	11.3	<0.100		0.273	<0.0162	<0.0151	3.14					
				5/30/19	7.17	34.51	<0.20	<0.20	<0.20	<0.20	6.74		358.2	0.20	11.5			7,500		13	11	<0.050		0.75	<0.05	<0.05	3.4					
				7/30/19	7.98	33.70	<0.20	<0.20	<0.20	<0.20	6.65	18.6	281.2	0.22	-79.8			4,900		11	6.8	<0.050		0.21	<0.0005	<0.0005	3.4					
				10/24/19	8.61	33.07	<0.20	<0.20	<0.20	<0.20	6.40	14.9	290.2	0.17	-5			8,700		8.1	7.1	<0.050		0.92	<0.0005	<0.0005	2.4					
				1/23/20	6.89	34.99	<0.20	<0.20	<0.20	<0.20	0.039	6.55	13.2	502.7	0.20	13.5			10,000		<5.0	9.4	<0.050		1.9	<0.00022	<0.00029	4.2				
				4/13/20	6.77	34.91	<0.20	<0.20	<0.20	<0.20	0.044	6.77	14.7	702.0	0.34	-59			18,000		<5.0	12	<0.050		7.3	<0.00022	<0.00029	9.2				
				7/17/20	10.42	31.26	<0.20	<0.20	<0.20	<0.20	0.025	6.77	16.3	704.0	0.20	-72.4			15,000		<5.0	17	<0.050		16	<0.00022	<0.00029	6.0				
				10/27/20	9.13	32.55	<0.20	<0.20	<0.20	<0.20	0.040	6.67	15.3	705.0	0.21	-69.5			14,000		<5.0	21	<0.050		21	<0.00022	<0.00029	1.6				
				3/4/21	6.73	34.95	<0.20	<0.20	<0.20	<0.20	0.020	6.88	14.2	149.0	0.42	-99.8			4,800		5.9	4.4	0.11		4.0	<0.00022	<0.00029	2.3				
				6/14/21	7.23	34.45	<0.20	<0.20	<0.20	<0.20	0.020	6.91	15.6	121.9	6.37	33.8			120		28	<2.0	<0.050		0.044	<0.00022	<0.00029	4.1				
				9/14/16	7.20	33.80	4.9	2.4	2.1	0.8	6.47																					
				10/27/16	5.66	35.34	6.7	0.8	12	0.6	6.69	17.1	316.0																			
				9/18/18	6.92	34.08	4.48	2.3	14.8	0.577	6.31	16.2	286.0	0.22	99.2												0.0181	<0.0162	<0.0151	3.98		
12/10/18	6.04	34.96	2.79	0.908	5.38	<0.20	6.26	15.0	273.7	0.08	-1.4												<0.00863	<0.0162	<0.0151	7.02						
5/31/19	6.06	34.94	2.0	0.92	2.1	0.77	6.61	15.3	533.7	0.13	-11.7													5.4	<0.25	<0.25	3.5					
7/17/19	7.10	33.90	2.7	1.1	16	0.68	6.39	17.1	557.4	0.07	-167.7													6.3	<0.0005	<0.0005	3.8					
10/24/19	6.82	34.18	<0.40	<0.40	93	0.76	6.21	16.0	442.3	0.16	10													9.7	<0.0005	<0.0005	4.7					
1/27/20	5.71	35.29	2.2	1.3	150	3.2	6.47	13.0	452.3	0.13	35.3													9.5	<0.00022	<0.00029	4.9					
4/14/20	6.01	34.99	<0.40	<0.40	73	3.0	6.36	15.7	493.7	0.22	-13.9													4.0	<0.00022	<0.00029	5.4					
7/22/20	6.78	34.22	0.9	1.8	28	2.6	6.26	16.6	452.1	0.30	3.7													2.1	<0.00022	<0.00029	4.5					
10/28/20	6.91	34.09	1.3	1.3	35	2.0	6.02	16.2	417.0	0.20	26.6													1.6	<0.00022	<0.00029	3.8					
3/2/21	5.18	35.82	<0.20	0.35	6.1	0.17	6.06	13.3	277.2		-19.9														0.20	<0.00022	<0.00029	2.8				
6/18/21	6.50	34.50	<0.20	0.21	5.0	0.13	6.39	16.2	244.1	0.09	-154.6														0.31	<0.0022	<0.0029	4.9				
9/20/22	5.60		3.8	4.1	25	0.80	6.06	16.3	363.9	0.18	-53.0														0.30	<0.00022	<0.00029	5.3				
2/7/23	1.90		2.7	2.3	15	0.55	6.24	13.2	410.8	0.09	-7.0														0.46	<0.00022	<0.00029	2.3				
9/8/23	5.61		2.0	2.0	11	0.61	6.23	15.0	473.6	0.25	80.3														1.7	<0.00022	<0.00029	2.6				
	Deep Decommissioned	44.33 to 54.33	41.907	9/14/16	8.17	33.74	6.4	<0.20	<0.20	6.71																						
				10/28/16	7.02	34.89	1.2	<0.20	<0.20	6.46																						
				7/19/18	8.00	33.91	<1.00	<0.50	<1.00	<0.20	6.67	14.7	248.0	0.45																		
				9/11/18	8.41	33.50	<1.00	<0.50	<1.00	<0.20	6.38	15.3	273.0	0.08	102.8													0.00931	<0.0162	<0.0151	2.72	
				12/4/18	7.35	34.56	3.67	1.36	<1.00	<0.20	6.11	14.7	299.6	0.07	48.7													<0.00863	<0.0162	<0.0151	4.34	
				5/30/19	7.60	34.31	<0.20	<0.20	<0.20	<0.20	6.36		259.6	0.32	21.3														0.056	<0.005	<0.005	<1.0
				9/14/16	7.55	33.14	9.9	3.5	4.7	<0.40	6.71		267.0																			
				10/28/16	7.26	34.43	3.3	<0.20	0.25	<0.20	6.74	16.0	265.0																			
				7/23/18	6.36	33.33	11.9	<0.50	2.01	<0.20	6.98	16.4	284.0	0.31																		
				9/17/18	6.83	33.86	7.12	<0.50	1.3	<0.20	6.55	15.0	318.0	0.37	187																	
				12/4/18	7.23	33.46	6.21	<0.50	1.03	<0.20	6.38	14.2	334.2	0.10	75.6																	
				5/30/19	6.85	33.94	9.7	<0.20	1.4	<0.20	6.70	16.6	329.9	0.18	17																	
				7/30/19	7.34	33.35	5.0	<0.20	1.0	0.653	6.42	16.5	327.9	0.21	-96.7																	
				10/16/19	7.91	32.78	2.8	<0.20	0.53	0.655	6.61	15.1	322.7	0.03	152.3																	
1/24/20	6.86	33.83	1.5	<0.20	0.42	0.041	6.55	13.1	334.4	0.10	36.3																					
4/13/20	6.33	34.36	7.3	2.5	4.9	<0.040	6.52	14.6	396.4	0.66	-4.8																					
7/17/20	6.82	33.87	15	0.84	2.2	0.026	6.29	15.7	370.0	0.31	-13.7																					
10/27/20	7.34	33.35	14	0.34	1.8	0.034	6.15	15.5	346.9	0.22	110.7																					
3/5/21	6.66	34.03	1.7	<0.20	0.26	<0.020	6.51	13.9	180.9	2.65	84.4																					
6/14/21	6.99	33.70	5.0	<0.20	1.2	0.02	6.41	14.9	337.4	0.15	13.0																					
9/8/22	11.98		2.2	0.43	2.0	0.048	6.23	15.5	365.0	0.15	43.3																					
2/21/23	9.83		7.4	<0.20	1.6	0.076	6.44	13.9	366.5	0.14	121.7																					
9/12/23	11.14		1.1	<0.20	1.2	<0.20	6.07	14.5	385.6	0.15	315.8																					
	Deep Decommissioned	45 to 55	41.597	9/14/16	8.00	33.60	1.6	<0.20	0.34	<0.20	6.80																					
				10/28/16	6.55	35.05	0.84	<0.20	<0.20	6.51		208.0																				
				7/13/18	7.35	34.25	2.24	<0.50	1.07	<0.20	6.77	15.1	215.0	0.40																		

Table 1
Bothell Service Center Simon Son
Groundwater Analytical Results

Well	Well Type and Water Bearing Zone	Screened Depth, (ft. bgs)	Top of Casing (TOC) Elevation (feet)* +	Date Sampled	Depth to Water (ft below TOC)	GW Elevation (feet)	PCE (µg/L)	TCE (µg/L)	(cis) 1,2-DCE (µg/L)	Vinyl Chloride (µg/L)	pH (units)	Temp (°C)	Conductivity (µS/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (mV)	Ferrous Iron (mg/L)	Dissolved Iron (µg/L)	Dissolved Manganese (mg/L)	Sulfate (mg/L)	Chloride (mg/L)	Ammonia as N (mg/L)	Sulfide (mg/L)	Methane (mg/L)	Ethane (mg/L)	Ethene (mg/L)	Total Organic Carbon (mg/L)				
S-MW-5	Shallow Replaced	15 to 25	41.357	10/28/16	4.56	36.80	340	<4.0	<4.0	<4.0	6.68	18.0	259.0																	
				9/24/18	6.07	35.29	530	<5.0	<10	<2.0	6.38	16.2			164.0	2.17	48.5				12.6	6.05	<0.100		<0.00863	<0.0162	<0.0151	1.36		
				12/27/18	3.90	37.46	1,690	6.03	16.7	<2.0	6.31				235.5	0.98	58.2				<100	21.6	6.56	<0.100		<0.00863	<0.0162	<0.0151	0.506	
				6/5/19	5.20	36.16	880	<10	<10	<10	6.57	15.2	205.1	1.81	7.3						<56	19	5.9	<0.050		<0.001	<0.0005	<0.0005	<1.0	
				7/24/19	5.72	35.64	530	<4.0	<4.0	<0.40	6.22	17.6	169.8	1.93	-76.1						<56	15	7.5	<0.050		<0.001	<0.0005	<0.0005	<1.0	
				10/17/19	5.88	35.48	820	<4.0	<4.0	<0.40	6.05	15.8	159.8	1.78	198.6						<56	17	5.3	<0.050		<0.001	<0.0005	<0.0005	<1.0	
				1/21/20	5.00	36.36	780	<4.0	<4.0	<0.40	6.65	12.8	195.6	1.30	74.8						<56	22	6.1	<0.050		<0.00055	<0.00022	<0.00029	<1.0	
				4/23/20	4.85	37.52	1,500	<10	<10	<10	6.37	13.4	217.3	2.11	-8.3						57	15	5.1	<0.050		<0.00055	<0.00022	<0.00029	<1.0	
				7/27/20	5.69	35.67	420	<2.0	<2.0	<0.20	6.09	19.2	218.5	2.35	75.8						<56	16	3.8	<0.050		0.0026	<0.00022	<0.00029	<1.0	
				10/30/20	5.82	35.54	140	<1.0	<1.0	<0.10	5.94	15.9	110.9	3.82	77.1						<56	13	4.9	0.6		0.0084	<0.00022	<0.00029	4.0	
				3/2/21	4.03	37.33	280	<2.0	<2.0	<0.20	5.92	13.8	83.4	4.48	75.0						66	5.2	5.3	<0.050		<0.00055	<0.00022	<0.00029	<1.0	
				6/9/21	5.52	35.84	120	<0.80	<0.80	<0.08	6.32	14.9	53.6	2.39	43.3						69	<5.0	<2.0	<0.050		0.00077	<0.00022	<0.00029	1.3	
				S-MW-5R	Shallow	15 to 25		8/11/21	8.30		630	<4.0	<4.0	<0.40	6.56	19.1	178.4	1.97	109.0											
								10/3/22	10.88		450	3.9	5.3	0.081	5.83	16.2	396.5	3.50	108.3						<56	20	4.6	<0.050		0.3
2/10/23	7.14		270					6.8	14	0.70	6.26	13.6	480.3	0.14	113.7						<56	20	4.5	<0.050					1.2	
9/12/23	8.59		510					3.9	3.7		6.18	14.3	277.5	0.29	346.9						<56	20	2.5	0.096		0.40	<0.00022	<0.00029	<1.0	
S-MW-6	Shallow Decommissioned	4 to 14	-	1/3/17	5.51		<0.20	<0.20	<0.20	<0.20	6.23		155.0																	
				1/11/19	5.54		<1.00	<0.50	<1.00	<0.20	6.11		129.0																	
S-MW-7R	Shallow Decommissioned	4 to 14		6/7/19	7.57		<0.20	<0.20	<0.20	<0.20	6.1	13.5	182.8	4.90	8.7															
				6/14/21	5.04		<0.20	<0.20	<0.20	<0.020	7.50	17.4	938.0	4.46	-1.6															
MTCA Method A Cleanup Level ¹							5.0	5.0		0.2																				
MTCA Method B Cleanup Level ²									16								11,200													

Notes:
PCE – Tetrachloroethene
TCE – Trichloroethene
1,1-DCE - 1,1-Dichloroethene
(cis) 1,2-DCE - (cis) 1,2-Dichloroethene
Blank – Not analyzed or not available
Bold – Analyte detected
Bold / highlighted – Analyte exceeds MTCA A/B cleanup level
Italicized - Detection limit exceeds respective cleanup level
< – Analyte not detected at listed reporting limit
mg/L – micrograms per liter
MV – Millivolts
ES – Estimated concentration because analyte concentration was outside of lab instrument calibration range
^ - Angled well. Well casing dips at approximately 60 degree angle
- Angled portion of well casing. Approximately 2 feet of upper well casing at 45 degree angle
* - TOC Elevation valid through June 2021. Well elevation modified following June 2021 sampling event.
DNAPL – Dense Non-Aqueous Phase Liquid
1 – Table 720-1, WAC 173-340-900
2 – WA Dept. of Ecology CLARC ground water data table (<https://fortress.wa.gov/ecy/clarc/FocusSheets/Groundwater%20Methods%20B%20and%20A%20and%20ARARs.pdf>)
NA – Not Applicable
* HWA TOC elevation was used to calculate GW elevation during HWA sampling events.

Attachment 5
2024 Microbial Insights Report

SITE LOGIC Report

QuantArray®-Chlor Study

Contact: Gabe Cisneros Phone: 206-292-2078
Address: Floyd Snider Email: gabe.cisneros@floydsnider.com
601 Union St
Seattle, WA 98101

MI Identifier: 088VI

Report Date: 10/07/2024

Project: COB - Service Center (BSC)

Reviewed By: *Alicia Rivera*

Comments:

The QuantArray[®]-Chlor Approach

Quantification *Dehalococcoides*, the only known bacterial group capable of complete reductive dechlorination of PCE and TCE to ethene, has become an indispensable component of assessment, remedy selection, and performance monitoring at sites impacted by chlorinated solvents. While undeniably a key group of halorespiring bacteria, *Dehalococcoides* are not the only bacteria of interest in the subsurface because reductive dechlorination is not the only potential biodegradation pathway operative at contaminated sites, and chlorinated ethenes are not always the primary contaminants of concern. The QuantArray[®]-Chlor not only includes a variety of halorespiring bacteria (*Dehalococcoides*, *Dehalobacter*, *Dehalogenimonas*, etc.) to assess the potential for reductive dechlorination of chloroethenes, chloroethanes, chlorobenzenes, chlorophenols, and chloroform, but also provides quantification of functional genes involved in aerobic (co)metabolic pathways for biodegradation of chlorinated solvents and even competing biological processes. Thus, the QuantArray[®]-Chlor will give site managers the ability to simultaneously yet economically evaluate the potential for biodegradation of a spectrum of common chlorinated contaminants through a multitude of anaerobic and aerobic (co)metabolic pathways to give a much more clear and comprehensive view of contaminant biodegradation.

The QuantArray[®]-Chlor is used to quantify specific microorganisms and functional genes to evaluate the following:

Anaerobic Reductive Dechlorination

Quantification of important halorespiring bacteria (e.g. *Dehalococcoides*, *Dehalobacter*, *Dehalogenimonas*, *Desulfitobacterium* spp.) and key functional genes (e.g. vinyl chloride reductases, TCE reductase, chloroform reductase) responsible for reductive dechlorination of a broad spectrum of chlorinated solvents.

Aerobic Cometabolism

Several different types of bacteria including methanotrophs and some toluene/phenol utilizing bacteria can co-oxidize TCE, DCE, and vinyl chloride. The QuantArray[®]-Chlor quantifies functional genes like soluble methane monooxygenase encoding enzymes capable of co-oxidation of chlorinated ethenes.

Aerobic (Co)metabolism of Vinyl Chloride

Ethene oxidizing bacteria are capable of cometabolism of vinyl chloride. In some cases, ethenotrophs can also utilize vinyl chloride as a growth supporting substrate. The QuantArray[®]-Chlor targets key functional genes in ethene metabolism.

Results

Table 1: Summary of the QuantArray®-Chlor results obtained for samples MW-4R-092524, MW-5R-092524, MW-6-092524, MW-7-092524, and MW-12-092524

Sample Name Sample Date	MW-4R-092524 09/25/2024	MW-5R-092524 09/25/2024	MW-6-092524 09/25/2024	MW-7-092524 09/25/2024	MW-12-092524 09/25/2024
<i>Reductive Dechlorination</i>	cells/mL	cells/mL	cells/mL	cells/mL	cells/mL
<i>Dehalococcoides</i> (DHC)	2.00E+05	2.90E+01	4.90E+03	3.20E+04	9.40E+03
tceA Reductase (TCE)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
BAV1 Vinyl Chloride Reductase (BVC)	1.90E+03	<2.40E-01	8.80E+02	3.50E-01	8.20E+00
Vinyl Chloride Reductase (VCR)	6.00E+04	9.50E+00	5.90E+02	7.90E+03	2.20E+03
<i>Dehalobacter</i> spp. (DHBt)	1.90E+04	2.60E+03	3.20E+04	2.20E+04	2.60E+03
<i>Dehalobacter</i> DCM (DCM)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
<i>Dehalogenimonas</i> spp. (DHG)	1.90E+04	6.40E+02	3.60E+03	9.20E+03	1.40E+03
cerA Reductase (CER)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
trans-1,2-DCE Reductase (TDR)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
<i>Desulfitobacterium</i> spp. (DSB)	1.60E+04	1.50E+03	1.40E+04	1.80E+04	5.90E+02
<i>Dehalobium chlorocoercia</i> (DECO)	4.70E+02	3.00E+02	1.90E+04	1.90E+03	3.20E+03
<i>Desulfuromonas</i> spp. (DSM)	3.70E+01	3.10E+01	1.70E+02	7.70E+03	1.80E+01
PCE Reductase (PCE-1)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
PCE Reductase (PCE-2)	3.20E+03	3.80E+01	3.80E+01	3.00E+03	6.40E+02
Chloroform Reductase (CFR)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
1,1 DCA Reductase (DCA)	<2.50E-01	<2.40E-01	1.70E+01	<2.40E-01	<2.40E-01
1,2 DCA Reductase (DCAR)	<2.50E-01	<2.40E-01	1.50E+02	<2.40E-01	<2.40E-01
<i>Aerobic (Co)Metabolic</i>					
Soluble Methane Monooxygenase (SMMO)	7.40E+01	1.70E+01	3.20E+02	1.40E+01	2.30E+02
Toluene Dioxygenase (TOD)	<2.50E-01	7.30E+01	<2.40E-01	<2.40E-01	<2.40E-01
Phenol Hydroxylase (PHE)	5.20E+01	4.10E+01	1.70E+02	1.10E+02	3.60E+02
Trichlorobenzene Dioxygenase (TCBO)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
Toluene Monooxygenase 2 (RDEG)	1.20E+02	1.80E+02	1.80E+01	1.70E+02	2.30E+02
Toluene Monooxygenase (RMO)	3.90E+02	<2.40E-01	1.90E+03	1.30E+03	9.60E+02
Ethene Monooxygenase (EtnC)	1.30E+03	<2.40E-01	7.20E+02	1.50E+02	2.30E+02
Epoxyalkane Transferase (EtnE)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	5.60E+01
Dichloromethane Dehalogenase (DCMA)	<2.50E-01	<2.40E-01	<2.40E-01	<2.40E-01	<2.40E-01
<i>Other</i>					
Total Eubacteria (EBAC)	4.30E+06	9.10E+05	7.10E+06	9.20E+06	2.40E+06
Sulfate Reducing Bacteria (APS)	1.40E+04	1.30E+03	1.50E+05	5.70E+04	3.30E+04
Methanogens (MGN)	3.00E+03	1.40E+03	1.70E+02	7.60E+03	5.00E-01

Legend:

NA = Not Analyzed

NS = Not Sampled

J = Estimated Gene Copies Below PQL but Above LQL

I = Inhibited

< = Result Not Detected

Microbial Populations MW-4R-092524




Figure 1: Microbial population summary to aid in evaluating potential pathways and biodegradation of specific contaminants. See below to understand the correlation between contaminants and their associated qPCR assays.

Anaerobic - Reductive Dechlorination or Dichloroelimination	
Contaminants	qPCR Assays
Chlorinated Ethenes (PCE, TCE)	DHC, DHBt, DSB, DSM, PCE-1, PCE-2
Chlorinated Ethenes (PCE, TCE, DCE, VC)	DHC, BVC, VCR
Chlorinated Ethenes (trans-1,2-DCE, VC)	TDR, CER
Chlorinated Ethanes (TCA and 1,2- DCA)	DHC, DHBt, DHG, DSB ¹ , DCA, DCAR
Chlorinated Methanes (Chloroform)	DHBt, DCM, CFR
Chlorinated Benzenes	DHC, DHBt ² , DECO
Chlorinated Phenols	DHC, DSB
Chlorinated Propanes	DHC, DHG, DSB ¹
Aerobic - (Co)metabolism	
Chlorinated Ethenes (TCE, DCE, VC)	sMMO, TOD, PHE, RDEG, RMO
(Co)metabolic Vinyl Chloride	etnC, etnE
Chlorinated Benzenes	TOD, TCBO, PHE

¹ *Desulfitobacterium dichloroeliminans* DCA1. ² Implicated in reductive dechlorination of dichlorobenzene and potentially chlorobenzene.

Microbial Populations MW-5R-092524




Figure 2: Microbial population summary to aid in evaluating potential pathways and biodegradation of specific contaminants. See below to understand the correlation between contaminants and their associated qPCR assays.

Anaerobic - Reductive Dechlorination or Dichloroelimination	
Contaminants	qPCR Assays
Chlorinated Ethenes (PCE, TCE)	DHC, DHBt, DSB, DSM, PCE-1, PCE-2
Chlorinated Ethenes (PCE, TCE, DCE, VC)	DHC, BVC, VCR
Chlorinated Ethenes (trans-1,2-DCE, VC)	TDR, CER
Chlorinated Ethanes (TCA and 1,2- DCA)	DHC, DHBt, DHG, DSB ¹ , DCA, DCAR
Chlorinated Methanes (Chloroform)	DHBt, DCM, CFR
Chlorinated Benzenes	DHC, DHBt ² , DECO
Chlorinated Phenols	DHC, DSB
Chlorinated Propanes	DHC, DHG, DSB ¹
Aerobic - (Co)metabolism	
Chlorinated Ethenes (TCE, DCE, VC)	sMMO, TOD, PHE, RDEG, RMO
(Co)metabolic Vinyl Chloride	etnC, etnE
Chlorinated Benzenes	TOD, TCBO, PHE

¹*Desulfitobacterium dichloroeliminans* DCA1. ²Implicated in reductive dechlorination of dichlorobenzene and potentially chlorobenzene.

Microbial Populations MW-6-092524




Figure 3: Microbial population summary to aid in evaluating potential pathways and biodegradation of specific contaminants. See below to understand the correlation between contaminants and their associated qPCR assays.

Anaerobic - Reductive Dechlorination or Dichloroelimination	
Contaminants	qPCR Assays
Chlorinated Ethenes (PCE, TCE)	DHC, DHBt, DSB, DSM, PCE-1, PCE-2
Chlorinated Ethenes (PCE, TCE, DCE, VC)	DHC, BVC, VCR
Chlorinated Ethenes (trans-1,2-DCE, VC)	TDR, CER
Chlorinated Ethanes (TCA and 1,2- DCA)	DHC, DHBt, DHG, DSB ¹ , DCA, DCAR
Chlorinated Methanes (Chloroform)	DHBt, DCM, CFR
Chlorinated Benzenes	DHC, DHBt ² , DECO
Chlorinated Phenols	DHC, DSB
Chlorinated Propanes	DHC, DHG, DSB ¹
Aerobic - (Co)metabolism	
Chlorinated Ethenes (TCE, DCE, VC)	sMMO, TOD, PHE, RDEG, RMO
(Co)metabolic Vinyl Chloride	etnC, etnE
Chlorinated Benzenes	TOD, TCBO, PHE

¹ *Desulfitobacterium dichloroeliminans* DCA1. ² Implicated in reductive dechlorination of dichlorobenzene and potentially chlorobenzene.

Microbial Populations MW-7-092524




Figure 4: Microbial population summary to aid in evaluating potential pathways and biodegradation of specific contaminants. See below to understand the correlation between contaminants and their associated qPCR assays.

Anaerobic - Reductive Dechlorination or Dichloroelimination	
Contaminants	qPCR Assays
Chlorinated Ethenes (PCE, TCE)	DHC, DHBt, DSB, DSM, PCE-1, PCE-2
Chlorinated Ethenes (PCE, TCE, DCE, VC)	DHC, BVC, VCR
Chlorinated Ethenes (trans-1,2-DCE, VC)	TDR, CER
Chlorinated Ethanes (TCA and 1,2- DCA)	DHC, DHBt, DHG, DSB ¹ , DCA, DCAR
Chlorinated Methanes (Chloroform)	DHBt, DCM, CFR
Chlorinated Benzenes	DHC, DHBt ² , DECO
Chlorinated Phenols	DHC, DSB
Chlorinated Propanes	DHC, DHG, DSB ¹
Aerobic - (Co)metabolism	
Chlorinated Ethenes (TCE, DCE, VC)	sMMO, TOD, PHE, RDEG, RMO
(Co)metabolic Vinyl Chloride	etnC, etnE
Chlorinated Benzenes	TOD, TCBO, PHE

¹*Desulfitobacterium dichloroeliminans* DCA1. ²Implicated in reductive dechlorination of dichlorobenzene and potentially chlorobenzene.

Microbial Populations MW-12-092524




Figure 5: Microbial population summary to aid in evaluating potential pathways and biodegradation of specific contaminants. See below to understand the correlation between contaminants and their associated qPCR assays.

Anaerobic - Reductive Dechlorination or Dichloroelimination	
Contaminants	qPCR Assays
Chlorinated Ethenes (PCE, TCE)	DHC, DHBt, DSB, DSM, PCE-1, PCE-2
Chlorinated Ethenes (PCE, TCE, DCE, VC)	DHC, BVC, VCR
Chlorinated Ethenes (trans-1,2-DCE, VC)	TDR, CER
Chlorinated Ethanes (TCA and 1,2- DCA)	DHC, DHBt, DHG, DSB ¹ , DCA, DCAR
Chlorinated Methanes (Chloroform)	DHBt, DCM, CFR
Chlorinated Benzenes	DHC, DHBt ² , DECO
Chlorinated Phenols	DHC, DSB
Chlorinated Propanes	DHC, DHG, DSB ¹
Aerobic - (Co)metabolism	
Chlorinated Ethenes (TCE,DCE,VC)	sMMO, TOD, PHE, RDEG, RMO
(Co)metabolic Vinyl Chloride	etnC, etnE
Chlorinated Benzenes	TOD, TCBO, PHE

¹*Desulfitobacterium dichloroeliminans* DCA1. ²Implicated in reductive dechlorination of dichlorobenzene and potentially chlorobenzene.

Interpretation

The overall purpose of the QuantArray[®]-Chlor is to give site managers the ability to simultaneously yet economically evaluate the potential for biodegradation of a spectrum of common chlorinated contaminants through a multitude of anaerobic and aerobic (co)metabolic pathways in order to provide a clearer and more comprehensive view of contaminant biodegradation. The following discussion describes the interpretation of results in general terms and is meant to serve as a guide.

Reductive Dechlorination - Chlorinated Ethenes: While a number of bacterial cultures including *Dehalococcoides*, *Dehalobacter*, *Desulfitobacterium*, *Desulfuromonas* spp. capable of utilizing PCE and TCE as growth-supporting electron acceptors have been isolated [1–5], *Dehalococcoides* may be the most important because they are the only bacterial group that has been isolated to date which is capable of complete reductive dechlorination of PCE to ethene [6]. In fact, the presence of *Dehalococcoides* has been associated with complete reductive dechlorination to ethene at sites across North America and Europe. Hendrickson and Lu have proposed using a *Dehalococcoides* concentration of 1×10^4 cells/mL as a screening criterion to identify sites where biological reductive dechlorination is predicted to proceed at “generally useful” rates [7,8].

At chlorinated ethene sites, any “stall” leading to the accumulation of daughter products, especially vinyl chloride, would be a substantial concern. While *Dehalococcoides* concentrations greater than 1×10^4 cells/mL correspond to ethene production and useful rates of dechlorination, the range of chlorinated ethenes degraded varies by strain within the *Dehalococcoides* genus [6,9] and the presence of co-contaminants and competitors can have complex impacts on the halo-respiring microbial community [10–15]. Therefore, QuantArray[®]-Chlor also provides quantification of a suite of reductive dehalogenase genes (PCE, TCE, BVC, VCR, CER, and TDR) to more definitively confirm the potential for reductive dechlorination of all chlorinated ethene compounds including vinyl chloride.

Perhaps most importantly, QuantArray[®]-Chlor quantifies TCE reductase (TCE) and both known vinyl chloride reductase genes (BVC, VCR) from *Dehalococcoides* to conclusively evaluate the potential for complete reductive dechlorination of chlorinated ethenes to non-toxic ethene [16–18]. In addition, the analysis also includes quantification of reductive dehalogenase genes from *Dehalogenimonas* spp. capable of reductive dechlorination of chlorinated ethenes. More specifically, these are the trans-1,2-DCE dehalogenase gene (TDR) from strain WBC-2 [19] and the vinyl chloride reductase gene (CER) from GP, the only known organisms other than *Dehalococcoides* capable of vinyl chloride reduction [20]. Finally, PCE reductase genes responsible for sequential reductive dechlorination of PCE to *cis*-DCE by *Sulfurospirillum* and *Geobacter* spp. are also quantified. In mixed cultures, evidence increasingly suggests that partial dechlorinators like *Sulfurospirillum* and *Geobacter* may be responsible for the majority of reductive dechlorination of PCE to TCE and *cis*-DCE while *Dehalococcoides* functions more as *cis*-DCE and vinyl chloride reducing specialists [10,21].

Reductive Dechlorination - Chlorinated Ethanes: Under anaerobic conditions, chlorinated ethanes are susceptible to reductive dechlorination by several groups of halo-respiring bacteria including *Dehalobacter*, *Dehalogenimonas*, and *Dehalococcoides*. While the reported range of chlorinated ethanes utilized varies by genus, species, and sometimes at the strain level, several general observations can be made regarding biodegradation pathways and daughter product formation. *Dehalobacter* spp. have been isolated that are capable of sequential reductive dechlorination of 1,1,1-TCA through 1,1-DCA to chloroethane [13]. Biodegradation of 1,1,2-TCA by several halo-respiring bacteria including *Dehalobacter* and *Dehalogenimonas* spp. proceeds via dichloroelimination producing vinyl chloride [22–24]. Similarly, 1,2-DCA biodegradation by *Dehalobacter*, *Dehalogenimonas*, and *Dehalococcoides* occurs via dichloroelimination producing ethene. While not utilized by many *Desulfitobacterium* isolates, at least one strain, *Desulfitobacterium dichloroeliminans* strain DCA1, is also capable of dichloroelimination of 1,2-DCA [25]. The 1,2-dichloroethane reductive dehalogenase gene (DCAR) from members of *Desulfitobacterium* and *Dehalobacter* is known to dechlorinate 1,2-DCA to ethene, while the 1,1-dichloroethane reductive dehalogenase (DCA) targets the gene responsible for 1,1-DCA dechlorination in some strains of *Dehalobacter*. In addition to chloroform, chloroform reductase (CFR) has also been shown to be responsible for reductive dechlorination of 1,1,1-TCA [26].

Reductive Dechlorination - Chlorinated Methanes: Chloroform is a common co-contaminant at chlorinated solvent sites and can inhibit reductive dechlorination of chlorinated ethenes. Grostern et al. demonstrated that a *Dehalobacter* population was capable of reductive dechlorination of chloroform to produce dichloromethane [27]. The *cfrA* gene encodes the reductase which catalyzes this initial step in chloroform biodegradation [26]. Justicia-Leon et al. have since shown that dichloromethane can support growth of a distinct group of *Dehalobacter* strains via fermentation [28]. The *Dehalobacter* DCM assay targets the 16S rRNA gene of these strains.

Reductive Dechlorination - Chlorinated Benzenes: Chlorinated benzenes are an important class of industrial solvents and chemical intermediates in the production of drugs, dyes, herbicides, and insecticides. The physical-chemical properties of chlorinated benzenes as well as susceptibility to biodegradation are functions of their degree of chlorination and the positions of chlorine substituents. Under anaerobic conditions, reductive dechlorination of higher chlorinated benzenes including hexachlorobenzene (HCB), pentachlorobenzene (PeCB), tetrachlorobenzene (TeCB) isomers, and trichlorobenzene (TCB) isomers has been well documented [29], although biodegradation of individual compounds and isomers varies between isolates. For example, *Dehalococcoides* strain CBDB1 reductively dechlorinates HCB, PeCB, all three TeCB isomers, 1,2,3-TCB, and 1,2,4-TCB [9]. *Dehalobium chlorocoercia* DF-1 has been shown to be capable of reductive dechlorination of HCB, PeCB, and 1,2,3,5-TeCB [31]. The dichlorobenzene (DCB) isomers and chlorobenzene (CB) were considered relatively recalcitrant under anaerobic conditions. However, new evidence has demonstrated reductive dechlorination of DCBs to CB and CB to benzene [32] with corresponding increases in concentrations of *Dehalobacter* spp. [33].

Reductive Dechlorination - Chlorinated Phenols: Pentachlorophenol (PCP) was one of the most widely used biocides in the U.S. and despite residential use restrictions, is still extensively used industrially as a wood preservative. Along with PCP, the tetrachlorophenol and trichlorophenol isomers were also used as fungicides in wood preserving formulations. 2,4-Dichlorophenol and 2,4,5-TCP were used as chemical intermediates in herbicide production (e.g. 2,4-D) and chlorophenols are known byproducts of chlorine bleaching in the pulp and paper industry. While the range of compounds utilized varies by strain, some *Dehalococcoides* isolates are capable of reductive dechlorination of PCP and other chlorinated phenols. For example, *Dehalococcoides* strain CBDB1 is capable of utilizing PCP, all three tetrachlorophenol (TeCP) congeners, all six trichlorophenol (TCP) congeners, and 2,3-dichlorophenol (2,3-DCP). PCP dechlorination by strain CBDB1 produces a mixture of 3,5-DCP, 3,4-DCP, 2,4-DCP, 3-CP, and 4-CP [34]. In the same study, however, *Dehalococcoides* strain 195 dechlorinated a more narrow spectrum of chlorophenols which included 2,3-DCP, 2,3,4-TCP, and 2,3,6-TCP, but no other TCPs or PCP. Similar to *Dehalococcoides*, some species and strains of *Desulfitobacterium* are capable of utilizing PCP and other chlorinated phenols. *Desulfitobacterium hafniense* PCP-1 is capable of reductive dechlorination of PCP to 3-CP [35]. However, the ability to biodegrade PCP is not universal among *Desulfitobacterium* isolates. *Desulfitobacterium* spp. strain PCE1 and *D. chlororespirans* strain Co23, for example, can utilize some TCP and DCP isomers, but not PCP for growth [2,36].

Reductive Dechlorination - Chlorinated Propanes: *Dehalogenimonas* is a recently described bacterial genus of the phylum Chloroflexi which also includes the well-known chloroethene-respiring *Dehalococcoides* [23]. The *Dehalogenimonas* isolates characterized to date are also halo-respiring bacteria, but utilize a rather unique range of chlorinated compounds as electron acceptors including chlorinated propanes (1,2,3-TCP and 1,2-DCP) and a variety of other vicinally chlorinated alkanes including 1,1,2,2-tetrachloroethane, 1,1,2-trichloroethane, and 1,2-dichloroethane [23].

Aerobic - Chlorinated Ethene Cometabolism: Under aerobic conditions, several different types of bacteria including methane-oxidizing bacteria (methanotrophs), and many benzene, toluene, ethylbenzene, xylene, and (BTEX)-utilizing bacteria can cometabolize or co-oxidize TCE, DCE, and vinyl chloride [37]. In general, cometabolism of chlorinated ethenes is mediated by monooxygenase enzymes with “relaxed” specificity that oxidize a primary (growth supporting) substrate (e.g. methane) and co-oxidize the chlorinated compound (e.g. TCE). QuantArray[®]-Chlor provides quantification of a suite of genes encoding oxygenase enzymes capable of co-oxidation of chlorinated ethenes including soluble methane monooxygenase (sMMO). Soluble methane monooxygenases co-oxidize a broad range of chlorinated compounds [38–41] including TCE, *cis*-DCE, and vinyl chloride. Furthermore, soluble methane monooxygenases are generally believed to support greater rates of aerobic cometabolism [40]. QuantArray[®]-Chlor also quantifies aromatic oxygenase genes encoding ring hydroxylating toluene monooxygenase genes (RMO, RDEG), toluene dioxygenase (TOD) and phenol hydroxylases (PHE) capable of TCE co-oxidation [42–46]. TCE or a degradation product has been shown to induce expression of toluene monooxygenases in some laboratory studies [43,47] raising the possibility of TCE cometabolism with an alternative (non-aromatic) growth substrate. Moreover, while a number of additional factors must be considered, recent research under ESTCP Project 201584 has shown positive correlations between concentrations of monooxygenase genes (soluble methane monooxygenase, ring hydroxylating monooxygenases, and phenol hydroxylase) and the rate of TCE degradation [48].

Aerobic - Chlorinated Ethane Cometabolism: While less widely studied than cometabolism of chlorinated ethenes, some chlorinated ethanes are also susceptible to co-oxidation. As mentioned previously, soluble methane monooxygenases (sMMO) exhibit very relaxed specificity. In laboratory studies, sMMO has been shown to co-oxidize a number of chlorinated ethanes including 1,1,1-TCA and 1,2-DCA [38,40].

Aerobic - Vinyl Chloride Cometabolism: Beginning in the early 1990s, numerous microcosm studies demonstrated

aerobic oxidation of vinyl chloride under MNA conditions without the addition of exogenous primary substrates. Since then, strains of *Mycobacterium*, *Nocardioideis*, *Pseudomonas*, *Ochrobactrum*, and *Ralstonia* species have been isolated which are capable of aerobic growth on both ethene and vinyl chloride (see Mattes et al. [49] for a review). The initial steps in the pathway are the monooxygenase (*etnABCD*) catalyzed conversion of ethene and vinyl chloride to their respective epoxyalkanes (epoxyethane and chlorooxirane), followed by epoxyalkane:CoM transferase (*etnE*) mediated conjugation and breaking of the epoxide [50].

Aerobic - Chlorinated Benzenes: In general, chlorobenzenes with four or less chlorine groups are susceptible to aerobic biodegradation and can serve as growth-supporting substrates. Toluene dioxygenase (TOD) has a relatively relaxed substrate specificity and mediates the incorporation of both atoms of oxygen into the aromatic ring of benzene and substituted benzenes (toluene and chlorobenzene). Comparison of TOD levels in background and source zone samples from a CB-impacted site suggested that CBs promoted growth of TOD-containing bacteria [51]. In addition, aerobic biodegradation of some trichlorobenzene and even tetrachlorobenzene isomers is initiated by a group of related trichlorobenzene dioxygenase genes (TCBO). Finally, phenol hydroxylases catalyze the continued oxidation and in some cases, the initial oxidation of a variety of monoaromatic compounds. In an independent study, significant increases in numbers of bacteria containing PHE genes corresponded to increases in biodegradation of DCB isomers [51].

Aerobic - Chlorinated Methanes: Many aerobic methylotrophic bacteria, belonging to diverse genera (*Hyphomicrobium*, *Methylobacterium*, *Methylophilus*, *Pseudomonas*, *Paracoccus*, and *Alibacter*) have been isolated which are capable of utilizing dichloromethane (DCM) as a growth substrate. The DCM metabolic pathway in methylotrophic bacteria is initiated by a dichloromethane dehalogenase (DCMA) gene. DCMA is responsible for aerobic biodegradation of dichloromethane by methylotrophs by first producing formaldehyde which is then further oxidized [52].

As discussed in previous sections, soluble methane monooxygenase (sMMO) exhibits relaxed specificity and co-oxidizes a broad spectrum of chlorinated hydrocarbons. In addition to chlorinated ethenes, sMMO has been shown to co-oxidize chloroform in laboratory studies [38,41].

References

1. Gerritse J, Drzyzga O, Kloetstra G, Keijmel M, Wiersum LP, Hutson R, et al. Influence of different electron donors and acceptors on dehalorespiration of tetrachloroethene by *desulfitobacterium frappieri* tce1. *Applied and Environmental Microbiology*. 1999;65:5212–21.
2. Gerritse J, Renard V, Gomes TP, Lawson PA, Collins MD, Gottschal JC. *Desulfitobacterium* sp. Strain pce1, an anaerobic bacterium that can grow by reductive dechlorination of tetrachloroethene or ortho-chlorinated phenols. *Archives of Microbiology*. 1996;165:132–40.
3. Holliger C, Schraa G, Stams A, Zehnder A. A highly purified enrichment culture couples the reductive dechlorination of tetrachloroethene to growth. *Applied and Environmental Microbiology*. 1993;59:2991–7.
4. Krumholz LR, Sharp R, Fishbain SS. A freshwater anaerobe coupling acetate oxidation to tetrachloroethylene dehalogenation. *Applied and Environmental Microbiology*. 1996;62:4108–13.
5. Löffler FE, Sanford RA, Tiedje JM. Initial characterization of a reductive dehalogenase from *desulfitobacterium chlororespirans* co23. *Applied and Environmental Microbiology*. 1996;62:3809–13.
6. Maymó-Gatell X, Anguish T, Zinder SH. Reductive dechlorination of chlorinated ethenes and 1, 2-dichloroethane by "*dehalococcoides ethenogenes*" 195. *Applied and Environmental Microbiology*. 1999;65:3108–13.
7. Hendrickson ER, Payne JA, Young RM, Starr MG, Perry MP, Fahnstock S, et al. Molecular analysis of *dehalococcoides* 16S ribosomal dna from chloroethene-contaminated sites throughout north america and europe. *Applied and Environmental Microbiology*. 2002;68:485–95.
8. Lu X, Wilson JT, Kampbell DH. Relationship between *dehalococcoides* dna in ground water and rates of reductive dechlorination at field scale. *Water Research*. 2006;40:3131–40.
9. Adrian L, Szewzyk U, Wecke J, Görisch H. Bacterial dehalorespiration with chlorinated benzenes. *Nature*. 2000;408:580–3.
10. Amos BK, Suchomel EJ, Pennell KD, Löffler FE. Spatial and temporal distributions of *geobacter lovleyi* and *dehalococcoides* spp. During bioenhanced pce-napl dissolution. *Environmental Science & Technology*. 2009;43:1977–85.
11. Duhamel M, Edwards EA. Growth and yields of dechlorinators, acetogens, and methanogens during reductive dechlorination of chlorinated ethenes and dihaloelimination of 1, 2-dichloroethane. *Environmental Science & Technology*. 2007;41:2303–10.
12. Duhamel M, Wehr SD, Yu L, Rizvi H, Seepersad D, Dworatzek S, et al. Comparison of anaerobic dechlorinating enrichment cultures maintained on tetrachloroethene, trichloroethene, /textitcis-dichloroethene and vinyl chloride. *Water Research*. 2002;36:4193–202.
13. Grostern A, Edwards EA. A 1, 1, 1-trichloroethane-degrading anaerobic mixed microbial culture enhances biotransformation of mixtures of chlorinated ethenes and ethanes. *Applied and Environmental Microbiology*. 2006;72:7849–56.
14. Huang D, Becker JG. Determination of intrinsic monod kinetic parameters for two heterotrophic tetrachloroethene (pce)-respiring strains and insight into their application. *Biotechnology and Bioengineering*. 2009;104:301–11.
15. Mayer-Blackwell K, Fincker M, Molenda O, Callahan B, Sewell H, Holmes S, et al. 1, 2-dichloroethane exposure alters the population structure, metabolism, and kinetics of a trichloroethene-dechlorinating *dehalococcoides mccartyi* consortium. *Environmental Science & Technology*. 2016;50:12187–96.
16. Krajmalnik-Brown R, Hölscher T, Thomson IN, Saunders FM, Ritalahti KM, Löffler FE. Genetic identification of a putative vinyl chloride reductase in *dehalococcoides* sp. Strain bav1. *Applied and Environmental Microbiology*. 2004;70:6347–51.
17. Müller JA, Rosner BM, Von Abendroth G, Meshulam-Simon G, McCarty PL, Spormann AM. Molecular identification of the catabolic vinyl chloride reductase from *dehalococcoides* sp. Strain vs and its environmental distribution. *Applied and Environmental Microbiology*. 2004;70:4880–8.
18. Ritalahti KM, Amos BK, Sung Y, Wu Q, Koenigsberg SS, Löffler FE. Quantitative pcr targeting 16S rRNA and reductive dehalogenase genes simultaneously monitors multiple *dehalococcoides* strains. *Applied and Environmental Microbiology*. 2006;72:2765–74.

19. Molenda O, Quaile AT, Edwards EA. Dehalogenimonas sp. Strain wbc-2 genome and identification of its trans-dichloroethene reductive dehalogenase, tdra. *Applied and Environmental Microbiology*. 2016;82:40–50.
20. Yang Y, Higgins SA, Yan J, Şimşir B, Chourey K, Iyer R, et al. Grape pomace compost harbors organohalide-respiring dehalogenimonas species with novel reductive dehalogenase genes. *The ISME Journal*. 2017;11:2767.
21. Maillard J, Charnay M-P, Regeard C, Rohrbach-Brandt E, Rouzeau-Szynalski K, Rossi P, et al. Reductive dechlorination of tetrachloroethene by a stepwise catalysis of different organohalide respiring bacteria and reductive dehalogenases. *Biodegradation*. 2011;22:949–60.
22. Grostern A, Edwards EA. Growth of dehalobacter and dehalococcoides spp. During degradation of chlorinated ethanes. *Applied and Environmental Microbiology*. 2006;72:428–36.
23. Moe WM, Yan J, Nobre MF, Costa MS da, Rainey FA. *Dehalogenimonas lykanthroporepellens* gen. Nov., sp. Nov., a reductively dehalogenating bacterium isolated from chlorinated solvent-contaminated groundwater. *International Journal of Systematic and Evolutionary Microbiology*. 2009;59:2692–7.
24. Yan J, Rash B, Rainey F, Moe W. Isolation of novel bacteria within the chloroflexi capable of reductive dechlorination of 1, 2, 3-trichloropropane. *Environmental Microbiology*. 2009;11:833–43.
25. De Wildeman S, Diekert G, Van Langenhove H, Verstraete W. Stereoselective microbial dehalorespiration with vicinal dichlorinated alkanes. *Applied and Environmental Microbiology*. 2003;69:5643–7.
26. Tang S, Edwards EA. Identification of *dehalobacter* reductive dehalogenases that catalyse dechlorination of chloroform, 1,1,1-trichloroethane and 1,1-dichloroethane. *Phil Trans R Soc B*. 2013;368:20120318.
27. Grostern A, Duhamel M, Dworatzek S, Edwards EA. Chloroform respiration to dichloromethane by a *dehalobacter* population. *Environmental Microbiology*. 2010;12:1053–60.
28. Justicia-Leon SD, Ritalahti KM, Mack EE, Löffler FE. Dichloromethane fermentation by a *dehalobacter* sp. In an enrichment culture derived from pristine river sediment. *Applied and Environmental Microbiology*. 2012;78:1288–91.
29. Field JA, Sierra-Alvarez R. Microbial degradation of chlorinated benzenes. *Biodegradation*. 2008;19:463–80.
30. Jayachandran G, Görisch H, Adrian L. Dehalorespiration with hexachlorobenzene and pentachlorobenzene by *dehalococcoides* sp. Strain cdbb1. *Archives of Microbiology*. 2003;180:411–6.
31. Wu Q, Milliken CE, Meier GP, Watts JE, Sowers KR, May HD. Dechlorination of chlorobenzenes by a culture containing bacterium df-1, a pcb dechlorinating microorganism. *Environmental Science & Technology*. 2002;36:3290–4.
32. Fung JM, Weisenstein BP, Mack EE, Vidumsky JE, Ei TA, Zinder SH. Reductive dehalogenation of dichlorobenzenes and monochlorobenzene to benzene in microcosms. *Environmental Science & Technology*. 2009;43:2302–7.
33. Nelson JL, Fung JM, Cadillo-Quiroz H, Cheng X, Zinder SH. A role for *dehalobacter* spp. In the reductive dehalogenation of dichlorobenzenes and monochlorobenzene. *Environmental Science & Technology*. 2011;45:6806–13.
34. Adrian L, Hansen SK, Fung JM, Görisch H, Zinder SH. Growth of *dehalococcoides* strains with chlorophenols as electron acceptors. *Environmental Science & Technology*. 2007;41:2318–23.
35. Bouchard B, Beaudet R, Villemur R, McSween G, Lepine F, Bisailon J-G. Isolation and characterization of *desulfitobacterium frappieri* sp. Nov., an anaerobic bacterium which reductively dechlorinates pentachlorophenol to 3-chlorophenol. *International Journal of Systematic and Evolutionary Microbiology*. 1996;46:1010–5.
36. Sanford RA, Cole JR, Löffler F, Tiedje JM. Characterization of *desulfitobacterium chlororespirans* sp. Nov., which grows by coupling the oxidation of lactate to the reductive dechlorination of 3-chloro-4-hydroxybenzoate. *Applied and Environmental Microbiology*. 1996;62:3800–8.
37. Field J, Sierra-Alvarez R. Biodegradability of chlorinated solvents and related chlorinated aliphatic compounds. *Reviews in Environmental Science and Biotechnology*. 2004;3:185–254.
38. Chang H-L, Alvarez-Cohen L. Biodegradation of individual and multiple chlorinated aliphatic hydrocarbons by methane-oxidizing cultures. *Applied and Environmental Microbiology*. 1996;62:3371–7.
39. Colby J, Stirling DI, Dalton H. The soluble methane mono-oxygenase of methylococcus capsulatus (bath). Its ability to oxygenate n-alkanes, n-alkenes, ethers, and alicyclic, aromatic and heterocyclic compounds. *Biochemical Journal*. 1977;165:395–402.

40. Oldenhuis R, Oedzes JY, Van der Waarde J, Janssen DB. Kinetics of chlorinated hydrocarbon degradation by *Methylophilus trichosporium* ob3b and toxicity of trichloroethylene. *Applied and Environmental Microbiology*. 1991;57:7–14.
41. Hylckama VJ van, De Koning W, Janssen DB. Transformation kinetics of chlorinated ethenes by *Methylophilus trichosporium* ob3b and detection of unstable epoxides by on-line gas chromatography. *Applied and Environmental Microbiology*. 1996;62:3304–12.
42. Futamata H, Harayama S, Watanabe K. Group-specific monitoring of phenol hydroxylase genes for a functional assessment of phenol-stimulated trichloroethylene bioremediation. *Applied and Environmental Microbiology*. 2001;67:4671–7.
43. McClay K, Streger SH, Steffan RJ. Induction of toluene oxidation activity in *Pseudomonas mendocina* kr1 and *Pseudomonas* sp. Strain envpc5 by chlorinated solvents and alkanes. *Applied and Environmental Microbiology*. 1995;61:3479–81.
44. Newman LM, Wackett LP. Trichloroethylene oxidation by purified toluene 2-monooxygenase: Products, kinetics, and turnover-dependent inactivation. *Journal of Bacteriology*. 1997;179:90–6.
45. Byrne AM, Olsen RH. Cascade regulation of the toluene-3-monooxygenase operon (*tbuA1UBVA2C*) of *Burkholderia pickettii* pko1: Role of the *tbuA1* promoter (*ptbua1*) in the expression of its cognate activator, *tbut*. *Journal of Bacteriology*. 1996;178:6327–37.
46. Wackett LP, Gibson DT. Degradation of trichloroethylene by toluene dioxygenase in whole-cell studies with *Pseudomonas putida* fl. *Applied and Environmental Microbiology*. 1988;54:1703–8.
47. Leahy JG, Byrne AM, Olsen RH. Comparison of factors influencing trichloroethylene degradation by toluene-oxidizing bacteria. *Applied and Environmental Microbiology*. 1996;62:825–33.
48. Wiedemeier TH, Wilson JT, Freedman DL, Lee B. Providing additional support for *mna* by including quantitative lines of evidence for abiotic degradation and co-metabolic oxidation of chlorinated ethylenes. TH Wiedemeier; Associates, Inc. Sedalia United States; 2017.
49. Mattes TE, Alexander AK, Coleman NV. Aerobic biodegradation of the chloroethenes: Pathways, enzymes, ecology, and evolution. *FEMS Microbiology Reviews*. 2010;34:445–75.
50. Coleman NV, Spain JC. Epoxyalkane: Coenzyme m transferase in the ethene and vinyl chloride biodegradation pathways of *Mycobacterium* strain js60. *Journal of Bacteriology*. 2003;185:5536–45.
51. Dominguez RF, Silva ML da, McGuire TM, Adamson D, Newell CJ, Alvarez PJ. Aerobic bioremediation of chlorobenzene source-zone soil in flow-through columns: Performance assessment using quantitative pcr. *Biodegradation*. 2008;19:545–53.
52. La Roche SD, Leisinger T. Sequence analysis and expression of the bacterial dichloromethane dehalogenase structural gene, a member of the glutathione s-transferase supergene family. *Journal of Bacteriology*. 1990;172:164–71.

Attachment 6
Data Validation Summaries

Data Validation Summary

Prepared by: Chell Black

Date: May 20, 2024

Project ID: COBothell-BSC

Sample Event(s): April 2024 Groundwater

Sample Delivery Group(s): 2404-114, 2404-147, and 2404-161

Sample Media: Groundwater

A Compliance Screening (USEPA Stage 2A) data quality review was performed on volatile organic compounds, dissolved metals, ammonia, orthophosphate, sulfate, nitrate, dissolved gases, and total organic carbon data resulting from laboratory analysis. The data were reviewed using guidance and quality control (QC) criteria documented in the Quality Assurance Project Plan (Floyd|Snider 2025), *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods* (USEPA 1986), *National Functional Guidelines for Organic Superfund Methods Data Review* (USEPA 2020a), and the *National Functional Guidelines for Inorganic Superfund Methods Data Review* (USEPA 2020b).

A total of 33 groundwater samples and 2 field duplicates were submitted to OnSite Environmental Inc. in Redmond, Washington, for chemical analysis by USEPA 8260D/8260D-SIM, USEPA 6010D, SM 4500-NH3-D, USEPA 365.1, ASTM D516-11, USEPA 353.2, RSK 175, and SM 5310B. OnSite Environmental Inc. reported results under three sample delivery groups: 2404-114, 2404-147, and 2404-161.

DATA QUALITY REVIEW

Field and laboratory QC parameters for all samples met project criteria.

DATA QUALITY SUMMARY

All data are determined to be of acceptable quality for use as reported.

REFERENCES

Floyd|Snider. 2025. *Quality Assurance Project Plan, City of Bothell Service Center*. February.

U.S. Environmental Protection Agency (USEPA). 1986. *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods*. U.S. Prepared by the Office of Solid Waste and Emergency Response. EPA-530/SW-846.

_____. 2020a. *National Functional Guidelines for Organic Superfund Methods Data Review*. Prepared by the Office of Superfund Remediation and Technology Innovation. EPA-540-R-20-005/OLEM 9240.0-51. November.

_____. 2020b. *National Functional Guidelines for Inorganic Superfund Methods Data Review*. Prepared by the Office of Superfund Remediation and Technology Innovation. EPA-542-R-20-006/OLEM 9240.1-66. November.

Data Validation Summary

Prepared by: Henry Bates

Date: October 16, 2024

Project ID: COBothell-BSC

Sample Event(s): September 2024 Groundwater

Sample Delivery Group(s): 2409-288, 2409-301, 2409-322, 2409-353, and A24I0459

Sample Media: Groundwater

A Compliance Screening (USEPA Stage 2A) data quality review was performed on volatile organic compounds, total and dissolved metals, ammonia, orthophosphate, sulfate, nitrate, chloride, sulfide, dissolved gases, and total organic carbon data resulting from laboratory analysis. The data were reviewed using guidance and quality control (QC) criteria documented in the Quality Assurance Project Plan (Floyd|Snider 2025), *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods* (USEPA 1986), *National Functional Guidelines for Organic Superfund Methods Data Review* (USEPA 2020a), and the *National Functional Guidelines for Inorganic Superfund Methods Data Review* (USEPA 2020b).

A total of 37 groundwater samples, 2 field duplicates, and 1 trip blank were submitted to OnSite Environmental Inc. in Redmond, Washington, for chemical analysis by USEPA 8260D, USEPA 6010D, SM 4500-NH3-D, USEPA 365.1, ASTM D516-11, USEPA 353.2, SM 4500-Cl-E, RSK 175, and SM 5310B. OnSite Environmental Inc. subcontracted chemical analysis by SM 4500-S2-D to AmTest Laboratories in Kirkland, Washington. OnSite reported results under four sample delivery groups: 2409-288, 2409-301, 2409-322, and 2409-353. AmTest Laboratories reported results under one sample delivery group: A24I0459.

DATA QUALITY REVIEW

Field and laboratory QC parameters for samples met project criteria with exceptions noted as follows:

Sulfide

The sulfide matrix spike duplicate sample recovery batch BBJ0145 was above the control limits. All associated detect sample results were qualified "J" as estimated. All associated nondetect results were not qualified.

DATA QUALITY SUMMARY

Based on the data quality review, data are determined to be of acceptable quality for use as reported or qualified.

REFERENCES

Floyd|Snider. 2025. *Quality Assurance Project Plan, City of Bothell Service Center*. February.

U.S. Environmental Protection Agency (USEPA). 1986. *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods*. U.S. Prepared by the Office of Solid Waste and Emergency Response. EPA-530/SW-846.

_____. 2020a. *National Functional Guidelines for Organic Superfund Methods Data Review*. Prepared by the Office of Superfund Remediation and Technology Innovation. EPA-540-R-20-005/OLEM 9240.0-51. November.

_____. 2020b. *National Functional Guidelines for Inorganic Superfund Methods Data Review*. Prepared by the Office of Superfund Remediation and Technology Innovation. EPA-542-R-20-006/OLEM 9240.1-66. November.


Attachment 7
Quality Assurance Project Plan

Quality Assurance Project Plan

City of Bothell Service Center

Prepared for
City of Bothell

February 2025



FLOYD | SNIDER
strategy ■ science ■ engineering



LIMITATIONS

This report has been prepared for the exclusive use of City of Bothell, their authorized agents, and regulatory agencies. It has been prepared following the described methods and information available at the time of the work. No other party should use this report for any purpose other than that originally intended, unless Floyd|Snider agrees in advance to such reliance in writing. The information contained herein should not be utilized for any purpose or project except the one originally intended. Under no circumstances shall this document be altered, updated, or revised without written authorization of Floyd|Snider.

Table of Contents

1.0 Introduction 1-1

1.1 DOCUMENT ORGANIZATION 1-1

2.0 Project Organization and Responsibilities 2-1

2.1 PROJECT MANAGEMENT 2-1

2.1.1 Project Manager 2-1

2.1.2 Project Coordinator 2-1

2.1.3 Task Manager 2-1

2.1.4 Field Coordinator 2-1

2.1.5 Quality Assurance/Quality Control 2-1

2.2 PROBLEM DEFINITION/BACKGROUND 2-2

2.3 PROJECT TASK DESCRIPTION 2-2

2.4 SPECIAL TRAINING/CERTIFICATIONS 2-2

2.5 DOCUMENTATION AND RECORDS..... 2-2

2.5.1 Field Records 2-3

2.5.2 Laboratory Records..... 2-3

2.5.3 Data Management and Reduction 2-4

3.0 Data Generation and Acquisition 3-1

3.1 SAMPLING DESIGN 3-1

3.2 SAMPLING METHODS 3-1

3.2.1 Sample Collection 3-1

3.2.2 Sample Analysis 3-1

3.3 ANALYTICAL METHODS..... 3-2

3.4 DATA QUALITY OBJECTIVES AND CRITERA..... 3-2

3.4.1 Precision 3-2

3.4.2 Accuracy and Bias 3-2

3.4.3 Representativeness..... 3-3

3.4.4 Completeness 3-3

3.4.5 Comparability 3-4

3.4.6 Sensitivity..... 3-4

3.5 QUALITY ASSURANCE/QUALITY CONTROL PROCEDURES 3-4

 3.5.1 Field Quality Assurance/Quality Control Procedures 3-4

 3.5.2 Laboratory Sample Handling and Holding Times 3-6

 3.5.3 Laboratory Quality Assurance/Quality Control 3-7

3.6 INSTRUMENT/EQUIPMENT TESTING, INSPECTION, AND MAINTENANCE..... 3-8

 3.6.1 Field Equipment Maintenance and Calibration and Frequency 3-8

 3.6.2 Laboratory Instruments Calibration and Frequency 3-9

3.7 INSPECTION/ACCEPTANCE OF SUPPLIES AND CONSUMABLES 3-9

3.8 DATA MANAGEMENT AND REPORTING 3-9

4.0 Oversight 4-1

 4.1 FIELD OVERSIGHT AND CORRECTIVE ACTIONS 4-1

 4.2 LABORATORY OVERSIGHT AND CORRECTIVE ACTIONS 4-1

5.0 Data Validation and Usability 5-1

 5.1 DATA REVIEW 5-1

 5.2 VALIDATION METHODS AND RECONCILIATION WITH USER
 REQUIREMENTS..... 5-1

6.0 References 6-1

7.0 Approvals..... 7-1

List of Tables

Table 2.1 Key Project Quality Assurance Contacts

Table 3.1 Quality Assurance Project Plan Analyte List for Groundwater

Table 3.2 Quality Assurance/Quality Control Criteria

Table 3.3 Quality Assurance/Quality Control Frequency

Table 3.4 Container and Preservation Criteria for Groundwater

List of Appendices

Appendix A Standard Sampling Procedures

List of Abbreviations

Abbreviation	Definition
CAP	Cleanup Action Plan
CD	Consent Decree
City	City of Bothell
COC	Contaminant of concern
CUL	Cleanup level
DQI	Data quality indicator
EDD	Electronic data deliverable
HVOC	Halogenated volatile organic compound
LCS	Laboratory control sample
MDL	Method detection limit
MS	Matrix spike
MSD	Matrix spike duplicate
PCE	Tetrachloroethylene
PM	Project manager
QA	Quality assurance
QAPP	Quality Assurance Project Plan
QC	Quality control
RL	Reporting limit
Site	Bothell Service Center project site
SOP	Standard operating procedure
TM	Task manager
USEPA	U.S. Environmental Protection Agency

1.0 Introduction

This Quality Assurance Project Plan (QAPP) is presented as a stand-alone document for the City of Bothell (City) Service Center project site (Site) located in downtown Bothell. It describes the quality assurance (QA) objectives, methods, and procedures for sample analysis to support the bioremediation system operation and optimization per the Consent Decree (CD) with Washington State Department of Ecology (Ecology; No. 18-2-02852-3 SEA). Sampling will include the collection and chemical analysis of groundwater to delineate exceedances of cleanup levels (CULs) presented in the *Final Cleanup Action Plan* (Ecology 2019).

This QAPP presents more detailed information regarding data management responsibilities, laboratory analysis methods and procedures, and reporting requirements. This document was prepared in accordance with the U.S. Environmental Protection Agency's (USEPA's) guidance on preparing QAPPs (USEPA 2002a, 2006).

1.1 DOCUMENT ORGANIZATION

This QAPP provides detailed laboratory methods and protocols for all anticipated types of data collection. The QAPP addenda may be prepared if additional data types not detailed in this plan are determined to be needed after completion of part or all of groundwater sampling.

This QAPP is organized into the following sections:

- Section 2.0—Project Organization and Responsibilities
- Section 3.0—Data Generation and Acquisition
- Section 4.0—Assessment and Oversight
- Section 5.0—Data Validation and Usability
- Section 6.0—References
- Section 7.0—Approvals

2.0 Project Organization and Responsibilities

2.1 PROJECT MANAGEMENT

The following sections describe the responsibilities of project team members for fulfillment of the QAPP. Contact information for the key QA project team members is provided in Table 2.1. The contact information for key project team members will be provided to the City prior to implementation of the CD and Cleanup Action Plan (CAP).

2.1.1 Project Manager

The Floyd|Snider project manager (PM) will be involved in all aspects of this project, including discussion, review, and interpretation of this QAPP, and the results of the investigation. The Floyd|Snider PM will also be responsible for the overall implementation of this QAPP.

2.1.2 Project Coordinator

The Floyd|Snider project coordinator will be responsible for providing oversight for planning and coordination, work plans, all project deliverables, and performance of the administrative tasks needed to provide timely and successful completion of the project. They will also be responsible for coordinating with the PM on schedule, deliverables, and other administrative details.

2.1.3 Task Manager

The Floyd|Snider task manager (TM) will be responsible for communicating with the PM on the progress of project tasks, conducting detailed planning and coordination, and monitoring and communicating to the PM any deviations from the QAPP. Significant deviations from the QAPP will be further reported to the City. The TM will facilitate the transfer of analytical data to the principal data users.

2.1.4 Field Coordinator

The Floyd|Snider field coordinator will be responsible for implementation of the field data collection program, including sample handling and custody documentation. The field coordinator will work closely with the TM and PM to ensure that the required sample collection and laboratory analyses are completed. The field coordinator, or their trained and qualified designee, is also responsible for oversight of daily calibration of field equipment in accordance with this QAPP and inspection of sample containers as specified in Section 3.7.

2.1.5 Quality Assurance/Quality Control

The QA and quality control (QC) coordinator or their designee will serve as the laboratory QA/QC coordinator. The QA/QC coordinator will oversee coordination of the field sampling and laboratory program and supervise data validation and project QA coordination, including coordination with the analytical laboratories and the City. The laboratory QA/QC coordinator will

be a Floyd|Snider staff member specializing in QA/QC who is independent from the analytical laboratories and field staff responsible for generating the data.

Analytical laboratories will be responsible for chemical analyses and will ensure that submitted samples are handled and analyzed in accordance with the analytical testing procedures and QA/QC requirements, as well as the any other requirements specified in this QAPP. The laboratories will provide certified pre-cleaned sample containers and preservatives, as appropriate, and prepare a data report containing analytical and QA/QC results. The laboratory PM will oversee laboratory operations, including receipt of samples, chemical analyses, and laboratory report preparation. They will prepare and review laboratory reports and case narratives describing any discrepancies that occurred during chemical analyses. They will also notify the laboratory QA/QC coordinator of any problems as soon as they are identified.

Data validation of chemical data will be conducted in-house by Floyd|Snider for all analyses.

2.2 PROBLEM DEFINITION/BACKGROUND

This QAPP describes the sample collection that will be performed as part of the groundwater monitoring and bioremediation system optimization at the Site. The site-wide semiannual groundwater monitoring and system sampling will be conducted to continue understanding of plume conditions and system operation. Additional groundwater sampling at select wells will also be conducted to monitor for specific bioremediation system operation optimization progress.

2.3 PROJECT TASK DESCRIPTION

Sampling activities described in this QAPP will be initiated after City approval.

2.4 SPECIAL TRAINING/CERTIFICATIONS

The Floyd|Snider field coordinator and all field personnel will be 40-hour HAZWOPER certified, consistent with OSHA 29 CFR 1910.120, and be trained in the groundwater sample collection methods described in this QAPP. The field coordinator will be responsible for ensuring that field staff and contractors have the necessary training and that field staff are up to date on the annual 8-hour HAZWOPER refresher course.

All analytical laboratories will have current environmental laboratory accreditation from Ecology for the analytical methods to be used.

2.5 DOCUMENTATION AND RECORDS

This QAPP will be approved by the Floyd|Snider PM, the City PM, and laboratory contractor PMs (refer to Section 7.0 for approvals). The document will be maintained and updated by the Floyd|Snider PM, who will be responsible for distribution of the approved document and any updated versions to key project contacts and team members (key project contacts are provided in Table 2.1). The City PM may distribute this QAPP to project stakeholders at their discretion.

Floyd|Snider will store all project records in a secure manner. Each project team member is responsible for filing all project information and records according to internal Floyd|Snider requirements. All electronic data will be maintained in a database in a designated directory at Floyd|Snider.

2.5.1 Field Records

Documents and records generated in the field should be considered controlled documents that become part of the project file. Floyd|Snider field staff will keep a daily record of significant events, observations, and measurements on forms specific to the field activity. All field documents will be maintained by the field coordinator. All sampling forms will contain information on the sample collected and will include at a minimum the following information:

- Project name
- Field staff on site
- Field observations
- Sample collection date and time
- Sampling method and/or description of field activities
- Instruments or equipment used
- Location identifier (ID) and sample ID
- Sample analysis
- Deviations from the CAP

2.5.2 Laboratory Records

The analytical laboratories will retain all analytical records. Additionally, Floyd|Snider will retain a copy of analytical data in the internal project files. Laboratory data packages will include those items necessary to complete data validation. Elements to be reported in the laboratory data packages are listed in Section 5.1.

All instrument data will be fully restorable at the laboratory from electronic backup. The laboratory will be required to maintain records relevant to project sample analyses for a minimum of 7 years. The PM is responsible for determining and communicating specific requirements for record maintenance if they are different than the default. Data validation reports will be maintained within the Floyd|Snider internal project files with the laboratory data packages.

Each laboratory employs an internal QA manager who is responsible for ensuring that laboratory standard operating procedures (SOPs) are followed, and laboratory staff perform routine audits for SOP compliance; routine audits are required for state accreditation. The Floyd|Snider PM or client PM may request to review records of SOP compliance.

The analytical laboratories will submit data electronically, in the Floyd|Snider standard electronic data deliverable (EDD) format. Guidelines for EDDs will be communicated to the analytical laboratories by the QA/QC coordinator or database manager.

All electronic data submittals must be tab-delimited text files that include all results, method detection limits (MDLs; as applicable), and reporting limits (RLs) consistent with those provided in the laboratory report. If laboratory replicate analyses are conducted on a single submitted field sample, the laboratory sample identifier must distinguish each replicate analysis.

2.5.3 Data Management and Reduction

The Floyd|Snider database manager will oversee data management and reduction in coordination with the PM and TM or field coordinator. Once all required data are confirmed to be received and validated, the database manager will load all records to Floyd|Snider's electronic database accessed using Microsoft Access software. The database is maintained on the Floyd|Snider server and is backed up with a hard disc. The database manager will manage data exports and will confirm that data are assembled in the required deliverable format with appropriate qualifiers.

3.0 Data Generation and Acquisition

3.1 SAMPLING DESIGN

Data will be collected to monitor the extent of the groundwater plume and evaluate bioremediation system operation and optimization. Laboratory analysis performed in accordance with this QAPP will fulfill these objectives by providing analytical data required for the compliance monitoring of the groundwater as outlined in the CD for this site's contaminants of concern (COCs).

3.2 SAMPLING METHODS

This section details the collection and analysis of groundwater samples presented in the CD. Additional sampling design for other media, if determined to be necessary, would be addressed in a supplemental work plan document.

3.2.1 Sample Collection

The general field procedures for groundwater collection using low-flow methodology are described in the Standard Sampling Procedures provided in Appendix A. Sampling considerations specific to the cleanup action are described in the following sections. As outlined in the CAP, performance groundwater monitoring will be continued during the bioremediation system operation until groundwater concentrations of tetrachloroethylene (PCE) and its breakdown products are below their applicable CULs. Site groundwater wells will be sampled twice every year for the specified COCs to monitor contaminant breakdown and compare concentrations relative to CULs.

3.2.2 Sample Analysis

Groundwater samples will be analyzed for the targeted list of COCs presented in the CAP.

All samples will be analyzed for halogenated volatile organic compounds (HVOCs), specifically PCE, trichloroethylene (TCE), 1,1-dichloroethylene (DCE), cis-1,2-DCE, trans-1,2-DCE, and vinyl chloride. Where PCE, TCE, cis-1,2-DCE, and vinyl chloride are the COCs at the Site and are subject to MTCA Method A CULs. All samples will be analyzed for ammonia, orthophosphate, sulfate, chloride, nitrate, total organic carbon, dissolved gases (methane, ethene, ethane), and dissolved metals (iron and manganese), and total metals (calcium, magnesium and sodium).

Field duplicate samples will be analyzed concurrently for all constituents analyzed in their respective parent samples. Trip blank samples will be analyzed for HVOCs, which are the most volatile of the COCs.

Investigation-derived waste will be treated through the system's carbon vessels and injected back into the aquifer.

3.3 ANALYTICAL METHODS

Laboratory analytical methods were selected to ensure that the samples can be compared to the MTCA Method A CULs and MTCA Method B CULs for non-cancer presented in the *Final Cleanup Action Plan* (Ecology 2019). The laboratory quantitation limits including practical quantitation limits or RLs and MDLs for the selected analytical methods are presented in Table 3.1.

3.4 DATA QUALITY OBJECTIVES AND CRITERIA

Field and laboratory data quality objectives include obtaining data that are technically sound and properly documented, having been evaluated against established criteria for the principal data quality indicators (DQIs; i.e., precision, bias, accuracy, representativeness, completeness, comparability, and sensitivity). Evaluation of the principal DQIs is summarized in the following sections. Data QA/QC criteria (also known as measurement quality objectives) and frequencies are presented in Table 3.2 and Table 3.3, respectively.

3.4.1 Precision

Precision measures the reproducibility of measurements under a given set of conditions. Specifically, precision is a quantitative measure of the variability of a group of measurements compared to their average values. Precision is assessed by performing multiple analyses, such as laboratory duplicate or field duplicate samples, and is defined as the relative percent difference (RPD) between results. Precision will be evaluated for both laboratory and field duplicate samples and calculated as follows.

$$RPD = \frac{(C_1 - C_2) \times 100\%}{\frac{(C_1 + C_2)}{2}}$$

Where:

RPD = relative percent difference

C₁ = larger of the two observed values

C₂ = smaller of the two observed values

Laboratory duplicate sample precision criteria and frequency requirements are presented in Table 3.2 and Table 3.3, respectively. Field duplicate precision will be screened against an RPD of 75% for all samples; however, data will not be qualified based on this evaluation. For precision calculations (i.e., for calculating RPD) the reporting limit will be used when a non-detect result is included in the evaluation. Additionally, the result/s based on the final dilution will be used in the calculation (i.e., values flagged as estimated greater than a given concentration, which are superseded with subsequent sample dilutions, will not be used).

3.4.2 Accuracy and Bias

Accuracy is an expression of the degree to which a measured or computed value represents the true value. Bias is “the systematic or persistent distortion of a measurement process that causes error in one direction” (EPA 2002a). Analytical bias and accuracy may be assessed by analyzing

“spiked” samples with known concentrations, such as laboratory control samples, blank spikes, and standard reference materials. Additionally, matrix spike samples can be analyzed to provide accuracy or bias information in the actual sample matrix. Precision criteria and frequency requirements are presented in Table 3.2 and Table 3.3, respectively. Accuracy will be evaluated as percent recovery (%R) and will be calculated as follows.

$$\%R = 100\% \times \frac{(S-U)}{C_{sa}}$$

Where:

%R = percent recovery

S = measured concentration in the spiked aliquot

U = measured concentration in the unspiked aliquot

C_{sa} = actual concentration of spike added

For accuracy calculations (i.e., for calculating %R), non-detect results will be assigned a value of zero. Additionally, the results based on the final dilution will be used in the calculation (i.e., values flagged as estimated greater than a given concentration, which are superseded with subsequent sample dilutions, will not be used).

3.4.3 Representativeness

Representativeness expresses the degree to which sample data accurately and precisely represent an environmental condition. This DQO is addressed by the design of the sampling plan. A list of analytes has been identified to provide a comprehensive assessment of known or potential contaminants. Sufficient volumes of samples will be collected at each sampling location to minimize bias or errors associated with sample particle size and heterogeneity.

Representativeness in laboratory data will be assessed by evaluating holding time compliance and the results of the method blanks field blanks and instrument blanks.

3.4.4 Completeness

Completeness is defined as the number of acceptable data points relative to the total number of data points and is also a measure of the amount of validated data reported versus the expected amount of data (the amount of data collected). Completeness will be assessed for each sample medium. The QA/QC objective for completeness for all components of this project is 90% (Table 3.2). Data that were qualified as estimated because the QA/QC criteria were not met will be considered valid for the purpose of assessing completeness. Data that have been qualified as estimated will be further reviewed for usability. Data that were qualified as rejected will not be considered valid for their intended use or for the purpose of assessing completeness. If a sample medium has an unacceptable completeness percentage (less than 90%), original samples will be reanalyzed if sufficient sample volume is available, archived samples will be analyzed if appropriate, or additional samples will be obtained (if feasible). The equation used to calculate completeness is as follows:

$$\text{Completeness} = \frac{\text{number of valid measurements}}{\text{total number of data points planned}} \times 100$$

3.4.5 Comparability

Comparability is a qualitative parameter expressing the confidence with which one dataset can be compared to another. To ensure that results are comparable, samples will be analyzed using USEPA methods, Standard Methods, ASTM methods, and/or other acceptable method protocols. Calibration and reference standards will be traceable to certified standards, and standard data reporting formats will be employed.

3.4.6 Sensitivity

Analytical sensitivity is the minimum concentration of an analyte above which a data user can be reasonably confident that the analyte was reliably detected and quantified. For this investigation, the MDL or estimated detection limit (EDL) will be used as the measure of sensitivity for each analyte.

3.5 QUALITY ASSURANCE/QUALITY CONTROL PROCEDURES

Guidance for QA/QC is derived from the protocols developed for USEPA's Test Methods for the Evaluation of Solid Waste: Physical/Chemical Methods (USEPA 1986), the USEPA National Functional Guidelines (EPA 2020a, 2020b, and 2020c), and cited methods.

The field coordinator or field personnel will assess and implement field QC procedures as required in this QAPP.

3.5.1 Field Quality Assurance/Quality Control Procedures

3.5.1.1 Sample Identification

Each sample will have a label affixed to the container, and the container will be labeled at the time of collection. The minimum information will be recorded on the label:

- Sample identifier
- Date and time of collection
- Preservative type (if applicable)
- Project name
- Sampler's name or initials

Samples will be identified using the following format: "Sample Location"- "Date." For example, a sample collected from monitoring well MW-01 on December 1, 2022, would be labeled "MW-01-120122."

At each laboratory, a unique sample identifier will be assigned to each sample. The laboratory will ensure that a sample tracking record follows each sample through all stages of laboratory processing. The sample tracking record must contain, at a minimum, the name/initials of

individuals responsible for performing the analyses, dates of sample extraction/preparation and analysis, and types of analyses being performed. The analytical laboratories will meet the sample handling requirements and follow the procedures described in the sections below.

3.5.1.2 Field Quality Control Sampling and Identification

Field QC is evaluated through the analysis of field duplicates and trip blanks. Field duplicates are used to assess proper homogenization in the field, reproducibility of the sample preparation and analysis, and heterogeneity of the matrix. Trip blank samples are used to evaluate potential cross contamination from volatile compounds from ambient conditions or from other samples during sample handling and transport. Field QC samples will be collected at a rate of 1 per 20 investigation samples. Field QA/QC criteria and frequency are presented in Table 3.2 and Table 3.3.

The labeling of field QC samples is described as follows:

- Field duplicates will be labeled with a fictitious sample location by adding 100 to the sample location. For example, a field duplicate collected from monitoring well MW-01 on December 1, 2022, would be named “MW-101-120122.”
- Trip blanks will be provided by the laboratory and kept in the same cooler as containers sampled for volatile organic compounds during the sampling event near a sample collection location. Trip blanks will be labeled using the following format: “Trip Blank”-“Date.” For example, a trip blank collected on December 1, 2022, would be named “Trip Blank-120122.”

3.5.1.3 Sample Custody Procedures and Requirements

Sample custody is a critical aspect of environmental investigations. Sample possession and handling must be traceable from the time of sample collection, through laboratory and data analyses, to delivery of the sample results to the recipient. Procedures to be followed for sample custody related to shipping are detailed in Section 3.5.1.4.

Samples are considered to be in custody if they are (1) in the custodian's possession or view; (2) in a secured place (under lock) with restricted access; or (3) in a container and secured with a custody seal such that the sample cannot be reached without breaking the seal. Chain-of-custody forms will accompany all samples, and each person who has custody of the samples will sign the chain-of-custody form and ensure that the samples are not left unattended unless properly secured. Information on chain-of-custody forms will include at a minimum the following:

- Sampling location, project name, and unique sample ID
- Sample collection date and time
- Any special notations on sample characteristics or problems
- Name of the person who initially collected the sample
- Date sample was sent to the laboratory
- Shipping company name and waybill number (if applicable)

The field coordinator or qualified designee will be responsible for all sample tracking and custody procedures. They will also be responsible for final sample inventory and will maintain sample custody documentation. The field coordinator or designee will complete chain-of-custody forms prior to transporting samples. Information on the sample labels will be checked against sample collection forms and chain-of-custody forms, and sample containers will be recounted prior to transporting samples. Copies of all chain-of-custody forms will be retained and included as appendices to the data reports.

The analytical laboratories will ensure that chain-of-custody forms are properly signed upon receipt of the samples and will note any questions or observations concerning sample integrity on the chain-of-custody forms. The analytical laboratories will contact the field coordinator and project QA/QC coordinator immediately if discrepancies are discovered between the chain-of-custody forms and the sample shipment upon receipt.

3.5.1.4 Sample Preservation and Shipping Requirements

Sample volumes will be placed in laboratory-provided certified pre-cleaned sample containers and preserved in accordance with the requirements presented in Table 3.4. The laboratory will maintain manufacturer documents certifying the cleanliness of containers and/or purity of preservatives provide. The field coordinator or a designee will also inspect containers for cleanliness, for signs of damage or tampering, and for presence of preservative if pre-preserved containers will be used. Individual containers with evidence of damage or tampering will be discarded.

Prior to shipping or transporting samples, containers will be securely packed inside a cooler with ice packs or wet ice and bubble wrap. The original signed chain-of-custody forms will be placed in a sealed plastic bag and taped to the inside lid of the cooler. If third-party shipping (e.g., shipping with FedEx rather than a laboratory courier), each cooler will be sealed with a custody seal.

3.5.2 Laboratory Sample Handling and Holding Times

Samples will be stored in accordance with the conditions specified in the methods or laboratory SOPs. Samples transferred to other laboratories will be packed in coolers on ice and delivered via courier service or shipped on ice in coolers at temperatures of <6 degrees Celsius, not frozen. The temperature inside each cooler will be checked by the laboratory upon receipt of the samples. The laboratory will specifically note any coolers that are not sufficiently cold upon receipt.

All samples will be handled to prevent contamination or sample loss. Any remaining sample material will be disposed of upon receipt of written notification by the Floyd | Snider PM. Holding times will vary by analysis and are summarized in Table 3.4.

Archive samples will be stored frozen as allowed by the analytical method (refer to Table 3.4). Samples will be disposed of after hold times expire, following written authorization from the

Floyd|Snider PM. The Floyd|Snider PM may elect to hold archived samples past the specified hold time as needed to gather the additional project data.

3.5.3 Laboratory Quality Assurance/Quality Control

Laboratory results will be evaluated by reviewing analytical results of method blanks, laboratory control samples, certified reference materials, matrix spike/matrix spike duplicate samples, duplicate samples, internal standards, calibrations, and performance evaluation samples, as specified by the analytical methods.

All samples will be diluted and re-analyzed if target compounds are detected at levels that exceed their respective established calibration ranges. Any required cleanups will be conducted prior to the dilutions. Re-analyses will be performed if surrogate, internal standard, or spike recoveries are outside of the QA parameters. QC samples may be re-analyzed if results are not within control limits and it cannot be determined that the sample matrix is the cause.

3.5.3.1 Sample Delivery Groups

A sample delivery group (SDG) is defined by the laboratory and is generally considered 20 samples, or a group of samples from the same sampling period received at the laboratory on the same day. Although an SDG may span 2 weeks, all holding times specific to each analytical method will be met for each sample in the SDG.

3.5.3.2 Method Blanks

Method blanks are analyzed to assess possible laboratory contamination at all stages of sample preparation and analysis. A minimum of one method blank will be analyzed for every 20 samples.

3.5.3.3 Laboratory Control Samples

Laboratory control samples (LCSs) are prepared from a clean matrix source using the same process as project samples and are spiked with known amounts of the target compounds. The recoveries of the compounds are used as a measure of the accuracy of the test methods.

3.5.3.4 Matrix Spikes and Matrix Spike Duplicates

The analysis of matrix spike (MS) and matrix spike duplicate (MSD) samples provides information on the extraction efficiency of the method for the sample matrix and is used to evaluate the precision of the method. A minimum of one MS/MSD pair will be analyzed for every 20 samples, when sufficient sample volume is available. A laboratory duplicate sample may be analyzed in place of MSD samples, as allowed by the analytical method.

3.5.3.5 Laboratory Duplicates

Laboratory duplicate samples provide information on the precision of the analysis and are useful in assessing potential sample heterogeneity and matrix effects. Laboratory duplicates are

subsamples of the original sample that are prepared and analyzed as separate samples. A minimum of one laboratory duplicate sample will be analyzed for every 20 samples, when sufficient sample volume is available.

3.5.3.6 Surrogates

All samples, including laboratory QC samples (blanks, LCSs, MS/MSDs, and duplicate samples), analyzed for organic analytes will be spiked with appropriate surrogate compounds. Surrogate recoveries will be reported by the analytical laboratories; however, no sample results will be corrected for recovery using these values.

3.5.3.7 Internal Standards

Internal standards may be used for calibrating and quantifying organic compounds and metals. If internal standards are required by the method, all calibration, QC, and project samples will be spiked with the same concentration of the selected internal standards. Internal standard recoveries and retention times must be within method criteria, laboratory criteria, or both.

3.6 INSTRUMENT/EQUIPMENT TESTING, INSPECTION, AND MAINTENANCE

Inspection and maintenance of field and laboratory equipment are important to determine the quality of sampling and analysis results.

3.6.1 Field Equipment Maintenance and Calibration and Frequency

Field equipment for groundwater sampling that requires maintenance or calibration includes the following: pH probes, specific conductivity probes, turbidity meters, reduction–oxidation potential probes, and dissolved oxygen probes.

Field equipment will be maintained and calibrated in accordance with the procedures described in the operations manuals supplied by the manufacturer at the intervals recommended in the manual. The manufacturers' manuals will accompany each instrument for use during equipment calibration and to support troubleshooting. Equipment maintenance information will be documented in the instrument's maintenance log. Equipment calibration performed by field staff will be documented in a calibration log. The calibration log will include at minimum, the equipment type and model number, date and time, project name, the calibration results, and the initials of the calibrator. Any discrepancies or calibration failures will be noted in the calibration log and corrected prior to sampling. During the sampling event, any discrepancies or calibration failures will be noted in the field notes and corrected prior to continuing sampling. Maintenance and calibration records will be verified prior to each sampling event by the field coordinator.

The subcontractor responsible for navigation will confirm proper operation of the navigation equipment daily, and all equipment will be operated and maintained according to manufacturer specifications.

3.6.2 Laboratory Instruments Calibration and Frequency

Laboratory equipment will be maintained and calibrated according to the manufacturers' recommendations, the laboratory QA plan, SOPs, and standard methodologies. Calibrations will be performed on each analytical instrument prior to analysis. Calibrations are performed at a frequency determined by the analytical method and/or the laboratory SOP. The analysis must stop if the calibration does not meet the specified criteria. The analysis may resume after corrective actions have been taken to meet the method specifications. All project samples analyzed by an instrument found to be out of compliance must be reanalyzed. Laboratories will be responsible for their own preventative maintenance and calibration of laboratory equipment.

3.7 INSPECTION/ACCEPTANCE OF SUPPLIES AND CONSUMABLES

Inspection and acceptance of field supplies, including laboratory sampling containers, will be the responsibility of the field coordinator. Any chemical standards and solutions (such as nitric acid for metals sample preservation) used in this project will be provided by a reliable, commercial source and will be traceable. Any discrepancies will be documented by the field coordinator.

3.8 DATA MANAGEMENT AND REPORTING

Analytical chemistry results will be provided by the laboratory in PDF and EDD formats. Data packages will be returned within the time frame specified in the work order between Floyd|Snider and each laboratory, with a duration not to exceed 7 business days, unless delays are otherwise communicated to and approved by the Floyd|Snider PM. The data packages will be reviewed to ensure that the correct analyses were performed for each sample submitted and that all analyses requested on the chain-of-custody forms were performed. If discrepancies are noted, the QA/QC coordinator will be notified and will promptly follow up with the laboratory to resolve any issues. After completion of data validation, the digital files will be used to generate the appropriate report tables.

Laboratory data, which are electronically provided and loaded into Floyd|Snider's electronic database, will undergo a check against the laboratory data deliverable. Data will be validated or reviewed manually, and qualifiers, if assigned, will be entered manually. All manually entered data will be verified by a secondary review performed by Floyd|Snider staff. As a final review, after entry into the database, the EDD data will be compared to the field information (e.g., station/location identifiers, sample identifiers, requested analyses) previously entered into the database to confirm that all requested analytical data have been received.

4.0 Oversight

The project field activities will be overseen by the Floyd|Snider PM and laboratory activities will be overseen by the laboratory PM. Once data are received from the laboratory, a number of QC procedures will be followed to evaluate data quality and attainment of the data QA/QC objectives and criteria. Specific procedures will be followed to assess the principal DQIs (precision, bias, accuracy, representativeness, completeness, comparability, and sensitivity).

4.1 FIELD OVERSIGHT AND CORRECTIVE ACTIONS

The field coordinator or designated field lead will be responsible for field oversight and identifying issues that may result in noncompliance with this QAPP that could adversely affect data quality. The FC is responsible for performing corrective actions. The field coordinator and the QA/QC coordinator will be responsible for completing and for verifying and documenting completion of any corrective actions.

Field performance inspections may be conducted at the discretion of the Floyd|Snider PM to determine the effectiveness of QA/QC procedures and compliance with the QAPP. Field performance inspections should be conducted by the field coordinator, health and safety officer, or the Floyd|Snider PM. During a field performance inspection, the inspector will observe and review field procedures and health and safety procedures, including but not limited to documentation of sample collection, packaging procedures, sample shipment to the laboratories, and proper use of personal protection equipment per the HASP.

If issues are identified that may adversely affect data quality, corrective actions will be identified and implemented as soon as possible, and potential impacts to data quality will be evaluated. The inspector or a key member of the project team may temporarily stop work until deficiencies adversely affecting data quality are corrected. The field coordinator and the QA/QC coordinator will be responsible for verifying and documenting completion of any corrective actions.

4.2 LABORATORY OVERSIGHT AND CORRECTIVE ACTIONS

Laboratory audits and performance inspections consist of on-site reviews of QA systems and equipment. Laboratory audits will not be conducted as part of this study; however, the laboratory will provide reports from laboratory audits performed as part of general operations to the QA/QC coordinator upon request. The laboratory will provide written details of all method modifications planned prior to project commencement.

The laboratory is required to comply with its SOPs. The laboratory PM will be responsible for ensuring that appropriate corrective actions are initiated as required for compliance with this QAPP. All laboratory personnel will be responsible for reporting problems that may compromise the quality of the data. If QC results exceed the laboratory control limits, the analyst will identify and correct the anomaly before continuing with the sample analyses, if possible. If the issue cannot be overcome with standard corrective action (e.g., reparation and reanalysis), the

causes of the exceedance and corrective actions will be described in the data package narrative. If the exceedance is gross or widespread, the Floyd|Snider PM and project QA/QC coordinator will be notified immediately, and the appropriate action will be decided.

5.0 Data Validation and Usability

5.1 DATA REVIEW

Floyd|Snider will review the laboratory reports for internal consistency, transmittal errors, laboratory protocols, and adherence to the objectives specified in this QAPP. A Stage 2A Data Quality Review will be performed as described in this section for all data. The results of the Data Quality Review will be summarized in a Data Validation Memorandum.

A Stage 2A Data Quality Review (Summary Validation) includes the following:

- Evaluation of package completeness
- Verification that sample numbers and analyses match those requested on the chain-of-custody form
- Review of method-specified preservation and sample holding times
- Verification that the required detection limits and RLs have been achieved
- Verification that the field and laboratory duplicates, MS/MSDs, and LCSs were analyzed at the proper frequency
- Verification of analytical precision and accuracy via replicate analysis and analyte recoveries
- Verification that the surrogate compound analyses have been performed and meet QC criteria
- Verification that the laboratory method blanks are free of contaminants

5.2 VALIDATION METHODS AND RECONCILIATION WITH USER REQUIREMENTS

Data validation programs have been established in accordance with USEPA guidance (USEPA 2002a). Data validation will be based on the QA/QC criteria as recommended in the methods identified in this QAPP and in the USEPA's National Functional Guidelines (USEPA 2020a, 2020b, 2020c) and environmental data verification and validation guidance (USEPA 2002b).

Data usability and any deviations that may have affected the quality of the data, as well as the basis of application of qualifiers, will be included in the final reporting of the data. Any required corrective actions based on the evaluation of the analytical data will be determined by the laboratory PMs, Floyd Snider PM, and data validators in consultation.

6.0 References

- U.S. Environmental Protection Agency (USEPA). 1986. *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods*. Publication No. EPA-530/SW-846. Office of Solid Waste and Emergency Response.
- _____. 2002a. *Guidance for Quality Assurance Project Plans, EPA QA/G-5*. Publication No. EPA/240/R-02/009. Office of Environmental Information. Washington, DC. December.
- _____. 2002b. *Guidance on Environmental Data Verification and Data Validation, EPA QA/G-8*. Publication No. EPA/240/R-02/004. Office of Environmental Information. Washington, DC. November.
- _____. 2006. *EPA Requirements for Quality Assurance Project Plans, EPA QA/R-5*. Office of Environmental Information. Washington, DC. March 2001, reissued May 2006.
- _____. 2020a. *National Functional Guidelines for High Resolution Superfund Methods Data Review*. Office of Superfund Remediation and Technology Innovation. EPA 542-B-16-001. April.
- _____. 2020b. *National Functional Guidelines for Inorganic Superfund Methods Data Review*. Prepared by the Office of Superfund Remediation and Technology Innovation. EPA-542-R-20-006/OLEM 9240.1-66. November.
- _____. 2020c. *National Functional Guidelines for Organic Superfund Methods Data Review*. Prepared by the Office of Superfund Remediation and Technology Innovation. EPA-540-R-20-005/OLEM 9240.0-51. November.
- Washington State Department of Ecology. 2019. *Final Cleanup Action Plan*. Bothell Service Center Simon & Son, 18107 Bothell Way NE, Bothell, Washington. Revised 19 July.

7.0 Approvals

By signing below, I acknowledge that I have reviewed the Quality Assurance Project Plan and agree to follow the methods and quality assurance procedures contained therein.

Allison Geiselbrecht, Project Manager, Floyd|Snider

Date _____

Chell Black, QA Manager, Floyd|Snider

Date _____

Richard Francis, Project Manager, USEPA

Date _____

Christine Ransom, Project Manager, EcoChem, Inc.

Date _____

Darrell Auvil, Project Manager, Apex Laboratories

Date _____

Shelly Fishel, Project Manager, Analytical Resources Inc.

Date _____

Lori Dufour, Project Manager, Bureau Veritas

Date _____

Quality Assurance Project Plan

City of Bothell Service Center

Tables

Table 2.1
Key Project Quality Assurance Contacts

Name	Role	Phone Number
Gabe Cisneros	Project Manager	206-805-2170 x 2170
Danielle Gallaher	Field Lead	206-613-2064 x 2064
Gillian Sweeney	H&S Lead	206-613-2065 x 2065
Henry Bates	Data Services	206-805-2181 x 2181

Table 3.1
Quality Assurance Project Plan Analyte List for Groundwater

Analyte	Method	Units	Cleanup Standards		Laboratory Reporting Limit
			CUL	REL	
Groundwater					
Chlorinated Volatile Organic Compounds					
Tetrachloroethene	USEPA 8260D	µg/L	5.0	120	0.20
Trichloroethene			5.0	12	0.20
<i>cis</i> -1,2-Dichloroethene			16.0	--	0.20
<i>trans</i> -1,2-dichloroethene			--	--	0.20
Vinyl Chloride	USEPA 8260D/SIM		0.20	1.5	0.020
MNA Parameters					
Nitrate	USEPA Method 353.2	mg/L	--	--	0.050
Sulfate	ASTM D516-11	mg/L	--	--	5.0
Ammonia	SM 4500-NH3	mg/L	--	--	0.053
Ortho-phosphate	USEPA 365.1	mg/L	--	--	5.0
Total Organic Carbon	SM 5310B	mg/L	--	--	1.0
Dissolved Iron	USEPA 200.7	µg/L	--	--	56
Dissolved Manganese	USEPA 200.8	µg/L	--	--	11
Methane	RSK-175	mg/L	--	--	0.55
Ethene			--	--	0.29
Ethane			--	--	0.22
Ferrous iron ⁽¹⁾	Color disc/ 1,10 Phenanthroline	mg/L			Maximum detect 7.0

Notes:

- Not applicable or not established.
- 1 Ferrous iron will be analyzed by the field method.

Abbreviations:

- CUL Cleanup level
- µg/L Micrograms per liter
- mg/kg Milligrams per kilogram
- REL Remediation level
- USEPA U.S. Environmental Protection Agency

Table 3.2
Quality Assurance/Quality Control Criteria

Parameter	QA/QC Criteria		
	Precision ⁽¹⁾	Accuracy	Completeness
Groundwater			
CVOCs	±30%	60–140%	90%
Nitrate	≤19% RPD / 11% RPD	85–119% / 85–121%	95%
Sulfate	≤10% RPD	73–127%	95%
Ammonia	≤15% RPD	75–124%	95%
TOC	≤11% RPD	85–120%	95%
Dissolved Metals	≤20% RPD	75–125%	95%
Methane, Ethene, Ethane	≤25% RPD	75–125%	95%
Ferrous Iron	≤20% RPD	85–115%	95%

Note:

1 Precision criteria apply to analytical precision only. Field duplicate precision will be screened against an RPD of 75%.

Abbreviations:

- RPD Relative percent difference
- CVOC Chlorinated volatile organic compound
- TOC Total organic carbon
- QA/QC Quality Assurance/Quality Control

Table 3.3
Quality Assurance/Quality Control Frequency

Parameter	Method Blank ⁽¹⁾	Laboratory Control Samples ⁽¹⁾	Matrix Spike	Matrix Spike Duplicate (MSD) ⁽²⁾	Surrogate Spike	Field Duplicate	Rinse Blank	Field Blank	Trip Blank
CVOCs	1 per 20 samples	1 per 20 samples	1 per 20 samples	1 per 20 samples	Every sample	1 per 20 samples	1 per event	1 per day	1 per day
MNA Parameters			--	--				--	--

Notes:

- Not applicable
- 1 If less than 20 samples, analyze 1 per analytical batch.
- 2 Duplicates may be analyzed in place of MSDs.

Abbreviations:

- CVOC Chlorinated volatile organic compound
- MNA Monitored natural attenuation

**Table 3.4
Container and Preservation Criteria for Groundwater**

Analyte	Method	Sample Handling		
		Container/ Preservative	Holding Time	Sample Preservation Technique
Groundwater				
VOCs	USEPA 8260D	(3) 40-mL pre-weighted VOA vials	14 days	HCl pH<2
Sulfate	ASTM D516-11	250-mL HDPE	28 days	Cool to <6 °C
Nitrate	USEPA Method 353.2	250-mL HDPE	48 hours	Cool to <6 °C
Methane, Ethene, Ethane	RSK-175	(2) 40-mL pre-weighted VOA vials	14 days	HCl pH<2
Ammonia	SM 4500-NHS	250-mL HDPE	28 days	Sulfuric Acid
Ortho-phosphate	EPA 365.1	250-mL HDPE	48 hours	Cool to <6 °C
Total Organic Carbon (TOC)	SM 5310B	250-mL HDPE	28 days	Cool to <6 °C
Dissolved Metals (Fe, Mn)	EPA 200.7/200.8	500-mL HDPE	6 months	HNO ₃ & Field Filtered
Ferrous iron ⁽¹⁾	Color disc/ 1,10 Phenanthroline	Two 18-mm plastic viewing tubes with color comparator box	Analyze immediately- field method	Ferrous iron reagent power (added to one 25-mL sample aliquot)

Note:

1 Ferrous iron may be analyzed by either the listed laboratory or field method.

Abbreviations:

- °C Degrees Celsius
- HCL Hydrochloric acid
- HDPE High-density polyethylene
- HNO₃ Nitric acid
- mL Milliliters
- mm Millimeters
- NaOH Sodium hydroxide
- PCE Tetrachloroethene
- oz Ounces
- VOA Volatile organic analysis
- VOC Volatile organic compound
- WMG Wide-mouth glass

Quality Assurance Project Plan

City of Bothell Service Center

Appendix A Standard Sampling Procedures

F | S STANDARD GUIDELINE

Low-Flow Groundwater Sample Collection

DATE/LAST UPDATE: November 2023

These procedures should be considered standard guidelines and are intended to provide useful guidance when in the field but are not intended to be step-by-step procedures, as some steps may not be applicable to all projects.

All field staff should be sufficiently trained in the standard guidelines for the sampling method they intend to use and should review and understand these procedures prior to going into the field. It is the responsibility of the field staff to review the standard guidelines with the field manager or project manager and identify any deviations from these guidelines prior to field work. When possible, the project-specific Sampling and Analysis Plan should contain any expected deviations and should be referenced in conjunction with these standard guidelines.

1.0 Scope and Purpose

This standard guideline provides details necessary for collecting representative groundwater samples from monitoring wells using low-flow methods. These guidelines are designed to meet or exceed guidelines set forth by the Washington State Department of Ecology (Ecology). Low-Flow sampling provides a method to minimize the volume of water that is purged and disposed from a monitoring well, and minimizes the impact that purging has on groundwater chemistry during sample collection.

2.0 Equipment and Supplies

Groundwater Sampling Equipment and Tools

- For wells with head less than 25 feet:
 - Peristaltic pump with fully charged internal battery or standalone battery and appropriate connectors
- For wells with head greater than 25 feet:
 - Bladder pump and controller, as well as an air cylinder, or air compressor (with extension cord if near an electrical outlet; with battery and appropriate connectors or generator if not near an outlet)

OR

- Low-flow submersible pump and controller (with extension cord if near an electrical outlet; with battery and appropriate connectors or generator if not near an outlet)
- Multi-parameter water quality meter
- Turbidity meter
- Water level meter
- Polyethylene tubing, Teflon tubing, or similar (assume polyethylene unless otherwise specified in SAP) and tubing weights (for wells deeper than approximately 10 feet)
- Silicone tubing
- Filters (if field filtering)
- Tools for opening wells and drums (1/2-inch, 9/16-inch, 5/8 and 15/16-inch sockets ratchet, screwdriver, hammer/rubber mallet, bung wrench; any other necessary tools if non-standard monuments have been used)
- Well keys
- Tube cutters, razor blade, or scissors
- 5-gallon buckets, lids, and clamp
- Decontamination supplies: Alconox (or similar), distilled or deionized water, spray bottles, and paper towels
- Bailer or hand pump to drain well box if full of stormwater
- Trash bags

Lab Equipment

- Sample jars/bottles
- Coolers
- Chain-of-Custody Forms
- Labels
- Ice
- Ziploc bags

Paperwork

- Field notebook with site maps
- Table of well construction details and/or well logs, if available
- Sampling forms (enclosed)
- Purge water plan

- Rite-in-the-Rain pens, paper, and permanent markers
- Site-Specific Health and Safety Plan (HASP) and F|S Accident Prevention Plan (APP)
- List of emergency contacts for the Site or facility
- Safety Data Sheets (SDS) binder
- Sampling and Analysis Plan (SAP) and/or Quality Assurance Project Plan (QAPP) (including tables of analytes and bottle types)

Safety Equipment

- PPE:
 - Waterproof boots (safety toed, depending on site)
 - Safety vest
 - Safety glasses
 - Rain gear
 - Nitrile gloves
 - Work gloves
- First Aid kit
- Emergency kit (fire extinguisher, road flares)
- Traffic barricades or cones

3.0 Standard Procedures

Low-flow groundwater sampling consists of purging groundwater within the well casing at a rate equal to or less than the flow rate of representative groundwater from the surrounding aquifer into the well screen. The flow rate will depend on the hydraulic conductivity of the aquifer and the drawdown, with the goal of minimizing drawdown within the monitoring well. Field parameters are monitored during purging and groundwater samples are collected after field parameters have stabilized. Deviations from these procedures should be approved by the Project Manager and fully documented.

3.1 OFFICE PREPARATION

First, meet with the PM to identify the key objectives of the groundwater sampling effort. This may include the order of wells to be sampled (e.g., if using non-dedicated equipment, wells may need to be sampled in order of least contaminated to most contaminated), whether any wells require redevelopment at least 24-hours prior to sampling, and/or key stabilization parameters (e.g., elevated turbidity may require purging beyond 30 minutes, even if the readings are within 10%).

Conduct a kick-off meeting with the sampling team to discuss site health and safety protocols, data quality objectives, and any site-specific special considerations or sampling procedures.

3.2 TAILGATE SAFETY MEETING

Conduct a tailgate safety meeting prior to beginning work at the site. Emergency evacuation procedures, rally points, and onsite communication protocols should be discussed at the first tailgate meeting and repeated if new personnel join the field team onsite.

The safety meeting should cover the hazards specific to groundwater sampling. Typical hazards include the following:

- Chemical hazards (refer to HASP for site chemical exposure hazards)
- Site hazards
 - Traffic hazards onsite (e.g., truck traffic, heavy machinery)
 - Biological hazards (e.g., spiders or wasps within well monuments)
- Physical hazards associated with lifting and carrying heavy equipment and repeated bending while sampling
- Cuts and abrasions associated with using blades and tools
- Electrical hazards (make sure all wires/cables are in good condition and connections to battery or outlet are secure)
- Heat stress and cold stress

Record the meeting attendees and topics discussed on the front page of the tailgate safety meeting form (included as an attachment to the HASP). All attendees should sign the form.

3.3 OTHER HEALTH AND SAFETY GUIDELINES

The following are additional health and safety guidelines that should be followed in the field. These guidelines are intended to supplement the guidelines and requirements identified in the HASP and are not intended to replace the HASP.

- Review and sign the HASP prior to going into the field.
- Conduct a tailgate safety meeting prior to beginning work at the site as discussed in Section 3.2
- When moving between monitoring wells or switching to different tasks (e.g., transitioning from sampling to cooler QC prior to lab pickup), assess any additional hazards that may be associated with the new location or task. Record additional hazards noted and corrective actions to address those hazards on the Daily Tailgate Safety Meeting and Debrief Form (included as an attachment to the HASP).
- Record near misses and incidents on the Near Miss and Incident Reporting Form (included as an attachment to the HASP) and conduct management/client notifications according to the protocols detailed in the HASP.

3.4 CALIBRATION OF WATER QUALITY METERS

All multi-parameter water quality meters to be used will be calibrated prior to each sampling event. Calibration procedures are outlined in each instrument's specific user manual.

3.5 MONITORING, MAINTENANCE, AND SECURITY

Prior to sampling, depth to water and total depth measurements will be collected and recorded for accessible monitoring wells onsite (or an appropriate subset for larger sites). Check for an existing measuring point (notch or visible mark on top of casing). If a measuring point is not observed, a measuring point should be established on the north side of the casing. The conditions of the well box and bolts will also be observed, and deficiencies will be recorded on the sampling forms or logbook (i.e., missing or stripped bolt). The following should also be recorded:

- Condition of the well box, lid, bolts, locks, and gripper cap, if deficiencies
- Condition of gasket if deficient and if water is present in the well box
- Note any obstructions or kinks in the well casing
- Note any equipment in the well casing, such as transducers, bailers, or tubing
- Condition of general area surrounding the well, such as subsidence, potholes, or if the well is submerged within a puddle.

Replace any missing or stripped bolts and redevelop wells if needed.

3.6 LOW-FLOW PURGING METHOD AND SAMPLING PROCEDURES

Groundwater samples will be collected using low-flow purging and sampling procedures consistent with Ecology guidelines and the U.S. Environmental Protection Agency (USEPA) standard operating procedures (USEPA 1996). The following describes the Low-Flow purging and sampling procedures for collecting groundwater samples using a peristaltic pump. If the water level is greater than approximately 20 to 25 feet below ground surface (bgs), Grundfos or Geotech submersible pumps or bladder pumps can be used since their pumping rates can be adjusted to low-flow levels. Submersible pumps are preferable to bladder pumps in situations where less than 5 feet of water column are present in the well casing.

- Place the peristaltic pump and water quality equipment near the wellhead. Slowly lower new poly tubing down into the well casing approximately to the middle of the well screen. When sampling wells with a bottom screen depth greater than approximately 10 feet, it is important to measure the length of tubing prior to placement as longer lengths of tubing are more likely to get caught or otherwise obstructed and feel like it has reached the well bottom; this issue can be mitigated by using decontaminated stainless steel tubing weights. If the depth of the well screen is not known, lower the appropriate length of tubing to the bottom of the well, making sure that the tubing has not been caught on the slotted well casing, and then raise the tubing 3 to 5 feet off the bottom of the casing (limit this distance to 2 feet for wells with total depth less than 10 feet). Document the estimated depth of the tubing

- placement within the well. Connect the tubing to the peristaltic pump using new flex tubing and connect the discharge line to the flow-through cell of the water quality meter. The discharge line from the flow cell should be directed to a bucket to contain the purged water.
- If using a low-flow submersible pump, connect the pump head to dedicated or disposable tubing. If using a bladder pump, connect both the air intake and water discharge ports to decontaminated or disposable tubing, using the manufacturer's instructions to ensure a secure connection. Lower the pump with tubing into the well as described above and connect the water discharge tubing directly to the flow-through cell.
 - Measure the depth to water to the nearest 0.01 foot with a decontaminated water level meter and record the information on a sampling form.
 - Start pumping the well at a purge rate of 0.1 to 0.2 liters per minute and slowly increase the rate. Purge rate is adjusted using a speed control knob or arrows on peristaltic and low-flow submersible pumps. The purge rate for bladder pumps is controlled by the air compressor, which first pressurizes the pump chamber in order to compress the flexible bladder and force water through the discharge line, and then vents the chamber in order to allow the bladder to refill with water.
 - A good rule of thumb is to pressurize to 10 psi + 0.5 psi/foot of tubing depth and begin with 4 discharge/refill cycles per minute; using greater air pressure and accelerating the pump cycles will increase the purge rate.
 - Check the water level. If the water level is dropping, lower the purge rate. Maintain a steady flow with no or minimal drawdown (less than 0.33 feet according to USEPA 2002). Maintaining a drawdown of less than 0.33 feet may not be feasible depending on hydrogeological conditions. If possible, measure the discharge rate of the pump with a graduated cylinder or use a stopwatch when filling sampling jars (500 milliliters [mL] polyethylene or glass ambers) to estimate the rate. When purging water through a flow cell, the maximum flow rate for accurate water quality readings is about 0.5 liters per minute (L/minute).
 - The discharge tubing should be connected to the flow cell immediately upon initial water discharge, unless the discharge water is visibly turbid or flocculant is observed. Monitor and record water quality parameters every three to five minutes after one tubing volume (including the volume of water in the flow cell) has been purged.
 - One foot of ¼-inch interior diameter tubing holds about 10 mL of water, and flow-through cells typically hold less than 200 mL of water; one volume should be purged after about 5 minutes at a flow rate of 0.1 L/minute.
 - Water-quality indicator parameters that will be monitored and recorded during purging include:
 - pH
 - Specific conductivity

- Dissolved oxygen
- Temperature
- Turbidity
- Oxidation reduction potential (ORP)
- Continue purging until temperature, pH, turbidity, and specific conductivity are approximately stable (when measurements are within 10 percent) for three consecutive readings, or 30 minutes have elapsed. Because these field parameters (especially dissolved oxygen and ORP) may not reach the stabilization criteria, collection of the groundwater sample will be based on the professional judgment of field personnel at the time of sampling. A minimum of 5 water quality readings should be collected prior to sampling.
- The water sample can be collected once the criteria above have been met.
- If drawdown in the well cannot be maintained at 0.33 feet or less, reduce the flow or turn off the pump for 15 minutes and allow for recovery. If the water quality parameters have stabilized, and if at least two tubing volumes and the flow cell volume have been purged, then sample collection can proceed when the water level has recovered, and the pump is turned back on. This should be noted on the sampling form.
- To collect the water sample, maintain the same pumping rate. After the well has been purged and the sample bottles have been labeled, the groundwater sample will be collected by directly filling the laboratory-provided bottles from the pump discharge line prior to passing through the flow cell. All sample containers should be filled with minimum disturbance by allowing the water to flow down the inside of the bottle or vial. When collecting a volatile organic compound (VOC) sample, fill to the top to form a meniscus over the mouth of the vial prior to placing the cap to eliminate air bubbles. Be careful not to overflow preserved bottles/pre-cleaned Volatile Organic Analyte (VOA) vials.
- If sampling for filtered metals, collect these samples last and fit an in-line filter at the end of the discharge line. Take note of the flow direction arrow on the filter prior to fitting, invert filter to eliminate air bubbles, and allow minimum of 0.5 to 1 liter of groundwater to pass through the filter prior to collecting the sample.
- Sample labels will clearly identify the project name, sampler's initials, sample location and unique sample ID, analysis to be performed, date, and time. After collection, place samples a cooler maintained at a temperature of approximately 4 to 6 degrees Celsius (°C) using ice (if required). Complete the chain-of-Custody forms. Upon transfer of the samples to the laboratory, the Chain-of-Custody Form will be signed by the persons transferring custody of the sample containers to document change in possession.
- When sample collection is complete at a designated location, remove and properly dispose of the non-dedicated tubing. In most cases, this waste is considered solid waste and can be disposed of as refuse. Close and lock the well.

4.0 Decontamination

All reusable equipment that comes into contact with groundwater should be decontaminated using the processes described in this section prior to moving to the next sampling location.

Water Level Meter: The water level indicator and tape will be decontaminated between sampling locations and at the end the day by spraying the entire length of tape that came in contact with groundwater with an Alconox (or similar)/clean water solution followed by a thorough rinse with distilled or deionized water.

Water Quality Sensors and Flow-Through Cell: Distilled water or deionized water will be used to rinse the water quality sensors and flow-through cell. No other decontamination procedures are recommended since they are sensitive equipment. After the sampling event, the water quality meters will be cleaned and maintained according to the specific manual.

Submersible Pump (if applicable): Decontaminating the pump requires running the pump in three progressively cleaner grades of water.

1. Fill a bucket with approximately 4 gallons of an Alconox (or similar)/clean water solution to sufficiently cover the pump. Place the pump and the length of the power cord (if applicable) that was in contact with water into the bucket and run the pump for approximately two minutes or until the volume of water in the bucket has been exhausted.
2. Fill a second bucket containing approximately 4 gallons of clean water to sufficiently cover the pump. Place the pump and cord into this bucket and run the pump for approximately two minutes or until the volume of water in the bucket has been exhausted.
3. Fill a third bucket with approximately 4 gallons of distilled or deionized water to sufficiently cover the pump. Place the pump and cord into this bucket and run the pump for approximately two minutes or until the volume of water in the bucket has been exhausted.

The soap/water solution may be reused; however, rinse water should be collected for disposal as described in Section 5.0 below. When done for the day, dry the exterior of the pump and cord with clean towels to the extent practical prior to storage.

Bladder Pump: Clean the inside and outside of the pump body with an Alconox (or similar)/clean water solution, followed by a thorough rinse with distilled or deionized water. The outside of the air supply line that came in contact with groundwater may also be cleaned with Alconox (or similar) solution and re-used; bladders and water discharge lines must be replaced after each sample is collected.

5.0 Investigation-Derived Waste (IDW)

Unless otherwise specified in the project work plan, water generated during groundwater sampling activities will be contained, transported, disposed of in accordance with applicable laws, and stored in a designated area until transported off-site for disposal. This includes purge water and decontamination waste water.

The approach to handling and disposal of these materials for a typical cleanup site is as follows.

For IDW that is containerized, such as purge water, 55-gallon drums (or other smaller sized drums) approved by the Washington State Department of Transportation will be used for temporary storage pending profiling and disposal. Each container holding IDW will be sealed and labeled as to its contents (e.g., “purge water”), the dates on which the wastes were placed in the container, the owner’s name and contact information for the field person who generated the waste, and the site name.

IDW containerized within drums will be characterized relative to applicable waste criteria using data from the sampling locations whenever possible. Material that is designated for off-site disposal will be transported to an off-site facility permitted to accept the waste. Manifests will be used, as appropriate for disposal. Refer to the FS Special Condition Standard Guideline for Investigation Derived Waste for additional information regarding proper profiling and disposal of wastewater generated by groundwater sampling.

Disposable sampling materials and incidental trash such as tubing, paper towels and gloves/other disposable used in sample processing will be placed in heavy-duty garbage bags or other appropriate containers and disposed of as trash in the municipal collection system unless otherwise specified in the SAP.

6.0 Field Documentation

Groundwater sampling activities will be documented in field sampling forms and/or field notebooks, and Chain-of-Custody Forms. Information recorded will, at a minimum, include personnel present (including subcontractors or client representatives), purpose of field event, weather conditions, sample collection date and times, sample analytes, depths to water, water quality parameters, well box/lid conditions, amount of purged water generated, and any deviations from the SAP. Photographs of damaged well casings or well boxes should be taken.

At the end of the day, complete and review the second page of the tailgate safety meeting form detailing additional hazards, corrective actions, near-misses or incidents. Any incidents that result in equipment damage or field staff injuries should be reported immediately to the PM.

7.0 Demobilization

Upon returning to the office, ensure that all equipment is properly cleaned and put away in the field room. Equipment with rechargeable batteries should be plugged in as appropriate. It is

preferable to dispose of trash on-site, but any trash left in the field vehicle should be disposed as regular trash at Two Union Square.

If rented equipment or sample coolers will be placed at the front desk for pickup, clearly label each item with the company picking it up, anticipated pickup time frame, and your contact information so front desk staff can contact you if there are any questions. Notify front desk staff if any items require a signature at pickup.

Within one week of returning from the field, the field lead for the event should review field notes, sampling forms and tailgate safety meeting forms with the PM. Following PM review and approval, field notes will be scanned and saved to the project folder. Hard copies should be filed. The PM will provide copies of near miss and incident reports to the Safety Program Manager.

8.0 References

U.S. Environmental Protection Agency (USEPA). 1996. Low-Stress (low flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells, Revision 2. Region 1. July 30, 1996.

_____. 2002. Groundwater Sampling Guidelines for Superfund and CAR Project Managers. Office of Solid Waste and Emergency Response. EPA 542.S-02-001. May 2002.

Enclosures: Groundwater or Surface Water Sample Collection Form

Record of Revisions:

Revisions	Date
Added health and safety information, reviewed EPA guidance, and added revisions table.	12/9/2022
Added turbidity meter to equipment list and appended updated field form to PDF	11/29/2023

GROUNDWATER OR SURFACE WATER SAMPLE COLLECTION FORM

Project: _____ Date of Collection: _____

Task: _____ Field Personnel: _____

Purge Data

Well ID: _____ Secure: Yes No Ecology Tag #: _____ Casing Type/Diameter/Screened Interval _____

Replacement Required: Monument Lid Lock Bolts: Missing (#) _____ Stripped (#) _____ Other Damage: _____

Depth Sounder decontaminated Prior to Placement in Well: Yes No One Casing Volume (gal): _____

Depth of water (from TOC): _____ Time: _____

Total Depth (from log or field measurement): _____

After 5 minutes of purging (from top of casing): _____

Begin purge (time): _____ End purge (time): _____

Volume purged: _____ Purge water disposal method _____

Volume of Schedule 40 PVC Pipe				
Diameter	O.D.	I.D.	Volume (Gal/Linear Ft.)	Weight of Water (Lbs/Lineal Ft.)
1 1/4"	1.660"	1.380"	0.08	0.64
2"	2.375"	2.067"	0.17	1.45
3"	3.500"	3.068"	0.38	3.2
4"	4.500"	4.026"	0.66	5.51
6"	6.625"	6.065"	1.5	12.5

Time	Depth to Water (ft)	Vol. Purged (_____)	pH (s.u.)	DO (mg/L)	Specific Conductivity (µs/cm)	Turbidity (NTU)	Temp (°C)	ORP (mV)	Comments
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____	_____	_____

Sampling Data

Sample No: _____ Location and Depth: _____

Date Collected (mo/dy/yr): _____ Time Collected: _____ Weather: _____

Type: Ground Water Surface Water Other: _____ Sample: Filtered Unfiltered Filter Type: _____

Sample Collected with: Bailer Pump Other: _____ Type: Peristaltic Bladder Submersible Other: _____

Water Quality Instrument Data Collected with: Type: YSI ProDSS Turbidity Meter Other: _____

Sample Decon Procedure: Sample collected with: decontaminated all tubing; disposable tubing dedicated silicon and poly tubing; dedicated tubing replaced

Sample Description (Color, Turbidity, Odor, Other): _____

Sample Analyses

Analyte	Analysis Method	Sample Container	Quantity	Preservative	Notes

QC samples

Duplicate Sample No: _____ Duplicate Time: _____ MS/MSD: Yes No

Signature: _____ Date: _____