



engineers | scientists | innovators

Remedial Action Operation and Maintenance and Groundwater Monitoring Annual Report – 2024

**Bonneville Power Administration Site
Tacoma, Washington
Consent Order No. 97206045**

Prepared for

**Occidental Chemical Corporation
605 Alexander East Ave
Tacoma, WA 98421**

Prepared by

*Geosyntec Consultants
520 Pike Street, Suite 2600
Seattle, WA 98101*

Project Number TR0837F

February 2025

Executive Summary

In March 1997, Occidental Chemical Corporation (OCC) and the Bonneville Power Administration (BPA) entered into a Consent Decree with the Washington Department of Ecology (Ecology) to provide for the performance of a Remedial Action (RA) at the Site. The RA included excavation of impacted fill materials and soils and placement of these excavated materials in an on Site engineered landfill. The RA was considered complete on August 24, 1998.

The RA Operation and Maintenance (O&M) Program includes the performance of routine Site inspections, compliance monitoring of groundwater, and comprehensive annual reporting to evaluate the effectiveness of the RA in addressing the concerns of Ecology, stated in the Consent Decree as follows:

- i) Ongoing impact of groundwater in the Lower Sand unit by volatile organic compounds (VOCs) in buried sludge and soils
- ii) Potential for direct human exposure to asbestos contained in the sludge
- iii) Potential for direct human exposure to metal contained in grit and shot
- iv) Potential surface and groundwater impacts from metals contained in the grit and shot

The O&M Program commenced with baseline groundwater monitoring in September 1998 following completion of the RA. This annual report has been prepared covering the period of November 2023 through November 2024.

The results of the O&M and Compliance Monitoring activities demonstrate that:

- i) The security and integrity of the landfill was maintained throughout this reporting period; therefore, there was no potential for direct human exposure to impacted materials.
- ii) There were no systematic increases in the concentrations of monitoring parameters in groundwater during this reporting period; therefore, there is no ongoing impact of chemicals to groundwater in the Lower Sand unit.

The O&M activities and Compliance Monitoring performed during this reporting period demonstrate that the RA is effective in mitigating Ecology's concerns for human health exposure and groundwater impacts.

Table of Contents

Executive Summary	ES-i
1. Introduction	1
2. Operation and Maintenance Activities	2
2.1 Site Inspections and Corrective Actions	3
2.1.1 Security	3
2.1.2 Site	4
2.2 Routine Maintenance	4
3. Compliance Monitoring.....	4
3.1 Hydraulic Monitoring	5
3.2 Water Quality Monitoring.....	5
4. Assessment of Site Conditions	6
4.1 Direct Contact with Impacted Materials	6
4.2 Groundwater and Surface Water Impact.....	7
5. Conclusions and Recommendations.....	7

List of Tables

Table 3.1	Compliance Monitoring Points
Table 3.2	Summary of Water Level Elevations
Table 3.3	Groundwater Compliance Monitoring Analytical Parameters
Table 3.4	Analytical Results Summary
Table 3.5	Monitored Natural Attenuation Analytical Results Summary

List of Figures

Figure 3.1	Site Plan and Groundwater Contour Map
Figure 4.1	Concentration Versus Time – 1 20
Figure 4.2	Concentration Versus Time – 7 26

List of Appendices

- Appendix A Site Inspection Sheets
- Appendix B Groundwater Sample Collection Summary Logs
- Appendix C Analytical Data Verification and Assessment
- Appendix D Analytical Database

1. Introduction

The Bonneville Power Administration (BPA) property (Site) is located at the corner of Taylor Way and Highway 509 in Tacoma, Washington. In the late 1960s and early 1970s, fill material from the Occidental Chemical Corporation (OCC) Tacoma facility was deposited at the Site. At about the same time, baghouse grit/shot material from an unidentified source was also placed at the Site.

In March 1997, OCC and BPA entered into a Consent Decree with the Washington Department of Ecology (Ecology) to provide for the performance of a Remedial Action (RA) at the Site. The RA included excavation of impacted fill materials and soils and placement of these excavated materials in an on-Site engineered landfill. The RA was considered complete on August 24, 1998.

An RA Operation and Maintenance (O&M) Plan was submitted to Ecology with the remedial design documents. The RA O&M Plan includes the performance of routine Site inspections, compliance monitoring of groundwater, and comprehensive annual reporting. The O&M Program commenced in September 1998.

This report presents the annual report for the period of November 2023 through November 2024. The report is organized as follows:

- i) Section 1 Introduction: The introduction presents a brief summary of the project history and the organization of the report.
- ii) Section 2 Operation and Maintenance Activities: The O&M activities performed during this reporting period are discussed in Section 2.
- iii) Section 3 Compliance Monitoring: The groundwater compliance monitoring activities performed during this reporting period are described in Section 3 and the resultant data are presented.
- iv) Section 4 Assessment of Site Conditions: An assessment of the Site conditions in terms of the effectiveness of the remedy is presented in Section 4.
- v) Section 5 Conclusions and Recommendations: Section 5 presents the conclusions drawn from the Site assessment.

The current project coordinators for the Site are:

Ecology:

Mr. Andrew Smith
300 Desmond Drive
Lacey, Washington 98503

BPA:

Chad Browning
Environmental Engineer
707 W. Main Street, Suite 500
Spokane, Washington 99201-0641

OCC:

Mr. Clint Babcock
Director Operations
Glenn Springs Holdings, Inc.
605 Alexander Avenue
Tacoma, WA 98421

The designated Site Custodian is:

Geosyntec:

520 Pike Street, Suite 2600
Seattle, WA 98101
Telephone: (253) 993-0190
The primary contact at Geosyntec is Rick Bieber.

2. Operation and Maintenance Activities

O&M activities performed during this reporting period included Site inspections and compliance monitoring. The O&M activities were performed by GHD, on behalf of OCC in accordance with the requirements of the "Operation and Maintenance Plan" (May 1997) with the modifications approved by Ecology in letters dated August 3, 1998, September 16, 1998, March 18, 1999, and November 14, 2003. The approved modifications consist of:

- i) The use of monitoring well 9-30 instead of monitoring well 5-21 (August 3, 1998)
- ii) The use of low-flow well purging and sampling techniques in the Compliance Monitoring Plan (CMP) (September 16, 1998)
- iii) Revision of the analyte list for compliance monitoring (March 18, 1999, and November 14, 2003)
- iv) Reduction in monitoring points from 7 to 2 (November 14, 2003)
- v) Reduction in the frequency of sampling from semi-annual to annual (November 14, 2003)
- vi) Installation of a replacement well for 1-20 in 2020

- vii) Following the 2020 review Ecology requested the addition of monitored natural attenuation parameters bringing the new target analytes list to the following:

Table 2.0 Target Analytes		
Matrix	Analyte	Method
GW	SSPL VOCs (annual)	8260
GW	Dissolved Gases (methane , ethane, ethene)	RSK 175
GW	Total Iron and Manganese	200.7
GW	Dissolved Iron and Manganese	200.7
GW	Chloride, Sulfate	300
GW	Total Organic Carbon	9060A
GW	Nitrate	300

2.1 Site Inspections and Corrective Actions

Site inspections were performed on a quarterly basis during this reporting period. Observations were logged on inspection log sheets. The inspection log sheets for the 2024 reporting period are contained in Appendix A.

Descriptions of the inspection observations are presented in the following subsections. No deficiencies requiring corrective action were observed during this reporting period.

2.1.1 Security

The security features include landfill perimeter fence, fence gates and locks, and signs. Each feature was examined during each Site inspection. No damage to security features was noted and the integrity of the security features was maintained. The security features and their conditions during this reporting period are described below.

Perimeter Fence

No damage to the perimeter fence was identified during the quarterly inspections conducted for this reporting period.

Gates and Locks

No damage to perimeter fence gates or locks was identified during the quarterly inspections conducted for this reporting period.

Signs

All signs were in place and legible.

2.1.2 Site

The Site features include final and vegetative covers, drainage swales, and monitoring wells. Each of these features was examined during each Site inspection. The integrity of the Site features was maintained. The condition of the Site features during this reporting period is described below.

Final and Vegetative Covers

No surface cracking or failure of the landfill cap was observed during this reporting period. Mowing of the entire mound was conducted following the hand removal of weeds in November 2024. The cut vegetation was raked and removed. No burrows were observed during recent inspections and during the mowing of the cap, GHD will continue to monitor for the presence of burrowing animals during quarterly inspections.

Drainage Swales

No erosion or excessive buildup of sediment was identified in the drainage swales during the quarterly inspections conducted for this reporting period. No vegetation was identified encroaching on the drainage swales during quarterly inspections conducted for this reporting period.

Monitoring Wells

The inspection of the monitoring wells was conducted in November, 2024 and included the verification of the presence and condition of well caps and locks, integrity of protective casings, and inspection for settlement or displacement of the wells. Each of the wells were found in proper working order.

2.2 Routine Maintenance

The O&M Plan requires that the landfill cap vegetative cover be fertilized and maintained as necessary. In November 2024 mowing of the mound was completed following hand weeding. Overall the landfill cap is in good condition and no repairs outside of the routine maintenance activities are required at this time.

3. Compliance Monitoring

The CMP is included as Appendix B of the O&M Plan. The groundwater CMP commenced in September 1998 at the completion of the RA. The CMP states that groundwater monitoring will be conducted semi-annually for 5 years following which a review will be conducted. The first 5-year review period ended in September 2003. A review of the groundwater monitoring program was presented in the “Remedial Action Operation and Maintenance and Groundwater Monitoring Annual Report – 2004.” Based on the review, a modified groundwater monitoring program was approved by Ecology (see letter from G. Barrett (Ecology) to C. Barron (CRA) dated November 14, 2003).

The second 5-year review period ended in September 2008. A review of the groundwater monitoring program was presented in the “Remedial Action Operation and Maintenance and Groundwater Monitoring Annual Report – 2008.” There were no approved modifications to the CMP following the second 5-year review period; however, potentiometric contour lines have been added to the site plan, as recommended by Ecology (see letter from G. Barrett (Ecology) to J. Cornetta (CRA) dated February 4, 2008). A third 5-year review was completed by Ecology in 2014, results were presented in a March 2015 report. A fourth 5-year review was completed by Ecology in 2018 with results presented in the 2019 report. No amendments to the CMP were made following this review. In 2020 Ecology requested in response to public comment for natural attenuation parameters be added to the annual analysis. Starting in November 2020 to following parameters have been added to the sampling suite:

Compliance monitoring currently consists of:

- Metals – Iron, Iron (dissolved), Manganese, Manganese (dissolved)
 - Dissolved Gases – Ethane, Ethene, Methane
 - General Chemistry – Chloride, Nitrate (as N), Sulfate, Total organic carbon (TOC)
- i) Annual hydraulic monitoring of all site monitoring wells
 - ii) Annual groundwater sample collection and analyses of two wells, 1-20 and 7-26

The monitoring wells included in the Site monitoring program are listed in Table 3.1 and shown on Figure 3.1.

3.1 Hydraulic Monitoring

Site-wide hydraulic monitoring is performed in conjunction with each groundwater sampling event. A tabulation of the groundwater elevations measured since the commencement of the CMP is presented in Table 3.2. Groundwater elevations, potentiometric contour lines and groundwater flow direction are presented on Figure 3.1.

3.2 Water Quality Monitoring

Groundwater samples were collected in accordance with the low-flow monitoring well purging and sample collection procedures approved by Ecology on September 16, 1998 with one exception. As noted above, GHD was unable to use the bladder pump lodged in the well. The sample was collected using a peristaltic pump following approval from Ecology. A sample collection summary log is contained in Appendix B.

Groundwater samples collected during this reporting period were analyzed for the parameters listed in Table 3.3. Cleanup levels for the monitoring parameters listed in Table 3.3 are the Model Toxic Control Act (MTCA) Method B groundwater levels, or the analytical method's Practical Quantitation Limit (PQL) where the Method B levels are lower than the PQL.

The groundwater analytical data generated during this reporting period and cleanup levels are presented in Table 3.4. The results are consistent with the historic data. The addition of the monitored natural attenuation (MNA) parameters are presented in table 3.5. As we collected more rounds of MNA data, trends will be plotted and presented in this section. The data validation for this reporting period is contained in Appendix C of this report. A complete groundwater analytical database is presented in Appendix D. All investigative samples were analyzed within the recommended holding time.

4. Assessment of Site Conditions

One of the purposes of the annual review of the O&M activities and monitoring data is to assess the current Site conditions in terms of the effectiveness of the RA.

Based upon the findings of the site investigations performed prior to the RA, Ecology stated the following concerns regarding fill materials present at the Site:

- i) Ongoing impact to groundwater in the Lower Sand unit by volatile organic compounds (VOCs) in buried sludge and soils
- ii) Potential for direct human exposure to asbestos contained in the sludge
- iii) Potential for direct human exposure to metals contained in grit and shot
- iv) Potential surface and groundwater impacts from metals contained in the grit and shot

These concerns were presented in Exhibit B, "Cleanup Action Plan," of the Consent Decree filed March 3, 1997.

The RA addressed each of these concerns through the removal of impacted sludge, grit, and shot and containment of these materials in the on-Site engineered landfill. Confirmatory analyses were performed on samples of in situ soils to confirm that concentrations of the Site compounds which exceeded the cleanup standards specified in Table 2 of Exhibit B of the Consent Decree did not remain following the completion of the RA.

The following subsections present evaluations of the current Site condition relative to these concerns. The evaluations are based upon the O&M activities performed during this reporting period and on the Compliance Monitoring data.

4.1 Direct Contact with Impacted Materials

The security and integrity of the landfill was maintained throughout this reporting period; therefore, there was no potential for direct human exposure to asbestos contained in sludge or metals contained in grit or shot.

4.2 Groundwater and Surface Water Impact

The sludge and soils containing concentrations of the Site compounds at concentrations exceeding the cleanup standards are isolated within the landfill and the integrity of the landfill was maintained throughout this reporting period. Therefore, the sludge or soils no longer represent a continuing source of VOCs or metals to groundwater or surface water.

The groundwater points of compliance are Lower Sand Unit monitoring wells located adjacent to the containment facility (MW-2) and at the downgradient boundaries of the Site (1-20, 2-27, 6-26, and 7-26). The locations of the points of compliance are shown on Figure 3.1. In the first 5-year review of the groundwater monitoring program conducted in November 2003, it was demonstrated that compliance with cleanup standards was achieved and maintained at all monitoring points except 1-20 and 7-26. Therefore, routine monitoring of the remaining compliance points is no longer required.

The 2024 groundwater sampling event was conducted on November 19, 2024. Samples were collected from monitoring wells 1-20 and 7-26. There were detections of cis-1,2-DCE and Vinyl Chloride for both monitoring wells 1-20 and 7-26. The analytical data for cis-1,2-DCE and vinyl chloride in monitoring wells 1-20 and 7-26 have been graphed as shown on Figures 4.1 and 4.2. To assist in the evaluation of chemical presence at these locations, linear trend lines have been added to the graphs. The graphs show overall downward trends in the cis-1,2-DCE concentrations in these wells since the baseline monitoring event was conducted in September 1998. The graphs also show a downward trend in vinyl chloride concentrations in well 1-20 and stable concentrations in well 7-26.

For the last 8 years the concentrations of cis-1,2-DCE in well 1-20 have continued to show some variability hovering at or below the clean-up criteria for the site. These detections are consistent with the historic data and the general decreasing trend of both contaminants continues. This increase will be further assessed following the fall 2025 sampling event. Continued monitoring is scheduled and appropriate.

The presence of cis-1,2-DCE, vinyl chloride, and ethene suggest that natural attenuation is occurring at the site. Chloride and Sulfate were left of the laboratory request and will be added back into the target analytes going forward. We will continue to monitor the MNA parameters and prepare trend graphics in subsequent sampling rounds. It is expected that, over time, the natural attenuation process will restore the Lower Sand groundwater to a quality that meets or exceeds the cleanup standards.

5. Conclusions and Recommendations

The O&M activities and Compliance Monitoring performed during this reporting period demonstrate that the RA remains effective in mitigating the concerns for human health exposure

and groundwater impact that are stated in the Cleanup Action Plan. There is no further remedial action required at the Site at this time.

Tables

Table 3.1
Compliance Monitoring Points
Bonneville Power Administration Site
Taylor Way
Tacoma, Washington

Well No.	Hydraulic Monitoring	Monitoring
1-20	X	X
2-27	X	
6-26	X	
7-26	X	X
9-30	X	
MW-1	X	
MW-2	X	

Table 3.2
Summary of Groundwater Elevations
Bonneville Power Administration Site
Taylor Way
Tacoma, Washington

Well No.	Top of Casing*	Nov. 98	May 99	Nov. 99	May 00	Nov. 00	May 01	Nov. 01	May 02	Nov. 02
1-20	8.40	2.00	2.94	2.24	3.42	3.10	3.15	2.24	3.70	2.01
2-27	14.92	3.14	5.13	3.48	5.44	4.34	5.00	3.58	6.07	2.96
6-26	13.27	2.38	4.09	2.77	4.55	3.57	4.06	2.87	4.87	2.41
7-26	12.73	1.85	2.91	2.14	3.55	2.94	3.02	2.14	3.54	1.90
9-30	14.65	3.76	5.74	4.22	5.99	4.96	5.66	4.28	6.43	3.49
MW-1	13.97	2.42	4.03	1.87	4.48	4.06	4.11	NM	4.88	3.85
MW-2	12.32	2.12	3.03	2.42	3.92	3.23	3.28	2.25	3.85	NM

Well No.	Top of Casing*	May. 03	Nov. 03	Nov. 04	Nov. 05	Nov. 06	Nov. 07	Nov. 08	Nov. 09	Nov. 10
1-20	8.40	3.58	3.04	3.01	3.66	1.04	2.71	4.29	-0.36	4.39
2-27	14.92	5.76	5.02	4.81	5.34	3.18	4.16	6.36	6.30	6.60
6-26	13.27	4.66	4.04	3.86	4.59	2.49	3.45	5.73	5.39	5.76
7-26	12.73	3.46	2.86	2.92	3.58	1.91	2.73	4.15	3.20	4.38
9-30	14.65	6.28	5.68	5.52	5.82	3.82	4.74	6.27	6.14	6.68
MW-1	13.97	4.73	4.02	3.94	4.57	NM	3.11	5.56	5.42	5.59
MW-2	12.32	3.79	2.92	3.15	3.8	2.00	2.90	4.47	4.39	4.45

Well No.	Top of Casing*	Nov. 11	Nov. 12	Nov. 13	Nov. 14	Nov. 15	Nov. 16	Nov. 17	Nov. 18	Nov. 19
1-20	8.40	2.71	4.78	3.80	4.10	4.55	4.93	4.09	2.28	2.37
2-27	14.92	3.93	6.93	5.94	5.96	6.79	7.53	5.85	3.21	3.02
6-26	13.27	3.27	6.09	4.99	5.2	5.96	6.80	5.30	2.62	2.47
7-26	12.73	2.62	4.72	3.79	4.04	5.47	4.01	4.47	2.21	1.87
9-30	14.65	4.43	7.01	6.21	6.25	6.70	7.26	6.54	3.68	3.88
MW-1	13.97	3.17	5.92	4.92	5.12	5.71	6.51	4.30	1.99	2.37
MW-2	12.32	2.74	4.90	3.88	4.14	4.66	5.15	4.25	2.26	3.05

Well No.	Top of Casing*	Nov. 20	Nov. 21	Nov. 22	Nov. 23	Nov. 24
1-20	12.40	2.37	4.7	2.4	4.22	5.20
2-27	14.92	3.02	7.12	3.02	4.37	3.94
6-26	13.27	2.47	6.49	2.57	4.22	3.51
7-26	12.73	1.87	4.93	2.8	4.93	3.53
9-30	14.65	3.88	6.35	3.26	5.07	4.01
MW-1	13.97	2.37	6.16	2.34	4.81	3.77
MW-2	12.32	3.05	4.82	2.32	4.06	3.68

Notes:

- * Elevation surveyed January 2010. Vertical Datum: NGVD 29. Water level elevations updated based on 2010 survey. 1-20 replaced 2020
- NM Not measured

Table 3.3
Groundwater Compliance Monitoring Analytical Parameters
Bonneville Power Administration Site
Taylor Way
Tacoma, Washington

Parameter⁽¹⁾	Cleanup Level⁽²⁾ (µg/L)
cis-1,2-Dichloroethene	70
Dichloromethane (methylene chloride)	5
Tetrachloroethene	5
Trichloroethene	5
Vinyl chloride	10*

Notes:

- ⁽¹⁾ Analytical parameter list modified in January 2004.
- ⁽²⁾ Model Toxic Control Act (MTCA Method B Surface Water Standard, Cleanup Levels and Risk Calculations (CLARC), Version 3.1, updated November 2001.
- * Practical Quantitation Limit (PQL), "Washington State Department of Ecology Toxics Cleanup Program, Guidance on Sampling and Data Analysis Methods," January 1995.

Table 3.4
Analytical Results Summary
Bonneville Power Administration Site
Taylor Way
Tacoma, Washington

Sample Location:			1-20	7-26	7-26
Sample ID:			1-20-111924-SC	7-26-111924-SC	7-26-111924-SC-
Sample Date:			11/19/2024	11/19/2024	Dup
					11/19/2024
					(Duplicate)
Parameter	Units	Cleanup Level ⁽¹⁾			
<i>Volatile Organic Compounds</i>					
cis-1,2-Dichloroethene	µg/L	70	37	6.3	6.4
Methylene chloride	µg/L	5	1.4U	1.4U	1.4U
Tetrachloroethene	µg/L	5	0.41U	0.41U	0.41U
Trichloroethene	µg/L	5	0.26U	0.26U	0.26U
Vinyl chloride	µg/L	10*	6.0F1	0.28J	0.35J

Notes:

⁽¹⁾ Model Toxic Control Act (MTCA Method B Surface Water Standard, Cleanup Levels and Risk Calculations (CLARC) Version 3.1, updated November 2001.

J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

F1 MS and/or MSD recovery exceeds control limits.

U Non-detect at associated value.

* Practical quantitation limit.

 Concentration exceeds the cleanup standard.

Table 3.5
Monitored Natural Attenuation Analytical Results Summary
Bonneville Power Administration Site
Taylor Way
Tacoma, Washington

Sample Location:		1-20	7-26	7-26
Sample ID:		1-20-111924-SC	7-26-111924-SC	7-26-111924-SC-Dup
Sample Date:		11/19/2024	11/19/2024	11/19/2024 (Duplicate)
Parameter	Units			
Dissolved Gases				
Ethane	µg/L	4.8J	42	37
Ethene	µg/L	0.40U	0.40U	0.40U
Methane	µg/L	2800F2	1800	1800
Metals				
Iron	µg/L	37000	25000	29000
Iron (dissolved)	µg/L	40000	25000	24000
Manganese	µg/L	2500	2500	2400
Manganese (dissolved)	µg/L	2500	2500	2500
General Chemistry				
Chloride	µg/L	-	-	-
Nitrate (as N)	µg/L	0.090U	0.090U	0.090U
Sulfate	µg/L	-	-	-
Total organic carbon (TOC)	µg/L	33F1	20	19

Notes:

⁽¹⁾ Model Toxic Control Act (MTCA Method B Surface Water Standard, Cleanup Levels and Risk Calculations (CLARC), Version 3.1, updated November 2001.

J Estimated.

F1 MS and/or MSD recovery exceeds control limits.

F2 MS/MSD RPD exceeds control limits.

U Non-detect at associated value.


* Practical quantitation limit.

Concentration exceeds the cleanup standard.

- Not Sampled


Figures

\\Seattle-01\data\Projects\Oxychem TR0837\900 GIS and CAD\BPA Annual Report 2024\TR0837-BPA Annual Report 2024-G001.dwg
\\SEATTLE-01\DATA\PROJECTS\OXYCHEM TR0837\900 GIS AND CAD\BPA Annual Report 2024\TR0837-BPA Annual Report 2024-G001.dwg
Last Saved by: MJerome on 3/3/25



LEGEND

- PROPERTY LINE
- 18 --- FINAL CONTOUR LINE AND ELEVATION
- - - DITCH LINE
- 9-30 MONITORING WELL
- 4.01 GROUNDWATER ELEVATION (NGVD)
- 5.00— GROUNDWATER ELEVATION CONTOUR
- ➡ GROUNDWATER FLOW DIRECTION



SITE PLAN AND GROUNDWATER CONTOUR MAP - NOVEMBER 2024 COMPLIANCE MONITORING PROGRAM BONNEVILLE POWER ADMINISTRATION SITE TACOMA, WASHINGTON	
Geosyntec consultants	
PROJECT NO: TR0837	MARCH 2025
FIGURE 3.1	




figure 4.1

CONCENTRATION VS. TIME - 1-20
COMPLIANCE MONITORING PROGRAM
BONNEVILLE POWER ADMINISTRATION
Tacoma, Washington




figure 4.2

CONCENTRATION VS. TIME - 7-26
COMPLIANCE MONITORING PROGRAM
BONNEVILLE POWER ADMINISTRATION
Tacoma, Washington

Appendix A

Site Inspection Sheets

**INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON**

SITE

<i>Specific Item</i>			
		<i>No</i>	<i>Yes (If yes give details below)</i>
Erosion or Settlement of Low Permeability Cap		✓	
Surface Cracking or Failure of Cap Along Slopes		✓	
Emergence/Presence of Deep Rooted Vegetation (i.e. trees, brush, etc.)		✓	
Vegetation Burnout		✓	
Excessive Growth of Vegetation	Cap	✓	
	Drainage Swale	✓	
Presence of Burrowing Mammals		✓	
Well Protective Casings and Appurtenances in Acceptable Condition			
Erosion of Drainage Swale/Ditch		✓	yes
Comments: If no problems with cap noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.			
No problems noted			

Rick Breker

(Inspector's Name - Please Print)

[Signature]

(Inspector's Signature and Date of Inspection)


11-19-24

**INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON**

SECURITY

Specific Item		No	Yes (If yes give details below)
Perimeter Fence (i.e. damage or excessive deterioration)		✓	
Gates and Locks (missing damaged or inoperable)		✓	
Signs (damaged, missing or no longer readable)		✓	
Comments: If no problems with perimeter fence, gates or locks noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.			
No problems noted			

Rick Breber

(Inspector's Name - Please Print)


(Inspector's Signature and Date of Inspection)

11-19-24

**INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON**

SITE

<i>Specific Item</i>		<i>No</i>	<i>Yes (If yes give details below)</i>
Erosion or Settlement of Low Permeability Cap		✓	
Surface Cracking or Failure of Cap Along Slopes		✓	
Emergence/Presence of Deep Rooted Vegetation (i.e. trees, brush, etc.)		✓	
Vegetation Burnout		✓	
Excessive Growth of Vegetation	Cap	✓	
	Drainage Swale	✓	
Presence of Burrowing Mammals		✓	
Well Protective Casings and Appurtenances in Acceptable Condition			yes
Erosion of Drainage Swale/Ditch		✓	
Comments: If no problems with cap noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.			
NO problems noted			

Rick Breker

(Inspector's Name - Please Print)

[Signature]


8-22-24

(Inspector's Signature and Date of Inspection)

INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON

SECURITY

Specific Item		No	Yes (If yes give details below)
Perimeter Fence (i.e. damage or excessive deterioration)		✓	
Gates and Locks (missing damaged or inoperable)		✓	
Signs (damaged, missing or no longer readable)		✓	
Comments: If no problems with perimeter fence, gates or locks noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.			
No problems noted			

Rick Berber
(Inspector's Name - Please Print)
 8-22-24
(Inspector's Signature and Date of Inspection)

**INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON**

SITE

<i>Specific Item</i>		<i>No</i>	<i>Yes (If yes give details below)</i>
Erosion or Settlement of Low Permeability Cap		✓	
Surface Cracking or Failure of Cap Along Slopes		✓	
Emergence/Presence of Deep Rooted Vegetation (i.e. trees, brush, etc.)		✓	
Vegetation Burnout		✓	
Excessive Growth of Vegetation	Cap	✓	
	Drainage Swale		
Presence of Burrowing Mammals		✓	
Well Protective Casings and Appurtenances in Acceptable Condition			
Erosion of Drainage Swale/Ditch		✓	yes
Comments: If no problems with cap noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.			
no problems noted			

Rick Breber

(Inspector's Name - Please Print)

[Signature]


5-15-24

(Inspector's Signature and Date of Inspection)

INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON

SECURITY

<i>Specific Item</i>					
		<i>No</i>	<i>Yes (If yes give details below)</i>		
Perimeter Fence (i.e. damage or excessive deterioration)		✓			
Gates and Locks (missing damaged or inoperable)		✓			
Signs (damaged, missing or no longer readable)		✓			
Comments: If no problems with perimeter fence, gates or locks noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.					
		No Problems Noted			

Rick Biebee
(Inspector's Name - Please Print)
 5-15-24
(Inspector's Signature and Date of Inspection)

**INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON**

SITE

<i>Specific Item</i>			
		<i>No</i>	<i>Yes (If yes give details below)</i>
Erosion or Settlement of Low Permeability Cap		✓	
Surface Cracking or Failure of Cap Along Slopes		✓	
Emergence/Presence of Deep Rooted Vegetation (i.e. trees, brush, etc.)		✓	
Vegetation Burnout		✓	
Excessive Growth of Vegetation	Cap	✓	
	Drainage Swale		
Presence of Burrowing Mammals		✓	
Well Protective Casings and Appurtenances in Acceptable Condition			yes
Erosion of Drainage Swale/Ditch		✓	
Comments: If no problems with cap noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.			
no problems noted			

Rich Breber

(Inspector's Name - Please Print)

[Signature]

2/15/24

(Inspector's Signature and Date of Inspection)

INSPECTION LOG SHEET
BONNEVILLE POWER ADMINISTRATION/OXYCHEM SITE
TACOMA, WASHINGTON

SECURITY

<i>Specific Item</i>			
		<i>No</i>	<i>Yes (If yes give details below)</i>
Perimeter Fence (i.e. damage or excessive deterioration)		✓	
Gates and Locks (missing damaged or inoperable)		✓	
Signs (damaged, missing or no longer readable)		✓	
Comments: If no problems with perimeter fence, gates or locks noted - state "No Problems Noted." If problems noted summarize problems below and corrective actions taken, use additional sheets if necessary.			
no problems noted			

Rick B. Baker

(Inspector's Name - Please Print)

[Signature]

2-15-24

(Inspector's Signature and Date of Inspection)

Appendix B

Groundwater Sample Collection

Summary Logs

Table B
Sample Collection Data Sheet - Groundwater Sampling Program
Occidental Chemical Corporation
BPA Site
Tacoma, Washington

Page 1 of 1

SAMPLE COLLECTION DATA SHEET - GROUNDWATER SAMPLING PROGRAM

PROJECT NAME BPA PROJECT NO. TR0837
SAMPLING CREW MEMBERS Scott Colagross SUPERVISOR R. Bieber
DATE OF SAMPLE COLLECTION 11/19/2024

[Note: For 2" dia. well, 1 ft. = 0.14 gal (imp) or 0.16 gal (us)]

Sample I.D. Number	Well Number	Measuring Point Elev. (NGVD)	Water Depth (ft. btoc)	Water Elevation (NGVD)	Volume Flow (ml/min)	Volume Purged (gal US)	Field pH	Field Temp. (C)	Field Cond. (uS/cm)	Time	Sample Description & Analysis
1-20-111924-SC	1-20	12.40	7.20	5.20	0.5	7.75	6.49	12.1	729	15:20	Brown Tint
7-26-111924-SC	7-26	12.73	9.20	3.53	0.5	8.50	6.57	12.4	554	13:20	Slight Brown Tint

Additional Comments: SAMPLE SET: 3 x 40ml glass w/ HCl preserve for VOC
Copies to: (1) MS / MSD taken
(2) field duplicate taken



Appendix C

Analytical Data Verification and Assessment



Data Verification Report

March 13, 2025

To	Richard Bieber (rbieber@geosyntec.com)	Contact No.	248-893-3381
Copy to	File	Email	James.abston@ghd.com
From	James Abston, GHD/Ig	Project No.	11218874
Project Name	Glenn Springs Holdings, Inc – Bonneville Power Administration Site		
Subject	Analytical Results and Data Verification Annual Sampling Glenn Springs Holdings, Inc – Bonneville Power Administration Site Tacoma, Washington November 2024		

The services undertaken by GHD in connection with preparing this report were limited to those specifically detailed in the report and are subject to the scope limitations set out in the report.

1. Introduction

This document details a data verification of analytical results for water samples collected in support of the Annual Sampling at the Bonneville Power Administration Site (BPA) during November 2024. Samples were submitted to Eurofins Environment Testing located in Tacoma, Washington. A sample collection and analysis summary is presented in Table 1. The validated analytical results are summarized in Table 2. A summary of the analytical methodology is presented in Table 3.

Standard GHD report deliverables were submitted by the laboratory. The final results and supporting quality assurance/quality control (QA/QC) data were assessed. Evaluation of the data was based on information obtained from the chain of custody form, finished report forms, method blank data, recovery data from surrogate spikes/laboratory control samples (LCS)/matrix spikes (MS) and field quality assurance/quality control (QA/QC) samples.

The QA/QC criteria by which these data have been assessed are outlined in the analytical methods referenced in Table 3 and applicable guidance from the documents entitled:

1. "National Functional Guidelines for Inorganic Superfund Methods Data Review", United States (or U.S.) Environmental Protection Agency (USEPA) 542-R-20-006, November 2020.
2. "National Functional Guidelines for Organic Superfund Methods Data Review", USEPA 540-R-20-005, November 2020.

Items 1 and 2 will subsequently be referred to as the "Guidelines" in this report.

2. Sample Holding Time and Preservation

The sample holding time criteria for the analyses are summarized in Table 3. Sample chain of custody documents and analytical reports were used to determine sample holding times. All samples were (prepared and) analyzed within the required holding times.

All samples were properly preserved, delivered on ice, and stored by the laboratory at the required temperature (0-6°C).

3. Laboratory Method Blank Analyses

Method blanks are prepared from a purified matrix and analyzed with investigative samples to determine the existence and magnitude of sample contamination introduced during the analytical procedures.

For this study, laboratory method blanks were analyzed at a minimum frequency of 1 per 20 investigative samples and/or 1 per analytical batch.

All method blank results were non-detect, indicating that laboratory contamination was not a factor for this investigation except for a low-level detection for carbon disulfide. The associated sample results were non-detect and therefore, no qualification was required.

4. Surrogate Spike Recoveries - Organic Analyses

In accordance with the methods employed, all samples, blanks, and QC samples analyzed for organics are spiked with surrogate compounds prior to sample analysis. Surrogate recoveries provide a means to evaluate the effects of laboratory performance on individual sample matrices.

All samples submitted for volatile organic compound (VOC) determinations were spiked with the appropriate number of surrogate compounds prior to sample analysis.

Surrogate recoveries were assessed against laboratory control limits. All surrogate recoveries were within the laboratory control limits.

5. Laboratory Control Sample Analyses

LCS or LCS/laboratory control sample duplicates (LCSD) are prepared and analyzed as samples to assess the analytical efficiencies of the methods employed, independent of sample matrix effects. The relative percent difference (RPD) of the LCS/LCSD recoveries is used to evaluate analytical precision.

High LCS recoveries and/or RPDs do not impact any associated non-detect sample results.

For this study, LCS or LCS/LCSD were analyzed at a minimum frequency of 1 per 20 investigative samples and/or 1 per analytical batch.

Organic Analyses

The LCS/LCSD contained all compounds of interest. Most LCS recoveries and RPDs were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision except for high recoveries for trichlorofluoromethane and chloroethane. The associated sample results were non-detect and therefore, no qualification was required.

Inorganic Analyses

The LCS contained all analytes of interest. LCS recoveries were assessed per the "Guidelines" using the laboratory control limits. All LCS recoveries were within the control limits, demonstrating acceptable analytical accuracy.

6. Matrix Spike/Matrix Spike Duplicate (MS/MSD) Analyses

To evaluate the effects of sample matrices on the preparation process, measurement procedures, and accuracy of a particular analysis, samples are spiked with a known concentration of the analyte of concern and analyzed as MS/MSD samples. The RPD between the MS and MSD is used to assess analytical precision.

If the original sample concentration is significantly greater than the spike concentration (> four times), the recovery is not assessed.

If only the MS or MSD recovery was outside of control limits, no qualification of the data was performed based on the acceptable recovery of the companion spike and the acceptable RPD.

MS/MSD analyses were performed as specified in Table 1.

Organic Analyses

The MS/MSD samples were spiked with all compounds of interest. All percent recoveries and RPD values were within the laboratory control limits, demonstrating acceptable analytical accuracy and precision except for high recoveries for several VOCs. However, the associated sample results were non-detect and therefore, no qualification was required.

Inorganic Analyses

The MS/MSD samples were spiked with the analytes of interest, and the results were evaluated using the "Guidelines" using the laboratory control limits. All percent recoveries and RPD values were within the control limits, demonstrating acceptable analytical accuracy and precision.

7. Field QA/QC Samples

The field QA/QC consisted of one trip blank sample and one field duplicate sample set.

Trip Blank Sample Analysis

To evaluate contamination from sample collection, transportation, storage, and analytical activities, one trip blank was submitted to the laboratory for volatile organic compound (VOC) analysis. All results were non-detect for the compounds of interest except for low-level detections for carbon disulfide and methylene chloride. The associated sample results were non-detect and therefore no qualification was required.

Field Duplicate Sample Analysis

To assess the analytical and sampling protocol precision, one field duplicate sample set was collected and submitted "blind" to the laboratory, as specified in Table 1. The RPDs associated with these duplicate samples must be less than 50 percent for water samples. If the reported concentration in either the investigative sample or its duplicate is less than five times the reporting limit (RL), the evaluation criteria is one times the RL value for water samples.

All field duplicate results met the above criteria demonstrating acceptable sampling and analytical precision.


8. Analyte Reporting

Non-detect data were reported down to the laboratory's sample-specific MDL for each analyte. Positive analyte detections less than the RL but greater than the sample-specific MDL were qualified as estimated (J) in Table 2.

9. Conclusion

Based on the assessment detailed in the foregoing, the data summarized in Table 2 are acceptable without qualification.

Regards,

A handwritten signature in black ink that reads "James Abston". The signature is written in a cursive style with a long horizontal stroke at the end.

James Abston

NA Environmental – Midwest – Chemistry Data Validator / Analytical Coordinator

Table 1

Sample Collection and Analysis Summary
Annual Sampling
Glenn Springs Holdings, Inc – Bonneville Power Administration Site
Tacoma, Washington
November 2024

Sample Identification	Location	Matrix	Collection Date	Collection Time	Analysis/Parameters							Comments	
					VOC	Dissoived	Gases	Total Metals	Dissoived	Metals	Nitrate		TOC
			(mm/dd/yyyy)	(hr:min)									
1-20-111924-SC	MW1-20	Groundwater	11/19/24	15:20	X	X	X	X	X	X			MS/MSD
7-26-111924-SC	MW7-26	Groundwater	11/19/24	13:20	X	X	X	X	X	X			
7-26-111924-SC-Dup	MW7-26	Groundwater	11/19/24	13:30	X	X	X	X	X	X			FD(7-26-111924-SC)
Trip Blank	Trip Blank	Water Quality Control Matrix	11/20/24	8:50	X	--	--	--	--	--			Trip Blank

Notes:

FD - Field Duplicate sample of sample in parenthesis

MS/MSD - Matrix Spike/Matrix Spike Duplicate

VOC - Volatile Organic Compounds

TOC - Total Organic Carbon

-- - Not applicable

Validated Analytical Results Summary
Annual Sampling
Glenn Springs Holdings, Inc – Bonneville Power Administration Site
Tacoma, Washington
November 2024

Location ID: Sample Name: Sample Date:	MW1-20 1-20-111924-SC 11/19/2024	MW7-26 7-26-111924-SC 11/19/2024	MW7-26 7-26-111924-SC-Dup 11/19/2024 Duplicate
---	---	---	---

Parameters	Unit			
Volatile Organic Compounds				
1,1,1-Trichloroethane	µg/L	1.0 U	1.0 U	1.0 U
1,1,1,2-Tetrachloroethane	µg/L	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	µg/L	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane	µg/L	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	µg/L	2.0 U	2.0 U	2.0 U
1,2,4-Trichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U
1,2-Dibromo-3-chloropropane (DBCP)	µg/L	3.0 U	3.0 U	3.0 U
1,2-Dibromoethane (Ethylene dibromide)	µg/L	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	µg/L	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane	µg/L	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	µg/L	1.0 U	1.0 U	1.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	15 U	15 U	15 U
2-Hexanone	µg/L	15 U	15 U	15 U
4-Methyl-2-pentanone (Methyl isobutyl ketone) (MIBK)	µg/L	5.0 U	5.0 U	5.0 U
Acetone	µg/L	15 U	8.9 J	15 U
Benzene	µg/L	1.0 U	1.0 U	1.0 U
Bromodichloromethane	µg/L	1.0 U	1.0 U	1.0 U
Bromoform	µg/L	1.0 U	1.0 U	1.0 U
Bromomethane (Methyl bromide)	µg/L	1.0 U	1.0 U	1.0 U
Carbon disulfide	µg/L	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	µg/L	1.0 U	1.0 U	1.0 U
Chlorobenzene	µg/L	1.0 U	1.0 U	1.0 U
Chlorobromomethane	µg/L	1.0 U	1.0 U	1.0 U
Chloroethane	µg/L	1.0 U	1.0 U	1.0 U
Chloroform (Trichloromethane)	µg/L	1.0 U	1.0 U	1.0 U
Chloromethane (Methyl chloride)	µg/L	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	µg/L	37	6.3	6.4
cis-1,3-Dichloropropene	µg/L	1.0 U	1.0 U	1.0 U
Cyclohexane	µg/L	1.0 U	1.0 U	1.0 U
Dibromochloromethane	µg/L	1.0 U	1.0 U	1.0 U
Dichlorodifluoromethane (CFC-12)	µg/L	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	1.0 U	1.0 U	1.0 U
Isopropyl benzene	µg/L	1.0 U	1.0 U	1.0 U
m&p-Xylenes	µg/L	2.0 U	2.0 U	2.0 U
Methyl acetate	µg/L	5.0 U	5.0 U	5.0 U
Methyl cyclohexane	µg/L	3.0 U	3.0 U	3.0 U
Methyl tert butyl ether (MTBE)	µg/L	1.0 U	1.0 U	1.0 U
Methylene chloride	µg/L	5.0 U	5.0 U	5.0 U
o-Xylene	µg/L	1.0 U	1.0 U	1.0 U
Styrene	µg/L	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.0 U	1.0 U	1.0 U
Toluene	µg/L	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	µg/L	0.76 J	1.0 U	1.0 U
trans-1,3-Dichloropropene	µg/L	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	1.0 U	1.0 U	1.0 U
Trichlorofluoromethane (CFC-11)	µg/L	1.0 U	1.0 U	1.0 U

Table 2

Validated Analytical Results Summary
Annual Sampling
Glenn Springs Holdings, Inc – Bonneville Power Administration Site
Tacoma, Washington
November 2024

Location ID:	MW1-20	MW7-26	MW7-26
Sample Name:	1-20-111924-SC	7-26-111924-SC	7-26-111924-SC-Dup
Sample Date:	11/19/2024	11/19/2024	11/19/2024
			Duplicate

Parameters	Unit			
Trifluorotrichloroethane (CFC-113)	µg/L	1.0 U	1.0 U	1.0 U
Vinyl chloride	µg/L	6.0	0.28 J	0.35 J
Xylenes (total)	µg/L	2.0 U	2.0 U	2.0 U
Dissolved Gases				
Ethane	µg/L	4.8 J	42	37
Ethene	µg/L	5.0 U	5.0 U	5.0 U
Methane	µg/L	2800	1800	1800
Metals				
Iron	mg/L	37	25	29
Iron (dissolved)	mg/L	38	25	24
Manganese	mg/L	2.5	2.5	2.4
Manganese (dissolved)	mg/L	2.6	2.5	2.5
General Chemistry				
Nitrate (as N)	mg/L	0.20 U	0.20 U	0.20 U
Total organic carbon (TOC)	mg/L	33	20	19

Notes:

U - Not detected

J - Estimated concentration

Table 3

Analytical Methods
Annual Sampling
Glenn Springs Holdings, Inc – Bonneville Power Administration Site
Tacoma, Washington
November 2024

Parameter	Method	Matrix	Holding Time
			Collection or Extraction to Analysis (Days)
Metals (Total and Dissolved)	EPA 200.7	Water	180
Nitrate	EPA 300	Water	48 Hours
TOC	SW-846 9060	Water	28
Dissolved Gases	RSK 175	Water	7
VOC	SW-846 8260B	Water	14

Notes:

Method References:

SW-846 - "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", SW-846, Third Edition, 1986, with subsequent revisions
 EPA - Environmental Protection Agency - MCAWW - "Methods for Chemical Analysis of Water and Waste," EPA-600/4-79-020, revised March 1983, with subsequent revisions

Appendix D

Analytical Database

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20
Sample ID:		W-7412-092398-MW1-20-DGM	W1-20-1198-TRM	W1-20-0599-TRM	WD1-0599-TRM	W1-20-1199-TRM	WD1-1199-TRM	W1-20-0500-TRM	W1-20-1100-TR	FD1-1100-TR	MW1-20-0501-TR	FD1-0501-TR	MW1-20-1101-TR	FD1-1101-TR
Sample Date:		9/23/1998	11/5/1998	5/12/1999	5/12/1999	11/8/1999	11/8/1999	5/9/2000	11/9/2000	11/9/2000	5/21/2001	5/21/2001	11/9/2001	11/9/2001
					Duplicate		Duplicate			Duplicate		Duplicate		Duplicate
Parameter	Units													
Volatiles														
cis-1,2-Dichloroethene	µg/L	160 J	140 J	130	120	130	140	83	100	100	90	89	51	55
Methylene chloride	µg/L	5 J	5	5	5	1.0 U	1.0 U	2.3 U	4.0 U	10 U	2.5 U	2.5 U	2.5 U	2.5 U
Tetrachloroethene	µg/L	5 J	5	5	5	1.0 U	1.0 U	1.0 U	4.0 U	10 U	2.5 U	2.5 U	2.5 U	2.5 U
Trichloroethene	µg/L	9 J	8.0	4.1 J	4.4 J	3.4	3.6	2.2	1.2 J	10 U	1.7 J	1.7 J	1.3 J	1.3 J
Vinyl chloride	µg/L	21 J	31	25	32	16	16	9.8	12	12	33	34	5.8	6.4
Semi-Volatiles														
bis(2-Ethylhexyl)phthalate	µg/L	3.5 J	3.5	-	-	-	-	-	-	-	-	-	-	-
Hexachlorobenzene	µg/L	1.3 J	1.3	-	-	-	-	-	-	-	-	-	-	-
Hexachlorobutadiene	µg/L	0.75	0.75	-	-	-	-	-	-	-	-	-	-	-
Metals														
Arsenic	µg/L	-	-	-	-	-	-	-	-	-	-	-	1.0 U	1.0 U
Arsenic (Dissolved)	µg/L	1.5	5.2	4.8	4.2	4.2 U	4.2 U	4.2 U	3.0 UJ	3.0 UJ	1.0 U	1.0 U	-	-
Lead	µg/L	-	-	-	-	-	-	-	-	-	-	-	3.0 U	3.0 U
Lead (Dissolved)	µg/L	5	5 J	5	5	2.7 U	2.7 U	2.7 U	2.7 U	2.7 U	3.0 UJ	3.0 UJ	-	-
Iron	µg/L													
Manganese	µg/L													
Manganese (Dissolved)	µg/L													
Dissolved Gases														
Ethane	µg/L													
Ethene	µg/L													
Methane	µg/L													
General Chemistry														
Chloride	mg/l													
Nitrate (as N)	mg/l													
Sulfate	mg/l													
Total Organic Carbon (TOC)	mg/l													

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20
Sample ID:		MW1-20-0502-TR	FD1-0502-TR	MW1-20-1102-DC	FD1-1102-DC	I-20-0503	FD1-0503	1-20-1103	1-20-1104	1-20-1105-NR-001	1-20-1105-NR-002	1-20-1106-ILM-001	1-20-1107-ILM-001	GW-111408-TG-BPA-1-20-01
Sample Date:		5/1/2002	5/1/2002	11/14/2002	11/14/2002	5/8/2003	5/8/2003	11/11/2003	11/11/2004	11/18/2005	11/18/2005	11/3/2006	11/2/2007	11/14/2008
			Duplicate		Duplicate		Duplicate				Duplicate			
Parameter	Units													
Volatiles														
cis-1,2-Dichloroethene	µg/L	72	71	94	91	22 UJ	19	52	22 J	38 J	160J	91	28 J	65
Methylene chloride	µg/L	2.5 U	2.5 U	2.5 UJ	2.5 UJ	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5UJ	2.5U	2.5U	2.5 U
Tetrachloroethene	µg/L	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5UJ	2.5U	2.5U	2.5 U
Trichloroethene	µg/L	2.5 U	2.5 U	2.0 J	1.9 J	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5UJ	0.43J	2.5U	0.26 J
Vinyl chloride	µg/L	18	18	10	9.8	3.1	2.7	11	3.6	4.7 J	14 J	11	6.3	12
Semi-Volatiles														
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-
Metals														
Arsenic	µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	0.4	0.7	0.7	-	-	-	-	-	-
Lead	µg/L	-	-	-	-	-	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U	-	-	-	-	-	-
Iron	µg/L													
Manganese	µg/L													
Manganese (Dissolved)	µg/L													
Dissolved Gases														
Ethane	µg/L													
Ethene	µg/L													
Methane	µg/L													
General Chemistry														
Chloride	mg/l													
Nitrate (as N)	mg/l													
Sulfate	mg/l													
Total Organic Carbon (TOC)	mg/l													

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		1-20	1-20	1-20	1-20	1-20	1-20	1-20	1-20
Sample ID:		GW-110609-TG-1-20	GW-111610-JS-1-20	GW-111610-JS-1-20	GW-111711-AK-1-20	GW-112912-MD-1-20	GW-112613-BP-1-20	GW-111814-BP-1-20	GW-113015-BP-1-20
Sample Date:		11/6/2009	11/16/2010	11/16/2010 <i>Duplicate</i>	11/17/2011	11/29/2012	11/26/2013	11/18/2014	11/30/2015
<i>Parameter</i>	<i>Units</i>								
<i>Volatiles</i>									
cis-1,2-Dichloroethene	µg/L	18	54	50	110	70	80	38	81
Methylene chloride	µg/L	2.5U	2.5 U	2.5 U	2.5 U	2.0 U	2.0 U	2.0 U	2.5 U
Tetrachloroethene	µg/L	2.5U	2.5 U	2.5 U	2.5 U	0.50 U	0.50 U	0.50 U	2.5 U
Trichloroethene	µg/L	0.17J	2.5 U	2.5 U	2.5 U	0.10 J	0.50 U	0.50 U	2.5 U
Vinyl chloride	µg/L	3.1	4.6	4.2	11	6.5	9.0	3.3	10
<i>Semi-Volatiles</i>									
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	-
<i>Metals</i>									
Arsenic	µg/L	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	-	-	-	-	-	-	-	-
Lead	µg/L	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	-	-	-	-	-	-	-	-
Iron	µg/L								
Manganese	µg/L								
Manganese (Dissolved)	µg/L								
<i>Dissolved Gases</i>									
Ethane	µg/L								
Ethene	µg/L								
Methane	µg/L								
<i>General Chemistry</i>									
Chloride	mg/l								
Nitrate (as N)	mg/l								
Sulfate	mg/l								
Total Organic Carbon (TOC)	mg/l								

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		1-20		1-20		1-20		1-20		1-20		1-20		1-20		1-20		+AJ:A1A:A1	
Sample ID:		GW-201117-NT-1-20		GW-201117-NT-FD1		GW-110618-NT-1-20		GW-112519-NT-1-20		GW-112519-NT-FD3		GW-111820-NT-1-20		1-20-111721-RB		1-20-111722-MM		1-20-111722-MM	
Sample Date:		11/20/17		11/20/17		11/06/2018		11/25/2019		11/25/19		11/18/2020		11/17/2021		11/16/2022		11/16/2022	
				Duplicate						Duplicate								Duplicate	
Parameter		Units																	
Volatiles																			
cis-1,2-Dichloroethene	µg/L	80		75		43		23		23		71J		52		56		59	
Methylene chloride	µg/L	2.5 U		2.5 U		2.5 U		2.5 U		2.5 U		2.5 U		5.0 U		5.0 U		5.0 U	
Tetrachloroethene	µg/L	2.5 U		2.5 U		2.5 U		0.15 U		0.15 U		2.5 U		2.0 U		2.0 U		2.0 U	
Trichloroethene	µg/L	2.5 U		2.5 U		2.5 U		0.46 J		0.15 U		2.5 U		2.0 U		2.0 U		2.0 U	
Vinyl chloride	µg/L	7.1		5.5		0.5 U		2.1		2.3		8.8		3.7		14		15	
Semi-Volatiles																			
bis(2-Ethylhexyl)phthalate	µg/L	-		-		-		-		-									
Hexachlorobenzene	µg/L	-		-		-		-		-									
Hexachlorobutadiene	µg/L	-		-		-		-		-									
Metals																			
Arsenic	µg/L	-		-		-		-		-									
Arsenic (Dissolved)	µg/L	-		-		-		-		-									
Lead	µg/L	-		-		-		-		-									
Lead (Dissolved)	µg/L	-		-		-		-		-									
Iron	µg/L											45900		60000		38000		37000	
Manganese	µg/L											3070		2700		2800		2700	
Manganese (Dissolved)	µg/L											2720				2600		2600	
Dissolved Gases																			
Ethane	µg/L											11J		0.01U		-			
Ethene	µg/L											6.9		0.01U		-			
Methane	µg/L											6400		0.11		-			
General Chemistry																			
Chloride	mg/l											30.2		34		31		31	
Nitrate (as N)	mg/l											0.050J		0.66		0.15U		0.15U	
Sulfate	mg/l											43.3		37		27		26	
Total Organic Carbon (TOC)	mg/l											31.2		36		36		37	

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		1-20	1-20	7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26	
Sample ID:		GW-113023-MM-1-20	1-20-111924-SC	W-7412-092398-MW7-26-DGMW7-26-1198-TR	MWD1-1198-TR	MW7-26-0599-TR	MW7-26-1199-TR	MW7-26-0500-TR	MW7-26-1100-TR	MW7-26-0501-TR	MW7-26-1101-TR	MW7-26-0502-TR	
Sample Date:		11/30/23	11/19/24	9/23/1998	11/4/1998	11/4/1998	5/12/1999	11/8/1999	5/10/2000	11/9/2000	5/21/2001	11/8/2001	5/1/2002
Duplicate													
Parameter	Units												
Volatiles													
cis-1,2-Dichloroethene	µg/L	28	37	180 J	140J	150J	140J	220 D	170 D	250	130	220	110
Methylene chloride	µg/L	5.0U	1.4U	5.3	5	5	5	1.0 U	5.3 D	8.0 U	2.5 U	2.5 U	2.5 U
Tetrachloroethene	µg/L	1.0U	0.41U	5	5	5	5	1.0 U	1.3 U	8.0 U	2.5 U	2.5 U	2.5 U
Trichloroethene	µg/L	1.0U	0.26U	10 J	9.2	9.4	5.5	4	1.8	8.0 U	1.4 J	2.5 U	2.5 U
Vinyl chloride	µg/L	2.5	6.0F1	6.9J	22	22	4.4	16	6.0	16	8.3	44	4.3
Semi-Volatiles													
bis(2-Ethylhexyl)phthalate	µg/L			3.5	3.5	3.5	-	-	-	-	-	-	-
Hexachlorobenzene	µg/L			1.3	1.3	1.3	-	-	-	-	-	-	-
Hexachlorobutadiene	µg/L			0.75	0.75	0.75	-	-	-	-	-	-	-
Metals													
Arsenic	µg/L			-	-	-	-	-	-	-	-	7.2	-
Arsenic (Dissolved)	µg/L			5.4	7.8	6.4	7.5 J	5.5 B	4.2	3.8 J	7.8	-	4
Lead	µg/L			-	-	-	-	-	-	-	-	3.0 U	-
Lead (Dissolved)	µg/L			5	5	5	5	2.7 U	2.7 U	2.7 U	3.0 UJ	-	3.0 U
Iron	µg/L	41000	37000										
Manganese	µg/L	2700	2500										
Manganese (Dissolved)	µg/L	2700	2500										
Dissolved Gases													
Ethane	µg/L	0.010U	4.8J										
Ethene	µg/L	0.010U	0.40U										
Methane	µg/L	0.16	2800F2										
General Chemistry													
Chloride	mg/l	30											
Nitrate (as N)	mg/l	0.15U	0.090U										
Sulfate	mg/l	45											
Total Organic Carbon (TOC)	mg/l	33	33F1										

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26
Sample ID:		MW7-26-1102-DC	7-26-0503	7-26-1103	FD1-1103	7-26-1104	FD1-1104	7-26-1105-NR	7-26-1106-ILM-00	7-26-1106-ILM-003	7-26-1107-ILM	FDUP-1107-ILM	GW-111408-TG-BPA-7-26-04
Sample Date:		11/14/2002	5/8/2003	11/10/2003	11/10/2003	11/11/2004	11/11/2004	11/18/2005	11/3/2006	11/3/2006	11/2/2007	11/2/2007	11/14/2008
					Duplicate		Duplicate			Duplicate		Duplicate	
Parameter		Units											
Volatiles													
cis-1,2-Dichloroethene	µg/L	120	48	170	220	150	150	120	170J	170	110	100	62
Methylene chloride	µg/L	2.5 UJ	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
Tetrachloroethene	µg/L	2.5 UJ	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	0.24J	2.5 U	2.5 U	2.5 U
Trichloroethene	µg/L	2.0 J	2.5 U	1.4 J	1.5 J	1.3 J	1.3 J	2.5 U	0.78J	0.85J	2.5 U	2.5 U	0.34 J
Vinyl chloride	µg/L	8.9	2.4	37	37	31	31	14	11	11	16	20	4.4
Semi-Volatiles													
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	-	-	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	-	-	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	-	-	-	-	-
Metals													
Arsenic	µg/L	-	-	-	-	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	6.4	7.1	7.6	8.1	-	-	-	-	-	-	-	-
Lead	µg/L	-	-	-	-	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	3.0 U	3.0 U	3.0 U	3.0 U	-	-	-	-	-	-	-	-
Iron	µg/L												
Manganese	µg/L												
Manganese (Dissolved)	µg/L												
Dissolved Gases													
Ethane	µg/L												
Ethene	µg/L												
Methane	µg/L												
General Chemistry													
Chloride	mg/l												
Nitrate (as N)	mg/l												
Sulfate	mg/l												
Total Organic Carbon (TOC)	mg/l												

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		7-26	7-26	7-26	7-26	7-26	7-26	7-26	7-26
Sample ID:		GW-111408-TG-BPA-FD-05	GW-110609-TG-7-26	GW-110609-TG-FD1	GW-111610-JS-7-26	GW-111711-AK-7-26	GW-111711-AK-D1	GW-112912-MD-7-26	GW-112912-MD-FD1
Sample Date:		11/14/2008	11/6/2009	11/6/2009	11/16/2010	11/17/2011	11/17/2011	11/29/2012	11/29/2012
		Duplicate		Duplicate	Duplicate		Duplicate		(Duplicate)
Parameter	Units								
Volatiles									
cis-1,2-Dichloroethene	µg/L	94	77	91	140	130	130	26	40
Methylene chloride	µg/L	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.0 U	2.0 U
Tetrachloroethene	µg/L	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	0.50 U	0.50 U
Trichloroethene	µg/L	0.44 J	0.40J	0.39J	0.30 J	0.30 J	0.31 J	0.21 J	0.22 J
Vinyl chloride	µg/L	7.5	7.3	9.7	15 J	11	9.9	2.0 J	3.7 J
Semi-Volatiles									
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	-
Metals									
Arsenic	µg/L	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	-	-	-	-	-	-	-	-
Lead	µg/L	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	-	-	-	-	-	-	-	-
Iron	µg/L								
Manganese	µg/L								
Manganese (Dissolved)	µg/L								
Dissolved Gases									
Ethane	µg/L								
Ethene	µg/L								
Methane	µg/L								
General Chemistry									
Chloride	mg/l								
Nitrate (as N)	mg/l								
Sulfate	mg/l								
Total Organic Carbon (TOC)	mg/l								

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location: Sample ID: Sample Date:		7-26 GW-112613-BP-7-26 11/26/2013	7-26 GW-112613-BP-FD-1 11/26/2013	7-26 GW-111814-BP-7-26 11/18/2014	7-26 GW-111814-BP-FD-1 11/18/2014	7-26 GW-120115-BP-7-26 12/1/2015	7-26 GW-120115-BP-FD-1 12/1/2015	7-26 GW-111716-NT-7-26 11/17/2016	7-26 GW-111716-NT-FD-1 11/17/2016
			(Duplicate)		(Duplicate)				(Duplicate)
Parameter	Units								
Volatiles									
cis-1,2-Dichloroethene	µg/L	51 J	100 J	74	73	64	61	27	38
Methylene chloride	µg/L	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.5 U	2.5 U
Tetrachloroethene	µg/L	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	0.50 U	2.5 U	2.5 U
Trichloroethene	µg/L	0.22 J	0.26 J	0.23 J	0.20 J	0.20 J	0.20 J	0.23 J	2.5 U
Vinyl chloride	µg/L	8.5 J	23 J	13	13	18	17	7.1	11
Semi-Volatiles									
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	-
Metals									
Arsenic	µg/L	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	-	-	-	-	-	-	-	-
Lead	µg/L	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	-	-	-	-	-	-	-	-
Iron	µg/L								
Manganese	µg/L								
Manganese (Dissolved)	µg/L								
Dissolved Gases									
Ethane	µg/L								
Ethene	µg/L								
Methane	µg/L								
General Chemistry									
Chloride	mg/l								
Nitrate (as N)	mg/l								
Sulfate	mg/l								
Total Organic Carbon (TOC)	mg/l								

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location: Sample ID: Sample Date:		7-26 GW-201117-NT-7-26 11/20/2017	7-26 GW-110618-NT-7-26 11/6/2018	7-26 GW-110618-NT-FD1 11/6/2018	7-26 GW-112519-NT-7-26 11/25/2019	7-26 GW-111820-NT-7-26 11/18/2020	7-26 GW-111820-NT-FD-1 11/18/2020	7-26 7-26-111721-RB 11/17/2021	7-26 7-26-111721-RB 11/17/2021
Parameter	Units						Duplicate		Duplicate
Volatiles									
cis-1,2-Dichloroethene	µg/L	24J	12	12	11	11	10	6.3	6.6
Methylene chloride	µg/L	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5.0 U	5.0 U
Tetrachloroethene	µg/L	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.0 U	2.0 U
Trichloroethene	µg/L	0.21J	0.22 J	0.22 J	0.32 J	2.5 U	2.5 U	2.0 U	2.0 U
Vinyl chloride	µg/L	8.8	0.5 U	0.5 U	4.9	2.2	2.1	0.49	0.52
Semi-Volatiles									
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-			
Hexachlorobenzene	µg/L	-	-	-	-	-			
Hexachlorobutadiene	µg/L	-	-	-	-	-			
Metals									
Arsenic	µg/L	-	-	-	-	-			
Arsenic (Dissolved)	µg/L	-	-	-	-	-			
Lead	µg/L	-	-	-	-	-			
Lead (Dissolved)	µg/L	-	-	-	-	-			
Iron	µg/L					28100	28000	38000	36000
Manganese	µg/L					1710J	666J	3400	3400
Manganese (Dissolved)	µg/L					3220	3220		
						2760	2760		
Dissolved Gases									
Ethane	µg/L					64	67	0.01U	0.01U
Ethene	µg/L					9.6	11	0.01U	0.01U
Methane	µg/L					7000	6300	0.18	0.14
General Chemistry									
Chloride	mg/l					29.9	29.5	20	15
Nitrate (as N)	mg/l					0.5U	0.5U	0.31U	0.31U
Sulfate	mg/l					40.4	40	24	26
Total Organic Carbon (TOC)	mg/l					16.4	16.5	19	20

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		7-26	7-26	7-26	7-26	7-26	MW1	MW1	MW1	MW1	MW1
Sample ID:		7-26-111626-MM	GW-1130223-MM-7-26	GW-1130223-MM-7-26	7-26-111924-SC	7-26-111924-SC-Dup	MW1-1198-TR	MW1-0599-TR	MW1-1199-TR	MW1-0500-TR	MWD1-0500-TR
Sample Date:		11/16/2022	11/30/2023	11/30/2023	11/19/2024	11/19/2024	11/4/1998	5/11/1999	11/8/1999	5/9/2000	5/9/2000
				Duplicate		Duplicate					Duplicate
Parameter	Units										
Volatiles											
cis-1,2-Dichloroethene	µg/L	8.4	5.2	5.3	6.3	6.4	5 J	10	12	59	88
Methylene chloride	µg/L	5.0 U	5.0U	5.0U	1.4U	1.4U	5 J	5	1.0 U	1.0 U	2.7 U
Tetrachloroethene	µg/L	2.0 U	1.0U	1.0U	0.41U	0.41U	5 J	5	1.0 U	1.0 U	1.0 U
Trichloroethene	µg/L	2.0 U	1.0U	1.0U	0.26U	0.26U	5 J	5	1.0 U	1.0 U	2.6
Vinyl chloride	µg/L	0.41	0.5U	0.5U	0.28J	0.35J	0.18 J	26	13	15	11
Semi-Volatiles											
bis(2-Ethylhexyl)phthalate	µg/L						3.5	-	-	-	-
Hexachlorobenzene	µg/L						1.3	-	-	-	-
Hexachlorobutadiene	µg/L						0.75	-	-	-	-
Metals											
Arsenic	µg/L						-	-	-	-	-
Arsenic (Dissolved)	µg/L						4.5	4.4	4.2 U	4.2 U	4.2 U
Lead	µg/L						-	-	-	-	-
Lead (Dissolved)	µg/L						5 J	5	2.7 U	2.7 U	2.7 U
Iron	µg/L	28000	33000	31000	25000	29000					
Manganese	µg/L	2700	3500	3500	2500	2400					
Manganese (Dissolved)	µg/L	2700	3400	3400	2500	2500					
Dissolved Gases											
Ethane	µg/L	-	0.010U	0.010U	42	37					
Ethene	µg/L	-	0.010U	0.010U	0.40U	0.40U					
Methane	µg/L	-	0.59	0.55	1800	1800					
General Chemistry											
Chloride	mg/l	24	22	25							
Nitrate (as N)	mg/l	0.15U	0.15U	0.15U	0.090U	0.090U					
Sulfate	mg/l	28	25	22							
Total Organic Carbon (TOC)	mg/l	15	50U	18	20	19					

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		MW1	MW1	MW1	MW1	MW1	MW1	MW1	MW2	MW2	MW2	MW2	MW2
Sample ID:		MW1-1100-TR	MW1-0501-TR	MW1-1101-DC	MW1-0502-TR	MW-1-1102-DC	MW-1-0503	MW1-1103	W-7412-092298-MW2-DG	MW2-1198-TR	MW2-0599-TR	MW2-1199-TR	MW2-0500-TR
Sample Date:		11/9/2000	5/21/2001	11/8/2001	5/1/2002	11/14/2002	5/8/2003	11/11/2003	9/22/1998	11/5/1998	5/11/1999	11/8/1999	5/10/2000
Parameter	Units												
Volatiles													
cis-1,2-Dichloroethene	µg/L	5.7	41	9.2	17	8.6	15	6.2	100 J	72 J	35	27	18
Methylene chloride	µg/L	4.0 U	2.5 U	2.5 U	2.5 U	2.5 UJ	2.5 U	2.5 U	5	5.3	5	1.0 U	1.0 U
Tetrachloroethene	µg/L	4.0 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5	5	5	1.0 U	1.0 U
Trichloroethene	µg/L	4.0 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5 J	5	5	1.0 U	1.0 U
Vinyl chloride	µg/L	2.3	16	0.5U	3.7	1.1	1.4	0.42 J	22 J	23	4.4	2.0	3.0
Semi-Volatiles													
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	3.5	3.5	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	1.3	1.3	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	0.75	0.75	-	-	-
Metals													
Arsenic	µg/L	-	-	1.0 U	-	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	3.0 UJ	1.0 U	-	1.0 U	1.0 U	1.0 U	0.05 U	5.3	6.0	7.9	4.2 U	4.2 U
Lead	µg/L	-	-	3.0 U	-	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	2.7 U	3.0 UJ	-	3.0 U	3.0 U	3.0 U	3.0 U	5	5 J	5	2.7 U	2.7 U
Iron	µg/L												
Manganese	µg/L												
Manganese (Dissolved)	µg/L												
Dissolved Gases													
Ethane	µg/L												
Ethene	µg/L												
Methane	µg/L												
General Chemistry													
Chloride	mg/l												
Nitrate (as N)	mg/l												
Sulfate	mg/l												
Total Organic Carbon (TOC)	mg/l												

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		MW2	MW2	MW2	MW2	MW2	MW2	MW2	MW2-27	MW2-27	MW2-27	MW2-27	MW2-27
Sample ID:		MW2-1100-TR	MW2-0501-TR	MW2-1101-TR	MW2-0502-TR	MW-2-1102-DC	MW-2-0503	MW2-1103	W-7412-092398-MW2-27-DG	W-7412-092398-MW100-DG	MW2-27-1198-TR	MW2-27-0599-TR	MW2-27-1199-TR
Sample Date:		11/9/2000	5/21/2001	11/9/2001	5/1/2002	11/14/2002	5/8/2003	11/11/2003	9/23/1998	9/23/1998	11/4/1998	5/12/1999	11/8/1999
										Duplicate			
Parameter	Units												
Volatiles													
cis-1,2-Dichloroethene	µg/L	16	15	10	11	16	16	23	5	5	5	5	0.28 J
Methylene chloride	µg/L	8.0 U	2.5 U	2.5 U	2.5 U	2.5 UJ	2.5 U	2.5 U	10	38	5.1	5	1.0 U
Tetrachloroethene	µg/L	8.0 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5	5	5	5	1.0 U
Trichloroethene	µg/L	8.0 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5 J	5 J	5	5	1.0 U
Vinyl chloride	µg/L	4.0	8.9	5.0	6.1	5.6	6.1	5.0	0.18 J	0.18 J	0.18	0.49	0.5U
Semi-Volatiles													
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	5.3	4.4	3.5	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	1.3	1.3	1.3	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	0.75	0.75	0.75	-	-
Metals													
Arsenic	µg/L	-	-	1.0 U	-	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	3.0 UJ	1.0 U	-	1.0 U	1.0 U	1.0 U	0.1	4.8	5.2	5.9	4.5	4.2 U
Lead	µg/L	-	-	3.0 U	-	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	2.7 U	3.0 UJ	-	3.0 U	3.0 U	3.0 U	3.0 U	5	5	5	5	2.7 U
Iron	µg/L												
Manganese	µg/L												
Manganese (Dissolved)	µg/L												
Dissolved Gases													
Ethane	µg/L												
Ethene	µg/L												
Methane	µg/L												
General Chemistry													
Chloride	mg/l												
Nitrate (as N)	mg/l												
Sulfate	mg/l												
Total Organic Carbon (TOC)	mg/l												

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:		MW2-27	MW2-27	MW2-27	MW2-27	MW2-27	MW2-27	MW2-27	MW2-27	6-26	6-26	6-26	6-26	6-26
Sample ID:		MW2-27-0500-TR	MW2-27-1100-TR	MW2-27-0501-TR	MW2-27-1101-TR	MW2-27-0502-TR	MW2-27-1102-DC	MW2-27-0503	2-27-1103	W-7412-092398-MW	6-26-DGMW6-26-1198-TR	MW6-26-0599-TR	MW6-26-1199-TR	MW6-26-0500-TR
Sample Date:		5/10/2000	11/9/2000	5/21/2001	11/8/2001	5/1/2002	11/14/2002	5/8/2003	11/10/2003	9/23/1998	11/4/1998	5/12/1999	11/8/1999	5/10/2000
Parameter		Units												
Volatiles														
cis-1,2-Dichloroethene	µg/L	1.2	10 U	2.5 U	2.5 U	1.0 J	2.5 U	2.5 U	2.5 U	4.0 J	5.1	4.1 J	3.6	2.8
Methylene chloride	µg/L	1.0 U	10 U	2.5 U	2.5 U	2.5 U	2.5 UJ	2.5 U	2.5 U	5	5	5	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.0 U	10 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5	5	5	1.0 U	1.0 U
Trichloroethene	µg/L	1.0 U	10 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5 J	5	5	1.0 U	0.34 J
Vinyl chloride	µg/L	0.60	5.0 U	0.84	0.5 U	0.80	0.5 U	0.77	0.5 U	1.7 J	3.5	3.2	2.5	3.0
Semi-Volatiles														
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	-	3.5 J	3.5	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	-	1.3 J	1.3	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	-	0.75 J	0.75	-	-	-
Metals														
Arsenic	µg/L	-	-	-	1.0 U	-	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	4.2 U	3.0 UJ	1.0 U	-	1.2	1.0 U	0.2	0.7	5.4	4.2	6.8 J	4.2 U	4.2 U
Lead	µg/L	-	-	-	3.0 U	-	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	2.7 U	2.7 U	3.0 UJ	-	3.0 U	3.0 U	3.0 U	3.0 U	5	5	5	2.7 U	2.7 U
Iron	µg/L													
Manganese	µg/L													
Manganese (Dissolved)	µg/L													
Dissolved Gases														
Ethane	µg/L													
Ethene	µg/L													
Methane	µg/L													
General Chemistry														
Chloride	mg/l													
Nitrate (as N)	mg/l													
Sulfate	mg/l													
Total Organic Carbon (TOC)	mg/l													

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Geosyntec Consultants

Sample Location:	6-26	6-26	6-26	6-26	6-26	6-26	6-26	MW9	MW9	MW9	MW9	MW9-30	MW9-30
Sample ID:	MW6-26-1100-TR	MW6-26-0501-TR	MW6-26-1101-TR	MW6-26-0502-TR	MW6-26-1102-DC	6-26-0503	6-26-1103	W-7412-092398-MW9-I	MW9-1198-TR	MW9-0599-TR	MW9-30-1199-TR	MW9-30-0500-TR	MW9-30-1100-TI
Sample Date:	11/9/2000	5/21/2001	11/8/2001	5/1/2002	11/14/2002	5/8/2003	11/10/2003	9/23/1998	11/4/1998	5/11/1999	11/8/1999	5/9/2000	11/9/2000

Parameter	Units												
Volatiles													
cis-1,2-Dichloroethene	µg/L	10 U	2.1 J	2.5 U	1.6 J	1.2 J	1.4 J	2.5 U	5	5	5	2.7 U	1.6 U
Methylene chloride	µg/L	10 U	2.5 U	2.5 U	2.5 U	2.5 UJ	2.5 U	2.5 U	36	6.9	5	3.2 U	1.6 U
Tetrachloroethene	µg/L	10 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5	5	5	3.2 U	1.6 U
Trichloroethene	µg/L	10 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	5	5	5	3.2 U	1.6 U
Vinyl chloride	µg/L	5.0 U	2.0	1.4	2.3	1.0	2.0	1.1	0.18	0.18	0.49	3.2 U	1.6 U
Semi-Volatiles													
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-	-	3.5	3.5	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-	-	1.3	1.3	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-	-	0.75	0.75	-	-	-
Metals													
Arsenic	µg/L	-	-	0.47766 J	-	-	-	-	-	-	-	-	-
Arsenic (Dissolved)	µg/L	3.0 UJ	1.0 U	-	1.0 U	1.0 U	1.0 U	0.3	5.3	17 J	5 J	8.4 U	8.4 UJ
Lead	µg/L	-	-	3.0 U	-	-	-	-	-	-	-	-	-
Lead (Dissolved)	µg/L	2.7 U	3.0 UJ	-	3.0 U	3.0 U	3.0 U	3.0 U	5	5	5	2.7 U	2.7 U
Iron	µg/L												
Manganese	µg/L												
Manganese (Dissolved)	µg/L												
Dissolved Gases													
Ethane	µg/L												
Ethene	µg/L												
Methane	µg/L												
General Chemistry													
Chloride	mg/l												
Nitrate (as N)	mg/l												
Sulfate	mg/l												
Total Organic Carbon (TOC)	mg/l												
Notes: B < CRDL but >= Instrument Detection Limit (IDL). D Compounds at secondary dilution factor. J Estimated. U Non-detect at associated value. UJ The analyte was not detected above the sample quantitation limit. The reported quantitation is an estimate. - Not applicable. (1) Analytical parameter list modified in January 2004. (2) Model Toxic Control Act (MTCA Method B Surface Water Standard, Cleanup Levels and Risk Calculations (CLARC), Version 3.1, updated November 2001. * Practical Quantitation Limit (PQL), "Washington State Department of Ecology Toxics Cleanup Program, Guidance on Sampling and Data Analysis Methods," January 1995.													

Table D.1
Groundwater Analytical Database
Bonneville Administration Site
Taylor Way
Tacoma, Washington

Sample Location:	MW9-30	MW9-30	MW9-30	MW9-30	MW9-30	MW9-30
Sample ID:	MW9-30-0501-TR	MW9-30-1101-TR	MW9-30-0502-TR	MW9-30-1102-DC	MW9-30-0503	MW9-30-1103
Sample Date:	5/21/2001	11/8/2001	5/1/2002	11/14/2002	5/8/2003	11/10/2003

Parameter	Units						
Volatiles							
cis-1,2-Dichloroethene	µg/L	2.5U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
Methylene chloride	µg/L	2.5U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
Tetrachloroethene	µg/L	2.5U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
Trichloroethene	µg/L	2.5U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
Vinyl chloride	µg/L	0.5U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Semi-Volatiles							
bis(2-Ethylhexyl)phthalate	µg/L	-	-	-	-	-	-
Hexachlorobenzene	µg/L	-	-	-	-	-	-
Hexachlorobutadiene	µg/L	-	-	-	-	-	-
Metals							
Arsenic	µg/L	-	1.0 U	-	-	-	-
Arsenic (Dissolved)	µg/L	1.0 J	-	1.0 U	1.0 U	1.0 U	0.1
Lead	µg/L	-	3.0 U	-	-	-	-
Lead (Dissolved)	µg/L	3.0UJ	-	3.0 U	3.0 U	15.0U	3.0 U
Iron	µg/L						
Manganese	µg/L						
Manganese (Dissolved)	µg/L						
Dissolved Gases							
Ethane	µg/L						
Ethene	µg/L						
Methane	µg/L						
General Chemistry							
Chloride	mg/l						
Nitrate (as N)	mg/l						
Sulfate	mg/l						
Total Organic Carbon (TOC)	mg/l						