

May 7, 2025

1413.001.10

Washington Department of Ecology
Northwest Regional Office Toxics Control Program
Attention: Ms. Tena Seeds
15700 Dayton Avenue North
Shoreline, Washington 98133

BY EMAIL ONLY

**2024 Q1/Q2 GROUNDWATER AND SOIL VAPOR DATA REPORT
AMERICAN LINEN SUPPLY CO DEXTER AVE SITE
AGREED ORDER NO. DE 14302**

Dear Ms. Seeds:

NV5 has prepared this data submittal on behalf of BMR-Dexter LLC (“BMRD”) for the American Linen Supply Co. Dexter Ave Site (the “Site”) located at 700 Dexter Avenue North, Seattle, Washington. This submittal provides the data collected from the first quarter of 2024 through the second quarter of 2024, including data from interim action performance monitoring wells at the 700 Dexter Avenue North property (the “Property”) and at the Seattle Department of Transportation Mercer Parcels Site (also known as 800 Mercer), and remedial investigation (“RI”) monitoring wells. Groundwater elevation contour maps for the first and second quarters of 2024 are included in the Draft Interim Action Work Plan Addendum No.3, submitted to the Washington State Department of Ecology (Ecology) on March 18, 2025.

This data report was revised based on the Ecology’s comments received in March 2025. NV5 conducted the monitoring consistent with the Final Interim Action Work Plan (“IAWP”)¹, the Final Contingent Action Addendum (“CAA”) to the Final IAWP², the Final Remedial Investigation/Feasibility Study (“RI/FS”) Work Plan,³ the Final RI/FS Work Plan Addendum,⁴

¹ PES Environmental, Inc. 2018. *Final Interim Action Work Plan, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington*. Prepared for BMR-Dexter LLC. August.

² PES Environmental, Inc. 2019. Letter from D. Balbiani and B. O’Neal to T. Cardona (Ecology) re: *Final Contingent Action Addendum to the Final Interim Action Work Plan, Former American Linen Supply Co-Dexter Ave Site, Agreed Order No. DE 14302*. February 14.

³ PES Environmental, Inc. 2019. *Final Remedial Investigation/Feasibility Study Work Plan, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington*. Prepared for BMR-Dexter LLC. December 4.

⁴ PES Environmental, Inc. 2020. *Final Remedial Investigation/Feasibility Study Work Plan Addendum, American Linen Supply Co-Dexter Avenue Site, 700 Dexter Avenue North, Seattle, Washington*. Prepared for BMR-Dexter LLC. June 11.

the Proposed Groundwater and Soil Vapor Monitoring Plan,⁵ and the Interim Action Work Plan Addendum No. 2.⁶ NV5 measured groundwater levels, and collected groundwater samples during this period to document the chlorinated volatile organic compound (“CVOC”) concentrations in groundwater. This data submittal summarizes the field and analytical laboratory procedures, provides the tabulated data, provides CVOC time-trend plots, and includes the analytical laboratory reports and data validation review memoranda.

Construction activities were being performed on and near the Property during this monitoring period, including 700 Dexter interior build-out and redevelopment activities at 701 Dexter Avenue North.

GROUNDWATER MONITORING PROCEDURES

During quarterly groundwater monitoring, NV5 measured groundwater levels and performed groundwater sampling from wells within the RI/IA monitoring well network at the Site. Figure 1 shows the well and soil vapor probe locations. NV5 used an electronic water level probe to measure depth to groundwater in the wells, and a pressure gauge to monitor the flowing CAA wells in the Property basement. NV5 sampled the monitoring wells with a peristaltic or bladder pump depending on the depth to water in the wells. Wells were purged at pumping rates of 200 mL/min or less. Three casing volumes of water were purged from flowing Property CAA monitoring wells when the water level was above the well top of casing prior to sampling. One primary groundwater sample was collected from each monitoring well. Field quality assurance samples consisted of trip blanks, duplicate samples (one duplicate sample collected for every 20 primary groundwater samples), and equipment rinsate blanks for wells sampled with a bladder pump. All samples were shipped for analysis of VOCs by Environmental Protection Agency (“EPA”) Method 8260D. Groundwater samples from a subset of wells across the Site were also analyzed for geochemical parameters. All samples were shipped to Pace Analytical in Mount Juliet, Tennessee for analysis.

First Quarter 2024: On February 28, 2024, and March 1, 2024, NV5 measured two rounds of groundwater levels in 138 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in 32 monitoring wells on the Seattle DOT Mercer Parcels and at the Seattle DOT Dexter Parcel. NV5 did not monitor water levels in MW-157 and W-MW-02 due to the presence of Emulsified Vegetable Oil (EVO). FMW-141, MW127, HMW-22S, and MW-334 were inaccessible due to parked cars or other obstructions covering the wells.

⁵ PES Environmental, Inc. 2023. *2023 Groundwater and Soil Vapor Monitoring Plan, American Linen Supply Co-Dexter Avenue Site, Agreed Order No. DE 14302*. January 30.

⁶ PES Environmental, Inc. 2022. *Interim Action Work Plan Addendum No. 2, American Linen Supply Co-Dexter Avenue Site, Agreed Order No. DE 14302*. Submitted to the Washington Department of Ecology, Northwest Regional Office Toxics Cleanup Program. February 22.

- Between February 26 and February 28, 2024, NV5 collected groundwater samples from 9 monitoring wells outside of the Property, including 1 Intermediate A Zone well and 8 Intermediate B Zone wells. NV5 did not sample W-MW-02 due to the presence of EVO in the well. One primary groundwater sample was collected from each monitoring well, with one duplicate sample collected from MW-346. One equipment rinsate blank and two trip blanks were also collected;
- **Second Quarter 2024:** On May 20, 2024, through May 21, 2024, NV5 measured two rounds of groundwater levels in 105 monitoring wells within the RI/IA monitoring well network at the Property and around the Site, and in 11 monitoring wells on the Seattle DOT Mercer Parcels and at the Seattle DOT Dexter Parcel. NV5 did not monitor water levels in W-MW-02 due to the presence of EVO. Monitoring well MW123 was inaccessible; and
- Between May 21 and June 4, 2024, NV5 collected groundwater samples from 103 monitoring wells outside of the Property, including 13 Shallow Zone wells, 27 Intermediate A Zone wells, 27 Intermediate B Zone wells, and 37 Deep Zone wells. Of the 24 CAA monitoring wells on the Property, NV5 sampled 23 wells during the second quarter 2024 event. NV5 did not sample MW-157, W-MW-02, or MW-178 due to the presence of EVO in the wells. One primary groundwater sample was collected from each monitoring well, with six duplicate samples collected from MW-146, MW-153, MW-161, MW-168, MW-346, and MW-9. Three equipment rinsate blanks and six trip blanks were also collected.

Table 11 outlines the monitoring wells historically measured for depth of water out of convenience but not included in the monitoring plan. These wells were not measured during 2024 Quarter 1 and Quarter 2.

VAPOR PROBE SAMPLING PROCEDURES

NV5 collected soil vapor samples during quarterly sampling events from shallower and deeper vadose zone soil vapor probes at the Site. Soil vapor samples were analyzed for VOCs, including tetrachloroethene (“PCE”), trichloroethene (“TCE”), cis-1,2-dichloroethene (“cDCE”), trans-1,2-dichloroethene (“tDCE”), and vinyl chloride (“VC”).

First Quarter 2024: On March 19, 2024, NV5 collected soil vapor samples from 2 vapor probes outside the Property, including 1 Shallow Soil Zone probe and 1 Deep Soil Zone probe. One primary soil vapor sample was collected from SV01 and SV-18 each, with a duplicate sample collected from SV-18.

Second Quarter 2024: On June 12, 2024, NV5 collected soil vapor samples from 10 vapor probes outside the Property, including Shallow Soil Zone probe and Deep Soil Zone probe. Eleven primary soil vapor samples were collected from SV01, SV-08, SV-09, SV-12, SV-13, SV-17, SV-18, SV-21, SV-22, SV-23, SV-24 with a duplicate sample collected from SV-18.

MONITORING RESULTS

Table 1 provides the depths to water measured during the monitoring periods in monitoring wells across the Site. Tables 2 through 9 have been updated to include field parameters and the laboratory results for the groundwater samples collected during the first through the second quarters of 2024 monitoring period, and Table 10 provides the laboratory results for the soil vapor samples collected during the monitoring period. Table 11 lists the Farallon wells; however, the data was not used to create contour maps. Attachment A provides a well completion table that includes updated survey data and survey data for wells not monitored until after the RI. Attachment B presents CVOC time trend plots updated to include the first and second quarter 2024 data, and Attachment C provides the laboratory reports and data validation memoranda for the first and second quarter 2024 data.

Please call if you have any questions or comments regarding this report.

Sincerely,

NV5

Craig J. Peterson, P.E.
Principal Environmental Engineer

cc: John Moshy, BMRD
Elizabeth Dickey, BMRD

Attachments: Table 1 – Summary of Site-Wide Groundwater Elevations
Table 2 – Groundwater Field Parameters
Table 3 – Groundwater Analytical Data for Shallow Zone Wells
Table 4 – Groundwater Analytical Data for Intermediate A Zone Wells
Table 5 – Groundwater Analytical Data for Intermediate B Zone Wells
Table 6 – Groundwater Analytical Data for Deep Zone Wells
Table 7 – Groundwater Analytical Data, Treatment Zone Monitoring Wells
Table 8 – Groundwater Geochemical Parameters
Table 9 – Dehalococoides Data, Treatment Monitoring Zone Wells
Table 10 – Soil Vapor Analytical Results
Table 11 – Farallon Wells Excluded From the 2024 Quarter 1 and Quarter 2
Contour Maps

Figure 1 – Groundwater Monitoring Network

Attachment A – Well Completion Table
Attachment B – CVOC Time-Trend Plots
Attachment C – Laboratory Reports and Data Validation Memoranda

TABLES

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
Shallow Zone							
B-37-3	Block 37, NW quadrant	15.0 to 25.0	11.8 to 1.8	26.78	02/14/22	8.79	17.99
					05/16/22	7.97	18.81
					08/08/22	8.35	18.43
					11/07/22	8.87	17.91
					02/21/23	8.38	18.40
					05/08/23	7.88	18.90
					08/10/23	9.03	17.75
10/30/23	8.87	17.91					
B-37-4	Block 37, NE quadrant	15.0 to 25.0	12.2 to 2.2	27.20	02/14/22	8.70	18.50
					05/16/22	7.95	19.25
					08/08/22	7.39	19.81
					11/07/22	8.85	18.35
					02/21/23	8.34	18.86
					05/08/23	7.83	19.37
					08/10/23	8.92	18.28
10/30/23	8.81	18.39					
B-37-5	Block 37, center of Property	15.0 to 25.0	12.6 to 2.6	27.55	02/14/22	9.02	18.53
					05/16/22	8.27	19.28
					08/08/22	8.71	18.84
					11/07/22	9.12	18.43
					02/21/23	8.60	18.95
					05/08/23	8.20	19.35
					08/10/23	9.34	18.21
10/30/23	9.14	18.41					
B-37-6	Block 37, NE quadrant	15.0 to 25.0	12.5 to 2.5	27.54	02/14/22	9.08	18.46
					05/16/22	8.33	19.21
					08/08/22	8.69	18.85
					11/07/22	9.29	18.25
					02/21/23	8.66	18.88
					05/08/23	8.11	19.43
					08/10/23	9.30	18.24
10/30/23	9.20	18.34					
B43-FMW-1	Roy St ROW, N side (Block 43)	7.5 to 20.0	22.7 to 10.2	30.19	02/14/22	11.21	18.98
					05/16/22	10.54	19.65
					08/08/22	10.56	19.63
					11/07/22	10.84	19.35
					02/21/23	10.92	19.27
					05/08/23	10.81	19.38
					08/10/23	11.58	18.61
10/30/23	11.56	18.63					
B43-FMW-2	Mercer St ROW, N side (Block 43)	5.0 to 15.0	29.6 to 21.6	34.64	02/14/22	13.12	21.52
					05/16/22	12.57	22.07
					08/08/22	13.75	20.89
					11/07/22	12.37	22.27
					02/21/23	12.82	21.82
					05/08/23	13.18	21.46
					08/10/23	14.24	20.40
10/30/23	13.39	21.25					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
B43-FMW-3	Roy St ROW, S side (Block 43)	10.0 to 20.0	20.0 to 10.0	29.96	02/14/22	13.35	16.61
					05/16/22	10.29	19.67
					08/08/22	10.43	19.53
					11/07/22	10.81	19.15
					02/21/23	10.67	19.29
					05/08/23	10.56	19.40
					08/10/23	DRY	–
					10/30/23	DRY	–
B43-FMW-4	Roy St ROW, S side (Block 43)	10.0 to 20.0	20.3 to 10.3	30.33	02/14/22	11.26	19.07
					05/16/22	10.69	19.64
					08/08/22	10.74	19.59
					11/07/22	11.16	19.17
					02/21/23	10.98	19.35
					05/08/23	10.83	19.50
					08/10/23	11.73	18.60
					10/30/23	11.67	18.66
B43-FMW-5	Roy St ROW, S side (Block 43)	8.0 to 18.0	24.7 to 14.7	32.67	02/14/22	13.74	18.93
					05/16/22	13.12	19.55
					08/08/22	13.18	19.49
					11/07/22	13.69	18.98
					02/21/23	13.45	19.22
					05/08/23	13.21	19.46
					08/10/23	14.05	18.62
					10/30/23	DRY	–
B43-FMW-6	Roy St ROW, N side (Block 43)	8.0 to 18.0	24.4 to 14.4	32.42	02/14/22	13.35	19.07
					05/16/22	12.70	19.72
					08/08/22	12.76	19.66
					11/07/22	13.04	19.38
					02/21/23	13.15	19.27
					05/08/23	13.02	19.40
					08/10/23	13.70	18.72
					10/30/23	13.81	18.61
BB-8A	Roy Street ROW	Unknown	–	--	01/29/09	20.60	–
					02/19/10	19.05	–
					05/03/10	19.34	–
					06/02/11	18.18	–
					Decommissioned		
BB-10	Dexter Ave N ROW, E side	29 to 39	–	--	09/05/97	25.91	–
					09/09/97	25.70	–
					10/17/97	25.80	–
					11/13/97	25.30	–
					12/02/97	25.30	–
					01/21/98	25.88	–
					02/27/98	25.72	–
					03/25/98	25.53	–
					04/23/98	29.54	–
					06/05/98	26.20	–
					07/01/98	26.24	–
					07/27/98	26.85	–
					08/25/98	27.27	–
09/29/98	27.00	–					
Decommissioned							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
BB12A	9th Ave N ROW	Unknown	–	--	02/19/11 05/02/10 Decommissioned	14.40 15.81	– –
DMW-1S	615 Dexter, SE quadrant	20.0 to 30.0	38.9 to 28.9	55.76	03/21/19 03/27/19 12/05/19 03/19/20 03/26/20 05/11/20 07/13/20 11/16/20 02/01/21 06/07/21 08/16/21 02/14/22	21.01 20.88 24.88 22.35 22.37 23.28 24.33 25.40 21.41 22.27 23.35 19.35	34.75 34.88 30.88 33.41 33.39 32.48 31.43 30.36 34.35 33.49 32.41 36.41
DMW-2S	615 Dexter, SE quadrant	25.0 to 35.0	31.0 to 21.0	55.74	03/19/20 05/11/20 07/13/20 11/16/20 02/01/21 06/07/21 02/14/22	22.89 23.76 24.72 25.69 21.53 22.27 inaccessible	32.85 31.98 31.02 30.05 34.21 33.47
DMW-4S	Alley S of SE quadrant of 615 Dexter	23.0 to 33.0	38.8 to 28.8	61.54	03/19/20 05/11/20 07/13/20 11/16/20 02/01/21 06/07/21 08/16/21 02/14/22	22.28 22.51 23.11 23.28 21.48 24.32 25.83 21.30	39.26 39.03 38.43 38.26 40.06 37.22 35.71 40.24
DMW-5IA	Alley S of 615 Dexter	39.8 to 49.8	29.7 to 19.7	69.15	03/19/20 05/11/20 07/13/20 11/16/20 02/01/21 06/07/21 08/16/21 02/14/22	38.71 39.32 40.37 41.95 38.25 38.91 40.08 36.64	30.44 29.83 28.78 27.20 30.90 30.24 29.07 32.51
DMW-6	615 Dexter, NE quadrant	34.0 to 44.0	32.3 to 22.3	66.08	03/19/20 05/11/20 07/13/20 11/16/20 02/01/21 06/07/21 08/16/21 02/14/22	28.91 29.28 29.91 30.84 28.30 28.04 28.85 24.81	37.17 36.80 36.17 35.24 37.78 38.04 37.23 41.27
DMW-7S	Dexter Ave N ROW, W side	28.0 to 38.0	30.3 to 20.3	58.01	02/01/21 06/07/21 08/16/21 Abandoned 2022?	23.59 24.73 25.80	34.42 33.28 32.21

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
DMW-8S	Dexter Ave N ROW, W side	27.0 to 37.0	31.6 to 21.6	58.35	02/01/21	24.46	33.89
					06/07/21	25.52	32.83
					08/16/21	26.53	31.82
					Abandoned 2022?		
DMW-9S	Dexter Ave N ROW, W side	23.0 to 33.0	35.9 to 25.9	58.55	02/01/21	22.20	36.35
					06/07/21	23.12	35.43
					08/16/21	25.43	33.12
					Abandoned 2022?		
DMW-10S	601 Dexter, NE quadrant	35.0 to 55.0	24.5 to 4.5	59.24	02/01/21	28.58	30.66
					06/07/21	29.81	29.43
					02/14/22	27.31	31.93
DMW-11S	601 Dexter, NE quadrant	30.0 to 50.0	31.2 to 11.2	60.86	02/01/21	28.93	31.93
					06/07/21	30.10	30.76
					02/14/22	27.62	33.24
DMW-12S	615 Dexter, SE quadrant	30.0 to 50.0	36.1 to 16.1	65.67	02/01/21	29.48	36.19
					06/07/21	31.67	34.00
					02/14/22	29.43	36.24
DMW-13S	Alley S of SW quadrant of 615 Dexter	30.0 to 50.0	36.3 to 16.3	65.02	02/01/21	35.24	29.78
					06/07/21	35.79	29.23
					02/14/22	33.73	31.29
DMW-14S	Alley S of SW quadrant of 615 Dexter	41.0 to 51.0	29.3 to 19.3	70.15	02/01/21	40.47	29.68
					06/07/21	40.70	29.45
					08/16/21	41.90	28.25
					02/14/22	38.45	31.70
F5	Property, NW quadrant	10 to 40	29.1 to -1.0	39.00	03/20/17	4.02	34.98
					03/24/17	NA	
					04/14/17	NA	
					04/28/17	NA	
					05/05/17	NA	
					05/12/17	NA	
					05/19/17	6.91	32.09
					06/12/17	9.72	29.28
					10/11/17	16.27	22.73
					03/14/19	-	
F9	Property, NE quadrant	10 to 40	28.5 to -1.5	38.76	03/20/17	4.40	34.36
					03/24/17	5.01	33.75
					04/14/17	4.98	33.78
					04/28/17	6.01	32.75
					05/05/17	6.14	32.62
					05/12/17	6.80	31.96
					05/19/17	7.16	31.60
					06/12/17	10.46	28.30
					10/11/17	17.73	21.03
					03/14/19	4.09	

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
F13	Property, NE quadrant	10 to 40	28.4 to -1.6	38.69	03/20/17	4.34	34.35
					03/24/17	4.80	33.89
					04/14/17	4.68	34.01
					04/28/17	5.62	33.07
					05/05/17	5.90	32.79
					05/12/17	6.43	32.26
					05/19/17	6.99	31.70
					06/12/17	9.87	28.82
					10/11/17	18.58	20.11
					03/14/19	3.86	
Decommissioned March 2019							
FMW-132	Block 38 West, N end	5 to 10	20.7 to 15.7	25.48	08/30/18	7.44	18.04
					12/28/18	6.80	18.68
					03/26/19	7.01	18.47
FMW-133	Block 38 West, N end	6.5 to 11.5	18.8 to 13.8	24.87	08/30/18	6.86	18.01
					12/28/18	6.21	18.66
					03/26/19	6.41	18.46
FMW-134	Block 38 West, S end	12 to 17	13.4 to 8.4	24.98	08/30/18	8.66	16.32
					12/28/18	7.80	17.18
					03/26/19	7.51	17.47
FMW-135	Block 38 West, N end	7 to 12	18.6 to 13.6	25.29	08/30/18	7.14	18.15
					12/28/18	6.78	18.51
					03/26/19	6.81	18.48
FMW-139	Block 37, SE quadrant	7.0 to 17.0	20.8 to 10.8	27.81	02/14/22	9.85	17.96
					05/16/22	8.42	19.39
					08/08/22	8.98	18.83
					11/07/22	8.65	19.16
					02/21/23	9.38	18.43
					05/08/23	8.57	19.24
					08/10/23	9.54	18.27
					10/30/23	9.48	18.33
FMW-143	9th Ave N ROW, E side	23 to 28	10 to 5	32.69	10/31/19	14.88	17.81
					01/13/20	15.02	17.67
					05/11/20	20.47	12.22
					07/13/20	21.01	11.68
					11/16/20	21.19	11.50
					02/01/21	17.48	15.21
					06/07/21	15.68	17.01
					08/16/21	15.55	17.14
					02/15/22	13.25	19.44
					08/08/22	12.09	20.60
					11/07/22	12.89	19.80
					02/21/23	12.96	19.73
					05/08/23	12.65	20.04
					08/10/23	13.79	18.90
					10/30/23	13.76	18.93
03/01/24	12.14	20.55					
05/21/24	12.75	19.94					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
FMW-154	Block 38 West	10.0 to 15.0	12.8 to 7.8	22.80	02/14/22	6.05	16.75	
					05/16/22	5.44	17.36	
					08/08/22	5.20	17.60	
					11/07/22	5.50	17.30	
					02/21/23	5.16	17.64	
					05/08/23	5.12	17.68	
					08/10/23	5.39	17.41	
					10/30/23	5.51	17.29	
FMW-155	Block 38 West	10.0 to 15.0	15.7 to 10.7	23.9	02/14/22	6.94	16.96	
					05/16/22	6.30	17.60	
					08/08/22	6.07	17.83	
					11/07/22	6.50	17.40	
					02/21/23	6.20	17.70	
					05/08/23	5.96	17.94	
					08/10/23	6.41	17.49	
					10/30/23	6.64	17.26	
FMW-156	Block 38 West	15.0 to 20.0	10.7 to 5.7	25.7	02/14/22	8.63	17.07	
					05/16/22	8.03	17.67	
					08/08/22	7.78	17.92	
					11/07/22	8.28	17.42	
					02/21/23	7.94	17.76	
					05/08/23	7.67	18.03	
					08/10/23	8.18	17.52	
					10/30/23	8.25	17.45	
G12	Property, NE quadrant	10 to 40	29.4 to -0.6	39.40	03/20/17	5.29	34.11	
					03/24/17	5.74	33.66	
					04/14/17	5.89	33.51	
					04/28/17	7.10	32.30	
					05/05/17	7.18	32.22	
					05/12/17	7.89	31.51	
					05/19/17	8.32	31.08	
					06/30/17	13.58	25.82	
					10/11/17	18.68	20.72	
					03/14/19	5.85	33.55	
					Decommissioned March 2019			
G-MW2	Property	8 to 18	-	-	07/24/01	9.93		
					01/29/09	10.76		
					38.95	06/02/11	7.45	31.50
					02/07/12	8.49	30.46	
					39.00	09/06/12	10.53	28.47
					12/21/12	9.63	29.37	
					03/29/13	8.56	30.44	
Decommissioned								

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-1S	SDOT Mercer Parcels, NE quadrant	20.0 to 30.0	16.0 to 6.0	35.73	03/20/19	16.11	19.62
					03/26/19	16.21	19.52
					07/16/19	16.85	18.88
					12/05/19	18.89	16.84
					01/13/20	22.80	12.93
					03/19/20	24.53	11.20
					05/11/20	26.44	9.29
					07/13/20	Dry	
					11/16/20	Dry	
					02/01/21	20.78	14.95
					06/07/21	19.43	16.30
					08/16/21	19.27	16.46
					02/14/22	16.62	19.11
					05/16/22	15.82	19.91
					08/08/22	16.14	19.59
					11/07/22	17.04	18.69
					02/21/23	Inaccessible	
05/08/23	15.64	20.09					
08/10/23	16.99	18.74					
10/30/23	16.80	18.93					
03/01/24	15.03	20.70					
HMW-2S	SDOT Mercer Parcels, NE quadrant	19.8 to 29.8	27.6 to 17.6	47.28	03/19/19	21.68	25.60
					03/26/19	24.21	23.07
					07/16/19	23.98	23.30
					12/05/19	25.87	21.41
					01/13/20	23.45	23.83
					03/19/20	24.98	22.30
					05/11/20	25.82	21.46
					07/13/20	26.61	20.67
					11/16/20	24.08	23.20
					02/01/21	21.95	25.33
					06/07/21	23.49	23.79
					08/16/21	24.13	23.15
					02/14/22	22.03	25.25
					05/16/22	22.37	24.91
					08/08/22	23.20	24.08
					11/07/22	23.67	23.61
					02/22/23	28.05	19.23
05/08/23	27.83	19.45					
08/10/23	20.71	26.57					
10/30/23	28.67	18.61					
03/01/24	27.75	19.53					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-9S	SDOT Mercer Parcels, SW quadrant	25.0 to 35.0	30.4 to 20.4	58.54	03/19/20	33.25	25.29
					05/11/20	33.61	24.93
					07/13/20	33.94	24.60
					11/16/20	33.44	25.10
					02/01/21	31.78	26.76
					06/07/21	32.66	25.88
					08/16/21	33.00	25.54
					02/14/22	31.52	27.02
					05/16/22	31.92	26.62
					08/08/22	32.78	25.76
					11/07/22	33.22	25.32
					02/22/23	32.29	26.25
					05/08/23	32.45	26.09
					08/10/23	32.98	25.56
10/30/23	32.76	25.78					
03/01/24	31.36	27.18					
HMW-10S	SDOT Mercer Parcels, SE quadrant	24.7 to 34.7	23.5 to 13.5	51.09	03/19/20	26.37	24.72
					05/11/20	27.11	23.98
					07/13/20	27.83	23.26
					11/16/20	28.12	22.97
					02/01/21	23.91	27.18
					06/07/21	26.04	25.05
					08/16/21	26.41	24.68
					02/14/22	24.03	27.06
					05/16/22	24.40	26.69
					08/08/22	25.74	25.35
					11/07/22	26.13	24.96
					02/22/23	24.35	26.74
					05/08/23	24.70	26.39
					08/10/23	26.07	25.02
10/30/23	26.40	24.69					
03/01/24	23.37	27.72					
HMW-11S	SDOT Mercer Parcels, SE quadrant	25.0 to 35.0	16.5 to 6.5	44.77	03/19/20	35.50	9.27
					05/11/20	37.15	7.62
					07/13/20	37.80	6.97
					11/16/20	37.54	7.23
					02/01/21	32.53	12.24
					06/07/21	23.40	21.37
					08/16/21	21.11	23.66
					02/14/22	25.48	19.29
					05/16/22	25.77	19.00
					08/08/22	25.83	18.94
					05/08/23	24.43	20.34
					08/10/23	26.42	18.35
					10/30/23	26.37	18.40
					03/01/24	24.97	19.80

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-17S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	22.2 to 12.2	57.35	11/16/20	28.64	28.71
					06/07/21	26.37	30.98
					08/16/21	27.04	30.31
					02/14/22	23.77	33.58
					05/16/22	29.49	27.86
					08/08/22	31.37	25.98
					11/07/22	31.46	25.89
					02/22/23	29.83	27.52
					05/08/23	30.13	27.22
					08/10/23	30.94	26.41
					10/30/23	31.61	25.74
03/01/24	28.73	28.62					
HMW-18S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	22.6 to 12.6	57.44	11/16/20	29.28	28.16
					06/07/21	27.05	30.39
					08/16/21	27.65	29.79
					02/14/22	24.87	32.57
					05/08/23	30.37	27.07
					08/10/23	31.17	26.27
					10/30/23	30.89	26.55
					03/01/24	34.60	22.84
HMW-19S	SDOT Mercer Parcels, NW quadrant	35.0 to 45.0	23.2 to 13.2	61.08	11/16/20	33.61	27.47
					06/07/21	31.77	29.31
					08/16/21	32.35	28.73
					02/14/22	25.91	35.17
					05/16/22	33.03	28.05
					08/08/22	34.86	26.22
					11/07/22	35.21	25.87
					02/22/23	33.80	27.28
					05/08/23	30.04	31.04
					08/10/23	34.82	26.26
					10/30/23	34.62	26.46
03/01/24	32.66	28.42					
HMW-20S	SDOT Mercer Parcels, NW quadrant	25.0 to 35.0	28.8 to 18.8	56.49	11/16/20	31.71	24.78
					06/07/21	30.63	25.86
					02/14/22	29.54	26.95
					05/16/22	–	
					05/08/23	30.03	26.46
					08/10/23	NM	–
					10/30/23	26.20	30.29
HMW-21S	SDOT Mercer Parcels, SE quadrant	30.0 to 40.0	8.2 to -1.8	37.92	11/16/20	30.41	7.51
					06/07/21	22.32	15.60
					02/14/22	19.40	18.52
					10/30/23	19.62	18.30
HMW-22S	SDOT Mercer Parcels, SE quadrant	27.0 to 37.0	11.7 to 1.8	38.58	11/16/20	31.37	7.21
					06/07/21	23.14	15.44
					08/16/21	22.90	15.68
					02/14/22	20.10	18.48
					05/16/22	19.68	18.90
					08/08/22	19.67	18.91
					02/22/23	19.65	18.93
					08/10/23	20.32	18.26
					10/30/23	20.29	18.29
					03/01/24	NM	

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
J5	Property, SW quadrant	10 to 40	29.8 to -0.2	39.95	03/20/17	2.16	37.79
					03/24/17	2.64	37.31
					04/14/17	2.71	37.24
					04/28/17	3.87	36.08
					05/05/17	3.71	36.24
					05/12/17	4.41	35.54
					05/19/17	4.88	35.07
					06/12/17	8.13	31.82
					10/11/17	15.15	24.80
					03/14/19	–	
Decommissioned March 2019							
J15	Property, SE quadrant	10 to 40	28.7 to -1.3	38.85	03/20/17	4.90	33.95
					03/24/17	5.35	33.50
					04/14/17	5.55	33.30
					04/28/17	6.82	32.03
					05/05/17	6.82	32.03
					05/12/17	6.74	32.11
					05/19/17	6.24	32.61
					06/12/17	11.30	27.55
					10/11/17	18.29	20.56
					03/14/19	5.05	33.80
Decommissioned March 2019							
K8	Property, SW quadrant	10 to 40	29.9 to -0.1	40.39	03/20/17	2.97	37.42
					03/24/17	3.77	36.62
					04/14/17	3.70	36.69
					04/28/17	5.10	35.29
					05/05/17	5.15	35.24
					05/12/17	5.99	34.40
					05/19/17	6.47	33.92
					06/12/17	10.11	30.28
					10/11/17	17.17	23.22
					03/14/19	–	
Decommissioned March 2019							
M15	Property, SE quadrant	10 to 40	29.5 to -0.5	39.82	03/20/17	5.22	34.60
					03/24/17	5.75	34.07
					04/14/17	5.97	33.85
					04/28/17	7.24	32.58
					05/05/17	7.40	32.42
					05/12/17	7.93	31.89
					05/19/17	8.47	31.35
					06/12/17	11.53	28.29
					10/11/17	18.44	21.38
					03/14/19	5.05	34.77
Decommissioned March 2019							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-1	Block 55, N end	25.0 to 35.0	29.8 to 19.8	54.77	02/14/22	27.18	27.59
					05/16/22	27.25	27.52
					08/08/22	27.21	27.56
					11/07/22	26.06	28.71
					02/21/23	27.14	27.63
					05/08/23	27.01	27.76
					08/10/23	27.66	27.11
					10/30/23	28.16	26.61
MW-1	800 Aloha Street Street Parcel	17.5 to 37.5	–	–	06/17/93	16.10	Decommissioned on October 12, 1993
MW-2	Block 55, N end	30.0 to 40.0	aw	58.54	02/14/22	30.46	28.08
					05/16/22	30.57	27.97
					08/08/22	30.72	27.82
					11/07/22	31.46	27.08
					02/21/23	30.37	28.17
					05/08/23	30.54	28.00
					08/10/23	31.18	27.36
					10/30/23	31.24	27.30
MW-2	9th Avenue North ROW	27.5 to 37.5	–	–	06/17/93	15.55	Decommissioned on October 12, 1993
MW-3	800 Aloha Street Parcel	17.5 to 37.5	–	–	06/17/93	15.17	Decommissioned on October 12, 1993
MW-3	Block 55, N end	38.0 to 48.0	21.6 to 11.6	59.59	02/14/22	30.64	28.95
					05/16/22	31.06	28.53
					08/08/22	31.37	28.22
					11/07/22	32.32	27.27
					02/21/23	30.78	28.81
					05/08/23	31.11	28.48
					08/10/23	32.00	27.59
					10/30/23	32.02	27.57
MW-4	800 Aloha Street Parcel	22.5 to 32.5	–	–	06/17/93	15.80	Decommissioned on October 12, 1993
MW-4	Block 55, N end	30.0 to 40.0	21.16 to 11.16	52.16	02/14/22	24.00	28.16
					05/16/22	24.29	27.87
					08/08/22	24.81	27.35
					11/07/22	25.26	26.90
					02/21/23	29.94	22.22
					05/08/23	24.50	27.66
					08/10/23	25.11	27.05
					10/30/23	18.95	33.21
MW-5	8th Avenue North ROW	12.5 to 22.5	–	–	06/17/93	14.57	Decommissioned on October 12, 1993
MW-5	Block 55	20.0 to 30.0	37.4 to 27.4	57.41	02/14/22	28.71	28.70
					05/16/22	29.01	28.40
					08/08/22	29.30	28.11
					11/07/22	20.81	36.60
					02/21/23	28.63	28.78
					05/08/23	28.82	28.59
					08/10/23	29.52	27.89
					10/30/23	29.56	27.85

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-6	800 Aloha Street Parcel	7 to 22	–	58.76	10/26/93	16.79	41.97
					01/25/94	17.43	41.33
					04/25/94	15.75	43.01
					09/15/94	16.61	42.15
					02/07/12	14.91	23.29
MW-7	800 Aloha Street Parcel	9 to 18.5	–	55.82	10/26/93	14.10	41.72
					01/25/94	15.30	40.52
					04/25/94	13.40	42.42
					09/15/94	14.29	41.53
					02/07/12	12.56	22.53
MW-8	800 Aloha Street Parcel	4.5 to 19	28.7 to 14.2	53.72	10/26/93	12.35	41.37
					01/25/94	13.51	40.21
					04/25/94	11.80	41.92
					09/15/94	12.49	41.23
					02/07/12	11.64	21.55
					03/20/17	10.42	22.77
					03/24/17	10.54	22.65
					06/12/17	18.95	14.24
					03/14/19	11.23	21.96
					04/22/19	11.18	22.01
				33.19	07/16/19	11.97	21.22
					10/21/19	12.46	20.73
					01/13/20	12.15	21.04
					05/11/20	17.12	16.07
					07/13/20	17.95	15.24
					11/16/20	16.84	16.35
					02/02/21	12.74	20.45
					06/01/21	13.66	19.53
					08/17/21	14.01	19.18
					02/15/22	11.47	21.72
05/16/22	10.34	22.85					
08/08/22	11.79	21.40					
11/07/22	11.32	21.87					
02/21/23	11.00	22.19					
05/08/23	10.81	22.38					
08/10/23	12.57	20.62					
10/30/23	11.92	21.27					
02/28/24	10.90	22.29					
05/20/24	11.36	21.83					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
MW-9	8th Ave N ROW, E side	7 to 22	34.1 to 19.1	61.35	01/25/94	15.51	45.84	
					04/25/94	17.09	44.26	
					09/15/94	15.50	45.85	
					40.81	06/20/02	18.30	22.51
						06/02/11	14.89	25.92
						02/07/12	16.39	24.42
						09/04/12	16.84	23.97
						12/21/12	15.94	24.87
						01/06/14	13.99	26.82
						03/20/17	13.33	27.48
						03/24/17	13.32	27.49
				04/14/17		13.59	27.22	
				04/28/17		15.60	25.21	
				40.74	05/05/17	15.68	25.13	
					05/12/17	16.54	24.27	
					05/19/17	16.78	24.03	
					06/12/17	19.91	20.90	
					10/11/17	21.80	19.01	
					03/14/19	13.81	27.00	
					04/22/19	13.93	26.88	
					07/16/19	15.27	25.54	
					08/19/19	18.32	22.49	
					10/21/19	20.77	19.97	
					01/13/20	21.58	19.16	
					05/11/20	Dry		
				07/13/20	Dry			
				08/04/20	21.01	19.73		
				08/17/20	20.54	20.20		
				09/03/20	20.45	20.29		
				09/21/20	20.55	20.19		
				11/16/20	19.78	20.96		
				02/01/21	17.54	23.20		
				06/07/21	15.80	24.94		
08/16/21	16.79	23.95						
02/14/22	14.42	26.32						
05/16/22	15.49	25.25						
08/08/22	15.84	24.90						
11/07/22	16.69	24.05						
02/21/23	15.91	24.83						
05/08/23	16.15	24.59						
08/10/23	16.47	24.27						
10/30/23	16.51	24.23						
03/01/24	15.01	25.73						
05/20/24	15.91	24.83						
MW-10	800 Aloha Street Parcel	7 to 22	–	58.53	01/25/94	15.09	43.44	
					04/25/94	16.64	41.89	
					09/15/94	16.64	41.89	
					06/20/02	16.55	41.98	
				37.95	02/07/12	15.85	22.10	

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-45	Block 37, SE quadrant	3.0 to 19.0	24.5 to 8.5	27.52	02/14/22	9.57	17.95
					05/16/22	8.25	19.27
					08/08/22	9.26	18.26
					11/07/22	8.32	19.20
					02/21/23	9.36	18.16
					05/08/23	8.74	18.78
					08/10/23	9.74	17.78
					10/30/23	9.49	18.03
MW-50	Block 37, SE quadrant	5.0 to 17.5	24.3 to 11.8	29.32	02/14/22	10.23	19.09
					05/16/22	10.54	18.78
					08/08/22	10.80	18.52
					11/07/22	10.89	18.43
					02/21/23	10.69	18.63
					05/08/23	19.13	10.19
					08/10/23	11.15	18.17
					10/30/23	11.05	18.27
MW-54	Block 37, SE quadrant	5.0 to 20.0	23.0 to 8.0	28.00	02/14/22	10.18	17.82
					05/16/22	8.80	19.20
					08/08/22	9.05	18.95
					11/07/22	9.18	18.82
					02/21/23	9.69	18.31
					05/08/23	8.79	19.21
					08/10/23	9.70	18.30
					10/30/23	9.69	18.31
MW121	8th Ave N ROW, E side	15 to 25	26.7 to 16.7	41.72	01/06/14	18.69	23.03
					03/20/17	12.25	29.47
					03/24/17	11.09	30.63
					04/14/17	11.24	30.48
					04/28/17	11.65	30.07
					05/05/17	12.36	29.36
					05/12/17	11.75	29.97
					05/19/17	11.61	30.11
					06/12/17	14.35	27.37
					10/11/17	21.67	20.05
					03/14/19	10.86	30.86
					04/22/19	11.58	30.14
					07/16/19	17.95	23.77
					08/19/19	22.95	18.77
					10/21/19	24.23	17.49
					01/13/20	24.22	17.50
					05/11/20	Dry	
					07/13/20	Dry	
					07/21/20	24.30	17.42
					08/04/20	24.30	17.42
08/17/20	24.33	17.39					
09/03/20	24.30	17.42					
09/21/20	24.40	17.32					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW121 Continued					11/17/20	19.67	22.05
					02/01/21	16.86	24.86
					06/07/21	16.75	24.97
					08/16/21	Inaccessible	
					02/14/22	15.53	26.19
					05/16/22	16.92	24.80
					08/08/22	16.89	24.83
					11/07/22	18.38	23.34
					02/21/23	16.23	25.49
					05/08/23	16.94	24.78
					08/10/23	Inaccessible	
					10/30/23	Inaccessible	
					03/01/24	15.63	26.09
					05/20/24	17.09	24.63
MW125	Valley St ROW, ROW, N side	15 to 30	28.6 to 13.6	43.55	01/06/14	24.18	19.37
					03/20/17	14.40	29.15
					03/24/17	14.55	29.00
					06/28/17	22.20	21.35
					10/11/17	26.39	17.16
					03/14/19	15.59	27.96
					04/22/19	14.95	28.60
					07/16/19	18.30	25.25
					08/19/19	25.96	17.59
					10/21/19	27.26	16.29
					01/13/20	27.85	15.70
					05/11/20	Dry	
					07/13/20	Dry	
					07/21/20	Inaccessible	
					08/17/20	25.15	18.40
					09/03/20	24.68	18.87
					09/21/20	Inaccessible	
					11/16/20	20.90	22.65
					02/01/21	18.07	25.48
					06/07/21	18.00	25.55
					08/16/21	18.49	25.06
					02/14/22	16.69	26.86
					05/16/22	17.70	25.85
					08/08/22	18.15	25.40
					11/07/22	19.03	24.52
					02/21/23	18.13	25.42
05/08/23	18.42	25.13					
08/10/23	19.03	24.52					
10/30/23	18.56	24.99					
03/01/24	17.67	25.88					
05/20/24	18.17	25.38					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-154	Roy St ROW, S side	25 to 35	28.1 to 18.1	52.57	03/14/19	20.81	31.76
					03/26/19	21.94	30.63
					04/22/19	22.40	30.17
					07/16/19	27.03	25.54
					07/17/19	27.02	25.55
					08/19/19	28.80	23.77
					10/21/19	30.16	22.41
					01/13/20	29.30	23.27
					03/19/20	29.10	23.47
					05/11/20	29.44	23.13
					07/13/20	30.05	22.52
					07/21/20	29.76	22.81
					08/04/20	29.56	23.01
					08/17/20	29.41	23.16
					09/03/20	29.15	23.42
					09/21/20	28.98	23.59
					11/16/20	25.44	27.13
					02/01/21	22.04	30.53
					06/07/21	24.55	28.02
					08/16/21	24.98	27.59
					02/14/22	22.03	30.54
					05/16/22	23.60	28.97
					08/08/22	25.35	27.22
11/07/22	25.67	26.90					
02/22/23	24.21	28.36					
05/08/23	24.83	27.74					
08/10/23	25.78	26.79					
10/30/23	25.33	27.24					
03/01/24	22.97	29.60					
05/20/24	25.14	27.43					
MW-155	Roy St ROW, S side	20 to 30	24.4 to 14.4	44.05	03/14/19	16.80	27.25
					03/26/19	17.20	26.85
					04/22/19	17.95	26.10
					07/16/19	20.94	23.11
					08/19/19	22.38	21.67
					10/21/19	24.54	19.51
					01/13/20	22.55	21.50
					02/19/20	20.38	23.67
					03/19/20	23.10	20.95
					05/11/20	24.31	19.74
					07/13/20	25.17	18.88
					07/21/20	25.05	19.00
					08/04/20	24.90	19.15
					08/17/20	24.74	19.31
					09/03/20	24.55	19.50
09/21/20	24.53	19.52					
11/16/20	22.55	21.50					
02/01/21	Inaccessible						
06/07/21	Inaccessible						
08/16/21	21.03	23.02					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-155 Continued					02/14/22	17.53	26.52
					05/16/22	18.52	25.53
					08/08/22	19.82	24.23
					11/07/22	20.78	23.27
					02/21/23	18.29	25.76
					05/08/23	19.20	24.85
					08/10/23	20.94	23.11
					10/30/23	20.62	23.43
					03/01/24	17.70	26.35
					05/20/24	20.01	24.04
MW-159	8th Ave N ROW, E side	20 to 30	22.9 to 12.9	42.79	03/14/19	14.70	28.09
					04/22/19	15.67	27.12
					07/16/19	20.55	22.24
					08/19/19	25.60	17.19
					10/21/19	29.34	13.45
					01/13/20	29.35	13.44
					05/11/20	Dry	
					07/13/20	Dry	
					07/21/20	Dry	
					08/04/20	28.65	14.14
					08/17/20	27.30	15.49
					09/03/20	26.65	16.14
					09/21/20	26.31	16.48
					11/16/20	22.27	20.52
					02/01/21	18.91	23.88
					06/07/21	19.73	23.06
					08/16/21	19.86	22.93
					02/14/22	17.37	25.42
					05/16/22	18.22	24.57
					08/08/22	18.99	23.80
11/07/22	19.89	22.90					
02/21/23	18.63	24.16					
05/08/23	18.84	23.95					
08/10/23	20.02	22.77					
10/30/23	19.39	23.40					
03/01/24	18.21	24.58					
05/20/24	18.99	23.80					
MW-209	Valley St ROW, N side (Block 37)	5.0 to 20.0	6.9 to 21.9	26.88	02/14/22	9.62	17.26
					05/16/22	7.87	19.01
					08/08/22	8.57	18.31
					11/07/22	8.96	17.92
					02/21/23	9.20	17.68
					05/08/23	7.99	18.89
					08/10/23	9.23	17.65
					10/30/23	9.24	17.64

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-210	Valley St ROW, N side	10 to 20	17.1 to 7.1	26.57	03/20/17	–	–
					03/24/17	17.75	8.82
					06/12/17	10.95	15.62
					10/11/17	12.71	13.86
					03/14/19	8.59	17.98
					04/22/19	8.71	17.86
					07/16/19	8.22	18.35
					10/21/19	8.62	17.95
					01/13/20	8.95	17.62
					05/11/20	9.30	17.27
					07/13/20	9.55	17.02
					11/16/20	9.91	16.66
					02/01/21	9.69	16.88
					06/07/21	8.23	18.34
08/16/21	9.13	17.44					
02/14/22	9.62	16.95					
MW-210	Valley St ROW, N side (Block 37)	5.0 to 20.0	6.6 to 21.6	26.56	02/14/22	9.08	17.48
					05/16/22	7.83	18.74
					05/16/22	7.36	19.20
					08/08/22	8.08	18.49
					08/08/22	8.11	18.45
					11/07/22	8.36	18.21
					11/07/22	8.38	18.18
					02/21/23	8.66	17.90
					05/08/23	7.51	19.05
					08/10/23	8.80	17.76
					10/30/23	8.78	17.78
					06/04/24	7.22	19.34
MW-211	Valley St ROW, N side (Block 37)	5.0 to 20.0	6.5 to 21.5	26.48	02/14/22	8.99	17.49
					05/16/22	7.42	19.06
					08/08/22	8.02	18.46
					11/07/22	8.20	18.28
					02/21/23	8.39	18.09
					05/08/23	7.47	19.01
					08/10/23	8.82	17.66
10/30/23	8.80	17.68					
MW-212	Mercer St ROW, N side (Block 37)	10.0 to 25.0	4.1 to 19.1	29.09	02/14/22	11.01	18.08
					05/16/22	10.61	18.48
					08/08/22	–	–
					11/07/22	11.15	17.94
					02/21/23	–	–
					05/08/23	10.32	18.77
					08/10/23	11.39	17.70
10/30/23	10.87	18.22					
MW-213	Valley St ROW, S side (Block 37)	5.0 to 20.0	–	27.35	02/14/22	9.36	17.99
					05/16/22	7.95	19.40
					08/08/22	8.76	18.59
					11/07/22	9.07	18.28
					02/21/23	8.90	18.45
					05/08/23	8.12	19.23
					08/10/23	9.54	17.81
10/30/23	9.31	18.04					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-214	Valley St ROW, S side	7 to 17	20.8 to 10.8	27.32	03/20/17	6.84	20.48
					03/24/17	7.67	19.65
					06/12/17	16.45	10.87
					10/11/17	Dry	
					03/14/19	8.92	18.40
					04/22/19	9.03	18.29
					07/16/19	8.97	18.35
					10/21/19	9.54	17.78
					01/13/20	9.74	17.58
					05/11/20	13.40	13.92
					07/13/20	13.70	13.62
					11/16/20	13.75	13.57
					02/01/21	11.56	15.76
					06/07/21	9.35	17.97
					08/16/21	10.37	16.95
					02/14/22	9.35	17.97
					05/16/22	7.58	19.74
					08/08/22	8.75	18.57
					11/07/22	8.97	18.35
					02/21/23	8.91	18.41
05/08/23	7.96	19.36					
08/10/23	9.50	17.82					
10/30/23	9.25	18.07					
03/01/24	10.62	16.70					
05/21/24	8.30	19.02					
MW-301	Valley St ROW, S side	18.2 to 28.3	35.6 to 25.65	53.54	10/21/19	Dry	
					07/13/20	Inaccessible	
					07/21/20	Inaccessible	
					08/04/20	Dry	
					08/17/20	Dry	
					09/03/20	Dry	
					09/21/20	Dry	
					11/16/20	22.26	31.28
					02/01/21	19.90	33.64
					06/07/21	21.51	32.03
					08/16/21	21.77	31.77
					02/14/22	19.85	33.69
					05/16/22	21.49	32.05
					08/08/22	22.54	31.00
					11/07/22	22.63	30.91
					02/21/23	21.13	32.41
05/08/23	21.97	31.57					
08/10/23	23.32	30.22					
10/30/23	21.30	32.24					
03/01/24	20.40	33.14					
05/20/24	22.20	31.34					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-305	Roy St ROW, S side	22.8 to 32.8	37.4 to 27.4	59.86	10/21/19	28.17	31.69
					01/13/20	27.85	32.01
					03/19/20	23.83	36.03
					05/11/20	25.26	34.60
					07/13/20	26.44	33.42
					07/21/20	26.50	33.36
					08/04/20	26.75	33.11
					08/17/20	26.92	32.94
					09/03/20	27.31	32.55
					09/21/20	28.05	31.81
					11/17/20	28.23	31.63
					02/01/21	21.23	38.63
					06/07/21	23.61	36.25
					08/16/21	24.78	35.08
					02/14/22	19.16	40.70
					05/16/22	25.81	34.05
					11/07/22	Dry	
					02/21/23	Dry	
05/08/23	32.40	27.46					
08/10/23	32.57	27.29					
10/30/23	Not Measured						
03/01/24	20.55	39.31					
05/20/24	32.34	27.52					
MW-310	Alley E of Seattle Roy Aloha Shops	13.7 to 23.7	19.2 to 9.2	32.48	10/21/19	13.67	18.81
					01/13/20	14.71	17.77
					05/11/20	19.70	12.78
					07/13/20	20.56	11.92
					11/16/20	19.32	13.16
					02/01/21	14.17	18.31
					06/07/21	12.61	19.87
					08/16/21	13.25	19.23
					02/14/22	9.01	23.47
					05/16/22	9.21	23.27
					08/08/22	10.11	22.37
					11/07/22	11.30	21.18
					02/21/23	9.32	23.16
					05/08/23	9.44	23.04
					08/10/23	11.46	21.02
					10/30/23	13.91	18.57
02/28/24	9.04	23.44					
05/20/24	9.99	22.49					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-312	Alley E of Seattle Roy Aloha Shops	15.7 to 25.7	19.9 to 9.9	34.99	10/21/19	15.66	19.33
					01/13/20	15.97	19.02
					05/11/20	22.37	12.62
					07/13/20	23.34	11.65
					07/21/20	23.47	11.52
					08/04/20	23.71	11.28
					08/17/20	23.81	11.18
					09/03/20	23.94	11.05
					09/21/20	Inaccessible	
					11/16/20	22.85	12.14
					02/01/21	14.94	20.05
					06/07/21	15.74	19.25
					08/16/21	16.13	18.86
					02/14/22	11.25	23.74
					05/16/22	11.32	23.67
					08/08/22	13.01	21.98
					11/07/22	14.22	20.77
					02/21/23	11.71	23.28
					05/08/23	11.82	23.17
					08/10/23	14.24	20.75
10/30/23	14.15	20.84					
02/28/24	11.39	23.60					
05/20/24	12.78	22.21					
MW-313	Alley E of Seattle Roy Aloha Shops	19.4 to 29.4	20.4 to 10.4	39.53	10/21/19	22.34	17.19
					01/13/20	23.57	15.96
					05/11/20	Dry	
					07/13/20	Dry	
					11/16/20	Dry	
					02/01/21	25.13	14.40
					06/07/21	22.82	16.71
					08/16/21	22.85	16.68
					02/14/22	19.99	19.54
					05/16/22	19.81	19.72
					08/08/22	20.02	19.51
					11/07/22	20.92	18.61
					02/21/23	20.08	19.45
					05/08/23	19.80	19.73
					08/10/23	20.95	18.58
					10/30/23	20.92	18.61
02/28/24	19.46	20.07					
05/20/24	20.07	19.46					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-320	9th Ave N ROW, W side	15.5 to 25.5	18.6 to 8.6	33.57	10/21/19	15.45	18.12
					01/13/20	15.62	17.95
					05/11/20	21.20	12.37
					07/13/20	21.96	11.61
					11/16/20	22.20	11.37
					02/01/21	17.62	15.95
					06/07/21	16.20	17.37
					08/16/21	16.14	17.43
					02/14/22	13.26	20.31
					05/16/22	12.86	20.71
					08/08/22	13.21	20.36
					11/07/22	14.19	19.38
					02/22/23	13.30	20.27
					05/08/23	13.06	20.51
					08/10/23	14.38	19.19
10/30/23	14.38	19.19					
03/01/24	12.64	20.93					
05/20/24	13.36	20.21					
MW-332	Roy St ROW, N side	20.3 to 30.3	15.42 to 5.42	35.72	05/11/20	25.58	10.14
					07/13/20	26.07	9.65
					11/16/20	25.97	9.75
					02/01/21	21.05	14.67
					06/07/21	18.95	16.77
					08/16/21	18.93	16.79
					02/14/22	15.67	20.05
					05/16/22	15.44	20.28
					11/07/22	16.54	19.18
					02/21/23	15.49	20.23
					05/08/23	15.24	20.48
					08/10/23	16.59	19.13
					10/30/23	16.84	18.88
					03/01/24	15.14	20.58
					05/20/24	15.33	20.39
MW-337	Lake Union Park, N end	9.7 to 19.7	17.81 to 7.81	27.51	05/11/20	9.12	18.39
					07/13/20	9.41	18.10
					11/16/20	10.30	17.21
					02/01/21	10.19	17.32
					06/07/21	8.70	18.81
					08/16/21	10.03	17.48
					02/14/22	10.37	17.14
					05/16/22	8.29	19.22
					08/08/22	9.34	18.17
					11/07/22	9.41	18.10
					02/21/23	9.80	17.71
					05/08/23	8.99	18.52
					08/10/23	9.98	17.53
					10/30/23	9.96	17.55
					03/01/24	9.45	18.06
05/20/24	8.75	18.76					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-339	Lake Union Park, S end	10.1 to 20.1	17.96 to 7.96	28.06	05/11/20	9.95	18.11
					07/13/20	10.26	17.80
					11/16/20	10.74	17.32
					02/01/21	10.20	17.86
					06/07/21	9.15	18.91
					08/16/21	10.56	17.50
					02/14/22	10.91	17.15
					05/16/22	8.56	19.50
					08/08/22	9.80	18.26
					11/07/22	9.04	19.02
					02/21/23	10.39	17.67
					05/08/23	9.22	18.84
					08/10/23	10.53	17.53
					10/30/23	10.38	17.68
03/01/24	9.31	18.75					
05/20/24	9.11	18.95					
MWR-3	Block 37, SW quadrant	7.0 to 17.0	22.7 to 12.7	29.67	02/14/22	10.84	18.83
					05/16/22	10.08	19.59
					08/08/22	10.88	18.79
					11/07/22	10.77	18.90
					02/21/23	10.49	19.18
					05/08/23	10.31	19.36
					08/10/23	11.40	18.27
10/30/23	11.10	18.57					
MWR-6	Block 37, SE quadrant	8.0 to 18.0	21.1 to 11.1	29.12	02/14/22	11.01	18.11
					05/16/22	10.51	18.61
					08/08/22	10.70	18.42
					11/07/22	11.00	18.12
					02/21/23	10.65	18.47
					05/08/23	10.36	18.76
08/10/23	11.08	18.04					
10/30/23	11.06	18.06					
N7	Property, SW quadrant	10 to 40	41.8 to 11.8	52.44	03/20/17	NA	
					03/24/17	NA	
					04/14/17	18.70	33.74
					04/28/17	16.98	35.46
					05/05/17	17.10	35.34
					05/12/17	17.51	34.93
					05/19/17	18.02	34.42
					06/12/17	20.93	31.51
					10/11/17	27.13	25.31
					03/14/19	14.72	
Decommissioned March 2019							
R-MW1	Property, NE quadrant	4 to 14	–	28.11	10/24/92	7.15	20.96
					01/29/09	10.50	17.61
				37.78	02/19/10	10.35	27.43
					06/02/11	7.79	29.99
					02/07/12	8.98	28.80
					09/05/12	10.11	27.67
					12/21/12	8.44	29.34
					03/29/13	6.72	31.06
Decommissioned							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
R-MW2	Property, NE quadrant	5 to 15	36.7 to 26.7	30.86	10/24/92	10.04	20.82
					01/29/09	12.97	17.89
				40.53	02/19/10	12.93	27.60
					06/02/11	10.52	30.01
				41.74	02/07/12	11.61	30.13
					09/04/12	12.64	29.10
					12/21/12	10.84	30.90
					03/29/13	9.85	31.89
					01/06/14	Dry	
					03/20/17	6.20	35.54
					03/24/17	6.55	35.19
					04/14/17	6.56	35.18
					04/28/17	7.35	34.39
					05/05/17	7.87	33.87
					05/12/17	8.12	33.62
					05/19/17	8.55	33.19
					06/12/17	11.26	30.48
	10/11/17	Dry					
	03/14/19	6.39	35.35				
Decommissioned March 2019							
R-MW3	Property, NE quadrant	7 to 17	34.7 to 24.7	32.04	10/24/92	11.29	20.75
					01/29/09	14.22	17.82
				41.74	02/19/10	14.21	27.53
					06/02/11	11.77	29.97
					02/07/12	12.90	28.84
					09/04/12	14.00	27.74
					12/21/12	12.09	29.65
					03/29/13	11.17	30.57
					01/06/14	16.35	25.39
					03/20/17	7.34	34.40
					03/24/17	7.66	34.08
					04/14/17	7.68	34.06
					04/28/17	8.46	33.28
					05/05/17	8.78	32.96
					05/12/17	9.20	32.54
					05/19/17	9.48	32.26
					06/12/17	12.48	29.26
	10/11/17	16.45	25.29				
	03/14/19	7.41	34.33				
Decommissioned March 2019							
R-MW4	Valley St ROW, S side	15 to 30	–	40.94	10/24/92	21.99	18.95
Decommissioned before 2009							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
R-MW5	Dexter Ave N ROW, E side	15 to 30	42.4 to 27.4	47.20	10/28/92	22.89	24.31	
					01/29/09	22.80	24.40	
				57.01	02/19/10	21.93	35.08	
					06/02/11	20.48	36.53	
					02/07/12	21.61	35.40	
					57.03	09/05/12	23.72	33.31
						12/21/12	22.55	34.48
					57.01	03/29/13	21.72	35.31
						12/18/13	28.59	28.44
						03/20/17	17.92	39.11
						03/24/17	18.29	38.74
						06/12/17	21.58	35.45
						10/11/17	26.31	30.72
						03/14/19	18.18	38.85
						04/22/19	18.83	38.20
						07/16/19	25.25	31.78
				10/21/19		25.95	31.06	
				01/13/20		25.17	31.84	
				05/11/20		26.49	30.52	
				07/13/20		27.46	29.55	
				11/16/20		22.01	35.00	
				02/01/21		19.54	37.47	
				06/07/21		20.56	36.45	
				08/16/21		21.05	35.96	
				02/14/22		19.41	37.60	
				05/16/22	21.67	35.34		
08/08/22	22.97	34.04						
11/07/22	22.30	34.71						
02/21/23	–	–						
05/08/23	21.44	35.57						
08/10/23	Inaccessible	–						
10/30/23	20.44	36.57						
03/01/24	20.69	36.32						
05/20/24	23.08	33.93						
R-MW6	8th Ave N ROW, W side	12 to 22	33.3 to 23.3	35.39	10/28/92	17.85	17.54	
					01/29/09	19.15	16.24	
				45.18	02/19/10	18.25	26.93	
					05/03/10	18.25	26.93	
					06/02/11	16.22	28.96	
					02/07/12	14.11	31.07	
					45.28	09/05/12	19.38	25.90
						12/21/12	15.27	30.01
						03/29/13	17.18	28.10
					45.28	01/06/14	22.58	22.70
						03/20/17	11.49	33.79
						03/24/17	11.82	33.46
				04/14/17		12.37	32.91	
				04/28/17		13.41	31.87	
				05/05/17		13.60	31.68	
				05/12/17		13.99	31.29	
				05/19/17	14.21	31.07		
06/12/17	17.08	28.20						
10/11/17	Dry							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
R-MW6 Continued				44.52	03/14/19	12.24	33.04
					04/22/19	Inaccessible	
					07/16/19	Inaccessible	
					05/11/20	Inaccessible	
					07/13/20	Inaccessible	
					09/21/20	21.31	23.97
					10/01/20	20.10	25.18
					11/16/20	Inaccessible	
					02/01/21	12.30	32.98
					06/07/21	16.41	28.87
					08/16/21	Inaccessible	
					02/14/22	13.78	30.74
					05/16/22	15.50	29.02
					08/08/22	17.05	27.47
					11/07/22	16.36	28.16
					02/21/23	15.99	28.53
					05/08/23	23.33	21.19
					08/10/23	17.86	26.66
10/30/23	17.17	27.35					
03/01/24	22.17	22.35					
05/20/24	26.53	17.99					
SCL-MW101	Alley E of Seattle Roy Aloha Shops	5 to 15	25.5 to 15.5	30.46	02/07/12	7.48	22.98
					01/06/14	13.09	17.37
					03/20/17	7.00	23.46
					03/24/17	7.08	23.38
					06/14/17	11.50	18.96
					10/11/17	Dry	
					03/14/19	7.64	22.82
					04/22/19	7.55	22.91
					07/16/19	7.90	22.56
					10/21/19	8.85	21.17
					01/13/20	7.87	22.15
					05/11/20	12.46	17.56
					07/13/20	13.95	16.07
					11/16/20	11.32	18.70
					02/01/21	9.57	20.45
					06/07/21	9.60	20.42
					08/16/21	9.89	20.13
					02/14/22	7.09	22.93
					05/16/22	7.22	22.80
					08/08/22	7.71	22.31
11/07/22	7.86	22.16					
02/21/23	7.35	22.67					
05/08/23	7.38	22.64					
08/10/23	8.23	21.79					
10/30/23	7.94	22.08					
02/28/24	7.22	22.80					
06/04/24	7.44	22.58					
SCL-MW102	800 Aloha Street Parcel	–	–	–	02/07/12	7.89	

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
SCL-MW105	Alley E of Seattle Roy Aloha Shops	20 to 30	11.1 to 1.1	31.26	02/07/12	10.46	20.80
					01/06/14	13.88	17.38
					03/20/17	11.40	19.86
					03/24/17	10.04	21.22
					06/12/17	20.45	10.81
				30.77	10/11/17	23.47	7.79
					03/14/19	7.97	23.29
					04/22/19	7.98	23.28
					07/16/19	10.87	20.39
					10/21/19	10.42	20.35
					01/13/20	13.00	17.77
					05/11/20	16.90	13.87
					07/13/20	14.63	16.14
					11/16/20	16.74	14.03
					02/01/21	13.48	17.29
					06/07/21	11.95	18.82
					08/16/21	12.28	18.49
					02/14/22	10.28	20.49
					05/16/22	9.97	20.80
					08/08/22	10.25	20.52
11/07/22	10.88	19.89					
02/21/23	10.33	20.44					
05/08/23	9.92	20.85					
08/10/23	11.05	19.72					
10/30/23	10.86	19.91					
02/28/24	9.80	20.97					
05/20/24	10.15	20.62					
SCS-1	800 Aloha Street Parcel	–	–	39.55	02/07/12	17.51	22.04
SCS-2	Seattle Roy Aloha Shops, N end	11 to 21	28.2 to 18.2	39.16	02/07/12	16.56	22.60
					03/20/17	15.65	23.51
					03/24/17	–	
					06/12/17	20.18	18.98
					03/14/19	16.22	22.94
					04/22/19	16.29	22.87
					07/16/19	17.04	22.12
					10/21/19	18.95	20.21
					01/13/20	18.28	20.88
					05/11/20	Dry	
					05/11/20	Dry	
					07/13/20	Dry	
					11/16/20	Dry	
					02/02/21	18.44	20.72
					06/01/21	18.68	20.48
					08/17/21	18.90	20.26
					02/15/22	15.81	23.35
					05/16/22	15.79	23.37
					08/08/22	16.76	22.40
					11/07/22	17.73	21.43
02/21/23	16.13	23.03					
05/08/23	16.20	22.96					
08/10/23	17.60	21.56					
10/30/23	17.77	21.39					
02/28/24	15.92	23.24					
05/20/24	16.75	22.41					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
SCS-3	800 Aloha Street Parcel	–	–	36.73	02/07/12	14.10	22.63
SCS-4	800 Aloha Street Parcel	–	–	35.33	02/07/12	12.93	22.40
SCS-5	800 Aloha Street Parcel	–	–	39.06	02/07/12	17.81	21.25
SVE-1	Westlake Ave N, W side (Block 43)	5.0 to 17.0	23.1 to 11.1	28.05	02/14/22	9.46	18.59
					05/16/22	3.30	24.75
					08/08/22	5.82	22.23
					11/07/22	6.80	21.25
					02/21/23	8.14	19.91
					05/08/23	8.08	19.97
					08/10/23	DRY	–
SVE-2	Westlake Ave N, W side (Block 43)	5.0 to 17.0	23.7 to 11.7	28.66	02/14/22	10.29	18.37
					05/16/22	7.90	20.76
					08/08/22	9.57	19.09
					11/07/22	8.44	20.22
					02/21/23	9.08	19.58
					05/08/23	8.88	19.78
					08/10/23	10.81	17.85
10/30/23	9.49	19.17					
SVE-3	Valley St ROW, S side (Block 43)	4.0 to 10.0	25.9 to 19.9	29.92	02/14/22	Dry	–
					05/16/22	6.08	23.84
					08/08/22	9.87	20.05
					11/07/22	dry	–
					02/21/23	Dry	–
					05/08/23	Dry	–
					08/10/23	11.32	18.60
10/30/23	11.21	18.71					
SVE-4	Valley St ROW, S side (Block 43)	4.0 to 16.0	24.4 to 12.4	28.36	02/14/22	9.30	19.06
					05/16/22	8.76	19.60
					08/08/22	9.04	19.32
					11/07/22	9.16	19.20
					02/21/23	9.15	19.21
					05/08/23	8.92	19.44
					08/10/23	9.80	18.56
10/30/23	9.72	18.64					
SVE-5	Valley St ROW, S side (Block 43)	4.0 to 12.0	25.3 to 17.3	29.28	02/14/22	6.06	23.22
					05/16/22	8.29	20.99
					08/08/22	9.81	19.47
					11/07/22	9.36	19.92
					02/21/23	9.65	19.63
					05/08/23	9.66	19.62
					08/10/23	10.63	18.65
10/30/23	10.71	18.57					
Intermediate A Zone							
B-37-7	Block 37, SW quadrant	30.5 to 40.5	-0.8 to -10.8	29.71	02/14/22	13.23	16.48
					05/16/22	11.52	18.19
					08/08/22	12.57	17.14
					11/07/22	12.01	17.70
					02/21/23	11.69	18.02
					05/08/23	11.26	18.45
					08/10/23	12.01	17.70
10/30/23	12.24	17.47					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
B-37-8	Block 37, SW quadrant	30.5 to 40.5	-0.6 to -10.6	29.94	02/14/22	12.90	17.04
					05/16/22	12.65	17.29
					08/08/22	12.40	17.54
					11/07/22	12.26	17.68
					02/21/23	11.92	18.02
					05/08/23	11.86	18.08
					08/10/23	12.31	17.63
B-37-9	Block 37, SE quadrant	29.5 to 30.5	0.4 to -0.6	29.93	02/14/22	12.41	17.52
					05/16/22	11.68	18.25
					08/08/22	11.42	18.51
					11/07/22	12.09	17.84
					02/21/23	11.79	18.14
					05/08/23	10.31	19.62
					08/10/23	12.09	17.84
BB-5	SDOT Mercer Parcels, SE quadrant	30 to 40	-	-	09/05/97	23.60	
					09/09/97	23.90	
					10/17/97	22.78	
					11/17/97	23.40	
					12/02/97	22.28	
					01/21/98	23.85	
					02/27/98	23.45	
					03/25/98	22.86	
					04/24/98	23.40	
					06/05/98	23.56	
					07/08/98	23.83	
					07/27/98	24.25	
					08/25/98	24.42	
					09/30/98	24.04	
					Decommissioned		
BB-7	Valley St ROW, S side	25 to 35	-	-	06/13/97	8.80	
					06/20/97	8.40	
					06/24/97	9.70	
					11/17/97	9.44	
					12/02/97	7.78	
					01/22/98	9.83	
					02/27/98	9.01	
					03/25/98	8.98	
					04/22/98	9.18	
					06/05/98	9.39	
					07/08/98	9.14	
					07/27/98	9.55	
					08/25/98	10.50	
09/29/98	9.83						
					Decommissioned		

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
BB-8	Roy St ROW, S side	30 to 40	14.0 to 4.0	–	06/20/97	17.49		
					06/24/97	19.00		
					10/06/97	20.40		
					01/25/98	20.68		
					02/28/98	20.20		
					03/30/98	20.14		
					04/22/98	19.99		
					06/04/98	20.51		
					07/27/98	24.02		
					01/29/09	20.08		
					44.25	02/19/10	18.66	25.59
						05/03/10	19.90	24.35
						06/02/11	17.64	26.61
					02/07/12	15.39	28.86	
				44.26	09/05/12	20.01	24.25	
					12/21/12	16.23	28.03	
					03/29/13	18.70	25.56	
				43.69	01/06/14	24.42	19.27	
					06/16/15	18.90	24.79	
					03/20/17	13.21	30.48	
					03/24/17	13.26	30.43	
					06/12/17	18.80	24.89	
					10/11/17	23.87	19.82	
					03/14/19	13.73	29.96	
					04/22/19	15.36	28.33	
					07/17/19	20.41	23.28	
				43.64	10/21/19	26.19	17.45	
					01/13/20	24.10	19.54	
					05/11/20	26.62	17.02	
					07/13/20	27.60	16.04	
					11/16/20	20.95	22.69	
					02/01/21	15.33	28.31	
					06/07/21	18.35	25.29	
					08/16/21	19.70	23.94	
	02/14/22	14.90	28.74					
	05/16/22	16.70	26.94					
	08/08/22	18.68	24.96					
	11/07/22	19.17	24.47					
	02/21/23	–	–					
	05/08/23	17.98	25.66					
	08/10/23	Inaccessible	–					
	10/30/23	19.18	24.46					
	03/01/24	16.10	27.54					
	05/20/24	19.02	24.62					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b						
BB-12	9th Ave N ROW, W side	35 to 45	–	–	03/25/98	14.89	17.68 19.49						
					04/27/98	14.97							
					05/19/98	15.01							
					07/08/98	15.32							
					07/28/98	15.68							
					08/25/98	15.00							
					09/29/98	14.78							
					02/19/10	16.33							
					05/02/10	14.52							
										Decommissioned			
BB-13	Westlake Ave N ROW, W side	35 to 45	–	–	03/25/98	9.38	18.15 18.52 20.09						
					04/23/98	8.76							
					05/19/98	9.11							
					07/08/98	9.00							
					07/28/98	9.25							
					09/29/98	8.00							
					02/19/10	9.50							
					05/02/10	9.13							
					02/07/12	7.56							
										Decommissioned			
BB-14	Valley St ROW, N side	40 to 60	–	–	03/25/98	8.38							
					04/22/98	8.24							
					05/19/98	8.29							
					07/08/98	7.42							
					07/28/98	9.03							
					08/25/98	9.49							
					09/29/98	6.14							
										Decommissioned			
					DMW-3IA	615 Dexter, NE quadrant		39.0 to 49.0	16.8 to 6.8	55.84	03/19/20	25.39	30.45
											05/11/20	25.99	29.85
07/13/20	26.68	29.16											
11/16/20	26.24	29.60											
02/01/21	22.90	32.94											
06/07/21	23.79	32.05											
08/16/21	24.43	31.41											
02/14/22	20.85	34.99											
02/22/23	38.10	17.74											
05/08/23	NM												
08/10/23	NM												
10/30/23	NM												
03/01/24	NM												
HC-4	601 Dexter, NE quadrant	40 to 50	20.2 to 10.2	60	03/19/20	31.50	28.50						
					05/11/20	32.21	27.79						
					06/07/21	31.13	28.87						
					08/16/21	31.70	28.30						
					02/15/22	29.05	30.95						
FMW-136	Block 38 West, S end	30 to 40	-4.9 to -14.9	24.79	08/30/18	8.10	16.69						
					12/28/18	7.74	17.05						
					03/26/19	7.41	17.38						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
FMW-142	9th Ave N ROW, E side	37.5 to 42.5	-4.6 to -9.6	32.52	10/31/19	15.50	17.02
					01/13/20	17.13	15.39
					04/28/20	18.83	13.69
					07/13/20	22.86	9.66
					11/16/20	22.57	9.95
					02/01/21	18.91	13.61
					06/07/21	16.13	16.39
					08/16/21	16.15	16.37
					02/14/22	14.10	18.42
					05/16/22	13.34	19.18
					08/08/22	13.40	19.12
					11/07/22	14.12	18.40
					02/21/23	13.79	18.73
					05/08/23	13.36	19.16
					08/10/23	14.29	18.23
10/30/23	14.33	18.19					
03/01/24	13.35	19.17					
05/21/24	13.38	19.14					
FMW-150	Block 38 West, S end	6.0 to 11.0 ³	-8.5 to -13.5 ⁴	23.3 ⁵	02/14/22	6.50	16.80
					05/16/22	5.95	17.35
					08/08/22	5.57	17.73
					11/07/22	5.92	17.38
					02/21/23	6.02	17.28
					05/08/23	5.51	17.79
					08/10/23	5.88	17.42
10/30/23	5.97	17.33					
FMW-151	Block 38 West, center of Property	6.8 to 11.8 ³	-9.3 to -14.3 ⁴	23.74	02/15/22	7.21	16.53
					05/16/22	6.34	17.40
					08/08/22	6.01	17.73
					11/07/22	7.40	16.34
					02/21/23	5.54	18.20
					05/08/23	5.93	17.81
					08/10/23	6.28	17.46
10/30/23	6.33	17.41					
FMW-152	Block 38 West, N end	6.0 to 11.0 ³	-8.5 to -13.5 ⁴	22.8 ⁵	02/14/22	5.76	17.04
					05/16/22	5.15	17.65
					08/08/22	4.88	17.92
					11/07/22	5.35	17.45
					02/21/23	5.00	17.80
					05/08/23	4.81	17.99
					08/10/23	5.30	17.50
10/30/23	5.34	17.46					
FMW-153	Block 38 West, S end	6.0 to 11.0 ³	-8.5 to -13.5 ⁴	24.72	02/15/22	8.50	16.22
					05/16/22	7.55	17.17
					08/08/22	7.27	17.45
					11/07/22	7.44	17.28
					02/21/23	7.04	17.68
					05/08/23	7.06	17.66
					08/10/23	7.32	17.40
10/30/23	7.45	17.27					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
FMW-157	Block 38 West	30.0 to 40.0	-4.1 to -14.1	25.95	02/14/22	5.87	20.08
					05/16/22	8.28	17.67
					08/08/22	8.04	17.91
					11/07/22	8.53	17.42
					02/21/23	5.16	20.79
					05/08/23	7.95	18.00
					08/10/23	8.43	17.52
					10/30/23	5.59	20.36
G-MW3	Property, SE quadrant	26 to 36	-	-	07/24/01	13.05	
					12/10/04	15.30	
					01/29/09	13.49	
					02/19/10	12.83	26.72
					06/02/11	11.00	28.55
					02/07/12	10.51	29.04
					09/06/12	13.14	26.41
					12/21/12	10.95	28.60
03/29/13	11.14	28.41					
Decommissioned							
GEI-1	Block 37, SW quadrant	26.8 to 36.8	1.2 to -8.9	27.95	03/24/17	8.63	19.32
					06/12/17	21.91	6.04
					03/14/19	9.64	18.31
					04/22/19	9.28	18.67
					07/16/19	9.59	18.36
					10/21/19	10.62	17.33
					01/13/20	11.37	16.58
					05/11/20	15.74	12.21
					07/13/20	16.09	11.86
					11/16/20	15.75	12.20
					02/01/21	13.03	14.92
					06/07/21	10.98	16.97
					08/16/21	11.29	16.66
					02/14/22	9.85	18.10
					05/16/22	8.89	19.06
					08/08/22	9.25	18.70
					11/07/22	9.61	18.34
02/21/23	18.19	9.76					
05/08/23	8.85	19.10					
08/10/23	9.93	18.02					
10/30/23	9.79	18.16					
03/01/24	9.09	18.86					
05/21/24	8.88	19.07					
GEI-MW-1	Block 79 East, N end	39.8 to 59.8	-9.7 to -29.7	30.30	05/11/20	18.65	11.65
					07/13/20	18.97	11.33
					11/16/20	Inaccessible	
					02/01/21	15.82	14.48
					06/07/21	13.25	17.05
					08/16/21	13.53	16.77
					02/14/22	12.03	18.27
					05/16/22	11.17	19.13
					08/08/22	11.29	19.01
					11/07/22	11.97	18.33
					02/21/23	11.65	18.65
					05/08/23	11.05	19.25
					08/10/23	12.04	18.26
10/30/23	12.09	18.21					
03/01/24	11.18	19.12					
05/23/24	11.20	19.10					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-21A	SDOT Mercer Parcels, NE quadrant	34.8 to 44.8	10.8 to 0.8	47.51	03/20/19	18.61	28.90
					03/26/19	19.11	28.40
					07/16/19	24.28	23.23
					12/05/19	27.83	19.68
					01/13/20	25.48	22.03
					03/19/20	27.29	20.22
					04/10/20	27.59	19.92
					05/11/20	28.27	19.24
					07/13/20	28.86	18.65
					11/16/20	23.31	24.20
					02/01/21	19.55	27.96
					06/07/21	23.32	24.19
					08/16/21	23.76	23.75
					02/14/22	20.11	27.40
					05/16/22	20.60	26.91
					08/08/22	22.80	24.71
					11/07/22	22.36	25.15
02/22/23	21.09	26.42					
05/08/23	21.73	25.78					
08/10/23	23.53	23.98					
10/30/23	22.65	24.86					
03/01/24	19.67	27.84					
HMW-31A	SDOT Mercer Parcels, NW quadrant	34.8 to 44.8	20.2 to 10.2	54.75	03/19/19	23.71	31.04
					03/26/19	23.99	30.76
					07/16/19	28.11	26.64
					12/05/19	30.82	23.93
					01/13/20	29.86	24.89
					03/19/20	29.54	25.21
					04/10/20	29.70	25.05
					05/11/20	30.05	24.70
					07/13/20	30.58	24.17
					11/16/20	27.90	26.85
					02/01/21	24.59	30.16
					06/07/21	26.52	28.23
					08/16/21	26.99	27.76
					02/14/22	24.24	30.51
					–	26.76	27.99
					08/08/22	28.40	26.35
					05/08/23	34.43	20.32
08/10/23	38.64	16.11					
10/30/23	38.76	15.99					
03/01/24	39.58	15.17					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-61A	SDOT Mercer Parcels, SW quadrant	37.5 to 47.5	21.2 to 11.2	61.27	03/19/20	33.43	27.84
					05/11/20	34.25	27.02
					07/13/20	36.05	25.22
					11/16/20	35.39	25.88
					02/01/21	33.25	28.02
					06/07/21	33.91	27.36
					08/16/21	34.59	26.68
					02/14/22	32.70	28.57
					05/16/22	33.21	28.06
					08/08/22	33.74	27.53
					11/07/22	34.39	26.88
					02/22/23	33.14	28.13
					05/08/23	33.37	27.90
					08/10/23	34.23	27.04
10/30/23	34.11	27.16					
03/01/24	32.47	28.80					
HMW-91A	SDOT Mercer Parcels, SW quadrant	36.7 to 46.7	18.6 to 8.6	58.21	03/19/20	34.18	24.03
					05/11/20	34.48	23.73
					07/13/20	34.95	23.26
					11/16/20	32.91	25.30
					02/01/21	30.89	27.32
					06/07/21	32.22	25.99
					08/16/21	32.56	25.65
					02/14/22	30.71	27.50
					05/16/22	31.39	26.82
					05/08/23	31.95	26.26
					08/10/23	32.67	25.54
					10/30/23	32.27	25.94
					03/01/24	30.69	27.52
					HMW-201A	SDOT Mercer Parcels, NW quadrant	41.0 to 51.0
06/07/21	30.43	26.04					
02/14/22	28.02	28.45					
05/16/22	–	–					
05/08/23	32.34	24.13					
08/10/23	NM	–					
10/30/23	15.19	41.28					
MW107	8th Ave N ROW, W side	35 to 45	8.8 to -1.2	43.82	12/21/12	17.28	26.54
					03/29/13	18.28	25.54
					01/06/14	26.74	17.08
					06/16/15	17.78	26.04
					10/19/15	19.88	23.94
					02/01/16	12.85	30.97
					03/20/17	11.80	32.02
					03/24/17	12.20	31.62
					04/14/17	12.31	31.51
					04/28/17	14.12	29.70
					05/05/17	14.34	29.48
					05/12/17	14.85	28.97
					05/19/17	15.03	28.79

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW107 Continued				43.01	06/12/17	18.62	25.20
					10/11/17	25.10	18.72
					03/14/19	12.84	30.98
					04/22/19	13.35	30.47
					07/16/19	21.75	22.07
					10/21/19	35.69	8.13
					01/13/20	31.55	12.27
					05/11/20	34.30	9.52
					07/13/20	34.99	8.83
					07/21/20	30.10	13.72
					08/04/20	27.84	15.98
					08/17/20	26.56	17.26
					09/03/20	25.84	17.98
					09/21/20	25.32	18.50
					11/16/20	Inaccessible	
					02/01/21	Inaccessible	
					06/07/21	Inaccessible	
					08/16/21	19.36	24.46
					02/14/22	15.51	27.50
					05/16/22	16.82	26.19
					08/08/22	17.95	25.06
					11/07/22	17.98	25.03
					02/21/23	17.67	25.34
					05/08/23	18.13	24.88
08/10/23	18.78	24.23					
10/30/23	Inaccessible						
03/01/24	15.80	27.21					
05/20/24	18.22	24.79					
MW108	Alley E of Seattle Roy Aloha Shops	40 to 50	-7.2 to -17.2	32.78	12/21/12	13.43	19.35
					03/29/13	15.76	17.02
					01/06/14	21.44	11.34
					06/16/15	15.53	17.25
					10/19/15	17.16	15.62
					02/01/16	16.31	16.47
					03/20/17	12.53	20.25
					03/24/17	12.61	20.17
					06/12/17	28.13	4.65
					10/11/17	29.02	3.76
					03/14/19	13.46	19.32
					04/22/19	13.19	19.59
					07/16/19	13.84	18.94
					10/21/19	15.92	16.86
					01/13/20	17.32	15.46
					05/11/20	22.13	10.65
					07/13/20	22.50	10.28
					11/16/20	21.55	11.23
					02/01/21	18.04	14.74
					06/07/21	15.50	17.28
08/16/21	15.67	17.11					
02/14/22	13.61	19.17					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW108 Continued					05/16/22	13.06	19.72
					08/08/22	13.21	19.57
					11/07/22	13.98	18.80
					02/21/23	13.49	19.29
					05/08/23	13.11	19.67
					08/10/23	14.08	18.70
					10/30/23	14.10	18.68
					02/28/24	13.06	19.72
					05/20/24	13.27	19.51
MW109	Alley E of Seattle Roy Aloha Shops	35 to 45	-0.0 to -10.0	34.97	12/21/12	15.80	19.17
					03/29/13	18.39	16.58
					01/06/14	24.74	10.23
					06/16/15	18.06	16.91
					10/19/15	19.80	15.17
					02/01/16	19.04	15.93
					03/20/17	15.00	19.97
					03/24/17	15.00	19.97
					06/12/17	31.53	3.44
					10/11/17	32.17	2.80
					03/14/19	15.87	19.10
					04/22/19	15.62	19.35
				34.87	07/16/19	16.23	18.74
					10/21/19	18.14	16.83
					01/13/20	19.58	15.29
					02/24/20	23.01	11.86
					05/11/20	24.80	10.07
					07/13/20	25.28	9.59
					07/21/20	25.21	9.66
					08/04/20	25.25	9.62
					08/17/20	25.21	9.66
					09/03/20	25.22	9.65
					09/21/20	Inaccessible	
					11/16/20	24.59	10.28
					02/01/21	20.78	14.09
					06/07/21	18.14	16.73
					08/16/21	18.20	16.67
					02/14/22	16.03	18.84
05/16/22	15.51	19.36					
08/08/22	15.61	19.26					
11/07/22	16.33	18.54					
02/21/23	15.87	19.00					
05/08/23	15.42	19.45					
08/10/23	16.45	18.42					
10/30/23	16.45	18.42					
02/28/24	15.40	19.47					
			05/20/24	11.40	23.47		

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW110	Alley E of Seattle Roy Aloha Shops	35 to 45	4.7 to -5.3	39.67	12/21/12	20.01	19.66
					03/29/13	22.95	16.72
					01/06/14	30.48	9.19
					04/22/15	22.59	17.08
					06/16/15	22.72	16.95
					10/19/15	24.57	15.10
					02/01/16	23.30	16.37
					03/20/17	19.10	20.57
					03/24/17	18.95	20.72
					06/12/17	34.70	4.97
					10/11/17	36.46	3.21
					03/14/19	20.18	19.49
					04/22/19	20.08	19.59
					07/16/19	20.83	18.84
					10/21/19	22.65	17.02
					01/13/20	23.89	15.78
					05/11/20	29.95	9.72
					07/13/20	30.51	9.16
					07/21/20	30.55	9.12
					08/04/20	30.70	8.97
					08/17/20	30.64	9.03
					09/03/20	30.67	9.00
					09/21/20	Inaccessible	
					11/16/20	30.04	9.63
					02/01/21	25.28	14.39
					06/07/21	23.00	16.67
08/16/21	23.01	16.66					
02/14/22	20.28	19.39					
05/16/22	20.05	19.62					
08/08/22	20.18	19.49					
11/07/22	21.08	18.59					
02/21/23	20.42	19.25					
05/08/23	19.96	19.71					
08/10/23	21.10	18.57					
10/30/23	21.09	18.58					
05/20/24	20.30	19.37					
MW114	SDOT Mercer Parcels, NW quadrant	35 to 45	10.8 to 0.8	45.84	12/21/12	16.50	29.34
					03/29/13	19.54	26.30
					01/06/14	25.93	19.91
					Destroyed		

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
MW115	9th Ave N ROW, W side	35 to 45	-0.6 to -10.6	34.14	12/21/12	15.26	18.88	
					03/29/13	18.34	15.80	
					01/06/14	26.08	8.06	
					04/22/15	16.49	17.65	
					06/16/15	17.72	16.42	
					10/19/15	19.61	14.53	
					02/01/16	19.14	15.00	
					03/20/17	14.72	19.38	
					03/24/17	14.70	19.40	
					06/12/17	32.50	1.60	
					10/11/17	32.58	1.52	
					03/14/19	15.64	18.46	
				34.10	04/22/19	15.42	18.68	
					07/16/19	15.80	18.30	
					10/21/19	17.34	16.76	
					01/13/20	19.13	14.97	
					05/11/20	24.84	9.26	
					07/13/20	25.39	8.71	
					11/16/20	24.97	9.13	
					02/01/21	21.00	13.10	
					06/07/21	18.00	16.10	
					08/16/21	17.96	16.14	
					02/14/22	15.82	18.28	
					05/16/22	15.21	18.89	
MW116	9th Ave N ROW, W side	35 to 45	-3.1 to -13.1	31.36	12/21/12	12.24	19.12	
					03/29/13	14.65	16.71	
					01/06/14	20.30	11.06	
					06/16/15	14.54	16.82	
					10/19/15	16.07	15.29	
					02/01/16	15.49	15.87	
					31.34	03/20/17	11.95	19.39
						03/24/17	11.99	19.35
						04/14/17	11.99	19.35
						04/28/17	20.60	10.74
						05/05/17	21.35	9.99
						05/12/17	22.16	9.18
05/19/17	22.46	8.88						
06/12/17	27.33	4.01						
10/11/17	28.26	3.08						
03/14/19	12.72	18.62						
04/22/19	12.41	18.93						
07/16/19	12.80	18.54						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW116 Continued					10/21/19	13.30	18.04
					01/13/20	15.59	15.75
					05/11/20	20.55	10.79
					07/13/20	20.99	10.35
					11/16/20	21.41	9.93
					02/01/21	18.88	12.46
					06/07/21	14.66	16.68
					08/16/21	14.71	16.63
					02/14/22	12.65	18.69
					05/16/22	12.11	19.23
					08/08/22	12.18	19.16
					11/07/22	13.11	18.23
					02/22/23	12.50	18.84
					05/08/23	12.04	19.30
					08/10/23	12.09	19.25
10/30/23	13.03	18.31					
03/01/24	12.04	19.30					
05/20/24	12.07	19.27					
MW117	Dexter Ave N ROW, E side	40 to 55	16.9 to 1.9	56.90	02/08/13	27.46	29.44
					03/29/13	27.81	29.09
					01/06/14	30.54	26.36
					Destroyed		
MW118	Mercer St ROW, N side	40 to 50	12.9 to 2.9	52.91	03/25/13	27.18	25.73
					03/29/13	27.49	25.42
					01/06/14	29.81	23.10
					Destroyed		
MW119	9th Ave N ROW, W side	35 to 45	2.7 to -7.3	37.35	03/25/13	22.21	15.14
					03/29/13	22.52	14.83
					01/06/14	32.12	5.23
					04/22/15	21.12	16.23
					06/16/15	21.12	16.23
					10/19/15	23.50	13.85
					02/01/16	22.99	14.36
					03/20/17	17.40	20.02
					03/24/17	17.45	19.97
					04/14/17	17.91	19.51
					04/28/17	27.14	10.28
				05/05/17	28.25	9.17	
				05/12/17	29.25	8.17	
				05/19/17	29.68	7.74	
				06/12/17	35.73	1.69	
				10/11/17	39.94	-2.52	
				03/14/19	18.79	18.63	
				03/26/19	18.62	18.80	
				04/22/19	18.64	18.78	
				07/16/19	19.07	18.35	
				07/17/19	18.97	18.45	
				07/30/19	19.18	18.24	
10/21/19	20.44	16.98					
11/11/19	20.74	16.68					
01/13/20	22.31	15.11					
01/14/20	22.51	14.91					
02/18/20	25.66	11.76					
				37.42			

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
MW119 Continued					03/19/20	28.14	9.28	
					03/24/20	28.36	9.06	
					05/11/20	29.32	8.10	
					07/13/20	29.96	7.46	
					11/16/20	29.50	7.92	
					02/01/21	24.79	12.63	
					06/07/21	21.75	15.67	
					08/16/21	21.55	15.87	
					02/14/22	18.83	18.59	
					05/16/22	18.40	19.02	
					08/08/22	18.43	18.99	
					11/07/22	19.20	18.22	
					02/21/23	18.35	19.07	
					05/08/23	18.19	19.23	
					08/10/23	19.16	18.26	
10/30/23	19.10	18.32						
03/01/24	17.91	19.51						
05/20/24	18.40	19.02						
MW120	8th Ave N ROW, E side	40 to 50	0.0 to -10.0	40.00	01/06/14	22.80	17.20	
					06/16/15	18.10	21.90	
					10/19/15	19.91	20.09	
					02/01/16	16.98	23.02	
					03/20/17	16.50	23.50	
					03/24/17	15.24	24.76	
					06/12/17	23.65	16.35	
					10/11/17	26.99	13.01	
					03/14/19	16.06	23.94	
					04/22/19	15.79	24.21	
					07/16/19	17.55	22.45	
					08/19/19	20.17	19.83	
					10/21/19	22.88	17.12	
					39.94	01/13/20	23.57	16.37
						05/11/20	26.57	13.37
				07/13/20		26.52	13.42	
				07/21/20		25.45	14.49	
				08/04/20		24.39	15.55	
				08/17/20		23.88	16.06	
				09/03/20		23.55	16.39	
				09/21/20		23.55	16.39	
				11/16/20		22.07	17.87	
				02/01/21		19.30	20.64	
				06/07/21		18.34	21.60	
				08/16/21		18.58	21.36	
				02/14/22		16.58	23.36	
				05/16/22		16.84	23.10	
				08/08/22		17.19	22.75	
				11/07/22	Inaccessible			
				02/21/23	17.32	22.62		
05/08/23	17.09	22.85						
08/10/23	18.02	21.92						
10/30/23	17.81	22.13						
03/01/24	16.30	23.64						
05/20/24	17.37	22.57						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW127	8th Ave N ROW, E side	40 to 50	-1 to -11	39.04	01/06/14	22.09	16.95
					08/01/19	17.76	21.28
					10/21/19	20.33	18.71
					01/13/20	21.06	17.98
					05/11/20	24.08	14.96
					07/13/20	24.06	14.98
					11/16/20	21.42	17.62
					02/01/21	19.31	19.73
					06/07/21	18.10	20.94
					08/16/21	18.29	20.75
					02/14/22	16.46	22.58
					05/16/22	16.48	22.56
					08/08/22	16.81	22.23
					11/07/22	17.54	21.50
					02/21/23	16.94	22.10
					05/08/23	16.69	22.35
08/10/23	17.55	21.49					
10/30/23	17.51	21.53					
03/01/24	NM	-					
05/20/24	16.78	22.26					
MW131	Property, SE quadrant	45 to 55	-4.2 to -14.2	39.39	03/20/17	9.73	29.66
					03/24/17	10.11	29.28
					04/14/17	10.31	29.08
					04/28/17	12.10	27.29
					05/05/17	13.10	26.29
					05/12/17	12.69	26.70
					05/19/17	12.84	26.55
					06/12/17	15.77	23.62
					10/11/17	20.75	18.64
					03/14/19	8.48	30.91
					Decommissioned		
MW-142	8th Ave N ROW, E side	40 to 50	2.4 to -7.6	42.12	03/14/19	15.42	26.70
					04/22/19	15.75	26.37
					07/16/19	20.13	21.99
					08/19/19	27.21	14.91
					10/21/19	29.14	12.98
					01/13/20	29.58	12.54
					05/11/20	32.15	9.97
					07/13/20	32.26	9.86
					07/21/20	29.21	12.91
					08/04/20	27.42	14.70
					08/17/20	26.62	15.50
					09/03/20	26.05	16.07
					09/21/20	25.85	16.27
					11/16/20	22.44	19.68
02/01/21	19.42	22.70					
06/07/21	19.63	22.49					
08/16/21	19.88	22.24					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-142 Continued					02/14/22	17.41	24.71
					05/16/22	17.94	24.18
					08/08/22	18.66	23.46
					11/07/22	19.40	22.72
					02/21/23	18.61	23.51
					05/08/23	18.72	23.40
					08/10/23	19.63	22.49
					10/30/23	19.15	22.97
					03/01/24	18.10	24.02
					05/20/24	18.63	23.49
MW-144	8th Ave N ROW, E side	40 to 50	3.9 to -6.1	43.50	03/14/19	14.07	29.43
					04/22/19	15.73	27.77
					07/16/19	–	
Decommissioned December 2019							
MW-144R	8th Ave N ROW, E side	40 to 50	2.8 to -7.3	42.46	01/13/20	29.43	13.03
					05/11/20	31.36	11.10
					07/13/20	30.83	11.63
					07/21/20	29.77	12.69
					08/04/20	28.68	13.78
					08/17/20	26.61	15.85
					09/03/20	Inaccessible	
					09/21/20	Inaccessible	
					11/16/20	21.43	21.03
					02/01/21	18.53	23.93
					06/07/21	22.48	19.98
					08/16/21	19.45	23.01
					02/14/22	16.28	26.18
					05/16/22	17.31	25.15
					08/08/22	18.40	24.06
					11/07/22	18.85	23.61
					02/21/23	17.69	24.77
05/08/23	18.34	24.12					
08/10/23	19.36	23.10					
10/30/23	18.80	23.66					
03/01/24	20.17	22.29					
					05/20/24	18.48	23.98
MW-146	Roy St ROW, S side	40 to 50	12.9 to 2.9	52.34	03/14/19	19.89	32.45
					03/26/19	21.12	31.22
					04/22/19	22.15	30.19
					07/16/19	30.04	22.30
					07/17/19	30.16	22.18
					08/19/19	32.45	19.89
					10/21/19	33.98	18.36
					01/13/20	32.90	19.44
					03/19/20	33.66	18.68
					05/11/20	33.90	18.44
					07/13/20	34.35	17.99
					07/21/20	33.58	18.76
					08/04/20	32.84	19.50
					08/17/20	32.44	19.90

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-146 Continued					09/03/20	31.90	20.44
					09/21/20	31.35	20.99
					11/16/20	25.89	26.45
					02/01/21	22.24	30.10
					06/07/21	25.91	26.43
					08/16/21	26.18	26.16
					02/14/22	22.88	29.46
					05/16/22	24.04	28.30
					08/08/22	26.02	26.32
					11/07/22	25.80	26.54
					02/21/23	24.50	27.84
					05/08/23	25.20	27.14
					08/10/23	26.45	25.89
					10/30/23	25.65	26.69
03/01/24	23.16	29.18					
05/20/24	25.94	26.40					
MW-149	Property, NE quadrant	35 to 45	0.7 to -9.3	35.22	03/14/19 Decommissioned March 2019	3.15	32.07
MW-151	Property, SW quadrant	35 to 45	4.9 to -5.1	39.38	03/14/19 Decommissioned March 2019	3.35	36.03
MW-156	8th Ave N ROW, E side	40 to 50	2.0 to -8.0	41.24	01/24/19	15.06	26.18
					03/14/19	15.72	25.52
					04/22/19	16.06	25.18
					07/16/19	19.32	21.92
					08/19/19	26.07	15.17
					10/21/19	27.26	13.98
					01/13/20	27.61	13.63
					05/11/20	30.58	10.66
					07/13/20	30.44	10.80
					07/21/20	28.06	13.18
					08/04/20	26.56	14.68
					08/17/20	25.80	15.44
					09/03/20	25.46	15.78
					09/21/20	25.20	16.04
					11/16/20	22.24	19.00
					02/01/21	19.25	21.99
					06/07/21	19.20	22.04
					08/16/21	19.45	21.79
					02/14/22	17.21	24.03
					05/16/22	17.77	23.47
08/08/22	18.21	23.03					
11/07/22	18.84	22.40					
02/21/23	18.15	23.09					
05/08/23	18.15	23.09					
08/10/23	19.04	22.20					
10/30/23	19.87	21.37					
03/01/24	19.50	21.74					
05/20/24	18.12	23.12					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b	
MW-189	Valley St ROW, S side	48.8 to 58.8	-1.2 to -11.2	47.33	10/21/19	34.50	12.83	
					01/13/20	34.96	12.37	
					05/11/20	35.56	11.77	
					07/13/20	35.10	12.23	
					07/21/20	32.15	15.18	
					08/04/20	30.91	16.42	
					08/17/20	28.82	18.51	
					09/03/20	28.16	19.17	
					09/21/20	27.77	19.56	
					10/01/20	26.35	20.98	
				11/16/20	23.37	23.96		
				02/01/21	20.61	26.72		
				06/07/21	21.78	25.55		
				08/16/21	22.83	24.50		
				47.99	02/14/22	20.59	27.40	
				05/16/22	21.65	26.34		
				08/08/22	22.26	25.73		
				11/07/22	22.78	25.21		
				02/21/23	22.05	25.94		
				05/08/23	22.36	25.63		
08/10/23	23.16	24.83						
10/30/23	22.42	25.57						
03/01/24	21.03	26.96						
05/20/24	22.01	25.98						
MW-302	Dexter Ave N ROW, E side	54.3 to 64.3	3.0 to -7.0	57.03	10/21/19	46.52	10.51	
					01/13/20	40.09	16.94	
					05/11/20	45.70	11.33	
					07/13/20	41.51	15.52	
					11/16/20	28.90	28.13	
					02/01/21	24.61	32.42	
					06/07/21	25.23	31.80	
					08/16/21	Inaccessible		
					56.90	02/14/22	24.10	32.80
					05/16/22	25.84	31.06	
				08/08/22	27.55	29.35		
				11/07/22	26.80	30.10		
				02/21/23	–			
				05/08/23	25.95	30.95		
				08/10/23	Inaccessible	–		
				10/30/23	25.73	31.17		
03/01/24	25.47	31.43						
05/20/24	26.33	30.57						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-306	Roy St ROW, S side	42.8 to 52.8	17.2 to 7.2	59.48	10/21/19	30.04	29.44
					01/13/20	29.63	29.85
					03/19/20	28.75	30.73
					05/11/20	29.29	30.19
					07/13/20	29.98	29.50
					07/21/20	30.00	29.48
					08/04/20	30.08	29.40
					08/17/20	30.20	29.28
					09/03/20	30.39	29.09
					09/21/20	30.42	29.06
					11/16/20	29.75	29.73
					02/01/21	26.39	33.09
					06/07/21	27.22	32.26
					08/16/21	27.79	31.69
					02/14/22	24.00	35.48
					05/16/22	32.90	26.58
					08/08/22	37.55	21.93
					11/04/22	35.88	23.60
					02/21/23	35.37	24.11
					05/08/23	35.30	24.18
08/10/23	35.47	24.01					
10/30/23	35.38	24.10					
03/01/24	34.85	24.63					
05/20/24	35.11	24.37					
MW-308	Alley E of Seattle Roy Aloha Shops	35.1 to 45.1	-4.7 to -14.7	30.15	10/21/19	13.07	17.08
					01/13/20	14.32	15.83
					02/24/20	17.04	13.11
					05/11/20	18.70	11.45
					07/13/20	19.06	11.09
					11/16/20	18.25	11.90
					02/01/21	15.02	15.13
					06/07/21	12.65	17.50
					08/16/21	12.80	17.35
					02/14/22	10.89	19.26
					05/16/22	10.37	19.78
					08/08/22	10.50	19.65
					11/07/22	11.22	18.93
					02/21/23	10.90	19.25
					05/08/23	10.34	19.81
					08/10/23	11.37	18.78
10/30/23	11.30	18.85					
02/28/24	10.42	19.73					
05/20/24	10.41	19.74					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-315	Mercer St ROW, N side	37.5 to 47.5	12.2 to 2.2	49.18	10/21/19	27.08	22.10
					01/13/20	25.80	23.38
					03/19/20	27.24	21.94
					05/11/20	28.12	21.06
					07/13/20	28.65	20.53
					11/16/20	25.28	23.90
					02/01/21	22.31	26.87
					06/07/21	24.80	24.38
					08/16/21	25.10	24.08
					02/14/22	22.22	26.96
					05/16/22	22.58	26.60
					08/08/22	24.06	25.12
					11/07/22	24.01	25.17
					02/21/23	22.61	26.57
					05/08/23	23.05	26.13
					08/10/23	24.58	24.60
10/30/23	23.93	25.25					
03/01/24	21.74	27.44					
05/20/24	24.00	25.18					
MW-317	9th Ave N ROW, W side	28.2 to 38.2	3.4 to -6.6	31.35	10/21/19	13.86	17.49
					01/13/20	14.80	16.55
					05/11/20	19.14	12.21
					07/13/20	19.65	11.70
					11/16/20	19.37	11.98
					02/01/21	16.28	15.07
					06/07/21	14.18	17.17
					08/16/21	14.30	17.05
					02/14/22	12.31	19.04
					05/16/22	11.58	19.77
					08/08/22	11.90	19.45
					11/07/22	12.59	18.76
					02/22/23	12.19	19.16
					05/08/23	11.75	19.60
					08/10/23	12.89	18.46
					10/30/23	12.76	18.59
03/01/24	12.05	19.30					
05/20/24	12.03	19.32					
MW-325	Mercer St ROW, N side	34.5 to 44.5	7.0 to -3.0	40.90	10/21/19	23.69	17.21
					01/13/20	25.57	15.33
					03/19/20	31.64	9.26
					05/11/20	33.31	7.59
					07/13/20	34.03	6.87
					09/21/20	34.33	6.57
					11/16/20	33.78	7.12
					02/01/21	28.79	12.11
					06/07/21	25.55	15.35
					08/16/21	25.25	15.65
					02/14/22	22.14	18.76
					05/16/22	21.84	19.06
					08/08/22	21.91	18.99
					11/07/22	22.81	18.09
					02/21/23	21.60	19.30
					05/08/23	21.56	19.34
08/10/23	22.51	18.39					
10/30/23	22.46	18.44					
03/01/24	21.18	19.72					
05/20/24	21.85	19.05					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-327	Lake Union Park, S end	24.8 to 34.8	3.6 to -6.3	28.15	10/21/19	10.06	18.09
					01/13/20	10.48	17.67
					05/11/20	12.52	15.63
					07/13/20	12.95	15.20
					09/21/20	13.83	14.32
					11/16/20	12.38	15.77
					02/01/21	11.04	17.11
					06/07/21	9.75	18.40
					08/16/21	11.02	17.13
					02/14/22	10.29	17.86
					05/16/22	8.72	19.43
					08/08/22	9.58	18.57
					11/07/22	9.45	18.70
					02/21/23	9.69	18.46
					05/08/23	9.10	19.05
					08/10/23	10.29	17.86
10/30/23	10.06	18.09					
03/01/24	9.23	18.92					
05/20/24	9.05	19.10					
MW-330	Valley St ROW, N side	52.1 to 62.1	-0.43 to -10.43	51.67	05/11/20	34.24	17.43
					07/13/20	34.98	16.69
					08/17/20	29.84	21.83
					09/03/20	29.06	22.61
					09/21/20	28.60	23.07
					11/16/20	24.60	27.07
					02/01/21	22.27	29.40
					06/07/21	23.01	28.66
					08/16/21	23.20	28.47
					02/14/22	21.08	30.59
					05/16/22	22.15	29.52
					11/07/22	Inaccessible	
					02/21/23	22.76	28.91
					05/08/23	22.80	28.87
					08/10/23	23.62	28.05
					10/30/23	22.84	28.83
03/01/24	21.65	30.02					
05/20/24	22.71	28.96					
MW-331	Alley E of Seattle Roy Aloha Shops	35.6 to 45.6	-5.17 to -15.17	30.43	05/11/20	17.05	13.38
					07/13/20	17.32	13.11
					11/16/20	16.83	13.60
					02/03/21	14.07	16.36
					06/07/21	12.09	18.34
					08/16/21	12.45	17.98
					02/14/22	10.79	19.64
					05/16/22	10.24	20.19
					08/08/22	10.54	19.89
					11/07/22	11.24	19.19
					02/21/23	10.81	19.62
					05/08/23	10.27	20.16
					08/10/23	11.27	19.16
					10/30/23	11.26	19.17
02/28/24	10.24	20.19					
05/20/24	9.97	20.46					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-333	900 Roy St, S end	33.2 to 43.2	-2.1 to -12.1	31.10	05/11/20	20.26	10.84
					07/13/20	20.65	10.45
					11/16/20	20.34	10.76
					02/01/21	17.12	13.98
					06/07/21	14.57	16.53
					08/16/21	14.69	16.41
					02/14/22	12.82	18.28
					05/16/22	12.03	19.07
					08/08/22	12.09	19.01
					11/07/22	12.66	18.44
					02/21/23	12.40	18.70
					05/08/23	Inaccessible	–
					08/10/23	Inaccessible	–
					10/30/23	12.95	18.15
					03/01/24	12.05	19.05
05/20/24	12.20	18.90					
MW-344	SDOT Mercer Parcels, NW quadrant	39.4 to 49.4	13.6 to 3.6	52.70	06/07/21	26.19	26.51
					08/16/21	26.52	26.18
					02/14/22	23.32	29.38
					05/16/22	24.61	28.09
					08/08/22	26.50	26.20
					11/07/22	26.28	26.42
					02/22/23	24.98	27.72
					05/08/23	25.64	27.06
					08/10/23	26.85	25.85
					10/30/23	26.10	26.60
					03/01/24	23.63	29.07
					05/20/24	26.27	26.43
					Intermediate B Zone		
FMW-130	Block 38 West, S end	45 to 55	-22.8 to -32.8	21.86	08/30/18	5.14	16.72
					12/28/18	4.98	16.88
					03/26/19	4.42	17.44
FMW-141	Alley E of Seattle Roy Aloha Shops	47.5 to 57.5	-12.1 to -22.1	35.15	10/30/19	18.31	16.84
					01/13/20	19.86	15.29
					05/11/20	25.17	9.98
					07/13/20	26.65	8.50
					07/21/20	25.53	9.62
					08/04/20	25.55	9.60
					08/17/20	24.53	10.62
					09/03/20	25.54	9.61
					09/21/20	Inaccessible	–
					11/16/20	24.25	10.90
					02/01/21	22.15	13.00
					06/07/21	18.52	16.63
					08/16/21	18.60	16.55
					02/14/22	16.45	18.70
					05/16/22	15.89	19.26
					08/08/22	16.02	19.13
					11/07/22	16.75	18.40
					02/21/23	16.28	18.87
					05/08/23	–	–
					08/10/23	16.75	18.40
10/30/23	16.81	18.34					
03/01/24	NM	–					
05/21/24	15.85	19.30					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
G-MW1	Property, NW quadrant	30 to 35	-	-	07/24/01	10.54		
					01/29/09	11.25		
					39.01	02/19/10	10.47	28.54
					06/03/11	8.15	30.86	
					02/07/12	9.34	29.67	
					09/06/12	11.11	27.90	
					12/21/12	9.04	29.97	
					03/29/13	10.11	28.90	
HMW-1IB	SDOT Mercer Parcels, NE quadrant	54.3 to 64.3	-16.0 to -26.0	38.38	03/20/19	19.29	19.09	
					03/26/19	19.47	18.91	
					05/16/19	19.22	19.16	
					07/17/19	19.89	18.49	
					08/15/19	20.25	18.13	
					12/05/19	21.91	16.47	
					01/13/20	20.79	17.59	
					03/19/20	28.58	9.80	
					04/10/20	29.39	8.99	
					05/11/20	29.90	8.48	
					07/13/20	30.57	7.81	
					11/16/20	30.10	8.28	
					02/01/21	25.55	12.83	
					06/07/21	22.60	15.78	
					08/16/21	22.52	15.86	
					02/14/22	19.59	18.79	
					05/16/22	19.26	19.12	
					08/08/22	19.38	19.00	
					11/07/22	20.04	18.34	
					02/22/23	15.66	22.72	
05/08/23	19.02	19.36						
08/10/23	20.02	18.36						
10/30/23	20.00	18.38						
03/01/24	18.68	19.70						
HMW-2IB	SDOT Mercer Parcels, NE quadrant	52.8 to 62.8	-5.4 to -15.4	47.19	03/20/19	27.50	19.69	
					03/26/19	27.32	19.87	
					07/16/19	28.29	18.90	
					12/05/19	30.51	16.68	
					01/13/20	31.02	16.17	
					03/12/20	36.15	11.04	
					03/19/20	36.33	10.86	
					04/10/20	37.11	10.08	
					05/11/20	37.68	9.51	
					07/13/20	38.41	8.78	
					11/16/20	37.62	9.57	
					02/01/21	33.32	13.87	
					06/07/21	31.03	16.16	
					08/16/21	30.94	16.25	
					02/14/22	27.87	19.32	
					05/16/22	27.64	19.55	
					08/08/22	27.71	19.48	
					11/07/22	28.45	18.74	
					02/22/23	27.63	19.56	
					05/08/23	27.40	19.79	
08/10/23	28.47	18.72						
10/30/23	28.41	18.78						
03/01/24	26.85	20.34						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-4IA	SDOT Mercer Parcels, SW quadrant	50.0 to 60.0	8.7 to -1.3	58.53	03/19/19	29.50	29.03
					03/26/19	30.21	28.32
					07/17/19	33.10	25.43
					12/05/19	35.08	23.45
					01/13/20	34.20	24.33
					03/19/20	33.70	24.83
					04/10/20	33.79	24.74
					05/11/20	34.11	24.42
					07/13/20	34.71	23.82
					02/01/21	30.68	27.85
					06/07/21	31.96	26.57
					02/14/22	30.06	28.47
					05/16/22	31.49	27.04
					08/08/22	32.46	26.07
					11/07/22	32.79	25.74
					02/21/23	24.12	34.41
05/08/23	31.99	26.54					
08/10/23	NM	–					
10/30/23	NM	–					
03/01/24	NM	–					
HMW-5IB	SDOT Mercer Parcels, SW quadrant	49.7 to 59.7	8.7 to -1.3	60.99	03/19/20	34.60	26.39
					05/11/20	35.09	25.90
					07/13/20	35.72	25.27
					11/16/20	34.38	26.61
					02/01/21	31.47	29.52
					06/07/21	32.82	28.17
					08/16/21	33.35	27.64
					02/14/22	30.72	30.27
					05/16/22	33.44	27.55
					08/08/22	35.12	25.87
					02/22/23	34.04	26.95
					05/08/23	34.33	26.66
					08/10/23	35.10	25.89
10/30/23	34.83	26.16					
03/01/24	33.07	27.92					
HMW-6IB	SDOT Mercer Parcels, SW quadrant	50.0 to 60.0	8.7 to -1.3	61.61	03/19/20	34.87	26.74
					05/11/20	35.22	26.39
					07/13/20	36.01	25.60
					11/16/20	36.06	25.55
					02/01/21	33.86	27.75
					06/07/21	34.70	26.91
					02/14/22	33.21	28.40
					05/16/22	34.06	27.55
					08/08/22	34.78	26.83
					11/07/22	35.29	26.32
					02/22/23	34.06	27.55
					05/08/23	34.36	27.25
					08/10/23	34.23	27.38
10/30/23	NM	–					
03/01/24	NM	–					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-7IB	SDOT Mercer Parcels, SW quadrant	49.7 to 59.7	9.0 to -1	61.38	03/19/20	35.61	25.77
					05/11/20	36.10	25.28
					07/13/20	36.87	24.51
					11/16/20	36.67	24.71
					02/01/21	34.54	26.84
					06/07/21	35.42	25.96
					08/16/21	35.72	25.66
					02/14/22	33.70	27.68
					05/16/22	34.49	26.89
					08/08/22	35.22	26.16
					11/07/22	35.62	25.76
					02/22/23	34.51	26.87
					05/08/23	34.86	26.52
					08/10/23	35.46	25.92
10/30/23	35.35	26.03					
03/01/24	34.80	26.58					
HMW-8IB	SDOT Mercer Parcels, SW quadrant	50.5 to 60.5	7.5 to -2.5	60.78	03/19/20	36.69	24.09
					05/11/20	37.08	23.70
					07/13/20	37.62	23.16
					11/16/20	35.59	25.19
					02/01/21	33.26	27.52
					06/07/21	34.73	26.05
					08/16/21	35.07	25.71
					02/14/22	32.92	27.86
					05/16/22	33.98	26.80
					08/08/22	38.05	22.73
					11/07/22	35.26	25.52
					02/22/23	34.21	26.57
					05/08/23	34.53	26.25
					08/10/23	35.27	25.51
10/30/23	34.94	25.84					
03/01/24	NM	–					
HMW-9IB	SDOT Mercer Parcels, SW quadrant	57.0 to 67.0	-1.6 to -11.6	57.89	03/19/20	36.54	21.35
					05/11/20	37.15	20.74
					07/13/20	37.60	20.29
					11/16/20	32.81	25.08
					02/01/21	29.99	27.90
					06/07/21	32.33	25.56
					08/16/21	32.66	25.23
					02/14/22	29.98	27.91
					05/16/22	32.65	25.24
					08/08/22	34.11	23.78
					11/07/22	34.32	23.57
					02/22/23	33.18	24.71
					05/08/23	33.66	24.23
					08/10/23	34.66	23.23
10/30/23	34.27	23.62					
03/01/24	32.54	25.35					
05/20/24	34.04	23.85					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-11IB	SDOT Mercer Parcels, SE quadrant	44.9 to 54.9	-5.2 to -15.2	42.91	03/19/20	33.50	9.41
					05/11/20	35.06	7.85
					07/13/20	35.81	7.10
					11/16/20	35.41	7.50
					02/01/21	30.61	12.30
					06/07/21	27.56	15.35
					08/16/21	27.31	15.60
					02/14/22	20.52	22.39
					05/16/22	23.87	19.04
					08/08/22	23.95	18.96
					11/07/22	24.59	18.32
					02/22/23	23.77	19.14
					05/08/23	23.55	19.36
					08/10/23	24.50	18.41
10/30/23	24.47	18.44					
03/01/24	22.96	19.95					
HMW-15IB	SDOT Mercer Parcels, SW quadrant	64.0 to 73.0	-5.1 to -14.1	58.33	11/16/20	41.03	17.30
					02/01/21	39.61	18.72
					06/07/21	38.80	19.53
					08/16/21	38.41	19.92
					02/14/22	35.88	22.45
					05/16/22	36.10	22.23
					08/08/22	35.46	22.87
					11/07/22	36.30	22.03
					02/21/23	35.55	22.78
					05/08/23	35.63	22.70
					08/10/23	35.71	22.62
					10/30/23	35.44	22.89
					03/01/24	34.11	24.22
					HMW-16IB	SDOT Mercer Parcels, NW quadrant	55.0 to 65.0
02/01/21	33.08	23.72					
06/07/21	33.97	22.83					
08/16/21	34.38	22.42					
02/14/22	32.28	24.52					
05/16/22	29.87	26.93					
08/08/22	31.25	25.55					
11/07/22	30.85	25.95					
02/22/23	28.94	27.86					
05/08/23	28.96	27.84					
08/10/23	30.10	26.70					
10/30/23	29.62	27.18					
03/01/24	27.64	29.16					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW111	Alley E of Seattle Roy Aloha Shops	70 to 80	-33.5 to -43.5	36.48	12/21/12	17.45	19.03
					03/29/13	20.17	16.31
					01/06/14	26.54	9.94
					04/22/15	20.05	16.43
					06/16/15	19.90	16.58
					10/19/15	21.67	14.81
					02/01/16	21.25	15.23
					03/20/17	18.24	18.24
					03/24/17	16.82	19.66
					06/12/17	25.23	11.25
					10/11/17	33.74	2.74
					03/14/19	18.36	18.12
					04/22/19	17.44	19.04
				07/16/19	17.96	18.52	
				10/21/19	19.57	16.91	
				01/13/20	21.12	15.26	
				05/11/20	26.42	9.96	
				07/13/20	26.88	9.50	
				07/21/20	26.96	9.42	
				08/04/20	26.96	9.42	
				08/17/20	26.95	9.43	
				09/03/20	26.97	9.41	
				09/21/20	Inaccessible		
				11/16/20	26.40	9.98	
				02/01/21	22.77	13.61	
				06/07/21	19.96	16.42	
				08/16/21	20.00	16.38	
				02/14/22	17.72	18.66	
05/16/22	17.26	19.12					
08/08/22	17.27	19.11					
11/07/22	17.90	18.48					
02/21/23	17.51	18.87					
05/08/23	17.10	19.28					
08/10/23	18.07	18.31					
10/30/23	18.11	18.27					
02/28/24	17.12	19.26					
05/20/24	17.55	18.83					
MW112	Dexter Ave N ROW, E side	75 to 85	-17.2 to -27.2	57.49	12/21/12	42.45	15.04
					03/29/13	38.76	18.73
					01/06/14	40.79	16.70
					06/16/15	39.40	18.09
					03/20/17	36.65	20.80
				03/24/17	36.46	20.99	
				06/12/17	38.72	18.73	
				10/11/17	40.46	16.99	
				03/14/19	36.62	20.83	
				04/22/19	34.71	22.74	
				07/16/19	37.13	20.32	
				10/21/19	40.90	16.55	
				01/13/20	39.66	17.81	

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW112 Continued					05/11/20	42.60	14.87
					07/13/20	42.51	14.96
					11/16/20	40.02	17.45
					02/01/21	38.03	19.44
					06/07/21	37.61	19.86
					08/16/21	37.49	19.98
					02/14/22	35.64	21.83
					05/16/22	36.43	21.04
					08/08/22	37.11	20.36
					11/07/22	36.72	20.75
					02/21/23	–	
					05/08/23	36.00	21.47
					08/10/23	Inaccessible	–
MW112R	Dexter Ave N ROW, E side	75 to 85			10/30/23	35.99	-35.99
					03/01/24	35.20	-35.20
					05/20/24	35.65	-35.65
MW126	Alley E of Seattle Roy Aloha Shops	85 to 95	-54.1 to -64.1	30.94	01/06/14	18.08	12.86
					03/20/17	12.75	18.19
					03/24/17	13.35	17.59
					06/12/17	24.98	5.96
					10/11/17	24.24	6.70
					03/14/19	12.88	18.06
					04/22/19	12.62	18.32
					07/16/19	12.92	18.02
					10/25/19	14.09	16.85
					01/13/20	15.13	15.81
					02/19/20	17.50	13.44
					05/11/20	18.91	12.03
					07/13/20	19.32	11.62
					11/16/20	19.24	11.70
					02/01/21	16.95	13.99
					06/07/21	14.75	16.19
					08/16/21	12.70	18.24
					02/14/22	12.94	18.00
					05/16/22	12.45	18.49
					08/08/22	12.26	18.68
11/07/22	12.78	18.16					
02/21/23	12.60	18.34					
05/08/23	12.18	18.76					
08/10/23	12.96	17.98					
10/30/23	13.10	17.84					
02/28/24	12.29	18.65					
05/20/24	11.77	19.17					
MW130	Property, NW quadrant	70 to 80	-30.9 to -40.9	39.55	03/20/17	21.21	18.34
					03/24/17	22.54	17.01
					04/14/17	23.35	16.20
					04/28/17	23.89	15.66
					05/05/17	23.30	16.25
					05/12/17	23.65	15.90
					05/19/17	23.81	15.74
					06/12/17	24.28	15.27
					10/11/17	26.39	13.16
					03/14/19	21.86	17.69
Decommissioned March 2019							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-132	Property, SE quadrant	70 to 80	-29.9 to -39.9	40.07	10/11/17	28.11	11.96
					03/14/19	17.32	22.75
Decommissioned March 2019							
MW-134	Property, NE quadrant	80 to 90	-38.6 to -48.6	41.05	10/11/17	29.93	11.12
					03/14/19	22.89	18.16
Decommissioned March 2019							
MW-135	Property, NE quadrant	70 to 80	-30.9 to -40.9	38.96	10/11/17	23.48	15.48
					03/14/19	13.62	25.34
Decommissioned March 2019							
MW-136	Property, SW quadrant	84.6 to 94.6	-32.7 to -42.7	51.45	10/11/17	39.13	12.32
					03/14/19	33.70	17.75
Decommissioned March 2019							
MW-139	Property, SE quadrant	70 to 80	-30.2 to -40.2	39.44	10/11/17	25.73	13.71
					03/14/19	15.45	23.99
Decommissioned March 2019							
MW-143	8th Ave N ROW, E side	70 to 80	-27.7 to -36.6	42.04	03/14/19	18.29	23.75
					04/22/19	18.42	23.62
					07/16/19	21.67	20.37
					10/21/19	27.66	14.38
					01/13/20	28.15	13.89
					02/04/20	28.05	13.99
					05/11/20	30.98	11.06
					07/13/20	31.36	10.68
					07/21/20	29.51	12.53
					08/04/20	28.51	13.53
					08/17/20	27.86	14.18
					09/03/20	27.62	14.42
					09/21/20	27.55	14.49
					11/16/20	-	
					02/01/21	22.75	19.29
					06/07/21	21.82	20.22
					08/16/21	21.96	20.08
					02/14/22	19.54	22.50
					05/16/22	20.36	21.68
					08/08/22	19.94	22.10
11/07/22	20.20	21.84					
02/21/23	19.34	22.70					
05/08/23	19.44	22.60					
08/10/23	20.40	21.64					
10/30/23	20.11	21.93					
03/01/24	19.29	22.75					
05/20/24	19.26	22.78					
MW-145	8th Ave N ROW, E side	70 to 80	-26.1 to -36.1	43.46	03/14/19	26.55	16.91
					04/22/19	20.62	22.84
					07/16/19	-	
Decommissioned December 2019							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-145R	8th Ave N ROW, E side	70 to 80	-27.5 to -37.5	42.00	01/13/20	28.06	13.94
					05/11/20	30.27	11.73
					07/13/20	30.59	11.41
					07/21/20	29.53	12.47
					08/04/20	28.82	13.18
					08/17/20	28.31	13.69
					09/03/20	28.07	13.93
					09/21/20	Inaccessible	
					11/16/20	25.63	16.37
					02/01/21	23.83	18.17
					06/07/21	22.70	19.30
					08/16/21	22.53	19.47
					02/14/22	19.77	22.23
					05/16/22	20.18	21.82
					08/08/22	20.78	21.22
					11/07/22	21.10	20.90
					02/21/23	20.16	21.84
					05/08/23	20.52	21.48
					08/10/23	21.31	20.69
					10/30/23	21.28	20.72
03/01/24	20.19	21.81					
05/20/24	20.75	21.25					
MW-147	Roy St ROW, S side	70 to 80	-17.6 to -27.6	51.85	03/14/19	25.65	26.20
					03/26/19	26.36	25.49
					04/22/19	27.14	24.71
					07/16/19	31.10	20.75
					07/17/19	31.53	20.32
					10/21/19	36.23	15.62
					01/13/20	34.45	17.40
					03/19/20	37.68	14.17
					05/11/20	38.56	13.29
					07/13/20	38.50	13.35
					07/21/20	36.31	15.54
					08/04/20	35.50	16.35
					08/17/20	35.22	16.63
					09/03/20	34.71	17.14
					09/21/20	34.33	17.52
					11/16/20	30.25	21.60
					02/01/21	27.75	24.10
					06/07/21	29.32	22.53
					08/16/21	29.37	22.48
					02/14/22	25.91	25.94
05/16/22	28.23	23.62					
08/08/22	28.16	23.69					
11/07/22	28.27	23.58					
02/22/23	26.80	25.05					
05/08/23	28.24	23.61					
08/10/23	Inaccessible	–					
10/30/23	30.38	21.47					
03/01/24	32.01	19.84					
05/20/24	29.82	22.03					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-148	Roy St ROW, S side	70 to 80	-25.7 to -35.7	43.91	03/14/19	24.31	19.60
					03/26/19	24.21	19.70
					04/22/19	24.26	19.65
					07/16/19	25.21	18.70
					10/21/19	26.92	16.99
					01/13/20	28.07	15.84
					03/19/20	32.80	11.11
					05/11/20	33.80	10.11
					07/13/20	34.47	9.44
					07/21/20	34.45	9.46
					08/04/20	34.50	9.41
					08/17/20	34.45	9.46
					09/03/20	34.43	9.48
					09/21/20	34.41	9.50
					11/16/20	33.50	10.41
					02/01/21	Inaccessible	
					06/07/21	Inaccessible	
					08/16/21	27.31	16.60
					02/14/22	24.53	19.38
					05/16/22	24.20	19.71
08/08/22	24.40	19.51					
11/07/22	25.18	18.73					
02/21/23	24.35	19.56					
05/08/23	24.29	19.62					
08/10/23	25.30	18.61					
10/30/23	25.20	18.71					
03/01/24	24.04	19.87					
05/20/24	24.50	19.41					
MW-150	Property, NE quadrant	49 to 59	-13.3 to -23.3	35.39	03/14/19	3.58	31.81
						Decommissioned March 2019	
MW-152	Property, SW quadrant	50 to 60	-10.2 to -20.2	39.11	03/14/19	5.21	33.90
						Decommissioned March 2019	
MW-157	8th Ave N ROW, E side	70 to 80	-28.3 to -38.2	41.22	01/24/19	14.00	27.22
					03/14/19	14.94	26.28
					04/22/19	15.32	25.90
					07/16/19	18.86	22.36
					10/21/19	28.18	13.04
					01/13/20	28.77	12.45
					05/11/20	31.11	10.11
					07/13/20	30.92	10.30
					07/21/20	27.90	13.32
					08/04/20	26.35	14.87
					08/17/20	25.50	15.72
					09/03/20	25.09	16.13
					09/21/20	24.83	16.39
					11/16/20	23.56	17.66
02/01/21	22.43	18.79					
06/07/21	-						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
MW-157 Continued					08/16/21	21.57	19.65	
					02/14/22	19.23	21.99	
					05/16/22	–		
					08/08/22	19.49	21.73	
					11/07/22	–		
					02/21/23	–		
					05/08/23	19.68	21.54	
					08/10/23	19.85	21.37	
					10/30/23	Not Measured	–	
					03/01/24	19.75	21.47	
05/20/24	20.09	21.13						
MW-190	Valley St ROW, S side	78.8 to 88.8	-30.2 to -40.2	48.39	10/21/19	34.03	14.36	
					01/13/20	33.33	15.06	
					05/11/20	35.32	13.07	
					07/13/20	35.30	13.09	
					07/21/20	34.53	13.86	
					08/04/20	33.54	14.85	
					08/17/20	31.01	17.38	
					09/03/20	30.59	17.80	
					09/21/20	30.30	18.09	
					11/16/20	27.40	20.99	
				48.95	02/01/21	24.36	24.03	
					06/07/21	25.40	22.99	
					08/16/21	27.23	21.16	
					02/14/22	26.90	22.05	
					05/16/22	25.95	23.00	
					08/08/22	27.66	21.29	
					11/07/22	27.91	21.04	
					02/21/23	27.54	21.41	
					05/08/23	27.94	21.01	
					08/10/23	28.31	20.64	
10/30/23	28.34	20.61						
03/01/24	27.09	21.86						
05/20/24	28.04	20.91						
MW-303	Dexter Ave N ROW, E side	71.4 to 81.4	-13.8 to -23.8	57.28	10/21/19	44.60	12.68	
					01/13/20	40.00	17.28	
					05/11/20	42.21	15.07	
					07/13/20	42.42	14.86	
					11/16/20	38.75	18.53	
					02/01/21	36.39	20.89	
					06/07/21	37.20	20.08	
					08/16/21	36.15	21.13	
					57.27	02/14/22	34.45	22.82
						05/16/22	34.89	22.38
						08/08/22	35.69	21.58
						11/07/22	35.17	22.10
						02/21/23	–	–
						05/08/23	34.73	22.54
					08/10/23	Inaccessible	–	
					10/30/23	34.96	22.31	
03/01/24	34.40	22.87						
05/20/24	35.30	21.97						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-307	Roy St ROW, S side	72.8 to 82.8	-12.4 to -22.4	60.21	10/21/19	41.65	18.56
					01/13/20	41.55	18.66
					03/19/20	43.34	16.87
					05/11/20	43.90	16.31
					07/13/20	44.69	15.52
					07/21/20	44.14	16.07
					08/04/20	44.28	15.93
					08/17/20	44.24	15.97
					09/03/20	44.47	15.74
					09/21/20	44.33	15.88
					11/16/20	43.88	16.33
					02/01/21	42.38	17.83
					06/07/21	41.94	18.27
					08/16/21	41.66	18.55
					02/14/22	39.11	21.10
					05/16/22	40.85	19.36
					08/08/22	41.78	18.43
					11/07/22	41.07	19.14
					02/21/23	13.65	46.56
					05/08/23	40.91	19.30
08/10/23	41.04	19.17					
10/30/23	41.21	19.00					
03/01/24	40.32	19.89					
05/20/24	41.27	18.94					
MW-309	Alley E of Seattle Roy Aloha Shops	62.4 to 72.4	-32.0 to -42.0	29.97	10/21/19	12.91	17.06
					01/13/20	14.15	15.82
					05/11/20	18.49	11.48
					07/13/20	18.81	11.16
					11/16/20	17.92	12.05
					02/01/21	14.80	15.17
					06/07/21	12.43	17.54
					08/16/21	12.64	17.33
					02/14/22	10.79	19.18
					05/16/22	10.26	19.71
					08/08/22	10.40	19.57
					11/07/22	11.08	18.89
					02/21/23	10.89	19.08
					05/08/23	10.28	19.69
					08/10/23	11.22	18.75
					10/30/23	11.19	18.78
02/28/24	10.24	19.73					
05/20/24	10.38	19.59					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-311	Alley E of Seattle Roy Aloha Shops	62.2 to 72.2	-29.0 to -39.0	32.98	10/21/19	16.45	16.53
					01/13/20	17.81	15.17
					05/11/20	22.42	10.56
					07/13/20	22.76	10.22
					11/16/20	21.29	11.69
					02/01/21	17.67	15.31
					06/07/21	15.30	17.68
					08/16/21	15.53	17.45
					02/14/22	13.50	19.48
					05/16/22	13.06	19.92
					08/08/22	13.25	19.73
					11/07/22	13.88	19.10
					02/21/23	13.52	19.46
					05/08/23	13.12	19.86
					08/10/23	14.08	18.90
10/30/23	11.29	21.69					
02/28/24	13.03	19.95					
05/20/24	13.40	19.58					
MW-314	Alley E of Seattle Roy Aloha Shops	67.8 to 77.8	-28.0 to -38.0	39.19	10/21/19	22.34	16.85
					01/13/20	23.83	15.36
					05/11/20	29.54	9.65
					07/13/20	30.02	9.17
					11/16/20	30.49	8.70
					02/01/21	25.45	13.74
					06/07/21	22.80	16.39
					08/16/21	22.82	16.37
					02/14/22	20.40	18.79
					05/16/22	19.96	19.23
					08/08/22	20.80	18.39
					11/07/22	20.76	18.43
					02/21/23	20.31	18.88
					05/08/23	19.88	19.31
					08/10/23	20.90	18.29
10/30/23	20.91	18.28					
02/28/24	19.69	19.50					
05/20/24	20.10	19.09					
MW-316	Mercer St ROW, N side	59.8 to 69.8	-10.0 to -20.0	49.44	10/21/19	31.72	17.72
					01/13/20	32.70	16.74
					03/19/20	37.66	11.78
					05/11/20	38.95	10.49
					07/13/20	39.74	9.70
					09/21/20	39.78	9.66
					11/16/20	38.97	10.47
					02/01/21	35.07	14.37
					06/07/21	33.10	16.34
					08/16/21	32.91	16.53
					02/14/22	29.83	19.61
					05/16/22	29.65	19.79
					08/08/22	29.56	19.88
					11/07/22	30.32	19.12
					02/21/23	29.35	20.09
05/08/23	29.50	19.94					
08/10/23	30.26	19.18					
10/30/23	30.24	19.20					
03/01/24	28.70	20.74					
05/20/24	29.77	19.67					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-318	9th Ave N ROW, W side	54.8 to 64.8	-23.1 to -33.1	31.36	10/21/19	14.56	16.80
					01/13/20	16.06	15.30
					05/11/20	20.82	10.54
					07/13/20	21.27	10.09
					11/16/20	20.88	10.48
					02/01/21	17.60	13.76
					06/07/21	14.81	16.55
					08/16/21	14.91	16.45
					02/14/22	13.08	18.28
					05/16/22	12.41	18.95
					08/08/22	12.44	18.92
					11/07/22	13.16	18.20
					02/22/23	12.86	18.50
					05/08/23	12.30	19.06
					08/10/23	13.21	18.15
10/30/23	13.27	18.09					
03/01/24	12.37	18.99					
05/20/24	12.41	18.95					
MW-322	9th Ave N ROW, W side	54.7 to 64.7	-21.2 to -31.2	33.13	10/21/19	16.41	16.72
					01/13/20	18.02	15.11
					05/11/20	23.22	9.91
					07/13/20	23.70	9.43
					11/16/20	23.41	9.72
					02/01/21	19.71	13.42
					06/07/21	16.76	16.37
					08/16/21	16.84	16.29
					02/14/22	14.92	18.21
					05/16/22	14.48	18.65
					08/08/22	14.28	18.85
					11/07/22	15.00	18.13
					02/22/23	14.63	18.50
					05/08/23	14.08	19.05
					08/10/23	15.01	18.12
10/30/23	15.08	18.05					
03/01/24	14.20	18.93					
05/20/24	14.22	18.91					
MW-334	900 Roy St, S end	53.1 to 63.1	-21.88 to -31.88	31.22	05/11/20	22.02	9.20
					07/13/20	22.41	8.81
					11/16/20	22.02	9.20
					02/01/21	18.38	12.84
					06/07/21	15.21	16.01
					08/16/21	15.26	15.96
					02/14/22	13.37	17.85
					05/16/22	12.60	18.62
					08/08/22	12.60	18.62
					11/07/22	13.32	17.90
					02/21/23	Inaccessible	–
					05/08/23	Inaccessible	–
					08/10/23	13.36	17.86
10/30/23	13.94	17.28					
03/01/24	Inaccessible	–					
05/20/24	12.55	18.67					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-335	Mercer St ROW, N side	60.8 to 70.8	-26.54 to -36.54	34.26	05/11/20	29.24	5.02
					07/13/20	29.85	4.41
					11/16/20	29.05	5.21
					02/01/21	23.75	10.51
					06/07/21	19.40	14.86
					08/16/21	19.05	15.21
					02/14/22	15.68	18.58
					05/16/22	15.93	18.33
					08/08/22	15.77	18.49
					11/07/22	16.36	17.90
					02/21/23	15.88	18.38
					05/08/23	15.60	18.66
					08/10/23	16.34	17.92
					10/30/23	16.43	17.83
					03/01/24	15.67	18.59
05/20/24	15.36	18.90					
MW-338	Lake Union Park, N end	44.4 to 54.4	-17.02 to -27.02	27.38	05/11/20	15.45	11.93
					07/13/20	15.77	11.61
					11/16/20	15.92	11.46
					02/01/21	13.24	14.14
					06/07/21	10.60	16.78
					08/16/21	10.97	16.41
					02/14/22	9.64	17.74
					05/16/22	8.66	18.72
					08/08/22	8.85	18.53
					11/07/22	9.49	17.89
					02/21/23	9.33	18.05
					05/08/23	8.65	18.73
					08/10/23	9.58	17.80
					10/30/23	9.67	17.71
					03/01/24	9.00	18.38
05/20/24	8.51	18.87					
MW-340	Lake Union Park, S end	44.4 to 54.4	-16.38 to 26.38	28.02	05/11/20	17.35	10.67
					07/13/20	17.65	10.37
					11/16/20	17.53	10.49
					02/01/21	14.54	13.48
					06/07/21	11.63	16.39
					08/16/21	11.94	16.08
					02/14/22	10.43	17.59
					05/16/22	9.39	18.63
					08/08/22	9.52	18.50
					11/07/22	10.25	17.77
					02/21/23	10.03	17.99
					05/08/23	9.55	18.47
					08/10/23	9.36	18.66
					10/30/23	10.34	17.68
					03/01/24	10.00	18.02
05/20/24	9.30	18.72					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-345	SDOT Mercer Parcels, NW quadrant	54.4 to 64.4	-1.6 to -11.6	52.61	06/07/21	28.30	24.31
					08/16/21	28.42	24.19
					02/14/22	24.92	27.69
					05/16/22	26.34	26.27
					08/08/22	28.01	24.60
					11/07/22	28.00	24.61
					02/22/23	26.48	26.13
					05/08/23	Inaccessible	–
					08/10/23	28.02	24.59
					10/30/23	27.96	24.65
					03/01/24	26.07	26.54
					05/20/24	27.36	25.25
					MW-346	SDOT Mercer Parcels, NW quadrant	53.9 to 63.9
08/16/21	29.30	22.33					
02/14/22	25.95	25.68					
05/16/22	26.34	25.29					
08/08/22	28.58	23.05					
11/07/22	28.09	23.54					
02/22/23	19.00	32.63					
05/08/23	27.54	24.09					
08/10/23	29.05	22.58					
10/30/23	28.23	23.40					
03/01/24	25.70	25.93					
05/20/24	28.30	23.33					
MW-347	SDOT Mercer Parcels, NW quadrant	54.0 to 64.0	-1.3 to -11.3	52.70			
					08/16/21	30.19	22.51
					02/14/22	26.80	25.90
					05/16/22	27.61	25.09
					08/08/22	29.56	23.14
					11/07/22	26.62	26.08
					02/22/23	26.00	26.70
					05/08/23	28.65	24.05
					08/10/23	30.08	22.62
					10/30/23	29.23	23.47
					03/01/24	27.09	25.61
					05/20/24	29.41	23.29
					MW-348	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6
08/16/21	31.44	22.40					
02/14/22	28.36	25.48					
05/16/22	28.87	24.97					
08/08/22	30.73	23.11					
11/07/22	30.55	23.29					
02/22/23	26.68	27.16					
05/08/23	29.82	24.02					
08/10/23	31.24	22.60					
10/30/23	Not Measured						
03/01/24	28.24	25.60					
05/20/24	30.54	23.30					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-349	SDOT Mercer Parcels, SW quadrant	58.6 to 68.6	-2.8 to -12.8	55.58	06/07/21	31.02	24.56
					08/16/21	31.25	24.33
					02/14/22	28.79	26.79
					05/16/22	29.92	25.66
					08/08/22	32.02	23.56
					11/07/22	30.03	25.55
					02/22/23	25.25	30.33
					05/08/23	31.99	23.59
					08/10/23	32.97	22.61
					10/30/23	32.69	22.89
03/01/24	30.99	24.59					
05/20/24	32.56	23.02					
MW-350	SDOT Mercer Parcels, NW quadrant	59.4 to 69.4	-1.7 to -11.7	57.55	06/07/21	35.53	22.02
					08/16/21	35.50	22.05
					02/14/22	33.19	24.36
					05/16/22	34.09	23.46
					08/08/22	35.11	22.44
					11/07/22	35.13	22.42
					02/22/23	34.30	23.25
					05/08/23	34.63	22.92
					08/10/23	35.32	22.23
					10/30/23	35.11	22.44
03/01/24	33.80	23.75					
05/20/24	34.85	22.70					
MW-351	Roy St ROW, S side	35.4 to 45.4	2.7 to -7.3	38.1	05/08/23	17.68	20.42
					08/10/23	18.72	19.38
					10/30/23	18.65	19.45
					03/01/24	17.55	20.55
05/20/24	17.90	20.20					
OW-1	Alley E of Block 38 West	30.0 to 45.0	-6.0 to -21.0	24.17	02/14/22	7.42	16.75
					05/16/22	6.67	17.50
					08/08/22	6.34	17.83
					11/07/22	6.72	17.45
					02/21/23	6.39	17.78
					05/08/23	6.26	17.91
					08/10/23	6.66	17.51
10/30/23	6.78	17.39					
OW-2	Alley E of Block 38 West	30.0 to 45.0	-7.0 to -22.0	22.91	02/14/22	6.07	16.84
					05/16/22	5.57	17.34
					08/08/22	5.20	17.71
					11/07/22	5.57	17.34
					02/21/23	5.16	17.75
					05/08/23	5.34	17.57
					08/10/23	5.46	17.45
10/30/23	5.57	17.34					
OW-3	Block 38 West, S end	48.0 to 63.0	-8.0 to -23.0	38.91	02/15/22	21.88	17.03
					05/16/22	21.12	17.79
					08/08/22	20.79	18.12
					11/07/22	21.18	17.73
					02/21/23	20.66	18.25
					05/08/23	20.85	18.06
					08/10/23	20.89	18.02
10/30/23	20.99	17.92					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
W-MW-02	8th Ave N ROW, W side	70 to 80	-26.3 to -36.5	43.46	02/07/12	17.51	25.95
					09/05/12	19.95	23.51
					12/21/12	17.82	25.64
					03/29/13	19.14	24.32
					01/06/14	24.40	19.06
					06/16/15	18.79	24.67
					10/19/15	20.94	22.52
					02/01/16	15.85	27.61
					03/20/17	15.24	28.22
					03/24/17	14.97	28.49
					04/14/17	15.34	28.12
					04/28/17	18.18	25.28
					05/05/17	18.53	24.93
					05/12/17	19.10	24.36
					05/19/17	19.28	24.18
				06/12/17	22.83	20.63	
				10/11/17	27.86	15.60	
				03/14/19	15.46	28.00	
				04/22/19	16.13	27.33	
				07/16/19	–		
				07/23/19	21.71	21.75	
				10/21/19	31.93	11.53	
				01/13/20	–		
				05/11/20	33.88	9.58	
				07/13/20	34.15	9.31	
				07/21/20	30.60	12.86	
				08/04/20	28.25	15.21	
				08/17/20	27.32	16.14	
				09/03/20	26.85	16.61	
				09/21/20	26.46	17.00	
11/16/20	22.94	20.52					
02/01/21	19.88	23.58					
06/07/21	–						
08/16/21	–						
42.89	02/14/22	–					
05/16/22	–						
08/08/22	–						
11/07/22	–						
02/21/23	–						
05/08/23	–						
08/10/23	17.50	25.96					
10/30/23	NM	–					
03/01/24	18.38	25.08					
W-MW-03	Property, NE quadrant	70 to 80	–	39.23	02/07/12	17.73	21.50
					09/06/12	18.36	20.87
					12/21/12	18.19	21.04
					03/29/13	18.22	21.01
					Decommissioned		
W-MW-04**	Property, NE quadrant	68 to 77	–	35.53	02/07/12	14.13	22.72
					09/06/12	16.73	20.37
					12/21/12	16.69	20.40
					03/29/13	16.90	20.21
					Decommissioned		

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
Deep Zone							
FMW-129	SDOT Mercer Parcels, NE quadrant	84 to 89	-45.6 to -50.6	–	10/19/15	25.20	
					02/01/16	25.25	
				38.31	04/14/17	19.78	18.53
				04/28/17	25.30	13.01	
				05/05/17	29.55	8.76	
				05/12/17	30.25	8.06	
				05/19/17	30.74	7.57	
				06/12/17	34.90	3.41	
				03/14/19	20.11	18.20	
				03/26/19	19.99	18.32	
				05/01/19	19.72	18.59	
				05/16/19	19.56	18.75	
				07/16/19	20.24	18.07	
				07/17/19	20.13	18.18	
				07/30/19	20.34	17.97	
				10/21/19	21.54	16.77	
				01/13/20	24.49	13.82	
				05/11/20	29.20	9.11	
				07/13/20	29.80	8.51	
				11/16/20	29.57	8.74	
				06/07/21	–		
				08/16/21	22.76	15.55	
				02/14/22	20.30	18.01	
				05/16/22	19.84	18.47	
				08/08/22	19.76	18.55	
				11/07/22	–		
				02/21/23	19.85	18.46	
				05/08/23	19.56	18.75	
08/10/23	20.39	17.92					
10/30/23	20.39	17.92					
03/01/24	19.30	19.01					
05/20/24	19.68	18.63					
FMW-131	Block 37, SE quadrant	63 to 73	-34.7 to -44.7	27.85	03/24/17	9.56	18.29
				06/12/17	32.94	-5.09	
				03/14/19	10.26	17.59	
				04/22/19	9.82	18.03	
				07/16/19	–		
				10/21/19	12.21	15.64	
				01/13/20	14.95	12.90	
				05/11/20	22.57	5.28	
				07/13/20	22.77	5.08	
				11/16/20	21.69	6.16	
				02/01/21	17.03	10.82	
				06/07/21	13.98	13.87	
				08/16/21	12.82	15.03	
				02/14/22	10.37	17.48	
				05/16/22	9.76	18.09	
				08/08/22	9.79	18.06	
				11/07/22	10.43	17.42	
				02/21/23	19.02	8.83	
05/08/23	19.60	8.25					
08/10/23	9.71	18.14					
10/30/23	10.51	17.34					
03/01/24	9.95	17.90					
05/21/24	9.61	18.24					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
FMW-137	Alley E of Block 38 West	72 to 85	-41.9 to -54.9	30.09	11/20/18	13.02	17.07
					12/28/18	12.74	17.35
					03/14/19	12.56	17.53
					05/06/19	12.08	18.01
					07/08/19	12.25	17.84
					11/06/19	14.11	15.98
					01/13/20	19.50	10.59
					05/11/20	33.07	-2.98
					07/13/20	33.37	-3.28
					11/16/20	30.61	-0.52
					02/01/21	21.52	8.57
					06/07/21	15.74	14.35
					08/16/21	15.28	14.81
					02/14/22	12.85	17.24
					05/16/22	12.06	18.03
					08/08/22	11.93	18.16
					11/07/22	12.50	17.59
02/21/23	20.95	9.14					
05/09/23	11.94	18.15					
08/10/23	12.39	17.70					
10/30/23	12.51	17.58					
03/01/24	11.77	18.32					
05/21/24	11.78	18.31					
FMW-138	Alley E of Block 38 West	90 to 100	-50.0 to -60.0	40.44	11/20/18	24.50	15.94
					12/28/18	24.38	16.06
					03/14/19	24.14	16.30
					05/06/19	23.80	16.64
					07/08/19	23.84	16.60
					02/14/22	24.31	16.13
					05/16/22	24.00	16.44
					08/08/22	23.57	16.87
					11/07/22	23.74	16.70
					02/21/23	23.39	17.05
					05/08/23	23.52	16.92
08/10/23	23.63	16.81					
10/30/23	23.87	16.57					
FMW-140	900 Roy St, S end	70 to 80	-38.0 to -48.0	31.71	10/31/19	15.03	16.68
					01/13/20	17.07	14.64
					05/11/20	22.55	9.16
					07/13/20	22.91	8.80
					11/16/20	22.34	9.37
					02/01/21	18.00	13.71
					06/07/21	15.63	16.08
					08/16/21	15.63	16.08
					02/14/22	13.83	17.88
					05/16/22	12.96	18.75
					08/08/22	10.53	21.18
					11/07/22	10.85	20.86
					02/21/23	10.60	21.11
					05/08/23	15.77	15.94
08/10/23	11.61	20.10					
10/30/23	11.49	20.22					
03/01/24	13.14	18.57					
05/21/24	13.05	18.66					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
FMW-3D	Terry Ave N ROW, E side	59 to 69	-31.1 to -41.1	27.88	03/24/17	9.58	18.30
					06/12/17	30.87	-2.99
Decommissioned							
GEI-2	Block 37, NW quadrant	50.5 to 60.5	-21.1 to -31.1	29.38	03/24/17	10.96	18.42
					06/12/17	37.60	-8.22
					03/14/19	11.70	17.68
					04/22/19	11.26	18.12
					07/16/19	11.51	17.87
					10/21/19	13.54	15.84
					01/13/20	9.93	19.45
					05/11/20	23.05	6.33
					07/13/20	23.36	6.02
					11/16/20	22.60	6.78
					02/01/21	18.06	11.32
					06/07/21	14.00	15.38
					08/16/21	13.92	15.46
					02/14/22	12.02	17.36
					05/16/22	11.24	18.14
					08/08/22	11.29	18.09
					11/07/22	10.77	18.61
02/21/23	20.34	9.04					
05/08/23	11.06	18.32					
08/10/23	11.84	17.54					
10/30/23	11.91	17.47					
03/01/24	11.15	18.23					
05/21/24	11.02	18.36					
HMW-1D	SDOT Mercer Parcels, NE quadrant	80.0 to 90.0	-41.9 to -51.9	37.99	03/20/19	20.33	17.66
					03/26/19	20.34	17.65
					05/16/19	19.90	18.09
					07/16/19	20.28	17.71
					07/17/19	20.32	17.67
					07/30/19	20.50	17.49
					08/15/19	20.60	17.39
					12/05/19	25.56	12.43
					01/13/20	23.40	14.59
					03/09/20	28.29	9.70
					03/19/20	28.53	9.46
					04/10/20	29.29	8.70
					05/11/20	29.55	8.44
					07/13/20	30.39	7.60
					11/16/20	30.05	7.94
					02/01/21	26.78	11.21
					06/07/21	23.97	14.02
08/16/21	23.39	14.60					
02/14/22	24.10	13.89					
05/16/22	20.15	17.84					
08/08/22	19.85	18.14					
11/07/22	20.15	17.84					
02/21/23	19.59	18.40					
05/08/23	19.61	18.38					
08/10/23	20.08	17.91					
10/30/23	20.18	17.81					
03/01/24	19.28	18.71					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-2D	SDOT Mercer Parcels, NE quadrant	80.0 to 90.0	-32.7 to -42.7	47.19	03/19/19	27.98	19.21
					03/26/19	27.26	19.93
					05/16/19	27.95	19.24
					07/16/19	28.66	18.53
					08/15/19	29.17	18.02
					12/05/19	30.52	16.67
					01/13/20	30.31	16.88
					03/12/20	35.94	11.25
					03/19/20	36.06	11.13
					03/27/20	36.04	11.15
					04/10/20	36.75	10.44
					05/11/20	37.18	10.01
					07/13/20	37.84	9.35
					11/16/20	37.19	10.00
					02/01/21	33.53	13.66
					06/07/21	31.36	15.83
					08/16/21	31.18	16.01
					02/14/22	28.41	18.78
					05/16/22	28.20	18.99
					08/08/22	28.00	19.19
11/07/22	28.77	18.42					
02/21/23	22.19	25.00					
05/08/23	22.57	24.62					
08/10/23	23.90	23.29					
10/30/23	23.22	23.97					
03/01/24	21.81	25.38					
HMW-3D	SDOT Mercer Parcels, NW quadrant	80.0 to 90.0	-23.4 to -33.4	56.37	03/19/19	38.90	17.47
					03/26/19	38.77	17.60
					07/16/19	39.11	17.26
					12/05/19	39.60	16.77
					01/13/20	39.62	16.75
					03/12/20	41.82	14.55
					03/19/20	41.86	14.51
					03/27/20	42.29	14.08
					04/10/20	42.43	13.94
					05/11/20	42.57	13.80
					07/13/20	43.31	13.06
					11/16/20	43.07	13.30
					02/01/21	42.15	14.22
					06/07/21	41.30	15.07
					08/16/21	40.85	15.52
					02/14/22	39.36	17.01
					05/16/22	39.00	17.37
					08/08/22	38.61	17.76
					11/07/22	38.60	17.77
					02/21/23	27.05	29.32
05/08/23	27.64	28.73					
08/10/23	28.63	27.74					
10/30/23	28.20	28.17					
03/01/24	34.80	21.57					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-6D	SDOT Mercer Parcels, SW quadrant	79.7 to 89.7	-21.1 to -31.1	61.49	03/19/20	46.89	14.60
					05/11/20	47.65	13.84
					07/13/20	48.39	13.10
					11/16/20	48.38	13.11
					02/01/21	47.25	14.24
					06/07/21	46.45	15.04
					08/16/21	46.07	15.42
					02/14/22	44.03	17.46
					05/16/22	44.10	17.39
					08/08/22	43.86	17.63
					11/07/22	43.68	17.81
					02/22/23	43.28	18.21
					05/08/23	43.65	17.84
					08/10/23	43.76	17.73
10/30/23	44.07	17.42					
03/01/24	43.10	18.39					
HMW-9D	SDOT Mercer Parcels, SW quadrant	79.7 to 89.7	-24.4 to -34.4	58.14	03/19/20	43.55	14.59
					05/11/20	44.46	13.68
					07/13/20	45.17	12.97
					11/16/20	44.63	13.51
					02/01/21	42.95	15.19
					06/07/21	42.22	15.92
					08/16/21	41.88	16.26
					02/14/22	39.91	18.23
					05/16/22	39.56	18.58
					08/08/22	43.86	14.28
					11/07/22	39.39	18.75
					02/21/23	38.80	19.34
					05/08/23	39.20	18.94
					08/10/23	39.50	18.64
10/30/23	39.59	18.55					
03/01/24	38.84	19.30					
HMW-10D	SDOT Mercer Parcels, SE quadrant	79.0 to 89.0	-30.8 to -40.8	51.03	03/19/20	39.97	11.06
					03/25/20	40.32	10.71
					05/11/20	41.37	9.66
					07/13/20	42.14	8.89
					11/16/20	41.44	9.59
					02/01/21	37.53	13.50
					06/07/21	35.23	15.80
					08/16/21	34.94	16.09
					02/14/22	31.94	19.09
					05/16/22	31.77	19.26
					08/08/22	31.83	19.20
					11/07/22	32.41	18.62
					02/21/23	31.53	19.50
					05/08/23	31.47	19.56
08/10/23	32.38	18.65					
10/30/23	32.37	18.66					
03/01/24	30.98	20.05					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
HMW-12D	SDOT Mercer Parcels, NE quadrant	82.0 to 92.0	-48.5 to -58.5	35.86	11/16/20	27.09	8.77
					02/01/21	23.35	12.51
					06/07/21	20.33	15.53
					08/16/21	20.21	15.65
					02/14/22	17.79	18.07
					05/16/22	17.33	18.53
					08/08/22	17.23	18.63
					11/07/22	17.82	18.04
					02/21/23	17.27	18.59
					05/08/23	17.00	18.86
					08/10/23	17.84	18.02
					10/30/23	17.84	18.02
					03/01/24	16.88	18.98
HMW-13D	SDOT Mercer Parcels, SE quadrant	89.5 to 99.5	-44.2 to -54.2	45.08	11/16/20	36.83	8.25
					02/01/21	33.40	11.68
					06/07/21	30.53	14.55
					08/16/21	30.20	14.88
					02/14/22	27.26	17.82
					05/16/22	26.90	18.18
					08/08/22	26.61	18.47
					11/07/22	27.05	18.03
					02/21/23	26.47	18.61
					05/08/23	26.34	18.74
					08/10/23	26.98	18.10
					10/30/23	27.06	18.02
					03/01/24	26.17	18.91
HMW-14D	SDOT Mercer Parcels, SE quadrant	70.0 to 80.0	-23.7 to -33.7	46.11	11/16/20	38.63	7.48
					02/01/21	33.12	12.99
					06/07/21	30.50	15.61
					08/16/21	30.29	15.82
					02/14/22	27.06	19.05
					05/16/22	26.82	19.29
					08/08/22	26.94	19.17
					11/07/22	27.62	18.49
					02/21/23	26.68	19.43
					05/08/23	26.60	19.51
					08/10/23	27.56	18.55
					10/30/23	27.50	18.61
					03/01/24	25.90	20.21
MW101	Property, NE quadrant	105 to 115	-65.5 to -75.5	39.49	09/06/12	21.48	18.01
					12/21/12	21.14	18.35
					03/29/13	22.22	17.27
					Decommissioned		

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW102	Valley St ROW, S side	115 to 125	-65.8 to -75.8	49.19	09/05/12	31.11	18.08
					12/21/12	30.78	18.41
					03/29/13	31.65	17.54
					01/06/14	33.80	15.39
					10/19/15	37.06	12.13
					02/01/16	38.22	10.97
					03/20/17	32.25	16.94
					03/24/17	33.50	15.69
					04/14/17	34.38	14.81
					04/28/17	35.18	14.01
					05/05/17	34.77	14.42
					05/12/17	35.00	14.19
					05/19/17	35.21	13.98
					06/12/17	36.87	12.32
					10/11/17	37.59	11.60
					03/14/19	31.94	17.25
					04/22/19	31.78	17.41
				07/16/19	31.80	17.39	
				10/21/19	32.20	16.91	
				49.11	01/13/20	32.46	16.65
					05/11/20	35.36	13.75
					07/13/20	36.04	13.07
					07/21/20	35.81	13.30
					08/04/20	35.98	13.13
					08/17/20	35.93	13.18
					09/03/20	36.13	12.98
					09/21/20	36.00	13.11
					11/16/20	35.93	13.18
					02/01/21	34.74	14.37
					06/07/21	33.95	15.16
					08/16/21	34.10	15.01
					49.66	02/14/22	32.12
05/16/22	32.20	17.46					
08/08/22	31.85	17.81					
11/07/22	31.73	17.93					
02/21/23	31.44	18.22					
05/08/23	31.58	18.08					
08/10/23	31.82	17.84					
10/30/23	32.29	17.37					
03/01/24	31.25	18.41					
05/20/24	31.84	17.82					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW103	Alley E of Seattle Roy Aloha Shops	103.5 to 113.5	-67.6 to -77.6	35.92	09/05/12	18.03	17.89
					12/21/12	17.38	18.54
					03/29/13	19.70	16.22
					01/06/14	26.45	9.47
					06/16/15	20.03	15.89
					10/19/15	22.31	13.61
					02/01/16	22.40	13.52
					03/20/17	17.10	18.82
					03/24/17	17.36	18.56
					04/14/17	17.68	18.24
					04/28/17	25.82	10.10
					05/05/17	26.17	9.75
					05/12/17	26.71	9.21
					05/19/17	27.99	7.93
					06/12/17	30.85	5.07
				10/11/17	30.31	5.61	
				03/14/19	17.75	18.17	
				04/22/19	17.50	18.42	
				07/16/19	16.85	19.07	
				10/21/19	19.17	16.75	
				01/13/20	20.53	15.33	
				01/30/20	20.11	15.75	
				05/11/20	24.87	10.99	
				07/13/20	25.56	10.30	
				07/21/20	25.55	10.31	
				08/04/20	25.61	10.25	
				08/17/20	25.68	10.18	
				09/03/20	25.73	10.13	
				09/21/20	Inaccessible		
				11/16/20	25.50	10.36	
02/01/21	22.69	13.17					
06/07/21	20.18	15.68					
08/16/21	20.03	15.83					
02/14/22	17.95	17.91					
05/16/22	17.53	18.33					
08/08/22	17.34	18.52					
11/07/22	17.87	17.99					
02/21/23	17.54	18.32					
05/08/23	17.28	18.58					
08/10/23	17.93	17.93					
10/30/23	18.07	17.79					
02/28/24	17.16	18.70					
05/20/24	17.60	18.26					
				35.86			

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW104	8th Ave N ROW, W side	119 to 129	-76.3 to -86.3	42.68	09/06/12	24.72	17.96
					12/21/12	24.31	18.37
					03/29/13	25.78	16.90
					01/06/14	28.87	13.81
					10/19/15	30.04	12.64
					02/01/16	30.90	11.78
					03/20/17	25.00	17.68
					04/14/17	26.58	16.10
					04/28/17	30.11	12.57
					05/05/17	30.71	11.97
					05/12/17	30.43	12.25
					05/19/17	30.60	12.08
					06/30/17	33.10	9.58
					10/11/17	32.69	9.99
					03/14/19	25.00	17.68
					04/22/19	24.86	17.82
					07/16/19	25.01	17.67
					10/21/19	25.62	17.06
					01/13/20	-	
					05/11/20	29.68	13.00
					07/13/20	30.21	12.47
					08/17/20	30.06	12.62
					09/03/20	Inaccessible	
					09/21/20	29.98	12.70
					11/16/20	Inaccessible	
					02/01/21	Inaccessible	
					06/07/21	Inaccessible	
					08/16/21	Inaccessible	
02/14/22	24.84	17.84					
05/16/22	24.82	17.86					
08/08/22	24.66	18.02					
11/07/22	24.55	18.13					
02/21/23	24.12	18.56					
05/08/23	24.33	18.35					
08/10/23	24.60	18.08					
10/30/23	24.90	17.78					
03/01/24	23.88	18.80					
05/20/24	24.56	18.12					
MW105	Roy St ROW, S side	130 to 140	-85.3 to -95.3	44.69	09/05/12	26.85	17.84
					12/21/12	26.26	18.43
				44.17	03/29/13	28.47	16.22
					01/06/14	32.48	11.69
					04/02/15	28.56	15.61
					06/16/15	28.59	15.58
					10/19/15	31.15	13.02
					02/01/16	31.58	12.59
					03/20/17	25.86	18.31
					03/24/17	26.22	17.95
					04/14/17	26.71	17.46
					04/28/17	34.10	10.07
					05/05/17	34.40	9.77
					05/12/17	34.91	9.26

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW105 Continued				44.12	05/19/17	35.39	8.78
					06/12/17	38.85	5.32
					10/11/17	38.22	5.95
					03/14/19	26.33	17.84
					04/22/19	26.06	18.11
					07/17/19	26.25	17.92
					10/21/19	27.47	16.65
					01/13/20	28.75	15.37
					05/11/20	33.01	11.11
					07/13/20	33.82	10.30
					11/16/20	33.91	10.21
					02/01/21	31.11	13.01
					06/07/21	28.53	15.59
					08/16/21	28.41	15.71
					02/14/22	26.32	17.80
					05/16/22	25.80	18.32
					08/08/22	25.84	18.28
					11/07/22	26.23	17.89
					02/21/23	–	–
					05/08/23	25.58	18.54
08/10/23	Inaccessible	–					
10/30/23	26.35	17.77					
03/01/24	25.40	18.72					
05/20/24	25.72	18.40					
MW106	SDOT Mercer Parcels, NW quadrant	130 to 140	-78.0 to -88.0	51.99	09/05/12	34.09	17.90
					03/29/13	34.92	17.07
					01/06/14	37.15	14.84
					10/19/15	40.11	11.88
					02/01/16	41.02	10.97
					04/14/17	36.78	15.21
					06/30/17	40.60	11.39
					03/14/19	34.64	17.35
					03/26/19	34.43	17.56
					04/22/19	34.53	17.46
					07/16/19	34.62	17.37
					07/17/19	34.62	17.37
					10/21/19	35.25	16.74
					01/13/20	35.56	16.43
					03/19/20	38.23	13.76
					05/11/20	38.87	13.12
					07/13/20	39.58	12.41
					11/10/20	39.28	12.71
					02/01/21	37.82	14.17
					06/07/21	36.74	15.25
08/16/21	36.34	15.65					
02/14/22	34.41	17.58					
05/16/22	34.45	17.54					
08/08/22	34.11	17.88					
11/07/22	34.05	17.94					
02/21/23	33.59	18.40					
05/08/23	33.88	18.11					
08/10/23	34.13	17.86					
10/30/23	Not Measured	–					
03/01/23	33.46	18.53					
05/20/24	34.02	17.97					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b	
MW113	9th Ave N ROW, W side	70 to 80	-36.8 to -46.8	32.94	12/21/12	14.15	18.79	
					03/29/13	16.95	15.99	
					01/06/14	23.35	9.59	
					06/16/15	16.46	16.48	
					10/19/15	18.24	14.70	
					02/01/16	17.87	15.07	
					32.90	03/20/17	13.60	19.30
						03/24/17	13.65	19.25
						04/14/17	13.80	19.10
						04/28/17	24.10	8.80
				05/05/17		24.94	7.96	
				05/12/17		25.68	7.22	
				05/19/17		26.01	6.89	
				06/12/17		31.15	1.75	
				10/11/17		31.00	1.90	
				03/14/19		14.52	18.38	
				32.91	04/22/19	14.21	18.69	
					07/16/19	14.57	18.33	
					10/21/19	16.19	16.72	
					11/11/19	16.41	16.50	
					01/13/20	17.91	15.00	
					01/14/20	18.04	14.87	
					01/30/20	17.05	15.86	
					02/17/20	20.79	12.12	
					03/24/20	22.72	10.19	
					05/11/20	25.17	7.74	
					07/13/20	23.67	9.24	
					11/16/20	23.25	9.66	
					02/01/21	19.60	13.31	
					06/07/21	16.66	16.25	
08/16/21	16.69	16.22						
02/14/22	14.58	18.33						
05/16/22	14.07	18.84						
08/08/22	14.08	18.83						
11/07/22	14.78	18.13						
02/22/23	14.40	18.51						
	05/08/23	13.85	19.06					
	08/10/23	14.79	18.12					
	10/30/23	14.84	18.07					
	03/01/24	14.00	18.91					
					05/20/24	14.05	18.86	

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW122	Alley E of Seattle Roy Aloha Shops	105 to 119	-74.9 to -84.9	30.03	01/06/14	17.61	12.42
					10/19/15	15.59	14.44
					02/01/16	15.75	14.28
					03/20/17	11.62	18.41
					03/24/17	11.57	18.46
					04/14/17	11.76	18.27
					04/28/17	19.98	10.05
					05/05/17	20.43	9.60
					05/12/17	20.94	9.09
					05/19/17	21.30	8.73
					06/12/17	25.23	4.80
					10/11/17	24.93	5.10
					03/14/19	11.99	18.04
					04/22/19	11.60	18.43
					07/16/19	11.93	18.10
					10/21/19	13.23	16.80
					01/13/20	14.53	15.50
					01/30/20	14.09	15.94
					05/11/20	18.57	11.46
					07/13/20	19.02	11.01
					11/16/20	18.86	11.17
					02/01/21	16.27	13.76
					06/07/21	13.60	16.43
					08/16/21	13.70	16.33
02/14/22	12.06	17.97					
05/16/22	11.39	18.64					
08/08/22	11.32	18.71					
11/07/22	12.08	17.95					
02/21/23	11.72	18.31					
05/08/23	11.25	18.78					
08/10/23	12.05	17.98					
10/30/23	13.10	16.93					
02/28/24	11.39	18.64					
05/20/24	11.40	18.63					
MW123	Westlake Ave N N ROW, W side	70 to 80	-42.5 to -52.5	27.51	01/06/14	15.69	11.82
					03/20/17	8.50	19.01
					03/24/17	8.60	18.91
					06/12/17	24.68	2.83
					10/11/17	24.43	3.08
					03/14/19	9.32	18.19
				04/22/19	8.89	18.62	
				07/16/19	9.22	18.29	
				27.50	10/21/19	10.64	16.86
					01/13/20	12.15	15.35
					05/11/20	16.51	10.99
					07/13/20	16.80	10.70
					11/16/20	16.64	10.86
					02/01/21	14.00	13.50
06/07/21	10.92	16.58					
08/16/21	11.11	16.39					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW123 Continued					02/14/22	9.55	17.95
					05/16/22	8.88	18.62
					08/08/22	8.72	18.78
					11/07/22	9.47	18.03
					02/21/23	–	–
					05/08/23	8.55	18.95
					08/10/23	9.52	17.98
					10/30/23	9.60	17.90
					03/01/24	8.87	18.63
					05/20/24	NM	–
MW124	Valley St ROW, S side	110 to 120	-53.8 to -63.8	56.24	01/06/14	40.50	15.74
					03/20/17	39.33	16.91
					03/24/17	40.59	15.65
					04/14/17	41.54	14.70
					04/28/17	41.81	14.43
					05/05/17	41.28	14.96
					05/12/17	41.52	14.72
					05/19/17	41.60	14.64
					06/12/17	42.95	13.29
					10/11/17	43.95	12.29
					03/14/19	38.98	17.26
					04/22/19	38.81	17.43
					07/16/19	38.87	17.37
					10/21/19	39.28	16.96
					56.17	01/13/20	-
				01/30/20	42.92	13.25	
				02/19/20	40.76	15.41	
				05/11/20	41.98	14.19	
				07/13/20	42.86	13.31	
				08/04/20	42.75	13.42	
				08/17/20	42.79	13.38	
				09/03/20	42.91	13.26	
				11/16/20	42.79	13.38	
				02/01/21	Inaccessible		
				06/08/21	40.93	15.24	
				08/16/21	Inaccessible		
				56.74	02/14/22	39.20	17.54
				05/16/22	39.25	17.49	
				08/08/22	38.98	17.76	
				11/07/22	38.80	17.94	
02/21/23	38.47	18.27					
05/08/23	38.73	18.01					
08/10/23	38.90	17.84					
10/30/23	39.32	17.42					
03/01/24	38.30	18.44					
05/20/24	38.97	17.77					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW128	Westlake Ave N ROW, E side	60 to 70	-30.8 to -40.8	-	04/22/15	12.91	
					10/19/15	14.15	
					02/01/16	14.23	
				28.59	03/20/17	10.00	18.59
					03/24/17	10.04	18.55
					04/14/17	10.13	18.46
					04/28/17	25.30	3.29
					05/05/17	26.35	2.24
					05/12/17	27.06	1.53
					05/19/17	27.44	1.15
					06/12/17	33.41	-4.82
					10/11/17	30.51	-1.92
					03/14/19	10.79	17.80
					04/22/19	10.43	18.16
					07/16/19	10.67	17.92
					09/09/19	11.12	17.47
					10/21/19	12.36	16.23
					11/11/19	12.49	16.10
					01/13/20	14.27	14.32
					01/30/20	13.68	14.91
					02/17/20	18.11	10.48
					05/11/20	20.10	8.49
					07/13/20	20.46	8.13
					11/16/20	20.01	8.58
	02/01/21	16.35	12.24				
	06/07/21	12.81	15.78				
	08/16/21	12.80	15.79				
	02/14/22	11.00	17.59				
	05/16/22	10.20	18.39				
	08/08/22	10.13	18.46				
	11/07/22	10.82	17.77				
	02/21/23	10.60	17.99				
	05/08/23	10.03	18.56				
	08/10/23	10.84	17.75				
	10/30/23	10.96	17.63				
	03/01/24	10.54	18.05				
	05/20/24	10.09	18.50				
MW-133	Property, SW quadrant	129 to 139	-88.9 to -98.9	39.77	10/11/17	27.57	12.20
					03/14/19	22.62	17.15
Decommissioned March 2019							
MW-137	Property, SW quadrant	105 to 115	-53.3 to -63.3	51.46	10/11/17	39.66	11.80
					03/14/19	33.99	17.47
Decommissioned March 2019							

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-138	Dexter Ave N ROW, E side	105 to 115	-47.6 to -57.6	57.06	10/11/17	44.78	12.28
					03/14/19	39.75	17.31
				57.03	04/22/19	39.64	17.42
					07/19/19	39.82	17.21
					10/21/19	40.19	16.84
					01/13/20	40.32	16.71
					05/11/20	43.06	13.97
					07/13/20	43.92	13.11
					11/16/20	43.85	13.18
					02/01/21	42.62	14.41
					06/07/21	41.90	15.13
					08/16/21	Inaccessible	
					02/14/22	39.56	17.47
					05/16/22	39.48	17.55
					08/08/22	39.30	17.73
					11/07/22	39.14	17.89
					02/21/23	–	
					05/08/23	38.97	18.06
					08/10/23	Inaccessible	–
					10/30/23	39.53	17.50
03/01/24	38.47	18.56					
05/20/24	39.22	17.81					
MW-140	Roy St ROW, N side	129.5 to 139.5	-78.9 to -88.9	50.20	10/11/17 Decommissioned 2019	39.55	10.65
MW-141	Property, SE quadrant	95 to 105	-55.4 to 65.4	39.32	10/11/17	29.40	9.92
					03/14/19	21.80	17.52
					Decommissioned March 2019		
MW-153	Roy St ROW, S side	120 to 130	-65.3 to -75.3	54.35	03/14/19	37.27	17.08
					03/26/19	36.85	17.50
					04/22/19	37.12	17.23
					07/16/19	37.27	17.08
					07/17/19	37.11	17.24
					10/21/19	37.60	16.75
					01/13/20	38.80	15.55
					01/30/20	38.41	15.94
					02/19/20	39.41	14.94
					02/24/20	39.81	14.54
					03/19/20	40.14	14.21
					05/11/20	40.67	13.68
					07/13/20	41.55	12.80
					07/21/20	41.11	13.24
					08/04/20	41.31	13.04
					08/17/20	41.29	13.06
					09/03/20	41.37	12.98
					09/21/20	41.33	13.02
					11/16/20	41.39	12.96
					02/01/21	40.15	14.20
06/07/21	39.39	14.96					
08/16/21	38.87	15.48					
02/14/22	36.90	17.45					
05/16/22	36.96	17.39					
08/08/22	36.51	17.84					
11/07/22	36.57	17.78					
02/21/23	35.94	18.41					
05/08/23	36.51	17.84					
08/10/23	36.63	17.72					
10/30/23	36.90	17.45					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
MW-153 Continued					03/01/24	36.61	17.74	
					05/20/24	36.60	17.75	
MW-158A	8th Ave N ROW, E side	90 to 100	-48.2 to -58.5	41.09	01/24/19	22.98	18.11	
					03/14/19	23.15	17.94	
					04/22/19	23.29	17.80	
					07/16/19	23.54	17.55	
					10/21/19	24.31	16.78	
					01/13/20	24.91	16.18	
					01/30/20	25.00	16.09	
					05/11/20	28.27	12.82	
					07/13/20	28.73	12.36	
					07/21/20	28.56	12.53	
					08/04/20	28.66	12.43	
					08/17/20	28.58	12.51	
					09/03/20	28.65	12.44	
					09/21/20	28.60	12.49	
					11/16/20	28.37	12.72	
					02/01/21	26.80	14.29	
					06/07/21	25.63	15.46	
					08/16/21	25.18	15.91	
					02/14/22	23.22	17.87	
					05/16/22	23.16	17.93	
					08/08/22	22.84	18.25	
					11/07/22	22.92	18.17	
					02/21/23	22.59	18.50	
05/08/23	22.73	18.36						
08/10/23	23.02	18.07						
	10/30/23	Not Measured						
	03/01/24	22.45	18.64					
	05/20/24	22.97	18.12					
MW-160	8th Ave N ROW, W side	118 to 128	-75.4 to -85.4	42.24	03/14/19	24.70	17.54	
					04/22/19	24.56	17.68	
					07/16/19	24.72	17.52	
					10/21/19	25.28	16.96	
					01/13/20	25.83	16.41	
					01/30/20	26.04	16.20	
					02/19/20	27.70	14.54	
					05/11/20	29.08	13.16	
					07/13/20	29.79	12.45	
					07/21/20	29.56	12.68	
					08/04/20	29.70	12.54	
					08/17/20	29.64	12.60	
					09/03/20	29.74	12.50	
					09/21/20	29.61	12.63	
					11/16/20	29.51	12.73	
					02/01/21	27.93	14.31	
					06/07/21	26.92	15.32	
						08/16/21	Inaccessible	
						02/14/22	24.45	17.58
					05/16/22	24.30	17.73	
					08/08/22	24.14	17.89	
					11/07/22	24.16	17.87	
					11/08/22	25.16	16.87	
	02/21/23	23.69	18.34					
	05/08/23	33.88	8.15					
		42.03						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b	
MW-160 Continued					08/10/23	24.22	17.81	
					10/30/23	24.50	17.53	
					03/01/24	23.45	18.58	
					05/20/24	24.19	17.84	
MW-161	8th Ave N ROW, W side	130 to 140	-85.6 to -95.6	43.99	03/14/19	26.50	17.49	
					04/22/19	26.33	17.66	
					07/16/19	26.51	17.48	
					10/21/19	27.03	16.96	
					01/13/20	27.63	16.36	
					05/11/20	31.30	12.69	
					07/13/20	31.90	12.09	
					07/13/20	31.69	12.30	
					08/04/20	31.80	12.19	
					08/17/20	31.76	12.23	
				09/03/20	31.75	12.24		
				09/21/20	Inaccessible			
				11/16/20	31.48	12.51		
				02/01/21	29.89	14.10		
				06/07/21	28.75	15.24		
				08/16/21	28.32	15.67		
				43.84	02/14/22	26.28	17.56	
				05/16/22	26.12	17.72		
				08/08/22	25.96	17.88		
				11/07/22	25.95	17.89		
02/21/23	25.56	18.28						
05/08/23	25.80	18.04						
08/10/23	26.03	17.81						
10/30/23	26.30	17.54						
03/01/24	25.27	18.57						
05/20/24	26.02	17.82						
MW-162	Property, NE quadrant	100 to 110	-61.6 to -71.6	–	03/14/19	19.58		
Decommissioned March 2019								
MW-163	Property, NW quadrant	100 to 110	-61.0 to -71.0	–	03/14/19	21.61		
Decommissioned March 2019								
MW-164	Property, SW quadrant	100 to 110	-59.9 to -69.9	–	03/14/19	22.26		
Decommissioned March 2019								
MW-304	Dexter Ave N ROW, E side	105.2 to 115.2	-47.6 to -57.6	57.23	10/21/19	40.38	16.85	
					01/13/20	40.48	16.75	
					05/11/20	43.11	14.12	
					07/13/20	43.97	13.26	
					11/16/20	Inaccessible		
					02/01/21	42.76	14.47	
					06/07/21	42.04	15.19	
					08/16/21	41.50	15.73	
					57.08	02/14/22	39.52	17.56
					05/16/22	39.59	17.49	
				08/08/22	39.41	17.67		
				11/07/22	39.24	17.84		
				02/21/23	–			
				05/08/23	39.06	18.02		
08/10/23	Inaccessible	–						
10/30/23	39.66	17.42						
03/01/24	38.58	18.50						
05/20/24	39.36	17.72						

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-319	9th Ave N ROW, W side	74.5 to 84.5	-42.8 to -52.8	31.31	10/21/19	14.52	16.79
					01/13/20	16.01	15.30
					01/30/20	15.32	15.99
					02/19/20	18.87	12.44
					05/11/20	20.80	10.51
					07/13/20	21.21	10.10
					11/16/20	20.99	10.32
					02/01/21	17.57	13.74
					06/07/21	14.75	16.56
					08/16/21	14.88	16.43
					02/14/22	13.09	18.22
					05/16/22	12.37	18.94
					08/08/22	12.40	18.91
					11/07/22	13.12	18.19
					02/22/23	12.81	18.50
					05/08/23	12.30	19.01
08/10/23	13.15	18.16					
10/30/23	13.21	18.10					
03/01/24	12.35	18.96					
05/20/24	12.27	19.04					
MW-323	9th Ave N ROW, W side	100 to 110	-65.4 to -75.4	34.38	10/21/19	17.71	16.67
					01/13/20	19.20	15.18
					01/30/20	18.70	15.68
					05/11/20	24.04	10.34
					07/13/20	24.66	9.72
					11/16/20	24.48	9.90
					02/01/21	21.32	13.06
					06/07/21	18.53	15.85
					08/16/21	18.43	15.95
					02/14/22	16.31	18.07
					05/16/22	15.76	18.62
					08/08/22	15.70	18.68
					11/07/22	16.33	18.05
					02/22/23	15.95	18.43
					05/08/23	15.55	18.83
					08/10/23	16.30	18.08
10/30/23	16.42	17.96					
03/01/24	15.64	18.74					
05/20/24	15.83	18.55					
MW-324	Roy St ROW, N side	66.3 to 76.3	-32.1 to -42.1	33.71	10/21/19	17.09	16.62
					01/13/20	18.93	14.78
					01/31/20	18.13	15.58
					05/11/20	24.60	9.11
					07/13/20	25.11	8.60
					09/21/20	25.24	8.47
					11/16/20	24.81	8.90
					02/01/21	20.85	12.86
					06/07/21	17.69	16.02
					08/16/21	17.70	16.01
					02/14/22	15.66	18.05
05/16/22	14.91	18.80					
08/08/22	14.94	18.77					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-324 Continued					11/07/22	15.44	18.27
					02/21/23	15.28	18.43
					05/08/23	14.71	19.00
					08/10/23	15.71	18.00
					10/30/23	15.74	17.97
					03/01/24	14.87	18.84
					05/20/24	14.85	18.86
MW-326	Mercer St ROW, N side	90 to 100	-48.7 to -58.7	40.97	10/21/19	24.22	16.75
					01/13/20	26.40	14.57
					01/30/20	26.22	14.75
					03/19/20	31.50	9.47
					05/11/20	32.44	8.53
					07/13/20	33.37	7.60
					09/21/20	33.27	7.70
					11/16/20	33.09	7.88
					02/01/21	29.85	11.12
					06/07/21	27.02	13.95
					08/16/21	26.50	14.47
					02/14/22	23.52	17.45
					05/16/22	23.18	17.79
					08/08/22	22.81	18.16
					11/07/22	23.14	17.83
					02/21/23	22.55	18.42
					05/08/23	22.71	18.26
08/10/23	23.07	17.90					
10/30/23	23.20	17.77					
03/01/24	26.88	14.09					
05/20/24	22.76	18.21					
MW-326R	Mercer St ROW, N side	90.2 to 100.2	-48.7 to -58.7	41.5	05/08/23	23.11	18.39
					08/10/23	23.52	17.98
					10/30/23	23.64	17.86
					05/20/24	23.19	18.31
MW-328	Lake Union Park, S end	64.5 to 74.5	-36.1 to -46.1	28.09	10/21/19	11.54	16.55
					01/13/20	13.21	14.88
					01/30/20	12.60	15.49
					02/19/20	16.50	11.59
					05/11/20	18.00	10.09
					07/13/20	18.35	9.74
					09/21/20	19.61	8.48
					11/16/20	18.20	9.89
					02/01/21	15.00	13.09
					06/07/21	11.88	16.21
					08/16/21	12.03	16.06
					02/14/22	10.44	17.65
					05/16/22	9.52	18.57
					08/08/22	9.55	18.54
					11/07/22	10.22	17.87
					02/21/23	10.04	18.05
					05/08/23	9.41	18.68
08/10/23	10.30	17.79					
10/30/23	10.38	17.71					
03/01/24	9.72	18.37					
05/20/24	9.50	18.59					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water^a	Groundwater Elevation^b
MW-329	Westlake Ave N ROW, E side	98.3 to 108.3	-69.0 to -79.0	28.93	10/21/19	12.67	16.26
					01/13/20	14.55	14.38
					01/30/20	13.96	14.97
					02/19/20	18.55	10.38
					05/11/20	20.35	8.58
					07/13/20	20.74	8.19
					09/21/20	20.85	8.08
					11/16/20	20.34	8.59
					02/01/21	16.60	12.33
					06/07/21	13.06	15.87
					08/16/21	13.13	15.80
					02/14/22	11.36	17.57
					05/16/22	10.52	18.41
					08/08/22	10.48	18.45
					11/07/22	11.11	17.82
					02/21/23	10.91	18.02
05/08/23	10.37	18.56					
08/10/23	11.20	17.73					
10/30/23	10.27	18.66					
03/01/24	10.62	18.31					
05/20/24	10.43	18.50					
MW-336	Mercer St ROW, N side	85.3 to 95.3	-52.0 to -62.0	33.31	05/11/20	29.31	4.00
					07/13/20	30.00	3.31
					11/16/20	29.11	4.20
					02/01/21	23.57	9.74
					06/07/21	18.97	14.34
					08/16/21	18.48	14.83
					02/14/22	16.50	16.81
					05/16/22	15.17	18.14
					08/08/22	14.94	18.37
					11/07/22	15.47	17.84
					02/21/23	14.94	18.37
					05/08/23	15.02	18.29
					08/10/23	15.38	17.93
					10/30/23	15.50	17.81
03/01/24	14.84	18.47					
05/20/24	14.94	18.37					
MW-341	Lake Union Park, S end	95.2 to 105.2	-67.1 to -77.1	28.11	05/11/20	18.08	10.03
					07/13/20	18.43	9.68
					11/16/20	18.30	9.81
					02/01/21	15.05	13.06
					06/07/21	11.95	16.16
					08/16/21	12.07	16.04
					02/14/22	10.47	17.64
					05/16/22	9.58	18.53
					08/08/22	9.59	18.52
					11/07/22	10.28	17.83
					02/21/23	10.10	18.01
					05/08/23	9.60	18.51
					08/10/23	10.33	17.78
					10/30/23	10.44	17.67
03/01/24	9.86	18.25					
05/20/24	9.55	18.56					

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
MW-342	Valley St ROW, S side	60.1 to 70.1	-32.7 to -42.7	27.37	05/11/20	17.92	9.45
					07/13/20	18.22	9.15
					11/16/20	18.02	9.35
					02/01/21	14.81	12.56
					06/07/21	11.43	15.94
					08/16/21	11.54	15.83
					02/14/22	10.03	17.34
					05/16/22	9.09	18.28
					08/08/22	9.01	18.36
					11/07/22	9.79	17.59
					02/21/23	9.95	17.42
					05/08/23	8.89	18.48
					08/10/23	9.75	17.62
					10/30/23	9.87	17.50
03/01/24	9.30	18.07					
05/20/24	8.85	18.52					
MW-343	Valley St ROW, S side	99.1 to 109.1	-71.9 to -81.9	27.16	05/11/20	17.63	9.53
					07/13/20	17.96	9.20
					11/16/20	17.76	9.40
					02/01/21	Inaccessible	
					06/07/21	11.55	15.61
					08/16/21	11.53	15.63
					02/14/22	10.03	17.13
					05/16/22	9.13	18.03
					08/08/22	9.02	18.14
					11/07/22	9.87	17.29
					02/21/23	9.54	17.62
					05/08/23	8.90	18.26
					08/10/23	Inaccessible	–
					10/30/23	9.85	17.31
03/01/24	9.30	17.86					
05/20/24	8.90	18.26					
TB-18	SDOT Mercer NE quadrant	93 to 118	–	–	06/04/98 Decommissioned	30.05	

**Table 1
Summary of Groundwater Elevations
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Screen Interval (ft bgs)	Screen Interval Elevation (feet)	Top of Casing Elevation (feet)	Date	Depth to Water ^a	Groundwater Elevation ^b
South Lake Union							
M.P. A	S. Lake Union Park Retaining Wall E of MW-327	–	–	20.21	12/04/19	3.39	16.82
M.P. B	S. Lake Union Park Octagonal Landing SE of footbridge	–	–	23.94	12/04/19 01/13/20 05/11/20 07/13/20 08/04/20 08/17/20 09/21/20 11/16/20 02/01/21 06/07/21 08/16/21 02/14/22 05/16/22 11/07/22 02/21/23 05/08/23 08/10/23 10/30/23 03/01/24 05/20/24	7.05 7.05 5.28 5.60 5.93 5.97 6.15 6.58 7.09 5.09 6.35 7.11 5.19 – – 8.88 9.45 6.57 10.21 5.15	16.89 16.89 18.66 18.34 18.01 17.97 17.79 17.36 16.85 18.85 17.59 16.83 18.75 – – 15.06 14.49 17.37 13.73 18.79

NOTES:

TOCs were surveyed relative to an established datum of 521.41 feet prior to 2012. TOCs were resurveyed by Axis Survey and Mapping of Kirkland, WA on March 16th, 2012, relative to an arbitrary benchmark of 499.89 feet above mean sea level, and by Bush, Roed & Hitchings, Inc. of Seattle, WA in multiple surveys since February 2012 using the North American Vertical Datum 1988.

^a As measured in feet below a fixed spot on the well casing rim.

^b Calculated by subtracting the depth to groundwater from the casing elevation. Groundwater elevation in angled monitoring well calculated subtracting the product of the measured depth to groundwater in the angled well by the sine of its angle.

**Monitoring well was installed at a 25 degree angle from the vertical point of penetration. Depth to groundwater measurements and sample interval account for angled length of well, not vertical depth. Groundwater elevations corrected to account for angle.

– = unknown or not applicable

ROW = right-of-way

TOC = top of casing

B&V = Black & Veach

DOF = Dalton, Olmsted & Fuglevand, Inc.

EPJ = E.P. Johnson Construction, Inc.

TD = Total Depth

PES = PES Environmental, Inc.

GeoEngineers = GeoEngineers, Inc.

Retec = Remediation Technologies, Inc.

Roux = Roux Associates

SES = SoundEarth Strategies, Inc.

Urban = Urban Redevelopment

Windward = Windward Environmental LLC

HC = Hart Crowser

^cIn feet referenced to North American Vertical Datum of 1988 (NAVD88) based on well construction detail. (Farallon table note)

Table 2
Groundwater Field Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
Shallow Zone									
F13	Property, NE quadrant	03/27/17	6.80	756	15.4	3.4	0.86	-139	1.0
		06/22/17	7.00	865	20.2	-	0.27	-148	1.5
		04/05/18	6.84	491	16.6	-	0.50	67	-
		Decommissioned March 2019							
F5	Property, NW quadrant	03/28/17	6.05	1,001	10.9	5.8	0.99	-51	-
		06/22/17	6.38	1,080	19.5	-	0.80	-87	-
		Decommissioned March 2019							
F9	Property, NE quadrant	03/27/17	6.69	1,270	16.6	3.1	0.74	-151	-
		06/22/17	6.76	1,309	27.5	-	0.24	-149	-
		Decommissioned March 2019							
FMW-143	9th Ave N ROW, E side	10/31/19	6.65	892	16.8	16.1	0.35	45	0.0
		01/22/20	6.96	1,431	9.2	1.8	0.32	-39	3.5
		05/14/20	6.84	899	13.7	32.0	3.78	-34	3.5
		07/22/20	6.75	820	16.6	7.43	0.17	24	4.0
G12	Property, NE quadrant	03/27/17	7.34	1,296	20.7	-	0.41	150	1.3
		06/30/17	6.88	1,239	29.1	-	1.30	-87	-
		Decommissioned March 2019							
J5	Property, SW quadrant	03/21/17	6.95	251	15.1	4.6	0.70	-114	0.6
		06/26/17	6.94	484	19.8	-	0.42	-143	-
		04/05/18	6.85	286	14.1	-	0.50	77	-
		Decommissioned March 2019							
J15	Property, SE quadrant	03/27/17	7.42	935	14.1	-	0.48	141	2.0
		06/26/17	6.86	920	20.8	-	0.44	-99	1.5
		04/05/18	6.83	716	18.1	-	0.40	103	-
		Decommissioned March 2019							
K8	Property, SW quadrant	03/21/17	7.70	251	18.3	-	0.80	-121	0.0
		06/26/17	7.76	257	22.3	-	0.25	-4	0.0
		04/05/18	9.45	220	16.7	-	0.70	56	-
		Decommissioned March 2019							
M15	Property, SE quadrant	03/27/17	7.16	1,544	18.7	-	0.60	140	2.8
		06/26/17	6.71	1,440	25.6	-	0.70	-84	-
		04/05/18	6.90	1,034	18.0	-	0.40	86	-
		Decommissioned March 2019							
MW121	8th Ave N ROW, E side	12/26/13	6.89	1,610	-	-	4.16	-30	1.90
		03/28/17	6.63	2,608	14.4	2.9	0.99	-122	2.0
		06/20/17	8.29	2,437	19.9	-	0.52	-88	3.0
		04/05/18	6.64	2,028	17.2	-	0.60	120	-
		01/31/19	6.87	2,396	15.3	-	0.42	-3	-
		04/29/19	6.75	2,521	18.1	-	0.30	9	-
		07/19/19	6.38	2,017	18.8	-	0.46	-17	-
		11/30/20	6.50	1,838	15.9	-	0.39	-442	-
		02/05/21	6.67	1,912	15.6	4.2	1.73	48	-
		05/12/21	6.64	1,808	17.5	6.7	0.39	125	-
		08/02/21	6.63	1,853	21.6	10	0.25	124	-
		05/19/22	6.76	1,875	13.9	-	0.32	29	-
		08/04/22	6.78	1,628	18.0	-	0.60	79	-
		10/31/22	6.57	1,454	15.7	-	0.46	5	0.0
		05/16/23	8.13	1,811	16.7	-	0.17	-29	-
		11/07/23	6.71	1,051	15.6	-	1.30	-2	0.5
		05/21/24	6.64	1,652	13.0	-	2.10	200	-

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW125	Valley St ROW, N side	12/26/13	6.28	1,414	–	–	8.68	22	1.47
		03/22/17	6.62	1,296	14.6	3.7	1.00	-116	–
		06/28/17	6.71	984	17.1	–	1.91 ^d	-101	–
		04/06/18	6.89	831	17.5	–	0.30	-68	–
		01/21/19	6.67	912	15.8	–	0.48	122	–
		04/23/19	6.74	987	16.3	–	0.65	65	–
		07/18/19	6.90	920	18.9	–	0.40	59	–
		10/18/19	6.49	923	13.6	–	1.49	-86	2.0
		01/29/20	7.10	1,149	16.2	47.7	–	-115	2.0
		11/17/20	6.51	732	16.5	21.0	0.39	-168	–
		02/02/21	6.65	805	13.6	24.0	0.71	51	–
		05/11/21	6.66	772	16.4	5.9	0.23	-184	–
		08/02/21	6.43	759	19.6	7.2	0.31	125	–
		11/11/21	6.69	711	14.1	–	0.49	48	5.8
		02/22/22	6.76	1,895	9.1	–	0.68	-119	–
		05/19/22	6.77	736	13.4	–	0.41	-24	–
		08/09/22	6.73	650	18.3	–	0.58	-93	–
		10/31/22	6.51	587	15.0	–	0.88	25	3.0
		10/31/23	6.71	621	15.0	–	0.22	6	4.3
		MW-154	Roy St ROW, S side	04/30/18	7.26	469	16.3	–	0.40
01/21/19	7.25			523	14.4	–	0.61	99	–
04/24/19	7.09			459	18.6	–	0.48	103	–
07/15/19	6.96			517	20.0	–	1.21	157	–
10/14/19	6.49			515	17.5	7.6	0.53	161	0.0
01/21/20	6.81			965	11.1	15.1	1.61	-87	0.0
04/30/20	6.85			652	18.5	4.0	1.06	234	0.0
07/10/20	6.49			708	20.5	5.0	0.78	25	0.0
11/09/20	6.94			567	14.9	24.1	5.29	27	–
02/08/21	7.28			507	15.3	10.0	8.00	40	–
05/10/21	7.23			469	19	7.2	4.97	-92	–
08/17/21	6.80			494	18.1	11	6.90	4	–
11/10/21	7.08			487	15.8	–	0.59	150	0.0
02/18/22	7.27			872	14.8	–	4.91	-298	–
05/02/22	7.09			671	14.9	–	5.98	211	–
08/02/22	7.16			584	18.5	–	4.97	-15	–
11/03/22	7.61			620	15.7	–	1.77	211	0.0
05/12/23	7.04			583	16.5	–	0.14	-36	–
11/10/23	6.97			619	13.5	–	1.25	-18	0.0
06/04/24	6.59			640	15.1	–	0.35	168	–
MW-155	Roy St ROW, S side	04/27/18	6.79	479	13.3	–	3.20	94	–
		01/21/19	6.52	500	12.3	–	2.43	119	–
		04/23/19	6.51	663	14.7	–	1.80	41	0.0
		07/23/19	6.26	765	14.4	–	2.06	66	–
		10/16/19	6.30	657	15.2	4.5	1.12	272	0.0
		01/20/20	5.93	819	13.7	19.9	2.00	45	0.0
		05/05/20	7.31	678	17.9	9.0	2.24	131	–
		08/03/20	6.73	686	20.1	70.1	2.45	114	0.5
		11/11/20	6.56	669	14.7	89.7	2.67	-67	–
		08/13/21	6.29	592	16.9	25	4.17	67	–
		12/02/21	6.28	563	12.5	–	4.67	207	0.0
		03/01/22	6.69	870	14.6	–	1.98	-208	–
		05/05/22	6.50	782	11.2	–	2.90	185	–
		08/03/22	6.60	774	18.7	–	2.37	-21	–
		11/04/22	7.18	995	14.8	–	0.28	181	0.0
		05/09/23	7.01	600	16.9	–	8.20	15	–
		11/10/23	7.15	848	13.6	–	1.63	56	0.0
		05/28/24	6.62	496	13.8	–	0.78	177	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-159	8th Ave N ROW, E side	04/26/18	6.92	928	18.9	–	0.70	109	–
		01/21/19	6.92	1,125	14.1	–	0.59	126	–
		04/26/19	6.83	1,279	14.5	–	0.54	79	–
		07/19/19	6.75	1,109	19.0	–	1.34	62	–
		01/29/20	6.79	1,081	14.2	4.7	0.11	-76	2.5
		11/11/20	6.78	588	12.4	4.1	0.60	-126	–
		02/08/21	6.83	625	11.1	168	0.57	-437	–
		05/11/21	6.91	625	14.4	356	0.14	-179	–
		08/05/21	6.81	477	19.5	32	0.22	101	–
		12/02/21	6.49	542	13.1	–	0.17	-105	4.5
		03/03/22	6.66	605.5	13.5	25	0.15	-700	–
		05/11/22	6.77	565	15.7	–	0.20	-104	–
		08/03/22	6.98	551	18.3	–	1.50	-75	–
		10/31/22	6.58	511	15.1	–	0.42	-24	3.5
		05/16/23	9.41	627	15.5	–	0.70	-60	–
05/21/24	6.79	744	12.0	–	2.12	-100	–		
MW-214 (dry)	Valley St ROW, S side	03/30/17	7.47	467	11.0	3.6	5.91	-70	–
		06/21/17	–	–	–	–	–	–	–
		04/09/18	8.94	380	13.7	–	8.00	401	–
		10/11/19	6.91	692	16.3	10.5	0.44	122	–
		01/20/20	7.23	543	13.7	–	7.40	58	–
		04/07/20	6.62	413	11.5	–	1.03	71	0.0
		07/06/20	6.78	652	19.5	9.22	0.27	-89	0.0
MW-301	Valley St ROW, S side	11/30/20	6.33	459	16.2	20.5	2.20	-20	–
		02/05/21	6.26	442	10.8	44.9	0.99	-430	–
		05/14/21	6.33	450	14.1	63.8	0.5	-7	0.0
		08/20/21	6.18	460	15.9	14	1.23	169	0.0
		12/02/21	6.17	426	11.3	–	0.77	148	0.0
		05/10/22	5.69	496	13.6	–	0.00	94	0.2
		08/12/22	6.51	434	16.0	–	0.56	43	0.2
		10/31/22	7.15	601	13.2	–	0.47	176	0.0
		11/03/23	6.66	572	15.0	–	1.92	80	–
		MW-305	Roy St ROW, S side	10/11/19	6.34	298	16.8	99.9	1.97
01/15/20	6.83			560	6.8	–	3.64	60	0.0
04/28/20	6.50			480	16.0	93	4.75	89	0.0
07/27/20	6.76			306	18.0	184	3.59	214	0.0
11/06/20	6.54			339	15.3	329	1.87	-18	–
05/18/21	6.62			557	16.2	123	5.19	128	–
12/03/21	6.46			500	16.7	–	6.88	69	0.0
05/26/22	6.75			443	16.6	–	3.29	7	–
MW-310	Alley E of Seattle Roy Aloha Shops	10/10/19	6.97	1,508	15.5	177	1.00	24	4.0
		01/14/20	6.38	1,969	10.7	4.2	0.18	-63	3.0
		04/08/20	6.48	1,503	16.9	–	0.21	-116	3.4
		08/04/20	6.83	1,489	19.4	20.7	0.27	108	3.6
		11/06/20	6.54	1,507	15.1	6.2	0.39	-145	–
		05/03/21	6.80	1,546	15.7	–	0.64	123	–
		11/04/21	6.80	1,460	14.3	–	0.51	176	3.5
		05/18/22	6.84	1,079	14.9	–	0.19	-105	–
		11/01/22	6.34	1,024	15.0	–	0.77	5	4.0
		11/07/23	6.77	1,095	14.8	–	1.27	-89	–
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	6.84	1,670	16.4	59.6	0.49	-59	2.8
		01/21/20	6.56	1,621	14.8	2.0	0.40	-56	1.5
		04/22/20	6.66	1,703	12.6	24.7	0.64	43	3.4
		08/04/20	6.99	1,672	21.5	–	1.50	-64	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-312 (continued)		11/11/20	6.31	267	12.0	100	0.70	-92	–
		05/03/21	6.93	1,684	14.9	9.1	0.99	121	–
		11/03/21	6.45	215	15.7	–	0.38	101	2.5
		05/09/22	6.69	1,453	16.2	–	0.12	-86	–
		11/01/22	6.58	1,192	15.4	–	0.89	71	4.0
		11/07/23	6.90	1,347	14.8	–	1.21	-82	–
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	7.06	718	17.3	66.4	0.77	131	0.5
		01/14/20	6.83	979	8.1	–	0.42	76	3.0
		05/04/21	6.66	798	14.7	114	1.08	-131	–
		11/09/21	6.55	785	15.0	–	1.14	34	0.6
		05/18/22	6.69	1,130	15.5	–	0.64	53	–
		11/01/22	7.01	1,507	15.3	–	0.21	261	0.0
		05/15/23	6.81	1,274.0	23.8	–	0.83	9	–
		11/07/23	7.09	90	15.7	–	2.10	-60	0.2
		05/22/24	6.77	1,099	16.4	–	2.33	23	–
		MW-320	9th Ave N ROW, W side	10/07/19	6.65	552	17.4	21.3	0.39
01/20/20	6.66			1,187	14.7	0.7	0.90	-120	4.8
04/29/20	6.69			828	15.8	3	0.42	83	5.0
07/28/20	6.96			751	17.8	7.08	0.96	-56	3.5
11/12/20	6.72			630	12.6	14.7	0.50	-107	–
05/20/21	6.70			880	14.5	4.5	0.18	-116	–
11/16/21	6.62			418	15.5	–	1.08	72	0.0
11/10/21	6.56			796	13.9	–	0.00	40	5.0
06/08/22	6.77			499	15.6	–	4.14	66	–
11/04/22	6.10			989	16.3	–	0.53	179	0.0
MW-332	Roy St ROW, N side			05/04/20	6.99	880	18.2	3.0	0.50
		07/30/20	6.90	831	26.8	27.0	0.56	14	0.5
		11/12/20	6.82	616	12.3	36.8	0.57	13	–
		05/20/21	6.84	706	14.6	5.3	3.77	-77	–
		11/08/21	6.91	723	16.3	–	1.31	118	0.0
		05/31/22	6.80	893	16.2	–	0.68	18	–
		11/04/22	6.65	1,364	15.1	–	0.83	-26	0.25
		11/08/23	7.05	680	15.7	–	1.20	-34	–
		MW-337	Lake Union Park, N end	05/07/20	6.62	548	12.7	3.9	1.18
07/23/20	6.91			449	15.4	4.0	0.12	-64	3.2
11/10/20	6.68			330	13.1	1.6	0.18	-125	–
05/04/21	6.77			557	12.9	–	0.06	123	–
11/17/21	6.41			636	14.8	–	0.00	73	0.3
05/03/22	6.78			542	11.9	–	1.08	51	–
11/02/22	6.60			432	14.6	–	0.76	47	3.0
11/09/23	7.50			501	13.3	–	0.16	-3	–
MW-339	Lake Union Park, S end			05/14/20	7.27	670	12.1	2.0	0.10
		07/23/20	6.76	1,237	14.9	1.85	0.27	-60	1.5
		11/09/20	6.76	503	13.8	4.2	0.12	-151	–
		05/25/21	6.80	791	13.7	–	0.16	135	–
		11/10/21	6.62	376	12.2	–	0.72	93	0.2
		05/04/22	7.06	543	11.9	–	4.21	-1	–
		11/02/22	6.63	498	12.3	–	0.78	69	0.0
		MW-8 (dry)	Seattle Roy Aloha Shops N end	03/20/17	6.47	1,080	14.2	11.4	1.30
06/27/17	–			–	–	–	–	–	–
04/13/18	5.99			540	13.1	–	0.80	261	–
07/18/19	6.20			692	16.9	–	0.27	224	–
10/10/19	6.35			425	15.4	5.2	0.45	126	–
01/16/20	5.86			322	13.0	6.9	0.40	48	–
05/06/20	6.24			420	13.7	–	1.91	250	–
07/14/20	6.35			494	17.6	5.8	1.99	-64	3.0

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-9	8th Ave N ROW, E side	12/16/13	6.72	132	–	–	0.20	263	3.41
		03/20/17	6.64	1,203	13.0	0.0	1.00	-109	–
		06/20/17	6.41	1,391	20.8	–	0.76	-93	–
		04/05/18	6.73	1,299	13.4	–	0.80	128	–
		01/21/19	6.63	1,179	12.5	–	0.71	143	–
		04/26/19	6.68	632	16.6	–	0.50	62	–
		07/16/19	6.70	1,060	17.4	–	0.22	-118	–
		10/17/19	6.27	1,190	14.4	–	0.52	-104	2..0
		11/24/20	6.50	1,120	13.9	95.4	0.38	-291	–
		02/05/21	6.39	617	14.2	8.0	0.40	42	–
		05/12/21	6.70	1,174	14.8	2.3	0.29	-159	–
		08/02/21	6.54	1,150	20.4	3.8	0.29	128	–
		11/11/21	6.61	1,006	14.8	–	0.43	175	5.8
		02/15/22	6.61	1,046	12.4	–	0.47	-247	–
		06/08/22	6.64	1,071	–	–	0.26	-13	–
		08/09/22	6.75	1,008	19.1	–	0.55	-44	–
		10/31/22	6.63	923	16.3	–	0.10	74	0.5
		05/12/23	6.75	1,084	17.8	–	0.53	-101	–
		11/06/23	6.68	1,247	15.4	–	1.15	-31	4.0
	05/21/24	6.54	1,149	13.3	–	2.03	-60	–	
DUP	05/21/24	6.54	1,149	13.3	–	2.03	-60	–	
N7	Property, SW quadrant	03/30/17	6.82	350	15.9	2.8	1.11	-74	0.0
		06/27/17	6.83	505	24.9	1.7	1.74 ^d	-4	0.3
		Decommissioned March 2019							
R-MW2	Property, NE quadrant	03/21/17	7.00	723	11.4	17.6	0.80	-161	–
		06/15/17	6.78	766	15.5	–	0.43	-161	–
		04/02/18	6.68	737	14.5	–	0.70	49	–
		Decommissioned March 2019							
R-MW3	Property, NE quadrant	03/21/17	7.06	1,616	16.7	4.1	0.90	-39	–
		06/28/17	7.11	1,258	23.5	–	1.01	-132	–
		04/04/18	6.96	1,241	16.8	–	0.50	98	–
		Decommissioned March 2019							
R-MW5	Dexter Ave N ROW E side	03/23/17	6.12	537	17.1	–	0.80	-37	1.0
		06/16/17	5.85	516	17.6	–	1.12	-370	–
		04/11/18	9.57 ^(a)	504	15.5	–	0.50	213	–
		01/03/19	5.96	533	14.7	–	0.81	71	–
		04/22/19	6.14	410	15.9	–	0.54	100	–
		07/16/19	6.06	378	18.8	–	0.26	52	–
		10/21/19	6.33	346	16.6	66.7	0.70	156	1.0
		01/24/20	5.97	440	12.3	9.6	0.33	25	2.5
		11/18/20	7.25	339	16.8	90.0	0.32	-388	–
		02/11/21	6.21	247	12.5	17.8	0.59	-397	–
		05/17/21	5.88	250	14.2	–	0.19	110	–
		08/03/21	6.08	275	18.9	7.1	0.85	9	–
		11/08/21	6.45	188	14.8	–	0.00	22	1
		02/24/22	6.04	252	10.3	–	0.91	-48	–
		05/17/22	6.20	415	14.2	–	0.18	63	–
		08/09/22	6.34	481	16.1	–	1.80	-6	–
11/08/22	6.47	303	15.9	–	1.23	83	2.5		
10/30/23	6.75	371	16.5	171	4.31	-48	1.5		
R-MW6	8th Ave N ROW, W side	03/21/17	6.56	1,280	14.8	6.6	0.80	-39	–
		06/20/17	6.57	1,407	18.0	–	0.84	-56	1.5
		04/06/18	6.72	1,137	16.8	–	0.70	113	–
		01/25/19	6.75	1,055	14.9	–	0.33	-101	–
		04/25/19	6.77	1,295	17.5	–	0.40	18	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
R-MW6 (continued)		12/01/20	6.35	765	12.9	15.2	0.71	-42	–
		02/03/21	6.57	936	11.2	8.0	0.20	49	–
		05/17/21	5.72	1,187	15.1	–	1.30	118	–
		08/03/21	6.08	1,406	19.9	4.2	1.14	78	–
		11/29/21	7.13	1,074	15.1	–	0.08	-112	3.2
		02/23/22	6.11	1,225	9.7	–	0.69	-100	–
		05/11/22	6.32	2,045	14.0	–	0.20	-61	–
		08/03/22	6.35	1,341	18.7	–	11.8 ^d	-93	–
		11/04/22	6.09	1,429	16.0	–	0.91	110	2.0
		05/16/23	6.75	1,480	16.5	–	0.15	-54	–
		05/22/24	6.54	982	13.3	–	0.25	39	–
SCL-MW101	Alley E of Seattle Roy Aloha Shops	03/28/17	7.34	834	11.8	–	0.35	118	–
		06/14/17	6.35	628	17.9	–	0.12	-49	–
		04/06/18	6.61	654	14.3	–	0.30	66	–
		10/09/19	6.10	1,468	16.4	–	0.48	-78	–
		01/17/20	6.46	1,378	12.3	1.4	0.46	-59	–
		04/07/20	6.20	866	15.6	–	0.30	-79	–
		11/24/20	6.43	813	14.8	126	0.64	-112	–
		05/04/21	6.49	1,126	18.1	–	1.09	124	–
		11/11/21	6.57	1,129	16.1	–	0.45	40	2.8
		05/19/22	6.60	1,458	15.6	–	0.29	92	–
11/03/22	6.58	1,338	16.4	–	3.31	-17	1.8		
SCL-MW105	Alley E of Seattle Roy Aloha Shops	03/28/17	7.19	1,049	12.6	–	0.50	136	–
		06/15/17	6.45	1,086	15.8	–	1.11	-95	–
		04/06/18	6.73	968	15.4	–	0.40	76	–
		10/10/19	6.50	1,289	14.2	17.8	0.57	-83	–
		01/17/20	6.53	1,552	11.1	0.8	0.33	-54	–
		04/01/20	6.33	987	15.9	14.0	0.20	-87	4.0
		07/24/20	6.62	1,108	18.3	1.0	2.28	-99	–
SCS-2	Seattle Roy Aloha Shops N end	03/20/17	6.50	947	13.0	1.6	1.00	-142	–
		06/12/17	6.41	761	17.3	–	0.59	-31	–
		04/13/18	10.72 ^(a)	199	10.5	–	0.80	215	–
		07/18/19	6.48	895	16.0	–	0.32	-97	–
		10/10/19	6.60	776	13.9	4.5	0.53	-18	–
		01/16/20	6.03	541	13.2	3.3	0.40	-25	–
SMW-3	Valley St ROW, N side	03/30/17	6.48	743	11.8	2.9	0.98	-86	–
		06/21/17	6.35	589	20.9	–	0.41	-57	–
		04/09/18	7.79 ^(a)	807	14.9	–	0.60	-18	–
		10/11/19	6.33	846	16.5	223	0.57	54	–
		01/17/20	6.54	711	12.5	9.7	0.30	-43	–
		04/09/20	6.19	698	19.0	1.3	0.17	50	4.8
		07/07/20	6.36	735	19.1	8.9	1.79	-98	6.0
Intermediate A Zone									
BB-8	Roy St ROW, S side	12/29/13	6.56	8,560	–	–	0.72	224	0.01
		03/22/17	6.74	621	14.6	–	1.80	-23	0.0
		06/14/17	6.29	649	14.5	–	1.12	188	0.0
		04/11/18	6.96	512	14.5	–	0.70	85	0.0
		01/23/19	6.80	700	12.9	–	0.76	154	0.0
		04/23/19	6.94	649	14.2	–	1.28	34	0.0
		07/17/19	6.50	640	15.9	–	0.50	-6	0.0

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
BB-8 (continued)		10/22/19	6.37	551	16.1	13.6	0.32	221	0.0
		01/20/20	6.70	796	14.8	0.9	1.10	45	0.0
		05/12/20	6.69	622	15.5	3.0	1.14	280	0.0
		07/27/20	6.51	638	17.4	57.3	0.40	103	0.5
		11/17/20	6.67	590	14.5	89.2	0.56	41	–
		02/11/21	6.94	456	9.4	14.0	3.78	47	–
		06/07/21	6.76	465	19.6	14.6	3.14	-77	–
		08/17/21	6.61	502	17.7	–	1.54	139	–
		11/08/21	6.92	493	15.9	4.3	2.51	93	0.0
		02/24/22	6.86	645	12.5	–	2.56	-209	–
		05/17/22	6.83	657	16.3	–	2.50	-27	–
		08/09/22	6.83	550	18.8	–	1.10	-6	–
		11/09/22	6.72	631	14.0	–	2.25	-15	0.0
		05/09/23	6.87	518	15.8	–	0.52	-24	–
		10/31/23	6.91	580	16.4	–	2.35	24	0.5
05/22/24	6.98	744	15.1	–	0.29	-153	–		
FMW-142	9th Ave N ROW, E side	10/31/19	6.22	556	12.8	10.3	0.38	-57	0.5
		01/22/20	7.22	1,113	8.7	0.9	0.44	-48	2.2
		04/28/20	6.83	725	16.5	11	0.41	69	5.0
		07/08/20	6.96	738	17.2	16.7	0.60	-25	4.4
		11/04/20	6.80	685	16.9	46.7	0.34	-109	–
		05/25/21	6.84	725	15.1	–	0.27	-182	–
		03/02/22	6.86	830	14.8	–	0.26	-436	–
		06/05/22	6.84	778	15.3	–	0.39	-84	–
		11/04/22	6.76	742	15.8	–	0.84	-161	–
		GEI-1	Block 37, SW quadrant	03/24/17	6.41	1,127	12.0	24.1	0.80
06/13/17	6.65			553	14.9	–	0.56	-38	–
04/22/19	6.35			1,099	13.3	–	0.68	-46	–
07/16/19	6.66			908	19.2	–	0.21	-105	3.0
10/21/19	6.65			1,285	15.1	–	0.20	-70	2.1
01/22/20	6.83			1,108	10.8	4.7	0.40	-55	3.0
04/29/20	6.61			639	14.8	6.5	1.05	-87	2.0
07/30/20	6.64			854	17.8	–	1.50	-87	2.4
GEI-MW-1	Block 79 East, N end	01/23/20	6.95	1,127	14.8	17.4	0.41	-24	3.2
		04/29/20	6.90	850	19.0	5.0	0.37	-87	4.0
		08/07/20	6.86	802	21.9	18	1.11	-89	3.5
		11/10/20	6.83	609	14.0	1.4	0.30	-130	–
		05/13/21	6.77	746	17.0	–	0.21	128	–
		03/07/22	6.88	647	15.0	8.0	0.13	-664	–
		05/27/22	6.86	688	15.5	–	0.37	-116	–
		11/04/22	6.90	748	16.4	–	0.21	-9	3.8
		05/16/23	6.82	741	18.6	–	0.21	-87	–
		11/08/23	8.27	751	16.7	–	0.20	-23	–
05/23/24	6.71	682	15.8	–	0.19	-25	–		
HMW-9IA	SDOT Mercer Parcels SW quadrant	06/02/21	7.53	596	22.2	22.0	0.26	-107	0.00
		08/18/21	7.45	599	18.2	41.2	0.29	-111	0.25
HMW-20IA	SDOT Mercer Parcels NW quadrant	06/02/21	7.32	757	19.4	16.5	0.45	-19	0.50
		08/18/21	7.54	735	16.3	1.6	0.23	-94	0.0
MW107	8th Ave N ROW, W side	12/16/13	6.62	900	–	–	1.14	22	0.43
		03/27/17	7.10	1,434	13.7	–	0.50	141	2.0
		06/19/17	6.24	1,434	22.5	–	0.77	-30	1.5
		04/09/18	6.73	1,193	18.4	–	0.30	49	4.0
		01/30/19	6.99	1,299	11.0	–	0.74	127	–
		05/01/19	6.85	1,216	16.9	–	0.33	24	2.0
		07/22/19	6.64	1,187	21.5	–	2.72	-9	1.4

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW107 (continued)		10/15/19	6.93	1,263	19.9	85.3	0.38	-66	3.4
		01/28/20	7.31	1,663	16.8	9.2	–	-97	4.5
		04/03/20	6.79	1,468	15.0	10.4	2.56	-77	3.0
		07/31/20	6.93	762	19.4	27.1	0.64	52	1.2
		12/01/20	6.79	1,183	13.5	–	0.89	-36	–
		02/02/21	6.73	903	12.7	9.0	0.72	46	–
		06/02/21	6.44	1,701	16.4	–	0.22	-6	–
		08/16/21	6.56	1,832	18.4	–	0.35	-88	–
		11/29/21	6.31	1,318	15.0	–	0.17	-61	1.4
		02/23/22	6.60	1,205	11.4	–	0.82	-80	–
		05/11/22	6.70	1,316	16.0	–	0.15	-53	–
		08/03/22	6.76	1,319	21.8	–	5.40	-87	–
		10/31/22	6.68	1,370	15.8	–	5.95	-13	6.75
		02/23/23	6.52	1,144	10.3	–	0.88	-44.2	–
		05/15/23	6.75	1,624	23.1	–	0.53	-87	–
		11/03/23	6.69	1,249	17.1	–	0.73	-106	3
		02/26/24	6.86	933	10.8	–	0.48	-155	–
05/22/24	6.89	695	13.7	–	0.41	142	–		
MW108	Alley E of Seattle Roy Aloha Shops	12/17/13	6.36	1,570	–	–	0.50	-72	21.7
		03/28/17	6.65	1,410	13.6	2.0	0.97	-99	2.5
		06/27/17	6.72	1,252	16.3	–	4.45 ^d	-108	2.0
		04/06/18	6.69	1,026	14.6	–	0.60	136	–
		01/22/19	6.77	1,053	11.9	–	0.80	132	–
		04/29/19	6.61	1,296	14.4	–	0.42	-18	–
		07/15/19	6.55	1,217	17.7	–	0.78	-49	–
		10/10/19	6.81	1,178	15.1	14.3	1.49	3	3.3
		01/14/20	6.87	1,568	12.2	2.0	0.09	-84	4.5
		04/22/20	6.69	1,347	14.9	31.2	2.21	-96	6.6
		07/16/20	6.91	1,296	16.5	16.6	2.32	-148	7.0
		11/04/20	6.57	1,222	16.8	27.6	0.45	-114	–
		02/09/21	6.53	1,225	12.9	11.0	0.89	-451	–
		05/03/21	6.74	1,192	15.9	–	0.38	129	–
		08/04/21	6.58	1,157	20.2	4.7	0.32	111	–
		11/04/21	6.81	796	15.8	–	0.85	176	4.5
		02/15/22	6.73	1,144	12.8	–	0.41	-195	–
		05/18/22	6.72	1,087	15.3	–	0.44	-78	–
		08/10/22	6.69	860	17.1	–	0.98	-83	–
		11/01/22	6.32	835	15.0	–	0.68	7	0.0
05/12/23	6.67	1,038	20.0	–	0.59	-64	–		
11/07/23	6.81	853	15.7	–	1.19	-79	4.0		
05/21/24	6.61	793	10.7	–	0.27	8	–		
MW109	Alley E of Seattle Roy Aloha Shops	12/17/13	6.68	1,540	–	–	0.31	-78	16.2
		03/29/17	6.59	916	14.9	2.8	0.77	-115	1.5
		06/27/17	6.72	1,129	16.9	–	3.85 ^d	-107	1.5
		04/06/18	6.71	1,112	14.3	–	0.50	136	–
		01/23/19	6.97	1,203	15.7	–	0.59	143	–
		04/29/19	6.52	1,128	14.2	–	0.45	40	–
		07/15/19	6.57	1,214	17.5	–	0.44	-29	–
		10/15/19	6.40	1,167	15.2	16.2	0.46	-95	2.5
		01/21/20	6.48	206	14.2	4.1	4.50	60	0.0
		04/22/20	6.35	1,110	14.4	8.7	0.30	107	3.0
		07/06/20	6.11	1,037	19.1	35.5	0.31	25	6.0
		11/02/20	6.61	1,199	17.0	22.8	1.29	-48	–
		02/09/21	6.60	946	13.3	16.4	0.70	-444	–
		05/03/21	6.74	854	14.6	12.3	0.54	127	–
		08/04/21	6.35	150	19.4	8	0.25	81	–
		11/03/21	6.73	777	15.7	–	0.85	124	5.5
		02/15/22	6.74	861	14.9	–	2.02	133	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW109 (cont...)		05/09/22	6.20	901	16.7	–	0.00	-84	–
		08/10/22	6.66	65	17.5	–	1.50	160	–
		11/01/22	6.41	759	15.6	–	0.78	30	4.5
		05/15/23	6.65	879	22.4	–	0.34	-65	–
		11/07/23	6.77	787	14.9	–	1.41	-72	2.5
		05/21/24	6.62	624	15.4	–	0.27	-21	–
MW110	Alley E of Seattle Roy Aloha Shops	12/19/13	8.82	888	–	–	0.52	291	0.04
		03/23/17	6.66	1,109	13.1	0.4	1.05	-47	0.1
		06/27/17	7.13	1,010	17.2	–	1.42 ^d	57	0.0
		04/09/18	6.22	895	16.1	–	0.70	431	–
		01/23/19	6.74	1,020	14.5	–	0.41	103	–
		04/26/19	6.67	998	16.7	–	0.49	135	–
		07/15/19	6.68	965	16.2	–	0.45	160	–
		10/15/19	6.34	976	15.8	–	0.45	-19	–
		01/16/20	6.59	988	14.7	15.5	0.04	17	–
		04/22/20	6.80	1,005	13.8	30.9	1.02	10	0.0
		07/16/20	7.03	1,046	18.5	28.0	0.41	1	0.0
		11/04/20	7.08	1,028	16.6	63.8	0.36	-59	–
		02/09/21	6.66	863	13.4	107	0.83	-497	–
		05/04/21	6.71	824	18.4	116	0.48	-80	–
		08/12/21	6.60	789	25.7	132	0.39	127	–
		11/09/21	6.91	947	13.4	–	0.62	32	0.2
		02/25/22	6.75	788	14.2	–	0.52	-157	–
		05/18/22	6.74	757	16.1	–	0.41	48	–
		08/11/22	6.85	600	16.5	–	2.46	72	–
		11/01/22	7.52	873	14.7	–	0.24	199	0.0
05/15/23	6.86	713	16.6	–	0.33	13	–		
11/07/23	7.13	71	15.4	–	0.68	-62	0.3		
05/22/24	6.74	895	15.9	–	1.98	18	–		
MW115	9th Ave N ROW, W side	12/19/13	6.80	1,220	–	–	0.71	-61	6.69
		03/22/17	7.28	880	14.8	–	0.51	160	1.5
		06/22/17	6.85	778	20.2	–	0.39	-102	1.5
		04/11/18	6.91	860	13.1	–	0.40	89	–
		01/30/19	7.03	912	12.7	–	0.57	116	–
		07/17/19	6.68	935	16.4	–	0.37	34	–
		10/22/19	6.64	699	15.3	0.1	0.51	-140	2.0
		01/20/20	6.88	737	15.5	9.7	0.20	-35	2.0
		05/05/20	6.57	1,266	17.6	93.5	1.21	-102	2.0
		07/28/20	6.85	983	20.2	152	0.72	-58	4.5
		11/12/20	6.84	579	14.5	87.4	0.36	-121	–
		02/12/21	6.89	727	9.6	–	0.39	-16	–
		05/25/21	6.88	679	18.1	–	0.22	-171	–
		08/11/21	6.74	1,107	22.8	–	0.15	128	–
		11/18/21	6.94	608	14.5	–	0.00	62	3.5
		02/15/22	7.00	859	14.6	–	0.15	-105	–
		06/03/22	6.78	759	17.6	–	0.31	-76	–
		08/10/22	7.06	520	17.5	–	0.72	-99	–
		11/03/22	6.01	518	13.8	–	0.54	69	2
		05/18/23	6.76	727	20.7	–	0.18	-59	–
05/24/24	7.25	651	15.4	–	0.72	20	–		
MW116	9th Ave N ROW, W side	12/19/13	6.84	498	–	–	0.67	75	2.65
		03/21/17	7.05	814	13.3	6.2	0.80	-127	3.9
		06/16/17	6.86	749	18.7	–	0.41	-641	1.8
		04/11/18	7.11	830	13.3	–	0.40	75	–
		01/30/19	7.09	771	15.5	–	0.65	-122	2.0
		07/17/19	6.89	822	16.6	–	0.42	40	–
		10/22/19	6.86	640	15.9	2.0	0.22	158	1.3
		01/21/20	6.98	697	13.6	–	0.60	-28	1.0
		04/29/20	–	701	17.3	246	0.21	245	3.8
		07/28/20	7.05	607	25.6	416	0.75	-92	2.5

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)		
MW116 (continued)		11/12/20	6.92	680	15.1	346	0.20	-221	–		
		02/11/21	7.03	652	9.7	49.0	0.34	49	–		
		05/25/21	7.03	678	16.6	–	0.20	-197	–		
		08/11/21	7.01	670	0.3	–	0.25	107	–		
		11/18/21	7.01	631	15.1	–	0.00	61	2.8		
		03/07/22	7.02	645	13.7	–	0.16	-649	–		
		06/08/22	7.00	665	19.5	–	0.30	-116	–		
		08/10/22	7.18	494	19.0	–	0.63	-106	–		
		11/04/22	6.24	541	15.5	–	1.08	146	2.0		
		05/18/23	6.93	679	22.4	–	0.25	-69	–		
		11/08/23	7.11	660	16.3	–	1.28	-93	–		
		05/23/24	7.03	547	18.5	–	0.27	-36	–		
		MW119	9th Ave N ROW, W side	12/19/13	9.56	579	–	–	0.34	295	18.6
				03/29/17	6.41	631	13.4	2.4	0.85	-91	2.0
06/28/17	6.29			676	17.4	–	4.88 ^d	11	1.5		
04/05/18	6.30			517	13.1	–	0.60	119	–		
01/21/19	6.76			67	12.6	–	6.76	114	–		
04/29/19	6.33			652	15.1	–	0.42	-3	–		
07/19/19	6.34			26	16.7	–	0.61	1	–		
10/10/19	6.66			582	14.8	–	0.44	-10	3.0		
01/14/20	6.33			533	12.7	–	0.38	-308	–		
02/18/20 ^c	6.43			545	12.9	–	1.10	-58	–		
03/24/20 ^c	6.02			573	11.4	–	0.21	-7	–		
04/27/20	6.34			606	14.1	1.4	0.13	-31	3.5		
05/19/20 ^c	6.34			512	14.8	–	1.80	-50	–		
07/08/20	6.41			535	15.5	41.0	0.27	-19	5.5		
11/11/20	6.44			542	14.0	81.7	0.24	-177	–		
02/10/21	6.43			468 ^(c)	13.0	30.4	0.65	-25	–		
05/20/21	6.33			529	15.1	45.6	0.32	-102	–		
08/13/21	6.20			541	17.7	45	0.24	-71	–		
12/03/21	6.32			366	12.5	–	0.40	-97	1.8		
03/02/22	6.42			515	12.4	–	0.73	-68	–		
05/05/22	6.43			651	12.0	–	0.64	-75	–		
08/11/22	6.53			424	16.4	–	1.14	-64	–		
11/02/22	7.11			316	14.2	–	0.46	189	1.5		
05/09/23	6.38			638	14.7	–	0.10	42	–		
05/24/24	6.37	496	14.0	–	0.21	-13	–				
MW120	8th Ave N ROW, E side	12/19/13	6.63	743	–	–	1.30	-13	0.170		
		03/28/17	7.93	622	9.5	–	0.75	123	–		
		06/28/17	6.60	568	17.8	–	1.33 ^d	91	–		
		04/09/18	6.96	423	15.1	–	0.40	37	0.0		
		01/24/19	6.66	649	14.0	–	0.73	110	–		
		05/03/19	6.46	533	14.6	–	0.36	253	–		
		07/16/19	6.31	632	17.7	–	0.66	120	0.0		
		10/17/19	6.08	742	15.0	–	0.51	-67	0.0		
		01/17/20	6.47	1,028	13.3	12.6	0.15	-8	0.5		
		04/23/20	6.40	742	15.4	15.7	4.21	103	1.2		
		07/14/20	6.34	785	19.0	47.8	1.44	-36	0.0		
		11/30/20	6.55	723	15.3	95.0	0.92	-24	–		
		02/05/21	6.54	714	12.9	39.0	0.57	44	–		
		05/12/21	6.56	682	17.6	52.9	0.29	-112	–		
		08/03/21	6.47	671	18.6	27	0.42	111	–		
		11/11/21	6.45	625	15.5	–	0.49	171	0.2		
		02/15/22	6.62	614	13.5	–	0.44	-221	–		
		05/11/22	6.62	598	17.9	–	0.41	48	–		
		08/04/22	6.70	521	19.0	–	0.68	27	–		
		10/31/22	6.86	473	15.9	–	0.83	15	0.0		
		05/12/23	6.66	449	21.6	–	0.47	-27	–		
		11/06/23	6.70	479	15.8	–	1.19	21	0.5		
		05/21/24	6.62	457	14.8	–	2.18	17	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW127	8th Ave N ROW, E side	08/01/19	6.95	440	17.2	–	0.34	164	–
		10/17/19	6.30	471	15.0	–	0.35	-83	0.0
		01/17/20	6.82	602	12.9	80.2	0.13	35	0.0
		04/23/20	6.74	476	15.0	99.9	3.95	88	0.0
		07/14/20	6.91	484	17.7	151	0.45	-76	0.0
		11/13/20	6.67	496	15.5	847	0.27	-118	–
		05/11/21	6.83	474	19.0	40.5	0.32	-148	–
		11/17/21	6.87	431	14.4	–	0.00	65	0.0
		05/20/22	6.87	450	13.6	–	0.61	51	–
		10/31/22	6.57	379	15.7	–	0.33	-7	0.0
		05/16/23	6.88	500	19.4	–	0.25	-83	–
		11/06/23	7.16	455	15.2	–	1.49	-10	–
		05/21/24	6.84	563	13.7	–	2.54	36	–
		MW131	Property, SE quadrant	03/27/17	7.01	2,045	19.5	2.4	0.85
06/20/17	15.39 ^(a)			2,071	21.9	–	0.62	-86	–
04/16/18	6.96			1,610	17.3	–	0.30	18	1.8
10/25/18	6.66			1,546	18.9	–	0.39	-55	–
12/12/18	6.78			1,899	14.5	–	0.44	129	–
01/29/19	6.86			1,948	9.2	–	0.77	137	–
03/11/19	6.70			1,849	14.0	–	1.30	-21	–
Decommissioned March 2019									
MW-142	8th Ave N ROW, E side	04/27/18	6.96	1,349	18.9	–	0.50	133	1.5
		01/28/19	6.94	1,528	11.7	7.9	0.75	152	2.0
		04/24/19	7.00	1,541	15.6	–	0.70	121	1.2
		07/25/19	6.70	1,665	20.4	–	1.09	13	2.1
		10/16/19	6.36	1,456	15.7	–	0.85	-35	2.0
		01/22/20	6.72	2,032	16.9	37.3	0.11	-99	2.5
		04/24/20	6.74	1,789	18.8	106.0	1.20	-119	3.0
		07/30/20	6.83	1,505	20.5	18.0	1.06	-20	3.5
		11/24/20	6.61	1,490	17.1	283	0.21	-301	–
		02/08/21	6.8	1,467	14.6	6.0	0.49	38	–
		05/19/21	6.78	1,527	14.2	20.1	0.3	-132	–
		08/05/21	6.79	1,569	19.7	8.7	0.49	101	–
		11/30/21	6.67	1,685	15.7	–	0.22	-156	4.0
		02/18/22	6.70	1,712	13.2	–	0.68	-108	–
		05/26/22	6.82	1,771	15.2	–	0.42	-107	–
		08/03/22	6.81	421	19.4	–	0.59	-21	–
		10/31/22	6.78	1,511	16.3	–	1.24	7	4.5
		05/16/23	7.06	1,891	17.0	–	0.05	-74	–
11/06/23	6.91	1,723	14.5	–	1.44	-92	3.5		
05/21/24	6.76	136	12.7	–	4.97	216	–		
MW-144	8th Ave N ROW, E side	04/27/18	7.34	1,739	16.4	–	0.40	100	0.5
		01/28/19	7.44	1,798	13.1	5.3	0.57	125	–
		04/23/19	7.39	1,749	16.8	–	0.45	67	1.2
		Destroyed June 2019, Decommissioned December 2019							
MW-144R	8th Ave N ROW, E side	12/16/19	7.81	1,250	16.0	16.6	0.34	-131	2.0
		01/21/20	7.22	1,723	11.0	13.3	0.46	-136	3.5
		04/02/20	7.37	1,334	13.2	81.6	0.40	-32	3.0
		08/03/20	7.41	1,340	18.8	75.6	0.39	-152	2.4
		11/23/20	7.41	1,159	14.2	153	0.65	-178	0.0
		02/02/21	7.45	1,383	9.6	5.0	0.34	46	–
		02/08/21	6.80	1,467	14.6	6.0	0.49	38	–
		05/12/21	7.36	1,406	17.8	5.0	0.55	-202	–
		08/03/21	7.35	1,482	20.6	4.5	0.31	118	–
		11/29/21	7.62	1,064	18.1	–	0.00	-178	3.4

Table 2
Groundwater Field Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)	
MW-144R (continued)		02/23/22	7.47	1,514	9.3	–	0.78	-119	–	
		05/11/22	7.46	1,558	16.6	–	0.18	-91	–	
		08/23/22	7.52	1,519	19.5	–	0.05	-53	–	
		11/02/22	7.38	1,592	13.1	–	0.85	-136	0.8	
		05/15/23	7.36	1,697	16.8	–	0.07	-59	–	
		11/08/23	7.35	1,654	14.6	–	1.63	-131	4.0	
		05/22/24	7.24	1,687	13.9	–	2.09	-88	–	
MW-146	Roy St ROW, S side	04/30/18	7.27	694	17.0	–	0.40	95	1.3	
		01/22/19	7.56	621	12.1	–	0.48	122	2.0	
		04/24/19	7.20	564	16.5	–	0.76	11	2.5	
		07/19/19	6.76	713	16.6	–	2.60	70	1.9	
		10/14/19	6.68	648	16.9	22.6	0.49	98	2.0	
		01/24/20	6.85	1,019	14.7	2.8	0.04	-94	4.0	
		04/30/20	7.18	827	15.8	5.2	0.23	-90	2.5	
		07/09/20	7.30	805	18.6	5.0	0.26	-11	3.0	
		11/10/20	7.12	665	16.1	3.2	0.30	-143	–	
		02/08/21	7.14	676	15.2	–	5.93	44	–	
		05/04/21	7.12	710	17.5	53.9	0.19	-265	–	
		08/17/21	6.85	696	17.1	11	0.23	-73	–	
		11/10/21	7.07	844	16.0	–	0.43	150	3.5	
		02/18/22	7.11	973	14.3	–	0.27	-476	–	
		05/03/22	6.96	937	14.5	–	0.90	-123	–	
		08/03/22	7.10	775	16.6	–	5.70	-53	–	
		11/03/22	6.78	1,076	15.1	–	0.33	245	3.5	
		05/12/23	6.94	1,178	17.3	–	0.48	-49	–	
		11/10/23	6.98	1,090	14.7	–	1.29	-79	2.5	
	05/31/24	6.62	1,308	17.6	–	0.35	-192	–		
MW-149	Property, NE quadrant	04/10/18	6.57	895	16.1	64.2 ^(b)	0.70	201	1.8	
		10/25/18	6.41	814	19.3	–	0.17	-31	–	
		12/13/18	6.56	1,354	16.5	–	1.79	132	0.5	
		01/30/19	6.67	1,209	17.1	2.9	17.05 ^d	121	0.0	
		03/13/19	6.29	1,648	17.2	–	0.12	-178	–	
		Decommissioned March 2019								
MW-151	Property, SW quadrant	04/10/18	6.69	809	15.1	23.5 ^(b)	0.60	64	0.8	
		10/25/18	6.26	3,599	18.5	–	0.06	-135	–	
		12/14/18	6.74	2,314	11.0	–	0.13	-122	–	
		01/31/19	6.86	2,151	13.0	–	0.18	21	–	
		03/12/19	6.40	1,430	12.3	–	0.23	-278	–	
		Decommissioned March 2019								
MW-156	8th Ave N ROW, E side	04/26/18	6.72	996	18.3	–	0.60	116	0.0	
		01/24/19	6.70	1,263	16.1	78.1	0.54	131	0.0	
		04/24/19	6.73	1,481	16.8	–	0.57	103	0.4	
		07/22/19	7.55	1,452	20.6	–	0.13	-63	0.3	
		10/17/19	6.62	1,756	17.4	9.5	0.29	-22	1.4	
		01/20/20	6.60	1,739	16.7	75.4	1.02	-30	1.5	
		04/24/20	6.74	1,350	15.8	50.0	1.00	105	0.0	
		07/15/20	6.57	1,390	22.5	39.0	1.89	-73	2.0	
		11/11/20	6.58	642	11.4	120	0.93	-17	–	
		02/08/21	6.53	830	10.7	76.7	1.03	-391	–	
		05/10/21	6.54	895	16.4	282	0.33	-119	–	
		08/20/21	6.33	867	17.7	–	0.31	139	–	
		11/18/21	6.66	724	12.1	–	0.16	63	1.5	
		03/03/22	6.56	886	14.4	51	0.21	-511	–	
		05/26/22	6.69	862	13.8	–	0.25	-13	–	
		08/04/22	6.72	730	16.6	–	0.57	-40	–	
		10/31/22	6.76	697	15.5	–	1.10	14	2.25	
		05/12/23	6.77	827	17.1	–	0.63	-14	–	
		11/06/23	6.62	652	14.6	–	0.23	20	0.5	
		05/21/24	7.06	704	13.7	–	0.39	16	–	
MW-189	Valley St ROW, S side	10/14/19	7.40	636	18.1	20.7	0.30	-115	0.1	
		01/23/20	7.24	558	13.2	46.6	0.21	-124	0.5	

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-189 (continued)		04/03/20	7.23	430	15.6	39.3	0.22	82	0.5
		08/04/20	7.44	430	18.2	113	0.18	-100	0.5
		11/17/20	7.45	436	14.5	8.3	0.47	-254	–
		02/03/21	7.61	512	11.1	20.5	0.78	-503	–
		05/14/21	7.59	564	15.4	–	0.36	-149	–
		08/11/21	7.52	615	19.6	47	0.15	-216	–
		08/20/21	7.51	590	16.7	51	0.26	-55	–
		11/30/21	7.23	709	14.8	–	0.26	133	0.8
		03/04/22	7.49	769	12.1	66.0	0.26	-578	–
		05/12/22	7.54	605	14.6	–	0.60	-118	–
		08/11/22	7.62	491	18.5	–	1.34	-72	–
		10/31/22	7.29	670	14.7	–	0.34	182	0.0
		05/12/23	7.58	486	14.5	–	0.45	-126	–
		05/23/24	7.98	431	14.1	–	0.42	119	–
MW-302	Dexter Ave N ROW E side	10/21/19	7.87	653	17.7	112	0.56	-170	0.5
		01/24/20	7.92	1,142	13.6	–	1.18	-130	1.0
		05/07/20	7.90	748	20.3	26.0	0.78	126	0.0
		07/28/20	7.88	763	18.9	22.0	0.34	-77	0.0
		11/17/20	7.83	572	13.9	88.2	0.74	-156	–
		05/17/21	7.86	644	15.1	195	0.48	-164	–
		11/09/21	7.78	623	12.5	–	1.69	139	0
		05/17/22	7.93	640	13.8	–	0.38	-88	–
		11/08/22	6.92	494	13.5	–	0.54	56	0
		10/30/23	7.85	568	15.7	138	4.91	-70	–
		MW-306	Roy St ROW, S side	10/15/19	6.64	471	16.9	26.7	0.31
01/16/20	7.12			810	13.4	–	0.42	4	2.6
04/28/20	6.67			585	15.9	0.3	0.44	-88	2.0
07/29/20	7.02			491	17.9	7.82	1.02	-19	2.5
11/06/20	6.81			513	15.9	9.6	0.40	-126	–
05/18/21	6.83			516	17.0	231	0.30	125	–
12/03/21	6.46			492	15.0	–	0.31	-77	3.0
05/26/22	7.10			473	17.0	–	0.38	-74	–
11/04/22	7.10			567	15.5	–	0.21	180	1.5
11/10/23	7.49			374	15.0	–	2.25	-42	–
MW-308	Alley E of Seattle Roy Aloha Shops			10/11/19	6.51	1,185	14.9	30.1	0.48
		01/16/20	6.84	1,512	13.2	2.2	0.05	-100	4.0
		04/08/20	6.77	922	14.3	–	0.35	-86	4.8
		07/06/20	6.76	1,275	18.7	12.07	1.54	-147	5.5
		11/06/20	6.53	1,013	13.3	2.5	0.33	-138	–
		05/04/21	6.70	1,233	15.4	51.1	0.57	126	–
		11/11/21	6.93	1,121	14.6	–	0.39	41	4.3
		05/19/22	7.22	1,126	14.6	–	0.29	19	–
		11/01/22	6.73	1,322	14.6	–	0.21	243	–
		05/12/23	6.64	1,179	18.1	–	1.31	-38	–
		05/21/24	6.90	774	13.9	–	0.91	1	–
		MW-315	Mercer St ROW, N side	10/03/19	7.95	545	14.9	18.2	0.54
01/16/20	8.18			846	8.8	–	0.62	-152	0.4
04/28/20	7.86			511	14.4	21.4	0.52	-138	0.8
07/24/20	8.22			1,195	16.3	47.8	6.45	-24	0.0
11/02/20	7.91			546	12.7	8.6	0.62	-156	–
05/17/21	7.75			456	16.5	90.9	0.76	-173	–
11/05/21	7.63			511	14.1	19.0	0.45	-216	0.8
05/09/22	7.53			478	16.5	–	0.38	35	–
11/02/22	7.15			235	13.9	–	1.00	180	0.0
11/08/23	8.48			149	15.3	–	4.23	-20	–
MW-317	9th Ave N ROW, W side			10/09/19	6.07	1,011	16.8	171	0.30
		01/16/20	6.49	772	14.7	3.3	0.20	-76	1.5
		04/27/20	–	743	15.5	35.0	0.27	201	2.0

Table 2
Groundwater Field Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-317 (continued)		07/30/20	6.76	705	23.9	3.49	0.41	109	5.0
		11/10/20	6.58	625	13.3	0.8	0.48	-127	-
		05/19/21	6.60	821	16.9	2.3	0.05	-147	-
		11/12/21	6.62	680	14.5	-	0.55	56	5.5
		05/27/22	6.71	853	16.0	-	0.24	-123	-
		11/01/22	6.12	614	14.6	-	0.58	48	4.0
		05/16/23	6.67	832	24.0	-	0.12	-77	-
		11/08/23	6.98	871	15.6	-	1.43	-113	-
		05/21/24	6.57	988	14.1	-	0.25	-111	-
MW-325	Mercer St ROW, N side	10/03/19	6.68	578	15.2	23.7	0.37	242	0.0
		01/17/20	6.47	870	12.1	17.3	0.35	-12	0.0
		04/21/20	6.18	614	14.2	8.6	0.45	110	0.0
		07/23/20	6.32	1,091	16.4	82.5	1.05	109	0.0
		11/02/20	6.50	546	14.9	7.4	0.84	68	-
		02/08/21	6.52	491	11.8	38.8	1.29	-432	-
		05/17/21	6.53	530	15.8	21.7	0.3	-79	-
		08/12/21	6.35	598	15.9	8.7	0.15	2	-
		11/04/21	6.39	685	14.2	-	0.14	-103	0
		03/03/22	6.48	547	13.6	14	0.17	-443	-
		05/09/22	6.47	477	14.0	-	1.38	57	-
		08/11/22	6.55	500	15.4	-	1.31	160	-
		11/02/22	7.72	530	13.5	-	0.76	221	0.0
		05/09/23	6.95	449	15.8	-	0.37	46	-
		11/09/23	6.73	475	14.1	-	1.78	-2	-
		05/24/24	6.58	392	14.1	-	0.17	-20	-
MW-327	Lake Union Park, S end	10/02/19	6.85	479	14.2	46.0	0.57	16	3.5
		01/17/20	6.81	482	12.3	5.4	0.30	-62	2.0
		04/09/20	6.84	571	13.6	0.0	0.26	56	5.4
		07/07/20	6.34	515	15.9	12.3	-	-113	6.0
		11/09/20	6.77	560	13.5	11.2	0.17	0	-
		05/25/21	6.81	667	14.3	-	0.12	132	-
		11/10/21	6.70	475	11.5	-	0.46	-92	5.5
		05/04/22	6.83	603	13.7	-	1.81	-122	-
		11/02/22	6.89	644	12.0	-	0.12	-30	4.5
		11/09/23	7.50	501	13.3	-	0.16	-3	-
		MW-330	Valley St ROW, N side	05/14/20	7.69	429	21.1	14	0.87
07/16/20	7.55			428	25.4	14.0	0.65	-5	1.0
12/01/20	7.62			420	14.6	10.1	0.38	-40	-
05/25/21	7.50			418	15.2	-	0.46	128	-
11/11/21	7.31			399	12.7	-	0.71	165	0.5
05/25/22	7.40			403	16.3	-	0.65	39	-
10/31/22	7.11			472	14.9	-	0.52	172	0.0
10/30/23	7.53			415	14.5	4	1.39	-80	-
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	6.88	1,043	14.5	43	0.75	-450	4.5
		07/06/20	6.73	1,111	18.5	4.65	0.59	-128	7.0
		11/06/20	6.58	922	14.3	5.1	0.38	-99	-
		05/04/21	6.65	1,118	16.2	-	0.25	127	-
		11/11/21	6.64	1,066	13.4	-	0.43	175	6.2
		05/20/22	6.80	926	14.2	-	0.34	-52	-
		11/01/22	6.34	788	14.8	-	0.67	-11	4.5
		05/09/23	6.69	974	17.3	-	0.53	-102	-
		05/21/24	6.75	731	13.5	-	0.24	27	-
MW-333	900 Roy St, S end	04/29/20	6.59	1,646	17.8	5.6	1.37	-103	5.0
		07/24/20	6.37	1,569	18.7	23.0	0.30	110	6.5
		11/05/20	6.70	1,491	-	18.9	0.43	-309	-
		05/18/21	6.44	1,503	14.2	-	0.18	-160	-
		11/05/21	6.58	1,446	15.0	-	0.35	173	1.8
		05/31/22	6.52	1,609	18.0	-	0.44	-127	-
		11/02/22	6.45	1,222	15.3	-	1.07	244	5.0

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-344	SDOT Mercer Parcels NW quadrant	06/01/21	7.19	567	19.5	94	0.29	-186	1.0
		08/18/21	7.28	547	19.0	–	0.21	149	1.4
		11/18/22	7.24	890	16.0	–	0.32	-9	–
		11/13/23	7.83	906	15.6	–	0.39	0	–
MW-351		05/09/23	6.97	481	14.4	–	0.11	97	–
		11/09/23	6.87	466	13.6	–	1.59	-75	–
		05/24/24	7.01	415	14.0	–	1.41	-54	–
Intermediate B Zone									
FMW-141	Alley E of Seattle Roy Aloha Shops	10/30/19	7.33	1,124	14.0	23.0	0.39	100	0.5
		01/14/20	6.83	246	14.4	7.5	5.70	-87	1.5
		04/28/20	7.12	349	15.8	27	0.46	49	1.2
		07/22/20	7.22	1,349	19.9	58.7	1.30	-101	0.5
		11/02/20	7.30	1,112	16.7	99.5	0.85	-63	–
		05/03/21	6.79	83	14.7	21.8	2.74	126	–
		02/23/22	7.10	175	11.5	–	0.65	-328	–
		05/09/22	6.42	130	16.9	–	1.43	-5	–
		11/03/22	7.14	206	13.0	–	0.34	-11	1.0
		05/15/23	7.12	302	24.4	–	0.39	-111	–
		11/07/23	7.13	30	15.8	–	0.41	-102	–
		05/22/24	6.85	1535	16.3	–	2.23	-40	–
		HMW-9IB	SDOT Mercer Parcels SW quadrant	01/26/21	7.86	655	10.1	11.0	0.83
06/02/21	7.58			653	29.3	19.4	0.63	-132	0.5
08/18/21	7.59			648	20.3	6.6	0.45	-112	–
03/31/22	7.78			575	14.2	–	0.69	-282	–
05/24/22	6.18			2,054	15.5	–	1.16	-55	–
08/01/22	6.22			1,309	19.0	–	22.8 ^d	-62	–
11/09/22	6.32			1,199	13.3	–	2.48	-23	>7.5
02/23/23	6.42			770	10.7	–	0.88	-33.3	–
05/17/23	6.78			1,157	20.5	–	0.98	-120	–
02/28/24	7.02			1,076	11.2	–	1.09	-11	–
05/29/24	6.85	69	14.1	–	0.37	-171	–		
MW111	Alley E of Seattle Roy Aloha Shops	12/17/13	7.58	498	–	–	1.19	-99	0.18
		03/23/17	7.62	447	14.0	–	1.19	-147	0.1
		06/14/17	7.29	431	19.7	–	1.15	-33	–
		04/06/18	7.75	605	15.3	–	0.60	83	–
		01/23/19	7.86	528	14.2	–	0.50	-124	–
		04/22/19	7.84	384	13.7	–	0.58	-46	–
		07/15/19	7.78	478	18.3	–	0.35	-138	–
		10/14/19	7.53	509	14.4	1.2	0.57	30	–
		01/16/20	7.56	674	14.0	143	0.10	-138	0.5
		04/23/20	7.73	632	17.0	283	0.37	-122	0.5
		07/06/20	7.52	674	21.9	204	0.56	-6	0.0
		11/02/20	7.57	666	16.3	169	0.59	-47	–
		02/09/21	7.64	611	12.4	220	0.78	-429	–
		05/03/21	7.67	444	16.9	280	0.68	-211	–
		08/04/21	7.49	517	26.3	59	0.42	93	–
		11/03/21	7.64	475	15.7	–	0.30	82	0.5
		02/15/22	7.73	465	11.6	–	0.48	-256	–
		05/18/22	7.48	379	13.8	–	0.25	4	–
		08/09/22	7.78	378	19.5	–	1.53	-139	–
		11/01/22	6.27	367	14.7	–	0.37	41	0.5
05/15/23	7.59	428	22.8	–	0.24	-65	–		
11/07/23	8.08	115	15.5	–	0.34	-84	–		
05/22/24	7.61	434	16.8	–	1.95	-50	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW112	Dexter Ave N ROW W side	12/26/13	7.79	378	–	–	2.58	223	0.23
		03/22/17	7.96	419	14.9	–	0.93	132	–
		06/16/17	7.11	49	22.0	–	5.22	-457	–
		04/12/18	7.07	41	14.8	–	1.10	35	0.0
		12/21/18	6.88	108	13.9	–	0.77	68	–
		04/22/19	7.52	196	17.0	–	0.38	-70	1.0
		07/16/19	7.65	266	20.2	–	0.20	-143	0.0
		10/21/19	6.55	152	16.7	–	0.57	-136	0.5
		01/24/20	6.44	177	11.8	22.6	0.71	-59	2.0
		05/07/20	7.38	218	18.9	32.0	0.53	-89	1.5
		07/27/20	7.57	289	24.9	75.0	0.40	-122	1.6
		11/17/20	7.59	306	14.1	32.9	0.98	-145	0.0
		02/11/21	7.74	410	9.8	19.8	1.01	-366	–
		05/14/21	7.79	446	16.4	–	0.44	119	–
		08/17/21	7.72	437	19.0	–	0.61	137	–
		11/08/21	7.76	495	16.3	275	0.55	-219	0.6
		02/24/22	7.94	434	12.2	–	1.11	-293	–
		05/13/22	7.96	460	18.5	–	0.79	-63	–
		08/09/22	7.80	359	18.3	–	1.96	-152	–
		11/08/22	6.34	147	16.6	–	0.18	104	0.5
		05/10/23	7.52	146	16.0	–	11.19	58	–
		Destroyed							
MW112R	Dexter Ave N ROW W side	05/29/24	6.27	84	15.6	–	1.11	-161	–
MW126	Alley E of Seattle Roy Aloha Shops	03/28/17	7.41	397	12.8	2.0	1.37	-112	–
		06/15/17	7.69	385	15.9	–	0.70	-64	–
		04/06/18	7.87	353	14.3	–	0.30	99	–
		01/22/19	7.88	432	10.7	–	1.25	115	–
		04/29/19	7.34	427	14.7	–	0.42	7	–
		07/18/19	7.41	357	15.9	–	0.25	14	–
		10/15/19	6.72	396	15.1	4.7	0.38	-102	0.5
		01/14/20	7.50	369	12.3	2.0	0.61	-171	0.5
		04/09/20	6.97	405	12.7	1.2	0.41	31	0.0
		07/24/20	7.17	414	19.3	1.00	0.24	-17	0.0
		11/09/20	6.80	323	12.2	1.3	0.34	-72	–
		02/10/21	7.09	444	12.4	28.5	1.55	-528	–
		05/04/21	7.26	403	15.6	–	0.23	402	–
		08/04/21	7.19	403	22.1	3.9	0.20	96	–
		11/11/21	7.23	377	13.9	–	0.29	165	0.6
		02/15/22	7.39	399	12.5	–	0.39	-268	–
05/20/22	7.36	385	14.0	–	0.52	23	–		
08/10/22	7.40	306	16.9	–	1.00	33	–		
11/01/22	6.32	316	12.6	–	0.26	-21	0.0		
MW130	Property, NW quadrant	03/29/17	7.18	751	9.6	–	2.66	132	1.0
		06/30/17	7.32	858	29.7	–	0.99	-70	0.0
		05/21/18	7.69	571	26.3	–	1.07	-72	0.0
		12/17/18	7.74	1,183	16.5	–	44.85 ^(d)	–	0.0
		01/31/19	7.40	1,176	21.4	–	59.05 ^(d)	112	0.0
		Decommissioned March 2019							
MW-132	Property, SE quadrant	09/25/17	8.52 ^(a)	652	27.3	39.7 ^(b)	0.70	-151	–
		04/26/18	7.70	466	25.9	–	3.50	82	–
		10/25/18	7.58	568	19.1	–	1.10	17	–
		12/13/18	7.60	668	14.2	–	0.93	117	–
		01/31/19	7.66	712	14.9	–	0.74	-40	–
		03/11/19	7.62	592	17.2	–	0.99	-24	–
		Decommissioned March 2019							

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-134	Property, NE quadrant	09/22/17	13.08 ^(a)	565	19.0	MAX ^(b)	0.91	-48	–
		04/16/18	7.10	598	15.7	–	0.10	-145	0.0
		10/25/18	7.41	748	18.3	–	0.30	157	–
		12/12/18	7.56	649	17.0	–	0.50	-141	–
		01/28/19	7.74	747	17.1	–	0.53	-141	–
		03/12/19	7.06	759	16.8	–	0.38	171	–
		Decommissioned March 2019							
MW-135	Property, NE quadrant	09/25/17	9.11 ^(a)	871	25.3	208 ^(b)	1.10	-25	–
		04/25/18	7.38	837	19.5	–	0.80	99	1.5
		10/25/18	7.19	1,034	17.6	–	0.77	-68	–
		12/13/18	7.41	1,341	15.4	–	0.47	124	0.8
		01/31/19	7.34	1,269	21.1	–	0.13	-157	–
		03/13/19	7.13	1,661	15.0	–	0.18	194	–
		Decommissioned March 2019							
MW-136	Property, SW quadrant	09/25/17	10.07 ^(a)	465	24.2	MAX ^(b)	0.60	-61	–
		04/16/18	7.94	447	21.9	–	0.40	-77	0.6
		10/29/18	7.57	521	20.8	–	0.62	11	–
		12/13/18	7.56	539	18.6	–	0.34	-149	–
		02/01/19	7.41	546	18.7	–	1.42	-54	–
		03/12/19	7.36	687	14.2	–	0.50	172	–
		Decommissioned March 2019							
MW-139	Property, SE quadrant	09/25/17	9.65 ^(a)	340	26.4	MAX ^(b)	0.60	-163	–
		04/25/18	7.79	432	20.3	–	0.40	89	0.8
		10/25/18	7.70	445	18.5	–	0.84	-13	–
		12/13/18	7.56	531	12.5	–	0.91	120	–
		01/28/19	7.92	534	13.4	–	1.19	-134	–
		03/11/19	7.11	703	18.4	–	0.70	-56	–
		Decommissioned March 2019							
MW-143	8th Ave N ROW, E side	04/30/18	7.83	905	15.4	–	0.60	97	0.5
		01/29/19	7.64	950	18.1	80.4	0.23	-148	0.8
		04/24/19	7.29	965	14.7	–	0.83	100	0.3
		07/19/19	7.42	835	21.3	–	0.21	-139	1.0
		10/16/19	7.12	891	16.9	–	0.88	-45	0.5
		01/22/20	7.52	1,148	13.5	22.6	0.44	-122	0.5
		04/24/20	7.52	1,020	15.0	1.0	0.62	-134	1.0
		07/29/20	7.59	850	24.9	79.7	1.12	9	0.5
		11/30/20	6.82	1,281	13.2	98.8	0.34	-285	–
		02/08/21	6.72	1,575	12.6	242	0.92	41	–
		05/19/21	6.61	1,763	15.6	101	0.07	-135	–
		08/20/21	6.40	1,871	18.4	–	0.19	156	–
		12/08/21	6.60	1,865	15.0	–	0.00	-125	6.0
		03/08/22	6.52	1,868	14.9	32	0.10	-470	–
		05/26/22	6.68	1,781	18.0	–	0.25	-120	–
		08/12/22	6.74	1,550	18.4	–	0.64	-134	–
		11/01/22	7.13	608	13.9	–	0.21	177	0.0
		05/16/23	8.33	2,194	16.9	–	0.28	-94	–
11/07/23	7.45	1,125	15.1	–	1.69	-99	2.0		
05/24/24	6.67	1,397	14.5	–	0.18	11	–		
MW-145	8th Ave N ROW, E side	04/27/18	8.01	718	17.0	–	0.30	101	0.0
		01/29/19	7.60	740	17.4	94.9	0.98	-101	0.0
		04/26/19	7.89	722	16.5	–	0.36	-43	0.0
		Destroyed June 2019, Decommissioned December 2019							

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-145R	8th Ave N ROW, E side	12/16/19	8.25	480	15.1	32.9	0.45	-106	0.0
		01/21/20	7.40	666	9.0	18.2	0.30	-187	0.0
		04/02/20	7.65	529	15.9	19.4	0.32	35	0.5
		08/03/20	7.86	547	19.3	26.1	0.69	104	1.0
		11/23/20	7.63	466	10.8	85.0	1.35	-156	–
		02/05/21	7.67	634	13.6	46.9	0.73	41	–
		05/12/21	7.70	629	18.1	28.0	0.53	-191	–
		08/23/21	7.38	638	16.7	–	0.46	159	–
		11/30/21	7.76	652	13.4	–	2.28	-145	0.5
		03/08/22	7.62	606	13.5	57	0.49	-510	–
		05/11/22	7.53	618	14.5	–	0.51	-94	–
		08/10/22	7.75	657	17.6	–	4.90	-40	–
		11/02/22	7.55	632	11.0	–	0.72	-179	0.0
		05/15/23	7.63	646	20.5	–	0.42	11	–
		11/08/23	8.47	520	15.8	–	7.18	-13	–
05/22/24	7.60	614	15.3	–	2.40	52	–		
MW-147	Roy St ROW, S side	05/01/18	7.85	911	16.8	–	0.40	79	–
		01/22/19	7.60	892	8.6	–	0.79	118	1.0
		04/23/19	7.07	685	17.3	–	0.42	-103	1.5
		07/18/19	6.85	721	17.4	–	0.46	94	2.0
		10/14/19	7.00	671	17.6	90.9	0.38	99	0.5
		01/24/20	7.66	1,031	15.7	307	9.57	-31	0.5
		04/29/20	7.16	805	20.6	73	0.62	-87	2.0
		07/09/20	7.37	833	22.1	188	0.58	-12	1.5
		11/10/20	7.16	790	13.8	41.3	0.52	-144	–
		02/09/21	7.22	719	12.2	266	1.19	46	–
		05/04/21	7.17	727	17.7	265	0.39	-213	–
		08/20/21	6.81	985	19.6	–	0.33	155	–
		11/09/21	7.38	741	15.2	–	0.75	155	1.5
		02/18/22	7.02	1,175	13.5	23	0.57	-124	–
		05/03/22	6.88	1,206	14.7	–	0.92	-129	–
		08/10/22	7.12	1,263	18.0	–	8.40	-66	–
		11/03/22	6.74	1,416	15.0	–	0.33	242	6.5
		05/12/23	7.22	843	15.9	–	0.16	18	–
06/04/24	7.24	806	16.2	–	0.85	-183	–		
MW-148	Roy St ROW, S side	05/01/18	8.06	499	13.7	–	0.40	107	0.3
		01/23/19	7.80	706	12.0	–	0.66	116	–
		04/26/19	6.94	717	13.8	–	0.43	82	0.4
		07/22/19	8.43	619	16.6	–	0.24	-143	0.5
		10/16/19	7.35	654	15.1	107	0.17	53	0.5
		01/20/20	7.44	717	13.9	35.9	0.08	-135	0.5
		04/30/20	7.74	623	18.1	207	0.53	-101	0.5
		07/15/20	7.70	593	24.7	618	0.39	-4	0.5
		11/11/20	7.72	461	13.5	360	0.38	-250	–
		08/13/21	7.57	655	19.6	161	0.29	-127	–
		12/07/21	7.64	626	13.1	–	0.99	-144	–
		02/25/22	7.71	682	12.4	–	0.9	-168	–
		05/05/22	2.61	671	12.4	–	2.51	-134	–
		08/10/22	7.76	777	17.8	–	1.25	-36	–
		11/04/22	7.22	538	14.3	–	0.40	187	0.0
		05/09/23	7.90	460	15.3	–	10.79	-110	–
11/09/23	7.31	462	13.5	–	2.47	-60	–		
05/28/24	6.78	384	13.9	–	0.23	186	–		
MW-150	Property, NE quadrant	04/10/18	7.11	845	17.5	73.5 ^(b)	0.60	315	0.0
		10/25/18	6.79	1,282	18.6	–	0.05	-114	–
		12/12/18	6.95	1,812	15.0	–	0.39	134	–
		01/29/19	6.88	1,959	15.8	–	0.15	123	–
		03/13/19	6.39	2,489	16.5	–	0.19	-214	–
		Decommissioned March 2019							

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-152	Property, SW quadrant	04/10/18	7.45	846	15.2	15.8 ^(b)	0.60	372	0.0
		10/26/18	6.83	894	17.0	–	0.62	-85	–
		12/14/18	6.47	1,207	14.5	–	0.75	116	1.0
		01/31/19	7.26	1,632	11.6	–	9.10	125	–
		03/12/19	6.47	1,922	12.9	–	0.29	-186	–
		Decommissioned March 2019							
MW-157	8th Ave N ROW, E side	04/26/18	6.92	867	20.7	–	0.70	97	–
		01/24/19	6.86	885	14.3	–	0.71	-64	3.0
		04/24/19	6.90	1,296	17.9	–	0.31	74	3.0
		07/22/19	7.28	923	19.5	–	0.14	-118	3.0
		10/16/19	7.14	1,378	17.6	10.5	0.21	-99	0.0
		01/20/20	7.03	1,381	16.4	15.3	0.01	132	2.5
		04/24/20	7.06	1,055	15.4	331	0.27	76	1.2
		07/15/20	7.18	1,032	18.4	19.9	0.17	-137	1.5
		11/23/20	5.32	1,541	11.8	high	0.82	-237	–
		MW-190	Valley St ROW, S side	10/14/19	7.59	492	16.6	14.4	0.53
01/23/20	7.33			473	12.6	12.2	0.51	-158	0.5
04/02/20	8.11			441	15.6	32.9	0.34	265	0.5
08/04/20	7.89			412	20.3	18.3	0.62	91	0.5
11/18/20	7.45			466	13.7	42.7	0.70	-277	–
02/03/21	7.59			471	10.4	9.0	0.88	-499	–
05/14/21	7.63			–	16.5	40.7	–	117	–
08/11/21	7.38			476	22.2	48	0.44	11	–
11/30/21	7.30			478	12.8	–	0.84	-79	0.0
03/04/22	7.71			517	10.3	14	0.44	-485	–
05/10/22	7.27			449	12.7	–	3.14	9	–
08/11/22	7.74			374	17.0	–	1.38	-49	–
10/31/22	7.20			565	14.9	–	0.42	177	0.0
05/12/23	7.73			430	14.3	–	0.50	-135	–
11/06/23	7.57			508	14.7	–	1.61	-51	0.5
05/23/24	7.59	426	13.6	–	0.43	123	–		
MW-303	Dexter Ave N ROW E side	10/21/19	7.88	437	16.4	50.0	0.37	-246	0.0
		01/24/20	9.34	889	–	45.9	–	-314	0.0
		05/07/20	7.67	499	16.7	75.2	0.52	-158	0.0
		07/27/20	7.94	441	25.6	70.0	0.63	-88	0.6
		11/17/20	7.94	439	15.8	69.6	4.59	-51	–
		05/18/21	7.68	415	14.2	165	0.63	-149	–
		11/09/21	7.51	455	14.5	–	0.51	-40	0.4
		05/25/22	7.83	432	15.4	–	0.61	-96	–
		11/08/22	7.77	436	13.3	–	0.34	-7	0.0
MW-307	Roy St ROW, S side	10/11/19	8.19	586	16.5	101	0.28	-540	0.0
		01/15/20	8.34	985	10.8	–	0.43	-126	0.0
		04/28/20	7.85	749	15.8	29.0	0.80	-174	0.25
		07/29/20	8.09	627	21.6	64.1	1.04	-27	0.5
		11/06/20	8.00	642	14.9	31.9	0.55	-204	–
		05/18/21	8.01	672	17.0	360	0.48	127	–
		12/03/21	7.78	409	13.7	–	0.92	-164	0.0
		05/26/22	8.11	634	18.6	–	0.48	-190	–
		11/04/22	6.79	708	15.6	–	0.22	257	0.0
		11/10/23	8.07	458	15.3	–	1.12	-27	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	7.67	626	14.6	7.2	0.64	68	0.5
		01/16/20	7.08	656	12.7	1.2	0.30	-127	0.0
		04/08/20	7.05	580	12.8	–	0.44	-128	0.0
		07/06/20	7.40	688	18.5	8.36	0.13	-165	0.5
		11/06/20	7.36	523	13.8	1.2	0.43	-157	–
		05/04/21	7.42	655	16.0	57.8	0.15	126	–
		11/11/21	7.39	597	15.0	–	0.42	50	0.5
		05/19/22	7.41	647	14.7	–	0.33	-46	–
		11/01/22	6.87	771	14.0	–	0.32	254	0.0
		05/12/23	6.69	576	19.9	–	0.74	-52	–
05/21/24	6.78	614	13.8	–	0.23	29	–		
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	7.31	1,044	15.0	17.8	0.46	-39	0.0
		01/14/20	7.56	1,098	6.2	3.3	0.22	-140	–
		04/23/20	7.50	846	13.2	26.3	0.68	-96	0.5
		07/16/20	7.39	852	21.2	7.85	0.46	-125	1.0
		11/04/20	7.07	798	16.3	74.7	0.65	-146	–
		05/03/21	7.35	830	16.2	6.0	0.24	129	–
		11/04/21	7.47	784	15.5	–	0.36	176	0.8
		05/09/22	7.40	813	18.1	–	0.20	-31	–
		11/01/22	6.35	664	14.9	–	0.67	19	2
		05/15/23	7.46	818	22.9	–	0.47	-46	–
		11/07/23	7.56	800	14.9	–	1.16	107	–
		05/21/24	7.28	652	13.9	–	0.96	51	–
		MW-314	Alley E of Seattle Roy Aloha Shops	10/10/19	7.22	860	14.9	50.3	0.35
01/15/20	7.18			1,428	13.7	–	0.31	31	0.9
04/22/20	7.04			1,058	13.5	151	0.46	-96	1.5
07/16/20	6.85			1,146	17.4	556	0.25	11	2.5
11/04/20	6.62			1,076	17.1	467	0.35	-91	–
05/03/21	7.08			957	16.0	163	0.23	-223	–
12/03/21	7.08			902	14.3	–	0.96	-113	1.2
05/18/22	7.19			902	14.6	–	0.25	-47	–
11/01/22	7.10			946	14.8	–	0.37	188	0.0
05/15/23	7.17			766	16.6	–	1.99	-114	–
11/07/23	7.57			100	15.3	–	4.99	-55	1
05/22/24	7.21			451	15.8	–	3.09	51	–
MW-316	Mercer St ROW, N side			10/03/19	7.77	662	15.0	88.0	0.45
		01/16/20	8.08	1,076	11.7	–	0.43	-89	0.4
		04/21/20	7.34	710	14.8	83.6	0.39	109	0.25
		07/24/20	7.65	713	16.8	54.2	0.46	191	0.5
		11/02/20	7.89	706	14.7	9.9	0.84	-154	–
		05/17/21	7.79	698	18.6	193	0.51	-191	–
		11/05/21	7.61	722	12.3	91	0.88	-222	0.4
		05/09/22	7.71	691	16.2	–	0.38	-48	–
		11/02/22	7.32	137	13.9	–	0.86	196	0.0
		11/08/23	8.97	274	14.7	–	9.89	-27	–
MW-318	9th Ave N ROW, W side	10/08/19	7.09	846	15.3	–	0.48	-84	4.0
		01/16/20	6.55	979	14.5	1.3	0.50	-60	2.0
		04/27/20	7.62	1,276	16.8	35.0	0.25	38	3.6
		07/30/20	6.70	1,156	18.9	16.0	1.17	-68	7.0
		11/12/20	6.56	1,204	15.7	64.3	4.62	-122	–
		05/19/21	6.61	1,183	16.7	26.1	0.20	-126	–
		11/12/21	6.64	1,095	16.0	–	0.30	57	4.8
		05/27/22	6.71	941	15.6	–	0.31	-99	–
		11/01/22	6.76	1,067	14.3	–	0.21	245	0.0
		05/16/23	6.79	1,200	19.9	–	0.08	-71	–
		11/08/23	6.96	1,172	15.2	–	1.39	-88	–
		05/22/24	6.63	1,206	16.2	–	0.13	-148	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)		
MW-322	9th Ave N ROW, W side	10/07/19	6.68	1,400	16.9	28.7	0.45	-66	0.0		
		01/21/20	6.69	1,353	14.3	5.5	0.40	-49	1.5		
		04/29/20	–	1,190	16.3	4.0	0.90	198	5.6		
		07/07/20	6.74	895	16.0	12.2	0.15	-113	5.8		
		11/24/20	6.67	924	15.4	16.7	0.48	-131	–		
		05/19/21	6.61	1,121	16.7	9.0	0.22	-116	–		
		11/09/21	6.90	1,370	12.9	–	0.00	-111	4.0		
		06/08/22	6.60	1,338	17.1	–	0.43	-94	–		
		11/03/22	6.78	372	14.0	–	0.20	212	4.5		
		05/17/23	6.60	1,292	20.5	–	0.31	-79	–		
		11/08/23	6.72	1,339	16.7	–	1.27	-79	2.5		
		05/22/24	6.60	799	16.6	–	0.28	-29	–		
		MW-334	900 Roy St, S end	04/24/20	7.06	1,443	16.4	134	0.50	-96	6.0
				07/07/20	6.63	1,998	17.9	38.0	0.37	-6	5.0
11/05/20	7.10			2,108	15.8	53.4	0.52	-271	–		
05/13/21	6.85			2,019	21.5	6.1	0.18	-150	–		
11/05/21	7.09			1,909	15.1	–	0.26	175	5.3		
05/31/22	6.92			1,983	18.2	–	0.27	-113	–		
11/03/22	6.11			1,609	15.8	–	1.40	36	2.0		
11/09/23	7.41			1,618	15.8	–	2.48	13	–		
MW-335	Mercer St ROW, N side			05/01/20	6.50	688	17.8	40	0.16	64	0.8
		07/08/20	6.66	526	21.1	1.0	0.29	-3	0.0		
		11/02/20	6.58	788	17.5	1.3	0.39	17	–		
		02/10/21	6.55	1,140	15.0	7.0	1.17	52	–		
		05/26/21	6.51	1,185	16.5	–	0.34	-113	–		
		08/11/21	6.53	1,259	27.3	–	0.35	128	–		
		11/17/21	6.58	1,165	14.9	–	0.00	65	0.3		
		03/02/22	6.54	1,015	15.1	–	0.67	19	–		
		05/31/22	6.56	798	18.5	–	0.30	28	–		
		08/10/22	6.78	660	19.4	–	0.63	60	–		
		11/03/22	6.16	626	16.6	–	0.45	16	0.0		
		05/19/23	6.72	632	17.0	–	0.62	-1	–		
		11/09/23	6.74	665	16.2	–	1.34	-7	0.5		
		05/24/24	6.64	535	15.7	–	0.16	-27	–		
		MW-338	Lake Union Park, N end	05/07/20	6.42	1,320	19.6	14.8	0.42	-103	3.0
07/23/20	6.55			896	16.3	12.0	2.73	-91	9.0		
11/10/20	6.32			856	10.7	1.0	0.26	-123	–		
05/04/21	6.40			1,155	16.1	–	1.01	120	–		
11/17/21	6.42			997	12.6	–	0.00	61	5.0		
05/04/22	6.59			1,046	13.5	–	7.22	-112	–		
11/02/22	6.50			806	11.3	–	0.80	91	3.25		
11/08/23	7.49			749	13.3	–	0.29	-4	–		

**Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-340	Lake Union Park, S end	05/12/20	6.71	1,044	16.8	6	2.73	-181	6.0
		07/17/20	6.54	968	14.8	310	1.97	-86	7.0
		11/09/20	6.46	699	12.8	3.3	0.17	-146	0.0
		05/13/21	6.42	829	14.9	–	0.14	130	0.0
		05/04/22	6.71	846	14.1	–	1.75	-91	–
		11/02/22	6.70	886	12.3	–	4.15	-17	5.5
		11/09/23	7.44	709	13.4	–	0.22	-2	–
MW-345	SDOT Mercer Parcels NW Quadrant	06/01/21	7.93	675	22.8	82	0.51	-291	0.0
		08/18/21	8.16	650	19.8	36	0.35	138	0.0
		11/18/22	8.05	699	15.7	–	0.60	-12	–
		11/13/23	8.35	649	15.1	–	0.80	2	–
MW-346	SDOT Mercer Parcels NW Quadrant	06/02/21	7.93	695	17.0	189	0.54	-396	0.6
		08/18/21	8.07	632	22.8	106	0.15	146	0.0
		03/31/22	8.04	614	14.3	–	0.38	-249	–
		05/24/22	7.93	603	16.0	–	0.55	-94	–
		08/02/22	7.99	538	18.4	–	1.23	-32	–
		11/10/22	8.00	595	13.4	–	2.50	-15	0.25
		02/23/23	8.18	579	9.8	–	0.80	-50.3	–
		05/16/23	8	462.0	19.9	–	1.32	-85.4	–
		11/08/23	9.05	282	14.2	–	9.00	14	–
		02/27/24	8.08	543	8.9	–	0.82	-187	–
		05/28/24	7.50	138	14.2	–	7.66	-15	–
	DUP	05/28/24	7.50	138	14.2	–	7.66	-15	–
MW-347	SDOT Mercer Parcels NW Quadrant	06/01/21	8.42	736	21.7	84	0.39	-14	0.0
		08/19/21	8.79	829	17.0	32	0.24	140	0.0
		03/31/22	8.46	606	11.7	–	0.39	-381	–
		05/26/22	7.10	591	15.2	–	3.39	-279	–
		08/02/22	7.49	569	17.9	–	0.78	-91	–
		11/10/22	7.66	555	12.5	–	1.60	-22	0.5
		02/23/23	7.98	532	5.0	–	2.29	-65.1	–
		05/17/23	7.62	390	18.3	–	1.22	-124	–
		02/27/24	6.52	92.60	8.5	–	0.83	-30.3	–
		05/29/24	5.94	156.00	15.4	–	1.64	-48.1	–
MW-348	SDOT Mercer Parcels SW Quadrant	06/01/21	7.70	692	21.1	100	0.58	29	0.0
		08/19/21	7.89	625	17.9	23	0.30	147	0.0
		03/31/22	8.08	605	11.5	–	0.54	-401	–
		05/26/22	8.19	628	14.9	–	0.52	18	–
		08/01/22	8.07	642	23.7	–	0.42	-60	–
		11/10/22	6.78	4,271	11.8	–	1.85	-12	–
		03/13/23	8.20	641	9.8	–	0.99	65	–
		05/17/23	8.16	573	19.1	–	0.58	-231	–
		11/15/23	8.05	428	13.5	–	3.63	-190.1	0.1
		02/27/24	8.30	290.4	8.3	–	0.95	-46.9	–
		05/28/24	7.37	453.3	14.4	–	1.69	-213.3	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-349	SDOT Mercer Parcels SW Quadrant	06/01/21	7.53	595	19.1	37	0.28	16	0.0
		08/19/21	8.01	618	18.0	11	0.42	62	0.0
		03/30/22	7.88	642	13.6	–	0.62	-269	–
		05/26/22	6.29	1,854	15.7	–	0.39	-89	–
		08/01/22	6.49	1,178	21.7	–	9.20	-107	–
		11/08/22	6.91	1,128	11.9	–	2.77	-32	5.25
		02/23/23	7.10	1,158	11.4	–	0.59	-37.5	–
		05/16/23	7.03	963	17.1	–	1.21	-121	–
		11/13/23	7.77	700	14.2	–	0.36	1	1.5
		02/27/24	7.35	888	9.2	–	0.57	-181	–
		05/28/24	6.61	157	14.6	–	0.79	-111	–
		MW-350	SDOT Mercer Parcels NW Quadrant	06/01/21	7.91	652	23.2	161	0.28
08/18/21	7.93			572	21.7	67	0.28	-100	0.0
11/11/22	7.83			542	13.4	–	0.75	-10	0.5
02/24/23	7.86			564	11.7	–	0.91	-30.8	–
05/17/23	7.87			460	26.4	–	1.70	-92	–
11/13/23	8.51			490	14.3	–	0.99	-2	2.5
02/28/24	7.76			676	12.6	–	0.55	-182	–
05/29/24	7.67			99	15.4	–	5.22	-9	–
W-MW-01	8th Ave N ROW, W side	03/30/17	7.63	536	16.7	–	0.62	111	0.3
		06/19/17	7.11	564	22.7	–	1.31	-23	–
		04/13/18	7.91	539	14.5	–	0.40	67	0.8
		10/29/18	7.50	565	16.6	–	0.67	-91	–
		12/13/18	7.36	583	17.9	–	0.34	-123	–
		01/25/19	7.46	703	12.4	MAX ^(b)	0.51	127	1.5
		03/11/19	7.36	737	15.4	–	0.36	198	–
		04/25/19	7.64	758	16.7	–	0.61	32	0.6
		07/23/19	7.75	642	19.3	–	0.17	-153	0.0
		10/15/19	7.61	900	18.8	30.6	0.21	-142	0.0
		01/27/20	7.18	834	14.6	36.8	0.28	-113	0.5
		04/03/20	7.55	648	13.2	5.9	0.36	-120	0.5
		07/31/20	7.53	658	18.5	4.50	1.11	-87	–
		11/24/20	7.72	754	12.6	39.7	0.17	-67	–
		02/03/21	7.39	984	12.5	4.0	0.12	33	–
		05/17/21	6.71	2,105	15.1	–	0.63	126	–
		08/23/21	8.16	1,738	16.8	10	0.00	13	–
		11/29/21	6.64	1,555	16.9	–	0.16	-99	4.2
		03/08/22	6.83	1,293	13.3	167	0.27	-539	–
		05/11/22	6.79	1,383	17.4	–	0.33	-87	–
		08/12/22	6.95	910	18.1	–	0.94	-130	–
		10/31/22	6.76	2,082	14.8	–	5.14	-31	4.75
		02/24/23	6.74	945	9.0	–	0.63	-67.6	–
		05/16/23	9.05	1,336.00	15.7	–	0.94	67	–
02/26/24	6.84	2,261.00	11.8	–	0.44	-149	–		
05/22/24	6.98	1,249.00	14.4	–	0.41	64	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
W-MW-02	8th Ave N ROW, W side	12/16/13	7.05	999	–	–	0.30	-84	0.87
		03/27/17	6.53	1,239	17.8	–	0.41	135	1.8
		06/19/17	6.02	1,326	20.0	–	1.45 ^d	-11	1.5
		06/12/18	6.80	1,594	16.1	–	0.75	23	3.4
		10/26/18	6.32	1,763	19.2	–	0.41	-63	–
		12/12/18	6.51	2,025	15.7	–	0.44	125	–
		01/25/19	6.49	1,687	16.9	25.2	0.53	-52	2.0
		03/11/19	6.50	1,832	14.8	–	0.95	-9	–
		04/23/19	6.68	1,688	13.7	–	0.72	52	0.5
		07/23/19	6.61	1,740	22.3	–	0.36	-90	3.0
		10/18/19	6.65	2,030	19.1	32.7	0.24	-2	3.4
		01/28/20	7.26	2,603	16.3	–	–	-96	6.0
		04/01/20	6.66	2,140	15.7	101	0.40	652	2.5
		07/31/20	6.52	1,858	20.9	70.0	1.02	-32	–
		Deep Zone							
FMW-129	SDOT Mercer Parcels NE quadrant	04/10/17	8.88	891	12.4	–	0.82	-116	0.0
		06/23/17	6.82	703	20.2	–	0.60	-31	1.0
		05/01/19	6.83	666	15.9	–	0.44	7	–
		07/16/19	6.63	669	14.6	–	0.47	97	–
		10/21/19	7.02	548	14.4	84.7	0.15	198	0.5
		01/14/20	6.44	584	12.3	52.8	0.30	70	0.0
		05/06/20	6.66	942	14.3	>1000	0.38	3	0.5
		07/10/20	6.88	826	17.7	MAX	0.24	-1	1.0
		11/10/20	6.98	834	13.7	834	0.29	-107	–
		02/10/21	7.31	97 ^(c)	13.0	18.3	1.87	152	–
		05/26/21	6.71	794	17.0	–	0.31	-137	–
		08/19/21	6.58	803	17.5	97	0.19	-37	–
		03/03/22	6.69	788	13.6	94	0.2	-437	–
		05/05/22	6.74	954	11.7	–	0.73	40	–
		08/12/22	7.46	94	16.0	–	5.62	167	–
		11/11/22	7.66	121	13.5	–	3.49	-3	0.0
		05/18/23	7.45	102	14.7	–	2.18	52	–
05/23/24	6.88	133	14.4	–	1.20	72	–		
FMW-131	Block 37, SE quadrant	03/24/17	6.73	342	13.3	2.9	0.84	-42	0.5
		06/23/17	6.71	552	15.4	–	0.78	25	0.3
		04/22/19	6.44	224	12.6	–	0.41	-22	–
		07/01/19	–	–	–	–	–	–	–
		10/21/19	7.19	267	14.3	–	0.30	-27	0.5
		01/22/20	6.38	273	12.3	5.0	1.83	82	0.5
		04/29/20	6.41	797	16.2	95.0	0.40	-1	2.5
		07/30/20	6.86	277	15.3	2.20	0.46	42	0.0
		11/19/20	6.74	220	12.6	21.3	0.96	-298	0.0
		02/12/21	6.68	378	12.1	104	0.26	-39	–
		05/13/21	6.43	396	15.1	–	0.2	130	–
		08/19/21	6.57	384	15.0	3.1	0.19	-6	–
		02/25/22	6.32	1,004	8.9	–	0.95	-85	–
		06/09/22	6.61	431	13.8	–	0.44	35	–
		08/05/22	6.70	484	19.9	–	0.88	-28	–
		11/01/22	6.70	389	14.7	–	0.40	-13	1.25
		05/09/23	6.56	466	14.4	–	0.59	-94	–
05/23/24	6.56	310	13.9	–	0.50	29	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)		
FMW-137	Alley E of Block 38 West	11/06/19	6.99	704	14.0	–	0.40	267	0.0		
		01/22/20	6.62	1,001	12.0	12.4	0.48	144	0.0		
		05/06/20	6.36	1,552	14.3	296	0.47	-93	2.5		
		07/31/20	6.61	1,422	16.4	122	4.84	-70	2.8		
		11/24/20	6.08	1,462	13.8	55.9	1.97	-44	–		
		02/12/21	6.85	266	12.5	94.0	0.27	-295	–		
		06/02/21	6.76	402	15.1	–	0.26	-74	–		
		08/12/21	6.47	666	18.8	3.7	0.26	-1	–		
		03/04/22	6.67	754	12.5	6	0.33	-567	–		
		06/05/22	6.77	671	14.8	–	0.73	16	–		
		08/05/22	6.78	612	16.8	–	0.67	-7	–		
		11/01/22	6.73	676	14.6	–	0.57	-21	1.25		
		05/19/23	6.63	641	14.1	–	0.98	-25	–		
		05/24/24	6.83	195	14.1	–	1.57	49	–		
FMW-140	900 Roy St, S end	10/31/19	6.34	699	15.5	83.0	0.38	-37	0.5		
		01/22/20	6.77	1,666	12.4	1.6	0.32	-67	3.5		
		04/28/20	6.58	1,183	15.7	115	0.51	92	4.2		
		07/07/20	6.70	1,164	19.5	149	0.31	-3	6.0		
		11/13/20	6.51	1,057	15.8	91.4	0.34	-179	–		
		05/18/21	6.77	794	18.2	–	0.21	-174	–		
		03/02/22	6.73	988	15.1	9	0.25	-389	–		
		05/31/22	6.65	938	17.3	–	0.49	-96	–		
		11/02/22	6.91	379	15.1	–	0.18	-43	–		
		05/15/23	6.62	1,263	22.0	–	0.37	-115	–		
		05/24/24	7.08	299	15.0	–	0.13	-188	–		
		FMW-3D	Terry Ave N ROW, E side	03/24/17	6.85	302	13.7	16.9	1.06	-75	–
				06/23/17	6.81	356	19.9	–	0.48	-17	–
GEI-2	Block 37, NW quadrant	03/24/17	6.43	890	12.6	0.5	0.84	-78	0.3		
		06/23/17	6.68	804	16.0	–	0.45	-80	1.0		
		04/22/19	6.61	933	13.0	–	0.37	-45	–		
		07/16/19	6.71	708	16.9	–	0.26	-85	1.5		
		10/21/19	6.92	1,297	14.8	–	0.30	-71	2.2		
		01/22/20	6.70	2,304	11.8	3.9	0.24	5	2.6		
		04/29/20	6.55	1,307	14.6	180	0.40	-102	2.0		
		07/30/20	6.79	898	15.9	149	0.28	-80	5.4		
		11/19/20	6.64	977	13.8	2.4	0.33	-397	–		
		02/12/21	6.76	1,011	10.8	–	0.68	-35	–		
		05/13/21	6.55	981	14.9	–	0.29	133	–		
		08/19/21	6.57	886	16.1	1.7	0.20	-61	–		
		02/25/22	6.68	837	10.7	–	0.85	-85	–		
		06/09/22	6.74	925	14.1	–	0.48	-58	–		
		08/05/22	6.83	967	22.9	–	0.54	-95	–		
		11/01/22	6.79	926	15.4	–	3.57	-22	7.0		
		05/09/23	6.92	101	14.9	–	1.96	-102	–		
05/23/24	6.87	87	14.5	–	5.53	-4	–				
MW102	Valley St ROW, S side	03/29/17	7.87	417	11.6	–	1.55	148	–		
		06/15/17	7.89	292	16.8	–	0.69	-88	–		
		04/25/18	7.89	297	19.5	–	0.40	66	1.0		
		01/24/19	8.01	314	11.5	–	0.63	-124	0.0		
		05/01/19	8.32	303	16.9	–	0.64	97	0.5		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW102 (continued)		07/18/19	7.40	320	20.5	–	0.12	-73	0.8
		11/14/19	7.76	295	16.9	153	2.41	202	0.0
		01/23/20	7.36	422	14.4	40	0.38	-127	0.5
		04/02/20	6.85	313	15.9	63	0.49	108	0.0
		08/04/20	7.74	311	18.2	41.9	0.42	-28	0.0
		11/18/20	7.61	302	14.7	83.6	0.65	-333	–
		02/03/21	7.76	308	12.6	95.2	1.00	-502	–
		05/14/21	7.72	318	15.3	79.6	0.67	-174	–
		08/11/21	7.76	335	18.3	55	0.49	-230	–
		11/30/21	7.46	307	13.8	–	0.80	-97	0.5
		03/07/22	7.77	306	13.4	51	0.36	-542	–
		05/10/22	7.52	314	14.1	–	0.00	-18	–
		08/12/22	7.83	280	18.0	–	0.65	-37	–
		10/31/22	7.21	371	14.6	–	0.53	180	0.0
		05/12/23	7.82	270	15.4	–	0.69	-147	–
		11/06/23	7.62	331	15.1	–	1.76	-12	–
		05/28/24	7.69	578	14.9	–	1.36	175	–
MW103	Alley E of Seattle Roy Aloha Shops	12/18/13	10.45	735	–	–	0.26	267	1.39
		03/23/17	7.49	799	13.4	–	0.91	155	0.3
		06/12/17	7.35	648	17.0	–	0.31	-88	1.8
		04/06/18	7.52	521	15.1	–	0.60	91	–
		01/23/19	9.60	359	13.8	–	0.55	126	–
		04/22/19	7.21	693	13.4	–	0.60	6	–
		07/15/19	7.14	728	17.9	–	0.54	31	–
		10/14/19	7.20	655	15.9	5.9	0.05	-57	0.5
		01/16/20	7.30	859	14.3	77.7	0.10	-120	1.0
		04/23/20	7.59	514	15.6	241	0.31	-119	1.0
		07/06/20	7.23	438	18.0	364	0.52	46	0.5
		11/02/20	7.59	425	17.4	375	0.35	-58	–
		02/10/21	7.49	433	12.5	–	0.95	-336	–
		05/03/21	7.37	561	15.6	27.7	0.34	-214	–
		08/12/21	7.03	642	22.9	–	0.43	137	–
		11/08/21	7.29	621	15.2	–	0.45	124	1.0
		02/15/22	7.41	690	14.9	–	0.14	105	–
		05/09/22	7.38	698	16.4	–	0.06	-119	–
		08/09/22	7.45	712	20.1	–	3.80	-60	–
		11/01/22	6.24	387	14.7	–	0.72	43	0.0
05/09/23	7.34	638	18.7	–	5.80	-132	–		
11/07/23	7.72	725	15.3	–	1.44	-121	–		
05/21/24	7.15	628	15.2	–	0.16	-62	–		
MW104	8th Ave N ROW, W side	12/17/13	8.49	591	–	–	0.48	245	5.03
		03/30/17	6.28	667	8.7	–	1.84	131	–
		06/30/17	7.70	383	25.5	–	0.23	-131	0.0
		04/09/18	8.47	425	20.9	–	0.20	33	0.3
		10/25/18	11.48	750	19.2	–	0.63	131	–
		12/13/18	9.33	334	19.6	–	0.20	-259	–
		02/01/19	9.65	153	20.2	MAX ^(b)	0.11	-205	0.0
		03/13/19	9.03	407	18.6	–	0.24	122	–
		04/23/19	9.10	376	18.6	–	0.21	-100	0.0
		07/22/19	9.94	373	20.8	–	0.24	138	0.0
		10/18/19	8.73	542	18.6	35.5	0.21	-133	0.0
		01/29/20	9.30	541	18.0	29.3	–	-217	0.0
		04/01/20	8.00	409	18.9	67.9	0.19	33	0.5
		07/31/20	7.64	367	20.3	32.0	0.40	7	–
		11/17/20	7.49	378	18.0	89.5	0.35	-215	–
		02/10/21	7.58	371	15.9	136	0.55	40	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW104 (continued)		08/23/21	7.59	363	18.3	90	0.36	-93	–
		11/29/21	7.74	376	16.6	–	1.76	154	0.5
		02/23/22	7.75	370	16.4	75	0.27	-294	–
		05/12/22	7.68	358	17.2	–	0.89	-125	–
		08/23/22	7.76	365	18.2	–	0.55	-75	–
		11/02/22	7.48	389	17.1	–	0.73	-195	0.4
		05/15/23	9.13	422	20.6	–	0.10	-10	–
		05/22/24	8.07	344	14.2	–	0.38	-227	–
MW105	Roy St ROW, S side	12/29/13	7.49	1,165	–	–	1.26	216	2.01
		04/21/17	7.47	785	17.1	105	2.34	-37	–
		06/12/17	7.37	734	17.1	–	0.70	-64	–
		04/11/18	9.48 ^(a)	469	14.4	–	1.40	42	0.8
		01/23/19	7.66	570	13.4	–	0.67	107	–
		04/23/19	7.82	580	15.3	–	0.39	-58	0.5
		07/17/19	7.53	625	17.1	–	0.32	127	–
		10/22/19	7.29	722	15.2	49	0.60	-147	1.5
		01/20/20	7.42	1,148	14.0	65	0.74	-132	1.2
		05/12/20	7.51	629	17.0	16	0.65	-77	0.5
		07/27/20	7.48	606	21.4	173	0.79	-92	1.0
		11/17/20	7.47	560	12.7	37.4	1.26	-51	–
		02/11/21	7.41	530	9.5	91.4	1.05	-391	–
		06/07/21	7.36	532	21.2	142	0.58	96	–
		08/17/21	7.17	541	17.5	68	0.39	-77	–
		11/08/21	7.37	597	14.9	123	0.60	-12	1
		02/24/22	7.46	540	12.8	–	1.1	-108	–
		05/17/22	7.52	584	18.6	–	0.61	-94	–
		08/09/22	8.09	471	16.5	–	2.02	-209	–
		11/09/22	7.24	439	12.2	–	1.34	70	0.0
		05/09/23	7.54	545	15.2	–	0.19	100	–
		10/30/23	7.40	533	16.1	2	1.85	-69	0.5
		05/22/24	6.97	188	15.2	–	0.19	-153	–
MW106	SDOT Mercer Parcels NW quadrant	04/14/17	9.47	726	15.1	457	2.00	2	0.0
		06/30/17	7.69	566	19.7	–	0.40	-128	0.0
		05/04/18	7.91	482	16.0	–	0.50	100	0.0
		04/26/19	7.79	507	15.6	–	0.53	-20	0.0
		07/19/19	7.51	615	17.6	–	0.50	51	0.0
		10/18/19	7.86	534	16.0	216	0.42	49	0.5
		01/14/20	7.85	961	11.4	–	0.60	13	0.0
		05/06/20	7.73	588	16.5	117	0.53	-99	0.0
		07/10/20	7.76	580	18.2	545	0.61	-14	0.5
		11/10/20	7.60	513	15.8	98.5	0.37	-167	–
		02/12/21	7.65	425	12.9	48.2	0.55	-24	–
		05/13/21	9.04 ^(a)	70	18.2	226	3.33	-117	–
		08/19/21	7.79	286	23.1	140	0.61	150	–
		02/18/22	8.04	314	13.2	–	0.54	-444	–
		05/06/22	7.15	458	15.2	–	0.37	31	–
		08/02/22	7.86	340	24.3	–	0.70	-85	–
		11/18/22	7.77	428	15.0	–	1.89	-1	–
05/18/23	9.20	74	15.4	–	2.41	29	–		
05/29/24	8.70	106	15.0	–	0.66	-37	–		
MW113	9th Ave N ROW, W side	12/19/13	10.0	267	–	–	0.26	264	0.03
		03/22/17	6.54	1,426	15.2	2.1	1.10	-79	4.0
		06/16/17	6.52	1,145	12.9	–	0.57	-6	1.5
		04/11/18	9.44 ^(a)	946	15.0	–	0.60	63	–
		02/07/19	6.64	1,219	9.9	2.4	0.80	76	2.5
		07/17/19	6.72	667	17.4	–	1.69	241	0.3
		10/22/19	6.33	681	16.6	11.8	0.19	151	3.6
		01/14/20	6.61	1,197	13.5	–	0.50	-293	–
		02/18/20 ^c	6.63	1,261	15.1	–	0.71	-32	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW113 (continued)		03/24/20 ^c	6.48	994	14.5	–	0.31	-16	–
		04/27/20	6.56	1,031	16.2	1.4	0.36	-26	4.5
		05/19/20 ^c	6.50	923	16.7	–	0.57	-52	–
		07/28/20	6.54	973	16.5	–	0.28	-86	–
		11/24/20	6.56	729	15.2	34.4	0.41	-67	–
		02/10/21	7.03	96 ^(c)	13.6	14.9	5.04	215	–
		05/25/21	6.50	870	16.8	–	0.21	-141	–
		08/11/21	6.46	1,056	21.9	–	0.44	126	–
		11/18/21	6.50	960	15.2	–	0.00	67	4.5
		02/15/22	6.72	1,161	14.5	–	0.19	100	–
		06/08/22	6.57	1,206	17.6	–	0.48	-41	–
		08/10/22	6.76	980	18.4	–	0.77	-84	–
		11/03/22	6.51	955	13.4	–	1.48	31	0.25
		05/18/23	6.84	717	20.6	–	0.17	-72	–
		11/08/23	7.82	104	16.5	–	2.51	-52	–
05/24/24	6.97	273	15.8	–	6.71	55	–		
MW122	Alley E of Seattle Roy Aloha Shops	03/28/17	7.89	519	13.5	–	0.64	109	–
		06/14/17	7.72	374	16.7	–	0.46	-69	–
		04/06/18	7.93	336	14.9	–	0.60	77	–
		10/14/19	6.96	346	14.6	3.2	0.96	258	0.0
		01/17/20	7.19	362	13.7	1.2	0.20	23	–
		04/07/20	7.13	320	15.3	–	0.25	-13	0.0
		07/24/20	7.81	352	21.0	2.00	0.46	23	0.0
		11/06/20	7.50	282	13.6	17.4	0.20	-129	–
		05/03/21	7.68	345	14.8	–	0.14	112	–
		11/11/21	7.73	328	14.7	–	0.39	36	0.3
		05/18/22	7.60	360	16.3	–	0.33	-113	–
		11/01/22	6.68	416	14.3	–	0.23	240	0.0
		05/12/23	7.62	366	17.8	–	1.03	-29	–
		05/21/24	6.92	309	14.0	–	0.18	-15	–
MW123	Westlake Ave N ROW W side	04/01/17	6.85	795	13.1	14.5	1.10	-117	–
		06/24/17	6.89	737	17.3	–	1.07	-89	–
		04/14/18	6.82	888	14.5	–	0.50	166	–
		10/18/19	6.71	947	14.3	6.0	0.36	-65	2.2
		01/22/20	6.79	687	13.8	4.7	1.89	25	4.0
		05/04/20	6.74	845	16.7	10.9	0.29	-102	3.0
		07/30/20	6.86	844	20.4	9.46	0.44	114	3.5
		11/12/20	6.73	736	14.5	–	0.34	-98	–
		05/26/21	6.77	853	17.7	–	0.26	-142	–
		03/02/22	6.93	675	14.6	–	0.17	-437	–
		06/09/22	7.01	571.2	15	–	0.23	-78	–
		11/03/22	6.06	497	14.9	–	0.80	52	2.0
		11/09/23	7.41	164	14.9	–	1.33	-38	–
MW124	Valley St ROW, S side	12/26/13	7.84	285	–	–	1.43	217	0.39
		03/29/17	7.96	306	13.9	–	1.06	117	–
		06/15/17	7.64	292	16.5	–	0.50	9	–
		04/13/18	7.57	281	14.3	–	1.30	327	0.5
		10/11/19	6.99	398	17.8	23.1	5.01	-64	0.0
		01/30/20	8.30	450	15.6	68.0	–	-186	0.0
		04/03/20	7.39	322	15.0	408.0	0.37	114	0.0
		08/03/20	7.45	324	17.2	103	0.32	10	0.0
		11/18/20	7.50	261	13.4	82.4	0.71	-160	–
		06/08/21	7.23	322	15.6	129	0.53	-126	–
		03/07/22	7.12	358.1	12.3	59	0.45	-451	–
		05/12/22	7.48	319	16.9	162	1.20	100	–
		10/31/22	7.63	356	15.2	–	0.34	208	0.0
		05/08/23	7.42	327	16.7	–	0.15	-37	–
		11/03/23	7.69	316	14.8	–	3.54	62	–
05/28/24	7.21	282	14.9	–	0.10	169	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW128	Westlake Ave N ROW E side	03/29/17	6.62	800	12.5	7.0	0.99	-88	1.8
		06/21/17	6.74	1,588	17.8	–	0.56	-79	–
		04/09/18	7.57	850	17.9	–	0.40	-45	–
		07/18/19	6.80	1,040	17.3	–	0.24	-102	–
		10/11/19	6.77	880	15.6	156	0.44	-22	4.5
		01/20/20	7.05	947	14.2	1.1	0.30	-49	2.0
		02/18/20 ^c	6.78	1175	14.2	–	0.64	-7	–
		04/27/20	6.82	941	15.1	3.5	0.12	-76	6.0
		06/29/20	7.38	810	15.6	–	0.33	-155	3.5
		11/09/20	6.85	775	14.1	93.0	0.37	-129	–
		05/25/21	6.84	758	17.7	–	0.23	-116	–
		02/25/22	6.74	838	13.3	–	0.61	-89	–
		06/08/22	6.71	850	16.6	–	0.32	-74	–
		11/01/22	6.70	878	15.5	–	0.42	-126	2.8
		05/18/23	6.93	803	17.7	–	0.68	-114	–
		11/09/23	7.39	791	15.5	–	0.81	2.3	–
		05/23/24	6.87	1009	15.6	–	0.18	-154.4	–
MW-133	Property, SW quadrant	09/25/17	9.85 ^(a)	372	24.0	–	0.80	-157	–
		04/25/18	7.79	344	21.7	–	0.30	-25	1.3
		10/26/18	8.16	403	19.6	–	0.71	125	–
		12/12/18	7.69	362	17.3	–	0.90	-74	–
		02/01/19	7.76	362	19.4	–	0.34	-163	–
		03/13/19	6.99	413	12.1	–	0.91	181	–
		Decommissioned March 2019							
MW-137	Property, SW quadrant	09/25/17	9.22 ^(a)	342	26.0	223 ^(b)	0.60	-148	–
		04/12/18	9.29	386	22.1	–	0.10	-112	0.8
		10/26/18	7.54	469	24.2	–	8.74	141	–
		12/12/18	7.27	398	18.8	–	0.74	-117	–
		02/01/19	9.26	437	18.8	–	0.21	-171	–
		03/11/19	7.39	493	18.1	–	0.50	180	–
		Decommissioned March 2019							
MW-138	Dexter Ave N ROW E side	09/21/17	8.32 ^(a)	390	18.1	MAX ^(b)	0.52	-331	–
		04/11/18	7.89	350	17.4	–	0.20	34	0.0
		10/29/18	7.43	346	16.5	–	0.38	122	–
		12/17/18	7.82	424	15.7	–	0.49	-145	–
		01/03/19	7.33	358	16.2	–	2.41	50	0.0
		03/14/19	6.76	426	14.2	–	0.44	149	–
		04/22/19	7.47	359	17.1	–	0.34	-65	3.5
		07/19/19	7.61	366	18.9	–	0.21	-156	0.5
		10/21/19	7.36	398	16.7	–	0.54	-146	0.5
		01/27/20	7.25	509	16.6	145	0.04	-145	0.5
		05/08/20	7.29	262	19.3	–	3.54	31	0.5
		07/27/20	7.37	380	19.7	305	0.30	106	1.0
		11/18/20	7.25	339	16.8	186	0.32	-38	–
		02/11/21	7.36	350	14.3	263	0.49	47	–
		06/07/21	7.22	329	14.2	425	1.67	-147	–
		08/03/21	7.35	372	20.1	130	0.69	-131	–
		11/10/21	7.44	318	16.4	–	0.35	123	0.8
		02/24/22	7.56	384	12.1	177	0.88	-224	–
		05/25/22	7.54	367	16.8	–	0.22	-61	–
		08/09/22	7.09	187	17.3	–	2.50	177	–
11/08/22	6.65	283	14.7	–	0.49	82	1		
05/09/23	7.44	317	16.1	–	0.38	-155	–		
05/22/24	6.50	117	6.6	–	0.22	-130	–		
MW-140	Roy St ROW, N side	09/22/17	7.99 ^(a)	560	21.6	200 ^(b)	0.73	-209	–
		04/12/18	7.74	421	14.0	–	0.30	50	0.3
		Decommissioned							

**Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-141	Property, SE quadrant	09/22/17	9.90 ^(a)	398	24.0	MAX ^(b)	0.40	-393	–
		04/12/18	7.39	337	20.9	–	0.20	38	–
		10/25/18	7.25	376	19.5	–	0.41	150	–
		12/12/18	7.20	339	17.0	–	0.92	-110	–
		01/30/19	7.35	411	20.5	–	0.28	-134	–
		03/11/19	7.29	427	16.4	–	0.55	185	–
		Decommissioned March 2019							
MW-153	Roy St ROW, S side	05/01/18	8.91	369	16.5	–	0.40	87	–
		01/22/19	8.91	391	15.2	–	0.67	94	0.0
		04/24/19	8.62	327	18.0	–	0.45	93	0.0
		07/22/19	7.65	370	17.1	–	8.17	3	0.0
		11/18/19	7.45	330	17.6	90.0	0.27	228	–
		01/21/20	7.83	648	15.0	40.7	0.32	-113	0.0
		04/30/20	7.82	298	17.3	57.3	0.35	-77	0.0
		07/15/20	7.80	308	22.5	187	0.79	-10	0.0
		11/09/20	7.87	315	15.8	47.2	0.63	-134	–
		02/09/21	7.87	327	14.1	69.0	0.62	35	–
		05/10/21	7.89	336	18.9	34.6	0.7	-188	–
		08/20/21	7.97	345	19.0	60	0.35	-5	–
		12/07/21	7.99	343	14.3	–	0.95	-160	0.4
		02/25/22	7.98	368	14.8	–	0.97	-166	–
		05/02/22	7.94	349	15.9	–	4.37	112	–
		08/02/22	8.04	355	19.4	–	0.88	-30	–
		11/03/22	6.98	418	10.6	–	1.34	235	0.0
		05/12/23	7.67	372	21.5	–	0.20	-55	–
		11/10/23	7.70	351	13.8	–	1.73	-40	–
DUP	05/31/24	7.57	399	16.7	–	0.25	-236	–	
MW-158A	8th Ave N ROW, E side	04/30/18	8.20	1,306	14.8	–	0.40	102	0.5
		01/24/19	7.91	707	13.8	MAX ^(b)	0.53	-164	0.0
		04/25/19	7.58	775	17.7	–	0.48	38	NR
		07/19/19	7.72	653	8.3	–	0.15	-144	0.0
		10/16/19	7.46	856	15.9	47.0	0.75	-79	–
		01/21/20	7.60	916	15.6	308	0.18	-168	–
		04/24/20	7.56	692	13.0	200	0.99	63	0.0
		07/15/20	7.62	681	18.4	189	0.32	-149	0.0
		11/23/20	7.64	690	7.7	389	1.78	-364	–
		02/02/21	7.71	716	11.5	285	1.00	-502	–
		05/10/21	7.73	703	18.2	262	0.61	-207	–
		08/17/21	7.69	698	18.5	–	0.51	141	–
		12/08/21	7.70	700	14.0	–	1.29	-162	0.4
		03/04/22	7.71	727	13.8	102	0.32	-607	–
		05/17/22	7.79	686	16.3	–	0.55	-43	–
		08/12/22	7.69	520	18.8	–	3.85	77	–
		11/01/22	7.28	415	14.7	–	0.19	191	0.0
		05/12/23	7.57	592	19.5	–	0.85	-142	–
		11/06/23	7.17	484	15.3	–	0.39	9	0.3
05/21/24	7.22	408	12.2	–	4.33	-48	–		
MW-160	8th Ave N ROW, W side	05/21/18	7.96	323	23.2	–	0.42	-247	0.0
		01/25/19	7.57	404	18.4	MAX ^(b)	0.40	95	0.5
		05/01/19	7.71	359	24.0	–	0.32	-121	0.0
		07/23/19	7.73	341	21.8	–	0.75	115	0.5
		10/17/19	7.58	487	19.5	85.0	0.53	-111	0.8
		01/29/20	8.67	528	19.5	28.8	–	-198	0.0

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-160 (continued)		04/01/20	7.42	359	18.8	251	0.42	99	0.0
		08/03/20	7.76	344	19.6	193	0.54	122	0.5
		11/30/20	7.58	343	17.0	25	0.28	-28	-
		02/05/21	7.47	334	14.6	151	1.00	-476	-
		08/23/21	7.57	330	19.8	512	0.33	-93	-
		11/29/21	7.17	327	17.1	-	0.05	-114	0.8
		02/23/22	7.69	334	12.9	-	0.44	-219	-
		05/25/22	7.58	330	19.0	-	0.56	-43	-
		08/12/22	7.43	339	17.7	-	4.70	-32	-
		10/31/22	7.30	333	17.0	-	0.63	-163	0.8
		05/15/23	6.65	348	18.4	-	0.24	66	-
		11/03/23	7.26	352	16.6	-	0.50	-161	0.5
		05/22/24	7.50	329	14.5	-	2.82	23	-
MW-161	8th Ave N ROW, W side	05/21/18	7.59	544	21.6	-	0.48	-153	0.0
		01/25/19	7.49	661	17.9	MAX ^(b)	0.61	99	0.0
		04/29/19	7.27	662	18.4	-	0.31	24	0.0
		07/18/19	7.10	586	20.9	-	0.36	-30	0.0
		10/14/19	7.44	837	19.7	11.5	0.16	-106	0.0
		01/28/20	8.29	792	15.3	-	-	-117	0.3
		04/03/20	7.54	510	15.3	17.1	0.22	-119	0.5
		07/31/20	7.56	466	18.9	6.60	0.14	-60	0.0
		12/01/20	7.58	438	17.5	8.7	0.25	-31	-
		02/05/21	7.48	424	14.5	32.8	0.61	-507	-
		05/25/21	7.36	444	15	-	0.17	126	-
		08/23/21	7.39	449	18.2	-	0.26	157	-
		11/29/21	7.57	476	15.6	-	0.22	160	0.0
		02/23/22	7.55	498.5	13.1	-	0.18	-268	-
		05/11/22	7.42	474	15.8	-	0.29	-38	-
		08/12/22	7.55	480	19.0	-	2.40	-46	-
		10/31/22	7.32	484	17.2	-	0.52	-157	0.4
		05/15/23	6.58	503	18.2	-	0.21	74	-
		11/06/23	7.63	423	16.7	-	1.24	16	-
	05/22/24	7.30	421	14.4	-	0.43	73	-	
DUP	05/22/24	7.30	421	14.4	-	0.43	73	-	
MW-162	Property, NE quadrant	02/05/19	7.68	541	12.7	7.5	0.29	110	-
		03/12/19	7.52	402	17.8	-	0.31	-82	-
		Decommissioned March 2019							
MW-163	Property, NW quadrant	02/05/19	7.67	394	15.5	4.5	3.73	-45	-
		03/12/19	7.45	392	15.6	-	0.59	145	-
		Decommissioned March 2019							
MW-164	Property, SW quadrant	02/05/19	7.63	462	14.6	10.5	0.56	-35	-
		03/12/19	7.30	686	15.4	-	0.23	149	-
		Decommissioned March 2019							
MW-304	Dexter Ave N ROW E side	10/21/19	7.91	352	17.3	91.0	0.59	-214	0.0
		01/27/20	7.96	503	16.3	172	-	-196	0.5
		05/07/20	7.54	297	18.0	221	0.59	-120	0.7
		07/27/20	7.99	330	21.0	392	1.10	-14	0.1
		05/18/21	7.37	346	13.8	315	0.56	118	-
		11/08/21	7.34	868	16.2	216	0.34	-240	0.5
		05/25/22	7.58	336	16.0	-	0.28	4	-
		11/09/22	6.50	249	11.1	-	1.66	26	0.0
		05/09/23	6.94	349	13.6	-	0.27	101	-
		10/31/23	7.60	280	16.5	-	6.32	21	-
		05/22/24	7.25	343	16.9	-	1.50	-69	-

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-319	9th Ave N ROW, W side	10/08/19	6.90	563	15.4	22.8	0.43	193	3.5
		01/16/20	6.90	577	14.5	1.3	0.20	-69	3.0
		04/27/20	6.81	655	17.8	35.0	0.47	88	–
		07/27/20	6.60	637	21.8	6.08	0.31	109	2.5
		11/12/20	6.81	600	15.7	7.8	0.41	-149	–
		05/19/21	6.90	729	16.5	10.0	0.28	-113	–
		11/08/21	7.00	734	16.2	–	0.26	144	3.0
		05/27/22	6.90	718	15.6	–	0.29	-84	–
		11/02/22	6.91	817	11.8	–	0.31	264	2
		05/17/23	7.38	577	22.8	–	0.32	-80	–
		11/08/23	7.59	674	14.8	–	1.26	-138	–
		05/22/24	6.90	221	16.1	–	0.18	-165	–
		MW-323	9th Ave N ROW, W side	10/09/19	6.85	489	16.7	17.6	0.35
01/20/20	7.32			786	15.2	3.4	0.50	-57	2.5
04/23/20	–			705	15.9	13.4	0.39	221	2.4
07/07/20	7.33			689	16.8	44.3	0.40	-25	2.8
11/24/20	7.26			498	12.5	26.0	0.59	-143	–
05/20/21	7.25			681	15.4	1.0	0.27	-156	–
11/16/21	7.06			665	16.4	–	0.03	71	2.3
06/03/22	7.15			702	15.4	–	0.40	-112	–
11/04/22	6.04			592	15.8	–	0.50	184	2.0
05/17/23	7.20			719	18.1	–	0.16	-78	–
11/08/23	7.19			707	15.8	–	1.21	-85	–
05/22/24	7.38			583	15.3	–	0.29	-63	–
MW-324	Roy St ROW, N side			10/02/19	8.43	1,060	16.2	89.6	0.36
		01/20/20	7.05	1,717	12.0	3.6	0.44	43	4.4
		04/24/20	6.79	1,492	15.9	14.0	0.22	-100	4.0
		07/07/20	6.72	1,283	17.3	15.9	0.30	4	4.0
		11/13/20	6.50	1,163	15.4	65.1	0.31	-153	–
		05/20/21	6.65	1,015	16.7	0.3	0.24	-96	–
		11/16/21	6.71	897	14.9	–	0.00	63	4.0
		05/31/22	6.55	1,076	16.8	–	0.30	-47	–
		11/03/22	6.07	999	15.1	–	1.00	45	1.0
		05/18/23	6.63	1,144	17.0	–	0.12	-59	–
		05/23/24	6.86	641	14.8	–	0.33	120	–
MW-326	Mercer St ROW, N side	10/03/19	7.53	529	15.9	45.3	0.42	53	0.5
		01/17/20	7.23	875	12.5	–	0.49	47	0.8
		04/21/20	6.55	580	14.6	14.0	0.45	139	2.0
		07/23/20	6.84	1,369	16.0	9.3	0.10	-99	4.5
		11/02/20	6.99	704	15.2	6.9	0.40	-129	–
		02/09/21	6.97	752	13.0	17.0	0.31	46	–
		05/18/21	6.92	671	15.9	–	0.45	-156	–
		08/12/21	6.81	683	17.0	–	0.28	-94	–
		11/04/21	6.88	735	14.9	–	0.46	-133	0
		03/03/22	6.89	522	12.5	16	0.36	-436	–
		05/09/22	6.81	547	13.3	–	2.21	9	–
		08/11/22	7.12	383	15.8	–	1.60	129	–
		11/02/22	7.21	573	12.6	–	1.49	179	0.0
		05/15/23	7.24	630	17.3	–	0.42	-100	–
		05/09/23	6.83	503	17.1	–	0.36	23	–
05/24/24	6.99	403	14.3	–	0.15	-57	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-328	Lake Union Park, S end	10/02/19	6.82	4,785	14.6	26.6	0.41	-68	4.0
		01/17/20	6.72	1,190	12.1	5.9	0.40	-33	2.5
		04/08/20	6.53	1,154	14.1	–	0.20	-91	3.6
		07/07/20	6.83	1,014	14.2	11.5	0.26	-103	5.5
		11/09/20	6.70	1,107	12.5	9.3	0.47	-116	–
		05/25/21	6.77	1,015	14.2	–	0.19	133	–
		11/10/21	7.13	942	13.2	–	0.00	-84	4.5
		05/04/22	6.75	1,086	13.3	–	1.60	-95	–
		11/02/22	6.91	704	13.3	–	1.35	119	3.5
		05/19/23	6.86	794	13.1	–	0.54	-99	–
		11/09/23	7.41	710	13.6	–	0.30	3	–
		05/23/24	6.68	755	13.4	–	0.22	0	–
		MW-329	Westlake Ave N ROW E side	10/03/19	6.92	1,012	18.6	34.8	0.38
01/20/20	7.20			1,051	14.0	–	0.30	-19	1.5
04/27/20	7.01			951	17.9	64.1	0.70	-77	2.5
08/03/20	7.13			913	16.5	79.5	0.31	-78	3.0
11/09/20	6.94			877	14.3	29.9	0.47	-112	–
05/25/21	6.96			883	17.3	–	0.28	-134	–
02/25/22	6.90			1,003	14.2	–	0.78	-80	–
06/09/22	7.05			908	14.2	–	0.38	-70	–
11/01/22	6.95			1,014	15.9	–	0.41	-142	3.2
05/18/23	7.07			840	16.2	–	0.72	-115	–
11/09/23	7.58			835	15.0	–	0.23	-1	–
05/23/24	7.03			1,031	15.5	–	0.61	-144	–
MW-336	Mercer St ROW, N side			05/05/20	6.92	1,126	16.4	3.0	1.88
		07/08/20	6.94	990	21.3	6.0	0.45	-9	4.0
		11/02/20	6.81	940	17.6	5.9	0.37	-105	–
		02/10/21	6.86	935	15.2	–	0.26	49	–
		05/26/21	6.81	955	16.8	–	0.32	-143	–
		08/11/21	6.69	972	24.2	–	0.19	131	–
		11/17/21	6.85	913	14.9	–	0.00	55	6.5
		03/02/22	6.82	942	14.2	–	0.64	-89	–
		05/31/22	6.78	949	18.2	–	0.34	-72	–
		08/10/22	7.54	610	19.8	–	5.02	97	–
		11/03/22	6.17	623	17.8	–	3.41	19	0.0
		05/19/23	7.26	864	16.4	–	3.64	-59	–
		11/09/23	7.26	1,032	16.9	–	3.50	-9	–
05/28/24	7.22	1,042	16.3	–	5.12	147	–		
MW-326R	Mercer St ROW, N side	05/15/23	7.24	630	17.3	–	0.14	-100	–
		11/09/23	7.23	571	13.3	–	2.39	-91	–
		05/24/24	7.06	472	13.9	–	0.14	-51	–
MW-341	Lake Union Park, S end	05/12/20	7.44	779	14.4	12.0	0.78	-166	3.0
		07/07/20	7.14	771	14.8	18.6	0.12	-136	5.5
		11/09/20	7.63	337	11.5	11.4	0.10	-293	–
		05/25/21	7.01	762	15.5	–	0.12	132	–
		11/10/21	7.34	806	13.9	–	0.00	-126	4.3
		05/04/22	7.06	753	13.5	–	1.82	-123	–
		11/02/22	6.91	617	12.8	–	0.49	83	2.5
		05/18/23	7.16	626	15.9	–	0.48	-125	–
		11/09/23	7.60	618	13.2	–	0.25	2	–
05/23/24	6.91	626	13.3	–	0.16	20	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-342	Valley St ROW, S side	05/04/20	7.40	385	14.5	9.0	0.27	-20	0.0
		07/30/20	6.60	473	16.5	17.0	0.39	123	3.5
		11/17/20	6.80	186	15.1	–	0.30	-65	–
		06/04/21	6.52	434	15.4	8.0	0.22	-113	–
		11/09/21	6.73	1,007	14.5	–	0.00	-98	1.5
		05/17/22	6.77	438	15.0	–	0.23	-24	–
		11/01/22	6.49	596	14.9	–	0.37	-134	2.8
		05/09/23	7.10	203	14.5	–	4.14	-85	–
		11/09/23	6.76	784	14.9	–	1.20	-51	–
		05/24/24	6.86	709	14.4	–	0.45	-138	–
MW-343	Valley St ROW, S side	05/04/20	6.92	1,511	15.5	8.0	0.63	-123	6.5
		07/30/20	6.95	1,496	16.6	44.2	0.78	129	4.3
		11/24/20	6.86	1,250	13.9	430	0.62	-131	–
		06/04/21	6.86	724	15.1	8.3	0.28	-148	–
		11/09/21	7.17	776	12.5	–	0.20	-112	3.8
		05/17/22	6.85	754	14.8	–	0.27	-40	–
		11/01/22	6.74	757	15.2	–	0.40	-140	3.4
		05/09/23	7.26	420	13.8	–	1.19	-69	–
		05/24/24	6.96	812	14.3	–	1.00	-149	–
		Treatment Zone A Injection Wells							
IW-4A	Property, NW quadrant	03/28/18	6.49	540	17.1	–	0.50	65	–
		Decommissioned March 2019							
IW-7A	Property, NE quadrant	04/02/18	7.07	1,096	15.7	–	0.60	123	–
		Decommissioned March 2019							
IW-9A	Property, NW quadrant	03/29/18	6.58	528	16.8	–	1.40	88	–
IW-18A	Property, NE quadrant	03/30/18	6.47	928	17.7	–	0.50	117	–
		12/13/18	6.26	2,199	17.0	–	1.11	–	–
		Decommissioned March 2019							
IW-22A	Property, NE quadrant	04/02/18	6.96	1,005	18.6	–	0.60	93	–
		Decommissioned March 2019							
IW-37A	Property, SW quadrant	03/28/18	8.17	319	15.9	–	0.70	10	–
		Decommissioned March 2019							
IW-38A	Property, SW quadrant	12/14/18	6.60	1,945	15.8	–	0.26	144	–
		Decommissioned March 2019							
IW-41A	Property, SW quadrant	04/10/18	8.12	364	17.4	–	0.30	59	–
		Decommissioned March 2019							
IW-42A	Property, SW quadrant	04/10/18	7.53	590	14.2	–	0.40	73	–
		Decommissioned March 2019							
IW-45A	Property, SW quadrant	04/04/18	7.18	573	13.3	–	0.70	69	–
		Decommissioned March 2019							
IW-46A	Property, SE quadrant	03/28/18	6.78	1,564	14.7	–	0.50	89	–
		Decommissioned March 2019							
IW-48A	Property, SE quadrant	04/02/18	6.88	2,007	15.4	–	0.70	73	–
		Decommissioned March 2019							
MW-165	Property, NE quadrant	11/04/19	6.64	2,285	16.9	4.8	0.21	-177	4.0
		01/30/20	7.32	2,923	15.6	6.9	0.96	-162	4.5
		05/01/20	6.72	2,758	15.5	23.8	3.91	-75	3.0
		07/09/20	6.63	2,501	18.1	1.79	0.10	-100	6.0
		11/05/20	6.61	2,377	18.0	2.2	0.19	-244	–
		02/04/21	6.60	1,539	16.2	–	0.14	48	–
		05/06/21	6.61	1,655	15	–	0.24	-140	–
		08/10/21	6.53	1,643	17.2	–	0.19	129	–
		12/02/21	6.38	1,290	15.7	–	1.18	-661	3.4
		02/22/22	6.67	1,298	14.9	–	0.75	-150	–
		05/13/22	6.84	1,232	15.1	–	0.42	-89	–
		08/05/22	6.03	1,059	16.1	–	1.93	79	–
		10/28/22	6.51	1,247	17.3	–	0.35	-195	2.4
		05/11/23	6.49	1,874	15.2	–	0.18	-39	–
		11/01/23	6.53	1,945	17.2	–	0.89	-122	3.5
		05/28/24	6.59	1,748	15.5	–	2.13	-94	–

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-169	Property, SW quadrant	11/05/19	7.68	1,295	18.9	4.3	0.18	-73	2.5
		01/23/20	7.62	2,075	13.4	5.7	0.39	-189	3.0
		05/05/20	7.31	1,685	15.8	5.7	0.38	-189	2.0
		07/10/20	7.69	1,493	17.6	10.8	0.20	-155	4.2
		11/03/20	7.49	1,610	17.9	–	0.22	-215	–
		11/30/20	7.58	343	17.0	25.0	0.28	-28	–
		02/17/21	7.77	1,457	12.0	1.0	4.37	-143	–
		05/07/21	7.80	1,333	14.1	1.5	4.85	-145	–
		08/10/21	7.53	1,317	17.3	–	0.08	-240	–
		11/19/21	7.78	1,172	15.5	–	1.00	180	3.0
		02/16/22	7.64	1,188	13.4	–	0.64	-245	–
		05/12/22	7.71	1,113	14.3	–	0.04	-124	–
		08/05/22	6.06	951	17.2	–	0.66	107	–
		10/27/22	7.64	1,025	18.1	–	0.30	–	1.4
		05/10/23	7.72	983	15.6	–	0.44	-34.7	–
		05/24/24	7.48	1,198	15.6	–	0.25	-183.5	–
MW-173	Property, SE quadrant	11/01/19	7.30	1,279	16.5	3.0	0.27	-160	1.5
		01/28/20	9.06	1,540	14.0	10.4	0.70	-122	2.0
		05/01/20	7.47	1,036	16.2	1.5	0.17	-112	1.0
		07/09/20	7.38	1,044	17.6	1.4	0.30	-34	1.4
		11/05/20	7.31	1,006	18.1	1.3	2.38	-183	–
		02/04/21	7.16	880	13.1	9.4	1.71	-452	–
		05/05/21	7.41	916	15.1	0.3	0.74	-173	–
		08/05/21	7.23	893	17.3	93	2.38	-87	–
		12/02/21	7.48	1,048	15.9	–	0.83	179	2.0
		02/17/22	7.47	1,002	13.8	–	0.90	-234	–
		05/13/22	7.42	985	15.0	–	0.00	-129	–
		08/11/22	7.57	–	17.0	–	20.1 ^d	-27	–
		10/27/22	7.21	1,006	17.6	–	0.38	-207	1.9
		05/11/23	6.97	1,088	15.0	–	0.14	-37	–
		11/02/23	7.42	974	17.6	–	0.69	16	2.0
		05/28/24	7.54	1199	15.5	–	2.46	-142	–
MW-177	Property, SW quadrant	11/06/19	6.98	1,769	15.2	4.6	0.17	-80	3.1
		01/24/20	6.71	2,491	15.5	–	1.84	-92	–
		04/01/20	6.62	1,939	16.0	28	2.54	-154	5.0
		07/10/20	6.69	1,996	17.3	25.9	0.10	-63	3.0
		11/03/20	6.86	1,300	17.0	1.5	0.33	-70	–
		02/18/21	6.98	1,155	13.4	2.5	0.64	-74	–
		05/06/21	6.96	983	14.3	–	1.13	-143	–
		08/09/21	6.94	928	16.6	–	0.45	117	–
		12/03/21	7.13	814	14.9	–	0.61	167	3.0
		02/17/22	6.89	822	14.1	–	0.15	181	–
		05/10/22	6.85	844	14.6	–	0.34	-125	–
		08/04/22	6.90	778	16.7	–	0.05	-53	–
		10/26/22	6.91	785	17.3	–	2.10	–	1.75
		05/10/23	6.77	884	15.3	–	0.42	-141	–
		11/01/23	6.88	955	17.4	–	0.21	-166	3.0
		05/23/24	7.03	928	15.7	–	2.43	-90	–

Table 2
Groundwater Field Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-181	Property, SW quadrant	11/08/19	7.29	1,341	17.1	6.7	0.22	154	2.0
		01/27/20	6.86	2,322	14.4	9.7	0.32	-110	4.4
		04/01/20	6.41	1,422	16.3	5.4	0.13	-71	5.2
		07/08/20	6.73	1,474	17.5	41.9	0.71	-118	4.0
		11/04/20	6.91	1,629	17.4	2.5	0.23	-178	-
		02/19/21	7.30	1,454	12.5	9.2	0.73	-17	-
		05/06/21	7.18	1,330	15.6	7.5	0.11	121	-
		08/09/21	7.16	1,309	16.5	25	0.10	115	-
		11/18/21	7.20	1,216	16.4	-	1.69	163	3.8
		02/16/22	7.16	1,270	16.1	-	0.13	-348	-
		05/10/22	7.13	1,242	15.6	-	0.09	-128	-
		08/04/22	6.82	1,074	17.0	-	0.44	-7	-
		10/25/22	7.03	1,240	17.8	-	2.59	-	3.0
		05/10/23	6.86	1,280	15.6	-	0.16	-92.3	-
		11/01/23	6.99	1,281	17.2	-	1.03	-139.8	4.0
		05/23/24	6.88	1,308	15.8	-	1.91	-135.7	-
MW-185	Property, SE quadrant	10/31/19	7.05	1,944	12.8	7.4	0.48	-109	2.5
		01/29/20	6.79	3,212	15.9	2.2	0.03	-130	3.0
		04/02/20	6.82	2,168	15.1	13.1	0.25	-147	6.2
		07/08/20	6.91	1,694	17.1	11.8	1.30	-136	5.5
		11/04/20	7.20	1,175	16.6	0.8	0.07	-59	-
		02/16/21	7.37	1,167	12.8	1.6	1.15	-8	-
		05/07/21	7.29	1,127	-	1.1	0.92	-147	-
		08/03/21	7.28	973	16.5	-	0.25	76	-
		11/18/21	7.01	886	12.9	-	1.25	-91	3.8
		02/16/22	7.28	1,274	13.3	-	0.19	216	-
		05/12/22	6.97	1,297	14.4	-	0.16	-102	-
		08/05/22	7.22	1,169	16.9	-	0.11	-70	-
		10/27/22	7.14	1,140	18.0	-	0.09	-	1.75
		05/11/23	6.78	1,799	15.2	-	0.46	-144	-
		11/02/23	6.90	2,364	17.3	-	1.13	-130	2.5
		05/24/24	6.82	2,595	15.8	-	1.87	-128	-
Treatment Zone B Injection Wells									
IW-3B	Property, NW quadrant	03/28/18	6.65	669	16.0	-	0.70	66	-
		Decommissioned March 2019							
IW-6B	Property, SW quadrant	04/02/18	6.69	884	15.9	-	1.10	110	-
		Decommissioned March 2019							
IW-8B	Property, SW quadrant	03/30/18	7.66	471	13.6	-	0.80	111	-
		Decommissioned March 2019							
IW-17B	Property, NE quadrant	03/30/18	6.80	142	16.5	-	0.70	-6	-
		12/13/18	6.43	1,640	17.1	-	1.61	48	-
		Decommissioned March 2019							
IW-21B	Property, NE quadrant	04/02/18	7.01	1,709	17.9	-	0.50	74	-
		Decommissioned March 2019							
IW-22B	Property, NW quadrant	04/25/18	7.09	693	19.4	-	0.60	98	-
		Decommissioned March 2019							
IW-24B	Property, NE quadrant	03/30/18	6.92	1,279	17.8	-	0.70	72	-
		Decommissioned March 2019							
IW-28B	Property, NW quadrant	04/09/18	6.85 ^(a)	1,028	20.4	-	0.40	-55	-
		12/14/18	6.55	2,448	18.1	-	0.55	129	-
		Decommissioned March 2019							
IW-33B	Property, NE quadrant	04/02/18	7.03	1,425	16.7	-	0.70	87	-
		Decommissioned March 2019							
IW-37B	Property, SW quadrant	03/29/18	7.31	1,156	19.6	-	0.60	76	-
		Decommissioned March 2019							
IW-45B	Property, SE quadrant	03/28/18	7.40	949	18.0	-	0.70	64	-
		Decommissioned March 2019							
IW-47B	Property, SW quadrant	04/10/18	7.52	1,080	20.6	-	0.30	70	-
		Decommissioned March 2019							

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
IW-49B	Property, SE quadrant	03/28/18	6.98	1,551	15.6	–	0.60	88	–
		Decommissioned March 2019							
IW-51B	Property, SE quadrant	03/28/18	7.69	1,100	15.7	–	0.30	-151	–
		Decommissioned March 2019							
MW-166	Property, NE quadrant	11/04/19	6.64	2,204	15.5	4.7	0.20	-166	5.0
		01/30/20	7.30	2,119	17.3	9.3	–	-139	4.0
		05/01/20	6.78	2,017	17.3	9.6	0.15	-162	3.0
		07/09/20	6.95	1,340	18.6	5.81	0.21	-149	7.0
		11/05/20	6.74	1,625	17.9	4.7	0.17	-186	–
		02/04/21	6.89	1,615	15.5	2.0	0.11	50	–
		05/05/21	6.81	1,588	15.1	1.1	0.16	-138	–
		08/10/21	7.12	1,489	17.3	–	0.21	122	–
		12/02/21	6.39	1,437	15.4	–	0.54	-94	6.6
		02/22/22	6.80	1,552	16.5	–	0.22	-278	–
		05/13/22	6.79	1,529	15.2	–	0.37	-110	–
		08/05/22	6.11	1,347	17.0	–	1.41	36	–
		10/28/22	6.64	1,543	17.6	–	0.28	0	3.8
		05/11/23	6.69	1,652	15.6	–	0.32	-98	–
		11/02/23	6.71	1,455	17.2	–	0.23	7	5.5
05/28/24	6.69	1,962	15.5	–	3.03	-35	–		
MW-170	Property, SW quadrant	11/05/19	7.58	1,432	16.5	1.7	0.21	-29	1.1
		01/23/20	7.59	2,080	12.2	6.9	0.48	-157	3.0
		04/02/20	7.52	1,467	13.7	17.5	0.31	-184	4.5
		07/09/20	7.34	1,432	17.5	19.2	0.20	-182	5.5
		11/03/20	7.38	1,558	18.0	–	0.22	-203	–
		02/17/21	7.51	1,588	17.1	2.9	0.12	-117	–
		05/07/21	7.39	1,473	18	12.1	0.12	-206	–
		08/09/21	7.50	1,483	17.5	–	0.12	114	–
		11/19/21	7.53	1,419	17.0	–	0.34	170	1.5
		02/17/22	7.43	1,527	17.4	–	0.14	-327	–
		05/12/22	7.51	1,464	15.5	–	0.79	-44	–
		08/05/22	6.48	1,251	17.3	–	0.95	51	–
		10/27/22	7.47	1,482	18.3	–	0.23	–	2.6
		05/11/23	7.51	1,416	15.9	–	0.21	-39.6	–
		05/24/24	7.39	1,700	17.0	–	0.19	-149.8	–
MW-174	Property, SE quadrant	11/01/19	6.89	1,550	15.9	2.3	0.35	-146	3.0
		01/28/20	8.71	1,196	15.0	36.4	0.62	-170	3.0
		05/01/20	7.47	855	15.4	20.3	0.20	-177	5.0
		07/09/20	7.15	768	19.3	62.7	0.20	-34	3.8
		11/05/20	6.86	1,392	18.7	1.7	0.13	-183	–
		02/04/21	6.81	1,467	14.8	4.3	1.21	-424	–
		05/05/21	7.02	1,338	16	–	0.73	-150	–
		08/05/21	7.03	1,237	17.7	–	1.54	-121	–
		12/02/21	7.07	1,712	15.2	–	0.57	187	4.0
		02/17/22	7.10	1,868	15.3	–	0.62	-158	–
		05/13/22	6.97	1,931	16.3	–	0.03	-54	–
		08/11/22	7.11	1,961	17.3	–	5.60	-77	–
		10/27/22	6.88	1,952	17.8	–	0.34	-211	3.0
		05/11/23	7.38	1,985	16.1	–	0.20	-132	–
		11/03/23	6.94	2,125	17.3	–	0.79	-118	2.2
05/28/24	7.10	1,703	15.9	–	2.12	-133	–		

Table 2
Groundwater Field Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-178	Property, SW quadrant	11/06/19	6.62	3,395	13.3	2.6	0.15	-67	3.5
		01/24/20	6.90	5,013	12.0	-	1.83	-149	6.0
		04/02/20	6.95	3,771	14.2	20.4	3.07	-167	6.5
		07/10/20	6.95	3,642	16.9	29.3	0.10	-101	3.5
		11/03/20	6.49	2,612	15.9	3.7	0.81	-74	-
		02/18/21	6.64	2,171	14.1	20.8	0.31	-47	-
		05/06/21	6.71	1,788	14.2	-	0.17	116	-
		08/06/21	6.71	1,679	16.6	9.2	0.31	113	-
		12/06/21	6.49	1,577	15.8	-	1.72	151	6.5
		02/17/22	6.50	1,481	14.9	-	0.25	178	-
		05/10/22	6.46	1,532	16.6	-	0.27	-124	-
		08/04/22	6.70	1,693	16.7	-	-	-56	-
		10/25/22	6.39	1,681	17.5	-	5.10	-	4.6
		05/10/23							
MW-182	Property, SW quadrant	11/08/19	7.03	2,831	16.7	7.2	0.15	-134	3.0
		01/27/20	6.82	3,979	15.8	-	0.23	-157	6.0
		04/01/20	6.58	2,613	18.5	14	0.08	-201	6.1
		07/08/20	6.89	2,520	17.2	8.33	0.10	-86	6.4
		11/04/20	6.55	2,719	18.5	2.7	0.24	-204	-
		02/19/21	6.55	2,282	17.9	8.9	0.38	-238	-
		05/06/21	6.59	2,165	17.8	-	0.15	-171	-
		08/09/21	6.66	2,107	17.9	17	0.21	110	-
		11/18/21	6.78	1,905	15.0	-	0.35	135	5.2
		02/16/22	6.67	2,086	17.3	-	0.12	-291	-
		05/10/22	7.66	1,001	16.6	-	0.02	-96	-
		08/04/22	7.53	1,808	17.4	-	0.45	120	-
		10/25/22	6.62	2,084	17.7	-	3.67	-	6.25
		05/10/23	6.56	2,059	16.0	-	2.54	-92.4	-
		11/02/23	6.78	2,117	17.4	-	1.08	-119.4	3.0
		05/23/24	6.72	2,102	16.7	-	1.99	-122.4	-
MW-186	Property, SE quadrant	10/31/19	7.54	992	15.1	4.6	0.63	-64	-
		01/29/20	7.42	1,088	11.7	10.7	0.77	-158	1.5
		04/02/20	7.61	731	15.8	14.6	0.16	-228	2.6
		07/08/20	7.95	719	17.0	14.0	0.40	-122	1.2
		11/04/20	7.06	1,547	19.0	2.5	0.38	-88	-
		02/16/21	7.08	1,570	13.1	6.1	0.99	-74	-
		05/07/21	7.14	1,500	15.8	-	1.48	-137	-
		08/03/21	7.11	1,332	17.0	-	0.18	69	-
		11/18/21	7.10	1,038	12.5	-	1.78	-86	6.4
		02/16/22	6.99	1,392	14.0	-	0.56	205	-
		05/12/22	7.06	1,428	15.2	-	0.16	-119	-
		08/05/22	7.20	1,469	17.4	-	0.55	-66	-
		10/26/22	6.85	1,586	18.0	-	0.44	-170	3.0
		05/11/23	6.96	1,892.0	16.3	-	0.49	-150	-
		11/02/23	7.01	1,963	17.5	-	1.18	-126	3.5
		05/24/24	6.96	1,977	15.8	-	2.28	-108	-
Treatment Zone C Injection Wells									
IW-1C	Property, NE quadrant	03/29/18	7.71	578	14.5	-	0.80	104	-
		Decommissioned March 2019							
IW-4C	Property, NE quadrant	04/26/18	7.91	725	17.8	-	0.70	109	-
		12/14/18	6.37	3,590	18.5	-	34.50	185	-
		Decommissioned March 2019							
IW-8C	Property, NE quadrant	04/04/18	9.13	1062	15.8	-	2.10	79	-
		Decommissioned March 2019							
IW-9C	Property, NE quadrant	04/02/18	7.36	967	18.5	-	0.80	85	-
		Decommissioned March 2019							
IW-13C	Property, SW quadrant	04/25/18	7.68	754	20.7	-	0.70	91	-
		Decommissioned March 2019							
IW-15C	Property, SW quadrant	03/30/18	7.32	1,343	19.8	-	0.30	2	-
		12/13/18	6.59	2,448	14.7	-	22.06	138	-
		Decommissioned March 2019							

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
IW-19C	Property, SW quadrant	03/29/18 Decommissioned March 2019	7.59	1,122	19.3	–	0.80	98	–
IW-20C	Property, SW quadrant	03/30/18 Decommissioned March 2019	7.49	751	19.7	–	0.40	51	–
MW-167	Property, NE quadrant	11/04/19	7.76	1,051	17.9	1.3	0.43	-184	0.5
		01/28/20	7.61	1,030	15.8	2.0	0.07	-214	0.5
		05/01/20	7.92	893	17.3	4.0	0.31	-187	0.0
		07/09/20	8.25	724	17.6	10.6	0.30	-129	–
		11/05/20	7.92	1,052	17.1	4.4	0.34	-236	–
		02/04/21	7.89	920	13.7	7.0	0.21	44	–
		05/05/21	7.82	901	15.3	–	0.31	121	–
		08/10/21	7.82	871	17.0	–	0.27	111	–
		12/02/21	7.63	813	16.4	–	0.32	-190	0.8
		02/22/22	7.91	857	14.7	–	0.38	-300	–
		05/13/22	7.90	818	16.3	–	0.22	-206	–
		08/05/22	6.10	717	17.4	–	0.65	100	–
		10/28/22	7.80	818	18.1	–	0.10	–	0.3
		05/11/23	7.97	683	15.6	–	0.42	-167	–
11/01/23	7.85	872	17.3	–	0.29	-189	1.0		
05/28/24	7.93	840	6.5	–	1.88	-156	–		
MW-171	Property, SW quadrant	11/08/19	8.06	583	16.3	36.8	0.17	117	1.0
		01/23/20	8.25	950	13.7	5.6	0.53	-218	0.5
		04/02/20	8.20	595	13.8	11.2	0.30	-210	1.0
		07/09/20	8.16	603	18.6	5.06	0.20	-155	1.0
		11/03/20	8.03	757	16.4	1.9	0.27	-238	–
		02/17/21	7.78	907	13.2	1.6	0.35	-243	–
		05/07/21	7.83	876	14.8	8.0	0.31	-223	–
		08/10/21	7.66	891	17.3	9.2	0.25	-139	–
		11/19/21	7.97	828	15.5	–	0.41	174	1.5
		02/17/22	7.77	922	15.0	–	0.58	-343	–
		05/12/22	7.80	877	14.6	–	0.37	-119	–
		08/04/22	6.69	773	16.9	–	0.88	144	–
		10/26/22	7.68	903	18.3	–	0.89	–	1.07
		05/11/23	6.92	930	16.2	–	0.10	79.2	–
05/24/24	7.59	1,046	16.1	–	0.31	-126.1	–		
MW-175	Property, SE quadrant	11/01/19	7.56	1,442	17.2	23.9	0.41	-151	0.0
		01/28/20	9.66	1,010	12.3	6.7	0.94	-165	0.0
		05/01/20	8.48	424	15.9	5.5	0.37	-74	0.0
		07/09/20	8.34	396	17.3	7.36	0.39	-160	0.5
		11/05/20	7.42	1,378	17.5	32.5	0.24	-85	–
		02/04/21	6.99	1,687	14.6	3.0	0.43	-456	–
		05/05/21	7.04	1,767	16.1	3.8	0.25	128	–
		08/05/21	7.02	1,605	17.4	45	0.65	-151	–
		12/02/21	7.00	1,748	16.7	–	0.38	184	4.5
		02/22/22	7.01	1,727	14.0	–	0.60	-123	–
		05/13/22	7.05	1,800	15.3	–	0.12	-77	–
		08/11/22	7.10	1,870	17.8	–	–	-84	–
		10/27/22	6.90	1,830	18.2	–	0.32	-186	3.8
		05/11/23	6.92	1,934	16.0	–	0.12	77	–
11/02/23	6.99	1,656	17.3	–	0.19	18	4.0		
05/28/24	7.05	1,899	16.6	–	1.93	-140	–		
MW-179	Property, SW quadrant	11/06/19	6.92	2,192	14.3	5.2	0.10	139	2.0
		01/27/20	6.75	3,085	16.0	13.5	–	-146	3.5
		04/02/20	6.55	2,665	17.7	9	4.43	-170	5.5
		07/10/20	6.59	2,650	18.7	5.07	0.10	-72	5.0
		11/03/20	6.36	1,691	17.7	1.0	0.76	-80	–
		02/18/21	6.44	1,601	17.8	11.0	0.95	-28	–

Table 2
Groundwater Field Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-179 (continued)		05/06/21	6.50	1,764	15.1	10.0	0.14	116	-
		08/09/21	6.53	1,844	17.1	-	0.89	111	-
		12/03/21	6.48	1,965	15.6	-	0.43	183	6.5
		02/17/22	6.28	1,943	15.6	-	0.50	188	-
		05/10/22	6.48	1,987	17.0	-	0.19	-157	-
		08/04/22	6.54	2,005	17.4	-	-	-66	-
		10/25/22	6.34	2,078	17.9	-	0.26	-175	4.0
		05/10/23	6.53	1,843	16.5	-	0.45	-151	-
		11/01/23	6.51	2,214	17.3	-	0.28	-149	1.5
		05/23/24	6.31	2,272	16.7	-	0.24	-91	-
MW-183	Property, SW quadrant	11/08/19	8.09	303	12.8	12.6	0.38	184	0.0
		01/27/20	8.20	666	12.0	6.9	0.49	-206	0.4
		04/02/20	7.43	310	13.6	11	0.27	-190	0.0
		07/08/20	7.98	357	16.7	16.8	0.40	-163	0.5
		11/04/20	7.90	640	17.1	3.3	0.19	-69	-
		02/19/21	7.69	806	17.2	37.0	0.12	-38	-
		05/06/21	7.66	822	16.7	-	0.1	-212	-
		08/06/21	7.51	926	17.8	12	0.14	102	-
		11/18/21	7.60	925	17.0	-	0.28	139	0.6
		02/16/22	7.59	1,008	17.5	-	0.14	-329	-
		05/10/22	7.65	906	16.8	-	0.03	-111	-
		08/04/22	7.22	964	17.2	-	0.21	-2	-
		10/25/22	7.42	1,020	17.8	-	0.29	-231	0.05
		05/10/23	7.65	1,068	16.0	-	0.14	-99	-
		11/01/23	7.65	1,171	17.4	-	1.01	-151	0.5
		05/23/24	7.46	1,109	16.7	-	1.85	-134	-
MW-187	Property, SE quadrant	11/01/19	7.22	671	9.0	8.6	0.35	-175	2.5
		01/29/20	7.82	740	13.5	1.1	0.75	-104	0.5
		04/02/20	7.34	389	12.7	23.2	0.44	-108	0.0
		07/08/20	7.55	449	16.9	5.97	0.47	-99	0.0
		11/04/20	7.82	694	16.6	2.9	0.43	-229	-
		02/16/21	7.65	922	12.4	3.0	0.55	-39	-
		05/07/21	7.64	1,035	14.3	3.2	0.39	-218	-
		08/03/21	7.68	1,012	17.3	-	0.48	44	-
		11/18/21	7.44	908	13.6	-	1.45	-125	2
		02/16/22	7.44	1,226	13.3	-	0.38	195	-
		05/12/22	7.49	1,239	16.7	-	0.42	-134	-
		08/05/22	7.53	1,383	17.4	-	3.50	-77	-
		10/26/22	7.34	1,384	18.1	-	0.48	-193	2.2
		05/11/23	7.39	1,221	15.5	-	0.41	-1,644	-
		11/02/23	7.50	1,488	17.2	-	1.11	-137	2.0
		05/24/24	7.47	1,584	16.3	-	1.91	-158	-
Treatment Zone D Injection Wells									
IW-1D	Property, NE quadrant	04/03/18	8.96	591	20.4	-	0.40	-228	-
		12/13/18	6.72	2,188	13.1	-	0.28	-34	-
Decommissioned March 2019									
IW-3D	Property, NE quadrant	04/03/18	7.58	761	21.8	-	0.50	72	-
		Decommissioned March 2019							
IW-4D	Property, SW quadrant	03/29/18	8.42	407	13.8	-	0.90	90	-
		Decommissioned March 2019							
IW-6D	Property, SW quadrant	04/03/18	7.73	366	18.1	-	0.40	14	-
		12/13/18	6.31	2,952	15.1	-	34.30	247	-
		Decommissioned March 2019							
IW-8D	Property, SW quadrant	04/04/18	7.33	722	20.5	-	0.50	81	-
		Decommissioned March 2019							
IW-9D	Property, SW quadrant	04/04/18	7.63	505	18.5	-	5.50	86	-
		Decommissioned March 2019							
IW-11D	Property, NE quadrant	05/01/18	7.96	757	20.9	-	0.60	56	-
		Decommissioned March 2019							
MW-168	Property, NE quadrant	11/04/19	7.54	649	19.4	1.4	1.68	-93	0.0
		01/31/20	8.27	639	19.7	0.3	-	-148	0.5

Table 2
Groundwater Field Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-168 (continued)	DUP DUP	05/01/20	7.46	557	16.1	17.4	0.44	-132	0.5
		07/09/20	8.86	451	17.3	11.3	0.24	-207	1.0
		11/05/20	8.60	454	16.5	5.7	0.25	-116	-
		02/04/21	7.69	454	14.5	-	0.21	42	-
		05/05/21	7.66	743	14.3	0.9	0.43	-199	-
		08/10/21	7.67	767	17.9	-	0.12	113	-
		12/02/21	7.32	771	18.3	-	0.47	-153	0.4
		02/22/22	7.62	852	14.7	-	0.29	-291	-
		05/13/22	7.53	834	16.4	-	0.25	98	-
		08/05/22	7.01	650	17.5	-	0.78	87	-
		10/28/22	7.55	867	18.2	-	0.14	-	0.6
		05/11/23	7.62	882	16.4	-	0.13	-58.7	-
		11/02/23	7.64	805	17.4	-	7.64	6	2
05/28/24	7.64	537	15.3	-	5.08	7	-		
MW-172	Property, SW quadrant	11/05/19	7.65	494	21.2	0.3	1.79	269	-
		01/23/20	7.81	845	17.8	0.7	1.09	-99	0.0
		04/02/20	7.62	537	20.3	7.1	0.34	-155	0.0
		07/09/20	7.70	504	18.8	0.49	0.30	-1	0.2
		11/03/20	7.54	576	18.3	1.2	0.21	-52	-
		02/17/21	7.56	732	14.7	2.1	1.72	-106	-
		05/07/21	7.76	553	14.6	12.0	0.2	102	-
		08/10/21	7.52	656	17.8	-	0.28	-86	-
		11/19/21	7.81	572	16.7	-	0.95	172	0.1
		02/17/22	7.59	669	16.2	-	0.51	-195	-
		05/12/22	7.39	652	17.9	-	0.32	114	-
		08/05/22	7.62	609	18.6	-	0.73	147	-
		10/27/22	7.50	660	19.0	-	0.08	-	0.25
		05/11/23	7.60	740	17.3	-	0.15	-44.7	-
05/24/24	7.41	798	16.6	-	2.54	-63	-		
MW-176	Property, SE quadrant	11/01/19	7.25	609	20.6	1.4	1.56	-88	0.0
		01/28/20	9.12	789	16.8	0.4	1.42	-62	0.2
		05/01/20	7.57	428	15.5	3.3	0.33	-87	0.5
		07/09/20	7.62	436	17.1	9.14	0.20	-195	2.5
		11/05/20	7.33	1,150	17.2	4.7	0.32	-86	-
		02/04/21	6.98	1,249	17.0	4.0	0.29	-460	-
		05/05/21	7.03	1,400	16.1	6.4	0.25	-187	-
		08/05/21	7.11	1,256	18.9	-	0.51	-154	-
		12/02/21	7.20	1,462	16.6	-	0.72	177	3.5
		02/22/22	7.11	1,461	17.0	-	0.50	-144	-
		05/13/22	7.10	1,523	17.5	-	0.00	-155	-
		08/11/22	7.26	1,693	17.3	-	4.50	-111	-
		10/26/22	6.99	1,570	18.7	-	0.37	-197	4.1
		05/11/23	6.98	1,651	16.9	-	0.04	-102	-
		11/02/23	7.09	1,453	17.6	-	0.22	16	2.5
05/24/24	7.16	1,628	16.8	-	2.07	-123	-		
MW-180	Property, SW quadrant	11/06/19	7.15	1,752	18.1	19.3	0.19	-11	2.5
		01/24/20	6.81	2,104	16.4	-	2.97	-60	1.0
		04/01/20	6.78	1,105	17.2	9.0	1.79	-179	-
		07/10/20	6.85	875	19.0	3.79	0.10	-47	2.5
		11/03/20	6.50	1,001	17.7	1.5	0.20	-161	-
		02/18/21	6.64	1,128	14.4	1.8	0.47	-301	-
		05/06/21	6.53	1,314	15.9	4.8	0.37	119	-
		08/06/21	6.61	1,524	18.3	4.9	1.01	110	-
		12/03/21	6.57	1,539	16.0	-	0.22	167	7.0
		02/17/22	6.63	1,603	15.8	-	0.23	189	-
		05/10/22	6.58	1,741	16.4	-	0.39	-190	-
		08/04/22	6.74	1,323	16.7	-	2.99	-48	-
		10/26/22	6.48	2,096	18.1	-	6.77	-	5.75
		05/10/23	6.44	2,162	16.5	-	0.39	-157	-
		11/01/23	6.49	2,449	17.6	-	1.09	-110	3
		05/24/24	6.44	2,496	16.9	-	2.09	-88	-

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
MW-184	Property, SW quadrant	11/08/19	7.83	316	17.1	0.1	1.35	229	0.0
		01/27/20	7.75	656	13.7	0.5	0.81	-95	0.3
		04/01/20	7.44	324	18.0	9	0.07	-194	4.1
		07/08/20	7.56	366	18.6	1.7	0.30	14	0.2
		11/04/20	7.64	394	19.4	2.8	0.08	-81	–
		02/19/21	7.28	875	15.4	7.7	1.00	-59	–
		05/06/21	7.70	368	15.6	4.8	0.20	112	–
		08/06/21	7.32	587	18.2	5	0.12	104	–
		11/18/21	7.38	638	16.6	–	0.78	132	0.5
		02/16/22	7.33	692	16.9	–	0.73	-239	–
		05/10/22	7.20	641	17.2	–	0.03	49	–
		08/04/22	6.79	550	17.9	–	0.79	99	–
		10/25/22	7.22	676	18.3	–	0.36	-191	0.02
		05/10/23	7.35	654	17.1	–	0.14	-91	–
		11/02/23	7.54	801	17.8	–	1.41	-85	0.5
05/23/24	7.72	466	16.4	–	3.63	-126	–		
MW-188	Property, SE quadrant	10/31/19	7.34	657	18.5	0.3	1.92	-21	0.5
		01/29/20	7.02	839	15.4	0.5	1.74	16	0.5
		04/02/20	7.42	499	17.8	5.0	0.13	-223	4.2
		07/08/20	7.49	514	17.9	3.65	0.30	-44	0.8
		11/04/20	7.45	581	18.4	–	0.26	-214	–
		02/16/21	7.40	636	18.7	–	0.16	-417	–
		05/07/21	7.46	696	15.2	–	0.22	119	–
		08/10/21	7.36	692	15.4	3.4	0.13	-174	–
		11/18/21	7.23	523	14.1	–	5.75	19	–
		02/16/22	7.52	666	16.9	–	0.15	201	–
		05/12/22	7.44	676	17.1	–	0.34	-93	–
		08/05/22	7.30	679	18.5	–	0.42	-50	–
		10/26/22	7.18	651	18.7	–	0.60	-165	0.09
		05/11/23	7.42	666	17.1	–	0.10	-58	–
		11/03/23	7.31	676	17.6	–	2.57	84	2.0
05/24/24	7.36	693	17.0	–	2.16	-147	–		
Treatment Zone A Perimeter Injection Wells									
PRB-A1	8th Ave N ROW, W side	09/15/20	6.89	886	19.3	112	0.28	-40	2.0
PRB-A5	8th Ave N ROW, W side	09/17/20	6.67	1,167	12.1	234	0.28	129	3.8
PRB-A11	8th Ave N ROW, W side	09/16/20	6.90	640	17.6	66	0.30	196	1.8
PRB-A14	Roy Street ROW, N side	09/17/20	7.21	865	19.0	60	0.51	33	–
PRB-A17	Roy St ROW, N side	09/15/20	7.00	694	19.5	44	0.54	128	2.6
PRB-A19	Roy St ROW, N side	09/14/20	7.13	601	19.3	83	0.53	31	3.5
PRB-A23	Roy St ROW, N side	09/14/20	6.80	808	18.3	652	0.26	140	3.2
Treatment Zone B Perimeter Injection Wells									
PRB-B1	8th Ave N ROW, W side	09/15/20	6.70	686	19.4	21	0.31	709	1.4
PRB-B4	8th Ave N ROW, W side	09/17/20	6.94	1,480	21.3	49	0.25	-87	5.5
PRB-B11	8th Ave N ROW, W side	09/16/20	7.13	1,245	17.6	19	0.58	140	1.8
PRB-B14	Roy St ROW, N side	09/14/20	7.93	1,029	18.1	41	0.35	143	0.6
PRB-B17	Roy St ROW, N side	09/15/20	8.36	745	22.3	20	0.56	-14	0.0
PRB-B19	Roy St ROW, N side	09/18/20	7.74	612	19.7	135	0.89	141	0.4
PRB-B23	Roy St ROW, N side	09/18/20	7.96	1,023	19.2	203	0.74	148	0.4

Table 2
Groundwater Field Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Property	Sample Date	pH	Specific Conductance (mS/cm)	Temperature (°C)	Turbidity (NTUs)	Dissolved Oxygen (mg/L)	ORP (mv)	Ferrous Iron (mg/L)
Treatment Zone C Perimeter Injection Wells									
PRB-C1	8th Ave N ROW, W side	09/15/20	7.68	606	19.2	63	0.71	134	0.0
PRB-C5	8th Ave N ROW, W side	09/17/20	7.09	1,264	21.1	367	0.26	132	1.6
PRB-C11	8th Ave N ROW, W side	09/16/20	7.37	571	18.4	687	0.64	135	0.4
PRB-C14	Roy Street ROW, N side	09/17/20	7.95	721	18.7	467	0.87	752	0.4
PRB-C17	Roy St ROW, N side	09/15/20	9.50	631	22.7	1,000	0.65	124	0.4
PRB-C19	Roy St ROW, N side	09/14/20	7.73	442	19.1	155	0.38	133	0.0
PRB-C23	Roy St ROW, N side	09/14/20	8.20	728	19.0	1,000	0.42	298	0.6
Treatment Zone D Perimeter Injection Wells									
PRB-D1	8th Ave N ROW, W side	09/15/20	7.64	630	21.0	100	0.66	-20	0.0
PRB-D4	8th Ave N ROW, W side	09/17/20	6.98	1,512	23.1	98	0.48	-30	5.0
PRB-D11	8th Ave N ROW, W side	09/16/20	7.67	701	17.6	21	0.55	925	0.6
PRB-D13	Roy St ROW, N side	09/18/20	7.41	717	19.1	232	0.63	66	–
PRB-D17	Roy St ROW, N side	09/21/20	6.55	669	19.1	121	0.60	171	1.1
PRB-D20	Roy St ROW, N side	09/18/20	7.02	547	19.5	351	0.57	120	0.4
PRB-D23	Roy St ROW, N side	09/18/20	7.91	441	19.0	228	0.45	0	–

Notes:

1. – = not measured
2. ^(a) = pH meter not giving stable/reliable reading
3. ^(b) = Turbidity reading collected and read with a turbidmeter after water sample collection.
4. ^(c) = Readings collected by Farrallon
5. ^(d) = DO meter malfunction
6. MAX = Turbidity greater than instrument upper detection limit.

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35
DMW-1S (38.8 to 28.8)	615 Dexter, SE quadrant	03/25/19	HC	-	350	200 U	500 U	1.5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
		03/25/19	HC	-	300	200 U	500 U	1.8	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.20 U
		03/18/20	HC	Peristaltic	1,800	580 J	250 U	2.9	1.6	12	1.8	0.20 U				
DMW-2S (30.7 to 20.7)	615 Dexter, SE quadrant	03/18/20	HC	Peristaltic	100 U	50 U	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
DMW-4S (38.5 to 28.5)	Alley S of SE quadrant of 615 Dexter	03/19/20	HC	Peristaltic	670	790 J	250 U	0.20 U	0.26	5.5	3.0	0.20 U				
DMW-5IA (29.4 to 19.4)	Alley S of 615 Dexter	03/19/20	HC	Submersible	100 U	760 J	250 U	0.20 U	0.64	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
DMW-6 (32.1 to 22.1)	615 Dexter, NE quadrant	03/18/20	HC	Submersible	100 U	50 U	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
F5 (29.1 to -1.0)	Property, NW quadrant	07/19/13	SES	Peristaltic	-	-	-	-	-	-	-	120,000	50	700	5.2	4.2
		10/24/13	SES	Peristaltic	-	-	-	-	-	-	-	21,000	1,200	1,000	1,000	200 U
		03/28/17	PES	Peristaltic	234 zJ+	-	-	0.515	0.727 U	0.158 U	0.316 U	0.199 U	0.241 J	516	4.31	90.6
		06/22/17	PES	Peristaltic	31.6 U	-	-	0.374 J	0.708	0.158 U	0.316 U	0.199 U	0.485	10.4	0.485 J	63.9
Decommissioned March 2019																
F9 (28.5 to -1.5)	Property, NE quadrant	07/19/13	SES	Peristaltic	-	-	-	-	-	-	-	140,000	3,400	50	8.6	78
		06/16/15	SES	Peristaltic	-	-	-	-	-	-	-	3.7	1.8	680	12	74
		10/19/15	SES	Peristaltic	-	-	-	-	-	-	-	15.0	6.6	840	13	75
		02/01/16	SES	Peristaltic	-	-	-	-	-	-	-	2.9	1 U	1.3	1 U	20
		03/27/17	PES	Peristaltic	31.6 U	-	-	0.529	2.04	0.158 U	0.316 U	0.199 U	0.153 U	0.158 J	0.539	0.118 U
		06/22/17	PES	Peristaltic	31.6 U	-	-	0.471 J	1.70	0.158 U	0.316 U	0.199 U	0.153 U	6.10	0.485	3.57
Decommissioned March 2019																
F13 (28.4 to -1.6)	Property, NE quadrant	07/19/13	SES	Peristaltic	-	-	-	-	-	-	-	2,900	280	370	100 U	49
		10/24/13	SES	Peristaltic	-	-	-	-	-	-	-	7,300	3,100	490	50 U	10 U
		11/18/13	SES	Peristaltic	-	-	-	-	-	-	-	67,000	6,600	3,200	85	48
		12/12/13	SES	Peristaltic	-	-	-	-	-	-	-	50	340	670	10 U	20
		03/07/14	SES	Peristaltic	-	-	-	-	-	-	-	84	11	10	1 U	0.36
		06/16/15	SES	Peristaltic	-	-	-	-	-	-	-	8.4	1 U	1.8	1 U	0.31
		10/19/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	2.0	210	2.3	4.1
		02/02/16	SES	Peristaltic	-	-	-	-	-	-	-	3.4	1 U	1 U	1 U	0.97
		03/27/17	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.218 J	0.152 U	0.936
		06/22/17	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.194 J	0.152 U	1.32
04/05/18	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	20.3	0.346 J	0.375 J	0.152 U	0.843		
Decommissioned March 2019																
FMW-1	900 Roy St, S end	11/02/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
FMW-143 (10.0 to 5.0)	9th Ave N ROW, E side	07/30/19	Farallon	Unknown	-	-	-	-	-	-	-	0.20 U				
		10/31/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/22/20	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		05/14/20	PES	Bladder	-	-	-	0.0941 U	0.319 J	0.137 U	0.201 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/22/20	PES	Bladder	-	-	-	0.0160 U	0.146 J	0.0490 J	0.331	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35	
G12 (29.4 to -0.6)	Property, NE quadrant	07/19/13	SES	Peristaltic	-	-	-	-	-	-	-	-	64,000	3,100	9,200	88	130
		10/24/13	SES	Peristaltic	-	-	-	-	-	-	-	-	1,700	150	100 U	100 U	20 U
		11/18/13	SES	Peristaltic	-	-	-	-	-	-	-	-	760	84	42	10 U	2 U
		03/27/17	PES	Peristaltic	-	-	-	0.243 J	0.412 U	0.158 U	0.316 U	0.199 U	0.233 J	95.9	1.97	28.4	
		06/30/17	PES	Peristaltic	-	-	-	0.282 J	0.412 U	0.158 U	0.316 U	0.199 U	0.323 J	115	2.94	31.5	
		Decommissioned March 2019															
G-MW2 (31 to 21)	Property	07/24/01	GeoE	Peristaltic	-	-	-	0.375	48.3 E	2.01	12.88	176,000	237 g	129 g	1.02	0.457	
		01/29/09	DOF	Peristaltic	39,600 qp	-	-	20.0 U	20.0 U	20.0 U	48.9	59,000 f	210	373	1.33	0.200 U	
		06/02/11	SES	Peristaltic	59,000 xy	200	250 U	350 U	1,000 U	1,000 U	3,000 U	150,000	1,000 U	1,000 U	1,000 U	200 U	
		09/06/12	SES	Peristaltic	-	-	-	0.35 U	12	1.1	4.7	150,000	320	260	1.4	0.2 U	
		Decommissioned															
HMW-1S (16.0 to 6.0)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	-	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U
		03/11/20	HC	Peristaltic	100 U	200 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-2S (27.6 to 17.6)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	-	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U
		03/12/20	HC	Peristaltic	100 U	56 J	260 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-9S (30.4 to 20.4)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100 U	61 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-10S (23.5 to 13.5)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100 U	66 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-11S (16.5 to 6.5)	Seattle DOT Mercer Parcels, SE quadrant	03/11/20	HC	Submersible	100 U	620 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-17S (22.2 to 12.2)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	-	100 U	50 U	-	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-18S (22.6 to 12.6)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	-	100 U	50 U	-	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-19S (23.2 to 13.2)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	-	170	50 U	-	0.20 U	0.20 U	0.20	0.60	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-20S (28.8 to 18.8)	Seattle DOT Mercer Parcels, NW quadrant	09/18/20	HC	-	100 U	50 U	-	0.20 U	0.20 U	0.20 U	0.40 U	4.7	0.38	1.4	0.20 U	0.99	
HMW-21S (8.2 to -1.8)	Seattle DOT Mercer Parcels, SE quadrant	11/03/20	HC	-	-	50 U	-	-	-	-	-	-	-	-	-	-	
HMW-22S (11.8 to 1.8)	Seattle DOT Mercer Parcels, SE quadrant	11/03/20	HC	-	-	62 U	-	-	-	-	-	-	-	-	-	-	
J5 (29.8 to -0.2)	Property, SW quadrant	07/19/13	SES	Peristaltic	-	-	-	-	-	-	-	-	46,000	660	100 U	100 U	20 U
		10/24/13	SES	Peristaltic	-	-	-	-	-	-	-	-	48,000	13,000	1,400	100 U	20 U
		06/16/15	SES	Peristaltic	-	-	-	-	-	-	-	-	50	340	250	51	1.0
		10/19/15	SES	Peristaltic	-	-	-	-	-	-	-	-	1,400	470	890	51	1.3
		02/02/16	SES	Peristaltic	-	-	-	-	-	-	-	-	1,500	5	280	14	0.31
		03/21/17	PES	Peristaltic	-	-	-	0.580	0.412 U	0.158 U	0.316 U	285	78.5	253	1.73	29.6	
		06/26/17	PES	Peristaltic	-	-	-	0.252 J	0.506	0.158 U	0.316 U	36.1	37.1	366	1.94	77.7	
		04/05/18	PES	Peristaltic	207	-	-	0.638	0.412 U	0.158 U	0.316 U	267	70.5	222	1.00	17.6	
Decommissioned March 2019																	
J15 (28.7 to -1.3)	Property, SE quadrant	07/19/13	SES	Peristaltic	-	-	-	-	-	-	-	4,100	220	580	6.8	20	
		10/24/13	SES	Peristaltic	-	-	-	-	-	-	-	10,000	50	680	100 U	20 U	

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
Groundwater Screening Level for Soil Vapor					–	–	–	2.4	15,000	1,200	320	24	1.4	–	77	0.35	
J15 (continued) (duplicate)		03/07/14	SES	Peristaltic	–	–	–	–	–	–	–	–	2,200	170	120	50 U	10 U
		06/16/15	SES	Peristaltic	–	–	–	–	–	–	–	–	9.0	12	310	8.8	3.1
		10/19/15	SES	Peristaltic	–	–	–	–	–	–	–	–	3.6	1 U	5	3.0	1.7
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	2.4	1 U	35	1 U	0.39
		03/27/17	PES	Peristaltic	–	–	–	0.188 J	0.495 J	0.158 U	0.316 U	0.199 U	0.153 U	43.3	1.18	6.99	
		06/26/17	PES	Peristaltic	–	–	–	0.173 J	0.459 J	0.158 U	0.316 U	0.199 U	0.153 U	39.8	1.06	6.30	
		06/26/17	PES	Peristaltic	–	–	–	0.173 J	0.551 J	0.158 U	0.316 U	0.199 U	0.153 U	39.3	1.03	6.73	
		04/05/18	PES	Peristaltic	41.2 J	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	12.8	0.358 J	26.3	0.709	6.07	
		Decommissioned March 2019															
K8 (29.9 to -0.1)	Property, SW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	–	–	–	8,700	330	1,400	5.6	6.3
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	–	63	16	500	67	2 U
		10/19/15	SES	Peristaltic	–	–	–	–	–	–	–	–	360	82	43	3.2	0.44
		02/01/16	SES	Peristaltic	–	–	–	–	–	–	–	–	250	44	82	1.8	0.31
		03/21/17	PES	Peristaltic	–	–	–	0.239 J	0.412 U	0.158 U	0.316 U	82.5	22.0	123	0.680	0.461 J	
		06/26/17	PES	Peristaltic	–	–	–	0.246 J	0.412 U	0.158 U	0.316 U	67.9	28.7	140	0.750	0.456 J	
		04/05/18	PES	Peristaltic	156 zJ+	–	–	0.251 J	0.412 U	0.158 U	0.316 U	229	26.3	104	0.750	1.45	
Decommissioned March 2019																	
M15 (29.5 to -0.5) (duplicate)	Property, SE quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	–	–	–	3,200	5	180	1.7	0.22
		10/24/13	SES	Peristaltic	–	–	–	–	–	–	–	–	56,000	50	770	50 U	10 U
		03/07/14	SES	Peristaltic	–	–	–	–	–	–	–	–	2,100	190	290	2.9	2.60
		06/16/15	SES	Peristaltic	–	–	–	–	–	–	–	–	58	44	76	2.7	1.1
		10/19/15	SES	Peristaltic	–	–	–	–	–	–	–	–	48	29	5	2.3	0.74
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	11	10	84	1.8	0.39
		03/27/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.733	32.7	0.561	13.2	
		03/27/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.670	31.7	0.513	12.0	
		06/26/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.233 J	1.80	25.8	0.523	15.0	
		04/05/18	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.563	8.89	0.300 J	11.1	
Decommissioned March 2019																	
MW-1 (--)	800 Aloha St Parcel	03/22/93	EPJ	Bailer	5,100	500 U	1000 U	10,000	270	480	427	–	–	–	–	–	
		06/17/93	Retec	Unknown	–	–	–	20,000	14,000	840	6,700	–	–	–	–	–	
Decommissioned October 1993																	
MW-2 (--)	8th Ave North ROW	03/22/93	EPJ	Bailer	650	500 U	1000 U	100	42	24	67	–	–	–	–	–	
		06/17/93	Retec	Unknown	–	–	–	28	7.2	1 U	2 U	170	1,400	9,300	25	50	
Decommissioned October 1993																	
MW-3 (--)	800 Aloha St Parcel	03/22/93	EPJ	Bailer	27,000	500 U	1000 U	1,500	3,300	690	3,500	–	–	–	–	–	
		06/17/93	Retec	Unknown	–	–	–	4,800	21,000	1,900	12,300	–	–	–	–	–	
Decommissioned October 1993																	
MW-4 (--)	Seattle Roy Aloha Shops, N end	03/22/93	EPJ	Bailer	940	500 U	1000 U	82	390	39	108	–	–	–	–	–	
		06/17/93	Retec	Unknown	–	–	–	1 U	1 U	1 U	2 U	–	–	–	–	–	
Decommissioned October 1993																	
MW-5 (--)	8th Ave North ROW	03/22/93	EPJ	Bailer	670	500 U	1000 U	49	140	9.8	80	–	–	–	–	–	
		06/17/93	Retec	Unknown	–	–	–	1 U	1 U	1 U	2 U	–	–	–	–	–	
Decommissioned October 1993																	
MW-6 (31.2 to 16.2)	Seattle Roy Aloha Shops, N end	10/12/93	Retec	Unknown	150,000	–	–	9,100	6,800	2,600	7,300	–	–	–	–	–	
		10/26/93	Retec	Unknown	100,000	–	–	17,000	14,000	1,400	500	–	–	–	–	–	
		01/25/94	Retec	Unknown	66,000	–	–	8,800	4,600	1,500	8,100	–	–	–	–	–	

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																				
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC									
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29									
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35									
MW-6 (continued)		04/25/94	Retec	Unknown	120,000	-	-	15,000	7,200	2,600	13,300	-	-	-	-	-									
		09/15/94	Retec	Unknown	56,000	-	-	15,000	2,000	1,500	7,100	-	-	-	-	-									
		06/20/02	Urban	Unknown	8,500	-	-	1,900	14	250	53	-	-	-	-	-									
MW-7 (26.1 to 16.1) (duplicate)	Seattle Roy Aloha Shops, N end	10/12/93	Retec	Unknown	75,000	-	-	20,000	22,000	3,000	15,000	-	-	-	-	-									
		10/26/93	Retec	Unknown	74,000	-	-	8,300	7,400	50	8,300	-	-	-	-	-									
		01/25/94	Retec	Unknown	53,000	-	-	1,600	2,700	1,400	5,100	-	-	-	-	-									
		04/25/94	Retec	Unknown	140,000	-	-	3,900	7,400	3,100	14,100	-	-	-	-	-									
		09/15/94	Retec	Unknown	66,000	-	-	3,400	2,700	1,900	7,700	-	-	-	-	-									
		09/15/94	Retec	Unknown	77,000	-	-	3,600	3,000	2,100	8,700	-	-	-	-	-									
		06/20/02	Urban	Unknown	8,400	-	-	650	37	470	150	-	-	-	-	-									
MW-8 (28.7 to 14.2) (duplicate) (duplicate)	Seattle Roy Aloha Shops, N end	10/26/93	Retec	Unknown	280	-	-	19	1	1	U	48	-	-	-	-									
		01/25/94	Retec	Unknown	230	J	-	13	0.7	1	U	4.5	-	-	-	-									
		01/25/94	Retec	Unknown	210	J	-	12	0.6	1	U	3.7	-	-	-	-									
		04/25/94	Retec	Unknown	250	U	-	2.2	1	1	U	1.7	-	-	-	-									
		09/15/94	Retec	Unknown	210	J	-	1	0.5	1	U	1.6	J	-	-	-									
		09/15/94	Retec	Unknown	250	U	-	1	0.5	1	U	1.7	J	-	-	-									
		06/21/02	Urban	Unknown	50	U	-	1	1	1	U	1	U	-	-	-									
		03/20/17	PES	Peristaltic	-	-	-	0.145	J	0.412	U	0.175	J	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/13/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.570	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/18/19	PES	Peristaltic	31.6	U	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/10/19	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.167	J	0.0933	U	0.152	U	0.118	U
		01/16/20	PES	Peristaltic	-	-	-	0.156	J	1.96	U	0.158	U	0.569	J	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		05/06/20	PES	Peristaltic	-	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/14/20	PES	Peristaltic	-	-	-	0.0160	U	0.161	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		MW-9 (34.1 to 19.1) (duplicate) (duplicate)	8th Ave N ROW, E side	10/26/93	Retec	Unknown	210	J	-	-	9.5	1.3	1	U	2	U	-	-	-	-	-	-	-	-	-
01/25/94	Retec			Unknown	250	U	-	-	5.7	1.1	1	U	2	U	-	-	-	-	-	-	-	-	-		
04/25/94	Retec			Unknown	250	U	-	-	0.001	U	1	U	2	U	-	-	-	-	-	-	-	-	-		
09/15/94	Retec			Unknown	250	U	-	-	3.5	0.6	J	1	U	2	U	-	-	-	-	-	-	-	-		
06/20/02	Urban			Unknown	50	U	-	-	1	U	1	U	1	U	2	U	1	U	1	U	1	U	1	U	
06/02/11	SES			Peristaltic	100	U	150	x	250	U	1	U	1	U	3	U	-	-	-	-	-	-	-	-	
09/04/12	SES			Peristaltic	-	-	-	-	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	
12/16/13	SES			Peristaltic	100	U	50	U	250	U	0.35	U	1	U	3	U	1	U	1	U	1	U	1	U	
03/20/17	PES			Peristaltic	52.8	J	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.140	J	0.152	U	
06/20/17	PES			Peristaltic	31.6	U	-	-	0.0896	U	0.562	U	0.158	U	0.316	U	0.199	U	0.153	U	0.214	J	0.152	U	
06/20/17	PES			Peristaltic	31.6	U	-	-	0.0896	U	0.548	U	0.158	U	0.316	U	0.199	U	0.153	U	0.211	J	0.152	U	
04/05/18	PES			Peristaltic	32.9	J	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	1.58	U	0.153	U	0.246	J	0.152	U	
01/21/19	PES			Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	
04/26/19	PES			Peristaltic	121	zJ+	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	157	U	45.2	U	75.1	U	0.261	J	
07/16/19	PES			Peristaltic	57.4	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	
10/17/19	PES			Peristaltic	62.0	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.786	U	0.152	U	
11/24/20	PES			Peristaltic	41.0	J	-	-	0.0250	J	0.0800	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.221	U	0.0572	U	
02/05/21	PES			Peristaltic	73.2	U	-	-	0.0420	U	0.241	U	0.0510	J	0.321	U	0.117	U	0.0160	U	0.121	U	0.0572	U	
05/12/21	PES			Peristaltic	31.6	U	-	-	0.0290	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.117	U	0.0572	U	
05/12/21	PES			Peristaltic	31.6	U	-	-	0.0280	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.119	U	0.0572	U	
08/02/21	PES	Peristaltic	31.6	U	-	-	0.0440	U	0.325	J	0.0620	J	0.471	U	0.0280	U	0.0160	U	0.0640	J	0.0572	U			
11/11/21	PES	Peristaltic	31.6	U	-	-	0.0290	J	0.0500	U	0.0212	U	0.191	U	0.0680	J	0.0160	U	0.0730	J	0.0572	U			

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																							
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC												
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29												
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35												
MW-9 (continued) (duplicate)		02/15/22	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		06/08/22	PES	Peristaltic	31.6	U	-	-	0.0490	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.100	J	0.0572	U	0.487	U		
		06/08/22	PES	Peristaltic	31.6	U	-	-	0.0570	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0970	J	0.0572	U	0.520	U		
		08/09/22	PES	Peristaltic	31.6	U	-	-	0.0400	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0750	J	0.0572	U	0.626	U		
		10/31/22	PES	Peristaltic	31.6	U	-	-	0.0280	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0970	J	0.0572	U	0.342	U		
		05/12/23	PES	Peristaltic	-	-	-	-	0.0430	U	0.0500	U	0.0212	U	0.191	U	0.1210	U	0.0160	U	0.0430	J	0.0572	U	0.592	U		
		11/06/23	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		05/21/24	PES	Peristaltic	-	-	-	-	0.0700	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.130	U	0.0572	U	0.734	U		
		05/21/24	PES	Peristaltic	-	-	-	-	0.0810	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.161	U	0.0572	U	0.860	U		
		MW-10 (31.0 to 16.0)	Seattle Roy Aloha Shops, N end	10/26/93	Retec	Unknown	250	U	-	-	1	U	1.3	1	U	2	U	-	-	-	-	-	-	-	-	-	-	
01/25/94	Retec			Unknown	190	J	-	-	1	U	3.2	1	U	2	U	-	-	-	-	-	-	-	-	-	-			
04/25/94	Retec			Unknown	250	U	-	-	1	U	2.5	1	U	2	U	-	-	-	-	-	-	-	-	-	-			
09/15/94	Retec			Unknown	250	U	-	-	1	U	0.9	J	1	U	2	U	-	-	-	-	-	-	-	-	-			
06/20/02	Urban			Unknown	50	U	-	-	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U		
MW121 (26.7 to 16.7)	8th Ave N ROW, E side	12/26/13	SES	Peristaltic	100	U	200	x	250	U	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	1.3	U
		03/28/17	PES	Peristaltic	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.768	U	0.152	U	5.82	U		
		06/20/17	PES	Peristaltic	-	-	-	-	0.186	J	0.774	U	0.158	U	0.316	U	0.199	U	0.153	U	1.13	U	0.152	U	7.68	U		
		04/05/18	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	2.93	U	0.153	U	0.959	U	0.152	U	6.45	U		
		01/31/19	PES	Peristaltic	38.0	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	5.53	U	0.152	U	19.8	U		
		04/29/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	5.39	U	0.152	U	15.2	J		
		07/19/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.01	U	0.152	U	5.04	U		
		11/30/20	PES	Bladder	31.6	U	-	-	0.0290	J	0.0670	J	0.0410	J	0.272	U	0.0280	U	0.0160	U	0.193	U	0.0572	U	1.73	U		
		02/05/21	PES	Peristaltic	41.1	U	-	-	0.0850	U	0.240	U	0.0410	J	0.247	J	0.0460	J	0.0530	U	3.85	U	0.0572	U	5.64	J		
		05/12/21	PES	Peristaltic	31.6	U	-	-	0.0260	J	0.484	U	0.0560	J	0.346	U	0.0280	U	0.0160	U	0.418	U	0.0572	U	1.79	U		
		05/12/21	PES	Peristaltic	31.6	U	-	-	0.0290	J	0.448	U	0.0580	J	0.351	U	0.0490	J	0.0160	U	0.380	U	0.0572	U	1.67	U		
		08/02/21	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.314	U	0.0212	U	0.381	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	1.84	J+		
		02/22/22	PES	Peristaltic	52.9	U	-	-	0.0230	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.168	U	0.0572	U	2.96	U		
		05/19/22	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.954	U		
		05/19/22	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.809	U		
		08/04/22	PES	Peristaltic	37.7	J	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0450	J	0.0572	U	2.05	J+		
		08/04/22	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0370	J	0.0572	U	2.66	J+		
		10/31/22	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.0500	U	0.0330	J	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	1.03	U		
		05/16/23	PES	Peristaltic	-	-	-	-	0.016	UJ	0.05	UJ	0.0212	UJ	0.191	UJ	0.0280	UJ	0.0160	UJ	0.0276	UJ	0.0572	UJ	0.0273	UJ		
		11/07/23	PES	Peristaltic	-	-	-	-	0.0160	U	0.0640	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.698	U		
05/21/24	PES	Peristaltic	-	-	-	-	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.0276	U	0.0572	U	0.0273	U				
MW125 (28.6 to 13.6)	Valley St ROW, N side	12/26/13	SES	Peristaltic	100	U	300	x	250	U	1.4	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U	
		03/22/17	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.285	J	0.153	U	0.341	J	0.152	U	0.118	U		
		06/28/17	PES	Bladder	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/06/18	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.580	U	0.153	U	0.278	J	0.152	U	0.118	U		
		01/21/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/23/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ		
		07/18/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		10/18/19	PES	Bladder	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.496	J	0.152	U	0.118	U		
		01/29/20	PES	Bladder	51.1	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.369	J	0.152	U	0.118	U		
		11/17/20	PES	Bladder	-	-	-	-	0.0160	U	0.0910	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		02/02/21	PES	Peristaltic	38.5	U	-	-	0.0160	U	0.158	J	0.101	U	0.716	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		05/11/21	PES	Peristaltic	46.2	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	UJ		
		05/11/21	PES	Peristaltic	33.2	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	UJ		
		08/02/21	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																						
					GRO		DRO	ORO	Benzene		Toluene		Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC								
Preliminary Cleanup Level (PCUL)					800		500		500	5.0	640	700	1,600	5.0	4.0	16	100	0.29									
Groundwater Screening Level for Soil Vapor					-		-		-	2.4	15,000	1,200	320	24	1.4	-	77	0.35									
MW125 (continued) (duplicate)		11/11/21	PES	Peristaltic	65.6	U	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		03/08/22	PES	Peristaltic	48.0	U	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/19/22	PES	Peristaltic	31.6	U	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		08/09/22	PES	Peristaltic	31.6	U	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		08/09/22	PES	Peristaltic	31.6	U	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		10/31/22	PES	Peristaltic	64.0	U	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		10/31/23	PES	Peristaltic	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-154 (27.8 to 17.9)	Roy St ROW, S side	04/30/18	PES	Bladder	32.1	J	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	4.46	0.230	J	1.77		0.152	U	7.48		
		01/21/19	PES	Peristaltic	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	1.70	0.330	J	2.03		0.152	U	3.52		
		04/24/19	PES	Bladder	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	1.02	0.214	J	1.76		0.152	U	0.797		
		07/15/19	PES	Bladder	68.0	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	69.5	5.75		2.55		0.152	U	0.211	J	
		10/14/19	PES	Bladder	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	4.99	0.445	J	1.40		0.152	U	0.118	U	
		01/21/20	PES	Bladder	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	11.6	0.999		2.26		0.152	U	0.118	U	
		04/30/20	PES	Bladder	47.5	J	-	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	12.1	1.06		2.58		0.149	U	0.234	U	
		07/10/20	PES	Bladder	-		-	-	-	0.0160	U	0.771		0.0212	U	0.191	U	10.9	0.786		1.83		0.0572	U	0.0273	U	
		11/09/20	PES	Bladder	-		-	-	-	0.0230	J	0.317		0.0212	U	0.191	U	73.9	6.84		1.77		0.0572	U	0.0273	U	
		02/08/21	PES	Bladder	-		-	-	-	0.0220	J	0.794		0.106		0.593		4.72	J	0.501		0.203		0.0572	U	0.0273	U
		05/10/21	PES	Bladder	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	3.41	0.453		0.134		0.0572	U	0.0273	U	
		08/17/21	PES	Bladder	-		-	-	-	0.0240	U	0.129	U	0.0212	U	0.191	U	32.9	2.84		0.537		0.0572	U	0.119		
		11/10/21	PES	Bladder	-		-	-	-	0.0160	U	0.0500	U	0.0850	J	0.366		6.38	0.530		0.211		0.0572	U	0.0273	U	
		02/18/22	PES	Bladder	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	3.86	0.489		0.104		0.0572	U	0.0273	U	
		05/02/22	PES	Bladder	-		-	-	-	0.0160	U	0.161	J	0.182		0.280		3.13	0.365		0.0640	J	0.0572	U	0.0273	U	
		08/02/22	PES	Bladder	-		-	-	-	0.0160	U	0.265		0.0212	U	0.255	J	29.7	2.08		0.318		0.0572	U	0.0273	U	
		11/03/22	PES	Bladder	-		-	-	-	0.0160	U	0.0600	U	0.0212	U	0.191	U	88.8	6.04		0.925		0.0572	U	0.0273	U	
05/12/23	PES	Bladder	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	37.9	2.86		0.254		0.0572	U	0.0273	U			
11/10/23	PES	Bladder	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	58.1	4.32		0.616		0.0572	U	0.0273	U			
06/04/24	PES	Bladder	-		-	-	-	0.016	U	0.05	U	0.0212	U	0.191	U	51.6	5.58		7.62		0.0572	U	0.460				
MW-155 (24.4 to 14.4)	Roy St ROW, S side	04/27/18	PES	Peristaltic	60.9	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	3.48	0.334	J	0.466	J	0.152	U	0.447	J	
		01/21/19	PES	Peristaltic	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	3.72	0.581		0.274	J	0.152	U	0.118	U	
		04/23/19	PES	Peristaltic	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	14.6	4.75		71.9		0.152	U	6.54	J	
		07/23/19	PES	Bladder	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	92.7	19.9		12.1		0.152	U	0.350	J	
		10/16/19	PES	Bladder	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	121	27.6		36.2		0.160	J	0.118	U	
		01/20/20	PES	Bladder	44.9	J	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	98.3	21.8		12.7		0.152	U	0.118	U	
		05/05/20	PES	Bladder	31.6	U	-	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	140	27.3		16.4		0.158	J	0.234	U	
		08/03/20	PES	Bladder	-		-	-	-	0.0310	J	0.355		0.0212	U	0.191	U	63.4	28.0		9.74		0.216		0.0273	U	
		11/11/20	PES	Bladder	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	119	26.0		11.7		0.108	J	0.190	J+	
		08/13/21	PES	Peristaltic	-		-	-	-	0.0260	J	0.0970	J	0.0212	U	0.191	U	57.4	12.8		4.73		0.0840	J	0.0273	U	
		12/02/21	PES	Peristaltic	-		-	-	-	0.0160	U	0.236		0.0212	U	0.291		8.11	2.08		1.51		0.114	J	0.0273	U	
		03/01/22	PES	Peristaltic	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	19.7	6.56		51.6	J+	0.0830	J	0.240		
		05/05/22	PES	Peristaltic	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	27.6	J+	5.14		18.3		0.0572	U	0.0273	U
		08/03/22	PES	Peristaltic	-		-	-	-	0.0200	J	0.0500	U	0.0212	U	0.191	U	33.8	8.28	J+	3.85		0.0630	J	0.0273	U	
		11/04/22	PES	Bladder	-		-	-	-	0.0160	U	0.0830	J	0.0212	U	0.191	U	47.5	11.7		61.4		0.188	J	0.270		
05/09/23	PES	Peristaltic	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	21.1	J+	4.6		9.1		0.057	U	0.027	U		
11/10/23	PES	Peristaltic	-		-	-	-	0.0220	J	0.0500	U	0.0212	U	0.191	U	36.6	11.8		84.3		0.158	J	1.22				
05/28/24	PES	Peristaltic	-		-	-	-	0.0220	J	0.05	U	0.0212	U	0.191	U	43.5	10.4		4.98		0.0640	J	0.0273	U			

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																				
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC									
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29									
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35									
MW-159 (22.9 to 12.9) (duplicate)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.964	0.358	J	1.09	0.152	U	0.118	U	
		01/21/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.651	0.152	U	0.666	J
		04/26/19	PES	Bladder	31.6	U	-	-	0.179	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.23	0.152	U	1.03	J
		04/26/19	PES	Bladder	31.6	U	-	-	0.193	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.12	0.152	U	1.04	J
		07/22/19	PES	Bladder	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.918	0.152	U	0.691	J
		01/29/20	PES	Bladder	33.9	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.811	0.152	U	0.118	U
		11/11/20	PES	Bladder	-	-	-	-	0.0160	U	0.457	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.561	0.0572	U	0.214	J+
		02/08/21	PES	Peristaltic	-	-	-	-	0.0340	J	0.182	J	0.0860	J	0.486	0.126	J	0.0380	J	0.525	0.0572	U	0.504	J	
		05/11/21	PES	Peristaltic	-	-	-	-	0.0200	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0360	J	0.518	0.0572	U	0.350	J-
		08/05/21	PES	Peristaltic	-	-	-	-	0.0280	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.331	0.0572	U	0.0980	J
		12/02/21	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.347	0.0572	U	0.0273	U
		03/03/22	PES	Peristaltic	-	-	-	-	0.0330	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.175	0.0572	U	0.0720	J
		05/11/22	PES	Peristaltic	-	-	-	-	0.0260	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0520	0.401	0.0572	U	0.0273	U	
		08/03/22	PES	Peristaltic	-	-	-	-	0.0290	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0280	J	0.354	0.0572	U	0.0273	U
		10/31/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.448	0.0572	U	0.0960	J
		05/16/23	PES	Peristaltic	-	-	-	-	0.0240	J	0.0500	UJ	0.0212	UJ	0.191	UJ	0.0280	UJ	0.0160	UJ	0.197	J	0.0572	UJ	0.0273
11/07/23	PES	Peristaltic	-	-	-	-	0.0270	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.263	0.0572	U	0.103	J		
05/21/24	PES	Peristaltic	-	-	-	-	0.0340	J	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.281	0.0572	U	0.477	J		
MW-210 (17.1 to 7.1)	Valley St ROW, N side	03/30/17	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ
		06/21/17	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/09/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/11/19	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/17/20	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ
		04/09/20	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/07/20	PES	Peristaltic	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-214 (duplicate) (20.8 to 10.8)	Valley St ROW, S side	03/30/17	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		03/30/17	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/09/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.725	0.153	U	0.0933	U	0.152	U	0.118	U	
		10/11/19	PES	Peristaltic	-	-	-	1.95	0.412	U	0.355	J	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		01/20/20	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/07/20	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/06/20	PES	Peristaltic	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-301 (duplicate) (35.6 to 25.6) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate)	Valley St ROW, S side	11/30/20	PES	Bladder	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.196	J	1.96	0.157	0.0276	U	0.0572	U	0.0273	U	
		11/30/20	PES	Bladder	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.202	J	1.94	0.156	0.0276	U	0.0572	U	0.0273	U	
		02/05/21	PES	Bladder	43.3	U	-	-	0.0790	1.44	0.209	1.17	1.62	0.101	0.0276	U	0.0572	U	0.0273	U					
		05/14/21	PES	Bladder	31.6	U	-	-	0.0160	U	0.0930	U	0.0212	U	0.191	U	1.85	0.110	0.0276	U	0.0572	U	0.0273	U	
		05/14/21	PES	Bladder	31.6	U	-	-	0.0160	U	0.108	U	0.0212	U	0.191	U	1.81	0.108	0.0276	U	0.0572	U	0.0273	U	
		08/20/21	PES	Bladder	31.6	U	-	-	0.0160	U	0.0640	J	0.0212	U	0.191	U	1.34	0.0780	0.0276	U	0.0572	U	0.0273	U	
		08/20/21	PES	Bladder	31.6	U	-	-	0.0160	U	0.0640	J	0.0212	U	0.191	U	1.65	0.0840	0.0330	J	0.0572	U	0.0273	U	
		12/02/21	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.223	0.0440	J	0.341	1.06	0.0390	J	0.0276	U	0.0572	U	0.0273	U		
		05/10/22	PES	Bladder	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.82	0.121	0.0530	J	0.0572	U	0.0273	U	
		05/10/22	PES	Bladder	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.89	0.121	0.0520	J	0.0572	U	0.0273	U	
		08/12/22	PES	Bladder	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.52	0.139	U	0.175	0.0572	U	0.0273	U	
		08/12/22	PES	Bladder	31.6	U	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.55	0.114	U	0.150	U	0.0572	U	0.0273	U
		10/31/22	PES	Bladder	31.6	U	-	-	0.0160	U	0.357	0.0710	J	0.327	0.881	0.112	0.114	0.0572	U	0.0273	U				
		10/31/22	PES	Bladder	31.6	U	-	-	0.0160	U	0.260	0.0420	J	0.246	J	1.14	0.122	0.123	0.0572	U	0.0273	U			
11/03/23	PES	Bladder	-	-	-	-	0.0160	U	0.0560	J	0.0212	U	0.191	U	2.56	0.211	1.04	J	0.0572	U	0.721	J			
11/03/23	PES	Bladder	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	2.26	0.185	0.255	J	0.0572	U	0.0273	UJ			

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC										
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29										
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35										
MW-305 (37.4 to 27.4)	Roy St ROW, S side	10/15/19	PES	Bladder	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/15/20	PES	Bladder	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/28/20	PES	Bladder	54.4	J	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/27/20	PES	Bladder	-	-	-	-	0.0160	U	0.199	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/06/20	PES	Bladder	-	-	-	-	0.0314	J	0.234	-	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.107	-	0.0572	U	0.0273	U
		05/18/21	PES	Bladder	-	-	-	-	0.0160	U	0.109	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		12/03/21	PES	Bladder	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0400	J	0.0572	U	0.0273	U
		05/26/22	PES	Bladder	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-310 (19.2 to 9.2) (duplicate)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Peristaltic	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.148	J	0.152	U	0.118	U
		01/14/20	PES	Peristaltic	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/08/20	PES	Peristaltic	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.193	J	0.152	U	0.118	U
		08/04/20	PES	Bladder	-	-	-	-	0.0270	J	0.982	-	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		08/04/20	PES	Bladder	-	-	-	-	0.0360	J	0.959	-	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/06/20	PES	Bladder	-	-	-	-	0.0275	J	0.348	-	0.0212	U	0.191	U	0.0280	U	0.0554	-	0.134	-	0.0572	U	0.0273	UJ
		05/03/21	PES	Peristaltic	-	-	-	-	0.0420	-	0.413	-	0.138	-	0.909	-	0.0280	U	0.0160	U	0.203	-	0.0572	U	0.0273	U
		11/03/21	PES	Peristaltic	-	-	-	-	0.0440	-	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.200	-	0.0572	U	0.0273	U
		05/18/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/01/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.109	-	0.0572	U	0.0273	U
		11/07/23	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.147	-	0.0572	U	0.0273	U
MW-312 (19.9 to 9.9)	Alley E of Seattle Roy Aloha Shops	10/11/19	PES	Peristaltic	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/21/20	PES	Peristaltic	-	-	-	-	0.0896	U	1.22	-	0.158	U	0.713	J	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/22/20	PES	Bladder	-	-	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		08/04/20	PES	Bladder	-	-	-	-	0.0160	U	0.0690	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0440	J	0.0572	U	0.0273	U
		11/11/20	PES	Bladder	-	-	-	-	0.0160	U	1.12	J-	0.0212	U	0.191	U	0.137	-	0.0407	-	0.0820	J	0.0572	U	0.0273	U
		05/03/21	PES	Peristaltic	-	-	-	-	0.0260	J	0.748	-	0.182	-	1.07	-	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/03/21	PES	Peristaltic	-	-	-	-	0.0220	J	0.407	-	0.0710	J	0.512	-	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/09/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/01/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.102	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/07/23	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-313 (20.4 to 10.4) (duplicate)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Bladder	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	7.34	-	0.152	U	1.09	-
		01/14/20	PES	Bladder	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	2.67	-	0.152	U	2.59	-
		05/04/21	PES	Bladder	-	-	-	-	0.0300	J	0.824	-	0.160	-	0.946	-	0.0280	U	0.0160	U	2.31	-	0.0572	U	0.524	-
		11/09/21	PES	Bladder	-	-	-	-	0.0200	J	0.0500	U	0.0860	J	0.394	-	0.0280	U	0.0160	U	5.28	-	0.0572	U	0.932	-
		05/18/22	PES	Bladder	-	-	-	-	0.0160	U	0.436	-	0.0870	J	0.567	-	0.0280	U	0.0250	J	7.25	-	0.0800	J	0.488	-
		11/01/22	PES	Bladder	-	-	-	-	0.0160	U	0.0900	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	9.77	-	0.144	J	0.580	-
		05/15/23	PES	Bladder	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	4.68	-	0.057	U	0.168	-
		05/15/23	PES	Bladder	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	4.76	-	0.0572	U	0.0273	U
		11/07/23	PES	Bladder	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	6.49	-	0.105	J	0.0900	J
		05/22/24	PES	Bladder	-	-	-	-	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	7.88	-	0.175	J	0.215	-
MW-320 (18.6 to 8.6)	9th Ave N ROW, W side	10/07/19	PES	Peristaltic	-	-	-	-	0.0896	U	0.459	J	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/20/20	PES	Peristaltic	-	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/29/20	PES	Bladder	-	-	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/28/20	PES	Bladder	-	-	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		11/12/20	PES	Bladder	-	-	-	-	0.0160	U	0.338	J-	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0350	J	0.0572	U	0.0273	U
		05/20/21	PES	Peristaltic	-	-	-	-	0.0160	U	0.0520	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/16/21	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.391	J+	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		06/08/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.386	-	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/04/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.285	-	0.0160	U	0.0560	U	0.0572	U	0.0273	U

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
Groundwater Screening Level for Soil Vapor					–	–	–	2.4	15,000	1,200	320	24	1.4	–	77	0.35	
MW-332 (16.0 to 6.0)	Roy St ROW, N side	05/04/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.419 J	0.149 U	0.234 U	
		07/30/20	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.110 J	0.0572 U	0.145 U	
		11/12/20	PES	Bladder	–	–	–	0.0160 U	0.584 J-	0.0212 U	0.191 U	0.112	0.0160 U	0.202	0.0572 U	0.102 J+	
		05/20/21	PES	Peristaltic	–	–	–	0.0160 U	0.0710 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/08/21	PES	Peristaltic	–	–	–	0.0160 U	0.276	0.0500 J	0.357	0.0710 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/31/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/04/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.104	0.0572 U	0.0273 U	
		11/08/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
MW-337 (18.1 to 8.1)	Lake Union Park, N end	05/07/20	PES	Peristaltic	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/23/20	PES	Peristaltic	–	–	–	0.0160 U	0.145 J	0.0212 U	0.191 U	0.0280 U	0.0260 J	0.0560 J	0.0572 U	0.0273 U	
		11/10/20	PES	Peristaltic	–	–	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0870 J	0.0572 U	0.0273 U	
		05/04/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0490 J	0.0572 U	0.0670 J	
		11/17/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.118	0.0940	0.0276 U	0.0572 U	0.0273 U	
		05/03/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0530	0.0290 J	0.0572 U	0.0273 U	
		11/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.112	0.0572 U	0.0273 U	
MW-339 (18.2 to 8.2) (duplicate)	Lake Union Park, S end	05/14/20	PES	Peristaltic	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		05/14/20	PES	Peristaltic	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/23/20	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0280 J	0.164	0.0572 U	0.0273 U	
		11/09/20	PES	Peristaltic	–	–	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.238	0.0572 U	0.0273 U	
		05/25/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.120	0.0572 U	0.0273 U	
		11/10/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0400 J	0.0572 U	0.0273 U	
		11/10/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0430 J	0.0572 U	0.0273 U	
		05/04/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
N7 (41.8 to 11.8)	Property, SW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	–	–	–	640	50	18	1 U	0.2 U
		10/19/15	SES	Peristaltic	–	–	–	–	–	–	–	–	2,900	99	9.9	1 U	0.2 U
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	230	79	1,700	2.9	0.92
		03/30/17	PES	Peristaltic	–	–	–	0.178 J	0.412 U	0.158 U	0.316 U	280	50.4	125	0.396 J	0.310 J	
		06/27/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	205	85.1	153	0.955	0.386 J	
		Decommissioned March 2019															
R-MW1 (33.8 to 23.8)	Property	10/24/92	Roux	Unknown	57	1,345	6,000	1	1	0.5 U	0.5 U	5 U	5 U	–	5 U	100	
		10/24/92	DOF	Unknown	53	26,000	12,000	0.61	0.83	0.50 U	1.0 U	4.2	0.82	12.0 c	–	170	
		10/24/92	Roux	Unknown	54	290	5,000	0.58	1	0.5 U	0.5 U	2.3	2 U	14	–	140	
		01/29/09	DOF	Peristaltic	50.0 U	–	–	0.500 U	0.500 U	0.500 U	1.00 U	17.1	4.26	1.60	0.200 U	0.630	
		06/02/11	SES	Peristaltic	100 U	1,000 x	740	0.35 U	1 U	1 U	3 U	7.9	2.7	1.9	1 U	0.68	
		09/05/12	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	16	3.6	2.1	1 U	2.20	
		Decommissioned															
R-MW2 (36.7 to 26.7)	Property, NE quadrant	10/24/92	Roux	Unknown	4,200	34	2,000	684	17	301	403	5 U	5 U	–	5 U	5 U	
		10/24/92	DOF	Unknown	4,000	16,000	25,000	310	0.50 U	140	180	–	–	–	–	–	
		01/29/09	DOF	Peristaltic	657	–	–	0.500 U	0.557	0.513	2.08	5.05	0.200 U	0.200 U	0.200 U	0.200 U	
		06/02/11	SES	Peristaltic	1,700	3,100	290 x	19	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35		
R-MW2 (continued)		09/04/12	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		03/21/17	PES	Peristaltic	-	-	-	0.272 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.341 J	0.152 U	0.522		
		06/15/17	PES	Peristaltic	-	-	-	0.694	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.682	0.152 U	0.609		
		04/02/18	PES	Peristaltic	38.0 U	-	-	0.568	0.412 U	0.158 U	0.316 U	0.866	0.620	2.48	0.152 U	1.33		
Decommissioned March 2019																		
R-MW3 (34.7 to 24.7)	Property, NE quadrant	10/24/92	Roux	Unknown	87	3,015	1,200	0.5 U	0.5 U	0.5 U	0.5 U	5 U	5 U	-	5 U	5 U		
		10/24/92	DOF	Unknown	50 U	-	-	0.50 U	0.50 U	0.50 U	1.0 U	-	-	-	-	-		
		01/29/09	DOF	Peristaltic	50.0 U	-	-	0.500 U	0.500 U	0.500 U	1.00 U	4.26	0.200 U	0.200 U	0.200 U	0.200 U		
		06/02/11	SES	Peristaltic	100 U	240 x	250 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		09/04/12	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	6.4	1 U	1 U	1 U	0.2 U		
		03/21/17	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	1.38	0.714	0.575	0.152 U	0.118 U		
		06/28/17	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.834	0.582	0.735	0.152 U	0.424 J		
		04/04/18	PES	Peristaltic	33.7 J	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	16.4	0.972	1.35	0.152 U	0.214 J		
		Decommissioned March 2019																
R-MW4 (25.9 to 10.9)	Roy St ROW	10/24/92	Roux	Unknown	410	201	1000 U	0.5 U	2	1	4	814	64	-	5 U	5 U		
		10/24/92	DOF	Unknown	640	-	-	0.5 U	1.8	0.5 U	3.1	31	2.8	2.0 U	-	2.0 U		
Decommissioned before 2009																		
R-MW5 (42.4 to 27.4)	Dexter Ave N ROW, E side	10/28/92	Roux	Unknown	93	86	1000 U	0.5 U	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	-	0.5 U		
		01/29/09	DOF	Peristaltic	50 U	-	-	0.500 U	0.500 U	0.500 U	1.00 U	0.800	0.200 U	0.200 U	0.200 U	0.200 U		
		06/02/11	SES	Peristaltic	100 U	50 U	250 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		09/05/12	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		12/18/13	SES	Peristaltic	100 U	50 U	250 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		03/23/17	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.338 J	0.186 J	0.0933 U	0.152 U	0.118 U		
		06/16/17	PES	Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.257 J	0.245 J	0.0933 U	0.152 U	0.118 U		
		04/11/18	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.621	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/03/19	PES	Peristaltic	81.5 J	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.477 J	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/22/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.428 J	0.158 U	0.316 U	0.499 J	0.155 J	0.0933 U	0.152 U	0.118 U		
		07/16/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.736	0.153 U	0.131 J	0.152 U	0.118 U		
		10/21/19	PES	Bladder	95.3 J	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.523	0.153 U	0.302 J	0.152 U	0.118 U		
		01/24/20	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.931	0.374 J	0.265 J	0.152 U	0.118 U		
		11/18/20	PES	Bladder	43.8 U	-	-	0.0160 U	0.205	0.0212 U	0.191 U	0.607	0.318	0.505	0.0572 U	0.0273 U		
		02/11/21	PES	Bladder	31.6 U	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.741	0.271	0.357	0.0572 U	0.0273 U		
		(duplicate)		02/11/21	PES	Bladder	45.1 J	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.990	0.286	0.382	0.0572 U	0.0273 U
				05/17/21	PES	Bladder	31.6 U	-	-	0.0160 U	0.147 J	0.0212 U	0.191 U	0.671	0.232	0.186	0.0572 U	0.0273 U
		(duplicate)		08/03/21	PES	Bladder	31.6 U	-	-	0.0290 J	0.565	0.0830 J	0.547	0.512	0.308	0.226	0.0572 U	0.0273 U
				08/03/21	PES	Bladder	31.6 U	-	-	0.0350 J	0.561	0.0630 J	0.545	0.571	0.312	0.306	0.0572 U	0.0273 U
				11/08/21	PES	Peristaltic	31.6 U	-	-	0.0190 J	0.178 J	0.0320 J	0.271	0.661	0.265	0.389	0.0572 U	0.0273 U
		(duplicate)		02/24/22	PES	Bladder	36.2 U	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.569	0.266	0.198 J	0.0572 U	0.0273 U
				02/24/22	PES	Bladder	34.8 U	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.650	0.301	0.324 J	0.0572 U	0.0273 U
				05/17/22	PES	Bladder	31.6 U	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.321	0.188	0.253	0.0572 U	0.0273 U
				08/09/22	PES	Bladder	31.6 U	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.173	0.109	0.174	0.0572 U	0.0273 U
				11/08/22	PES	Bladder	32.6 U	-	-	0.0160 U	0.0580 J	0.0212 U	0.191 U	0.515 J+	0.314 J+	0.297	0.0572 U	0.0273 U
				10/31/23	PES	Bladder	-	-	-	0.0380 J	0.411	0.124	0.731	0.208	0.132	0.237	0.0572 U	0.0273 U

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35
R-MW6 (33.3 to 23.3)	8th Ave N ROW, W side	10/28/92	Roux	Unknown	50 U	50 U	1000 U	0.5 U	2	0.5 U	2	4,500	920	2,600	-	240
		11/03/92	DOF	Unknown	-	-	-	-	-	-	-	690	160	620	-	40 U
		01/29/09	DOF	Peristaltic	50.0 U	-	-	0.500 U	0.500 U	0.500 U	1.00 U	1.78	0.200 U	2.64	0.200 U	2.75
		05/03/10	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1.2	1 U	2.8
		06/02/11	SES	Peristaltic	100 U	120 x	250 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	2.1
		09/05/12	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
		03/21/17	PES	Peristaltic	42.8 J	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	1.08	3.17	20.0	0.242 J	8.65
		06/20/17	PES	Peristaltic	38.5	-	-	0.167 J	0.619	0.158 U	0.316 U	1.19	0.878	37.3	0.445 J	43.9
		04/06/18	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	1.85	2.24	19.4	0.277 J	26.9
		01/25/19	PES	Peristaltic	-	-	-	0.142 J	0.412 U	0.158 U	0.316 U	0.328 J	1.07	12.5	0.152 U	9.14
		04/25/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.370 J	11.8	0.168 J	7.16 J
		12/01/20	PES	Peristaltic	-	-	-	0.0490	0.336	0.0670 J	0.513	0.670	1.07	2.15	0.0572 U	0.583
		02/03/21	PES	Peristaltic	-	-	-	0.0160 U	0.198 J	0.0810 J	0.550	0.371	0.341	1.22	0.0572 U	0.248
		05/17/21	PES	Peristaltic	-	-	-	0.0770	1.02	0.129	0.696	0.0670 J	0.349	12.2	0.0930 J	2.86
		08/03/21	PES	Peristaltic	-	-	-	0.0640	0.318	0.0650 J	0.398	0.0910 J	0.290	15.4	0.120 J	4.46
		11/29/21	PES	Peristaltic	-	-	-	0.0160 U	0.300	0.0212 U	0.297	0.0280 U	0.313	1.12	0.0572 U	0.0273 UJ
		02/23/22	PES	Peristaltic	-	-	-	0.0430	0.0500 U	0.0212 U	0.191 U	0.0470 J	0.268	5.15	0.0572 U	1.27
		05/11/22	PES	Peristaltic	-	-	-	0.0420	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.354	4.15	0.0620 J	1.71
		08/03/22	PES	Peristaltic	-	-	-	0.0680	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.297	7.61	0.101 J	1.21
		11/04/22	PES	Peristaltic	-	-	-	0.0800 U	0.250 U	0.106 U	0.955 U	0.140 U	0.220	5.08	0.286 U	1.56
05/16/23	PES	Peristaltic	-	-	-	0.0600 J	0.050 UJ	0.021 UJ	0.191 UJ	0.028 UJ	0.135 J	5.76 J	0.097 J	1.19 J+		
11/03/23	PES	Peristaltic	-	-	-	0.0840	0.0610 J	0.0212 U	0.191 U	0.0280 U	0.100	4.66	0.180 J	1.81		
05/22/24	PES	Peristaltic	-	-	-	0.0510	0.1190 J	0.0212 U	0.191 U	0.0280 U	0.120	2.29	0.057 U	1.25 J		
SCL-MW101 (25.5 to 15.5)	Alley E of Seattle Roy Aloha Shops	03/28/17	PES	Peristaltic	-	-	-	6.74	0.624 U	0.598	2.08	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		06/14/17	PES	Peristaltic	-	-	-	18.6	1.68	17.1	3.50	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/06/18	PES	Peristaltic	-	-	-	10.6	1.24	11.7	3.32	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		10/09/19	PES	Peristaltic	-	-	-	11.2	2.39	16.6	3.77	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/17/20	PES	Peristaltic	-	-	-	15.4	0.611	1.61	3.66	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ
		04/07/20	PES	Peristaltic	-	-	-	7.26	0.868	5.54	1.74	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		11/24/20	PES	Peristaltic	-	-	-	14.6	1.24	3.53	3.95	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/04/21	PES	Peristaltic	-	-	-	6.04	0.395	1.22	1.48	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/11/21	PES	Peristaltic	-	-	-	6.77	0.542	0.454	1.90	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/19/22	PES	Peristaltic	-	-	-	10.1	0.853	46.7	0.568	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/03/22	PES	Peristaltic	-	-	-	5.03	0.364	0.582	1.17	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
11/07/23	PES	Peristaltic	-	-	-	4.61	0.220	0.340	0.936	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
SCL-MW105 (11.1 to 1.1)	Alley E of Seattle Roy Aloha Shops	03/28/17	PES	Peristaltic	-	-	-	257	16.3	26.5	33.9	0.995 U	0.765 U	0.466 U	0.760 U	0.590 U
		06/15/17	PES	Peristaltic	-	-	-	208	14.3	109	40.8	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/06/18	PES	Peristaltic	-	-	-	181	12.1	26.6	28.4	1.99 U	1.53 U	0.933 U	1.52 U	1.18 U
		10/10/19	PES	Peristaltic	-	-	-	133	15.5	41.0	34.6	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/17/20	PES	Peristaltic	-	-	-	142	14.9	54.6	28.6	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ
		04/01/20	PES	Peristaltic	-	-	-	95.1	11.3	47.4	23.4	0.199 U	0.153 U	0.550	0.152 U	0.118 U
		07/24/20	PES	Peristaltic	-	-	-	86.6	12.0	35.1	22.5	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U

Table 3

**Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																							
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC												
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29												
Groundwater Screening Level for Soil Vapor					-	-	-	2.4	15,000	1,200	320	24	1.4	-	77	0.35												
SCS-2 (28.2 to 18.2) (duplicate)	Seattle Roy Aloha Shops, N end	03/20/17	PES	Peristaltic	1,660	-	-	51.8	9.54	155	181	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U												
		06/12/17	PES	Peristaltic	901	-	-	58.9	4.49	141	70.4	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U												
		04/13/18	PES	Peristaltic	-	-	-	44.3	5.18	37.3	47.7	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U												
		07/18/19	PES	Peristaltic	2,190 J+	-	-	15.5	3.71	141	149	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U												
		07/18/19	PES	Peristaltic	2,320 J+	-	-	15.0	3.37	187	131	0.199 U	0.153 U	0.0933 U	0.152 U	0.242 J												
		10/10/19	PES	Peristaltic	-	-	-	20.3	6.00	307	123	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U												
		01/16/20	PES	Peristaltic	-	-	-	16.9	5.00 J	135	32.2	1.99 U	1.53 U	0.933 U	1.52 U	1.18 U												
Number of Analytes Measured					185	18	12	317	317	317	317	318	318	318	318	318												
Number of Analytes Detected					56	8	0	106	98	59	64	110	113	183	46	108												
Frequency of Detection					30%	44%	0%	33%	31%	19%	20%	35%	36%	58%	14%	34%												
Maximum Detection					150,000	790	J	257	16.3	307	181	285	85.1	516	4.31	90.6												
Minimum Detection					31.6	U	50.0	U	250	U	0.0160	U	0.0500	U	0.0212	U	0.1740	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
Number of Analytes Detected Above PCUL					4	4	0	24	0	0	0	40	29	27	0	85												
Frequency of Detection Above PCUL					2%	22%	0%	8%	0%	0%	0%	13%	9%	8%	0%	27%												
Notes:					Laboratory and Results Notes:																							
PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.					Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, NWTPH-Gx, NWTPH-Dx, or 8015-M.																							
Detections above the groundwater PCUL level are shown in bold and highlighted in gray .					VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.																							
Detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange .					- = Not analyzed or results not available.																							
Detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange .					B = The same analyte is found in the associated blank.																							
cDCE = cis-1,2-Dichloroethene					c = Reported as total 1,2,-DCE (sum of cis,-1,2- and trans,1-2-DCE isomers).																							
DOF = Dalton, Olmsted & Fuglevand, Inc.					E = Estimated value. The reported range exceeds the calibration range of the analysis.																							
DRO = Diesel-range organics					f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.																							
(duplicate) = field duplicate					g = Estimated value. The reported range exceeds the calibration range of the analysis.																							
EPJ = EP Johnson Construction Inc. and Environmental					J = The identification of the analyte is acceptable; the reported value is an estimate.																							
GeoE = GeoEngineers, Inc.					J+ = The result is an estimated quantity, but the result may be biased high.																							
GRO = Gasoline-range organics					J- = The result is an estimated quantity, but the result may be biased low.																							
HC = Hart Crowser					qp = Hydrocarbon result partly due to individual peak(s) in quantitation range.																							
ORO = Oil-range organics					U = Not detected at or above the laboratory method detection limit (MDL).																							
PCE = Perchloroethylene (tetrachloroethene)					x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.																							
Retec = Remediation Technologies, Inc.					y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis.																							
Roux = Roux Associates					z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.																							
ROW = Right of way					Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021.																							
SES = SoundEarth Strategies, Inc.					Groundwater statistics for GRO exclude "z" qualified data.																							
TCE = Trichloroethene																												
tDCE = trans-1,2-Dichloroethene																												
Urban = Urban Redevelopment LLC																												
VC = Vinyl chloride																												
Well screen elevations indicated below Sample Location in parentheses.																												
(--)= Well screen elevation unknown.																												

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
Soil zone - Shallow only								2.4	15,000	1,200	320	24	1.4	-	77	0.35
PCUL								5.0	640	700	1,600	5.0	4.0	16	100	0.29
BB-5 (--)	Seattle DOT Mercer Parcels, SE quadrant	11/17/97	B&V Decommissioned	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	ND	ND	1.1	ND	ND
BB-7 (--)	Valley St ROW, N side	11/17/97	B&V Decommissioned	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	ND	ND	ND	ND	ND
BB-8 (14.0 to 4.0)	Roy St ROW, S side	06/24/97	B&V	Bailer	200 U	500 U	1000 U	1.8	1.3	1.0 U	1.0 U	11,000	1,500	4,200	14	280
		01/29/09	DOF	Unknown	499	-	-	0.694	0.500 U	0.500 U	1.00 U	896 f	258	441	2.45	1.48
(duplicate)		05/03/10	SES	Peristaltic	-	-	-	-	-	-	-	510	120	110	1 U	0.27
		06/02/11	SES	Peristaltic	130 xy	50 U	250 U	0.35 U	1 U	1 U	3 U	170	59	44	1 U	0.2 U
(duplicate)		09/05/12	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	200	41	28	1 U	0.2 U
		12/29/13	SES	Bladder	-	-	-	0.35 U	1 U	1 U	3 U	200	38	24	1 U	0.2 U
(duplicate)		06/17/15	SES	Peristaltic	-	-	-	-	-	-	-	170	40	37	10 U	2.0
		03/22/17	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	30.4	4.95	3.10	0.152 U	0.118 U
(duplicate)		06/14/17	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	26.0	8.57	12.6	0.155 J	0.118 U
		04/11/18	PES	Peristaltic	40.9 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	33.7 J	6.13 J	4.64 J	0.152 U	0.118 U
(duplicate)		04/11/18	PES	Peristaltic	41.5 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	46.8 J	8.41 J	6.28 J	0.152 U	0.118 U
		01/23/19	PES	Peristaltic	99.6 J	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	133	43.1	81.5	0.402 J	0.618
(duplicate)		04/23/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	48.8	9.09	7.57	0.152 U	0.118 U
		07/17/19	PES	Bladder	112 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	169	28.9	19.3	0.262 J	0.118 U
(duplicate)		10/22/19	PES	Bladder	176 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	135	46.6	31.8	0.398 J	0.162 J
		10/22/19	PES	Bladder	174 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	169	48.3	30.4	0.426 J	0.152 J
(duplicate)		01/20/20	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	138	25.4	16.5	0.232 J	0.118 U
		01/20/20	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	132	24.6	16.0	0.199 J	0.118 U
(duplicate)		05/12/20	PES	Bladder	101 zJ+	-	-	0.0941 U	0.682	0.137 U	0.387 J	142	30.8	17.6	0.282 J	0.234 U
		07/27/20	PES	Bladder	-	-	-	0.0570	0.268	0.0320 J	0.217 J	165	46.8	26.3	0.531	0.0273 U
(duplicate)		07/27/20	PES	Bladder	-	-	-	0.0660	0.470	0.0710 J	0.306	162	45.5	26.0	0.496	0.194
		11/17/20	PES	Bladder	-	-	-	0.0950	0.339	0.0212 U	0.191 U	215	107 J+	101	0.802	0.302
(duplicate)		02/11/21	PES	Peristaltic	-	-	-	0.0490	1.58	0.242	1.28	20.1	3.83	2.19	0.0572 U	0.0273 U
		06/07/21	PES	Bladder	-	-	-	0.0190 J	0.0500 U	0.0212 U	0.191 U	54.4	12.3	6.94	0.0980 J	0.0790 J
(duplicate)		08/17/21	PES	Peristaltic	-	-	-	0.283	2.79	-	1.45	46.4	11.5	6.92	0.101 J	0.0273 U
		11/08/21	PES	Peristaltic	-	-	-	0.0340 J	0.325	0.0550 J	0.378	38.5	7.20	3.22	0.0620 J	0.0273 U
(duplicate)		02/24/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	43.5	7.20	3.49	0.0572 U	0.0273 U
		05/17/22	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	37.5	6.35	3.01	0.0572 U	0.0273 U
(duplicate)		08/09/22	PES	Peristaltic	-	-	-	0.0280 J	0.0520 J	0.0212 U	0.191 U	59.3	10.2	5.62	0.0690 J	0.0273 U
		08/09/22	PES	Peristaltic	-	-	-	0.0260 J	0.0500 U	0.0212 U	0.191 U	62.4	10.9	5.94	0.0930 J	0.0273 U
(duplicate)		11/09/22	PES	Peristaltic	-	-	-	0.0340 J	0.0500 U	0.0212 U	0.191 U	109 J+	32.2	23.5	0.224	0.0273 U
		05/09/23	PES	Peristaltic	-	-	-	0.0890	0.0500 U	0.0212 U	0.191 U	72	46.0	23.1	0.244	0.1840
(duplicate)		10/31/23	PES	Peristaltic	-	-	-	0.160 U	0.500 U	0.212 U	1.91 U	139	45.8	26.6	0.572 U	0.273 U
		05/22/24	PES	Peristaltic	-	-	-	0.0900	0.05 U	0.0212 U	0.191 U	90.4	59.1	63.4 J-	0.398	0.109 J-

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
BB-8A (--)	Roy St ROW, S side	01/29/09	DOF	Peristaltic	669	–	–	0.500 U	0.500 U	0.500 U	1.00 U	1,290 f	285	549	2.96	3.86
		05/03/10	SES	Peristaltic	–	–	–	–	–	–	–	810	180	140	1.6	0.78
		06/02/11	SES	Peristaltic	380 xy	50 U	250 U	3.5 U	10 U	10 U	30 U	710	170	170	10 U	2 U
BB-12 (--)	9th Ave N ROW, center	05/19/98	B&V	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	ND	ND	540	ND	380
		05/02/10	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
BB-12A (--)	9th Ave N ROW, center	05/02/10	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
DMW-31A (16.8 to 6.8)	615 Dexter, NE quadrant	03/18/20	HC	Submersible	100 U	50 U	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
FMW-142 (2.4 to -7.6)	9th Ave N ROW, E side	07/26/19	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.38	0.36	0.20 U	0.20 U
		10/31/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/22/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/28/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/08/20	PES	Bladder	–	–	–	0.0160 U	1.37	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0320 J	0.0572 U	0.0273 U
		11/04/20	PES	Bladder	–	–	–	0.0160 U	0.179 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0977 J	0.0572 U	0.0273 U
		05/25/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		03/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.173 J	0.0212 U	0.199 J	0.117	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		06/05/22	PES	Peristaltic	–	–	–	0.0200 J	0.160 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/04/22	PES	Peristaltic	–	–	–	0.0220 J	0.0790 J	0.0212 U	0.191 U	0.271	0.0160 U	0.0590 U	0.0572 U	0.0273 U
11/08/23	PES	Peristaltic	–	–	–	0.0160 U	0.106 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
GEI-1 (1.2 to -8.9)	Block 37, NW quadrant	03/24/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		06/13/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.244 J	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/22/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		07/16/19	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		10/21/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/22/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/29/20	PES	Peristaltic	–	–	–	0.0941 U	0.278 U	0.137 U	0.254 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		04/29/20	PES	Peristaltic	–	–	–	0.0941 U	0.286 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
07/30/20	PES	Peristaltic	–	–	–	0.0160 U	0.142 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
GEI-MW-1 (-9.7 to -29.7)	Block 79 East, N end	09/06/14	GeoE	Peristaltic	50.0 U	50.0 U	100 U	1.00 U	1.00 U	–	1.00 U	0.250	0.240	1.00 U	0.500 U	0.200 U
		01/23/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.230 J	0.0933 U	0.152 U	0.118 U
		04/29/20	PES	Peristaltic	–	–	–	0.0941 U	1.06	0.161 J	0.938 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		08/07/20	PES	Peristaltic	–	–	–	0.0320 J	0.162 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/10/20	PES	Peristaltic	–	–	–	0.0160 U	0.435 J-	0.0212 U	0.316	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/13/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		03/07/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/27/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0910 J
		11/04/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.147	0.0160 U	0.119	0.0572 U	0.0273 U
		05/16/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.028 U	0.0160 U	0.028 U	0.0572 U	0.0273 U
		11/08/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0340 J	0.0572 U	0.0273 U
		05/23/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	0.0273 U

**Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
GEI-MW-2	Block 79 East, S end	09/06/14	GeoE	Peristaltic	28.9	50.0 U	100 U	14.1	4.44	–	1.00 U	1.00 U	0.410	1.00 U	0.500 U	1.34
GEI-MW-3	Block 79 East, S end	09/06/14	GeoE	Peristaltic	50.0 U	50.0 U	100 U	1.00 U	9.03	–	1.00 U	1.00 U	0.610	1.00 U	0.500 U	3.14
G-MW1 (9.0 to 4.0) (duplicate)	Property	07/24/01	GeoE	Peristaltic	–	–	–	0.449	17.6 E	0.798	5.52	85,500	1,130	23.3 g	0.956	74.5 g
		01/29/09	DOF	Peristaltic	41,300 qp	–	–	20.0 U	20.0 U	28.6	55.1	78,400 f	1,160	34.4	1.49	0.200 U
		06/03/11	SES	Peristaltic	29,000 x	92 x	250 U	–	–	–	–	78,000	1,100	22	–	33
		09/06/12	SES	Peristaltic	–	–	–	0.35 U	7.4	1 U	1.1	66,000	1,100	32	1.5	35
		09/06/12	SES	Peristaltic	–	–	–	0.35 U	7.6	1 U	1.0	64,000	1,100	30	1.4	33
Decommissioned																
G-MW3 (13.6 to 3.6)	Property	07/24/01	GeoE	Peristaltic	–	–	–	0.524	6.93 E	0.459	2.10	47,700	385 g	0.200 U	3.71	42.5 g
		12/10/04	DOF	Bailer	–	–	–	2 U	7	2 U	2	220,000	1,200	570	6	19
		01/29/09	DOF	Peristaltic	26,600 qp	–	–	12.5 U	12.5 U	12.5 U	25.0 U	64,000 f	1,580	4,050	13.9	0.200 U
		06/02/11	SES	Peristaltic	19,000 xy	210 x	250 U	350 U	1,000 U	1,000 U	3,000 U	33,000	1,400	1,500	1000 U	290
		09/06/12	SES	Peristaltic	–	–	–	0.35 U	1.5	1 U	3 U	31,000	1,200	1,600	5.9	290
Decommissioned																
HMW-2IA (10.8 to 0.8)	Seattle DOT Mercer Parcels NE quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	240	74	120	1.0 U	1.2
		03/12/20	HC	Unknown	160	51 U	250 U	2.0 U	2.0 U	2.0 U	4.0 U	210	69	180	2.0 U	2.0 U
HMW-3IA (20.2 to 10.2)	Seattle DOT Mercer Parcels NW quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U
		03/13/20	HC	Unknown	190	150 J	250 U	1.4	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-6IA (21.2 to 11.2)	Seattle DOT Mercer Parcels SW quadrant	03/13/20	HC	Unknown	100 U	160 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-9IA (18.6 to 8.6)	Seattle DOT Mercer Parcels SW quadrant	03/19/20	HC	Unknown	100 U	50 U	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.42	0.23	3.7	0.20 U	0.95
		06/02/21	PES	Bladder	–	–	–	0.0450	0.0850 J	0.0212 U	0.191 U	0.243	0.916	136	0.197 J	196
		08/18/21	PES	Bladder	–	–	–	0.0510	0.0500 U	0.0212 U	0.191 U	0.100 J	0.709	50.5	0.0840 J	84.6
HMW-20IA (12.8 to 2.8)	Seattle DOT Mercer Parcels NW quadrant	09/18/20	HC	Unknown	100 U	50 U	–	0.20 U	0.20 U	0.20 U	0.40 U	5.5	18	840	2.5	520
		06/02/21	PES	Bladder	–	–	–	0.0840	0.152 J	0.0212 U	0.191 U	1.37	31.9	6,400	17.1	5,940
		08/18/21	PES	Bladder	–	–	–	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	17.5 J	4,660	28.6 U	3,980
		08/18/21	PES	Bladder	–	–	–	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	17.5 J	4,660	28.6 U	3,980

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
					Preliminary Cleanup Level (PCUL)												
					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
MW107 (duplicate) (8.8 to -1.2)	8th Ave N ROW, W side	12/21/12	SES	Peristaltic	240,000 xy	190 x	250 U	3.5 U	10 U	10 U	30 U	47,000	2,800	5,100	41	200	
		12/21/12	SES	Peristaltic	–	–	–	–	–	–	–	50,000	3,000	5,200	44	270	
		12/16/13	SES	Peristaltic	–	–	–	0.37 U	1.8	1 U	3.3	32,000	2,400	4,000	34	76	
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	1,900	5,000	5,000	100 U	40	
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	2,300	5,100	3,600	60	27	
		11/10/15	SES	Peristaltic	–	–	–	–	–	–	–	620	3,800	4,400	54	31	
		12/11/15	SES	Peristaltic	–	–	–	–	–	–	–	1,200	4,200	4,200	57	22	
		01/08/16	SES	Peristaltic	–	–	–	–	–	–	–	1,000	3,600	3,900	50	20	
		02/01/16	SES	Peristaltic	–	–	–	–	–	–	–	61	220	10,000	33	73	
		03/27/17	PES	Peristaltic	–	–	–	0.204 J	0.690 J	0.158 U	0.316 U	0.224 J	0.370 J	6.82	14.0	34.5	
		06/19/17	PES	Peristaltic	–	–	–	0.238 J	0.700	0.158 U	0.316 U	0.199 U	0.290 J	7.29	12.6	15.0	
		04/09/18	PES	Peristaltic	–	–	–	0.193 J	0.412 U	0.158 U	0.316 U	0.879 J-	0.581 J-	72.1 J-	10.5	123	
		01/30/19	PES	Peristaltic	663 zJ+	–	–	0.215 J	0.715	0.158 U	0.316 U	0.199 U	41.1	1,130	14.4	474	
		05/01/19	PES	Peristaltic	481 zJ+	–	–	0.188 J	0.412 U	0.158 U	0.316 U	0.199 U	99.9	1,250	14.1	374	
		07/22/19	PES	Bladder	210 zJ+	–	–	0.188 J	0.758	0.158 U	0.609 J	1.99 U	2.62 J	290	7.08	307	
		10/15/19	PES	Bladder	365 zJ+	–	–	0.167 J	0.572	0.158 U	0.316 U	41.7	138	333	7.04	216	
		01/28/20	PES	Bladder	1,890 zJ+	–	–	1.79 U	8.24 U	3.16 U	6.32 U	3.98 U	168	3,590	22.2	674	
		04/03/20	PES	Bladder	1,420 zJ+	–	–	0.298 J	0.412 U	0.158 U	0.316 U	63.8	700	2,720	15.4	216	
		07/31/20	PES	Bladder	–	–	–	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	6.98 J	491 J	5.36	378	
		12/01/20	PES	Peristaltic	–	–	–	1.65	4.45 J	0.530 U	4.81 J	0.700 U	0.400 U	13.3	5.85	0.682 U	
		02/02/21	PES	Peristaltic	–	–	–	0.112	0.704	0.166	1.04	0.0510 J	0.266	5.36	6.09	1.80	
		06/02/21	PES	Peristaltic	–	–	–	0.0960	0.580	0.0212 U	0.191 U	0.0590 J	0.336	3.20	3.98	1.16	
		08/16/21	PES	Peristaltic	–	–	–	0.0910	0.532	0.0610 J	0.409	0.0280 U	0.179	2.53	3.10	1.03	
		11/29/21	PES	Peristaltic	–	–	–	0.0960	3.10	0.0212 U	0.374	0.0280 U	0.224	9.43	4.38	1.41 J-	
		02/23/22	PES	Peristaltic	–	–	–	0.0870	0.641	0.0212 U	0.192 J	0.274	0.668	6.97	3.97	1.85	
		05/11/22	PES	Peristaltic	–	–	–	0.0880	0.449	0.0212 U	0.191 U	0.592 J+	0.709	6.12	3.80	1.75	
		08/03/22	PES	Peristaltic	–	–	–	0.0900	0.279	0.0212 U	0.191 U	0.833	0.799	7.05	3.78	2.34	
		10/31/22	PES	Bladder	–	–	–	0.0900	0.312	0.0212 U	0.191 U	0.101	0.125	4.05	3.69	2.74	
		02/23/23	PES	Peristaltic	–	–	–	0.0820	0.549	0.0212 U	1.13	0.0280 U	0.0160 U	4.84	2.70	2.13	
		05/15/23	PES	Peristaltic	–	–	–	0.0600	0.123 J	0.0212 U	0.19 U	0.267	1.44	3.36	2.37	1.50	
		05/15/23	PES	Peristaltic	–	–	–	0.0690	0.122 J	0.0212 U	0.19 U	0.249	1.13	3.08	2.16	1.28	
		08/16/23	PES	Peristaltic	–	–	–	0.116	0.443	0.282	1.18	0.689	2.90	9.54	3.88	6.92	
		11/03/23	PES	Peristaltic	–	–	–	0.0160 U	0.255	0.0212 U	0.191 U	0.125	0.606	13.0	3.47	14.7	
		02/26/24	PES	Peristaltic	–	–	–	0.111	0.319	0.0780 J	0.393	0.028 U	0.103	3.71	2.65	1.07	
		05/22/24	PES	Peristaltic	–	–	–	0.0390 J	0.0940 J	0.0212 U	0.242 J	0.303	1.33	2.63 J-	1.94	0.265 J-	

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
		Preliminary Cleanup Level (PCUL)			800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW108 (-7.2 to -17.2)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Peristaltic	–	–	–	–	–	–	–	3.4	1.8	400	2.1	210 pr
		12/17/13	SES	Peristaltic	–	–	–	1.9	1 U	1 U	3 U	3.8	4.6	360	3.6	150
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	4.0	11	370	3.5	260
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	3.0	6.4	220	1.8	140
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	15	7.9	290	1.8	180
		03/28/17	PES	Peristaltic	–	–	–	1.59	0.479 U	0.158 U	0.316 U	73.1	12.5	278	0.899	52.3
		06/27/17	PES	Bladder	–	–	–	1.26	0.479 U	0.158 UJ	0.316 U	194	22.1	165	0.748	52.8
(duplicate)		04/06/18	PES	Peristaltic	–	–	–	4.00	0.599	0.158 UJ	0.316 U	1,970	284	1,030	7.13	217
		04/06/18	PES	Peristaltic	–	–	–	3.83	0.597	0.158 UJ	0.316 U	1,980	287	1,020	7.91	231
		01/22/19	PES	Peristaltic	–	–	–	1.67	0.562	0.158 U	0.316 U	4,190	587	1,180	6.03	90.8
		04/29/19	PES	Peristaltic	–	–	–	3.20	0.412 U	0.158 U	0.316 U	419	171	970	3.22	125 J
		07/15/19	PES	Peristaltic	–	–	–	2.90	0.412 U	0.158 U	0.316 U	567	189	918	3.48	197
		10/10/19	PES	Peristaltic	–	–	–	3.16	0.412 U	0.327 J	0.316 U	524	483	1,080	5.55	194
		01/14/20	PES	Peristaltic	–	–	–	4.55 J	10.3 U	3.95 U	7.90 U	243	235	749	3.80 U	224
		04/22/20	PES	Bladder	–	–	–	25.6	6.95 U	3.43 U	4.35 U	53.1	96.3	178	3.73 U	19.3
(duplicate)		07/16/20	PES	Bladder	–	–	–	29.7	1.73 J	0.530 U	4.78 U	189 J	162	216	1.88 J	11.3
		07/16/20	PES	Bladder	–	–	–	34.3	2.20	0.0212 U	3.06	226 J	170	264	2.37	16.5
		11/04/20	PES	Bladder	–	–	–	46.6	2.12 J	0.530 U	6.15 J	10.2	32.6	413	1.43 U	107
		02/09/21	PES	Peristaltic	–	–	–	2.89	0.440 J	0.106 U	0.955 U	238 J	106	269	1.48	172 J
		05/03/21	PES	Peristaltic	–	–	–	2.28	0.290 J	0.106 U	0.955 U	182	91.9	491	1.92	140
	08/04/21	PES	Peristaltic	–	–	–	2.23	0.250 U	0.106 U	0.955 U	209	124	641	3.33	159	
	11/04/21	PES	Peristaltic	–	–	–	2.25	0.187 J	0.0212 U	0.191 U	271	153	569	3.48	221	
	02/15/22	PES	Peristaltic	–	–	–	2.91	0.182 J	0.0212 U	0.191 U	102	69.4	852	3.34	170	
	05/18/22	PES	Peristaltic	–	–	–	2.75	0.188 J	0.0212 U	0.191 U	77.8	49.2	660	3.55	90.9	
	08/10/22	PES	Peristaltic	–	–	–	2.30	2.50 U	1.06 U	9.55 U	115 J+	42.6	531	2.86 U	118	
	11/01/22	PES	Peristaltic	–	–	–	3.23	0.184 J	0.0212 U	0.191 U	97.7	42.7	455	2.80	115	
	05/12/23	PES	Peristaltic	–	–	–	3.28	1.000 U	0.4240 U	3.820 U	14.4	8.72	493	1.14 U	132	
	11/07/23	PES	Peristaltic	–	–	–	1.90	1.00 U	0.424 U	3.82 U	4.48	4.18	277	1.24 J	104	
	05/21/24	PES	Peristaltic	–	–	–	3.24	0.138 J	0.0212 U	0.191 U	15.5	7.95	561	2.34	195	

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																			
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC								
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29								
MW109 (0.0 to -10.0)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Peristaltic	–	–	–	–	–	–	–	–	91	64	18	1	U	1.5						
		12/17/13	SES	Peristaltic	–	–	–	0.35	U	1	U	–	–	4.0	18	310	1	U	27					
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	370	890	520	1.2	–	26					
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	230	790	400	20	U	22					
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	34	330	270	1	U	19					
		03/29/17	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.198	J	12.6	0.152	U	3.49	
		06/27/17	PES	Bladder	–	–	–	0.0896	U	0.412	U	0.158	UJ	0.316	U	9.69	J	1.17	–	163	1.17	–	6.06	
		04/06/18	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.99	UJ	210	–	629	3.34	–	42.2	
		01/23/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.995	U	43.8	–	403	2.08	–	36.8	
		04/29/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	4.78	0.152	U	3.06	J
		07/15/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.265	J	30.8	0.199	J	24.4	
		10/15/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	1.03	–	397	0.891	–	109	
		01/21/20	PES	Peristaltic	–	–	–	0.0896	U	0.782	–	0.158	U	0.316	U	0.199	U	0.372	J	10.4	0.152	U	1.02	
		04/22/20	PES	Bladder	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	46.8	0.229	J	15.2	
		07/06/20	PES	Bladder	–	–	–	0.0340	J	0.967	–	0.0212	U	0.191	U	0.0280	U	0.162	–	45.4	0.293	–	12.4	
		11/02/20	PES	Bladder	–	–	–	0.0550	–	0.105	J	0.0212	U	0.191	U	0.0280	U	0.126	–	32.1	0.220	–	14.5	
		02/09/21	PES	Bladder	–	–	–	0.0520	–	0.634	–	0.139	–	0.791	–	0.0280	U	0.0860	–	9.89	0.125	J	13.7	J
		05/03/21	PES	Peristaltic	–	–	–	0.0430	–	0.751	–	0.154	–	0.987	–	0.0280	U	0.0550	–	6.16	0.0572	U	3.49	
		08/04/21	PES	Peristaltic	–	–	–	0.0330	J	0.239	–	0.0380	J	0.308	–	0.0580	J	0.0610	–	0.909	0.0572	U	0.602	
		11/03/21	PES	Peristaltic	–	–	–	0.0310	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0330	J	23.7	0.0610	J	3.24	
02/15/22	PES	Peristaltic	–	–	–	0.0430	–	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0930	–	24.6	0.100	J	6.98			
05/09/22	PES	Peristaltic	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	13.4	0.0572	U	5.05			
08/10/22	PES	Peristaltic	–	–	–	0.0160	U	0.0750	J	0.0212	U	0.191	U	0.0280	U	0.613	–	10.8	0.0572	U	0.887			
11/01/22	PES	Peristaltic	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	20.9	0.0572	U	4.26			
05/15/23	PES	Peristaltic	–	–	–	0.0270	J	0.0500	UJ	0.0212	UJ	0.191	U	0.0370	J	0.0510	J	1.79	J	0.0572	UJ	3.35	J	
11/07/23	PES	Peristaltic	–	–	–	0.0220	J	0.0570	U	0.0212	U	0.191	U	0.0280	U	0.0420	–	0.672	0.0572	U	1.01			
05/21/24	PES	Peristaltic	–	–	–	0.0290	J	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.604	0.0572	U	1.84			
MW110 (4.7 to -5.3)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Bladder	–	–	–	–	–	–	–	–	–	1,100	220	470	3.0	–	33					
		12/19/13	SES	Peristaltic	–	–	–	0.35	U	1	U	–	–	–	930	240	840	3.9	–	31				
		04/22/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	1,000	210	340	2.4	–	1				
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	1,000	200	470	10	U	12				
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	890	180	380	2.2	–	13				
		02/01/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	1,300	290	460	3.0	–	1.1				
		03/23/17	PES	Peristaltic	–	–	–	0.330	J	0.412	U	0.158	U	0.316	U	1,070	389	644	4.72	–	1.45			
		06/27/17	PES	Bladder	–	–	–	0.0896	U	0.412	U	0.158	UJ	0.316	U	259	176	1,120	2.66	–	152			
		04/09/18	PES	Bladder	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	375	J-	253	J-	675	J-	3.72	3.54	
		01/23/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1,260	490	673	5.83	–	1.39			
		01/23/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1,120	499	718	6.49	–	1.51			
		04/26/19	PES	Bladder	–	–	–	0.291	J	0.412	U	0.158	U	0.316	U	1,500	613	710	5.59	–	0.900	J		
		07/15/19	PES	Bladder	–	–	–	0.285	J	0.412	U	0.158	U	0.316	U	1,220	455	578	5.87	–	1.26			
		10/15/19	PES	Bladder	–	–	–	0.233	J	0.412	U	0.158	U	0.316	U	1,180	498	574	3.86	–	0.853			
01/16/20	PES	Bladder	–	–	–	0.448	U	2.06	U	0.790	U	1.58	U	459	176	187	1.95	J	0.706	J				
04/22/20	PES	Bladder	–	–	–	0.487	J	1.39	U	0.685	U	0.870	U	946	384	683	4.25	–	5.06					
07/16/20	PES	Bladder	–	–	–	0.335	–	0.465	J	0.106	U	0.955	U	741	349	791	7.79	–	12.5					
11/04/20	PES	Bladder	–	–	–	0.800	U	2.50	U	1.06	U	9.55	U	640	343	894	2.96	J	29.6					

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW110 (continued)		02/09/21	PES	Bladder	-	-	-	0.125	0.784	0.158	0.791	602	302 J+	401	2.99	0.833 J
		05/04/21	PES	Bladder	-	-	-	0.160 U	0.730 J	0.212 U	1.91 U	484	214	334	2.27	0.273 U
		08/12/21	PES	Bladder	-	-	-	0.400 U	1.25 U	0.530 U	4.78 U	410	226	345	2.38 J	0.682 U
		11/09/21	PES	Bladder	-	-	-	0.102	0.0500 U	0.0830 J	0.432	473	228	521	2.32	22.3
		02/25/22	PES	Bladder	-	-	-	0.400 U	1.25 U	0.530 U	4.78 U	671	241	374	1.43 U	0.682 U
		05/18/22	PES	Bladder	-	-	-	0.400 U	1.25 U	0.530 U	4.78 U	432	249	311	2.13 J	0.682 U
		08/11/22	PES	Bladder	-	-	-	0.400 U	1.25 U	0.530 U	4.78 U	509	218	263	2.93 J	0.682 U
		11/01/22	PES	Bladder	-	-	-	0.0970	0.121 J	0.0212 U	0.191 U	513 J	248 J	359 J	2.28	0.344
		05/15/23	PES	Bladder	-	-	-	0.0760	0.050 U	0.0212 U	0.191 U	459	248	283	2.22	0.474
		11/07/23	PES	Bladder	-	-	-	0.160 U	0.500 U	0.212 U	1.91 U	231	180	682	6.14	1.40
		05/22/24	PES	Peristaltic	-	-	-	0.0590	0.0740 J	0.0212 U	0.191 U	115	137	696	3.19	0.409 J-
MW114 (10.8 to 0.8)	Seattle DOT Mercer Parcels NW quadrant	12/21/12	SES	Peristaltic	-	-	-	-	-	-	-	1,400	290	260	1 U	14
		12/18/13	SES	Peristaltic	-	-	-	17 U	50 U	50 U	150 U	8,400	1,300	640	50 U	22
MW115 (-0.6 to -10.6)	9th Ave N ROW, W side	12/13/12	SES	Peristaltic	-	-	-	-	-	-	-	15	1.1	3.0	1 U	2.6
		12/21/12	SES	Peristaltic	-	-	-	-	-	-	-	1 U	3.0	38	1 U	16
		12/19/13	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.75
		04/21/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	17	170	1 U	20
		06/25/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	6.2
		10/27/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	0.31
		02/03/16	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	1 U	1 U	2.3
		03/22/17	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.643	0.152 U	15.7
		06/22/17	PES	Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.523	0.152 U	8.45
		04/11/18	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.272 J	0.152 U	5.81
		01/30/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.316 J	0.152 U	12.4
		07/17/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.787	0.152 U	24.3
		10/22/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.819	0.152 U	23.2
		01/20/20	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.880	0.152 U	26.9
		05/05/20	PES	Bladder	-	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.654	0.149 U	8.86
		07/28/20	PES	Bladder	-	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.354 J	0.149 U	1.16
		11/12/20	PES	Bladder	-	-	-	0.0160 U	0.221 J-	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.308	0.0572 U	0.808 J+
		02/12/21	PES	Bladder	-	-	-	0.0330 J	0.515	0.0730 J	0.453	0.0280 U	0.0160 U	0.244	0.0572 U	1.02
		05/25/21	PES	Peristaltic	-	-	-	0.0160 U	0.0540 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.140	0.0572 U	0.989
		08/11/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0630 J	0.0650	0.352	0.0572 U	1.46
		11/18/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0950 J	0.0590	0.124	0.0572 U	0.174
		02/15/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0530 J	0.0280 J	0.455	0.0572 U	7.28
		06/03/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0650 J	0.0160 U	0.540	0.0572 U	6.75
		08/10/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0520 J	0.0160 U	0.121	0.0572 U	0.330
		11/03/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0760 J	0.0160 U	0.103	0.0572 U	0.253
		05/18/23	PES	Peristaltic	-	-	-	0.580 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.383	0.0572 U	3.09
		11/08/23	PES	Peristaltic	-	-	-	0.0160 U	0.0580 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.360	0.0572 U	1.10
		05/24/24	PES	Peristaltic	-	-	-	0.016 UJ	0.05 UJ	0.0212 UJ	0.191 UJ	0.0420 J	0.016 UJ	0.0276 UJ	0.0572 UJ	0.0273 UJ

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
		Preliminary Cleanup Level (PCUL)			800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
MW116 (-3.1 to -13.1)	9th Ave N ROW, W side	12/07/12	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	
		12/21/12	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/19/13	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.2 U
		06/25/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/27/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/03/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/21/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	0.118 U	
		06/16/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.303 J	0.0933 U	0.152 U	0.118 U	0.118 U	
		04/11/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	0.118 U	
		01/30/19	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.655	0.152 U	0.118 U	0.118 U	
		07/17/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	0.118 U	
		10/31/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	0.118 U	
		01/21/20	PES	Peristaltic	–	–	–	0.0896 U	0.775	0.158 U	0.351 J	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	0.118 U	
		04/29/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	0.234 U	
		07/28/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	0.234 U	
		11/12/20	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
		02/11/21	PES	Peristaltic	–	–	–	0.0370 J	1.23	0.161	0.968	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
		05/25/21	PES	Peristaltic	–	–	–	0.0160 U	0.0560 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
		08/11/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
		11/18/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
		03/07/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
		06/08/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
		08/10/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U	
11/04/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0330 U	0.0572 U	0.0273 U	0.0273 U			
05/18/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U			
11/08/23	PES	Peristaltic	–	–	–	0.0160 U	0.153 J	0.0680 J	0.257 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U			
05/23/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	0.0273 U	0.0273 U			
MW117 (16.9 to 1.9)	Dexter Ave N ROW, E side	02/08/13	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1.0000 U	1 U	0.2 U		
		12/18/13 Destroyed	SES	Peristaltic	100 U	50 U	250 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1.0000 U	1 U	0.2 U		
MW118 (12.9 to 2.9)	Mercer St ROW, N side	03/25/13	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1.0000 U	1 U	0.2 U		
		12/18/13 Destroyed	SES	Peristaltic	100 U	50 U	250 U	0.35 U	1 U	1 U	3 U	1 U	1 U	1.0000 U	1 U	0.2 U		

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																				
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC									
		Preliminary Cleanup Level (PCUL)			800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29									
MW119 (2.7 to -7.3)	9th Ave N ROW, W side	03/25/13	SES	Peristaltic	-	-	-	-	-	-	-	1	U	1	U	3.3000	1	U	0.2	U					
		12/19/13	SES	Peristaltic	-	-	-	0.35	U	1	U	1	U	1	U	2.5000	1	U	0.76						
		04/21/15	SES	Peristaltic	-	-	-	-	-	-	-	-	34		42	50.0000	1	U	3.1						
		06/17/15	SES	Peristaltic	-	-	-	-	-	-	-	-	4.9		7.1	52.0000	1	U	2.7						
		10/20/15	SES	Peristaltic	-	-	-	-	-	-	-	-	15		22	74.0000	1	U	0.45						
		02/02/16	SES	Peristaltic	-	-	-	-	-	-	-	-	7.3		24	100.0000	1	U	0.45						
		03/29/17	PES	Peristaltic	-	-	-	0.139		0.412	U	0.158	U	0.316	U	5.47	10.7	42.9000	0.334	J	0.272	J			
		06/28/17	PES	Bladder	-	-	-	0.0896	U	0.726		0.158	U	0.562	J	19.0	12.4	5.9900	0.167	J	0.118	U			
		04/05/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	2.14	3.02	18.3000	0.203	J	0.118	U			
		01/21/19	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	1.24	0.153	U	0.0933	U	0.152	U	0.118	U	
		04/29/19	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.224	J	1.12	10.9000	0.161	J	0.118	U		
		07/19/19	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.303	J	0.153	U	0.3400	J	0.152	U	0.118	U
		10/10/19	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.876		7.54	12.6000	0.159	J	0.118	U		
		11/11/19	Farallon	Unknown	-	-	-	-	-	-	-	-	-	3.70		9.50	10.0000	0.20	U	0.20	U	0.20	U		
		01/14/20	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	5.90	5.81	9.6300	0.200	U	0.200	U	0.200	U	
		01/14/20	Farallon	Unknown	-	-	-	-	-	-	-	-	-	4.8		5.1	7.4000	0.20	U	0.20	U	0.20	U		
		02/18/20	Farallon	Unknown	-	-	-	-	-	-	-	-	-	1.3		2.5	6.6000	0.20	U	0.20	U	0.20	U		
		03/24/20	Farallon	Unknown	-	-	-	-	-	-	-	-	-	0.24		0.87	4.7000	0.20	U	0.20	U	0.20	U		
		04/27/20	PES	Peristaltic	-	-	-	0.0941	U	0.278	U	0.137	U	0.174	U	0.595	1.62	6.8800	0.149	U	0.234	U	0.234	U	
05/19/20	Farallon	Unknown	-	-	-	-	-	-	-	-	-	0.91		2.8	6.1000	0.20	U	0.20	U	0.20	U				
07/08/20	PES	Bladder	-	-	-	0.0430		0.644		0.0212	U	0.191	U	0.306	1.96	6.6700	0.163		0.0480	J					
07/28/20	Farallon	Unknown	-	-	-	-	-	-	-	-	-	0.92		2.6	7.5000	0.20	U	0.20	U	0.20	U				
09/17/20	Farallon	Unknown	-	-	-	-	-	-	-	-	-	0.27		1.8	7.8000	0.20	U	0.20	U	0.20	U				
11/11/20	PES	Bladder	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.420	2.63	12.9000	0.0983	J	0.212	J+					
12/03/20	Farallon	Unknown	-	-	-	-	-	-	-	-	-	0.28		1.2	6.6000	0.20	U	0.20	U	0.20	U				
02/10/21	PES	Peristaltic	-	-	-	0.0470		0.0500	U	0.0212	U	0.191	U	0.0410	J	0.511	6.0500	0.0572	U	0.134					
02/10/21	Farallon	Unknown	-	-	-	-	-	-	-	-	-	0.20	U	0.46	5.0000	0.20	U	0.20	U	0.20	U				
05/20/21	PES	Bladder	-	-	-	0.0410		0.0710	U	0.0212	U	0.191	U	0.210	1.70	10.6000	0.165	J	0.252						
08/13/21	PES	Peristaltic	-	-	-	0.0570		0.172	J	0.0212	U	0.191	U	0.293	1.11	8.2500	0.119	J	0.440						
12/03/21	PES	Peristaltic	-	-	-	0.0410		0.151	J	0.0350	J	0.258	J	0.404	1.88	9.2500	0.0572	U	0.234						
03/02/22	PES	Peristaltic	-	-	-	0.0380	J	0.0500	U	0.0212	U	0.191	U	0.443	1.64	8.3300	J+	0.0940	J	0.316					
05/05/22	PES	Peristaltic	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.200	J+	0.866	5.1600	0.0572	U	0.0273	U				
08/11/22	PES	Peristaltic	-	-	-	0.0430		0.0500	U	0.0212	U	0.191	U	0.550	1.78	8.4200	0.109	J	0.212						
11/02/22	PES	Peristaltic	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0920	J	5.28	64.0000	0.152	J	5.65					
11/02/22	PES	Peristaltic	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0880	J	4.81	58.9000	0.139	J	4.96					
05/09/23	PES	Peristaltic	-	-	-	0.0480		0.0900	J	0.0212	U	0.191	U	0.302	J	0.0200	U	9.12	0.0612	U	0.191	U			
11/08/23	PES	Peristaltic	-	-	-	0.0330	J	0.0500	U	0.0212	U	0.191	U	2.06	4.17	9.92	0.0860	J	0.0810	J					
11/08/23	PES	Peristaltic	-	-	-	0.0360	J	0.0500	U	0.0212	U	0.191	U	2.23	4.27	10.1	0.120	J	0.0273	U	0.0273	U			
05/24/24	PES	Peristaltic	-	-	-	0.0240	J	0.05	U	0.0212	U	0.191	U	0.123	0.427	3.36	0.0572	U	0.0273	U	0.0273	U			

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
		Preliminary Cleanup Level (PCUL)			800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW120 (0.0 to -10.0)	8th Ave N ROW, E side	12/19/13	SES	Peristaltic	100 U	50 U	440 x	0.35 U	1 U	1 U	3 U	2.8	2.3	19	1 U	9.6
		06/16/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1 U	4.3	1 U	0.2 U
		10/20/15	SES	Peristaltic	-	-	-	-	-	-	-	1 U	1.1	5.2	1 U	0.94
		02/01/16	SES	Peristaltic	-	-	-	-	-	-	-	1.3	1.6	6.7	1 U	1.1
		03/28/17	PES	Peristaltic	-	-	-	0.0896 U	0.458 U	0.158 U	0.316 U	13.9	5.81	18.4	0.152 U	0.871
		06/28/17	PES	Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	18.0	6.97	16.0	0.152 U	0.988
		04/09/18	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.811	0.152 U	0.118 U
		01/24/19	PES	Peristaltic	105 J+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	125	34.3	60.5	0.194 J	1.64
(duplicate)		05/03/19	PES	Peristaltic	111 J+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	155	46.9	87.2	0.258 J	1.28
		05/03/19	PES	Peristaltic	138 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	182	51.1	89.0	0.227 J	1.30
		07/16/19	PES	Peristaltic	152 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	134	40.1	74.9	0.217 J	1.01
(duplicate)		10/17/19	PES	Bladder	106 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	61.5	22.3	48.8	0.220 J	2.31
		10/17/19	PES	Bladder	113 zJ+	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	73.9	26.9	49.8	0.243 J	2.25
		01/17/20	PES	Bladder	124 zJ+	-	-	0.0983 J	0.412 U	0.158 U	0.316 U	61.2	21.6	45.0	0.241 J	2.38 J
		04/23/20	PES	Bladder	481 zJ+	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	39.7	15.4	41.0	0.154 J	2.92
		07/14/20	PES	Bladder	-	-	-	0.0680	0.511	0.0212 U	0.191 U	44.0	16.2	28.8	0.249	2.78
(duplicate)		11/30/20	PES	Bladder	-	-	-	0.0560	0.208	0.0660 J	0.435	39.3	15.6	36.6	0.188 J	1.47
		11/30/20	PES	Bladder	-	-	-	0.0580	0.172 J	0.0212 U	0.376	44.4	16.2	37.0	0.196 J	1.52
		02/05/21	PES	Peristaltic	-	-	-	0.0500	0.332	0.0790 J	0.516	41.6	17.4	43.5	0.212 J	1.17 J
		05/12/21	PES	Peristaltic	-	-	-	0.0220 J	0.137 J	0.0212 U	0.191 U	31.7	13.8	29.7	0.151 J	0.633
		08/03/21	PES	Peristaltic	-	-	-	0.0320 J	0.0500 U	0.0212 U	0.191 U	54.2	17.9	33.3	0.115 J	0.893 J+
		11/11/21	PES	Peristaltic	-	-	-	0.0210 J	0.0500 U	0.0212 U	0.191 U	57.9	14.9	27.2	0.143 J	0.611
		02/15/22	PES	Peristaltic	-	-	-	0.0210 J	0.0500 U	0.0212 U	0.191 U	54.1	16.8	28.4	0.104 J	0.424
		05/11/22	PES	Peristaltic	-	-	-	0.0300 J	0.0500 U	0.0212 U	0.191 U	39.3	12.9	23.2	0.0690 J	0.469
		08/04/22	PES	Peristaltic	-	-	-	0.0250 J	0.0500 U	0.0212 U	0.191 U	58.5	17.6 J+	27.1	0.165 J	0.742 J+
		10/31/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	61.8	17.7	24.9	0.173 J	0.397
		05/12/23	PES	Peristaltic	-	-	-	0.0200 J	0.0500 U	0.0212 U	0.191 U	68.3	17.6	18.2	0.0572 U	0.0273 U
		11/06/23	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	58.3	17.5	21.2	0.161 J	0.0273 U
		05/21/24	PES	Peristaltic	-	-	-	0.0200 J	0.05 U	0.0212 U	0.191 U	58.8	17.1	17.8	0.129 J	0.223
MW127 (-1.0 to -11.0)	8th Ave N ROW, E side	01/03/14	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.29
		01/13/14	SES	Peristaltic	-	-	-	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.30
		08/01/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.489 J	0.152 U	0.118 U
		10/17/19	PES	Bladder	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.656	0.152 U	0.118 U
		01/17/20	PES	Bladder	61.3 U	-	-	0.0896 U	0.689	0.158 U	0.342 J	0.199 U	0.153 U	0.630	0.152 U	0.118 UJ
		04/23/20	PES	Bladder	121 zJ+	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.861	0.149 U	0.234 U
(duplicate)		07/14/20	PES	Bladder	-	-	-	0.0160 U	0.360	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.683	0.0572 U	0.0790 J
		07/14/20	PES	Bladder	-	-	-	0.0160 U	0.375	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.662	0.0572 U	0.0730 J
		11/13/20	PES	Bladder	-	-	-	0.0453	0.0726 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.898	0.0572 U	0.0273 U
		05/11/21	PES	Peristaltic	-	-	-	0.0160 U	0.0740 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.737	0.0572 U	0.0273 UJ
		11/17/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.841	0.0572 U	0.175
		05/20/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0780 J	0.0160 U	0.704	0.0572 U	0.135
		10/31/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.635	0.0572 U	0.169
		05/16/23	PES	Peristaltic	-	-	-	0.0160 UJ	0.0500 UJ	0.0212 UJ	0.191 UJ	0.0280 UJ	0.0160 UJ	0.666 J	0.0572 UJ	0.209 J
		11/06/23	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.724	0.0572 U	0.0273 U
		05/21/24	PES	Peristaltic	-	-	-	0.016 U	0.05 U	0.0212 U	0.191 U	0.0580 J	0.016 U	0.226	0.0572 U	0.0273 U

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC										
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29										
MW-144R (3.9 to -6.5)	8th Ave N ROW, E side	12/16/19	PES	Bladder	325	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	11.0	11.5	251	0.818	71.6					
		01/21/20	PES	Bladder	60.7	J	–	–	0.896	U	4.12	U	1.58	U	3.16	U	1.99	U	1.53	U	200	1.52	90.2			
		04/02/20	PES	Bladder	31.6	U	–	–	0.0896	UJ	0.412	UJ	0.158	UJ	0.316	UJ	0.199	UJ	0.153	UJ	2.01	0.152	UJ	14.1	J-	
		08/03/20	PES	Bladder	–	–	–	–	0.0510	–	1.53	–	0.0670	J	0.341	–	0.0500	J	0.0960	–	0.459	0.0572	UJ	1.58	J	
		11/23/20	PES	Bladder	–	–	–	–	0.0440	–	0.101	U	0.0212	U	0.191	U	0.0420	J	0.0840	–	0.500	0.0572	U	0.411	–	
		02/02/21	PES	Peristaltic	–	–	–	–	0.0460	–	0.393	–	0.150	–	1.03	–	0.0280	U	0.0750	–	0.450	0.0572	U	0.632	–	
		05/12/21	PES	Peristaltic	–	–	–	–	0.0160	U	0.0990	J	0.0212	U	0.191	U	0.0280	U	0.0690	–	0.405	0.0572	U	0.365	–	
		08/03/21	PES	Peristaltic	–	–	–	–	0.0340	J	0.481	–	0.0830	J	0.531	–	0.0280	U	0.0660	–	0.244	0.0572	U	0.0273	U	
		11/29/21	PES	Peristaltic	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.265	0.0572	U	0.0273	UJ	
		02/23/22	PES	Peristaltic	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0690	–	0.159	0.0572	U	0.0273	U	
		05/11/22	PES	Peristaltic	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0810	–	0.137	0.0572	U	0.0273	U	
		08/23/22	PES	Peristaltic	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0970	–	0.150	0.0572	U	0.151	–	
		11/02/22	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0830	–	0.131	0.0572	U	0.124	–	
		05/15/23	PES	Peristaltic	–	–	–	–	0.0160	U	0.0860	J	0.0212	U	0.234	J	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/08/23	PES	–	–	–	–	–	–	0.0220	J	0.0500	U	0.0300	J	0.191	U	0.0280	U	0.0690	–	0.267	0.0572	U	0.211	–
05/22/24	PES	Peristaltic	–	–	–	–	–	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.0720	–	0.120	0.0572	U	0.134	J+		
MW-146 (12.8 to 2.8)	Roy St ROW, S side	04/30/18	PES	Bladder	597	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	3.56	48.4	900	6.12	2,100					
		01/22/19	PES	Peristaltic	509	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	2.29	21.6	1,080	7.25	1,370					
		04/24/19	PES	Bladder	88.0	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.50	12.4	257	1.94	383					
		07/19/19	PES	Bladder	46.3	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	3.08	14.4	257	J	3.29	580	J			
		07/19/19	PES	Bladder	262	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	2.80	15.9	371	3.50	842	J				
		10/14/19	PES	Bladder	1,310	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	2.03	6.77	1,350	7.85	2,830					
		01/24/20	PES	Bladder	1,140	zJ+	–	–	8.96	U	41.2	U	15.8	U	31.6	U	21.1	J	15.3	U	1,460	15.2	U	3,900		
		01/24/20	PES	Bladder	423	ZJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.39	J	4.80	–	1,510	8.45	5,800			
		04/30/20	PES	Bladder	1,080	zJ+	–	–	9.41	U	27.8	U	13.7	U	17.4	U	30.0	U	19.0	U	2,100	14.9	U	6,040		
		07/09/20	PES	Bladder	–	–	–	–	0.0740	–	1.13	–	0.0212	U	0.191	U	0.781	–	3.17	–	2,750	15.5	8,610			
		11/10/20	PES	Bladder	2,850	zJ+	–	–	0.842	J	2.50	U	1.06	U	9.55	U	1.40	U	2.60	–	3,900	12.5	4,930			
		11/10/20	HC	Bladder	100	U	50	U	250	U	170	U	500	U	500	U	500	U	500	U	3,800	500	U	5,200		
		02/08/21	PES	Peristaltic	–	–	–	–	0.105	–	1.26	–	0.183	–	0.958	–	0.704	J	3.52	–	2,690	8.01	3,910			
		05/04/21	PES	Bladder	–	–	–	–	0.800	U	2.50	U	1.06	U	9.55	U	1.40	U	0.800	U	536	6.30	J	4,310		
		08/17/21	PES	Bladder	–	–	–	–	0.0410	U	0.118	U	0.0212	U	0.191	U	0.0280	U	0.0450	–	55.3	2.51	1,330			
11/10/21	PES	Bladder	–	–	–	–	0.160	U	0.500	U	0.212	U	1.91	U	0.280	U	0.160	U	47.5	2.03	251					
02/18/22	PES	Bladder	–	–	–	–	0.160	U	0.500	U	0.212	U	1.91	U	0.280	U	0.160	U	42.5	1.45	J	315				
05/03/22	PES	Bladder	–	–	–	–	0.160	U	0.500	U	0.212	U	1.91	U	0.280	U	0.160	U	25.6	1.21	J	280				
08/03/22	PES	Bladder	–	–	–	–	0.160	U	0.500	U	0.212	U	1.91	U	0.280	U	0.160	U	11.3	1.17	J	374	J+			
11/03/22	PES	Bladder	–	–	–	–	0.0160	U	0.0920	U	0.0212	U	0.191	U	0.0280	U	0.101	–	13.8	1.22	J	173				
05/12/23	PES	Bladder	–	–	–	–	0.6300	–	0.5000	U	0.2120	U	1.910	U	0.4400	J	0.700	–	11.1	0.57	U	183	J			
05/12/23	PES	Bladder	–	–	–	–	0.0310	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.106	–	11.1	0.802	–	113	J			
11/10/23	PES	Bladder	–	–	–	–	0.160	U	0.500	U	0.212	U	1.91	U	0.280	U	0.160	U	19.3	0.770	J	120				
MW-146 (duplicate)	–	05/31/24	PES	Bladder	–	–	–	–	0.08	U	0.25	U	0.106	U	0.955	U	0.14	U	0.340	–	56.5	1.15	160			
		05/31/24	PES	Bladder	–	–	–	–	0.16	U	0.5	U	0.212	U	1.91	U	0.28	U	0.510	–	38.8	1.16	J	149		
MW-149 (0.7 to -9.3)	Property, NE quadrant	04/10/18	PES	Peristaltic	11,700	zJ+	–	–	44.8	U	2.06	U	0.813	J	1.64	J	19,200	8,050	10,500	29.8	863					
		10/25/18	PES	Peristaltic	4,570	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	6,100	2,720	3,320	15.3	100					
		12/13/18	PES	Peristaltic	11,400	zJ+	–	–	0.0896	U	0.717	–	0.158	U	0.414	J	23,300	5,470	5,150	18.2	253					
		12/13/18	PES	Peristaltic	11,400	zJ+	–	–	0.0896	U	0.717	–	0.158	U	0.392	J	24,500	5,780	5,210	18.2	243	J				
		01/29/19	PES	Peristaltic	14,400	zJ+	–	–	8.96	U	41.2	U	15.8	U	31.6	U	23,700	3,800	4,350	15.2	U	155				
03/13/19	PES	Peristaltic	15,300	zJ+	–	–	0.222	J	0.862	–	0.843	–	0.490	J	2,630	2,770	30,800	129	285							

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW-302 (3.0 to -7.0)	Dexter Ave N ROW, E side	10/21/19	PES	Bladder	98.5 J	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/24/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.353 J	0.164 J	0.0933 U	0.152 U	0.118 U
		05/07/20	PES	Bladder	31.6 U	–	–	0.0941 U	0.308 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/28/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		11/17/20	PES	Bladder	–	–	–	0.0480	0.743	0.0600 J	0.243 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/17/21	PES	Bladder	–	–	–	0.0160 U	0.0860 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/09/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.153	0.892	0.0390 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/17/22	PES	Bladder	–	–	–	0.0160 U	0.553	0.121	0.714	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/08/22	PES	Bladder	–	–	–	0.0160 U	0.174 J	0.0480 J	0.237 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0540 J
		10/31/23	PES	Bladder	–	–	–	0.0460	0.745	0.181	1.12	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-306 (17.2 to 7.2)	Roy St ROW, S side	10/15/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/16/20	PES	Bladder	34.3 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/28/20	PES	Bladder	42.7 J	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/29/20	PES	Bladder	–	–	–	0.0160 U	0.362	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/06/20	PES	Bladder	–	–	–	0.0160 U	0.182 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0418 J	0.0572 U	0.0273 U
		05/18/21	PES	Bladder	–	–	–	0.0160 U	0.0550 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		12/03/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/26/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/04/22	PES	Bladder	–	–	–	0.0160 U	0.0640 J	0.0212 U	0.191 U	0.0770 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/10/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-308 (-4.7 to -14.7)	Alley E of Seattle Roy Aloha Shops	10/11/19	PES	Peristaltic	–	–	–	12.5	4.38	0.158 U	0.316 U	0.199 U	0.153 U	38.9	0.492 J	20.3
		01/16/20	PES	Peristaltic	–	–	–	29.3	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	11.9	0.411 J	16.3
		04/08/20	PES	Peristaltic	–	–	–	21.2	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	12.5	0.360 J	12.9
		07/06/20	PES	Peristaltic	–	–	–	15.4	0.174 J	0.0620 J	0.191 U	0.0280 U	0.0160 U	16.0	0.608	6.98
		11/06/20	PES	Peristaltic	–	–	–	38.4	0.480	0.115	0.516	0.0324 J	0.0160 U	6.38	0.260	2.73
		05/04/21	PES	Peristaltic	–	–	–	20.8	0.186 J	0.104	0.332	0.0280 U	0.0160 U	3.98	0.219	11.7
		11/11/21	PES	Peristaltic	–	–	–	8.39	0.0840 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	38.6	0.827	20.7
		05/19/22	PES	Peristaltic	–	–	–	1.45	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	12.5	0.280	3.83
		11/01/22	PES	Peristaltic	–	–	–	9.53	0.120 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	72.7	1.28	31.1
		05/12/23	PES	Peristaltic	–	–	–	8.66	0.113 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	70.9	1.24	31.9
11/07/23	PES	Peristaltic	–	–	–	1.81	0.0500 U	0.0212 U	0.191 U	0.0360 J	0.0160 U	13.9	0.316	5.25		
05/21/24	PES	Peristaltic	–	–	–	0.116	0.05 U	0.0212 U	0.191 U	0.0280 J	0.016 U	1.44	0.0720 J	0.166		
MW-315 (12.2 to 2.3) (duplicate)	Mercer St ROW, N side	10/03/19	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/16/20	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/24/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/24/20	PES	Bladder	–	–	–	0.0430	0.632	0.0760 J	0.437	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/02/20	PES	Bladder	–	–	–	0.0160 U	0.162 J	0.0460 J	0.198 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/17/21	PES	Bladder	–	–	–	0.0160 U	0.167 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/05/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0630 J	0.393	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/05/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0710 J	0.404	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/09/22	PES	Bladder	–	–	–	0.0160 U	0.0560 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/02/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/08/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)														
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC			
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
MW-317 (3.4 to -6.6)	9th Ave N ROW, W side	10/09/19	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		01/16/20	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		04/27/20	PES	Bladder	-	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U			
		07/30/20	PES	Peristaltic	-	-	-	0.0457	1.98	0.205	1.36	0.0280 U	0.0160 U	0.0545	J	0.0572 U	0.0273 U		
		11/10/20	PES	Peristaltic	-	-	-	0.0160 U	0.836	J-	0.0212 U	0.419	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/19/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/12/21	PES	Peristaltic	-	-	-	0.0160 U	0.244	0.0900	J	0.564	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/27/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/01/22	PES	Peristaltic	-	-	-	0.0800 U	0.250 U	0.106 U	0.955 U	0.140 U	0.0800 U	0.138 U	0.286 U	0.137 U			
		05/16/23	PES	Peristaltic	-	-	-	0.1750	J	0.250 U	0.106 U	0.955 U	0.140 U	0.0800 U	0.138 U	0.286 U	0.137 U		
		11/08/23	PES	Peristaltic	-	-	-	0.0350	J	0.0560	J	0.0212 U	0.191 U	0.0160 U	0.0760	J	0.0572 U	0.0273 U	
		05/21/24	PES	Peristaltic	-	-	-	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	0.0273 U			
		MW-325 (7.0 to -3.0)	Mercer St ROW, N side	10/03/19	PES	Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.607	0.152 U	0.118 U	
01/17/20	PES			Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
04/21/20	PES			Bladder	-	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.696	0.149 U	0.234 U			
07/23/20	PES			Bladder	-	-	-	0.0190	J	0.298	0.0450	J	0.256	J	0.0280 U	0.0160 U	0.262	0.0572 U	0.0273 U
11/02/20	PES			Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.802	0.0572 U	0.0273 U			
02/08/21	PES			Bladder	-	-	-	0.0650	2.03	0.230	1.10	0.0280 U	0.0160 U	1.50	0.0572 U	0.0273 U			
05/17/21	PES			Bladder	-	-	-	0.0160 U	0.0930	J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.973	0.0572 U	0.0273 U		
08/12/21	PES			Peristaltic	-	-	-	0.0160 U	0.189	J	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.61	0.0572 U	0.0273 U		
11/04/21	PES			Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.41	0.0572 U	0.0273 U			
03/03/22	PES			Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.31	0.0572 U	0.0273 U			
05/09/22	PES			Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.10	0.0572 U	0.0273 U			
08/11/22	PES			Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	1.22	0.284	0.869	0.0572 U	0.0273 U			
11/02/22	PES			Bladder	-	-	-	0.0160 U	0.0950	J	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.12	0.0572 U	0.0273 U		
05/09/23	PES			Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.1110	J+	0.0160 U	1.13	0.0572 U	0.0273 U		
11/09/23	PES			Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.56	0.0572 U	0.0273 U			
05/24/24	PES	Peristaltic	-	-	-	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	1.26	0.0572 U	0.0273 U					

**Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW-327 (3.6 to -6.3)	Lake Union Park, S end	10/02/19	PES	Bladder	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/17/20	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/09/20	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		07/07/20	PES	Peristaltic	-	-	-	0.0160 U	0.351	0.0212 U	0.191 U	0.260	0.267	0.0580 J	0.0572 U	0.0273 U
		11/09/20	PES	Peristaltic	-	-	-	0.0200 J	0.173 J	0.0340 J	0.219 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/25/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/10/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/04/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/02/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/09/23	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-330 (duplicate) (-0.01 to -10.1) (duplicate)	Valley St ROW, N side	05/14/20	PES	Bladder	31.6 U	-	-	0.0941 U	0.580	0.137 U	0.278 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		05/14/20	PES	Bladder	31.6 U	-	-	0.0941 U	0.547	0.137 U	0.278 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/16/20	PES	Bladder	-	-	-	0.0500	2.49	0.0690 J	0.263	0.0625 J	0.0646	0.0583 J	0.0572 U	0.0273 U
		12/01/20	PES	Bladder	-	-	-	0.0160 U	0.215	0.113	0.801	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		12/01/20	PES	Bladder	-	-	-	0.0200 J	0.212	0.127	0.789	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/25/21	PES	Bladder	-	-	-	0.0160 U	0.202 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/11/21	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0300 J	0.273	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/25/22	PES	Bladder	-	-	-	0.0160 U	0.0900 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		10/31/22	PES	Bladder	-	-	-	0.0160 U	0.107 J	0.0350 J	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		10/31/23	PES	Bladder	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
MW-331 (-4.3 to -14.3)	Alley E of Seattle Roy Aloha Shops	04/24/20	PES	Peristaltic	-	-	-	0.226 J	0.278 U	0.257 J	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.249 J
		07/06/20	PES	Peristaltic	-	-	-	0.0610	0.0500 U	0.0340 J	0.191 U	0.0280 U	0.0160 U	0.046 J	0.0572 U	0.306
		11/06/20	PES	Peristaltic	-	-	-	0.0407	0.230	0.0354 J	0.219 J	0.0280 U	0.0160 U	0.0728 J	0.0572 U	0.264
		05/04/21	PES	Peristaltic	-	-	-	0.0240 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0370 J	0.0572 U	0.339
		11/11/21	PES	Peristaltic	-	-	-	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.218
		05/20/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/01/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.258
		05/09/23	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.027 U
		11/07/23	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.222
		05/21/24	PES	Peristaltic	-	-	-	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	0.347

Table 4
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
MW-333 (-1.5 to -11.5)	900 Roy St, S end	04/29/20	PES	Bladder	–	–	–	0.0941 U	1.08	0.189 J	0.854 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/24/20	PES	Bladder	–	–	–	0.0200 J	0.253	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/05/20	PES	Bladder	–	–	–	0.0160 U	0.253	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/18/21	PES	Peristaltic	–	–	–	0.0160 U	0.0870 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/05/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/31/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/02/22	PES	Peristaltic	–	–	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	0.276 U	0.572 U	0.273 U
MW-344 (13.6 to 3.6)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	–	–	–	0.0160 U	0.0700 J	0.0212 U	0.191 U	0.0920 J	0.0940	8.50	0.0572 U	9.95
		08/18/21	PES	Bladder	–	–	–	0.0160 U	0.0740 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.654	0.0572 U	1.02
		11/18/22	PES	Bladder	–	–	–	0.0370 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.700	620	7.92	942
		11/13/23	PES	Bladder	–	–	–	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	0.900 J	383	5.32	241 J-
MW-351	Roy St ROW	05/09/23	PES	Peristaltic	–	–	–	0.0540	0.229	0.116	0.618	0.415	0.538	10.3	0.0572 U	0.0273 U
		11/09/23	PES	Peristaltic	–	–	–	0.153	0.0500 U	0.0212 U	0.191 U	0.0520 J	1.04	28.0	0.151 J	0.217 J-
		05/24/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.0760 J	0.797	11.0	0.0572 U	0.0273 U
Number of Analytes Measured					54	21	22	478	478	477	478	486	486	486	486	486
Number of Analytes Detected					13	2	0	190	156	61	74	219	255	363	205	279
Frequency of Detection					24%	10%	0%	40%	33%	13%	15%	45%	52%	75%	42%	57%
Maximum Detection					669	–	–	46.6	4.5 J	4.9	6.2 J	24,500	8,050	30,800	129.0	8,610
Minimum Detection					28.9	50 U	100 U	0.0160 U	0.0500 U	0.0212 U	0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
Number of Analytes Detected Above SL					0	0	0	12	0	0	0	124	142	174	1	245
Frequency of Detection Above SL					0%	0%	0%	3%	0%	0%	0%	26%	29%	36%	0%	50%

Notes:

PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.

Detections above the groundwater PCUL level are shown in **bold and highlighted in gray**.

B&V = Black & Veatch

cDCE = cis-1,2-Dichloroethene

DOF = Dalton, Olmsted & Fuglevand, Inc.

DRO = Diesel-range organics

(duplicate) = field duplicate

GeoE = GeoEngineers Inc.

GRO = Gasoline-range organics

HC = Hart Crowser

ORO = Oil-range organics

PCE = Perchloroethylene (Tetrachloroethene)

ROW = right-of-way

SES = SES Strategies, Inc.

TCE = Trichloroethene

tDCE = trans-1,2-Dichloroethene

VC = Vinyl chloride

WW = Windward

Well screen elevations indicated below Sample Location in parentheses.

(–) = unknown screen elevation.

Laboratory and Results Notes:

Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M.

VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.

– = Not analyzed or results not available.

E = Estimated value. The reported range exceeds the calibration range of the analysis.

f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.

g = Estimated value. The reported range exceeds the calibration range of the analysis.

ht = The analysis was performed outside the method or client-specified holding time requirement.

J = The identification of the analyte is acceptable; the reported value is an estimate.

J+ = The result is an estimated quantity, but the result may be biased high.

J- = The result is an estimated quantity, but the result may be biased low.

ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided.

pr = The sample was received with incorrect preservation. The value reported should be considered an estimate.

U = Not detected at or above the laboratory method detection limit (MDL).

qp = Hydrocarbon result partly due to individual peak(s) in quantitation range.

x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis.

z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.

Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021.

Groundwater statistics for GRO exclude "z" qualified data.

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29
Soil zone - Shallow only								2.4	15,000	1,200	320	24	1.4	-	77	0.35
PCUL								5.0	640	700	1,600	5.0	4.0	16	100	0.29
					WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
					ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l
BB-10	Dexter Ave North ROW	11/13/97	B&V	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	ND	ND	ND	ND	ND
BB-13 (--)	Westlake Ave North ROW	06/20/05 05/02/10	B&V SES	Bailer Peristaltic	250 U -	630 U -	630 U -	ND -	ND -	ND -	ND -	ND 1 U	ND 1 U	2.6 1 U	ND 1 U	1.1 0.2 U
BB-14 (--)	North Valley St ROW	06/20/05	B&V	Bailer	300 U	630 U	630 U	-	-	-	-	-	-	-	-	-
FMW-141 (-12.1 to -22.1) (duplicate) (split)	Alley E of Seattle Roy Aloha Shops	07/26/19	Farallon	Unknown	-	-	-	-	-	-	-	30 U	2,800	6,200	30 U	820
		10/30/19	PES	Peristaltic	-	-	-	0.230 J	0.412 U	0.158 U	0.316 U	0.199 U	2.18 J	1,200 J	7.13 J	1,760
		10/30/19	PES	Peristaltic	-	-	-	0.212 J	0.412 U	0.158 U	0.316 U	0.199 U	12.7 J	2,250 J	10.5 J	1,710
		11/11/19	Farallon	Unknown	-	-	-	-	-	-	-	20 U	20 U	3,500	20 U	2,900
		01/14/20	PES	Bladder	-	-	-	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	2.91	414	1.98 J	532
		01/14/20	Farallon	Bladder	-	-	-	-	-	-	-	4.0 U	4.0 U	250	4.0 U	380
		02/17/20	Farallon	Unknown	-	-	-	-	-	-	-	2.0 U	2.0 U	280	2.0 U	240
		03/24/20	Farallon	Unknown	-	-	-	-	-	-	-	10 U	10 U	1,200	10 U	820
		04/27/20	Farallon	Unknown	-	-	-	-	-	-	-	2.0 U	6.5	440		490
		04/28/20	PES	Bladder	-	-	-	0.471 U	1.39 U	0.685 U	0.870 U	1.50 U	3.08	1,300	4.62	468
		05/19/20	Farallon	Unknown	-	-	-	-	-	-	-	20 U	20 U	2,400	20 U	910
		07/22/20	PES	Bladder	-	-	-	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	2.30	790	3.19 J	561
		07/28/20	Farallon	Unknown	-	-	-	-	-	-	-	10 U	10 U	8,100	10 U	780
		09/17/20	Farallon	Unknown	-	-	-	-	-	-	-	4.0 U	4.0 U	600	4.0 U	620
		11/02/20	PES	Bladder	-	-	-	0.0620	0.430	0.0212 U	0.191 U	0.0280 U	0.766	276	1.31	489
		12/03/20	Farallon	Unknown	-	-	-	-	-	-	-	1.0 U	1.0 U	68	1.0 U	190
		02/10/21	Farallon	Unknown	-	-	-	-	-	-	-	1.0 U	1.0 U	120	1.0 U	180
05/03/21	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0800 U	0.508	0.0280 U	0.560	5.41	0.0572 U	0.218		
02/23/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.504	89.6 J+	0.191 J	81.7		
05/09/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.195 J	0.0280 U	0.404	97.3	0.0572 U	50.3		
11/03/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.316	0.848	180	0.375	130		
05/15/23	PES	Peristaltic	-	-	-	0.0390 J	0.1310 J	0.0212 UJ	0.191 UJ	0.028 UJ	0.354 J	166 J	0.311 J	88 J		
11/07/23	PES	Peristaltic	-	-	-	0.0160 U	0.0520 J	0.0212 U	0.191 U	0.0280 U	0.376	95.1	0.203	35.3		
05/22/24	PES	Peristaltic	-	-	-	0.0230 J	0.05 U	0.0212 U	0.191 U	0.028 U	0.250	199	0.326	17.0 J-		

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																							
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC												
HMW-11B (-16.0 to -26.0)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100	U	200	U	500	U	1.0	U	1.0	U	1.0	U	1.0	U	20	6.7	22	1.0	U	0.2	U			
		03/10/20	HC	Unknown	100	U	60	U	300	U	0.20	U	0.20	U	0.20	U	0.40	U	13	5.6	16	0.20	U	0.20	U			
HMW-21B (-5.4 to -15.4)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100	U	200	U	500	U	1.0	U	3.4	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	0.2	U		
		03/12/20	HC	Submersible	100	U	51	U	260	U	0.20	U	0.20	U	0.20	U	0.40	U	0.38	0.20	U	0.59	0.20	U	0.20	U		
HMW-41A (8.7 to -1.3)	Seattle DOT Mercer Parcels, SW quadrant	03/25/19	HC	Peristaltic	100	U	200	U	500	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	3.6	U		
		03/10/20	HC	Submersible	100	U	50	U	250	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	0.41	
HMW-51B (8.7 to -1.3)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100	U	50	U	250	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-61B (8.7 to -1.3)	Seattle DOT Mercer Parcels,, SW quadrant	03/13/20	HC	Submersible	100	U	83	J	250	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-71B (9.0 to -1.0)	Seattle DOT Mercer Parcels, SW quadrant	03/12/20	HC	Submersible	100	U	52	U	260	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-81B (7.5 to -2.5)	Seattle DOT Mercer Parcels, SW quadrant	03/11/20	HC	Submersible	100	U	50	U	250	U	0.20	U	0.22	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-91B (-1.6 to -11.6) (duplicate)	Seattle DOT Mercer Parcels, SW quadrant	03/19/20	HC	Unknown	580	J	60	J	250	U	0.20	U	0.23	U	0.20	U	0.40	U	660	420	9,100	8.3	U	1,900	U			
		01/26/21	PES	Bladder	–	–	–	–	–	–	0.0760	U	0.590	U	0.218	U	1.21	U	32.1	J+	112	3,360	4.24	J+	1,400	U		
		06/02/21	PES	Bladder	–	–	–	–	–	–	1.60	U	5.00	U	2.12	U	19.1	U	16.2	U	81.6	3,060	6.30	J	1,230	U		
		08/18/21	PES	Bladder	–	–	–	–	–	–	1.60	U	5.00	U	2.12	U	19.1	U	16.4	U	87.8	2,990	6.20	J	1,030	U		
		03/31/22	PES	Bladder	–	–	–	–	–	–	0.0560	U	0.178	U	0.0310	J	0.191	U	13.5	J+	79.8	3,260	5.10	U	1,550	U		
		05/24/22	PES	Bladder	–	–	–	–	–	–	0.0420	U	0.210	U	0.0212	U	0.191	U	1.95	U	11.4	2,160	11.2	U	850	U		
		05/24/22	PES	Bladder	–	–	–	–	–	–	0.0520	U	0.278	U	0.0212	U	0.216	J	1.61	U	10.7	2,100	10.8	U	832	U		
		08/01/22	PES	Bladder	–	–	–	–	–	–	0.400	U	1.25	U	0.530	U	4.78	U	0.700	U	2.08	2,190	8.25	U	1,330	U		
		11/09/22	PES	Bladder	–	–	–	–	–	–	0.400	U	1.25	U	0.530	U	4.78	U	0.700	U	0.400	U	119	3.28	J	1,220	U	
		02/23/23	PES	Bladder	–	–	–	–	–	–	0.105	J	0.735	J	0.665	U	2.51	U	0.140	U	0.0800	U	36.7	3.49	U	116	U	
		05/17/23	PES	Bladder	–	–	–	–	–	–	0.160	U	0.500	UJ	0.212	U	1.91	U	0.280	UJ	0.1600	U	17.6	U	0.57	UJ	43.6	UJ
		08/16/23	PES	Bladder	–	–	–	–	–	–	0.0260	J	0.405	U	0.0920	J	0.524	U	0.028	U	0.620	8.86	0.680	U	9.18	U		
		11/13/23	PES	Bladder	–	–	–	–	–	–	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.422	2.88	0.437	U	0.989	J-		
		02/28/24	PES	Bladder	–	–	–	–	–	–	0.0270	J	0.307	U	0.0580	J	0.375	U	0.028	U	0.308	1.76	0.189	J	0.811	J+		
05/29/24	PES	Bladder	–	–	–	–	–	–	0.016	U	0.0520	J	0.0212	U	0.191	U	0.028	U	0.162	5.99	1.79	U	3.55	U				
HMW-111B (-5.2 to -15.2)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100	U	74	J	250	U	0.20	U	0.20	U	0.20	U	0.40	U	6.9	2.5	3.6	0.20	U	0.20	U			
HMW-151B (-5.1 to -14.1)	Seattle DOT Mercer Parcels, SW quadrant	09/16/20	HC	Unknown	100	U	50	U	–	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-161B (2.0 to -8.0)	Seattle DOT Mercer Parcels, NW quadrant	09/18/20	HC	Unknown	100	U	210	U	–	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	3.3	0.20	U	15		

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
MW112 (-17.2 to -27.2)	Dexter Ave N ROW, W side	01/00/00	SES	Bladder	–	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U	
		12/26/13	SES	Bladder	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		03/22/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		06/16/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/12/18	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		12/21/18	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/22/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		07/16/19	PES	Bladder	31.7 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		10/21/19	PES	Bladder	96.6 J	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/24/20	PES	Bladder	31.6 U	–	–	0.0896 U	1.24 U	0.158 U	0.316 U	0.248 J	0.153 U	0.0933 U	0.152 U	0.118 U		
		05/07/20	PES	Bladder	31.6 U	–	–	0.0941 U	0.390 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/27/20	PES	Bladder	–	–	–	0.0160 U	1.93 U	0.0221 J	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/17/20	PES	Bladder	–	–	–	0.0270 J	0.322 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		02/11/21	PES	Bladder	–	–	–	0.0200 J	0.112 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/14/21	PES	Bladder	–	–	–	0.0160 U	0.0600 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		08/17/21	PES	Bladder	–	–	–	0.259 U	2.24 U	0.159 U	0.735 U	0.0280 U	0.0160 U	0.0580 U	0.0572 U	0.0273 U		
		11/08/21	PES	Bladder	–	–	–	0.0270 J	0.0500 U	0.129 U	0.797 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		02/24/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/13/22	PES	Bladder	–	–	–	0.0160 U	0.0570 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		08/09/22	PES	Bladder	–	–	–	0.0320 J	0.122 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
11/08/22	PES	Bladder	–	–	–	0.0160 UJ	0.0500 UJ	0.0212 UJ	0.191 UJ	0.0280 UJ	0.0160 UJ	0.0276 UJ	0.0572 UJ	0.0273 UJ				
05/10/23	PES	Bladder	–	–	–	0.0160 U	0.5190 U	0.0920 J	0.553 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U				
Decommissioned August 2023																		
MW112R	Dexter Ave N ROW, W side	12/04/23	PES	Bladder	–	–	–	0.0160 U	0.197 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/29/24	PES	Bladder	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	0.0273 U		

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-134 (-38.6 to -48.6)	Property, NE quadrant	09/22/17	PES	Bladder	–	–	–	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	0.765 U	86.2	0.760 U	229	
		04/16/18	PES	Peristaltic	42.1 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.49	0.153 U	0.287 J	0.152 U	68.6	
		10/25/18	PES	Bladder	38.2 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	20.9	
		12/12/18	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.259 J	0.152 U	21.9	
		01/28/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.609	0.152 U	32.4	
		03/12/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.550	0.152 U	17.7	
Decommissioned March 2019																	
MW-135 (-30.9 to -40.9)	Property, NE quadrant	09/25/17	PES	Bladder	10,900 zJ+	–	–	8.96 U	41.2 U	15.8 U	31.6 U	10,400	2,480	16,100	15.2 U	82.0 J	
		04/25/18	PES	Peristaltic	347,000 zJ+	–	–	0.434 J	3.09	0.484 J	2.61	75,800	7,890	27,700	30.7	989	
		10/25/18	PES	Peristaltic	31,800 zJ+	–	–	2.24 U	10.3 U	3.95 U	7.90 U	45,900	8,330	40,400	54.4	1,170	
		12/13/18	PES	Peristaltic	80,000 zJ+	–	–	4.48 U	20.6 U	7.90 U	15.8 U	97,200	11,000	42,100	66.6	1,380	
		01/31/19	PES	Bladder	42,700 zJ+	–	–	0.695 J	5.12 J+	0.571 J	3.43 J	56,500	9,530	37,400	68.6	1,090	
		03/13/19	PES	Bladder	32,700 zJ+	–	–	0.496 J	2.43	0.329 J	1.90	57,300	8,150	37,200	74.3	706	
Decommissioned March 2019																	
MW-136 (-32.7 to -42.7) (duplicate)	Property, SW quadrant	09/25/17	PES	Bladder	55.2 U	–	–	0.332 J	0.412 U	0.158 U	0.316 U	15.4	10.7	18.7	0.152 U	0.118 U	
		04/16/18	PES	Submersible	256	–	–	0.260 J	1.83	4.83	25.9	2.59	0.365 J	4.73	0.152 U	8.57	
		10/29/18	PES	Bladder	31.9 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.177 J	1.44	0.152 U	0.236 J	
		12/13/18	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.237 J	0.962	0.152 U	0.118 U	
		02/01/19	PES	Bladder	44.5 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.26	0.293 U	0.851	0.152 U	0.186 J	
		03/12/19	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.206 J	0.153 U	0.330 J	0.152 U	0.118 U	
		03/12/19	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.262 J	0.153 U	0.378 J	0.152 U	0.118 U	
Decommissioned March 2019																	
MW-139 (-30.2 to -40.2)	Property, SE quadrant	09/25/17	PES	Bladder	62.2 U	–	–	0.0896 U	0.516	0.158 U	0.316 U	0.199 U	0.153 U	1.42	0.152 U	0.246 J	
		04/25/18	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.175 J	0.152 U	0.118 U	
		10/25/18	PES	Peristaltic	47.4 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.29	0.282 J	0.454 U	0.152 U	0.118 U	
		12/12/18	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.216 J	0.152 U	0.118 U	
		01/28/19	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		03/11/19	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.187 J	0.152 U	5.77	
Decommissioned March 2019																	

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-143 (-27.7 to -37.76)	8th Ave N ROW, E side	04/30/18	PES	Peristaltic	154	–	–	0.244 J	0.797	0.212 J	1.08 J	0.199 U	0.153 U	129	0.512	193	
		01/29/19	PES	Bladder	31.6 U	–	–	0.141 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.241 J	0.152 U	0.118 U	
		04/24/19	PES	Peristaltic	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ	
		07/19/19	PES	Bladder	31.6	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.309 J	0.152 U	0.118 U	
		10/16/19	PES	Bladder	2,000 zJ+	–	–	0.211 J	0.412 U	0.158 U	0.316 U	2.35	28.0	2,510	11.0	1,180	
		01/22/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.171 J	0.152 U	0.254 J	
		04/24/20	PES	Bladder	88.2 U	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.135 J	0.149 U	0.234 U	
		07/29/20	PES	Bladder	–	–	–	0.0401	1.63	0.0229 J	0.191 U	0.0307 J	0.0167 J	0.0754 J	0.0572 U	0.0273 U	
		11/24/20	PES	Bladder	–	–	–	0.584	0.203	0.0610 U	0.474	0.0280 U	9.64	113	0.633	26.0	
		02/08/21	PES	Peristaltic	–	–	–	0.800 U	3.00 J	1.06 U	9.55 U	1.40 U	0.800 U	3,260	14.1	514 J	
		05/19/21	PES	Bladder	–	–	–	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	4,240	21.6	1,200	
		08/20/21	PES	Bladder	–	–	–	0.106	0.302	0.0212 U	0.191 U	0.0790 J	0.138	635 J-	5.51	1,140 J-	
		12/08/21	PES	Bladder	–	–	–	0.104	0.209	0.171	0.866	0.0280 U	0.0990	339	4.41	723	
		03/08/22	PES	Bladder	–	–	–	0.142	0.268	0.0212 U	0.191 U	0.0280 U	0.146 J+	815	8.54	1,240	
		05/26/22	PES	Bladder	–	–	–	0.160 U	0.500 U	0.212 U	1.91 U	0.280 U	0.160 U	188	3.46	602	
		08/12/22	PES	Bladder	–	–	–	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	491	6.02	1,010	
		11/01/22	PES	Bladder	–	–	–	0.0160 U	0.128 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.100 J	0.0572 U	0.274	
		05/16/23	PES	Peristaltic	–	–	–	0.0750 J	0.183 J	0.0212 UJ	0.191 UJ	0.191 UJ	0.0160 UJ	330 J	5.04 J	524 J+	
		11/07/23	PES	–	–	–	0.0160 U	0.281	0.0710 J	0.421	0.0280 U	0.111	4.12	0.126 J	3.50		
05/24/24	PES	Peristaltic	–	–	–	0.0770	0.128 J	0.0212 U	0.191 U	0.028 U	0.0710	307	5.72	416			
MW-145 (-26.1 to -36.1)	8th Ave N ROW, E side	04/27/18	PES	Bladder	52.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.212 J	2.29	0.152 U	3.88	
		01/29/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.316 J	0.152 U	0.335 J	
		04/26/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.392 J	
		Decommissioned December 2019															
MW-145R (-27.2 to -37.2)	8th Ave N ROW, E side	12/16/19	PES	Bladder	140 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.193 J	0.152 U	0.118 U	
		01/21/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.230 J	0.152 U	0.118 U	
		04/02/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.293 J	0.152 U	0.118 U	
		08/03/20	PES	Bladder	–	–	–	0.0190 J	1.45	0.0460 J	0.191 U	0.0570 J	0.0270 J	0.228	0.0572 UJ	0.0273 U	
		11/23/20	PES	Bladder	–	–	–	0.0160 U	0.0570 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.151	0.0572 U	0.0273 U	
		02/05/21	PES	Peristaltic	–	–	–	0.159	2.79	0.300	1.65	0.0280 U	0.0160 U	0.0680 J	0.0572 U	0.0273 U	
		05/12/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0760 J	0.0572 U	0.0273 U	
		08/23/21	PES	Bladder	–	–	–	0.0400 J	0.570	0.0460 U	0.210	J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ
		08/23/21	PES	Bladder	–	–	–	0.0410	0.576	0.0470 U	0.224	J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ
		11/30/21	PES	Peristaltic	–	–	–	0.0160 U	0.145 J	0.0212 U	0.263	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ	
		03/08/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/11/22	PES	Bladder	–	–	–	0.0160 U	0.254	0.0380 J	0.241	J	0.0280 U	0.0160 U	0.0340 J	0.0572 U	0.0273 U
		08/10/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/02/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/15/23	PES	Bladder	–	–	–	0.0160 U	0.2610	0.0212 U	0.364	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/08/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0940 J	0.273	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
05/22/24	PES	Bladder	–	–	–	0.016 U	0.0610 J	0.0212 U	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	0.0273 U			

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC										
MW-147 (-17.6 to -27.6) (duplicate) (split)	Roy St ROW, S side	05/01/18	PES	Bladder	484	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	19.8	83.4	399	2.09	1,150					
		01/22/19	PES	Bladder	663	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	98.2	179	1,230	2.88	738					
		04/23/19	PES	Bladder	139	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	UJ	0.199	U	5.13	322	1.47	499				
		07/18/19	PES	Bladder	175	zJ+	–	–	0.0896	U	0.412	U	3.16	U	6.32	U	0.199	U	4.79	219	2.49	446				
		07/18/19	PES	Bladder	170	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	4.72	286	2.12	425				
		10/14/19	PES	Bladder	513	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	3.38	597	2.91	1,410				
		01/24/20	PES	Bladder	1,200	zJ+	–	–	2.24	U	10.3	U	3.95	U	7.90	U	4.98	U	4.63	J	1,100	3.80	U	1,340		
		04/29/20	PES	Bladder	1,150	zJ+	–	–	2.35	U	6.95	U	3.43	U	4.35	U	7.50	U	5.10	J	2,410	3.90	J	3,470		
		07/09/20	PES	Bladder	–	–	–	–	0.0890	–	3.52	–	0.0212	U	0.191	U	4.29	–	12.4	–	2,220	11.9	–	6,970		
		11/10/20	PES	Bladder	2,930	zJ+	–	–	1.60	U	5.00	U	2.12	U	19.1	U	2.80	U	4.73	–	3,740	9.23	J	7,290		
		11/10/20	HC	Bladder	100	U	50	U	250	U	170	U	500	U	500	U	500	U	500	U	3,500	500	U	7,400		
		02/09/21	PES	Bladder	–	–	–	–	0.800	U	2.50	U	1.06	U	9.55	U	1.40	U	9.90	–	1,750	7.80	J	3,450	J	
		05/04/21	PES	Bladder	–	–	–	–	1.60	U	5.00	U	2.12	U	19.1	U	2.80	U	3.00	J	1,300	5.72	U	2,200		
		08/20/21	PES	Bladder	–	–	–	–	0.0390	J	0.108	J	0.0212	U	0.191	U	0.0280	U	0.0320	J	24.0	1.73	–	348	J-	
		11/09/21	PES	Bladder	–	–	–	–	0.0700	–	0.0590	J	0.124	–	0.737	–	0.0280	U	3.48	–	1,800	5.73	–	2,880		
		02/18/22	PES	Bladder	–	–	–	–	0.0520	–	0.110	U	0.0212	U	0.191	U	0.0280	U	0.426	–	275	2.36	–	383		
		05/03/22	PES	Bladder	–	–	–	–	0.160	U	0.500	U	0.212	U	1.91	U	0.280	U	0.250	J	121	2.31	–	273		
		08/10/22	PES	Bladder	–	–	–	–	0.0390	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.340	–	93.7	1.89	–	231		
		11/03/22	PES	Bladder	–	–	–	–	0.0430	–	0.127	U	0.0320	J	0.191	U	0.0280	U	0.116	–	72.7	2.06	–	146		
		05/12/23	PES	Bladder	–	–	–	–	0.0160	U	0.050	U	0.0212	U	0.191	U	0.0650	J	0.066	–	18.3	0.33	–	108		
11/10/23	PES	Bladder	–	–	–	–	0.0200	J	0.0720	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.921	0.0572	U	6.62				
06/04/24	PES	Bladder	–	–	–	–	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	7.24	0.124	J	14.2				
MW-148 (duplicate) (-25.7 to -35.7)	Roy St ROW, S side	05/01/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		05/01/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.216	J	0.152	U	0.118	U
		01/23/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.24	–	0.347	J	0.0933	U	0.152	U	0.118	U
		04/26/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.277	J
		07/22/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.415	U	0.153	U	0.0933	U	0.152	U	0.253	J
		10/16/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.463	J
		01/20/20	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.163	J	0.0933	U	0.152	U	0.305	J
		04/30/20	PES	Bladder	36.8	J	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/15/20	PES	Bladder	–	–	–	–	0.0160	U	1.32	–	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.224	–
		11/11/20	PES	Bladder	–	–	–	–	0.0160	U	0.310	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		08/13/21	PES	Peristaltic	–	–	–	–	0.0570	–	0.569	–	0.0640	J	0.246	J	0.0280	U	0.0160	U	0.0630	U	0.0572	U	0.516	–
		12/07/21	PES	Bladder	–	–	–	–	0.0160	U	0.0600	U	0.0810	J	0.450	–	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.520	–
		02/25/22	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.657	–
		05/05/22	PES	Bladder	–	–	–	–	0.0210	J	0.184	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.792	–
		08/10/22	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.841	–
		11/04/22	PES	Bladder	–	–	–	–	0.0160	U	0.0850	J	0.0212	U	0.191	U	0.0400	J	0.0360	J	0.0720	J	0.0572	U	0.480	–
		05/09/23	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.200	J	0.0280	U	0.0260	J	0.0276	U	0.0572	U	0.641	–
11/09/23	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.154	J-		
05/28/24	PES	Peristaltic	–	–	–	–	0.0310	J	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.0276	U	0.0572	U	0.0273	U		

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-150 (-13.3 to -23.3)	Property, NE quadrant	04/10/18	PES	Peristaltic	7,040 zJ+	–	–	22.4 U	1.63	39.5 U	79.0 U	2,500	3,200	9,710	21.1	766	
		10/25/18	PES	Peristaltic	14,600 zJ+	–	–	0.413 J	2.53	0.226 J	1.13 J	15,200	8,800	17,700	49.7	1,430	
		12/12/18	PES	Peristaltic	17,500 zJ+	–	–	0.429 J	1.04	0.158 U	0.316 U	75.6	533	32,800	242	2,040	
		01/29/19	PES	Peristaltic	11,900 zJ+	–	–	8.96 U	41.2 U	15.8 U	31.6 U	303	548	18,100	36.7 J	1,370	
		03/13/19	PES	Peristaltic	7,540 zJ+	–	–	0.165 J	0.412 U	0.185 J	0.316 U	36.0	262	15,000	50.5	479	
Decommissioned March 2019																	
MW-152 (-10.2 to -20.2)	Property, SW quadrant	04/10/18	PES	Peristaltic	40,600 zJ+	–	–	224 U	8.24 U	3.27 J	790 U	67,300	6,550	35,300	42.1	3,660	
		10/26/18	PES	Peristaltic	36,700 zJ+	–	–	4.48 U	20.6 U	7.90 U	15.8 U	1,960	3,150	73,000	109	4,510	
		12/14/18	PES	Peristaltic	47,300 zJ+	–	–	2.24 U	10.3 U	3.95 U	7.90 U	23,600 J+	6,870 J+	77,100 J+	134 J+	7,830 J+	
		01/31/19	PES	Peristaltic	44,300 zJ+	–	–	0.416 J	2.61 J+	0.342 J	2.10	38,300	3,920	58,400	101	9,600	
		03/12/19	PES	Peristaltic	55,900 zJ+	–	–	2.24 U	10.3 U	3.95 U	7.90 U	398 U	18,700	127,000	781	11,000	
Decommissioned March 2019																	
MW-157 (-28.3 to -38.2)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	65.7 J	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.950	0.240 J	10.4	0.246 J	104	
		01/24/19	PES	Peristaltic	1,870 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	1.65	4,250	14.2	674	
		04/24/19	PES	Peristaltic	3,210 zJ+	–	–	0.254 J	0.412 U	0.158 U	0.316 U	9.95 U	8.52 J	3,550	15.9	622	
		07/22/19	PES	Bladder	3,880 zJ+	–	–	0.327 J	0.412 U	0.158 U	0.316 U	19.9 U	27.6	4,530	18.4	666	
		10/16/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.561	0.158 U	0.316 U	0.199 U	0.153 U	0.188 J	0.152 U	0.118 U	
		01/20/20	PES	Bladder	1,650 zJ+	–	–	0.308 J	0.412 U	0.158 U	0.316 U	39.4	109	2,040	8.95	941	
		04/24/20	PES	Bladder	756 zJ+	–	–	1.88 U	5.56 U	2.74 U	3.48 U	6.00 U	3.80 U	1,040	8.86 J	980	
		07/15/20	PES	Bladder	–	–	–	0.480 J	1.00 U	0.424 U	3.82 U	0.560 U	3.06	888	7.20	668	
		11/23/20	PES	Bladder	–	–	–	0.740 U	1.00 U	0.424 U	3.82 U	3.04	24.7	2,770	9.98	528	
MW-190 (-30.2 to -40.2)	Valley St ROW, S side	10/14/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	7.78	0.152 U	0.994	
		01/23/20	PES	Bladder	31.6 U	–	–	0.150 J	1.57	0.158 U	0.344 J	0.199 U	0.153 U	0.389 J	0.152 U	0.118 U	
		04/02/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	2.13	0.152 U	1.81	
		08/04/20	PES	Bladder	–	–	–	0.0270 J	2.09	0.0330 J	0.191 U	0.0280 U	0.0160 U	1.74	0.0572 UJ	3.77 J	
		11/18/20	PES	Bladder	–	–	–	0.0160 U	0.0820 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	21.8	0.0572 U	64.9	
		02/03/21	PES	Bladder	–	–	–	0.0160 U	0.164 J	0.0450 J	0.252 J	0.0280 U	0.0160 U	12.5	0.0572 U	68.4	
		05/14/21	PES	Bladder	–	–	–	0.0160 U	0.149 U	0.0330 J	0.195 J	0.0280 U	0.0160 U	8.12	0.0572 U	32.2	
		08/11/21	PES	Peristaltic	–	–	–	0.0310 J	0.834	0.122	0.669	0.0280 U	0.0160 U	6.60	0.0572 U	34.5	
		11/30/21	PES	Bladder	–	–	–	0.0160 U	0.131 J	0.156	0.859	0.0280 U	0.0160 U	19.3	0.0572 U	56.1 J+	
		03/04/22	PES	Bladder	–	–	–	0.0160 U	0.116 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	43.3	0.0670 J	74.3	
		05/10/22	PES	Bladder	–	–	–	0.0160 U	0.527	0.0212 U	0.338	0.0280 U	0.0160 U	6.40	0.0572 U	23.3	
		08/11/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.982	0.202	37.8	0.0572 U	54.7	
		10/31/22	PES	Bladder	–	–	–	0.0160 U	0.122 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	78.7	0.0980 J	64.4	
		05/12/23	PES	Bladder	–	–	–	0.0160 U	0.050 U	0.0212 U	0.191 U	0.0790 J	0.0160 U	148.0	0.1090 J	111.0	
		11/06/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	78.8	0.0960 J	64.8	
05/23/24	PES	Peristaltic	–	–	–	0.016 U	0.0510 J	0.0212 U	0.191 U	0.028 U	0.016 U	79.5	0.105 J	58.5			

**Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC										
MW-303 (-13.8 to -23.8)	Dexter Ave N ROW, E side	10/21/19	PES	Submersible	99.6	J	–	–	0.0896	U	1.63	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		01/24/20	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.313	J	0.153	J	0.0933	U	0.152	U	0.118	U
		05/07/20	PES	Bladder	41.5	J	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/27/20	PES	Bladder	–	–	–	–	0.0160	U	1.56	0.0263	J	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		11/17/20	PES	Bladder	–	–	–	–	0.0160	U	0.0750	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/18/21	PES	Bladder	–	–	–	–	0.0160	U	0.240	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		11/09/21	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.144	0.749	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		05/25/22	PES	Bladder	–	–	–	–	0.0160	U	0.0680	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/08/22	PES	Peristaltic	–	–	–	–	0.0160	UJ	0.0500	UJ	0.0212	UJ	0.191	UJ	0.0280	UJ	0.0160	UJ	0.0276	UJ	0.0572	UJ	0.0273	UJ
		10/31/23	PES	Bladder	–	–	–	–	0.0160	U	0.290	0.0430	J	0.331	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
MW-307 (-12.4 to -22.4)	Roy St ROW, S side	10/11/19	PES	Bladder	31.6	U	–	–	0.0896	U	1.05	0.158	U	0.316	U	0.199	U	0.153	U	0.935	0.152	U	0.289	J		
		01/15/20	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.172	J	0.152	U	0.118	U
		04/28/20	PES	Bladder	146	zJ+	–	–	0.172	J	0.452	J	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/29/20	PES	Bladder	–	–	–	–	0.0211	J	0.780	0.0212	U	0.191	U	0.0492	J	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		11/06/20	PES	Bladder	–	–	–	–	0.0160	U	0.427	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		05/18/21	PES	Bladder	–	–	–	–	0.0160	U	0.272	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		12/03/21	PES	Bladder	–	–	–	–	0.0300	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/26/22	PES	Bladder	–	–	–	–	0.0160	U	0.132	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/04/22	PES	Bladder	–	–	–	–	1.03	0.0770	J	0.0212	U	0.191	U	0.274	0.0490	0.146	0.0572	U	0.0273	U				
		11/10/23	PES	Bladder	–	–	–	–	0.0760	0.264	0.100	J	0.619	0.0640	J	0.0160	J	0.0380	J	0.0572	U	0.0273	U			
MW-309 (-32.0 to -42.0)	Alley E of Seattle Roy Aloha Shops	10/14/19	PES	Peristaltic	–	–	–	–	0.295	J	2.01	0.158	U	0.316	U	1.11	0.497	J	1.47	0.152	U	6.37				
		01/16/20	PES	Peristaltic	–	–	–	–	0.585	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.487	J	0.152	U	12.6		
		04/08/20	PES	Peristaltic	–	–	–	–	1.92	0.412	U	0.239	J	0.316	U	0.199	U	0.153	U	0.231	J	0.152	U	12.6		
		07/06/20	PES	Peristaltic	–	–	–	–	0.524	0.0500	U	0.0640	J	0.191	U	0.0930	J	0.0160	U	0.170	0.0572	U	16.0			
		11/06/20	PES	Peristaltic	–	–	–	–	0.473	0.0500	U	0.0388	J	0.191	U	0.0726	J	0.0160	U	0.187	0.0572	U	10.5			
		05/04/21	PES	Peristaltic	–	–	–	–	0.252	0.0500	U	0.0212	U	0.191	U	0.0370	J	0.0160	U	0.212	0.0572	U	13.1			
		11/11/21	PES	Peristaltic	–	–	–	–	0.241	0.0500	U	0.0212	U	0.191	U	0.0500	J	0.0160	U	0.115	0.0572	U	14.6			
		05/19/22	PES	Peristaltic	–	–	–	–	0.232	0.0500	U	0.0212	U	0.191	U	0.0620	J	0.0160	U	0.239	0.0572	U	10.1			
		11/01/22	PES	Peristaltic	–	–	–	–	0.351	0.107	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.255	0.0572	U	13.1			
		05/12/23	PES	Peristaltic	–	–	–	–	0.016	U	0.050	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/07/23	PES	Peristaltic	–	–	–	–	0.274	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.261	0.0572	U	12.0			
		05/21/24	PES	Peristaltic	–	–	–	–	0.0780	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.0276	U	0.0572	U	0.651		

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
MW-311 (-29.1 to -39.1)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	20.4	46.1	173	0.221 J	25.1
		01/14/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.99	11.4	75.0	0.204 J	13.6
		04/23/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.624	45.8	0.149 U	10.9
		07/16/20	PES	Bladder	–	–	–	0.0650	3.39	0.0212 U	0.191 U	0.0470 J	0.334	5.24	0.144 J	24.0
		11/04/20	PES	Bladder	–	–	–	0.0287 J	0.578	0.0319 J	0.191 U	0.169	0.524	2.66	0.0593 J	13.5
		05/03/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0510 U	0.249 J	0.0660 J	0.361	0.981	0.0572 U	4.68
		11/04/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0690 J	0.287	0.418	0.0572 U	2.71
		05/09/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.247	0.336	0.0572 U	0.346
		11/01/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.162	0.267	0.0572 U	1.37
		05/15/23	PES	Peristaltic	–	–	–	0.0160 UJ	0.0730 J	0.0212 UJ	0.191 UJ	0.0280 UJ	0.107 J	0.112 J	0.0572 UJ	1.46 J
		11/07/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0690	0.0650 J	0.0572 U	0.805
05/21/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.108	0.160	0.0572 U	1.28		
MW-314 (-28.0 to -38.0) (duplicate)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	26.1	106	491	1.63	43.6
		01/15/20	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	22.7	98.3	596	2.12	17.9
		01/15/20	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	19.8	88.5	569	1.85	17.9
		04/22/20	PES	Bladder	–	–	–	0.941 U	2.78 U	1.37 U	1.74 U	3.00 U	229	3,190	14.8	410
		07/16/20	PES	Bladder	–	–	–	1.60 U	5.00 U	2.12 U	19.1 U	4.20 J	313	4,020	22.3	442
		11/04/20	PES	Bladder	–	–	–	1.60 U	5.00 U	2.12 U	19.1 U	13.2	807	4,240	16.4 J	360
		05/03/21	PES	Bladder	–	–	–	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	54.5	977	3.15 J	42.9
		12/03/21	PES	Bladder	–	–	–	0.0390 J	0.0500 U	0.0540 J	0.335	8.27	59.5	639	2.43	38.1
		12/03/21	PES	Bladder	–	–	–	0.160 U	0.500 U	0.212 U	1.91 U	6.79	52.5	582	2.62	31.5
		05/18/22	PES	Bladder	–	–	–	0.0290 J	0.0500 U	0.0212 U	0.191 U	7.78	63.1	800	3.08	49.1
		11/01/22	PES	Bladder	–	–	–	0.0160 U	0.198 J	0.0212 U	0.191 U	2.85	44.7	576 J	2.77	32.0
		05/15/23	PES	Bladder	–	–	–	0.0320 J	0.050 U	0.0212 U	0.191 U	5.34	39.0	634	2.55	71.6
		11/07/23	PES	Bladder	–	–	–	0.320 U	1.00 U	0.424 U	3.82 U	3.68	26.8	429	2.10 J	13.2
		05/22/24	PES	Bladder	–	–	–	0.016 U	0.0800 J	0.0212 U	0.191 U	0.0390 J	0.802	9.06	0.0900 J	0.691 J-
MW-316 (-10.0 to -20.0)	Mercer St ROW, N side	10/02/19	PES	Bladder	–	–	–	0.0896 U	0.570	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		01/16/20	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
		04/21/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/24/20	PES	Bladder	–	–	–	0.0250 J	0.362	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/02/20	PES	Bladder	–	–	–	0.0190 J	0.120 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/17/21	PES	Bladder	–	–	–	0.0160 U	0.220	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/05/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.119	0.690	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		05/09/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0340 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/02/22	PES	Bladder	–	–	–	0.0160 U	0.0830 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		11/08/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-318 (-23.1 to -33.1)	9th Ave N ROW, W side	10/08/19	PES	Bladder	–	–	–	5.75	0.495 J	0.158 U	U	0.316 U	0.199 U	0.153 U	6.52	0.152 U	8.65
		01/16/20	PES	Peristaltic	–	–	–	25.4	0.519	0.158 U	U	0.316 U	0.199 U	0.153 U	9.86	0.152 U	31.0
		04/27/20	PES	Bladder	–	–	–	22.6	0.278 U	0.137 U	U	0.174 U	0.300 U	0.190 U	2.08	0.149 U	3.84
		07/30/20	PES	Bladder	–	–	–	5.79	0.117 J	0.0775 J	U	0.191 U	0.0280 U	0.0160 U	0.525 J	0.0572 UJ	0.941
		11/12/20	PES	Bladder	–	–	–	4.20	0.224 J-	0.0212 U	U	0.229 J	0.0280 U	0.0160 U	0.499	0.0572 U	0.865 J+
		05/19/21	PES	Peristaltic	–	–	–	3.97	0.108 U	0.0212 U	U	0.257 J	0.0280 U	0.0160 U	0.570	0.0572 U	1.56
		11/12/21	PES	Peristaltic	–	–	–	6.15	0.0760 J	0.0212 U	U	0.201 J	0.0280 U	0.0160 U	0.489	0.0572 U	1.75
		05/27/22	PES	Peristaltic	–	–	–	20.3	0.0670 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	1.10	0.0572 U	32.7 J+
		11/01/22	PES	Peristaltic	–	–	–	50.1	0.189 J	0.0212 U	U	0.210 J	0.0280 U	0.0160 U	5.50	0.0572 U	46.1
		05/16/23	PES	Peristaltic	–	–	–	56.1 J	0.199 J	0.0212 UJ	UJ	0.191 UJ	0.0280 UJ	0.0160 UJ	4.56 J	0.0710 J	51.1 J
		11/08/23	PES	Peristaltic	–	–	–	42.2	0.179 J	0.0212 U	U	0.243 J	0.0280 U	0.0160 U	3.20	0.0610 J	18.7
05/22/24	PES	Peristaltic	–	–	–	54.3	0.330	0.0212 U	U	0.282	0.028 U	0.016 U	2.45 J-	0.0690 J	25.4 J-		
MW-322 (-21.3 to -31.3)	9th Ave N ROW, W side	10/07/19	PES	Peristaltic	–	–	–	7.12	0.612	0.158 U	U	0.316 U	0.699	21.0	497	1.17	268
		01/21/20	PES	Peristaltic	–	–	–	7.41	0.955	0.158 U	U	0.316 U	0.218 J	8.62	2,740	6.06	221
		04/29/20	PES	Bladder	–	–	–	15.5 J	27.8 U	13.7 U	U	17.4 U	30.0 U	661	1,510	14.9 U	280
		07/07/20	PES	Bladder	–	–	–	28.8	0.970 J	0.212 U	U	1.91 U	117	494	547	3.91	123
		11/24/20	PES	Bladder	–	–	–	23.9	0.550 U	0.212 U	U	1.91 U	3.35	70.9	257	1.35 J	41.2
		05/19/21	PES	Peristaltic	–	–	–	22.4	0.500 U	0.212 U	U	1.91 U	8.80	259	496	2.41	43.0
		11/09/21	PES	Peristaltic	–	–	–	29.3	0.308	0.0212 U	U	0.191 U	1.55	137	471	2.28	136
		06/08/22	PES	Peristaltic	–	–	–	9.54	0.690 U	0.212 U	U	1.91 U	0.280 U	1.45	502	1.61 J	112
		11/03/22	PES	Peristaltic	–	–	–	11.8	0.313	0.0212 U	U	0.191 U	0.315	0.892	598	2.60	243
		05/17/23	PES	Peristaltic	–	–	–	5.1 J	1.000 UJ	0.4240 UJ	UJ	3.820 UJ	0.560 UJ	1.08 J	729 J	2.64 J	111 J
		11/08/23	PES	Peristaltic	–	–	–	4.19	0.0940 J	0.0212 U	U	0.191 U	0.0280 U	0.512	622	3.76	43.0
		05/22/24	PES	Peristaltic	–	–	–	2.56	0.0870 J	0.0212 U	U	0.191 U	0.028 U	0.359	602	2.79	62.7 J-
		MW-334 (-21.7 to -31.7)	900 Roy St, S end	04/24/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	U	0.174 U	0.300 U	0.190 U	0.126 U
07/07/20	PES			Bladder	–	–	–	0.0160 U	1.61	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/05/20	PES			Bladder	–	–	–	0.0160 U	0.195 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
05/13/21	PES			Peristaltic	–	–	–	0.0160 U	0.143 J	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/05/21	PES			Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
05/31/22	PES			Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/03/22	PES			Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
11/09/23	PES			Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-335 (-25.6 to -35.6)	Mercer St ROW, N side	05/01/20	PES	Bladder	–	–	–	0.113 J	0.278 U	0.137 U	0.174 U	295	294	138	1.11	0.234 U	
		07/08/20	PES	Bladder	–	–	–	0.160 U	1.40 J	0.212 U	1.91 U	203	215	89.2	0.572 U	0.273 U	
		11/02/20	PES	Bladder	–	–	–	0.380 J	0.500 U	0.212 U	1.91 U	235 J	302	1,160	3.16	5.08	
		02/10/21	PES	Bladder	–	–	–	0.790	0.500 U	0.212 U	1.91 U	135	230	1,350	6.34	0.273 U	
		05/26/21	PES	Peristaltic	–	–	–	0.930	0.500 U	0.212 U	1.91 U	58.2	131 J+	1,490	4.06	0.273 U	
		08/11/21	PES	Peristaltic	–	–	–	1.56	0.0500 U	0.0212 U	0.191 U	67.5	134	1,960	4.05	0.551	
		11/17/21	PES	Peristaltic	–	–	–	1.63	0.0500 U	0.0212 U	0.191 U	104	198	2,770	3.59	2.73 U	
		03/02/22	PES	Peristaltic	–	–	–	1.60 U	5.00 U	2.12 U	19.1 U	166	262	818 J+	5.72 U	2.73 U	
		05/31/22	PES	Peristaltic	–	–	–	1.60 U	5.00 U	2.12 U	19.1 U	154	204	540	5.72 U	2.73 U	
		08/10/22	PES	Peristaltic	–	–	–	0.410	0.500 U	0.212 U	1.91 U	133	173	369	1.67 J	0.273 U	
		11/03/22	PES	Peristaltic	–	–	–	0.278	0.0500 U	0.0212 U	0.191 U	125	220	512	1.66	0.273 U	
		05/19/23	PES	Peristaltic	–	–	–	0.160 U	0.5000 U	0.2120 U	1.910 U	143	155	199	0.57 U	0.273 U	
		11/09/23	PES	Peristaltic	–	–	–	0.160 U	0.500 U	0.212 U	1.91 U	106	154	293	4.56	0.273 UJ	
		05/24/24	PES	Peristaltic	–	–	–	0.0990	0.05 U	0.0212 U	0.191 U	90.6 J	102 J	110 J	0.779	0.112	
MW-338 (-16.6 to -26.6)	Lake Union Park, N end	05/07/20	PES	Peristaltic	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/23/20	PES	Peristaltic	–	–	–	0.0160 U	1.16	0.0720 J	0.617	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/10/20	PES	Peristaltic	–	–	–	0.0160 U	0.0500 UJ	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/04/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/17/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/04/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/08/23	PES	Peristaltic	–	–	–	0.0210 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0840 J	
MW-340 (-16.1 to -26.1)	Lake Union Park, S end	05/12/20	PES	Peristaltic	–	–	–	0.0941 U	0.428 J	0.137 U	0.635 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/17/20	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 UJ	0.0572 U	0.0273 U	
		11/09/20	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/13/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/10/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		05/04/22	PES	Peristaltic	–	–	–	0.0160 U	0.0580 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.131 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		11/09/23	PES	Peristaltic	–	–	–	0.0160 U	0.143 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 UJ	
MW-345 (-1.6 to -11.6)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	–	–	–	0.0160 U	0.176 J	0.0212 U	0.191 U	0.717	0.456	13.9	0.0600 J	8.76	
		08/18/21	PES	Bladder	–	–	–	0.191	1.99	0.192	1.15	0.0940 J	0.213	4.00	0.0572 U	2.90	
		11/18/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0770	2.12	0.0650 J	18.3	
		11/13/23	PES	Bladder	–	–	–	0.016 U	0.0580 J	0.0212 U	0.191 U	0.028 U	0.0480	5.93	0.132 J	54.7 J-	

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-346 (duplicate) (-2.2 to -12.2)	Seattle DOT Mercer Parcels NW quadrant	06/02/21	PES	Bladder	–	–	–	0.0290 J	0.206	0.0212 U	0.191 U	25.3	6.09	18.1	0.0572 U	1.90	
		06/02/21	PES	Bladder	–	–	–	0.0290 J	0.194 J	0.0212 U	0.191 U	25.1	6.16	18.3	0.0572 U	1.93	
		08/18/21	PES	Bladder	–	–	–	0.0280 J	0.0860 J	0.0212 U	0.191 U	1.58	0.646	24.7	0.0880 J	1.11	
		03/31/22	PES	Bladder	–	–	–	0.0160 U	0.124 U	0.0212 U	0.191 U	0.228 J+	1.04	3.49	0.0572 U	1.04	
		05/24/22	PES	Bladder	–	–	–	0.0160 U	0.0690 J	0.0212 U	0.191 U	0.0640 J	0.921	4.18	0.0572 U	2.08	
		08/02/22	PES	Bladder	–	–	–	0.0940	2.17	0.168	0.825	0.0280 U	0.498	3.42	0.0572 U	2.47	
		11/10/22	PES	Bladder	–	–	–	0.0160 U	0.216	0.0212 U	0.191 U	0.0280 U	0.570	2.68	0.0572 U	1.54	
		02/23/23	PES	Bladder	–	–	–	0.0160 U	0.0820 J	0.0212 U	0.191 U	0.0280 U	0.624	3.10	0.0572 U	2.04	
		(duplicate)	02/23/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.794	3.25	0.0572 U	2.12
		(duplicate)	05/16/23	PES	Bladder	–	–	–	0.0160 U	0.4480	0.0400 J	0.310	0.0370 J	0.464	2.05	0.0572 U	2.01
		(duplicate)	05/16/23	PES	Bladder	–	–	–	0.0160 U	0.3430	0.0500 J	0.284	0.0280 U	0.432	1.97	0.0572 U	1.77
		(duplicate)	08/15/23	PES	Bladder	–	–	–	0.016 U	0.336	0.0800 J	0.420	0.028 U	0.504	2.31	0.0572 U	2.11
		(duplicate)	08/15/23	PES	Bladder	–	–	–	0.016 U	0.276	0.052 J	0.372	0.0440 J	0.574	2.36	0.0572 U	1.61
		(duplicate)	11/08/23	PES	Bladder	–	–	–	0.0480	0.140 J	0.0212 U	0.191 U	0.0710 J	0.319	1.82	0.0572 U	0.423
		(duplicate)	02/27/24	PES	Bladder	–	–	–	0.016 U	0.102 J	0.0212 U	0.191 U	0.0800 J	0.262	0.836	0.0572 U	0.463
		(duplicate)	02/27/24	PES	Bladder	–	–	–	0.016 U	0.0980 J	0.0212 U	0.191 U	0.0660 J	0.198	0.872	0.0572 U	0.492
		(duplicate)	05/28/24	PES	Bladder	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.106	0.0520	0.528	0.0572 U	0.0273 U
(duplicate)	05/28/24	PES	Bladder	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.0850 J	0.0620	0.447	0.0572 U	0.0273 U		
MW-347 (-1.3 to -11.3)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	–	–	–	0.0300 J	0.346	0.0212 U	0.191 U	5.19	3.83	123	0.291	66.9	
		08/19/21	PES	Bladder	–	–	–	0.0510	0.164 J	0.0310 J	0.191 U	7.46	4.72	100	0.807	25.7	
		03/31/22	PES	Bladder	–	–	–	0.0340 J	0.121 U	0.0330 J	0.191 U	25.8 J+	50.3	290	0.998	130	
		(duplicate)	03/31/22	PES	Bladder	–	–	–	0.0220 J	0.109 U	0.0212 U	0.191 U	27.2 J+	40.4	280	0.915	150
		05/26/22	PES	Bladder	–	–	–	0.0160 U	0.0770 U	0.0212 U	0.191 U	0.0770 J	0.225	148	0.556	68.0	
		08/02/22	PES	Bladder	–	–	–	0.0290 J	0.497	0.0770 J	0.636	0.0280 U	0.0160 U	30.6	0.219	58.3	
		11/10/22	PES	Bladder	–	–	–	0.0160 U	0.0760 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	15.8	0.134 J	28.7	
		02/23/23	PES	Bladder	–	–	–	0.0160 U	0.327	0.183	1.05	0.0280 U	0.0160 U	3.78	0.0572 U	9.64	
		05/16/23	PES	Bladder	–	–	–	0.0160 U	0.561	0.074 J	0.52	0.0280 U	0.1890	2.70	0.0572 U	12.6	
		08/15/23	PES	Bladder	–	–	–	0.016 U	0.055 U	0.0212 U	0.191 U	0.0970 J	0.231	1.61	0.0572 U	10.5	
		11/10/23	PES	Bladder	–	–	–	0.016 U	0.0530 J	0.0212 U	0.191 U	0.028 U	0.124	0.889	0.0572 U	8.19	
MW-347		02/27/24	PES	Bladder	–	–	–	0.016 U	0.106 J	0.0212 U	0.191 U	0.217	0.148	1.43	0.0572 U	0.670	
		05/29/24	PES	Bladder	–	–	–	0.0280 J	0.05 U	0.0212 U	0.191 U	0.143 J+	0.476	3.46	0.0630 J	10.7	

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-348 (-4.6 to -14.6) (duplicate)	Seattle DOT Mercer Parcels SW quadrant	06/01/21	PES	Bladder	–	–	–	0.0190 J	0.170 J	0.0212 U	0.191 U	12.6	8.62	104	0.107 J	55.4	
		08/19/21	PES	Bladder	–	–	–	0.0190 J	0.0680 J	0.0212 U	0.191 U	5.38	7.77	68.2	0.0572 U	45.5	
		08/19/21	PES	Bladder	–	–	–	0.0270 J	0.0680 J	0.0212 U	0.191 U	5.41	8.30	66.6	0.0660 J	45.7	
		03/31/22	PES	Bladder	–	–	–	0.0340 J	0.165 U	0.0320 J	0.191 U	14.4 J+	19.6	318	0.0790 J	252	
		05/26/22	PES	Bladder	–	–	–	0.0460	0.0950 U	0.0212 U	0.191 U	6.62	14.0	160	0.150 J	126	
		08/01/22	PES	Bladder	–	–	–	0.160 U	1.51 J	0.212 U	1.91 U	0.280 U	2.38	167	1.15 J	123	
		11/10/22	PES	Bladder	–	–	–	1.78	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	49.4	1.14 U	13.9	
		03/13/23	PES	Bladder	–	–	–	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	166	1.14 U	145	
		05/17/23	PES	Bladder	–	–	–	0.160 U	0.68 UJ	0.212 U	1.91 U	0.280 UJ	0.160 UJ	95.6	0.57 U	111	
		08/16/23	PES	Bladder	–	–	–	0.0240 J	0.481	0.128	0.707	0.028 U	0.250	76.1	0.0720 J	136	
		11/14/23	PES	Bladder	–	–	–	0.0170 J	1.07	0.0260 J	0.191 U	0.028 U	0.164	12.9	0.0572 U	117	
		02/27/24	PES	Bladder	–	–	–	0.16 U	0.5 U	0.212 U	1.91 U	0.28 U	0.16 U	7.17	0.572 U	59.9	
05/28/24	PES	Bladder	–	–	–	0.0210 J	0.05 U	0.0212 U	0.191 U	0.028 U	0.165	6.90	0.0572 U	17.4			
MW-349 (-2.8 to -12.8)	Seattle DOT Mercer Parcels SW quadrant	06/01/21	PES	Bladder	–	–	–	0.0160 U	2.60	0.0400 J	0.191 J	0.611	0.474	7.23	0.0572 U	11.6	
		08/19/21	PES	Bladder	–	–	–	0.0160 U	0.168 J	0.0212 U	0.191 U	0.326	0.288	5.13	0.0572 U	17.6	
		03/30/22	PES	Bladder	–	–	–	0.0290 J	0.836	0.243	1.33	0.0280 U	0.319	47.1	0.0572 U	68.0	
		05/26/22	PES	Bladder	–	–	–	0.0160 U	0.312	0.0212 U	0.191 U	0.105	0.146	23.0	0.0572 U	30.9	
		08/01/22	PES	Bladder	–	–	–	0.0380 J	1.27	0.151	0.817	0.126	0.203	12.8	0.0572 U	23.2	
		11/08/22	PES	Bladder	–	–	–	0.0160 UJ	0.702 J	0.0212 UJ	0.191 UJ	0.0430 J	0.240 J+	4.95 J	0.0572 UJ	9.84 J	
		02/23/23	PES	Bladder	–	–	–	0.0160 U	0.623	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.57	0.0572 U	8.66	
		05/16/23	PES	Bladder	–	–	–	0.0160 U	0.998	0.1600	0.915	0.0280 U	0.0630	1.36	0.0572 U	4.90	
		08/15/23	PES	Bladder	–	–	–	0.016 U	0.117 U	0.0212 U	0.191 U	0.0410 J	0.0720	1.44	0.0572 U	4.30	
		11/13/23	PES	Bladder	–	–	–	0.016 U	0.412	0.0212 U	0.191 U	0.028 U	0.044 U	0.993	0.0572 U	2.50 J-	
		02/27/24	PES	Bladder	–	–	–	0.016 U	0.246	0.0490 J	0.328	0.028 U	0.016 U	0.518	0.0572 U	1.71	
		05/28/24	PES	Bladder	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.0420	0.400	0.0572 U	0.449	
MW-350 (-1.7 to -11.7)	Seattle DOT Mercer Parcels NW quadrant	06/01/21	PES	Bladder	–	–	–	1.16	10.9	11.5	56.7	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		08/18/21	PES	Bladder	–	–	–	0.123	0.840	0.690	3.42	0.0280 U	0.0160 U	0.149	0.0572 U	0.573	
		11/11/22	PES	Bladder	–	–	–	0.0160 U	0.0990 U	0.0810 J	0.331	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.672 J-	
		02/24/23	PES	Bladder	–	–	–	0.0160 U	0.0930 J	0.0212 U	0.306	0.0280 U	0.0160 U	0.0276 U	0.0572 U	1.06	
		05/17/23	PES	Bladder	–	–	–	0.022 U	0.248 UJ	0.052 U	0.315 U	0.028 UJ	0.016 U	0.0276 UJ	0.0572 UJ	1.61 U	
		08/15/23	PES	Bladder	–	–	–	0.016 U	0.172 U	0.0340 J	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	2.89	
		11/13/23	PES	Bladder	–	–	–	0.0300 J	0.116 J	0.0550	0.200	0.028 U	0.016 U	0.0276 U	0.0572 U	3.50 J-	
		02/28/24	PES	Bladder	–	–	–	0.0160 J	0.146 J	0.0450 J	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	19.7 J+	
05/29/24	PES	Bladder	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.0276 U	0.0572 U	0.0273 U			
PW-1 (--)	North Valley St ROW	1997 (8 hour	B&V	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	1.0	ND	ND	ND	ND	
		1997 (Final) Decommissioned	B&V	Bailer	250 U	630 U	630 U	ND	ND	ND	ND	ND	ND	ND	ND	ND	

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
W-MW-01 (-25.1 to -35.1)	8th Ave N ROW, W side	02/02/12	WW	Bladder	–	–	–	20 U	0.1 J	0.2 U	0.6 U	46	3.9	11	0.2 U	0.5	
		09/06/12	SES	Peristaltic	–	–	–	0.35 U	1.7 U	1 U	3 U	1 U	1 U	2.0	1 U	2.8	
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.46	
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.88	
		01/08/16	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	2.5	
		02/01/16	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	2.8	
		03/30/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.330 J	0.203 J	0.491 J	0.152 U	1.83 J	
		06/19/17	PES	Bladder	–	–	–	0.158 J	0.931	0.158 U	0.316 U	0.199 U	0.153 U	0.320 J	0.152 U	1.09	
		04/13/18	PES	Bladder	37.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	5.33	1.68	1.31	0.152 U	8.79	
		10/29/18	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.220 J	0.696	0.629	0.152 U	3.90	
		12/13/18	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	1.77	0.538	0.152 U	3.86	
		01/25/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.587	0.459 J	0.152 U	5.46	
		03/11/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.520	0.301 J	0.396 J	0.152 U	7.24	
		04/25/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.373 J	0.572	0.152 U	6.61 J	
		07/23/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.304 J	0.547	0.152 U	9.00	
		10/15/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.350 J	0.408 J	0.152 U	7.36	
		01/27/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.349 J	0.553	0.152 U	5.16	
		04/03/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.244 J	0.588	0.152 U	3.79	
		07/31/20	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0742 J	0.299	0.431 J	0.0572 UJ	2.98	
		11/24/20	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.214	0.451	0.0572 U	5.82	
		02/03/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.191	0.495	0.0572 U	3.62	
		05/17/21	PES	Bladder	–	–	–	0.0160 U	0.828	0.0212 U	0.191 U	0.0280 U	0.197	0.367	0.0572 U	9.41	
		08/23/21	PES	Bladder	–	–	–	0.0160 U	1.32	0.0212 U	0.191 U	0.0280 U	0.134	0.378	0.0572 U	2.33 J-	
		11/29/21	PES	Bladder	–	–	–	0.0160 U	0.912	0.0212 U	0.191 U	0.0280 U	0.132	0.340	0.0572 U	1.46 J+	
		03/08/22	PES	Bladder	–	–	–	0.0160 U	0.0880 J	0.0212 U	0.191 U	0.0280 U	0.103 J+	0.377	0.0572 U	3.22 J+	
		05/11/22	PES	Bladder	–	–	–	0.0160 U	0.0890 J	0.0212 U	0.191 U	0.0280 U	0.0910	0.294	0.0572 U	2.36	
08/12/22	PES	Bladder	–	–	–	0.0310 U	0.186 U	0.0212 U	0.191 U	0.240	0.168	0.292	0.0572 U	2.70			
08/12/22	PES	Bladder	–	–	–	0.0160 U	0.0910 U	0.0212 U	0.191 U	0.283	0.166 U	0.361	0.0572 U	2.57			
10/31/22	PES	Bladder	–	–	–	0.0160 U	0.178 U	0.0212 U	0.191 U	0.0280 U	0.0870	0.405	0.0572 U	1.61			
02/24/23	PES	Bladder	–	–	–	0.0160 U	0.711	0.315	1.51	0.0280 U	0.0160 U	0.0276 U	0.0572 U	1.59			
05/16/23	PES	Bladder	–	–	–	0.0160 UJ	0.330 J	0.021 UJ	0.41 J	0.0280 UJ	0.0670 J	0.253 J	0.0572 UJ	3.46 J			
08/16/23	PES	Bladder	–	–	–	0.0210 J	0.116 J	0.0870 J	0.564	0.028 U	0.0480	0.319	0.0572 U	2.51			
11/06/23	PES	Bladder	–	–	–	0.0160 U	0.181 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.264	0.0572 U	1.51			
02/26/24	PES	Peristaltic	–	–	–	0.016 U	0.329	0.0212 U	0.313	0.028 U	0.0500	0.263	0.0572 U	1.49			
05/22/24	PES	Peristaltic	–	–	–	0.016 UJ	0.0810 J	0.0212 UJ	0.191 UJ	0.028 UJ	0.0440 J	0.165 J-	0.0572 UJ	0.595 J-			

**Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
W-MW-02 (-26.3 to -36.3)	8th Ave N ROW, W side	02/03/12	WW	Bladder	–	–	–	20 U	20 U	20 U	60 U	6,900	1,700	2,000	20 U	120		
		08/13/12	SES	Peristaltic	–	–	–	–	–	–	–	3,000	1,300	2,200	4.1	66		
		09/05/12	SES	Peristaltic	–	–	–	0.35 U	1.4	1 U	3 U	2,600	1,300	2,800	5.0	69		
		01/03/14	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	490	1,200	4,400	7.3	67		
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	10 U	10 U	13,000	95	2,400		
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	5 Uht	5 Uht	12,000 ht	97 ht	1,700 ht		
		11/10/15	SES	Peristaltic	–	–	–	–	–	–	–	1 U	3.4	480	3.6	110		
		12/11/15	SES	Peristaltic	–	–	–	–	–	–	–	1 U	4.9	900	6.2	2,900		
		01/08/16	SES	Peristaltic	–	–	–	–	–	–	–	1 U	3.1	750	26	7,500		
		02/01/16	SES	Peristaltic	–	–	–	–	–	–	–	1 U	4.6	2,900	35	2,800		
		03/27/17	PES	Peristaltic	–	–	–	0.270 J	0.961 J	0.158 U	0.316 U	0.199 U	0.259 J	33.0	2.16	36.4		
		06/19/17	PES	Bladder	–	–	–	0.307 J	0.970	0.158 U	0.316 U	0.199 U	0.153 U	18.2	0.746	25.6		
		W-MW-02 (continued) (duplicate)		06/12/18	PES	Bladder	31.6 U	–	–	0.0896 U	0.829	0.158 U	0.316 U	0.199 U	0.153 U	4.72	0.279 J	4.95
				10/26/18	PES	Peristaltic	90.2 UJ	–	–	0.0896 U	0.641	0.158 U	0.316 U	0.199 U	0.153 U	2.01	0.410 J	1.41
				10/26/18	PES	Peristaltic	246 J+	–	–	0.0896 U	0.587	0.158 U	0.316 U	0.199 U	0.153 U	2.11 J+	0.435 J	1.80
				12/12/18	PES	Peristaltic	158 UJ	–	–	0.0896 U	1.05	0.158 U	0.316 U	0.199 U	0.153 U	1.80	0.463 J	2.30
				01/25/19	PES	Peristaltic	37.4 J	–	–	0.133 J	2.09	0.158 U	0.316 U	0.199 U	0.153 U	1.83	0.263 J	2.01
				03/11/19	PES	Peristaltic	31.6 U	–	–	0.0896 U	1.12	0.158 U	0.316 U	0.199 U	0.153 U	2.41	0.316 J	2.43
				04/23/19	PES	Peristaltic	429 zJ+	–	–	0.0896 U	0.56	0.158 U	0.316 U	0.199 U	40.1	672	2.35	81.0 J
07/23/19	PES			Bladder	31.6 U	–	–	0.0896 U	1.35	0.158 U	0.316 U	0.199 U	0.153 U	3.30	0.386 J	6.79		
10/18/19	PES			Bladder	316 U	–	–	0.0896 U	1.79	0.158 U	0.316 U	0.199 U	0.153 U	2.07	0.278 J	3.56		
01/28/20	PES	Bladder	31.6 U	–	–	0.0896 U	2.93	0.158 U	0.316 U	0.199 U	0.153 U	1.52	0.252 J	1.70				
04/01/20	PES	Bladder	31.6 U	–	–	0.0896 U	2.51	0.158 U	0.316 U	0.199 U	0.153 U	1.44	0.166 J	1.42				
07/31/20	PES	Bladder	–	–	–	0.0502	0.387	0.0212 U	0.191 U	0.0280 U	0.136	1.39 J	0.204 J	1.08				
W-MW-03 (-30.8 to -40.8)	Property	02/03/12	WW	Bladder	–	–	–	20 U	20 U	20 U	60 U	5,300	220	160	20 U	20 U		
		09/06/12	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	13	2.6	20	1 U	120		
		Decommissioned																

Table 5
Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
W-MW-04 ^a (-32.5 to -41.5)	Property	02/03/12	WW	Bladder	–	–	–	20 U	20 U	20 U	60 U	5,400	160	54	20 U	20 U
		09/06/12 Decommissioned	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	460	440	1,900	4.0	630
Number of Analytes Measured					93	20	18	480	480	480	480	490	490	490	490	490
Number of Analytes Detected					10	4	0	155	195	77	79	145	235	350	162	334
Frequency of Detection					11%	20%	0%	32%	41%	16%	16%	30%	48%	71%	33%	68%
Maximum Detection					580 J	–	–	56.1 J	10.9	11.5	56.7	97,200	18,700	127,000	781	11,000
Minimum Detection					31.6 U	50 U	250 U	0.0160 U	0.0500 U	0.0212 U	0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
Number of Analytes Detected Above SL					0	0	0	20	0	0	0	67	90	169	7	321
Frequency of Detection Above SL					0%	0%	0%	4%	0%	0%	0%	14%	18%	34%	1%	66%

Notes:

PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.

Detections above the groundwater PCUL level are shown in **bold and highlighted in gray**.

B&V = Black & Veatch
cDCE = cis-1,2-Dichloroethene
DOF = Dalton, Olmsted & Fuglevand, Inc.
DRO = Diesel-range organics
GeoE = GeoEngineers Inc.
GRO = Gasoline-range organics
HC = Hart Crowser
ORO = Oil-range organics
PCE = Perchloroethylene (Tetrachloroethene)
ROW = right-of-way
SES = SES Strategies, Inc.
TCE = Trichloroethene
tDCE = trans-1,2-Dichloroethene
VC = Vinyl chloride
WW = Windward

Well screen elevations indicated below Sample Location in parentheses.
(--)= unknown screen elevation.
a = Monitoring well was installed at a 25 degree angle from the vertical point of penetration.

Laboratory and Results Notes:

Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M.
VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.

– = Not analyzed or results not available.
E = Estimated value. The reported range exceeds the calibration range of the analysis.
f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.
g = Estimated value. The reported range exceeds the calibration range of the analysis.
ht = The analysis was performed outside the method the method or client-specified holding time requirement.
J = The identification of the analyte is acceptable; the reported value is an estimate.
J+ = The result is an estimated quantity, but the result may be biased high.
J- = The result is an estimated quantity, but the result may be biased low.
ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided.
pr = The sample was received with incorrect preservation. The value reported should be considered an estimate.
U = Not detected at or above the laboratory method detection limit (MDL).
qp = Hydrocarbon result partly due to individual peak(s) in quantitation range.
x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.
y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis.
z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.

Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021.
Groundwater statistics for GRO exclude "z" qualified data.

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
FMW-131 (-34.7 to -44.7)	Block 37, SE quadrant	09/02/16	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	41	0.20 U	1.7	
		03/24/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	45.6	0.152 U	0.249 J		
		06/23/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.61	0.152 U	0.264 J		
		12/18/17	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	0.61	0.20 U	0.20 U		
		04/22/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	10.8	0.152 U	0.195 J		
		10/21/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	10.5	0.152 U	0.140 J		
		01/22/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	15.1	0.152 U	0.162 J		
		04/29/20	PES	Peristaltic	–	–	–	0.0941 U	0.954	0.137 U	0.726 J	0.300 U	0.190 U	13.9	0.149 U	0.309 J		
		07/30/20	PES	Bladder	–	–	–	0.0459	0.0500 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.73 J	0.0572 UJ	0.147		
		08/26/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	6.5	0.20 U	0.20 U		
		11/19/20	PES	Bladder	–	–	–	0.0850	0.0520 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	7.91	0.0572 U	0.109		
		12/04/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	3.5	0.20 U	0.20 U		
		02/11/21	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	0.27	0.20 U	0.20 U		
		02/12/21	PES	Peristaltic	–	–	–	0.0900	1.04	0.172	0.952	0.0450 J	0.0160 U	7.89	0.0572 U	0.287		
		05/13/21	PES	Peristaltic	–	–	–	0.0650	0.115 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	9.83	0.0572 U	0.428		
		08/19/21	PES	Peristaltic	–	–	–	0.0630	0.0860 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.63	0.0572 U	0.187		
		02/25/22	PES	Peristaltic	–	–	–	0.0590	0.0840 J	0.0850 J	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		06/09/22	PES	Peristaltic	–	–	–	0.0300 J	0.0670 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	19.6	0.0572 U	0.0273 U		
		08/05/22	PES	Peristaltic	–	–	–	0.0500	0.770	0.125	0.785	0.0280 U	0.0160 U	20.2	0.0572 U	0.120 J+		
		11/01/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0650 J	0.0160 UJ	18.3 J	0.0572 U	0.103		
05/09/23	PES	Peristaltic	–	–	–	0.0160 U	0.1700 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	7.5	0.0572 U	0.323				
11/09/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	17.7	0.0572 U	0.0273 UJ				
05/23/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.028 U	0.0572 U	0.0273 U				
FMW-137 (-39.9 to -54.9)	Alley E of Block 38W	11/20/18	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.2	0.20 U	0.20 U	
		12/28/18	Farallon	Unknown	–	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.1	0.20 U	0.20 U
		05/06/19	Farallon	Unknown	–	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.3	0.20 U	0.20 U
		07/08/19	Farallon	Unknown	–	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.3	0.20 U	0.20 U
		10/14/19	Farallon	Unknown	–	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.1	0.20 U	0.20 U
		11/06/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.27	0.152 U	0.118 U		
		11/11/19	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	1.3	0.20 U	0.20 U		
		01/22/20	PES	Peristaltic	–	–	–	0.0896 U	0.506	0.158 U	0.316 U	0.199 U	0.153 U	1.99	0.152 U	0.118 U		
		05/06/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/31/20	PES	Bladder	–	–	–	0.0160 U	0.884	0.137	0.637	0.0280 U	0.0160 U	0.034 J	0.0572 UJ	0.0273 U		
		11/24/20	PES	Bladder	–	–	–	0.0160 U	0.0900 U	0.0480 U	0.294	0.0280 U	0.0160 U	0.0540 J	0.0572 U	0.0273 U		
		02/12/21	PES	Bladder	–	–	–	0.0330 J	0.448	0.0800 J	0.442	0.0280 U	0.0160 U	2.66	0.0572 U	0.0920 J		
		06/02/21	PES	Peristaltic	–	–	–	0.0240 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.99	0.0572 U	0.0273 U		
		08/12/21	PES	Peristaltic	–	–	–	0.0380 J	0.199 J	0.0340 J	0.216 J	0.0280 U	0.0160 U	3.05	0.0572 U	0.107		
		03/04/22	PES	Peristaltic	–	–	–	0.0350 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.58	0.0572 U	0.0910 J		
		06/05/22	PES	Peristaltic	–	–	–	0.0210 J	0.227	0.0212 U	0.214 J	0.0280 U	0.0160 U	8.54	0.0572 U	0.182		
		08/05/22	PES	Peristaltic	–	–	–	0.0400 J	0.906	0.135	0.935	0.0280 U	0.0160 U	10.0	0.0572 U	0.339 J+		
		11/01/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.146	0.0160 U	9.81	0.0572 U	0.0273 U		
		05/19/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.028 U	0.0160 U	21.20	0.0572 U	0.0273 U		
		11/09/23	PES	Peristaltic	–	–	–	0.0280 J	0.0680 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	40.3	0.0572 U	0.289 J-		
05/24/24	PES	Peristaltic	–	–	–	0.0190 J	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.577	0.0572 U	0.0273 U				

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
FMW-138 (-50.0 to -60.0)	Alley E of Block 38W	11/20/18	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.29	0.20 U	0.20 U	
		12/28/18	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.34	0.20 U	0.20 U	
		05/06/19	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.38	0.20 U	0.20 U	
		07/08/19	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.34	0.20 U	0.20 U	
		10/14/19	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.33	0.20 U	0.20 U	
		11/11/19	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.37	0.20 U	0.20 U	
FMW-140 (-38.0 to -48.0)	900 Roy St, S end	07/17/19	Farallon	Unknown	–	–	–	–	–	–	–	–	2.0 U	2.0 U	280	2.0 U	320	
		10/31/19	PES	Peristaltic	–	–	–	18.5	1.43	0.158 U	0.316 U	0.199 U	0.153 U	0.160 J	0.152 U	189		
		11/12/19	Farallon	Unknown	–	–	–	–	–	–	–	–	4.0 U	4.0 U	310	4.0 U	510	
		01/14/20	Farallon	Unknown	–	–	–	–	–	–	–	–	4.0 U	4.0 U	340	4.0 U	460	
		01/22/20	PES	Peristaltic	–	–	–	39.6	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	406	0.729	527		
		02/18/20	Farallon	Unknown	–	–	–	–	–	–	–	–	4.0 U	4.0 U	280	4.0 U	530	
		03/25/20	Farallon	Unknown	–	–	–	–	–	–	–	–	2.0 U	2.0 U	100	2.0 U	290	
		04/27/20	Farallon	Unknown	–	–	–	–	–	–	–	–	1.0 U	1.0 U	33	1.0 U	130	
		04/28/20	PES	Bladder	–	–	–	43.3	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	27.1	0.217 J	147		
		05/19/20	Farallon	Unknown	–	–	–	–	–	–	–	–	1.0 U	1.0 U	16	1.0 U	130	
		07/07/20	PES	Bladder	–	–	–	37.6	2.79	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.76	0.202	188		
		07/29/20	Farallon	Unknown	–	–	–	–	–	–	–	–	1.0 U	1.0 U	9.7	1.0 U	170	
		09/17/20	Farallon	Unknown	–	–	–	–	–	–	–	–	1.0 U	1.0 U	25	1.0 U	43	
		11/13/20	PES	Bladder	–	–	–	44.1	0.147 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.15	0.0665 J	30.8		
		12/04/20	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	3.3	0.20 U	18	
		02/10/21	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.72	0.20 U	3.2	
		05/18/21	PES	Peristaltic	–	–	–	41.0	0.152 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.12	0.0572 U	15.8		
		03/02/22	PES	Peristaltic	–	–	–	36.9	0.0950 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.50 J+	0.105 J	75.1		
		05/31/22	PES	Peristaltic	–	–	–	36.4	0.135 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.51	0.0880 J	66.4		
		11/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
05/15/23	PES	Peristaltic	–	–	–	34.40 J	0.1570 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	14.90 J	0.1320 J	137.0 J				
11/14/23	PES	Peristaltic	–	–	–	12.3	0.0950 J	0.0212 U	0.191 U	0.0280 U	0.0900	0.198	0.0572 U	19.8				
FMW-140		05/24/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.028 U	0.0572 U	0.0273 U		
FMW-3D (-31.1 to -41.1)	Terry Ave N ROW, E side	03/24/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		06/23/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
GEI-2 (-21.1 to -31.1)	Block 37, NW quadrant	03/24/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	2.25	0.152 U	6.94		
		06/23/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	16.3	0.152 U	127		
		12/29/18	Farallon	Unknown	–	–	–	–	–	–	–	0.40 U	0.40 U	6.7	0.40 U	60		
		04/22/19	PES	Peristaltic	–	–	–	1.05	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	11.5	0.152 U	57.7 J		
		07/16/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.37	0.152 U	46.4		
		10/21/19	PES	Peristaltic	–	–	–	3.80	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	20.1	0.152 U	88.2		
		11/11/19	Farallon	Unknown	–	–	–	–	–	–	–	1.0 U	1.0 U	18	1.0 U	92		
		01/14/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	2.0	0.20 U	36		
		01/22/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.192 J	0.308 J	0.152 U	0.118 U		
		02/17/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	5.6	0.20 U	34		
		03/25/20	Farallon	Unknown	–	–	–	–	–	–	–	0.40 U	0.40 U	4.3	0.40 U	52		
		04/27/20	Farallon	Unknown	–	–	–	–	–	–	–	0.40 U	0.40 U	3.2	0.40 U	50		
		04/29/20	PES	Peristaltic	–	–	–	2.22	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	4.49	0.149 U	67.8		
		05/19/20	Farallon	Unknown	–	–	–	–	–	–	–	0.40 U	0.40 U	2.7	0.40 U	55		
		06/29/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	1.6	0.20 U	33		
		07/29/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	1.3	0.20 U	46		
		07/30/20	PES	Bladder	–	–	–	1.76	0.0707 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.38 J	0.0572 UJ	44.9		
		08/26/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
		09/17/20	Farallon	Unknown	–	–	–	–	–	–	–	0.40 U	0.40 U	1.0	0.40 U	48		
		11/19/20	PES	Bladder	–	–	–	2.97	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.997	0.0572 U	42.7		
		12/04/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	0.52	0.20 U	21		
		02/11/21	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	0.43	0.20 U	16		
		02/12/21	PES	Peristaltic	–	–	–	2.79	1.22	0.216	1.09	0.0280 U	0.0160 U	0.711	0.0572 U	18.4		
		05/13/21	PES	Peristaltic	–	–	–	2.19	0.149 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.379	0.0572 U	9.14		
		08/19/21	PES	Peristaltic	–	–	–	2.15	0.0910 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.281	0.0572 U	7.17		
		02/25/22	PES	Peristaltic	–	–	–	3.18	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.307	0.0572 U	13.8		
		06/09/22	PES	Peristaltic	–	–	–	2.67	0.0910 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.224	0.0572 U	12.6		
		08/05/22	PES	Peristaltic	–	–	–	3.03	0.861	0.142	0.927	0.0280 U	0.0160 U	0.211	0.0572 U	12.5 J+		
		11/01/22	PES	Peristaltic	–	–	–	4.47	0.0500 U	0.0212 U	0.191 U	0.0980 J	0.0160 U	0.181 J	0.0572 U	8.19		
		05/09/23	PES	Peristaltic	–	–	–	0.02 U	0.2120	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.028 U	0.0572 U	0.0273 U		
11/09/23	PES	Peristaltic	–	–	–	4.30	0.0790 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.154	0.0572 U	4.58 J-				
05/23/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.028 U	0.0572 U	0.0273 U				
HMW-1D (-41.9 to -51.9)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	3.4	27	410	1.2	4.0		
		03/09/20	HC	Submersible	140	94 J	250 U	20 U	20 U	20 U	40 U	21	110	910	20 U	6.0 U		
HMW-2D (-32.7 to -42.7)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U		
		03/12/20	HC	Submersible	100 U	86 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	1.1	0.20 U	0.20 U		
HMW-3D (-23.4 to -33.4)	Seattle DOT Mercer Parcels, NW quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	1.0 U	1.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U		
		03/13/20	HC	Submersible	100 U	480 J	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 UJ	0.20 U	0.20 U		
HMW-6D (-21.1 to -31.1)	Seattle DOT Mercer Parcels, SW quadrant	03/16/20	HC	Submersible	100 U	50 U	250 U	0.42	0.64	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		
HMW-9D (-24.4 to -34.4)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100 U	230 J	250 U	0.21	0.42	0.20 U	0.40 U	0.89	0.20 U	5.1	0.20 U	0.97		
HMW-10D (-30.8 to -40.8)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100 U	50 U	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U		

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																							
					GRO		DRO		ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
HMW-12D (-48.5 to -58.5)	Seattle DOT Mercer Parcels, NE quadrant	09/10/20	HC	–	100	U	50	U	–	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	200	J	0.22		3.9		
HMW-13D (-44.2 to -54.2)	Seattle DOT Mercer Parcels, SE quadrant	09/10/20	HC	–	100	U	50	U	–	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U	
HMW-14D (-23.7 to -33.7)	Seattle DOT Mercer Parcels, SE quadrant	09/16/20	HC	–	100	U	50	U	–	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U	
MW101 (-65.5 to -75.5)	Property, NE quadrant	07/20/12 09/06/12	SES SES	Bladder Peristaltic	–		–		–	–		–		–		–		1	U	1	U	1	U	1	U	0.2	U	
				Decommissioned	–		–		–	0.35	U	–		–	1.4	–		3	U	1	U	1	U	1	U	0.2	U	
MW102 (-65.8 to -75.8)	Valley St ROW, S side	08/16/12	SES	Peristaltic	–		–		–	–		–		–		–		1	U	1	U	1	U	1	U	0.2	U	
		09/05/12	SES	Bladder	–		–		–	0.35	U	–		–	1	U	–		3	U	1	U	1	U	1	U	0.2	U
		12/17/13	SES	Bladder	–		–		–	0.35	U	–		–	1	U	–		3	U	1	U	1	U	1	U	0.2	U
		10/27/15	SES	Bladder	–		–		–	–		–		–		–		1	U	1	U	1	U	1	U	0.2	U	
		02/02/16	SES	Bladder	–		–		–	–		–		–		–		1	U	1	U	1	U	1	U	0.2	U	
		03/29/17	PES	Bladder	–		–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.289	J	0.152	U
		06/15/17	PES	Bladder	–		–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U
		04/25/18	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.352	J	0.153	U	0.0933	U	0.152	U
		01/24/19	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.220	J	0.153	U	0.0933	U	0.152	U
		05/01/19	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U
		07/18/19	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U
		11/14/19	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U
		01/23/20	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.093	U	0.152	U
(duplicate)		01/23/20	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.093	U	0.152	U
		04/02/20	PES	Bladder	31.6	U	–		–	0.0896	U	–		–	0.412	U	–		0.316	U	0.199	U	0.153	U	0.093	U	0.152	U
		08/04/20	PES	Bladder	–		–		–	0.0160	U	–		–	1.00	U	–		0.191	U	0.0280	U	0.0160	U	0.028	U	0.0572	U
(duplicate)		08/04/20	PES	Bladder	–		–		–	0.0160	U	–		–	0.880	U	–		0.191	U	0.0280	U	0.0160	U	0.028	U	0.0572	UJ
		11/18/20	PES	Bladder	–		–		–	0.0160	U	–		–	0.0710	J	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		02/03/21	PES	Bladder	–		–		–	0.0160	U	–		–	0.0880	J	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		05/14/21	PES	Bladder	–		–		–	0.0160	U	–		–	0.196	U	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		08/11/21	PES	Peristaltic	–		–		–	0.0350	J	–		–	0.919	U	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		11/30/21	PES	Bladder	–		–		–	0.0160	U	–		–	0.181	J	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		03/07/22	PES	Bladder	–		–		–	0.0160	U	–		–	0.0500	U	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
(duplicate)		03/07/22	PES	Bladder	–		–		–	0.0160	U	–		–	0.0500	U	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		05/10/22	PES	Bladder	–		–		–	0.0160	U	–		–	0.528	U	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		08/12/22	PES	Bladder	–		–		–	0.0160	U	–		–	0.176	U	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		10/31/22	PES	Bladder	–		–		–	0.0160	U	–		–	0.174	J	–		0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U
		05/12/23	PES	Bladder	–		–		–	0.0160	U	–		–	0.050	U	–		0.191	U	0.0400	J	0.0160	U	0.0276	U	0.0572	U
		11/06/23	PES	Bladder	–		–		–	0.0160	U	–		–	0.377	U	–		0.191	U	0.0690	J	0.0160	U	0.028	U	0.0572	U
		05/28/24	PES	Bladder	–		–		–	0.330	U	–		–	2.13	U	–		0.191	U	0.028	U	0.016	U	0.028	U	0.0572	U

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																		
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC							
MW103 (-67.6 to -77.6)	Alley E of Seattle Roy Aloha Shops	07/31/12	SES	Peristaltic	–	–	–	–	–	–	–	–	12	25	150	10	U	79					
		09/05/12	SES	Peristaltic	–	–	–	0.35	U	1.6	1	U	3	U	8.3	22	80	1	U	110			
(duplicate)		09/05/12	SES	Peristaltic	–	–	–	0.35	U	1.6	1	U	3	U	8.1	22	85	1	U	120			
		12/18/13	SES	Peristaltic	–	–	–	0.35	U	2.4	1	U	3	U	4.3	6.1	8.6	1	U	1.2			
(duplicate)		12/18/13	SES	Peristaltic	–	–	–	0.35	U	2.4	1	U	3	U	4.0	5.2	7.1	1	U	0.94			
		06/17/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	1.8	1.4	1	U	1	U	0.94			
(duplicate)		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	3.6	1.4	1	U	1	U	1.6			
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	1.0	1	U	1.2	1	U	0.53			
(duplicate)		03/29/17	PES	Peristaltic	–	–	–	0.0896	U	0.464	J	0.158	U	0.316	U	1.99	U	23.1	240	0.405	J	157	
		06/14/17	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.626	23.0	120	0.369	J	69.2		
(duplicate)		04/06/18	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	1.81	32.4	0.152	U	22.4	
		01/23/19	PES	Peristaltic	–	–	–	0.0896	U	1.35	0.158	U	0.316	U	0.365	J	1.48	11.4	0.152	U	6.68		
(duplicate)		04/22/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	3.09	88.0	0.209	J	32.3	
		07/15/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	2.37	118	0.232	J	55.4	
(duplicate)		10/14/19	PES	Peristaltic	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	91.7	0.158	J	51.8
		01/16/20	PES	Bladder	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	40.6	0.152	U	77.9
(duplicate)		04/23/20	PES	Bladder	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.233	J	12.8	0.149	U	4.80
		04/23/20	PES	Bladder	–	–	–	0.0941	U	0.278	U	0.137	U	0.433	U	0.300	U	0.244	J	12.9	0.149	U	4.71
(duplicate)		07/06/20	PES	Bladder	–	–	–	0.0210	J	2.12	0.0212	U	0.191	U	0.0280	U	0.185	4.21	0.0572	UJ	2.18		
		11/02/20	PES	Bladder	–	–	–	0.0270	J	0.158	J	0.0212	U	0.191	U	0.0280	U	0.0800	2.75	0.0590	J	2.22	
(duplicate)		02/10/21	PES	Bladder	–	–	–	0.0200	J	0.542	0.0450	J	0.433	0.0280	U	0.602	9.05	0.0572	U	5.37			
		05/03/21	PES	Bladder	–	–	–	0.0160	U	0.0950	J	0.0212	U	0.191	U	0.569	8.73	34.0	0.108	J	15.8		
(duplicate)		08/12/21	PES	Bladder	–	–	–	0.138	1.19	0.0840	J	0.479	0.0850	J	6.84	59.8	0.119	J	33.0				
		08/12/21	PES	Bladder	–	–	–	0.134	1.20	0.0950	J	0.514	0.0710	J	7.11	60.3	0.151	J	34.0				
(duplicate)		11/08/21	PES	Peristaltic	–	–	–	0.0330	J	0.423	0.0900	J	0.624	0.0500	J	7.03	80.5	0.166	J	52.5			
		02/15/22	PES	Peristaltic	–	–	–	0.135	J	0.250	U	0.106	U	0.955	U	0.140	U	3.05	187	0.480	J	68.7	
(duplicate)		05/09/22	PES	Peristaltic	–	–	–	0.0370	J	0.0500	U	0.165	J	0.955	U	0.0280	U	2.68	213	0.273	66.9		
		08/09/22	PES	Peristaltic	–	–	–	0.0360	J	0.0880	J	0.0212	U	0.247	J	0.228	2.24	232	0.273	67.8			
(duplicate)		11/01/22	PES	Peristaltic	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	1.29	98.5	0.144	J	55.1	
		05/09/23	PES	Peristaltic	–	–	–	0.044	0.0500	U	0.0212	U	0.191	U	0.109	1.33	222	0.317	69.6				
(duplicate)		11/07/23	PES	Peristaltic	–	–	–	0.320	U	1.00	U	0.424	U	3.82	U	0.560	U	2.00	322	3.12	J	64.3	
		05/21/24	PES	Peristaltic	–	–	–	0.32	U	1	U	0.424	U	3.82	U	0.56	U	2.92	480	6.18	93.4		

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)															
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC				
MW104 (-76.3 to -86.3)	8th Ave N ROW, W side	08/16/12	SES	Peristaltic	–	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U			
		09/06/12	SES	Bladder	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	0.2 U			
		12/17/13	SES	Bladder	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U				
		10/27/15	SES	Peristaltic	–	–	–	–	–	–	–	2.6	4.4	4.3	1 U	0.2 U				
		02/02/16	SES	Bladder	–	–	–	–	–	–	–	1 U	1.2	19	1 U	0.2 U				
		03/30/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.97	0.152 U	0.118 U				
		06/30/17	PES	Bladder	–	–	–	0.387 J	0.903	0.158 U	0.396 J	5.83	5.21	1.54	0.152 U	0.118 U				
		04/09/18	PES	Peristaltic	81.3 J	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.541	2.00	176	1.02	32.3				
		10/26/18	PES	Bladder	1,570 zJ+	–	–	0.0896 U	0.618 J+	0.158 U	0.316 U	1.87 J+	2.94 J+	71.2	0.257 J	43.5				
		12/13/18	PES	Bladder	54.0 J	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.381 J	2.36	48.3	0.559	43.8				
		02/01/19	PES	Bladder	191 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	12.1	3.22	30.6	0.326 J	32.4				
		03/13/19	PES	Bladder	124 zJ+	–	–	0.0896 U	0.455 J	0.158 U	0.316 U	31.6	75.7	83.0	1.93	25.9				
		04/23/19	PES	Bladder	174 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	15.9	56.9	162	2.49	21.1 J				
		07/22/19	PES	Bladder	50.4 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.282 J	28.3	160	2.10	57.1				
		10/18/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	1.54	16.3	0.329 J	33.2				
		01/29/20	PES	Bladder	447 zJ+	–	–	0.167 J	0.412 U	0.158 U	0.316 U	0.894	6.44	44.6	0.481 J	31.7				
		04/01/20	PES	Bladder	92.4 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	53.1	108	21.1	2.50	4.63				
(duplicate)		07/31/20	PES	Bladder	–	–	–	0.0160 U	0.251	0.0212 U	0.191 U	18.8	55.0	12.8 J	1.01	2.68				
		07/31/20	PES	Bladder	–	–	–	0.0160 U	0.242	0.0212 U	0.191 U	19.2	55.0	12.6 J	1.04 J	2.65				
		11/17/20	PES	Bladder	–	–	–	0.0160 U	0.0730 J	0.0212 U	0.191 U	10.6	59.5 J+	28.6	1.61	4.68				
		02/10/21	PES	Bladder	–	–	–	0.0450	2.03	0.225	1.18	1.52	29.8	43.9	1.15	9.58				
		08/23/21	PES	Bladder	–	–	–	0.0160 U	0.532	0.0900 U	0.588	0.144	3.86	41.5	0.871	14.2 J-				
		11/29/21	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.404	0.0280 U	0.191	12.3	0.495	24.4 J-				
		02/23/22	PES	Bladder	–	–	–	0.0160 U	0.0550 U	0.0440 J	0.267	0.0280 U	0.168	11.3	0.338	12.5				
		05/12/22	PES	Bladder	–	–	–	0.0160 U	0.0790 J	0.0212 U	0.191 U	0.0280 U	0.0960	6.01	0.332	18.7				
		08/23/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.66	0.234	14.4				
		11/02/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.437	20.8	0.625	30.3				
		05/15/23	PES	Bladder	–	–	–	0.016 U	0.438	0.0212 U	0.452	0.189	0.729	6.66	0.0572 U	3.87				
		11/06/23	PES	Bladder	–	–	–	0.0450	0.174 J	0.0212 U	0.191 U	0.0330 J	0.526	16.9	0.548	20.4				
		05/22/24	PES	Peristaltic	–	–	–	0.124	0.538	0.0680 J	0.476	0.0840 J	0.301	5.71 J-	0.0572 U	5.15 J-				

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																								
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC													
MW106 (-78.0 to -88.0)	Seattle DOT Mercer Parcels, NW quadrant	08/22/12	SES	Bladder	–	–	–	–	–	–	–	–	1	U	1	U	1	U	1	U	1	U							
		09/05/12	SES	Bladder	–	–	–	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U				
		12/17/13	SES	Bladder	–	–	–	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	1	U	0.2	U		
		10/27/15	SES	Bladder	–	–	–	–	–	–	–	–	–	1	U	1	U	1	U	1	U	1	U	1	U	0.2	U		
		02/02/16	SES	Bladder	–	–	–	–	–	–	–	–	–	1	U	1	U	1	U	1	U	1	U	1	U	0.2	U		
		04/14/17	PES	Bladder	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	0.118	U		
		06/30/17	PES	Bladder	–	–	–	0.0896	U	0.419	J	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	0.118	U		
		05/04/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	0.118	U	
		04/26/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	0.118	U	
		07/19/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	0.118	U	
		10/18/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	0.118	U	
		01/14/20	PES	Bladder	33.1	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.093	U	0.152	U	0.118	U	0.118	U	
		(duplicate)		05/06/20	PES	Bladder	32.3	J	–	–	0.0941	U	0.278	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U	0.234	U	
		(duplicate)		05/06/20	PES	Bladder	48.8	J	–	–	0.0941	U	0.278	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U	0.234	U	
		(duplicate)		07/10/20	PES	Bladder	–	–	–	0.0160	U	1.74	–	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.028	U	0.0572	U	0.0273	U	0.0273	U
		(duplicate)		11/10/20	PES	Bladder	–	–	–	0.0160	U	0.415	J-	0.0212	U	0.233	J	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
		(duplicate)		11/10/20	PES	Bladder	–	–	–	0.0160	U	0.339	J-	0.0212	U	0.216	J	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				02/12/21	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				02/12/21	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				05/13/21	PES	Bladder	–	–	–	0.0160	U	0.0570	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				08/19/21	PES	Bladder	–	–	–	0.0160	U	0.0730	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0550	J	0.0572	U	0.0273	U	0.0273	U
				12/06/21	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.158	–	0.784	–	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				02/18/22	PES	Bladder	–	–	–	0.0160	U	0.0680	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				05/06/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				08/02/22	PES	Bladder	–	–	–	0.0440	–	1.36	–	0.144	–	0.735	–	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				11/18/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
				05/18/23	PES	Bladder	–	–	–	0.0270	J	0.793	–	0.138	–	0.870	–	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U
		11/14/23	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.028	U	0.0572	U	0.0273	U	0.0273	U		
		05/29/24	PES	Bladder	–	–	–	0.016	U	0.0830	J	0.0340	J	0.316	–	0.028	U	0.016	U	0.028	U	0.0572	U	0.0273	U	0.0273	U		

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																				
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC									
MW113 (-37.1 to -47.1)	9th Ave N ROW, W side	12/21/12	SES	Peristaltic	–	–	–	–	–	–	–	–	1.3	i	440	5,500	4.1		150						
		12/19/13	SES	Peristaltic	–	–	–	0.35	U	1	U	1	U	3	U	13	140	1	U	0.41					
		06/25/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	1	U	19	670	1	U	17					
		10/27/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	1	U	4.5	670	1.2		17					
		02/03/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	1	U	1.1	1,500	2.2		13					
		03/22/17	PES	Peristaltic	–	–	–	2.60		0.412	U	0.158	U	0.316	U	0.199	U	27.1	7,280	25.4		63.5			
		06/16/17	PES	Bladder	–	–	–	0.468	J	0.412	U	0.158	U	0.316	U	0.522	148	4,750	28.2		53.3				
		04/11/18	PES	Peristaltic	–	–	–	0.880		0.412	U	0.158	U	0.316	U	191	1,100	3,720	21.3		34.9				
		01/30/19	PES	Peristaltic	–	–	–	1.02	J	2.06	U	0.790	U	1.580	U	0.995	U	2.81	6,330	22.8		34.8			
		02/07/19	PES	Peristaltic	–	–	–	3,100	zJ+	0.412	U	0.158	U	0.316	U	0.199	U	1.77	6,990	25.7		46.0			
		07/17/19	PES	Peristaltic	–	–	–	2,560	zJ+	0.412	U	0.158	U	0.316	U	3.14	20.4	4,940	13.1		103				
		10/22/19	PES	Peristaltic	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	1.99	U	0.153	U	1,420	4.45		66.2		
		11/11/19	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	50	U	50	U	8,200	50	U	950			
		(split)	9th Ave N ROW, W side	01/14/20	PES	Bladder	–	–	–	0.896	U	4.12	U	1.58	U	3.16	U	1.99	U	1.53	U	10,300	32.9		1,410
				01/14/20	Farallon	Bladder	–	–	–	–	–	–	–	–	–	50	U	50	U	8,000	50	U	1,400		
02/18/20	Farallon			Peristaltic	–	–	–	–	–	–	–	–	–	50	U	50	U	9,600	50	U	1,800				
(split)	9th Ave N ROW, W side	03/24/20	Farallon	Peristaltic	–	–	–	–	–	–	–	–	–	20	U	20	U	4,100	20	U	200				
		04/27/20	PES	Peristaltic	–	–	–	9.41	U	27.8	U	13.7	U	17.4	U	30.0	U	19.0	U	4,320	14.9	U	75.9		
		04/27/20	Farallon	Peristaltic	–	–	–	–	–	–	–	–	–	–	20	U	20	U	3,500	20	U	94			
(split)	9th Ave N ROW, W side	05/19/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	20	U	20	U	3,700	20	U	110				
		07/28/20	PES	Bladder	–	–	–	9.41	U	27.8	U	13.7	U	17.4	U	212	1,540	3,100	14.9	U	76.0				
		07/28/20	Farallon	Bladder	–	–	–	–	–	–	–	–	–	–	170	1,300	2,300	10	U	82					
(split)	9th Ave N ROW, W side	09/17/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	390	1,500	1,900	10	U	45						
		11/24/20	PES	Bladder	–	–	–	1.60	U	5.00	U	2.12	U	19.1	U	706	1,380	1,290	8.30	J	11.9				
		12/03/20	Farallon	Unknown	–	–	–	–	–	–	–	–	–	–	480	800	540	4.0	U	6.4					
(split)	9th Ave N ROW, W side	02/10/21	PES	Peristaltic	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	3.04	4.18	39.1	0.0780	J	0.0710	J			
		02/10/21	Farallon	Peristaltic	–	–	–	–	–	–	–	–	–	–	2.7	8.4	26	0.20	U	0.20	U				
(duplicate)	9th Ave N ROW, W side	05/25/21	PES	Peristaltic	–	–	–	0.331		0.127	U	0.0212	U	0.191	U	249	944	1,380	8.60		6.91				
		08/11/21	PES	Peristaltic	–	–	–	3.38		1.25	U	0.530	U	4.78	U	87.0	617	2,180	8.75		8.65				
		11/18/21	PES	Peristaltic	–	–	–	3.73		1.25	U	0.530	U	4.78	U	70.6	J+	795	4,250	15.0		9.15			
		11/18/21	PES	Peristaltic	–	–	–	4.34		0.0950	J	0.0212	U	0.191	U	57.2	J	751	5,080	16.1		10.2			
		02/15/22	PES	Peristaltic	–	–	–	5.75	J	12.5	U	5.30	U	47.8	U	21.3	J	30.8	5,960	18.0	J	6.82	U		
		06/08/22	PES	Peristaltic	–	–	–	3.00		1.25	U	0.530	U	4.78	U	28.7	49.1	6,220	11.9		9.18				
		08/10/22	PES	Peristaltic	–	–	–	3.80	J	5.00	U	2.80	J	19.1	U	14.4	10.9	3,790	14.0	J	73.6				
		11/03/22	PES	Peristaltic	–	–	–	2.29		0.0500	U	0.0212	U	0.191	U	20.8	43.9	5,530	15.0		24.6				
		05/18/23	PES	Peristaltic	–	–	–	0.135	J	0.280	U	0.106	UJ	0.955	UJ	2.78	J	0.900	J	8.65	J	0.286	UJ	116	J
		08/16/23	PES	Peristaltic	–	–	–	0.080	U	0.121	J	0.318		1.32		1.55	1.450	22.1	0.19	J	66.1				
11/08/23	PES	Peristaltic	–	–	–	0.080	U	0.250	U	0.106	U	0.955	U	0.980	2.05	14.1	0.286	U	4.53						
05/24/24	PES	Peristaltic	–	–	–	0.0210	J	0.05	U	0.0212	U	0.191	U	2.13	6.5	58.4	0.501		0.148	J+					

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
MW122 (-75 to -89)	Alley E of Seattle Roy Aloha Shops	12/23/13	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U		
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U		
		03/28/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		06/14/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.162 J	0.0933 U	0.152 U	0.118 U		
		04/06/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		10/14/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.289 J	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/17/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.093 U	0.152 U	0.118 U		
		04/07/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.093 U	0.152 U	0.118 U		
		07/24/20	PES	Peristaltic	–	–	–	0.0160 U	0.0880 J	0.0212 U	0.191 U	0.0540 J	0.0160 U	0.028 U	0.0572 U	0.0273 U		
		11/06/20	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/03/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0360 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/11/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0360 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/18/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0370 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/01/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0810 J	0.0572 U	0.0273 U		
		05/12/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.167	0.0780	0.269	0.0572 U	0.0273 U		
		11/07/23	PES	Peristaltic	–	–	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.028 U	0.0572 U	0.0273 U		
05/21/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.0580 J	0.016 U	0.028 U	0.0572 U	0.0273 U				
MW123 (-42.5 to -52.5)	Westlake Ave N ROW, W side	12/23/13	SES	Peristaltic	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U		
		04/01/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		06/24/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/14/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.284 J	0.153 U	0.0933 U	0.152 U	0.118 U		
		10/18/19	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/22/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.093 U	0.152 U	0.118 U		
		05/05/20	PES	Peristaltic	–	–	–	0.0941 U	0.293 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/30/20	PES	Peristaltic	–	–	–	0.0388 J	1.62	0.141	0.948	0.0280 U	0.0160 U	0.028 U	0.0572 U	0.0273 U		
		11/12/20	PES	Peristaltic	–	–	–	0.0160 U	0.296	0.0217 J	0.236 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/26/21	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		03/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		06/09/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/03/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
11/09/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.028 U	0.0572 U	0.0273 U				

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
MW124 (-53.8 to -63.8) (duplicate)	Valley St ROW, S side	12/26/13	SES	Bladder	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	0.2 U	
		03/29/17	PES	Bladder	–	–	–	0.0896 U	0.785 U	0.158 U	0.316 U	1.60	0.596	0.661	0.152 U	0.118 U		
		03/29/17	PES	Bladder	–	–	–	0.0896 U	0.675 U	0.158 U	0.316 U	1.22	0.433	0.600	0.152 U	0.118 U		
		06/15/17	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/13/18	PES	Bladder	39.4 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		10/11/19	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/30/20	PES	Bladder	31.6 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.093 U	0.152 U	0.118 U		
		04/03/20	PES	Bladder	38.9 U	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.093 U	0.152 U	0.118 U		
		08/03/20	PES	Bladder	–	–	–	0.0160 U	1.14	0.102	0.526	0.0280 U	0.0160 U	0.028 UJ	0.0572 UJ	0.0273 U		
		11/18/20	PES	Bladder	–	–	–	0.0160 U	0.464	0.0212 U	0.191 U	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		06/08/21	PES	Bladder	–	–	–	0.0160 U	0.111 J	0.0212 U	0.191 U	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		03/07/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0750 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/12/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		10/31/22	PES	Bladder	–	–	–	0.0160 U	0.117 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/12/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/03/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.818	0.0572 U	0.685		
05/28/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.028 U	0.0572 U	0.0273 U				
MW128 (-30.8 to -40.8) (duplicate) (split)	Westlake Ave N ROW, E side	01/13/14	SES	Peristaltic	–	–	–	0.35 U	1.0 U	1.0 U	3.0 U	1.0 U	1.0 U	960 ve	1.0 U	290 ve		
		04/22/15	SES	Peristaltic	–	–	–	–	–	–	–	1.0 U	1.0 U	150	1.0 U	59		
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	1.0 U	1.0 U	7.0	1.0 U	95		
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	1.0 U	1.0 U	70	1.0 U	140		
		03/29/17	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	7.16	0.152 U	72.4		
		06/21/17	PES	Bladder	–	–	–	3.84	0.541	0.158 U	0.316 U	0.199 U	0.153 U	109	0.152 U	195		
		04/09/18	PES	Peristaltic	–	–	–	28.3	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.07	0.152 U	31.0		
		12/30/18	Farallon	Unknown	–	–	–	–	–	–	–	1.0 U	1.0 U	5.0	1.0 U	110		
		07/18/19	PES	Peristaltic	–	–	–	12.2	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.88	0.152 U	108		
		10/11/19	PES	Peristaltic	–	–	–	0.984	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.619	0.152 U	13.3		
		10/11/19	PES	Peristaltic	–	–	–	1.34	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.841	0.152 U	24.1		
		11/11/19	Farallon	Unknown	–	–	–	–	–	–	–	0.40 U	0.40 U	1.4	0.40 U	60		
		01/20/20	PES	Peristaltic	–	–	–	17.8	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.67	0.152 U	47.4		
		02/18/20	Farallon	Peristaltic	–	–	–	–	–	–	–	0.40 U	0.40 U	1.4	0.40 U	54		
		04/27/20	PES	Peristaltic	–	–	–	18.3	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	1.04	0.149 U	53.2		
		06/29/20	PES	Peristaltic	–	–	–	16.9	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.618	0.0572 U	31.3		
		06/29/20	Farallon	Peristaltic	–	–	–	–	–	–	–	0.20 U	0.20 U	0.51	0.20 U	34		
		08/26/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	0.46	0.20 U	29		
		11/09/20	PES	Bladder	–	–	–	17.0	0.132 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.671	0.0572 U	56.1		
		12/20/20	Farallon	Unknown	–	–	–	–	–	–	–	0.20 U	0.20 U	0.40	0.20 U	46		
		02/11/21	Farallon	Unknown	–	–	–	–	–	–	–	0.40 U	0.40 U	0.40 U	0.40 U	55		
		05/25/21	PES	Peristaltic	–	–	–	14.2	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	37.3		
		02/25/22	PES	Peristaltic	–	–	–	9.75	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	10.6		
		06/08/22	PES	Peristaltic	–	–	–	8.66	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.180	0.0572 U	4.21		
		11/01/22	PES	Peristaltic	–	–	–	11.9	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.222	0.0572 U	2.99		
		05/18/23	PES	Peristaltic	–	–	–	2.96	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.053 J	0.0572 U	0.874		
		11/09/23	PES	Peristaltic	–	–	–	4.90	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.162	0.0572 U	0.953 J-		
		05/23/24	PES	Peristaltic	–	–	–	10.9	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.028 U	0.0572 U	1.02		

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO		DRO	ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC					
MW-133	Property, SW quadrant	09/25/17	PES	Bladder	41.2	U	–	–	0.0896	U	0.748	0.158	U	0.316	U	12.7	16.2	13.3	1.13	0.239	J					
		04/25/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.837	0.158	U	0.316	U	0.646	0.516	10.7	0.315	J	3.51					
		10/26/18	PES	Bladder	458	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.92	J+	1.63	J+	7.94	0.257	J	3.43		
		12/12/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.71	2.75	7.88	0.454	J	5.95				
		02/01/19	PES	Bladder	46.4	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	22.4	9.29	12.4	0.588	J	4.36				
		03/13/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	4.45	5.92	7.48	0.483	J	10.8				
Decommissioned March 2019																										
MW-137	Property, SW quadrant	09/25/17	PES	Bladder	58.5	U	–	–	0.0896	U	3.90	0.158	U	0.316	U	15.0	19.1	62.0	0.152	U	0.118	U				
		04/12/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.79	0.152	U	4.26		
		10/26/18	PES	Bladder	86.9	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.896	J+	0.463	U	0.893	J+	0.152	U	0.118	U
		12/12/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.437	J	0.152	U	0.357	J
		02/01/19	PES	Bladder	58.4	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.48	0.153	U	0.616	0.152	U	0.365	J		
		03/11/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.344	J	0.153	U	0.275	J	0.152	U	0.179	J
Decommissioned March 2019																										
MW-138 (-47.5 to -57.5)	Dexter Ave N ROW, E side	09/21/17	PES	Bladder	63.3	J	–	–	0.179	U	2.60	0.316	U	0.632	U	0.398	U	0.306	U	0.187	U	0.304	U	0.236	U	
		04/11/18	PES	Bladder	91.1	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/29/18	PES	Bladder	38.5	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.169	J
		01/03/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.442	J	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		03/14/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.49	0.167	J	0.262	J	0.152	U	0.118	U	
		04/22/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ
		07/19/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/21/19	PES	Bladder	92.7	J	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/27/20	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.093	U	0.152	U	0.118	U
		05/08/20	PES	Bladder	53.4	U	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/27/20	PES	Bladder	–	–	–	–	0.0160	U	0.468	0.0657	J	0.356	0.0280	U	0.0160	U	0.028	U	0.0572	U	0.0273	U	0.0273	U
		11/18/20	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		02/11/21	PES	Bladder	–	–	–	–	0.0240	J	0.481	0.105	0.686	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	0.0273	U	
		06/07/21	PES	Bladder	–	–	–	–	0.100	0.589	0.0370	J	0.191	U	0.0280	U	0.0160	U	0.0730	J	0.0572	U	0.0760	J		
		08/03/21	PES	Bladder	–	–	–	–	0.0160	U	0.105	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/10/21	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.159	0.781	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		02/24/22	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/25/22	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		08/09/22	PES	Bladder	–	–	–	–	0.0160	U	0.117	J	0.0212	U	0.191	U	0.0370	J	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/08/22	PES	Bladder	–	–	–	–	0.0160	UJ	0.0680	J	0.0212	UJ	0.191	UJ	0.0280	UJ	0.0160	UJ	0.0276	UJ	0.0572	UJ	0.0273	UJ
05/09/23	PES	Bladder	–	–	–	–	0.0200	J	0.536	0.0830	J	0.587	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U				
10/31/23	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0750	J	0.287	0.0280	U	0.0160	U	0.028	U	0.0572	U	0.0273	U			
05/22/24	PES	Bladder	–	–	–	–	0.016	U	0.110	J	0.0450	J	0.217	J	0.028	U	0.016	U	0.028	UJ	0.0572	U	0.0720	J		
MW-140 (duplicate)	Roy St ROW, N side	09/22/17	PES	Bladder	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.450	J	0.477	J	0.152	U	0.118	U
		09/22/17	PES	Bladder	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.456	J	0.523	0.152	U	0.118	U	
		04/12/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.402	J+	0.572	J+	2.47	J+	0.152	U	0.246	J+
Decommissioned																										

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO		DRO	ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC					
MW-141	Property, SE quadrant	09/22/17	PES	Bladder	–	–	–	–	0.0896	U	0.941	0.158	U	0.316	U	0.199	U	0.153	U	0.345	J	0.152	U	0.457	J	
		04/12/18	PES	Submersible	326	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	71.3	J+	25.6	J+	91.6	J+	5.68	J+	7.01	J+
		10/25/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	3.10	0.152	U	0.118	U	
		12/12/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.46	0.152	U	0.520		
		01/30/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.479	J	0.152	U	0.118	U
		03/11/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.701	0.153	U	1.30	0.152	U	0.557			
		Decommissioned March 2019																								
MW-153 (-65.3 to -75.3)	Roy St ROW, S side	05/01/18	PES	Bladder	31.6	J	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.756	0.153	U	0.612	0.152	U	9.56			
		01/22/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.41	0.152	U	15.9		
		04/24/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.07	0.152	U	2.69	J	
		04/24/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.975	0.152	U	1.66	J	
		07/22/19	PES	Bladder	31.6	U	–	–	0.177	J	0.716	0.227	J	0.819	J	0.199	U	0.190	J	0.384	J	0.152	U	0.235	J	
		10/15/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/21/20	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.093	U	0.152	U	0.118	U
		04/30/20	PES	Bladder	38.2	J	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/15/20	PES	Bladder	–	–	–	–	0.0160	U	1.79	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.028	U	0.0572	U	0.0273	U	
		11/09/20	PES	Bladder	–	–	–	–	0.0160	U	0.314	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.333		
		02/09/21	PES	Bladder	–	–	–	–	0.0200	J	0.860	0.147	1.01	0.0280	U	0.0160	U	0.105	0.0572	U	2.42					
		02/09/21	PES	Bladder	–	–	–	–	0.0220	J	0.918	0.160	1.02	0.0280	U	0.0160	U	0.107	0.0680	J	2.48					
		05/10/21	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0430	J	0.323	0.0280	U	0.0160	U	0.101	0.0572	U	1.15	J-		
		08/20/21	PES	Bladder	–	–	–	–	0.0160	U	0.0640	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.135	J-	0.0572	U	1.02	J-
		12/07/21	PES	Bladder	–	–	–	–	0.0160	U	0.0910	U	0.0670	J	0.462	0.0280	U	0.0160	U	0.115	0.0572	U	1.15			
		02/25/22	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.296	0.0160	U	0.125	0.0572	U	1.14			
		05/02/22	PES	Bladder	–	–	–	–	0.0160	U	0.503	0.127	0.520	0.0280	U	0.0160	U	0.240	0.0572	U	1.10					
		08/02/22	PES	Bladder	–	–	–	–	0.0300	J	1.13	0.120	0.532	0.0280	U	0.0160	U	0.122	0.0572	U	0.501					
		11/03/22	PES	Bladder	–	–	–	–	0.0310	U	0.389	0.0650	J	0.293	0.0280	U	0.0160	U	0.292	0.0572	U	1.14				
		05/12/23	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.155	0.0572	U	0.388		
11/10/23	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0700	J	0.0330	J	0.303	0.0572	U	0.231				
05/31/24	PES	Bladder	–	–	–	–	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.564	0.0572	U	0.273				
(duplicate)		05/31/24	PES	Bladder	–	–	–	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.599	0.0572	U	0.280			

**Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC										
MW-161 (-78.9 to -88.9)	8th Ave N ROW, W side	05/21/18	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.329	J	2.01	1.79	1.89	0.152	U	0.118	U			
		01/25/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.472	J	1.66	1.26	0.152	U	0.118	U		
		05/01/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.482	J	1.66	1.15	0.152	U	0.118	UJ		
		07/18/19	PES	Bladder	31.6	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.264	J	1.53	1.58	0.152	U	0.118	U		
		10/14/19	PES	Bladder	54.7	J	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.978	1.30	0.152	U	0.118	U		
		01/28/20	PES	Bladder	72.8	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	6.05	9.02	0.388	J	1.10			
		04/03/20	PES	Bladder	49.3	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	16.7	27.0	23.4	1.27		1.92				
		07/31/20	PES	Bladder	–	–	–	–	0.0160	U	0.0536	J	0.0212	U	0.191	U	40.6	42.5	59.2	J	1.17	J	4.27			
		12/01/20	PES	Bladder	–	–	–	–	0.0160	U	0.0740	J	0.0212	U	0.191	U	49.0	50.3	84.2	1.74		5.47				
		02/05/21	PES	Bladder	–	–	–	–	0.0160	U	0.0590	J	0.0212	U	0.191	U	24.4	55.8	85.8	2.32	J	9.28	J			
		05/25/21	PES	Bladder	–	–	–	–	0.0160	U	0.165	U	0.0212	U	0.191	U	1.08	28.3	69.8	1.11		5.35				
		08/23/21	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.72	10.3	53.8	0.736		3.51	J-			
		11/29/21	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.59	19.4	46.5	0.785		2.46	J-			
		(duplicate)		02/23/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.886	15.9	45.4	0.602		1.95			
		(duplicate)		02/23/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.13	15.4	45.1	0.625		1.91			
		(duplicate)		05/11/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.629	15.4	30.5	0.557		1.67			
		(duplicate)		08/12/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	1.32	7.14	28.5	0.395		2.54			
		(duplicate)		10/31/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.407	0.545	31.3	0.451		8.13			
		(duplicate)		10/31/22	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.307	0.557	30.3	0.441		7.90			
		(duplicate)		05/15/23	PES	Bladder	–	–	–	0.0160	U	0.102	J	0.0212	U	0.191	U	0.604	3.18	19.5	0.271		1.68			
(duplicate)		05/15/23	PES	Bladder	–	–	–	0.0160	U	0.0590	J	0.0212	U	0.191	U	0.648	3.97	22.2	0.309		2.18					
(duplicate)		11/06/23	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.227	2.11	32.5	0.465		2.73					
(duplicate)		11/06/23	PES	Bladder	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.202	2.17	32.1	0.469		2.75					
(duplicate)		05/22/24	PES	Peristaltic	–	–	–	0.016	U	0.0900	J	0.0212	U	0.191	U	0.028	U	3.13	21.5	0.223		0.340	J-			
(duplicate)		05/22/24	PES	Peristaltic	–	–	–	0.016	U	0.0920	J	0.0212	U	0.191	U	0.028	U	3.18	19.9	J-	0.281		0.369	J-		
MW-162 (-61.6 to -71.6)	Property, NE quadrant	02/05/19	PES	Bladder	–	–	–	1.00	U	1.00	U	1.00	U	1.00	U	2,800	613	1,070	9.58		128					
		03/12/19	PES	Peristaltic	690	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	613	538	758	2.63		46.5				
MW-163 (-61.0 to -71.0)	Property, NW quadrant	02/05/19	PES	Bladder	–	–	–	1.00	U	1.00	U	1.00	U	1.00	U	218	150	42.2	1.00	U	2.95					
		02/05/19	PES	Bladder	–	–	–	1.00	U	1.00	U	1.00	U	1.00	U	220	153	40.3	1.00	U	3.45					
		03/12/19	PES	Bladder	319	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	282	334	56.9	2.87		1.10				
MW-164 (-59.9 to -69.9)	Property, SW quadrant	02/05/19	PES	Bladder	–	–	–	1.00	U	1.80		1.00	U	1.00	U	871	372	385	3.41		4.41					
		03/12/19	PES	Bladder	565	zJ+	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	444	327	529	4.24		7.80				
MW-304 (-47.6 to -57.6)	Dexter Ave N ROW, E side	10/21/19	PES	Bladder	97.9	J	–	–	0.0896	U	0.728		0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/27/20	PES	Bladder	42.2	U	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.093	U	0.152	U	0.118	U
		05/07/20	PES	Bladder	31.6	U	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/27/20	PES	Bladder	–	–	–	–	0.0160	U	2.63		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.028	U	0.0572	U	0.0273	U
		05/18/21	PES	Bladder	–	–	–	–	0.0160	U	0.357		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/08/21	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0800	J	0.527		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/25/22	PES	Bladder	–	–	–	–	0.0160	U	0.0810	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/09/22	PES	Bladder	–	–	–	–	0.0160	U	0.308		0.0520	J	0.276		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	UJ
		05/09/23	PES	Bladder	–	–	–	–	0.0250	J	1.03		0.288		1.68		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		10/31/23	PES	Bladder	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.028	U	0.0572	U	0.0273	U
		05/22/24	PES	Bladder	–	–	–	–	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.028	UJ	0.0572	U	0.0273	UJ

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
MW-319 (-42.8 to -52.8)	9th Ave N ROW, W side	10/08/19	PES	Bladder	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.609	8.12	53.4	0.152 U	5.76		
		01/16/20	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.414 J	11.4	63.7	0.152 U	6.78		
		04/27/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	10.7	54.1	0.149 U	4.52		
		07/27/20	PES	Bladder	–	–	–	0.0336 J	0.399	0.0450 J	0.207 J	0.0933 J	13.6	49.2	0.0806 J	4.77		
		11/12/20	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.110	13.9	47.6	0.0572 U	4.58 J+		
		05/19/21	PES	Peristaltic	–	–	–	0.0160 U	0.0700 U	0.0212 U	0.191 U	0.0900 J	8.52	37.4	0.104 J	4.16		
		11/08/21	PES	Peristaltic	–	–	–	0.0190 J	0.0500 U	0.0212 U	0.191 U	0.0780 J	6.72	37.0	0.100 J	4.25		
		05/27/22	PES	Peristaltic	–	–	–	0.0250 J	0.0500 U	0.0212 U	0.191 U	0.145	6.93	44.1	0.0590 J	5.19 J+		
		11/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0900 J	4.72	60.8	0.138 J	5.83		
		(duplicate)		11/02/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0890 J	5.11	59.8	0.136 J	5.60
		(duplicate)		05/17/23	PES	Peristaltic	–	–	–	0.159	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.490	4.17	0.0572 U	3.37
		(duplicate)		11/08/23	PES	Peristaltic	–	–	–	0.0360 J	0.0560 J	0.0212 U	0.191 U	0.0280 U	1.03	65.2	0.142 J	3.96
		(duplicate)		11/08/23	PES	Peristaltic	–	–	–	0.0410	0.0500 U	0.0212 U	0.191 U	0.0460 J	1.07	64.9	0.116 J	3.82
(duplicate)		05/22/24	PES	Peristaltic	–	–	–	0.0300 J	0.05 U	0.0212 U	0.191 U	0.252	1.21	51.4 J-	0.145 J	4.72 J-		
MW-323 (-65.4 to -75.4)	9th Ave N ROW, W side	10/09/19	PES	Peristaltic	–	–	–	0.0896 U	4.97	0.158 U	0.316 U	0.199 U	0.891	66.5	0.152 U	13.4		
		01/20/20	PES	Peristaltic	–	–	–	0.0896 U	0.549	0.158 U	0.316 U	0.199 U	0.178 J	229	0.152 U	64.9		
		04/23/20	PES	Bladder	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	5.11	0.149 U	4.14		
		07/07/20	PES	Bladder	–	–	–	0.0160 U	1.76	0.0212 U	0.191 U	0.0280 U	0.0300 J	2.55	0.0572 U	4.58		
		11/24/20	PES	Bladder	–	–	–	0.0160 U	0.0960 U	0.0212 U	0.191 U	0.0280 U	0.0260 J	2.68	0.0572 U	4.89		
		05/20/21	PES	Peristaltic	–	–	–	0.0160 U	0.114 U	0.0212 U	0.191 U	0.0280 U	0.0900	115	0.111 J	31.4		
		11/16/21	PES	Peristaltic	–	–	–	0.0390 J	0.320	0.0690 J	0.597	0.0280 U	0.100	384	0.304	52.2		
		06/03/22	PES	Peristaltic	–	–	–	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	0.400 U	354	1.43 U	45.5		
		11/04/22	PES	Peristaltic	–	–	–	0.0490	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0990	374	0.539	77.2		
		05/17/23	PES	Peristaltic	–	–	–	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.320 U	535	1.14 U	77.2		
		11/08/23	PES	Peristaltic	–	–	–	0.0540	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0800	522	0.611	50.0		
		05/23/24	PES	Peristaltic	–	–	–	0.700 J	1.25 U	0.53 U	4.78 U	0.7 U	0.4 U	931	3.97 J	47.3		
		MW-324 (-32.1 to -42.1)	Roy St ROW, N side	10/02/19	PES	Bladder	–	–	–	0.401 J	5.45	0.158 U	0.316 U	0.199 U	0.642	1,550	3.21	61.9
01/20/20	PES			Peristaltic	–	–	–	4.48 U	20.6 U	7.90 U	15.8 U	9.95 U	7.65 U	3,170	7.60 U	113		
04/24/20	PES			Bladder	–	–	–	4.71 U	13.9 U	6.85 U	8.70 U	15.0 U	9.50 U	8,520	16.8 J	362		
07/07/20	PES			Bladder	–	–	–	1.25 J	2.50 U	1.06 U	9.55 U	1.400 U	0.800 U	8,410	13.6	244		
11/13/20	PES			Bladder	–	–	–	2.51	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	7,210	13.7	184		
05/20/21	PES			Peristaltic	–	–	–	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	1.95 J	3,470	10.5	45.6		
11/16/21	PES			Peristaltic	–	–	–	1.60 J	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	2,240	9.00 J	29.2		
05/31/22	PES			Peristaltic	–	–	–	2.55	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	3,200	13.7	101		
11/03/22	PES			Peristaltic	–	–	–	1.03	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.147	1,650	6.55	74.0		
05/18/23	PES			Peristaltic	–	–	–	1.20	1.25 U	0.530 U	4.78 U	0.700 U	0.400 U	2,090	6.93	95.3		
11/08/23	PES			Peristaltic	–	–	–	0.654	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0930	895	4.44	40.6		
05/23/24	PES			Peristaltic	–	–	–	0.700 J	1.25 U	0.53 U	4.78 U	0.7 U	0.4 U	931	3.97 J	47.3		

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
MW-326 (-48.7 to -58.7)	Mercer St ROW, N side	10/03/19	PES	Bladder	–	–	–	0.0896 U	1.31	0.158 U	0.316 U	0.769	0.297 J	6.87	0.152 U	0.118 U		
		01/17/20	PES	Bladder	–	–	–	0.113 J	0.412 U	0.158 U	0.316 U	0.834	0.470 J	9.38	0.152 U	0.118 UJ		
		04/21/20	PES	Bladder	–	–	–	0.108 J	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.971	0.149 U	0.515 J		
		07/23/20	PES	Bladder	–	–	–	0.0390 J	0.120 J	0.0212 U	0.191 U	0.0280 U	0.0430	0.277	0.0572 U	0.201		
		11/02/20	PES	Bladder	–	–	–	0.0740	0.165 J	0.0212 U	0.191 U	0.0280 U	0.0260 J	0.224	0.0572 U	0.332		
		02/09/21	PES	Bladder	–	–	–	0.0680	0.540	0.0570 J	0.427	0.183	0.263 J+	3.40	0.0572 U	0.182 J		
		05/18/21	PES	Bladder	–	–	–	0.0160 U	0.206	0.0212 U	0.191 U	0.219	0.496	3.53	0.0572 U	0.109		
		08/12/21	PES	Peristaltic	–	–	–	0.0420	0.468	0.0600 J	0.291	0.138	0.599	3.52	0.0572 U	0.206		
		11/04/21	PES	Bladder	–	–	–	0.0160 U	0.0540 J	0.0630 J	0.449	0.0850 J	0.638	4.15	0.0572 U	0.186		
		03/03/22	PES	Bladder	–	–	–	0.0160 U	0.0660 U	0.0212 U	0.191 U	0.316	1.21	8.16	0.0572 U	0.0273 U		
		05/09/22	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.200	0.860	6.59	0.0572 U	0.164		
		08/11/22	PES	Bladder	–	–	–	0.0160 U	0.0560 U	0.0212 U	0.191 U	2.26	1.74	7.63	0.0572 U	0.0273 U		
		11/02/22	PES	Bladder	–	–	–	0.0160 U	0.236	0.0212 U	0.191 U	0.114	0.774	8.75	0.0572 U	0.0273 U		
		(duplicate)	11/02/22	PES	Bladder	–	–	–	0.0160 U	0.185 J	0.0212 U	0.191 U	0.133	0.780	8.77	0.0572 U	0.0273 U	
		(duplicate)	05/09/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.175 J+	1.39	6.21	0.0572 U	0.0273 U	
(duplicate)	05/09/23	PES	Bladder	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0890 J	1.35	6.47	0.0572 U	0.0273 U			
(duplicate)	05/24/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.684	5.64	0.0572 U	0.0273 U			
MW-326R (duplicate)	Mercer St	05/15/23	PES	Bladder	–	–	–	0.0160 U	0.756	0.0212 U	0.468	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/09/23	PES	Bladder	–	–	–	0.0440	1.34	0.299	1.51	0.0280 U	0.0160 U	0.125	0.0572 U	0.0273 UJ		
		11/09/23	PES	Bladder	–	–	–	0.0550	1.38	0.295	1.50	0.0280 U	0.0160 U	0.131	0.0572 U	0.0273 UJ		
		05/24/24	PES	Peristaltic	–	–	–	0.0440	0.150 J	0.294	1.44	0.028 UJ	0.016 UJ	0.0890 J	0.0572 U	0.0273 U		
MW-328 (-36.1 to -46.1)	Lake Union Park, S end	10/02/19	PES	Bladder	–	–	–	17.0	0.535	0.158 U	0.316 U	0.199 U	0.153 U	1.26	0.152 U	23.3		
		01/17/20	PES	Peristaltic	–	–	–	17.6	0.448 J	0.158 U	0.316 U	1.66	0.153 U	1.03	0.152 U	13.1 J		
		04/08/20	PES	Peristaltic	–	–	–	9.53	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.631	0.152 U	11.1		
		07/07/20	PES	Peristaltic	–	–	–	10.3	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.03	0.0572 U	20.7		
		11/09/20	PES	Peristaltic	–	–	–	0.630	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.607	0.0572 U	7.99		
		05/25/21	PES	Peristaltic	–	–	–	6.19	0.0540 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	8.57		
		11/10/21	PES	Peristaltic	–	–	–	6.21	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.255	0.0572 U	2.03		
		05/04/22	PES	Peristaltic	–	–	–	7.53	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.336	0.0572 U	2.12		
		11/02/22	PES	Peristaltic	–	–	–	8.47	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.344	0.0572 U	2.18		
		05/19/23	PES	Peristaltic	–	–	–	6.13	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	1.74		
		11/09/23	PES	Peristaltic	–	–	–	6.74	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.195	0.0572 U	0.67 J-		
		05/23/24	PES	Peristaltic	–	–	–	1.40	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	0.152	0.0572 U	0.661		
MW-329 (duplicate) (-69.0 to -79.0)	Westlake Ave N ROW, E side	10/03/19	PES	Peristaltic	–	–	–	0.206 J	0.435 J	0.158 U	0.316 U	0.199 U	0.153 U	9.25	0.152 U	28.8		
		10/03/19	PES	Peristaltic	–	–	–	0.215 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	9.26	0.152 U	29.2		
		01/20/20	PES	Peristaltic	–	–	–	0.279 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	11.0	0.152 U	26.2		
		04/27/20	PES	Bladder	–	–	–	0.704	0.434 J	0.137 U	0.174 U	0.300 U	0.190 U	17.5	0.149 U	23.6		
		08/03/20	PES	Bladder	–	–	–	0.628	1.06	0.0290 J	0.191 U	0.0280 U	0.0160 U	14.7	0.0572 UJ	32.2		
		11/09/20	PES	Bladder	–	–	–	0.862	0.106 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	21.0	0.0572 U	23.0		
		05/25/21	PES	Peristaltic	–	–	–	0.601	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	15.2	0.0572 U	23.0		
		02/25/22	PES	Peristaltic	–	–	–	0.222	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	10.1	0.0572 U	21.8		
		06/09/22	PES	Peristaltic	–	–	–	0.260	0.0580 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	10.4	0.0572 U	22.5		
		11/01/22	PES	Peristaltic	–	–	–	0.176	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.51	0.0572 U	23.6		
		05/18/23	PES	Peristaltic	–	–	–	0.185	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.79	0.0572 U	24.5		
		11/09/23	PES	Peristaltic	–	–	–	0.172	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	8.39	0.0572 U	20.7 J-		
		05/23/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	7.80	0.0572 U	23.4		

Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-336 (-51.6 to -61.6)	Mercer St ROW, N side	05/05/20	PES	Bladder	–	–	–	0.0941 U	0.318 J	0.137 U	0.174 U	0.300 U	0.304 J	57.1	0.149 U	6.03	
		07/08/20	PES	Bladder	–	–	–	0.0490	1.21	0.0212 U	0.191 U	0.600	6.08	61.1	0.127	7.71	
		11/02/20	PES	Bladder	–	–	–	0.215	0.301	0.0212 U	0.191 U	0.172	3.52	137	0.0910 J	5.80	
		02/10/21	PES	Bladder	–	–	–	0.0660	0.328	0.0550 J	0.225 J	0.0280 U	1.86	107	0.189 J	8.18	
		05/26/21	PES	Peristaltic	–	–	–	0.128	0.0500 U	0.0212 U	0.191 U	0.120	3.12 J+	150	0.0572 U	10.7	
		08/11/21	PES	Peristaltic	–	–	–	0.249	0.0500 U	0.0212 U	0.191 U	0.0570 J	2.68	168	0.229	20.7	
		11/17/21	PES	Peristaltic	–	–	–	0.257	0.0500 U	0.0212 U	0.191 U	0.630 J	2.05	177	0.274	8.68	
		03/02/22	PES	Peristaltic	–	–	–	0.277	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.359	223	0.330	9.98	
		05/31/22	PES	Peristaltic	–	–	–	0.230 J	0.500 U	0.212 U	1.91 U	0.280 U	0.620	263	1.03 J	7.39	
		08/10/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0320 J	0.891	23.2	0.129 J	0.0273 U	
		11/03/22	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0840 J	0.657	14.5	0.127 J	0.0273 U	
		05/19/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.496	3.65	0.0572 U	0.0273 U	
		11/09/23	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.468	0.198	0.102 J	0.0273 UJ	
		05/28/24	PES	Peristaltic	–	–	–	0.016 U	0.05 U	0.0212 U	0.191 U	0.028 U	0.398	2.91	0.0870 J	0.0273 U	
MW-341 (-66.8 to -76.8)	Lake Union Park, S end	05/12/20	PES	Peristaltic	–	–	–	16.2	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	41.4	0.149 U	10.4	
		07/07/20	PES	Peristaltic	–	–	–	15.6	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0500	32.9	0.0572 U	9.86	
		11/09/20	PES	Peristaltic	–	–	–	9.87	0.167 J	0.0212 U	0.191 U	0.0740 J	0.102	25.1	0.0572 U	5.99	
		05/25/21	PES	Peristaltic	–	–	–	17.6	0.105 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.43	0.0572 U	26.7	
		11/10/21	PES	Peristaltic	–	–	–	14.3	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	12.2	0.0572 U	11.9	
		05/04/22	PES	Peristaltic	–	–	–	21.3	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	17.0	0.0572 U	16.6	
		11/02/22	PES	Peristaltic	–	–	–	25.7	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.29	0.0572 U	26.5	
		05/18/23	PES	Peristaltic	–	–	–	19.7	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.42	0.0572 U	23.2	
		11/09/23	PES	Peristaltic	–	–	–	20.4	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.42	0.0572 U	27.8 J-	
		05/23/24	PES	Peristaltic	–	–	–	19.8	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	17.7	0.0572 U	44.8	
MW-342 (-32.4 to -42.4)	Valley St ROW, S side	05/04/20	PES	Peristaltic	–	–	–	0.0941 U	0.366 J	0.137 U	0.174 U	0.300 U	0.190 U	1.34	0.149 U	1.51	
		07/30/20	PES	Peristaltic	–	–	–	0.316	1.24	0.116	0.723	0.0280 U	0.0160 U	5.56 J	0.0572 UJ	3.12	
		11/17/20	PES	Peristaltic	–	–	–	0.113	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.22	0.0572 U	1.87	
		06/04/21	PES	Peristaltic	–	–	–	0.526	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.45	0.0572 U	2.54	
		11/09/21	PES	Peristaltic	–	–	–	0.198	0.250	0.0590 J	0.412	0.0280 U	0.0160 U	2.45	0.0572 U	1.81	
		05/17/22	PES	Peristaltic	–	–	–	0.779	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	5.13	0.0572 U	10.2	
		11/01/22	PES	Peristaltic	–	–	–	0.980	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	4.60	0.0930 J	8.88	
		05/09/23	PES	Peristaltic	–	–	–	0.0290 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.03 U	
		11/09/23	PES	Peristaltic	–	–	–	1.02	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	7.68	0.0700 J	5.16 J-	
		05/24/24	PES	Peristaltic	–	–	–	1.51	0.05 U	0.0212 U	0.191 U	0.028 U	0.016 U	6.77	0.0690 J	4.72	

**Table 6
Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)												
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
MW-343 (-71.5 to -81.5)	Valley St ROW, S side	05/04/20	PES	Peristaltic	–	–	–	0.114 J	0.620	0.137 U		0.207 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U
		07/30/20	PES	Peristaltic	–	–	–	0.0471	1.57	0.163		0.931	0.0280 U	0.0160 U	0.028 UJ	0.0572 UJ	0.0273 U
		11/24/20	PES	Peristaltic	–	–	–	0.0160 U	0.0500 U	0.0212 U		0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U
		06/04/21	PES	Peristaltic	–	–	–	0.139	0.0500 U	0.0212 U		0.191 U	0.0280 U	0.0160 U	3.17	0.0572 U	3.81
		11/09/21	PES	Peristaltic	–	–	–	0.123	0.272	0.0560 J		0.421	0.0370 J	0.0160 U	3.00	0.0572 U	4.18
		05/17/22	PES	Peristaltic	–	–	–	0.0940	0.0500 U	0.0212 U		0.191 U	0.0280 U	0.0160 U	2.93	0.0572 U	3.50
		11/01/22	PES	Peristaltic	–	–	–	0.119	0.0500 U	0.0212 U		0.191 U	0.0280 U	0.0160 U	2.90	0.0572 U	4.58
		05/09/23	PES	Peristaltic	–	–	–	0.051	0.328	0.0680 J		0.491	0.0280 U	0.0160 U	0.214	0.0572 U	0.0273 U
		12/04/23	PES	Peristaltic	–	–	–	0.0910	0.0500 U	0.0212 U		0.191 U	0.0280 U	0.0160 U	2.88	0.0572 U	5.06
		05/24/24	PES	Peristaltic	–	–	–	0.0750 J	0.05 UJ	0.0212 UJ		0.191 UJ	0.028 UJ	0.016 UJ	2.56 J	0.0572 UJ	4.20 J
Number of Samples					97	–	–	552	552	552	552	613	613	613	613	613	
Number of Detections					14	–	–	202	179	78	91	183	243	465	160	380	
Frequency of Detection					14%	–	–	37%	32%	14%	16%	30%	40%	76%	26%	62%	
Maximum					140	–	–	44.1	5.45	2.800 J	1.94	2,800	1,540	10,300	32.9	1,800	
Minimum					31.6 U	50 U	250 U	0.0160 U	0.0500 U	0.0212 U	0.174 U	0.0280 U	0.0160 U	0.0276 U	0.0572 UJ	0.0273 U	
Number of Samples Above SL					0	0	0	42	0	0	0	57	93	181	0	335	
Frequency of Detection Above SL					0%	–	–	8%	0%	0%	0%	9%	15%	30%	0%	55%	

Notes:

PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. Detections above the groundwater PCUL level are shown in **bold and highlighted in gray**. Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. cDCE = cis-1,2-Dichloroethene DRO = Diesel-range organics GRO = Gasoline-range organics HC = Hart Crowser ORO = Oil-range organics PCE = Perchloroethylene (Tetrachloroethene) ROW = right-of-way SES = SES Strategies, Inc. TCE = Trichloroethene tDCE = trans-1,2-Dichloroethene VC = Vinyl chloride Well screen elevations indicated below Sample Location in parentheses. (--) = unknown screen elevation.

Laboratory and Results Notes:

Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. – = Not analyzed or results not available. i = The presence of the analyte indicated may be due to carryover from previous sample injections. J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided. U = Not detected at or above the laboratory method detection limit (MDL). z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs. Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021. Groundwater statistics for GRO exclude "z" qualified data.

**Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
	Soil zone - Shallow only	PCUL		PCUL	800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29
								2.4	15,000	1,200	320	24	1.4	–	77	0.35
								5.0	640	700	1,600	5.0	4.0	16	100	0.29
								WATER ug/l								
Treatment Zone A Wells																
IW-4A	Property Decommissioned March, 2019	03/28/18	PES	Peristaltic	–	–	–	0.205 J	0.589	0.158 U	0.316 U	9,470	1,100	2,010	9.77	306
IW-7A	Property Decommissioned March, 2019	04/02/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.335 J	2.09	8.74	0.295 J	1.20
IW-9A	Property Decommissioned March, 2019	03/29/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	3,230	299	510	2.36	102
IW-18A	Property Decommissioned March, 2019	03/30/18	PES	Peristaltic	–	–	–	0.306 J	2.07	0.158 U	0.507 J	16,500	3,300	3,680	13.6	478
IW-22A	Property Decommissioned March, 2019	04/02/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	3.88	0.153 U	128	6.88	232
IW-37A	Property Decommissioned March, 2019	03/28/18	PES	Peristaltic	–	–	–	0.157 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	10.5	0.419 J	55.9
IW-41A	Property Decommissioned March, 2019	04/10/18	PES	Peristaltic	–	–	–	1.79 U	0.412 U	3.16 U	6.32 U	37.3	28.0	510	1.89	78.2
IW-42A	Property Decommissioned March, 2019	04/10/18	PES	Peristaltic	–	–	–	22.4 U	0.726	39.5 U	79.0 U	7,700	1,840	10,500	14.5	1,280
IW-45A	Property Decommissioned March, 2019	04/04/18	PES	Peristaltic	–	–	–	0.202 J	0.749	0.158 U	0.361 J	9,250	7,460	18,800	14.5	2,020
IW-46A	Property Decommissioned March, 2019	03/28/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.200 J	0.153 U	8.86	0.152 U	284
IW-48A	Property Decommissioned March, 2019	04/02/18	PES	Peristaltic	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.425 J	0.622	1.16	1.04	16.3
MW-165 (1.3 to -8.8)	Cluster 1	11/04/19	PES	Peristaltic	3,940 zJ+	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	3.95	20.2	4,180	91.1	642
		01/30/20	PES	Peristaltic	31.6 U	–	–	0.176 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	6.89	2.56	9.64
		05/01/20	PES	Peristaltic	74.3 J	–	–	0.162 J	0.311 J	0.137 U	0.174 U	0.423 J	0.353 J	61.4	2.19	24.3
		07/09/20	PES	Peristaltic	31.6 U	–	–	0.0900	0.389	0.0212 U	0.191 U	0.130	0.250	40.8	3.78	77.3
		11/05/20	PES	Flowing	–	–	–	0.138	0.633	0.0212 U	0.191 U	0.0280 U	0.276	578	12.6	1,160
		02/04/21	PES	Flowing	–	–	–	0.183	1.30	0.0800 J	0.369	0.0280 U	0.167	1,570	23.5	1,690
		05/06/21	PES	Flowing	–	–	–	0.160 U	0.820 U	0.212 U	1.91 U	0.280 U	0.160 U	260	15.2	301
		08/10/21	PES	Flowing	–	–	–	0.170	0.809	0.0460 J	0.191 U	0.0490 J	1.60 U	858	22.7	737
		12/02/21	PES	Flowing	–	–	–	0.136	0.597	0.0212 U	0.191 U	0.0280 U	0.107	617	21.0	480
		02/22/22	PES	Flowing	–	–	–	0.183	0.501	0.0340 J	0.191 U	0.0280 U	0.153	1,040	26.8	719
		05/13/22	PES	Flowing	–	–	–	0.141	0.446	0.0340 J	0.191 U	0.0280 U	0.153	938	23.1	808
		08/05/22	PES	Flowing	–	–	–	0.320 U	1.00 U	0.424 U	3.82 U	0.560 U	0.560 J	760	16.5	642
		10/28/22	PES	Flowing	–	–	–	0.220	0.250 U	0.106 U	1.44	0.140 U	0.0800 U	858	14.9	797
		05/11/23	PES	Flowing	–	–	–	0.114	0.413	0.0212 U	0.191 U	0.131	0.179	10.7	0.0572 U	16.0
11/01/23	PES	Flowing	–	–	–	0.105	0.311	0.0212 U	0.191 U	0.0280 U	0.0160 U	7.03	1.21	10.3		
05/28/24	PES	Flowing	–	–	–	0.0840	0.116 J	0.0212 U	0.191 U	0.028 U	0.0320 J	0.912	0.322	1.24		

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																			
					GRO		DRO	ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes	PCE	TCE	cDCE	tDCE	VC				
Soil zone - Shallow only					800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29								
PCUL								2.4	15,000	1,200	320	24	1.4	-	77	0.35								
PCUL								5.0	640	700	1,600	5.0	4.0	16	100	0.29								
					WATER ug/l		WATER ug/l		WATER ug/l		WATER ug/l		WATER ug/l		WATER ug/l		WATER ug/l							
MW-169 (1.2 to -8.8)	Cluster 2	11/05/19	PES	Peristaltic	83.4	zJ+	-	-	0.13	J	0.412	U	0.158	U	0.316	U	2.72	1.15	48.8	11.9	1,500			
		01/23/20	PES	Peristaltic	158	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.995	U	1.51	J	0.665	J	6.97	275
		05/05/20	PES	Peristaltic	158	U	-	-	0.127	J	0.388	J	0.137	U	0.493	J	0.300	U	0.190	U	0.126	U	2.20	40.5
		07/10/20	PES	Peristaltic	2,400	zJ+	-	-	0.0830	-	1.01	J	0.105	U	0.834	J	0.0390	J	0.0490	-	0.194	-	3.06	77.9
		11/03/20	PES	Flowing	-	-	-	-	0.113	-	0.123	J	0.0212	U	0.191	U	6.26	-	1.78	-	0.853	-	1.00	5.57
		02/17/21	PES	Flowing	-	-	-	-	0.106	-	0.0570	J	0.0212	U	0.191	U	0.0280	U	0.0460	-	0.158	-	0.704	1.72
		05/07/21	PES	Flowing	-	-	-	-	0.0800	-	0.179	U	0.0212	U	0.191	U	0.0280	U	0.0340	J	0.0680	U	0.469	0.680
		08/10/21	PES	Flowing	-	-	-	-	0.100	-	0.0920	J	0.0212	U	0.191	U	0.0490	J	0.0160	U	0.0770	J	0.440	1.32
		11/19/21	PES	Flowing	-	-	-	-	0.0750	-	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0610	-	0.127	-	0.657	1.89
		02/16/22	PES	Flowing	-	-	-	-	0.0910	-	0.0500	U	0.0212	U	0.191	U	0.267	-	0.0340	J	0.0680	J	0.417	1.39
		05/12/22	PES	Flowing	-	-	-	-	0.0780	-	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0370	J	0.255	-	0.370	5.29
		08/05/22	PES	Flowing	-	-	-	-	0.103	-	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0380	J	0.0660	J	0.338	20.6
		10/27/22	PES	Peristaltic	-	-	-	-	0.109	-	0.168	U	0.0670	J	0.316	-	0.0280	U	0.0560	-	0.0276	U	0.284	1.12
		05/11/23	PES	Peristaltic	-	-	-	-	0.0810	-	0.104	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.144	-	0.276	4.82
		11/03/23	PES	Peristaltic	-	-	-	-	0.119	-	0.0640	J	0.0212	U	0.191	U	0.0380	J	0.0550	-	0.156	-	0.244	4.10
		05/24/24	PES	Peristaltic	-	-	-	-	0.0960	-	0.05	U	0.0212	U	0.191	U	0.028	U	0.0320	J	0.0410	J	0.153	J
MW-173 (2.2 to -7.8)	Cluster 3	11/01/19	PES	Peristaltic	31.6	U	-	-	0.141	J	0.412	U	0.158	U	0.316	U	0.704	0.484	J	15.6	-	2.31	67.2	
		01/28/20	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.302	J	5.48	-	2.43	116
		05/01/20	PES	Peristaltic	31.6	U	-	-	0.139	J	0.278	U	0.137	U	0.225	J	0.300	U	0.190	U	0.493	J	1.88	7.87
		07/09/20	PES	Peristaltic	31.6	U	-	-	0.103	-	0.632	-	0.0212	U	0.371	-	0.360	-	0.218	-	0.402	-	2.87	26.2
		11/05/20	PES	Flowing	-	-	-	-	0.179	-	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0865	-	0.616	-	3.30	105
		02/04/21	PES	Flowing	-	-	-	-	0.242	-	0.191	J	0.0212	U	0.191	U	0.0280	U	0.0520	-	0.272	-	3.85	33.6
		05/05/21	PES	Flowing	-	-	-	-	0.199	-	0.192	U	0.0212	U	0.229	J	0.0280	U	0.0530	-	0.142	U	2.68	15.8
		08/05/21	PES	Flowing	-	-	-	-	0.176	-	0.171	J	0.0212	U	0.191	U	0.0280	U	0.0450	-	0.0860	J	1.30	0.636
		12/02/21	PES	Flowing	-	-	-	-	0.199	-	0.164	U	0.0212	U	0.191	U	0.0280	U	0.0350	J	0.0510	J	1.06	0.292
		02/17/22	PES	Flowing	-	-	-	-	0.182	-	0.146	U	0.0212	U	0.191	U	0.0280	U	0.0470	-	0.0700	J	0.588	0.236
		05/13/22	PES	Flowing	-	-	-	-	0.151	-	0.117	J	0.0212	U	0.191	U	0.0280	U	0.0430	-	0.0760	J	0.474	0.253
		08/11/22	PES	Flowing	-	-	-	-	0.187	-	0.119	U	0.0212	U	0.191	U	0.0280	U	0.0490	-	0.0720	J	0.370	0.143
		10/27/22	PES	Flowing	-	-	-	-	0.188	-	0.122	J	0.0460	J	0.191	U	0.0280	U	0.0460	-	0.0630	J	0.556	0.629
		05/11/23	PES	Flowing	-	-	-	-	0.0810	-	0.104	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.144	-	0.276	4.82
		11/03/23	PES	Flowing	-	-	-	-	0.119	-	0.0640	J	0.0212	U	0.191	U	0.0380	J	0.0550	-	0.156	-	0.244	4.10
		05/28/24	PES	Peristaltic	-	-	-	-	0.147	-	0.0800	J	0.0212	U	0.191	U	0.028	U	0.016	U	0.0900	J	0.0730	J

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
				PCUL	800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29
	Soil zone - Shallow only															
	PCUL															
MW-177 (2.3 to -7.7)	Cluster 4	11/06/19	PES	Peristaltic	127,000 zJ+	-	-	0.744	4.14	0.579	2.77	3,180	1,710	131,000	395 J	11,000
		01/24/20	PES	Peristaltic	89,400 ZJ+	-	-	4.48 U	20.6 U	7.90 U	15.8 U	26,400	7,440	99,800	265	8,440
		04/01/20	PES	Peristaltic	77,100 zJ+	-	-	448 U	2,060 U	790 U	1,580 U	27,900	6,980	123,000	760 U	9,860
		07/10/20	PES	Peristaltic	92,500 zJ+	-	-	80.0 U	250 U	106 U	955 U	29,400	6,520	76,100	345 J	9,450
		11/03/20	PES	Flowing	-	-	-	16.0 U	50.0 U	21.2 U	191 U	7,170	861	16,900	57.2 U	6,740
		02/18/21	PES	Flowing	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	10,900	2,010	12,800	50.0	6,310
		05/06/21	PES	Flowing	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	10,100	2,440	11,800	50.2	4,900
		08/09/21	PES	Flowing	-	-	-	0.440	0.590 J	0.212 U	1.91 U	6,190	1,250	6,810	31.8	3,500
		12/03/21	PES	Flowing	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	7,650	861	5,330	11.4 U	3,200
		02/17/22	PES	Flowing	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	10,500	1,800	7,920	30.4 J	2,920
		05/10/22	PES	Flowing	-	-	-	0.250	0.468	0.0780 J	0.458	7,870	1,460	6,410	29.5	2,960
		08/04/22	PES	Flowing	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	6,400	914 J+	4,980	27.4 J	4,660 J+
		10/26/22	PES	Peristaltic	-	-	-	3.20 U	33.2 J	4.24 U	38.2 U	5,450 J+	551	3,150	27.2 J	3,100
		05/10/23	PES	Flowing	-	-	-	0.155	0.282	0.0620 J	0.272	6,630	402	3,870	20.9	2,620
		11/01/23	PES	Peristaltic	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	418	61.8	2,610	12.8 J	1,170
		05/23/24	PES	Flowing	-	-	-	3.2 U	10 U	4.24 U	38.2 U	1,090 J+	319	1,900	11.4 U	1,090
MW-181 (1.5 to -8.5)	Cluster 5	11/08/19	PES	Peristaltic	23,900 zJ+	-	-	0.672 J	2.06 U	0.790 U	1.58 U	99.5 U	76.5 U	30,800	237	10,700
		01/27/20	PES	Peristaltic	9,090 ZJ+	-	-	44.8 U	206 U	79.0 U	158 U	99.5 U	76.5 U	18,400	151 J	9,660
		04/01/20	PES	Peristaltic	12,200 zJ+	-	-	44.8 U	206 U	79.0 U	158 U	99.5 U	76.5 U	24,300	120 J	10,000
		07/08/20	PES	Peristaltic	15,400 zJ+	-	-	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	8.00 U	11,100	121	6,150
		11/04/20	PES	Peristaltic	-	-	-	0.336	0.188 J	0.0212 U	0.191 U	0.0280 U	0.147	1,360	58.9	6,650
		02/19/21	PES	Flowing	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	1,460	43.4	7,850
		05/06/21	PES	Peristaltic	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	23.8	1.60 U	381	23.2	6,960
		08/09/21	PES	Peristaltic	-	-	-	0.272	0.402	0.0360 J	0.191 U	0.197	0.142	775	42.1	2,170
		11/18/21	PES	Peristaltic	-	-	-	0.214	0.260	0.0510 J	0.249 J	0.0280 U	0.0940	1,530	40.8	6,870
		02/16/22	PES	Peristaltic	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	1,880	43.0 J	9,100
		05/10/22	PES	Peristaltic	-	-	-	0.160 U	0.500 U	0.212 U	1.91 U	5.29	2.26	723	34.1	10,200
		08/04/22	PES	Peristaltic	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	3,700	41.4	11,700
		10/25/22	PES	Peristaltic	-	-	-	6.60 J	40.2	4.24 U	38.2 U	5.60 U	3.20 U	5,150	31.0 J	12,200
		05/10/23	PES	Peristaltic	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	2,830	16.8 J	6,770
		11/01/23	PES	Peristaltic	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	7530	28.4 J	6830
		05/23/24	PES	Peristaltic	-	-	-	3.2 U	10 U	4.24 U	38.2 U	5.6 U	3.2 U	6,730	16.6 J	6,540

**Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																																	
					GRO		DRO	ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes	PCE	TCE	cDCE	tDCE	VC																		
PCUL					800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29																						
MW-185 (1.4 to -8.7)	Cluster 6	Soil zone - Shallow only			PCUL																																	
		10/31/19	PES	Flowing														446	zJ+	-	-	2.4	15,000	700	320	24	1.4	-	77	0.35								
		01/29/20	PES	Peristaltic														31.6	U	-	-	5.0	640	700	1,600	5.0	4.0	16	100	0.29								
		04/02/20	PES	Peristaltic														31.6	U	-	-	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER								
		07/08/20	PES	Peristaltic														56.3	U	-	-	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l								
		11/04/20	PES	Flowing														-	-	-	-	0.140	J	0.412	U	0.158	U	0.316	U	2.57	3.51	547	5.47	179				
		02/16/21	PES	Flowing														-	-	-	-	0.228	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.09	1.52	1.66		
		05/07/21	PES	Flowing														-	-	-	-	0.192	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.18	0.729	0.512		
		08/03/21	PES	Flowing														-	-	-	-	0.127	-	0.545	-	0.0630	J	0.432	-	0.0570	J	0.0760	-	0.752	0.375	0.883		
		11/18/21	PES	Flowing														-	-	-	-	0.148	-	0.0656	J	0.0212	U	0.191	U	0.0313	J	0.0895	-	0.351	0.0586	J	0.900	
		02/16/22	PES	Flowing														-	-	-	-	0.117	-	0.0550	J	0.0212	U	0.191	U	0.0280	U	0.0790	-	0.203	0.0572	U	1.19	J+
		05/12/22	PES	Flowing														-	-	-	-	0.112	-	0.0640	U	0.0212	U	0.191	U	0.168	-	0.0870	-	0.257	U	0.0820	J	4.73
		08/05/22	PES	Peristaltic														-	-	-	-	0.141	-	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0660	-	0.137	0.0572	U	2.07	J+
		10/27/22	PES	Peristaltic														-	-	-	-	0.119	-	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0710	-	0.360	0.0572	U	1.33	J+
		05/11/23	PES	Peristaltic														-	-	-	-	0.122	-	0.0500	U	0.0212	U	0.191	U	0.0560	J	0.0780	-	0.618	0.0700	J	4.89	J+
		11/02/23	PES	Peristaltic														-	-	-	-	0.0890	-	0.0500	U	0.0212	U	0.191	U	0.0410	J	0.0550	-	0.206	0.0572	U	2.53	J+
		05/24/24	PES	Peristaltic														-	-	-	-	0.136	-	0.102	J	0.0300	J	0.191	U	0.0280	U	0.125	J+	0.281	0.0930	J	0.680	J+
								0.105	J	0.250	U	0.106	U	0.955	U	0.140	U	0.0800	U	0.225	J	0.286	U	1.48														
								0.0160	U	0.238	-	0.0212	U	0.191	U	0.0490	J	0.128	-	1.78	0.198	J	8.59	J+														
								0.111	-	0.102	J	0.0212	U	0.191	U	0.0280	U	0.106	-	1.38	0.171	J	1.27	J+														
								0.0720	-	0.05	U	0.0212	U	0.191	U	0.028	U	0.0710	-	0.655	0.0572	U	0.583	J+														
Treatment Zone B Wells																																						
IW-3B	Property Decommissioned March, 2019	03/28/18	PES	Peristaltic	-	-	-	0.158	J	0.446	J	0.158	U	0.316	U	360	459	3,170	10.7	395																		
IW-6B	Property Decommissioned March, 2019	04/02/18	PES	Peristaltic	-	-	-	0.350	J	0.453	J	0.158	U	0.316	U	590	847	2,270	13.6	24.1																		
IW-8B	Property Decommissioned March, 2019	03/30/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	25.2	21.8	6.43	0.152	U	0.403	J																
IW-17B	Property Decommissioned March, 2019	03/30/18	PES	Peristaltic	-	-	-	0.838	-	3.71	-	0.451	J	2.54	-	60,100	11,500	51,400	228	J	3,230																	
IW-21B	Property Decommissioned March, 2019	04/02/18	PES	Peristaltic	-	-	-	0.0896	U	0.438	J	0.158	U	0.316	U	1.51	148	4,600	58.5	1,200																		
IW-22B	Property Decommissioned March, 2019	04/25/18	PES	Peristaltic	-	-	-	1.79	U	17.7	-	3.16	U	6.32	U	62,600	6,000	26,600	128	9,680																		
IW-24B	Property Decommissioned March, 2019	03/30/18	PES	Peristaltic	-	-	-	0.754	J+	6.26	J+	0.777	J+	4.55	-	48,800	20,100	48,200	274	2,040																		
IW-28B	Property Decommissioned March, 2019	04/09/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	4.71	2.42	19.4	0.174	J	3.66																	
IW-33B	Property Decommissioned March, 2019	04/02/18	PES	Peristaltic	-	-	-	0.560	-	2.30	-	0.158	U	0.316	U	31.6	1,800	18,200	228	2,410																		
IW-37B	Property Decommissioned March, 2019	03/29/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	1.82	0.497	J	3,240	33.0	2,420																	
IW-45B	Property Decommissioned March, 2019	03/28/18	PES	Peristaltic	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.215	J	213	7.09	150																
IW-47B	Property Decommissioned March, 2019	04/10/18	PES	Bladder	-	-	-	89.6	U	2.06	U	158	U	316	U	144	170	40,900	46.3	3,360																		

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
				PCUL	800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29
	Soil zone - Shallow only							2.4	15,000	1,200	320	24	1.4	-	77	0.35
								5.0	640	700	1,600	5.0	4.0	16	100	0.29
IW-49B	Property Decommissioned March, 2019	03/28/18	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.307 J	0.572	974	1.49	668
IW-51B	Property Decommissioned March, 2019	03/28/18	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.437 J	0.817	4.60	0.152 U	20.5
MW-166 (-12.6 to -22.6)	Cluster 1	11/04/19	PES	Peristaltic	4,360 zJ+	-	-	0.0896 U	0.526	0.158 U	0.316 U	0.199 U	0.467 J	5,130	47	1,420
		01/30/20	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	118	11.4	250
		05/01/20	PES	Peristaltic	49.1 J	-	-	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	20.4	2.03	29.5
		07/09/20	PES	Peristaltic	31.6 U	-	-	0.0400 J	1.13	0.0510 J	0.605	0.0280 U	0.0520	21.7	1.41	42.3
		11/05/20	PES	Peristaltic	-	-	-	0.0909	0.143 J	0.0212 U	0.191 U	0.0280 U	0.271	6,090	27.4	3,380
		02/04/21	PES	Flowing	-	-	-	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	8.00 U	9,810	63.0 J+	3,760 J
		05/05/21	PES	Flowing	-	-	-	3.20 U	10.0 U	4.24 U	38.2 U	5.60 U	3.20 U	7,150	42.4	2,020
		08/10/21	PES	Flowing	-	-	-	0.116	0.0870 J	0.0212 U	0.191 U	0.0880 J	4.00 U	5,280	49.1	1,600
		12/02/21	PES	Flowing	-	-	-	0.200 J	1.13 J	0.212 U	1.91 U	0.280 U	1.24	7,610	70.3	3,100
		02/22/22	PES	Peristaltic	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	11,300	64.3	3,050
		05/13/22	PES	Flowing	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	9,310	66.3	3,200
		08/05/22	PES	Flowing	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	4.00 U	8,810	60.0	3,870
		10/28/22	PES	Peristaltic	-	-	-	0.130 J	0.250 U	0.106 U	0.955 U	0.140 U	0.0800 U	12,000	49.7	4,810
		05/11/23	PES	Peristaltic	-	-	-	0.0880	0.162 J	0.0212 U	0.191 U	0.0280 U	0.317	6,630	58.0	2,180
11/02/23	PES	Peristaltic	-	-	-	0.117	0.122 J	0.0550 J	0.191 U	0.289	0.401	8,910	62.7	2,770		
05/28/24	PES	Peristaltic	-	-	-	0.104	0.0690 J	0.0212 U	0.191 U	0.028 U	0.631	7,480	62.4	2,370		
MW-170 (-12.8 to -22.8)	Cluster 2	11/05/19	PES	Peristaltic	22,700 zJ+	-	-	0.269 J	0.916	0.158 U	0.796 J	105	125	27,600	172	6,710
		01/23/20	PES	Peristaltic	20,000 zJ+	-	-	2.24 U	10.3 U	3.95 U	7.90 U	7,070	5,780	21,900	136	5,920
		04/02/20	PES	Peristaltic	17,000 zJ+	-	-	44.8 U	206 U	79.0 U	158 U	2,470	3,100	30,900	160 J	5,940
		07/09/20	PES	Peristaltic	24,300 zJ+	-	-	0.450	2.54	0.212 U	1.91 U	2,340	3,050	32,700	211	7,520
		11/03/20	PES	Peristaltic	-	-	-	0.290 J	0.500 U	0.212 U	1.91 U	17.6 J	18.3	9,090	160	11,500
		02/17/21	PES	Peristaltic	-	-	-	0.320 J	0.670 J	0.700 J	2.82	0.730 J	4.90	5,450	156	14,400
		05/07/21	PES	Peristaltic	-	-	-	8.00 U	25.0 U	10.6 U	95.5 U	14.0 U	8.00 U	3,980	178	12,000
		08/09/21	PES	Peristaltic	-	-	-	0.230 J	0.500 U	0.212 U	1.91 U	28.0 U	16.0 U	2,630	170	8,220
		11/19/21	PES	Peristaltic	-	-	-	16.0 U	50.0 U	21.2 U	191 U	28.0 U	16.0 U	5,440	236	13,400
		02/17/22	PES	Peristaltic	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	42.0	16.0	5,120	179	10,300
		05/12/22	PES	Flowing	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	464	78.8	5,960	229	11,800
		08/05/22	PES	Flowing	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	90.8	24.0	4,770	172	12,500
		10/27/22	PES	Peristaltic	-	-	-	0.490	0.850 U	0.570 J	1.91 U	31.0 J	3.99	2,980	180	11,700
		05/11/23	PES	Peristaltic	-	-	-	0.125	0.220	0.0212 U	0.191 U	0.0640 J	1.78	4,650	239	12,800
11/02/23	PES	Peristaltic	-	-	-	0.186	0.134 J	0.0212 U	0.191 U	81.8	40.5	5,760	179	11,700		
05/24/24	PES	Peristaltic	-	-	-	-	3.2 U	10 U	4.24 U	38.2 U	19.8 J	51.4	10,200	256	11,800	

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																				
					GRO		DRO		ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE
Soil zone - Shallow only					800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29									
PCUL					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29									
WATER					ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l									
MW-174 (-12.3 to -22.3)	Cluster 3	11/01/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.286	J	1.07	6.85	
		01/28/20	PES	Peristaltic	531	ZJ+	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.484	J	1.05	0.529	
		05/01/20	PES	Peristaltic	51.1	J	-	-	0.0941	U	0.701	U	0.137	U	0.710	J	0.300	U	0.190	U	0.877	U	0.653	1.04	
		07/09/20	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.901	U	0.0212	U	0.511	U	0.259	U	0.184	U	1.19	U	1.31	2.32	
		11/05/20	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.177	U	0.609	U	2.05	3.11	
		02/04/21	PES	Flowing	-	-	-	-	0.0160	U	0.121	J	0.0212	U	0.191	U	0.0400	J	0.0980	U	0.247	U	1.17	2.38	
		05/05/21	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.102	U	0.245	U	0.911	1.85	
		08/05/21	PES	Flowing	-	-	-	-	0.0220	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.110	U	0.328	U	0.557	29.7	
		12/02/21	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.117	U	0.550	U	0.630	105	
		02/17/22	PES	Flowing	-	-	-	-	0.0240	J	0.0500	U	0.0212	U	0.191	U	0.140	U	0.180	J	0.686	U	0.701	117	
		05/13/22	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0470	J	0.149	U	2.75	U	0.741	119	
		08/11/22	PES	Flowing	-	-	-	-	0.160	U	0.500	U	0.212	U	1.91	U	0.280	U	0.160	U	8.41	U	0.920	J	120
		10/27/22	PES	Flowing	-	-	-	-	0.0260	J	0.0500	U	0.0212	U	0.191	U	2.38	U	0.997	U	22.3	U	1.25	157	
		05/11/23	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.140	U	0.080	U	20.1	U	1.52	105	
		11/03/23	PES	Flowing	-	-	-	-	0.080	U	0.250	U	0.106	U	0.955	U	0.140	U	0.080	U	86.6	U	2.93	228	
		05/28/24	PES	Flowing	-	-	-	-	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.287	U	63.8	U	2.19	205	J+
MW-178 (-11.7 to -21.7)	Cluster 4	11/06/19	PES	Peristaltic	249	ZJ+	-	-	0.0896	U	0.477	J	0.321	J	0.316	U	3.98	U	3.06	U	5.28	J	24.6	877	
		01/24/20	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.245	J	0.383	J	0.199	U	0.153	U	0.565	U	9.15	2.14	
		04/02/20	PES	Peristaltic	31.7	U	-	-	0.150	J	0.412	U	0.202	J	0.316	U	0.199	U	0.153	U	1.03	U	4.20	2.79	
		07/10/20	PES	Peristaltic	66.6	ZJ+	-	-	0.0510	U	1.12	U	0.102	U	0.749	U	0.0280	U	0.075	U	0.0276	U	3.35	0.562	
		11/03/20	PES	Peristaltic	-	-	-	-	0.282	U	0.524	U	0.0700	J	0.414	U	1.41	J	0.895	U	54.3	U	44.0	15.3	
		02/18/21	PES	Peristaltic	-	-	-	-	0.500	J	1.00	U	0.424	U	3.82	U	2.40	U	0.840	U	2,540	U	34.3	1,230	
		05/06/21	PES	Peristaltic	-	-	-	-	0.320	U	1.00	U	0.424	U	3.82	U	10.3	U	0.320	U	1,620	U	33.6	2,680	
		08/06/21	PES	Peristaltic	-	-	-	-	0.445	U	1.24	U	0.152	U	0.756	U	24.1	U	52.6	U	11,500	U	85.5	7,110	
		12/06/21	PES	Peristaltic	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	17.3	U	27.6	U	2,240	U	29.2	2,620	
		02/17/22	PES	Peristaltic	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	36.3	U	16.9	U	4,230	U	41.5	3,360	
		05/10/22	PES	Peristaltic	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	46.9	J+	31.7	U	5,930	U	43.7	3,230	
		05/10/22	PES	Peristaltic	-	-	-	-	0.296	U	1.27	U	0.0212	U	0.246	J	50.8	J+	38.9	U	6,310	U	44.6	3,180	
		08/04/22	PES	Peristaltic	-	-	-	-	3.20	U	10.0	U	4.24	U	38.2	U	19.6	J	14.8	J+	15,600	U	94.4	12,700	J+
10/25/22	PES	Peristaltic	-	-	-	-	3.20	U	43.8	U	4.24	U	38.2	U	5.60	U	3.20	U	9,440	U	66.4	5,850			

**Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																				
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC									
				PCUL	800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29									
	Soil zone - Shallow only							2.4	15,000	1,200	320	24	1.4	-	77	0.35									
								5.0	640	700	1,600	5.0	4.0	16	100	0.29									
							WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER									
							ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l									
MW-182 (-12.5 to -22.5)	Cluster 5	11/08/19	PES	Peristaltic	14,100	ZJ+	-	-	0.0896	U	0.519	J	0.344	J	0.573	J	1,570	794	19,200	89.4	J	1,560			
		01/27/20	PES	Peristaltic	2,420	ZJ+	-	-	44.8	U	206	U	79.0	U	158	U	160	J	115	J	4,500	76.0	U	1,550	
		04/01/20	PES	Peristaltic	1,760	ZJ+	-	-	4.48	U	20.6	U	7.90	U	15.8	U	1,480	169	2,600	25.0	J	2,040			
		07/08/20	PES	Peristaltic	1,000	ZJ+	-	-	0.800	U	2.50	U	1.06	U	9.55	U	126	28.0	715	16.2	J	1,350			
		11/04/20	PES	Peristaltic	-	-	-	-	0.800	U	2.51	J	1.06	U	9.55	U	208	226	84,900	281	J	18,900			
		02/19/21	PES	Peristaltic	-	-	-	-	8.00	U	25.0	U	10.6	U	95.5	U	259	99.5	87,400	269	J	31,100			
		05/06/21	PES	Peristaltic	-	-	-	-	32.0	UJ	100	UJ	42.4	UJ	382	UJ	6,650	384	68,400	226	J	31,000			
(duplicate)		05/06/21	PES	Peristaltic	-	-	-	-	0.362	J	1.05	J	0.530	J	2.99	J	8,900	469	64,900	195	J	30,600			
		08/09/21	PES	Peristaltic	-	-	-	-	0.575	J	1.85	J	0.530	U	4.78	U	70.0	U	40.0	U	26,100	118	J	9,620	
		11/18/21	PES	Flowing	-	-	-	-	40.0	U	125	U	53.0	U	478	U	1,170	J+	865	J	43,900	143	U	22,900	
		02/16/22	PES	Peristaltic	-	-	-	-	32.0	U	100	U	42.4	U	382	U	198	J	118	J	40,700	114	U	19,500	
		05/10/22	PES	Flowing	-	-	-	-	0.332	J	1.07	J	0.479	J	2.80	J	789	840	38,200	91.0	J	26,100			
		08/04/22	PES	Peristaltic	-	-	-	-	16.0	U	50.0	U	21.2	U	191	U	149	250	J+	J+	41,700	89.0	J	46,000	
		10/25/22	PES	Peristaltic	-	-	-	-	16.0	U	197	J	21.2	U	191	U	155	J+	180	J+	36,600	81.0	J	24,200	
		05/10/23	PES	Flowing	-	-	-	-	16.0	U	50.0	U	21.2	U	191	U	60.0	J	43.0	J	25,100	57.2	U	15,300	
		11/02/23	PES	Flowing	-	-	-	-	0.160	UJ	0.760	J	0.212	UJ	1.91	UJ	39.4	J	69.0	J	32,100	J	J	15,700	
		05/23/24	PES	Peristaltic	-	-	-	-	16	U	50	U	21.2	U	191	U	102	J+	108	J	27,900	57.2	U	13,400	
MW-186 (-12.7 to -22.7)	Cluster 6	10/31/19	PES	Flowing	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	UJ	0.153	U	4.15	U	0.152	U	23.4
		01/29/20	PES	Peristaltic	42.7	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.777	U	0.152	U	28.2
		04/02/20	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.205	U	0.476	J	0.152	U	5.93
		07/08/20	PES	Peristaltic	54.3	U	-	-	0.0160	U	1.91	J	0.107	J	0.688	J	0.0280	U	0.0850	U	0.101	J	0.0572	U	4.02
		11/04/20	PES	Peristaltic	-	-	-	-	0.0379	J	0.112	J	0.0212	U	0.191	U	0.0280	U	0.177	J	0.552	J	1.06	U	2.26
		02/16/21	PES	Flowing	-	-	-	-	0.0570	J	0.0770	J	0.0212	U	0.191	U	0.0280	U	0.143	J	0.459	J	1.26	U	6.52
		05/07/21	PES	Flowing	-	-	-	-	0.0440	J	0.0950	U	0.0212	U	0.191	U	0.179	J	0.123	J	0.393	J	0.892	U	4.67
		08/03/21	PES	Flowing	-	-	-	-	0.0510	J	0.0990	J	0.0212	U	0.191	U	0.0280	U	0.0820	J	0.286	J	0.804	U	5.48
		11/18/21	PES	Peristaltic	-	-	-	-	0.0460	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0850	J	0.259	J	0.731	U	4.57
		02/16/22	PES	Flowing	-	-	-	-	0.0610	J	0.0650	U	0.0212	U	0.191	U	0.0280	U	0.0770	J	0.262	J	0.731	U	4.76
		05/12/22	PES	Flowing	-	-	-	-	0.0370	J	0.0600	J	0.0212	U	0.191	U	0.0380	J	0.0980	J	0.664	J	0.717	U	4.69
		08/05/22	PES	Flowing	-	-	-	-	0.0560	J	0.0600	J	0.0212	U	0.191	U	0.498	J+	0.143	J+	0.281	J	0.757	U	7.63
		10/26/22	PES	Peristaltic	-	-	-	-	0.0520	J	0.379	J	0.0730	J	0.479	J	0.0280	U	0.0630	J	0.207	J	0.682	U	3.19
		05/11/23	PES	Peristaltic	-	-	-	-	0.0320	J	0.245	J	0.0212	U	0.191	U	0.0280	U	0.0870	J	0.0276	U	0.628	U	0.0750
		11/02/23	PES	Peristaltic	-	-	-	-	0.0440	J	0.165	J	0.0230	J	0.191	U	0.0280	U	0.0820	J	0.253	J	0.708	U	0.0273
		05/24/24	PES	Flowing	-	-	-	-	0.0370	J	0.0770	J	0.0212	U	0.191	U	0.028	U	0.113	J	0.350	J	0.466	U	0.0540
Treatment Zone C Wells																									
IW-1C	Property Decommissioned March, 2019	03/29/18	PES	Peristaltic	-	-	-	-	0.0896	U	0.524	J	0.158	U	0.316	U	5.07	56.5	12.7	J	0.152	U	1.69	J	
IW-4C	Property Decommissioned March, 2019	04/26/18	PES	Peristaltic	-	-	-	-	0.158	J	0.918	J	0.158	U	0.647	J	22,300	1,860	5,080	J	2.17	J	29.7	J	
IW-8C	Property Decommissioned March, 2019	04/04/18	PES	Peristaltic	-	-	-	-	0.276	J	2.77	J	0.206	J	1.54	J	27,400	1,160	4,160	J	9.22	J	169	J	

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
				PCUL	800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29
	Soil zone - Shallow only							2.4	15,000	1,200	320	24	1.4	-	77	0.35
								5.0	640	700	1,600	5.0	4.0	16	100	0.29
IW-9C	Property Decommissioned March, 2019	04/02/18	PES	Peristaltic	-	-	-	0.285 J	0.690	0.158 U	0.316 U	3.15	49.7	20,400	107	3,780
IW-13C	Property Decommissioned March, 2019	04/25/18	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	155	111	412	0.292 J	30.0
IW-15C	Property Decommissioned March, 2019	03/30/18	PES	Bladder	-	-	-	0.896 U	4.12 U	1.58 U	3.16 U	670	166	26,800	51.3	7,350
IW-19C	Property Decommissioned March, 2019	03/29/18	PES	Peristaltic	-	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	1.12	0.192 J	103	0.305 J	168
IW-20C (dup)	Property Decommissioned March, 2019	03/30/18 03/30/18	PES PES	Bladder Bladder	-	-	-	0.208 J 0.198 J	1.54 1.53	0.158 U 0.158 U	0.316 U 0.316 U	721 678	1,020 1,020	6,830 6,690	9.44 10.2	111 111
MW-167 (-27.9 to -37.9)	Cluster 1	11/04/19	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.567	0.158 U	0.316 U	0.326 J	0.297 J	14.6	0.599	17.3
		01/28/20	PES	Peristaltic	57.8 U	-	-	0.100 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	8.08	0.158 J	11.5
		05/01/20	PES	Peristaltic	68.3 J	-	-	0.0967 J	0.693	0.137 U	0.629 J	0.300 U	0.190 U	0.715	0.149 U	0.641
		07/09/20	PES	Peristaltic	31.6 U	-	-	0.0440	2.23	0.0870 J	0.926	0.0280 U	0.0670	0.473	0.0572 U	0.948
		11/05/20	PES	Peristaltic	-	-	-	0.0160 U	0.255	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.675	0.0572 U	0.897
		02/04/21	PES	Peristaltic	-	-	-	0.0340 U	0.349	0.0590 J	0.345	0.0600 J	0.0480	0.470	0.0572 U	2.22 J
		05/05/21	PES	Peristaltic	-	-	-	0.0250 J	0.544	0.0920 J	0.565	0.0280 U	0.0160 U	0.353	0.0572 U	1.06
		08/10/21	PES	Peristaltic	-	-	-	0.0920	0.777	0.0950 J	0.579	0.0280 U	0.0160 U	0.346	0.0572 U	0.223
		12/02/21	PES	Peristaltic	-	-	-	0.0160 U	0.241	0.0212 U	0.414	0.0280 U	0.0160 U	0.369	0.0572 U	0.159
		02/22/22	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.220	0.0572 U	0.144
		05/13/22	PES	Peristaltic	-	-	-	0.0160 U	0.155 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.312	0.0572 U	0.167
		08/05/22	PES	Flowing	-	-	-	0.0160 U	0.0930 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.211	0.0572 U	0.191
		10/28/22	PES	Peristaltic	-	-	-	0.0160 U	0.186 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.184	0.0572 U	0.138
		05/11/23	PES	Peristaltic	-	-	-	0.0230 J	0.293	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.516
		11/01/23	PES	Peristaltic	-	-	-	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0190 J	0.223	0.0572 U	0.260
05/28/24	PES	Peristaltic	-	-	-	0.016 U	0.0650 J	0.0212 U	0.191 U	0.028 U	0.0380 J	0.344	0.0572 U	0.786 J+		
MW-171 (-27.6 to -37.6) (duplicate)	Cluster 2	11/05/19	PES	Peristaltic	371 zJ+	-	-	0.0896 U	0.497 J	0.158 U	0.316 U	1.99 U	1.53 U	509	1.47	13.3
		01/23/20	PES	Peristaltic	31.6 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.407 J	0.687	81.9	0.281 J	20.7
		04/02/20	PES	Peristaltic	35.3 U	-	-	0.0896 U	0.412 U	0.158 U	0.316 U	0.255 J	0.257 U	11.4	0.152 U	26.2
		07/09/20	PES	Peristaltic	31.6 U	-	-	0.0280 J	0.0850 J	0.0212 U	0.191 U	0.103	0.288	1.53	0.0572 U	8.43
		11/03/20	PES	Peristaltic	-	-	-	0.0440	0.175 J	0.0212 U	0.234 J	0.0460 J	0.277	32.6	0.289	56.1
		02/17/21	PES	Peristaltic	-	-	-	0.101	1.14	0.0910 J	0.290	0.101 J+	1.02	588 J	4.50	396 J
		02/17/21	PES	Peristaltic	-	-	-	0.0880	1.16	0.0610 J	0.332	0.0540 J	0.901	878 J	4.72	891 J
		05/07/21	PES	Peristaltic	-	-	-	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	1,050	5.35 J	907
		08/10/21	PES	Peristaltic	-	-	-	0.107	0.356	0.0470 J	0.276	0.0280 U	0.333	1,030	5.51	775
		11/19/21	PES	Peristaltic	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	2,290	5.72 U	1,230
		02/17/22	PES	Peristaltic	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	26.5	8.40	3,160	7.20 J	1,300
		05/12/22	PES	Peristaltic	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	2,770	9.40 J	1,380
		08/04/22	PES	Flowing	-	-	-	1.60 U	5.00 U	2.12 U	19.1 U	2.80 U	1.60 U	3,670	13.9 J	1,970
		10/26/22	PES	Peristaltic	-	-	-	1.60 U	17.3 J	2.12 U	19.1 U	2.80 U	9.30	3,680	15.5 J	1,820
		05/11/23	PES	Peristaltic	-	-	-	0.195	0.780	0.0212 U	0.884	14.6	96.5	4,660	14.3	1,460
11/01/23	PES	Peristaltic	-	-	-	4.00 U	12.5 U	5.30 U	47.8 U	7.00 U	94.8	4,140	14.5 J	1,410		
05/24/24	PES	Peristaltic	-	-	-	4 U	12.5 U	5.3 U	47.8 U	60.3	211	7,000	19.8 J	2,250		

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO		DRO		ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE	
Soil zone - Shallow only					800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29										
PCUL					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29										
					WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l										
MW-175 (-27.8 to -37.8)	Cluster 3	11/01/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.671	J	0.158	U	0.316	U	1.25	1.73	258	6.03	41.5					
		01/28/20	PES	Peristaltic	66.5	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	8.95	0.479	J	10.3		
		05/01/20	PES	Peristaltic	65.8	J	-	-	0.137	J	0.95	J	0.186	J	0.971	J	0.300	U	0.190	U	0.478	J	0.188	J	5.75	
		07/09/20	PES	Peristaltic	31.6	U	-	-	0.0420	J	2.19	J	0.0212	U	1.17	J	0.196	J	0.0830	J	0.400	0.0572	U	1.65		
		11/05/20	PES	Peristaltic	-	-	-	-	0.0160	U	0.204	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.744	1.99	3.58			
		02/04/21	PES	Peristaltic	-	-	-	-	0.0400	U	0.221	J	0.0450	J	0.248	J	0.0280	U	0.0480	J	0.698	5.29	J	2.55	J	
		05/05/21	PES	Peristaltic	-	-	-	-	0.0270	J	0.307	J	0.0570	J	0.398	J	0.0280	U	0.0240	J	0.305	3.60	1.12			
		08/05/21	PES	Peristaltic	-	-	-	-	0.0820	J	0.597	J	0.0580	J	0.367	J	0.0280	U	0.0160	U	0.171	2.16	0.377			
		12/02/21	PES	Peristaltic	-	-	-	-	0.0160	U	0.123	U	0.0212	U	0.198	J	0.0280	U	0.0160	U	0.136	2.25	1.14			
		02/22/22	PES	Peristaltic	-	-	-	-	0.0300	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.146	2.14	1.00			
		05/13/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.111	J	0.0212	U	0.191	U	0.0940	J	0.0430	J	0.194	1.55	0.572			
		08/11/22	PES	Flowing	-	-	-	-	0.0280	J	0.0670	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.147	1.22	0.200			
		10/27/22	PES	Peristaltic	-	-	-	-	0.0220	J	0.107	J	0.0680	J	0.224	J	1.41	J	0.0220	J	0.0740	J	1.22	0.0940	J	
		05/11/23	PES	Peristaltic	-	-	-	-	0.0220	J	0.138	J	0.0212	U	0.385	J	0.0280	U	0.0160	U	0.0500	J	0.921	0.421		
		11/02/23	PES	Peristaltic	-	-	-	-	0.0160	U	0.0560	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	2.95	0.876	2.58			
		05/28/24	PES	Peristaltic	-	-	-	-	0.0210	J	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	0.0830	J	0.535	0.0273	U	
MW-179 (-27.2 to -37.2)	Cluster 4	11/06/19	PES	Peristaltic	2,310	ZJ+	-	-	0.0896	U	0.443	J	0.273	J	0.316	U	50.5	46.2	3,780	15.2	U	533				
		01/27/20	PES	Peristaltic	501	ZJ+	-	-	0.0896	U	0.412	U	0.198	J	0.316	U	38.8	33.3	941	7.07	U	156				
		04/02/20	PES	Peristaltic	424	ZJ+	-	-	1.79	U	8.24	U	3.16	U	6.32	U	62.3	45.0	817	5.99	J	152				
		07/10/20	PES	Peristaltic	924	ZJ+	-	-	0.320	U	1.00	U	0.424	U	3.82	U	27.3	19.6	939	7.40	U	105				
		11/03/20	PES	Peristaltic	-	-	-	-	0.320	U	1.00	U	0.424	U	3.82	U	36.1	J	19.6	17,700	45.5	1,670				
		02/18/21	PES	Peristaltic	-	-	-	-	8.00	U	25.0	U	10.6	U	95.5	U	489	110	16,600	279	31,300					
		05/06/21	PES	Peristaltic	-	-	-	-	4.00	U	12.5	U	5.30	U	47.8	U	7.00	U	21.3	4,960	29.5	J	5,860			
		08/09/21	PES	Peristaltic	-	-	-	-	0.224	J	0.992	J	0.0900	J	0.543	J	9.16	4.00	U	790	30.6	2,860				
		12/03/21	PES	Peristaltic	-	-	-	-	4.00	U	12.5	U	5.30	U	47.8	U	13.3	J	11.3	1,810	14.3	U	6,580			
		02/17/22	PES	Peristaltic	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	15.9	12.6	1,400	10.2	1,600					
		05/10/22	PES	Peristaltic	-	-	-	-	0.160	U	0.650	J	0.212	U	1.91	U	11.4	8.87	654	5.71	1,940					
		08/04/22	PES	Peristaltic	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	7.55	4.50	J+	912	6.25	J	2,990	J+		
		10/25/22	PES	Peristaltic	-	-	-	-	0.800	U	8.20	J	1.06	U	9.55	U	10.4	J+	5.10	1,120	5.75	J	1,620			
		05/10/23	PES	Peristaltic	-	-	-	-	0.0640	J	0.229	J	0.0212	UJ	0.202	J	6.50	J	3.28	J	672	J	2.65	J	976	J
		11/01/23	PES	Peristaltic	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	3.85	J	2.05	1,570	6.10	J	1,770			
		05/23/24	PES	Peristaltic	-	-	-	-	0.8	UJ	2.5	UJ	1.06	UJ	9.55	UJ	6.45	J+	1.25	J	718	J	5.25	J	1,750	J
MW-183 (-27.4 to -37.4)	Cluster 5	11/08/19	PES	Peristaltic	45.0	ZJ+	-	-	0.0896	U	0.459	J	0.158	U	0.316	U	0.199	U	0.193	J	59.9	0.167	J	4.29		
		01/27/20	PES	Peristaltic	41.5	U	-	-	0.0896	U	0.412	U	0.158	U	0.369	J	0.237	J	0.153	U	21.8	0.152	U	15.5		
		04/02/20	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	UJ	3.03	0.152	U	10.0		
		07/08/20	PES	Peristaltic	76.2	J	-	-	0.0270	J	2.39	J	0.128	J	0.844	J	0.0750	J	0.0630	J	0.893	0.0572	UJ	4.24		
		11/04/20	PES	Peristaltic	-	-	-	-	0.0160	U	0.140	J	0.0212	U	0.191	U	22.5	34.7	752	1.83	208					
		02/19/21	PES	Peristaltic	-	-	-	-	0.0510	J	0.131	J	0.0212	U	0.191	U	2.28	17.3	4,950	12.3	2,260					
		05/06/21	PES	Peristaltic	-	-	-	-	1.60	U	5.00	U	2.12	U	19.1	U	2.80	U	1.60	U	4,470	12.5	J	2,340		
		08/06/21	PES	Peristaltic	-	-	-	-	0.0680	J	0.347	J	0.0530	J	0.273	J	0.0280	U	2.55	3,570	9.87	3,740				
		11/18/21	PES	Peristaltic	-	-	-	-	0.0510	J	0.128	J	0.0212	U	0.242	J	123	8.00	U	5,430	14.1	5,110				
		02/16/22	PES	Peristaltic	-	-	-	-	4.00	U	12.5	U	5.30	U	47.8	U	7.00	U	4.00	U	4,940	14.3	U	4,410		
		05/10/22	PES	Peristaltic	-	-	-	-	0.0360	J	0.112	J	0.0212	U	0.191	U	2.80	U	18.0	3,940	7.82	4,350				
		08/04/22	PES	Peristaltic	-	-	-	-	1.60	U	5.00	U	2.12	U	19.1	U	2.80	U	1.60	U	3,700	11.0	J	8,160		
		10/25/22	PES	Peristaltic	-	-	-	-	1.60	U	17.8	J	2.12	U	19.1	U	2.80	U	1.60	U	3,060	9.90	J	4,350		
		05/10/23	PES	Flowing	-	-	-	-	1.60	U	5.00	U	2.12	U	19.1	U	2.80	U	1.60	U	321	5.72	U	1,200		
		11/01/23	PES	Peristaltic	-	-	-	-	1.60	U	5.00	U	2.12	U	19.1	U	2.80	U	1.60	U	193	5.72	U	1,050		
		05/23/24	PES	Peristaltic	-	-	-	-	1.6	U	5	U	2.12	U	19.1	U	2.8	U	1.6	U	205	5.72	U	1,030		

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO	DRO	ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC										
				PCUL	800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29										
	Soil zone - Shallow only							2.4	15,000	1,200	320	24	1.4	-	77	0.35										
	PCUL							5.0	640	700	1,600	5.0	4.0	16	100	0.29										
							WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER										
							ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l										
MW-187 (27.0 to -37.0)	Cluster 6	11/01/19	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	2.34	0.152	U	2.80		
		01/29/20	PES	Peristaltic	39.3	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.319	J	0.152	U	0.254	J
		04/02/20	PES	Peristaltic	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.234	J	0.152	U	0.118	U
		07/08/20	PES	Peristaltic	55.6	U	-	-	0.0160	U	2.40	U	0.126	U	1.18	U	0.0280	U	0.0160	U	0.123	U	0.0572	U	0.0273	U
		11/04/20	PES	Peristaltic	-		-	-	0.0160	U	0.298	U	0.0250	J	0.213	J	0.0280	U	0.0160	U	0.631	U	0.0572	U	0.519	U
		02/16/21	PES	Peristaltic	-		-	-	0.0430	U	1.16	U	0.0870	J	0.310	J	0.0780	J	0.0160	U	0.241	U	0.0572	U	2.57	J+
		05/07/21	PES	Peristaltic	-		-	-	0.0160	U	0.124	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.185	U	0.0572	U	1.77	U
		08/03/21	PES	Peristaltic	-		-	-	0.0330	J	0.896	U	0.147	U	0.877	U	0.0280	U	0.0160	U	0.204	U	0.0572	U	1.57	J+
		11/18/21	PES	Flowing	-		-	-	0.0160	U	0.136	J	0.0430	J	0.325	U	0.0280	U	0.0160	U	0.130	U	0.0572	U	0.823	U
		02/16/22	PES	Peristaltic	-		-	-	0.0160	U	0.0650	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0770	J	0.0572	U	0.651	U
		05/12/22	PES	Flowing	-		-	-	0.0160	U	0.123	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.101	U	0.0572	U	0.583	U
		08/05/22	PES	Peristaltic	-		-	-	0.0330	J	0.317	U	0.0660	J	0.458	U	0.0280	U	0.0160	U	0.103	U	0.0572	U	0.617	J+
		10/26/22	PES	Peristaltic	-		-	-	0.0160	U	0.506	U	0.101	U	0.780	U	0.0280	U	0.0160	U	0.125	U	0.0572	U	0.274	U
		05/11/23	PES	Peristaltic	-		-	-	0.0160	U	0.253	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0930	J	0.0572	U	0.156	U
		11/02/23	PES	Peristaltic	-		-	-	0.0180	J	0.308	U	0.0670	J	0.419	U	0.0280	U	0.0160	U	0.0800	J	0.0572	U	0.0273	U
		05/24/24	PES	Peristaltic	-		-	-	0.016	U	0.0700	J	0.0212	U	0.191	U	0.028	U	0.016	U	0.0750	J	0.0572	U	0.0273	U
Treatment Zone D Wells																										
IW-1D	Property Decommissioned March, 2019	04/03/18	PES	Bladder	-		-	-	0.896	U	6.74	U	1.58	U	3.16	U	64,100	2,830	5,920	16.0	118					
IW-3D	Property Decommissioned March, 2019	04/03/18	PES	Bladder	-		-	-	0.0896	U	1.28	U	0.158	U	0.409	J	4,240	4,600	9,860	16.4	37.1					
IW-4D	Property Decommissioned March, 2019	03/29/18	PES	Bladder	-		-	-	0.0896	U	0.604	U	0.158	U	0.316	U	2.86	0.653	5.29	0.152	U	2.56				
IW-6D	Property Decommissioned March, 2019	04/03/18	PES	Bladder	-		-	-	0.0896	U	0.412	U	0.158	U	0.316	U	16.3	0.826	2.97	0.152	U	1.27				
IW-8D	Property Decommissioned March, 2019	04/04/18	PES	Bladder	-		-	-	0.0896	U	0.412	U	0.158	U	0.384	J	6,010	4,310	3,200	39.1	631					
IW-9D	Property Decommissioned March, 2019	04/04/18	PES	Bladder	-		-	-	0.0896	U	1.12	U	0.158	U	0.316	U	3,610	1,510	3,380	10.0	31.6					
IW-11D	Property Decommissioned March, 2019	05/01/18	PES	Bladder	-		-	-	0.0896	U	0.643	U	0.158	U	0.316	U	18.9	282	1,640	2.27	34.1					

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																						
					GRO		DRO		ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC
Soil zone - Shallow only					800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29											
PCUL					800	500	500	2.4	15,000	1,200	320	24	1.4	-	77	0.35											
PCUL					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29											
					WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER											
					ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l	ug/l											
MW-168 (-43.0 to -53.0)	Cluster 1	11/04/19	PES	Peristaltic	65.0	J	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ	
		01/31/20	PES	Flowing	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		05/01/20	PES	Peristaltic	76.0	J	-	-	0.104	J	0.827	J	0.161	J	0.712	J	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U	
		07/09/20	PES	Peristaltic	31.6	U	-	-	0.0160	U	2.61	J	0.0212	U	1.20	J	0.147	U	0.0160	U	0.175	U	0.0572	U	0.0273	U	
		11/05/20	PES	Peristaltic	-	-	-	-	0.0160	U	0.314	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	1.92	J	0.0572	U	0.407	J	
		02/04/21	PES	Peristaltic	-	-	-	-	0.0200	U	0.296	J	0.0480	J	0.276	J	0.0280	U	0.0160	U	0.490	J	0.0572	U	0.324	J	
		05/05/21	PES	Peristaltic	-	-	-	-	0.0210	J	0.667	J	0.0970	J	0.602	J	0.0280	U	0.0320	J	1.29	J	0.0572	U	0.185	J	
		08/10/21	PES	Peristaltic	-	-	-	-	0.0430	J	0.268	J	0.0500	J	0.274	J	0.0280	U	0.0390	J	0.732	J	0.0650	J	0.531	J	
		12/02/21	PES	Peristaltic	-	-	-	-	0.0160	U	0.0740	J	0.0212	U	0.191	U	0.0280	U	0.0420	J	2.59	J	0.122	J	0.387	J	
		02/22/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.0740	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	5.43	J	0.0700	J	0.932	J	
		05/13/22	PES	Peristaltic	-	-	-	-	0.0160	U	0.200	J	0.0212	U	0.194	J	0.0280	U	0.0490	J	9.42	J	0.117	J	1.68	J	
		08/05/22	PES	Peristaltic	-	-	-	-	0.0330	J	0.177	J	0.0320	J	0.191	U	0.0280	U	0.500	J	285	J	3.36	J	43.8	J	
		(duplicate)		10/28/22	PES	Peristaltic	-	-	-	0.0190	J	0.191	J	0.0212	U	0.191	U	0.147	U	0.0160	U	2.93	J	0.0850	J	6.68	J
		(duplicate)		10/28/22	PES	Peristaltic	-	-	-	0.0160	U	0.114	J	0.0212	U	0.191	U	0.0840	J	0.0160	U	2.68	J	0.0870	J	6.56	J
		(duplicate)		05/11/23	PES	Peristaltic	-	-	-	0.0160	U	0.258	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.536	J	0.0970	J	2.79	J
		(duplicate)		11/02/23	PES	Peristaltic	-	-	-	0.0160	U	0.0890	J	0.0212	U	0.191	U	0.747	J	0.050	J	23.0	J	0.693	J	22.4	J
		(duplicate)		05/28/24	PES	Flowing	-	-	-	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	3.75	J	0.132	J	5.24	J
(duplicate)		05/28/24	PES	Flowing	-	-	-	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.016	U	4.55	J	0.151	J	6.03	J		
MW-172 (-42.5 to -52.5)	Cluster 2	11/05/19	PES	Flowing	4,960	ZJ+	-	-	0.0896	U	0.46	J	0.158	U	0.316	U	8,810	J	3,280	J	643	J	22.8	J	2.64	J	
		01/23/20	PES	Flowing	10,700	ZJ+	-	-	0.0896	U	1.02	J	0.158	U	0.550	J	31,100	J	10,100	J	623	J	38.1	J	59.0	U	
		04/02/20	PES	Peristaltic	5,310	ZJ+	-	-	44.8	U	206	U	79.0	U	158	U	9,670	J	4,480	J	452	J	76.0	U	59.0	U	
		07/09/20	PES	Peristaltic	4,430	ZJ+	-	-	0.0550	J	0.757	J	0.0212	U	0.402	J	6,570	J	4,660	J	668	J	56.9	J	5.57	J	
		11/03/20	PES	Peristaltic	-	-	-	-	0.0830	J	0.750	J	0.177	J	0.565	J	5,780	J	4,130	J	582	J	44.1	J	12.9	J	
		02/17/21	PES	Flowing	-	-	-	-	0.0490	J	0.481	J	0.0680	J	0.216	J	5,370	J	3,740	J	955	J	44.3	J	179	J	
		05/07/21	PES	Peristaltic	-	-	-	-	1.60	U	5.00	U	2.12	U	19.1	U	1,100	J	1,410	J	538	J	20.4	J	21.0	J	
		08/10/21	PES	Peristaltic	-	-	-	-	0.0360	J	0.378	J	0.0990	J	0.504	J	203	J	576	J	440	J	14.3	J	33.9	J	
		11/19/21	PES	Flowing	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	1,310	J	1,290	J	798	J	28.2	J	15.2	J	
		02/17/22	PES	Flowing	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	2,890	J	2,260	J	656	J	24.3	J	14.1	J	
		02/17/22	PES	Flowing	-	-	-	-	0.0340	J	0.273	J	0.0970	J	0.212	J	2,750	J	2,240	J	671	J	25.3	J	12.9	J	
		05/12/22	PES	Flowing	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	4,880	J	2,860	J	588	J	28.9	J	13.8	J	
		08/05/22	PES	Flowing	-	-	-	-	0.800	U	2.50	U	1.06	U	9.55	U	6,140	J	3,240	J	468	J	26.9	J	13.0	J	
		10/27/22	PES	Flowing	-	-	-	-	0.0400	J	0.412	J	0.0212	U	0.310	J	3,390	J	1,880	J	309	J	27.4	J	8.28	J	
05/11/23	PES	Flowing	-	-	-	-	0.0160	U	0.203	J	0.0212	U	0.191	U	1730	J+	1810	J	590	J	29.1	J	9.00	J			
05/24/24	PES	Flowing	-	-	-	-	0.4	U	1.25	U	0.53	U	4.78	U	116	J+	526	J	1,270	J	25.3	J	22.6	J+			

Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO		DRO		ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE	
Soil zone - Shallow only					800	500	500	5.0	640	700	1,600	5.0	4	16	100	0.29										
PCUL					800	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29										
					WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l	WATER ug/l										
MW-176 (-42.7 to -52.7) (duplicate)	Cluster 3	11/01/19	PES	Flowing	31.6	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/28/20	PES	Flowing	48.0	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/28/20	PES	Flowing	74.7	U	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		05/01/20	PES	Peristaltic	83.5	J	-	-	0.0941	U	0.831	J	0.137	U	0.684	J	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/09/20	PES	Peristaltic	31.6	U	-	-	0.0160	U	0.709	J	0.0212	U	0.294	J	0.028	U	0.0160	U	0.0300	J	0.0572	U	0.0273	U
		11/05/20	PES	Peristaltic	-	-	-	-	0.0160	U	0.204	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	1.22	J	1.64	J	2.92	J
		02/04/21	PES	Peristaltic	-	-	-	-	0.0280	U	0.146	J	0.0212	U	0.191	U	0.0280	U	0.0360	J	1.28	J	3.64	J	1.51	J
		05/05/21	PES	Peristaltic	-	-	-	-	0.0160	U	0.350	J	0.0570	J	0.385	J	0.0280	U	0.0320	J	0.816	J	2.73	J	0.858	J
		08/05/21	PES	Peristaltic	-	-	-	-	0.0450	J	0.279	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.574	J	1.80	J	0.824	J
		12/02/21	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.448	J	1.43	J	4.37	J
		02/22/22	PES	Peristaltic	-	-	-	-	0.0220	J	0.0520	U	0.0212	U	0.191	U	0.0280	U	0.0320	J	0.452	J	1.52	J	3.88	J
		05/13/22	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.138	J	0.0510	J	0.488	J	1.46	J	4.18	J
		08/11/22	PES	Peristaltic	-	-	-	-	0.0280	J	0.0590	U	0.0212	U	0.191	U	0.0280	U	0.0480	J	0.316	J	1.15	J	1.35	J
		10/27/22	PES	Flowing	-	-	-	-	0.0230	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0200	J	0.211	J	1.07	J	0.668	J
		05/11/23	PES	Peristaltic	-	-	-	-	0.0220	J	0.111	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.131	J	0.698	J	1.03	J
		05/24/24	PES	Flowing	-	-	-	-	0.0190	J	0.05	U	0.0212	U	0.191	U	0.028	U	0.0380	J	0.186	J	0.496	J	0.0960	J
MW-180 (-42.7 to -52.7)	Cluster 4	11/06/19	PES	Flowing	220	ZJ+	-	-	0.0896	U	0.412	U	0.247	J	0.316	U	2.10	J	1.87	J	155	J	0.760	U	76.6	J
		01/24/20	PES	Peristaltic	186	ZJ+	-	-	0.0896	U	0.412	U	0.184	J	0.316	U	2.80	J	3.18	J	222	J	1.20	U	146	J
		04/01/20	PES	Peristaltic	69.1	U	-	-	0.448	U	2.06	U	0.790	U	1.58	U	0.995	U	0.765	U	89.9	J	0.760	U	22.9	J
		07/10/20	PES	Peristaltic	122	ZJ+	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.614	J	1.58	J	50.7	J	0.628	J	17.8	J
		11/03/20	PES	Peristaltic	-	-	-	-	0.0160	U	0.0840	J	0.0212	U	0.191	U	0.335	J	1.08	J	156	J	1.31	J	59.0	J
		02/18/21	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	46.8	J	8.00	J	162	J	3.46	J	308	J
		05/06/21	PES	Peristaltic	-	-	-	-	0.0160	U	0.204	J	0.0370	J	0.195	J	1.29	J	1.68	J	407	J	2.83	J	237	J
		08/06/21	PES	Peristaltic	-	-	-	-	0.0200	J	0.141	J	0.0212	U	0.191	U	0.700	U	0.625	J	228	J	1.65	J	120	J
		12/03/21	PES	Flowing	-	-	-	-	0.0800	U	0.250	U	0.106	U	0.955	U	1.33	J	4.27	J	304	J	2.93	J	237	J
		02/17/22	PES	Flowing	-	-	-	-	0.265	J	0.250	U	0.300	J	0.955	U	2.18	J	3.78	J	662	J	5.59	J	368	J
		05/10/22	PES	Flowing	-	-	-	-	0.0800	U	0.250	U	0.106	U	0.955	U	0.140	U	2.86	J	556	J	3.53	J	576	J
		08/04/22	PES	Flowing	-	-	-	-	0.400	U	1.25	U	0.530	U	4.78	U	4.43	J	17.6	J+	1,750	J	12.0	J	994	J
		10/26/22	PES	Flowing	-	-	-	-	0.400	U	5.07	J	0.530	U	4.78	U	4.80	J+	7.70	J	948	J	4.50	J	743	J
		05/10/23	PES	Peristaltic	-	-	-	-	0.400	U	1.25	U	0.530	U	4.78	U	4.75	J	4.25	J	2,410	J	8.18	J	408	J
		11/01/23	PES	Peristaltic	-	-	-	-	0.400	U	1.25	U	0.530	U	4.78	U	46.3	J	116	J	4,400	J	12.9	J	575	J
		05/24/24	PES	Flowing	-	-	-	-	0.0300	J	0.0970	J	0.0212	U	0.191	U	60.3	J	158	J	4,020	J	11.1	J	464	J
MW-184 (-42.5 to -52.5)	Cluster 5	11/08/19	PES	Flowing	2,310	ZJ+	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	1,590	J	733	J	79.0	J	2.77	J	11.8	U
		01/27/20	PES	Flowing	462	ZJ+	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	886	J	325	J	22.3	J	1.65	J	0.287	J
		04/01/20	PES	Peristaltic	212	ZJ+	-	-	0.896	U	4.12	U	1.58	U	3.16	U	1.99	U	1.53	U	370	J	1.52	U	1.18	U
		07/08/20	PES	Peristaltic	260	ZJ+	-	-	0.0160	U	1.04	J	0.0212	U	0.411	J	154	J	88.4	J	75.7	J	0.646	J	0.971	J
		11/04/20	PES	Peristaltic	-	-	-	-	0.160	U	0.500	U	0.212	U	1.91	U	162	J	102	J	134	J	1.52	J	3.97	J
		02/19/21	PES	Flowing	-	-	-	-	0.160	U	0.500	U	0.212	U	1.91	U	305	J	271	J	432	J	5.52	J	8.80	J
		05/06/21	PES	Peristaltic	-	-	-	-	0.0800	U	0.250	U	0.106	U	0.955	U	46.2	J	47.2	J	101	J	0.690	J	31.4	J
		08/06/21	PES	Peristaltic	-	-	-	-	0.0270	J	0.207	J	0.0212	U	0.191	U	179	J	171	J	196	J	3.39	J	25.7	J
		11/18/21	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	366	J	280	J	348	J	6.69	J	21.4	J
		02/16/22	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	370	J	309	J	361	J	6.54	J	27.4	J
		05/10/22	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	296	J	216	J	253	J	5.55	J	36.0	J
		08/04/22	PES	Flowing	-	-	-	-	0.160	U	0.500	U	0.212	U	1.91	U	276	J	189	J	210	J	4.20	J	55.5	J
		10/25/22	PES	Flowing	-	-	-	-	0.160	U	1.93	J	0.212	U	1.91	U	319	J+	217	J	251	J	5.01	J	23.9	J
		05/10/23	PES	Flowing	-	-	-	-	0.160	U	0.500	U	0.212	U	1.91	U	112	J	132	J	149	J	3.06	J	38.1	J
		11/02/23	PES	Flowing	-	-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	228	J	224	J	247	J	6.31	J	39.6	J
		05/23/24	PES	Flowing	-	-	-	-	0.32	U	1	U	0.424	U	3.82	U	87.8	J+	117	J	84.4	J	1.38	J	63.2	J

**Table 7
Groundwater Analytical Data for On Property Treatment Zones
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																							
					GRO		DRO		ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC					
				PCUL	800		500		500		5.0		640		700		1,600		5.0		4		16		100		0.29	
		Soil zone - Shallow only									2.4		15,000		1,200		320		24		1.4		-		77		0.35	
		PCUL									5.0		640		700		1,600		5.0		4.0		16		100		0.29	
										WATER	ug/l	WATER	ug/l	WATER	ug/l	WATER	ug/l	WATER	ug/l	WATER	ug/l	WATER	ug/l	WATER	ug/l	WATER	ug/l	
MW-188 (-42.2 to -52.2)	Cluster 6	10/31/19	PES	Flowing	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		01/29/20	PES	Flowing	31.9	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		04/02/20	PES	Peristaltic	31.6	U	-	-	-	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		07/08/20	PES	Peristaltic	61.9	U	-	-	-	0.0160	U	1.86		0.083	J	0.786		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		11/04/20	PES	Peristaltic	-		-	-	-	0.0161	J	0.149	J	0.0212	U	0.224	J	0.0280	U	0.0160	U	0.220		0.0572	U	0.197		
		02/16/21	PES	Peristaltic	-		-	-	-	0.0160	U	0.352		0.0212	U	0.191	U	0.0600	J	0.0160	U	0.589		0.0572	U	5.14	J+	
		05/07/21	PES	Peristaltic	-		-	-	-	0.0160	U	0.130	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.448		0.0572	U	2.14		
		08/10/21	PES	Peristaltic	-		-	-	-	0.0330	J	0.337		0.0610	J	0.375		0.0280	U	0.0160	U	0.322		0.0572	U	1.17		
		11/18/21	PES	Flowing	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.162		0.0572	U	0.340		
		02/16/22	PES	Flowing	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.160		0.0572	U	0.357		
		05/12/22	PES	Flowing	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.237		0.0572	U	0.330		
		08/05/22	PES	Flowing	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.104		0.0310	J	0.343		0.0572	U	0.333	J+	
		10/26/22	PES	Flowing	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.104		0.0572	U	0.192		
		05/11/23	PES	Flowing	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0750	J	0.0572	U	0.113		
		11/03/23	PES	Flowing	-		-	-	-	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.103		0.0572	U	0.135		
		05/24/24	PES	Flowing	-		-	-	-	0.016	U	0.05	U	0.0212	U	0.191	U	0.028	U	0.044		0.472		0.0572	U	0.324		
Number of Analytes Measured					96		0		0		419		419		419		419		419		419		419		419		419	
Number of Analytes Detected					50		0		0		171		194		71		86		208		275		400		319		397	
Frequency of Detection					52%		#DIV/0!		#DIV/0!		41%		46%		17%		21%		50%		66%		95%		76%		95%	
Maximum Detection					127,000	zJ+	0	##	0	#	6.600	J	197.0	J	0.777	J+	4.55		64,100		20,100		131,000		395	J	46,000	J+
Minimum Detection					31.6	U	0.0	##	0	#	0.016	U	0.050	U	0.021	U	0.174	U	0.028	U	0.016	U	0.0276	U	0.057	U	0.027	U

Notes:

Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M.
 VOCs analyzed by EPA Method 8260C.
 cDCE = cis-1,2-dichloroethene
 DRO = diesel-range organics
 GRO = gasoline-range organics
 ORO = oil-range organics
 PCE = Perchloroethylene (tetrachloroethene)
 TCE = Trichloroethene
 tDCE = trans-1,2-Dichloroethene
 VC = Vinyl chloride
 Well screen elevations indicated below Sample Location in parentheses.

Laboratory and Results Notes:

Detected results shown in bold, detections above the screening level highlighted in gray.
 - = Not analyzed or results not available.
 J = The identification of the analyte is acceptable; the reported value is an estimate.
 J+ = The result is an estimated quantity, the result may be biased high.
 U = Not detected at or above the laboratory method detection limit (MDL).
 z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
Shallow Zone														
F13	Property, NE quadrant	03/27/17	266	8.85	0.0227 U	68.3	10.0	24.2	1.0	23.2	0.651	510	0.296 U	0.422 U
		06/22/17	484	12.6	0.0227 U	6.13	10.9	29.3	1.5	27.8	0.806	2,610	0.296 U	0.422 U
WATER mg/l WATER mg/l WATER mg/l WATER mg/l WATER mg/l WATER ug/l WATER ug/l WATER ug/l Decommissioned March 2019														
FMW-143	9th Ave N ROW, E side	10/31/19	405	68.4	0.0227 U	28.0	4.34	3.57	0.0	3.6	5.18	1,490	0.296 U	0.422 U
		01/22/20	375	66.1	0.0227 U	51.8	4.40	4.92	3.5	1.4	7.70	1,320	0.296 U	0.422 U
		05/14/20	333	59.4	0.0480 U	62.7	3.99	6.17	0.0	6.2	7.51	404	0.296 U	0.422 U
		07/22/20	347	48.9	0.0480 U	46.7	4.63	5.07	4.0	1.1	6.47	1,340	0.296 U	0.422 U
J5	Property, SW quadrant	03/21/17	53.4	28.0	0.0584 J	16.3	4.10	1.09	0.6	0.5	0.474	2,370	0.296 U	29.4
		06/26/17	209	45.1	0.0227 U	8.85	11.4	2.91	-	-	2.24	9,600	19.6	34.4
Decommissioned March 2019														
J15 (dup)	Property, SE quadrant	03/27/17	476	24.2	0.0227 U	55.8	20.0	5.52	2.0	3.5	3.34	3,100	0.296 U	0.422 U
		06/26/17	486	22.0	0.0227 U	60.3	19.1	2.66	1.5	1.2	3.09	2,220	0.296 U	0.422 U
		06/26/17	543	22.1	0.0227 U	60.4	19.0	3.02	1.5	1.5	3.03	2.34	0.296 U	0.422 U
Decommissioned March 2019														
K8	Property, SW quadrant	03/21/17	70.3	10.1	0.103	27.2	5.93	0.0622 J	0.0	0.1	0.242	41.4	0.296 U	0.422 U
		06/26/17	97.5	14.7	0.307	25.8	6.45	0.0411 J	0.0	0.0	0.296	72.7	0.296 U	0.422 U
Decommissioned March 2019														
M15 (dup)	Property, SE quadrant	03/27/17	830	11.6	0.0227 U	40.4	11.4	3.76	2.75	1.0	6.07	11,500	0.296 U	0.422 U
		03/27/17	817	11.6	0.0227 U	40.4	11.7	3.77	-	-	6.17	10,400	0.296 U	0.422 U
		06/26/17	904	11.0	0.0227 U	47.2	11.0	3.32	-	-	6.32	7,250	0.296 U	0.422 U
Decommissioned March 2019														
MW121 (dup) (dup) (dup)	8th Ave N ROW, E side	12/26/13	790	18.6	0.0250 U	200	-	2.39	1.9	0.5	6.47	346	5 U	5 U
		03/28/17	848	12.2	0.0227 U	643	17.9	33.3	2.0	31.3	13.2	479	2.04	0.422 U
		06/20/17	930	13.3	0.0227 U	61.2 J	16.5	27.1	3.0	24.1	11.0	2,140	8.88	0.422 U
		11/30/20	829	14.1	0.0480 U	184	15.3	31.0	-	-	11.5	3,100	16.4	0.422 U
		02/04/21	-	-	-	327	11.6	2.70	-	-	0.177	121	18.5	41.6
		05/12/21	-	-	-	277	13.5	22.0	-	-	8.95	1,950	8.54	0.422 U
		05/12/21	-	-	-	278	13.1	20.3	-	-	8.98	2,580	9.74	0.422 U
		08/02/21	-	-	-	280	14.7	21.4	-	-	9.20	1,320	0.296 U	0.422 U
		05/19/22	-	-	-	298	7.16	3.79	-	-	6.19	34.6	0.420 J	0.422 U
		05/19/22	-	-	-	309	7.25	4.33	-	-	6.59	36.5	0.297 J	0.422 U
		08/04/22	-	-	-	207	7.15	2.17	-	-	7.36	380	1.83	0.422 U
		08/04/22	-	-	-	195	7.64	2.90	-	-	7.82	469	2.53	0.422 U
		10/31/22	806	-	-	218	9.26	8.60	0.0	8.6	7.55	524	3.04	0.422 U
11/07/23	635	22.1	0.860	70.9 J-	5.92	0.257	-	-	3.64	205	1.33	0.422 U		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)						
								Total	Ferrous	Ferric		Methane	Ethane	Ethene				
MW125	Valley St ROW, N side	12/26/13	650	112	0.076	12.8	-	2.39	1.5	0.9	1.85	455	6.34	5	U			
		10/18/19	481	10.9	0.0319 J	17.1	15.3	11.7	2.0	9.7	3.67	997	0.296	U	0.422	U		
		01/29/20	417	10.8	0.0227 U	32.3	8.28	17.3	2.0	15.3	3.55	2,530	1.25	J	0.422	U		
		11/17/20	-	-	-	0.913 J	7.62	9.91	-	-	3.37	5,490	0.296	U	0.422	U		
		02/02/21	-	-	-	0.594 U	9.09	9.27	-	-	3.36	4,330	0.296	U	0.422	U		
		05/11/21	-	-	-	1.06 J	8.76	12.7	-	-	3.85	6,440	0.296	U	0.422	U		
		05/11/21	-	-	-	1.08 J	8.59	11.5	-	-	3.58	5,740	0.296	U	0.422	U		
		08/02/21	-	-	-	0.841 J	8.86	9.02	-	-	2.92	4,450	0.296	U	0.422	U		
		11/11/21	358	14.8	1.00 U	6.00 U	8.71	9.30	5.8	3.6	3.32	4,920	0.296	U	0.422	U		
		03/08/22	-	-	-	1.22 J	7.70	7.81	-	-	3.31	1,180	1.25	J	0.422	U		
		05/19/22	-	-	-	1.20 J	7.31	9.44	-	-	3.18	814	0.516	J	0.422	U		
		08/09/22	-	-	-	1.24 J	7.75	10.2	-	-	3.23	4,050	J	1.56	0.422	U		
		08/09/22	-	-	-	1.49 J	7.84	10.2	-	-	3.31	5,580	J	1.93	0.422	U		
10/31/22	366	18.6	0.0480 U	0.594 U	7.92	9.34	3.0	6.3	3.22	5,620	1.70	0.422	U					
MW-154	Roy St ROW, S side	10/14/19	186	18.4	1.58	87.8	1.92	0.173	0.0	0.2	0.129	0.287	U	0.296	U	0.422	U	
		01/21/20	197	19.1	3.43	88.8	3.70	0.062	U	0.0	0.0	0.147	128	0.296	U	5.03		
		04/30/20	234	22.3	3.09	74.6	1.38	1.53	0.0	1.5	0.360	0.287	U	0.296	U	0.422	U	
		07/10/20	297	23.3	1.39	69.5	1.18	0.09	J	0.0	0.1	0.0817	0.287	U	0.296	U	0.422	U
		11/09/20	152	-	-	75.8	1.24	0.440	-	-	0.0494	0.287	U	0.296	U	0.422	U	
		02/08/21	-	-	-	56.3	1.83	0.407	-	-	0.0296	9.16	0.296	U	0.422	U		
		05/10/21	-	-	-	49.6	1.56	0.368	-	-	0.0255	0.287	U	0.296	U	0.422	U	
		08/17/21	-	-	-	62.6	2.60	0.613	-	-	0.0411	2.91	U	4.07	U	4.26	U	
		11/10/21	164	27.4	1.76	51.9	1.43	0.584	0.0	0.6	0.0285	0.287	U	0.296	U	0.422	U	
		02/18/22	191	-	-	44.7	1.67	0.278	-	-	0.0111	0.287	U	0.296	U	0.422	U	
		05/02/22	-	-	-	44.7	1.85	0.139	-	-	0.0118	0.287	U	0.296	U	0.422	U	
		08/02/22	-	-	-	56.6	1.43	0.336	-	-	0.0319	0.287	U	0.296	U	0.422	U	
		11/03/22	115	44.3	6.87	59.7	1.67	0.189	0.0	0.2	0.0301	0.287	U	0.296	U	0.422	U	
11/10/23	188	47.0	4.02	65.2	2.57	0.388	-	-	0.114	6,950	14.3	0.422	U					
MW-155	Roy St ROW, S side	10/16/19	267	16.1	4.12	94.3	3.66	0.119	0.0	0.1	0.0716	36.1	17.5	0.422	U			
		01/20/20	244	13.9	4.73	77.2	3.43	0.443	0.0	0.4	0.0392	12.0	0.296	U	0.422	U		
		05/05/20	258	12.3	5.07	73.3	2.75	0.700	-	-	0.0375	0.287	U	0.296	U	0.422	U	
		08/03/20	251	14.8	5.06	86.5	2.43	2.99	0.5	2.5	0.821	12.3	0.296	U	0.422	U		
		11/11/20	-	-	-	84.4	1.78	0.441	-	-	0.0673	106	0.296	U	0.422	U		
		08/13/21	-	-	-	69.2	1.88	0.883	-	-	0.0412	36.0	0.296	U	0.422	U		
		12/02/21	216	9.58	8.40 J-	53.6	2.08	0.193	0.0	0.2	0.0156	0.287	U	0.296	U	0.422	U	
		03/01/22	-	-	-	128	2.10	0.249	-	-	0.167	46.2	0.296	U	0.422	U		
		05/05/22	-	-	-	84.8	1.79	0.0312	J	-	-	0.0842	J	26.8	0.296	U	0.422	U
		08/03/22	-	-	-	58.0	2.12	0.133	-	-	0.0156	2.22	0.296	U	0.422	U		
		11/04/22	256	14.9	2.73	138	2.11	1.54	0.0	1.5	0.491	414	1.66	0.422	U			
		11/10/23	287	15.4	2.55	146	2.21	0.970	-	-	0.413	170	1.60	0.422	U			

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-159	8th Ave N ROW, E side	01/29/20	393	11.0	0.0227 U	32.9	4.17	3.64	2.5	1.1	3.47	6,410	44.9	0.422 U
		11/11/20	-	-	-	12.6	2.90	7.94	-	-	3.27	2,900	27.2	0.422 U
		02/08/21	-	-	-	4.88 J	4.09	6.77	-	-	2.97	20,100	70.9	0.422 U
		05/11/21	-	-	-	2.90 J	5.22	17.9	-	-	3.60	10,500	54.5	0.422 U
		08/05/21	-	-	-	1.83 J	4.45	7.87	-	-	2.43	15,200	41.5	4.26 U
		12/02/21	289	5.96	0.100 UJ	2.15	3.84	11.8	4.5	7.3	2.86	16,100	35.3	0.422 U
		03/03/22	-	-	-	1.91 U	4.26	10.2	-	-	3.50	4,030	6.63	0.422 U
		05/11/22	-	-	-	0.594 U	3.84	7.83	-	-	3.07	15,000	21.4	0.422 U
		08/03/22	-	-	-	1.22 J	4.21	9.74	-	-	3.05	6,910	12.1	0.422 U
		10/31/22	325	11.6	0.0480 U	0.594 U	5.26	6.81	3.5	3.3	3.70	12,800	21.1	0.422 U
MW-301 (dup)	Valley St ROW, S side	11/30/20	150	28.8	4.01	25.5	2.81	0.413	-	-	0.0150	10.4	0.296 U	0.422 U
		11/30/20	152	28.7	4.00	25.5	2.72	0.149	-	-	0.00685	0.287 U	0.296 U	0.422 U
		02/04/21	149	23.0	2.73 J	25.2	2.54	0.796	-	-	0.0359	0.287 U	0.296 U	0.422 U
		05/14/21	152	32.7	2.25	21.8	2.60	4.54	-	-	0.135	0.287 U	0.296 U	0.422 U
		05/14/21	149	32.9	2.25	21.8	2.54	5.07	-	-	0.143	0.287 U	0.296 U	0.422 U
		08/20/21	143	43.6	2.42	23.0	2.30	0.609	0.0	0.6	0.0339	0.287 U	0.296 U	0.422 U
		08/20/21	145	45.8	2.57	24.2	2.41	0.574	0.0	0.6	0.0344	0.287 U	0.296 U	0.422 U
		12/02/21	145	39.6	1.56 J-	17.0	2.24	0.0566 J	0.0	0.1	0.0325	0.287 U	0.296 U	0.422 U
		05/10/22	158	60.0	1.18 J-	21.3	2.67	3.52	0.2	3.3	0.236	0.287 U	0.296 U	0.422 U
		05/10/22	152	62.4	1.23 J-	21.3	2.76	2.78	0.2	2.6	0.197	0.287 U	0.296 U	0.422 U
(dup)	08/12/22	168	68.6	1.55	23.5	2.64	0.795	0.2	0.6	0.295	41.7	0.296 U	0.422 U	
		178	63.4	1.25	23.3	2.70	0.521	0.2	0.3	0.233	35.6	0.296 U	0.422 U	
(dup)	10/31/22	143	75.6	1.45	24.2	3.62	0.777	0.0	0.8	0.216	62.9 J	0.296 U	0.422 U	
		142	76.7	1.45	24.6	3.53	0.445	0.0	0.4	0.184	97.0 J	0.296 U	0.422 U	
MW-305	Roy St ROW, S side	10/15/19	114	18.0	1.63	28.0	3.34	2.58	0.0	2.6	0.197	0.287 U	0.296 U	0.422 U
		01/15/20	107	11.7	1.02	28.6	10.8	6.46	0.0	6.5	0.0980	0.287 U	0.296 U	0.422 U
		04/28/20	105	48.1	2.10	23.0	0.921 J	16.0	0.0	16.0	0.221	0.287 U	0.296 U	0.422 U
		07/27/20	106	14.9	1.10	21.2	0.793 U	1.18	0.0	1.2	0.0623	0.287 U	0.296 U	0.422 U
		12/03/21	61.9	31.5	7.06 J-	91.1	3.66	0.217	0.0	0.2	0.00392	0.287 U	0.296 U	0.422 U
MW-310 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	786	10.7	0.0227 U	88.0	8.93	11.2	4.0	7.2	3.01	558	0.296 U	0.422 U
		01/14/20	763	10.6	0.0227 U	67.8	8.07	15.4	3.0	12.4	3.34	586	0.296 U	0.422 U
		04/08/20	814	10.2	0.0480 U	54.8	8.58	19.5	3.4	16.1	3.66	714	0.770 J	0.422 U
		08/04/20	791	9.82	0.0480 U	43.5	8.73	23.3	3.6	19.7	5.90	757	0.296 U	0.422 U
		08/04/20	787	9.95	0.0480 U	43.9	8.77	23.4	3.6	19.8	6.12	754	0.296 U	0.422 U
		11/03/21	837	7.71	0.176	95.5	8.77	17.1	3.5	13.6	2.62	311	0.296 U	0.422 U
11/01/22	665	8.19	0.0480 U	45.9	5.88	14.2	4.0	10.2	1.37	538	0.296 U	0.422 U		
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	1,220	10.9	0.0227 U	5.71	14.7	5.18	2.8	2.4	0.845	768	0.296 U	0.422 U
		01/21/20	941	6.78	0.0227 U	0.0774 U	10.8	5.93	1.5	4.4	0.860	832	0.296 U	0.422 U
		04/22/20	1,010	7.27	0.0480 U	4.23 J	10.9	7.43	3.4	4.0	1.46	618	0.296 U	0.422 U
		08/04/20	1,030	7.30	0.0480 U	11.9	11.7	8.77	-	-	2.12	556	0.296 U	0.422 U
		11/03/21	143	0.763	0.100 U	1.89	3.76	3.33	2.5	0.8	0.220	208	0.296 U	0.422 U
11/01/22	870	9.86	0.0480 U	0.612 J	6.42	4.74	4.0	0.7	0.516	2,430	0.296 U	0.422 U		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	378	11.6	0.199	66.3	4.39	2.15	0.5	1.7	1.59	76.2	0.296 U	0.422 U
		01/14/20	292	20.5	0.0227 U	13.3	3.17	4.00	3.0	1.0	2.37	750	0.296 U	0.422 U
		11/09/21	329	20.6	0.228 J-	67.1	2.20	8.40	0.6	7.8	1.43	113	0.296 U	0.422 U
		11/01/22	482	17.9	26.4	164	1.75	1.87	0.0	1.9	2.29	934	0.296 U	0.422 U
MW-320	9th Ave N ROW, W side	10/07/19	1,780	12.7	0.0227 U	5.08	8.51	1.60	0.0	1.6	2.37	264	0.296 U	0.422 U
		01/20/20	294	40.6	0.0227 U	30.3	7.14	7.27	4.8	2.5	3.00	1,610	0.296 U	0.422 U
		04/29/20	282	56.5	0.0480 U	67.0	4.70	5.33	5.0	0.3	3.66	158	0.296 U	0.422 U
		07/28/20	242	44.3	0.0480 U	112	3.75	3.70	3.5	0.2	3.22	52.0	0.296 U	0.422 U
		11/16/21	200	3.81	0.850	19.9	1.17	0.304	0.0	0.3	0.0563	0.287 U	0.296 U	0.422 U
11/04/22	277	32.1	0.0480 U	369	4.58	0.177	0.0	0.2	0.568	29.4	0.296 U	0.422 U		
MW-332	Roy St ROW, N side	05/04/20	252	66.4	0.0480 U	105	2.17	3.29	2.5	0.8	2.88	757	0.296 U	0.422 U
		07/30/20	255	38.8	0.175	140	2.88	3.27	0.5	2.8	2.18	843	0.296 U	0.422 U
		11/08/21	203	129	0.450	60.6	1.68	27.6	0.0	27.6	2.85	0.287 U	0.296 U	0.422 U
		11/04/22	197	301	0.129	38.9	1.22	1.08	0.3	0.8	0.866	40.1	0.296 U	0.422 U
MW-337	Lake Union Park, N end	05/07/20	229	11.0	0.0480 U	2.94 J	2.69	3.12	2.0	1.1	1.21	1,950	0.296 U	0.422 U
		07/23/20	220	9.40	0.0480 U	0.594 U	2.76	3.91	3.2	0.7	1.04	3,230	0.296 U	0.422 U
		11/17/21	255	16.2	7.14	31.8	4.28	0.378	0.3	0.1	0.466	1,270	0.296 U	0.422 U
		11/02/22	217	34.1	0.108 J	4.92 J	2.50	12.0	3.0	9.0	1.07	4,260	0.296 U	0.422 U
MW-339 (dup)	Lake Union Park, S end	05/14/20	298	14.8	0.048 U	36.8	3.01	2.81	2.0	0.8	0.866	1,380 J	0.296 U	0.422 U
		05/14/20	299	14.8	0.048 U	37.8	3.70	2.61	2.0	0.6	0.829	979 J	0.296 U	0.422 U
		07/23/20	263	8.77	0.0480 U	13.7	3.06	1.85	1.5	0.4	0.681	1,080	0.296 U	0.422 U
		11/10/21	171	11.6	1.00 U	23.0	4.96	0.567	0.2	0.4	0.206	37.4 J	0.296 U	0.422 U
		11/10/21	174	11.6	1.00 U	22.9	4.93	0.589	0.2	0.4	0.206	26.1 J	0.296 U	0.422 U
11/02/22	317	25.5	0.518 J	35.0	3.92	1.66	0.0	1.7	0.605	22.9	0.296 U	0.422 U		
MW-9 (dup)	8th Ave N ROW, E side	12/16/13	56	3.76	0.059	6.08	-	3.32	3.4	0.0	0.778	6.24	5 U	5 U
		10/17/19	612	20.0	0.0227 U	0.0774 U	4.42	21.6	2.0	19.6	3.76	1,770	8.51	0.422 U
		11/24/20	-	-	-	0.879 J	4.94	20.8	-	-	2.35	786	3.94	0.422 U
		02/04/21	-	-	-	1.79 J	3.67	23.6	-	-	1.51	644	4.07 U	4.26 U
		05/12/21	-	-	-	0.594 U	4.32	21.6	-	-	2.03	900	3.68	0.422 U
		05/12/21	-	-	-	0.594 U	4.53	22.3	-	-	2.03	915	3.64	0.422 U
		08/02/21	-	-	-	0.594 U	5.06	19.9	-	-	1.82	799	0.296 U	0.422 U
		11/11/21	507	25.7	1.12	6.00 U	4.06	19.0	5.8	13.2	1.77	652	0.296 U	0.422 U
		02/15/22	475	-	-	19.9	4.13	5.09	-	-	4.97	37.1	0.296 U	0.422 U
		06/08/22	-	-	-	25.3	4.06	8.45	-	-	2.37	329	2.15	0.422 U
		06/08/22	-	-	-	25.6	4.07	7.02	-	-	2.29	332	1.80	0.422 U
		08/09/22	-	-	-	26.6	4.72	15.6	-	-	3.02	255	1.74	0.422 U
		10/31/22	557	32.6	1.04	9.08	4.25	12.8	0.5	12.3	2.81	187	1.67	0.422 U
11/06/23	587	63.8	1.04	56.0	4.50	17.6	-	-	3.74	128	1.53	0.422 U		
N7	Property, SW quadrant	03/30/17	118	4.73	6.87	25.2	1.35	0.120	0.0	0.1	1.50	11,000	0.296 U	0.422 U
		06/27/17	235	8.76	6.29	48.4	2.71	1.45	0.3	1.2	3.31	8,430	0.296 U	0.422 U

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
R-MW5	Dexter Ave N ROW, E side	03/23/17	183	32.2	0.0549 J	33.0	3.94	2.94	1.0	1.9	4.24	118	0.296 U	0.422 U	
		06/16/17	152	58.3	0.253	21.8	2.59	2.74	–	–	1.29	275	0.296 U	0.422 U	
		10/21/19	112	41.4	0.0227 U	18.6	4.44	3.00	1.0	2.0	1.20	194	0.296 U	0.422 U	
		01/24/20	107	29.4	0.0227 U	18.5	2.74	10.2	2.5	7.7	0.999	197	0.296 U	0.422 U	
		11/18/20	–	–	–	8.27	2.37	6.64	–	–	1.26	182	0.296 U	0.422 U	
		02/11/21	–	–	–	9.48	4.92 J	2.35	–	–	0.371	138	0.296 U	0.422 U	
		(dup)	02/11/21	–	–	–	9.16	1.72 J	2.07	–	–	0.363	128	0.296 U	0.422 U
		05/17/21	–	–	–	7.99	1.45	2.79	–	–	0.346	595	0.296 U	0.422 U	
		(dup)	08/03/21	–	–	–	8.33	2.79	1.66	–	–	0.948	3,200	0.296 U	0.422 U
		08/03/21	–	–	–	8.21	3.00	1.59	–	–	0.991	3,660	0.296 U	0.422 U	
		11/08/21	93.3	13.5	0.100 UJ	8.09	1.76	1.34	1.0	0.3	0.305	2,910	0.296 U	0.422 U	
		(dup)	02/24/22	–	–	–	8.42	1.60	2.91 J	–	–	0.437	1,210	0.296 U	0.422 U
		02/24/22	–	–	–	8.37	1.72	2.14 J	–	–	0.406	1,240	0.296 U	0.422 U	
		05/17/22	–	–	–	9.57	6.80	6.28 J	–	–	3.16 J	682	1.23 J	0.422 U	
		08/09/22	–	–	–	13.8	6.80	8.25	–	–	6.02	381	1.26 J	0.422 U	
11/08/22	156	41.5	0.0480 U	15.0	5.88	7.53	2.5	5.0	4.06	332	0.296 U	0.422 U			
10/31/23	144	29.0	0.0548 U	8.94	4.81	10.7	–	–	1.86	183	0.296 U	0.422 U			
R-MW6	8th Ave N ROW, W side	03/21/17	586	5.72	0.191	119	6.28	5.02	–	–	6.24	9,410	0.296 U	0.422 U	
		06/20/17	718	11.1	0.0227 U	85.7	13.6	27.0	1.5	25.5	8.28	6,980	10.7	11.2	
		12/01/20	–	–	–	160	17.3	6.87	–	–	2.40	502	4.85	0.422 U	
		02/03/21	–	–	–	207	2.21	1.08	–	–	0.386	881	0.296 U	0.422 U	
		05/17/21	–	–	–	333	8.97	17.0	–	–	9.43	12,800	6.74	0.422 U	
		08/03/21	–	–	–	318	15.2	15.5	–	–	11.2	12,400	0.296 U	0.422 U	
		11/29/21	358	19.0	0.100 UJ	185	2.77	3.79	3.2	0.6	4.75	6,180	0.296 U	0.422 U	
		02/23/22	–	–	–	69.6	7.85	11.7	–	–	6.35	12,700	3.37	0.422 U	
		05/11/22	–	–	–	219	8.84	25.8	–	–	10.1 J	3,190	2.65	0.422 U	
		08/03/22	–	–	–	60.6	10.2	27.9	–	–	9.07	10,200	5.54	0.422 U	
		11/04/22	751	48.7	0.0480 U	194	10.9	22.6	2.0	20.6	8.09	7,870	8.85	0.422 U	
11/03/23	840	10.1	0.0480 U	22.9	5.77 J	15.7	–	–	4.71	14,400	17.7	0.422 U			
SCL-MW101	Alley E of Seattle Roy Aloha Shops	11/11/21	551	4.63	1.00 U	162 J	6.53	19.9	2.8	17.2	1.37	138	0.296 U	0.422 U	
		11/03/22	598	5.74	0.0480 U	194	7.48	9.56	1.8	7.8	1.05	33.5	0.296 U	0.422 U	

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW110	Alley E of Seattle Roy Aloha Shops	12/19/13	390	20.4	0.603	158	–	0.079	0.04	0.04	3.28	7.66	5 U	5 U
		03/23/17	425	36.2	0.652	108	7.98	0.948 J	0.1	0.8	3.90	125	1.21 J	0.422 U
		06/27/17	516	27.0	0.0227 U	160	4.91	0.115	0.0	0.1	2.13	95.5	17.4	0.422 U
		10/15/19	465	19.3	0.0227 U	73.2	7.05	1.29	–	–	3.43	5,020	0.296 U	0.422 U
		01/16/20	373	14.0	0.0227 U	36.2	3.01	0.32	0.0	0.3	2.89	2,590	2.58	0.422 U
		04/22/20	472	19.8	0.0480 U	88.9	5.81	2.55	0.0	2.6	3.29	2,660	0.296 U	0.422 U
		07/16/20	490	20.0	0.0480 U	98.7	4.64	2.68	0.0	2.7	3.16	3,000	7.68	0.422 U
		11/04/20	–	–	–	106	3.59	1.53	–	–	1.93	2,040	0.296 U	0.422 U
		02/09/21	–	–	–	79.6	3.08	1.17	–	–	2.79	1,660	0.296 U	0.422 U
		05/04/21	–	–	–	76.4	3.03	5.54	–	–	2.81	2,630	5.45	0.422 U
		08/12/21	–	–	–	72.6	3.00	2.01	–	–	2.54	2,430	7.53	0.422 U
		11/09/21	373	15.1	0.200 U	89.1	2.98	5.59	0.2	5.4	2.23	3,080	16.1	0.422 U
		02/25/22	–	–	–	80.3	2.79	1.26 J	–	–	3.09	4,620	5.97	0.422 U
		05/18/22	–	–	–	74.3	2.53	2.34	–	–	2.85	6,540	5.88	0.422 U
		08/11/22	–	–	–	70.9	2.42	0.210	–	–	2.77	8,590	5.85	0.422 U
11/01/22	356	14.1	0.142	75.0	2.48	0.161	0.0	0.2	2.83	6,950	8.24	0.422 U		
MW114	SDOT Mercer Parcels	12/18/13	190	31.2	0.032	98.8	–	0.075	0.03	0.05	0.629	5 U	5 U	5 U
MW115	9th Ave N ROW, W side	12/19/13	580	22.1	0.0250 U	3.35	–	6.24	6.69	0.00	1.44	2,550	5 U	5 U
		03/22/17	417	28.5	0.0227 U	35.9	7.69	5.69	1.5	4.2	1.32	215	0.296 U	0.422 U
		06/22/17	401	33.0	0.0227 U	46.1	7.39	6.19	1.5	4.7	1.19	3,570	4.98	0.422 U
		10/22/19	330	19.3	0.0227 U	23.6	5.51	4.53	2.0	2.5	0.930	1,500	4.04	4.17
		01/20/20	346	19.8	0.0227 U	15.6	5.72	4.66	2.0	2.7	0.957	1,080	2.74	0.422 U
		05/05/20	355	28.3	0.0480 U	209	6.84	11.5	2.0	9.5	1.46	1,760	0.296 U	0.422 U
		07/28/20	407	25.0	0.0480 U	141	8.58	12.1	4.5	7.6	1.53	665	0.296 U	0.422 U
		11/12/20	–	–	–	170	7.33	7.99	–	–	1.56	641	3.90	0.422 U
		02/12/21	–	–	–	68.2	6.73	13.5	–	–	1.23	1,570	0.296 U	0.422 U
		05/25/21	–	–	–	82.9	6.34	7.21	–	–	1.08	1,580	0.296 U	0.422 U
		08/11/21	–	–	–	162	8.75	7.60	–	–	1.77	743	0.296 U	0.422 U
		11/18/21	409	27.2 J	0.500 U	79.8 J	8.28	5.29	3.5	1.8	1.06	1,060	0.296 U	0.422 U
		02/15/22	–	–	–	139	5.81	5.68	–	–	1.34	308	1.47	0.422 U
		06/03/22	–	–	–	67.2	5.78	4.15	–	–	1.14	477	4.07 U	4.26 U
		08/10/22	–	–	–	36.2	6.03	4.67	–	–	0.938	668	3.31	0.422 U
11/03/22	302	24.3	0.0480 U	21.6	4.51	4.05	2.0	2.1	1.03	523 J	6.06	0.422 U		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW116	9th Ave N ROW, W side	12/19/13	310	26.2	0.0250 U	14.5	–	2.48	2.65	0.00	1.14	1,750	5 U	5 U
		03/21/17	432	22.0	0.0227 U	25.7	7.34	6.01	3.9	2.1	0.869	8,590	0.296 U	0.422 U
		06/16/17	377	25.1	0.0227 U	9.31	6.80	6.69	1.8	4.9	0.793	8,610	0.296 U	0.422 U
		10/22/19	361	23.6	0.0227 U	0.0774 U	5.95	3.72	1.3	2.4	0.723	7,650	0.296 U	0.422 U
		01/21/20	350	24.6	0.0227 U	0.0774 U	6.34	3.9	1.0	2.9	0.744	5,540	0.296 U	0.422 U
		04/29/20	358	23.4	0.0480 U	0.594 U	6.53	6.83	3.8	3.0	0.811	6,140	0.296 U	0.422 U
		07/28/20	314	25.4	0.0480 U	0.594 U	5.95	17.7	2.5	15.2	0.911	8,900	0.296 U	0.422 U
		11/12/20	–	–	–	1.94 J	5.90	5.95	–	–	0.790	10,100	0.296 U	0.422 U
		02/11/21	–	–	–	9.16	5.64	5.72	–	–	0.767	8,410	0.296 U	0.422 U
		05/25/21	–	–	–	8.91	5.14	4.16	–	–	0.775	6,550	0.296 U	0.422 U
		08/11/21	–	–	–	10.3	5.85	4.84	–	–	0.736	4,540	0.296 U	0.422 U
		11/18/21	303	29.1 J	0.500 U	8.40	5.87	4.03	2.8	1.3	0.757	4,140	0.296 U	0.422 U
		03/07/22	–	–	–	8.98	5.68	3.75	–	–	0.745	994	0.296 U	0.422 U
		06/08/22	–	–	–	9.61	5.48	4.59	–	–	0.815	4,280	0.746 J	0.422 U
		08/10/22	–	–	–	9.72	5.75	3.44	–	–	0.686	3,190	0.460 J	0.422 U
11/04/22	311	32.1	0.0480 U	8.71	5.21	3.11	2.0	1.1	0.777	3,210	0.296 U	0.422 U		
MW117	Dexter Ave N ROW	12/18/13	200	9.11	0.0250 U	56.3	–	1.49	2.03	0.00	0.344	5 U	5 U	5 U
MW119	9th Ave N ROW, W side	12/19/13	310	12.1	0.0250 U	3.34	–	19.4	18.6	0.8	2.55	3,450	5 U	5 U
		03/29/17	255	20.5	0.164	14.9	6.84	17.1	2.0	15.1	2.98	819	0.296 U	0.422 U
		06/28/17	360	13.7	0.0227 UJ	56.1	9.09	5.66	1.5	4.2	1.25	73.5	0.296 U	0.422 U
		10/10/19	226	18.6	0.0227 U	26.4	4.98	10.7	3.0	7.7	2.63	289	0.296 U	0.422 U
		01/14/20	237	19.0	0.0227 U	26.8	4.58	9.20	–	–	2.28	396	0.296 U	0.422 U
		04/27/20	281	14.9	0.0480 U	5.67	7.19	12.3	3.5	8.8	3.2	480	0.296 U	0.422 U
		07/08/20	213	19.9	0.0480 U	32.5	5.94	11.2	5.5	5.7	2.54	4,480	0.296 U	0.422 U
		11/11/20	–	–	–	26.7	6.43	11.1	–	–	2.51	6,170	0.296 U	0.422 U
		02/10/21	–	–	–	2.46 J	7.56	14.4	–	–	3.27	3,960	0.296 U	0.422 U
		05/20/21	–	–	–	3.83 J	5.67	13.9	–	–	3.14	7,960	0.296 U	0.422 U
		08/13/21	–	–	–	4.78 J	6.01	14.5	–	–	3.14	4,360	0.296 U	0.422 U
		12/03/21	231	12.5	0.100 UJ	7.26	6.65	12.7	1.8	11.0	2.73	8,830	0.296 U	0.422 U
		03/02/22	–	–	–	13.6	6.04	12.3	–	–	2.90	1,910	0.296 U	0.422 U
		05/05/22	–	–	–	7.73	6.19	14.7	–	–	3.62	7,820	0.296 U	0.422 U
		08/11/22	–	–	–	10.7	5.75	13.0	–	–	2.98	6,400	0.296 U	0.422 U
11/02/22	265	22.2	0.0480 U	108	1.22	3.21	1.5	1.7	1.07	166	2.09	0.422 U		
11/02/22	265	22.2	0.0480 U	108	1.34	2.98	1.5	1.5	1.02	169	1.61	0.422 U		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)							
								Total	Ferrous	Ferric		Methane	Ethane	Ethene					
MW120	8th Ave N ROW, E side	12/19/13	290	36.5	0.0690	99.4	–	0.288	0.2	0.1	0.319	10.1	5	U	5	U			
		04/09/18	151	30.2	0.237	66.9	1.08	1.40	0.0	1.4	0.194	0.287	U	0.296	U	0.422	U		
		01/24/19	206	22.4	1.98	73.6	1.78	3.68	0.0	3.7	0.387	235		2.71		0.422	U		
		05/03/19	217	20.5	2.01	66.2	1.66	2.31	J	–	–	0.384	157	J	0.296	U	0.422	U	
		(dup)	05/03/19	217	20.3	1.96	65.9	1.58	1.12	J	–	–	346	115	J	0.296	U	0.422	U
			07/16/19	211	19.9	1.76	67.1	1.7	2.85	0.0	2.9	0.391	72.4		0.296	U	0.422	U	
			10/17/19	264	22.0	0.472	119	3.64	0.937	0.0	0.9	0.637	86.4	J	0.296	U	0.422	U	
		(dup)	10/17/19	264	22.0	0.473	120	3.68	0.930	0.0	0.9	0.637	43.9	J	0.296	U	0.422	U	
			01/17/20	296	20.9	0.0227 U	125	3.05	1.59	0.5	1.1	0.707	104		2.53		0.422	U	
			04/23/20	287	21.3	0.0480 U	110	3.18	2.24	1.2	1.0	0.621	34.8		0.296	U	0.422	U	
			07/14/20	291	20.5	0.0480 U	106	2.30	4.40	0.0	4.4	0.731	277		0.296	U	0.422	U	
		(dup)	11/30/20	–	–	–	121	1.70	5.45	–	–	0.611	87.5		0.296	U	0.422	U	
			11/30/20	–	–	–	122	1.93	5.09	–	–	0.628	124		3.29		0.422	U	
			02/04/21	–	–	–	127	2.00	5.57	–	–	0.537	107		4.07	U	4.26	U	
			05/12/21	–	–	–	128	1.79	6.73	–	–	0.492	90.8		0.296	U	0.422	U	
			08/03/21	–	–	–	127	1.97	2.73	–	–	0.469	107		0.296	U	0.422	U	
			11/11/21	195	21.8	1.19	112	1.22	3.76	0.2	3.6	0.454	177		0.296	U	0.422	U	
			02/15/22	200	–	–	112	2.06	1.87	–	–	0.426	122		1.09	J	0.422	U	
			05/11/22	–	–	–	98.4	1.26	1.75	–	–	0.385	112		1.31		0.422	U	
			08/04/22	–	–	–	90.7	1.66	2.01	–	–	0.397	111		1.06	J	0.422	U	
	10/31/22	189	20.7	1.42	79.6	1.58	5.00	0.0	5.0	0.407	117		1.35		0.422	U			
	11/06/23	182	22.2	1.66	53.8	1.35	0.952	–	–	0.344	17.4		0.758	J	0.422	U			
MW127	8th Ave N ROW, E side	10/17/19	133	27.2	0.323	71.6	1.9	0.920	0.0	0.9	0.161	0.287	U	0.296	U	0.422	U		
		01/17/20	133	24.7	0.728	74.5	2.03	4.06	0.0	4.1	0.184	69.0		0.296	U	0.422	U		
		04/23/20	142	24.8	1.27	67.1	1.04	7.26	0.0	7.3	0.203	0.287	U	0.296	U	0.422	U		
		(dup)	07/14/20	138	23.7	1.47	62.6	0.972 J	7.52	0.0	7.5	0.217	0.287	U	0.296	U	0.422	U	
			07/14/20	134	23.8	1.48	62.8	0.964 J	8.04	0.0	8.0	0.221	0.287	U	0.296	U	0.422	U	
			11/17/21	140	24.9	0.820	50.5	1.25	0.0599 J	0.0	0.1	0.147	0.287	U	0.296	U	0.422	U	
			10/31/22	144	26.9	0.870	53.0	1.18	0.0910 J	0.0	0.1	0.158	7.97		0.296	U	0.422	U	
MW131	Property, SE quadrant	03/27/17	911	141	0.0227 U	0.0774 U	8.93	7.98	1.9	6.1	1.06	16,200		0.296	U	280			
		06/20/17	1,050	122	0.0227 U	0.724 J	10.8	7.42	–	–	1.01	10,700		0.296	U	332			
		04/16/18	712	114	0.0227 U	0.0774 U	44.2	7.97	1.8	6.2	1.19	29,900		329		467			
		Decommissioned March 2019																	

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
MW-146	Roy St ROW, S side	04/30/18	363	30.4	0.0227 U	22.3	4.47	2.65	1.3	1.4	1.26	9,240	11.9	489	
		01/22/19	249	15.8	0.0227 U	32.1	3.43	1.76	2.0	0.0	0.56	2,460	1.84	107	
		04/24/19	310	14.8	0.0227 U	23.3	4.95	2.87	2.5	0.4	0.770	5,090	4.00	347	
		07/19/19	310	17.2	0.0227 U	23.9	3.78	2.87	1.9	1.0	0.800	6,490	0.296 U	463	
		(dup)	07/19/19	307	17.2	0.0227 U	24.2	3.67	2.95	1.9	1.1	0.817	5,480	0.296 U	387
		10/14/19	338	23.3	0.0227 U	20.6	3.63	2.91	2.0	0.9	0.898	6,190	0.296 U	394	
		(dup)	01/24/20	362	32.1	0.0227 U	15.5	3.31	3.72	4.0	0.0	1.17	888 J	3.09	728
		01/24/20	365	30.9	0.0227 U	15.3	3.30	3.22	4.0	0.0	1.12	6,280 J	3.27	672	
		04/30/20	383	40.9	0.0480 U	13.7	3.55	2.91	2.5	0.4	1.1	5,020	0.296 U	511	
		07/09/20	383	42.9	0.0480 U	16.6	2.92	3.08	3.0	0.1	1.14	5,990	0.296 U	463	
		11/10/20	277	–	–	31.1	2.18	2.59	–	–	1.07	7,340	2.67	315	
		02/08/21	–	–	–	31.5	2.17	2.97	–	–	0.952	3,330	0.296 U	239	
		05/04/21	–	–	–	5.87	19.0	6.29	–	–	1.11	16,100	0.296 U	1,060	
		08/17/21	–	–	–	3.18 J	11.4	7.62	–	–	1.23	8,260	334	1,810	
		11/10/21	419	29.1	1.00 U	3.06	6.60	6.80	3.5	3.3	1.36	16,900	998	930	
		02/18/22	508	–	–	13.4	3.57	6.15	–	–	1.33	4,870	149	180	
		05/03/22	–	–	–	15.0	3.92	5.15	–	–	1.41	11,700	302	250	
		08/03/22	–	–	–	12.2	3.62 J+	5.35	–	–	1.43	10,500	374	252	
		11/03/22	470	38.9	0.0480 U	7.54	4.03	4.65	3.5	1.2	1.57	14,200	437	333	
		05/12/23	–	–	–	12.7	6.15	6.39	–	–	1.71	21,300	366	241	
11/10/23	610	49.9	0.0789 J	7.90	5.35	10.1	–	–	1.56	17,900	340	194			
(dup)	05/31/24	–	–	17.6 J	5.61	7.67	–	–	1.76	1,080	13.0	9.86			
05/31/24	–	–	–	15.6	5.78	7.54	–	–	1.67	10,200	116	85.9			
MW-149	Property, NE quadrant	04/10/18	504	44.6	0.0227 U	16.9	9.94	2.18	1.8	0.4	2.70	14,400	414	363	
		12/13/18	407	7.71	0.0227 U	225	75.1	26.1	0.5	25.6	12.8	11,400	2,430	35.9	
		Decommissioned March 2019													
MW-151	Property, SW quadrant	04/10/18	409	65.5	0.0870 J	2.08 J	39.2	1.38	0.8	0.6	0.536	36,500	83.3	1,440	
		12/14/18	618	32.2	0.0227 U	702	335	138	–	–	11.8	18,900	68.4	68.4	
		Decommissioned March 2019													

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-306	Roy St ROW, S side	10/15/19	187	8.79	0.0227 U	80.9	2.32	3.81	2.5	1.3	0.608	0.287 U	0.296 U	0.422 U
		01/16/20	185	9.48	0.0227 U	77.5	2.97	4.09	2.6	1.5	0.550	0.287 U	0.296 U	0.422 U
		04/28/20	192	10.3	0.0480 U	75.8	3.03	2.94	0.3	2.6	0.483	0.287 U	0.296 U	0.422 U
		07/29/20	185	10.8	0.0480 U	73.9	1.11	2.93	2.5	0.4	0.509	0.287 U	0.296 U	0.422 U
		12/03/21	172	10.0	0.100 UJ	64.9	1.01	2.85	3.0	0.0	0.425	52.7	0.296 U	0.422 U
		11/04/22	178	38.8	0.369	34.3	1.02	2.49	1.5	1.0	0.460	136	0.296 U	0.422 U
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	901	15.4	0.0227 U	95.4	6.97	16.9	3.5	13.4	2.95	2,070	19.7	0.422 U
		01/16/20	565	14.4	0.0227 U	86.0	7.85	16.0	4.0	12.0	2.65	2,780	31.5	8.93
		04/08/20	485	14.6	0.0480 U	83.2	9.49	9.39	4.8	4.6	2.53	1,870	23.9	8.43
		07/06/20	670	12.3	0.0480 U	68.6	7.40	16.9	5.5	11.4	3.08	2,630	18.9	0.422 U
		11/11/21	600	13.0	1.00 U	41.4	8.17	9.06	4.3	4.8	3.10	2,830	20.7	0.422 U
		11/01/22	651	15.3	0.0480 U	38.0	6.85	13.8	-	-	2.75	2,600	16.5	0.422 U
MW-315 (dup)	Mercer St ROW, N side	10/03/19	325	11.7	0.0227 UJ	35.0	3.02	0.850	0.0	0.9	0.306	124	0.296 U	0.422 U
		01/16/20	262	10.5	0.0227 U	37.6	4.68	1.03	0.4	0.6	0.354	77.2	0.296 U	0.422 U
		04/24/20	251	9.62	0.0480 U	37.9	1.25	2.34	0.75	1.6	0.329	57.8	0.296 U	0.422 U
		07/24/20	249	9.55	0.0480 U	38.5	1.44	3.90	0.0	3.9	0.307	32.7	0.296 U	0.422 U
		11/05/21	214	10.8	0.200 U	47.8	1.12	0.978 J	0.8	0.2	0.248	43.8 J	0.296 U	0.422 U
		11/05/21	197	10.8	0.200 U	47.9	1.28	1.40 J	0.8	0.6	0.286	71.8 J	0.296 U	0.422 U
		11/02/22	119	5.99	0.373	32.4	0.643 U	0.909	0.0	0.9	0.165	10.2	0.296 U	0.422 U
MW-317	9th Ave N ROW, W side	10/09/19	404	18.5	0.0227 U	0.0774 U	12.0	12.5	3.0	9.5	3.57	11,000	0.296 U	0.422 U
		01/16/20	394	0.0519 U	0.0227 U	0.0774 U	12.9	14.4	1.5	12.9	3.71	12,800	0.296 U	0.422 U
		04/27/20	321	26.6	0.0480 U	15.8	12.7	12.6	2.0	10.6	2.94	900	0.296 U	0.422 U
		07/30/20	332	22.3	0.0480 U	1.34 J	14.0	12.0	5.0	7.0	2.93	4,020	0.296 U	0.422 U
		11/12/21	351	32.5	1.00 U	7.90	13.5	16.0	5.5	10.5	3.96	8,570	0.296 U	0.422 U
		11/01/22	330	36.1	0.0868 J	40.3	12.0	12.9	4.0	8.9	3.48	3,200	0.296 U	0.422 U
MW-325	Mercer St ROW, N side	10/03/19	235	21.5	0.788 J	112	3.28	0.701	0.0	0.7	0.865	31.7	0.296 U	0.422 U
		01/17/20	175	20.7	1.59	93.5	4.19	0.802	0.0	0.8	0.525	4.04	0.296 U	0.422 U
		04/21/20	229	19.8	3.14	84.2	2.67	0.163	0.0	0.2	0.310	14.4	0.296 U	0.422 U
		07/23/20	207	6.99	1.97	45.7	1.55	2.04	0.0	2.0	0.220	18.5	0.296 U	0.422 U
		11/04/21	256	10.4	0.700	61.5	2.22	0.201	0.0	0.2	0.178	0.287 U	0.296 U	0.422 U
		11/02/22	181	14.5	1.38 J	61.0	1.12	1.01	0.0	1.0	0.613	1.77	0.296 U	0.422 U
MW-327	Lake Union Park, S end	10/02/19	272	18.4	0.0227 UJ	0.0774 U	4.41	12.4	3.5	8.9	0.822	18,500	0.296 U	0.422 U
		01/17/20	205	26.6	0.0227 U	0.0774 U	3.75	9.97	2.0	8.0	0.614	15,000	0.296 U	0.422 U
		04/09/20	256	21.4	0.0480 U	1.89 J	3.37	9.28	5.4	3.9	0.821	12,700	0.296 U	0.422 U
		07/07/20	316	16.6	0.0480 U	5.59	3.49	9.51	6.0	3.5	0.900	10,100	0.296 U	0.422 U
		11/10/21	311	13.4	1.00 U	0.600 U	3.88	10.5	5.5	5.0	0.892	9,540	0.296 U	0.422 U
		11/02/22	224	72.0	0.0480 U	0.594 U	3.11	11.9	4.5	7.4	0.786	12,900	0.296 U	0.422 U
MW-330 (dup)	Valley St ROW, N side	05/14/20	156	11.3	0.0480 U	48.0	1.42	2.9	0.0	2.9	0.841	31.7 J	0.296 U	0.422 U
		05/14/20	156	11.1	0.0480 U	48.3	1.46	2.2	0.0	2.2	0.836	46.5 J	0.296 U	0.422 U
		07/16/20	164	11.0	0.0480 U	45.9	2.22	2.56	1.0	1.6	0.971	31.3	0.296 U	0.422 U
		11/11/21	144	13.4	1.00 U	43.7	1.59	2.44	0.5	1.9	0.759	31.1	0.296 U	0.422 U
		10/31/22	148	24.7	0.0516 J	51.4	1.83	1.37	0.0	1.4	1.86	22.5	0.296 U	0.422 U

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	292	34.7	0.0480 U	243	3.36	9.66	4.5	5.2	0.809	94.1	8.18	0.422 U	
		07/06/20	351	32.9	0.0480 UJ	228	3.06	17.7	7.0	10.7	0.752	83.6	0.296 U	0.422 U	
		11/11/21	280	32.8 J	1.00 U	262 J	3.15	12.0	6.2	5.8	0.737	105	0.296 U	0.422 U	
		11/01/22	275	34.3	0.0480 U	227	1.83	10.4	4.5	5.9	0.640	88.9	0.296 U	0.422 U	
MW-333	900 Roy St, S end	04/29/20	890	33.9	0.0480 U	1.37 J	13.5	26.2	5.0	21.2	2.16	24,300	0.296 U	0.422 U	
		07/24/20	835	35.1	0.0480 U	0.594 U	14.4	21.2	6.5	14.7	1.55	29,700	0.296 U	0.422 U	
		11/05/21	834	35.4	0.132	0.504	13.9	21.7	1.8	20.0	1.61	16,600	0.296 U	0.422 U	
		11/02/22	828	33.7	0.0480 U	0.594 U	12.5	21.7	5.0	16.7	1.94	22,000	6.07	0.422 U	
MW-344	SDOT Mercer Parcels, NW quadrant	06/01/21	227	19.9	0.0480 R	57.8	0.924 U	2.06	–	–	0.641	96.5	0.296 U	0.422 U	
		08/18/21	216	20.8	0.0480 U	60.4	1.20	33.3	1.4	31.9	1.16	43.0	0.296 U	0.422 U	
		11/18/22	436	37.7	0.0480 U	8.43	2.99	2.81	–	–	1.75	12,500	660	1,520	
Intermediate B Zone															
FMW-141 (dup)	Alley E of Seattle Roy Aloha Shops	10/30/19	596	66.9 J	0.0227 U	0.909 J	21.2	8.88	0.5	8.4	1.74	6,040	113	460 J	
		10/30/19	466	44.5 J	0.0227 U	4.73 J	18.8	8.38	0.5	7.9	1.52	5,710	84.9	305 J	
		01/14/20	119	10.0	0.0385 J	1.18 J	3.74	5.52	1.5	4.0	0.340	1,890	23.6	299	
		04/28/20	167	16.5	0.0866 J	3.09 J	4.57	1.61	1.2	0.4	0.407	2,910	33.1	322	
		07/22/20	205	23.3	0.0723 J	3.10 J	4.45	2.80	0.5	2.3	0.582	3,390	41.7	428	
		11/03/22	97.7	9.45	0.115	4.40 J	4.17	0.997	1.0	0.0	0.279	620	14.1	34.8	
HMW-9IB (dup)	SDOT Mercer Parcels, SW quadrant	01/26/21	290	29.8	0.0480 U	31.3	2.61	0.429	0.25	0.2	0.565	2,530	0.296 U	137	
		06/02/21	294	26.0	0.0480 U	32.7	1.77	0.948	–	–	0.629	1,660	4.07 U	86.9	
		08/18/21	280	27.6	0.0480 U	32.3	1.87	0.682	–	–	0.578	2,550	0.296 U	122	
		05/24/22	–	83.8	0.0480 U	0.724 J	612	–	–	–	–	376	5.51	27.1	
		05/24/22	–	81.5	0.0480 U	0.594 U	586	–	–	–	–	308	4.77	22.4	
		08/01/22	–	50.2	0.0866 J	0.594 U	129	–	–	–	–	5,270	18.1	136	
		11/09/22	442	33.8	0.0480 U	0.594 U	40.5	41.2	33	8.2	2.99	19,300	7.24	559	
		02/23/23	–	37.8	0.0543 J	0.698 J	247	–	–	–	–	32,500	1.85	471	
		05/17/23	–	44.7	0.048 U	0.665 J	168	–	–	–	–	37,200	2.52	209	
		02/28/24	–	60.5 J-	0.212 J	1.46 J	6.79	11.3	–	–	–	2.21	30,300	343	0.422 U
		05/29/24	–	–	–	0.594 U	4.72	9.22	–	–	–	1.43	19,400	239	0.422 U

Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW111	Alley E of Seattle Roy Aloha Shops	12/17/13	170	47.3	0.025 U	4.73	–	0.168	0.2	0.0	0.135	14.7	5 U	5 U
		03/23/17	179	22.9	0.0680 J	8.25	0.918 J	0.391	0.1	0.3	0.151	136	5.75	4.17
		06/14/17	202	23.2	0.0227 U	8.97	1.20	0.298	–	–	0.142	231	7.73	6.71
		10/14/19	222	29.1	0.0227 U	7.70	1.97	0.159	–	–	0.229	324	20.9	20.1
		01/16/20	227	32.3	0.0227 U	15.7	1.56	9.04	0.5	8.5	0.415	386	30.2	20.4
		04/23/20	259	38.3	0.0480 U	26.5	1.88	22.5	0.5	22.0	0.694	447	38.7	23.3
		07/06/20	290	41.4	0.0480 U	32.8	1.65	22.1	0.0	22.1	0.668	625	51.6	25.9
		11/02/20	–	–	–	31.8	1.55	18.8	–	–	0.653	484	47.8	23.8
		02/09/21	–	–	–	25.4	1.44	4.38	–	–	0.429	452	43.5	26.1
		05/03/21	–	–	–	17.8	1.21	7.73	–	–	0.344	347	29.6	13.7
		08/04/21	–	–	–	18.4	1.50	4.17	–	–	0.315	255	21.5	4.26 U
		11/03/21	213	29.3	0.200 U	18.9	1.52	2.08	0.5	1.6	0.296	174	13.8	0.422 U
		02/15/22	198	–	–	18.0	1.32	5.31	–	–	0.304	134	9.39	2.71
		05/18/22	–	–	–	9.90	1.11	0.646	–	–	0.172	129	10.2	2.35
		08/09/22	–	–	–	15.4	1.47	1.11	–	–	0.244	205	15.9	3.55
		11/01/22	190	26.9	0.0817 J	15.7	0.677 U	0.655	0.5	0.2	0.257	182	14.4	3.63
MW112	Dexter Ave N ROW, W side	12/26/13	160	12.3	0.0640	44.9	–	0.560	0.2	0.3	0.106	5 U	5 U	5 U
		03/22/17	188	10.6	0.0227 U	45.2	1.35	0.238	–	–	0.0411	4.89	0.296 U	0.422 U
		06/16/17	240	1.15	0.162	1.26 J	5.48	2.56	–	–	0.0871	1.78	0.296 U	0.422 U
		04/12/18	16.7 J	2.09	0.398 J	1.31 J	2.80	19.5	0.0	19.5	0.421	326	0.296 U	0.422 U
		12/22/18	41.6	9.72	0.0683 J	0.342 J	5.51	22.6	–	–	0.573	373	0.296 U	0.422 U
		04/22/19	82.9	7.09	0.0227 U	7.65	6.04	4.90	1.0	3.9	0.177	281	1.12 J	1.13 J
		07/16/19	112	8.61	0.0227 U	17.1	6.12	1.28	0.0	1.3	0.154	149	3.81	0.422 U
		10/21/19	58.6	5.47	0.0227 U	1.82 J	11.1	1.70	0.5	1.2	0.169	388	5.75	0.422 U
		01/24/20	50.8	7.70	0.0227 U	0.322 J	3.41	3.56	2.0	1.6	0.220	1,670	0.296 U	35.0
		05/07/20	75.2	8.95	0.0480 U	2.62 J	2.91	3.22	1.5	1.7	0.239	752	0.296 U	0.422 U
		07/27/20	106	9.08	0.0480 U	11.0	2.86	1.68	1.6	0.1	0.213	592	0.296 U	0.422 U
		11/17/20	–	–	–	32.7	1.61	3.78	–	–	0.210	121	0.296 U	0.422 U
		02/11/21	–	–	–	32.4	1.70	1.57	–	–	0.176	93.8	0.296 U	0.422 U
		05/14/21	–	–	–	35.2	1.77	9.37	–	–	0.309	91.9	0.296 U	0.422 U
		08/17/21	–	–	–	34.2	1.52	1.60	–	–	0.170	50.1	4.07 U	4.26 U
		11/08/21	164	11.7	0.100 UJ	29.1	1.97	4.84	0.6	4.2	0.248	135	0.296 U	0.422 U
		02/24/22	–	–	–	21.3	2.40	1.45	–	–	0.184	79.5	3.28	0.422 U
		05/13/22	–	–	–	28.5	1.59	1.33	–	–	0.177	82.4	2.06	0.576 J
08/09/22	–	–	–	19.9	3.64	1.08	–	–	0.184	123	2.69	1.95		
11/08/22	32.6	17.5	0.488	0.898 J	4.55	0.672	0.5	0.2	0.0799	49.6	0.296 U	2.37		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
MW126 (dup)	Alley E of Seattle Roy Aloha Shops	10/15/19	210	7.54	0.0227 U	3.62 J	5.12	0.407	0.5	0.0	0.335	277	0.296 U	0.422 U	
		10/15/19	200	7.78	0.0227 U	3.89 J	5.05	0.388	0.5	0.0	0.327	317	0.296 U	0.422 U	
		01/14/20	199	7.34	0.0227 U	2.83 J	4.45	0.372	0.5	0.0	0.326	292	0.296 U	0.422 U	
		04/09/20	197	7.4	0.0480 U	2.58 J	4.28	0.257	0.0	0.3	0.289	574	3.71	0.422 U	
		07/24/20	170	6.79	0.0480 U	3.19 J	3.94	0.105	0.0	0.1	0.262	361	0.296 U	0.422 U	
		11/09/20	197	–	–	4.85 J	3.42	0.117	–	–	0.254	213	0.296 U	0.422 U	
		02/10/21	–	–	–	6.65	2.60	0.245	–	–	0.262	267	0.296 U	0.422 U	
		05/04/21	–	–	–	7.56	2.19	0.0582 J	–	–	0.195	183	0.296 U	0.422 U	
		05/04/21	–	–	–	7.51	2.11	0.0729 J	–	–	0.200	163	0.296 U	0.422 U	
		08/04/21	–	–	–	4.71 J	2.38	0.478	–	–	0.269	300	4.07 U	4.26 U	
		11/11/21	190	6.52	1.00 U	6.00 U	2.48	0.434	0.6	–	0.254	420	0.296 U	0.422 U	
		02/15/22	204	–	–	2.80 J	2.35	0.381	–	–	0.225	265	1.46	0.842 J	
		05/20/22	–	–	–	2.75 J	1.92	0.0932 J	–	–	0.101	44.4	0.301 J	0.422 U	
		08/10/22	–	–	–	2.62 J	2.57	0.0412 J	–	–	0.0370	0.287 U	0.296 U	0.422 U	
		11/01/22	203	6.77	0.0879 J	2.69 J	1.51	0.208	0.0	0.2	0.0559	115	0.296 U	0.422 U	
MW130 (dup)	Property, NW quadrant	03/29/17	276	100	0.0227 U	7.07	10.7	1.19	1.0	0.2	0.555	619	1.62	30.0	
		06/30/17	339	115	0.0227 U	6.23	1.84 J J	0.907	0.0	0.9	0.532	1,040	2.47	64.5	
		06/30/17	335	111	0.0227 U	6.16	9.68 J J	0.876	0.0	0.9	0.527	1,120	2.33	69.1	
		05/21/18	2.71 U	135	265	1.68 J	7.54	5.44	0.0	5.4	0.727	1,760	33.6	284	
		12/17/18	384	143	0.0227 U	17.3	12.6	2.26	0.0	2.3	0.490	324	8.36	166	
		Decommissioned March 2019													
MW-132	Property, SE quadrant	04/26/18	542	30.1	0.0227 U	10.6	18.6	9.59	–	–	2.04	4,640	75.9	0.422 U	
		12/13/18	260	40.4	0.0227 U	7.21	3.4	0.544	–	–	0.278	89.7	0.925 J	41.0	
		Decommissioned March 2019													
MW-134	Property, NE quadrant	04/16/18	298	38	0.0227 UJ	1.30 J	3.27	292	0.0	292	5.00	5,200	61.3	952	
		Decommissioned March 2019													
MW-135	Property, NE quadrant	04/25/18	273	118	0.0227 U	21.9	6.21	1.74	1.5	0.2	0.656	333	18.1	131	
		12/13/18	379	128	0.0227 U	61.8	18.1	4.95	0.8	4.2	1.450	2,060	56.1	327	
		Decommissioned March 2019													
MW-136	Property, SW quadrant	04/16/18	241	22.1	0.165	0.638 J	15.1	21.4	0.6	20.8	0.618	5,510	8.52	5.77	
		Decommissioned March 2019													
MW-139	Property, SE quadrant	04/25/18	212	21.9	0.0227 R	2.21 J	28.5	1.13	0.8	0.4	0.251	4.28	8.04	0.42 U	
		Decommissioned March 2019													

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
MW-143	8th Ave N ROW, E side	04/30/18	448	66.5	0.0227 U	4.69 J	2.55	2.08	0.5	1.6	0.390	6,720	92.5	360	
		01/29/19	400	58.5	0.0227 U	3.12 J	7.02	1.6	0.8	0.9	0.378	8,520	134	0.422 U	
		04/24/19	393	56.2	0.0227 U	8.53	7.19	0.687	0.3	0.4	0.317	6,940	125	0.422 U	
		07/19/19	403	58.2	0.140	6.91	12.7	2.07	1.0	1.1	0.398	4,790	96.5	14.4	
		10/16/19	518	35.8	0.0227 U	67.7	20.9	8.54	0.5	8.0	2.09	5,780	62.6	110	
		01/22/20	394	58.1	0.0229 U	2.34 J	7.53	2.02	0.5	1.5	0.410	5,090	83.6	0.422 U	
		04/24/20	409	56.7	0.0480 U	1.08 J	5.57	2.19	1.0	1.2	0.405	3,720	61.4	0.422 U	
		07/29/20	393	57.2	0.0480 U	0.665 J	4.48	1.39	0.5	0.9	0.428	4,040	61.3	0.422 U	
		11/24/20	-	-	-	5.06	6.45	7.11	-	-	0.654	10,600	190	10.9	
		02/08/21	-	-	-	44.3	32.5	20.6	-	-	3.95	19,500	417	0.422 U	
		05/19/21	-	-	-	5.27	38.2	32.4	-	-	7.46	19,100	363	283	
		08/20/21	-	-	-	1.75 J	37.8	30.6	-	-	6.99	24,300	390	1,080	
		12/08/21	964	70.3	1.48	3.08	35.6	30.1	6.0	24.1	6.26	25,300	517	867	
		03/08/22	-	-	-	1.79 J	39.2	30.9	-	-	5.10	23,000	197	284	
		05/26/22	-	-	-	2.93 J	33.2	40.1	-	-	6.50	21,000	478	483	
		08/12/22	-	-	-	1.91 J	41.9	29.7	-	-	5.68	28,600	817	680	
		11/01/22	339	25.4	2.80	15.7	2.63	2.48	0.0	2.5	0.398	1,280	3.10	3.06	
		05/16/23	-	-	-	0.966 J	47.4 J	36.6	-	-	11.1	11,300 J	237 J	255 J	
		11/07/23	613	57.3	0.0828 U	5.27	10.9	2.52	-	-	1.76	664	14.1	17.1	
05/24/24	-	-	-	1.15 J	42.1	32.8	-	-	8.98	8,180	194	251			
MW-145	8th Ave N ROW, E side	04/27/18	272	74.4	0.238	71.0	8.09 J	42.9	0.0	42.9	0.912	2,050	0.296 U	18.5	
		01/29/19	255	43.5	0.219	55.4	4.80	4.85	0.0	4.9	0.193	276	0.296 U	0.422 U	
		04/26/19	287	44.7	0.0227 U	73.9	5.29	5.73	0.0	5.7	0.318	455	1.73	5.24	
Damaged June 2019 and Decommissioned Decemberr 2019															
MW-145R	8th Ave N ROW, E side	12/16/19	258	20.1	0.0227 U	16.6	4.12	1.22	0.0	1.2	0.256	272	0.296 U	0.422 U	
		01/21/20	233	20.1	0.0249 U	3.17 J	5.32	1.32	0.0	1.3	0.305	449	1.72	0.422 U	
		04/02/20	260	20.1	0.0227 U	1.07 J	6.87	1.39	0.5	0.9	0.342	2,050	5.34	0.422 U	
		08/03/20	266	29.3	0.0480 U	1.24 J	2.27	1.54	1.0	0.5	0.362	8,550	5.59	0.422 U	
		11/23/20	-	-	-	26.9	2.89	4.61	-	-	0.361	1,610	0.296 U	0.422 U	
		02/04/21	-	-	-	26.7	1.95	1.23	-	-	0.310	1,380	4.07 U	4.26 U	
		05/12/21	-	-	-	27.3	1.90	2.80	-	-	0.327	1,620	0.296 U	0.422 U	
		08/23/21	-	-	-	24.2	1.99	0.884	-	-	0.198	1,810	0.296 U	0.422 U	
		08/23/21	-	-	-	24.9	1.94	0.723	-	-	0.160	1,380	0.296 U	0.422 U	
		11/30/21	265	24.4	0.100 U	25.3	1.65	4.97	0.5	4.5	0.404	1,740	0.296 U	0.422 U	
		03/08/22	-	-	-	27.2	1.86	1.07	-	-	0.314	3,080	1.45	0.602 J	
		05/11/22	-	-	-	28.4	1.90	0.576	-	-	0.286	2,360	2.15	0.704 J	
		08/10/22	-	-	-	27.1	2.25	1.68	-	-	0.320	2,510	5.28	2.13	
		11/02/22	279	27.7	0.0480 U	26.5	2.05	0.451	0.0	0.5	0.317	1,610	4.52	1.81	
		05/15/23	-	-	-	26.3	2.33	0.268	-	-	0.277	345	4.07 U	4.26 U	
11/08/23	294	28.5	0.0867 J	25.1	2.42	0.510	0.594	-	0.315	1,350	4.03	0.422 U			
05/22/24	-	-	-	28.4	2.04	0.287	-	-	0.279	1,050	2.36	0.422 U			

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)			
								Total	Ferrous	Ferric		Methane	Ethane	Ethene	
MW-147 (dup)	Roy St ROW, S side	05/01/18	302	40.8	0.0227 U	183	21.3	17.1	–	–	0.564	5,060	10.7	144	
		01/22/19	302	56.2	0.0227 U	43.2	5.2	6.01	1.0	5.0	0.646	4,210	2.10	100	
		04/23/19	346	26.9	0.0227 U	28.1	13.7	4.39	1.5	2.9	0.787	8,110	0.296 U	158	
		07/18/19	307	19.3	0.0227 U	30.0	9.56	3.80 J	2.0	1.8	0.750	5,450	0.296 U	191	
		07/18/19	310	18.8	0.0890 J	29.4	11.7	2.40 J	2.0	0.4	0.724	5,830	0.296 U	202	
		10/14/19	339	23.2	0.0227 U	28.0	6.70	9.37	0.5	8.9	0.919	7,830	2.94	457	
		01/24/20	351	28.3	0.0227 U	25.6	3.34	13.5	0.5	13.0	0.995	1,550	0.296 U	172	
		04/29/20	370	33.9	0.0480 U	22.4	3.47	8.66	2.0	6.7	1.01	3,780	0.296 U	468	
		07/09/20	401	43.3	0.0480 U	14.0	3.29	13.3	1.5	11.8	1.04	5,490	4.65	641	
		11/10/20	343	–	–	16.6	3.04	5.85	–	–	0.890	8,350	3.95	552	
		02/09/21	–	–	–	36.8	4.33	2.44	–	–	0.659	4,050	0.296 U	302	
		05/04/21	–	–	–	1.35 J	18.7	8.90	–	–	0.910	5,960	0.296 U	785	
		08/20/21	–	–	–	0.826 J	57.3	7.13	–	–	1.17	17,500	446	1,420	
		11/09/21	339	52.4	0.200 UJ	4.69	4.77	7.71	1.5	6.2	0.865	4,170	72.0	764	
		02/18/22	583	–	–	18.6	3.60	10.9	–	–	1.43	3,320	36.6	121	
		05/03/22	–	–	–	5.59	4.84	14.2	–	–	1.74	14,600	208	296	
		08/10/22	–	–	–	4.00 J	5.80	9.78	–	–	1.64	14,900	196	280	
		11/03/22	656	44.2	0.0480 U	1.48 J	6.17	6.37	6.5	0	1.70	18,000	427	275	
		05/12/23	–	–	–	19.9	11.8	1.37	–	–	0.567	3,800	48.2	135	
		11/10/23	264	71.3	0.0722 J	25.2	7.02	4.69	–	–	0.354	1,660	17.5	93.6	
06/04/24	–	–	–	26.8	4.90	3.95	–	–	0.417	2,370	15.2	91.7			
MW-148 (dup)	Roy St ROW, S side	05/01/18	170	22.2	0.0227 U	95.5	2.46	12.0	0.3	11.8	0.439	1,210	0.296 U	0.422 U	
		05/01/18	162	22.5	0.0227 U	96.1	2.53	11.2	0.3	11.0	0.379	1,140	0.296 U	0.422 U	
		01/23/19	151	17.7	0.0227 U	154	4.04	10.1	–	–	0.594	1,390	0.296 U	2.84	
		04/26/19	161	17.1	0.0227 U	175	5.19	2.91	0.4	2.5	0.420	1,600	0.296 U	3.65	
		07/22/19	160	17.0	0.0227 U	173	3.51	5.44	0.5	4.9	0.534	1,940	0.296 U	4.66	
		10/16/19	163	18.0	0.0326 J	198	4.48	2.24	0.5	1.7	0.498	2,050	6.03	0.422 U	
		01/20/20	158	16.4	0.0227 U	117	5.22	1.75	0.5	1.3	0.380	1,090	3.20	5.65	
		04/30/20	160	16.5	0.0480 U	149	2.84	30.3	0.5	29.8	0.774	1,270	0.296 U	0.422 U	
		07/15/20	162	16.3	0.0480 U	127	2.36	7.72	0.5	7.2	0.517	1,320	13.1	0.422 U	
		11/11/20	–	–	–	60.0	1.02	4.27	–	–	0.341	544	0.296 U	0.422 U	
		08/13/21	–	–	–	152	1.69	4.87	–	–	0.488	1,380	0.296 U	0.422 U	
		12/07/21	157	15.5	0.500 U	137	1.66	3.84	–	–	0.433	1,210	0.296 U	0.422 U	
		02/25/22	–	–	–	139	1.87	10.2	–	–	0.576	679	1.16 J	2.82	
		05/05/22	–	–	–	177	2.05	3.07	–	–	0.581	1,250	1.66	3.69	
		08/10/22	–	–	–	173	2.66	18.5	–	–	0.702	1,400	2.12	4.51	
11/04/22	157	16.4	0.186	80.8	1.67	0.421	0.0	0.4	0.325	427	2.49	22.3			
MW-152	Property, SW quadrant	04/10/18	312	128	0.0227 U	15.0	13.2	0.210	0.0	0.2	0.386	1,590	41.1	1,830	
		12/14/18	299	181	0.0227 U	31.6	16.9	3.82	1.0	2.8	1.46	3,710	32.2	2,050	
		Decommissioned March 2019													

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-157	8th Ave N ROW, E side	04/26/18	201	27.8	0.0227 U	4.51 J	2.86	1.02	–	–	0.209	111	0.779 J	36.6
		01/24/19	421	43.2	0.0227 U	24.1	12.9	5.25	3.0	2.3	1.17	4,970	37.4	124
		04/24/19	513	34.1	0.0227 U	95.0	39.5	9.40	3.0	6.4	2.13	5,510	36.0	119
		07/22/19	464	43.7	0.0227 U	46.7	14.9	11.4	3.0	8.4	1.73	5,090	45.8	56.2
		10/16/19	408	22.8	0.441	5.72	7.17	1.68	0.0	1.7	0.403	4,670	78.6	0.422 U
		01/20/20	467	42.1	0.0227 U	53.2	20.0	6.27	2.5	3.8	1.72	4,250	58.4	91.0
		04/24/20	498	39.9	0.0480 U	47.6	16.4	13.1	1.2	11.9	1.86	4,700	62.9	109
		07/15/20	491	40.7	0.0480 U	45.5	13.7	4.86	1.5	3.4	1.54	6,000	94.2	149
		11/23/20	–	–	–	20.0	3580	14.2	–	–	1.89	2,730	37.0	46.8
MW-190	Valley St ROW, S side	10/14/19	172	12.8	0.0227 U	20.3	10.3	1.85	0.2	1.7	0.406	428	6.87	0.422 U
		01/23/20	173	10.5	0.0227 U	4.06 J	4.46	1.49	0.5	1.0	0.273	656	0.296 U	0.422 U
		04/02/20	180	23.9	0.0227 U	22.3	2.05	2.24	0.5	1.7	0.420	318	0.296 U	0.422 U
		08/04/20	174	14.7	0.0480 U	23.3	1.87	0.957	0.5	0.5	0.507	230	0.296 U	0.422 U
		11/18/20	–	–	–	51.9	3.08	1.60	–	–	1.01	96	0.296 U	37.6
		02/03/21	–	–	–	42.8	4.42	2.03	–	–	0.951	755	0.296 U	48.9
		05/14/21	–	–	–	37.9	3.42	4.55	–	–	1.08	1,450	0.296 U	28.2
		08/11/21	–	–	–	43.7	3.64	2.26	–	–	0.993	701	0.296 U	31.4
		11/30/21	190	11.9	0.100 U	39.6	4.02	1.96	0.0	2.0	0.860	2,710	0.296 U	44.6
		03/04/22	–	–	–	40.9	4.82	1.69	–	–	0.871	1,530	1.34	18.6
		05/10/22	–	–	–	41.9	3.05	0.958	–	–	0.859	799	1.32	9.09
		08/11/22	–	–	–	43.6	4.60	1.66	–	–	0.767	3,010	3.75	10.4
		10/31/22	174	17.3	0.0480 U	40.2	5.82	1.75	0.0	1.8	0.861	6,190	8.53	26.9
		11/06/23	227	15.9	0.0887 J	36.4	6.44	2.34	–	–	0.872	4,110	28.4	30.4
MW-303	Dexter Ave N ROW, E side	10/21/19	144	15.2	0.0227 U	62.2	4.76	3.06	0.0	3.1	0.289	95.7	6.17	0.422 U
		01/24/20	162	14.8	0.0227 U	29.8	3.54	1.32	0.0	1.3	0.285	137	0.296 U	0.422 U
		05/07/20	156	14.2	0.0480 U	43.5	1.66	4.49	0.0	4.5	0.371	177	0.296 U	0.422 U
		07/27/20	158	14.7	0.0480 U	49.0	1.69	1.48	0.6	0.9	0.298	157	0.296 U	0.422 U
		11/09/21	163	14.8	0.132 J-	55.0	1.42	1.59	0.4	1.2	0.333	93.9	0.296 U	0.422 U
		11/08/22	142	15.7	0.151	60.0	1.40	1.97	0.0	2.0	0.328	67.6	0.296 U	0.422 U
MW-307	Roy St ROW, S side	10/11/19	276	14.6	0.0227 U	69.1	4.12	1.03	0.0	1.0	0.149	26.6 J+	13.0	7.90
		01/15/20	266	15.1	0.0227 U	64.7	7.87	1.99	0.0	2.0	0.198	12.6	2.79	0.422 U
		04/28/20	274	14.8	0.0480 U	72.0	3.56	1.19	0.25	0.9	0.172	25.0	0.296 U	0.422 U
		07/29/20	265	14.7	2.20	73.0	1.90	1.22	0.5	0.7	0.169	69.5	0.296 U	0.422 U
		12/03/21	257	9.87	0.100 UJ	62.7	1.73	1.61	0.0	1.6	0.161	20.4	0.296 U	0.422 U
		11/04/22	272	13.1	0.158	25.5	8.03	0.163	0.0	0.2	0.137	14.3	1.71	8.25
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	228	15.1	0.0227 U	86.5	2.95	0.511	0.5	0.0	0.435	105	0.296 U	0.422 U
		01/16/20	264	17.7	0.0227 U	69.9	1.66	0.451	0.0	0.5	0.621	158	2.06	0.422 U
		04/08/20	275	18.7	0.0480 U	72.2	1.61	0.721	0.0	0.7	0.680	144	0.296 U	0.422 U
		07/06/20	283	18.9	0.0480 U	70.9	1.67	0.938	0.5	0.4	0.683	233	0.296 U	0.422 U
		11/11/21	250	18.2	1.00 U	58.8	1.91	0.649	0.5	0.1	0.709	253	0.296 U	0.422 U
		11/01/22	294	16.0	0.547	49.2	2.04	0.699	0.0	0.7	0.659	435	1.65	0.422 U

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	394	45.9	0.0227 U	35.0	5.31	0.349	0.0	0.3	0.738	856	40.8	10.4
		01/14/20	385	43.4	0.0227 U	14.2	5.99	0.306	-	-	0.793	534	22.7	7.10
		04/23/20	385	44.1	0.0480 U	9.65	7.58	1.99	0.5	1.5	0.745	491	14.8	0.422 U
		07/16/20	409	43.7	0.0480 U	8.36	7.88	5.48	1.0	4.5	0.791	633	14.2	0.422 U
		11/04/21	382	44.1	0.136	19.2	3.02	0.766	0.8	0.0	0.496	97.0	0.296 U	0.422 U
		11/01/22	367	48.7	0.107	27.7	1.70	0.543	2.0	0.0	0.310	111	7.11	3.79
MW-314 (dup) (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	253	24.4	0.0227 U	264	2.84	2.42	3.5	0.0	1.11	377	18.6	0.422 U
		01/15/20	231	18.9	0.0227 U	309	2.44	11.7	0.9	10.8	1.27	290	7.67 J	0.422 U
		01/15/20	233	19.4	0.0227 U	304	2.44	12.0	0.9	11.1	1.30	303	0.296 UJ	0.422 U
		04/22/20	378	35.1	0.0480 U	190	7.12	12.1	1.5	10.6	1.02	2,750	35.2	154
		07/16/20	510	42.8	0.0480 U	94.8	14.0	6.53	2.5	4.0	1.16	4,290	70.8	178
		12/03/21	199	14.1	0.100 UJ	244	2.25	12.3 J	1.2	11.1	0.857	439	0.296 UJ	0.422 UJ
		12/03/21	198	14.1	0.100 UJ	245	2.29	8.77 J	1.2	7.6	0.831	492	6.43 J	5.86 J
		11/01/22	210	17.7	0.0480 U	270	2.02	1.26	0.0	1.3	0.660	848	7.60	3.90
		11/07/23	226	13.9	0.0850 J	238	2.14	3.72	3.40	0.3	0.678	1,200	5.42	2.20
		MW-316	Mercer St ROW, N side	10/02/19	384	16.9	0.0227 UJ	41.8	3.78	2.58	1.0	1.6	0.328	143
01/16/20	331			16.9	0.0227 U	41.6	5.63	6.15	0.4	5.8	0.359	145	0.296 U	0.422 U
04/21/20	325			16.4	0.0480 U	58.2	1.76	3.54	0.25	3.3	0.318	350	0.296 U	0.422 U
07/24/20	335			15.0	0.0480 U	47.9	1.87	1.95	0.5	1.5	0.258	179	0.296 U	0.422 U
11/05/21	332			15.6	0.200 U	45.6	1.77	2.40	0.4	2.0	0.264	35.6	0.296 U	0.422 U
11/02/22	193			8.98	0.362	25.0	0.931 U	1.23	0.0	1.2	0.160	36.2	0.296 U	0.422 U
MW-318	9th Ave N ROW, W side	10/08/19	339	24.1	0.0227 U	119	6.73	11.7	4.0	7.7	2.33	355	12.8	0.422 U
		01/16/20	387	22.6	0.0227 U	118	4.09	16.0	2.0	14.0	2.94	2,230	18.2	0.422 U
		04/27/20	676	14.5	0.0480 U	5.12	7.87	14.9	3.6	11.3	3.55	6,720	13.9	0.422 U
		07/30/20	652	12.1	0.0480 U	7.79	9.46	13.5	7.0	6.5	3.03	5,380	0.296 U	0.422 U
		11/12/21	616	15.0	1.00 U	22.0	8.14	14.0	4.8	9.3	3.73	4,550	18.1	0.422 U
		11/01/22	394	20.4	0.185	105	3.35	10.6	0.0	10.6	2.83	850	8.88	2.62
MW-322	9th Ave N ROW, W side	10/07/19	841	30.4	0.0227 U	21.1	19.4	43.9	0.0	43.9	4.26	3,090	59.1	20.8
		01/21/20	676	31.1	0.0227 U	17.8	17.1	19.5	1.5	18.0	1.87	3,620	107	0.422 U
		04/29/20	547	30.4	0.0480 U	69.9	5.49	14.6	5.6	9.0	2.32	2,360	86.6	22.2
		07/07/20	355	22.5	0.0480 U	97.0	3.71	12.8	5.8	7.0	1.99	2,240	42.6	0.422 U
		11/09/21	719	19.2	0.100 UJ	3.45	10.8	17.8	4.0	13.8	3.47	6,440	26.7	21.3
		11/03/22	730	22.7	0.0480 U	18.0	13.5	19.2	4.5	14.7	3.28	3,540	71.5	53.9
MW-334	900 Roy St, S end	04/24/20	864	17.8	0.0480 U	2.48 J	6.69	13.8	6.0	7.8	0.840	23,300	0.296 U	0.422 U
		07/07/20	1,280	23.5	0.0480 U	1.21 J	9.92	16.2	5.0	11.2	0.701	32,500	0.296 U	0.422 U
		11/05/21	1,260	22.7	0.126	0.433	10.6	9.51	5.3	4.3	0.464	18,400	0.296 U	0.422 U
		11/03/22	1,240	26.2	0.0480 U	0.594 U	8.91	10.3	2.0	8.3	0.612	22,300	4.35	0.422 U
MW-335	Mercer St ROW, N side	05/01/20	293	17.4	0.0480 U	54.1	2.90	1.31	0.8	0.5	0.721	73.7	0.296 U	0.422 U
		07/08/20	192	20.7	0.0480 U	59.4	2.02	0.171	0.0	0.2	0.594	46.3	0.296 U	0.422 U
		11/17/21	556	31.6	0.500 U	72.7	9.35	0.0711 J	0.3	-	2.06	1,440	21.6	0.422 U
		11/03/22	280	24.3	0.0480 U	86.7	2.52	0.135	0.0	0.1	1.17	338	3.60	0.422 U
		11/09/23	287	30.9	0.0480 U	57.0	2.79	0.147	-	-	1.03	317	2.79	0.422 U

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-338	Lake Union Park, N end	05/07/20	604	12.4	0.0480 U	2.19 J	7.16	16.4	3.0	13.4	1.62	16,700	0.296 U	0.422 U
		07/23/20	464	11.6	0.0480 U	1.11 J	7.83	13.8	9.0	4.8	1.02	22,700	0.296 U	0.422 U
		11/17/21	566	12.3	0.500 U	0.417	9.65	19.4	5.0	14.4	1.48	25,200	0.296 U	0.422 U
		11/02/22	607	13.1	0.0480 UJ	0.594 U	8.20	24.4	3.3	21.2	1.72	25,800	6.02	0.422 U
MW-340	Lake Union Park, S end	05/12/20	545	12.8	0.0480 U	2.31 J	6.54	14.2	6.0	8.2	1.90	19,600	0.296 U	0.422 U
		07/17/20	533	12.9	0.0480 U	0.663 J	5.31	13.8	7.0	6.8	1.85	24,700	0.296 U	0.422 U
		11/10/21	425	14.5	1.00 U	0.600 U	5.13	12.6	5.0	7.6	1.72	21,600	0.296 U	0.422 U
		11/02/22	467	14.6	0.724 J	2.57 J	5.10	14.7	5.5	9.2	1.72	16,000	3.62	0.422 U
MW-345	SDOT Mercer Parcels, NW quadrant	06/01/21	233	50.5	0.0647 J	55.7	2.74	0.961	–	–	0.125	241	7.26	9.64
		08/18/21	239	46.0	0.0480 U	47.9	1.73	1.15	0.0	1.2	0.174	251	2.54	3.81
		11/18/22	289	44.3	0.0480 U	41.0	1.81	1.40	–	–	0.215	1,710	20.3	289
MW-346 (dup)	SDOT Mercer Parcels, NW quadrant	06/02/21	189	54.1	0.0480 U	96.4	5.57	6.57	–	–	0.227	166	14.7	10.9 J
		06/02/21	193	54.1	0.0480 U	96.2	5.73	6.52	–	–	0.228	141	11.2 J	8.86 J
		08/18/21	221	45.0	0.0480 U	48.7	1.83	3.16	0.0	3.2	0.184	189	7.36	5.08
		05/24/22	–	35.5	0.0480 U	81.2	2.07	–	–	–	–	72.0	0.296 U	0.988 J
		08/02/22	–	34.1	0.0480 U	83.6	1.61	–	–	–	–	116	0.563 J	2.34
		11/10/22	193	35.0	0.0677 J	81.3	1.17	8.20	0.3	8.0	0.301	96.6	0.296 U	2.21
		02/23/23	–	35.1	0.133	73.3	1.76	–	–	–	–	86.3	0.296 U	3.83
		02/23/23	–	35.3	0.138	73.9	1.60	–	–	–	–	88.8	0.296 U	4.24
		05/16/23	–	32.2	0.0546 J	73.3	1.62	–	–	–	–	89.5	0.296 U	3.51
		05/16/23	–	32.5	0.0535 J	76.5	1.65	–	–	–	–	103	0.296 U	3.46
		02/27/24	–	22.3	0.889 J-	64.2 J-	1.59	3.04	–	–	0.179	114	0.296 U	0.718 J
		02/27/24	–	20.9	0.868 J-	63.5	1.78	2.63	–	–	0.166	120	0.296 U	1.19 J
		05/28/24	–	–	–	16.1	1.13 J+	0.642	–	–	0.0188	0.287 U	0.296 U	0.422 U
05/28/24	–	–	–	16.2	0.941 J+	0.675	–	–	0.0193	0.287 U	0.296 U	0.422 U		
MW-347	SDOT Mercer Parcels, NW quadrant	06/01/21	226	60.4	0.0480 R	85.7	2.74	2.02	–	–	0.109	55.3	19.8	34.8
		08/19/21	309	34.7	0.0480 U	93.6	2.53	1.22	0.0	1.2	0.0704	75.9	29.3	43.4
		05/26/22	–	33.7	0.0480 R	12.8	53.5	–	–	–	–	176	3.17	12.3
		08/02/22	–	33.7	0.108	5.45	21.2	–	–	–	–	2,320	2.38	12.1
		11/10/22	248	32.8	0.0480 U	4.72 J	11.6	1.38	0.5	0.9	0.153	7,090	1.50	11.5
		02/23/23	–	32.1	0.114	13.9	2.25	–	–	–	–	4,590	1.64	7.09
		05/16/23	–	31.1	0.048 U	26.1	2.07	–	–	–	–	3,020	1.76	10.4
		02/27/24	–	2.6	0.857 J-	20.9	1.83	0.186	–	–	0.0189	94.5	1.25 J	1.91
05/29/24	–	–	–	15.3	1.81	0.205	–	–	0.0891	8,170	99.1	71.0		
MW-348 (dup)	SDOT Mercer Parcels, SW quadrant	06/01/21	233	57.3	0.0865 J	66.9	2.09	2.05	–	–	0.114	166	0.296 U	13.1
		08/19/21	237	39.8	0.0480 U	52.5	1.87	0.507 J	0.0	0.5	0.103	117	0.296 U	9.34
		08/19/21	238	40.2	0.0480 U	53.1	1.88	0.878 J	0.0	0.9	0.107	126	0.296 U	10.2
		05/26/22	–	40.6	0.0546 J-	60.0	1.84	–	–	–	–	310	0.296 U	20.0
		08/01/22	–	39.7	0.116	56.5	1.23	–	–	–	–	306	1.06 J	23.2
		11/10/22	1,440	117	0.593	0.649 J	2,180	465	–	–	4.71	5,390	3.80	3.01
		03/13/23	–	41.9	0.0480 U	32.6	4.18	–	–	–	–	237	1.71	23.4
		05/17/23	–	38.0	0.048 U	26.0	3.01	–	–	–	–	22,000	3.59	32.1
		02/27/24	–	21.2	0.213	13.3	8.48	8.78	–	–	0.244	33,100	6.18	270
05/28/24	–	–	–	60.7	10.0	1.22	–	–	0.0771	30,400	6.35	82.3		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)				
								Total	Ferrous	Ferric		Methane	Ethane	Ethene		
MW102	Valley St ROW, S side	04/25/18	160	4.99	0.0315 J	0.880 J	1.94	9.60	1.0	8.6	0.414	0.561	0.296 U	0.422 U		
		01/24/19	162	5.19	0.0553 J	1.74 J	4.36	6.46	0.0	6.5	0.363	172	0.296 U	0.422 U		
		05/01/19	173	5.39	0.0227 U	0.318 J	3.75	11.9	11.9	0.5	11.4	0.405	255	1.07 J	0.422 U	
		07/18/19	167	5.58	0.0227 U	1.83 J	4.76	7.16	7.16	0.8	6.4	0.353	290	0.296 U	0.422 U	
		11/14/19	176	8.17	0.161	2.57 J	4.19	4.01	4.01	0.0	4.0	0.329	224	0.296 U	0.422 U	
		(dup)	01/23/20	162	5.73	0.0227 U	3.07 J	2.31	1.76	1.76	0.5	1.3	0.268	117	0.296 U	0.422 U
		(dup)	01/23/20	161	5.62	0.0227 U	2.93 J	2.34	1.31	1.31	0.5	0.8	0.259	154	0.296 U	0.422 U
		(dup)	04/02/20	165	5.52	0.0300 J	4.02 J	1.15	3.02	3.02	0.0	3.0	0.246	10.1	0.296 U	0.422 U
		(dup)	08/04/20	152	5.57	0.0480 U	3.74 J	1.51	1.83	1.83	0.0	1.8	0.220	13.6	0.296 U	0.422 U
		(dup)	08/04/20	151	5.56	0.0480 U	3.73 J	1.18	1.41	1.41	0.0	1.4	0.215	22.2	0.296 U	0.422 U
		(dup)	11/18/20	-	-	-	3.72 J	1.07	3.64	3.64	-	-	0.255	15.5	0.296 U	0.422 U
		(dup)	02/03/21	-	-	-	3.75 J	1.32	2.96	2.96	-	-	0.200	17.4	0.296 U	0.422 U
		(dup)	05/14/21	-	-	-	2.23 J	1.36	4.77	4.77	-	-	0.285	69.0	0.296 U	0.422 U
		(dup)	08/11/21	-	-	-	2.48 J	1.61	4.53	4.53	-	-	0.264	91.5	0.296 U	0.422 U
		(dup)	11/30/21	154	4.77	0.100 U	2.09	1.16	1.66	1.66	0.5	1.2	0.243	301	0.296 U	0.422 U
		(dup)	03/07/22	-	-	-	2.24 J	1.57	4.29	4.29	-	-	0.240	51.2	0.296 U	0.422 U
		(dup)	03/07/22	-	-	-	2.31 J	1.53	4.41	4.41	-	-	0.249	49.0	0.296 U	0.422 U
		(dup)	05/10/22	-	-	-	2.63 J	1.62	3.79	3.79	-	-	0.195	264	0.296 U	0.422 U
		(dup)	08/12/22	-	-	-	1.95 J	1.13	2.56	2.56	-	-	0.314	321	0.296 U	0.422 U
		(dup)	10/31/22	142	5.07	0.0751 J	2.45 J	1.50	0.212	0.212	0.0	0.2	0.0402	2.66	0.296 U	0.422 U
MW103	Alley E of Seattle Roy Aloha Shops	12/18/13	380	48.8	0.025 U	0.99	-	1.14	1.4	0	1.10	67.5	9.14	13.5		
		03/23/17	337	48.4	0.0227 U	36.3	1.97	1.68	1.68	0.3	1.4	1.09	433	82.5	34.1	
		06/14/17	339	34.7	0.0227 U	28.1	2.58	4.56	4.56	-	-	0.936	863	84.6	43.1	
		10/14/19	302	27.4	0.0227 U	25.0	1.55	0.948	0.948	0.5	0.4	0.870	166	17.7	13.8	
		01/16/20	296	28.6	0.0227 U	25	1.75	7.45	7.45	1.0	6.5	1.02	284	29.1	34.3	
		(dup)	04/23/20	252	17.2	0.0480 U	13.3	2.77	13.5	13.5	1.0	12.5	0.814	267	10.1	0.422 U
		(dup)	04/23/20	258	17.1	0.0480 U	13.5	2.44	11.3	11.3	1.0	10.3	0.786	314	12.3	0.422 U
		(dup)	07/06/20	229	11.1	0.0480 U	8.30	2.10	24.4	24.4	0.5	23.9	0.864	246	0.296 U	0.422 U
		(dup)	11/02/20	-	-	-	5.77	1.59	24.6	24.6	-	-	0.888	164	4.07 U	4.26 U
		(dup)	02/10/21	-	-	-	9.20	1.18	9.69	9.69	-	-	0.592	65.2	0.296 U	0.422 U
		(dup)	05/03/21	-	-	-	19.6	1.48	2.57	2.57	-	-	0.732	157	16.4	4.02
		(dup)	08/12/21	-	-	-	25.4	1.75	0.936	0.936	-	-	0.833	205	23.4	7.61 J
		(dup)	08/12/21	-	-	-	25.4	1.88	1.12	1.12	-	-	0.829	221	25.0	0.422 U
		(dup)	11/08/21	305	30.2	0.200 UJ	25.9	1.50	0.884	0.884	1.0	-	0.802	171	26.4	9.95
		(dup)	02/15/22	-	-	-	28.0	1.97	1.32	1.32	-	-	0.853	103	9.86	7.64
		(dup)	05/09/22	-	-	-	30.4	1.63	2.65	2.65	-	-	0.951	272	28.3	24.3
		(dup)	08/09/22	-	-	-	29.1	1.86	0.756	0.756	-	-	0.941	229	23.1	24.5
(dup)	11/01/22	311	36.1	0.107	27.9	0.960 U	0.881	0.881	0.0	0.9	1.01	277	20.6	28.1		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)					
								Total	Ferrous	Ferric		Methane	Ethane	Ethene			
MW106	SDOT Mercer Parcels, NW quadrant	04/14/17	309	28.7	0.0227 U	17.9	5.93	14.1	0.0	14.1	1.08	79.5	0.296 U	2.62			
		06/30/17	305	27.3	0.0227 U	18.0	10.0	4.96	0.0	5.0	0.779	38.7	0.296 U	0.442 U			
		05/04/18	283	25.0	0.0227 U	10.4	1.74	0.164	0.0	0.2	0.496	77.8	0.296 U	10.8			
		04/26/19	267	23.6	0.0227 U	15.9	3.32	3.42	0.0	3.4	0.695	42.1	0.296 U	0.422 U			
		07/19/19	266	24.4	0.0227 U	15.0	2.23	13.7	0.0	13.7	0.972	39.5	0.296 U	0.422 U			
		10/18/19	276	25.8	0.0227 U	17.0	2.32	2.64	0.5	2.1	0.792	47.2	0.296 U	0.422 U			
		01/14/20	278	25.9	0.0227 U	17.0	2.82	12.6	0.0	12.6	1.02	39.8	0.296 U	0.422 U			
		05/06/20	272	23.9	0.0480 U	15.3	2.52	9.99	0.0	10.0	0.904	27.3	0.296 U	0.422 U			
		(dup)	05/06/20	276	23.7	0.0480 U	15.2	2.45	8.02	0.0	8.0	0.856	26.4	0.296 U	0.422 U		
		(dup)	07/10/20	286	23.6	0.0480 U	15.6	1.97	6.51	0.5	6.0	0.943	47.5	0.296 U	0.422 U		
		(dup)	11/10/20	238	–	–	17.4	1.29	5.07	–	–	0.696	22.4	0.296 U	0.422 U		
		(dup)	11/10/20	232	–	–	17.3	1.24	4.13	–	–	0.666	24.3	0.296 U	0.422 U		
		(dup)	02/12/21	–	–	–	16.1	1.17	2.94	–	–	0.583	93.5	0.296 U	0.422 U		
		(dup)	02/12/21	–	–	–	16.2	1.15	2.88	–	–	0.583	88.8	0.296 U	0.422 U		
		(dup)	05/13/21	–	–	–	3.80	J	0.536	J	11.1	–	–	0.408	150	0.296 U	0.422 U
		(dup)	08/19/21	–	–	–	13.1	–	1.19	–	–	0.641	77.9	0.296 U	0.422 U		
		(dup)	12/06/21	116	4.61	0.100 U	7.14	0.970 U	15.1	0.0	15.1	0.481	89.9	0.296 U	0.422 U		
		(dup)	02/18/22	172	–	–	11.2	1.06	10.8	–	–	0.546	37.3	0.296 U	0.422 U		
		(dup)	05/06/22	–	–	–	14.6	1.27	1.51	–	–	0.678	59.6	0.296 U	0.422 U		
(dup)	08/02/22	–	–	–	9.67	5.73	4.45	–	–	0.707	87.0	0.296 U	0.652 J				
(dup)	11/18/22	225	16.0	0.0480 U	14.3	1.18	11.5	–	–	1.02	50.1	0.296 U	0.422 U				
MW113	9th Ave N ROW, W side	12/19/13	96	23.5	0.280	17.4	–	0.119	0.0	0.1	0.0248	5	U	5	U	5	U
		03/22/17	594	65.5	0.0295 J	55.4	27.0	7.46	4.0	3.5	0.757	3.53	0.296 U	0.422 U			
		06/16/17	587	57.5	0.0227 U	41.9	18.0	14.4	1.5	12.9	0.990	6,520	147	0.422 U			
		02/07/19	551	43.9	0.0389 J	33.3	18.8	6.1	2.5	3.6	0.659	4,050	39.9	6.30			
		07/17/19	139	152	0.992	15.1	2.38	0.786	0.3	0.5	0.0799	1,130	9.87	27.2			
		10/22/19	561	70.4	0.146	22.1	15.8	3.38	3.6	0.0	0.426	2,330	16.3	115			
		01/14/20	583	66.9	0.0227 U	24.5	16.3	6.14	–	–	0.716	17,700	73.5	673			
		04/27/20	456	46.0	0.0921 J	51.2	9.77	6.64	4.5	2.1	0.743	3,760	60.0	0.422 U			
		07/28/20	396	39.2	0.0480 U	64.2	7.85	5.91	–	–	0.599	3,060	59.4	16.6			
		11/24/20	–	–	–	110	3.02	5.16	–	–	0.420	575	13.0	0.422 U			
		02/10/21	–	–	–	4.61	J	1.09	0.049	J	–	–	0.0129	0.287	U	0.296 U	0.422 U
		05/25/21	–	–	–	99.0	3.27	11.9	–	–	0.442	1,870	34.9	0.422 U			
		08/11/21	–	–	–	67.5	6.49	6.87	–	–	0.567	4,220	61.1	0.422 U			
		11/18/21	452	30.4	J	0.500 U	58.5	6.48	5.44	4.5	0.9	0.542	2,740	63.2	0.422 U		
		(dup)	11/18/21	440	30.4	J	0.500 U	58.5	6.43	5.63	4.5	1.1	0.546	2,120	50.7	0.422 U	
		(dup)	02/15/22	–	–	–	80.2	21.8	12.1	–	–	0.808	817	25.3	0.422 U		
		(dup)	06/08/22	–	–	–	79.1	15.3	15.3	–	–	1.10	1,690	56.5	4.44		
(dup)	08/10/22	–	–	–	52.7	16.9	8.35	–	–	0.683	2,620	60.3	34.5				
(dup)	11/03/22	526	67.6	0.0480 U	68.6	14.0	8.94	0.3	8.7	0.898	1,360	46.5	10.8				
MW122	Alley E of Seattle Roy Aloha Shops	10/14/19	182	7.8	0.0584 J	5.82	1.19	0.348	0.0	0.3	0.212	0.287	U	0.296 U	0.422 U		
		01/17/20	177	7.56	0.0227 U	6.07	1.21	0.152	–	–	0.477	149	0.296 U	0.422 U			
		04/07/20	172	6.73	0.0480 U	4.92	J	1.37	0.0655	J	0.0	0.1	0.205	0.287	U	0.296 U	0.422 U
		07/24/20	173	6.06	0.0480 U	4.37	J	1.34	0.247	0.0	0.2	0.376	7.78	0.296 U	0.422 U		
		11/11/21	178	6.45	1.00 U	6.00	U	1.69	0.337	0.3	0.1	0.457	44.3	0.296 U	0.422 U		
(dup)	11/01/22	187	7.61	0.0480 U	3.26	J	1.49	0.203	0.0	0.2	0.533	81.5	4.98	2.39			

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW123 (dup)	Westlake Ave N ROW, W side	10/18/19	409	22.9	0.0227 U	5.61	5.56	5.14	2.2	2.9	1.86	4,380	0.296 U	0.422 U
		10/18/19	409	22.9	0.0227 U	5.61	5.56	5.14	2.2	2.9	1.86	4,380	0.296 U	0.422 U
		01/22/20	382	24.3	0.0238 U	33.5	5.43	4.58	4.0	0.6	1.82	2,360	4.18	0.422 U
		05/05/20	337	31	0.0480 U	23.0	4.77	3.46	3.0	0.5	1.4	2,740	0.296 U	0.422 U
		07/30/20	424	22.7	0.0480 U	7.32	5.43	3.95	3.5	0.5	1.71	12,200	0.296 U	0.422 U
		11/03/22	346	22.3	0.0480 U	1.77 J	4.53	3.95	2.0	2.0	1.73	5,740	7.36	0.422 U
MW124	Valley St ROW, S side	12/26/13	160	5.96	1.22	0.730	-	1.46	0.4	1.1	0.125	5 U	5 U	5 U
		04/13/18	162	4.47	0.0227 U	0.46 J	2.45	20.1	0.5	19.6	0.757	24.6	0.296 U	0.422 U
		10/11/19	152	6.26	0.0227 U	5.92	3.78	2.24	0.0	2.2	0.301	12.3 U	0.296 U	0.422 U
		01/30/20	232	5.40	0.0668 J	2.12 J	2.69	5.46	0.0	5.5	0.347	70.8	0.296 U	0.422 U
		04/03/20	163	4.61	0.0269 J	0.894 J	1.87	6.36 J	0.0	6.4	0.468	42.2	0.296 U	0.422 U
		08/03/20	167	4.60	0.0480 U	0.594 U	1.96	1.34	0.0	1.3	0.322	30.0	0.296 U	0.422 U
10/31/22	165	4.64	0.0778 J	0.594 U	2.24	0.131	0.0	0.1	0.282	9.47	0.296 U	0.422 U		
MW128 (dup)	Westlake Ave N ROW, E side	03/29/17	387	15.9	0.0227 U	0.0774 U	4.84	10.5	1.8	8.7	0.227	12,600	13.2	64.8
		06/21/17	1,050	24.6	0.0227 U	0.0774 U	7.81	23.0	-	-	0.704	19,600	33.4	45.1
		07/18/19	601	22.3	0.0227 U	4.34 J	6.94	12.4	-	-	0.409	15,500	16.4	68.3
		10/11/19	746	22.6	0.0227 U	20.9 J	4.2	7.95	4.5	3.5	0.207	13,100	8.49 J	23.5 J
		10/11/19	828	21.4	0.0227 U	14.0 J	4.42	8.74	4.5	4.2	0.218	10,100	2.96 UJ	4.22 UJ
		01/20/20	541	23.1	0.0227 U	1.11 U	6.92	12.1	2.0	10.1	0.450	10,800	8.84	40.8
		04/27/20	497	18.6	0.0480 U	1.24 J	5.07	10.5	6.0	4.5	0.385	14,200	10.4	59.2
		06/29/20	515	18.2	0.0480 U	0.594 U	4.10	10.4 J	3.5	6.9	0.400 J	16,900	8.59	69.8
		11/01/22	480	18.2	0.0480 U	0.594 U	3.94	10.0	2.8	7.2	0.333	13,300	10.9	32.8
MW-133	Property, SW quadrant	04/25/18	173	9.91	0.287	1.43 J	2.84	4.80	1.3	3.6	0.297	549	5.77	17.4
		Decommissioned March 2019												
MW-137	Property, SW quadrant	04/12/18	213	109.0	0.0227 R	10.8	2.90	218	0.8	217.3	4.41	1,600	0.296 U	4.47
		Decommissioned March 2019												
MW-138	Dexter Ave N ROW, E side	04/11/18	143	13.8	0.0227 U	45.9	4.89 J	21.5	0.0	21.5	0.725	83.1	0.296 U	0.422 U
		01/03/19	125	14.1	0.0227 U	47.5	3.90	2.19	0.0	2.2	0.375	61.3	0.621 J	0.573 J
		04/22/19	139	14.2	0.0227 U	42.7	5.70	13.2	-	-	0.509	164	0.296 U	1.43
		07/19/19	133	14.9	0.0227 U	53.4	1.40	11.7	0.5	11.2	0.560	74.2	0.296 U	0.422 U
		10/21/19	129	14.2	0.0227 U	51.9	1.10	3.83	0.5	3.3	0.504	101	0.296 U	0.422 U
		01/27/20	137	14.1	0.0227 U	48.6	2.2	21.9	0.5	21.4	0.711	564	0.296 U	0.422 U
		05/08/20	101	10.3	0.048 U	36	1.14	45	0.5	44.5	0.895	398	0.296 U	0.422 U
		07/27/20	122	13.8	0.0480 U	56.8	1.14	4.16	1.0	3.2	0.488	23.1	0.296 U	0.422 U
		11/18/20	-	-	-	45.9	0.948 J	4.63	-	-	0.452	17	0.296 U	0.422 U
		02/11/21	-	-	-	48.9	1.02	9.10	-	-	0.460	26.7	0.296 U	0.422 U
		06/07/21	-	-	-	41.8	0.921 U	14.2	-	-	0.424	42.0	0.296 U	0.422 U
		08/03/21	-	-	-	57.6	1.11	18.0	-	-	0.605	40.3	0.296 U	0.422 U
		11/10/21	115	11.8	1.00 U	44.0	1.03	29.3	0.8	28.5	0.857	53.2	0.296 U	0.422 U
		02/24/22	-	-	-	55.1	0.598 J	26.6	-	-	0.857	27.3	0.296 U	0.422 U
		05/25/22	-	-	-	65.1	0.848 U	22.5	-	-	0.792	47.3	0.296 U	0.422 U
		08/09/22	-	-	-	7.12	1.70	0.0708 J	-	-	0.0379	0.287 U	0.296 U	0.422 U
11/08/22	115	8.38	0.0480 U	6.81	1.81	0.971	1.0	0.0	0.331	321	1.73	0.422 U		
MW-140	Roy St ROW, N side	04/12/18	249	15.5	0.0227 R	5.73	2.40	15.0	0.3	14.7	0.795	261	0.296 U	0.422 U
		Decommissioned												
MW-141	Property, SE quadrant	04/12/18	179	9.64	0.0227 R	7.49	4.30	4.61	-	-	0.556	2,690	3.29	0.869 J
		Decommissioned March 2019												

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-160	8th Ave N ROW, W side	05/21/18	186	10.7	0.0703 J	2.68 J	1.47	12.3	0.0	12.3	0.400	129	14.5	4.75
		01/25/19	134	10.7	0.0227 U	1.87 J	3.98	59.1	0.5	58.6	1.22	766	11.7	0.422 U
		05/01/19	197	10.5	0.0227 U	1.26 J	3.79	4.60	0.0	4.6	0.387	1,070	4.41	0.422 U
		07/23/19	182	8.28	0.0227 U	2.64 J	1.95	2.68	0.5	2.2	0.408	535	0.296 U	0.422 U
		10/17/19	183	8.21	0.0227 U	2.06 J	2.31	10.5	0.8	9.7	0.522	537	0.296 U	0.422 U
		01/29/20	172	8.94	0.0227 U	2.30 J	6.59	0.769	0.0	0.8	0.324	294	6.02	0.422 U
		04/01/20	182	7.59	0.0249 J	3.29 J	3.41	20.7	0.0	20.7	0.569	621	2.24	0.422 U
		08/03/20	173	6.84	0.0480 U	3.08 J	1.71	2.26	0.5	1.8	0.474	817	0.296 U	0.422 U
		11/30/20	-	-	-	3.65 J	1.66	0.937	-	-	0.453	318	0.296 U	0.422 U
		02/04/21	-	-	-	3.12 J	1.68	2.37	-	-	0.404	305	4.07 U	4.26 U
		05/12/21	-	-	-	2.77 J	1.59	18.5	-	-	0.677	407	0.296 U	0.422 U
		08/23/21	-	-	-	2.68 J	1.29	21.8	-	-	0.661	288	0.296 U	0.422 U
		11/29/21	167	6.37	0.100 UJ	2.34	1.07	15.9	0.8	15.1	0.528	304	0.296 U	0.422 U
		02/23/22	-	-	-	2.44 J	1.24	8.18	-	-	0.425	119	0.296 U	0.422 U
		05/25/22	-	-	-	2.41 J	1.07	29.4	-	-	0.796	165	0.296 U	0.422 U
		08/12/22	-	-	-	2.25 J	1.13	1.35	-	-	0.316	424	0.296 U	1.65
10/31/22	174	6.66	0.0480 U	1.96 J	1.03	3.91	0.8	3.1	0.420	408	0.296 U	0.422 U		
MW-161	8th Ave N ROW, W side	05/21/18	294	25.0	0.0227 U	13.5	1.49	9.37	0.0	9.4	0.758	53.4	2.64	0.979 J
		01/25/19	282	25.5	0.0227 UJ	13.4	4.52	7.34	0.0	7.3	0.784	69.0	0.296 U	0.422 U
		05/01/19	293	25.5	0.0227 U	12.2	1.58	5.73	0.0	5.7	0.795	98.1	0.296 U	0.422 U
		07/18/19	284	26.5	0.0227 U	14.1	1.61	1.30	0.0	1.3	0.694	139	0.296 U	0.422 U
		10/14/19	289	26.0	0.0227 U	14.4	1.28	1.39	0.0	1.4	0.737	226	0.296 U	0.422 U
		01/28/20	257	22.7	0.0227 U	11.8	1.58	1.20	0.3	0.9	0.704	234	0.296 U	0.422 U
		04/03/20	233	16.6	0.0227 U	8.28	1.43	0.318	0.5	0.0	0.599	528	0.296 U	0.422 U
		07/31/20	224	15.1	0.101	7.86	2.70	0.300 J+	0.0	0.3	0.814	193	0.296 U	0.422 U
		12/01/20	-	-	-	7.40	2.69	0.253	-	-	0.810	167	0.296 U	0.422 U
		02/04/21	-	-	-	6.91	2.35	0.508	-	-	0.704	149	4.07 U	4.26 U
		05/25/21	-	-	-	7.26	1.90	0.594	-	-	0.741	260	0.296 U	0.422 U
		08/23/21	-	-	-	8.20	2.03	0.316	-	-	0.651	200	0.296 U	0.422 U
		11/29/21	218	12.6	0.100 UJ	9.33	1.62	0.872	0.0	0.9	0.738	195	0.296 U	0.422 U
		02/23/22	-	-	-	8.48	2.03	0.328	-	-	0.711	84.9	0.435 J	0.422 U
		02/23/22	-	-	-	8.68	2.01	0.348	-	-	0.692	105	0.519 J	0.580 J
		05/11/22	-	-	-	9.41	1.77	0.380	-	-	0.686	41.2	0.916 J	0.422 U
08/12/22	-	-	-	8.82	1.65	1.20	-	-	0.634	197	0.706 J	0.880 J		
10/31/22	237	16.9	0.0480 U	8.05	1.86	1.37	0.4	1.0	0.779	369	1.50	2.01		
10/31/22	241	17.1	0.0480 U	8.12	1.81	1.08	0.4	0.7	0.777	416	1.81	2.50		
MW-304	Dexter Ave N ROW, E side	10/21/19	153	12.1	0.0227 U	16.2	4.24	5.82	0.0	5.8	0.455	31.9	0.296 U	0.422 U
		01/27/20	142	11.6	0.0227 U	13.2	3.03	9.62	0.5	9.1	0.562	34.6 J+	0.296 U	0.422 U
		05/07/20	146	10.5	0.0480 U	11.0	1.63	14.2	0.7	13.5	0.609	324	0.296 U	0.422 U
		07/27/20	148	11.3	0.0480 U	13.4	1.97	3.07	0.1	3.0	0.420	116	0.296 U	0.422 U
		11/08/21	157	11.5	0.100 UJ	14.4	1.67	3.82	0.5	3.3	0.344	45.0	0.296 U	0.422 U
11/09/22	147	11.6	0.0839 J	14.9	2.13	5.95	0.0	6.0	0.364	26.0	0.296 U	0.422 U		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-319 (dup)	9th Ave N ROW, W side	10/08/19	234	16.5	0.0227 U	85.0	1.68	4.30	3.5	0.8	0.854	152	0.296 U	0.422 U
		01/16/20	241	18.2	0.0227 U	82.0	1.63	4.11	3.0	1.1	0.962	166	0.296 U	0.422 U
		04/27/20	250	18.8	0.0480 U	82.0	1.99	4.29	-	-	0.859	197	0.296 U	0.422 U
		07/27/20	241	17.4	0.0480 U	79.8	1.81	2.88	2.5	0.4	0.830	118	0.296 U	0.422 U
		11/08/21	255	29.0 J	0.128 J	139 J	1.87	3.09	3.0	0.1	0.944	52.4	0.296 U	0.422 U
		11/02/22	263	22.2	0.0480 U	108	1.43	3.11	2.0	1.1	1.03	145	1.69	0.422 U
11/02/22	265	22.2	0.0480 U	109	1.30	3.03	2.0	1.0	1.01	161	1.99	0.422 U		
MW-323	9th Ave N ROW, W side	10/09/19	135	11.5	1.61	13.8	0.964 U	0.273	0.0	0.3	0.160	75.5	12.3	3.27
		01/20/20	348	37.1	0.0227 U	32.8	4.16	5.10	2.5	2.6	1.11	309	47.9	0.422 U
		04/23/20	320	25.3	0.0480 U	24.5	1.71	2.73	2.4	0.3	0.878	69.8	0.296 U	0.422 U
		07/07/20	330	25.0	0.0636 J	22.1	1.59	7.84	2.8	5.0	0.668	192	7.56	0.422 U
		11/16/21	296	27.2	0.500 U	24.0	2.03	2.87	2.3	0.6	0.899	92.5	13.8	4.71
		11/04/22	326	31.4	0.0480 U	29.3	2.09	2.66	2.0	0.7	0.951	189	39.8	9.80
MW-324	Roy St ROW, N side	10/02/19	587	20.1	0.0227 U	93.1	13.1	5.74	2.0	3.7	0.374	3,340	13.4	22.4
		01/20/20	606	28.3	0.0227 U	47.6	10.9	3.92	4.4	0.0	1.20	4,830	6.70	28.7
		04/24/20	608	49.9	0.0480 U	64.4	12	8.48	4.0	4.5	1.87	5890	50.5	114
		07/07/20	618	54.1	0.0480 U	45.8	14.8	8.69	4.0	4.7	1.64	5,880	73.4	93.7
		11/16/21	384	21.4	0.500 U	91.2	4.58	5.91	4.0	1.9	1.39	377	0.296 U	0.422 U
		11/03/22	611	19.8	0.0480 U	90.2	8.11	7.53	1.0	6.5	2.08	1,710	21.2	5.80
MW-326 (dup)	Mercer St ROW, N side	10/03/19	209	17.1	0.0227 U	89.7	12.9	2.63	0.5	2.1	0.347	99.4	25.0	8.23
		01/17/20	211	17.9	0.0227 U	63.6	2.79	1.3	0.8	0.5	0.488	13.3	2.01	0.422 U
		04/21/20	242	20.4	0.0480 U	50.8	1.07	4.02	2.0	2.0	0.485	16.5	0.296 U	0.422 U
		07/23/20	271	23.1	0.0480 U	49.9	1.29	6.53	4.5	2.0	0.470	20.9	0.296 U	0.422 U
		11/04/21	268	24.4	0.200 U	53.1	1.72	4.73	0.0	4.7	0.494	0.287 U	0.296 U	0.422 U
		11/02/22	188	16.0	0.219 J	62.7	0.470 U	0.440	0.0	0.4	0.427	1.84	0.296 U	0.422 U
11/02/22	194	15.9	0.0480 J	63.6	0.384 U	0.454	0.0	0.5	0.428	2.18	0.296 U	0.422 U		
MW-328	Lake Union Park, S end	10/02/19	683	17.7	0.0227 U	0.787 J	8.75	20.3	4.0	16.3	0.755	23,700	0.296 U	36.8
		01/17/20	672	17.7	0.0227 U	0.0774 U	5.00	16.2	2.5	13.7	0.397	23,800	3.99	32.9
		04/08/20	708	17	0.0480 U	0.594 U	3.90	13.7	3.6	10.1	0.348	22,900	7.44	28.4
		07/07/20	574	15.1	0.0480 U	0.594 U	3.69	9.97	5.5	4.5	0.243	25,300	12.6	0.422 U
		11/10/21	458	12.0	1.00 U	3.71	4.64	6.98	4.5	2.5	0.201	16,600	0.296 U	0.422 U
		11/02/22	509	14.0	0.0480 U	0.594 U	4.42	9.31	3.5	5.8	0.253	22,600	17.0	15.1
MW-329 (dup)	Westlake Ave N ROW, E side	10/03/19	581	56.1	0.0227 U	11.4	4.82	7.71	4.0	3.7	2.21	591	19.9	0.422 U
		10/03/19	589	56.1	0.0227 U	11.4	5.05	8.06	4.0	4.1	2.26	716	23.4	0.422 U
		01/20/20	506	52.6	0.0227 U	14.8	4.61	4.83	1.5	3.3	2.30	1,020	25.9	0.422 U
		04/27/20	457	39	0.0480 U	14.4	3.50	11.1	2.5	8.6	2.14	955	24.2	0.422 U
		08/03/20	447	35.5	0.0480 U	14.0	3.59	7.75	3.0	4.8	2.13	630	15.7	0.422 U
		11/01/22	499	48.3	0.0480 U	18.9	3.83	4.01	3.2	0.8	2.21	404	21.4	2.58
MW-336	Mercer St ROW, N side	05/05/20	511	37.5	0.0480 U	74.3	3.58	10.5	6.5	4.0	0.596	271	0.296 U	0.422 U
		07/08/20	465	36.4	0.0480 U	72.1	2.68	7.72	4.0	3.7	0.462	343	7.16	0.422 U
		11/17/21	419	35.9	0.500 U	58.6	4.11	6.74	6.5	0.2	0.555	480	17.8	0.422 U
		11/03/22	256	39.6	0.830	60.4	1.70	0.0281 U	0.0	0.0	0.00101 J	1.56 J	0.296 U	0.422 U
MW-341	Lake Union Park, S end	05/12/20	378	19.1	0.0480 U	16.5	4.91	9.23	3.0	6.2	0.819	1,450	11.1	0.422 U
		07/07/20	404	19.8	0.0480 U	7.30	3.91	6.95	5.5	1.5	0.889	2,790	6.33	0.422 U
		11/10/21	386	19.8	1.00 U	8.98	3.07	6.74	4.3	2.5	0.723	3,370	0.296 U	0.422 U
		11/02/22	387	21.1	0.162 J	31.5	2.70	7.61	2.5	5.1	0.552	872	6.26	10.5

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-342	Valley St ROW, S side	05/04/20	174	14.2	0.351	9.65	2.68	1.13	0.0	1.1	0.438	1,040	0.296 U	0.422 U
		07/30/20	227	8.07	0.0480 U	0.594 U	4.82	10.2	3.5	6.7	0.934	11,400	0.296 U	0.422 U
		11/09/21	559	24.0	0.0750 J-	0.275 J	8.03	27.3	1.5	25.8	2.52	18,400	0.296 U	0.422 U
		11/01/22	302	18.4	0.0480 U	0.594 U	2.61	4.87	2.8	2.1	0.436	12,000	6.62	18.0
MW-343	Valley St ROW, S side	05/04/20	695	108	0.0480 U	2.93 J	4.30	14.8	6.5	8.3	6.30	70.4	0.296 U	0.422 U
		07/30/20	697	109	0.0480 U	2.43 J	3.95	11.7	4.3	7.5	6.23	68.5	0.296 U	0.422 U
		11/09/21	363	29.7	0.200 UJ	0.594	3.12	6.73	3.8	3.0	2.21	2,630	0.296 U	0.422 U
		11/01/22	388	32.1	0.0480 U	0.594 U	2.94	5.82	3.4	2.4	2.11	2,130	4.33	0.422 U
Perimeter Injection Zone A														
PRB-A1	8th Ave N ROW, W side	09/15/20	373	27.6	0.0480 U	63.4	8.92	12.7	2.0	10.7	1.65	2,350	26.4	17.1
PRB-A11 (dup)	8th Ave N ROW, W side	09/16/20	271	30.5	0.0480 U	37.4 J	5.62	7.35 J	-	-	0.905	1,170 J	56.2 J	27.6 J
		09/16/20	252	31.1	0.0480 U	34.2 J	5.67	4.79 J	1.8	3.0	0.823	1,710 J	69.7 J	37.1 J
PRB-A14	Roy Street ROW, N side	09/17/20	234	26.2	0.0480 U	201	2.48	2.63	-	-	0.565	419	0.296 U	27.6
PRB-A17	Roy St ROW, N side	09/15/20	284	26.5	0.0480 U	57.6	2.37	5.32	2.6	2.7	2.12	3,010	0.296 U	69.9
PRB-A19	Roy St ROW, N side	09/14/20	236	26.4	0.0480 U	34.2	2.06	5.21	3.5	1.7	0.735	6,380	0.296 U	0.422 U
PRB-A23	Roy St ROW, N side	09/14/20	382	28.9	0.0480 U	4.31 J	29.7	13.3	3.2	10.1	2.33	25,400	589	259
PRB-A5	8th Ave N ROW, W side	09/17/20	543	20	0.0480 U	75.4	14.2	9.04	3.8	5.2	2.09	12,900	65.6	70.3
Perimeter Injection Zone B														
PRB-B1	8th Ave N ROW, W side	09/15/20	245	21	0.0480 U	90.7	8.30	5.14	1.4	3.7	1.74	558	7.5	0.422 U
PRB-B4	8th Ave N ROW, W side	09/17/20	696	58.7	0.0480 U	44.3	30.7	22.2	5.5	16.7	1.91	29,100	609	671
PRB-B11	8th Ave N ROW, W side	09/16/20	450	53.8	0.0480 U	189	4.77	5.40	1.8	3.6	0.812	1,480	277	211
PRB-B14	Roy St ROW, N side	09/14/20	408	67.1	0.0480 U	61.3	7.36	2.44	0.6	1.8	0.723	5,080	65	650
PRB-B17	Roy St ROW, N side	09/15/20	144	99.5	0.0480 U	79.4	6.39	2.11	0.0	2.1	0.462	906	0.296 U	0.422 U
PRB-B19	Roy St ROW, N side	09/18/20	255	30.9	0.0480 U	26.6	5.33	4.26	0.4	3.9	0.680	54.7	0.296 U	0.422 U
PRB-B23	Roy St ROW, N side	09/18/20	433	45.3	0.0480 U	62.0	37.0	4.45	0.4	4.1	0.416	10,800	0.296 U	2,010
Perimeter Injection Zone C														
PRB-C1	8th Ave N ROW, W side	09/15/20	271	31.9	0.0480 U	6.28	3.10	2.84	0.0	2.8	0.299	855	0.296 U	8.18
PRB-C5	8th Ave N ROW, W side	09/17/20	590	31.1	0.0480 U	60.5	16.0	4.92	1.6	3.3	0.778	11,200	58.1	112
PRB-C11	8th Ave N ROW, W side	09/16/20	235	23	0.0480 U	45.2	1.99	13.6	0.4	13.2	0.545	763	3.36	7.63
PRB-C14	Roy Street ROW, N side	09/17/20	227	47.2	0.0480 U	88.3	3.06	6.24	0.4	5.8	0.240	266	0.296 U	8.29
PRB-C17	Roy St ROW, N side	09/15/20	95.7	92.4	0.0480 U	85.8	18.1	15.4	0.4	15.0	1.07	1,260	0.296 U	8.21
PRB-C19	Roy St ROW, N side	09/14/20	184	16.3	0.0480 U	18.5	1.30	2.37	0.0	2.4	0.219	319	0.296 U	0.422 U
PRB-C23	Roy St ROW, N side	09/14/20	266	33.6	0.0480 U	71.9	5.19	4.14	0.6	3.5	0.378	2,980	0.296 U	0.422 U

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
Perimeter Injection Zone D														
PRB-D1	8th Ave N ROW, W side	09/15/20	277	22.5	0.0480 U	26.0	2.49	5.26	0.0	5.3	0.493	835	0.296 U	0.422 U
PRB-D4	8th Ave N ROW, W side	09/17/20	713	56.7	0.0480 U	48.0	32.7	19.1	5.0	14.1	1.96	19,800	343	468
PRB-D11	8th Ave N ROW, W side	09/16/20	238	24.7	0.0480 U	112	3.97	2.80	–	–	0.749	2,350	0.296 U	15.2
PRB-D13	Roy St ROW, N side	09/18/20	200	22.8	0.0480 U	149	2.11	15.3	–	–	0.756	453	0.296 U	0.422 U
PRB-D17	Roy St ROW, N side	09/21/20	261	39	0.0480 UJ	20.0	6.53	8.34	1.1	7.2	1.06	10,500	9.58	671
PRB-D20	Roy St ROW, N side	09/18/20	230	25.7	0.0480 U	25.7	4.98	4.41	0.4	4.0	1.41	420	0.296 U	0.422 U
PRB-D23 (dup)	Roy St ROW, N side	09/18/20	173	27.9	0.0503 J	6.65	2.53	17.4 J	–	–	0.395	48.4	0.296 U	0.422 U
		09/18/20	176	28.5	0.0480 U	6.43	2.96	9.58 J	–	–	0.268	2.87 U	16.3	170
Treatment Zone A														
MW-165 (dup)	Property, NE quadrant	11/04/19	1,060	51.2	0.0227 U	57.2	121	60.6	4.0	56.6	5.26	12,000	370	151
		01/30/20	1,340	41.1	0.0227 U	12.9	88.7	48.1	4.5	43.6	7.47	21,000	221	69.4
		05/01/20	1,350	84.8	0.0480 U	1.72 J	100	50.7	3.0	47.7	7.36	2,590	84.5	0.422 U
		07/09/20	1,410	80.8	0.0480 U	7.66	89.2	41.3	6.0	35.3	7.57	20,000	476	139
		11/05/20	–	–	–	2.64 J	83.2	44.7	–	–	6.92	28,200	529	499
		11/05/20	–	–	–	2.65 J	83.3	44.6	–	–	7.03	29,500	549	532
		05/06/21	–	–	–	0.594 U	40.1	26.6	–	–	4.86	25,900	571	1,240
		12/02/21	651	55.4	0.100 UJ	0.198	29.5	20.1	3.4	16.7	3.61	34,900	859	590
		05/13/22	–	–	–	0.594 U	23.1	17.8	–	–	3.16	27,300	488	406
		10/28/22	610	56.7	0.0480 U	5.35	25.4	18.4	2.4	16.0	3.41	33,300	712	446
		05/11/23	–	–	–	0.594 U	26.2	25.3	–	–	5.52	27,700	527	38.9
		11/01/23	1,010	89.4	0.0714 J	0.594 U	26.2	25.7	–	–	5.93	25,700	378	6.89
		05/28/24	–	–	–	1.79 J	26.8	25.9	–	–	5.49	29,700	266	3.79
MW-169	Property, SW quadrant	11/05/19	577	149	0.0227 U	0.333 J	19.9	6.15	2.5	3.7	0.832	19,600	299	883
		01/23/20	584	145	0.0227 U	1.85 J	17.2	9.29	3.0	6.3	0.978	25,600	396	1,110
		05/05/20	601	147	0.225	0.594 U	19.2	5.10	2.0	3.1	0.821	18,700	336	1,180
		07/10/20	627	149	0.0480 U	0.594 U	16.9	11.3	4.2	7.1	0.883	21,600	393	866
		11/03/20	–	–	–	31.5	32.5	5.75	–	–	1.05	21,100	352	139
		05/07/21	–	–	–	9.36	19.7	4.22	–	–	1.36	7,940	68.6	25.8
		11/19/21	553	99.2	0.405 J	8.38	19.7	4.25	3.0	1.3	1.12	20,900	46.8	27.8
		10/27/22	449	85.0	0.0480 U	0.596 J	15.2 J+	2.71	1.4	1.3	0.748	30,500	198	0.422 U
		05/11/23	–	–	–	1.22 J	14.4	7.08	–	–	0.811	22,000	164	3.37
		11/03/23	486	86.4	0.0756 J	0.824 J	13.3	7.41	–	–	0.889	33,100	171	5.19
		05/24/24	–	–	–	1.04 J	14.2	4.03	–	–	0.785	29,500	204	55.0
MW-173	Property, SE quadrant	11/01/19	472	51.7	0.0227 U	60.6	14.8	2.86	1.5	1.4	0.38	7,530	38.2	124
		01/28/20	442	38.9	0.0227 U	36.0	16.4	3.08	2.0	1.1	0.685	22.2	65.1	126
		05/01/20	484	46.6	0.0480 U	7.09	20.5	1.32	1.0	0.3	0.835	17,700	71.6	117
		07/09/20	524	48.9	0.0480 U	4.94 J	17.2	1.55	1.4	0.2	1.04	20,300	173	135
		12/02/21	444	42.2	0.100 UJ	0.275	13.2	2.92	2.0	0.9	1.82	6,270	174	41.6
		10/27/22	515	46.0	0.0480 U	0.594 U	11.9	3.02	1.9	1.1	2.07	29,400	613	104
		05/11/23	–	–	–	1.61 J	12.7	3.22	–	–	2.3	28,800	833	303
		11/02/23	613	49.7	0.0480 U	0.594 U	12.3	4.02	2.75	1.3	2.55	25,400	619	94.9
05/28/24	–	–	–	0.734 J	16.1	6.23	–	–	2.39	30,500	795	59.6		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-177	Property, SW quadrant	11/06/19	589	285	0.0227 U	96.2	56.3	32.2	3.1	29.1	4.13	22,500	17.8	4,000
		01/24/20	511	241	0.0227 U	67.4	14.2	20.2	-	-	3.15	3,010	102	3,640
		04/01/20	588	282	0.0227 U	60.7	26.7	19.8	5.0	14.8	3.21	21,300	122	2,410
		07/10/20	670	254	0.0480 U	90.4	30.3	17.5	3.0	14.5	3.17	25,700	129	2,080
		11/03/20	-	-	-	55.4	17.4	6.26	-	-	1.32	28,400	472	2,990
		05/06/21	-	-	-	21.4	11.3	6.31	-	-	0.895	30,100	561	2,540
		12/03/21	306	69.2	0.100 UJ	16.4	9.66	4.48	3.0	1.5	0.736	19,400	345	1,130
		10/26/22	320	69.0	0.0480 U	10.3	8.33	3.62	1.8	1.9	0.666	29,100	731	1,880
		05/10/23	-	-	-	1.24 J	81.3	2.38	-	-	0.905	23,100	488	958
		11/01/23	441	78.6	0.119	0.594 U	10.1	6.79	-	-	0.764	27,400	661	1,430
		05/23/24	-	-	-	1.46 J	0.796 J	6.08	-	-	0.706	24,900	481	856
MW-181 (dup)	Property, SW quadrant	11/08/19	605	161	0.0227 U	0.449 J	26.5	3.74	2.0	1.7	1.09	14,300	18.7	2,870
		01/27/20	586	169	0.0227 U	0.749 U	46.4	11.4	4.4	7.0	1.87	17,500	7.62	2,370
		04/01/20	553	185	0.0274 J	0.337 U	22.4	9.12	5.2	3.9	1.45	17,700	24.3	2,620
		07/08/20	581	161	0.0480 U	0.594 U	21.8	10.1	4.0	6.1	1.36	22,700	29.4	2,140
		11/04/20	-	-	-	13.0	36.3	12.9	-	-	1.51	29,900	29.1	3,720
		11/04/20	-	-	-	11.6	36.00	13.2	-	-	1.55	28,500	36.5	3,810
		05/06/21	-	-	-	1.42 J	32.7	7.46	-	-	1.35	34,400	178	7,110
		11/18/21	499	123 J	0.500 U	3.32	36.6	10.1	3.8	6.3	1.44	25,500	250	3,890
		10/25/22	553	95.7	0.234 J	1.36 J	28.8	12.1	3.0	9.1	1.66	25,300	282	3,550
		05/10/23	-	-	-	0.594 U	33.5	13.5	-	-	1.62	31,600	311	3,290
		11/01/23	640	95.1	0.120 J	0.594 U	32.7	15.8	-	-	1.86	19,600	230	1,230
05/23/24	-	-	-	1.87 J	31.0	13.3	-	-	1.59	85.2	0.296 U	2.44		
MW-185	Property, SE quadrant	10/31/19	731	116	0.0227 U	38.1	51.4	9.91	2.5	7.4	1.63	10,300	9.69	232
		01/29/20	1,120	150	0.0227 U	0.112 J	38.7	18.5	3.0	15.5	3.42	37,000	213	0.422 U
		04/02/20	1,190	157	0.0227 U	0.273 U	20	25.2	6.2	19.0	3.41	23,300	227	0.422 U
		07/08/20	762	109	0.0480 U	0.594 U	18.7	13.1	5.5	7.6	1.64	28,500	288	0.422 U
		11/18/21	450	98.0 J	0.500 U	1.58 J	11.1	4.00	3.8	0.2	0.716	19,800	115	20.8
		10/27/22	526	79.9	0.0480 U	0.721 J	11.3	4.85	1.8	3.1	0.767	30,400	198	22.1
		05/11/23	-	-	-	0.594 U	57.9	35.7	-	-	2.88	23,700	92.1	24.7
		11/02/23	1,250	143	0.0480 U	0.594 U	14.5	26.5	-	-	2.64	17,100	58.9	6.17
		05/24/24	-	-	-	2.52 J	26.0	22.2	-	-	2.69	14,500	45.8	4.34
Treatment Zone B														
MW-166 (dup)	Property, NE quadrant	11/04/19	948	93.8	0.0227 U	13.6	122	54.5	5.0	49.5	2.11	14,300	67.6	2,500
		01/30/20	871	77.3	0.0863 J	0.0774 U	95.7	41.5	4.0	37.5	2.06	22,800	772	987
		05/01/20	893	87.3	0.0480 U	0.594 U	45.5	34.3	3.0	31.3	1.92	19,200	608	162
		07/09/20	701	55.3	0.0480 U	0.594 U	18.8	18.7	7.0	11.7	1.35	39,200	431	132
		07/09/20	717	55.8	0.0480 U	0.594 U	19.3	18.9	7.0	11.9	1.34	30,000	505	158
		11/05/20	-	-	-	4.67 J	42.2	36.6	-	-	2.03	34,500	940	1,890
		05/05/21	-	-	-	9.62	46.4	32.3	-	-	1.46	17,100	641	1,570
		12/02/21	688	76.0	1.72 J-	12.2	46.4	33.8	6.6	27.2	1.29	24,100	748	2,330
		05/13/22	-	-	-	10.7	42.9	32.9	-	-	1.14	18,900	399	1,450
		10/28/22	757	89.5	0.0480 U	18.1	46.7	33.9	3.8	30.1	1.58	30,100	480	1,930
		05/11/23	-	-	-	9.71	48.8	33.4	-	-	1.1	24,100	467	1,450
		11/02/23	909	101	0.0480 U	9.48	47.4	40.8	28.7	12.1	1.33	31,000	542	1,260
		05/28/24	-	-	-	10.4	52.0	42.6	-	-	1.24	26,800	529	1,140

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-170	Property, SW quadrant	11/05/19	506	178	0.0227 U	112	22.9	1.87	1.1	0.8	0.947	10,000	62	1,120
		01/23/20	484	162	0.0227 U	60.9	19.6	8.24	3.0	5.2	1.03	7,530	42.7	868
		04/02/20	488	174	0.0227 U	41.1	16.7	10.8	4.5	6.3	1.05	9,400	44.8	986
		07/09/20	481	186	0.0480 U	16.9	13.2	12.1	5.5	6.6	1.22	13,000	31.5	1,120
		11/03/20	-	-	-	49.7	19.3	4.32	-	-	1.04	14,800	44.0	2,390
		05/07/21	-	-	-	16.9	14.6	2.57	-	-	1.02	31,400	52.0	1,990
		11/19/21	546	163	1.00 R	14.8	15.4	3.80	1.5	2.3	1.21	29,900	17.4	661
		05/12/22	-	-	-	9.53	14.5	2.74	-	-	1.09	13,100	29.9	814
		10/27/22	601	162	0.0480 U	3.03 J	16.5	4.09	2.6	1.5	1.19	21,800	146	2,160
		05/11/23	-	-	-	3.89 J	15.5	4.89	-	-	1.37	23,500	148	2,060
		11/02/23	611	175	0.0480 U	4.54 J	15.5	3.17	-	-	1.39	27,500	39.0	870
		05/24/24	-	-	-	7.34	15.9	2.64	-	-	1.43	23,600	22.6	552
		MW-174	Property, SE quadrant	11/01/19	593	99.3	0.0227 U	17.8	15.3	9.63	3.0	6.6	1.73	21,600
01/28/20	328			29.7	0.0227 U	11.1	5.28	9.95	3.0	7.0	0.710	1,720	111	0.422 U
05/01/20	409			30.3	0.0480 U	1.79 J	4.7	18.1	5.0	13.1	0.800	16,800	86.5	0.422 U
07/09/20	384			26.3	0.0480 U	8.34	3.94	6.28	3.8	2.5	0.761	16,700	82.3	0.422 U
12/02/21	837			68.7	0.178 J-	5.42	16.9	9.04	4.0	5.0	2.77	4,840	34.0	7.99
10/27/22	1,090			86.4	0.0480 U	3.69 J	29.1	14.7	3.0	11.7	3.68	28,200	196	57.6
05/11/23	-			-	-	6.52	31.2	14.1	-	-	3.6	28,900	194	58.2
11/03/23	1,150			98.2	0.0910 J	2.72 J	30.9	16.4	-	-	4.09	29,100	180	58.6
05/28/24	-			-	-	3.59 J	32.9	16.4	-	-	3.48	34,200	244	66.7
MW-178	Property, SW quadrant	11/06/19	1,740	170	0.0227 U	0.387 U	827	39.3	3.5	35.8	8.53	17,600	71.9	7,880
		01/24/20	1,810	178	0.0401 J	0.0774 U	43.8	65.8	6.0	59.8	7.47	2,240	784	114
		04/02/20	1,890	185	0.0376 J	0.0774 U	84.2	57.2	6.5	50.7	4.61	7,150	417	39.6
		07/10/20	2,040	201	0.0480 U	0.594 U	68.3	58.8	3.5	55.3	2.49	22,200	679	0.422 U
		11/03/20	-	-	-	0.737 J	59.5	26.2	-	-	3.78	26,500	382	495
		05/06/21	-	-	-	0.594 U	26.6	14.8	-	-	2.72	27,400	544	2,160
		12/06/21	721	96.9	0.100 U	0.145	24.1	12.6	6.5	6.1	2.44	25,200	194	594
		05/10/22	-	-	-	0.864 J	24.7	13.5	-	-	2.25	11,700	150	370
		10/25/22	754	134	0.0480 U	3.92 J	20.1	16.2	4.6	11.6	2.82	20,200	472	1,220
MW-182 (dup)	Property, SW quadrant	11/08/19	1,610	146	0.0389 J	3.44 J	198	86.8	3.0	83.8	7.64	12,600	22.2	4,150
		01/27/20	1,310	128	0.0227 U	29.6	293	72.7	6.0	66.7	8.11	17,500	5.57	4,990
		04/01/20	1,290	137	0.0227 U	22.3	75.7	61.4	6.1	55.3	6.80	16,800	337	2,400
		07/08/20	1,250	158	0.0480 U	19.9	123	60.6	6.4	54.2	5.82	27,700	375	1,710
		11/04/20	-	-	-	0.594 U	144	39.0	-	-	5.90	38,900	89.6	8,010
		05/06/21	-	-	-	0.675 J	79.2	25.9	-	-	3.91	24,000	140	8,580
		05/06/21	-	-	-	0.654 J	84.8	23.6	-	-	3.94	27,000	140	8,250
		11/18/21	620	395 J	0.500 U	3.36	69.3	20.3	5.2	15.1	3.43	21,800	256	3,390
		05/10/22	-	-	-	0.594 U	61.2	19.2	-	-	3.12	19,900	294	3,400
		10/25/22	632	345	0.300	2.34 J	47.9	20.5	6.3	14.3	3.27	31,200	282	5,090
		05/10/23	-	-	-	0.594 U	41.3	19.8	-	-	3.03	30,500	383	4,290
		11/02/23	692	412	0.0480 U	1.01 J	33.0	22.7	-	-	3.13	30,900	293	3,530
		05/23/24	-	-	-	1.24 J	30.6	17.8	-	-	2.93	27,300	231	2,920

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-186	Property, SE quadrant	10/31/19	320	62.9	0.0227 U	31.4	5.29	0.501	–	–	0.280	1,030	5.78	18.4
		01/29/20	249	58.8	0.0227 U	21.2	5.85	1.65	1.5	0.2	0.226	1,790	9.35	26.6
		04/02/20	322	60.1	0.0325 J	18.2	6.25	6.13	2.6	3.5	0.298	3,710	21.2	23.7
		07/08/20	298	54.4	0.0480 U	9.56	4.91	3.57	1.2	2.4	0.260	2,770	17.9	20.4
		11/18/21	645	101 J	0.500 U	1.49 J	12.6	8.30	6.4	1.9	1.50	32,800	260	109
		10/26/22	781	94.6	0.0480 U	0.594 U	10.2	10.8	3.0	7.8	1.73	32,900	300	37.4
		05/11/23	–	–	–	0.594 U	16.6	15.4	–	–	2.26	37,400	186	3.18
		11/02/23	1,110	113	0.0480 U	0.594 U	10.3	10.0	–	–	1.89	24,700	256	3.98
		05/24/24	–	–	–	–	2.69 J	11.5	10.9	–	–	2.00	29,400	311
Treatment Zone C														
MW-167	Property, NE quadrant	11/04/19	347	38.1	0.0227 U	61.9	19.6	0.849	0.5	0.3	0.345	8,580	25.7	121
		01/28/20	347	38.7	0.0227 U	1.43 J	8.74	0.365	0.5	0.0	0.213	6,210	35.2	69.1
		05/01/20	366	38.7	0.0480 U	0.594 U	9.21	0.717	0.0	0.7	0.187	5,780	62.9	0.422 U
		07/09/20	356	33.5	0.0480 U	0.879 J	7.42	14.3	–	–	0.239	10,500	93.0	0.422 U
		12/02/21	353	28.5	0.100 UJ	36.9	12.5	4.65	0.8	3.9	0.414	5,720	90.8	0.422 U
		10/28/22	392	33.8	0.0480 U	16.9	10.2	2.35	0.3	2.1	0.569	5,840	90.9	1.42
		05/11/23	–	–	–	10.4	10.2	2.26	–	–	0.604	7,350	121	4.0
		11/01/23	441	37.1	0.0864 J	5.13	10.1	2.55	–	–	0.743	9,510	156	5.45
		05/28/24	–	–	–	5.83	10.4	3.07	–	–	0.876	10,900	163	13.7
MW-171	Property, SW quadrant	11/05/19	258	42.1	0.0936 J	22.0	10.2	3.63	1.0	2.6	0.190	231	0.296 U	10.8
		01/23/20	262	29.0	0.0227 U	9.02	4.99	9.73	0.5	9.2	0.200	580	0.296 U	19.5
		04/02/20	271	31.2	0.0227 U	5.27	5.33	13.1	1.0	12.1	0.195	896	5.34	57.0
		07/09/20	276	30.3	0.0480 U	9.59	3.76	4.18	1.0	3.2	0.176	963	14.1	72.3
		11/03/20	–	–	–	12.9	8.64	2.40	–	–	0.203	1,560	60.8	177
		05/07/21	–	–	–	32.9	8.03	5.33	–	–	0.420	3,200	33.1	529
		11/19/21	308	87.1	0.500 R	17.0	6.92	3.98	1.5	2.5	0.515	863	10.8	126
		05/12/22	–	–	–	14.3	5.73	4.11	–	–	0.496	1,080	8.35	104
		10/26/22	326	102	0.0480 U	12.0	7.08	2.66	1.1	1.6	0.548	4,890	26.4	424
		05/11/23	–	–	–	13.7	7.15	1.69	–	–	0.566	5,360	21.7	443
11/01/23	350	110	0.0767 J	11.6	6.97	3.68	–	–	0.682	6,720	20.8	551		
05/24/24	–	–	–	12.0	6.95	1.68	–	–	0.585	6,610	20.4	706		
MW-175	Property, SE quadrant	11/01/19	351	66.3	0.0227 U	224	32.1	0.800	0.0	0.8	0.178	1,670	16.4	323
		01/28/20	180	19.1	0.0227 U	1.88 J	13.4	0.916	0.0	0.9	0.0503	3,030	13.6	24.7
		05/01/20	199	16.2	0.0480 U	0.594 U	8.71	1.40	0.0	1.4	0.0531	4,030	0.296 U	0.422 U
		07/09/20	205	11.9	0.0480 U	0.594 U	4.26	1.48	0.5	1.0	0.0569	4,720	16.3	0.422 U
		12/02/21	819	72.2	0.100 UJ	0.144	11.8	5.57	4.5	1.1	1.86	5,050	110	0.422 U
		10/27/22	1,000	82.8	0.0480 U	0.594 U	18.8	15.9	3.8	12.1	2.84	32,200	567	0.422 U
		05/11/23	–	–	–	0.594 U	19.5	10.3	–	–	2.71	24,400	404	0.422 U
		11/02/23	1,100	88.0	0.0728 U	0.594 U	20.7	17.6	13.9	3.7	3.04	31,800	528	0.422 U
		05/28/24	–	–	–	1.83 J	26.7	14.4	–	–	3.29	35,500	462	0.422 U

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)				
								Total	Ferrous	Ferric		Methane	Ethane	Ethene		
MW-179	Property, SW quadrant	11/06/19	1,180	121	0.0227 U	89.1	145	21.6	2.0	19.6	9.13	29,400	0.296 U	222		
		01/27/20	1,270	121	0.0227 U	8.17	118	47.6	3.5	44.1	10.2	30,100	0.296 U	88.0		
		04/02/20	1,400	122	0.0227 U	10.1	73.2	40.6	5.5	35.1	8.35	17,800	10.2	60.9		
		07/10/20	1,420	149	0.0480 U	32.9	68.5	36.2	5.0	31.2	7.68	22,200	4.30	0.422 U		
		11/03/20	–	–	–	13.2	31.2	10.6	–	–	2.64	25,600	4.77	121		
		05/06/21	–	–	–	0.594 U	57.8	9.20	–	–	2.19	28,800	20.0	675		
		12/03/21	777	202	0.100 UJ	0.100 U	28.1	15.1	6.5	8.6	2.78	21,000	19.8	360		
		05/10/22	–	–	–	0.701 J	22.5	14.1	–	–	2.67	4,030	4.59	63.9		
		10/25/22	886	228	0.0480 U	4.20 J	16.8	28.4	4.0	24.4	2.98	17,300	16.0	206		
		05/10/23	–	–	–	0.594 U	20.5	6.7	–	–	3.02	14,300	19.5	137		
		11/01/23	983	213	0.0846 J	0.594 U	15.6	20.0	–	–	2.93	16,500	21.1	233		
		05/23/24	–	–	–	2.35 J	16.6	34.9	–	–	2.65	608	0.296 U	7.71		
		MW-183	Property, SW quadrant	11/08/19	162	13.0	0.0227 U	0.297 J	7.95	2.46	0.0	2.5	0.119	933	8.02	7.25
				01/27/20	151	13.3	0.0693 J	0.612 U	10.4	2.14	0.4	1.7	0.114	2,470	0.296 U	15.2
04/02/20	174			11.3	0.0254 J	0.653 J	6.87	3.87	0.0	3.9	0.137	3,360	3.91	14.8		
07/08/20	175			11.8	0.0480 U	5.13	2.96	5.11	0.5	4.6	0.141	3,890	0.296 U	15.6		
11/04/20	–			–	–	41.2	9.81	2.72	–	–	0.739	11,000	4.75	40.4		
05/06/21	–			–	–	35.6	12.3	2.60	–	–	1.48	11,700	0.296 U	466		
11/18/21	341			95.3 J	0.500 U	22.4	16.0	5.01	0.6	4.4	1.88	20,400	13.4	1,100		
05/10/22	–			–	–	21.6	12.1	3.04	–	–	1.48	23,600	7.83	386		
10/25/22	345			95.3	0.0480 U	20.1	9.81	3.49	0.1	3.4	1.51	29,100	8.44	469		
05/10/23	–			–	–	19.8	11	3.06	–	–	1.36	29,800	0.296 U	379		
11/01/23	585			75.5	0.0890 J	16.2	10.5	2.51	–	–	1.55	32,600	4.79	437		
05/23/24	–			–	–	19.0	10.7	2.65	–	–	1.33	36,600	5.04	353		
MW-187	Property, SE quadrant			11/01/19	193	24.5	0.0227 U	21.6	27.5	5.52	2.5	3.0	0.140	33.6	0.296 U	0.422 U
				01/29/20	179	18.6	0.0237 J	11.4	2.82	1.59	0.5	1.1	0.132	291	0.296 U	0.422 U
		04/02/20	201	18.5	0.0308 J	14.9	3.00	2.72	0.0	2.7	0.117	167	0.296 U	0.422 U		
		07/08/20	201	17.1	0.0480 U	13.6	2.30	0.206	0.0	0.2	0.114	67.6	0.296 U	0.422 U		
		11/18/21	524	75.3 J	0.500 U	9.70	7.16	2.69	2.0	0.7	0.602	10,400	239	19.4		
		10/26/22	696	80.8	0.0480 U	0.594 U	7.33	4.32	2.2	2.1	0.868	13,100	375	0.422 U		
		05/11/23	–	–	–	0.644 J	8.7	4.3	–	–	1.08	20,100	385	2.22		
		11/02/23	805	87.1	0.0496 U	0.594 U	7.10	3.47	–	–	1.05	23,300	398	0.422 U		
		05/24/24	–	–	–	2.53 J	7.04	3.66	–	–	1.10	17,500	413	0.422 U		
		Treatment Zone D														
MW-168	Property, NE quadrant	11/04/19	221	11.8	0.0227 U	12.1	2.44	0.378	0.0	0.4	0.254	0.287 U	0.296 U	0.422 U		
		01/31/20	204	10.9	0.0227 U	11.0	2.19	0.301	0.5	0.0	0.286	108	0.296 U	0.422 U		
		05/01/20	223	12.3	0.0480 U	11.3	3.46	2.55	0.5	2.1	0.276	598	0.296 U	0.422 U		
		07/09/20	256	12.0	0.0480 U	0.594 U	2.16	7.06	1.0	6.1	0.319	1,600	0.296 U	18.1		
		12/02/21	370	27.9	0.130 J-	5.92	7.10	1.91	0.4	1.5	0.940	16,100	270	0.422 U		
		10/28/22	434	35.9	0.206	4.28 J	10.3	2.82	0.6	2.2	1.18	12,800	276	32.7		
		(dup)	439	36.4	0.171	4.26 J	10.3	2.71	0.6	2.1	1.16	13,100	264	31.8		
		05/11/23	–	–	–	2.0 J	11.7	8.93	–	–	1.27	12,700	306	44.3		
		(dup)	503	43.0	0.593 J	1.57 J	11.7	5.78	2.63	3.2	1.12	16,900	332	17.5		
		(dup)	499	42.1	0.0480 UJ	1.34 J	11.6	5.59	2.83	2.8	1.15	16,800	332	17.3		
		(dup)	–	–	–	0.959 J	14.2	8.61	–	–	1.18	17,100	264	2.83		
		05/28/24	–	–	–	0.986 J	13.8	8.83	–	–	1.18	17,200	279	3.12		

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co-Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-172	Property, SW quadrant	11/05/19	231	31.0	0.0227 U	22.1	3.31	0.131	-	-	0.392	18.1	0.296 U	0.422 U
		01/23/20	198	26.2	0.0227 U	26.8	4.93	0.355	0.0	0.4	1.03	301	7.66	19.4
		04/02/20	201	22.6	0.0315 J	41.8	8.49	4.78	0.0	4.8	2.58	34.7	0.296 U	0.422 U
		07/09/20	204	21.3	0.0480 U	34.3	6.99	4.88	0.2	4.7	2.05	256	0.296 U	0.422 U
		11/03/20	-	-	-	33.9	8.82	1.82	-	-	1.90	893	16.5	21.3
		05/07/21	-	-	-	23.6	4.91	5.67	-	-	0.850	4,770	0.296 U	0.422 U
		11/19/21	249	20.2	0.137 J-	25.2	6.70	0.534 J	0.1	0.4	1.58	2,570	0.296 U	0.422 U
		05/12/22	-	-	-	32.8	6.84	0.707	-	-	2.02	4,630	3.09	1.50
		10/27/22	294	25.9	0.0480 U	29.9	7.79 J+	0.514	0.3	0.3	2.22	5,210	0.296 U	0.422 U
		05/11/23	-	-	-	30.3	10.2	1.14	-	-	2.93	8,530	6.35	1.98
		11/02/23	407	26.9	0.0594 U	28.2	12.8	1.14	0.296	0.8	4.62	8,800	17.9	0.860 J
		05/24/24	-	-	-	24.0	6.86	3.58	-	-	1.80	11,100	17.1	11.5
		MW-176 (dup)	Property, SE quadrant	11/01/19	358	12.3	0.0227 U	15.2	1.65	0.351	0.0	0.4	0.310	20.4
05/24/24	-			-	-	1.68 J	20.2	10.8	-	-	2.54	28,000	441	0.422 U
01/28/20	186			11.5	0.0227 U	14.4	1.55	0.256	0.2	0.1	0.310	21.7	0.296 U	0.422 U
01/28/20	184			11.4	0.0227 U	14.7	1.62	0.258	0.2	0.1	0.301	18.8	0.296 U	0.422 U
05/01/20	198			11.3	0.0480 U	13.8	1.79	0.802	0.5	0.3	0.310	28.8	0.296 U	0.422 U
07/09/20	207			11.0	0.0480 U	10.3	1.57	6.74	2.5	4.2	0.341	71.8	0.296 U	0.422 U
12/02/21	625			57.5	0.100 UJ	0.988	9.53	5.04	3.5	1.5	1.59	6,220	123	11.8
10/27/22	840			68.6	0.0480 U	0.594 U	16.4	11.4	4.1	7.3	2.29	28,900	590	30.1
05/11/23	-			-	-	2.79 J	16.8	12.0	-	-	2.36	26,300	407	2.5
11/02/23	919			76.6	0.0514 U	0.657 J	17.6	14.2	11.4	2.8	2.62	32,900	489	6.67
MW-180	Property, SW quadrant	11/06/19	940	50.8	0.0227 U	86.8	193	17.7	2.5	15.2	15.7	6,310	0.296 U	49.2
		01/24/20	623	46.9	0.0227 U	97.8	37.5	17.2	1.0	16.2	9.14	2,300	6.29	103
		04/01/20	489	34.6	0.0287 J	68.3	40.9	19.6	-	-	5.00	12,700	2.65	0.422 U
		07/10/20	397	31.8	0.0480 U	63.1	23.1	20.1	2.5	17.6	3.17	13,600	0.296 U	0.422 U
		11/03/20	-	-	-	55.5	25.3	14.1	-	-	3.53	21,700	6.99	33.2
		05/06/21	-	-	-	40.4	29.1	15.8	-	-	4.09	20,600	8.59	41.2
		12/03/21	755	44.6	0.100 UJ	23.3	28.1	20.9	7.0	13.9	5.52	23,000	36.5	98.3
		05/10/22	-	-	-	24.5	27.7	18.7	-	-	6.08	12,500	28.1	83.4
		10/26/22	1,150	74.6	0.0480 U	24.1	34.7	23.7	5.8	18.0	8.18	14,700	39.1	99.8
		05/10/23	-	-	-	14.0	33.2	19.7	-	-	8.57	20,200	213	210
		11/01/23	1,340	167	0.0659 J	27.0	29.7	26.5	-	-	7.81	24,500	159	109
		05/24/24	-	-	-	23.6	29.5	17.7	-	-	7.24	14,600	89.0	71.8
		MW-184	Property, SW quadrant	11/08/19	156	10.8	0.0284 J	14.3	1.08	0.084 J	0.0	0.1	0.268	8.35
01/27/20	141			8.94	0.065 J	13.4	1.35	0.256	0.3	0.0	0.332	0.287 U	0.296 U	0.422 U
04/01/20	152			8.68	0.0277 J	6.06	1.52	4.90	4.1	0.8	0.364	9.82	0.296 U	5.11
07/08/20	160			10.9	0.0480 U	18.4	1.94	0.392	0.2	0.2	0.581	1,310	0.296 U	0.422 U
11/04/20	-			-	-	28.5	3.92	2.89	-	-	2.28	4,380	0.296 U	0.422 U
05/06/21	-			-	-	14.8	2.31	1.87	-	-	0.522	690	0.296 U	14.3
11/18/21	298			19.9 J	0.500 U	34.3	12.7	1.35	0.5	0.9	3.83	1,480	0.296 U	0.422 U
05/10/22	-			-	-	29.9	11.1	1.14	-	-	3.50	1,610	4.63	6.02
10/25/22	303			23.7	0.132	29.7	9.49	1.16	0.0	1.1	3.72	1,720	7.45	6.31
05/10/23	-			-	-	21.0	10.4	21.4	-	-	2.89	1,920	12.7	23.9
11/02/23	395			29.6	0.0558 U	32.6	14.6	2.09	-	-	4.72	1,930	12.4	15.4
05/23/24	-			-	-	11.7	5.04	1.78	-	-	1.35	3,020	7.59	67.6

**Table 8
Groundwater Natural Attenuation Parameters
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington**

Sample Location	Description Location Description	Sample Date	Alkalinity (mg CaCO ₃ /L)	Chloride (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	TOC (mg/L)	Iron (mg/L)			Total Manganese (mg/L)	Dissolved Gases (µg/L)		
								Total	Ferrous	Ferric		Methane	Ethane	Ethene
MW-188	Property, SE quadrant	10/31/19	196	22.0	0.0231 J	38.7	1.41	0.325	0.5	0.0	0.387	0.287 U	0.296 U	0.422 U
		01/29/20	187	23.9	0.0227 U	31.7	1.31	0.668	0.5	0.2	0.460	102	0.296 U	0.422 U
		04/02/20	198	25.4	0.0227 U	31.8	1.03	4.98	4.2	0.8	0.476	204	0.296 U	0.422 U
		07/08/20	204	22.5	0.0480 U	36.2	0.958 J	2.39	0.8	1.6	0.444	66.1	0.296 U	0.422 U
		11/18/21	277	39.6 J	0.500 U	23.6	2.52	1.22	–	–	0.521	4,050	78.4	0.422 U
		10/26/22	264	41.4	0.0480 U	24.4	1.97	1.19	0.1	1.1	0.579	927	24.1	0.422 U
		05/11/23	–	–	–	23.9	3.95	1.94	–	–	0.578	599	19.2	0.422 U
		11/03/23	298	42.5	0.0780 J	20.4	2.05	2.03	–	–	0.667	883	23.3	0.422 U
		05/24/24	–	–	–	16.8	10.1	6.42			0.644	1,520	36.2	1.49

Notes:

Alkalinity analyzed by EPA Method 2320.
 Anions analyzed by EPA Method 9056A.
 Total Organic Carbon (TOC) analyzed by EPA Method 9060A.
 Metals Analyzed by EPA Method 6020B.
 Ferrous Iron measured during field sampling using a Hach field kit.
 Dissolved gases analyzed by EPA Method RSK175.
 Ferric iron = total iron minus ferrous iron; if total iron < ferrous iron, ferric iron is reported as zero ("0").
 mgCaCO₃/L= milligrams of calcium carbonate per liter
 mg/L = milligrams per liter
 ug/L = micrograms per liter
 Samples prior to 2017 were collected by SoundEarth Strategies (SES).
 U = Not detected at or above the laboratory method detection limit (MDL).
 Detected results shown in bold.
 J = The identification of the analyte is acceptable; the reported value is an estimate.
 J+ = The identification of the analyte is acceptable; the reported value is an estimate, but the result may be biased high.
 R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample.
 – = Not sampled or results not available.
 Beginning October 2020, select locations were sampled for an abbreviated analyte list (Sulfate, TOC, Total Iron, Total Manganese, Methane, Ethane, and Ethene).

Table 9
Dehalococcoides Data, Treatment Zone Monitoring Wells
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Treatment Zone	Sample Date	Dehalococcoides (Dhc)		VC Reductase (vcrA)		BAV1 VC Reductase (bvcA)		TCE Reductase (tceA)	
			Percent Population ^a	Enumeration Per Liter ^b	Percent Population ^c	Enumeration Per Liter	Percent Population ^c	Enumeration Per Liter	Percent Population ^c	Enumeration Per Liter
Well Cluster 1 (Plume Wells)										
MW-166 (-12.6 to -22.6)	B	08/10/21	0.2 - 0.6 %	2E+06	0.3 - 0.9 %	2E+06	0.03 - 0.1 %	3E+05	0.006 - 0.02 %	5E+04
Well Cluster 2 (Source Area Wells)										
MW-170 (-12.8 to -22.8)	B	08/09/21	0.8 - 2 %	8E+06	0.6 - 2 %	6E+06	0.4 - 1 %	4E+06	0.4 - 1 %	4E+06
Well Cluster 4 (Source Area Wells)										
MW-177 (2.3 to -7.7)	A	08/09/21	14 - 35 %	3E+08	4 - 11 %	8E+07	16 - 40 %	4E+08	1 - 3 %	2E+07
MW-179 (-27.2 to -37.2)	C	08/09/21	8 - 23 %	9E+08	1 - 4 %	2E+08	0.3 - 0.8 %	3E+07	12 - 32 %	1E+09
Well Cluster 5 (Plume Wells)										
MW-181 (1.5 to -8.5)	A	08/09/21	7 - 20 %	2E+08	5 - 15 %	1E+08	5 - 15 %	1E+08	5 - 14 %	1E+08
MW-182 (-12.5 to -22.5)	B	08/09/21	10 - 26 %	4E+08	7 - 19 %	3E+08	8 - 21 %	3E+08	5 - 14 %	2E+08

Notes:

- a = Percent *Dehalococcoides* (Dhc) in microbial population. This value is calculated by dividing the number of Dhc 16S ribosomal ribonucleic acid (rRNA) gene copies by the total number of bacteria as estimated by the mass of DNA extracted from the sample. Range represent normal variation in Dhc enumeration.
 - b = Based on quantification of Dhc 16s rRNA gene copies. Dhc are generally reported to contain one 16s rRNA gene copy per cell; therefore, this number is often interpreted to represent the number of Dhc cells present in the sample.
 - 10⁵-10⁶ Dhc gene copies per liter: indicates the sample contains moderate concentrations of Dhc which may, or may not, be associated with observable dechlorination activity.
 - 1 x 10⁷ Dhc gene copies per liter (or above): indicates that the sample contains high concentrations of Dhc often associated with significant dechlorination rates.
 - c = Percent of functional gene in microbial population. This value is calculated by dividing the functional gene copies quantified by the total number of estimated prokaryotes in the sample (based on the total quantity of DNA extracted from the sample). A value of 100% would suggest that all microbes in the sample contain the gene.
- Well screen elevations (feet relative to the North American Vertical Datum of 1988 (NAVD88)) shown in parentheses.
 No data was collected in 2024.

Table 10

**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)											
				Benzene		PCE		TCE		cDCE		tDCE		VC	
Screening Level				11		320		11		-		610		9.5	
SV01 (30.4 to 29.9) (duplicate)	8th Ave N	SV01-20130311	03-11-13	-		1.5		0.16	U	0.31		0.58	U	0.71	
		SV01-092518	09-25-18	1.28	U	2.72	UJ	2.14	U	1.59	U	1.59	U	1.02	U
		SV01-092518-D	09-25-18	1.28	U	137	J	2.14	U	1.59	U	1.59	U	1.02	U
		SV01-020619	02-06-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
(duplicate)		SV01-042919	04-29-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
		SV01-042919-D	04-29-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
(duplicate)		SV-01-071919	07-19-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
		SV-01-071919-D	07-19-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
(duplicate)		SV01-110119	11-01-19	0.719		1.36	UJ	1.07	U	0.793	U	0.793	U	0.511	U
		SV01-110119-D	11-01-19	0.639	U	2.75	J	1.07	U	0.793	U	0.793	U	0.511	U
(duplicate)		SV01-012720	01-27-20	0.776		1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV01-012720-D	01-27-20	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
(duplicate)		SV01-040120	04-01-20	-		1.66		1.07	U	0.793	U	0.793	U	0.511	U
		SV01-040120-D	04-01-20	-		1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV01-071520	07-15-20	0.639	U	1.79		1.07	U	0.793	U	0.793	U	0.511	U
		SV-01-110820	11-08-20	0.639	U	1.55		1.07	U	0.793	U	0.793	U	0.511	U
		SV01-020721	02-07-21	7.54		1.36	U	1.07	U	1.09		0.793	U	180	
		SV01-051221	05-12-21	12.2		2.76		1.07	U	8.60		0.793	U	409	
(duplicate)		SV-907-051121	05-12-21	14.5		2.97		1.19		9.99		0.816		473	
		SV01-081421	08-14-21	29.1	J	12.8	J	1.07	U	33.0	J	2.54	J	478	J
(duplicate)		SV-908-081221	08-12-21	29.2	J	15.8	J	1.07	U	33.1	J	2.60	J	445	J
		SV01-121721	12-17-21	18.8		8.15		1.07	U	23.2		1.65		160	
		SV01-030822	03-08-22	13.9		4.28		1.07	U	13.3		0.959		55.5	
		SV01-050422	05-04-22	15.3		4.79		1.07		11.8		1.03		28.9	
		SV-01-082222	08-22-22	28.0		6.42		1.07	U	25.2		2.01		50.6	
		SV01-111022	11-10-22	16.5		5.90		1.07	U	21.8		1.72		28.6	
	SV01-022323	02-23-23	0.639	U	3.22		1.07	U	0.793	U	0.793	U	0.511	U	
	SV01-080923	08-09-23	0.639	U	7.60	J	1.07	U	0.793	U	0.793	U	0.511	U	
(duplicate)	SV-910-080923	08-09-23	0.639	U	13.50	J	1.07	U	0.793	U	0.793	U	0.511	U	
	SV01-111623	11-16-23	0.639	U	4.15		1.07	U	0.793	U	0.793	U	0.511		
	SV01-031924	03-19-24	0.639	U	3.20		1.07	U	0.793	U	0.793	U	0.511	U	
	SV01-061224	06-12-24	0.639	U	2.60		1.07	U	0.793	U	0.793	U	0.511	U	

Table 10

**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)											
				Benzene		PCE		TCE		cDCE		tDCE		VC	
Screening Level				11		320		11		–		610		9.5	
SV02 (32.1 to 31.6)	8th Ave N	SV02-20130311	03-11-13	–		2.3		0.17	U	0.12	U	0.61	U	0.04	U
		SV02-092518	09-25-18	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
		SV02-020619	02-06-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
		SV02-042919	04-29-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
		SV-02-071919	07-19-19	1.28	U	31.3		2.14	U	1.59	U	1.59	U	1.02	U
		SV02-110119	11-01-19	0.639	U	14.5		1.07	U	0.793	U	0.793	U	0.511	U
		SV02-071720	07-17-20	1.01		9.51		1.07	U	0.793	U	0.793	U	0.511	U
SV03 (31.8 to 31.3)	8th Ave N	SV03-20130311	03-11-13	–		4.6		0.39		0.12	U	0.58	U	0.037	U
		SV03-092518	09-25-18	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
		SV03-020619	02-06-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
		SV03-042919	04-29-19	1.28	U	2.72	U	2.14	U	1.59	U	1.59	U	1.02	U
SV-04 (38.6 to 38.1)	Roy St	SV-04-071620	07-16-20	0.639	U	31.8		1.07	U	0.793	U	0.793	U	0.511	U
		SV-04-111020	11-10-20	0.639	U	21.8		1.07	U	0.793	U	0.793	U	0.511	U
		SV-04-081221	08-12-21	0.639	U	44.9		1.07	U	0.793	U	0.793	U	0.511	U
SV-05 (31.6 to 31.1)	Roy St	SV-05-071620	07-16-20	3.71		34.5		1.07	U	0.793	U	0.793	U	0.511	U
		SV-05-111020	11-10-20	1.24		55.2		1.07	U	0.793	U	0.793	U	0.511	U
		SV-05-081221	08-12-21	0.639	U	97.1		1.07	U	0.793	U	0.793	U	0.511	U
SV-06 (47.9 to 47.4)	Roy St	SV-06-071620	07-16-20	0.639	U	105		1.07	U	0.793	U	0.793	U	0.511	U
		SV-06-111020	11-10-20	0.639	U	79.4		1.07	U	0.793	U	0.793	U	0.511	U
		SV-06-020321	02-03-21	1.01		58.3		1.07	U	0.793	U	0.793	U	0.511	U
		SV-06-050621	05-06-21	0.639	U	61.8		1.07	U	0.793	U	0.793	U	0.511	U
SV-07 (duplicate) (38.9 to 38.4)	Roy St	SV-07-071620	07-16-20	6.07		43.5		1.07	U	0.793	U	0.793	U	0.511	U
		SV-901-071620	07-16-20	5.81		42.5		1.18		0.793	U	0.793	U	0.511	U
		SV-07-111020	11-10-20	0.639	U	51.6		1.32		0.793	U	0.793	U	0.511	U
		SV-07-020321	02-03-21	0.974		30.3		1.07	U	0.793	U	0.793	U	0.511	U
		SV-07-050621	05-06-21	0.639	U	26.4		1.07	U	0.793	U	0.793	U	0.511	U

Table 10

**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)											
				Benzene		PCE		TCE		cDCE		tDCE		VC	
Screening Level				11	320	11	–	610	9.5						
SV-08 (31.4 to 30.9)	8th Ave N	SV-08-071420	07-14-20	0.639	U	2.91		1.07	U	0.793	U	0.793	U	0.511	U
		SV-08-110220	11-02-20	0.639	U	14.6		1.07	U	0.793	U	0.793	U	0.511	U
		SV-08-020321	02-03-21	0.639	U	6.26		1.07	U	0.793	U	0.793	U	0.511	U
		SV-08-050521	05-05-21	0.754		7.06		1.07	U	0.793	U	0.793	U	0.511	U
		SV-08-030722	03-07-22	0.639	U	6.05		1.07	U	0.793	U	0.793	U	0.511	U
		SV-08-080923	08-09-23	0.639	U	30.4		1.07	U	0.793	U	0.793	U	0.511	U
		SV-08-061124	06-11-24	0.645		8.01		1.07	U	0.793	U	0.793	U	0.511	U
SV-09 (duplicate) (35.3 to 34.8) (duplicate)	8th Ave N	SV-09-071420	07-14-20	0.639	U	20.2		1.07	U	0.793	U	0.793	U	0.511	U
		SV-900-071420	07-14-20	0.639	U	28.3		1.07	U	0.793	U	0.793	U	0.511	U
		SV-09-110220	11-02-20	0.639	U	9.30		17.4		0.793	U	0.793	U	0.511	U
		SV-09-020321	02-03-21	0.639	U	6.99		1.07	U	0.793	U	0.793	U	0.511	U
		SV-904-020321	02-03-21	0.639	U	6.93		1.07	U	0.793	U	0.793	U	0.511	U
		SV-09-050521	05-05-21	0.639	U	12.6		1.07	U	0.793	U	0.793	U	0.511	U
		SV-09-030722	03-07-22	0.639	U	6.52		1.07	U	0.793	U	0.793	U	0.511	U
		SV-09-080923	08-09-23	0.639	U	45.40		1.07	U	0.793	U	0.793	U	0.511	U
SV-09-061124	06-11-24	0.639	U	16.4		1.07	U	0.793	U	0.793	U	0.511	U		
SV-10 (46.3 to 45.8)	Valley St	SV-10-071620	07-16-20	0.891		7.13		1.07	U	0.793	U	0.793	U	0.511	U
		SV-10-110820	11-08-20	0.639	U	5.17		1.07	U	0.793	U	0.793	U	0.511	U
		SV-10-020521	02-05-21	0.639	U	1.89		1.07	U	0.793	U	0.793	U	0.511	U
		SV-10-050521	05-05-21	0.639	U	3.27		1.07	U	0.793	U	0.793	U	0.511	U
SV-11 (37.4 to 36.9) (duplicate)	Valley St	SV-11-071620	07-16-20	0.639	U	55.8		1.43		0.793	U	0.793	U	0.511	U
		SV-11-110820	11-08-20	0.719		1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-902-110820	11-08-20	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-11-020621	02-06-21	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-11-050521	05-05-21	0.639	U	3.03		1.07	U	0.793	U	0.793	U	0.511	U
SV-12 (39.1 to 38.6)	Valley St	SV-12-071620	07-16-20	0.811		7.40		1.07	U	0.793	U	0.793	U	0.511	U
		SV-12-110820	11-08-20	0.639	U	3.19		2.14		1.20		0.793	U	0.511	U
		SV-12-020521	02-05-21	0.639	U	1.72		1.07	U	0.793	U	0.793	U	0.511	U
		SV-12-050221	05-02-21	0.639	U	2.41		1.07	U	0.793	U	0.793	U	0.511	U
		SV-12-030322	03-03-22	0.639	U	1.88		1.07	U	0.793	U	0.793	U	0.511	U
		SV-12-080923	08-09-23	17.9		4.84		1.07	U	0.793	U	0.793	U	0.511	U
		SV-12-061224	06-12-24	0.639	U	8.55		1.07	U	0.793	U	0.793	U	0.511	U

Table 10

**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)											
				Benzene		PCE		TCE		cDCE		tDCE		VC	
Screening Level				11		320		11		–		610		9.5	
SV-13 (32.9 to 32.4)	Valley St	SV-13-071620	07-16-20	0.639	U	3.23		1.07	U	0.793	U	0.793	U	0.511	U
		SV-13-110820	11-08-20	0.639	U	3.46		1.07	U	0.793	U	0.793	U	0.511	U
		SV-13-020521	02-05-21	0.639	U	2.62		1.07	U	0.793	U	0.793	U	0.511	U
		SV-13-081221	08-12-21	0.639	U	3.86		1.07	U	0.793	U	0.793	U	0.511	U
		SV-13-030722	03-07-22	0.639	U	2.71		1.07	U	0.793	U	0.793	U	0.511	U
		SV-13-080923	08-09-23	0.639	U	3.90		1.07	U	0.793	U	0.793	U	0.511	U
		SV-13-061224	06-12-24	0.639	U	1.36		1.07	U	0.793	U	0.793	U	0.511	U
SV-14 (35.4 to 34.9)	Roy St	SV-14-071620	07-16-20	0.639	U	3.61		1.07	U	0.793	U	0.793	U	0.511	U
		SV-14-120220	12-02-20	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-14-020321	02-03-21	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-14-050421	05-04-21	0.639	U	1.42		1.07	U	0.793	U	0.793	U	0.511	U
SV-15 (28.5 to 28.0)	Roy St	SV-15-071620	07-16-20	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-15-120220	12-02-20	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-15-020321	02-03-21	0.898		1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-15-050421	05-04-21	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	31.7	
		SV-15-081221	08-12-21	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
SV-16 (37.5 to 37.0)	8th Ave N	SV-16-071520	07-15-20	0.639	U	6.86		1.07	U	0.793	U	0.793	U	0.511	U
		SV-16-111920	11-19-20	0.639	U	4.20		1.07	U	0.793	U	0.793	U	0.511	U
		SV-16-020721	02-07-21	0.639	U	2.83		1.07	U	0.793	U	0.793	U	0.511	U
		SV-16-051021	05-10-21	0.639	U	153		12.8		1.17		1.29		0.511	U
		SV-16-081321	08-13-21	0.639	U	5.86		1.07	U	0.793	U	0.793	U	0.511	U
SV-17 (36.6 to 36.1)	8th Ave N	SV-17-071620	07-16-20	0.639	U	4.80		1.07	U	0.793	U	0.793	U	0.511	U
		SV-17-110220	11-02-20	0.639	U	6.65		1.07	U	0.793	U	0.793	U	0.511	U
		SV-17-020721	02-07-21	7.03		1.51		1.07	U	0.793	U	0.793	U	0.511	U
		SV-17-050621	05-06-21	0.639	U	1.79		1.07	U	0.793	U	0.793	U	0.511	U
		SV-17-030722	03-07-22	0.664		1.74		1.07	U	0.793	U	0.793	U	0.511	U
		SV-17-111623	11-16-23	0.639	U	5.08		1.07	U	0.793	U	0.793	U	0.511	U
		SV-17-061224	06-12-24	0.639	U	1.75		1.07	U	0.793	U	0.793	U	0.511	U

Table 10

**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**

Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)											
				Benzene		PCE		TCE		cDCE		tDCE		VC	
Screening Level				11	320	11	–	610	9.5						
SV-22 (25.7 to 25.2)	Alley Between 8th & 9th	SV-22-071520	07-15-20	0.639	U	14.9		1.07	U	0.793	U	0.793	U	0.511	U
		SV-22-110920	11-09-20	0.639	U	11.1		1.07	U	0.793	U	0.793	U	0.511	U
		SV-22-020321	02-03-21	0.639		8.08		1.07	U	0.793	U	0.793	U	0.511	U
		SV-22-050421	05-04-21	0.639	U	7.26		1.07	U	0.793	U	0.793	U	0.511	U
		SV-22-030322	03-03-22	0.639	U	8.83		1.07	U	0.793	U	0.793	U	0.511	U
		SV-22-081123	08-11-23	0.639	U	18.90		5.21		0.793	U	0.793	U	0.511	U
		SV-22-061124	06-11-24	0.639	U	8.96		1.07	U	0.793	U	0.793	U	0.511	U
SV-23 (27.9 to 27.4)	Alley Between 8th & 9th	SV-23-071420	07-14-20	0.639	U	9.30		1.07	U	0.793	U	0.793	U	0.511	U
		SV-23-110920	11-09-20	0.639	U	5.97		1.07	U	0.793	U	0.793	U	0.511	U
		SV-23-020321	02-03-21	5.30		3.23		1.07	U	0.793	U	0.793	U	0.511	U
		SV-23-050421	05-04-21	5.49		3.98		1.07	U	0.793	U	0.793	U	0.511	U
		SV-23-030322	03-03-22	0.639	U	3.28		1.07	U	0.793	U	0.793	U	0.511	U
		SV-23-081023	08-10-23	0.639	U	1.46		1.07	U	0.793	U	0.793	U	0.511	U
		SV-23-061024	06-10-24	1.57		6.57		1.07	U	1.89		0.793	U	0.511	U
SV-24 (23.8 to 23.3)	Alley Between 8th & 9th	SV-24-071420	07-14-20	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-24-110920	11-09-20	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-24-020321	02-03-21	273	J	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-24-050421	05-04-21	0.639	U	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-24-111623	11-16-23	0.639	U	8.96	J	1.07	U	0.793	U	0.793	U	0.511	U
		SV-24-061024	06-10-24	1.82	J	5.45	J	1.07	U	0.793	U	0.793	U	0.511	U
		SV-25 (52.7 to 52.2) (duplicate)	Dexter Ave N	SV-25-071520	07-15-20	1.49		215		1.07	U	0.793	U	0.793	U
SV-25-110920	11-09-20	1.01			14.8	J	1.07	U	0.793	U	0.793	U	0.511	U	
SV-903-110920	11-09-20	0.818			54.0	J	1.07	U	0.793	U	0.793	U	0.511	U	
SV-25-020621	02-06-21	0.639		U	73.3		1.07	U	0.793	U	0.793	U	0.511	U	
SV-25-050521	05-05-21	0.639		U	121		1.07	U	0.793	U	0.793	U	0.511	U	
SV-26 (46.7 to 46.2)	Dexter Ave N	SV-26-071520	07-15-20	4.57		66.9		2.61		0.793	U	0.793	U	0.511	U
		SV-26-111120	11-11-20	0.639	U	105		2.37		0.793	U	0.793	U	0.511	U
		SV-26-050621	05-06-21	0.639	U	51.6		1.07	U	0.793	U	0.793	U	0.511	U

Table 10

**Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North Seattle, Washington**


Sample Probe	Location Description	Sample Name	Sample Date	Analytical Results (micrograms per cubic meter)											
				Benzene		PCE		TCE		cDCE		tDCE		VC	
Screening Level				11		320		11		–		610		9.5	
SV-27 (44.1 to 43.6) (duplicate)	Dexter Ave N	SV-27-071520	07-15-20	0.639	U	95.7		1.07	U	0.793	U	0.793	U	0.511	U
		SV-27-110920	11-09-20	0.661		87.6		1.07	U	0.793	U	0.793	U	0.511	U
		SV-27-020621	02-06-21	0.901	J	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-905-020621	02-06-21	4.25	J	1.36	U	1.07	U	0.793	U	0.793	U	0.511	U
		SV-27-050521	05-05-21	0.639	U	65.9		1.07	U	0.793	U	0.793	U	0.511	U
SV-28 (53.1 to 52.6)	Dexter Ave N	SV-28-071720	07-17-20	0.639	U	31.6		1.07	U	0.793	U	0.793	U	0.511	U
		SV-28-110920	11-09-20	0.639	U	79.4		1.07	U	0.793	U	0.793	U	0.511	U
		SV-28-020621	02-06-21	0.639	U	36.0		1.07	U	0.793	U	0.793	U	0.511	U
		SV-28-050521	05-05-21	0.639	U	55.7		1.07	U	0.793	U	0.793	U	0.511	U
<p><u>Notes:</u> Laboratory analyses conducted by Air Toxics Ltd. of Folsom, CA (2013 samples) and ESC/Pace Analytical of Mount Juliet, TN (2018-2021 samples). VOCs analyzed by U.S. Environmental Protection Agency Method TO-15 or Modified TO-15 Selective Ion. Screen Elevation is shown beneath Probe Location in parentheses. Screen Elevation is relative to NAVD88 Vertical Datum. Survey data is from 06/16/2020-07/31/2020. Screening levels based on CLARC, July 2021, Vapor Intrusion Method B table, Sub-Slab Soil Gas Screening Levels (if available), or Method B Indoor Air Cleanup Levels with a 10x vapor attenuation factor if a sub-slab cleanup level is not available. – = Screening level not established. U = Not detected at a concentration exceeding the laboratory reporting limit. Detected results shown in bold, detections exceeding MTCA Method B sub-slab screening levels shown in bold and highlighted in gray. PCE = Perchloroethylene (Tetrachloroethene) TCE = Trichloroethene cDCE = cis-1,2-Dichloroethene tDCE = trans-1,2-Dichloroethene VC = Vinyl chloride (duplicate) = Field duplicate. Samples collected concurrently.</p>															

Table 11
Farallon Wells Excluded From the 2024 Quarter 1 and Quarter 2 Contour Maps
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Shallow			Intermediate A			Intermediate B			Deep		
X-coordinates	Y-coordinates	Well Location	X-coordinates	Y-coordinates	Well Location	X-coordinates	Y-coordinates	Well Location	X-coordinates	Y-coordinates	Well Location
1269503.455	231645.6208	MW-45	1269414.236	231121.3122	FMW-150	1269433.501	231253.1744	OW-1	N/A	N/A	N/A
1269499.135	231564.4861	MW-50	1269388.103	231210.1119	FMW-151	1269429.926	231122.0727	OW-2			
1269563.379	231642.4492	MW-54	1269353.91	231326.74	FMW-152	1269314.71	231013.84	OW-3			
1269362.515	231643.1221	MWR-3	1269352.62	231043	FMW-153	1269324.75	231369.61	OW-5			
1269561.305	231566.9737	MWR-6	1269341.77	231556.91	B-37-7						
1269551.763	231637.8439	FMW-139	1269448.08	231558.97	B-37-8						
1269137.925	231878.6866	B43-FMW-1	1268586.161	231391.7096	MW-4						
1269102.034	231531.7733	B43-FMW-2	1269437.13	231346.24	FMW-157						
1269138.789	231803.7262	B43-FMW-3	1269554.298	231544.625	B-37-9						
1269119.723	231794.9535	B43-FMW-4									
1269064.155	231770.1212	B43-FMW-5									
1269078.31	231840.3822	B43-FMW-6									
1269224.39	231813.92	SVE-1									
1269237.63	231787.92	SVE-2									
1269143.72	231805.3	SVE-3									
1269199.12	231831.54	SVE-4									
1269167.892	231816.653	SVE-5									
1268584.205	231261.5012	MW-1									
1268485.636	231262.231	MW-2									
1268390.52	231361.9265	MW-3									
1268469.64	231378.29	MW-5									
1269456.65	231826.6093	B-37-3									
1269554.931	231824.7241	B-37-4									
1269446.845	231715.7181	B-37-5									
1269561.875	231753.5438	B-37-6									

Note:
 These wells are not included in the NV5 groundwater monitoring plan.

FIGURES



- Explanation**
- SW-A
 -
 - Type 1 Perimeter Injection Well
 - Type 2 Perimeter Injection Well
 - MW101
 - GEI-4
 - W-MW-02
 - MW105
 - MW-344
 - MW-345
 - MW-165
 - MW-166
 - MW-167
 - MW-168
 - DW-1
 - SV03
 - SV03
 -
 - N 231800
E 1268300
 -

