

ATTACHMENT A

WELL COMPLETION TABLE

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
Shallow Zone Monitoring Wells																				
B-37-3	Block 37, NW quadrant	N	NA	NA	NA	1,269,456.65	231,826.61	Unknown	NA	NA	—	—	26.78	15	25	11.8	1.8	NA	—	—
B-37-4	Block 37, NE quadrant	N	NA	NA	NA	1,269,554.93	231,824.72	Unknown	NA	NA	—	—	27.2	15	25	12.2	2.2	NA	—	—
B-37-5	Block 37, center of Property	N	NA	NA	NA	1,269,446.85	231,715.72	Unknown	NA	NA	—	—	27.55	15	25	12.6	2.6	NA	—	—
B-37-6	Block 37, NE quadrant	N	NA	NA	NA	1,269,561.88	231,753.54	Unknown	NA	NA	—	—	27.54	15	25	12.5	2.5	NA	—	—
B43-FMW-1	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,137.93	231,878.69	Unknown	NA	NA	—	—	30.19	7.5	20	22.7	10.2	NA	—	—
B43-FMW-2	Mercer St ROW, N side (Block 43)	N	NA	NA	NA	1,269,102.03	231,531.77	Unknown	NA	NA	—	—	34.64	5	15	29.6	21.6	NA	—	—
B43-FMW-3	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,138.79	231,803.73	Unknown	NA	NA	—	—	29.96	10	20	20	10	NA	—	—
B43-FMW-4	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,119.72	231,794.95	Unknown	NA	NA	—	—	30.33	10	20	20.3	10.3	NA	—	—
B43-FMW-5	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,064.16	231,770.12	Unknown	NA	NA	—	—	32.67	8	18	24.7	14.7	NA	—	—
B43-FMW-6	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,078.31	231,840.38	Unknown	NA	NA	—	—	32.42	8	18	24.4	14.4	NA	—	—
DMW-1S	615 Dexter, SE quadrant	Y	Yes	BLR921	03/05/19	1,268,247.25	231,651.70	Apr 2019	30.2	27.0	55.94	56.06	55.76	17.0	27.0	38.9	28.9	2	HSA	-
DMW-2S	615 Dexter, SE quadrant	Y	Yes	BME933	03/02/20	1,268,261.67	231,660.98	Mar 2020	40.4	35.0	56.03	56.07	55.74	25.0	35.0	31.0	21.0	2	HSA	-
DMW-4S	Alley S of SE quadrant of 615 Dexter	Y	Yes	BME929	02/26/20	1,268,253.79	231,624.29	Mar 2020	70.3	33.0	61.76	61.78	61.54	23.0	33.0	38.8	28.8	2	HSA	-
DMW-5IA	Alley S of 615 Dexter	Y	Yes	BME930	02/28/20	1,268,079.48	231,627.71	Mar 2020	70.3	50	69.48	69.48	69.15	39.8	49.8	29.7	19.7	2	HSA	-
DMW-6	615 Dexter, NE quadrant	Y	Yes	BME934	03/04/20	1,268,185.85	231,731.42	Mar 2020	50.3	44	66.30	66.30	66.08	34.0	44.0	32.3	22.3	2	HSA	-
DMW-7S	Dexter Ave N ROW, W side	Y	Yes	BLY432	10/26/20	1,268,275.54	231,679.41	Nov 2020	38.0	38.0	58.34	58.38	58.01	28.0	38.0	30.3	20.3	2	Sonic	-
DMW-8S	Dexter Ave N ROW, W side	Y	Yes	BLY431	10/27/20	1,268,275.52	231,659.22	Nov 2020	37.0	37.0	58.57	58.59	58.35	27.0	37.0	31.6	21.6	2	Sonic	-
DMW-9S	Dexter Ave N ROW, W side	Y	Yes	BLY430	10/27/20	1,268,275.18	231,623.75	Nov 2020	33.0	33.0	58.85	58.88	58.55	23.0	33.0	35.9	25.9	2	Sonic	-
DMW-10S	601 Dexter, NE quadrant	Y	Yes	BNF363	10/19/20	1,268,260.63	231,588.90	Nov 2020	55.3	55.0	59.46	59.55	59.24	35.0	55.0	24.5	4.5	2	HSA	-
DMW-11S	601 Dexter, NE quadrant	Y	Yes	BNF365	10/20/20	1,268,238.63	231,596.22	Nov 2020	55.2	50.0	61.15	61.19	60.86	30.0	50.0	31.2	11.2	2	HSA	-
DMW-12S	615 Dexter, S central edge of property	Y	Yes	BNF364	10/20/20	1,268,169.70	231,632.93	Nov 2020	55.5	55.0	66.05	66.02	65.67	30.0	50.0	36.1	16.1	2	HSA	-
DMW-13S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BMP376	10/23/20	1,268,126.09	231,631.33	Nov 2020	50.4	50.0	66.28	66.30	65.02	30.0	50.0	36.3	16.3	2	HSA	-
DMW-14S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BLY433	10/26/20	1,268,064.11	231,627.59	Nov 2020	51.0	51.0	70.29	70.32	70.15	41.0	51.0	29.3	19.3	2	Sonic	-
FMW-132	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	10	10.0	-	-	25.48	5.0	10.0	20.5	15.5	2	HSA	-
FMW-133	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	26.5	11.5	-	-	24.87	6.5	11.5	18.8	13.8	2	HSA	-
FMW-134	Block 38 West, S end	Y	TOC Elev	-	08/24/18	-	-	-	20	17.0	-	-	24.98	12.0	17.0	13.4	8.4	2	HSA	-
FMW-135	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	51.5	12.0	-	-	25.29	7.0	12.0	18.6	13.6	2	HSA	-
FMW-139	Block 37, SE quadrant	N	NA	NA	NA	1,269,551.76	231,637.84	Unknown	NA	NA	—	—	27.81	7	17	20.8	10.8	NA	—	—
FMW-143	9th Ave N ROW, E side	Y	Yes	BLW-340	07/24/19	1,268,991.70	231,901.40	Nov 2019	30	28.0	32.99	33.03	32.69	23.0	28.0	10.0	5.0	2	Sonic	-
FMW-154	Block 38 West	N	NA	NA	NA	1,269,430.17	231,126.54	Unknown	NA	NA	—	—	22.8	10	15	12.8	7.8	NA	—	—
FMW-155	Block 38 West	N	NA	NA	NA	1,269,433.30	231,262.97	Unknown	NA	NA	—	—	23.9	10	15	15.7	10.7	NA	—	—
FMW-156	Block 38 West	N	NA	NA	NA	1,269,436.89	231,342.09	Unknown	NA	NA	—	—	25.7	15	20	10.7	5.7	NA	—	—
HC-B1	701 Dexter	Y	No	BLI191	03/01/19	1,268,256.55	231,852.99	Unknown	60.3	-	58.00	-	-	30.0	40.0	28.0	18.0	2	-	-
HMW-1S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI532	03/06/19	1,268,917.04	231,663.10	Aug 2020	31.5	30.2	36.01	36.12	35.73	20.0	30.0	16.0	6.0	2	HSA	-
HMW-2S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR924	03/13/19	1,268,683.07	231,667.68	Aug 2020	30.0	30.0	47.39	47.56	47.28	19.8	29.8	27.6	17.6	2	HSA	-
HMW-9S	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ189	03/02/20	1,268,475.20	231,607.54	Aug 2020	40.0	35.0	55.39	58.79	58.54	25.0	35.0	30.4	20.4	2	Sonic	-
HMW-10S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ193	03/03/20	1,268,682.53	231,564.81	Aug 2020	40.0	35.0	48.21	51.30	51.09	24.7	34.7	23.5	13.5	2	Sonic	-
HMW-11S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ195	02/24/20	1,268,889.17	231,574.99	Aug 2020	40.0	35.0	41.47	45.06	44.77	25.0	35.0	16.5	6.5	2	Sonic	-
HMW-17S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP351	09/03/20	1,268,386.26	231,712.89	Nov 2020	45.5	45.0	57.21	57.41	57.35	35.0	45.0	22.2	12.2	2	HSA	-
HMW-18S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP352	09/03/20	1,268,386.87	231,676.51	Nov 2020	45.3	45.0	57.61	57.70	57.44	35.0	45.0	22.6	12.6	2	HSA	-
HMW-19S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP353	09/08/20	1,268,383.91	231,643.01	Nov 2020	46.4	45.0	58.20	61.35	61.08	35.0	45.0	23.2	13.2	2	HSA	-
HMW-20S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP354	09/08/20	1,268,512.50	231,636.97	Nov 2020	35.8	35.0	53.81	56.90	56.49	25.0	35.0	28.8	18.8	2	HSA	-
HMW-21S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP373	10/20/20	1,268,924.20	231,626.20	Nov 2020	41.5	40.0	38.17	38.17	37.92	30.0	40.0	8.2	-1.8	2	HSA	-
HMW-22S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP374	10/22/20	1,268,923.70	231,592.80	Nov 2020	38.5	37.0	38.75	38.77	38.58	27.0	37.0	11.8	1.8	2	HSA	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
MW-1	Block 55, N end	N	NA	NA	NA	1,268,584.21	231,261.50	Unknown	NA	NA	–	–	54.77	25	35	29.8	19.8	NA	–	–
MW-2	Block 55, N end	N	NA	NA	NA	1,268,868.77	232,061.41	Unknown	NA	NA	–	–	58.54	30	40	28.5	18.5	NA	–	–
MW-3	Block 55, N end	N	NA	NA	NA	1,268,390.52	231,361.93	Unknown	NA	NA	–	–	59.59	38	48	21.6	11.6	NA	–	–
MW-4	Block 55, N end	N	NA	NA	NA	1,268,586.16	231,391.71	Unknown	NA	NA	–	–	52.16	30	40	21.16	11.16	NA	–	–
MW-5	Block 55, N end	N	NA	NA	NA	1,268,469.64	231,378.29	Unknown	NA	NA	–	–	57.41	20	30	37.4	27.4	NA	–	–
MW-45	Block 37, SE quadrant	N	NA	NA	NA	1,269,503.46	231,645.62	Unknown	NA	NA	–	–	27.52	3	19	24.5	8.5	NA	–	–
MW-50	Block 37, SE quadrant	N	NA	NA	NA	1,269,499.14	231,564.49	Unknown	NA	NA	–	–	29.32	5	17.5	24.3	11.8	NA	–	–
MW-54	Block 37, SE quadrant	N	NA	NA	NA	1,269,563.38	231,642.45	Unknown	NA	NA	–	–	28	5	20	23	8	NA	–	–
MW121 (B121)	8th Ave N ROW, E side	Y	Yes	BID-016	12/16/13	1,268,598.04	232,091.86	Dec 2013	26.5	25.0	-	-	41.72	15.0	25.0	26.7	16.7	2	HSA	-
MW125 (B125)	Valley St ROW, N side	Y	Yes	BID-020	12/20/13	1,268,598.04	232,091.86	Dec 2013	31.5	30.0	-	-	43.55	15.0	30.0	28.6	13.6	2	HSA	-
MW-154	Roy St ROW, S side	Y	Yes	BKF-350	03/30/18	1,268,485.83	231,733.87	Apr 2018	35	35.6	53.05	53.07	52.57	25.3	35.2	27.8	17.9	2	HSA	-
MW-155	Roy St ROW, S side	Y	Yes	BKF-354	04/10/18	1,268,721.17	231,733.31	Apr 2018	30	30.0	44.39	44.44	44.05	20.0	30.0	24.4	14.4	2	HSA	-
MW-159	8th Ave N ROW, E side	Y	Yes	BKF-358	04/16/18	1,268,680.42	231,910.30	Apr 2018	31	30.9	43.25	43.28	42.79	20.4	30.4	22.9	12.9	2	HSA	-
MW-209	Valley St ROW, N side (Block 37)	N	NA	NA	NA	1269397.75	231974.2084	Unknown	NA	NA	–	–	26.88			–	–	NA	–	–
MW-210	Valley St ROW, S side	Y	Yes	NA	10/10/08	1,269,463.18	231,959.15	May 2017	20	20.0	27.09	27.17	26.57	5.0	20.0	22.1	7.1	2	HSA	-
MW-211	Valley St ROW, N side (Block 37)	N	NA	NA	NA	1269557.47	231971.4309	Unknown	NA	NA	–	–	26.48			–	–	NA	–	–
MW-212	Mercer St ROW, N side (Block 37)	N	NA	NA	NA	1269499.76	231528.331	Unknown	NA	NA	–	–	29.09			–	–	NA	–	–
MW-213	Valley St ROW, S side (Block 37)	N	NA	NA	NA	1269386.98	231865.8753	Unknown	NA	NA	–	–	27.35			–	–	NA	–	–
MW-214	Valley St ROW, S side	Y	Yes	NA	10/01/14	1,269,388.42	231,861.09	May 2017	17	17.0	27.81	27.87	27.32	7.0	17.0	20.8	10.8	2	HSA	-
MW-301	Valley St ROW, S side	Y	Yes	BLR-795	09/20/10	1,268,438.37	232,058.67	Nov 2019	30	28.4	53.84	53.84	53.54	18.3	28.3	35.6	25.6	2	Sonic	-
MW-305	Roy St ROW, S side	Y	Yes	BMF-579	10/03/19	1,268,248.04	231,758.02	Nov 2019	35	33.0	60.23	60.27	59.86	22.8	32.8	37.4	27.4	2	Sonic	-
MW-310	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-590	09/17/19	1,268,804.70	232,047.86	Nov 2019	25	23.9	32.90	32.93	32.48	13.8	23.8	19.2	9.2	2	Sonic	-
MW-312	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-589	09/17/19	1,268,807.34	231,926.26	Nov 2019	26	25.9	35.63	35.66	34.99	15.8	25.8	19.9	9.9	2	Sonic	-
MW-313	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-586	09/12/10	1,268,808.11	231,817.18	Nov 2019	30	29.6	39.81	39.84	39.53	19.5	29.5	20.4	10.4	2	Sonic	-
MW-320	9th Ave N ROW, W side	Y	Yes	BLR-800	09/29/19	1,268,936.05	231,911.09	Nov 2019	30	25.7	34.10	34.13	33.57	15.5	25.5	18.6	8.6	2	Sonic	-
MW-332	Roy St ROW, N side	Y	Yes	BMP 105	04/17/20	1,268,901.68	231,795.43	Jun 2020	30	30.6	36.32	36.3	35.72	20.3	30.3	16.0	6.0	2	Sonic	-
MW-337	Lake Union Park, N end	Y	Yes	BMP-111	05/01/20	1,269,172.36	232,192.21	Jun 2020	20	19.9	27.76	27.88	27.51	9.7	19.7	18.1	8.1	2	Sonic	-
MW-339	Lake Union Park, S end	Y	Yes	BMP-114	05/05/20	1,269,264.79	232,014.53	Jun 2020	20.3	20.3	28.25	28.37	28.06	10.1	20.1	18.2	8.2	2	Sonic	-
MW-8	Seattle Roy Aloha Shops, N end	N	TOC Elev	NA	-	-	-	-	19	19.0	-	-	33.19	4.5	19.0	28.7	14.2	2	-	-
MW-9	8th Ave N ROW, E side	N	TOC Elev	NA	-	1,268,673.31	232,099.67	Nov 2019	22	22.0	41.05	41.05	40.74	7.0	22.0	34.1	19.1	2	-	-
MWR-3	Block 37, SW quadrant	N	NA	NA	NA	1,269,362.52	231,643.12	Unknown	NA	NA	–	–	29.67	7	17	22.7	12.7	NA	–	–
MWR-6	Block 37, SE quadrant	N	NA	NA	NA	1,269,561.31	231,566.97	Unknown	NA	NA	–	–	29.12	8	18	21.1	11.1	NA	–	–
R-MW5	Dexter Ave N ROW, E side	Y	Yes	NA	10/27/92	1,268,352.05	231,915.02	Nov 2019	30	30.0	57.35	57.28	57.01	15.0	30.0	42.4	27.4	2	HSA	-
R-MW6	8th Ave N ROW, W side	Y	Yes	NA	10/27/92	1,268,622.15	231,825.30	Nov 2022	22	22.0	-	45.09	44.52	12.0	22.0	33.3	23.3	2	HSA	-
SCL-MW101	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	AGI-540	06/01/02	1,268,818.93	232,188.81	Nov 2019	-	15.0	30.48	30.48	30.02	5.0	15.0	25.5	15.5	2	-	-
SCL-MW105	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	-	06/01/02	1,268,821.22	232,236.18	Nov 2019	-	30.0	31.07	31.08	30.77	20.0	30.0	11.1	1.1	2	-	-
SCS-2	Seattle Roy Aloha Shops, N end	N	TOC Elev	ABV-825	-	-	-	-	-	21.0	-	-	39.16	11.0	21.0	28.2	18.2	4	-	-
SMW-3	Valley St ROW, N side	N	No	NA	01/29/91	-	-	-	17	16.5	-	-	27.40	6.5	16.5	20.9	10.9	2	HSA	-
SVE-1	Westlake Ave N, W side (Block 43)	N	NA	NA	NA	1,269,224.39	231,813.92	Unknown	NA	NA	–	–	28.05	5	17	23.1	11.1	NA	–	–
SVE-2	Westlake Ave N, W side (Block 43)	N	NA	NA	NA	1,269,237.63	231,787.92	Unknown	NA	NA	–	–	28.66	5	17	23.7	11.7	NA	–	–
SVE-3	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,143.72	231,805.30	Unknown	NA	NA	–	–	29.92	4	10	25.9	19.9	NA	–	–
SVE-4	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,199.12	231,831.54	Unknown	NA	NA	–	–	28.36	4	16	24.4	12.4	NA	–	–
SVE-5	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,167.89	231,816.65	Unknown	NA	NA	–	–	29.28	4	12	25.3	17.3	NA	–	–

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
Intermediate A Zone Monitoring Wells																				
B-37-7	Block 37, SW quadrant	N	Y			1,269,341.77	231,556.91	Unknown	NA	NA	–	–	29.71	30.5	40.5	-0.8	-10.8	NA	–	–
B-37-8	Block 37, SW quadrant	N	NA	NA	NA	1,269,448.08	231,558.97	Unknown	NA	NA	–	–	29.94	30.5	40.5	-0.6	-10.6	NA	–	–
B-37-9	Block 37, SE quadrant	N	NA	NA	NA	1,269,554.30	231,544.63	Unknown	NA	NA	–	–	29.93	29.5	30.5	0.4	-0.6	NA	–	–
BB-8	Roy St ROW, S side	Y	Yes	NA	06/06/97	1,268,704.64	231,761.74	Nov 2019	78.5	40.0	44.00	44.01	43.64	30.0	40.0	14.0	4.0	2	HSA	-
DMW-31A	615 Dexter, NE quadrant	Y	Yes	BME932	02/27/20	1,268,264.12	231,698.15	Mar 2020	50.3	49.2	56.09	56.09	55.84	39.0	49.0	16.8	6.8	2	HSA	-
FMW-136	Block 38 West, S end	Y	TOC Elev	-	08/22/18	-	-	-	40	40.0	-	-	24.79	30.0	40.0	-4.9	-14.9	2	HSA	-
FMW-142	9th Ave N ROW, E side	Y	Yes	BLW-342	07/24/18	1,268,991.88	231,918.28	Nov 2019	45	42.5	32.87	32.90	32.52	37.5	42.5	-4.6	-9.6	2	Sonic	-
FMW-150	Block 38 West, S end	N	NA	NA	NA	1,269,414.24	231,121.31	Unknown	NA	NA	–	–	23.3	6	11	-8.5	-13.54	NA	–	–
FMW-151	Block 38 West, center of Property	N	NA	NA	NA	1,269,388.10	231,210.11	Unknown	NA	NA	–	–	23.74	6.8	11.8	-9.3	-14.34	NA	–	–
FMW-152	Block 38 West, N end	N	NA	NA	NA	1,269,353.91	231,326.74	Unknown	NA	NA	–	–	22.83	6	11	-8.5	-13.54	NA	–	–
FMW-153	Block 38 West, S end	N	NA	NA	NA	1,269,352.62	231,043.00	Unknown	NA	NA	–	–	24.72	6	11	-8.5	-13.54	NA	–	–
FMW-157	Block 38 West	N	NA	NA	NA	1,269,437.13	231,346.24	Unknown	NA	NA	–	–	25.95	30	40	-4.1	-14.1	NA	–	–
GEI-1	Block 37, NW quadrant	Y	Yes	BIJ 462	04/16/14	1,269,362.77	231,828.18	2014	81.5	26.8	28.35	-	27.95	26.8	36.8	1.6	-8.5	2	HSA	-
GEI-MW-1	Block 79 East, N end	Y	TOC Elev	BIJ-490	08/22/14	1,268,931.69	232,238.25	Jul 2020	61.5	59.9	30.50	30.63	30.30	39.8	59.8	-9.3	-29.3	2	HSA	-
GEI-MW-2	Block 79 East, S end	Y	TOC Elev	BIJ-492	08/23/14	-	-	-	60	37.1	31.6	-	31.00	27.0	37.0	4.6	-5.4	2	HSA	-
GEI-MW-3	Block 79 East, S end	Y	TOC Elev	BIJ-491	08/23/14	-	-	-	65.5	59.5	31.5	-	30.75	49.4	59.4	-17.9	-27.9	2	HSA	-
HC-4	601 Dexter, NE quadrant	N	TOC Elev	BLR695	04/12/19	1,268,251.49	231,573.25	Unknown	50	50	60.23	-	-	40.0	50.0	20.2	10.2	2	HSA	-
HMW-21A	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR922	03/08/19	1,268,696.96	231,646.61	Aug 2020	46.0	44.8	45.55	47.69	47.51	34.8	44.8	10.8	0.8	2	HSA	-
HMW-31A	SDOT Mercer Parcels, NW quadrant	Y	Yes	BLR925	03/15/19	1,268,425.85	231,681.84	Aug 2020	45.5	44.8	55.02	55.01	54.75	34.8	44.8	20.2	10.2	2	HSA	-
HMW-61A	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ185	03/02/20	1,268,379.66	231,552.50	Aug 2020	50.0	47.5	58.65	61.47	61.27	37.5	47.5	21.2	11.2	2	Sonic	-
HMW-91A	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ190	02/28/20	1,268,480.44	231,610.72	Aug 2020	50.0	46.7	55.26	58.35	58.21	36.7	46.7	18.6	8.6	2	Sonic	-
HMW-201A	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP-356	09/09/20	1,268,516.08	231,634.12	Nov 2020	51.3	51.0	53.83	56.80	56.47	41.0	51.0	12.8	2.8	2	HSA	-
MW107 (B107)	8th Ave N ROW, W side	Y	Yes	BHS-773	12/03/12	1,268,626.16	231,885.72	Nov 2022	45.5	45.0	-	43.66	43.01	35.0	45.0	8.8	-1.2	2	HSA	-
MW108 (B108)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-765	12/14/12	1,268,805.44	232,044.39	Dec 2013	50.5	50.0	-	33.15	32.78	40.0	50.0	-7.2	-17.2	2	HSA	-
MW109 (B109)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-771	12/04/12	1,268,808.01	231,942.36	Dec 2019	45.5	45.0	35.53	35.54	34.87	35.0	45.0	0.0	-10.0	2	HSA	-
MW110 (B110)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-772	12/04/12	1,268,806.34	231,814.34	Dec 2013	45.5	45.0	-	40.04	39.67	35.0	45.0	4.7	-5.3	2	HSA	-
MW114 (B114)	SDOT Mercer Parcels, NW quadrant	Y	Yes	BHS-768	12/10/12	1,268,537.67	231,656.12	Dec 2013	45.5	45.0	-	46.38	45.84	35.0	45.0	10.8	0.8	2	HSA	-
MW115 (B115)	9th Ave N ROW, W side	Y	Yes	BHS-766	12/13/12	1,268,948.67	231,824.86	May 2017	46	45.0	34.44	34.48	34.10	35.0	45.0	-0.6	-10.6	2	HSA	-
MW116 (B116)	9th Ave N ROW, W side	Y	Yes	BHS-769	12/07/12	1,268,952.65	232,006.18	May 2017	46.5	45.0	31.92	31.96	31.34	35.0	45.0	-3.1	-13.1	2	HSA	-
MW117 (B117)	Dexter Ave N ROW, E side	Y	Yes	BHS-885	02/04/13	1,268,343.66	231,643.72	Dec 2013	55.5	55.0	-	-	56.90	40.0	55.0	16.9	1.9	2	HSA	-
MW118 (B118)	Mercer St ROW, N side	Y	Yes	BIC-079	03/21/13	1,268,503.40	231,491.37	Dec 2013	55.5	50.0	-	-	52.91	40.0	50.0	12.9	2.9	2	HSA	-
MW119 (B119)	9th Ave N ROW, W side	Y	Yes	BIC-080	03/21/13	1,268,924.29	231,652.18	May 2017	46	45.0	37.74	37.75	37.42	35.0	45.0	2.7	-7.3	2	HSA	-
MW120 (B120)	8th Ave N ROW, E side	Y	Yes	BID-015	12/16/13	1,268,675.20	232,145.41	Dec 2019	50.5	50.0	40.67	40.64	39.94	40.0	50.0	0.0	-10.0	2	HSA	-
MW127 (B127)	8th Ave N ROW, E side	Y	Yes	BID-022	12/31/13	1,268,689.96	232,261.39	Dec 2013	50.5	50.0	-	39.42	39.04	40.0	50.0	-1.0	-11.0	2	HSA	-
MW-142	8th Ave N ROW, E side	Y	Yes	BKF-356	04/12/18	1,268,681.79	231,977.91	Apr 2018	51.0	50.2	42.44	42.43	42.12	39.8	49.9	2.6	-7.5	2	HSA	-
MW-144	8th Ave N ROW, E side	N	Yes	BKF-361	04/18/18	1,268,680.09	231,857.59	Apr 2018	50.0	50.0	43.87	43.88	43.50	40.0	50.0	3.9	-6.1	2	HSA	-
MW-144R	8th Ave N ROW, E side	Y	Yes	BME-511	11/26/19	1,268,670.40	231,865.37	Dec 2019	50.0	49.6	42.85	42.87	42.46	39.0	49.3	3.9	-6.5	2	Sonic	-
MW-146	Roy St ROW, S side	Y	Yes	BKF-349	03/30/18	1,268,493.78	231,733.61	Apr 2018	50.0	50.3	52.74	52.77	52.34	39.9	49.9	12.8	2.8	2	HSA	-
MW-156	8th Ave N ROW, E side	Y	Yes	BKF-359	04/16/18	1,268,683.09	232,036.58	Apr 2018	51.0	51.0	41.64	41.7	41.24	40.6	50.6	1.0	-9.0	2	HSA	-
MW-189	Valley St ROW, S side	Y	Yes	BLR-796	09/23/19	1,268,529.33	232,057.82	Nov 2022	59.0	59.0	-	48.38	47.99	48.8	58.8	-1.2	-11.2	2	Sonic	-
MW-302	Dexter Ave N ROW, E side	Y	Yes	BMF-578	10/01/19	1,268,351.30	231,905.07	Nov 2022	65.0	64.4	-	57.33	56.90	54.3	64.3	3.0	-7.0	2	Sonic	-
MW-306	Roy St ROW, S side	Y	Yes	BMF-577	09/30/19	1,268,252.64	231,757.55	Nov 2019	55.0	52.9	59.90	59.89	59.48	42.8	52.8	17.2	7.2	2	Sonic	-
MW-308	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-576	09/20/19	1,268,812.03	232,140.04	Nov 2019	45.4	45.4	30.42	30.42	30.15	35.1	45.1	-4.7	-14.7	2	Sonic	-
MW-315	Mercer St ROW, N side	Y	Yes	BMF-570	9/10/19-9/11/19	1,268,645.49	231,538.56	Nov 2019	48.0	47.7	49.67	49.65	49.18	37.5	47.4	12.2	2.3	2	Sonic	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
MW-317	9th Ave N ROW, W side	Y	Yes	BLR-798	09/25/19	1,268,941.64	232,085.35	Nov 2019	38.4	38.4	31.61	31.63	31.35	28.2	38.2	3.4	-6.6	2	Sonic	-
MW-325	Mercer St ROW, N side	Y	Yes	BMF-585	9/9/19-9/11/19	1,268,885.15	231,552.84	Nov 2019	44.7	44.7	41.51	41.51	40.90	34.5	44.5	7.0	-3.0	2	Sonic	-
MW-327	Lake Union Park, S end	Y	Yes	BMF-573	09/17/19	1,269,261.46	232,014.22	Nov 2019	35.1	35.1	28.42	28.52	28.15	24.8	34.8	3.6	-6.3	2	Sonic	-
MW-330	Valley St ROW, N side	Y	Yes	BMP-107	04/20/20	1,268,462.17	232,100.63	Jun 2020	62.3	62.3	52.04	52.08	51.67	52.1	62.1	-0.1	-10.1	2	Sonic	-
MW-331	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMP-106	04/17/20	1,268,814.53	232,268.59	Jun 2020	45.8	45.8	31.21	31.22	30.43	35.6	45.6	-4.3	-14.3	2	Sonic	-
MW-333	900 Roy St, S end	Y	Yes	BMP-104	04/16/20	1,269,115.52	231,888.32	Jun 2020	43.4	43.4	31.67	31.74	31.10	33.2	43.2	-1.5	-11.5	2	Sonic	-
MW-344	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-413	05/20/21	1,268,477.82	231,685.10	May 2021	50.0	49.7	53.02	53.06	52.70	39.4	49.4	13.6	3.6	2	Sonic	-
MW-351 ¹	Roy St ROW, S side	Y	No	BNV-490	12/15/22				45.0	45.0				34.7	44.7			2	Sonic	-
Intermediate B Zone Monitoring Wells																				
FMW-130	Block 38 West, S end	Y	TOC Elev	-	7/21/14 - 7/22/14	-	-	-	60	55.0	-	-	21.86	45.0	55.0	-22.8	-32.8	2	Sonic	-
FMW-141	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLW-341	07/22/19	1,268,808.24	231,948.19	Dec 2019	60	57.5	35.44	35.45	35.15	47.5	57.5	-12.1	-22.1	2	Sonic	-
HMW-11B	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR917	03/13/19	1,268,903.53	231,653.15	Aug 2020	65.5	64.3	38.29	38.55	38.38	54.3	64.3	-16.0	-26.0	2	HSA	-
HMW-21B	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR923	03/12/19	1,268,686.97	231,653.01	Aug 2020	66.5	62.8	47.41	47.50	47.19	52.8	62.8	-5.4	-15.4	2	HSA	-
HMW-41A	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLI162	03/07/19	1,268,409.57	231,558.72	Apr 2019	81.5	60	58.70	-	58.53	50.0	60.0	8.7	-1.3	2	HSA	-
HMW-51B	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ188	02/28/20	1,268,382.82	231,613.00	Aug 2020	70.0	59.7	58.44	61.22	60.99	49.7	59.7	8.7	-1.3	2	Sonic	-
HMW-61B	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ186	03/03/20	1,268,380.80	231,548.10	Aug 2020	70.0	60.0	58.67	61.92	61.61	50.0	60.0	8.7	-1.3	2	Sonic	-
HMW-71B	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ159	03/02/20	1,268,383.26	231,522.51	Aug 2020	70.0	59.7	58.69	61.71	61.38	49.7	59.7	9.0	-1.0	2	Sonic	-
HMW-81B	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ158	03/02/20	1,268,433.80	231,559.10	Aug 2020	70.0	60.5	57.97	61.04	60.78	50.5	60.5	7.5	-2.5	2	Sonic	-
HMW-91B	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ191	02/28/20	1,268,480.08	231,604.89	Aug 2020	70.0	67.0	55.36	58.64	57.89	57.0	67.0	-1.6	-11.6	2	Sonic	-
HMW-111B	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ196	02/24/20	1,268,891.69	231,565.09	Aug 2020	70.0	54.9	39.70	43.09	42.91	44.9	54.9	-5.2	-15.2	2	Sonic	-
HMW-151B	SDOT Mercer Parcels, SW quadrant	Y	Yes	BMP316	07/16/20	1,268,389.50	231,512.30	Aug 2020	76.5	73.0	58.86	58.73	58.33	64.0	73.0	-5.1	-14.1	2	HSA	-
HMW-161B	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP315	07/14/20	1,268,386.50	231,724.00	Aug 2020	76.5	65.0	57.02	57.18	56.80	55.0	65.0	2.0	-8.0	2	HSA	-
MW111 (B111)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-770	12/03/12 - 12/06/12	1,268,807.08	231,896.12	Dec 2019	80.5	80.0	36.66	36.67	36.38	70.0	80.0	-33.5	-43.5	2	HSA	50
MW112R ¹	Dexter Ave N ROW, W side	Y	No	BNM-565	8/28/23 - 8/29/23				85.5	85.0				75.0	85.0			2	HSA	
MW126 (B126)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BID-021	12/30/13	1,268,813.91	232,263.78	Dec 2013	95	95.0	-	-	30.94	85.0	95.0	-54.1	-64.1	2	HSA	-
MW-143	8th Ave N ROW, E side	Y	Yes	BKF-355	04/12/18	1,268,681.54	231,974.66	Apr 2018	82.0	80.4	42.43	42.48	42.04	70.1	80.0	-27.7	-37.6	2	HSA	-
MW-145	8th Ave N ROW, E side	Y	Yes	BKF-360	04/18/18	1,268,678.28	231,851.15	Apr 2018	81.0	80.4	43.86	43.87	43.46	70.0	80.0	-26.1	-36.1	2	HSA	-
MW-145R	8th Ave N ROW, E side	Y	Yes	BME-510	11/25/19-11/26/19	1,268,670.64	231,872.79	Dec 2019	80.1	80.1	42.66	42.67	42.00	69.9	79.9	-27.2	-37.2	2	Sonic	-
MW-147	Roy St ROW, S side	Y	Yes	BKF-351	04/02/18	1,268,501.67	231,733.85	Apr 2018	81.5	80.4	52.36	52.39	51.85	70.0	80.0	-17.6	-27.6	2	HSA	-
MW-148	Roy St ROW, S side	Y	Yes	BKF-353	04/09/18	1,268,725.60	231,731.90	Apr 2018	80.5	80.4	44.27	44.29	43.91	70.0	80.0	-25.7	-35.7	2	HSA	-
MW-157	8th Ave N ROW, E side	Y	Yes	BKF-357	04/13/18	1,268,683.21	232,040.85	Apr 2018	81.0	80.2	41.61	41.66	41.22	69.9	79.8	-28.3	-38.2	2	HSA	-
MW-190	Valley St ROW, S side	Y	Yes	BLR-794	9/18/19-9/19/19	1,268,513.97	232,058.25	Nov 2022	89.0	89.0	-	49.54	48.95	78.8	88.8	-30.2	-40.2	2	Sonic	-
MW-303	Dexter Ave N ROW, E side	Y	Yes	BMF-581	10/3/19-10/4/19	1,268,353.08	231,967.63	Nov 2022	82.0	81.7	-	57.64	57.27	71.4	81.4	-13.8	-23.8	2	Sonic	-
MW-307	Roy St ROW, S side	Y	Yes	BMF-580	10/03/19	1,268,244.49	231,757.96	Nov 2019	85.0	83.0	60.45	60.45	60.21	72.8	82.8	-12.4	-22.4	2	Sonic	-
MW-309	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-575	09/19/19	1,268,811.71	232,143.16	Nov 2019	75.0	72.7	30.37	30.35	29.97	62.4	72.4	-32.0	-42.0	2	Sonic	-
MW-311	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-574	09/18/19	1,268,804.88	232,040.35	Nov 2019	74.0	72.5	33.14	33.17	32.98	62.2	72.2	-29.1	-39.1	2	Sonic	-
MW-314	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-288	9/9/19-9/13/19	1,268,804.06	231,817.34	Nov 2019	80.0	78.0	39.81	39.85	39.19	67.8	77.8	-28.0	-38.0	2	Sonic	-
MW-316	Mercer St ROW, N side	Y	Yes	BMF-569	09/09/19	1,268,641.35	231,537.58	Nov 2019	70.1	70.1	49.81	49.79	49.44	59.8	69.8	-10.0	-20.0	2	Sonic	-
MW-318	9th Ave N ROW, W side	Y	Yes	BLR-797	09/24/19	1,268,941.46	232,081.31	Nov 2019	65.0	64.9	31.66	31.67	31.36	54.8	64.8	-23.1	-33.1	2	Sonic	-
MW-322	9th Ave N ROW, W side	Y	Yes	BLR-792	09/17/19	1,268,937.97	231,957.89	Nov 2019	65.0	64.8	33.45	33.46	33.13	54.7	64.7	-21.3	-31.3	2	Sonic	-
MW-334	900 Roy St, S end	Y	Yes	BMP-103	04/16/20	1,269,119.58	231,890.01	Jun 2020	63.3	63.3	31.40	31.46	31.22	53.1	63.1	-21.7	-31.7	2	Sonic	-
MW-335	Mercer St ROW, N side	Y	Yes	BMP-108	04/21/20	1,269,109.62	231,541.10	Jun 2020	71.1	71.1	35.18	35.17	34.26	60.8	70.8	-25.6	-35.6	2	Sonic	-
MW-338	Lake Union Park, N end	Y	Yes	BMP-110	05/01/20	1,269,175.12	232,184.99	Jun 2020	55.0	54.7	27.84	27.9	27.38	44.4	54.4	-16.6	-26.6	2	Sonic	-
MW-340	Lake Union Park, S end	T	Yes	BMP-113	05/05/20	1,269,259.00	232,016.44	Jun 2020	55.0	54.7	28.31	28.41	28.02	44.4	54.4	-16.1	-26.1	2	Sonic	-
MW-345	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-412	05/20/21	1,268,481.59	231,687.90	May 2021	65.0	64.7	52.85	52.87	52.61	54.4	64.4	-1.6	-11.6	2	Sonic	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
MW-346	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-411	05/19/21	1,268,545.50	231,674.21	May 2021	65.0	64.2	51.78	51.91	51.63	53.9	63.9	-2.2	-12.2	2	Sonic	-
MW-347	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-410	05/19/21	1,268,541.92	231,645.66	May 2021	65.0	64.3	52.79	52.98	52.70	54.0	64.0	-1.3	-11.3	2	Sonic	-
MW-348	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNA-409	5/17/21-5/18/21	1,268,533.26	231,609.29	May 2021	69.0	68.9	53.96	54.13	53.84	58.6	68.6	-4.6	-14.6	2	Sonic	-
MW-349	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNA-408	05/17/21	1,268,490.33	231,574.32	May 2021	69.0	68.9	55.84	55.92	55.58	58.6	68.6	-2.8	-12.8	2	Sonic	-
MW-350	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-414	05/21/21	1,268,407.70	231,635.14	May 2021	70.0	69.7	57.77	57.90	57.55	59.4	69.4	-1.7	-11.7	2	Sonic	-
OW-1	Alley E of Block 38 West	N	NA	NA	NA	1,269,433.50	231,253.17	Unknown	NA	NA	–	–	24.17	30	45	-6	-21	NA	–	–
OW-2	Alley E of Block 38 West	N	NA	NA	NA	1,269,429.93	231,122.07	Unknown	NA	NA	–	–	22.91	30	45	-7	-22	NA	–	–
OW-3	Block 38 West, S end	N	NA	NA	NA	1,269,314.71	231,013.84	Unknown	NA	NA	–	–	38.91	48	63	-8	-23	NA	–	–
OW-5	Block 38 West, N end	N	NA	NA	NA	1269324.75	231369.61	Unknown	NA	NA	–	–	40.44	44.8	54.8	-11	-21	NA	–	–
W-MW-01	8th Ave N ROW, W side	Y	Yes	NA	01/27/12	1,268,626.60	231,827.34	Nov 2022	80	80.0	-	45.02	44.50	70.0	80.0	-25.5	-35.5	2	Sonic	-
W-MW-02	8th Ave N ROW, W side	Y	Yes	NA	01/31/12	1,268,626.65	231,912.53	Nov 2022	80	80.0	-	43.24	42.89	70.0	80.0	-26.3	-36.3	2	Sonic	-
Deep Zone Monitoring Wells																				
FMW-129	SDOT Mercer Parcels, NE quadrant	Y	Yes	BIC-085	5/13/14 - 5/16/14	1,268,873.71	231,707.21	May 2017	119	89.2	38.64	38.38	38.31	84.2	89.2	-45.6	-50.6	2	HSA	-
FMW-131	Block 37, SE quadrant	Y	Yes	NA	8/25/16 - 8/30/16	1,269,436.35	231,629.37	-	75.0	74.9	-	-	27.85	62.5	72.5	-34.7	-44.7	2	HSA	-
FMW-137	Alley E of Block 38 West	Y	Yes	-	11/3/18 - 11/17/18	1,269,446.94	231,392.41	-	90	85.0	-	-	30.09	72.0	85.0	-44.9	-57.9	2	Sonic	-
FMW-138	Alley E of Block 38 West	Y	Yes	-	11/3/18 - 11/14/18	1,269,426.19	230,983.38	-	100	100.0	-	-	40.44	90.0	100.0	-46.0	-56.0	2	Sonic	-
FMW-140	900 Roy St, S end	Y	Yes	BLT-940	07/12/19	1,269,111.06	231,885.87	Nov 2019	85	80.0	32.00	32.00	31.71	70.0	80.0	-38.0	-48.0	2	Sonic	-
FMW-3D	Terry Ave N ROW, E side	Y	Yes	NA	3/7/16 - 3/8/16	1,269,941.28	231,737.65	-	71.5	69.0	-	-	27.88	59.0	69.0	-31.1	-41.1	2	HSA	-
GEI-2	Block 37, SW quadrant	Y	Yes	BIJ 462	4/16/14 - 4/17/14	1,269,358.70	231,666.08	2014	81.5	60.5	29.60	-	29.38	50.5	60.5	-21.1	-31.1	2	HSA	-
HMW-1D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI197	03/04/19	1,268,907.50	231,641.76	Aug 2020	90.0	90.0	38.07	38.27	37.99	80.0	90.0	-41.9	-51.9	2	Sonic	-
HMW-2D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI198	03/06/19	1,268,696.23	231,659.76	Aug 2020	90.0	90.0	47.34	47.43	47.19	80.0	90.0	-32.7	-42.7	2	Sonic	-
HMW-3D	SDOT Mercer Parcels, NW quadrant	Y	Yes	BLI199	03/06/19	1,268,408.96	231,675.97	Aug 2020	90.0	90.0	56.56	56.58	56.37	80.0	90.0	-23.4	-33.4	2	Sonic	-
HMW-6D	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ187	03/02/20	1,268,382.84	231,551.34	Aug 2020	90.0	89.7	58.58	61.77	61.49	79.7	89.7	-21.1	-31.1	2	Sonic	-
HMW-9D	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ192	02/28/20	1,268,484.37	231,609.92	Aug 2020	90.0	89.7	55.32	58.33	58.14	79.7	89.7	-24.4	-34.4	2	Sonic	-
HMW-10D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ194	03/05/20	1,268,686.24	231,565.46	Aug 2020	90.0	89.0	48.16	51.15	51.03	79.0	89.0	-30.8	-40.8	2	Sonic	-
HMW-12D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BMP290	07/16/20	1,268,915.30	231,704.60	Aug 2020	100.3	92.0	33.52	36.83	35.86	82.0	92.0	-48.5	-58.5	2	MR/HSA	-
HMW-13D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP318	07/23/20	1,268,802.40	231,638.70	Aug 2020	100.9	99.5	45.30	45.38	45.08	89.5	99.5	-44.2	-54.2	2	MR/HSA	-
HMW-14D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP317	07/20/20	1,268,800.70	231,576.90	Aug 2020	81.5	80.0	46.35	46.41	46.11	70.0	80.0	-23.7	-33.7	2	MR/HSA	-
HVP-1	SDOT Mercer Parcels, SW quadrant	Y	Yes	BMP319	07/28/20	1,268,586.83	231,622.55	Aug 2020	150.3	150.0	52.65	54.95	53.65	-	-	-	-	6	MR/HSA	-
MW102 (B102)	Valley St ROW, S side	Y	Yes	BCK-015	7/17/12 - 7/23/12	1,268,505.06	232,058.75	Nov 2022	125	125.0	-	49.97	49.66	115.0	125.0	-65.8	-75.8	2	Sonic	-
MW103 (B103)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BCK-016	7/25/12 - 7/27 12	1,268,807.23	231,911.84	Dec 2019	115	114.0	36.12	36.13	35.86	103.5	113.5	-67.6	-77.6	2	Sonic	-
MW104 (B104)	8th Ave N ROW, W side	Y	Yes	BCK-017	7/30/12 - 8/01/12	1,268,635.95	231,912.28	Dec 2013	130	129.0	-	43.05	42.68	119.0	129.0	-76.3	-86.3	2	Sonic	-
MW105 (B105)	Roy St ROW, S side	Y	Yes	BCK-018	8/06/12 - 8/10/12	1,268,694.42	231,762.84	Nov 2019	140	140.0	44.39	44.41	44.12	130.0	140.0	-85.3	-95.3	2	Sonic	-
MW106 (B106)	SDOT Mercer Parcels, NW quadrant	Y	Yes	BCK-019	8/14/12 - 8/15/12	1,268,501.66	231,720.28	Dec 2013	140	140.0	-	52.25	51.99	130.0	140.0	-78.0	-88.0	2	Sonic	-
MW113 (B113)	9th Ave N ROW, W side	Y	Yes	BHS-764	12/18/12	1,268,950.77	231,911.93	Nov 2019	80	80.0	33.20	33.21	32.91	70.0	80.0	-36.8	-46.8	2	HSA	-
MW122 (B122)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BID-017	12/17/13	1,268,810.95	232,139.15	Dec 2013	115	115.0	-	30.54	30.03	105.0	115.0	-75.0	-85.0	2	HSA	-
MW123 (B123)	Westlake Ave N ROW, W side	Y	Yes	BID-018	12/18/13	1,269,084.44	232,170.77	Nov 2019	80	80.0	27.95	27.95	27.50	70.0	80.0	-42.5	-52.5	2	HSA	-
MW124 (B124)	Valley St ROW, S side	Y	Yes	BID-019	12/19/13	1,268,387.40	232,058.30	Nov 2022	120	120.0	-	57.25	56.74	110.0	120.0	-53.8	-63.8	2	HSA	-
MW128 (B128)	Westlake Ave N ROW, E side	Y	Yes	BID-023	01/09/14	1,269,319.15	231,810.63	May 2017	70.5	70.0	29.20	29.21	28.59	60.0	70.0	-30.8	-40.8	2	HSA	-
MW-138	Dexter Ave N ROW, E side	Y	Yes	BKA-296	9/12/17 - 9/15/17	1,268,345.19	231,841.61	Nov 2019	117	115.0	57.44	57.41	57.03	105.0	115.0	-47.6	-57.6	2	Sonic	-
MW-140	Roy St ROW, N side	Y	Yes	BKA-301	8/30/17 - 8/31/17	1,268,511.94	231,782.78	Sep 2017	140	140.0	50.57	50.57	50.20	129.5	139.5	-78.9	-88.9	2	Sonic	-
MW-153	Roy St ROW, S side	Y	Yes	BKF-348	03/29/18	1,268,443.98	231,734.96	Apr 2018	130	130.0	54.75	54.79	54.35	120.0	130.0	-65.3	-75.3	2	HSA	-
MW-158A	8th Ave N ROW, E side	Y	Yes	BKF-352	04/06/18	1,268,683.06	232,045.84	Apr 2018	100	100.0	41.51	41.52	41.09	89.7	100.0	-48.2	-58.5	2	HSA	-
MW-160	8th Ave N ROW, W side	Y	Yes	BKF-460	05/10/18	1,268,626.37	231,969.39	Nov 2022	128	128.0	-	42.71	42.03	118.0	128.0	-75.4	-85.4	2	HSA	-
MW-161	8th Ave N ROW, W side	Y	Yes	BKF-461	05/06/18	1,268,623.37	231,868.01	Nov 2022	140	140.0	-	43.98	43.84	130.0	140.0	-85.6	-95.6	2	HSA	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
MW-304	Dexter Ave N ROW, E side	Y	Yes	BMF-581	10/02/19	1,268,352.77	231,961.51	Nov 2022	116	115.5	-	57.63	57.08	105.2	115.2	-47.6	-57.6	2	Sonic	-
MW-319	9th Ave N ROW, W side	Y	Yes	BLR-793	09/18/19	1,268,941.67	232,077.44	Nov 2019	85	84.0	31.70	31.71	31.31	74.5	84.5	-42.8	-52.8	2	Sonic	-
MW-323	9th Ave N ROW, W side	Y	Yes	BLR-799	09/28/19	1,268,935.73	231,873.86	Nov 2019	110	110.0	34.65	34.69	34.38	100.0	110.0	-65.4	-75.4	2	Sonic	-
MW-324	Roy St ROW, N side	Y	Yes	BMF-587	09/12/19	1,269,021.77	231,829.66	Nov 2019	80	76.5	34.27	34.28	33.71	66.3	76.3	-32.1	-42.1	2	Sonic	-
MW-326	Mercer St ROW, N side	Y	Yes	BLR-750	9/9/2019-9/10/19	1,268,889.59	231,552.72	Nov 2019	100.1	100.1	41.30	41.3	40.97	90.0	100.0	-48.7	-58.7	2	Sonic	-
MW-326R ¹	Mercer St ROW, N side	Y	No	BNV-489	12/13/22-12/14/22				100.6	100.6				90.2	100.2			2	Sonic	-
MW-328	Lake Union Park, S end	Y	Yes	BMF-572	09/16/19	1,269,265.31	232,010.75	Nov 2019	80	74.8	28.38	28.45	28.09	64.5	74.5	-36.1	-46.1	2	Sonic	-
MW-329	Westlake Ave N ROW, E side	Y	Yes	BMF-571	09/12/19	1,269,321.03	231,798.39	Nov 2019	110	108.6	29.26	29.25	28.93	98.3	108.3	-69.0	-79.0	2	Sonic	-
MW-336	Mercer St ROW, N side	Y	Yes	BMP-109	04/22/20	1,269,151.51	231,540.07	Jun 2020	95.5	95.5	33.68	33.67	33.31	85.3	95.3	-51.6	-61.6	2	Sonic	-
MW-341	Lake Union Park, S end	Y	Yes	BMP-112	05/04/20	1,269,261.00	232,010.55	Jun 2020	105.5	105.5	28.45	28.52	28.11	95.2	105.2	-66.8	-76.8	2	Sonic	-
MW-342	Valley St ROW, S side	Y	Yes	BMP-102	04/15/20	1,269,512.87	231,859.08	Jun 2020	70.3	70.3	27.66	27.68	27.37	60.1	70.1	-32.4	-42.4	2	Sonic	-
MW-343	Valley St ROW, S side	Y	Yes	BMP-101	4/14/20 - 4/15/20	1,269,520.38	231,859.54	Jun 2020	110	109.3	27.64	27.68	27.16	99.1	109.1	-71.5	-81.5	2	Sonic	-
SDOT Injection Wells																				
IWS-01	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-055	3/16/2022	1,268,465.10	231,620.87	Nov 2022	70	69.7	-	55.65	55.38	54.3	69.4	1.3	-13.8	2	Sonic	-
IWS-02	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-059	3/22/2022	1,268,507.89	231,650.00	Nov 2022	67	66.6	-	53.29	52.91	51.2	66.3	2.1	-13.0	2	Sonic	-
IWS-03	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-058	3/21/2022	1,268,530.61	231,666.01	Nov 2022	66	65.7	-	52.30	51.96	50.2	65.3	2.1	-13.0	2	Sonic	-
IWS-04	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-056	3/17/2022	1,268,469.61	231,602.58	Nov 2022	71	70.7	-	55.70	55.38	55.3	70.3	0.4	-14.6	2	Sonic	-
IWS-05	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-054	3/16/2022	1,268,486.71	231,621.53	Nov 2022	69	68.7	-	54.69	54.24	53.3	68.4	1.4	-13.7	2	Sonic	-
IWS-06	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-052	3/15/2022	1,268,506.07	231,627.84	Nov 2022	67	67.0	-	54.22	53.87	51.7	66.7	2.5	-12.5	2	Sonic	-
IWS-07	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-051	3/14/2022	1,268,530.60	231,642.38	Nov 2022	66	66.2	-	53.18	52.77	50.0	65.9	3.2	-12.7	2	Sonic	-
IWS-08	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-057	3/18/2022	1,268,483.37	231,587.80	Nov 2022	71	70.9	-	55.79	55.48	55.5	70.5	0.3	-14.7	2	Sonic	-
IWS-09	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-061	3/24/2022	1,268,506.72	231,602.50	Nov 2022	69	68.5	-	54.97	54.55	53.1	68.2	1.9	-13.2	2	Sonic	-
IWS-10	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-060	3/23/2022	1,268,528.72	231,619.07	Nov 2022	68	67.5	-	54.28	53.93	50.4	67.2	3.9	-12.9	2	Sonic	-
Shallow Soil Vapor Probes																				
SV01	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,682.67	231,993.39	July 2020	12.25	-	42.20	42.215	41.95	11.8	12.3	30.4	29.9	-	DP	-
SV02	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,681.25	231,906.35	July 2020	11.75	-	43.36	43.355	43.11	11.3	11.8	32.1	31.6	-	DP	-
SV03	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,677.87	231,828.33	July 2020	12.75	-	44.10	44.11	43.81	12.3	12.8	31.8	31.3	-	DP	-
SV-04	Roy St ROW, S side	Y	Yes	BLK 889	06/29/20	1,268,731.27	231,731.45	July 2020	6	6	44.06	44.09	-	5.5	6	38.6	38.1	0.25	DP	-
SV-05	Roy St ROW, S side	Y	Yes	BLK 890	06/29/20	1,268,730.14	231,729.81	July 2020	13	13	44.13	44.15	-	12.5	13	31.6	31.1	0.25	DP	-
SV-06	Roy St ROW, S side	Y	Yes	BLK 891	06/29/20	1,268,477.86	231,733.96	July 2020	6	6	53.36	53.39	-	5.5	6	47.9	47.4	0.25	DP	-
SV-07	Roy St ROW, S side	Y	Yes	BLK 892	06/29/20	1,268,477.45	231,732.37	July 2020	15	15	53.41	53.44	-	14.5	15	38.9	38.4	0.25	DP	-
SV-08	8th Ave N ROW, E side	Y	Yes	BLK 893	06/30/20	1,268,675.48	232,123.75	July 2020	10	10	40.91	40.94	-	9.5	10	31.4	30.9	0.25	DP	-
SV-09	8th Ave N ROW, E side	Y	Yes	BLK 894	07/01/20	1,268,676.85	232,123.94	July 2020	6	6	40.83	40.86	-	5.5	6	35.3	34.8	0.25	DP	-
SV-10	Valley St ROW, N side	Y	Yes	BLK 895	06/30/20	1,268,468.28	232,097.54	July 2020	6	6	51.81	51.85	-	5.5	6	46.3	45.8	0.25	DP	-
SV-11	Valley St ROW, N side	Y	Yes	BLK 896	06/30/20	1,268,469.07	232,098.99	July 2020	15	14.75	51.69	51.73	-	14.25	14.75	37.4	36.9	0.25	DP	-
SV-12	Valley St ROW, N side	Y	Yes	BLK 897	07/01/20	1,268,584.70	232,097.56	July 2020	6	6	44.57	44.62	-	5.5	6	39.1	38.6	0.25	DP	-
SV-13	Valley St ROW, N side	Y	Yes	BLK 898	07/01/20	1,268,585.90	232,099.47	July 2020	12	12	44.42	44.46	-	11.5	12	32.9	32.4	0.25	DP	-
SV-14	Roy St ROW, N side	Y	Yes	BLK 899	07/01/20	1,268,785.24	231,796.41	July 2020	6	6	40.93	40.92	-	5.5	6	35.4	34.9	0.25	DP	-
SV-15	Roy St ROW, N side	Y	Yes	BLK 900	07/01/20	1,268,785.09	231,798.41	July 2020	13	13	40.98	40.99	-	12.5	13	28.5	28.0	0.25	DP	-
SV-16	8th Ave N ROW, E side	Y	Yes	BLK 901	07/02/20	1,268,669.51	231,859.20	July 2020	6	6	42.97	42.99	-	5.5	6	37.5	37.0	0.25	DP	-
SV-17	8th Ave N ROW, E side	Y	Yes	BLK 902	07/02/20	1,268,668.95	231,906.41	July 2020	6	6	42.10	42.10	-	5.5	6	36.6	36.1	0.25	DP	-
SV-18	8th Ave N ROW, E side	Y	Yes	BLK 903	07/02/20	1,268,669.89	231,982.22	July 2020	6	6	42.05	42.06	-	5.5	6	36.6	36.1	0.25	DP	-
SV-19	9th Ave N ROW, W side	Y	Yes	BLK 904	07/09/20	1,268,933.23	231,840.64	July 2020	6	6	35.19	35.20	-	5.5	6	29.7	29.2	0.25	DP	-
SV-20	9th Ave N ROW, W side	Y	Yes	BLK 905	07/09/20	1,268,933.28	231,842.83	July 2020	10	10	35.15	35.16	-	9.5	10	25.6	25.1	0.25	DP	-
SV-21	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 906	07/09/20	1,268,808.91	231,953.22	July 2020	6	6	35.30	35.35	-	5.5	6	29.8	29.3	0.25	DP	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
SV-22	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 907	07/09/20	1,268,808.90	231,955.46	July 2020	10	10	35.24	35.28	-	9.5	10	25.7	25.2	0.25	DP	-
SV-23	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 908	07/09/20	1,268,805.42	232,034.81	July 2020	6	6	33.36	33.39	-	5.5	6	27.9	27.4	0.25	DP	-
SV-24	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 909	07/09/20	1,268,805.37	232,036.82	July 2020	10	10	33.29	33.32	-	9.5	10	23.8	23.3	0.25	DP	-
SV-25	Dexter Ave N ROW, W side	Y	Yes	BLK 910	07/10/20	1,268,293.10	231,918.58	July 2020	6	6	58.17	58.18	-	5.5	6	52.7	52.2	0.25	DP	-
SV-26	Dexter Ave N ROW, W side	Y	Yes	BLK 911	07/10/20	1,268,293.08	231,916.60	July 2020	12	12	58.21	58.23	-	11.5	12	46.7	46.2	0.25	DP	-
SV-27	Dexter Ave N ROW, W side	Y	Yes	BLK 913	07/10/20	1,268,295.72	232,025.83	July 2020	15	15	58.59	58.59	-	14.5	15	44.1	43.6	0.25	DP	-
SV-28	Dexter Ave N ROW, W side	Y	Yes	BLK 912	07/10/20	1,268,295.62	232,023.76	July 2020	8.2	6	58.60	58.59	-	5.5	6	53.1	52.6	0.25	DP	-
Treatment Zone A Injection Wells																				
CA-A1	Property, NW quadrant	Y	Yes	BLZ-113	08/28/19	1,268,407.78	231,973.48	Nov 2019	26.4	25.0	13.9	-	13.58	9.7	24.7	4.2	-10.8	2	Sonic	-
CA-A2	Property, NW quadrant	Y	Yes	BLZ-116	08/29/19	1,268,406.99	231,954.25	Nov 2019	25.2	24.7	13.9	-	13.59	9.41	24.4	4.49	-10.5	2	Sonic	-
CA-A3	Property, NW quadrant	Y	Yes	BLZ-119	09/12/19	1,268,406.94	231,938.96	Nov 2019	24.5	24.4	13.9	-	13.77	9.01	24.01	4.89	-10.11	2	Sonic	-
CA-A4	Property, SW quadrant	Y	Yes	BLZ-123	09/18/19	1,268,406.70	231,918.56	Nov 2019	26.1	26.0	13.9	-	13.58	10.63	25.63	3.27	-11.73	2	Sonic	-
CA-A5	Property, SW quadrant	Y	Yes	BLZ-342	09/23/19	1,268,405.77	231,898.71	Nov 2019	25.5	25.5	13.9	-	13.58	10.16	25.16	3.74	-11.26	2	Sonic	-
CA-A6	Property, SW quadrant	Y	Yes	BLZ-341	09/24/19	1,268,405.18	231,878.43	Nov 2019	26.1	25.4	13.9	-	13.45	10.05	25.05	3.85	-11.15	2	Sonic	-
CA-A7	Property, SW quadrant	Y	Yes	BLZ-340	09/23/19	1,268,404.63	231,853.59	Nov 2019	27.2	27.1	13.9	-	13.58	11.7	26.7	2.2	-12.8	2	Sonic	-
CA-A8	Property, SW quadrant	Y	Yes	BLZ-339	09/19/19	1,268,404.07	231,833.63	Nov 2019	26.3	26.3	13.9	-	13.62	10.91	25.91	2.99	-12.01	2	Sonic	-
CA-A9	Property, NW quadrant	Y	Yes	BLZ-147	09/04/19	1,268,492.93	232,010.33	Nov 2019	24.7	24.5	13.9	-	13.63	9.17	24.17	4.73	-10.27	2	Sonic	-
CA-A10	Property, NW quadrant	Y	Yes	BLZ-169	09/04/19	1,268,492.40	231,990.39	Nov 2019	25.2	25	13.9	-	13.64	9.65	24.65	4.25	-10.75	2	Sonic	-
CA-A11	Property, NW quadrant	Y	Yes	BLZ-173	09/05/19	1,268,492.09	231,970.60	Nov 2019	24.8	25.1	13.9	-	13.61	9.77	24.77	4.13	-10.87	2	Sonic	-
CA-A12	Property, NW quadrant	Y	Yes	BLZ-177	09/06/19	1,268,491.58	231,950.65	Nov 2019	25.8	24.9	13.9	-	13.64	9.52	24.52	4.38	-10.62	2	Sonic	-
CA-A13	Property, NW quadrant	Y	Yes	BLZ-181	09/10/19	1,268,490.99	231,931.08	Nov 2019	25.4	25.0	13.9	-	13.60	9.66	24.66	4.24	-10.76	2	Sonic	-
CA-A14	Property, SW quadrant	Y	Yes	BLZ-128	09/11/19	1,268,490.39	231,911.11	Nov 2019	25.4	25.4	13.9	-	13.59	10.08	25.08	3.82	-11.18	2	Sonic	-
CA-A15	Property, SW quadrant	Y	Yes	BLZ-131	09/24/19	1,268,489.94	231,891.18	Nov 2019	25.3	25.3	13.9	-	13.58	9.97	24.97	3.93	-11.07	2	Sonic	-
CA-A16	Property, NE quadrant	Y	Yes	BLZ-166	10/23/19	1,268,559.64	231,998.66	Nov 2019	50.0	25.2	13.9	-	13.62	9.86	24.86	4.04	-10.96	2	Sonic	-
CA-A17	Property, NE quadrant	Y	Yes	BLZ-164	10/24/19	1,268,560.17	231,978.89	Nov 2019	25.6	25.6	13.9	-	13.50	10.24	25.24	3.66	-11.34	2	Sonic	-
CA-A18	Property, NE quadrant	Y	Yes	BLZ-162	10/26/19	1,268,559.91	231,959.22	Nov 2019	25.2	25.0	13.9	-	13.58	9.64	24.64	4.26	-10.74	2	Sonic	-
CA-A19	Property, SE quadrant	Y	Yes	BLZ-137	09/27/19	1,268,530.34	231,830.75	Nov 2019	25.3	24.9	13.9	-	13.60	9.55	24.55	4.35	-10.65	2	Sonic	-
CA-A20	Property, SE quadrant	Y	Yes	BLZ-139	09/30/19	1,268,550.15	231,830.04	Nov 2019	26.4	26.1	13.9	-	13.64	10.78	22.75	3.12	-8.85	2	Sonic	-
CA-A21	Property, SE quadrant	Y	Yes	BLZ-141	10/03/19	1,268,565.44	231,829.77	Nov 2019	25.6	25.6	13.9	-	13.59	10.27	25.27	3.63	-11.37	2	Sonic	-
Treatment Zone B Injection Wells																				
CA-B1	Property, NW quadrant	Y	Yes	BLZ-114	08/28/19	1,268,407.63	231,968.46	Nov 2019	38.7	38.7	13.9	-	13.56	23.22	38.22	-9.32	-24.32	2	Sonic	-
CA-B2	Property, NW quadrant	Y	Yes	BLZ-117	08/29/19	1,268,407.42	231,948.60	Nov 2019	39.6	39.5	13.9	-	13.56	24.16	39.16	-10.3	-25.26	2	Sonic	-
CA-B3	Property, NW quadrant	Y	Yes	BLZ-120	09/12/19	1,268,407.07	231,933.58	Nov 2019	38.2	38.9	13.9	-	13.63	23.55	38.55	-9.65	-24.65	2	Sonic	-
CA-B4	Property, SW quadrant	Y	Yes	BLZ-336	09/18/19	1,268,406.27	231,913.65	Nov 2019	39.5	39.1	13.9	-	13.57	23.66	38.78	-9.76	-24.88	2	Sonic	-
CA-B5	Property, SW quadrant	Y	Yes	BLZ-335	9/23/19 - 9/24/19	1,268,405.80	231,893.25	Nov 2019	39.2	-	13.9	-	13.58	-	-	-	-	2	Sonic	-
CA-B6	Property, SW quadrant	Y	Yes	BLZ-296	09/19/19	1,268,405.16	231,873.44	Nov 2019	39.6	39.6	13.9	-	13.62	24.25	39.25	-10.4	-25.35	2	Sonic	-
CA-B7	Property, SW quadrant	Y	Yes	BLZ-299	09/23/19	1,268,404.49	231,849.12	Nov 2019	40.2	40.4	13.9	-	13.62	25.05	40.06	-11.2	-26.16	2	Sonic	-
CA-B8	Property, SW quadrant	Y	Yes	BLZ-298	09/16/19	1,268,404.03	231,828.64	Nov 2019	40.1	40.5	13.9	-	13.55	25.11	40.11	-11.2	-26.21	2	Sonic	-
CA-B9	Property, NW quadrant	Y	Yes	BLZ-167	9/3/19 - 9/4/19	1,268,492.60	232,005.88	Nov 2019	39.9	40	13.9	-	13.61	24.65	39.65	-10.8	-25.75	2	Sonic	-
CA-B10	Property, NW quadrant	Y	Yes	BLZ-170	08/30/19	1,268,492.43	231,986.10	Nov 2019	39.7	39.9	13.9	-	13.58	24.52	39.51	-10.6	-25.61	2	Sonic	-
CA-B11	Property, NW quadrant	Y	Yes	BLZ-174	09/05/19	1,268,492.04	231,965.95	Nov 2019	39.3	39.1	13.9	-	13.57	23.73	38.73	-9.83	-24.83	2	Sonic	-
CA-B12	Property, NW quadrant	Y	Yes	BLZ-178	9/6/19 - 9/9/19	1,268,491.62	231,946.15	Nov 2019	39.7	39.7	13.9	-	13.61	24.3	39.3	-10.4	-25.4	2	Sonic	-
CA-B13	Property, NW quadrant	Y	Yes	BLZ-338	09/10/19	1,268,490.90	231,925.71	Nov 2019	40.9	39.9	13.9	-	13.62	24.55	39.45	-10.7	-25.55	2	Sonic	-
CA-B14	Property, SW quadrant	Y	Yes	BLZ-129	09/11/19	1,268,490.14	231,905.94	Nov 2019	40.2	39.2	13.9	-	13.59	23.82	38.82	-9.92	-24.92	2	Sonic	-
CA-B15	Property, SW quadrant	Y	Yes	BLZ-132	09/24/19	1,268,489.47	231,886.21	Nov 2019	39.5	39.5	13.9	-	13.58	24.18	39.18	-10.3	-25.28	2	Sonic	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
CA-B16	Property, NE quadrant	Y	Yes	BLZ-165	10/23/19	1,268,559.57	231,993.66	Nov 2019	39.0	39.8	13.9	-	13.57	24.49	39.49	-10.6	-25.59	2	Sonic	-
CA-B17	Property, NE quadrant	Y	Yes	BLZ-163	10/28/19	1,268,560.04	231,974.31	Nov 2019	39.4	39.3	13.9	-	13.57	23.98	38.98	-10.1	-25.08	2	Sonic	-
CA-B18	Property, NE quadrant	Y	Yes	BLZ-161	10/26/19	1,268,559.56	231,953.53	Nov 2019	38.8	38.8	13.9	-	13.61	23.44	38.44	-9.54	-24.54	2	Sonic	-
CA-B19	Property, SE quadrant	Y	Yes	BLZ-138	09/27/19	1,268,535.49	231,830.36	Nov 2019	39.6	39.6	13.9	-	13.58	24.2	39.2	-10.3	-25.3	2	Sonic	-
CA-B20	Property, SE quadrant	Y	Yes	BLZ-140	09/27/19	1,268,555.48	231,830.01	Nov 2019	39.5	39.5	13.9	-	13.60	24.18	39.18	-10.3	-25.28	2	Sonic	-
CA-B21	Property, SE quadrant	Y	Yes	BLZ-142	10/02/19	1,268,575.30	231,829.04	Nov 2019	40.4	40.2	13.9	-	13.60	24.83	39.83	-10.9	-25.93	2	Sonic	-
Treatment Zone C Injection Wells																				
CA-C1	Property, NW quadrant	Y	Yes	BLZ-115	08/27/19	1,268,407.57	231,963.35	Nov 2019	56.0	54.7	13.9	-	13.59	39.35	54.35	-25.5	-40.45	2	Sonic	-
CA-C2A	Property, NW quadrant	Y	Yes	BLZ-118	09/16/19	1,268,404.06	231,943.62	Nov 2019	54.4	54.3	13.9	-	13.64	38.97	53.97	-25.1	-40.07	2	Sonic	-
CA-C3	Property, NW quadrant	Y	Yes	BLZ-121	09/11/19	1,268,406.72	231,928.62	Nov 2019	53.8	54.3	13.9	-	13.61	38.9	53.9	-25	-40	2	Sonic	-
CA-C4	Property, SW quadrant	Y	Yes	BLZ-297	09/19/19	1,268,405.96	231,908.54	Nov 2019	56.6	54.1	13.9	-	13.52	38.71	53.71	-24.8	-39.81	2	Sonic	-
CA-C5	Property, SW quadrant	Y	Yes	BLZ-300	09/24/19	1,268,405.59	231,888.31	Nov 2019	55	55	13.9	-	13.58	39.67	54.67	-25.8	-40.77	2	Sonic	-
CA-C6	Property, SW quadrant	Y	Yes	BLZ-407	09/19/19	1,268,404.93	231,868.27	Nov 2019	54.7	54.7	13.9	-	13.61	39.35	54.35	-25.5	-40.45	2	Sonic	-
CA-C7	Property, SW quadrant	Y	Yes	BLZ-351	09/20/19	1,268,404.03	231,843.44	Nov 2019	55.4	55.4	13.9	-	13.59	40	55	-26.1	-41.1	2	Sonic	-
CA-C8	Property, NW quadrant	Y	Yes	BLZ-168	8/30/19 - 9/3/19	1,268,492.72	232,000.77	Nov 2019	55	55.4	13.9	-	13.58	40	55	-26.1	-41.1	2	Sonic	-
CA-C9	Property, NW quadrant	Y	Yes	BLZ-171	09/04/19	1,268,492.20	231,980.76	Nov 2019	34.2	33.3	13.9	-	13.57	37.9	52.9	-24	-39	2	Sonic	-
CA-C10	Property, NW quadrant	Y	Yes	BLZ-175	9/5/19 - 9/6/19	1,268,491.69	231,961.04	Nov 2019	54.8	53.8	13.9	-	13.54	38.46	53.46	-24.6	-39.56	2	Sonic	-
CA-C11	Property, NW quadrant	Y	Yes	BLZ-179	09/09/19	1,268,490.93	231,940.94	Nov 2019	54.2	54.4	13.9	-	13.65	39	54	-25.1	-40.1	2	Sonic	-
CA-C12	Property, SW quadrant	Y	Yes	BLZ-183	09/09/19	1,268,490.52	231,921.25	Nov 2019	55.3	54.8	13.9	-	13.50	39.48	54.48	-25.6	-40.58	2	Sonic	-
CA-C13	Property, SW quadrant	Y	Yes	BLZ-130	09/10/19	1,268,490.11	231,900.89	Nov 2019	54.2	54.2	13.9	-	13.57	38.82	53.82	-24.9	-39.92	2	Sonic	-
Treatment Zone D Injection Wells																				
CA-D1	Property, SW quadrant	Y	Yes	BLZ-122	09/10/19	1,268,406.74	231,923.47	Nov 2019	68	68.4	13.9	-	13.60	53	68	-39.1	-54.1	2	Sonic	-
CA-D2	Property, SW quadrant	Y	Yes	BLZ-352	9/16/19 - 9/18/19	1,268,406.00	231,903.91	Nov 2019	69.7	69.4	13.9	-	13.61	54.01	69.01	-40.1	-55.11	2	Sonic	-
CA-D3	Property, SW quadrant	Y	Yes	BLZ-353	9/19/19 - 9/23/19	1,268,405.78	231,883.37	Nov 2019	69.1	69.7	13.9	-	13.57	54.3	69.3	-40.4	-55.4	2	Sonic	-
CA-D4	Property, SW quadrant	Y	Yes	BLZ-354	09/18/19	1,268,404.67	231,863.59	Nov 2019	70.1	70.1	13.9	-	13.65	54.75	69.75	-40.9	-55.85	2	Sonic	-
CA-D5	Property, NW quadrant	Y	Yes	BLZ-172	9/3/19 - 9/4/19	1,268,492.06	231,976.01	Nov 2019	71.8	69.2	13.9	-	13.55	53.85	68.85	-40	-54.95	2	Sonic	-
CA-D6	Property, NW quadrant	Y	Yes	BLZ-176	09/04/19	1,268,491.58	231,955.40	Nov 2019	71.8	68.4	13.9	-	13.62	53.05	68.05	-39.2	-54.15	2	Sonic	-
CA-D7	Property, NW quadrant	Y	Yes	BLZ-337	9/5/19 - 9/6/19	1,268,491.19	231,935.87	Nov 2019	72.0	69.3	13.9	-	13.57	53.95	68.95	-40.1	-55.05	2	Sonic	-
CA-D8	Property, SW quadrant	Y	Yes	BLZ-184	9/6/19 - 9/9/19	1,268,490.41	231,915.69	Nov 2019	72.2	69.6	13.9	-	13.63	52.2	69.2	-38.3	-55.3	2	Sonic	-
Perimeter Dual Completion Injection Wells																				
PRB-A1	8th Ave N ROW, W side	Y	No	BLZ-201	1/8/19 - 1/9/19				85	52	-	-	-	31.7	51.7	-	-	2	Sonic	-
PRB-C1	8th Ave N ROW, W side	Y	No							82	-	-	-	66.7	81.7	-	-	2	Sonic	-
PRB-B1	8th Ave N ROW, W side	Y	No	BLZ-202	1/15/19 - 1/17/19				98	67.5	-	-	-	52.2	67.2	-	-	2	Sonic	-
PRB-D1	8th Ave N ROW, W side	Y	No							97	-	-	-	82.2	96.7	-	-	2	Sonic	-
PRB-A2	8th Ave N ROW, W side	Y	No	BLZ-203	1/17/19 - 1/18/19				83	52	-	-	-	31.8	51.8	-	-	2	Sonic	-
PRB-C2	8th Ave N ROW, W side	Y	No							82	-	-	-	66.8	86.8	-	-	2	Sonic	-
PRB-B2	8th Ave N ROW, W side	Y	No	BLZ-204	1/16/19 - 1/21/19				99	67.1	-	-	-	51.8	67.8	-	-	2	Sonic	-
PRB-D2	8th Ave N ROW, W side	Y	No							97.3	-	-	-	82.0	96.9	-	-	2	Sonic	-
PRB-A3	8th Ave N ROW, W side	Y	No	BLZ-205	2/13/19 - 2/14/19				84.5	53.5	-	-	-	33.2	53.2	-	-	2	Sonic	-
PRB-C3	8th Ave N ROW, W side	Y	No							84.3	-	-	-	69.0	84.0	-	-	2	Sonic	-
PRB-B3	8th Ave N ROW, W side	Y	No	BLZ-206	1/10/19 - 1/11/19				99	69	-	-	-	53.7	68.7	-	-	2	Sonic	-
PRB-D3	8th Ave N ROW, W side	Y	No							98	-	-	-	82.7	97.7	-	-	2	Sonic	-
PRB-A4	8th Ave N ROW, W side	Y	No	BLZ-207	1/8/19 - 1/10/19				85	53	-	-	-	32.7	52.7	-	-	2	Sonic	-
PRB-C4	8th Ave N ROW, W side	Y	No							83	-	-	-	67.7	82.7	-	-	2	Sonic	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
PRB-B4	8th Ave N ROW, W side	Y	No	BLZ-208	1/22/19 - 1/23/19				100	68	-	-	-	52.7	67.7	-	-	2	Sonic	-
PRB-D4	8th Ave N ROW, W side	Y	No							98	-	-	-	82.7	97.7	-	-	2	Sonic	-
PRB-A5	8th Ave N ROW, W side	Y	No	BLZ-209	1/23/19 - 1/23/19				84	53	-	-	-	32.7	52.7	-	-	2	Sonic	-
PRB-C5	8th Ave N ROW, W side	Y	No							83	-	-	-	67.7	82.7	-	-	2	Sonic	-
PRB-B5	8th Ave N ROW, W side	Y	No	BLZ-210	2/14/19 - 2/14/19				99.5	68.4	-	-	-	53.1	68.1	-	-	2	Sonic	-
PRB-D5	8th Ave N ROW, W side	Y	No							98.4	-	-	-	83.1	98.1	-	-	2	Sonic	-
PRB-A6	8th Ave N ROW, W side	Y	No	BLZ-211	2/19/19 - 2/19/19				84.5	53.6	-	-	-	33.2	53.3	-	-	2	Sonic	-
PRB-C6	8th Ave N ROW, W side	Y	No							83.7	-	-	-	68.3	83.3	-	-	2	Sonic	-
PRB-B6	8th Ave N ROW, W side	Y	No	BLZ-212	2/20/19 - 2/21/19				99.5	69.1	-	-	-	53.7	68.7	-	-	2	Sonic	-
PRB-D6	8th Ave N ROW, W side	Y	No							99.2	-	-	-	83.9	98.9	-	-	2	Sonic	-
PRB-A7	8th Ave N ROW, W side	Y	No	BLZ-213	2/15/19 - /2/15/19				84.5	53.4	-	-	-	33.1	53.1	-	-	2	Sonic	-
PRB-C7	8th Ave N ROW, W side	Y	No							83.6	-	-	-	68.3	83.3	-	-	2	Sonic	-
PRB-B7	8th Ave N ROW, W side	Y	No	BLZ-214	2/12/19 - 2/13/19				100	67.8	-	-	-	52.5	67.5	-	-	2	Sonic	-
PRB-D7	8th Ave N ROW, W side	Y	No							98.7	-	-	-	83.4	98.4	-	-	2	Sonic	-
PRB-A8	8th Ave N ROW, W side	Y	No	BLZ-215	2/8/19 - 2/12/19				84	54.0	-	-	-	33.7	53.7	-	-	2	Sonic	-
PRB-C8	8th Ave N ROW, W side	Y	No							84.0	-	-	-	68.7	83.7	-	-	2	Sonic	-
PRB-B8	8th Ave N ROW, W side	Y	No	BLZ-216	2/20/19 - 2/20/19				99.5	69.0	-	-	-	53.6	68.6	-	-	2	Sonic	-
PRB-D8	8th Ave N ROW, W side	Y	No							99.5	-	-	-	84.2	99.2	-	-	2	Sonic	-
PRB-A9	8th Ave N ROW, W side	Y	No	BLZ-217	2/7/19 - 2/7/19				87.5	54.1	-	-	-	33.7	53.7	-	-	2	Sonic	-
PRB-C9	8th Ave N ROW, W side	Y	No							83.8	-	-	-	68.5	83.5	-	-	2	Sonic	-
PRB-B9	8th Ave N ROW, W side	Y	No	BLZ-218	1/30/19 - 2/6/19				100	69.2	-	-	-	53.8	68.8	-	-	2	Sonic	-
PRB-D9	8th Ave N ROW, W side	Y	No							99.3	-	-	-	84.0	99.0	-	-	2	Sonic	-
PRB-A10	8th Ave N ROW, W side	Y	No	BLZ-219	1/14/19 - 1/17/19				86	56	-	-	-	35.7	55.7	-	-	2	Sonic	-
PRB-C10	8th Ave N ROW, W side	Y	No							86	-	-	-	70.7	85.7	-	-	2	Sonic	-
PRB-B10	8th Ave N ROW, W side	Y	No	BLZ-220	2/22/19 - 2/22/19				101	70.6	-	-	-	55.3	70.3	-	-	2	Sonic	-
PRB-D10	8th Ave N ROW, W side	Y	No							100.5	-	-	-	85.2	100.2	-	-	2	Sonic	-
PRB-A11	8th Ave N ROW, W side	Y	No	BLZ-221	2/25/19				86	53.6	-	-	-	35.0	55.0	-	-	2	Sonic	-
PRB-C11	8th Ave N ROW, W side	Y	No							84.9	-	-	-	69.5	84.5	-	-	2	Sonic	-
PRB-B11	8th Ave N ROW, W side	Y	No	BLZ-222	1/15/19 - 1/16/19				101	70.0	-	-	-	55.4	70.4	-	-	2	Sonic	-
PRB-D11	8th Ave N ROW, W side	Y	No							100.7	-	-	-	85.4	100.4	-	-	2	Sonic	-
PRB-A12	8th Ave N ROW, W side	Y	No	BLZ-223	2/26/19 - 2/26/19	1,268,633.53	231,812.29		86.5	55.4	-	-	-	35.1	55.1	-	-	2	Sonic	-
PRB-C12	8th Ave N ROW, W side	Y	No			1,268,633.53	231,812.29			85.5	-	-	-	70.1	84.1	-	-	2	Sonic	-
PRB-B12	8th Ave N ROW, W side	Y	No	BLZ-224	1/21/19 - 2/27/19	1,268,631.47	231,798.35		101	68.2	-	-	-	53.0	67.8	-	-	2	Sonic	-
PRB-D12	8th Ave N ROW, W side	Y	No			1,268,631.47	231,798.35			98.4	-	-	-	83.4	98.1	-	-	2	Sonic	-
PRB-A13	Roy St ROW, N side	Y	No	BLZ-225	3/4/19 - 3/5/19	1,268,616.72	231,786.50		87	57.7	-	-	-	37.3	57.3	-	-	2	Sonic	-
PRB-C13	Roy St ROW, N side	Y	No			1,268,616.72	231,786.50			87.2	-	-	-	71.9	86.9	-	-	2	Sonic	-
PRB-B13	Roy St ROW, N side	Y	No	BLZ-226	03/21/19	1,268,605.69	231,787.72		103	72.0	-	-	-	56.6	71.6	-	-	2	Sonic	-
PRB-D13	Roy St ROW, N side	Y	No			1,268,605.69	231,787.72			102.4	-	-	-	87.0	102.0	-	-	2	Sonic	-
PRB-A14	Roy Street ROW, N side	Y	No		08/20/20-08/24/20	1,268,589.98	231,778.87		90	58.1	-	-	-	37.8	57.8	-	-	2	Sonic	-
PRB-C14	Roy Street ROW, N side	Y	No			1,268,589.98	231,778.87			88.1	-	-	-	72.7	87.7	-	-	2	Sonic	-
PRB-B14	Roy St ROW, N side	Y	No	BLZ-227	3/5/19 - 3/5/19	1,268,590.75	231,794.34		103.5	73.6	-	-	-	58.3	73.3	-	-	2	Sonic	-
PRB-D14	Roy St ROW, N side	Y	No			1,268,590.75	231,794.34			103.5	-	-	-	88.2	103.2	-	-	2	Sonic	-
PRB-D14R	Roy St ROW, N side	Y	No		12/1/20 - 12/10/20	1,268,586.06	231,794.34		106	105.9	-	-	-	90.6	105.6	-	-	2	Sonic	-
PRB-A15	Roy St ROW, N side	Y	No		08/14/20-08/17/20	1,268,565.61	231,779.66		89	58.6	-	-	-	38.1	58.2	-	-	2	Sonic	-
PRB-C15	Roy St ROW, N side	Y	No			1,268,565.61	231,779.66			89.4	-	-	-	73.97	89.1	-	-	2	Sonic	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
PRB-B15	Roy St ROW, N side	Y	No	BLZ-228	03/07/19	1,268,557.35	231,788.83		104	73.7	-	-	-	58.4	73.4	-	-	2	Sonic	-
PRB-D15	Roy St ROW, N side	Y	No			1,268,557.35	231,788.83			103.7	-	-	-	88.4	103.4	-	-	2	Sonic	-
PRB-A16	Roy St ROW, N side	Y	No	BLZ-229	3/7/19 - 3/11/19	1,268,542.99	231,789.16		90.5	58.7	-	-	-	43.4	58.4	-	-	2	Sonic	-
PRB-C16	Roy St ROW, N side	Y	No			1,268,542.99	231,789.16			88.5	-	-	-	73.2	88.2	-	-	2	Sonic	-
PRB-B16	Roy St ROW, N side	Y	No	BLZ-230	3/13/19 - 3/13/19	1,268,530.35	231,789.44		106	76.0	-	-	-	60.6	75.6	-	-	2	Sonic	-
PRB-D16	Roy St ROW, N side	Y	No			1,268,530.35	231,789.44			106.0	-	-	-	90.7	105.7	-	-	2	Sonic	-
PRB-A17	Roy St ROW, N side	Y	No	BLZ-231	3/8/19 - 3/12/19	1,268,520.22	231,789.67		91.5	58.5	-	-	-	38.2	58.2	-	-	2	Sonic	-
PRB-C17	Roy St ROW, N side	Y	No			1,268,520.22	231,789.67			89.6	-	-	-	74.3	89.3	-	-	2	Sonic	-
PRB-B17	Roy St ROW, N side	Y	No	BLZ-232	03/12/19	1,268,511.32	231,789.87		105	75.8	-	-	-	60.5	75.5	-	-	2	Sonic	-
PRB-D17	Roy St ROW, N side	Y	No			1,268,511.32	231,789.87			106.2	-	-	-	90.9	105.9	-	-	2	Sonic	-
PRB-A18	Roy St ROW, N side	Y	No	BLZ-233	03/14/19	1,268,499.98	231,790.13		93	60	-	-	-	39.7	59.7	-	-	2	Sonic	-
PRB-C18	Roy St ROW, N side	Y	No			1,268,499.98	231,790.13			90.6	-	-	-	75.3	90.3	-	-	2	Sonic	-
PRB-B18	Roy St ROW, N side	Y	No	BLZ-234	3/22/19 - 3/23/19	1,268,475.79	231,801.33		108	75.4	-	-	-	60.0	75.0	-	-	2	Sonic	-
PRB-D18	Roy St ROW, N side	Y	No			1,268,475.79	231,801.33			105.4	-	-	-	90.0	105.0	-	-	2	Sonic	-
PRB-D18R	Roy St ROW, N side	Y	No		12/4/20-12/8/20	1,268,471.25	231,801.41		107	107.0	-	-	-	91.6	106.6	-	-	2	Sonic	-
PRB-A19	Roy St ROW, N side	Y	No	BLZ-235	03/19/19	1,268,463.46	231,800.53		95	61.6	-	-	-	41.2	61.3	-	-	2	Sonic	-
PRB-C19	Roy St ROW, N side	Y	No			1,268,463.46	231,800.53			91.9	-	-	-	76.6	91.6	-	-	2	Sonic	-
PRB-B19	Roy St ROW, N side	Y	No	BLZ-236	03/18/19	1,268,452.90	231,797.23		110	79.6	-	-	-	64.7	79.3	-	-	2	Sonic	-
PRB-D19	Roy St ROW, N side	Y	No			1,268,452.90	231,797.23			109.4	-	-	-	94.0	109.0	-	-	2	Sonic	-
PRB-D19R	Roy St ROW, N side	Y	No		12/3/20-12/4/20	1,268,448.06	231,797.38		110	109.8	-	-	-	94.4	109.4	-	-	2	Sonic	-
PRB-A20	Roy St ROW, N side	Y	No	BLZ-237	03/15/19	1,268,443.47	231,801.05		94.5	64.1	-	-	-	43.7	63.8	-	-	2	Sonic	-
PRB-C20	Roy St ROW, N side	Y	No			1,268,443.47	231,801.05			93.6	-	-	-	78.2	93.2	-	-	2	Sonic	-
PRB-B20	Roy St ROW, N side	Y	No	BLZ-238	03/21/19	1,268,433.49	231,801.30		110	78.8	-	-	-	63.5	78.5	-	-	2	Sonic	-
PRB-D20	Roy St ROW, N side	Y	No			1,268,433.49	231,801.30			109.0	-	-	-	93.7	108.7	-	-	2	Sonic	-
PRB-A21	Roy St ROW, N side	Y	No	BLZ-239	03/16/19	1,268,419.48	231,801.66		96	64.0	-	-	-	43.7	63.7	-	-	2	Sonic	-
PRB-C21	Roy St ROW, N side	Y	No			1,268,419.48	231,801.66			94.8	-	-	-	79.5	94.5	-	-	2	Sonic	-
PRB-B21	Roy St ROW, N side	Y	No	BLZ-240	03/26/19	1,268,407.48	231,801.97		110	80.0	-	-	-	64.6	79.6	-	-	2	Sonic	-
PRB-D21	Roy St ROW, N side	Y	No			1,268,407.48	231,801.97			109.8	-	-	-	94.5	109.5	-	-	2	Sonic	-
PRB-A22	Roy St ROW, N side	Y	No	BLZ-241	03/23/19	1,268,395.49	231,802.27		96	64.6	-	-	-	44.2	64.3	-	-	2	Sonic	-
PRB-C22	Roy St ROW, N side	Y	No			1,268,395.49	231,802.27			96.3	-	-	-	80.9	95.9	-	-	2	Sonic	-
PRB-B22	Roy St ROW, N side	Y	No		08/18/20-08/19/20	1,268,387.49	231,802.48		110	82.1	-	-	-	66.7	81.7	-	-	2	Sonic	-
PRB-D22	Roy St ROW, N side	Y	No			1,268,387.49	231,802.48			110.2	-	-	-	94.8	109.9	-	-	2	Sonic	-
A23C23	Roy St ROW, N side	Y	No		08/12/20-08/14/20	1,268,381.49	231,802.63		100	64.5	-	-	-	44.1	64.2	-	-	2	Sonic	-
A23C23	Roy St ROW, N side	Y	No			1,268,381.49	231,802.63			95.9	-	-	-	80.5	95.6	-	-	2	Sonic	-
B23D23	Roy St ROW, N side	Y	No		08/20/20-08/21/20	1,268,373.59	231,785.66		112	81.2	-	-	-	65.8	80.8	-	-	2	Sonic	-
B23D23	Roy St ROW, N side	Y	No			1,268,373.59	231,785.66			110.2	-	-	-	94.8	109.9	-	-	2	Sonic	-
B24D24	Roy St ROW, N side	Y	No		08/24/20-08/25/20	1,268,577.67	231,779.42		105	75.5	-	-	-	60.1	75.2	-	-	2	Sonic	-
B24D24	Roy St ROW, N side	Y	No			1,268,577.67	231,779.42			105.1	-	-	-	89.7	104.7	-	-	2	Sonic	-
Treatment Zone A Monitoring Wells																				
MW-165	Property, NE quadrant	Y	Yes	BLZ-150	10/22/19	1,268,581.94	231,970.40	Nov 2019	22.7	23.0	13.9	-	13.58	12.7	22.7	1.3	-8.8	2	Sonic	-
MW-169	Property, SW quadrant	Y	Yes	BLZ-127	09/24/19	1,268,461.82	231,922.84	Nov 2019	23.1	23.1	13.9	-	13.55	12.7	22.7	1.2	-8.8	2	Sonic	-
MW-173	Property, SE quadrant	Y	Yes	BLZ-146	10/26/19	1,268,584.42	231,917.86	Nov 2019	22.0	22.0	13.9	-	13.56	11.7	21.7	2.2	-7.8	2	Sonic	-
MW-177	Property, SW quadrant	Y	Yes	BLZ-350	09/26/19	1,268,393.18	231,887.12	Nov 2019	22.1	21.9	13.9	-	13.61	11.6	21.6	2.3	-7.7	2	Sonic	-
MW-181	Property, SW quadrant	Y	Yes	BLZ-349	09/27/19	1,268,431.00	231,834.46	Nov 2019	22.8	22.8	13.9	-	13.59	12.4	22.4	1.5	-8.5	2	Sonic	-
MW-185	Property, SE quadrant	Y	Yes	BLZ-133	10/02/19	1,268,522.10	231,840.33	Nov 2019	23.2	22.9	13.9	-	13.60	12.6	22.6	1.4	-8.7	2	Sonic	-

Attachment A
Well Completion Table
American Linen Supply Co–Dexter Avenue Site
Seattle, Washington

Sample Location	Description of Location	Log?	Surveyed?	Well Tag	Dates Drilled	Easting	Northing	Last Surveyed	Depth		Elevation			Well Screen				Well Dia (in)	Drill Rig Type	Casing Depth (ft bgs)
									Total (ft bgs)	Well (ft bgs)	Ground (ft)	Monument (ft)	TOC (ft)	Depth		Elevation				
														Top	Bottom	Top	Bottom			
Treatment Zone B Monitoring Wells																				
MW-166	Property, NE quadrant	Y	Yes	BLZ-149	10/22/19	1,268,587.14	231,970.32	Nov 2019	36.8	36.8	13.9	-	13.58	26.5	36.5	-12.6	-22.6	2	Sonic	-
MW-170	Property, SW quadrant	Y	Yes	BLZ-126	09/26/19	1,268,466.70	231,922.95	Nov 2019	36.7	37.0	13.9	-	13.56	26.7	36.7	-12.8	-22.8	2	Sonic	-
MW-174	Property, SE quadrant	Y	Yes	BLZ-145	10/26/19	1,268,584.50	231,913.45	Nov 2019	37.0	36.5	13.9	-	13.57	26.2	36.2	-12.3	-22.3	2	Sonic	-
MW-178	Property, SW quadrant	Y	Yes	BLZ-348	09/25/19	1,268,397.56	231,887.29	Nov 2019	36.1	36.0	13.9	-	13.61	25.6	35.6	-11.7	-21.7	2	Sonic	-
MW-182	Property, SW quadrant	Y	Yes	BLZ-347	09/27/19	1,268,435.65	231,834.63	Nov 2019	37.4	36.8	13.9	-	13.59	26.4	36.4	-12.5	-22.5	2	Sonic	-
MW-186	Property, SE quadrant	Y	Yes	BLZ-136	10/01/19	1,268,527.26	231,840.76	Nov 2019	36.1	37.0	13.9	-	13.57	26.6	36.6	-12.7	-22.7	2	Sonic	-
Treatment Zone C Monitoring Wells																				
MW-167	Property, NE quadrant	Y	Yes	BLZ-160	10/22/19	1,268,581.97	231,965.15	Nov 2019	52.2	52.2	13.9	-	13.58	41.8	51.8	-27.9	-37.9	2	Sonic	-
MW-171	Property, SW quadrant	Y	Yes	BLZ-125	9/24/19 - 9/25/19	1,268,461.59	231,917.65	Nov 2019	52.7	51.8	13.9	-	13.49	41.5	51.5	-27.6	-37.6	2	Sonic	-
MW-175	Property, SE quadrant	Y	Yes	BLZ-144	10/26/19	1,268,584.42	231,908.01	Nov 2019	52.2	51.6	13.9	-	13.56	41.7	51.7	-27.8	-37.8	2	Sonic	-
MW-179	Property, SW quadrant	Y	Yes	BLZ-346	9/25/19 - 9/26/19	1,268,393.17	231,882.00	Nov 2019	51.4	51.4	13.9	-	13.62	41.1	51.1	-27.2	-37.2	2	Sonic	-
MW-183	Property, SW quadrant	Y	Yes	BLZ-345	09/26/19	1,268,430.71	231,829.32	Nov 2019	52.4	51.7	13.9	-	13.55	41.3	51.3	-27.4	-37.4	2	Sonic	-
MW-187	Property, SE quadrant	Y	Yes	BLZ-134	10/1/19 - 10/2/19	1,268,521.74	231,835.57	Nov 2019	52.2	51.3	13.9	-	13.56	40.9	50.9	-27.0	-37.0	2	Sonic	-
Treatment Zone D Monitoring Wells																				
MW-168	Property, NE quadrant	Y	Yes	BLZ-148	10/21/19	1,268,586.89	231,964.73	Nov 2019	67.2	67.2	13.9	-	13.55	56.9	66.9	-43.0	-53.0	2	Sonic	-
MW-172	Property, SW quadrant	Y	Yes	BLZ-124	9/25/19 - 9/26/19	1,268,467.31	231,917.87	Nov 2019	66.7	66.7	13.9	-	13.54	56.4	66.4	-42.5	-52.5	2	Sonic	-
MW-176	Property, SE quadrant	Y	Yes	BLZ-143	10/25/19 - 10/26/19	1,268,583.98	231,902.76	Nov 2019	67.5	67.0	13.9	-	13.55	56.6	66.6	-42.7	-52.7	2	Sonic	-
MW-180	Property, SW quadrant	Y	Yes	BLZ-344	9/24/19 - 9/25/19	1,268,397.49	231,882.40	Nov 2019	66.9	66.9	13.9	-	13.61	56.6	66.6	-42.7	-52.7	2	Sonic	-
MW-184	Property, SW quadrant	Y	Yes	BLZ-343	9/26/19 - 9/27/19	1,268,435.35	231,829.39	Nov 2019	67.3	66.7	13.9	-	13.58	56.4	66.4	-42.5	-52.5	2	Sonic	-
MW-188	Property, SE quadrant	Y	Yes	BLZ-135	9/30/19 - 10/1/19	1,268,527.24	231,835.51	Nov 2019	66.3	66.4	13.9	-	13.59	56.1	66.1	-42.2	-52.2	2	Sonic	-


Notes:

1. TOC = top of PVC casing
 2. Monitoring wells and vapor probes were surveyed by Bush, Roed & Hitchings, Inc. (BR&H) of Seattle, Washington, relative to the North American Vertical Datum of 1988 (NAVD 88) and NAD83/91, Washington State Plane Coordinate System North Zone. The perimeter injection wells were surveyed by Turner Construction to an on-Site datum and converted from the resulting CAD drawing to the Washington State Plane Coordinate System by PES Environmental
 3. bgs = below ground surface; ft = feet; ROW = right-of-way; - = not available or not applicable
 4. HSA = hollow-stem auger; DP = direct-push probe; Sonic = roto-sonic or rotary vibratory drilling
 5. Casing depth = depth where casing or auger size was reduced, with the larger casing left in place during drilling
 6. 10-foot-long well screens assumed for MW-214, SCL-MW101, SCL-MW105, SCS-2, and SMW-3
 7. Treatment Zone D wells PRB-D14, PRB-D18, and PRB-D19 were damaged during construction; the wells were decommissioned and replaced by wells PRB-D14R, PRB-D18R, and PRB-D19R, respectively, each installed in separate borings
- ¹ - Monitoring wells to be surveyed when Interim Action Addendum wells are installed and surveyed at future date.

ATTACHMENT B

CVOC TIME-TREND PLOTS


Concentration vs Time
MW-9 (34.1 to 19.1 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW121 (26.7 to 16.7 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW125 (28.6 to 13.6 feet NAVD), Valley St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-154 (27.8 to 17.9 feet NAVD), Roy St ROW, S side
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-155 (24.4 to 14.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-159 (22.9 to 12.9 feet NAVD), 8th Ave N, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-301 (35.6 to 25.6 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-305 (37.4 to 27.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-310 (19.2 to 9.2 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-312 (19.9 to 9.9 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-313 (20.4 to 10.4 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-320 (18.6 to 8.6 feet NAVD), 9th Ave N, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-332 (16.0 to 6.0 feet NAVD), Roy St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-337 (18.1 to 8.1 feet NAVD), Lake Union Park, N end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-339 (18.2 to 8.2 feet NAVD), Lake Union Park, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
R-MW5 (42.4 to 27.4 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
R-MW6 (33.3 to 23.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
SCL-MW101 (25.5 to 15.5 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
BB-8 (14.0 to 4.0 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-142 (-4.2 to -9.6 feet NAVD), 9th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
GEI-MW-1 (-9.7 to -29.7 feet NAVD), Block 79 East, N end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW107 (8.8 to -1.2 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW108 (-7.2 to -17.2 feet NAVD), Alley E of Seattle Roy Aloho Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW109 (0.0 to -10.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW110 (4.7 to -5.3 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW115 (-0.6 to -10.6 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW116 (-3.1 to -13.1 feet NAVD) 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW119 (2.7 to -7.3 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW120 (0.0 to -10.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW127 (-1 to -11.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-142 (2.4 to -7.6 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-144R (3.9 to -6.5 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-146 (12.8 to 2.8 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-156 (2.0 to -8.0 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-189 (-1.2 to -11.2 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-302 (3.0 to -7.0 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-306 (17.2 to 7.2 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-308 (-4.7 to -14.7 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-315 (12.2 to 2.3 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-317 (3.4 to -6.6 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-325 (7.0 to -3.0 feet NAVD), Mercer St ROW, N side
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-327 (3.6 to -6.3 feet NAVD), Lake Union Park, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-330 (0.0 to -10.0 feet NAVD), Valley St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-331 (-4.3 to -14.3 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-333 (-1.5 to -11.5 feet NAVD), 900 Roy St, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-141 (-12.1 to -22.1 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
HMW-9IB (-1.6 to -11.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co–Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW111 (-33.5 to -43.5 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW112 (-17.2 to -27.2 feet NAVD), Dexter Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW112R (Not Yet Surveyed), Dexter Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW126 (-54.1 to -64.1 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-143 (-27.7 to -37.6 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-145R (-27.2 to -37.2 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-147 (-17.6 to -27.6 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-148 (-25.7 to -35.7 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-157 (-28.3 to -38.2 feet NAVD), 8th Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-190 (-30.2 to -40.2 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-303 (-13.8 to -23.8 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-307 (-12.4 to -22.4 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-309 (-32.0 to -42.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-311 (-29.1 to -39.1 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-314 (-28.0 to -38.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-316 (-10.0 to -20.0 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-318 (-23.1 to -33.1 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-322 (-23.1 to -31.3 feet NAVD), 9th Avenue North
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-334 (-21.7 to -31.7 feet NAVD), 900 Roy Street, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-335 (-25.6 to -35.6 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-338 (-16.6 to -26.6 feet NAVD), Lake Union Park, N end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-340 (-16.1 to -26.1 feet NAVD), Lake Union Park, S end
American Linen Supply Co-Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-346 (-2.2 to -12.2 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-347 (-1.3 to -11.3 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-348 (-4.6 to -14.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-349 (-2.8 to -12.8 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
W-MW-01 (-25.1 to -35.1 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
W-MW-02 (-26.3 to -36.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-129 (-45.6 to -50.6 feet NAVD), SDOT Mercer Parcels, NE Quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-131 (-34.7 to -44.7 feet NAVD), Block 37, SE Quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-137 (-39.9 to -54.9 feet NAVD), Alley E of Block 38W
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
FMW-140 (-38.0 to -48.0 feet NAVD), 900 Roy St, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
GEI-2 (-21.1 to -31.1 feet NAVD), Block 37, SW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW102 (-65.8 to -75.8 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW103 (-67.6 to -77.6 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW104 (-76.3 to -86.3 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW105 (-85.8 to -95.8 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW106 (-78.0 to -88.0 feet NAVD), SDOT Mercer Parcels, NW quadrant
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW122 (-75.0 to -89.0 feet NAVD), Alley E of Seattle Roy Aloha Shops
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW113 (-37.1 to -47.1 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW123 (-42.5 to -52.5 feet NAVD), Westlake Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW124 (-53.8 to -63.8 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW128 (-30.8 to -40.8 feet NAVD), Westlake Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-133 (-88.9 to -98.9 feet NAVD), Property
American Linen Supply Co–Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 1 µg/L, TCE = 1 µg/L, cDCE = 16 µg/L, and VC = 0.2 µg/L.


Concentration vs Time
MW-137 (-53.3 to -63.3 feet NAVD), Property
American Linen Supply Co–Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 1 µg/L, TCE = 1 µg/L, cDCE = 16 µg/L, and VC = 0.2 µg/L.


Concentration vs Time
MW-138 (-47.5 to -57.5 feet NAVD), Dexter Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-141 (-55.4 to -65.4 feet NAVD), Property
American Linen Supply Co–Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 1 µg/L, TCE = 1 µg/L, cDCE = 16 µg/L, and VC = 0.2 µg/L.


Concentration vs Time
MW-153 (-65.3 to -75.3 feet NAVD), Roy St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-158A (-47.2 to -58.5 feet NAVD), 8th Ave N, ROW E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-160 (-76.5 to -86.5 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-161 (-78.9 to -89.9 feet NAVD), 8th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-304 (-47.6 to -57.6 feet NAVD), Dexter Avenue N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-319 (-42.8 to -52.8 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-323 (-65.4 to -75.4 feet NAVD), 9th Ave N ROW, W side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-324 (-32.1 to -42.1 feet NAVD), Roy St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-326 (-48.7 to -58.7 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-326R (-48.7 to -58.7 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-328 (-36.1 to -46.1 feet NAVD), Lake Union Park, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-329 (-69.0 to -79.0 feet NAVD), Westlake Ave N ROW, E side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-336 (-51.6 to -61.6 feet NAVD), Mercer St ROW, N side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-341 (-66.8 to -76.8 feet NAVD), Lake Union Park, S end
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


Concentration vs Time
MW-342 (-32.4 to -42.4 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

Concentration vs Time
MW-343 (-71.5 to -81.5 feet NAVD), Valley St ROW, S side
American Linen Supply Co Dexter Ave Site



Notes:

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.