




LEGEND


- MONITORING WELL
- ANGLED MONITORING
- SANITARY SEWER LINE
- STORM DRAIN LINE
- ABOVEGRADE SUMP DISCHARGE
- FORMER SITE FEATURES
- PROPERTY BOUNDARY

- GROUNDWATER ELEVATION CONTOUR IN FEET RELATIVE TO NAVD88 (DASHED WHERE INFERRED)
- APPROXIMATE DIRECTION OF GROUNDWATER FLOW
- GROUNDWATER ELEVATION (4/22/2025) MEASURED IN FEET RELATIVE TO NAVD88
- GROUNDWATER ELEVATION NOT USED FOR CONTOURING
- GROUNDWATER ELEVATION NOT MEASURED

NAVD 88 = NORTH AMERICAN VERTICAL DATUM OF 1988

NOTES:
1. ALL LOCATIONS ARE APPROXIMATE.
2. FIGURES WERE PRODUCED IN COLOR. GRAYSCALE COPIES MAY NOT REPRODUCE ALL ORIGINAL INFORMATION.

DRAFT





FARALLON
CONSULTING

Your Challenges. Our Priority. | farallonconsulting.com

Washington
Bellevue | Bellingham | Seattle

Oregon
Portland | Baker City

California
Oakland | Irvine

Drawn By: jjones

Checked By: GP

Date: 6/17/2025


Q:\Projects\2032 Lift Partners\012 18420 68th Ave S\Mapfiles\028\Figure-07C_GW_Contours_202504.mxd

FIGURE 7C

**GROUNDWATER ELEVATION CONTOURS
FOR APRIL 22, 2025
18420 68TH AVENUE SOUTH
KENT, WASHINGTON**

FARALLON PN: 2032-012

Disc Reference:



Sample Location	Screened Interval (feet bgs)	Sample Date	Analytical Results (micrograms per liter)				
			PCE	TCE	cDCE	tDCE	VC
Monitoring Well Groundwater Samples							
FMW-1	10.0-20.0	4/22/2025	<0.5	0.14	2.1	<1	0.067
FMW-2	10.0-20.0	4/24/2025	<0.5	0.064	<1	<1	0.21
FMW-3	10.0-20.0	4/22/2025	<0.5	<0.05	<1	<1	<0.02
FMW-4	10.0-20.0	4/24/2025	<0.5	0.13	<1	<1	0.088
FMW-5	10.0-20.0	4/23/2025	<0.5	<0.05	<1	<1	<0.02
FMW-6	10.0-20.0	4/23/2025	<0.5	0.10	<1	<1	0.32
FMW-7	10.0-20.0	4/22/2025	<0.5	<0.05	<1	<1	<0.02
FMW-8	10.0-20.0	4/22/2025	<0.5	<0.05	<1	<1	<0.02
FMW-9	10.0-20.0	4/22/2025	<0.5	0.44	<1	<1	<0.02
FMW-11	5.0-20.0	4/24/2025	<0.5	<0.05	<1	<1	<0.02
FMW-12	5.0-20.0	4/23/2025	<0.5	0.05	<1	<1	<0.02
FMW-15	10.0-20.0	4/22/2025	<0.5	<0.05	<1	<1	<0.02
FMW-16	10.0-20.0	4/23/2025	<0.5	0.078	1.6	<1	0.18
FMW-17	10.0-20.0	4/23/2025	<0.5	0.082	3.7	<1	0.064
FMW-18	7.0-17.0	4/24/2025	<0.5	0.20	2.1	<1	0.24
FMW-19	10.0-20.0	4/24/2025	<0.5	0.053	<1	<1	0.18
FMW-20	8.0-18.0	4/22/2025	<0.5	<0.05	<1	<1	<0.02
FMW-21	10.0-20.0	4/22/2025	<0.5	0.056	<1	<1	<0.02
FMW-22	10.0-20.0	4/22/2025	<0.5	0.059	<1	<1	<0.02
FMW-23	10.0-20.0	4/23/2025	<0.5	1.4	8.7	<1	<0.02
FMW-24	10.0-20.0	4/23/2025	<0.5	0.39	2.4	<1	0.03
FMW-25	9.0-24.0	4/23/2025	<0.5	<0.05	<1	<1	<0.02
FMW-26	10.0-20.0	4/22/2025	<0.5	0.26	1.0	<1	0.077
FMW-27	10.0-20.0	4/22/2025	<0.5	<0.05	<1	<1	<0.02
FMW-28	10.0-20.0	4/23/2025	<0.5	<0.05	<1	<1	<0.02
FMW-29	10.0-20.0	4/23/2025	<0.5	<0.05	<1	<1	0.064
FMW-30	10.0-20.0	4/23/2025	<0.5	<0.05	<1	<1	0.97
FMW-31	10.0-20.0	4/22/2025	<0.5	<0.05	<1	<1	<0.02
MW-1	Unknown	4/22/2025	<0.5	0.93	2.4	<1	<0.02
MW-2	Unknown	4/22/2025	<0.5	4.2	3.8	<1	<0.02
MW-3	Unknown	4/23/2025	<0.5	0.36	<1	<1	<0.02
MTCA Cleanup Levels			5	5	16	160	0.2

ANGLED MONITORING WELL (FARALLON, 2022)

MONITORING WELL (FARALLON, 2019-2024)

INDICATES HVOCs WERE NOT DETECTED AT CONCENTRATIONS EXCEEDING MTCA CLEANUP LEVELS FOR GROUNDWATER

INDICATES ONE OR MORE MTCA EXCEEDANCES OF HVOCs IN GROUNDWATER

SANITARY SEWER LINE

STORM DRAIN LINE

ABOVEGRADE SUMP DISCHARGE LINE

APPROXIMATE EXTENT OF VINYL CHLORIDE IN GROUNDWATER (≥0.2 µg/L TO ≤ 1.0 µg/L)

APPROXIMATE EXTENT OF VINYL CHLORIDE IN GROUNDWATER (>1.0 µg/L)

SOURCE AREA

FORMER SITE FEATURES

PROPERTY BOUNDARY

NOTES:
BOLD = DENOTES CONCENTRATIONS THAT EXCEED THE WASHINGTON STATE MODEL TOXICS CONTROL ACT CLEANUP REGULATION (MTCA) CLEANUP LEVEL
< = DENOTES ANALYTE NOT DETECTED AT OR EXCEEDING THE LISTED REPORTING LIMIT
bgs = BELOW GROUND SURFACE
cDCE = cis-DICHLOROETHENE
HVOCs = HALOGENATED VOLATILE ORGANIC COMPOUNDS
TCE = TRICHLOROETHENE
tDCE = trans-DICHLOROETHENE
VC = VINYL CHLORIDE

1. ALL LOCATIONS ARE APPROXIMATE.
2. FIGURES WERE PRODUCED IN COLOR. GRAYSCALE COPIES MAY NOT REPRODUCE ALL ORIGINAL INFORMATION.

FARALLON
CONSULTING

Your Challenges. Our Priority. | farallonconsulting.com

Washington
Bellevue | Bellingham | Seattle

Oregon
Portland | Baker City

California
Oakland | Irvine

FIGURE 8C

GROUNDWATER ANALYTICAL
RESULTS FOR HVOCs APRIL 2025
18420 68th AVENUE SOUTH
KENT, WASHINGTON


FARALLON PN: 2032-012

Drawn By: jjones

Checked By: GP

Date: 6/16/2025
Q:\Projects\2032 Lift Partners\012 18420 68th Ave S\Mapfiles\028\Figure-08C_GW_HVOCs_2504.mxd

Disc Reference:




Sample Location	Sample Date	Analytical Results (micrograms per liter)	
		Total Arsenic	Dissolved Arsenic
Monitoring Well Groundwater Samples			
FMW-3	4/22/2025	47	43
FMW-4	4/24/2025	1.6	1.3
FMW-16	4/23/2025	1.8	1.7
FMW-22	4/22/2025	1.3	<1
FMW-24	4/23/2025	1.7	<1
MW-3	4/23/2025	<1	<1
MTCA Cleanup Level		8	

LEGEND

- MONITORING WELL (FARALLON, 2019-2024)
- INDICATES ARSENIC WAS NOT DETECTED AT CONCENTRATIONS EXCEEDING MTCA CLEANUP LEVELS FOR GROUNDWATER
- INDICATES ONE OR MORE MTCA EXCEEDANCES OF ARSENIC IN GROUNDWATER
- SANITARY SEWER LINE
- STORM DRAIN LINE
- ABOVEGRADE SUMP DISCHARGE LINE
- FORMER SITE FEATURES
- PROPERTY BOUNDARY

BOLD = DENOTES CONCENTRATIONS THAT EXCEED THE WASHINGTON STATE MODEL TOXICS CONTROL ACT CLEANUP REGULATION (MTCA) CLEANUP LEVEL
<= DENOTES ANALYTE NOT DETECTED AT OR EXCEEDING THE LISTED REPORTING LIMIT
MTCA = MODEL TOXICS CONTROL ACT

- ALL LOCATIONS ARE APPROXIMATE.
- FIGURES WERE PRODUCED IN COLOR. GRAYSCALE COPIES MAY NOT REPRODUCE ALL ORIGINAL INFORMATION.
- SAMPLES SHOWN ONLY IF THEY HAVE ASSOCIATED ANALYTICAL DATA.



Washington
Bellevue | Bellingham | Seattle

Oregon
Portland | Baker City

California
Oakland | Irvine

Farallon Consulting

Your Challenges. Our Priority. | farallonconsulting.com

FIGURE 9C

GROUNDWATER ANALYTICAL RESULTS FOR ARSENIC

SEPTEMBER/OCTOBER 2024

18420 68th AVENUE SOUTH

KENT, WASHINGTON

FARALLON PN: 2032-012

Table 1
Groundwater Elevations
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

DRAFT - Issued for Client Review

Location	Location Area	Total Well Depth (feet bgs) ¹	Screened Interval (feet bgs) ¹	Top of Casing Elevation (feet NAVD88) ²	Measured By	Monitoring Date	Depth to Water (feet TOC) ³	Water Level Elevation (feet NAVD88) ²
FMW-1	Coatings	20.0	10.0 to 20.0	26.24	Farallon	12/16/2019	13.30	12.94
					Farallon	3/10/2021	10.83	15.41
					Farallon	5/24/2021	12.87	13.37
					Farallon	9/8/2021	15.15	11.09
					Farallon	1/10/2022	8.65	17.59
					Farallon	4/19/2022	11.91	14.33
					Farallon	10/3/2023	15.81	10.43
					Farallon	4/16/2024	13.01	13.23
					Farallon	9/30/2024	15.05	11.19
FMW-2	Coatings	20.0	10.0 to 20.0	26.34	Farallon	4/22/2025	12.45	13.79
					Farallon	12/16/2019	11.80	14.54
					Farallon	9/29/2020	14.44	11.90
					Farallon	3/10/2021	10.80	15.54
					Farallon	5/24/2021	12.78	13.56
					Farallon	9/8/2021	15.03	11.31
					Farallon	1/10/2022	8.93	17.41
					Farallon	4/19/2022	11.76	14.58
					Farallon	10/3/2023	14.67	11.67
FMW-3	Coatings	20.0	10.0 to 20.0	26.19	Farallon	4/16/2024	12.90	13.44
					Farallon	9/30/2024	14.96	11.38
					Farallon	4/22/2025	12.29	14.05
					Farallon	12/16/2019	9.39	16.80
					Farallon	9/29/2020	13.35	12.84
					Farallon	3/10/2021	6.58	19.61
					Farallon	5/24/2021	9.10	17.09
					Farallon	9/8/2021	11.54	14.65
					Farallon	1/10/2022	4.82	21.37
FMW-4	Coatings	20.0	10.0 to 20.0	26.91	Farallon	4/19/2022	7.25	18.94
					Farallon	10/3/2023	11.12	15.07
					Farallon	4/16/2024	8.21	17.98
					Farallon	9/30/2024	11.34	14.85
					Farallon	4/22/2025	7.36	18.83
					Farallon	12/16/2019	12.35	14.56
					Farallon	9/29/2020	13.30	13.61
					Farallon	3/10/2021	9.17	17.74
					Farallon	5/24/2021	11.24	15.67
					Farallon	9/8/2021	13.24	13.67
					Farallon	1/10/2022	7.17	19.74
					Farallon	4/19/2022	9.60	17.31
					Farallon	10/3/2023	9.96	16.95
					Farallon	4/16/2024	10.72	16.19
					Farallon	9/30/2024	12.94	13.97
					Farallon	4/22/2025	8.66	18.25

Table 1
Groundwater Elevations
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

DRAFT - Issued for Client Review

Location	Location Area	Total Well Depth (feet bgs) ¹	Screened Interval (feet bgs) ¹	Top of Casing Elevation (feet NAVD88) ²	Measured By	Monitoring Date	Depth to Water (feet TOC) ³	Water Level Elevation (feet NAVD88) ²
FMW-5	Coatings	20.0	10.0 to 20.0	27.26	Farallon	12/16/2019	13.99	13.27
					Farallon	9/29/2020	15.15	12.11
					Farallon	3/10/2021	10.89	16.37
					Farallon	5/24/2021	12.85	14.41
					Farallon	9/8/2021	15.56	11.70
					Farallon	1/10/2022	9.90	17.36
					Farallon	4/19/2022	NM	NA
					Farallon	10/3/2023	15.62	11.64
					Farallon	4/16/2024	13.20	14.06
					Farallon	9/30/2024	15.57	11.69
FMW-6	Coatings	20.0	10.0 to 20.0	27.39	Farallon	4/22/2025	12.60	14.66
					Farallon	12/16/2019	14.40	12.99
					Farallon	9/29/2020	15.82	11.57
					Farallon	3/10/2021	11.94	15.45
					Farallon	5/24/2021	14.04	13.35
					Farallon	9/8/2021	16.36	11.03
					Farallon	1/10/2022	9.73	17.66
					Farallon	4/19/2022	12.08	15.31
					Farallon	10/3/2023	16.17	11.22
					Farallon	4/16/2024	14.26	13.13
FMW-7	Coatings	20.0	10.0 to 20.0	27.02	Farallon	9/30/2024	16.35	11.04
					Farallon	4/22/2025	13.68	13.71
					Farallon	9/29/2020	15.24	11.78
					Farallon	3/10/2021	10.82	16.20
					Farallon	5/24/2021	13.34	13.68
					Farallon	9/8/2021	15.85	11.17
					Farallon	1/10/2022	9.55	17.47
					Farallon	4/19/2022	11.62	15.40
					Farallon	10/3/2023	15.73	11.29
					Farallon	4/16/2024	13.45	13.57
FMW-8	Coatings	20.0	10.0 to 20.0	26.66	Farallon	9/30/2024	15.82	11.20
					Farallon	4/22/2025	12.65	14.37
					Farallon	9/29/2020	15.10	11.56
					Farallon	3/10/2021	11.15	15.51
					Farallon	5/24/2021	13.26	13.40
					Farallon	9/8/2021	15.65	11.01
					Farallon	1/10/2022	8.98	17.68
					Farallon	4/19/2022	12.26	14.40
					Farallon	10/3/2023	15.46	11.20
					Farallon	4/16/2024	13.43	13.23
FMW-9	Coatings	20.0	10.0 to 20.0	27.01	Farallon	9/30/2024	15.82	10.84
					Farallon	4/22/2025	12.89	13.77
					Farallon	9/29/2020	15.50	11.51
					Farallon	3/10/2021	11.86	15.15
					Farallon	5/24/2021	13.75	13.26
					Farallon	9/8/2021	16.03	10.98
					Farallon	1/10/2022	9.32	17.69
					Farallon	4/19/2022	12.78	14.23
					Farallon	10/3/2023	15.77	11.24
					Farallon	4/16/2024	13.89	13.12
FMW-10	Coatings	20.0	5.0 to 20.0	26.42	Farallon	9/30/2024	15.98	11.03
					Farallon	4/22/2025	13.37	13.64
					Farallon	5/24/2021	10.90	15.52
					Farallon	9/8/2021	NM	NA
					Farallon	1/10/2022	NM	NA
					Farallon	4/19/2022	9.55	16.87
					Farallon	10/3/2023	8.30	18.12
FMW-11	Coatings	20.0	5.0 to 20.0	26.54	Farallon	9/30/2024	12.56	13.86
					Farallon	4/22/2025	8.69	17.73
					Farallon	5/24/2021	10.57	15.97
					Farallon	9/8/2021	NM	NA
					Farallon	1/10/2022	NM	NA
					Farallon	4/19/2022	8.99	17.55
					Farallon	10/3/2023	7.31	19.23
					Farallon	4/16/2024	9.40	17.14
					Farallon	9/30/2024	11.64	14.90
					Farallon	4/22/2025	7.09	19.45

Table 1
Groundwater Elevations
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

DRAFT - Issued for Client Review

Location	Location Area	Total Well Depth (feet bgs) ¹	Screened Interval (feet bgs) ¹	Top of Casing Elevation (feet NAVD88) ²	Measured By	Monitoring Date	Depth to Water (feet TOC) ³	Water Level Elevation (feet NAVD88) ²
FMW-12	Coatings	20.0	5.0 to 20.0	27.66	Farallon	3/10/2021	12.19	15.47
					Farallon	5/24/2021	14.13	13.53
					Farallon	9/8/2021	16.39	11.27
					Farallon	1/10/2022	10.12	17.54
					Farallon	4/19/2022	13.08	14.58
					Farallon	10/3/2023	16.09	11.57
					Farallon	4/16/2024	14.38	13.28
					Farallon	9/30/2024	16.40	11.26
					Farallon	4/22/2025	13.73	13.93
					Farallon	3/10/2021	5.74	20.39
					Farallon	5/24/2021	8.04	18.09
					Farallon	9/8/2021	10.49	15.64
					Farallon	1/10/2022	4.00	22.13
					Farallon	4/19/2022	5.90	20.23
					Farallon	10/3/2023	9.37	16.76
					Farallon	4/16/2024	7.23	18.90
FMW-13	Coatings	20.0	10.0 to 20.0	26.13	Farallon	9/30/2024	10.39	15.74
					Farallon	5/24/2021	17.00	15.25
					Farallon	9/8/2021	19.05	13.20
					Farallon	1/10/2022	12.95	19.30
FMW-14	Off-Property	20.0	10.0 to 20.0	32.25	Farallon	4/19/2022	15.32	16.93
					Farallon	5/24/2021	12.67	13.58
					Farallon	9/8/2021	14.90	11.35
					Farallon	1/10/2022	8.81	17.44
FMW-15	Coatings	20.0	10.0 to 20.0	26.25	Farallon	4/19/2022	11.61	14.64
					Farallon	10/3/2023	14.60	11.65
					Farallon	4/16/2024	12.38	13.87
					Farallon	9/30/2024	14.88	11.37
					Farallon	4/22/2025	12.05	14.20
					Farallon	9/8/2021	14.79	12.36
					Farallon	1/10/2022	9.56	17.59
					Farallon	4/19/2022	11.35	15.80
FMW-16	Coatings	20.0	10.0 to 20.0	27.15	Farallon	10/3/2023	14.42	12.73
					Farallon	4/16/2024	12.61	14.54
					Farallon	9/30/2024	14.71	12.44
					Farallon	4/22/2025	11.50	15.65
					Farallon	9/8/2021	14.96	11.32
					Farallon	1/10/2022	8.57	17.71
FMW-17	Coatings	20.0	10.0 to 20.0	26.28	Farallon	4/19/2022	11.61	14.67
					Farallon	10/3/2023	15.99	10.29
					Farallon	4/16/2024	12.92	13.36
					Farallon	9/30/2024	14.95	11.33
					Farallon	4/22/2025	12.26	14.02
					Farallon	1/10/2022	5.45	21.15
FMW-18	Coatings	20.0	7.0 to 17.0	26.60	Farallon	4/19/2022	7.03	19.57
					Farallon	10/3/2023	9.81	16.79
					Farallon	4/16/2024	7.99	18.61
					Farallon	9/30/2024	11.14	15.46
					Farallon	4/22/2025	6.78	19.82
					Farallon	1/10/2022	8.93	17.46
FMW-19	Coatings	20.0	10.0 to 20.0	26.39	Farallon	4/19/2022	11.37	15.02
					Farallon	4/18/2024	12.92	13.47
					Farallon	9/30/2024	14.98	11.41
					Farallon	4/22/2025	12.27	14.12
					Farallon	1/10/2022	8.93	17.46

Table 1
Groundwater Elevations
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

DRAFT - Issued for Client Review

Location	Location Area	Total Well Depth (feet bgs) ¹	Screened Interval (feet bgs) ¹	Top of Casing Elevation (feet NAVD88) ²	Measured By	Monitoring Date	Depth to Water (feet TOC) ³	Water Level Elevation (feet NAVD88) ²
FMW-20	Coatings	18.0	8.0 to 18.0	26.03	Farallon	1/10/2022	4.81	21.22
					Farallon	4/19/2022	7.03	19.00
					Farallon	10/3/2023	13.96	12.07
					Farallon	4/16/2024	8.10	17.93
					Farallon	9/30/2024	10.06	15.97
					Farallon	4/22/2025	5.83	20.20
FMW-21	Coatings	20.0	10.0 to 20.0	27.59	Farallon	1/10/2022	9.90	17.69
					Farallon	4/19/2022	13.21	14.38
					Farallon	4/17/2024	14.43	13.16
					Farallon	9/30/2024	16.48	11.11
					Farallon	4/22/2025	13.79	13.80
FMW-22	Coatings	20.0	10.0 to 20.0	27.39	Farallon	1/10/2022	9.74	17.65
					Farallon	4/19/2022	11.48	15.91
					Farallon	10/3/2023	15.75	11.64
					Farallon	4/16/2024	12.84	14.55
					Farallon	9/30/2024	16.02	11.37
					Farallon	4/22/2025	11.52	15.87
FMW-23	Coatings	20.0	10.0 to 20.0	28.17	Farallon	1/10/2022	10.53	17.64
					Farallon	4/19/2022	13.81	14.36
					Farallon	10/3/2023	16.84	11.33
					Farallon	4/16/2024	14.95	13.22
					Farallon	9/30/2024	12.07	16.10
					Farallon	4/22/2025	14.35	13.82
FMW-24	Coatings	20.0	10.0 to 20.0	27.04	Farallon	1/10/2022	8.98	18.06
					Farallon	4/19/2022	9.61	17.43
					Farallon	10/3/2023	13.87	13.17
					Farallon	4/16/2024	11.95	15.09
					Farallon	9/30/2024	14.74	12.30
					Farallon	4/22/2025	12.09	14.95
FMW-25 * (Angled 45°)	Coatings	24.0	9.0 to 24.0	27.52	Farallon	1/10/2022	11.80	19.18*
					Farallon	4/19/2022	15.22	16.76*
					Farallon	10/3/2023	18.85	14.19*
					Farallon	4/16/2024	17.77	14.95*
					Farallon	9/30/2024	19.15	13.98*
					Farallon	4/22/2025	14.94	16.96*
FMW-26	Coatings	20.0	10.0 to 20.0	27.21	Farallon	4/19/2022	7.62	19.59
					Farallon	4/22/2025	7.42	19.79

Table 1
Groundwater Elevations
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

DRAFT - Issued for Client Review

Location	Location Area	Total Well Depth (feet bgs) ¹	Screened Interval (feet bgs) ¹	Top of Casing Elevation (feet NAVD88) ²	Measured By	Monitoring Date	Depth to Water (feet TOC) ³	Water Level Elevation (feet NAVD88) ²
FMW-27	Coatings	20.0	10.0 to 20.0	27.17	Farallon	4/19/2022	12.37	14.80
					Farallon	10/3/2023	13.71	13.46
					Farallon	4/16/2024	13.69	13.48
					Farallon	9/30/2024	15.75	11.42
					Farallon	4/22/2025	13.01	14.16
FMW-28	Coatings	20.0	10.0 to 20.0	26.30	Farallon	4/19/2022	12.27	14.03
					Farallon	10/3/2023	15.34	10.96
					Farallon	4/16/2024	13.41	12.89
					Farallon	9/30/2024	15.78	10.52
					Farallon	4/22/2025	12.95	13.35
FMW-29	Coatings	20.0	10.0 to 20.0	27.67	Farallon	4/19/2022	13.21	14.46
					Farallon	10/3/2023	16.26	11.41
					Farallon	4/17/2024	14.43	13.24
					Farallon	9/30/2024	16.47	11.20
					Farallon	4/22/2025	13.77	13.90
FMW-30	Coatings	20.0	10.0 to 20.0	26.67	Farallon	4/19/2022	12.34	14.33
					Farallon	10/3/2023	15.43	11.24
					Farallon	4/16/2024	13.92	12.75
					Farallon	9/30/2024	15.70	10.97
					Farallon	4/22/2025	13.35	13.32
FMW-31	Coatings	20.0	10.0 to 20.0	26.39	Farallon	4/19/2022	11.98	14.41
					Farallon	10/3/2023	14.98	11.41
					Farallon	4/16/2024	13.04	13.35
					Farallon	9/30/2024	15.25	11.14
					Farallon	4/22/2025	12.36	14.03
MW-1	Coatings	Unknown	Unknown	26.42	EMS	9/29/2004	8.21	18.21
					EMS	12/28/2004	7.43	18.99
					EMS	3/25/2005	10.42	16.00
					EMS	6/7/2005	10.72	15.70
					EMS	8/16/2005	12.01	14.41
					EMS	12/17/2005	12.20	14.22
					EMS	2/4/2006	6.29	20.13
					EMS	6/30/2006	10.53	15.89
					EMS	9/30/2006	12.05	14.37
					EMS	12/11/2006	7.78	18.64
					EMS	1/25/2007	6.90	19.52
					EMS	6/19/2007	10.39	16.03
					EMS	8/10/2007	10.90	15.52
					EMS	12/28/2007	8.53	17.89
					EMS	2/21/2008	9.08	17.34
					EMS	5/21/2008	9.20	17.22
					Farallon	12/16/2019	10.51	15.91
					Farallon	9/29/2020	11.65	14.77
					Farallon	3/10/2021	7.16	19.26
					Farallon	5/24/2021	9.75	16.67
					Farallon	9/8/2021	11.68	14.74
					Farallon	1/10/2022	5.63	20.79
					Farallon	4/19/2022	7.60	18.82
					Farallon	10/3/2023	9.46	16.96
					Farallon	4/16/2024	8.70	17.72
					Farallon	9/30/2024	11.26	15.16
					Farallon	4/22/2025	6.80	19.62

Table 1
Groundwater Elevations
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

DRAFT - Issued for Client Review

Location	Location Area	Total Well Depth (feet bgs) ¹	Screened Interval (feet bgs) ¹	Top of Casing Elevation (feet NAVD88) ²	Measured By	Monitoring Date	Depth to Water (feet TOC) ³	Water Level Elevation (feet NAVD88) ²
MW-2	Coatings	Unknown	Unknown	27.28	EMS	9/29/2004	6.28	21.00
					EMS	12/28/2004	5.99	21.29
					EMS	3/25/2005	6.41	20.87
					EMS	6/7/2005	9.60	17.68
					EMS	8/16/2005	10.89	16.39
					EMS	12/17/2005	10.31	16.97
					EMS	2/4/2006	5.10	22.18
					EMS	6/30/2006	10.69	16.59
					EMS	9/30/2006	11.00	16.28
					EMS	12/11/2006	6.74	20.54
					EMS	1/25/2007	5.75	21.53
					EMS	6/19/2007	9.40	17.88
					EMS	8/10/2007	9.40	17.88
					EMS	12/28/2007	7.72	19.56
					EMS	2/21/2008	8.16	19.12
					EMS	5/21/2008	8.26	19.02
					Farallon	12/16/2019	10.52	16.76
					Farallon	9/29/2020	11.88	15.40
					Farallon	3/10/2021	7.48	19.80
					Farallon	5/24/2021	9.87	17.41
					Farallon	9/8/2021	NM	NA
					Farallon	1/10/2022	5.17	22.11
					Farallon	4/19/2022	7.79	19.49
MW-3	Coatings	Unknown	Unknown	26.45	EMS	9/29/2004	7.80	18.65
					EMS	12/28/2004	6.90	19.55
					EMS	3/25/2005	7.22	19.23
					EMS	6/7/2005	8.72	17.73
					EMS	8/16/2005	10.50	15.95
					EMS	12/17/2005	10.61	15.84
					EMS	2/4/2006	4.67	21.78
					EMS	6/30/2006	8.98	17.47
					EMS	9/30/2006	11.15	15.30
					EMS	12/11/2006	5.32	21.13
					EMS	1/25/2007	6.20	20.25
					EMS	6/19/2007	9.12	17.33
					EMS	8/10/2007	9.12	17.33
					EMS	12/28/2007	5.55	20.90
					EMS	2/21/2008	6.78	19.67
					EMS	5/21/2008	8.50	17.95
					Farallon	12/16/2019	11.52	14.93
					Farallon	9/29/2020	13.77	12.68
					Farallon	3/10/2021	6.15	20.30
					Farallon	5/24/2021	8.60	17.85
					Farallon	9/8/2021	NM	NA
					Farallon	1/10/2022	7.21	19.24
				26.40^	Farallon	4/19/2022	6.43	19.97
					Farallon	4/18/2024	7.37	19.03
					Farallon	9/30/2024	NM	NA
					Farallon	4/22/2025	6.18	20.22
SVE-1	Coatings	20.0	3.0 to 18.0	27.06	Farallon	3/10/2021	5.55	21.51
Off-Property Wells								
SMW-1	Off-Property	Unknown	Unknown	29.08	Farallon	4/19/2022	9.14	19.94
					Farallon	10/3/2023	13.67	15.41
					Farallon	4/18/2024	10.11	18.97
					Farallon	9/30/2024	NM	NA
					Farallon	4/22/2025	8.91	20.17

Notes:

— denotes elevation could not be calculated.

^ denotes surveyed elevation following damage to well casing.

¹ In feet below ground surface.

² In feet referenced to North American Vertical Datum of 1988 (NAVD88).

³ In feet below top of well casing (TOC).

* Well angled 45 degrees from horizontal. Water Level Elevations corrected due to angle of well.

Coatings = Coatings Unlimited, Inc.

EMS = Environmental Management Services, LLC

Farallon = Farallon Consulting, L.L.C.

NM = not measured

NA = not applicable

TOC = top of casing

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
Reconnaissance Boring Groundwater Samples													
1996 - 1997 Subsurface Investigation													
ATC-B-1	West Valley	---	---	---	---	ATC	1/24/1997	B-1/12497-1	< 0.5	0.5	< 0.5	< 0.5	< 0.5
ATC-B-2	West Valley	---	---	---	---	ATC	1/24/1997	B-2/12497-2	0.9	3.0	0.6	< 0.5	< 0.5
ATC-B-3	West Valley	---	---	---	---	ATC	1/24/1997	B-1/12497-3	1.0	0.6	< 0.5	< 0.5	< 0.5
1998 Soil Excavation and Groundwater Sampling													
V-1	West Valley	---	---	---	---	Versar	10/23/1998	V-1B	< 1	< 1	2	< 1	< 1
V-2	West Valley	---	---	---	---	Versar	10/23/1998	V-2A	< 1	1	680	20	< 1
	West Valley	---	---	---	---	Versar	10/23/1998	V-2C Dup	< 1	1	600	24	< 1
V-3	West Valley	---	---	---	---	Versar	10/23/1998	V-3C	< 1	1	21	< 1	< 1
V-4	West Valley	---	---	---	---	Versar	10/23/1998	V-4A	< 1	1	9	4	< 1
2003 Subsurface Investigation													
Area-2-B6	Coatings	---	---	---	---	EMS	9/22/2003	B-6	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
Area-2-B7	Coatings	---	---	---	---	EMS	9/22/2003	B-7	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
Area-2-B8	Coatings	---	---	---	---	EMS	9/22/2003	B-8	< 1.0	< 1.0	< 1.0	< 1.0	15
Area-2-B9	Coatings	---	---	---	---	EMS	9/29/2003	B-9	< 1.0	< 1.0	4.2	< 1.0	5.9
Area-2-B10	Coatings	---	---	---	---	EMS	9/29/2003	B-10	< 1.0	< 1.0	7.8	< 1.0	0.25
Area-2-B11	Coatings	---	---	---	---	EMS	9/29/2003	B-11	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
Area-2-B12	Coatings	---	---	---	---	EMS	9/29/2003	B-12	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
Area-2-B13	Coatings	---	---	---	---	EMS	9/29/2003	B-13	< 1.0	< 1.0	7.8	< 1.0	0.24
Area-2-B14	Coatings	---	---	---	---	EMS	9/29/2003	B-14	< 1.0	< 1.0	3	< 1.0	< 0.2
Area-2-B15	Coatings	---	---	---	---	EMS	9/29/2003	B-15	< 1.0	< 1.0	18	< 1.0	< 0.2
Area-2-B16	Coatings	---	---	---	---	EMS	9/29/2003	B-16	< 1.0	< 1.0	1	< 1.0	< 0.2
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
2008 Subsurface Investigation													
EMS-B1	West Valley	15-20	17.5	---	---	EMS	2/13/2008	B1-021208-W1	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B2	West Valley	---	---	---	---	EMS	2/13/2008	B2-021208-W2	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B3	West Valley	15-20	17.5	---	---	EMS	2/13/2008	B3-021208-W3	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B4	West Valley	15-20	17.5	---	---	EMS	2/13/2008	B4-021208-W4	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B5	West Valley	---	---	---	---	EMS	2/13/2008	B5-021208-W5	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B6	Coatings	---	---	---	---	EMS	2/13/2008	B6-021208-W6	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B7	Coatings	---	---	---	---	EMS	2/13/2008	B7-021208-W7	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B8	Coatings	---	---	---	---	EMS	2/13/2008	B8-021208-W8	< 1.0	< 1.0	1.6	< 1.0	0.57
EMS-B9	Coatings	---	---	---	---	EMS	3/21/2008	B9-032108-W9	< 1.0	< 1.0	57.1	3.0	1.1
EMS-B10	Coatings	15-20	17.5	---	---	EMS	3/21/2008	B10-032108-W10	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B11	Coatings	---	---	---	---	EMS	3/21/2008	B11-032108-W11	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B12	Coatings	---	---	---	---	EMS	3/21/2008	B12-032108-W12	< 1.0	< 1.0	2.8	< 1.0	< 0.2
EMS-B13	Coatings	---	---	---	---	EMS	3/21/2008	B13-032108-W13	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
EMS-B14	Coatings	---	---	---	---	EMS	3/21/2008	B14-021208-W14	< 1.0	< 1.0	< 1.0	< 1.0	< 0.2
2019 Subsurface Investigation													
B-1	Coatings	15-20	16.5	---	---	Farallon	12/11/2019	B1-121119-GW	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
B-2	Coatings	15-20	17.5	---	---	Farallon	12/11/2019	B2-121119-GW	1.0	0.38	1.9	< 0.20	0.38
B-3	Coatings	15-20	16.5	---	---	Farallon	12/11/2019	B3-121119-GW	< 0.20	< 0.20	0.20	< 0.20	< 0.20
B-4	Coatings	15-20	16.5	---	---	Farallon	12/11/2019	B4-121119-GW	< 0.20	< 0.20	1.0	< 0.20	0.56
B-5	Coatings	10-15	13.5	---	---	Farallon	12/11/2019	B5-121119-GW	< 0.20	< 0.20	29	0.43	2.0
B-6	Coatings	10-15	13.5	---	---	Farallon	12/12/2019	B6-121219-GW	< 0.20	1.8	13	0.25	0.29
B-7	Coatings	10-20	13.5	---	---	Farallon	12/12/2019	B7-121219-GW	< 0.20	< 0.20	17	0.95	3.2
B-9	Coatings	15-20	13.5	---	---	Farallon	12/12/2019	B9-121219-GW	< 0.20	< 0.20	< 0.20	0.31	0.66
B-10	Coatings	15-20	14.5	---	---	Farallon	12/12/2019	B10-121219-GW	< 0.20	< 0.20	4.1	0.51	7.0
B-11	Coatings	15-20	16.5	---	---	Farallon	12/12/2019	B11-121219-GW	< 0.20	0.40	1.2	< 0.20	< 0.20
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³
2021 Subsurface Investigation													
F-31	Coatings	10.0-20.0	---	---	---	Farallon	5/19/2021	F-31-20210519	< 0.20	0.34	19	2.0	15
F-32	Coatings	---	15.0	---	---	Farallon	5/19/2021	F-32-15-20210519	< 0.20	< 0.20	2.0	< 0.20	0.28
			35.0		---	Farallon	5/19/2021	F-32-35-20210519	< 0.20	< 0.20	0.74	< 0.20	0.31

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
Monitoring Well Groundwater Samples													
FMW-1	Coatings	10.0-20.0	16.6	16.2-6.2	9.6	Farallon	12/16/2019	FMW-1-121619	< 0.20	< 0.20	3.4	< 0.20	0.32
			15.0		11.2	Farallon	6/3/2020	FMW-1-06032020	< 0.20	0.24	1.6	< 0.20	< 0.20
			13.0		13.2	Farallon	3/10/2021	FMW-1-20210310	< 0.20	0.22	0.51	< 0.20	< 0.020
			18.0		8.2	Farallon	9/8/2021	FMW-1-090821	< 0.20	< 0.20	2.0	< 0.20	0.12 *
			11.5		14.7	Farallon	1/11/2022	FMW-1-011122	< 0.200	< 0.200	4.16	< 0.200	0.673
			15.0		11.2	Farallon	4/19/2022	FMW-1-041922	< 0.20	< 0.20	1.3	< 0.20	< 0.20
			15.0		11.2	Farallon	4/16/2024	FMW-1-041624	< 1	< 0.5	2.5	< 1	0.083
			18.0		8.2	Farallon	9/30/2024	FMW-1-093024	< 1	< 0.5	2.6	< 1	0.13
			15.0		11.2	Farallon	4/22/2025	FMW-1-042225	< 0.5	0.14	2.1	< 1	0.067
FMW-2	Coatings	10.0-20.0	15.8	16.3-6.3	10.5	Farallon	12/16/2019	FMW-2-121619	< 0.20	< 0.20	< 0.20	0.81	0.51
			15.0		11.3	Farallon	6/3/2020	FMW-2-06032020	< 0.20	< 0.20	0.42	0.26	0.46
			17.5		8.8	Farallon	9/29/2020	FMW-2-092920	< 0.20	< 0.20	0.26	0.34	0.33
			13.0		13.3	Farallon	3/10/2021	FMW-2-20210310	< 0.20	< 0.20	0.58	< 0.20	0.068
			18.0		8.3	Farallon	9/8/2021	FMW-2-090821	< 0.20	< 0.20	< 0.20	0.28	0.44
			12.9		13.4	Farallon	1/11/2022	FMW-2-011122	< 0.200	< 0.200	< 0.200	0.457	0.667
			16.0		10.3	Farallon	4/20/2022	FMW-2-042022	< 0.20	< 0.20	0.38	< 0.20	0.84
			18.0		8.3	Farallon	10/3/2023	FMW-2-100323	< 1	< 0.5	< 1	< 1	0.24
			15.5		10.8	Farallon	4/16/2024	FMW-2-041624	< 1	< 0.5	< 1	< 1	0.83
			17.0		9.3	Farallon	10/1/2024	FMW-2-100124	< 1	< 0.5	< 1	< 1	0.32
			15.0		11.3	Farallon	4/24/2025	FMW-2-042425	< 0.5	0.064	< 1	< 1	0.21
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
FMW-3	Coatings	10.0-20.0	---	16.2-6.2	---	Farallon	12/16/2019	FMW-3-121619	< 0.20	< 0.20	0.25	< 0.20	< 0.20
			15.0		11.2	Farallon	6/3/2020	FMW-3-06032020	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			17.5		8.7	Farallon	9/29/2020	FMW-3-092920	< 0.20	< 0.20	0.21	< 0.20	0.090
			14.0		12.2	Farallon	3/10/2021	FMW-3-20210310	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			14.5		11.7	Farallon	9/8/2021	FMW-3-090821	< 0.20	< 0.20	< 0.20	< 0.20	0.038 *
			7.7		18.5	Farallon	1/11/2022	FMW-3-011122	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
			15.0		11.2	Farallon	4/20/2022	FMW-3-042022	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			11.0		15.2	Farallon	4/16/2024	FMW-3-041624	< 1	< 0.5	< 1	< 1	< 0.02
			16.0		10.2	Farallon	9/30/2024	FMW-3-093024	< 1	< 0.5	< 1	< 1	0.027
			15.0		11.2	Farallon	4/22/2025	FMW-3-042225	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-4	Coatings	10.0-20.0	18.4	16.9-6.9	8.5	Farallon	12/16/2019	FMW-4-121619	< 0.20	< 0.20	15	1.3	3.8
			17.0		9.9	Farallon	6/3/2020	FMW-4-060320	< 0.20	< 0.20	6.6	0.67	5.7
			17.0		9.9	Farallon	9/30/2020	FMW-4-093020	< 0.20	< 0.20	10	1.0	4.3
			---		---	Farallon	3/10/2021	FMW-4-20210310	< 0.20	< 0.20	2.4	< 0.20	1.3
			16.0		10.9	Farallon	9/8/2021	FMW-4-090821	< 0.20	< 0.20	10	0.97	7.7
			13.0		13.9	Farallon	1/10/2022	FMW-4-011022	< 0.200	< 0.200	2.51	< 0.200	1.67
			15.0		11.9	Farallon	4/20/2022	FMW-4-042022	< 0.20	< 0.20	2.1	< 0.20	1.5
			17.0		9.9	Farallon	4/6/2023	FMW-4-040623	< 0.20	< 0.20	4.0	---	4.2
			15.0		11.9	Farallon	10/4/2023	FMW-4-100423	< 1	< 0.5	< 1	< 1	0.077
			15.0		11.9	Farallon	4/17/2024	FMW-4-041724	< 1	< 0.5	< 1	< 1	0.087
			16.0		10.9	Farallon	9/30/2024	FMW-4-093024	< 1	< 0.5	2.5	< 1	1.1
			15.0		11.9	Farallon	4/24/2025	FMW-4-042425	< 0.5	0.13	< 1	< 1	0.088
MTCA Cleanup Levels for Groundwater									5³	5³	16⁴	160⁴	0.2³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
FMW-5	Coatings	10.0-20.0	---	17.3-7.3	---	Farallon	12/16/2019	FMW-5-121619	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			17.5		9.8	Farallon	6/3/2020	FMW-5-060320	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			17.5		9.8	Farallon	9/29/2020	FMW-5-092920	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			12.0		15.3	Farallon	3/10/2021	FMW-5-20210310	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			17.0		10.3	Farallon	9/9/2021	FMW-5-090921	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020 *
			12.7		14.6	Farallon	1/12/2022	FMW-5-011222	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
			15.0		12.3	Farallon	4/21/2022	FMW-5-042122	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			17.0		10.3	Farallon	10/3/2023	FMW-5-100323	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		12.3	Farallon	4/17/2024	FMW-5-041724	< 1	< 0.5	< 1	< 1	< 0.02
			17.5		9.8	Farallon	9/30/2024	FMW-5-093024	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		12.3	Farallon	4/23/2025	FMW-5-042325	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-6	Coatings	10.0-20.0	16.5	17.4-7.4	10.9	Farallon	12/16/2019	FMW-6-121619	< 0.20	0.23	2.4	0.32	1.9
			15.0		12.4	Farallon	6/3/2020	FMW-6-06032020	< 0.20	< 0.20	0.99	< 0.20	1.4
			17.5		9.9	Farallon	9/29/2020	FMW-6-092920	< 0.20	< 0.20	2.6	0.31	2.1
			15.0		12.4	Farallon	3/10/2021	FMW-6-20210310	< 0.20	0.22	0.42	< 0.20	0.16
			19.0		8.4	Farallon	9/8/2021	FMW-6-090821	< 0.20	< 0.20	2.7	0.29	1.6
			12.5		14.9	Farallon	1/12/2022	FMW-6-011222	< 0.200	< 0.200	1.05	< 0.200	0.413
			16.0		11.4	Farallon	4/19/2022	FMW-6-041922	< 0.20	< 0.20	0.84	< 0.20	0.65
			17.0		10.4	Farallon	10/3/2023	FMW-6-100323	< 1	< 0.5	2.0	< 1	0.54
			15.0		12.4	Farallon	4/17/2024	FMW-6-041724	< 1	< 0.5	1.0	< 1	0.48
			18.0		9.4	Farallon	10/1/2024	FMW-6-100124	< 1	< 0.5	1.4	< 1	0.54
			15.0		12.4	Farallon	4/23/2025	FMW-6-042325	< 0.5	0.10	< 1	< 1	0.32
			MTCA Cleanup Levels for Groundwater									5³	5³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
FMW-7	Coatings	10.0-20.0	17.5	17.0-7.0	9.5	Farallon	6/3/2020	FMW-7-060320	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			17.0		10.0	Farallon	9/29/2020	FMW-7-092920	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			13.0		14.0	Farallon	3/10/2021	FMW-7-20210310	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			17.0		10.0	Farallon	9/9/2021	FMW-7-090921	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020 *
			12.5		14.5	Farallon	1/12/2022	FMW-7-011222	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
			15.0		12.0	Farallon	4/19/2022	FMW-7-041922	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			18.0		9.0	Farallon	10/3/2023	FMW-7-100323	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		12.0	Farallon	4/16/2024	FMW-7-041624	< 1	< 0.5	< 1	< 1	< 0.02
			18.0		9.0	Farallon	9/30/2024	FMW-7-093024	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		12.0	Farallon	4/22/2025	FMW-7-042225	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-8	Coatings	10.0-20.0	---	16.7-6.7	---	Farallon	6/3/2020	FMW-8-060320	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			17.5		9.2	Farallon	9/29/2020	FMW-8-092920	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			14.0		12.7	Farallon	3/10/2021	FMW-8-20210310	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			17.0		9.7	Farallon	9/8/2021	FMW-8-090821	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020 *
			11.7		15.0	Farallon	1/12/2022	FMW-8-011222	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
			15.0		11.7	Farallon	4/19/2022	FMW-8-041922	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			16.5		10.2	Farallon	10/3/2023	FMW-8-100323	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		11.7	Farallon	4/16/2024	FMW-8-041624	< 1	< 0.5	< 1	< 1	< 0.02
			18.0		8.7	Farallon	9/30/2024	FMW-8-093024	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		11.7	Farallon	4/22/2025	FMW-8-042225	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-9	Coatings	10.0-20.0	15.0	17.0-7.0	12.0	Farallon	6/3/2020	FMW-9-06032020	< 0.20	0.46	0.25	< 0.20	< 0.20
			17.0		10.0	Farallon	9/30/2020	FMW-9-093020	< 0.20	0.30	1.3	< 0.20	0.14
			14.0		13.0	Farallon	3/10/2021	FMW-9-20210310	< 0.20	0.44	< 0.20	< 0.20	< 0.020
			17.0		10.0	Farallon	5/24/2021	FMW-9-20210524	< 0.20	0.61	< 0.20	< 0.20	< 0.020
			19.0		8.0	Farallon	9/8/2021	FMW-9-090821	< 0.20	0.70	0.63	< 0.20	0.060 *
			12.2		14.8	Farallon	1/11/2022	FMW-9-011122	< 0.200	0.239 J	< 0.200	< 0.200	< 0.200
			16.0		11.0	Farallon	4/19/2022	FMW-9-041922	< 0.20	0.51	< 0.20	< 0.20	< 0.20
			16.5		10.5	Farallon	10/3/2023	FMW-9-100323	< 1	1.1	< 1	< 1	0.052
			15.0		12.0	Farallon	4/16/2024	FMW-9-041624	< 1	0.53	< 1	< 1	< 0.02
			18.0		9.0	Farallon	9/30/2024	FMW-9-093024	< 1	0.81	< 1	< 1	0.021
			15.0		12.0	Farallon	4/22/2025	FMW-9-042225	< 0.5	0.44	< 1	< 1	< 0.02
			MTCA Cleanup Levels for Groundwater								5 ³	5 ³	16 ⁴

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
FMW-11	Coatings	5.0-20.0	15.0	21.5-6.5	11.5	Farallon	10/4/2023	FMW-11-100423	< 1	< 0.5	2.8	< 1	0.78
			15.0		11.5	Farallon	4/17/2024	FMW-11-041724	< 1	< 0.5	< 1	< 1	0.042
			15.5		11.0	Farallon	9/30/2024	FMW-11-093024	< 1	< 0.5	2.5	< 1	1.4
			9.0		17.5	Farallon	4/24/2025	FMW-11-042425	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-12	Coatings	5.0-20.0	15.0	22.7-7.7	12.7	Farallon	3/10/2021	FMW-12-20210310	0.73	2.0	< 0.20	< 0.20	< 0.020
			17.5		10.2	Farallon	9/9/2021	FMW-12-090921	0.67	3.6	4.5	< 0.20	0.022 *
			13.1		14.6	Farallon	1/10/2022	FMW-12-011022	0.646	1.76	4.47	< 0.200	< 0.200
			16.0		11.7	Farallon	4/21/2022	FMW-12-042122	1.5	2.0	0.40	< 0.20	< 0.20
			12.5		15.2	Farallon	4/17/2024	FMW-12-041724	< 1	< 0.5	< 1	< 1	< 0.02
			18.0		9.7	Farallon	10/1/2024	FMW-12-100124	< 1	< 0.5	< 1	< 1	< 0.02
			16.0		11.7	Farallon	4/23/2025	FMW-12-042325	< 0.5	0.05	< 1	< 1	< 0.02
FMW-13	Coatings	10.0-20.0	14.0	16.1-6.1	12.1	Farallon	3/10/2021	FMW-13-20210310	< 0.20	< 0.20	< 0.20	< 0.20	0.057
			15.0		11.1	Farallon	9/9/2021	FMW-13-090921	< 0.20	< 0.20	< 0.20	< 0.20	0.056 *
			7.5		18.6	Farallon	1/11/2022	FMW-13-011122	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
			15.0		11.1	Farallon	4/20/2022	FMW-13-042022	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			10.0		16.1	Farallon	4/16/2024	FMW-13-041624	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		11.1	Farallon	9/30/2024	FMW-13-093024	< 1	< 0.5	< 1	< 1	0.043
FMW-14	Off-Property	10.0-20.0	19.3	22.3-12.3	13.0	Farallon	5/24/2021	FMW-14-20210524	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			---		---	Farallon	1/12/2022	FMW-14-011222	< 0.200	< 0.200	< 0.200	< 0.200	< 0.200
			18.0		14.3	Farallon	4/19/2022	FMW-14-041922	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
FMW-15	Coatings	10.0-20.0	17.0	16.3-6.3	9.3	Farallon	5/24/2021	FMW-15-20210524	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020
			17.0		9.3	Farallon	9/9/2021	FMW-15-090921	< 0.20	< 0.20	< 0.20	< 0.20	< 0.020 *
			12.0		14.3	Farallon	1/11/2022	FMW-15-011122	< 0.200	< 0.200	0.521	< 0.200	< 0.200
			16.0		10.3	Farallon	4/19/2022	FMW-15-041922	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			15.0		11.3	Farallon	4/16/2024	FMW-15-041624	< 1	< 0.5	< 1	< 1	< 0.02
			17.0		9.3	Farallon	10/1/2024	FMW-15-100124	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		11.3	Farallon	4/22/2025	FMW-15-042225	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-16	Coatings	10.0-20.0	17.0	17.2-7.2	10.2	Farallon	9/8/2021	FMW-16-090821	< 0.20	< 0.20	1.9	0.26	0.71
			14.5		12.7	Farallon	1/10/2022	FMW-16-011022	< 0.200	< 0.200	1.57	0.283 J	0.539
			16.0		11.2	Farallon	4/21/2022	FMW-16-042122	< 0.20	< 0.20	3.2	0.24	0.92
			15.5		11.7	Farallon	10/4/2023	FMW-16-100423	< 1	< 0.5	2.0	< 1	0.32
			15.0		12.2	Farallon	4/17/2024	FMW-16-041724	< 1	< 0.5	2.1	< 1	0.34
			17.5		9.7	Farallon	10/1/2024	FMW-16-100124	< 1	< 0.5	2.2	< 1	0.32
			15.0		12.2	Farallon	4/23/2025	FMW-16-042325	< 0.5	0.078	1.6	< 1	0.18
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
FMW-17	Coatings	10.0-20.0	16.0	16.3-6.3	10.3	Farallon	9/8/2021	FMW-17-090821	< 0.20	0.25	16	2.4	23
			---		---	Farallon	1/10/2022	FMW-17-011022	< 0.200	10.6	16.4	0.798	8.63
			15.0		11.3	Farallon	4/19/2022	FMW-17-041922	< 0.20	16	17	0.67	4.0
			15.0		11.3	Farallon	4/6/2023	FMW-17-040623	< 0.20	1.0	15	---	22
			18.0		8.3	Farallon	10/4/2023	FMW-17-100423	< 1	< 0.5	6.4	< 1	1.0
			15.0		11.3	Farallon	4/17/2024	FMW-17-041724	< 1	< 0.5	6.7	< 1	0.30
			17.0		9.3	Farallon	10/1/2024	FMW-17-100124	< 1	< 0.5	4.8	< 1	0.19
			15.0		11.3	Farallon	4/23/2025	FMW-17-042325	< 0.5	0.082	3.7	< 1	0.064
FMW-18	Coatings	7.0-17.0	8.2	19.6-9.6	18.4	Farallon	1/11/2022	FMW-18-011122	< 0.200	0.285 J	1.85	< 0.200	0.203 J
			12.0		14.6	Farallon	4/20/2022	FMW-18-042022	< 0.20	0.60	5.3	0.27	0.33
			14.0		12.6	Farallon	4/17/2024	FMW-18-041724	< 1	< 0.5	5.2	< 1	0.34
			14.0		12.6	Farallon	10/1/2024	FMW-18-100124	< 1	< 0.5	1.8	< 1	0.58
			12.0		14.6	Farallon	4/24/2025	FMW-18-042425	< 0.5	0.20	2.1	< 1	0.24
			FMW-19		Coatings	10.0-20.0	12.9	16.4-6.4	13.5	Farallon	1/11/2022	FMW-19-011122	< 0.200
16.0	10.4	Farallon		4/20/2022			FMW-19-042022		< 0.20	< 0.20	1.3	< 0.20	< 0.20
15.0	11.4	Farallon		4/18/2024			FMW-19-041824		< 1	< 0.5	1.1	< 1	0.30
17.0	9.4	Farallon		10/1/2024			FMW-19-100124		< 1	< 0.5	1.0	< 1	0.15
15.0	11.4	Farallon		4/24/2025			FMW-19-042425		< 0.5	0.053	< 1	< 1	0.18
FMW-20	Coatings	8.0-18.0		8.0			18.0-8.0		18.0	Farallon	1/11/2022	FMW-20-011122	< 0.200
			13.0	13.0	Farallon	4/20/2022		FMW-20-042022	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			13.0	13.0	Farallon	10/4/2023		FMW-20-100423	< 1	< 0.5	< 1	< 1	< 0.02
			11.0	15.0	Farallon	4/16/2024		FMW-20-041624	< 1	< 0.5	< 1	< 1	< 0.02
			14.0	12.0	Farallon	9/30/2024		FMW-20-093024	< 1	< 0.5	< 1	< 1	< 0.02
			13.0	13.0	Farallon	4/22/2025		FMW-20-042225	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-21	Coatings	10.0-20.0	12.9	17.6-7.6	14.7	Farallon	1/10/2022	FMW-21-011022	< 0.200	< 0.200	< 0.200	< 0.200	0.215 J
			16.0		11.6	Farallon	4/19/2022	FMW-21-041922	< 0.20	0.22	< 0.20	< 0.20	< 0.20
			15.0		12.6	Farallon	4/17/2024	FMW-21-041724	< 1	< 0.5	< 1	< 1	0.020
			18.0		9.6	Farallon	10/1/2024	FMW-21-100124	< 1	< 0.5	< 1	< 1	0.073
			16.0		11.6	Farallon	4/22/2025	FMW-21-042225	< 0.5	0.056	< 1	< 1	< 0.02
			FMW-22		Coatings	10.0-20.0	14.0	17.4-7.4	13.4	Farallon	1/10/2022	FMW-22-011022	< 0.200
15.0	12.4	Farallon		4/20/2022			FMW-22-042022		< 0.20	0.27	0.23	< 0.20	< 0.20
18.0	9.4	Farallon		10/4/2023			FMW-22-100423		< 1	< 0.5	< 1	< 1	< 0.02
15.0	12.4	Farallon		4/17/2024			FMW-22-041724		< 1	< 0.5	< 1	< 1	< 0.02
17.0	10.4	Farallon		10/1/2024			FMW-22-100124		< 1	< 0.5	< 1	< 1	< 0.02
15.0	12.4	Farallon		4/22/2025			FMW-22-042225		< 0.5	0.059	< 1	< 1	< 0.02
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
FMW-23	Coatings	10.0-20.0	13.0	18.2-8.2	15.2	Farallon	1/10/2022	FMW-23-011022	< 0.200	4.48	34.8	2.48	< 0.200
			17.0		11.2	Farallon	4/21/2022	FMW-23-042122	0.25	1.2	0.80	< 0.20	< 0.20
			17.5		10.7	Farallon	10/4/2023	FMW-23-100423	< 1	4.4	81	4.0	0.17
			15.0		13.2	Farallon	4/17/2024	FMW-23-041724	< 1	1.9	27	1.6	0.13
			18.0		10.2	Farallon	10/1/2024	FMW-23-100124	< 1	3.5	76	4.3	0.21
			16.0		12.2	Farallon	4/23/2025	FMW-23-042325	< 0.5	1.4	8.7	< 1	< 0.02
FMW-24	Coatings	10.0-20.0	12.0	17.0-7.0	15.0	Farallon	1/10/2022	FMW-24-011022	< 0.200	< 0.200	1.43	< 0.200	1.11
			15.0		12.0	Farallon	4/21/2022	FMW-24-042122	< 0.20	< 0.20	1.6	< 0.20	1.1
			15.5		11.5	Farallon	10/4/2023	FMW-24-100423	< 1	< 0.5	1.3	< 1	0.54
			15.0		12.0	Farallon	4/17/2024	FMW-24-041724	< 1	< 0.5	2.9	< 1	0.69
			16.0		11.0	Farallon	10/1/2024	FMW-24-100124	< 1	< 0.5	1.5	< 1	0.58
			15.0		12.0	Farallon	4/23/2025	FMW-24-042325	< 0.5	0.39	2.4	< 1	0.033
FMW-25 * (Angled 45°)	Coatings	9.0-24.0	9.9	18.5-3.5	17.6	Farallon	1/10/2022	FMW-25-011022	0.381 J	0.235 J	1.19	< 0.200	< 0.200
			13.4		14.1	Farallon	4/21/2022	FMW-25-042122	9.9	< 0.20	< 0.20	< 0.20	< 0.20
			14.1		13.4	Farallon	10/4/2023	FMW-25-100423	2.8	0.59	< 1	< 1	< 0.02
			11.7		15.9	Farallon	4/17/2024	FMW-25-041724	3.0	< 0.5	< 1	< 1	< 0.02
			15.2		12.3	Farallon	10/1/2024	FMW-25-100124	< 1	< 0.5	< 1	< 1	< 0.02
			12.0		15.5	Farallon	4/23/2025	FMW-25-042325	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-26	Coatings	10.0-20.0	15.0	17.2-7.2	12.2	Farallon	4/20/2022	FMW-26-042022	< 0.20	< 0.20	1.3	0.27	< 0.20
			15.0		12.2	Farallon	4/22/2025	FMW-26-042225	< 0.5	0.26	1.0	< 1	0.077
FMW-27	Coatings	10.0-20.0	15.0	17.2-7.2	12.2	Farallon	4/19/2022	FMW-27-041922	< 0.20	< 0.20	1.2	< 0.20	< 0.20
			16.5		10.7	Farallon	10/3/2023	FMW-27-100323	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		12.2	Farallon	4/16/2024	FMW-27-041624	< 1	< 0.5	< 1	< 1	< 0.02
			17.6		9.6	Farallon	9/30/2024	FMW-27-093024	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		12.2	Farallon	4/22/2025	FMW-27-042225	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-28	Coatings	10.0-20.0	16.0	16.3-6.3	10.3	Farallon	4/19/2022	FMW-28-041922	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			16.5		9.8	Farallon	10/3/2023	FMW-28-100323	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		11.3	Farallon	4/16/2024	FMW-28-041624	< 1	< 0.5	< 1	< 1	< 0.02
			18.0		8.3	Farallon	9/30/2024	FMW-28-093024	< 1	< 0.5	3.6	< 1	0.44
			17.5		8.8	Farallon	10/22/2024	FMW-28-102224	< 1	< 0.5	9.1	< 1	1.1
			15.0		11.3	Farallon	4/23/2025	FMW-28-042325	< 0.5	< 0.05	< 1	< 1	< 0.02
FMW-29	Coatings	10.0-20.0	17.0	17.7-7.7	10.7	Farallon	4/21/2022	FMW-29-042122	< 0.20	< 0.20	0.67	0.62	0.37
			17.0		10.7	Farallon	10/4/2023	FMW-29-100423	< 1	< 0.5	< 1	< 1	0.10
			15.0		12.7	Farallon	4/17/2024	FMW-29-041724	< 1	< 0.5	< 1	< 1	0.15
			18.0		9.7	Farallon	10/1/2024	FMW-29-100124	< 1	< 0.5	< 1	< 1	0.15
			16.0		11.7	Farallon	4/23/2025	FMW-29-042325	< 0.5	< 0.05	< 1	< 1	0.064
			16.0		11.7	Farallon	4/23/2025	FMW-29-042325	< 0.5	< 0.05	< 1	< 1	0.064
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
FMW-30	Coatings	10.0-20.0	15.0	16.7-6.7	11.7	Farallon	4/21/2022	FMW-30-042122	< 0.20	< 0.20	0.64	< 0.20	< 0.20
			15.0		11.7	Farallon	4/17/2024	FMW-30-041724	< 1	< 0.5	< 1	< 1	0.18
			17.5		9.2	Farallon	10/1/2024	FMW-30-100124	< 1	< 0.5	< 1	< 1	0.28
			15.0		11.7	Farallon	4/23/2025	FMW-30-042325	< 0.5	< 0.05	< 1	< 1	0.97
FMW-31	Coatings	10.0-20.0	16.0	16.4-6.4	10.4	Farallon	4/20/2022	FMW-31-042022	< 0.20	< 0.20	< 0.20	< 0.20	< 0.20
			17.0		9.4	Farallon	10/3/2023	FMW-31-100323	< 1	< 0.5	< 1	< 1	< 0.02
			16.0		10.4	Farallon	4/16/2024	FMW-31-041624	< 1	< 0.5	< 1	< 1	< 0.02
			18.0		8.4	Farallon	10/1/2024	FMW-31-100124	< 1	< 0.5	< 1	< 1	< 0.02
			15.0		11.4	Farallon	4/22/2025	FMW-31-042225	< 0.5	< 0.05	< 1	< 1	< 0.02
MW-1	Coatings	Unknown	---	Unknown	---	EMS	9/29/2004	MW1-092904	< 1	< 1	46	3	260
			---		---	EMS	12/28/2004	MW1-122804	< 1	< 1	22	2	82
			---		---	EMS	3/25/2005	MW1-032505	< 1	< 1	9	1	39
			---		---	EMS	6/7/2005	MW1-060705	< 1	< 1	6.9	2	25
			---		---	EMS	8/16/2005	MW1-081605	< 4	< 4	14	< 4	230
			---		---	EMS	12/17/2005	MW1-121705	< 0.5	< 0.5	7.2	0.8	28
			---		---	EMS	2/4/2006	MW1-020406	< 1	< 1	9	1.1	43
			---		---	EMS	6/30/2006	MW1-063006	< 1	< 1	4.6	< 1	39
			---		---	EMS	9/30/2006	MW1-093006	< 1	< 1	11	2.5	160
			---		---	EMS	12/11/2006	MW1-121106	< 1	< 1	5.5	2.5	40
			---		---	EMS	1/25/2007	MW1-012507	< 1	< 1	9	< 1	40.3
			---		---	EMS	6/19/2007	MW1-061907	< 1	< 1	9.8	1.1	27
			---		---	EMS	8/10/2007	MW1-081007	< 1	< 1	14	2.1	75
			---		---	EMS	12/28/2007	MW1-122807	< 1	1.7	8.2	< 1	16
			---		---	EMS	2/21/2008	MW1-022108	< 1	1.4	12	1.1	27
			---		---	EMS	5/21/2008	MW1-052108	< 1	1.0	15	1.6	34
			11.4		15.0	Farallon	12/17/2019	MW-1-121719	< 0.20	2.1	18	0.33	< 0.20
			10.5		15.9	Farallon	6/3/2020	MW-1-060320	< 0.20	1.4	7.9	< 0.20	< 0.20
			11.8		14.6	Farallon	9/30/2020	MW-1-093020	< 0.20	0.95	6.1	< 0.20	0.049
			11.0		15.4	Farallon	3/10/2021	MW-1-20210310	< 0.20	1.1	4.4	< 0.20	0.024
			8.5		17.9	Farallon	1/11/2022	MW-1-011122	< 0.200	0.988	7.11	< 0.200	< 0.200
			10.0		16.4	Farallon	4/20/2022	MW-1-042022	< 0.20	0.73	3.7	< 0.20	< 0.20
			10.0		16.4	Farallon	10/3/2023	MW-1-100323	< 1	1.6	12	< 1	0.045
			10.5		15.9	Farallon	4/16/2024	MW-1-041624	< 1	0.52	1.8	< 1	0.026
			11.9		14.5	Farallon	9/30/2024	MW-1-093024	< 1	0.7	3.9	< 1	0.028
			8.0		18.4	Farallon	4/22/2025	MW-1-042225	< 0.5	0.93	2.4	< 1	< 0.02
MTCA Cleanup Levels for Groundwater									5³	5³	16⁴	160⁴	0.2³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
MW-2	Coatings	Unknown	---	Unknown	---	EMS	9/29/2004	MW2-092904	< 1	< 1	90	3	170
			---		---	EMS	12/28/2004	MW2-122804	< 1	< 1	7	1	130
			---		---	EMS	3/25/2005	MW2-032505	< 1	< 1	36	2	190
			---		---	EMS	6/7/2005	MW2-060705	< 2	< 2	32	< 2	180
			---		---	EMS	8/16/2005	MW2-081605	< 1	< 1	39	2.1	260
			---		---	EMS	12/17/2005	MW2-121705	< 0.5	< 0.5	31	1.3	96
			---		---	EMS	2/4/2006	MW2-020406	< 1	< 1	4.1	< 1	18
			---		---	EMS	6/30/2006	MW2-063006	< 1	< 1	18	< 1	88
			---		---	EMS	9/30/2006	MW2-093006	< 1	< 1	44	1.7	140
			---		---	EMS	12/11/2006	MW2-121106	< 1	< 1	0.99	< 1	3.5
			---		---	EMS	1/25/2007	MW2-012507	< 1	< 1	0.99	< 1	1.5
			---		---	EMS	6/19/2007	MW2-061907	< 1	< 1	35	1.6	140
			---		---	EMS	8/10/2007	MW2-081007	< 1	< 1	0.99	< 1	0.2
			---		---	EMS	12/28/2007	MW2-122807	< 1	< 1	1.6	< 1	16
			---		---	EMS	2/21/2008	MW2-022108	< 1	< 1	10	< 1	52
			---		---	EMS	5/21/2008	MW2-052108	< 1	< 1	29	1.6	100
			11.5		15.8	Farallon	12/17/2019	MW-2-121719	< 0.20	1.3	0.64	< 0.20	< 0.20
			11.5		15.8	Farallon	6/3/2020	MW-2-060320	< 0.20	0.55	< 0.20	< 0.20	< 0.20
			12.7		14.6	Farallon	9/30/2020	MW-2-093020	< 0.20	1.4	0.83	< 0.20	< 0.020
			11.0		16.3	Farallon	3/10/2021	MW-2-20210310	1.2	0.72	0.24	< 0.20	< 0.020
			8.7		18.6	Farallon	1/11/2022	MW-2-011122	< 0.200	0.455	< 0.200	< 0.200	< 0.200
			10.0		17.3	Farallon	4/20/2022	MW-2-042022	0.21	0.49	< 0.20	< 0.20	< 0.20
			11.5		15.8	Farallon	4/17/2024	MW-2-041724	< 1	0.54	< 1	< 1	< 0.02
			12.0		15.3	Farallon	9/30/2024	MW-2-093024	< 1	0.66	< 1	< 1	< 0.02
			8.0		19.3	Farallon	4/22/2025	MW-2-042225	< 0.5	4.2	3.8	< 1	< 0.02
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³

Table 2
Groundwater Analytical Results for Halogenated Volatile Organic Compounds
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Screened Interval (feet bgs) ¹	Sample Depth (feet bgs) ¹	Screened Interval Elevation (feet NAVD88) ¹	Sample Elevation (feet NAVD88) ¹	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ²				
									PCE	TCE	cis-1,2-Dichloroethene	trans-1,2-Dichloroethene	Vinyl Chloride
MW-3	Coatings	Unknown	---	Unknown	---	EMS	9/29/2004	MW3-092904	< 1	< 1	1	< 1	0.2
			---		---	EMS	12/28/2004	MW3-122804	< 1	< 1	1	< 1	0.2
			---		---	EMS	3/25/2005	MW3-032505	< 1	< 1	1	< 1	0.2
			---		---	EMS	6/7/2005	MW3-060705	< 1	< 1	0.99	< 1	0.2
			---		---	EMS	8/16/2005	MW3-081605	< 1	< 1	3.3	< 1	0.2
			---		---	EMS	12/17/2005	MW3-121705	< 0.5	0.5	1.5	< 0.5	0.2
			---		---	EMS	2/4/2006	MW3-020406	< 1	1.5	0.99	< 1	0.2
			---		---	EMS	6/30/2006	MW3-063006	< 1	< 1	0.99	< 1	0.2
			---		---	EMS	9/30/2006	MW3-093006	< 1	< 1	4.9	< 1	0.2
			---		---	EMS	12/11/2006	MW3-121106	< 1	< 1	0.99	< 1	0.2
			---		---	EMS	1/25/2007	MW3-012507	< 1	< 1	0.99	< 1	0.2
			---		---	EMS	6/19/2007	MW3-061907	< 1	< 1	0.99	< 1	0.2
			---		---	EMS	8/10/2007	MW3-081007	< 1	< 1	51	4.9	670
			---		---	EMS	12/28/2007	MW3-122807	< 1	< 1	0.99	< 1	0.2
			---		---	EMS	2/21/2008	MW3-022108	< 0.2	< 1	0.99	< 1	0.2
			---		---	EMS	2/21/2008	MW3-022108	< 0.2	< 1	0.99	< 1	0.2
			---		---	EMS	5/21/2008	MW3-052108	< 1	< 1	2.6	< 1	0.32
			---		---	Farallon	12/17/2019	MW-3-121719	< 0.20	< 0.20	14	3.2	0.85
			17.0		9.5	Farallon	6/3/2020	MW-3-060320	< 0.20	< 0.20	7.8	1.5	0.47
			19.5		7.0	Farallon	9/30/2020	MW-3-093020	< 0.20	< 0.20	6.5	1.1	1.1
			9.0		17.5	Farallon	3/10/2021	MW-3-20210310	0.37	0.32	< 0.20	< 0.20	0.066
9.2	17.3	Farallon	1/11/2022	MW-3-011122	< 0.200	0.258 J	< 0.200	< 0.200	< 0.200				
10.0	16.4	Farallon	4/20/2022	MW-3-042022	0.41	0.25	< 0.20	< 0.20	< 0.20				
9.0	17.4	Farallon	4/18/2024	MW-3-041824	< 1	< 0.5	< 1	< 1	< 0.02				
8.0	18.4	Farallon	4/23/2025	MW-3-042325	< 0.5	0.36	< 1	< 1	< 0.02				
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³
SMW-1	West Valley	Unknown	---	Unknown	---	ATC	5/15/2000	ATC-MW-1-05152000	ND	ND	ND	---	ND
	West Valley		---		---	URS	5/21/2002	AMBMW1052102	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
SMW-2	West Valley	Unknown	---	Unknown	---	ATC	5/15/2000	ATC-MW-2-05152000	ND	ND	150	---	ND
	West Valley		---		---	URS	5/21/2002	AMBMW2052102	< 1.0	1.0	1.1	< 1.0	< 1.0
SMW-3	West Valley	Unknown	---	Unknown	---	ATC	5/15/2000	ATC-MW-3-05152000	ND	ND	ND	---	ND
	West Valley		---		---	URS	5/21/2002	AMBMW3052102	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
SVE-1	Coatings	3.0-18.0	13.0	24.1-9.1	14.1	Farallon	3/10/2021	SVE-1-20210310	0.21	0.24	3.6	0.38	1.2
			Bailer		Bailer	Farallon	3/25/2021	SVE-1-032521	0.40	0.40	1.9	< 0.20	< 0.20
MTCA Cleanup Levels for Groundwater									5 ³	5 ³	16 ⁴	160 ⁴	0.2 ³

NOTES:

Results in **bold** denote concentrations exceeding MTCA Cleanup Levels for Groundwater.
< denotes analyte not detected at or exceeding the reporting limit listed. Non-detect results for samples analyzed in January 2022 reported to the method detection limit.
--- denotes sample not analyzed or information is unknown.
* denotes analyzed by U.S. Environmental Protection Agency (EPA) Method 8260D-SIM
¹ Depths in feet below ground surface (bgs). Elevations in feet referenced to North American Vertical Datum of 1988 (NAVD88).
² Analyzed by EPA Method 8260 except for samples analyzed in 1998 and 2003; 1998 and 2003 samples analyzed by EPA Method 8021B. Only select VOCs shown in table; see lab reports for full list of analytes.
³ Washington State Model Toxics Control Act Cleanup Regulation (MTCA) Method A Soil Cleanup Levels for Unrestricted Land Uses, Table 740-1 of Section 900 of Chapter 173-340 of the Washington Administrative Code, as revised 2013.
⁴ Washington State Model Toxics Control Act Cleanup Regulation Cleanup Levels and Risk Calculations, Standard Method B Values for Groundwater, <https://ecology.wa.gov/Regulations-Permits/Guidance-technical-assistance/Contamination-clean-up-tools/CLARC>
* Well angled 45 degrees from horizontal. Sample Depths and Sample Elevations corrected due to angle of well.

ATC = ATC Environmental, Inc.
Coatings = Coatings Unlimited, Inc.
EMS = Environmental Management Services, LLC
Farallon = Farallon Consulting, L.L.C.
J = result is an estimate
ND = analyte not detected exceeding an unknown laboratory reporting limit
NE = not established
PCE = tetrachloroethene
TCE = trichloroethene
URS = URS Corporation
Versar = Versar, Inc.
VOC = volatile organic compound
West Valley = West Valley Business Park

Table 3
Groundwater Analytical Results for Metals
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ¹									
					Total Arsenic	Dissolved Arsenic	Total Cadmium	Dissolved Cadmium	Total Chromium	Dissolved Chromium	Total Lead	Dissolved Lead	Total Mercury	Dissolved Mercury
Reconnaissance Boring Groundwater Samples														
B-1	Coatings	Farallon	12/11/2019	B1-121119-GW	9.8	---	< 4.4	---	16	---	2.9	---	< 0.50	---
B-2	Coatings	Farallon	12/11/2019	B2-121119-GW	3.4	---	< 4.4	---	< 11	---	1.9	---	< 0.50	---
B-3	Coatings	Farallon	12/11/2019	B3-121119-GW	25	---	< 4.4	---	29	---	7.4	---	< 0.50	---
B-4	Coatings	Farallon	12/11/2019	B4-121119-GW	16	---	< 4.4	---	14	---	3.9	---	< 0.50	---
B-5	Coatings	Farallon	12/11/2019	B5-121119-GW	8.9	---	< 4.4	---	< 11	---	< 1.1	---	< 0.50	---
B-6	Coatings	Farallon	12/12/2019	B6-121219-GW	8.3	---	< 4.4	---	24	---	5.5	---	< 0.50	---
B-7	Coatings	Farallon	12/12/2019	B7-121219-GW	64	---	< 4.4	---	170	---	37	---	< 0.50	---
B-9	Coatings	Farallon	12/12/2019	B9-121219-GW	17	---	< 4.4	---	54	---	13	---	< 0.50	---
B-10	Coatings	Farallon	12/12/2019	B10-121219-GW	13	---	< 4.4	---	< 11	---	1.3	---	< 0.50	---
B-11	Coatings	Farallon	12/12/2019	B11-121219-GW	710	---	< 4.4	---	930	---	190	---	1.5	---
Monitoring Well Groundwater Samples														
FMW-1	Coatings	Farallon	12/16/2019	FMW-1-121619	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	FMW-1-06032020	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-1-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/8/2021	FMW-1-090821	9.6	7.2	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	FMW-1-011122	7.37	7.54	---	---	---	---	---	---	---	---
FMW-2	Coatings	Farallon	12/16/2019	FMW-2-121619	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	FMW-2-06032020	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/29/2020	FMW-2-092920	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-2-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/8/2021	FMW-2-090821	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	FMW-2-011122	< 1.00	< 1.00	---	---	---	---	---	---	---	---
FMW-3	Coatings	Farallon	12/16/2019	FMW-3-121619	26	22	< 4.4	< 4.0	< 11	< 10	1.3	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	FMW-3-06032020	45	45	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/29/2020	FMW-3-092920	31	32	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-3-20210310	51	49	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/8/2021	FMW-3-090821	38	34	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	FMW-3-011122	47.5	48.9	---	---	---	---	---	---	---	---
		Farallon	4/16/2024	FMW-3-041624	3.4	2.9	---	---	---	---	---	---	---	---
		Farallon	9/30/2024	FMW-3-093024	35	32	---	---	---	---	---	---	---	---
FMW-4	Coatings	Farallon	4/22/2025	FMW-3-042225	47	43	---	---	---	---	---	---	---	---
		Farallon	12/16/2019	FMW-4-121619	49	9.1	< 4.4	< 4.0	96	< 10	31	< 1.0	0.68	< 0.50
		Farallon	6/3/2020	FMW-4-060320	18	13	< 4.4	< 4.0	< 11	< 10	3.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-4-20210310	17	15	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/8/2021	FMW-4-090821	22	17	< 4.4	< 4.0	< 11	< 10	4.2	< 1.0	< 0.50	< 0.50
		Farallon	1/10/2022	FMW-4-011022	12.1	12.5	---	---	---	---	---	---	---	---
		Farallon	4/17/2024	FMW-4-041724	3.0	1.3	---	---	---	---	---	---	---	---
		Farallon	9/30/2024	FMW-4-093024	4.7	3.9	---	---	---	---	---	---	---	---
MTCA Cleanup Levels for Groundwater ²					8 ³		5		50		15		2	

Table 3
Groundwater Analytical Results for Metals
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ¹									
					Total Arsenic	Dissolved Arsenic	Total Cadmium	Dissolved Cadmium	Total Chromium	Dissolved Chromium	Total Lead	Dissolved Lead	Total Mercury	Dissolved Mercury
FMW-5	Coatings	Farallon	12/16/2019	FMW-5-121619	5.0	5.3	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	FMW-5-060320	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/29/2020	FMW-5-092920	8.8	7.6	< 4.4	< 4.0	< 11	< 10	1.4	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-5-20210310	6.4	5.8	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/9/2021	FMW-5-090921	6.4	5.8	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/12/2022	FMW-5-011222	7.75	7.05	---	---	---	---	---	---	---	---
FMW-6	Coatings	Farallon	12/16/2019	FMW-6-121619	4.0	3.8	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	FMW-6-06032020	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/29/2020	FMW-6-092920	4.2	4.3	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-6-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/8/2021	FMW-6-090821	3.7	3.2	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/12/2022	FMW-6-011222	1.62	< 1.00	---	---	---	---	---	---	---	---
FMW-7	Coatings	Farallon	6/3/2020	FMW-7-060320	8.4	4.7	< 4.4	< 4.0	< 11	< 10	2.4	< 1.0	< 0.50	< 0.50
		Farallon	9/29/2020	FMW-7-092920	6.4	6.5	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-7-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/9/2021	FMW-7-090921	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/12/2022	FMW-7-011222	2.62	1.59	---	---	---	---	---	---	---	---
FMW-8	Coatings	Farallon	6/3/2020	FMW-8-06032020	5.2	3.7	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/29/2020	FMW-8-092920	5.0	5.6	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-8-20210310	4.7	4.5	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/8/2021	FMW-8-090821	6.7	6.7	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/12/2022	FMW-8-011222	< 1.00	< 1.00	---	---	---	---	---	---	---	---
FMW-9	Coatings	Farallon	6/3/2020	FMW-9-06032020	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/30/2020	FMW-9-093020	4.0	3.5	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	FMW-9-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/8/2021	FMW-9-090821	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	FMW-9-011122	1.22	1.02	---	---	---	---	---	---	---	---
FMW-12	Coatings	Farallon	3/10/2021	FMW-12-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/9/2021	FMW-12-090921	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/10/2022	FMW-12-011022	2.65	< 1.00	---	---	---	---	---	---	---	---
FMW-13	Coatings	Farallon	3/10/2021	FMW-13-20210310	3.5	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	9/9/2021	FMW-13-090921	3.7	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	FMW-13-011122	3.27	2.91	---	---	---	---	---	---	---	---
FMW-14	Off-Property	Farallon	1/12/2022	FMW-14-011222	< 1.00	< 1.00	---	---	---	---	---	---	---	---
FMW-15	Coatings	Farallon	9/9/2021	FMW-15-090921	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	FMW-15-011122	1.24	1.31	---	---	---	---	---	---	---	---
FMW-16	Coatings	Farallon	9/8/2021	FMW-16-090821	8.1	7.2	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/10/2022	FMW-16-011022	11.1	10.2	---	---	---	---	---	---	---	---
		Farallon	4/17/2024	FMW-16-041724	7.9	2.6	---	---	---	---	---	---	---	---
		Farallon	10/1/2024	FMW-16-100124	13	10	---	---	---	---	---	---	---	---
		Farallon	4/23/2025	FMW-16-042325	1.8	1.7	---	---	---	---	---	---	---	---
MTCA Cleanup Levels for Groundwater ²					8 ³		5		50		15		2	

Table 3
Groundwater Analytical Results for Metals
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Sample Location	Location Area	Sampled By	Sample Date	Sample Identification	Analytical Results (micrograms per liter) ¹									
					Total Arsenic	Dissolved Arsenic	Total Cadmium	Dissolved Cadmium	Total Chromium	Dissolved Chromium	Total Lead	Dissolved Lead	Total Mercury	Dissolved Mercury
FMW-17	Coatings	Farallon	9/8/2021	FMW-17-090821	4.3	3.6	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/10/2022	FMW-17-011022	1.15	1.18	---	---	---	---	---	---	---	---
FMW-18	Coatings	Farallon	1/11/2022	FMW-18-011122	2.59	2.12	---	---	---	---	---	---	---	---
FMW-19	Coatings	Farallon	1/11/2022	FMW-19-011122	6.58	5.50	---	---	---	---	---	---	---	---
FMW-20	Coatings	Farallon	1/11/2022	FMW-20-011122	< 1.00	< 1.00	---	---	---	---	---	---	---	---
FMW-21	Coatings	Farallon	1/10/2022	FMW-21-011022	5.63	5.43	---	---	---	---	---	---	---	---
FMW-22	Coatings	Farallon	1/10/2022	FMW-22-011022	13.9	< 1.00	---	---	---	---	---	---	---	---
		Farallon	4/17/2024	FMW-22-041724	3.5	1.8	---	---	---	---	---	---	---	---
		Farallon	10/1/2024	FMW-22-100124	100	< 1 U	---	---	---	---	---	---	---	---
		Farallon	4/22/2025	FMW-22-042225	1.3	< 1	---	---	---	---	---	---	---	---
FMW-23	Coatings	Farallon	1/10/2022	FMW-23-011022	< 1.00	< 1.00	---	---	---	---	---	---	---	---
FMW-24	Coatings	Farallon	1/10/2022	FMW-24-011022	11.7	10.8	---	---	---	---	---	---	---	---
		Farallon	4/17/2024	FMW-24-041724	7.4	6.0	---	---	---	---	---	---	---	---
		Farallon	10/1/2024	FMW-24-100124	3.6	3.3	---	---	---	---	---	---	---	---
		Farallon	4/23/2025	FMW-24-042325	1.7	< 1	---	---	---	---	---	---	---	---
FMW-25	Coatings	Farallon	1/10/2022	FMW-25-011022	1.83	1.91	---	---	---	---	---	---	---	---
MW-1	Coatings	Farallon	12/17/2019	MW-1-121719	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	MW-1-060320	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	MW-1-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	1.8	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	MW-1-011122	1.16	1.02	---	---	---	---	---	---	---	---
MW-2	Coatings	Farallon	12/17/2019	MW-2-121719	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	MW-2-060320	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	3/10/2021	MW-2-20210310	< 3.3	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	MW-2-011122	< 1.00	< 1.00	---	---	---	---	---	---	---	---
MW-3	Coatings	Farallon	12/17/2019	MW-3-121719	13	13	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	6/3/2020	MW-3-060320	14	12	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
		Farallon	1/11/2022	MW-3-011122	1.07	< 1.00	---	---	---	---	---	---	---	---
		Farallon	4/18/2024	MW-3-041824	< 1	< 1	---	---	---	---	---	---	---	---
		Farallon	4/23/2025	MW-3-042325	< 1	< 1	---	---	---	---	---	---	---	---
SVE-1	Coatings	Farallon	3/10/2021	SVE-1-20210310	3.7	< 3.0	< 4.4	< 4.0	< 11	< 10	< 1.1	< 1.0	< 0.50	< 0.50
MTCA Cleanup Levels for Groundwater ²					8 ³		5		50		15		2	

NOTES:
Results in **bold** and highlighted **yellow** denote concentrations exceeding applicable cleanup levels.
< denotes analyte not detected at or exceeding the reporting limit listed.
--- denotes sample not analyzed.

Coatings = Coatings Unlimited, Inc.
Farallon = Farallon Consulting, L.L.C.

¹Analyzed by U.S. Environmental Protection Agency Methods 200.8/6020B/7470A.

²Washington State Model Toxics Control Act Cleanup Regulation (MTCA) Method A Cleanup Levels for Groundwater, Table 720-1 of Section 900 of Chapter 173-340 of the Washington Administrative Code, as revised 2013, unless otherwise noted.

³Natural background threshold value for the Puget Sound Basin as provided in *Natural Background Groundwater Arsenic Concentrations in Washington State, Study Results*, Washington State Department of Ecology, Publication No. 14-09-044, dated January 2022.

Table 4
Monitored Natural Attenuation and Water Quality Parameters
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Monitoring Well	Date	Sample Identification	Water Quality Parameters				Electron Receptors			Electron Receptors (Continued)			Metabolic Byproducts			Metals	Available Organic Carbon	Hardness and Alkalinity	
			pH ¹ (Standard Units)	Temperature ¹ (degrees Celsius)	Specific Conductivity ¹ (mS/cm)	Oxidation-Reduction Potential ¹ (millivolts)	Dissolved Oxygen ¹ (mg/L)	Chloride ² (mg/L)	Nitrate ³ (mg/L-N)	Nitrite ³ (mg/L-N)	Sulfate ⁴ (mg/L)	Sulfide ⁵ (mg/L)	Methane ⁶ (µg/L)	Ethane ⁶ (µg/L)	Ethene ⁶ (µg/L)	Ferrous Iron ⁷ (mg/L)	Total Organic Carbon ⁸ (mg/L)	Hardness ⁹ (mg/L-CaCO ₃)	Alkalinity ¹⁰ (mg/L-CaCO ₃)
MW-1	9/30/2020	MW-1-093020	Well went dry during purging; sampled after recharge.																
	3/10/2021	MW-1-20210310	5.86	13.0	0.239	313.2	2.01	---	---	---	---	---	---	---	---	---	---	---	---
	1/11/2022	MW-1-011122	5.87	13.5	0.164	347.0	0.32	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	MW-1-042022	5.86	12.5	0.268	109.2	0.13	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	MW-1-100323	5.76	18.7	0.131	90.8	0.38	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	MW-1-041624	6.11	14.1	0.135	40.2	0.86	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	MW-1-093024	5.38	18.8	0.77	151.6	3.33	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	4/22/2025	MW-1-042225	5.96	14.6	0.119	-261.8	12.0	---	---	---	---	---	11.3	< 10.0	< 10.0	---	---	---	---
	9/30/2020	MW-2-093020	Well went dry during purging; sampled after recharge.																
	3/10/2021	MW-2-20210310	5.81	10.1	0.158	264.3	3.68	---	---	---	---	---	---	---	---	---	---	---	---
	1/11/2022	MW-2-011122	5.81	10.0	0.105	362.5	4.13	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	MW-2-042022	5.76	10.2	0.110	194.6	1.30	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	MW-2-041724	5.81	11.5	0.057	193.3	1.19	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	MW-2-093024	5.40	16.3	0.054	165.2	1.63	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	4/22/2025	MW-2-042225	6.06	11.3	0.083	-175.9	3.80	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
	9/30/2020	MW-3-093020	Well went dry during purging; sampled after recharge.																
	3/10/2021	MW-3-20210310	6.05	10.7	0.156	63.4	0.29	---	---	---	---	---	---	---	---	---	---	---	---
	1/11/2022	MW-3-011122	5.95	9.5	0.163	254.6	0.38	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	MW-3-042022	5.86	10.4	0.158	66.6	0.38	---	---	---	---	---	---	---	---	---	---	---	---
	4/18/2024	MW-3-041824	6.13	10.6	0.074	106.9	0.44	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	MW-3-042325	6.33	10.4	0.171	-374.3	1.01	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
FMW-1	3/10/2021	FMW-1-031021	6.35	15.3	0.807	196.4	0.90	---	---	---	---	---	---	---	---	---	---	---	---
	9/8/2021	FMW-1-090821	5.84	19.2	0.389	-44.8	0.49	10	0.11	< 0.020	28	0.06	57	< 0.22	< 0.29	36.4	3.6	170	230
	1/11/2022	FMW-1-011122	6.32	14.2	0.491	8.2	0.08	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-1-041922	6.13	14.4	0.535	168.4	0.17	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-1-041624	6.13	14.5	0.595	-19.6	0.49	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-1-093024	6.11	16.9	0.453	-15.4	0.63	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-1-042225	6.25	15.9	0.649	92.1	0.21	---	---	---	---	---	124	< 10.0	< 10.0	---	---	---	---
FMW-2	9/29/2020	FMW-2-092920	6.26	15.9	0.809	-27.3	0.21	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-2-031021	6.40	13.5	1.056	132.4	0.57	---	---	---	---	---	---	---	---	---	---	---	---
	9/8/2021	FMW-2-090821	5.91	17.7	0.612	-32.3	0.46	6.6	0.65	< 0.020	< 5.0	0.07	2,000	< 0.22	< 0.29	17.3	15	210	440
	1/11/2022	FMW-2-011122	6.42	13.6	0.746	-49	0.05	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-2-042022	6.24	13.1	1.065	-8.1	0.76	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-2-100323	6.17	16.3	0.792	-28.0	0.54	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-2-041624	6.42	14.9	0.404	-10.6	0.36	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-2-100124	6.25	16.1	0.650	-18.9	0.74	---	---	---	---	---	---	---	---	---	---	---	---
	4/24/2025	FMW-2-042425	6.39	14.1	0.696	-52.1	0.08	---	---	---	---	---	1,570	< 10.0	< 10.0	---	---	---	---

Table 4
Monitored Natural Attenuation and Water Quality Parameters
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Monitoring Well	Date	Sample Identification	Water Quality Parameters				Electron Receptors			Electron Receptors (Continued)			Metabolic Byproducts			Metals	Available Organic Carbon	Hardness and Alkalinity	
			pH ¹ (Standard Units)	Temperature ¹ (degrees Celsius)	Specific Conductivity ¹ (mS/cm)	Oxidation-Reduction Potential ¹ (millivolts)	Dissolved Oxygen ¹ (mg/L)	Chloride ² (mg/L)	Nitrate ³ (mg/L-N)	Nitrite ³ (mg/L-N)	Sulfate ⁴ (mg/L)	Sulfide ⁵ (mg/L)	Methane ⁶ (µg/L)	Ethane ⁶ (µg/L)	Ethene ⁶ (µg/L)	Ferrous Iron ⁷ (mg/L)	Total Organic Carbon ⁸ (mg/L)	Hardness ⁹ (mg/L-CaCO ₃)	Alkalinity ¹⁰ (mg/L-CaCO ₃)
FMW-3	9/29/2020	FMW-3-092920	6.67	15.8	0.640	-134.4	0.17	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-3-20210310	6.88	12.1	1.14	-147.4	0.27	---	---	---	---	---	---	---	---	---	---	---	---
	9/8/2021	FMW-3-090821	6.23	17.9	0.605	-115.4	0.74	9.5	0.86	< 0.020	< 5.0	0.07	1,200	< 0.22	< 0.29	64.1	13	120	380
	1/11/2022	FMW-3-011122	6.78	12.3	0.876	-132.5	0.05	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-3-042022	6.62	11.6	1.346	-130.6	0.97	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-3-041624	6.90	11.8	0.469	-87.1	0.38	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-3-093024	6.42	15.3	0.476	-118.7	0.61	---	---	---	---	---	---	---	---	---	---	---	---
FMW-4	4/22/2025	FMW-3-042225	6.92	13.0	1.048	-468.4	0.63	---	---	---	---	---	998	< 10.0	< 10.0	---	---	---	---
	9/30/2020	FMW-4-093020	6.39	16.6	0.245	-44.1	2.21	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-4-20210310	6.53	14.9	0.571	-68.6	0.38	---	---	---	---	---	---	---	---	---	---	---	---
	9/8/2021	FMW-4-090821	6.42	21.5	0.261	-56.4	0.86	2.6	< 0.050	< 0.020	< 5.0	0.07	1,900	< 0.22	0.62	23.5	4.1	140	110
	1/10/2022	FMW-4-011022	6.42	13.6	1.090	-75.1	1.85	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-4-042022	6.54	13.0	0.640	-71.2	0.18	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-4-100423	6.38	18.6	0.216	-187.8	3.40	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-4-041724	6.25	17.1	0.148	-128.0	1.16	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-4-093024	6.07	18.2	0.079	-98.6	1.14	---	---	---	---	---	---	---	---	---	---	---	---
FMW-5	4/24/2025	FMW-4-042425	6.06	15.7	0.383	-140.1	0.62	---	---	---	---	---	121	< 10.0	< 10.0	---	---	---	---
	9/29/2020	FMW-5-092920	6.35	15.3	0.866	-114.0	0.15	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-5-031021	6.44	13.8	1.049	-67.7	0.66	---	---	---	---	---	---	---	---	---	---	---	---
	9/9/2021	FMW-5-090921	6.47	16.5	0.720	-83.6	0.66	---	---	---	---	---	---	---	---	---	---	---	---
	1/12/2022	FMW-5-011222	6.51	13.7	0.894	-85.7	0.08	---	---	---	---	---	---	---	---	---	---	---	---
	4/21/2022	FMW-5-042122	6.26	11.7	0.689	-59.2	0.19	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-5-100323	6.28	15.5	0.915	-103.6	0.40	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-5-041724	6.25	13.9	0.785	-57.4	0.58	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-5-093024	6.15	17.0	0.493	-98.5	0.64	---	---	---	---	---	---	---	---	---	---	---	---
FMW-6	4/23/2025	FMW-5-042325	6.46	14.1	0.753	-103.6	0.24	---	---	---	---	---	3,200	< 10.0	< 10.0	---	---	---	---
	9/29/2020	FMW-6-092920	6.22	17.1	0.350	-40.8	0.19	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-6-031021	5.83	15.1	0.372	-201.5	0.67	---	---	---	---	---	---	---	---	---	---	---	---
	9/8/2021	FMW-6-090821	5.85	16.8	0.285	-51.8	0.46	6.3	0.29	< 0.020	< 5.0	< 0.05	440	< 0.22	< 0.29	26.9	4.3	83	170
	1/12/2022	FMW-6-011222	5.68	15.0	0.185	-352.2	0.31	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-6-041922	5.60	14.1	0.252	-156.2	0.18	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-6-100323	6.21	16.9	0.322	-36.1	0.21	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-6-041724	5.80	14.8	0.264	-82.6	0.61	---	---	---	---	---	---	---	---	---	---	---	---
FMW-7	10/1/2024	FMW-6-100124	6.22	17.6	0.283	-8.7	0.76	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-6-042325	5.89	15.9	0.292	-49.1	1E	---	---	---	---	---	115	< 10.0	< 10.0	---	---	---	---
	9/29/2020	FMW-7-092920	6.05	15.3	0.517	-26.9	0.25	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-7-031021	6.21	13.5	0.529	-132.5	0.92	---	---	---	---	---	---	---	---	---	---	---	---
	9/9/2021	FMW-7-090921	6.10	16.1	0.409	-178.4	1.21	---	---	---	---	---	---	---	---	---	---	---	---
	1/12/2022	FMW-7-011222	6.18	14.1	0.425	-132.0	0.12	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-7-041922	5.80	12.7	0.587	-178.0	1.20	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-7-100323	5.90	16.5	0.617	-78.7	0.68	---	---	---	---	---	---	---	---	---	---	---	---

Table 4
Monitored Natural Attenuation and Water Quality Parameters
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Monitoring Well	Date	Sample Identification	Water Quality Parameters				Electron Receptors			Electron Receptors (Continued)			Metabolic Byproducts			Metals	Available Organic Carbon	Hardness and Alkalinity	
			pH ¹ (Standard Units)	Temperature ¹ (degrees Celsius)	Specific Conductivity ¹ (mS/cm)	Oxidation-Reduction Potential ¹ (millivolts)	Dissolved Oxygen ¹ (mg/L)	Chloride ² (mg/L)	Nitrate ³ (mg/L-N)	Nitrite ³ (mg/L-N)	Sulfate ⁴ (mg/L)	Sulfide ⁵ (mg/L)	Methane ⁶ (µg/L)	Ethane ⁶ (µg/L)	Ethene ⁶ (µg/L)	Ferrous Iron ⁷ (mg/L)	Total Organic Carbon ⁸ (mg/L)	Hardness ⁹ (mg/L-CaCO ₃)	Alkalinity ¹⁰ (mg/L-CaCO ₃)
FMW-8	9/29/2020	FMW-8-092920	6.24	15.2	0.761	-103.8	0.17	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-8-031021	6.21	13.9	0.792	-11.2	0.72	---	---	---	---	---	---	---	---	---	---	---	---
	9/8/2021	FMW-8-090821	6.31	18.3	0.745	-84.2	0.66	18	1.2	< 0.020	< 5.0	0.05	4,100	< 0.22	< 0.29	160	7.5	150	370
	1/12/2022	FMW-8-011222	6.28	13.5	0.826	99.2	0.03	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-8-041922	6.01	13.2	0.896	-55.0	0.85	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-8-100323	6.24	14.7	0.676	-90.8	0.20	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-8-041624	6.13	13.5	0.750	-85.2	0.49	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-8-093024	6.44	14.9	0.608	-85.9	0.67	---	---	---	---	---	---	---	---	---	---	---	---
FMW-9	4/22/2025	FMW-8-042225	6.06	14.2	0.606	75.3	0.31	---	---	---	---	---	2,940	< 10.0	< 10.0	---	---	---	---
	9/30/2020	FMW-9-093020	6.54	15.3	0.416	13.4	0.17	---	---	---	---	---	---	---	---	---	---	---	---
	3/10/2021	FMW-9-031021	6.11	13.8	0.498	156.3	0.88	---	---	---	---	---	---	---	---	---	---	---	---
	5/24/2021	FMW-9-20210524	6.19	14.7	0.346	152.9	0.66	---	---	---	---	---	---	---	---	---	---	---	---
	9/8/2021	FMW-9-090821	5.66	17.7	0.341	92.5	0.58	2.8	0.22	< 0.020	37	< 0.05	3.8	< 0.22	< 0.29	0.588	2.5	190	200
	1/11/2022	FMW-9-011122	5.97	13.4	0.407	289.5	0.90	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-9-041922	5.89	13.4	0.555	86.7	0.90	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-9-100323	6.13	15.3	0.423	223.3	0.30	---	---	---	---	---	---	---	---	---	---	---	---
FMW-11	4/16/2024	FMW-9-041624	5.95	13.3	0.430	70.4	0.79	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-9-093024	6.01	15.8	0.391	88.4	0.73	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-9-042225	6.01	14.5	0.505	117.0	0.42	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
	10/4/2023	FMW-11-100423	6.22	16.5	0.178	160.7	0.86	---	---	---	---	---	---	---	---	---	---	---	---
FMW-12	4/17/2024	FMW-11-041724	6.62	14.2	0.111	164.0	2.45	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-11-093024	6.49	17.5	0.113	106.1	0.83	---	---	---	---	---	---	---	---	---	---	---	---
	4/24/2025	FMW-11-042425	6.50	14.6	0.336	110.3	3.13	---	---	---	---	---	14.0	< 10.0	< 10.0	---	---	---	---
	3/10/2021	FMW-12-031021	6.08	14.4	0.981	187.6	2.25	---	---	---	---	---	---	---	---	---	---	---	---
FMW-13	9/9/2021	FMW-12-090921	6.10	15.9	0.950	108.6	0.82	---	---	---	---	---	---	---	---	---	---	---	---
	1/10/2022	FMW-12-011022	6.24	14.0	1.094	178.8	0.12	---	---	---	---	---	---	---	---	---	---	---	---
	4/21/2022	FMW-12-042122	6.07	14.2	0.586	170.6	2.12	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-12-041724	7.31	14.8	0.421	256.2	7.44	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-12-100124	6.45	16.1	0.716	101.6	3.59	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-12-042325	7.26	14.3	1.119	-135.1	9.57	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
	3/10/2021	FMW-13-20210310	6.46	10.5	0.405	-96.8	1.04	---	---	---	---	---	---	---	---	---	---	---	---
FMW-14	9/9/2021	FMW-13-090921	6.39	13.9	0.321	20.9	0.84	---	---	---	---	---	---	---	---	---	---	---	---
	1/11/2022	FMW-13-011122	6.20	10.0	0.366	13.9	0.02	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-13-042022	6.15	10.0	0.529	-9.1	1.06	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-13-041624	6.33	11.5	0.158	9.3	0.45	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-13-093024	5.96	14.2	0.192	-15.2	0.84	---	---	---	---	---	---	---	---	---	---	---	---
FMW-14	5/24/2021	FMW-14-20210524	7.01	14.6	0.325	-93.1	0.83	---	---	---	---	---	---	---	---	---	---	---	---
	1/12/2022	FMW-14-011222	6.32	14.3	0.397	248.3	0.11	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-14-041922	6.00	13.8	0.304	137.3	2.17	---	---	---	---	---	---	---	---	---	---	---	---

Table 4
Monitored Natural Attenuation and Water Quality Parameters
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Monitoring Well	Date	Sample Identification	Water Quality Parameters				Electron Receptors			Electron Receptors (Continued)			Metabolic Byproducts			Metals	Available Organic Carbon	Hardness and Alkalinity	
			pH ¹ (Standard Units)	Temperature ¹ (degrees Celsius)	Specific Conductivity ¹ (mS/cm)	Oxidation-Reduction Potential ¹ (millivolts)	Dissolved Oxygen ¹ (mg/L)	Chloride ² (mg/L)	Nitrate ³ (mg/L-N)	Nitrite ³ (mg/L-N)	Sulfate ⁴ (mg/L)	Sulfide ⁵ (mg/L)	Methane ⁶ (µg/L)	Ethane ⁶ (µg/L)	Ethene ⁶ (µg/L)	Ferrous Iron ⁷ (mg/L)	Total Organic Carbon ⁸ (mg/L)	Hardness ⁹ (mg/L-CaCO ₃)	Alkalinity ¹⁰ (mg/L-CaCO ₃)
FMW-15	5/24/2021	FMW-15-20210524	6.27	14.0	1.340	-119.8	1.29	---	---	---	---	---	---	---	---	---	---	---	---
	9/9/2021	FMW-15-090921	6.54	16.1	1.169	-3.3	0.79	---	---	---	---	---	---	---	---	---	---	---	---
	1/11/2022	FMW-15-0111122	6.54	13.1	0.964	-71.5	0.10	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-15-041922	6.32	13.8	1.638	51.6	0.70	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-15-041624	6.48	13.5	0.648	43.5	0.42	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-15-100124	6.42	14.6	1.085	14.0	0.74	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-15-042225	6.40	14.0	1.310	105.6	0.22	---	---	---	---	---	96.8	< 10.0	< 10.0	---	---	---	---
FMW-16	9/8/2021	FMW-16-090821	6.41	18.7	0.520	-28.5	0.80	7.1	0.15	0.040	< 5.0	0.08	4,300	< 0.22	< 0.29	44.8	6.7	170	280
	1/10/2022	FMW-16-011022	6.26	16.3	1.028	-105.7	1.52	---	---	---	---	---	---	---	---	---	---	---	---
	4/21/2022	FMW-16-042122	6.16	16.7	0.847	-61.8	0.95	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-16-100423	6.30	17.1	0.477	-60.3	0.41	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-16-041724	6.06	15.0	0.506	19.3	0.50	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-16-100124	6.25	16.0	0.300	-79.9	0.64	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-16-042325	6.20	14.7	0.403	25.2	0.24	---	---	---	---	---	859	< 10.0	< 10.0	---	---	---	---
FMW-17	9/8/2021	FMW-17-090821	6.37	20.1	0.601	-352.8	0.89	7.1	0.17	< 0.020	< 5.0	0.09	3,100	< 0.22	< 0.29	77.6	9.8	170	310
	1/10/2022	FMW-17-011022	6.17	14.6	0.88	10.8	1.65	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-17-041922	6.01	14.6	0.479	101.2	0.11	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-17-100423	5.99	18.4	1.082	15.3	1.12	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-17-041724	6.17	16.1	0.725	6.7	1.18	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-17-100124	6.25	18.5	0.571	-20.6	0.91	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-17-042325	6.38	17.4	0.486	13.2	1.71	---	---	---	---	---	2,030	< 10.0	< 10.0	---	---	---	---
FMW-18	1/11/2022	FMW-18-0111122	6.52	12.7	0.458	-13.8	0.05	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-18-042022	6.40	12.0	0.593	-38.5	0.14	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-18-041724	6.37	14.9	0.272	33.0	0.38	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-18-100124	6.16	17.6	0.287	23.9	0.97	---	---	---	---	---	---	---	---	---	---	---	---
	4/24/2025	FMW-18-042425	6.32	13.8	0.372	-87.7	0.03	---	---	---	---	---	1,840	< 10.0	< 10.0	---	---	---	---
FMW-19	1/11/2022	FMW-19-0111122	6.50	12.3	0.461	-57.2	0.11	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-19-042022	6.53	12.5	0.709	-34.4	0.96	---	---	---	---	---	---	---	---	---	---	---	---
	4/18/2024	FMW-19-041824	6.62	14.2	0.264	-3.3	0.34	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-19-100124	6.25	16.8	0.408	-27.6	0.60	---	---	---	---	---	---	---	---	---	---	---	---
	4/24/2025	FMW-19-042425	6.80	13.7	0.461	-103.5	0.01	---	---	---	---	---	727	< 10.0	< 10.0	---	---	---	---

Table 4
Monitored Natural Attenuation and Water Quality Parameters
18420 68th Avenue South
Kent, Washington
Farallon PN: 2032-012

Monitoring Well	Date	Sample Identification	Water Quality Parameters				Electron Receptors			Electron Receptors (Continued)			Metabolic Byproducts			Metals	Available Organic Carbon	Hardness and Alkalinity	
			pH ¹ (Standard Units)	Temperature ¹ (degrees Celsius)	Specific Conductivity ¹ (mS/cm)	Oxidation-Reduction Potential ¹ (millivolts)	Dissolved Oxygen ¹ (mg/L)	Chloride ² (mg/L)	Nitrate ³ (mg/L-N)	Nitrite ³ (mg/L-N)	Sulfate ⁴ (mg/L)	Sulfide ⁵ (mg/L)	Methane ⁶ (µg/L)	Ethane ⁶ (µg/L)	Ethene ⁶ (µg/L)	Ferrous Iron ⁷ (mg/L)	Total Organic Carbon ⁸ (mg/L)	Hardness ⁹ (mg/L-CaCO ₃)	Alkalinity ¹⁰ (mg/L-CaCO ₃)
FMW-20	1/1/2022	FMW-20-011122	5.90	9.5	0.075	369.6	2.85	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-20-042022	5.46	10.2	0.083	164.3	1.09	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-20-100423	5.72	14.5	0.055	200.5	6.74	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-20-041624	6.05	10.9	0.030	70.6	1.77	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-20-093024	5.48	14.5	0.038	224.6	2.24	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-20-042225	6.15	10.7	0.042	-171.2	5.22	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
FMW-21	1/10/2022	FMW-21-011022	6.40	13.8	0.327	-178.7	0.22	---	---	---	---	---	---	---	---	---	---	---	---
	4/19/2022	FMW-21-041922	5.94	13.6	0.462	232.1	5.04	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-21-041724	6.09	14.4	0.172	238.1	1.62	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-21-100124	6.32	15.2	0.237	-42.5	0.71	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-21-042225	6.21	14.5	0.297	-127.6	4.76	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
FMW-22	1/10/2022	FMW-22-011022	6.21	13.9	0.569	-127.5	1.92	---	---	---	---	---	---	---	---	---	---	---	---
	4/20/2022	FMW-22-042022	6.02	13.6	0.200	98.2	0.39	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-22-100423	5.97	15.8	0.182	228.9	6.02	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-22-041724	6.04	14.0	0.123	235.5	3.91	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-22-100124	5.96	15.3	0.129	280.0	4.53	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-22-042225	6.35	13.5	0.393	-163.5	5.73	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
	1/10/2022	FMW-23-011022	6.26	16.0	0.350	-422.7	0.12	---	---	---	---	---	---	---	---	---	---	---	---
FMW-23	4/21/2022	FMW-23-042122	6.00	16.6	0.456	355.4	2.59	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-23-100423	6.16	16.9	0.375	97.3	0.47	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-23-041724	6.10	14.8	0.370	61.5	2.63	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-23-100124	6.00	15.3	0.242	136.9	0.76	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-23-042325	6.33	14.4	0.350	133.0	5.29	---	---	---	---	---	7.49	< 10.0	< 10.0	---	---	---	---
	1/10/2022	FMW-24-011022	6.53	14.7	0.398	-311.6	0.19	---	---	---	---	---	---	---	---	---	---	---	---
FMW-24	4/21/2022	FMW-24-042122	6.45	14.3	0.405	-101.1	0.22	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-24-100423	6.32	17.9	0.314	-44.3	0.43	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-24-041724	6.33	14.7	0.194	42.3	0.49	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-24-100124	6.04	16.9	0.242	42.7	1.12	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-24-042325	5.81	14.7	0.347	-156.7	2.80	---	---	---	---	---	5.99	< 10.0	< 10.0	---	---	---	---
	1/10/2022	FMW-25-011022	6.24	13.5	0.510	-252.9	0.10	---	---	---	---	---	---	---	---	---	---	---	---
FMW-25	4/21/2022	FMW-25-042122	5.86	13.2	0.427	127.1	2.88	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-25-100423	5.90	15.8	0.264	115.3	0.85	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-25-041724	6.23	14.2	0.130	266.9	8.19	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-25-100124	5.53	15.6	0.801	205.5	3.00	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-25-042325	6.76	13.9	0.223	-151.6	9.67	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
FMW-26	4/20/2022	FMW-26-042022	6.35	10.9	0.976	-44.5	0.98	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-26-042225	6.51	13.7	0.478	-490.3	0.58	---	---	---	---	---	72.8	< 10.0	< 10.0	---	---	---	---
FMW-27	4/19/2022	FMW-27-041922	6.22	13.9	0.777	-4.3	0.15	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-27-100323	6.10	16.5	0.651	-62.6	0.41	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-27-041624	6.12	15.0	0.801	-44.3	0.94	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-27-093024	5.89	16.3	0.554	-43.9	0.78	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-27-042225	6.00	15.1	0.631	-149.9	4.30	---	---	---	---	---	28.9	< 10.0	< 10.0	---	---	---	---
FMW-28	4/19/2022	FMW-28-041922	5.95	12.5	0.176	103.6	0.90	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-28-100323	6.13	15.4	0.292	-54.1	0.22	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-28-041624	6.19	12.7	0.175	-50.9	0.48	---	---	---	---	---	---	---	---	---	---	---	---
	9/30/2024	FMW-28-093024	6.03	16.1	0.261	-25.2	0.66	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-28-042325	6.44	14.1	0.170	-68.0	0.01	---	---	---	---	---	376	< 10.0	< 10.0	---	---	---	---
FMW-29	4/21/2022	FMW-29-042122	6.17	16.8	0.910	-69.0	0.98	---	---	---	---	---	---	---	---	---	---	---	---
	10/4/2023	FMW-29-100423	6.25	17.3	0.533	-67.4	0.42	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-29-041724	6.30	14.9	0.647	-75.9	0.59	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-29-100124	6.04	15.7	0.341	-54.8	0.69	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-29-042325	6.51	14.6	0.616	-95.0	0.22	---	---	---	---	---	2,320	< 10.0	< 10.0	---	---	---	---
FMW-30	4/21/2022	FMW-30-042122	6.40	15.0	0.783	-62.1	0.25	---	---	---	---	---	---	---	---	---	---	---	---
	4/17/2024	FMW-30-041724	6.31	14.6	0.431	-5.0	0.49	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-30-100124	6.08	16.0	0.333	-8.1	0.73	---	---	---	---	---	---	---	---	---	---	---	---
	4/23/2025	FMW-30-042325	5.50	15.4	1.050	-240.2	1.32	---	---	---	---	---	547	< 10.0	< 10.0	---	---	---	---
FMW-31	4/20/2022	FMW-31-042022	6.23	12.6	1.492	0.0	1.00	---	---	---	---	---	---	---	---	---	---	---	---
	10/3/2023	FMW-31-100323	6.16	14.9	0.973	110.8	0.58	---	---	---	---	---	---	---	---	---	---	---	---
	4/16/2024	FMW-31-041624	6.44	14.1	0.404	96.0	0.64	---	---	---	---	---	---	---	---	---	---	---	---
	10/1/2024	FMW-31-100124	6.25	15.2	0.630	97.2	0.99	---	---	---	---	---	---	---	---	---	---	---	---
	4/22/2025	FMW-31-042225	6.44	14.3	0.755	-350.2	0.85	---	---	---	---	---	< 5.00	< 10.0	< 10.0	---	---	---	---
SVE-1	3/10/2021	SVE-1-20210310	6.32	14.3	0.341	240.2	2.89	---	---	---	---	---	---	---	---	---	---	---	---
			Off-Property Wells										Off-Property Wells						
SMW-1	4/20/2022	SMW-1-042022	6.49	11.1	0.221	-30.2	1.13	---	---	---	---	---	---	---	---	---	---	---	---

NOTE:

< denotes analyte not detected at or exceeding the laboratory reporting limit listed.

--- denotes sample not analyzed

¹Field collected parameter using multimeter.

²Analyzed by standard method 4500-Cl E

³Analyzed by U.S. Environmental Protection Agency (EPA) Method 353.2.

⁴Analyzed by ASTM Method D516-11.

⁵Analyzed by standard method 4500-S2-D

⁶Analyzed by RSK 175.

⁷Analyzed by standard method 3500FeB.

⁸Analyzed by standard method 5310B.

⁹Analyzed by EPA Method 200.7/standard method 2340B

¹⁰ Analyzed by standard method 2320B.

IE = instrument error

mS/cm = milliSiemens per centimeter

mg/L = milligrams per liter

mg/L-CaCO₃ = milligrams per liter as calcium carbonate

mg/L-N = milligrams per liter as nitrogen

mV = millivolts

NTU = nephelometric turbidity units

µg/L = micrograms per liter

IE = instrument error

mS/cm = milliSiemens per centimeter

mg/L = milligrams per liter

mg/L-CaCO₃ = milligrams per liter as calcium carbonate

mg/L-N = milligrams per liter as nitrogen

mV = millivolts

NTU = nephelometric turbidity units

µg/L = micrograms per liter