

APPENDIX E

Data Summary Tables

Appendix E: Data Summary Tables

Appendix E presents analytical data summary tables summarizing the historical analytical data for groundwater and surface water samples collected from monitoring wells and surface water sampling locations on the Preliminary Site. The appendix also presents concentration trend graphs for the chemicals of concern for data from the shallow Lower Disposal Area wells.

Appendix E.1: Historical Groundwater and Surface Water Data

Appendix E.2: Concentration Trend Graphs for Chemical of Potential Concerns (COPCs) for shallow Lower Disposal Area (LDA) Wells

Appendix E.1: Historical Groundwater and Surface Water Data

Table E.1.1: Interceptor Trench Discharge Monitoring

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
19-Oct-13	8:45	0.3	7.47	-	-
19-Nov-13	9:25	0.7	7.52	-	-
23-Dec-13	15:25	1.2	7.27	-	-
20-Jan-14	11:15	0.8	7.58	1	277
-	-	-	-	-	-
31-Mar-14	11:12	1	7.22	1.6	257
22-Apr-14	16:05	3.6	6.85	474	214
27-May-14	15:30	0.8	7.12	21.9	294
27-Jun-14	11:10	0.3	7.13	13.3	136
31-Jul-14	19:45	0.2	6.95	4.1	305
28-Aug-14	14:00	0.1	7.2	1.8	294
29-Sep-14	13:39	0.1	7.87	1.4	340
29-Oct-14	11:45	0.3	7.03	1.1	319
24-Nov-14	11:50	0.8	7.09	0.7	229
22-Dec-14	8:00	0.4	7.08	0.4	253
30-Jan-15 ¹	10:10	1.1	7.09	0.7	270
4-May-15	9:30	0.31	7.54	2.05	290
4-Aug-15	12:20	0.06	7.61	1.51	268
3-Nov-15	13:15	0.8	7.38	36.9	320
8-Feb-16	10:40	1.9	7.23	9.29	279
2-May-16	16:00	0.5	7.77	22.5	431
22-Aug-16	11:00	0.08	7.78	3.34	302
1-Nov-16	11:40	2.4	8.16	96.3	345
2-Feb-17	9:25	4.5	7.61	0.85	514
30-May-17	15:45	4.5	7.33	4.04	324
18-Aug-17	8:50	0.1	7.57	34	300
10-Nov-17	11:20	1.1	6.81	12.9	365
28-Feb-18	10:16	2.22	7.02	37.9	381
2-May-18	11:45	1.18	7.46	2.89	339
22-Aug-18	10:00	0.13	7.32	19.3	287
7-Nov-18	14:40	0.33	7.24	3.05	342
13-Mar-19	11:31	1.43	7.61	19.4	313
9-May-19	10:30	0.88	7.77	8.9	394
26-Aug-19	18:15	0.42	7.25	26.4	361
14-Nov-19	13:30	0.42	7.05	34.5	447
13-Feb-20	12:35	1.58	6.95	1.76	306
13-Aug-20	12:00	0.21	7.32	20.8	339
10-Dec-20	12:22	3.8	7.7	228	691
4-Mar-21	12:20	3.5	7.23	116	584
10-Jun-21	13:10	0.2	7.02	6.31	360
15-Oct-21	13:55	0.2	7.08	31	382
7-Jan-22	11:58	9.2	7.43	6.23	288
17-Mar-22	15:25	3.5	11.75 [^]	3.24	368

Table E.1.1: Interceptor Trench Discharge Monitoring

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
22-Jun-22	14:05	2.2	6.94	6.21	415
23-Sep-22	14:46	0.11	7.54	4.77	330
14-Dec-22	9:20	0.79	7.19	2.27	279
13-Mar-23	9:25	2.25	6.9	1.07	232
27-Jun-23	9:55	0.33	7.05	7.31	381
7-Sep-23	14:38	-	7.68	21.5	295
12-Dec-23	15:28	4.76	6.98	1.51	244
6-Mar-24	14:30	3.17	8.39	2.31	359

- Not measured or not available
 ^ pH values error, due to faulty pH probe.

gpm Gallons per minute
 NTU Nephelometric Turbidity Unit
 mg/L Milligrams per liter

Table E.1.2: Summary of Lower Disposal Area - Surface Water Sampling Results - Still Well
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)						
	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Iron	Lead	Manganese	Potassium	Vanadium
Preliminary Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	5.6	8	-	2.5	-	-	80
1-Feb-05	8.1	10658	-	-	6.59	12.87	2,860	-	49.9	100 U	5.52	10 U	-	-
9-Mar-05	13.23	7393	-	-	7.42	12.51	2,860	-	115	228	14.7	10 U	-	-
5-Apr-05	9.5	11310	-	-	10.9	12.44	2,900	-	55.6	100 U	11.6	20 U	-	-
10-May-05	13.99	11871	-	-	3.6	12.53	2,810	-	55.4	100 U	12.5	20 U	-	-
7-Jun-05	13.83	10888	-	-	22.6	12.54	2,490	-	5 U	100 U	5 U	20 U	-	-
15-Jul-05 ^a	18.21	11331	-	-	14.8	12.5	3,800	-	2.72	150 U	6.07	10 U	-	-
15-Jul-05 ^b	-	-	-	-	-	-	2,540	-	39.8	100 U	7.57	20 U	-	-
9-Aug-05 ^a	21.45	12087	-	-	17.9	11.78	3,500	-	120	288	10.9	10.1	-	-
9-Aug-05 ^b	-	-	-	-	-	-	2,820	-	91.5	100 U	9.53	20 U	-	-
14-Sept-05 ^a	17.38	9507	-	-	14	12.36	3,600	-	118	750 U	11.2	50 U	-	-
14-Sept-05 ^b	-	-	-	-	-	-	2,830	-	115	363	14.4	-	-	-
5-Oct-05	13.31	11481	-	-	62.7	12.47	3,020	-	85.2	100 U	11.9	20 U	-	-
9-Nov-05	9.58	14417	-	-	11	12.34	3,400	-	74	150 U	10 U	10 U	-	-
9-Dec-05	6.18	7138	-	-	12.5	12.82	2,800	-	14.5	150 U	1.07	10 U	-	-
19-Jan-06	8.66	8265	1.74	-	11.8	13.06	1900 J	-	15.2 J	150 U	1 U	10 U	-	-
16-Feb-06	8.13	9019	2.81	195.6	6.16	12.27	3200 J	-	13.4 J	150 U	1.89	10 U	-	-
15-Mar-06	7.98	9033	0.79	114.8	8.93	12.6	3300 J	-	2.36	150 U	2.5 J	10 U	-	-
7-Apr-06	9.98	10450	0.57	34.8	6.08	12.51	3,400	-	15.2	150 U	2.83	10 U	-	-
16-May-06	12.79	11060	0.14	45.4	9.28	12.4	3,500	-	4.04	150 U	1.59	10 U	-	-
23-Jun-06	13.29	11680	0.44	-	14.6	12.9	3,600	-	52.6	150 U	16.5	10 U	-	-
20-Jul-06	16.2	12240	0.14	-217.8	10.4	12.47	4,300	-	19.3	150 U	3.57	10 U	-	-
22-Aug-06	17.14	10920	1.22	-146	13.3	12.66	3,800	-	144	150 U	9.14 J	10 U	-	-
26-Sep-06	15.72	9599	0.42	-263.3	61.4	12.59	3,800	-	123	171	4.63	15.4	-	-
26-Oct-06	10.99	9955	0.88	-207.5	82.3	12.93	3,600	-	161	1500 U	19.5	10 U	-	-
15-Nov-06	10.58	12040	1.82	149.2	188	12.87	3,400	-	30.6 J	150 U	4.5	10 U	-	-
20-Dec-06	8.85	10990	0.71	-152	32.8	13.02	2600 J	-	52.6	150 U	13	10 U	-	-
24-Jan-07	8.29	10440	0.97	-139.8	13.7	13.05	2500 J	-	58.6	150 U	13.1	10 U	-	-
12-Feb-07	8.88	10590	0.86	-125.8	56.4	13.06	3,400	-	61.3	150 U	14	10 U	-	-
27-Mar-07	9.45	9163	1.25	-42.4	18.4	11.53	2900 J	-	44.1	150 U	1.81	10 U	-	-
18-Apr-07	8.9	8155	2.63	2.3	37.2	12.77	3300 J	-	29.3	150 U	1.98	10 U	-	-
31-May-07	20.12	11050	5.3	-153.9	9.31	11.59	2800 J	-	48.5	150 U	15.1 J	10 U	-	-
20-Jun-07	18.28	12000	5.41	-122.5	16.1	12.04	4300 J	-	26.8	150 U	2.33	10 U	-	-
31-Jul-07	16.53	12200	1.7	-151.6	24.8	12.48	6,000	-	87.6	150 U	1.03	10 U	-	-
29-Aug-07	17	9570	1.12	-183.1	268	12.78	4600 J	-	106	150 U	9.46	10 U	-	-
27-Sep-07	14.49	8263	52.4	-183	211	12.42	2,800	-	125	150 U	15.4	10 U	-	-
26-Oct-07	9.49	6144	4.88	-147.2	92.4	12.85	3300 J	-	124	260	24.9	10.1	-	-
30-Nov-07	5.53	7703	2.13	-122.6	127	12.67	2,200	-	174	184	14.1	10 U	-	-
12-Dec-07	5.24	11609	3.43	-144.8	116	12.6	4,100	-	110	150 U	11.3	10 U	-	-
24-Jan-08	3.73	9649	13.81	-138	-	10.74	2,500	-	101	1530	9.74	81.5	-	-
28-Feb-08	-	-	-	-	51.2	-	2,900	-	58.5	150 U	12.6	10 U	-	-
25-Mar-08	7.06	8623	5.52	-11.2	17.4	11.26	3,400	-	74.3	150 U	10.4	10 U	-	-
29-Apr-08	9.74	11332	4.29	-1.3	27.7	12.82	3000 J	-	76.6	150 U	13.3	10 U	-	-
20-May-08	14.53	11955	1.74	-35.8	72.7	12.82	3,400	-	87.3	150 U	15.1	10 U	-	-
18-Jun-08	12.77	10267	3.34	-27	34	12.86	3200 J	-	63.2	150 U	16.9	10 U	-	-
26-Aug-08	15.86	7703	1.06	-72.8	38.3	12.67	2600 J	-	430	1220	35	49.7	759,000	-
20-Nov-08	9.59	8762	0.91	-65.6	74.1	13.32	3,500	-	70	150 U	16.8	10 U	848,000	-
12-Feb-09	3.25	554	14.29	-	108	13.03	550	-	47.2	150 U	13.7	10 U	551,000	-
19-May-09	11.53	276	8.8	26	43.4	9.83	2500 J	-	37.8	150 U	15	10 U	689,000	-
22-Sep-09	12.47	9760	1.5	159.1	625	12.47	3,000	-	160	200	37	10 J	990,000	-
15-Dec-09	5.2	11650	1.9	237	26.3	12.85	3,000	-	86	67 J	21	4.7 J	900000 J	-
22-Mar-10	9.7	1035	-	182	19.4	12.58	3,000	-	73	200 U	17	20 U	870,000	-
17-Jun-10	11.7	9610	0.08	-	6.59	12.48	2,700	-	66	95 J	15	2 J	780,000	-
21-Sep-10	15	6710	1.26	152.6	140	12.29	2,400	-	300	1100 J+	39	30 J+	570,000	-
8-Dec-10	8.3	10110	1	-	5.44	12.63	2,600	-	64	200 U	10	20 U	860,000	-
30-Mar-11	8.6	4810	0.46	136.3	13.7	14.31	2500 J	-	65	200 U	9.6	20 U	720,000	-
21-Jun-11	16.6	10420	1.63	111.9	3.4	12.36	5,200	-	60	200 U	9.1	1.7 J	770,000	-
28-Sep-11	14.8	5270	2.34	70	66.7	12.17	2,200	-	220	360	11	7.2 J	1,000,000	-
15-Dec-11	6	7330	2.47	104.2	18.3	13.09	2,800	-	83	200 U	2.9	20 U	880,000	-
21-Mar-12	5.5	11040	3.15	294.2	12	12.39	2,600	-	67	200 U	4.7	20 U	760,000	-
19-Jun-12	5.5	11040	3.15	294.2	12	12.39	2,600	-	58	200 U	6.7	20 U	690,000	-
20-Sep-12	16.1	9560	3.27	76	10.7	12.35	2,900	-	84	200 U	3	20 U	830,000	-
19-Dec-12	4.1	1320	10.11	303.1	5.86	9.69	700	-	75	690	4.3	71	250,000	-
26-Feb-13	7.3	9950	1.77	161.8	25.5	12.66	2,000	-	70	500 U	0.29 J	20 U	720,000	-
23-May-13	11.5	8040	2.23	266.8	22.7	12.47	2,500	-	57	500 U	3.4	20 U	690,000	-
22-Aug-13	17.4	8810	2.42	10.8	38.5	12.79	2,590	-	57.8	100 U	1.5	2	863,000	-
19-Nov-13	9	7090	2.47	79	62.8	12.54	2,720	-	52.5	100 U	4.2	2 U	909,000	-
1-Apr-14	10.3	6080	0.55	128.2	37.1	6.08	1,890	-	54.6	100 U	1.1	1.3 U	687,000	-
22-May-14	13.6	7360	1.22	34.4	-	11.75	2,330	-	60.9	100 U	2	2 U	689,000	-
13-Aug-14	18.26	7844	0.33	1.2	7.3	12.53	2,770	-	70	100 U	2.1	2 U	849,000	-
12-Nov-14	9	585	3.17	-47.8	17.5	12.93	2,450	-	83.2	100 U	3.9	2 U	837,000	-
12-Feb-15	10.7	7540	2.68	-18.6	9.64	12.71	2,150	-	51.6	100 U	0.3	2 U	690,000	-
4-May-15	12.9	9140	2.73	110.4	26.8	13.02	2,520	-	54.6	100 U	0.22 J	2 U	734,000	-
5-Aug-15	19.5	8060	2.58	-29.8	61.1	12.62	2,980	-	63.9	250 U	1.7	4.7 J	898,000	-
3-Nov-15	11.1	5150	0.37	38.6	171	8.93	1,840	-	109	270	21.7	13	747,000	-
9-Feb-16	9.7	7390	0.78	80.8	7.79	13.07	2,170	-	53.6	100 U	1.2	6	601,000	-
3-May-16	14.7	7530	1.4	358.1	2.65	12.98	2,480	-	54.2	100 U	1.7 J-	2	711,000	-
22-Aug-16	20.5	7.91	2.1	-	59	12.95	2,780	-	91.3	250 U	5.87	2.3 J	831,000	-
1-Nov-16	12.3	2884	2.66	-72.1	19.1	13.17	2,620	-	46.2	100 U	9.64	2 U	841,000	-



Table E.1.2: Summary of Lower Disposal Area - Surface Water Sampling Results - Still Well
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)						
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Iron	Lead	Manganese	Potassium	Vanadium
Preliminary Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	5.6	8	-	2.5	-	-	80
31-Jan-17	7.4	8510	2.37	-167	7.35	13.17	2,050	-	52.5	26 J	1.19	1.6 J	582,000	-
31-May-17	14.6	7500	2.44	-	4.17	12.89	1,900	-	45.4	11 J	0.68 J+	0.7 J	615,000	-
17-Aug-17	18.3	8460	3.35	-84	15.9	12.79	2,680	-	56.8	3 J	2.14	1.3 J	750,000	-
9-Nov-17	8.2	7215	3.48	90.9	18.2	12.65	2,360	-	62.1	100 U	3.52	2.5	822,000	-
27-Feb-18	6.6	5312	3.75	2.3	2.49	12.11	1,970	-	50.2	100 U	7.53	2.5	521,000	-
2-May-18	11.1	8260	1.7	-	13	12.92	2,360	-	43.4	133	21.7 J+	8.8	552,000	-
21-Aug-18	20.22	6260	4.71	-42.1	5.84	12.58	2,100	-	52.2	100 U	0.138	2 U	629,000	-
7-Nov-18	9.7	995	6.72	126.8	20.6	9.15	1,880	-	644	1350	80.2	49.1	502000 J+	-
11-Mar-19	10.6	1354	5.93	-18.7	7.19	10.31	1,710	-	52.8	9.1 J	21.2	1.3 J	501,000	-
9-May-19	13.8	6973	6.4	18.1	16.7	12.36	1,980	-	41.6	7.9 J	13.4	0.8 J	521,000	-
26-Aug-19	17.8	6405	3.91	Note 1	5.15	12.56	2,570	-	42.5	100 U	15.4	1 J	722,000	-
14-Nov-19	9.7	6065	0.41	-53.3	12	12.67	1,750	-	167	121 J	23.9	6.5	563,000	-
13-Feb-20	7.6	4936	0.37	-139	2.56	12.66	1,630	-	48.6	13.6 J	6.08	3.1	490,000	-
13-Aug-20	15	6817	2.55	-42.8	2.02	12.39	2,620	-	41.9	6.3 J	0.86	0.9 J	659,000	-
10-Dec-20	8.8	4534	0.55	-26.2	5.87	12.79	1,670	-	82.7	241	11.1	10.8	510,000	-
4-Mar-21	7.7	4728	0.05	-42	0.85	11.94	1,470	-	61.8	100 U	1.49	8 U	512,000	-
9-Jun-21	13.4	5213	0.89	-148.4	4.06	12.56	1,600	-	91.7	-	5.72	-	471,000	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	-	DRY	DRY
7-Jan-22	8.8	4103	2.53	55.4	3.04	12.88	1,900	8.39	50.3	-	4.26	-	486,000	3.34
17-Mar-22	9	4955	7.42	153.1	1.88	13.71	2,070	8.23	51.7	-	5.88	-	517,000	3.02
21-Jun-22	15.4	5090	2.53	156.3	3.4	11.96	2,180	9.34	51.6	-	3.08	-	465,000	3.7
14-Sep-22	16.6	6728	6	68	44.5	12.33	2,480	7.82	52.3	-	6.96	-	669,000	3.47
13-Dec-22	7.7	1419	7.42	-92.9	9.97	11.6	967	71	125	-	9.95	-	309,000	11.1
15-Mar-23	7.5	7393	3.03	77	42	12.72	2,070	10.1	39.1	-	6.26	-	478,000	3.06
28-Jun-23	15.6	6301	2.79	-109.2	3.74	12.33	2,240	27.6	42.1	-	0.977	-	450,000	4.49
6-Sep-23	17.2	5942	2.55	-53.7	10.5	12.46	1740 J-	271	78.5	-	4.35	-	541,000	18.1
15-Dec-23	10.3	4630	9.48	81.6	6.81	12.38	1,120	25.5	35.8	-	4.91	-	367,000	2.87
5-Mar-24	8.3	7467	8.51	-23	9.33	12.39	1,700	7.25	50.1	-	4.7	-	434,000	2.9

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- aNorth Creek Analytical, Inc.
- bSevern Trent Laboratories
- cPreliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- UData validation code; not detected at the Reporting Limit (RL)
- JData validation code; estimated value
- J+Data validation code; estimated value with positive bias
- °CDegrees Celsius
- Note 1ORP measurements not available due to faulty sensor.
- µmhos/cmMicromhos per centimeter
- feet bmpFeet below measuring point
- feet NAVD88Feet NAVD88 Datum
- mg/LMilligrams per liter
- mVmillivolt
- NTUNephelometric Turbidity Unit

Table E.1.3: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
1-Feb-05	8.17	1315	-	-	8.13	9.95	874	-	84.9	4.99	-	-
9-Mar-05	14.04	1183	-	-	23.00	9.59	960	-	96.2	3.92	-	-
5-Apr-05	11.00	1115	-	-	43.70	9.80	800	-	62.3	3.21	-	-
10-May-05	14.91	1275	-	-	564.00	9.83	844	-	76.5	5 U	-	-
7-Jun-05	15.11	1140	-	-	239.00	9.61	804	-	84.3	5 U	-	-
15-Jul-05 ^a	23.56	1276	-	-	94.40	9.30	1,100	-	92.5	4.14	-	-
15-Jul-05 ^b	-	-	-	-	-	-	874	-	99.9	3.82	-	-
9-Aug-05 ^a	19.05	1744	-	-	57.20	9.44	1,000	-	123	5.1	-	-
9-Aug-05 ^b	-	-	-	-	-	-	1,030	-	140	6.12	-	-
14-Sept-05 ^a	13.59	1154	-	-	99.80	8.97	790	-	110	3.54	-	-
14-Sept-05 ^b	-	-	-	-	-	-	806	-	118	5.18	-	-
5-Oct-05	14.82	970	-	-	82.70	8.98	736	-	89.3	2.83	-	-
9-Nov-05	8.43	1285	-	-	135.00	8.83	970	-	46	10 U	-	-
9-Dec-05	2.12	1361	-	-	14.20	9.71	980	-	64.6	3.11	-	-
19-Jan-06	6.66	728	7.96	-	64.70	10.13	470 J	-	40.7	2.29	-	-
16-Feb-06	2.63	624	9.75	30.3	25.20	8.54	530 J	-	13.3	1 U	-	-
15-Mar-06	7.16	639	11.61	236.8	23.10	9.22	530 J	-	22.5	1 U	-	-
7-Apr-06	11.91	1013	10.81	27.8	18.80	9.98	780	-	63.8	3.24	-	-
16-May-06	15.58	1160	7.58	50.6	16.50	9.57	950	-	77.9	2.49	-	-
23-Jun-06	18.63	1261	7.41	-	126.00	9.85	920	-	70.7	3.65	-	-
20-Jul-06	20.65	932	5.36	-35.1	279.00	8.94	980	-	108	3.48	-	-
22-Aug-06	15.65	860	7.64	86.5	218.00	9.22	760	-	116	3.84	-	-
26-Sep-06	21.86	903	8.98	-72.8	263.00	8.89	820	-	75.8	3.06	-	-
26-Oct-06	11.04	702	9.97	90.4	221.00	8.56	760	-	68.3	1.66	-	-
15-Nov-06	7.73	715	9.21	149.2	33.60	9.07	500	-	20.8	2.29	-	-
20-Dec-06	4.98	1082	9.05	86.3	9.29	9.78	680	-	51.3	2.67	-	-
24-Jan-07	2.12	1058	10.71	130.4	20.50	9.97	640 J	-	66.1	7.58	-	-
12-Feb-07	10.10	1218	12.40	-61.8	103.00	9.98	860	-	90.1	4.49	-	-
27-Mar-07	7.94	772	9.67	13.3	25.50	8.27	540 J	-	49.8	2.74	-	-
18-Apr-07	7.52	2418	9.23	84.4	58.10	11.73	1,400	-	79.2	10.5	-	-
31-May-07	15.45	1879	6.47	-92.2	3.15	9.79	1,300	-	165	8.11	-	-
20-Jun-07	24.18	1925	10.88	-52.1	251.00	10.24	1300 J	-	144	5.34	-	-
31-Jul-07	19.05	1418	5.97	-36.1	128.00	9.81	1,200	-	140	7.23	-	-
29-Aug-07	18.00	1193	5.60	-35.4	158.00	9.29	1300 J	-	164	7.01	-	-
27-Sep-07	14.97	987	5.44	45.9	186.00	8.99	970	-	196	5.49	-	-
26-Oct-07	2.66	504	6.02	63.1	282.00	8.64	770 J	-	42.9	2.25	-	-
30-Nov-07	1.86	955	9.77	190.1	163.00	10.02	570	-	48.9	1.62	-	-
12-Dec-07	4.22	790	11.11	126.8	56.00	9.40	520	-	34.3	1.67	-	-
24-Jan-08	2.12	875	19.35	142.0	-	8.68	640	-	42.8	1.66	-	-
28-Feb-08	-	-	-	-	25.60	-	510	-	41.3	2.66	-	-
25-Mar-08	5.27	937	14.46	91.0	86.80	9.60	630	-	50.2	2.15	-	-
29-Apr-08	9.02	1079	10.56	190.8	61.30	9.87	670 J	-	66	2.87	-	-
20-May-08	15.42	1191	7.58	160.0	91.40	9.75	820	-	85.9	4.85	-	-
18-Jun-08	12.94	1124	9.62	167.3	76.90	9.65	810 J	-	77.6	3.67	-	-
26-Aug-08	15.95	880	3.75	53.5	490.00	8.00	650 J	-	76.9	1.64	144,000	-
20-Nov-08	6.91	897	7.02	183.5	376.00	10.22	960	-	87.2	4.21	313,000	-
12-Feb-09	1.29	-	13.72	-	10.20	10.52	800	-	118	5.84	271,000	-
19-May-09	11.90	862	6.52	71.9	133.00	9.59	840 J	-	91.3	3.99	238,000	-
18-Nov-09	5.70	852	6.61	185.9	68.00	9.88	490	-	40	4.4	160,000	-
15-Dec-09	2.30	1162	8.22	460.1	63.30	9.97	640	-	71	7.2	220,000	-
24-Mar-10	13.00	1299	5.83	408.2	13.00	10.48	1,000	-	140	8.5	340,000	-
17-Jun-10	12.00	947	4.45	332.1	33.60	10.56	540	-	62	6.2	220,000	-
22-Sep-10	15.60	1736	3.14	342.5	33.00	9.84	1,300	-	130	21	360,000	-
8-Dec-10	5.40	1382	7.73	371.1	12.10	10.75	870	-	100	12	300,000	-
29-Mar-11	9.60	627	5.16	577.6	19.80	11.05	760 J	-	78	3.1	270,000	-
21-Jun-11	21.00	1778	5.46	239.1	11.60	10.44	1700 J	-	78	11	340,000	-
27-Sep-11	14.80	1382	3.98	239.8	33.40	9.58	1,600	-	120	13	670,000	-
14-Dec-11	3.10	1046	5.60	281.7	15.70	9.93	1,100	-	87	14	330,000	-
20-Mar-12	6.10	986	11.04	271.1	11.70	10.32	500	-	71	3.3	180,000	-
19-Jun-12	14.80	862	7.83	352.2	38.80	9.57	500	-	64	3.7	180,000	-
20-Sep-12	12.40	1961	1.81	419.0	10.30	9.43	4600 J	-	130	2.1	440,000	-
19-Dec-12	4.10	1320	10.11	303.1	5.86	9.69	700	-	75	4.3	250,000	-
25-Feb-13	7.10	1963	9.30	234.7	26.60	11.30	1,000	-	90	6	370,000	-
22-May-13	10.50	4380	7.72	411.7	202.00	12.56	1,400	-	25	11	530,000	-
21-Aug-13	20.10	12850	1.24	-2.3	18.20	12.18	3,430	-	106	47.5	1,180,000	-
20-Nov-13	5.70	1198	8.03	131.9	22.20	10.23	704	-	41.3	6.2	260,000	-
1-Apr-14	9.80	1708	9.77	136.4	8.79	12.26	832	-	24.1	3	317,000	-
23-May-14	12.63	6574	8.63	120.8	-	12.61	2,120	-	4.8	35.4	811,000	-
13-Aug-14	18.99	3273	6.29	77.7	89.00	12.34	1,660	-	71.4	6.3 J	548,000	-
11-Nov-14	8.80	578	3.55	179.2	62.50	12.73	2,000	-	56.7	20.4	739,000	-
11-Feb-15	9.70	487	9.97	66.2	42.00	9.40	337	-	9.1	0.9	87,700	-
4-May-15	14.30	4210	5.60	281.2	7.67	12.53	1,670	-	35.3	7.4	589,000	-
5-Aug-15	19.90	4890	5.14	18.8	89.80	11.79	3,080	-	85.4	18.1	1,150,000	-
3-Nov-15	9.20	760	6.39	129.9	34.60	9.78	707	-	23.5	5.3	235,000	-
9-Feb-16	10.20	-	10.29	100.3	8.01	12.78	1,330	-	5.3	24.8	530,000	-
2-May-16 ^d	-	-	-	-	-	-	2,490	-	24	37 J-	996,000	-
23-Aug-16	19.30	4250	3.95	386.5	46.30	11.76	2,970	-	105	14.3	989,000	-
1-Nov-16	11.70	229	9.26	185.2	48.90	10.33	508	-	12.6	0.792	164,000	-
1-Feb-17	2.40	8890	10.78	26.1	3.17	13.36	2,220	-	10.1	46.8	854,000	-
30-May-17	14.70	6800	56.90	17.7	1.38	12.73	1,720	-	1.75	31.6 J+	759,000	-
17-Aug-17	18.10	5410	3.88	-19.5	14.90	11.93	3,080	-	62.6	32.8	1,150,000	-
10-Nov-17	7.90	2016	7.72	64.4	30.70	12.00	1,520	-	63	32.2	578,000	-
27-Feb-18	5.70	5062	8.76	42.0	3.74	12.28	1,620	-	15	54.6	678,000	-
1-May-18	12.30	6620	5.25	-	1.94	12.73	2,070	-	2.42	30.1 J+	745,000	-
21-Aug-18	23.85	5058	2.95	106.0	5.62	11.64	3,090	-	77.3	28.8	1,200,000	-
6-Nov-18	11.70	1078	3.50	-5.4	46.90	8.48	1,180	-	6.03	5.44	359000 J+	-

Table E.1.3: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
13-Mar-19	3.90	331	8.08	183.7	29.10	10.72	455	-	11.9	2.21	185,000	-
8-May-19	17.20	6113	6.38	6.4	6.17	12.39	2,040	-	7.7	26.8	830,000	-
26-Aug-19	24.22	4177	2.47	Note 1	7.21	9.12	2,840	-	17.2 J	5.27 J	1,020,000	-
13-Nov-19	8.70	2523	1.61	-201.7	33.00	8.67	1,930	-	32.5	4.44	726,000	-
12-Feb-20	7.80	971	7.99	150.3	16.00	7.92	836	-	14.3	3.96	243,000	-
12-Aug-20	18.30	3655	4.33	123.5	5.74	8.98	2,570	-	20.8	2.59	988,000	-
9-Dec-20	8.30	740	7.80	202.0	18.40	8.21	632	-	14.9	5.11	207,000	-
3-Mar-21	8.30	1446	7.87	217.0	15.50	8.56	1,310	-	35.3	6.11	509,000	-
9-Jun-21	15.10	2963	4.88	174.9	4.37	8.79	2,400	-	23.7	1.51	923,000	-
13-Oct-21	9.30	2563	4.73	34.2	39.30	8.84	2610 J-	16.1	19.7	6.12	831,000	3.11
5-Jan-22	1.20	510	9.85	236.4	14.00	8.01	679	6.32	12.1	6.31	226,000	3.36
16-Mar-22	11.10	786	10.41	172.1	12.8	7.45	733	7.59	10.6	4.77	236,000	1.82
23-Jun-22	14.90	1982	2.58	156.8	5.3	8.34	1,650	8.5	10.2	3.44	549,000	0.97
28-Sep-22	16.20	3251	7.06	-49.10	3.18	8.75	2730 J	24	5.88	1.11	1,040,000	0.516
5-Jan-23	8.80	1047	8.40	191.00	8.47	8.16	1,560	18.8	26.7	2.49	567,000	4.45
13-Mar-23	7.20	1831	11.21	177.80	31.80	8.29	1,050	8.27	16.3	5.8	401,000	4
28-Jun-23	19.90	3514	4.58	91.00	4.73	8.64	2,270	8.82	8.35	1.37	879,000	0.935 J
8-Sep-23	19.50	3882	2.26	48.50	14.50	8.96	2550 J-	10.2	11.5	3.91	929,000	0.929
15-Dec-23	6.90	2395	9.94	163.00	3.19	8.49	1,240	22.7	15.3	2.16	447,000	3.31
4-Mar-24	6.80	1477	7.24	237.40	9.50	8.17	1370 J	13.3	21.8	2.86	471,000	3.16

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- aNorth Creek Analytical, Inc.
- bSevern Trent Laboratories
- cPreliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- dField parameters for Infiltration Ponds #1 were inadvertently not collected during May 2016 sampling
- UData validation code; not detected at the Reporting Limit (RL)
- JData validation code; estimated value
- J+Data validation code; estimated value with positive bias
- °CDegrees Celsius
- Note 1ORP measurements not available due to faulty sensor.
- µmhos/cmMicromhos per centimeter
- feet bmpFeet below measuring point
- feet NAVD88Feet NAVD88 Datum
- mg/LMilligrams per liter
- mVMillivolt
- NTUNephelometric Turbidity Unit

Table E.1.4: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters							Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)	Weir Flow Rate (gpm)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	6.5-8.5	-	-	5.6	8	2.5	-	80
1-Feb-05	8.47	2205	-	-	6.24	10.23	-	1440	-	149	10.7	-	-
9-Mar-05	11.38	2054	-	-	7.80	10.15	2.64	1630	-	200	11.9	-	-
5-Apr-05	7.7	2169	-	-	7.99	10.42	10.00	1420	-	129	8.61	-	-
10-May-05	14.1	1912	-	-	562.00	9.87	25.00	1210	-	105	7.63	-	-
7-Jun-05	15.74	2588	-	-	11.60	10.03	6.82	1570	-	138	10.1	-	-
15-Jul-05 ^a	20.38	3184	-	-	8.91	10.36	0.94	3200	-	192	9.98	-	-
15-Jul-05 ^b	-	-	-	-	-	-	-	1990	-	189	10.8	-	-
9-Aug-05 ^a	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	-	-
9-Aug-05 ^b	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	-	-
14-Sept-05 ^a	15.60	3792	-	-	14.50	9.92	0.07	2800	-	208	57.8	-	-
14-Sept-05 ^b	-	-	-	-	-	-	-	2730	-	223	73.3	-	-
5-Oct-05	12.96	3237	-	-	4.99	9.89	0.32	2150	-	170	12.5	-	-
9-Nov-05	8.40	2545	-	-	13.80	9.64	7.50	1900	-	78.2	10 U	-	-
9-Dec-05	3.34	1377	-	-	8.03	10.43	5.00	1700	-	130	6.12	-	-
19-Jan-06	7.37	1424	7.92	-	12.20	10.61	7.50	1000 J	-	89.5	4.81	-	-
16-Feb-06	3.74	1680	12.19	*	14.60	10.78	7.50	1400 J	-	105	5.46	-	-
15-Mar-06	7.21	1634	12.61	194.4	7.44	10.63	5.28	1300 J	-	128	6.38	-	-
7-Apr-06	14.33	2055	8.54	55.3	9.21	10.84	3.17	1500	-	143	6.63	-	-
16-May-06	21.65	2474	6.09	11.6	9.37	10.69	0.83	2000	-	157	8.19	-	-
23-Jun-06	24.58	2820	6.66	-	15.40	11.64	0.63	1400	-	154	13.1	-	-
20-Jul-06	21.17	3291	8.56	-85.5	68.30	10.75	DRY*	2300	-	131	9.41	-	-
22-Aug-06	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	-	-
26-Sep-06	16.38	2997	3.00	-57.1	31.60	9.92	DRY*	2900	-	103	16.8	-	-
26-Oct-06	11.00	2650	5.35	59.6	25.80	9.65	0.63	2300	-	132	26.3	-	-
15-Nov-06	8.51	1708	8.16	-35.7	34.70	10.15	17.14	1200	-	67.4	8.07	-	-
20-Dec-06	5.07	1927	8.84	14.8	7.94	10.67	10.91	1200	-	99.7	4.78	-	-
24-Jan-07	2.30	1846	10.72	5.9	11.70	10.37	9.00	1100 J	-	126	16.1	-	-
12-Feb-07	9.26	1777	11.75	-91.3	26.70	10.56	6.00	1100	-	139	7.12	-	-
27-Mar-07	8.71	1219	9.18	-12.6	13.80	8.70	24.00	840 J	-	88.5	4.86	-	-
18-Apr-07	7.39	4563	8.65	41.0	16.80	12.12	9.00	2000	-	97.5	32.5	-	-
31-May-07	-	3916	6.33	-149.5	10.70	10.96	1.36	2100	-	275	22.9	-	-
20-Jun-07	22.59	3336	8.50	-20.4	42.50	10.46	0.29	2400 J	-	255	27.4	-	-
31-Jul-07	18.94	3915	7.85	-69.2	41.30	10.92	0.06	3300	-	236	12.6	-	-
29-Aug-07	21.52	2406	5.75	-5.3	24.10	9.72	DRY*	2300 J	-	129	8.45	-	-
27-Sep-07	13.88	2009	5.75	15.5	28.30	9.56	0.06	1600	-	207	4.37	-	-
26-Oct-07	7.68	1662	9.06	80.5	13.00	9.92	2.04	1800 J	-	132	7.53	-	-
30-Nov-07	4.34	2446	9.63	26.7	11.70	9.86	2.63	1600	-	135	8.27	-	-
12-Dec-07	5.88	2056	10.34	39.3	10.30	10.18	2.63	1500	-	105	5.73	-	-
24-Jan-08	3.05	1601	15.03	42.3	-	9.40	2.63	1000	-	87.4	4.06	-	-
28-Feb-08	-	-	-	-	9.22	-	4.13	1200	-	118	8.92	-	-
25-Mar-08	6.80	1622	12.37	95.1	16.40	9.98	5.25	1100	-	110	3.86	-	-
29-Apr-08	7.53	1997	9.10	137.4	11.90	10.29	7.50	1100 J	-	124	7.05	-	-
20-May-08	16.35	2504	9.03	77.4	32.90	10.92	7.50	1700	-	146	14.7	-	-
18-Jun-08	11.82	2925	8.32	68.3	25.70	11.14	1.69	1800 J	-	208	8.48	-	-
26-Aug-08	17.69	3376	7.98	62.8	41.10	10.43	0.84	2200 J	-	287	13.2	647,000	-
20-Nov-08	8.10	1447	9.65	112.0	43.70	11.00	11.25	1400	-	121	16.2	485,000	-
12-Feb-09	2.99	1214	14.46	-	14.60	10.93	4.06	1200	-	219	11.8	434,000	-
19-May-09	13.05	1962	7.92	32.6	36.70	10.23	7.50	1800 J	-	210	13.7	521,000	-
24-Sep-09	16.30	2792	1.59	263.8	13.70	8.82	DRY*	2400	-	130	53	730,000	-
15-Dec-09	2.80	1702	7.47	343.0	-	10.18	6.67	1200	-	170	22	330,000	-
24-Mar-10	13.80	2629	2.09	270.7	263.00	11.46	6.03	1800	-	180	20	600,000	-
17-Jun-10	12.00	1876	0.01	-	157.00	10.76	14.15	1200	-	27	3.9	410,000	-
20-Sep-10	11.40	3100	6.34	198.6	12.20	10.63	2.38	2800	-	250	40	580,000	-
7-Dec-10	6.60	2455	4.03	154.0	11.00	11.61	16.69	1600	-	240	26	510,000	-
30-Mar-11	8.10	848	0.22	136.1	31.50	13.08	58.61	940 J	-	91	9.9	330,000	-
22-Jun-11	14.40	2286	5.68	164.2	13.20	11.28	5.68	2600 J	-	120	25	490,000	-
27-Sep-11	16.20	1911	4.62	253.4	39.10	10.07	13.40	2100	-	170	45	880,000	-
15-Dec-11	4.10	1439	7.40	139.4	10.60	10.33	6.65	1400	-	180	21	500,000	-
20-Mar-12	5.20	1687	8.50	27.5	9.60	11.17	60.00	410	-	130	7.4	290,000	-
18-Jun-12	14.70	2336	0.11	326.9	15.60	11.25	60.00	410	-	130	9.8	430,000	-
20-Sep-12	15.30	2972	7.81	106.0	12.10	9.55	0.10	1400 J	-	130	2.2	450,000	-
18-Dec-12	4.80	1908	9.34	-14.2	7.41	10.28	18.50	870	-	120	8.1	390,000	-
26-Feb-13	5.80	6470	11.27	161.6	22.00	12.46	9.90	1800	-	99	62	710,000	-
23-May-13	10.50	1625	9.14	291.8	14.40	9.93	4.84	980	-	94	21	310,000	-
21-Aug-13	15.70	7260	7.69	51.6	9.00	10.71	0.32	2780	-	342	18.3	954,000	-
19-Nov-13	8.10	2032	10.00	87.4	9.95	11.19	25.40	1270	-	70.8	16.9	487,000	-
1-Apr-14	13.70	3420	9.11	129.4	59.00	12.57	20.77	1300	-	37.3	12	572,000	-
23-May-14	12.83	986	11.63	105.7	-	9.36	-	822	-	47	13.9	274,000	-
13-Aug-14	18.38	2000	5.52	63.6	8.93	8.02	2.00	1250	-	13.4	0.6	326,000	-
11-Nov-14	6.70	259	9.77	164.8	4.27	8.09	1.50	955	-	19	0.2	315,000	-
12-Feb-15	10.00	669	11.13	142.9	2.75	8.62	40.00	1490	-	14.9	1.8	155,000	-
4-May-15	13.70	1293	8.69	181.7	155.00	9.38	0.09	1100	-	43.3	11.3	292,000	-
5-Aug-15	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
3-Nov-15	9.70	1296	7.66	165.6	13.70	8.03	1.98	1200	-	11.4	0.8	355,000	-
9-Feb-16	9.10	838	8.79	181.4	2.17	7.87	0.69	529	-	7.8	0.5 J+	145,000	-
2-May-16	23.40	1126	6.16	128.1	7.59	7.63	DRY*	688	-	7.6	0.06 J-	162,000	-
23-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
1-Nov-16	11.70	332	7.12	97.5	7.71	7.76	7.24	703	-	9.18	0.3	207,000	-
1-Feb-17	2.30	925	11.55	39.1	2.04	7.71	0.30	567	-	4.9	0.09 J	135,000	-

Table E.1.4: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters							Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)	Weir Flow Rate (gpm)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	6.5-8.5	-	-	5.6	8	2.5	-	80
30-May-17	13.30	817	57.50	8.3	22.20	7.40	0.30	516	-	13.1	0.08 J+	94,300	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
9-Nov-17	7.00	851	7.57	88.0	67.30	8.43	-	865	-	36.6	10.7	236,000	-
27-Feb-18	5.50	498	10.68	106.0	5.39	8.60	-	503	-	9.7	1.23	127,000	-
1-May-18	12.80	894	8.87	-	2.39	7.97	-	656	-	7.81	0.1 UJ	195,000	-
21-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
7-Nov-18	8.50	1079	7.37	166.6	5.48	7.94	-	1030	-	15.7	0.089 J	322000 J+	-
11-Mar-19	5.00	525	9.79	146.3	1.28	7.76	-	541	-	4.21	0.1 U	133,000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
14-Nov-19	7.40	842	4.10	214.3	19.00	7.74	DRY*	783	-	11.3	0.076 J	242,000	-
12-Feb-20	7.20	401	8.41	-38.3	2.47	7.53	3.96	348	-	4.81	0.1 U	86,900	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
10-Dec-20	7.20	581	6.72	185.0	0.96	7.80	8	560	-	5.13	0.1 U	126,000	-
4-Mar-21	4.90	427	7.11	146.0	2.50	7.86	3	424	-	3.7	0.114	80,600	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	4.90	269	10.81	211.8	15.90	7.63	300	228	5.52	4.33	0.698	50,500	1
17-Mar-22	7.00	410	9.46	157.2	0.91	7.43	8	394	5.37	3.5	0.055 J	86,000	1
21-Jun-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12-Sep-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-22	5.60	712	6.9	12.5	1.29	7.83	-	535	10.5	3.27	0.113 J+	111,000	1.01
15-Mar-23	5.10	758.2	6.46	202.5	9.22	7.49	0.1	437	5.92	3.49	0.197	96,000	0.825
26-Jun-23	DRY	DRY	DRY	DRY	DRY	DRY		DRY	DRY	DRY	DRY	DRY	DRY
7-Sep-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
5-Mar-24	4.10	673	7.31	117.1	9.45	7.09	1.59	445	5.28	4.74	2.23	76,800	1.16

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

* Sample collected from constructed wetland (alternative sampling location) upstream of weir

- Not analyzed or not available

Dry Weir dry; unable to collect field parameters or samples

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

gpm Gallons per minute

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table E.1.5: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
1-Feb-05	7.13	9580	-	-	4.19	13.02	4,080	-	174	24.3	-	-
9-Mar-05	14.28	9979	-	-	6.79	12.52	4,640	-	240	42.1	-	-
5-Apr-05	9.90	10820	-	-	43.50	11.99	3,830	-	133	9.85	-	-
10-May-05	15.10	6091	-	-	45.60	12.14	3,270	-	92.9	25.5	-	-
7-Jun-05	14.49	8257	-	-	24.20	12.19	3,780	-	132	24.7	-	-
15-Jul-05 ^a	18.34	6937	-	-	6.89	11.69	5,000	-	281	31.8	-	-
15-Jul-05 ^b	-	-	-	-	-	-	4,260	-	237	34.2	-	-
9-Aug-05 ^a	23.53	7654	-	-	17.1	10.26	6,600	-	322	44.5	-	-
9-Aug-05 ^b	-	-	-	-	-	-	5,580	-	340	37.1	-	-
14-Sept-05 ^a	18.55	6730	-	-	10.00	10.51	5,100	-	235	19.3	-	-
14-Sept-05 ^b	-	-	-	-	-	-	4,750	-	268	34.2	-	-
5-Oct-05	12.14	4323	-	-	17.60	9.80	3,090	-	130	26.5	-	-
9-Nov-05	6.78	3784	-	-	11.80	11.12	2,600	-	121	21.7	-	-
9-Dec-05	3.22	8745	-	-	12.90	12.85	3,900	-	175	14.1	-	-
19-Jan-06	7.73	5215	5.43	-	13.30	12.52	2000 J	-	20.3	3.24	-	-
16-Feb-06	3.96	9342	8.97	231.2	9.08	12.30	4100 J	-	43	25.6	-	-
15-Mar-06	8.72	12910	9.59	222.1	7.64	12.60	5100 J	-	38.6	41.8	-	-
7-Apr-06	14.26	15220	6.90	18.9	3.65	12.92	5,700	-	48.5	65.6	-	-
16-May-06	19.75	10880	2.61	33.8	15.40	12.46	5,100	-	130	92.1	-	-
23-Jun-06	22.76	7586	2.98	-	14.10	12.65	5,100	-	130	57.9	-	-
20-Jul-06	24.33	7457	0.73	-148.4	16.70	11.33	6,400	-	272	51.3	-	-
22-Aug-06	15.03	7481	3.75	61.0	14.10	10.40	6,100	-	318	33.2	-	-
26-Sep-06	17.30	8409	1.31	-312.4	15.10	12.38	5,500	-	230	45.7	-	-
26-Oct-06	10.95	6075	4.10	-265.6	13.30	12.18	4,600	-	243	41.5	-	-
15-Nov-06	8.07	5022	7.71	-152.7	21.50	12.24	2,600	-	76.2	3.68	-	-
20-Dec-06	6.32	9148	5.73	-139.6	12.20	12.85	2900 J	-	46.1	1.28	-	-
24-Jan-07	2.15	12690	9.24	-98.4	9.74	13.10	3000 J	-	19.2	26.8	-	-
12-Feb-07	9.35	14110	8.43	-86.7	32.50	13.13	4,700	-	96.2	83.5	-	-
27-Mar-07	9.16	10560	8.41	-46.2	7.42	11.31	2900 J	-	5.98	14.5	-	-
18-Apr-07	8.27	14570	8.32	10.8	10.30	12.79	5,200	-	19.8	22.1	-	-
31-May-07	23.66	13410	6.42	-95.0	31.20	11.77	5,100	-	78.4	50.4	-	-
20-Jun-07	26.35	10050	5.53	-195.7	27.90	12.29	5300 J	-	112	38.2	-	-
31-Jul-07	21.39	6666	4.76	-106.4	72.00	10.86	6,300	-	208	68.8	-	-
29-Aug-07	22.61	6950	1.57	-193.4	61.80	12.05	6300 J	-	149	30.6	-	-
27-Sep-07	11.45	5059	2.66	-180.4	78.40	11.43	4,800	-	190	17.4	-	-
26-Oct-07	6.98	4147	1.44	-204.7	39.50	12.48	3900 J	-	168	25.5	-	-
30-Nov-07	2.86	5030	8.50	-74.9	12.40	12.20	2,600	-	121	14.3	-	-
12-Dec-07	4.45	3564	2.03	-141.8	20.70	10.93	2,700	-	79.3	9.87	-	-
24-Jan-08	1.13	4859	4.10	-186.8	-	11.19	2,200	-	86.1	6.79	-	-
28-Feb-08	-	-	-	-	18.10	-	2,800	-	183	73.4	-	-
25-Mar-08	7.37	5413	7.88	-58.2	122.00	12.29	2,900	-	182	13	-	-
29-Apr-08	8.43	3685	9.04	59.3	19.20	11.63	2400 J	-	152	16	-	-
20-May-08	18.03	3554	6.69	58.0	156.00	11.01	2,100	-	137	38.3	-	-
18-Jun-08	13.01	5680	6.46	57.5	71.80	11.14	4000 J	-	279	34.4	-	-
26-Aug-08	18.02	2800	5.72	16.9	49.80	10.08	2500 J	-	91.7	18.6	557,000	-
20-Nov-08	7.46	2011	9.04	38.3	23.60	10.49	2,300	-	72.9	9.2	566,000	-
12-Feb-09	1.63	1870	11.74	-	46.10	10.83	2,300	-	129	17.2	738,000	-
19-May-09	12.73	1895	5.37	-16.4	168.00	9.82	1700 J	-	78.9	11.3	515,000	-
23-Sep-09	21.50	4190	0.09	175.1	14.40	9.70	4,100	-	120	99	1,300,000	-
14-Dec-09	+	+	+	+	+	+	+	-	+	+	+	-
22-Mar-10	13.10	2480	-	342.0	15.60	10.05	1,700	-	76	34	520,000	-
17-Jun-10	13.40	2429	5.14	-	26.10	10.77	2,100	-	120	89	630,000	-
21-Sep-10	16.30	2733	1.10	216.8	21.50	9.81	2,200	-	25	27	510,000	-
8-Dec-10	6.00	1994	2.70	-	18.70	10.05	1,400	-	53	18	490,000	-
30-Mar-11	9.10	509	0.37	179.2	13.80	12.04	730 J	-	36	14	260,000	-
21-Jun-11	21.60	2092	1.90	192.2	13.60	10.07	2800 J	-	62	29	380,000	-
27-Sep-11	14.60	1516	9.34	220.4	32.50	9.34	1,800	-	78	36	780,000	-
15-Dec-11	3.00	1449	1.90	94.6	13.80	10.75	2,100	-	140	74	630,000	-
21-Mar-12	2.60	1088	8.10	285.7	13.10	9.95	780	-	30	7.2	240,000	-
19-Jun-12	17.10	1747	5.54	345.3	10.80	9.93	780	-	70	29	400,000	-
20-Sep-12	-	-	-	-	-	-	-	-	-	-	-	-
19-Dec-12	4.00	1771	6.37	104.0	6.12	10.71	1,300	-	47	18	440,000	-
26-Feb-13	6.90	3720	5.40	196.7	10.60	11.86	1,100	-	140	39	690,000	-
23-May-13	11.50	2335	5.21	323.5	44.10	12.48	1,800	-	130	50	530,000	-
22-Aug-13	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
19-Nov-13	8.20	1256	4.12	79.3	18.20	9.89	1,260	-	39.8	20.4	487,000	-
1-Apr-14	15.30	2053	4.42	130.9	772.00	11.27	1,800	-	113	42.2	649,000	-
23-May-14	14.15	2187	5.50	77.3	-	10.19	1,860	-	112	23.6	623,000	-
13-Aug-14	20.29	1298	5.35	40.1	24.80	9.63	949	-	44.9	22.8	306,000	-
12-Nov-14	1.30	315	4.55	-0.5	22.10	10.45	2,440	-	122	34.2	804,000	-
12-Feb-15	11.10	1267	4.01	-8.2	23.90	10.20	905	-	27.2	9.6	320,000	-
4-May-15	15.60	3200	4.35	240.5	9.21	10.42	2,280	-	154	30.8	774,000	-
5-Aug-15	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
3-Nov-15	8.30	1143	2.01	88.1	35.40	9.22	1,050	-	28	28.2	364,000	-
9-Feb-16	7.30	1672	3.45	95.9	7.79	10.45	1,170	-	51 J+	34	410,000	-
3-May-16	14.20	3150	3.61	335.2	63.80	10.35	2,260	-	148	97.9 J-	777,000	-
24-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
1-Nov-16	12.10	401	5.56	-65.9	15.00	9.43	742	-	21.9	14.1	356,000	-
1-Feb-17	2.10	2064	4.82	5.0	17.80	10.27	1,330	-	57.6	139	455,000	-

**Table E.1.5: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
31-May-17	14.50	2594	5.36	-	22.70	9.93	1,920	-	105	51.5 J+	664,000	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
9-Nov-17	6.50	1049	6.38	92.3	14.40	10.13	1,260	-	58.8	53.4 J+	441,000	-
27-Feb-18	6.50	1379	4.05	-71.0	6.11	10.94	865	-	61.7	47.7 J-	429,000	-
2-May-18	11.60	2547	-	-	25.30	10.36	1,860	-	85.9	26.7 J+	611,000	-
22-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
7-Nov-18	9.70	995	6.72	126.8	20.60	9.15	1,040	-	76	65.5	333000 J+	-
11-Mar-19	10.60	1354	5.93	-18.7	7.19	10.31	1,270	-	49.3	41.7	458,000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
14-Nov-19	8.70	1180	5.98	30.9	7.38	9.03	1,120	-	67.2	76.4	418,000	-
13-Feb-20	4.30	1032	2.51	-126.9	6.10	10.46	927	-	28.1	13	348,000	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
10-Dec-20	5.60	1000	2.52	66.8	6.02	9.66	952	-	12	6.63	318,000	-
4-Mar-21	8.10	1271	1.98	38.0	8.02	10.35	4,820	-	50.6	35.7	435,000	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	4.50	305	10.57	-30.2	4.07	9.42	300	2.29	4.42	2.29	77,100	4.27
17-Mar-22	8.80	997	8.53	-66.4	4.54	11.32	912	4.85	22.60	16.70	358,000	37.80
21-Jun-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12-Sep-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-22	4.1	1319	8.1	-51.9	15.8	9.45	1,170	17.5	40.5	33.1	384,000	79.3
15-Mar-23	8.9	1467	10.36	-7.6	6.57	9.33	913	2.75	8.5	4.84	347,000	12.3
26-Jun-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Sep-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-23	5.2	2217	7.86	-41.2	8.63	9	1,180	3.98	21.1	15.8	394,000	53.4
5-Mar-24	10.5	2327	7.99	-12.1	6.72	9.9	1,220	3.99	21.6	15.2	435,000	75.1

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- +South Pond frozen; unable to collect field parameters or samples
- DrySouth Pond dry; unable to collect field parameters or samples
- aNorth Creek Analytical, Inc.
- bSevern Trent Laboratories
- cPreliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- UData validation code; not detected at the Reporting Limit (RL)
- JData validation code; estimated value
- J+Data validation code; estimated value with positive bias
- °CDegrees Celsius
- µmhos/cmMicromhos per centimeter
- feet bmpFeet below measuring point
- feet NAVD88Feet NAVD88 Datum
- mg/LMilligrams per liter
- mVMillivolts
- NTUNephelometric Turbidity Unit

Table E.1.6: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-1A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Jul-05	35.43	578.01	15.17	883	-	-	358	7.03	664	-	8.47	2 U	-	-
9-Nov-05	31.83	581.61	10.77	1037	-	-	22.2	6.89	680	-	3.45	1 U	-	-
15-Feb-06	23.91	589.53	9.14	623	1.53	497.4	6.76	7.26	470 J	-	3.25	1 U	-	-
17-May-06	31.91	581.53	11.32	1029	1.33	121.6	10.3	7.18	600	-	5.18	1 U	-	-
23-Aug-06	35.35	578.09	19.21	481	5.97	60.4	6.3	6.67	340	-	1.7	1 U	-	-
14-Nov-06	20.00	593.44	10.35	635	4.55	95.1	22.2	7.23	550	-	3.07	1 U	-	-
14-Feb-07	29.29	584.15	11.13	435	3.88	85.6	32.1	6.76	260	-	2	1 U	-	-
30-May-07	32.90	580.54	10.30	545	6.63	145.7	6.93	6.81	320	-	2.48	1 U	-	-
27-Aug-07	35.68	577.76	10.49	428	7.13	76.7	8.65	6.95	260 J	-	1.87	1 U	-	-
29-Nov-07	32.75	580.69	10.10	625	7.14	144.3	12.2	6.96	340 J	-	2.32	1 U	-	-
27-Feb-08	27.83	585.61	-	-	-	-	19.6	-	320	-	2.58	1 U	-	-
20-May-08	31.86	581.58	10.22	471	6.38	177.0	109	6.48	290 J	-	2.24	1 U	-	-
27-Aug-08	36.04	577.40	9.84	427	7.40	118.4	63.6	7.08	260	-	2.05	1 U	23,000	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	35.65	577.79	9.51	443	9.78	113.9	38	7.38	260 J	-	1.79	1 U	22,900	-
20-Nov-08	25.62	587.82	9.49	563	6.11	231.0	5.48	7.18	430	-	3.68	1 U	106,000	-
30-Dec-08	23.14	590.30	9.84	402	8.40	106.9	8.92	7.25	280 J	-	2.47	1 U	43,900	-
15-Jan-09	20.66	592.78	8.40	336	9.65	229.6	1.07	6.88	290	-	2.25	1 U	35,700	-
12-Feb-09	30.00	583.44	9.05	372	8.46	-	16.7	7.34	320	-	1.93	1 U	27,000	-
12-Mar-09	31.30	582.14	9.13	409	8.60	174.9	15.8	7.03	340	-	1.66	1 U	20,600	-
16-Apr-09	23.88	589.56	8.17	343	10.24	131.8	13.5	6.78	310	-	1.77	1 U	24,600	-
19-May-09	30.50	582.94	8.99	392	8.69	82.6	23.7	7.75	340 J	-	1.56	1 U	19,600	-
23-Jun-09	34.00	579.44	9.21	480	9.56	79.0	22.9	7.89	430	-	2 U	2 U	20,000	-
25-Aug-09	36.95	576.49	13.10	373	6.47	311.9	4.98	6.76	270 J+	-	0.64 J	2 U	17,000	-
23-Sep-09	37.12	576.32	11.30	336	6.90	368.3	21.3	6.73	240	-	2 U	0.18 J	14,000	-
15-Dec-09	28.30	585.14	9.20	643	5.30	567.0	18	6.72	330	-	2 U	2 U	26,000	-
24-Mar-10	30.03	583.41	9.80	562	5.72	545.9	5.04	6.74	370	-	1.9 J	2 U	19,000	-
16-Jun-10	23.55	589.89	9.20	506	5.93	405.4	16.1	6.53	40 U	-	3.6	2 U	20,000	-
21-Sep-10	35.89	577.55	10.40	593	4.82	288.5	117	6.96	370	-	2.6	0.23 J	19,000	-
7-Dec-10	27.39	586.05	10.00	504	1.45	198.4	139	7.15	330	-	2.3	2 U	14,000	-
29-Mar-11	29.76	583.68	8.10	247	2.47	169.0	6.81	7.14	300	-	2.4	2 U	15,000	-
21-Jun-11	30.45	582.99	9.30	606	4.58	332.9	3.56	7.17	400 J	-	5 U	2 U	16,000	-
27-Sep-11	36.65	576.79	9.90	366	7.27	356.2	2.18	6.85	310	-	5 U	2 U	17,000	-
14-Dec-11	31.53	581.91	9.20	407	1.97	234.7	20.4	7.09	370	-	5 U	2 U	16,000	-
20-Mar-12	21.60	591.84	7.70	561	7.06	385.4	4.8	7.18	280	-	2.3	0.4 U	16,000	-
19-Jun-12	21.60	591.84	10.00	575	7.04	378.2	5.6	7.31	330	-	2.5	0.4 U	16,000	-
19-Sep-12	36.42	577.02	11.30	561	8.76	286.0	2.49	7.02	310	-	2.4	0.4 U	17,000	-
19-Dec-12	23.43	590.01	9.30	671	6.67	348.2	0.74	7.26	20 U	-	1.7	0.4 U	17,000	-
25-Feb-13	29.32	584.12	8.00	572	9.51	337.0	26	7.28	300	-	2.5	0.4 U	16,000	-
22-May-13	31.23	582.21	9.00	518	8.59	397.7	4.68	7.40	310	-	1.8	0.4 U	15,000	-
21-Aug-13	37.02	576.42	10.20	534	9.27	152.7	1.46	7.11	227	-	1.2	0.1 U	14,100	-
20-Nov-13	29.69	583.75	9.50	852	7.62	243.5	39.5	6.75	419	-	1.6	0.1 U	19,900	-
1-Apr-14	23.29	590.15	8.90	347	7.60	248.1	2.54	7.30	247	-	2	0.1 U	16,500	-
21-May-14	28.31	585.13	9.50	349	4.02	178.6	-	7.12	280	-	1.8	0.1 U	15,100	-
13-Aug-14	36.52	576.92	12.10	441	9.22	51.9	6.2	7.10	283	-	1.4	0.1 U	15,200	-
13-Nov-14	31.63	581.81	11.50	438	8.80	173.0	14.7	7.10	352	-	1.6	0.1 U	17,100	-
11-Feb-15	23.02	590.42	9.40	498	3.89	98.1	10.5	7.72	319	-	9.1	0.3	42,900	-
4-May-15	31.93	581.51	9.80	578	7.35	416.9	1.05	7.26	413	-	1.7	0.1 U	16,000	-
6-Aug-15	37.65	575.79	10.70	447	0.17	71.6	49	7.21	343	-	3.9	0.1 U	10,300	-
4-Nov-15	32.89	580.55	9.50	657	8.56	240.5	5.7	6.92	554	-	2.3	0.1 U	49,300	-
10-Feb-16	25.39	588.05	9.80	322	7.36	204.8	3.21	7.31	202	-	2	0.1 U	22,200	-
2-May-16	32.32	581.12	10.80	579	5.95	250.2	4.7	7.02	350	-	1.8	0.04 J-	17,800	-
23-Aug-16	37.66	575.78	11.00	488	1.34	459.9	259	7.08	413	-	3.88	0.07 J	14,600	-
2-Nov-16	31.30	582.14	9.70	280	3.94	225.0	6.13	7.18	531	-	2.13	0.12	37,700	-
1-Feb-17	29.01	584.43	8.60	510	5.26	187.7	0.97	7.04	270	-	1.47	0.1 U	19,000	-
30-May-17	28.47	584.97	9.50	483	6.89	4.7	4.85	6.96	290	-	2.09	0.1 U	15,700	-
17-Aug-17	36.30	577.14	10.50	536	3.79	82.5	6.44	6.96	283	-	1.55	0.1 U	15,500	-
9-Nov-17	32.20	581.24	9.20	460	5.89	75.1	2.7	7.01	380	-	1.63	0.1 U	16,300	-
27-Feb-18	25.18	588.26	8.90	215	7.35	121.6	6.04	6.31	186	-	1.72	0.1 U	15,500	-
1-May-18	26.98	586.46	9.50	391	7.82	-	3.06	6.94	214	-	1.65	0.1 UJ	14,100	-
21-Aug-18	37.29	576.15	10.02	266	7.37	75.6	129	6.84	215	-	1.51	0.1 U	13,300	-
6-Nov-18	34.18	579.26	9.60	340	9.13	215.4	1	6.93	327	-	1.67	0.1 U	16,600	-
11-Mar-19	27.75	585.69	8.90	323	5.65	185.3	4.29	6.94	269	-	1.36	0.1 U	14,400	-
8-May-19	30.05	583.39	9.80	448	7.77	97.6	1.11	6.87	320	-	1.25	0.1 U	15,100	-
26-Aug-19	37.02	576.42	9.83	329	1.16	Note 1	7.97	7.11	258	-	0.904	0.1 U	10,700	-
13-Nov-19	35.13	578.31	9.20	376	5.50	144.0	8.26	6.87	320	-	1.23	0.1 U	15,800	-
12-Feb-20	20.38	593.06	9.00	381	2.58	191.6	1.33	7.15	268	-	1.25	0.1 U	26,600	-
12-Aug-20	36.61	576.83	9.50	285	5.01	198.7	0.8	6.96	214	-	1.14	0.1 U	14,100	-

Table E.1.6: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-1A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
9-Dec-20	32.05	581.39	9.10	425	7.17	211.0	1.57	6.86	347	-	1.11	0.1 U	17,100	-
3-Mar-21	27.01	586.43	8.60	383	5.71	248.0	0.6	6.83	299	-	1.16	0.1 U	17,400	-
9-Jun-21	35.32	578.12	9.20	422	8.47	151.0	2.22	6.68	310	-	1.39	0.1 U	16,300	-
12-Oct-21	33.84	579.60	9.30	329	9.07	160.8	1.55	6.34	236 J-	0.846	1.13	0.1 U	12,500	0.801
5-Jan-22	25.20	588.24	9.20	344	7.96	170.2	0.67	6.54	255	1.06	1.02	0.1 U	18,100	0.782
16-Mar-22	23.67	589.77	9.30	386	7.79	155.0	0.96	5.60	350	1.58	1.33	0.1 U	36,800	0.887
23-Jun-22	27.91	585.53	9.80	356	7.21	152.8	2.55	6.93	281	1.08	1.04	0.1 U	16,500	0.86
23-Sep-22	37.05	576.39	13.2	312.5	6.93	128.4	2.84	6.91	222	0.83	1.2	0.137	14,100	0.786
13-Dec-22	32.35	581.09	9.4	394.6	8.79	99.3	0.31	6.77	234	0.955	1.13	0.1 U	14,500	0.791
13-Mar-23	29.36	584.08	8	584.2	9.22	90.2	0.29	6.85	298	0.86	1.27	0.053 J	14,000	0.935
28-Jun-23	34.78	578.66	9.4	527	9.69	277.4	0.85	6.68	363	0.87	1.18	0.1 U	16,600	0.862
5-Sep-23	37.62	575.82	9.5	586.1	5.14	77.6	3.75	6.97	360 J-	0.41	3.82	0.586	13,300	2.23
12-Dec-23	22.16	591.28	9.2	806	7.53	120.7	1.27	6.7	424	1.71	1.39	0.103 U	43,400	0.986
4-Mar-24	26.79	586.65	8.4	437.2	8.26	194.8	0.42	6.56	274 J	0.83	1.02	0.103 U	13,400	0.614

Notes:

Top of casing elevation (feet NAVD88): 613.44

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.7: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-2A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Jul-05	29.18	578.03	13.78	853	-	-	28.3	7.7	606	-	2 U	2 U	-	-
9-Nov-05	25.64	581.57	10.95	860	-	-	3.82	7.43	550	-	1.31	1 U	-	-
15-Feb-06	17.64	589.57	7.81	709	0.82	467.7	3.96	7.86	520 J	-	1.06	1 U	-	-
17-May-06	25.76	581.45	9.67	810	2.17	246.1	3.01	7.06	490	-	1.13	1 U	-	-
23-Aug-06	29.13	578.08	12.86	759	2.6	12	9.82	7.4	570	-	1.54	1 U	-	-
14-Nov-06	13.74	593.47	10.44	649	3.72	63.6	9.78	7.72	460	-	1.36	1 U	-	-
14-Feb-07	22.09	585.12	10.77	648	1.69	11.5	52.4	7.51	380	-	1.07	1 U	-	-
30-May-07	26.72	580.49	11.46	732	2.05	72.2	12.8	7.44	480	-	1.17	1 U	-	-
27-Aug-07	29.45	577.76	10.8	829	7.41	62.8	117	7.58	590 J	-	1.09	1 U	-	-
29-Nov-07	26.57	580.64	10.74	899	2	81.1	392	6.05	490	-	1.03	1 U	-	-
27-Feb-08	21.45	585.76	-	-	-	-	446	-	400	-	1.09	1 U	-	-
20-May-08	25.73	581.48	9.48	706	3.07	110.2	419	7.26	420 J	-	1.21	1 U	-	-
27-Aug-08	29.84	577.37	9.87	824	4.74	91.5	571	7.43	550 J	-	1.3	1 U	65,100	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	29.13	578.08	9.76	820	4.56	53.6	227	7.33	520 J	-	1.3	1 U	76,300	-
20-Nov-08	19.48	587.73	9.31	462	5.24	240.1	6.16	7.35	360	-	1.76	1 U	67,000	-
30-Dec-08	16.93	590.28	9.85	480	6.18	66.8	56.1	7.35	390 J	-	1.55	1 U	61,500	-
15-Jan-09	14.46	592.75	7.71	402	7.47	177.8	1.61	7.61	360	-	1.57	1 U	58,500	-
12-Feb-09	23.84	583.37	9.63	-	8.72	-	74.9	7.54	390	-	1.3	1 U	48,100	-
12-Mar-09	25.15	582.06	9.11	454	7.22	163.7	573	7.19	400	-	1.17	1 U	43,100	-
16-Apr-09	17.72	589.49	8.4	417	8.27	126.4	128	7.26	400	-	1.4	1 U	48,800	-
19-May-09	24.38	582.83	8.8	448	6.88	72	178	7.95	410 J	-	1.1	1 U	44,000	-
23-Jun-09	27.85	579.36	8.95	507	7.76	61.9	256	8.07	490	-	2 U	2 U	39,000	-
25-Aug-09	30.68	576.53	10.5	707	6.94*	307.4	4.38	7.17	530 J+	-	2 U	0.18 J	49,000	-
23-Sep-09	30.84	576.37	11.2	661	5.41	374.7	15	7.28	500	-	2 U	2 U	51,000	-
15-Dec-09	22.10	585.11	9.5	720	5.1	579	39	6.92	380	-	2 U	2 U	42,000	-
24-Mar-10	23.82	583.39	10	602	4.1	535.3	43.3	6.93	370	-	1.7 J	2 U	39,000	-
17-Jun-10	17.45	589.76	9.3	547	4.06	-	157	6.57	350	-	3.9	2 U	39,000	-
22-Sep-10	29.66	577.55	10.2	722	5.77	360.2	7.2	7.22	450	-	3.3	2 U	55,000	-
8-Dec-10	22.10	585.11	9.9	566	6.69	-	64.6	7.09	350	-	2 U	2 U	35,000	-
29-Mar-11	19.94	587.27	8.4	251.3	6.95	620	28	7.13	250 J	-	1.4 J	2 U	30,000	-
21-Jun-11	24.25	582.96	9.9	628	5.23	344.3	37	7.29	410 J	-	5 U	2 U	28,000	-
28-Sep-11	30.41	576.8	9.5	57.5	6.54	481.7	13.8	7.24	500	-	5 U	2 U	54,000	-
14-Dec-11	25.35	581.86	9.3	441	3.86	346.5	386	7.26	440	-	5 U	2 U	29,000	-
20-Mar-12	15.45	591.76	7.7	580	1.53	382	32.3	7.4	280	-	2.2	0.4 U	26,000	-
19-Jun-12	23.88	583.33	9	590	1.85	388.1	55.7	7.74	320	-	2.5	0.4 U	23,000	-
19-Sep-12	30.18	577.03	11.1	695	7.03	297	9.31	7.41	420	-	2.7	0.4 U	42,000	-
19-Dec-12	17.24	589.97	9.4	704	6.33	317	55.2	7.4	310	-	1.7	0.4 U	25,000	-
25-Feb-13	23.12	584.09	9.1	585	6.04	339	110	7.46	370	-	2.5	0.4 U	24,000	-
22-May-13	25.05	582.16	8.6	537	8.41	391.5	12.3	7.51	310	-	1.9	0.4 U	22,000	-
21-Aug-13	30.75	576.46	10.6	684	8.42	150.2	5.85	7.74	419	-	1.5	0.2	27,700	-
20-Nov-13	23.51	583.7	9.6	513	6.19	230.4	32.1	6.81	364	-	1.3	0.1 U	27,500	-
1-Apr-14	17.11	590.1	8.5	386	7.32	243.1	14.6	7.46	294	-	1.4	0.1 U	31,700	-
21-May-14	22.07	585.14	9.1	365	6.02	212.7	-	6.93	273	-	1.3	0.1 U	24,700	-
12-Aug-14	31.32	575.89	13.16	552	6.56	76.7	6.8	7.36	394	-	1.5	0.1 U	25,300	-
13-Nov-14	25.48	581.73	12.3	459.5	7.22	189.8	7.2	7.19	367	-	1.4	0.1 U	25,500	-
11-Feb-15	16.83	590.38	9.3	447	6.76	134.4	36.6	7.52	286	-	1.7	0.1 U	30,400	-
4-May-15	25.78	581.43	10.2	619	6.27	407.1	7.7	7.36	382	-	1.4	0.1 U	25,200	-
6-Aug-15	31.87	575.34	11.3	500	9.18	207.1	28.1	7.23	394	-	1.5	0.1 U	22,000	-
4-Nov-15	26.74	580.47	9.9	481	8.76	222.6	16.8	6.88	381	-	1.1	0.1 U	21,800	-
10-Feb-16	19.19	588.02	9	376	7.35	206	40.2	7.68	261	-	3.6	0.1 U	37,100	-
2-May-16	26.14	581.07	11.3	552	3.19	194.5	87.8	7.35	344	-	2.1	0.01 J-	31,200	-
23-Aug-16	31.64	575.57	10.5	545	7.62	486.5	10.8	7.18	412	-	1.54	0.1 U	32,600	-
2-Nov-16	25.12	582.09	10.2	220	4.01	238.9	245	7.19	431	-	1.4	0.1 U	30,600	-
1-Feb-17	22.84	584.37	9.1	580	5.06	186.3	13.6	7.35	317	-	3.17	0.1 U	51,100	-
30-May-17	22.31	584.9	9.4	520	7.01	4.99	40.2	7.18	322	-	1.78	0.1 U	34,100	-
17-Aug-17	30.08	577.13	10.6	626	5.63	134.2	32.3	7.21	370	-	1.28	0.1 U	28,900	-
9-Nov-17	26.04	581.17	9.8	479.5	5.79	74.4	68.8	7	391	-	1.39	0.1 U	25,400	-
27-Feb-18	19.03	588.18	8.8	293.1	7.43	185.2	15.1	6.9	254	-	3.98	0.1 U	41,900	-
1-May-18	20.84	586.37	9.1	531	7.46	-	25	7.35	316	-	3	0.1 UJ	40,600	-
21-Aug-18	31.09	576.12	10.39	437	7.33	115.2	19.1	7.04	358	-	1.48	0.1 U	26,900	-
6-Nov-18	28.00	579.21	9.7	420.1	8.17	210.3	6.74	6.97	418	-	1.3	0.1 U	23,400	-
11-Mar-19	21.61	585.6	9	351.2	9.2	187.1	20.6	7.11	312	-	1.57	0.1 U	32,700	-
8-May-19	23.88	583.33	9.8	443.1	8.05	109.6	7.79	7.06	316	-	1.66	0.1 U	32,900	-
26-Aug-19	30.90	576.31	10.91	495	8.65	Note 1	12.7	6.91	394	-	1.28	0.1 U	21,100	-
13-Nov-19	28.91	578.3	9.8	506	7.81	180.4	14.4	6.87	429	-	1.34	0.1 U	22,900	-
12-Feb-20	14.21	593	8.1	319.3	9.95	189.3	14.6	7.27	277	-	1.95	0.1 U	56,300	-
12-Aug-20	30.41	576.8	9.5	463.3	6.6	185.5	72.9	7.03	359	-	1.2	0.1 U	22,400	-
9-Dec-20	25.91	581.3	9.4	533	6.44	213	9.96	6.97	400	-	1.38	0.49 J	26,800	-
3-Mar-21	20.83	586.38	8.9	330	5.24	216.5	12.4	7.18	268	-	1.8	0.219	61,100	-

Table E.1.8: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-3A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Jul-05	6.09	683.02	13.8	1124	-	-	30.3	6.96	922	-	2.41	2 U	-	-
10-Nov-05	5.50	683.61	10.8	1518	-	-	2.32	6.88	960	-	10.5	1 U	-	-
15-Feb-06	5.31	683.80	9.52	1357	0.46	217.4	58.2	6.33	930 J	-	6.66	1 U	-	-
16-May-06	6.25	682.86	10.4	1296	0.96	91	11.4	6.91	910	-	10.1	1 U	-	-
22-Aug-06	8.85	680.26	12.84	1362	1.28	-64.8	56	6.97	900	-	12.1	1 U	-	-
13-Nov-06	5.03	684.08	11.24	1392	2.12	-74.4	234	6.89	910	-	5.73	1 U	-	-
16-Feb-07	5.55	683.56	8.99	1155	0.75	-71.3	12.3	6.96	770	-	3.74	1 U	-	-
30-May-07	6.72	682.39	11.86	1297	0.75	-25.2	12.5	7.04	790	-	5.2	1 U	-	-
27-Aug-07	8.38	680.73	12.65	1483	0.71	-96.3	15.3	6.73	1100 J	-	8.74	1 U	-	-
28-Nov-07	5.66	683.45	10.47	1363	1.05	-72.9	26.9	7.31	730	-	4.24	1 U	-	-
27-Feb-08	5.57	683.54	-	-	-	-	121	-	860	-	9.76	1 U	-	-
19-May-08	5.94	683.17	9.39	1346	0.66	-52.6	20	6.93	820 J	-	6.64	1 U	-	-
26-Aug-08	6.44	682.67	12.15	1495	0.85	-53.6	5.85	6.88	820	-	3.42	1 U	30,300	-
18-Nov-08	5.50	683.61	10.5	975	1.87	-67.4	225	6.93	880 J	-	7.48	1 U	62,500	-
11-Feb-09	5.62	683.49	7.67	877	0.98	-	68	7.28	810	-	5.2	1 U	50,600	-
19-May-09	5.60	683.51	8.52	847	0.91	-63.4	52	8.21	750 J	-	2.51	1 U	49,500	-
22-Sep-09	8.36	680.75	15.7	1149	0.1	132.1	75.1	7.05	910	-	6.6	2 U	53,000	-
17-Dec-09	4.59	684.52	8.9	1300	0.4	194	401	7.08	710	-	2 U	2 U	62,000	-
24-Mar-10	5.40	683.71	11.2	1010	0.12	-	226	6.76	800	-	3.8	2 U	46,000	-
16-Jun-10	5.27	683.84	10.1	1123	0.2	188	6.19	8.43	570	-	13	2 U	49,000	-
21-Sep-10	6.01	683.10	12.7	1314	0.19	177.7	2.97	6.91	1,000	-	6.2	0.19 J	160,000	-
7-Dec-10	5.23	683.88	9.7	1183	0.23	182.7	25.3	6.86	840	-	3.2	2 U	82,000	-
30-Mar-11	5.04	684.07	8.3	498	0.28	174	4.93	7.89	700	-	3.6	2 U	36,000	-
22-Jun-11	6.77	682.34	9.7	895	0.43	172.2	9.18	7.01	700 J	-	5 U	2 U	34,000	-
28-Sep-11	7.83	681.28	12.6	99	0.18	141.8	6.07	6.83	840	-	8.8	2 U	83,000	-
15-Dec-11	5.40	683.71	9	785	0.6	179.8	24.4	6.98	760	-	4.5 J	2 U	73,000	-
20-Mar-12	4.96	684.15	7.1	1092	0.16	22.6	12.1	7.11	470	-	5.2	2 U	73,000	-
19-Jun-12	6.76	682.35	10.3	1077	0.11	198.6	11.3	7.07	660	-	12	0.4 U	78,000	-
20-Sep-12	8.67	680.44	12.3	1235	0.15	111	1.96	6.99	710	-	11	0.05 J	100,000	-
18-Dec-12	4.98	684.13	8.7	1450	0.3	-40.6	18.7	7.25	740	-	4.8	0.4 U	150,000	-
26-Feb-13	5.25	683.86	7.8	1211	0.15	186.6	27.8	7.21	740	-	4.7	0.4 U	98,000	-
23-May-13	6.56	682.55	9.9	1000	0.18	242.3	16.9	7.21	460	-	14	2.8	150,000	-
21-Aug-13	9.01	680.10	12.1	917	0.12	-14.2	1.24	7.27	772	-	7.6	0.05 J	94,000	-
19-Nov-13	6.09	683.02	9.9	697	0.07	61.8	2.93	6.77	852	-	12.3	0.2	169,000	-
1-Apr-14	5.75	683.36	9	722	0.1	131.3	4.47	7.07	624	-	10.5	0.06 J	104,000	-
22-May-14	5.80	683.31	9.8	580	1.08	185.3	-	6.85	494	-	5.2	0.1	66,500	-
13-Aug-14	8.54	680.57	11.48	915	2.85	-67.6	8.16	7.09	740	-	6.9	0.1 U	116,000	-
12-Nov-14	5.97	683.14	11.1	313.7	2.79	-85.1	15.3	6.87	744	-	6.9	0.1 U	89,100	-
12-Feb-15	5.50	683.61	9.8	980	0.52	-54.5	1.28	7.04	696	-	4.2	0.1 U	73,200	-
4-May-15	5.80	683.31	10.8	994	0.17	143.4	15.4	7.12	701	-	9.3	0.1 U	100,000	-
5-Aug-15	10.12	678.99	12.6	881	0.13	-90.4	0.89	7.07	724	-	7.3	0.1 U	70,300	-
3-Nov-15	5.30	683.81	12	865	1.23	105.5	5.06	6.97	1020	-	1.7	0.2	195,000	-
9-Feb-16	5.14	683.97	9.1	954	0.55	154.6	4.82	7.03	625	-	3.4	0.1 U	92,700	-
2-May-16	4.74	684.37	11.3	844	0.19	96.8	2.21	7.16	621	-	10.5	0.04 J	105,000	-
23-Aug-16	9.04	680.07	13.2	946	0.03	156.2	3.48	6.97	924	-	8.19	0.09 J	148,000	-
1-Nov-16	6.18	682.93	11.9	349	0.15	18.5	2.43	7.11	744	-	2.63	0.1 U	180,000	-
1-Feb-17	5.91	683.20	7.5	1114	0.17	-67.4	6.05	7.08	694	-	6.4	0.1 U	100,000	-
30-May-17	7.40	681.71	10.4	753	2.2	8.59	3.28	7.12	465	-	9.52	0.1 U	89,300	-
17-Aug-17	9.71	679.40	12.4	1101	0.25	-60.2	3.39	7.01	737	-	8.47	0.1 U	72,000	-
9-Nov-17	6.06	683.05	9.6	833	0.64	75.3	2.01	7.08	748	-	1.84	0.1 U	191,000	-
27-Feb-18	5.16	683.95	7.6	791	0.21	-75.4	9.52	6.64	506	-	2.97	0.1 U	92,000	-
1-May-18	5.41	683.70	10	847	0.93	-	5.82	7.36	547	-	3.81	0.1 UJ	120,000	-
21-Aug-18	10.81	678.30	14.54	909	2.96	-17.2	1.67	6.92	722	-	6.48	0.1 U	101,000	-
7-Nov-18	5.85	683.26	11.2	931	0.66	179	0.87	6.97	828	-	2.03	0.073 J	202000 J+	-
11-Mar-19	5.26	683.85	6.1	477.5	1.25	53.7	2.39	7.34	486	-	1.44	0.1 U	125,000	-
9-May-19	5.44	683.67	10.2	678	3.72	-9.4	1.85	7.04	574	-	3.02	0.083 J	143,000	-
26-Aug-19	9.30	679.81	13.96	1041	0.6	Note 1	0.02	6.83	843	-	6.15	0.1 U	142,000	-
13-Nov-19	5.58	683.53	9.4	803	0.31	12.8	0.02	6.97	724	-	2.2	0.077 J	174,000	-
12-Feb-20	5.10	684.01	7.8	349.3	0.37	-62.4	1.4	7.25	287	-	1.86	0.1 U	74,200	-
13-Aug-20	9.33	679.78	11.8	884	0.64	-81.6	4.28	6.76	683	-	10.9	0.1 U	119,000	-
10-Dec-20	5.08	684.03	8.5	688	3.06	210	0.9	7.29	566	-	2.36	0.159	128,000	-

Table E.1.8: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-3A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
4-Mar-21	5.26	683.85	7	364	0.59	47	1.54	7.42	319	-	1.52	0.134	74,200	-
9-Jun-21	6.24	682.87	11.4	706	0.96	-50.2	4.12	7.03	540	-	6.48	0.204	124,000	-
12-Oct-21	5.34	683.77	12.3	1611	2.92	133.4	5.25	6.63	1070 J-	15.6	3.31	0.4	93,200	2.14
6-Jan-22	5.10	684.01	7.5	269.6	2.33	189.1	1.84	7.38	242	8.89	2.04	0.265	53,400	2.61
17-Mar-22	4.97	684.14	7.5	269.6	2.33	189.1	1.84	7.38	252	3.39	1.98	0.169	53,200	0.88
21-Jun-22	5.21	683.9	11.2	439.4	0.19	181.3	0.66	7.03	368	0.966	3.66	0.075 J	75,400	0.39
13-Sep-22	11.25	677.86	15.3	910	4.92	85.7	9.15	6.49	689	0.973	5.42	0.137	91,100	0.507
12-Dec-22	5.32	683.79	7.7	817	4.09	205.2	1.29	7.15	475	9.5	1.72	0.115 J+	99,800	1.26
15-Mar-23	5.02	684.09	6.1	669.2	1.38	203.9	0.95	7.34	393	5.15	2.42	0.147	91,100	1.19
26-Jun-23	7.35	681.76	11.7	802	0.65	-21.3	4.65	6.78	699	5.91	11.7	0.558	144,000	1.07
6-Sep-23	13.95	675.16	13.8	1227	2.17	18	3.14	6.89	747 J-	0.717	4.08	0.126	95,900	0.483
13-Dec-23	5.14	683.97	9.4	712	4.35	43.8	2.87	6.73	343	4.61	3.7	0.208	82,900	0.816
5-Mar-24	5.05	684.06	7.5	620	5.62	93.3	4.58	6.74	356	1.55	4.65	0.336	66,200	0.604

Notes:

Top of casing elevation (feet NAVD88): 689.11

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.9: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-4A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Jul-05	4.60	700.85	12.43	629	-	-	6.07	6.45	490	-	2 U	2 U	-	-
10-Nov-05	3.70	701.75	11.98	441	-	-	7.4	6.22	290	-	1 U	1 U	-	-
19-Jan-06	3.56	701.89	8.29	319	0.42	-	1.46	6.53	290 J	-	1 U	1 U	-	-
15-Feb-06	3.82	701.63	8.32	326	0.62	99.7	3.5	7.39	220 J	-	1 U	1 U	-	-
15-Mar-06	3.79	701.66	7.58	254	0.87	201.9	0.82	6.65	210 J	-	1 U	1 U	-	-
7-Apr-06	3.87	701.58	9.36	295	0.55	157.4	0.24	6.34	220	-	1 U	1 U	-	-
16-May-06	4.92	700.53	10.8	321	0.45	142.1	0.99	6.36	220	-	1 U	1 U	-	-
23-Jun-06	4.41	701.04	12.62	316	0.57	-	2.05	6.25	200	-	1 U	2.64	-	-
20-Jul-06	6.90	698.55	13.43	347	0.23	-20.9	0.32	6.11	120	-	1 U	1 U	-	-
22-Aug-06	8.46	696.99	13.68	406	0.9	153.5	2.2	6.13	280	-	1 U	1 U	-	-
26-Sep-06	6.50	698.95	14.59	417	2.47	-35.2	2.42	6.33	290	-	1 U	1 U	-	-
26-Oct-06	5.98	699.47	12.82	434	3.3	124.1	0.82	6.12	320	-	1 U	1 U	-	-
13-Nov-06	3.02	702.43	11.7	386	5.06	187.8	2.47	6.13	280	-	1 U	1 U	-	-
20-Dec-06	3.60	701.85	9.64	379	4.3	150.5	1.03	6.07	250	-	1 U	1 U	-	-
23-Jan-07	3.68	701.77	8.37	239	3.96	58.9	0.66	6.28	220	-	1 U	1 U	-	-
14-Feb-07	3.74	701.71	8.18	325	2.85	110.8	0.53	6.25	210	-	1 U	1 U	-	-
27-Mar-07	3.32	702.13	8.27	289	2.07	61.5	0.88	6.83	210 J	-	1 U	1 U	-	-
17-Apr-07	3.89	701.56	9.59	306	1.8	102.3	2.31	6.34	190	-	1 U	1 U	-	-
30-May-07	4.70	700.75	11.27	285	1.78	101.7	1.37	6.37	180	-	1 U	1 U	-	-
20-Jun-07	4.69	700.76	12.37	350	1.67	9.3	1.25	6.9	240 J	-	1 U	1 U	-	-
31-Jul-07	6.38	699.07	14.57	402	1.15	5.5	0.6	6.37	250	-	1.29	1 U	-	-
29-Aug-07	7.44	698.01	13.78	353	1.11	128.3	1.87	6.18	280 J	-	1 U	1 U	-	-
27-Sep-07	8.25	697.20	13.6	375	0.96	142.6	0.7	6.7	300	-	1 U	1 U	-	-
26-Oct-07	4.09	701.36	12.16	343	2.27	75.9	3.93	6.1	310 J	-	1 U	1 U	-	-
29-Nov-07	3.93	701.52	10.13	428	3.17	197.3	1.63	6.32	270	-	1 U	1 U	-	-
12-Dec-07	5.82	699.63	9.51	384	3.37	185	0.8	6.06	260	-	1 U	1 U	-	-
24-Jan-08	3.86	701.59	7.74	354	3.09	109	-	6.35	250	-	1 U	1 U	-	-
28-Feb-08	4.04	701.41	-	-	-	-	1.06	-	220	-	1 U	1 U	-	-
19-May-08	4.35	701.10	9.79	329	1.38	209.2	1.2	6.08	200 J	-	1 U	1 U	-	-
26-Aug-08	7.83	697.62	12.66	431	1.38	210.5	0.28	6.19	270	-	1 U	1 U	3000 U	-
18-Nov-08	3.64	701.81	10.43	235	3.95	217.5	0.66	6.03	210	-	1 U	1 U	3000 U	-
11-Feb-09	4.09	701.36	7.24	188	2.13	-	0.12	6.54	180	-	1 U	1 U	3000 U	-
19-May-09	3.79	701.66	8.19	173	1.28	111.9	1.78	7.18	170 J	-	1 U	1 U	3000 U	-
22-Sep-09	9.70	695.75	16.5	440	0.82	383.3	12.5	6.31	370 J	-	2 U	2 U	1200 J	-
17-Dec-09	3.47	701.98	9.2	311	4.37	470	16	6.25	110	-	2 U	2 U	700 J	-
24-Mar-10	3.87	701.58	9.4	410	0.34	204.8	30.7	6.65	240	-	0.81 J	2 U	1300 J	-
16-Jun-10	3.77	701.68	10.3	298	0.99	397.8	1.11	7.4	180	-	3.6	2 U	900 J	-
21-Sep-10	5.82	699.63	13.7	350	1.01	302.5	1.04	6.25	200	-	1.4 J	0.2 J	1200 J	-
7-Dec-10	3.83	701.62	9.6	283	0.72	405.6	0.42	6.16	190	-	2 U	2 U	800 J	-
30-Mar-11	3.91	701.54	8.2	133.3	0.51	248.2	0.29	9.87	140 J	-	0.35 J	2 U	5,000	-
22-Jun-11	3.99	701.46	11	219.3	0.16	222.5	0.22	6.13	160	-	5 U	2 U	700 J	-
28-Sep-11	8.54	696.91	14.3	34.5	0.26	333.9	2.45	6.3	270	-	5 U	2 U	2100 J	-
15-Dec-11	4.12	701.33	9.4	217	1.15	414.3	2.74	6.28	200	-	5 U	2 U	1200 J	-
21-Mar-12	3.35	702.10	8.4	346	0.42	438.4	0.48	6.14	220	-	4.8	0.4 U	1300 J	-
19-Jun-12	3.78	701.67	11.3	290.1	0.09	314	0.46	6.28	170 J+	-	1.3	0.4 U	3300 U	-
20-Sep-12	8.53	696.92	14.4	419	0.26	309	1.07	6.39	240	-	1.6	0.4 U	2900 J	-
18-Dec-12	3.49	701.96	9.1	491	2.56	264.4	1.38	6.63	170	-	1 U	0.4 U	1200 J	-
26-Feb-13	3.91	701.54	8.4	324	2.59	404.2	1.01	7.03	140	-	1.1	0.4 U	3,400	-
23-May-13	3.76	701.69	10.6	338	1.15	465.9	0.57	6.31	190	-	1 U	0.4 U	3300 U	-
22-Aug-13	8.28	697.17	13.1	284.2	0.33	32.2	0.89	6.34	220	-	0.4	0.1 U	1,260	-
19-Nov-13	3.33	702.12	10.3	323	1.7	109.2	0.64	6.27	200	-	0.2	0.1 U	750	-
1-Apr-14	3.69	701.76	8.2	243.6	0.45	180.7	0.28	6.33	173	-	0.18 J	0.1 U	710	-
22-May-14	4.52	700.93	10.8	195	0.65	75	-	7.2	152	-	0.3	0.1	600	-
13-Aug-14	7.56	697.89	12.62	269	0.44	37.7	1.12	5.89	181	-	0.8	0.1 U	890	-
12-Nov-14	3.73	701.72	11.7	230.9	1.29	108.2	1.32	6.17	191	-	0.3	0.1 U	950	-
11-Feb-15	3.50	701.95	9.2	270.4	0.53	-34.2	0.73	6.3	170	-	0.2	0.1 U	680	-
4-May-15	4.69	700.76	10.9	249.5	0.28	378.1	0.57	6.29	341	-	0.2	0.1 U	610	-
5-Aug-15	9.44	696.01	13.9	316	0.72	-38.1	1.16	6.45	262	-	0.3	0.1 U	1,230	-
3-Nov-15	4.21	701.24	11.8	192.2	8.59	205.6	5.39	6.34	166	-	0.2 J	0.1 U	790	-
9-Feb-16	3.82	701.63	9.2	291.8	4.61	230.7	0.49	6.45	164	-	0.17 J	0.1 U	790	-
3-May-16	4.61	700.84	10.9	310	2.39	253	1.01	6.34	178	-	0.3	0.01 J-	940	-
24-Aug-16	8.76	696.69	13.2	286.7	1.24	490.4	1.01	6.35	177	-	0.2 J	0.1 U	840	-
1-Nov-16	3.34	702.11	12.2	100	3.69	177.2	0.4	6.38	205	-	0.19 J	0.1 U	971	-
2-Feb-17	3.94	701.51	7.8	363	3.11	190	0.1	6.39	223	-	0.17 J	0.1 U	819	-
31-May-17	4.68	700.77	10.3	300	4.5	-	2.48	6.3	182	-	0.203	0.1 U	795	-
18-Aug-17	8.61	696.84	12.7	393	0.51	120.2	0.87	6.44	228	-	0.308	0.1 U	1,300	-
10-Nov-17	3.58	701.87	11	264.4	3.88	56.5	0.76	6.01	217	-	0.186 J	0.1 U	669	-
27-Feb-18	3.76	701.69	8.3	302.1	3.19	221.1	0.55	6.29	238	-	0.176 J	0.1 U	875	-
2-May-18	4.02	701.43	10	343	3.02	-	0.59	6.36	215	-	0.15 J	0.1 UJ	980	-
22-Aug-18	9.35	696.10	12.17	330	1.99	142	2.31	6.27	265	-	0.315	0.1 U	1,230	-
7-Nov-18	5.25	700.20	11.7	316.7	5.45	124.4	0.76	6.23	250	-	0.199 J	0.1 U	843	-
11-Mar-19	3.96	701.49	7.6	226.3	3.96	220.8	0.7	6.38	233	-	0.146 J	0.1 U	918	-
9-May-19	4.70	700.75	12.5	282.5	3.6	82.3	1.56	6.14	230	-	0.154 J	0.1 U	816	-
26-Aug-19	8.20	697.25	13.13	374	0.86	Note 1	0.02	6.3	264	-	0.3	0.1 U	928	-
14-Nov-19	4.35	701.10	10.8	309.4	3.19	109.5	0.02	6.15	240	-	0.251	0.1 U	894	-

Table E.1.9: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-4A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
13-Feb-20	3.70	701.75	7.9	283.7	2.98	102.2	0.91	6.18	283	-	0.176 J	0.1 U	859	-
13-Aug-20	7.73	697.72	13.5	334.3	0.62	58.3	0.51	6.19	238	-	0.711	0.1 U	921	-
10-Dec-20	3.45	702.00	9.8	364	6.11	169	1.56	6.51	297	-	0.296	0.1 U	1,260	-
4-Mar-21	3.72	701.73	8.3	304	2.83	137	0.49	6.47	255	-	0.192 J	0.1 U	876	-
10-Jun-21	5.32	700.13	11.9	338.7	1.23	108.5	0.73	6.09	220	-	0.228	0.1 U	787	-
15-Oct-21	7.69	697.76	12.6	341.3	6.91	133.9	20.5	6.37	363 J-	0.18 J	0.99	0.151	1,480	4.09
7-Jan-22	3.40	702.05	8.7	248.4	4.37	211.1	3.08	6.29	270	0.2 U	0.383	0.1 U	774 J	1.73
18-Mar-22	3.52	701.93	9.1	340.6	3.26	123.8	1.85	6.63	320	0.2 U	0.279	0.1 U	1,140	1.53
22-Jun-22	3.83	701.62	10.1	327.8	1.36	114.5	0.46	6.36	263	0.2 U	0.201	0.1 U	666	1.16
14-Sep-22	8.9	696.55	13.4	389.4	2.46	87.6	2.53	6.02	330	0.2 U	0.385	0.1 U	1,080	1.19
14-Dec-22	3.88	701.57	9.1	278	7.03	135.4	0.44	6.35	224	0.2 U	0.188 J	0.1 U	583	1.42
16-Mar-23	3.39	702.06	7.9	468.9	4.44	111.7	2.92	6.3	264	0.2 U	0.159 J	0.1 U	616	1.13
27-Jun-23	6.27	699.18	11.4	308.1	3.02	74.9	1.06	6.2	246	0.2 U	0.19 J	0.5 U	745	1.24
8-Sep-23	9.88	695.57	12.8	560.7	1.14	57.3	9.67	6.45	329 J-	0.101 U	0.317	0.0513 U	1,170	1.14
14-Dec-23	3.78	701.67	9.7	497	6.6	227.1	1.2	6.37	255	0.202 U	0.218 J	0.257 U	527	1.25
7-Mar-24	3.72	701.73	8.7	576	4.82	171.9	0.66	6.37	320	0.202 U	0.4 U	0.103 U	708	1.18

Notes:

Top of casing elevation (feet NAVD88): 705.45

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

Table E.1.10: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-5A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Jul-05	33.33	577.90	12.02	956	-	-	496	7.34	600	-	2.01	2 U	-	-
10-Nov-05	29.62	581.61	11.24	1212	-	-	27.6	7.32	800	-	8.4	1 U	-	-
15-Feb-06	21.70	589.53	6.45	665	2.59	280.3	11.1	7.86	520 J	-	22.3	1 U	-	-
17-May-06	29.80	581.43	7.74	831	0.88	101.9	8.67	7.79	580	-	11	1 U	-	-
23-Aug-06	33.25	577.98	15.19	737	1.76	33.5	19.6	7.32	660	-	2.53	1 U	-	-
14-Nov-06	17.79	593.44	10.86	699	4.5	76.3	38.7	7.55	490	-	3.15	1 U	-	-
16-Feb-07	27.08	584.15	8.08	630	6.07	2.3	57.6	8.26	500	-	14.4	1 U	-	-
30-May-07	30.75	580.48	9.6	894	2.59	13.3	13.4	7.76	540	-	8.43	1 U	-	-
29-Aug-07	33.60	577.63	9.56	684	7.64	67	-	7.1	670 J	-	1.97	1 U	-	-
29-Nov-07	30.60	580.63	11	1075	3.53	151.5	23.5	8.37	560	-	5.17	1 U	-	-
27-Feb-08	25.68	585.55	-	-	-	-	29.9	-	400	-	10.7	1 U	-	-
20-May-08	29.73	581.50	7.93	768	4.27	180.7	77.8	7.39	480 J	-	5.67	1 U	-	-
27-Aug-08	33.97	577.26	10.17	862	4.07	81.2	-	7.43	540 J	-	1.17	1 U	87,500	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	33.55	577.68	8.89	845	5.39	86.3	852	7.53	440 J	-	1.03	1 U	90,700	-
20-Nov-08	23.48	587.75	9.34	577	5.27	234.3	9.48	7.5	470	-	6.24	2 U	138,000	-
30-Dec-08	20.88	590.35	8.39	510	8.89	99	44.8	8.02	430 J	-	14.2	1.11	138,000	-
15-Jan-09	18.50	592.73	4.97	347	8.9	154.8	17.2	8.47	380	-	24.4	1 U	104,000	-
12-Feb-09	27.90	583.33	8.47	-	10.21	-	22	7.6	420 J	-	6.11	1 U	99,000	-
12-Mar-09	29.19	582.04	7.47	521	6.15	171.7	26.8	7.39	480	-	8.97	1 U	124,000	-
16-Apr-09	21.70	589.53	6.99	456	7.6	151.6	72.7	8.66	470	-	28.2	1.01	126,000	-
19-May-09	28.37	582.86	8.08	509	6.38	64.4	31.3	8.07	450 J	-	9.19	1 U	105,000	-
23-Jun-09	31.95	579.28	8.84	551	5.97	69.1	74.3	8.28	500	-	4.3	2 U	71,000	-
25-Aug-09	35.08	576.15	-	-	-	-	-	-	-	-	-	-	-	-
24-Sep-09	35.29	575.94	11.7	714	2.28	371.9	258	7.26	550 J	-	0.76 J	0.17 J	88,000	-
15-Dec-09	26.11	585.12	8.6	928	2.89	544	89	7.14	450	-	1.1 J	2 U	110,000	-
24-Mar-10	27.86	583.37	8.3	697	3.52	505.1	18.1	7.47	450	-	23	0.46 J	110,000	-
16-Jun-10	21.35	589.88	10.7	783	2.07	379	41.4	7.73	340	-	53	0.0021	150,000	-
22-Sep-10	33.88	577.35	10.4	938	4.3	467.1	7.93	7.1	620	-	5	2 U	100,000	-
7-Dec-10	25.22	586.01	10.2	781	3.86	353.7	11.1	7.39	500	-	12	0.53 J	130,000	-
29-Mar-11	23.59	587.64	7	354	3.47	708	22.22	9.52	440 J	-	63	1.4 J	140,000	-
21-Jun-11	28.33	582.90	11.6	1000	2.22	285.3	10.6	9.06	1100 J	-	43	1.2 J	180,000	-
27-Sep-11	34.70	576.53	12.7	641	1.46	307.2	12.8	7.3	680	-	5 U	0.23 J	100,000	-
14-Dec-11	29.46	581.77	9.5	691	1.95	757.1	9.69	7.35	690	-	6.9	0.18 J	180,000	-
20-Mar-12	19.50	591.73	6.2	841	3.98	320.2	8.52	8.25	350	-	26	1 J	140,000	-
19-Jun-12	27.91	583.32	10.2	800	3.22	365.9	2.76	7.66	510	-	8.7	0.4 U	120,000	-
20-Sep-12	34.53	576.70	11	859	0.73	387	46.8	7.64	530	-	2.6	0.4 U	100,000	-
19-Dec-12	21.26	589.97	8.9	983	1.73	279	778	7.71	530	-	11	0.62	180,000	-
25-Feb-13	27.19	584.04	7.5	682	7.61	330.5	4.36	7.85	380	-	13	0.15 J	74,000	-
22-May-13	29.09	582.14	8.8	828	3.88	411.4	8.11	8.29	350	-	25	0.53	100,000	-
21-Aug-13	35.15	576.08	17.1	1248	3.41	114.2	144	7.78	1,060	-	1.5	0.05 J	95,000	-
20-Nov-13	27.45	583.78	10	1032	4.13	196.5	31.7	7.18	699	-	14.5	1.4	202,000	-
1-Apr-14	21.08	590.15	8.4	567	3.04	168.2	15.7	10.24	413	-	62.7	1.5	150,000	-
21-May-14	26.11	585.12	10.3	670	0.49	198.4	-	7.45	565	-	95	1.6	166,000	-
12-Aug-14	34.56	576.67	14.07	812	3.64	87.7	1519	7.51	560	-	3	0.1 U	107,000	-
13-Nov-14	29.48	581.75	12.9	1135	3.5	241.7	10.46	7.69	956	-	20.8	0.1	295,000	-
11-Feb-15	20.81	590.42	7.7	619	6.17	81.4	18	9.63	430	-	39.2	1.3	126,000	-
4-May-15	29.80	581.43	10.5	924	2.54	361.3	8.7	9.74	623	-	42.3	0.5	192,000	-
6-Aug-15	36.08	575.15	12.8	781	2.4	129.6	261	7.24	DRY	-	DRY	DRY	DRY	-
4-Nov-15	30.80	580.43	10.7	1234	4.98	205.6	11.8	7.13	1,130	-	6.6	0.3	318,000	-
10-Feb-16	23.56	587.67	6.4	602	1.62	197.7	11.9	10.19	451	-	132	1.4	148,000	-
2-May-16	30.19	581.04	11.5	1008	0.8	110.6	9.76	10.14	751	-	171	2.7 J-	232,000	-
23-Aug-16	35.79	575.44	13.1	729	2	436.2	51.4	7.2	1,010	-	4.01	0.1 U	137,000	-
2-Nov-16	29.06	582.17	10.9	570	4.98	103.1	32.1	7.55	1,180	-	11.2	0.56	372,000	-
1-Feb-17	26.86	584.37	8.1	992	2.21	99.7	7.19	9.73	632	-	109	0.971	194,000	-
30-May-17	26.86	584.37	10.5	814	6.12	5.83	5.74	9.73	487	-	42.5	0.36 J+	168,000	-
17-Aug-17	34.23	577.00	11.7	1054	5.43	125.1	5.68	7.65	731	-	6.52	0.1 U	156,000	-
10-Nov-17	29.96	581.27	10	1077	4.65	85.2	10.5	7.18	953	-	5.82	0.338	308,000	-
27-Feb-18	23.02	588.21	7.7	584	1.91	120.4	12.6	9.96	530	-	86.3	0.642	174,000	-
1-May-18	24.85	586.38	9.1	1082	2.16	-	11.8	10.34	682	-	113	0.775 J+	196,000	-
21-Aug-18	35.17	576.06	14.83	1095	4.02	131	123	7.4	936	-	3.65	0.1 U	214,000	-
6-Nov-18	32.00	579.23	10.3	1192	5.93	198.1	2.35	7.49	1,200	-	4.87	0.077 J	363000 J+	-
13-Mar-19	25.12	586.11	7.4	695	2.19	189.7	15.8	9.48	632	-	44.1	0.633	200,000	-
8-May-19	27.89	583.34	10.7	844	4.95	60.5	5.19	9.3	697	-	41.9	0.677	182,000	-
26-Aug-19	35.02	576.21	11.89	1111	1.52	Note 1	22.9	7.26	995	-	2.46	0.1 U	177,000	-
13-Nov-19	33.00	578.23	9.8	932	5.27	66.1	0.02	7.18	776	-	3.89	0.1 U	211,000	-
12-Feb-20	18.23	593.00	7	533	7.58	140.4	10.6	8.32	463	-	6.31	0.145	183,000	-
12-Aug-20	34.50	576.73	11.2	1381	4	125	2.75	7.52	1,250	-	5.37	0.1 U	333,000	-
9-Dec-20	29.90	581.33	9.8	1105	4.51	222	8.32	7.29	897	-	3.12	0.295	263,000	-
3-Mar-21	24.81	586.42	9.2	899	3.04	225	3.09	7.6	792	-	3.74	0.132	247,000	-

Table E.1.10: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-5A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
9-Jun-21	33.20	578.03	9.3	875	5.23	184	1.26	7.27	700	-	2.62	0.063 J	205,000	-
13-Oct-21	31.70	579.53	9.5	1934	5.97	194	9.56	7.22	DRY	DRY	DRY	DRY	DRY	DRY
5-Jan-22	23.00	588.23	9.2	972	4.7	271.1	1.4	7.18	829	6.42	3.38	0.085 J	252,000	1.8
16-Mar-22	21.48	589.75	7.8	724	7.0	187	2.65	6.6	711	6.01	4.02	0.11	223,000	1.52
23-Jun-22	25.74	585.49	9.6	969	3.5	173.1	1.13	7.38	881	5.49	3.29	0.093 J	251,000	1.82
23-Sep-22	35	576.23	11.5	1640	3.45	223.6	1.35	7.42	1,720	4.57	3.21	0.156 J	455,000	1.58
13-Dec-22	30.22	581.01	10.4	928	7.08	109.2	2.27	7.04	634	3.54	1.89	0.105 J+	173,000	1.25
13-Mar-23	27.15	584.08	8.1	1685	5.49	172.5	1.43	7.47	1,090	5.83	3.39	0.068 J	318,000	1.64
26-Jun-23	32.57	578.66	11.1	1559	4.28	74.7	1.29	7.49	1,510	6.99	4.55	0.2 U	475,000	2.17
5-Sep-23	35.67	575.56	Insufficient depth of water to sample											
12-Dec-23	19.96	591.27	9.7	1260	6.44	152.6	2.92	7.07	847	4.62	2.69	0.103 U	225,000	1.71
4-Mar-24	24.62	586.61	8.4	1191	6.08	237	0.63	7.35	984 J	6.37	4.28	0.103 U	294,000	1.62

Notes:

Top of casing elevation (feet NAVD88): 611.23

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- DryWell went dry during sampling. Unable to collect sample.
- aPreliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- UData validation code; not detected at the Reporting Limit (RL)
- JData validation code; estimated value
- J+Data validation code; estimated value with positive bias
- °CDegrees Celsius
- Note 1ORP measurements not available due to faulty sensor.
- µmhos/cmMicromhos per centimeter
- feet bmpFeet below measuring point
- feet NAVD88Feet NAVD88 Datum
- mg/LMilligrams per liter
- mVMillivolts
- NTUNephelometric Turbidity Unit

Table E.1.11: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-6A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Jul-05	30.89	578.06	15.26	735	-	-	303	7.6	612	-	2 U	2 U	-	-
10-Nov-05	27.25	581.70	11.79	700	-	-	13.7	7.51	460	-	2.16	1 U	-	-
15-Feb-06	19.42	589.53	6.17	759	2	162.9	9.42	8.27	550 J	-	7.54	1 U	-	-
17-May-06	27.55	581.40	11.99	835	1.31	248.3	4.16	7.46	550	-	11	1 U	-	-
23-Aug-06	30.99	577.96	15.92	862	1.6	-26.4	15.5	7.4	810	-	1.34	1 U	-	-
14-Nov-06	15.30	593.65	10.56	712	4.59	84.1	14.5	7.32	500	-	1.71	1 U	-	-
16-Feb-07	24.22	584.73	8.49	581	3.64	38.6	139	7.21	420	-	1.6	1 U	-	-
30-May-07	28.50	580.45	13.93	1092	2.72	180.7	210	7.4	740	-	16.2	1 U	-	-
29-Aug-07	31.34	577.61	10.15	701	4.48	84.8	662	7.8	620 J	-	1.41	1 U	-	-
29-Nov-07	28.32	580.63	11.3	731	6.23	154	-	6.26	420	-	1.78	1 U	-	-
27-Feb-08	23.42	585.53	-	-	-	-	-	-	410	-	1.47	1 U	-	-
20-May-08	27.49	581.46	8.14	791	3.93	176.5	-	7.64	540 J	-	8.18	1 U	-	-
27-Aug-08	31.72	577.23	9.33	776	4.83	142	-	7.32	660 J	-	1.86	1 U	109,000	-
26-Sep-08	Test Trench Drain Line Installed													-
16-Oct-08	31.29	577.66	9.17	923	4.6	115.4	-	7.13	590 J	-	1.85	1 U	106,000	-
20-Nov-08	21.18	587.77	9.7	578	5.22	249.4	11.7	7.4	460	-	4.42	2 U	110,000	-
30-Dec-08	18.64	590.31	8.45	448	9.27	137.9	75.8	7.89	370 J	-	11.9	1.14	106,000	-
15-Jan-09	16.23	592.72	6.84	344	9.25	181.9	2.77	7.47	320	-	4.88	1 U	72,900	-
12-Feb-09	25.64	583.31	7.89	-	10.82	-	71.7	7.7	420	-	11	1 U	103,000	-
12-Mar-09	26.92	582.03	7.27	524	8.31	166.7	116	7.76	500	-	23.5	1 U	125,000	-
16-Apr-09	19.46	589.49	7.33	406	7.57	182.8	91.8	8.33	430	-	24.1	1.09	101,000	-
19-May-09	26.10	582.85	9.07	554	6.39	65.6	161	8.32	550 J	-	13.4	1 U	115,000	-
23-Jun-09	29.67	579.28	9.51	522	6.05	71.4	-	8.17	540	-	3.1	2 U	74,000	-
25-Aug-09	32.72	576.23	14.8	795	3.25	282.7	22	7.28	630 J	-	0.75 J	2 U	100,000	-
24-Sep-09	32.93	576.02	10.6	745	4.02	361.3	29.8	7.27	560 J	-	0.28 J	2 U	100,000	-
15-Dec-09	23.87	585.08	9.5	815	4.2	556	20	7.15	450	-	2 U	2 U	120,000	-
24-Mar-10	25.61	583.34	8.5	704	4.93	205.6	20.5	8.53	490	-	47	0.9 J	140,000	-
16-Jun-10	19.11	589.84	10.4	553	4.79	399.8	13.4	7.22	310	-	16	2 U	90,000	-
22-Sep-10	31.61	577.34	11.3	1019	3.89	413.8	20.3	7.1	770	-	6.2	0.24 J	130,000	-
8-Dec-10	23.10	585.85	87.9	751	6.24	437.1	9.55	8.77	520	-	43	1.3 J	130,000	-
29-Mar-11	21.32	587.63	7.1	303	4.76	809.4	13.4	9.35	350 J	-	43	0.55 J	110,000	-
21-Jun-11	26.04	582.91	11.2	840	3.24	300.2	8.5	8.4	790	-	18	0.58 J	110,000	-
28-Sep-11	32.43	576.52	10.9	66.6	3.92	415.6	8.32	7.3	590	-	5 U	0.19 J	110,000	-
14-Dec-11	27.19	581.76	9	605	1.56	329.9	21.9	7.89	570	-	11	0.79 J	150,000	-
20-Mar-12	17.23	591.72	6.7	639	5.03	362.5	59.9	7.79	200	-	17	2 U	79,000	-
19-Jun-12	25.63	583.32	9.6	681	5.24	373.2	5.94	7.43	430	-	7.4	0.4 U	76,000	-
19-Sep-12	32.12	576.83	11.7	786	3.49	290	7.36	7.38	460	-	5.7	0.4 U	81,000	-
19-Dec-12	19.00	589.95	8.9	977	4.55	308	26.9	7.98	440	-	20	1.3	150,000	-
25-Feb-13	24.93	584.02	7.1	766	7.59	306.9	6.18	8.2	450	-	34	0.73	120,000	-
22-May-13	26.84	582.11	9.1	705	3.94	412.9	5.97	9.33	430	-	43	0.52	140,000	-
21-Aug-13	32.84	576.11	11.2	879	4.54	110.2	8.28	8.28	548	-	9.5	0.1 U	106,000	-
20-Nov-13	25.21	583.74	11.1	1264	4.69	201.4	30.8	7.55	640	-	24.9	1.9	163,000	-
1-Apr-14	18.81	590.14	8.4	448	3.5	194.9	14.7	8.87	342	-	14.8	0.3	78,400	-
21-May-14	23.84	585.11	10.6	122	1.32	199.3	-	8.46	352	-	18	0.2	80,400	-
13-Aug-14	32.25	576.70	12.46	796	5.77	54	8.01	8.68	628	-	16.1	0.1 U	165,000	-
13-Nov-14	27.21	581.74	13.3	837	4.02	234.3	11.4	8.63	711	-	44.1	0.4	203,000	-
11-Feb-15	18.54	590.41	8.4	609	1.75	16	87.4	9.71	435	-	36.2	1	117,000	-
4-May-15	27.52	581.43	9.9	974	3.27	356.5	12.3	10.14	654	-	41.6	0.5	199,000	-
6-Aug-15	33.98	574.97	11.7	822	1.77	113.7	4.02	8.83	670	-	19.1	0.1 U	210,000	-
4-Nov-15	28.51	580.44	11.7	1207	4.85	206.3	21.2	7.48	1,090	-	7.7	1	370,000	-
10-Feb-16	20.96	587.99	6.9	712	2.3	145.8	20.1	10.82	575	-	121	1.1	173,000	-
2-May-16	28.91	580.04	10.6	1856	0.19	111.2	15.6	11.53	1010	-	199	2.5 J-	347,000	-
23-Aug-16	33.58	575.37	11.4	1241	0.43	462	8.89	9.51	1,150	-	38.9	0.341	349,000	-
2-Nov-16	26.92	582.03	11.6	409	5.05	14.4	40.6	9.15	911	-	25.6	1.49	297,000	-
1-Feb-17	24.61	584.34	6.2	1757	2.34	72.1	11.7	11.97	880	-	141	0.336	283,000	-
30-May-17	24.56	584.39	10.8	1026	2.45	5.69	16.9	10.5	629	-	72.8	0.52 J+	210,000	-
17-Aug-17	32.04	576.91	13.1	1019	3.94	87.3	42.7	9.36	726	-	20.3	0.15	219,000	-
10-Nov-17	27.72	581.23	11.6	1090	4.17	109.6	38.2	9.12	931	-	24.3	2.77	356,000	-
27-Feb-18	20.78	588.17	7	823	3.99	59.3	12	11.29	635	-	99.3	0.561	203,000	-
1-May-18	22.58	586.37	8.9	1442	3.52	-	17.7	11.49	817	-	119	0.831 J+	250,000	-
21-Aug-18	33.09	575.86	13.18	1153	1.01	139.8	9.68	10.06	989	-	53.6	0.345	334,000	-
6-Nov-18	29.74	579.21	11.1	1719	3.85	218.4	6.49	8.13	1,860	-	3.04	0.367	701000 J+	-
13-Mar-19	22.90	586.05	5.8	748	5.04	145.7	32	10.55	737	-	39.1	0.455	246,000	-
8-May-19	25.63	583.32	9.1	936	5.95	75.9	7.6	10.38	747	-	54.7	1.27	246,000	-
26-Aug-19	32.90	576.05	11.18	1622	0.88	Note 1	6.57	8.97	1,510	-	18.8	0.507	478,000	-
13-Nov-19	30.92	578.03	10.2	1320	1.45	172.7	5.1	8.33	1,140	-	6.31	0.1 U	422,000	-
12-Feb-20	15.95	593.00	7.7	437.7	1.4	150.6	19.7	8.13	379	-	2.12	0.1 U	122,000	-
12-Aug-20	32.30	576.65	11	2360	2.25	162.9	13.4	8.16	2,060	-	6.28	0.088 J	709,000	-
9-Dec-20	27.60	581.35	10.8	1750	1.95	209	22	8.22	1,500	-	3.14	0.984	539,000	-
3-Mar-21	22.58	586.37	7.1	760	1.74	208	5.6	8.04	722	-	3.09	0.307	243,000	-

**Table E.1.11: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-6A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
9-Jun-21	31.07	577.88	9.8	2077	4.83	197.3	1.81	8.08	1,900	-	5.03	0.094 J	707,000	-
13-Oct-21	29.39	579.56	11.2	2509	4.77	188.6	13.1	7.64	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	20.72	588.23	7.3	1136	8.21	229.4	2.04	7.98	1,040	7.89	2.41	0.115	333,000	0.912
16-Mar-22	19.23	589.72	7.3	828	7.3	176.4	3.63	7.57	808	7.90	2.85	0.155	255,000	0.935
23-Jun-22	23.49	585.46	11.2	916	3.74	163.1	0.76	7.66	836	7.00	2.09	0.073 J	265,000	0.977
23-Sep-22	32.92	576.03	14.8	2281	3.73	199.3	2.05	8.05	2,150	7.64	4.97	0.2 U	646,000	2.52
13-Dec-22	27.98	580.97	12.4	1915	6.1	80.4	3.77	7.98	1,350	12.4	5.64	0.865 J+	495,000	1.26
14-Mar-23	24.91	584.04	6.8	2029	8.44	212.6	0.76	7.71	1,190	6.7	1.87	0.1 U	387,000	0.801
28-Jun-23	30.50	578.45	11	1640	2.57	222.4	1.22	7.78	1,310	7.07	3.92	0.052 J	446,000	1.73
5-Sep-23	Below Pump	-	11.6	2869	4.79	184.9	4.83	7.9	1930 J-	7.37	4.56	0.1	566,000	2.33
12-Dec-23	17.75	591.2	9.4	1170	7.75	137.3	4.99	7.33	766	6.48	2.09	0.254	266,000	1
4-Mar-24	22.36	586.59	7.3	1215	7.46	232.5	0.84	7.59	1070 J	7.92	2.83	0.103 U	359,000	0.928

Notes:

Top of casing elevation (feet NAVD88): 608.95

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

Table E.1.12: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-7A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
13-Oct-21	13.61	579.08	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10-Jan-22	4.73	587.96	7.00	467	5.45	197.0	2.99	7.34	419	3.89	2.07	0.1 U	98,000	1.04
21-Mar-22	3.21	589.48	7.3	691	6.38	66.2	1.52	7.46	632	6.23	2.88	0.071 J	179,000	1.34
22-Jun-22	7.45	585.24	12	541	1.88	107.5	0.47	7.21	387	2.91	1.78	0.1 U	65,500	1.19
14-Sep-22	16.9	575.79	13.6	548	4.46	141	0.5	6.31	444	1.63	1.49	0.1 U	54,000	1.16
14-Dec-22	12	580.69	8	514	5.35	170.1	0.41	7.07	335	1.64	1.18	0.1 U	42,700	0.798
17-Mar-23	8.90	583.79	5.3	755	2.7	205.3	0.85	7.16	412	1.51	1.45	0.1 U	55,300	0.774
28-Jun-23	14.57	578.12	13	561	0.46	119.6	0.42	6.83	364	0.785	1.24	0.407	26,200	1.02
7-Sep-23	17.51	575.18	12	868	4.05	44	0.47	6.87	493 J-	1.3	1.43	0.0513 U	35,100	1.07
15-Dec-23	2.53	590.16	9.2	1163	6.27	354.3	4.79	7.22	577	4.03	1.95	0.103 U	113,000	1.25
6-Mar-24	6.52	586.17	6.4	850	7.35	254.1	0.66	7.24	588	3.01	2.14	0.103 U	111,000	0.97

Notes:

Top of casing elevation (feet NAVD88): 592.69

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- µmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- mg/L Milligrams per liter
- mV Millivolts
- NTU Nephelometric Turbidity Unit

**Table E.1.13: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-8A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
13-Oct-21	23.91	577.58	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	13.55	587.94	9.5	670	3.99	239.1	4.50	7.05	595	5.21	6.64	0.1 U	169,000	3.87
21-Mar-22	12.11	589.38	8.0	587	7.13	45	3.32	7.71	536	4.76	7.48	0.1 U	163,000	3.84
22-Jun-22	16.4	585.09	9.4	773	2.99	96	0.94	7.22	699	5.17	8.13	0.1 U	197,000	4.73
12-Sep-22	26	575.49	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-22	21.16	580.33	10.4	1011	6.13	122.1	1.22	7.07	721	4.53	5.37	0.1 U	205,000	3.61
17-Mar-23	17.86	583.63	9.2	1216	4.6	214.5	0.8	7.19	714	4.71	7.2	0.1 U	218,000	4.22
28-Jun-23	24.08	577.41	10.2	845	1.85	176.3	0.58	7.19	656	4.03	5.91	0.1 U	189,000	3.62
7-Sep-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15-Dec-23	11.34	590.15	9.8	1434	5.3	348.7	6.22	6.89	760	4.1	5.52	0.148 J	220,000	3.64
6-Mar-24	15.41	586.08	8.3	926	8.1	304.5	0.74	7.06	622	4.93	6.67	0.103 U	159,000	3.44

Notes:

Top of casing elevation (feet NAVD88): 601.49

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.14: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-9A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Oct-21	4.38	692.91	12.20	956	1.45	-93.2	2.70	7.11	981 J-	0.659	4.79	0.139	16,000	1.2
7-Jan-22	2.45	694.84	8.50	381	4.86	189.9	1.43	6.95	404	0.181 J	1.02	0.056 J	2,910	1.03
18-Mar-22	2.38	694.91	8.50	423	5.19	138.3	1.17	7.16	403	0.154 J	0.788	0.1 U	2,470	0.776
22-Jun-22	2.38	694.91	10.5	485.8	4.42	72.8	0.85	6.89	399	0.244	0.656	0.052 J	2,130	0.916
14-Sep-22	8.7	688.59	13.5	509	3.84	130.2	1.09	6.44	441	0.154 J	1.05	0.1 U	2,780	1.13
14-Dec-22	2.5	694.79	8	413.5	7.42	135.6	0.53	6.91	328	0.132 J	0.599	0.1 U	1,630	0.867
16-Mar-23	2.39	694.9	6.6	556.2	5.25	120.9	1.6	6.85	337	0.119 J	0.508	0.1 U	1,660	0.812
27-Jun-23	5.19	692.1	11.1	468.4	2.6	44.3	7.31	6.72	379	0.123 J	0.832	0.5 U	2,120	1.3
8-Sep-23	11.47	685.82	Insufficient depth of water to sample											
13-Dec-23	2.48	694.81	9.1	623	6.85	127.8	3.2	6.4	297	0.202 U	0.47	0.103 U	1,420	0.846
7-Mar-24	2.58	694.71	7.6	610	6.61	186.2	1.46	6.89	360	0.202 U	0.436	0.103 U	1,790	0.64 J

Notes:

Top of casing elevation (feet NAVD88): 697.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

-

Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a

Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U

Data validation code; not detected at the Reporting Limit (RL)

J

Data validation code; estimated value

J+

Data validation code; estimated value with positive bias

°C

Degrees Celsius

µmhos/cm

Micromhos per centimeter

mg/L

Milligrams per liter

feet bmp

Feet below measuring point

mV

Millivolts

feet NAVD88

Feet NAVD88 Datum

NTU

Nephelometric Turbidity Unit

**Table E.1.15: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well MW-10A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Oct-21	19.04	678.98	10.7	390	4.24	-115.0	27.80	7.93	383 J-	0.705	4.04	0.383	9,700	2.87
6-Jan-22	5.55	692.47	9.3	168	7.06	94.6	6.90	7.50	141	0.151 J	1.13	0.109	2,660	1.03
17-Mar-22	5.39	692.63	9.4	151	7.12	95.1	6.21	6.50	139	0.2 U	0.91	0.061 J	1,880	0.807
21-Jun-22	5.89	692.13	11.5	114.9	7.92	191.1	4.48	6.80	116	0.2 U	0.764	0.081 J	1,150	1.02
13-Sep-22	14.24	683.78	12	221.3	6.64	189.1	3.74	6.78	195	0.201	1.54	0.082 J	2,350	1.56
13-Dec-22	14.93	683.09	9.8	395.9	4.71	179.4	5.19	7.34	200	0.173 J	1.3	0.1 U	2,060	1.1
15-Mar-23	5.64	692.38	8.4	179.4	8.78	145.7	2.07	6.85	108	0.2 U	0.541	0.1 U	892	0.727
26-Jun-23	9.63	688.39	11.1	102.6	9.22	143.6	4.69	6.19	108	0.2 U	0.579	0.168 J	823	1
6-Sep-23	17.39	680.63	10.6	335	2.5	-26.6	4.58	7.51	205 J-	0.224	1.45	0.12	2,310	1.4
13-Dec-23	6.01	692.01	10.3	247.7	9.01	154.4	4.23	6.3	111	0.202 U	0.596	0.103 U	977	0.746
5-Mar-24	5.33	692.69	8.9	180.6	9.04	162.6	5.3	6.31	106	0.202 U	0.44	0.103 U	777	0.556 U

Notes:

Top of casing elevation (feet NAVD88): 698.02

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- U Data validation code; not detected at the Reporting Limit (RL)
- J Data validation code; estimated value
- J+ Data validation code; estimated value with positive bias
- °C Degrees Celsius
- µmhos/cm Micromhos per centimeter
- feet bmp Feet below measuring point
- feet NAVD88 Feet NAVD88 Datum
- mg/L Milligrams per liter
- mV Millivolts
- NTU Nephelometric Turbidity Unit

Table E.1.16: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well P-16
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet broc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Oct-21	2.41	700.46	12.30	2622	0.71	-261.2	56.2	12.11	2640 J-	9.16	232	41.1	826,000	445
6-Jan-22	2.35	700.52	8.10	2804	1.06	-409.7	1.1	12.75	2,420	9.63	109	14.6	809,000	292
17-Mar-22	2.73	700.14	8.4	2600	1.16	-421.2	23.5	13.71	2,570	8.14	124	10.5	771,000	255
22-Jun-22	2.71	700.16	11.6	2757	0.04	-105.8	27.4	12.19	2,200	9.62	124	17.1	713,000	285
13-Sep-22	4.33	698.54	14.9	2609	1.26	-427.3	31.8	11.63	2,160	5.92	103	42.7	756,000	431
13-Dec-22	2.86	700.01	8.2	4004	3.49	-393.6	21	11.01	2,390	6.52	55.2	12	820,000	213
15-Mar-23	2.49	700.38	7.1	4819	0.04	-332.2	52.2	12	2,520	9.34	166	11.1	829,000	317
26-Jun-23	3.72	699.15	12.5	2388	-0.03	-514.9	49.8	11.68	2,130	6.04	80.4	8.79	726,000	211
6-Sep-23	4.07	698.8	14	3763	1.38	258.9	30.7	12.14	2250 J-	7.04	119	12.3	697,000	258
13-Dec-23	2.68	700.19	9.5	6284	4.08	-804.2	36.4	11.68	3,600	0.322 J	81.7	0.675	937,000	223
5-Mar-24	2.95	699.92	7.6	4529	3.9	-244.4	34.7	11.99	2,350	8.51	139	9.09	818,000	288

Notes:

Top of casing elevation (feet NAVD88): 702.87

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.17: Summary of Lower Disposal Area - Shallow/Alluvial Groundwater Sampling Results - Well P-17
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Oct-21	4.89	715.43	14.00	464	0.98	-97.5	38.1	6.49	444 J-	1 U	16.4	13.1	9,700	105
7-Jan-22	3.65	716.67	6.90	389	1.13	-60.4	4.1	6.46	388	1.26	2.81	0.1 U	8,030	1.8
18-Mar-22	4.12	716.2	8.4	404.4	1.46	23.7	5.41	7.33	362	1.38	1.34	0.1 U	13,300	1.08
22-Jun-22	6.87	713.45	11.7	586	0.26	-57.6	2.87	6.44	398	0.68	6.73	0.2 U	3,560	2.99
14-Sep-22	13.31	707.01	14.3	706	1.91	-63.2	2.12	6.1	489	1 U	7.67	0.5 U	3,570	2.99
14-Dec-22	5.47	714.85	9.7	469.3	3.17	-85.9	3.75	6.51	377	1	2.69	0.1 U	7,820	1.6
16-Mar-23	5.05	715.27	7.6	630	0.22	-42.4	7.01	6.5	293	0.816	3.46	0.1 U	7,590	1.54
27-Jun-23	10.06	710.26	11.4	578	0.32	-59.6	8.02	6.35	377	0.658	4.51	0.5 U	6,140	2.29
7-Sep-23	13.26	707.06	Insufficient depth of water to sample											
13-Dec-23	4.28	716.04	9.7	711	3.78	-60.2	9.25	6.13	337	1.17	3.02	0.103 U	11,700	1.32
7-Mar-24	4.80	715.52	8.5	761	3.46	-38.2	6.54	6.5	315	1.33	3.92	0.103 U	7,730	1.38

Notes:

Top of casing elevation (feet NAVD88): 720.32

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.18: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-1LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
19-Dec-06	26.51	678.17	10.96	546	0.43	-115.4	1.05	7.70	310	151	1 U	-
14-Feb-07	26.08	678.60	10.62	397	1.02	-90.8	3.07	7.53	240	160	1 U	-
31-May-07	25.96	678.72	10.83	386	0.36	-172.8	4.20	8.20	220	122	1 U	-
27-Aug-07	25.66	679.02	10.97	372	0.76	-128.2	1.08	7.51	240	89.9	1 U	-
28-Nov-07	26.81	677.87	10.56	371	0.42	-121.2	1.29	8.03	220	88.3	1 U	-
27-Feb-08	25.80	678.88	10.62	371	2.01	-	1.07	-	230	80.9	1 U	3000 U
20-May-08	25.62	679.06	10.61	391	0.36	-53.0	1.11	7.28	230	64.3	1 U	-
27-Aug-08	26.14	678.54	10.58	394	0.50	-63.9	1.02	7.35	230 J	64	1 U	3000 U
19-Nov-08	25.16	679.52	10.33	269	0.45	-88.6	0.48	7.51	230	59.6	1 U	3000 U
11-Feb-09	25.08	679.60	10.04	268	0.48	-	0.97	7.89	230	56	1 U	3000 U
18-May-09	24.83	679.85	10.10	271	0.42	-50.5	1.81	8.05	230 J	46.6	1 U	3000 U
24-Sep-09	26.32	678.36	11.80	323	0.24	202.0	3.59	7.57	260	27	2 U	1100 J
17-Dec-09	25.06	679.62	10.10	370	0.94	179.0	4.16	7.77	<40	34	2 U	1200 J
23-Mar-10	24.83	679.85	10.90	344	0.21	397.4	3.17	7.57	240	25	2 U	1300 J
15-Jun-10	24.38	680.30	10.50	355	0.08	195.5	0.42	7.66	150	27	2 U	1100 J
20-Sep-10	25.74	678.94	10.50	354	0.06	192.9	0.20	7.65	200	22	2 U	1100 J
6-Dec-10	24.59	680.09	10.00	347	0.09	99.3	0.17	7.86	230	22	2 U	1000 J
28-Mar-11	24.01	680.67	10.00	173	0.16	90.6	0.88	7.58	200	22	2 U	1000 J
20-Jun-11	24.11	680.57	10.30	330	0.07	121.5	0.17	7.65	250	22	2 U	900 J
26-Sep-11	25.39	679.29	10.40	2906	0.06	123.6	0.43	7.65	280	15	2 U	1100 J
14-Dec-11	24.61	680.07	9.90	245	0.10	193.8	1.76	7.57	230	21	2 U	1200 J
21-Mar-12	23.70	680.98	10.10	392	0.07	392.0	0.22	7.47	240	23	2 U	1100 J
18-Jun-12	23.90	680.78	10.50	383	0.02	342.8	0.30	7.67	230	20	0.4 U	3300 U
19-Sep-12	25.38	679.30	10.30	402	0.01	151.0	0.44	7.63	220	19	0.4 U	1000 J
18-Dec-12	23.59	681.09	10.10	492	0.00	-45.7	0.16	7.70	92	17	0.4 U	1200 J
25-Feb-13	23.73	680.95	9.90	377	0.00	177.1	0.37	7.53	270 J	19	0.4 U	1000 J
22-May-13	23.85	680.83	9.90	398	0.00	430.4	0.44	7.73	290	17	0.4 U	3300 U
21-Aug-13	25.34	679.34	10.40	467	0.01	-31.7	0.55	7.68	238	16.8	0.08 J	1,060
19-Nov-13	24.25	680.43	10.10	361	0.00	70.3	0.32	7.30	232	15.7	0.1 U	1,040
31-Mar-14	22.36	682.32	10.70	286	0.01	107.4	0.21	7.79	211	13.8	0.1 U	1,020
21-May-14	23.29	681.39	8.54	271	1.35	54.3	-	7.14	198	13.1	0.1 U	1,000
12-Aug-14	24.87	679.81	14.79	335	0.41	-16.0	2.02	7.05	216	11.9	0.1 U	1,010
11-Nov-14	24.96	679.72	10.10	262	0.79	11.1	1.51	7.49	221	13.6	0.1 U	1,090
10-Feb-15	23.23	681.45	10.40	319	0.25	-114.0	0.36	7.70	240	13.3	0.1 U	960
4-May-15	23.62	681.06	10.20	370	0.05	175.1	0.16	7.70	224	11.7	0.1 U	960
4-Aug-15	25.30	679.38	11.00	279	0.06	-30.5	0.72	7.72	234	14.4	0.1 U	990
4-Nov-15	25.35	679.33	10.60	263	0.00	51.2	0.46	7.46	233	11	0.1 U	1,150
8-Feb-16	23.03	681.65	10.20	319	0.03	206.5	0.20	7.77	210	12.1	0.1 U	1,050
2-May-16	23.49	681.19	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	25.00	679.68	11.10	323	0.02	-55.2	1.10	7.64	Monitored Annually ¹			
1-Nov-16	24.29	680.39	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	23.06	681.62	10.20	391	0.05	169.3	0.13	7.66	223	11.9	0.1 U	1,030
30-May-17	22.45	682.23	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	24.27	680.41	10.70	385	0.15	123.4	0.40	7.64	Monitored Annually ¹			
9-Nov-17	34.60	680.27	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	22.04	682.64	10.10	276	0.20	-96.4	0.25	7.44	221	10.8	0.1 U	951
1-May-18	22.11	682.57	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	24.42	680.26	11.37	277	5.25	-59.6	0.18	7.61	Monitored Annually ¹			
6-Nov-18	24.57	680.11	Monitored Semi-Annually ¹						Monitored Annually ¹			
11-Mar-19	22.61	682.07	10.10	248	0.60	-70.8	0.68	7.60	224	8.74	0.1 U	1,070
8-May-19	22.68	682.00	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	24.54	680.14	11.45	282	0.58	Note 1	0.04	7.30	Monitored Annually ¹			
13-Nov-19	24.15	680.53	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Feb-20	22.04	682.64	10.10	280	0.34	-133.4	0.57	7.51	207	8.82	0.1 U	1050
13-Aug-20	23.92	680.76	11.00	284	0.60	-113.5	0.44	7.55	Monitored Annually ¹			
9-Dec-20	23.35	681.33	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	22.01	682.67	10.20	266	0.04	-50.0	0.42	7.64	214	10.5	0.1 U	1,120



Table E.1.18: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-1LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
10-Jun-21	23.17	681.51	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	24.41	680.27	10.90	327.2	0.91	-76.1	0.33	7.48	Monitored Annually ¹			
5-Jan-22	22.00	682.68	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Mar-22	21.89	682.79	10.7	259.6	1.24	-60.4	0.22	6.52	220	8.2	0.1 U	925
21-Jun-22	21.58	683.1	Monitored Semi-Annually ¹						Monitored Annually ¹			
12-Sep-22	23.51	681.17	11.3	263.3	2.86	-7.4	0.37	6.76	Monitored Annually ¹			
12-Dec-22	23.51	681.17	Monitored Semi-Annually ¹						Monitored Annually ¹			
15-Mar-23	22.00	682.68	10.3	372.2	0.17	-86.5	0.13	7.66	221	8.35	0.1 U	864
27-Jun-23	22.85	681.83	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Sep-23	24.14	680.54	11.6	385.5	2.01	-50.9	1.44	7.73	Monitored Annually ¹			
15-Dec-23	22.74	681.94	Monitored Semi-Annually ¹						Monitored Annually ¹			
4-Mar-24	21.68	683	10.2	320.6	3.65	-29.8	0.3	7.38	243 J	9.13	0.103 U	857

Note:

Top of casing elevation (feet NAVD88): 704.68

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.19: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-2LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
19-Dec-06	36.82	704.84	12.15	394	0.57	114.6	1.84	7.58	230	8.49	1 U	-
14-Feb-07	36.30	705.36	11.69	339	1.40	-85.7	2.72	7.39	200	6.09	1 U	-
31-May-07	36.93	704.73	12.13	346	0.20	-223.7	3.04	8.28	210	6.95	1 U	-
27-Aug-07	37.99	703.67	12.18	336	0.49	-169.7	0.84	7.54	210	7.49	1 U	-
28-Nov-07	37.89	703.77	11.82	338	0.28	-146.6	1.32	7.93	250	6.91	1 U	-
27-Feb-08	37.24	704.42	11.87	340	0.23	-	0.87	7.41	210	7.46	1 U	3000 U
20-May-08	37.31	704.35	11.91	359	0.23	-86.6	0.67	7.27	200	6.31	1 U	-
27-Aug-08	38.37	703.29	11.84	362	0.35	-77.6	0.70	7.21	210 J	6.36	1 U	3000 U
19-Nov-08	37.50	704.16	11.53	254	0.44	-105.9	2.08	7.45	200	5.86	1 U	3000 U
11-Feb-09	37.10	704.56	11.25	254	0.48	-	0.63	7.91	220	5.61	1 U	3000 U
18-May-09	37.00	704.66	11.42	258	0.42	-71.9	1.11	8.00	210 J	5.17	1 U	3000 U
25-Sep-09	38.88	702.78	13.10	297	0.14	140.7	3.09	7.54	230	6.5	2 U	1200 J
17-Dec-09	37.19	704.47	10.80	341	0.51	129.0	4.85	7.71	74	4.3	2 U	1100 J
23-Mar-10	36.60	705.06	12.60	323	0.27	355.0	5.28	7.54	110	7.6	2 U	1200 J
15-Jun-10	36.25	705.41	11.40	326	0.08	171.1	-	7.62	98	8.8	2 U	1100 J
20-Sep-10	37.85	703.81	11.60	324	0.08	144.0	0.16	7.61	160	6.5	2 U	1200 J
6-Dec-10	36.60	705.06	11.00	319	0.21	78.3	0.20	7.81	210	2.9	2 U	900 J
29-Mar-11	35.98	705.68	11.20	156	0.15	215.0	0.75	7.48	200	5.6	2 U	1500 J
21-Jun-11	36.34	705.32	11.80	352	0.06	101.5	0.24	7.59	220	5 U	2 U	1000 J
27-Sep-11	38.14	703.52	11.50	2484	0.06	114.4	0.45	7.60	220	5 U	2 U	1000 J
14-Dec-11	36.91	704.75	11.00	228	0.05	127.2	4.04	7.54	190	6.7	2 U	1200 J
21-Mar-12	35.68	705.98	11.00	359	0.05	93.9	0.30	7.43	210	6.9	2 U	1100 J
18-Jun-12	36.06	705.60	11.70	350	0.02	211.9	0.23	7.62	220	6.2	0.4 U	3300 U
19-Sep-12	38.07	703.59	11.60	367	0.00	102.0	0.34	7.59	200	6.5	0.4 U	1000 J
18-Dec-12	34.88	706.78	10.90	463	0.00	-97.8	0.17	7.81	68	6	0.4 U	1200 J
25-Feb-13	35.70	705.96	10.90	347	0.09	112.6	0.27	7.56	190	6.6	0.4 U	1100 J
22-May-13	36.24	705.42	11.00	412	0.00	412.5	0.43	7.71	190	6	0.4 U	3300 U
20-Aug-13	38.13	703.53	12.20	406	0.02	-41.5	0.64	7.48	211	5.5	0.1 U	1,030
19-Nov-13	36.56	705.10	11.10	344	0.01	43.6	0.32	7.35	206	5.2	0.1 U	1,090
31-Mar-14	35.36	706.30	11.50	285	0.00	93.1	0.31	7.71	207	5.1	0.1 U	1,100
22-May-14	35.80	705.86	10.05	260	0.24	17.5	-	7.22	186	5	0.1 U	1,000
13-Aug-14	37.50	704.16	13.10	294	0.57	-37.5	3.28	7.19	190	5.4	0.1 U	1,110
11-Nov-14	37.06	704.60	10.10	241	0.68	-39.7	2.10	7.48	206	5.4	0.1 U	1,090
10-Feb-15	35.70	705.96	11.40	295	0.11	-123.2	2.11	7.69	206	5.1	0.1 U	1,020
4-May-15	36.34	705.32	11.70	336	0.05	340.2	0.72	7.73	204	4.8	0.1 U	1,040
4-Aug-15	38.42	703.24	12.70	263	0.04	-81.8	0.77	7.72	204	5.8	0.1 U	1,040
4-Nov-15	37.81	703.85	11.60	244	0.04	26.9	2.13	7.45	201	4.7	0.1 U	1,070
8-Feb-16	35.68	705.98	11.60	307	0.00	208.4	0.74	7.68	186	5.5	0.1 U	1,110
2-May-16	36.03	705.63	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	37.92	703.74	12.20	306	0.02	-137.6	1.58	7.67	Monitored Annually ¹			
1-Nov-16	37.07	704.59	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	36.00	705.66	10.90	348	0.10	120.5	0.86	7.67	195	5.66	0.1 U	1,110
30-May-17	35.44	706.22	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	37.69	703.97	12.30	356	0.14	-77.2	3.27	7.67	Monitored Annually ¹			
9-Nov-17	37.11	704.55	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	34.95	706.71	10.90	261	0.21	-115.5	0.80	7.48	205	5.69	0.1 U	992
1-May-18	35.11	706.55	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	37.90	703.76	12.31	262	1.64	-80.3	0.92	7.56	Monitored Annually ¹			
6-Nov-18	37.66	704.00	Monitored Semi-Annually ¹						Monitored Annually ¹			
12-Mar-19	35.68	705.98	10.70	239	0.58	-75.1	0.59	7.48	188	5.5	0.1 U	1,080
8-May-19	35.86	705.80	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	37.85	703.81	12.30	265	0.43	Note 1	0.02	7.46	Monitored Annually ¹			
13-Nov-19	37.22	704.44	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Feb-20	35.10	706.56	10.80	261	0.39	-135.9	0.96	7.50	185	5.45	0.1 U	1,150
13-Aug-20	37.21	704.45	11.60	266	0.54	-118.2	1.35	7.50	Monitored Annually ¹			
9-Dec-20	36.55	705.11	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	35.02	706.64	11.10	255	0.04	-80.0	2.29	7.65	176	5.52	0.1 U	1,090

Table E.1.19: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-2LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
10-Jun-21	36.29	705.37	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	37.76	703.90	11.70	308	3.66	-44.7	0.32	7.43	Monitored Annually ¹			
5-Jan-22	35.31	706.35	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Mar-22	34.52	707.14	11.6	244.3	2.84	-60.6	3.21	6.56	201	5.53	0.071 J	1,060
21-Jun-22	34.7	706.96	Monitored Semi-Annually ¹						Monitored Annually ¹			
23-Sep-22	37	704.66	12.1	243.1	3.88	-17.8	0.54	7.47	Monitored Annually ¹			
12-Dec-22	36.41	705.25	Monitored Semi-Annually ¹						Monitored Annually ¹			
14-Mar-23	35.09	706.57	10.8	350.4	3.17	50.5	0.2	7.37	199	5.25	0.1 U	894
27-Jun-23	36.04	705.62	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Sep-23	37.74	703.92	12.9	354.5	1.99	-35.7	0.51	7.67	Monitored Annually ¹			
14-Dec-23	35.46	706.2	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Mar-24	34.60	707.06	10.8	320.7	5.8	84.9	0.52	7.39	218	5.24	0.103 U	952

Note:

Top of casing elevation (feet NAVD88): 741.66

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021.

Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.20: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-3LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
19-Dec-06	7.08	737.11	11.37	670	0.42	-171.2	1.20	9.23	500	25.7	1 U	-
23-Jan-07	5.62	738.57	13.07	383	0.51	-275.0	1.53	8.63	270	18.4	1 U	-
14-Feb-07	5.81	738.38	12.57	328	1.09	-158.2	115.00	7.86	310	15.1	1 U	-
29-Mar-07	4.78	739.41	12.44	458	0.57	-140.8	4.25	7.78	260 J	37.9	1 U	-
17-Apr-07	4.86	739.33	12.79	389	0.27	-102.4	1.22	7.46	240	23	1 U	-
31-May-07	6.39	737.80	12.98	394	0.29	-223.8	3.32	8.14	240	21.2	1 U	-
20-Jun-07	6.86	737.33	13.41	412	6.10	-128.5	1.35	8.02	230 J	23.8	1 U	-
31-Jul-07	7.96	736.23	13.47	417	0.77	-174.1	0.92	7.64	250	18.9	1 U	-
27-Aug-07	8.50	735.69	12.84	395	0.46	-132.4	1.97	7.43	250	17.6	1 U	-
27-Sep-07	9.58	734.61	12.68	294	0.51	-133.8	0.53	7.87	250	19.3	1 U	-
26-Oct-07	9.65	734.54	12.49	288	0.84	-111.9	9.83	7.60	240 J	11	1 U	-
28-Nov-07	10.23	733.96	11.95	362	0.64	-86.1	1.58	7.87	200	17.8	1 U	-
12-Dec-07	9.66	734.53	11.83	334	0.26	-93.2	0.63	7.63	280 J	17.4	1 U	-
24-Jan-08	8.20	735.99	11.09	335	0.44	-108.3	-	7.46	220	19.2	1 U	-
26-Feb-08	7.61	736.58	12.26	337	0.48	-	2.40	7.45	210	22	1 U	3000 U
25-Mar-08	7.22	736.97	11.94	337	1.01	-48.6	2.80	7.51	210	17.8	1 U	-
29-Apr-08	6.75	737.44	12.53	332	0.77	-50.3	1.95	7.41	200 J	18.2	1 U	-
19-May-08	7.17	737.02	12.37	336	0.57	-57.2	2.19	7.34	200 J	18.7	1 U	-
18-Jun-08	7.26	736.93	12.11	323	0.48	-64.1	0.83	7.13	190 J	19.5	1 U	-
26-Aug-08	8.78	735.41	12.31	329	1.16	-36.5	2.89	7.30	200 J	17.7	1 U	3000 U
19-Nov-08	9.03	735.16	11.91	243	0.52	-93.1	1.69	7.40	190	18.2	1 U	3000 U
11-Feb-09	7.07	737.12	11.74	227	0.65	-	1.03	7.76	180	17.7	1 U	3000 U
18-May-09	6.50	737.69	12.11	225	0.67	-63.9	1.51	7.83	190 J	12.9	1 U	3000 U
25-Sep-09	10.47	733.72	13.50	260.1	0.36	215.3	4.14	7.61	220	17	0.94 J	12,000
17-Dec-09	8.39	735.80	11.50	301.0	0.44	110.0	3.10	7.71	270	23	2 U	1300 J
23-Mar-10	6.46	737.73	12.20	294.8	0.43	332.5	3.52	7.57	150 J	27	2 U	1300 J
16-Jun-10	5.34	738.85	11.10	281.7	0.05	117.0	-	7.71	160	27	2 U	1300 J
21-Sep-10	7.72	736.47	11.80	276.3	0.06	169.5	0.36	7.54	140	23	2 U	1300 J
7-Dec-10	6.48	737.71	11.00	263.0	0.15	77.2	0.38	7.58	180	20	2 U	1200 J
28-Mar-11	4.42	739.77	10.80	134.0	0.44	75.6	1.06	7.46	160 J	21	2 U	1700 J
20-Jun-11	4.76	739.43	12.10	252.7	0.07	68.4	0.13	7.48	200 J	16	2 U	1000 J
27-Sep-11	7.86	736.33	11.90	2064.0	0.04	102.6	0.37	7.48	170	18	2 U	1100 J
14-Dec-11	7.17	737.02	11.00	188.2	0.03	140.8	1.87	7.50	770	22	2 U	1300 J
21-Mar-12	4.68	739.51	10.70	297.8	0.07	130.6	0.41	7.39	170	21	2 U	1100 J
18-Jun-12	4.75	739.44	11.60	289.0	0.16	271.3	0.55	7.54	150 J+	19	0.4 U	3300 U
19-Sep-12	7.65	736.54	12.60	299.9	0.10	121.0	0.42	7.50	160	18	0.4 U	1100 J
18-Dec-12	5.58	738.61	10.90	384.0	0.03	15.6	1.39	7.50	200	19	0.4 U	1300 J
25-Feb-13	4.80	739.39	10.60	284.2	0.03	140.4	0.30	7.53	150	22	0.4 U	1200 J
22-May-13	4.81	739.38	11.00	294.9	0.14	387.7	0.52	7.61	160	18	0.4 U	3300 U
20-Aug-13	7.63	736.56	12.60	383.0	0.81	-8.4	0.80	7.26	164	16.7	0.1 U	1,060
19-Nov-13	7.11	737.08	11.30	218.1	0.14	54.3	0.73	7.20	169	16.6	0.1 U	1,130
1-Apr-14	4.08	740.11	10.70	222.6	0.15	158.5	1.12	7.50	168	13.3	0.1 U	1,070
22-May-14	4.21	739.98	9.98	206.0	1.59	27.1	-	7.17	158	11.2	0.1 U	1,000
13-Aug-14	6.95	737.24	13.50	237.0	1.14	9.8	4.70	6.92	154	10.5	0.1 U	990
12-Nov-14	6.04	738.15	8.40	185.1	0.28	-10.1	3.42	7.36	162	16.1	0.1 U	1,050
11-Feb-15	4.62	739.57	11.50	205.1	1.20	68.1	1.32	7.41	169	9	0.1 U	1,100
4-May-15	4.93	739.26	12.20	262.0	1.64	190.2	0.84	7.43	168	10.9	0.1 U	1,010
4-Aug-15	7.44	736.75	13.20	211.3	1.62	81.9	2.02	7.39	173	6.8	0.1 U	1,020
5-Nov-15	8.14	736.05	12.50	186.0	1.49	166.9	1.87	7.10	162	3.5	0.1 U	1,040
8-Feb-16	3.20	740.99	11.70	240.5	2.13	196.9	0.88	7.23	150	11.2	0.1 U	980
2-May-16	3.77	740.42	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	6.81	737.38	13.10	238.0	2.40	168.5	2.39	7.41	Monitored Annually ¹			
1-Nov-16	6.59	737.60	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	4.02	740.17	11.30	265.8	2.79	218.2	1.39	7.34	154	3.23	0.1 U	953
30-May-17	2.32	741.87	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	5.48	738.71	13.20	258.4	3.54	92.2	2.50	7.41	Monitored Annually ¹			
9-Nov-17	6.00	738.19	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	1.13	743.06	10.80	186.9	4.11	142.0	1.83	7.18	159	2.53	0.1 U	848
1-May-18	1.60	742.59	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	5.93	738.26	13.55	194	7.63	16.9	0.77	7.11	Monitored Annually ¹			
6-Nov-18	6.78	737.41	Monitored Semi-Annually ¹						Monitored Annually ¹			
12-Mar-19	2.32	741.87	10.50	166	4.32	167.7	1.34	7.14	149	1.87	0.1 U	953
8-May-19	2.57	741.62	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	5.76	738.43	13.62	192	3.94	Note 1	0.02	7.09	Monitored Annually ¹			
13-Nov-19	6.00	738.19	Monitored Semi-Annually ¹						Monitored Annually ¹			

Table E.1.20: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-3LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
13-Feb-20	1.69	742.50	10.70	180	3.20	88.5	1.21	7.11	140	1.69	0.1 U	915
13-Aug-20	4.59	739.60	13.60	188.7	4.26	50.3	1.60	7.19	Monitored Annually ¹			
9-Dec-20	4.22	739.97	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	1.06	743.13	10.90	172.0	3.43	132	0.69	7.26	136	1.84	0.1 U	877
10-Jun-21	3.46	740.73	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	6.17	738.02	12.90	215.1	4.10	148.3	0.96	7.05	Monitored Annually ¹			
5-Jan-22	0.80	743.39	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Mar-22	0.2	743.99	11.4	166.1	5.44	58.3	0.79	7.54	151	1.58	0.1 U	1,200
21-Jun-22	0.54	743.65	Monitored Semi-Annually ¹						Monitored Annually ¹			
23-Sep-22	4	740.19	13.8	178.6	5.66	172	5.55	6.63	Monitored Annually ¹			
12-Dec-22	4.48	739.71	Monitored Semi-Annually ¹						Monitored Annually ¹			
14-Mar-23	1.11	743.08	11	254.9	0.8	-29.8	0.29	7.51	146	7.37	0.1 U	786
27-Jun-23	2.73	741.46	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Sep-23	5.21	738.98	15.1	240.1	2.85	0.7	1.57	7.22	Monitored Annually ¹			
15-Dec-23	2.74	741.45	Monitored Semi-Annually ¹						Monitored Annually ¹			
7-Mar-24	0.19	744	10.8	272.7	3.09	-27.9	1.15	6.93	138	6.36	0.174 J	796

Note:

Top of casing elevation (feet NAVD88): 744.19

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

Table E.1.21: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
2-Dec-02	69.87	866.42	9.5	1690	-	-	-	7.29	910	46.6	2.68	-
3-Mar-03	36.83	899.46	11.5	1260	-	-	24.10	7.15	860	9.7	-	-
3-May-03	34.88	901.41	12.8	1520	-	-	38.00	7.09	950	-	-	-
3-Aug-03	52.02	884.27	19.19	1460	-	-	11.40	7.01	990	-	-	-
1-Nov-03	53.61	882.68	11.60	915	-	-	8.97	7.19	1,010	8.6	0.695	-
1-Feb-04	32.75	903.54	11.52	1033	-	-	7.36	6.78	1,060	-	-	-
1-May-04	42.50	893.79	14.87	1126	-	-	7.53	7.23	1,020	-	-	-
1-Aug-04	49.26	887.03	13.72	1234	-	-	8.07	6.98	981	-	-	-
1-Nov-04	42.81	893.48	11.88	1429	-	-	9.06	6.92	1,060	10.0	1 U	-
1-Feb-05	33.62	902.67	13.06	1615	-	-	7.11	7.01	1,020	-	-	-
1-May-05	34.88	901.41	12.91	1459	-	-	6.54	6.85	1,000	-	-	-
1-Aug-05	43.80	892.49	10.40	1472	-	-	10.40	6.80	1,090	-	-	-
1-Nov-05	52.80	883.49	10.40	1458	-	-	6.02	6.64	1,100	10.3	1 U	-
1-Feb-06	42.70	893.59	10.40	1343	1.10	48.3	11.10	7.08	1100 J	-	-	-
1-May-06	37.81	898.48	11.52	1686	1.64	49.2	10.50	6.83	1,100	-	-	-
1-Aug-06	46.11	890.18	14.10	1357	2.33	43.0	10.70	7.11	1,100	-	-	-
1-Nov-06	46.47	889.82	-	-	-	-	-	-	-	-	-	-
28-Dec-06	33.20	903.09	-	-	-	-	-	-	-	-	-	-
7-Feb-07	34.50	901.79	-	-	-	-	-	-	-	-	-	-
7-May-07	36.48	899.81	15.19	1484	0.52	-83.4	6.78	7.60	1,100	-	-	-
7-Aug-07	47.57	888.72	11.21	1488	8.80	107.4	9.53	6.51	1,200	-	-	-
27-Nov-07	51.25	885.04	13.60	1483	1.82	-129.5	434.00	7.11	1000 J	5.7	1 U	-
8-Feb-08	35.12	901.17	14.71	1489	3.11	-	10.20	6.97	1,100	-	-	-
8-May-08	37.60	898.69	14.50	1594	3.99	112.5	4.71	6.90	1200 J	-	-	-
8-Aug-08	46.98	889.31	13.27	1617	2.49	105.3	5.32	6.96	1200 J	7.8	1 U	5,570
1-Nov-08	43.35	892.94	11.17	1096	7.29	127.1	47.30	7.70	1,100	9.8	1 U	5,610
11-Feb-09	37.00	899.29	10.28	1112	4.15	-	7.68	7.25	1,100	7.5	1 U	5,560
9-May-09	36.53	899.76	13.87	1209	2.93	89.0	5.45	7.41	990 J	7.6	1 U	5,580
24-Sep-09	53.61	882.68	12.10	1328	1.98	331.0	3.26	6.92	1,200	7.9	2 U	5,700
14-Dec-09	33.72	902.57	10.20	1519	0.55	393.0	2.82	6.99	1,100	3.4	2 U	5,700
22-Mar-10	35.11	901.18	10.90	1463	-	508.0	3.95	6.94	1,200	10.0	2 U	5,600
15-Jun-10	33.26	903.03	11.00	1485	0.20	210.3	1.50	7.02	1,100	11.0	2 U	5,900
20-Sep-10	45.81	890.48	11.30	1484	0.06	159.7	0.91	6.98	1,100	9.1	0.48 J	6,000
6-Dec-10	36.20	900.09	10.70	1494	0.08	35.4	0.24	7.21	1,200	6.8	0.48 J	5,200
28-Mar-11	35.07	901.22	10.70	749	0.08	136.8	0.16	6.88	1,100	6.8	2 U	5,500
20-Jun-11	38.53	897.76	11.40	1439	0.08	-19.2	0.21	6.99	1,400	4.6 J	2 U	5,500
26-Sep-11	50.43	885.86	11.20	1249	0.07	38.5	0.41	7.01	1,200	4.5 J	2 U	5,700
13-Dec-11	51.30	884.99	10.40	1308	0.06	50.3	2.03	7.07	530	7.6	2 U	6,100
22-Mar-12	43.75	892.54	10.60	1695	0.08	125.1	0.28	6.99	1,200	12.0	2 U	5,700
18-Jun-12	44.86	891.43	Monitored Semiannually ¹									
18-Sep-12	55.74	880.55	12.90	1506	0.05	99.5	0.36	7.08	1,300	10.0	0.4 U	5,800
18-Dec-12	41.94	894.35	Monitored Semiannually ¹									
21-Feb-13	37.86	898.43	10.40	1730	0.02	131.5	0.41	7.27	1,200	13.0	0.4 U	6,300
22-May-13	39.34	896.95	Monitored Semiannually ¹									
20-Aug-13	49.40	886.89	11.90	1707	0.05	-37.6	0.69	7.00	1,240	10.2	0.1 U	6,000
19-Nov-13	44.94	891.35	Monitored Semiannually ¹									
31-Mar-14	33.31	902.98	11.20	1256	0.01	103.5	0.27	7.00	1,200	13.1	0.1 U	6,580
21-May-14	33.37	902.92	Monitored Semiannually ¹									
15-Aug-14	45.31	890.98	13.43	1467	0.71	-1.1	2.32	6.79	1,150	13.4	0.1 U	6,100
14-Nov-14	44.83	891.46	Monitored Semiannually ¹									
10-Feb-15	35.97	900.32	11.00	1423	0.04	-109.4	2.16	7.00	1,200	13.0	0.1 U	6,260
4-May-15	38.67	897.62	Monitored Semiannually ¹									
4-Aug-15	49.21	887.08	12.50	1253	0.04	-100.7	0.26	7.07	1,230	13.9	0.1 U	6,070
5-Nov-15	56.85	879.44	11.20	1159	0.02	57.4	0.91	6.75	1,190	14.9	0.1 U	6,990
8-Feb-16	33.02	903.27	11.60	1429	0.00	167.6	0.10	7.05	1,190	19.4	0.1 U	6,730
2-May-16	37.48	898.81	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-16	49.78	886.51	12.10	1232	0.06	-143.8	0.77	7.00	Monitored Annually ²			
1-Nov-16	47.49	888.80	Monitored Semiannually ²						Monitored Annually ²			
31-Jan-17	35.57	900.72	11.10	1620	0.05	-241.6	0.24	6.99	1,260	21.8	0.1 U	6,690
30-May-17	34.70	901.59	Monitored Semiannually ²						Monitored Annually ²			
16-Aug-17	44.32	891.97	11.90	1621	0.12	-144.5	0.47	6.97	Monitored Annually ²			
9-Nov-17	44.71	891.58	Monitored Semiannually ²						Monitored Annually ²			
28-Feb-18	32.04	904.25	10.70	1278	0.16	-58.5	0.11	6.82	1,244	22.4	0.1 U	6,530
1-May-18	33.99	902.30	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-18	47.95	888.34	11.97	1246	1.17	4.10	0.17	6.88	Monitored Annually ²			

Table E.1.21: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
6-Nov-18	52.94	883.35	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	33.09	903.20	10.40	1157	0.55	-23.0	0.62	6.81	1,200	20.7	0.1 U	951
8-May-19	34.37	901.92	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	47.88	888.41	12.51	1314	0.15	Note 1	0.39	6.80	Monitored Annually ²			
13-Nov-19	47.03	889.26	Monitored Semiannually ²						Monitored Annually ²			
14-Feb-20	31.08	905.21	10.60	1249	0.38	-82.2	0.10	6.61	1,230	18.3	0.1 U	6,360
13-Aug-20	43.99	892.30	11.70	1176	0.56	-67.7	0.18	6.78	Monitored Annually ²			
9-Dec-20	39.67	896.62	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	34.96	901.33	11.00	1257	0.26	-38	0.24	6.95	1,200	19.5	0.1 U	6,150
10-Jun-21	42.65	893.64	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	55.97	880.32	11.7	858	0.86	-92.3	0.48	6.84	Monitored Annually ²			
5-Jan-22	33.64	902.65	Monitored Semiannually ²						Monitored Annually ²			
18-Mar-22	38.2	898.09	11.5	1096	1.17	-40.8	0.31	7.18	1,260	16.6	0.1 U	6,400
21-Jun-22	35.46	900.83	Monitored Semiannually ²						Monitored Annually ²			
13-Sep-22	44.37	891.92	11.8	1122	2.97	6.4	4.73	6.42	Monitored Annually ²			
12-Dec-22	42.96	893.33	Monitored Semiannually ²						Monitored Annually ²			
16-Mar-23	34.48	901.81	11.5	1633	0.21	-28.9	0.42	6.88	1,200	16.5	0.1 U	5,580
26-Jun-23	39.87	896.42	Monitored Semiannually ²						Monitored Annually ²			
5-Sep-23	47.77	888.52	11.9	1673	3.02	-1.4	3.03	6.99	Monitored Annually ²			
12-Dec-23	37.23	899.06	Monitored Semiannually ²						Monitored Annually ²			
8-Mar-24	33.71	902.58	11	1032	4.94	4.9	2.34	6.81	1,270	16.5	0.103 U	5,590

Notes:

Top of casing elevation (feet NAVD88): 936.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Table E.1.22: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
2-Dec-02	87.28	848.09	11.1	557	-	-	-	7.72	540	32.7	0.5 U	-
3-Mar-03	48.63	886.74	12.0	623	-	-	24.00	7.48	370	7.08	-	-
3-May-03	47.12	888.25	12.1	548	-	-	264.00	7.54	440	-	-	-
3-Aug-03	64.60	870.77	23.23	675	-	-	195.00	7.36	450	-	-	-
1-Nov-03	66.14	869.23	11.0	400	-	-	15.50	8.10	437	6.03	0.5 U	-
1-Feb-04	46.55	888.82	10.68	455	-	-	8.70	7.15	440	-	-	-
1-May-04	55.82	879.55	13.61	508	-	-	12.40	7.58	429	-	-	-
1-Aug-04	61.89	873.48	13.15	585	-	-	15.70	7.47	399	-	-	-
1-Nov-04	56.83	878.54	10.94	655	-	-	9.40	7.22	477	3.08	1 U	-
1-Feb-05	47.31	888.06	12.80	778	-	-	8.39	7.35	451	-	-	-
1-May-05	48.60	886.77	12.86	743	-	-	4.22	7.25	432	-	-	-
1-Aug-05	56.80	878.57	14.17	746	-	-	3.10	6.99	518	-	-	-
1-Nov-05	66.85	868.52	10.20	702	-	-	5.36	7.11	470	3.6	1 U	-
1-Feb-06	47.88	887.49	10.11	648	0.71	109.4	2.72	7.53	450 J	-	-	-
1-May-06	52.23	883.14	12.22	686	1.82	43.7	3.68	7.43	450	-	-	-
1-Aug-06	59.41	875.96	12.28	665	1.06	-74.0	14.20	7.36	480	-	-	-
1-Nov-06	61.84	873.53	-	-	-	-	-	-	-	-	-	-
28-Dec-06	48.26	887.11	-	-	-	-	-	-	-	-	-	-
7-Feb-07	49.64	885.73	-	-	-	-	-	-	-	-	-	-
7-May-07	53.24	882.13	12.44	722	0.74	-150.8	6.06	7.94	470	-	-	-
7-Aug-07	60.45	874.92	13.76	712	0.79	-50.0	4.53	7.28	500	-	-	-
27-Nov-07	63.40	871.97	14.41	711	0.45	-194.4	7.07	7.34	470 J	2.89	1 U	-
8-Feb-08	49.23	886.14	14.07	737	0.62	-	6.28	7.46	500	-	-	-
8-May-08	51.31	884.06	13.52	793	0.55	27.9	4.42	7.40	520 J	-	-	-
8-Aug-08	59.69	875.68	13.73	812	0.67	-24.7	9.33	7.37	560 J	2.26	1 U	3000 U
1-Nov-08	57.38	877.99	14.75	619	0.89	-42.5	4.40	7.45	480	2.22	1 U	3000 U
10-Feb-09	50.92	884.45	6.50	618	10.51	-	655.00	7.69 J	530	2.19	1 U	3,010
9-May-09	51.25	884.12	13.95	637	2.21	39.3	5.87	7.74	540 J	2.42	1 U	3000 U
25-Sep-09	65.46	869.91	13.20	678	2.25	331.8	2.29	7.15	570	1.8 J	2 U	3,300
17-Dec-09	49.40	885.97	10.60	794	0.99	224.0	3.97	7.58	440	0.7 J	2 U	3200 J
22-Mar-10	49.18	886.19	10.40	762	-	245.0	0.74	7.39	580	4.5	2 U	3200 J
15-Jun-10	46.88	888.49	12.10	762	0.05	142.1	0.47	7.50	420	5.5	2 U	3,300
20-Sep-10	58.97	876.40	11.40	765	0.07	89.6	0.47	7.47	520	4.7	0.27 J	3,400
6-Dec-10	50.66	884.71	10.20	763	0.19	58.9	0.32	7.72	550	1.3 J	2 U	3200 J
28-Mar-11	48.89	886.48	10.50	376	0.55	165.0	0.73	7.53	470	3.7	2 U	3000 J
20-Jun-11	52.13	883.24	13.40	718	0.45	-65.1	0.75	7.53	600 J	5 U	2 U	3,500
26-Sep-11	63.02	872.35	11.80	633	1.73	-6.0	1.72	7.61	560	5 U	2 U	3,500
13-Dec-11	63.88	871.49	8.60	678	0.69	-24.7	1.95	7.56	530	5.7	2 U	4,100
22-Mar-12	56.96	878.41	5.60	877	1.89	-26.6	0.84	7.69	540	3.4	0.4 U	3000 J
18-Jun-12	58.01	877.36	Monitored Semiannually ¹									
18-Sep-12	67.78	867.59	26.30	838	3.62	12.4	1.27	7.70	540	3.1	0.4 U	3100 J
18-Dec-12	56.10	879.27	Monitored Semiannually ¹									
21-Feb-13	51.62	883.75	4.30	895	7.54	31.3	0.83	8.04	510	3.6	0.4 U	3,600
22-May-13	53.14	882.23	Monitored Semiannually ¹									
20-Aug-13	62.35	873.02	12.30	526	0.08	-60.4	2.91	7.47	585	3.2	0.1 U	3,200
19-Nov-13	58.70	876.67	Monitored Semiannually ¹									
31-Mar-14	46.60	888.77	11.10	622	0.04	48.4	0.45	7.52	561	1.8	0.1 U	3,340
21-May-14	46.96	888.41	Monitored Semiannually ¹									
15-Aug-14	58.62	876.75	12.48	732	0.90	-62.4	2.04	7.16	564	2	0.2	3,140
14-Nov-14	59.59	875.78	Monitored Semiannually ¹									
10-Feb-15	49.61	885.76	10.90	717	0.03	-114.4	1.82	7.48	551	2.9	0.1 U	3,270
4-May-15	52.25	883.12	Monitored Semiannually ¹									
4-Aug-15	61.71	873.66	12.00	618	0.04	-115.0	0.35	7.56	552	3	0.1 U	3,360
5-Nov-15	68.72	866.65	11.10	625	0.05	27.5	1.26	7.21	603	1.6	0.1 U	3,590
8-Feb-16	46.93	888.44	11.40	794	0.00	155.1	0.17	7.57	599	2.1	0.1 U	3,800
2-May-16	50.77	884.60	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-16	62.11	873.26	11.60	770	0.04	-251.0	0.86	7.50	Monitored Annually ²			
1-Nov-16	61.71	873.66	Monitored Semiannually ²						Monitored Annually ²			
31-Jan-17	49.02	886.35	10.60	916	0.13	-310.4	0.35	7.47	676	1.87	0.1 U	3,410
30-May-17	48.11	887.26	Monitored Semiannually ²						Monitored Annually ²			
16-Aug-17	57.17	878.20	11.80	898	0.12	-210.9	0.22	7.42	Monitored Annually ²			
9-Nov-17	58.71	876.66	Monitored Semiannually ²						Monitored Annually ²			
28-Feb-18	45.21	890.16	10.20	758	0.19	-166.6	0.20	7.26	694	2.87	0.1 U	3,340
1-May-18	47.40	887.97	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-18	60.25	875.12	11.58	705	2.22	-153.0	0.14	7.37	Monitored Annually ²			

Table E.1.22: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
6-Nov-18	65.30	870.07	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	46.35	889.02	9.80	707	0.58	-119.9	0.16	7.24	668	4.96	0.1 U	4,210
8-May-19	47.20	888.17	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	59.87	875.50	11.95	762	0.39	Note 1	0.02	7.20	Monitored Annually ²			
13-Nov-19	60.20	875.17	Monitored Semiannually ²						Monitored Annually ²			
14-Feb-20	44.28	891.09	10.30	760	0.30	-169.3	1.09	7.11	717	4.56	0.1 U	4,070
13-Aug-20	57.57	877.80	11.10	739	0.91	-145.8	0.31	7.17	Monitored Annually ²			
9-Dec-20	54.25	881.12	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	48.74	886.63	10.70	724	0.27	-222	0.61	7.36	592	4.06	0.1 U	3,880
10-Jun-21	59.90	875.47	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	67.32	868.05	11.60	561	0.83	-149	0.33	7.23	Monitored Annually ²			
5-Jan-22	47.77	887.60	Monitored Semiannually ²						Monitored Annually ²			
18-Mar-22	48.37	887	11.3	741	1.2	-93.4	0.39	7.52	781	4.64	0.1 U	4,240
21-Jun-22	49.68	885.69	Monitored Semiannually ²						Monitored Annually ²			
13-Sep-22	57.47	877.9	11.9	778	2.5	-91	0.45	6.84	Monitored Annually ²			
12-Dec-22	57.68	877.69	Monitored Semiannually ²						Monitored Annually ²			
16-Mar-23	48.34	887.03	11.7	1110	0.29	-89.5	0.38	7.19	783	5.45	0.1 U	3,870
26-Jun-23	53.28	882.09	Monitored Semiannually ²						Monitored Annually ²			
5-Sep-23	60.34	875.03	11.7	1136	2.65	-49.8	1.99	7.38	Monitored Annually ²			
12-Dec-23	52.09	883.28	Monitored Semiannually ²						Monitored Annually ²			
8-Mar-24	47.77	887.6	11	746	4.16	-99.6	1.62	7.19	767	4.74	0.132 J	3,990

Notes:

Top of casing elevation (feet NAVD88): 935.37

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

feet bmp Feet below measuring point

mV Millivolts

feet NAVD88 Feet NAVD88 Datum

NTU Nephelometric Turbidity Unit

**Table E.1.23: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
18-Dec-06	20.56	914.49	11.30	1054	0.59	-10.5	6.76	7.01	630	4.46	1 U	-
7-Jan-07	18.48	916.57	12.53	700	0.61	-70.6	33.50	7.11	540	5.19	1 U	-
7-Feb-07	21.53	913.52	11.59	557	0.57	-59.1	33.50	6.88	530	5.19	1 U	-
7-Mar-07	15.34	919.71	11.71	817	0.45	-2.4	91.20	6.52	550 J	4.91	1 U	-
7-Apr-07	17.97	917.08	11.96	909	0.25	0.2	121.00	6.91	560	4.75	1 U	-
1-May-07	26.92	908.13	12.55	880	4.20	-14.3	63.70	7.13	540	4.9	1 U	-
7-Jun-07	29.94	905.11	13.12	1016	3.20	-5.6	3.58	7.52	600 J	4.37	1 U	-
7-Jul-07	35.27	899.78	13.00	910	1.74	-27.4	9.97	7.24	550	4.91	1 U	-
7-Aug-07	39.55	895.50	12.40	1065	0.92	-14.6	4.62	6.99	590	4.46	1 U	-
7-Sep-07	44.69	890.36	12.36	696	0.68	-33.3	3.22	7.29	590	4.92	1 U	-
26-Oct-07	38.90	896.15	11.46	667	0.56	-18.3	22.60	6.98	620 J	4.43	1 U	-
27-Nov-07	38.79	896.26	11.71	914	0.56	-46.7	3.32	6.91	560 J	4.9	1 U	-
12-Dec-07	35.33	899.72	12.61	909	0.53	-27.3	4.28	6.87	820	4.09	1 U	-
24-Jan-08	28.97	906.08	10.72	872	0.78	-49.1	-	7.14	550	4.72	1 U	-
8-Feb-08	26.00	909.05	11.25	888	0.44	-	4.18	6.85	550	4.5	1 U	-
8-Mar-08	26.03	909.02	10.94	915	0.59	-95.6	3.19	6.89	550	5.21	1 U	-
8-Apr-08	25.03	910.02	11.27	931	0.61	-20.1	3.44	6.89	550 J	4.88	1 U	-
8-May-08	27.33	907.72	11.68	949	0.68	-6.7	5.37	6.62	580 J	5.34	1 U	-
8-Jun-08	28.38	906.67	11.40	948	0.75	-50.4	1.59	6.68	580 J	4.45	1 U	-
8-Aug-08	39.80	895.25	11.80	970	0.68	-78.6	1.72	6.84	610 J	4.64	1 U	3000 U
1-Nov-08	33.96	901.09	11.20	682	0.63	-115.4	0.95	6.82	540	4.8	1 U	3000 U
10-Feb-09	25.56	909.49	10.54	671	0.71	-71.7	0.98	7.05	610	4.73	1 U	3000 U
9-May-09	25.79	909.26	11.23	682	0.55	-5.8	0.86	7.68	560 J	3.4	1 U	3000 U
22-Sep-09	46.68	888.37	18.70	737	0.64	214.5	0.99	6.91	580 J	3.9	2 U	2700 J
14-Dec-09	30.45	904.60	9.80	901	0.18	200.0	0.70	6.96	450	1.7 J	2 U	2500 J
23-Mar-10	19.92	915.13	11.30	773	0.25	148.0	4.40	6.86	510	5.6	2 U	2600 J
15-Jun-10	16.74	918.31	11.00	838	0.10	202.3	2.89	7.01	860 J	8.2	2 U	2800 J
20-Sep-10	33.31	901.74	11.20	852	0.09	174.7	0.60	6.97	540	6.2	2 U	2700 J
6-Dec-10	19.81	915.24	10.80	838	0.10	30.5	0.47	7.17	530	3.8	2 U	2300 J
28-Mar-11	17.16	917.89	10.80	403	0.15	48.4	1.13	6.89	500 J	2.3	2 U	2300 J
20-Jun-11	18.95	916.10	11.10	775	0.05	-29.1	0.37	7.01	610 J	5 U	2 U	2400 J
26-Sep-11	33.71	901.34	11.20	690	0.03	-8.7	0.54	7	560	4.1 J	2 U	2800 J
13-Dec-11	24.48	910.57	10.50	730	0.05	93.6	1.92	7.07	520	6.1	2 U	2800 J
21-Mar-12	15.54	919.51	10.70	883	0.06	106.9	0.34	6.9	500	6.5	2 U	2400 J
19-Jun-12	17.01	918.04	Monitored Semiannually ¹									
19-Sep-12	29.82	905.23	11.90	877	0.00	122.0	0.47	7.08	490	6.9	0.4 U	2600 J
18-Dec-12	17.39	917.66	Monitored Semiannually ¹									
21-Feb-13	18.84	916.21	10.60	875	0.05	103.3	0.40	7.32	510	5.9	0.4 U	2600 J
22-May-13	20.25	914.80	Monitored Semiannually ¹									
20-Aug-13	30.15	904.90	12.10	530	0.06	-50.3	0.75	6.98	510	5.6	0.1 U	2,500
19-Nov-13	22.73	912.32	Monitored Semiannually ¹									
31-Mar-14	15.50	919.55	11.30	574	0.06	95.7	0.53	7.15	447	5.6	0.1 U	2,720
21-May-14	14.83	920.22	Monitored Semiannually ¹									
15-Aug-14	25.16	909.89	14.49	741	0.48	-24.0	2.92	6.87	477	5.9	0.1 U	2,550
14-Nov-14	22.25	912.80	Monitored Semiannually ¹									
10-Feb-15	15.98	919.07	11.40	693	0.04	-117.5	0.80	7.13	503	5.9	0.1 U	2,560
4-May-15	20.05	915.00	Monitored Semiannually ¹									
4-Aug-15	31.90	903.15	11.90	620	0.16	-71.1	0.47	7.13	517	6.4	0.1 U	2,670
5-Nov-15	32.00	903.05	11.40	605	0.00	37.5	1.16	6.84	511	5.3	0.1 U	3,060
8-Feb-16	17.13	917.92	11.80	720	0.00	160.4	0.08	7.34	480	6	0.1 U	3,020
2-May-16	23.31	911.74	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-16	34.07	900.98	12.50	571	0.00	-	0.66	7.11	Monitored Annually ²			
1-Nov-16	26.04	909.01	Monitored Semiannually ²						Monitored Annually ²			
31-Jan-17	19.36	915.69	12.20	808	0.07	-219.2	0.30	7.21	509	6.76	0.1 U	2,840
30-May-17	17.31	917.74	Monitored Semiannually ²						Monitored Annually ²			
16-Aug-17	28.13	906.92	12.40	826	0.12	-71.9	0.66	7.10	Monitored Annually ²			
9-Nov-17	27.17	907.88	Monitored Semiannually ²						Monitored Annually ²			
28-Feb-18	16.55	918.50	10.90	657	0.15	-97.6	0.35	7.02	528	5.39	0.1 U	2,550
1-May-18	17.69	917.36	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-18	32.63	902.42	12.46	655	0.81	-46.4	0.26	7.01	Monitored Annually ²			
6-Nov-18	32.44	902.61	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	18.84	916.21	10.90	597	0.56	-28.1	0.86	6.96	512	4.51	0.1 U	2,890
8-May-19	19.75	915.30	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	33.26	901.79	13.08	688	0.26	Note 1	0.02	6.89	Monitored Annually ²			



**Table E.1.23: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
13-Nov-19	33.03	902.02	Monitored Semiannually ²						Monitored Annually ²			
14-Feb-20	16.70	918.35	10.90	626	0.34	-99.8	0.33	6.88	524	4.31	0.1 U	2,650
13-Aug-20	27.37	907.68	11.80	619	0.55	-70.6	0.40	6.89	Monitored Annually ²			
9-Dec-20	24.68	910.37	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	16.91	918.14	11.30	641	0.19	-77.0	0.45	7.09	473	4.84	0.1 U	2,450
10-Jun-21	24.68	910.37	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	29.11	905.94	11.9	440.1	0.87	-86.2	0.35	6.96	Monitored Annually ²			
5-Jan-22	16.88	918.17	Monitored Semiannually ²						Monitored Annually ²			
21-Mar-22	17.14	917.91	11.3	601	1.28	-42.9	0.82	6.26	513	4.79	0.1 U	2,560
21-Jun-22	17.25	917.8	Monitored Semiannually ²						Monitored Annually ²			
13-Sep-22	27.19	907.86	12.3	606	2.54	-3.7	1.49	6.74	Monitored Annually ²			
12-Dec-22	24.31	910.74	Monitored Semiannually ²						Monitored Annually ²			
16-Mar-23	18.62	916.43	11.7	846	0.21	-19.7	0.41	7.03	497	4.56	0.1 U	2,570
26-Jun-23	22.23	912.82	Monitored Semiannually ²						Monitored Annually ²			
7-Sep-23	28.89	906.16	13.7	904	1.36	-54.9	0.76	7.03	Monitored Annually ²			
12-Dec-23	20.99	914.06	Monitored Semiannually ²						Monitored Annually ²			
8-Mar-24	17.79	917.26	11.1	711	4.7	10.8	0.35	6.97	500	4.95	0.103 U	2,400

Notes:

Top of casing elevation (feet NAVD88): 935.05

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit



**Table E.1.24: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
18-Dec-06	8.13	897.82	9.93	525	0.54	-54.5	0.61	7.78	300	5.37	1 U	-
7-Feb-07	9.40	896.55	11.79	479	1.19	-30.0	7.40	7.41	330	6.01	1 U	-
7-May-07	10.73	895.22	12.26	729	2.83	-103.6	16.40	7.63	480	10.1	1 U	-
7-Aug-07	15.14	890.81	11.42	882	0.75	-11.5	1.82	7.10	470	3.25	1 U	-
27-Nov-07	16.16	889.79	10.98	748	0.37	-47.9	0.83	6.99	440 J	2.82	1 U	-
8-Feb-08	9.66	896.29	11.01	645	0.31	-	0.90	7.05	380	2.68	1 U	-
8-May-08	10.34	895.61	11.27	665	0.64	13.4	1.52	6.93	380 J	2.40	1 U	-
8-Aug-08	14.17	891.78	11.23	683	0.72	-8.2	2.49	7.05	390 J	2.18	1 U	3000 U
1-Nov-08	12.98	892.97	10.61	488	0.60	-45.6	1.35	6.80	380	2.04	1 U	3000 U
10-Feb-09	9.64	896.31	10.32	398	0.52	-57.0	1.20	7.31	350	2.00	1 U	3000 U
9-May-09	9.91	896.04	10.50	405	0.73	-4.0	1.26	7.77	320 J	1.69	1 U	3000 U
23-Sep-09	17.16	888.79	12.50	541	0.25	216.2	5.38	7.14	400 J	0.91 J	2 U	1300 J
14-Dec-09	12.73	893.22	9.10	580	0.47	231.0	2.70	7.23	270	2 U	2 U	1300 J
22-Mar-10	9.62	896.33	10.90	504	-	321.7	3.50	7.22	320	2.00	2 U	1200 J
15-Jun-10	8.30	897.65	11.00	495	0.11	205.1	1.41	7.29	320	4.20	2 U	1300 J
20-Sep-10	14.90	891.05	10.90	560	0.10	187.2	0.28	7.29	270	3.00	2 U	1400 J
6-Dec-10	10.47	895.48	10.50	515	0.12	87.8	0.14	7.47	300	2 U	2 U	1100 J
28-Mar-11	8.71	897.24	10.30	241	0.19	58.9	1.86	7.19	300	2 U	2 U	1100 J
20-Jun-11	9.87	896.08	10.80	477	0.06	141.2	0.20	7.27	340	5 U	2 U	1100 J
26-Sep-11	14.82	891.13	10.80	467	0.05	114.8	0.92	7.26	380	5 U	2 U	1500 J
13-Dec-11	13.02	892.93	10.20	491	0.06	131.3	1.69	7.29	340	5 U	2 U	1600 J
21-Mar-12	8.13	897.82	10.20	550	0.09	160.0	0.07	7.14	310	2.50	0.4 U	1200 J
18-Jun-12	-	-	Monitored Semiannually ¹									
18-Sep-12	14.76	891.19	12.50	587	0.00	122.0	0.35	7.31	370	2.80	0.4 U	1300 J
18-Dec-12	8.16	897.79	Monitored Semiannually ¹									
21-Feb-13	8.45	897.50	10.10	594	0.02	152.7	0.28	7.49	300	1.90	0.4 U	1300 J
22-May-13	9.36	896.59	Monitored Semiannually ¹									
20-Aug-13	13.28	892.67	11.70	478	0.01	-43.8	0.54	7.22	349 J	1.60	0.1 U	1,300
19-Nov-13	9.71	896.24	Monitored Semiannually ¹									
31-Mar-14	8.42	897.53	10.70	455	0.06	166.1	0.27	7.35	315	1.40	0.1 U	1,290
21-May-14	5.99	899.96	Monitored Semiannually ¹									
14-Aug-14	12.03	893.92	13.45	512	0.56	-21.4	1.99	6.95	317	1.70	0.1 U	1,270
14-Nov-14	10.68	895.27	Monitored Semiannually ¹									
10-Feb-15	7.39	898.56	10.90	482	0.03	-86.2	0.59	7.32	337	1.40	0.1 U	1,230
4-May-15	9.17	896.78	Monitored Semiannually ¹									
4-Aug-15	13.64	892.31	12.40	449	0.18	-81.7	0.27	7.33	385	1.70	0.1 U	1,280
5-Nov-15	13.98	891.97	11.50	435	2.23	85.2	1.09	7.04	354	1.30	0.1 U	1,470
8-Feb-16	6.74	899.21	11.50	495	0.03	187.2	0.25	7.39	297	1.40	0.1 U	1,350
2-May-16	8.64	897.31	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-16	13.27	892.68	12.20	559	0.03	-52.7	0.80	7.28	Monitored Annually ²			
1-Nov-16	11.36	894.59	Monitored Semiannually ²						Monitored Annually ²			
31-Jan-17	7.91	898.04	10.90	539	0.08	124.4	0.18	7.31	321	1.48	0.1 U	1,300
30-May-17	2.65	903.30	Monitored Semiannually ²						Monitored Annually ²			
16-Aug-17	12.08	893.87	12.10	573	0.12	-46.9	1.39	7.26	Monitored Annually ²			
9-Nov-17	11.70	894.25	Monitored Semiannually ²						Monitored Annually ²			
28-Feb-18	6.50	899.45	11.00	423	0.19	-61.0	0.18	7.12	138	1.56	0.1 U	1,200
1-May-18	6.80	899.15	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-18	13.47	892.48	11.61	441	7.44	26.6	0.21	7.11	Monitored Annually ²			
6-Nov-18	13.96	891.99	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	7.30	898.65	10.30	363	0.56	-25.1	0.27	7.16	294	1.47	0.1 U	1,340
8-May-19	7.77	898.18	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	13.16	892.79	12.19	454	0.45	Note 1	0.02	7.05	Monitored Annually ²			
13-Nov-19	26.35	894.30	Monitored Semiannually ²						Monitored Annually ²			
13-Feb-20	20.79	899.86	10.60	387	0.39	-76.5	1.05	7.13	313	1.40	0.1 U	1,330
13-Aug-20	25.94	894.71	11.70	403	0.65	-64.3	0.60	7.07	Monitored Annually ²			
9-Dec-20	24.06	896.59	Monitored Semiannually ²						Monitored Annually ²			
4-Mar-21	21.56	899.09	10.80	363	0.16	-9.0	1.29	7.30	280	1.10	0.1 U	1,240

Table E.1.24: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
10-Jun-21	24.55	896.10	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	28.08	892.57	11.6	273.8	0.96	-73.8	1.38	7.15	Monitored Annually ²			
5-Jan-22	21.36	899.29	Monitored Semiannually ²						Monitored Annually ²			
21-Mar-22	20.7	899.95	10.9	348.2	1.41	102.1	1.4	6.42	297	1.06	0.1 U	1,090
21-Jun-22	21.51	899.14	Monitored Semiannually ²						Monitored Annually ²			
13-Sep-22	Well Damaged - Unable to Sample ³											
12-Dec-22	Well Damaged - Unable to Sample ³											
15-Mar-23	15.98	905.92	10.9	444.1	1.06	16.4	1.17	7.11	251	1.05	0.1 U	1,110
26-Jun-23	21.56	900.24	Monitored Semiannually ²						Monitored Annually ²			
5-Sep-23	24.52	897.097	11.6	479	2.98	25.8	0.7	7.37	Monitored Annually ²			
12-Dec-23	19.65	902.467	Monitored Semiannually ²						Monitored Annually ²			
8-Mar-24	18.03	902.467	11	370.3	4.37	40	0.34	7.24	264	0.966	0.103 U	1,070

Notes:

Top of casing elevation (feet NAVD88) prior to raising casing:

905.95

Top of casing elevation (feet NAVD88) after raising casing (post-Q3 2019):

920.65

Top of casing elevation (feet NAVD88) repair (post-Q1 2023):

918.67

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

-

Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

1

Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2

Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

3

MWB-6DSP was found damaged in July 2022. The well was repaired by late December 2022.

a

Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U

Data validation code; not detected at the Reporting Limit (RL)

J

Data validation code; estimated value

J+

Data validation code; estimated value with positive bias

°C

Degrees Celsius

Note 1

ORP measurements not available due to faulty sensor.

µmhos/cm

Micromhos per centimeter

mg/L

Milligrams per liter

feet bmp

Feet below measuring point

mV

Millivolts

feet NAVD88

Feet NAVD88 Datum

NTU

Nephelometric Turbidity Unit

Table E.1.25: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Mine Portal
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
1-Mar-02	-	-	-	653	-	-	-	7.29	586	-	-	-
1-Jun-02	-	-	12	920	-	-	-	7.20	583	-	-	-
1-Sep-02	-	-	11	920	-	-	-	7.10	651	-	-	-
2-Dec-02	-	-	9.1	900	-	-	-	7.03	570	4.44	0.5 U	-
3-Mar-03	-	-	10.1	873	-	-	-	7.09	530	-	-	-
3-May-03	-	-	11.2	981	-	-	10.00	6.94	590	-	-	-
3-Aug-03	-	-	12.78	1030	-	-	13.00	7.17	630	-	-	-
1-Nov-03	-	-	10.2	569	-	-	4.65	7.53	592	3.33	0.5 U	-
1-Feb-04	-	-	9.31	568	-	-	5.41	6.85	560	-	-	-
1-May-04	-	-	10.93	952	-	-	5.98	7.12	615	-	-	-
1-Aug-04	-	-	12.10	835	-	-	6.29	7.11	601	-	-	-
1-Nov-04	-	-	10.20	941	-	-	6.58	6.94	656	3.41	1 U	-
1-Feb-05	-	-	10.52	889	-	-	8.72	7.41	541	-	-	-
1-May-05	-	-	13.08	953	-	-	8.15	7.31	548	-	-	-
1-Aug-05	-	-	11.08	988	-	-	7.40	7.23	644	-	-	-
1-Nov-05	-	-	9.53	958	-	-	8.58	7.61	640	3.15	1 U	-
1-Feb-06	-	-	9.23	669	7.88	*	7.93	6.78	450 J	-	-	-
1-May-06	-	-	11.49	947	7.60	38.5	10.40	7.01	570	-	-	-
1-Aug-06	-	-	10.52	835	8.82	-39.8	14.10	7.26	640	-	-	-
1-Nov-06	-	-	9.41	740	9.57	-32.2	12.50	7.23	510	2.45	1 U	-
7-Feb-07	-	-	9.90	815	10.99	-6.2	27.80	7.74	510	-	-	-
7-May-07	-	-	18.39	810	11.05	-6.2	11.80	7.61	510	-	-	-
7-Aug-07	-	-	10.42	870	8.72	-44.9	25.20	7.42	560	-	-	-
30-Nov-07	-	-	9.41	783	9.56	-18.7	48.30	-	520	3.17	1 U	-
8-Feb-08	-	-	10.02	708	10.04	-	50.00	7.20	420	-	-	-
8-May-08	-	-	10.83	815	12.13	0.1	7.28	7.29	480 J	-	-	-
8-Aug-08	-	-	10.63	906	11.05	-5.6	11.00	7.05	560 J	3.69	1 U	41,600
1-Nov-08	-	-	9.79	553	10.70	-21.1	16.90	7.40	460	3.2	1 U	35,500
11-Feb-09	-	-	9.16	488	6.99	-	15.40	7.52	430	2.97	1 U	34,200
9-May-09	-	-	9.64	522	10.56	13.4	9.77	7.39	440 J	2.01	1 U	32,400
23-Sep-09	-	-	10.70	745	8.95	271.7	14.70	6.88	570	2 U	2 U	40,000
15-Dec-09	-	-	8.60	713	5.20	279.0	12.50	6.67	350	2 U	2 U	30,000
24-Mar-10	-	-	9.90	681	6.14	370.7	-	6.57	470	4.2	2 U	39,000
17-Jun-10	-	-	10.00	623	9.58	-	26.30	7.50	380	5.9	2 U	28,000
22-Sep-10	-	-	10.00	783	9.02	225.9	17.40	7.00	510	5.2	2 U	42,000
7-Dec-10	-	-	9.90	662	9.15	186.0	13.60	6.95	450	2 U	2 U	32,000
29-Mar-11	-	-	9.90	292	5.90	370.8	4.44	6.73	360 J	4.1	2 U	25,000
20-Jun-11	-	-	10.50	591	6.42	219.1	4.44	7.01	420	5 U	2 U	26,000
26-Sep-11	-	-	10.70	623	5.76	240.5	11.90	6.83	520	5 U	2 U	39,000
15-Dec-11	-	-	8.80	472	4.92	310.4	7.32	6.78	430	4.7 J	2 U	32,000
21-Mar-12			8.90	611	5.24	313.3	9.16	6.49	330	4.8	0.4 U	20,000
18-Jun-12	Monitored Semiannually ¹											
18-Sep-12	-	-	14.20	652	9.70	148.0	20.80	7.48	450	5	0.4 U	29,000
18-Dec-12	Monitored Semiannually ¹											
25-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25,000
25-Feb-13	Monitored Semiannually ¹											
21-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25,000
22-May-13	Monitored Semiannually ¹											
20-Aug-13	-	-	10.80	635	9.31	170.1	8.46	7.11	458	3.9	0.1 U	32,300
19-Nov-13	Monitored Semiannually ¹											
31-Mar-14	-	-	10.60	448	9.29	213.5	87.20	7.30	321	3.7	0.18 J	21,100
21-May-14	Monitored Semiannually ¹											
15-Aug-14	-	-	10.01	595	10.01	-35.2	6.43	6.99	427	3.5	0.1 U	31,500
14-Nov-14	Monitored Semiannually ¹											
10-Feb-15	-	-	10.60	515	9.88	183.5	6.84	7.26	363	2.8	0.07 J	27,200
4-May-15	Monitored Semiannually ¹											
4-Aug-15	-	-	10.90	554	9.98	95.8	8.68	7.48	438	2.6	0.1 U	34,700
5-Nov-15	-	-	10.30	503	10.24	177.6	13.40	7.46	449	2.8	0.1 U	31,800
8-Feb-16	-	-	9.30	541	11.30	215.0	5.12	7.30	293	3.2	0.1 U	23,100

Table E.1.25: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Mine Portal
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
-	Monitored Semiannually ²								Monitored Annually ²			
24-Aug-16	-	-	13.40	585	9.32	410.0	8.50	7.23	Monitored Annually ²			
1-Nov-16	-	-	10.90	242	9.13	51.4	7.57	7.41	Monitored Annually ²			
31-Jan-17	-	-	8.90	663	10.87	-57.4	6.23	7.50	3390	3.97	0.1 U	29,200
-	Monitored Semiannually ²								Monitored Annually ²			
17-Aug-17	-	-	11.40	712	9.67	-12.4	9.87	7.30	Monitored Annually ²			
9-Nov-17	Monitored Semiannually ²								Monitored Annually ²			
27-Feb-18	-	-	9.50	427	9.94	-46.4	16.70	7.72	354	4.11	0.1 U	20,400
1-May-18	Monitored Semiannually ²								Monitored Annually ²			
21-Aug-18	-	-	13.13	582	12.46	-23.0	23.10	7.24	Monitored Annually ²			
6-Nov-18	Monitored Semiannually ²								Monitored Annually ²			
12-Mar-19	-	-	8.00	406	11.35	-2.8	10.70	7.97	388	1.56	0.1 U	24,700
8-May-19	Monitored Semiannually ²								Monitored Annually ²			
27-Aug-19	-	-	10.55	576	11.80	Note 1	154.00	6.78	Monitored Annually ²			
13-Nov-19	Monitored Semiannually ²								Monitored Annually ²			
13-Feb-20	-	-	9.20	382	9.19	-1.3	13.40	6.93	259	3.65	0.1 U	16,700
13-Aug-20	-	-	10.10	569	10.01	-27.0	12.20	7.12	Monitored Annually ²			
9-Dec-20	Monitored Semiannually ²								Monitored Annually ²			
4-Mar-21	-	-	9.30	416	5.80	33.0	17.1	6.89	364	4.14	0.1 U	20,000
10-Jun-21	Monitored Semiannually ²								Monitored Annually ²			
18-Oct-21	-	-	10.9	386.7	5.11	-28.4	86.1	6.45	Monitored Annually ²			
5-Jan-22	Monitored Semiannually ²								Monitored Annually ²			
16-Mar-22	-	-	12	402.9	6.78	70.7	19.8	5.81	348	5.32	0.1 U	18,800
21-Jun-22	Monitored Semiannually ²								Monitored Annually ²			
14-Sep-22	-	-	12	521	7.29	39.1	93.8	6.7	Monitored Annually ²			
14-Dec-22	Monitored Semiannually ²								Monitored Annually ²			
16-Mar-23	-	-	10.8	667.5	6.16	76.1	8.99	6.86	383	5.08	0.1 U	27,100
26-Jun-23	Monitored Semiannually ²								Monitored Annually ²			
7-Sep-23	-	-	10.5	769	7.66	-33.9	6.94	6.79	Monitored Annually ²			
15-Dec-23	Monitored Semiannually ²								Monitored Annually ²			
8-Mar-24	-	-	10.5	470.6	8.59	84	7.64	6.83	359	5.51	0.103 U	22,800

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- *Measurement invalid and not shown
- 1Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012
- 2Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.
- aPreliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- UData validation code; not detected at the Reporting Limit (RL)
- JData validation code; estimated value
- J+Data validation code; estimated value with positive bias
- °CDegrees Celsius
- Note 1ORP measurements not available due to faulty sensor.
- µmhos/cmMicromhos per centimeter
- feet bmpFeet below measuring point
- feet NAVD88Feet NAVD88 Datum
- mg/LMilligrams per liter
- mVMillivolts
- NTUNephelometric Turbidity Unit



Table E.1.26: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
1-Mar-02	-	-	-	542	-	-	-	7.22	467	-	-	-
1-Jun-02	197.34	735.48	12.00	750	-	-	-	7.10	459	-	-	-
1-Sep-02	199.29	733.53	14.00	660	-	-	-	6.90	499	-	-	-
2-Dec-02	200.09	732.73	10.80	675	-	-	-	6.89	440	1 U	0.5 U	-
3-Mar-03	190.21	742.61	11.90	763	-	-	-	6.98	450	-	-	-
3-May-03	191.78	741.04	12.30	730	-	-	233.00	6.98	550	-	-	-
3-Aug-03	199.82	733.00	16.50	848	-	-	17.00	6.92	520	-	-	-
1-Nov-03	199.97	732.85	11.60	559	-	-	9.20	7.04	522	0.98	0.5 U	-
1-Feb-04	188.78	744.04	11.96	608	-	-	4.86	6.68	560	-	-	-
1-May-04	198.45	734.37	13.69	614	-	-	6.17	6.80	478	-	-	-
1-Aug-04	199.17	733.65	14.38	731	-	-	5.48	6.71	460	-	-	-
1-Nov-04	197.92	734.90	11.62	785	-	-	12.30	6.75	512	1 U	1 U	-
1-Feb-05	186.36	746.46	11.64	806	-	-	1.47	6.94	487	-	-	-
1-May-05	-	-	12.87	790	-	-	15.80	6.89	338	-	-	-
1-Aug-05	196.10	736.72	15.01	603	-	-	45.70	6.44	388	-	-	-
1-Nov-05	196.78	736.04	9.91	549	-	-	13.30	6.66	350	1 U	1 U	-
1-Feb-06	193.93	738.89	8.10	641	2.11	269.2	35.70	6.82	400 J	-	-	-
1-May-06	197.90	734.92	10.88	798	1.67	27.3	5.38	6.50	380	-	-	-
1-Aug-06	198.80	734.02	11.44	534	2.52	205.7	8.74	6.67	360	-	-	-
1-Nov-06	187.36	745.46	10.77	680	2.12	-19.9	18.90	7.06	430	1 U	1 U	-
28-Dec-06	192.37	740.45	-	-	-	-	-	-	-	-	-	-
7-Feb-07	197.46	735.36	10.24	621	0.64	-16.7	27.80	6.89	420	-	-	-
7-May-07	198.49	734.33	-	-	-	-	-	-	-	-	-	-
1-Aug-07	198.45	734.37	-	-	-	-	-	-	-	-	-	-
27-Nov-07	196.48	736.34	-	-	-	-	-	-	-	-	-	-
8-Feb-08	191.30	741.52	-	-	-	-	-	-	-	-	-	-
8-May-08	193.95	738.87	-	-	-	-	-	-	-	-	-	-
27-Sep-11	197.32	735.50	-	-	-	-	-	-	-	-	-	-
13-Dec-11	192.15	740.67	9.6	421	2.10	313.0	16.10	7.49	-	-	-	-
22-Mar-12	183.35	751.47	8.9	546	12.83	166.3	0.56	7.47	-	-	-	-
18-Jun-12	192.54	742.28	-	-	-	-	-	-	-	-	-	-
18-Sep-12	199.51	735.31	16.2	508	2.21	120.0	1.27	7.58	-	-	-	-
18-Dec-12	184.52	750.30	-	-	-	-	-	-	-	-	-	-
21-Feb-13	190.65	744.17	7.6	678	5.33	342.6	6.61	8.02	-	-	-	-
22-May-13	198.05	736.77	-	-	-	-	-	-	-	-	-	-
20-Aug-13	200.47	734.35	13.0	488	3.26	90.2	8.47	7.42	-	-	-	-
19-Nov-13	196.59	738.23	-	-	-	-	-	-	-	-	-	-
31-Mar-14	186.78	748.04	11.4	421	7.28	195.1	1.70	7.47	-	-	-	-
21-May-14	192.27	742.55	-	-	-	-	-	-	-	-	-	-
15-Aug-14	199.97	734.85	18.9	492	0.97	1.4	52.50	7.01	-	-	-	-
14-Nov-14	196.60	738.22	-	-	-	-	-	-	-	-	-	-
10-Feb-15	183.97	750.85	10.2	450	7.65	121.4	1.02	7.34	-	-	-	-
4-May-15	194.19	740.63	-	-	-	-	-	-	-	-	-	-
4-Aug-15	198.35	736.47	13.6	432	3.07	18.6	0.27	7.47	-	-	-	-
3-Nov-15	198.25	736.57	10.3	405	2.57	106.2	7.07	7.35	-	-	-	-
8-Feb-16	188.43	746.39	12.5	536	2.77	189.8	0.25	7.78	-	-	-	-
2-May-16	195.72	739.10	Monitored Semiannually ¹						-	-	-	-
22-Aug-16	197.89	736.93	14.0	418	1.27	-123.1	4.36	7.32	-	-	-	-
1-Nov-16	195.49	739.33	Monitored Semiannually ¹						-	-	-	-
31-Jan-17	186.94	747.88	9.2	506	5.26	-45.4	0.38	7.45	-	-	-	-
30-May-17	190.62	744.20	Monitored Semiannually ¹						-	-	-	-
16-Aug-17	197.55	737.27	13.3	540	2.31	37.3	3.42	7.37	-	-	-	-
9-Nov-17	197.11	737.71	Monitored Semiannually ¹						-	-	-	-
28-Feb-18	185.96	748.86	10.1	390	5.95	204.7	1.62	7.15	-	-	-	-
1-May-18	184.95	749.87	Monitored Semiannually ¹						-	-	-	-
22-Aug-18	197.40	737.42	13.7	412	3.10	85.5	1.66	7.27	-	-	-	-
6-Nov-18	197.94	736.88	Monitored Semiannually ¹						-	-	-	-
12-Mar-19	182.84	751.98	8.7	332	6.25	148.4	1.93	7.28	-	-	-	-
8-May-19	185.36	749.46	Monitored Semiannually ¹						-	-	-	-
27-Aug-19	196.56	738.26	11.92	411	8.82	Note 1	0.02	7.28	-	-	-	-
13-Nov-19	196.74	738.08	Monitored Semiannually ¹						-	-	-	-
13-Feb-20	177.10	757.72	9.3	453	3.03	91.0	2.31	7.56	-	-	-	-
13-Aug-20	200.97	733.85	12.2	422	3.04	35.0	0.96	7.42	-	-	-	-
9-Dec-20	197.86	736.96	Monitored Semiannually ¹						-	-	-	-



**Table E.1.26: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
5-Mar-21	197.42	737.40	10.0	398	3.79	112.0	1.17	7.37	-	-	-	-
10-Jun-21	199.94	734.88	Monitored Semiannually ¹						-	-	-	-
18-Oct-21	200.24	734.58	12.6	307.7	6.06	161.4	12.3	7.35	-	-	-	-
5-Jan-22	192.66	742.16	Monitored Semiannually ¹						-	-	-	-
21-Mar-22	193.68	741.14	9.6	369	7.04	125.6	5.95	6.63	-	-	-	-
21-Jun-22	191.33	743.49	Monitored Semiannually ¹						-	-	-	-
13-Sep-22	200.03	734.79	12.6	404.7	8.66	252.7	10.5	6.91	-	-	-	-
12-Dec-22	197.99	736.83	Monitored Semiannually ¹						-	-	-	-
15-Mar-23	192.63	742.19	11.4	591.7	2.44	41.8	5.56	7.53	-	-	-	-
26-Jun-23	198.92	735.9	Monitored Semiannually ¹						-	-	-	-
5-Sep-23	200.21	734.61	12.1	571.3	3.59	8.3	10.5	7.36	-	-	-	-
13-Dec-23	183.09	751.73	Monitored Semiannually ¹						-	-	-	-
6-Mar-24	192.55	742.27	9.1	577	8.66	35.4	4.3	7.75	-	-	-	-

Notes:

Top of casing elevation (feet NAVD88) prior to raising casing: 932.82

Top of casing elevation (feet NAVD88) after raising casing (December 14, 2011): 934.82

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

µmhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

**Table E.1.27: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-4SDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)		Total Dissolved Solids (mg/L)	Arsenic	Lead
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
26-Sep-11	25.77	906.64	11.40	553	0.86	197.2	-	7.21	-	-	-	-
13-Dec-11	24.94	907.47	9.70	625	1.73	658.0	22.70	7.68	-	-	-	-
22-Mar-12	23.80	908.61	9.60	785	3.71	242.6	8.14	7.30	-	-	-	-
19-Jun-12	24.09	908.32	-	-	-	-	-	-	-	-	-	-
18-Sep-12	25.68	906.73	16.50	664	2.37	150.0	19.20	7.34	-	-	-	-
18-Dec-12	23.02	909.39	-	-	-	-	-	-	-	-	-	-
21-Feb-13	23.50	908.91	10.00	840	6.55	352.4	3.42	7.42	-	-	-	-
22-May-13	23.84	908.57	-	-	-	-	-	-	-	-	-	-
20-Aug-13	25.08	907.33	13.50	539	2.91	45.1	1.87	7.22	-	-	-	-
19-Nov-13	22.76	909.65	-	-	-	-	-	-	-	-	-	-
31-Mar-14	21.39	911.02	12.20	511	6.31	197.3	1.38	7.58	-	-	-	-
21-May-14	19.82	912.59	-	-	-	-	-	-	-	-	-	-
15-Aug-14	24.00	908.41	12.81	647	0.82	7.5	5.42	6.62	-	-	-	-
14-Nov-14	22.28	910.13	-	-	-	-	-	-	-	-	-	-
10-Feb-15	21.10	911.31	12.30	636	2.56	-71.9	1.11	7.11	-	-	-	-
4-May-15	22.65	909.76	-	-	-	-	-	-	-	-	-	-
5-Aug-15	24.65	907.76	13.50	563	3.21	116.4	55.20	7.42	-	-	-	-
3-Nov-15	23.87	908.54	12.20	493	4.65	114.4	5.78	7.52	-	-	-	-
8-Feb-16	19.39	913.02	15.80	670	3.92	163.5	5.06	7.59	-	-	-	-
2-May-16	20.99	911.42	Monitored Semiannually ¹						-	-	-	-
22-Aug-16	24.42	907.99	17.60	527	5.01	106.0	1.39	7.44	-	-	-	-
1-Nov-16	21.31	911.10	Monitored Semiannually ¹						-	-	-	-
31-Jan-17	21.11	911.30	12.10	680	2.75	-146.1	1.48	7.35	-	-	-	-
30-May-17	18.49	913.92	Monitored Semiannually ¹						-	-	-	-
17-Aug-17	22.58	909.83	12.60	673	5.22	177.8	1.97	7.15	-	-	-	-
9-Nov-17	20.72	911.69	Monitored Semiannually ¹						-	-	-	-
28-Feb-18	17.09	915.32	11.10	509	8.34	29.0	0.72	7.37	-	-	-	-
1-May-18	17.76	914.65	Monitored Semiannually ¹						-	-	-	-
22-Aug-18	Could not be safely accessed due to wasp nests.								-	-	-	-
6-Nov-18	21.70	910.71	Monitored Semiannually ¹						-	-	-	-
12-Mar-19	18.30	914.11	10.10	215	9.65	18.9	0.39	7.86	-	-	-	-
8-May-19	19.09	913.32	Monitored Semiannually ¹						-	-	-	-
27-Aug-19	22.85	909.56	14.79	562	8.59	Note 1	3.60	7.80	-	-	-	-
13-Nov-19	21.95	910.46	Monitored Semiannually ¹						-	-	-	-
13-Feb-20	16.60	915.81	10.80	458	8.74	68.0	1.98	7.83	-	-	-	-
13-Aug-20	21.96	910.45	12.60	503	8.74	-39.8	1.89	7.83	-	-	-	-
9-Dec-20	20.58	911.83	Monitored Semiannually ¹						-	-	-	-
5-Mar-21	17.69	914.72	11.30	497	6.84	90.0	1.46	7.91	-	-	-	-
10-Jun-21	21.47	910.94	Monitored Semiannually ¹						-	-	-	-
18-Oct-21	23.22	909.19	13.5	368.9	8.47	130.8	1.36	7.63	-	-	-	-
5-Jan-22	17.66	914.75	Monitored Semiannually ¹						-	-	-	-
21-Mar-22	16.7	915.71	10.7	456.3	9.94	115.5	2.79	7.05	-	-	-	-
21-Jun-22	17.95	914.46	Monitored Semiannually ¹						-	-	-	-
13-Sep-22	21.6	910.81	15.3	531	7.87	90.3	1.45	7.53	-	-	-	-
12-Dec-22	19.02	913.39	Monitored Semiannually ¹						-	-	-	-
15-Mar-23	17.46	914.95	12.3	668	8.07	57.4	2.67	7.85	-	-	-	-
26-Jun-23	19.98	912.43	Monitored Semiannually ¹						-	-	-	-
5-Sep-23	Could not be safely accessed due to wasp nests.								-	-	-	-
13-Dec-23	16.91	915.5	Monitored Semiannually ¹						-	-	-	-
8-Mar-24	15.77	916.64	10.9	558	8.79	90.8	0.74	7.82	-	-	-	-

Notes:

- Top of casing elevation (feet NAVD88) prior to DSP Cover Upgrade: 939.42
- Top of casing elevation (feet NAVD88) after DSP Cover Upgrade (completed July 2011): 932.41
- Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.
- 1Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016, extended October 10, 2019. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.
- Not measured or not available
- Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.
- aPreliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024
- °CDegrees Celsius
- Note 1ORP measurements not available due to faulty sensor.
- µmhos/cmMicromhos per centimeter
- feet bmpFeet below measuring point
- feet NAVD88Feet NAVD88 Datum
- mg/LMilligrams per liter
- mVMillivolts
- NTUNephelometric Turbidity Unit



Table E.1.28: Summary of Lower Disposal Area - Disposal Area Groundwater Sampling Results - Well P-14
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet bto c)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
11-Dec-20	32.53	740.79	11.6	18697	0.12	-61.2	17.9	13.30	6,560	-	263	19.6	2,540,000	-
3-Mar-21	29.44	743.88	12.0	12836	0.05	-87.0	1.54	13.09	4,060	-	84.1	9.64	1,490,000	-
10-Jun-21	33.57	739.75	12.9	18706	0.67	-175.2	1.88	13.06	6,400	-	242	3.44	2,460,000	-
13-Oct-21	33.57	739.75	12.7	23225	0.77	-139.7	0.75	13.18	7240 J-	131	292	2.47	2,560,000	24.2
7-Jan-22	27.73	745.59	11.9	9778	0.96	-112.9	1.86	13.30	4,850	51.8	76.3	9.19	1,480,000	6.77
21-Mar-22	27.5	745.82	12.5	11725	1.27	-25.3	2.18	14.52	4,110	46.1	74.8	41.3	1,430,000	6.68
23-Jun-22	28.65	744.67	13.5	18219	0.05	-88.6	2.04	12.93	6,160	130	238	6.56	2,250,000	21.9
14-Sep-22	34.22	739.1	13.2	17395	1.72	-127.9	1.7	13.21	6,510	130	235	6.3	2,570,000	20.5
14-Dec-22	32.59	740.73	12.1	19267	3.3	-448.9	0.88	13.06	6,730	130	255	11.1	2,710,000	23
14-Mar-23	30.30	743.02	12.4	24035	0.08	-187.5	0.31	13.12	6,280	134	232	2.22	2,390,000	20.5
27-Jun-23	33.06	740.26	13.5	18550	0.05	-591.7	1.19	13.07	6,300	139	242	2.9	2,200,000	21.4
7-Sep-23	35.51	737.81	12.6	23287	0.73	-177.6	1.37	13.14	6020 J-	127	229	6.81	2,360,000	18.7
14-Dec-23	28.05	745.27	12	27153	3.49	-407.7	0.64	13.1	6,190	116	216	6.93	2,220,000	17.2
7-Mar-24	27.82	745.5	12.1	23887	3.5	-177.6	0.38	13.19	5,660	120	188	4.54	2,010,000	11.7

Notes:

Top of casing elevation (feet NAVD88): 773.32

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

umhos/cm Micromhos per centimeter mg/L Milligrams per liter

feet bmp Feet below measuring point mV Millivolts

feet NAVD88 Feet NAVD88 Datum NTU Nephelometric Turbidity Unit

Table E.1.29: Summary of Lower Disposal Area - Disposal Area Groundwater Sampling Results - Well P-15
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet bto c)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Preliminary Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	5.6	8	2.5	-	80
15-Oct-21	30.03	726.52	13.00	15815	1.72	-147.5	5.08	13.17	7180 J-	2 U	6.57	94	2,390,000	3.65
7-Jan-22	15.32	741.23	10.20	7227	1.03	-116.3	1.84	13.28	3,420	5.17	6.34	101	884,000	0.515 J
17-Mar-22	14.44	742.11	11.8	9351	1.11	-70	1.88	14.60	3,060	3.08	5.63	109	970,000	0.406
22-Jun-22	18.39	738.16	13	10563	0.14	-71	2.19	12.95	3,300	2.22	5.37	100	924,000	1.14
14-Sep-22	28.82	727.73	13.8	14297	6.41	-17.7	4.71	12.99	5,340	4 U	3.68 J	269	1,790,000	0.624
14-Dec-22	21.29	735.26	11	10770	2.85	-322.9	2.33	13.05	3,460	1.72	5.07	173	1,070,000	1.19
14-Mar-23	21.53	735.02	11.5	14124	0.15	70.5	0.41	12.98	3,360	2.47	5.82	93.8	945,000	0.288 J
27-Jun-23	24.90	731.65	14.4	13549	0.56	-360.4	0.89	12.87	4,290	1.15	5.77	119	1,450,000	0.635 J
7-Sep-23	29.41	727.14	12.6	19870	7.79	-94.6	6.49	13.13	4970 J-	2.37	5.35	274	1,720,000	0.72 J
14-Dec-23	15.43	741.12	11.5	15982	3.43	-370.7	1.92	12.99	3,600	3.68	6.7	111	1,010,000	0.48 J
6-Mar-24	16.76	739.79	11.2	11127	4.27	-115.3	0.8	12.88	3,520	3.54	5.83	106	965,000	0.464

Notes:

Top of casing elevation (feet NAVD88): 756.55

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow/alluvial groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Preliminary Cleanup Level (PCUL), except for pH, which could be above or below the PCUL.

a Preliminary Cleanup Level (PCUL) provided by Ecology 30 July, 2024

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet NAVD88 Datum


mg/L Milligrams per liter

mV Millivolts


NTU Nephelometric Turbidity Unit

Appendix E.2: Concentration Trend Graphs for Chemical of Potential Concerns (COPCs) for Shallow Lower Disposal Area (LDA) Wells


LDA Shallow/Alluvial Monitoring Wells MW-1A




LDA Shallow/Alluvial Monitoring Wells MW-1A




LDA Shallow/Alluvial Monitoring Wells MW-1A



LDA Shallow/Alluvial Monitoring Wells MW-1A




LDA Shallow/Alluvial Monitoring Wells MW-2A




LDA Shallow/Alluvial Monitoring Wells


MW-2A




LDA Shallow/Alluvial Monitoring Wells MW-2A



LDA Shallow/Alluvial Monitoring Wells MW-2A




LDA Shallow/Alluvial Monitoring Wells MW-3A




LDA Shallow/Alluvial Monitoring Wells


MW-3A




LDA Shallow/Alluvial Monitoring Wells MW-3A



LDA Shallow/Alluvial Monitoring Wells MW-3A




LDA Shallow/Alluvial Monitoring Wells MW-4A




LDA Shallow/Alluvial Monitoring Wells


MW-4A




LDA Shallow/Alluvial Monitoring Wells MW-4A




LDA Shallow/Alluvial Monitoring Wells MW-4A




LDA Shallow/Alluvial Monitoring Wells MW-5A




LDA Shallow/Alluvial Monitoring Wells MW-5A




LDA Shallow/Alluvial Monitoring Wells MW-5A




LDA Shallow/Alluvial Monitoring Wells MW-5A




LDA Shallow/Alluvial Monitoring Wells MW-6A




LDA Shallow/Alluvial Monitoring Wells MW-6A




LDA Shallow/Alluvial Monitoring Wells MW-6A



LDA Shallow/Alluvial Monitoring Wells MW-6A




LDA Shallow/Alluvial Monitoring Wells MW-7A




LDA Shallow/Alluvial Monitoring Wells


MW-7A




LDA Shallow/Alluvial Monitoring Wells MW-7A




LDA Shallow/Alluvial Monitoring Wells MW-7A



LDA Shallow/Alluvial Monitoring Wells MW-8A



LDA Shallow/Alluvial Monitoring Wells MW-8A




LDA Shallow/Alluvial Monitoring Wells MW-8A



LDA Shallow/Alluvial Monitoring Wells MW-8A




LDA Shallow/Alluvial Monitoring Wells MW-9A




LDA Shallow/Alluvial Monitoring Wells


MW-9A




LDA Shallow/Alluvial Monitoring Wells MW-9A




LDA Shallow/Alluvial Monitoring Wells MW-9A




LDA Shallow/Alluvial Monitoring Wells MW-10A




LDA Shallow/Alluvial Monitoring Wells MW-10A




LDA Shallow/Alluvial Monitoring Wells MW-10A



LDA Shallow/Alluvial Monitoring Wells MW-10A




LDA Shallow/Alluvial Monitoring Wells P-14



LDA Shallow/Alluvial Monitoring Wells


P-14




LDA Shallow/Alluvial Monitoring Wells P-14



LDA Shallow/Alluvial Monitoring Wells P-14




LDA Shallow/Alluvial Monitoring Wells P-15




LDA Shallow/Alluvial Monitoring Wells


P-15




LDA Shallow/Alluvial Monitoring Wells P-15



LDA Shallow/Alluvial Monitoring Wells P-15




LDA Shallow/Alluvial Monitoring Wells P-16



LDA Shallow/Alluvial Monitoring Wells


P-16




LDA Shallow/Alluvial Monitoring Wells P-16



LDA Shallow/Alluvial Monitoring Wells P-16




LDA Shallow/Alluvial Monitoring Wells P-17




LDA Shallow/Alluvial Monitoring Wells

P-17



LDA Shallow/Alluvial Monitoring Wells P-17



LDA Shallow/Alluvial Monitoring Wells P-17

