

# **GROUNDWATER MONITORING MARCH 2017** BEAR CREEK VILLAGE NW2776 SHOPPING CENTER

17100 - 17262 Redmond Way Redmond, Washington

Submitted To: TMT Bear Creek Shopping Center, Inc.

c/o JSH Properties, Inc.

7525 166th Ave NE, Suite D220

Redmond, WA 98052

Submitted By: Golder Associates Inc.

18300 NE Union Hill Road, Suite 200

Redmond, WA 98052 USA

Distribution: 1 Copy Courtney Klein, JSH Properties

1 Copy Grant Yang, Department of Ecology, Bellevue

1 Copy Amanda Blazer, City of Redmond

May 4, 2017

Project No. 1525393-17.100







# **Table of Contents**

1.0	IN.	TRODUCTION	1
1.1		Site Description	1
1.2		Purpose and Scope	1
2.0	BA	ACKGROUND	2
2.1		Previous Environmental Investigations	2
2.2	!	Independent Remedial Actions	2
2.3		Groundwater Monitoring Frequency	2
3.0	GF	ROUNDWATER SAMPLING	4
3.1		Groundwater Investigation Methods	4
3.2	!	Groundwater Flow Direction	4
3.3		Groundwater Quality	5
;	3.3.1	Perchloroethylene	5
;	3.3.2	Trichloroethene	6
(	3.3.3	Cis-1,2-Dichloroethene	6
;	3.3.4	Vinyl Chloride	6
;	3.3.5	1,3-Dichlorobenzene	6
;	3.3.6	Seasonal Fluctuation	7
4.0	CC	ONCLUSIONS AND RECOMMENDATIONS	8
4.1		Findings and Conclusions	8
4.2	2	Recommendations	8
5.0	CL	_OSING	ć
6.0	RF	FERENCES	1 (





1525393-17.100



Table 1	March 2017 Groundwater Analytical Results
Table 2	Historical Groundwater Analytical Results
Table 3	Historical Groundwater Elevations

# **List of Figures**

Figure 1	Site Location Map
Figure 2	Groundwater Monitoring Well Locations
Figure 3	Groundwater Elevations, March 2017 Groundwater Monitoring
Figure 4	Groundwater Concentrations – Southeast Area March 2017 Groundwater Monitoring
Figure 5a	MW-2 HVOC Detections Over Time
Figure 5b	MW-2 PCE Trend Over Time
Figure 6	MW-3 HVOC Detections Over Time
Figure 7	MW-4 HVOC Detections Over Time
Figure 8a	MW-10 and MW-10A HVOC Detections Over Time
Figure 8b	MW-10 and MW-10A Vinyl Chloride Trend Over Time
Figure 9	MW-13 HVOC Detections Over Time
Figure 10	PCE Detections Over Time
Figure 11	TCE Detections Over Time
Figure 12	Vinyl Chloride Detections Over Time

# **List of Appendices**

Appendix A	Sample Integrity Data Sheets
Appendix B	Laboratory Analytical Reports



#### 1.0 INTRODUCTION

This report presents the results of groundwater monitoring conducted by Golder Associates Inc. (Golder) at the Bear Creek Village Shopping Center during the month of March 2017.

1

# 1.1 Site Description

The site is currently developed as a shopping center known as the Bear Creek Village Shopping Center, located at 17100 - 17262 Redmond Way, in Redmond, King County, Washington (site). Figure 1 depicts the location of the site on a United States Geological Survey (USGS) topographic map. The existing shopping center development was constructed in phases in approximately 1969, 1977, and 1985. Before the existing shopping center, the site was agricultural land with several houses, outbuildings, and a small warehouse complex along the northern side. The shopping center includes two core building complexes, one stand-alone multi-tenant retail-strip building, and three pad buildings (Taco Time, Jiffy Lube [previously Q-Lube], and O'Reilly Auto Parts [previously Schuck's]). Paved parking areas and limited landscaped areas comprise the remaining area. A dry cleaning establishment known as Bear Creek Cleaners formerly operated in the site. Bear Creek Cleaners was located at the southeastern portion of the site and is the focus of this groundwater monitoring program. A brief background on the history of Bear Creek Cleaners and the resulting remedial investigations is provided below in Section 2.0.

# 1.2 Purpose and Scope

The purpose of this groundwater monitoring was to determine groundwater quality with respect to the presence of halogenated volatile organic compounds (HVOCs) as a result of the former Bear Creek Cleaners operations, and to obtain groundwater elevation data to determine the groundwater flow direction.

The scope of work for this groundwater monitoring included the following:

- Collection of groundwater samples from six on-site groundwater-monitoring wells (MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13).
- Collection of other data from these wells including groundwater level readings, pH, conductivity, dissolved oxygen, turbidity, oxidation-reduction potential, and temperature.
- Quality control procedures, including the analysis of a duplicate sample (duplicate collected from MW-4, which was identified with the sample number MW-44), an equipment blank, and a trip blank.
- Analysis of the groundwater and quality control samples for the presence of HVOCs using United States Environmental Protection Agency (EPA) Method 8260C.





#### 2.0 BACKGROUND

# 2.1 Previous Environmental Investigations

Previous environmental investigations concerning the dry cleaner facility included the following:

- Letter Report Additional Soil and Groundwater Investigation Bear Creek Cleaners, Dames & Moore, November 20, 1996.
- Summary Letter of Field Activities at the Bear Creek Cleaners and Q-Lube, Versar Inc., May 21, 1997.
- Memorandum Preliminary Summary of Results, Delta Environmental Consultants, Inc., September 3, 1997.

# 2.2 Independent Remedial Actions

An independent remedial action related to the release of perchloroethylene (PCE) from the former Bear Creek Cleaners was conducted in the latter part of 1997 and the early part of 1998. The remedial action is discussed in the following report:

■ Report – Voluntary Soil Cleanup – Former Bear Creek Cleaners – Bear Creek Village Shopping Center – Redmond, Washington, Dames & Moore, February 25, 1998.

Previous investigations conducted in 1996 and 1997 indicated the presence of HVOCs, primarily PCE, in soil and groundwater beneath and behind the dry cleaning establishment (Dames & Moore 1996; Versar Inc. 1997; Delta Environmental Consultants, Inc. 1997). Subsequent remedial action and investigation by Dames & Moore during the latter part of 1997 included the excavation of PCE-impacted soil from beneath and behind the dry cleaning establishment and the installation of 12 groundwater-monitoring wells (Dames & Moore 1998). The monitoring wells were placed in various locations at the site for the following reasons:

- To determine the extent of HVOC-impacted groundwater around the dry cleaning establishment.
- To determine background groundwater quality to identify any HVOC-impacted groundwater coming from off-site sources or leaving the site.
- To assess the possible presence of petroleum hydrocarbons in groundwater near the Jiffy Lube facility.

Dames & Moore sampled groundwater from the monitoring wells on October 22, 1997 (Dames & Moore 1998). Analytical results for these samples (using EPA Method 8021B) indicated the presence of PCE and other HVOCs in groundwater along the eastern margin of the shopping center property. No petroleum hydrocarbons were detected in groundwater at the Jiffy Lube facility.

#### 2.3 Groundwater Monitoring Frequency

Groundwater monitoring occurred at the site on a quarterly schedule from February 1999 through September 2005. ATC Associates Inc. (ATC) performed quarterly monitoring during the following periods:



3



- February, June, September, and December 1999
- March 2000

Two additional monitoring wells, MW-13 and MW-14, were installed by ATC in June 1999.

No sampling of groundwater was conducted during June 2000 due to changing consultants from ATC to Golder. Written notification of this change was submitted to the Washington State Department of Ecology (Ecology) in a letter dated September 7, 2000.

Golder resumed quarterly groundwater monitoring of MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13 (in addition to water level monitoring in MW-1, MW-5, MW-6, and MW-14) in September 2000 and has performed monitoring during the following periods:

- September and December 2000
- March, June, September, and December 2001
- March, June, September, and December 2002
- March, June, September, and December 2003
- March, June, September, and December 2004
- March, June, and September 2005

After the September 2005 sampling event, the sampling frequency was reduced from quarterly to semi-annually. On behalf of the property owner, Golder provided notice to Ecology regarding the change in sampling frequency (Golder 2005). The semi-annual sampling schedule has continued as follows:

- March and September 2006
- March and September 2007
- March and September 2008
- March and September 2009
- May and October 2010
- March and September 2011
- March and September 2012
- March and September 2013
- April and September 2014
- March and September 2015
- June and September 2016
- March 2017

The March 2017 analytical results are presented in Table 1. Historical analytical results for groundwater sampling conducted since 1999 are summarized in Table 2. A narrative of historical sampling activities was provided in previous monitoring reports.





#### 3.0 GROUNDWATER SAMPLING

# 3.1 Groundwater Investigation Methods

On March 29, 2017, Golder sampled groundwater from six groundwater monitoring wells (MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13). Figure 2 depicts the location of all pertinent on-site monitoring wells. Sampling conditions and data collected during the monitoring event were recorded on the Sample Integrity Data Sheets (SIDS) contained in Appendix A. The following methods and procedures were used in collecting the groundwater samples:

- Depth to groundwater was measured in all on-site wells (MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-9, MW-10A, MW-13, and MW-14) prior to purging and sampling. Water levels were recorded on the SIDS. Table 3 presents depth to water measurements and elevations. Figure 3 depicts groundwater elevations and contours.
- Dedicated tubing is located in all groundwater-monitoring wells and is replaced as needed. New tubing was installed in all wells for the March 2017 event. After repositioning, each well was slowly purged of water at a rate of approximately 190 to 240 milliliters (mL) per minute using a peristaltic pump connected to the dedicated tubing.
- Field parameters of temperature, pH, conductivity, turbidity, dissolved oxygen, and oxidation-reduction potential were measured and recorded during purging at 5-minute intervals until parameters were stable. All field parameters were recorded on the SIDS (Appendix A).
- Upon completion of purging, groundwater samples were collected directly from the dedicated sample tubing into bottles.
- For quality control purposes, a duplicate sample and equipment blank were collected. The duplicate sample was collected from MW-4, which was identified with the sample label MW-44. The equipment blank was collected after sampling at MW-4.
- For each groundwater sample, three 40-mL vials of groundwater were collected and preserved with hydrochloric acid. The samples were placed into laboratory-provided containers, labeled, and placed in a cooler with ice.
- The collected samples were transported to OnSite Environmental Inc. in Redmond, Washington for analysis on the same day as sample collection, following chain-of-custody protocols.

All groundwater and quality control samples were analyzed for the presence of HVOCs using EPA Method 8260C. The results of the field duplicate (MW-44) performed at MW-4 and the equipment blank were within acceptable limits and no quality assurance/quality control concerns were indicated. Results for the duplicate are included in Table 2 as bracketed results associated with MW-4. Figure 4 depicts the detected HVOC concentrations for the sampled wells. Figures 5a through 9 depict the detected concentrations of HVOCs for each well over time.

#### 3.2 Groundwater Flow Direction

For the March 2017 groundwater sampling event, static groundwater levels were measured in all on-site monitoring wells (including those that are not sampled for HVOCs) on March 29, 2017. The groundwater levels found that day (as well as during historical sampling) are summarized in Table 3.





Commonly, groundwater elevations are at their highest levels during the wetter winter/spring months and lower during the drier summer/fall months. This trend was true for the March 2017 sampling event. The groundwater levels measured that day were similar to previous years' March events.

The groundwater elevation contour map for March 29, 2017 is depicted in Figure 3. There is some variability in groundwater flow direction across the site, but the inferred groundwater flow direction is generally west or northwesterly, away from Bear Creek. The groundwater gradient measured on March 29, 2017 is generally consistent with all prior monitoring periods. This suggests that Bear Creek loses water to the aquifer. A steep hydraulic gradient is inferred just to the east of the former dry cleaner facility as evidenced by the groundwater contours between MW-3 and MW-4. A similar inferred steep gradient was also present in this general area on all previous groundwater elevation contour maps. This feature is unexpected in shallow alluvial aquifers such as the type present below the site.

# 3.3 Groundwater Quality

The groundwater analytical data for PCE, trichloroethene (TCE), cis-1,2-dichloroethene (cis-1,2-DCE), and vinyl chloride detected in this round of sampling are summarized in Table 1. Table 2 contains the historical sampling results. Appendix B contains a copy of the laboratory analytical data report. The HVOC concentrations detected during this round of sampling are depicted in Figure 4. Groundwater HVOC concentrations and elevations with respect to time for MW-2, MW-3, MW-4, MW-10/10A, and MW-13 are depicted in Figures 5a, 6, 7, 8a, and 9 for the last 18 years.

PCE or its degradation compounds were detected in five of the six monitoring wells sampled during this period. All four wells with PCE or degradation compound detections (TCE, cis-1,2-DCE, and vinyl chloride) were located on the eastern side of the former dry cleaner facility (MW-2, MW-3, MW-4, MW-10A, and MW-13).

#### 3.3.1 Perchloroethylene

PCE was detected in MW-2 and MW-13 at concentrations of 0.64 micrograms per liter ( $\mu$ g/L), and 3.6  $\mu$ g/L, respectively. The practical quantitation limit, or PQL, is 0.20  $\mu$ g/L. PCE concentrations did not exceed the Model Toxics Control Act (MTCA) Method A Cleanup Level of 5.0  $\mu$ g/L in any wells during the March 2017 sampling event. PCE has not been detected in MW-9 for period of record. Figure 5b depicts the trend of PCE detections in MW-2 over time. The trendline indicates that PCE is decreasing in MW-2, albeit some seasonal variation in concentrations does occur. Concentrations of PCE in MW-2 have been less than the MTCA cleanup level for the past nine sampling events (since September 2012). Figure 10 depicts the PCE detections for all of the routinely sampled wells since 1999. This figure shows an overall decline of PCE concentrations over time across the site. The PCE trend of MW-13 has remained constant since 2008.



#### 3.3.2 Trichloroethene

TCE was detected at concentrations greater than or equal to the PQL ( $0.20~\mu g/L$ ) in two of the six wells sampled (MW-4 and MW-13) at concentrations of  $0.35~\mu g/L$ , and  $2.3~\mu g/L$ , respectively. TCE concentrations did not exceed the MTCA Method A Cleanup Level of  $5.0~\mu g/L$  in any of the sampled wells. TCE has never been detected in MW-9. Figure 11 depicts the TCE detections for MW-2, MW-3, MW-4, MW-10A, and MW-13 since 1997. This figure shows an overall decline of TCE concentrations over time across the site. MW-13 has a slight increasing TCE trend since 2011, however the concentration remains below cleanup level.

6

#### 3.3.3 Cis-1,2-Dichloroethene

Cis-1,2-DCE was detected at concentrations greater than or equal to the PQL (0.20  $\mu$ g/L) in four of the six sampled wells (MW-3, MW-4, MW-10A, and MW-13) at concentrations of 0.29, 3.6, 3.8, and 0.49  $\mu$ g/L, respectively. The concentrations of cis-1,2-DCE detected during the March 2017 sampling event were less than the current MTCA Method B Cleanup Level of 16  $\mu$ g/L in all wells. Cis-1,2-DCE has never been detected at a concentration exceeding the current or historical (80  $\mu$ g/L) MTCA Method B Cleanup Level in effect in any of the wells. Cis-1,2-DCE was detected in MW-9 during the 2002 sampling periods, but not during previous or subsequent sampling periods.

#### 3.3.4 Vinyl Chloride

Vinyl chloride was detected at concentrations greater than or equal to the PQL of 0.2  $\mu$ g/L in one of the six sampled wells (MW-10A) at a concentration of 0.59  $\mu$ g/L during the March 2017 sampling event. The concentration of vinyl chloride detected during the March 2017 sampling event was greater than the MTCA Method A Cleanup Level of 0.2  $\mu$ g/L. Vinyl chloride has never been detected in MW-9. Figure 12 depicts the vinyl chloride detections for MW-2, MW-3, MW-4, MW-10A, and MW-13 since 1997. This figure shows an overall site-wide decline of vinyl chloride concentrations.

#### 3.3.5 1.3-Dichlorobenzene

1,3-Dichlorobenzene was not detected in any of the groundwater samples, or equipment blank samples, collected during the March 2017 event. During the September 2007, March 2008, and more recently in the September 2011 event, 1,3-Dichlorobenzene was detected at concentrations greater than the PQL  $(0.20~\mu g/L)$  in groundwater samples. The detection of this compound during the 2007, 2008, and 2011 events is attributed to the degradation of the dedicated tubing located in the monitoring wells at that time. In all events, the concentrations of 1,3-Dichlorobenzene in the samples ranged from 0.24 to 0.32  $\mu g/L$ . The dedicated tubing in all wells was replaced before the September 2008 and March 2012 events and as a result, 1,3-Dichlorobenzene was not detected in any of the groundwater samples or equipment blank samples in subsequent sampling events.





#### 3.3.6 Seasonal Fluctuation

Figures 5a, 6, 7, 8a, and 9 depict the groundwater levels along with the detected HVOC concentrations for each well over time. These figures show that groundwater levels fluctuate seasonally and some of the HVOC concentrations appear to fluctuate as well. For example, concentrations of TCE and cis-1,2-DCE in MW-2 appear to be inversely proportional to the groundwater levels such that when the groundwater is at its lowest point (typically during the September sampling events) the TCE and cis-1,2-DCE concentrations are at their highest (Figure 5a). During high groundwater levels, the concentrations of TCE and cis-1,2-DCE appear to be below detection limits. This trend was also occurring in MW-4 for cis-1,2-DCE until the September 2007 sampling event when a potential increase in degradation of PCE seems to have occurred, as indicated by the drop in PCE accompanied by an increase in TCE and cis-1,2-DCE concentrations (Figure 7). The degradation rate seems to have leveled off around March 2011 and the seasonal fluctuations seen before have returned.

PCE concentrations appear to be directly proportional to the seasonal variations in groundwater levels such that when groundwater levels are high, the PCE concentrations are high, and when groundwater levels decrease, the PCE concentrations decrease as well. This seasonal fluctuation is most notable in wells MW-4 and MW-13 (Figures 7 and 9).



### 4.0 CONCLUSIONS AND RECOMMENDATIONS

# 4.1 Findings and Conclusions

The findings and conclusions of this Groundwater Monitoring Report are summarized as follows:

- During the March 2017 sampling event, only MW-10A had a detection of vinyl chloride exceeding the MTCA Method A Cleanup Level. The remaining wells had no detections of any of the constituents of concern (COCs) exceeding MTCA Method A Cleanup Levels.
- The current results indicate an overall decrease in PCE concentrations has occurred in MW-2, MW-4, MW-10A, and MW-13 since March 2007. PCE has not exceeded the MTCA cleanup level in any of the wells since 2012. PCE has not been detected in MW-10A since the March 2007 sampling event.
- A general leveling of HVOC concentrations in the wells, particularly MW-2 and MW-13, is indicated over the last five years of groundwater monitoring.

### 4.2 Recommendations

Based on the findings and conclusions of the March 2017 groundwater monitoring period, the following recommendations are made:

- The sampling program at the site will continue on the semi-annual sampling schedule (typically March and September) until two consecutive "clean" monitoring events are achieved at which time the frequency will be increased to quarterly sampling to confirm that results are clean during all seasons of the year. Thus, the next routine semi-annual monitoring event should be scheduled for September 2017.
- The wells sampled during the next groundwater monitoring event should include MW-2, MW-3, MW-4, MW-9, MW-10A, and MW-13, for the following reasons:
  - Sampling of all six wells should continue in order to confirm trends in HVOC concentrations and to support the goal of four consecutive sampling periods with HVOC concentrations that are less than MTCA Method A Cleanup Levels.
  - Sampling of MW-9 should continue because it represents the nearest down-gradient well from the former dry cleaner facility.



Doug Dunster

Principal and Senior Consultant



# 5.0 CLOSING

Golder Associates Inc. is pleased to continue working on the Bear Creek Village Shopping Center project. If you have any questions regarding this report, please feel free to contact Eric Adams at (425) 883-0777.

**GOLDER ASSOCIATES INC.** 

Eric Adams

Project Hydrogeologist

EA/DGD/sb



### 6.0 REFERENCES

- Dames & Moore. 1996. Additional Soil and Groundwater Investigation Bear Creek Cleaners. November 20.
- Dames & Moore. 1998. Voluntary Soil Cleanup Former Bear Creek Cleaners Bear Creek Village Shopping Center Redmond, Washington. February 25.
- Delta Environmental Consultants, Inc. 1997. Memorandum Preliminary Summary of Results. September 3.
- Golder Associates Inc. (Golder). 2005. Correspondence Re: Notice of Revised Groundwater Monitoring Schedule Bear Creek Village Shopping Center 17100-17262 Redmond Way, Redmond, Washington. Prepared for Ching-Pi Wang, Washington State Department of Ecology. November 29.

Versar Inc. 1997. Summary Letter of Field Activities at the Bear Creek Cleaners and Q-Lube. May 21.



**TABLES** 

Table 1: September 2016 Groundwater Analytical Results

					M	onitoring V	/ell		
Analytes	Cleanup Level	Units	MW-2	MW-3	MW-4	MW-9	MW-10A	MW-13	MW-44*
PCE	5.0 (A)	μg/L	0.64	ND	ND	ND	ND	3.6	ND
TCE	5.0 (A)	μg/L	ND	ND	0.35	ND	ND	2.3	0.36
VC	0.2 (A)	μg/L	ND	ND	ND	ND	0.59	ND	ND
cis-1,2-DCE	16 (B) <sup>1</sup>	μg/L	ND	0.29	3.6	ND	3.8	0.49	3.8
1,3-DCB		μg/L	ND	ND	ND	ND	ND	ND	ND
Groundwat	er Elevation	ft amsl	42.30	40.11	34.63	38.73	34.44	41.62	34.63

Notes:

cis-1,2-DCE = cis-1,2-Dichloroethene

PCE = Perchloroethylene = Tetrachloroethylene

1,3-DCB = 1,3-Dichlorobenzene

TCE = Trichloroethene

VC = Vinyl Chloride

ND = indicates sample was not detected above the laboratory analytical detection limit.

(A) = MTCA Method A Cleanup Level (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC).

(B) = MTCA Method B formula value (Model Toxics Control Act Cleanup Regulation - Chapter 173-340

WAC and Model Toxics Control Act Cleanup Levels and Risk Calculations - February 1996).

Analytical results in parentheses represent duplicate samples.

**Bold Italic** = indicates the analytical result exceeds the MTCA Method A or B Cleanup Level.

Groundwater elevation determined using the surveyed elevation (NAVD 88 datum) of the top of each well casing. Elevations given in feet above mean sea level.



<sup>\*</sup> Duplicate sample collected at MW-4.

<sup>&</sup>lt;sup>1</sup> Current (2014) MTCA Method B value. Historical value was 80 μg/L.

Table 2: Historical Groundwater Analytical Results

Monitoring	Sampling	Volatile Organic Compounds (µg/L)					
Well ID	Date	PCE TCE VC cis-1,2-DCE					
	10/22/1997	36. 7	2.23	ND	7.52		
	2/19/1999	270	6	ND	6		
	6/29/1999	ND	ND	ND	ND		
	9/15/1999	51	ND	ND	ND		
	12/14/1999	150	ND	ND	ND		
	3/22/2000	39	ND	ND	ND		
	9/27/2000	41	ND	ND	ND		
	12/20/2000	34	ND	ND	ND		
	3/29/2001	82	2.3	ND	3		
	6/14/2001	51	1.7	ND	0.42		
	9/12/2001	36	3.8	0.22	3.3		
	12/18/2001	50	1.2	ND	0.33		
	3/26/2002	17 (18)	0.46 (0.45)	ND	0.31 (0.37)		
	6/10/2002	21 (21)	8.6 (7.0)	ND (ND)	2.6 (2.4)		
	9/12/2002	4.4	ND	ND	ND		
	12/9/2002	4.8	0.46	ND	0.33		
	3/13/2003	11	1.2	ND	1,1		
	6/17/2003	11	2.1	0.47	3		
	9/9/2003	*	*	*	*		
	12/9/2003	30 (28)	0.63 (0.68)	ND	ND		
	3/10/2004	17	0.6	ND	ND		
	6/9/2004	5.2	3.6	ND	2.3		
	9/22/2004	11	5.2	ND	3.6		
	12/13/2004	19	0.35	ND	ND		
	3/23/2005	10	2.1	ND	1.5		
MW-2	6/20/2005	13	0.74	ND	ND		
10100-2	9/8/2005	4.5	5.4	ND	6.2		
	3/6/2006	16	0.33	ND	ND		
	9/21/2006	6.1	3.6	ND	3.6		
	3/16/2007	14	0.47	ND	0.28		
	9/13/2007	8.8	4.4	ND	4.5		
	2/28/2008	9.6	0.22	ND	ND		
	9/8/2008	8.6 (8.1)	1.9 (1.9)	ND	0.96 (1.0)		
	3/24/2009	11(11)	0.38 (0.28)	ND	ND		
	9/18/2009	5.2	4	ND	6.4		
	5/18/2010	6	ND	ND	ND		
	10/7/2010	8.3	1.3	ND	1.1		
	3/23/2011	7.9	ND	ND	ND		
	9/8/2011	7.2	1.5	ND	1.2		
	3/23/2012	7.0	ND	ND	ND		
	9/14/2012	5.3	0.74	ND	0.52		
	3/28/2013	2.8	ND	ND	ND		
	9/4/2013	4.4	0.70	ND	0.53		
	4/4/2014	3.3	ND ND	ND	ND		
	9/23/2014	2.9	0.73	ND	1.7		
					2000		
	3/17/2015	2.6	ND 0.54	ND	ND		
	9/28/2015	1.2	0.54	ND	6.2		
	6/15/2016	2.3	0.2	ND	ND		
	9/27/2016	1.6	0.47	ND	4.4		
	3/29/2017	0.6	ND	ND	ND		



Table 2: Historical Groundwater Analytical Results

Monitoring	Sampling	Volatile Organic Compounds (µg/L)					
Well ID	Date	PCE	TCE	VC	cis -1,2-DCE		
	10/22/1997	ND	ND	ND	1.09		
	2/19/1999	28	11	7	18		
	6/29/1999	12	8	4	8		
	9/15/1999	ND	10	ND	10		
	12/14/1999	12	8	10	14		
	3/22/2000	7	5	ND	7		
	9/27/2000	ND	ND	ND	12		
	12/20/2000	2	ND	ND	8		
	3/29/2001	3.8	4.5	3.3	8.5		
	6/14/2001	3.8	4.6	1.5	4.1		
	9/12/2001	ND	1.4	0.79	6.2		
	12/18/2001	1.8	5.7	0.98	5.2		
	3/26/2002	0.39	1.5	0.9	3.5		
	6/10/2002	ND	0.95	0.96	3.3		
	9/10/2002	0.23	1.3	0.74	4.3		
	12/9/2002	ND	0.55	0.74	2.6		
	3/13/2003	ND	0.5(0.50)	0.45(0.45)	2.7(2.7)		
	6/17/2003	ND	0.22	0.53	3		
	9/9/2003	ND	ND	0.36	2.7		
	12/9/2003	ND	0.45	0.33	3.1		
	3/11/2004	ND	0.48	0.42	1.8		
	6/9/2004	ND	ND	0.35	1.9		
	9/22/2004	ND	ND	0.51	2.0		
	12/13/2004	ND	0.25	0.31	2.4		
MW-3	3/23/2005	ND	ND ND	0.28	2.0		
	6/20/2005	ND	ND	ND ND	1.2 (1.3)		
	9/8/2005	ND	ND	0.23	1.1		
	3/16/2007	ND	ND	ND	0.88		
	9/13/2007	ND	ND	ND	0.62		
	2/28/2008	ND	ND	0.22	0.88		
	9/8/2008	ND	ND	ND	0.47		
	3/24/2009	ND	ND	ND ND	0.56		
	9/18/2009	ND	ND	ND ND	0.72 (0.73)		
	5/18/2010	ND	ND	ND ND	0.48 (0.52)		
	10/7/2010	ND	ND	ND ND	0.46 (0.52)		
	3/23/2011	ND	ND	ND ND	0.30		
	9/8/2011	ND	ND	ND ND	0.32		
	3/23/2012	ND	ND	ND ND	0.53		
	9/14/2012	ND	ND	ND ND	0.53		
	DELVATA AND STORY OF THE STORY	MANAGES 1	10 mag 2		Control of the contro		
	3/28/2013	ND	ND	ND	0.35		
	9/4/2013	ND	ND	ND	0.34		
	4/4/2014	ND	ND	ND	0.38		
	9/23/2014	ND	ND	ND	0.23		
	3/17/2015	ND	ND	ND	0.41		
	9/28/2015	ND	ND	ND	0.31		
	6/15/2016	ND	ND	ND	0.27		
	9/27/2016	*	*	*	*		
	3/29/2017	ND	ND	ND	0.29		



Table 2: Historical Groundwater Analytical Results

Monitoring	Sampling	Volatile Organic Compounds (μg/L)					
Well ID	Date	PCE	TCE	VC	cis -1,2-DCE		
	10/22/1997	11.8	5.99(0.50)	1.9	6.84		
	2/19/1999	74	17	16	26		
	6/29/1999	60	16	14	14		
	9/15/1999	42	19	19	16		
	12/14/1999	38	14	12	12		
	3/22/2000	36	9	ND	8		
	9/27/2000	16	12	8	14		
	12/20/2000	16	8	ND	8		
	3/29/2001	11	7.5	2.8	5.1		
	6/14/2001	6.8	6.1	1	2.1		
	9/12/2001	8.3	6.8	1.3	5.7		
	12/18/2001	12	6.3	1.7	3.4		
	3/26/2002	5.1	2.4	ND	1.1		
	6/10/2002	5.7	2.7	0.57	2		
	9/12/2002	5.4	3.9	0.66	3.4		
	12/9/2002	5	3	1.6	2.9		
	3/13/2003	6.3	1.8	ND	0.71		
	6/17/2003	2.7	2.6	0.69	4.4		
	9/9/2003	3.5	2.8	0.42	3.2		
	12/9/2003	5.7	2.5	0.37	2.9		
	3/11/2004	4.1	1.8	0.23	2.0		
	6/9/2004	1.8	2.2	0.33	2.4		
	9/22/2004	1	1.4	0.68	2.1		
	12/13/2004	3.8	1.3	ND	0.93		
	3/23/2005	2.2	1.0	ND	1.5		
MW-4	6/20/2005	0.74	0.93	0.57	2.1		
	9/8/2005	0.64 (0.65)	0.88 (0.88)	ND (ND)	2.3 (2.3)		
	3/6/2006	1.5 (1.4)	1.2 (1.3)	0.36 (0.33)	0.82 (0.85)		
	9/21/2006	0.99 (0.85)	1.1 (1.1)	0.22 (0.25)	1.7 (2.1)		
	3/16/2007	2.6 (2.7)	1.7 (1.7)	ND (ND)	1.2 (1.2)		
	9/13/2007	0.68 (0.63)	0.65 (0.71)	ND (ND)	1.2 (1.3)		
	2/28/2008	0.73 (0.72)	0.64 (0.61)	0.2 (ND)	1.1 (1.1)		
	9/8/2008	0.23	2.2	ND ND	4.6		
	3/24/2009	0.56	2.9	ND	4.8		
	9/18/2009	ND	1.2	ND	8.8		
	5/18/2010	0.27	1.6	ND	6.9		
	10/7/2010	ND	0.52	ND	2.4		
	3/23/2011	0.46	0.48	ND	0.66		
	9/8/2011	0.23 (0.25)	0.52 (0.58)	ND (ND)	5.6 (5.1)		
	3/23/2012	0.36 (0.34)	0.58 (0.57)	ND (ND)	0.48 (0.47)		
	9/14/2012	ND (ND)	0.23 (0.29)	ND (ND)	5.4 (6.1)		
	3/28/2013	ND (ND)	0.63 (0.62)	ND (ND)	3.4 (3.5)		
	9/4/2013	ND (ND)	0.21 (0.21)	ND (ND)	6.8 (6.7)		
	4/4/2014	0.31 (0.29)	0.37 (0.36)	ND (ND)	0.83 (0.85)		
	9/23/2014	ND (ND)	ND (ND)	ND (ND)	3.8 (3.9)		
	3/17/2015	ND (ND)	0.32 (0.34)				
	9/28/2015			ND (ND)	5.1 (5.4)		
		ND (ND)	ND (ND)	ND (ND)	4.6 (4.6)		
	6/15/2016	ND (ND)	ND (ND)	ND (ND)	6.0 (5.7)		
	9/27/2016	0.42 (0.37) ND (ND)	1.1 (1.1) 0.35 (0.36)	ND (ND) ND (ND)	5.5 (5.5) 3.6 (3.8)		



Table 2: Historical Groundwater Analytical Results

Monitoring	Sampling	Volatile Organic Compounds (µg/L)					
Well ID	Date	PCE	TCE	VC	cis-1,2-DCE		
	10/22/1997	ND	ND	ND	ND		
	2/19/1999	ND	ND	ND	ND		
	6/29/1999	ND	ND	ND	ND		
	9/15/1999	ND	ND	ND	ND		
	12/14/1999	ND	ND	ND	ND		
	3/22/2000	ND	ND	ND	ND		
	9/28/2000	ND	ND	ND	ND		
	12/20/2000	ND	ND	ND	ND		
	3/28/2001	ND	ND	ND	ND		
	6/14/2001	ND	ND	ND	ND		
	9/12/2001	ND	ND	ND	ND		
	12/18/2001	ND	ND	ND	ND		
	3/26/2002	ND	ND	0.21	0.44		
	6/10/2002	ND	ND	ND	0.21		
	9/10/2002	ND	ND	ND	0.46		
	12/9/2002	ND	ND	ND	0.26		
	3/13/2003	ND	ND	ND	ND		
	6/18/2003	ND	ND	ND	ND		
	9/9/2003	ND	ND	ND	ND		
	12/9/2003	ND	ND	ND	ND		
	3/10/2004	ND	ND	ND	ND		
	6/9/2004	ND	ND	ND	ND		
	9/22/2004	ND	ND	ND	ND		
	12/13/2004	ND	ND	ND	ND		
	3/23/2005	ND	ND	ND	ND		
	6/20/2005	ND	ND	ND	ND		
MW-9	9/8/2005	ND	ND	ND	ND		
	3/6/2006	ND	ND	ND	ND		
	9/21/2006	ND	ND	ND	ND		
	3/16/2007	ND	ND	ND	ND		
	9/13/2007	ND	ND	ND	ND		
	2/28/2008	ND	ND	ND	ND		
	9/8/2008	ND	ND	ND	ND		
	3/24/2009	ND	ND	ND	ND		
	9/18/2009	ND	ND	ND	ND		
	5/18/2010	ND	ND	ND	ND		
	10/7/2010	ND	ND	ND	ND		
	3/23/2011	ND	ND	ND	ND		
	9/8/2011	ND	ND	ND	ND		
	3/23/2012	ND	ND	ND	ND		
	9/14/2012	ND	ND	ND	ND		
			-				
	3/28/2013	ND	ND	ND	ND		
	9/4/2013	ND	ND	ND	ND		
	4/4/2014	ND	ND	ND	ND		
	9/23/2014	ND	ND	ND	ND		
	3/17/2015	ND	ND	ND	ND		
	9/28/2015	ND	ND	ND	ND		
	6/15/2016	ND	ND	ND ND	0.00+00-001		
		379,000			ND		
	9/27/2016	ND	ND	ND	ND		
	3/29/2017	ND	ND	ND	ND		



Table 2: Historical Groundwater Analytical Results

Monitoring	Sampling	Volatile Organic Compounds (μg/L)					
Well ID	Date	PCE	TCE	VC	cis -1,2-DCE		
	10/22/1997	ND	ND	1.39	2.53		
	2/19/1999	67	14	ND	22		
	6/29/1999	30	14	ND	11		
	9/15/1999	7	8	ND	7		
	12/14/1999	15	14	ND	21		
	3/22/2000	17	9	ND	11		
	9/28/2000	3	5	ND	5		
	12/20/2000	4	ND	ND	6		
	3/28/2001	4.2 (4.6)	6.6 (6.2)	2.1 (2.2)	11 (10)		
	6/14/2001	4.4	6	0.97	4.6		
	9/12/2001	1.1	4.4	1.2	3.6		
	12/18/2001	1.8	5.7	0.98	5.2		
MW-10	3/26/2002	1.1	5.1	0.76	5.1		
10100-10	6/10/2002	0.28	4.8	0.95	4.5		
	9/10/2002	1.3	2	ND	2.4		
	12/9/2002	ND	2.5	0.61	4.9		
	3/13/2003	ND	2.2	0.22	3.1		
	6/18/2003	ND	1.6	0.38	5.7		
	9/9/2003	ND	0.84	0.33	1.9		
	12/9/2003	0.31	3.6	0.59	7.5		
	3/11/2004	ND	2.8	0.53	5.7		
	6/9/2004	ND	0.64	1.3	4.4		
	9/22/2004	ND	0.94	1.1	3.2		
	12/13/2004	ND	0.81	0.51	4.8		
	3/23/2005	ND	0.62	0.62	4.1		
	6/20/2005	0.5	1.5	0.25	3.9		
	3/16/2007	1.1	1.1	0.28	7.10		
	9/13/2007	ND	1.5	ND	9.1		
	2/28/2008	ND	0.82	0.33	14		
	9/8/2008	ND	0.21	0.34	8.7		
	3/24/2009	ND	ND	0.24	6.5		
	9/18/2009	ND	ND	0.27	5		
	5/18/2010	ND	ND	0.52	5.2		
	10/7/2010	ND	ND	0.26 (0.21)	6.4 (6.3)		
	3/23/2011	ND	ND	ND (ND)	6.8 (6.8)		
	9/8/2011	ND	ND	0.43	4.1		
MW-10A	3/23/2012	ND	ND	0.21	4.5		
	9/14/2012	ND	ND	ND ND	4.1		
	3/28/2013	ND	ND	ND ND	4.7		
	9/4/2013	ND	ND	0.54	5.9		
	4/4/2014	ND	ND	ND			
					4.2		
	9/23/2014	ND	ND	0.39	5.5		
	3/17/2015	ND	ND	0.65	5.9		
	9/28/2015	ND	ND	0.41	3.7		
	6/15/2016	ND	ND	0.91	5.8		
	9/27/2016	ND	ND	0.37	3.2		
	3/29/2017	ND	ND	0.59	3.8		

Table 2: Historical Groundwater Analytical Results

Monitoring	Sampling	Volatile Organic Compounds (μg/L)					
Well ID	Date	PCE	TCE	VC	cis -1,2-DCE		
	6/29/1999	54	42	ND ND	45		
	9/15/1999	38	35	ND	41		
	12/14/1999	53	48	ND	67		
	3/22/2000	58	40	ND	28		
	9/27/2000	27	19	ND	16		
	12/20/2000	24	13	ND	9		
	3/28/2001	19	18	0.78	15		
	6/14/2001	24	17	0.49	6		
	9/12/2001	20	12	ND	4.5		
	12/18/2001	26	27	0.44	14		
	3/26/2002	24	21	ND	12		
	6/11/2002	22	14	ND	6.5		
	9/12/2002	14 (12)	11 (9.2)	ND (0.24)	5.8 (4.6)		
	12/9/2002	10 (10)	6.5 (6.6)	0.30 (0.29)	2.8 (2.7)		
	3/13/2003	12	9.3	0.27	3.8		
	6/18/2003	10	6.8	ND	4.3		
	9/9/2003	10	6.7	ND	1.9		
	12/9/2003	12	7.2	ND	2.7		
	3/10/2004	16 (15)	7.7 (7.4)	ND	2.2 (2.2)		
	6/9/2004	7.9	5.9	ND	2.3		
	9/22/2004	11(11)	7.7 (7.8)	ND (ND)	2.7 (2.7)		
	12/13/2004	9.7	5.9	ND	2.3		
	3/23/2005	8.0	5.1	ND	1.7		
	6/20/2005	4.9	3.1	ND	1.0		
MW-13	9/8/2005	5.0	3.9	ND	1.5		
	3/6/2006	8.2	3.5	ND	0.78		
	9/21/2006	4.2	2.8	ND	0.67		
	3/16/2007	6.8	3.1	ND	0.81		
	9/13/2007	3.1	2.2	ND	0.59		
	2/28/2008	5.7	1.4	ND	0.35		
	9/8/2008	1.8	2.4	ND	0.57		
	3/24/2009	4.3	1.4	ND	0.47		
	9/18/2009	2	2.2	ND ND	0.66		
	5/18/2010	4	1.4	ND ND	0.37		
	10/7/2010	1.9	2.5	ND	0.66		
	3/23/2011	4.8	1	ND ND	ND		
	9/8/2011	1.5	2.2	ND	0.47		
	3/23/2012	4.5	2.1	ND	0.55		
	9/14/2012	1.5	2	ND ND	0.51		
	3/28/2013	4.1	2.7	ND ND	0.87		
				ND ND	1.4		
	9/4/2013	3.1	3.4				
	4/4/2014	4.4	2.2	ND	0.54		
	9/23/2014	3.7	3.8	ND	1.1		
	3/17/2015	3.5	2.9	ND	1.2		
	9/28/2015	4.3	3.6	ND	1.1		
	6/15/2016	3	3.4	ND	0.74		
	9/27/2016	3.2	3.9	ND	1.1		
	3/29/2017	3.6	2.3	ND	0.49		



Table 2: Historical Groundwater Analytical Results

Monitoring	Sampling	Volatile Organic Compounds (μg/L)					
Well ID	Date	PCE	TCE	VC	cis -1,2-DCE		
	10/22/1997	ND	ND	7.7	25.2		
	2/19/1999	ND	ND	ND	ND		
MW-1	6/29/1999	ND	ND	ND	ND		
IVIVV-1	9/15/1999	ND	ND	ND	ND		
	12/14/1999	ND	ND	ND	ND		
	3/22/2000	ND	ND	ND	ND		
	10/22/1997	1.58	2.55	ND	ND		
	2/19/1999	ND	ND	ND	ND		
MW-5	6/29/1999	ND	ND	ND	ND		
10100-5	9/15/1999	ND	ND	ND	ND		
	12/14/1999	ND	ND	ND	ND		
	3/22/2000	ND	ND	ND	ND		
MW-6	10/22/1997	ND	ND	ND	ND		
10100	2/19/1999	ND	ND	ND	ND		
MW-7	10/22/1997	ND	ND	ND	ND		
	2/18/1999	ND	ND	ND	ND		
MW-8	10/22/1997	ND	ND	ND	ND		
	2/18/1999	ND	ND	ND	ND		
MW-11	10/22/1997	ND	ND	ND	ND		
10100-11	2/18/1999	ND	ND	ND	ND		
MW-12	10/22/1997	ND	ND	ND	ND		
10100-12	2/19/1999	ND	ND	ND	ND		
	6/29/1999	ND	ND	ND	ND		
	9/15/1999	ND	ND	ND	ND		
	12/14/1999	ND	ND	ND	ND		
	3/22/2000	ND	ND	ND	ND		
MW-14	9/27/2000	ND	ND	ND	ND		
	12/20/2000	ND	ND	ND	ND		
	3/28/2001	ND	ND	ND	ND		
	6/14/2001	ND	ND	ND	ND		
	9/12/2001	ND	ND	ND	ND		
MTCA Clear	nup Levels	5.0 A	5.0 A	0.2 A	16 B 1		

Notes:

Analytical results in parentheses represent duplicate samples.

**Bold Italic** = indicates the analytical result exceeds the MTCA Method A or B Cleanup Level.

ND = indicates sample was not detected above the laboratory analytical detection limit.

A = MTCA Method A Cleanup Level (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC). B = MTCA Method B formula value (Model Toxics Control Act Cleanup Regulation - Chapter 173-340 WAC and Model Toxics Control Act Cleanup Levels and Risk Calculations - February 1996).

cis -1,2-DCE = cis -1,2-Dichloroethene

PCE = Perchloroethylene = Tetrachloroethylene

TCE = Trichloroethene

VC = Vinyl Chloride

<sup>&</sup>lt;sup>1</sup> Current (2014) MTCA Method B value. Historical value was 80 μg/L.

<sup>\*</sup> Groundwater elevation resided beneath the well screen. Sample could not be collected.

Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	43.70	10/22/1997	12.41	31.29
			1/14/1998	10.06	33.64
			2/18/1999	8.86	34.84
			6/29/1999	12.35	31.35
			9/15/1999	13.45	30.25
			12/14/1999	9.01	34.69
			3/22/2000	10.14	33.56
			9/27/2000	13.59	30.11
			12/20/2000	12.60	31.10
			3/29/2001	12.30	31.40
			6/13/2001	12.06	31.64
			9/12/2001	13.43	30.27
			12/17/2001	6.63	37.07
			3/26/2002	9.82	33.88
			6/10/2002	11.85	31.85
			9/10/2002	13.33	30.37
			12/9/2002	13.80	29.90
			3/12/2003	11.22	32.48
			6/17/2003	12.41	31.29
			9/9/2003	14.02	29.68
			12/9/2003	9.59	34.11
			3/10/2004	10.21	33.49
			6/9/2004	12.85	30.85
			9/22/2004	12.91	30.79
			12/13/2004	11.17	32.53
			3/23/2005	12.55	31.15
MW-1			6/20/2005	10.95	32.75
				13.49	30.21
			9/8/2005	1502.050	33.81
			3/6/2006	9.89	
			9/21/2006	12.55	31.15
			3/16/2007	9.77	33.93
	NI []	40.00	9/13/2007	13.26	30.44
	New Elevation***	43.69	2/28/2008	9.68	34.01
			9/8/2008	NC	NC NC
			3/24/2009	9.91	33.78
į			9/18/2009	12.91	30.78
			5/18/2010	10.01	33.68
			10/7/2010	12.58	31.11
			3/23/2011	9.01	34.68
			9/8/2011	13.03	30.66
9			3/23/2012	8.27	35.42
	New Elevation****	47.39	7/9/2012		
			9/14/2012	Dry	Dry
			3/28/2013	10.34	37.05
			9/4/2013	14.15	33.24
5			4/4/2014	9.27	38.12
			9/23/2014	12.44	34.95
			3/17/2015	9.52	37.87
			9/28/2015	Dry	Dry
			6/15/2016	11.33	36.06
			9/27/2016	Dry	Dry
			3/29/2017	8.65	38.74



**Table 3: Historical Groundwater Elevations** 

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	44.95	10/22/1997	16.70	28.25
			1/14/1998	11.51	33.44
			2/18/1999	7.43	37.52
			6/29/1999	12.97	31.98
			9/15/1999	15.46	29.49
			12/14/1999	7.77	37.18
			3/22/2000	7.77	37.18
			9/27/2000	16.41	28.54
			12/20/2000	11.83	33.12
			3/28/2001	9.67	35.28
			6/13/2001	9.85	35.10
			9/12/2001	17.30	27.65
			12/17/2001	6.42	38.53
			3/26/2002	7.72	37.23
			6/10/2002	10.05	34.90
			9/10/2002	7.11	37.84
			12/9/2002	15.10	29.85
			3/12/2003	9.40	35.55
			6/17/2003	14.94	30.01
			9/9/2003	below screen	below screen
			12/9/2003	8.96	35.99
			3/10/2004	10.42	34.53
			6/9/2004	12.32	32.63
			9/22/2004	12.25	32.70
			12/13/2004	9.45	35.50
			3/23/2005	10.21	34.74
MW-2			6/20/2005	9.71	35.24
			9/8/2005	13.20	31.75
			3/6/2006	8.06	36.89
			9/21/2006	12.07	32.88
			3/16/2007	8.00	36.95
			9/13/2007	12.58	32.37
	New Elevation***	45.01	2/28/2008	8.69	36.32
	1404 Elevation	40.01	9/8/2008	10.8	34.21
			3/24/2009	8.85	36.16
			9/18/2009	13.15	31.86
			5/18/2010	9.1	35.91
			10/7/2010	11.17	33.84
			3/23/2011	7.55	37.46
			9/8/2011	11.57	33.44
			3/23/2012	6.97	38.04
	New Elevation****	48.59	7/9/2012		
	THEW Elevation	40.00	9/14/2012	11.8	36.79
			3/28/2013	8.01	40.58
			CONTROL OF ANY CONTROL OF	11.41	37.18
			9/4/2013		Control Door
	-		4/4/2014	7.54	41.05
			9/23/2014	12.25	36.34
			3/17/2015	7.84	40.75
			9/28/2015	13.56	35.03
			6/15/2016	10.18	38.41
			9/27/2016	13.83	34.76
			3/29/2017	6.29	42.30



Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	45.27	10/22/1997	17.11	28.16
			1/14/1998	14.26	31.01
			2/18/1999	12.43	32.84
			6/29/1999	17.36	27.91
			9/15/1999	18.70	26.57
			12/14/1999	12.72	32.55
			3/22/2000	14.22	31.05
			9/27/2000	18.72	26.55
			12/20/2000	17.13	28.14
			3/28/2001	16.81	28.46
			6/13/2001	16.82	28.45
			9/12/2001	18.40	26.87
			12/17/2001	10.67	34.60
			3/26/2002	13.52	31.75
			6/10/2002	16.53	28.74
			9/10/2002	18.35	26.92
			12/9/2002	18.12	27.15
			3/12/2003	15.50	29.77
			6/17/2003	17.09	28.18
			9/9/2003	19.30	25.97
			12/9/2003	13.70	31.57
				14.02	31.25
			3/10/2004		2-24-4-224-4
			6/9/2004	17.46	27.81
			9/22/2004	17.68	27.59
MW-3			12/13/2004	16.31	28.96
	w w		3/23/2005	15.04	30.23
			6/20/2005	16.11	29.16
			9/8/2005	18.48	26.79
			3/16/2007	13.15	32.12
			9/13/2007	17.93	27.34
			2/28/2008	12.45	32.82
			9/8/2008	15.15	30.12
			3/24/2009	13.99	31.28
			9/18/2009	17.73	27.54
			5/18/2010	13.96	31.31
			10/7/2010	16.73	28.54
			3/23/2011	10.34	34.93
			9/8/2011	17.47	27.80
			3/23/2012	9.03	36.24
	New Elevation****	48.91	7/9/2012		
			9/14/2012	18.41	30.5
			3/28/2013	10.47	38.44
			9/4/2013	17.46	31.45
			4/4/2014	9.34	39.57
			9/23/2014	15.47	33.44
			3/17/2015	8.54	40.37
			9/28/2015	17.56	31.35
			6/15/2016	12.52	36.39
			9/27/2016	Dry	Dry
			3/29/2017	8.80	40.11



**Table 3: Historical Groundwater Elevations** 

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	44.44	10/22/1997	16.18	28.26
	silted up to 18-19'		1/14/1998	13.13	31.31
			2/18/1999	11.85	32.59
			6/29/1999	15.44	29.00
			9/15/1999	17.76	26.68
			12/14/1999	9.46	34.98
			3/22/2000	10.50	33.94
1			12/9/2002	15.97	28.47
			12/20/2000	12.66	31.78
			3/28/2001	9.64	34.80
			6/13/01/	9.68	34.76
			9/12/2001	15.32	29.12
			12/17/2001	8.42	36.02
			3/26/2002	8.60	35.84
			6/10/2002	10.24	34.20
			9/10/2002	14.40	30.04
			12/9/2002	15.50	28.94
			3/12/2003	9.00	35.44
			6/17/2003	10.53	33.91
3			9/9/2003	13.2	31.24
			12/9/2003	9.56	34.88
			3/10/2004	8.46	35.98
			6/9/2004	11.97	32.47
39			9/22/2004	12.83	31.61
			12/13/2004	9.86	34.58
1000000000000			3/23/2005	16.36	28.08
MW-4			6/20/2005	10.03	34.41
1			9/8/2005	13.53	30.91
			3/6/2006	8.10	36.34
			9/21/2006	14.81	29.63
			3/16/2007	10.45	33.99
			9/13/2007	14.45	29.99
	New Elevation***	44.32	2/28/2008	10.74	33.58
	14CW Elevation	44.52	9/8/2008	14.70	29.62
			3/24/2009	12.80	31.52
			9/18/2009	16.56	27.76
			5/18/2010	14.00	30.32
19			10/7/2010	15.48	28.84
			3/23/2011	10.43	33.89
			9/8/2011	16.62	27.70
			3/23/2012	9.02	35.30
	New Elevation****	47.96	7/9/2012	3.02	
		11.00	9/14/2012	17.36	30.6
			3/28/2013	12.08	35.88
			9/4/2013	17.19	30.77
			4/4/2014	11.70	36.26
			9/23/2014	16.66	31.30
			3/17/2015	12.37	35.59
			9/28/2015	17.37	30.59
			6/15/2016	16.47	31.49
			9/27/2016	18.02	29.94
			3/29/2017	13.33	34.63



Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	44.87	10/22/1997	14.42	30.02
			1/14/1998	NA**	NA**
			2/18/1999	7.69	37.18
			6/29/1999	10.10	34.77
			9/15/1999	11.12	33.75
			12/14/1999	8.06	36.81
			3/22/2000	8.25	36.62
			9/27/2000	11.58	33.29
			12/20/2000	9.84	35.03
			3/29/2001	9.51	35.36
			6/13/2001	9.32	35.55
			9/12/2001	10.63	34.24
			12/17/2001	6.60	38.27
			3/26/2002	7.21	37.66
			6/10/2002	9.65	35.22
			9/10/2002	9.30	35.57
			12/9/2002	9.66	35.21
			3/12/2003	8.38	36.49
			6/17/2003	9.97	34.9
			9/9/2003	11.64	33.23
			12/9/2003	8.66	36.21
			3/10/2004	7.91	36.96
			6/9/2004	11.36	33.51
			9/22/2004	10.15	34.72
			12/13/2004	8.91	35.96
NAVA/ E			3/23/2005	10.04	34.83
MW-5			6/20/2005	9.00	35.87
			9/8/2005	10.83	34.04
			3/6/2006	7.77	37.10
			9/21/2006	10.61	34.26
			3/16/2007	7.15	37.72
			9/13/2007	10.44	34.43
	New Elevation***	44.92	2/28/2008	8.82	36.10
			9/8/2008	9.79	35.13
			3/24/2009	8.71	36.21
			9/18/2009	10.97	33.95
			5/18/2010	9.02	35.90
			10/7/2010	9.98	34.94
			3/23/2011	6.86	38.06
			9/8/2011	10.42	34.50
			3/23/2012	6.35	38.57
	New Elevation****	48.52	7/9/2012		
			9/14/2012	10.69	37.83
			3/28/2013	7.93	40.59
			9/4/2013	10.43	38.09
			4/4/2014	8.09	40.43
			9/23/2014	10.13	38.39
			3/17/2015	6.37	42.15 <sup>1</sup>
			9/28/2015	10.52	38.00
			6/15/2016	9.73	38.79
			9/27/2016	11.13	37.39
			3/29/2017	5.87	42.65



Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	45.22	10/22/1997	11.01	33.43
			1/14/1998	9.63	35.59
			2/18/1999	8.43	36.79
			6/29/1999	10.70	34.52
			9/15/1999	11.86	33.36
			12/14/1999	8.69	36.53
			3/22/2000	8.80	36.42
			9/27/2000	11.24	33.98
			12/20/2000	10.45	34.77
			3/28/2001	10.19	35.03
			6/13/2001	9.83	35.39
			9/12/2001	10.69	34.53
Ī			12/17/2001	7.61	37.61
			3/26/2002	8.01	37.21
			6/10/2002	9.62	35.60
			12/9/2002	10.30	34.92
			3/12/2003	9.40	35.82
			6/17/2003	10.03	35.19
			9/9/2003	13.11	32.11
			12/9/2003	9.05	36.17
			3/10/2004	8.79	36.43
			6/9/2004	11.40	33.82
			9/22/2004	10.21	35.01
			12/13/2004	9.71	35.51
			3/23/2005	9.84	35.38
MW-6			6/20/2005	8.44	36.78
			9/8/2005	10.55	34.67
			3/6/2006	8.00	37.22
			9/21/2006	10.06	35.16
			3/16/2007	8.48	36.74
1			9/13/2007	10.17	35.05
1	New Elevation***	45.27	2/28/2008	9.13	36.14
1	THEW Elevation	40.27	9/8/2008	9.50	35.77
			3/24/2009	9.09	36.18
			9/18/2009	10.76	34.51
			5/18/2010	9.30	35.97
			10/7/2010	9.62	35.65
			3/23/2011	7.84	37.43
			9/8/2011	10.18	35.09
			3/23/2012	7.52	37.75
	New Elevation****	48.84	7/9/2012	7.52	37.75
-	14CW LICVATION	40.04	9/14/2012	10.51	38.33
			3/28/2013	8.20	40.64
-			9/4/2013	9.81	39.03
				7.90	40.94
			4/4/2014		BASTESTA CL
			9/23/2014	9.30	39.54
			3/17/2015	7.95	40.89
			9/28/2015	10.54	38.30
			6/15/2016	9.58	39.26
ļ			9/27/2016	10.96	37.88
			3/29/2017	7.32	41.52



Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20		40/00/4007		
-	10 - 20	44.01	10/22/1997	18.59	25.85
}			1/14/1998	15.79	28.22
-			2/18/1999	14.27	29.74
-			6/29/1999	18.89	25.12
			9/15/1999	19.91	24.10
			12/14/1999	14.19	29.82
			3/22/2000	16.16	27.85
			9/27/2000	19.75	24.26
			12/20/2000	18.44	25.57
			3/28/2001	18.36	25.65
MW-7			6/13/2001	18.36	25.65
			9/12/2001	19.43	24.58
			12/17/2001	12.65	31.36
Į			3/26/2002	15.81	28.20
			6/10/2002	18.21	25.80
			9/10/2002	19.79	24.22
			12/9/2002	19.52	24.49
[			3/12/2003	17.02	26.99
Ì			6/17/2003	18.44	25.57
[			9/9/2003	19.88	24.13
			9/16/2003	abandoned	abandoned
	10 - 20	46.23	10/22/1997	20.79	23.65
			1/14/1998	17.95	28.28
			2/18/1999	16.51	29.72
			6/29/1999	21.11	25.12
			9/15/1999	22.17	24.06
1			12/14/1999	16.43	29:80
			3/22/2000	18.34	27.89
			9/27/2000	22.02	24.21
1			12/20/2000	20.66	25.57
İ			3/28/2001	20.52	25.71
MW-8			6/13/2001	20.54	25.69
			9/12/2001	21.63	24.60
			12/17/2001	14.86	31.37
1			3/26/2002	18.00	28.23
1			6/10/2002	20.38	25.85
-			9/10/2002	22.00	24.23
1			12/9/2002	21.74	24.49
ŀ			3/12/2003	19.22	27.01
1			6/17/2003	20.60	25.63
1			9/9/2003	22.09	24.14
+			9/16/2003	abandoned	abandoned



Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	44.83	10/22/1997	16.15	28.29
			1/14/1998	13.23	31.60
			2/18/1999	10.51	34.32
			6/29/1999	15.60	29.23
			9/15/1999	17.67	27.16
			12/14/1999	11.02	33.81
			3/22/2000	11.89	32.94
			9/27/2000	17.01	27.82
			12/20/2000	15.58	29.25
			3/28/2001	15.02	29.81
			6/13/2001	14.84	29.99
			9/12/2001	16.88	27.95
			12/17/2001	8.74	36.09
			3/26/2002	11.42	33.44
			6/10/1992	14.64	30.19
			9/10/2002	16.23	28.60
			12/9/2002	16.78	28.05
			3/12/2003	13.65	31.18
			6/17/2003	15.34	29.49
			9/9/2003	18.15	26.68
			12/9/2003	12.59	32.44
			3/10/2004	12.68	32.15
			6/9/2004	15.76	29.07
			9/22/2004	15.94	28.89
			12/13/2004	14.04	30.79
			3/23/2005	14.08	30.75
MW-9			6/20/2005	14.51	30.32
			9/8/2005	17.33	27.5
			3/6/2006	11.65	33.18
			9/21/2006	16.15	28.68
			3/16/2007	12.07	32.76
			9/13/2007	16.94	27.89
			2/28/2008	12.57	32.26
			9/8/2008	15.32	29.51
			3/24/2009	14.18	30.65
			9/18/2009	16.79	28.04
			5/18/2010	13.68	31.15
			10/7/2010	15.73	29.1
	*\	Vell box replaced.	3/23/2011	10.47	34.36
	These water levels wer		9/8/2011	16.63	31.81
	the 7/9/12 surv		3/23/2012	10.10	38.3
	New Elevation****	48.44	7/9/2012		
		A-TRIAL	9/14/2012	16.09	32.35
			3/28/2013	12.34	36.1
			9/4/2013	16.29	32.15
			4/4/2014	11.25	37.19
			9/23/2014	15.66	32.78
			3/17/2015	11.61	36.83
			9/28/2015	16.77	31.67
			6/15/2016	15.12	33.32
			9/27/2016	18.02	30.42
			3/29/2017	9.71	38.73



Table 3: Historical Groundwater Elevations

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	44.84	10/22/1997	16.61	27.83
			1/14/1998	13.86	30.98
			2/18/1999	12.11	32.73
			6/29/1999	16.91	27.93
			9/15/1999	18.22	26.62
			12/14/1999	12.37	32.47
			3/22/2000	13.87	30.97
			9/27/2000	18.24	26.60
			12/20/2000	16.63	28.21
			3/28/2001	16.40	28.44
			6/13/2001	16.43	28.41
			9/12/2001	17.92	26.92
			12/17/2001	9.92	34.92
MW-10			3/26/2002	12.32	35.52
			6/10/2002	16.14	28.70
			9/10/2002	12.84	32.00
			12/9/2002	18.08	26.76
			3/12/2003	15.12	29.72
			6/17/2003	16.67	28.17
			9/9/2003	18.80	26.04
			12/9/2003	13.56	31.28
			3/10/2004	13.75	31.09
			6/9/2004	17.04	27.80
			9/22/2004	17.22	27.62
			12/13/2004	14.97	29.87
			3/23/2005	16.21	28.63
			6/20/2005 8/31/2005	15.88 abandoned	28.96 abandoned
	15 - 20	44.74	3/16/2007	13.80	30.94
	15-20	44.74	9/13/2007	17.67	27.07
			2/28/2008	13.80	30.94
			9/8/2008	15.93	28.81
			3/24/2009	15.26	29.48
			9/18/2009	17.19	27.55
			5/18/2010	14.89	29.85
			10/7/2010	16.72	
					28.02
			3/23/2011	12.83	31.91
			9/8/2011	17.64	27.10
			3/23/2012	12.03	32.71
MW-10A	New Elevation****	48.37	7/9/2012		
	L.D./Glion	10.01	9/14/2012	17.52	30.85
			3/28/2013	14.20	34.17
			9/4/2013	17.39	30.98
			4/4/2014	13.40	34.97
			9/23/2014	17.26	31.11
			3/17/2015	14.27	34.10
			9/28/2015	17.91	30.46
			6/15/2016	16.95	31.42
			9/27/2016	18.45	29.92
			3/29/2017	13.93	34.44

Table 3: Historical Groundwater Elevations

(feet bgs) 10 - 25				Elevation
10 - 25	47 40	40/22/4007	,	22.53
	47.10		100000000000000000000000000000000000000	28.13
				29.67
				24.94
				23.87
				29.74
	Reference Elevation*         Date         Depth to Water (feet below TOC)           47.18         10/22/1997         21.91           1/14/1998         19.05           2/18/1999         17.51           6/29/1999         22.24           9/15/1999         23.31           12/14/1999         17.44           3/22/2000         19.42           9/27/2000         23.13           12/20/2000         21.75           3/28/2001         21.64           6/13/2001         21.85           9/12/2001         22.73           12/17/2001         15.94           3/26/2002         19.10           6/10/2002         21.50           9/10/2002         23.13           12/9/2002         22.84           3/12/2003         20.28           6/17/2003         21.78           9/9/2003         23.20           9/16/2003         abandoned           44.03         10/22/1997         17.41           1/14/1998         14.16           2/18/1999         12.95           6/29/1999         17.65           9/15/1999         18.81           12/14/1999         12.84 <td>27.76</td>	27.76		
				24.05
				25.43
				25.54
				25.33
				24.45
				31.24
		3/26/2002		28.08
		6/10/2002		25.68
		9/10/2002	23.13	24.05
		12/9/2002	22.84	24.34
		3/12/2003	20.28	26.90
		6/17/2003	21.78	25.40
		9/9/2003	23.20	23.98
		9/16/2003	abandoned	abandoned
10 - 25	44.03		17.41	27.03
		1/14/1998	17.41	29.87
		2/18/1999	12.95	31.08
		6/29/1999	17.65	26.38
		9/15/1999	18.81	25.22
		12/14/1999	12.84	31.19
		3/22/2000	14.68	29.35
		9/27/2000	18.78	25.25
				26.73
				26.78
				26.78
				25.54
				32.92
				29.57
				26.98
				25.25
				25.41
	31			28.09
				26.64
				24.97
				abandoned
	10 - 25	10 - 25 44.03	9/15/1999 12/14/1999 3/22/2000 9/27/2000 12/20/2000 12/20/2000 3/28/2001 6/13/2001 9/12/2001 12/17/2001 3/26/2002 6/10/2002 9/10/2002 12/9/2003 9/16/2003 9/16/2003 10 - 25 44.03 10/22/1997 1/14/1998 2/18/1999 6/29/1999 9/15/1999 12/14/1999 3/22/2000 9/27/2000 12/2/2000 12/2/2000 3/28/2001 6/13/2001 9/12/2001	9/15/1999 23.31 12/14/1999 17.44 3/22/2000 19.42 9/27/2000 23.13 12/20/2000 21.75 3/28/2001 21.64 6/13/2001 21.85 9/12/2001 22.73 12/17/2001 15.94 3/26/2002 19.10 6/10/2002 21.50 9/10/2002 23.13 12/9/2002 23.13 12/9/2003 23.20 9/16/2003 abandoned 10 - 25 44.03 10/22/1997 17.41 1/14/1998 14.16 2/18/1999 12.95 6/29/1999 17.65 9/15/1999 18.81 12/14/1999 12.84 3/22/2000 14.68 9/27/2000 18.78 12/20/2000 17.30 3/28/2001 17.25 6/13/2001 18.49 12/17/2001 11.11 3/26/2002 18.62 3/12/2002 18.62 3/12/2003 15.94 6/17/2003 17.39 9/9/2003 17.39



**Table 3: Historical Groundwater Elevations** 

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	43.86	6/29/1999	11.27	32.59
			9/15/1999	12.50	31.36
			12/14/1999	6.86	37.00
			3/22/2000	7.47	36.39
			9/27/2000	12.26	31.60
			12/20/2000	12.02	31.84
			3/28/2001	9.86	34.00
			6/13/2001	10.71	33.15
			9/12/2001	12.00	31.86
			12/17/2001	5.49	38.37
			3/26/2002	7.12	36.74
			6/10/2002	9.84	34.02
			9/10/2002	9.59	34.27
			12/9/2002	10.10	33.76
			3/12/2003	9.61	34.25
			6/17/2003	10.66	33.20
			9/9/2003	12.62	31.24
			3/10/2004	7.61	36.25
			6/9/2004	10.99	32.87
			9/22/2004	11.85	32.01
			12/13/2004	12.47	31.39
			3/23/2005	9.57	34.29
			6/20/2005	9.90	33.96
A 2001 - 1000			9/8/2005	11.78	32.08
MW-13			3/6/2006	7.27	36.59
			9/21/2006	11.78	32.08
			3/16/2007	7.45	36.41
			9/13/2007	11.76	32.10
	New Elevation***	43.89	2/28/2008	7.80	36.09
			9/8/2008	10.74	33.15
			3/24/2009	8.41	35.48
			9/18/2009	11.93	31.96
			5/18/2010	8.6	35.29
			10/7/2010	11.52	32.37
			3/23/2011	7.02	36.87
			9/8/2011	11.52	32.37
			3/23/2012	6.70	37.19
	New Elevation****	47.47	7/9/2012		
	THE LIGHT COLOR		9/14/2012	11.28	36.19
			3/28/2013	7.74	39.73
			9/4/2013	10.34	37.13
-			4/4/2014	7.45	40.02
			9/23/2014	10.96	36.51
			3/17/2015	7.01	40.46
			9/28/2015	10.62	36.85
			6/15/2016	9.31	38.16
			9/27/2016	10.95	36.52
			3/29/2017	5.85	41.62



**Table 3: Historical Groundwater Elevations** 

Well No.	Screened Interval (feet bgs)	Reference Elevation*	Date	Depth to Water (feet below TOC)	Groundwater Elevation
	10 - 20	45.90	6/29/1999	17.02	28.88
			9/15/1999	18.39	27.51
			12/14/1999	12.33	33.5 7
			3/22/2000	13.77	32.13
			9/27/2000	18.45	27.45
			12/20/2000	17.00	28.90
			3/28/2001	16.56	29.34
				16.58	29.32
			6/13/2001		1500 00000
			9/12/2001	18.12	27.78
			12/17/2001	9.94	35.96
			3/26/2002	13.40	32.50
			6/10/2002	16.22	29.68
			9/10/2002	18.95	26.95
			12/9/2002	18.19	27.71
			3/12/2003	15.22	30.68
			6/17/2003	16.79	29.11
			9/9/2003	18.98	26.92
			3/10/2004	13.81	32.09
			6/9/2004	17.20	28.70
			9/22/2004	17.41	28.49
					COMPANIES AND
			12/13/2004	15.36	30.54
			3/23/2005	16.36	29.54
√W-14			6/20/2005	16.06	29.84
			9/8/2005	18.25	27.65
			3/6/2006	13.01	32.89
			9/21/2006	17.04	28.86
			3/16/2007 9/13/2007	13.64 17.96	32.26 27.94
	New Elevation***	45.89	2/28/2008	12.75	33.14
	New Lievation	45.05	9/8/2008	16.19	29.70
	4		3/24/2009	11.37	34.52
			9/18/2009	>12.41†	
			5/18/2010	11.49	34.40
			10/7/2010	>12.41†	755
			3/23/2011	10.17	35.72
			9/8/2011	>12.41†	222
			3/23/2012	9.67	36.22
	New Elevation****	49.5	7/9/2012		***
			9/14/2012	Dry	Dry
			3/28/2013	Dry	Dry 27.45
			5/2/2013 9/4/2013	12.05 16.21	37.45 33.29
			4/4/2014	10.58	38.92
		-	9/23/2014	16.96	32.54
			3/17/2015	11.61	37.89
			9/28/2015	Dry	Dry
			6/15/2016	16.70	32.80
			9/27/2016	Dry	Dry
			3/29/2017	10.78	38.72

#### Notes

\* These elevations are of the top of the PVC well casing measured in feet above mean sea level (MSL).

TOC = top of PVC well casing.

NC = Not Collected due to damaged well monument.

bgs = below ground surface.




<sup>\*\*</sup> MW-5 was not accessible for the 1/14/98 measurement.


<sup>\*\*\*</sup>Wells re-surveyed November 2007 and reported in NGVD29 datum.


<sup>\*\*\*\*</sup>Wells re-surveyed in July 2013 and reported in NAVD88 datum.

<sup>1</sup> Anomalous groundwater elevation reading. Value was not used in contouring.

<sup>†</sup> No water was observed in the well. Bottom of the well was tagged at 12.41 feet below TOC on 9/18/2009. Well was jet-routed on 11/13/2012 and bottom of well tagged at 18.41 feet below TOC.







PREPARED

REVIEWED


APPROVED

REDMOND

EA

EA

PROJECT NO. PHASE REV. FIGURE 152539317 100 A 3



CONSULTANT



YYYY-MM-DD	2017-04-24	
DESIGNED		
PREPARED	REDMOND	
REVIEWED	EA	
APPROVED	EA	


BEAR CREEK GROUNDWATER MONITORING - MARCH 2017 BEAR CREEK SHOPPING CENTER REDMOND, WA

TITLE

#### GROUNDWATER CONCENTRATIONS - SOUTHEAST AREA

PROJECT NO.	PHASE	REV.	FIGURE
152539317	100	Α	4

#### **MW-2 HVOC Detections**






Note: Use of different analytical methods causes variability in Laboratory Detection Limits. On 9/9/2003 the water level was below the screen, so no sample was collected.

Figure 5a MW-2 HVOC Detections Over Time March 2017 Groundwater Monitoring Event



#### **MW-2 PCE Trend**








Note: Use of different analytical methods causes variability in Laboratory Detection Limits. On 9/9/2003 the water level was below the screen, so no sample was collected.


Figure 5b MW-2 PCE Trend Over Time March 2017 Groundwater Monitoring Event













#### MW-10 and MW-10A HVOC Detections






Notes:

Use of different analytical methods causes variability in Laboratory Detection Limits. MW-10 was abandoned after June 2005 sampling event. MW-10A is the replacement well for MW-10, installed in March 2007.

Figure 8a - MW-10 and MW-10A HVOC Detections Over Time March 2017 Groundwater Monitoring Event



#### MW-10 and MW-10A Vinyl Chloride Trend








Figure 8b - MW-10 and MW-10A Vinyl Chloride Trend Over Time March 2017 Groundwater Monitoring Event











#### **PCE Detections**






Note: use of different analytical methods causes variability in Laboratory Detection Limits

Figure 10 - PCE Detections Over Time March 2017 Groundwater Monitoring Event



#### **TCE Detections**






Note: use of different analytical methods causes variability in Laboratory Detection Limits

Figure 11 - TCE Detections Over Time March 2017 Groundwater Monitoring Event



#### **Vinyl Chloride Detections**






Figure 12 - Vinyl Chloride Detections Over Time March 2017 Groundwater Monitoring Event



APPENDIX A SAMPLE INTEGRITY DATA SHEETS

Plant/Site Bear Cree	Pro	ject No. <u>15</u>	2-5393-17.100	
Site Location Redm	ond, WA	San	nple ID	S-WI
Sampling Location	Groundwater Mon	nitoring well - end of	dedicated s	ampling tube
Technical Procedure	e Reference(s) T	G 1.2-23; TG 1.4-6a;	TG 1.2-20	10 1 1
Type of Sampler pe	ristaltic pump			
Date 3/29/17		Time _	1350	
Media water	2	Station	MW-2	
Sample Type:	grab	time composite	+	space composite
Sample Acquisition	Measurements (d	lepth, volume of stati	c well water	and purged water, etc.)
Static Water Level:	6.51 BTOC	308		
Screened Interval:	10-20			
Pump intake at: ~ \8	g' BTOC			
Sample Description	Clear			
Field Measurements	on Sample (pH,	conductivity, etc.)		
See Field Parameters	Sheet			
Aliquot Amount		Container		Preservation / Amount
3- 40 mL	HVOC	VOA Vial		HCl
	-			
-				
	*			
Sampler (signature)	m	Date	3/29/17	
Supervisor (signatur			3/30/17	
(aigiment		Date	1/30/1	

Well II	MW-2	
Date_	3/29/17	
Time B	Begin Purge 1309	
Time C	Collect Sample 1350	

Water Level feet bmp	Time	Volume Purged	рН	Conductivity uS/cm	Temp.	Turbidity NTU	DO mg/L	eH rel mV
6.46	1319	_	5,93	48.7	10.7	4.73	2.99	85.5
6.47	1324		5.88	48.0	10.7	4.65	2.91	87.4
6,47	1329		5.85	47.8	10.7	4.66	2.93	90.4
6.48	1334	_	5.82	48.4	10.7	4.92	3.01	93.1
6.49	1339	-	5.84	49.0	10.7	5.20	3.01	94.8
6.49	1344		5.84	48.8	10.7	5,13	2.96	97.0

Comments:		
	Purge Rate: 240 ml/min	

Sampler's Initials 34

Plant/Site Bear Cre	ek Village	Pro	ject No. 1	52-5393-17.100
Site Location Redm	nond, WA	San	nple ID	MW-3
Sampling Location	Groundwater Mo	onitoring well - end of	dedicated	sampling tube
Technical Procedur	e Reference(s) _]	rG 1.2-23; TG 1.4-6a;	TG 1.2-20	
Type of Sampler pe	eristaltic pump			· · · · · · · · · · · · · · · · · · ·
Date 3/29/17				
Media water		Station	MW-3	
Sample Type:	grab	time composite	:	space composite
Sample Acquisition	Measurements (	depth, volume of stati	c well wate	er and purged water, etc.)
Static Water Level:	8.89 BTOC	@ 1604	SMR.	
Screened Interval:	10-20			
Pump intake at: ~	₹' BTOC			
Sample Description	Clear to light	ly cloudy		
WO 10		, ,		
Field Measurements	s on Sample (pH	, conductivity, etc.)		
See Field Parameters				
Aliquot Amount		Container		Preservation / Amount
3- 40 mL	HVOC	VOA Vial		HCl
				100
Sampler (signature)	n	Date	e 3/29/1	7
Supervisor (signatu		1	e 3/30/1	
(n.Piraca		Date	-/ 30/1	1

Well I	D_MW-3	_
Date_	3/29/17	
Time I	Begin Purge \605	
Time (	Collect Sample 1642	

	1615	-		uS/cm	°C	Turbidity NTU	DO mg/L	eH rel mV
0 /-		_	6.19	173.4	12.0	7,88	0.55	20,5
9.68	1620	-	6.18	183.0	12.0	7.29	0.40	3.0
9.73	1625	_	6.17	187.1	12.0	13.4	0.33	-13.0
9.74	1630	_	6.18	188.3	11.9	18.3	0.29	-23.4
9.71	1635	-	6.18	188.5	11.9	21.9	0.27	-31.6
9.77	1640	_	6.18	188.0	11.9	23.2	0.26	-37.7

Comments:	Left	tubing	in	vell			
		Purge l	Rate:	220 ml/min			

		JY	
Sampler's	Initials	01	

Plant/Site Bear Creek	Village	Proj	ect No. 152-5393-17.100
Site Location Redmo	nd, WA	Sam	ple ID MW-4 + MW-44 chaptical
Sampling Location (	Groundwater Mor	nitoring well - end of	dedicated sampling tube
Technical Procedure	Reference(s) To	G 1.2-23; TG 1.4-6a; 7	ГG 1.2-20
Type of Sampler per	istaltic pump		
Date 3/29/17		Time\	540 1543 dupliente
Media water		Station	MW-4
Sample Type:	grab	time composite	space composite
Sample Acquisition N	Aeasurements (d	epth, volume of static	well water and purged water, etc.)
Static Water Level: 1	3.01 BTOC @	1502	
Screened Interval:	0-20		
Pump intake at: ~ 18	' BTOC		
Sample Description _	Clear		
See Field Parameters			
Aliquot Amount	***************************************	Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl
Sampler (signature)	M	Data	3/29/17
Supervisor (signature)			3/30/17
ouper visor (signature	.,	Date	21 171

Well ID MW-4

Date 3/29/17

Time Begin Purge 1503

Time Collect Sample 1540 1543 duplicate

Water Level feet bmp	Time	Volume Purged	pН	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
14.15	1513	1	<b>pH</b> 5.89	238.2	11.0	58.5	0.67	83.1
14.28	1518	_	5.84	233.5	11.2	18.1	0.71	67.1
14.36	1523	-	5.80	231.6	11.3	10.3	0.39	56.4
14,44	1528	_	5.82	229.5	11.3	7.92	0.33	45.6
14.51	1533	_	5.86	228.6	11.3	4.75	0.33	35.5
14.61	1538	_	5.90	228.7	11.2	6.43	0.35	27.1

Comments:	Left	tubing	in h	rell							
Plug	of	orange	Solids	came	out	first	at	H.e	Start	°t	burge

Purge Rate: 240 mL/min

Sampler's Initials 34

	Proje	ct No. <u>152-5393-17.100</u>
Site Location Redmond, WA	Samp	le ID
Sampling Location Groundwater Mon		
Technical Procedure Reference(s) TO	G 1.2-23; TG 1.4-6a; T	G 1.2-20
Type of Sampler peristaltic pump	1	
Date 3/29/17	Time	42
Media water	Station _	WW-2 3/30 MW-9
Sample Type: grab	time composite	space composite
Sample Acquisition Measurements (d	epth, volume of static	well water and purged water, etc.)
Static Water Level: \0.26 BTOC @		
Screened Interval: 10 - 20	. No.	
Pump intake at: ~   \{ BTOC		
Sample Description _ Clear		
*		
Field Measurements on Sample (pH, o	conductivity, etc.)	
Field Measurements on Sample (pH, o	conductivity, etc.)	
	Container	
See Field Parameters Sheet		Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container VOA Vial	Preservation / Amount

Well ID	MW-9
Date	3/29/17
Time Be	egin Purge_1105
	llect Sample 1147

Water Level feet bmp	Time	Volume Purged	рН	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
10.17	1115	+	5.49	245.0	10.9	2.09	0.83	81.8
10.18	1120	-	5.80	240.0	10.8	2.02	0.46	39.2
10.18	1125	_	5.78	238.3	10.8	1.83	0.38	28.8
10.20	1130	-	5.76	237.1	10.8	1.88	0.33	22.4
10.21	1135	_	5.74	235.9	10.8	1.78	0.30	20.3
(0.12	1140	_	5.72	235.2	10.7	1.92	0.28	18.9

						J
						_
Comments:						1
						1
						1
						1
						1
						1
						l
						١
						1
	Donne Deter	010	. 1 =			1
	Purge Rate:	LLU	mllmin			1
						1

Sampler's Initials\_\_\_\_\_\_\_\_\_\_\_\_

Plant/Site Bear Cre	ek Village	Proj	ect No. 152-	5393-17.100
Site Location Redn	nond, WA	Sam	ple ID	W-10A
Sampling Location	Groundwater Mor	nitoring well – end of	dedicated sar	npling tube
<b>Technical Procedur</b>	e Reference(s) <u>To</u>	G 1.2-23; TG 1.4-6a; T	ΓG 1.2-20	. <u> </u>
Type of Sampler pe				
Date 3/29/17				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Media water		Station	MW-10A	
Sample Type:	grab	time composite		space composite
Sample Acquisition	Measurements (d	lepth, volume of static	well water a	and purged water, etc.)
Static Water Level:	13.95 BTOC @	9 1404		
Screened Interval:	10-20			
Pump intake at: $\sim$	BTOC			
Sample Description	Clear			The second second
	*			
Field Measurements	s on Sample (pH,	conductivity, etc.)		
See Field Parameters	s Sheet			
		- Committee of the Comm		
Aliquot Amount		Container		Preservation / Amount
3- 40 mL	HVOC	VOA Vial		HCl
	40		01 :	
Sampler (signature)		Date	3/29/17	
Supervisor (signatu	re) Erichan	Date	3/38/17	

Well ID MW-10A	
Date 3/29/17	
Time Begin Purge 1405	_
Time Collect Sample 1447	

Water Level feet bmp	Time	Volume Purged	рН	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
14.11	1415	-	6.04	89.3	14.4	2.09	1.24	101.5
14.11	1420	_	6.05	90.0	14.3	2.26	0.52	97.7
14.11	1425	_	6.04	92.0	14.2	2.46	0.37	95.7
14.11	1430	_	6.03	95.0	14.2	3.03	0.31	94.5
[4.1]	1435		6.02	98.2	14.2	2.47	0.28	93.1
14.11	1440	-	6.02	101.1	14.1	2.35	0.26	91.0

Purge R	ate: 740	mt/inin					
0	2 10	1					
	Purge R	Purge Rate: 240	Purge Rate: 240 ml/min	Purge Rate: 240 mi/min	Purge Rate: 240 mi/min	Purge Rate: 240 mi/inin	Purge Rate: 240 ml/min

Sampler's Initials 54

Plant/Site Bear Creek Village	Project No	o. <u>152-5393-</u> 17.100
Site Location Redmond, WA	Sample II	MW-13
Sampling Location Groundw	ater Monitoring well - end of dedica	ated sampling tube
Technical Procedure Referen	ce(s) TG 1.2-23; TG 1.4-6a; TG 1.2	2-20
Type of Sampler peristaltic pu		Y
Date 3/29/17	Time 1250	g d
Media water	Station	V-13
Sample Type: grab	time composite	space composite
Sample Acquisition Measures	ments (depth, volume of static well	water and purged water, etc.)
Static Water Level: 5.97 B7	OC @ 1212	1.0003
Screened Interval: 10 -20		
Pump intake at: ~181 BTC	OC	
Sample Description Clear		
		p
Field Measurements on Samp See Field Parameters Sheet	le (pH, conductivity, etc.)	
See Field Parameters Sheet		
	Container	
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container	Preservation / Amount
See Field Parameters Sheet  Aliquot Amount	Container C VOA Vial  Date 3/-	Preservation / Amount HCl

Well ID MW-13	
Date 3/29/17	
Time Begin Purge 1213	_
Time Collect Sample 1250	

Water Level feet bmp	Time	Volume Purged	рН	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
6.15	1223	_	5.88	81.3	10.4	38.1	2.25	59.4
6,17	1228	~	5.53	81.7	10,3	19.5	0.60	68.7
6.21	1233	_	5.46	81.7	10.3	10,7	0.43	74.8
6.12	1238	_	5.44	81.5	10.3	12.1	0.37	78.3
6.22	1243	_	5,44	80,9	10.4	9.02	0.33	81-2
6.23	1248	_	5.43	80.9	10.4	7,48	0.31	84.2
					Э			
					-			
-								10
								*

Comments:	
Purge Rate: 220 allmin	

Sampler's Initials 3Y

Plant/Site Bear Cree	k Village	Project 1	No. 152-5393-17.100
Site Location Redm	ond, WA	Sample	ID_EB
Sampling Location	Groundwater Mo	onitoring well - end of dedi	cated sampling tube
Technical Procedure	e Reference(s) _]	G 1.2-23; TG 1.4-6a; TG	1.2-20
Type of Sampler pe	ristaltic pump		
Date 3/29/17		Time 1445	
Media water		StationE	3 at MW-10A
Sample Type:	grab	time composite	space composite
Sample Acquisition	Measurements (	depth, volume of static we	Il water and purged water, etc.)
Static Water Level:	NA BTOC		
Screened Interval:	_		
Pump intake at: N	A BTOC		
Sample Description	Equipment 61.	ank using lab provided ?	DI water purged
	new tubing		, ,
	,		
Field Measurements	on Sample (pH,	conductivity, etc.)	
See Field Parameters			
Aliquot Amount		Contoiner	P
Aliquot Amount	IIVOC	Container	Preservation / Amount
3- 40 mL	HVOC	VOA Vial	HCl HCl
			7
		•	
		***	
Sampler (signature)	2_	Date3	129/12
Supervisor (signature)	Vision in the second se		TO BLO INSTITUTE OF
Supervisor (signatur	e) _ war	Date <u></u>	71/17

Well ID	EB	
Date	3/29/17	
Time Be	egin Purge	
Time Co	ollect Sample	<del>-</del>

NA

Water Level feet bmp	Time	Volume Purged	pН	Conductivity uS/cm	Temp. °C	Turbidity NTU	DO mg/L	eH rel mV
							/	
	,							
	-							

Comments:	
	Equipment Blank
	Purge Rate:

Sampler's Initials 34

APPENDIX B LABORATORY ANALYTICAL REPORTS



14648 NE 95<sup>th</sup> Street, Redmond, WA 98052 • (425) 883-3881

March 31, 2017

Eric Adams Golder Associates Inc. 18300 NE Union Hill Road Suite 200 Redmond, WA 98052-3333

Re:

Analytical Data for Project 152-5393-17 Laboratory Reference No. 1703-291

Dear Eric:

Enclosed are the analytical results and associated quality control data for samples submitted on March 29, 2017.

The standard policy of OnSite Environmental, Inc. is to store your samples for 30 days from the date of receipt. If you require longer storage, please contact the laboratory.

We appreciate the opportunity to be of service to you on this project. If you have any questions concerning the data, or need additional information, please feel free to call me.

Sincerely,

David Baumeister Project Manager

Enclosures



Project: 152-5393-17

#### **Case Narrative**

Samples were collected on March 29, 2017 and received by the laboratory on March 29, 2017. They were maintained at the laboratory at a temperature of 2°C to 6°C.

Please note that any and all soil sample results are reported on a dry-weight basis, unless otherwise noted below.

General QA/QC issues associated with the analytical data enclosed in this laboratory report will be indicated with a reference to a comment or explanation on the Data Qualifier page. More complex and involved QA/QC issues will be discussed in detail below.

Project: 152-5393-17

## HALOGENATED VOLATILES EPA 8260C

page 1 of 2

Matrix: Water Units: ug/L

Analyte         Result         PQL         Method         Prepared         Analyzed         Flags           Client ID:         MW-9           Laboratory ID:         03-291-01           Dichlorodifluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloromethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Vinyl Chloride         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromomethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloroethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17
Laboratory ID:         03-291-01           Dichlorodifluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloromethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Vinyl Chloride         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromomethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloroethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND
Dichlorodifluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloromethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Vinyl Chloride         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromomethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloroethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17
Chloromethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Vinyl Chloride         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromomethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloroethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17 </td
Vinyl Chloride         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromomethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloroethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17
Bromomethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           Chloroethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
Chloroethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
Trichlorofluoromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
1,1-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
Iodomethane         ND         1.0         EPA 8260C         3-30-17         3-30-17           Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
Methylene Chloride         ND         1.0         EPA 8260C         3-30-17         3-30-17           (trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
(trans) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
1,1-Dichloroethane         ND         0.20         EPA 8260C         3-30-17         3-30-17           2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
2,2-Dichloropropane         ND         0.20         EPA 8260C         3-30-17         3-30-17           (cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
(cis) 1,2-Dichloroethene         ND         0.20         EPA 8260C         3-30-17         3-30-17           Bromochloromethane         ND         0.20         EPA 8260C         3-30-17         3-30-17
Bromochloromethane ND 0.20 EPA 8260C 3-30-17 3-30-17
Chloroform ND 0.20 EPA 8260C 3-30-17 3-30-17
1.12 2.1.1.2222 0.00 11
1,1,1-Trichloroethane ND 0.20 EPA 8260C 3-30-17 3-30-17
Carbon Tetrachloride ND 0.20 EPA 8260C 3-30-17 3-30-17
1,1-Dichloropropene ND 0.20 EPA 8260C 3-30-17 3-30-17
1,2-Dichloroethane ND 0.20 EPA 8260C 3-30-17 3-30-17
Trichloroethene ND 0.20 EPA 8260C 3-30-17 3-30-17
1,2-Dichloropropane ND 0.20 EPA 8260C 3-30-17 3-30-17
Dibromomethane ND 0.20 EPA 8260C 3-30-17 3-30-17
Bromodichloromethane ND 0.20 EPA 8260C 3-30-17 3-30-17
2-Chloroethyl Vinyl Ether ND 1.0 EPA 8260C 3-30-17 3-30-17
(cis) 1,3-Dichloropropene ND 0.20 EPA 8260C 3-30-17 3-30-17
(trans) 1,3-Dichloropropene ND 0.20 EPA 8260C 3-30-17 3-30-17

Project: 152-5393-17

#### **HALOGENATED VOLATILES EPA 8260C**

page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-9					
Laboratory ID:	03-291-01					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	100	77-129				

Surrogate: Percent Recovery Control Limits
Dibromofluoromethane 100 77-129
Toluene-d8 98 80-127
4-Bromofluorobenzene 94 80-125



Project: 152-5393-17

# HALOGENATED VOLATILES EPA 8260C page 1 of 2

Matrix: Water Units: ug/L

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-13					
Laboratory ID:	03-291-02					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloromethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Vinyl Chloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Iodomethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Methylene Chloride	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(cis) 1,2-Dichloroethene	0.49	0.20	EPA 8260C	3-30-17	3-30-17	
Bromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroform	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Trichloroethene	2.3	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromodichloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	

Date of Report: March 31, 2017 Samples Submitted: March 29, 2017 Laboratory Reference: 1703-291 Project: 152-5393-17

### **HALOGENATED VOLATILES EPA 8260C**

page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-13					
Laboratory ID:	03-291-02					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	3.6	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	102	77-129				
Toluene-d8	100	80-127				

Project: 152-5393-17

## HALOGENATED VOLATILES EPA 8260C page 1 of 2

Matrix: Water Units: ug/L

			Date	Date	
Result	PQL	Method	Prepared	Analyzed	Flags
MW-2					
03-291-03					
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
	MW-2 03-291-03 ND	MW-2           03-291-03           ND         0.20           ND         1.0           ND         0.20           ND         0.20           ND         1.0           ND         0.20           ND         1.0           ND         1.0           ND         0.20           ND         0.20	MW-2           03-291-03         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         0.20	MW-2         03-291-03         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17	Result         PQL         Method         Prepared         Analyzed           MW-2         03-291-03         Sample of the part of

Project: 152-5393-17

### **HALOGENATED VOLATILES EPA 8260C**

page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-2					
Laboratory ID:	03-291-03					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	0.64	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	103	77-129				

Surrogate: Percent Recovery Control Limit
Dibromofluoromethane 103 77-129
Toluene-d8 100 80-127
4-Bromofluorobenzene 96 80-125



Project: 152-5393-17

## **HALOGENATED VOLATILES EPA 8260C**

page 1 of 2

Analyte	Result		Method	Date	Date	
		PQL		Prepared	Analyzed	Flags
Client ID:	MW-10A					
Laboratory ID:	03-291-04					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloromethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Vinyl Chloride	0.59	0.20	EPA 8260C	3-30-17	3-30-17	
Bromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Iodomethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Methylene Chloride	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(cis) 1,2-Dichloroethene	3.8	0.20	EPA 8260C	3-30-17	3-30-17	
Bromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroform	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Trichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromodichloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	

## **HALOGENATED VOLATILES EPA 8260C**

page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-10A					
Laboratory ID:	03-291-04					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits			·	
Dibromofluoromethane	102	77-129				
Toluene-d8	98	80-127				
Toluene-d8	98	80-127				

4-Bromofluorobenzene

89

80-125

Project: 152-5393-17

# HALOGENATED VOLATILES EPA 8260C page 1 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	EB					
Laboratory ID:	03-291-05					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloromethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Vinyl Chloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Iodomethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Methylene Chloride	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroform	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Trichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromodichloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	

### **HALOGENATED VOLATILES EPA 8260C** page 2 of 2

Analyte				Date	Date	
	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	EB					
Laboratory ID:	03-291-05					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	102	77-129				
Toluene-d8	100	80-127				
4-Bromofluorobenzene	92	80-125				

### **HALOGENATED VOLATILES EPA 8260C** page 1 of 2

			Date	Date	
Result	PQL	Method	Prepared	Analyzed	Flags
MW-4					
03-291-06					
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
3.6	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
0.35	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
	MW-4 03-291-06  ND	MW-4 03-291-06  ND	MW-4           03-291-06           ND         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND <td>Result         PQL         Method         Prepared           MW-4         03-291-06         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17</td> <td>Result         PQL         Method         Prepared         Analyzed           MW-4         03-291-06         3-30-17         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17</td>	Result         PQL         Method         Prepared           MW-4         03-291-06         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17	Result         PQL         Method         Prepared         Analyzed           MW-4         03-291-06         3-30-17         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17

Project: 152-5393-17

## HALOGENATED VOLATILES EPA 8260C page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-4					
Laboratory ID:	03-291-06					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	101	77-129				
Toluene-d8	101	80-127				
4-Bromofluorobenzene	96	80-125				

Project: 152-5393-17

## HALOGENATED VOLATILES EPA 8260C page 1 of 2

Analyte				Date	Date	
	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-44					
Laboratory ID:	03-291-07					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloromethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Vinyl Chloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Iodomethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Methylene Chloride	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(cis) 1,2-Dichloroethene	3.8	0.20	EPA 8260C	3-30-17	3-30-17	
Bromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroform	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Trichloroethene	0.36	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromodichloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	

Project: 152-5393-17

## HALOGENATED VOLATILES EPA 8260C page 2 of 2

. # . # . # . # . # . # . # . # . # . #				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-44					
Laboratory ID:	03-291-07					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	101	77-129				
Toluene-d8	97	80-127				
4-Bromofluorobenzene	92	80-125				

Project: 152-5393-17

## HALOGENATED VOLATILES EPA 8260C


page 1 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-3					
Laboratory ID:	03-291-08					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloromethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Vinyl Chloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Iodomethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Methylene Chloride	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(cis) 1,2-Dichloroethene	0.29	0.20	EPA 8260C	3-30-17	3-30-17	
Bromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroform	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Trichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromodichloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	

### **HALOGENATED VOLATILES EPA 8260C**

page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	MW-3					
Laboratory ID:	03-291-08					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits	·			
Dibromofluoromethane	102	77-129				
Toluene-d8	102	80-127				





Project: 152-5393-17

# HALOGENATED VOLATILES EPA 8260C page 1 of 2

			Date	Date	
Result	PQL	Method	Prepared	Analyzed	Flags
Trip Blank					
03-291-09					
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	1.0	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
ND	0.20	EPA 8260C	3-30-17	3-30-17	
	Trip Blank 03-291-09  ND	Trip Blank         03-291-09           ND         0.20           ND         1.0           ND         0.20           ND         0.20           ND         1.0           ND         0.20           ND         1.0           ND         1.0           ND         0.20           N	Trip Blank           03-291-09         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         1.0         EPA 8260C           ND         0.20         EPA 8260C           ND         0.20 <td>Result         PQL         Method         Prepared           Trip Blank         03-291-09         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-</td> <td>Result         PQL         Method         Prepared         Analyzed           Trip Blank 03-291-09         Separate         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-3</td>	Result         PQL         Method         Prepared           Trip Blank         03-291-09         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         1.0         EPA 8260C         3-30-17           ND         0.20         EPA 8260C         3-	Result         PQL         Method         Prepared         Analyzed           Trip Blank 03-291-09         Separate         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         1.0         EPA 8260C         3-30-17         3-30-17           ND         0.20         EPA 8260C         3-30-17         3-3

Project: 152-5393-17

# HALOGENATED VOLATILES EPA 8260C page 2 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Client ID:	Trip Blank					
Laboratory ID:	03-291-09					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	107	77-129				
Toluene-d8	98	80-127				
4-Bromofluorobenzene	96	80-125				



Project: 152-5393-17

#### HALOGENATED VOLATILES EPA 8260C METHOD BLANK QUALITY CONTROL Page 1 of 2

				Date	Date	
Analyte	Result	PQL	Method	Prepared	Analyzed	Flags
Laboratory ID:	MB0330W2					
Dichlorodifluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloromethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Vinyl Chloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Trichlorofluoromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Iodomethane	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Methylene Chloride	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(trans) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(cis) 1,2-Dichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chloroform	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Carbon Tetrachloride	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Trichloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromomethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromodichloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chloroethyl Vinyl Ether	ND	1.0	EPA 8260C	3-30-17	3-30-17	
(cis) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
(trans) 1,3-Dichloropropene	ND	0.20	EPA 8260C	3-30-17	3-30-17	

### **HALOGENATED VOLATILES EPA 8260C** METHOD BLANK QUALITY CONTROL

Page 2 of 2

				Date	Date	
Analyte	Result PQL				Analyzed	Flags
Laboratory ID:	MB0330W2					
1,1,2-Trichloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Tetrachloroethene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Dibromochloromethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromoethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Chlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,1,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Bromoform	ND	1.0	EPA 8260C	3-30-17	3-30-17	
Bromobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,1,2,2-Tetrachloroethane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichloropropane	ND	0.20	EPA 8260C	3-30-17	3-30-17	
2-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
4-Chlorotoluene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,3-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,4-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2-Dibromo-3-chloropropane	. ND	1.0	EPA 8260C	3-30-17	3-30-17	
1,2,4-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Hexachlorobutadiene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
1,2,3-Trichlorobenzene	ND	0.20	EPA 8260C	3-30-17	3-30-17	
Surrogate:	Percent Recovery	Control Limits				
Dibromofluoromethane	104	77-129				
Toluene-d8	100	80-127				
4-Bromofluorobenzene	96	80-125				

Project: 152-5393-17

### HALOGENATED VOLATILES EPA 8260C SB/SBD QUALITY CONTROL

	Percent		cent	Recovery		RPD				
Analyte	Res	sult	Spike	Level	Rec	overy	Limits	<b>RPD</b>	Limit	Flags
SPIKE BLANKS										
Laboratory ID:	SB033	30W2								
	SB	SBD	SB	SBD	SB	SBD				
1,1-Dichloroethene	9.91	9.75	10.0	10.0	99	98	63-127	2	17	
Benzene	10.7	10.6	10.0	10.0	107	106	76-121	1	12	
Trichloroethene	10.3	10.1	10.0	10.0	103	101	64-120	2	15	
Toluene	10.8	10.8	10.0	10.0	108	108	82-120	0	13	
Chlorobenzene	10.7	10.6	10.0	10.0	107	106	80-120	1	14	
Surrogate:										
Dibromofluoromethane					95	102	77-129			
Toluene-d8					100	99	80-127			
4-Bromofluorobenzene					95	91	80-125			



#### **Data Qualifiers and Abbreviations**

- A Due to a high sample concentration, the amount spiked is insufficient for meaningful MS/MSD recovery data.
- B The analyte indicated was also found in the blank sample.
- C The duplicate RPD is outside control limits due to high result variability when analyte concentrations are within five times the quantitation limit.
- E The value reported exceeds the quantitation range and is an estimate.
- F Surrogate recovery data is not available due to the high concentration of coeluting target compounds.
- H The analyte indicated is a common laboratory solvent and may have been introduced during sample preparation, and be impacting the sample result.
- I Compound recovery is outside of the control limits.
- J The value reported was below the practical quantitation limit. The value is an estimate.
- K Sample duplicate RPD is outside control limits due to sample inhomogeneity. The sample was re-extracted and re-analyzed with similar results.
- L The RPD is outside of the control limits.
- M Hydrocarbons in the gasoline range are impacting the diesel range result.
- M1 Hydrocarbons in the gasoline range (toluene-napthalene) are present in the sample.
- N Hydrocarbons in the lube oil range are impacting the diesel range result.
- N1 Hydrocarbons in diesel range are impacting lube oil range results.
- O Hydrocarbons indicative of heavier fuels are present in the sample and are impacting the gasoline result.
- P The RPD of the detected concentrations between the two columns is greater than 40.
- Q Surrogate recovery is outside of the control limits.
- S Surrogate recovery data is not available due to the necessary dilution of the sample.
- T The sample chromatogram is not similar to a typical .
- U The analyte was analyzed for, but was not detected above the reported sample quantitation limit.
- U1 The practical quantitation limit is elevated due to interferences present in the sample.
- V Matrix Spike/Matrix Spike Duplicate recoveries are outside control limits due to matrix effects.
- W Matrix Spike/Matrix Spike Duplicate RPD are outside control limits due to matrix effects.
- X Sample extract treated with a mercury cleanup procedure.
- X1- Sample extract treated with a Sulfuric acid/Silica gel cleanup procedure.
- Y The calibration verification for this analyte exceeded the 20% drift specified in method 8260C, and therefore the reported result should be considered an estimate. The overall performance of the calibration verification standard met the acceptance criteria of the method.

Z-

ND - Not Detected at PQL

PQL - Practical Quantitation Limit

RPD - Relative Percent Difference





**Chain of Custody** 

Page \_\_\_\_ of \_\_\_\_

	Analytical Laboratory Testing Services  14648 NE 95th Street • Redmond, WA 98052 Phone: (425) 883-3881 • www.onsite-env.com	Turnaround Request (in working days)  Laboratory Number:							mber: 03-291																		
Project Project Sampled	Vi Golder Associates Number: 152 5393-17 Name: Bear Creek Village Manager: Enic Adams Toby: Jason Yabandeh	Date	ys dard (7 Days) analysis 5 Da	1 Day 3 Days	Number of Containers	NWTPH-HCID	NWTPH-Gx/BTEX	NWTPH-Gx	NWTPH-Dx ( Acid / SG Clean-up)	Volatiles 8260C	Halogenated Volatiles 8260C	EDB EPA 8011 (Waters Only)	Semivolatiles 8270D/SIM (with low-level PAHs)	PAHs 8270D/SIM (low-level)	PCBs 8082A	Organochlorine Pesticides 8081B	Organophosphorus Pesticides 8270D/SIM	Chlorinated Acid Herbicides 8151A	Total RCRA Metals	Total MTCA Metals	TCLP Metals	HEM (oil and grease) 1664A					Moisture
Lab ID	Sample Identification  MW - 9	3/29/17	Sampled 1142	Matrix	3	Z	Z	Z	Z	>	X	ш	S	<u>a</u>	а.	0	0	0	Ţ.	7	F	I	1	+	+	$\dashv$	%
2	MW-13	1	1250	W	3						X			1	+	+	1						$\dashv$	$\forall$	$\forall$		$\neg$
3	MW-2		1350	W	3						X			$\forall$	1	$\forall$	$\exists$						$\forall$	1	+		
4	MW-10A		1442	W	3						X				1		7						$\top$	$\top$	$\top$	$\exists$	
5	EB		1445	W	3						X												$\top$	$\top$	$\top$	$\top$	
6	MW-4		1540	W	3						X																
7	MW-44		1543	W	3						X															1	
8	MW-3		1642	W	3						Х																
9	Trip Blank	L	Lab	V	3						Χ																
					100000																						
Signature Company				Date Time 3/29/17 17/4							Com	ment	s/Spe	cial l	nstru	ction	S										
Relinqu		1	ass)	15sociate	5	$\dashv$		5/1			114																
Relinquished		az	0 4	Ti	$\dashv$	/(2	7(1	/	( /	14	$\dashv$																
Receiv	ed					1			1			$\neg$															
Relinqu	sished																										
Receiv	ed												Data	Pack	age:	Star	ndard	<b>1</b> 🗆	Lev	el III		_evel	IV 🗆				
Reviewed/Date				te									Chromatograms with final report   Electronic Data Deliverables (EDDs)														