

WHITMAN Environmental Sciences

410 Eagle Cove Drive
Friday Harbor, WA 98250

(206) 523-3505
Whitenviro@yahoo.com

June 7, 2025

Centric Partners LLC
c/o Trent Development
1420 Fifth Avenue, Suite 2200
Seattle, WA 98101

Attention: Mr. Michael Pollard

Subject: 1st Quarter 2025 Groundwater Monitoring Summary
104-124 12th Avenue & 1209 E. Fir Street
Seattle, Washington

Dear Mr. Pollard:

As you have authorized, **Whitman Environmental Sciences, (WES)** has conducted additional groundwater sampling at the above referenced site in Seattle, Washington. Figure 1 shows the site location and surrounding area. This letter summarizes the sampling and results of laboratory testing on the groundwater samples taken during the 1st Quarter of 2025. This is the third quarterly sampling under the extended monitoring program outline in the Compliance Monitoring Plan for the site. The number of monitoring wells sampled for volatile organics is reduced, but all wells are still sampled and analyzed for dissolved arsenic.

The findings of this round of sampling indicate that no groundwater samples from any of the four tested wells contained detectable vinyl chloride or any other volatile organic compounds (VOCs). The vinyl chloride reporting limit was 0.02 ug/l (units equivalent to parts per billion (ppb)); well below the Washington State Method A groundwater cleanup level of 0.2 ug/l under the Model Toxics Control Act (MTCA), Chapter 173-340 WAC.


Eleven wells were sampled for dissolved concentrations of arsenic. Samples from seven of these wells exceeded the 8 ug/l Puget Sound Basin threshold value of the natural background level of arsenic as calculated in Ecology publication "Natural Background Groundwater Arsenic Concentrations in Washington State" (Publication 14-09-044), dated January 2022.

GROUNDWATER MONITORING

A total of eleven monitoring wells were sampled as part of this monitoring event; wells MW-1R, MW-5R, MW-10, MW-12R, MW-13, MW-15R, MW-17, MW-18, MW-19, GEO B-7R and GEO B-9R. Figure 2 shows the approximate locations of the wells in relation to the former features of the property.

Groundwater Level Measurements

As part of monitoring, WES measured the depth to groundwater in the sampled monitoring wells. The measurements were obtained after the wells caps had been removed for a period of time to allow water levels to stabilize and before any of the wells were purged of standing groundwater. Table 1 summarizes the depth to groundwater at each well, top-of-pipe elevation and calculated groundwater elevation at each of the sampled wells.



The current measurements show that groundwater was at depths of 7.21 to 16.51 feet below the top of pipe of the monitoring wells, corresponding to elevations ranging from 186.12 to 195.70 feet above Mean Sea Level based on City of Seattle Datum. There is a significant difference in water elevation from the highest elevations in the northwest to lowest levels in the southeast, indicating a relatively strong overall gradient of 0.035 foot/foot to the southeast across most of the site, steepening considerably in the southeastern-most corner of the site.

Figure 3 shows the inferred contours of the shallowest groundwater surface from the measured water level elevations, and the anticipated direction of migration for the time of measurement. The inferred gradient and direction on the property is consistent with that interpreted from prior measurements from 2017 to the present.

Figure 3 includes groundwater elevation and analytical data provided by PBS Environmental on behalf of the east adjacent property owner (Big Village LLLP). The measurements are from the 1st Quarter 2025, but collected on different dates than the other measurements and sampling conducted in this quarterly sampling event. The groundwater elevation contours inferred by the Big Village LLLP data suggest the southeastern part of the subject property and the east adjacent Big Village LLLP property trend toward a low point near the boundary separating the two parcels.

Groundwater Sampling

Three of the site wells were sampled for volatile organic compounds (MW-5R, MW-12R and MW-17). The sample from MW-17 was obtained using a peristaltic pump with dedicated polyethylene tubing to purge and sample. Wells MW-5R and MW-12R were fitted with passive diffusion bag samplers (PDBS) to obtain representative samples in wells that evidence high turbidity related to remedial injections of activated carbon conducted at the site in 2020 and 2022. The PDBS' are readily permeable to volatile organic compounds and equilibrate with the surrounding groundwater in the monitoring well, but prevent sediment or suspended carbon from entering the sample.


The PDBS were filled with laboratory-prepared de-ionized water and suspended mid-screen in each well. The samplers were allowed to equilibrate in the wells for a period of at least three weeks before removal. After removing each bag from the well, the sampler was opened and the water was transferred to laboratory-prepared 40-ml septum-sealed vials.

Samples for dissolved arsenic were taken from all eleven wells using a peristaltic pump with dedicated polyethylene tubing. Samples were taken directly from the tubing at a low flow rate, filtered through 0.45 micron single-use filters in the field, before preservation. The sample from monitoring well MW-18 was filtered in the laboratory before preservation.

Field measurements of pH, ORP, dissolved oxygen and conductivity were used to evaluate when stabilized conditions were reached in the pump discharge water.

The samples were labeled, chilled and transported to the laboratory under chain-of-custody for analyses.

It is my understanding that similar techniques were utilized by PBS in collecting samples from monitoring wells on the east adjacent property.



LABORATORY ANALYTICAL PROGRAM

All samples were submitted to Friedman & Bruya, Inc., a Washington-state certified laboratory, for environmental analyses following Washington State approved methods.

The groundwater samples from monitoring wells MW-5R, MW-12R and MW-17 were analyzed for a list of 63 VOCs by EPA Method 8260D. All eleven samples were analyzed for dissolved arsenic by EPA Method 6020B.

All laboratory testing met the quality assurance/quality control requirements of the project. The sample analyses were completed within holding times, with reporting limits that allowed direct comparison to Department of Ecology established groundwater cleanup levels.

Laboratory Analytical Results

The results of laboratory testing on groundwater samples are summarized in Table 2 and illustrated in Figure 3. The laboratory reports of the analytical results are included in Appendix A.

Volatile Organic Compounds

None of the confirmation samples from the three monitoring wells contained detectable VOCs. The results of this testing indicate the groundwater remedial actions have been effective to reduce groundwater concentrations of VOCs.

Dissolved Arsenic


Dissolved arsenic concentrations ranged from below the detection limit of 1 ug/l in three monitoring wells, to 240 ug/l in MW-12R. Samples from monitoring wells MW-17, MW-19 and GEO B-7R had no detectable arsenic. Monitoring well MW-10 contained a reported arsenic concentration of 5.8 ug/l, less than the threshold value of the natural arsenic background level of 8 ug/l. Concentrations above the 8 ug/l Puget Sound Basin threshold value of the natural arsenic background level were reported in samples from monitoring wells MW-1R (11 ug/l), MW-5R (8.8 ug/l), MW-12R (240 ug/l), MW-13 (8.6 ug/l), MW-15R (17 ug/l), MW-18 (23 ug/l) and GEO B-9R (27 ug/l).

Monitoring well MW-12R is an outlier that has been consistently higher than any other well. The reported concentration in MW-12R continues an overall downward trend that has been occurring since the 1st Quarter 2021.

Table 3 summarizes the groundwater sample analytical results from all wells in our monitoring events dating from 2017 to the present.

Time trend plots for arsenic in all 11 current monitoring wells are included in Appendix B. All other wells have been decommissioned.

The plots suggest that monitoring wells MW-5R, MW-10, MW-15R and GEO B-9R show at least some indications of seasonal variations of arsenic concentrations, with higher levels occurring periodically in the Fall or Winter sampling. Six wells demonstrate concentrations lower than the prior 4th Quarter 2024 round of testing, while three wells show higher concentrations. In monitoring well MW-18, the 4th Quarter 2024 result was 3.7 ug/l, but the current concentration of 23 ug/l reflects a rebound to approximately the levels previously found in three of the four prior quarterly



sampling events. In most wells, the variations are within the range of prior analyses, except MR-1R, which had a concentration of 11 ug/l, slightly higher than any prior analyses.


CONCLUSIONS

Groundwater sampling and analysis are important parts of compliance monitoring for this site. In accordance with the Compliance Monitoring Plan Update and approved by Ecology, the site is now in extended monitoring for volatile organic compounds. In extended monitoring a limited selection of the most pertinent wells are to be sampled semi-annually.

Additional quarterly monitoring for dissolved arsenic will continue. Two wells (MW-19 and GEO B-7R) have now demonstrated compliance with the 8 ug/l Puget Sound Basin threshold value of the natural background level of arsenic for at least six consecutive quarters. Based on this testing, sampling of MW-19 and GEO B-7 for arsenic can be suspended in future monitoring rounds. Monitoring wells MW-10 and MW-17 have met the 8 ug/l threshold value five of the last six quarterly sampling rounds. These wells are downgradient of the groundwater cleanup area and demonstrate that elevated arsenic concentrations do not appear to be migrating to any significant degree. These wells should continue to be monitored quarterly until a more complete data set can be developed to demonstrate seasonal variations.

Data from the surrounding area suggests arsenic in shallow groundwater is pervasive and the reported conditions in most of the site wells may be comparable to area-wide conditions. The Big Village LLLP monitoring wells on the adjacent property to the east, identified as the King County Archives Warehouse site in Ecology records, reported arsenic concentrations of 13 ug/l and 20 ug/l in wells MW-3 and MW-5, respectively. These levels, in wells that are upgradient to the subject property are higher than on-site concentrations near the property boundary (such as MW-1R, MW-10 and MW-17), demonstrating that the conditions on that property are unrelated to on-site conditions, or part of an overall area-wide trend of elevated arsenic in groundwater.


Arsenic concentrations at monitoring wells around the downgradient perimeter of the groundwater cleanup area (MW-1R, MW-10, MW-13, MW-17 and MW-18) are relatively low and either meet or approach the 8 ug/l Puget Sound Basin threshold value of the natural background level. These wells can be used as conditional points of compliance to demonstrate that the presence of arsenic in shallow groundwater does not represent a risk to human health or the environment. It is our opinion that the data developed by the current monitoring is sufficient to warrant a restricted no further action opinion from the Department of Ecology, with institutional controls, an environmental covenant and a continued monitoring plan.




Closure

Thank you for the opportunity to be of service to you in this matter. If you have any questions regarding this letter, or if I may be of any further assistance, please feel free to contact me.

Respectfully submitted,
Whitman Environmental Sciences



Daniel S. Whitman
Principal



TABLES

- Table 1 - Summary of 1st Quarter 2025 Groundwater Level Measurements
- Table 2 - Summary of 1st Quarter 2025 Groundwater Sample Analytical Results
- Table 3 - 2017-2025 Summary of Groundwater Sample Analytical Results

FIGURES

- Figure 1 - Site Location Map
- Figure 2 - Site and Monitoring Well Location Plan
- Figure 3 - 1st Quarter 2025 Groundwater Sampling Analytical Results

APPENDICES

- Appendix A - Laboratory Analytical Reports - Friedman & Bruya, Inc.
- Appendix B - Arsenic Concentration Time Series Plots



TABLE 1
1st Quarter 2025 Summary of Groundwater Level Measurements
104 - 124 12th Avenue and 1209 E. Fir Street, Seattle, Washington

| <i>Monitoring Well</i> | <i>Date</i> | <i>Top of Pipe Elevation*</i> | <i>Water Level Below T.O.P.</i> | <i>Water Elevation</i> | <i>Comments</i> |
|------------------------|-------------|-------------------------------|---------------------------------|------------------------|-------------------|
| MW-1R | 3/24/2025 | 199.04 | -9.98 | 189.06 | 2" Well, 21' deep |
| MW-5R | 3/24/2025 | 202.67 | -10.62 | 192.05 | 2" Well, 20' deep |
| MW-10 | 3/24/2025 | 197.37 | -11.25 | 186.12 | 2" Well, 15' deep |
| MW-12R | 3/24/2025 | 197.86 | -7.26 | 190.6 | 2" Well, 20' deep |
| MW-13 | 3/24/2025 | 201.87 | -9.37 | 192.5 | 2" Well, 20' deep |
| MW-15R | 3/24/2025 | 199.72 | -8.31 | 191.41 | 2" Well, 25' deep |
| MW-17 | 3/24/2025 | 197.68 | -8.50 | 189.18 | 2" Well, 20' deep |
| MW-18 | 3/24/2025 | 198.09 | -8.02 | 190.07 | 2" Well, 20' deep |
| MW-19 | 3/24/2025 | 212.21 | -16.51 | 195.7 | 2" Well, 20' deep |
| GEO B-7R | 3/24/2025 | 199.65 | -7.21 | 192.44 | 2" Well, 20' deep |
| GEO B-9R | 3/24/2025 | 199.66 | -9.15 | 190.51 | 2" Well, 20' deep |

Table Notes:

*Top of Pipe elevations established by W.G. Clark (November 2023), except MW-12R pipe elevation by WES, back-sighted to previously surveyed monitoring wells.

TABLE 2
Extended Monitoring Program
1st Quarter 2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Other VOCs | Arsenic (Dissolved) |
|---|------------------------|------------------------|----------------------|-----------------------|------------------------|------------|----------------------|
| MW-1 | Decommissioned Q4 2021 | | | | | | |
| MW-1S | Decommissioned Q1 2022 | | | | | | |
| MW-1D | Decommissioned Q1 2022 | | | | | | |
| MW-1R | 3/24/25 | NA | NA | NA | NA | NA | 11 |
| MW-2 | Decommissioned Q3 2021 | | | | | | |
| MW-3 | Decommissioned Q1 2021 | | | | | | |
| MW-4 | Decommissioned Q2 2021 | | | | | | |
| MW-5R | 3/26/25 | <1 | <0.5 | <1 | <0.02 | ND | 8.8 |
| MW-6 | Decommissioned Q1 2021 | | | | | | |
| MW-7 | Decommissioned Q1 2021 | | | | | | |
| MW-8 | Decommissioned Q1 2021 | | | | | | |
| MW-9 | Decommissioned Q1 2021 | | | | | | |
| MW-10 | 3/24/25 | NA | NA | NA | NA | NA | 5.8 |
| MW-11 | Decommissioned Q3 2022 | | | | | | |
| MW-12R | 2/27/25 | <1 | <0.5 | <1 | <0.02 | ND | 240 |
| MW-13 | 3/24/25 | NA | NA | NA | NA | NA | 8.6 |
| MW-14 | Decommissioned Q1 2021 | | | | | | |
| MW-15R | 3/26/25 | NA | NA | NA | NA | NA | 17 |
| MW-16 | Q1 2022 | Decommissioned Q1 2022 | | | | | |
| MW-17 | 2/27/25 | <1 | <0.5 | <1 | <0.02 | ND | <1 |
| MW-18 | 2/27/25 | NA | NA | NA | NA | NA | 23 |
| MW-19 | 3/26/25 | NA | NA | NA | NA | NA | <1 |
| GEO B-7R | 3/26/25 | NA | NA | NA | NA | NA | <1 |
| GEO B-8 | Decommissioned Q1 2021 | | | | | | |
| GEO B-9R | 3/26/25 | NA | NA | NA | NA | NA | 27 |
| MTCA Groundwater Cleanup Levels | | 5^A | 5^A | 16^B | 0.2^A | -- | 5^A |
| Puget Sound Basin Natural Background Arsenic Concentration | | | | | | | 8 |

Table Notes:

<XXX - Parameter not detected at concentrations at or above the noted reporting limit.

Volatile organic compounds by EPA Method 8260C. See laboratory report for full list of analyzed parameters.

Dissolved arsenic by EPA Method 6020B on field filtered samples using 0.45 micron single-use filters. Sample from MW-18 laboratory filtered before preservation.

ND - No other volatile organic compounds detected.

NA - Not analyzed for the listed compound.

MTCA Groundwater cleanup criteria per Chapter 173-340-720 WAC. Method A criteria presented where available. Method B standard formula values shown where no Method A criteria available. Method B standard formula values from Dept. of Ecology August 2024 Cleanup Levels and Risk Calculation (CLARC) database.

A - Method A listed or State or Federal MCL

B - Method B Direct Contact

Puget Sound Basin Natural Background Arsenic Concentration from Department of Ecology study "*Natural Background Groundwater Arsenic Concentrations in Washington State*" Ecology Publication No. 14-09-044, 2022.

Sample results exceeding applicable cleanup criteria are noted in ***Bold Italic***.

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|----------|--------------------------------------|----------------------------------|------------------|-------|---------|---------|--------------|---------|------|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|--|
| MW-1 | 6/30/17 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | 0.20 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 10/30/17 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 6/14/18 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | 0.27 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/6/18 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/22/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 2.1 | 0.55 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/4/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 2.3 | 0.73 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 13 | NA | <1 | <1 | |
| | 3/5/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.8 | 0.47 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 9.49 | 10.8 | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 31 | <1 | <1 | <1 | <1 | <1 | <1 | ND | <1 | <1 | NA | NA | |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 29 | <1 | <1 | <1 | <1 | <1 | <1 | ND | <1 | <1 | NA | NA | |
| | 3/18/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 30 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 1.59 | <1 | NA | NA | |
| | 5/24/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | <1 | NA | NA | |
| | Q3 2021 | Inaccessible due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11/22/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.11 | NA | NA | | |
| 11/22/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-1S | 8/6/19 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | 0.21 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/5/19 | <100 | 72 ^x | 340 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | 0.29 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 16.5 | NA | <1 | 1.16 | |
| | 2/26/20 | <100 | 100 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | 51 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | 0.21 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 12.5 | 13.3 | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 33 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 47.4 | 50.8 | NA | NA | |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | 86 | <5 | <1 | 46 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 39.2 | 41.0 | NA | NA | |
| | 3/23/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 24.4 | 21.5 | NA | NA | |
| | 5/12/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 14.4 | NA | NA | |
| | 9/14/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 23.7 | NA | NA | |
| | 12/23/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 2.78 | NA | NA | |
| Q1 2022 | Inaccessible Due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3/16/22 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumine | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|-----------------------|--------------------------------------|-------|-------|-------|---------|---------|--------------|---------|-----|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|-------------------------|------------------|----|
| MW-1D | 8/6/19 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/5/19 | <100 | <50 | 340 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 9.14 | NA | <1 | <1 | |
| | 3/3/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 10.3 | NA | <1 | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 9.65 | 10.1 | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 10.1 | 9.68 | NA | NA |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 11.1 | 10.3 | NA | NA |
| | 3/23/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 9.41 | 9.56 | NA | NA |
| | 5/12/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.34 | NA | NA |
| | 9/14/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.94 | NA | NA |
| | 12/23/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.04 | NA | NA |
| | 3/9/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.64 | NA | NA |
| 3/16/22 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-1R PDBS PDBS | 9/13/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 6.93 | NA | NA | |
| | 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 8.22 | NA | NA | |
| | 3/26/24 | NA | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 10 | NA | NA | |
| | 6/18/24 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 8.5 | NA | NA | |
| | 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10 | NA | NA |
| | 12/12/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.71^s | NA | NA |
| | 3/24/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 11 | NA | NA |
| MW-2 | 4/4/17 | NA | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 10/30/17 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 6/14/18 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/22/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/4/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 3/17/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | 82 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 2.88 | 1.21 | NA | NA | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|-------------------|--------------------------------------|--------------------------------------|------------------|-------|---------|---------|--------------|---------|-----|-----|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|
| MW-2 Continued | 12/9/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | 47 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 44.5 | 30.8 | NA | NA | |
| | 3/16/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 105 | 90.7 | NA | NA | |
| | 6/4/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 20.6 | NA | NA | |
| | 7/16/21 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 3.24 | NA | NA |
| | 7/16/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-3 | 4/3/17 | 110 | 400 ^x | <250 | <0.35 | 2.5 | <1 | 7.9 | <1 | <1 | <1 | 0.34 | <1 | 11 | <1 | <1 | <10 | <1 | 4.7 | <1 | <1 | 4.9 | 1.1 | ND | NA | NA | NA | NA | |
| | 10/30/17 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 6/14/18 | <100 | 210 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 2/25/19 | <100 | 400 ^x | <300 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 5.35 | NA | <1 | NA | |
| | 4/3/19 | NA | 420 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/23/19 | <100 | 170 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | <1 | NA | |
| | 12/4/19 | <100 | 280 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 3/17/20 | <100 | 210 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | 390 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 10.2 | 9.15 | NA | NA |
| | 12/23/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 2.11 | 1.79 | NA | NA | |
| | Q1 2021 | Inaccessible due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3/30/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-4 | 4/5/17 | NA | 67 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 10/30/17 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 6/14/18 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/23/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/9/19 | <100 | 180 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 3/17/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 66.8 | 64.9 | NA | NA | |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 78.0 | 53.5 | NA | NA | |
| | 3/26/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 64.6 | 64.1 | NA | NA | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|-----------------|---|--------------------------------------|-----------------|-------|---------|---------|--------------|---------|------|------------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|
| MW-4 | 4/30/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 18.9 | NA | NA | |
| Continued | Q3 2021 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-5 | 4/5/17 | NA | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | 12 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 10/30/17 | NA | NA | NA | <0.35 | <1 | <1 | <3 | 1.4 | 9.1 | 10 | 0.29 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 6/14/18 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | 1.3 | 5.0 | 8.3 | 0.25 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 12/6/18 | NA | NA | NA | <0.35 | <1 | <1 | <3 | 2.1 | 11 | 8.4 | 0.37 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 7/22/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | 1.1 | 6.5 | 10 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | <1 | NA |
| | 12/4/19 | <100 | 52 ^x | <250 | <0.35 | <1 | <1 | <3 | 1.3 | 2.2 | 3.5 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 3/5/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | 2.2 | 1.4 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | 2.8 | 3.6 | <0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 5.85 | 4.07 | NA | NA |
| | 3/16/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 8.23 | 5.54 | NA | NA |
| | 5/24/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 4.49 | NA | NA |
| | 9/30/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | 1.1 | 4.3 | 0.27 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 10.8 | NA | NA |
| | 11/15/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | 1.4 | 3.8 | 0.41 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 5.04 | NA | NA |
| 11/22/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | 1.9 | 4.6 | 0.61 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.49 | NA | NA | |
| 11/22/21 | Well Decommissioned for Construction - Replaced with Well MW-5R on 12/23/2021 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-5R | 2/18/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.60 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 2.50 | NA | NA | |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.21 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 5.44 | NA | NA | |
| | PDBS 9/23/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 14.4 | NA | NA | |
| | PDBS 12/16/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 6.70 | NA | NA | |
| | PDBS 3/21/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 3.59 | NA | NA | |
| | PDBS 6/16/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 4.68 | NA | NA |
| | PDBS 9/13/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 15.3 | NA | NA |
| | PDBS 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 3.12 | NA | NA |
| PDBS 3/26/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 8.5 | NA | NA | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|------------------------------------|--------------------------------------|-------|-----------------|-------|---------|---------|--------------|---------|-----|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|
| MW-5R PDBS Continued PDBS | 6/18/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 17 | NA | NA | |
| | 9/18/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 20 | NA | NA | |
| | 12/12/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 12.7 ⁶ | NA | NA | |
| | 3/26/25 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 8.8 | NA | NA | |
| MW-6 | 4/5/17 | NA | <50 | <250 | <0.35 | 1.2 | <1 | 5.5 | <1 | <1 | 1.3 | < 0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 6/14/18 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | 1.2 | <1 | 9.6 | < 0.2 | 1.1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/23/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | 1.7 | 17 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/4/19 | <100 | 78 ^x | <250 | <0.35 | <1 | <1 | <3 | 1.3 | <1 | 5.7 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 3/17/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | 1.1 | <1 | 3.3 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | 1.1 | <1 | 4.5 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 1.65 | 1.21 | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | 3.5 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/23/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | 4.3 | <0.2 | 3.8 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 2.15 | 2.16 | NA | NA | |
| | 3/18/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | 1.2 | 10 | < 0.2 | 1.6 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 2.44 | 1.92 | NA | NA | |
| 3/30/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-7 | 6/30/17 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <10 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 6/14/18 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/23/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/4/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 3/17/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 189 | 153 | NA | NA |
| | 12/23/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 109 | 117 | NA | NA | |
| | 3/18/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 127 | 127 | NA | NA | |
| 3/30/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|---------|-------------|--------------------------------------|--------------------|------------------|---------|---------|--------------|---------|-----|-----|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|
| MW-8 | 8/30/17 | 3,200 | 790 ^x | <250 | 11 | <1 | 71 | 419 | <1 | <1 | <1 | < 0.2 | <1 | <10 | <1 | 12 | <10 | 24 | 8.9 | 1.1 | 1.8 | 180 | 59 | ND | NA | NA | NA | NA | |
| | 6/28/18 | 2,400 | 160 ^x | <250 | 2.9 | <1 | 85 | 384 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 14 | <10 | 33 | 1.6 | 1.1 | 1.9 | 150 | 54 | ND | NA | NA | NA | NA | |
| | 7/23/19 | 740 | 64 ^x | <250 | <0.35 | <1 | 10 | 96 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 3.1 | <10 | 8.1 | <1 | <1 | 1.0 | 67 | 27 | ND | NA | NA | <1 | NA | |
| | 12/9/19 | 350 | 62 ^x | <250 | <0.35 | <1 | 4.3 | 49.7 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 1.3 | <10 | 2.1 | <1 | <1 | <1 | 34 | 14 | ND | 9.21 | NA | <1 | <1 | |
| | 2/24/20 | 640 | 79 ^x | <250 | 0.64 | <1 | 7.5 | 74 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 3.2 | <10 | 4.0 | <1 | <1 | <1 | 57 | 23 | ND | NA | NA | NA | NA | |
| | 5/19/20 | 700 | 96 ^x | <250 | 0.52 | <1 | 3.2 | 69 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | 26 | 20 | ND | 4.93 | 3.44 | NA | NA | |
| | 9/28/20 | 130 | NA | NA | 0.47 | <1 | 4.7 | 20 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | 1.1 | <20 | 1.3 | <1 | <1 | <1 | 7.3 | 2.8 | ND | NA | NA | NA | NA | |
| | 12/1/20 | 100 | NA | NA | <1 | <1 | 2.4 | 6.7 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.01 | 8.72 | NA | NA | |
| | 3/26/21 | 220 | 130 ^x | <250 | <0.35 | <1 | 6.0 | 20.9 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | 1.9 | <20 | 2.6 | <1 | <1 | <1 | 9.6 | 2.9 | ND | 9.51 | 10.6 | NA | NA | |
| | 3/30/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-9 | 8/3/17 | 500 | 270 ^x | <250 | 6.8 | 1.3 | 6.3 | 4.3 | <1 | <1 | <1 | < 0.2 | <1 | <10 | 4.3 | 7.2 | <10 | 17 | <1 | <1 | 1.5 | 1.3 | 1.4 | ND | NA | NA | NA | NA | |
| | 7/13/18 | 470 | 180 ^x | <250 | 5.0 | <1 | 8.5 | 3.2 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 12 | <10 | 23 | <1 | <1 | 1.9 | 1.1 | <1 | ND | NA | NA | NA | NA | |
| | 7/23/19 | 500 | 210 ^x | <250 | 2.1 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | 1.4 | 16 | <10 | 48 | <1 | <1 | 3.9 | <1 | <1 | ND | NA | NA | <1 | NA | |
| | 12/5/19 | 2,900 | 620 ^x | <250 | 9.5 | 4.3 | 31 | 9.3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | 10 | 82 | <10 | 210 | 1.2 | 1.4 | 19 | 1.7 | <1 | ND | NA | NA | NA | NA | |
| | 2/24/20 | 3,900 | 1,100 ^x | <250 | 9.5 | 3.7 | 43 | 6.7 | <1 | <1 | <1 | < 0.2 | <1 | <50 | 7.2 | 110 | <10 | 310 | <1 | <1 | 22 | 1.7 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | 2,100 | 1,200 ^x | 290 ^x | 5.5 | 2.3 | 17 | 5.0 | <1 | <1 | <1 | < 0.2 | <1 | <50 | 14 | 74 | <10 | 220 | <1 | 1.5 | 16 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | 910 | 270 ^x | <250 | 8.0 | 9.3 | 1.6 | 6.4 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | |
| | 12/1/20 | 3,700 | 1,100 ^x | <250 | 11 | 37 | 48 | 18 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| | 3/26/21 | 1,400 | 680 ^x | <250 | 6.5 | 8.0 | 7.2 | 6.6 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 15.8 | NA | NA |
| | 3/30/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-10 | 11/3/17 | <100 | 69 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 6/14/18 | <100 | 66 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.2 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 7/22/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | <1 | NA |
| | 12/5/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 9.3 | NA | <1 | <1 |
| | 2/26/20 | <100 | 66 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 5.41 | 5.18 | NA | NA |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 16.6 | 15.0 | NA | NA |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.4 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 6.50 | 6.06 | NA | NA |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|--------------------|------------------|---|------------------|------------------|---------|---------|--------------|---------|-----|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|
| MW-10 Continued | 3/23/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 8.69 | 7.00 | NA | NA |
| | 5/12/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.0 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 6.58 | NA | NA |
| | 9/14/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.17 | NA | NA |
| | 12/23/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 5.71 | NA | NA |
| | 3/9/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.62 | NA | NA |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 4.74 | NA | NA |
| | PDBS 9/23/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 7.69 | NA | NA |
| | PDBS 12/16/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.19 | NA | NA |
| | PDBS 3/21/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 12.0 | NA | NA |
| | PDBS 6/30/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.63 | NA | NA |
| | PDBS 9/5/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 20.0 | NA | NA |
| | PDBS 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | <1 | NA | NA |
| | PDBS 3/26/24 | NA | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 4.0 | NA | NA |
| | 6/18/24 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 4.1 | NA | NA |
| | 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | <1 | NA |
| 12/12/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 14 | NA | NA |
| 3/24/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.8 | NA | NA |
| MW-11 | 8/15/19 | <100 | 400 ^x | 370 ^x | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.9 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 12/5/19 | <100 | 61 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 2.9 | 0.22 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 15 | NA | <1 | <1 |
| | 3/3/20 | <100 | 130 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 2.8 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 5/19/20 | <100 | 99 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 3.1 | 0.27 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 8.96 | 7.98 | NA | NA |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | 69 | <5 | <1 | 170 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 69.3 | 55.7 | NA | NA |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | 82 | <5 | <1 | 130 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 569 | 728 | NA | NA |
| | 3/23/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | 61 | <5 | <1 | 77 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 966 | 776 | NA | NA |
| | 5/14/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 38 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 267 | NA | NA |
| | 9/30/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 67.6 | NA | NA |
| | Q4 2021 | Inaccessible Due to Construction - *Well Damaged and Filled with Dirt - Only partially cleared and remains turbid | | | | | | | | | | | | | | | | | | | | | | | | | | | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|--|--|--------------------------------------|------------------|------------------|---------|---------|--------------|---------|------|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|--|
| MW-11 Continued | 3/25/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.039 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 327* | NA | NA | |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 210* | NA | NA | |
| | 8/4/2022 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-12 | 8/19/19 | <100 | 140 ^x | 270 ^x | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/4/19 | <100 | 120 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 4.53 | NA | <1 | <1 | |
| | 3/17/20 | <100 | 120 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | 130 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 4.40 | 4.39 | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | 240 | <5 | <1 | 130 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 1,240 | 506 | NA | NA | |
| | 12/1/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | 94 | <5 | <1 | 59 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 1,380 | 1,260 | NA | NA | |
| | 3/18/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 33 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 1,900 | 2,110 | NA | NA | |
| | 6/4/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1,600 | NA | NA | |
| | Q3 2021 | Inaccessible Due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12/23/21 | Well Damaged and Inaccessible - Decommissioned For Construction- Replaced with Well MW-12R on 12/23/2021 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-12R PDBS PDBS PDBS PDBS PDBS PDBS PDBS | 3/8/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.1 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 845 | NA | NA | |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 468 | NA | NA | |
| | 9/23/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 909 | NA | NA | |
| | 12/16/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.031 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1,090 | NA | NA | |
| | 3/21/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.022 | <1 | <50 | <5 | <1 | 24 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1,100 | NA | NA | |
| | 6/16/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.029 | <1 | <50 | <5 | <1 | 24 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1,220 | NA | NA | |
| | 9/5/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 201 | NA | NA | |
| | Q4 2023 | Inaccessible Due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3/26/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 560 | NA | NA | |
| | 6/20/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 530 | NA | NA | |
| 9/19/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 230 | NA | NA | | |
| 12/12/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 530 | NA | NA | |
| 3/26/25 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 240 | NA | NA | | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | | |
|----------|-------------|---|------------------|-------|---------|---------|--------------|---------|-----|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|--|
| MW-13 | 10/3/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/9/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 3/17/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 11.5 | 5.75 | NA | NA | |
| | 12/23/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 1.91 | 2.06 | NA | NA | |
| | 3/26/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | <5 | <5 | NA | NA | |
| | 5/26/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 3.50 | NA | NA | |
| | 9/29/21 | Well Dry due to Nearby Dewatering Wells | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 12/23/21 | Well Dry due to Nearby Dewatering Wells | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3/8/22 | Well Dry due to Nearby Dewatering Wells | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 2.11 | NA | NA | |
| | Q3/22 | Inaccessible due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 11/4/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 2.20 | NA | NA | |
| | 3/28/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | <1 | NA | NA | |
| | 6/30/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 3.20 | NA | NA | |
| | 9/19/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 29.4 | NA | NA | |
| | 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 5.57 | NA | NA | |
| | 3/26/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.3 | NA | NA | |
| | 6/20/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 15 | NA | NA | |
| 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 5.9 | NA | NA | |
| 12/12/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 6.3 | NA | NA | |
| 3/24/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 8.6 | NA | NA | |
| MW-14 | 8/15/19 | <100 | 130 ^x | <250 | 1.8 | <1 | <1 | <3 | <1 | <1 | 2.3 | 0.65 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | | |
| | 12/4/19 | <100 | 110 ^x | <250 | 1.3 | <1 | <1 | <3 | <1 | <1 | 1.8 | 0.25 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | | |
| | 2/24/20 | <100 | 64 ^x | <250 | 1.8 | <1 | <1 | <3 | <1 | <1 | 2.1 | 0.66 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|--|-------------|---|------------------|-------|---------|---------|--------------|---------|------|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-------------------------|---------------------|--------------|------------------|----|
| MW-14 Continued | 5/19/20 | <100 | 110 ^x | <250 | 0.89 | <1 | <1 | <3 | <1 | <1 | 1.3 | 0.28 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | 0.74 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/1/20 | NA | NA | NA | 0.57 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 60.4 | 45.4 | NA | NA | |
| | 3/26/21 | Inaccessible due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3/30/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-15 | 4/2/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.3 | 0.23 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 14.6 | 11.1 | NA | NA | |
| | 12/9/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 11.9 | 11.7 | NA | NA | |
| | 3/16/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 11.6 | 11.4 | NA | NA | |
| | 5/26/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 12.7 | NA | NA | |
| | 7/1/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.91 | NA | NA | |
| | Q4 2021 | Well Damaged - Decommissioned For Construction- Replaced with Well MW-15R on 12/23/2021 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-15R PDBS PDBS PDBS PDBS PDBS PDBS PDBS PDBS PDBS | 3/2/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | 1.1 | 0.14 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 13.1 | NA | NA | |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | 0.59 | <1 | 0.036 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 10.6 | NA | NA | |
| | 9/23/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.096 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 58.2 | NA | NA | |
| | 12/16/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 32.7 | NA | NA | |
| | 3/21/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 23.7 | NA | NA | |
| | 6/16/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 18.3 | NA | NA | |
| | 9/5/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 29.1 | NA | NA | |
| | 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 47.0 | NA | NA | |
| | 3/26/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 26 | NA | NA | |
| | 6/18/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 36 | NA | NA | |
| | 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 22 | NA | NA |
| 12/12/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 23.5^s | NA | NA | | |
| 3/26/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 17 | NA | NA | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumine | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|---------------|-------------|--------------------------------------|-----------------|-------|---------|---------|--------------|---------|-----|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|-------------------|------------------|----|
| MW-16 | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | 71 | <5 | <1 | 28 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/9/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | <0.2 | <1 | 120 | <5 | <1 | 62 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 289 | 299 | NA | NA | |
| | 3/26/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 24 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 218 | 29.4 | NA | NA | |
| | 6/4/2021 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 140 | NA | NA | |
| | Q3 2021 | Inaccessible due to Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q4 2021 | Well Decommissioned For Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MW-17 PDBS | 3/28/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 168 | NA | NA | |
| | 6/30/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 327 | NA | NA | |
| | 9/13/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.069 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 794 | NA | NA | |
| | 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 7.77 | NA | NA | |
| | 3/26/24 | NA | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 2.9 | NA | NA | |
| | 6/18/24 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 17 | NA | NA | |
| | 9/18/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 3.7 | NA | NA | |
| | 12/13/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 1.05 ^S | NA | NA |
| | 2/27/25 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | <1 | NA | NA | |
| MW-18 PDBS | 3/28/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.021 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 14.2 | NA | NA | |
| | 6/30/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 14.1 | NA | NA | |
| | 9/13/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 29.6 | NA | NA | |
| | 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 40.3 | NA | NA | |
| | 3/26/24 | NA | 58 ^X | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 17 | NA | NA | |
| | 6/18/24 | <100 | 59 ^X | <250 | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 16 | NA | NA | |
| | 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 25 | NA | NA | |
| | 12/12/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 3.7 | NA | NA | |
| | 2/27/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 23 | NA | NA | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|------------------|-------------|--|-------|-------|---------|---------|--------------|---------|-----|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|
| MW-19 | 3/30/23 | <100 | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 23.2 | NA | NA | |
| | 4/25/23 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 9.43 | NA | NA |
| | 9/19/23 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 27.0 | NA | NA |
| | 12/29/23 | <100 | NA | NA | <0.35 | <1 | <1 | <3 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND | NA | 1.86 | NA | NA | |
| | 3/26/24 | <100 | NA | NA | <0.35 | <1 | <1 | <3 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | ND | NA | 2.8 | NA | NA | |
| | 6/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | <2 | NA | NA |
| | 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | <1 | NA | NA |
| | 12/12/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 1.6 | NA | NA |
| | 3/26/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | <1 | NA | NA |
| GEO B-7 | 12/6/18 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/22/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | 2.3 | 3.0 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/4/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | 1.8 | 2.7 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 3/5/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | 2.9 | 3.2 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | 1.8 | 2.5 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/9/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 27.0 | 29.0 | NA | NA | |
| | 3/16/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 20.6 | 16.0 | NA | NA | |
| | 5/24/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 24.8 | NA | NA | |
| | 6/15/21 | Well Decommissioned for Construction - Replaced with Well GEO B-7R on 12/23/2021 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO B-7R PDBS | 3/2/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | 4.0 | 1.1 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 33.8 | NA | NA | |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | 1.6 | 1.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 92.5 | NA | NA | |
| | 9/23/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | 0.022 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 163 | NA | NA | |
| | 12/16/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 9.93 | NA | NA | |
| | 3/21/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 10.9 | NA | NA | |
| | 6/16/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 5.94 | NA | NA | |
| | 9/5/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 2.47 | NA | NA | |
| | 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.87 | NA | NA | |
| | 3/26/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | <1 | NA | NA | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumine | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|----------------------------------|---|-------|------------------|------------------|---------|---------|--------------|---------|------|------|-------------|----------------|------------|---------|--------|--------|-----|-----------------|-------------|--------------------|------------------|------------------------|------------------------|------------|-----------------|---------------------|--------------|------------------|----|
| GEO PDBS B-7R Continued | 6/18/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.2 | NA | NA | |
| | 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | <1 | NA | NA |
| | 12/12/24 | NA | NA | NA | NA | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 0.81 ^s | NA | NA | |
| | 3/26/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | <1 | NA | NA |
| GEO B-8 | 12/6/18 | <100 | 210 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 1.1 | <10 | 1.8 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/23/19 | <100 | 140 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | <1 | NA | |
| | 12/5/19 | 150 | 410 ^x | 360 ^x | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 4.0 | <10 | 7.1 | <1 | <1 | 1.1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 2/28/20 | 110 | 180 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | 1.4 | <10 | 2.7 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | 380 ^x | 350 ^x | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | <100 | 150 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/1/20 | <100 | NA | NA | <1 | <1 | <1 | <3 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 99.6 | 74.1 | NA | NA | |
| | 3/26/21 | <100 | 310 ^x | 320 ^x | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | 2.5 | <20 | 8.8 | <1 | <1 | <1 | <1 | <1 | ND | NA | 14.7 | NA | NA | |
| 3/30/21 | Well Decommissioned for Construction | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO B-9 | 12/6/18 | <100 | 76 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 2.4 | 0.36 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 7/23/19 | <100 | 59 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.4 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 12/4/19 | <100 | <50 | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.5 | 0.22 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 2/28/20 | <100 | 73 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.1 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 5/19/20 | <100 | 63 ^x | <250 | <0.35 | <1 | <1 | <3 | <1 | <1 | 1.0 | < 0.2 | <1 | <50 | <1 | <1 | <10 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA | |
| | 9/28/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | 56 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | NA | NA | NA |
| | 12/9/20 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | <1 | <1 | NA | NA | |
| | 3/18/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | 1.27 | <1 | NA | NA | |
| | 5/24/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <1 | <1 | < 0.2 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.58 | NA | NA | |
| | 9/30/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | 33 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 2.12 | NA | NA | |
| 11/22/21 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 1.61 | NA | NA | | |
| 11/22/21 | Well Decommissioned For Construction- Replaced with Well GEO B-9R on 12/23/2021 | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEO B-9R PDBS | 3/2/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 5.30 | NA | NA | |
| | 6/30/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | < 0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 56.8 | NA | NA | |
| | 9/23/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 25.5 | NA | NA | |

TABLE 3
2017-2025 Summary of Groundwater Sample Analytical Results
104 - 124 12th Avenue & 1209 E. Fir Street, Seattle, Washington

| Well ID | Sample Date | TPH-G | TPH-D | TPH-O | Benzene | Toluene | Ethylbenzene | Xylenes | PCE | TCE | Cis 1,2 DCE | Vinyl Chloride | Chloroform | Acetone | Hexane | Cumene | MEK | n-propylbenzene | Naphthalene | p-isopropyltoluene | sec-butylbenzene | 1,2,4-Trimethylbenzene | 1,3,5-Trimethylbenzene | Other VOCs | Arsenic (Total) | Arsenic (Dissolved) | Lead (Total) | Chromium (Total) | |
|---|--|-------|------------------------|------------------------|------------------------|----------------------|--------------------------|------------------------|--------------------------|----------------------|----------------------|-----------------------|------------------------|-----------------------|--------------------------|------------------------|------------------------|--------------------------|------------------------|------------------------|-----------------------|------------------------|------------------------|-----------------------|-----------------------|-----------------------|-------------------------|-----------------------|-----------------------|
| GEO PDBS | 12/16/22 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 21.4 | NA | NA | |
| B-9R | 3/21/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 44.1 | NA | NA | |
| Continued PDBS | 6/16/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 34.3 | NA | NA | |
| | 9/5/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 56.0 | NA | NA | |
| | 12/29/23 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 41.1 | NA | NA | |
| | 3/26/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 22 | NA | NA | |
| | 6/18/24 | NA | NA | NA | <0.35 | <1 | <1 | <3 | <1 | <0.5 | <1 | <0.02 | <1 | <50 | <5 | <1 | <20 | <1 | <1 | <1 | <1 | <1 | <1 | ND | NA | 46 | NA | NA | |
| | 9/18/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 61 | NA | NA |
| | 12/12/24 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 49.9^S | NA | NA |
| | 3/26/25 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | 27 | NA | NA |
| | MTCA Groundwater Cleanup Levels | | 800^A | 500^A | 500^A | 5^A | 1,000^A | 700^A | 1,000^A | 5^A | 5^A | 16^B | 0.2^A | 80^A | 7,200^B | 480^B | 800^B | 4,800^B | 800^B | 160^B | 32^B | 800^B | 80^B | 80^B | -- | -- | -- | 15^A | 50^A |
| Puget Sound Basin Natural Background Arsenic Concentration | | | | | | | | | | | | | | | | | | | | | | | | | 8^{NB} | 8^{NB} | | | |

Table Notes:

<XXX - Parameter not detected at concentrations at or above the noted reporting limit.

NA - Sample not analyzed for the listed parameter.

Gasoline Range Total Petroleum Hydrocarbons by Method NWTPH-G.

Diesel and Motor Oil Range Total Petroleum Hydrocarbons by Method NWTPH-D(x).

^x - Indicates sample chromatogram does not resemble fuel standard used for analysis. Most likely non-petroleum organic matter.

^{PDBS} Volatile organic compound samples collected using passive diffusion bag samplers, suspended in the wells for a minimum of three weeks prior to removal.

Volatile Organic Compounds by EPA Method 8260C or 8021B. All detected compounds summarized here. See laboratory report for full list of analyzed parameters.

Total lead and chromium on unfiltered samples by EPA Method 6020B.

Dissolved and total arsenic by EPA Method 6020B. Total arsenic on unfiltered samples. Dissolved arsenic on field filtered samples using 0.45 micron single-use filters.

^S - Denotes total of arsenic III and arsenic V, as determined by speciation analyses on field filtered samples using 0.45 micron single-use filters. .

MTCA Groundwater cleanup criteria per Chapter 173-340-720 WAC. Method A criteria presented where available. Method B standard formula values shown where no Method A criteria available. Method B standard formula values from Dept. of Ecology February 2025 Cleanup Levels and Risk Calculation (CLARC) database. NV indicates no value available from CLARC.

A - Method A listed or State or Federal MCL

B - Method B Direct Contact

NV - No published value

NB - Puget Sound Basin Natural Background Concentration from Department of Ecology study "Natural Background Groundwater Arsenic Concentrations in Washington State" Ecology Publication No. 14-09-044, 2022

Sample results exceeding applicable cleanup criteria are noted in ***Bold Italic***.



North



Scale 1 : 24,000

From USGS

Figure 1 - Site Map

104-124 12th Avenue & 1209 E. Fir Street
Seattle, Washington 98122

Project No. WES - 1591

Date June 11, 2017

File ID. 1591F1

WHITMAN
Environmental Sciences

Legend







-  Approximate Location of Monitoring Well
-  Approximate Location of Soil Borings (2016 -2020)
-  Approximate Location and I.D. of Decommissioned Monitoring Well
-  Approximate Location of Sub-Slab Vapor Monitoring Point Under New Construction
-  Approximate Location of Indoor and Ambient Air Monitoring Point Inside New Construction

Figure 2 - Site and Sample Location Plan

12th & Yesler Redevelopment Property
104-124 12th Avenue & 1209 E. Fir Street
Seattle, WA

| | |
|-------------|--------------|
| Project No. | WES - 1591A |
| Date | July 5, 2023 |
| File ID. | 1591F2 |

WHITMAN
Environmental Sciences



Legend

● Approximate Location of Monitoring Well

--- Inferred Groundwater Elevation Contour based on Measurements on 3/24/2025
 * SHA Water Level Measurements taken on 3/13/2025

SHA MW-3 and MW-5 Sampling conducted by PBS for Big Village LLLP on 1/24/2025. Used with permission.

GEO B-7
195.21'
 TCE- XXX
 C12DCE- XX
 As (D) - XXX

Sample Location I.D.
Groundwater Elevation

Analytical Parameter Concentrations (ug/l) (Detected Compounds Only)

Bold Italic Exceeds CUL or Natural Background Concentration

Figure 3 - 1st Quarter 2025 Groundwater Sampling Analytical Results

12th & Yesler Redevelopment Property
 104-124 12th Avenue & 1209 E. Fir Street
 Seattle, WA


| | |
|-------------|--------------|
| Project No. | WES - 1591A |
| Date | May 10, 2025 |
| File ID. | 1591Q125F3 |

WHITMAN
 Environmental Sciences

● Monitoring Well with No Detected CVOCs or Petroleum Compounds in Groundwater in Current Quarter Sampling

● Monitoring Well with Detected CVOCs or Petroleum Compounds in Groundwater in Current Quarter Sampling (None)

● Monitoring Well with CVOCs or Petroleum Compounds above MTCA Method A in Groundwater in Current Quarter Sampling (None)



Appendix A

***Laboratory Analytical Reports
Friedman & Bruya, Inc.***

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Elizabeth Webber-Bruya
Ann Webber-Bruya
Michael Erdahl
Vineta Mills
Eric Young

5500 4th Ave South
Seattle, WA 98108-2419
(206) 285-8282
office@friedmanandbruya.com
www.friedmanandbruya.com

March 7, 2025

Dan Whitman, Project Manager
Whitman Environmental Sciences
410 Eagle Cove Drive
Friday Harbor, WA 98250

Dear Mr Whitman:

Included are the results from the testing of material submitted on February 27, 2025 from the 12th + Yesler WES-1591, F&BI 502369 project. There are 13 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days, or as directed by the Chain of Custody document. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures
WES0307R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on February 27, 2025 by Friedman & Bruya, Inc. from the Whitman Environmental Sciences 12th + Yesler WES-1591, F&BI 502369 project. Samples were logged in under the laboratory ID's listed below.

| <u>Laboratory ID</u> | <u>Whitman Environmental Sciences</u> |
|----------------------|---------------------------------------|
| 502369 -01 | MW-12R-GW |
| 502369 -02 | MW-17-GW |
| 502369 -03 | MW-18-GW |

The 8260D calibration standard exceeded the acceptance criteria for several compounds. The compounds were not detected, therefore this did not represent an out of control condition, and were qualified with a "k" qualifier. The results are not considered estimates.

Chloroethane exceeded the acceptance criteria in the 8260D matrix spike sample. The compound was not detected, therefore this did not represent an out of control condition.

All other quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By EPA Method 8260D Dual Acquisition

| | |
|----------------------------|--|
| Client Sample ID: MW-17-GW | Client: Whitman Environmental Sciences |
| Date Received: 02/27/25 | Project: 12th + Yesler WES-1591 |
| Date Extracted: 03/04/25 | Lab ID: 502369-02 |
| Date Analyzed: 03/04/25 | Data File: 030433.D |
| Matrix: Water | Instrument: GCMS13 |
| Units: ug/L (ppb) | Operator: MD |

| Surrogates: | % Recovery: | Lower Limit: | Upper Limit: |
|-----------------------|-------------|--------------|--------------|
| 1,2-Dichloroethane-d4 | 96 | 71 | 132 |
| Toluene-d8 | 102 | 68 | 139 |
| 4-Bromofluorobenzene | 108 | 62 | 136 |

| Compounds: | Concentration ug/L (ppb) | Compounds: | Concentration ug/L (ppb) |
|-----------------------------|--------------------------|-----------------------------|--------------------------|
| Dichlorodifluoromethane | <1 | 1,3-Dichloropropane | <1 |
| Chloromethane | <10 | Tetrachloroethene | <0.5 |
| Vinyl chloride | <0.02 | Dibromochloromethane | <0.5 |
| Bromomethane | <5 | 1,2-Dibromoethane (EDB) | <0.01 |
| Chloroethane | <1 k | Chlorobenzene | <1 |
| Trichlorofluoromethane | <1 | Ethylbenzene | <1 |
| Acetone | <50 k | 1,1,1,2-Tetrachloroethane | <1 |
| 1,1-Dichloroethene | <1 | m,p-Xylene | <2 |
| Hexane | <5 | o-Xylene | <1 |
| Methylene chloride | <5 | Styrene | <1 |
| Methyl t-butyl ether (MTBE) | <1 | Isopropylbenzene | <1 |
| trans-1,2-Dichloroethene | <1 | Bromoform | <5 |
| 1,1-Dichloroethane | <1 | n-Propylbenzene | <1 |
| 2,2-Dichloropropane | <1 k | Bromobenzene | <1 |
| cis-1,2-Dichloroethene | <1 | 1,3,5-Trimethylbenzene | <1 |
| Chloroform | <1 | 1,1,2,2-Tetrachloroethane | <0.2 |
| 2-Butanone (MEK) | <20 k | 1,2,3-Trichloropropane | <1 |
| 1,2-Dichloroethane (EDC) | <0.2 | 2-Chlorotoluene | <1 |
| 1,1,1-Trichloroethane | <1 | 4-Chlorotoluene | <1 |
| 1,1-Dichloropropene | <1 | tert-Butylbenzene | <1 |
| Carbon tetrachloride | <0.5 | 1,2,4-Trimethylbenzene | <1 |
| Benzene | <0.35 | sec-Butylbenzene | <1 |
| Trichloroethene | <0.05 | p-Isopropyltoluene | <1 |
| 1,2-Dichloropropane | <1 | 1,3-Dichlorobenzene | <1 |
| Bromodichloromethane | <0.5 | 1,4-Dichlorobenzene | <1 |
| Dibromomethane | <1 | 1,2-Dichlorobenzene | <1 |
| 4-Methyl-2-pentanone | <10 | 1,2-Dibromo-3-chloropropane | <10 |
| cis-1,3-Dichloropropene | <0.4 | 1,2,4-Trichlorobenzene | <1 |
| Toluene | <1 | Hexachlorobutadiene | <0.5 |
| trans-1,3-Dichloropropene | <0.4 | Naphthalene | <1 |
| 1,1,2-Trichloroethane | <0.5 | 1,2,3-Trichlorobenzene | <1 |
| 2-Hexanone | <10 k | | |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By EPA Method 8260D Dual Acquisition

| | | | |
|-------------------|----------------|-------------|--------------------------------|
| Client Sample ID: | Method Blank | Client: | Whitman Environmental Sciences |
| Date Received: | Not Applicable | Project: | 12th + Yesler WES-1591 |
| Date Extracted: | 03/04/25 | Lab ID: | 05-0506 mb |
| Date Analyzed: | 03/04/25 | Data File: | 030409.D |
| Matrix: | Water | Instrument: | GCMS13 |
| Units: | ug/L (ppb) | Operator: | MD |

| Surrogates: | % Recovery: | Lower Limit: | Upper Limit: |
|-----------------------|-------------|--------------|--------------|
| 1,2-Dichloroethane-d4 | 96 | 71 | 132 |
| Toluene-d8 | 104 | 68 | 139 |
| 4-Bromofluorobenzene | 110 | 62 | 136 |

| Compounds: | Concentration ug/L (ppb) | Compounds: | Concentration ug/L (ppb) |
|-----------------------------|--------------------------|-----------------------------|--------------------------|
| Dichlorodifluoromethane | <1 | 1,3-Dichloropropane | <1 |
| Chloromethane | <10 | Tetrachloroethene | <0.5 |
| Vinyl chloride | <0.02 | Dibromochloromethane | <0.5 |
| Bromomethane | <5 | 1,2-Dibromoethane (EDB) | <0.01 |
| Chloroethane | <1 | Chlorobenzene | <1 |
| Trichlorofluoromethane | <1 | Ethylbenzene | <1 |
| Acetone | <50 k | 1,1,1,2-Tetrachloroethane | <1 |
| 1,1-Dichloroethene | <1 | m,p-Xylene | <2 |
| Hexane | <5 | o-Xylene | <1 |
| Methylene chloride | <5 | Styrene | <1 |
| Methyl t-butyl ether (MTBE) | <1 | Isopropylbenzene | <1 |
| trans-1,2-Dichloroethene | <1 | Bromoform | <5 |
| 1,1-Dichloroethane | <1 | n-Propylbenzene | <1 |
| 2,2-Dichloropropane | <1 | Bromobenzene | <1 |
| cis-1,2-Dichloroethene | <1 | 1,3,5-Trimethylbenzene | <1 |
| Chloroform | <1 | 1,1,2,2-Tetrachloroethane | <0.2 |
| 2-Butanone (MEK) | <20 k | 1,2,3-Trichloropropane | <1 |
| 1,2-Dichloroethane (EDC) | <0.2 | 2-Chlorotoluene | <1 |
| 1,1,1-Trichloroethane | <1 | 4-Chlorotoluene | <1 |
| 1,1-Dichloropropene | <1 | tert-Butylbenzene | <1 |
| Carbon tetrachloride | <0.5 | 1,2,4-Trimethylbenzene | <1 |
| Benzene | <0.35 | sec-Butylbenzene | <1 |
| Trichloroethene | <0.05 | p-Isopropyltoluene | <1 |
| 1,2-Dichloropropane | <1 | 1,3-Dichlorobenzene | <1 |
| Bromodichloromethane | <0.5 | 1,4-Dichlorobenzene | <1 |
| Dibromomethane | <1 | 1,2-Dichlorobenzene | <1 |
| 4-Methyl-2-pentanone | <10 | 1,2-Dibromo-3-chloropropane | <10 |
| cis-1,3-Dichloropropene | <0.4 | 1,2,4-Trichlorobenzene | <1 |
| Toluene | <1 | Hexachlorobutadiene | <0.5 |
| trans-1,3-Dichloropropene | <0.4 | Naphthalene | <1 |
| 1,1,2-Trichloroethane | <0.5 | 1,2,3-Trichlorobenzene | <1 |
| 2-Hexanone | <10 k | | |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-12R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 02/27/25 | Project: | 12th + Yesler WES-1591 |
| Date Extracted: | 03/03/25 | Lab ID: | 502369-01 |
| Date Analyzed: | 03/03/25 | Data File: | 502369-01.217 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|-----|
| Arsenic | 240 |
|---------|-----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-17-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 02/27/25 | Project: | 12th + Yesler WES-1591 |
| Date Extracted: | 03/03/25 | Lab ID: | 502369-02 |
| Date Analyzed: | 03/03/25 | Data File: | 502369-02.227 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|----|
| Arsenic | <1 |
|---------|----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-18-GW f | Client: | Whitman Environmental Sciences |
| Date Received: | 02/27/25 | Project: | 12th + Yesler WES-1591 |
| Date Extracted: | 02/28/25 | Lab ID: | 502369-03 x10 |
| Date Analyzed: | 03/06/25 | Data File: | 502369-03 x10.052 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|----|
| Arsenic | 23 |
|---------|----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|----------------|-------------|--------------------------------|
| Client Sample ID: | Method Blank f | Client: | Whitman Environmental Sciences |
| Date Received: | Not Applicable | Project: | 12th + Yesler WES-1591 |
| Date Extracted: | 02/28/25 | Lab ID: | I5-174 mb |
| Date Analyzed: | 02/28/25 | Data File: | I5-174 mb.084 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|----|
| Arsenic | <1 |
|---------|----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|----------------|-------------|--------------------------------|
| Client Sample ID: | Method Blank | Client: | Whitman Environmental Sciences |
| Date Received: | Not Applicable | Project: | 12th + Yesler WES-1591 |
| Date Extracted: | 03/03/25 | Lab ID: | I5-179 mb |
| Date Analyzed: | 03/03/25 | Data File: | I5-179 mb.119 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|----|
| Arsenic | <1 |
|---------|----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 03/07/25

Date Received: 02/27/25

Project: 12th + Yesler WES-1591, F&BI 502369

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER
SAMPLES FOR VOLATILES BY EPA METHOD 8260D**

Laboratory Code: 502344-01 (Matrix Spike)

| Analyte | Reporting Units | Spike Level | Sample Result | Percent | Acceptance Criteria |
|-----------------------------|--------------------|----------------|------------------|----------------|------------------------|
| | | | | Recovery MS | |
| Dichlorodifluoromethane | ug/L (ppb) | 10 | <1 | 90 | 27-164 |
| Chloromethane | ug/L (ppb) | 10 | <10 | 106 | 34-141 |
| Vinyl chloride | ug/L (ppb) | 10 | <0.02 | 151 | 16-176 |
| Bromomethane | ug/L (ppb) | 10 | <5 | 171 | 10-193 |
| Chloroethane | ug/L (ppb) | 10 | <1 | 171 vo | 50-150 |
| Trichlorofluoromethane | ug/L (ppb) | 10 | <1 | 125 | 50-150 |
| Acetone | ug/L (ppb) | 50 | <50 | 99 | 15-179 |
| 1,1-Dichloroethene | ug/L (ppb) | 10 | <1 | 110 | 50-150 |
| Hexane | ug/L (ppb) | 10 | <5 | 107 | 49-161 |
| Methylene chloride | ug/L (ppb) | 10 | <5 | 107 | 40-143 |
| Methyl t-butyl ether (MTBE) | ug/L (ppb) | 10 | <1 | 111 | 50-150 |
| trans-1,2-Dichloroethene | ug/L (ppb) | 10 | <1 | 102 | 50-150 |
| 1,1-Dichloroethane | ug/L (ppb) | 10 | <1 | 107 | 50-150 |
| 2,2-Dichloropropane | ug/L (ppb) | 10 | <1 | 105 | 62-152 |
| cis-1,2-Dichloroethene | ug/L (ppb) | 10 | <1 | 106 | 50-150 |
| Chloroform | ug/L (ppb) | 10 | <1 | 106 | 50-150 |
| 2-Butanone (MEK) | ug/L (ppb) | 50 | <20 | 110 | 34-168 |
| 1,2-Dichloroethane (EDC) | ug/L (ppb) | 10 | <0.2 | 105 | 50-150 |
| 1,1,1-Trichloroethane | ug/L (ppb) | 10 | <1 | 105 | 50-150 |
| 1,1-Dichloropropene | ug/L (ppb) | 10 | <1 | 103 | 50-150 |
| Carbon tetrachloride | ug/L (ppb) | 10 | <0.5 | 113 | 50-150 |
| Benzene | ug/L (ppb) | 10 | <0.35 | 110 | 50-150 |
| Trichloroethene | ug/L (ppb) | 10 | <0.05 | 103 | 43-133 |
| 1,2-Dichloropropane | ug/L (ppb) | 10 | <1 | 109 | 50-150 |
| Bromodichloromethane | ug/L (ppb) | 10 | <0.5 | 109 | 50-150 |
| Dibromomethane | ug/L (ppb) | 10 | <1 | 101 | 50-150 |
| 4-Methyl-2-pentanone | ug/L (ppb) | 50 | <10 | 123 | 50-150 |
| cis-1,3-Dichloropropene | ug/L (ppb) | 10 | <0.4 | 115 | 48-145 |
| Toluene | ug/L (ppb) | 10 | <1 | 105 | 50-150 |
| trans-1,3-Dichloropropene | ug/L (ppb) | 10 | <0.4 | 99 | 37-152 |
| 1,1,2-Trichloroethane | ug/L (ppb) | 10 | <0.5 | 108 | 50-150 |
| 2-Hexanone | ug/L (ppb) | 50 | <10 | 115 | 50-150 |
| 1,3-Dichloropropane | ug/L (ppb) | 10 | <1 | 105 | 50-150 |
| Tetrachloroethene | ug/L (ppb) | 10 | <0.5 | 99 | 50-150 |
| Dibromochloromethane | ug/L (ppb) | 10 | <0.5 | 104 | 33-164 |
| 1,2-Dibromoethane (EDB) | ug/L (ppb) | 10 | <0.01 | 104 | 50-150 |
| Chlorobenzene | ug/L (ppb) | 10 | <1 | 104 | 50-150 |
| Ethylbenzene | ug/L (ppb) | 10 | <1 | 105 | 50-150 |
| 1,1,1,2-Tetrachloroethane | ug/L (ppb) | 10 | <1 | 99 | 50-150 |
| m,p-Xylene | ug/L (ppb) | 20 | <2 | 104 | 50-150 |
| o-Xylene | ug/L (ppb) | 10 | <1 | 105 | 50-150 |
| Styrene | ug/L (ppb) | 10 | <1 | 104 | 50-150 |
| Isopropylbenzene | ug/L (ppb) | 10 | <1 | 103 | 50-150 |
| Bromoform | ug/L (ppb) | 10 | <5 | 99 | 23-161 |
| n-Propylbenzene | ug/L (ppb) | 10 | <1 | 121 | 50-150 |
| Bromobenzene | ug/L (ppb) | 10 | <1 | 114 | 50-150 |
| 1,3,5-Trimethylbenzene | ug/L (ppb) | 10 | <1 | 117 | 50-150 |
| 1,1,2,2-Tetrachloroethane | ug/L (ppb) | 10 | <0.2 | 134 | 57-162 |
| 1,2,3-Trichloropropane | ug/L (ppb) | 10 | <1 | 125 | 33-151 |
| 2-Chlorotoluene | ug/L (ppb) | 10 | <1 | 120 | 50-150 |
| 4-Chlorotoluene | ug/L (ppb) | 10 | <1 | 117 | 50-150 |
| tert-Butylbenzene | ug/L (ppb) | 10 | <1 | 126 | 50-150 |
| 1,2,4-Trimethylbenzene | ug/L (ppb) | 10 | <1 | 123 | 50-150 |
| sec-Butylbenzene | ug/L (ppb) | 10 | <1 | 117 | 46-139 |
| p-Isopropyltoluene | ug/L (ppb) | 10 | <1 | 106 | 46-140 |
| 1,3-Dichlorobenzene | ug/L (ppb) | 10 | <1 | 108 | 50-150 |
| 1,4-Dichlorobenzene | ug/L (ppb) | 10 | <1 | 101 | 50-150 |
| 1,2-Dichlorobenzene | ug/L (ppb) | 10 | <1 | 104 | 50-150 |
| 1,2-Dibromo-3-chloropropane | ug/L (ppb) | 10 | <10 | 96 | 50-150 |
| 1,2,4-Trichlorobenzene | ug/L (ppb) | 10 | <1 | 93 | 50-150 |
| Hexachlorobutadiene | ug/L (ppb) | 10 | <0.5 | 87 | 42-150 |
| Naphthalene | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| 1,2,3-Trichlorobenzene | ug/L (ppb) | 10 | <1 | 90 | 44-155 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 03/07/25

Date Received: 02/27/25

Project: 12th + Yesler WES-1591, F&BI 502369

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER
SAMPLES FOR VOLATILES BY EPA METHOD 8260D**

Laboratory Code: Laboratory Control Sample

| Analyte | Reporting Units | Spike Level | Percent Recovery LCS | Percent Recovery LCSD | Acceptance Criteria | RPD (Limit 20) |
|-----------------------------|-----------------|-------------|----------------------|-----------------------|---------------------|----------------|
| Dichlorodifluoromethane | ug/L (ppb) | 10 | 83 | 89 | 49-149 | 7 |
| Chloromethane | ug/L (ppb) | 10 | 89 | 95 | 34-143 | 7 |
| Vinyl chloride | ug/L (ppb) | 10 | 102 | 104 | 43-149 | 2 |
| Bromomethane | ug/L (ppb) | 10 | 106 | 103 | 28-182 | 3 |
| Chloroethane | ug/L (ppb) | 10 | 107 | 109 | 59-157 | 2 |
| Trichlorofluoromethane | ug/L (ppb) | 10 | 98 | 106 | 59-141 | 8 |
| Acetone | ug/L (ppb) | 50 | 75 | 77 | 20-139 | 3 |
| 1,1-Dichloroethene | ug/L (ppb) | 10 | 94 | 95 | 67-138 | 1 |
| Hexane | ug/L (ppb) | 10 | 111 | 112 | 50-161 | 1 |
| Methylene chloride | ug/L (ppb) | 10 | 100 | 103 | 29-192 | 3 |
| Methyl t-butyl ether (MTBE) | ug/L (ppb) | 10 | 105 | 107 | 70-130 | 2 |
| trans-1,2-Dichloroethene | ug/L (ppb) | 10 | 97 | 99 | 70-130 | 2 |
| 1,1-Dichloroethane | ug/L (ppb) | 10 | 101 | 102 | 70-130 | 1 |
| 2,2-Dichloropropane | ug/L (ppb) | 10 | 127 | 123 | 71-148 | 3 |
| cis-1,2-Dichloroethene | ug/L (ppb) | 10 | 100 | 102 | 70-130 | 2 |
| Chloroform | ug/L (ppb) | 10 | 94 | 97 | 70-130 | 3 |
| 2-Butanone (MEK) | ug/L (ppb) | 50 | 94 | 96 | 50-157 | 2 |
| 1,2-Dichloroethane (EDC) | ug/L (ppb) | 10 | 99 | 101 | 70-130 | 2 |
| 1,1,1-Trichloroethane | ug/L (ppb) | 10 | 99 | 100 | 70-130 | 1 |
| 1,1-Dichloropropene | ug/L (ppb) | 10 | 96 | 101 | 70-130 | 5 |
| Carbon tetrachloride | ug/L (ppb) | 10 | 106 | 108 | 70-130 | 2 |
| Benzene | ug/L (ppb) | 10 | 104 | 105 | 70-130 | 1 |
| Trichloroethene | ug/L (ppb) | 10 | 98 | 99 | 70-130 | 1 |
| 1,2-Dichloropropane | ug/L (ppb) | 10 | 104 | 105 | 70-130 | 1 |
| Bromodichloromethane | ug/L (ppb) | 10 | 102 | 102 | 70-130 | 0 |
| Dibromomethane | ug/L (ppb) | 10 | 101 | 97 | 70-130 | 4 |
| 4-Methyl-2-pentanone | ug/L (ppb) | 50 | 106 | 111 | 70-130 | 5 |
| cis-1,3-Dichloropropene | ug/L (ppb) | 10 | 105 | 101 | 70-130 | 4 |
| Toluene | ug/L (ppb) | 10 | 102 | 103 | 70-130 | 1 |
| trans-1,3-Dichloropropene | ug/L (ppb) | 10 | 103 | 102 | 70-130 | 1 |
| 1,1,2-Trichloroethane | ug/L (ppb) | 10 | 105 | 106 | 70-130 | 1 |
| 2-Hexanone | ug/L (ppb) | 50 | 110 | 114 | 66-132 | 4 |
| 1,3-Dichloropropane | ug/L (ppb) | 10 | 100 | 104 | 70-130 | 4 |
| Tetrachloroethene | ug/L (ppb) | 10 | 98 | 99 | 70-130 | 1 |
| Dibromochloromethane | ug/L (ppb) | 10 | 102 | 104 | 63-142 | 2 |
| 1,2-Dibromoethane (EDB) | ug/L (ppb) | 10 | 100 | 102 | 70-130 | 2 |
| Chlorobenzene | ug/L (ppb) | 10 | 99 | 101 | 70-130 | 2 |
| Ethylbenzene | ug/L (ppb) | 10 | 103 | 104 | 70-130 | 1 |
| 1,1,1,2-Tetrachloroethane | ug/L (ppb) | 10 | 96 | 99 | 70-130 | 3 |
| m,p-Xylene | ug/L (ppb) | 20 | 102 | 103 | 70-130 | 1 |
| o-Xylene | ug/L (ppb) | 10 | 100 | 102 | 70-130 | 2 |
| Styrene | ug/L (ppb) | 10 | 100 | 102 | 70-130 | 2 |
| Isopropylbenzene | ug/L (ppb) | 10 | 101 | 103 | 70-130 | 2 |
| Bromoform | ug/L (ppb) | 10 | 101 | 103 | 50-157 | 2 |
| n-Propylbenzene | ug/L (ppb) | 10 | 103 | 104 | 70-130 | 1 |
| Bromobenzene | ug/L (ppb) | 10 | 99 | 102 | 70-130 | 3 |
| 1,3,5-Trimethylbenzene | ug/L (ppb) | 10 | 102 | 103 | 52-150 | 1 |
| 1,1,2,2-Tetrachloroethane | ug/L (ppb) | 10 | 113 | 117 | 75-140 | 3 |
| 1,2,3-Trichloropropane | ug/L (ppb) | 10 | 104 | 104 | 40-153 | 0 |
| 2-Chlorotoluene | ug/L (ppb) | 10 | 103 | 104 | 70-130 | 1 |
| 4-Chlorotoluene | ug/L (ppb) | 10 | 101 | 102 | 70-130 | 1 |
| tert-Butylbenzene | ug/L (ppb) | 10 | 101 | 102 | 70-130 | 1 |
| 1,2,4-Trimethylbenzene | ug/L (ppb) | 10 | 101 | 104 | 70-130 | 3 |
| sec-Butylbenzene | ug/L (ppb) | 10 | 103 | 105 | 70-130 | 2 |
| p-Isopropyltoluene | ug/L (ppb) | 10 | 103 | 103 | 70-130 | 0 |
| 1,3-Dichlorobenzene | ug/L (ppb) | 10 | 99 | 100 | 70-130 | 1 |
| 1,4-Dichlorobenzene | ug/L (ppb) | 10 | 99 | 101 | 70-130 | 2 |
| 1,2-Dichlorobenzene | ug/L (ppb) | 10 | 100 | 98 | 70-130 | 2 |
| 1,2-Dibromo-3-chloropropane | ug/L (ppb) | 10 | 97 | 97 | 70-130 | 0 |
| 1,2,4-Trichlorobenzene | ug/L (ppb) | 10 | 88 | 91 | 70-130 | 3 |
| Hexachlorobutadiene | ug/L (ppb) | 10 | 87 | 89 | 70-130 | 2 |
| Naphthalene | ug/L (ppb) | 10 | 89 | 92 | 61-133 | 3 |
| 1,2,3-Trichlorobenzene | ug/L (ppb) | 10 | 87 | 89 | 69-143 | 2 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 03/07/25

Date Received: 02/27/25

Project: 12th + Yesler WES-1591, F&BI 502369

**QUALITY ASSURANCE RESULTS
FOR THE ANALYSIS OF WATER SAMPLES
FOR DISSOLVED METALS USING EPA METHOD 6020B**

Laboratory Code: 502369-01 (Matrix Spike)

| Analyte | Reporting Units | Spike Level | Sample Result | Percent Recovery MS | Percent Recovery MSD | Acceptance Criteria | RPD (Limit 20) |
|---------|-----------------|-------------|---------------|---------------------|----------------------|---------------------|----------------|
| Arsenic | ug/L (ppb) | 10 | 236 | 97 b | 0 b | 75-125 | 0 b |

Laboratory Code: Laboratory Control Sample

| Analyte | Reporting Units | Spike Level | Percent Recovery LCS | Acceptance Criteria |
|---------|-----------------|-------------|----------------------|---------------------|
| Arsenic | ug/L (ppb) | 10 | 92 | 80-120 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 03/07/25

Date Received: 02/27/25

Project: 12th + Yesler WES-1591, F&BI 502369

**QUALITY ASSURANCE RESULTS
FOR THE ANALYSIS OF WATER SAMPLES
FOR DISSOLVED METALS USING EPA METHOD 200.8**

Laboratory Code: 502284-01 (Matrix Spike)

| Analyte | Reporting Units | Spike Level | Sample Result | Percent Recovery MS | Percent Recovery MSD | Acceptance Criteria | RPD (Limit 20) |
|---------|-----------------|-------------|---------------|---------------------|----------------------|---------------------|----------------|
| Arsenic | ug/L (ppb) | 10 | <1 | 95 | 96 | 70-130 | 1 |

Laboratory Code: Laboratory Control Sample

| Analyte | Reporting Units | Spike Level | Percent Recovery LCS | Acceptance Criteria |
|---------|-----------------|-------------|----------------------|---------------------|
| Arsenic | ug/L (ppb) | 10 | 95 | 85-115 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

- a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.
- b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.
- ca - The calibration results for the analyte were outside of acceptance criteria, biased low; or, the calibration results for the analyte were outside of acceptance criteria, biased high, with a detection for the analyte in the sample. The value reported is an estimate.
- c - The presence of the analyte may be due to carryover from previous sample injections.
- cf - The sample was centrifuged prior to analysis.
- d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.
- dv - Insufficient sample volume was available to achieve normal reporting limits.
- f - The sample was laboratory filtered prior to analysis.
- fb - The analyte was detected in the method blank.
- fc - The analyte is a common laboratory and field contaminant.
- hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.
- hs - Headspace was present in the container used for analysis.
- ht - The analysis was performed outside the method or client-specified holding time requirement.
- ip - Recovery fell outside of control limits due to sample matrix effects.
- j - The analyte concentration is reported between the method detection limit and the lowest calibration point. The value reported is an estimate.
- J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.
- jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.
- js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.
- k - The calibration results for the analyte were outside of acceptance criteria, biased high, and the analyte was not detected in the sample.
- lc - The presence of the analyte is likely due to laboratory contamination.
- L - The reported concentration was generated from a library search.
- nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.
- pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.
- ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.
- vo - The value reported fell outside the control limits established for this analyte.
- x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

502369

SAMPLE CHAIN OF CUSTODY

02/27/25

WV1/K1

Page # of

Report To *[Signature]*

Company *CHRYMUS ENV. SERVICES*

Address *210 E. STATE BLVD. RT 2*

City, State, ZIP *BRIDGE PLAZA, WV 26030*

Phone _____ Email _____

SAMPLERS (signature)

PROJECT NAME

RM 4 VESTIB

PO #

025 -1591

INVOICE TO

Project specific RIs? - Yes / No

ANALYSES REQUESTED

| Sample ID | Lab ID | Date Sampled | Time Sampled | Sample Type | # of Jars | ANALYSES REQUESTED | | | | | | | Notes |
|-----------------|--------------|----------------|--------------|--------------|-----------|----------------------------------|----------|---------------|------------|-------------------------------------|---------------------|---------------------|-------|
| | | | | | | NWTPH-Dx | NWTPH-Gx | BTEX EPA 8021 | NWTPH-HCID | VOCs EPA 8260 | PAHs EPA 8270 | PCBs EPA 8082 | |
| <i>10-18-21</i> | <i>01</i> | <i>3-27-25</i> | <i>10:40</i> | <i>WATER</i> | <i>1</i> | | | | | <input checked="" type="checkbox"/> | <i>NOT FINISHED</i> | <i>DW 216/18 ME</i> | |
| <i>10-17-21</i> | <i>02A-D</i> | <i>11</i> | <i>9:40</i> | <i>11</i> | <i>1</i> | | | | | <input checked="" type="checkbox"/> | | | |
| <i>10-18-21</i> | <i>03</i> | <i>11</i> | <i>11:00</i> | <i>11</i> | <i>1</i> | | | | | | | | |
| | | | | | | Samples received at 10 °C | | | | | | | |

TURNAROUND TIME

Standard turnaround

RUSH

Rush charges authorized by: _____

SAMPLE DISPOSAL

Archive samples

Other _____

Default: Dispose after 30 days

SIGNATURE

PRINT NAME

COMPANY

DATE

TIME

Relinquished by:

[Signature]

Eric Lewis

025

2/27/25

3:02

Received by:

[Signature]

Eric Lewis

025

2/27

1502

Friedman & Bruya, Inc.
5500 4th Ave S.
Seattle WA 98108
(206) 285-8282
office@friedmanandbruya.com

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Elizabeth Webber-Bruya
Ann Webber-Bruya
Michael Erdahl
Vineta Mills
Eric Young

5500 4th Ave South
Seattle, WA 98108-2419
(206) 285-8282
office@friedmanandbruya.com
www.friedmanandbruya.com

March 28, 2025

Dan Whitman, Project Manager
Whitman Environmental Sciences
410 Eagle Cove Drive
Friday Harbor, WA 98250

Dear Mr Whitman:

Included are the results from the testing of material submitted on March 24, 2025 from the 12th + Yesler WES-1591, F&BI 503362 project. There are 7 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days, or as directed by the Chain of Custody document. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures
WES0328R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on March 24, 2025 by Friedman & Bruya, Inc. from the Whitman Environmental Sciences 12th + Yesler WES-1591, F&BI 503362 project. Samples were logged in under the laboratory ID's listed below.

| <u>Laboratory ID</u> | <u>Whitman Environmental Sciences</u> |
|----------------------|---------------------------------------|
| 503362 -01 | MW-1R-GW |
| 503362 -02 | MW-10-GW |
| 503362 -03 | MW-13-GW |
| 503362 -04 | MW-17-GW |

All quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|-------------------------------------|
| Client Sample ID: | MW-1R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/24/25 | Project: | 12th + Yesler WES-1591, F&BI 503362 |
| Date Extracted: | 03/24/25 | Lab ID: | 503362-01 x2 |
| Date Analyzed: | 03/26/25 | Data File: | 503362-01 x2.044 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|----|
| Arsenic | 11 |
|---------|----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|-------------------------------------|
| Client Sample ID: | MW-10-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/24/25 | Project: | 12th + Yesler WES-1591, F&BI 503362 |
| Date Extracted: | 03/24/25 | Lab ID: | 503362-02 x2 |
| Date Analyzed: | 03/26/25 | Data File: | 503362-02 x2.045 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|-----|
| Arsenic | 5.8 |
|---------|-----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|-------------------------------------|
| Client Sample ID: | MW-13-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/24/25 | Project: | 12th + Yesler WES-1591, F&BI 503362 |
| Date Extracted: | 03/24/25 | Lab ID: | 503362-03 x2 |
| Date Analyzed: | 03/26/25 | Data File: | 503362-03 x2.046 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|-----|
| Arsenic | 8.6 |
|---------|-----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|----------------|-------------|-------------------------------------|
| Client Sample ID: | Method Blank | Client: | Whitman Environmental Sciences |
| Date Received: | Not Applicable | Project: | 12th + Yesler WES-1591, F&BI 503362 |
| Date Extracted: | 03/24/25 | Lab ID: | I5-256 mb |
| Date Analyzed: | 03/25/25 | Data File: | I5-256 mb.049 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
|----------|-----------------------------|

| | |
|---------|----|
| Arsenic | <1 |
|---------|----|

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 03/28/25

Date Received: 03/24/25

Project: 12th + Yesler WES-1591, F&BI 503362

**QUALITY ASSURANCE RESULTS
FOR THE ANALYSIS OF WATER SAMPLES
FOR DISSOLVED METALS USING EPA METHOD 6020B**

Laboratory Code: 503362-01 (Matrix Spike)

| Analyte | Reporting Units | Spike Level | Sample Result | Percent Recovery MS | Percent Recovery MSD | Acceptance Criteria | RPD (Limit 20) |
|---------|-----------------|-------------|---------------|---------------------|----------------------|---------------------|----------------|
| Arsenic | ug/L (ppb) | 10 | 9.15 | 82 b | 79 b | 75-125 | 4 b |

Laboratory Code: Laboratory Control Sample

| Analyte | Reporting Units | Spike Level | Percent Recovery LCS | Acceptance Criteria |
|---------|-----------------|-------------|----------------------|---------------------|
| Arsenic | ug/L (ppb) | 10 | 98 | 80-120 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

- a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.
- b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.
- ca - The calibration results for the analyte were outside of acceptance criteria, biased low; or, the calibration results for the analyte were outside of acceptance criteria, biased high, with a detection for the analyte in the sample. The value reported is an estimate.
- c - The presence of the analyte may be due to carryover from previous sample injections.
- cf - The sample was centrifuged prior to analysis.
- d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.
- dv - Insufficient sample volume was available to achieve normal reporting limits.
- f - The sample was laboratory filtered prior to analysis.
- fb - The analyte was detected in the method blank.
- fc - The analyte is a common laboratory and field contaminant.
- hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.
- hs - Headspace was present in the container used for analysis.
- ht - The analysis was performed outside the method or client-specified holding time requirement.
- ip - Recovery fell outside of control limits due to sample matrix effects.
- j - The analyte concentration is reported between the method detection limit and the lowest calibration point. The value reported is an estimate.
- J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.
- jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.
- js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.
- k - The calibration results for the analyte were outside of acceptance criteria, biased high, and the analyte was not detected in the sample.
- lc - The presence of the analyte is likely due to laboratory contamination.
- L - The reported concentration was generated from a library search.
- nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.
- pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.
- ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.
- vo - The value reported fell outside the control limits established for this analyte.
- x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

503362

SAMPLE CHAIN OF CUSTODY

03/24/85

L2/11/1

Report To Mr. Williams

Company CHITMAN ENV. SERVICES

Address 510 ELLIS AVE. SE

City, State, ZIP SEASLY WASH DC

Phone _____ Email CHITMAN@CHITMAN.COM

SAMPLERS (signature) _____

PROJECT NAME RM + Yessie

PO # 285-1591

REMARKS

INVOICE TO

Project specific RIs? - Yes / No

Page # _____ of _____

TURNAROUND TIME

Standard turnaround

RUSH

Rush charges authorized by: _____

SAMPLE DISPOSAL

Archive samples

Other _____

Default: Dispose after 30 days

ANALYSES REQUESTED

| Sample ID | Lab ID | Date Sampled | Time Sampled | Sample Type | # of Jars | ANALYSES REQUESTED | | | | | | | Notes | |
|------------------|-------------|----------------|-------------------|--------------|-----------|---|----------|---------------|------------|---------------|---------------|---------------|-------|-----------------------|
| | | | | | | NWTPH-Dx | NWTPH-Gx | BTEX EPA 8021 | NWTPH-HCID | VOCs EPA 8260 | PAHs EPA 8270 | PCBs EPA 8082 | | |
| <u>MD-1E-612</u> | <u>01</u> | <u>3/21/85</u> | <u>11:35</u> | <u>Water</u> | <u>1</u> | | | | | | | | | <u>ALREADY FILLED</u> |
| <u>MD-1D-612</u> | <u>02</u> | <u>3</u> | <u>11:00</u> | <u>?</u> | <u>1</u> | | | | | | | | | <u>FILLED</u> |
| <u>MD-1S-612</u> | <u>03</u> | <u>3</u> | <u>12:10</u> | <u>?</u> | <u>1</u> | | | | | | | | | <u>FILLED</u> |
| <u>MD-17-612</u> | <u>04-D</u> | | <u>10:15/9:40</u> | <u>?</u> | <u>4</u> | | | | | | | | | <u>Hold for MD</u> |
| | | | | | | Samples received at <u>15</u> °C | | | | | | | | |

SIGNATURE

PRINT NAME

COMPANY

DATE

TIME

Reinquished by: _____

Reinquished by: _____

Reinquished by: _____

Received by: _____

Received by: _____

Friedman & Bruya, Inc.
5500 4th Ave S.
Seattle WA 98108
(206) 285-8282
office@friedmanandbruya.com

| SIGNATURE | PRINT NAME | COMPANY | DATE | TIME |
|--------------------|---------------|----------------|----------------|--------------|
| <u>[Signature]</u> | <u>[Name]</u> | <u>CHES</u> | <u>3-24-85</u> | <u>12:10</u> |
| <u>[Signature]</u> | <u>[Name]</u> | <u>F&B</u> | <u>3/24/85</u> | <u>12:10</u> |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Elizabeth Webber-Bruya
Ann Webber-Bruya
Michael Erdahl
Vineta Mills
Eric Young

5500 4th Ave South
Seattle, WA 98108-2419
(206) 285-8282
office@friedmanandbruya.com
www.friedmanandbruya.com

April 4, 2025

Dan Whitman, Project Manager
Whitman Environmental Sciences
410 Eagle Cove Drive
Friday Harbor, WA 98250

Dear Mr Whitman:

Included are the results from the testing of material submitted on March 26, 2025 from the 12th + Yesler WES 1591, F&BI 503405 project. There are 14 pages included in this report. Any samples that may remain are currently scheduled for disposal in 30 days, or as directed by the Chain of Custody document. If you would like us to return your samples or arrange for long term storage at our offices, please contact us as soon as possible.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures
WES0404R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on March 26, 2025 by Friedman & Bruya, Inc. from the Whitman Environmental Sciences 12th + Yesler WES 1591, F&BI 503405 project. Samples were logged in under the laboratory ID's listed below.

| <u>Laboratory ID</u> | <u>Whitman Environmental Sciences</u> |
|----------------------|---------------------------------------|
| 503405 -01 | MW-5R-GW |
| 503405 -02 | MW-12R-GW |
| 503405 -03 | MW-15R-GW |
| 503405 -04 | MW-19-GW |
| 503405 -05 | GEO B-7R-GW |
| 503405 -06 | GEO B-9R-GW |

All quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By EPA Method 8260D Dual Acquisition

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-5R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/26/25 | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 04/02/25 | Lab ID: | 503405-01 |
| Date Analyzed: | 04/02/25 | Data File: | 040210.D |
| Matrix: | Water | Instrument: | GCMS13 |
| Units: | ug/L (ppb) | Operator: | MD |

| Surrogates: | % Recovery: | Lower Limit: | Upper Limit: |
|-----------------------|-------------|--------------|--------------|
| 1,2-Dichloroethane-d4 | 96 | 71 | 132 |
| Toluene-d8 | 93 | 68 | 139 |
| 4-Bromofluorobenzene | 105 | 62 | 136 |

| Compounds: | Concentration ug/L (ppb) | Compounds: | Concentration ug/L (ppb) |
|-----------------------------|--------------------------|-----------------------------|--------------------------|
| Dichlorodifluoromethane | <1 | 1,3-Dichloropropane | <1 |
| Chloromethane | <10 | Tetrachloroethene | <0.5 |
| Vinyl chloride | <0.02 | Dibromochloromethane | <0.5 |
| Bromomethane | <5 | 1,2-Dibromoethane (EDB) | <0.01 |
| Chloroethane | <1 | Chlorobenzene | <1 |
| Trichlorofluoromethane | <1 | Ethylbenzene | <1 |
| Acetone | <50 k | 1,1,1,2-Tetrachloroethane | <1 |
| 1,1-Dichloroethene | <1 | m,p-Xylene | <2 |
| Hexane | <5 | o-Xylene | <1 |
| Methylene chloride | <5 | Styrene | <1 |
| Methyl t-butyl ether (MTBE) | <1 | Isopropylbenzene | <1 |
| trans-1,2-Dichloroethene | <1 | Bromoform | <5 |
| 1,1-Dichloroethane | <1 | n-Propylbenzene | <1 |
| 2,2-Dichloropropane | <1 | Bromobenzene | <1 |
| cis-1,2-Dichloroethene | <1 | 1,3,5-Trimethylbenzene | <1 |
| Chloroform | <1 | 1,1,2,2-Tetrachloroethane | <0.2 |
| 2-Butanone (MEK) | <20 | 1,2,3-Trichloropropane | <1 |
| 1,2-Dichloroethane (EDC) | <0.2 | 2-Chlorotoluene | <1 |
| 1,1,1-Trichloroethane | <1 | 4-Chlorotoluene | <1 |
| 1,1-Dichloropropene | <1 | tert-Butylbenzene | <1 |
| Carbon tetrachloride | <0.5 | 1,2,4-Trimethylbenzene | <1 |
| Benzene | <0.35 | sec-Butylbenzene | <1 |
| Trichloroethene | <0.05 | p-Isopropyltoluene | <1 |
| 1,2-Dichloropropane | <1 | 1,3-Dichlorobenzene | <1 |
| Bromodichloromethane | <0.5 | 1,4-Dichlorobenzene | <1 |
| Dibromomethane | <1 | 1,2-Dichlorobenzene | <1 |
| 4-Methyl-2-pentanone | <10 | 1,2-Dibromo-3-chloropropane | <10 |
| cis-1,3-Dichloropropene | <0.4 | 1,2,4-Trichlorobenzene | <1 |
| Toluene | <1 | Hexachlorobutadiene | <0.5 |
| trans-1,3-Dichloropropene | <0.4 | Naphthalene | <1 |
| 1,1,2-Trichloroethane | <0.5 | 1,2,3-Trichlorobenzene | <1 |
| 2-Hexanone | <10 | | |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By EPA Method 8260D Dual Acquisition

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-12R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/26/25 | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 04/02/25 | Lab ID: | 503405-02 |
| Date Analyzed: | 04/02/25 | Data File: | 040211.D |
| Matrix: | Water | Instrument: | GCMS13 |
| Units: | ug/L (ppb) | Operator: | MD |

| Surrogates: | % Recovery: | Lower Limit: | Upper Limit: |
|-----------------------|-------------|--------------|--------------|
| 1,2-Dichloroethane-d4 | 103 | 71 | 132 |
| Toluene-d8 | 102 | 68 | 139 |
| 4-Bromofluorobenzene | 104 | 62 | 136 |

| Compounds: | Concentration ug/L (ppb) | Compounds: | Concentration ug/L (ppb) |
|-----------------------------|--------------------------|-----------------------------|--------------------------|
| Dichlorodifluoromethane | <1 | 1,3-Dichloropropane | <1 |
| Chloromethane | <10 | Tetrachloroethene | <0.5 |
| Vinyl chloride | <0.02 | Dibromochloromethane | <0.5 |
| Bromomethane | <5 | 1,2-Dibromoethane (EDB) | <0.01 |
| Chloroethane | <1 | Chlorobenzene | <1 |
| Trichlorofluoromethane | <1 | Ethylbenzene | <1 |
| Acetone | <50 k | 1,1,1,2-Tetrachloroethane | <1 |
| 1,1-Dichloroethene | <1 | m,p-Xylene | <2 |
| Hexane | <5 | o-Xylene | <1 |
| Methylene chloride | <5 | Styrene | <1 |
| Methyl t-butyl ether (MTBE) | <1 | Isopropylbenzene | <1 |
| trans-1,2-Dichloroethene | <1 | Bromoform | <5 |
| 1,1-Dichloroethane | <1 | n-Propylbenzene | <1 |
| 2,2-Dichloropropane | <1 | Bromobenzene | <1 |
| cis-1,2-Dichloroethene | <1 | 1,3,5-Trimethylbenzene | <1 |
| Chloroform | <1 | 1,1,2,2-Tetrachloroethane | <0.2 |
| 2-Butanone (MEK) | <20 | 1,2,3-Trichloropropane | <1 |
| 1,2-Dichloroethane (EDC) | <0.2 | 2-Chlorotoluene | <1 |
| 1,1,1-Trichloroethane | <1 | 4-Chlorotoluene | <1 |
| 1,1-Dichloropropene | <1 | tert-Butylbenzene | <1 |
| Carbon tetrachloride | <0.5 | 1,2,4-Trimethylbenzene | <1 |
| Benzene | <0.35 | sec-Butylbenzene | <1 |
| Trichloroethene | <0.05 | p-Isopropyltoluene | <1 |
| 1,2-Dichloropropane | <1 | 1,3-Dichlorobenzene | <1 |
| Bromodichloromethane | <0.5 | 1,4-Dichlorobenzene | <1 |
| Dibromomethane | <1 | 1,2-Dichlorobenzene | <1 |
| 4-Methyl-2-pentanone | <10 | 1,2-Dibromo-3-chloropropane | <10 |
| cis-1,3-Dichloropropene | <0.4 | 1,2,4-Trichlorobenzene | <1 |
| Toluene | <1 | Hexachlorobutadiene | <0.5 |
| trans-1,3-Dichloropropene | <0.4 | Naphthalene | <1 |
| 1,1,2-Trichloroethane | <0.5 | 1,2,3-Trichlorobenzene | <1 |
| 2-Hexanone | <10 | | |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By EPA Method 8260D Dual Acquisition

| | | | |
|-------------------|----------------|-------------|--------------------------------|
| Client Sample ID: | Method Blank | Client: | Whitman Environmental Sciences |
| Date Received: | Not Applicable | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 04/02/25 | Lab ID: | 05-0758 mb |
| Date Analyzed: | 04/02/25 | Data File: | 040225.D |
| Matrix: | Water | Instrument: | GCMS13 |
| Units: | ug/L (ppb) | Operator: | MD |

| Surrogates: | % Recovery: | Lower Limit: | Upper Limit: |
|-----------------------|-------------|--------------|--------------|
| 1,2-Dichloroethane-d4 | 94 | 71 | 132 |
| Toluene-d8 | 92 | 68 | 139 |
| 4-Bromofluorobenzene | 99 | 62 | 136 |

| Compounds: | Concentration ug/L (ppb) | Compounds: | Concentration ug/L (ppb) |
|-----------------------------|--------------------------|-----------------------------|--------------------------|
| Dichlorodifluoromethane | <1 | 1,3-Dichloropropane | <1 |
| Chloromethane | <10 | Tetrachloroethene | <0.5 |
| Vinyl chloride | <0.02 | Dibromochloromethane | <0.5 |
| Bromomethane | <5 | 1,2-Dibromoethane (EDB) | <0.01 |
| Chloroethane | <1 | Chlorobenzene | <1 |
| Trichlorofluoromethane | <1 | Ethylbenzene | <1 |
| Acetone | <50 k | 1,1,1,2-Tetrachloroethane | <1 |
| 1,1-Dichloroethene | <1 | m,p-Xylene | <2 |
| Hexane | <5 | o-Xylene | <1 |
| Methylene chloride | <5 | Styrene | <1 |
| Methyl t-butyl ether (MTBE) | <1 | Isopropylbenzene | <1 |
| trans-1,2-Dichloroethene | <1 | Bromoform | <5 |
| 1,1-Dichloroethane | <1 | n-Propylbenzene | <1 |
| 2,2-Dichloropropane | <1 | Bromobenzene | <1 |
| cis-1,2-Dichloroethene | <1 | 1,3,5-Trimethylbenzene | <1 |
| Chloroform | <1 | 1,1,2,2-Tetrachloroethane | <0.2 |
| 2-Butanone (MEK) | <20 | 1,2,3-Trichloropropane | <1 |
| 1,2-Dichloroethane (EDC) | <0.2 | 2-Chlorotoluene | <1 |
| 1,1,1-Trichloroethane | <1 | 4-Chlorotoluene | <1 |
| 1,1-Dichloropropene | <1 | tert-Butylbenzene | <1 |
| Carbon tetrachloride | <0.5 | 1,2,4-Trimethylbenzene | <1 |
| Benzene | <0.35 | sec-Butylbenzene | <1 |
| Trichloroethene | <0.05 | p-Isopropyltoluene | <1 |
| 1,2-Dichloropropane | <1 | 1,3-Dichlorobenzene | <1 |
| Bromodichloromethane | <0.5 | 1,4-Dichlorobenzene | <1 |
| Dibromomethane | <1 | 1,2-Dichlorobenzene | <1 |
| 4-Methyl-2-pentanone | <10 | 1,2-Dibromo-3-chloropropane | <10 |
| cis-1,3-Dichloropropene | <0.4 | 1,2,4-Trichlorobenzene | <1 |
| Toluene | <1 | Hexachlorobutadiene | <0.5 |
| trans-1,3-Dichloropropene | <0.4 | Naphthalene | <1 |
| 1,1,2-Trichloroethane | <0.5 | 1,2,3-Trichlorobenzene | <1 |
| 2-Hexanone | <10 | | |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-5R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/26/25 | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 03/27/25 | Lab ID: | 503405-01 |
| Date Analyzed: | 03/27/25 | Data File: | 503405-01.057 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
| Arsenic | 8.8 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-15R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/26/25 | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 03/27/25 | Lab ID: | 503405-03 |
| Date Analyzed: | 03/27/25 | Data File: | 503405-03.060 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
| Arsenic | 17 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|------------|-------------|--------------------------------|
| Client Sample ID: | MW-19-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/26/25 | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 03/27/25 | Lab ID: | 503405-04 |
| Date Analyzed: | 03/27/25 | Data File: | 503405-04.061 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
| Arsenic | <1 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|-------------|-------------|--------------------------------|
| Client Sample ID: | GEO B-7R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/26/25 | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 03/27/25 | Lab ID: | 503405-05 |
| Date Analyzed: | 03/27/25 | Data File: | 503405-05.062 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
| Arsenic | <1 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|-------------|-------------|--------------------------------|
| Client Sample ID: | GEO B-9R-GW | Client: | Whitman Environmental Sciences |
| Date Received: | 03/26/25 | Project: | 12th + Yesler WES 1591, F&BI |
| | 503405 | | |
| Date Extracted: | 03/27/25 | Lab ID: | 503405-06 |
| Date Analyzed: | 03/27/25 | Data File: | 503405-06.063 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
| Arsenic | 27 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Dissolved Metals By EPA Method 6020B

| | | | |
|-------------------|----------------|-------------|--------------------------------|
| Client Sample ID: | Method Blank | Client: | Whitman Environmental Sciences |
| Date Received: | Not Applicable | Project: | 12th + Yesler WES 1591, F&BI |
| 503405 | | | |
| Date Extracted: | 03/27/25 | Lab ID: | I5-263 mb |
| Date Analyzed: | 03/27/25 | Data File: | I5-263 mb.048 |
| Matrix: | Water | Instrument: | ICPMS3 |
| Units: | ug/L (ppb) | Operator: | SP |

| Analyte: | Concentration ug/L (ppb) |
|----------|-----------------------------|
| Arsenic | <1 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 04/04/25

Date Received: 03/26/25

Project: 12th + Yesler WES 1591, F&BI 503405

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER
SAMPLES FOR VOLATILES BY EPA METHOD 8260D**

Laboratory Code: 503405-01 (Matrix Spike)

| Analyte | Reporting Units | Spike Level | Sample Result | Percent | Acceptance |
|-----------------------------|-----------------|-------------|---------------|-------------|------------|
| | | | | Recovery MS | Criteria |
| Dichlorodifluoromethane | ug/L (ppb) | 10 | <10 | 92 | 27-164 |
| Chloromethane | ug/L (ppb) | 10 | <10 | 97 | 34-141 |
| Vinyl chloride | ug/L (ppb) | 10 | <1 | 97 | 16-176 |
| Bromomethane | ug/L (ppb) | 10 | <10 | 133 | 10-193 |
| Chloroethane | ug/L (ppb) | 10 | <10 | 116 | 50-150 |
| Trichlorofluoromethane | ug/L (ppb) | 10 | <10 | 85 | 50-150 |
| Acetone | ug/L (ppb) | 50 | <100 | 82 | 15-179 |
| 1,1-Dichloroethene | ug/L (ppb) | 10 | <1 | 100 | 50-150 |
| Hexane | ug/L (ppb) | 10 | <5 | 96 | 49-161 |
| Methylene chloride | ug/L (ppb) | 10 | <10 | 96 | 40-143 |
| Methyl t-butyl ether (MTBE) | ug/L (ppb) | 10 | <1 | 97 | 50-150 |
| trans-1,2-Dichloroethene | ug/L (ppb) | 10 | <1 | 96 | 50-150 |
| 1,1-Dichloroethane | ug/L (ppb) | 10 | <1 | 94 | 50-150 |
| 2,2-Dichloropropane | ug/L (ppb) | 10 | <1 | 94 | 62-152 |
| cis-1,2-Dichloroethene | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| Chloroform | ug/L (ppb) | 10 | <1 | 92 | 50-150 |
| 2-Butanone (MEK) | ug/L (ppb) | 50 | <20 | 88 | 34-168 |
| 1,2-Dichloroethane (EDC) | ug/L (ppb) | 10 | <1 | 97 | 50-150 |
| 1,1,1-Trichloroethane | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| 1,1-Dichloropropene | ug/L (ppb) | 10 | <1 | 92 | 50-150 |
| Carbon tetrachloride | ug/L (ppb) | 10 | <1 | 94 | 50-150 |
| Benzene | ug/L (ppb) | 10 | <0.6 | 99 | 50-150 |
| Trichloroethene | ug/L (ppb) | 10 | <0.4 | 93 | 43-133 |
| 1,2-Dichloropropane | ug/L (ppb) | 10 | <1 | 93 | 50-150 |
| Bromodichloromethane | ug/L (ppb) | 10 | <1 | 91 | 50-150 |
| Dibromomethane | ug/L (ppb) | 10 | <1 | 91 | 50-150 |
| 4-Methyl-2-pentanone | ug/L (ppb) | 50 | <20 | 100 | 50-150 |
| cis-1,3-Dichloropropene | ug/L (ppb) | 10 | <1 | 96 | 48-145 |
| Toluene | ug/L (ppb) | 10 | <1 | 98 | 50-150 |
| trans-1,3-Dichloropropene | ug/L (ppb) | 10 | <1 | 91 | 37-152 |
| 1,1,2-Trichloroethane | ug/L (ppb) | 10 | <1 | 99 | 50-150 |
| 2-Hexanone | ug/L (ppb) | 50 | <20 | 90 | 50-150 |
| 1,3-Dichloropropane | ug/L (ppb) | 10 | <1 | 94 | 50-150 |
| Tetrachloroethene | ug/L (ppb) | 10 | <0.5 | 96 | 50-150 |
| Dibromochloromethane | ug/L (ppb) | 10 | <1 | 94 | 33-164 |
| 1,2-Dibromoethane (EDB) | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| Chlorobenzene | ug/L (ppb) | 10 | <1 | 96 | 50-150 |
| Ethylbenzene | ug/L (ppb) | 10 | <1 | 100 | 50-150 |
| 1,1,1,2-Tetrachloroethane | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| m,p-Xylene | ug/L (ppb) | 20 | <2 | 100 | 50-150 |
| o-Xylene | ug/L (ppb) | 10 | <1 | 99 | 50-150 |
| Styrene | ug/L (ppb) | 10 | <1 | 96 | 50-150 |
| Isopropylbenzene | ug/L (ppb) | 10 | <1 | 96 | 50-150 |
| Bromoform | ug/L (ppb) | 10 | <1 | 92 | 23-161 |
| n-Propylbenzene | ug/L (ppb) | 10 | <1 | 94 | 50-150 |
| Bromobenzene | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| 1,3,5-Trimethylbenzene | ug/L (ppb) | 10 | <1 | 94 | 50-150 |
| 1,1,2,2-Tetrachloroethane | ug/L (ppb) | 10 | <1 | 101 | 57-162 |
| 1,2,3-Trichloropropane | ug/L (ppb) | 10 | <1 | 94 | 33-151 |
| 2-Chlorotoluene | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| 4-Chlorotoluene | ug/L (ppb) | 10 | <1 | 94 | 50-150 |
| tert-Butylbenzene | ug/L (ppb) | 10 | <1 | 94 | 50-150 |
| 1,2,4-Trimethylbenzene | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| sec-Butylbenzene | ug/L (ppb) | 10 | <1 | 97 | 46-139 |
| p-Isopropyltoluene | ug/L (ppb) | 10 | <1 | 96 | 46-140 |
| 1,3-Dichlorobenzene | ug/L (ppb) | 10 | <1 | 96 | 50-150 |
| 1,4-Dichlorobenzene | ug/L (ppb) | 10 | <1 | 96 | 50-150 |
| 1,2-Dichlorobenzene | ug/L (ppb) | 10 | <1 | 95 | 50-150 |
| 1,2-Dibromo-3-chloropropane | ug/L (ppb) | 10 | <10 | 90 | 50-150 |
| 1,2,4-Trichlorobenzene | ug/L (ppb) | 10 | <5 | 93 | 50-150 |
| Hexachlorobutadiene | ug/L (ppb) | 10 | <5 | 90 | 42-150 |
| Naphthalene | ug/L (ppb) | 10 | <1 | 93 | 50-150 |
| 1,2,3-Trichlorobenzene | ug/L (ppb) | 10 | <5 | 89 | 44-155 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 04/04/25

Date Received: 03/26/25

Project: 12th + Yesler WES 1591, F&BI 503405

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF WATER
SAMPLES FOR VOLATILES BY EPA METHOD 8260D**

Laboratory Code: Laboratory Control Sample

| Analyte | Reporting Units | Spike Level | Percent Recovery LCS | Percent Recovery LCSD | Acceptance Criteria | RPD (Limit 20) |
|-----------------------------|-----------------|-------------|----------------------|-----------------------|---------------------|----------------|
| Dichlorodifluoromethane | ug/L (ppb) | 10 | 109 | 110 | 46-206 | 1 |
| Chloromethane | ug/L (ppb) | 10 | 104 | 98 | 59-132 | 6 |
| Vinyl chloride | ug/L (ppb) | 10 | 88 | 92 | 64-142 | 4 |
| Bromomethane | ug/L (ppb) | 10 | 96 | 94 | 50-197 | 2 |
| Chloroethane | ug/L (ppb) | 10 | 98 | 97 | 70-130 | 1 |
| Trichlorofluoromethane | ug/L (ppb) | 10 | 96 | 97 | 51-159 | 1 |
| Acetone | ug/L (ppb) | 50 | 57 | 55 | 10-140 | 4 |
| 1,1-Dichloroethene | ug/L (ppb) | 10 | 104 | 101 | 64-140 | 3 |
| Hexane | ug/L (ppb) | 10 | 100 | 95 | 54-136 | 5 |
| Methylene chloride | ug/L (ppb) | 10 | 99 | 96 | 43-134 | 3 |
| Methyl t-butyl ether (MTBE) | ug/L (ppb) | 10 | 99 | 97 | 70-130 | 2 |
| trans-1,2-Dichloroethene | ug/L (ppb) | 10 | 97 | 95 | 70-130 | 2 |
| 1,1-Dichloroethane | ug/L (ppb) | 10 | 102 | 99 | 70-130 | 3 |
| 2,2-Dichloropropane | ug/L (ppb) | 10 | 125 | 123 | 64-148 | 2 |
| cis-1,2-Dichloroethene | ug/L (ppb) | 10 | 101 | 96 | 70-130 | 5 |
| Chloroform | ug/L (ppb) | 10 | 97 | 95 | 70-130 | 2 |
| 2-Butanone (MEK) | ug/L (ppb) | 50 | 80 | 77 | 47-112 | 4 |
| 1,2-Dichloroethane (EDC) | ug/L (ppb) | 10 | 103 | 101 | 70-130 | 2 |
| 1,1,1-Trichloroethane | ug/L (ppb) | 10 | 99 | 98 | 70-130 | 1 |
| 1,1-Dichloropropene | ug/L (ppb) | 10 | 94 | 92 | 70-130 | 2 |
| Carbon tetrachloride | ug/L (ppb) | 10 | 95 | 94 | 70-130 | 1 |
| Benzene | ug/L (ppb) | 10 | 103 | 100 | 70-130 | 3 |
| Trichloroethene | ug/L (ppb) | 10 | 98 | 95 | 70-130 | 3 |
| 1,2-Dichloropropane | ug/L (ppb) | 10 | 93 | 92 | 70-130 | 1 |
| Bromodichloromethane | ug/L (ppb) | 10 | 96 | 95 | 70-130 | 1 |
| Dibromomethane | ug/L (ppb) | 10 | 96 | 99 | 70-130 | 3 |
| 4-Methyl-2-pentanone | ug/L (ppb) | 50 | 101 | 97 | 68-130 | 4 |
| cis-1,3-Dichloropropene | ug/L (ppb) | 10 | 97 | 95 | 69-131 | 2 |
| Toluene | ug/L (ppb) | 10 | 104 | 98 | 70-130 | 6 |
| trans-1,3-Dichloropropene | ug/L (ppb) | 10 | 98 | 92 | 70-130 | 6 |
| 1,1,2-Trichloroethane | ug/L (ppb) | 10 | 102 | 97 | 70-130 | 5 |
| 2-Hexanone | ug/L (ppb) | 50 | 92 | 87 | 45-138 | 6 |
| 1,3-Dichloropropane | ug/L (ppb) | 10 | 98 | 93 | 70-130 | 5 |
| Tetrachloroethene | ug/L (ppb) | 10 | 106 | 100 | 70-130 | 6 |
| Dibromochloromethane | ug/L (ppb) | 10 | 96 | 90 | 60-148 | 6 |
| 1,2-Dibromoethane (EDB) | ug/L (ppb) | 10 | 108 | 102 | 70-130 | 6 |
| Chlorobenzene | ug/L (ppb) | 10 | 104 | 101 | 70-130 | 3 |
| Ethylbenzene | ug/L (ppb) | 10 | 107 | 101 | 70-130 | 6 |
| 1,1,1,2-Tetrachloroethane | ug/L (ppb) | 10 | 99 | 97 | 70-130 | 2 |
| m,p-Xylene | ug/L (ppb) | 20 | 105 | 100 | 70-130 | 5 |
| o-Xylene | ug/L (ppb) | 10 | 104 | 99 | 70-130 | 5 |
| Styrene | ug/L (ppb) | 10 | 99 | 94 | 70-130 | 5 |
| Isopropylbenzene | ug/L (ppb) | 10 | 99 | 93 | 70-130 | 6 |
| Bromoform | ug/L (ppb) | 10 | 103 | 93 | 69-138 | 10 |
| n-Propylbenzene | ug/L (ppb) | 10 | 99 | 90 | 70-130 | 10 |
| Bromobenzene | ug/L (ppb) | 10 | 98 | 89 | 70-130 | 10 |
| 1,3,5-Trimethylbenzene | ug/L (ppb) | 10 | 98 | 91 | 70-130 | 7 |
| 1,1,2,2-Tetrachloroethane | ug/L (ppb) | 10 | 115 | 101 | 70-130 | 13 |
| 1,2,3-Trichloropropane | ug/L (ppb) | 10 | 109 | 99 | 70-130 | 10 |
| 2-Chlorotoluene | ug/L (ppb) | 10 | 98 | 92 | 70-130 | 6 |
| 4-Chlorotoluene | ug/L (ppb) | 10 | 99 | 90 | 70-130 | 10 |
| tert-Butylbenzene | ug/L (ppb) | 10 | 99 | 90 | 70-130 | 10 |
| 1,2,4-Trimethylbenzene | ug/L (ppb) | 10 | 98 | 89 | 70-130 | 10 |
| sec-Butylbenzene | ug/L (ppb) | 10 | 98 | 90 | 70-130 | 9 |
| p-Isopropyltoluene | ug/L (ppb) | 10 | 97 | 90 | 70-130 | 7 |
| 1,3-Dichlorobenzene | ug/L (ppb) | 10 | 99 | 91 | 70-130 | 8 |
| 1,4-Dichlorobenzene | ug/L (ppb) | 10 | 100 | 93 | 70-130 | 7 |
| 1,2-Dichlorobenzene | ug/L (ppb) | 10 | 98 | 89 | 70-130 | 10 |
| 1,2-Dibromo-3-chloropropane | ug/L (ppb) | 10 | 96 | 90 | 70-130 | 6 |
| 1,2,4-Trichlorobenzene | ug/L (ppb) | 10 | 91 | 83 | 70-130 | 9 |
| Hexachlorobutadiene | ug/L (ppb) | 10 | 94 | 87 | 70-130 | 8 |
| Naphthalene | ug/L (ppb) | 10 | 89 | 82 | 70-130 | 8 |
| 1,2,3-Trichlorobenzene | ug/L (ppb) | 10 | 91 | 83 | 70-130 | 9 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 04/04/25

Date Received: 03/26/25

Project: 12th + Yesler WES 1591, F&BI 503405

**QUALITY ASSURANCE RESULTS
FOR THE ANALYSIS OF WATER SAMPLES
FOR DISSOLVED METALS USING EPA METHOD 6020B**

Laboratory Code: 503403-02 x10 (Matrix Spike)

| Analyte | Reporting Units | Spike Level | Sample Result | Percent Recovery MS | Percent Recovery MSD | Acceptance Criteria | RPD (Limit 20) |
|---------|-----------------|-------------|---------------|---------------------|----------------------|---------------------|----------------|
| Arsenic | ug/L (ppb) | 10 | <10 | 90 | 91 | 75-125 | 1 |

Laboratory Code: Laboratory Control Sample

| Analyte | Reporting Units | Spike Level | Percent Recovery LCS | Acceptance Criteria |
|---------|-----------------|-------------|----------------------|---------------------|
| Arsenic | ug/L (ppb) | 10 | 97 | 80-120 |

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

- a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.
- b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.
- ca - The calibration results for the analyte were outside of acceptance criteria, biased low; or, the calibration results for the analyte were outside of acceptance criteria, biased high, with a detection for the analyte in the sample. The value reported is an estimate.
- c - The presence of the analyte may be due to carryover from previous sample injections.
- cf - The sample was centrifuged prior to analysis.
- d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.
- dv - Insufficient sample volume was available to achieve normal reporting limits.
- f - The sample was laboratory filtered prior to analysis.
- fb - The analyte was detected in the method blank.
- fc - The analyte is a common laboratory and field contaminant.
- hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.
- hs - Headspace was present in the container used for analysis.
- ht - The analysis was performed outside the method or client-specified holding time requirement.
- ip - Recovery fell outside of control limits due to sample matrix effects.
- j - The analyte concentration is reported between the method detection limit and the lowest calibration point. The value reported is an estimate.
- J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.
- jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.
- js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.
- k - The calibration results for the analyte were outside of acceptance criteria, biased high, and the analyte was not detected in the sample.
- lc - The presence of the analyte is likely due to laboratory contamination.
- L - The reported concentration was generated from a library search.
- nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.
- pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.
- ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.
- vo - The value reported fell outside the control limits established for this analyte.
- x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

503405

SAMPLE CHAIN OF CUSTODY

03/26/25 W1/23

Report To M. CHITMAN

Company CHITMAN ENV. SERVICES

Address 110 MILLIE BOYE DR.

City, State, ZIP LEWIS CLAY WA 98588

Phone 360-271-1100 Email chitman@chitman.com

SAMPLERS (signature)

PROJECT NAME

1341 + 1/25102

PO #

0655 1341

REMARKS

INVOICE TO

Project specific RIs? - Yes / No

ANALYSES REQUESTED

TURNAROUND TIME

Standard turnaround

RUSH

Rush charges authorized by: _____

SAMPLE DISPOSAL

Archive samples

Other _____

Default: Dispose after 30 days

| Sample ID | Lab ID | Date Sampled | Time Sampled | Sample Type | # of Jars | ANALYSES REQUESTED | | | | | | | Notes | | | |
|--------------------|--------------|----------------|--------------|--------------|-----------|--------------------|----------|---------------|-------------------------------------|-------------------------------------|---------------|-------------------------------------|-------|--|--|--|
| | | | | | | NWTPH-Dx | NWTPH-Gx | BTEX EPA 8021 | NWTPH-HCID | VOCs EPA 8260 | PAHs EPA 8270 | PCBs EPA 8082 | | | | |
| <u>MD-5R-61D</u> | <u>01A-D</u> | <u>3-26-25</u> | <u>12:40</u> | <u>water</u> | <u>1</u> | | | | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | | | | | | |
| <u>MD-1R-61D</u> | <u>02A-C</u> | <u>11</u> | <u>1:05</u> | <u>"</u> | <u>3</u> | | | | | <input checked="" type="checkbox"/> | | | | | | |
| <u>MD-15R-62D</u> | <u>03</u> | <u>"</u> | <u>2:40</u> | <u>"</u> | <u>1</u> | | | | | | | <input checked="" type="checkbox"/> | | | | |
| <u>MD-19-61D</u> | <u>04</u> | <u>"</u> | <u>4:00</u> | <u>"</u> | <u>1</u> | | | | | | | <input checked="" type="checkbox"/> | | | | |
| <u>MD B-7R-61D</u> | <u>05</u> | <u>"</u> | <u>1:50</u> | <u>"</u> | <u>1</u> | | | | | | | <input checked="" type="checkbox"/> | | | | |
| <u>MD B-9R-61D</u> | <u>06</u> | <u>11</u> | <u>1:15</u> | <u>"</u> | <u>1</u> | | | | | | | <input checked="" type="checkbox"/> | | | | |
| | | | | | | | | | | | | | | | | |

Samples received at 14 °C


| SIGNATURE | | PRINT NAME | | COMPANY | | DATE | TIME |
|------------------------|-------|-----------------|-------|------------|-------|----------------|--------------|
| Relinquished by: _____ | _____ | _____ | _____ | _____ | _____ | <u>3/26/25</u> | <u>7:51</u> |
| Received by: _____ | _____ | <u>Eric Lee</u> | _____ | <u>ICR</u> | _____ | <u>3/26/25</u> | <u>10:51</u> |
| Relinquished by: _____ | _____ | _____ | _____ | _____ | _____ | | |

Friedman & Bryva, Inc.
 5500 4th Ave S.
 Seattle WA 98108
 (206) 285-8282
 office@friedmanandbryva.com

Appendix B

Dissolved Arsenic Time Series Plots


MW-1R - Dissolved Arsenic Concentrations over Time (ug/l)



Puget Sound Basin Natural Background Level - 8 ug/l

| | |
|--|-------------|
| Dissolved Arsenic Over Time - MW-1R | |
| Proposed Redevelopment Property 104-124 12th Avenue & 1209 E. Fir Street Seattle, WA | |
| Project No. | WES - 1591A |
| Date | May 2025 |
| File ID. | 1591TSMW1R |
| WHITMAN Environmental Sciences | |

MW-5/5R - Dissolved Arsenic Concentrations over Time (ug/l)



Dissolved Arsenic Over Time - MW-5/5R

Proposed Redevelopment Property
 104-124 12th Avenue & 1209 E. Fir Street
 Seattle, WA


Project No. WES - 1591A

Date May 2025

File ID. 1591TSMW5

WHITMAN
 Environmental Sciences

MW-10 - Dissolved Arsenic Concentrations over Time (ug/l)



Dissolved Arsenic Over Time - MW-10

Proposed Redevelopment Property
 104-124 12th Avenue & 1209 E. Fir Street
 Seattle, WA


Project No. WES - 1591A

Date May 2025

File ID. 1591TSMW10

WHITMAN
 Environmental Sciences


MW-12/12R - Dissolved Arsenic Concentrations over Time (ug/l)



Dissolved Arsenic Over Time - MW-12/12R

Proposed Redevelopment Property
104-124 12th Avenue & 1209 E. Fir Street
Seattle, WA

| | |
|-------------------------|--|
| Project No. WES - 1591A | WHITMAN Environmental Sciences |
| Date May 2025 | |
| File ID. 1591TSMW12 | |




Dissolved Arsenic Over Time - MW-13

Proposed Redevelopment Property
 104-124 12th Avenue & 1209 E. Fir Street
 Seattle, WA

| | |
|-------------|-------------|
| Project No. | WES - 1591A |
| Date | May 2025 |
| File ID. | 1591TSMW13 |

WHITMAN
 Environmental Sciences

MW-15/15R - Dissolved Arsenic Concentrations over Time (ug/l)




Dissolved Arsenic Over Time - MW-15/15R

Proposed Redevelopment Property
 104-124 12th Avenue & 1209 E. Fir Street
 Seattle, WA

| | |
|-------------|-------------|
| Project No. | WES - 1591A |
| Date | May 2025 |
| File ID. | 1591TSMW15 |

WHITMAN
 Environmental Sciences

MW-17 - Dissolved Arsenic Concentrations over Time (ug/l)



Dissolved Arsenic Over Time - MW-17

Proposed Redevelopment Property
104-124 12th Avenue & 1209 E. Fir Street
Seattle, WA


Project No. WES - 1591A

Date May 2025

File ID. 1591TSMW17

WHITMAN
Environmental Sciences

MW-18 - Dissolved Arsenic Concentrations over Time (ug/l)




Dissolved Arsenic Over Time - MW-18

Proposed Redevelopment Property
 104-124 12th Avenue & 1209 E. Fir Street
 Seattle, WA

| | |
|-------------|-------------|
| Project No. | WES - 1591A |
| Date | May 2025 |
| File ID. | 1591TSMW18 |

WHITMAN
 Environmental Sciences


MW-19 - Dissolved Arsenic Concentrations over Time (ug/l)



Puget Sound Basin Natural Background Level - 8 ug/l

| | |
|--|-------------|
| Dissolved Arsenic Over Time - MW-19 | |
| Proposed Redevelopment Property 104-124 12th Avenue & 1209 E. Fir Street Seattle, WA | |
| Project No. | WES - 1591A |
| Date | May 2025 |
| File ID. | 1591TSMW19 |
| WHITMAN Environmental Sciences | |

GEO B-7/GEO B-7R - Dissolved Arsenic Concentrations over Time (ug/l)




Dissolved Arsenic Over Time - GEO B-7/7R

Proposed Redevelopment Property
104-124 12th Avenue & 1209 E. Fir Street
Seattle, WA

| | |
|-------------------------|--|
| Project No. WES - 1591A | WHITMAN Environmental Sciences |
| Date May 2025 | |
| File ID. 1591TSGEOB7 | |

GEO B-9/GEO B-9R - Dissolved Arsenic Concentrations over Time (ug/l)



Dissolved Arsenic Over Time - GEO B-9/9R

Proposed Redevelopment Property
 104-124 12th Avenue & 1209 E. Fir Street
 Seattle, WA

| | |
|-------------|-------------|
| Project No. | WES - 1591A |
| Date | May 2025 |
| File ID. | 1591TSGEOB9 |

WHITMAN
 Environmental Sciences