APPENDIX A WELL COMPLETION TABLE AND WELL LOGS

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	epth		Elevation		Wel	l Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	Depth	_	vation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)	Top Botton	1 Top	Bottom	(in)	Type	(ft bgs)
Shallow Zone Moni	toring Wells																		
B-37-3	Block 37, NW quadrant	N	NA	NA	NA	1,269,456.65	231,826.61	Unknown	NA	NA	-	-	26.78	15 25	11.8	1.8	NA	_	_
B-37-4	Block 37, NE quadrant	N	NA	NA	NA	1,269,554.93	231,824.72	Unknown	NA	NA	I	_	27.2	15 25	12.2	2.2	NA	-	_
B-37-5	Block 37, center of Property	N	NA	NA	NA	1,269,446.85	231,715.72	Unknown	NA	NA	I	_	27.55	15 25	12.6	2.6	NA	-	_
B-37-6	Block 37, NE quadrant	N	NA	NA	NA	1,269,561.88	231,753.54	Unknown	NA	NA	I	_	27.54	15 25	12.5	2.5	NA	-	_
B43-FMW-1	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,137.93	231,878.69	Unknown	NA	NA	_	_	30.19	7.5 20	22.7	10.2	NA	_	_
B43-FMW-2	Mercer St ROW, N side (Block 43)	N	NA	NA	NA	1,269,102.03	231,531.77	Unknown	NA	NA	ı	_	34.64	5 15	29.6	21.6	NA	_	_
B43-FMW-3	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,138.79	231,803.73	Unknown	NA	NA	ı	_	29.96	10 20	20	10	NA	_	_
B43-FMW-4	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,119.72	231,794.95	Unknown	NA	NA	_	_	30.33	10 20	20.3	10.3	NA	_	_
B43-FMW-5	Roy St ROW, S side (Block 43)	N	NA	NA	NA	1,269,064.16	231,770.12	Unknown	NA	NA	_	_	32.67	8 18	24.7	14.7	NA	_	_
B43-FMW-6	Roy St ROW, N side (Block 43)	N	NA	NA	NA	1,269,078.31	231,840.38	Unknown	NA	NA	_	_	32.42	8 18	24.4	14.4	NA	_	_
DMW-1S	615 Dexter, SE quadrant	Y	Yes	BLR921	03/05/19	1,268,247.25	231,651.70	Apr 2019	30.2	27.0	55.94	56.06	55.76	17.0 27.0	38.9	28.9	2	HSA	_
DMW-2S	615 Dexter, SE quadrant	Y	Yes	BME933	03/02/20	1,268,261.67	231,660.98	Mar 2020	40.4	35.0	56.03	56.07	55.74	25.0 35.0	31.0	21.0	2	HSA	-
DMW-4S	Alley S of SE quadrant of 615 Dexter	Y	Yes	BME929	02/26/20	1,268,253.79	231,624.29	Mar 2020	70.3	33.0	61.76	61.78	61.54	23.0 33.0	38.8	28.8	2	HSA	_
DMW-5IA	Alley S of 615 Dexter	Y	Yes	BME930	02/28/20	1,268,079.48	231,627.71	Mar 2020	70.3	50	69.48	69.48	69.15	39.8 49.8	29.7	19.7	2	HSA	
DMW-6	615 Dexter, NE quadrant	Y	Yes	BME934	03/04/20	1,268,185.85	231,731.42	Mar 2020	50.3	44	66.30	66.30	66.08	34.0 44.0	32.3	22.3	2	HSA	-
DMW-7S	Dexter Ave N ROW, W side	Y	Yes	BLY432	10/26/20	1,268,275.54	231,679.41	Nov 2020	38.0	38.0	58.34	58.38	58.01	28.0 38.0	30.3	20.3	2	Sonic	-
DMW-8S	Dexter Ave N ROW, W side	Y	Yes	BLY431	10/27/20	1,268,275.52	231,659.22	Nov 2020	37.0	37.0	58.57	58.59	58.35	27.0 37.0	31.6	21.6	2	Sonic	
DMW-9S	Dexter Ave N ROW, W side	Y	Yes	BLY430	10/27/20	1,268,275.18	231,623.75	Nov 2020	33.0	33.0	58.85	58.88	58.55	23.0 33.0	35.9	25.9	2	Sonic	
DMW-10S	601 Dexter, NE quadrant	Y	Yes	BNF363	10/19/20	1,268,260.63	231,588.90	Nov 2020	55.3	55.0	59.46	59.55	59.24	35.0 55.0	24.5	4.5	2	HSA	-
DMW-11S	601 Dexter, NE quadrant	Y	Yes	BNF365	10/20/20	1,268,238.63	231,596.22	Nov 2020	55.2	50.0	61.15	61.19	60.86	30.0 50.0	31.2	11.2	2	HSA	-
DMW-12S	615 Dexter, S central edge of property	Y	Yes	BNF364	10/20/20	1,268,169.70	231,632.93	Nov 2020	55.5	55.0	66.05	66.02	65.67	30.0 50.0	36.1	16.1	2	HSA	-
DMW-13S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BMP376	10/23/20	1,268,126.09	231,631.33	Nov 2020	50.4	50.0	66.28	66.30	65.02	30.0 50.0	36.3	16.3	2	HSA	-
DMW-14S	Alley S of SW quadrant of 615 Dexter	Y	Yes	BLY433	10/26/20	1,268,064.11	231,627.59	Nov 2020	51.0	51.0	70.29	70.32	70.15	41.0 51.0	29.3	19.3	2	Sonic	-
FMW-132	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	10	10.0	-	-	25.48	5.0 10.0	20.5	15.5	2	HSA	
FMW-133	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	26.5	11.5	-	-	24.87	6.5 11.5	18.8	13.8	2	HSA	
FMW-134	Block 38 West, S end	Y	TOC Elev	-	08/24/18	-	-	-	20	17.0	-	-	24.98	12.0 17.0	13.4	8.4	2	HSA	-
FMW-135	Block 38 West, N end	Y	TOC Elev	-	08/24/18	-	-	-	51.5	12.0	-	-	25.29	7.0 12.0	18.6	13.6	2	HSA	
FMW-139	Block 37, SE quadrant	N	NA	NA	NA NA	1,269,551.76	231,637.84	Unknown	NA	NA	-	_	27.81	7 17	20.8	10.8	NA		_
FMW-143	9th Ave N ROW, E side	Y	Yes	BLW-340	07/24/19	1,268,991.70	231,901.40	Nov 2019	30	28.0	32.99	33.03	32.69	23.0 28.0	10.0	5.0	2	Sonic	-
FMW-154	Block 38 West	N	NA	NA	NA	1,269,430.17	231,126.54	Unknown	NA	NA	_	_	22.8	10 15	12.8	7.8	NA		
FMW-155	Block 38 West	N	NA	NA	NA	1,269,433.30	231,262.97	Unknown	NA	NA	_	_	23.9	10 15	15.7	10.7	NA		
FMW-156	Block 38 West	N	NA	NA	NA	1,269,436.89	231,342.09	Unknown	NA	NA		_	25.7	15 20	10.7	5.7	NA		_
HC-B1	701 Dexter	Y	No	BLI191	03/01/19	1,268,256.55	231,852.99	Unknown	60.3	- 20.2	58.00	- 26.12	- 25.72	30.0 40.0	28.0	18.0	2	-	-
HMW-1S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI532	03/06/19	1,268,917.04	231,663.10	Aug 2020	31.5	30.2	36.01	36.12	35.73	20.0 30.0	16.0	6.0	2	HSA	 -
HMW-2S	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR924	03/13/19	1,268,683.07	231,667.68	Aug 2020	30.0	30.0	47.39	47.56	47.28	19.8 29.8	27.6	17.6	2	HSA	-
HMW-9S	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ189	03/02/20	1,268,475.20	231,607.54	Aug 2020	40.0	35.0	55.39	58.79	58.54		30.4	20.4	2	Sonic	-
HMW-10S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ193	03/03/20	1,268,682.53	231,564.81	Aug 2020	40.0	35.0	48.21	51.30		24.7 34.7	23.5	13.5	2	Sonic	- -
HMW-11S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ195	02/24/20	1,268,889.17	231,574.99	Aug 2020	40.0	35.0	41.47	45.06	44.77		16.5	6.5	2	Sonic	 -
HMW-17S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP351	09/03/20	1,268,386.26	231,712.89	Nov 2020	45.5	45.0	57.21	57.41	57.35		22.2	12.2	2	HSA	
HMW-18S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP352	09/03/20	1,268,386.87	231,676.51	Nov 2020	45.3	45.0	57.61	57.70	57.44		22.6	12.6	2	HSA	
HMW-19S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP353	09/08/20	1,268,383.91	231,643.01	Nov 2020	46.4	45.0	58.20	61.35	61.08	35.0 45.0	23.2	13.2	2	HSA	 -
HMW-20S	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP354	09/08/20	1,268,512.50	231,636.97	Nov 2020	35.8	35.0	53.81	56.90	56.49	25.0 35.0	28.8	18.8	2	HSA	
HMW-21S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP373	10/20/20	1,268,924.20	231,626.20	Nov 2020	41.5	40.0	38.17	38.17	37.92		8.2	-1.8	2	HSA	<u> </u>
HMW-22S	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP374	10/22/20	1,268,923.70	231,592.80	Nov 2020	38.5	37.0	38.75	38.77	38.58	27.0 37.0	11.8	1.8	2	HSA	
MW-1	Block 55, N end	N	NA	NA	NA	1,268,584.21	231,261.50	Unknown	NA	NA	_	_	54.77	25 35	29.8	19.8	NA	_	
MW-2	Block 55, N end	N	NA	NA	NA	1,268,868.77	232,061.41	Unknown	NA	NA	_	_	58.54	30 40	28.5	18.5	NA	-	
MW-3	Block 55, N end	N	NA	NA	NA	1,268,390.52	231,361.93	Unknown	NA	NA	_	_	59.59	38 48	21.6	11.6	NA	_	
MW-4	Block 55, N end	N	NA	NA	NA	1,268,586.16	231,391.71	Unknown	NA	NA	_	_	52.16	30 40	21.16	11.16	NA	-	_

S141300110R_3535_A-1.xlsx

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	D	epth		ation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveved	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)	Top	Bottom		Bottom	(in)	Type	(ft bgs)
MW-5	Block 55, N end	N	NA	NA	NA	1,268,469.64	231,378.29	Unknown	NA	NA	_	_	57.41	20	30	37.4	27.4	ŇÁ		_
MW-45	Block 37, SE quadrant	N	NA	NA	NA	1,269,503.46	231,645.62	Unknown	NA	NA	_	_	27.52	3	19	24.5	8.5	NA	_	_
MW-50	Block 37, SE quadrant	N	NA	NA	NA	1,269,499.14	231,564.49	Unknown	NA	NA	_	_	29.32	5	17.5	24.3	11.8	NA		_
MW-54	Block 37, SE quadrant	N	NA	NA	NA	1,269,563.38	231,642.45	Unknown	NA	NA	_	_	28	5	20	23	8	NA		_
MW121 (B121)	8th Ave N ROW, E side	Y	Yes	BID-016	12/16/13	1,268,598.04	232,091.86	Dec 2013	26.5	25.0	_	_	41.72	15.0	25.0	26.7	16.7	2	HSA	_
MW125 (B125)	Valley St ROW, N side	Y	Yes	BID-020	12/20/13	1,268,598.04	232,091.86	Dec 2013	31.5	30.0	_	_	43.55	15.0	30.0	28.6	13.6	2	HSA	
MW-154	Roy St ROW, S side	Y	Yes	BKF-350	03/30/18	1,268,485.83	231,733.87	Apr 2018	35	35.6	53.05	53.07	52.57	25.3	35.2	27.8	17.9	2	HSA	<u> </u>
MW-155	Roy St ROW, S side	Y	Yes	BKF-354	04/10/18	1,268,721.17	231,733.31	Apr 2018	30	30.0	44.39	44.44	44.05	20.0	30.0	24.4	14.4	2	HSA	+ -
MW-159	8th Ave N ROW, E side	Y	Yes	BKF-358	04/16/18	1,268,680.42	231,910.30	Apr 2018	31	30.9	43.25	43.28	42.79	20.4	30.4	22.9	12.9	2	HSA	+ -
MW-209	Valley St ROW, N side (Block 37)	N	NA	NA NA	NA	1269397.75	231974.2084	Unknown	NA	NA	-	-	26.88		50	_	_	NA	-	_
MW-210	Valley St ROW, S side	Y	Yes	NA	10/10/08	1,269,463.18	231,959.15	May 2017	20	20.0	27.09	27.17	26.57	5.0	20.0	22.1	7.1	2	HSA	-
MW-211	Valley St ROW, N side (Block 37)	N	NA	NA	NA	1269557.47	231971.4309	Unknown	NA	NA	_	-	26.48	3.0	20.0	_	,.ı	NA		
MW-212	Mercer St ROW, N side (Block 37)	N	NA	NA	NA	1269499.76	231528.331	Unknown	NA	NA	_	_	29.09			_	_	NA		_
MW-213	Valley St ROW, S side (Block 37)	N	NA	NA	NA	1269386.98	231865.8753	Unknown	NA	NA	_	_	27.35			_	_	NA	_	_
MW-214	Valley St ROW, S side (Block 37)	Y	Yes	NA	10/01/14	1,269,388.42	231,861.09	May 2017	17	17.0	27.81	27.87	27.32	7.0	17.0	20.8	10.8	2	HSA	+
MW-301	Valley St ROW, S side	Y	Yes	BLR-795	09/20/10	1,268,438.37	232,058.67	Nov 2019	30	28.4	53.84	53.84	53.54	18.3	28.3	35.6	25.6	2	Sonic	+
MW-305	Roy St ROW, S side	Y	Yes	BMF-579	10/03/19	1,268,248.04	231,758.02	Nov 2019	35	33.0	60.23	60.27	59.86	22.8	32.8	37.4	27.4	2	Sonic	+
MW-310	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-590	09/17/19	1,268,804.70	232,047.86	Nov 2019	25	23.9	32.90	32.93	32.48	13.8	23.8	19.2	9.2	2	Sonic	+
MW-312	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-589	09/17/19	1,268,807.34	231,926.26	Nov 2019	26	25.9	35.63	35.66	34.99	15.8	25.8	19.2	9.9	2	Sonic	-
MW-313	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-586	09/12/10	1,268,807.34	231,817.18	Nov 2019	30	29.6	39.81	39.84	39.53	19.5	29.5	20.4	10.4	2	Sonic	+ -
MW-320	9th Ave N ROW, W side	Y	Yes	BLR-800	09/29/19	1,268,936.05	231,911.09	Nov 2019	30	25.7	34.10	34.13	33.57		25.5	18.6	8.6	2		 -
MW-332		Y	Yes	BMP 105	04/17/20				30					15.5			6.0	2	Sonic	-
	Roy St ROW, N side		Yes			1,268,901.68	231,795.43	Jun 2020		30.6	36.32	36.3	35.72	20.3	30.3	16.0		2.	Sonic	- -
MW-337	Lake Union Park, N end	Y		BMP-111	05/01/20	1,269,172.36	232,192.21	Jun 2020	20	19.9	27.76	27.88	27.51	9.7	19.7	18.1	8.1	2	Sonic	- -
MW-339	Lake Union Park, S end		Yes	BMP-114	05/05/20	1,269,264.79	232,014.53	Jun 2020	20.3	20.3	28.25	28.37	28.06	10.1	20.1	18.2	8.2	2	Sonic	- -
MW-8	Seattle Roy Aloha Shops, N end	N	TOC Elev	NA NA	-	1 269 672 21	222.000.67	Nov 2019	19	19.0	41.05	41.05	33.19	4.5	19.0	28.7 34.1	14.2	2		- -
MW-9	8th Ave N ROW, E side	N	TOC Elev	NA NA	- NIA	1,268,673.31	232,099.67		22 NA	22.0 NA	41.05	41.05	40.74 29.67	7.0	22.0	22.7	19.1 12.7	2 NA		_
MWR-3	Block 37, SW quadrant	N	NA NA		NA NA	1,269,362.52	231,643.12	Unknown		NA NA		_	29.07	9	17	21.1	11.1	NA NA		
MWR-6	Block 37, SE quadrant	N	NA Yes	NA NA		1,269,561.31	231,566.97	Unknown	NA			- 57.29		8	18 30.0		27.4			_
R-MW5	Dexter Ave N ROW, E side	Y			10/27/92	1,268,352.05	231,915.02	Nov 2019	30	30.0	57.35	57.28	57.01	15.0		42.4		2	HSA	-
R-MW6	8th Ave N ROW, W side	Y	Yes	NA A CL 540	10/27/92	1,268,622.15	231,825.30	Nov 2022	22	22.0	20.40	45.09	44.52	12.0	22.0	33.3	23.3	2	HSA	-
SCL-MW101	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	AGI-540	06/01/02	1,268,818.93	232,188.81	Nov 2019	-	15.0	30.48	30.48	30.02	5.0	15.0	25.5	15.5	2		-
SCL-MW105	Alley E of Seattle Roy Aloha Shops	N	TOC Elev	- ADV 025	06/01/02	1,268,821.22	232,236.18	Nov 2019	-	30.0	31.07	31.08	30.77	20.0	30.0	11.1	1.1	2		-
SCS-2	Seattle Roy Aloha Shops, N end	N	TOC Elev	ABV-825	- 01/20/01	-	-	-	17	21.0	-	-	39.16	11.0	21.0	28.2	18.2	4	TIC A	-
SMW-3	Valley St ROW, N side	N	No	NA NA	01/29/91	1 260 224 20	221 012 02	- TT 1	17	16.5	-	-	27.40	6.5	16.5	20.9	10.9	2	HSA	-
SVE-1	Westlake Ave N, W side (Block 43)	N	NA	NA	NA	1,269,224.39	231,813.92	Unknown	NA	NA	_	_	28.05	5	17	23.1	11.1	NA		
SVE-2	Westlake Ave N, W side (Block 43)	N	NA	NA	NA	1,269,237.63	231,787.92	Unknown	NA	NA	_	_	28.66	5	17	23.7	11.7	NA		
SVE-3	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,143.72	231,805.30	Unknown	NA	NA		_	29.92	4	10	25.9	19.9	NA		
SVE-4	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,199.12	231,831.54	Unknown	NA	NA	_	_	28.36	4	16	24.4	12.4	NA		
SVE-5	Valley St ROW, S side (Block 43)	N	NA	NA	NA	1,269,167.89	231,816.65	Unknown	NA	NA	_	_	29.28	4	12	25.3	17.3	NA		_
Intermediate A Zon	ĕ	1 37	37			1 2 60 2 41 55	221 556 01	TT 1	274	NT 4			20.71	20.5	40.5	0.0	100	I NTA I		1
B-37-7	Block 37, SW quadrant	N	Y	27.4	27.4	1,269,341.77	231,556.91	Unknown	NA	NA	_	_	29.71	30.5	40.5	-0.8	-10.8	NA		
B-37-8	Block 37, SW quadrant	N	NA	NA	NA	1,269,448.08	231,558.97	Unknown	NA	NA	_	_	29.94		40.5	-0.6	-10.6			_
B-37-9	Block 37, SE quadrant	N	NA	NA	NA 06/06/07	1,269,554.30	231,544.63	Unknown	NA	NA	-	-			30.5	0.4	-0.6	NA		_
BB-8	Roy St ROW, S side	Y	Yes	NA DV (Fee22	06/06/97	1,268,704.64	231,761.74	Nov 2019	78.5	40.0	44.00	44.01		30.0	40.0	14.0	4.0	2	HSA	 -
DMW-3IA	615 Dexter, NE quadrant	Y	Yes	BME932	02/27/20	1,268,264.12	231,698.15	Mar 2020	50.3	49.2	56.09	56.09		39.0	49.0	16.8	6.8	2	HSA	-
FMW-136	Block 38 West, S end	Y	TOC Elev	-	08/22/18	-	-	-	40	40.0	-	-	24.79	30.0	40.0	-4.9	-14.9	2	HSA	-
FMW-142	9th Ave N ROW, E side	Y	Yes	BLW-342	07/24/18	1,268,991.88	231,918.28	Nov 2019	45	42.5	32.87	32.90	32.52	37.5	42.5	-4.6	-9.6	2	Sonic	-
FMW-150	Block 38 West, S end	N	NA	NA	NA	1,269,414.24	231,121.31	Unknown	NA	NA	_	_	23.3	6	11	-8.5	-13.54			_
FMW-151	Block 38 West, center of Property	N	NA	NA	NA	1,269,388.10	231,210.11	Unknown	NA	NA	_	_	23.74	6.8	11.8	-9.3	-14.34		_	_
FMW-152	Block 38 West, N end	N	NA	NA	NA	1,269,353.91	231,326.74	Unknown	NA	NA	_	_	22.83	6	11	-8.5	-13.54	NA	_	_

S141300110R_3535_A-1.xlsx 2 of 10

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	D	epth	Ele	vation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)	Top	Bottom	Top	Bottom	(in)	Type	(ft bgs)
FMW-153	Block 38 West, S end	N	NA	NA	NA	1,269,352.62	231,043.00	Unknown	NA	NA	_	_	24.72	6	11	-8.5	-13.54	NA	_	_
FMW-157	Block 38 West	N	NA	NA	NA	1,269,437.13	231,346.24	Unknown	NA	NA	_	_	25.95	30	40	-4.1	-14.1	NA	_	
GEI-1	Block 37, NW quadrant	Y	Yes	BIJ 462	04/16/14	1,269,362.77	231,828.18	2014	81.5	26.8	28.35	-	27.95	26.8	36.8	1.6	-8.5	2	HSA	T -
GEI-MW-1	Block 79 East, N end	Y	TOC Elev	BIJ-490	08/22/14	1,268,931.69	232,238.25	Jul 2020	61.5	59.9	30.50	30.63	30.30	39.8	59.8	-9.3	-29.3	2	HSA	1 -
GEI-MW-2	Block 79 East, S end	Y	TOC Elev	BIJ-492	08/23/14	-	-	-	60	37.1	31.6	-	31.00	27.0	37.0	4.6	-5.4	2	HSA	1 -
GEI-MW-3	Block 79 East, S end	Y	TOC Elev	BIJ-491	08/23/14	-	-	-	65.5	59.5	31.5	_	30.75	49.4	59.4	-17.9	-27.9	2	HSA	T - 1
HC-4	601 Dexter, NE quadrant	N	TOC Elev	BLR695	04/12/19	1,268,251.49	231,573.25	Unknown	50	50	60.23	-	-	40.0	50.0	20.2	10.2	2	HSA	1 -
HMW-2IA	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR922	03/08/19	1,268,696.96	231,646.61	Aug 2020	46.0	44.8	45.55	47.69	47.51	34.8	44.8	10.8	0.8	2	HSA	1 -
HMW-3IA	SDOT Mercer Parcels, NW quadrant	Y	Yes	BLR925	03/15/19	1,268,425.85	231,681.84	Aug 2020	45.5	44.8	55.02	55.01	54.75	34.8	44.8	20.2	10.2	2	HSA	1 -
HMW-6IA	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ185	03/02/20	1,268,379.66	231,552.50	Aug 2020	50.0	47.5	58.65	61.47	61.27	37.5	47.5	21.2	11.2	2	Sonic	1 -
HMW-9IA	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ190	02/28/20	1,268,480.44	231,610.72	Aug 2020	50.0	46.7	55.26	58.35	58.21	36.7	46.7	18.6	8.6	2	Sonic	_
HMW-20IA	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP-356	09/09/20	1,268,516.08	231,634.12	Nov 2020	51.3	51.0	53.83	56.80	56.47	41.0	51.0	12.8	2.8	2.	HSA	+ -
MW107 (B107)	8th Ave N ROW, W side	Y	Yes	BHS-773	12/03/12	1,268,626.16	231,885.72	Nov 2022	45.5	45.0	-	43.66	43.01	35.0	45.0	8.8	-1.2	2	HSA	+ -
MW108 (B108)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-765	12/14/12	1,268,805.44	232,044.39	Dec 2013	50.5	50.0	_	33.15	32.78	40.0	50.0	-7.2	-17.2	2	HSA	
MW109 (B109)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-771	12/04/12	1,268,808.01	231,942.36	Dec 2019	45.5	45.0	35.53	35.54	34.87	35.0	45.0	0.0	-10.0	2	HSA	+ _
MW110 (B110)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-772	12/04/12	1,268,806.34	231,814.34	Dec 2013	45.5	45.0	-	40.04	39.67	35.0	45.0	4.7	-5.3	2	HSA	+
MW114 (B114)	SDOT Mercer Parcels, NW quadrant	Y	Yes	BHS-768	12/10/12	1,268,537.67	231,656.12	Dec 2013	45.5	45.0	_	46.38	45.84	35.0	45.0	10.8	0.8	2	HSA	
MW115 (B115)	9th Ave N ROW, W side	Y	Yes	BHS-766	12/13/12	1,268,948.67	231,824.86	May 2017	46	45.0	34.44	34.48	34.10	35.0	45.0	-0.6	-10.6	2	HSA	+ -
MW116 (B116)	9th Ave N ROW, W side	Y	Yes	BHS-769	12/07/12	1,268,952.65	232,006.18	May 2017	46.5	45.0	31.92	31.96	31.34	35.0	45.0	-3.1	-13.1	2	HSA	+ _
MW117 (B117)	Dexter Ave N ROW, E side	Y	Yes	BHS-885	02/04/13	1,268,343.66	231,643.72	Dec 2013	55.5	55.0	31.72	51.70	56.90	40.0	55.0	16.9	1.9	2	HSA	+
MW117 (B117) MW118 (B118)	Mercer St ROW, N side	Y	Yes	BIC-079	03/21/13	1,268,503.40	231,491.37	Dec 2013	55.5	50.0		_	52.91	40.0	50.0	12.9	2.9	2	HSA	+
MW119 (B119)	9th Ave N ROW, W side	Y	Yes	BIC-079	03/21/13	1,268,924.29	231,652.18	May 2017	46	45.0	37.74	37.75	37.42	35.0	45.0	2.7	-7.3	2	HSA	+
MW120 (B120)	8th Ave N ROW, E side	Y	Yes	BID-015	12/16/13	1,268,675.20	232,145.41	Dec 2019	50.5	50.0	40.67	40.64	39.94	40.0	50.0	0.0	-10.0	2	HSA	+
MW127 (B127)	8th Ave N ROW, E side	Y	Yes	BID-013	12/31/13	1,268,689.96	232,261.39	Dec 2013	50.5	50.0	-	39.42	39.04	40.0	50.0	-1.0	-11.0	2	HSA	+
MW-142	8th Ave N ROW, E side	Y	Yes	BKF-356	04/12/18	1,268,681.79	231,977.91	Apr 2018	51.0	50.2	42.44	42.43	42.12	39.8	49.9	2.6	-7.5	2	HSA	+
MW-142 MW-144	8th Ave N ROW, E side	N	Yes	BKF-361	04/18/18	1,268,680.09	231,857.59	Apr 2018	50.0	50.2	43.87	43.88	43.50	40.0	50.0	3.9	-6.1	2	HSA	+
MW-144R	8th Ave N ROW, E side	Y	Yes	BME-511	11/26/19	1,268,670.40	231,865.37	Dec 2019	50.0	49.6	42.85	42.87	42.46	39.0	49.3	3.9	-6.5	2	Sonic	+
MW-144K	Roy St ROW, S side	Y	Yes	BKF-349	03/30/18	1,268,493.78	231,733.61	Apr 2018	50.0	50.3	52.74	52.77	52.34	39.9	49.9	12.8	2.8	2	HSA	+
MW-146 MW-156	8th Ave N ROW, E side	Y	Yes	BKF-359	04/16/18	1,268,683.09	232,036.58	Apr 2018	51.0	51.0	41.64	41.7	41.24	40.6	50.6	1.0	-9.0	2	HSA	+
MW-189	Valley St ROW, S side	Y	Yes	BLR-796	09/23/19	1,268,529.33	232,057.82	Nov 2022	59.0	59.0	71.07	48.38	47.99	48.8	58.8	-1.2	-11.2	2	Sonic	+
MW-302	Dexter Ave N ROW, E side	Y	Yes	BMF-578	10/01/19	1,268,351.30	231,905.07	Nov 2022	65.0	64.4	-	57.33	56.90	54.3	64.3	3.0	-7.0	2	Sonic	+
MW-302 MW-306	Roy St ROW, S side	Y	Yes	BMF-577	09/30/19	1,268,252.64	231,757.55	Nov 2022	55.0	52.9	59.90	59.89	59.48	42.8	52.8	17.2	7.2	2	Sonic	+
MW-308	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-576	09/20/19	1,268,812.03	232,140.04	Nov 2019	45.4	45.4	30.42	30.42	30.15	35.1	45.1	-4.7	-14.7	2	Sonic	+
MW-315	Mercer St ROW, N side	Y	Yes	BMF-570	9/10/19-/9/11/19	1,268,645.49	231,538.56	Nov 2019	48.0	47.7	49.67	49.65	49.18			12.2	2.3	2	Sonic	+
MW-317	9th Ave N ROW, W side	Y	Yes	BLR-798	09/25/19	1,268,941.64	232,085.35	Nov 2019	38.4	38.4	31.61	31.63	31.35		38.2	3.4	-6.6	2	Sonic	+
MW-325	Mercer St ROW, N side	Y	Yes	BMF-585	9/9/19-9/11/19	1,268,885.15	231,552.84	Nov 2019	44.7	44.7	41.51	41.51	40.90			7.0	-3.0	2	Sonic	+
MW-327	Lake Union Park, S end	Y	Yes	BMF-573	09/17/19	1,269,261.46	232,014.22	Nov 2019	35.1	35.1	28.42	28.52	28.15			3.6	-6.3	2	Sonic	+
MW-330	Valley St ROW, N side	Y	Yes	BMP-107	04/20/20	1,268,462.17	232,100.63	Jun 2020	62.3	62.3	52.04	52.08	51.67		62.1	-0.1	-10.1	2	Sonic	+
MW-331	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMP-106	04/17/20	1,268,814.53	232,268.59	Jun 2020	45.8	45.8	31.21	31.22	30.43		45.6	-4.3	-14.3	2	Sonic	+
MW-333	900 Roy St, S end	Y	Yes	BMP-104	04/16/20	1,269,115.52	231,888.32	Jun 2020	43.4	43.4	31.67	31.74	31.10		43.2	-1.5	-11.5	2	Sonic	+
MW-344	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-413	05/20/21	1,268,477.82	231,685.10	May 2021	50.0	49.7	53.02	53.06	52.70		49.4	13.6	3.6	2	Sonic	+ -
MW-351	Roy St ROW, S side	Y	1 68	BNV-490	05/20/21	1,268,477.82	231,685.10	May 2021	45.0	45.0	33.04	55.00	34.70	34.7	44.7	-34.7	-44.7	2	Sonic	+
Intermediate B Zon		1		DIN V -47U	U3/2U/21	1,200,477.02	231,003.10	1v1ay 2021	₹3.0	7 J.U				J †. /	77./	-J4./		4	Some	 _
FMW-130	Block 38 West, S end	Y	TOC Elev		7/21/14 - 7/22/14			Ī	60	55.0			21.86	45.0	55.0	-22.8	-32.8	2	Sonic	+
FMW-130 FMW-141	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLW-341	07/22/19	1,268,808.24	231,948.19	Dec 2019	60	57.5	35.44	35.45	35.15			-12.1	-32.8	2	Sonic	+
HMW-1IB	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLW-341 BLR917	03/13/19		231,653.15		65.5	64.3	38.29	38.55	38.38			-12.1	-22.1	2	HSA	+
	. 1	_				1,268,903.53		Aug 2020										-		+
HMW-2IB	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLR923	03/12/19	1,268,686.97	231,653.01	Aug 2020	66.5	62.8	47.41	47.50	47.19		62.8	-5.4	-15.4	2	HSA	+
HMW-4IA	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLI162	03/07/19	1,268,409.57	231,558.72	Apr 2019	81.5	60	58.70	- (1.22	58.53		60.0	8.7	-1.3	2	HSA	 -
HMW-5IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ188	02/28/20	1,268,382.82	231,613.00	Aug 2020	70.0	59.7	58.44	61.22	60.99	49.7	59.7	8.7	-1.3	2	Sonic	

S141300110R_3535_A-1.xlsx 3 of 10

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									Dei	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	D	epth	Ele	vation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)	Top	Bottom	Top	Bottom	(in)	Type	(ft bgs)
HMW-6IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ186	03/03/20	1,268,380.80	231,548.10	Aug 2020	70.0	60.0	58.67	61.92	61.61	50.0	60.0	8.7	-1.3	2	Sonic	-
HMW-7IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ159	03/02/20	1,268,383.26	231,522.51	Aug 2020	70.0	59.7	58.69	61.71	61.38	49.7	59.7	9.0	-1.0	2	Sonic	1 -
HMW-8IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ158	03/02/20	1,268,433.80	231,559.10	Aug 2020	70.0	60.5	57.97	61.04	60.78	50.5	60.5	7.5	-2.5	2	Sonic	1 -
HMW-9IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ191	02/28/20	1,268,480.08	231,604.89	Aug 2020	70.0	67.0	55.36	58.64	57.89	57.0	67.0	-1.6	-11.6	2	Sonic	1 -
HMW-11IB	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ196	02/24/20	1,268,891.69	231,565.09	Aug 2020	70.0	54.9	39.70	43.09	42.91	44.9	54.9	-5.2	-15.2	2.	Sonic	+ -
HMW-15IB	SDOT Mercer Parcels, SW quadrant	Y	Yes	BMP316	07/16/20	1,268,389.50	231,512.30	Aug 2020	76.5	73.0	58.86	58.73	58.33	64.0	73.0	-5.1	-14.1	2	HSA	+ -
HMW-16IB	SDOT Mercer Parcels, NW quadrant	Y	Yes	BMP315	07/14/20	1,268,386.50	231,724.00	Aug 2020	76.5	65.0	57.02	57.18	56.80	55.0	65.0	2.0	-8.0	2	HSA	_
MW111 (B111)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BHS-770	12/05/12 - 12/06/12	1,268,807.08	231,896.12	Dec 2019	80.5	80.0	36.66	36.67	36.38	70.0	80.0	-33.5	-43.5	2	HSA	50
MW112 (B112)	Dexter Ave N ROW, W side	Y	Yes	BHS-767	12/11/12 - 12/12/12	1,268,310.62	231,915.10	Dec 2019	85.5	85.0	57.77	57.79	57.47	75.0	85.0	-17.2	-27.2	2	HSA	-
MW126 (B126)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BID-021	12/30/13	1,268,813.91	232,263.78	Dec 2013	95	95.0	-	-	30.94	85.0	95.0	-54.1	-64.1	2	HSA	_
MW-143	8th Ave N ROW, E side	Y	Yes	BKF-355	04/12/18	1,268,681.54	231,974.66	Apr 2018	82.0	80.4	42.43	42.48	42.04	70.1	80.0	-27.7	-37.6	2	HSA	_
MW-145	8th Ave N ROW, E side	Y	Yes	BKF-360	04/18/18	1,268,678.28	231,851.15	Apr 2018	81.0	80.4	43.86	43.87	43.46	70.0	80.0	-26.1	-36.1	2	HSA	_
MW-145R	8th Ave N ROW, E side	Y	Yes	BME-510	11/25/19-11/26/19	1,268,670.64	231,872.79	Dec 2019	80.1	80.1	42.66	42.67	42.00	69.9	79.9	-27.2	-37.2	2	Sonic	_
MW-147	Roy St ROW, S side	Y	Yes	BKF-351	04/02/18	1,268,501.67	231,733.85	Apr 2018	81.5	80.4	52.36	52.39	51.85	70.0	80.0	-17.6	-27.6	2.	HSA	_
MW-148	Roy St ROW, S side	Y	Yes	BKF-353	04/09/18	1,268,725.60	231,731.90	Apr 2018	80.5	80.4	44.27	44.29	43.91	70.0	80.0	-25.7	-35.7	2.	HSA	_
MW-157	8th Ave N ROW, E side	Y	Yes	BKF-357	04/13/18	1,268,683.21	232,040.85	Apr 2018	81.0	80.2	41.61	41.66	41.22	69.9	79.8	-28.3	-38.2	2	HSA	_
MW-190	Valley St ROW, S side	Y	Yes	BLR-794	9/18/19-9/19/19	1,268,513.97	232,058.25	Nov 2022	89.0	89.0	-	49.54	48.95	78.8	88.8	-30.2	-40.2	2	Sonic	_
MW-303	Dexter Ave N ROW, E side	Y	Yes	BMF-581	10/3/19-10/4/19	1,268,353.08	231,967.63	Nov 2022	82.0	81.7	_	57.64	57.27	71.4	81.4	-13.8	-23.8	2	Sonic	_
MW-307	Roy St ROW, S side	Y	Yes	BMF-580	10/03/19	1,268,244.49	231,757.96	Nov 2019	85.0	83.0	60.45	60.45	60.21	72.8	82.8	-12.4	-22.4	2	Sonic	_
MW-309	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-575	09/19/19	1,268,811.71	232,143.16	Nov 2019	75.0	72.7	30.37	30.35	29.97	62.4	72.4	-32.0	-42.0	2	Sonic	_
MW-311	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-574	09/18/19	1,268,804.88	232,040.35	Nov 2019	74.0	72.5	33.14	33.17	32.98	62.2	72.2	-29.1	-39.1	2.	Sonic	
MW-314	Alley E of Seattle Roy Aloha Shops	Y	Yes	BMF-288	9/9/19-9/13/19	1,268,804.06	231,817.34	Nov 2019	80.0	78.0	39.81	39.85	39.19	67.8	77.8	-28.0	-38.0	2	Sonic	+
MW-316	Mercer St ROW, N side	Y	Yes	BMF-569	09/09/19	1,268,641.35	231,537.58	Nov 2019	70.1	70.1	49.81	49.79	49.44	59.8	69.8	-10.0	-20.0	2	Sonic	_
MW-318	9th Ave N ROW, W side	Y	Yes	BLR-797	09/24/19	1,268,941.46	232,081.31	Nov 2019	65.0	64.9	31.66	31.67	31.36	54.8	64.8	-23.1	-33.1	2	Sonic	_
MW-322	9th Ave N ROW, W side	Y	Yes	BLR-792	09/17/19	1,268,937.97	231,957.89	Nov 2019	65.0	64.8	33.45	33.46	33.13	54.7	64.7	-21.3	-31.3	2.	Sonic	+
MW-334	900 Roy St, S end	Y	Yes	BMP-103	04/16/20	1,269,119.58	231,890.01	Jun 2020	63.3	63.3	31.40	31.46	31.22	53.1	63.1	-21.7	-31.7	2	Sonic	-
MW-335	Mercer St ROW, N side	Y	Yes	BMP-108	04/21/20	1,269,109.62	231,541.10	Jun 2020	71.1	71.1	35.18	35.17	34.26	60.8	70.8	-25.6	-35.6	2	Sonic	-
MW-338	Lake Union Park, N end	Y	Yes	BMP-110	05/01/20	1,269,175.12	232,184.99	Jun 2020	55.0	54.7	27.84	27.9	27.38	44.4	54.4	-16.6	-26.6	2	Sonic	-
MW-340	Lake Union Park, S end	Т	Yes	BMP-113	05/05/20	1,269,259.00	232,016.44	Jun 2020	55.0	54.7	28.31	28.41	28.02	44.4	54.4	-16.1	-26.1	2	Sonic	-
MW-345	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-412	05/20/21	1,268,481.59	231,687.90	May 2021	65.0	64.7	52.85	52.87	52.61	54.4	64.4	-1.6	-11.6	2	Sonic	-
MW-346	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-411	05/19/21	1,268,545.50	231,674.21	May 2021	65.0	64.2	51.78	51.91	51.63	53.9	63.9	-2.2	-12.2	2	Sonic	-
MW-347	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-410	05/19/21	1,268,541.92	231,645.66	May 2021	65.0	64.3	52.79	52.98	52.70	54.0	64.0	-1.3	-11.3	2	Sonic	-
MW-348	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNA-409	5/17/21-5/18/21	1,268,533.26	231,609.29	May 2021	69.0	68.9	53.96	54.13	53.84	58.6	68.6	-4.6	-14.6	2	Sonic	1 -
MW-349	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNA-408	05/17/21	1,268,490.33	231,574.32	May 2021	69.0	68.9	55.84	55.92		58.6	68.6	-2.8	-12.8	2	Sonic	-
MW-350	SDOT Mercer Parcels, NW quadrant	Y	Yes	BNA-414	05/21/21	1,268,407.70	231,635.14	May 2021	70.0	69.7	57.77	57.90	57.55	59.4	69.4	-1.7	-11.7	2	Sonic	-
OW-1	Alley E of Block 38 West	N	NA	NA	NA	1,269,433.50	231,253.17	Unknown	NA	NA	_	_	24.17	30	45	-6	-21	NA	_	_
OW-2	Alley E of Block 38 West	N	NA	NA	NA	1,269,429.93	231,122.07	Unknown	NA	NA	_	_	22.91	30	45	-7	-22	NA	_	_
OW-3	Block 38 West, S end	N	NA	NA	NA	1,269,314.71	231,013.84	Unknown	NA	NA	_	_	38.91	48	63	-8	-23	NA	_	_
OW-5	Block 38 West, N end	N	NA	NA	NA	1269324.75	231369.61	Unknown	NA	NA	_	_	40.44	44.8	54.8	-11	-21	NA	_	_
W-MW-01	8th Ave N ROW, W side	Y	Yes	NA	01/27/12	1,268,626.60	231,827.34	Nov 2022	80	80.0	-	45.02	44.50	70.0	80.0	-25.5	-35.5	2	Sonic	-
W-MW-02	8th Ave N ROW, W side	Y	Yes	NA	01/31/12	1,268,626.65	231,912.53	Nov 2022	80	80.0	-	43.24	42.89	70.0	80.0	-26.3	-36.3	2	Sonic	=
Deep Zone Monitor																				
FMW-129	SDOT Mercer Parcels, NE quadrant	Y	Yes	BIC-085	5/13/14 - 5/16/14	1,268,873.71	231,707.21	May 2017	119	89.2	38.64	38.38	38.31	84.2	89.2	-45.6	-50.6	2	HSA	-
FMW-131	Block 37, SE quadrant	Y	Yes	NA	8/25/16 - 8/30/16	1,269,436.35	231,629.37	-	75.0	74.9	-	-		62.5		-34.7	-44.7	2	HSA	-
FMW-137	Alley E of Block 38 West	Y	Yes	-	11/3/18 - 11/17/18	1,269,446.94	231,392.41	-	90	85.0	-	-	30.09	72.0		-44.9	-57.9	2	Sonic	-
FMW-138	Alley E of Block 38 West	Y	Yes	-	11/3/18 - 11/14/18	1,269,426.19	230,983.38	-	100	100.0	-	-	40.44	90.0	100.0	-46.0	-56.0	2	Sonic	-
FMW-140	900 Roy St, S end	Y	Yes	BLT-940	07/12/19	1,269,111.06	231,885.87	Nov 2019	85	80.0	32.00	32.00	31.71	70.0	80.0	-38.0	-48.0	2	Sonic	-
FMW-3D	Terry Ave N ROW, E side	Y	Yes	NA	3/7/16 - 3/8/16	1,269,941.28	231,737.65	-	71.5	69.0	-	-	27.88	59.0	69.0	-31.1	-41.1	2	HSA	-
GEI-2	Block 37, SW quadrant	Y	Yes	BIJ 462	4/16/14 - 4/17/14	1,269,358.70	231,666.08	2014	81.5	60.5	29.60	-		50.5	60.5	-21.1	-31.1	2	HSA	-
HMW-1D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI197	03/04/19	1,268,907.50	231,641.76	Aug 2020	90.0	90.0	38.07	38.27	37.99	80.0	90.0	-41.9	-51.9	2	Sonic	-

S141300110R_3535_A-1.xlsx 4 of 1

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	De	epth		ation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)		Bottom		Bottom	(in)	Type	(ft bgs)
HMW-2D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BLI198	03/06/19	1,268,696.23	231,659.76	Aug 2020	90.0	90.0	47.34	47.43	47.19	80.0	90.0	-32.7	-42.7	2	Sonic	
HMW-3D	SDOT Mercer Parcels, NW quadrant	Y	Yes	BLI199	03/06/19	1,268,408.96	231,675.97	Aug 2020	90.0	90.0	56.56	56.58	56.37	80.0	90.0	-23.4	-33.4	2	Sonic	_
HMW-6D	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ187	03/02/20	1,268,382.84	231,551.34	Aug 2020	90.0	89.7	58.58	61.77	61.49	79.7	89.7	-21.1	-31.1	2	Sonic	
HMW-9D	SDOT Mercer Parcels, SW quadrant	Y	Yes	BLZ192	02/28/20	1,268,484.37	231,609.92	Aug 2020	90.0	89.7	55.32	58.33	58.14	79.7	89.7	-24.4	-34.4	2	Sonic	
HMW-10D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BLZ194	03/05/20	1,268,686.24	231,565.46	Aug 2020	90.0	89.0	48.16	51.15	51.03	79.0	89.0	-30.8	-40.8	2	Sonic	-
HMW-12D	SDOT Mercer Parcels, NE quadrant	Y	Yes	BMP290	07/16/20	1,268,915.30	231,704.60	Aug 2020	100.3	92.0	33.52	36.83	35.86	82.0	92.0	-48.5	-58.5	2	MR/HSA	
HMW-13D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP318	07/23/20	1,268,802.40	231,638.70	Aug 2020	100.9	99.5	45.30	45.38	45.08	89.5	99.5	-44.2	-54.2	2	MR/HSA	
HMW-14D	SDOT Mercer Parcels, SE quadrant	Y	Yes	BMP317	07/20/20	1,268,800.70	231,576.90	Aug 2020	81.5	80.0	46.35	46.41	46.11	70.0	80.0	-23.7	-33.7	2	MR/HSA	
HVP-1	SDOT Mercer Parcels, SW quadrant	Y	Yes	BMP319	07/28/20	1,268,586.83	231,622.55	Aug 2020	150.3	150.0	52.65	54.95	53.65	-	-	-	-	6	MR/HSA	
MW102 (B102)	Valley St ROW, S side	Y	Yes	BCK-015	7/17/12 - 7/23/12	1,268,505.06	232,058.75	Nov 2022	125	125.0	-	49.97	49.66	115.0	125.0	-65.8	-75.8	2	Sonic	
MW103 (B103)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BCK-016	7/25/12 - 7/27 12	1,268,807.23	231,911.84	Dec 2019	115	114.0	36.12	36.13	35.86	103.5	113.5	-67.6	-77.6	2	Sonic	_
MW104 (B104)	8th Ave N ROW, W side	Y	Yes	BCK-017	7/30/12 - 8/01/12	1,268,635.95	231,912.28	Dec 2013	130	129.0	-	43.05	42.68	119.0	129.0	-76.3	-86.3	2	Sonic	_
MW105 (B105)	Roy St ROW, S side	Y	Yes	BCK-018	8/06/12 - 8/10/12	1,268,694.42	231,762.84	Nov 2019	140	140.0	44.39	44.41	44.12	130.0	140.0	-85.3	-95.3	2	Sonic	-
MW106 (B106)	SDOT Mercer Parcels, NW quadrant	Y	Yes	BCK-019	8/14/12 - 8/15/12	1,268,501.66	231,720.28	Dec 2013	140	140.0	-	52.25	51.99	130.0	140.0	-78.0	-88.0	2	Sonic	
MW113 (B113)	9th Ave N ROW, W side	Y	Yes	BHS-764	12/18/12	1,268,950.77	231,911.93	Nov 2019	80	80.0	33.20	33.21	32.91	70.0	80.0	-36.8	-46.8	2	HSA	-
MW122 (B122)	Alley E of Seattle Roy Aloha Shops	Y	Yes	BID-017	12/17/13	1,268,810.95	232,139.15	Dec 2013	115	115.0	-	30.54	30.03	105.0	115.0	-75.0	-85.0	2	HSA	=
MW123 (B123)	Westlake Ave N ROW, W side	Y	Yes	BID-018	12/18/13	1,269,084.44	232,170.77	Nov 2019	80	80.0	27.95	27.95	27.50	70.0	80.0	-42.5	-52.5	2	HSA	_
MW124 (B124)	Valley St ROW, S side	Y	Yes	BID-019	12/19/13	1,268,387.40	232,058.30	Nov 2022	120	120.0	-	57.25	56.74	110.0	120.0	-53.8	-63.8	2	HSA	=
MW128 (B128)	Westlake Ave N ROW, E side	Y	Yes	BID-023	01/09/14	1,269,319.15	231,810.63	May 2017	70.5	70.0	29.20	29.21	28.59	60.0	70.0	-30.8	-40.8	2	HSA	=
MW-138	Dexter Ave N ROW, E side	Y	Yes	BKA-296	9/12/17 - 9/15/17	1,268,345.19	231,841.61	Nov 2019	117	115.0	57.44	57.41	57.03	105.0	115.0	-47.6	-57.6	2	Sonic	-
MW-140	Roy St ROW, N side	Y	Yes	BKA-301	8/30/17 - 8/31/17	1,268,511.94	231,782.78	Sep 2017	140	140.0	50.57	50.57	50.20	129.5	139.5	-78.9	-88.9	2	Sonic	-
MW-153	Roy St ROW, S side	Y	Yes	BKF-348	03/29/18	1,268,443.98	231,734.96	Apr 2018	130	130.0	54.75	54.79	54.35	120.0	130.0	-65.3	-75.3	2	HSA	-
MW-158A	8th Ave N ROW, E side	Y	Yes	BKF-352	04/06/18	1,268,683.06	232,045.84	Apr 2018	100	100.0	41.51	41.52	41.09	89.7	100.0	-48.2	-58.5	2	HSA	-
MW-160	8th Ave N ROW, W side	Y	Yes	BKF-460	05/10/18	1,268,626.37	231,969.39	Nov 2022	128	128.0	-	42.71	42.03	118.0	128.0	-75.4	-85.4	2	HSA	-
MW-161	8th Ave N ROW, W side	Y	Yes	BKF-461	05/06/18	1,268,623.37	231,868.01	Nov 2022	140	140.0	-	43.98	43.84	130.0	140.0	-85.6	-95.6	2	HSA	-
MW-304	Dexter Ave N ROW, E side	Y	Yes	BMF-581	10/02/19	1,268,352.77	231,961.51	Nov 2022	116	115.5	-	57.63	57.08	105.2	115.2	-47.6	-57.6	2	Sonic	-
MW-319	9th Ave N ROW, W side	Y	Yes	BLR-793	09/18/19	1,268,941.67	232,077.44	Nov 2019	85	84.0	31.70	31.71	31.31	74.5	84.5	-42.8	-52.8	2	Sonic	-
MW-323	9th Ave N ROW, W side	Y	Yes	BLR-799	09/28/19	1,268,935.73	231,873.86	Nov 2019	110	110.0	34.65	34.69	34.38	100.0	110.0	-65.4	-75.4	2	Sonic	=.
MW-324	Roy St ROW, N side	Y	Yes	BMF-587	09/12/19	1,269,021.77	231,829.66	Nov 2019	80	76.5	34.27	34.28	33.71	66.3	76.3	-32.1	-42.1	2	Sonic	
MW-326	Mercer St ROW, N side	Y	Yes	BLR-750	9/9/2019-9/10/19	1,268,889.59	231,552.72	Nov 2019	100.1	100.1	41.30	41.3	40.97	90.0	100.0	-48.7	-58.7	2	Sonic	-
MW-326R	Mercer St ROW, N side	Y			12/13/22-12/14/22				100.6	100.6				90.2	100.2	-90.2	-100.2	2	Sonic	-
MW-328	Lake Union Park, S end	Y	Yes	BMF-572	09/16/19	1,269,265.31	232,010.75	Nov 2019	80	74.8	28.38	28.45	28.09	64.5	74.5	-36.1	-46.1	2	Sonic	
MW-329	Westlake Ave N ROW, E side	Y	Yes	BMF-571	09/12/19	1,269,321.03	231,798.39	Nov 2019	110	108.6	29.26	29.25	28.93	98.3	108.3	-69.0	-79.0	2	Sonic	
MW-336	Mercer St ROW, N side	Y	Yes	BMP-109	04/22/20	1,269,151.51	231,540.07	Jun 2020	95.5	95.5	33.68	33.67	33.31	85.3	95.3	-51.6	-61.6	2	Sonic	
MW-341	Lake Union Park, S end	Y	Yes	BMP-112	05/04/20	1,269,261.00	232,010.55	Jun 2020	105.5	105.5	28.45	28.52		95.2	105.2	-66.8	-76.8	2	Sonic	
MW-342	Valley St ROW, S side	Y	Yes	BMP-102	04/15/20	1,269,512.87	231,859.08	Jun 2020	70.3	70.3	27.66	27.68	27.37	60.1	70.1	-32.4	-42.4	2	Sonic	
MW-343	Valley St ROW, S side	Y	Yes	BMP-101	4/14/20 - 4/15/20	1,269,520.38	231,859.54	Jun 2020	110	109.3	27.64	27.68	27.16	99.1	109.1	-71.5	-81.5	2	Sonic	
SDOT Injection We																				
IWS-01	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-055	3/16/2022	1,268,465.10	231,620.87	Nov 2022	70	69.7	-	55.65	55.38		69.4	1.3	-13.8	2	Sonic	
IWS-02	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-059	3/22/2022	1,268,507.89	231,650.00	Nov 2022	67	66.6	-	53.29	52.91	51.2	66.3	2.1	-13.0	2	Sonic	_
IWS-03	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-058	3/21/2022	1,268,530.61	231,666.01	Nov 2022	66	65.7	-	52.30		50.2	65.3	2.1	-13.0	2	Sonic	_
IWS-04	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-056	3/17/2022	1,268,469.61	231,602.58	Nov 2022	71	70.7	-	55.70		55.3	70.3	0.4	-14.6	2	Sonic	
IWS-05	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-054	3/16/2022	1,268,486.71	231,621.53	Nov 2022	69	68.7	-	54.69	54.24	53.3	68.4	1.4	-13.7	2	Sonic	-
IWS-06	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-052	3/15/2022	1,268,506.07	231,627.84	Nov 2022	67	67.0	-	54.22	53.87	51.7	66.7	2.5	-12.5	2	Sonic	_
IWS-07	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-051	3/14/2022	1,268,530.60	231,642.38	Nov 2022	66	66.2	-	53.18	52.77	50.0	65.9	3.2	-12.7	2	Sonic	
IWS-08	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-057	3/18/2022	1,268,483.37	231,587.80	Nov 2022	71	70.9	-	55.79		55.5	70.5	0.3	-14.7	2	Sonic	-
IWS-09	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-061	3/24/2022	1,268,506.72	231,602.50	Nov 2022	69	68.5	-	54.97		53.1	68.2	1.9	-13.2	2	Sonic	
IWS-10	SDOT Mercer Parcels, SW quadrant	Y	Yes	BNW-060	3/23/2022	1,268,528.72	231,619.07	Nov 2022	68	67.5	-	54.28	53.93	50.4	67.2	3.9	-12.9	2	Sonic	-
Shallow Soil Vapor	Probes																			

S141300110R_3535_A-1.xlsx 5 of 10

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									Dei	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	D	epth		ation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveved	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)	Top	Bottom		Bottom	(in)	Type	(ft bgs)
SV01	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,682.67	231,993.39	July 2020	12.25	-	42.20	42.215	41.95	11.8	12.3	30.4	29.9	-	DP	
SV02	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,681.25	231,906.35	July 2020	11.75	_	43.36	43.355	43.11	11.3	11.8	32.1	31.6	-	DP	_
SV03	8th Ave N ROW, E side	Y	Yes	-	03/11/13	1,268,677.87	231,828.33	July 2020	12.75	_	44.10	44.11	43.81	12.3	12.8	31.8	31.3	-	DP	_
SV-04	Roy St ROW, S side	Y	Yes	BLK 889	06/29/20	1,268,731.27	231,731.45	July 2020	6	6	44.06	44.09	-	5.5	6	38.6	38.1	0.25	DP	<u> </u>
SV-05	Roy St ROW, S side	Y	Yes	BLK 890	06/29/20	1,268,730.14	231,729.81	July 2020	13	13	44.13	44.15	-	12.5	13	31.6	31.1	0.25	DP	-
SV-06	Roy St ROW, S side	Y	Yes	BLK 891	06/29/20	1,268,477.86	231,733.96	July 2020	6	6	53.36	53.39	_	5.5	6	47.9	47.4	0.25	DP	_
SV-07	Roy St ROW, S side	Y	Yes	BLK 892	06/29/20	1,268,477.45	231,732.37	July 2020	15	15	53.41	53.44	_	14.5	15	38.9	38.4	0.25	DP	 -
SV-08	8th Ave N ROW, E side	Y	Yes	BLK 893	06/30/20	1,268,675.48	232,123.75	July 2020	10	10	40.91	40.94	_	9.5	10	31.4	30.9	0.25	DP	_
SV-09	8th Ave N ROW, E side	Y	Yes	BLK 894	07/01/20	1,268,676.85	232,123.94	July 2020	6	6	40.83	40.86	_	5.5	6	35.3	34.8	0.25	DP	+ -
SV-10	Valley St ROW, N side	Y	Yes	BLK 895	06/30/20	1,268,468.28	232,097.54	July 2020	6	6	51.81	51.85	_	5.5	6	46.3	45.8	0.25	DP	+
SV-11	Valley St ROW, N side	Y	Yes	BLK 896	06/30/20	1,268,469.07	232,098.99	July 2020	15	14.75	51.69	51.73	_	14.25	14.75	37.4	36.9	0.25	DP	_
SV-12	Valley St ROW, N side	Y	Yes	BLK 897	07/01/20	1,268,584.70	232,097.56	July 2020	6	6	44.57	44.62	_	5.5	6	39.1	38.6	0.25	DP	+ _
SV-13	Valley St ROW, N side	Y	Yes	BLK 898	07/01/20	1,268,585.90	232,099.47	July 2020	12	12	44.42	44.46	_	11.5	12	32.9	32.4	0.25	DP	_
SV-13	Roy St ROW, N side	Y	Yes	BLK 899	07/01/20	1,268,785.24	231,796.41	July 2020	6	6	40.93	40.92	_	5.5	6	35.4	34.9	0.25	DP	_
SV-14 SV-15	Roy St ROW, N side	Y	Yes	BLK 900	07/01/20	1,268,785.09	231,798.41	July 2020	13	13	40.98	40.99	-	12.5	13	28.5	28.0	0.25	DP	+
SV-16	8th Ave N ROW, E side	Y	Yes	BLK 900	07/02/20	1,268,669.51	231,859.20	July 2020	6	6	42.97	42.99	-	5.5	6	37.5	37.0	0.25	DP	-
SV-17	8th Ave N ROW, E side	Y	Yes	BLK 901	07/02/20	1,268,668.95	231,906.41	July 2020	6	6	42.97	42.39	-	5.5	6	36.6	36.1	0.25	DP	-
SV-17 SV-18	8th Ave N ROW, E side	Y	Yes	BLK 902	07/02/20	1,268,669.89	231,982.22	July 2020	6	6	42.10	42.10	-	5.5	6	36.6	36.1	0.25	DP	+
SV-18 SV-19	9th Ave N ROW, W side	Y	Yes	BLK 903 BLK 904	07/02/20	1,268,933.23	231,840.64	July 2020	6	6	35.19	35.20	-	5.5	6	29.7	29.2	0.25	DP	-
SV-19 SV-20	9th Ave N ROW, W side	Y	Yes	BLK 904 BLK 905	07/09/20	1,268,933.28	231,842.83	July 2020 July 2020	10	10	35.19	35.20	-	9.5	10	25.6	25.1	0.25	DP	
SV-20 SV-21	•	_			07/09/20			July 2020 July 2020	 			35.35	-				29.3		DP	-
	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 906		1,268,808.91	231,953.22	<u> </u>	6	6	35.30		-	5.5	6	29.8	25.2	0.25	DP	+
SV-22	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 907	07/09/20	1,268,808.90	231,955.46	July 2020	10	10	35.24	35.28	-	9.5	10	25.7		0.25	DP	-
SV-23	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 908	07/09/20	1,268,805.42	232,034.81	July 2020	6	6	33.36	33.39	-	5.5	6	27.9	27.4	0.25		-
SV-24	Alley E of Seattle Roy Aloha Shops	Y	Yes	BLK 909	07/09/20	1,268,805.37	232,036.82	July 2020	10	10	33.29	33.32	-	9.5	10	23.8	23.3	0.25	DP	+
SV-25	Dexter Ave N ROW, W side	Y	Yes	BLK 910	07/10/20	1,268,293.10	231,918.58	July 2020	6	6	58.17	58.18	-	5.5	6	52.7	52.2	0.25	DP	-
SV-26	Dexter Ave N ROW, W side	Y	Yes	BLK 911	07/10/20	1,268,293.08	231,916.60	July 2020	12	12	58.21	58.23	-	11.5	12	46.7	46.2	0.25	DP	-
SV-27	Dexter Ave N ROW, W side	Y	Yes	BLK 913	07/10/20	1,268,295.72	232,025.83	July 2020	15	15	58.59	58.59	-	14.5	15	44.1	43.6	0.25	DP	+
SV-28	Dexter Ave N ROW, W side	Y	Yes	BLK 912	07/10/20	1,268,295.62	232,023.76	July 2020	8.2	6	58.60	58.59	-	5.5	6	53.1	52.6	0.25	DP	-
Treatment Zone A	0	37	37	DI 7 112	00/20/10	1 2 (0 407 70	221 072 40	N 2010	26.4	25.0	12.0	1	12.50	0.7	24.7	4.0	10.0	1 2 1	- C ·	т
CA-A1	Property, NW quadrant	Y	Yes	BLZ-113	08/28/19	1,268,407.78	231,973.48	Nov 2019	26.4	25.0	13.9	-	13.58	9.7	24.7	4.2	-10.8	2	Sonic	+ -
CA-A2	Property, NW quadrant	Y	Yes	BLZ-116	08/29/19	1,268,406.99	231,954.25	Nov 2019	25.2	24.7	13.9	-	13.59	9.41	24.4	4.49	-10.5	2	Sonic	- -
CA-A3	Property, NW quadrant	Y	Yes	BLZ-119	09/12/19	1,268,406.94	231,938.96	Nov 2019	24.5	24.4	13.9	-	13.77	9.01	24.01	4.89	-10.11	2	Sonic	- -
CA-A4	Property, SW quadrant	Y	Yes	BLZ-123	09/18/19	1,268,406.70	231,918.56	Nov 2019	26.1	26.0	13.9	-	13.58	10.63	25.63	3.27	-11.73	2	Sonic	 -
CA-A5	Property, SW quadrant	Y	Yes	BLZ-342	09/23/19	1,268,405.77	231,898.71	Nov 2019	25.5	25.5	13.9	-	13.58			3.74	-11.26	2	Sonic	 -
CA-A6	Property, SW quadrant	Y	Yes	BLZ-341	09/24/19	1,268,405.18	231,878.43	Nov 2019	26.1	25.4	13.9	-	13.45			3.85	-11.15	2	Sonic	+ -
CA-A7	Property, SW quadrant	Y	Yes	BLZ-340	09/23/19	1,268,404.63	231,853.59	Nov 2019	27.2	27.1	13.9	-	13.58		26.7	2.2	-12.8	2	Sonic	-
CA-A8	Property, SW quadrant	Y	Yes	BLZ-339	09/19/19	1,268,404.07	231,833.63	Nov 2019	26.3	26.3	13.9	-	13.62			2.99	-12.01	2	Sonic	-
CA-A9	Property, NW quadrant	Y	Yes	BLZ-147	09/04/19	1,268,492.93	232,010.33	Nov 2019	24.7	24.5	13.9	-		9.17		4.73	-10.27	2	Sonic	-
CA-A10	Property, NW quadrant	Y	Yes	BLZ-169	09/04/19	1,268,492.40	231,990.39	Nov 2019	25.2	25	13.9	-		9.65		4.25	-10.75	2	Sonic	-
CA-A11	Property, NW quadrant	Y	Yes	BLZ-173	09/05/19	1,268,492.09	231,970.60	Nov 2019	24.8	25.1	13.9	-	13.61	9.77	24.77	4.13	-10.87	2	Sonic	-
CA-A12	Property, NW quadrant	Y	Yes	BLZ-177	09/06/19	1,268,491.58	231,950.65	Nov 2019	25.8	24.9	13.9	-		9.52		4.38	-10.62	2	Sonic	-
CA-A13	Property, NW quadrant	Y	Yes	BLZ-181	09/10/19	1,268,490.99	231,931.08	Nov 2019	25.4	25.0	13.9	-		9.66		4.24	-10.76	2	Sonic	-
CA-A14	Property, SW quadrant	Y	Yes	BLZ-128	09/11/19	1,268,490.39	231,911.11	Nov 2019	25.4	25.4	13.9	-		10.08		3.82	-11.18	2	Sonic	-
CA-A15	Property, SW quadrant	Y	Yes	BLZ-131	09/24/19	1,268,489.94	231,891.18	Nov 2019	25.3	25.3	13.9	-		9.97	24.97	3.93	-11.07	2	Sonic	-
CA-A16	Property, NE quadrant	Y	Yes	BLZ-166	10/23/19	1,268,559.64	231,998.66	Nov 2019	50.0	25.2	13.9	-		9.86		4.04	-10.96	2	Sonic	-
CA-A17	Property, NE quadrant	Y	Yes	BLZ-164	10/24/19	1,268,560.17	231,978.89	Nov 2019	25.6	25.6	13.9	-		10.24		3.66	-11.34	2	Sonic	-
CA-A18	Property, NE quadrant	Y	Yes	BLZ-162	10/26/19	1,268,559.91	231,959.22	Nov 2019	25.2	25.0	13.9	-		9.64		4.26	-10.74	2	Sonic	_
CA-A19	Property, SE quadrant	Y	Yes	BLZ-137	09/27/19	1,268,530.34	231,830.75	Nov 2019	25.3	24.9	13.9	-		9.55		4.35	-10.65	2	Sonic	-
CA-A20	Property, SE quadrant	Y	Yes	BLZ-139	09/30/19	1,268,550.15	231,830.04	Nov 2019	26.4	26.1	13.9	-		10.78		3.12	-8.85	2	Sonic	-
CA-A21	Property, SE quadrant	Y	Yes	BLZ-141	10/03/19	1,268,565.44	231,829.77	Nov 2019	25.6	25.6	13.9	_	13.59	10.27	25.27	3.63	-11.37	2	Sonic	<u> </u>

S141300110R_3535_A-1.xlsx

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	pth		Elevation		We	ll Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	Depth	_	vation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed	(ft bgs)			(ft)	(ft)	Top Bottor		Bottom	(in)	Type	(ft bgs)
Treatment Zone B	Injection Wells					G	8	•	1 8 /			` ′							1 3 7
CA-B1	Property, NW quadrant	Y	Yes	BLZ-114	08/28/19	1,268,407.63	231,968.46	Nov 2019	38.7	38.7	13.9	-	13.56	23.22 38.22	-9.32	-24.32	2	Sonic	_
CA-B2	Property, NW quadrant	Y	Yes	BLZ-117	08/29/19	1,268,407.42	231,948.60	Nov 2019	39.6	39.5	13.9	-	13.56	24.16 39.16	-10.26	-25.26	2	Sonic	-
CA-B3	Property, NW quadrant	Y	Yes	BLZ-120	09/12/19	1,268,407.07	231,933.58	Nov 2019	38.2	38.9	13.9	-	13.63	23.55 38.55	-9.65	-24.65	2	Sonic	-
CA-B4	Property, SW quadrant	Y	Yes	BLZ-336	09/18/19	1,268,406.27	231,913.65	Nov 2019	39.5	39.1	13.9	-	13.57	23.66 38.78	-9.76	-24.88	2	Sonic	-
CA-B5	Property, SW quadrant	Y	Yes	BLZ-335	9/23/19 - 9/24/19	1,268,405.80	231,893.25	Nov 2019	39.2	-	13.9	-	13.58		-	-	2	Sonic	-
CA-B6	Property, SW quadrant	Y	Yes	BLZ-296	09/19/19	1,268,405.16	231,873.44	Nov 2019	39.6	39.6	13.9	-	13.62	24.25 39.25	-10.35	-25.35	2	Sonic	-
CA-B7	Property, SW quadrant	Y	Yes	BLZ-299	09/23/19	1,268,404.49	231,849.12	Nov 2019	40.2	40.4	13.9	-	13.62	25.05 40.06	-11.15	-26.16	2	Sonic	-
CA-B8	Property, SW quadrant	Y	Yes	BLZ-298	09/16/19	1,268,404.03	231,828.64	Nov 2019	40.1	40.5	13.9	-	13.55	25.11 40.11	-11.21	-26.21	2	Sonic	-
CA-B9	Property, NW quadrant	Y	Yes	BLZ-167	9/3/19 - 9/4/19	1,268,492.60	232,005.88	Nov 2019	39.9	40	13.9	-	13.61	24.65 39.65	-10.75	-25.75	2	Sonic	-
CA-B10	Property, NW quadrant	Y	Yes	BLZ-170	08/30/19	1,268,492.43	231,986.10	Nov 2019	39.7	39.9	13.9	-	13.58	24.52 39.51	-10.62	-25.61	2	Sonic	-
CA-B11	Property, NW quadrant	Y	Yes	BLZ-174	09/05/19	1,268,492.04	231,965.95	Nov 2019	39.3	39.1	13.9	-	13.57	23.73 38.73	-9.83	-24.83	2	Sonic	-
CA-B12	Property, NW quadrant	Y	Yes	BLZ-178	9/6/19 - 9/9/19	1,268,491.62	231,946.15	Nov 2019	39.7	39.7	13.9	-	13.61	24.3 39.3	-10.4	-25.4	2	Sonic	-
CA-B13	Property, NW quadrant	Y	Yes	BLZ-338	09/10/19	1,268,490.90	231,925.71	Nov 2019	40.9	39.9	13.9	-	13.62	24.55 39.45	-10.65	-25.55	2	Sonic	-
CA-B14	Property, SW quadrant	Y	Yes	BLZ-129	09/11/19	1,268,490.14	231,905.94	Nov 2019	40.2	39.2	13.9	-	13.59	23.82 38.82	-9.92	-24.92	2	Sonic	-
CA-B15	Property, SW quadrant	Y	Yes	BLZ-132	09/24/19	1,268,489.47	231,886.21	Nov 2019	39.5	39.5	13.9	-	13.58	24.18 39.18	-10.28	-25.28	2	Sonic	-
CA-B16	Property, NE quadrant	Y	Yes	BLZ-165	10/23/19	1,268,559.57	231,993.66	Nov 2019	39.0	39.8	13.9	-	13.57	24.49 39.49	-10.59	-25.59	2	Sonic	-
CA-B17	Property, NE quadrant	Y	Yes	BLZ-163	10/28/19	1,268,560.04	231,974.31	Nov 2019	39.4	39.3	13.9	-	13.57	23.98 38.98	-10.08	-25.08	2	Sonic	-
CA-B18	Property, NE quadrant	Y	Yes	BLZ-161	10/26/19	1,268,559.56	231,953.53	Nov 2019	38.8	38.8	13.9	-	13.61	23.44 38.44	-9.54	-24.54	2	Sonic	-
CA-B19	Property, SE quadrant	Y	Yes	BLZ-138	09/27/19	1,268,535.49	231,830.36	Nov 2019	39.6	39.6	13.9	-	13.58	24.2 39.2	-10.3	-25.3	2	Sonic	-
CA-B20	Property, SE quadrant	Y	Yes	BLZ-140	09/27/19	1,268,555.48	231,830.01	Nov 2019	39.5	39.5	13.9	-	13.60	24.18 39.18	-10.28	-25.28	2	Sonic	=.
CA-B21	Property, SE quadrant	Y	Yes	BLZ-142	10/02/19	1,268,575.30	231,829.04	Nov 2019	40.4	40.2	13.9	-	13.60	24.83 39.83	-10.93	-25.93	2	Sonic	-
Treatment Zone C	Injection Wells														-				
CA-C1	Property, NW quadrant	Y	Yes	BLZ-115	08/27/19	1,268,407.57	231,963.35	Nov 2019	56.0	54.7	13.9	-	13.59	39.35 54.35	-25.45	-40.45	2	Sonic	-
CA-C2A	Property, NW quadrant	Y	Yes	BLZ-118	09/16/19	1,268,404.06	231,943.62	Nov 2019	54.4	54.3	13.9	-	13.64	38.97 53.97	-25.07	-40.07	2	Sonic	-
CA-C3	Property, NW quadrant	Y	Yes	BLZ-121	09/11/19	1,268,406.72	231,928.62	Nov 2019	53.8	54.3	13.9	-	13.61	38.9 53.9	-25	-40	2	Sonic	1 -
CA-C4	Property, SW quadrant	Y	Yes	BLZ-297	09/19/19	1,268,405.96	231,908.54	Nov 2019	56.6	54.1	13.9	-	13.52	38.71 53.71	-24.81	-39.81	2	Sonic	1 -
CA-C5	Property, SW quadrant	Y	Yes	BLZ-300	09/24/19	1,268,405.59	231,888.31	Nov 2019	55	55	13.9	-	13.58	39.67 54.67	-25.77	-40.77	2	Sonic	-
CA-C6	Property, SW quadrant	Y	Yes	BLZ-407	09/19/19	1,268,404.93	231,868.27	Nov 2019	54.7	54.7	13.9	-	13.61	39.35 54.35	-25.45	-40.45	2	Sonic	1 -
CA-C7	Property, SW quadrant	Y	Yes	BLZ-351	09/20/19	1,268,404.03	231,843.44	Nov 2019	55.4	55.4	13.9	_	13.59	40 55	-26.1	-41.1	2	Sonic	_
CA-C8	Property, NW quadrant	Y	Yes	BLZ-168	8/30/19 - 9/3/19	1,268,492.72	232,000.77	Nov 2019	55	55.4	13.9	_	13.58	40 55	-26.1	-41.1	2	Sonic	_
CA-C9	Property, NW quadrant	Y	Yes	BLZ-171	09/04/19	1,268,492.20	231,980.76	Nov 2019	34.2	33.3	13.9	_	13.57	37.9 52.9	-24	-39	2.	Sonic	-
CA-C10	Property, NW quadrant	Y	Yes	BLZ-175	9/5/19 - 9/6/19	1,268,491.69	231,961.04	Nov 2019	54.8	53.8	13.9	_	13.54	38.46 53.46	_		2	Sonic	+ -
CA-C11	Property, NW quadrant	Y	Yes	BLZ-179	09/09/19	1,268,490.93	231,940.94	Nov 2019	54.2	54.4	13.9	_	13.65	39 54	-25.1		2	Sonic	 _
CA-C12	Property, SW quadrant	Y	Yes	BLZ-183	09/09/19	1,268,490.52	231,921.25	Nov 2019	55.3	54.8	13.9	_		39.48 54.48			2	Sonic	1 _
CA-C13	Property, SW quadrant	Y	Yes	BLZ-130	09/10/19	1,268,490.11	231,900.89	Nov 2019	54.2	54.2	13.9			38.82 53.82			2	Sonic	_
Treatment Zone D	1 1 1	1 1	1 03	DEZ 130	07/10/17	1,200,470.11	231,700.07	1107 2017	37.2	37.2	13.7		13.37	30.02 33.02	-27.72	-37.72	L	Some	
CA-D1	Property, SW quadrant	Y	Yes	BLZ-122	09/10/19	1,268,406.74	231,923.47	Nov 2019	68	68.4	13.9	<u> </u>	13.60	53 68	-39.1	-54.1	2	Sonic	Т_
CA-D2	Property, SW quadrant	Y	Yes	BLZ-352	9/16/19 - 9/18/19	1,268,406.00	231,903.91	Nov 2019	69.7	69.4	13.9	_		54.01 69.01	-40.11	-55.11	2	Sonic	+
CA-D3	Property, SW quadrant	Y	Yes	BLZ-353	9/19/19 - 9/23/19	1,268,405.78	231,883.37	Nov 2019	69.1	69.7	13.9	-		54.3 69.3	-40.11	-55.4	2	Sonic	+ -
CA-D4	* * *	Y	Yes	BLZ-354	09/18/19		•	Nov 2019		70.1	13.9	-		54.75 69.75		-55.85	2		+ -
CA-D4 CA-D5	Property, NW quadrant	Y	Yes	BLZ-334 BLZ-172	9/3/19 - 9/4/19	1,268,404.67 1,268,492.06	231,863.59	Nov 2019 Nov 2019	70.1	69.2	13.9	 		53.85 68.85		-53.85	2	Sonic	+
	Property, NW quadrant						231,976.01		71.8			-				-	2	Sonic	+ -
CA-D6	Property, NW quadrant	Y	Yes	BLZ-176	09/04/19	1,268,491.58	231,955.40	Nov 2019	71.8	68.4	13.9	-		53.05 68.05		-54.15	2	Sonic	-
CA-D7	Property, NW quadrant	Y	Yes	BLZ-337	9/5/19 - 9/6/19	1,268,491.19	231,935.87	Nov 2019	72.0	69.3	13.9	-		53.95 68.95	-40.05	-55.05	2	Sonic	-
CA-D8	Property, SW quadrant	Y	Yes	BLZ-184	9/6/19 - 9/9/19	1,268,490.41	231,915.69	Nov 2019	72.2	69.6	13.9	<u> </u>	13.63	52.2 69.2	-38.3	-55.3	2	Sonic	
	mpletion Injection Wells			DI Z 221	1/0/10 1/2/12	1		T	0.5		I	1		21.5 51 =		I	2		T
PRB-A1	8th Ave N ROW, W side	Y	No	BLZ-201	1/8/19 - 1/9/19				85	52	-	-	-	31.7 51.7	-	-	2	Sonic	-
PRB-C1	8th Ave N ROW, W side	Y	No		4/4-7/4-0 : : : - : :					82	-	-	-	66.7 81.7	-	-	2	Sonic	-
PRB-B1	8th Ave N ROW, W side	Y	No	BLZ-202	1/15/19 - 1/17/19				98	67.5		_	-	52.2 67.2	-	-	2	Sonic	-

S141300110R_3535_A-1.xlsx 7 of 10

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	D	epth		vation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed		(ft bgs)	(ft)	(ft)	(ft)		Bottom		Bottom	(in)	Type	(ft bgs)
PRB-D1	8th Ave N ROW, W side	Y	No			G	8	1		97	-	-	-	82.2	96.7	-	-	2	Sonic	-
PRB-A2	8th Ave N ROW, W side	Y	No	BLZ-203	1/17/19 - 1/18/19				83	52	-	=	-	31.8	51.8	-	-	2	Sonic	1 - 1
PRB-C2	8th Ave N ROW, W side	Y	No							82	_	-	-	66.8	86.8	-	-	2	Sonic	_
PRB-B2	8th Ave N ROW, W side	Y	No	BLZ-204	1/16/19 - 1/21/19				99	67.1	-	_	-	51.8	67.8	-	-	2	Sonic	_
PRB-D2	8th Ave N ROW, W side	Y	No							97.3	-	-	-	82.0	96.9	-	-	2	Sonic	_
PRB-A3	8th Ave N ROW, W side	Y	No	BLZ-205	2/13/19 - 2/14/19				84.5	53.5	-	-	-	33.2	53.2	-	-	2	Sonic	_
PRB-C3	8th Ave N ROW, W side	Y	No							84.3	_	_	_	69.0	84.0	-	-	2	Sonic	_
PRB-B3	8th Ave N ROW, W side	Y	No	BLZ-206	1/10/19 - 1/11/19				99	69	_	_	-	53.7	68.7	-	-	2	Sonic	
PRB-D3	8th Ave N ROW, W side	Y	No		2.24.25					98	_	_	_	82.7	97.7	1	_	2	Sonic	
PRB-A4	8th Ave N ROW, W side	Y	No	BLZ-207	1/8/19 - 1/10/19				85	53	_	-	_	32.7	52.7	-	_	2	Sonic	+ _
PRB-C4	8th Ave N ROW, W side	Y	No	BEE 207	1,0,15 1,10,15				0.5	83	_	-	_	67.7	82.7	1	_	2	Sonic	
PRB-B4	8th Ave N ROW, W side	Y	No	BLZ-208	1/22/19 - 1/23/19				100	68	_	-	_	52.7	67.7	_	_	2	Sonic	
PRB-D4	8th Ave N ROW, W side	Y	No	BEE 200	1,22,19 1,23,19				100	98	_	_	_	82.7	97.7	_	_	2	Sonic	_
PRB-A5	8th Ave N ROW, W side	Y	No	BLZ-209	1/23/19 - 1/23/19			1	84	53	_	_	_	32.7	52.7	_	_	2	Sonic	<u> </u>
PRB-C5	8th Ave N ROW, W side	Y	No	BLZ 20)	1/23/17 1/23/17				0-1	83	_	_	_	67.7	82.7	_	_	2	Sonic	_
PRB-B5	8th Ave N ROW, W side	Y	No	BLZ-210	2/14/19 - 2/14/19				99.5	68.4	_	-	_	53.1	68.1			2	Sonic	-
PRB-D5	8th Ave N ROW, W side	Y	No	BLZ 210	2/14/19 2/14/19				77.3	98.4	_	_		83.1	98.1		_	2	Sonic	-
PRB-A6	8th Ave N ROW, W side	Y	No	BLZ-211	2/19/19 - 2/19/19				84.5	53.6		_		33.2	53.3		 	2	Sonic	
PRB-C6	8th Ave N ROW, W side	Y	No	BLZ-211	2/17/17 - 2/17/17				07.5	83.7	_	_		68.3	83.3		_	2	Sonic	_
PRB-B6	8th Ave N ROW, W side	Y	No	BLZ-212	2/20/19 - 2/21/19				99.5	69.1		_	_	53.7	68.7		-	2	Sonic	
PRB-D6	8th Ave N ROW, W side	Y	No	DLZ-212	2/20/19 - 2/21/19				99.3	99.2	-	_	-	83.9	98.9	-	-	2	Sonic	_
PRB-A7	8th Ave N ROW, W side	Y	No	BLZ-213	2/15/19 - /2/15/19				84.5	53.4	<u>-</u>	-	-	33.1	53.1	-	-	2	Sonic	_
PRB-C7	8th Ave N ROW, W side	Y	No	BLZ-213	2/13/19 - /2/13/19				04.3	83.6	-	-	-	68.3	83.3	-	-	2	Sonic	-
PRB-B7	8th Ave N ROW, W side	Y	No	BLZ-214	2/12/19 - 2/13/19				100	67.8	-	-	-	52.5	67.5	-	-	2	Sonic	+
PRB-D7	8th Ave N ROW, W side	Y	No	BLZ-214	2/12/19 - 2/13/19				100	98.7	-	-	-	83.4	98.4	-	-	2	Sonic	-
PRB-A8	8th Ave N ROW, W side	Y	No	BLZ-215	2/8/19 - 2/12/19				84	54.0	<u>-</u>	-	-	33.7	53.7	-	-	2	Sonic	+ -
PRB-C8	8th Ave N ROW, W side	Y	No	BLZ-213	2/0/19 - 2/12/19				04	84.0	-	-	-	68.7	83.7	-	- 1	2	Sonic	-
PRB-B8	8th Ave N ROW, W side	Y		BLZ-216	2/20/19 - 2/20/19				99.5		-	-	-	53.6	68.6		- 1	2		+
PRB-D8	8th Ave N ROW, W side	Y	No No	BLZ-210	2/20/19 - 2/20/19				99.3	69.0 99.5	-	-	-	84.2	99.2	-	-	2	Sonic Sonic	-
PRB-A9	8th Ave N ROW, W side	Y	No	BLZ-217	2/7/19 - 2/7/19			+	87.5	54.1	-	=	-	33.7	53.7	-	-	2	Sonic	+
PRB-C9	8th Ave N ROW, W side	Y	No	DLZ-21/	2/ // 19 - 2/ // 19				07.3	83.8	-	-	-	68.5	83.5	-	-	2	Sonic	+
PRB-B9	8th Ave N ROW, W side	Y		BLZ-218	1/30/19 - 2/6/19				100		-	-	-		68.8		- 1	2		+
	*	Y	No No	BLZ-218	1/30/19 - 2/0/19				100	69.2 99.3	-	-	-	53.8 84.0	99.0	-	-	2	Sonic Sonic	-
PRB-D9 PRB-A10	8th Ave N ROW, W side 8th Ave N ROW, W side	Y	1.0	BLZ-219	1/14/19 - 1/17/19				86		-	-	-	35.7	55.7		- 1	2	Sonic	+
			No No	BLZ-219	1/14/19 - 1/1 //19				80	56	-	-	-			-	-	2		-
PRB-C10	8th Ave N ROW, W side	Y	No No	DI 7 220	2/22/19 - 2/22/19				101	70.6	-	-	-	70.7	85.7 70.3	-	-	2	Sonic	+
PRB-B10	8th Ave N ROW, W side	Y	No	BLZ-220	2/22/19 - 2/22/19			1	101	70.6	-	-	-	55.3		-	-	2 2	Sonic	-
PRB-D10	8th Ave N ROW, W side	Y	No	BLZ-221	2/25/19				96	100.5	-	-	-	85.2	100.2	-	-	2	Sonic	-
PRB-A11	8th Ave N ROW, W side		No	BLZ-221	2/23/19				86	53.6	-	-	-	35.0	55.0	-	- 1	2	Sonic	-
PRB-C11	8th Ave N ROW, W side	Y	No	DI 7 222	1/15/10 1/16/10				101	84.9	-	-	-	69.5	84.5	-	-	2	Sonic	-
PRB-B11	8th Ave N ROW, W side	Y	No	BLZ-222	1/15/19 - 1/16/19				101	70.0	=	-	-	55.4	70.4	-	-	2	Sonic	-
PRB-D11	8th Ave N ROW, W side	Y	No	DI 7. 222	2/26/10 2/26/10	1.0(0.632.52	221 012 20	1	06.5	100.7	-	-	-	85.4	100.4	-	-	2	Sonic	+ -
PRB-A12	8th Ave N ROW, W side	Y	No	BLZ-223	2/26/19 - 2/26/19	1,268,633.53	231,812.29		86.5	55.4	-	-	-	35.1	55.1	-	-	2	Sonic	 -
PRB-C12	8th Ave N ROW, W side	Y	No	DI 77 22 4	1/01/10 0/07/10	1,268,633.53	231,812.29	1	101	85.5	-	-	-	70.1	84.1	-	-	2	Sonic	 -
PRB-B12	8th Ave N ROW, W side	Y	No	BLZ-224	1/21/19 - 2/27/19	1,268,631.47	231,798.35	1	101	68.2	-	-	-	53.0	67.8	-	-	2	Sonic	-
PRB-D12	8th Ave N ROW, W side	Y	No	DI 77 00 7	2/4/10 2/5/10	1,268,631.47	231,798.35	1	0.7	98.4	-	-	-	83.4	98.1	-	-	2	Sonic	-
PRB-A13	Roy St ROW, N side	Y	No	BLZ-225	3/4/19 - 3/5/19	1,268,616.72	231,786.50	1	87	57.7	-	-	-	37.3	57.3	-	-	2	Sonic	-
PRB-C13	Roy St ROW, N side	Y	No	DIFF	00/01/10	1,268,616.72	231,786.50		100	87.2	-	-	-	71.9	86.9	-	-	2	Sonic	-
PRB-B13	Roy St ROW, N side	Y	No	BLZ-226	03/21/19	1,268,605.69	231,787.72	<u> </u>	103	72.0		-	_	56.6	71.6	-		2	Sonic	

S141300110R_3535_A-1.xlsx

Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	D	epth		ation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)	Top	Bottom	Top	Bottom	(in)	Type	(ft bgs)
PRB-D13	Roy St ROW, N side	Y	No			1,268,605.69	231,787.72			102.4	-	-	ı	87.0	102.0	-	-	2	Sonic	-
PRB-A14	Roy Street ROW, N side	Y	No		08/20/20-08/24/20	1,268,589.98	231,778.87		90	58.1	-	-	ı	37.8	57.8	-	-	2	Sonic	-
PRB-C14	Roy Street ROW, N side	Y	No			1,268,589.98	231,778.87			88.1	-	-	-	72.7	87.7	-	-	2	Sonic	-
PRB-B14	Roy St ROW, N side	Y	No	BLZ-227	3/5/19 - 3/5/19	1,268,590.75	231,794.34		103.5	73.6	-	-	-	58.3	73.3	-	-	2	Sonic	-
PRB-D14	Roy St ROW, N side	Y	No			1,268,590.75	231,794.34			103.5	-	-	1	88.2	103.2	-	-	2	Sonic	-
PRB-D14R	Roy St ROW, N side	Y	No		12/1/20 - 12/10/20	1,268,586.06	231,794.34		106	105.9	-	-	-	90.6	105.6	-	-	2	Sonic	-
PRB-A15	Roy St ROW, N side	Y	No		08/14/20-08/17/20	1,268,565.61	231,779.66		89	58.6	=	-	-	38.1	58.2	=.	-	2	Sonic	-
PRB-C15	Roy St ROW, N side	Y	No			1,268,565.61	231,779.66			89.4	-	-	-	73.97	89.1	=.	-	2	Sonic	-
PRB-B15	Roy St ROW, N side	Y	No	BLZ-228	03/07/19	1,268,557.35	231,788.83		104	73.7	-	-	1	58.4	73.4	-	-	2	Sonic	-
PRB-D15	Roy St ROW, N side	Y	No			1,268,557.35	231,788.83			103.7	-	-	-	88.4	103.4	-	-	2	Sonic	-
PRB-A16	Roy St ROW, N side	Y	No	BLZ-229	3/7/19 - 3/11/19	1,268,542.99	231,789.16		90.5	58.7	-	-	1	43.4	58.4	-	-	2	Sonic	-
PRB-C16	Roy St ROW, N side	Y	No			1,268,542.99	231,789.16			88.5	-	-	-	73.2	88.2	-	-	2	Sonic	-
PRB-B16	Roy St ROW, N side	Y	No	BLZ-230	3/13/19 - 3/13/19	1,268,530.35	231,789.44		106	76.0	-	-	-	60.6	75.6	-	-	2	Sonic	-
PRB-D16	Roy St ROW, N side	Y	No			1,268,530.35	231,789.44			106.0	-	-	-	90.7	105.7	-	-	2	Sonic	-
PRB-A17	Roy St ROW, N side	Y	No	BLZ-231	3/8/19 - 3/12/19	1,268,520.22	231,789.67		91.5	58.5	-	-	-	38.2	58.2	-	-	2	Sonic	-
PRB-C17	Roy St ROW, N side	Y	No			1,268,520.22	231,789.67			89.6	-	-	-	74.3	89.3	-	-	2	Sonic	-
PRB-B17	Roy St ROW, N side	Y	No	BLZ-232	03/12/19	1,268,511.32	231,789.87		105	75.8	-	-	-	60.5	75.5	-	-	2	Sonic	-
PRB-D17	Roy St ROW, N side	Y	No			1,268,511.32	231,789.87			106.2	-	-	-	90.9	105.9	-	-	2	Sonic	-
PRB-A18	Roy St ROW, N side	Y	No	BLZ-233	03/14/19	1,268,499.98	231,790.13		93	60	-	-	-	39.7	59.7	-	-	2	Sonic	-
PRB-C18	Roy St ROW, N side	Y	No			1,268,499.98	231,790.13			90.6	-	-	ı	75.3	90.3	-	-	2	Sonic	-
PRB-B18	Roy St ROW, N side	Y	No	BLZ-234	3/22/19 - 3/23/19	1,268,475.79	231,801.33		108	75.4	_	_	-	60.0	75.0	-	-	2	Sonic	-
PRB-D18	Roy St ROW, N side	Y	No		0.22.27	1,268,475.79	231,801.33			105.4	_	_	-	90.0	105.0	_	_	2	Sonic	-
PRB-D18R	Roy St ROW, N side	Y	No		12/4/20-12/8/20	1,268,471.25	231,801.41		107	107.0	_	_	_	91.6	106.6	_	_	2	Sonic	<u> </u>
PRB-A19	Roy St ROW, N side	Y	No	BLZ-235	03/19/19	1,268,463.46	231,800.53		95	61.6	_	_	-	41.2	61.3	_	_	2	Sonic	-
PRB-C19	Roy St ROW, N side	Y	No		***************************************	1,268,463.46	231,800.53			91.9	_	_	-	76.6	91.6	_	_	2	Sonic	-
PRB-B19	Roy St ROW, N side	Y	No	BLZ-236	03/18/19	1,268,452.90	231,797.23		110	79.6	_	_	-	64.7	79.3	-	-	2	Sonic	-
PRB-D19	Roy St ROW, N side	Y	No			1,268,452.90	231,797.23			109.4	_	_	-	94.0	109.0	_	_	2	Sonic	_
PRB-D19R	Roy St ROW, N side	Y	No		12/3/20-12/4/20	1,268,448.06	231,797.38		110	109.8	_	_	-	94.4	109.4	-	-	2	Sonic	-
PRB-A20	Roy St ROW, N side	Y	No	BLZ-237	03/15/19	1,268,443.47	231,801.05		94.5	64.1	-	_	-	43.7	63.8	-	-	2	Sonic	-
PRB-C20	Roy St ROW, N side	Y	No			1,268,443.47	231,801.05			93.6	_	_	-	78.2	93.2	_	_	2	Sonic	-
PRB-B20	Roy St ROW, N side	Y	No	BLZ-238	03/21/19	1,268,433.49	231,801.30		110	78.8	_	_	-	63.5	78.5	_	_	2	Sonic	_
PRB-D20	Roy St ROW, N side	Y	No			1,268,433.49	231,801.30			109.0	_	_	-	93.7	108.7	_	_	2	Sonic	-
PRB-A21	Roy St ROW, N side	Y	No	BLZ-239	03/16/19	1,268,419.48	231,801.66		96	64.0	_	_	-	43.7	63.7	-	-	2	Sonic	-
PRB-C21	Roy St ROW, N side	Y	No			1,268,419.48	231,801.66			94.8	-	_	-	79.5	94.5	-	-	2	Sonic	-
PRB-B21	Roy St ROW, N side	Y	No	BLZ-240	03/26/19	1,268,407.48	231,801.97		110	80.0	_	-	-	64.6	79.6	=	-	2	Sonic	<u> </u>
PRB-D21	Roy St ROW, N side	Y	No			1,268,407.48	231,801.97			109.8	_	-	_	94.5	109.5	-	_	2	Sonic	_
PRB-A22	Roy St ROW, N side	Y	No	BLZ-241	03/23/19	1,268,395.49	231,802.27		96	64.6	_	_	-	44.2	64.3	=	-	2	Sonic	<u> </u>
PRB-C22	Roy St ROW, N side	Y	No		20:20:17	1,268,395.49	231,802.27			96.3	_	_	_	80.9	95.9	_	_	2	Sonic	<u> </u>
PRB-B22	Roy St ROW, N side	Y	No		08/18/20-08/19/20	1,268,387.49	231,802.48		110	82.1	-	_	-	66.7	81.7	-	_	2	Sonic	<u> </u>
PRB-D22	Roy St ROW, N side	Y	No			1,268,387.49	231,802.48		-10	110.2	_	_	-	94.8	109.9	-	_	2	Sonic	_
A23C23	Roy St ROW, N side	Y	No		08/12/20-08/14/20	1,268,381.49	231,802.63		100	64.5	_	_	_	44.1	64.2	_	_	2	Sonic	<u> </u>
A23C23	Roy St ROW, N side	Y	No		20.22.20.00/11/20	1,268,381.49	231,802.63		100	95.9	_	-	_	80.5	95.6	_	_	2	Sonic	
B23D23	Roy St ROW, N side	Y	No		08/20/20-08/21/20	1,268,373.59	231,785.66		112	81.2	_	_	_	65.8	80.8	_	_	2.	Sonic	-
B23D23	Roy St ROW, N side	Y	No		00.20.20 00/21/20	1,268,373.59	231,785.66		1.12	110.2	_	_	_	94.8	109.9	_	_	2	Sonic	+ -
B24D24	Roy St ROW, N side	Y	No		08/24/20-08/25/20	1,268,577.67	231,779.42	1	105	75.5	_	_	_	60.1	75.2	_	_	2	Sonic	-
B24D24	Roy St ROW, N side	Y	No		00/2 1/20 00/25/20	1,268,577.67	231,779.42		103	105.1		_		89.7	104.7		_	2	Sonic	-
Treatment Zone A M	·	1 1	110			1,200,377.07	231,117.72	<u>l</u>		103.1				07.1	107./] -]	2	Some	
MW-165	Property, NE quadrant	Y	Yes	BLZ-150	10/22/19	1,268,581.94	231,970.40	Nov 2019	22.7	23.0	13.9	<u> </u>	13.58	12.7	22.7	1.3	-8.8	2	Sonic	T
171 77 -103	Troperty, NE quadrant	1	1 05	DLL-130	10/22/19	1,200,301.37	231,7/0.70	1101 2019	44.1	23.0	13.7		13.30	14./	44.1	1.3	-0.0	<i>L</i>	Some	

\$141300110R_3535_A-1.xlsx


Well Completion Table American Linen Supply Co Dexter Ave Site 700 Dexter Avenue North, Seattle, Washington

									De	pth		Elevation			Well	Screen		Well	Drill	Casing
Sample				Well	Dates			Last	Total	Well	Ground	Monument	TOC	De	epth	Elev	ation	Dia	Rig	Depth
Location	Description of Location	Log?	Surveyed?	Tag	Drilled	Easting	Northing	Surveyed	(ft bgs)	(ft bgs)	(ft)	(ft)	(ft)	Top	Bottom	Top	Bottom	(in)	Type	(ft bgs)
MW-169	Property, SW quadrant	Y	Yes	BLZ-127	09/24/19	1,268,461.82	231,922.84	Nov 2019	23.1	23.1	13.9	-	13.55	12.7	22.7	1.2	-8.8	2	Sonic	-
MW-173	Property, SE quadrant	Y	Yes	BLZ-146	10/26/19	1,268,584.42	231,917.86	Nov 2019	22.0	22.0	13.9	=	13.56	11.7	21.7	2.2	-7.8	2	Sonic	-
MW-177	Property, SW quadrant	Y	Yes	BLZ-350	09/26/19	1,268,393.18	231,887.12	Nov 2019	22.1	21.9	13.9	=	13.61	11.6	21.6	2.3	-7.7	2	Sonic	-
MW-181	Property, SW quadrant	Y	Yes	BLZ-349	09/27/19	1,268,431.00	231,834.46	Nov 2019	22.8	22.8	13.9	=	13.59	12.4	22.4	1.5	-8.5	2	Sonic	-
MW-185	Property, SE quadrant	Y	Yes	BLZ-133	10/02/19	1,268,522.10	231,840.33	Nov 2019	23.2	22.9	13.9	-	13.60	12.6	22.6	1.4	-8.7	2	Sonic	-
Treatment Zone B	Monitoring Wells																			
MW-166	Property, NE quadrant	Y	Yes	BLZ-149	10/22/19	1,268,587.14	231,970.32	Nov 2019	36.8	36.8	13.9	=	13.58	26.5	36.5	-12.6	-22.6	2	Sonic	-
MW-170	Property, SW quadrant	Y	Yes	BLZ-126	09/26/19	1,268,466.70	231,922.95	Nov 2019	36.7	37.0	13.9	=	13.56	26.7	36.7	-12.8	-22.8	2	Sonic	-
MW-174	Property, SE quadrant	Y	Yes	BLZ-145	10/26/19	1,268,584.50	231,913.45	Nov 2019	37.0	36.5	13.9	-	13.57	26.2	36.2	-12.3	-22.3	2	Sonic	-
MW-178	Property, SW quadrant	Y	Yes	BLZ-348	09/25/19	1,268,397.56	231,887.29	Nov 2019	36.1	36.0	13.9	-	13.61	25.6	35.6	-11.7	-21.7	2	Sonic	-
MW-182	Property, SW quadrant	Y	Yes	BLZ-347	09/27/19	1,268,435.65	231,834.63	Nov 2019	37.4	36.8	13.9	-	13.59	26.4	36.4	-12.5	-22.5	2	Sonic	-
MW-186	Property, SE quadrant	Y	Yes	BLZ-136	10/01/19	1,268,527.26	231,840.76	Nov 2019	36.1	37.0	13.9	-	13.57	26.6	36.6	-12.7	-22.7	2	Sonic	-
Treatment Zone C	Monitoring Wells																			
MW-167	Property, NE quadrant	Y	Yes	BLZ-160	10/22/19	1,268,581.97	231,965.15	Nov 2019	52.2	52.2	13.9	-	13.58	41.8	51.8	-27.9	-37.9	2	Sonic	-
MW-171	Property, SW quadrant	Y	Yes	BLZ-125	9/24/19 - 9/25/19	1,268,461.59	231,917.65	Nov 2019	52.7	51.8	13.9	-	13.49	41.5	51.5	-27.6	-37.6	2	Sonic	-
MW-175	Property, SE quadrant	Y	Yes	BLZ-144	10/26/19	1,268,584.42	231,908.01	Nov 2019	52.2	51.6	13.9	-	13.56	41.7	51.7	-27.8	-37.8	2	Sonic	-
MW-179	Property, SW quadrant	Y	Yes	BLZ-346	9/25/19 - 9/26/19	1,268,393.17	231,882.00	Nov 2019	51.4	51.4	13.9	-	13.62	41.1	51.1	-27.2	-37.2	2	Sonic	-
MW-183	Property, SW quadrant	Y	Yes	BLZ-345	09/26/19	1,268,430.71	231,829.32	Nov 2019	52.4	51.7	13.9	-	13.55	41.3	51.3	-27.4	-37.4	2	Sonic	-
MW-187	Property, SE quadrant	Y	Yes	BLZ-134	10/1/19 - 10/2/19	1,268,521.74	231,835.57	Nov 2019	52.2	51.3	13.9	-	13.56	40.9	50.9	-27.0	-37.0	2	Sonic	-
Treatment Zone D	Monitoring Wells																			
MW-168	Property, NE quadrant	Y	Yes	BLZ-148	10/21/19	1,268,586.89	231,964.73	Nov 2019	67.2	67.2	13.9	-	13.55	56.9	66.9	-43.0	-53.0	2	Sonic	-
MW-172	Property, SW quadrant	Y	Yes	BLZ-124	9/25/19 - 9/26/19	1,268,467.31	231,917.87	Nov 2019	66.7	66.7	13.9	-	13.54	56.4	66.4	-42.5	-52.5	2	Sonic	-
MW-176	Property, SE quadrant	Y	Yes	BLZ-143	10/25/19 - 10/26/19	1,268,583.98	231,902.76	Nov 2019	67.5	67.0	13.9	-	13.55	56.6	66.6	-42.7	-52.7	2	Sonic	-
MW-180	Property, SW quadrant	Y	Yes	BLZ-344	9/24/19 - 9/25/19	1,268,397.49	231,882.40	Nov 2019	66.9	66.9	13.9	-	13.61	56.6	66.6	-42.7	-52.7	2	Sonic	
MW-184	Property, SW quadrant	Y	Yes	BLZ-343	9/26/19 - 9/27/19	1,268,435.35	231,829.39	Nov 2019	67.3	66.7	13.9	-	13.58	56.4	66.4	-42.5	-52.5	2	Sonic	
MW-188	Property, SE quadrant	Y	Yes	BLZ-135	9/30/19 - 10/1/19	1,268,527.24	231,835.51	Nov 2019	66.3	66.4	13.9	-	13.59	56.1	66.1	-42.2	-52.2	2	Sonic	-

Notes:

- 1. TOC = top of PVC casing
- 2. Monitoring wells and vapor probes were surveyed by Bush, Roed & Hitchings, Inc. (BR&H) of Seattle, Washington, relative to the North American Vertical Datum of 1988 (NAVD 88) and NAD83/91, Washington State Plane Coordinate System North Zone. The perimeter injection wells were surveyed by Turner Construction to an on-Site datum and converted from the resulting CAD drawing to the Washington State Plane Coordinate System by PES Environmental
- 3. bgs = below ground surface; ft = feet; ROW = right-of-way; = not available or not applicable
- 4. HSA = hollow-stem auger; DP = direct-push probe; Sonic = rotosonic or rotary vibratory drilling
- 5. Casing depth = depth where casing or auger size was reduced, with the larger casing left in place during drilling
- 6. 10-foot-long well screens assumed for MW-214, SCL-MW101, SCL-MW105, SCS-2, and SMW-3
- 7. Treatment Zone D wells PRB-D14, PRB-D18, and PRB-D19 were damaged during construction; the wells were decommissioned and replaced by wells PRB-D18R, and PRB-D19R, respectively, each installed in separate borings


S141300110R_3535_A-1.xlsx 10 of 10



Total Drilled Depth: 25.71
Diameter of Boring: 8-inch
Drill Date: 12/11/2019
Drilled By: Cascade
Drill Method: Sonic

Well Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
- 0.020-inch Sch. 40 PVC Screen - #12-20 Silica Sand	3.5 6.5 0.1 0.1		NR		20 — 22 — 24 —		GRAY SILTY SAND (SM), moist, hard, little fine to coarse sand, few fine to coarse subangular to subrounded gravel, trace cobbles, warm to touch, evo-like odor GRAY SANDY SILT (ML), moist, hard, some fine to coarse sand, few fine to coarse subangular to subrounded gravel at 22 feet: fine to coarse sand lenses, wet
End Cap					26 — - 28 — - 30 —		Bottom of Boring at 25.71 feet Well Completion Details: Well constructed with 0.020-inch machine-slotted 4-inch Schedule 40 PVC screen with #2-12 silica sand filter pack Total Well Depth: 25.71 feet Well Sump/Endcap: 25.3 to 25.7 feet Well Screen: 5.3 to 25.3 feet Well Riser: +1.8 (above ground) to 5.3 feet (PVC) Filter Pack: 4 to 25.7 feet Well Seal: 0 to 4 feet (hydrated bentonite chips) 1.8 foot PVC stickup above surface grade NR - not recorded
-					32 —		
_					36 —		


Total Drilled Depth: 25.71
Diameter of Boring: 8-inch
Drill Date: 12/11/2019
Drilled By: Cascade
Drill Method: Sonic



Total Drilled Depth: 25
Diameter of Boring: 8-inch
Drill Date: 12/11/2019
Drilled By: Cascade
Drill Method: Sonic




2 of 2




Project: American Linen
Project Number: 1413.001.05.310
Site Location: Seattle, WA
Logged By: Kovas Zygas
Ecology Well Tag:

Total Drilled Depth: 25
Diameter of Boring: 8-inch
Drill Date: 12/11/2019
Drilled By: Cascade
Drill Method: Sonic



Total Drilled Depth: 25.5
Diameter of Boring: 8-inch
Drill Date: 12/12/2019
Drilled By: Cascade
Drill Method: Sonic



Total Drilled Depth: 25.5
Diameter of Boring: 8-inch
Drill Date: 12/12/2019
Drilled By: Cascade
Drill Method: Sonic

	Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	Gravel	ш		й	V V	0 -	Ø	Asphalt BROWN SAND (SP), dry, fine to medium, trace fines, trace gravel (FILL)
-		6.5		60	À	4—		- -
		12.8			V	6—		
-		11.6 81.1		60	À	8-		DARK GRAY SILTY SAND (SM), moist, fine, little fines, rare anthropogenic debris (wood, – brick), hydrocarbon-like odor, sheen present on water
-		7.8	B-205-10		Ţ	10 —		
-		14.2			V	- 14 —		- -
				120	À	16 —		
_		12.8			A	18 — -		GRAY SILTY SAND (SM), moist, medium dense, fine to medium, little fines
	Bentonite Grout	4.4 4.1			V	20 —		GRAY SILTY SAND (SM), wet, fine to medium, some fines, few subrounded to subangular gravel up to 1-inch diameter, abundant gray-green mottling GRAY SAND (SP), wet, fine to coarse, trace fines, trace subangular to subrounded fine to—
_		2.0			I	24 —		coarse gravel up to 1-inch diameter GRAY SANDY SILT (ML), wet, hard, some fine sand, trace gravel —
		1.1 1.5		120	A	26 —		GRAY SILTY SAND (SM), wet, dense, fine to coarse, some fines, light brown mottling
_		3.3			A	28 —		LIGHT BROWNISH GRAY SILTY GRAVEL WITH SAND (GM), moist, subrounded to subangular fine to coarse gravel up to 2-inch diameter, little fine to coarse sand, little fines
		1.6			V	30 —		GRAY SAND (SP), wet, fine to coarse, few subrounded to subangular fine to coarse gravel up to 1-inch diameter, few fines at 31 feet: greater percentage of coarse sand from 31 to 33 feet bgs
_		1.6				34 —		_
		2.9 5.4		120	A	36 — -		GRAY SILTY SAND (SM), wet, fine to medium, some fines, trace gravel
-		13.6 31.7				38 — - 40		LIGHT BROWN-GRAY SAND WITH SILT (SP), wet, fine to coarse, few gravel, few fines at 39.5 feet: horizon 6 inches thick of light brown silty sand

Site Location: Seattle, WA Logged By: SEM Ecology Well Tag: N/A Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/30/17
Drilled By: Cascade Drilling
Drill Method: Sonic

(Wad)		rery (in)	_			
Boring Completion ☐	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
48.8	B-205-40-					LIGHT BROWN SAND (SP), wet, fine to coarse, few gravel up to 2-inch diameter, trace
78.1 - 37.6 - 34.9	W		I	42 —		silt at 40 feet: advanced groundwater sampler and collected sample with bailer, groundwater_ Color-Tec reading 65,000 ug/L at 42 feet: silty sand lens, medium dense, 6 inches thick at 43.5 feet: orange-stained abundant coarse sand lenses, 1-inch thick
28.4		120	İ	_		LIGHT BROWN SAND WITH GRAVEL AND SILT (SP), wet, fine to coarse, little subangular to subrounded gravel, few fines
26.8			1	46 —		LIGHT BROWN SAND (SP), wet, fine to coarse, trace gravel up to 2-inch diameter, trace
34.1			A	48 —		
- 25.5				_		LIGHT BROWN SILTY SAND (SM), wet, fine to coarse, some fines, trace gravel LIGHT GRAY SANDY SILT (ML), wet, hard, some fine to medium sand, trace gravel
_				50 —		
- 33.0			Y	-		LIGHT GRAY SILTY SAND (SM), moist, fine to medium, some fines, few subrounded to subangular gravel up to 1-inch diameter
_ 16.2			V	52 —		-
- 2.3		60	A	_		
_			A	54 —		-
_ 2.0	B-205-55			-		LIGHT GRAY SANDY SILT (ML), wet, hard, some fine to medium sand, trace gravel, with
- 7.2				56 —	$\ \ \ $	zones of silty sand
6.5			V	-		
-			I	58 —		-
2.2			1	-		
Bentonite Grout 6.2		120	Ì	60 —		-
3.9			1	-		
2.7				62 —		at 62 fact, compile collected for physical analysis
3.8				64 —	$\ \ \ $	at 63 feet: sample collected for physcial analysis
6.4	B-205-65			04 —		
9.0	D-203-03			66 —		_
			V	_		
- 6.5 7.3		60	Ä	68 —		_
-			A	_		
8.0				70 —		_
-				_	$\ \ \ $	
_ 0.8				72 —	$\ \ \ $	-
-				_	$\ \ \ $	
- 1.1	D 005 75		1	74 —		at 75 feet: soil Color-Tec reading 0.045 mg/kg
1.3	B-205-75 B-904-50	84		-		at 75 to 78 feet: No recovery
	B-904-50		1	76 —		
-				-	$\ \ \ $	
_				78 —		at 79 feet: sample collected for physical analysis
				ì		

Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle WA

Site Location: Seattle, WA Logged By: SEM Ecology Well Tag: N/A

Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/30/17
Drilled By: Cascade Drilling
Drill Method: Sonic

3 of 3

ery (in)	
Boring Completion Sample ID Sample Interval Graphic Log Graphic Log Boring Completion Sample ID (PPM) Sample Interval Sample Interval Feet)	
Bottom of Boring at 80 feet bgs. Boring backfilled with bentonite grout and capped with gravel.	
_	_
- - -	
	_
- 86 86	_
	_
- -	4
_ 90 _	-
-	-
	_
-	
_ 96 —	_
- 1	-
	_
	_
-	
	-
-	
	_
-	
	_
- - -	-
	_
- - 	_
_	
	-
- - - - -	-
	_
- - 118 -	·-
	_
120	

Project: Former American Linen Supply Project Number: 1413.001.02.602

Site Location: Seattle, WA Logged By: SEM Ecology Well Tag: N/A Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/30/17
Drilled By: Cascade Drilling
Drill Method: Sonic

				(ii)				
	Boring Completion	PID (PPM)	Sample ID	Sample Recovery	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
-				ഗ്	S	0	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Concrete (6 inches)
F	Gravel	2.0			V	-		BROWN SILTY SAND (SM), moist, fine, little fines, trace fine to coarse subrounded
H		4.3			V	2—		gravel, clumps of finer soil
F		2000		48	À	-		_
\vdash		2.1				4—		_
L		6.8				_		at 5 feet: grades coarser
\vdash		3.7			V	6—		_
-		2.5			V			at 7 feet: gray, fine to medium sand, fine gravel
L		2.5		46		8—		_
		3.0				_		GRAY GRAVEL (GP), moist to wet, fine to coarse subrounded gravel up to 3-inch
L						10 —	•	diameter, little fine to coarse sand, little fines, sewer-like odor
		3.7			V	_		GRAY SILTY SAND (SM), moist, fine to medium sand, some fines, few subrounded gravel up to 2-inch diameter, gravel content varies over 1-foot intervals, mottling
		2.1			V	40		graver up to 2-incit diameter, graver content varies over 1-100t intervals, motting
		1.7		58	I	12 —		_
		1.2				-		
		3.0				14 —		-1456-1
		8.4	B-206-15			-		at 15 feet: abundant mottling
					V	16 —		GRAY SAND (SP), moist, fine to medium, few fine to coarse subrounded gravel, few
r		4.5		54	1	-		fines, abundant silt inclusions up to 0.25 inches thick
		2.0				18 —		GRAY SILTY SAND (SM), moist, fine to medium sand, some fines, few subrounded
Ħ		13.9				-		gravel up to 2-inch diameter
\vdash	Bentonite					20 —		GRAY-BROWN GRAVEL WITH SAND (GP), moist, fine to coarse subrounded gravel up to 2-inch diameter, some fine to coarse sand, few fines
F	Grout	5.8				-		RRAY SAND WITH SILT (SP), wet, fine, few fines, trace fine gravel
		1.8			ı	22 —		-
+					ı	-		at 22 feet: slightly coarser, grades to trace fines
\vdash		17.0			I	24 —		at 24 feet: brown-gray, moist to wet, fine to coarse sand, little fine to coarse gravel up to
H				80		-		3-mon diameter, rare cobbles
\vdash					1	26 —		GRAY GRAVEL WITH SAND (GP), moist, fine to coarse, some fine to medium sand, few
-		26.8				-	ě,	fines
\vdash						28 —		_
-		6.6				-		GRAY SILT WITH SAND (ML), moist, little fine sand, non-plastic, rapid dilatancy,
\vdash		85.7	B-206-30			30 —	$\{ $	chemical-like odor
-		53.6				-	$\ \ $	_
L		55.6				32 —		at 32 feet: fine to coarse sand, dry to moist
-		11.6				-		_
L		- 405001		96		34 —		_
-		40.5				-		
		10.3				36 —		GRAY SILTY SAND (SM), dry to moist, fine to medium, some fines, few fine to coarse subrounded gravel, chemical-like odor (TILL-LIKE)
						_		
L						38 —		
		5.4				_		
						40		

Site Location: Seattle, WA
Logged By: CJD/KWS
Ecology Well Tag: N/A

Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/14/17
Drilled By: Cascade Drilling
Drill Method: Sonic

(ii) V3 (iii)	
Boring Completion Boring Completion Boring Completion Boring Completion Boring Completion Boring Completion Cample Debth (Feet) Cample Depth (Feet)	
9.2 B-206-40 84 V - 1111	-
13.4	_
	_
4.6 4.6 4.7 46 4.7 at 47 feet: sample submitted for physical analysis	_
119.2 54 48	
167.4 20.4 B-206-49 at 48 feet: sample submitted for physical analysis	-
GRAY SILTY SAND (SM), dry to moist, fine to medium, some fines, few fine to compare the subrounded gravel	arse _
at 50 feet: sample submitted for physical analysis	_
9.0	_
27.4 110 at 55 feet: coarser sand, little fines	_
56.7 B-206-56 GRAY SAND WITH SILT (SP), moist, medium, few coarse subrounded gravel, fe	w fines _
7.6	_
Bentonite Bentonite Bentonite Bentonite Bentonite Bentonite Bentonite Bentonite Bentonite	· e:
Grout 13.9 - subrounded gravel up to 0.75-inch diameter	riine -
10.6 11.4	_
	_
11.5 66 GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse	
8.6 subrounded gravel GRAY SILT (ML), dry to moist, few fine to medium sand, trace fine to coarse gravel	
	_
9.6 B-206-70 70 70 70 70 70 70 70 70 70 70 70 70 7	_
6.8 84 72 GRAY SANDY SILT (ML), dry to moist, some fine to medium sand, few fine to co	 arse
subrounded gravel	-
5.7	_
76—	_
- 10.1 60 78 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	_
0.3 B-206-80 at 80 feet: trace gravel, soil Color-Tec reading <0.003 mg/kg	-

Site Location: Seattle, WA Logged By: CJD/KWS Ecology Well Tag: N/A Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/14/17
Drilled By: Cascade Drilling
Drill Method: Sonic

3 of 3

	PID (PPM)	Sample	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	
Boring Completion		ID	Sa	Sa	٥	์ ไ	Lithologic Description Bottom of Boring at 80 feet bgs.
					-		Bottom of Boring at 80 feet bgs. Boring backfilled with bentonite grout and capped with gravel.
-					82 —		-
_					84 —		_
					-		
_					86 —		-
_					88 —		_
					J		
-					90 —		-
_					92 —		_
					-		
_					94 —		-
_					96 —		_
					-		
_					98 —		-
-					100 —		_
					-		
_					102 —		-
_					104 —		_
					-		
_					106 —		
_					108 —		_
					-		
-					110 —		-
_					112 —		_
					-		
-					114 —		
-					116 —		_
					-		
-					118 —		-
					120		

Project: Former American Linen Supply Project Number: 1413.001.02.602

Site Location: Seattle, WA Logged By: CJD/KWS Ecology Well Tag: N/A

Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/14/17
Drilled By: Cascade Drilling
Drill Method: Sonic

				, ,		
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet) Graphic Log	Lithologic Description
- Gravel	1.3		45	V	2—	Concrete (6 inches) GRAVEL (GP), dry, fine to coarse angular to subangular, little fine to coarse sand, few fines, crushed concrete debris (FILL)
	0.8				4—	BROWN SAND WITH SILT (SP), fine sand, few fines, mixed with BROWN SANDY SILT—(ML), fine sand, heterogeneous, abundant crushed brick (FILL)
	0.8			V	6——————————————————————————————————————	DARK BROWN AND BLACK FILL, mix of coarse sand-sized debris, organics, wood, and trash (glass, metal, light bulbs)
_ -	0.3		56	À	8——————————————————————————————————————	
- -	1.0			V	12 —	LIGHT BROWN SILTY SAND (SM), moist, fine to medium, some fines, trace fine subrounded gravel, abundant orange staining in horizontal bands, occasional lenses of medium sand up to 0.5 inches thick
	4.0			I	14 —	
	0.9		120		16 —	BLUISH GRAY SILTY SAND WITH GRAVEL (SM), moist, fine to coarse, little fine to coarse subangular to subrounded gravel up to 3-inch diameter, little fines, rare orange mottling
	0.6			A	18 —	at 18 feet: brown, some gravel
Bentonite Grout	0.6			20	20 —	_
	2.4		60	Y	22	BROWN SILTY SAND (SM), wet, fine to medium, little fines, few fine to coarse subrounded gravel
-	2.5				24 —	BROWN GRAVEL WITH SAND (GP), wet, fine to coarse subrounded gravel, little fine to medium sand, few fines BROWN SILTY SAND (SM), moist, fine to medium, little fines, few fine to coarse
	4.6			Ī	26 —	subrounded gravel up to 2-inch diameter, frequent silty sand/sandy silt inclusions with orange staining up to 2-inch diameter, frequent horizons of medium sand up to 1-inch thick
	3.6		54		28	BROWN SILTY GRAVEL (GM), moist, fine to coarse subrounded to rounded gravel up to
	2.2	B-207-30			30 —	3-inch diameter, little fines, few fine to medium sand, cobbles BROWN SILTY SAND (SM), moist, fine to medium, little fines, trace fine to coarse subrounded gravel, abundant inclusions of silty sand/sandy silt up to 1-inch diameter
	1.2				32 —	at 32 feet: gray, few gravel
	5.7		60		34 —	
	9.6			Ŧ	36	at 35 feet: some fines
	27.6		60			GRAY SANDY SILT (ML), moist, some fine to medium sand, few gravel
-	31.3				40	GRAY SILTY SAND (SM), moist, fine to medium, some fines, few gravel

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A Total Drilled Depth: 90 Feet

Diameter of Boring: 8" 0-55 ft & 6" 55-90 ft


Drill Date: 08/25/17
Drilled By: Cascade Drilling
Drill Method: Sonic

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
- - -	379.6	B-207-41	60	V	- 42 — -		GRAY SILTY SAND (SM), moist to wet, fine to medium, little fines, fewfine to coarse subrounded gravel up to 1.5-inch diameter
_ -	128.4			Đ	44 — -		
- - -			32	X	46 —		
-	59.6	B-207-49			50 —		at 49 feet: some fines – at 50 feet: sample submitted for physical analysis –
	10.2			V	-		GRAY SANDY SILT (ML), moist, little fine to medium sand, trace fine subrounded gravel
	10.4		60	Y	52 —		at 52 feet: sample submitted for physical analysis
	10				54 —		GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded gravel up to 1.25-inch diameter
-	125.6 2.5	B-207-55		T	- 56 —		GRAY SILTY SAND (SM), moist to wet, little fine to medium sand, intercalated with GRAY SILTY SAND (SM), moist, some fine sand at 55 feet: soil Color-Tec reading <0.110 mg/kg
- -	2.4		60		58 —		GRAY SANDY SILT (ML), moist, some fine to medium sand (drilled to 55 feet bgs with 8-inch casing, added 5 feet of hydrated bentonite chips and let sit for 40 mins, pulled back—4 feet and advanced to 90 feet bgs with 6-inch casing)
Bentonite Grout	6.5 2.6	B-207-60		Ð	60 —		
	2.5		60	X	62 —		GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded to rounded gravel up to 3-inch diameter
- - -	1.5			Ŧ	66 —		- -
	2.0 2.1		58		- 68 —		
 - -	3.2	B-207-70			70 —		GRAY SILTY SAND (SM), moist, fine, little fines, few fine subrounded gravel GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded to rounded gravel up to 3-inch diameter
	2.0	2 207.10		V	-		-
	3.1		60		72 —		
	2.1				74 —		at 74 feet: fine to coarse sand, fine to coarse subrounded to rounded gravel up to 2-inch diameter
- -	90.5		60	V	76 — -		
<u> </u>	115.1		OU		78 — - 80		at 80 feet: soil Color-Tec reading 0.110 mg/kg

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A Total Drilled Depth: 90 Feet

Diameter of Boring: 8" 0-55 ft & 6" 55-90 ft

Drill Date: 08/25/17
Drilled By: Cascade Drilling
Drill Method: Sonic



Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A Total Drilled Depth: 90 Feet


Diameter of Boring: 8" 0-55 ft & 6" 55-90 ft

Drill Date: 08/25/17
Drilled By: Cascade Drilling
Drill Method: Sonic

	Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	Grave				V	0 -		Concrete (4 inches)
_	Glave	7.7		31	X	2—		DARK TO LIGHT BROWN SILTY SAND (SM), moist, fine to coarse, little fines, few fine to coarse subrounded gravel up to 1-inch diameter, abundant orange staining (FILL)
		7.7			A	4—		at 3 feet: black, abundant coarse sand-sized debris
L					V	-		(5- to 10-foot interval recovered as 6 inches of concrete debris)
		26.6			V	-		
_		26.4		6	À	8—		BROWN SILTY SAND (SM), moist, medium, some fines, few fine to coarse subrounded gravel up to 1-inch diameter, higher moisture content than above (FILL)
					V	10 —		BLACK FILL, abundant crushed debris, wood organics, anthropogenic material
L		12.6			V	12 —		BLUE-GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine subrounded_
_				60	Ä	-		gravel
_		30.2				14 —		at 14 feet: frequent horizons with abundant subrounded gravel up to 2-inch diameter
L					V	16 —		_
_				60	X	- 18 —		BROWN SANDY SILT (ML), moist, some fine sand, low plasticity, abundant orange staining
- - -	Bento Grout	nite 67.3	B-208-20		ð	20 —		BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded gravel up to 3-inch diameter, occasional cobbles, heterogeneous, irregular bodies of medium sand
L		67.3			V	22 —		_
_		50.8		56	A	24 —		GRAY GRAVEL WITH SAND (GP), wet, fine to coarse subrounded to rounded gravel to 2-inch diameter, some fine to coarse sand, few fines
H						-	1	GRAY SILTY SAND (SM), moist, fine to medium, fine to coarse subrounded gravel up to -0.75-inch diameter
		83.3			V	26 —		BROWN-GRAY SANDY SILT (ML), moist, some fine to medium sand, trace fine subrounded gravel
		51.3				28 — -		GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded gravel up to 1-inch diameter
				120		30 —		at 28 feet: frequent horizons of medium sand up to 1.5 inches thick
L		58.3				32 —		
		150				32 —		GRAY SILTY SAND (SM), dry to moist, very dense, fine to medium, some fines, trace fine subrounded gravel
_		159	B-208-35			34 —		GRAY SILTY SAND (SM), moist, fine to medium, little fines, few fine to coarse subrounded gravel up to 1-inch diameter
L			B-901-50			36 —		_
		163				- 30 -		_
		187.1				38 — - 40		GRAY SANDY SILT (ML), moist, some fine to medium sand, few fine to coarse subrounded gravel up to 1.5-inch diameter

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/24/17
Drilled By: Cascade Drilling
Drill Method: Sonic



Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/24/17
Drilled By: Cascade Drilling
Drill Method: Sonic





3 of 3

	100						
			Sample Recovery (in)				
			cover	Sample Interval	(set)	b g	
	PID (PPM)	Sample	le Re	le Int	Depth (Feet)	hic Lc	
Boring Completion	딤	ID	Samp	Samp	Dep	Graphic Log	Lithologic Description
							Bottom of Boring at 80 feet bgs. Boring backfilled with bentonite grout.
					82 —		Borning backlined with bentonite grout.
_					-		_
_					84 —		_
_					-		-
_					86 —	l	_
-					-		-
					88 —	1	_
					90 —		
_					-		_
_					92 —	-	_
_					-	ł	-
_					94 —		_
_					-		-
					96 —		
					98 —		_
_					-		_
_					100 —		_
_					-	ł	-
					102 —	1	_
					104 —	1	
					104 —		_
_					106 —		_
-					_	-	_
					108 —		_
-					-		-
					110 —		_
_					112 —		
_					_		_
_					114 —		_
					-		_
					116 —		_
-					-		-
					118 —		_
					120		

Project: Former American Linen Supply Project Number: 1413.001.02.602

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A Total Drilled Depth: 80 Feet
Diameter of Boring: 6 inches
Drill Date: 08/24/17
Drilled By: Cascade Drilling
Drill Method: Sonic

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
- - - -					0 - 2— - 4—		GRAVEL (GP), dry, fine to coarse angular to subangular, mostly crushed concrete debris, poor recovery from pushing a rock with sampler (FILL)
- - - -	2.6		33		6		BROWN SILTY GRAVEL WITH SAND (GM), fine to coarse angular to subangular, little sand, little fines, concrete debris (FILL)
	2.2			Ī	10 — - 12 —		_
	1.8			I	14 —		GRAY SILTY SAND (SM), moist, medium dense, fine to medium, little fines, trace subrounded gravel up to 1-inch diameter, orange mottling
	1.0		120	İ	16 —		
	1.8			A	18 — -		BROWNISH GRAY SILTY SAND WITH GRAVEL (SM), moist, medium dense, fine to coarse, little subrounded gravel up to 2-inch diameter, little fines
Bentonite Grout	1.4 0.5	B-209-20		Ī	20 — - 22 —		at 20 feet: gray, wet, loose, trace gravel up to 1-inch diameter
	10.7			I	- 24 —		BROWN SILTY SAND (SM), wet, medium dense, fine to medium some fines, trace subrounded gravel up to 1-inch diameter, orange mottling GRAY SILTY SAND (SM), wet, loose, fine to medium, little fines, trace fine to coarse
	7.7		120		26 —		subrounded to rounded gravel up to 1-inch diameter GRAY SILTY SAND (SM), moist, dense, fine to medium, some fines, trace subrounded gravel up to 2-inch diameter, dark orange mottling, homogeneous
	6.7			A	28 —		
	6.5 4.0				- 30 —		
	21.7		60	V	32 —		
	47.4 96.6				34 —		GRAY SILTY SAND WITH GRAVEL (SM), moist, dense, fine to coarse, some fines, little – subangular to subrounded gravel up to 3-inch diameter
	5.5 494	B-209-35		V	36 —		at 37 feet: trace cobbles
	274		60		38 —		
	153.2				40		at 40 feet: fine to coarse sand, medium dense, few gravel

Site Location: Seattle, WA Logged By: KWS Ecology Well Tag: N/A Total Drilled Depth: 82 Feet
Diameter of Boring: 6 inches
Drill Date: 08/25/17
Drilled By: Cascade Drilling
Drill Method: Sonic

			Ē	1				=
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description	
- IIII	14.5 0.9		60	V	42 —			_
	2.2		00	A	44 —		GRAY SAND WITH SILT (SP), moist, loose, fine to medium, few fines, few gravel GRAY SILTY SAND (SM), moist, fine to medium, some fines, few subrounded gravel up	_
	2.2			Ŧ	-		to 1-inch diameter DARK GRAY SILTY SAND WITH GRAVEL (SM), moist, medium dense, fine to coarse,	
	15.7			V	46 —		little fine subrounded gravel up to 1-inch diameter, little fines	_
	3.0		60	À	48 —		at 48 feet: gray, some fines, gravel up to 1.5-inch diameter	_
	4.3	B-209-50		Đ	50 —			_
	17.1			V	52 —	- - -	DARK GRAY SAND WITH SILT (SP), moist, loose, fine to medium, few fines, trace	_
	21.5		60	A	54 —		subrounded gravel up to 1-inch diameter DARK GRAY SILTY SAND WITH GRAVEL (SM), moist, fine to medium, some fines, little gravel	_
	20.5			Ð	_		DARK GRAY SANDY SILT (ML), moist, firm, some fine to medium sand, trace	
	2.5		200 2000	V	56 —		subrounded gravel up to 1.5-inch diameter GRAY SILTY SAND WITH GRAVEL (SM), moist, medium dense, fine to coarse, some	
	2.4		60	Å	58 —		fines, little subrounded gravel up to 1.5-inch diameter at 57 feet: sample submitted for physical analysis	_
Bentonite	1.4	B-209-60			60 —	-	at 60 feet: fine to medium sand, dense, few gravel	_
- Grout	27.7			V	62 —			_
	36.7		60	À	-			_
- 	31.7				64 —			_
	38.6			I	66 —			_
	26.8			I	68 —		at 68 feet: little fines	_
	258.7	B-209-70	120	I	70 —			_
	46.2				72 —			_
	108.9				-		at 73 feet: sample submitted for physical analysis	_
	703.0	B-209-75			74 — -			_
	9.5 6.6			V	76 —		at 77 feat; maint to wat	_
	6.6		60		78 —	11.11.11 - - -	at 77 feet: moist to wet GRAY SANDY SILT (ML), moist to wet, firm, some fine to medium sand, trace coarse subrounded gravel	
	3.3 2.3				80	<u> </u>	Subjourned graver	-

Site Location: Seattle, WA Logged By: KWS Ecology Well Tag: N/A Total Drilled Depth: 82 Feet
Diameter of Boring: 6 inches
Drill Date: 08/25/17
Drilled By: Cascade Drilling
Drill Method: Sonic



3 of 3

			1				
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
Bentonite Grout		B-209-80	0)		82 —		at 80 feeet: advanced water sampler from 80 to 82 feet and collected a groundwater sample with a bailer, soil Color-Tec reading <0.003 mg/kg
-					84 —		Bottom of Boring at 82 feet bgs. Boring backfilled with bentonite grout.
_					86 —		
-					88 — - 90 —		
_					92 —		- - -
-					94 —		
-					96 — - 98 —		- - -
_					100 —		- - -
_					102 — -		
-					104 — - 106 —		
- - -					108 —		
_					110 —		
_ - _					112 — - 114 —		- -
-					- 116 —		- - -
_					118 — - 120		

Project: Former American Linen Supply Project Number: 1413.001.02.602

Site Location: Seattle, WA Logged By: KWS
Ecology Well Tag: N/A

Total Drilled Depth: 82 Feet
Diameter of Boring: 6 inches
Drill Date: 08/25/17
Drilled By: Cascade Drilling
Drill Method: Sonic

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	163.6 234.1 1.1 15,000 5,158 348.2	B-210-6	120		0		Concrete (4 inches) DARK BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to medium, little fine subrounded gravel up to 0.25-inch diameter, little fines BROWN SANDY SILT (ML), moist, some fine to medium sand, few subrounded gravel up to 2.5-inch diameter, abundant orange staining BROWN SILTY SAND (SM), moist, fine to medium, little fines, few fine subrounded gravel, abundant inclusions of silty sand up to 2-inch diameter DARK BROWN SILTY SAND (SM), moist, fine to coarse, little fines, few fine to coarse subrounded gravel up to 2-inch diameter
	90.2 331.7 1678 51.7 40.8	B-210-15	116		12 — 14 — 16 — 18 —		subrounded gravel up to 1.5-inch diameter, heterogeneous BROWN SILTY SAND WITH GRAVEL (SM), moist, fine, some fines, little fine to coarse subrounded gravel up to 3-inch diameter
Bentonite Grout	33.3 34.4 18.8 34.4 18.8	B-210-20	48 54		20 — 22 — 24 — 26 — 28 —		GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded gravel up to 2-inch diameter GRAY SAND WITH SILT (SP), moist, fine to medium, few fines GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded gravel up to 2-inch diameter
	20.3 8.6 11.3 18.8 14.2 26.7	B-210-35	56 53		30 — 32 — 34 — 36 — 38 —		at 30 feet: little fines at 38 feet: some fines

Site Location: Seattle, WA Logged By: KWS/CJD Ecology Well Tag: N/A

Total Drilled Depth: 80 Feet

Diameter of Boring: 8" 0-50 ft & 6" 50-80 ft

Drill Date: 08/21/17
Drilled By: Cascade Drilling
Drill Method: Sonic

			.i.				
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
 - -	80.3		48	Y	42 —	-	<u>-</u>
	8.2				-		GRAY SILTY SAND (SM), moist, fine to medium, little fines
	1172	B-210-46		V	44 — - 46 —		GRAY SILTY SAND (SM), moist, fine to medium, some fines, fewfine to coarse subrounded gravel up to 2-inch diameter
	75.5		60	A	48 —		- -
	79.6				50 —		(drilled to 50 feet with 8-inch casing, added three feet of hydrated bentonite chips and let sit overnight, pulled back 2 feet and advanced to 80 feet with 6-inch casing)
	10.7			V	52 —		
	10.8			ı	54 —		at 55 feet: dense, fine to coarse, little gravel up to 2.5-inch diameter
	11.1		120	ı	56 —		
				A	-	$\ \ $	GRAY SANDY SILT/SILTY SAND (ML), moist, hard, some fine to medium sand, few fine subrounded gravel up to 0.5-inch diameter
<u> </u>	10.1				58 — -		GRAY SILTY SAND (SM), moist, dense, fine to medium, some fines, few subrounded gravel up to 1-inch diameter
Bentonite Grout	6.6	B-210-60		V	60 —		at 59 feet: sample submitted for physical analysis
	5.9		60	X	62 —		
	6.7			Đ	64 — -		
	0.0			V	66 —		GRAY SANDY SILT (ML), moist, firm, fine to medium, some fines, few subrounded gravel up to 1-inch diameter
			60		68 —	$\left\{ \left \cdot \right \right $	_
	2.6	B-210-70		Đ	70 —		GRAY SANDY SILT (ML), moist, firm, some fine sand, trace subrounded gravel up to 1-inch diameter, sand grades finer with depth
	0.9			V	72 —		
	0.1		60	A	-	$\left\{ \left \cdot \right \right $	_
	0.1				74 — -	1	
	3.1			1	76 —]
	10.1	B-210-80	60		78 —		GRAY SILTY SAND (SM), moist, medium dense, fine to coarse, little fines, trace subrounded gravel up to 1-inch diameter
	6.6	B-900-20			80		at 80 feet: soil Color-Tec reading <0.003 mg/kg

Site Location: Seattle, WA Logged By: KWS/CJD Ecology Well Tag: N/A

Total Drilled Depth: 80 Feet

Diameter of Boring: 8" 0-50 ft & 6" 50-80 ft

Drill Date: 08/21/17
Drilled By: Cascade Drilling
Drill Method: Sonic

3 of 3

			covery (in)	erval	(fe	-	
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
-					-		Bottom of Boring at 80 feet bgs. Boring backfilled with bentonite grout.
- : -					82 —		-
_					84 —		-
-					86 —		_
					- 88 —		
					-		
_ -					90 —		-
_					92 —		-
-					94 —		-
-					96 —		_
					-		
-					98 —		
_					100 —		-
_					102 —		-
-					104 —		-
-					- 106 —		_
-					-		
-					108 —		-
_					110 —		_
_					112 —		_
_					- 114 —		_
					-		
-					116 —		
_ -					118 —		-
					120		

Project: Former American Linen Supply Project Number: 1413.001.02.602

Site Location: Seattle, WA Logged By: KWS/CJD Ecology Well Tag: N/A Total Drilled Depth: 80 Feet

Diameter of Boring: 8" 0-50 ft & 6" 50-80 ft

Drill Date: 08/21/17
Drilled By: Cascade Drilling
Drill Method: Sonic



	PM)		Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	
Boring Completion	on (MAA) OIA	Sample ID	Sample	Sampl	Depth	Graphi	Lithologic Description
	352.4			V	0_		Concrete (4 inches)
- Gra	1,328			V	2-		BROWN SILTY SAND (SM), moist, fine to coarse, some fines, few fine to coarse subangular to subrounded gravel, abundant orange staining
-			53	A	-		BROWN SILTY SAND (SM), moist, fine to medium, little fines, few fine to coarse subangular to subrounded gravel
	821 831				4		BROWN SILTY SAND (SM), moist, fine, some fines, trace fine subrounded gravel
	740			V	6—		BROWN SILTY SAND WITH GRAVEL (SM), moist, medium, some fine to coarse subrounded gravel up to 1-inch diameter, little fines
	670		49	Y	-		-
-	833			A	8		BROWN GRAVEL WITH SILT AND SAND (GP), moist to wet, fine to coarse subrounded gravel up to 1-inch diameter, little fine to coarse sand, few fines
-	5.3			T	10 —		BROWN SILTY SAND WITH GRAVEL (SM), moist to wet, medium, little fine to coarse subrounded gravel up to 3-inch diameter, little fines
	12.6		58	Y	12 —		GRAY SILTY SAND (SM), moist, fine, some fines, few fine to coarse subrounded gravel, occasional orange staining
	7.8		00		14		GRAY SILTY SAND (SM), moist, fine, some fines, few fine to coarse subrounded gravel, occasional orange staining
	7.1				14		graver, occasional orange staining
				V	16 —		_
-	25.3		49	Y	-		-
	29.1				18 —		at 18 feet: fine to medium sand, little fines, interbedded layers of fine to medium sand — and silty sand up to 1/4 inch thick, abundant orange staining in horizons up to 1/8 inch thick
- IIII Boo	24.1	B-211-20			20 —		unick —
Gro	ut 35.0			V	-		-
	17.0		54	Y	22 —		_
					24 —		GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded gravel
-	1.3				-		-
			20	X	26 —		-
	0.8				28 —		GRAY SILTY SAND (SM), moist, fine to medium, some fines, trace fine subrounded —
	2.1		30	X	-		gravel
	3.9				30 —		GRAY SILT (ML), dry to moist, very hard, few fine to coarse sand, trace fine gravel
				V	-		
	5.4		43		32 —		GRAY SANDY SILT (ML), moist, some fine to medium sand, few fine subrounded gravel
	5.6				34 —		_
	781	B-211-35			-		-
	8.9				36 —		GRAY SANDY SILT (ML), moist, some fine to medium sand, trace fine subrounded gravel
	10.0		60		38 —		~ _
-	9.0				-		at 38 feet: horizon of silt 4 inches thick
		1			40	ш	

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A Total Drilled Depth: 122 Feet

Diameter of Boring: 8" 0-55 ft & 6" 55-120 ft

Drill Date: 08/18/17
Drilled By: Cascade Drilling
Drill Method: Sonic

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
- - - -	8.7 12.4		56	S	42 —		GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded gravel up to 2-inch diameter
- - - -	156.4 211.1 48.4		53	Y	46 —	• • • • • • • • • • • • • • • • •	- - - -
- - -	59.7	B-211-50	48	Y	50 — - 52 —	, , , , , , , , , , , , , , , , , , , ,	
- - - -	163.6 322.8 539.3	B-211-57	60		54 — 56 — 58 —	• • • • • • • • • • • • •	- - - -
Bentonite Grout	71.8 63.2 15,000 15,000	B-211-60	47	Y	60 —		GRAY SANDY SILT (ML), moist, some fine to medium sand, few fine to coarse subrounded gravel up to 1.5-inch diameter at 61 feet: faint chemical-like odor
- - -	15,000 15,000 15,000 15,000	B-211-65	48		64 — - 66 —	• • • • •	at 65 feet: soil Color-Tec reading 0.9 mg/kg GRAY SILTY SAND (SM), moist to wet, fine to medium, little fines, faint odor GRAY SILTY SAND (SM), moist, fine, some fines, few fine to coarse subrounded
- - - -	15,000 15,000 121.6	B-211-70	40		68 — 70 — 72 —		gravel up to 2-inch diameter at 71 feet: denser than above
- - - -	342.4 15,000 387.9		40		74 — 76 —		at 72.5 feet: less dense than above -
- - -	270.3 207.2 15.000	B-211-80	60		78 — 80		

Project Number: 1413.001.02.602

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Total Drilled Depth: 122 Feet

Diameter of Boring: 8" 0-55 ft & 6" 55-120 ft

Drill Date: 08/18/17
Drilled By: Cascade Drilling
Drill Method: Sonic

	PID (PPM)		Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	
Boring Completion) OIA	Sample ID	Sampl	Samp	Depti	Graph	Lithologic Description
- -	313 15,000		60	Y	82 —		GRAY SAND WITH SILT (SP), wet, medium, few fines, trace fine subrounded gravel, occasional horizons with greater fines percentage up to 4 inches thick
	246 185				84 —		at 83 feet: sample submitted for physical analysis - at 80 feet: soil Color-Tec reading 1:0 mg/kg
- - -	15,000 15,000		60	Y	86 — - 88 —		
- -	15,000	B-211-90		A	90 —		GRAY SILTY SAND (SM), wet, fine to medium, little fines, trace fine subrounded gravel, occasional inclusions of siltier sand up to 1.5-inch diameter
- - -	15,000 15,000		48	Y	92 —		
-	15,000 15,000			Ā	94 —		BROWN SAND (SP), wet, fine to medium, few fines, trace fine subrounded gravel, frequent inclusions and horizons of silty sand up to 0.5-inch diameter
	15,000		58	Y	98 —		at 98 feet: gray, fine sand, occasional horizons of brown sand
Bentonite	15,000 30.0	B-211-100		£	100 —		at 99 feet: brown, medium sand, attempt to collect water sample but can't recover enough water with bailer at 100 feet: soil Color-Tec reading <0.003 mg/kg
	69.0		36	X	102 —		
- - - -	383				104 —		at 105 feet: gray, fine to medium, trace fine to coarse gravel
- -	15,000 15,000		54	X	108 —		at 107 feet: medium to coarse sand _ at 108 feet: fine to medium sand
	15,000 15,000	B-211-110			110 —		at 109 feet: horizon 4 inches thick with little coarse subrounded gravel from 1- to 1.5-inch diameter at 110 feet: advanced water sampler from 110 to 112 feet and collected groundwater sample with bailer
	15000		41		112 —		GRAY SILTY SAND WITH GRAVEL (SM), wet, fine to coarse, some fine to coarse subrounded gravl up to 3-inch diameter, little fines, rare cobbles, faint odor
- - -	15000				114 —		GRAY SILTY GRAVEL (GM), wet, fine to coarse subrounded gravel up to 1.5-inch —
- - -	352.3		45		118 —		diameter, some medium to coarse sand, little fines, occasional clusters of gravel up to 2- to 3-inch diameter, frequent horizons of sandier soil 4 to 6 inches thick
	101.6	B-211-120			120		

Site Location: Seattle, WA Logged By: CJD

Ecology Well Tag: N/A

Total Drilled Depth: 122 Feet

Diameter of Boring: 8" 0-55 ft & 6" 55-120 ft

Drill Date: 08/18/17
Drilled By: Cascade Drilling
Drill Method: Sonic

			very (in)	val			
	PID (PPM)	Sample	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	
Boring Completion]Id	ID	San	Sar	Pe		Lithologic Description
Bentonite Grout		B-211-120- W			122 —		at 120 feet: soil Color-Tec reading <0.003 mg/kg, drove water sampler and collected sample with bailer
-					122 —		Bottom of Boring at 122 feet bgs. Boring backfilled with bentonite grout.
-					124 —		-
_					126 —		
-					_		-
					128 —		_
_					130 —		_
-					-		-
<u> </u>					132 —		
-					134 —		-
-					136 —		
-					_		-
-					138 —		-
					140 —		_
-					_		-
-					142 —		
F					144 —		_
-					-		-
-					146 —		
-					148 —		_
_					150 —		<u>-</u>
-					-		-
					152 —		
					154 —		_
-					_		-
<u>-</u>					156 —		
<u> </u>					158 —		
-					- 160		

Site Location: Seattle, WA Logged By: CJD Logged By: Ecology Well Tag: N/A

Total Drilled Depth:

122 Feet 8" 0-55 ft & 6" 55-120 ft Diameter of Boring:


Drill Date: 08/18/17 Cascade Drilling Drilled By: Drill Method: Sonic

	Boring Completion	PID (PPM)	Sample ID	Sample Recovery	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
		_		S	0,	0	10 1411/16	Concrete (4 inches)
-						2— - 4—		LIGHT BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to coarse, some fines, little fine to coarse subangular to subrounded gravel up to 1-inch diameter, trace anthropogenics, soil cleared with air knife to 7.5 feet (FILL)
- - -		5.7		48	Y	6— 6—		at 8 feet: sharp color change to brown
-		3.1 4.2			Ā	10 — 12 —		- - - -
		4.0 4.4	B-212-15	120		14 — - 16 —		GRAY SANDY SILT (ML), moist, some fine to coarse sand, few fine to coarse angular to subangular gravel up to 1.5-inch diameter, trace wood fragments up to 1/16 inch, light brown mottling
		13.3			A	18 —		at 17 feet: horizon 6 inches thick of dark brown soil with few wood fragments up to 2 inches GRAY SILTY SAND WITH GRAVEL (SM), moist, fine to coarse, some fine to coarse
	Bentonite Grout	1.9 156.7 10.8	B-212-21		Ŧ	20 —		subangular to subrounded gravel up to 2-inch diameter, little fines at 20 feet: gray to dark brown, angular to subangular gravel up to 1-inch diameter, gravel coated in tar-like material (asphalt?)
		2.0		60	Å	22 — - 24 —		BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to coarse, little fine subangular – to subrounded gravel up to 0.75-inch diameter, little fines
		14.0 14.5			T	26 —		BROWN SAND WITH GRAVEL (SP), moist, fine to coarse, little fine subangular to subrounded gravel up to 0.75-inch diameter, trace silt at 27 feet: fine sand
		15.0 15.1		400		28 — - 30 —		BROWN SILTY SAND (SM), wet, fine to medium, little fines, few fine to coarse subangular to subrounded gravel up to 1-inch diameter
-		13.7		120		30 —		at 31 feet: lenses of fine to coarse sand up to 6 inches thick
-		16.1 17.1 17.2				34 —		at 33 feet: brown to gray, gravel up to 1.5-inch diameter, orange mottling — GRAY SILTY SAND (SM), moist, fine to medium, little fines, few fine subangular to
-		0.3 12.2	B-212-35	60	V	36 — -		subrounded gravel up to 0.75-inch diameter
		17.4 14.5				40		_

Site Location: Seattle, WA Logged By: SEM Ecology Well Tag: N/A


				_	_		
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	4.4 16.4 17.9 25.3	B-212-45	60		42 —		at 41 feet: some fines GRAY SANDY SILT (ML), moist, some fine to coarse sand, few fine to coarse angular to subrounded gravel up to 1-inch diameter
- - - -	6.5 8.7 18.3 16.0	B-907-25	60		46 —	-	GRAY SILTY SAND (SM), moist, fine to medium sand, some fines, few fine subangular to subrounded gravel up to 0.5-inch diameter
- - - -	14.7 14.9 15.4				50 — 52 — 54 —	-	GRAY SILT (ML), moist, hard, trace fine sand, low plasticity at 54 feet: sample submitted for physical analysis
- - - -	13.8 16.1 13.1 16.5	B-212-55	120		56 — 58 —		GRAY SANDY SILT (ML), moist, firm, some fine sand, few fine subangular to subrounded gravel up to 0.5-inch diameter GRAY SILTY SAND (SM), moist, dense, fine to coarse, little fines, few fine to coarse
Bentonite Grout	15.9 1.6 3.9 2.4		60	V	60 — 62 — 64 —	-	subangular to subrounded gravel up to 1-inch diameter
- - - -	1.8 3.8 2.9 2.9	B-212-65		Ī	66 — 68 —	-	GRAY SILT (ML), wet, soft, trace fine sand
	6.1 5.4 6.4 7.2 1.8		108		70 — - 72 —	-	at 71 feet: moist, very hard
	5.4 5.6 4.4	B-212-75	96		74 — 76 — 78 —	-	GRAY SANDY SILT (ML), moist, hard, some fine to medium sand, few fine subangular to subrounded gravel up to 0.5-inch diameter
	4.0 7.4				80		_

Site Location: Seattle, WA Logged By: SEM Ecology Well Tag: N/A




Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle, WA

Site Location: Seattle, W. Logged By: SEM Ecology Well Tag: N/A



Site Location: Seattle, WA Logged By: KWS/SEM Ecology Well Tag: N/A



Site Location: Seattle, WA Logged By: KWS/SEM Ecology Well Tag: N/A

Boring Completion	(Wdd) Sampl		Sample Interval Depth (Feet)	Bo Lithologic Description
	14.7 11.7 14.5 14.6 15.7 1.1 B-213-8	35	82 -	GRAY SILTY SAND (SM), moist, dense, fine to medium, some fines, few fine to coarse subrounded gravel up to 1-inch diameter, GRAY SILTY SAND (SM), moist, very dense, fine to medium, some fines, few subangular
	4.2 1.4 0.8	60	86 -	to subrounded gravel up to 0.75-inch diameter –
	0.8 0.3 8.7 B-213-9 W	0-	90 -	GRAY SILTY SAND (SM), wet, very loose, fine to coarse, little fines at 90 feet: trace gravel up to 2-inch diameter, trace cobbles, advanced water sample
	8.7 7.5		92 -	screen from 90 to 92 feet and collected groundwater sample with bailer, groundwater Color-Tec reading <3 ug/L
	9.7 B-213-9 8.5 7.0	95 120	96 -	
Bentonite Grout	7.3 6.9 7.8 1.8		100 -	at 99 feet: sample submitted for physical analysis
	11.2 12.5 B-213-10	120	102 -	
	5.3 B-906-1 6.8 11.0		106 -	
	6.4		110 -	GRAY SILTY SAND (SM), wet, dense to very dense, fine, little fines, elongated vertical inclusions of green fine to medium sand up to 1 inch thick
	5.0 5.7 5.4 B-213-1	60	114 -	at 115 feet: soil Color-Tec reading <0.003 mg/kg
	5.7 4.9		116 -	
	5.8 5.8	120	120	

Site Location: Seattle, WA Logged By: KWS/SEM Ecology Well Tag: N/A


	_			_			
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	7.0		0,	Ť			
Bentonite Grout	7.9				122 — - 124 —		at 121 feet: green staining GRAY SILTY SAND WITH GRAVEL (SM), fine to coarse, little fine to coarsesubangular to subrounded gravel up to 1-inch diameter, little fines
		B-213-125			-	. : . :	at 125 feet: sample submitted for physical analysis, soil Color-Tec reading <0.003 mg/kg,
					126 —		at 125 feet: sample submitted for physical analysis, soil Color-Tec reading <0.003 mg/kg, attempted to collect water sample but couldn't advance water sampler
_					-		Bottom of Boring at 125 feet bgs. – Boring backfilled with bentonite grout.
					128 —		
					-		
					130 —		
					400		
					132 —		
					134 —		
					_		
					136 —		_
_					-		_
_					138 —		_
-					-		-
_					140 —		_
-					-		-
					142 —		_
-					-		-
_					144 —		_
					-		-
					146 —		
					-	1	1
					148 —		
					150 —		
					_		
					152 —		
_					-		
					154 —		_
-					_		_
_					156 —		_
-					-		-
-					158 —		_
-					-		-
					160		

Site Location: Seattle, WA Logged By: KWS/SEM Ecology Well Tag: N/A


Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
					0		
- - -					2— - 4—		BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to medium, little fine to coarse subangular to subrounded gravel up to 3-inch diameter, little fines, occasional subrounded_cobbles up to 4-inch diameter, occasional orange staining, air knifed to 7 ft bgs
	0.1				6—		-
-	2.1				-		-
	3.3				8—		-
- -	3.9			V	10 —		at 10 feet: no staining
-	3.5		96	П	-		-
	3.7			A	12 —		-
-	1.9			A	-		-
					14 —		-
	5.1	B-214-15			-		-
	2.7			V	16 —		_
	4.5		60	ĮŢ	-		-
- -	3.5		00	A	18 —		at 19 feet: slightly coarser sand, few gravel
	4.6				20 —		_
Bentonite Grout	3.4				-		 -===================================
	5.3				22 —		BROWN SANDY SILT (ML), moist, some fine to medium sand, few fine subrounded gravel, non-plastic
_	4.2			I	24 —		GRAY-BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse
	5.1	B-214-25	120		_		subrounded gravel up to 1-inch diameter
	3.8				26 —		at 25 feet: little gravel
-	2.7				-		BROWN SILT WITH SAND (ML), moist, little fine to coarse sand, non-plastic, frequent
	3.2				28 —		orange staining GRAY SILTY SAND (SM), moist, fine to medium, little fines, few fine to coarse subrounded gravel, subrounded cobbles up to 4-inch diameter
	4.8				30 -]	GRAY SANDY SILT (ML), moist, some fine to medium sand, few fine to coarse
	4.5				30 —	$\left \left \left \right \right \right $	subrounded to rounded gravel
	7.9				32 —	$\ \ $	at 30 feet: occasional inclusions of medium sand
	6.4				-		-
	9.0	B-214-35			34 —	$\ \ $	
		D-214-00	120		-		-
	3.8				36 —		
	6.9				-	1	
	7.6				38 —	1	_
	5.5				40		

Project: Former American Linen Supply
Project Number: 1413.001.02.602
Site Location: Seattle, WA

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A



Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A




Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	ш		, vi	Ö	122 —	O	Bottom of Boring at 120 feet bgs. Boring backfilled with bentonite grout.
_					- 124 —		_
					126 — _		
_					128 — - 130 —		
-					- 132 — -		
-					134 — - 136 —		
_					138 —		_
					140 —		
_					142 — - 144 —		
					146 —		
_					148 — - 150 —		
_					150 —		
- -					154 — -		
_					156 — - 158 —		
					160		

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Caphic Poscription	
					0 -	Asphalt (4 inches) BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to medium, little fine to coarse subangular to subrounded gravel up to 3-inch diameter, little fines, air knifed to 7 ft bgs	
_					4—		
					- 6—		
- -	3.9			V	- 8—	- : : : at 8 feet: wet	_
	4.1		36		- 10 —	at 9 feet: moist	_
<u> </u>	2.1 5.3		60		12 —	-	-
- -	6.3 6.6			A	14 —		-
	7.1	B-215-15		V	16 —	at 17 feet: medium sand	-
	9.1		60	Å	18 —		-
Bentonite Grout	6.7			Ŧ	20 — -	BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse	
	9.5				22 —	PROMINICULTY CAND (CAN provide for As an adjume little for a few for As adjume little for a few for As adjume little for a few for As adjume little for a few for As adjume little for a few for As adjume little for a few for As adjume little for	_
	9.8			I	24 —	BROWN SILTY SAND (SM), moist, fine to medium, little fines, few fine to coarse subangular to subrounded gravel	-
	7.9	B-215-25	120	I	26 —		-
	12.7 17.1			A	28 —	BROWN SILT (ML), moist to wet, hard, few fine sand, non-plastic, orange mottling	
	19.2				30 —	BROWN SAND WITH SILT AND GRAVEL (SP), moist, fine to medium, little fine subangular to subrounded gravel up to 0.75-inch diameter, few fines	-
	20.2				32 —		-
	22.1 23.0 31	B-215-35	120		34 —	inch thick, followed by horizon of dark orange staining 2 inches thick BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to medium, some fines, little little	_
	6.7				36 —		
	11.8				38 —	GRAY SILTY SAND (SM), wet, fine to medium, little fines	
	9.6 5.8				40	GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded to rounded gravel up to 1-inch diameter	

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A




Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
Boring Completion Bentonite Grout Bentonite Grout Bentonite Grout Bentonite Grout Bentonite Grout Bentonite Grout	16.3 22.0 31.5 31.5 14.4 13.8 11.3 12.6 13.1 18.7 9.2	B-215-85 B-909-105	120	es	82 — 84 — 86 — 88 — 90 — 92 — 94 — 100 — 1100 — 1110 — 1110 — 1111 — 111		GRAY SILTY SAND (SM), moist, fine to medium, some fines, fewfine to coarse subangular to subrounded gravel up to 1-inch diameter at 85 feet: soil Color-Tec reading <0.003 mg/kg GRAY SANDY SILT (ML), moist, some fine to medium sand, few fine to coarse subangular to subrounded gravel GRAY SILTY SAND WITH GRAVEL (SM), wet, fine to medium, some fine to coarse subrounded to rounded gravel up to 3-inch diameter, little fines, occasional cobbles BROWN SAND (SP), wet, fine to medium, few fine to coarse subrounded to rounded gravel, few fines at 95 feet: attempted to collect water sample but couldn't advance sampler, soil Color-Tec reading <0.003 mg/kg Bottom of Boring at 95 feet bgs. Boring backfilled with bentonite grout.


Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

	Boring Com	pletion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
- - - - - -			7.3 7.0 7.9 12.3 10.6 12.3		101		0 - 2— 4— 6— 8— 10—		Concrete (3 inches) DARK BROWN SANDY SILT (ML), moist, little fine to coarse sand, abundant organics BROWN SANDY SILT (ML), moist, little fine to coarse sand, few fine subangular to subrounded gravel up to 0.5-inch diameter, abundant orange staining, occasional gray to dark gray mottling GRAY SILTY SAND (SM), moist to wet, fine, little fines BROWN SANDY SILT (ML), moist, little fine to coarse sand, few fine to coarse subangular to subrounded gravel, abundant orange staining, occasional gray to dark gray mottling
- - - - - -			14.1 186.3 194.6 24.2 10.7 3.7	B-216-20	120		12 — 14 — 16 — 18 — 20 —		GRAY SILTY SAND (SM), moist to wet, fine to medium, some fines, trace fine subrounded gravel up to 0.25-inch diameter, sewer-like odor BROWN SILT (ML), moist to wet, hard, trace fine sand, non-plastic, abundant orange staining, sewer-like odor, at 13 feet: soil Color-Tec reading <0.003 mg/kg BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel up to 1.5-inch diameter BROWN SILTY SAND (SM), moist, medium, little fines BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel up to 1.5-inch diameter
- - - - - -		Bentonite Grout	1.8 11.4 12.2 12.9 10.3 14.2 13.7	B-210-20	120		22 — 24 — 26 — 28 —		GRAY SILT WITH SAND (ML), moist, little fine to medium sand, few fine to coarse subangular to subrounded gravel up to 2-inch diameter, non-plastic at 24 feet: brown GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel
- - - - - - -			16.1 7.1 9.3 9.8 9.4 38.8 24.0 9.1		120		30 — 32 — 34 — 36 — 38 — 40		at 33 feet: abundant irregular lenses of medium sand GRAY SILTY SAND (SM), wet, medium, little fines GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel up to 2-inch diameter

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A




Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A



Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle, WA


Logged By: CJD
Ecology Well Tag: N/A

1 of 3



Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle, WA

Logged By: CJD
Ecology Well Tag: N/A



Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	14.0 2.9 2.4 7.3 4.2 12.7	B-217-85	120		82 — 84 — 86 —		at 81 feet: some sand GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrouned gravel —
Bentonite Grout	27.2 1.6 2.8 2.7 6.1	B-217-95	60		90 — 92 — 94 —		GRAY SAND (SP), wet, fine to medium, few fines GRAY SILTY SAND WITH GRAVEL (SM), wet, fine to coarse, some fine to coarse
	4.6 6.3 6.2 8.0 9.8 14.2		120		96 — 98 — 100 — 102 — -		subangular to subrounded gravel, little fines at 95 feet: soil Color-Tec reading <0.003 mg/kg GRAY SAND WITH SILT (SP), moist to wet, medium, few fines at 97 feet: submitted a sample for physical analysis at 98 feet: few fine to coarse subangular to subrounded gravel up to 1.5-inch diameter at 99.5 red-brown
	37.7 40.8 111.6 91.0 19.8 26.3	B-217-106	120		104 — - 106 — - 108 — - 110 —		at 105 feet: soil Color-Tec reading 0.640 mg/kg, attempted to collect a water sample but — couldn't advance sampler BROWN SILTY SAND (SM), wet, fine, little fines at 108 feet: gray brown, fine to medium sand at 110 feet: gray, occasional horizons of finer sand up to 0.75 inches thick
	11.7 10.4 11.1	B-217-115			- 112 — 114 — 116 —		at 115 feet: soil Color-Tec reading <0.003 mg/kg, attempted to collect a water sample but—couldn't advance sampler Bottom of Boring at 115 feet bgs. Boring backfilled with bentonite grout.
					120		

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

			(ii)				
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
				V	0		Concrete (4 inches)
	0.7			V	2_		BROWN SILTY SAND (SM), moist, fine to medium, little fines, few subangular to subrounded gravel
	1.6		60	X			at 3 feet: orange-brown staining
	2				4—		GRAY SILTY SAND (SM), moist, fine to medium, little fines, trace fine subangular gravel—
	1.7						up to 0.25-inch diameter
	2			V	6—		_
	2.1		60	III	_		-
	2				8—		_
	3.2				10		_
	77.6				-		BROWN SILTY SAND (SM), moist, fine, some fines, abundant orange staining
	35.7				12 —		_
	83.8	B-218-12.5		ı			_
	17			ı	14 —		GRAY SILTY SAND WITH GRAVEL (SM), moist, fine to medium, some fines, little _
	50.9		120		_		subangular to subrounded gravel up to 2.5-inch diameter, occasional cobbles, abundant orange staining
	2.6				16 —		GRAY SILTY SAND (SM), moist, fine, some fines, abundant orange staining
-	2.9				-		GRAY SILTY SAND WITH GRAVEL (SM), moist, fine, little subangular to subrounded
	3.5				18 —	· . · .	gravel up to 3-inch diameter, little fines
-	12.3	B-218-19			-		BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, abundant orange and gray mottling
Bentonite	10.2				20 —		_
-	6.2				-	• • • •	GRAY SILTY SAND (SM), wet, fine to medium, little fines, trace fine to coarse
_	8.1			V	22 —		subrounded to rounded gravel, interbedded with horizons 0.5 to 1 feet thick of BROWN — SANDY SILT (ML), moist to wet, some fine sand, abundant staining
	2.7		120	Ţ	24 —	l·i·i	_
	3.4	B-218-25					at 25 feet: occasional horizons of medium sand up to 2 inches thick
	7.9 6.1				26 —		_
-	0.1				-		-
	5				28 —		_
-	5.7				-		-
	4.2				30 —		BROWN SILTY GRAVEL (GM), wet, fine to coarse subangular to subrounded gravel,
-	10.1				-		some fine to coarse sand, little fines, occasional cobbles
	17.3				32 —		BROWN GRAVEL WITH SILT AND SAND (GP), moist to wet, fine to coarse subangular
					-	9	to subrounded gravel, some fine to coarse sand, few fines, frequent cobbles
	10.3				34 —	000	_
			120		-		GRAY SANDY SILT (ML), moist, some fine to medium sand, few fine to coarse
	3				36 —		subrounded to rounded gravel —
	2.3				-		-
					38 —		_
	45.4				- 4∩		-
	1 45.4	1			70		

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A



2 of 2

Boring Completion 24.6 22.6 20.1 42 42 35.5 99.5 64.3 174.1 B-218-50 B-913-70 8-218-50 B-913-70 B-913			2012
22.6 20.1 42 Bentonite Grout 80.3 55.5 99.5 64.3 174.1 B-218-50 B-913-70 B-913-70 Bentonite Grout 80.3 55.5 99.5 64.3 174.1 B-218-50 B-913-70 B-218-50	Boring Completion	D 040 40	Bo Description
-	Bentonite Grout	22.6 20.1 42 Bentonite Grout 60.3 55.5 99.5 64.3 174.1 B-218-50 B-913-70 52 54 56 58 60 62 64 66 68 70 72 74	at 47.5 feet: no gravel at 50 feet: soil Color-Tec reading 1.00 mg/kg

Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle, WA

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
					0	7.77	Concrete (5 inches)
- - -	39.4		30	X	2		BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to coarse, abundant anthropogenic material (FILL)
- - -				Ŷ	6—		at 6.5 feet: gray, fine to coarse subrounded gravel up to 1.5-inch diameter
	44.6		48	I	8-		
- -	12.1				- 10 —		BROWN SANDY SILT (ML), moist, firm, some fine to medium sand, few gravel, orange – mottling
- -				Y	- 12 —		BROWNISH GRAY SILTY SAND (SM), moist, fine to medium, some fines, few subrounded gravel up to 1-inch diameter
- - -	3.7		120	I	14 —		BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to medium, little subrounded — gravel up to 1.5-inch diameter, little fines
	4.6		120	I	16 — -		
	3.4				18 —		_
Bentonite Grout	1.3				20 —		_
- -	12.4			V	22 —		GRAY SILTY SAND (SM), moist, medium dense, fine to medium, little fines, trace subrounded gravel up to 1-inch diameter, grades finer with depth
-	6.2			I	-		at 25 feet: wet, some fines
	3.8		120	1	24 —		
	8.5			ı	26 —		GRAY SAND WITH SILT (SP), wet, medium dense, fine to medium, few fines GRAY SILTY SAND (SM), moist, dense, fine to medium, some fines, trace subrounded
	24.4			A	28 —		gravel up to 1-inch diameter, orange mottling
	2.3				_		_
	10.6				30 —		
	11			V	-		_
	6.6		60		32 —		GRAY SILTY SAND (SM), wet, loose, fine to medium, little fines, trace subrounded gravelup to 3-inch diameter, cobbles
	3.7				34 —		GRAY SILTY SAND WITH GRAVEL (SM), moist, some fines, few subrounded gravel up to 1-inch diameter
F	4.4				-		-
	1			V	36 —		
	1.6		60		38 —		
	0.9				40		at 40 feet: attempted to collect water sample but couldn't advance sampler

Site Location: Seattle, WA Logged By: KWS Ecology Well Tag: N/A

			overy (in)	ıval	£i.		
Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	2.7		.,	V	_		at 41 feet: fine to medium, dense, trace gravel
	7.2	B-219-42		V	42 —		
-	1.3		60	À	-		-
	1.7				44 —		
	2			V	46 —		at 46 feet: wet, coarse sand, little fines
	8.4			V	46 —		at 40 feet. Wet, obaise saile, little lifes
	9.2		48	Ä	48 —		_
-	3.2				-		-
	3.7	B-219-50			50 —		at 50 feet: moist, rare subrounded cobbles
				V	52 —		
	15.9			I	-		_
				ı	54 —		at 54 feet: fine to medium
	4.7		84		-		-
	6			1	56 —		_
	1.7				58 —		
	1.7				-		_
Bentonite Grout		B-219-60			60 —		_
	2			V	-		-
	1.4		60	I	62 —		
					64 —		
-	2.2				-		4
					66 —		_
				T	-		-
	6.2			ı	68 —		GRAY SANDY SILT (ML), wet, firm, some fine to medium sand, trace subrounded gravel
	7.1	B-219-70	84		70 —	$\ \ $	
	5.9			1	_		GRAY SILTY SAND (SM), moist, dense, fine to medium, some fines, trace subrounded
	0000000000				72 —		gravel up to 1-inch diameter
	5.8 6						at 73 feet: collected sample for physical analysis
					74 —		
	3.4			V	76 —		
	3.3				-		_
	2.1		60	Å	78 —		at 80 feet: very dense, soil Color-Tec reading <0.003 mg/kg, attempted to collect water
	3.5	B-219-80			80		sample but couldn't drive water sampler
		•	•				

Site Location: Seattle, WA Logged By: KWS Ecology Well Tag: N/A

3 of 3

				_			
			Sample Recovery (in)	_			
	M)		Recove	Sample Interval	Feet)	Log	
Barina Carralatian	PID (PPM)	Sample	mple F	mple I	Depth (Feet)	Graphic Log	Litherhoods December
Boring Completion		ID	Sa	Sa		ο	Lithologic Description Bottom of Boring at 80 feet bgs
_					-	-	Bottom of Boring at 80 feet bgs. Boring backfilled with bentonite grout.
_					82 —		
_					84 —		-
_					-		
_					86 —	-	-
					88 —		_
_					-		
_					90 —	-	_
-					92 —		
_					-		
_					94 —		-
- 					96 —		
_					-		
_					98 —		-
_					100 —		
_					-	-	,
_					102 —	-	_
_					-		
_					104 —		
_					106 —		_
					-		
 -					108 —		
_					110 —		_
_					-		
_					112 —		
					114 —		_
_					-		
_					116 —		_
_					118 —		_
_					_		
					120	<u> </u>	

Project: Former American Linen Supply Project Number: 1413.001.02.602


Site Location: Seattle, WA Logged By: KWS Ecology Well Tag: N/A

Oncorete (d inches) Oncorete		PID (PPM)	Sample	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	
RARY SILTY SAND (SM), moist, fine to coarse, some fines, fine to coarse subangular to a subcounded gravel up to 4-in-ind diameter, rear anthropogenic material, (FILL) at 3 feet; yellow, fine sand, fine gravel-sized particles, consolidated cookble BLACK FILL, most, frequent to abundant anthropogenic material, occasional wood pieces, orange staining GRAY SILTY SAND (SM), moist, fine to coarse, some fines, few fine subangular to subcounded gravel, green staining BLACK FILL, most, frequent to abundant anthropogenic material, occasional wood pieces, orange staining GRAY SILTY SAND (SM), moist, fine to coarse, some fines, few fine subangular to subcounded gravel gravel green staining BLACK FILL, most, frequent to abundant anthropogenic material, occasional wood pieces, orange staining GRAY GRAVEL WITH SAND (GP), moist, fine to coarse subangular to subcounded gravel	Boring Completion	₫	ID	Sal	Sa	٥	1	
pieces, orange staining 1.4 1.4 1.5 1.6 1.6 1.6 1.7 1.7 1.8 1.9 1.9 1.9 1.9 1.9 1.9 1.9	- - -			60	Y	2—		GRAY SILTY SAND (SM), moist, fine to coarse, little fines, fine to coarse subangular to subrounded gravel up to 1-inch diameter, rare anthropogenic material, (FILL)
1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4	_	200,000,000				4-		
set of the property of the provided gravel, green staining stainin		0.8			V	6—		_
1.4 3.7 3.1 3.7 3.1 3.7 3.1 3.7 3.1 3.7 3.1 3.7 3.1 3.7 3.1 3.7 3.1 3.7 3.1 3.2		1.4		60	Ä	8—	蕊	subrounded gravel, green staining
3.7 3.1 4.4 3.2 3.1 4.4 3.2 2.5.1 B-220-15 120 Bentonite Grout 4.7 4.8 Bentonite Grout 4.7 4.8 Bentonite Grout 4.7 Bentonite Grout		1.4				10		
GRAY SANDY SILT (ML), moist, some fine to medium sand, abundant orange staining GRAY SAND (SM), moist, fine to medium some fines, few fine to coarse subangular to subrounded gravel, abundant brown and orange mottling at 14 feet: horizon 4 inches thick of silty sand, fire, little fines at 15 feet: brown at 15.5 feet: horizon 1 inch thick of silty sand, fine, little fines at 20 feet: dark gray, moist to wet, fine to medium sand, few fine to coarse, some fines, little fine to coarse subangular to subrounded gravel up to 3-inch diameter, frequent cobbles at 20 feet: dark gray, moist to wet, fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic BROWN SANDY SILT (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic BROWN SANDY SILT (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic LIGHT BROWN SILTY SAND (GM), moist, fine to medium sand, few fine to coarse subangular to subrounded gravel, onn-plastic LIGHT BROWN SILTY SAND (GM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, onn-plastic LIGHT BROWN SILTY SAND (GM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, onn-plastic LIGHT BROWN SILTY SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines BROWN SAND WITH SILT (SP), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines BROWN SAND WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines						-		
Bentonite Grout 114 14 15 120 14 15 120 16 16 16 16 16 16 16 1		0.5000			V	12 —		GRAY SANDY SILT (ML), moist, some fine to medium sand, abundant orange staining
at 15 feet: brown 16— 18— 18— 18— 18— 18— 18— 18— 18— 18— 18					I	14 —		subangular to subrounded gravel, abundant brown and orange mottling
Bentonite Grout 4.7 8.8 7.5 6.6 9.1 8.2 5 5.3 154.7 B-220-29 140 287.4 333.5 B-220-32 116.6 110.3 172 120 120 BROWN SANDY SILTY (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic 28 28 28 LIGHT BROWN SILTY SAND (SM), moist, fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic 28 LIGHT BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel at 29 feet; horizon 6 inches thick of silty sand, little fines BROWN SANDY SILT (ML), moist, hard, some fine to medium, some fines, few fine to coarse subangular to subrounded gravel, non-plastic 28 BROWN SANDY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse sand, few fines 30 BROWN SANDY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, some fine to coarse sand, few fines 31 32 34 34 34 33 34 34 34 36 37 38 38 38 38 38 39 30 30 30 30 30 30 30 30 30			B-220-15	120	1	16-	- -	at 15 feet: brown
Bentonite Grout 4.7 4.8 7.5 6.6 9.1 8.2 5 5.3 154.7 140 287.4 333.5 B-220-29 116.6 110.3 172 120 120 18 18 18 18 18 18 18 18 18 1	_	60 600 00			A	-		
Bentonite Grout 4.7 4.8 7.5 6.6 9.1 8.2 5 5.3 154.7 140 287.4 333.5 B-220-32 116.6 110.3 172 144.6 27.3 34.3 159 120 20 21 22 24 24 24 24 25 26 BROWN SANDY SILT (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic 28 LIGHT BROWN SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel at 29 feet: horizon 6 inches thick of silty sand, little fines BROWN GRAVEL WITH SAND (GP), moist to wet, fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, few fines at 32 feet: soil Color-Tec reading 1.5 mg/kg GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines					A	18 —	1-11-11	to coarse subangular to subrounded gravel up to 3-inch diameter, frequent cobbles
22 — BROWN SANDY SILT (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic B-220-29 140 287.4 333.5 B-220-32 116.6 110.3 172 120 BROWN SANDY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines						20 —		
7.5 6.6 9.1 8.2 5 5.3 154.7 287.4 333.5 B-220-32 116.6 110.3 172 120 120 120 120 120 120 120 120 120 12						-		at 23 feet: gray, fine to coarse sand, little gravel
BROWN SANDY SILT (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic BROWN SANDY SILT (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic BROWN SANDW SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel at 29 feet: horizon 6 inches thick of silty sand, little fines BROWN GRAVEL WITH SAND (GP), moist to wet, fine to coarse subangular to subrounded gravel, some fine to coarse sand, few fine to coarse subangular to subrounded gravel, few fines at 32 feet: soil Color-Tec reading 1.5 mg/kg GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines					I	-		
BROWN SANDY SILT (ML), moist, hard, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic B-220-29 140 287-4 333.5 B-220-32 116.6 110.3 172 120 BROWN SANDY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel at 29 feet: horizon 6 inches thick of silty sand, little fines BROWN GRAVEL WITH SAND (GP), moist to wet, fine to coarse subangular to subrounded gravel, some fine to coarse sand, few fines BROWN SAND WITH SILT (SP), moist to wet, medium, few fine to coarse subangular to subrounded gravel, few fines at 32 feet: soil Color-Tec reading 1.5 mg/kg GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines 120 36 37 38 38 38 39 39 30 30 30 30 30 30 30 30 30 30 30 30 30		6.6			ı	24 —		-
5.3 154.7 140 287.4 333.5 B-220-32 116.6 110.3 172 144.6 27.3 34.3		7,000,000		120	1	26 —		
B-220-29 140 287.4 333.5 116.6 110.3 172 144.6 27.3 34.3					A	-	$\ \ $	
140 287.4 333.5 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 B-220-32 BROWN GRAVEL WITH SAND (GP), moist to wet, fine to coarse subangular to subrounded gravel, some fine to coarse sand, few fines at 32 feet: soil Color-Tec reading 1.5 mg/kg GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines 120 38 31.3						28 —		
BROWN GRAVEL WITH SAND (GP), moist to wet, fine to coarse subangular to subrounded gravel, some fine to coarse sand, few fines 32 — BROWN SAND WITH SILT (SP), moist to wet, medium, few fine to coarse subangular to subrounded gravel, few fines at 32 feet: soil Color-Tec reading 1.5 mg/kg GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse suba			B-220-29			30 —		
BROWN SAND WITH SILT (SP), moist to wet, medium, few fine to coarse subangular to subrounded gravel, few fines at 32 feet: soil Color-Tec reading 1.5 mg/kg 110.3 172 GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines 144.6 27.3 34.3						-		
at 32 feet: soil Color-Tec reading 1.5 mg/kg 110.3 172 144.6 27.3 34.3 134 — GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines 38 — GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines 38 — GRAY SILTY GRAVEL WITH SAND (GM), moist, fine to coarse subangular to subrounded gravel, some fine to coarse subangular to subrounded gravel, some fine to coarse sand, little fines		333.5	B-220-32			32 —		BROWN SAND WITH SILT (SP), moist to wet, medium, few fine to coarse subangular to
172 120 36 — 144.6 27.3 34.3 34.3 34.3 34.3 38 — 38		116.6				-		
				120		34 —		
		172		120		36 —		
34.3	<u> </u>					-		-
						38 —		-
49 40 111 4		34.3 49				40_		

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A



ring & Environmental Services 2 of 2



Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle, WA

Logged By: CJD
Ecology Well Tag: N/A

Boring Compl	letion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
- - - -		0.6 1.8 1.2 2.4		60		0 2— 4—		Concrete (4 inches) BROWN SILTY SAND (SM), moist, fine, little fines, trace fine subrounded to rounded gravel at 4 feet: some fines
- - - -		1.3 1.7 2.2 2.4		60	X A	6— 8— -		GRAY SAND WITH SILT (SP), moist, fine, few fines, trace fine to coarse subrounded to rounded gravel DARK GRAY GRAVEL WITH SAND (GP), moist to wet, fine to coarse subangular to
		2 1.9 2 2.2 14.5 38 24	B-221-16	120	V	12 — 14 — 16 —		subrounded gravel, little fine to medium sand, few fines at 13 feet: some sand BROWN SILTY SAND (SM), moist, fine to medium, some fines, abundant orange staining DARK GRAY GRAVEL WITH SAND (GP), moist to wet, fine to coarse subangular to subrounded gravel, some fine to medium sand, few fines BROWN SANDY SILT (ML), moist, some fine to medium sand, trace fine subrounded to rounded gravel, abundant orange staining
	Bentonite Grout	20.5 18.1 128.4 71.4 67.6	B-221-22		ł	18 — 20 — - 22 —		BROWN SILTY SAND (SM), moist, fine, some fines, occasional orange staining BROWN SILTY SAND (SM), moist to wet, fine to medium, some fines, few fine to coarse _ subrounded to rounded gravel, rare cobbles, frequent inclusions of coarser silty sand, heterogeneous at 22 feet: little gravel, little fines, coarser sand with medium to coarse sand inclusions
- - - -		122.9 108.6 32.7 26.3 80.5		120		24 — 26 — 28 —		at 24 feet: moist to wet, fine to coarse sand, coarser gravel, more frequent inclusions BROWN SILTY SAND WITH GRAVEL (SM), moist, fine to medium, little fine to coarse subangular to subrounded gravel, little fines, occasional orange staining
		79.8 52.2 93.5 116 63.7	B-221-33			30 — 32 — 34 —		BROWN SAND WITH SILT (SP), wet, fine to coarse, few fine to coarse subangular to rounded gravel up to 3-inch diameter, few fines, rare cobbles
		92.4 81.1 129.7	B-221-37 B-915-80	84		36 — 38 — 40		BROWN SANDY SILT (ML), moist, some fine to medium sand, few fine to coarse subangular to subrounded gravel, non-plastic BROWN SILTY SAND (SM), moist to wet, fine to medium, little fines, few fine to coarse subangular to subrounded gravel

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
Boring Completion Bentonite Grout Bentonite Grout	533.7 386.5 1396 3588 15000 261.3 277.7 226.1 250.1 22.4 14 63.8 15 41.3 43.4 48.6 44.1 123.4 131.8 123.3 317.9 87.3 106.3 71.2 99.3		60 60 60 60	Sample	14dega	Graphic	at 43 feet: some fines, strong chemical-like odor at 45 feet: soil Color-Tec reading >65 mg/kg GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded to rounded gravel, occasional cobbles at 50 feet: soil Color-Tec reading 2.5 mg/kg GRAY SANDY SILT (ML), moist, hard, some fine sand, few fine to coarse subangular to subrounded gravel, non-plastic at 60 feet: soil Color-Tec reading 2.3 mg/kg GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel GRAY SANDY SILT (ML), moist, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, non-plastic at 70 feet: soil Color-Tec reading 0.38 mg/kg Bottom of Boring at 70 feet bgs. Boring backfilled with bentonite grout.
-					78 — - 80		-

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	(Wdd) Old Samp	_	Sample Interval	Depth (Feet)	Graphic Log	Lithologic Description
	3.4 3 2.3 2.1 2.7 5.4 4.8 3.1	60		0 		Concrete (4 inches) BROWN SILTY SAND (SM), moist, fine to medium, little fines, few fine to coarse subangular to subrounded gravel
	9.6 1.2 7.9 6.7 85.7 83.4 78.3 125.2 128.7 127.2 62.1	120		10 — 12 — 14 — 16 — 18 —		GRAY SILTY SAND (SM), moist, medium, some fines BROWN SAND WITH SILT (SP), moist, fine to medium, few fines, trace fine subrounded gravel GRAY SILTY SAND WITH GRAVEL (SM), moist to wet, fine to coarse, some fines, little—subangular to subrounded gravel BROWN SILTY SAND (SM), moist to wet, fine to medium, little fines, few fine to coarse—subangular to subrounded gravel, abundant orange mottling
Bentoni Grout	24.1 10.2 14.3 20.5 B-222-2	25 120		20 — 22 — 24 — -		at 21 feet: wet
	5.5 1 3.5 6.5 2.5			26 — 28 — 30 —		BROWN SILTY SAND (SM), wet, fine, little fines BROWN SILTY SAND (SM), moist to wet, fine to medium, some fines, few fine to coarse subangular to subrounded gravel, abundant staining, heterogeneous inclusions of silt
	12.6 2.3 13.3 B-222-3 8.8	120		32 — 34 — 36 —		- - - -
	3.6			38 — - 40		at 38 feet: horizon 3 inches thick of medium sand

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A





2 of 2

Borring Completion							
Solution Solution	Boring Completion	PID (PPM)		Sample Recovery (in)	Sample Interval	Depth (Feet)	Dolugie Description
	- Bentonite	5.7 15 18.2 38.4 44.2	B-222-42 B-222-50	60	Sal	42 — 44 — 46 — 48 — 50 — 52 — 54 — 56 — 60 — 62 — 64 — 66 — 70 — 72 — 74 — 76 —	at 41 feet: little fines GRAY SILTY SAND (SM), moist, fine to medium, some fines, few fine to coarse subrounded to rounded gravel at 50 feet: Soil Color-Tec sample is 0.145 mg/kg

Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle WA


Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A

Boring Completion	PID (PPM)	Sample ID	Sample Recovery (in)	Sample Interval	Depth (Feet)	E Lithologic Description
- - -	1.4 0.9 1.7 3		60	V	2-	Concrete (4 inches) BROWN SILTY SAND (SM), moist, fine to medium, little fines, trace fine to coarse subangular to subrounded gravel
	3.3		60	T	6—	at 6 feet: few gravel
	2.8 1.3 2.2 5.1		80		8— - 10—	- ; ; ; - ; ;
	2.9 3.2			V	12 — - 14 —	GRAY SILTY SAND (SM), moist, fine to medium, little fines, few fine to coarse subangular to subrounded gravel GRAY GRAVEL WITH SILT AND SAND (GP), moist to wet, fine to coarse subangular to subrounded gravel, some fine to coarse sand, few fines
- - -	45.3 265.5 268.7	B-223-16	120	À	- 16 — -	BROWN SILTY SAND (SM), wet, fine to medium, little fines, few fine to coarse subrounded to rounded gravel, occasional cobbles, abundant orange and gray mottling, frequent horizons up to 4 inches thick of silt and medium sand, odor
Bentonite Grout	230.1 210.1 72.6 100.1			ł	18 — - 20 —	at 19.5 feet: fine sand at 20 feet: wet, little gravel. gravel size varies
- - -	103.6 183.7 125.7	B-223-22		I	22 —	at 24.5: horizon 5 inches thick of dark red-orange staining
- - -	53.6 90.8 82.6 111.7		120	À	26 —	BROWN SAND WITH SILT (SP), wet, fine, few fines at 27 feet: fine to medium sand
	10.3 24.6 105.3 15000	B-223-30			28 — - 30 —	BROWN SAND WITH SILT (SP), wet, medium to coarse, few fine to coarse subangular to subrounded gravel, few fines BROWN SAND WITH SILT (SP), wet, fine to medium, few fine to coarse subangular to subrounded gravel, few fines at 30 feet: horizon 6 inches thick of coarse sand, abundant staining, strong chemical-like
	107.1 50.7 39.8 10.7				32 — - 34 —	odor at 30.5 feet: horizon 3 inches thick of silt at 34 feet: fine to coarse sand, little gravel
- - -	9.9 13.4		120		36 —	GRAY GRAVEL WITH SILT AND SAND (GP), moist to wet, fine to coarse subrounded to rounded gravel, little fine to coarse sand, few fines
	30.9 16.4	B-223-39			38 —	GRAY SILTY SAND (SM), wet, fine to medium sand, little fines BROWN SILTY SAND (SM), moist, fine, some fines, few fine to coarse subangular to subrounded gravel, abundant staining

Site Location: Seattle, WA Logged By: CJD Ecology Well Tag: N/A



2 of 2



Project: Former American Linen Supply Project Number: 1413.001.02.602 Site Location: Seattle, WA

Logged By: CJD
Ecology Well Tag: N/A