



**APPENDIX D**

**SURVEY DATA**

ALL UNITS ARE US SURVEY FEET

WELL NAME	NORTHING	EASTING	ELEVATION OF TOP OF NORTH EDGE, PVC (CASING)	ELEVATION OF TOP OF WELL (LID)
BB-8	231762.42	1268705.38	43.69'	44.08'
R-MW5	231915.17	1268352.09	57.03'	57.40'
R-MW6	231825.18	1268622.13	45.28'	45.51'
G-MW2	N/A	N/A	39.00'	39.22'
B101/MW101	231934.66	1268533.39	39.49'	39.78'
B102/MW102	232058.51	1268504.81	49.19'	49.58'
B103/MW103	231912.50	1268808.01	35.92'	36.26'
B104/MW104	231912.28	1268635.95	42.68'	43.05'
B105/MW105	231763.25	1268695.16	44.17'	44.46'
B106/MW106	231720.28	1268501.66	51.99'	52.25'
B107/MW107	231885.46	1268625.93	43.82'	44.20'
B108/MW108	232044.39	1268805.44	32.78'	33.15'
B109/MW109	231943.07	1268808.76	34.97'	35.66'
B110/MW110	231814.34	1268806.34	39.67'	40.04'
B111/MW111	231896.74	1268807.78	36.48'	36.76'
B112/MW112	231915.36	1268310.74	57.49'	57.76'
MW113	231912.57	1268951.56	32.94'	33.24'
B114/MW114	231656.12	1268537.67	45.84'	46.38'
B115/MW115	231825.59	1268949.44	34.14'	34.48'
B116/MW116	232006.90	1268953.44	31.36'	31.96'
B120/MW120	232145.67	1268675.29	40.00'	40.56'
B121/MW121	231978.50	1268669.59	41.72'	42.23'
B122/MW122	232139.15	1268810.95	30.03'	30.54'
B123/MW123	232171.44	1269085.13	27.51'	27.96'
B124/MW124	232058.20	1268387.41	56.24'	56.84'
B125/MW125	232091.86	1268598.04	43.55'	43.96'
B126/MW126	232263.78	1268813.91	30.94'	31.25'
B127/MW127	232261.39	1268689.96	39.04'	39.42'



**SURVEY NOTES:**

**HORIZONTAL DATUM:**  
 BASED UPON NAD83/91, WASHINGTON STATE PLANE COORDINATE SYSTEM, NORTH ZONE, US SURVEY FEET ESTABLISHED WITH WASHINGTON STATE REFERENCE NETWORK COORDINATES OBSERVED WITH RTK GPS OBSERVATIONS.

COORDINATES SHOWN HEREON ARE BASED UPON GRID PROJECTIONS, ANGLES AND DISTANCES INVERSED BETWEEN THESE GRID COORDINATES WILL PRODUCE GRID DISTANCES.

**VERTICAL DATUM:**  
 BASED UPON CITY OF SEATTLE - NAVD 88 USING SNV-5181 ELEV. = 57.77 US SURVEY FEET

**MONITOR WELL NOTE:**  
 MONITOR WELL VALUES SHOWN HEREON ARE MEASURED AS FOLLOWS:

PVC PIPE LOCATED FROM THE TOP OF THE PVC PIPE AT THE NORTH EDGE FOR EACH WELL.

RIM ELEVATIONS OF THE STRUCTURE SURROUNDING THE PVC PIPE ARE LOCATED AT NORTH RIM.


<p><b>BUSH, ROED &amp; HITCHINGS, INC.</b>                  CIVIL ENGINEERS &amp; LAND SURVEYORS                  2000 W. VALLEY AVE. EAST                  SEATTLE, WA 98102-3513                  PHONE: (206) 323-7135                  WEBSITE: BRHINC.COM</p>	
<p>WELL EXHIBIT  <b>700 DEXTER</b>                  SoundEarth Strategies, Inc.                  KING COUNTY, WASHINGTON                  SEATTLE, WA</p>	
drawn by: JMH scale: 1" = 30' job no.: 2010008.05 sheet: 1 of 1	checked by: JMH date: 01-07-14

J:\LDD\2010008.dwg\X5-SUR-R7.dwg, 1/7/2014 12:20:44 PM, Oce TDS700.pc3









**LEGEND**

- ASPHALT (ASPH)
- BRICK SURFACE
- CONCRETE SURFACE
- CENTERLINE/MONUMENT LINE
- FOUND SURVEY MONUMENT
- INJECTION WELL
- MONITOR WELL
- PROPERTY LINE (PL)
- TEST PIT/SOIL BORING

HORIZONTAL DATUM: NAD 83/91

**HORIZONTAL CONTROL:**  
 OWNER: CITY OF SEATTLE  
 ID# NONE  
 DESCRIPTION: 2" ALUMINUM MONUMENT IN CASE 0.6' BELOW STREET GRADE  
 LOCATION: INTERSECTION OF THE E & S OF DEXTER AVE N & VALLEY ST.  
 NORTHING: 231776.03  
 EASTING: 1268528.41

**OWNER:** CITY OF SEATTLE  
**ID#:** NONE  
**DESCRIPTION:** TACK IN LEAD IN MONUMENT CASE 2' BELOW STREET GRADE  
**LOCATION:** INTERSECTION OF THE E & S OF DEXTER AVE N & ROY ST.  
 NORTHING: 189942.05  
 EASTING: 1282598.30

**VERTICAL DATUM:** NAVD83

**BENCHMARKS:**  
 SOURCE: CITY OF SEATTLE  
 ID# SNV-5182  
 DESCRIPTION: 2" BRASS CAP STAMPED  
 LOCATION: 0.5' WEST OF THE NW CORNER OF BLDG ON EAST SIDE OF STREET AT 1100 DEXTER AVE NORTH 62.61

**ELEVATION:** 37.43

**SOURCE:** CITY OF SEATTLE  
**ID#:** SNV-5009  
**DESCRIPTION:** 2" BRASS CAP STAMPED "CITY OF SEATTLE SURVEY 5009"  
**LOCATION:** BACK SEAM OF CW 12' WEST OF INTX BACK OF CW AT NW COR OF INTX OF WESTLAKE AVE N & REPUBLICAN ST 41.13

**ELEVATION:** 39.55

**SOIL BORINGS**

BORING ID	NORTHING	EASTING	ADI. GRADE (NORTH)
B-239	232010.81	1268455.45	39.24
B-240	231984.23	1268445.88	39.24
B-241	231958.45	1268444.93	39.08
B-242	231959.03	1268395.16	38.84
B-243	231911.19	1268379.93	38.88
B-244	231894.07	1268360.60	38.79
B-245	231812.38	1268342.23	39.90
B-246	*	*	*
B-247	231907.63	1268459.49	39.73
B-248	231824.98	1268430.90	51.85


\* B-246 NOT DRILLED AT TIME OF SURVEY

**MONITOR WELLS**

WELL ID	NORTHING	EASTING	TOP OF CASING (PVC)	TOP MONUMENT (LID)	ADJACENT GRADE (NORTH)
MW-142	231977.91	1268681.79	42.12	42.43	42.44
MW-143	231974.66	1268681.54	42.04	42.48	42.43
MW-144	231857.59	1268680.09	43.50	43.88	43.87
MW-145	231851.15	1268678.28	43.46	43.87	43.86
MW-146	231733.61	1268493.78	52.34	52.77	52.74
MW-147	231733.85	1268501.67	51.85	52.39	52.36
MW-148	231731.90	1268725.60	43.91	44.29	44.27
MW-149	231983.66	1268528.97	35.22	35.90	35.66
MW-150	231978.38	1268525.54	35.39	35.86	35.75
MW-151	231899.51	1268403.10	39.38	40.05	39.94
MW-152	231898.22	1268391.47	39.11	39.90	39.85
MW-153	231734.96	1268443.98	54.35	54.79	54.75
MW-154	231733.87	1268485.83	52.57	53.07	53.05
MW-155	231733.31	1268721.17	46.05	46.44	46.39
MW-156	232036.58	1268683.09	41.24	41.70	41.64
MW-157	232040.85	1268683.21	41.22	41.66	41.61
MW-158	232045.84	1268683.06	41.09	41.52	41.51
MW-159	231910.30	1268680.42	42.79	43.28	43.25

**INJECTION WELLS**

WELL ID	NORTHING	EASTING	TOP MONUMENT (LID)	ADJACENT GRADE (NORTH)
IW-1A	232028.04	1268539.39	37.01	37.01
IW-2A	232025.70	1268566.64	39.56	39.57
IW-3A	232009.21	1268471.14	39.23	39.22
IW-4A	232010.35	1268500.28	38.92	38.90
IW-5A	232004.88	1268529.18	36.00	36.05
IW-6A	232009.61	1268551.56	37.74	37.76
IW-7A	232008.24	1268577.15	40.06	40.09
IW-8A	232008.24	1268600.43	41.48	41.47
IW-9A	231992.20	1268456.41	39.25	39.22
IW-10A	231983.63	1268491.57	39.27	39.23
IW-11A	231988.42	1268519.48	35.37	35.29
IW-12A	231988.12	1268540.14	36.72	36.65
IW-13A	231986.17	1268565.44	38.40	38.42
IW-14A	231985.77	1268587.75	40.89	40.83
IW-15A	231990.54	1268611.47	41.84	41.81
IW-16A	231966.09	1268409.38	39.09	39.08
IW-17A	231980.01	1268472.68	39.13	39.11
IW-18A	231967.53	1268499.98	38.92	38.90
IW-19A	231965.23	1268523.81	37.50	37.48
IW-20A	231964.96	1268549.04	37.42	37.44
IW-21A	231964.18	1268574.60	39.44	39.28
IW-22A	231963.49	1268597.88	41.86	41.80
IW-23A	231947.95	1268464.14	39.05	39.02
IW-24A	231951.88	1268486.39	39.19	39.12
IW-25A	231944.62	1268511.47	38.45	38.13
IW-26A	231943.60	1268536.37	38.82	38.68
IW-27A	231943.08	1268562.59	38.41	38.41
IW-28A	231941.99	1268588.74	42.04	42.00
IW-29A	231921.38	1268621.50	39.61	39.55
IW-30A	231928.37	1268648.35	39.19	39.08
IW-31A	231907.20	1268484.93	40.05	40.07
IW-32A	231907.86	1268395.74	39.90	39.86
IW-33A	231911.19	1268513.26	40.17	40.18
IW-34A	231907.87	1268413.88	39.98	39.92
IW-35A	231887.90	1268475.13	40.55	40.41
IW-36A	231881.69	1268377.32	39.90	39.90
IW-37A	231880.66	1268499.95	40.41	40.39
IW-38A	231893.71	1268403.80	39.99	40.07
IW-39A	231886.82	1268426.72	39.94	39.87
IW-40A	231859.14	1268386.01	51.78	51.76
IW-41A	231855.89	1268411.44	51.70	51.65
IW-42A	231839.74	1268386.17	51.84	51.84
IW-43A	231829.78	1268569.60	39.72	39.64
IW-44A	231828.30	1268595.81	39.83	39.83
IW-45A	231821.88	1268383.46	51.88	51.89
IW-46A	231811.45	1268353.05	39.92	39.88
IW-47A	231810.82	1268557.69	39.87	39.87
IW-48A	231810.01	1268581.43	39.95	39.92
IW-49A	*	*	*	*
IW-50A	231839.62	1268408.58	51.85	51.81
IW-51A	231821.33	1268402.42	51.81	51.89
IW-2B	232032.13	1268536.68	36.82	36.81
IW-2B	232031.13	1268536.86	39.54	39.56
IW-3B	232006.05	1268496.44	39.10	39.07
IW-4B	232009.32	1268527.20	36.07	36.08
IW-5B	232009.88	1268547.37	37.47	37.43
IW-6B	232010.79	1268572.95	39.63	39.65
IW-7B	232012.09	1268598.78	41.52	41.48
IW-8B	231991.12	1268464.24	39.24	39.19
IW-9B	231980.09	1268495.30	39.18	39.16
IW-10B	231992.62	1268518.75	35.43	35.41
IW-11B	231991.42	1268536.38	36.44	36.28
IW-12B	231990.46	1268561.38	38.04	38.03
IW-13B	231990.83	1268586.98	40.73	40.68
IW-14B	231991.75	1268607.87	41.64	41.63
IW-15B	231966.44	1268445.61	39.15	39.10
IW-16B	231964.68	1268474.83	39.04	39.00
IW-17B	231964.43	1268497.35	39.08	39.03
IW-18B	231958.50	1268521.69	37.74	37.52
IW-19B	231970.53	1268546.16	37.43	37.36
IW-20B	231966.62	1268572.06	39.07	39.06
IW-21B	231965.95	1268595.39	41.91	41.88
IW-22B	231953.54	1268457.17	39.12	39.05
IW-23B	231954.58	1268480.66	39.12	39.05
IW-24B	231953.94	1268508.92	38.16	38.11
IW-25B	231949.46	1268539.41	38.52	38.43
IW-26B	231948.69	1268563.65	38.59	38.59
IW-27B	231946.65	1268587.77	41.97	41.89
IW-28B	231939.89	1268431.68	39.20	39.15
IW-29B	231932.45	1268452.23	39.14	39.08
IW-30B	231931.20	1268480.26	39.21	39.15
IW-31B	231928.68	1268503.10	39.06	38.91
IW-32B	231925.09	1268528.67	39.55	39.46
IW-33B	231935.50	1268549.42	38.79	38.73
IW-34B	231965.73	1268396.32	39.90	39.85
IW-35B	231964.15	1268414.12	39.94	39.92
IW-36B	231906.53	1268437.81	39.83	39.82
IW-37B	231903.88	1268462.74	39.68	39.69
IW-38B	231899.19	1268485.27	40.05	40.07
IW-39B	231904.74	1268509.82	40.21	40.16
IW-40B	231886.84	1268376.85	39.94	39.94
IW-41B	231886.10	1268401.06	39.98	39.92
IW-42B	231885.89	1268422.06	40.04	39.98
IW-43B	231885.58	1268445.99	40.18	40.00
IW-44B	231881.49	1268471.69	40.58	40.56
IW-45B	231882.27	1268496.31	40.06	40.07
IW-46B	231857.02	1268379.28	51.83	51.82
IW-47B	231853.44	1268407.67	51.80	51.76
IW-48B	231853.84	1268432.22	51.68	51.69
IW-49B	231853.74	1268335.86	39.88	39.88
IW-50B	231851.81	1268557.26	39.90	39.88
IW-51B	231814.30	1268580.89	39.88	39.88
IW-52B	*	*	*	*
IW-1C	232011.33	1268506.76	39.14	39.12
IW-2C	232009.90	1268331.69	36.33	36.24
IW-3C	231985.98	1268497.19	39.13	39.09
IW-4C	231983.41	1268510.44	35.31	35.19
IW-5C	231981.83	1268537.55	36.55	36.38
IW-6C	231980.97	1268559.78	37.99	37.95
IW-7C	231963.53	1268490.47	39.23	39.16
IW-8C	231965.32	1268520.09	37.50	37.46
IW-9C	231942.01	1268510.55	38.37	38.06
IW-10C	231935.57	1268445.70	39.20	39.15
IW-11C	231915.53	1268402.98	39.97	39.83
IW-12C	231913.46	1268427.89	39.87	39.86
IW-13C	231912.34	1268452.88	39.81	39.78
IW-14C	231912.58	1268477.86	39.64	39.54
IW-15C	231889.64	1268396.38	39.93	39.92
IW-16C	231893.12	1268410.93	39.87	39.86
IW-17C	231891.79	1268430.93	39.95	39.84
IW-18C	231892.02	1268464.20	40.19	40.12
IW-19C	231885.48	1268484.72	40.47	40.34
IW-20C	231874.37	1268402.17	40.41	40.19
IW-21C	231875.45	1268426.07	40.38	40.16
IW-1D	231954.46	1268514.49	37.79	37.67
IW-2D	231934.13	1268501.07	38.94	38.89
IW-3D	231940.10	1268511.41	38.59	38.34
IW-4D	231921.76	1268404.67	39.91	39.80
IW-5D	231921.50	1268432.73	39.87	39.86
IW-6D	231897.65	1268397.52	39.95	39.87
IW-7D	231898.51	1268419.76	39.86	39.84
IW-8D	231896.56	1268443.79	39.53	39.65
IW-9D	231881.62	1268405.77	40.07	40.00
IW-10D	231879.14	1268453.53	40.28	40.19
IW-11D	231953.61	1268536.76	38.37	38.18
UNIDENTIFIED	231851.03	1268471.74	51.78	51.76



drawn by: TTB/FWH checked by: JMH  
 scale: 1" = 20' date: 5/08/18  
 job no: 2017025.05  
 sheet 1 of 1

**BUSH, ROED & HITCHINGS, INC.**  
 LAND SURVEYORS & CIVIL ENGINEERS  
 2009 MINOR AVE. EAST  
 SEATTLE, WASHINGTON  
 98102-3513  
 (206) 323-4144  
 (206) 323-7135  
 FAX# (206) 323-7135

**BRH**

SOIL BORING, MONITOR WELL & INJECTION WELL EXHIBIT  
 BIOMED REALTY, L.P.  
 700 DEXTER AVENUE NORTH  
 SEATTLE, WASHINGTON  
 KING COUNTY

TABLE 5/01/18 INJECTION WELLS					
WELL ID	NORTHING	EASTING	TOP MONUMENT (LID)	ADJACENT GRADE (NORTH)	
IW-1A	232028.04	1268539.39	37.01	37.01	
IW-2A	232025.70	1268566.64	39.56	39.57	
IW-3A	232008.21	1268471.14	39.23	39.22	
IW-4A	232010.35	1268500.28	38.92	38.90	
IW-5A	232004.88	1268529.18	36.00	36.05	
IW-6A	232009.61	1268551.56	37.74	37.76	
IW-7A	232008.24	1268577.15	40.06	40.09	
IW-8A	232008.24	1268600.43	41.48	41.47	
IW-9A	231992.20	1268456.41	39.25	39.22	
IW-10A	231983.63	1268491.57	39.27	39.23	
IW-11A	231988.42	1268519.48	35.27	35.29	
IW-12A	231988.12	1268540.14	36.72	36.65	
IW-13A	231986.17	1268565.44	38.40	38.42	
IW-14A	231985.77	1268587.75	40.89	40.83	
IW-15A	231990.54	1268611.47	41.84	41.81	
IW-16A	231966.09	1268449.98	39.09	39.08	
IW-17A	231980.01	1268472.88	39.13	39.11	
IW-18A	231967.53	1268499.98	38.92	38.90	
IW-19A	231965.23	1268523.81	37.50	37.48	
IW-20A	231964.96	1268549.04	37.42	37.44	
IW-21A	231964.18	1268574.60	39.44	39.28	
IW-22A	231963.49	1268597.88	41.86	41.86	
IW-23A	231947.95	1268461.14	39.05	39.02	
IW-24A	231951.88	1268486.39	39.19	39.12	
IW-25A	231944.62	1268511.47	38.45	38.13	
IW-26A	231943.60	1268536.37	38.82	38.68	
IW-27A	231943.08	1268562.59	38.41	38.41	
IW-28A	231941.99	1268588.74	42.04	42.00	
IW-29A	231921.38	1268521.50	39.61	39.55	
IW-30A	231928.37	1268548.35	39.19	39.08	
IW-31A	231907.20	1268464.93	40.05	40.07	
IW-32A	231907.86	1268395.74	39.90	39.86	
IW-33A	231911.19	1268513.26	40.17	40.18	
IW-34A	231907.87	1268413.88	39.98	39.92	
IW-35A	231887.90	1268475.13	40.55	40.41	
IW-36A	231881.69	1268377.32	39.90	39.90	
IW-37A	231880.66	1268489.05	40.43	40.39	
IW-38A	231893.71	1268403.60	39.99	40.07	
IW-39A	231886.82	1268426.72	39.94	39.87	
IW-40A	231859.14	1268386.01	51.78	51.76	
IW-41A	231855.89	1268411.44	51.70	51.65	
IW-42A	231839.74	1268386.17	51.84	51.84	
IW-43A	231829.78	1268569.60	39.72	39.64	
IW-44A	231828.30	1268595.81	39.83	39.82	
IW-45A	231821.88	1268633.66	51.88	51.89	
IW-46A	231811.45	1268535.05	39.92	39.88	
IW-47A	231810.82	1268557.69	39.87	39.87	
IW-48A	231810.01	1268581.43	39.95	39.92	
IW-49A	*	*	*	*	
IW-50A	231839.62	1268408.58	51.85	51.81	
IW-51A	231822.33	1268402.42	51.91	51.89	
IW-52A	232022.13	1268536.68	36.82	36.81	
IW-53A	232011.33	1268563.86	39.54	39.56	
IW-54A	232006.05	1268496.44	39.10	39.07	
IW-55A	232009.32	1268527.20	36.07	36.08	
IW-56A	232009.88	1268547.37	37.47	37.43	
IW-57A	232010.79	1268572.95	39.63	39.65	
IW-58A	232012.09	1268598.78	41.52	41.48	
IW-59A	231991.12	1268464.24	39.24	39.19	
IW-60A	231980.09	1268495.30	39.18	39.16	
IW-61A	231992.62	1268518.75	35.43	35.41	
IW-62A	231991.42	1268536.38	36.44	36.28	
IW-63A	231990.46	1268561.38	38.04	38.03	
IW-64A	231990.83	1268586.98	40.73	40.68	
IW-65A	231991.75	1268607.87	41.64	41.63	
IW-66A	231966.44	1268456.11	39.15	39.10	
IW-67A	231964.68	1268474.83	39.04	39.00	
IW-68A	231964.43	1268497.35	39.08	39.03	
IW-69A	231958.50	1268521.69	37.74	37.52	
IW-70A	231970.53	1268546.16	37.43	37.36	
IW-71A	231968.62	1268572.06	39.07	39.06	
IW-72A	231966.95	1268595.29	41.91	41.88	
IW-73A	231953.54	1268417.17	39.05	39.05	
IW-74A	231954.58	1268480.66	39.12	39.05	
IW-75A	231953.94	1268508.92	38.16	38.11	
IW-76A	231949.46	1268539.41	38.52	38.43	
IW-77A	231948.69	1268563.65	38.59	38.59	
IW-78A	231946.65	1268587.77	41.97	41.89	
IW-79A	231930.89	1268418.68	39.20	39.16	
IW-80A	231922.45	1268452.23	39.14	39.08	
IW-81A	231931.20	1268480.26	39.21	39.15	
IW-82A	231928.68	1268503.10	39.06	38.91	
IW-83A	231925.09	1268528.67	39.55	39.46	
IW-84A	231935.50	1268549.42	38.79	38.73	
IW-85A	231905.73	1268390.32	39.90	39.85	
IW-86A	231904.16	1268414.12	39.94	39.92	
IW-87A	231906.53	1268437.81	39.83	39.82	
IW-88A	231903.88	1268462.74	39.68	39.69	
IW-89A	231899.19	1268485.27	40.05	40.07	
IW-90A	231904.74	1268509.82	40.21	40.16	
IW-91A	231886.84	1268376.85	39.94	39.94	
IW-92A	231888.10	1268401.06	39.98	39.92	
IW-93A	231885.88	1268422.06	40.04	39.98	
IW-94A	231885.58	1268445.99	40.18	40.00	
IW-95A	231881.49	1268471.69	40.58	40.56	
IW-96A	231882.27	1268496.31	40.06	40.07	
IW-97A	231857.02	1268379.28	51.83	51.82	
IW-98A	231853.44	1268407.67	51.80	51.76	
IW-99A	231853.84	1268432.22	51.68	51.60	
IW-100A	231815.74	1268535.86	39.88	39.88	
IW-101A	231815.81	1268557.26	39.90	39.88	
IW-102A	231814.30	1268580.89	39.88	39.88	
IW-103A	**	**	**	**	
IW-104A	232011.33	1268506.76	39.14	39.12	
IW-105A	232009.90	1268531.69	36.33	36.24	
IW-106A	231985.98	1268497.19	39.13	39.09	
IW-107A	231983.41	1268519.44	35.31	35.19	
IW-108A	231981.83	1268537.55	36.55	36.38	
IW-109A	231980.97	1268559.78	37.99	37.95	
IW-110A	231963.53	1268490.47	39.23	39.16	
IW-111A	231965.32	1268520.09	37.50	37.46	
IW-112A	231942.01	1268516.55	38.37	38.06	
IW-113A	231935.67	1268416.70	39.20	39.15	
IW-114A	231915.53	1268402.98	39.97	39.83	
IW-115A	231913.46	1268427.89	39.87	39.86	
IW-116A	231912.34	1268452.88	39.81	39.78	
IW-117A	231912.58	1268477.86	39.64	39.54	
IW-118A	231889.64	1268396.38	39.93	39.92	
IW-119A	231893.12	1268416.93	39.87	39.86	
IW-120A	231891.79	1268439.93	39.95	39.84	
IW-121A	231892.02	1268464.20	40.19	40.12	
IW-122A	231885.48	1268484.72	40.47	40.34	
IW-123A	231874.37	1268402.17	40.41	40.19	
IW-124A	231875.45	1268426.07	40.38	40.16	
IW-125A	231954.46	1268514.49	37.79	37.67	
IW-126A	231934.13	1268501.07	38.94	38.89	
IW-127A	231940.10	1268525.41	38.59	38.36	
IW-128A	231921.76	1268404.67	39.91	39.80	
IW-129A	231921.50	1268432.73	39.87	39.86	
IW-130A	231897.65	1268397.52	39.95	39.87	
IW-131A	231898.51	1268419.76	39.86	39.84	
IW-132A	231896.56	1268443.79	39.53	39.65	
IW-133A	231881.02	1268405.77	40.07	40.00	
IW-134A	231879.14	1268430.53	40.28	40.19	
IW-135A	231953.61	1268536.76	38.37	38.18	
UNIDENTIFIED	231851.03	1268471.74	51.78	51.76	

\* IW-48A NOT DRILLED AT TIME OF SURVEY  
\*\* IW-52B NOT FOUND


TABLE 5/01/18 SOIL BORINGS				
BORING ID	NORTHING	EASTING	ADJ. GRADE (NORTH)	
B-239	232010.81	1268455.45	39.24	
B-240	231984.23	1268445.88	39.24	
B-241	231958.45	1268444.93	39.08	
B-242	231959.03	1268395.16	38.84	
B-243	231911.19	1268379.31	39.88	
B-244	231894.07	1268560.60	38.79	
B-245	231812.38	1268542.23	39.90	
B-246	*	*	*	
B-247	231907.63	1268459.49	39.73	
B-248	231824.98	1268430.90	51.85	

\* B-246 NOT DRILLED AT TIME OF SURVEY

TABLE 5/01/18 MONITOR WELLS					
WELL ID	NORTHING	EASTING	TOP OF CASING (PVC)	TOP MONUMENT (LID)	ADJACENT GRADE (NORTH)
MW-142	231977.91	1268681.79	42.12	42.43	42.44
MW-143	231974.66	1268681.54	42.04	42.48	42.43
MW-144	231857.59	1268680.09	43.50	43.88	43.87
MW-145	231851.15	1268678.28	43.46	43.87	43.86
MW-146	231733.61	1268493.78	52.34	52.77	52.74
MW-147	231733.85	1268501.67	51.85	52.39	52.38
MW-148	231731.90	1268725.60	43.91	44.29	44.27
MW-149	231983.66	1268528.97	35.22	35.90	35.66
MW-150	231978.38	1268528.54	35.39	35.86	35.75
MW-151	231899.51	1268403.10	39.38	40.05	39.94
MW-152	231898.22	1268391.47	39.11	39.90	39.85
MW-153	231734.96	1268443.98	54.35	54.79	54.75
MW-154	231733.87	1268485.83	52.57	53.07	53.05
MW-155	231731.31	1268721.87	44.05	44.44	44.39
MW-156	232026.58	1268683.09	41.24	41.70	41.64
MW-157	232040.85	1268683.21	41.22	41.66	41.61
MW-158	232045.84	1268683.06	41.09	41.52	41.51
MW-159	231910.30	1268680.42	42.79	43.28	43.25

HORIZONTAL DATUM: NAD 83/91  
 HORIZONTAL CONTROL:  
 OWNER: CITY OF SEATTLE  
 ID#: NONE  
 DESCRIPTION: 2" ALUMINUM MONUMENT IN CASE 0.6" BELOW STREET GRADE  
 LOCATION: INTERSECTION OF THE E & DEXTER AVE N & VALLEY ST.  
 NORTHING: 231776.03  
 EASTING: 1268526.41  
 OWNER: CITY OF SEATTLE  
 ID#: NONE  
 DESCRIPTION: TACK IN LEAD IN MONUMENT CASE 2" BELOW STREET GRADE  
 LOCATION: INTERSECTION OF THE E'S OF DEXTER AVE N & ROY ST.  
 NORTHING: 189940.35  
 EASTING: 1282598.30  
 VERTICAL DATUM: NAVD88  
 BENCHMARKS:  
 SOURCE: CITY OF SEATTLE  
 ID#: SNV-5182  
 DESCRIPTION: 1" BRASS CAP STAMPED "C" OF "S"  
 LOCATION: 0.5' WEST OF THE NW CORNER OF BLDG ON EAST SIDE OF STREET AT 1100 DEXTER AVE NORTH  
 ELEVATION: 62.61  
 SOURCE: CITY OF SEATTLE  
 ID#: SNV-5009  
 DESCRIPTION: 2" BRASS CAP STAMPED "CITY OF SEATTLE SURVEY 5009"  
 LOCATION: BACK SEAM OF CW 12' WEST OF INTX BACK OF CW AT NW COR OF INTX OF WESTLAKE AVE N & REPUBLICAN ST  
 ELEVATION: 41.15

SUPPLEMENTAL TABLE 10/12/18 MONITOR WELLS					
WELL ID	NORTHING	EASTING	TOP OF CASING (PVC)	TOP MONUMENT (LID)	ADJACENT GRADE (NORTH)
MW-160	231968.95	12			



**BUSH, ROED & HITCHINGS, INC.**  
 LAND SURVEYORS & CIVIL ENGINEERS  
 2009 MINOR AVE EAST  
 SEATTLE, WASHINGTON  
 98102-3513  
 (206) 323-4144  
 1-800-935-0508  
 FAX# (206) 323-7135



SOIL BORING, MONITOR WELL & INJECTION WELL EXHIBIT  
**BIOMED REALTY, L.P.**  
 700 DEXTER AVENUE NORTH  
 SEATTLE  
 KING COUNTY WASHINGTON

Drawn by	TTB/FWH	Checked by	JMH
Scale	1" = 20'	Date	10/31/18
Job No.	2017025.09		
Sheet	2	of	3

2017-12-12 12:42:33 2017025.SURVEYING.DWG.VS-EXB-09.DWG





VICINITY MAP  
NO SCALE

TABLE 6/16/20 & 7/31/20					
MONITOR WELLS					
WELL ID	NORTHING	EASTING	TOP OF CASING (PVC)	TOP MONUMENT (LID)	ADJACENT GRADE (NORTH)
MW-330	232100.63	1268462.17	51.67*	52.08*	52.04*
MW-331	232268.59	1268814.53	30.43	31.22	31.21
MW-332	231795.43	1268801.68	35.72	36.30	36.32
MW-333	231888.32	1269115.52	31.10	31.74	31.67
MW-334	231890.01	1269119.58	31.22	31.46	31.40
MW-335	231541.10	1269109.62	34.26	35.17	35.18
MW-336	231540.07	1269151.51	33.31	33.67	33.68
MW-337	232192.21	1269172.36	27.51	27.88	27.76
MW-338	232184.99	1269175.12	27.38	27.90	27.84
MW-339	232014.53	1269264.79	28.06	28.37	28.25
MW-340	232016.44	1269259.00	28.02	28.41	28.31
MW-341	232010.55	1269261.00	28.11	28.52	28.45
MW-342	231859.08	1269512.87	27.37	27.68	27.66
MW-343	231859.54	1269520.38	27.16*	27.68*	27.64*
MW-107	231885.01	1268625.98	43.70	43.90	43.87
GEI-MW-1	232238.25	1268931.69	30.30	30.63	

ELEVATIONS DETERMINED USING LEICA NA724 AUTOMATIC OPTICAL LEVEL UNLESS OTHERWISE NOTED  
\*ELEVATIONS DETERMINED USING TOPCON GT SERIES 1-SECOND ROBOTIC TOTAL STATION  
(VEHICLE PARKED OVER WELL AT TIME OF LEVEL RUN)

TABLE 6/16/20 & 7/31/20					
SOIL VAPOR MONITORING POINTS					
WELL ID	NORTHING	EASTING	TOP OF CASING (PVC)	TOP MONUMENT (LID)	ADJACENT GRADE (NORTH)
SV-01	231993.39	1268682.67	*	42.22	42.20
SV-02	231906.35	1268681.25	43.10	43.36	43.36
SV-03	231828.33	1268677.87	**	44.11	44.10
SV-04	231731.45	1268731.27	45.08	44.09	44.06
SV-05	231729.81	1268730.14	44.66	44.15	
SV-06	231733.96	1268477.86	54.97	53.39	53.36
SV-07	231732.37	1268477.85	54.06	53.44	53.41
SV-08	232123.75	1268675.48	41.68	40.94	40.91
SV-09	232123.94	1268676.85	42.46	40.86	
SV-10	232097.54	1268468.28	52.61	51.85	51.81
SV-11	232098.99	1268469.07	52.13	51.73	
SV-12	232097.56	1268584.70	45.72	44.62	
SV-13	232099.47	1268585.90	45.28	44.46	44.42
SV-14	231796.41	1268785.24	40.56	40.92	40.93
SV-15	231798.41	1268785.09	41.41	40.99	
SV-16	231859.20	1268669.51	44.45	42.99	
SV-17	231906.41	1268668.95	43.69	42.10	
SV-18	231982.22	1268669.89	43.63	42.06	42.05
SV-19	231840.64	1268933.23	35.35	35.20	35.19
SV-20	231842.83	1268933.28	35.15	35.16	35.15
SV-21	231953.22	1268808.91	35.60	35.35	35.30
SV-22	231955.46	1268808.90	35.26	35.28	
SV-23	232034.81	1268805.42	33.63	33.39	
SV-24	232036.82	1268805.37	33.86	33.32	33.29
SV-25	231918.58	1268293.10	58.47	58.18	
SV-26	231916.60	1268293.08	58.48	58.23	
SV-27	232025.83	1268295.72	59.26	58.59	58.59
SV-28	232023.76	1268295.62	58.76	58.59	58.60

\*NO ELEVATION OBTAINED (UNABLE TO OPEN LID)  
\*\* NO ELEVATION OBTAINED (BARRICADE ON TOP OF LID)

HORIZONTAL DATUM: NAD 83/91

HORIZONTAL CONTROL:

OWNER: CITY OF SEATTLE  
ID#: NONE  
DESCRIPTION: 2" ALUMINUM MONUMENT IN CASE 0.6' BELOW STREET GRADE  
LOCATION: INTERSECTION OF THE E OF DEXTER AVE N & VALLEY ST.  
NORTHING: 231776.03  
EASTING: 1268326.41

OWNER: CITY OF SEATTLE  
ID#: NONE  
DESCRIPTION: TACK IN LEAD IN MONUMENT CASE 2' BELOW STREET GRADE  
LOCATION: INTERSECTION OF THE E'S OF DEXTER AVE N & ROY ST

NORTHING: 198949.35  
EASTING: 1282598.30

VERTICAL DATUM: NAVD88

BENCHMARKS:

SOURCE: CITY OF SEATTLE  
ID#: SNV-5182

DESCRIPTION: 2" BRASS CAP STAMPED  
"C OF S"

LOCATION: 0.5' WEST OF THE NW CORNER OF BLDG ON EAST SIDE OF STREET AT 1100 DEXTER AVE NORTH

ELEVATION: 82.81

SOURCE: CITY OF SEATTLE  
ID#: SNV-5009

DESCRIPTION: 2" BRASS CAP STAMPED "CITY OF SEATTLE SURVEY 5009"

LOCATION: BACK SEAM OF CW 12' WEST OF INTX BACK OF CW AT NW COR. OF INTX OF WESTLAKE AVE N & REPUBLICAN ST

ELEVATION: 41.13

PRELIMINARY


DATE	
REVISION	
NO.	



**BUSH, ROED & HITCHINGS, INC.**  
LAND SURVEYORS & CIVIL ENGINEERS  
2009 MINOR AVE EAST  
SEATTLE, WASHINGTON  
98102-3513  
(206) 323-4144  
1-800-935-0508  
FAX# (206) 323-7135


MONITOR WELL & SOIL VAPOR MONITORING POINT EXHIBIT  
**BIOMED REALTY, L.P.**  
700 DEXTER AVENUE NORTH  
SEATTLE, KING COUNTY, WASHINGTON

Drawn by	TTB/FWH	Checked by	JMH
Scale	1" = 20'	Date	8/17/20
Job No.	2017025.13		
Sheet	1	of	3



**LEGEND**

-  ASPHALT (ASPH)
-  BRICK SURFACE
-  CONCRETE SURFACE
-  CENTERLINE/MONUMENT LINE
-  FOUND SURVEY MONUMENT
-  INJECTION WELL
-  MONITOR WELL
-  PROPERTY LINE (PL)
-  SOIL VAPOR PROBE
-  TEST PIT/SOIL BORING



SEE SHEET 3 OF 3

SEE SHEET 3 OF 3

DATE	
REVISION	
NO.	



**BUSH, ROED & HITCHINGS, INC.**  
 LAND SURVEYORS & CIVIL ENGINEERS  
 2009 MINOR AVE. EAST  
 SEATTLE, WASHINGTON  
 98102-3513  
 (206) 323-4144  
 1-800-935-0508  
 FAX# (206) 323-7135



WASHINGTON

MONITOR WELL & SOIL VAPOR MONITORING POINT EXHIBIT  
**BIOMED REALTY, L.P.**  
 700 DEXTER AVENUE NORTH  
 SEATTLE  
 KING COUNTY

drawn by  
TTB/FWH

checked by  
JMH

scale  
1" = 20'

date  
8/17/20

job no.  
2017025.13

sheet  
2 of 3

2017-08-17 8:17:20 AM C:\3D\2017\2017025\SURVEYING\DWG\YS-EXB-11.DWG





<b>Survey #</b>	<b>Northing</b>	<b>Easting</b>	<b>Elevation</b>	<b>Survey Point</b>	<b>Well</b>
3024	231,674.4841	1,268,545.5193	51.906	Top Monument	MW-346
3025	231,675.0782	1,268,545.1594	51.7756	Ground	
3026	231,674.2058	1,268,545.5009	51.6322	Top PVC	
3027	231,645.9980	1,268,541.9004	52.978	Top Monument	MW-347
3028	231,646.7450	1,268,541.5402	52.7889	Ground	
3044	231,645.6562	1,268,541.9178	52.6998	Top PVC	
3029	231,609.6064	1,268,533.1916	54.1327	Top Monument	MW-348
3030	231,610.7123	1,268,532.6323	53.9604	Ground	
3043	231,609.2874	1,268,533.2607	53.8425	Top PVC	
3031	231,574.6175	1,268,490.3186	55.9183	Top Monument	MW-349
3032	231,575.7805	1,268,490.2486	55.8382	Ground	
3042	231,574.3176	1,268,490.3328	55.5816	Top PVC	
3033	231,635.4599	1,268,407.7513	57.8975	Top Monument	MW-350
3034	231,637.2857	1,268,408.0550	57.7733	Ground	
3041	231,635.1419	1,268,407.6988	57.5461	Top PVC	
3035	231,685.3092	1,268,477.6006	53.0589	Top Monument	MW-344
3036	231,686.2978	1,268,477.0363	53.024	Ground	
3040	231,685.0999	1,268,477.8225	52.6984	Top PVC	
3037	231,688.1526	1,268,481.4249	52.8703	Top Monument	MW-345
3038	231,688.8650	1,268,480.8941	52.8491	Ground	
3039	231,687.9008	1,268,481.5879	52.6062	Top PVC	