

APPENDIX G

SOIL, GROUNDWATER, AND SOIL VAPOR CHEMISTRY TABLES

APPENDIX G TABLES

Table G-1	On Property Soil Results for Petroleum Hydrocarbons and VOCs
Table G-2	Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
Table G-3	Off Property Soil Results for Petroleum Hydrocarbons and VOCs
Table G-4	615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
Table G-5	Petroleum Hydrocarbons and VOCs in Groundwater – 2017 and 2021
Table G-6	Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
Table G-7	Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
Table G-8	Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
Table G-9	Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
Table G-10	Summary of Reconnaissance Groundwater Analytical Data
Table G-11	Soil Vapor Analytical Results
Table G-12	Estimated Hydraulic Conductivity Based on Grain Size Analyses

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
B-1	B-1-13	6/23/00	TR	ARI	13	27.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2	B-2-6.5	6/23/00	TR	ARI	6.5	33.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-2-11	6/23/00	TR	ARI	11	29.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-2-16	6/23/00	TR	ARI	16	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	B-3-12	6/23/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	B-5-10	6/23/00	TR	ARI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-5-11.5	6/23/00	TR	ARI	11.5	28.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	B-6-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-18	6/24/00	TR	ARI	18	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	B-7-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	B-8-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-8-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	B-9-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-9-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	B-10-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-201	G-201-10	6/19/17	PES	ESC	10	29.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-201-30	6/19/17	PES	ESC	30	9.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-201-35	6/19/17	PES	ESC	35	4.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-202	G-202-5	6/19/17	PES	ESC	5	34.2	S	0.0404 U	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-202-20	6/19/17	PES	ESC	20	19.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-202-50	6/19/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-203	G-203-5	6/20/17	PES	ESC	5	34.2	S	168	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-25	6/20/17	PES	ESC	25	14.2	S	0.174	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-40	6/20/17	PES	ESC	40	-0.8	S	0.788 U	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-50	6/20/17	PES	ESC	50	-10.8	S	0.216	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-80	6/20/17	PES	ESC	80	-40.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-204	G-204-20	6/20/17	PES	ESC	20	19.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-204-40	6/20/17	PES	ESC	40	-0.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-204-45	6/20/17	PES	ESC	45	-5.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-205	B-205-10	8/30/17	PES	ESC	10	30.3	S	274	-	-	-	0.0318 U	0.0345 U	0.0440 U	0.0334 U	0.0440 U	0.0240 U	0.0365 U	0.0382 U	0.0369 U	0.0894 U
	B-205-55	8/30/17	PES	ESC	55	-14.7	S	0.0396 U	-	-	-	0.000308 U	0.000334 U	0.000426 U	0.000324 U	0.000426 U	0.000232 U	0.000354 U	0.000370 U	0.000358 U	0.000866 U
	B-205-65	8/30/17	PES	ESC	65	-24.7	S	0.0359 U	-	-	-	0.000280 U	0.000303 U	0.000387 U	0.000293 U	0.000387 U	0.000211 U	0.000321 U	0.000336 U	0.000324 U	0.000785 U
	B-205-75	8/30/17	PES	ESC	75	-34.7	S	-	-	-	-	0.000283 U	0.000306 U	0.000391 U	0.000297 U	0.000391 U	0.000213 U	0.000324 U	0.000339 U	0.000328 U	0.000794 U
	B-904-50	8/30/17	PES	ESC	75 (dup)	-34.7	S	-	-	-	-	0.000283 U	0.000307 U	0.000392 U	0.000297 U	0.000392 U	0.000213 U	0.000325 U	0.000340 U	0.000328 U	0.000795 U
B-206	B-206-15	8/14/17	PES	ESC	15	24.1	S	0.243	-	-	-	0.00760 U	0.00823 U	0.0105 U	0.00796 U	0.0105 U	0.00573 U	0.00872 U	0.00911 U	0.00880 U	0.0213 U
	B-206-30	8/14/17	PES	ESC	30	9.1	S	1.32	-	-	-	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000364 U	0.000351 U	0.000850 U	
	B-206-40	8/14/17	PES	ESC	40	-0.9	S	0.0358 U	-	-	-	0.000279 U	0.000302 U	0.000386 U	0.000293 U	0.000386 U	0.000210 U	0.000320 U	0.000335 U	0.000323 U	0.000783 U
	B-206-49	8/14/17	PES	ESC	49	-9.9	S	4.54	-	-	-	0.000301 U	0.000326 U	0.000416 U	0.000316 U	0.000416 U	0.000227 U	0.000751	0.000361 U	0.000349 U	0.000844 U
	B-206-52	8/14/17	PES	ESC	52	-12.9	S	0.0370 U	-	-	-	0.000288 U	0.000312 U	0.000399 U	0.000302 U	0.000399 U	0.000217 U	0.000331 U	0.000346 U	0.000334 U	0.000809 U
	B-206-56	8/14/17	PES	ESC	56	-16.9	S	1.01	-	-	-	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.00103 J	0.000348 U	0.000336 U	0.000814 U
	B-206-59	8/14/17	PES	ESC	59	-19.9	S	0.0353 U	-	-	-	0.000275 U	0.000298 U	0.000380 U	0.000288 U	0.000380 U	0.000207 U	0.000315 U	0.000330 U	0.000318 U	0.000771 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-206 (continued)	B-206-70	8/14/17	PES	ESC	70	-30.9	S	1.10 J	–	–	–	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000807 U
	B-206-80	8/14/17	PES	ESC	80	-40.9	S	0.988 J	–	–	–	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000330 U	0.000346 U	0.000334 U	0.000808 U
B-207	B-207-30	8/25/17	PES	ESC	30	8.5	S	0.0385 U	–	–	–	0.00750 U	0.00812 U	0.0104 U	0.00786 U	0.0104 U	0.00566 U	0.00861 U	0.00900 U	0.00869 U	0.0210 U
	B-207-41	8/25/17	PES	ESC	41	-2.5	S	2.24	–	–	–	0.000299 U	0.000324 U	0.000413 U	0.000314 U	0.000413 U	0.000225 U	0.00404	0.000359 U	0.000347 U	0.000839 U
	B-207-49	8/25/17	PES	ESC	49	-10.5	S	0.727	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000497 J	0.000354 U	0.000341 U	0.000827 U
	B-207-55	8/25/17	PES	ESC	55	-16.5	S	2.49	–	–	–	0.000308 U	0.000334 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.0148	0.000370 U	0.000357 U	0.000865 U
	B-207-60	8/25/17	PES	ESC	60	-21.5	S	0.0361 U	–	–	–	0.000281 U	0.000304 U	0.000388 U	0.000295 U	0.000388 U	0.000212 U	0.000323 U	0.000337 U	0.000326 U	0.000789 U
	B-207-70	8/25/17	PES	ESC	70	-31.5	S	0.968 U	–	–	–	0.000301 U	0.000327 U	0.000417 U	0.000316 U	0.000417 U	0.000227 U	0.000346 U	0.000362 U	0.000349 U	0.000846 U
	B-207-80	8/25/17	PES	ESC	80	-41.5	S	11.7	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.00773	0.000349 U	0.000337 U	0.000816 U
	B-207-90	8/25/17	PES	ESC	90	-51.5	S	0.181	–	–	–	0.00725 U	0.00786 U	0.0100 U	0.00760 U	0.0100 U	0.00547 U	0.00833 U	0.00870 U	0.00841 U	0.0203 U
B-208	B-208-20	8/24/17	PES	ESC	20	18.8	S	–	–	–	–	0.000312 U	0.000338 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.00125	0.000375 U	0.000362 U	0.000876 U
	B-208-35	8/24/17	PES	ESC	35	3.8	S	–	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000217 U	0.000656 J	0.000345 U	0.000333 U	0.000806 U
	B-901-50	8/24/17	PES	ESC	35 (dup)	3.8	S	–	–	–	–	0.000299 U	0.000323 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.000572 J	0.000359 U	0.000346 U	0.000838 U
	B-208-50	8/24/17	PES	ESC	50	-11.2	S	–	–	–	–	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000389 J	0.000350 U	0.000338 U	0.000818 U
	B-208-60	8/24/17	PES	ESC	60	-21.2	S	–	–	–	–	0.000294 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000222 U	0.000337 U	0.000353 U	0.000341 U	0.000825 U
	B-208-70	8/24/17	PES	ESC	70	-31.2	S	–	–	–	–	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	B-208-80	8/24/17	PES	ESC	80	-41.2	S	–	–	–	–	0.000327 U	0.000354 U	0.000452 U	0.000343 U	0.000452 U	0.000246 U	0.000375 U	0.000392 U	0.000379 U	0.000917 U
B-209	B-209-20	8/25/17	PES	ESC	20	19.0	S	–	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000468 J	0.000368 U	0.000356 U	0.000861 U
	B-209-35	8/25/17	PES	ESC	35	4.0	S	–	–	–	–	0.000282 U	0.000305 U	0.000390 U	0.000296 U	0.000390 U	0.000213 U	0.000324 U	0.000339 U	0.000327 U	0.000791 U
	B-209-50	8/25/17	PES	ESC	50	-11.0	S	–	–	–	–	0.000344 U	0.000373 U	0.000476 U	0.000361 U	0.000476 U	0.000260 U	0.000395 U	0.000414 U	0.000399 U	0.000967 U
	B-209-60	8/25/17	PES	ESC	60	-21.0	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000348 U	0.000364 U	0.000351 U	0.000851 U
	B-209-70	8/25/17	PES	ESC	70	-31.0	S	–	–	–	–	0.000281 U	0.000305 U	0.000389 U	0.000295 U	0.000389 U	0.000212 U	0.000323 U	0.000338 U	0.000326 U	0.000790 U
	B-209-75	8/25/17	PES	ESC	75	-36.0	S	–	–	–	–	0.000280 U	0.000303 U	0.000387 U	0.000294 U	0.000387 U	0.000211 U	0.000321 U	0.000336 U	0.000325 U	0.000786 U
	B-209-80	8/25/17	PES	ESC	80	-41.0	S	–	–	–	–	0.000303 U	0.000329 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.000348 U	0.000364 U	0.000352 U	0.000852 U
B-210	B-210-6	8/21/17	PES	ESC	6	33.4	S	–	–	–	–	0.000311 U	0.000337 U	0.000430 U	0.000327 U	0.000430 U	0.000235 U	0.000357 U	0.000374 U	0.000361 U	0.000874 U
	B-210-15	8/21/17	PES	ESC	15	24.4	S	0.919 U	–	–	–	0.00715 U	0.00775 U	0.00988 U	0.00750 U	0.00988 U	0.00540 U	0.00821 U	0.00858 U	0.00829 U	0.0200 U
	B-210-20	8/21/17	PES	ESC	20	19.4	S	0.0378 U	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	B-210-35	8/21/17	PES	ESC	35	4.4	S	0.0391 U	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.000350 U	0.000366 U	0.000353 U	0.000855 U
	B-210-46	8/21/17	PES	ESC	46	-6.6	S	0.164	–	–	–	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000583 J	0.000345 U	0.000333 U	0.000807 U
	B-210-60	8/22/17	PES	ESC	60	-20.6	S	0.910 U	–	–	–	0.00708 U	0.00767 U	0.00979 U	0.00743 U	0.00979 U	0.00534 U	0.00814 U	0.00850 U	0.00821 U	0.0199 U
	B-210-70	8/22/17	PES	ESC	70	-30.6	S	0.0366 U	–	–	–	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000327 U	0.000342 U	0.000330 U	0.000799 U
	B-210-80	8/22/17	PES	ESC	80	-40.6	S	0.0374 U	–	–	–	0.000292 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000335 U	0.000350 U	0.000338 U	0.000818 U
	B-900-20	8/22/17	PES	ESC	80 (dup)	-40.6	S	–	–	–	–	0.000314 U	0.000340 U	0.000433 U	0.000329 U	0.000433 U	0.000236 U	0.000360 U	0.000376 U	0.000363 U	0.000880 U
B-211	B-211-20	8/17/17	PES	ESC	20	19.8	S	–	–	–	–	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000862 J	0.000354 U	0.000342 U	0.000827 U
	B-211-35	8/17/17	PES	ESC	35	4.8	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000344 U	0.000834 U
	B-211-50	8/17/17	PES	ESC	50	-10.3	S	–	–	–	–	0.000285 U	0.000309 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000801 U
	B-211-57	8/17/17	PES	ESC	57	-17.3	S	–	–	–	–	0.000311 U	0.000337 U	0.000430 U	0.000327 U	0.000430 U	0.000235 U	0.000357 U	0.000374 U	0.000361 U	0.000874 U
	B-211-60	8/17/17	PES	ESC	60	-20.3	S	–	–	–	–	0.000304 U	0.000330 U	0.000421 U	0.000319 U	0.000421 U	0.000229 U	0.000566	0.000366 U	0.000353 U	0.000854 U
	B-211-65	8/18/17	PES	ESC	65	-25.3	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.00722	0.000358 U	0.000345 U	0.000836 U
	B-211-70	8/18/17	PES	ESC	70	-30.3	S	–	–	–	–	0.158 U	0.171 U	0.218 U	0.165 U	0.218 U	0.119 U	0.182 U	0.189 U	0.183 U	0.443 U
	B-211-80	8/18/17	PES	ESC	80	-40.3	S	–	–	–	–	0.00715 U	0.00774 U	0.00988 U	0.00749 U	0.00988 U	0.00539 U	0.00821 U	0.00858 U	0.00828 U	0.0200 U
	B-211-90	8/18/17	PES	ESC	90	-50.3	S	–	–	–	–	0.00769 U	0.00833 U	0.0106 U	0.00807 U	0.0106 U	0.00581 U	0.0105 J	0.00923 U	0.00892 U	0.0216 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-211 (continued)	B-211-100	8/18/17	PES	ESC	100	-60.3	S	–	–	–	–	0.000306 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000860 U
	B-211-110	8/18/17	PES	ESC	110	-70.3	S	–	–	–	–	0.000291 U	0.000315 U	0.000403 U	0.000305 U	0.000403 U	0.000219 U	0.000334 U	0.000350 U	0.000337 U	0.000817 U
	B-211-120	8/21/17	PES	ESC	120	-80.3	S	–	–	–	–	0.000296 U	0.000321 U	0.000409 U	0.000311 U	0.000409 U	0.000223 U	0.000340 U	0.000356 U	0.000343 U	0.000831 U
B-216	B-216-20	9/1/17	PES	ESC	20	31.9	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000326 U	0.000341 U	0.000330 U	0.000798 U
	B-216-40	9/1/17	PES	ESC	40	11.9	S	–	–	–	–	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	B-216-50	9/1/17	PES	ESC	50	1.9	S	–	–	–	–	0.000285 U	0.000309 U	0.000395 U	0.000299 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000801 U
	B-216-55	9/1/17	PES	ESC	55	-3.1	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000509 J	0.000357 U	0.000345 U	0.000834 U
	B-216-65	9/1/17	PES	ESC	65	-13.1	S	–	–	–	–	0.000317 U	0.000343 U	0.000438 U	0.000333 U	0.000438 U	0.000239 U	0.000364 U	0.000381 U	0.000367 U	0.000890 U
	B-216-85	9/1/17	PES	ESC	85	-33.1	S	–	–	–	–	0.000318 U	0.000345 U	0.000440 U	0.000334 U	0.000440 U	0.000240 U	0.000365 U	0.000382 U	0.000369 U	0.000894 U
	B-216-95	9/1/17	PES	ESC	95	-43.1	S	–	–	–	–	0.000300 U	0.000325 U	0.000415 U	0.000315 U	0.000415 U	0.000226 U	0.000344 U	0.000360 U	0.000348 U	0.000842 U
B-217	B-217-15	9/5/17	PES	ESC	15	36.8	V	–	–	–	–	0.000300 U	0.000325 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000841 U
	B-217-25	9/5/17	PES	ESC	25	26.8	S	–	–	–	–	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000336 U	0.000351 U	0.000339 U	0.000822 U
	B-217-35	9/5/17	PES	ESC	35	16.8	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000348 U	0.000364 U	0.000351 U	0.000851 U
	B-217-42	9/5/17	PES	ESC	42	9.8	S	–	–	–	–	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000228 U	0.000333 J	0.000362 U	0.000350 U	0.000847 U
	B-217-55	9/5/17	PES	ESC	55	-3.2	S	–	–	–	–	0.000306 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000375 J	0.000368 U	0.000355 U	0.000860 U
	B-217-65	9/5/17	PES	ESC	65	-13.2	S	–	–	–	–	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000515 J	0.000365 U	0.000352 U	0.000853 U
	B-217-75	9/5/17	PES	ESC	75	-23.2	S	–	–	–	–	0.000316 U	0.000343 U	0.000437 U	0.000332 U	0.000437 U	0.000238 U	0.000363 U	0.000380 U	0.000367 U	0.000888 U
	B-217-85	9/6/17	PES	ESC	85	-33.2	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000316 U	0.000416 U	0.000227 U	0.000345 U	0.000361 U	0.000349 U	0.000844 U
	B-217-95	9/6/17	PES	ESC	95	-43.2	S	–	–	–	–	0.000319 U	0.000346 U	0.000441 U	0.000335 U	0.000441 U	0.000241 U	0.000366 U	0.000383 U	0.000370 U	0.000896 U
	B-217-106	9/6/17	PES	ESC	106	-54.2	S	–	–	–	–	0.0324 U	0.0351 U	0.0447 U	0.0339 U	0.0447 U	0.0244 U	0.0371 U	0.0389 U	0.0375 U	0.0908 U
	B-217-115	9/6/17	PES	ESC	115	-63.2	S	–	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.000350 U	0.000366 U	0.000353 U	0.000856 U
B-218	B-218-12.5	9/19/17	PES	ESC	12.5	25.6	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000315 U	0.000416 U	0.000227 U	0.0131 J	0.000361 U	0.000348 U	0.000844 U
	B-218-19	9/19/17	PES	ESC	19	19.1	S	–	–	–	–	0.000300 U	0.000325 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000759 J	0.000360 U	0.000347 U	0.000841 U
	B-218-25	9/19/17	PES	ESC	25	13.1	S	–	–	–	–	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000230 U	0.000798 J	0.000367 U	0.000354 U	0.000858 U
	B-218-40	9/19/17	PES	ESC	40	-1.9	S	–	–	–	–	0.0162 U	0.0176 U	0.0224 U	0.0170 U	0.0224 U	0.0122 U	0.0187 U	0.0195 U	0.0188 U	0.0456 U
	B-218-50	9/19/17	PES	ESC	50	-11.9	S	–	–	–	–	0.000281 U	0.000305 U	0.000389 U	0.000295 U	0.000389 U	0.000212 U	0.000704 J	0.000338 U	0.000326 U	0.000790 U
	B-913-70	9/19/17	PES	ESC	50 (dup)	-11.9	S	–	–	–	–	0.000280 U	0.000304 U	0.000388 U	0.000294 U	0.000388 U	0.000211 U	0.000535 J	0.000337 U	0.000325 U	0.000787 U
B-219	B-219-42	8/28/17	PES	ESC	42	-2.2	S	–	–	–	–	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000807 U
	B-219-50	8/28/17	PES	ESC	50	-10.2	S	–	–	–	–	0.000313 U	0.000339 U	0.000432 U	0.000328 U	0.000432 U	0.000236 U	0.000401 J	0.000375 U	0.000362 U	0.000878 U
	B-219-60	8/28/17	PES	ESC	60	-20.2	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000326 U	0.000341 U	0.000329 U	0.000797 U
	B-219-70	8/28/17	PES	ESC	70	-30.2	S	–	–	–	–	0.000301 U	0.000326 U	0.000417 U	0.000316 U	0.000417 U	0.000227 U	0.000346 U	0.000362 U	0.000349 U	0.000846 U
	B-219-80	8/28/17	PES	ESC	80	-40.2	S	–	–	–	–	0.000287 U	0.00777 U	0.000396 U	0.000301 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000805 U
B-220	B-220-15	9/20/17	PES	ESC	15	23.9	S	–	–	–	–	0.000300 U	0.000325 U	0.000415 U	0.000315 U	0.000415 U	0.000226 U	0.000875 J	0.000360 U	0.000348 U	0.000843 U
	B-220-29	9/20/17	PES	ESC	29	9.9	S	–	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 J	0.000368 U	0.000356 U	0.000861 U
	B-220-32	9/20/17	PES	ESC	32	6.9	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000316 U	0.000416 U	0.000227 U	0.000451 J	0.000362 U	0.000349 U	0.000845 U
	B-220-40	9/20/17	PES	ESC	40	-1.1	S	–	–	–	–	0.000293 U	0.000317 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.000259 J	0.000352 U	0.000340 U	0.000823 U
	B-220-50	9/20/17	PES	ESC	50	-11.1	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000161 J	0.000341 U	0.000329 U	0.000797 U
	B-914-75	9/20/17	PES	ESC	50 (dup)	-11.1	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000164 J	0.000341 U	0.000329 U	0.000797 U
B-221	B-221-16	9/20/17	PES	ESC	16	23.0	S	–	–	–	–	0.00773 U	0.00838 U	0.0107 U	0.00811 U	0.0107 U	0.00584 U	0.00888 U	0.00928 U	0.00896 U	0.0217 U
	B-221-22	9/20/17	PES	ESC	22	17.0	S	–	–	–	–	0.304 U	0.329 U	0.420 U	0.319 U	0.420 U	0.229 U	0.349 U	0.365 U	0.352 U	0.852 U
	B-221-33	9/20/17	PES	ESC	33	6.0	S	–	–	–	–	0.296 U	0.320 U	0.409 U	0.310 U	0.409 U	0.223 U	0.339 U	0.355 U	0.343 U	0.829 U
	B-221-37	9/20/17	PES	ESC	37	2.0	S	–	–	–	–	0.0621 U	0.0673 U	0.0858 U	0.0651 U	0.0858 U	0.0468 U	0.0713 U	0.0745 U	0.0720 U	0.174 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-221 (continued)	B-915-80	9/20/17	PES	ESC	37 (dup)	2.0	S	–	–	–	–	0.0303 U	0.0328 U	0.0418 U	0.0317 U	0.0418 U	0.0228 U	0.0347 U	0.0363 U	0.0351 U	0.0849 U
	B-221-45	9/20/17	PES	ESC	45	-6.0	S	–	–	–	–	2.90 U	3.14 U	4.00 U	3.04 U	4.00 U	2.18 U	3.32 U	3.48 U	3.36 U	8.13 U
	B-221-50	9/20/17	PES	ESC	50	-11.0	S	–	–	–	–	0.144 U	0.156 U	0.198 U	0.150 U	0.198 U	0.108 U	0.165 U	0.172 U	0.166 U	0.402 U
	B-221-60	9/20/17	PES	ESC	60	-21.0	S	–	–	–	–	0.146 U	0.158 U	0.201 U	0.152 U	0.201 U	0.110 U	0.168 U	0.175 U	0.169 U	0.409 U
	B-221-70	9/21/17	PES	ESC	70	-31.0	S	–	–	–	–	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000334 U	0.000350 U	0.000338 U	0.000818 U
B-222	B-222-17	9/21/17	PES	ESC	17	22.2	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.0110	0.000359 U	0.000347 U	0.000840 U
	B-222-25	9/21/17	PES	ESC	25	14.2	S	–	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.00119	0.000366 U	0.000354 U	0.000856 U
	B-222-34	9/21/17	PES	ESC	34	5.2	S	–	–	–	–	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000339 U	0.000355 U	0.000343 U	0.000830 U
	B-222-42	9/21/17	PES	ESC	42	-2.8	S	–	–	–	–	0.000327 U	0.000355 U	0.000453 U	0.000344 U	0.000453 U	0.000247 U	0.000666	0.000393 U	0.000380 U	0.000919 U
	B-222-50	9/21/17	PES	ESC	50	-10.8	S	–	–	–	–	0.0142 U	0.0153 U	0.0195 U	0.0148 U	0.0195 U	0.0107 U	0.0163 U	0.0169 U	0.0164 U	0.0397 U
	B-916-30	9/21/17	PES	ESC	50 (dup)	-10.8	S	–	–	–	–	0.000280 U	0.000303 U	0.000387 U	0.000294 U	0.000387 U	0.000211 U	0.000787 J	0.000336 U	0.000325 U	0.000786 U
B-223	B-223-16	9/21/17	PES	ESC	16	23.1	S	–	–	–	–	0.0624 U	0.0676 U	0.0863 U	0.0655 U	0.0863 U	0.0470 U	0.0716 U	0.0749 U	0.0723 U	0.175 U
	B-223-22	9/21/17	PES	ESC	22	17.1	S	–	–	–	–	0.0603 U	0.0653 U	0.0834 U	0.0633 U	0.0834 U	0.0455 U	0.0692 U	0.0724 U	0.0699 U	0.169 U
	B-223-30	9/21/17	PES	ESC	30	9.1	S	–	–	–	–	7.27 U	7.87 U	10.0 U	7.62 U	10.0 U	5.48 U	8.35 U	8.72 U	8.42 U	20.4 U
	B-223-39	9/21/17	PES	ESC	39	0.1	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000315 U	0.000416 U	0.000227 U	0.000345 U	0.000361 U	0.000349 U	0.000844 U
	B-223-47	9/21/17	PES	ESC	47	-7.9	S	–	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000860 U
	B-917-57	9/21/17	PES	ESC	47 (dup)	-7.9	S	–	–	–	–	0.000284 U	0.000307 U	0.000392 U	0.000298 U	0.000392 U	0.000214 U	0.000326 U	0.000341 U	0.000329 U	0.000796 U
B-224	B-224-6	11/27/17	PES	ESC	6	33.1	S	–	–	–	–	0.000285 U	0.000309 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000801 U
	B-224-11	11/27/17	PES	ESC	11	28.1	S	–	–	–	–	0.000704 U	0.000763 U	0.000975 U	0.000739 U	0.000975 U	0.000531 U	0.00251 J	0.000847 U	0.000817 U	0.00198 U
	B-224-16	11/27/17	PES	ESC	16	23.1	S	–	–	–	–	0.000319 U	0.000346 U	0.000441 U	0.000335 U	0.000441 U	0.000241 U	0.000366 U	0.000383 U	0.000370 U	0.000896 U
	B-224-21.5	11/27/17	PES	ESC	21.5	17.6	S	–	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000366 U	0.000383 U	0.000370 U	0.000896 U
	B-224-26	11/27/17	PES	ESC	26	13.1	S	–	–	–	–	0.000349 U	0.000378 U	0.000482 U	0.000366 U	0.000482 U	0.000263 U	0.00185	0.000418 U	0.000405 U	0.000979 U
	B-224-31	11/27/17	PES	ESC	31	8.1	S	–	–	–	–	0.000309 U	0.000335 U	0.000427 U	0.000324 U	0.000427 U	0.000233 U	0.000567 J	0.000370 U	0.000357 U	0.000866 U
	B-224-36	11/27/17	PES	ESC	36	3.1	S	–	–	–	–	0.000293 U	0.000318 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.00141	0.000352 U	0.000340 U	0.000823 U
	B-224-60.5	11/27/17	PES	ESC	60.5	-21.4	S	–	–	–	–	0.000427 U	0.000463 U	0.000590 U	0.000448 U	0.000590 U	0.000322 U	0.000490 U	0.000513 U	0.000495 U	0.00120 U
B-225	B-225-5	11/27/17	PES	ESC	5	34.1	S	–	–	–	–	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	B-225-11	11/27/17	PES	ESC	11	28.1	S	–	–	–	–	0.000309 U	0.000335 U	0.000427 U	0.000324 U	0.000427 U	0.000233 U	0.000354 U	0.000371 U	0.000358 U	0.000867 U
	B-225-16	11/27/17	PES	ESC	16	23.1	S	–	–	–	–	0.00776 U	0.00841 U	0.0107 U	0.00814 U	0.0107 U	0.00586 U	0.00892 U	0.00932 U	0.00900 U	0.0218 U
	B-225-21	11/27/17	PES	ESC	21	18.1	S	–	–	–	–	0.00750 U	0.00813 U	0.0104 U	0.00787 U	0.0104 U	0.00566 U	0.00862 U	0.00900 U	0.00870 U	0.0210 U
	B-225-26	11/27/17	PES	ESC	26	13.1	S	–	–	–	–	0.000310 U	0.000336 U	0.000429 U	0.000326 U	0.000429 U	0.000234 U	0.000531 J	0.000373 U	0.000360 U	0.000871 U
	B-225-31	11/27/17	PES	ESC	31	8.1	S	–	–	–	–	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000227 U	0.000466 J	0.000362 U	0.000350 U	0.000847 U
	B-225-36	11/27/17	PES	ESC	36	3.1	S	–	–	–	–	0.000325 U	0.000352 U	0.000450 U	0.000341 U	0.000450 U	0.000245 U	0.000373 U	0.000390 U	0.000377 U	0.000913 U
B-226	B-226-6	11/28/17	PES	ESC	6	33.1	S	–	–	–	–	0.000318 U	0.000344 U	0.000440 U	0.000334 U	0.000440 U	0.000240 U	0.000365 U	0.000382 U	0.000369 U	0.000892 U
	B-226-11	11/28/17	PES	ESC	11	28.1	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000840 U
	B-226-16	11/28/17	PES	ESC	16	23.1	S	–	–	–	–	0.00740 U	0.00802 U	0.0102 U	0.00776 U	0.0102 U	0.00559 U	0.00850 U	0.00889 U	0.00858 U	0.0208 U
	B-920-35	11/28/17	PES	ESC	16 (dup)	23.1	S	–	–	–	–	0.000292 U	0.000316 U	0.000404 U	0.000306 U	0.000404 U	0.000220 U	0.000335 U	0.000351 U	0.000339 U	0.000820 U
	B-226-21	11/28/17	PES	ESC	21	18.1	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000316 U	0.000416 U	0.000227 U	0.000345 U	0.000361 U	0.000349 U	0.000844 U
	B-226-31.5	11/28/17	PES	ESC	31.5	7.6	S	–	–	–	–	0.000281 U	0.000305 U	0.000389 U	0.000295 U	0.000389 U	0.000212 U	0.000856 J	0.000338 U	0.000326 U	0.000789 U
	B-226-40	11/28/17	PES	ESC	40	-0.9	S	–	–	–	–	0.000302 U	0.000327 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000559 J	0.000363 U	0.000350 U	0.000848 U
B-227	B-227-6	11/28/17	PES	ESC	6	33.1	S	–	–	–	–	0.000301 U	0.000327 U	0.000417 U	0.000316 U	0.000417 U	0.000227 U	0.000346 U	0.000362 U	0.000349 U	0.000846 U
	B-227-11	11/28/17	PES	ESC	11	28.1	S	–	–	–	–	0.000285 U	0.000308 U	0.000393 U	0.000299 U	0.000393 U	0.000214 U	0.000327 U	0.000342 U	0.000330 U	0.000799 U
	B-227-16	11/28/17	PES	ESC	16	23.1	S	–	–	–	–	0.000303 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000711 J	0.000363 U	0.000351 U	0.000849 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-227 (continued)	B-227-21	11/28/17	PES	ESC	21	18.1	S	–	–	–	–	0.000306 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.00156	0.000368 U	0.000355 U	0.000860 U
	B-227-26	11/28/17	PES	ESC	26	13.1	S	–	–	–	–	0.000308 U	0.000333 U	0.000425 U	0.000323 U	0.000425 U	0.000232 U	0.000741 J	0.000369 U	0.000356 U	0.000863 U
	B-227-31	11/28/17	PES	ESC	31	8.1	S	–	–	–	–	0.000317 U	0.000343 U	0.000438 U	0.000332 U	0.000438 U	0.000239 U	0.000363 U	0.000380 U	0.000367 U	0.000889 U
	B-227-36	11/28/17	PES	ESC	36	3.1	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.00117	0.000364 U	0.000351 U	0.000850 U
B-228	B-228-6	11/29/17	PES	ESC	6	33.1	S	–	–	–	–	0.000323 U	0.000350 U	0.000446 U	0.000339 U	0.000446 U	0.000243 U	0.000371 U	0.000388 U	0.000374 U	0.000906 U
	B-228-11	11/29/17	PES	ESC	11	28.1	S	–	–	–	–	0.000293 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000824 U
	B-228-16	11/29/17	PES	ESC	16	23.1	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.00143	0.000341 U	0.000330 U	0.000798 U
	B-921-22	11/29/17	PES	ESC	16 (dup)	23.1	S	–	–	–	–	0.000303 U	0.000329 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.00155	0.000364 U	0.000352 U	0.000851 U
	B-228-21	11/29/17	PES	ESC	21	18.1	S	–	–	–	–	0.000299 U	0.000323 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.000343 U	0.000358 U	0.000346 U	0.000838 U
	B-228-26	11/29/17	PES	ESC	26	13.1	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000595 J	0.000341 U	0.000329 U	0.000798 U
	B-228-31	11/29/17	PES	ESC	31	8.1	S	–	–	–	–	0.000293 U	0.000318 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.000822 J	0.000352 U	0.000340 U	0.000823 U
	B-228-36	11/29/17	PES	ESC	36	3.1	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.00205	0.000358 U	0.000346 U	0.000837 U
B-229	B-229-6	11/29/17	PES	ESC	6	33.1	S	–	–	–	–	0.000386 U	0.000419 U	0.000534 U	0.000405 U	0.000534 U	0.000291 U	0.000443 U	0.000464 U	0.000448 U	0.00108 U
	B-229-11	11/29/17	PES	ESC	11	28.1	S	–	–	–	–	0.000375 U	0.000406 U	0.000518 U	0.000393 U	0.000518 U	0.000282 U	0.000430 U	0.000450 U	0.000434 U	0.00105 U
	B-229-16	11/29/17	PES	ESC	16	23.1	S	–	–	–	–	0.000315 U	0.000341 U	0.000435 U	0.000330 U	0.000435 U	0.000237 U	0.000361 U	0.000378 U	0.000365 U	0.000883 U
	B-229-25	11/29/17	PES	ESC	25	14.1	S	–	–	–	–	0.000289 U	0.000314 U	0.000400 U	0.000304 U	0.000400 U	0.000218 U	0.00243	0.000348 U	0.000336 U	0.000812 U
	B-229-31	11/29/17	PES	ESC	31	8.1	S	–	–	–	–	0.000318 U	0.000345 U	0.000440 U	0.000334 U	0.000440 U	0.000240 U	0.00294	0.000382 U	0.000369 U	0.000894 U
	B-229-36	11/29/17	PES	ESC	36	3.1	S	–	–	–	–	0.000290 U	0.000315 U	0.000401 U	0.000305 U	0.000401 U	0.000219 U	0.00247	0.000349 U	0.000337 U	0.000815 U
	B-229-41	11/29/17	PES	ESC	41	-1.9	S	–	–	–	–	0.000307 U	0.000333 U	0.000425 U	0.000323 U	0.000425 U	0.000232 U	0.00417	0.000369 U	0.000356 U	0.000863 U
	B-229-45	11/29/17	PES	ESC	45	-5.9	S	–	–	–	–	0.000316 U	0.000342 U	0.000437 U	0.000331 U	0.000437 U	0.000238 U	0.000619 J	0.000379 U	0.000366 U	0.000886 U
B-230	B-230-6	11/30/17	PES	ESC	6	33.1	S	–	–	–	–	0.000278 U	0.000302 U	0.000385 U	0.000292 U	0.000385 U	0.000210 U	0.000320 U	0.000334 U	0.000323 U	0.000782 U
	B-230-11	11/30/17	PES	ESC	11	28.1	S	–	–	–	–	0.000288 U	0.000312 U	0.000399 U	0.000303 U	0.000399 U	0.000217 U	0.000331 U	0.000346 U	0.000334 U	0.000809 U
	B-230-16	11/30/17	PES	ESC	16	23.1	S	–	–	–	–	0.0735 U	0.0796 U	0.102 U	0.0770 U	0.102 U	0.0554 U	0.0844 U	0.0882 U	0.0851 U	0.206 U
	B-230-21	11/30/17	PES	ESC	21	18.1	S	–	–	–	–	0.630 U	0.683 U	0.872 U	0.661 U	0.872 U	0.475 U	0.724 U	0.757 U	0.731 U	1.77 U
	B-922-15	11/30/17	PES	ESC	21 (dup)	18.1	S	–	–	–	–	0.319 U	0.345 U	0.441 U	0.335 U	0.441 U	0.240 U	0.366 U	0.383 U	0.370 U	0.895 U
	B-230-26	11/30/17	PES	ESC	26	13.1	S	–	–	–	–	0.791 U	0.857 U	1.09 U	0.829 U	1.09 U	0.597 U	0.908 U	0.949 U	0.917 U	2.22 U
	B-230-31	11/30/17	PES	ESC	31	8.1	S	–	–	–	–	0.328 U	0.356 U	0.454 U	0.345 U	0.454 U	0.248 U	0.377 U	0.394 U	0.381 U	0.922 U
	B-230-35	11/30/17	PES	ESC	35	4.1	S	–	–	–	–	0.0477 U	0.0517 U	0.0659 U	0.0501 U	0.0659 U	0.0359 U	0.0548 U	0.0573 U	0.0553 U	0.133 U
B-231	B-230-55	11/30/17	PES	ESC	55	-15.9	S	–	–	–	–	0.0792 U	0.0858 U	0.109 U	0.0831 U	0.109 U	0.0598 U	0.0910 U	0.0951 U	0.0918 U	0.222 U
	B-231-6	11/30/17	PES	ESC	6	33.1	S	–	–	–	–	0.000326 U	0.000353 U	0.000450 U	0.000342 U	0.000450 U	0.000245 U	0.000374 U	0.000391 U	0.000377 U	0.000914 U
	B-231-11	11/30/17	PES	ESC	11	28.1	S	–	–	–	–	0.000311 U	0.000337 U	0.000430 U	0.000326 U	0.000430 U	0.000235 U	0.000357 U	0.000374 U	0.000361 U	0.000873 U
	B-231-16	11/30/17	PES	ESC	16	23.1	S	–	–	–	–	0.00739 U	0.00801 U	0.0102 U	0.00775 U	0.0102 U	0.00558 U	0.00849 U	0.00887 U	0.00857 U	0.0207 U
	B-231-21	11/30/17	PES	ESC	21	18.1	S	–	–	–	–	0.0174 U	0.0189 U	0.0241 U	0.0183 U	0.0241 U	0.0131 U	0.0201 U	0.0210 U	0.0202 U	0.0490 U
	B-231-26	11/30/17	PES	ESC	26	13.1	S	–	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000948 J	0.000368 U	0.000355 U	0.000860 U
	B-231-30	11/30/17	PES	ESC	30	9.1	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000312 U	0.000412 U	0.000224 U	0.000342 U	0.000358 U	0.000345 U	0.000836 U
	B-231-36	11/30/17	PES	ESC	36	3.1	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000359 U	0.000347 U	0.000840 U
B-232	B-232-6	12/1/17	PES	ESC	6	33.1	S	–	–	–	–	0.000312 U	0.000338 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.000358 U	0.000374 U	0.000361 U	0.000875 U
	B-232-11	12/1/17	PES	ESC	11	28.1	S	–	–	–	–	0.000351 U	0.000381 U	0.000486 U	0.000369 U	0.000486 U	0.000265 U	0.000403 U	0.000422 U	0.000407 U	0.000986 U
	B-232-16	12/1/17	PES	ESC	16	23.1	S	–	–	–	–	0.000309 U	0.000335 U	0.000427 U	0.000324 U	0.000427 U	0.000233 U	0.000355 U	0.000371 U	0.000358 U	0.000868 U
	B-232-21	12/1/17	PES	ESC	21	18.1	S	–	–	–	–	0.000295 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000638 J	0.000355 U	0.000342 U	0.000829 U
	B-232-26	12/1/17	PES	ESC	26	13.1	S	–	–	–	–	0.00987 U	0.0107 U	0.0136 U	0.0103 U	0.0136 U	0.00744 U	0.0113 U	0.0118 U	0.0114 U	0.0276 U
	B-232-31	12/1/17	PES	ESC	31	8.1	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000364 J	0.000358 U	0.000346 U	0.000837 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-232 (continued)	B-232-36	12/1/17	PES	ESC	36	3.1	S	–	–	–	–	0.000313 U	0.000339 U	0.000433 U	0.000328 U	0.000433 U	0.000236 U	0.00117 J	0.000376 U	0.000363 U	0.000878 U
B-233	B-233-6	12/1/17	PES	ESC	6	29.5	S	–	–	–	–	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000327 U	0.000342 U	0.000330 U	0.000800 U
	B-233-11	12/1/17	PES	ESC	11	24.5	S	–	–	–	–	0.000737 U	0.000797 U	0.00102 U	0.000773 U	0.00102 U	0.000555 U	0.00492	0.000884 U	0.000853 U	0.00207 U
	B-233-16	12/1/17	PES	ESC	16	19.5	S	–	–	–	–	0.000373 U	0.000403 U	0.000515 U	0.000391 U	0.000515 U	0.000428 U	0.000447 U	0.000432 U	0.00105 U	0.00105 U
	B-233-21	12/1/17	PES	ESC	21	14.5	S	–	–	–	–	0.00753 U	0.00816 U	0.0104 U	0.00790 U	0.0104 U	0.00568 U	0.00865 U	0.00904 U	0.00873 U	0.0211 U
	B-233-26	12/1/17	PES	ESC	26	9.5	S	–	–	–	–	0.0158 U	0.0171 U	0.0218 U	0.0165 U	0.0218 U	0.0119 U	0.0182 U	0.0189 U	0.0183 U	0.0442 U
	B-233-31	12/1/17	PES	ESC	31	4.5	S	–	–	–	–	0.00821 U	0.00889 U	0.0113 U	0.00860 U	0.0113 U	0.00619 U	0.00942 U	0.00985 U	0.00951 U	0.0230 U
	B-233-36	12/1/17	PES	ESC	36	-0.5	S	–	–	–	–	0.00743 U	0.00805 U	0.0103 U	0.00779 U	0.0103 U	0.00561 U	0.00853 U	0.00891 U	0.00861 U	0.0208 U
B-234	B-234-11	12/4/17	PES	ESC	11	40.8	V	–	–	–	–	0.000307 U	0.000333 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000369 U	0.000356 U	0.000862 U
	B-234-30	12/4/17	PES	ESC	30	21.8	S	–	–	–	–	0.000279 U	0.000303 U	0.000386 U	0.000293 U	0.000386 U	0.000211 U	0.000321 U	0.000336 U	0.000324 U	0.000784 U
B-234A	B-234A-35	12/4/17	PES	ESC	35	16.8	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000348 U	0.000364 U	0.000351 U	0.000850 U
	B-234A-40	12/4/17	PES	ESC	40	11.8	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000326 U	0.000341 U	0.000329 U	0.000798 U
	B-234A-42	12/4/17	PES	ESC	42	9.8	S	–	–	–	–	0.000323 U	0.000350 U	0.000447 U	0.000339 U	0.000447 U	0.000244 U	0.000388 U	0.000388 U	0.000375 U	0.000908 U
	B-924-30	12/4/17	PES	ESC	42 (dup)	9.8	S	–	–	–	–	0.000321 U	0.000347 U	0.000443 U	0.000336 U	0.000443 U	0.000242 U	0.00373	0.000385 U	0.000372 U	0.000900 U
	B-234A-45	12/4/17	PES	ESC	45	6.8	S	–	–	–	–	0.000298 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.00126	0.000357 U	0.000345 U	0.000835 U
B-235	B-235-15	12/5/17	PES	ESC	15	36.8	V	–	–	–	–	0.000317 U	0.000343 U	0.000438 U	0.000332 U	0.000438 U	0.000239 U	0.000363 U	0.000380 U	0.000367 U	0.000889 U
	B-235-35	12/5/17	PES	ESC	35	16.8	S	–	–	–	–	0.000292 U	0.000317 U	0.000404 U	0.000307 U	0.000404 U	0.000220 U	0.000335 U	0.000351 U	0.000339 U	0.000820 U
	B-235-40	12/5/17	PES	ESC	40	11.8	S	–	–	–	–	0.000289 U	0.000313 U	0.000400 U	0.000304 U	0.000400 U	0.000218 U	0.000332 U	0.000347 U	0.000335 U	0.000812 U
	B-235-42.5	12/5/17	PES	ESC	42.5	9.3	S	–	–	–	–	0.0577 U	0.0625 U	0.0797 U	0.0605 U	0.0797 U	0.0435 U	0.0662 U	0.0692 U	0.0668 U	0.162 U
	B-235-45	12/5/17	PES	ESC	45	6.8	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.00276	0.000357 U	0.000345 U	0.000834 U
B-236	B-236-20	12/5/17	PES	ESC	20	31.8	S	–	–	–	–	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000228 U	0.000346 U	0.000362 U	0.000350 U	0.000847 U
	B-236-35	12/5/17	PES	ESC	35	16.8	S	–	–	–	–	0.000478 U	0.000518 U	0.000661 U	0.000502 U	0.000661 U	0.000360 U	0.000549 U	0.000575 U	0.000555 U	0.00134 U
	B-236-40	12/5/17	PES	ESC	40	11.8	S	–	–	–	–	0.000292 U	0.000316 U	0.000404 U	0.000306 U	0.000404 U	0.000220 U	0.000335 U	0.000351 U	0.000339 U	0.000820 U
	B-236-42.5	12/5/17	PES	ESC	42.5	9.3	S	–	–	–	–	0.310 U	0.335 U	0.428 U	0.325 U	0.428 U	0.233 U	0.355 U	0.372 U	0.359 U	0.869 U
	B-236-45	12/5/17	PES	ESC	45	6.8	S	–	–	–	–	0.104 U	0.113 U	0.144 U	0.109 U	0.144 U	0.0781 U	0.120 U	0.124 U	0.121 U	0.291 U
B-237	B-237-5	12/6/17	PES	ESC	5	46.8	V	–	–	–	–	0.000307 U	0.000333 U	0.000425 U	0.000323 U	0.000425 U	0.000232 U	0.000353 U	0.000369 U	0.000356 U	0.000863 U
	B-237-35	12/6/17	PES	ESC	35	16.8	S	–	–	–	–	0.000308 U	0.000334 U	0.000426 U	0.000324 U	0.000426 U	0.000232 U	0.000354 U	0.000370 U	0.000357 U	0.000866 U
	B-237-40	12/6/17	PES	ESC	40	11.8	S	–	–	–	–	0.000284 U	0.000307 U	0.000392 U	0.000298 U	0.000392 U	0.000214 U	0.000480 J	0.000341 U	0.000329 U	0.000796 U
	B-237-42	12/6/17	PES	ESC	42	9.8	S	–	–	–	–	0.000312 U	0.000338 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.00854	0.000375 U	0.000362 U	0.000876 U
	B-925-41	12/6/17	PES	ESC	42 (dup)	9.8	S	–	–	–	–	0.0337 U	0.0365 U	0.0466 U	0.0354 U	0.0466 U	0.0254 U	0.0387 U	0.0405 U	0.0391 U	0.0946 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	–	–	–	–	0.000340 U	0.000368 U	0.000470 U	0.000357 U	0.000470 U	0.000256 U	0.00246	0.000408 U	0.000394 U	0.000954 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	–	–	–	–	0.000340 U	0.000368 U	0.000470 U	0.000357 U	0.000470 U	0.000256 U	0.00246	0.000408 U	0.000394 U	0.000954 U
B-238	B-238-6	12/6/17	PES	ESC	6	33.1	S	–	–	–	–	0.000308 U	0.000333 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.000353 U	0.000370 U	0.000357 U	0.000864 U
	B-238-11	12/6/17	PES	ESC	11	28.1	S	–	–	–	–	0.000307 U	0.000333 U	0.000425 U	0.000322 U	0.000425 U	0.000232 U	0.000353 U	0.000369 U	0.000356 U	0.000862 U
	B-238-16	12/6/17	PES	ESC	16	23.1	S	–	–	–	–	0.0755 U	0.0818 U	0.104 U	0.0792 U	0.104 U	0.0570 U	0.0867 U	0.0906 U	0.0875 U	0.212 U
	B-238-21	12/6/17	PES	ESC	21	18.1	S	–	–	–	–	0.295 U	0.319 U	0.407 U	0.309 U	0.407 U	0.222 U	0.338 U	0.354 U	0.341 U	0.827 U
	B-238-26	12/6/17	PES	ESC	26	13.1	S	–	–	–	–	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.00340	0.000354 U	0.000342 U	0.000829 U
	B-238-31	12/6/17	PES	ESC	31	8.1	S	–	–	–	–	0.000280 U	0.000303 U	0.000387 U	0.000294 U	0.000387 U	0.000211 U	0.000506 J	0.000336 U	0.000324 U	0.000786 U
	B-238-36	12/6/17	PES	ESC	36	3.1	S	–	–	–	–	0.000309 U	0.000335 U	0.000423 U	0.000324 U	0.000423 U	0.000233 U	0.000670 J	0.000371 U	0.000358 U	0.000868 U
B-239	B-239-5	4/3/18	PES	ESC	5	34.2	S	–	–	–	–	0.000314 U	0.000340 U	0.000434 U	0.000330 U	0.000434 U	0.000237 U	0.000360 U	0.000377 U	0.000364 U	0.000881 U
	B-239-10	4/3/18	PES	ESC	10	29.2	S	–	–	–	–	0.000311 U	0.000337 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.000934 J	0.000374 U	0.000361 U	0.000874 U
	B-239-15	4/3/18	PES	ESC	15	24.2	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000315 U	0.000416 U	0.000227 U	0.000355 J	0.000361 U	0.000348 U	0.000844 U
	B-239-20	4/3/18	PES	ESC	20	19.2	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000342 U	0.000358 U	0.000345 U	0.000836 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-239 (continued)	B-239-25	4/3/18	PES	ESC	25	14.2	S	–	–	–	–	0.000302 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000347 U	0.000363 U	0.000351 U	0.000849 U
	B-239-35	4/3/18	PES	ESC	35	4.2	S	–	–	–	–	0.000286 U	0.000310 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000802 U
	B-239-40	4/3/18	PES	ESC	40	-0.8	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000841 U
	B-239-45	4/3/18	PES	ESC	45	-5.8	S	–	–	–	–	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000339 U	0.000355 U	0.000343 U	0.000830 U
	B-239-50	4/3/18	PES	ESC	50	-10.8	S	–	–	–	–	0.000292 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000335 U	0.000350 U	0.000338 U	0.000818 U
	B-909-50	4/3/18	PES	ESC	50 (dup)	-10.8	S	–	–	–	–	0.000293 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000823 U
	B-239-55	4/3/18	PES	ESC	55	-15.8	S	–	–	–	–	0.000300 U	0.000325 U	0.000415 U	0.000315 U	0.000415 U	0.000226 U	0.000345 U	0.000361 U	0.000348 U	0.000843 U
	B-239-60	4/3/18	PES	ESC	60	-20.8	S	–	–	–	–	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.000339 U	0.000355 U	0.000342 U	0.000829 U
	B-239-65	4/3/18	PES	ESC	65	-25.8	S	–	–	–	–	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000222 U	0.000339 U	0.000354 U	0.000342 U	0.000828 U
	B-239-70	4/3/18	PES	ESC	70	-30.8	S	–	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000825 U
	B-239-75	4/3/18	PES	ESC	75	-35.8	S	–	–	–	–	0.000304 U	0.000330 U	0.000421 U	0.000319 U	0.000421 U	0.000229 U	0.000349 U	0.000365 U	0.000353 U	0.000854 U
	B-239-80	4/3/18	PES	ESC	80	-40.8	S	–	–	–	–	0.000302 U	0.000327 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000347 U	0.000363 U	0.000350 U	0.000848 U
B-240	B-240-5	4/2/18	PES	ESC	5	34.2	S	–	–	–	–	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000334 U	0.000350 U	0.000338 U	0.000818 U
	B-240-10	4/2/18	PES	ESC	10	29.2	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000817 U
	B-240-15	4/2/18	PES	ESC	15	24.2	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000550 J	0.000364 U	0.000351 U	0.000850 U
	B-240-20	4/2/18	PES	ESC	20	19.2	S	–	–	–	–	0.000307 U	0.000333 U	0.000425 U	0.000322 U	0.000425 U	0.000232 U	0.00112 J	0.000369 U	0.000356 U	0.000863 U
	B-240-25	4/2/18	PES	ESC	25	14.2	S	–	–	–	–	0.0147 U	0.0160 U	0.0203 U	0.0154 U	0.0203 U	0.0111 U	0.0170 U	0.0177 U	0.0171 U	0.0413 U
	B-240-30	4/2/18	PES	ESC	30	9.2	S	–	–	–	–	0.000318 U	0.000344 U	0.000440 U	0.000334 U	0.000440 U	0.000240 U	0.000805 J	0.000382 U	0.000369 U	0.000893 U
	B-240-35	4/2/18	PES	ESC	35	4.2	S	–	–	–	–	0.000317 U	0.000343 U	0.000438 U	0.000333 U	0.000438 U	0.000239 U	0.000727 J	0.000381 U	0.000367 U	0.000890 U
	B-240-42	4/2/18	PES	ESC	42	-2.8	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000326 U	0.000341 U	0.000329 U	0.000798 U
	B-240-45	4/2/18	PES	ESC	45	-5.8	S	–	–	–	–	0.000280 U	0.000303 U	0.000387 U	0.000294 U	0.000387 U	0.000211 U	0.000321 U	0.000336 U	0.000324 U	0.000786 U
	B-240-50	4/2/18	PES	ESC	50	-10.8	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000345 U	0.000834 U
	B-240-55	4/2/18	PES	ESC	55	-15.8	S	0.376	–	–	–	0.000306 U	0.000332 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000368 U	0.000355 U	0.000860 U
	B-240-60	4/2/18	PES	ESC	60	-20.8	S	0.124	–	–	–	0.000307 U	0.000333 U	0.000425 U	0.000322 U	0.000425 U	0.000232 U	0.000353 U	0.000369 U	0.000356 U	0.000863 U
	B-240-65	4/2/18	PES	ESC	65	-25.8	S	0.0368 U	–	–	–	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000803 U
	B-240-70	4/2/18	PES	ESC	70	-30.8	S	0.0447 J	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000351 U	0.000367 U	0.000354 U	0.000857 U
	B-240-75	4/2/18	PES	ESC	75	-35.8	S	0.0372 U	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.000333 U	0.000348 U	0.000336 U	0.000814 U
	B-240-80	4/2/18	PES	ESC	80	-40.8	S	0.0386 U	–	–	–	0.000300 U	0.000325 U	0.000415 U	0.000315 U	0.000415 U	0.000226 U	0.000345 U	0.000361 U	0.000348 U	0.000843 U
B-241	B-241-5	4/4/18	PES	ESC	5	34.1	S	–	–	–	–	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	B-241-10	4/4/18	PES	ESC	10	29.1	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000359 U	0.000347 U	0.000840 U
	B-241-15	4/4/18	PES	ESC	15	24.1	S	–	–	–	–	0.000295 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	B-241-20	4/4/18	PES	ESC	20	19.1	S	–	–	–	–	0.000321 U	0.000348 U	0.000444 U	0.000337 U	0.000444 U	0.000242 U	0.001159	0.000386 U	0.000372 U	0.000902 U
	B-241-25	4/4/18	PES	ESC	25	14.1	S	–	–	–	–	0.000298 U	0.000323 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.000342 U	0.000358 U	0.000346 U	0.000838 U
	B-241-30	4/3/18	PES	ESC	30	9.1	S	–	–	–	–	0.000296 U	0.000321 U	0.000409 U	0.000311 U	0.000409 U	0.000223 U	0.000371	0.000356 U	0.000343 U	0.000831 U
	B-241-35	4/3/18	PES	ESC	35	4.1	S	–	–	–	–	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000230 U	0.000351 U	0.000367 U	0.000354 U	0.000858 U
	B-241-40	4/3/18	PES	ESC	40	-0.9	S	–	–	–	–	0.000290 U	0.000314 U	0.000400 U	0.000304 U	0.000400 U	0.000218 U	0.000332 U	0.000348 U	0.000336 U	0.000813 U
	B-241-45	4/3/18	PES	ESC	45	-5.9	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.001141	0.000349 U	0.000337 U	0.000816 U
	B-241-50	4/4/18	PES	ESC	50	-10.9	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.00243	0.000357 U	0.000345 U	0.000835 U
	B-241-55	4/4/18	PES	ESC	55	-15.9	S	–	–	–	–	0.000307 U	0.000333 U	0.000425 U	0.000322 U	0.000425 U	0.000232 U	0.00129	0.000369 U	0.000356 U	0.000863 U
	B-241-60	4/3/18	PES	ESC	60	-20.9	S	–	–	–	–	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000339 U	0.000355 U	0.000343 U	0.000830 U
	B-241-65	4/3/18	PES	ESC	65	-25.9	S	–	–	–	–	0.000312 U	0.000338 U	0.000432 U	0.000328 U	0.000432 U	0.000236 U	0.00167	0.000375 U	0.000362 U	0.000877 U
	B-241-70	4/3/18	PES	ESC	70	-30.9	S	–	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.000350 U	0.000366 U	0.000353 U	0.000855 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-241 (continued)	B-241-75	4/3/18	PES	ESC	75	-35.9	S	–	–	–	–	0.000308 U	0.000333 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.00240	0.000370 U	0.000357 U	0.000864 U
	B-241-80	4/4/18	PES	ESC	80	-40.9	S	–	–	–	–	0.000303 U	0.000329 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.000348 U	0.000364 U	0.000352 U	0.000852 U
B-242	B-242-5	4/4/18	PES	ESC	5	33.8	S	–	–	–	–	0.000287 U	0.000310 U	0.000396 U	0.000301 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	B-242-10	4/4/18	PES	ESC	10	28.8	S	–	–	–	–	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000332 U	0.000347 U	0.000335 U	0.000811 U
	B-242-15	4/4/18	PES	ESC	15	23.8	S	–	–	–	–	0.000308 U	0.000333 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.000353 U	0.000370 U	0.000357 U	0.000864 U
	B-242-20	4/4/18	PES	ESC	20	18.8	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000225 U	0.000343 U	0.000359 U	0.000347 U	0.000840 U
	B-242-25	4/4/18	PES	ESC	25	13.8	S	–	–	–	–	0.0291 U	0.0315 U	0.0402 U	0.0305 U	0.0402 U	0.0219 U	0.0334 U	0.0349 U	0.0337 U	0.0817 U
	B-242-30	4/4/18	PES	ESC	30	8.8	S	–	–	–	–	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.000339 U	0.000355 U	0.000342 U	0.000829 U
	B-242-35	4/4/18	PES	ESC	35	3.8	S	–	–	–	–	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000349 U	0.000365 U	0.000352 U	0.000853 U
	B-242-40	4/4/18	PES	ESC	40	-1.2	S	–	–	–	–	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000331 U	0.000347 U	0.000335 U	0.000811 U
	B-242-45	4/4/18	PES	ESC	45	-6.2	S	–	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000350 U	0.000367 U	0.000354 U	0.000857 U
	B-242-50	4/4/18	PES	ESC	50	-11.2	S	–	–	–	–	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000339 U	0.000355 U	0.000343 U	0.000830 U
	B-910-50	4/4/18	PES	ESC	50 (dup)	-11.2	S	–	–	–	–	0.000296 U	0.000321 U	0.000409 U	0.000311 U	0.000409 U	0.000223 U	0.000340 U	0.000356 U	0.000343 U	0.000831 U
	B-242-55	4/4/18	PES	ESC	55	-16.2	S	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.000333 U	0.000348 U	0.000336 U	0.000814 U
	B-242-60	4/4/18	PES	ESC	60	-21.2	S	–	–	–	–	0.000291 U	0.000315 U	0.000403 U	0.000306 U	0.000403 U	0.000219 U	0.000334 U	0.000350 U	0.000337 U	0.000817 U
	B-242-65	4/4/18	PES	ESC	65	-26.2	S	–	–	–	–	0.000286 U	0.000310 U	0.000395 U	0.000300 U	0.000395 U	0.000216 U	0.000328 U	0.000343 U	0.000331 U	0.000802 U
	B-242-70	4/4/18	PES	ESC	70	-31.2	S	–	–	–	–	0.000302 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000347 U	0.000363 U	0.000350 U	0.000849 U
	B-242-75	4/4/18	PES	ESC	75	-36.2	S	–	–	–	–	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000336 U	0.000352 U	0.000339 U	0.000822 U
	B-242-80	4/4/18	PES	ESC	80	-41.2	S	–	–	–	–	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000367 U	0.000355 U	0.000859 U
B-243	B-243-5	3/29/18	PES	ESC	5	34.9	S	0.0394 U	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000861 U
	B-243-10	3/29/18	PES	ESC	10	29.9	S	0.619	–	–	–	0.000300 U	0.000325 U	0.000415 U	0.000315 U	0.000415 U	0.000226 U	0.000344 U	0.000360 U	0.000348 U	0.000842 U
	B-243-15	3/29/18	PES	ESC	15	24.9	S	1.64	–	–	–	0.00747 U	0.00809 U	0.0103 U	0.00783 U	0.0103 U	0.00564 U	0.00858 U	0.00896 U	0.00866 U	0.0209 U
	B-243-20	3/29/18	PES	ESC	20	19.9	S	1.11	–	–	–	0.000304 U	0.000330 U	0.000421 U	0.000319 U	0.000421 U	0.000229 U	0.000349 U	0.000366 U	0.000353 U	0.000854 U
	B-243-25	3/29/18	PES	ESC	25	14.9	S	0.568	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	B-243-30	3/29/18	PES	ESC	30	9.9	S	0.586	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000302 U	0.000397 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000807 U
	B-243-35	3/29/18	PES	ESC	35	4.9	S	0.491	–	–	–	0.000292 U	0.000317 U	0.000404 U	0.000307 U	0.000404 U	0.000220 U	0.000700 J	0.000351 U	0.000339 U	0.000821 U
	B-243-42	3/29/18	PES	ESC	42	-2.1	S	0.724	–	–	–	0.000288 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000217 U	0.00399	0.000346 U	0.000334 U	0.000810 U
	B-243-45	3/29/18	PES	ESC	45	-5.1	S	0.820	–	–	–	0.000286 U	0.000310 U	0.000395 U	0.000300 U	0.000395 U	0.000216 U	0.00362	0.000343 U	0.000332 U	0.000803 U
	B-243-50	3/29/18	PES	ESC	50	-10.1	S	5.12	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.0354	0.000366 U	0.000353 U	0.000856 U
	IW-908-50	3/29/18	PES	ESC	50 (dup)	-10.1	S	–	–	–	–	0.000299 U	0.000324 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.0530	0.000359 U	0.000346 U	0.000838 U
	B-243-55	3/29/18	PES	ESC	55	-15.1	S	–	–	–	–	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.00916	0.000342 U	0.000330 U	0.000800 U
	B-243-60	3/29/18	PES	ESC	60	-20.1	S	–	–	–	–	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000227 U	0.0144	0.000362 U	0.000350 U	0.000847 U
	B-243-65	3/29/18	PES	ESC	65	-25.1	S	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.00727	0.000348 U	0.000336 U	0.000814 U
	B-243-70	3/29/18	PES	ESC	70	-30.1	S	–	–	–	–	0.000306 U	0.000332 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000368 U	0.000355 U	0.000859 U
	B-243-75	3/29/18	PES	ESC	75	-35.1	S	–	–	–	–	0.000315 U	0.000341 U	0.000435 U	0.000330 U	0.000435 U	0.000237 U	0.000361 U	0.000378 U	0.000365 U	0.000883 U
	B-243-80	3/29/18	PES	ESC	80	-40.1	S	–	–	–	–	0.000321 U	0.000347 U	0.000443 U	0.000336 U	0.000443 U	0.000242 U	0.000368 U	0.000385 U	0.000372 U	0.000900 U
B-244	B-244-5	3/28/18	PES	ESC	5	33.8	S	–	–	–	–	0.000333 U	0.000361 U	0.000461 U	0.000350 U	0.000461 U	0.000251 U	0.000382 U	0.000400 U	0.000386 U	0.000935 U
	B-244-10	3/28/18	PES	ESC	10	28.8	S	–	–	–	–	0.000315 U	0.000341 U	0.000435 U	0.000330 U	0.000435 U	0.000237 U	0.000361 U	0.000378 U	0.000365 U	0.000883 U
	B-244-15	3/28/18	PES	ESC	15	23.8	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000316 U	0.000416 U	0.000227 U	0.000346 U	0.000362 U	0.000349 U	0.000845 U
	B-244-20	3/28/18	PES	ESC	20	18.8	S	–	–	–	–	0.000300 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000841 U
	B-244-25	3/28/18	PES	ESC	25	13.8	S	–	–	–	–	0.000280 U	0.000303 U	0.000386 U	0.000293 U	0.000386 U	0.000211 U	0.000321 U	0.000336 U	0.000324 U	0.000785 U
	B-244-30	3/28/18	PES	ESC	30	8.8	S	–	–	–	–	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000672 J	0.000347 U	0.000335 U	0.000810 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-244 (continued)	B-244-35	3/28/18	PES	ESC	35	3.8	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.000446 J	0.000364 U	0.000351 U	0.000851 U
	B-244-40	3/28/18	PES	ESC	40	-1.2	S	–	–	–	–	0.000291 U	0.000315 U	0.000403 U	0.000305 U	0.000403 U	0.000219 U	0.000845 J	0.000350 U	0.000337 U	0.000817 U
	B-244-42	3/28/18	PES	ESC	42	-3.2	S	–	–	–	–	0.00743 U	0.00804 U	0.0103 U	0.00779 U	0.0103 U	0.00560 U	0.00853 U	0.00891 U	0.00861 U	0.0208 U
	B-244-45	3/28/18	PES	ESC	45	-6.2	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.00376 J	0.000357 U	0.000344 U	0.000834 U
	B-244-50	3/28/18	PES	ESC	50	-11.2	S	–	–	–	–	0.000292 U	0.000316 U	0.000404 U	0.000306 U	0.000404 U	0.000220 U	0.00268 J	0.000351 U	0.000338 U	0.000819 U
	B-244-55	3/28/18	PES	ESC	55	-16.2	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.00501 J	0.000349 U	0.000337 U	0.000816 U
	B-244-60	3/28/18	PES	ESC	60	-21.2	S	–	–	–	–	0.000295 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.00703 J	0.000354 U	0.000342 U	0.000827 U
	B-244-65	3/28/18	PES	ESC	65	-26.2	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.00576 J	0.000359 U	0.000347 U	0.000840 U
	B-244-70	3/28/18	PES	ESC	70	-31.2	S	–	–	–	–	0.000287 U	0.000310 U	0.000396 U	0.000301 U	0.000396 U	0.000216 U	0.0119 J	0.000344 U	0.000332 U	0.000804 U
	IW-907-70	3/28/18	PES	ESC	70 (dup)	-31.2	S	–	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000302 U	0.000397 U	0.000217 U	0.0143	0.000345 U	0.000333 U	0.000807 U
B-245	B-244-75	3/28/18	PES	ESC	75	-36.2	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.00664	0.000364 U	0.000351 U	0.000850 U
	B-244-80	3/28/18	PES	ESC	80	-41.2	S	–	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000369 U	0.000356 U	0.000861 U
	B-245-5	3/28/18	PES	ESC	5	34.9	V	–	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000806 U
	B-245-10	3/28/18	PES	ESC	10	29.9	S	–	–	–	–	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000348 U	0.000364 U	0.000351 U	0.000850 U
	B-245-15	3/28/18	PES	ESC	15	24.9	S	–	–	–	–	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000367 U	0.000355 U	0.000859 U
	B-245-20	3/28/18	PES	ESC	20	19.9	S	–	–	–	–	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000327 U	0.000342 U	0.000330 U	0.000800 U
	B-245-25	3/28/18	PES	ESC	25	14.9	S	–	–	–	–	0.000299 U	0.000324 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.000343 U	0.000359 U	0.000346 U	0.000839 U
	B-245-30	3/29/18	PES	ESC	30	9.9	S	–	–	–	–	0.000567 U	0.000615 U	0.000785 U	0.000595 U	0.000785 U	0.000427 U	0.0259	0.000681 U	0.000658 U	0.00160 U
	B-245-35	3/29/18	PES	ESC	35	4.9	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000344 U	0.000834 U
	B-245-40	3/29/18	PES	ESC	40	-0.1	S	–	–	–	–	0.000294 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000353 U	0.000341 U	0.000825 U
B-246	B-245-45	3/29/18	PES	ESC	45	-5.1	S	–	–	–	–	0.000293 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000824 U
	B-245-50	3/29/18	PES	ESC	50	-10.1	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000343 U	0.000359 U	0.000347 U	0.000840 U
	B-245-55	3/29/18	PES	ESC	55	-15.1	S	–	–	–	–	0.000298 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000632 J	0.000357 U	0.000345 U	0.000835 U
	B-245-60	3/29/18	PES	ESC	60	-20.1	S	–	–	–	–	0.000283 U	0.000306 U	0.000391 U	0.000297 U	0.000391 U	0.000213 U	0.000325 U	0.000340 U	0.000328 U	0.000794 U
	B-245-65	3/29/18	PES	ESC	65	-25.1	S	–	–	–	–	0.000302 U	0.000327 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000347 U	0.000363 U	0.000350 U	0.000848 U
	B-245-70	3/29/18	PES	ESC	70	-30.1	S	–	–	–	–	0.000311 U	0.000336 U	0.000429 U	0.000326 U	0.000429 U	0.000234 U	0.000356 U	0.000373 U	0.000360 U	0.000872 U
	B-245-75	3/29/18	PES	ESC	75	-35.1	S	–	–	–	–	0.000298 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000345 U	0.000835 U
	B-245-80	3/29/18	PES	ESC	80	-40.1	S	–	–	–	–	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000367 U	0.000355 U	0.000858 U
	B-246-6	5/11/18	PES	ESC	6	33.9	S	–	–	–	–	0.000593 U	0.000326 U	0.000463 U	0.00105 U	0.000801 U	0.000682 U	0.000593 U	0.000831 U	0.000742 U	0.00605 U
	B-246-11	5/11/18	PES	ESC	11	28.9	S	–	–	–	–	0.000590 U	0.000325 U	0.000461 U	0.00104 U	0.000797 U	0.000679 U	0.000590 U	0.000827 U	0.000738 U	0.00602 U
B-246	B-246-15	5/11/18	PES	ESC	15	24.9	S	–	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.000998 U	0.000763 U	0.000650 U	0.000565 U	0.000791 U	0.000706 U	0.00576 U
	B-246-25	5/11/18	PES	ESC	25	14.9	S	–	–	–	–	0.000559 U	0.000307 U	0.000436 U	0.000987 U	0.000755 U	0.000643 U	0.00214 J	0.000783 U	0.000699 U	0.00570 U
	B-246-30	5/11/18	PES	ESC	30	9.9	S	–	–	–	–	0.000588 U	0.000324 U	0.000459 U	0.00104 U	0.000794 U	0.000677 U	0.00878	0.000824 U	0.000736 U	0.00600 U
	B-246-35	5/11/18	PES	ESC	35	4.9	S	–	–	–	–	0.000576 U	0.000317 U	0.000450 U	0.00102 U	0.000778 U	0.000663 U	0.000576 U	0.000807 U	0.000720 U	0.00588 U
	B-246-40	5/11/18	PES	ESC	40	-0.1	S	–	–	–	–	0.000566 U	0.000311 U	0.000442 U	0.00100 U	0.000764 U	0.000651 U	0.00121 J	0.000793 U	0.000708 U	0.00578 U
	B-246-43	5/11/18	PES	ESC	43	-3.1	S	–	–	–	–	0.000547 U	0.000301 U	0.000426 U	0.000966 U	0.000738 U	0.000629 U	0.00192 J	0.000765 U	0.000683 U	0.00558 U
	B-246-45	5/11/18	PES	ESC	45	-5.1	S	–	–	–	–	0.000603 U	0.000331 U	0.000471 U	0.00106 U	0.000814 U	0.000693 U	0.000603 U	0.000844 U	0.000754 U	0.00615 U
	B-246-50	5/11/18	PES	ESC	50	-10.1	S	–	–	–	–	0.000563 U	0.000309 U	0.000439 U	0.000993 U	0.000759 U	0.000647 U	0.000563 U	0.000788 U	0.000703 U	0.00574 U
	B-246-55	5/11/18	PES	ESC	55	-15.1	S	–	–	–	–	0.000573 U	0.000315 U	0.000447 U	0.00101 U	0.000773 U	0.000658 U	0.000573 U	0.000802 U	0.000716 U	0.00584 U
	B-246-60	5/11/18	PES	ESC	60	-20.1	S	–	–	–	–	0.000567 U	0.000312 U	0.000443 U	0.00100 U	0.000766 U	0.000653 U	0.000567 U	0.000794 U	0.000709 U	0.00579 U
	B-246-65	5/11/18	PES	ESC	65	-25.1	S	–	–	–	–	0.000618 U	0.000340 U	0.000482 U	0.00109 U	0.000835 U	0.000711 U	0.000618 U	0.000866 U	0.000773 U	0.00631 U
	B-246-70	5/11/18	PES	ESC	70	-30.1	S	–	–	–	–	0.000556 U	0.000306 U	0.000433 U	0.000981 U	0.000750 U	0.000639 U	0.00147 J	0.000778 U	0.000695 U	0.00567 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-246 (continued)	B-246-75	5/11/18	PES	ESC	75	-35.1	S	–	–	–	–	0.000579 U	0.000319 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
	B-246-80	5/11/18	PES	ESC	80	-40.1	S	–	–	–	–	0.000565 U	0.000311 U	0.000440 U	0.000997 U	0.000762 U	0.000649 U	0.000565 U	0.000791 U	0.000706 U	0.00576 U
	B-926-100	5/11/18	PES	ESC	45 (dup)	-5.1	S	–	–	–	–	0.000749 U	0.000412 U	0.000584 U	0.00132 U	0.00101 U	0.000861 U	0.000749 U	0.00105 U	0.000936 U	0.00764 U
B-247	B-247-5	4/20/18	PES	ESC	5	34.7	S	–	–	–	–	0.000300 U	0.000325 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000841 U
	B-247-10	4/20/18	PES	ESC	10	29.7	S	–	–	–	–	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000349 U	0.000365 U	0.000352 U	0.000853 U
	B-247-15	4/20/18	PES	ESC	15	24.7	S	–	–	–	–	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000336 U	0.000352 U	0.000339 U	0.000822 U
	B-247-20	4/20/18	PES	ESC	20	19.7	S	–	–	–	–	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	B-247-25	4/20/18	PES	ESC	25	14.7	S	–	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000806 U
	B-247-30	4/20/18	PES	ESC	30	9.7	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000816 U
	B-247-35	4/20/18	PES	ESC	35	4.7	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000817 U
	B-247-40	4/20/18	PES	ESC	40	-0.3	S	–	–	–	–	0.000296 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000223 U	0.000340 U	0.000356 U	0.000344 U	0.000832 U
	B-247-45	4/20/18	PES	ESC	45	-5.3	S	–	–	–	–	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000327 U	0.000342 U	0.000331 U	0.000801 U
	B-247-50	4/20/18	PES	ESC	50	-10.3	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000349 U	0.000337 U	0.000337 U	0.000816 U
	B-247-55	4/20/18	PES	ESC	55	-15.3	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000342 U	0.000358 U	0.000346 U	0.000837 U
	B-247-60	4/20/18	PES	ESC	60	-20.3	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000342 U	0.000342 U	0.000330 U	0.000798 U
	B-247-65	4/20/18	PES	ESC	65	-25.3	S	–	–	–	–	0.000295 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000354 U	0.000341 U	0.000827 U
	B-247-70	4/20/18	PES	ESC	70	-30.3	S	–	–	–	–	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000340 U	0.000355 U	0.000343 U	0.000830 U
	B-247-75	4/20/18	PES	ESC	75	-35.3	S	–	–	–	–	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000228 U	0.000347 U	0.000363 U	0.000350 U	0.000848 U
	B-247-80	4/20/18	PES	ESC	80	-40.3	S	–	–	–	–	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000222 U	0.000339 U	0.000354 U	0.000342 U	0.000828 U
	B-909-20	4/20/18	PES	ESC	80 (dup)	-40.3	S	–	–	–	–	0.000286 U	0.000310 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000802 U
B-248	B-248-5	4/23/18	PES	ESC	5	46.9	V	–	–	–	–	0.000301 U	0.000326 U	0.000417 U	0.000316 U	0.000417 U	0.000227 U	0.000346 U	0.000362 U	0.000349 U	0.000846 U
	B-248-10	4/23/18	PES	ESC	10	41.9	V	–	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	B-248-15	4/23/18	PES	ESC	15	36.9	V	–	–	–	–	0.000550 U	0.000302 U	0.000429 U	0.000971 U	0.000742 U	0.000632 U	0.000550 U	0.000770 U	0.000687 U	0.00561 U
	B-248-20	4/23/18	PES	ESC	20	31.9	S	–	–	–	–	0.000286 U	0.000309 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000801 U
	B-248-25	4/23/18	PES	ESC	25	26.9	S	–	–	–	–	0.000587 U	0.000323 U	0.000458 U	0.00104 U	0.000792 U	0.000675 U	0.000587 U	0.000821 U	0.000733 U	0.000598 U
	B-248-30	4/23/18	PES	ESC	30	21.9	S	–	–	–	–	0.000285 U	0.000309 U	0.000395 U	0.000299 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000801 U
	B-248-35	4/23/18	PES	ESC	35	16.9	S	–	–	–	–	0.000542 U	0.000298 U	0.000422 U	0.000957 U	0.000731 U	0.000623 U	0.000611 J	0.000758 U	0.000677 U	0.00552 U
	B-248-40	4/23/18	PES	ESC	40	11.9	S	–	–	–	–	0.000557 U	0.000307 U	0.000435 U	0.000985 U	0.000753 U	0.000641 U	0.000557 U	0.000780 U	0.000697 U	0.00569 U
	B-248-45	4/23/18	PES	ESC	45	6.9	S	–	–	–	–	0.000571 U	0.000314 U	0.000445 U	0.00101 U	0.000771 U	0.000657 U	0.000571 U	0.000799 U	0.000714 U	0.00582 U
	B-248-50	4/23/18	PES	ESC	50	1.9	S	–	–	–	–	0.000547 U	0.000301 U	0.000426 U	0.000965 U	0.000738 U	0.000629 U	0.000547 U	0.000765 U	0.000683 U	0.00558 U
	B-248-55	4/23/18	PES	ESC	55	-3.2	S	–	–	–	–	0.000312 U	0.000338 U	0.000432 U	0.000328 U	0.000432 U	0.000236 U	0.000359 U	0.000375 U	0.000362 U	0.000877 U
	B-248-60	4/23/18	PES	ESC	60	-8.2	S	–	–	–	–	0.000536 U	0.000295 U	0.000418 U	0.000946 U	0.000723 U	0.000616 U	0.000616 U	0.000750 U	0.000670 U	0.00547 U
	B-248-65	4/23/18	PES	ESC	65	-13.2	S	–	–	–	–	0.000615 U	0.000338 U	0.000480 U	0.00109 U	0.000830 U	0.000707 U	0.000615 U	0.000861 U	0.000769 U	0.00627 U
	B-248-70	4/23/18	PES	ESC	70	-18.2	S	–	–	–	–	0.000575 U	0.000316 U	0.000448 U	0.00101 U	0.000776 U	0.000661 U	0.000575 U	0.000804 U	0.000718 U	0.00586 U
	B-248-75	4/23/18	PES	ESC	75	-23.2	S	–	–	–	–	0.000562 U	0.000309 U	0.000438 U	0.000992 U	0.000758 U	0.000646 U	0.000646 U	0.000786 U	0.000702 U	0.00573 U
	B-248-80	4/23/18	PES	ESC	80	-28.2	S	–	–	–	–	0.000317 U	0.000344 U	0.000439 U	0.000333 U	0.000439 U	0.000239 U	0.000364 U	0.000381 U	0.000368 U	0.000890 U
	B-910-20	4/23/18	PES	ESC	80 (dup)	-28.2	S	–	–	–	–	0.000326 U	0.000353 U	0.000450 U	0.000342 U	0.000450 U	0.000246 U	0.000374 U	0.000391 U	0.000378 U	0.000914 U
	B-248-85	4/23/18	PES	ESC	85	-33.2	S	–	–	–	–	0.000321 U	0.000347 U	0.000443 U	0.000336 U	0.000443 U	0.000242 U	0.000368 U	0.000385 U	0.000372 U	0.000900 U
	B-248-90	4/23/18	PES	ESC	90	-38.2	S	–	–	–	–	0.000316 U	0.000342 U	0.000437 U	0.000331 U	0.000437 U	0.000238 U	0.000362 U	0.000379 U	0.000366 U	0.000886 U
	B-248-95	4/23/18	PES	ESC	95	-43.2	S	–	–	–	–	0.000329 U	0.000357 U	0.000455 U	0.000345 U	0.000455 U	0.000248 U	0.000378 U	0.000395 U	0.000382 U	0.000924 U
	B-248-100	4/23/18	PES	ESC	100	-48.2	S	–	–	–	–	0.000320 U	0.000347 U	0.000443 U	0.000336 U	0.000443 U	0.000241 U	0.000368 U	0.000385 U	0.000371 U	0.000899 U
	B-248-105	4/23/18	PES	ESC	105	-53.2	S	–	–	–	–	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000432 U	0.000343 U	0.000331 U	0.000801 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-248 (continued)	B-248-110 B-248-115	4/23/18 4/23/18	PES PES	ESC ESC	110 115	-58.2 -63.2	S S	– –	– –	– –	– –	0.000574 U 0.000309 U	0.000316 U 0.000334 U	0.000448 U 0.000427 U	0.00101 U 0.000324 U	0.000775 U 0.000427 U	0.000660 U 0.000233 U	0.00357 0.00156	0.000803 U 0.000371 U	0.000717 U 0.000358 U	0.00585 U 0.000866 U
B-249	B-249-5	10/15/18	PES	PACE	5	34.2	S	–	–	–	–	0.000523 U	0.000287 U	0.000408 U	0.000923 U	0.000705 U	0.000601 U	0.000523 U	0.000732 U	0.000653 U	0.00533 U
	B-249-8	10/15/18	PES	PACE	8	31.2	S	–	–	–	–	0.000564 U	0.000310 U	0.000440 U	0.000996 U	0.000762 U	0.000649 U	0.000564 U	0.000790 U	0.000705 U	0.00576 U
	B-249-15	10/15/18	PES	PACE	15	24.2	S	–	–	–	–	0.000579 U	0.000318 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
	B-249-17	10/15/18	PES	PACE	17	22.2	S	–	–	–	–	0.000566 U	0.000311 U	0.000442 U	0.00100 U	0.000764 U	0.000651 U	0.000566 U	0.000793 U	0.000708 U	0.00577 U
	B-249-20	10/15/18	PES	PACE	20	19.2	S	–	–	–	–	0.000591 U	0.000325 U	0.000461 U	0.00104 U	0.000798 U	0.000679 U	0.000591 U	0.000827 U	0.000738 U	0.00603 U
B-250	B-250-2.5	10/15/18	PES	PACE	2.5	36.9	V	–	–	–	–	0.000552 U	0.000304 U	0.000431 U	0.000975 U	0.000745 U	0.000635 U	0.000552 U	0.000773 U	0.000690 U	0.00563 U
	B-250-8	10/15/18	PES	PACE	8	31.4	S	–	–	–	–	0.000557 U	0.000306 U	0.000434 U	0.000983 U	0.000752 U	0.000640 U	0.000557 U	0.000779 U	0.000696 U	0.00568 U
	B-250-10	10/15/18	PES	PACE	10	29.4	S	–	–	–	–	0.000556 U	0.000306 U	0.000434 U	0.000982 U	0.000751 U	0.000640 U	0.000556 U	0.000779 U	0.000695 U	0.00567 U
	B-250-13	10/15/18	PES	PACE	13	26.4	S	–	–	–	–	0.000562 U	0.000309 U	0.000438 U	0.000992 U	0.000758 U	0.000646 U	0.000562 U	0.000786 U	0.000702 U	0.00573 U
	B-250-20	10/15/18	PES	PACE	20	19.4	S	–	–	–	–	0.000579 U	0.000319 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.00138 J	0.000811 U	0.000724 U	0.00591 U
	B-250-24	10/15/18	PES	PACE	24	15.4	S	–	–	–	–	0.000547 U	0.000301 U	0.000427 U	0.000966 U	0.000738 U	0.000629 U	0.00105 J	0.000766 U	0.000684 U	0.00558 U
	B-250-30	10/16/18	PES	PACE	30	9.4	S	–	–	–	–	0.000545 U	0.000300 U	0.000425 U	0.000963 U	0.000736 U	0.000627 U	0.000545 U	0.000763 U	0.000682 U	0.00556 U
B-251	B-251-5	10/15/18	PES	PACE	5	34.3	S	–	–	–	–	0.000525 U	0.000289 U	0.000410 U	0.000928 U	0.000709 U	0.000604 U	0.000525 U	0.000735 U	0.000657 U	0.00536 U
	B-251-8	10/15/18	PES	PACE	8	31.3	S	–	–	–	–	0.000555 U	0.000305 U	0.000433 U	0.00157 J	0.000749 U	0.000638 U	0.000555 U	0.000776 U	0.000693 U	0.00566 U
	B-251-10	10/15/18	PES	PACE	10	29.3	S	–	–	–	–	0.000556 U	0.000306 U	0.000434 U	0.0393 U	0.000751 U	0.000640 U	0.000556 U	0.000779 U	0.000695 U	0.00567 U
	B-251-15	10/15/18	PES	PACE	15	24.3	S	–	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.0399 U	0.000763 U	0.000650 U	0.000565 U	0.000791 U	0.000707 U	0.00577 U
	B-251-20	10/15/18	PES	PACE	20	19.3	S	–	–	–	–	0.000586 U	0.000322 U	0.000457 U	0.0413 U	0.000790 U	0.000673 U	0.000586 U	0.000820 U	0.000732 U	0.00597 U
	B-251-25	10/15/18	PES	PACE	25	14.3	S	–	–	–	–	0.000574 U	0.000316 U	0.000448 U	0.00101 U	0.000775 U	0.000660 U	0.000574 U	0.000804 U	0.000718 U	0.00586 U
B-252	B-252-2.5	10/15/18	PES	PACE	2.5	36.7	V	–	–	–	–	0.000522 U	0.000287 U	0.000407 U	0.000923 U	0.000705 U	0.000601 U	0.000522 U	0.000731 U	0.000653 U	0.00533 U
	B-252-8	10/15/18	PES	PACE	8	31.2	S	–	–	–	–	0.000535 U	0.000294 U	0.000417 U	0.000945 U	0.000722 U	0.000615 U	0.000535 U	0.000749 U	0.000669 U	0.00546 U
	B-252-10	10/15/18	PES	PACE	10	29.2	S	–	–	–	–	0.000554 U	0.000305 U	0.000432 U	0.000979 U	0.000748 U	0.000638 U	0.000554 U	0.000776 U	0.000693 U	0.00565 U
	B-252-15	10/15/18	PES	PACE	15	24.2	S	–	–	–	–	0.000589 U	0.000324 U	0.000460 U	0.0209 U	0.000795 U	0.000677 U	0.000589 U	0.000825 U	0.000736 U	0.00601 U
	B-252-19	10/15/18	PES	PACE	19	20.2	S	–	–	–	–	0.000603 U	0.000332 U	0.000471 U	0.0107 U	0.000815 U	0.000694 U	0.00476	0.000845 U	0.000754 U	0.00616 U
	B-252-25	10/15/18	PES	PACE	25	14.2	S	–	–	–	–	0.000549 U	0.000302 U	0.000428 U	0.00388 U	0.000741 U	0.000632 U	0.000549 U	0.000769 U	0.000686 U	0.00560 U
	B-252-29	10/15/18	PES	PACE	29	10.2	S	–	–	–	–	0.000572 U	0.000315 U	0.000446 U	0.00101 U	0.000772 U	0.000658 U	0.00436	0.000801 U	0.000715 U	0.00584 U
B-253A	B-253A-5	10/18/18	PES	PACE	5	35.6	V	–	–	–	–	0.000569 U	0.000313 U	0.000444 U	0.00101 U	0.000769 U	0.000655 U	0.000569 U	0.000797 U	0.000712 U	0.00581 U
	B-253A-8	10/18/18	PES	PACE	8	32.6	S	–	–	–	–	0.000563 U	0.000310 U	0.000439 U	0.00398 U	0.000760 U	0.000648 U	0.000563 U	0.000788 U	0.000704 U	0.00574 U
	B-253A-10	10/18/18	PES	PACE	10	30.6	S	–	–	–	–	0.000548 U	0.000301 U	0.000427 U	0.00967 U	0.000739 U	0.000630 U	0.000548 U	0.000767 U	0.000685 U	0.00559 U
	B-253A-15	10/18/18	PES	PACE	15	25.6	S	–	–	–	–	0.000561 U	0.000309 U	0.000438 U	0.0793 U	0.000758 U	0.000646 U	0.000561 U	0.000786 U	0.000702 U	0.00573 U
	B-253A-20	10/18/18	PES	PACE	20	20.6	S	–	–	–	–	0.000551 U	0.000303 U	0.000430 U	0.00389 U	0.000743 U	0.000633 U	0.000551 U	0.000771 U	0.000688 U	0.00562 U
B-254	B-254-5	10/16/18	PES	PACE	5	34.7	S	–	–	–	–	0.000599 U	0.000329 U	0.0374 U	0.00106 U	0.0647 U	0.000689 U	0.000599 U	0.000838 U	0.0599 U	0.00611 U
	B-254-10	10/16/18	PES	PACE	10	29.7	S	–	–	–	–	0.000568 U	0.000312 U	0.00354 U	0.00100 U	0.00613 U	0.000653 U	0.000568 U	0.000795 U	0.00568 U	0.00579 U
	B-254-13.5	10/16/18	PES	PACE	13.5	26.2	S	–	–	–	–	0.000586 U	0.000322 U	0.183 U	0.00104 U	0.317 U	0.000674 U	0.000586 U	0.000821 U	0.293 U	0.00598 U
	B-254-20	10/16/18	PES	PACE	20	19.7	S	–	–	–	–	0.000538 U	0.000296 U	0.0839 U	0.000950 U	0.145 U	0.000619 U	0.000538 U	0.000753 U	0.134 U	0.00549 U
	B-254-25	10/16/18	PES	PACE	25	14.7	S	–	–	–	–	0.000559 U	0.000307 U	0.174 U	0.000987 U	0.302 U	0.000642 U	0.000559 U	0.000782 U	0.279 U	0.00570 U
B-254A	B-254A-27	10/19/18	PES	PACE	27	12.7	S	–	–	–	–	0.000546 U	0.000301 U	0.000426 U	0.000965 U	0.000737 U	0.000628 U	0.000546 U	0.000764 U	0.000682 U	0.00557 U
	B-254A-30	10/19/18	PES	PACE	30	9.7	S	–	–	–	–	0.000538 U	0.000296 U	0.000420 U	0.000950 U	0.000726 U	0.000619 U	0.000538 U	0.000753 U	0.000673 U	0.00549 U
	B-254A-35	10/19/18	PES	PACE	35	4.7	S	–	–	–	–	0.000527 U	0.000290 U	0.000411 U	0.000930 U	0.000711 U	0.000606 U	0.000527 U	0.000737 U	0.000658 U	0.00537 U
B-255	B-255-3.5	10/16/18	PES	PACE	3.5	36.3	S	–	–	–	–	0.000571 U	0.000314 U	0.000445 U	0.00101 U	0.000771 U	0.000657 U	0.000571 U	0.000799 U	0.000714 U	0.00582 U
	B-255-8	10/16/18	PES	PACE	8	31.8	S	–	–	–	–	0.000579 U	0.000319 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-255 (continued)	B-255-15	10/16/18	PES	PACE	15	24.8	S	–	–	–	–	0.000545 U	0.000300 U	0.000425 U	0.000962 U	0.000735 U	0.000627 U	0.000545 U	0.000763 U	0.000681 U	0.00556 U
B-255A	B-255A-21	10/16/18	PES	PACE	21	18.8	S	–	–	–	–	0.000529 U	0.000291 U	0.0165 U	0.000935 U	0.0286 U	0.000609 U	0.00498	0.000741 U	0.0265 U	0.00540 U
B-256	B-256-2.5	10/16/18	PES	PACE	2.5	37.1	S	–	–	–	–	0.000585 U	0.000322 U	0.000456 U	0.001103 U	0.000789 U	0.000672 U	0.000585 U	0.000819 U	0.000731 U	0.00596 U
	B-256-5	10/16/18	PES	PACE	5	34.6	S	–	–	–	–	0.000552 U	0.000304 U	0.000431 U	0.000975 U	0.000746 U	0.000635 U	0.000552 U	0.000773 U	0.000690 U	0.00563 U
	B-256-10	10/16/18	PES	PACE	10	29.6	S	–	–	–	–	0.000534 U	0.000294 U	0.000417 U	0.000944 U	0.000721 U	0.000614 U	0.00420	0.000748 U	0.000668 U	0.00545 U
	B-256-15	10/16/18	PES	PACE	15	24.6	S	–	–	–	–	0.000553 U	0.000304 U	0.000432 U	0.000977 U	0.000747 U	0.000636 U	0.00114 J	0.000775 U	0.000692 U	0.00564 U
B-257	B-256-18	10/16/18	PES	PACE	18	21.6	S	–	–	–	–	0.000553 U	0.000304 U	0.000432 U	0.000977 U	0.000747 U	0.000636 U	0.000814 J	0.000775 U	0.000692 U	0.00564 U
	B-257-5	10/17/18	PES	PACE	5	34.4	S	–	–	–	–	0.000605 U	0.000333 U	0.000472 U	0.001107 U	0.000817 U	0.000696 U	0.000605 U	0.000848 U	0.000757 U	0.00617 U
	B-257-10	10/17/18	PES	PACE	10	29.4	S	–	–	–	–	0.000558 U	0.000307 U	0.000435 U	0.000986 U	0.000754 U	0.000642 U	0.000558 U	0.000782 U	0.000698 U	0.00569 U
	B-257-15	10/17/18	PES	PACE	15	24.4	S	–	–	–	–	0.000581 U	0.000319 U	0.000453 U	0.001103 U	0.000784 U	0.000668 U	0.000652 J	0.000813 U	0.000726 U	0.00592 U
B-258	B-257-20	10/17/18	PES	PACE	20	19.4	S	–	–	–	–	0.000562 U	0.000309 U	0.00351 U	0.000992 U	0.00607 U	0.000646 U	0.000801	0.000787 U	0.00562 U	0.00573 U
	B-258-3	10/17/18	PES	PACE	3	36.2	V	–	–	–	–	0.000548 U	0.000301 U	0.000427 U	0.000968 U	0.000740 U	0.000630 U	0.000548 U	0.000767 U	0.000685 U	0.00559 U
	B-258-8	10/17/18	PES	PACE	8	31.2	S	–	–	–	–	0.000569 U	0.000313 U	0.000444 U	0.001100 U	0.000768 U	0.000654 U	0.000569 U	0.000796 U	0.000711 U	0.00580 U
	B-258-10	10/17/18	PES	PACE	10	29.2	S	–	–	–	–	0.000598 U	0.000329 U	0.000467 U	0.001106 U	0.000808 U	0.000688 U	0.000598 U	0.000838 U	0.000748 U	0.00610 U
B-259	B-258-15	10/17/18	PES	PACE	15	24.2	S	–	–	–	–	0.000590 U	0.000325 U	0.000480 J	0.001104 U	0.000797 U	0.000679 U	0.000600 J	0.000826 U	0.000738 U	0.00602 U
	B-258-20	10/17/18	PES	PACE	20	19.2	S	–	–	–	–	0.000558 U	0.000307 U	0.000435 U	0.000986 U	0.000753 U	0.000642 U	0.000558 U	0.000781 U	0.000698 U	0.00569 U
	B-259-2.5	10/17/18	PES	PACE	2.5	36.7	V	–	–	–	–	0.000563 U	0.000310 U	0.000439 U	0.001199 J	0.000760 U	0.000647 U	0.000563 U	0.000788 U	0.000703 U	0.00574 U
	B-259-5	10/17/18	PES	PACE	5	34.2	S	–	–	–	–	0.000548 U	0.000301 U	0.000427 U	0.000968 U	0.000740 U	0.000630 U	0.000548 U	0.000767 U	0.000685 U	0.00559 U
B-260	B-259-10	10/17/18	PES	PACE	10	29.2	S	–	–	–	–	0.000757 J	0.000315 U	0.000447 U	0.001101 U	0.000773 U	0.000659 U	0.000899 J	0.000802 U	0.000716 U	0.00584 U
	B-259-15	10/17/18	PES	PACE	15	24.2	S	–	–	–	–	0.000587 U	0.000323 U	0.000458 U	0.001104 U	0.000792 U	0.000675 U	0.000509	0.000822 U	0.000734 U	0.00599 U
	B-259-20	10/17/18	PES	PACE	20	19.2	S	–	–	–	–	0.000559 U	0.000307 U	0.000436 U	0.000987 U	0.000754 U	0.000643 U	0.00344	0.000782 U	0.000699 U	0.00570 U
	B-260-5	10/17/18	PES	PACE	5	34.2	S	–	–	–	–	0.000554 U	0.000305 U	0.000432 U	0.001189 J	0.000749 U	0.000638 U	0.000554 U	0.000776 U	0.000693 U	0.00566 U
B-261	B-260-8	10/17/18	PES	PACE	8	31.2	S	–	–	–	–	0.000647 J	0.000309 U	0.000438 U	0.000991 U	0.000757 U	0.000645 U	0.000732 J	0.000786 U	0.000701 U	0.00572 U
	B-260-10	10/17/18	PES	PACE	10	29.2	S	–	–	–	–	0.000624 J	0.000316 U	0.000448 U	0.001101 U	0.000775 U	0.000660 U	0.00166 J	0.000803 U	0.000717 U	0.00585 U
	B-260-15	10/17/18	PES	PACE	15	24.2	S	–	–	–	–	0.000581 U	0.000319 U	0.000453 U	0.001103 U	0.000784 U	0.000668 U	0.00427	0.000813 U	0.000726 U	0.00592 U
	B-260-20	10/17/18	PES	PACE	20	19.2	S	–	–	–	–	0.000619 J	0.000304 U	0.000431 U	0.000976 U	0.000746 U	0.000635 U	0.00252 J	0.000774 U	0.000691 U	0.00564 U
B-262	B-261-3	10/17/18	PES	PACE	3	36.9	S	–	–	–	–	0.000571 U	0.000314 U	0.000446 U	0.001101 U	0.000771 U	0.000657 U	0.000710 J	0.000800 U	0.000714 U	0.00583 U
	B-261-5	10/17/18	PES	PACE	5	34.9	S	–	–	–	–	0.000576 J	0.000311 U	0.000448 J	0.001100 U	0.000764 U	0.000651 U	0.000566 U	0.000793 U	0.000708 U	0.00578 U
	B-261-8	10/17/18	PES	PACE	8	31.9	S	–	–	–	–	0.000599 U	0.000330 U	0.000467 U	0.001106 U	0.000809 U	0.000689 U	0.000599 U	0.000839 U	0.000749 U	0.00611 U
	B-261-10	10/17/18	PES	PACE	10	29.9	S	–	–	–	–	0.000576 U	0.000317 U	0.000449 U	0.001102 U	0.000778 U	0.000663 U	0.000576 U	0.000807 U	0.000720 U	0.00588 U
B-263	B-261-15	10/17/18	PES	PACE	15	24.9	S	–	–	–	–	0.000549 U	0.000302 U	0.000429 U	0.000970 U	0.000742 U	0.000632 U	0.000549 U	0.000769 U	0.000687 U	0.00560 U
	B-261-20	10/17/18	PES	PACE	20	19.9	S	–	–	–	–	0.000562 U	0.000309 U	0.000438 U	0.000992 U	0.000759 U	0.000646 U	0.00239 J	0.000787 U	0.000702 U	0.00573 U
	B-262-5	10/17/18	PES	PACE	5	34.9	S	–	–	–	–	0.000589 U	0.000324 U	0.0368 U	0.001104 U	0.000795 U	0.000677 U	0.000589 U	0.000825 U	0.0589 U	0.00601 U
	B-262-8	10/17/18	PES	PACE	8	31.9	S	–	–	–	–	0.000550 U	0.000302 U	0.000429 U	0.000971 U	0.000742 U	0.000632 U	0.000550 U	0.000770 U	0.000687 U	0.00561 U
B-263	B-262-10	10/17/18	PES	PACE	10	29.9	S	–	–	–	–	0.000557 U	0.000306 U	0.000434 U	0.000983 U	0.000752 U	0.000640 U	0.000557 U	0.000780 U	0.000696 U	0.00568 U
	B-262-15	10/17/18	PES	PACE	15	24.9	S	–	–	–	–	0.000549 U	0.000302 U	0.000428 U	0.000969 U	0.000741 U	0.000631 U	0.000549 U	0.000768 U	0.000686 U	0.00560 U
	B-262-20	10/17/18	PES	PACE	20	19.9	S	–	–	–	–	0.000589 U	0.000324 U	0.00459 U	0.001104 U	0.000795 U	0.000677 U	0.000589 U	0.000824 U	0.00736 U	0.00600 U
	B-263-3	10/18/18	PES	PACE	3	36.8	S	–	–	–	–	0.000612 U	0.000337 U	0.000478 U	0.001108 U	0.000827 U	0.000704 U	0.000612 U	0.000857 U	0.000765 U	0.00624 U
B-263	B-263-5	10/18/18	PES	PACE	5	34.8	S	–	–	–	–	0.000540 U	0.000297 U	0.000421 U	0.000954 U	0.000729 U	0.000621 U	0.000540 U	0.000756 U	0.000675 U	0.00551 U
	B-263-8	10/18/18	PES	PACE	8	31.8	S	–	–	–	–	0.000527 U	0.000290 U	0.000411 U	0.000931 U	0.000712 U	0.000607 U	0.000527 U	0.000738 U	0.000659 U	0.00538 U
	B-263-10	10/18/18	PES	PACE	10	29.8	S	–	–	–	–	0.000569 U	0.000313 U	0.000444 U	0.001100 U	0.000768 U	0.000654 U	0.000569 U	0.000797 U	0.000711 U	0.00580 U
	B-263-15	10/18/18	PES	PACE	15	24.8	S	–	–	–	–	0.000546 U	0.000300 U	0.000426 U	0.000964 U	0.000737 U	0.000628 U	0.000546 U	0.000764 U	0.000682 U	0.00557 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
B-263 (continued)	B-263-18	10/18/18	PES	PACE	18	21.8	S	–	–	–	–	0.000542 U	0.000298 U	0.000423 U	0.000958 U	0.000732 U	0.000624 U	0.000542 U	0.000759 U	0.000678 U	0.00553 U
B-264	B-264-3	10/18/18	PES	PACE	3	36.8	S	–	–	–	–	0.000543 U	0.000299 U	0.000424 U	0.000959 U	0.000733 U	0.000624 U	0.000543 U	0.000760 U	0.000679 U	0.00554 U
	B-264-5	10/18/18	PES	PACE	5	34.8	S	–	–	–	–	0.000579 U	0.000318 U	0.000451 U	0.001102 U	0.000781 U	0.000665 U	0.000579 U	0.000810 U	0.000723 U	0.00590 U
	B-264-8	10/18/18	PES	PACE	8	31.8	S	–	–	–	–	0.000571 U	0.000314 U	0.000446 U	0.001101 U	0.000771 U	0.000657 U	0.000571 U	0.000800 U	0.000714 U	0.00583 U
	B-264-10	10/18/18	PES	PACE	10	29.8	S	–	–	–	–	0.000551 U	0.000303 U	0.000430 U	0.000973 U	0.000744 U	0.000633 U	0.000551 U	0.000771 U	0.000689 U	0.00562 U
	B-264-15	10/18/18	PES	PACE	15	24.8	S	–	–	–	–	0.000582 U	0.000320 U	0.000454 U	0.001103 U	0.000785 U	0.000669 U	0.000582 U	0.000814 U	0.000727 U	0.00593 U
	B-264-16	10/18/18	PES	PACE	16	23.8	S	–	–	–	–	0.000561 U	0.000309 U	0.000438 U	0.000991 U	0.000758 U	0.000645 U	0.000561 U	0.000786 U	0.000702 U	0.00573 U
B-265	B-265-3	10/18/18	PES	PACE	3	36.8	S	–	–	–	–	0.000597 U	0.000328 U	0.000465 U	0.001105 U	0.000806 U	0.000686 U	0.000597 U	0.000835 U	0.000746 U	0.00609 U
	B-265-5	10/18/18	PES	PACE	5	34.8	S	–	–	–	–	0.000579 U	0.000319 U	0.000452 U	0.01102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
	B-265-8	10/18/18	PES	PACE	8	31.8	S	–	–	–	–	0.000558 U	0.000307 U	0.000435 U	0.00986 U	0.000754 U	0.000642 U	0.000558 U	0.000781 U	0.000698 U	0.00569 U
	B-265-10	10/18/18	PES	PACE	10	29.8	S	–	–	–	–	0.000550 U	0.000302 U	0.000429 U	0.00776 U	0.000742 U	0.000632 U	0.000550 U	0.000770 U	0.000687 U	0.00561 U
	B-265-17.5	10/18/18	PES	PACE	18	22.3	S	–	–	–	–	0.000553 U	0.000304 U	0.000431 U	0.000977 U	0.000747 U	0.000636 U	0.000553 U	0.000774 U	0.000691 U	0.00564 U
B-266	B-266-5	10/18/18	PES	PACE	5	35.7	S	–	–	–	–	0.000609 U	0.000335 U	0.000475 U	0.001108 U	0.000823 U	0.000701 U	0.000609 U	0.000853 U	0.000762 U	0.00621 U
	B-266-8	10/18/18	PES	PACE	8	32.7	S	–	–	–	–	0.000636 U	0.000350 U	0.000496 U	0.001111 U	0.000859 U	0.000732 U	0.000636 U	0.000891 U	0.000795 U	0.00649 U
	B-266-10	10/18/18	PES	PACE	10	30.7	S	–	–	–	–	0.000805 U	0.000443 U	0.000628 U	0.001142 U	0.001109 U	0.000926 U	0.000805 U	0.001113 U	0.001101 U	0.00821 U
	B-266-15	10/18/18	PES	PACE	15	25.7	S	–	–	–	–	0.000667 U	0.000367 U	0.000520 U	0.01117 U	0.000900 U	0.000767 U	0.000667 U	0.000934 U	0.000834 U	0.00681 U
	B-266-20	10/18/18	PES	PACE	20	20.7	S	–	–	–	–	0.000557 U	0.000307 U	0.000435 U	0.0393 U	0.000752 U	0.000641 U	0.000557 U	0.000780 U	0.000697 U	0.00568 U
B-267	B-267-2.5	10/18/18	PES	PACE	2.5	37.4	S	–	–	–	–	0.000601 U	0.000331 U	0.000469 U	0.001106 U	0.000811 U	0.000691 U	0.000601 U	0.000841 U	0.000751 U	0.00613 U
	B-267-5	10/18/18	PES	PACE	5	34.9	S	–	–	–	–	0.000545 U	0.000300 U	0.000425 U	0.000963 U	0.000736 U	0.000627 U	0.000545 U	0.000764 U	0.000682 U	0.00556 U
	B-267-8	10/18/18	PES	PACE	8	31.9	S	–	–	–	–	0.000597 U	0.000328 U	0.000465 U	0.00421 U	0.000805 U	0.000686 U	0.000597 U	0.000835 U	0.000746 U	0.00608 U
	B-267-10	10/18/18	PES	PACE	10	29.9	S	–	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.00399 U	0.000763 U	0.000650 U	0.000565 U	0.000791 U	0.000706 U	0.00576 U
	B-267-15	10/18/18	PES	PACE	15	24.9	S	–	–	–	–	0.0112 U	0.00615 U	0.00872 U	0.0198 U	0.0151 U	0.0129 U	0.0112 U	0.0156 U	0.0140 U	0.114 U
	B-267-20	10/18/18	PES	PACE	20	19.9	S	–	–	–	–	0.0124 U	0.00684 U	0.00969 U	0.0219 U	0.0168 U	0.0142 U	0.0124 U	0.0174 U	0.0155 U	0.127 U
CA-A10	CA-A10-21	09/04/19	PES	Fremont	21	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-A12-20	CA-A12-20-24	09/06/19	PES	Fremont	24	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAA-C1	CAA-C1-43	08/27/19	PES	Fremont	43	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CAA-C2	CAA-C2-10	08/28/19	PES	Fremont	10	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-B8	CA-B8-3	09/16/19	PES	Fremont	3	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-B19	CA-B19-30	09/27/19	PES	Fremont	30	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-B10	CA-B10-17	08/30/19	PES	Fremont	17	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CA-B10-20	08/30/19	PES	Fremont	20	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CA-B10-21	08/30/19	PES	Fremont	21	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CA-B10-25	08/30/19	PES	Fremont	25	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-B11	CA-B11-27	09/05/19	PES	Fremont	27	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-B18	CA-B18-20	10/26/19	PES	Fremont	20	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-B20	CA-B20-31	09/30/19	PES	Fremont	31	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	B-1001-31	09/30/19	PES	Fremont	31 (dup)	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-C7	CA-C7-25	09/20/19	PES	Fremont	25	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-C8	CA-C8-35	09/03/19	PES	Fremont	35	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-C9	CA-C9-09	09/04/19	PES	Fremont	9	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-C10	CA-C10-17	09/06/19	PES	Fremont	17	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CA-C10-26	09/06/19	PES	Fremont	26	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-C13	CA-C13-Comp	09/11/19	PES	Fremont	Comp	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-D1	CA-D1-Comp	09/11/19	PES	Fremont	Comp	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-D2	CA-D2-31	09/16/19	PES	Fremont	31	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CA-D2-50-52	09/17/19	PES	Fremont	52	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-D3	CA-D3-40	09/23/19	PES	Fremont	40	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CA-D4	CA-D4-51	09/19/19	PES	Fremont	51	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	CA-D4-54	09/19/19	PES	Fremont	54	–	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
CA-D5	CA-D5-14	09/03/19	PES	Fremont	14	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-22	09/03/19	PES	Fremont	22	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-26	09/03/19	PES	Fremont	26	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D6	CA-D6-56	09/04/19	PES	Fremont	56	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D6-65	09/04/19	PES	Fremont	65	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D7	CA-D7-15	09/05/19	PES	Fremont	15	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB01	DB01-10	3/18/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-20	3/18/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-30	3/18/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-40	3/18/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB02	DB02-10	3/18/13	SES	F&BI	10	26.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-15	3/18/13	SES	F&BI	15	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-20	3/18/13	SES	F&BI	20	16.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-30	3/18/13	SES	F&BI	30	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-40	3/18/13	SES	F&BI	40	-4.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB03	DB03-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-20	3/27/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-35	3/27/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-45	3/27/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-55	3/27/13	SES	F&BI	55	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-60	3/27/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB04	DB04-10	3/21/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-20	3/21/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-35	3/21/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-45	3/21/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-50	3/22/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-60	3/22/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB05	DB05-10	3/26/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-20	3/26/13	SES	F&BI	20	31.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-30	3/26/13	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-40	3/26/13	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-50	3/26/13	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-60	3/26/13	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-70	3/26/13	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB06	DB06-10	3/25/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-25	3/25/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-35	3/25/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-45	3/25/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-55	3/25/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-65	3/25/13	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-75	3/25/13	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
DB07	DB07-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-15	3/27/13	SES	F&BI	15	25.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-25	3/27/13	SES	F&BI	25	15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-35	3/28/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-45	3/28/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-50	3/28/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-60	3/28/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-70	3/28/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB08	DB08-10	3/20/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-20	3/20/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-35	3/20/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-45	3/20/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-50	3/21/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-60	3/21/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-70	3/21/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB09	DB09-10	3/19/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-20	3/19/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-30	3/19/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-40	3/19/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-50	3/19/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-60	3/19/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-70	3/19/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB10	DB10-10	3/29/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-20	3/29/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-35	3/29/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-45	3/29/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-50	4/1/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-60	4/1/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-70	4/1/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB11	DB11-15	4/2/13	SES	F&BI	15	36.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-25	4/2/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-35	4/2/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-45	4/2/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-55	4/2/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB12	DB12-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-30	4/3/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-40	4/3/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DB13	DB13-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-35	4/3/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-45	4/3/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
DB14	DB14-10	4/4/13	SES	F&BI	10	31.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-20	4/4/13	SES	F&BI	20	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-30	4/4/13	SES	F&BI	30	11.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-40	4/4/13	SES	F&BI	40	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G-MW1	MW 1-3-8	7/20/01	GeoEng	NCA	8	31.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-8-20	7/20/01	GeoEng	NCA	20	19.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-11-27.5	7/20/01	GeoEng	NCA	27.5	11.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-13-32.5	7/20/01	GeoEng	NCA	32.5	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-15-37.5	7/20/01	GeoEng	NCA	37.5	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G-MW3 (G-SB4 11)	SB4-4-10	7/20/01	GeoEng	NCA	10	29.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-7-17.5	7/20/01	GeoEng	NCA	17.5	22.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-13-32.5	7/20/01	GeoEng	NCA	32.5	7.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-15-37.5	7/20/01	GeoEng	NCA	37.5	2.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IW06	IW06-25	1/15/16	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-30	1/15/16	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-40	1/15/16	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-50	1/15/16	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-55	1/15/16	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-60	1/15/16	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-65	1/15/16	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-70	1/15/16	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-75	1/15/16	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IW-1C (-23.9 to-38.9)	IW-1C-5	3/7/18	PES	ESC	5	34.1	S	-	-	-	-	0.000293 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000823 U
	IW-1C-15	3/7/18	PES	ESC	15	24.1	S	-	-	-	-	0.000310 U	0.000336 U	0.000429 U	0.000325 U	0.000429 U	0.000234 U	0.000356 U	0.000372 U	0.000359 U	0.000870 U
	IW-1C-25	3/7/18	PES	ESC	25	14.1	S	-	-	-	-	0.0627 U	0.0679 U	0.0867 U	0.0658 U	0.0867 U	0.0473 U	0.0720 U	0.0753 U	0.0727 U	0.176 U
	IW-1C-35	3/7/18	PES	ESC	35	4.1	S	-	-	-	-	0.000283 U	0.000307 U	0.000391 U	0.000297 U	0.000391 U	0.000213 U	0.00552	0.000340 U	0.000328 U	0.000795 U
	IW-1C-45	3/7/18	PES	ESC	45	-5.9	S	-	-	-	-	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000891 J	0.000355 U	0.000343 U	0.000829 U
	IW-1C-55	3/7/18	PES	ESC	55	-15.9	S	-	-	-	-	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.00116	0.000355 U	0.000343 U	0.000830 U
	IW-1C-65	3/7/18	PES	ESC	65	-25.9	S	-	-	-	-	0.000303 U	0.000329 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.000348 U	0.000364 U	0.000352 U	0.000852 U
	IW-1C-75	3/7/18	PES	ESC	75	-35.9	S	-	-	-	-	0.000318 U	0.000344 U	0.000439 U	0.000333 U	0.000439 U	0.000239 U	0.000364 U	0.000381 U	0.000368 U	0.000891 U
IW-2C (-24.8 to-39.8)	IW-2C-5	3/7/18	PES	ESC	5	31.3	S	-	-	-	-	0.000326 U	0.000353 U	0.000451 U	0.000342 U	0.000451 U	0.000246 U	0.000374 U	0.000392 U	0.000378 U	0.000915 U
	IW-2C-15	3/7/18	PES	ESC	15	21.3	S	-	-	-	-	0.000315 U	0.000342 U	0.000436 U	0.000331 U	0.000436 U	0.000238 U	0.000362 U	0.000379 U	0.000366 U	0.000885 U
	IW-2C-25	3/7/18	PES	ESC	25	11.3	S	-	-	-	-	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000722 J	0.000354 U	0.000342 U	0.000828 U
	IW-2C-35	3/7/18	PES	ESC	35	1.3	S	-	-	-	-	0.000333 U	0.000360 U	0.000460 U	0.000349 U	0.000460 U	0.000251 U	0.000382 U	0.000399 U	0.000385 U	0.000933 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
IW-2C (continued)	IW-2C-45	3/7/18	PES	ESC	45	-8.7	S	–	–	–	–	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.00255	0.000344 U	0.000332 U	0.000804 U
	IW-2C-55	3/7/18	PES	ESC	55	-18.7	S	–	–	–	–	0.000308 U	0.000333 U	0.000425 U	0.000323 U	0.000425 U	0.000232 U	0.000353 U	0.000369 U	0.000356 U	0.000863 U
	IW-2C-65	3/7/18	PES	ESC	65	-28.7	S	–	–	–	–	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000331 U	0.000347 U	0.000335 U	0.000810 U
	IW-2C-75	3/7/18	PES	ESC	75	-38.7	S	–	–	–	–	0.000317 U	0.000344 U	0.000438 U	0.000333 U	0.000438 U	0.000239 U	0.000364 U	0.000381 U	0.000368 U	0.000890 U
IW-3C (-24.9 to -39.9)	IW-3C-5	3/9/18	PES	ESC	5	34.1	S	–	–	–	–	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000331 U	0.000347 U	0.000335 U	0.000810 U
	IW-3C-15	3/9/18	PES	ESC	15	24.1	S	–	–	–	–	0.00765 U	0.00829 U	0.0106 U	0.00802 U	0.0106 U	0.00577 U	0.00878 U	0.00918 U	0.00887 U	0.0214 U
	IW-3C-25	3/9/18	PES	ESC	25	14.1	S	–	–	–	–	0.156 U	0.169 U	0.215 U	0.163 U	0.215 U	0.117 U	0.179 U	0.187 U	0.181 U	0.437 U
	IW-3C-35	3/9/18	PES	ESC	35	4.1	S	–	–	–	–	0.0587 U	0.0636 U	0.0811 U	0.0616 U	0.0811 U	0.0442 U	0.0673 U	0.0705 U	0.0680 U	0.164 U
	IW-3C-45	3/9/18	PES	ESC	45	-5.9	S	–	–	–	–	0.000304 U	0.000330 U	0.000421 U	0.000319 U	0.000421 U	0.000229 U	0.000840 J	0.000365 U	0.000353 U	0.000854 U
	IW-3C-55	3/9/18	PES	ESC	55	-15.9	S	–	–	–	–	0.000300 U	0.000325 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000841 U
	IW-3C-65	3/9/18	PES	ESC	65	-25.9	S	–	–	–	–	0.000301 U	0.000326 U	0.000416 U	0.000316 U	0.000416 U	0.000227 U	0.000346 U	0.000362 U	0.000349 U	0.000845 U
	IW-3C-75	3/9/18	PES	ESC	75	-35.9	S	–	–	–	–	0.000331 U	0.000358 U	0.000457 U	0.000347 U	0.000457 U	0.000249 U	0.000379 U	0.000397 U	0.000383 U	0.000928 U
	IW-3C-79	3/9/18	PES	ESC	79	-39.9	S	–	–	–	–	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000861 U
	IW-901-79	3/9/18	PES	ESC	79 (dup)	-39.9	S	–	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000351 U	0.000367 U	0.000354 U	0.000857 U
	IW-7A	IW-7A-5	3/16/18	PES	ESC	5	S	0.799	–	–	–	0.000327 U	0.000354 U	0.000452 U	0.000343 U	0.000452 U	0.000247 U	0.000375 U	0.000393 U	0.000379 U	0.000918 U
IW-7A (5.1 to -9.9)	IW-7A-10	3/16/18	PES	ESC	10	30.1	S	253	–	–	–	0.000862 U	0.00112 U	0.00101 U	0.000746 U	0.000753 U	0.00105 U	0.00120 U	0.000917 U	0.00197 U	0.00339 U
	IW-7A-15	3/16/18	PES	ESC	15	25.1	S	108	–	–	–	0.0106 U	0.0115 U	0.0147 U	0.0111 U	0.0147 U	0.00801 U	0.0122 U	0.0127 U	0.0123 U	0.0297 U
	IW-7A-20	3/16/18	PES	ESC	20	20.1	S	18.7	–	–	–	0.000885 U	0.00114 U	0.00103 U	0.000765 U	0.000772 U	0.00108 U	0.00124 U	0.000941 U	0.00202 U	0.00348 U
	IW-7A-25	3/16/18	PES	ESC	25	15.1	S	2.82	–	–	–	0.000320 U	0.000346 U	0.000442 U	0.000336 U	0.000442 U	0.000241 U	0.000367 U	0.000384 U	0.000371 U	0.000898 U
	IW-7A-30	3/16/18	PES	ESC	30	10.1	S	0.287	–	–	–	0.000306 U	0.000332 U	0.000424 U	0.000321 U	0.000424 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000860 U
	IW-7A-35	3/16/18	PES	ESC	35	5.1	S	6.38	–	–	–	0.000758 U	0.000981 U	0.000884 U	0.000656 U	0.000662 U	0.000927 U	0.00106 U	0.000806 U	0.00173 U	0.00298 U
	IW-7A-40	3/16/18	PES	ESC	40	0.1	S	0.296	–	–	–	0.000311 U	0.000337 U	0.000430 U	0.000326 U	0.000430 U	0.000234 U	0.000357 U	0.000373 U	0.000360 U	0.000873 U
	IW-7A-45	3/16/18	PES	ESC	45	-4.9	S	0.282	–	–	–	0.000309 U	0.000334 U	0.000611 J	0.000324 U	0.000427 U	0.000233 U	0.000354 U	0.000371 U	0.000358 U	0.000866 U
	IW-7A-50	3/16/18	PES	ESC	50	-9.9	S	0.483	–	–	–	0.000293 U	0.000318 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.000677 J	0.000352 U	0.000340 U	0.000823 U
IW-8B (-9.8 to -24.8)	IW-8B-5	3/19/18	PES	ESC	5	34.2	S	–	–	–	–	0.000289 U	0.000313 U	0.000400 U	0.000303 U	0.000400 U	0.000218 U	0.000332 U	0.000347 U	0.000335 U	0.000811 U
	IW-8B-10	3/19/18	PES	ESC	10	29.2	S	–	–	–	–	0.000285 U	0.000308 U	0.000393 U	0.000299 U	0.000393 U	0.000215 U	0.000327 U	0.000342 U	0.000330 U	0.000799 U
	IW-8B-15	3/19/18	PES	ESC	15	24.2	S	–	–	–	–	0.0760 U	0.0823 U	0.105 U	0.0796 U	0.105 U	0.0573 U	0.0872 U	0.0911 U	0.0880 U	0.213 U
	IW-8B-20	3/19/18	PES	ESC	20	19.2	S	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000218 U	0.000478 J	0.000348 U	0.000336 U	0.000813 U
	IW-8B-25	3/19/18	PES	ESC	25	14.2	S	–	–	–	–	0.000309 U	0.000335 U	0.000427 U	0.000324 U	0.000427 U	0.000233 U	0.000248	0.000371 U	0.000358 U	0.000867 U
	IW-8B-30	3/19/18	PES	ESC	30	9.2	S	–	–	–	–	0.000297 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000224 U	0.000605 J	0.000356 U	0.000344 U	0.000833 U
	IW-8B-40	3/19/18	PES	ESC	40	-0.8	S	–	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000354 U	0.000341 U	0.000827 U
	IW-8B-45	3/20/18	PES	ESC	45	-5.8	S	–	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	IW-8B-50	3/20/18	PES	ESC	50	-10.8	S	–	–	–	–	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000228 U	0.000347 U	0.000363 U	0.000350 U	0.000848 U
	IW-8B-55	3/20/18	PES	ESC	55	-15.8	S	–	–	–	–	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000327 U	0.000342 U	0.000330 U	0.000800 U
	IW-8B-60	3/20/18	PES	ESC	60	-20.8	S	–	–	–	–	0.000302 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000347 U	0.000363 U	0.000350 U	0.000849 U
	IW-8B-64	3/20/18	PES	ESC	64	-24.8	S	–	–	–	–	0.000298 U	0.000322 U	0.000412 U	0.000312 U	0.000412 U	0.000224 U	0.000342 U	0.000357 U	0.000345 U	0.000835 U
IW-8C (-24.5 to -39.5)	IW-8C-5	3/14/18	PES	ESC	5	32.5	S	–	–	–	–	0.000453 U	0.000491 U	0.000627 U	0.000475 U	0.000627 U	0.000342 U	0.000520 U	0.000544 U	0.000525 U	0.00127 U
	IW-8C-10	3/14/18	PES	ESC	10	27.5	S	–	–	–	–	0.000457 U	0.000495 U	0.000631 U	0.000479 U	0.000631 U	0.000344 U	0.000524 U	0.000548 U	0.000529 U	0.00128 U
	IW-8C-15	3/14/18	PES	ESC	15	22.5	S	–	–	–	–	0.000311 U	0.000337 U	0.000430 U	0.000327 U	0.000430 U	0.000235 U	0.000357 U	0.000374 U	0.000360 U	0.000873 U
	IW-8C-20	3/14/18	PES	ESC	20	17.5	S	–	–	–	–	0.000285 U	0.000308 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000327 U	0.000342 U	0.000330 U	0.000799 U
	IW-8C-25	3/14/18	PES	ESC	25	12.5	S	–	–	–	–	0.000314 U	0.000340 U	0.000435 U	0.000330 U	0.000435 U	0.000237 U	0.00196	0.000377 U	0.000364 U	0.000882 U
	IW-8C-30	3/14/18	PES	ESC	30	7.5	S	–	–	–	–	0.000292 U	0.000316 U	0.000404 U	0.000306 U	0.000404 U	0.000220 U	0.00182	0.000351 U	0.000339 U	0.000820 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
IW-8C (continued)	IW-8C-35	3/14/18	PES	ESC	35	2.5	S	–	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000599 J	0.000367 U	0.000354 U	0.000857 U
	IW-8C-40	3/14/18	PES	ESC	40	-2.5	S	–	–	–	–	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.00278	0.000365 U	0.000352 U	0.000853 U
	IW-8C-45	3/14/18	PES	ESC	45	-7.5	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000312 U	0.000412 U	0.000224 U	0.00838	0.000358 U	0.000345 U	0.000836 U
	IW-8C-50	3/14/18	PES	ESC	50	-12.5	S	–	–	–	–	0.000310 U	0.000336 U	0.000429 U	0.000325 U	0.000429 U	0.000234 U	0.0162	0.000372 U	0.000360 U	0.000871 U
	IW-8C-55	3/14/18	PES	ESC	55	-17.5	S	–	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.0141	0.000366 U	0.000353 U	0.000855 U
	IW-8C-60	3/14/18	PES	ESC	60	-22.5	S	–	–	–	–	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000227 U	0.00152	0.000362 U	0.000350 U	0.000847 U
	IW-902-60	3/14/18	PES	ESC	60 (dup)	-22.5	S	–	–	–	–	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000495 J	0.000352 U	0.000340 U	0.000822 U
	IW-8C-65	3/14/18	PES	ESC	65	-27.5	S	–	–	–	–	0.000317 U	0.000343 U	0.000438 U	0.000332 U	0.000438 U	0.000239 U	0.000363 U	0.000380 U	0.000367 U	0.000889 U
	IW-8C-70	3/14/18	PES	ESC	70	-32.5	S	–	–	–	–	0.000313 U	0.000339 U	0.000433 U	0.000329 U	0.000433 U	0.000236 U	0.000360 U	0.000376 U	0.000363 U	0.000880 U
	IW-8C-75	3/14/18	PES	ESC	75	-37.5	S	–	–	–	–	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000339 U	0.000355 U	0.000343 U	0.000829 U
IW-11D (-41.8 to-56.8)	IW-11D-10	4/19/18	PES	ESC	10	28.4	S	–	–	–	–	0.000364 U	0.000395 U	0.000504 U	0.000382 U	0.000504 U	0.000275 U	0.000418 U	0.000438 U	0.000422 U	0.00102 U
	IW-11D-15	4/19/18	PES	ESC	15	23.4	S	–	–	–	–	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000367 U	0.000355 U	0.000859 U
	IW-11D-20	4/19/18	PES	ESC	20	18.4	S	–	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000350 U	0.000367 U	0.000354 U	0.000857 U
	IW-11D-25	4/19/18	PES	ESC	25	13.4	S	–	–	–	–	0.000288 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000217 U	0.000331 U	0.000346 U	0.000334 U	0.000810 U
	IW-11D-30	4/19/18	PES	ESC	30	8.4	S	–	–	–	–	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000331 U	0.000347 U	0.000335 U	0.000810 U
	IW-11D-35	4/19/18	PES	ESC	35	3.4	S	–	–	–	–	0.000302 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000721 J	0.000363 U	0.000351 U	0.000849 U
	IW-11D-40	4/19/18	PES	ESC	40	-1.6	S	–	–	–	–	0.000292 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000224 U	0.000350 U	0.000338 U	0.000819 U
	IW-11D-45	4/19/18	PES	ESC	45	-6.6	S	–	–	–	–	0.00743 U	0.00805 U	0.0103 U	0.00779 U	0.0103 U	0.00561 U	0.00853 U	0.00892 U	0.00861 U	0.0208 U
	IW-11D-50	4/19/18	PES	ESC	50	-11.6	S	–	–	–	–	0.000283 U	0.000307 U	0.000392 U	0.000297 U	0.000392 U	0.000214 U	0.00390	0.000340 U	0.000329 U	0.000796 U
	IW-11D-55	4/19/18	PES	ESC	55	-16.6	S	–	–	–	–	0.000313 U	0.000339 U	0.000432 U	0.000328 U	0.000432 U	0.000236 U	0.00263	0.000376 U	0.000363 U	0.000878 U
	IW-11D-60	4/19/18	PES	ESC	60	-21.6	S	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.000333 U	0.000348 U	0.000336 U	0.000814 U
	IW-11D-65	4/19/18	PES	ESC	65	-26.6	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000816 U
	IW-11D-70	4/19/18	PES	ESC	70	-31.6	S	–	–	–	–	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.00611	0.000350 U	0.000338 U	0.000818 U
	IW-11D-75	4/19/18	PES	ESC	75	-36.6	S	–	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.000350 U	0.000366 U	0.000353 U	0.000855 U
	IW-11D-80	4/19/18	PES	ESC	80	-41.6	S	–	–	–	–	0.000297 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000224 U	0.000340 U	0.000356 U	0.000344 U	0.000833 U
	IW-11D-85	4/19/18	PES	ESC	85	-46.6	S	–	–	–	–	0.000303 U	0.000329 U	0.000420 U	0.000318 U	0.000420 U	0.000229 U	0.000348 U	0.000364 U	0.000352 U	0.000852 U
	IW-11D-90	4/19/18	PES	ESC	90	-51.6	S	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000225 U	0.000343 U	0.000359 U	0.000347 U	0.000840 U
	IW-11D-95	4/19/18	PES	ESC	95	-56.6	S	–	–	–	–	0.000309 U	0.000335 U	0.000428 U	0.000325 U	0.000428 U	0.000233 U	0.000355 U	0.000371 U	0.000359 U	0.000868 U
IW-12D (-41.4 to-56.4)	IW-12D-42	9/14/18	PES	ESC	42	-3.5	S	–	–	–	–	0.000543 U	0.000298 U	0.000423 U	0.0000958 U	0.000733 U	0.000624 U	0.00651	0.000760 U	0.0678 U	0.00554 U
	B-928-42	9/14/18	PES	ESC	42 (dup)	-3.5	S	–	–	–	–	0.000543 U	0.000299 U	0.000424 U	0.0000959 U	0.000733 U	0.000625 U	0.00321	0.000761 U	0.0679 U	0.00554 U
	IW-12D-50	9/14/18	PES	ESC	50	-11.5	S	–	–	–	–	0.000547 U	0.000301 U	0.000427 U	0.0000966 U	0.000738 U	0.000629 U	0.0102	0.000766 U	0.137 U	0.00558 U
	IW-12D-60	9/14/18	PES	ESC	60	-21.5	S	–	–	–	–	0.000563 U	0.000310 U	0.000439 U	0.0000995 U	0.000760 U	0.000648 U	0.000563 U	0.000788 U	0.0141 U	0.00574 U
	IW-12D-85	9/17/18	PES	ESC	85	-46.5	S	–	–	–	–	0.000559 U	0.000307 U	0.000436 U	0.0198 U	0.000754 U	0.000643 U	0.000559 U	0.000782 U	0.000699 U	0.00570 U
IW-12D-95	IW-12D-95	9/17/18	PES	ESC	95	-56.5	S	–	–	–	–	0.000601 U	0.000331 U	0.000469 U	0.00425 U	0.000812 U	0.000692 U	0.000601 U	0.000842 U	0.000752 U	0.00613 U
	IW-13D-80	9/18/18	PES	ESC	80	-40.8	S	–	–	–	–	0.000552 U	0.000303 U	0.000430 U	0.0779 U	0.000745 U	0.000634 U	0.0362	0.000772 U	0.000690 U	0.00563 U
	IW-13D-85	9/18/18	PES	ESC	85	-45.8	S	–	–	–	–	0.000576 U	0.000317 U	0.000449 U	0.00102 U	0.000777 U	0.000662 U	0.00620	0.000806 U	0.000719 U	0.00587 U
IW-13D-95	IW-13D-95	9/18/18	PES	ESC	95	-55.8	S	–	–	–	–	0.000602 U	0.000331 U	0.000469 U	0.00106 U	0.000812 U	0.000692 U	0.000602 U	0.000842 U	0.000752 U	0.00614 U
	IW-14D-45	9/11/18	PES	ESC	45	-5.9	S	–	–	–	–	0.000524 U	0.000288 U	0.000409 U	0.000925 U	0.000707 U	0.000602 U	0.000524 U	0.000733 U	0.000655 U	0.00534 U
	IW-14D-55	9/11/18	PES	ESC	55	-15.9	S	–	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.000998 U	0.000763 U	0.000650 U	0.0365	0.000791 U	0.000706 U	0.00576 U
IW-14D (-41.0 to-56.0)	IW-14D-65	9/11/18	PES	ESC	65	-25.9	S	–	–	–	–	0.000561 U	0.000309 U	0.000438 U	0.000991 U	0.000758 U	0.000645 U	0.000561 U	0.000786 U	0.000701 U	0.00572 U
	IW-14D-75	9/11/18	PES	ESC	75	-35.9	S	–	–	–	–	0.000561 U	0.000309 U	0.000438 U	0.000991 U	0.000757 U	0.000645 U	0.000561 U	0.000785 U	0.000701 U	0.00572 U
	IW-14D-86	9/11/18	PES	ESC	86	-46.9	S	–	–	–	–	0.000551 U	0.000303 U	0.000430 U	0.000973 U	0.000744 U	0.000633 U	0.00762	0.000771 U	0.000689 U	0.00562 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
IW-14D (continued)	IW-14D-95	9/11/18	PES	ESC	95	-55.9	S	–	–	–	–	0.000566 U	0.000312 U	0.000442 U	0.00100 U	0.000765 U	0.000651 U	0.00354	0.000793 U	0.00174 J	0.00578 U
IW-15D (-41.9 to-56.9)	IW-15D-54	9/11/18	PES	ESC	54	-2.2	S	–	–	–	–	0.000535 U	0.000294 U	0.000417 U	0.000945 U	0.000722 U	0.000615 U	0.00469	0.000749 U	0.000669 U	0.00546 U
IW-16D (-41.5 to-56.2)	IW-16D-85	10/18/18	PES	PACE	85	-45.6	S	–	–	–	–	0.00233 U	0.00128 U	0.00182 U	0.00411 U	0.00315 U	0.00268 U	0.00233 U	0.00326 U	0.00291 U	0.0238 U
	IW-16D-90	10/18/18	PES	PACE	90	-50.6	S	–	–	–	–	0.000593 U	0.000326 U	0.000462 U	0.00105 U	0.000800 U	0.000682 U	0.00433	0.000830 U	0.000741 U	0.00605 U
	IW-16D-95	10/18/18	PES	PACE	95	-55.6	S	–	–	–	–	0.00242 U	0.00133 U	0.00189 U	0.00427 U	0.00327 U	0.00278 U	0.00242 U	0.00339 U	0.00303 U	0.0247 U
IW-19B (-10.6 to-25.6)	IW-19B-5	3/19/18	PES	ESC	5	32.4	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000342 U	0.000358 U	0.000345 U	0.000837 U
	IW-19B-10	3/19/18	PES	ESC	10	27.4	S	–	–	–	–	0.000325 U	0.000352 U	0.000449 U	0.000341 U	0.000449 U	0.000245 U	0.000373 U	0.000390 U	0.000377 U	0.000912 U
	IW-19B-15	3/19/18	PES	ESC	15	22.4	S	–	–	–	–	0.000302 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000347 U	0.000363 U	0.000351 U	0.000849 U
	IW-19B-20	3/19/18	PES	ESC	20	17.4	S	–	–	–	–	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	IW-19B-25	3/19/18	PES	ESC	25	12.4	S	–	–	–	–	0.000310 U	0.000336 U	0.000428 U	0.000325 U	0.000428 U	0.000234 U	0.000356 U	0.000372 U	0.000359 U	0.000870 U
	IW-19B-30	3/19/18	PES	ESC	30	7.4	S	–	–	–	–	0.000297 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000224 U	0.000340 U	0.000356 U	0.000344 U	0.000832 U
	IW-19B-35	3/19/18	PES	ESC	35	2.4	S	–	–	–	–	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000336 U	0.000352 U	0.000339 U	0.000822 U
	IW-19B-40	3/19/18	PES	ESC	40	-2.6	S	–	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.000350 U	0.000366 U	0.000353 U	0.000855 U
	IW-19B-45	3/19/18	PES	ESC	45	-7.6	S	–	–	–	–	0.000322 U	0.000349 U	0.000445 U	0.000338 U	0.000445 U	0.000243 U	0.000370 U	0.000387 U	0.000373 U	0.000904 U
	IW-19B-50	3/19/18	PES	ESC	50	-12.6	S	–	–	–	–	0.000337 U	0.000365 U	0.000466 U	0.000353 U	0.000466 U	0.000254 U	0.000386 U	0.000405 U	0.000391 U	0.000946 U
	IW-19B-55	3/19/18	PES	ESC	55	-17.6	S	–	–	–	–	0.000290 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000349 U	0.000337 U	0.000337 U	0.000815 U
	IW-19B-60	3/19/18	PES	ESC	60	-22.6	S	–	–	–	–	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000350 U	0.000338 U	0.000338 U	0.000818 U
	IW-903-60	3/19/18	PES	ESC	60 (dup)	-22.6	S	–	–	–	–	0.000296 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000223 U	0.000356 U	0.000356 U	0.000344 U	0.000832 U
	IW-19B-63	3/19/18	PES	ESC	63	-25.6	S	–	–	–	–	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000355 U	0.000355 U	0.000343 U	0.000830 U
IW-21B (-10.1 to-25.1)	IW-21B-5	3/6/18	PES	ESC	5	36.9	V	–	–	–	–	0.000477 U	0.000517 U	0.000660 U	0.000501 U	0.000660 U	0.000360 U	0.000548 U	0.000573 U	0.000552 U	0.00134 U
	IW-21B-10	3/6/18	PES	ESC	10	31.9	S	–	–	–	–	0.000322 U	0.000349 U	0.000445 U	0.000338 U	0.000445 U	0.000243 U	0.000369 U	0.000386 U	0.000373 U	0.000903 U
	IW-21B-20	3/6/18	PES	ESC	20	21.9	S	–	–	–	–	0.000317 U	0.000344 U	0.000439 U	0.000333 U	0.000439 U	0.000239 U	0.000364 U	0.000381 U	0.000368 U	0.000891 U
	IW-21B-30	3/6/18	PES	ESC	30	11.9	S	–	–	–	–	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	IW-21B-40	3/6/18	PES	ESC	40	1.9	S	–	–	–	–	0.000292 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000335 U	0.000350 U	0.000338 U	0.000819 U
	IW-21B-50	3/6/18	PES	ESC	50	-8.1	S	–	–	–	–	0.000286 U	0.000309 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000801 U
	IW-21B-60	3/6/18	PES	ESC	60	-18.1	S	–	–	–	–	0.00748 U	0.00810 U	0.0103 U	0.00784 U	0.0103 U	0.00564 U	0.00859 U	0.00897 U	0.00867 U	0.0210 U
IW-22C (-25.6 to-40.6)	IW-21B-67	3/6/18	PES	ESC	67	-25.1	S	–	–	–	–	0.000292 U	0.000317 U	0.000404 U	0.000307 U	0.000404 U	0.000220 U	0.000336 U	0.000351 U	0.000339 U	0.000821 U
	IW-22C-62	8/31/18	PES	ESC	62	-23.1	S	–	–	–	–	0.000577 U	0.000317 U	0.000450 U	0.00102 U	0.000779 U	0.000664 U	0.00263 J	0.000808 U	0.000722 U	0.00589 U
IW-22C (-25.6 to-40.6)	IW-22C-78	8/31/18	PES	ESC	78	-39.1	S	–	–	–	–	0.000606 U	0.000333 U	0.000472 U	0.00107 U	0.000818 U	0.000696 U	0.00765	0.000848 U	0.000757 U	0.00618 U
IW-23C (-27.0 to-42.0)	IW-23C-42	9/4/18	PES	ESC	42	-3.0	S	–	–	–	–	0.000598 U	0.000329 U	0.000467 U	0.00106 U	0.323 U	0.000688 U	0.0116	0.000838 U	0.000748 U	0.00610 U
IW-24C (-26.1 to-41.1)	IW-24C-48	9/7/18	PES	ESC	48	-8.8	S	–	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.000998 U	0.00763 U	0.000650 U	0.0124	0.000791 U	0.000706 U	0.00576 U
	IW-24C-55	9/7/18	PES	ESC	55	-15.8	S	–	–	–	–	0.000595 U	0.000327 U	0.000465 U	0.00105 U	0.000804 U	0.000685 U	0.00857	0.000834 U	0.000744 U	0.00607 U
	IW-24C-66	9/10/18	PES	ESC	66	-26.8	S	–	–	–	–	0.000618 U	0.000340 U	0.000482 U	0.00109 U	0.000835 U	0.000711 U	0.0130	0.000866 U	0.000773 U	0.00631 U
	IW-24C-75	9/10/18	PES	ESC	75	-35.8	S	–	–	–	–	0.000598 U	0.000329 U	0.000466 U	0.00106 U	0.000807 U	0.000687 U	0.0198	0.000837 U	0.000747 U	0.00610 U
	IW-24C-80	9/10/18	PES	ESC	80	-40.8	S	–	–	–	–	0.000553 U	0.000304 U	0.000431 U	0.000977 U	0.000747 U	0.000636 U	0.000553 U	0.000774 U	0.000691 U	0.00564 U
IW-27B (-8.1 to-23.1)	IW-27B-5	3/2/18	PES	ESC	5	37.0	V	–	–	–	–	0.000424 U	0.000458 U	0.000585 U	0.000443 U	0.000585 U	0.000319 U	0.000485 U	0.000507 U	0.000490 U	0.00119 U
	IW-27B-15	3/2/18	PES	ESC	15	27.0	S	–	–	–	–	0.000376 U	0.000407 U	0.000520 U	0.000394 U	0.000520 U	0.000283 U	0.000432 U	0.000451 U	0.000436 U	0.00106 U
	IW-27B-25	3/2/18	PES	ESC	25	17.0	S	–	–	–	–	0.000307 U	0.000333 U	0.000425 U	0.000322 U	0.000425 U	0.000231 U	0.000352 U	0.000369 U	0.000356 U	0.000862 U
	IW-27B-35	3/2/18	PES	ESC	35	7.0	S	–	–	–	–	0.000302 U	0.000327 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000468 J	0.000363 U	0.000350 U	0.000848 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
IW-27C (-24.4 to-39.6)	IW-27C-45	9/10/18	PES	ESC	45	6.8	S	-	-	-	-	0.000560 U	0.000308 U	0.000437 U	0.000988 U	0.000756 U	0.000644 U	0.000560 U	0.000784 U	0.000700 U	0.00571 U
IW-28C (-26.6 to-41.7)	IW-28C-92	9/17/18	PES	ESC	92	-40.6	S	-	-	-	-	0.000544 U	0.000299 U	0.000424 U	0.00384 U	0.000734 U	0.000625 U	0.000544 U	0.000761 U	0.000679 U	0.00554 U
IW-39B (-9.8 to-24.8)	IW-39B-5	3/12/18	PES	ESC	5	35.2	V	-	-	-	-	0.000335 U	0.000363 U	0.000463 U	0.000352 U	0.000463 U	0.000253 U	0.000385 U	0.000403 U	0.000389 U	0.000941 U
	IW-39B-15	3/12/18	PES	ESC	15	25.2	S	-	-	-	-	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	IW-39B-25	3/12/18	PES	ESC	25	15.2	S	-	-	-	-	0.000314 U	0.000340 U	0.000434 U	0.000329 U	0.000434 U	0.000237 U	0.00122	0.000377 U	0.000364 U	0.000881 U
	IW-39B-35	3/12/18	PES	ESC	35	5.2	S	-	-	-	-	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.000333 U	0.000348 U	0.000336 U	0.000814 U
	IW-39B-45	3/12/18	PES	ESC	45	-4.8	S	-	-	-	-	0.000296 U	0.000321 U	0.000409 U	0.000311 U	0.000409 U	0.000223 U	0.000340 U	0.000355 U	0.000343 U	0.000831 U
	IW-39B-55	3/12/18	PES	ESC	55	-14.8	S	-	-	-	-	0.00693 U	0.00751 U	0.00958 U	0.00727 U	0.00958 U	0.00523 U	0.00796 U	0.00832 U	0.00803 U	0.0194 U
IW-46B (-4.2 to-24.2)	IW-46B-5	3/20/18	PES	ESC	5	46.8	V	-	-	-	-	0.000297 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000224 U	0.000341 U	0.000356 U	0.000344 U	0.000833 U
	IW-46B-10	3/20/18	PES	ESC	10	41.8	V	-	-	-	-	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.000333 U	0.000348 U	0.000336 U	0.000814 U
	IW-46B-15	3/20/18	PES	ESC	15	36.8	V	-	-	-	-	0.00730 U	0.00791 U	0.0101 U	0.00765 U	0.0101 U	0.00551 U	0.00838 U	0.00876 U	0.00846 U	0.0205 U
	IW-46B-20	3/20/18	PES	ESC	20	31.8	S	-	-	-	-	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000222 U	0.000339 U	0.000354 U	0.000342 U	0.000828 U
	IW-46B-25	3/20/18	PES	ESC	25	26.8	S	-	-	-	-	0.000292 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000335 U	0.000350 U	0.000338 U	0.000819 U
	IW-46B-30	3/20/18	PES	ESC	30	21.8	S	-	-	-	-	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.000339 U	0.000354 U	0.000342 U	0.000829 U
	IW-46B-35	3/20/18	PES	ESC	35	16.8	S	-	-	-	-	0.000319 U	0.000346 U	0.000442 U	0.000335 U	0.000442 U	0.000241 U	0.000367 U	0.000384 U	0.000370 U	0.000896 U
	IW-904-35	3/20/18	PES	ESC	35 (dup)	16.8	S	-	-	-	-	0.000338 U	0.000366 U	0.000467 U	0.000354 U	0.000467 U	0.000254 U	0.000679 J	0.000405 U	0.000391 U	0.000948 U
	IW-46B-40	3/20/18	PES	ESC	40	11.8	S	-	-	-	-	0.000278 U	0.000301 U	0.000384 U	0.000291 U	0.000384 U	0.000209 U	0.000329 J	0.000333 U	0.000322 U	0.000779 U
	IW-46B-42	3/20/18	PES	ESC	42	9.8	S	-	-	-	-	0.000317 U	0.000344 U	0.000439 U	0.000333 U	0.000439 U	0.000239 U	0.00819	0.000381 U	0.000368 U	0.000891 U
	IW-46B-45	3/20/18	PES	ESC	45	6.8	S	-	-	-	-	1.50 U	1.63 U	2.07 U	1.57 U	2.07 U	1.13 U	1.73 U	1.80 U	1.74 U	4.21 U
	IW-46B-50	3/20/18	PES	ESC	50	1.8	S	-	-	-	-	0.000264 U	0.000286 U	0.000365 U	0.000277 U	0.000365 U	0.000199 U	0.00222	0.000317 U	0.000306 U	0.000741 U
	IW-46B-55	3/20/18	PES	ESC	55	-3.2	S	-	-	-	-	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.00185	0.000353 U	0.000341 U	0.000826 U
	IW-46B-60	3/20/18	PES	ESC	60	-8.2	S	-	-	-	-	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.0166	0.000358 U	0.000346 U	0.000837 U
	IW-46B-65	3/20/18	PES	ESC	65	-13.2	S	-	-	-	-	0.000294 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.0131	0.000352 U	0.000340 U	0.000824 U
	IW-46B-70	3/20/18	PES	ESC	70	-18.2	S	-	-	-	-	0.000337 U	0.000365 U	0.000466 U	0.000353 U	0.000466 U	0.000254 U	0.0321	0.000404 U	0.000390 U	0.000945 U
IW-47B (-5.2 to-25.2)	IW-47B-5	3/22/18	PES	ESC	5	46.8	V	-	-	-	-	0.000311 U	0.000337 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.000357 U	0.000374 U	0.000361 U	0.000874 U
	IW-47B-10	3/22/18	PES	ESC	10	41.8	V	-	-	-	-	0.000311 U	0.000336 U	0.000429 U	0.000326 U	0.000429 U	0.000234 U	0.000356 U	0.000373 U	0.000360 U	0.000872 U
	IW-47B-15	3/22/18	PES	ESC	15	36.8	V	-	-	-	-	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	IW-47B-20	3/22/18	PES	ESC	20	31.8	S	-	-	-	-	0.000293 U	0.000318 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.000336 U	0.000352 U	0.000340 U	0.000823 U
	IW-47B-25	3/22/18	PES	ESC	25	26.8	S	-	-	-	-	0.000299 U	0.000324 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.000343 U	0.000359 U	0.000346 U	0.000838 U
	IW-47B-30	3/22/18	PES	ESC	30	21.8	S	-	-	-	-	0.000296 U	0.000321 U	0.000409 U	0.000311 U	0.000409 U	0.000223 U	0.000571 J	0.000355 U	0.000343 U	0.000831 U
	IW-47B-35	3/22/18	PES	ESC	35	16.8	S	-	-	-	-	0.000290 U	0.000315 U	0.000401 U	0.000305 U	0.000401 U	0.000219 U	0.000333 U	0.000349 U	0.000337 U	0.000815 U
	IW-47B-40	3/22/18	PES	ESC	40	11.8	S	-	-	-	-	0.000300 U	0.000325 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000841 U
	IW-47B-42	3/22/18	PES	ESC	42	9.8	S	-	-	-	-	0.000346 U	0.000375 U	0.000478 U	0.000364 U	0.000478 U	0.000261 U	0.000397 U	0.000416 U	0.000402 U	0.000972 U
	IW-47B-45	3/22/18	PES	ESC	45	6.8	S	-	-	-	-	0.000299 U	0.000323 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.00297	0.000358 U	0.000346 U	0.000838 U
	IW-47B-50	3/22/18	PES	ESC	50	1.8	S	-	-	-	-	0.000310 U	0.000336 U	0.000429 U	0.000325 U	0.000429 U	0.000234 U	0.000366 J	0.000372 U	0.000359 U	0.000870 U
	IW-47B-55	3/22/18	PES	ESC	55	-3.2	S	-	-	-	-	0.000285 U	0.000309 U	0.000395 U	0.000299 U	0.000395 U	0.000215 U	0.00579	0.000343 U	0.000331 U	0.000801 U
	IW-47B-60	3/22/18	PES	ESC	60	-8.2	S	-	-	-	-	0.000302 U	0.000327 U	0.000417 U	0.000317 U	0.000417 U	0.000228 U	0.00230	0.000362 U	0.000350 U	0.000847 U
	IW-47B-65	3/22/18	PES	ESC	65	-13.2	S	-	-	-	-	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000944 J	0.000358 U	0.000345 U	0.000836 U
	IW-47B-70	3/22/18	PES	ESC	70	-18.2	S	-	-	-	-	0.000295 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.0164	0.000354 U	0.000342 U	0.000827 U
	IW-47B-75	3/22/18	PES	ESC	75	-23.2	S	-	-	-	-	0.000294 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000353 U	0.000341 U	0.000825 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
IW-48B (-9.4 to-24.4)	IW-48B-5	3/23/18	PES	ESC	5	46.7	V	–	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000350 U	0.000366 U	0.000354 U	0.000856 U
	IW-48B-10	3/23/18	PES	ESC	10	41.7	V	–	–	–	–	0.000299 U	0.000324 U	0.000413 U	0.000314 U	0.000413 U	0.000225 U	0.000343 U	0.000359 U	0.000346 U	0.000839 U
	IW-48B-15	3/23/18	PES	ESC	15	36.7	V	–	–	–	–	0.000308 U	0.000334 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.000354 U	0.000370 U	0.000357 U	0.000865 U
	IW-48B-20	3/23/18	PES	ESC	20	31.7	S	–	–	–	–	0.000290 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000333 U	0.000349 U	0.000337 U	0.000815 U
	IW-48B-25	3/23/18	PES	ESC	25	26.7	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000345 U	0.000834 U
	IW-48B-30	3/23/18	PES	ESC	30	21.7	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000817 U
	IW-48B-35	3/23/18	PES	ESC	35	16.7	S	–	–	–	–	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000718 J	0.000365 U	0.000352 U	0.000853 U
	IW-48B-40	3/23/18	PES	ESC	40	11.7	S	–	–	–	–	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000350 J	0.000346 U	0.000334 U	0.000809 U
	IW-48B-42	3/23/18	PES	ESC	42	9.7	S	–	–	–	–	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000817 U
	IW-905-42	3/23/18	PES	ESC	42 (dup)	9.7	S	–	–	–	–	0.000288 U	0.000312 U	0.000399 U	0.000303 U	0.000399 U	0.000217 U	0.000331 U	0.000346 U	0.000334 U	0.000809 U
	IW-48B-45	3/23/18	PES	ESC	45	6.7	S	–	–	–	–	0.000286 U	0.000310 U	0.000396 U	0.000301 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	IW-48B-50	3/23/18	PES	ESC	50	1.7	S	–	–	–	–	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000334 U	0.000350 U	0.000338 U	0.000818 U
	IW-48B-55	3/23/18	PES	ESC	55	-3.3	S	–	–	–	–	0.000286 U	0.000311 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000344 J	0.000344 U	0.000332 U	0.000804 U
	IW-48B-60	3/23/18	PES	ESC	60	-8.3	S	–	–	–	–	0.000292 U	0.000316 U	0.000404 U	0.000306 U	0.000404 U	0.000220 U	0.000383	0.000351 U	0.000338 U	0.000820 U
	IW-48B-65	3/23/18	PES	ESC	65	-13.3	S	–	–	–	–	0.000312 U	0.000338 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.000557 J	0.000375 U	0.000362 U	0.000875 U
	IW-48B-70	3/23/18	PES	ESC	70	-18.3	S	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000305 U	0.000401 U	0.000219 U	0.000702 J	0.000348 U	0.000336 U	0.000815 U
	IW-48B-75	3/23/18	PES	ESC	75	-23.3	S	–	–	–	–	0.000297 U	0.000322 U	0.000410 U	0.000312 U	0.000410 U	0.000224 U	0.0121	0.000357 U	0.000344 U	0.000833 U
IW-50A (9.8 to-10.2)	IW-50A-5	3/27/18	PES	ESC	5	46.9	V	–	–	–	–	0.000301 U	0.000326 U	0.000417 U	0.000316 U	0.000417 U	0.000227 U	0.000346 U	0.000362 U	0.000349 U	0.000846 U
	IW-50A-10	3/27/18	PES	ESC	10	41.9	V	–	–	–	–	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	IW-50A-15	3/27/18	PES	ESC	15	36.9	V	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.000333 U	0.000348 U	0.000336 U	0.000814 U
	IW-50A-20	3/27/18	PES	ESC	20	31.9	S	–	–	–	–	0.000293 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000824 U
	IW-50A-25	3/27/18	PES	ESC	25	26.9	S	–	–	–	–	0.000286 U	0.000310 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000802 U
	IW-50A-30	3/27/18	PES	ESC	30	21.9	S	–	–	–	–	0.000287 U	0.000311 U	0.000396 U	0.000301 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000805 U
	IW-50A-35	3/27/18	PES	ESC	35	16.9	S	–	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000302 U	0.000397 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000807 U
	IW-50A-40	3/27/18	PES	ESC	40	11.9	S	–	–	–	–	0.000292 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000335 U	0.000350 U	0.000338 U	0.000819 U
	IW-50A-42	3/27/18	PES	ESC	42	9.9	S	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000219 U	0.000417 J	0.000348 U	0.000336 U	0.000814 U
	IW-50A-45	3/27/18	PES	ESC	45	6.9	S	–	–	–	–	0.000292 U	0.000317 U	0.000404 U	0.000307 U	0.000404 U	0.000220 U	0.000654 J	0.000351 U	0.000339 U	0.000820 U
	IW-50A-50	3/27/18	PES	ESC	50	1.9	S	–	–	–	–	0.000296 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000223 U	0.000430 J	0.000356 U	0.000343 U	0.000831 U
	IW-906-50	3/27/18	PES	ESC	50 (dup)	1.9	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000342 U	0.000358 U	0.000345 U	0.000837 U
	IW-50A-55	3/27/18	PES	ESC	55	-3.2	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000344 U	0.000834 U
	IW-50A-60	3/27/18	PES	ESC	60	-8.2	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000342 U	0.000358 U	0.000346 U	0.000837 U
IW-51A (9.9 to-10.1)	IW-51A-5	3/26/18	PES	ESC	5	46.9	V	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000305 U	0.000401 U	0.000219 U	0.000333 U	0.000349 U	0.000336 U	0.000815 U
	IW-51A-10	3/26/18	PES	ESC	10	41.9	V	–	–	–	–	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000330 U	0.000346 U	0.000334 U	0.000808 U
	IW-51A-15	3/26/18	PES	ESC	15	36.9	V	–	–	–	–	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000359 U	0.000347 U	0.000840 U
	IW-51A-20	3/26/18	PES	ESC	20	31.9	S	–	–	–	–	0.000286 U	0.000310 U	0.000395 U	0.000300 U	0.000395 U	0.000216 U	0.000328 U	0.000343 U	0.000332 U	0.000803 U
	IW-51A-25	3/26/18	PES	ESC	25	26.9	S	–	–	–	–	0.000364 U	0.000395 U	0.000503 U	0.000382 U	0.000503 U	0.000275 U	0.000517 J	0.000438 U	0.000423 U	0.00102 U
	IW-51A-30	3/26/18	PES	ESC	30	21.9	S	–	–	–	–	0.000284 U	0.000308 U	0.000393 U	0.000299 U	0.000393 U	0.000214 U	0.000327 U	0.000342 U	0.000330 U	0.000799 U
	IW-51A-35	3/26/18	PES	ESC	35	16.9	S	–	–	–	–	0.000289 U	0.000311 U	0.000397 U	0.000302 U	0.000397 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000807 U
	IW-51A-40	3/26/18	PES	ESC	40	11.9	S	–	–	–	–	0.000288 U	0.000312 U	0.000399 U	0.000303 U	0.000399 U	0.000217 U	0.000272	0.000346 U	0.000334 U	0.000810 U
	IW-51A-42	3/26/18	PES	ESC	42	9.9	S	–	–	–	–	0.000294 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000222 U	0.0108	0.000353 U	0.000341 U	0.000825 U
	IW-51A-45	3/26/18	PES	ESC	45	6.9	S	–	–	–	–	0.000294 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000222 U	0.000337 U	0.000353 U	0.000341 U	0.000825 U
	IW-51A-50	3/26/18	PES	ESC	50	1.9	S	–	–	–	–	0.000302 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000233	0.000363 U	0.000351 U	0.000849 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
IW-51A (continued)	IW-51A-55	3/26/18	PES	ESC	55	-3.1	S	-	-	-	-	0.000303 U	0.000328 U	0.000418 U	0.000318 U	0.000418 U	0.000228 U	0.000907 J	0.000363 U	0.000351 U	0.000849 U
	IW-51A-60	3/26/18	PES	ESC	60	-8.1	S	-	-	-	-	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000326 U	0.000341 U	0.000329 U	0.000797 U
	IW-51A-62	3/26/18	PES	ESC	62	-10.1	S	-	-	-	-	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000216 U	0.000330 U	0.000345 U	0.000333 U	0.000806 U
IW-53B (-11.1 to-26.1)	IW-53B-30	9/20/18	PES	ESC	30	5.3	S	-	-	-	-	0.000544 U	0.000299 U	0.000424 U	0.00961 U	0.000734 U	0.000626 U	0.000563 J	0.000761 U	0.000680 U	0.00555 U
IW-54A (9.8 to-10.2)	IW-54A-8	9/12/18	PES	ESC	8	31.1	S	-	-	-	-	0.000577 U	0.000317 U	0.000450 U	0.00102 U	0.000779 U	0.000664 U	0.000577 U	0.000808 U	0.144 U	0.00589 U
	IW-54A-49	9/12/18	PES	ESC	49	-9.9	S	-	-	-	-	0.000579 U	0.000319 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
IW-54B (-9.5 to-24.5)	IW-54B-8	9/5/18	PES	ESC	8	31.2	S	-	-	-	-	0.000545 U	0.000300 U	0.000425 U	0.000963 U	1.47 U	0.000627 U	0.000545 U	0.000764 U	0.000682 U	0.00556 U
	IW-54B-13	9/6/18	PES	ESC	13	26.2	S	-	-	-	-	0.000555 U	0.000305 U	0.000433 U	0.000979 U	0.00749 U	0.000638 U	0.000555 U	0.000776 U	0.000693 U	0.00566 U
	IW-54B-21	9/6/18	PES	ESC	21	18.2	S	-	-	-	-	0.000546 U	0.000300 U	0.000426 U	0.000963 U	0.0147 U	0.000627 U	0.00669	0.000764 U	0.000682 U	0.00556 U
	IW-54B-33	9/6/18	PES	ESC	33	6.2	S	-	-	-	-	0.000625 U	0.000344 U	0.000487 U	0.00110 U	0.000836 U	0.000720 U	0.00379	0.000875 U	0.000781 U	0.00638 U
IW-55B (-12.0 to-27.0)	IW-55B-39	9/13/18	PES	ESC	39	12.8	S	-	-	-	-	0.000531 U	0.000292 U	0.000414 U	0.000938 U	0.000717 U	0.000611 U	0.000531 U	0.000743 U	0.000664 U	0.00542 U
	IW-55B-43	9/13/18	PES	ESC	43	8.8	S	-	-	-	-	0.000566 U	0.000311 U	0.000441 U	0.000999 U	0.000764 U	0.000650 U	0.000566 U	0.000792 U	0.0566 U	0.00577 U
	IW-55B-61	9/13/18	PES	ESC	61	-9.2	S	-	-	-	-	0.000594 U	0.000327 U	0.000463 U	0.00105 U	0.000802 U	0.000683 U	0.0204	0.000832 U	0.00594 U	0.00606 U
IW-58A (3.9 to-11.1)	IW-58A-38	10/17/18	PES	PACE	38	1.2	S	-	-	-	-	0.000547 U	0.000301 U	0.00426 U	0.000965 U	0.000738 U	0.000628 U	0.00253 J	0.000765 U	0.00683 U	0.00557 U
	B-929-38	10/17/18	PES	PACE	38 (dup)	1.2	S	-	-	-	-	0.000563 U	0.000310 U	0.00439 U	0.000994 U	0.000760 U	0.000647 U	0.00373	0.000788 U	0.00704 U	0.00574 U
MW101 (B101) (-65.5 to-75.5)	B101-30	7/10/12	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-34	7/10/12	SES	F&BI	34	5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-40	7/10/12	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-47	7/10/12	SES	F&BI	47	-7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-48	7/10/12	SES	F&BI	48	-8.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-55	7/10/12	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-65	7/10/12	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-75	7/11/12	SES	F&BI	75	-35.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-81	7/11/12	SES	F&BI	81	-41.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-92	7/12/12	SES	F&BI	92	-52.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-97	7/12/12	SES	F&BI	97	-57.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-104	7/12/12	SES	F&BI	104	-64.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-114.5	7/12/12	SES	F&BI	114.5	-75.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-120	7/12/12	SES	F&BI	120	-80.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW130 (B130) (-30.9 to-40.9)	B101-131	7/12/12	SES	F&BI	131	-91.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-140	7/12/12	SES	F&BI	140	-100.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-10	3/1/16	SES	F&BI	10	29.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-20	3/1/16	SES	F&BI	20	19.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-30	3/1/16	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-40	3/1/16	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-45	3/2/16	SES	F&BI	45	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-50	3/2/16	SES	F&BI	50	-10.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-55	3/2/16	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-60	3/2/16	SES	F&BI	60	-20.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-65	3/2/16	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-70	3/2/16	SES	F&BI	70	-30.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW130 (B130) (continued)	B130-75 B130-80	3/2/16 3/2/16	SES SES	F&BI F&BI	75 80	-35.5 -40.5	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
MW131 (B131) (-4.2 to-14.2)	B131-10	3/1/16	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-20	3/1/16	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-30	3/1/16	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-40	3/1/16	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-45 B131-55	3/2/16 3/2/16	SES SES	F&BI F&BI	45 55	-5.0 -15.0	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
MW-132 (-29.9 to-39.9)	MW-132-20	8/22/17	PES	ESC	20	20.1	S	0.0378 U	-	-	-	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	MW-132-35	8/22/17	PES	ESC	35	5.1	S	0.0379 U	-	-	-	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.000339 U	0.000355 U	0.000342 U	0.000829 U
	MW-132-50	8/22/17	PES	ESC	50	-9.9	S	1.97	-	-	-	0.000286 U	0.000309 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.00220	0.000343 U	0.000331 U	0.000802 U
	MW-132-55	8/23/17	PES	ESC	55	-14.9	S	126	-	-	-	0.0304 U	0.0329 U	0.0420 U	0.0319 U	0.0420 U	0.0229 U	0.0348 U	0.0365 U	0.0352 U	0.0852 U
	MW-132-60	8/23/17	PES	ESC	60	-19.9	S	0.276	-	-	-	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.00121	0.000341 U	0.000330 U	0.000798 U
	MW-132-70 MW-132-83	8/23/17 8/23/17	PES PES	ESC ESC	70 83	-29.9 -42.9	S S	1.03 U 0.925 U	- -	- -	- -	0.000322 U 0.000288 U	0.000349 U 0.000312 U	0.000445 U 0.000398 U	0.000338 U 0.000302 U	0.000445 U 0.000398 U	0.000243 U 0.000217 U	0.000369 U 0.000331 U	0.000386 U 0.000346 U	0.000373 U 0.000334 U	0.000903 U 0.000808 U
MW-133 (-88.9 to-98.9)	MW-133-20	8/15/17	PES	ESC	20	20.1	S	0.183	-	-	-	0.000311 U	0.000337 U	0.000430 U	0.000326 U	0.000430 U	0.000235 U	0.000487 J	0.000374 U	0.000361 U	0.000873 U
	MW-133-35	8/15/17	PES	ESC	35	5.1	S	0.0443 U	-	-	-	0.000345 U	0.000373 U	0.000477 U	0.000362 U	0.000477 U	0.000260 U	0.000396 U	0.000414 U	0.000400 U	0.000967 U
	MW-133-45	8/15/17	PES	ESC	45	-4.9	S	3.59	-	-	-	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000216 U	0.0115	0.000345 U	0.000333 U	0.000805 U
	MW-133-55	8/15/17	PES	ESC	55	-14.9	S	38.9	-	-	-	0.0646 U	0.0700 U	0.0893 U	0.0678 U	0.0893 U	0.0487 U	0.0741 U	0.0775 U	0.0749 U	0.181 U
	MW-133-58	8/15/17	PES	ESC	58	-17.9	S	387	-	-	-	1.56 U	1.69 U	2.15 U	1.63 U	2.15 U	1.18 U	1.80 U	1.87 U	1.81 U	4.38 U
	MW-133-65	8/15/17	PES	ESC	65	-24.9	S	7.21	-	-	-	0.000306 U	0.000331 U	0.000422 U	0.000321 U	0.000422 U	0.000230 U	0.00832	0.000367 U	0.000354 U	0.000858 U
	MW-133-75	8/15/17	PES	ESC	75	-34.9	S	0.0394 U	-	-	-	0.000307 U	0.000333 U	0.000425 U	0.000322 U	0.000425 U	0.000232 U	0.000352 U	0.000369 U	0.000356 U	0.000862 U
	MW-133-85	8/15/17	PES	ESC	85	-44.9	S	1.28	-	-	-	0.00774 U	0.00838 U	0.0107 U	0.00811 U	0.0107 U	0.00584 U	0.00889 U	0.00928 U	0.00897 U	0.0217 U
	MW-133-95	8/16/17	PES	ESC	95	-54.9	S	0.0572	-	-	-	0.000308 U	0.000333 U	0.000425 U	0.000323 U	0.000425 U	0.000232 U	0.000353 U	0.000369 U	0.000356 U	0.000863 U
	MW-133-105	8/16/17	PES	ESC	105	-64.9	S	0.0849	-	-	-	0.000318 U	0.000344 U	0.000439 U	0.000334 U	0.000439 U	0.000240 U	0.000365 U	0.000382 U	0.000368 U	0.000892 U
	MW-133-120	8/16/17	PES	ESC	120	-79.9	S	0.0964	-	-	-	0.00717 U	0.00777 U	0.00991 U	0.00752 U	0.00991 U	0.00541 U	0.00824 U	0.00861 U	0.00831 U	0.0201 U
	MW-133-130	8/16/17	PES	ESC	130	-89.9	S	0.109	-	-	-	0.000314 U	0.000341 U	0.000435 U	0.000330 U	0.000435 U	0.000237 U	0.000361 U	0.000378 U	0.000365 U	0.000883 U
	MW-133-135	8/16/17	PES	ESC	135	-94.9	S	15.3	-	-	-	0.000299 U	0.000324 U	0.000413 U	0.000314 U	0.000413 U	0.000225 U	0.000343 U	0.000359 U	0.000347 U	0.000839 U
	MW-133-141	8/16/17	PES	ESC	141	-100.9	S	0.955 U	-	-	-	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000345 U	0.000835 U
MW-134 (-38.6 to-48.6)	MW-134-20	8/29/17	PES	ESC	20	21.5	S	1.12 U	-	-	-	0.000347 U	0.000376 U	0.000480 U	0.000365 U	0.000480 U	0.000262 U	0.000399 U	0.000417 U	0.000403 U	0.000975 U
	MW-134-43	8/29/17	PES	ESC	43	-1.6	S	0.984 U	-	-	-	0.000306 U	0.00830 U	0.000424 U	0.000321 U	0.000424 U	0.000231 U	0.00306	0.000368 U	0.000355 U	0.000860 U
	MW-134-50	8/29/17	PES	ESC	50	-8.6	S	1.35	-	-	-	0.000290 U	0.0314 U	0.000401 U	0.000305 U	0.000401 U	0.000219 U	0.00222	0.000349 U	0.000336 U	0.000815 U
	MW-134-60	8/29/17	PES	ESC	60	-18.6	S	0.447	-	-	-	0.000292 U	0.00790 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.00190	0.000350 U	0.000338 U	0.000818 U
	MW-134-70	8/29/17	PES	ESC	70	-28.6	S	1.11 U	-	-	-	0.000337 U	0.000365 U	0.000466 U	0.000353 U	0.000466 U	0.000254 U	0.000387 U	0.000404 U	0.000390 U	0.000945 U
	MW-134-80	8/29/17	PES	ESC	80	-38.6	S	0.970 U	-	-	-	0.000282 U	0.000306 U	0.000390 U	0.000296 U	0.000390 U	0.000213 U	0.000324 U	0.000339 U	0.000327 U	0.000792 U
	B-903-100	8/29/17	PES	ESC	80 (dup)	-38.6	S	0.893 U	-	-	-	0.000278 U	0.000301 U	0.000385 U	0.000292 U	0.000385 U	0.000210 U	0.000521 J	0.000334 U	0.000322 U	0.000781 U
	MW-134-90	8/29/17	PES	ESC	90	-48.6	S	1.08 U	-	-	-	0.000335 U	0.00908 U	0.000464 U	0.000352 U	0.000464 U	0.000253 U	0.000385 U	0.000403 U	0.000389 U	0.000941 U
MW-135 (-30.9 to-40.9)	MW-135-16	8/24/17	PES	ESC	14	25.1	S	641	-	-	-	0.0322 U	0.0349 U	0.0445 U	0.0338 U	0.0445 U	0.0243 U	1.04	0.0387 U	0.0373 U	0.0904 U
	MW-135-20	8/24/17	PES	ESC	20	19.1	S	0.277	-	-	-	0.00752 U	0.00814 U	0.0104 U	0.00788 U	0.0104 U	0.00567 U	0.00863 U	0.00902 U	0.00871 U	0.0211 U
	MW-135-30	8/24/17	PES	ESC	30	9.1	S	10.4	-	-	-	0.000280 U	0.000304 U	0.000388 U	0.000294 U	0.000388 U	0.000211 U	0.00227	0.000337 U	0.000325 U	0.000787 U
	MW-135-36	8/24/17	PES	ESC	36	3.1	S	0.733	-	-	-	0.000308 U	0.000334 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.000661 J	0.000370 U	0.000357 U	0.000865 U
	MW-135-40	8/24/17	PES	ESC	40	-0.9	S	4.34	-	-	-	0.000315 U	0.000341 U	0.000435 U	0.000330 U	0.000435 U	0.000237 U	0.0119	0.000378 U	0.000365 U	0.000884 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
MW-135 (continued)	MW-135-45	8/24/17	PES	ESC	45	-5.9	S	5.09	–	–	–	0.000313 U	0.000340 U	0.000433 U	0.000329 U	0.000433 U	0.000236 U	0.00157	0.000376 U	0.000363 U	0.000880 U
	MW-135-55	8/24/17	PES	ESC	55	-15.9	S	0.157	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000805 U
	MW-135-65	8/24/17	PES	ESC	65	-25.9	S	0.161	–	–	–	0.000313 U	0.000339 U	0.000433 U	0.000329 U	0.000433 U	0.000236 U	0.000360 U	0.000376 U	0.000363 U	0.000879 U
	MW-135-80	8/24/17	PES	ESC	80	-40.9	S	0.138	–	–	–	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000828 U
MW-136 (-32.7 to-42.7)	MW-136-35	8/28/17	PES	ESC	35	16.9	S	–	–	–	–	0.000278 U	0.000301 U	0.000384 U	0.000292 U	0.000384 U	0.000209 U	0.000319 U	0.000334 U	0.000322 U	0.000780 U
	B-902-15	8/28/17	PES	ESC	35 (dup)	16.9	S	–	–	–	–	0.000288 U	0.000312 U	0.000399 U	0.000303 U	0.000399 U	0.000217 U	0.000331 U	0.000346 U	0.000334 U	0.000809 U
	MW-136-44	8/28/17	PES	ESC	44	7.9	S	–	–	–	–	0.000296 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000223 U	0.000331 U	0.000356 U	0.000343 U	0.000832 U
	MW-136-50	8/28/17	PES	ESC	50	1.9	S	–	–	–	–	0.000304 U	0.00823 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000349 U	0.000365 U	0.000352 U	0.000853 U
	MW-136-65	8/28/17	PES	ESC	65	-13.1	S	–	–	–	–	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000216 U	0.000330 U	0.000345 U	0.000333 U	0.000806 U
	MW-136-75	8/28/17	PES	ESC	75	-23.1	S	–	–	–	–	0.000293 U	0.000318 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000823 U
	MW-136-85	8/28/17	PES	ESC	85	-33.1	S	–	–	–	–	0.000295 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	MW-136-95	8/28/17	PES	ESC	95	-43.1	S	–	–	–	–	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.000339 U	0.000355 U	0.000342 U	0.000829 U
MW-137 (-53.3 to-63.3)	MW-137-25	8/31/17	PES	ESC	25	26.7	S	0.0370 U	–	–	–	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000330 U	0.000346 U	0.000334 U	0.000808 U
	MW-137-45	8/31/17	PES	ESC	45	6.7	S	0.0384 U	–	–	–	0.00747 U	0.00809 U	0.0103 U	0.00783 U	0.0103 U	0.00564 U	0.00858 U	0.00896 U	0.00866 U	0.0209 U
	MW-137-75	8/31/17	PES	ESC	75	-23.3	S	–	–	–	–	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000218 U	0.000333 U	0.000348 U	0.000336 U	0.000814 U
	MW-137-85	9/1/17	PES	ESC	85	-33.3	S	0.0406 U	–	–	–	0.000316 U	0.000343 U	0.000437 U	0.000332 U	0.000437 U	0.000238 U	0.000363 U	0.000380 U	0.000367 U	0.000888 U
	MW-137-95	9/1/17	PES	ESC	95	-43.3	S	0.0363 U	–	–	–	0.000283 U	0.000306 U	0.000391 U	0.000297 U	0.000391 U	0.000213 U	0.000324 U	0.000339 U	0.000328 U	0.000794 U
	MW-137-115	9/1/17	PES	ESC	115	-63.3	S	0.0415 U	–	–	–	0.000323 U	0.000350 U	0.000447 U	0.000339 U	0.000447 U	0.000243 U	0.000371 U	0.000388 U	0.000374 U	0.000907 U
MW-139 (-30.2 to-40.2)	MW-139-20	9/13/17	PES	ESC	20	19.8	S	–	–	–	–	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000351 U	0.000367 U	0.000354 U	0.000857 U
	MW-139-31	9/13/17	PES	ESC	31	8.8	S	–	–	–	–	0.000282 U	0.000306 U	0.000391 U	0.000296 U	0.000391 U	0.000213 U	0.000324 U	0.000339 U	0.000327 U	0.000793 U
	MW-139-41	9/13/17	PES	ESC	41	-1.2	S	–	–	–	–	0.000284 U	0.000307 U	0.000392 U	0.000298 U	0.000392 U	0.000214 U	0.000325 U	0.000340 U	0.000329 U	0.000796 U
	MW-139-51	9/13/17	PES	ESC	51	-11.2	S	–	–	–	–	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.000350 U	0.000366 U	0.000353 U	0.000855 U
	MW-139-60	9/13/17	PES	ESC	60	-20.2	S	–	–	–	–	0.000284 U	0.000307 U	0.000392 U	0.000297 U	0.000392 U	0.000214 U	0.000325 U	0.000340 U	0.000329 U	0.000796 U
	MW-139-70	9/13/17	PES	ESC	70	-30.2	S	–	–	–	–	0.000312 U	0.000337 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.000358 U	0.000374 U	0.000361 U	0.000874 U
	MW-139-80	9/13/17	PES	ESC	80	-40.2	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000342 U	0.000358 U	0.000346 U	0.000837 U
MW-141 (-55.4 to-65.4)	MW-141-15	9/18/17	PES	ESC	15	24.6	S	–	–	–	–	0.000298 U	0.000323 U	0.000412 U	0.000312 U	0.000412 U	0.000224 U	0.000342 U	0.000358 U	0.000345 U	0.000836 U
	MW-141-35	9/18/17	PES	ESC	35	4.6	S	–	–	–	–	0.000306 U	0.000332 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000860 U
	MW-141-46	9/18/17	PES	ESC	46	-6.4	S	–	–	–	–	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000331 U	0.000347 U	0.000335 U	0.000810 U
	MW-141-56	9/18/17	PES	ESC	56	-16.4	S	–	–	–	–	0.000281 U	0.000304 U	0.000388 U	0.000295 U	0.000388 U	0.000212 U	0.000322 U	0.000337 U	0.000325 U	0.000788 U
	MW-141-65	9/18/17	PES	ESC	65	-25.4	S	–	–	–	–	0.000278 U	0.000301 U	0.000384 U	0.000291 U	0.000384 U	0.000209 U	0.000319 U	0.000333 U	0.000322 U	0.000779 U
	MW-141-75	9/18/17	PES	ESC	75	-35.4	S	–	–	–	–	0.000281 U	0.000305 U	0.000389 U	0.000295 U	0.000389 U	0.000212 U	0.000323 U	0.000338 U	0.000326 U	0.000790 U
	MW-141-85	9/18/17	PES	ESC	85	-45.4	S	–	–	–	–	0.000308 U	0.000334 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.000354 U	0.000370 U	0.000357 U	0.000865 U
	MW-141-95	9/18/17	PES	ESC	95	-55.4	S	–	–	–	–	0.000316 U	0.000343 U	0.000437 U	0.000332 U	0.000437 U	0.000238 U	0.000363 U	0.000380 U	0.000367 U	0.000888 U
	MW-141-105	9/19/17	PES	ESC	105	-65.4	S	–	–	–	–	0.000315 U	0.000341 U	0.000436 U	0.000331 U	0.000436 U	0.000238 U	0.000362 U	0.000378 U	0.000365 U	0.000885 U
MW-152 (-10.2 to-20.2)	MW-152-5	3/13/18	PES	ESC	5	34.1	S	–	–	–	–	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000345 U	0.000835 U
	MW-152-15	3/13/18	PES	ESC	15	24.1	S	–	–	–	–	0.000292 U	0.000317 U	0.000404 U	0.000307 U	0.000404 U	0.000220 U	0.000336 U	0.000351 U	0.000339 U	0.000821 U
	MW-152-25	3/13/18	PES	ESC	25	14.1	S	–	–	–	–	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000439 J	0.000344 U	0.000332 U	0.000804 U
	MW-152-35	3/13/18	PES	ESC	35	4.1	S	–	–	–	–	0.000290 U	0.000314 U	0.000400 U	0.000304 U	0.000400 U	0.000218 U	0.000439 J	0.000348 U	0.000336 U	0.000813 U
	MW-152-45	3/13/18	PES	ESC	45	-5.9	S	–	–	–	–	0.000298 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.00544	0.000357 U	0.000345 U	0.000835 U
	MW-152-55	3/13/18	PES	ESC	55	-15.9	S	–	–	–	–	0.000299 U	0.000324 U	0.000413 U	0.000314 U	0.000413 U	0.000225 U	0.00768	0.000359 U	0.000347 U	0.000839 U
	MW-152-60	3/13/18	PES	ESC	60	-20.9	S	–	–	–	–	0.000286 U	0.000309 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000946 J	0.000343 U	0.000331 U	0.000802 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
MW-162 (-61.6 to -71.6)	MW-162-48	1/28/19	PES	PACE	48	-9.6	S	–	–	–	–	0.0108 U	0.00595 U	0.00844 U	0.0191 U	0.0146 U	0.0124 U	0.0108 U	0.0151 U	0.0135 U	0.110 U
	MW-162-50	1/28/19	PES	PACE	50	-11.6	S	–	–	–	–	0.000584 U	0.000321 U	0.000456 U	0.00103 U	0.000789 U	0.000672 U	0.00746	0.000818 U	0.000730 U	0.00596 U
	B-930-50 (dup)	1/28/19	PES	PACE	50	-11.6	S	–	–	–	–	0.000556 U	0.000306 U	0.000434 U	0.000982 U	0.000750 U	0.000639 U	0.0332	0.000778 U	0.000695 U	0.00567 U
	MW-162-67	1/28/19	PES	PACE	67	-28.6	S	–	–	–	–	0.000581 U	0.000319 U	0.000453 U	0.00103 U	0.000784 U	0.000668 U	0.000967 J	0.000813 U	0.000726 U	0.00592 U
	MW-162-70	1/28/19	PES	PACE	70	-31.6	S	–	–	–	–	0.000558 U	0.000307 U	0.000435 U	0.000986 U	0.000754 U	0.00197 J	0.00885	0.000781 U	0.000698 U	0.00569 U
	MW-162-72	1/28/19	PES	PACE	72	-33.6	S	–	–	–	–	0.000539 U	0.000297 U	0.000421 U	0.000953 U	0.000728 U	0.000620 U	0.00311	0.000755 U	0.000674 U	0.00550 U
	MW-162-80	1/28/19	PES	PACE	80	-41.6	S	–	–	–	–	0.000556 U	0.000306 U	0.000434 U	0.000983 U	0.000751 U	0.000640 U	0.0199	0.000779 U	0.000696 U	0.00568 U
	MW-162-85	1/28/19	PES	PACE	85	-46.6	S	–	–	–	–	0.000566 U	0.000311 U	0.000441 U	0.000999 U	0.000764 U	0.000651 U	0.000566 U	0.000792 U	0.000707 U	0.00577 U
	MW-162-90	1/28/19	PES	PACE	90	-51.6	S	–	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.000998 U	0.000763 U	0.000650 U	0.000565 U	0.000791 U	0.000706 U	0.00576 U
	MW-162-95	1/28/19	PES	PACE	95	-56.6	S	–	–	–	–	0.000574 U	0.000316 U	0.000447 U	0.00101 U	0.000774 U	0.000660 U	0.000574 U	0.000803 U	0.000717 U	0.00585 U
	MW-162-100	1/28/19	PES	PACE	100	-61.6	S	–	–	–	–	0.000584 U	0.000321 U	0.000455 U	0.00103 U	0.000788 U	0.000671 U	0.000584 U	0.000817 U	0.000730 U	0.00595 U
	MW-162-105	1/28/19	PES	PACE	105	-66.6	S	–	–	–	–	0.000562 U	0.000309 U	0.000438 U	0.000993 U	0.000759 U	0.000646 U	0.000562 U	0.000787 U	0.000703 U	0.00573 U
	MW-162-110	1/28/19	PES	PACE	110	-71.6	S	–	–	–	–	0.000547 U	0.000301 U	0.000427 U	0.000966 U	0.000739 U	0.000629 U	0.000547 U	0.000766 U	0.000684 U	0.00558 U
MW-163 (-61.0 to -71.0)	MW-163-47	1/29/19	PES	PACE	47	-7.7	S	–	–	–	–	0.000559 U	0.000308 U	0.000436 U	0.000988 U	0.000755 U	0.000643 U	0.00751	0.000783 U	0.000699 U	0.00570 U
	MW-163-50	1/29/19	PES	PACE	50	-10.7	S	–	–	–	–	0.000540 U	0.000297 U	0.000421 U	0.000954 U	0.000729 U	0.000621 U	0.0283	0.000756 U	0.000675 U	0.00551 U
	MW-163-55	1/29/19	PES	PACE	55	-15.7	S	–	–	–	–	0.000613 U	0.000337 U	0.000478 U	0.00108 U	0.000827 U	0.000705 U	0.0286	0.000858 U	0.000766 U	0.00625 U
	MW-163-60	1/29/19	PES	PACE	60	-20.7	S	–	–	–	–	0.000566 U	0.000311 U	0.000442 U	0.00100 U	0.000764 U	0.000651 U	0.0226	0.000792 U	0.000708 U	0.00577 U
	MW-163-80	1/29/19	PES	PACE	80	-40.7	S	–	–	–	–	0.000569 U	0.000313 U	0.000443 U	0.00100 U	0.000768 U	0.000654 U	0.00410	0.000796 U	0.000711 U	0.00580 U
	MW-163-85	1/29/19	PES	PACE	85	-45.7	S	–	–	–	–	0.000592 U	0.000325 U	0.000462 U	0.00105 U	0.000799 U	0.000681 U	0.000592 U	0.000828 U	0.000740 U	0.00604 U
	MW-163-90	1/29/19	PES	PACE	90	-50.7	S	–	–	–	–	0.000542 U	0.000298 U	0.000423 U	0.000958 U	0.000732 U	0.000624 U	0.00490	0.000759 U	0.000678 U	0.00553 U
	MW-163-95	1/29/19	PES	PACE	95	-55.7	S	–	–	–	–	0.000593 U	0.000326 U	0.000462 U	0.00105 U	0.000800 U	0.000682 U	0.00898	0.000830 U	0.000741 U	0.00605 U
	MW-163-100	1/29/19	PES	PACE	100	-60.7	S	–	–	–	–	0.000574 U	0.000316 U	0.000448 U	0.00101 U	0.000775 U	0.000660 U	0.000574 U	0.000804 U	0.000718 U	0.00586 U
	MW-163-105	1/29/19	PES	PACE	105	-65.7	S	–	–	–	–	0.000525 U	0.000289 U	0.000409 U	0.000927 U	0.000709 U	0.000604 U	0.000525 U	0.000735 U	0.000656 U	0.00535 U
	MW-163-110	1/29/19	PES	PACE	110	-70.7	S	–	–	–	–	0.000554 U	0.000305 U	0.000432 U	0.000978 U	0.000748 U	0.000637 U	0.000554 U	0.000776 U	0.000692 U	0.00565 U
MW-164 (-59.9 to -69.9)	MW-164-80	1/24/19	PES	PACE	80	-40.3	S	–	–	–	–	0.000569 U	0.000313 U	0.000444 U	0.00101 U	0.000769 U	0.000655 U	0.000569 U	0.000797 U	0.000712 U	0.00581 U
	MW-164-87	1/24/19	PES	PACE	87	-47.3	S	–	–	–	–	0.000560 U	0.000308 U	0.000437 U	0.000988 U	0.000756 U	0.000644 U	0.000560 U	0.000784 U	0.000700 U	0.00571 U
	MW-164-90	1/24/19	PES	PACE	90	-50.3	S	–	–	–	–	0.000586 U	0.000322 U	0.000457 U	0.00103 U	0.000791 U	0.000673 U	0.000586 U	0.000820 U	0.000732 U	0.00597 U
	MW-164-95	1/25/19	PES	PACE	95	-55.3	S	–	–	–	–	0.000598 U	0.000329 U	0.000466 U	0.00106 U	0.000807 U	0.000688 U	0.000598 U	0.000837 U	0.000747 U	0.00610 U
	MW-164-100	1/25/19	PES	PACE	100	-60.3	S	–	–	–	–	0.000625 U	0.000344 U	0.000488 U	0.00110 U	0.000844 U	0.000719 U	0.000625 U	0.000875 U	0.000781 U	0.00638 U
	MW-164-105	1/25/19	PES	PACE	105	-65.3	S	–	–	–	–	0.000555 U	0.000305 U	0.000433 U	0.000979 U	0.000749 U	0.000638 U	0.000555 U	0.000776 U	0.000693 U	0.00566 U
	MW-164-110	1/25/19	PES	PACE	110	-70.3	S	–	–	–	–	0.000551 U	0.000303 U	0.000430 U	0.000974 U	0.000744 U	0.000634 U	0.000551 U	0.000772 U	0.000689 U	0.00562 U
	B-929-120	1/25/19	PES	PACE	110 (dup)	-70.3	S	–	–	–	–	0.000562 U	0.000309 U	0.000438 U	0.000992 U	0.000758 U	0.000646 U	0.000562 U	0.000786 U	0.000702 U	0.00573 U
MW-168 (-43.0 to -53.0)	MW-168-15	10/21/19	PES	Fremont	15	-3.8	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MW-171 (-27.6 to -37.6)	MW-171-24	09/24/19	PES	Fremont	24	-12.8	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MW-172 (-42.5 to -52.5)	MW-172-7	09/26/19	PES	Fremont	7	4.2	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MW-175 (-27.8 to -37.8)	MW-175-12	10/26/19	PES	Fremont	12	-1.3	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	B-1002-12	10/26/19	PES	Fremont	12 (dup)	-1.3	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-180 (-42.7 to -52.7)	MW-180-40	09/25/19	PES	Fremont	40	-28.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-24	09/25/19	PES	Fremont	24	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-27	09/25/19	PES	Fremont	27	-15.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-181 (1.5 to -8.5)	MW-181-14	09/27/19	PES	Fremont	14	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-183 (-27.4 to -37.4)	MW-183-18	09/26/19	PES	Fremont	18	-6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-184 (-42.5 to -52.5)	MW-184-20	09/26/19	PES	Fremont	20	-8.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-188 (-42.2 to -52.2)	MW-188-64	10/01/19	PES	Fremont	64	-52.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P01	P01-05	2/12/14	SES	F&BI	5	35.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	P01-10	2/12/14	SES	F&BI	10	30.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P02	P02-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	P02-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P04	P04-05	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	P04-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P05	P05-05	2/12/14	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	P05-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
P06	P06-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	P06-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW1	Unknown	10/22/92	Roux	Unknown	5	32.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W-MW-03 (P-07)	SB-W-07-0135	1/26/12	WW	ARI	13.5-14	25.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0275	1/26/12	WW	ARI	27.5-28	11.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0335	1/26/12	WW	ARI	33.5-34	5.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0430	1/26/12	WW	ARI	43-43.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0530	1/26/12	WW	ARI	53-53.5	-14.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0630	1/26/12	WW	ARI	63-63.5	-24.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0780	1/26/12	WW	ARI	78-78.5	-39.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
W-MW-04 (P-08)	SB-W-08-0090	1/28/12	WW	ARI	9-9.5	26.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-0155	1/28/12	WW	ARI	15.5-16	19.5	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-0265	1/28/12	WW	ARI	26.5-27	8.5	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-0380	1/28/12	WW	ARI	38-38.5	-3.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-0480	1/28/12	WW	ARI	48-48.5	-13.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-9480	1/28/12	WW	ARI	48-48.5 (dup)	-13.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-0590	1/28/12	WW	ARI	59-59.5	-24.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-0710	1/29/12	WW	ARI	71-71.5	-36.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	SB-W-08-0760	1/29/12	WW	ARI	76-76.5	-41.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–	–
All Data								Number of Analytes Measured	100	0	0	0	805	805	805	805	805	805	805	805	805
								Number of Analytes Detected	63	0	0	0	5	0	3	3	0	1	244	0	1
								Frequency of Detection	63.0%	–	–	–	0.6%	0.0%	0.4%	0.4%	0.0%	0.1%	30.3%	0.0%	0.1%
								Maximum Detection	641	–	–	–	0.000757 J	–	0.000889 J	0.00199 J	–	0.00197 J	1.04	–	0.00174 J
								Minimum Detection	0.0353 U	–	–	–	0.000264 U	0.000286 U	0.000365 U	0.000277 U	0.000365 U	0.000199 U	0.000315 U	0.000317 U	0.000306 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	0	0	0	0	0	–	0
								Number of Saturated (S) Detections above SL	8	0	0	0	0	0	0	0	0	0	88	–	0
2017-2021								Number of Analytes Measured	100	0	0	0	805	805	805	805	805	805	805	805	805
								Number of Analytes Detected	63	0	0	0	5	0	3	3	0	1	244	0	1
								Frequency of Detection	63.0%	–	–	–	0.6%	0.0%	0.4%	0.4%	0.0%	0.1%	30.3%	0.0%	0.1%
								Maximum Detection	641	–	–	–	0.000757 J	–	0.000889 J	0.00199 J	–	0.00197 J	1.04	–	0.00174 J
								Minimum Detection	0.0353 U	–	–	–	0.000264 U	0.000286 U	0.000365 U	0.000277 U	0.000365 U	0.000199 U	0.000315 U	0.000317 U	0.000306 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	0	0	0	0	0	–	0
								Number of Saturated (S) Detections above SL	8	0	0	0	0	0	0	0	0	88	–	0	0
Abbreviations:								Notes:													
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								All on-Property soil was excavated during Property redevelopment above elevations 0.7 to 10.7 feet, and CVOCs in soil between elevations +10 to 55 feet was treated.													
ARI = Analytical Resource, Incorporated, Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.													
B&V = Black Veatch								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.													
bgs = below ground surface								Well screen elevations provided below Sample Location. in parentheses when applicable.													
Comp = Composite Sample								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.													
dup = duplicate								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.													
EPJ = E.P.Johnson Construction Inc., and Environmental								Detected results shown in bold .													
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .													
F&BI = Friedman & Bruya, Inc.								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .													
GeoEng = GeoEngineers, Inc.								– = Not available or results not analyzed.													
HC = Hart Crowser, Inc.								A = Result reported as total petroleum hydrocarbons.													
NCA = North Creek Analytical, of Bothell, Washington								B = Analyte detected in an associated method blank.													
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.													
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.													
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.													
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.													
Roux = Roux Associates								q = Sample may contain gasoline or petroleum components. Chromatographic pattern indicates the presence of gasoline constituents.													
SES = SoundEarth Strategies, Inc.								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample													
TR = TR Corporation								T = Analyte also detected in trip blank.													
Urban = Urban Redevelopment LLC								U = Not detected at a concentration exceeding laboratory reporting limit													
WW = WW Environmental LLC								ve = Estimated value. The reported range exceeds the calibration range of the analysis.													
								w = Petroleum product eluting in the C8-C9 range													
								x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.													
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.													

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-1	B-1-13	6/23/00	TR	ARI	13	27.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2	B-2-6.5	6/23/00	TR	ARI	6.5	33.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-2-11	6/23/00	TR	ARI	11	29.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-2-16	6/23/00	TR	ARI	16	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-3	B-3-12	6/23/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-5	B-5-10	6/23/00	TR	ARI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-5-11.5	6/23/00	TR	ARI	11.5	28.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-6	B-6-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-18	6/24/00	TR	ARI	18	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	B-7-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	B-8-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-8-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	B-9-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-9-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	B-10-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-201	G-201-10	6/19/17	PES	ESC	10	29.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-201-30	6/19/17	PES	ESC	30	9.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-201-35	6/19/17	PES	ESC	35	4.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-202	G-202-5	6/19/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-202-20	6/19/17	PES	ESC	20	19.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-202-50	6/19/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-203	G-203-5	6/20/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-25	6/20/17	PES	ESC	25	14.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-40	6/20/17	PES	ESC	40	-0.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-50	6/20/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-80	6/20/17	PES	ESC	80	-40.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-204	G-204-20	6/20/17	PES	ESC	20	19.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-204-40	6/20/17	PES	ESC	40	-0.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	G-204-45	6/20/17	PES	ESC	45	-5.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-205	B-205-10	8/30/17	PES	ESC	10	30.3	S	5.03	0.0468 U	17.0	0.127 U	0.0414 U	0.0368 U	0.0320 U	0.0432 U	3.37	0.0288 U	0.0250 U	0.0273 U	0.0336 U
	B-205-55	8/30/17	PES	ESC	55	-14.7	S	0.000335 U	0.000453 U	0.00617 U	0.00123 U	0.000401 U	0.000356 U	0.000310 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	B-205-65	8/30/17	PES	ESC	65	-24.7	S	0.000304 U	0.000411 U	0.000223 U	0.00111 U	0.000363 U	0.000323 U	0.000281 U	0.000379 U	0.000282 U	0.000253 U	0.000219 U	0.000239 U	0.000295 U
	B-205-75	8/30/17	PES	ESC	75	-34.7	S	0.000307 U	0.000416 U	0.000226 U	0.00112 U	0.000367 U	0.000327 U	0.000284 U	0.000383 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	B-904-50	8/30/17	PES	ESC	75 (dup)	-34.7	S	0.000308 U	0.000416 U	0.000226 U	0.00113 U	0.000368 U	0.000327 U	0.000284 U	0.000384 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
B-206	B-206-15	8/14/17	PES	ESC	15	24.1	S	0.00826 U	0.0112 U	0.0151 J	0.0302 U	0.00987 U	0.00877 U	0.00762 U	0.0103 U	0.00765 U	0.00688 U	0.00596 U	0.00650 U	0.00803 U
	B-206-30	8/14/17	PES	ESC	30	9.1	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000393 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	B-206-40	8/14/17	PES	ESC	40	-0.9	S	0.000303 U	0.000410 U	0.000223 U	0.00111 U	0.000363 U	0.000322 U	0.000280 U	0.000378 U	0.000281 U	0.000253 U	0.000219 U	0.000239 U	0.000295 U
	B-206-49	8/14/17	PES	ESC	49	-9.9	S	0.000327 U	0.000442 U	0.000240 U	0.00120 U	0.000391 U	0.000347 U	0.000302 U	0.000408 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000318 U
	B-206-52	8/14/17	PES	ESC	52	-12.9	S	0.000313 U	0.000424 U	0.000230 U	0.00115 U	0.000375 U	0.000333 U	0.000289 U	0.000391 U	0.000290 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	B-206-56	8/14/17	PES	ESC	56	-16.9	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000263 U	0.000227 U	0.000248 U	0.000306 U
	B-206-59	8/14/17	PES	ESC	59	-19.9	S	0.000299 U	0.000404 U	0.000219 U	0.00109 U	0.000357 U	0.000317 U	0.000276 U	0.000372 U	0.000277 U	0.000249 U	0.000215 U	0.000235 U	0.000290 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-206 (continued)	B-206-70	8/14/17	PES	ESC	70	-30.9	S	0.000313 U	0.000423 U	0.000230 U	0.00114 U	0.000374 U	0.000332 U	0.000289 U	0.000390 U	0.000290 U	0.000260 U	0.000226 U	0.000246 U	0.000304 U
	B-206-80	8/14/17	PES	ESC	80	-40.9	S	0.000313 U	0.000423 U	0.000230 U	0.00114 U	0.000374 U	0.000332 U	0.000289 U	0.000390 U	0.000290 U	0.000261 U	0.000226 U	0.000246 U	0.000304 U
B-207	B-207-30	8/25/17	PES	ESC	30	8.5	S	0.00816 U	0.0110 U	0.00600 U	0.0298 U	0.00975 U	0.00866 U	0.00752 U	0.0102 U	0.00756 U	0.00679 U	0.00589 U	0.00642 U	0.00793 U
	B-207-41	8/25/17	PES	ESC	41	-2.5	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000271 U	0.000234 U	0.000256 U	0.000316 U
	B-207-49	8/25/17	PES	ESC	49	-10.5	S	0.000320 U	0.000433 U	0.000235 U	0.00117 U	0.000383 U	0.000340 U	0.000296 U	0.000399 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	B-207-55	8/25/17	PES	ESC	55	-16.5	S	0.000335 U	0.000453 U	0.000246 U	0.00123 U	0.000400 U	0.000356 U	0.000309 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	B-207-60	8/25/17	PES	ESC	60	-21.5	S	0.000305 U	0.000413 U	0.000225 U	0.00112 U	0.000365 U	0.000325 U	0.000282 U	0.000381 U	0.000283 U	0.000254 U	0.000220 U	0.000241 U	0.000297 U
	B-207-70	8/25/17	PES	ESC	70	-31.5	S	0.000328 U	0.000443 U	0.000241 U	0.00120 U	0.000392 U	0.000348 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000236 U	0.000258 U	0.000319 U
	B-207-80	8/25/17	PES	ESC	80	-41.5	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-207-90	8/25/17	PES	ESC	90	-51.5	S	0.00789 U	0.0107 U	0.00580 U	0.0288 U	0.00943 U	0.00837 U	0.00727 U	0.00983 U	0.00731 U	0.00657 U	0.00569 U	0.00621 U	0.00767 U
B-208	B-208-20	8/24/17	PES	ESC	20	18.8	S	0.000339 U	0.000459 U	0.000249 U	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000423 U	0.000314 U	0.000282 U	0.000245 U	0.000267 U	0.000330 U
	B-208-35	8/24/17	PES	ESC	35	3.8	S	0.000312 U	0.000422 U	0.000230 U	0.00114 U	0.000373 U	0.000332 U	0.000288 U	0.000390 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	B-901-50	8/24/17	PES	ESC	35 (dup)	3.8	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000256 U	0.000316 U
	B-208-50	8/24/17	PES	ESC	50	-11.2	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000395 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000308 U
	B-208-60	8/24/17	PES	ESC	60	-21.2	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	B-208-70	8/24/17	PES	ESC	70	-31.2	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	B-208-80	8/24/17	PES	ESC	80	-41.2	S	0.000355 U	0.000480 U	0.000261 U	0.00130 U	0.000424 U	0.000377 U	0.000328 U	0.000443 U	0.000329 U	0.000296 U	0.000256 U	0.000280 U	0.000345 U
B-209	B-209-20	8/25/17	PES	ESC	20	19.0	S	0.000334 U	0.000451 U	0.000245 U	0.00122 U	0.000399 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000241 U	0.000263 U	0.000324 U
	B-209-35	8/25/17	PES	ESC	35	4.0	S	0.000307 U	0.000414 U	0.000225 U	0.00112 U	0.000366 U	0.000326 U	0.000283 U	0.000382 U	0.000284 U	0.000255 U	0.000221 U	0.000241 U	0.000298 U
	B-209-50	8/25/17	PES	ESC	50	-11.0	S	0.000374 U	0.000506 U	0.000275 U	0.00137 U	0.000447 U	0.000398 U	0.000346 U	0.000467 U	0.000347 U	0.000312 U	0.000270 U	0.000295 U	0.000364 U
	B-209-60	8/25/17	PES	ESC	60	-21.0	S	0.000329 U	0.000445 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000238 U	0.000259 U	0.000320 U
	B-209-70	8/25/17	PES	ESC	70	-31.0	S	0.000306 U	0.000413 U	0.000225 U	0.00112 U	0.000366 U	0.000325 U	0.000282 U	0.000381 U	0.000283 U	0.000255 U	0.000221 U	0.000241 U	0.000297 U
	B-209-75	8/25/17	PES	ESC	75	-36.0	S	0.000304 U	0.000411 U	0.000224 U	0.00111 U	0.000364 U	0.000323 U	0.000281 U	0.000380 U	0.000282 U	0.000253 U	0.000220 U	0.000240 U	0.000296 U
	B-209-80	8/25/17	PES	ESC	80	-41.0	S	0.000330 U	0.000446 U	0.000243 U	0.00121 U	0.000394 U	0.000351 U	0.000305 U	0.000411 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
B-210	B-210-6	8/21/17	PES	ESC	6	33.4	S	0.000338 U	0.000457 U	0.000249 U	0.00124 U	0.000404 U	0.000360 U	0.000312 U	0.000422 U	0.000314 U	0.000282 U	0.000244 U	0.000266 U	0.000329 U
	B-210-15	8/21/17	PES	ESC	15	24.4	S	0.00778 U	0.0105 U	0.00572 U	0.0284 U	0.00930 U	0.00826 U	0.00717 U	0.00970 U	0.00721 U	0.00648 U	0.00561 U	0.00612 U	0.00756 U
	B-210-20	8/21/17	PES	ESC	20	19.4	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	B-210-35	8/21/17	PES	ESC	35	4.4	S	0.000331 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	B-210-46	8/21/17	PES	ESC	46	-6.6	S	0.000313 U	0.000423 U	0.000230 U	0.00114 U	0.000374 U	0.000332 U	0.000289 U	0.000390 U	0.000290 U	0.000260 U	0.000226 U	0.000246 U	0.000304 U
	B-210-60	8/22/17	PES	ESC	60	-20.6	S	0.00771 U	0.0104 U	0.00567 U	0.0281 U	0.00921 U	0.00818 U	0.00710 U	0.00961 U	0.00714 U	0.00642 U	0.00556 U	0.00606 U	0.00749 U
	B-210-70	8/22/17	PES	ESC	70	-30.6	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000386 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	B-210-80	8/22/17	PES	ESC	80	-40.6	S	0.000317 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000395 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000308 U
	B-900-20	8/22/17	PES	ESC	80 (dup)	-40.6	S	0.000341 U	0.000461 U	0.000251 U	0.00125 U	0.000407 U	0.000362 U	0.000315 U	0.000425 U	0.000316 U	0.000284 U	0.000246 U	0.000268 U	0.000331 U
B-211	B-211-20	8/17/17	PES	ESC	20	19.8	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	B-211-35	8/17/17	PES	ESC	35	4.8	S	0.000323 U	0.000437 U	0.000238 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	B-211-50	8/17/17	PES	ESC	50	-10.3	S	0.000310 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	B-211-57	8/17/17	PES	ESC	57	-17.3	S	0.000338 U	0.000458 U	0.000249 U	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000422 U	0.000314 U	0.000282 U	0.000244 U	0.000267 U	0.000329 U
	B-211-60	8/17/17	PES	ESC	60	-20.3	S	0.000331 U	0.000447 U	0.000243 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	B-211-65	8/18/17	PES	ESC	65	-25.3	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	B-211-70	8/18/17	PES	ESC	70	-30.3	S	0.172 U	0.232 U	0.127 U	0.628 U	0.206 U	0.182 U	0.158 U	0.214 U	0.159 U	0.144 U	0.124 U	0.135 U	0.168 U
	B-211-80	8/18/17	PES	ESC	80	-40.3	S	0.00778 U	0.0105 U	0.00572 U	0.0284 U	0.00929 U	0.00825 U	0.00717 U	0.00969 U	0.00720 U	0.00648 U	0.00561 U	0.00612 U	0.00756 U
	B-211-90	8/18/17	PES	ESC	90	-50.3	S	0.00837 U	0.0113 U	0.00615 U	0.0305 U	0.0100 U	0.00888 U	0.00772 U	0.0104 U	0.00775 U	0.00697 U	0.00604 U	0.00659 U	0.00814 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-211 (continued)	B-211-100	8/18/17	PES	ESC	100	-60.3	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	B-211-110	8/18/17	PES	ESC	110	-70.3	S	0.000316 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	B-211-120	8/21/17	PES	ESC	120	-80.3	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000402 U	0.000298 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
B-216	B-216-20	9/1/17	PES	ESC	20	31.9	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000329 U	0.000285 U	0.000386 U	0.000287 U	0.000257 U	0.000223 U	0.000243 U	0.000301 U
	B-216-40	9/1/17	PES	ESC	40	11.9	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000289 U	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	B-216-50	9/1/17	PES	ESC	50	1.9	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000371 U	0.000330 U	0.000286 U	0.000387 U	0.000288 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	B-216-55	9/1/17	PES	ESC	55	-3.1	S	0.00117 U	0.000437 U	0.000330 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000732 J	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	B-216-65	9/1/17	PES	ESC	65	-13.1	S	0.000345 U	0.000466 U	0.000253 U	0.00126 U	0.000412 U	0.000366 U	0.000318 U	0.000430 U	0.000319 U	0.000287 U	0.000248 U	0.000271 U	0.000335 U
	B-216-85	9/1/17	PES	ESC	85	-33.1	S	0.000346 U	0.000468 U	0.000254 U	0.00127 U	0.000414 U	0.000368 U	0.000320 U	0.000432 U	0.000321 U	0.000288 U	0.000250 U	0.000273 U	0.000336 U
	B-216-95	9/1/17	PES	ESC	95	-43.1	S	0.000326 U	0.000441 U	0.000240 U	0.00119 U	0.000390 U	0.000347 U	0.000301 U	0.000407 U	0.000302 U	0.000272 U	0.000235 U	0.000257 U	0.000317 U
B-217	B-217-15	9/5/17	PES	ESC	15	36.8	V	0.000326 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000317 U
	B-217-25	9/5/17	PES	ESC	25	26.8	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000309 U
	B-217-35	9/5/17	PES	ESC	35	16.8	S	0.000329 U	0.000445 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000238 U	0.000259 U	0.000320 U
	B-217-42	9/5/17	PES	ESC	42	9.8	S	0.000383 J	0.000444 U	0.000113 J	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000409 U	0.000471 J	0.000273 U	0.000237 U	0.000258 U	0.000319 U
	B-217-55	9/5/17	PES	ESC	55	-3.2	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	B-217-65	9/5/17	PES	ESC	65	-13.2	S	0.000330 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	B-217-75	9/5/17	PES	ESC	75	-23.2	S	0.000344 U	0.000465 U	0.000253 U	0.00126 U	0.000411 U	0.000365 U	0.000317 U	0.000429 U	0.000319 U	0.000286 U	0.000248 U	0.000271 U	0.000334 U
	B-217-85	9/6/17	PES	ESC	85	-33.2	S	0.000327 U	0.000442 U	0.000240 U	0.00120 U	0.000391 U	0.000347 U	0.000302 U	0.000408 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000318 U
	B-217-95	9/6/17	PES	ESC	95	-43.2	S	0.000347 U	0.000469 U	0.000255 U	0.00127 U	0.000415 U	0.000369 U	0.000320 U	0.000433 U	0.000322 U	0.000289 U	0.000250 U	0.000273 U	0.000337 U
	B-217-106	9/6/17	PES	ESC	106	-54.2	S	0.0352 U	0.0476 U	0.0259 U	0.129 U	0.0420 U	0.0374 U	0.0325 U	0.0439 U	0.0326 U	0.0293 U	0.0254 U	0.0277 U	0.0342 U
	B-217-115	9/6/17	PES	ESC	115	-63.2	S	0.000331 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
B-218	B-218-12.5	9/19/17	PES	ESC	12.5	25.6	S	0.000327 U	0.000442 U	0.000240 U	0.00120 U	0.000391 U	0.000347 U	0.000302 U	0.000408 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000318 U
	B-218-19	9/19/17	PES	ESC	19	19.1	S	0.000326 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000257 U	0.000317 U
	B-218-25	9/19/17	PES	ESC	25	13.1	S	0.000332 U	0.000449 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	B-218-40	9/19/17	PES	ESC	40	-1.9	S	0.0177 U	0.0238 U	0.0130 U	0.0646 U	0.0211 U	0.0188 U	0.0162 U	0.0220 U	0.0164 U	0.0147 U	0.0127 U	0.0138 U	0.0171 U
	B-218-50	9/19/17	PES	ESC	50	-11.9	S	0.000306 U	0.000414 U	0.000225 U	0.00112 U	0.000366 U	0.000325 U	0.000283 U	0.000382 U	0.000284 U	0.000255 U	0.000221 U	0.000241 U	0.000297 U
	B-913-70	9/19/17	PES	ESC	50 (dup)	-11.9	S	0.000305 U	0.000412 U	0.000224 U	0.00111 U	0.000364 U	0.000324 U	0.000281 U	0.000380 U	0.000282 U	0.000254 U	0.000220 U	0.000240 U	0.000296 U
B-219	B-219-42	8/28/17	PES	ESC	42	-2.2	S	0.000313 U	0.000423 U	0.000230 U	0.00114 U	0.000374 U	0.000332 U	0.000289 U	0.000390 U	0.000290 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	B-219-50	8/28/17	PES	ESC	50	-10.2	S	0.000340 U	0.000459 U	0.000250 U	0.00124 U	0.000406 U	0.000361 U	0.000314 U	0.000424 U	0.000315 U	0.000283 U	0.000245 U	0.000268 U	0.000330 U
	B-219-60	8/28/17	PES	ESC	60	-20.2	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	B-219-70	8/28/17	PES	ESC	70	-30.2	S	0.000328 U	0.000443 U	0.000241 U	0.00120 U	0.000391 U	0.000348 U	0.000302 U	0.000409 U	0.000304 U	0.000273 U	0.000236 U	0.000258 U	0.000318 U
	B-219-80	8/28/17	PES	ESC	80	-40.2	S	0.00780 U	0.000421 U	0.00573 U	0.00114 U	0.000373 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000245 U	0.00758 U
B-220	B-220-15	9/20/17	PES	ESC	15	23.9	S	0.000326 U	0.000441 U	0.000240 U	0.00119 U	0.000390 U	0.000347 U	0.000301 U	0.000407 U	0.000302 U	0.000272 U	0.000235 U	0.000257 U	0.000317 U
	B-220-29	9/20/17	PES	ESC	29	9.9	S	0.000334 U	0.000451 U	0.000401 J	0.00122 U	0.000399 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000241 U	0.000263 U	0.000324 U
	B-220-32	9/20/17	PES	ESC	32	6.9	S	0.000327 U	0.000443 U	0.000410 J	0.00120 U	0.000391 U	0.000348 U	0.000302 U	0.000408 U	0.000303 U	0.000273 U	0.000236 U	0.000258 U	0.000318 U
	B-220-40	9/20/17	PES	ESC	40	-1.1	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000310 U
	B-220-50	9/20/17	PES	ESC	50	-11.1	S	0.000309 U	0.000417 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	B-914-75	9/20/17	PES	ESC	50 (dup)	-11.1	S	0.000309 U	0.000417 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
B-221	B-221-16	9/20/17	PES	ESC	16	23.0	S	0.00841 U	0.0114 U	0.00619 U	0.0307 U	0.0101 U	0.00893 U	0.00776 U	0.0105 U	0.00779 U	0.00701 U	0.00607 U	0.00662 U	0.00818 U
	B-221-22	9/20/17	PES	ESC	22	17.0	S	0.330 U	0.446 U	0.243 U	1.21 U	0.395 U	0.351 U	0.305 U	0.412 U	0.306 U	0.275 U	0.238 U	0.260 U	0.321 U
	B-221-33	9/20/17	PES	ESC	33	6.0	S	0.321 U	0.434 U	0.236 U	1.18 U	0.384 U	0.341 U	0.297 U	0.401 U	0.298 U	0.268 U	0.232 U	0.253 U	0.312 U
	B-221-37	9/20/17	PES	ESC	37	2.0	S	0.0675 U	0.0912 U	0.0496 U	0.247 U	0.0807 U	0.0717 U	0.0623 U	0.0842 U	0.0626 U	0.0562 U	0.0487 U	0.0531 U	0.0656 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-221 (continued)	B-915-80	9/20/17	PES	ESC	37 (dup)	2.0	S	0.0329 U	0.0445 U	0.0242 U	0.120 U	0.0393 U	0.0350 U	0.0304 U	0.0410 U	0.0305 U	0.0274 U	0.0237 U	0.0259 U	0.0320 U
	B-221-45	9/20/17	PES	ESC	45	-6.0	S	3.15 U	4.26 U	2.31 U	11.5 U	3.76 U	3.35 U	2.91 U	3.93 U	2.92 U	2.62 U	2.27 U	2.48 U	3.06 U
	B-221-50	9/20/17	PES	ESC	50	-11.0	S	0.157 U	0.211 U	0.115 U	0.571 U	0.187 U	0.165 U	0.144 U	0.195 U	0.145 U	0.131 U	0.113 U	0.123 U	0.152 U
	B-221-60	9/20/17	PES	ESC	60	-21.0	S	0.159 U	0.214 U	0.117 U	0.580 U	0.190 U	0.168 U	0.146 U	0.198 U	0.147 U	0.133 U	0.115 U	0.125 U	0.155 U
	B-221-70	9/21/17	PES	ESC	70	-31.0	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000395 U	0.000294 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
B-222	B-222-17	9/21/17	PES	ESC	17	22.2	S	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	B-222-25	9/21/17	PES	ESC	25	14.2	S	0.000332 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000353 U	0.000306 U	0.000414 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	B-222-34	9/21/17	PES	ESC	34	5.2	S	0.000322 U	0.000435 U	0.000236 U	0.00118 U	0.000384 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
	B-222-42	9/21/17	PES	ESC	42	-2.8	S	0.000356 U	0.000481 U	0.000262 U	0.00130 U	0.000425 U	0.000378 U	0.000329 U	0.000444 U	0.000330 U	0.000296 U	0.000257 U	0.000280 U	0.000346 U
	B-222-50	9/21/17	PES	ESC	50	-10.8	S	0.0154 U	0.0208 U	0.0114 U	0.0563 U	0.0184 U	0.0163 U	0.0142 U	0.0192 U	0.0143 U	0.0129 U	0.0112 U	0.0121 U	0.0150 U
	B-916-30	9/21/17	PES	ESC	50 (dup)	-10.8	S	0.000304 U	0.000411 U	0.000224 U	0.00111 U	0.000364 U	0.000323 U	0.000281 U	0.000380 U	0.000282 U	0.000253 U	0.000220 U	0.000240 U	0.000296 U
B-223	B-223-16	9/21/17	PES	ESC	16	23.1	S	0.0678 U	0.0917 U	0.0499 U	0.248 U	0.0811 U	0.0721 U	0.0626 U	0.203 J	0.0629 U	0.0565 U	0.0489 U	0.0534 U	0.0659 U
	B-223-22	9/21/17	PES	ESC	22	17.1	S	0.0655 U	0.0886 U	0.0482 U	0.240 U	0.0783 U	0.0697 U	0.0605 U	0.0818 U	0.0608 U	0.0546 U	0.0473 U	0.0516 U	0.0637 U
	B-223-30	9/21/17	PES	ESC	30	9.1	S	7.90 U	10.7 U	5.81 U	28.8 U	9.45 U	8.39 U	7.29 U	9.85 U	7.32 U	6.58 U	5.70 U	6.22 U	7.68 U
	B-223-39	9/21/17	PES	ESC	39	0.1	S	0.000327 U	0.000442 U	0.0240 U	0.00120 U	0.000391 U	0.000347 U	0.000302 U	0.000408 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000318 U
	B-223-47	9/21/17	PES	ESC	47	-7.9	S	0.000333 U	0.000451 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000240 U	0.000262 U	0.000324 U
	B-917-57	9/21/17	PES	ESC	47 (dup)	-7.9	S	0.000308 U	0.000417 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000222 U	0.000243 U	0.000300 U
B-224	B-224-6	11/27/17	PES	ESC	6	33.1	S	0.000310 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	B-224-11	11/27/17	PES	ESC	11	28.1	S	0.000767 U	0.00104 U	0.000564 U	0.00281 U	0.000916 U	0.000815 U	0.000708 U	0.000956 U	0.000711 U	0.000638 U	0.000553 U	0.000604 U	0.000746 U
	B-224-16	11/27/17	PES	ESC	16	23.1	S	0.000347 U	0.000469 U	0.000255 U	0.00127 U	0.000415 U	0.000369 U	0.000320 U	0.000433 U	0.000322 U	0.000289 U	0.000250 U	0.000273 U	0.000337 U
	B-224-21.5	11/27/17	PES	ESC	21.5	17.6	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	B-224-26	11/27/17	PES	ESC	26	13.1	S	0.000379 U	0.000512 U	0.000278 U	0.00139 U	0.000453 U	0.000403 U	0.000350 U	0.000473 U	0.000351 U	0.000315 U	0.000274 U	0.000299 U	0.000369 U
	B-224-31	11/27/17	PES	ESC	31	8.1	S	0.000336 U	0.000454 U	0.000247 U	0.00122 U	0.000401 U	0.000356 U	0.000310 U	0.000419 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	B-224-36	11/27/17	PES	ESC	36	3.1	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000310 U
	B-224-60.5	11/27/17	PES	ESC	60.5	-21.4	S	0.000464 U	0.000627 U	0.000341 U	0.00170 U	0.000555 U	0.000493 U	0.000428 U	0.000579 U	0.000431 U	0.000386 U	0.000335 U	0.000365 U	0.000451 U
B-225	B-225-5	11/27/17	PES	ESC	5	34.1	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000289 U	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	B-225-11	11/27/17	PES	ESC	11	28.1	S	0.000336 U	0.000454 U	0.000247 U	0.00123 U	0.000401 U	0.000357 U	0.000310 U	0.000419 U	0.000311 U	0.000280 U	0.000242 U	0.000264 U	0.000326 U
	B-225-16	11/27/17	PES	ESC	16	23.1	S	0.00845 U	0.0114 U	0.00621 U	0.0308 U	0.0101 U	0.00896 U	0.00779 U	0.0105 U	0.00782 U	0.00703 U	0.00609 U	0.00665 U	0.00821 U
	B-225-21	11/27/17	PES	ESC	21	18.1	S	0.00816 U	0.0110 U	0.00600 U	0.0298 U	0.00975 U	0.00866 U	0.00753 U	0.0102 U	0.00756 U	0.00680 U	0.00589 U	0.00642 U	0.00794 U
	B-225-26	11/27/17	PES	ESC	26	13.1	S	0.000337 U	0.000456 U	0.000248 U	0.00123 U	0.000403 U	0.000358 U	0.000311 U	0.000421 U	0.000313 U	0.000281 U	0.000243 U	0.000266 U	0.000328 U
	B-225-31	11/27/17	PES	ESC	31	8.1	S	0.000328 U	0.000443 U	0.000241 U	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000237 U	0.000258 U	0.000319 U
	B-225-36	11/27/17	PES	ESC	36	3.1	S	0.000353 U	0.000478 U	0.000260 U	0.00129 U	0.000422 U	0.000376 U	0.000326 U	0.000441 U	0.000328 U	0.000294 U	0.000255 U	0.000278 U	0.000344 U
B-226	B-226-6	11/28/17	PES	ESC	6	33.1	S	0.000346 U	0.000467 U	0.000254 U	0.00126 U	0.000413 U	0.000367 U	0.000319 U	0.000431 U	0.000320 U	0.000288 U	0.000249 U	0.000272 U	0.000336 U
	B-226-11	11/28/17	PES	ESC	11	28.1	S	0.000325 U	0.000440 U	0.000268 J	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	B-226-16	11/28/17	PES	ESC	16	23.1	S	0.00806 U	0.0109 U	0.00592 U	0.0294 U	0.00963 U	0.00855 U	0.00743 U	0.0100 U	0.00746 U	0.00671 U	0.00581 U	0.00634 U	0.00783 U
	B-920-35	11/28/17	PES	ESC	16 (dup)	23.1	S	0.000318 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000309 U
	B-226-21	11/28/17	PES	ESC	21	18.1	S	0.000327 U	0.000442 U	0.000240 U	0.00120 U	0.000391 U	0.000347 U	0.000302 U	0.000408 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000318 U
	B-226-31.5	11/28/17	PES	ESC	31.5	7.6	S	0.000306 U	0.000413 U	0.000225 U	0.00112 U	0.000365 U	0.000325 U	0.000282 U	0.000381 U	0.000283 U	0.000254 U	0.000220 U	0.000241 U	0.000297 U
	B-226-40	11/28/17	PES	ESC	40	-0.9	S	0.000329 U	0.000444 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000303 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000319 U
B-227	B-227-6	11/28/17	PES	ESC	6	33.1	S	0.000328 U	0.000443 U	0.000241 U	0.00120 U	0.000392 U	0.000348 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000236 U	0.000258 U	0.000319 U
	B-227-11	11/28/17	PES	ESC	11	28.1	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000386 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	B-227-16	11/28/17	PES	ESC	16	23.1	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000393 U	0.000350 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-227 (continued)	B-227-21	11/28/17	PES	ESC	21	18.1	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	B-227-26	11/28/17	PES	ESC	26	13.1	S	0.000334 U	0.000452 U	0.000246 U	0.00122 U	0.000400 U	0.000355 U	0.000309 U	0.000417 U	0.000310 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	B-227-31	11/28/17	PES	ESC	31	8.1	S	0.000344 U	0.000465 U	0.000253 U	0.00126 U	0.000411 U	0.000366 U	0.000318 U	0.000429 U	0.000319 U	0.000287 U	0.000248 U	0.000271 U	0.000335 U
	B-227-36	11/28/17	PES	ESC	36	3.1	S	0.000329 U	0.000445 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000238 U	0.000259 U	0.000320 U
B-228	B-228-6	11/29/17	PES	ESC	6	33.1	S	0.000351 U	0.000475 U	0.000258 U	0.00128 U	0.000420 U	0.000373 U	0.000324 U	0.000438 U	0.000325 U	0.000292 U	0.000253 U	0.000276 U	0.000341 U
	B-228-11	11/29/17	PES	ESC	11	28.1	S	0.000319 U	0.000431 U	0.000235 U	0.00117 U	0.000381 U	0.000339 U	0.000295 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	B-228-16	11/29/17	PES	ESC	16	23.1	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000329 U	0.000285 U	0.000386 U	0.000287 U	0.000257 U	0.000223 U	0.000243 U	0.000301 U
	B-921-22	11/29/17	PES	ESC	16 (dup)	23.1	S	0.000330 U	0.000446 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000320 U
	B-228-21	11/29/17	PES	ESC	21	18.1	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000256 U	0.000316 U
	B-228-26	11/29/17	PES	ESC	26	13.1	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	B-228-31	11/29/17	PES	ESC	31	8.1	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000310 U
	B-228-36	11/29/17	PES	ESC	36	3.1	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000345 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
B-229	B-229-6	11/29/17	PES	ESC	6	33.1	S	0.000420 U	0.000568 U	0.000309 U	0.00154 U	0.000502 U	0.000446 U	0.000388 U	0.000524 U	0.000389 U	0.000350 U	0.000303 U	0.000331 U	0.000408 U
	B-229-11	11/29/17	PES	ESC	11	28.1	S	0.000407 U	0.000551 U	0.000300 U	0.00149 U	0.000487 U	0.000433 U	0.000376 U	0.000508 U	0.000378 U	0.000339 U	0.000294 U	0.000321 U	0.000396 U
	B-229-16	11/29/17	PES	ESC	16	23.1	S	0.000342 U	0.000463 U	0.000252 U	0.00125 U	0.000409 U	0.000364 U	0.000316 U	0.000427 U	0.000317 U	0.000285 U	0.000247 U	0.000269 U	0.000333 U
	B-229-25	11/29/17	PES	ESC	25	14.1	S	0.000315 U	0.000425 U	0.000231 U	0.00115 U	0.000376 U	0.000334 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	B-229-31	11/29/17	PES	ESC	31	8.1	S	0.000346 U	0.000468 U	0.000254 U	0.00127 U	0.000414 U	0.000368 U	0.000320 U	0.000432 U	0.000321 U	0.000288 U	0.000250 U	0.000273 U	0.000336 U
	B-229-36	11/29/17	PES	ESC	36	3.1	S	0.000316 U	0.000427 U	0.000385 J	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-229-41	11/29/17	PES	ESC	41	-1.9	S	0.000334 U	0.000452 U	0.001110 J	0.00122 U	0.000399 U	0.000355 U	0.000309 U	0.000417 U	0.000425 J	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	B-229-45	11/29/17	PES	ESC	45	-5.9	S	0.000343 U	0.000464 U	0.000622 J	0.00126 U	0.000410 U	0.000365 U	0.000317 U	0.000428 U	0.000318 U	0.000286 U	0.000248 U	0.000270 U	0.000334 U
B-230	B-230-6	11/30/17	PES	ESC	6	33.1	S	0.000303 U	0.000409 U	0.000223 U	0.00111 U	0.000362 U	0.000322 U	0.000280 U	0.000378 U	0.000281 U	0.000252 U	0.000218 U	0.000238 U	0.000294 U
	B-230-11	11/30/17	PES	ESC	11	28.1	S	0.000313 U	0.000424 U	0.000230 U	0.00115 U	0.000375 U	0.000333 U	0.000289 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	B-230-16	11/30/17	PES	ESC	16	23.1	S	0.0799 U	0.108 U	0.0621 J	0.292 U	0.0955 U	0.0848 U	0.0737 U	0.0996 U	0.0740 U	0.0666 U	0.0577 U	0.0629 U	0.0777 U
	B-230-21	11/30/17	PES	ESC	21	18.1	S	0.685 U	0.926 U	0.504 U	2.51 U	0.819 U	0.728 U	0.633 U	0.855 U	0.635 U	0.571 U	0.494 U	0.540 U	0.666 U
	B-922-15	11/30/17	PES	ESC	21 (dup)	18.1	S	0.347 U	0.469 U	0.255 U	1.27 U	0.414 U	0.368 U	0.320 U	0.432 U	0.321 U	0.289 U	0.250 U	0.273 U	0.337 U
	B-230-26	11/30/17	PES	ESC	26	13.1	S	0.860 U	1.16 U	0.633 U	3.14 U	1.03 U	0.913 U	0.793 U	1.07 U	0.797 U	0.717 U	0.621 U	0.677 U	0.836 U
	B-230-31	11/30/17	PES	ESC	31	8.1	S	0.357 U	0.483 U	0.262 U	1.31 U	0.427 U	0.379 U	0.330 U	0.445 U	0.331 U	0.297 U	0.257 U	0.281 U	0.347 U
	B-230-35	11/30/17	PES	ESC	35	4.1	S	0.0518 U	0.0701 U	0.0580 J	0.190 U	0.0620 U	0.0551 U	0.0478 U	0.0647 U	0.0481 U	0.0432 U	0.0374 U	0.0409 U	0.0504 U
	B-230-55	11/30/17	PES	ESC	55	-15.9	S	0.0862 U	0.116 U	0.0634 U	0.314 U	0.103 U	0.0915 U	0.0795 U	0.107 U	0.0798 U	0.0718 U	0.0622 U	0.0678 U	0.0838 U
B-231	B-231-6	11/30/17	PES	ESC	6	33.1	S	0.000354 U	0.000479 U	0.000260 U	0.00130 U	0.000423 U	0.000376 U	0.000327 U	0.000442 U	0.000328 U	0.000295 U	0.000255 U	0.000279 U	0.000344 U
	B-231-11	11/30/17	PES	ESC	11	28.1	S	0.000338 U	0.000457 U	0.000249 U	0.00124 U	0.000404 U	0.000359 U	0.000312 U	0.000422 U	0.000314 U	0.000282 U	0.000244 U	0.000266 U	0.000329 U
	B-231-16	11/30/17	PES	ESC	16	23.1	S	0.00804 U	0.0109 U	0.00592 U	0.0294 U	0.00961 U	0.00854 U	0.00742 U	0.0100 U	0.00745 U	0.00670 U	0.00580 U	0.00633 U	0.00782 U
	B-231-21	11/30/17	PES	ESC	21	18.1	S	0.0190 U	0.0256 U	0.0139 U	0.0694 U	0.0227 U	0.0202 U	0.0175 U	0.0237 U	0.0176 U	0.0158 U	0.0137 U	0.0150 U	0.0184 U
	B-231-26	11/30/17	PES	ESC	26	13.1	S	0.000333 U	0.000451 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000240 U	0.000262 U	0.000324 U
	B-231-30	11/30/17	PES	ESC	30	9.1	S	0.000324 U	0.000438 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000233 U	0.000255 U	0.000315 U
	B-231-36	11/30/17	PES	ESC	36	3.1	S	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
B-232	B-232-6	12/1/17	PES	ESC	6	33.1	S	0.000734 J	0.000458 U	0.000571 J	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000423 U	0.000314 U	0.000282 U	0.000244 U	0.000267 U	0.000329 U
	B-232-11	12/1/17	PES	ESC	11	28.1	S	0.000382 U	0.000516 U	0.000384 J	0.00140 U	0.000456 U	0.000406 U	0.000353 U	0.000476 U	0.000354 U	0.000318 U	0.000275 U	0.000301 U	0.000371 U
	B-232-16	12/1/17	PES	ESC	16	23.1	S	0.000336 U	0.000454 U	0.000247 U	0.00123 U	0.000402 U	0.000357 U	0.000310 U	0.000419 U	0.000311 U	0.000280 U	0.000242 U	0.000265 U	0.000327 U
	B-232-21	12/1/17	PES	ESC	21	18.1	S	0.000321 U	0.000434 U	0.000236 U	0.00118 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000267 U	0.000232 U	0.000253 U	0.000312 U
	B-232-26	12/1/17	PES	ESC	26	13.1	S	0.0107 U	0.0145 U	0.00789 U	0.0393 U	0.0128 U	0.0114 U	0.00990 U	0.0134 U	0.00994 U	0.00893 U	0.00773 U	0.00844 U	0.0104 U
	B-232-31	12/1/17	PES	ESC	31	8.1	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-232 (continued)	B-232-36	12/1/17	PES	ESC	36	3.1	S	0.000340 U	0.000460 U	0.000250 U	0.00124 U	0.000407 U	0.000362 U	0.000314 U	0.000424 U	0.000315 U	0.000283 U	0.000245 U	0.000268 U	0.000331 U
B-233	B-233-6	12/1/17	PES	ESC	6	29.5	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000386 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	B-233-11	12/1/17	PES	ESC	11	24.5	S	0.000801 U	0.00108 U	0.000589 U	0.000293 U	0.000957 U	0.000851 U	0.000739 U	0.000998 U	0.000742 U	0.000667 U	0.000577 U	0.000631 U	0.000778 U
	B-233-16	12/1/17	PES	ESC	16	19.5	S	0.000405 U	0.000548 U	0.000298 U	0.00148 U	0.000484 U	0.000431 U	0.000374 U	0.000505 U	0.000376 U	0.000337 U	0.000292 U	0.000319 U	0.000393 U
	B-233-21	12/1/17	PES	ESC	21	14.5	S	0.00819 U	0.0111 U	0.00602 U	0.0299 U	0.00979 U	0.00869 U	0.00755 U	0.0102 U	0.00759 U	0.00682 U	0.00591 U	0.00645 U	0.00796 U
	B-233-26	12/1/17	PES	ESC	26	9.5	S	0.0172 U	0.0232 U	0.0127 U	0.0628 U	0.0206 U	0.0182 U	0.0158 U	0.0214 U	0.0159 U	0.0143 U	0.0124 U	0.0135 U	0.0167 U
	B-233-31	12/1/17	PES	ESC	31	4.5	S	0.00893 U	0.0121 U	0.00657 U	0.0326 U	0.0107 U	0.00947 U	0.00823 U	0.0111 U	0.00827 U	0.00744 U	0.00644 U	0.00703 U	0.00868 U
	B-233-36	12/1/17	PES	ESC	36	-0.5	S	0.00808 U	0.0109 U	0.00594 U	0.0295 U	0.00966 U	0.00858 U	0.00745 U	0.0101 U	0.00749 U	0.00673 U	0.00583 U	0.00636 U	0.00786 U
B-234	B-234-11	12/4/17	PES	ESC	11	40.8	V	0.000334 U	0.000451 U	0.000245 U	0.00122 U	0.000399 U	0.000355 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000241 U	0.000263 U	0.000324 U
	B-234-30	12/4/17	PES	ESC	30	21.8	S	0.000304 U	0.000411 U	0.000223 U	0.00111 U	0.000363 U	0.000323 U	0.000280 U	0.000379 U	0.000282 U	0.000253 U	0.000219 U	0.000239 U	0.000295 U
B-234A	B-234A-35	12/4/17	PES	ESC	35	16.8	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000393 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	B-234A-40	12/4/17	PES	ESC	40	11.8	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	B-234A-42	12/4/17	PES	ESC	42	9.8	S	0.000352 U	0.000475 U	0.000259 U	0.00129 U	0.000420 U	0.000374 U	0.000325 U	0.000439 U	0.000326 U	0.000293 U	0.000254 U	0.000277 U	0.000342 U
	B-924-30	12/4/17	PES	ESC	42 (dup)	9.8	S	0.000349 U	0.000471 U	0.000256 U	0.00128 U	0.000417 U	0.000370 U	0.000322 U	0.000435 U	0.000323 U	0.000290 U	0.000251 U	0.000274 U	0.000339 U
	B-234A-45	12/4/17	PES	ESC	45	6.8	S	0.000323 U	0.000437 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
B-235	B-235-15	12/5/17	PES	ESC	15	36.8	V	0.000345 U	0.000466 U	0.000253 U	0.00126 U	0.000411 U	0.000366 U	0.000318 U	0.000430 U	0.000319 U	0.000287 U	0.000249 U	0.000271 U	0.000335 U
	B-235-35	12/5/17	PES	ESC	35	16.8	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000293 U	0.000396 U	0.000294 U	0.000265 U	0.000229 U	0.000250 U	0.000309 U
	B-235-40	12/5/17	PES	ESC	40	11.8	S	0.000315 U	0.000425 U	0.000231 U	0.00115 U	0.000376 U	0.000334 U	0.000290 U	0.000392 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	B-235-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.0627 U	0.0847 U	0.0461 U	0.229 U	0.0749 U	0.0666 U	0.0579 U	0.0782 U	0.0581 U	0.0522 U	0.0452 U	0.0494 U	0.0609 U
	B-235-45	12/5/17	PES	ESC	45	6.8	S	0.000323 U	0.000437 U	0.000312 J	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
B-236	B-236-20	12/5/17	PES	ESC	20	31.8	S	0.000328 U	0.000444 U	0.000241 U	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000237 U	0.000258 U	0.000319 U
	B-236-35	12/5/17	PES	ESC	35	16.8	S	0.000520 U	0.000702 U	0.000382 U	0.00190 U	0.000621 U	0.000552 U	0.000480 U	0.000649 U	0.000482 U	0.000433 U	0.000375 U	0.000409 U	0.000506 U
	B-236-40	12/5/17	PES	ESC	40	11.8	S	0.000318 U	0.000429 U	0.000233 U	0.00116 U	0.000380 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000309 U
	B-236-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.728 J	0.455 U	2.33	1.23 U	0.402 U	0.358 U	0.311 U	0.420 U	0.745 J	0.280 U	0.243 U	0.265 U	0.327 U
	B-236-45	12/5/17	PES	ESC	45	6.8	S	0.113 U	0.153 U	0.0829 U	0.413 U	0.135 U	0.120 U	0.104 U	0.141 U	0.104 U	0.0938 U	0.0813 U	0.0887 U	0.110 U
B-237	B-237-5	12/6/17	PES	ESC	5	46.8	V	0.000334 U	0.000452 U	0.000246 U	0.00122 U	0.000400 U	0.000355 U	0.000309 U	0.000417 U	0.000310 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	B-237-35	12/6/17	PES	ESC	35	16.8	S	0.000335 U	0.000453 U	0.000246 U	0.00123 U	0.000401 U	0.000356 U	0.000310 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	B-237-40	12/6/17	PES	ESC	40	11.8	S	0.000308 U	0.000417 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000222 U	0.000243 U	0.000300 U
	B-237-42	12/6/17	PES	ESC	42	9.8	S	0.000339 U	0.000459 U	0.000557 J	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000423 U	0.000314 U	0.000282 U	0.000245 U	0.000267 U	0.000330 U
	B-925-41	12/6/17	PES	ESC	42 (dup)	9.8	S	0.0366 U	0.0495 U	0.0269 U	0.134 U	0.0438 U	0.0389 U	0.0338 U	0.0457 U	0.0340 U	0.0305 U	0.0264 U	0.0289 U	0.0356 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	0.000369 U	0.000499 U	0.000272 U	0.00135 U	0.000442 U	0.000393 U	0.000341 U	0.000461 U	0.000342 U	0.000308 U	0.000266 U	0.000291 U	0.000359 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	0.000369 U	0.000499 U	0.000272 U	0.00135 U	0.000442 U	0.000393 U	0.000341 U	0.000461 U	0.000342 U	0.000308 U	0.000266 U	0.000291 U	0.000359 U
B-238	B-238-6	12/6/17	PES	ESC	6	33.1	S	0.000335 U	0.000452 U	0.000246 U	0.00122 U	0.000400 U	0.000356 U	0.000309 U	0.000417 U	0.000310 U	0.000279 U	0.000241 U	0.000263 U	0.000325 U
	B-238-11	12/6/17	PES	ESC	11	28.1	S	0.000402 J	0.000451 U	0.00114 J	0.00122 U	0.000399 U	0.000355 U	0.000308 U	0.000417 U	0.000551 J	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	B-238-16	12/6/17	PES	ESC	16	23.1	S	0.0821 U	0.111 U	0.0604 U	0.300 U	0.0982 U	0.0872 U	0.0757 U	0.102 U	0.0761 U	0.0684 U	0.0593 U	0.0646 U	0.0799 U
	B-238-21	12/6/17	PES	ESC	21	18.1	S	0.320 U	0.433 U	0.235 U	1.17 U	0.383 U	0.340 U	0.296 U	0.399 U	0.297 U	0.267 U	0.231 U	0.252 U	0.311 U
	B-238-26	12/6/17	PES	ESC	26	13.1	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000384 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000253 U	0.000312 U
	B-238-31	12/6/17	PES	ESC	31	8.1	S	0.000304 U	0.000411 U	0.000224 U	0.00111 U	0.000364 U	0.000323 U	0.000281 U	0.000380 U	0.000282 U	0.000253 U	0.000219 U	0.000240 U	0.000296 U
	B-238-36	12/6/17	PES	ESC	36	3.1	S	0.000336 U	0.000454 U	0.000247 U	0.00123 U	0.000402 U	0.000357 U	0.000310 U	0.000419 U	0.000312 U	0.000280 U	0.000242 U	0.000265 U	0.000327 U
B-239	B-239-5	4/3/18	PES	ESC	5	34.2	S	0.000341 U	0.000462 U	0.000251 U	0.00125 U	0.000408 U	0.000363 U	0.000315 U	0.000426 U	0.000316 U	0.000284 U	0.000246 U	0.000269 U	0.000332 U
	B-239-10	4/3/18	PES	ESC	10	29.2	S	0.000339 U	0.000458 U	0.000249 U	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000422 U	0.000314 U	0.000282 U	0.000244 U	0.000267 U	0.000329 U
	B-239-15	4/3/18	PES	ESC	15	24.2	S	0.000327 U	0.000442 U	0.000240 U	0.00120 U	0.000391 U	0.000347 U	0.000302 U	0.000408 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000318 U
	B-239-20	4/3/18	PES	ESC	20	19.2	S	0.000324 U	0.000438 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-239 (continued)	B-239-25	4/3/18	PES	ESC	25	14.2	S	0.000329 U	0.000444 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	B-239-35	4/3/18	PES	ESC	35	4.2	S	0.000311 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000302 U
	B-239-40	4/3/18	PES	ESC	40	-0.8	S	0.000326 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000317 U
	B-239-45	4/3/18	PES	ESC	45	-5.8	S	0.000321 U	0.000435 U	0.000236 U	0.00118 U	0.000384 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
	B-239-50	4/3/18	PES	ESC	50	-10.8	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000395 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000308 U
	B-909-50	4/3/18	PES	ESC	50 (dup)	-10.8	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	B-239-55	4/3/18	PES	ESC	55	-15.8	S	0.000327 U	0.000441 U	0.000240 U	0.00119 U	0.000390 U	0.000347 U	0.000302 U	0.000407 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000317 U
	B-239-60	4/3/18	PES	ESC	60	-20.8	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000384 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000253 U	0.000312 U
	B-239-65	4/3/18	PES	ESC	65	-25.8	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000253 U	0.000312 U
	B-239-70	4/3/18	PES	ESC	70	-30.8	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	B-239-75	4/3/18	PES	ESC	75	-35.8	S	0.000331 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000352 U	0.000305 U	0.000413 U	0.000307 U	0.000275 U	0.000239 U	0.000260 U	0.000322 U
	B-239-80	4/3/18	PES	ESC	80	-40.8	S	0.000328 U	0.000444 U	0.000241 U	0.00120 U	0.000393 U	0.000349 U	0.000303 U	0.000410 U	0.000304 U	0.000274 U	0.000237 U	0.000259 U	0.000319 U
B-240	B-240-5	4/2/18	PES	ESC	5	34.2	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000337 U	0.000292 U	0.000395 U	0.000294 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	B-240-10	4/2/18	PES	ESC	10	29.2	S	0.000316 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000308 U
	B-240-15	4/2/18	PES	ESC	15	24.2	S	0.000329 U	0.000445 U	0.000382 J	0.00120 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000238 U	0.000259 U	0.000320 U
	B-240-20	4/2/18	PES	ESC	20	19.2	S	0.000334 U	0.000452 U	0.000246 U	0.00122 U	0.000399 U	0.000355 U	0.000308 U	0.000417 U	0.000310 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	B-240-25	4/2/18	PES	ESC	25	14.2	S	0.0161 U	0.0217 U	0.0118 U	0.0586 U	0.0192 U	0.0170 U	0.0147 U	0.0200 U	0.0149 U	0.0134 U	0.0116 U	0.0126 U	0.0156 U
	B-240-30	4/2/18	PES	ESC	30	9.2	S	0.000346 U	0.000467 U	0.000254 U	0.00126 U	0.000413 U	0.000367 U	0.000319 U	0.000431 U	0.000320 U	0.000288 U	0.000249 U	0.000272 U	0.000336 U
	B-240-35	4/2/18	PES	ESC	35	4.2	S	0.000345 U	0.000466 U	0.000253 U	0.00126 U	0.000412 U	0.000366 U	0.000318 U	0.000430 U	0.000319 U	0.000287 U	0.000249 U	0.000271 U	0.000335 U
	B-240-42	4/2/18	PES	ESC	42	-2.8	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	B-240-45	4/2/18	PES	ESC	45	-5.8	S	0.000304 U	0.000411 U	0.000224 U	0.00111 U	0.000364 U	0.000323 U	0.000281 U	0.000380 U	0.000282 U	0.000253 U	0.000219 U	0.000240 U	0.000296 U
	B-240-50	4/2/18	PES	ESC	50	-10.8	S	0.000323 U	0.000437 U	0.000238 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
	B-240-55	4/2/18	PES	ESC	55	-15.8	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000307 U	0.000415 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	B-240-60	4/2/18	PES	ESC	60	-20.8	S	0.000334 U	0.000452 U	0.000246 U	0.00122 U	0.000399 U	0.000355 U	0.000309 U	0.000417 U	0.000310 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	B-240-65	4/2/18	PES	ESC	65	-25.8	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000282 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000303 U
	B-240-70	4/2/18	PES	ESC	70	-30.8	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000277 U	0.000239 U	0.000261 U	0.000323 U
	B-240-75	4/2/18	PES	ESC	75	-35.8	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	B-240-80	4/2/18	PES	ESC	80	-40.8	S	0.000326 U	0.000441 U	0.000240 U	0.00119 U	0.000390 U	0.000347 U	0.000301 U	0.000407 U	0.000303 U	0.000272 U	0.000235 U	0.000257 U	0.000317 U
B-241	B-241-5	4/4/18	PES	ESC	5	34.1	S	0.0961	0.000421 U	3.64	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.119	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	B-241-10	4/4/18	PES	ESC	10	29.1	S	0.000540 J	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000440 J	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	B-241-15	4/4/18	PES	ESC	15	24.1	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000340 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	B-241-20	4/4/18	PES	ESC	20	19.1	S	0.000349 U	0.000472 U	0.000257 U	0.00128 U	0.000417 U	0.000371 U	0.000323 U	0.000436 U	0.000324 U	0.000291 U	0.000252 U	0.000275 U	0.000340 U
	B-241-25	4/4/18	PES	ESC	25	14.1	S	0.000324 U	0.000439 U	0.000427	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	B-241-30	4/3/18	PES	ESC	30	9.1	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000402 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
	B-241-35	4/3/18	PES	ESC	35	4.1	S	0.000332 U	0.000449 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	B-241-40	4/3/18	PES	ESC	40	-0.9	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000376 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	B-241-45	4/3/18	PES	ESC	45	-5.9	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-241-50	4/4/18	PES	ESC	50	-10.9	S	0.000323 U	0.000437 U	0.000499	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
	B-241-55	4/4/18	PES	ESC	55	-15.9	S	0.000334 U	0.000452 U	0.000246 U	0.00122 U	0.000399 U	0.000355 U	0.000309 U	0.000417 U	0.000310 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	B-241-60	4/3/18	PES	ESC	60	-20.9	S	0.000321 U	0.000434 U	0.000236 U	0.00118 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000312 U
	B-241-65	4/3/18	PES	ESC	65	-25.9	S	0.000340 U	0.000459 U	0.000250 U	0.00124 U	0.000406 U	0.000361 U	0.000314 U	0.000424 U	0.000315 U	0.000283 U	0.000245 U	0.000267 U	0.000330 U
	B-241-70	4/3/18	PES	ESC	70	-30.9	S	0.000331 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	4	0.004	0.009	0.071	-	0.058	0.068	-
B-241 (continued)	B-241-75	4/3/18	PES	ESC	75	-35.9	S	0.000335 U	0.000452 U	0.000246 U	0.00122 U	0.000400 U	0.000356 U	0.000309 U	0.000417 U	0.000310 U	0.000279 U	0.000241 U	0.000264 U	0.000325 U
	B-241-80	4/4/18	PES	ESC	80	-40.9	S	0.000330 U	0.000446 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000305 U	0.000411 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
B-242	B-242-5	4/4/18	PES	ESC	5	33.8	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	B-242-10	4/4/18	PES	ESC	10	28.8	S	0.000314 U	0.000425 U	0.000231 U	0.00115 U	0.000375 U	0.000334 U	0.000290 U	0.000392 U	0.000291 U	0.000262 U	0.000227 U	0.000247 U	0.000305 U
	B-242-15	4/4/18	PES	ESC	15	23.8	S	0.000335 U	0.000452 U	0.000264 J	0.00122 U	0.000400 U	0.000356 U	0.000309 U	0.000417 U	0.000310 U	0.000279 U	0.000241 U	0.000264 U	0.000325 U
	B-242-20	4/4/18	PES	ESC	20	18.8	S	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000301 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	B-242-25	4/4/18	PES	ESC	25	13.8	S	0.0316 U	0.0428 U	0.0233 U	0.116 U	0.0378 U	0.0336 U	0.0292 U	0.0395 U	0.0293 U	0.0263 U	0.0228 U	0.0249 U	0.0308 U
	B-242-30	4/4/18	PES	ESC	30	8.8	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000384 U	0.000341 U	0.000296 U	0.000400 U	0.000298 U	0.000267 U	0.000232 U	0.000253 U	0.000312 U
	B-242-35	4/4/18	PES	ESC	35	3.8	S	0.000330 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	B-242-40	4/4/18	PES	ESC	40	-1.2	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000334 U	0.000290 U	0.000392 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	B-242-45	4/4/18	PES	ESC	45	-6.2	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000306 U	0.000414 U	0.000308 U	0.000276 U	0.000239 U	0.000261 U	0.000323 U
	B-242-50	4/4/18	PES	ESC	50	-11.2	S	0.000321 U	0.000435 U	0.000236 U	0.00118 U	0.000384 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000312 U
	B-910-50	4/4/18	PES	ESC	50 (dup)	-11.2	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000332 U	0.000298 U	0.000402 U	0.000298 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	B-242-55	4/4/18	PES	ESC	55	-16.2	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000263 U	0.000227 U	0.000248 U	0.000306 U
	B-242-60	4/4/18	PES	ESC	60	-21.2	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	B-242-65	4/4/18	PES	ESC	65	-26.2	S	0.000311 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000302 U
	B-242-70	4/4/18	PES	ESC	70	-31.2	S	0.000329 U	0.000444 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	B-242-75	4/4/18	PES	ESC	75	-36.2	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000309 U
	B-242-80	4/4/18	PES	ESC	80	-41.2	S	0.000333 U	0.000450 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
B-243	B-243-5	3/29/18	PES	ESC	5	34.9	S	0.000333 U	0.000451 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000240 U	0.000262 U	0.000324 U
	B-243-10	3/29/18	PES	ESC	10	29.9	S	0.000326 U	0.000441 U	0.000226 J	0.00119 U	0.000390 U	0.000346 U	0.000301 U	0.000407 U	0.000309 U	0.000271 U	0.000235 U	0.000257 U	0.000317 U
	B-243-15	3/29/18	PES	ESC	15	24.9	S	0.00812 U	0.0110 U	0.00597 U	0.0296 U	0.00971 U	0.00862 U	0.00749 U	0.0101 U	0.00752 U	0.00677 U	0.00586 U	0.00639 U	0.00790 U
	B-243-20	3/29/18	PES	ESC	20	19.9	S	0.000331 U	0.000447 U	0.000243 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	B-243-25	3/29/18	PES	ESC	25	14.9	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	B-243-30	3/29/18	PES	ESC	30	9.9	S	0.000313 U	0.000423 U	0.000230 U	0.00114 U	0.000374 U	0.000332 U	0.000289 U	0.000390 U	0.000290 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	B-243-35	3/29/18	PES	ESC	35	4.9	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000229 U	0.000250 U	0.000309 U
	B-243-42	3/29/18	PES	ESC	42	-2.1	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000333 U	0.000290 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	B-243-45	3/29/18	PES	ESC	45	-5.1	S	0.000311 U	0.000420 U	0.000229 U	0.00114 U	0.000372 U	0.000330 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000302 U
	B-243-50	3/29/18	PES	ESC	50	-10.1	S	0.000331 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	IW-908-50	3/29/18	PES	ESC	50 (dup)	-10.1	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000256 U	0.000316 U
	B-243-55	3/29/18	PES	ESC	55	-15.1	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000387 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	B-243-60	3/29/18	PES	ESC	60	-20.1	S	0.000328 U	0.000443 U	0.000241 U	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000237 U	0.000258 U	0.000319 U
	B-243-65	3/29/18	PES	ESC	65	-25.1	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	B-243-70	3/29/18	PES	ESC	70	-30.1	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	B-243-75	3/29/18	PES	ESC	75	-35.1	S	0.000342 U	0.000462 U	0.000251 U	0.00125 U	0.000409 U	0.000363 U	0.000316 U	0.000427 U	0.000317 U	0.000285 U	0.000247 U	0.000269 U	0.000332 U
	B-243-80	3/29/18	PES	ESC	80	-40.1	S	0.000349 U	0.000471 U	0.000256 U	0.00128 U	0.000417 U	0.000370 U	0.000322 U	0.000435 U	0.000323 U	0.000290 U	0.000251 U	0.000275 U	0.000339 U
B-244	B-244-5	3/28/18	PES	ESC	5	33.8	S	0.000362 U	0.000490 U	0.000583 J	0.00133 U	0.000433 U	0.000385 U	0.000334 U	0.000452 U	0.000336 U	0.000302 U	0.000261 U	0.000285 U	0.000352 U
	B-244-10	3/28/18	PES	ESC	10	28.8	S	0.000342 U	0.000462 U	0.000251 U	0.00125 U	0.000409 U	0.000363 U	0.000316 U	0.000427 U	0.000317 U	0.000285 U	0.000247 U	0.000269 U	0.000332 U
	B-244-15	3/28/18	PES	ESC	15	23.8	S	0.000327 U	0.000443 U	0.000241 U	0.00120 U	0.000391 U	0.000348 U	0.000302 U	0.000408 U	0.000303 U	0.000273 U	0.000236 U	0.000258 U	0.000318 U
	B-244-20	3/28/18	PES	ESC	20	18.8	S	0.000326 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000317 U
	B-244-25	3/28/18	PES	ESC	25	13.8	S	0.000304 U	0.000411 U	0.000223 U	0.00111 U	0.000363 U	0.000323 U	0.000281 U	0.000379 U	0.000282 U	0.000253 U	0.000219 U	0.000239 U	0.000295 U
	B-244-30	3/28/18	PES	ESC	30	8.8	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000333 U	0.000290 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-244 (continued)	B-244-35	3/28/18	PES	ESC	35	3.8	S	0.000330 U	0.000446 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000320 U
	B-244-40	3/28/18	PES	ESC	40	-1.2	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	B-244-42	3/28/18	PES	ESC	42	-3.2	S	0.00808 U	0.0109 U	0.00594 U	0.0295 U	0.00965 U	0.00857 U	0.00745 U	0.0101 U	0.00748 U	0.00673 U	0.00583 U	0.00636 U	0.00785 U
	B-244-45	3/28/18	PES	ESC	45	-6.2	S	0.000323 U	0.000437 U	0.000237 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	B-244-50	3/28/18	PES	ESC	50	-11.2	S	0.000317 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000309 U
	B-244-55	3/28/18	PES	ESC	55	-16.2	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-244-60	3/28/18	PES	ESC	60	-21.2	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000340 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	B-244-65	3/28/18	PES	ESC	65	-26.2	S	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	B-244-70	3/28/18	PES	ESC	70	-31.2	S	0.000312 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	IW-907-70	3/28/18	PES	ESC	70 (dup)	-31.2	S	0.000312 U	0.000422 U	0.000230 U	0.00114 U	0.000373 U	0.000332 U	0.000288 U	0.000390 U	0.000290 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	B-244-75	3/28/18	PES	ESC	75	-36.2	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000393 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	B-244-80	3/28/18	PES	ESC	80	-41.2	S	0.000334 U	0.000451 U	0.000245 U	0.00122 U	0.000399 U	0.000355 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000241 U	0.000263 U	0.000324 U
B-245	B-245-5	3/28/18	PES	ESC	5	34.9	V	0.000312 U	0.000422 U	0.000230 U	0.00114 U	0.000373 U	0.000332 U	0.000288 U	0.000390 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	B-245-10	3/28/18	PES	ESC	10	29.9	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000393 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	B-245-15	3/28/18	PES	ESC	15	24.9	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	B-245-20	3/28/18	PES	ESC	20	19.9	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000387 U	0.000287 U	0.000258 U	0.000224 U	0.000244 U	0.000301 U
	B-245-25	3/28/18	PES	ESC	25	14.9	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000256 U	0.000316 U
	B-245-30	3/29/18	PES	ESC	30	9.9	S	0.000617 U	0.000834 U	0.000454 U	0.00226 U	0.000738 U	0.000656 U	0.000570 U	0.000770 U	0.000572 U	0.000513 U	0.000445 U	0.000486 U	0.000599 U
	B-245-35	3/29/18	PES	ESC	35	4.9	S	0.000323 U	0.000437 U	0.000237 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	B-245-40	3/29/18	PES	ESC	40	-0.1	S	0.000319 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000339 U	0.000295 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000252 U	0.000311 U
	B-245-45	3/29/18	PES	ESC	45	-5.1	S	0.000319 U	0.000431 U	0.000235 U	0.00117 U	0.000381 U	0.000339 U	0.000295 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	B-245-50	3/29/18	PES	ESC	50	-10.1	S	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000301 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	B-245-55	3/29/18	PES	ESC	55	-15.1	S	0.000323 U	0.000437 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
	B-245-60	3/29/18	PES	ESC	60	-20.1	S	0.000307 U	0.000416 U	0.000226 U	0.00112 U	0.000367 U	0.000327 U	0.000284 U	0.000383 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	B-245-65	3/29/18	PES	ESC	65	-25.1	S	0.000328 U	0.000444 U	0.000241 U	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000410 U	0.000304 U	0.000273 U	0.000237 U	0.000259 U	0.000319 U
	B-245-70	3/29/18	PES	ESC	70	-30.1	S	0.000338 U	0.000456 U	0.000248 U	0.00124 U	0.000403 U	0.000359 U	0.000312 U	0.000421 U	0.000313 U	0.000281 U	0.000244 U	0.000266 U	0.000328 U
	B-245-75	3/29/18	PES	ESC	75	-35.1	S	0.000323 U	0.000437 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
	B-245-80	3/29/18	PES	ESC	80	-40.1	S	0.000333 U	0.000450 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
B-246	B-246-6	5/11/18	PES	ESC	6	33.9	S	0.00136 U	0.00572 U	0.00138 U	0.00605 U	0.000623 U	0.00172 U	0.000564 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000941 U
	B-246-11	5/11/18	PES	ESC	11	28.9	S	0.00136 U	0.00569 U	0.00137 U	0.00602 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000936 U
	B-246-15	5/11/18	PES	ESC	15	24.9	S	0.00130 U	0.00545 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	B-246-25	5/11/18	PES	ESC	25	14.9	S	0.00129 U	0.00539 U	0.00130 U	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000887 U
	B-246-30	5/11/18	PES	ESC	30	9.9	S	0.00135 U	0.00567 U	0.00137 U	0.00600 U	0.000618 U	0.00171 U	0.000559 U	0.00149 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000933 U
	B-246-35	5/11/18	PES	ESC	35	4.9	S	0.00133 U	0.00556 U	0.00134 U	0.00588 U	0.000605 U	0.00167 U	0.000548 U	0.00146 U	0.00125 U	0.00196 U	0.00202 U	0.00227 U	0.000914 U
	B-246-40	5/11/18	PES	ESC	40	-0.1	S	0.00130 U	0.00546 U	0.00131 U	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000898 U
	B-246-43	5/11/18	PES	ESC	43	-3.1	S	0.00126 U	0.00527 U	0.00127 U	0.00558 U	0.000574 U	0.00159 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	B-246-45	5/11/18	PES	ESC	45	-5.1	S	0.00138 U	0.00581 U	0.00139 U	0.00615 U	0.000633 U	0.00174 U	0.000573 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00238 U	0.000957 U
	B-246-50	5/11/18	PES	ESC	50	-10.1	S	0.00129 U	0.00542 U	0.00131 U	0.00574 U	0.000591 U	0.00163 U	0.000534 U	0.00143 U	0.00122 U	0.00191 U	0.00197 U	0.00222 U	0.000892 U
	B-246-55	5/11/18	PES	ESC	55	-15.1	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00226 U	0.000908 U
	B-246-60	5/11/18	PES	ESC	60	-20.1	S	0.00131 U	0.00547 U	0.00132 U	0.00579 U	0.000596 U	0.00165 U	0.000539 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000900 U
	B-246-65	5/11/18	PES	ESC	65	-25.1	S	0.00142 U	0.00596 U	0.00143 U	0.00631 U	0.000649 U	0.00179 U	0.000588 U	0.00157 U	0.00134 U	0.00210 U	0.00216 U	0.00244 U	0.000981 U
	B-246-70	5/11/18	PES	ESC	70	-30.1	S	0.00128 U	0.00536 U	0.00129 U	0.00567 U	0.000584 U	0.00161 U	0.000528 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000881 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-246 (continued)	B-246-75	5/11/18	PES	ESC	75	-35.1	S	0.00133 U	0.00558 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000919 U
	B-246-80	5/11/18	PES	ESC	80	-40.1	S	0.00130 U	0.00544 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000536 U	0.00143 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	B-926-100	5/11/18	PES	ESC	45 (dup)	-5.1	S	0.00173 U	0.00721 U	0.00174 U	0.00764 U	0.000786 U	0.00218 U	0.000712 U	0.00190 U	0.00162 U	0.00255 U	0.00262 U	0.00295 U	0.00119 U
	B-247	4/20/18	PES	ESC	5	34.7	S	0.000326 U	0.000440 U	0.000240 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000257 U	0.000317 U
B-247	B-247-10	4/20/18	PES	ESC	10	29.7	S	0.000330 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	B-247-15	4/20/18	PES	ESC	15	24.7	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000309 U
	B-247-20	4/20/18	PES	ESC	20	19.7	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	B-247-25	4/20/18	PES	ESC	25	14.7	S	0.000312 U	0.000422 U	0.000230 U	0.00114 U	0.000373 U	0.000332 U	0.000288 U	0.000390 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	B-247-30	4/20/18	PES	ESC	30	9.7	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-247-35	4/20/18	PES	ESC	35	4.7	S	0.000316 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-247-40	4/20/18	PES	ESC	40	-0.3	S	0.000322 U	0.000436 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000298 U	0.000402 U	0.000299 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	B-247-45	4/20/18	PES	ESC	45	-5.3	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000371 U	0.000330 U	0.000286 U	0.000387 U	0.000287 U	0.000258 U	0.000224 U	0.000244 U	0.000301 U
	B-247-50	4/20/18	PES	ESC	50	-10.3	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-247-55	4/20/18	PES	ESC	55	-15.3	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000345 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	B-247-60	4/20/18	PES	ESC	60	-20.3	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000370 U	0.000329 U	0.000285 U	0.000386 U	0.000287 U	0.000257 U	0.000223 U	0.000243 U	0.000301 U
	B-247-65	4/20/18	PES	ESC	65	-25.3	S	0.000320 U	0.000433 U	0.000235 U	0.00117 U	0.000383 U	0.000340 U	0.000296 U	0.000399 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	B-247-70	4/20/18	PES	ESC	70	-30.3	S	0.000322 U	0.000435 U	0.000236 U	0.00118 U	0.000384 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
	B-247-75	4/20/18	PES	ESC	75	-35.3	S	0.000328 U	0.000444 U	0.000241 U	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000237 U	0.000258 U	0.000319 U
	B-247-80	4/20/18	PES	ESC	80	-40.3	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000253 U	0.000312 U
	B-909-20	4/20/18	PES	ESC	80 (dup)	-40.3	S	0.000311 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000302 U
B-248	B-248-5	4/23/18	PES	ESC	5	46.9	V	0.000328 U	0.000443 U	0.000241 U	0.00120 U	0.000392 U	0.000348 U	0.000302 U	0.000409 U	0.000304 U	0.000273 U	0.000236 U	0.000258 U	0.000318 U
	B-248-10	4/23/18	PES	ESC	10	41.9	V	0.000320 U	0.000433 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000297 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	B-248-15	4/23/18	PES	ESC	15	36.9	V	0.00126 U	0.00530 U	0.00128 U	0.00561 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
	B-248-20	4/23/18	PES	ESC	20	31.9	S	0.000310 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	B-248-25	4/23/18	PES	ESC	25	26.9	S	0.00135 U	0.00566 U	0.00136 U	0.00598 U	0.000616 U	0.00170 U	0.000557 U	0.00149 U	0.00127 U	0.00199 U	0.00205 U	0.00231 U	0.000930 U
	B-248-30	4/23/18	PES	ESC	30	21.9	S	0.000310 U	0.000419 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	B-248-35	4/23/18	PES	ESC	35	16.9	S	0.00125 U	0.00522 U	0.00126 U	0.00552 U	0.000569 U	0.00157 U	0.000515 U	0.00138 U	0.00117 U	0.00184 U	0.00190 U	0.00213 U	0.000859 U
	B-248-40	4/23/18	PES	ESC	40	11.9	S	0.00128 U	0.00537 U	0.00129 U	0.00569 U	0.000585 U	0.00162 U	0.000530 U	0.00142 U	0.00120 U	0.00190 U	0.00195 U	0.00220 U	0.000884 U
	B-248-45	4/23/18	PES	ESC	45	6.9	S	0.00131 U	0.00550 U	0.00132 U	0.00582 U	0.000600 U	0.00166 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U
	B-248-50	4/23/18	PES	ESC	50	1.9	S	0.00126 U	0.00527 U	0.00127 U	0.00558 U	0.000574 U	0.00159 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	B-248-55	4/23/18	PES	ESC	55	-3.2	S	0.000340 U	0.000459 U	0.000250 U	0.00124 U	0.000406 U	0.000361 U	0.000314 U	0.000424 U	0.000315 U	0.000283 U	0.000245 U	0.000267 U	0.000330 U
	B-248-60	4/23/18	PES	ESC	60	-8.2	S	0.00123 U	0.00517 U	0.00124 U	0.00547 U	0.000563 U	0.00155 U	0.000509 U	0.00136 U	0.00116 U	0.00182 U	0.00188 U	0.00211 U	0.000850 U
	B-248-65	4/23/18	PES	ESC	65	-13.2	S	0.00141 U	0.00593 U	0.00143 U	0.00627 U	0.000646 U	0.00178 U	0.000584 U	0.00156 U	0.00133 U	0.00209 U	0.00215 U	0.00242 U	0.000975 U
	B-248-70	4/23/18	PES	ESC	70	-18.2	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000603 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000911 U
	B-248-75	4/23/18	PES	ESC	75	-23.2	S	0.00129 U	0.00541 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000891 U
	B-248-80	4/23/18	PES	ESC	80	-28.2	S	0.000345 U	0.000466 U	0.000254 U	0.00126 U	0.000412 U	0.000366 U	0.000318 U	0.000430 U	0.000320 U	0.000287 U	0.000249 U	0.000272 U	0.000335 U
	B-910-20	4/23/18	PES	ESC	80 (dup)	-28.2	S	0.000354 U	0.000479 U	0.000260 U	0.00130 U	0.000423 U	0.000376 U	0.000327 U	0.000442 U	0.000328 U	0.000295 U	0.000255 U	0.000279 U	0.000344 U
	B-248-85	4/23/18	PES	ESC	85	-33.2	S	0.000348 U	0.000471 U	0.000256 U	0.00127 U	0.000416 U	0.000370 U	0.000322 U	0.000435 U	0.000323 U	0.000290 U	0.000251 U	0.000274 U	0.000339 U
	B-248-90	4/23/18	PES	ESC	90	-38.2	S	0.000343 U	0.000464 U	0.000252 U	0.00126 U	0.000410 U	0.000365 U	0.000317 U	0.000428 U	0.000318 U	0.000286 U	0.000248 U	0.000270 U	0.000334 U
	B-248-95	4/23/18	PES	ESC	95	-43.2	S	0.000358 U	0.000484 U	0.000263 U	0.00131 U	0.000428 U	0.000380 U	0.000330 U	0.000446 U	0.000332 U	0.000298 U	0.000258 U	0.000282 U	0.000348 U
	B-248-100	4/23/18	PES	ESC	100	-48.2	S	0.000348 U	0.000471 U	0.000256 U	0.00127 U	0.000416 U	0.000370 U	0.000321 U	0.000434 U	0.000323 U	0.000290 U	0.000251 U	0.000274 U	0.000338 U
	B-248-105	4/23/18	PES	ESC	105	-53.2	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000371 U	0.000330 U	0.000286 U	0.000387 U	0.000287 U	0.000258 U	0.000224 U	0.000244 U	0.000301 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-248 (continued)	B-248-110 B-248-115	4/23/18 4/23/18	PES PES	ESC ESC	110 115	-58.2 -63.2	S S	0.00132 U 0.000336 U	0.00553 U 0.000454 U	0.00133 U 0.000247 U	0.00585 U 0.00123 U	0.000602 U 0.000401 U	0.00166 U 0.000357 U	0.000545 U 0.000310 U	0.00146 U 0.000419 U	0.00124 U 0.000311 U	0.00195 U 0.000279 U	0.00201 U 0.000242 U	0.00226 U 0.000264 U	0.000910 U 0.000326 U
B-249	B-249-5	10/15/18	PES	PACE	5	34.2	S	0.00120 U	0.00504 U	0.00121 U	0.00533 U	0.000549 U	0.00152 U	0.000496 U	0.00133 U	0.00113 U	0.00178 U	0.00183 U	0.00206 U	0.000829 U
	B-249-8	10/15/18	PES	PACE	8	31.2	S	0.00130 U	0.00544 U	0.00131 U	0.00576 U	0.000592 U	0.00164 U	0.000536 U	0.00143 U	0.00122 U	0.00192 U	0.00197 U	0.00222 U	0.000895 U
	B-249-15	10/15/18	PES	PACE	15	24.2	S	0.0203	0.00558 U	0.0425 J	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.0118	0.00197 U	0.00203 U	0.00228 U	0.000918 U
	B-249-17	10/15/18	PES	PACE	17	22.2	S	0.00130 U	0.00546 U	0.00131 U	0.00577 U	0.000594 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000898 U
B-250	B-249-20	10/15/18	PES	PACE	20	19.2	S	0.00136 U	0.00569 U	0.00137 U	0.00603 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000937 U
	B-250-2.5	10/15/18	PES	PACE	2.5	36.9	V	0.00127 U	0.00532 U	0.00128 U	0.00563 U	0.000580 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00218 U	0.000876 U
	B-250-8	10/15/18	PES	PACE	8	31.4	S	0.00128 U	0.00537 U	0.00129 U	0.00568 U	0.000585 U	0.00161 U	0.000529 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000883 U
	B-250-10	10/15/18	PES	PACE	10	29.4	S	0.00128 U	0.00536 U	0.00129 U	0.00567 U	0.000584 U	0.00161 U	0.000528 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000882 U
	B-250-13	10/15/18	PES	PACE	13	26.4	S	0.00129 U	0.00541 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000891 U
	B-250-20	10/15/18	PES	PACE	20	19.4	S	0.00133 U	0.00558 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000919 U
	B-250-24	10/15/18	PES	PACE	24	15.4	S	0.00126 U	0.00527 U	0.00130 J	0.00558 U	0.000574 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
B-251	B-250-30	10/16/18	PES	PACE	30	9.4	S	0.00125 U	0.00526 U	0.00182 J	0.00556 U	0.000573 U	0.00158 U	0.000518 U	0.00138 U	0.00118 U	0.00185 U	0.00191 U	0.00215 U	0.000865 U
	B-251-5	10/15/18	PES	PACE	5	34.3	S	0.00121 U	0.00506 U	0.00122 U	0.00536 U	0.000552 U	0.00152 U	0.000499 U	0.00133 U	0.00113 U	0.00179 U	0.00184 U	0.00207 U	0.000833 U
	B-251-8	10/15/18	PES	PACE	8	31.3	S	0.00128 U	0.00535 U	0.00129 U	0.00566 U	0.000582 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00189 U	0.00194 U	0.00219 U	0.000880 U
	B-251-10	10/15/18	PES	PACE	10	29.3	S	0.00128 U	0.00536 U	0.00129 U	0.00567 U	0.000584 U	0.00161 U	0.000528 U	0.0565 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000882 U
	B-251-15	10/15/18	PES	PACE	15	24.3	S	0.00130 U	0.00545 U	0.00131 U	0.00577 U	0.000594 U	0.00164 U	0.000537 U	0.0574 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000897 U
	B-251-20	10/15/18	PES	PACE	20	19.3	S	0.00135 U	0.00564 U	0.00136 U	0.00597 U	0.000615 U	0.00170 U	0.000556 U	0.0595 U	0.00126 U	0.00199 U	0.00205 U	0.00231 U	0.000929 U
B-252	B-251-25	10/15/18	PES	PACE	25	14.3	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000603 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000911 U
	B-252-2.5	10/15/18	PES	PACE	2.5	36.7	V	0.00120 U	0.00504 U	0.00121 U	0.00533 U	0.000549 U	0.00151 U	0.000496 U	0.00133 U	0.00113 U	0.00178 U	0.00183 U	0.00206 U	0.000829 U
	B-252-8	10/15/18	PES	PACE	8	31.2	S	0.00123 U	0.00516 U	0.00124 U	0.00546 U	0.000562 U	0.00155 U	0.000508 U	0.00136 U	0.00116 U	0.00182 U	0.00187 U	0.00211 U	0.000848 U
	B-252-10	10/15/18	PES	PACE	10	29.2	S	0.00128 U	0.00534 U	0.00129 U	0.00565 U	0.000582 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000879 U
	B-252-15	10/15/18	PES	PACE	15	24.2	S	0.00135 U	0.00568 U	0.00137 U	0.00601 U	0.000619 U	0.00171 U	0.000560 U	0.0299 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000934 U
	B-252-19	10/15/18	PES	PACE	19	20.2	S	0.00139 U	0.00582 U	0.00140 U	0.00616 U	0.000634 U	0.00175 U	0.000573 U	0.0153 U	0.00130 U	0.00205 U	0.00211 U	0.00238 U	0.000957 U
	B-252-25	10/15/18	PES	PACE	25	14.2	S	0.00126 U	0.00529 U	0.00127 U	0.00560 U	0.000577 U	0.00159 U	0.000522 U	0.00558 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000871 U
B-253A	B-252-29	10/15/18	PES	PACE	29	10.2	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00225 U	0.000907 U
	B-253A-5	10/18/18	PES	PACE	5	35.6	V	0.00131 U	0.00549 U	0.00132 U	0.00581 U	0.000598 U	0.00165 U	0.000541 U	0.00145 U	0.00123 U	0.00194 U	0.00199 U	0.00224 U	0.000903 U
	B-253A-8	10/18/18	PES	PACE	8	32.6	S	0.00130 U	0.00543 U	0.00131 U	0.00574 U	0.000591 U	0.00163 U	0.000535 U	0.00572 U	0.00122 U	0.00191 U	0.00197 U	0.00222 U	0.000893 U
	B-253A-10	10/18/18	PES	PACE	10	30.6	S	0.00126 U	0.00528 U	0.00127 U	0.00559 U	0.000575 U	0.00159 U	0.000520 U	0.0139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000869 U
	B-253A-15	10/18/18	PES	PACE	15	25.6	S	0.00129 U	0.00541 U	0.00139 J	0.00573 U	0.000590 U	0.00163 U	0.000533 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000890 U
B-254	B-253A-20	10/18/18	PES	PACE	20	20.6	S	0.00127 U	0.00531 U	0.00128 U	0.00562 U	0.000578 U	0.00160 U	0.000523 U	0.00560 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000873 U
	B-254-5	10/16/18	PES	PACE	5	34.7	S	0.00138 U	0.00577 U	0.00139 U	0.00611 U	0.000629 U	0.00174 U	0.000569 U	0.00152 U	0.00129 U	0.00204 U	0.00210 U	0.00236 U	0.000950 U
	B-254-10	10/16/18	PES	PACE	10	29.7	S	0.00131 U	0.00547 U	0.00132 U	0.00579 U	0.000596 U	0.00165 U	0.000539 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000900 U
	B-254-13.5	10/16/18	PES	PACE	13.5	26.2	S	0.00223 J	0.00565 U	0.00657	0.00598 U	0.000616 U	0.00170 U	0.000557 U	0.00149 U	0.00219 J	0.00199 U	0.00205 U	0.00231 U	0.000930 U
	B-254-20	10/16/18	PES	PACE	20	19.7	S	0.00134 J	0.00519 U	0.00341 J	0.00549 U	0.000565 U	0.00156 U	0.000511 U	0.00137 U	0.00120 J	0.00183 U	0.00188 U	0.00212 U	0.000853 U
B-254A	B-254-25	10/16/18	PES	PACE	25	14.7	S	0.00170 J	0.00539 U	0.00517 J	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00138 J	0.00190 U	0.00196 U	0.00220 U	0.000886 U
	B-254A-27	10/19/18	PES	PACE	27	12.7	S	0.00125 U	0.00527 U	0.00139 J	0.00557 U	0.000573 U	0.00158 U	0.000519 U	0.00138 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000866 U
	B-254A-30	10/19/18	PES	PACE	30	9.7	S	0.00124 U	0.00519 U	0.00210 J	0.00549 U	0.000565 U	0.00156 U	0.000511 U	0.00137 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000853 U
	B-254A-35	10/19/18	PES	PACE	35	4.7	S	0.00126 J	0.00508 U	0.00195 J	0.00537 U	0.000553 U	0.00153 U	0.000500 U	0.00134 U	0.00114 U	0.00179 U	0.00184 U	0.00208 U	0.000835 U
B-255	B-255-3.5	10/16/18	PES	PACE	3.5	36.3	S	0.00131 U	0.00550 U	0.00132 U	0.00582 U	0.000600 U	0.00166 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U
	B-255-8	10/16/18	PES	PACE	8	31.8	S	0.00133 U	0.00558 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000919 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-255 (continued)	B-255-15	10/16/18	PES	PACE	15	24.8	S	0.00125 U	0.00525 U	0.00126 U	0.00556 U	0.000572 U	0.00158 U	0.000518 U	0.00138 U	0.00118 U	0.00185 U	0.00191 U	0.00215 U	0.000864 U
B-255A	B-255A-21	10/16/18	PES	PACE	21	18.8	S	0.00196 J	0.00510 U	0.00387 J	0.00540 U	0.000556 U	0.00153 U	0.000503 U	0.00134 U	0.00130 J	0.00180 U	0.00185 U	0.00209 U	0.000839 U
B-256	B-256-2.5	10/16/18	PES	PACE	2.5	37.1	S	0.00134 U	0.00564 U	0.00136 U	0.00596 U	0.000614 U	0.00170 U	0.000555 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00230 U	0.000927 U
	B-256-5	10/16/18	PES	PACE	5	34.6	S	0.00127 U	0.00532 U	0.00128 U	0.00563 U	0.000580 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00218 U	0.000876 U
	B-256-10	10/16/18	PES	PACE	10	29.6	S	0.00123 U	0.00515 U	0.00124 U	0.00545 U	0.000561 U	0.00155 U	0.000508 U	0.00136 U	0.00115 U	0.00182 U	0.00187 U	0.00211 U	0.000847 U
	B-256-15	10/16/18	PES	PACE	15	24.6	S	0.00127 U	0.00533 U	0.00128 U	0.00564 U	0.000581 U	0.00160 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000878 U
B-257	B-256-18	10/16/18	PES	PACE	18	21.6	S	0.00127 U	0.00533 U	0.00128 U	0.00564 U	0.000581 U	0.00160 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000877 U
	B-257-5	10/17/18	PES	PACE	5	34.4	S	0.00139 U	0.00584 U	0.00140 U	0.00617 U	0.000636 U	0.00176 U	0.000575 U	0.00154 U	0.00131 U	0.00206 U	0.00212 U	0.00239 U	0.000960 U
	B-257-10	10/17/18	PES	PACE	10	29.4	S	0.00128 U	0.00538 U	0.00130 U	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.00142 U	0.00121 U	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	B-257-15	10/17/18	PES	PACE	15	24.4	S	0.00134 U	0.00560 U	0.00135 U	0.00592 U	0.000610 U	0.00168 U	0.000552 U	0.00148 U	0.00125 U	0.00197 U	0.00203 U	0.00229 U	0.000921 U
B-258	B-257-20	10/17/18	PES	PACE	20	19.4	S	0.00129 U	0.00542 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000891 U
	B-258-3	10/17/18	PES	PACE	3	36.2	V	0.00126 U	0.00528 U	0.00127 U	0.00559 U	0.000575 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000869 U
	B-258-8	10/17/18	PES	PACE	8	31.2	S	0.00131 U	0.00548 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000540 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000902 U
	B-258-10	10/17/18	PES	PACE	10	29.2	S	0.00138 U	0.00577 U	0.00139 U	0.00610 U	0.000628 U	0.00174 U	0.000568 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00236 U	0.000949 U
B-259	B-258-15	10/17/18	PES	PACE	15	24.2	S	0.00234 J	0.114 U	0.00137 U	0.00602 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.00148 J	0.00201 U	0.00207 U	0.00232 U	0.000945 J
	B-258-20	10/17/18	PES	PACE	20	19.2	S	0.00128 U	0.00538 U	0.00129 U	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.00142 U	0.00121 U	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	B-259-2.5	10/17/18	PES	PACE	2.5	36.7	V	0.00129 U	0.00542 U	0.00131 U	0.00574 U	0.000591 U	0.00163 U	0.000535 U	0.00143 U	0.00122 U	0.00191 U	0.00197 U	0.00222 U	0.000893 U
	B-259-5	10/17/18	PES	PACE	5	34.2	S	0.00126 U	0.00528 U	0.00127 U	0.00559 U	0.000575 U	0.00159 U	0.000521 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000869 U
B-260	B-259-10	10/17/18	PES	PACE	10	29.2	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000602 U	0.00166 U	0.000544 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000909 U
	B-259-15	10/17/18	PES	PACE	15	24.2	S	0.00135 U	0.00566 U	0.00136 U	0.00599 U	0.000616 U	0.00170 U	0.000558 U	0.00149 U	0.00127 U	0.00200 U	0.00205 U	0.00231 U	0.000931 U
	B-259-20	10/17/18	PES	PACE	20	19.2	S	0.00129 U	0.00539 U	0.00130 U	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000886 U
	B-260-5	10/17/18	PES	PACE	5	34.2	S	0.00128 U	0.00535 U	0.00129 U	0.00566 U	0.000582 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00189 U	0.00194 U	0.00218 U	0.000879 U
B-261	B-260-8	10/17/18	PES	PACE	8	31.2	S	0.00129 U	0.00541 U	0.00132 J	0.00572 U	0.000589 U	0.00163 U	0.000533 U	0.00143 U	0.00121 U	0.00191 U	0.00196 U	0.00221 U	0.000890 U
	B-260-10	10/17/18	PES	PACE	10	29.2	S	0.00132 U	0.00553 U	0.00133 U	0.00585 U	0.000602 U	0.00166 U	0.000545 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000910 U
	B-260-15	10/17/18	PES	PACE	15	24.2	S	0.00134 U	0.00560 U	0.00135 U	0.00592 U	0.000610 U	0.00168 U	0.000552 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00229 U	0.000921 U
	B-260-20	10/17/18	PES	PACE	20	19.2	S	0.00127 U	0.0533 U	0.00128 U	0.00564 U	0.000580 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00218 U	0.000876 U
B-262	B-261-3	10/17/18	PES	PACE	3	36.9	S	0.00131 U	0.00551 U	0.00133 U	0.00583 U	0.000600 U	0.00166 U	0.000543 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U
	B-261-5	10/17/18	PES	PACE	5	34.9	S	0.00130 U	0.437 U	0.00131 U	0.00578 U	0.000594 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000898 U
	B-261-8	10/17/18	PES	PACE	8	31.9	S	0.00138 U	0.0578 U	0.00139 U	0.00611 U	0.000629 U	0.00174 U	0.000569 U	0.00152 U	0.00129 U	0.00204 U	0.00210 U	0.00236 U	0.000950 U
	B-261-10	10/17/18	PES	PACE	10	29.9	S	0.00133 U	0.222 U	0.00134 U	0.00588 U	0.000605 U	0.00167 U	0.000547 U	0.00146 U	0.00124 U	0.00196 U	0.00202 U	0.00227 U	0.000914 U
B-263	B-261-15	10/17/18	PES	PACE	15	24.9	S	0.00126 U	0.106 U	0.00228 J	0.00560 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000871 U
	B-261-20	10/17/18	PES	PACE	20	19.9	S	0.00393 J	1.08 U	0.0136	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00399 J	0.00191 U	0.00197 U	0.00221 U	0.000891 U
	B-262-5	10/17/18	PES	PACE	5	34.9	S	0.00135 U	0.00568 U	0.00354 J	0.00601 U	0.000618 U	0.00171 U	0.000560 U	0.00150 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000934 U
	B-262-8	10/17/18	PES	PACE	8	31.9	S	0.00126 U	0.00530 U	0.00128 U	0.00561 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
B-263	B-262-10	10/17/18	PES	PACE	10	29.9	S	0.00128 U	0.00537 U	0.00129 U	0.00568 U	0.000585 U	0.00161 U	0.000529 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000883 U
	B-262-15	10/17/18	PES	PACE	15	24.9	S	0.00126 U	0.00529 U	0.00127 U	0.00560 U	0.000576 U	0.00159 U	0.000521 U	0.00139 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000870 U
	B-262-20	10/17/18	PES	PACE	20	19.9	S	0.00135 U	0.00567 U	0.00137 U	0.00600 U	0.000618 U	0.00171 U	0.000559 U	0.00150 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000934 U
	B-263-3	10/18/18	PES	PACE	3	36.8	S	0.00141 U	0.00590 U	0.00142 U	0.00624 U	0.000643 U	0.00178 U	0.000582 U	0.00156 U	0.00132 U	0.00208 U	0.00214 U	0.00241 U	0.000971 U
B-263	B-263-5	10/18/18	PES	PACE	5	34.8	S	0.00124 U	0.00521 U	0.00125 U	0.00551 U	0.000567 U	0.00157 U	0.000513 U	0.00137 U	0.00117 U	0.00184 U	0.00189 U	0.00213 U	0.000857 U
	B-263-8	10/18/18	PES	PACE	8	31.8	S	0.00121 U	0.00508 U	0.00122 U	0.00538 U	0.000554 U	0.00153 U	0.000501 U	0.00134 U	0.00114 U	0.00179 U	0.00185 U	0.00208 U	0.000836 U
	B-263-10	10/18/18	PES	PACE	10	29.8	S	0.00131 U	0.00549 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000541 U	0.00145 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000902 U
	B-263-15	10/18/18	PES	PACE	15	24.8	S	0.00126 U	0.00526 U	0.00127 U	0.00557 U	0.000573 U	0.00158 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000866 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-263 (continued)	B-263-18	10/18/18	PES	PACE	18	21.8	S	0.00125 U	0.00523 U	0.00126 U	0.00553 U	0.000570 U	0.00157 U	0.000515 U	0.00138 U	0.00117 U	0.00184 U	0.00190 U	0.00214 U	0.000860 U
B-264	B-264-3	10/18/18	PES	PACE	3	36.8	S	0.00125 U	0.00523 U	0.00126 U	0.00554 U	0.000570 U	0.00157 U	0.000516 U	0.00138 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000861 U
	B-264-5	10/18/18	PES	PACE	5	34.8	S	0.00133 U	0.00558 U	0.00134 U	0.00590 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000918 U
	B-264-8	10/18/18	PES	PACE	8	31.8	S	0.00131 U	0.00551 U	0.00133 U	0.00583 U	0.000600 U	0.00166 U	0.000543 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U
	B-264-10	10/18/18	PES	PACE	10	29.8	S	0.00127 U	0.00531 U	0.00128 U	0.00562 U	0.000578 U	0.00160 U	0.000523 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000874 U
	B-264-15	10/18/18	PES	PACE	15	24.8	S	0.00134 U	0.00561 U	0.00135 U	0.00593 U	0.000611 U	0.00169 U	0.000553 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00229 U	0.000923 U
	B-264-16	10/18/18	PES	PACE	16	23.8	S	0.00129 U	0.00541 U	0.00130 U	0.00573 U	0.000589 U	0.00163 U	0.000533 U	0.00143 U	0.00121 U	0.00191 U	0.00196 U	0.00221 U	0.000890 U
B-265	B-265-3	10/18/18	PES	PACE	3	36.8	S	0.00137 U	0.00575 U	0.00138 U	0.00609 U	0.000627 U	0.00173 U	0.000567 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000946 U
	B-265-5	10/18/18	PES	PACE	5	34.8	S	0.00133 U	0.00559 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.0147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000919 U
	B-265-8	10/18/18	PES	PACE	8	31.8	S	0.00128 U	0.00538 U	0.00129 U	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.0142 U	0.00121 U	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	B-265-10	10/18/18	PES	PACE	10	29.8	S	0.00126 U	0.00530 U	0.00128 U	0.00561 U	0.000577 U	0.00159 U	0.000522 U	0.0112 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
	B-265-17.5	10/18/18	PES	PACE	18	22.3	S	0.00127 U	0.00533 U	0.00128 U	0.00564 U	0.000581 U	0.00160 U	0.000526 U	0.00141 U	0.00119 U	0.00188 U	0.00194 U	0.00218 U	0.000877 U
B-266	B-266-5	10/18/18	PES	PACE	5	35.7	S	0.00140 U	0.00587 U	0.00141 U	0.00621 U	0.000640 U	0.00177 U	0.000579 U	0.00155 U	0.00132 U	0.00207 U	0.00213 U	0.00240 U	0.000966 U
	B-266-8	10/18/18	PES	PACE	8	32.7	S	0.00146 U	0.00613 U	0.00148 U	0.00649 U	0.000667 U	0.00185 U	0.000605 U	0.00160 U	0.00137 U	0.00216 U	0.00223 U	0.00251 U	0.00101 U
	B-266-10	10/18/18	PES	PACE	10	30.7	S	0.00185 U	0.00776 U	0.00187 U	0.00821 U	0.000845 U	0.00233 U	0.000765 U	0.00204 U	0.00173 U	0.00274 U	0.00282 U	0.00317 U	0.00128 U
	B-266-15	10/18/18	PES	PACE	15	25.7	S	0.00153 U	0.00643 U	0.00154 U	0.00681 U	0.000700 U	0.00193 U	0.000634 U	0.0169 U	0.00144 U	0.00227 U	0.00233 U	0.00262 U	0.00106 U
	B-266-20	10/18/18	PES	PACE	20	20.7	S	0.00128 U	0.00537 U	0.00129 U	0.00568 U	0.000585 U	0.00162 U	0.000529 U	0.0566 U	0.00120 U	0.00189 U	0.00195 U	0.00220 U	0.000884 U
B-267	B-267-2.5	10/18/18	PES	PACE	2.5	37.4	S	0.00138 U	0.00579 U	0.00139 U	0.00613 U	0.000631 U	0.00174 U	0.000571 U	0.00153 U	0.00130 U	0.00204 U	0.00210 U	0.00237 U	0.000953 U
	B-267-5	10/18/18	PES	PACE	5	34.9	S	0.00125 U	0.00526 U	0.00127 U	0.00556 U	0.000573 U	0.00158 U	0.000518 U	0.00139 U	0.00118 U	0.00185 U	0.00191 U	0.00215 U	0.000865 U
	B-267-8	10/18/18	PES	PACE	8	31.9	S	0.00137 U	0.00575 U	0.00138 U	0.00608 U	0.000626 U	0.00173 U	0.000567 U	0.00606 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000946 U
	B-267-10	10/18/18	PES	PACE	10	29.9	S	0.00130 U	0.00545 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.00574 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	B-267-15	10/18/18	PES	PACE	15	24.9	S	0.0257 U	0.108 U	0.0259 U	0.114 U	0.0117 U	0.0324 U	0.0106 U	0.0284 U	0.0241 U	0.0380 U	0.0391 U	0.0440 U	0.0178 U
	B-267-20	10/18/18	PES	PACE	20	19.9	S	0.0286 U	0.120 U	0.0288 U	0.127 U	0.0130 U	0.0360 U	0.0119 U	0.0316 U	0.0268 U	0.0423 U	0.0435 U	0.0489 U	0.0197 U
CA-A10	CA-A10-21	09/04/19	PES	Fremont	21	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-A12-20	CA-A12-20-24	09/06/19	PES	Fremont	24	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CAA-C1	CAA-C1-43	08/27/19	PES	Fremont	43	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CAA-C2	CAA-C2-10	08/28/19	PES	Fremont	10	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B8	CA-B8-3	09/16/19	PES	Fremont	3	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B19	CA-B19-30	09/27/19	PES	Fremont	30	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B10	CA-B10-17	08/30/19	PES	Fremont	17	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-20	08/30/19	PES	Fremont	20	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-21	08/30/19	PES	Fremont	21	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-25	08/30/19	PES	Fremont	25	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B11	CA-B11-27	09/05/19	PES	Fremont	27	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B18	CA-B18-20	10/26/19	PES	Fremont	20	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B20	CA-B20-31	09/30/19	PES	Fremont	31	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-1001-31	09/30/19	PES	Fremont	31 (dup)	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C7	CA-C7-25	09/20/19	PES	Fremont	25	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C8	CA-C8-35	09/03/19	PES	Fremont	35	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C9	CA-C9-09	09/04/19	PES	Fremont	9	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C10	CA-C10-17	09/06/19	PES	Fremont	17	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-C10-26	09/06/19	PES	Fremont	26	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C13	CA-C13-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D1	CA-D1-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D2	CA-D2-31	09/16/19	PES	Fremont	31	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D2-50-52	09/17/19	PES	Fremont	52	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D3	CA-D3-40	09/23/19	PES	Fremont	40	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D4	CA-D4-51	09/19/19	PES	Fremont	51	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D4-54	09/19/19	PES	Fremont	54	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
CA-D5	CA-D5-14	09/03/19	PES	Fremont	14	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-22	09/03/19	PES	Fremont	22	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-26	09/03/19	PES	Fremont	26	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D6	CA-D6-56	09/04/19	PES	Fremont	56	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D6-65	09/04/19	PES	Fremont	65	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D7	CA-D7-15	09/05/19	PES	Fremont	15	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB01	DB01-10	3/18/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-20	3/18/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-30	3/18/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-40	3/18/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB02	DB02-10	3/18/13	SES	F&BI	10	26.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-15	3/18/13	SES	F&BI	15	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-20	3/18/13	SES	F&BI	20	16.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-30	3/18/13	SES	F&BI	30	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-40	3/18/13	SES	F&BI	40	-4.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB03	DB03-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-20	3/27/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-35	3/27/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-45	3/27/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-55	3/27/13	SES	F&BI	55	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-60	3/27/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB04	DB04-10	3/21/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-20	3/21/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-35	3/21/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-45	3/21/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-50	3/22/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-60	3/22/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB05	DB05-10	3/26/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-20	3/26/13	SES	F&BI	20	31.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-30	3/26/13	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-40	3/26/13	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-50	3/26/13	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-60	3/26/13	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-70	3/26/13	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB06	DB06-10	3/25/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-25	3/25/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-35	3/25/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-45	3/25/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-55	3/25/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-65	3/25/13	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-75	3/25/13	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
DB07	DB07-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-15	3/27/13	SES	F&BI	15	25.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-25	3/27/13	SES	F&BI	25	15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-35	3/28/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-45	3/28/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-50	3/28/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-60	3/28/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-70	3/28/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB08	DB08-10	3/20/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-20	3/20/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-35	3/20/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-45	3/20/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-50	3/21/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-60	3/21/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-70	3/21/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB09	DB09-10	3/19/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-20	3/19/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-30	3/19/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-40	3/19/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-50	3/19/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-60	3/19/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-70	3/19/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB10	DB10-10	3/29/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-20	3/29/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-35	3/29/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-45	3/29/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-50	4/1/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-60	4/1/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-70	4/1/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB11	DB11-15	4/2/13	SES	F&BI	15	36.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-25	4/2/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-35	4/2/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-45	4/2/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-55	4/2/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB12	DB12-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-30	4/3/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-40	4/3/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB13	DB13-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-35	4/3/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-45	4/3/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
DB14	DB14-10	4/4/13	SES	F&BI	10	31.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-20	4/4/13	SES	F&BI	20	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-30	4/4/13	SES	F&BI	30	11.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-40	4/4/13	SES	F&BI	40	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
G-MW1	MW 1-3-8	7/20/01	GeoEng	NCA	8	31.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-8-20	7/20/01	GeoEng	NCA	20	19.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-11-27.5	7/20/01	GeoEng	NCA	27.5	11.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-13-32.5	7/20/01	GeoEng	NCA	32.5	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-15-37.5	7/20/01	GeoEng	NCA	37.5	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
G-MW3 (G-SB4 11)	SB4-4-10	7/20/01	GeoEng	NCA	10	29.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-7-17.5	7/20/01	GeoEng	NCA	17.5	22.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-13-32.5	7/20/01	GeoEng	NCA	32.5	7.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-15-37.5	7/20/01	GeoEng	NCA	37.5	2.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
IW06	IW06-25	1/15/16	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-30	1/15/16	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-40	1/15/16	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-50	1/15/16	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-55	1/15/16	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-60	1/15/16	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-65	1/15/16	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-70	1/15/16	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-75	1/15/16	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
IW-1C (-23.9 to-38.9)	IW-1C-5	3/7/18	PES	ESC	5	34.1	S	0.000791 J	0.000431 U	0.00161	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000513 J	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	IW-1C-15	3/7/18	PES	ESC	15	24.1	S	0.000337 U	0.000456 U	0.000248 U	0.00123 U	0.000403 U	0.000358 U	0.000311 U	0.000420 U	0.000312 U	0.000281 U	0.000243 U	0.000265 U	0.000328 U
	IW-1C-25	3/7/18	PES	ESC	25	14.1	S	0.0682 U	0.0922 U	0.0501 U	0.249 U	0.0815 U	0.0724 U	0.0629 U	0.0850 U	0.0632 U	0.0568 U	0.0492 U	0.0537 U	0.0663 U
	IW-1C-35	3/7/18	PES	ESC	35	4.1	S	0.000308 U	0.000416 U	0.000226 U	0.00113 U	0.000368 U	0.000327 U	0.000284 U	0.000384 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	IW-1C-45	3/7/18	PES	ESC	45	-5.9	S	0.000321 U	0.000434 U	0.000236 U	0.00118 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000312 U
	IW-1C-55	3/7/18	PES	ESC	55	-15.9	S	0.000321 U	0.000435 U	0.000236 U	0.00118 U	0.000384 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000312 U
	IW-1C-65	3/7/18	PES	ESC	65	-25.9	S	0.000330 U	0.000446 U	0.000242 U	0.00121 U	0.000394 U	0.000351 U	0.000305 U	0.000411 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	IW-1C-75	3/7/18	PES	ESC	75	-35.9	S	0.000345 U	0.000467 U	0.000254 U	0.00126 U	0.000413 U	0.000367 U	0.000319 U	0.000431 U	0.000320 U	0.000287 U	0.000249 U	0.000272 U	0.000336 U
IW-2C (-24.8 to-39.8)	IW-2C-5	3/7/18	PES	ESC	5	31.3	S	0.000354 U	0.000479 U	0.000261 U	0.00130 U	0.000424 U	0.000377 U	0.000327 U	0.000442 U	0.000329 U	0.000295 U	0.000256 U	0.000279 U	0.000345 U
	IW-2C-15	3/7/18	PES	ESC	15	21.3	S	0.000343 U	0.000464 U	0.000252 U	0.00125 U	0.000410 U	0.000364 U	0.000317 U	0.000428 U	0.000318 U	0.000286 U	0.000247 U	0.000270 U	0.000333 U
	IW-2C-25	3/7/18	PES	ESC	25	11.3	S	0.000321 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	IW-2C-35	3/7/18	PES	ESC	35	1.3	S	0.000362 U	0.000489 U	0.000266 U	0.00132 U	0.000432 U	0.000384 U	0.000334 U	0.000451 U	0.000335 U	0.000301 U	0.000261 U	0.000285 U	0.000351 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
IW-2C (continued)	IW-2C-45	3/7/18	PES	ESC	45	-8.7	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000303 U
	IW-2C-55	3/7/18	PES	ESC	55	-18.7	S	0.000334 U	0.000452 U	0.000246 U	0.00122 U	0.000400 U	0.000355 U	0.000309 U	0.000417 U	0.000310 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	IW-2C-65	3/7/18	PES	ESC	65	-28.7	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000334 U	0.000290 U	0.000392 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	IW-2C-75	3/7/18	PES	ESC	75	-38.7	S	0.000345 U	0.000466 U	0.000253 U	0.00126 U	0.000412 U	0.000366 U	0.000318 U	0.000430 U	0.000319 U	0.000287 U	0.000249 U	0.000271 U	0.000335 U
IW-3C (-24.9 to-39.9)	IW-3C-5	3/9/18	PES	ESC	5	34.1	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000334 U	0.000290 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	IW-3C-15	3/9/18	PES	ESC	15	24.1	S	0.00832 U	0.0112 U	0.00612 U	0.0304 U	0.00994 U	0.00883 U	0.00767 U	0.0104 U	0.00771 U	0.00693 U	0.00600 U	0.00655 U	0.00809 U
	IW-3C-25	3/9/18	PES	ESC	25	14.1	S	0.170 U	0.229 U	0.125 U	0.620 U	0.203 U	0.179 U	0.156 U	0.211 U	0.157 U	0.142 U	0.123 U	0.133 U	0.165 U
	IW-3C-35	3/9/18	PES	ESC	35	4.1	S	0.0638 U	0.0862 U	0.0469 U	0.233 U	0.0762 U	0.0678 U	0.0589 U	0.0796 U	0.0591 U	0.0531 U	0.0460 U	0.0502 U	0.0620 U
	IW-3C-45	3/9/18	PES	ESC	45	-5.9	S	0.000331 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000352 U	0.000305 U	0.000413 U	0.000307 U	0.000275 U	0.000239 U	0.000260 U	0.000322 U
	IW-3C-55	3/9/18	PES	ESC	55	-15.9	S	0.000326 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000317 U
	IW-3C-65	3/9/18	PES	ESC	65	-25.9	S	0.000327 U	0.000443 U	0.000241 U	0.00120 U	0.000391 U	0.000348 U	0.000302 U	0.000408 U	0.000303 U	0.000273 U	0.000236 U	0.000258 U	0.000318 U
	IW-3C-75	3/9/18	PES	ESC	75	-35.9	S	0.000359 U	0.000486 U	0.000264 U	0.00131 U	0.000429 U	0.000382 U	0.000332 U	0.000448 U	0.000333 U	0.000299 U	0.000259 U	0.000283 U	0.000349 U
	IW-3C-79	3/9/18	PES	ESC	79	-39.9	S	0.000333 U	0.000451 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000240 U	0.000263 U	0.000324 U
	IW-901-79	3/9/18	PES	ESC	79 (dup)	-39.9	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000276 U	0.000239 U	0.000261 U	0.000323 U
IW-7A (5.1 to-9.9)	IW-7A-5	3/16/18	PES	ESC	5	35.1	S	0.00130	0.000481 U	0.00298	0.00130 U	0.000425 U	0.000378 U	0.000328 U	0.000444 U	0.000627 J	0.000296 U	0.000257 U	0.000280 U	0.000346 U
	IW-7A-10	3/16/18	PES	ESC	10	30.1	S	0.0262	0.00257 U	0.0498	0.00328 U	0.00130 U	0.00160 U	0.000958 U	0.00175 U	0.00664	0.00183 U	0.000705 U	0.00178 U	0.000769 U
	IW-7A-15	3/16/18	PES	ESC	15	25.1	S	0.102	0.0156 U	0.184	0.0421 U	0.0138 U	0.0122 U	0.0106 U	0.0144 U	0.0306 J	0.00961 U	0.00833 U	0.00908 U	0.0112 U
	IW-7A-20	3/16/18	PES	ESC	20	20.1	S	0.00672	0.00264 U	0.00804	0.00337 U	0.00134 U	0.00164 U	0.000983 U	0.00180 U	0.00328 J	0.00188 U	0.000723 U	0.00183 U	0.000789 U
	IW-7A-25	3/16/18	PES	ESC	25	15.1	S	0.000348 U	0.000470 U	0.000256 U	0.00127 U	0.000415 U	0.000369 U	0.000321 U	0.000434 U	0.000322 U	0.000289 U	0.000251 U	0.000274 U	0.000338 U
	IW-7A-30	3/16/18	PES	ESC	30	10.1	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000415 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	IW-7A-35	3/16/18	PES	ESC	35	5.1	S	0.00333	0.00226 U	0.00333	0.00289 U	0.00115 U	0.00141 U	0.000842 U	0.00154 U	0.00197 U	0.00161 U	0.000620 U	0.00156 U	0.000676 U
	IW-7A-40	3/16/18	PES	ESC	40	0.1	S	0.000338 U	0.000457 U	0.000248 U	0.00124 U	0.000404 U	0.000359 U	0.000312 U	0.000422 U	0.000313 U	0.000281 U	0.000244 U	0.000266 U	0.000329 U
	IW-7A-45	3/16/18	PES	ESC	45	-4.9	S	0.000335 U	0.000454 U	0.000247 U	0.00123 U	0.000401 U	0.000356 U	0.000310 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	IW-7A-50	3/16/18	PES	ESC	50	-9.9	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000310 U
IW-8B (-9.8 to-24.8)	IW-8B-5	3/19/18	PES	ESC	5	34.2	S	0.000314 U	0.000425 U	0.000231 U	0.00115 U	0.000375 U	0.000334 U	0.000290 U	0.000392 U	0.000291 U	0.000262 U	0.000227 U	0.000247 U	0.000305 U
	IW-8B-10	3/19/18	PES	ESC	10	29.2	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000386 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	IW-8B-15	3/19/18	PES	ESC	15	24.2	S	0.0826 U	0.112 U	0.0608 U	0.302 U	0.0987 U	0.0877 U	0.0762 U	0.103 U	0.0765 U	0.0688 U	0.0596 U	0.0650 U	0.0803 U
	IW-8B-20	3/19/18	PES	ESC	20	19.2	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000376 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	IW-8B-25	3/19/18	PES	ESC	25	14.2	S	0.000336 U	0.000454 U	0.000247 U	0.00123 U	0.000401 U	0.000357 U	0.000310 U	0.000419 U	0.000311 U	0.000280 U	0.000242 U	0.000264 U	0.000327 U
	IW-8B-30	3/19/18	PES	ESC	30	9.2	S	0.000323 U	0.000436 U	0.000237 U	0.00118 U	0.000385 U	0.000343 U	0.000298 U	0.000402 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	IW-8B-40	3/19/18	PES	ESC	40	-0.8	S	0.000320 U	0.000433 U	0.000235 U	0.00117 U	0.000383 U	0.000340 U	0.000296 U	0.000399 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	IW-8B-45	3/20/18	PES	ESC	45	-5.8	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	IW-8B-50	3/20/18	PES	ESC	50	-10.8	S	0.000328 U	0.000444 U	0.000241 U	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000237 U	0.000259 U	0.000319 U
	IW-8B-55	3/20/18	PES	ESC	55	-15.8	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000386 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	IW-8B-60	3/20/18	PES	ESC	60	-20.8	S	0.000329 U	0.000444 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000303 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	IW-8B-64	3/20/18	PES	ESC	64	-24.8	S	0.000324 U	0.000437 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000315 U
IW-8C (-24.5 to-39.5)	IW-8C-5	3/14/18	PES	ESC	5	32.5	S	0.000493 U	0.000666 U	0.000378 J	0.00180 U	0.000588 U	0.000523 U	0.000455 U	0.000615 U	0.000456 U	0.000410 U	0.000356 U	0.000388 U	0.000479 U
	IW-8C-10	3/14/18	PES	ESC	10	27.5	S	0.000825 J	0.000671 U	0.000832 J	0.00182 U	0.000593 U	0.000528 U	0.000458 U	0.000619 U	0.000460 U	0.000413 U	0.000358 U	0.000391 U	0.000483 U
	IW-8C-15	3/14/18	PES	ESC	15	22.5	S	0.000338 U	0.000457 U	0.000249 U	0.00123 U	0.000405 U	0.000359 U	0.000312 U	0.000421 U	0.000314 U	0.000281 U	0.000243 U	0.000267 U	0.000329 U
	IW-8C-20	3/14/18	PES	ESC	20	17.5	S	0.000310 U	0.000418 U	0.000228 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000386 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	IW-8C-25	3/14/18	PES	ESC	25	12.5	S	0.000342 U	0.000462 U	0.000251 U	0.00125 U	0.000408 U	0.000363 U	0.000315 U	0.000426 U	0.000317 U	0.000285 U	0.000246 U	0.000269 U	0.000332 U
	IW-8C-30	3/14/18	PES	ESC	30	7.5	S	0.000318 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000309 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
IW-8C (continued)	IW-8C-35	3/14/18	PES	ESC	35	2.5	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000276 U	0.000239 U	0.000261 U	0.000323 U
	IW-8C-40	3/14/18	PES	ESC	40	-2.5	S	0.000330 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	IW-8C-45	3/14/18	PES	ESC	45	-7.5	S	0.000324 U	0.000438 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000233 U	0.000255 U	0.000315 U
	IW-8C-50	3/14/18	PES	ESC	50	-12.5	S	0.00274 J	0.000456 U	0.000692 J	0.00123 U	0.000403 U	0.000358 U	0.000311 U	0.000421 U	0.000233 J	0.000281 U	0.000243 U	0.000266 U	0.000328 U
	IW-8C-55	3/14/18	PES	ESC	55	-17.5	S	0.00115 J	0.000448 U	0.000270 J	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.00105 J	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	IW-8C-60	3/14/18	PES	ESC	60	-22.5	S	0.000328 U	0.000443 U	0.000420 J	0.00120 U	0.000392 U	0.000348 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000237 U	0.000258 U	0.000319 U
	IW-902-60	3/14/18	PES	ESC	60 (dup)	-22.5	S	0.000318 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000310 U
	IW-8C-65	3/14/18	PES	ESC	65	-27.5	S	0.000344 U	0.000465 U	0.000253 U	0.00126 U	0.000411 U	0.000366 U	0.000318 U	0.000429 U	0.000319 U	0.000287 U	0.000248 U	0.000271 U	0.000335 U
	IW-8C-70	3/14/18	PES	ESC	70	-32.5	S	0.000341 U	0.000461 U	0.000250 U	0.00125 U	0.000407 U	0.000362 U	0.000315 U	0.000425 U	0.000316 U	0.000284 U	0.000246 U	0.000268 U	0.000331 U
	IW-8C-75	3/14/18	PES	ESC	75	-37.5	S	0.000321 U	0.000434 U	0.000236 U	0.00118 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000312 U
IW-11D (-41.8 to-56.8)	IW-11D-10	4/19/18	PES	ESC	10	28.4	S	0.000396 U	0.000536 U	0.000291 U	0.00145 U	0.000474 U	0.000421 U	0.000366 U	0.000494 U	0.000367 U	0.000330 U	0.000286 U	0.000312 U	0.000385 U
	IW-11D-15	4/19/18	PES	ESC	15	23.4	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	IW-11D-20	4/19/18	PES	ESC	20	18.4	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000276 U	0.000239 U	0.000261 U	0.000323 U
	IW-11D-25	4/19/18	PES	ESC	25	13.4	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000333 U	0.000290 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	IW-11D-30	4/19/18	PES	ESC	30	8.4	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000334 U	0.000290 U	0.000392 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	IW-11D-35	4/19/18	PES	ESC	35	3.4	S	0.000329 U	0.000444 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	IW-11D-40	4/19/18	PES	ESC	40	-1.6	S	0.000317 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000308 U
	IW-11D-45	4/19/18	PES	ESC	45	-6.6	S	0.00808 U	0.0109 U	0.00594 U	0.0295 U	0.00966 U	0.00858 U	0.00745 U	0.0101 U	0.00749 U	0.00673 U	0.00583 U	0.00636 U	0.00786 U
	IW-11D-50	4/19/18	PES	ESC	50	-11.6	S	0.000308 U	0.000417 U	0.000227 U	0.00113 U	0.000368 U	0.000327 U	0.000285 U	0.000384 U	0.000286 U	0.000257 U	0.000222 U	0.000243 U	0.000300 U
	IW-11D-55	4/19/18	PES	ESC	55	-16.6	S	0.000340 U	0.000460 U	0.000250 U	0.00124 U	0.000406 U	0.000361 U	0.000314 U	0.000424 U	0.000315 U	0.000283 U	0.000245 U	0.000268 U	0.000331 U
	IW-11D-60	4/19/18	PES	ESC	60	-21.6	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000263 U	0.000227 U	0.000248 U	0.000306 U
	IW-11D-65	4/19/18	PES	ESC	65	-26.6	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	IW-11D-70	4/19/18	PES	ESC	70	-31.6	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000292 U	0.000395 U	0.000294 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	IW-11D-75	4/19/18	PES	ESC	75	-36.6	S	0.000331 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	IW-11D-80	4/19/18	PES	ESC	80	-41.6	S	0.000322 U	0.000436 U	0.000237 U	0.00118 U	0.000385 U	0.000343 U	0.000298 U	0.000402 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000313 U
	IW-11D-85	4/19/18	PES	ESC	85	-46.6	S	0.000330 U	0.000446 U	0.000243 U	0.00121 U	0.000394 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	IW-11D-90	4/19/18	PES	ESC	90	-51.6	S	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000301 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	IW-11D-95	4/19/18	PES	ESC	95	-56.6	S	0.000336 U	0.000455 U	0.000247 U	0.00123 U	0.000402 U	0.000357 U	0.000311 U	0.000419 U	0.000312 U	0.000280 U	0.000243 U	0.000265 U	0.000327 U
IW-12D (-41.4 to-56.4)	IW-12D-42	9/14/18	PES	ESC	42	-3.5	S	0.00197 J	0.00523 U	0.00460 J	0.00554 U	0.000570 U	0.00157 U	0.000516 U	0.138 U	0.00184 J	0.00185 U	0.00190 U	0.00214 U	0.000861 U
	B-928-42	9/14/18	PES	ESC	42 (dup)	-3.5	S	0.00215 J	0.00524 U	0.00425 J	0.00554 U	0.000570 U	0.00158 U	0.000516 U	0.138 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000862 U
	IW-12D-50	9/14/18	PES	ESC	50	-11.5	S	0.00233 J	0.00527 U	0.00512 J	0.00558 U	0.000574 U	0.00159 U	0.000519 U	0.278 U	0.00197 J	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	IW-12D-60	9/14/18	PES	ESC	60	-21.5	S	0.00130 U	0.00543 U	0.00131 U	0.00574 U	0.000591 U	0.00163 U	0.000535 U	0.0286 U	0.00122 U	0.00191 U	0.00197 U	0.00222 U	0.000893 U
	IW-12D-85	9/17/18	PES	ESC	85	-46.5	S	0.00129 U	0.00539 U	0.00173 J	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.0284 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000886 U
	IW-12D-95	9/17/18	PES	ESC	95	-56.5	S	0.00138 U	0.00580 U	0.00140 U	0.00613 U	0.000631 U	0.00174 U	0.000571 U	0.00611 U	0.00130 U	0.00204 U	0.00210 U	0.00237 U	0.000954 U
IW-13D (-41.0 to-56.0)	IW-13D-80	9/18/18	PES	ESC	80	-40.8	S	0.00129 J	0.00532 U	0.00240 J	0.00563 U	0.000579 U	0.00160 U	0.000524 U	0.113 U	0.00119 U	0.00188 U	0.00193 U	0.00217 U	0.000875 U
	IW-13D-85	9/18/18	PES	ESC	85	-45.8	S	0.00132 U	0.00555 U	0.00134 U	0.00587 U	0.000604 U	0.00167 U	0.000547 U	0.00146 U	0.00124 U	0.00196 U	0.00201 U	0.00227 U	0.000913 U
	IW-13D-95	9/18/18	PES	ESC	95	-55.8	S	0.00138 U	0.00580 U	0.00140 U	0.00614 U	0.000632 U	0.00175 U	0.000572 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00237 U	0.000954 U
IW-14D (-41.0 to-56.0)	IW-14D-45	9/11/18	PES	ESC	45	-5.9	S	0.00120 U	0.00505 U	0.00122 U	0.00534 U	0.000550 U	0.00152 U	0.000498 U	0.00266 U	0.00113 U	0.00178 U	0.00183 U	0.00206 U	0.000981 J
	IW-14D-55	9/11/18	PES	ESC	55	-15.9	S	0.00267 J	0.00545 U	0.000887 J	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.0574 U	0.00398 J	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	IW-14D-65	9/11/18	PES	ESC	65	-25.9	S	0.00129 U	0.00541 U	0.00130 U	0.00572 U	0.000589 U	0.00163 U	0.000533 U	0.00143 U	0.00121 U	0.00191 U	0.00196 U	0.00221 U	0.000890 U
	IW-14D-75	9/11/18	PES	ESC	75	-35.9	S	0.00129 U	0.00541 U	0.00130 U	0.00572 U	0.000589 U	0.00163 U	0.000533 U	0.00142 U	0.00121 U	0.00191 U	0.00196 U	0.00221 U	0.00171 J
	IW-14D-86	9/11/18	PES	ESC	86	-46.9	S	0.00127 U	0.00531 U	0.00128 U	0.00562 U	0.000578 U	0.00160 U	0.000523 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000874 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
IW-14D (continued)	IW-14D-95	9/11/18	PES	ESC	95	-55.9	S	0.00130 U	0.00546 U	0.00133 J	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.0116 U	0.00133 J	0.00193 U	0.00198 U	0.00223 U	0.00316 J
IW-15D (-41.9 to-56.9)	IW-15D-54	9/11/18	PES	ESC	54	-2.2	S	0.00123 U	0.00516 U	0.00271 J	0.00546 U	0.000562 U	0.00155 U	0.000508 U	0.00544 U	0.00118 J	0.00182 U	0.00187 U	0.00211 U	0.000849 U
IW-16D (-41.5 to-56.2)	IW-16D-85	10/18/18	PES	PACE	85	-45.6	S	0.00536 U	0.0225 U	0.00541 U	0.0238 U	0.00245 U	0.00676 U	0.00221 U	0.00592 U	0.00503 U	0.00792 U	0.00816 U	0.00918 U	0.00369 U
	IW-16D-90	10/18/18	PES	PACE	90	-50.6	S	0.00136 U	0.00571 U	0.00138 U	0.00605 U	0.000622 U	0.00172 U	0.000563 U	0.00151 U	0.00128 U	0.00202 U	0.00207 U	0.00234 U	0.000940 U
	IW-16D-95	10/18/18	PES	PACE	95	-55.6	S	0.00557 U	0.0234 U	0.00562 U	0.0247 U	0.00254 U	0.00702 U	0.00230 U	0.00615 U	0.00523 U	0.00823 U	0.00848 U	0.00954 U	0.00384 U
IW-19B (-10.6 to-25.6)	IW-19B-5	3/19/18	PES	ESC	5	32.4	S	0.000324 U	0.000438 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000405 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	IW-19B-10	3/19/18	PES	ESC	10	27.4	S	0.000353 U	0.000477 U	0.000260 U	0.00129 U	0.000422 U	0.000375 U	0.000326 U	0.000441 U	0.000327 U	0.000294 U	0.000255 U	0.000278 U	0.000343 U
	IW-19B-15	3/19/18	PES	ESC	15	22.4	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	IW-19B-20	3/19/18	PES	ESC	20	17.4	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	IW-19B-25	3/19/18	PES	ESC	25	12.4	S	0.000337 U	0.000455 U	0.000248 U	0.00123 U	0.000403 U	0.000358 U	0.000311 U	0.000420 U	0.000312 U	0.000281 U	0.000243 U	0.000265 U	0.000327 U
	IW-19B-30	3/19/18	PES	ESC	30	7.4	S	0.000322 U	0.000436 U	0.000237 U	0.00118 U	0.000385 U	0.000343 U	0.000298 U	0.000402 U	0.000299 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	IW-19B-35	3/19/18	PES	ESC	35	2.4	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000309 U
	IW-19B-40	3/19/18	PES	ESC	40	-2.6	S	0.000331 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	IW-19B-45	3/19/18	PES	ESC	45	-7.6	S	0.000350 U	0.000474 U	0.000258 U	0.00128 U	0.000419 U	0.000372 U	0.000323 U	0.000437 U	0.000325 U	0.000292 U	0.000253 U	0.000276 U	0.000340 U
	IW-19B-50	3/19/18	PES	ESC	50	-12.6	S	0.000366 U	0.000495 U	0.000269 U	0.00134 U	0.000438 U	0.000390 U	0.000338 U	0.000457 U	0.000340 U	0.000305 U	0.000264 U	0.000288 U	0.000356 U
	IW-19B-55	3/19/18	PES	ESC	55	-17.6	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000377 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	IW-19B-60	3/19/18	PES	ESC	60	-22.6	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000337 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	IW-903-60	3/19/18	PES	ESC	60 (dup)	-22.6	S	0.000322 U	0.000436 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000298 U	0.000402 U	0.000299 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	IW-19B-63	3/19/18	PES	ESC	63	-25.6	S	0.000321 U	0.000434 U	0.000236 U	0.00118 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000312 U
IW-21B (-10.1 to-25.1)	IW-21B-5	3/6/18	PES	ESC	5	36.9	V	0.000519 U	0.000701 U	0.000382 U	0.00190 U	0.000620 U	0.000551 U	0.000479 U	0.000646 U	0.000480 U	0.000432 U	0.000375 U	0.000408 U	0.000504 U
	IW-21B-10	3/6/18	PES	ESC	10	31.9	S	0.000350 U	0.000473 U	0.000257 U	0.00128 U	0.000418 U	0.000372 U	0.000323 U	0.000436 U	0.000324 U	0.000291 U	0.000252 U	0.000276 U	0.000340 U
	IW-21B-20	3/6/18	PES	ESC	20	21.9	S	0.000345 U	0.000467 U	0.000254 U	0.00126 U	0.000412 U	0.000367 U	0.000319 U	0.000430 U	0.000320 U	0.000287 U	0.000249 U	0.000272 U	0.000335 U
	IW-21B-30	3/6/18	PES	ESC	30	11.9	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	IW-21B-40	3/6/18	PES	ESC	40	1.9	S	0.000317 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000308 U
	IW-21B-50	3/6/18	PES	ESC	50	-8.1	S	0.000310 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	IW-21B-60	3/6/18	PES	ESC	60	-18.1	S	0.00814 U	0.0110 U	0.00598 U	0.0297 U	0.00972 U	0.00863 U	0.00750 U	0.0101 U	0.00754 U	0.00678 U	0.00587 U	0.00640 U	0.00791 U
	IW-21B-67	3/6/18	PES	ESC	67	-25.1	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000229 U	0.000250 U	0.000309 U
IW-22C (-25.6 to-40.6)	IW-22C-62	8/31/18	PES	ESC	62	-23.1	S	0.00278 J	0.00557 U	0.0107	0.00589 U	0.000606 U	0.00167 U	0.000548 U	0.0581 U	0.00366 J	0.00196 U	0.00202 U	0.00228 U	0.000915 U
	IW-22C-78	8/31/18	PES	ESC	78	-39.1	S	0.00139 U	0.00584 U	0.00241 J	0.00618 U	0.000636 U	0.00176 U	0.000575 U	0.0615 U	0.00131 U	0.00206 U	0.00212 U	0.00239 U	0.000961 U
IW-23C (-27.0 to-42.0)	IW-23C-42	9/4/18	PES	ESC	42	-3.0	S	0.0380	0.00577 U	0.0811	0.00610 U	0.000628 U	0.00174 U	0.000569 U	0.608 U	0.0240	0.00203 U	0.00209 U	0.00236 U	0.000949 U
IW-24C (-26.1 to-41.1)	IW-24C-48	9/7/18	PES	ESC	48	-8.8	S	0.00130 U	0.00545 U	0.00191 J	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.0144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	IW-24C-55	9/7/18	PES	ESC	55	-15.8	S	0.00905	0.00574 U	0.0250	0.00607 U	0.000625 U	0.00173 U	0.000566 U	0.00151 U	0.00869	0.00203 U	0.00208 U	0.00235 U	0.000945 U
	IW-24C-66	9/10/18	PES	ESC	66	-26.8	S	0.0149	0.00596 U	0.0427	0.00631 U	0.000649 U	0.00179 U	0.000587 U	0.00157 U	0.0148	0.00210 U	0.00216 U	0.00244 U	0.000981 U
	IW-24C-75	9/10/18	PES	ESC	75	-35.8	S	0.0159	0.00576 U	0.0481	0.00610 U	0.000628 U	0.00174 U	0.000568 U	0.00152 U	0.0170	0.00204 U	0.00209 U	0.00236 U	0.000947 U
	IW-24C-80	9/10/18	PES	ESC	80	-40.8	S	0.00127 U	0.00533 U	0.00194 J	0.00564 U	0.000581 U	0.00160 U	0.000525 U	0.0281 U	0.00119 U	0.00188 U	0.00194 U	0.00218 U	0.00144 J
IW-27B (-8.1 to-23.1)	IW-27B-5	3/2/18	PES	ESC	5	37.0	V	0.000460 U	0.000621 U	0.000339 U	0.00169 U	0.000549 U	0.000489 U	0.000425 U	0.000574 U	0.000426 U	0.000383 U	0.000332 U	0.000362 U	0.000447 U
	IW-27B-15	3/2/18	PES	ESC	15	27.0	S	0.000409 U	0.000553 U	0.000398 J	0.00150 U	0.000488 U	0.000434 U	0.000377 U	0.000510 U	0.000379 U	0.000340 U	0.000295 U	0.000322 U	0.000397 U
	IW-27B-25	3/2/18	PES	ESC	25	17.0	S	0.000334 U	0.000451 U	0.000245 U	0.00122 U	0.000399 U	0.000355 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000241 U	0.000263 U	0.000324 U
	IW-27B-35	3/2/18	PES	ESC	35	7.0	S	0.000328 U	0.000444 U	0.000241 U	0.00120 U	0.000393 U	0.000349 U	0.000303 U	0.000410 U	0.000304 U	0.000274 U	0.000237 U	0.000259 U	0.000319 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
IW-27C (-24.4 to-39.6)	IW-27C-45	9/10/18	PES	ESC	45	6.8	S	0.00129 U	0.00540 U	0.00436 J	0.00571 U	0.000588 U	0.00162 U	0.000532 U	0.0284 U	0.00144 J	0.00190 U	0.00196 U	0.00221 U	0.000888 U
IW-28C (-26.6 to-41.7)	IW-28C-92	9/17/18	PES	ESC	92	-40.6	S	0.00125 U	0.00524 U	0.00126 U	0.00554 U	0.000571 U	0.00158 U	0.000516 U	0.00552 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000862 U
IW-39B (-9.8 to-24.8)	IW-39B-5	3/12/18	PES	ESC	5	35.2	V	0.000364 U	0.000493 U	0.000268 U	0.00133 U	0.000436 U	0.000387 U	0.000336 U	0.000455 U	0.000338 U	0.000303 U	0.000263 U	0.000287 U	0.000354 U
	IW-39B-15	3/12/18	PES	ESC	15	25.2	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	IW-39B-25	3/12/18	PES	ESC	25	15.2	S	0.000341 U	0.000461 U	0.000251 U	0.00125 U	0.000408 U	0.000363 U	0.000315 U	0.000426 U	0.000316 U	0.000284 U	0.000246 U	0.000269 U	0.000332 U
	IW-39B-35	3/12/18	PES	ESC	35	5.2	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	IW-39B-45	3/12/18	PES	ESC	45	-4.8	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
	IW-39B-55	3/12/18	PES	ESC	55	-14.8	S	0.00754 U	0.0102 U	0.00554 U	0.0275 U	0.00901 U	0.00800 U	0.00695 U	0.00940 U	0.00698 U	0.00628 U	0.00544 U	0.00593 U	0.00733 U
IW-46B (-4.2 to-24.2)	IW-46B-5	3/20/18	PES	ESC	5	46.8	V	0.000323 U	0.000436 U	0.000237 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000402 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	IW-46B-10	3/20/18	PES	ESC	10	41.8	V	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000263 U	0.000227 U	0.000248 U	0.000307 U
	IW-46B-15	3/20/18	PES	ESC	15	36.8	V	0.00794 U	0.0107 U	0.00584 U	0.0290 U	0.00949 U	0.00843 U	0.00732 U	0.00990 U	0.00736 U	0.00661 U	0.00573 U	0.00625 U	0.00772 U
	IW-46B-20	3/20/18	PES	ESC	20	31.8	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000253 U	0.000312 U
	IW-46B-25	3/20/18	PES	ESC	25	26.8	S	0.000317 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000308 U
	IW-46B-30	3/20/18	PES	ESC	30	21.8	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000384 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000253 U	0.000312 U
	IW-46B-35	3/20/18	PES	ESC	35	16.8	S	0.000347 U	0.000469 U	0.000255 U	0.00127 U	0.000415 U	0.000369 U	0.000321 U	0.000433 U	0.000322 U	0.000289 U	0.000250 U	0.000273 U	0.000338 U
	IW-904-35	3/20/18	PES	ESC	35 (dup)	16.8	S	0.000367 U	0.000496 U	0.000270 U	0.00134 U	0.000439 U	0.000390 U	0.000339 U	0.000458 U	0.000340 U	0.000306 U	0.000265 U	0.000289 U	0.000357 U
	IW-46B-40	3/20/18	PES	ESC	40	11.8	S	0.000302 U	0.000408 U	0.000222 U	0.00110 U	0.000361 U	0.000321 U	0.000279 U	0.000376 U	0.000280 U	0.000251 U	0.000218 U	0.000238 U	0.000293 U
	IW-46B-42	3/20/18	PES	ESC	42	9.8	S	0.000541 J	0.000467 U	0.00136	0.00126 U	0.000412 U	0.000367 U	0.000319 U	0.000430 U	0.000545 J	0.000287 U	0.000249 U	0.000272 U	0.000335 U
	IW-46B-45	3/20/18	PES	ESC	45	6.8	S	1.64 U	2.21 U	1.21 U	5.97 U	1.96 U	1.73 U	1.50 U	2.04 U	1.51 U	1.37 U	1.18 U	1.29 U	1.59 U
	IW-46B-50	3/20/18	PES	ESC	50	1.8	S	0.000287 U	0.000388 U	0.000211 U	0.00105 U	0.000343 U	0.000305 U	0.000265 U	0.000358 U	0.000266 U	0.000239 U	0.000207 U	0.000226 U	0.000279 U
	IW-46B-55	3/20/18	PES	ESC	55	-3.2	S	0.000320 U	0.000433 U	0.000290 J	0.00117 U	0.000382 U	0.000340 U	0.000296 U	0.000399 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	IW-46B-60	3/20/18	PES	ESC	60	-8.2	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000345 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	IW-46B-65	3/20/18	PES	ESC	65	-13.2	S	0.000319 U	0.000431 U	0.000235 U	0.00117 U	0.000381 U	0.000339 U	0.000295 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	IW-46B-70	3/20/18	PES	ESC	70	-18.2	S	0.000366 U	0.000495 U	0.000269 U	0.00134 U	0.000438 U	0.000389 U	0.000338 U	0.000457 U	0.000339 U	0.000305 U	0.000264 U	0.000288 U	0.000356 U
IW-47B (-5.2 to-25.2)	IW-47B-5	3/22/18	PES	ESC	5	46.8	V	0.000339 U	0.000458 U	0.000249 U	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000422 U	0.000314 U	0.000282 U	0.000244 U	0.000267 U	0.000329 U
	IW-47B-10	3/22/18	PES	ESC	10	41.8	V	0.000338 U	0.000456 U	0.000248 U	0.00124 U	0.000403 U	0.000359 U	0.000312 U	0.000421 U	0.000313 U	0.000281 U	0.000244 U	0.000266 U	0.000328 U
	IW-47B-15	3/22/18	PES	ESC	15	36.8	V	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	IW-47B-20	3/22/18	PES	ESC	20	31.8	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000310 U
	IW-47B-25	3/22/18	PES	ESC	25	26.8	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000256 U	0.000316 U
	IW-47B-30	3/22/18	PES	ESC	30	21.8	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
	IW-47B-35	3/22/18	PES	ESC	35	16.8	S	0.000316 U	0.000427 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	IW-47B-40	3/22/18	PES	ESC	40	11.8	S	0.000326 U	0.000440 U	0.000240 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000257 U	0.000317 U
	IW-47B-42	3/22/18	PES	ESC	42	9.8	S	0.000376 U	0.000509 U	0.000276 U	0.00138 U	0.000451 U	0.000401 U	0.000347 U	0.000469 U	0.000348 U	0.000314 U	0.000272 U	0.000296 U	0.000366 U
	IW-47B-45	3/22/18	PES	ESC	45	6.8	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000256 U	0.000315 U
	IW-47B-50	3/22/18	PES	ESC	50	1.8	S	0.000337 U	0.000456 U	0.000248 U	0.00123 U	0.000403 U	0.000358 U	0.000311 U	0.000421 U	0.000312 U	0.000281 U	0.000243 U	0.000265 U	0.000328 U
	IW-47B-55	3/22/18	PES	ESC	55	-3.2	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000371 U	0.000330 U	0.000286 U	0.000387 U	0.000387 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	IW-47B-60	3/22/18	PES	ESC	60	-8.2	S	0.000328 U	0.000444 U	0.000241 U	0.00120 U	0.000392 U	0.000349 U	0.000303 U	0.000409 U	0.000304 U	0.000273 U	0.000237 U	0.000258 U	0.000319 U
	IW-47B-65	3/22/18	PES	ESC	65	-13.2	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	IW-47B-70	3/22/18	PES	ESC	70	-18.2	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000340 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	IW-47B-75	3/22/18	PES	ESC	75	-23.2	S	0.000319 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000339 U	0.000295 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000252 U	0.000310 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
IW-48B (-9.4 to-24.4)	IW-48B-5	3/23/18	PES	ESC	5	46.7	V	0.000332 U	0.000448 U	0.000244 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000414 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	IW-48B-10	3/23/18	PES	ESC	10	41.7	V	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000271 U	0.000234 U	0.000256 U	0.000316 U
	IW-48B-15	3/23/18	PES	ESC	15	36.7	V	0.000335 U	0.000453 U	0.000246 U	0.00123 U	0.000400 U	0.000356 U	0.000309 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	IW-48B-20	3/23/18	PES	ESC	20	31.7	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000377 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	IW-48B-25	3/23/18	PES	ESC	25	26.7	S	0.000323 U	0.000437 U	0.000238 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	IW-48B-30	3/23/18	PES	ESC	30	21.7	S	0.000316 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000308 U
	IW-48B-35	3/23/18	PES	ESC	35	16.7	S	0.000330 U	0.000446 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	IW-48B-40	3/23/18	PES	ESC	40	11.7	S	0.000313 U	0.000423 U	0.000230 U	0.00115 U	0.000374 U	0.000333 U	0.000289 U	0.000391 U	0.000290 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	IW-48B-42	3/23/18	PES	ESC	42	9.7	S	0.000316 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	IW-905-42	3/23/18	PES	ESC	42 (dup)	9.7	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000333 U	0.000289 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	IW-48B-45	3/23/18	PES	ESC	45	6.7	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000288 U	0.000388 U	0.000289 U	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	IW-48B-50	3/23/18	PES	ESC	50	1.7	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000292 U	0.000395 U	0.000294 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	IW-48B-55	3/23/18	PES	ESC	55	-3.3	S	0.000312 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000288 U	0.000260 U	0.000224 U	0.000245 U	0.000302 U
	IW-48B-60	3/23/18	PES	ESC	60	-8.3	S	0.000317 U	0.000429 U	0.000248 J	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000309 U
	IW-48B-65	3/23/18	PES	ESC	65	-13.3	S	0.000339 U	0.000458 U	0.000249 U	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000423 U	0.000314 U	0.000282 U	0.000245 U	0.000267 U	0.000330 U
	IW-48B-70	3/23/18	PES	ESC	70	-18.3	S	0.000315 U	0.000427 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000394 U	0.000292 U	0.000263 U	0.000228 U	0.000248 U	0.000307 U
	IW-48B-75	3/23/18	PES	ESC	75	-23.3	S	0.000323 U	0.000436 U	0.000237 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
IW-50A (9.8 to-10.2)	IW-50A-5	3/27/18	PES	ESC	5	46.9	V	0.000328 U	0.000443 U	0.000241 U	0.00120 U	0.000392 U	0.000348 U	0.000302 U	0.000409 U	0.000304 U	0.000273 U	0.000236 U	0.000258 U	0.000318 U
	IW-50A-10	3/27/18	PES	ESC	10	41.9	V	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	IW-50A-15	3/27/18	PES	ESC	15	36.9	V	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000263 U	0.000227 U	0.000248 U	0.000306 U
	IW-50A-20	3/27/18	PES	ESC	20	31.9	S	0.000319 U	0.000431 U	0.000235 U	0.00117 U	0.000381 U	0.000339 U	0.000295 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	IW-50A-25	3/27/18	PES	ESC	25	26.9	S	0.000311 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000302 U
	IW-50A-30	3/27/18	PES	ESC	30	21.9	S	0.000312 U	0.000421 U	0.000229 U	0.00114 U	0.000373 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000245 U	0.000303 U
	IW-50A-35	3/27/18	PES	ESC	35	16.9	S	0.000313 U	0.000422 U	0.000230 U	0.00114 U	0.000373 U	0.000332 U	0.000289 U	0.000390 U	0.000290 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	IW-50A-40	3/27/18	PES	ESC	40	11.9	S	0.000317 U	0.000429 U	0.000233 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000396 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.000308 U
	IW-50A-42	3/27/18	PES	ESC	42	9.9	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000263 U	0.000227 U	0.000248 U	0.000306 U
	IW-50A-45	3/27/18	PES	ESC	45	6.9	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000293 U	0.000396 U	0.000295 U	0.000265 U	0.000229 U	0.000250 U	0.000309 U
	IW-50A-50	3/27/18	PES	ESC	50	1.9	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000402 U	0.000298 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	IW-906-50	3/27/18	PES	ESC	50 (dup)	1.9	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	IW-50A-55	3/27/18	PES	ESC	55	-3.2	S	0.000323 U	0.000437 U	0.000237 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	IW-50A-60	3/27/18	PES	ESC	60	-8.2	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
IW-51A (9.9 to-10.1)	IW-51A-5	3/26/18	PES	ESC	5	46.9	V	0.000316 U	0.000427 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000394 U	0.000292 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	IW-51A-10	3/26/18	PES	ESC	10	41.9	V	0.000313 U	0.000423 U	0.000230 U	0.00115 U	0.000374 U	0.000333 U	0.000289 U	0.000390 U	0.000290 U	0.000261 U	0.000226 U	0.000246 U	0.000304 U
	IW-51A-15	3/26/18	PES	ESC	15	36.9	V	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	IW-51A-20	3/26/18	PES	ESC	20	31.9	S	0.000311 U	0.000420 U	0.000229 U	0.00114 U	0.000372 U	0.000330 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000302 U
	IW-51A-25	3/26/18	PES	ESC	25	26.9	S	0.000396 U	0.000536 U	0.000291 U	0.00144 U	0.000473 U	0.000420 U	0.000365 U	0.000494 U	0.000367 U	0.000330 U	0.000286 U	0.000312 U	0.000385 U
	IW-51A-30	3/26/18	PES	ESC	30	21.9	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000370 U	0.000329 U	0.000286 U	0.000386 U	0.000287 U	0.000258 U	0.000223 U	0.000244 U	0.000301 U
	IW-51A-35	3/26/18	PES	ESC	35	16.9	S	0.000313 U	0.000423 U	0.000230 U	0.00114 U	0.000374 U	0.000332 U	0.000289 U	0.000390 U	0.000290 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	IW-51A-40	3/26/18	PES	ESC	40	11.9	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000333 U	0.000290 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	IW-51A-42	3/26/18	PES	ESC	42	9.9	S	0.000319 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000230 U	0.000252 U	0.000311 U
	IW-51A-45	3/26/18	PES	ESC	45	6.9	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	IW-51A-50	3/26/18	PES	ESC	50	1.9	S	0.000329 U	0.000444 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
IW-51A (continued)	IW-51A-55	3/26/18	PES	ESC	55	-3.1	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000393 U	0.000350 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	IW-51A-60	3/26/18	PES	ESC	60	-8.1	S	0.000309 U	0.000417 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	IW-51A-62	3/26/18	PES	ESC	62	-10.1	S	0.000312 U	0.000422 U	0.000229 U	0.00114 U	0.000373 U	0.000332 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000303 U
IW-53B (-11.1 to-26.1)	IW-53B-30	9/20/18	PES	ESC	30	5.3	S	0.00125 U	0.00524 U	0.00126 U	0.00555 U	0.000571 U	0.00158 U	0.000517 U	0.0138 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000863 U
IW-54A (9.8 to-10.2)	IW-54A-8	9/12/18	PES	ESC	8	31.1	S	0.00133 U	0.00556 U	0.00204 J	0.00589 U	0.000606 U	0.00167 U	0.000548 U	0.293 U	0.00125 U	0.00196 U	0.00202 U	0.00227 U	0.000915 U
	IW-54A-49	9/12/18	PES	ESC	49	-9.9	S	0.00133 U	0.00558 U	0.00160 J	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000918 U
IW-54B (-9.5 to-24.5)	IW-54B-8	9/5/18	PES	ESC	8	31.2	S	0.00125 U	0.00526 U	0.00891 J	0.00556 U	0.000573 U	0.00158 U	0.000518 U	2.77 U	0.00290 J	0.00185 U	0.00191 U	0.00215 U	0.000865 U
	IW-54B-13	9/6/18	PES	ESC	13	26.2	S	0.00128 U	0.00535 U	0.00129 U	0.00566 U	0.000582 U	0.00161 U	0.000527 U	0.0141 U	0.00120 U	0.00189 U	0.00194 U	0.00219 U	0.000880 U
	IW-54B-21	9/6/18	PES	ESC	21	18.2	S	0.00125 U	0.00526 U	0.00251 J	0.00556 U	0.000573 U	0.00158 U	0.000518 U	1.13	0.00118 U	0.00185 U	0.00191 U	0.00215 U	0.000865 U
	IW-54B-33	9/6/18	PES	ESC	33	6.2	S	0.00144 U	0.00603 U	0.00145 U	0.00638 U	0.000656 U	0.00182 U	0.000595 U	0.00157 U	0.00134 U	0.00212 U	0.00219 U	0.00247 U	0.000991 U
IW-55B (-12.0 to-27.0)	IW-55B-39	9/13/18	PES	ESC	39	12.8	S	0.00122 U	0.00512 U	0.00123 U	0.00542 U	0.000557 U	0.00154 U	0.000504 U	0.00135 U	0.00115 U	0.00181 U	0.00186 U	0.00209 U	0.000842 U
	IW-55B-43	9/13/18	PES	ESC	43	8.8	S	0.00306 J	0.00545 U	0.00711 J	0.00577 U	0.000594 U	0.00164 U	0.000537 U	0.115 U	0.00241 J	0.00192 U	0.00198 U	0.00223 U	0.000897 U
	IW-55B-61	9/13/18	PES	ESC	61	-9.2	S	0.00145 J	0.00573 U	0.00156 J	0.00606 U	0.000624 U	0.00172 U	0.000564 U	0.0121 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000942 U
IW-58A (3.9 to-11.1)	IW-58A-38	10/17/18	PES	PACE	38	1.2	S	0.00126 U	0.00527 U	0.00127 U	0.00557 U	0.000574 U	0.00158 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	B-929-38	10/17/18	PES	PACE	38 (dup)	1.2	S	0.00129 U	0.00543 U	0.00149 J	0.00574 U	0.000591 U	0.00163 U	0.000535 U	0.00143 U	0.00122 U	0.00191 U	0.00197 U	0.00222 U	0.000893 U
MW101 (B101) (-65.5 to-75.5)	B101-30	7/10/12	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-34	7/10/12	SES	F&BI	34	5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-40	7/10/12	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-47	7/10/12	SES	F&BI	47	-7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-48	7/10/12	SES	F&BI	48	-8.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-55	7/10/12	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-65	7/10/12	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-75	7/11/12	SES	F&BI	75	-35.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-81	7/11/12	SES	F&BI	81	-41.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-92	7/12/12	SES	F&BI	92	-52.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-97	7/12/12	SES	F&BI	97	-57.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-104	7/12/12	SES	F&BI	104	-64.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-114.5	7/12/12	SES	F&BI	114.5	-75.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-120	7/12/12	SES	F&BI	120	-80.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B101-131	7/12/12	SES	F&BI	131	-91.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	
B101-140	7/12/12	SES	F&BI	140	-100.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW130 (B130) (-30.9 to-40.9)	B130-10	3/1/16	SES	F&BI	10	29.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-20	3/1/16	SES	F&BI	20	19.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-30	3/1/16	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-40	3/1/16	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-45	3/2/16	SES	F&BI	45	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-50	3/2/16	SES	F&BI	50	-10.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-55	3/2/16	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-60	3/2/16	SES	F&BI	60	-20.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-65	3/2/16	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-70	3/2/16	SES	F&BI	70	-30.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW130 (B130) (continued)	B130-75 B130-80	3/2/16 3/2/16	SES SES	F&BI F&BI	75 80	-35.5 -40.5	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
MW131 (B131) (-4.2 to-14.2)	B131-10	3/1/16	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-20	3/1/16	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-30	3/1/16	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-40	3/1/16	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-45	3/2/16	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-55	3/2/16	SES	F&BI	55	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-132 (-29.9 to-39.9)	MW-132-20	8/22/17	PES	ESC	20	20.1	S	0.000320 U	0.000433 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000297 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	MW-132-35	8/22/17	PES	ESC	35	5.1	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000267 U	0.000232 U	0.000253 U	0.000312 U
	MW-132-50	8/22/17	PES	ESC	50	-9.9	S	0.000310 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000259 U	0.000224 U	0.000244 U	0.000302 U
	MW-132-55	8/23/17	PES	ESC	55	-14.9	S	0.0533 J	0.0446 U	0.212	0.121 U	0.0394 U	0.0351 U	0.0305 U	0.0412 U	0.0664 J	0.0275 U	0.0238 U	0.0260 U	0.0321 U
	MW-132-60	8/23/17	PES	ESC	60	-19.9	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000386 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	MW-132-70	8/23/17	PES	ESC	70	-29.9	S	0.000350 U	0.000473 U	0.000257 U	0.00128 U	0.000418 U	0.000372 U	0.000323 U	0.000436 U	0.000324 U	0.000291 U	0.000252 U	0.000276 U	0.000340 U
	MW-132-83	8/23/17	PES	ESC	83	-42.9	S	0.000313 U	0.000423 U	0.000230 U	0.00115 U	0.000374 U	0.000333 U	0.000289 U	0.000391 U	0.000290 U	0.000261 U	0.000226 U	0.000247 U	0.000304 U
MW-133 (-88.9 to-98.9)	MW-133-20	8/15/17	PES	ESC	20	20.1	S	0.000338 U	0.000457 U	0.000249 U	0.00124 U	0.000404 U	0.000359 U	0.000312 U	0.000422 U	0.000313 U	0.000282 U	0.000244 U	0.000266 U	0.000329 U
	MW-133-35	8/15/17	PES	ESC	35	5.1	S	0.000375 U	0.000507 U	0.000275 U	0.00137 U	0.000448 U	0.000398 U	0.000346 U	0.000467 U	0.000347 U	0.000312 U	0.000270 U	0.000295 U	0.000364 U
	MW-133-45	8/15/17	PES	ESC	45	-4.9	S	0.000312 U	0.000422 U	0.000229 U	0.00114 U	0.000373 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000303 U
	MW-133-55	8/15/17	PES	ESC	55	-14.9	S	0.0702 U	0.0949 U	0.0516 U	0.257 U	0.0839 U	0.0746 U	0.0648 U	0.0876 U	0.0651 U	0.0585 U	0.0506 U	0.0553 U	0.0683 U
	MW-133-58	8/15/17	PES	ESC	58	-17.9	S	1.70 U	2.29 U	1.25 U	6.21 U	2.03 U	1.80 U	1.56 U	2.12 U	1.57 U	1.42 U	1.23 U	1.34 U	1.66 U
	MW-133-65	8/15/17	PES	ESC	65	-24.9	S	0.000332 U	0.000449 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	MW-133-75	8/15/17	PES	ESC	75	-34.9	S	0.000334 U	0.000451 U	0.000245 U	0.00122 U	0.000399 U	0.000355 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	MW-133-85	8/15/17	PES	ESC	85	-44.9	S	0.00842 U	0.0114 U	0.00619 U	0.0307 U	0.0101 U	0.00893 U	0.00776 U	0.0105 U	0.00780 U	0.00701 U	0.00607 U	0.00662 U	0.00818 U
	MW-133-95	8/16/17	PES	ESC	95	-54.9	S	0.000334 U	0.000452 U	0.000246 U	0.00122 U	0.000400 U	0.000355 U	0.000309 U	0.000417 U	0.000310 U	0.000278 U	0.000241 U	0.000263 U	0.000325 U
	MW-133-105	8/16/17	PES	ESC	105	-64.9	S	0.000346 U	0.000467 U	0.000254 U	0.00126 U	0.000413 U	0.000367 U	0.000319 U	0.000431 U	0.000320 U	0.000288 U	0.000249 U	0.000272 U	0.000336 U
	MW-133-120	8/16/17	PES	ESC	120	-79.9	S	0.00780 U	0.0105 U	0.00574 U	0.0285 U	0.00933 U	0.00828 U	0.00719 U	0.00973 U	0.00723 U	0.00650 U	0.00563 U	0.00614 U	0.00759 U
	MW-133-130	8/16/17	PES	ESC	130	-89.9	S	0.000342 U	0.000462 U	0.000251 U	0.00125 U	0.000409 U	0.000363 U	0.000316 U	0.000426 U	0.000317 U	0.000285 U	0.000247 U	0.000269 U	0.000332 U
	MW-133-135	8/16/17	PES	ESC	135	-94.9	S	0.000325 U	0.000440 U	0.000845 J	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000301 U	0.000271 U	0.000234 U	0.000256 U	0.000316 U
	MW-133-141	8/16/17	PES	ESC	141	-100.9	S	0.000323 U	0.000437 U	0.000238 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
MW-134 (-38.6 to-48.6)	MW-134-20	8/29/17	PES	ESC	20	21.5	S	0.000378 U	0.000511 U	0.000278 U	0.00138 U	0.000451 U	0.000401 U	0.000349 U	0.000471 U	0.000350 U	0.000315 U	0.000272 U	0.000297 U	0.000367 U
	MW-134-43	8/29/17	PES	ESC	43	-1.6	S	0.00833 U	0.000450 U	0.00613 U	0.00122 U	0.000398 U	0.000354 U	0.000307 U	0.000415 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.00810 U
	MW-134-50	8/29/17	PES	ESC	50	-8.6	S	0.0316 U	0.000427 U	0.0675 J	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000394 U	0.000292 U	0.000263 U	0.000228 U	0.000248 U	0.0307 U
	MW-134-60	8/29/17	PES	ESC	60	-18.6	S	0.00793 U	0.000428 U	0.00583 U	0.00116 U	0.000379 U	0.000337 U	0.000293 U	0.000395 U	0.000294 U	0.000264 U	0.000229 U	0.000250 U	0.00771 U
	MW-134-70	8/29/17	PES	ESC	70	-28.6	S	0.000366 U	0.000495 U	0.000269 U	0.00134 U	0.000438 U	0.000389 U	0.000338 U	0.000457 U	0.000339 U	0.000305 U	0.000264 U	0.000288 U	0.000356 U
	MW-134-80	8/29/17	PES	ESC	80	-38.6	S	0.000307 U	0.000415 U	0.000226 U	0.00112 U	0.000367 U	0.000326 U	0.000283 U	0.000383 U	0.000284 U	0.000256 U	0.000221 U	0.000242 U	0.000298 U
	B-903-100	8/29/17	PES	ESC	80 (dup)	-38.6	S	0.000302 U	0.000409 U	0.000222 U	0.00111 U	0.000361 U	0.000321 U	0.000279 U	0.000377 U	0.000283 U	0.000252 U	0.000218 U	0.000238 U	0.000294 U
	MW-134-90	8/29/17	PES	ESC	90	-48.6	S	0.00912 U	0.000493 U	0.00671 U	0.00133 U	0.000436 U	0.000387 U	0.000337 U	0.000455 U	0.000338 U	0.000304 U	0.000263 U	0.000287 U	0.00886 U
	MW-135-16	8/24/17	PES	ESC	14	25.1	S	0.257	0.0473 U	0.483	0.128 U	0.0418 U	0.0372 U	0.0323 U	0.0437 U	0.159	0.0292 U	0.0253 U	0.0276 U	0.0340 U
MW-135 (-30.9 to-40.9)	MW-135-20	8/24/17	PES	ESC	20	19.1	S	0.00818 U	0.0110 U	0.00601 U	0.0298 U	0.00977 U	0.00868 U	0.00754 U	0.0102 U	0.00757 U	0.00681 U	0.00590 U	0.00644 U	0.00795 U
	MW-135-30	8/24/17	PES	ESC	30	9.1	S	0.00146	0.000412 U	0.00350	0.00112 U	0.000364 U	0.000324 U	0.000281 U	0.000380 U	0.00114	0.000254 U	0.000220 U	0.000240 U	0.000296 U
	MW-135-36	8/24/17	PES	ESC	36	3.1	S	0.000335 U	0.000453 U	0.000439 J	0.00123 U	0.000400 U	0.000356 U	0.000309 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	MW-135-40	8/24/17	PES	ESC	40	-0.9	S	0.000342 U	0.000463 U	0.000329 J	0.00125 U	0.000409 U	0.000364 U	0.000316 U	0.000427 U	0.000317 U	0.000285 U	0.000247 U	0.000270 U	0.000333 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-135 (continued)	MW-135-45	8/24/17	PES	ESC	45	-5.9	S	0.000341 U	0.000461 U	0.000717 J	0.00125 U	0.000407 U	0.000362 U	0.000315 U	0.000425 U	0.000316 U	0.000284 U	0.000246 U	0.000268 U	0.000331 U
	MW-135-55	8/24/17	PES	ESC	55	-15.9	S	0.000312 U	0.000421 U	0.000229 U	0.00114 U	0.000373 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000303 U
	MW-135-65	8/24/17	PES	ESC	65	-25.9	S	0.000341 U	0.000460 U	0.000250 U	0.00125 U	0.000407 U	0.000362 U	0.000314 U	0.000425 U	0.000316 U	0.000284 U	0.000246 U	0.000268 U	0.000331 U
	MW-135-80	8/24/17	PES	ESC	80	-40.9	S	0.000321 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
MW-136 (-32.7 to-42.7)	MW-136-35	8/28/17	PES	ESC	35	16.9	S	0.000302 U	0.000408 U	0.000222 U	0.00111 U	0.000361 U	0.000321 U	0.000279 U	0.000377 U	0.000280 U	0.000252 U	0.000218 U	0.000238 U	0.000294 U
	B-902-15	8/28/17	PES	ESC	35 (dup)	16.9	S	0.000313 U	0.000424 U	0.000230 U	0.00115 U	0.000375 U	0.000333 U	0.000289 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	MW-136-44	8/28/17	PES	ESC	44	7.9	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000402 U	0.000299 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	MW-136-50	8/28/17	PES	ESC	50	1.9	S	0.00826 U	0.000446 U	0.00608 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.00803 U
	MW-136-65	8/28/17	PES	ESC	65	-13.1	S	0.000312 U	0.000422 U	0.000229 U	0.00114 U	0.000373 U	0.000332 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000303 U
	MW-136-75	8/28/17	PES	ESC	75	-23.1	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	MW-136-85	8/28/17	PES	ESC	85	-33.1	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000340 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000311 U
	MW-136-95	8/28/17	PES	ESC	95	-43.1	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000267 U	0.000232 U	0.000253 U	0.000312 U
MW-137 (-53.3 to-63.3)	MW-137-25	8/31/17	PES	ESC	25	26.7	S	0.000313 U	0.000423 U	0.000230 U	0.00115 U	0.000374 U	0.000333 U	0.000289 U	0.000390 U	0.000290 U	0.000261 U	0.000226 U	0.000246 U	0.000304 U
	MW-137-45	8/31/17	PES	ESC	45	6.7	S	0.00813 U	0.0110 U	0.00597 U	0.0296 U	0.00971 U	0.00862 U	0.00749 U	0.0101 U	0.00753 U	0.00677 U	0.00586 U	0.00639 U	0.00790 U
	MW-137-75	8/31/17	PES	ESC	75	-23.3	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	MW-137-85	9/1/17	PES	ESC	85	-33.3	S	0.000344 U	0.000465 U	0.000253 U	0.00126 U	0.000411 U	0.000366 U	0.000318 U	0.000429 U	0.000319 U	0.000286 U	0.000248 U	0.000271 U	0.000334 U
	MW-137-95	9/1/17	PES	ESC	95	-43.3	S	0.000307 U	0.000416 U	0.000226 U	0.00112 U	0.000367 U	0.000327 U	0.000284 U	0.000383 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	MW-137-115	9/1/17	PES	ESC	115	-63.3	S	0.000351 U	0.000475 U	0.000258 U	0.00128 U	0.000420 U	0.000373 U	0.000324 U	0.000438 U	0.000325 U	0.000292 U	0.000253 U	0.000276 U	0.000341 U
MW-139 (-30.2 to-40.2)	MW-139-20	9/13/17	PES	ESC	20	19.8	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000276 U	0.000239 U	0.000261 U	0.000323 U
	MW-139-31	9/13/17	PES	ESC	31	8.8	S	0.000307 U	0.000415 U	0.000226 U	0.00112 U	0.000367 U	0.000326 U	0.000284 U	0.000383 U	0.000285 U	0.000256 U	0.000221 U	0.000242 U	0.000298 U
	MW-139-41	9/13/17	PES	ESC	41	-1.2	S	0.000308 U	0.000417 U	0.000227 U	0.00113 U	0.000368 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000222 U	0.000243 U	0.000300 U
	MW-139-51	9/13/17	PES	ESC	51	-11.2	S	0.000331 U	0.000448 U	0.000243 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	MW-139-60	9/13/17	PES	ESC	60	-20.2	S	0.000308 U	0.000417 U	0.000227 U	0.00113 U	0.000368 U	0.000328 U	0.000285 U	0.000384 U	0.000286 U	0.000257 U	0.000222 U	0.000243 U	0.000300 U
	MW-139-70	9/13/17	PES	ESC	70	-30.2	S	0.000339 U	0.000458 U	0.000249 U	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000422 U	0.000314 U	0.000282 U	0.000244 U	0.000267 U	0.000329 U
	MW-139-80	9/13/17	PES	ESC	80	-40.2	S	0.000324 U	0.000438 U	0.000238 U	0.00119 U	0.000388 U	0.000345 U	0.000299 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
MW-141 (-55.4 to-65.4)	MW-141-15	9/18/17	PES	ESC	15	24.6	S	0.000324 U	0.000438 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	MW-141-35	9/18/17	PES	ESC	35	4.6	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000307 U	0.000415 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	MW-141-46	9/18/17	PES	ESC	46	-6.4	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000333 U	0.000290 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	MW-141-56	9/18/17	PES	ESC	56	-16.4	S	0.000305 U	0.000413 U	0.000224 U	0.00112 U	0.000365 U	0.000324 U	0.000282 U	0.000381 U	0.000283 U	0.000254 U	0.000220 U	0.000240 U	0.000297 U
	MW-141-65	9/18/17	PES	ESC	65	-25.4	S	0.000302 U	0.000408 U	0.000222 U	0.00110 U	0.000361 U	0.000321 U	0.000279 U	0.000377 U	0.000280 U	0.000251 U	0.000218 U	0.000238 U	0.000293 U
	MW-141-75	9/18/17	PES	ESC	75	-35.4	S	0.000306 U	0.000414 U	0.000225 U	0.00112 U	0.000366 U	0.000325 U	0.000282 U	0.000382 U	0.000284 U	0.000255 U	0.000221 U	0.000241 U	0.000297 U
	MW-141-85	9/18/17	PES	ESC	85	-45.4	S	0.000335 U	0.000453 U	0.000246 U	0.00123 U	0.000401 U	0.000356 U	0.000309 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	MW-141-95	9/18/17	PES	ESC	95	-55.4	S	0.000344 U	0.000465 U	0.000253 U	0.00126 U	0.000411 U	0.000365 U	0.000317 U	0.000429 U	0.000319 U	0.000286 U	0.000248 U	0.000271 U	0.000334 U
	MW-141-105	9/19/17	PES	ESC	105	-65.4	S	0.000343 U	0.000463 U	0.000252 U	0.00125 U	0.000409 U	0.000364 U	0.000316 U	0.000427 U	0.000318 U	0.000285 U	0.000247 U	0.000270 U	0.000333 U
MW-152 (-10.2 to-20.2)	MW-152-5	3/13/18	PES	ESC	5	34.1	S	0.000532 J	0.000437 U	0.000877 J	0.00118 U	0.000386 U	0.000344 U	0.000299 U	0.000403 U	0.000300 U	0.000269 U	0.000233 U	0.000255 U	0.000314 U
	MW-152-15	3/13/18	PES	ESC	15	24.1	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000293 U	0.000396 U	0.000295 U	0.000265 U	0.000229 U	0.000250 U	0.000309 U
	MW-152-25	3/13/18	PES	ESC	25	14.1	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000289 U	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	MW-152-35	3/13/18	PES	ESC	35	4.1	S	0.000315 U	0.000426 U	0.000231 U	0.00115 U	0.000376 U	0.000334 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	MW-152-45	3/13/18	PES	ESC	45	-5.9	S	0.00185	0.000437 U	0.00577	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.00190	0.000269 U	0.000233 U	0.000255 U	0.000315 U
	MW-152-55	3/13/18	PES	ESC	55	-15.9	S	0.000325 U	0.000439 U	0.000440 J	0.00119 U	0.000389 U	0.000345 U	0.000300 U	0.000406 U	0.000301 U	0.000271 U	0.000234 U	0.000256 U	0.000316 U
	MW-152-60	3/13/18	PES	ESC	60	-20.9	S	0.000310 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000259 U	0.000224 U	0.000244 U	0.000302 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-162 (-61.6 to -71.6)	MW-162-48	1/28/19	PES	PACE	48	-9.6	S	0.0249 U	0.104 U	0.0251 U	0.110 U	0.0114 U	0.0314 U	0.0103 U	0.0275 U	0.0234 U	0.0368 U	0.0379 U	0.0426 U	0.0172 U
	MW-162-50	1/28/19	PES	PACE	50	-11.6	S	0.00134 U	0.00563 U	0.00136 U	0.00596 U	0.000613 U	0.00169 U	0.000555 U	0.0297 U	0.00126 U	0.00199 U	0.00204 U	0.00230 U	0.000926 U
	B-930-50 (dup)	1/28/19	PES	PACE	50	-11.6	S	0.00136 J	0.00536 U	0.00147 J	0.00567 U	0.000584 U	0.00161 U	0.000528 U	0.0565 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000882 U
	MW-162-67	1/28/19	PES	PACE	67	-28.6	S	0.00134 U	0.00560 U	0.00251 J	0.00592 U	0.000610 U	0.00168 U	0.000552 U	0.0295 U	0.00125 U	0.00197 U	0.00203 U	0.00229 U	0.000921 U
	MW-162-70	1/28/19	PES	PACE	70	-31.6	S	0.00273 J	0.00538 U	0.00452 J	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.0567 U	0.00177 J	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	MW-162-72	1/28/19	PES	PACE	72	-33.6	S	0.00124 U	0.00520 U	0.00125 U	0.00550 U	0.000566 U	0.00156 U	0.000512 U	0.0548 U	0.00117 U	0.00183 U	0.00189 U	0.00213 U	0.000856 U
	MW-162-80	1/28/19	PES	PACE	80	-41.6	S	0.00128 U	0.00536 U	0.00129 U	0.00568 U	0.000584 U	0.00161 U	0.000529 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000883 U
	MW-162-85	1/28/19	PES	PACE	85	-46.6	S	0.00130 U	0.00546 U	0.00131 U	0.00577 U	0.000594 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000898 U
	MW-162-90	1/28/19	PES	PACE	90	-51.6	S	0.00130 U	0.00545 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	MW-162-95	1/28/19	PES	PACE	95	-56.6	S	0.00132 U	0.00553 U	0.00133 U	0.00585 U	0.000602 U	0.00166 U	0.000545 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000910 U
	MW-162-100	1/28/19	PES	PACE	100	-61.6	S	0.00134 U	0.00563 U	0.00135 U	0.00595 U	0.000613 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000926 U
	MW-162-105	1/28/19	PES	PACE	105	-66.6	S	0.00129 U	0.00542 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000891 U
	MW-162-110	1/28/19	PES	PACE	110	-71.6	S	0.00126 U	0.00528 U	0.00127 U	0.00558 U	0.000575 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000868 U
MW-163 (-61.0 to -71.0)	MW-163-47	1/29/19	PES	PACE	47	-7.7	S	0.00144 J	0.00539 U	0.00329 J	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.0284 U	0.00143 J	0.00190 U	0.00196 U	0.00220 U	0.000887 U
	MW-163-50	1/29/19	PES	PACE	50	-10.7	S	0.00125 J	0.00521 U	0.00129 J	0.00551 U	0.000567 U	0.00157 U	0.000513 U	0.0274 U	0.00117 U	0.00184 U	0.00189 U	0.00213 U	0.000857 U
	MW-163-55	1/29/19	PES	PACE	55	-15.7	S	0.00141 U	0.00591 U	0.00142 U	0.00625 U	0.000643 U	0.00177 U	0.000582 U	0.0311 U	0.00132 U	0.00208 U	0.00214 U	0.00242 U	0.000972 U
	MW-163-60	1/29/19	PES	PACE	60	-20.7	S	0.00146 J	0.00546 U	0.00318 J	0.00577 U	0.000594 U	0.00164 U	0.000538 U	0.0288 U	0.00147 J	0.00192 U	0.00198 U	0.00223 U	0.000898 U
	MW-163-80	1/29/19	PES	PACE	80	-40.7	S	0.00131 U	0.00548 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000540 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000902 U
	MW-163-85	1/29/19	PES	PACE	85	-45.7	S	0.00136 U	0.00570 U	0.00137 U	0.00604 U	0.000621 U	0.00172 U	0.000562 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000939 U
	MW-163-90	1/29/19	PES	PACE	90	-50.7	S	0.00125 U	0.00523 U	0.00126 U	0.00553 U	0.000569 U	0.00157 U	0.000515 U	0.00138 U	0.00117 U	0.00184 U	0.00190 U	0.00214 U	0.000860 U
	MW-163-95	1/29/19	PES	PACE	95	-55.7	S	0.00136 U	0.00571 U	0.00138 U	0.00605 U	0.000622 U	0.00172 U	0.000563 U	0.00151 U	0.00128 U	0.00202 U	0.00207 U	0.00234 U	0.000940 U
	MW-163-100	1/29/19	PES	PACE	100	-60.7	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000603 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000911 U
	MW-163-105	1/29/19	PES	PACE	105	-65.7	S	0.00121 U	0.00506 U	0.00122 U	0.00535 U	0.000551 U	0.00152 U	0.000499 U	0.00133 U	0.00113 U	0.00178 U	0.00184 U	0.00207 U	0.000833 U
	MW-163-110	1/29/19	PES	PACE	110	-70.7	S	0.00127 U	0.00534 U	0.00129 U	0.00565 U	0.000582 U	0.00161 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000879 U
MW-164 (-59.9 to -69.9)	MW-164-80	1/24/19	PES	PACE	80	-40.3	S	0.00131 U	0.00549 U	0.00132 U	0.00581 U	0.000598 U	0.00165 U	0.000541 U	0.00145 U	0.00123 U	0.00194 U	0.00199 U	0.00224 U	0.000903 U
	MW-164-87	1/24/19	PES	PACE	87	-47.3	S	0.00129 U	0.00540 U	0.00130 U	0.00571 U	0.000588 U	0.00162 U	0.000532 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00221 U	0.000888 U
	MW-164-90	1/24/19	PES	PACE	90	-50.3	S	0.00135 U	0.00565 U	0.00136 U	0.00597 U	0.000615 U	0.00170 U	0.000556 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00231 U	0.000929 U
	MW-164-95	1/25/19	PES	PACE	95	-55.3	S	0.00138 U	0.00576 U	0.00139 U	0.00610 U	0.000628 U	0.00173 U	0.000568 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00236 U	0.000948 U
	MW-164-100	1/25/19	PES	PACE	100	-60.3	S	0.00144 U	0.00603 U	0.00145 U	0.00638 U	0.000656 U	0.00181 U	0.000594 U	0.00159 U	0.00135 U	0.00213 U	0.00219 U	0.00246 U	0.000991 U
	MW-164-105	1/25/19	PES	PACE	105	-65.3	S	0.00128 U	0.00535 U	0.00129 U	0.00566 U	0.000582 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00189 U	0.00194 U	0.00218 U	0.000879 U
	MW-164-110	1/25/19	PES	PACE	110	-70.3	S	0.00127 U	0.00532 U	0.00128 U	0.00562 U	0.000579 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000875 U
	B-929-120	1/25/19	PES	PACE	110 (dup)	-70.3	S	0.00129 U	0.00542 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000891 U
MW-168 (-43.0 to -53.0)	MW-168-15	10/21/19	PES	Fremont	15	-3.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-171 (-27.6 to -37.6)	MW-171-24	09/24/19	PES	Fremont	24	-12.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-172 (-42.5 to -52.5)	MW-172-7	09/26/19	PES	Fremont	7	4.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-175 (-27.8 to -37.8)	MW-175-12 B-1002-12	10/26/19 10/26/19	PES PES	Fremont Fremont	12 12 (dup)	-1.3 -1.3	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-180 (-42.7 to -52.7)	MW-180-40	09/25/19	PES	Fremont	40	-28.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-24	09/25/19	PES	Fremont	24	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-27	09/25/19	PES	Fremont	27	-15.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-181 (1.5 to -8.5)	MW-181-14	09/27/19	PES	Fremont	14	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-183 (-27.4 to -37.4)	MW-183-18	09/26/19	PES	Fremont	18	-6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-184 (-42.5 to -52.5)	MW-184-20	09/26/19	PES	Fremont	20	-8.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-188 (-42.2 to -52.2)	MW-188-64	10/01/19	PES	Fremont	64	-52.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P01	P01-05	2/12/14	SES	F&BI	5	35.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P01-10	2/12/14	SES	F&BI	10	30.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P02	P02-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P02-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P04	P04-05	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P04-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P05	P05-05	2/12/14	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P05-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P06	P06-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P06-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW1	Unknown	10/22/92	Roux	Unknown	5	32.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
W-MW-03 (P-07)	SB-W-07-0135	1/26/12	WW	ARI	13.5-14	25.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0275	1/26/12	WW	ARI	27.5-28	11.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0335	1/26/12	WW	ARI	33.5-34	5.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0430	1/26/12	WW	ARI	43-43.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0530	1/26/12	WW	ARI	53-53.5	-14.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0630	1/26/12	WW	ARI	63-63.5	-24.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0780	1/26/12	WW	ARI	78-78.5	-39.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane				
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	–	0.88	1.2	–				
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	–	0.058	0.068	–				
W-MW-04 (P-08)	SB-W-08-0090	1/28/12	WW	ARI	9-9.5	26.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-0155	1/28/12	WW	ARI	15.5-16	19.5	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-0265	1/28/12	WW	ARI	26.5-27	8.5	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-0380	1/28/12	WW	ARI	38-38.5	-3.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-0480	1/28/12	WW	ARI	48-48.5	-13.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-9480	1/28/12	WW	ARI	48-48.5 (dup)	-13.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-0590	1/28/12	WW	ARI	59-59.5	-24.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-0710	1/29/12	WW	ARI	71-71.5	-36.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
	SB-W-08-0760	1/29/12	WW	ARI	76-76.5	-41.0	S	–	–	–	–	–	–	–	–	–	–	–	–	–				
All Data					Number of Analytes Measured		805	805	805	805	805	805	805	805	805	805	805	805	805	805				
					Number of Analytes Detected		47	0	94	0	0	0	0	2	44	0	0	0	5					
					Frequency of Detection		5.8%	0.0%	11.7%	0.0%	0.0%	0.0%	0.0%	0.2%	5.5%	0.0%	0.0%	0.0%	0.6%					
					Maximum Detection		5.03	–	17	–	–	–	–	1.13	3.37	–	–	–	0.00316 J					
					Minimum Detection		0.000287 U	0.000388 U	0.000211 U	0.00105 U	0.000343 U	0.000305 U	0.000265 U	0.000358 U	0.000266 U	0.000239 U	0.000207 U	0.000226 U	0.000279 U					
					Number Of Vadose (V) Detections above SL		0	0	0	0	0	0	0	0	0	–	0	0	–					
2017-2021					Number of Saturated (S) Detections above SL		5	0	7	0	0	0	0	2	4	–	0	0	–					
					Number of Analytes Measured		805	805	805	805	805	805	805	805	805	805	805	805	805					
					Number of Analytes Detected		47	0	94	0	0	0	0	2	44	0	0	0	5					
					Frequency of Detection		5.8%	0.0%	11.7%	0.0%	0.0%	0.0%	0.0%	0.2%	5.5%	0.0%	0.0%	0.0%	0.6%					
					Maximum Detection		5.03	–	17	–	–	–	–	1.13	3.37	–	–	–	0.00316 J					
					Minimum Detection		0.000287 U	0.000388 U	0.000211 U	0.00105 U	0.000343 U	0.000305 U	0.000265 U	0.000358 U	0.000266 U	0.000239 U	0.000207 U	0.000226 U	0.000279 U					
					Number Of Vadose (V) Detections above SL		0	0	0	0	0	0	0	0	0	–	0	0	–					
					Number of Saturated (S) Detections above SL		5	0	7	0	0	0	0	2	4	–	0	0	–					
					Abbreviations:								Notes:											
					AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								All on-Property soil was excavated during Property redevelopment above elevations 0.7 to 10.7 feet, and CVOCs in soil between elevations +10 to 55 feet was treated.											
					ARI = Analytical Resource, Incorporated, Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.											
					B&V = Black Veatch								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.											
bgs = below ground surface								Well screen elevations provided below Sample Location. in parentheses when applicable.																
Comp = Composite Sample								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.																
dup = duplicate								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.																
EPJ = E.PJohnson Construction Inc., and Environmental								Detected results shown in bold .																
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .																
F&BI = Friedman & Bruya, Inc.								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .																
GeoEng = GeoEngineers, Inc.								– = Not available or results not analyzed.																
HC = Hart Crowser, Inc.								A = Result reported as total petroleum hydrocarbons.																
NCA = North Creek Analytical, of Bothell, Washington								B = Analyte detected in an associated method blank.																
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.																
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.																
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.																
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.																
Roux = Roux Associates								q = Sample may contain gasoline or petroleum components. Chromatographic pattern indicates the presence of gasoline constituents.																
SES = SoundEarth Strategies, Inc.								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample																
TR = TR Corporation								T = Analyte also detected in trip blank.																
Urban = Urban Redevelopment LLC								U = Not detected at a concentration exceeding laboratory reporting limit																
WW = WW Environmental LLC								ve = Estimated value. The reported range exceeds the calibration range of the analysis.																
								w = Petroleum product eluting in the C8-C9 range																
								x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.																
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.																

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-1	B-1-13	6/23/00	TR	ARI	13	27.0	S	-	-	-	-	-	-	-	0.0012 U	-	-	-	-	-
B-2	B-2-6.5	6/23/00	TR	ARI	6.5	33.5	S	-	-	-	-	-	-	-	0.0011 U	-	-	-	-	-
	B-2-11	6/23/00	TR	ARI	11	29.0	S	-	-	-	-	-	-	-	0.0012 U	-	-	-	-	-
	B-2-16	6/23/00	TR	ARI	16	24.0	S	-	-	-	-	-	-	-	0.0011 U	-	-	-	-	-
B-3	B-3-12	6/23/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	0.0013 U	-	-	-	-	-
B-5	B-5-10	6/23/00	TR	ARI	10	30.0	S	-	-	-	-	-	-	-	0.0011 U	-	-	-	-	-
	B-5-11.5	6/23/00	TR	ARI	11.5	28.5	S	-	-	-	-	-	-	-	0.0012 U	-	-	-	-	-
B-6	B-6-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-18	6/24/00	TR	ARI	18	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-7	B-7-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-8	B-8-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-8-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-9	B-9-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-9-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-10	B-10-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
B-201	G-201-10	6/19/17	PES	ESC	10	29.8	S	-	-	-	-	-	-	-	0.00120 U	-	-	-	-	-
	G-201-30	6/19/17	PES	ESC	30	9.8	S	-	-	-	-	-	-	-	0.00113 U	-	-	-	-	-
	G-201-35	6/19/17	PES	ESC	35	4.8	S	-	-	-	-	-	-	-	0.00116 U	-	-	-	-	-
B-202	G-202-5	6/19/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	-	0.00119 U	-	-	-	-	-
	G-202-20	6/19/17	PES	ESC	20	19.2	S	-	-	-	-	-	-	-	0.00119 U	-	-	-	-	-
	G-202-50	6/19/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	-	0.00132 U	-	-	-	-	-
B-203	G-203-5	6/20/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	-	0.0358	-	-	-	-	-
	G-203-25	6/20/17	PES	ESC	25	14.2	S	-	-	-	-	-	-	-	0.00117 U	-	-	-	-	-
	G-203-40	6/20/17	PES	ESC	40	-0.8	S	-	-	-	-	-	-	-	0.00561	-	-	-	-	-
	G-203-50	6/20/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	-	0.00112 U	-	-	-	-	-
	G-203-80	6/20/17	PES	ESC	80	-40.8	S	-	-	-	-	-	-	-	0.00110 U	-	-	-	-	-
B-204	G-204-20	6/20/17	PES	ESC	20	19.8	S	-	-	-	-	-	-	-	0.00116 U	-	-	-	-	-
	G-204-40	6/20/17	PES	ESC	40	-0.2	S	-	-	-	-	-	-	-	0.00113 U	-	-	-	-	-
	G-204-45	6/20/17	PES	ESC	45	-5.2	S	-	-	-	-	-	-	-	0.00121 U	-	-	-	-	-
B-205	B-205-10	8/30/17	PES	ESC	10	30.3	S	0.564 U	0.0363 U	0.165 U	0.0289 U	0.255	1.21 U	0.216 U	0.304	0.0343 U	0.0470 U	0.0511 U	0.162 U	0.0267 U
	B-205-55	8/30/17	PES	ESC	55	-14.7	S	0.00547 U	0.000352 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000332 U	0.000456 U	0.000495 U	0.00157 U	0.00157
	B-205-65	8/30/17	PES	ESC	65	-24.7	S	0.00496 U	0.000319 U	0.00145 U	0.000254 U	0.000216 U	0.0106 U	0.00190 U	0.000286 U	0.000301 U	0.000413 U	0.000449 U	0.00142 U	0.00148
	B-205-75	8/30/17	PES	ESC	75	-34.7	S	0.00501 U	0.000322 U	0.00147 U	0.000257 U	0.000218 U	0.0107 U	0.00192 U	0.000289 U	0.000304 U	0.000418 U	0.000454 U	0.00144 U	0.00121
	B-904-50	8/30/17	PES	ESC	75 (dup)	-34.7	S	0.00502 U	0.000323 U	0.00147 U	0.000257 U	0.000219 U	0.0107 U	0.00192 U	0.000290 U	0.000305 U	0.000418 U	0.000455 U	0.00144 U	0.000877 J
B-206	B-206-15	8/14/17	PES	ESC	15	24.1	S	0.135 U	0.00865 U	0.0394 U	0.00690 U	0.00587 U	0.288 U	0.0516 U	0.00777 U	0.00817 U	0.0112 U	0.0122 U	0.0386 U	0.00635 U
	B-206-30	8/14/17	PES	ESC	30	9.1	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0177 J	0.00205 U	0.000310 U	0.000326 U	0.000447 U	0.000486 U	0.00154 U	0.00174
	B-206-40	8/14/17	PES	ESC	40	-0.9	S	0.00495 U	0.000318 U	0.00145 U	0.000254 U	0.000216 U	0.0191 J	0.00189 U	0.000285 U	0.000300 U	0.000412 U	0.000448 U	0.00142 U	0.00114
	B-206-49	8/14/17	PES	ESC	49	-9.9	S	0.00533 U	0.000343 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000308 U	0.000324 U	0.000444 U	0.000483 U	0.00153 U	0.00390
	B-206-52	8/14/17	PES	ESC	52	-12.9	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00195 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.000706 J
	B-206-56	8/14/17	PES	ESC	56	-16.9	S	0.00514 U	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.00187
	B-206-59	8/14/17	PES	ESC	59	-19.9	S	0.00487 U	0.000313 U	0.00143 U	0.000250 U	0.000212 U	0.0104 U	0.00186 U	0.000281 U	0.000295 U	0.000406 U	0.000441 U	0.00139 U	0.000485 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-206 (continued)	B-206-70	8/14/17	PES	ESC	70	-30.9	S	0.00510 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000401 J
	B-206-80	8/14/17	PES	ESC	80	-40.9	S	0.00510 U	0.000328 U	0.00149 U	0.000262 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000310 U	0.000425 U	0.000462 U	0.00146 U	0.000339 J
B-207	B-207-30	8/25/17	PES	ESC	30	8.5	S	0.133 U	0.00854 U	0.0389 U	0.00682 U	0.00579 U	0.284 U	0.0509 U	0.00767 U	0.00807 U	0.0111 U	0.0120 U	0.0381 U	0.00627 U
	B-207-41	8/25/17	PES	ESC	41	-2.5	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000480 U	0.00152 U	0.000483 J
	B-207-49	8/25/17	PES	ESC	49	-10.5	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0169 J	0.00200 U	0.000397 J	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.00478
	B-207-55	8/25/17	PES	ESC	55	-16.5	S	0.00546 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.765 U	0.00209 U	0.000315 U	0.000332 U	0.000455 U	0.000495 U	0.00156 U	0.000689 J
	B-207-60	8/25/17	PES	ESC	60	-21.5	S	0.00498 U	0.000320 U	0.00146 U	0.000255 U	0.000217 U	0.266 U	0.00191 U	0.000287 U	0.000302 U	0.000415 U	0.000451 U	0.00143 U	0.00159
	B-207-70	8/25/17	PES	ESC	70	-31.5	S	0.00534 U	0.000344 U	0.00156 U	0.000274 U	0.000233 U	0.285 U	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.000471 J
	B-207-80	8/25/17	PES	ESC	80	-41.5	S	0.00516 U	0.000332 U	0.00151 U	0.000264 U	0.000225 U	1.10 U	0.00197 U	0.000297 U	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.00102 J
	B-207-90	8/25/17	PES	ESC	90	-51.5	S	0.129 U	0.00826 U	0.0376 U	0.00659 U	0.00560 U	0.275 U	0.0492 U	0.00742 U	0.00780 U	0.0107 U	0.0116 U	0.0368 U	0.00606 U
B-208	B-208-20	8/24/17	PES	ESC	20	18.8	S	0.00553 U	0.000356 U	0.00162 U	0.000284 U	0.000241 U	0.0118 U	0.00212 U	0.000319 U	0.000336 U	0.000461 U	0.000501 U	0.00158 U	0.000261 U
	B-208-35	8/24/17	PES	ESC	35	3.8	S	0.00509 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0123 J	0.00195 U	0.000294 U	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.00136
	B-901-50	8/24/17	PES	ESC	35 (dup)	3.8	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000231 U	0.0135 J	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000480 U	0.00152 U	0.000864 J
	B-208-50	8/24/17	PES	ESC	50	-11.2	S	0.00517 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000468 U	0.00148 U	0.000930 J
	B-208-60	8/24/17	PES	ESC	60	-21.2	S	0.00521 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0227 J	0.00199 U	0.000440 J	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.00232
	B-208-70	8/24/17	PES	ESC	70	-31.2	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0144 J	0.00200 U	0.000302 U	0.000317 U	0.000436 U	0.000473 U	0.00150 U	0.00232
	B-208-80	8/24/17	PES	ESC	80	-41.2	S	0.00579 U	0.000372 U	0.00169 U	0.000297 U	0.000252 U	0.0124 U	0.00221 U	0.000334 U	0.000351 U	0.000482 U	0.000525 U	0.00166 U	0.000305 J
B-209	B-209-20	8/25/17	PES	ESC	20	19.0	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000493 U	0.00156 U	0.000257 U
	B-209-35	8/25/17	PES	ESC	35	4.0	S	0.00500 U	0.000321 U	0.00146 U	0.000256 U	0.000218 U	0.0123 J	0.00191 U	0.000288 U	0.000303 U	0.000417 U	0.000453 U	0.00143 U	0.00190
	B-209-50	8/25/17	PES	ESC	50	-11.0	S	0.00611 U	0.000393 U	0.00179 U	0.000313 U	0.000266 U	0.0130 U	0.00234 U	0.000352 U	0.000371 U	0.000509 U	0.000553 U	0.00175 U	0.000410 J
	B-209-60	8/25/17	PES	ESC	60	-21.0	S	0.00537 U	0.000346 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.00176
	B-209-70	8/25/17	PES	ESC	70	-31.0	S	0.00499 U	0.000321 U	0.00146 U	0.000256 U	0.000217 U	0.0107 U	0.00191 U	0.000288 U	0.000303 U	0.000416 U	0.000452 U	0.00143 U	0.00130
	B-209-75	8/25/17	PES	ESC	75	-36.0	S	0.00496 U	0.000319 U	0.00145 U	0.000255 U	0.000216 U	0.0115 J	0.00190 U	0.000286 U	0.000301 U	0.000414 U	0.000450 U	0.00142 U	0.000870 J
	B-209-80	8/25/17	PES	ESC	80	-41.0	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000499 J
B-210	B-210-6	8/21/17	PES	ESC	6	33.4	S	0.00552 U	0.000355 U	0.00162 U	0.000283 U	0.000241 U	0.0351 J	0.00211 U	0.000318 U	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.000327 J
	B-210-15	8/21/17	PES	ESC	15	24.4	S	0.127 U	0.00815 U	0.0371 U	0.00650 U	0.00553 U	0.271 U	0.0485 U	0.00731 U	0.00769 U	0.0106 U	0.0115 U	0.0363 U	0.00598 U
	B-210-20	8/21/17	PES	ESC	20	19.4	S	0.00521 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000301 U	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.000246 U
	B-210-35	8/21/17	PES	ESC	35	4.4	S	0.00540 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0115 U	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000489 U	0.00155 U	0.000783 J
	B-210-46	8/21/17	PES	ESC	46	-6.6	S	0.00510 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000271 J
	B-210-60	8/22/17	PES	ESC	60	-20.6	S	0.126 U	0.00807 U	0.0367 U	0.00644 U	0.00547 U	0.268 U	0.0481 U	0.00724 U	0.00762 U	0.0105 U	0.0114 U	0.0360 U	0.00592 U
	B-210-70	8/22/17	PES	ESC	70	-30.6	S	0.00505 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000421 U	0.000457 U	0.00145 U	0.000803 J
	B-210-80	8/22/17	PES	ESC	80	-40.6	S	0.00517 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000468 U	0.00148 U	0.000244 U
	B-900-20	8/22/17	PES	ESC	80 (dup)	-40.6	S	0.00556 U	0.000357 U	0.00163 U	0.000285 U	0.000242 U	0.0119 U	0.00213 U	0.000321 U	0.000337 U	0.000463 U	0.000504 U	0.00159 U	0.000262 U
B-211	B-211-20	8/17/17	PES	ESC	20	19.8	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.000247 U
	B-211-35	8/17/17	PES	ESC	35	4.8	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00201 U	0.000304 U	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.000481 J
	B-211-50	8/17/17	PES	ESC	50	-10.3	S	0.00506 U	0.000325 U	0.00148 U	0.000259 U	0.000221 U	0.0114 J	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000458 U	0.00145 U	0.000898 J
	B-211-57	8/17/17	PES	ESC	57	-17.3	S	0.00552 U	0.000355 U	0.00162 U	0.000283 U	0.000241 U	0.0118 U	0.00211 U	0.000318 U	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.00150
	B-211-60	8/17/17	PES	ESC	60	-20.3	S	0.00540 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000450 U	0.000489 U	0.00155 U	0.00223
	B-211-65	8/18/17	PES	ESC	65	-25.3	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000440 U	0.000479 U	0.00151 U	0.00239
	B-211-70	8/18/17	PES	ESC	70	-30.3	S	2.80 U	0.180 U	0.820 U	0.144 U	0.122 U	5.98 U	1.07 U	0.162 U	0.170 U	0.233 U	0.254 U	0.802 U	0.132 U
	B-211-80	8/18/17	PES	ESC	80	-40.3	S	0.127 U	0.00814 U	0.0370 U	0.00650 U	0.00552 U	0.271 U	0.0485 U	0.00731 U	0.00769 U	0.0106 U	0.0115 U	0.0363 U	0.00598 U
	B-211-90	8/18/17	PES	ESC	90	-50.3	S	0.136 U	0.00877 U	0.0399 U	0.00699 U	0.00594 U	0.291 U	0.0522 U	0.00787 U	0.00828 U	0.0114 U	0.0124 U	0.0391 U	0.00643 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-211 (continued)	B-211-100	8/18/17	PES	ESC	100	-60.3	S	0.00543 U	0.000349 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.000257 U
	B-211-110	8/18/17	PES	ESC	110	-70.3	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000244 U
	B-211-120	8/21/17	PES	ESC	120	-80.3	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.000248 U
B-216	B-216-20	9/1/17	PES	ESC	20	31.9	S	0.00504 U	0.000324 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.000700 J
	B-216-40	9/1/17	PES	ESC	40	11.9	S	0.00569 J	0.000327 U	0.00149 U	0.000260 U	0.000221 U	0.0269 J	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000272 J
	B-216-50	9/1/17	PES	ESC	50	1.9	S	0.00506 U	0.000325 U	0.00148 U	0.000259 U	0.000221 U	0.0108 U	0.00193 U	0.000292 U	0.000307 U	0.000422 U	0.000458 U	0.00145 U	0.000310 J
	B-216-55	9/1/17	PES	ESC	55	-3.1	S	0.0293	0.000339 U	0.00727 J	0.000270 U	0.000230 U	0.0386 J	0.00202 U	0.0221	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.00288
	B-216-65	9/1/17	PES	ESC	65	-13.1	S	0.00562 U	0.000361 U	0.00164 U	0.000288 U	0.000245 U	0.0145 J	0.00215 U	0.000324 U	0.000341 U	0.000468 U	0.000509 U	0.00161 U	0.000664 J
	B-216-85	9/1/17	PES	ESC	85	-33.1	S	0.0107 J	0.000363 U	0.00165 U	0.000289 U	0.000246 U	0.0220 J	0.00216 U	0.000541 J	0.000343 U	0.000470 U	0.000511 U	0.00162 U	0.00382
	B-216-95	9/1/17	PES	ESC	95	-43.1	S	0.00532 U	0.000342 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00203 U	0.000307 U	0.000323 U	0.000443 U	0.000482 U	0.00152 U	0.000251 U
B-217	B-217-15	9/5/17	PES	ESC	15	36.8	V	0.00531 U	0.000342 U	0.00155 U	0.000272 U	0.000232 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000443 U	0.000481 U	0.00152 U	0.000952 J
	B-217-25	9/5/17	PES	ESC	25	26.8	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000315 U	0.000432 U	0.000470 U	0.00149 U	0.000245 U
	B-217-35	9/5/17	PES	ESC	35	16.8	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
	B-217-42	9/5/17	PES	ESC	42	9.8	S	0.00535 U	0.000344 U	0.00157 U	0.000274 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.00112 J
	B-217-55	9/5/17	PES	ESC	55	-3.2	S	0.0155	0.000349 U	0.00159 U	0.000279 U	0.000237 U	0.0228 J	0.00208 U	0.000313 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.000321 J
	B-217-65	9/5/17	PES	ESC	65	-13.2	S	0.00539 U	0.000347 U	0.00158 U	0.000276 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.00111 J
	B-217-75	9/5/17	PES	ESC	75	-23.2	S	0.00561 U	0.000361 U	0.00164 U	0.000287 U	0.000244 U	0.0120 U	0.00214 U	0.000323 U	0.000340 U	0.000467 U	0.000508 U	0.00161 U	0.000452 J
	B-217-85	9/6/17	PES	ESC	85	-33.2	S	0.00533 U	0.000343 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000308 U	0.000324 U	0.000444 U	0.000483 U	0.00153 U	0.000537 J
	B-217-95	9/6/17	PES	ESC	95	-43.2	S	0.00566 U	0.000364 U	0.00166 U	0.000290 U	0.000247 U	0.0121 U	0.00216 U	0.000326 U	0.000343 U	0.000471 U	0.000512 U	0.00162 U	0.000267 U
	B-217-106	9/6/17	PES	ESC	106	-54.2	S	0.574 U	0.0369 U	0.168 U	0.0294 U	0.0250 U	1.23 U	0.219 U	0.0331 U	0.0348 U	0.0478 U	0.0520 U	0.164 U	0.0271 U
	B-217-115	9/6/17	PES	ESC	115	-63.2	S	0.00540 U	0.000348 U	0.00158 U	0.000277 U	0.000236 U	0.0115 U	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000490 U	0.00155 U	0.000255 U
B-218	B-218-12.5	9/19/17	PES	ESC	12.5	25.6	S	0.00533 U	0.000343 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000307 U	0.000323 U	0.000444 U	0.000483 U	0.00153 U	0.000252 U
	B-218-19	9/19/17	PES	ESC	19	19.1	S	0.00531 U	0.000342 U	0.00155 U	0.000272 U	0.000232 U	0.0114 U	0.00203 U	0.000306 U	0.000322 U	0.000443 U	0.000481 U	0.00152 U	0.000251 U
	B-218-25	9/19/17	PES	ESC	25	13.1	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000256 U
	B-218-40	9/19/17	PES	ESC	40	-1.9	S	0.288 U	0.0184 U	0.0842 U	0.0147 U	0.0125 U	0.615 U	0.110 U	0.0166 U	0.0175 U	0.0239 U	0.0260 U	0.0823 U	0.0136 U
	B-218-50	9/19/17	PES	ESC	50	-11.9	S	0.00499 U	0.000321 U	0.00146 U	0.000256 U	0.000218 U	0.0173 J	0.00191 U	0.000288 U	0.000303 U	0.000416 U	0.000452 U	0.00143 U	0.00186 J
	B-913-70	9/19/17	PES	ESC	50 (dup)	-11.9	S	0.00497 U	0.000320 U	0.00145 U	0.000255 U	0.000217 U	0.0106 U	0.00190 U	0.000287 U	0.000302 U	0.000414 U	0.000450 U	0.00142 U	0.00221 J
B-219	B-219-42	8/28/17	PES	ESC	42	-2.2	S	0.0125	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0356 J	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000984 J
	B-219-50	8/28/17	PES	ESC	50	-10.2	S	0.169	0.000356 U	0.00471 J	0.000284 U	0.000242 U	0.134 J	0.00212 U	0.000320 U	0.000336 U	0.000462 U	0.000502 U	0.00159 U	0.00184 J
	B-219-60	8/28/17	PES	ESC	60	-20.2	S	0.00504 U	0.000324 U	0.00147 U	0.000258 U	0.000220 U	0.0146 J	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000456 U	0.00144 U	0.000573 J
	B-219-70	8/28/17	PES	ESC	70	-30.2	S	0.0183	0.000343 U	0.00156 U	0.000274 U	0.000233 U	0.0237 J	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.00345 J
	B-219-80	8/28/17	PES	ESC	80	-40.2	S	0.00508 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00194 U	0.000293 U	0.000308 U	0.000424 U	0.000461 U	0.00146 U	0.000358 J
B-220	B-220-15	9/20/17	PES	ESC	15	23.9	S	0.00532 U	0.000342 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000307 U	0.000323 U	0.000443 U	0.000482 U	0.00152 U	0.000251 U
	B-220-29	9/20/17	PES	ESC	29	9.9	S	0.00592 J	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0387 J	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000493 U	0.00156 U	0.000360 J
	B-220-32	9/20/17	PES	ESC	32	6.9	S	0.00534 U	0.000343 U	0.00156 U	0.000274 U	0.000233 U	0.0114 U	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.000252 U
	B-220-40	9/20/17	PES	ESC	40	-1.1	S	0.00520 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.00104 J
	B-220-50	9/20/17	PES	ESC	50	-11.1	S	0.00503 U	0.000324 U	0.00147 U	0.000258 U	0.000219 U	0.0133 J	0.00193 U	0.000290 U	0.000305 U	0.000419 U	0.000456 U	0.00144 U	0.00188 J
	B-914-75	9/20/17	PES	ESC	50 (dup)	-11.1	S	0.00503 U	0.000324 U	0.00147 U	0.000258 U	0.000219 U	0.0204 J	0.00193 U	0.000290 U	0.000305 U	0.000419 U	0.000456 U	0.00144 U	0.00177 J
B-221	B-221-16	9/20/17	PES	ESC	16	23.0	S	0.137 U	0.00881 U	0.0401 U	0.00703 U	0.00598 U	0.293 U	0.0525 U	0.00791 U	0.00832 U	0.0114 U	0.0124 U	0.0393 U	0.00647 U
	B-221-22	9/20/17	PES	ESC	22	17.0	S	5.38 U	0.346 U	1.58 U	0.276 U	0.235 U	11.5 U	2.06 U	0.311 U	0.327 U	0.449 U	0.488 U	1.54 U	0.254 U
	B-221-33	9/20/17	PES	ESC	33	6.0	S	5.24 U	0.337 U	1.53 U	0.269 U	0.228 U	11.2 U	2.00 U	0.302 U	0.318 U	0.437 U	0.475 U	1.50 U	0.247 U
	B-221-37	9/20/17	PES	ESC	37	2.0	S	1.10 U	0.0708 U	0.322 U	0.0564 U	0.0480 U	2.35 U	0.421 U	0.0635 U	0.0668 U	0.0917 U	0.0997 U	0.315 U	0.0520 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-221 (continued)	B-915-80	9/20/17	PES	ESC	37 (dup)	2.0	S	0.536 U	0.0345 U	0.157 U	0.0275 U	0.0234 U	1.15 U	0.205 U	0.0309 U	0.0325 U	0.0447 U	0.0486 U	0.154 U	0.0253 U
	B-221-45	9/20/17	PES	ESC	45	-6.0	S	51.3 U	3.30 U	15.0 U	2.63 U	2.24 U	110 U	19.6 U	2.96 U	3.11 U	4.28 U	4.65 U	14.7 U	2.42 U
	B-221-50	9/20/17	PES	ESC	50	-11.0	S	2.54 U	0.163 U	0.745 U	0.131 U	0.111 U	5.44 U	0.973 U	0.147 U	0.154 U	0.212 U	0.231 U	0.729 U	0.120 U
	B-221-60	9/20/17	PES	ESC	60	-21.0	S	2.59 U	0.166 U	0.757 U	0.133 U	0.113 U	5.53 U	0.989 U	0.149 U	0.157 U	0.215 U	0.234 U	0.740 U	0.122 U
	B-221-70	9/21/17	PES	ESC	70	-31.0	S	0.00517 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00198 U	0.000298 U	0.000313 U	0.000431 U	0.000468 U	0.00148 U	0.000317 J
B-222	B-222-17	9/21/17	PES	ESC	17	22.2	S	0.00531 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.000299 J
	B-222-25	9/21/17	PES	ESC	25	14.2	S	0.00541 U	0.000348 U	0.00158 U	0.000277 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000328 U	0.000451 U	0.000490 U	0.00155 U	0.000255 U
	B-222-34	9/21/17	PES	ESC	34	5.2	S	0.00629 J	0.000337 U	0.00153 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000248 U
	B-222-42	9/21/17	PES	ESC	42	-2.8	S	0.00580 U	0.000373 U	0.00170 U	0.000298 U	0.000253 U	0.0124 U	0.00222 U	0.000387 J	0.000352 U	0.000484 U	0.000526 U	0.00166 U	0.00400
	B-222-50	9/21/17	PES	ESC	50	-10.8	S	0.251 U	0.0161 U	0.0735 U	0.0129 U	0.0109 U	0.536 U	0.0960 U	0.0145 U	0.0152 U	0.0209 U	0.0227 U	0.0719 U	0.0118 U
	B-916-30	9/21/17	PES	ESC	50 (dup)	-10.8	S	0.00496 U	0.000319 U	0.00145 U	0.000255 U	0.000216 U	0.0106 U	0.00190 U	0.000286 U	0.000301 U	0.000414 U	0.000450 U	0.00142 U	0.00171
B-223	B-223-16	9/21/17	PES	ESC	16	23.1	S	1.11 U	0.0711 U	0.324 U	0.0567 U	0.0482 U	2.36 U	0.423 U	0.0638 U	0.0671 U	0.0922 U	0.100 U	0.317 U	0.0522 U
	B-223-22	9/21/17	PES	ESC	22	17.1	S	1.07 U	0.0687 U	0.313 U	0.0548 U	0.0466 U	2.28 U	0.409 U	0.0617 U	0.0649 U	0.0891 U	0.0968 U	0.306 U	0.0505 U
	B-223-30	9/21/17	PES	ESC	30	9.1	S	129 U	8.28 U	37.7 U	6.61 U	5.61 U	275 U	49.3 U	7.43 U	7.82 U	10.7 U	11.7 U	36.9 U	6.08 U
	B-223-39	9/21/17	PES	ESC	39	0.1	S	0.00533 U	0.000343 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000308 U	0.000323 U	0.000444 U	0.000483 U	0.00153 U	0.000252 U
	B-223-47	9/21/17	PES	ESC	47	-7.9	S	0.00543 U	0.000349 U	0.00159 U	0.000279 U	0.000237 U	0.0138 J	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.00113 J
	B-917-57	9/21/17	PES	ESC	47 (dup)	-7.9	S	0.00503 U	0.000323 U	0.00147 U	0.000258 U	0.000219 U	0.0107 U	0.00192 U	0.000290 U	0.000305 U	0.000419 U	0.000456 U	0.00144 U	0.00100 J
B-224	B-224-6	11/27/17	PES	ESC	6	33.1	S	0.00506 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0135 J	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000239 U
	B-224-11	11/27/17	PES	ESC	11	28.1	S	0.0125 U	0.000805 U	0.00366 U	0.000642 U	0.00418	0.0995 J	0.00479 U	0.000722 U	0.000758 U	0.00104 U	0.00113 U	0.00357 U	0.0240
	B-224-16	11/27/17	PES	ESC	16	23.1	S	0.00566 U	0.000364 U	0.00166 U	0.000290 U	0.000247 U	0.0121 U	0.00216 U	0.000326 U	0.000343 U	0.000472 U	0.000513 U	0.00162 U	0.000267 U
	B-224-21.5	11/27/17	PES	ESC	21.5	17.6	S	0.00543 U	0.000349 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.000257 U
	B-224-26	11/27/17	PES	ESC	26	13.1	S	0.00619 U	0.000398 U	0.00181 U	0.000318 U	0.000269 U	0.0132 U	0.00236 U	0.000357 U	0.000376 U	0.000516 U	0.000560 U	0.00177 U	0.000292 U
	B-224-31	11/27/17	PES	ESC	31	8.1	S	0.00547 U	0.000352 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000316 U	0.000332 U	0.000456 U	0.000496 U	0.00157 U	0.000259 U
	B-224-36	11/27/17	PES	ESC	36	3.1	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.000245 U
	B-224-60.5	11/27/17	PES	ESC	60.5	-21.4	S	0.00756 U	0.000486 U	0.00221 U	0.000389 U	0.000330 U	0.0162 U	0.00290 U	0.000436 U	0.000460 U	0.000631 U	0.000685 U	0.00216 U	0.000609 J
B-225	B-225-5	11/27/17	PES	ESC	5	34.1	S	0.00508 U	0.000326 U	0.00149 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000240 U
	B-225-11	11/27/17	PES	ESC	11	28.1	S	0.00547 U	0.000352 U	0.00160 U	0.000281 U	0.000239 U	0.0117 U	0.00209 U	0.000316 U	0.000332 U	0.000456 U	0.000496 U	0.00157 U	0.000259 U
	B-225-16	11/27/17	PES	ESC	16	23.1	S	0.138 U	0.00885 U	0.0402 U	0.00706 U	0.00600 U	0.294 U	0.0527 U	0.00794 U	0.00835 U	0.0115 U	0.0125 U	0.0394 U	0.00649 U
	B-225-21	11/27/17	PES	ESC	21	18.1	S	0.133 U	0.00855 U	0.0389 U	0.00682 U	0.00580 U	0.284 U	0.0509 U	0.00767 U	0.00807 U	0.0111 U	0.0121 U	0.0381 U	0.00628 U
	B-225-26	11/27/17	PES	ESC	26	13.1	S	0.00550 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0118 U	0.00210 U	0.000317 U	0.000334 U	0.000458 U	0.000498 U	0.00157 U	0.000260 U
	B-225-31	11/27/17	PES	ESC	31	8.1	S	0.00535 U	0.000344 U	0.00157 U	0.000274 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.000253 U
	B-225-36	11/27/17	PES	ESC	36	3.1	S	0.00576 U	0.000371 U	0.00169 U	0.000296 U	0.000251 U	0.0123 U	0.00220 U	0.000333 U	0.000350 U	0.000480 U	0.000522 U	0.00165 U	0.000272 U
B-226	B-226-6	11/28/17	PES	ESC	6	33.1	S	0.00564 U	0.000363 U	0.00165 U	0.000289 U	0.000246 U	0.0120 U	0.00216 U	0.000325 U	0.000342 U	0.000470 U	0.000511 U	0.00161 U	0.000266 U
	B-226-11	11/28/17	PES	ESC	11	28.1	S	0.00531 U	0.000341 U	0.00155 U	0.000272 U	0.000241	0.0132 J	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.00146
	B-226-16	11/28/17	PES	ESC	16	23.1	S	0.131 U	0.00844 U	0.0384 U	0.00673 U	0.00572 U	0.280 U	0.0503 U	0.00757 U	0.00797 U	0.0109 U	0.0119 U	0.0376 U	0.00619 U
	B-920-35	11/28/17	PES	ESC	16 (dup)	23.1	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000314 U	0.000431 U	0.000469 U	0.00148 U	0.000710 J
	B-226-21	11/28/17	PES	ESC	21	18.1	S	0.00533 U	0.000343 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000308 U	0.000323 U	0.000444 U	0.000483 U	0.00153 U	0.000252 U
	B-226-31.5	11/28/17	PES	ESC	31.5	7.6	S	0.00498 U	0.000320 U	0.00146 U	0.000256 U	0.000217 U	0.0106 U	0.00191 U	0.000287 U	0.000302 U	0.000415 U	0.000451 U	0.00143 U	0.000372 J
	B-226-40	11/28/17	PES	ESC	40	-0.9	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.000491 J
B-227	B-227-6	11/28/17	PES	ESC	6	33.1	S	0.00534 U	0.000344 U	0.00156 U	0.000274 U	0.000233 U	0.0114 U	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.000252 U
	B-227-11	11/28/17	PES	ESC	11	28.1	S	0.00504 U	0.000324 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.000628 J
	B-227-16	11/28/17	PES	ESC	16	23.1	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000309 U	0.000325 U	0.000447 U	0.000486 U	0.00154 U	0.000253 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-227 (continued)	B-227-21	11/28/17	PES	ESC	21	18.1	S	0.00543 U	0.000349 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.000257 U
	B-227-26	11/28/17	PES	ESC	26	13.1	S	0.00545 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0116 U	0.00209 U	0.000315 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000257 U
	B-227-31	11/28/17	PES	ESC	31	8.1	S	0.00561 U	0.000361 U	0.00164 U	0.000288 U	0.000245 U	0.0120 U	0.00215 U	0.000324 U	0.000341 U	0.000468 U	0.000509 U	0.00161 U	0.000265 U
	B-227-36	11/28/17	PES	ESC	36	3.1	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
B-228	B-228-6	11/29/17	PES	ESC	6	33.1	S	0.00572 U	0.000368 U	0.00168 U	0.000294 U	0.000250 U	0.0122 U	0.00219 U	0.000330 U	0.000347 U	0.000477 U	0.000519 U	0.00164 U	0.000270 U
	B-228-11	11/29/17	PES	ESC	11	28.1	S	0.00520 U	0.000335 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000316 U	0.000433 U	0.000471 U	0.00149 U	0.000246 U
	B-228-16	11/29/17	PES	ESC	16	23.1	S	0.00504 U	0.000324 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.000238 U
	B-921-22	11/29/17	PES	ESC	16 (dup)	23.1	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
	B-228-21	11/29/17	PES	ESC	21	18.1	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000231 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00152 U	0.000250 U
	B-228-26	11/29/17	PES	ESC	26	13.1	S	0.00504 U	0.000324 U	0.00147 U	0.000258 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000456 U	0.00144 U	0.000238 U
	B-228-31	11/29/17	PES	ESC	31	8.1	S	0.00520 U	0.000334 U	0.00152 U	0.000266 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.000245 U
	B-228-36	11/29/17	PES	ESC	36	3.1	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00151 U	0.000250 U
B-229	B-229-6	11/29/17	PES	ESC	6	33.1	S	0.00685 U	0.000440 U	0.00200 U	0.000351 U	0.000299 U	0.0146 U	0.00262 U	0.000395 U	0.000416 U	0.000571 U	0.000620 U	0.00196 U	0.000323 U
	B-229-11	11/29/17	PES	ESC	11	28.1	S	0.00664 U	0.000427 U	0.00194 U	0.000341 U	0.000290 U	0.0142 U	0.00254 U	0.000383 U	0.000403 U	0.000554 U	0.000602 U	0.00190 U	0.00210
	B-229-16	11/29/17	PES	ESC	16	23.1	S	0.00558 U	0.000359 U	0.00163 U	0.000286 U	0.000243 U	0.0119 U	0.00213 U	0.000388 J	0.000339 U	0.000465 U	0.000505 U	0.00160 U	0.000547 J
	B-229-25	11/29/17	PES	ESC	25	14.1	S	0.00513 U	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0110 U	0.00196 U	0.000296 U	0.000311 U	0.000428 U	0.000465 U	0.00147 U	0.000242 U
	B-229-31	11/29/17	PES	ESC	31	8.1	S	0.00564 U	0.000363 U	0.00165 U	0.000289 U	0.000246 U	0.0121 U	0.00216 U	0.000326 U	0.000343 U	0.000470 U	0.000511 U	0.00162 U	0.000267 U
	B-229-36	11/29/17	PES	ESC	36	3.1	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000466 U	0.00147 U	0.000243 U
	B-229-41	11/29/17	PES	ESC	41	-1.9	S	0.00545 U	0.000350 U	0.00160 U	0.000279 U	0.000238 U	0.0116 U	0.00208 U	0.000314 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000257 U
	B-229-45	11/29/17	PES	ESC	45	-5.9	S	0.00560 U	0.000360 U	0.00164 U	0.000287 U	0.000244 U	0.0120 U	0.00214 U	0.000323 U	0.000340 U	0.000466 U	0.000507 U	0.00160 U	0.000547 J
B-230	B-230-6	11/30/17	PES	ESC	6	33.1	S	0.00494 U	0.000318 U	0.00145 U	0.000253 U	0.000215 U	0.0105 U	0.00189 U	0.000285 U	0.000300 U	0.000411 U	0.000447 U	0.00141 U	0.000233 U
	B-230-11	11/30/17	PES	ESC	11	28.1	S	0.00714 J	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0239 J	0.00196 U	0.000348 J	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.000241 U
	B-230-16	11/30/17	PES	ESC	16	23.1	S	1.30 U	0.0837 U	0.381 U	0.0668 U	0.0568 U	2.78 U	0.499 U	0.0751 U	0.0790 U	0.109 U	0.118 U	0.373 U	0.0614 U
	B-230-21	11/30/17	PES	ESC	21	18.1	S	11.2 U	0.719 U	3.27 U	0.573 U	0.487 U	23.9 U	4.27 U	0.645 U	0.678 U	0.931 U	1.01 U	3.20 U	0.528 U
	B-922-15	11/30/17	PES	ESC	21 (dup)	18.1	S	5.65 U	0.363 U	1.65 U	0.290 U	0.246 U	12.1 U	2.16 U	0.326 U	0.343 U	0.471 U	0.512 U	1.62 U	0.267 U
	B-230-26	11/30/17	PES	ESC	26	13.1	S	14.0 U	0.901 U	4.10 U	0.719 U	0.611 U	30.0 U	5.37 U	0.809 U	0.851 U	1.17 U	1.27 U	4.01 U	0.662 U
	B-230-31	11/30/17	PES	ESC	31	8.1	S	5.82 U	0.374 U	1.70 U	0.299 U	0.254 U	12.4 U	2.23 U	0.336 U	0.353 U	0.485 U	0.527 U	1.67 U	0.275 U
	B-230-35	11/30/17	PES	ESC	35	4.1	S	0.845 U	0.0543 U	0.248 U	0.0433 U	0.0368 U	1.81 U	0.324 U	0.0488 U	0.0512 U	0.0705 U	0.0766 U	0.242 U	0.0399 U
B-231	B-230-55	11/30/17	PES	ESC	55	-15.9	S	1.40 U	0.0903 U	0.410 U	0.0720 U	0.0612 U	3.00 U	0.538 U	0.0810 U	0.0852 U	0.117 U	0.127 U	0.402 U	0.0663 U
	B-231-6	11/30/17	PES	ESC	6	33.1	S	0.00577 U	0.000371 U	0.00169 U	0.000296 U	0.000252 U	0.0123 U	0.00221 U	0.000333 U	0.000350 U	0.000481 U	0.000523 U	0.00165 U	0.000273 U
	B-231-11	11/30/17	PES	ESC	11	28.1	S	0.00552 U	0.000355 U	0.00161 U	0.000283 U	0.000240 U	0.0118 U	0.00211 U	0.000318 U	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.000260 U
	B-231-16	11/30/17	PES	ESC	16	23.1	S	0.131 U	0.00843 U	0.0383 U	0.00672 U	0.00571 U	0.280 U	0.0502 U	0.00756 U	0.00796 U	0.0109 U	0.0119 U	0.0375 U	0.00618 U
	B-231-21	11/30/17	PES	ESC	21	18.1	S	0.310 U	0.0200 U	0.0906 U	0.0159 U	0.0135 U	0.661 U	0.118 U	0.0179 U	0.0188 U	0.0258 U	0.0281 U	0.0886 U	0.0146 U
	B-231-26	11/30/17	PES	ESC	26	13.1	S	0.00630 J	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.000687 J
	B-231-30	11/30/17	PES	ESC	30	9.1	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000249 U
	B-231-36	11/30/17	PES	ESC	36	3.1	S	0.00640 J	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.000409 J
B-232	B-232-6	12/1/17	PES	ESC	6	33.1	S	0.00951 J	0.000355 U	0.00162 U	0.000283 U	0.00115 J	0.0263 J	0.00211 U	0.000380 J	0.000335 U	0.000460 U	0.000501 U	0.00158 U	0.00105 J
	B-232-11	12/1/17	PES	ESC	11	28.1	S	0.00623 U	0.000400 U	0.00182 U	0.000319 U	0.000373 J	0.0206 J	0.00238 U	0.000378 U	0.000630 J+	0.000519 U	0.000564 U	0.00178 U	0.00310
	B-232-16	12/1/17	PES	ESC	16	23.1	S	0.00548 U	0.000352 U	0.00160 U	0.000281 U	0.000239 U	0.0117 U	0.00210 U	0.000316 U	0.000333 U	0.000457 U	0.000496 U	0.00157 U	0.000259 U
	B-232-21	12/1/17	PES	ESC	21	18.1	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000475 U	0.00150 U	0.000247 U
	B-232-26	12/1/17	PES	ESC	26	13.1	S	0.174 U	0.0112 U	0.0512 U	0.00897 U	0.00763 U	0.374 U	0.0669 U	0.0101 U	0.0106 U	0.0146 U	0.0159 U	0.0501 U	0.00826 U
	B-232-31	12/1/17	PES	ESC	31	8.1	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000440 U	0.000479 U	0.00151 U	0.000250 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-232 (continued)	B-232-36	12/1/17	PES	ESC	36	3.1	S	0.00555 U	0.000357 U	0.00162 U	0.000284 U	0.000242 U	0.0119 U	0.00212 U	0.000320 U	0.000337 U	0.000462 U	0.000503 U	0.00159 U	0.000262 U
B-233	B-233-6	12/1/17	PES	ESC	6	29.5	S	0.00505 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000421 U	0.000458 U	0.00145 U	0.000238 U
	B-233-11	12/1/17	PES	ESC	11	24.5	S	0.0130 U	0.000839 U	0.00383 U	0.000669 U	0.00104 J	0.104 J	0.00499 U	0.00167 J+	0.000792 U	0.00109 U	0.00118 U	0.00374 U	0.0211
	B-233-16	12/1/17	PES	ESC	16	19.5	S	0.00660 U	0.000425 U	0.00194 U	0.000338 U	0.000288 U	0.0141 U	0.00252 U	0.000420 J	0.000401 U	0.000550 U	0.000598 U	0.00189 U	0.000312 U
	B-233-21	12/1/17	PES	ESC	21	14.5	S	0.133 U	0.00858 U	0.0390 U	0.00685 U	0.00582 U	0.285 U	0.0511 U	0.00770	0.00810 U	0.0111 U	0.0121 U	0.0382 U	0.00630 U
	B-233-26	12/1/17	PES	ESC	26	9.5	S	0.280 U	0.0179 U	0.0819 U	0.0143 U	0.0122 U	0.598 U	0.107 U	0.0161 U	0.0170 U	0.0233 U	0.0253 U	0.0801 U	0.0131 U
	B-233-31	12/1/17	PES	ESC	31	4.5	S	0.145 U	0.00935 U	0.0425 U	0.00746 U	0.00634 U	0.311 U	0.0557 U	0.00839 U	0.00883 U	0.0121 U	0.0132 U	0.0417 U	0.00686 U
	B-233-36	12/1/17	PES	ESC	36	-0.5	S	0.132 U	0.00846 U	0.0385 U	0.00675 U	0.00574 U	0.281 U	0.0504 U	0.00760 U	0.00799 U	0.0110 U	0.0119 U	0.0377 U	0.00621 U
B-234	B-234-11	12/4/17	PES	ESC	11	40.8	V	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000493 U	0.00156 U	0.000257 U
	B-234-30	12/4/17	PES	ESC	30	21.8	S	0.00495 U	0.000319 U	0.00145 U	0.000254 U	0.000216 U	0.0106 U	0.00189 U	0.000286 U	0.000301 U	0.000413 U	0.000449 U	0.00142 U	0.000234 U
B-234A	B-234A-35	12/4/17	PES	ESC	35	16.8	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000310 U	0.000326 U	0.000447 U	0.000486 U	0.00154 U	0.000254 U
	B-234A-40	12/4/17	PES	ESC	40	11.8	S	0.00504 U	0.000324 U	0.00147 U	0.000258 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000456 U	0.00144 U	0.000238 U
	B-234A-42	12/4/17	PES	ESC	42	9.8	S	0.00573 U	0.000369 U	0.00168 U	0.000294 U	0.000250 U	0.0123 U	0.00219 U	0.000331 U	0.000348 U	0.000478 U	0.000519 U	0.00164 U	0.000271 U
	B-924-30	12/4/17	PES	ESC	42 (dup)	9.8	S	0.00568 U	0.000366 U	0.00166 U	0.000292 U	0.000248 U	0.0121 U	0.00217 U	0.000328 U	0.000345 U	0.000474 U	0.000515 U	0.00163 U	0.000268 U
	B-234A-45	12/4/17	PES	ESC	45	6.8	S	0.00676 J	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0150 J	0.00202 U	0.000304 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000271 J
B-235	B-235-15	12/5/17	PES	ESC	15	36.8	V	0.00561 U	0.000361 U	0.00164 U	0.000288 U	0.000245 U	0.0120 U	0.00215 U	0.000325 U	0.000341 U	0.000468 U	0.000509 U	0.00161 U	0.000266 U
	B-235-35	12/5/17	PES	ESC	35	16.8	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000314 U	0.000432 U	0.000469 U	0.00148 U	0.000245 U
	B-235-40	12/5/17	PES	ESC	40	11.8	S	0.00513 U	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0110 U	0.00196 U	0.000326 J	0.000311 U	0.000427 U	0.000465 U	0.00147 U	0.000472 J
	B-235-42.5	12/5/17	PES	ESC	42.5	9.3	S	1.02 U	0.0657 U	0.299 U	0.0524 U	0.0446 U	2.18 U	0.391 U	0.0590 U	0.0620 U	0.0852 U	0.0926 U	0.293 U	0.0483 U
	B-235-45	12/5/17	PES	ESC	45	6.8	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.000767 J
B-236	B-236-20	12/5/17	PES	ESC	20	31.8	S	0.00535 U	0.000344 U	0.00157 U	0.000274 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.000253 U
	B-236-35	12/5/17	PES	ESC	35	16.8	S	0.00848 U	0.000546 U	0.00248 U	0.000435 U	0.000369 U	0.0181 U	0.00325 U	0.000489 U	0.000515 U	0.000707 U	0.000768 U	0.00242 U	0.000400 U
	B-236-40	12/5/17	PES	ESC	40	11.8	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000314 U	0.000432 U	0.000469 U	0.00148 U	0.000767 J
	B-236-42.5	12/5/17	PES	ESC	42.5	9.3	S	5.49 U	0.353 U	1.61 U	0.281 U	0.239 U	11.7 U	2.10 U	0.317 U	0.333 U	0.457 U	0.497 U	1.57 U	0.259 U
	B-236-45	12/5/17	PES	ESC	45	6.8	S	1.84 U	0.118 U	0.538 U	0.0943 U	0.0801 U	3.93 U	0.703 U	0.106 U	0.112 U	0.153 U	0.166 U	0.527 U	0.0868 U
B-237	B-237-5	12/6/17	PES	ESC	5	46.8	V	0.00545 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0197 J	0.00208 U	0.000314 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000257 U
	B-237-35	12/6/17	PES	ESC	35	16.8	S	0.00547 U	0.000352 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000332 U	0.000456 U	0.000495 U	0.00157 U	0.000258 U
	B-237-40	12/6/17	PES	ESC	40	11.8	S	0.00503 U	0.000323 U	0.00147 U	0.000258 U	0.000219 U	0.0107 U	0.00192 U	0.000290 U	0.000305 U	0.000419 U	0.000456 U	0.00144 U	0.000237 U
	B-237-42	12/6/17	PES	ESC	42	9.8	S	0.00553 U	0.000356 U	0.00162 U	0.000284 U	0.000241 U	0.0118 U	0.00212 U	0.000319 U	0.000336 U	0.000461 U	0.000501 U	0.00158 U	0.000656 J
	B-925-41	12/6/17	PES	ESC	42 (dup)	9.8	S	0.598 U	0.0384 U	0.175 U	0.0306 U	0.0260 U	1.28 U	0.229 U	0.0345 U	0.0363 U	0.0498 U	0.0541 U	0.171 U	0.0282 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	0.0167	0.000387 U	0.00176 U	0.000309 U	0.000263 U	0.0264 J	0.00230 U	0.000348 U	0.000366 U	0.000502 U	0.000546 U	0.00172 U	0.00125 J
B-238	B-238-6	12/6/17	PES	ESC	6	33.1	S	0.00546 U	0.000351 U	0.00182 J	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000331 U	0.000455 U	0.000494 U	0.00156 U	0.000258 U
	B-238-11	12/6/17	PES	ESC	11	28.1	S	0.0228	0.000350 U	0.0164	0.000279 U	0.000241 J	0.0287 J	0.00208 U	0.000929 J+	0.000330 U	0.000454 U	0.000493 U	0.00156 U	0.00139
	B-238-16	12/6/17	PES	ESC	16	23.1	S	1.34 U	0.0860 U	0.391 U	0.0686 U	0.0584 U	2.86 U	0.513 U	0.0772 U	0.0812 U	0.112 U	0.121 U	0.383 U	0.0632 U
	B-238-21	12/6/17	PES	ESC	21	18.1	S	5.22 U	0.336 U	1.53 U	0.268 U	0.228 U	11.2 U	2.00 U	0.301 U	0.317 U	0.435 U	0.473 U	1.50 U	0.247 U
	B-238-26	12/6/17	PES	ESC	26	13.1	S	0.00523 U	0.000337 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
	B-238-31	12/6/17	PES	ESC	31	8.1	S	0.00496 U	0.000319 U	0.00145 U	0.000254 U	0.000216 U	0.0106 U	0.00190 U	0.000286 U	0.000301 U	0.000413 U	0.000449 U	0.00142 U	0.000234 U
	B-238-36	12/6/17	PES	ESC	36	3.1	S	0.00548 U	0.000353 U	0.00160 U	0.000281 U	0.000239 U	0.0117 U	0.00210 U	0.000316 U	0.000333 U	0.000457 U	0.000497 U	0.00157 U	0.000486 J
B-239	B-239-5	4/3/18	PES	ESC	5	34.2	S	0.00557 U	0.000358 U	0.00163 U	0.000286 U	0.000243 U	0.0119 U	0.00213 U	0.000321 U	0.000338 U	0.000464 U	0.000504 U	0.00159 U	0.000263 U
	B-239-10	4/3/18	PES	ESC	10	29.2	S	0.00552 U	0.000355 U	0.00162 U	0.000283 U	0.000241 U	0.0118 U	0.00211 U	0.000319 U	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.000271 J
	B-239-15	4/3/18	PES	ESC	15	24.2	S	0.00533 U	0.000343 U	0.00156 U	0.000273 U	0.000232 U	0.0122 J	0.00204 U	0.000307 U	0.000323 U	0.000444 U	0.000483 U	0.00153 U	0.000467 J
	B-239-20	4/3/18	PES	ESC	20	19.2	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000249 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-239 (continued)	B-239-25	4/3/18	PES	ESC	25	14.2	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000309 U	0.000325 U	0.000447 U	0.000486 U	0.00153 U	0.000253 U
	B-239-35	4/3/18	PES	ESC	35	4.2	S	0.00507 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000540 J
	B-239-40	4/3/18	PES	ESC	40	-0.8	S	0.00531 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.000553 J
	B-239-45	4/3/18	PES	ESC	45	-5.8	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000229 U	0.0156 J	0.00201 U	0.000302 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000248 U
	B-239-50	4/3/18	PES	ESC	50	-10.8	S	0.00517 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000468 U	0.00148 U	0.000244 U
	B-909-50	4/3/18	PES	ESC	50 (dup)	-10.8	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000316 U	0.000433 U	0.000471 U	0.00149 U	0.000246 U
	B-239-55	4/3/18	PES	ESC	55	-15.8	S	0.00533 U	0.000342 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000307 U	0.000323 U	0.000444 U	0.000482 U	0.00152 U	0.000251 U
	B-239-60	4/3/18	PES	ESC	60	-20.8	S	0.00523 U	0.000337 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
	B-239-65	4/3/18	PES	ESC	65	-25.8	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000317 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
	B-239-70	4/3/18	PES	ESC	70	-30.8	S	0.00521 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0124 J	0.00199 U	0.000301 U	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.000311 J
	B-239-75	4/3/18	PES	ESC	75	-35.8	S	0.00539 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000450 U	0.000489 U	0.00154 U	0.000255 U
	B-239-80	4/3/18	PES	ESC	80	-40.8	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.000253 U
B-240	B-240-5	4/2/18	PES	ESC	5	34.2	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00198 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000247 J
	B-240-10	4/2/18	PES	ESC	10	29.2	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000325 J	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.000576 J
	B-240-15	4/2/18	PES	ESC	15	24.2	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000310 U	0.000326 U	0.000447 U	0.000486 U	0.00154 U	0.000254 U
	B-240-20	4/2/18	PES	ESC	20	19.2	S	0.00545 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000257 U
	B-240-25	4/2/18	PES	ESC	25	14.2	S	0.261 U	0.0168 U	0.0765 U	0.0134 U	0.0114 U	0.559 U	0.100 U	0.0151 U	0.0159 U	0.0218 U	0.0237 U	0.0748 U	0.0123 U
	B-240-30	4/2/18	PES	ESC	30	9.2	S	0.00564 U	0.000363 U	0.00165 U	0.000289 U	0.000246 U	0.0120 U	0.00216 U	0.000325 U	0.000342 U	0.000470 U	0.000511 U	0.00161 U	0.000266 U
	B-240-35	4/2/18	PES	ESC	35	4.2	S	0.00562 U	0.000361 U	0.00165 U	0.000288 U	0.000245 U	0.0120 U	0.00215 U	0.000324 U	0.000341 U	0.000468 U	0.000509 U	0.00161 U	0.000265 U
	B-240-42	4/2/18	PES	ESC	42	-2.8	S	0.00504 U	0.000324 U	0.00147 U	0.000258 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000456 U	0.00144 U	0.000238 U
	B-240-45	4/2/18	PES	ESC	45	-5.8	S	0.00496 U	0.000319 U	0.00145 U	0.000254 U	0.000216 U	0.0106 U	0.00190 U	0.000286 U	0.000301 U	0.000414 U	0.000450 U	0.00142 U	0.000234 U
	B-240-50	4/2/18	PES	ESC	50	-10.8	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.000249 U
	B-240-55	4/2/18	PES	ESC	55	-15.8	S	0.00543 U	0.000349 U	0.00159 U	0.000278 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000329 U	0.000452 U	0.000492 U	0.00155 U	0.000256 U
	B-240-60	4/2/18	PES	ESC	60	-20.8	S	0.00545 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000291 J
	B-240-65	4/2/18	PES	ESC	65	-25.8	S	0.00507 U	0.000326 U	0.00149 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000240 U
	B-240-70	4/2/18	PES	ESC	70	-30.8	S	0.00541 U	0.000348 U	0.00158 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000329 U	0.000451 U	0.000491 U	0.00155 U	0.000256 U
	B-240-75	4/2/18	PES	ESC	75	-35.8	S	0.00514 U	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000243 U
	B-240-80	4/2/18	PES	ESC	80	-40.8	S	0.00532 U	0.000342 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000307 U	0.000323 U	0.000444 U	0.000482 U	0.00152 U	0.000251 U
B-241	B-241-5	4/4/18	PES	ESC	5	34.1	S	0.00508 U	0.000326 U	0.00149 U	0.000260 U	0.000284 J	0.0108 U	0.00194 U	0.000118 J	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000263 J
	B-241-10	4/4/18	PES	ESC	10	29.1	S	0.00531 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.000251 U
	B-241-15	4/4/18	PES	ESC	15	24.1	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.000247 U
	B-241-20	4/4/18	PES	ESC	20	19.1	S	0.00570 U	0.000366 U	0.00167 U	0.000292 U	0.000248 U	0.0122 U	0.00218 U	0.000329 U	0.000346 U	0.000475 U	0.000516 U	0.00163 U	0.000269 U
	B-241-25	4/4/18	PES	ESC	25	14.1	S	0.0137 J	0.000340 U	0.00155 U	0.000271 U	0.000231 U	0.0254 J	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00151 U	0.000732 J
	B-241-30	4/3/18	PES	ESC	30	9.1	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000319 U	0.000437 U	0.000476 U	0.00150 U	0.000248 U
	B-241-35	4/3/18	PES	ESC	35	4.1	S	0.00637 J	0.000348 U	0.00159 U	0.000278 U	0.000236 U	0.0143 J	0.00207 U	0.000313 U	0.000329 U	0.000451 U	0.000491 U	0.00155 U	0.000607 J
	B-241-40	4/3/18	PES	ESC	40	-0.9	S	0.00514 U	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0110 U	0.00196 U	0.000296 U	0.000312 U	0.000428 U	0.000465 U	0.00147 U	0.000248 J
	B-241-45	4/3/18	PES	ESC	45	-5.9	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000225 U	0.0110 U	0.00197 U	0.000370 J+	0.000313 U	0.000429 U	0.000467 U	0.00148 U	0.00101 J
	B-241-50	4/4/18	PES	ESC	50	-10.9	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000439 U	0.000478 U	0.00151 U	0.000197 J
	B-241-55	4/4/18	PES	ESC	55	-15.9	S	0.00545 U	0.000350 U	0.00160 U	0.000279 U	0.000238 U	0.0116 U	0.00208 U	0.000314 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000986 J
	B-241-60	4/3/18	PES	ESC	60	-20.9	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000247 U
	B-241-65	4/3/18	PES	ESC	65	-25.9	S	0.00554 U	0.000356 U	0.00162 U	0.000284 U	0.000241 U	0.0118 U	0.00212 U	0.000470 J	0.000336 U	0.000462 U	0.000502 U	0.00159 U	0.000849 J
	B-241-70	4/3/18	PES	ESC	70	-30.9	S	0.00540 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0115 U	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000489 U	0.00155 U	0.000255 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-241 (continued)	B-241-75	4/3/18	PES	ESC	75	-35.9	S	0.00546 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000331 U	0.000455 U	0.000494 U	0.00156 U	0.000320 J
	B-241-80	4/4/18	PES	ESC	80	-40.9	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
B-242	B-242-5	4/4/18	PES	ESC	5	33.8	S	0.00508 U	0.000327 U	0.00149 U	0.000260 U	0.000221 U	0.0109 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000251 J
	B-242-10	4/4/18	PES	ESC	10	28.8	S	0.00512 U	0.000329 U	0.00150 U	0.000263 U	0.000223 U	0.0109 U	0.00196 U	0.000296 U	0.000311 U	0.000427 U	0.000464 U	0.00147 U	0.000242 U
	B-242-15	4/4/18	PES	ESC	15	23.8	S	0.00546 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000331 U	0.000455 U	0.000494 U	0.00156 U	0.000258 U
	B-242-20	4/4/18	PES	ESC	20	18.8	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000480 U	0.00152 U	0.000250 U
	B-242-25	4/4/18	PES	ESC	25	13.8	S	0.516 U	0.0332 U	0.151 U	0.0265 U	0.0225 U	1.10 U	0.197 U	0.0298 U	0.0313 U	0.0430 U	0.0467 U	0.148 U	0.0244 U
	B-242-30	4/4/18	PES	ESC	30	8.8	S	0.00523 U	0.000337 U	0.00153 U	0.000268 U	0.000228 U	0.0148 J	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
	B-242-35	4/4/18	PES	ESC	35	3.8	S	0.0301 J	0.000347 U	0.00158 U	0.000276 U	0.000235 U	0.118 J	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.000364 J
	B-242-40	4/4/18	PES	ESC	40	-1.2	S	0.00927 J	0.000329 U	0.00150 U	0.000263 U	0.000223 U	0.0493 J	0.00196 U	0.000295 U	0.000311 U	0.000427 U	0.000464 U	0.00147 U	0.000693 J
	B-242-45	4/4/18	PES	ESC	45	-6.2	S	0.00541 U	0.000348 U	0.00158 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000328 U	0.000451 U	0.000490 U	0.00155 U	0.000256 U
	B-242-50	4/4/18	PES	ESC	50	-11.2	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0119 J	0.00200 U	0.000302 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000247 U
	B-910-50	4/4/18	PES	ESC	50 (dup)	-11.2	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0113 J	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.000815 J
	B-242-55	4/4/18	PES	ESC	55	-16.2	S	0.00514 U	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000243 U
	B-242-60	4/4/18	PES	ESC	60	-21.2	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000248 J
	B-242-65	4/4/18	PES	ESC	65	-26.2	S	0.00507 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000308 U	0.000422 U	0.000459 U	0.00145 U	0.000320 J
	B-242-70	4/4/18	PES	ESC	70	-31.2	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000309 U	0.000325 U	0.000447 U	0.000486 U	0.00153 U	0.000253 U
	B-242-75	4/4/18	PES	ESC	75	-36.2	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000470 U	0.00149 U	0.00136 J
	B-242-80	4/4/18	PES	ESC	80	-41.2	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000256 U
B-243	B-243-5	3/29/18	PES	ESC	5	34.9	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.000257 U
	B-243-10	3/29/18	PES	ESC	10	29.9	S	0.00532 U	0.000342 U	0.00156 U	0.000273 U	0.000749 J	0.0114 U	0.00203 U	0.000307 U	0.000323 U	0.000443 U	0.000482 U	0.00152 U	0.000251 U
	B-243-15	3/29/18	PES	ESC	15	24.9	S	0.132 U	0.00851 U	0.0387 U	0.00679 U	0.00577 U	0.283 U	0.0507 U	0.00764 U	0.00803 U	0.0110 U	0.0120 U	0.0379 U	0.00625 U
	B-243-20	3/29/18	PES	ESC	20	19.9	S	0.00540 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000450 U	0.000489 U	0.00155 U	0.000255 U
	B-243-25	3/29/18	PES	ESC	25	14.9	S	0.00522 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000301 U	0.000316 U	0.000435 U	0.000472 U	0.00149 U	0.000246 U
	B-243-30	3/29/18	PES	ESC	30	9.9	S	0.00510 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000241 U
	B-243-35	3/29/18	PES	ESC	35	4.9	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000315 U	0.000432 U	0.000470 U	0.00148 U	0.00114 J
	B-243-42	3/29/18	PES	ESC	42	-2.1	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.00163 J
	B-243-45	3/29/18	PES	ESC	45	-5.1	S	0.00507 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000459 U	0.00145 U	0.00150 J
	B-243-50	3/29/18	PES	ESC	50	-10.1	S	0.00540 U	0.000348 U	0.00158 U	0.000277 U	0.000236 U	0.0115 U	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000490 U	0.00155 U	0.00489 J
	IW-908-50	3/29/18	PES	ESC	50 (dup)	-10.1	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000231 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000480 U	0.00152 U	0.00351 J
	B-243-55	3/29/18	PES	ESC	55	-15.1	S	0.00505 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000292 U	0.000307 U	0.000421 U	0.000458 U	0.00145 U	0.00187 J
	B-243-60	3/29/18	PES	ESC	60	-20.1	S	0.00535 U	0.000344 U	0.00157 U	0.000274 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.00152 J
	B-243-65	3/29/18	PES	ESC	65	-25.1	S	0.00514 U	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000841 J
	B-243-70	3/29/18	PES	ESC	70	-30.1	S	0.00543 U	0.000349 U	0.00159 U	0.000278 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000329 U	0.000452 U	0.000492 U	0.00155 U	0.000289 J
	B-243-75	3/29/18	PES	ESC	75	-35.1	S	0.00558 U	0.000359 U	0.00163 U	0.000286 U	0.000243 U	0.0119 U	0.00213 U	0.000322 U	0.000338 U	0.000465 U	0.000505 U	0.00160 U	0.000263 U
	B-243-80	3/29/18	PES	ESC	80	-40.1	S	0.00568 U	0.000366 U	0.00166 U	0.000292 U	0.000248 U	0.0121 U	0.00217 U	0.000328 U	0.000345 U	0.000474 U	0.000515 U	0.00163 U	0.000471 J
B-244	B-244-5	3/28/18	PES	ESC	5	33.8	S	0.0320 J	0.000380 U	0.0102 J	0.000303 U	0.000257 U	0.125 J	0.00226 U	0.00411 J	0.000358 U	0.000492 U	0.000535 U	0.00169 U	0.00929 J
	B-244-10	3/28/18	PES	ESC	10	28.8	S	0.00628 J	0.000359 U	0.00163 U	0.000286 U	0.000243 U	0.0308 J	0.00213 U	0.000911 J	0.000338 U	0.000465 U	0.000505 U	0.00160 U	0.00132 J
	B-244-15	3/28/18	PES	ESC	15	23.8	S	0.00534 U	0.000343 U	0.00156 U	0.000274 U	0.000233 U	0.0138 J	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.00161 J
	B-244-20	3/28/18	PES	ESC	20	18.8	S	0.00531 U	0.000342 U	0.00155 U	0.000272 U	0.000231 U	0.0126 J	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.000710 J
	B-244-25	3/28/18	PES	ESC	25	13.8	S	0.00495 U	0.000319 U	0.00145 U	0.000254 U	0.000216 U	0.0107 J	0.00190 U	0.000286 U	0.000301 U	0.000413 U	0.000449 U	0.00142 U	0.000234 U
	B-244-30	3/28/18	PES	ESC	30	8.8	S	0.00512 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0133 J	0.00196 U	0.000295 U	0.000311 U	0.000426 U	0.000464 U	0.00147 U	0.000655 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-244 (continued)	B-244-35	3/28/18	PES	ESC	35	3.8	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0135 J	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.00116 J
	B-244-40	3/28/18	PES	ESC	40	-1.2	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000822 J
	B-244-42	3/28/18	PES	ESC	42	-3.2	S	0.132 U	0.00846 U	0.0385 U	0.00675 U	0.00574 U	0.281 U	0.0504 U	0.00759 U	0.00799 U	0.0110 U	0.0119 U	0.0377 U	0.00621 U
	B-244-45	3/28/18	PES	ESC	45	-6.2	S	0.00730 J	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0273 J	0.00201 U	0.000304 U	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.00162 J
	B-244-50	3/28/18	PES	ESC	50	-11.2	S	0.00518 U	0.000333 U	0.00152 U	0.000265 U	0.000226 U	0.0285 J	0.00198 U	0.000299 U	0.000314 U	0.000431 U	0.000469 U	0.00148 U	0.00124 J
	B-244-55	3/28/18	PES	ESC	55	-16.2	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000225 U	0.0177 J	0.00197 U	0.000297 U	0.000313 U	0.000429 U	0.000467 U	0.00148 U	0.00270 J
	B-244-60	3/28/18	PES	ESC	60	-21.2	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0411 J	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.00140 J
	B-244-65	3/28/18	PES	ESC	65	-26.2	S	0.00655 J	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0220 J	0.00203 U	0.000184	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.00144 J
	B-244-70	3/28/18	PES	ESC	70	-31.2	S	0.00508 U	0.000327 U	0.00149 U	0.000261 U	0.000221 U	0.0157 J	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.00118 J
	IW-907-70	3/28/18	PES	ESC	70 (dup)	-31.2	S	0.00509 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0151 J	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000931 J
B-245	B-244-75	3/28/18	PES	ESC	75	-36.2	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0128 J	0.00205 U	0.000310 U	0.000326 U	0.000447 U	0.000486 U	0.00154 U	0.000969 J
	B-244-80	3/28/18	PES	ESC	80	-41.2	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000493 U	0.00156 U	0.000257 U
	B-245-5	3/28/18	PES	ESC	5	34.9	V	0.00509 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0278 J	0.00195 U	0.000294 U	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.000240 U
	B-245-10	3/28/18	PES	ESC	10	29.9	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000310 U	0.000326 U	0.000447 U	0.000486 U	0.00154 U	0.000254 U
	B-245-15	3/28/18	PES	ESC	15	24.9	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0121 J	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000256 U
	B-245-20	3/28/18	PES	ESC	20	19.9	S	0.00505 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000292 U	0.000307 U	0.000421 U	0.000458 U	0.00145 U	0.000239 U
	B-245-25	3/28/18	PES	ESC	25	14.9	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0121 J	0.00203 U	0.000306 U	0.000321 U	0.000441 U	0.000480 U	0.00152 U	0.000250 U
	B-245-30	3/29/18	PES	ESC	30	9.9	S	0.0101 U	0.000647 U	0.00294 U	0.000516 U	0.000438 U	0.0659 J	0.00384 U	0.000580 U	0.000610 U	0.000838 U	0.000912 U	0.00289 U	0.00248
	B-245-35	3/29/18	PES	ESC	35	4.9	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00201 U	0.000419 J	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.000730 J
	B-245-40	3/29/18	PES	ESC	40	-0.1	S	0.0178	0.000335 U	0.00152 U	0.000267 U	0.000227 U	0.0537 J	0.00199 U	0.000301 U	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.000820 J
B-246	B-245-45	3/29/18	PES	ESC	45	-5.1	S	0.0126	0.000335 U	0.00152 U	0.000267 U	0.000227 U	0.0272 J	0.00199 U	0.000300 U	0.000316 U	0.000434 U	0.000471 U	0.00149 U	0.000447 J
	B-245-50	3/29/18	PES	ESC	50	-10.1	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0191 J	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.000449 J
	B-245-55	3/29/18	PES	ESC	55	-15.1	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0133 J	0.00202 U	0.000304 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000249 U
	B-245-60	3/29/18	PES	ESC	60	-20.1	S	0.00503 J	0.000322 U	0.00147 U	0.000257 U	0.000219 U	0.0212 J	0.00192 U	0.000503 J	0.000304 U	0.000418 U	0.000454 U	0.00144 U	0.000626 J
	B-245-65	3/29/18	PES	ESC	65	-25.1	S	0.00572 J	0.000344 U	0.00157 U	0.000275 U	0.000233 U	0.0207 J	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.000633 J
	B-245-70	3/29/18	PES	ESC	70	-30.1	S	0.00551 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0118 U	0.00211 U	0.000318 U	0.000334 U	0.000459 U	0.000499 U	0.00158 U	0.000260 U
	B-245-75	3/29/18	PES	ESC	75	-35.1	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000440 J
	B-245-80	3/29/18	PES	ESC	80	-40.1	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000256 U
	B-246-6	5/11/18	PES	ESC	6	33.9	S	0.0148 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0163 U	0.00226 U	0.000475 U	0.00125 U	0.00134 U	0.00710 U	0.00439 U	0.00482 U
	B-246-11	5/11/18	PES	ESC	11	28.9	S	0.0148 U	0.00109 U	0.0118 U	0.00133 U	0.00275 U	0.0162 U	0.00224 U	0.000472 U	0.00124 U	0.00133 U	0.00706 U	0.00437 U	0.00479 U
B-246	B-246-15	5/11/18	PES	ESC	15	24.9	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000583 J	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	B-246-25	5/11/18	PES	ESC	25	14.9	S	0.0140 U	0.00103 U	0.0112 U	0.00126 U	0.00261 U	0.0153 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
	B-246-30	5/11/18	PES	ESC	30	9.9	S	0.0147 U	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.0161 U	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00704 U	0.00435 U	0.00478 U
	B-246-35	5/11/18	PES	ESC	35	4.9	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00269 U	0.0158 U	0.00219 U	0.000461 U	0.00121 U	0.00130 U	0.00689 U	0.00427 U	0.00468 U
	B-246-40	5/11/18	PES	ESC	40	-0.1	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
	B-246-43	5/11/18	PES	ESC	43	-3.1	S	0.0137 U	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000437 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	B-246-45	5/11/18	PES	ESC	45	-5.1	S	0.0151 U	0.00111 U	0.0121 U	0.00136 U	0.00281 U	0.0277 J	0.00229 U	0.000482 U	0.00126 U	0.00136 U	0.00721 U	0.00446 U	0.00489 U
	B-246-50	5/11/18	PES	ESC	50	-10.1	S	0.0141 U	0.00104 U	0.0113 U	0.00127 U	0.00262 U	0.0154 U	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00673 U	0.00416 U	0.00457 U
	B-246-55	5/11/18	PES	ESC	55	-15.1	S	0.0143 U	0.00105 U	0.0115 U	0.00129 U	0.00267 U	0.0157 U	0.00218 U	0.000458 U	0.00120 U	0.00129 U	0.00685 U	0.00424 U	0.00465 U
	B-246-60	5/11/18	PES	ESC	60	-20.1	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00216 U	0.000454 U	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 U
B-246	B-246-65	5/11/18	PES	ESC	65	-25.1	S	0.0155 U	0.00114 U	0.0124 U	0.00140 U	0.00288 U	0.0169 U	0.00235 U	0.000495 U	0.00130 U	0.00140 U	0.00740 U	0.00458 U	0.00502 U
	B-246-70	5/11/18	PES	ESC	70	-30.1	S	0.0139 U	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0166 J	0.00211 U	0.000445 U	0.00117 U	0.00126 U	0.00665 U	0.00411 U	0.00451 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-246 (continued)	B-246-75	5/11/18	PES	ESC	75	-35.1	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0178 J	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
	B-246-80	5/11/18	PES	ESC	80	-40.1	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00675 U	0.00418 U	0.00459 U
	B-926-100	5/11/18	PES	ESC	45 (dup)	-5.1	S	0.0187 U	0.00138 U	0.0150 U	0.00169 U	0.00349 U	0.0205 U	0.00284 U	0.000776 J	0.00157 U	0.00169 U	0.00895 U	0.00554 U	0.00608 U
B-247	B-247-5	4/20/18	PES	ESC	5	34.7	S	0.00531 U	0.000342 U	0.00156 U	0.000272 U	0.000232 U	0.0126 J	0.00203 U	0.000306 U	0.000322 U	0.000443 U	0.000481 U	0.00152 U	0.000866 J
	B-247-10	4/20/18	PES	ESC	10	29.7	S	0.00539 U	0.000347 U	0.00158 U	0.000276 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.000254 U
	B-247-15	4/20/18	PES	ESC	15	24.7	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00199 U	0.000299 U	0.000315 U	0.000433 U	0.000470 U	0.00149 U	0.000245 U
	B-247-20	4/20/18	PES	ESC	20	19.7	S	0.0115	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0471 J	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.00126
	B-247-25	4/20/18	PES	ESC	25	14.7	S	0.00509 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.000530 J
	B-247-30	4/20/18	PES	ESC	30	9.7	S	0.00516 U	0.000332 U	0.00151 U	0.000264 U	0.000225 U	0.0110 U	0.00197 U	0.000297 U	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.000405 J
	B-247-35	4/20/18	PES	ESC	35	4.7	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.000526 J
	B-247-40	4/20/18	PES	ESC	40	-0.3	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0152 J	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.000876 J
	B-247-45	4/20/18	PES	ESC	45	-5.3	S	0.00506 U	0.000325 U	0.00220 J	0.000259 U	0.000220 U	0.0251 J	0.00193 U	0.000292 U	0.000307 U	0.000421 U	0.000458 U	0.00145 U	0.00219
	B-247-50	4/20/18	PES	ESC	50	-10.3	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000225 U	0.0110 U	0.00197 U	0.000297 U	0.000313 U	0.000429 U	0.000467 U	0.00148 U	0.000811 J
	B-247-55	4/20/18	PES	ESC	55	-15.3	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00151 U	0.000350 J
	B-247-60	4/20/18	PES	ESC	60	-20.3	S	0.00504 U	0.000324 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.000401 J
	B-247-65	4/20/18	PES	ESC	65	-25.3	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000434 J	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.000337 J
	B-247-70	4/20/18	PES	ESC	70	-30.3	S	0.00524 U	0.000337 U	0.00154 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000273 J
	B-247-75	4/20/18	PES	ESC	75	-35.3	S	0.00535 U	0.000344 U	0.00157 U	0.000275 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.000285 J
	B-247-80	4/20/18	PES	ESC	80	-40.3	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000317 U	0.000436 U	0.000474 U	0.00150 U	0.000400 J
	B-909-20	4/20/18	PES	ESC	80 (dup)	-40.3	S	0.00507 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000540 J
B-248	B-248-5	4/23/18	PES	ESC	5	46.9	V	0.00534 U	0.000344 U	0.00156 U	0.000274 U	0.000233 U	0.0226 J	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.000252 U
	B-248-10	4/23/18	PES	ESC	10	41.9	V	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000227 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.000246 U
	B-248-15	4/23/18	PES	ESC	15	36.9	V	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0151 U	0.00209 U	0.000440 U	0.00115 U	0.00124 U	0.00658 U	0.00407 U	0.00447 U
	B-248-20	4/23/18	PES	ESC	20	31.9	S	0.00506 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000274 J
	B-248-25	4/23/18	PES	ESC	25	26.9	S	0.0147 U	0.00108 U	0.0117 U	0.00133 U	0.00273 U	0.0161 U	0.00223 U	0.000469 U	0.00123 U	0.00133 U	0.00702 U	0.00434 U	0.00476 U
	B-248-30	4/23/18	PES	ESC	30	21.9	S	0.00506 U	0.000325 U	0.00148 U	0.000259 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000458 U	0.00145 U	0.000239 U
	B-248-35	4/23/18	PES	ESC	35	16.9	S	0.0135 U	0.000997 U	0.0108 U	0.00122 U	0.00252 U	0.0148 U	0.00206 U	0.000442 J	0.00114 U	0.00122 U	0.00648 U	0.00401 U	0.00440 U
	B-248-40	4/23/18	PES	ESC	40	11.9	S	0.0139 U	0.00103 U	0.0111 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000463 J	0.00117 U	0.00126 U	0.00667 U	0.00413 U	0.00453 U
	B-248-45	4/23/18	PES	ESC	45	6.9	S	0.0279 J	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0156 U	0.00217 U	0.000865 J	0.00120 U	0.00129 U	0.00683 U	0.00423 U	0.00464 U
	B-248-50	4/23/18	PES	ESC	50	1.9	S	0.0137 U	0.00101 U	0.0928	0.00124 U	0.00255 U	11.3 J	0.00208 U	0.000945 J-	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	B-248-55	4/23/18	PES	ESC	55	-3.2	S	0.0534	0.000356 U	0.00162 U	0.000284 U	0.000241 U	0.251	0.00212 U	0.000320 U	0.000336 U	0.000462 U	0.000502 U	0.00159 U	0.000573 J
	B-248-60	4/23/18	PES	ESC	60	-8.2	S	0.0134 U	0.000986 U	0.0107 U	0.00121 U	0.00250 U	0.147 U	0.00204 U	0.000549 J	0.00113 U	0.00121 U	0.00641 U	0.00397 U	0.00435 U
	B-248-65	4/23/18	PES	ESC	65	-13.2	S	0.0154 U	0.00113 U	0.0123 U	0.00139 U	0.00287 U	0.0169 U	0.00234 U	0.000492 U	0.00129 U	0.00139 U	0.00736 U	0.00455 U	0.00499 U
	B-248-70	4/23/18	PES	ESC	70	-18.2	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0157 U	0.00218 U	0.000460 U	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00467 U
	B-248-75	4/23/18	PES	ESC	75	-23.2	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0154 U	0.00213 U	0.000449 UJ	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	B-248-80	4/23/18	PES	ESC	80	-28.2	S	0.00562 U	0.000362 U	0.00165 U	0.000288 U	0.000245 U	0.0184 J	0.00215 U	0.000324 U	0.000341 U	0.000469 U	0.000509 U	0.00161 U	0.000528 J
	B-910-20	4/23/18	PES	ESC	80 (dup)	-28.2	S	0.00578 U	0.000371 U	0.00169 U	0.000296 U	0.000252 U	0.0125 J	0.00221 U	0.000333 U	0.000350 U	0.000481 U	0.000523 U	0.00165 U	0.000273 U
	B-248-85	4/23/18	PES	ESC	85	-33.2	S	0.00568 U	0.000365 U	0.00166 U	0.000291 U	0.000248 U	0.0121 U	0.00217 U	0.000328 U	0.000345 U	0.000474 U	0.000515 U	0.00163 U	0.000577 J
	B-248-90	4/23/18	PES	ESC	90	-38.2	S	0.00560 U	0.000360 U	0.00164 U	0.000287 U	0.000244 U	0.0120 U	0.00214 U	0.000323 U	0.000340 U	0.000466 U	0.000507 U	0.00160 U	0.000323 J
	B-248-95	4/23/18	PES	ESC	95	-43.2	S	0.00583 U	0.000375 U	0.00171 U	0.000299 U	0.000254 U	0.0253 J	0.00223 U	0.000337 U	0.000354 U	0.000486 U	0.000529 U	0.00167 U	0.000276 U
	B-248-100	4/23/18	PES	ESC	100	-48.2	S	0.00568 U	0.000365 U	0.00166 U	0.000291 U	0.000247 U	0.0121 U	0.00217 U	0.000328 U	0.000345 U	0.000473 U	0.000514 U	0.00163 U	0.000422 J
	B-248-105	4/23/18	PES	ESC	105	-53.2	S	0.00506 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0188 J	0.00193 U	0.000292 U	0.000307 U	0.000421 U	0.000458 U	0.00145 U	0.000239 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-248 (continued)	B-248-110 B-248-115	4/23/18 4/23/18	PES PES	ESC ESC	110 115	-58.2 -63.2	S S	0.0143 U 0.00547 U	0.00106 U 0.000352 U	0.0115 U 0.00160 U	0.00130 U 0.000281 U	0.00267 U 0.000239 U	0.0157 U 0.0124 J	0.00218 U 0.00209 U	0.000459 U 0.000316 U	0.00120 U 0.000332 U	0.00130 U 0.000456 U	0.00686 U 0.000496 U	0.00425 U 0.00157 U	0.00466 U 0.000258 U
B-249	B-249-5	10/15/18	PES	PACE	5	34.2	S	0.0131 U	0.000961 U	0.0105 U	0.00118 U	0.00243 U	0.0143 U	0.00199 U	0.000418 U	0.00110 U	0.00118 U	0.00625 U	0.00387 U	0.00424 U
	B-249-8	10/15/18	PES	PACE	8	31.2	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00214 U	0.000451 U	0.00118 U	0.00128 U	0.00675 U	0.00418 U	0.00458 U
	B-249-15	10/15/18	PES	PACE	15	24.2	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.127 U	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
	B-249-17	10/15/18	PES	PACE	17	22.2	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.621 U	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
B-250	B-249-20	10/15/18	PES	PACE	20	19.2	S	0.0148 U	0.00109 U	0.0118 U	0.00134 U	0.00275 U	11.3 U	0.00224 U	0.000473 U	0.00124 U	0.00134 U	0.00707 U	0.00437 U	0.00480 U
	B-250-2.5	10/15/18	PES	PACE	2.5	36.9	V	0.0138 U	0.00102 U	0.0110 U	0.00125 U	0.00257 U	0.0151 U	0.00210 U	0.000442 U	0.00116 U	0.00125 U	0.00660 U	0.00409 U	0.00448 U
	B-250-8	10/15/18	PES	PACE	8	31.4	S	0.0139 U	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.122 U	0.00212 U	0.000445 U	0.00117 U	0.00126 U	0.00666 U	0.00412 U	0.00452 U
	B-250-10	10/15/18	PES	PACE	10	29.4	S	0.0139 U	0.00102 U	0.0111 U	0.00126 U	0.00259 U	1.22 U	0.00211 U	0.000445 U	0.00117 U	0.00126 U	0.00665 U	0.00412 U	0.00452 U
	B-250-13	10/15/18	PES	PACE	13	26.4	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	1.24 U	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	B-250-20	10/15/18	PES	PACE	20	19.4	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.635 U	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
	B-250-24	10/15/18	PES	PACE	24	15.4	S	0.0137 U	0.00101 U	0.0109 U	0.00124 U	0.00255 U	10.0 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	B-250-30	10/16/18	PES	PACE	30	9.4	S	0.0327	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000436 U	0.00115 U	0.00123 U	0.00652 U	0.00403 U	0.00443 U
B-251	B-251-5	10/15/18	PES	PACE	5	34.3	S	0.0131 U	0.000967 U	0.0105 U	0.00119 U	0.00245 U	0.0144 U	0.00200 U	0.000420 U	0.00110 U	0.00119 U	0.00628 U	0.00389 U	0.00427 U
	B-251-8	10/15/18	PES	PACE	8	31.3	S	0.0603 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00211 U	0.000444 U	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
	B-251-10	10/15/18	PES	PACE	10	29.3	S	0.556 U	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0152 U	0.00211 U	0.000445 U	0.00117 U	0.00126 U	0.00665 U	0.00412 U	0.00452 U
	B-251-15	10/15/18	PES	PACE	15	24.3	S	0.565 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	B-251-20	10/15/18	PES	PACE	20	19.3	S	0.586 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0178 J	0.00222 U	0.000468 U	0.00123 U	0.00132 U	0.00700 U	0.00433 U	0.00475 U
B-252	B-251-25	10/15/18	PES	PACE	25	14.3	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	13.1 U	0.00218 U	0.000459 U	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00466 U
	B-252-2.5	10/15/18	PES	PACE	2.5	36.7	V	0.0516 J	0.000961 U	0.0104 U	0.00118 U	0.00243 U	0.0143 U	0.00199 U	0.000418 U	0.00110 U	0.00118 U	0.00625 U	0.00387 U	0.00424 U
	B-252-8	10/15/18	PES	PACE	8	31.2	S	0.0507 J	0.000984 U	0.0107 U	0.00121 U	0.00249 U	0.0147 U	0.00203 U	0.000428 U	0.00112 U	0.00121 U	0.00640 U	0.00396 U	0.00434 U
	B-252-10	10/15/18	PES	PACE	10	29.2	S	0.0333 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00211 U	0.000443 U	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
	B-252-15	10/15/18	PES	PACE	15	24.2	S	0.295 U	0.00108 U	0.0118 U	0.00133 U	0.00275 U	0.0161 U	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00705 U	0.00436 U	0.00478 U
	B-252-19	10/15/18	PES	PACE	19	20.2	S	0.151 U	0.00111 U	0.0121 U	0.00136 U	0.00281 U	0.0165 U	0.00229 U	0.000483 U	0.00127 U	0.00136 U	0.00722 U	0.00447 U	0.00490 U
	B-252-25	10/15/18	PES	PACE	25	14.2	S	0.0549 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0150 U	0.00209 U	0.000439 U	0.00115 U	0.00124 U	0.00657 U	0.00406 U	0.00446 U
B-253A	B-252-29	10/15/18	PES	PACE	29	10.2	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00267 U	2.75 U	0.00217 U	0.000458 U	0.00120 U	0.00129 U	0.00684 U	0.00423 U	0.00465 U
	B-253A-5	10/18/18	PES	PACE	5	35.6	V	0.0408	0.00105 U	0.0114 U	0.00129 U	0.00265 U	0.0156 U	0.00216 U	0.000456 U	0.00120 U	0.00129 U	0.00681 U	0.00421 U	0.00462 U
	B-253A-8	10/18/18	PES	PACE	8	32.6	S	0.0563 U	0.00104 U	0.0113 U	0.00127 U	0.00262 U	0.0617 U	0.00214 U	0.000451 U	0.00118 U	0.00127 U	0.00673 U	0.00417 U	0.00457 U
	B-253A-10	10/18/18	PES	PACE	10	30.6	S	0.137 U	0.00101 U	0.0110 U	0.00124 U	0.00255 U	0.150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00655 U	0.00405 U	0.00445 U
	B-253A-15	10/18/18	PES	PACE	15	25.6	S	1.12 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	1.24 U	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00671 U	0.00415 U	0.00456 U
B-254	B-253A-20	10/18/18	PES	PACE	20	20.6	S	0.0551 U	0.00101 U	0.0110 U	0.00124 U	0.00257 U	0.0604 U	0.00209 U	0.000441 U	0.00116 U	0.00124 U	0.00659 U	0.00408 U	0.00447 U
	B-254-5	10/16/18	PES	PACE	5	34.7	S	0.0513	0.00110 U	0.0120 U	0.00135 U	0.00279 U	1.32 U	0.00228 U	0.000479 U	0.00126 U	0.00135 U	0.00716 U	0.00443 U	0.00486 U
	B-254-10	10/16/18	PES	PACE	10	29.7	S	0.0249	0.00104 U	0.0114 U	0.00128 U	0.00265 U	0.125 U	0.00216 U	0.000454 U	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 U
	B-254-13.5	10/16/18	PES	PACE	13.5	26.2	S	0.0321	0.00108 U	0.0117 U	0.00133 U	0.00273 U	6.43 U	0.00223 U	0.000469 U	0.00123 U	0.00133 U	0.00701 U	0.00434 U	0.00476 U
	B-254-20	10/16/18	PES	PACE	20	19.7	S	0.0314	0.000990 U	0.0108 U	0.00122 U	0.00251 U	2.95 U	0.00204 U	0.000430 U	0.00113 U	0.00122 U	0.00643 U	0.00398 U	0.00437 U
B-254A	B-254-25	10/16/18	PES	PACE	25	14.7	S	0.0313	0.00103 U	0.0112 U	0.00126 U	0.00260 U	6.12 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00668 U	0.00413 U	0.00454 U
	B-254A-27	10/19/18	PES	PACE	27	12.7	S	0.0430 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00208 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00592 J
	B-254A-30	10/19/18	PES	PACE	30	9.7	S	0.0135 U	0.000990 U	0.0108 U	0.00122 U	0.00251 U	0.147 U	0.00204 U	0.000430 U	0.00113 U	0.00122 U	0.00644 U	0.00398 U	0.00619 J
	B-254A-35	10/19/18	PES	PACE	35	4.7	S	0.0250	0.000969 U	0.0105 U	0.00119 U	0.00245 U	0.0144 U	0.00200 U	0.000421 U	0.00111 U	0.00119 U	0.00630 U	0.00390 U	0.00428 U
B-255	B-255-3.5	10/16/18	PES	PACE	3.5	36.3	S	0.0274	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0156 U	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00683 U	0.00423 U	0.00464 U
	B-255-8	10/16/18	PES	PACE	8	31.8	S	0.0328	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0159 U	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-255 (continued)	B-255-15	10/16/18	PES	PACE	15	24.8	S	0.0295	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000436 U	0.00114 U	0.00123 U	0.00652 U	0.00403 U	0.00442 U
B-255A	B-255A-21	10/16/18	PES	PACE	21	18.8	S	0.0330	0.000974 U	0.0106 U	0.00120 U	0.00247 U	0.580 U	0.00201 U	0.000423 U	0.00111 U	0.00120 U	0.00633 U	0.00392 U	0.00430 U
B-256	B-256-2.5	10/16/18	PES	PACE	2.5	37.1	S	0.0576	0.00108 U	0.0117 U	0.00132 U	0.00272 U	0.0160 U	0.00222 U	0.000468 U	0.00123 U	0.00132 U	0.00699 U	0.00433 U	0.00475 U
	B-256-5	10/16/18	PES	PACE	5	34.6	S	0.0448	0.00102 U	0.0110 U	0.00125 U	0.00257 U	0.0151 U	0.00210 U	0.000442 U	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00449 U
	B-256-10	10/16/18	PES	PACE	10	29.6	S	0.0312	0.000983 U	0.0107 U	0.00121 U	0.00249 U	0.0146 U	0.00203 U	0.000427 U	0.00112 U	0.00121 U	0.00639 U	0.00395 U	0.00434 U
	B-256-15	10/16/18	PES	PACE	15	24.6	S	0.0292	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00210 U	0.000443 U	0.00116 U	0.00125 U	0.00662 U	0.00409 U	0.00449 U
B-257	B-256-18	10/16/18	PES	PACE	18	21.6	S	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00210 U	0.000443 U	0.00116 U	0.00125 U	0.00662 U	0.00409 U	0.00449 U
	B-257-5	10/17/18	PES	PACE	5	34.4	S	0.0553	0.00111 U	0.0121 U	0.00137 U	0.00282 U	0.0166 U	0.00230 U	0.000484 U	0.00127 U	0.00137 U	0.00724 U	0.00448 U	0.00492 U
	B-257-10	10/17/18	PES	PACE	10	29.4	S	0.0232	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00668 U	0.00413 U	0.00453 U
	B-257-15	10/17/18	PES	PACE	15	24.4	S	0.0225	0.00107 U	0.0116 U	0.00131 U	0.00271 U	0.0159 U	0.00221 U	0.000465 U	0.00122 U	0.00131 U	0.00695 U	0.00430 U	0.00472 U
B-258	B-257-20	10/17/18	PES	PACE	20	19.4	S	0.0273	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.124 U	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	B-258-3	10/17/18	PES	PACE	3	36.2	V	0.0293	0.00101 U	0.0110 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00655 U	0.00405 U	0.00445 U
	B-258-8	10/17/18	PES	PACE	8	31.2	S	0.0301	0.00105 U	0.0114 U	0.00129 U	0.00265 U	0.0156 U	0.00216 U	0.000455 U	0.00119 U	0.00129 U	0.00680 U	0.00421 U	0.00462 U
	B-258-10	10/17/18	PES	PACE	10	29.2	S	0.0268 J	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0164 U	0.00227 U	0.000479 U	0.00126 U	0.00135 U	0.00716 U	0.00443 U	0.00486 U
B-259	B-258-15	10/17/18	PES	PACE	15	24.2	S	0.0343	0.00109 U	0.0118 U	0.00133 U	0.00275 U	0.0162 U	0.00224 U	0.000944 U	0.00124 U	0.00133 U	0.00706 U	0.00437 U	0.00479 U
	B-258-20	10/17/18	PES	PACE	20	19.2	S	0.0211 J	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000446 U	0.00117 U	0.00126 U	0.00667 U	0.00413 U	0.00453 U
	B-259-2.5	10/17/18	PES	PACE	2.5	36.7	V	0.0274 J	0.00104 U	0.0113 U	0.00127 U	0.00262 U	0.0154 U	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00673 U	0.00416 U	0.00457 U
	B-259-5	10/17/18	PES	PACE	5	34.2	S	0.0348	0.00101 U	0.0110 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00655 U	0.00405 U	0.00445 U
B-260	B-259-10	10/17/18	PES	PACE	10	29.2	S	0.0255 J	0.00105 U	0.0115 U	0.00129 U	0.00267 U	0.0157 U	0.00218 U	0.000458 U	0.00120 U	0.00129 U	0.00685 U	0.00424 U	0.00465 U
	B-259-15	10/17/18	PES	PACE	15	24.2	S	0.0272 J	0.00108 U	0.0117 U	0.00133 U	0.00274 U	0.0161 U	0.00223 U	0.000470 U	0.00123 U	0.00133 U	0.00702 U	0.00434 U	0.00477 U
	B-259-20	10/17/18	PES	PACE	20	19.2	S	0.0198 J	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00668 U	0.00414 U	0.00454 U
	B-260-5	10/17/18	PES	PACE	5	34.2	S	0.0209 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00211 U	0.000444 U	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
B-261	B-260-8	10/17/18	PES	PACE	8	31.2	S	0.0348	0.00103 U	0.0112 U	0.00127 U	0.00261 U	0.0154 U	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00671 U	0.00415 U	0.00456 U
	B-260-10	10/17/18	PES	PACE	10	29.2	S	0.0241 J	0.00106 U	0.0115 U	0.00130 U	0.00267 U	0.0157 U	0.00218 U	0.000459 U	0.00120 U	0.00130 U	0.00686 U	0.00425 U	0.00466 U
	B-260-15	10/17/18	PES	PACE	15	24.2	S	0.0288 J	0.00107 U	0.0116 U	0.00131 U	0.00271 U	0.0159 U	0.00221 U	0.000465 U	0.00122 U	0.00131 U	0.00694 U	0.00430 U	0.00471 U
	B-260-20	10/17/18	PES	PACE	20	19.2	S	0.0234 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0151 U	0.00210 U	0.000442 U	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00449 U
B-262	B-261-3	10/17/18	PES	PACE	3	36.9	S	0.0385	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0157 U	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00683 U	0.00423 U	0.00464 U
	B-261-5	10/17/18	PES	PACE	5	34.9	S	0.0396	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.0362 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
	B-261-8	10/17/18	PES	PACE	8	31.9	S	0.0558	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0164 U	0.00228 U	0.000479 U	0.00126 U	0.00135 U	0.00717 U	0.00443 U	0.00487 U
	B-261-10	10/17/18	PES	PACE	10	29.9	S	0.0333	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0158 U	0.00219 U	0.0184 U	0.00121 U	0.00130 U	0.00689 U	0.00426 U	0.00468 U
B-263	B-261-15	10/17/18	PES	PACE	15	24.9	S	0.0179 J	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0151 U	0.00209 U	0.000879 U	0.00115 U	0.00124 U	0.00657 U	0.00407 U	0.00446 U
	B-261-20	10/17/18	PES	PACE	20	19.9	S	0.0256 J	0.00103 U	0.0112 U	0.00127 U	0.00394 J	0.0154 U	0.00214 U	0.0899 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	B-262-5	10/17/18	PES	PACE	5	34.9	S	0.0207 J	0.00108 U	0.0118 U	0.00133 U	0.00274 U	1.30 U	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00704 U	0.00436 U	0.00478 U
	B-262-8	10/17/18	PES	PACE	8	31.9	S	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0214 J	0.00209 U	0.000440 U	0.00115 U	0.00124 U	0.00658 U	0.00407 U	0.00447 U
B-263	B-262-10	10/17/18	PES	PACE	10	29.9	S	0.0232 J	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0153 U	0.00212 U	0.000445 U	0.00117 U	0.00126 U	0.00666 U	0.00412 U	0.00452 U
	B-262-15	10/17/18	PES	PACE	15	24.9	S	0.0236 J	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0150 U	0.00209 U	0.000439 U	0.00115 U	0.00124 U	0.00656 U	0.00406 U	0.00446 U
	B-262-20	10/17/18	PES	PACE	20	19.9	S	0.0147 U	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.161 U	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00704 U	0.00436 U	0.00478 U
	B-263-3	10/18/18	PES	PACE	3	36.8	S	0.0386	0.00113 U	0.0122 U	0.00138 U	0.00285 U	0.0168 U	0.00233 U	0.000490 U	0.00129 U	0.00138 U	0.00732 U	0.00453 U	0.00497 U
B-263	B-263-5	10/18/18	PES	PACE	5	34.8	S	0.0253 J	0.000994 U	0.0108 U	0.00122 U	0.00252 U	0.0148 U	0.00205 U	0.000432 U	0.00113 U	0.00122 U	0.00646 U	0.00400 U	0.00439 U
	B-263-8	10/18/18	PES	PACE	8	31.8	S	0.0258 J	0.000970 U	0.0105 U	0.00119 U	0.00246 U	0.0145 U	0.00200 U	0.000422 U	0.00111 U	0.00119 U	0.00631 U	0.00390 U	0.00428 U
	B-263-10	10/18/18	PES	PACE	10	29.8	S	0.0289	0.00105 U	0.0114 U	0.00129 U	0.00265 U	0.0156 U	0.00216 U	0.000455 U	0.00119 U	0.00129 U	0.00681 U	0.00421 U	0.00462 U
	B-263-15	10/18/18	PES	PACE	15	24.8	S	0.0228 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0150 U	0.00207 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00546 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-263 (continued)	B-263-18	10/18/18	PES	PACE	18	21.8	S	0.0287	0.000998 U	0.0108 U	0.00123 U	0.00253 U	0.0149 U	0.00206 U	0.000434 U	0.00114 U	0.00123 U	0.00649 U	0.00401 U	0.00440 U
B-264	B-264-3	10/18/18	PES	PACE	3	36.8	S	0.0136 U	0.000999 U	0.0109 U	0.00123 U	0.00253 U	0.0149 U	0.00206 U	0.000434 U	0.00114 U	0.00123 U	0.00649 U	0.00402 U	0.00441 U
	B-264-5	10/18/18	PES	PACE	5	34.8	S	0.0277 J	0.00106 U	0.0116 U	0.00131 U	0.00270 U	0.0159 U	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00692 U	0.00428 U	0.00470 U
	B-264-8	10/18/18	PES	PACE	8	31.8	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0157 U	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00683 U	0.00423 U	0.00464 U
	B-264-10	10/18/18	PES	PACE	10	29.8	S	0.0274 J	0.00101 U	0.0110 U	0.00124 U	0.00257 U	0.0151 U	0.00209 U	0.000441 U	0.00116 U	0.00124 U	0.00659 U	0.00408 U	0.00447 U
	B-264-15	10/18/18	PES	PACE	15	24.8	S	0.0402	0.00107 U	0.0116 U	0.00131 U	0.00271 U	0.0159 U	0.00221 U	0.000465 U	0.00122 U	0.00131 U	0.00696 U	0.00430 U	0.00472 U
	B-264-16	10/18/18	PES	PACE	16	23.8	S	0.0297	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0154 U	0.00213 U	0.00115	0.00118 U	0.00127 U	0.00671 U	0.00415 U	0.00456 U
B-265	B-265-3	10/18/18	PES	PACE	3	36.8	S	0.0676	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0163 U	0.00227 U	0.000477 U	0.00125 U	0.00135 U	0.00714 U	0.00442 U	0.00485 U
	B-265-5	10/18/18	PES	PACE	5	34.8	S	0.145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.159 U	0.00220 U	0.000464 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
	B-265-8	10/18/18	PES	PACE	8	31.8	S	0.140 U	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.153 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00668 U	0.00413 U	0.00453 U
	B-265-10	10/18/18	PES	PACE	10	29.8	S	0.110 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.121 U	0.00209 U	0.000440 U	0.00115 U	0.00124 U	0.00657 U	0.00407 U	0.00446 U
	B-265-17.5	10/18/18	PES	PACE	18	22.3	S	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00210 U	0.000443 U	0.00116 U	0.00125 U	0.00662 U	0.00409 U	0.00449 U
B-266	B-266-5	10/18/18	PES	PACE	5	35.7	S	0.0152 U	0.00112 U	0.0122 U	0.00138 U	0.00284 U	0.0288 J	0.00232 U	0.000487 U	0.00128 U	0.00138 U	0.00729 U	0.00451 U	0.00495 U
	B-266-8	10/18/18	PES	PACE	8	32.7	S	0.0157 U	0.00117 U	0.0127 U	0.00144 U	0.00296 U	0.0173 U	0.00241 U	0.000509 U	0.00133 U	0.00144 U	0.00761 U	0.00471 U	0.00516 U
	B-266-10	10/18/18	PES	PACE	10	30.7	S	0.0201 U	0.00148 U	0.0161 U	0.00181 U	0.00374 U	0.0220 U	0.00306 U	0.000644 U	0.00169 U	0.00181 U	0.00962 U	0.00596 U	0.00653 U
	B-266-15	10/18/18	PES	PACE	15	25.7	S	0.167 U	0.00123 U	0.0133 U	0.00151 U	0.00310 U	0.183 U	0.00253 U	0.000534 U	0.00140 U	0.00151 U	0.00798 U	0.00493 U	0.00542 U
	B-266-20	10/18/18	PES	PACE	20	20.7	S	0.557 U	0.00103 U	0.0111 U	0.00126 U	0.00260 U	0.611 U	0.00212 U	0.000446 U	0.00117 U	0.00126 U	0.00667 U	0.00412 U	0.00453 U
B-267	B-267-2.5	10/18/18	PES	PACE	2.5	37.4	S	0.0150 U	0.00111 U	0.0120 U	0.00136 U	0.00280 U	0.0165 U	0.00228 U	0.000481 U	0.00126 U	0.00136 U	0.00719 U	0.00445 U	0.00488 U
	B-267-5	10/18/18	PES	PACE	5	34.9	S	0.0136 U	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000436 U	0.00115 U	0.00123 U	0.00652 U	0.00404 U	0.00443 U
	B-267-8	10/18/18	PES	PACE	8	31.9	S	0.0597 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0654 U	0.00227 U	0.000477 U	0.00125 U	0.00135 U	0.00713 U	0.00441 U	0.00484 U
	B-267-10	10/18/18	PES	PACE	10	29.9	S	0.0565 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0619 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	B-267-15	10/18/18	PES	PACE	15	24.9	S	0.279 U	0.0206 U	0.224 U	0.0253 U	0.0521 U	0.306 U	0.0425 U	0.00894 U	0.0235 U	0.0253 U	0.134 U	0.0827 U	0.0908 U
	B-267-20	10/18/18	PES	PACE	20	19.9	S	0.310 U	0.0228 U	0.248 U	0.0280 U	0.0579 U	0.341 U	0.0472 U	0.00994 U	0.0261 U	0.0280 U	0.148 U	0.0920 U	0.101 U
CA-A10	CA-A10-21	09/04/19	PES	Fremont	21	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-A12-20	CA-A12-20-24	09/06/19	PES	Fremont	24	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CAA-C1	CAA-C1-43	08/27/19	PES	Fremont	43	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CAA-C2	CAA-C2-10	08/28/19	PES	Fremont	10	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B8	CA-B8-3	09/16/19	PES	Fremont	3	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B19	CA-B19-30	09/27/19	PES	Fremont	30	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B10	CA-B10-17	08/30/19	PES	Fremont	17	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-20	08/30/19	PES	Fremont	20	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-21	08/30/19	PES	Fremont	21	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-25	08/30/19	PES	Fremont	25	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B11	CA-B11-27	09/05/19	PES	Fremont	27	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B18	CA-B18-20	10/26/19	PES	Fremont	20	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-B20	CA-B20-31	09/30/19	PES	Fremont	31	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-1001-31	09/30/19	PES	Fremont	31 (dup)	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C7	CA-C7-25	09/20/19	PES	Fremont	25	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C8	CA-C8-35	09/03/19	PES	Fremont	35	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C9	CA-C9-09	09/04/19	PES	Fremont	9	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C10	CA-C10-17	09/06/19	PES	Fremont	17	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-C10-26	09/06/19	PES	Fremont	26	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-C13	CA-C13-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D1	CA-D1-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D2	CA-D2-31	09/16/19	PES	Fremont	31	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D2-50-52	09/17/19	PES	Fremont	52	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D3	CA-D3-40	09/23/19	PES	Fremont	40	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D4	CA-D4-51	09/19/19	PES	Fremont	51	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D4-54	09/19/19	PES	Fremont	54	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
CA-D5	CA-D5-14	09/03/19	PES	Fremont	14	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-22	09/03/19	PES	Fremont	22	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-26	09/03/19	PES	Fremont	26	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D6	CA-D6-56	09/04/19	PES	Fremont	56	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D6-65	09/04/19	PES	Fremont	65	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CA-D7	CA-D7-15	09/05/19	PES	Fremont	15	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB01	DB01-10	3/18/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-20	3/18/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-30	3/18/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-40	3/18/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB02	DB02-10	3/18/13	SES	F&BI	10	26.0	S	-	-	-	-	-	-	-	0.020 U	-	-	-	-	-
	DB02-15	3/18/13	SES	F&BI	15	21.0	S	-	-	-	-	-	-	-	0.020 U	-	-	-	-	-
	DB02-20	3/18/13	SES	F&BI	20	16.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-30	3/18/13	SES	F&BI	30	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-40	3/18/13	SES	F&BI	40	-4.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB03	DB03-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-20	3/27/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-35	3/27/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-45	3/27/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-55	3/27/13	SES	F&BI	55	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-60	3/27/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB04	DB04-10	3/21/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-20	3/21/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-35	3/21/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-45	3/21/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-50	3/22/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-60	3/22/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB05	DB05-10	3/26/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-20	3/26/13	SES	F&BI	20	31.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-30	3/26/13	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-40	3/26/13	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-50	3/26/13	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-60	3/26/13	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-70	3/26/13	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB06	DB06-10	3/25/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-25	3/25/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-35	3/25/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-45	3/25/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-55	3/25/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-65	3/25/13	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-75	3/25/13	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
DB07	DB07-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-15	3/27/13	SES	F&BI	15	25.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-25	3/27/13	SES	F&BI	25	15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-35	3/28/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-45	3/28/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-50	3/28/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-60	3/28/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-70	3/28/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB08	DB08-10	3/20/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-20	3/20/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-35	3/20/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-45	3/20/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-50	3/21/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-60	3/21/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-70	3/21/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB09	DB09-10	3/19/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-20	3/19/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-30	3/19/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-40	3/19/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-50	3/19/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-60	3/19/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-70	3/19/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB10	DB10-10	3/29/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-20	3/29/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-35	3/29/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-45	3/29/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-50	4/1/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-60	4/1/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-70	4/1/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB11	DB11-15	4/2/13	SES	F&BI	15	36.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-25	4/2/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-35	4/2/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-45	4/2/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-55	4/2/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB12	DB12-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-30	4/3/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-40	4/3/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
DB13	DB13-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-35	4/3/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-45	4/3/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
DB14	DB14-10	4/4/13	SES	F&BI	10	31.5	S	-	-	-	-	-	-	-	0.059	-	-	-	-	-
	DB14-20	4/4/13	SES	F&BI	20	21.5	S	-	-	-	-	-	-	-	0.020 U	-	-	-	-	-
	DB14-30	4/4/13	SES	F&BI	30	11.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-40	4/4/13	SES	F&BI	40	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
G-MW1	MW 1-3-8	7/20/01	GeoEng	NCA	8	31.0	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
	MW 1-8-20	7/20/01	GeoEng	NCA	20	19.0	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
	MW 1-11-27.5	7/20/01	GeoEng	NCA	27.5	11.5	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
	MW 1-13-32.5	7/20/01	GeoEng	NCA	32.5	6.5	S	-	-	-	-	-	-	-	0.038 U	-	-	-	-	-
	MW 1-15-37.5	7/20/01	GeoEng	NCA	37.5	1.5	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
G-MW3 (G-SB4 11)	SB4-4-10	7/20/01	GeoEng	NCA	10	29.6	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
	SB4-7-17.5	7/20/01	GeoEng	NCA	17.5	22.1	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
	SB4-13-32.5	7/20/01	GeoEng	NCA	32.5	7.1	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
	SB4-15-37.5	7/20/01	GeoEng	NCA	37.5	2.1	S	-	-	-	-	-	-	-	0.019 U	-	-	-	-	-
IW06	IW06-25	1/15/16	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-30	1/15/16	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-40	1/15/16	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-50	1/15/16	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-55	1/15/16	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-60	1/15/16	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-65	1/15/16	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-70	1/15/16	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-75	1/15/16	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
IW-1C (-23.9 to-38.9)	IW-1C-5	3/7/18	PES	ESC	5	34.1	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000316 U	0.000433 U	0.000471 U	0.00149 U	0.000570 J
	IW-1C-15	3/7/18	PES	ESC	15	24.1	S	0.00550 U	0.000353 U	0.00161 U	0.000282 U	0.000240 U	0.0117 U	0.00210 U	0.000317 U	0.000334 U	0.000458 U	0.000498 U	0.00157 U	0.000260 U
	IW-1C-25	3/7/18	PES	ESC	25	14.1	S	1.11 U	0.0715 U	0.325 U	0.0570 U	0.0485 U	2.38 U	0.425 U	0.0641 U	0.0675 U	0.0926 U	0.101 U	0.318 U	0.0525 U
	IW-1C-35	3/7/18	PES	ESC	35	4.1	S	0.00502 U	0.000323 U	0.00147 U	0.000257 U	0.000219 U	0.0107 U	0.00192 U	0.000290 U	0.000305 U	0.000418 U	0.000455 U	0.00144 U	0.000237 U
	IW-1C-45	3/7/18	PES	ESC	45	-5.9	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.00124
	IW-1C-55	3/7/18	PES	ESC	55	-15.9	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000567 J
	IW-1C-65	3/7/18	PES	ESC	65	-25.9	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
	IW-1C-75	3/7/18	PES	ESC	75	-35.9	S	0.00563 U	0.000362 U	0.00165 U	0.000289 U	0.000245 U	0.0120 U	0.00215 U	0.000325 U	0.000342 U	0.000469 U	0.000510 U	0.00161 U	0.000969 J
IW-2C (-24.8 to-39.8)	IW-2C-5	3/7/18	PES	ESC	5	31.3	S	0.00578 U	0.000372 U	0.00169 U	0.000296 U	0.000252 U	0.0154 J	0.00221 U	0.000546 J	0.000351 U	0.000482 U	0.000524 U	0.00166 U	0.00254
	IW-2C-15	3/7/18	PES	ESC	15	21.3	S	0.00559 U	0.000360 U	0.00164 U	0.000287 U	0.000244 U	0.0119 U	0.00214 U	0.000323 U	0.000339 U	0.000466 U	0.000507 U	0.00160 U	0.00121
	IW-2C-25	3/7/18	PES	ESC	25	11.3	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000317 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
	IW-2C-35	3/7/18	PES	ESC	35	1.3	S	0.00590 U	0.000379 U	0.00173 U	0.000302 U	0.000257 U	0.0126 U	0.00225 U	0.000340 U	0.000358 U	0.000491 U	0.000534 U	0.00169 U	0.000409 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
IW-2C (continued)	IW-2C-45	3/7/18	PES	ESC	45	-8.7	S	0.00508 U	0.000326 U	0.00149 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000649 J
	IW-2C-55	3/7/18	PES	ESC	55	-18.7	S	0.00545 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0116 U	0.00208 U	0.000314 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000584 J
	IW-2C-65	3/7/18	PES	ESC	65	-28.7	S	0.00512 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000814 J	0.000311 U	0.000427 U	0.000464 U	0.00147 U	0.000627 J
	IW-2C-75	3/7/18	PES	ESC	75	-38.7	S	0.00562 U	0.000362 U	0.00165 U	0.000288 U	0.000245 U	0.0120 U	0.00215 U	0.000324 U	0.000341 U	0.000468 U	0.000509 U	0.00161 U	0.000537 J
IW-3C (-24.9 to-39.9)	IW-3C-5	3/9/18	PES	ESC	5	34.1	S	0.00512 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000311 U	0.000426 U	0.000464 U	0.00147 U	0.000242 U
	IW-3C-15	3/9/18	PES	ESC	15	24.1	S	0.136 U	0.00872 U	0.0396 U	0.00695 U	0.00591 U	0.290 U	0.0519 U	0.00782 U	0.00823 U	0.0113 U	0.0123 U	0.0388 U	0.00640 U
	IW-3C-25	3/9/18	PES	ESC	25	14.1	S	2.76 U	0.177 U	0.809 U	0.142 U	0.120 U	5.90 U	1.06 U	0.159 U	0.168 U	0.230 U	0.250 U	0.791 U	0.130 U
	IW-3C-35	3/9/18	PES	ESC	35	4.1	S	1.04 U	0.0669 U	0.305 U	0.0533 U	0.0453 U	2.22 U	0.398 U	0.0600 U	0.0631 U	0.0867 U	0.0942 U	0.298 U	0.0491 U
	IW-3C-45	3/9/18	PES	ESC	45	-5.9	S	0.00539 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000450 U	0.000489 U	0.00154 U	0.000411 J
	IW-3C-55	3/9/18	PES	ESC	55	-15.9	S	0.00531 U	0.000342 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000443 U	0.000481 U	0.00152 U	0.000251 U
	IW-3C-65	3/9/18	PES	ESC	65	-25.9	S	0.00534 U	0.000343 U	0.00156 U	0.000274 U	0.000233 U	0.0114 U	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.000260 J
	IW-3C-75	3/9/18	PES	ESC	75	-35.9	S	0.00586 U	0.000377 U	0.00172 U	0.000300 U	0.000255 U	0.0125 U	0.00224 U	0.000338 U	0.000356 U	0.000488 U	0.000531 U	0.00168 U	0.000306 J
	IW-3C-79	3/9/18	PES	ESC	79	-39.9	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000493 U	0.00156 U	0.000257 U
	IW-901-79	3/9/18	PES	ESC	79 (dup)	-39.9	S	0.00541 U	0.000348 U	0.00158 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000329 U	0.000451 U	0.000490 U	0.00155 U	0.000256 U
IW-7A (5.1 to-9.9)	IW-7A-5	3/16/18	PES	ESC	5	35.1	S	0.00580 U	0.000373 U	0.00170 U	0.000297 U	0.000253 U	0.0124 U	0.00222 U	0.0122	0.000352 U	0.000483 U	0.000525 U	0.00166 U	0.000274 U
	IW-7A-10	3/16/18	PES	ESC	10	30.1	S	0.0171 U	0.00128 U	0.0743	0.00155 U	0.0140	0.148 J	0.0102 U	0.0433	0.00123 U	0.000978 U	0.000835 U	0.00520 U	0.00114 U
	IW-7A-15	3/16/18	PES	ESC	15	25.1	S	0.188 U	0.0121 U	0.0550 U	0.00964 U	0.165	0.402 U	0.0720 U	0.279	0.0114 U	0.0157 U	0.0170 U	0.0539 U	0.0183 J
	IW-7A-20	3/16/18	PES	ESC	20	20.1	S	0.0176 U	0.00131 U	0.00477 J	0.00159 U	0.0356	0.0629 J	0.0104 U	0.00723	0.00126 U	0.00100 U	0.000857 U	0.00534 U	0.00459
	IW-7A-25	3/16/18	PES	ESC	25	15.1	S	0.00567 U	0.000365 U	0.00166 U	0.000291 U	0.000247 U	0.0230 J	0.00217 U	0.00189	0.000344 U	0.000472 U	0.000514 U	0.00162 U	0.000638 J
	IW-7A-30	3/16/18	PES	ESC	30	10.1	S	0.00543 U	0.000349 U	0.00159 U	0.000279 U	0.000507 J	0.0116 U	0.00208 U	0.00201	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.00597 J
	IW-7A-35	3/16/18	PES	ESC	35	5.1	S	0.0150 U	0.00113 U	0.00343 U	0.00136 U	0.0109	0.0497 J	0.00893 U	0.00282 J	0.00108 U	0.000860 U	0.000734 U	0.00457 U	0.00139 J
	IW-7A-40	3/16/18	PES	ESC	40	0.1	S	0.00551 U	0.000354 U	0.00161 U	0.000283 U	0.000240 U	0.0118 U	0.00211 U	0.000318 U	0.000334 U	0.000459 U	0.000499 U	0.00158 U	0.000376 J
	IW-7A-45	3/16/18	PES	ESC	45	-4.9	S	0.00547 U	0.000352 U	0.00160 U	0.000281 U	0.000238 U	0.0117 U	0.00209 U	0.000600 J	0.000332 U	0.000456 U	0.000496 U	0.00157 U	0.000628 J
IW-8B (-9.8 to-24.8)	IW-7A-50	3/16/18	PES	ESC	50	-9.9	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0327 J	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.000245 U
	IW-8B-5	3/19/18	PES	ESC	5	34.2	S	0.00512 U	0.000329 U	0.00150 U	0.000263 U	0.000223 U	0.0204 J	0.00196 U	0.000296 U	0.000311 U	0.000427 U	0.000464 U	0.00147 U	0.00132
	IW-8B-10	3/19/18	PES	ESC	10	29.2	S	0.00504 U	0.000324 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.000238 U
	IW-8B-15	3/19/18	PES	ESC	15	24.2	S	1.35 U	0.0865 U	0.394 U	0.0691 U	0.0587 U	2.88 U	0.516 U	0.0777 U	0.0817 U	0.112 U	0.122 U	0.386 U	0.0635 U
	IW-8B-20	3/19/18	PES	ESC	20	19.2	S	0.00514 U	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0110 U	0.00196 U	0.000296 U	0.000312 U	0.000428 U	0.000465 U	0.00147 U	0.00201
	IW-8B-25	3/19/18	PES	ESC	25	14.2	S	0.00548 U	0.000352 U	0.00160 U	0.000281 U	0.000239 U	0.0117 U	0.00209 U	0.000316 U	0.000332 U	0.000456 U	0.000496 U	0.00157 U	0.000259 U
	IW-8B-30	3/19/18	PES	ESC	30	9.2	S	0.00526 U	0.000338 U	0.00154 U	0.000270 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00151 U	0.000321
	IW-8B-40	3/19/18	PES	ESC	40	-0.8	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.000576
	IW-8B-45	3/20/18	PES	ESC	45	-5.8	S	0.00522 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0111 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.000507
	IW-8B-50	3/20/18	PES	ESC	50	-10.8	S	0.00535 U	0.000344 U	0.00157 U	0.000275 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.000626
	IW-8B-55	3/20/18	PES	ESC	55	-15.8	S	0.00505 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000421 U	0.000457 U	0.00145 U	0.000479
	IW-8B-60	3/20/18	PES	ESC	60	-20.8	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000309 U	0.000325 U	0.000447 U	0.000486 U	0.00153 U	0.000293
IW-8C (-24.5 to-39.5)	IW-8B-64	3/20/18	PES	ESC	64	-24.8	S	0.00528 U	0.000339 U	0.00154 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000584
	IW-8C-5	3/14/18	PES	ESC	5	32.5	S	0.0102 J	0.000517 U	0.00235 U	0.000412 U	0.000350 U	0.0315 J	0.00307 U	0.00198 J+	0.000488 U	0.000669 U	0.000728 U	0.00231 U	0.00251
	IW-8C-10	3/14/18	PES	ESC	10	27.5	S	0.0197 J	0.000521 U	0.00237 U	0.000415 U	0.00176	0.0564 J	0.00310 U	0.00277	0.000491 U	0.000675 U	0.000733 U	0.00232 U	0.00288
	IW-8C-15	3/14/18	PES	ESC	15	22.5	S	0.00551 U	0.000355 U	0.00161 U	0.000282 U	0.000240 U	0.0118 U	0.00211 U	0.000318 U	0.000335 U	0.000459 U	0.000499 U	0.00158 U	0.000260 U
	IW-8C-20	3/14/18	PES	ESC	20	17.5	S	0.00505 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000421 U	0.000457 U	0.00145 U	0.000238 U
	IW-8C-25	3/14/18	PES	ESC	25	12.5	S	0.00557 U	0.000358 U	0.00163 U	0.000286 U	0.000243 U	0.0119 U	0.00213 U	0.000321 U	0.000338 U	0.000464 U	0.000505 U	0.00160 U	0.000263 U
	IW-8C-30	3/14/18	PES	ESC	30	7.5	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000314 U	0.000431 U	0.000469 U	0.00148 U	0.000657 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
IW-8C (continued)	IW-8C-35	3/14/18	PES	ESC	35	2.5	S	0.00541 U	0.000348 U	0.00158 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000329 U	0.000451 U	0.000490 U	0.00155 U	0.000847 J
	IW-8C-40	3/14/18	PES	ESC	40	-2.5	S	0.00539 U	0.000347 U	0.00158 U	0.000276 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.00126
	IW-8C-45	3/14/18	PES	ESC	45	-7.5	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000346 J	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.00111 J
	IW-8C-50	3/14/18	PES	ESC	50	-12.5	S	0.00550 U	0.000354 U	0.00161 U	0.000282 U	0.000731 J	0.0117 U	0.00210 U	0.000317 U	0.000334 U	0.000458 U	0.000498 U	0.00157 U	0.00193
	IW-8C-55	3/14/18	PES	ESC	55	-17.5	S	0.00540 U	0.000347 U	0.00158 U	0.000277 U	0.000277 J	0.0115 U	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000489 U	0.00155 U	0.00180
	IW-8C-60	3/14/18	PES	ESC	60	-22.5	S	0.00535 U	0.000344 U	0.00157 U	0.000274 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000484 U	0.00153 U	0.00102 J
	IW-902-60	3/14/18	PES	ESC	60 (dup)	-22.5	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.000336 J
	IW-8C-65	3/14/18	PES	ESC	65	-27.5	S	0.00561 U	0.000361 U	0.00164 U	0.000288 U	0.000245 U	0.0120 U	0.00215 U	0.000324 U	0.000341 U	0.000468 U	0.000509 U	0.00161 U	0.000265 U
	IW-8C-70	3/14/18	PES	ESC	70	-32.5	S	0.00556 U	0.000357 U	0.00163 U	0.000285 U	0.000242 U	0.0119 U	0.00212 U	0.000320 U	0.000337 U	0.000463 U	0.000503 U	0.00159 U	0.000262 U
	IW-8C-75	3/14/18	PES	ESC	75	-37.5	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000247 U
IW-11D (-41.8 to-56.8)	IW-11D-10	4/19/18	PES	ESC	10	28.4	S	0.0120 J	0.000416 U	0.00189 U	0.000331 U	0.000282 U	0.0415 J	0.00247 U	0.00456	0.000392 U	0.000538 U	0.000585 U	0.00185 U	0.00291
	IW-11D-15	4/19/18	PES	ESC	15	23.4	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000575 J
	IW-11D-20	4/19/18	PES	ESC	20	18.4	S	0.00541 U	0.000348 U	0.00158 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000328 U	0.000451 U	0.000490 U	0.00155 U	0.000256 U
	IW-11D-25	4/19/18	PES	ESC	25	13.4	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.000439 J
	IW-11D-30	4/19/18	PES	ESC	30	8.4	S	0.00512 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000311 U	0.000427 U	0.000464 U	0.00147 U	0.00161
	IW-11D-35	4/19/18	PES	ESC	35	3.4	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000309 U	0.000325 U	0.000447 U	0.000486 U	0.00154 U	0.000708 J
	IW-11D-40	4/19/18	PES	ESC	40	-1.6	S	0.00517 U	0.000333 U	0.00151 U	0.000265 U	0.000225 U	0.0111 U	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000469 U	0.00148 U	0.000757 J
	IW-11D-45	4/19/18	PES	ESC	45	-6.6	S	0.132 U	0.00847 U	0.0385 U	0.00675 U	0.00574 U	0.281 U	0.0504 U	0.00760 U	0.00799 U	0.0110 U	0.0119 U	0.0377 U	0.00621 U
	IW-11D-50	4/19/18	PES	ESC	50	-11.6	S	0.00503 U	0.000323 U	0.00147 U	0.000258 U	0.000219 U	0.0112 J	0.00192 U	0.000290 U	0.000305 U	0.000419 U	0.000455 U	0.00144 U	0.000463 J
	IW-11D-55	4/19/18	PES	ESC	55	-16.6	S	0.00555 U	0.000357 U	0.00162 U	0.000284 U	0.000242 U	0.0118 U	0.00212 U	0.000320 U	0.000336 U	0.000462 U	0.000502 U	0.00159 U	0.000440 J
	IW-11D-60	4/19/18	PES	ESC	60	-21.6	S	0.00514 U	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000243 U
	IW-11D-65	4/19/18	PES	ESC	65	-26.6	S	0.00516 U	0.000332 U	0.00151 U	0.000264 U	0.000225 U	0.0110 U	0.00197 U	0.000297 U	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.000279 J
	IW-11D-70	4/19/18	PES	ESC	70	-31.6	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00198 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000445 J
	IW-11D-75	4/19/18	PES	ESC	75	-36.6	S	0.00540 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0115 U	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000489 U	0.00155 U	0.000545 J
	IW-11D-80	4/19/18	PES	ESC	80	-41.6	S	0.00526 U	0.000338 U	0.00154 U	0.000270 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00151 U	0.000248 U
	IW-11D-85	4/19/18	PES	ESC	85	-46.6	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000235 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
	IW-11D-90	4/19/18	PES	ESC	90	-51.6	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000480 U	0.00152 U	0.000250 U
	IW-11D-95	4/19/18	PES	ESC	95	-56.6	S	0.00548 U	0.000353 U	0.00161 U	0.000281 U	0.000239 U	0.0117 U	0.00210 U	0.000316 U	0.000333 U	0.000457 U	0.000497 U	0.00157 U	0.000259 U
IW-12D (-41.4 to-56.4)	IW-12D-42	9/14/18	PES	ESC	42	-3.5	S	0.0136 U	0.000999 U	0.0109 U	0.00123 U	0.00253 U	1.49 U	0.00206 U	0.000434 U	0.00114 U	0.00123 U	0.00649 U	0.00402 U	0.00441 U
	B-928-42	9/14/18	PES	ESC	42 (dup)	-3.5	S	0.0136 U	0.00100 U	0.0109 U	0.00123 U	0.00253 U	1.49 U	0.00206 U	0.000435 U	0.00114 U	0.00123 U	0.00650 U	0.00402 U	0.00441 U
	IW-12D-50	9/14/18	PES	ESC	50	-11.5	S	0.0137 U	0.00101 U	0.0109 U	0.00124 U	0.00255 U	3.00 U	0.00208 U	0.000437 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	IW-12D-60	9/14/18	PES	ESC	60	-21.5	S	0.0141 U	0.00104 U	0.0113 U	0.00127 U	0.00262 U	0.309 U	0.00214 U	0.000451 U	0.00118 U	0.00127 U	0.00674 U	0.00417 U	0.00457 U
	IW-12D-85	9/17/18	PES	ESC	85	-46.5	S	0.279 U	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.306 U	0.00212 U	0.000458 J	0.00117 U	0.00126 U	0.00668 U	0.00414 U	0.00454 U
	IW-12D-95	9/17/18	PES	ESC	95	-56.5	S	0.0601 U	0.00111 U	0.0120 U	0.00136 U	0.00280 U	0.0659 U	0.00229 U	0.000481 U	0.00126 U	0.00136 U	0.00719 U	0.00445 U	0.00488 U
IW-13D (-41.0 to-56.0)	IW-13D-80	9/18/18	PES	ESC	80	-40.8	S	1.10 U	0.00102 U	0.0110 U	0.00125 U	0.00257 U	1.21 U	0.00210 U	0.000441 U	0.00116 U	0.00125 U	0.00660 U	0.00408 U	0.00448 U
	IW-13D-85	9/18/18	PES	ESC	85	-45.8	S	0.0211 J	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0158 U	0.00219 U	0.000460 U	0.00121 U	0.00130 U	0.00688 U	0.00426 U	0.00467 U
	IW-13D-95	9/18/18	PES	ESC	95	-55.8	S	0.0213 J	0.00111 U	0.0120 U	0.00136 U	0.00280 U	0.0165 U	0.00229 U	0.000481 U	0.00126 U	0.00136 U	0.00720 U	0.00445 U	0.00489 U
IW-14D (-41.0 to-56.0)	IW-14D-45	9/11/18	PES	ESC	45	-5.9	S	0.0262 U	0.000964 U	0.0105 U	0.00118 U	0.00244 U	0.0144 U	0.00199 U	0.000419 U	0.00110 U	0.00118 U	0.00627 U	0.00388 U	0.00425 U
	IW-14D-55	9/11/18	PES	ESC	55	-15.9	S	0.565 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	IW-14D-65	9/11/18	PES	ESC	65	-25.9	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0154 U	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00671 U	0.00415 U	0.00456 U
	IW-14D-75	9/11/18	PES	ESC	75	-35.9	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00261 U	0.0671	0.00213 U	0.000525 J	0.00118 U	0.00127 U	0.00671 U	0.00415 U	0.00455 U
	IW-14D-86	9/11/18	PES	ESC	86	-46.9	S	0.0138 U	0.00101 U	0.0110 U	0.00124 U	0.00257 U	0.0151 U	0.00209 U	0.000604 J	0.00116 U	0.00124 U	0.00659 U	0.00408 U	0.00447 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
IW-14D (continued)	IW-14D-95	9/11/18	PES	ESC	95	-55.9	S	0.113 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.000701 J	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
IW-15D (-41.9 to-56.9)	IW-15D-54	9/11/18	PES	ESC	54	-2.2	S	0.0535 U	0.000984 U	0.0107 U	0.00121 U	0.00249 U	0.0590	0.00203 U	0.000455 J	0.00112 U	0.00121 U	0.00640 U	0.00396 U	0.00434 U
IW-16D (-41.5 to-56.2)	IW-16D-85	10/18/18	PES	PACE	85	-45.6	S	0.0583 U	0.00429 U	0.0466 U	0.00527 U	0.0109 U	0.0639 U	0.00886 U	0.00321 J	0.00489 U	0.00527 U	0.0278 U	0.0172 U	0.0189 U
	IW-16D-90	10/18/18	PES	PACE	90	-50.6	S	0.0148 U	0.00109 U	0.0119 U	0.00134 U	0.00276 U	0.0162 U	0.00225 U	0.000474 U	0.00124 U	0.00134 U	0.00709 U	0.00439 U	0.00481 U
	IW-16D-95	10/18/18	PES	PACE	95	-55.6	S	0.0605 U	0.00446 U	0.0484 U	0.00547 U	0.0113 U	0.0663 U	0.00920 U	0.00194 U	0.00509 U	0.00547 U	0.0289 U	0.0179 U	0.0196 U
IW-19B (-10.6 to-25.6)	IW-19B-5	3/19/18	PES	ESC	5	32.4	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0388 J	0.00202 U	0.000797 J	0.000321 U	0.000440 U	0.000479 U	0.00152 U	0.00144
	IW-19B-10	3/19/18	PES	ESC	10	27.4	S	0.0220	0.000370 U	0.00169 U	0.000295 U	0.000251 U	0.115	0.00220 U	0.000465 J	0.000349 U	0.000480 U	0.000522 U	0.00165 U	0.00196
	IW-19B-15	3/19/18	PES	ESC	15	22.4	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0119 J	0.00205 U	0.000309 U	0.000325 U	0.000447 U	0.000486 U	0.00154 U	0.00135 J
	IW-19B-20	3/19/18	PES	ESC	20	17.4	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0126 J	0.00200 U	0.000302 U	0.000317 U	0.000436 U	0.000473 U	0.00150 U	0.00254
	IW-19B-25	3/19/18	PES	ESC	25	12.4	S	0.00549 U	0.000353 U	0.00161 U	0.000282 U	0.000239 U	0.0157 J	0.00210 U	0.000317 U	0.000333 U	0.000458 U	0.000498 U	0.00157 U	0.00388
	IW-19B-30	3/19/18	PES	ESC	30	7.4	S	0.00526 U	0.000338 U	0.00154 U	0.000270 U	0.000229 U	0.0139 J	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.000756 J
	IW-19B-35	3/05/18	PES	ESC	35	2.4	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0145 J	0.00199 U	0.000299 U	0.000315 U	0.000433 U	0.000470 U	0.00149 U	0.00330
	IW-19B-40	3/19/18	PES	ESC	40	-2.6	S	0.00772 J	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0380 J	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000489 U	0.00155 U	0.00114 J
	IW-19B-45	3/19/18	PES	ESC	45	-7.6	S	0.00571 U	0.000367 U	0.00167 U	0.000293 U	0.000249 U	0.0212 J	0.00218 U	0.000330 U	0.000347 U	0.000476 U	0.000517 U	0.00164 U	0.00105 J
	IW-19B-50	3/19/18	PES	ESC	50	-12.6	S	0.00597 U	0.000384 U	0.00174 U	0.000307 U	0.000260 U	0.0128 U	0.00228 U	0.000344 U	0.000362 U	0.000498 U	0.000541 U	0.00171 U	0.00307
	IW-19B-55	3/05/18	PES	ESC	55	-17.6	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000467 U	0.00147 U	0.00291
	IW-19B-60	3/19/18	PES	ESC	60	-22.6	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.00446
	IW-903-60	3/19/18	PES	ESC	60 (dup)	-22.6	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0137 J	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.00319
	IW-19B-63	3/19/18	PES	ESC	63	-25.6	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000488 J
IW-21B (-10.1 to-25.1)	IW-21B-5	3/6/18	PES	ESC	5	36.9	V	0.00846 U	0.000544 U	0.00247 U	0.000433 U	0.000369 U	0.0181 U	0.00323 U	0.000488 U	0.000513 U	0.000705 U	0.000767 U	0.00242 U	0.000400 U
	IW-21B-10	3/6/18	PES	ESC	10	31.9	S	0.00571 U	0.000367 U	0.00167 U	0.000293 U	0.000249 U	0.0147 J	0.00218 U	0.000329 U	0.000346 U	0.000475 U	0.000517 U	0.00163 U	0.000269 U
	IW-21B-20	3/6/18	PES	ESC	20	21.9	S	0.00563 U	0.000362 U	0.00165 U	0.000289 U	0.000289 U	0.000744 J	0.00215 U	0.000864 J	0.000341 U	0.000469 U	0.000510 U	0.00161 U	0.00209
	IW-21B-30	3/6/18	PES	ESC	30	11.9	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.000830 J
	IW-21B-40	3/6/18	PES	ESC	40	1.9	S	0.00517 U	0.000333 U	0.00151 U	0.000265 U	0.000225 U	0.0111 U	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000469 U	0.00148 U	0.000861 J
	IW-21B-50	3/6/18	PES	ESC	50	-8.1	S	0.00506 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000274 J
	IW-21B-60	3/6/18	PES	ESC	60	-18.1	S	0.133 U	0.00852 U	0.0388 U	0.00680 U	0.00578 U	0.283 U	0.0508 U	0.00765 U	0.00805 U	0.0110 U	0.0120 U	0.0380 U	0.00625 U
IW-21B-67	IW-21B-67	3/6/18	PES	ESC	67	-25.1	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000315 U	0.000432 U	0.000470 U	0.00148 U	0.000377 J
IW-22C (-25.6 to-40.6)	IW-22C-62	8/31/18	PES	ESC	62	-23.1	S	0.0342	0.00106 U	0.0115 U	0.00193 J	0.00269 U	0.0193 J	0.00219 U	0.000462 U	0.00121 U	0.00131 U	0.00691 U	0.00427 U	0.00468 U
	IW-22C-78	8/31/18	PES	ESC	78	-39.1	S	0.0382	0.00111 U	0.0121 U	0.00137 U	0.00282 U	0.0166 U	0.00230 U	0.000484 U	0.00127 U	0.00137 U	0.00724 U	0.00448 U	0.00695 J
IW-23C (-27.0 to-42.0)	IW-23C-42	9/4/18	PES	ESC	42	-3.0	S	0.0150 U	0.00110 U	0.0120 U	0.00135 U	0.00450 J	0.0193 J	0.00227 U	0.000479 U	0.00126 U	0.00135 U	0.00716 U	0.00443 U	0.00486 U
IW-24C (-26.1 to-41.1)	IW-24C-48	9/7/18	PES	ESC	48	-8.8	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000635 J	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	IW-24C-55	9/7/18	PES	ESC	55	-15.8	S	0.0508	0.00110 U	0.0119 U	0.00135 U	0.00285 J	0.0163 U	0.00227 U	0.000769 J	0.00125 U	0.00135 U	0.00712 U	0.441 U	0.00537
	IW-24C-66	9/10/18	PES	ESC	66	-26.8	S	0.0155 U	0.00114 U	0.0124 U	0.00140 U	0.00325 J	0.0169 U	0.00235 U	0.000495 U	0.00130 U	0.00140 U	0.00740 U	1.83 U	0.00502 U
	IW-24C-75	9/10/18	PES	ESC	75	-35.8	S	0.0149 U	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0164 U	0.00227 U	0.000478 U	0.00125 U	0.00135 U	0.00715 U	1.77 U	0.00485 U
IW-24C-80	IW-24C-80	9/10/18	PES	ESC	80	-40.8	S	0.277 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00210 U	0.000442 U	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00449 U
IW-27B (-8.1 to-23.1)	IW-27B-5	3/2/18	PES	ESC	5	37.0	V	0.00750 U	0.000482 U	0.00220 U	0.000385 U	0.000327 U	0.0160 U	0.00287 U	0.000432 U	0.000456 U	0.000624 U	0.000680 U	0.00215 U	0.000354 U
	IW-27B-15	3/2/18	PES	ESC	15	27.0	S	0.0258	0.000429 U	0.00195 U	0.000342 U	0.00167	0.0649 J	0.00255 U	0.00393	0.000404 U	0.000555 U	0.000604 U	0.00191 U	0.00228
	IW-27B-25	3/2/18	PES	ESC	25	17.0	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000454 U	0.000493 U	0.00156 U	0.000257 U
	IW-27B-35	3/2/18	PES	ESC	35	7.0	S	0.00536 U	0.000344 U	0.00157 U	0.000275 U	0.000233 U	0.0114 U	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.00139

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
IW-27C (-24.4 to-39.6)	IW-27C-45	9/10/18	PES	ESC	45	6.8	S	0.280 U	0.00103 U	0.0112 U	0.00126 U	0.00261 U	0.0153 U	0.00213 U	0.000448 U	0.00118 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
IW-28C (-26.6 to-41.7)	IW-28C-92	9/17/18	PES	ESC	92	-40.6	S	0.0544 U	0.00100 U	0.0109 U	0.00123 U	0.00253 U	0.0596 U	0.00207 U	0.000435 U	0.00114 U	0.00123 U	0.00650 U	0.00402 U	0.00441 U
IW-39B (-9.8 to-24.8)	IW-39B-5	3/12/18	PES	ESC	5	35.2	V	0.00594 U	0.000382 U	0.00174 U	0.000305 U	0.000259 U	0.0189 J	0.00227 U	0.000343 U	0.000361 U	0.000495 U	0.000538 U	0.00170 U	0.00335
	IW-39B-15	3/12/18	PES	ESC	15	25.2	S	0.00522 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000301 U	0.000316 U	0.000435 U	0.000473 U	0.00149 U	0.000246 U
	IW-39B-25	3/12/18	PES	ESC	25	15.2	S	0.00556 U	0.000358 U	0.00163 U	0.000285 U	0.000243 U	0.0119 U	0.00213 U	0.000321 U	0.000338 U	0.000464 U	0.000504 U	0.00159 U	0.000306 J
	IW-39B-35	3/12/18	PES	ESC	35	5.2	S	0.00514 U	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000296 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000442 J
	IW-39B-45	3/12/18	PES	ESC	45	-4.8	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000442 J
	IW-39B-55	3/12/18	PES	ESC	55	-14.8	S	0.123 U	0.00790 U	0.0359 U	0.00630 U	0.00536 U	0.263 U	0.0470 U	0.00709 U	0.00746 U	0.0102 U	0.0111 U	0.0352 U	0.00580 U
IW-46B (-4.2 to-24.2)	IW-46B-5	3/20/18	PES	ESC	5	46.8	V	0.00526 U	0.000338 U	0.00154 U	0.000270 U	0.000229 U	0.0389 J	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000477 U	0.00151 U	0.000328 J
	IW-46B-10	3/20/18	PES	ESC	10	41.8	V	0.00532 J	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0688	0.00197 U	0.000327 J	0.000312 U	0.000429 U	0.000466 U	0.00147 U	0.00104 J
	IW-46B-15	3/20/18	PES	ESC	15	36.8	V	0.129 U	0.00832 U	0.0378 U	0.00664 U	0.00564 U	0.277 U	0.0496 U	0.00747 U	0.00785 U	0.0108 U	0.0117 U	0.0371 U	0.00611 U
	IW-46B-20	3/20/18	PES	ESC	20	31.8	S	0.00523 U	0.000337 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
	IW-46B-25	3/20/18	PES	ESC	25	26.8	S	0.00517 U	0.000333 U	0.00151 U	0.000265 U	0.000225 U	0.0116 J	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000469 U	0.00148 U	0.00128
	IW-46B-30	3/20/18	PES	ESC	30	21.8	S	0.00523 U	0.000337 U	0.00153 U	0.000268 U	0.000228 U	0.0144 J	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.000553 J
	IW-46B-35	3/20/18	PES	ESC	35	16.8	S	0.00566 U	0.000364 U	0.00166 U	0.000290 U	0.000247 U	0.0147 J	0.00217 U	0.000327 U	0.000344 U	0.000472 U	0.000513 U	0.00162 U	0.000363 J
	IW-904-35	3/20/18	PES	ESC	35 (dup)	16.8	S	0.00599 U	0.000385 U	0.00175 U	0.000307 U	0.000261 U	0.0178 J	0.00229 U	0.000345 U	0.000363 U	0.000499 U	0.000542 U	0.00171 U	0.000623 J
	IW-46B-40	3/20/18	PES	ESC	40	11.8	S	0.00492 U	0.000316 U	0.00144 U	0.000252 U	0.000214 U	0.0105 U	0.00188 U	0.000284 U	0.000299 U	0.000410 U	0.000446 U	0.00141 U	0.000999 J
	IW-46B-42	3/20/18	PES	ESC	42	9.8	S	0.00563 U	0.000362 U	0.00165 U	0.000289 U	0.000245 U	0.0256 J	0.00215 U	0.000384 J	0.000341 U	0.000469 U	0.000510 U	0.00161 U	0.00580
	IW-46B-45	3/20/18	PES	ESC	45	6.8	S	26.6 U	1.71 U	7.79 U	1.37 U	1.16 U	56.9 U	10.2 U	1.54 U	1.62 U	2.22 U	2.41 U	7.62 U	1.25 U
	IW-46B-50	3/20/18	PES	ESC	50	1.8	S	0.00468 U	0.000301 U	0.00137 U	0.000240 U	0.000204 U	0.0203 J	0.00179 U	0.000504 J	0.000284 U	0.000390 U	0.000424 U	0.00134 U	0.00218
	IW-46B-55	3/20/18	PES	ESC	55	-3.2	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000227 U	0.0159 J	0.00200 U	0.000305 J	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.00266
	IW-46B-60	3/20/18	PES	ESC	60	-8.2	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0123 J	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00151 U	0.00171
	IW-46B-65	3/20/18	PES	ESC	65	-13.2	S	0.00520 U	0.000335 U	0.00152 U	0.000267 U	0.000227 U	0.0191 J	0.00199 U	0.000300 U	0.000316 U	0.000434 U	0.000471 U	0.00149 U	0.00125
	IW-46B-70	3/20/18	PES	ESC	70	-18.2	S	0.00597 U	0.000384 U	0.00175 U	0.000306 U	0.000260 U	0.0257 J	0.00228 U	0.000344 U	0.000362 U	0.000497 U	0.000541 U	0.00171 U	0.00187
IW-47B (-5.2 to-25.2)	IW-47B-5	3/22/18	PES	ESC	5	46.8	V	0.00552 U	0.000355 U	0.00162 U	0.000283 U	0.000241 U	0.0309 J	0.00211 U	0.000323 J	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.000553 J
	IW-47B-10	3/22/18	PES	ESC	10	41.8	V	0.00551 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0118 U	0.00211 U	0.000318 U	0.000334 U	0.000459 U	0.000499 U	0.00158 U	0.000260 U
	IW-47B-15	3/22/18	PES	ESC	15	36.8	V	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.000247 U
	IW-47B-20	3/22/18	PES	ESC	20	31.8	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.000425 J
	IW-47B-25	3/22/18	PES	ESC	25	26.8	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000305 U	0.000321 U	0.000441 U	0.000480 U	0.00152 U	0.000250 U
	IW-47B-30	3/22/18	PES	ESC	30	21.8	S	0.0126	0.000337 U	0.00154 U	0.000269 U	0.000229 U	0.0166 J	0.00201 U	0.000303 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000846 J
	IW-47B-35	3/22/18	PES	ESC	35	16.8	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0184 J	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000466 U	0.00147 U	0.00108 J
	IW-47B-40	3/22/18	PES	ESC	40	11.8	S	0.00909 J	0.000342 U	0.00156 U	0.000272 U	0.000232 U	0.0221 J	0.00203 U	0.000306 U	0.000322 U	0.000443 U	0.000481 U	0.00152 U	0.00131
	IW-47B-42	3/22/18	PES	ESC	42	9.8	S	0.00614 U	0.000395 U	0.00180 U	0.000315 U	0.000267 U	0.0138 J	0.00235 U	0.000354 U	0.000373 U	0.000512 U	0.000556 U	0.00175 U	0.00132
	IW-47B-45	3/22/18	PES	ESC	45	6.8	S	0.00673 J	0.000340 U	0.00155 U	0.000271 U	0.000231 U	0.0361 J	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00152 U	0.00209
	IW-47B-50	3/22/18	PES	ESC	50	1.8	S	0.00550 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0297 J	0.00210 U	0.000317 U	0.000334 U	0.000458 U	0.000498 U	0.00157 U	0.00182
	IW-47B-55	3/22/18	PES	ESC	55	-3.2	S	0.00506 U	0.000325 U	0.00148 U	0.000259 U	0.000221 U	0.0108 U	0.00193 U	0.000292 U	0.000307 U	0.000422 U	0.000458 U	0.00145 U	0.00303
	IW-47B-60	3/22/18	PES	ESC	60	-8.2	S	0.00535 U	0.000344 U	0.00157 U	0.000274 U	0.000233 U	0.0335 J	0.00205 U	0.000309 U	0.000325 U	0.000446 U	0.000485 U	0.00153 U	0.00132
	IW-47B-65	3/22/18	PES	ESC	65	-13.2	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0282 J	0.00202 U	0.000305 U	0.000321 U	0.000440 U	0.000479 U	0.00151 U	0.00188
	IW-47B-70	3/22/18	PES	ESC	70	-18.2	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0175 J	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.00163
	IW-47B-75	3/22/18	PES	ESC	75	-23.2	S	0.00521 U	0.000335 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.000338 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
IW-48B (-9.4 to-24.4)	IW-48B-5	3/23/18	PES	ESC	5	46.7	V	0.00541 U	0.000348 U	0.00158 U	0.000277 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000328 U	0.000451 U	0.000490 U	0.00155 U	0.000255 U
	IW-48B-10	3/23/18	PES	ESC	10	41.7	V	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000480 U	0.00152 U	0.000250 U
	IW-48B-15	3/23/18	PES	ESC	15	36.7	V	0.00546 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0247 J	0.00209 U	0.00101 J	0.000332 U	0.000455 U	0.000495 U	0.00156 U	0.000467 J
	IW-48B-20	3/23/18	PES	ESC	20	31.7	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000467 U	0.00147 U	0.000243 U
	IW-48B-25	3/23/18	PES	ESC	25	26.7	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.000616 J
	IW-48B-30	3/23/18	PES	ESC	30	21.7	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.000291 J
	IW-48B-35	3/23/18	PES	ESC	35	16.7	S	0.00538 U	0.000346 U	0.00158 U	0.000276 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.00108 J
	IW-48B-40	3/23/18	PES	ESC	40	11.7	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00195 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.00119 J
	IW-48B-42	3/23/18	PES	ESC	42	9.7	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.00100 J
	IW-905-42	3/23/18	PES	ESC	42 (dup)	9.7	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.00138 J
	IW-48B-45	3/23/18	PES	ESC	45	6.7	S	0.0121	0.000327 U	0.00149 U	0.000260 U	0.000221 U	0.0201 J	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000835 J
	IW-48B-50	3/23/18	PES	ESC	50	1.7	S	0.0134	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0194 J	0.00198 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.00124 J
	IW-48B-55	3/23/18	PES	ESC	55	-3.3	S	0.00507 U	0.000327 U	0.00149 U	0.000261 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00146 U	0.00213 J
	IW-48B-60	3/23/18	PES	ESC	60	-8.3	S	0.00518 U	0.000333 U	0.00152 U	0.000265 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000314 U	0.000431 U	0.000469 U	0.00148 U	0.00234 J
	IW-48B-65	3/23/18	PES	ESC	65	-13.3	S	0.00553 U	0.000356 U	0.00162 U	0.000284 U	0.000241 U	0.0214 J	0.00211 U	0.000319 U	0.000336 U	0.000461 U	0.000501 U	0.00158 U	0.000739 J
	IW-48B-70	3/23/18	PES	ESC	70	-18.3	S	0.00514 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000466 U	0.00147 U	0.000383 J
	IW-48B-75	3/23/18	PES	ESC	75	-23.3	S	0.00526 U	0.000339 U	0.00154 U	0.000270 U	0.000229 U	0.0112 U	0.00201 U	0.000304 U	0.000319 U	0.000439 U	0.000477 U	0.00151 U	0.00256 J
IW-50A (9.8 to-10.2)	IW-50A-5	3/27/18	PES	ESC	5	46.9	V	0.00534 U	0.000344 U	0.00156 U	0.000274 U	0.000233 U	0.0493 J	0.00204 U	0.000343 J	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.000543 J
	IW-50A-10	3/27/18	PES	ESC	10	41.9	V	0.0791	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.504	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.000246 U
	IW-50A-15	3/27/18	PES	ESC	15	36.9	V	0.225	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.667 J	0.00197 U	0.000297 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000287 J
	IW-50A-20	3/27/18	PES	ESC	20	31.9	S	0.0116	0.000335 U	0.00152 U	0.000267 U	0.000227 U	0.0419 J	0.00199 U	0.000300 U	0.000316 U	0.000433 U	0.000471 U	0.00149 U	0.000246 U
	IW-50A-25	3/27/18	PES	ESC	25	26.9	S	0.00600 J	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000239 U
	IW-50A-30	3/27/18	PES	ESC	30	21.9	S	0.153	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0706	0.00194 U	0.000293 U	0.000308 U	0.000424 U	0.000460 U	0.00146 U	0.000545 J
	IW-50A-35	3/27/18	PES	ESC	35	16.9	S	0.0561	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0368 J	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000801 J
	IW-50A-40	3/27/18	PES	ESC	40	11.9	S	0.0513	0.000333 U	0.00151 U	0.000265 U	0.000225 U	0.0380 J	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000468 U	0.00148 U	0.000945 J
	IW-50A-42	3/27/18	PES	ESC	42	9.9	S	0.0253	0.000331 U	0.00150 U	0.000264 U	0.000224 U	0.0140 J	0.00197 U	0.000297 U	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000639 J
	IW-50A-45	3/27/18	PES	ESC	45	6.9	S	0.0783	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0558	0.00198 U	0.000299 U	0.000314 U	0.000432 U	0.000469 U	0.00148 U	0.00176 J
	IW-50A-50	3/27/18	PES	ESC	50	1.9	S	0.0460	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0337 J	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.00122 J
	IW-906-50	3/27/18	PES	ESC	50 (dup)	1.9	S	0.0184 J	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0120 J	0.00202 U	0.000305 U	0.000321 U	0.000440 U	0.000479 U	0.00151 U	0.000751 J
	IW-50A-55	3/27/18	PES	ESC	55	-3.2	S	0.0116	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0191 J	0.00201 U	0.000304 U	0.000320 U	0.000439 U	0.000477 U	0.00151 U	0.000464 J
	IW-50A-60	3/27/18	PES	ESC	60	-8.2	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000440 U	0.000479 U	0.00151 U	0.000379 J
IW-51A (9.9 to-10.1)	IW-51A-5	3/26/18	PES	ESC	5	46.9	V	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000466 U	0.00147 U	0.000561 J
	IW-51A-10	3/26/18	PES	ESC	10	41.9	V	0.00510 U	0.000328 U	0.00149 U	0.000262 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000310 U	0.000425 U	0.000462 U	0.00146 U	0.000241 U
	IW-51A-15	3/26/18	PES	ESC	15	36.9	V	0.0807 J	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.186 J	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.00136 J
	IW-51A-20	3/26/18	PES	ESC	20	31.9	S	0.0108 J	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0156 J	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000459 U	0.00145 U	0.000312 J
	IW-51A-25	3/26/18	PES	ESC	25	26.9	S	0.00646 U	0.000415 U	0.00189 U	0.000331 U	0.000281 U	0.0138 U	0.00247 U	0.000373 U	0.000392 U	0.000538 U	0.000585 U	0.00185 U	0.000305 U
	IW-51A-30	3/26/18	PES	ESC	30	21.9	S	0.00504 U	0.000324 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.000238 U
	IW-51A-35	3/26/18	PES	ESC	35	16.9	S	0.00510 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000309 J
	IW-51A-40	3/26/18	PES	ESC	40	11.9	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.000784 J
	IW-51A-42	3/26/18	PES	ESC	42	9.9	S	0.0232 J	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000301 U	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.00131 J
	IW-51A-45	3/26/18	PES	ESC	45	6.9	S	0.00521 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000301 U	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.000486 J
	IW-51A-50	3/26/18	PES	ESC	50	1.9	S	0.0540	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0181 J	0.00205 U	0.000378 J	0.000325 U	0.000447 U	0.000486 U	0.00154 U	0.000907 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
IW-51A (continued)	IW-51A-55	3/26/18	PES	ESC	55	-3.1	S	0.0160	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0198 J	0.00205 U	0.000310 U	0.000326 U	0.000447 U	0.000486 U	0.00154 U	0.000492 J
	IW-51A-60	3/26/18	PES	ESC	60	-8.1	S	0.00503 U	0.000324 U	0.00147 U	0.000258 U	0.000219 U	0.0108 U	0.00193 U	0.000290 U	0.000305 U	0.000420 U	0.000456 U	0.00144 U	0.000255 J
	IW-51A-62	3/26/18	PES	ESC	62	-10.1	S	0.00509 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.000264 J
IW-53B (-11.1 to-26.1)	IW-53B-30	9/20/18	PES	ESC	30	5.3	S	0.136 U	0.00100 U	0.0109 U	0.00123 U	0.00253 U	0.149 U	0.00207 U	0.000505 J	0.00114 U	0.00123 U	0.00651 U	0.00402 U	0.00442 U
IW-54A (9.8 to-10.2)	IW-54A-8	9/12/18	PES	ESC	8	31.1	S	0.0472	0.00106 U	0.0115 U	0.00130 U	0.00269 U	3.16 U	0.00219 U	0.000462 U	0.00121 U	0.00130 U	0.00690 U	0.00427 U	0.00469 U
	IW-54A-49	9/12/18	PES	ESC	49	-9.9	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0159 U	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
IW-54B (-9.5 to-24.5)	IW-54B-8	9/5/18	PES	ESC	8	31.2	S	0.0224 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000436 U	0.00115 U	0.00123 U	0.00652 U	0.00404 U	0.00443 U
	IW-54B-13	9/6/18	PES	ESC	13	26.2	S	0.0139 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0186 J	0.00211 U	0.000444 U	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
	IW-54B-21	9/6/18	PES	ESC	21	18.2	S	0.0152 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000436 U	0.00115 U	0.00123 U	0.00652 U	0.00404 U	0.00443 U
	IW-54B-33	9/6/18	PES	ESC	33	6.2	S	0.0350	0.00115 U	0.0125 U	0.00142 U	0.00291 U	0.0171 U	0.00237 U	0.000702 J	0.00131 U	0.00142 U	0.00748 U	0.00462 U	0.00507 U
IW-55B (-12.0 to-27.0)	IW-55B-39	9/13/18	PES	ESC	39	12.8	S	0.0133 U	0.000977 U	0.0106 U	0.00120 U	0.00247 U	0.0413	0.00202 U	0.000425 U	0.00111 U	0.00120 U	0.00635 U	0.00393 U	0.00431 U
	IW-55B-43	9/13/18	PES	ESC	43	8.8	S	0.0163 J	0.00104 U	0.0113 U	0.00128 U	0.00264 U	1.24 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00676 U	0.00419 U	0.00459 U
	IW-55B-61	9/13/18	PES	ESC	61	-9.2	S	0.0167 J	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.152 J	0.00226 U	0.000475 U	0.00125 U	0.00134 U	0.00710 U	0.00440 U	0.00631 J
IW-58A (3.9 to-11.1)	IW-58A-38	10/17/18	PES	PACE	38	1.2	S	0.0413	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.150 U	0.00208 U	0.000437 U	0.00115 U	0.00124 U	0.00654 U	0.00404 U	0.00444 U
	B-929-38	10/17/18	PES	PACE	38 (dup)	1.2	S	0.0306	0.00104 U	0.0113 U	0.00127 U	0.00262 U	0.154 U	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00673 U	0.00417 U	0.00457 U
MW101 (B101) (-65.5 to-75.5)	B101-30	7/10/12	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-34	7/10/12	SES	F&BI	34	5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-40	7/10/12	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-47	7/10/12	SES	F&BI	47	-7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-48	7/10/12	SES	F&BI	48	-8.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-55	7/10/12	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-65	7/10/12	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-75	7/11/12	SES	F&BI	75	-35.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-81	7/11/12	SES	F&BI	81	-41.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-92	7/12/12	SES	F&BI	92	-52.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-97	7/12/12	SES	F&BI	97	-57.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-104	7/12/12	SES	F&BI	104	-64.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-114.5	7/12/12	SES	F&BI	114.5	-75.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-120	7/12/12	SES	F&BI	120	-80.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-131	7/12/12	SES	F&BI	131	-91.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-140	7/12/12	SES	F&BI	140	-100.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW130 (B130) (-30.9 to-40.9)	B130-10	3/1/16	SES	F&BI	10	29.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-20	3/1/16	SES	F&BI	20	19.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-30	3/1/16	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-40	3/1/16	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-45	3/2/16	SES	F&BI	45	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-50	3/2/16	SES	F&BI	50	-10.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-55	3/2/16	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-60	3/2/16	SES	F&BI	60	-20.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-65	3/2/16	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B130-70	3/2/16	SES	F&BI	70	-30.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW130 (B130) (continued)	B130-75 B130-80	3/2/16 3/2/16	SES SES	F&BI F&BI	75 80	-35.5 -40.5	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
MW131 (B131) (-4.2 to-14.2)	B131-10	3/1/16	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-20	3/1/16	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-30	3/1/16	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-40	3/1/16	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-45	3/2/16	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B131-55	3/2/16	SES	F&BI	55	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-132 (-29.9 to-39.9)	MW-132-20	8/22/17	PES	ESC	20	20.1	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000227 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00149 U	0.000246 U
	MW-132-35	8/22/17	PES	ESC	35	5.1	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.00118 J
	MW-132-50	8/22/17	PES	ESC	50	-9.9	S	0.00506 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0231 J	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.00341 J
	MW-132-55	8/23/17	PES	ESC	55	-14.9	S	0.538 U	0.0346 U	0.158 U	0.0276 U	0.0235 U	1.15 U	0.206 U	0.0310 U	0.0327 U	0.0448 U	0.0488 U	0.154 U	0.0254 U
	MW-132-60	8/23/17	PES	ESC	60	-19.9	S	0.00504 U	0.000324 U	0.00148 U	0.000258 U	0.000220 U	0.0149 J	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.00175 J
	MW-132-70	8/23/17	PES	ESC	70	-29.9	S	0.00571 U	0.000367 U	0.00167 U	0.000293 U	0.000249 U	0.0182 J	0.00218 U	0.000329 U	0.000346 U	0.000475 U	0.000517 U	0.00163 U	0.000464 J
	MW-132-83	8/23/17	PES	ESC	83	-42.9	S	0.00510 U	0.000328 U	0.00149 U	0.000262 U	0.000223 U	0.0262 J	0.00195 U	0.000302 J	0.000310 U	0.000425 U	0.000463 U	0.00146 U	0.00271
MW-133 (-88.9 to-98.9)	MW-133-20	8/15/17	PES	ESC	20	20.1	S	0.00552 U	0.000355 U	0.00161 U	0.000283 U	0.000240 U	0.0279 J	0.00211 U	0.000422 J	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.00252
	MW-133-35	8/15/17	PES	ESC	35	5.1	S	0.0258 U	0.000393 U	0.00179 U	0.000313 U	0.000266 U	0.169	0.00234 U	0.000353 U	0.000371 U	0.000509 U	0.000554 U	0.00175 U	0.000593 J
	MW-133-45	8/15/17	PES	ESC	45	-4.9	S	0.00509 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0142 J	0.00195 U	0.000293 U	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.00239
	MW-133-55	8/15/17	PES	ESC	55	-14.9	S	1.14 U	0.0736 U	0.335 U	0.0587 U	0.0804 J	2.45 U	0.438 U	0.0661 U	0.0695 U	0.0954 U	0.104 U	0.328 U	0.0541 U
	MW-133-58	8/15/17	PES	ESC	58	-17.9	S	27.7 U	1.77 U	8.10 U	1.42 U	1.21 U	59.1 U	10.6 U	1.60 U	1.68 U	2.31 U	2.51 U	7.92 U	1.30 U
	MW-133-65	8/15/17	PES	ESC	65	-24.9	S	0.00542 U	0.000348 U	0.00159 U	0.000278 U	0.000236 U	0.0188 J	0.00207 U	0.000313 U	0.000329 U	0.000451 U	0.000491 U	0.00155 U	0.00554
	MW-133-75	8/15/17	PES	ESC	75	-34.9	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000454 U	0.000493 U	0.00156 U	0.000728 J
	MW-133-85	8/15/17	PES	ESC	85	-44.9	S	0.137 U	0.00882 U	0.0401 U	0.00703 U	0.00598 U	0.293 U	0.0525 U	0.00791 U	0.00832 U	0.0114 U	0.0124 U	0.0393 U	0.00647 U
	MW-133-95	8/16/17	PES	ESC	95	-54.9	S	0.00545 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0116 U	0.00209 U	0.000315 U	0.000331 U	0.000454 U	0.000494 U	0.00156 U	0.000257 U
	MW-133-105	8/16/17	PES	ESC	105	-64.9	S	0.00563 U	0.000362 U	0.00165 U	0.000289 U	0.000246 U	0.0120 U	0.00216 U	0.000325 U	0.000342 U	0.000470 U	0.000511 U	0.00161 U	0.000266 U
	MW-133-120	8/16/17	PES	ESC	120	-79.9	S	0.127 U	0.00817 U	0.0372 U	0.00652 U	0.00554 U	0.272 U	0.0487 U	0.00734 U	0.00772 U	0.0106 U	0.0115 U	0.0364 U	0.00600 U
	MW-133-130	8/16/17	PES	ESC	130	-89.9	S	0.00558 U	0.000359 U	0.00163 U	0.000286 U	0.000243 U	0.0119 U	0.00213 U	0.000322 U	0.000338 U	0.000465 U	0.000505 U	0.00160 U	0.000263 U
	MW-133-135	8/16/17	PES	ESC	135	-94.9	S	0.0156 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0172 J	0.00203 U	0.00369	0.000322 U	0.000442 U	0.000480 U	0.00152 U	0.000250 U
	MW-133-141	8/16/17	PES	ESC	141	-100.9	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00202 U	0.000766 J	0.000320 U	0.000439 U	0.000478 U	0.00151 U	0.00232
MW-134 (-38.6 to-48.6)	MW-134-20	8/29/17	PES	ESC	20	21.5	S	0.00616 U	0.000396 U	0.00180 U	0.000316 U	0.000268 U	0.0219 J	0.00236 U	0.00197 U	0.000374 U	0.000513 U	0.000558 U	0.00176 U	0.000769 J
	MW-134-43	8/29/17	PES	ESC	43	-1.6	S	0.00543 U	0.000349 U	0.00159 U	0.000278 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000330 U	0.000453 U	0.000492 U	0.00155 U	0.00115 J
	MW-134-50	8/29/17	PES	ESC	50	-8.6	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000466 U	0.00147 U	0.000786 J
	MW-134-60	8/29/17	PES	ESC	60	-18.6	S	0.00517 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0221 J	0.00198 U	0.000298 U	0.000314 U	0.000431 U	0.000468 U	0.00148 U	0.00223
	MW-134-70	8/29/17	PES	ESC	70	-28.6	S	0.00597 U	0.000384 U	0.00175 U	0.000306 U	0.000260 U	0.0128 U	0.00228 U	0.000344 U	0.000362 U	0.000497 U	0.000541 U	0.00171 U	0.00153
	MW-134-80	8/29/17	PES	ESC	80	-38.6	S	0.00501 U	0.000322 U	0.00147 U	0.000257 U	0.000218 U	0.0107 U	0.00191 U	0.000289 U	0.000304 U	0.000417 U	0.000453 U	0.00143 U	0.000414 J
	B-903-100	8/29/17	PES	ESC	80 (dup)	-38.6	S	0.00493 U	0.000317 U	0.00144 U	0.000253 U	0.000215 U	0.0105 U	0.00189 U	0.000284 U	0.000299 U	0.000411 U	0.000447 U	0.00141 U	0.000563 J
	MW-134-90	8/29/17	PES	ESC	90	-48.6	S	0.00594 U	0.000382 U	0.00174 U	0.000305 U	0.000259 U	0.0127 U	0.00227 U	0.000343 U	0.000361 U	0.000495 U	0.000538 U	0.00170 U	0.000666 J
MW-135 (-30.9 to-40.9)	MW-135-16	8/24/17	PES	ESC	14	25.1	S	0.571 U	0.0367 U	0.167 U	0.0293 U	0.681	1.22 U	0.218 U	0.0329 U	0.0346 U	0.0476 U	0.0517 U	0.163 U	0.0270 U
	MW-135-20	8/24/17	PES	ESC	20	19.1	S	0.133 U	0.00857 U	0.0390 U	0.00683 U	0.00581 U	0.285 U	0.0510 U	0.00769 U	0.00809 U	0.0111 U	0.0121 U	0.0382 U	0.00629 U
	MW-135-30	8/24/17	PES	ESC	30	9.1	S	0.00497 U	0.000320 U	0.00146 U	0.000255 U	0.00354	0.0148 J	0.00190 U	0.000287 U	0.000302 U	0.000414 U	0.000450 U	0.00142 U	0.00300
	MW-135-36	8/24/17	PES	ESC	36	3.1	S	0.00546 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000332 U	0.000455 U	0.000495 U	0.00156 U	0.000258 U
	MW-135-40	8/24/17	PES	ESC	40	-0.9	S	0.00558 U	0.000359 U	0.00163 U	0.000286 U	0.000243 U	0.0119 U	0.00213 U	0.000322 U	0.000339 U	0.000465 U	0.000506 U	0.00160 U	0.000264 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-135 (continued)	MW-135-45	8/24/17	PES	ESC	45	-5.9	S	0.00556 U	0.000357 U	0.00163 U	0.000285 U	0.000242 U	0.0119 U	0.00213 U	0.000321 U	0.000337 U	0.000463 U	0.000503 U	0.00159 U	0.00207
	MW-135-55	8/24/17	PES	ESC	55	-15.9	S	0.00508 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0148 J	0.00194 U	0.000293 U	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.00114
	MW-135-65	8/24/17	PES	ESC	65	-25.9	S	0.00555 U	0.000357 U	0.00163 U	0.000285 U	0.000242 U	0.0119 U	0.00212 U	0.000320 U	0.000337 U	0.000463 U	0.000503 U	0.00159 U	0.00101 J
	MW-135-80	8/24/17	PES	ESC	80	-40.9	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0167 J	0.00200 U	0.000302 U	0.000317 U	0.000436 U	0.000474 U	0.00150 U	0.000867 J
MW-136 (-32.7 to-42.7)	MW-136-35	8/28/17	PES	ESC	35	16.9	S	0.00493 U	0.000317 U	0.00144 U	0.000253 U	0.000215 U	0.0121 J	0.00188 U	0.000284 U	0.000299 U	0.000410 U	0.000446 U	0.00141 U	0.00210 J
	B-902-15	8/28/17	PES	ESC	35 (dup)	16.9	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.00126 J
	MW-136-44	8/28/17	PES	ESC	44	7.9	S	0.0640	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0239 J	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.00112 J
	MW-136-50	8/28/17	PES	ESC	50	1.9	S	0.0103 J	0.000346 U	0.00158 U	0.000276 U	0.000235 U	0.0403 J	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.00138
	MW-136-65	8/28/17	PES	ESC	65	-13.1	S	0.00509 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0178 J	0.00195 U	0.000338 J	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.00256
	MW-136-75	8/28/17	PES	ESC	75	-23.1	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.000260 J
	MW-136-85	8/28/17	PES	ESC	85	-33.1	S	0.00522 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.000451 J
	MW-136-95	8/28/17	PES	ESC	95	-43.1	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
MW-137 (-53.3 to-63.3)	MW-137-25	8/31/17	PES	ESC	25	26.7	S	0.00510 U	0.000328 U	0.00149 U	0.000262 U	0.000223 U	0.0109 U	0.00195 U	0.000294 U	0.000310 U	0.000425 U	0.000462 U	0.00146 U	0.000241 U
	MW-137-45	8/31/17	PES	ESC	45	6.7	S	0.132 U	0.00851 U	0.0387 U	0.00679 U	0.00577 U	0.283 U	0.0507 U	0.00764 U	0.00803 U	0.0110 U	0.0120 U	0.0379 U	0.00625 U
	MW-137-75	8/31/17	PES	ESC	75	-23.3	S	0.00514 U	0.000330 U	0.00150 U	0.000264 U	0.000224 U	0.0138 J	0.00197 U	0.000533 J	0.000312 U	0.000428 U	0.000466 U	0.00147 U	0.000859 J
	MW-137-85	9/1/17	PES	ESC	85	-33.3	S	0.00561 U	0.000361 U	0.00164 U	0.000288 U	0.000244 U	0.0120 U	0.00215 U	0.000324 U	0.000340 U	0.000467 U	0.000508 U	0.00161 U	0.00141
	MW-137-95	9/1/17	PES	ESC	95	-43.3	S	0.00501 U	0.000322 U	0.00147 U	0.000257 U	0.000218 U	0.0107 U	0.00192 U	0.000289 U	0.000304 U	0.000418 U	0.000454 U	0.00143 U	0.000537 J
	MW-137-115	9/1/17	PES	ESC	115	-63.3	S	0.00573 U	0.000368 U	0.00168 U	0.000294 U	0.000250 U	0.0122 U	0.00219 U	0.000330 U	0.000347 U	0.000477 U	0.000519 U	0.00164 U	0.000270 U
MW-139 (-30.2 to-40.2)	MW-139-20	9/13/17	PES	ESC	20	19.8	S	0.00541 U	0.000348 U	0.00158 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000329 U	0.000451 U	0.000490 U	0.00155 U	0.000485 J
	MW-139-31	9/13/17	PES	ESC	31	8.8	S	0.00501 U	0.000322 U	0.00147 U	0.000257 U	0.000218 U	0.0107 U	0.00192 U	0.000289 U	0.000304 U	0.000417 U	0.000454 U	0.00143 U	0.000694 J
	MW-139-41	9/13/17	PES	ESC	41	-1.2	S	0.00503 U	0.000323 U	0.00147 U	0.000258 U	0.000219 U	0.0153 J	0.00192 U	0.000290 U	0.000305 U	0.000419 U	0.000455 U	0.00144 U	0.00149
	MW-139-51	9/13/17	PES	ESC	51	-11.2	S	0.00540 U	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0147 J	0.00207 U	0.000312 U	0.000328 U	0.000450 U	0.000489 U	0.00155 U	0.000918 J
	MW-139-60	9/13/17	PES	ESC	60	-20.2	S	0.00503 U	0.000323 U	0.00147 U	0.000258 U	0.000219 U	0.0107 U	0.00192 U	0.000290 U	0.000305 U	0.000419 U	0.000455 U	0.00144 U	0.000528 J
	MW-139-70	9/13/17	PES	ESC	70	-30.2	S	0.00552 U	0.000355 U	0.00162 U	0.000283 U	0.000241 U	0.0118 J	0.00211 U	0.000319 U	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.000621 J
	MW-139-80	9/13/17	PES	ESC	80	-40.2	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000231 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00151 U	0.000551 J
MW-141 (-55.4 to-65.4)	MW-141-15	9/18/17	PES	ESC	15	24.6	S	0.0179 J	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.382 J	0.00202 U	0.000305 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000249 U
	MW-141-35	9/18/17	PES	ESC	35	4.6	S	0.00543 U	0.000349 U	0.00159 U	0.000278 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000330 U	0.000452 U	0.000492 U	0.00155 U	0.000351 J
	MW-141-46	9/18/17	PES	ESC	46	-6.4	S	0.00512 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0198 J	0.00196 U	0.000295 U	0.000311 U	0.000426 U	0.000464 U	0.00147 U	0.00126
	MW-141-56	9/18/17	PES	ESC	56	-16.4	S	0.00498 U	0.000320 U	0.00146 U	0.000255 U	0.000217 U	0.0106 U	0.00190 U	0.000287 U	0.000302 U	0.000415 U	0.000451 U	0.00143 U	0.000836 J
	MW-141-65	9/18/17	PES	ESC	65	-25.4	S	0.00492 U	0.000317 U	0.00144 U	0.000252 U	0.000215 U	0.0110 J	0.00188 U	0.000284 U	0.000299 U	0.000410 U	0.000446 U	0.00141 U	0.000894 J
	MW-141-75	9/18/17	PES	ESC	75	-35.4	S	0.00499 U	0.000321 U	0.00146 U	0.000256 U	0.000217 U	0.0160 J	0.00191 U	0.000480 J	0.000303 U	0.000416 U	0.000452 U	0.00143 U	0.00357
	MW-141-85	9/18/17	PES	ESC	85	-45.4	S	0.00547 U	0.000352 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000332 U	0.000455 U	0.000495 U	0.00156 U	0.000448 J
	MW-141-95	9/18/17	PES	ESC	95	-55.4	S	0.00561 U	0.000361 U	0.00164 U	0.000287 U	0.000244 U	0.0120 U	0.00214 U	0.000323 U	0.000340 U	0.000467 U	0.000508 U	0.00161 U	0.000265 U
	MW-141-105	9/19/17	PES	ESC	105	-65.4	S	0.00559 U	0.000359 U	0.00164 U	0.000287 U	0.000244 U	0.0119 U	0.00214 U	0.000322 U	0.000339 U	0.000466 U	0.000506 U	0.00160 U	0.000264 U
MW-152 (-10.2 to-20.2)	MW-152-5	3/13/18	PES	ESC	5	34.1	S	0.00527 U	0.000339 U	0.00154 U	0.000270 U	0.000230 U	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000439 U	0.000478 U	0.00151 U	0.000505 J
	MW-152-15	3/13/18	PES	ESC	15	24.1	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000315 U	0.000432 U	0.000470 U	0.00148 U	0.000864 J
	MW-152-25	3/13/18	PES	ESC	25	14.1	S	0.00508 U	0.000327 U	0.00149 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000702 J
	MW-152-35	3/13/18	PES	ESC	35	4.1	S	0.00513 U	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0112 J	0.00196 U	0.000296 U	0.000311 U	0.000428 U	0.000465 U	0.00147 U	0.00130
	MW-152-45	3/13/18	PES	ESC	45	-5.9	S	0.00528 U	0.000339 U	0.00154 U	0.000271 U	0.000446 J	0.0113 U	0.00202 U	0.000304 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.00108 J
	MW-152-55	3/13/18	PES	ESC	55	-15.9	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000480 U	0.00152 U	0.00132
	MW-152-60	3/13/18	PES	ESC	60	-20.9	S	0.00506 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000566 J

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-162 (-61.6 to -71.6)	MW-162-48	1/28/19	PES	PACE	48	-9.6	S	0.270 U	0.0199 U	0.216 U	0.0245 U	0.0504 U	0.296 U	0.0411 U	0.00865 U	0.0227 U	0.0245 U	0.130 U	0.0801 U	0.0878 U
	MW-162-50	1/28/19	PES	PACE	50	-11.6	S	0.292 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.320 U	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00699 U	0.00432 U	0.00474 U
	B-930-50 (dup)	1/28/19	PES	PACE	50	-11.6	S	0.556 U	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.609 U	0.00211 U	0.000494 J	0.00117 U	0.00126 U	0.00665 U	0.00411 U	0.00451 U
	MW-162-67	1/28/19	PES	PACE	67	-28.6	S	0.290 U	0.00107 U	0.0116 U	0.00131 U	0.00271 U	0.736 U	0.00211 U	0.000465 U	0.00122 U	0.00131 U	0.00695 U	0.00430 U	0.00472 U
	MW-162-70	1/28/19	PES	PACE	70	-31.6	S	0.558 U	0.00103 U	0.0112 U	0.00126 U	0.00260 U	1.72 U	0.00212 U	0.000937 J	0.00117 U	0.00126 U	0.00668 U	0.00413 U	0.00453 U
	MW-162-72	1/28/19	PES	PACE	72	-33.6	S	0.539 U	0.000993 U	0.0108 U	0.00122 U	0.00251 U	1.75 U	0.00205 U	0.000432 U	0.00113 U	0.00122 U	0.00645 U	0.00399 U	0.00438 U
	MW-162-80	1/28/19	PES	PACE	80	-41.6	S	0.0241 J	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0329 J	0.00211 U	0.000450 J	0.00117 U	0.00126 U	0.00666 U	0.00412 U	0.00452 U
	MW-162-85	1/28/19	PES	PACE	85	-46.6	S	0.0192 J	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0240 J	0.00215 U	0.000535 J	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
	MW-162-90	1/28/19	PES	PACE	90	-51.6	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0277 J	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	MW-162-95	1/28/19	PES	PACE	95	-56.6	S	0.0143 U	0.00106 U	0.0115 U	0.00130 U	0.00267 U	0.0236 J	0.00218 U	0.000459 U	0.00120 U	0.00130 U	0.00686 U	0.00425 U	0.00466 U
	MW-162-100	1/28/19	PES	PACE	100	-61.6	S	0.0200 J	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0227 J	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00698 U	0.00432 U	0.00474 U
	MW-162-105	1/28/19	PES	PACE	105	-66.6	S	0.0251 J	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0259 J	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	MW-162-110	1/28/19	PES	PACE	110	-71.6	S	0.0213 J	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0196 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00655 U	0.00405 U	0.00444 U
MW-163 (-61.0 to -71.0)	MW-163-47	1/29/19	PES	PACE	47	-7.7	S	0.280 U	0.00103 U	0.0112 U	0.00126 U	0.00261 U	1.30 U	0.00212 U	0.000517 J	0.00117 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
	MW-163-50	1/29/19	PES	PACE	50	-10.7	S	0.270 U	0.000994 U	0.0108 U	0.00122 U	0.00252 U	0.797 U	0.00205 U	0.000594 J	0.00113 U	0.00122 U	0.00646 U	0.00400 U	0.00439 U
	MW-163-55	1/29/19	PES	PACE	55	-15.7	S	0.306 U	0.00113 U	0.0123 U	0.00138 U	0.00286 U	1.36 U	0.00233 U	0.000680 J	0.00129 U	0.00138 U	0.00733 U	0.00453 U	0.00498 U
	MW-163-60	1/29/19	PES	PACE	60	-20.7	S	0.283 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.658 J	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
	MW-163-80	1/29/19	PES	PACE	80	-40.7	S	0.0218 J	0.00105 U	0.0114 U	0.00128 U	0.00265 U	0.0178 J	0.00216 U	0.000455 U	0.00119 U	0.00128 U	0.00680 U	0.00421 U	0.00462 U
	MW-163-85	1/29/19	PES	PACE	85	-45.7	S	0.0227 J	0.00109 U	0.0118 U	0.00134 U	0.00276 U	0.0289 J	0.00225 U	0.000473 U	0.00124 U	0.00134 U	0.00708 U	0.00438 U	0.00481 U
	MW-163-90	1/29/19	PES	PACE	90	-50.7	S	0.0197 J	0.000998 U	0.0108 U	0.00123 U	0.00253 U	0.0249 U	0.00206 U	0.000434 U	0.00114 U	0.00123 U	0.00648 U	0.00401 U	0.00440 U
	MW-163-95	1/29/19	PES	PACE	95	-55.7	S	0.0289 J	0.00109 U	0.0119 U	0.00134 U	0.00276 U	0.0378 U	0.00225 U	0.000633 J	0.00124 U	0.00134 U	0.00709 U	0.00439 U	0.00481 U
	MW-163-100	1/29/19	PES	PACE	100	-60.7	S	0.0199 J	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0157 J	0.00218 U	0.000590 J	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00466 U
	MW-163-105	1/29/19	PES	PACE	105	-65.7	S	0.0183 J	0.000966 U	0.0105 U	0.00119 U	0.00245 U	0.0157 U	0.00199 U	0.000420 U	0.00110 U	0.00119 U	0.00628 U	0.00388 U	0.00426 U
	MW-163-110	1/29/19	PES	PACE	110	-70.7	S	0.0220 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0280 U	0.00211 U	0.000587 J	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
	MW-164-80	1/24/19	PES	PACE	80	-40.3	S	0.0142 U	0.00105 U	0.0114 U	0.00129 U	0.00265 U	0.0247 U	0.00216 U	0.000455 U	0.00120 U	0.00129 U	0.00681 U	0.00421 U	0.00462 U
MW-164 (-59.9 to -69.9)	MW-164-87	1/24/19	PES	PACE	87	-47.3	S	0.0327 U	0.00103 U	0.0112 U	0.00126 U	0.00261 U	0.0393 U	0.00213 U	0.000448 U	0.00118 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
	MW-164-90	1/24/19	PES	PACE	90	-50.3	S	0.0262 J	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0281 U	0.00223 U	0.000468 U	0.00123 U	0.00132 U	0.00700 U	0.00433 U	0.00476 U
	MW-164-95	1/25/19	PES	PACE	95	-55.3	S	0.0435 U	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0365 U	0.00227 U	0.000478 U	0.00126 U	0.00135 U	0.00715 U	0.00442 U	0.00486 U
	MW-164-100	1/25/19	PES	PACE	100	-60.3	S	0.0446 U	0.00115 U	0.0125 U	0.00141 U	0.00291 U	0.0332 U	0.00238 U	0.000500 U	0.00131 U	0.00141 U	0.00748 U	0.00463 U	0.00508 U
	MW-164-105	1/25/19	PES	PACE	105	-65.3	S	0.0328 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0311 U	0.00211 U	0.000444 U	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
	MW-164-110	1/25/19	PES	PACE	110	-70.3	S	0.0322 U	0.00101 U	0.0110 U	0.00125 U	0.00257 U	0.0374 U	0.00210 U	0.000441 U	0.00116 U	0.00125 U	0.00659 U	0.00408 U	0.00448 U
	B-929-120	1/25/19	PES	PACE	110 (dup)	-70.3	S	0.0290 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0417 U	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
MW-168 (-43.0 to -53.0)	MW-168-15	10/21/19	PES	Fremont	15	-3.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-171 (-27.6 to -37.6)	MW-171-24	09/24/19	PES	Fremont	24	-12.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-172 (-42.5 to -52.5)	MW-172-7	09/26/19	PES	Fremont	7	4.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-175 (-27.8 to -37.8)	MW-175-12	10/26/19	PES	Fremont	12	-1.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-1002-12	10/26/19	PES	Fremont	12 (dup)	-1.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-180 (-42.7 to -52.7)	MW-180-40	09/25/19	PES	Fremont	40	-28.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-24	09/25/19	PES	Fremont	24	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-27	09/25/19	PES	Fremont	27	-15.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-181 (1.5 to -8.5)	MW-181-14	09/27/19	PES	Fremont	14	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-183 (-27.4 to -37.4)	MW-183-18	09/26/19	PES	Fremont	18	-6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-184 (-42.5 to -52.5)	MW-184-20	09/26/19	PES	Fremont	20	-8.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-188 (-42.2 to -52.2)	MW-188-64	10/01/19	PES	Fremont	64	-52.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P01	P01-05	2/12/14	SES	F&BI	5	35.5	S	-	-	-	-	-	-	-	0.020	U	-	-	-	-
	P01-10	2/12/14	SES	F&BI	10	30.5	S	-	-	-	-	-	-	-	0.020	U	-	-	-	-
P02	P02-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P02-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P04	P04-05	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P04-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P05	P05-05	2/12/14	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P05-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
P06	P06-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	P06-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW1	Unknown	10/22/92	Roux	Unknown	5	32.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
W-MW-03 (P-07)	SB-W-07-0135	1/26/12	WW	ARI	13.5-14	25.2	S	-	-	-	-	-	-	-	0.0007	J	-	-	-	-
	SB-W-07-0275	1/26/12	WW	ARI	27.5-28	11.2	S	-	-	-	-	-	-	-	0.0005	J	-	-	-	-
	SB-W-07-0335	1/26/12	WW	ARI	33.5-34	5.2	S	-	-	-	-	-	-	-	0.0008	U	-	-	-	-
	SB-W-07-0430	1/26/12	WW	ARI	43-43.5	-4.3	S	-	-	-	-	-	-	-	0.0008	U	-	-	-	-
	SB-W-07-0530	1/26/12	WW	ARI	53-53.5	-14.3	S	-	-	-	-	-	-	-	0.0008	U	-	-	-	-
	SB-W-07-0630	1/26/12	WW	ARI	63-63.5	-24.3	S	-	-	-	-	-	-	-	0.0010	U	-	-	-	-
	SB-W-07-0780	1/26/12	WW	ARI	78-78.5	-39.3	S	-	-	-	-	-	-	-	0.0008	U	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
W-MW-04 (P-08)	SB-W-08-0090	1/28/12	WW	ARI	9-9.5	26.0	S	-	-	-	-	-	-	-	0.27 U	-	-	-	-	-
	SB-W-08-0155	1/28/12	WW	ARI	15.5-16	19.5	S	-	-	-	-	-	-	-	0.0009 U	-	-	-	-	-
	SB-W-08-0265	1/28/12	WW	ARI	26.5-27	8.5	S	-	-	-	-	-	-	-	0.0009 U	-	-	-	-	-
	SB-W-08-0380	1/28/12	WW	ARI	38-38.5	-3.0	S	-	-	-	-	-	-	-	0.0008 U	-	-	-	-	-
	SB-W-08-0480	1/28/12	WW	ARI	48-48.5	-13.0	S	-	-	-	-	-	-	-	0.0005 J	-	-	-	-	-
	SB-W-08-9480	1/28/12	WW	ARI	48-48.5 (dup)	-13.0	S	-	-	-	-	-	-	-	0.0004 J	-	-	-	-	-
	SB-W-08-0590	1/28/12	WW	ARI	59-59.5	-24.0	S	-	-	-	-	-	-	-	0.13 U	-	-	-	-	-
	SB-W-08-0710	1/29/12	WW	ARI	71-71.5	-36.0	S	-	-	-	-	-	-	-	0.20 U	-	-	-	-	-
	SB-W-08-0760	1/29/12	WW	ARI	76-76.5	-41.0	S	-	-	-	-	-	-	-	0.0009 U	-	-	-	-	-
All Data								Number of Analytes Measured	805	805	805	805	805	805	856	805	805	805	805	805
								Number of Analytes Detected	154	0	9	1	27	209	0	91	0	0	0	349
								Frequency of Detection	19.1%	0.0%	1.1%	0.1%	3.4%	26.0%	0.0%	10.6%	0.0%	0.0%	0.0%	43.4%
								Maximum Detection	0.225	-	0.0928	0.00193 J	0.681	11.3 J	-	0.304	-	-	-	0.024
								Minimum Detection	0.00468 U	0.000301 U	0.00137 U	0.00024 U	0.000204 U	0.0104 U	0.00179 U	0.000281 U	0.000284 U	0.00039 U	0.000424 U	0.00134 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	-	0	0	0	-	0	0	0
								Number of Saturated (S) Detections above SL	0	0	3	-	-	1	0	18	0	-	0	0
2017-2021								Number of Analytes Measured	805	805	805	805	805	805	819	805	805	805	805	805
								Number of Analytes Detected	154	0	9	1	27	209	0	87	0	0	0	349
								Frequency of Detection	19.1%	0.0%	1.1%	0.1%	3.4%	26.0%	0.0%	10.6%	0.0%	0.0%	0.0%	43.4%
								Maximum Detection	0.225	-	0.0928	0.00193 J	0.681	11.3 J	-	0.304	-	-	-	0.024
								Minimum Detection	0.00468 U	0.000301 U	0.00137 U	0.00024 U	0.000204 U	0.0104 U	0.00179 U	0.000281 U	0.000284 U	0.00039 U	0.000424 U	0.00134 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	-	0	0	0	-	0	0	0
								Number of Saturated (S) Detections above SL	0	0	3	-	-	1	0	17	0	-	0	0
Abbreviations:								Notes:												
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								All on-Property soil was excavated during Property redevelopment above elevations 0.7 to 10.7 feet, and CVOCs in soil between elevations +10 to 55 feet was treated.												
ARI = Analytical Resource, Incorporated, Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.												
B&V = Black Veatch								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.												
bgs = below ground surface								Well screen elevations provided below Sample Location. in parentheses when applicable.												
Comp = Composite Sample								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.												
dup = duplicate								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.												
EPJ = E.PJohnson Construction Inc., and Environmental								Detected results shown in bold .												
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .												
F&BI = Friedman & Bruya, Inc.								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .												
GeoEng = GeoEngineers, Inc.								- = Not available or results not analyzed.												
HC = Hart Crowser, Inc.								A = Result reported as total petroleum hydrocarbons.												
NCA = North Creek Analytical, of Bothell, Washington								B = Analyte detected in an associated method blank.												
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.												
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.												
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.												
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.												
Roux = Roux Associates								q = Sample may contain gasoline or petroleum components. Chromatographic pattern indicates the presence of gasoline constituents.												
SES = SoundEarth Strategies, Inc.								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample												
TR = TR Corporation								T = Analyte also detected in trip blank.												
Urban = Urban Redevelopment LLC								U = Not detected at a concentration exceeding laboratory reporting limit												
WW = WW Environmental LLC								ve = Estimated value. The reported range exceeds the calibration range of the analysis.												
								w = Petroleum product eluting in the C8-C9 range												
								x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.												
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.												

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-1	B-1-13	6/23/00	TR	ARI	13	27.0	S	-	-	-	-	-	-	0.0021	-	-	-	-	0.0012 U
B-2	B-2-6.5	6/23/00	TR	ARI	6.5	33.5	S	-	-	-	-	-	-	0.011	-	-	-	-	0.0011 U
	B-2-11	6/23/00	TR	ARI	11	29.0	S	-	-	-	-	-	-	0.64	-	-	-	-	0.0012 U
	B-2-16	6/23/00	TR	ARI	16	24.0	S	-	-	-	-	-	-	0.0075	-	-	-	-	0.0011 U
B-3	B-3-12	6/23/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	0.0016	-	-	-	-	0.0013 U
B-5	B-5-10	6/23/00	TR	ARI	10	30.0	S	-	-	-	-	-	-	0.0021	-	-	-	-	0.0011 U
	B-5-11.5	6/23/00	TR	ARI	11.5	28.5	S	-	-	-	-	-	-	0.013	-	-	-	-	0.0012 U
B-6	B-6-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	0.0021	-	-	-	-	-
	B-6-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	0.0047	-	-	-	-	-
	B-6-18	6/24/00	TR	ARI	18	22.0	S	-	-	-	-	-	-	0.0031	-	-	-	-	-
B-7	B-7-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	0.0052	-	-	-	-	-
B-8	B-8-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	0.0019	-	-	-	-	-
	B-8-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	0.021	-	-	-	-	-
B-9	B-9-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	1.6 U	-	-	-	-	-
	B-9-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	0.21	-	-	-	-	-
B-10	B-10-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	0.0061	-	-	-	-	-
B-201	G-201-10	6/19/17	PES	ESC	10	29.8	S	-	-	-	-	-	-	0.00298	-	-	-	-	0.00120 U
	G-201-30	6/19/17	PES	ESC	30	9.8	S	-	-	-	-	-	-	0.0784	-	-	-	-	0.00113 U
	G-201-35	6/19/17	PES	ESC	35	4.8	S	-	-	-	-	-	-	0.0149	-	-	-	-	0.00116 U
B-202	G-202-5	6/19/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	0.00119 U	-	-	-	-	0.00119 U
	G-202-20	6/19/17	PES	ESC	20	19.2	S	-	-	-	-	-	-	0.00119 U	-	-	-	-	0.00119 U
	G-202-50	6/19/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	0.00132 U	-	-	-	-	0.00132 U
B-203	G-203-5	6/20/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	0.00115 U	-	-	-	-	0.0745
	G-203-25	6/20/17	PES	ESC	25	14.2	S	-	-	-	-	-	-	0.00117 U	-	-	-	-	0.00117 U
	G-203-40	6/20/17	PES	ESC	40	-0.8	S	-	-	-	-	-	-	0.168	-	-	-	-	0.00299
	G-203-50	6/20/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	0.136	-	-	-	-	0.00112 U
	G-203-80	6/20/17	PES	ESC	80	-40.8	S	-	-	-	-	-	-	0.00110 U	-	-	-	-	0.00110 U
B-204	G-204-20	6/20/17	PES	ESC	20	19.8	S	-	-	-	-	-	-	0.00116 U	-	-	-	-	0.00116 U
	G-204-40	6/20/17	PES	ESC	40	-0.2	S	-	-	-	-	-	-	2.60	-	-	-	-	0.00113 U
	G-204-45	6/20/17	PES	ESC	45	-5.2	S	-	-	-	-	-	-	16.7	-	-	-	-	0.00121 U
B-205	B-205-10	8/30/17	PES	ESC	10	30.3	S	0.0396 U	0.0256 U	0.0450 U	0.114 U	0.0276 U	0.0452 U	0.0283 U	0.0316 U	0.0461 U	0.0306 U	0.0860 U	4.74
	B-205-55	8/30/17	PES	ESC	55	-14.7	S	0.000383 U	0.000248 U	0.000436 U	0.00111 U	0.000268 U	0.000438 U	0.0155	0.000306 U	0.000446 U	0.000297 U	0.000833 U	0.000347 U
	B-205-65	8/30/17	PES	ESC	65	-24.7	S	0.000347 U	0.000224 U	0.000395 U	0.00100 U	0.000242 U	0.000397 U	0.00390	0.000277 U	0.000405 U	0.000269 U	0.000755 U	0.000314 U
	B-205-75	8/30/17	PES	ESC	75	-34.7	S	0.000351 U	0.000227 U	0.000399 U	0.00101 U	0.000245 U	0.000402 U	0.000585 J	0.000281 U	0.000409 U	0.000272 U	0.000764 U	0.000318 U
	B-904-50	8/30/17	PES	ESC	75 (dup)	-34.7	S	0.000352 U	0.000227 U	0.000400 U	0.00101 U	0.000246 U	0.000402 U	0.00170	0.000281 U	0.000410 U	0.000272 U	0.000765 U	0.000319 U
B-206	B-206-15	8/14/17	PES	ESC	15	24.1	S	0.00944 U	0.00610 U	0.0107 U	0.0272 U	0.00658 U	0.0108 U	0.306	0.00754 U	0.0110 U	0.00731 U	0.0205 U	0.00854 U
	B-206-30	8/14/17	PES	ESC	30	9.1	S	0.000376 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000430 U	12.6	0.000301 U	0.000438 U	0.000291 U	0.000818 U	0.000341 U
	B-206-40	8/14/17	PES	ESC	40	-0.9	S	0.000347 U	0.000224 U	0.000394 U	0.00100 U	0.000242 U	0.000396 U	0.00879 J	0.000277 U	0.000404 U	0.000268 U	0.000754 U	0.000314 U
	B-206-49	8/14/17	PES	ESC	49	-9.9	S	0.000374 U	0.000242 U	0.000425 U	0.00108 U	0.000261 U	0.000427 U	6.41	0.000298 U	0.000435 U	0.000289 U	0.000812 U	0.000338 U
	B-206-52	8/14/17	PES	ESC	52	-12.9	S	0.000358 U	0.000231 U	0.000407 U	0.00103 U	0.000250 U	0.000409 U	0.00642 U	0.000286 U	0.000417 U	0.000277 U	0.000779 U	0.000324 U
	B-206-56	8/14/17	PES	ESC	56	-16.9	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.140	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 U
	B-206-59	8/14/17	PES	ESC	59	-19.9	S	0.000341 U	0.000221 U	0.000388 U	0.000984 U	0.000238 U	0.000390 U	0.00686	0.000273 U	0.000397 U	0.000264 U	0.000742 U	0.000309 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-206 (continued)	B-206-70 B-206-80	8/14/17 8/14/17	PES PES	ESC ESC	70 80	-30.9 -40.9	S S	0.000357 U 0.000358 U	0.000231 U 0.000231 U	0.000406 U 0.000407 U	0.00103 U 0.00103 U	0.000249 U 0.000250 U	0.000409 U 0.000409 U	0.00201 0.000647 J	0.000285 U 0.000286 U	0.000416 U 0.000416 U	0.000277 U 0.000277 U	0.000777 U 0.000777 U	0.000324 U 0.000324 U
B-207	B-207-30	8/25/17	PES	ESC	30	8.5	S	0.00932 U	0.00602 U	0.0106 U	0.0268 U	0.00650 U	0.0107 U	0.0557	0.00744 U	0.0109 U	0.00722 U	0.0202 U	0.00843 U
	B-207-41	8/25/17	PES	ESC	41	-2.5	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000425 U	6.93	0.000297 U	0.000433 U	0.000288 U	0.000807 U	0.000336 U
	B-207-49	8/25/17	PES	ESC	49	-10.5	S	0.000366 U	0.000236 U	0.000416 U	0.00106 U	0.000255 U	0.000418 U	2.47	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	B-207-55	8/25/17	PES	ESC	55	-16.5	S	0.000383 U	0.000248 U	0.000436 U	0.00110 U	0.000267 U	0.000438 U	0.581	0.000306 U	0.000446 U	0.000297 U	0.000832 U	0.000347 U
	B-207-60	8/25/17	PES	ESC	60	-21.5	S	0.000349 U	0.000226 U	0.000397 U	0.00101 U	0.000244 U	0.000399 U	0.00626 U	0.000279 U	0.000407 U	0.000270 U	0.000759 U	0.000316 U
	B-207-70	8/25/17	PES	ESC	70	-31.5	S	0.000375 U	0.000242 U	0.000426 U	0.00108 U	0.000262 U	0.000428 U	0.00671 U	0.000299 U	0.000436 U	0.000290 U	0.000814 U	0.000339 U
	B-207-80	8/25/17	PES	ESC	80	-41.5	S	0.000361 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.990	0.000289 U	0.000421 U	0.000280 U	0.000785 U	0.000327 U
	B-207-90	8/25/17	PES	ESC	90	-51.5	S	0.00901 U	0.00582 U	0.0102 U	0.0259 U	0.00628 U	0.0103 U	0.311	0.00720 U	0.0105 U	0.00698 U	0.0196 U	0.00815 U
B-208	B-208-20	8/24/17	PES	ESC	20	18.8	S	0.000388 U	0.000251 U	0.000441 U	0.00112 U	0.000271 U	0.000443 U	0.0257	0.000310 U	0.000451 U	0.000300 U	0.000843 U	0.000351 U
	B-208-35	8/24/17	PES	ESC	35	3.8	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.160	0.000285 U	0.000416 U	0.000276 U	0.000776 U	0.000323 U
	B-901-50	8/24/17	PES	ESC	35 (dup)	3.8	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000424 U	0.152	0.000296 U	0.000432 U	0.000287 U	0.000806 U	0.000336 U
	B-208-50	8/24/17	PES	ESC	50	-11.2	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.0739	0.000289 U	0.000422 U	0.000280 U	0.000787 U	0.000328 U
	B-208-60	8/24/17	PES	ESC	60	-21.2	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000418 U	0.000685 J	0.000292 U	0.000425 U	0.000283 U	0.000794 U	0.000331 U
	B-208-70	8/24/17	PES	ESC	70	-31.2	S	0.000366 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.000316 J	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
	B-208-80	8/24/17	PES	ESC	80	-41.2	S	0.000406 U	0.000262 U	0.000461 U	0.00117 U	0.000283 U	0.000464 U	0.000291 U	0.000324 U	0.000473 U	0.000314 U	0.000882 U	0.000367 U
B-209	B-209-20	8/25/17	PES	ESC	20	19.0	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000436 U	0.0174	0.000304 U	0.000444 U	0.000295 U	0.000829 U	0.000345 U
	B-209-35	8/25/17	PES	ESC	35	4.0	S	0.000350 U	0.000226 U	0.000398 U	0.00101 U	0.000245 U	0.000401 U	0.0508	0.000280 U	0.000408 U	0.000271 U	0.000762 U	0.000317 U
	B-209-50	8/25/17	PES	ESC	50	-11.0	S	0.000428 U	0.000277 U	0.000487 U	0.00123 U	0.000299 U	0.000489 U	0.000307 U	0.000342 U	0.000498 U	0.000331 U	0.000930 U	0.000387 U
	B-209-60	8/25/17	PES	ESC	60	-21.0	S	0.000376 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000430 U	0.000270 U	0.000301 U	0.000438 U	0.000292 U	0.000818 U	0.000341 U
	B-209-70	8/25/17	PES	ESC	70	-31.0	S	0.000350 U	0.000226 U	0.000397 U	0.00101 U	0.000244 U	0.000400 U	0.000323 U	0.000279 U	0.000407 U	0.000271 U	0.000760 U	0.000316 U
	B-209-75	8/25/17	PES	ESC	75	-36.0	S	0.000348 U	0.000225 U	0.000396 U	0.00100 U	0.000243 U	0.000398 U	0.000249 U	0.000278 U	0.000405 U	0.000269 U	0.000756 U	0.000315 U
	B-209-80	8/25/17	PES	ESC	80	-41.0	S	0.000377 U	0.000244 U	0.000429 U	0.00109 U	0.000263 U	0.000431 U	0.00106 J	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
B-210	B-210-6	8/21/17	PES	ESC	6	33.4	S	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000442 U	0.000287 J	0.000309 U	0.000450 U	0.000299 U	0.000841 U	0.000350 U
	B-210-15	8/21/17	PES	ESC	15	24.4	S	0.00889 U	0.00574 U	0.0101 U	0.0256 U	0.00620 U	0.0102 U	0.00637 U	0.00710 U	0.0103 U	0.00688 U	0.0193 U	0.00804 U
	B-210-20	8/21/17	PES	ESC	20	19.4	S	0.000365 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	0.00185	0.000292 U	0.000426 U	0.000283 U	0.000794 U	0.000331 U
	B-210-35	8/21/17	PES	ESC	35	4.4	S	0.000379 U	0.000245 U	0.000430 U	0.00109 U	0.000264 U	0.000433 U	0.00950	0.000302 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U
	B-210-46	8/21/17	PES	ESC	46	-6.6	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000250 U	0.000409 U	3.27	0.000285 U	0.000416 U	0.000277 U	0.000777 U	0.000324 U
	B-210-60	8/22/17	PES	ESC	60	-20.6	S	0.00880 U	0.00569 U	0.0100 U	0.0253 U	0.00614 U	0.0101 U	0.00631 U	0.00703 U	0.0102 U	0.00682 U	0.0191 U	0.00796 U
	B-210-70	8/22/17	PES	ESC	70	-30.6	S	0.000354 U	0.000229 U	0.000402 U	0.00102 U	0.000247 U	0.000405 U	0.0115	0.000283 U	0.000412 U	0.000274 U	0.000769 U	0.000320 U
	B-210-80	8/22/17	PES	ESC	80	-40.6	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.000500 J	0.000289 U	0.000422 U	0.000281 U	0.000787 U	0.000328 U
	B-900-20	8/22/17	PES	ESC	80 (dup)	-40.6	S	0.000390 U	0.000252 U	0.000443 U	0.00112 U	0.000272 U	0.000445 U	0.000837 J	0.000311 U	0.000454 U	0.000302 U	0.000847 U	0.000353 U
B-211	B-211-20	8/17/17	PES	ESC	20	19.8	S	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000256 U	0.000419 U	0.0282	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
	B-211-35	8/17/17	PES	ESC	35	4.8	S	0.000369 U	0.000239 U	0.000420 U	0.00106 U	0.000258 U	0.000422 U	0.00104 J	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.000334 U
	B-211-50	8/17/17	PES	ESC	50	-10.3	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000405 U	0.0189	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	B-211-57	8/17/17	PES	ESC	57	-17.3	S	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000442 U	0.0830	0.000309 U	0.000451 U	0.000300 U	0.000841 U	0.000350 U
	B-211-60	8/17/17	PES	ESC	60	-20.3	S	0.000378 U	0.000244 U	0.000430 U	0.00109 U	0.000264 U	0.000432 U	4.99	0.000302 U	0.000440 U	0.000293 U	0.000822 U	0.000342 U
	B-211-65	8/18/17	PES	ESC	65	-25.3	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000258 U	0.000423 U	5.58	0.000296 U	0.000431 U	0.000287 U	0.000805 U	0.000335 U
	B-211-70	8/18/17	PES	ESC	70	-30.3	S	0.196 U	0.127 U	0.223 U	0.566 U	0.136 U	0.225 U	3.96	0.157 U	0.229 U	0.152 U	0.426 U	0.177 U
	B-211-80	8/18/17	PES	ESC	80	-40.3	S	0.00888 U	0.00574 U	0.0101 U	0.0256 U	0.00619 U	0.0102 U	0.172	0.00709 U	0.0103 U	0.00688 U	0.0193 U	0.00804 U
	B-211-90	8/18/17	PES	ESC	90	-50.3	S	0.00956 U	0.00618 U	0.0109 U	0.0275 U	0.00667 U	0.0109 U	0.0362	0.00764 U	0.0111 U	0.00740 U	0.0207 U	0.00865 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-211 (continued)	B-211-100	8/18/17	PES	ESC	100	-60.3	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000435 U	0.000273 U	0.000304 U	0.000443 U	0.000295 U	0.000828 U	0.000345 U
	B-211-110	8/18/17	PES	ESC	110	-70.3	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000253 U	0.000414 U	0.000259 U	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000328 U
	B-211-120	8/21/17	PES	ESC	120	-80.3	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000421 U	0.000264 U	0.000294 U	0.000429 U	0.000285 U	0.000800 U	0.000333 U
B-216	B-216-20	9/1/17	PES	ESC	20	31.9	S	0.000353 U	0.000228 U	0.000402 U	0.00102 U	0.000247 U	0.000404 U	0.000253 U	0.000282 U	0.000411 U	0.000274 U	0.000768 U	0.000320 U
	B-216-40	9/1/17	PES	ESC	40	11.9	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	0.000255 U	0.000284 U	0.000414 U	0.000276 U	0.000773 U	0.000322 U
	B-216-50	9/1/17	PES	ESC	50	1.9	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000405 U	0.000254 U	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	B-216-55	9/1/17	PES	ESC	55	-3.1	S	0.000369 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000422 U	0.182	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.00876
	B-216-65	9/1/17	PES	ESC	65	-13.1	S	0.000394 U	0.000254 U	0.000448 U	0.00114 U	0.000275 U	0.000450 U	0.000282 U	0.000315 U	0.000459 U	0.000305 U	0.000856 U	0.000357 U
	B-216-85	9/1/17	PES	ESC	85	-33.1	S	0.000396 U	0.000256 U	0.000450 U	0.00114 U	0.000276 U	0.000452 U	0.000289 J	0.000316 U	0.000461 U	0.000306 U	0.000860 U	0.000358 U
	B-216-95	9/1/17	PES	ESC	95	-43.1	S	0.000373 U	0.000241 U	0.000424 U	0.00107 U	0.000260 U	0.000426 U	0.000267 U	0.000298 U	0.000434 U	0.000289 U	0.000810 U	0.000337 U
B-217	B-217-15	9/5/17	PES	ESC	15	36.8	V	0.000372 U	0.000241 U	0.000423 U	0.00107 U	0.000260 U	0.000426 U	0.000267 U	0.000297 U	0.000434 U	0.000288 U	0.000809 U	0.000337 U
	B-217-25	9/5/17	PES	ESC	25	26.8	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	0.00105 J	0.000290 U	0.000424 U	0.000282 U	0.000791 U	0.000329 U
	B-217-35	9/5/17	PES	ESC	35	16.8	S	0.000376 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000430 U	0.000270 U	0.000301 U	0.000438 U	0.000292 U	0.000818 U	0.000341 U
	B-217-42	9/5/17	PES	ESC	42	9.8	S	0.000375 U	0.000242 U	0.000427 U	0.00108 U	0.000262 U	0.000429 U	5.73	0.000300 U	0.000437 U	0.000290 U	0.000815 U	0.000340 U
	B-217-55	9/5/17	PES	ESC	55	-3.2	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000435 U	0.0787	0.000304 U	0.000443 U	0.000295 U	0.000828 U	0.000345 U
	B-217-65	9/5/17	PES	ESC	65	-13.2	S	0.000378 U	0.000244 U	0.000430 U	0.00109 U	0.000264 U	0.000432 U	3.14	0.000302 U	0.000440 U	0.000292 U	0.000821 U	0.000342 U
	B-217-75	9/5/17	PES	ESC	75	-23.2	S	0.000393 U	0.000254 U	0.000447 U	0.00113 U	0.000274 U	0.000449 U	0.000281 U	0.000314 U	0.000458 U	0.000304 U	0.000854 U	0.000356 U
	B-217-85	9/6/17	PES	ESC	85	-33.2	S	0.000374 U	0.000242 U	0.000425 U	0.00108 U	0.000261 U	0.000427 U	0.000268 U	0.000298 U	0.000435 U	0.000289 U	0.000812 U	0.000338 U
	B-217-95	9/6/17	PES	ESC	95	-43.2	S	0.000396 U	0.000256 U	0.000451 U	0.00114 U	0.000277 U	0.000453 U	0.000284 U	0.000317 U	0.000462 U	0.000307 U	0.000862 U	0.000359 U
	B-217-106	9/6/17	PES	ESC	106	-54.2	S	0.0402 U	0.0260 U	0.0457 U	0.116 U	0.0281 U	0.0460 U	0.0288 U	0.0321 U	0.0468 U	0.0311 U	0.0874 U	0.0364 U
	B-217-115	9/6/17	PES	ESC	115	-63.2	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000264 U	0.000433 U	0.000271 U	0.000303 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U
B-218	B-218-12.5	9/19/17	PES	ESC	12.5	25.6	S	0.000373 U	0.000241 U	0.000425 U	0.00108 U	0.000261 U	0.000427 U	2.16	0.000298 U	0.000435 U	0.000289 U	0.000812 U	0.000338 U
	B-218-19	9/19/17	PES	ESC	19	19.1	S	0.000372 U	0.000241 U	0.000423 U	0.00110 U	0.000260 U	0.000426 U	0.123	0.000297 U	0.000434 U	0.000288 U	0.000809 U	0.000337 U
	B-218-25	9/19/17	PES	ESC	25	13.1	S	0.000380 U	0.000245 U	0.000432 U	0.00115 J	0.000265 U	0.000434 U	0.0781	0.000303 U	0.000442 U	0.000294 U	0.000826 U	0.000344 U
	B-218-40	9/19/17	PES	ESC	40	-1.9	S	0.0202 U	0.0131 U	0.0229 U	0.0582 U	0.0141 U	0.0231 U	5.25	0.0161 U	0.0235 U	0.0156 U	0.0438 U	0.0182 U
	B-218-50	9/19/17	PES	ESC	50	-11.9	S	0.000350 U	0.000226 U	0.000398 U	0.00101 U	0.000244 U	0.000400 U	3.19 J	0.000279 U	0.000407 U	0.000271 U	0.000760 U	0.000317 U
	B-913-70	9/19/17	PES	ESC	50 (dup)	-11.9	S	0.000348 U	0.000225 U	0.000396 U	0.00100 U	0.000243 U	0.000398 U	5.52 J	0.000278 U	0.000406 U	0.000270 U	0.000757 U	0.000315 U
B-219	B-219-42	8/28/17	PES	ESC	42	-2.2	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.0179	0.000285 U	0.000416 U	0.000277 U	0.000777 U	0.000323 U
	B-219-50	8/28/17	PES	ESC	50	-10.2	S	0.000388 U	0.000251 U	0.000442 U	0.00112 U	0.000271 U	0.000444 U	0.139	0.000310 U	0.000452 U	0.000301 U	0.000844 U	0.000352 U
	B-219-60	8/28/17	PES	ESC	60	-20.2	S	0.000353 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000404 U	0.00202	0.000282 U	0.000411 U	0.000273 U	0.000767 U	0.000320 U
	B-219-70	8/28/17	PES	ESC	70	-30.2	S	0.000374 U	0.000242 U	0.000426 U	0.00108 U	0.000261 U	0.000428 U	0.00307	0.000299 U	0.000436 U	0.000290 U	0.000814 U	0.000339 U
	B-219-80	8/28/17	PES	ESC	80	-40.2	S	0.00891 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.0102 U	0.00639 U	0.000285 U	0.000415 U	0.000276 U	0.000774 U	0.000323 U
B-220	B-220-15	9/20/17	PES	ESC	15	23.9	S	0.000373 U	0.000241 U	0.000424 U	0.00108 U	0.000260 U	0.000426 U	0.576	0.000298 U	0.000434 U	0.000289 U	0.000811 U	0.000338 U
	B-220-29	9/20/17	PES	ESC	29	9.9	S	0.000381 U	0.000246 U	0.000434 U	0.00110 U	0.000261 U	0.000436 U	2.13	0.000305 U	0.000444 U	0.000295 U	0.000829 U	0.000345 U
	B-220-32	9/20/17	PES	ESC	32	6.9	S	0.000374 U	0.000242 U	0.000426 U	0.00202 J	0.000261 U	0.000428 U	1.55	0.000299 U	0.000436 U	0.000290 U	0.000813 U	0.000339 U
	B-220-40	9/20/17	PES	ESC	40	-1.1	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	2.73	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	B-220-50	9/20/17	PES	ESC	50	-11.1	S	0.000353 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.0766	0.000282 U	0.000411 U	0.000273 U	0.000767 U	0.000319 U
	B-914-75	9/20/17	PES	ESC	50 (dup)	-11.1	S	0.000353 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.0913	0.000282 U	0.000411 U	0.000273 U	0.000767 U	0.000319 U
B-221	B-221-16	9/20/17	PES	ESC	16	23.0	S	0.00961 U	0.00621 U	0.0109 U	0.0277 U	0.00670 U	0.0110 U	1.37	0.00768 U	0.0112 U	0.00744 U	0.0209 U	0.00869 U
	B-221-22	9/20/17	PES	ESC	22	17.0	S	0.377 U	0.244 U	0.429 U	1.09 U	0.263 U	0.431 U	2.56	0.301 U	0.439 U	0.292 U	0.820 U	0.342 U
	B-221-33	9/20/17	PES	ESC	33	6.0	S	0.367 U	0.237 U	0.418 U	1.06 U	0.256 U	0.420 U	1.93	0.293 U	0.428 U	0.284 U	0.798 U	0.332 U
	B-221-37	9/20/17	PES	ESC	37	2.0	S	0.0771 U	0.0499 U	0.0877 U	0.222 U	0.0539 U	0.0882 U	0.438	0.0616 U	0.0898 U	0.0597 U	0.168 U	0.0698 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-221 (continued)	B-915-80	9/20/17	PES	ESC	37 (dup)	2.0	S	0.0376 U	0.0243 U	0.0428 U	0.108 U	0.0262 U	0.0430 U	0.342	0.0300 U	0.0438 U	0.0291 U	0.0817 U	0.0340 U
	B-221-45	9/20/17	PES	ESC	45	-6.0	S	3.60 U	2.33 U	4.09 U	10.4 U	2.51 U	4.11 U	2.58 U	2.87 U	4.19 U	2.79 U	7.82 U	3.26 U
	B-221-50	9/20/17	PES	ESC	50	-11.0	S	0.178 U	0.115 U	0.202 U	0.514 U	0.124 U	0.204 U	0.561	0.142 U	0.208 U	0.138 U	0.387 U	0.161 U
	B-221-60	9/20/17	PES	ESC	60	-21.0	S	0.181 U	0.117 U	0.206 U	0.523 U	0.126 U	0.208 U	1.41	0.145 U	0.211 U	0.140 U	0.393 U	0.164 U
	B-221-70	9/21/17	PES	ESC	70	-31.0	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.00582	0.000289 U	0.000422 U	0.000280 U	0.000787 U	0.000328 U
B-222	B-222-17	9/21/17	PES	ESC	17	22.2	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.000266 U	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000337 U
	B-222-25	9/21/17	PES	ESC	25	14.2	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000265 U	0.000433 U	0.109	0.000303 U	0.000442 U	0.000294 U	0.000824 U	0.000343 U
	B-222-34	9/21/17	PES	ESC	34	5.2	S	0.000368 U	0.000238 U	0.000418 U	0.00230 J	0.000257 U	0.000420 U	0.0255	0.000294 U	0.000428 U	0.000285 U	0.000799 U	0.000333 U
	B-222-42	9/21/17	PES	ESC	42	-2.8	S	0.000407 U	0.000263 U	0.000463 U	0.00117 U	0.000284 U	0.000465 U	7.34	0.000325 U	0.000474 U	0.000315 U	0.000884 U	0.000368 U
	B-222-50	9/21/17	PES	ESC	50	-10.8	S	0.0176 U	0.0114 U	0.0199 U	0.0507 U	0.0122 U	0.0202 U	0.498 J	0.0140 U	0.0205 U	0.0136 U	0.0382 U	0.0159 U
	B-916-30	9/21/17	PES	ESC	50 (dup)	-10.8	S	0.000348 U	0.000225 U	0.000396 U	0.00100 U	0.000243 U	0.000398 U	0.160 J	0.000278 U	0.000405 U	0.000269 U	0.000756 U	0.000315 U
B-223	B-223-16	9/21/17	PES	ESC	16	23.1	S	0.0775 U	0.0501 U	0.0881 U	0.223 U	0.0541 U	0.0886 U	1.71	0.0619 U	0.0903 U	0.0600 U	0.169 U	0.0702 U
	B-223-22	9/21/17	PES	ESC	22	17.1	S	0.0749 U	0.0484 U	0.0852 U	0.216 U	0.0523 U	0.0856 U	0.713	0.0598 U	0.0872 U	0.0580 U	0.163 U	0.0678 U
	B-223-30	9/21/17	PES	ESC	30	9.1	S	9.03 U	5.84 U	10.3 U	26.0 U	6.30 U	10.3 U	6.47 U	7.21 U	10.5 U	6.99 U	19.6 U	8.17 U
	B-223-39	9/21/17	PES	ESC	39	0.1	S	0.000374 U	0.000241 U	0.000425 U	0.00151 J	0.000261 U	0.000427 U	0.0914	0.000298 U	0.000435 U	0.000289 U	0.000812 U	0.000338 U
	B-223-47	9/21/17	PES	ESC	47	-7.9	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000435 U	0.00208	0.000304 U	0.000444 U	0.000295 U	0.000828 U	0.000345 U
	B-917-57	9/21/17	PES	ESC	47 (dup)	-7.9	S	0.000353 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.000728 J	0.000282 U	0.000411 U	0.000273 U	0.000766 U	0.000319 U
B-224	B-224-6	11/27/17	PES	ESC	6	33.1	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000406 U	0.000624 J	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	B-224-11	11/27/17	PES	ESC	11	28.1	S	0.000876 U	0.000566 U	0.000996 U	0.00253 U	0.000612 U	0.00100 U	0.148	0.000699 U	0.00102 U	0.000678 U	0.00191 U	0.000793 U
	B-224-16	11/27/17	PES	ESC	16	23.1	S	0.000397 U	0.000256 U	0.000451 U	0.00114 U	0.000277 U	0.000453 U	0.0279	0.000317 U	0.000462 U	0.000307 U	0.000862 U	0.000359 U
	B-224-21.5	11/27/17	PES	ESC	21.5	17.6	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000435 U	0.117	0.000304 U	0.000444 U	0.000295 U	0.000828 U	0.000345 U
	B-224-26	11/27/17	PES	ESC	26	13.1	S	0.000433 U	0.000280 U	0.000493 U	0.00125 U	0.000313 J	0.000496 U	0.289	0.000347 U	0.000504 U	0.000336 U	0.000942 U	0.000392 U
	B-224-31	11/27/17	PES	ESC	31	8.1	S	0.000383 U	0.000248 U	0.000436 U	0.00110 U	0.000267 U	0.000438 U	0.207	0.000306 U	0.000446 U	0.000297 U	0.000834 U	0.000348 U
	B-224-36	11/27/17	PES	ESC	36	3.1	S	0.000364 U	0.000235 U	0.000414 U	0.00108 J	0.000254 U	0.000416 U	0.326	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	B-224-60.5	11/27/17	PES	ESC	60.5	-21.4	S	0.000531 U	0.000343 U	0.000603 U	0.00152 U	0.000370 U	0.000606 U	0.0323	0.000424 U	0.000618 U	0.000411 U	0.00115 U	0.000481 U
B-225	B-225-5	11/27/17	PES	ESC	5	34.1	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	0.00217	0.000284 U	0.000414 U	0.000276 U	0.000773 U	0.000322 U
	B-225-11	11/27/17	PES	ESC	11	28.1	S	0.000384 U	0.000248 U	0.000436 U	0.00111 U	0.000268 U	0.000439 U	0.0222	0.000306 U	0.000447 U	0.000297 U	0.000834 U	0.000347 U
	B-225-16	11/27/17	PES	ESC	16	23.1	S	0.00965 U	0.00623 U	0.0110 U	0.0278 U	0.00673 U	0.0110 U	1.62	0.00771 U	0.0112 U	0.00747 U	0.0209 U	0.00873 U
	B-225-21	11/27/17	PES	ESC	21	18.1	S	0.00932 U	0.00603 U	0.0106 U	0.0268 U	0.00650 U	0.0107 U	0.0455	0.00745 U	0.0109 U	0.00722 U	0.0202 U	0.00844 U
	B-225-26	11/27/17	PES	ESC	26	13.1	S	0.000386 U	0.000249 U	0.000438 U	0.00111 U	0.000269 U	0.000441 U	0.0710	0.000308 U	0.000449 U	0.000299 U	0.000838 U	0.000349 U
	B-225-31	11/27/17	PES	ESC	31	8.1	S	0.000375 U	0.000242 U	0.000426 U	0.00108 U	0.000262 U	0.000429 U	0.164	0.000299 U	0.000437 U	0.000290 U	0.000815 U	0.000339 U
	B-225-36	11/27/17	PES	ESC	36	3.1	S	0.000404 U	0.000261 U	0.000459 U	0.00117 U	0.000282 U	0.000462 U	0.0115	0.000323 U	0.000470 U	0.000313 U	0.000878 U	0.000366 U
B-226	B-226-6	11/28/17	PES	ESC	6	33.1	S	0.000395 U	0.000255 U	0.000449 U	0.00114 U	0.000276 U	0.000452 U	0.00317	0.000316 U	0.000460 U	0.000306 U	0.000859 U	0.000358 U
	B-226-11	11/28/17	PES	ESC	11	28.1	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.00338	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
	B-226-16	11/28/17	PES	ESC	16	23.1	S	0.00920 U	0.00595 U	0.0105 U	0.0265 U	0.00642 U	0.0105 U	1.84 J	0.00735 U	0.0107 U	0.00712 U	0.0200 U	0.00832 U
	B-920-35	11/28/17	PES	ESC	16 (dup)	23.1	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000253 U	0.000415 U	0.0714 J	0.000290 U	0.000423 U	0.000281 U	0.000789 U	0.000329 U
	B-226-21	11/28/17	PES	ESC	21	18.1	S	0.000374 U	0.000241 U	0.000425 U	0.00108 U	0.000261 U	0.000427 U	0.00832	0.000298 U	0.000435 U	0.000289 U	0.000812 U	0.000338 U
	B-226-31.5	11/28/17	PES	ESC	31.5	7.6	S	0.000349 U	0.000226 U	0.000397 U	0.00101 U	0.000244 U	0.000399 U	0.135	0.000279 U	0.000407 U	0.000270 U	0.000759 U	0.000316 U
	B-226-40	11/28/17	PES	ESC	40	-0.9	S	0.000375 U	0.000243 U	0.000427 U	0.00130 J	0.00127 J	0.000429 U	0.112	0.000300 U	0.000437 U	0.000291 U	0.000816 U	0.000340 U
B-227	B-227-6	11/28/17	PES	ESC	6	33.1	S	0.000374 U	0.000242 U	0.000426 U	0.00108 U	0.000261 U	0.000428 U	0.000455 J	0.000299 U	0.000436 U	0.000290 U	0.000814 U	0.000339 U
	B-227-11	11/28/17	PES	ESC	11	28.1	S	0.000354 U	0.000228 U	0.000402 U	0.00102 U	0.000247 U	0.000404 U	0.0438	0.000282 U	0.000412 U	0.000274 U	0.000768 U	0.000320 U
	B-227-16	11/28/17	PES	ESC	16	23.1	S	0.000376 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000430 U	0.429	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-227 (continued)	B-227-21	11/28/17	PES	ESC	21	18.1	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000652 J	0.000435 U	0.393	0.000304 U	0.000443 U	0.000295 U	0.000828 U	0.000345 U
	B-227-26	11/28/17	PES	ESC	26	13.1	S	0.000382 U	0.000247 U	0.000435 U	0.00110 U	0.000388 J	0.000437 U	0.351	0.000305 U	0.000445 U	0.000296 U	0.000831 U	0.000346 U
	B-227-31	11/28/17	PES	ESC	31	8.1	S	0.000393 U	0.000254 U	0.000447 U	0.00113 U	0.000275 U	0.000450 U	0.0636	0.000314 U	0.000458 U	0.000305 U	0.000855 U	0.000356
	B-227-36	11/28/17	PES	ESC	36	3.1	S	0.000376 U	0.000243 U	0.000428 U	0.00119 J	0.000263 U	0.000430 U	0.382	0.000301 U	0.000438 U	0.000292 U	0.000818 U	0.000341
B-228	B-228-6	11/29/17	PES	ESC	6	33.1	S	0.000401 U	0.000259 U	0.000456 U	0.00116 U	0.000280 U	0.000459 U	0.00505	0.000320 U	0.000467 U	0.000311 U	0.000872 U	0.000363 U
	B-228-11	11/29/17	PES	ESC	11	28.1	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	0.000669 J	0.000291 U	0.000425 U	0.000282 U	0.000793 U	0.000330 U
	B-228-16	11/29/17	PES	ESC	16	23.1	S	0.000353 U	0.000228 U	0.000402 U	0.00102 U	0.000638 J	0.000404 U	0.811 J	0.000282 U	0.000411 U	0.000274 U	0.000768 U	0.000320 U
	B-921-22	11/29/17	PES	ESC	16 (dup)	23.1	S	0.000377 U	0.000244 U	0.000428 U	0.00109 U	0.000686 J	0.000431 U	0.474 J	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
	B-228-21	11/29/17	PES	ESC	21	18.1	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000424 U	0.0290	0.000296 U	0.000432 U	0.000287 U	0.000806 U	0.000336 U
	B-228-26	11/29/17	PES	ESC	26	13.1	S	0.000353 U	0.000228 U	0.000401 U	0.00187 J	0.000246 U	0.000404 U	0.112	0.000282 U	0.000411 U	0.000273 U	0.000767 U	0.000320 U
	B-228-31	11/29/17	PES	ESC	31	8.1	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	0.121	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	B-228-36	11/29/17	PES	ESC	36	3.1	S	0.000371 U	0.000239 U	0.000421 U	0.00107 U	0.000259 U	0.000424 U	0.0648	0.000296 U	0.000432 U	0.000287 U	0.000805 U	0.000336 U
B-229	B-229-6	11/29/17	PES	ESC	6	33.1	S	0.000480 U	0.000310 U	0.000546 U	0.00138 U	0.00195 J	0.000549 U	0.0257	0.000383 U	0.000559 U	0.000372 U	0.00104 U	0.000435 U
	B-229-11	11/29/17	PES	ESC	11	28.1	S	0.000466 U	0.000301 U	0.000529 U	0.00134 U	0.000325 U	0.000532 U	0.118	0.000372 U	0.000542 U	0.000361 U	0.00101 U	0.000422 U
	B-229-16	11/29/17	PES	ESC	16	23.1	S	0.000391 U	0.000253 U	0.000445 U	0.00113 U	0.000291 J	0.000447 U	0.0188	0.000312 U	0.000455 U	0.000303 U	0.000850 U	0.000354 U
	B-229-25	11/29/17	PES	ESC	25	14.1	S	0.000360 U	0.000232 U	0.000409 U	0.00195 J	0.000251 U	0.000411 U	0.865	0.000287 U	0.000419 U	0.000278 U	0.000782 U	0.000326 U
	B-229-31	11/29/17	PES	ESC	31	8.1	S	0.000396 U	0.000256 U	0.000450 U	0.00114 U	0.000276 U	0.000452 U	2.35	0.000316 U	0.000461 U	0.000306 U	0.000860 U	0.000358 U
	B-229-36	11/29/17	PES	ESC	36	3.1	S	0.000361 U	0.000233 U	0.000410 U	0.00204 J	0.000252 U	0.000412 U	1.02	0.000288 U	0.000420 U	0.000279 U	0.000784 U	0.000327 U
	B-229-41	11/29/17	PES	ESC	41	-1.9	S	0.000382 U	0.000247 U	0.000434 U	0.00197 J	0.000267 U	0.000437 U	0.403 J	0.000305 U	0.000445 U	0.000296 U	0.000830 U	0.000346 U
	B-229-45	11/29/17	PES	ESC	45	-5.9	S	0.000392 U	0.000254 U	0.000446 U	0.00113 U	0.000274 U	0.000449 U	0.105 J+	0.000313 U	0.000457 U	0.000304 U	0.000853 U	0.000355 U
B-230	B-230-6	11/30/17	PES	ESC	6	33.1	S	0.000346 U	0.000224 U	0.000393 U	0.000998 U	0.000242 U	0.000396 U	0.00376	0.000276 U	0.000403 U	0.000268 U	0.000752 U	0.000313 U
	B-230-11	11/30/17	PES	ESC	11	28.1	S	0.000358 U	0.000232 U	0.000407 U	0.00103 U	0.000250 U	0.000410 U	0.00634	0.000286 U	0.000417 U	0.000277 U	0.000779 U	0.000324 U
	B-230-16	11/30/17	PES	ESC	16	23.1	S	0.0913 U	0.0590 U	0.104 U	0.263 U	0.0637 U	0.104 U	10.4	0.0729 U	0.106 U	0.0707 U	0.198 U	0.0826 U
	B-230-21	11/30/17	PES	ESC	21	18.1	S	0.783 U	0.506 U	0.891 U	2.26 U	0.547 U	0.895 U	2.71 J	0.626 U	0.912 U	0.607 U	1.71 U	0.709 U
	B-922-15	11/30/17	PES	ESC	21 (dup)	18.1	S	0.396 U	0.256 U	0.450 U	1.14 U	0.277 U	0.453 U	0.884 J	0.316 U	0.461 U	0.307 U	0.861 U	0.359 U
	B-230-26	11/30/17	PES	ESC	26	13.1	S	0.983 U	0.635 U	1.12 U	2.83 U	0.685 U	1.12 U	0.705 U	0.785 U	1.14 U	0.761 U	2.13 U	0.889 U
	B-230-31	11/30/17	PES	ESC	31	8.1	S	0.408 U	0.264 U	0.464 U	1.18 U	0.285 U	0.466 U	1.82	0.326 U	0.475 U	0.316 U	0.887 U	0.369 U
	B-230-35	11/30/17	PES	ESC	35	4.1	S	0.0593 U	0.0383 U	0.0674 U	0.171 U	0.0413 U	0.0678 U	0.470	0.0473 U	0.0690 U	0.0459 U	0.129 U	0.0536 U
B-231	B-231-6	11/30/17	PES	ESC	6	33.1	S	0.000405 U	0.000261 U	0.000460 U	0.00117 U	0.000282 U	0.000463 U	0.00617	0.000323 U	0.000471 U	0.000313 U	0.000879 U	0.000366 U
	B-231-11	11/30/17	PES	ESC	11	28.1	S	0.000387 U	0.000250 U	0.000440 U	0.00111 U	0.000270 U	0.000442 U	0.000868 J	0.000309 U	0.000450 U	0.000299 U	0.000840 U	0.000350 U
	B-231-16	11/30/17	PES	ESC	16	23.1	S	0.00919 U	0.00594 U	0.0104 U	0.0264 U	0.00641 U	0.0105 U	2.18	0.00734 U	0.0107 U	0.00711 U	0.0199 U	0.00831 U
	B-231-21	11/30/17	PES	ESC	21	18.1	S	0.0217 U	0.0140 U	0.0247 U	0.0625 U	0.0151 U	0.0248 U	0.911	0.0173 U	0.0253 U	0.0168 U	0.0471 U	0.0196 U
	B-231-26	11/30/17	PES	ESC	26	13.1	S	0.000381 U	0.000246 U	0.000433 U	0.00193 J	0.000266 U	0.000435 U	0.122	0.000304 U	0.000444 U	0.000295 U	0.000828 U	0.000345 U
	B-231-30	11/30/17	PES	ESC	30	9.1	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000258 U	0.000423 U	0.00245	0.000296 U	0.000431 U	0.000287 U	0.000804 U	0.000335 U
	B-231-36	11/30/17	PES	ESC	36	3.1	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.0441	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
B-232	B-232-6	12/1/17	PES	ESC	6	33.1	S	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000443 U	0.00586	0.000309 U	0.000451 U	0.000300 U	0.000842 U	0.000351 U
	B-232-11	12/1/17	PES	ESC	11	28.1	S	0.000436 U	0.000282 U	0.000496 U	0.00126 U	0.000305 U	0.000499 U	0.00464 J+	0.000349 U	0.000508 U	0.000338 U	0.000949 U	0.000395 U
	B-232-16	12/1/17	PES	ESC	16	23.1	S	0.000384 U	0.000248 U	0.000437 U	0.00111 U	0.000268 U	0.000439 U	0.0101	0.000307 U	0.000447 U	0.000297 U	0.000835 U	0.000348 U
	B-232-21	12/1/17	PES	ESC	21	18.1	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000420 U	0.147	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000332 U
	B-232-26	12/1/17	PES	ESC	26	13.1	S	0.0122 U	0.00792 U	0.0139 U	0.0353 U	0.00855 U	0.0140 U	0.474	0.00979 U	0.0142 U	0.00949 U	0.0266 U	0.0111 U
	B-232-31	12/1/17	PES	ESC	31	8.1	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000259 U	0.000423 U	0.0874	0.000296 U	0.000431 U	0.000287 U	0.000805 U	0.000335 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-232 (continued)	B-232-36	12/1/17	PES	ESC	36	3.1	S	0.000389 U	0.000251 U	0.000442 U	0.00112 U	0.000271 U	0.000445 U	0.110	0.000311 U	0.000453 U	0.000301 U	0.000845 U	0.000352 U
B-233	B-233-6	12/1/17	PES	ESC	6	29.5	S	0.000354 U	0.000229 U	0.000403 U	0.00102 U	0.000247 U	0.000405 U	0.00266	0.000283 U	0.000412 U	0.000274 U	0.000769 U	0.000320 U
	B-233-11	12/1/17	PES	ESC	11	24.5	S	0.000915 U	0.000591 U	0.00104 U	0.00264 U	0.000638 U	0.001015 U	0.0321 J+	0.000731 U	0.00107 U	0.000709 U	0.00198 U	0.000828 U
	B-233-16	12/1/17	PES	ESC	16	19.5	S	0.000463 U	0.000299 U	0.000526 U	0.00134 U	0.000323 U	0.000529 U	0.0101	0.000370 U	0.000539 U	0.000359 U	0.00101 U	0.000419 U
	B-233-21	12/1/17	PES	ESC	21	14.5	S	0.00936 U	0.00605 U	0.0106 U	0.0269 U	0.00653 U	0.0107 U	0.645	0.00747 U	0.0109 U	0.00724 U	0.0203 U	0.00847 U
	B-233-26	12/1/17	PES	ESC	26	9.5	S	0.0196 U	0.0127 U	0.0222 U	0.0565 U	0.0136 U	0.0225 U	2.40	0.0157 U	0.0228 U	0.0152 U	0.0426 U	0.0177 U
	B-233-31	12/1/17	PES	ESC	31	4.5	S	0.0102 U	0.00659 U	0.0116 U	0.0293 U	0.00711 U	0.0117 U	1.65	0.00814 U	0.0119 U	0.00790 U	0.0221 U	0.00923 U
	B-233-36	12/1/17	PES	ESC	36	-0.5	S	0.00923 U	0.00597 U	0.0105 U	0.0266 U	0.00644 U	0.0106 U	0.969	0.00737 U	0.0107 U	0.00715 U	0.0200 U	0.00835 U
B-234	B-234-11	12/4/17	PES	ESC	11	40.8	V	0.000381 U	0.000246 U	0.000434 U	0.00110 U	0.000266 U	0.000436 U	0.000273 U	0.000305 U	0.000444 U	0.000295 U	0.000829 U	0.000345 U
	B-234-30	12/4/17	PES	ESC	30	21.8	S	0.000347 U	0.000224 U	0.000395 U	0.00100 U	0.000242 U	0.000397 U	0.000249 U	0.000277 U	0.000404 U	0.000269 U	0.000755 U	0.000314 U
B-234A	B-234A-35	12/4/17	PES	ESC	35	16.8	S	0.000376 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000430 U	0.000270 U	0.000301 U	0.000438 U	0.000291 U	0.000818 U	0.000341 U
	B-234A-40	12/4/17	PES	ESC	40	11.8	S	0.000353 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000404 U	0.000253 U	0.000282 U	0.000411 U	0.000273 U	0.000767 U	0.000320 U
	B-234A-42	12/4/17	PES	ESC	42	9.8	S	0.000402 U	0.000260 U	0.000457 U	0.00116 U	0.000281 U	0.000459 U	3.65 J	0.000321 U	0.000468 U	0.000311 U	0.000874 U	0.000364 U
	B-924-30	12/4/17	PES	ESC	42 (dup)	9.8	S	0.000398 U	0.000257 U	0.000453 U	0.00115 U	0.000278 U	0.000455 U	2.54 J	0.000318 U	0.000464 U	0.000309 U	0.000866 U	0.000361 U
	B-234A-45	12/4/17	PES	ESC	45	6.8	S	0.000370 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000423 U	1.99	0.000295 U	0.000430 U	0.000286 U	0.000804 U	0.000335 U
B-235	B-235-15	12/5/17	PES	ESC	15	36.8	V	0.000393 U	0.000255 U	0.000448 U	0.00113 U	0.000275 U	0.000450 U	0.000261 U	0.000315 U	0.000458 U	0.000305 U	0.000856 U	0.000357 U
	B-235-35	12/5/17	PES	ESC	35	16.8	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000254 U	0.000415 U	0.000746 J	0.000290 U	0.000423 U	0.000281 U	0.000789 U	0.000329 U
	B-235-40	12/5/17	PES	ESC	40	11.8	S	0.000360 U	0.000232 U	0.000409 U	0.00104 U	0.000251 U	0.000411 U	0.00618	0.000287 U	0.000419 U	0.000278 U	0.000782 U	0.000326 U
	B-235-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.0716 U	0.0463 U	0.0815 U	0.206 U	0.0500 U	0.0819 U	2.07	0.0572 U	0.0834 U	0.0555 U	0.156 U	0.0649 U
	B-235-45	12/5/17	PES	ESC	45	6.8	S	0.000369 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000422 U	0.479	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.000334 U
B-236	B-236-20	12/5/17	PES	ESC	20	31.8	S	0.000375 U	0.000242 U	0.000426 U	0.00108 U	0.000262 U	0.000429 U	0.00139	0.000300 U	0.000437 U	0.000290 U	0.000815 U	0.000340 U
	B-236-35	12/5/17	PES	ESC	35	16.8	S	0.000595 U	0.000385 U	0.000676 U	0.00171 U	0.000415 U	0.000679 U	0.000261 U	0.000475 U	0.000692 U	0.000460 U	0.00129 U	0.000538 U
	B-236-40	12/5/17	PES	ESC	40	11.8	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000253 U	0.000415 U	0.00621	0.000290 U	0.000423 U	0.000281 U	0.000789 U	0.000329 U
	B-236-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.385 U	0.249 U	0.437 U	1.11 U	0.269 U	0.440 U	2.87	0.307 U	0.448 U	0.298 U	0.836 U	0.348 U
	B-236-45	12/5/17	PES	ESC	45	6.8	S	0.128 U	0.0833 U	0.146 U	0.372 U	0.0900 U	0.147 U	0.969	0.103 U	0.150 U	0.0998 U	0.280 U	0.116 U
B-237	B-237-5	12/6/17	PES	ESC	5	46.8	V	0.000382 U	0.000247 U	0.000434 U	0.00110 U	0.000267 U	0.000437 U	0.000274 U	0.000305 U	0.000445 U	0.000296 U	0.000830 U	0.000346 U
	B-237-35	12/6/17	PES	ESC	35	16.8	S	0.000383 U	0.000248 U	0.000436 U	0.00110 U	0.000267 U	0.000438 U	0.000274 U	0.000306 U	0.000446 U	0.000297 U	0.000833 U	0.000347 U
	B-237-40	12/6/17	PES	ESC	40	11.8	S	0.000352 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	1.34	0.000282 U	0.000410 U	0.000273 U	0.000766 U	0.000319 U
	B-237-42	12/6/17	PES	ESC	42	9.8	S	0.000388 U	0.000251 U	0.000441 U	0.00112 U	0.000271 U	0.000443 U	1.84 J	0.000310 U	0.000451 U	0.000300 U	0.000843 U	0.000351 U
	B-925-41	12/6/17	PES	ESC	42 (dup)	9.8	S	0.0419 U	0.0271 U	0.0476 U	0.121 U	0.0292 U	0.0479 U	4.51 J	0.0335 U	0.0488 U	0.0324 U	0.0910 U	0.0379 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	0.000422 U	0.000273 U	0.000480 U	0.00122 U	0.000295 U	0.000483 U	2.83	0.000337 U	0.000492 U	0.000327 U	0.000918 U	0.000382 U
B-238	B-238-6	12/6/17	PES	ESC	6	33.1	S	0.000382 U	0.000247 U	0.000435 U	0.00110 U	0.000267 U	0.000437 U	0.0118	0.000305 U	0.000445 U	0.000296 U	0.000831 U	0.000346 U
	B-238-11	12/6/17	PES	ESC	11	28.1	S	0.000382 U	0.000247 U	0.000434 U	0.00205 J	0.000266 U	0.000436 U	0.0767 J+	0.000305 U	0.000444 U	0.000296 U	0.000830 U	0.000346 U
	B-238-16	12/6/17	PES	ESC	16	23.1	S	0.0938 U	0.0606 U	0.107 U	0.270 U	0.0654 U	0.107 U	0.191 J	0.0749 U	0.109 U	0.0727 U	0.204 U	0.0849 U
	B-238-21	12/6/17	PES	ESC	21	18.1	S	0.366 U	0.237 U	0.416 U	1.06 U	0.256 U	0.418 U	0.262 U	0.292 U	0.426 U	0.283 U	0.796 U	0.331 U
	B-238-26	12/6/17	PES	ESC	26	13.1	S	0.000367 U	0.000237 U	0.000417 U	0.00393 J	0.000256 U	0.000419 U	0.375	0.000293 U	0.000427 U	0.000284 U	0.000797 U	0.000332 U
	B-238-31	12/6/17	PES	ESC	31	8.1	S	0.000348 U	0.000225 U	0.000395 U	0.00100 U	0.000243 U	0.000398 U	0.0572	0.000278 U	0.000405 U	0.000269 U	0.000756 U	0.000315 U
	B-238-36	12/6/17	PES	ESC	36	3.1	S	0.000384 U	0.000248 U	0.000437 U	0.00111 U	0.000268 U	0.000439 U	0.0928	0.000307 U	0.000447 U	0.000297 U	0.000835 U	0.000348 U
B-239	B-239-5	4/3/18	PES	ESC	5	34.2	S	0.000390 U	0.000252 U	0.000444 U	0.00113 U	0.000272 U	0.000446 U	0.0107	0.000312 U	0.000454 U	0.000302 U	0.000848 U	0.000353 U
	B-239-10	4/3/18	PES	ESC	10	29.2	S	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000442 U	0.0366	0.000309 U	0.000451 U	0.000300 U	0.000841 U	0.000350 U
	B-239-15	4/3/18	PES	ESC	15	24.2	S	0.000373 U	0.000241 U	0.000425 U	0.00108 U	0.000261 U	0.000427 U	0.0187	0.000298 U	0.000435 U	0.000289 U	0.000812 U	0.000338 U
	B-239-20	4/3/18	PES	ESC	20	19.2	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000258 U	0.000423 U	0.000649 J	0.000296 U	0.000431 U	0.000287 U	0.000805 U	0.000335 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-239 (continued)	B-239-25	4/3/18	PES	ESC	25	14.2	S	0.000376 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000430 U	0.000411 J	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U
	B-239-35	4/3/18	PES	ESC	35	4.2	S	0.000355 U	0.000229 U	0.000404 U	0.00102 U	0.000249 J	0.000406 U	0.000395	0.000284 U	0.000414 U	0.000275 U	0.000772 U	0.000322 U
	B-239-40	4/3/18	PES	ESC	40	-0.8	S	0.000372 U	0.000241 U	0.000423 U	0.00107 U	0.000349 J	0.000425 U	0.000454	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
	B-239-45	4/3/18	PES	ESC	45	-5.8	S	0.000367 U	0.000237 U	0.000418 U	0.00106 U	0.000257 U	0.000420 U	0.000317 J	0.000293 U	0.000428 U	0.000285 U	0.000799 U	0.000333 U
	B-239-50	4/3/18	PES	ESC	50	-10.8	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.000272 J	0.000289 U	0.000422 U	0.000281 U	0.000787 U	0.000328 U
	B-909-50	4/3/18	PES	ESC	50 (dup)	-10.8	S	0.000364 U	0.000236 U	0.000414 U	0.00105 U	0.000254 U	0.000417 U	0.000261 U	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	B-239-55	4/3/18	PES	ESC	55	-15.8	S	0.000373 U	0.000241 U	0.000424 U	0.00108 U	0.000261 U	0.000427 U	0.000267 U	0.000298 U	0.000435 U	0.000289 U	0.000811 U	0.000338 U
	B-239-60	4/3/18	PES	ESC	60	-20.8	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.000263 U	0.000293 U	0.000427 U	0.000284 U	0.000797 U	0.000332 U
	B-239-65	4/3/18	PES	ESC	65	-25.8	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.000263 U	0.000293 U	0.000427 U	0.000284 U	0.000797 U	0.000332 U
	B-239-70	4/3/18	PES	ESC	70	-30.8	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000418 U	0.000262 U	0.000292 U	0.000426 U	0.000283 U	0.000794 U	0.000331 U
	B-239-75	4/3/18	PES	ESC	75	-35.8	S	0.000378 U	0.000244 U	0.000430 U	0.00109 U	0.000264 U	0.000432 U	0.000271 U	0.000302 U	0.000440 U	0.000293 U	0.000822 U	0.000342 U
	B-239-80	4/3/18	PES	ESC	80	-40.8	S	0.000375 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000429 U	0.000269 U	0.000300 U	0.000437 U	0.000291 U	0.000816 U	0.000340 U
B-240	B-240-5	4/2/18	PES	ESC	5	34.2	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.000274	0.000289 U	0.000422 U	0.000280 U	0.000787 U	0.000328 U
	B-240-10	4/2/18	PES	ESC	10	29.2	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.0929	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000327 U
	B-240-15	4/2/18	PES	ESC	15	24.2	S	0.000376 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000430 U	0.0785	0.000301 U	0.000438 U	0.000291 U	0.000818 U	0.000341 U
	B-240-20	4/2/18	PES	ESC	20	19.2	S	0.000382 U	0.000247 U	0.000434 U	0.00110 U	0.000267 U	0.000437 U	0.142	0.000305 U	0.000445 U	0.000296 U	0.000830 U	0.000346 U
	B-240-25	4/2/18	PES	ESC	25	14.2	S	0.0183 U	0.0118 U	0.0208 U	0.0528 U	0.0127 U	0.0210 U	0.356	0.0146 U	0.0213 U	0.0142 U	0.0398 U	0.0165 U
	B-240-30	4/2/18	PES	ESC	30	9.2	S	0.000395 U	0.000255 U	0.000449 U	0.00114 U	0.000276 U	0.000452 U	0.578	0.000316 U	0.000460 U	0.000306 U	0.000859 U	0.000358 U
	B-240-35	4/2/18	PES	ESC	35	4.2	S	0.000394 U	0.000255 U	0.000448 U	0.00114 U	0.000275 U	0.000450 U	0.461	0.000315 U	0.000459 U	0.000305 U	0.000856 U	0.000357 U
	B-240-42	4/2/18	PES	ESC	42	-2.8	S	0.000353 U	0.000228 U	0.000402 U	0.00102 U	0.000247 U	0.000404 U	0.00863 J	0.000282 U	0.000411 U	0.000273 U	0.000768 U	0.000320 U
	B-240-45	4/2/18	PES	ESC	45	-5.8	S	0.000348 U	0.000225 U	0.000396 U	0.00100 U	0.000243 U	0.000398 U	0.000371 J	0.000278 U	0.000405 U	0.000269 U	0.000756 U	0.000315 U
	B-240-50	4/2/18	PES	ESC	50	-10.8	S	0.000369 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000422 U	0.000265 U	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.000334 U
	B-240-55	4/2/18	PES	ESC	55	-15.8	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000435 U	0.00231	0.000304 U	0.000443 U	0.000295 U	0.000827 U	0.000345 U
	B-240-60	4/2/18	PES	ESC	60	-20.8	S	0.000382 U	0.000247 U	0.000434 U	0.00110 U	0.000267 U	0.000437 U	0.0157	0.000305 U	0.000445 U	0.000296 U	0.000830 U	0.000346 U
	B-240-65	4/2/18	PES	ESC	65	-25.8	S	0.000356 U	0.000230 U	0.000404 U	0.00103 U	0.000248 U	0.000407 U	0.00152	0.000284 U	0.000414 U	0.000275 U	0.000773 U	0.000322 U
	B-240-70	4/2/18	PES	ESC	70	-30.8	S	0.000379 U	0.000245 U	0.000432 U	0.00109 U	0.000265 U	0.000434 U	0.0138	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
	B-240-75	4/2/18	PES	ESC	75	-35.8	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000251 U	0.000412 U	0.00612	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 U
	B-240-80	4/2/18	PES	ESC	80	-40.8	S	0.000373 U	0.000241 U	0.000424 U	0.00108 U	0.000260 U	0.000427 U	0.000662 J	0.000298 U	0.000435 U	0.000289 U	0.000811 U	0.000338 U
B-241	B-241-5	4/4/18	PES	ESC	5	34.1	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	0.00554	0.000284 U	0.000414 U	0.000275 U	0.000773 U	0.210
	B-241-10	4/4/18	PES	ESC	10	29.1	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.0503	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000337 J
	B-241-15	4/4/18	PES	ESC	15	24.1	S	0.000366 U	0.000237 U	0.000416 U	0.00120 J	0.000256 U	0.000419 U	0.000701 J	0.000292 U	0.000426 U	0.000284 U	0.000796 U	0.000332 U
	B-241-20	4/4/18	PES	ESC	20	19.1	S	0.000399 U	0.000258 U	0.000454 U	0.00488 J	0.000279 U	0.000456 U	0.172	0.000319 U	0.000465 U	0.000309 U	0.000868 U	0.000361 U
	B-241-25	4/4/18	PES	ESC	25	14.1	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000674 J	0.0177	0.000296 U	0.000432 U	0.000287 U	0.000806 U	0.000336 U
	B-241-30	4/3/18	PES	ESC	30	9.1	S	0.000368 U	0.000238 U	0.000418 U	0.0124	0.000257 U	0.000421 U	0.469	0.000294 U	0.000428 U	0.000285 U	0.000800 U	0.000333 U
	B-241-35	4/3/18	PES	ESC	35	4.1	S	0.000380 U	0.000245 U	0.000432 U	0.00110 U	0.000265 U	0.000434 U	0.00791	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
	B-241-40	4/3/18	PES	ESC	40	-0.9	S	0.000360 U	0.000233 U	0.000409 U	0.00104 U	0.000251 U	0.000804 J	0.0154	0.000287 U	0.000419 U	0.000279 U	0.000782 U	0.000326 U
	B-241-45	4/3/18	PES	ESC	45	-5.9	S	0.000361 U	0.000233 U	0.000411 U	0.00104 U	0.000252 U	0.000406	1.37	0.000288 U	0.000421 U	0.000280 U	0.000785 U	0.000327 U
	B-241-50	4/4/18	PES	ESC	50	-10.9	S	0.000370 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000423 U	7.44	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.000335 U
	B-241-55	4/4/18	PES	ESC	55	-15.9	S	0.000382 U	0.000247 U	0.000434 U	0.00110 U	0.000267 U	0.000437 U	2.01	0.000305 U	0.000445 U	0.000296 U	0.000830 U	0.000346 U
	B-241-60	4/3/18	PES	ESC	60	-20.9	S	0.000367 U	0.000237 U	0.000418 U	0.00106 U	0.000256 U	0.000420 U	0.00708	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000333 U
	B-241-65	4/3/18	PES	ESC	65	-25.9	S	0.000388 U	0.000251 U	0.000441 U	0.00112 U	0.000271 U	0.000444 U	0.0585	0.000310 U	0.000452 U	0.000301 U	0.000844 U	0.000352 U
	B-241-70	4/3/18	PES	ESC	70	-30.9	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000264 U	0.000544 J	0.0186	0.000302 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-241 (continued)	B-241-75	4/3/18	PES	ESC	75	-35.9	S	0.000382 U	0.000247 U	0.000435 U	0.00110 U	0.000267 U	0.000514 J	0.358	0.000306 U	0.000445 U	0.000296 U	0.000831 U	0.000346 U
	B-241-80	4/4/18	PES	ESC	80	-40.9	S	0.000377 U	0.000244 U	0.000429 U	0.00109 U	0.000263 U	0.000431 U	0.0508	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
B-242	B-242-5	4/4/18	PES	ESC	5	33.8	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000407 U	0.00494	0.000284 U	0.000415 U	0.000276 U	0.000774 U	0.000322 U
	B-242-10	4/4/18	PES	ESC	10	28.8	S	0.000359 U	0.000232 U	0.000408 U	0.00104 U	0.000251 U	0.000410 U	0.00156	0.000287 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	B-242-15	4/4/18	PES	ESC	15	23.8	S	0.000382 U	0.000247 U	0.000435 U	0.00110 U	0.000267 U	0.000437 U	0.00483	0.000306 U	0.000445 U	0.000296 U	0.000831 U	0.000346 U
	B-242-20	4/4/18	PES	ESC	20	18.8	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000259 U	0.000425 U	0.00878	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000336 U
	B-242-25	4/4/18	PES	ESC	25	13.8	S	0.0362 U	0.0234 U	0.0411 U	0.104 U	0.0252 U	0.0413 U	0.0259 U	0.0289 U	0.0421 U	0.0280 U	0.0786 U	0.0327 U
	B-242-30	4/4/18	PES	ESC	30	8.8	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.00101 J	0.000293 U	0.000427 U	0.000284 U	0.000798 U	0.000332 U
	B-242-35	4/4/18	PES	ESC	35	3.8	S	0.000378 U	0.000244 U	0.000430 U	0.00109 U	0.000264 U	0.000432 U	0.000439 J	0.000302 U	0.000440 U	0.000292 U	0.000821 U	0.000342 U
	B-242-40	4/4/18	PES	ESC	40	-1.2	S	0.000359 U	0.000232 U	0.000408 U	0.00103 U	0.000251 U	0.000410 U	0.00272	0.000287 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	B-242-45	4/4/18	PES	ESC	45	-6.2	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000265 U	0.000434 U	0.000272 U	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
	B-242-50	4/4/18	PES	ESC	50	-11.2	S	0.000367 U	0.000237 U	0.000418 U	0.00106 U	0.000256 U	0.000420 U	0.000263 U	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000333 U
	B-910-50	4/4/18	PES	ESC	50 (dup)	-11.2	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000421 U	0.000264 U	0.000294 U	0.000429 U	0.000285 U	0.000800 U	0.000333 U
	B-242-55	4/4/18	PES	ESC	55	-16.2	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.000258 U	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 U
	B-242-60	4/4/18	PES	ESC	60	-21.2	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000253 U	0.000414 U	0.000259 U	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000328 U
	B-242-65	4/4/18	PES	ESC	65	-26.2	S	0.000355 U	0.000230 U	0.000404 U	0.00102 U	0.000248 U	0.000406 U	0.000254 U	0.000284 U	0.000414 U	0.000275 U	0.000772 U	0.000322 U
	B-242-70	4/4/18	PES	ESC	70	-31.2	S	0.000376 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000430 U	0.000269 U	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U
	B-242-75	4/4/18	PES	ESC	75	-36.2	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000349	0.00118 J+	0.000291 U	0.000424 U	0.000282 U	0.000791 U	0.000329 U
	B-242-80	4/4/18	PES	ESC	80	-41.2	S	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000265 U	0.000434 U	0.000272 U	0.000304 U	0.000443 U	0.000294 U	0.000826 U	0.000344 U
B-243	B-243-5	3/29/18	PES	ESC	5	34.9	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000436 U	0.000273 U	0.000304 U	0.000444 U	0.000295 U	0.000828 U	0.000345 U
	B-243-10	3/29/18	PES	ESC	10	29.9	S	0.000373 U	0.000241 U	0.000424 U	0.00107 U	0.000260 U	0.000426 U	0.000267 J	0.000298 U	0.000434 U	0.000289 U	0.000810 U	0.000337 U
	B-243-15	3/29/18	PES	ESC	15	24.9	S	0.00928 U	0.00600 U	0.0105 U	0.0267 U	0.00647 U	0.0106 U	0.00665 U	0.00741 U	0.0108 U	0.00719 U	0.0201 U	0.00840 U
	B-243-20	3/29/18	PES	ESC	20	19.9	S	0.000378 U	0.000244 U	0.000430 U	0.00109 U	0.000264 U	0.000432 U	0.000271 U	0.000302 U	0.000440 U	0.000293 U	0.000822 U	0.000342 U
	B-243-25	3/29/18	PES	ESC	25	14.9	S	0.000366 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	0.000262 U	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	B-243-30	3/29/18	PES	ESC	30	9.9	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.000256 U	0.000285 U	0.000416 U	0.000277 U	0.000776 U	0.000323 U
	B-243-35	3/29/18	PES	ESC	35	4.9	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000274 J	0.000415 U	0.0121	0.000290 U	0.000423 U	0.000281 U	0.000790 U	0.000329 U
	B-243-42	3/29/18	PES	ESC	42	-2.1	S	0.000358 U	0.000232 U	0.000408 U	0.00103 U	0.000250 U	0.000410 U	1.40	0.000286 U	0.000417 U	0.000278 U	0.000779 U	0.000325 U
	B-243-45	3/29/18	PES	ESC	45	-5.1	S	0.000355 U	0.000230 U	0.000404 U	0.00102 U	0.000248 U	0.000406 U	0.569	0.000284 U	0.000414 U	0.000275 U	0.000772 U	0.000322 U
	B-243-50	3/29/18	PES	ESC	50	-10.1	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000264 U	0.000433 U	16.0	0.000303 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U
	IW-908-50	3/29/18	PES	ESC	50 (dup)	-10.1	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000424 U	15.9	0.000296 U	0.000432 U	0.000287 U	0.000807 U	0.000336 U
	B-243-55	3/29/18	PES	ESC	55	-15.1	S	0.000354 U	0.000229 U	0.000403 U	0.00102 U	0.000247 U	0.000405 U	2.33	0.000283 U	0.000412 U	0.000274 U	0.000770 U	0.000321 U
	B-243-60	3/29/18	PES	ESC	60	-20.1	S	0.000375 U	0.000242 U	0.000426 U	0.00108 U	0.000262 U	0.000429 U	6.30	0.000299 U	0.000437 U	0.000290 U	0.000815 U	0.000339 U
	B-243-65	3/29/18	PES	ESC	65	-25.1	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000251 U	0.000412 U	0.530	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 U
	B-243-70	3/29/18	PES	ESC	70	-30.1	S	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000266 U	0.000435 U	0.000882 U	0.000304 U	0.000443 U	0.000294 U	0.000827 U	0.000344 U
	B-243-75	3/29/18	PES	ESC	75	-35.1	S	0.000391 U	0.000253 U	0.000444 U	0.00113 U	0.000273 U	0.000447 U	0.00440	0.000312 U	0.000455 U	0.000303 U	0.000849 U	0.000354 U
	B-243-80	3/29/18	PES	ESC	80	-40.1	S	0.000398 U	0.000258 U	0.000453 U	0.00115 U	0.000278 U	0.000455 U	0.00775	0.000318 U	0.000464 U	0.000309 U	0.000866 U	0.000361 U
B-244	B-244-5	3/28/18	PES	ESC	5	33.8	S	0.000414 U	0.000268 U	0.000471 U	0.00119 U	0.000289 U	0.000473 U	0.00740	0.000331 U	0.000482 U	0.000321 U	0.000900 U	0.000375 U
	B-244-10	3/28/18	PES	ESC	10	28.8	S	0.000391 U	0.000253 U	0.000444 U	0.00113 U	0.000273 U	0.000447 U	0.00128	0.000312 U	0.000455 U	0.000303 U	0.000850 U	0.000354 U
	B-244-15	3/28/18	PES	ESC	15	23.8	S	0.000374 U	0.000242 U	0.000426 U	0.00108 U	0.000261 U	0.000428 U	0.000833 J	0.000299 U	0.000436 U	0.000290 U	0.000814 U	0.000339 U
	B-244-20	3/28/18	PES	ESC	20	18.8	S	0.000372 U	0.000241 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.00537	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
	B-244-25	3/28/18	PES	ESC	25	13.8	S	0.000347 U	0.000224 U	0.000395 U	0.00100 U	0.000242 U	0.000397 U	0.00556	0.000277 U	0.000404 U	0.000269 U	0.000755 U	0.000314 U
	B-244-30	3/28/18	PES	ESC	30	8.8	S	0.000359 U	0.000232 U	0.000408 U	0.00103 U	0.000250 U	0.000410 U	0.0243	0.000286 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-244 (continued)	B-244-35	3/28/18	PES	ESC	35	3.8	S	0.000377 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000431 U	0.0522	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
	B-244-40	3/28/18	PES	ESC	40	-1.2	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000253 U	0.000414 U	2.00	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000328 U
	B-244-42	3/28/18	PES	ESC	42	-3.2	S	0.00923 U	0.00596 U	0.0105 U	0.0266 U	0.00644 U	0.0106 U	0.886	0.00737 U	0.0107 U	0.00714 U	0.0200 U	0.00835 U
	B-244-45	3/28/18	PES	ESC	45	-6.2	S	0.000369 U	0.000239 U	0.000420 U	0.00106 U	0.000258 U	0.000475 J	5.01	0.000295 U	0.000430 U	0.000286 U	0.000802 U	0.000334 U
	B-244-50	3/28/18	PES	ESC	50	-11.2	S	0.000363 U	0.000234 U	0.000413 U	0.00105 U	0.000253 U	0.000967 J	4.57	0.000290 U	0.000422 U	0.000281 U	0.000789 U	0.000328 U
	B-244-55	3/28/18	PES	ESC	55	-16.2	S	0.000361 U	0.000233 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	6.54	0.000288 U	0.000421 U	0.000280 U	0.000785 U	0.000327 U
	B-244-60	3/28/18	PES	ESC	60	-21.2	S	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000256 U	0.000419 U	4.83	0.000292 U	0.000426 U	0.000284 U	0.000796 U	0.000332 U
	B-244-65	3/28/18	PES	ESC	65	-26.2	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.918	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000337 U
	B-244-70	3/28/18	PES	ESC	70	-31.2	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000407 U	6.08	0.000284 U	0.000415 U	0.000276 U	0.000774 U	0.000322 U
	IW-907-70	3/28/18	PES	ESC	70 (dup)	-31.2	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	6.39	0.000285 U	0.000416 U	0.000277 U	0.000776 U	0.000323 U
B-245	B-244-75	3/28/18	PES	ESC	75	-36.2	S	0.000376 U	0.000243 U	0.000428 U	0.00108 U	0.000263 U	0.000430 U	5.77	0.000300 U	0.000438 U	0.000291 U	0.000818 U	0.000341 U
	B-244-80	3/28/18	PES	ESC	80	-41.2	S	0.000381 U	0.000246 U	0.000434 U	0.00110 U	0.000266 U	0.000436 U	0.0188	0.000305 U	0.000444 U	0.000295 U	0.000829 U	0.000345 U
	B-245-5	3/28/18	PES	ESC	5	34.9	V	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.000490 J	0.000285 U	0.000416 U	0.000276 U	0.000776 U	0.000323 U
	B-245-10	3/28/18	PES	ESC	10	29.9	S	0.000376 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000430 U	0.00132	0.000301 U	0.000438 U	0.000291 U	0.000818 U	0.000341 U
	B-245-15	3/28/18	PES	ESC	15	24.9	S	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000265 U	0.000435 U	0.00502	0.000304 U	0.000443 U	0.000294 U	0.000826 U	0.000344 U
	B-245-20	3/28/18	PES	ESC	20	19.9	S	0.000354 U	0.000229 U	0.000403 U	0.00102 U	0.000247 U	0.000405 U	0.00265	0.000283 U	0.000413 U	0.000274 U	0.000770 U	0.000321 U
	B-245-25	3/28/18	PES	ESC	25	14.9	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000424 U	0.00148	0.000296 U	0.000432 U	0.000287 U	0.000807 U	0.000336 U
	B-245-30	3/29/18	PES	ESC	30	9.9	S	0.000705 U	0.000456 U	0.000802 U	0.00204 U	0.000493 U	0.000806 U	4.73	0.000563 U	0.000821 U	0.000547 U	0.00153 U	0.000638 U
	B-245-35	3/29/18	PES	ESC	35	4.9	S	0.000369 U	0.000239 U	0.000420 U	0.00106 U	0.000258 U	0.000422 U	0.0564	0.000295 U	0.000430 U	0.000286 U	0.000802 U	0.000334 U
	B-245-40	3/29/18	PES	ESC	40	-0.1	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	0.107	0.000292 U	0.000425 U	0.000283 U	0.000794 U	0.000331 U
B-246	B-245-45	3/29/18	PES	ESC	45	-5.1	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	0.00725	0.000291 U	0.000425 U	0.000282 U	0.000793 U	0.000330 U
	B-245-50	3/29/18	PES	ESC	50	-10.1	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.0159	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000337 U
	B-245-55	3/29/18	PES	ESC	55	-15.1	S	0.000370 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000423 U	0.0583	0.000295 U	0.000431 U	0.000286 U	0.000804 U	0.000335 U
	B-245-60	3/29/18	PES	ESC	60	-20.1	S	0.000351 U	0.000227 U	0.000400 U	0.00101 U	0.000245 U	0.000402 U	0.0180	0.000281 U	0.000409 U	0.000272 U	0.000764 U	0.000318 U
	B-245-65	3/29/18	PES	ESC	65	-25.1	S	0.000375 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000429 U	0.0101	0.000300 U	0.000437 U	0.000291 U	0.000816 U	0.000340 U
	B-245-70	3/29/18	PES	ESC	70	-30.1	S	0.000386 U	0.000249 U	0.000439 U	0.00111 U	0.000269 U	0.000441 U	0.000656 J	0.000308 U	0.000449 U	0.000299 U	0.000839 U	0.000349 U
	B-245-75	3/29/18	PES	ESC	75	-35.1	S	0.000370 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000423 U	0.000841 J	0.000295 U	0.000431 U	0.000286 U	0.000804 U	0.000335 U
	B-245-80	3/29/18	PES	ESC	80	-40.1	S	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000265 U	0.000434 U	0.000946 J	0.000304 U	0.000443 U	0.000294 U	0.000826 U	0.000344 U
	B-246-6	5/11/18	PES	ESC	6	33.9	S	0.00128 U	0.000680 U	0.000534 U	0.00128 U	0.000493 U	0.00165 U	0.00324	0.000805 U	0.00119 U	0.000935 U	0.000971 U	0.000629 U
	B-246-11	5/11/18	PES	ESC	11	28.9	S	0.00128 U	0.000677 U	0.000531 U	0.00128 U	0.000490 U	0.00164 U	0.00531	0.000801 U	0.00118 U	0.000931 U	0.000966 U	0.000626 U
	B-246-15	5/11/18	PES	ESC	15	24.9	S	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.000469 U	0.00157 U	0.0196	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.000599 U
B-246	B-246-25	5/11/18	PES	ESC	25	14.9	S	0.00121 U	0.000641 U	0.000503 U	0.00121 U	0.000464 U	0.00155 U	0.157	0.000758 U	0.00112 U	0.000881 U	0.000915 U	0.000593 U
	B-246-30	5/11/18	PES	ESC	30	9.9	S	0.00127 U	0.000674 U	0.000530 U	0.00127 U	0.000488 U	0.00164 U	3.36	0.000798 U	0.00118 U	0.000927 U	0.000963 U	0.000624 U
	B-246-35	5/11/18	PES	ESC	35	4.9	S	0.00125 U	0.000661 U	0.000519 U	0.00125 U	0.000478 U	0.00160 U	0.00505	0.000782 U	0.00115 U	0.000908 U	0.000943 U	0.000611 U
	B-246-40	5/11/18	PES	ESC	40	-0.1	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000470 U	0.00157 U	0.255	0.000768 U	0.00113 U	0.000892 U	0.000926 U	0.000600 U
	B-246-43	5/11/18	PES	ESC	43	-3.1	S	0.00118 U	0.000627 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	0.330	0.000741 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
	B-246-45	5/11/18	PES	ESC	45	-5.1	S	0.00130 U	0.000691 U	0.000543 U	0.00130 U	0.000500 U	0.00167 U	0.00410	0.000817 U	0.00121 U	0.000951 U	0.000986 U	0.000639 U
	B-246-50	5/11/18	PES	ESC	50	-10.1	S	0.00122 U	0.000645 U	0.000506 U	0.00122 U	0.000467 U	0.00156 U	0.00150 J	0.000763 U	0.00113 U	0.000887 U	0.000920 U	0.000596 U
	B-246-55	5/11/18	PES	ESC	55	-15.1	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000475 U	0.00159 U	0.00111 J	0.000776 U	0.00115 U	0.000902 U	0.000937 U	0.000607 U
	B-246-60	5/11/18	PES	ESC	60	-20.1	S	0.00123 U	0.000650 U	0.000511 U	0.00123 U	0.000471 U	0.00158 U	0.00153 J	0.000769 U	0.00113 U	0.000894 U	0.000928 U	0.000601 U
	B-246-65	5/11/18	PES	ESC	65	-25.1	S	0.00134 U	0.000709 U	0.000557 U	0.00134 U	0.000513 U	0.00172 U	0.0338	0.000839 U	0.00124 U	0.000975 U	0.00101 U	0.000656 U
	B-246-70	5/11/18	PES	ESC	70	-30.1	S	0.00120 U	0.000637 U	0.000500 U	0.00120 U	0.000461 U	0.00154 U	0.232 J	0.000754 U	0.00111 U	0.000876 U	0.000909 U	0.000589 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-246 (continued)	B-246-75	5/11/18	PES	ESC	75	-35.1	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000481 U	0.00161 U	0.000799 U	0.000786 U	0.00116 U	0.000913 U	0.000948 U	0.000614 U
	B-246-80	5/11/18	PES	ESC	80	-40.1	S	0.00122 U	0.000647 U	0.000508 U	0.00122 U	0.000469 U	0.00157 U	0.000779 U	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.000599 U
	B-926-100	5/11/18	PES	ESC	45 (dup)	-5.1	S	0.00162 U	0.000858 U	0.000673 U	0.00162 U	0.000621 U	0.00208 U	0.0150 J	0.00102 U	0.00150 U	0.00118 U	0.00122 U	0.000793 UJ
B-247	B-247-5	4/20/18	PES	ESC	5	34.7	S	0.000372 U	0.000241 U	0.000423 U	0.00107 U	0.000260 U	0.000426 U	0.0478	0.000297 U	0.000434 U	0.000288 U	0.000809 U	0.000337 U
	B-247-10	4/20/18	PES	ESC	10	29.7	S	0.000378 U	0.000244 U	0.000429 U	0.00109 U	0.000264 U	0.000432 U	0.00459	0.000302 U	0.000440 U	0.000292 U	0.000821 U	0.000342 U
	B-247-15	4/20/18	PES	ESC	15	24.7	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	0.00577	0.000291 U	0.000424 U	0.000282 U	0.000791 U	0.000329 U
	B-247-20	4/20/18	PES	ESC	20	19.7	S	0.000366 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.00682	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
	B-247-25	4/20/18	PES	ESC	25	14.7	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.000271 J	0.000285 U	0.000416 U	0.000276 U	0.000776 U	0.000323 U
	B-247-30	4/20/18	PES	ESC	30	9.7	S	0.000361 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.000409 J	0.000289 U	0.000421 U	0.000280 U	0.000785 U	0.000327 U
	B-247-35	4/20/18	PES	ESC	35	4.7	S	0.000361 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.000430 J	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000327 U
	B-247-40	4/20/18	PES	ESC	40	-0.3	S	0.000368 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.00157 J	0.00144	0.000294 U	0.000429 U	0.000285 U	0.000801 U	0.000333 U
	B-247-45	4/20/18	PES	ESC	45	-5.3	S	0.000354 U	0.000229 U	0.000403 U	0.00102 U	0.000247 U	0.00160 J	0.00979	0.000283 U	0.000413 U	0.000274 U	0.000770 U	0.000321 U
	B-247-50	4/20/18	PES	ESC	50	-10.3	S	0.000361 U	0.000233 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	4.71	0.000288 U	0.000421 U	0.000280 U	0.000785 U	0.000327 U
	B-247-55	4/20/18	PES	ESC	55	-15.3	S	0.000371 U	0.000239 U	0.000421 U	0.00107 U	0.000259 U	0.000424 U	0.0125	0.000296 U	0.000432 U	0.000287 U	0.000805 U	0.000335 U
	B-247-60	4/20/18	PES	ESC	60	-20.3	S	0.000353 U	0.000228 U	0.000402 U	0.00102 U	0.000247 U	0.000404 U	0.0754	0.000282 U	0.000412 U	0.000274 U	0.000768 U	0.000320 U
	B-247-65	4/20/18	PES	ESC	65	-25.3	S	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000255 U	0.000418 U	0.00500	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	B-247-70	4/20/18	PES	ESC	70	-30.3	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000420 U	0.000306 J	0.000294 U	0.000428 U	0.000285 U	0.000799 U	0.000333 U
	B-247-75	4/20/18	PES	ESC	75	-35.3	S	0.000375 U	0.000242 U	0.000427 U	0.00108 U	0.000262 U	0.000429 U	0.00237	0.000300 U	0.000437 U	0.000291 U	0.000816 U	0.000340 U
	B-247-80	4/20/18	PES	ESC	80	-40.3	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000478 J	0.00249	0.000293 U	0.000427 U	0.000284 U	0.000797 U	0.000332 U
	B-909-20	4/20/18	PES	ESC	80 (dup)	-40.3	S	0.000355 U	0.000229 U	0.000404 U	0.00102 U	0.000248 U	0.00105 J	0.00164	0.000284 U	0.000413 U	0.000275 U	0.000772 U	0.000321 U
B-248	B-248-5	4/23/18	PES	ESC	5	46.9	V	0.000374 U	0.000242 U	0.000426 U	0.00108 U	0.000261 U	0.000428 U	0.000268 U	0.000299 U	0.000436 U	0.000290 U	0.000814 U	0.000339 U
	B-248-10	4/23/18	PES	ESC	10	41.9	V	0.000366 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	0.000511 U	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	B-248-15	4/23/18	PES	ESC	15	36.9	V	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000456 U	0.00153 U	0.00113 U	0.000746 U	0.00110 U	0.000867 U	0.000900 U	0.000583 U
	B-248-20	4/23/18	PES	ESC	20	31.9	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000406 U	0.00426 J+	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	B-248-25	4/23/18	PES	ESC	25	26.9	S	0.00127 U	0.000672 U	0.000528 U	0.00127 U	0.000487 U	0.00163 U	0.0426 J+	0.000795 U	0.00117 U	0.000925 U	0.000960 U	0.000622 U
	B-248-30	4/23/18	PES	ESC	30	21.9	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000405 U	0.00122	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	B-248-35	4/23/18	PES	ESC	35	16.9	S	0.00117 U	0.000621 U	0.000487 U	0.00117 U	0.000450 U	0.00151 U	0.142 J+	0.000734 U	0.00108 U	0.000854 U	0.000886 U	0.000574 U
	B-248-40	4/23/18	PES	ESC	40	11.9	S	0.00120 U	0.000639 U	0.000502 U	0.00120 U	0.000463 U	0.00155 U	0.0429 J+	0.000756 U	0.00111 U	0.000879 U	0.000912 U	0.000591 U
	B-248-45	4/23/18	PES	ESC	45	6.9	S	0.00123 U	0.000654 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.00492 J+	0.000774 U	0.00114 U	0.000900 U	0.000934 U	0.000605 U
	B-248-50	4/23/18	PES	ESC	50	1.9	S	0.00118 U	0.000626 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	0.00350 J+	0.000741 U	0.00109 U	0.000862 U	0.000894 U	0.000579 UJ
	B-248-55	4/23/18	PES	ESC	55	-3.2	S	0.000388 U	0.000251 U	0.000441 U	0.00112 U	0.000271 U	0.000444 U	0.000278 U	0.000310 U	0.000452 U	0.000301 U	0.000844 U	0.000352 U
	B-248-60	4/23/18	PES	ESC	60	-8.2	S	0.00116 U	0.000614 U	0.000482 U	0.00116 U	0.000445 U	0.00149 U	0.553 J+	0.000727 U	0.00107 U	0.000845 U	0.000877 U	0.000568 U
	B-248-65	4/23/18	PES	ESC	65	-13.2	S	0.00133 U	0.000705 U	0.000554 U	0.00133 U	0.000510 U	0.00171 U	0.0215 J+	0.000834 U	0.00123 U	0.000969 U	0.00101 U	0.000652 U
	B-248-70	4/23/18	PES	ESC	70	-18.2	S	0.00124 U	0.000658 U	0.000517 U	0.00124 U	0.000477 U	0.00160 U	0.00436 J+	0.000779 U	0.00115 U	0.000906 U	0.000940 U	0.000609 U
	B-248-75	4/23/18	PES	ESC	75	-23.2	S	0.00121 U	0.000644 U	0.000505 U	0.00121 U	0.000466 U	0.00156 U	0.136 J+	0.000762 U	0.00112 U	0.000885 U	0.000919 U	0.00595 UJ
	B-248-80	4/23/18	PES	ESC	80	-28.2	S	0.000394 U	0.000255 U	0.000448 U	0.00114 U	0.000275 U	0.000451 U	0.00448	0.000315 U	0.000459 U	0.000305 U	0.000857 U	0.000357 U
	B-910-20	4/23/18	PES	ESC	80 (dup)	-28.2	S	0.000405 U	0.000262 U	0.000460 U	0.00117 U	0.000283 U	0.000463 U	0.000290 U	0.000323 U	0.000471 U	0.000313 U	0.000880 U	0.000367 U
	B-248-85	4/23/18	PES	ESC	85	-33.2	S	0.000398 U	0.000257 U	0.000453 U	0.00115 U	0.000278 U	0.000455 U	0.00261	0.000318 U	0.000464 U	0.000308 U	0.000866 U	0.000361 U
	B-248-90	4/23/18	PES	ESC	90	-38.2	S	0.000392 U	0.000254 U	0.000446 U	0.00113 U	0.000274 U	0.000449 U	0.000415 J	0.000313 U	0.000457 U	0.000304 U	0.000853 U	0.000355 U
	B-248-95	4/23/18	PES	ESC	95	-43.2	S	0.000409 U	0.000264 U	0.000465 U	0.00118 U	0.000286 U	0.000468 U	0.000293 U	0.000327 U	0.000476 U	0.000317 U	0.000889 U	0.000370 U
	B-248-100	4/23/18	PES	ESC	100	-48.2	S	0.000398 U	0.000257 U	0.000452 U	0.00115 U	0.000278 U	0.000455 U	0.00541	0.000318 U	0.000463 U	0.000308 U	0.000865 U	0.000360 U
	B-248-105	4/23/18	PES	ESC	105	-53.2	S	0.000354 U	0.000229 U	0.000403 U	0.00102 U	0.000247 U	0.000405 U	0.00880	0.000283 U	0.000413 U	0.000274 U	0.000770 U	0.000321 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-248 (continued)	B-248-110 B-248-115	4/23/18 4/23/18	PES PES	ESC ESC	110 115	-58.2 -63.2	S S	0.00124 U 0.000383 U	0.000658 U 0.000248 U	0.000516 U 0.000436 U	0.00124 U 0.00111 U	0.000476 U 0.000268 U	0.00160 U 0.000438 U	0.00624 J+ 0.00480	0.000778 U 0.000306 U	0.00115 U 0.000447 U	0.000904 U 0.000297 U	0.000939 U 0.000834 U	0.000608 U 0.000347 U
B-249	B-249-5	10/15/18	PES	PACE	5	34.2	S	0.00113 U	0.000599 U	0.000470 U	0.00113 U	0.000568 J	0.00145 U	0.0102	0.000709 U	0.00105 U	0.000823 U	0.000855 U	0.000554 U
	B-249-8	10/15/18	PES	PACE	8	31.2	S	0.00122 U	0.000647 U	0.000508 U	0.00122 U	0.000675 J	0.00157 U	0.0287	0.000765 U	0.00113 U	0.000889 U	0.000923 U	0.000598 U
	B-249-15	10/15/18	PES	PACE	15	24.2	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000777 J	0.00161 U	0.0692	0.000785 U	0.00116 U	0.000913 U	0.000947 U	0.00143 J
	B-249-17	10/15/18	PES	PACE	17	22.2	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000636 J	0.00157 U	0.0459	0.000768 U	0.00113 U	0.000892 U	0.000926 U	0.000600 U
B-250	B-249-20	10/15/18	PES	PACE	20	19.2	S	0.00128 U	0.000677 U	0.000532 U	0.00128 U	0.000490 U	0.00164 U	0.558	0.000801 U	0.00118 U	0.000931 U	0.000966 U	0.000626 U
	B-250-2.5	10/15/18	PES	PACE	2.5	36.9	V	0.00119 U	0.000633 U	0.000497 U	0.00119 U	0.000710 J	0.00153 U	0.00164 J	0.000749 U	0.00110 U	0.000870 U	0.000903 U	0.000585 U
	B-250-8	10/15/18	PES	PACE	8	31.4	S	0.00120 U	0.000638 U	0.000501 U	0.00120 U	0.000462 U	0.00155 U	0.00387	0.000755 U	0.00111 U	0.000877 U	0.000911 U	0.000590 U
	B-250-10	10/15/18	PES	PACE	10	29.4	S	0.00120 U	0.000637 U	0.000501 U	0.00120 U	0.000645 J	0.00155 U	0.123	0.000754 U	0.00111 U	0.000877 U	0.000910 U	0.000590 U
	B-250-13	10/15/18	PES	PACE	13	26.4	S	0.00121 U	0.000644 U	0.000505 U	0.00121 U	0.000708 J	0.00156 U	0.288	0.000762 U	0.00112 U	0.000885 U	0.000919 U	0.000595 U
	B-250-20	10/15/18	PES	PACE	20	19.4	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000752 J	0.00161 U	0.833	0.000785 U	0.00116 U	0.000913 U	0.000947 U	0.000614 U
	B-250-24	10/15/18	PES	PACE	24	15.4	S	0.00118 U	0.000627 U	0.000492 U	0.00118 U	0.000592	0.00152 U	0.614	0.000742 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
B-251	B-250-30	10/16/18	PES	PACE	30	9.4	S	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.000453 U	0.00152 U	0.533	0.000739 U	0.00109 U	0.000859 U	0.000892 U	0.000590 J
	B-251-5	10/15/18	PES	PACE	5	34.3	S	0.00113 U	0.000602 U	0.000473 U	0.00113 U	0.000670 J	0.00146 U	0.0153	0.000712 U	0.00105 U	0.000828 U	0.000859 U	0.000557 U
	B-251-8	10/15/18	PES	PACE	8	31.3	S	0.00120 U	0.000636 U	0.000499 U	0.00120 U	0.000707	0.00154 U	0.0879	0.000752 U	0.00111 U	0.000874 U	0.000907 U	0.000588 U
	B-251-10	10/15/18	PES	PACE	10	29.3	S	0.00120 U	0.000637 U	0.000501 U	0.00120 U	0.000940	0.00155 U	0.0191	0.000754 U	0.00111 U	0.000877 U	0.000910 U	0.000590 U
	B-251-15	10/15/18	PES	PACE	15	24.3	S	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.000654	0.00157 U	0.0366	0.000767 U	0.00113 U	0.000891 U	0.000925 U	0.000599 U
	B-251-20	10/15/18	PES	PACE	20	19.3	S	0.00126 U	0.000671 U	0.000527 U	0.00126 U	0.000952	0.00163 U	0.0474	0.000794 U	0.00117 U	0.000923 U	0.000958 U	0.000621 U
B-252	B-251-25	10/15/18	PES	PACE	25	14.3	S	0.00124 U	0.000658 U	0.000517 U	0.00124 U	0.000767	0.00160 U	0.191	0.000779 U	0.00115 U	0.000905 U	0.000940 U	0.000609 U
	B-252-2.5	10/15/18	PES	PACE	2.5	36.7	V	0.00113 U	0.000599 U	0.000470 U	0.00113 U	0.000887	0.00145 U	0.0146	0.000708 U	0.00104 U	0.000823 U	0.000855 U	0.000554 U
	B-252-8	10/15/18	PES	PACE	8	31.2	S	0.00116 U	0.000613 U	0.000481 U	0.00116 U	0.000444 U	0.00149 U	0.0312	0.000725 U	0.00107 U	0.000843 U	0.000875 U	0.000567 U
	B-252-10	10/15/18	PES	PACE	10	29.2	S	0.00120 U	0.000635 U	0.000499 U	0.00120 U	0.000808	0.00154 U	0.0600	0.000752 U	0.00111 U	0.000874 U	0.000907 U	0.000588 U
	B-252-15	10/15/18	PES	PACE	15	24.2	S	0.00127 U	0.000675 U	0.000530 U	0.00127 U	0.00130	0.00164 U	0.340	0.000799 U	0.00118 U	0.000928 U	0.000964 U	0.000624 U
	B-252-19	10/15/18	PES	PACE	19	20.2	S	0.00130 U	0.000692 U	0.000543 U	0.00130 U	0.000501 U	0.00168 U	1.36	0.000818 U	0.00121 U	0.000951 U	0.000987 U	0.000640 U
	B-252-25	10/15/18	PES	PACE	25	14.2	S	0.00119 U	0.000629 U	0.000494 U	0.00119 U	0.000456 U	0.00153 U	0.207	0.000745 U	0.00110 U	0.000866 U	0.000898 U	0.000582 U
B-253A	B-252-29	10/15/18	PES	PACE	29	10.2	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000475 U	0.00159 U	0.484	0.000776 U	0.00114 U	0.000902 U	0.000936 U	0.000606 U
	B-253A-5	10/18/18	PES	PACE	5	35.6	V	0.00123 U	0.000653 U	0.000512 U	0.00123 U	0.00179	0.00158 U	0.0322	0.000772 U	0.00114 U	0.000897 U	0.000932 U	0.000604 U
	B-253A-8	10/18/18	PES	PACE	8	32.6	S	0.00122 U	0.000645 U	0.000507 U	0.00122 U	0.00162	0.00157 U	0.00584	0.000764 U	0.00113 U	0.000887 U	0.000921 U	0.000597 U
	B-253A-10	10/18/18	PES	PACE	10	30.6	S	0.00118 U	0.000628 U	0.000493 U	0.00118 U	0.00127	0.00152 U	0.00458	0.000743 U	0.00110 U	0.000863 U	0.000896 U	0.000581 U
	B-253A-15	10/18/18	PES	PACE	15	25.6	S	0.00121 U	0.000643 U	0.000505 U	0.00121 U	0.00111	0.00156 U	0.00229 J	0.000761 U	0.00112 U	0.0707	0.000919 U	0.000595 U
B-254	B-253A-20	10/18/18	PES	PACE	20	20.6	S	0.00119 U	0.000631 U	0.000496 U	0.00119 U	0.00118	0.00153 U	0.000760 U	0.000747 U	0.00110 U	0.000868 U	0.000901 U	0.000584 U
	B-254-5	10/16/18	PES	PACE	5	34.7	S	0.00129 U	0.000686 U	0.000539 U	0.00129 U	0.000497 U	0.00166 U	0.0425	0.000812 U	0.00120 U	0.000944 U	0.0783	0.000635 UJ
	B-254-10	10/16/18	PES	PACE	10	29.7	S	0.00123 U	0.000651 U	0.000511 U	0.00123 U	0.000471 U	0.00158 U	0.0251	0.000770 U	0.00114 U	0.000895 U	0.00743	0.000602 UJ
	B-254-13.5	10/16/18	PES	PACE	13.5	26.2	S	0.00127 U	0.000672 U	0.000528 U	0.00127 U	0.000487 U	0.00163 U	0.366	0.000795 U	0.00117 U	0.000924 U	0.383	0.000622 UJ
	B-254-20	10/16/18	PES	PACE	20	19.7	S	0.00116 U	0.000616 U	0.000484 U	0.00116 U	0.000447 U	0.00150 U	0.182	0.000729 U	0.00108 U	0.000848 U	0.176	0.000570 UJ
B-254A	B-254-25	10/16/18	PES	PACE	25	14.7	S	0.00121 U	0.000640 U	0.000503 U	0.00121 U	0.000464 U	0.00155 U	1.20	0.000757 U	0.00112 U	0.000880 U	0.365	0.000655 J
	B-254A-27	10/19/18	PES	PACE	27	12.7	S	0.00118 U	0.000626 U	0.000491 U	0.00118 U	0.000453 U	0.00151 U	0.165	0.000741 U	0.00109 U	0.000861 U	0.000893 U	0.000578 U
	B-254A-30	10/19/18	PES	PACE	30	9.7	S	0.00116 U	0.000617 U	0.000484 U	0.00116 U	0.000447 U	0.00150 U	0.0964	0.000730 U	0.00108 U	0.000848 U	0.000880 U	0.000570 U
	B-254A-35	10/19/18	PES	PACE	35	4.7	S	0.00114 U	0.000604 U	0.000474 U	0.00114 U	0.000575 J	0.00146 U	0.143 J	0.000714 U	0.00105 U	0.000830 U	0.000862 U	0.000558 UJ
B-255	B-255-3.5	10/16/18	PES	PACE	3.5	36.3	S	0.00123 U	0.000654 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.0101	0.000774 U	0.00114 U	0.000900 U	0.000934 U	0.000605 UJ
	B-255-8	10/16/18	PES	PACE	8	31.8	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000481 U	0.00161 U	0.0118	0.000786 U	0.00116 U	0.000913 U	0.000948 U	0.000614 UJ

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-255 (continued)	B-255-15	10/16/18	PES	PACE	15	24.8	S	0.00118 U	0.000624 U	0.000490 U	0.00118 U	0.000452 U	0.00151 U	0.0294	0.000739 U	0.00109 U	0.000859 U	0.000891 U	0.000577 U
B-255A	B-255A-21	10/16/18	PES	PACE	21	18.8	S	0.00114 U	0.000607 U	0.000476 U	0.00114 U	0.000439 U	0.00147 U	2.74	0.000718 U	0.00106 U	0.000834 U	0.0346 U	0.000720 J
B-256	B-256-2.5	10/16/18	PES	PACE	2.5	37.1	S	0.00126 U	0.000670 U	0.000526 U	0.00126 U	0.000485 U	0.00163 U	0.0273	0.000793 U	0.00117 U	0.000921 U	0.000957 U	0.000620 U
	B-256-5	10/16/18	PES	PACE	5	34.6	S	0.00119 U	0.000633 U	0.000497 U	0.00119 U	0.000458 U	0.00154 U	0.0190	0.000749 U	0.00110 U	0.000871 U	0.000904 U	0.000585 U
	B-256-10	10/16/18	PES	PACE	10	29.6	S	0.00115 U	0.000612 U	0.000481 U	0.00115 U	0.000443 U	0.00149 U	0.548	0.000724 U	0.00107 U	0.000842 U	0.000874 U	0.000566 U
	B-256-15	10/16/18	PES	PACE	15	24.6	S	0.00120 U	0.000634 U	0.000498 U	0.00120 U	0.000459 U	0.00154 U	0.768	0.000750 U	0.00111 U	0.000872 U	0.000905 U	0.000587 U
B-257	B-256-18	10/16/18	PES	PACE	18	21.6	S	0.00120 U	0.000634 U	0.000498 U	0.00120 U	0.000459 U	0.00154 U	0.143	0.000750 U	0.00111 U	0.000872 U	0.000905 U	0.000586 U
	B-257-5	10/17/18	PES	PACE	5	34.4	S	0.00131 U	0.000694 U	0.000545 U	0.00131 U	0.000502 U	0.00168 U	0.0699	0.000821 U	0.00121 U	0.000954 U	0.000990 U	0.000642 U
	B-257-10	10/17/18	PES	PACE	10	29.4	S	0.00121 U	0.000640 U	0.000502 U	0.00121 U	0.000463 U	0.00155 U	0.481	0.000757 U	0.00112 U	0.000880 U	0.000913 U	0.000592 U
	B-257-15	10/17/18	PES	PACE	15	24.4	S	0.00125 U	0.000666 U	0.000523 U	0.00125 U	0.000482 U	0.00161 U	0.364	0.000788 U	0.00116 U	0.000915 U	0.000950 U	0.000616 U
B-258	B-257-20	10/17/18	PES	PACE	20	19.4	S	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000466 U	0.00156 U	1.67	0.000762 U	0.00112 U	0.000886 U	0.00735 U	0.000596 U
	B-258-3	10/17/18	PES	PACE	3	36.2	V	0.00118 U	0.000628 U	0.000493 U	0.00118 U	0.00130 J	0.00152 U	0.0116	0.000743 U	0.00110 U	0.000863 U	0.000896 U	0.000581 U
	B-258-8	10/17/18	PES	PACE	8	31.2	S	0.00123 U	0.000652 U	0.000512 U	0.00123 U	0.00166	0.00158 U	0.00236 J	0.000771 U	0.00114 U	0.000896 U	0.000930 U	0.000603 U
	B-258-10	10/17/18	PES	PACE	10	29.2	S	0.00129 U	0.000686 U	0.000538 U	0.00129 U	0.00168	0.00166 U	0.00481	0.000811 U	0.00120 U	0.000943 U	0.000979 U	0.000634 U
B-259	B-258-15	10/17/18	PES	PACE	15	24.2	S	0.00127 U	0.000676 U	0.000531 U	0.00127 U	0.00158	0.00164 U	0.0119	0.000800 U	0.00118 U	0.000930 U	0.000965 U	0.000625 U
	B-258-20	10/17/18	PES	PACE	20	19.2	S	0.00121 U	0.000640 U	0.000502 U	0.00121 U	0.00141	0.00155 U	0.0135	0.000757 U	0.00112 U	0.000879 U	0.000913 U	0.000592 U
	B-259-2.5	10/17/18	PES	PACE	2.5	36.7	V	0.00122 U	0.000645 U	0.000506 U	0.00122 U	0.00211	0.00156 U	0.00815	0.000763 U	0.00113 U	0.000887 U	0.000921 U	0.000597 U
	B-259-5	10/17/18	PES	PACE	5	34.2	S	0.00118 U	0.000628 U	0.000493 U	0.00118 U	0.00140	0.00152 U	0.0696	0.000743 U	0.00110 U	0.000864 U	0.000896 U	0.000581 U
B-260	B-259-10	10/17/18	PES	PACE	10	29.2	S	0.00124 U	0.000657 U	0.000516 U	0.00124 U	0.00244	0.00159 U	0.105	0.000777 U	0.00115 U	0.000903 U	0.000937 U	0.000607 U
	B-259-15	10/17/18	PES	PACE	15	24.2	S	0.00127 U	0.000673 U	0.000528 U	0.00127 U	0.00189	0.00163 U	0.715	0.000796 U	0.00117 U	0.000925 U	0.000960 U	0.000622 U
	B-259-20	10/17/18	PES	PACE	20	19.2	S	0.00121 U	0.000640 U	0.000503 U	0.00121 U	0.00179	0.00155 U	0.718	0.000758 U	0.00112 U	0.000881 U	0.000914 U	0.000592 U
	B-260-5	10/17/18	PES	PACE	5	34.2	S	0.00120 U	0.000635 U	0.000499 U	0.00120 U	0.00189	0.00154 U	0.0185	0.000752 U	0.00111 U	0.000874 U	0.000907 U	0.000588 U
B-261	B-260-8	10/17/18	PES	PACE	8	31.2	S	0.00121 U	0.000643 U	0.000505 U	0.00121 U	0.00206	0.00156 U	0.142	0.000761 U	0.00112 U	0.000884 U	0.000918 U	0.000595 U
	B-260-10	10/17/18	PES	PACE	10	29.2	S	0.00124 U	0.000658 U	0.000516 U	0.00124 U	0.00159	0.00160 U	0.568	0.000778 U	0.00115 U	0.000904 U	0.000939 U	0.000608 U
	B-260-15	10/17/18	PES	PACE	15	24.2	S	0.00125 U	0.000665 U	0.000523 U	0.00125 U	0.00183	0.00161 U	0.414	0.000781 U	0.00116 U	0.000915 U	0.000950 U	0.000615 U
	B-260-20	10/17/18	PES	PACE	20	19.2	S	0.00119 U	0.000633 U	0.000497 U	0.00119 U	0.00166	0.00154 U	0.588	0.000749 U	0.00111 U	0.000871 U	0.000904 U	0.000586 U
B-262	B-261-3	10/17/18	PES	PACE	3	36.9	S	0.00123 U	0.000655 U	0.000514 U	0.00123 U	0.00165	0.00159 U	0.00244 J	0.000775 U	0.00114 U	0.000900 U	0.000935 U	0.000606 U
	B-261-5	10/17/18	PES	PACE	5	34.9	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.00170	0.00157 U	0.00255 J	0.000768 U	0.00113 U	0.000892 U	0.000926 U	0.000600 U
	B-261-8	10/17/18	PES	PACE	8	31.9	S	0.00129 U	0.000687 U	0.000539 U	0.00129 U	0.00196	0.00167 U	0.00234 J	0.000812 U	0.00120 U	0.000944 U	0.000980 U	0.000635 U
	B-261-10	10/17/18	PES	PACE	10	29.9	S	0.00124 U	0.000660 U	0.000554 J	0.00124 U	0.00198	0.00160 U	0.00359	0.000781 U	0.00115 U	0.000908 U	0.000943 U	0.000611 U
B-263	B-261-15	10/17/18	PES	PACE	15	24.9	S	0.00119 U	0.000630 U	0.000494 U	0.00119 U	0.00171	0.00153 U	0.00353	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000582 U
	B-261-20	10/17/18	PES	PACE	20	19.9	S	0.00121 U	0.000644 U	0.000852 J	0.00121 U	0.00214	0.00156 U	0.105	0.000762 U	0.00112 U	0.000886 U	0.000919 U	0.000806 J
	B-262-5	10/17/18	PES	PACE	5	34.9	S	0.00127 U	0.000675 U	0.000530 U	0.00127 U	0.00115	0.00164 U	0.0650 U	0.000799 U	0.00118 U	0.000928 U	0.0770 U	0.00214 J
	B-262-8	10/17/18	PES	PACE	8	31.9	S	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000456 U	0.00153 U	0.00981	0.000746 U	0.00110 U	0.000867 U	0.000900 U	0.000583 U
B-263	B-262-10	10/17/18	PES	PACE	10	29.9	S	0.00120 U	0.000638 U	0.000501 U	0.00120 U	0.00103	0.00155 U	0.00190 J	0.000755 U	0.00111 U	0.000878 U	0.000911 U	0.000590 U
	B-262-15	10/17/18	PES	PACE	15	24.9	S	0.00119 U	0.000629 U	0.000494 U	0.00119 U	0.000455 U	0.00153 U	0.00332	0.000744 U	0.00110 U	0.000865 U	0.000898 U	0.000582 U
	B-262-20	10/17/18	PES	PACE	20	19.9	S	0.00127 U	0.000675 U	0.000530 U	0.00127 U	0.00116	0.00164 U	0.0429	0.000798 U	0.00118 U	0.000928 U	0.00963 U	0.000624 U
	B-263-3	10/18/18	PES	PACE	3	36.8	S	0.00132 U	0.000702 U	0.000551 U	0.00132 U	0.00110	0.00170 U	0.00113 J	0.000830 U	0.00122 U	0.000965 U	0.00100 U	0.000649 U
B-263	B-263-5	10/18/18	PES	PACE	5	34.8	S	0.00117 U	0.000619 U	0.000486 U	0.00117 U	0.000448 U	0.00150 U	0.0164	0.000733 U	0.00108 U	0.000852 U	0.000884 U	0.000573 U
	B-263-8	10/18/18	PES	PACE	8	31.8	S	0.00114 U	0.000604 U	0.000475 U	0.00114 U	0.00135	0.00147 U	0.0277	0.000715 U	0.00105 U	0.000831 U	0.000863 U	0.000559 U
	B-263-10	10/18/18	PES	PACE	10	29.8	S	0.00123 U	0.000652 U	0.000512 U	0.00123 U	0.000472 U	0.00158 U	0.000785 U	0.000772 U	0.00114 U	0.000897 U	0.000931 U	0.000603 U
	B-263-15	10/18/18	PES	PACE	15	24.8	S	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.000453 U	0.00152 U	0.0170	0.000740 U	0.00109 U	0.000860 U	0.000893 U	0.000579 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-263 (continued)	B-263-18	10/18/18	PES	PACE	18	21.8	S	0.00117 U	0.000622 U	0.000488 U	0.00117 U	0.000450 U	0.00151 U	0.0894	0.000736 U	0.00108 U	0.000855 U	0.000887 U	0.000575 U
B-264	B-264-3	10/18/18	PES	PACE	3	36.8	S	0.00117 U	0.000622 U	0.000489 U	0.00117 U	0.000451 U	0.00151 U	0.000749 U	0.000736 U	0.00109 U	0.000856 U	0.000888 U	0.000576 U
	B-264-5	10/18/18	PES	PACE	5	34.8	S	0.00125 U	0.000663 U	0.000521 U	0.00125 U	0.000480 U	0.00161 U	0.000799 U	0.000785 U	0.00116 U	0.000912 U	0.000947 U	0.000613 U
	B-264-8	10/18/18	PES	PACE	8	31.8	S	0.00123 U	0.000655 U	0.000514 U	0.00123 U	0.00122	0.00159 U	0.000789 U	0.000775 U	0.00114 U	0.000901 U	0.000935 U	0.000606 U
	B-264-10	10/18/18	PES	PACE	10	29.8	S	0.00119 U	0.000631 U	0.000496 U	0.00119 U	0.000457 U	0.00153 U	0.000760 U	0.000747 U	0.00110 U	0.000868 U	0.000901 U	0.000584 U
	B-264-15	10/18/18	PES	PACE	15	24.8	S	0.00126 U	0.000667 U	0.000524 U	0.00126 U	0.00152	0.00162 U	0.000940 J	0.000789 U	0.00116 U	0.000917 U	0.000952 U	0.000617 U
	B-264-16	10/18/18	PES	PACE	16	23.8	S	0.00121 U	0.000643 U	0.000505 U	0.00121 U	0.00127	0.00156 U	0.00250 J	0.000761 U	0.00112 U	0.000885 U	0.000918 U	0.000595 U
B-265	B-265-3	10/18/18	PES	PACE	3	36.8	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.00162	0.00166 U	0.00118 J	0.000809 U	0.00119 U	0.000940 U	0.000976 U	0.000632 U
	B-265-5	10/18/18	PES	PACE	5	34.8	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.00111	0.00161 U	0.00391	0.000786 U	0.00116 U	0.000913 U	0.000948 U	0.000614 U
	B-265-8	10/18/18	PES	PACE	8	31.8	S	0.00121 U	0.000640 U	0.000502 U	0.00121 U	0.00104	0.00155 U	0.00354	0.000757 U	0.00112 U	0.000880 U	0.000913 U	0.000592 U
	B-265-10	10/18/18	PES	PACE	10	29.8	S	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.00127	0.00153 U	0.00135 J	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000583 U
	B-265-17.5	10/18/18	PES	PACE	18	22.3	S	0.00119 U	0.000634 U	0.000498 U	0.00119 U	0.000779	0.00154 U	0.000763 U	0.000750 U	0.00111 U	0.000872 U	0.000905 U	0.000586 U
B-266	B-266-5	10/18/18	PES	PACE	5	35.7	S	0.00132 U	0.000698 U	0.000548 U	0.00132 U	0.00119	0.00169 U	0.00515	0.000826 U	0.00122 U	0.000960 U	0.000997 U	0.000646 U
	B-266-8	10/18/18	PES	PACE	8	32.7	S	0.00137 U	0.000729 U	0.000573 U	0.00137 U	0.00156	0.00176 U	0.00854	0.000863 U	0.00127 U	0.00100 U	0.00104 U	0.000675 U
	B-266-10	10/18/18	PES	PACE	10	30.7	S	0.00173 U	0.000922 U	0.000724 U	0.00173 U	0.00180	0.00224 U	0.00620	0.00109 U	0.00161 U	0.00127 U	0.00131 U	0.000853 U
	B-266-15	10/18/18	PES	PACE	15	25.7	S	0.00144 U	0.000765 U	0.000600 U	0.00144 U	0.00182	0.00185 U	0.000920 U	0.000904 U	0.00133 U	0.00105 U	0.00109 U	0.000707 U
	B-266-20	10/18/18	PES	PACE	20	20.7	S	0.00120 U	0.000639 U	0.000502 U	0.00120 U	0.00109	0.00155 U	0.0195	0.000756 U	0.00111 U	0.000878 U	0.000912 U	0.000591 U
B-267	B-267-2.5	10/18/18	PES	PACE	2.5	37.4	S	0.00130 U	0.000689 U	0.000541 U	0.00130 U	0.00132	0.00167 U	0.000829 U	0.000815 U	0.00120 U	0.000947 U	0.000983 U	0.000637 U
	B-267-5	10/18/18	PES	PACE	5	34.9	S	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.00101	0.00152 U	0.000753 U	0.000740 U	0.00109 U	0.000859 U	0.000892 U	0.000578 U
	B-267-8	10/18/18	PES	PACE	8	31.9	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.00112	0.00166 U	0.000823 U	0.000809 U	0.00119 U	0.000940 U	0.000976 U	0.000632 U
	B-267-10	10/18/18	PES	PACE	10	29.9	S	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.00153	0.00157 U	0.000780 U	0.000766 U	0.00113 U	0.000891 U	0.000925 U	0.000599 U
	B-267-15	10/18/18	PES	PACE	15	24.9	S	0.0241 U	0.0129 U	0.0101 U	0.0241 U	0.00928 U	0.0311 U	0.0154 U	0.0152 U	0.0224 U	0.0177 U	0.0183 U	0.0118 U
	B-267-20	10/18/18	PES	PACE	20	19.9	S	0.0268 U	0.0142 U	0.0112 U	0.0268 U	0.0103 U	0.0345 U	0.0171 U	0.0169 U	0.0248 U	0.0196 U	0.0203 U	0.0132 U
CA-A10	CA-A10-21	09/04/19	PES	Fremont	21	-	S	-	-	-	-	-	-	0.427	-	-	-	-	-
CA-A12-20	CA-A12-20-24	09/06/19	PES	Fremont	24	-	S	-	-	-	-	-	-	2.41	-	-	-	-	-
CAA-C1	CAA-C1-43	08/27/19	PES	Fremont	43	-	S	-	-	-	-	-	-	0.209 U	-	-	-	-	-
CAA-C2	CAA-C2-10	08/28/19	PES	Fremont	10	-	S	-	-	-	-	-	-	0.222 U	-	-	-	-	-
CA-B8	CA-B8-3	09/16/19	PES	Fremont	3	-	S	-	-	-	-	-	-	0.232 U	-	-	-	-	-
CA-B19	CA-B19-30	09/27/19	PES	Fremont	30	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B10	CA-B10-17	08/30/19	PES	Fremont	17	-	S	-	-	-	-	-	-	0.191 U	-	-	-	-	-
	CA-B10-20	08/30/19	PES	Fremont	20	-	S	-	-	-	-	-	-	3.26	-	-	-	-	-
	CA-B10-21	08/30/19	PES	Fremont	21	-	S	-	-	-	-	-	-	0.168 J	-	-	-	-	-
	CA-B10-25	08/30/19	PES	Fremont	25	-	S	-	-	-	-	-	-	0.176 U	-	-	-	-	-
CA-B11	CA-B11-27	09/05/19	PES	Fremont	27	-	S	-	-	-	-	-	-	0.270	-	-	-	-	-
CA-B18	CA-B18-20	10/26/19	PES	Fremont	20	-	S	-	-	-	-	-	-	2.41	-	-	-	-	-
CA-B20	CA-B20-31	09/30/19	PES	Fremont	31	-	S	-	-	-	-	-	-	0.186 U	-	-	-	-	-
	B-1001-31	09/30/19	PES	Fremont	31 (dup)	-	S	-	-	-	-	-	-	0.203 U	-	-	-	-	-
CA-C7	CA-C7-25	09/20/19	PES	Fremont	25	-	S	-	-	-	-	-	-	0.198 U	-	-	-	-	-
CA-C8	CA-C8-35	09/03/19	PES	Fremont	35	-	S	-	-	-	-	-	-	0.167 U	-	-	-	-	-
CA-C9	CA-C9-09	09/04/19	PES	Fremont	9	-	S	-	-	-	-	-	-	0.177 U	-	-	-	-	-
CA-C10	CA-C10-17	09/06/19	PES	Fremont	17	-	S	-	-	-	-	-	-	2.86	-	-	-	-	-
	CA-C10-26	09/06/19	PES	Fremont	26	-	S	-	-	-	-	-	-	0.233 U	-	-	-	-	-
CA-C13	CA-C13-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	0.232 U	-	-	-	-	-
CA-D1	CA-D1-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	0.208 U	-	-	-	-	-
CA-D2	CA-D2-31	09/16/19	PES	Fremont	31	-	S	-	-	-	-	-	-	0.202 U	-	-	-	-	-
	CA-D2-50-52	09/17/19	PES	Fremont	52	-	S	-	-	-	-	-	-	0.224 U	-	-	-	-	-
CA-D3	CA-D3-40	09/23/19	PES	Fremont	40	-	S	-	-	-	-	-	-	0.240	-	-	-	-	-
CA-D4	CA-D4-51	09/19/19	PES	Fremont	51	-	S	-	-	-	-	-	-	0.251 U	-	-	-	-	-
	CA-D4-54	09/19/19	PES	Fremont	54	-	S	-	-	-	-	-	-	0.121 J	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
CA-D5	CA-D5-14	09/03/19	PES	Fremont	14	-	S	-	-	-	-	-	-	0.177 U	-	-	-	-	-
	CA-D5-22	09/03/19	PES	Fremont	22	-	S	-	-	-	-	-	-	1.49	-	-	-	-	-
	CA-D5-26	09/03/19	PES	Fremont	26	-	S	-	-	-	-	-	-	0.646	-	-	-	-	-
CA-D6	CA-D6-56	09/04/19	PES	Fremont	56	-	S	-	-	-	-	-	-	0.173 J	-	-	-	-	-
	CA-D6-65	09/04/19	PES	Fremont	65	-	S	-	-	-	-	-	-	1.32	-	-	-	-	-
CA-D7	CA-D7-15	09/05/19	PES	Fremont	15	-	S	-	-	-	-	-	-	0.744	-	-	-	-	-
DB01	DB01-10	3/18/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB01-20	3/18/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB01-30	3/18/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB01-40	3/18/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB02	DB02-10	3/18/13	SES	F&BI	10	26.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	0.020 U
	DB02-15	3/18/13	SES	F&BI	15	21.0	S	-	-	-	-	-	-	-	-	-	-	-	0.020 U
	DB02-20	3/18/13	SES	F&BI	20	16.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB02-30	3/18/13	SES	F&BI	30	6.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB03	DB02-40	3/18/13	SES	F&BI	40	-4.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB03-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	0.10 U	-	-	-	-	-
	DB03-20	3/27/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB03-35	3/27/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB03-45	3/27/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB03-55	3/27/13	SES	F&BI	55	-15.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB03-60	3/27/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	0.15	-	-	-	-	-
DB04	DB04-10	3/21/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB04-20	3/21/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB04-35	3/21/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB04-45	3/21/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB04-50	3/22/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB05	DB04-60	3/22/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB05-10	3/26/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB05-20	3/26/13	SES	F&BI	20	31.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB05-30	3/26/13	SES	F&BI	30	21.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB05-40	3/26/13	SES	F&BI	40	11.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB05-50	3/26/13	SES	F&BI	50	1.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB05-60	3/26/13	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB06	DB05-70	3/26/13	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB06-10	3/25/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB06-25	3/25/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB06-35	3/25/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	0.096	-	-	-	-	-
	DB06-45	3/25/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB06-55	3/25/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB06-65	3/25/13	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB06	DB06-75	3/25/13	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
DB07	DB07-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	0.076	-	-	-	-	-
	DB07-15	3/27/13	SES	F&BI	15	25.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB07-25	3/27/13	SES	F&BI	25	15.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB07-35	3/28/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB07-45	3/28/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB07-50	3/28/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	0.16	-	-	-	-	-
	DB07-60	3/28/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	0.53	-	-	-	-	-
	DB07-70	3/28/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	0.41	-	-	-	-	-
DB08	DB08-10	3/20/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB08-20	3/20/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.097	-	-	-	-	-
	DB08-35	3/20/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	0.94	-	-	-	-	-
	DB08-45	3/20/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB08-50	3/21/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	0.070	-	-	-	-	-
	DB08-60	3/21/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	0.080	-	-	-	-	-
	DB08-70	3/21/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB09	DB09-10	3/19/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB09-20	3/19/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB09-30	3/19/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	0.25	-	-	-	-	-
	DB09-40	3/19/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	0.18	-	-	-	-	-
	DB09-50	3/19/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB09-60	3/19/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB09-70	3/19/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB10	DB10-10	3/29/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB10-20	3/29/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB10-35	3/29/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	0.50 U	-	-	-	-	-
	DB10-45	3/29/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	0.50 U	-	-	-	-	-
	DB10-50	4/1/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB10-60	4/1/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB10-70	4/1/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB11	DB11-15	4/2/13	SES	F&BI	15	36.8	V	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB11-25	4/2/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB11-35	4/2/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB11-45	4/2/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB11-55	4/2/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB12	DB12-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB12-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	1.6	-	-	-	-	-
	DB12-30	4/3/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	0.052	-	-	-	-	-
	DB12-40	4/3/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
DB13	DB13-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB13-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB13-35	4/3/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	0.063	-	-	-	-	-
	DB13-45	4/3/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
DB14	DB14-10	4/4/13	SES	F&BI	10	31.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	1.2
	DB14-20	4/4/13	SES	F&BI	20	21.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	0.29
	DB14-30	4/4/13	SES	F&BI	30	11.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	DB14-40	4/4/13	SES	F&BI	40	1.5	S	-	-	-	-	-	-	0.077	-	-	-	-	-
G-MW1	MW 1-3-8	7/20/01	GeoEng	NCA	8	31.0	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
	MW 1-8-20	7/20/01	GeoEng	NCA	20	19.0	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
	MW 1-11-27.5	7/20/01	GeoEng	NCA	27.5	11.5	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
	MW 1-13-32.5	7/20/01	GeoEng	NCA	32.5	6.5	S	-	-	-	-	-	-	0.052 U	-	-	-	-	0.038 U
	MW 1-15-37.5	7/20/01	GeoEng	NCA	37.5	1.5	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
G-MW3 (G-SB4 11)	SB4-4-10	7/20/01	GeoEng	NCA	10	29.6	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
	SB4-7-17.5	7/20/01	GeoEng	NCA	17.5	22.1	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
	SB4-13-32.5	7/20/01	GeoEng	NCA	32.5	7.1	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
	SB4-15-37.5	7/20/01	GeoEng	NCA	37.5	2.1	S	-	-	-	-	-	-	0.026 U	-	-	-	-	0.019 U
IW06	IW06-25	1/15/16	SES	F&BI	25	26.8	S	-	-	-	-	-	-	0.005 U	-	-	-	-	-
	IW06-30	1/15/16	SES	F&BI	30	21.8	S	-	-	-	-	-	-	0.005 U	-	-	-	-	-
	IW06-40	1/15/16	SES	F&BI	40	11.8	S	-	-	-	-	-	-	0.005 U	-	-	-	-	-
	IW06-50	1/15/16	SES	F&BI	50	1.8	S	-	-	-	-	-	-	0.005 U	-	-	-	-	-
	IW06-55	1/15/16	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	0.005 U	-	-	-	-	-
	IW06-60	1/15/16	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	0.0061	-	-	-	-	-
	IW06-65	1/15/16	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	0.005 U	-	-	-	-	-
	IW06-70	1/15/16	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	0.005 U	-	-	-	-	-
	IW06-75	1/15/16	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	0.005 UJ	-	-	-	-	-
IW-1C (-23.9 to-38.9)	IW-1C-5	3/7/18	PES	ESC	5	34.1	S	0.000364 U	0.000236 U	0.000414 U	0.00105 U	0.000254 U	0.000417 U	0.00291	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	IW-1C-15	3/7/18	PES	ESC	15	24.1	S	0.000385 U	0.000249 U	0.000438 U	0.00111 U	0.000269 U	0.000440 U	0.00154	0.000308 U	0.000449 U	0.000298 U	0.000837 U	0.000349 U
	IW-1C-25	3/7/18	PES	ESC	25	14.1	S	0.0779 U	0.0504 U	0.0886 U	0.224 U	0.0544 U	0.0891 U	0.769	0.0622 U	0.0907 U	0.0603 U	0.170 U	0.0705 U
	IW-1C-35	3/7/18	PES	ESC	35	4.1	S	0.000352 U	0.000227 U	0.000400 U	0.00270 J	0.000246 U	0.000402 U	0.404	0.000281 U	0.000410 U	0.000272 U	0.000765 U	0.000319 U
	IW-1C-45	3/7/18	PES	ESC	45	-5.9	S	0.000367 U	0.000237 U	0.000418 U	0.00106 U	0.000576 J	0.000420 U	0.153	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000332 U
	IW-1C-55	3/7/18	PES	ESC	55	-15.9	S	0.000367 U	0.000237 U	0.000418 U	0.00106 U	0.000256 U	0.000420 U	0.324	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000333 U
	IW-1C-65	3/7/18	PES	ESC	65	-25.9	S	0.000377 U	0.000244 U	0.000429 U	0.00109 U	0.000263 U	0.000431 U	0.000953 J	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
	IW-1C-75	3/7/18	PES	ESC	75	-35.9	S	0.000395 U	0.000255 U	0.000449 U	0.00114 U	0.000114 J	0.000451 U	0.00329	0.000315 U	0.000459 U	0.000306 U	0.000858 U	0.000357 U
IW-2C (-24.8 to-39.8)	IW-2C-5	3/7/18	PES	ESC	5	31.3	S	0.000405 U	0.000262 U	0.000461 U	0.00117 U	0.000283 U	0.000463 U	0.00860	0.000324 U	0.000472 U	0.000314 U	0.000881 U	0.000367 U
	IW-2C-15	3/7/18	PES	ESC	15	21.3	S	0.000392 U	0.000253 U	0.000446 U	0.00113 U	0.000274 U	0.000448 U	0.000795 J	0.000313 U	0.000456 U	0.000303 U	0.000852 U	0.000355 U
	IW-2C-25	3/7/18	PES	ESC	25	11.3	S	0.000366 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.304	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
	IW-2C-35	3/7/18	PES	ESC	35	1.3	S	0.000413 U	0.000267 U	0.000470 U	0.00119 U	0.000288 U	0.000472 U	0.0708	0.000330 U	0.000481 U	0.000320 U	0.000898 U	0.000374 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
IW-2C (continued)	IW-2C-45	3/7/18	PES	ESC	45	-8.7	S	0.000356 U	0.000230 U	0.000405 U	0.001103 U	0.000248 U	0.000407 U	1.02	0.000284 U	0.000414 U	0.000275 U	0.000773 U	0.000322 U
	IW-2C-55	3/7/18	PES	ESC	55	-18.7	S	0.000382 U	0.000247 U	0.000434 U	0.001110 U	0.000267 U	0.000437 U	0.0123	0.000305 U	0.000445 U	0.000296 U	0.000830 U	0.000346 U
	IW-2C-65	3/7/18	PES	ESC	65	-28.7	S	0.000359 U	0.000232 U	0.000408 U	0.001103 U	0.000250 U	0.000410 U	0.00376	0.000287 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	IW-2C-75	3/7/18	PES	ESC	75	-38.7	S	0.000394 U	0.000255 U	0.000448 U	0.001114 U	0.000275 U	0.000450 U	0.000282 U	0.000315 U	0.000459 U	0.000305 U	0.000856 U	0.000357 U
IW-3C (-24.9 to-39.9)	IW-3C-5	3/9/18	PES	ESC	5	34.1	S	0.000359 U	0.000232 U	0.000408 U	0.001103 U	0.000250 U	0.000410 U	0.000620 J	0.000286 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	IW-3C-15	3/9/18	PES	ESC	15	24.1	S	0.00950 U	0.00614 U	0.0108 U	0.0274 U	0.00663 U	0.0109 U	0.422	0.00759 U	0.0111 U	0.00736 U	0.0206 U	0.00860 U
	IW-3C-25	3/9/18	PES	ESC	25	14.1	S	0.194 U	0.125 U	0.220 U	0.558 U	0.135 U	0.222 U	0.968	0.155 U	0.225 U	0.150 U	0.420 U	0.175 U
	IW-3C-35	3/9/18	PES	ESC	35	4.1	S	0.0729 U	0.0471 U	0.0829 U	0.210 U	0.0509 U	0.0833 U	0.918	0.0582 U	0.0849 U	0.0565 U	0.159 U	0.0660 U
	IW-3C-45	3/9/18	PES	ESC	45	-5.9	S	0.000378 U	0.000244 U	0.000430 U	0.00212 J	0.000264 U	0.000432 U	0.199	0.000302 U	0.000440 U	0.000293 U	0.000822 U	0.000342 U
	IW-3C-55	3/9/18	PES	ESC	55	-15.9	S	0.000372 U	0.000241 U	0.000423 U	0.001107 U	0.000260 U	0.000426 U	0.0107	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
	IW-3C-65	3/9/18	PES	ESC	65	-25.9	S	0.000374 U	0.000242 U	0.000426 U	0.001108 U	0.000261 U	0.000428 U	0.141	0.000299 U	0.000436 U	0.000290 U	0.000813 U	0.000339 U
	IW-3C-75	3/9/18	PES	ESC	75	-35.9	S	0.000411 U	0.000265 U	0.000467 U	0.001118 U	0.000287 U	0.000470 U	0.131	0.000328 U	0.000478 U	0.000318 U	0.000893 U	0.000372 U
	IW-3C-79	3/9/18	PES	ESC	79	-39.9	S	0.000381 U	0.000246 U	0.000433 U	0.001110 U	0.000266 U	0.000436 U	0.00195	0.000304 U	0.000444 U	0.000295 U	0.000828 U	0.000345 U
	IW-901-79	3/9/18	PES	ESC	79 (dup)	-39.9	S	0.000379 U	0.000245 U	0.000431 U	0.001109 U	0.000265 U	0.000434 U	0.000272 U	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
IW-7A (5.1 to-9.9)	IW-7A-5	3/16/18	PES	ESC	5	35.1	S	0.000406 U	0.000263 U	0.000462 U	0.001117 U	0.000284 U	0.000465 U	0.000829	0.000325 U	0.000473 U	0.000315 U	0.000884 U	0.00221
	IW-7A-10	3/16/18	PES	ESC	10	30.1	S	0.000801 U	0.00119 U	0.000983 U	0.00643 U	0.00238 U	0.00307 U	0.00509	0.00123 U	0.00137 U	0.000879 U	0.00200 U	0.0304
	IW-7A-15	3/16/18	PES	ESC	15	25.1	S	0.0132 U	0.00852 U	0.0150 U	0.0379 U	0.00919 U	0.0151 U	0.0163 J	0.0105 U	0.0154 U	0.0102 U	0.0286 U	0.232
	IW-7A-20	3/16/18	PES	ESC	20	20.1	S	0.000822 U	0.00122 U	0.001101 U	0.00660 U	0.00244 U	0.00315 U	0.00155 J	0.00127 U	0.00140 U	0.000902 U	0.00205 U	0.00585
	IW-7A-25	3/16/18	PES	ESC	25	15.1	S	0.000397 U	0.000257 U	0.000452 U	0.001115 U	0.000277 U	0.000454 U	0.000857 J	0.000317 U	0.000463 U	0.000308 U	0.000864 U	0.000360 U
	IW-7A-30	3/16/18	PES	ESC	30	10.1	S	0.000381 U	0.000246 U	0.000433 U	0.001110 U	0.000266 U	0.000435 U	0.00175	0.000304 U	0.000443 U	0.000295 U	0.000827 U	0.000369 J
	IW-7A-35	3/16/18	PES	ESC	35	5.1	S	0.000704 U	0.00105 U	0.000864 U	0.00566 U	0.00209 U	0.00270 U	0.00193 J	0.001109 U	0.00120 U	0.000773 U	0.00176 U	0.00222 J
	IW-7A-40	3/16/18	PES	ESC	40	0.1	S	0.000386 U	0.000250 U	0.000439 U	0.001111 U	0.000270 U	0.000442 U	0.000564 J	0.000308 U	0.000450 U	0.000299 U	0.000840 U	0.000350 U
	IW-7A-45	3/16/18	PES	ESC	45	-4.9	S	0.000383 U	0.000248 U	0.000436 U	0.001111 U	0.000268 U	0.000438 U	0.000444 J	0.000306 U	0.000446 U	0.000297 U	0.000833 U	0.000347 U
IW-8B (-9.8 to-24.8)	IW-7A-50	3/16/18	PES	ESC	50	-9.9	S	0.000364 U	0.000235 U	0.000414 U	0.001105 U	0.000254 U	0.000417 U	0.117	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	IW-8B-5	3/19/18	PES	ESC	5	34.2	S	0.000359 U	0.000232 U	0.000408 U	0.001104 U	0.000251 U	0.000410 U	0.00224	0.000287 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	IW-8B-10	3/19/18	PES	ESC	10	29.2	S	0.000354 U	0.000229 U	0.000402 U	0.001102 U	0.000247 U	0.000404 U	0.00634	0.000282 U	0.000412 U	0.000274 U	0.000769 U	0.000320 U
	IW-8B-15	3/19/18	PES	ESC	15	24.2	S	0.0944 U	0.0610 U	0.107 U	0.272 U	0.0658 U	0.108 U	0.198 U	0.0754 U	0.110 U	0.0731 U	0.205 U	0.0854 U
	IW-8B-20	3/19/18	PES	ESC	20	19.2	S	0.000360 U	0.000233 U	0.000409 U	0.001104 U	0.000493 J	0.000412 U	0.117	0.000288 U	0.000419 U	0.000279 U	0.000782 U	0.000326 U
	IW-8B-25	3/19/18	PES	ESC	25	14.2	S	0.000384 U	0.000248 U	0.000437 U	0.00257 J	0.000268 U	0.000439 U	0.319	0.000307 U	0.000447 U	0.000297 U	0.000834 U	0.000348 U
	IW-8B-30	3/19/18	PES	ESC	30	9.2	S	0.000369 U	0.000238 U	0.000419 U	0.001106 U	0.000257 U	0.000421 U	0.107	0.000294 U	0.000429 U	0.000285 U	0.000801 U	0.000334 U
	IW-8B-40	3/19/18	PES	ESC	40	-0.8	S	0.000366 U	0.000236 U	0.000416 U	0.001106 U	0.000255 U	0.00114 J	0.00401	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	IW-8B-45	3/20/18	PES	ESC	45	-5.8	S	0.000366 U	0.000236 U	0.000416 U	0.001105 U	0.000255 U	0.00149 J	0.00866	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	IW-8B-50	3/20/18	PES	ESC	50	-10.8	S	0.000375 U	0.000242 U	0.000427 U	0.001108 U	0.000262 U	0.000429 U	0.00364	0.000300 U	0.000437 U	0.000291 U	0.000816 U	0.000340 U
IW-8C (-24.5 to-39.5)	IW-8B-55	3/20/18	PES	ESC	55	-15.8	S	0.000354 U	0.000229 U	0.000402 U	0.001102 U	0.000247 U	0.00123 J	0.00183	0.000283 U	0.000412 U	0.000274 U	0.000769 U	0.000320 U
	IW-8B-60	3/20/18	PES	ESC	60	-20.8	S	0.000376 U	0.000243 U	0.000427 U	0.001108 U	0.000262 U	0.000429 U	0.00148	0.000300 U	0.000437 U	0.000291 U	0.000817 U	0.000340 U
	IW-8B-64	3/20/18	PES	ESC	64	-24.8	S	0.000370 U	0.000239 U	0.000421 U	0.001107 U	0.000258 U	0.000423 U	0.00102 U	0.000295 U	0.000431 U	0.000286 U	0.000804 U	0.000335 U
	IW-8C-5	3/14/18	PES	ESC	5	32.5	S	0.000563 U	0.000364 U	0.000641 U	0.001162 U	0.00117 J	0.000644 U	0.0338 J+	0.000450 U	0.000655 U	0.000436 U	0.001122 U	0.000510 U
	IW-8C-10	3/14/18	PES	ESC	10	27.5	S	0.000367 U	0.000367 U	0.000645 U	0.001164 U	0.000396 U	0.000649 U	0.0112	0.000453 U	0.000661 U	0.000439 U	0.001123 U	0.000514 U
	IW-8C-15	3/14/18	PES	ESC	15	22.5	S	0.000387 U	0.000250 U	0.000439 U	0.001111 U	0.000270 U	0.000442 U	0.000359 J	0.000309 U	0.000450 U	0.000299 U	0.000840 U	0.000350 U
IW-8C-20	IW-8C-20	3/14/18	PES	ESC	20	17.5	S	0.000354 U	0.000229 U	0.000402 U	0.001102 U	0.000247 U	0.000404 U	0.0108	0.000283 U	0.000412 U	0.000274 U	0.000769 U	0.000320 U
	IW-8C-25	3/14/18	PES	ESC	25	12.5	S	0.000390 U	0.000252 U	0.000444 U	0.001124 J	0.000273 U	0.000446 U	0.946	0.000312 U	0.000455 U	0.000302 U	0.000849 U	0.000354 U
	IW-8C-30	3/14/18	PES	ESC	30	7.5	S	0.000363 U	0.000235 U	0.000413 U	0.001105 U	0.000253 U	0.000415 U	0.143	0.000290 U	0.000423 U	0.000281 U	0.000789 U	0.000329 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
IW-8C (continued)	IW-8C-35	3/14/18	PES	ESC	35	2.5	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000265 U	0.000434 U	0.162	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
	IW-8C-40	3/14/18	PES	ESC	40	-2.5	S	0.000378 U	0.000244 U	0.000430 U	0.00109 U	0.000264 U	0.000432 U	1.54	0.000302 U	0.000440 U	0.000292 U	0.000821 U	0.000342 U
	IW-8C-45	3/14/18	PES	ESC	45	-7.5	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000258 U	0.000423 U	0.200	0.000296 U	0.000431 U	0.000287 U	0.000804 U	0.000335 U
	IW-8C-50	3/14/18	PES	ESC	50	-12.5	S	0.000385 U	0.000249 U	0.000438 U	0.00111 U	0.000324 J	0.000441 U	3.68	0.000308 U	0.000449 U	0.000298 U	0.000838 U	0.00441 J+
	IW-8C-55	3/14/18	PES	ESC	55	-17.5	S	0.000378 U	0.000245 U	0.000430 U	0.00109 U	0.000398 J	0.000433 U	2.31	0.000302 U	0.000441 U	0.000293 U	0.000823 U	0.000604 J+
	IW-8C-60	3/14/18	PES	ESC	60	-22.5	S	0.000375 U	0.000242 U	0.000426 U	0.00108 U	0.000262 U	0.000428 U	0.464	0.000299 U	0.000436 U	0.000290 U	0.000815 U	0.000339 U
	IW-902-60	3/14/18	PES	ESC	60 (dup)	-22.5	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000634	0.108	0.000291 U	0.000424 U	0.000282 U	0.000791 U	0.000330 U
	IW-8C-65	3/14/18	PES	ESC	65	-27.5	S	0.000393 U	0.000254 U	0.000447 U	0.00113 U	0.000275 U	0.000450 U	0.00158	0.000314 U	0.000458 U	0.000305 U	0.000855 U	0.000356 U
	IW-8C-70	3/14/18	PES	ESC	70	-32.5	S	0.000389 U	0.000252 U	0.000443 U	0.00112 U	0.000272 U	0.000445 U	0.0327	0.000311 U	0.000453 U	0.000302 U	0.000846 U	0.000353 U
	IW-8C-75	3/14/18	PES	ESC	75	-37.5	S	0.000367 U	0.000237 U	0.000418 U	0.00106 U	0.000256 U	0.000420 U	0.00864	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000332 U
IW-11D (-41.8 to-56.8)	IW-11D-10	4/19/18	PES	ESC	10	28.4	S	0.000453 U	0.000293 U	0.000515 U	0.00131 U	0.000316 U	0.000518 U	0.000329 J	0.000362 U	0.000527 U	0.000351 U	0.000984 U	0.000463 J
	IW-11D-15	4/19/18	PES	ESC	15	23.4	S	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000265 U	0.000435 U	0.000272 U	0.000304 U	0.000443 U	0.000294 U	0.000826 U	0.000344 U
	IW-11D-20	4/19/18	PES	ESC	20	18.4	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000265 U	0.000434 U	0.000272 U	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
	IW-11D-25	4/19/18	PES	ESC	25	13.4	S	0.000358 U	0.000232 U	0.000408 U	0.00103 U	0.000250 U	0.000410 U	0.0174	0.000286 U	0.000417 U	0.000278 U	0.000779 U	0.000325 U
	IW-11D-30	4/19/18	PES	ESC	30	8.4	S	0.000359 U	0.000232 U	0.000408 U	0.00103 U	0.000250 U	0.000410 U	0.00931	0.000287 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	IW-11D-35	4/19/18	PES	ESC	35	3.4	S	0.000376 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000430 U	0.101	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U
	IW-11D-40	4/19/18	PES	ESC	40	-1.6	S	0.000362 U	0.000234 U	0.000412 U	0.00105 U	0.000253 U	0.000414 U	1.25	0.000290 U	0.000422 U	0.000281 U	0.000788 U	0.000328 U
	IW-11D-45	4/19/18	PES	ESC	45	-6.6	S	0.00923 U	0.00597 U	0.0105 U	0.0266 U	0.00644 U	0.0106 U	0.426	0.00737 U	0.0108 U	0.00715 U	0.0200 U	0.00835 U
	IW-11D-50	4/19/18	PES	ESC	50	-11.6	S	0.000352 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.693	0.000281 U	0.000410 U	0.000273 U	0.000766 U	0.000319 U
	IW-11D-55	4/19/18	PES	ESC	55	-16.6	S	0.000389 U	0.000251 U	0.000442 U	0.00112 U	0.000271 U	0.000444 U	2.04	0.000310 U	0.000453 U	0.000301 U	0.000845 U	0.000352 U
	IW-11D-60	4/19/18	PES	ESC	60	-21.6	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.00916	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 U
	IW-11D-65	4/19/18	PES	ESC	65	-26.6	S	0.000361 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.00280	0.000289 U	0.000421 U	0.000280 U	0.000785 U	0.000327 U
	IW-11D-70	4/19/18	PES	ESC	70	-31.6	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	2.07	0.000289 U	0.000422 U	0.000280 U	0.000787 U	0.000328 U
	IW-11D-75	4/19/18	PES	ESC	75	-36.6	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000264 U	0.000433 U	0.106	0.000302 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U
	IW-11D-80	4/19/18	PES	ESC	80	-41.6	S	0.000369 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.000421 U	0.00473	0.000294 U	0.000429 U	0.000285 U	0.000801 U	0.000334 U
	IW-11D-85	4/19/18	PES	ESC	85	-46.6	S	0.000377 U	0.000244 U	0.000429 U	0.00109 U	0.000263 U	0.000431 U	0.000785 J	0.000301 U	0.000439 U	0.000292 U	0.000820 U	0.000341 U
	IW-11D-90	4/19/18	PES	ESC	90	-51.6	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000259 U	0.000425 U	0.00227	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000336 U
	IW-11D-95	4/19/18	PES	ESC	95	-56.6	S	0.000384 U	0.000248 U	0.000437 U	0.00111 U	0.000268 U	0.000439 U	0.000275 U	0.000307 U	0.000448 U	0.000298 U	0.000835 U	0.000348 U
IW-12D (-41.4 to-56.4)	IW-12D-42	9/14/18	PES	ESC	42	-3.5	S	0.00117 U	0.000622 U	0.000488 U	0.117 U	0.000450 U	0.00151 U	2.16	0.000736 U	0.00109 U	0.000855 U	0.000888 U	0.000575 U
	B-928-42	9/14/18	PES	ESC	42 (dup)	-3.5	S	0.00117 U	0.000623 U	0.000489 U	0.117 U	0.000451 U	0.00151 U	1.88	0.000737 U	0.00109 U	0.000856 U	0.000889 U	0.000576 U
	IW-12D-50	9/14/18	PES	ESC	50	-11.5	S	0.00118 U	0.000627 U	0.000492 U	0.236 U	0.000454 U	0.00152 U	1.04	0.000741 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
	IW-12D-60	9/14/18	PES	ESC	60	-21.5	S	0.00122 U	0.000645 U	0.000507 U	0.0243 U	0.000467 U	0.00157 U	0.566	0.000764 U	0.00113 U	0.000888 U	0.000921 U	0.000597 U
	IW-12D-85	9/17/18	PES	ESC	85	-46.5	S	0.00121 U	0.000640 U	0.000503 U	0.00121 U	0.000464 U	0.00155 U	0.0596	0.000758 U	0.00112 U	0.000881 U	0.000914 U	0.000592 U
	IW-12D-95	9/17/18	PES	ESC	95	-56.5	S	0.00130 U	0.000689 U	0.000541 U	0.00130 U	0.000499 U	0.00167 U	0.00818	0.000815 U	0.00120 U	0.000948 U	0.000984 U	0.00637 U
IW-13D (-41.0 to-56.0)	IW-13D-80	9/18/18	PES	ESC	80	-40.8	S	0.00119 U	0.000632 U	0.000496 U	0.00119 U	0.000458 U	0.00153 U	0.157	0.000748 U	0.00110 U	0.000869 U	0.000903 U	0.000719
	IW-13D-85	9/18/18	PES	ESC	85	-45.8	S	0.00124 U	0.000660 U	0.000518 U	0.00124 U	0.000478 U	0.00160 U	0.0220	0.000780 U	0.00115 U	0.000907 U	0.000942 U	0.000610 U
	IW-13D-95	9/18/18	PES	ESC	95	-55.8	S	0.00130 U	0.000690 U	0.000542 U	0.00130 U	0.000499 U	0.00167 U	0.00113	0.000816 U	0.00120 U	0.000948 U	0.000984 U	0.000638 U
IW-14D (-41.0 to-56.0)	IW-14D-45	9/11/18	PES	ESC	45	-5.9	S	0.00113 U	0.000600 U	0.000471 U	0.0188	0.000435 U	0.00146 U	0.224	0.000710 U	0.00105 U	0.000826 U	0.000857 U	0.000555 U
	IW-14D-55	9/11/18	PES	ESC	55	-15.9	S	0.00122 U	0.000647 U	0.000508 U	0.0149	0.000469 U	0.00157 U	3.90	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.000834 J
	IW-14D-65	9/11/18	PES	ESC	65	-25.9	S	0.00121 U	0.000643 U	0.000505 U	0.00121 U	0.000466 U	0.00156 U	0.244	0.000761 U	0.00112 U	0.000884 U	0.000918 U	0.000595 U
	IW-14D-75	9/11/18	PES	ESC	75	-35.9	S	0.00121 U	0.000643 U	0.000505 U	0.0282	0.000466 U	0.00156 U	0.00943	0.000761 U	0.00112 U	0.000884 U	0.000918 U	0.000595 U
	IW-14D-86	9/11/18	PES	ESC	86	-46.9	S	0.00119 U	0.000631 U	0.000496 U	0.00119 U	0.000457 U	0.00153 U	0.0189	0.000747 U	0.00110 U	0.000868 U	0.000901 U	0.000584 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
IW-14D (continued)	IW-14D-95	9/11/18	PES	ESC	95	-55.9	S	0.00122 U	0.000649 U	0.000510 U	0.0244	0.000470 U	0.00157 U	0.0212	0.000768 U	0.00113 U	0.000893 U	0.000927 U	0.000606 J
IW-15D (-41.9 to-56.9)	IW-15D-54	9/11/18	PES	ESC	54	-2.2	S	0.00116 U	0.000613 U	0.000482 U	0.0265	0.000444 U	0.00149 U	0.242	0.000725 U	0.00107 U	0.000843 U	0.000875 U	0.000628 J
IW-16D (-41.5 to-56.2)	IW-16D-85	10/18/18	PES	PACE	85	-45.6	S	0.00503 U	0.00267 U	0.00210 U	0.00503 U	0.00193 J	0.00648 U	0.336	0.00316 U	0.00466 U	0.00367 U	0.00381 U	0.00256 J
	IW-16D-90	10/18/18	PES	PACE	90	-50.6	S	0.00128 U	0.000679 U	0.000534 U	0.00128 U	0.000492 U	0.00165 U	0.0191	0.000804 U	0.00119 U	0.000934 U	0.000970 U	0.000628 U
	IW-16D-95	10/18/18	PES	PACE	95	-55.6	S	0.00523 U	0.00277 U	0.00218 U	0.00523 U	0.00201 U	0.00673 U	0.0238	0.00328 U	0.00484 U	0.00381 U	0.00396 U	0.00257 U
IW-19B (-10.6 to-25.6)	IW-19B-5	3/19/18	PES	ESC	5	32.4	S	0.000370 U	0.000240 U	0.000421 U	0.00107 U	0.000258 U	0.000424 U	0.000961 U	0.000296 U	0.000431 U	0.000287 U	0.000805 U	0.000336 U
	IW-19B-10	3/19/18	PES	ESC	10	27.4	S	0.000404 U	0.000261 U	0.000459 U	0.00116 U	0.000282 U	0.000461 U	0.000718 U	0.000322 U	0.000470 U	0.000313 U	0.000877 U	0.000365 U
	IW-19B-15	3/19/18	PES	ESC	15	22.4	S	0.000376 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000430 U	0.000383 U	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U
	IW-19B-20	3/19/18	PES	ESC	20	17.4	S	0.000366 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.000349 U	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
	IW-19B-25	3/19/18	PES	ESC	25	12.4	S	0.000385 U	0.000249 U	0.000438 U	0.00111 U	0.00122 J	0.000440 U	0.000621 U	0.000308 U	0.000448 U	0.000298 U	0.000837 U	0.000349 U
	IW-19B-30	3/19/18	PES	ESC	30	7.4	S	0.000368 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.000421 U	0.000600 U	0.000294 U	0.000429 U	0.000285 U	0.000801 U	0.000334 U
	IW-19B-35	3/19/18	PES	ESC	35	2.4	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000438 J	0.000416 U	0.000786 U	0.000291 U	0.000424 U	0.000282 U	0.000791 U	0.000329 U
	IW-19B-40	3/19/18	PES	ESC	40	-2.6	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000264 U	0.000433 U	0.0140	0.000302 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U
	IW-19B-45	3/19/18	PES	ESC	45	-7.6	S	0.000400 U	0.000259 U	0.000455 U	0.00115 U	0.000279 U	0.000458 U	0.00112 U	0.000320 U	0.000466 U	0.000310 U	0.000870 U	0.000362 U
	IW-19B-50	3/19/18	PES	ESC	50	-12.6	S	0.000418 U	0.000270 U	0.000476 U	0.00121 U	0.000292 U	0.0575	0.0683	0.000334 U	0.000488 U	0.000324 U	0.000909 U	0.000379 U
	IW-19B-55	3/19/18	PES	ESC	55	-17.6	S	0.000361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000413 U	1.93	0.000288 U	0.000420 U	0.000279 U	0.000785 U	0.000327 U
	IW-19B-60	3/19/18	PES	ESC	60	-22.6	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	3.16	0.000289 U	0.000421 U	0.000280 U	0.000787 U	0.000328 U
	IW-903-60	3/19/18	PES	ESC	60 (dup)	-22.6	S	0.000368 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.000421 U	3.68	0.000294 U	0.000429 U	0.000285 U	0.000800 U	0.000333 U
	IW-19B-63	3/19/18	PES	ESC	63	-25.6	S	0.000367 U	0.000237 U	0.000418 U	0.00106 U	0.000256 U	0.000420 U	0.0326	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000333 U
IW-21B (-10.1 to-25.1)	IW-21B-5	3/6/18	PES	ESC	5	36.9	V	0.000592 U	0.000383 U	0.000674 U	0.00170 U	0.000414 U	0.000677 U	0.00711	0.000473 U	0.000690 U	0.000458 U	0.00129 U	0.000536 U
	IW-21B-10	3/6/18	PES	ESC	10	31.9	S	0.000400 U	0.000258 U	0.000455 U	0.00115 U	0.000279 U	0.000457 U	0.00482	0.000319 U	0.000466 U	0.000310 U	0.000869 U	0.000362 U
	IW-21B-20	3/6/18	PES	ESC	20	21.9	S	0.000394 U	0.000255 U	0.000448 U	0.00114 U	0.000275 U	0.000451 U	0.000283 U	0.000315 U	0.000459 U	0.000305 U	0.000857 U	0.000357 U
	IW-21B-30	3/6/18	PES	ESC	30	11.9	S	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000256 U	0.000419 U	0.000406 J	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
	IW-21B-40	3/6/18	PES	ESC	40	1.9	S	0.000363 U	0.000234 U	0.000412 U	0.00105 U	0.000253 U	0.000415 U	0.0424	0.000290 U	0.000422 U	0.000281 U	0.000788 U	0.000328 U
	IW-21B-50	3/6/18	PES	ESC	50	-8.1	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000406 U	0.0340	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	IW-21B-60	3/6/18	PES	ESC	60	-18.1	S	0.00929 U	0.00601 U	0.0106 U	0.0267 U	0.00648 U	0.0106 U	3.82	0.00742 U	0.0108 U	0.00720 U	0.0202 U	0.00841 U
IW-21B-67	3/6/18	PES	ESC	67	-25.1	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000254 U	0.000415 U	0.0353 J	0.000290 U	0.000423 U	0.000281 U	0.000790 U	0.000329 U	
IW-22C (-25.6 to-40.6)	IW-22C-62	8/31/18	PES	ESC	62	-23.1	S	0.00125 U	0.000661 U	0.000520 U	0.00125 U	0.000479 U	0.00161 U	0.305	0.000782 U	0.00115 U	0.000910 U	0.000944 U	0.00123 J
	IW-22C-78	8/31/18	PES	ESC	78	-39.1	S	0.00131 U	0.000694 U	0.000545 U	0.00131 U	0.000503 U	0.00168 U	0.975	0.000821 U	0.00121 U	0.000954 U	0.000991 U	0.000642 U
IW-23C (-27.0 to-42.0)	IW-23C-42	9/4/18	PES	ESC	42	-3.0	S	0.00129 U	0.000686 U	0.000539 U	0.00129 U	0.000497 U	0.00166 U	8.86	0.000812 U	0.00120 U	0.000943 U	0.000979 U	0.00266 J
IW-24C (-26.1 to-41.1)	IW-24C-48	9/7/18	PES	ESC	48	-8.8	S	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.000469 U	0.00157 U	3.74	0.000766 U	0.00113 U	0.000891 U	0.000925 U	0.000599
	IW-24C-55	9/7/18	PES	ESC	55	-15.8	S	0.00128 U	0.000682 U	0.000536 U	0.00128 U	0.000495 U	0.00165 U	0.980	0.000807 U	0.00119 U	0.0939 U	0.000974 U	0.00186 J
	IW-24C-66	9/10/18	PES	ESC	66	-26.8	S	0.00134 U	0.000709 U	0.000557 U	0.00134 U	0.000513 U	0.00172 U	2.18	0.000839 U	0.00124 U	0.390 U	0.00101 U	0.262 U
	IW-24C-75	9/10/18	PES	ESC	75	-35.8	S	0.00129 U	0.000685 U	0.000538 U	0.00129 U	0.000496 U	0.00166 U	2.62	0.000810 U	0.00120 U	0.376 U	0.000977 U	0.253 U
IW-24C-80	9/10/18	PES	ESC	80	-40.8	S	0.00119 U	0.000634 U	0.000680 J	0.00119 U	0.000459 U	0.00154 U	0.699	0.000750 U	0.00111 U	0.000872 U	0.000905 U	0.000586 U	
IW-27B (-8.1 to-23.1)	IW-27B-5	3/2/18	PES	ESC	5	37.0	V	0.000525 U	0.000340 U	0.000598 U	0.00152 U	0.000366 U	0.000600 U	0.0106	0.000419 U	0.000612 U	0.000407 U	0.00114 U	0.000476 U
	IW-27B-15	3/2/18	PES	ESC	15	27.0	S	0.000467 U	0.000302 U	0.000531 U	0.00135 U	0.000326 U	0.000534 U	0.00218	0.000373 U	0.000544 U	0.000362 U	0.00102 U	0.000423 U
	IW-27B-25	3/2/18	PES	ESC	25	17.0	S	0.000381 U	0.000247 U	0.000434 U	0.00110 U	0.000266 U	0.000436 U	0.000273 U	0.000305 U	0.000444 U	0.000295 U	0.000829 U	0.000345 U
	IW-27B-35	3/2/18	PES	ESC	35	7.0	S	0.000375 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000429 U	0.108	0.000300 U	0.000437 U	0.000291 U	0.000816 U	0.000340 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
IW-27C (-24.4 to-39.6)	IW-27C-45	9/10/18	PES	ESC	45	6.8	S	0.00121 U	0.000641 U	0.000504 U	0.00121 U	0.000465 U	0.00156 U	0.282	0.000759 U	0.00112 U	0.000882 U	0.000916 U	0.000593 U
IW-28C (-26.6 to-41.7)	IW-28C-92	9/17/18	PES	ESC	92	-40.6	S	0.00117 U	0.000623 U	0.000489 U	0.00117 U	0.000451 U	0.00151 U	0.0103	0.000737 U	0.00109 U	0.000857 U	0.000889 U	0.000576 U
IW-39B (-9.8 to-24.8)	IW-39B-5	3/12/18	PES	ESC	5	35.2	V	0.000416 U	0.000269 U	0.000474 U	0.00120 U	0.000291 U	0.000476 U	0.0227	0.000333 U	0.000485 U	0.000323 U	0.000905 U	0.000377 U
	IW-39B-15	3/12/18	PES	ESC	15	25.2	S	0.000366 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	0.00624	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	IW-39B-25	3/12/18	PES	ESC	25	15.2	S	0.000390 U	0.000252 U	0.000443 U	0.00112 U	0.000272 U	0.000446 U	0.0239	0.000311 U	0.000454 U	0.000302 U	0.000848 U	0.000353 U
	IW-39B-35	3/12/18	PES	ESC	35	5.2	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000251 U	0.000412 U	0.0135	0.000288 U	0.000419 U	0.000279 U	0.000783 U	0.000326 U
	IW-39B-45	3/12/18	PES	ESC	45	-4.8	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000420 U	0.0185	0.000294 U	0.000428 U	0.000285 U	0.000799 U	0.000333 U
	IW-39B-55	3/12/18	PES	ESC	55	-14.8	S	0.00861 U	0.00557 U	0.00979 U	0.0248 U	0.00601 U	0.00985 U	1.57	0.00688 U	0.0100 U	0.00667 U	0.0187 U	0.00779 U
IW-46B (-4.2 to-24.2)	IW-46B-5	3/20/18	PES	ESC	5	46.8	V	0.000369 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.000422 U	0.000434 J	0.000295 U	0.000429 U	0.000286 U	0.000801 U	0.000334 UJ
	IW-46B-10	3/20/18	PES	ESC	10	41.8	V	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.000349 J	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 UJ
	IW-46B-15	3/20/18	PES	ESC	15	36.8	V	0.00907 U	0.00586 U	0.0103 U	0.0261 U	0.00633 U	0.0104 U	0.00650 UJ	0.00725 U	0.0106 U	0.00702 U	0.0197 U	0.00821 UJ
	IW-46B-20	3/20/18	PES	ESC	20	31.8	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.000960 J	0.000293 U	0.000427 U	0.000284 U	0.000797 U	0.000332 UJ
	IW-46B-25	3/20/18	PES	ESC	25	26.8	S	0.000363 U	0.000234 U	0.000412 U	0.00105 U	0.000253 U	0.000414 U	0.00239 J	0.000290 U	0.000422 U	0.000281 U	0.000788 U	0.000328 UJ
	IW-46B-30	3/20/18	PES	ESC	30	21.8	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.00513 J	0.000293 U	0.000427 U	0.000284 U	0.000797 U	0.000332 UJ
	IW-46B-35	3/20/18	PES	ESC	35	16.8	S	0.000397 U	0.000256 U	0.000451 U	0.00114 U	0.000277 U	0.000454 U	0.000737 J	0.000317 U	0.000462 U	0.000307 U	0.000863 U	0.000359 UJ
	IW-904-35	3/20/18	PES	ESC	35 (dup)	16.8	S	0.000419 U	0.000271 U	0.000477 U	0.00121 U	0.000293 U	0.000480 U	0.00147 J	0.000335 U	0.000489 U	0.000325 U	0.000912 U	0.000380 UJ
	IW-46B-40	3/20/18	PES	ESC	40	11.8	S	0.000345 U	0.000223 U	0.000392 U	0.000994 U	0.000241 U	0.000394 U	0.00149 J	0.000275 U	0.000402 U	0.000267 U	0.000749 U	0.000312 UJ
	IW-46B-42	3/20/18	PES	ESC	42	9.8	S	0.000394 U	0.000255 U	0.000449 U	0.00114 U	0.000660 J	0.000451 U	4.91 J	0.000315 U	0.000459 U	0.000305 U	0.000857 U	0.000357 UJ
	IW-46B-45	3/20/18	PES	ESC	45	6.8	S	1.87 U	1.21 U	2.12 U	5.38 U	1.30 U	2.14 U	2.47 J	1.49 U	2.17 U	1.44 U	4.05 U	1.68 UJ
	IW-46B-50	3/20/18	PES	ESC	50	1.8	S	0.000328 U	0.000212 U	0.000373 U	0.000946 U	0.000229 U	0.000375 U	2.05 J	0.000262 U	0.000382 U	0.000254 U	0.000713 U	0.000297 UJ
	IW-46B-55	3/20/18	PES	ESC	55	-3.2	S	0.000366 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	1.06 J	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 UJ
	IW-46B-60	3/20/18	PES	ESC	60	-8.2	S	0.000371 U	0.000239 U	0.000421 U	0.00107 U	0.000259 U	0.000424 U	4.95 J	0.000296 U	0.000432 U	0.000287 U	0.000805 U	0.000335 UJ
	IW-46B-65	3/20/18	PES	ESC	65	-13.2	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	4.82 J	0.000291 U	0.000425 U	0.000282 U	0.000793 U	0.000330 UJ
	IW-46B-70	3/20/18	PES	ESC	70	-18.2	S	0.000418 U	0.000270 U	0.000476 U	0.00121 U	0.000292 U	0.000478 U	4.07 J	0.000334 U	0.000487 U	0.000324 U	0.000909 U	0.000379 UJ
IW-47B (-5.2 to-25.2)	IW-47B-5	3/22/18	PES	ESC	5	46.8	V	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000442 U	0.000394 J	0.000309 U	0.000451 U	0.000300 U	0.000841 U	0.000350 UJ
	IW-47B-10	3/22/18	PES	ESC	10	41.8	V	0.000386 U	0.000249 U	0.000439 U	0.00111 U	0.000269 U	0.000441 U	0.000623 J	0.000308 U	0.000449 U	0.000299 U	0.000839 U	0.000349 UJ
	IW-47B-15	3/22/18	PES	ESC	15	36.8	V	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000256 U	0.000419 U	0.0413 J	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 UJ
	IW-47B-20	3/22/18	PES	ESC	20	31.8	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	0.00146 J	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 UJ
	IW-47B-25	3/22/18	PES	ESC	25	26.8	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000424 U	0.00859 J	0.000296 U	0.000432 U	0.000287 U	0.000807 U	0.000336 UJ
	IW-47B-30	3/22/18	PES	ESC	30	21.8	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000420 U	0.146 J	0.000294 U	0.000428 U	0.000285 U	0.000799 U	0.000333 UJ
	IW-47B-35	3/22/18	PES	ESC	35	16.8	S	0.000361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.00566 J	0.000288 U	0.000420 U	0.000279 U	0.000784 U	0.000327 UJ
	IW-47B-40	3/22/18	PES	ESC	40	11.8	S	0.000372 U	0.000241 U	0.000423 U	0.00107 U	0.000260 U	0.000426 U	0.0378 J	0.000297 U	0.000434 U	0.000288 U	0.000809 U	0.000337 UJ
	IW-47B-42	3/22/18	PES	ESC	42	9.8	S	0.000431 U	0.000279 U	0.000489 U	0.00124 U	0.000301 U	0.000492 U	0.0477 J	0.000344 U	0.000502 U	0.000333 U	0.000936 U	0.000390 UJ
	IW-47B-45	3/22/18	PES	ESC	45	6.8	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000424 U	1.42 J	0.000296 U	0.000432 U	0.000287 U	0.000806 U	0.000336 UJ
	IW-47B-50	3/22/18	PES	ESC	50	1.8	S	0.000385 U	0.000249 U	0.000438 U	0.00111 U	0.000269 U	0.000440 U	0.0368 J	0.000308 U	0.000449 U	0.000298 U	0.000837 U	0.000349 UJ
	IW-47B-55	3/22/18	PES	ESC	55	-3.2	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000405 U	3.47 J	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 UJ
	IW-47B-60	3/22/18	PES	ESC	60	-8.2	S	0.000375 U	0.000242 U	0.000426 U	0.00108 U	0.000262 U	0.000429 U	0.348 J	0.000300 U	0.000437 U	0.000290 U	0.000815 U	0.000340 UJ
	IW-47B-65	3/22/18	PES	ESC	65	-13.2	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000259 U	0.000423 U	0.119 J	0.000296 U	0.000431 U	0.000287 U	0.000805 U	0.000335 UJ
	IW-47B-70	3/22/18	PES	ESC	70	-18.2	S	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000256 U	0.000419 U	2.21 J	0.000292 U	0.000426 U	0.000284 U	0.000796 U	0.000332 UJ
	IW-47B-75	3/22/18	PES	ESC	75	-23.2	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	0.00197 J	0.000292 U	0.000425 U	0.000283 U	0.000793 U	0.000331 UJ

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
IW-48B (-9.4 to-24.4)	IW-48B-5	3/23/18	PES	ESC	5	46.7	V	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000265 U	0.000433 U	0.000272 U	0.000303 U	0.000441 U	0.000294 U	0.000824 U	0.000343 U
	IW-48B-10	3/23/18	PES	ESC	10	41.7	V	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000425 U	0.00100 J	0.000297 U	0.000432 U	0.000288 U	0.000807 U	0.000336 U
	IW-48B-15	3/23/18	PES	ESC	15	36.7	V	0.000383 U	0.000248 U	0.000435 U	0.00110 U	0.000267 U	0.000438 U	0.000585 J	0.000306 U	0.000446 U	0.000297 U	0.000832 U	0.000347 U
	IW-48B-20	3/23/18	PES	ESC	20	31.7	S	0.000361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000413 U	0.00149	0.000288 U	0.000420 U	0.000279 U	0.000785 U	0.000327 U
	IW-48B-25	3/23/18	PES	ESC	25	26.7	S	0.000369 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000422 U	0.00777	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.000334 U
	IW-48B-30	3/23/18	PES	ESC	30	21.7	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.00569	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000327 U
	IW-48B-35	3/23/18	PES	ESC	35	16.7	S	0.000377 U	0.000244 U	0.000429 U	0.00109 U	0.000263 U	0.000431 U	0.0901	0.000301 U	0.000440 U	0.000292 U	0.000820 U	0.000342 U
	IW-48B-40	3/23/18	PES	ESC	40	11.7	S	0.000358 U	0.000231 U	0.000407 U	0.00103 U	0.000250 U	0.000409 U	0.000350 J	0.000286 U	0.000417 U	0.000277 U	0.000778 U	0.000324 U
	IW-48B-42	3/23/18	PES	ESC	42	9.7	S	0.000361 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.0110	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000327 U
	IW-905-42	3/23/18	PES	ESC	42 (dup)	9.7	S	0.000358 U	0.000232 U	0.000407 U	0.00103 U	0.000250 U	0.000410 U	0.00820	0.000286 U	0.000417 U	0.000277 U	0.000779 U	0.000324 U
	IW-48B-45	3/23/18	PES	ESC	45	6.7	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	0.00156	0.000284 U	0.000414 U	0.000276 U	0.000774 U	0.000322 U
	IW-48B-50	3/23/18	PES	ESC	50	1.7	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.00420	0.000289 U	0.000422 U	0.000280 U	0.000787 U	0.000328 U
	IW-48B-55	3/23/18	PES	ESC	55	-3.3	S	0.000355 U	0.000230 U	0.000404 U	0.00103 U	0.000249 U	0.000406 U	0.148	0.000284 U	0.000415 U	0.000275 U	0.000773 U	0.000322 U
	IW-48B-60	3/23/18	PES	ESC	60	-8.3	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000253 U	0.000415 U	3.47	0.000290 U	0.000423 U	0.000281 U	0.000789 U	0.000329 U
	IW-48B-65	3/23/18	PES	ESC	65	-13.3	S	0.000388 U	0.000250 U	0.000441 U	0.00112 U	0.000271 U	0.000443 U	0.121	0.000310 U	0.000451 U	0.000300 U	0.000842 U	0.000351 U
	IW-48B-70	3/23/18	PES	ESC	70	-18.3	S	0.000361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.00825	0.000288 U	0.000420 U	0.000279 U	0.000784 U	0.000326 U
	IW-48B-75	3/23/18	PES	ESC	75	-23.3	S	0.000369 U	0.000238 U	0.000419 U	0.00106 U	0.000258 U	0.000422 U	0.0303	0.000295 U	0.000430 U	0.000286 U	0.000802 U	0.000334 U
IW-50A (9.8 to-10.2)	IW-50A-5	3/27/18	PES	ESC	5	46.9	V	0.000374 U	0.000242 U	0.000426 U	0.00108 U	0.000261 U	0.000428 U	0.000268 U	0.000299 U	0.000436 U	0.000290 U	0.000814 U	0.000339 U
	IW-50A-10	3/27/18	PES	ESC	10	41.9	V	0.000366 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	0.00210	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	IW-50A-15	3/27/18	PES	ESC	15	36.9	V	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.00185	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 U
	IW-50A-20	3/27/18	PES	ESC	20	31.9	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	0.0300	0.000291 U	0.000425 U	0.000282 U	0.000792 U	0.000330 U
	IW-50A-25	3/27/18	PES	ESC	25	26.9	S	0.000355 U	0.000229 U	0.000404 U	0.00102 U	0.000248 U	0.000406 U	0.0836	0.000284 U	0.000413 U	0.000275 U	0.000772 U	0.000321 U
	IW-50A-30	3/27/18	PES	ESC	30	21.9	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000407 U	0.0103	0.000285 U	0.000415 U	0.000276 U	0.000774 U	0.000323 U
	IW-50A-35	3/27/18	PES	ESC	35	16.9	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.0158	0.000285 U	0.000416 U	0.000277 U	0.000776 U	0.000323 U
	IW-50A-40	3/27/18	PES	ESC	40	11.9	S	0.000362 U	0.000234 U	0.000412 U	0.00105 U	0.000253 U	0.000414 U	0.0273	0.000289 U	0.000422 U	0.000281 U	0.000788 U	0.000328 U
	IW-50A-42	3/27/18	PES	ESC	42	9.9	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.0970	0.000288 U	0.000420 U	0.000279 U	0.000783 U	0.000326 U
	IW-50A-45	3/27/18	PES	ESC	45	6.9	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000254 U	0.000415 U	0.350	0.000290 U	0.000423 U	0.000281 U	0.000789 U	0.000329 U
	IW-50A-50	3/27/18	PES	ESC	50	1.9	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000421 U	0.621 J	0.000294 U	0.000429 U	0.000285 U	0.000800 U	0.000333 U
	IW-906-50	3/27/18	PES	ESC	50 (dup)	1.9	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000259 U	0.000424 U	0.121 J	0.000296 U	0.000431 U	0.000287 U	0.000805 U	0.000335 U
	IW-50A-55	3/27/18	PES	ESC	55	-3.2	S	0.000369 U	0.000239 U	0.000420 U	0.00106 U	0.000258 U	0.000422 U	0.0706	0.000295 U	0.000430 U	0.000286 U	0.000802 U	0.000334 U
	IW-50A-60	3/27/18	PES	ESC	60	-8.2	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000259 U	0.000424 U	0.00646	0.000296 U	0.000431 U	0.000287 U	0.000805 U	0.000335 U
IW-51A (9.9 to-10.1)	IW-51A-5	3/26/18	PES	ESC	5	46.9	V	0.000361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000412 U	0.000359 J	0.000288 U	0.000420 U	0.000279 U	0.000784 U	0.000327 U
	IW-51A-10	3/26/18	PES	ESC	10	41.9	V	0.000358 U	0.000231 U	0.000407 U	0.00103 U	0.000250 U	0.000409 U	0.000256 U	0.000286 U	0.000417 U	0.000277 U	0.000778 U	0.000324 U
	IW-51A-15	3/26/18	PES	ESC	15	36.9	V	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.000778 J	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
	IW-51A-20	3/26/18	PES	ESC	20	31.9	S	0.000355 U	0.000230 U	0.000404 U	0.00102 U	0.000248 U	0.000406 U	0.000759 J	0.000284 U	0.000414 U	0.000275 U	0.000772 U	0.000322 U
	IW-51A-25	3/26/18	PES	ESC	25	26.9	S	0.000453 U	0.000292 U	0.000514 U	0.00130 U	0.000316 U	0.000517 U	0.0670	0.000361 U	0.000527 U	0.000350 U	0.000984 U	0.000410 U
	IW-51A-30	3/26/18	PES	ESC	30	21.9	S	0.000353 U	0.000228 U	0.000402 U	0.00102 U	0.000247 U	0.000404 U	0.00590	0.000282 U	0.000412 U	0.000274 U	0.000768 U	0.000320 U
	IW-51A-35	3/26/18	PES	ESC	35	16.9	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.00305	0.000285 U	0.000416 U	0.000277 U	0.000776 U	0.000323 U
	IW-51A-40	3/26/18	PES	ESC	40	11.9	S	0.000358 U	0.000232 U	0.000407 U	0.00103 U	0.000250 U	0.000410 U	2.17	0.000286 U	0.000417 U	0.000277 U	0.000779 U	0.000324 U
	IW-51A-42	3/26/18	PES	ESC	42	9.9	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	2.37	0.000292 U	0.000425 U	0.000283 U	0.000794 U	0.000331 U
	IW-51A-45	3/26/18	PES	ESC	45	6.9	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000418 U	0.0456	0.000292 U	0.000425 U	0.000283 U	0.000794 U	0.000331 U
	IW-51A-50	3/26/18	PES	ESC	50	1.9	S	0.000376 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000430 U	2.06	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
IW-51A (continued)	IW-51A-55	3/26/18	PES	ESC	55	-3.1	S	0.000376 U	0.000243 U	0.000428 U	0.00108 U	0.000263 U	0.000430 U	0.729	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U
	IW-51A-60	3/26/18	PES	ESC	60	-8.1	S	0.000353 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.00129	0.000282 U	0.000411 U	0.000273 U	0.000767 U	0.000319 U
	IW-51A-62	3/26/18	PES	ESC	62	-10.1	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.00180	0.000285 U	0.000415 U	0.000276 U	0.000776 U	0.000323 U
IW-53B (-11.1 to-26.1)	IW-53B-30	9/20/18	PES	ESC	30	5.3	S	0.00117 U	0.000623 U	0.000490 U	0.00117 U	0.000451 U	0.00151 U	0.171	0.000738 U	0.00109 U	0.000857 U	0.000890 U	0.000610
IW-54A (9.8 to-10.2)	IW-54A-8	9/12/18	PES	ESC	8	31.1	S	0.00125 U	0.000661 U	0.000519 U	0.249 U	0.000479 U	0.00160 U	0.00700	0.000783 U	0.00115 U	0.000910 U	0.000944 U	0.000612 U
	IW-54A-49	9/12/18	PES	ESC	49	-9.9	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000481 U	0.00161 U	0.000799 U	0.000785 U	0.00116 U	0.000913 U	0.000947 U	0.000614 U
IW-54B (-9.5 to-24.5)	IW-54B-8	9/5/18	PES	ESC	8	31.2	S	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.000453 U	0.00152 U	1.51 U	0.000740 U	0.00109 U	0.000860 U	0.000892 U	0.00226 J
	IW-54B-13	9/6/18	PES	ESC	13	26.2	S	0.00120 U	0.000636 U	0.000499 U	0.00120 U	0.000460 U	0.00154 U	0.0349	0.000752 U	0.00111 U	0.000874 U	0.000907 U	0.000588 U
	IW-54B-21	9/6/18	PES	ESC	21	18.2	S	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.000453 U	0.00152 U	1.90	0.000740 U	0.00109 U	0.000860 U	0.000893 U	0.000578 U
	IW-54B-33	9/6/18	PES	ESC	33	6.2	S	0.00134 U	0.000716 U	0.000563 U	0.00134 U	0.000519 U	0.00173 U	1.02	0.000848 U	0.00125 U	0.000985 U	0.00102 U	0.000663 U
IW-55B (-12.0 to-27.0)	IW-55B-39	9/13/18	PES	ESC	39	12.8	S	0.00115 U	0.000608 U	0.000478 U	0.00115 U	0.000441 U	0.00148 U	0.0320	0.000720 U	0.00106 U	0.000837 U	0.000869 U	0.000563 U
	IW-55B-43	9/13/18	PES	ESC	43	8.8	S	0.00122 U	0.000648 U	0.000509 U	0.0977 U	0.000469 U	0.00157 U	1.06	0.000767 U	0.00113 U	0.000891 U	0.000925 U	0.000600 U
	IW-55B-61	9/13/18	PES	ESC	61	-9.2	S	0.00128 U	0.000681 U	0.000535 U	0.0103 U	0.000493 U	0.00165 U	3.42	0.000805 U	0.00119 U	0.000936 U	0.000972 U	0.000966 J
IW-58A (3.9 to-11.1)	IW-58A-38	10/17/18	PES	PACE	38	1.2	S	0.00118 U	0.000626 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	1.48	0.000741 U	0.00109 U	0.000861 U	0.00894 U	0.000579 U
	B-929-38	10/17/18	PES	PACE	38 (dup)	1.2	S	0.00122 U	0.000645 U	0.000507 U	0.00122 U	0.000467 U	0.00156 U	1.77	0.000763 U	0.00113 U	0.000887 U	0.00921 U	0.000597 U
MW101 (B101) (-65.5 to-75.5)	B101-30	7/10/12	SES	F&BI	30	9.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-34	7/10/12	SES	F&BI	34	5.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-40	7/10/12	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	0.064	-	-	-	-	-
	B101-47	7/10/12	SES	F&BI	47	-7.5	S	-	-	-	-	-	-	0.12	-	-	-	-	-
	B101-48	7/10/12	SES	F&BI	48	-8.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-55	7/10/12	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-65	7/10/12	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-75	7/11/12	SES	F&BI	75	-35.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-81	7/11/12	SES	F&BI	81	-41.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-92	7/12/12	SES	F&BI	92	-52.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-97	7/12/12	SES	F&BI	97	-57.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-104	7/12/12	SES	F&BI	104	-64.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-114.5	7/12/12	SES	F&BI	114.5	-75.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-120	7/12/12	SES	F&BI	120	-80.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-131	7/12/12	SES	F&BI	131	-91.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B101-140	7/12/12	SES	F&BI	140	-100.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
MW130 (B130) (-30.9 to-40.9)	B130-10	3/1/16	SES	F&BI	10	29.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-20	3/1/16	SES	F&BI	20	19.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-30	3/1/16	SES	F&BI	30	9.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-40	3/1/16	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-45	3/2/16	SES	F&BI	45	-5.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-50	3/2/16	SES	F&BI	50	-10.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-55	3/2/16	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-60	3/2/16	SES	F&BI	60	-20.5	S	-	-	-	-	-	-	1.2	-	-	-	-	-
	B130-65	3/2/16	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B130-70	3/2/16	SES	F&BI	70	-30.5	S	-	-	-	-	-	-	0.073	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW130 (B130) (continued)	B130-75 B130-80	3/2/16 3/2/16	SES SES	F&BI F&BI	75 80	-35.5 -40.5	S S	- -	- -	- -	- -	- -	- -	0.050 U 0.050 U	- -	- -	- -	- -	- -
MW131 (B131) (-4.2 to-14.2)	B131-10	3/1/16	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B131-20	3/1/16	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B131-30	3/1/16	SES	F&BI	30	10.0	S	-	-	-	-	-	-	3.2	-	-	-	-	-
	B131-40	3/1/16	SES	F&BI	40	0.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	B131-45 B131-55	3/2/16 3/2/16	SES SES	F&BI F&BI	45 55	-5.0 -15.0	S S	- -	- -	- -	- -	- -	- -	0.069 0.55	- -	- -	- -	- -	- -
MW-132 (-29.9 to-39.9)	MW-132-20	8/22/17	PES	ESC	20	20.1	S	0.000366 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	0.0108	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	MW-132-35	8/22/17	PES	ESC	35	5.1	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000420 U	0.00506	0.000293 U	0.000427 U	0.000284 U	0.000798 U	0.000332 U
	MW-132-50	8/22/17	PES	ESC	50	-9.9	S	0.000355 U	0.000229 U	0.000404 U	0.00102 U	0.000248 U	0.000406 U	4.62	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	MW-132-55	8/23/17	PES	ESC	55	-14.9	S	0.0377 U	0.0244 U	0.0429 U	0.109 U	0.0263 U	0.0431 U	2.22	0.0301 U	0.0439 U	0.0292 U	0.0820 U	0.0342 U
	MW-132-60	8/23/17	PES	ESC	60	-19.9	S	0.000353 U	0.000228 U	0.000402 U	0.00102 U	0.000247 U	0.000404 U	0.0871	0.000282 U	0.000411 U	0.000274 U	0.000768 U	0.000320 U
	MW-132-70	8/23/17	PES	ESC	70	-29.9	S	0.000400 U	0.000258 U	0.000455 U	0.00115 U	0.000279 U	0.000457 U	0.000586 J	0.000319 U	0.000466 U	0.000310 U	0.000869 U	0.000362 U
	MW-132-83	8/23/17	PES	ESC	83	-42.9	S	0.000358 U	0.000231 U	0.000407 U	0.00103 U	0.000250 U	0.000409 U	0.000283 J	0.000286 U	0.000417 U	0.000277 U	0.000778 U	0.000324 U
MW-133 (-88.9 to-98.9)	MW-133-20	8/15/17	PES	ESC	20	20.1	S	0.000387 U	0.000250 U	0.000440 U	0.00111 U	0.000270 U	0.000442 U	0.159	0.000309 U	0.000450 U	0.000299 U	0.000840 U	0.000350 U
	MW-133-35	8/15/17	PES	ESC	35	5.1	S	0.000428 U	0.000277 U	0.000487 U	0.00124 U	0.000299 U	0.000490 U	0.000361 J	0.000342 U	0.000499 U	0.000332 U	0.000931 U	0.000388 U
	MW-133-45	8/15/17	PES	ESC	45	-4.9	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000408 U	13.0	0.000285 U	0.000415 U	0.000276 U	0.000775 U	0.000323 U
	MW-133-55	8/15/17	PES	ESC	55	-14.9	S	0.0802 U	0.0519 U	0.0912 U	0.231 U	0.0560 U	0.0917 U	4.09	0.0641 U	0.0935 U	0.0621 U	0.175 U	0.0727 U
	MW-133-58	8/15/17	PES	ESC	58	-17.9	S	1.94 U	1.25 U	2.20 U	5.59 U	1.35 U	2.22 U	1.40 U	1.55 U	2.26 U	1.50 U	4.21 U	1.75 U
	MW-133-65	8/15/17	PES	ESC	65	-24.9	S	0.000380 U	0.000245 U	0.000432 U	0.00109 U	0.000265 U	0.000434 U	1.41	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
	MW-133-75	8/15/17	PES	ESC	75	-34.9	S	0.000382 U	0.000247 U	0.000434 U	0.00110 U	0.000266 U	0.000436 U	0.00191	0.000305 U	0.000444 U	0.000295 U	0.000829 U	0.000346 U
	MW-133-85	8/15/17	PES	ESC	85	-44.9	S	0.00961 U	0.00621 U	0.0109 U	0.0277 U	0.00671 U	0.0110 U	0.0717	0.00768 U	0.0112 U	0.00744 U	0.0209 U	0.00870 U
	MW-133-95	8/16/17	PES	ESC	95	-54.9	S	0.000382 U	0.000247 U	0.000435 U	0.00110 U	0.000267 U	0.000437 U	0.000274 U	0.000305 U	0.000445 U	0.000296 U	0.000831 U	0.000346 U
	MW-133-105	8/16/17	PES	ESC	105	-64.9	S	0.000395 U	0.000255 U	0.000449 U	0.00114 U	0.000276 U	0.000452 U	0.000283 U	0.000315 U	0.000460 U	0.000306 U	0.000858 U	0.000358 U
	MW-133-120	8/16/17	PES	ESC	120	-79.9	S	0.00891 U	0.00576 U	0.0101 U	0.0256 U	0.00622 U	0.0102 U	0.00639 U	0.00712 U	0.0104 U	0.00690 U	0.0193 U	0.00806 U
	MW-133-130	8/16/17	PES	ESC	130	-89.9	S	0.000391 U	0.000253 U	0.000444 U	0.00113 U	0.000273 U	0.000447 U	0.000888 J	0.000312 U	0.000455 U	0.000303 U	0.000849 U	0.000354 U
	MW-133-135	8/16/17	PES	ESC	135	-94.9	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000259 U	0.000425 U	0.000836 J	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.00179
	MW-133-141	8/16/17	PES	ESC	141	-100.9	S	0.000369 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000422 U	0.000265 U	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.000334 U
MW-134 (-38.6 to-48.6)	MW-134-20	8/29/17	PES	ESC	20	21.5	S	0.000432 U	0.000279 U	0.000491 U	0.00124 U	0.000301 U	0.000494 U	0.000309 U	0.000345 U	0.000503 U	0.000334 U	0.000938 U	0.000391 U
	MW-134-43	8/29/17	PES	ESC	43	-1.6	S	0.00951 U	0.000246 U	0.000433 U	0.00137 J	0.000266 U	0.0109 U	2.58	0.000304 U	0.000443 U	0.000295 U	0.000827 U	0.000345 U
	MW-134-50	8/29/17	PES	ESC	50	-8.6	S	0.0361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.0412 U	0.740	0.000288 U	0.000420 U	0.000279 U	0.000784 U	0.000327 U
	MW-134-60	8/29/17	PES	ESC	60	-18.6	S	0.00906 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.0104 U	4.46	0.000289 U	0.000422 U	0.000280 U	0.000787 U	0.000328 U
	MW-134-70	8/29/17	PES	ESC	70	-28.6	S	0.000418 U	0.000270 U	0.000476 U	0.00121 U	0.000292 U	0.00219 J	0.0468	0.000334 U	0.000487 U	0.000324 U	0.000910 U	0.000379 U
	MW-134-80	8/29/17	PES	ESC	80	-38.6	S	0.000351 U	0.000227 U	0.000399 U	0.00101 U	0.000245 U	0.00164 J	0.0119 J	0.000280 U	0.000409 U	0.000272 U	0.000763 U	0.000318 U
	B-903-100 MW-134-90	8/29/17 8/29/17	PES PES	ESC ESC	80 (dup) 90	-38.6 -48.6	S S	0.000346 U 0.0104 U	0.000223 U 0.000269 U	0.000393 U 0.000474 U	0.000997 U 0.00120 U	0.000241 U 0.000291 U	0.00171 J 0.0119 U	0.0725 J 0.00747 U	0.000276 U 0.000333 U	0.000402 U 0.000485 U	0.000268 U 0.000323 U	0.000751 U 0.000905 U	0.000313 U 0.000377 U
MW-135 (-30.9 to-40.9)	MW-135-16	8/24/17	PES	ESC	14	25.1	S	0.0400 U	0.0259 U	0.0455 U	0.115 U	0.0279 U	0.0457 U	329	0.0320 U	0.0466 U	0.0310 U	0.0870 U	0.0750 J
	MW-135-20	8/24/17	PES	ESC	20	19.1	S	0.00934 U	0.00604 U	0.0106 U	0.0269 U	0.00651 U	0.0107 U	0.408	0.00746 U	0.0109 U	0.00723 U	0.0203 U	0.00845 U
	MW-135-30	8/24/17	PES	ESC	30	9.1	S	0.000348 U	0.000225 U	0.000396 U	0.00100 U	0.000243 U	0.000398 U	1.98	0.000278 U	0.000406 U	0.000270 U	0.000757 U	0.000315 U
	MW-135-36	8/24/17	PES	ESC	36	3.1	S	0.000383 U	0.000248 U	0.000435 U	0.00110 U	0.000267 U	0.000438 U	0.154	0.000306 U	0.000446 U	0.000297 U	0.000832 U	0.000347 U
	MW-135-40	8/24/17	PES	ESC	40	-0.9	S	0.000391 U	0.000253 U	0.000445 U	0.00113 U	0.000273 U	0.000447 U	12.8	0.000312 U	0.000456 U	0.000303 U	0.000850 U	0.000354 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-135 (continued)	MW-135-45	8/24/17	PES	ESC	45	-5.9	S	0.000389 U	0.000252 U	0.000443 U	0.00112 U	0.000272 U	0.000445 U	5.35	0.000311 U	0.000454 U	0.000302 U	0.000847 U	0.000353 U
	MW-135-55	8/24/17	PES	ESC	55	-15.9	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000407 U	0.0594	0.000285 U	0.000415 U	0.000276 U	0.000775 U	0.000323 U
	MW-135-65	8/24/17	PES	ESC	65	-25.9	S	0.000389 U	0.000252 U	0.000443 U	0.00112 U	0.000272 U	0.000445 U	0.0170	0.000311 U	0.000453 U	0.000301 U	0.000846 U	0.000352 U
	MW-135-80	8/24/17	PES	ESC	80	-40.9	S	0.000366 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.00115	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
MW-136 (-32.7 to-42.7)	MW-136-35	8/28/17	PES	ESC	35	16.9	S	0.000345 U	0.000223 U	0.000393 U	0.000996 U	0.000241 U	0.000395 U	0.0117	0.000276 U	0.000402 U	0.000267 U	0.000750 U	0.000313 U
	B-902-15	8/28/17	PES	ESC	35 (dup)	16.9	S	0.000358 U	0.000232 U	0.000407 U	0.00103 U	0.000250 U	0.000410 U	0.0141	0.000286 U	0.000417 U	0.000277 U	0.000779 U	0.000324 U
	MW-136-44	8/28/17	PES	ESC	44	7.9	S	0.000368 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.000421 U	0.0174	0.000294 U	0.000429 U	0.000285 U	0.000800 U	0.000333 U
	MW-136-50	8/28/17	PES	ESC	50	1.9	S	0.00944 U	0.000244 U	0.000429 U	0.00109 U	0.000264 U	0.0108 U	0.00677 U	0.000301 U	0.000440 U	0.000292 U	0.000820 U	0.000342 U
	MW-136-65	8/28/17	PES	ESC	65	-13.1	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.000256 U	0.000285 U	0.000415 U	0.000276 U	0.000775 U	0.000323 U
	MW-136-75	8/28/17	PES	ESC	75	-23.1	S	0.000364 U	0.000236 U	0.000414 U	0.00105 U	0.000254 U	0.000417 U	0.000261 U	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	MW-136-85	8/28/17	PES	ESC	85	-33.1	S	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000256 U	0.000419 U	0.000262 U	0.000292 U	0.000426 U	0.000284 U	0.000796 U	0.000332 U
	MW-136-95	8/28/17	PES	ESC	95	-43.1	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000420 U	0.000263 U	0.000293 U	0.000427 U	0.000284 U	0.000798 U	0.000332 U
MW-137 (-53.3 to-63.3)	MW-137-25	8/31/17	PES	ESC	25	26.7	S	0.000358 U	0.000231 U	0.000407 U	0.00103 U	0.000250 U	0.000409 U	0.000783 J	0.000286 U	0.000417 U	0.000277 U	0.000778 U	0.000324 U
	MW-137-45	8/31/17	PES	ESC	45	6.7	S	0.00928 U	0.00600 U	0.0105 U	0.0267 U	0.00647 U	0.0106 U	0.00753 J	0.00741 U	0.0108 U	0.00719 U	0.0201 U	0.00840 U
	MW-137-75	8/31/17	PES	ESC	75	-23.3	S	0.000360 U	0.000233 U	0.000410 U	0.00104 U	0.000251 U	0.000412 U	0.000258 U	0.000288 U	0.000419 U	0.000279 U	0.000783 U	0.000326 U
	MW-137-85	9/1/17	PES	ESC	85	-33.3	S	0.000393 U	0.000254 U	0.000447 U	0.00113 U	0.000274 U	0.000449 U	0.000282 U	0.000314 U	0.000458 U	0.000304 U	0.000855 U	0.000356 U
	MW-137-95	9/1/17	PES	ESC	95	-43.3	S	0.000351 U	0.000227 U	0.000399 U	0.00101 U	0.000245 U	0.000402 U	0.000252 U	0.000281 U	0.000409 U	0.000272 U	0.000764 U	0.000318 U
	MW-137-115	9/1/17	PES	ESC	115	-63.3	S	0.000401 U	0.000259 U	0.000456 U	0.00116 U	0.000280 U	0.000459 U	0.000287 U	0.000321 U	0.000467 U	0.000311 U	0.000872 U	0.000363 U
MW-139 (-30.2 to-40.2)	MW-139-20	9/13/17	PES	ESC	20	19.8	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000265 U	0.000434 U	0.000500 J	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000344 U
	MW-139-31	9/13/17	PES	ESC	31	8.8	S	0.000351 U	0.000227 U	0.000399 U	0.00101 U	0.000245 U	0.000401 U	0.000814	0.000280 U	0.000409 U	0.000272 U	0.000763 U	0.000318 U
	MW-139-41	9/13/17	PES	ESC	41	-1.2	S	0.000352 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.0982	0.000281 U	0.000410 U	0.000273 U	0.000766 U	0.000319 U
	MW-139-51	9/13/17	PES	ESC	51	-11.2	S	0.000378 U	0.000245 U	0.000430 U	0.00109 U	0.000264 U	0.000433 U	0.000763 J	0.000302 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U
	MW-139-60	9/13/17	PES	ESC	60	-20.2	S	0.000352 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.000252 U	0.000281 U	0.000410 U	0.000273 U	0.000766 U	0.000319 U
	MW-139-70	9/13/17	PES	ESC	70	-30.2	S	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000442 U	0.000277 U	0.000309 U	0.000451 U	0.000300 U	0.000841 U	0.000350 U
	MW-139-80	9/13/17	PES	ESC	80	-40.2	S	0.000371 U	0.000240 U	0.000421 U	0.00107 U	0.000259 U	0.000424 U	0.000266 U	0.000296 U	0.000432 U	0.000287 U	0.000806 U	0.000336 U
MW-141 (-55.4 to-65.4)	MW-141-15	9/18/17	PES	ESC	15	24.6	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000258 U	0.000423 U	0.00128	0.000296 U	0.000431 U	0.000287 U	0.000804 U	0.000335 U
	MW-141-35	9/18/17	PES	ESC	35	4.6	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000435 U	0.000473 J	0.000304 U	0.000443 U	0.000295 U	0.000827 U	0.000345 U
	MW-141-46	9/18/17	PES	ESC	46	-6.4	S	0.000359 U	0.000232 U	0.000408 U	0.00103 U	0.000250 U	0.000410 U	0.00329	0.000286 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	MW-141-56	9/18/17	PES	ESC	56	-16.4	S	0.000349 U	0.000226 U	0.000397 U	0.00101 U	0.000244 U	0.000399 U	0.000474 J	0.000279 U	0.000406 U	0.000270 U	0.000758 U	0.000316 U
	MW-141-65	9/18/17	PES	ESC	65	-25.4	S	0.000345 U	0.000223 U	0.000392 U	0.000995 U	0.000241 U	0.000394 U	0.000247 U	0.000276 U	0.000402 U	0.000267 U	0.000750 U	0.000312 U
	MW-141-75	9/18/17	PES	ESC	75	-35.4	S	0.000350 U	0.000226 U	0.000398 U	0.00101 U	0.000244 U	0.000400 U	0.000251 U	0.000279 U	0.000407 U	0.000271 U	0.000760 U	0.000317 U
	MW-141-85	9/18/17	PES	ESC	85	-45.4	S	0.000383 U	0.000248 U	0.000436 U	0.00110 U	0.000267 U	0.000438 U	0.000274 U	0.000306 U	0.000446 U	0.000297 U	0.000833 U	0.000347 U
	MW-141-95	9/18/17	PES	ESC	95	-55.4	S	0.000393 U	0.000254 U	0.000447 U	0.00113 U	0.000274 U	0.000449 U	0.000281 U	0.000314 U	0.000458 U	0.000304 U	0.000854 U	0.000356 U
	MW-141-105	9/19/17	PES	ESC	105	-65.4	S	0.000392 U	0.000253 U	0.000445 U	0.00113 U	0.000273 U	0.000448 U	0.000281 U	0.000313 U	0.000456 U	0.000303 U	0.000851 U	0.000355 U
MW-152 (-10.2 to-20.2)	MW-152-5	3/13/18	PES	ESC	5	34.1	S	0.000370 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000423 U	0.000265 U	0.000295 U	0.000430 U	0.000286 U	0.000803 U	0.000335 U
	MW-152-15	3/13/18	PES	ESC	15	24.1	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000254 U	0.000415 U	0.00864	0.000290 U	0.000423 U	0.000281 U	0.000790 U	0.000329 U
	MW-152-25	3/13/18	PES	ESC	25	14.1	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	1.11	0.000284 U	0.000414 U	0.000276 U	0.000773 U	0.000322 U
	MW-152-35	3/13/18	PES	ESC	35	4.1	S	0.000360 U	0.000232 U	0.000409 U	0.00104 U	0.000251 U	0.000411 U	0.776	0.000287 U	0.000419 U	0.000279 U	0.000782 U	0.000326 U
	MW-152-45	3/13/18	PES	ESC	45	-5.9	S	0.000370 U	0.000239 U	0.000420 U	0.00107 U	0.000258 U	0.000423 U	7.54	0.000295 U	0.000431 U	0.000286 U	0.000804 U	0.000335 U
	MW-152-55	3/13/18	PES	ESC	55	-15.9	S	0.000372 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000425 U	4.37	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000336 U
	MW-152-60	3/13/18	PES	ESC	60	-20.9	S	0.000355 U	0.000229 U	0.000404 U	0.00102 U	0.000248 U	0.000406 U	0.167	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-162 (-61.6 to -71.6)	MW-162-48	1/28/19	PES	PACE	48	-9.6	S	0.0234 U	0.0124 U	0.00974 U	0.0234 U	0.00898 U	0.0301 U	1.57	0.0147 U	0.0216 U	0.0171 U	0.0177 U	0.0115 U
	MW-162-50	1/28/19	PES	PACE	50	-11.6	S	0.00126 U	0.000669 U	0.000526 U	0.00126 U	0.000485 U	0.00162 U	0.766	0.000792 U	0.00117 U	0.000921 U	0.000956 U	0.000619 U
	B-930-50 (dup)	1/28/19	PES	PACE	50	-11.6	S	0.00120 U	0.000637 U	0.000500 U	0.00120 U	0.000461 U	0.00155 U	7.57	0.000754 U	0.00111 U	0.000876 U	0.000909 U	0.000589 U
	MW-162-67	1/28/19	PES	PACE	67	-28.6	S	0.00125 U	0.000666 U	0.000523 U	0.00125 U	0.000482 U	0.00161 U	0.253	0.000787 U	0.00116 U	0.000915 U	0.000950 U	0.000616 U
	MW-162-70	1/28/19	PES	PACE	70	-31.6	S	0.00121 U	0.000640 U	0.000502 U	0.00121 U	0.000463 U	0.00155 U	1.44	0.000757 U	0.00112 U	0.000880 U	0.000913 U	0.000641 J
	MW-162-72	1/28/19	PES	PACE	72	-33.6	S	0.00117 U	0.000618 U	0.000486 U	0.00117 U	0.000448 U	0.00150 U	0.358	0.000732 U	0.00108 U	0.000850 U	0.000883 U	0.000572 U
	MW-162-80	1/28/19	PES	PACE	80	-41.6	S	0.00120 U	0.000638 U	0.000501 U	0.00120 U	0.000462 U	0.00155 U	2.23	0.000755 U	0.00111 U	0.000877 U	0.000910 U	0.000590 U
	MW-162-85	1/28/19	PES	PACE	85	-46.6	S	0.00122 U	0.000649 U	0.000509 U	0.00122 U	0.000470 U	0.00157 U	0.0203	0.000767 U	0.00113 U	0.000892 U	0.000926 U	0.000600 U
	MW-162-90	1/28/19	PES	PACE	90	-51.6	S	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.000469 U	0.00157 U	0.0193	0.000766 U	0.00113 U	0.000891 U	0.000924 U	0.000599 U
	MW-162-95	1/28/19	PES	PACE	95	-56.6	S	0.00124 U	0.000657 U	0.000516 U	0.00124 U	0.000476 U	0.00159 U	0.0178	0.000778 U	0.00115 U	0.000904 U	0.000939 U	0.000608 U
	MW-162-100	1/28/19	PES	PACE	100	-61.6	S	0.00126 U	0.000669 U	0.000525 U	0.00126 U	0.000485 U	0.00162 U	0.00108 J	0.000792 U	0.00117 U	0.000920 U	0.000955 U	0.000619 U
	MW-162-105	1/28/19	PES	PACE	105	-66.6	S	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000466 U	0.00156 U	0.00206 J	0.000762 U	0.00112 U	0.000886 U	0.000920 U	0.000596 U
	MW-162-110	1/28/19	PES	PACE	110	-71.6	S	0.00118 U	0.000627 U	0.000493 U	0.00118 U	0.000454 U	0.00152 U	0.000755 U	0.000742 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
MW-163 (-61.0 to -71.0)	MW-163-47	1/29/19	PES	PACE	47	-7.7	S	0.00121 U	0.000641 U	0.000503 U	0.00121 U	0.000464 U	0.00155 U	5.83 J	0.000758 U	0.00112 U	0.000881 U	0.000915 U	0.000593 U
	MW-163-50	1/29/19	PES	PACE	50	-10.7	S	0.00117 U	0.000619 U	0.000486 U	0.00117 U	0.000448 U	0.00150 U	16.6 J	0.000732 U	0.00108 U	0.000851 U	0.000884 U	0.000573 U
	MW-163-55	1/29/19	PES	PACE	55	-15.7	S	0.00132 U	0.000703 U	0.000552 U	0.00132 U	0.000509 U	0.00171 U	6.47 J	0.000831 U	0.00123 U	0.000965 U	0.00100 U	0.000650 U
	MW-163-60	1/29/19	PES	PACE	60	-20.7	S	0.00122 U	0.000649 U	0.000509 U	0.00122 U	0.000470 U	0.00157 U	4.64 J	0.000768 U	0.00113 U	0.000892 U	0.000926 U	0.000600 U
	MW-163-80	1/29/19	PES	PACE	80	-40.7	S	0.00123 U	0.000652 U	0.000512 U	0.00123 U	0.000472 U	0.00158 U	0.0732	0.000771 U	0.00114 U	0.000896 U	0.000930 U	0.000603 U
	MW-163-85	1/29/19	PES	PACE	85	-45.7	S	0.00128 U	0.000678 U	0.000533 U	0.00128 U	0.000491 U	0.00165 U	0.000916 J	0.000802 U	0.00118 U	0.000933 U	0.000968 U	0.000627 U
	MW-163-90	1/29/19	PES	PACE	90	-50.7	S	0.00117 U	0.000621 U	0.000488 U	0.00117 U	0.000450 U	0.00151 U	0.136	0.000735 U	0.00108 U	0.000855 U	0.000887 U	0.000575 U
	MW-163-95	1/29/19	PES	PACE	95	-55.7	S	0.00128 U	0.000679 U	0.000533 U	0.00128 U	0.000492 U	0.00165 U	0.0255	0.000804 U	0.00119 U	0.000934 U	0.000970 U	0.000628 U
	MW-163-100	1/29/19	PES	PACE	100	-60.7	S	0.00124 U	0.000658 U	0.000517 U	0.00124 U	0.000477 U	0.00160 U	0.00269 J	0.000779 U	0.00115 U	0.000905 U	0.000939 U	0.000609 U
	MW-163-105	1/29/19	PES	PACE	105	-65.7	S	0.00113 U	0.000602 U	0.000472 U	0.00113 U	0.000436 U	0.00146 U	0.0249	0.000712 U	0.00105 U	0.000827 U	0.000859 U	0.000556 U
	MW-163-110	1/29/19	PES	PACE	110	-70.7	S	0.00120 U	0.000635 U	0.000499 U	0.00120 U	0.000460 U	0.00154 U	0.00194 J	0.000751 U	0.00111 U	0.000873 U	0.000906 U	0.000587 U
	MW-164	1/24/19	PES	PACE	80	-40.3	S	0.00123 U	0.000652 U	0.000512 U	0.00123 U	0.00161 J	0.00158 U	0.0194	0.000772 U	0.00114 U	0.000897 U	0.000931 U	0.000603 U
	MW-164-87	1/24/19	PES	PACE	87	-47.3	S	0.00121 U	0.000641 U	0.000504 U	0.00121 U	0.00159 J	0.00156 U	0.00519	0.000759 U	0.00112 U	0.000882 U	0.000916 U	0.000593 U
	MW-164-90	1/24/19	PES	PACE	90	-50.3	S	0.00126 U	0.000671 U	0.000527 U	0.00126 U	0.00225 J	0.00163 U	0.0870	0.000794 U	0.00117 U	0.000923 U	0.000958 U	0.000621 U
MW-164 (-59.9 to -69.9)	MW-164-95	1/25/19	PES	PACE	95	-55.3	S	0.00129 U	0.000685 U	0.000538 U	0.00129 U	0.00196 J	0.00166 U	0.474	0.000811 U	0.00120 U	0.000942 U	0.000978 U	0.000634 U
	MW-164-100	1/25/19	PES	PACE	100	-60.3	S	0.00135 U	0.000716 U	0.000563 U	0.00135 U	0.00197 J	0.00174 U	0.00428	0.000848 U	0.00125 U	0.000985 U	0.00102 U	0.000663 U
	MW-164-105	1/25/19	PES	PACE	105	-65.3	S	0.00120 U	0.000635 U	0.000499 U	0.00120 U	0.000460 U	0.00154 U	0.00442	0.000752 U	0.00111 U	0.000874 U	0.000907 U	0.000588 U
	MW-164-110	1/25/19	PES	PACE	110	-70.3	S	0.00119 U	0.000632 U	0.000496 U	0.00119 U	0.000458 U	0.00153 U	0.000761 U	0.000748 U	0.00110 U	0.000869 U	0.000902 U	0.000584 U
	B-929-120	1/25/19	PES	PACE	110 (dup)	-70.3	S	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000466 U	0.00156 U	0.00519	0.000762 U	0.00112 U	0.000885 U	0.000919 U	0.000595 U
MW-168 (-43.0 to -53.0)	MW-168-15	10/21/19	PES	Fremont	15	-3.8	S	-	-	-	-	-	-	5.98	-	-	-	-	-
MW-171 (-27.6 to -37.6)	MW-171-24	09/24/19	PES	Fremont	24	-12.8	S	-	-	-	-	-	-	0.160 U	-	-	-	-	-
MW-172 (-42.5 to -52.5)	MW-172-7	09/26/19	PES	Fremont	7	4.2	S	-	-	-	-	-	-	0.188 U	-	-	-	-	-
MW-175 (-27.8 to -37.8)	MW-175-12	10/26/19	PES	Fremont	12	-1.3	S	-	-	-	-	-	-	0.190 U	-	-	-	-	-
	B-1002-12	10/26/19	PES	Fremont	12 (dup)	-1.3	S	-	-	-	-	-	-	0.0791 J	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-180 (-42.7 to -52.7)	MW-180-40	09/25/19	PES	Fremont	40	-28.2	S	-	-	-	-	-	-	0.851	-	-	-	-	-
	MW-180-24	09/25/19	PES	Fremont	24	-12.2	S	-	-	-	-	-	-	30.5	-	-	-	-	-
	MW-180-27	09/25/19	PES	Fremont	27	-15.2	S	-	-	-	-	-	-	0.107	-	-	-	-	-
MW-181 (1.5 to -8.5)	MW-181-14	09/27/19	PES	Fremont	14	-2.5	S	-	-	-	-	-	-	0.216 U	-	-	-	-	-
MW-183 (-27.4 to -37.4)	MW-183-18	09/26/19	PES	Fremont	18	-6.5	S	-	-	-	-	-	-	6.92	-	-	-	-	-
MW-184 (-42.5 to -52.5)	MW-184-20	09/26/19	PES	Fremont	20	-8.4	S	-	-	-	-	-	-	1.32	-	-	-	-	-
MW-188 (-42.2 to -52.2)	MW-188-64	10/01/19	PES	Fremont	64	-52.4	S	-	-	-	-	-	-	0.200 U	-	-	-	-	-
P01	P01-05	2/12/14	SES	F&BI	5	35.5	S	-	-	-	-	-	-	-	-	-	-	-	0.020 U
	P01-10	2/12/14	SES	F&BI	10	30.5	S	-	-	-	-	-	-	-	-	-	-	-	0.020 U
P02	P02-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	P02-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
P03	P03-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
P03	P03-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
P04	P04-05	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	P04-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
P05	P05-05	2/12/14	SES	F&BI	5	35.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	P05-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
P06	P06-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	P06-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	0.050 U	-	-	-	-	-
R-MW1	Unknown	10/22/92	Roux	Unknown	5	32.8	S	-	-	-	-	-	-	-	-	-	-	-	-
W-MW-03 (P-07)	SB-W-07-0135	1/26/12	WW	ARI	13.5-14	25.2	S	-	-	-	-	-	-	0.0008 J	-	-	-	-	0.0009 U
	SB-W-07-0275	1/26/12	WW	ARI	27.5-28	11.2	S	-	-	-	-	-	-	0.083	-	-	-	-	0.0009 U
	SB-W-07-0335	1/26/12	WW	ARI	33.5-34	5.2	S	-	-	-	-	-	-	0.011	-	-	-	-	0.0008 U
	SB-W-07-0430	1/26/12	WW	ARI	43-43.5	-4.3	S	-	-	-	-	-	-	0.091	-	-	-	-	0.0008 U
	SB-W-07-0530	1/26/12	WW	ARI	53-53.5	-14.3	S	-	-	-	-	-	-	0.63	-	-	-	-	0.0008 U
	SB-W-07-0630	1/26/12	WW	ARI	63-63.5	-24.3	S	-	-	-	-	-	-	0.0010 U	-	-	-	-	0.0010 U
	SB-W-07-0780	1/26/12	WW	ARI	78-78.5	-39.3	S	-	-	-	-	-	-	0.0008 U	-	-	-	-	0.0008 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene														
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9														
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34														
W-MW-04 (P-08)	SB-W-08-0090	1/28/12	WW	ARI	9-9.5	26.0	S	-	-	-	-	-	-	7.3	-	-	-	-	0.27	U													
	SB-W-08-0155	1/28/12	WW	ARI	15.5-16	19.5	S	-	-	-	-	-	-	0.12	-	-	-	-	0.0009	U													
	SB-W-08-0265	1/28/12	WW	ARI	26.5-27	8.5	S	-	-	-	-	-	-	0.0043	-	-	-	-	0.0009	U													
	SB-W-08-0380	1/28/12	WW	ARI	38-38.5	-3.0	S	-	-	-	-	-	-	0.0012	-	-	-	-	0.0008	U													
	SB-W-08-0480	1/28/12	WW	ARI	48-48.5	-13.0	S	-	-	-	-	-	-	0.0009	J	-	-	-	0.0009	U													
	SB-W-08-9480	1/28/12	WW	ARI	48-48.5 (dup)	-13.0	S	-	-	-	-	-	-	0.0005	J	-	-	-	0.0009	U													
	SB-W-08-0590	1/28/12	WW	ARI	59-59.5	-24.0	S	-	-	-	-	-	-	0.13	U	-	-	-	0.13	U													
	SB-W-08-0710	1/29/12	WW	ARI	71-71.5	-36.0	S	-	-	-	-	-	-	0.20	U	-	-	-	0.20	U													
	SB-W-08-0760	1/29/12	WW	ARI	76-76.5	-41.0	S	-	-	-	-	-	-	0.0009	U	-	-	-	0.0009	U													
All Data								Number of Analytes Measured	805	805	805	805	805	805	805	805	805	805	856														
								Number of Analytes Detected	0	0	3	28	93	17	750	1	0	0	40														
								Frequency of Detection	0.0%	0.0%	0.4%	3.5%	11.6%	2.1%	72.6%	0.1%	0.0%	0.0%	0.0%	4.7%													
								Maximum Detection	-	-	0.000852	J	0.0282	0.00244	0.0575	329	0.000791	J	-	4.74													
								Minimum Detection	0.000328	U	0.000212	U	0.000373	U	0.000946	U	0.000229	U	0.000375	U	0.000247	U	0.000262	U	0.000382	U	0.000254	U	0.000713	U	0.000297	U	J
								Number Of Vadose (V) Detections above SL	0	0	0	-	0	-	0	0	0	0	0	0	0												
								Number of Saturated (S) Detections above SL	0	0	0	-	0	-	544	1	0	0	0	2													
2017-2021								Number of Analytes Measured	805	805	805	805	805	805	805	805	805	805	805	819													
								Number of Analytes Detected	0	0	3	28	93	17	701	1	0	0	38														
								Frequency of Detection	0.0%	0.0%	0.4%	3.5%	11.6%	2.1%	81.4%	0.1%	0.0%	0.0%	0.0%	4.6%													
								Maximum Detection	-	-	0.000852	J	0.0282	0.00244	0.0575	329	0.000791	J	-	4.74													
								Minimum Detection	0.000328	U	0.000212	U	0.000373	U	0.000946	U	0.000229	U	0.000375	U	0.000247	U	0.000262	U	0.000382	U	0.000254	U	0.000713	U	0.000297	U	J
								Number Of Vadose (V) Detections above SL	0	0	0	-	0	-	0	0	0	0	0	0													
								Number of Saturated (S) Detections above SL	0	0	0	-	0	-	506	1	0	0	0	1													
Abbreviations:								Notes:																									
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								All on-Property soil was excavated during Property redevelopment above elevations 0.7 to 10.7 feet, and CVOCs in soil between elevations +10 to 55 feet was treated.																									
ARI = Analytical Resource, Incorporated, Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.																									
B&V = Black Veatch								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.																									
bgs = below ground surface								Well screen elevations provided below Sample Location. in parentheses when applicable.																									
Comp = Composite Sample								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.																									
dup = duplicate								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.																									
EPJ = E.P.Johnson Construction Inc., and Environmental								Detected results shown in bold .																									
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the vadose zone are shown in bold and highlighted blue																									
F&BI = Friedman & Bruya, Inc.								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .																									
GeoEng = GeoEngineers, Inc.								- = Not available or results not analyzed.																									
HC = Hart Crowser, Inc.								A = Result reported as total petroleum hydrocarbons.																									
NCA = North Creek Analytical, of Bothell, Washington								B = Analyte detected in an associated method blank.																									
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.																									
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.																									
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.																									
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.																									
Roux = Roux Associates								q = Sample may contain gasoline or petroleum components. Chromatographic pattern indicates the presence of gasoline constituents.																									
SES = SoundEarth Strategies, Inc.								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample																									
TR = TR Corporation								T = Analyte also detected in trip blank.																									
Urban = Urban Redevelopment LLC								U = Not detected at a concentration exceeding laboratory reporting limit																									
WW = WW Environmental LLC								ve = Estimated value. The reported range exceeds the calibration range of the analysis.																									
								w = Petroleum product eluting in the C8-C9 range																									
								x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.																									
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.																									

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-1	B-1-13	6/23/00	TR	ARI	13	27.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-2	B-2-6.5	6/23/00	TR	ARI	6.5	33.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-2-11	6/23/00	TR	ARI	11	29.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-2-16	6/23/00	TR	ARI	16	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-3	B-3-12	6/23/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-5	B-5-10	6/23/00	TR	ARI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-5-11.5	6/23/00	TR	ARI	11.5	28.5	S	-	-	-	-	-	-	-	-	-	-	-	-
B-6	B-6-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-6-18	6/24/00	TR	ARI	18	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-7	B-7-6	6/24/00	TR	ARI	6	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-8	B-8-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-8-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-9	B-9-4	6/24/00	TR	ARI	4	36.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-9-8	6/24/00	TR	ARI	8	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-10	B-10-12	6/24/00	TR	ARI	12	28.0	S	-	-	-	-	-	-	-	-	-	-	-	-
B-201	G-201-10	6/19/17	PES	ESC	10	29.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-201-30	6/19/17	PES	ESC	30	9.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-201-35	6/19/17	PES	ESC	35	4.8	S	-	-	-	-	-	-	-	-	-	-	-	-
B-202	G-202-5	6/19/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-202-20	6/19/17	PES	ESC	20	19.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-202-50	6/19/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-
B-203	G-203-5	6/20/17	PES	ESC	5	34.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-25	6/20/17	PES	ESC	25	14.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-40	6/20/17	PES	ESC	40	-0.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-50	6/20/17	PES	ESC	50	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-203-80	6/20/17	PES	ESC	80	-40.8	S	-	-	-	-	-	-	-	-	-	-	-	-
B-204	G-204-20	6/20/17	PES	ESC	20	19.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-204-40	6/20/17	PES	ESC	40	-0.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	G-204-45	6/20/17	PES	ESC	45	-5.2	S	-	-	-	-	-	-	-	-	-	-	-	-
B-205	B-205-10	8/30/17	PES	ESC	10	30.3	S	0.0412 U	0.0350 U	0.305 U	0.0299 U	0.851	0.227 U	0.0256 U	0.121 U	5.21	0.973	2.84	0.642
	B-205-55	8/30/17	PES	ESC	55	-14.7	S	0.000400 U	0.00466 J	0.00296 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000301 U	0.000241 U	0.000235 U
	B-205-65	8/30/17	PES	ESC	65	-24.7	S	0.000362 U	0.00583 J	0.00268 U	0.000263 U	0.000257 U	0.00199 U	0.000224 U	0.00106 U	0.00106 U	0.000273 U	0.000218 U	0.000213 U
	B-205-75	8/30/17	PES	ESC	75	-34.7	S	0.000366 U	0.00452 J	0.00271 U	0.000266 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000221 U	0.000215 U
	B-904-50	8/30/17	PES	ESC	75 (dup)	-34.7	S	0.000367 U	0.00551 J	0.00271 U	0.000266 U	0.000261 U	0.00202 U	0.000227 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
B-206	B-206-15	8/14/17	PES	ESC	15	24.1	S	0.00984 U	0.0395 J	0.0727 U	0.00714 U	0.00700 U	0.0541 U	0.145	0.0288 U	0.0288 U	0.00742 U	0.00593 U	0.00578 U
	B-206-30	8/14/17	PES	ESC	30	9.1	S	0.000392 U	0.000333 U	0.00290 U	0.000284 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.0340	0.000296 U	0.000236 U	0.000231 U
	B-206-40	8/14/17	PES	ESC	40	-0.9	S	0.000362 U	0.00151 J	0.00267 U	0.000262 U	0.000257 U	0.00199 U	0.000224 U	0.00106 U	0.00114 J	0.000273 U	0.000218 U	0.000212 U
	B-206-49	8/14/17	PES	ESC	49	-9.9	S	0.000390 U	0.00815 J	0.00288 U	0.000283 U	0.000277 U	0.00214 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-206-52	8/14/17	PES	ESC	52	-12.9	S	0.000373 U	0.000317 U	0.00276 U	0.000271 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000219 U
	B-206-56	8/14/17	PES	ESC	56	-16.9	S	0.000376 U	0.000319 U	0.00278 U	0.000272 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	B-206-59	8/14/17	PES	ESC	59	-19.9	S	0.000356 U	0.000302 U	0.00263 U	0.000258 U	0.000253 U	0.00196 U	0.000221 U	0.00104 U	0.00104 U	0.000268 U	0.000214 U	0.000209 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-206 (continued)	B-206-70	8/14/17	PES	ESC	70	-30.9	S	0.000373 U	0.000515 J	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-206-80	8/14/17	PES	ESC	80	-40.9	S	0.000373 U	0.000634 J	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000225 U	0.000219 U
B-207	B-207-30	8/25/17	PES	ESC	30	8.5	S	0.00971 U	0.00824 U	0.0718 U	0.00704 U	0.00691 U	0.0534 U	0.00602 U	0.0284 U	0.0284 U	0.00733 U	0.00585 U	0.00570 U
	B-207-41	8/25/17	PES	ESC	41	-2.5	S	0.0194 U	0.000328 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	B-207-49	8/25/17	PES	ESC	49	-10.5	S	0.00954 U	0.0285	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000236 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-207-55	8/25/17	PES	ESC	55	-16.5	S	0.000399 U	0.000445 J	0.00295 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000301 U	0.000241 U	0.000235 U
	B-207-60	8/25/17	PES	ESC	60	-21.5	S	0.000364 U	0.000309 U	0.00269 U	0.000264 U	0.000259 U	0.00200 U	0.000226 U	0.00106 U	0.00106 U	0.000275 U	0.000219 U	0.000214 U
	B-207-70	8/25/17	PES	ESC	70	-31.5	S	0.000391 U	0.000331 U	0.00289 U	0.000283 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000235 U	0.000230 U
	B-207-80	8/25/17	PES	ESC	80	-41.5	S	0.000377 U	0.000787 J	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	B-207-90	8/25/17	PES	ESC	90	-51.5	S	0.00939 U	0.00797 U	0.0694 U	0.00681 U	0.00668 U	0.0516 U	0.00582 U	0.0275 U	0.0275 U	0.00709 U	0.00566 U	0.00552 U
B-208	B-208-20	8/24/17	PES	ESC	20	18.8	S	0.000404 U	0.000343 U	0.00299 U	0.000293 U	0.000287 U	0.00222 U	0.000251 U	0.00118 U	0.00118 U	0.000305 U	0.000243 U	0.000238 U
	B-208-35	8/24/17	PES	ESC	35	3.8	S	0.000372 U	0.000803 J	0.00275 U	0.000270 U	0.000264 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-901-50	8/24/17	PES	ESC	35 (dup)	3.8	S	0.000387 U	0.000628 J	0.00286 U	0.000280 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	B-208-50	8/24/17	PES	ESC	50	-11.2	S	0.000378 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00208 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	B-208-60	8/24/17	PES	ESC	60	-21.2	S	0.000381 U	0.0298	0.00282 U	0.000276 U	0.000271 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U
	B-208-70	8/24/17	PES	ESC	70	-31.2	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-208-80	8/24/17	PES	ESC	80	-41.2	S	0.000423 U	0.000359 U	0.00313 U	0.000307 U	0.000301 U	0.00233 U	0.000262 U	0.00124 U	0.00124 U	0.000319 U	0.000255 U	0.000249 U
B-209	B-209-20	8/25/17	PES	ESC	20	19.0	S	0.000397 U	0.000396 J	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000234 U
	B-209-35	8/25/17	PES	ESC	35	4.0	S	0.000365 U	0.00231 J	0.00270 U	0.000265 U	0.000260 U	0.00201 U	0.000226 U	0.00107 U	0.00107 U	0.000276 U	0.000220 U	0.000215 U
	B-209-50	8/25/17	PES	ESC	50	-11.0	S	0.000446 U	0.00124 J	0.00330 U	0.000324 U	0.000317 U	0.00245 U	0.000277 U	0.00130 U	0.00130 U	0.000337 U	0.000269 U	0.000262 U
	B-209-60	8/25/17	PES	ESC	60	-21.0	S	0.000393 U	0.000333 U	0.00290 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
	B-209-70	8/25/17	PES	ESC	70	-31.0	S	0.000470 U	0.00194 J	0.00270 U	0.000264 U	0.000259 U	0.00200 U	0.000226 U	0.00107 U	0.00107 U	0.000275 U	0.000220 U	0.000214 U
	B-209-75	8/25/17	PES	ESC	75	-36.0	S	0.000363 U	0.000308 U	0.00268 U	0.000263 U	0.000258 U	0.00199 U	0.000225 U	0.00106 U	0.00106 U	0.000274 U	0.000218 U	0.000213 U
	B-209-80	8/25/17	PES	ESC	80	-41.0	S	0.000393 U	0.000674 J	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
B-210	B-210-6	8/21/17	PES	ESC	6	33.4	S	0.000403 U	0.000342 U	0.00298 U	0.000292 U	0.000286 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	B-210-15	8/21/17	PES	ESC	15	24.4	S	0.00927 U	0.00786 U	0.0685 U	0.00672 U	0.00659 U	0.0509 U	0.0523	0.0271 U	0.0271 U	0.00699 U	0.00558 U	0.00544 U
	B-210-20	8/21/17	PES	ESC	20	19.4	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000271 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U
	B-210-35	8/21/17	PES	ESC	35	4.4	S	0.000395 U	0.000335 U	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	B-210-46	8/21/17	PES	ESC	46	-6.6	S	0.000373 U	0.000325 J	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-210-60	8/22/17	PES	ESC	60	-20.6	S	0.00918 U	0.00778 U	0.0678 U	0.00665 U	0.00653 U	0.0504 U	0.0446	0.0268 U	0.0268 U	0.00692 U	0.00553 U	0.00539 U
	B-210-70	8/22/17	PES	ESC	70	-30.6	S	0.000369 U	0.00741 J	0.00273 U	0.000268 U	0.000262 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	B-210-80	8/22/17	PES	ESC	80	-40.6	S	0.000378 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00208 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000228 U	0.000222 U
	B-900-20	8/22/17	PES	ESC	80 (dup)	-40.6	S	0.000406 U	0.000344 U	0.00300 U	0.000295 U	0.000289 U	0.00223 U	0.000252 U	0.00119 U	0.00119 U	0.000306 U	0.000245 U	0.000239 U
B-211	B-211-20	8/17/17	PES	ESC	20	19.8	S	0.000382 U	0.000324 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-211-35	8/17/17	PES	ESC	35	4.8	S	0.000385 U	0.000482 J	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000290 U	0.000232 U	0.000226 U
	B-211-50	8/17/17	PES	ESC	50	-10.3	S	0.000370 U	0.000314 U	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	B-211-57	8/17/17	PES	ESC	57	-17.3	S	0.000403 U	0.00389 J	0.00298 U	0.000292 U	0.000287 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	B-211-60	8/17/17	PES	ESC	60	-20.3	S	0.000394 U	0.000334 U	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000244 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	B-211-65	8/18/17	PES	ESC	65	-25.3	S	0.000386 U	0.000327 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U
	B-211-70	8/18/17	PES	ESC	70	-30.3	S	0.205 U	0.174 U	1.51 U	0.148 U	0.146 U	1.13 U	0.202 J	0.598 U	0.598 U	0.154 U	0.123 U	0.120 U
	B-211-80	8/18/17	PES	ESC	80	-40.3	S	0.00926 U	0.00785 U	0.0684 U	0.00671 U	0.00658 U	0.0509 U	0.0548	0.0271 U	0.0271 U	0.00698 U	0.00558 U	0.00544 U
	B-211-90	8/18/17	PES	ESC	90	-50.3	S	0.00997 U	0.00845 U	0.0737 U	0.00723 U	0.00709 U	0.0548 U	0.0570	0.0291 U	0.0291 U	0.00752 U	0.00600 U	0.00585 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-211 (continued)	B-211-100	8/18/17	PES	ESC	100	-60.3	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-211-110	8/18/17	PES	ESC	110	-70.3	S	0.000377 U	0.000320 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	B-211-120	8/21/17	PES	ESC	120	-80.3	S	0.000384 U	0.000325 U	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000226 U
B-216	B-216-20	9/1/17	PES	ESC	20	31.9	S	0.000368 U	0.000460 J	0.00273 U	0.000267 U	0.000262 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	B-216-40	9/1/17	PES	ESC	40	11.9	S	0.000371 U	0.000659 J	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	B-216-50	9/1/17	PES	ESC	50	1.9	S	0.000370 U	0.000708 J	0.00273 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	B-216-55	9/1/17	PES	ESC	55	-3.1	S	0.000385 U	0.0368	0.00285 U	0.000279 U	0.000650 J	0.00212 U	0.000239 U	0.00113 U	0.00226 J	0.00318	0.00407	0.000274 J
	B-216-65	9/1/17	PES	ESC	65	-13.1	S	0.000411 U	0.00129 J	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000254 U	0.00120 U	0.00120 U	0.000310 U	0.000247 U	0.000241 U
	B-216-85	9/1/17	PES	ESC	85	-33.1	S	0.000412 U	0.00652 J	0.00305 U	0.000299 U	0.000293 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000311 U	0.000248 U	0.000242 U
	B-216-95	9/1/17	PES	ESC	95	-43.1	S	0.000389 U	0.00113 J	0.00287 U	0.000282 U	0.000276 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000228 U
B-217	B-217-15	9/5/17	PES	ESC	15	36.8	V	0.000388 U	0.000359 J	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000241 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	B-217-25	9/5/17	PES	ESC	25	26.8	S	0.000379 U	0.000322 U	0.00281 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	B-217-35	9/5/17	PES	ESC	35	16.8	S	0.000393 U	0.000409 J	0.00290 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
	B-217-42	9/5/17	PES	ESC	42	9.8	S	0.000391 U	0.00116 J	0.00289 U	0.000284 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
	B-217-55	9/5/17	PES	ESC	55	-3.2	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000233 U
	B-217-65	9/5/17	PES	ESC	65	-13.2	S	0.000394 U	0.000334 U	0.00291 U	0.000286 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	B-217-75	9/5/17	PES	ESC	75	-23.2	S	0.000410 U	0.000347 U	0.00303 U	0.000297 U	0.000291 U	0.00225 U	0.000254 U	0.00120 U	0.00120 U	0.000309 U	0.000247 U	0.000241 U
	B-217-85	9/6/17	PES	ESC	85	-33.2	S	0.000390 U	0.000330 U	0.00288 U	0.000283 U	0.000277 U	0.00214 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-217-95	9/6/17	PES	ESC	95	-43.2	S	0.000413 U	0.000351 U	0.00306 U	0.000300 U	0.000294 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000312 U	0.000249 U	0.000243 U
	B-217-106	9/6/17	PES	ESC	106	-54.2	S	0.0419 U	0.0355 U	0.310 U	0.0304 U	0.0298 U	0.230 U	0.0260 U	0.123 U	0.123 U	0.0316 U	0.0252 U	0.0246 U
	B-217-115	9/6/17	PES	ESC	115	-63.2	S	0.000395 U	0.000335 U	0.00292 U	0.000286 U	0.000281 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
B-218	B-218-12.5	9/19/17	PES	ESC	12.5	25.6	S	0.000389 U	0.000330 U	0.00288 U	0.000282 U	0.000277 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-218-19	9/19/17	PES	ESC	19	19.1	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000228 U
	B-218-25	9/19/17	PES	ESC	25	13.1	S	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000281 U	0.00218 U	0.000245 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-218-40	9/19/17	PES	ESC	40	-1.9	S	0.0211 U	0.0178 U	0.156 U	0.0153 U	0.0149 U	0.115 U	0.0131 U	0.0615 U	0.0615 U	0.0158 U	0.0126 U	0.0123 U
	B-218-50	9/19/17	PES	ESC	50	-11.9	S	0.000365 U	0.000309 U	0.00270 U	0.000264 U	0.000259 U	0.00200 U	0.000226 U	0.00107 U	0.00107 U	0.000275 U	0.000220 U	0.000214 U
	B-913-70	9/19/17	PES	ESC	50 (dup)	-11.9	S	0.000363 U	0.000308 U	0.00269 U	0.000263 U	0.000258 U	0.00200 U	0.000225 U	0.00106 U	0.00106 U	0.000274 U	0.000219 U	0.000213 U
B-219	B-219-42	8/28/17	PES	ESC	42	-2.2	S	0.000372 U	0.00264 J	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-219-50	8/28/17	PES	ESC	50	-10.2	S	0.000405 U	0.000343 U	0.00300 U	0.000294 U	0.000288 U	0.00223 U	0.000251 U	0.00118 U	0.00118 U	0.000306 U	0.000244 U	0.000238 U
	B-219-60	8/28/17	PES	ESC	60	-20.2	S	0.000368 U	0.00248 J	0.00272 U	0.000267 U	0.000262 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	B-219-70	8/28/17	PES	ESC	70	-30.2	S	0.000390 U	0.00634 J	0.00289 U	0.000283 U	0.000277 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-219-80	8/28/17	PES	ESC	80	-40.2	S	0.000371 U	0.00111 J	0.00275 U	0.00673 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
B-220	B-220-15	9/20/17	PES	ESC	15	23.9	S	0.000389 U	0.000330 U	0.00288 U	0.000282 U	0.000276 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000229 U
	B-220-29	9/20/17	PES	ESC	29	9.9	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00219 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000234 U
	B-220-32	9/20/17	PES	ESC	32	6.9	S	0.000390 U	0.000331 U	0.00289 U	0.000283 U	0.000277 U	0.00214 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-220-40	9/20/17	PES	ESC	40	-1.1	S	0.000380 U	0.000322 U	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000229 U	0.000223 U
	B-220-50	9/20/17	PES	ESC	50	-11.1	S	0.000368 U	0.00215 J	0.00272 U	0.000267 U	0.000261 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000277 U	0.000222 U	0.000216 U
	B-914-75	9/20/17	PES	ESC	50 (dup)	-11.1	S	0.000368 U	0.00212 J	0.00272 U	0.000267 U	0.000261 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000277 U	0.000222 U	0.000216 U
B-221	B-221-16	9/20/17	PES	ESC	16	23.0	S	0.0100 U	0.00850 U	0.0741 U	0.00727 U	0.00712 U	0.0551 U	0.00621 U	0.0293 U	0.0293 U	0.00756 U	0.00603 U	0.00588 U
	B-221-22	9/20/17	PES	ESC	22	17.0	S	0.393 U	0.334 U	2.91 U	0.285 U	0.280 U	2.16 U	0.244 U	1.15 U	1.15 U	0.297 U	0.237 U	0.231 U
	B-221-33	9/20/17	PES	ESC	33	6.0	S	0.383 U	0.325 U	2.83 U	0.278 U	0.272 U	2.10 U	0.237 U	1.12 U	1.12 U	0.289 U	0.231 U	0.225 U
	B-221-37	9/20/17	PES	ESC	37	2.0	S	0.0804 U	0.0682 U	0.595 U	0.0583 U	0.0571 U	0.442 U	0.0499 U	0.235 U	0.235 U	0.0607 U	0.0484 U	0.0473 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-221 (continued)	B-915-80	9/20/17	PES	ESC	37 (dup)	2.0	S	0.0392 U	0.0332 U	0.290 U	0.0284 U	0.0279 U	0.215 U	0.0243 U	0.115 U	0.115 U	0.0296 U	0.0236 U	0.0230 U
	B-221-45	9/20/17	PES	ESC	45	-6.0	S	3.75 U	3.18 U	27.7 U	2.72 U	2.67 U	20.6 U	2.33 U	11.0 U	11.0 U	2.83 U	2.26 U	2.20 U
	B-221-50	9/20/17	PES	ESC	50	-11.0	S	0.186 U	0.158 U	1.37 U	0.135 U	0.133 U	1.02 U	0.115 U	0.544 U	0.544 U	0.140 U	0.112 U	0.109 U
	B-221-60	9/20/17	PES	ESC	60	-21.0	S	0.189 U	0.160 U	1.39 U	0.137 U	0.135 U	1.04 U	0.117 U	0.553 U	0.553 U	0.143 U	0.114 U	0.111 U
	B-221-70	9/21/17	PES	ESC	70	-31.0	S	0.000378 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00208 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
B-222	B-222-17	9/21/17	PES	ESC	17	22.2	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	B-222-25	9/21/17	PES	ESC	25	14.2	S	0.000395 U	0.000335 U	0.00292 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000232 U
	B-222-34	9/21/17	PES	ESC	34	5.2	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-222-42	9/21/17	PES	ESC	42	-2.8	S	0.000424 U	0.00395 J	0.00314 U	0.000308 U	0.000301 U	0.00233 U	0.000263 U	0.00124 U	0.00124 U	0.000320 U	0.000255 U	0.000249 U
	B-222-50	9/21/17	PES	ESC	50	-10.8	S	0.0183 U	0.0156 U	0.135 U	0.0133 U	0.0131 U	0.101 U	0.0114 U	0.0536 U	0.0536 U	0.0138 U	0.0110 U	0.0107 U
	B-916-30	9/21/17	PES	ESC	50 (dup)	-10.8	S	0.000363 U	0.000393 J	0.00268 U	0.000263 U	0.000258 U	0.00199 U	0.000225 U	0.00106 U	0.00106 U	0.000274 U	0.000218 U	0.000213 U
B-223	B-223-16	9/21/17	PES	ESC	16	23.1	S	0.0808 U	0.0685 U	0.598 U	0.0586 U	0.0574 U	0.444 U	0.0501 U	0.236 U	0.236 U	0.0610 U	0.0487 U	0.0475 U
	B-223-22	9/21/17	PES	ESC	22	17.1	S	0.0781 U	0.0662 U	0.578 U	0.0566 U	0.0555 U	0.429 U	0.0484 U	0.228 U	0.228 U	0.0589 U	0.0470 U	0.0459 U
	B-223-30	9/21/17	PES	ESC	30	9.1	S	9.41 U	7.98 U	69.6 U	6.83 U	6.69 U	51.7 U	5.84 U	27.5 U	27.5 U	7.10 U	5.67 U	5.53 U
	B-223-39	9/21/17	PES	ESC	39	0.1	S	0.000390 U	0.000330 U	0.00288 U	0.000282 U	0.000277 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-223-47	9/21/17	PES	ESC	47	-7.9	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000233 U
	B-917-57	9/21/17	PES	ESC	47 (dup)	-7.9	S	0.000368 U	0.000312 U	0.00272 U	0.000267 U	0.000261 U	0.00202 U	0.000228 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
B-224	B-224-6	11/27/17	PES	ESC	6	33.1	S	0.000370 U	0.00142 J	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	B-224-11	11/27/17	PES	ESC	11	28.1	S	0.000914 U	0.0140 J	0.00677 U	0.000663 U	0.000649 U	0.00503 U	0.000566 U	0.00267 U	0.00267 U	0.000689 U	0.000550 U	0.000538 U
	B-224-16	11/27/17	PES	ESC	16	23.1	S	0.000414 U	0.000351 U	0.00306 U	0.000300 U	0.000294 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000312 U	0.000249 U	0.000243 U
	B-224-21.5	11/27/17	PES	ESC	21.5	17.6	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000233 U
	B-224-26	11/27/17	PES	ESC	26	13.1	S	0.000452 U	0.000384 U	0.00334 U	0.000328 U	0.000321 U	0.00248 U	0.000280 U	0.00132 U	0.00132 U	0.000341 U	0.000272 U	0.000265 U
	B-224-31	11/27/17	PES	ESC	31	8.1	S	0.000399 U	0.000354 J	0.00296 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000302 U	0.000240 U	0.000235 U
	B-224-36	11/27/17	PES	ESC	36	3.1	S	0.000380 U	0.000529 J	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000229 U	0.000223 U
	B-224-60.5	11/27/17	PES	ESC	60.5	-21.4	S	0.000553 U	0.000469 U	0.00410 U	0.000401 U	0.000393 U	0.00304 U	0.000343 U	0.00162 U	0.00162 U	0.000418 U	0.000333 U	0.000325 U
B-225	B-225-5	11/27/17	PES	ESC	5	34.1	S	0.000371 U	0.000315 U	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	B-225-11	11/27/17	PES	ESC	11	28.1	S	0.000400 U	0.000339 U	0.00296 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000302 U	0.000241 U	0.000235 U
	B-225-16	11/27/17	PES	ESC	16	23.1	S	0.0101 U	0.00853 U	0.0743 U	0.00729 U	0.00715 U	0.0553 U	0.00623 U	0.0294 U	0.0294 U	0.00759 U	0.00606 U	0.00591 U
	B-225-21	11/27/17	PES	ESC	21	18.1	S	0.00972 U	0.00824 U	0.0718 U	0.00705 U	0.00691 U	0.0534 U	0.00603 U	0.0284 U	0.0284 U	0.00733 U	0.00585 U	0.00571 U
	B-225-26	11/27/17	PES	ESC	26	13.1	S	0.000402 U	0.000676 J	0.00297 U	0.000291 U	0.000286 U	0.00221 U	0.000249 U	0.00118 U	0.00118 U	0.000303 U	0.000242 U	0.000236 U
	B-225-31	11/27/17	PES	ESC	31	8.1	S	0.000391 U	0.000570 J	0.00289 U	0.000283 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000235 U	0.000230 U
	B-225-36	11/27/17	PES	ESC	36	3.1	S	0.000421 U	0.000357 U	0.00312 U	0.000305 U	0.000299 U	0.00232 U	0.000261 U	0.00123 U	0.00123 U	0.000318 U	0.000254 U	0.000248 U
B-226	B-226-6	11/28/17	PES	ESC	6	33.1	S	0.000412 U	0.000349 U	0.00305 U	0.000299 U	0.000293 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000311 U	0.000248 U	0.000242 U
	B-226-11	11/28/17	PES	ESC	11	28.1	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	B-226-16	11/28/17	PES	ESC	16	23.1	S	0.00959 U	0.00813 U	0.0709 U	0.00696 U	0.00682 U	0.0527 U	0.00595 U	0.0280 U	0.0280 U	0.00724 U	0.00578 U	0.00563 U
	B-920-35	11/28/17	PES	ESC	16 (dup)	23.1	S	0.000378 U	0.000321 U	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U
	B-226-21	11/28/17	PES	ESC	21	18.1	S	0.000390 U	0.000330 U	0.00288 U	0.000282 U	0.000277 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-226-31.5	11/28/17	PES	ESC	31.5	7.6	S	0.000364 U	0.00216 J	0.00269 U	0.000264 U	0.000259 U	0.00200 U	0.000226 U	0.00106 U	0.00106 U	0.000275 U	0.000219 U	0.000214 U
	B-226-40	11/28/17	PES	ESC	40	-0.9	S	0.000392 U	0.0159	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
B-227	B-227-6	11/28/17	PES	ESC	6	33.1	S	0.000390 U	0.000331 U	0.00289 U	0.000283 U	0.000277 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000235 U	0.000229 U
	B-227-11	11/28/17	PES	ESC	11	28.1	S	0.000369 U	0.000313 U	0.00273 U	0.000267 U	0.000262 U	0.00203 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	B-227-16	11/28/17	PES	ESC	16	23.1	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000230 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-227 (continued)	B-227-21	11/28/17	PES	ESC	21	18.1	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-227-26	11/28/17	PES	ESC	26	13.1	S	0.000398 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000301 U	0.000240 U	0.000234 U
	B-227-31	11/28/17	PES	ESC	31	8.1	S	0.000410 U	0.000348 U	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000254 U	0.00120 U	0.00120 U	0.000310 U	0.000247 U	0.000241 U
	B-227-36	11/28/17	PES	ESC	36	3.1	S	0.000393 U	0.000333 U	0.00290 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
B-228	B-228-6	11/29/17	PES	ESC	6	33.1	S	0.000418 U	0.000355 U	0.00309 U	0.000303 U	0.000297 U	0.00230 U	0.000259 U	0.00122 U	0.00122 U	0.000316 U	0.000252 U	0.000246 U
	B-228-11	11/29/17	PES	ESC	11	28.1	S	0.000380 U	0.000322 U	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	B-228-16	11/29/17	PES	ESC	16	23.1	S	0.000368 U	0.000312 U	0.00273 U	0.000267 U	0.000262 U	0.00203 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	B-921-22	11/29/17	PES	ESC	16 (dup)	23.1	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
	B-228-21	11/29/17	PES	ESC	21	18.1	S	0.000387 U	0.000328 U	0.00286 U	0.000280 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	B-228-26	11/29/17	PES	ESC	26	13.1	S	0.000368 U	0.000312 U	0.00272 U	0.000267 U	0.000262 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	B-228-31	11/29/17	PES	ESC	31	8.1	S	0.000380 U	0.000322 U	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000229 U	0.000223 U
	B-228-36	11/29/17	PES	ESC	36	3.1	S	0.000386 U	0.000328 U	0.00286 U	0.000280 U	0.000275 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U
B-229	B-229-6	11/29/17	PES	ESC	6	33.1	S	0.000500 U	0.000424 U	0.00370 U	0.000363 U	0.000356 U	0.00275 U	0.000310 U	0.00146 U	0.00146 U	0.000378 U	0.000301 U	0.000294 U
	B-229-11	11/29/17	PES	ESC	11	28.1	S	0.000485 U	0.000412 U	0.00359 U	0.000352 U	0.000345 U	0.00267 U	0.000301 U	0.00142 U	0.00142 U	0.000366 U	0.000292 U	0.000285 U
	B-229-16	11/29/17	PES	ESC	16	23.1	S	0.000408 U	0.000346 U	0.00302 U	0.000296 U	0.000290 U	0.00224 U	0.000253 U	0.00119 U	0.00119 U	0.000308 U	0.000246 U	0.000240 U
	B-229-25	11/29/17	PES	ESC	25	14.1	S	0.000375 U	0.000318 U	0.00277 U	0.000272 U	0.000266 U	0.00206 U	0.000232 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000220 U
	B-229-31	11/29/17	PES	ESC	31	8.1	S	0.000412 U	0.000350 U	0.00305 U	0.000299 U	0.000293 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000311 U	0.000248 U	0.000242 U
	B-229-36	11/29/17	PES	ESC	36	3.1	S	0.000376 U	0.000318 U	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	B-229-41	11/29/17	PES	ESC	41	-1.9	S	0.000398 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000280 J	0.000234 U
	B-229-45	11/29/17	PES	ESC	45	-5.9	S	0.000409 U	0.000389 J	0.00303 U	0.000297 U	0.000291 U	0.00225 U	0.000254 U	0.00120 U	0.00120 U	0.000309 U	0.000246 U	0.000240 U
B-230	B-230-6	11/30/17	PES	ESC	6	33.1	S	0.000361 U	0.000306 U	0.00267 U	0.000262 U	0.000256 U	0.00198 U	0.000224 U	0.00105 U	0.00105 U	0.000272 U	0.000217 U	0.000212 U
	B-230-11	11/30/17	PES	ESC	11	28.1	S	0.000374 U	0.000317 U	0.00276 U	0.000271 U	0.000265 U	0.00205 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	B-230-16	11/30/17	PES	ESC	16	23.1	S	0.0952 U	0.0807 U	0.703 U	0.0690 U	0.0677 U	0.523 U	0.0590 U	0.278 U	0.278 U	0.0718 U	0.0573 U	0.0559 U
	B-230-21	11/30/17	PES	ESC	21	18.1	S	0.817 U	0.692 U	6.04 U	0.592 U	0.580 U	4.49 U	0.506 U	2.39 U	2.39 U	0.616 U	0.492 U	0.480 U
	B-922-15	11/30/17	PES	ESC	21 (dup)	18.1	S	0.413 U	0.350 U	3.06 U	0.299 U	0.293 U	2.27 U	0.256 U	1.21 U	1.21 U	0.312 U	0.249 U	0.243 U
	B-230-26	11/30/17	PES	ESC	26	13.1	S	1.02 U	0.869 U	7.57 U	0.743 U	0.729 U	5.63 U	0.635 U	3.00 U	3.00 U	0.773 U	0.617 U	0.602 U
	B-230-31	11/30/17	PES	ESC	31	8.1	S	0.425 U	0.361 U	3.15 U	0.308 U	0.302 U	2.34 U	0.264 U	1.24 U	1.24 U	0.321 U	0.256 U	0.250 U
	B-230-35	11/30/17	PES	ESC	35	4.1	S	0.0618 U	0.0524 U	0.457 U	0.0447 U	0.0439 U	0.340 U	0.0383 U	0.181 U	0.181 U	0.0466 U	0.0372 U	0.0364 U
B-231	B-230-55	11/30/17	PES	ESC	55	-15.9	S	0.103 U	0.0870 U	0.759 U	0.0744 U	0.0730 U	0.564 U	0.0636 U	0.300 U	0.300 U	0.0774 U	0.0618 U	0.0603 U
	B-231-6	11/30/17	PES	ESC	6	33.1	S	0.000422 U	0.000358 U	0.00312 U	0.000306 U	0.000300 U	0.00232 U	0.000261 U	0.00123 U	0.00123 U	0.000318 U	0.000254 U	0.000248 U
	B-231-11	11/30/17	PES	ESC	11	28.1	S	0.000403 U	0.000342 U	0.00298 U	0.000292 U	0.000286 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	B-231-16	11/30/17	PES	ESC	16	23.1	S	0.00958 U	0.00812 U	0.0708 U	0.00695 U	0.00681 U	0.0527 U	0.00594 U	0.0280 U	0.0280 U	0.00723 U	0.00577 U	0.00562 U
	B-231-21	11/30/17	PES	ESC	21	18.1	S	0.0226 U	0.0214 J	0.167 U	0.0164 U	0.0160 U	0.124 U	0.0140 U	0.0661 U	0.0661 U	0.0171 U	0.0136 U	0.0132 U
	B-231-26	11/30/17	PES	ESC	26	13.1	S	0.000397 U	0.00165 J	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000233 U
	B-231-30	11/30/17	PES	ESC	30	9.1	S	0.000386 U	0.000327 U	0.00285 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
	B-231-36	11/30/17	PES	ESC	36	3.1	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
B-232	B-232-6	12/1/17	PES	ESC	6	33.1	S	0.000404 U	0.000870 J	0.00299 U	0.000293 U	0.000287 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000305 U	0.000243 U	0.000237 U
	B-232-11	12/1/17	PES	ESC	11	28.1	S	0.000455 U	0.000386 U	0.00337 U	0.000330 U	0.000323 U	0.00250 U	0.000282 U	0.00133 U	0.00133 U	0.000343 U	0.000274 U	0.000267 U
	B-232-16	12/1/17	PES	ESC	16	23.1	S	0.000400 U	0.000340 U	0.00296 U	0.000290 U	0.000285 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000302 U	0.000241 U	0.000235 U
	B-232-21	12/1/17	PES	ESC	21	18.1	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-232-26	12/1/17	PES	ESC	26	13.1	S	0.0128 U	0.0108 U	0.0945 U	0.00926 U	0.00907 U	0.0702 U	0.00792 U	0.0374 U	0.0374 U	0.00964 U	0.00770 U	0.00751 U
	B-232-31	12/1/17	PES	ESC	31	8.1	S	0.000386 U	0.000327 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	nHexachlorobutadiene	nHexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-232 (continued)	B-232-36	12/1/17	PES	ESC	36	3.1	S	0.000405 U	0.000344 U	0.003300 U	0.000294 U	0.000288 U	0.00223 U	0.000251 U	0.00119 U	0.00119 U	0.000306 U	0.000244 U	0.000238 U
B-233	B-233-6	12/1/17	PES	ESC	6	29.5	S	0.000369 U	0.000313 U	0.00273 U	0.000268 U	0.000262 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	B-233-11	12/1/17	PES	ESC	11	24.5	S	0.000954 U	0.000809 U	0.00706 U	0.000692 U	0.000678 U	0.00525 U	0.000591 U	0.00279 U	0.00279 U	0.000719 U	0.000574 U	0.000560 U
	B-233-16	12/1/17	PES	ESC	16	19.5	S	0.000483 U	0.000409 U	0.00356 U	0.000350 U	0.000343 U	0.00265 U	0.000299 U	0.00141 U	0.00141 U	0.000364 U	0.000291 U	0.000283 U
	B-233-21	12/1/17	PES	ESC	21	14.5	S	0.00975 U	0.00827 U	0.0721 U	0.00707 U	0.00694 U	0.0536 U	0.00605 U	0.0285 U	0.0285 U	0.00736 U	0.00588 U	0.00573 U
	B-233-26	12/1/17	PES	ESC	26	9.5	S	0.0204 U	0.0173 U	0.151 U	0.0148 U	0.0146 U	0.112 U	0.0127 U	0.0598 U	0.0598 U	0.0154 U	0.0123 U	0.0120 U
	B-233-31	12/1/17	PES	ESC	31	4.5	S	0.0106 U	0.00901 U	0.0786 U	0.00771 U	0.00756 U	0.0584 U	0.00659 U	0.0311 U	0.0311 U	0.00802 U	0.00640 U	0.00624 U
	B-233-36	12/1/17	PES	ESC	36	-0.5	S	0.00962 U	0.00816 U	0.0711 U	0.00698 U	0.00684 U	0.0529 U	0.00597 U	0.0281 U	0.0281 U	0.00726 U	0.00580 U	0.00565 U
B-234	B-234-11	12/4/17	PES	ESC	11	40.8	V	0.000398 U	0.000337 U	0.00294 U	0.000288 U	0.000283 U	0.00219 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000240 U	0.000234 U
	B-234-30	12/4/17	PES	ESC	30	21.8	S	0.000362 U	0.000307 U	0.00268 U	0.000263 U	0.000257 U	0.00199 U	0.000224 U	0.00106 U	0.00106 U	0.000273 U	0.000218 U	0.000213 U
B-234A	B-234A-35	12/4/17	PES	ESC	35	16.8	S	0.000392 U	0.000333 U	0.00290 U	0.000284 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
	B-234A-40	12/4/17	PES	ESC	40	11.8	S	0.000368 U	0.000312 U	0.00272 U	0.000267 U	0.000262 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	B-234A-42	12/4/17	PES	ESC	42	9.8	S	0.000419 U	0.000355 U	0.00310 U	0.000304 U	0.000298 U	0.00230 U	0.000260 U	0.00123 U	0.00123 U	0.000316 U	0.000252 U	0.000246 U
	B-924-30	12/4/17	PES	ESC	42 (dup)	9.8	S	0.000415 U	0.000352 U	0.00307 U	0.000301 U	0.000295 U	0.00228 U	0.000257 U	0.00121 U	0.00121 U	0.000313 U	0.000250 U	0.000244 U
	B-234A-45	12/4/17	PES	ESC	45	6.8	S	0.000385 U	0.000385 U	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
B-235	B-235-15	12/5/17	PES	ESC	15	36.8	V	0.000410 U	0.000348 U	0.00303 U	0.000298 U	0.000291 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000247 U	0.000241 U
	B-235-35	12/5/17	PES	ESC	35	16.8	S	0.000379 U	0.000321 U	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	B-235-40	12/5/17	PES	ESC	40	11.8	S	0.000375 U	0.000375 J	0.00277 U	0.000272 U	0.000266 U	0.00206 U	0.000232 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000220 U
	B-235-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.0747 U	0.0633 U	0.553 U	0.0542 U	0.0531 U	0.411 U	0.0463 U	0.218 U	0.218 U	0.0563 U	0.0450 U	0.0439 U
	B-235-45	12/5/17	PES	ESC	45	6.8	S	0.000385 U	0.000505 J	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000226 U
B-236	B-236-20	12/5/17	PES	ESC	20	31.8	S	0.000391 U	0.000332 U	0.00289 U	0.000284 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
	B-236-35	12/5/17	PES	ESC	35	16.8	S	0.000619 U	0.000526 U	0.00458 U	0.000449 U	0.000440 U	0.00340 U	0.000385 U	0.00181 U	0.00181 U	0.000467 U	0.000373 U	0.000365 U
	B-236-40	12/5/17	PES	ESC	40	11.8	S	0.000378 U	0.000486 J	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U
	B-236-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.401 U	0.340 U	2.97 U	0.291 U	0.285 U	2.20 U	0.249 U	1.17 U	1.17 U	0.303 U	0.355 J	0.236 U
	B-236-45	12/5/17	PES	ESC	45	6.8	S	0.134 U	0.114 U	0.994 U	0.0974 U	0.0955 U	0.738 U	0.0833 U	0.393 U	0.393 U	0.101 U	0.0809 U	0.0790 U
B-237	B-237-5	12/6/17	PES	ESC	5	46.8	V	0.000398 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000301 U	0.000240 U	0.000234 U
	B-237-35	12/6/17	PES	ESC	35	16.8	S	0.000399 U	0.000339 U	0.00296 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000301 U	0.000241 U	0.000235 U
	B-237-40	12/6/17	PES	ESC	40	11.8	S	0.000367 U	0.000312 U	0.00272 U	0.000266 U	0.000261 U	0.00202 U	0.000228 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
	B-237-42	12/6/17	PES	ESC	42	9.8	S	0.000404 U	0.000343 U	0.00299 U	0.000293 U	0.000287 U	0.00222 U	0.000251 U	0.00118 U	0.00118 U	0.000305 U	0.000243 U	0.000238 U
	B-925-41	12/6/17	PES	ESC	42 (dup)	9.8	S	0.0437 U	0.0370 U	0.323 U	0.0317 U	0.0310 U	0.240 U	0.0271 U	0.128 U	0.128 U	0.0329 U	0.0263 U	0.0257 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	0.000440 U	0.00162 J	0.00326 U	0.000319 U	0.000313 U	0.00242 U	0.000273 U	0.00129 U	0.00129 U	0.000332 U	0.000265 U	0.000259 U
B-238	B-238-6	12/6/17	PES	ESC	6	33.1	S	0.000399 U	0.000697 J	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00117 U	0.00117 U	0.000301 U	0.000240 U	0.000234 U
	B-238-11	12/6/17	PES	ESC	11	28.1	S	0.000398 U	0.000731 J	0.00294 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000502 J	0.000234 U
	B-238-16	12/6/17	PES	ESC	16	23.1	S	0.0978 U	0.0829 U	0.723 U	0.0709 U	0.0696 U	0.538 U	0.0606 U	0.286 U	0.286 U	0.0738 U	0.0589 U	0.0574 U
	B-238-21	12/6/17	PES	ESC	21	18.1	S	0.382 U	0.324 U	2.82 U	0.277 U	0.271 U	2.10 U	0.237 U	1.12 U	1.12 U	0.288 U	0.230 U	0.224 U
	B-238-26	12/6/17	PES	ESC	26	13.1	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000225 U
	B-238-31	12/6/17	PES	ESC	31	8.1	S	0.000363 U	0.000307 U	0.00268 U	0.000263 U	0.000258 U	0.00199 U	0.000225 U	0.00106 U	0.00106 U	0.000274 U	0.000218 U	0.000213 U
	B-238-36	12/6/17	PES	ESC	36	3.1	S	0.000401 U	0.000340 U	0.00296 U	0.000290 U	0.000285 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000302 U	0.000241 U	0.000235 U
B-239	B-239-5	4/3/18	PES	ESC	5	34.2	S	0.000407 U	0.000345 U	0.00301 U	0.000295 U	0.000289 U	0.00224 U	0.000252 U	0.00119 U	0.00119 U	0.000307 U	0.000245 U	0.000239 U
	B-239-10	4/3/18	PES	ESC	10	29.2	S	0.000404 U	0.000342 U	0.00298 U	0.000293 U	0.000287 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	B-239-15	4/3/18	PES	ESC	15	24.2	S	0.000389 U	0.000330 U	0.00288 U	0.000282 U	0.000277 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-239-20	4/3/18	PES	ESC	20	19.2	S	0.000386 U	0.000327 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-239 (continued)	B-239-25	4/3/18	PES	ESC	25	14.2	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000230 U
	B-239-35	4/3/18	PES	ESC	35	4.2	S	0.000370 U	0.000314 U	0.00274 U	0.000268 U	0.000263 U	0.00204 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000218 U
	B-239-40	4/3/18	PES	ESC	40	-0.8	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000241 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	B-239-45	4/3/18	PES	ESC	45	-5.8	S	0.000383 U	0.000524 J	0.000283 U	0.000278 U	0.000272 U	0.00211 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-239-50	4/3/18	PES	ESC	50	-10.8	S	0.000378 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00208 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000228 U	0.000222 U
	B-909-50	4/3/18	PES	ESC	50 (dup)	-10.8	S	0.000380 U	0.000391 J	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	B-239-55	4/3/18	PES	ESC	55	-15.8	S	0.000389 U	0.000330 U	0.00288 U	0.000282 U	0.000276 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000294 U	0.000234 U	0.000229 U
	B-239-60	4/3/18	PES	ESC	60	-20.8	S	0.000382 U	0.000378 J	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000230 U	0.000225 U
	B-239-65	4/3/18	PES	ESC	65	-25.8	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000225 U
	B-239-70	4/3/18	PES	ESC	70	-30.8	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000271 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U
	B-239-75	4/3/18	PES	ESC	75	-35.8	S	0.000394 U	0.000334 U	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000232 U
	B-239-80	4/3/18	PES	ESC	80	-40.8	S	0.000391 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
B-240	B-240-5	4/2/18	PES	ESC	5	34.2	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	B-240-10	4/2/18	PES	ESC	10	29.2	S	0.000377 U	0.000320 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000222 U
	B-240-15	4/2/18	PES	ESC	15	24.2	S	0.000392 U	0.000333 U	0.00290 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
	B-240-20	4/2/18	PES	ESC	20	19.2	S	0.000398 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000240 U	0.000234 U
	B-240-25	4/2/18	PES	ESC	25	14.2	S	0.0191 U	0.0162 U	0.141 U	0.0139 U	0.0136 U	0.105 U	0.0118 U	0.0559 U	0.0144 U	0.0115 U	0.0112 U	0.0112 U
	B-240-30	4/2/18	PES	ESC	30	9.2	S	0.000412 U	0.000349 U	0.00305 U	0.000299 U	0.000293 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000311 U	0.000248 U	0.000242 U
	B-240-35	4/2/18	PES	ESC	35	4.2	S	0.000411 U	0.00211 J	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000247 U	0.000241 U
	B-240-42	4/2/18	PES	ESC	42	-2.8	S	0.000368 U	0.000312 U	0.00272 U	0.000267 U	0.000262 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	B-240-45	4/2/18	PES	ESC	45	-5.8	S	0.000363 U	0.000308 U	0.00268 U	0.000263 U	0.000258 U	0.00199 U	0.000225 U	0.00106 U	0.00106 U	0.000274 U	0.000218 U	0.000213 U
	B-240-50	4/2/18	PES	ESC	50	-10.8	S	0.000385 U	0.000327 U	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000226 U
	B-240-55	4/2/18	PES	ESC	55	-15.8	S	0.000397 U	0.000692 J	0.00293 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-240-60	4/2/18	PES	ESC	60	-20.8	S	0.000398 U	0.00116 J	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000240 U	0.000234 U
	B-240-65	4/2/18	PES	ESC	65	-25.8	S	0.000371 U	0.000314 U	0.00274 U	0.000269 U	0.000263 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	B-240-70	4/2/18	PES	ESC	70	-30.8	S	0.000396 U	0.000860 J	0.00293 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000233 U
	B-240-75	4/2/18	PES	ESC	75	-35.8	S	0.000376 U	0.000318 U	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	B-240-80	4/2/18	PES	ESC	80	-40.8	S	0.000389 U	0.000330 U	0.00288 U	0.000282 U	0.000276 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000229 U
B-241	B-241-5	4/4/18	PES	ESC	5	34.1	S	0.000371 U	0.0739	0.00274 U	0.000269 U	0.0169	0.00204 U	0.000230 U	0.00108 U	0.0651	0.0102	0.0615	0.00470
	B-241-10	4/4/18	PES	ESC	10	29.1	S	0.000388 U	0.000331 J	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000240 U	0.00113 U	0.00187 J	0.000293 U	0.000234 U	0.000228 U
	B-241-15	4/4/18	PES	ESC	15	24.1	S	0.000382 U	0.000324 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-241-20	4/4/18	PES	ESC	20	19.1	S	0.000416 U	0.000353 U	0.00308 U	0.000302 U	0.000296 U	0.00229 U	0.000258 U	0.00122 U	0.00122 U	0.000314 U	0.000251 U	0.000245 U
	B-241-25	4/4/18	PES	ESC	25	14.1	S	0.000387 U	0.000328 U	0.00286 U	0.000280 U	0.000275 U	0.00212 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	B-241-30	4/3/18	PES	ESC	30	9.1	S	0.000384 U	0.000325 U	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-241-35	4/3/18	PES	ESC	35	4.1	S	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000281 U	0.00218 U	0.000245 U	0.00116 U	0.00116 U	0.000299 U	0.000238 U	0.000233 U
	B-241-40	4/3/18	PES	ESC	40	-0.9	S	0.000375 U	0.000318 U	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	B-241-45	4/3/18	PES	ESC	45	-5.9	S	0.000377 U	0.000319 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	B-241-50	4/4/18	PES	ESC	50	-10.9	S	0.000385 U	0.000927 J	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
	B-241-55	4/4/18	PES	ESC	55	-15.9	S	0.000398 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000240 U	0.000234 U
	B-241-60	4/3/18	PES	ESC	60	-20.9	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-241-65	4/3/18	PES	ESC	65	-25.9	S	0.000405 U	0.000482 J	0.00299 U	0.000294 U	0.000288 U	0.00223 U	0.000251 U	0.00118 U	0.00118 U	0.000305 U	0.000244 U	0.000238 U
	B-241-70	4/3/18	PES	ESC	70	-30.9	S	0.000395 U	0.000335 U	0.00292 U	0.000286 U	0.000281 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-241 (continued)	B-241-75	4/3/18	PES	ESC	75	-35.9	S	0.000399 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00117 U	0.00117 U	0.000301 U	0.000240 U	0.000234 U
	B-241-80	4/4/18	PES	ESC	80	-40.9	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
B-242	B-242-5	4/4/18	PES	ESC	5	33.8	S	0.000371 U	0.000315 U	0.00275 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	B-242-10	4/4/18	PES	ESC	10	28.8	S	0.000374 U	0.000317 U	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	B-242-15	4/4/18	PES	ESC	15	23.8	S	0.000399 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00117 U	0.00117 U	0.000301 U	0.000240 U	0.000234 U
	B-242-20	4/4/18	PES	ESC	20	18.8	S	0.000387 U	0.000329 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	B-242-25	4/4/18	PES	ESC	25	13.8	S	0.0377 U	0.0320 U	0.279 U	0.0273 U	0.0268 U	0.207 U	0.0234 U	0.110 U	0.110 U	0.0284 U	0.0227 U	0.0222 U
	B-242-30	4/4/18	PES	ESC	30	8.8	S	0.000383 U	0.000324 U	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000230 U	0.000225 U
	B-242-35	4/4/18	PES	ESC	35	3.8	S	0.000394 U	0.000334 U	0.00291 U	0.000286 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	B-242-40	4/4/18	PES	ESC	40	-1.2	S	0.000374 U	0.000317 U	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	B-242-45	4/4/18	PES	ESC	45	-6.2	S	0.000396 U	0.000335 U	0.00293 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000232 U
	B-242-50	4/4/18	PES	ESC	50	-11.2	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00211 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-910-50	4/4/18	PES	ESC	50 (dup)	-11.2	S	0.000384 U	0.000325 U	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000226 U
	B-242-55	4/4/18	PES	ESC	55	-16.2	S	0.000376 U	0.000319 U	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	B-242-60	4/4/18	PES	ESC	60	-21.2	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	B-242-65	4/4/18	PES	ESC	65	-26.2	S	0.000370 U	0.000314 U	0.00274 U	0.000269 U	0.000263 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000218 U
	B-242-70	4/4/18	PES	ESC	70	-31.2	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000230 U
	B-242-75	4/4/18	PES	ESC	75	-36.2	S	0.000379 U	0.000322 U	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000229 U	0.000223 U
	B-242-80	4/4/18	PES	ESC	80	-41.2	S	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
B-243	B-243-5	3/29/18	PES	ESC	5	34.9	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000233 U
	B-243-10	3/29/18	PES	ESC	10	29.9	S	0.000388 U	0.000483 J	0.00287 U	0.000282 U	0.000276 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.00143	0.000234 U	0.000993 J
	B-243-15	3/29/18	PES	ESC	15	24.9	S	0.00967 U	0.00820 U	0.0715 U	0.00702 U	0.00688 U	0.0532 U	0.00600 U	0.0283 U	0.0283 U	0.00730 U	0.00583 U	0.00568 U
	B-243-20	3/29/18	PES	ESC	20	19.9	S	0.000394 U	0.000334 U	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000244 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	B-243-25	3/29/18	PES	ESC	25	14.9	S	0.000381 U	0.0248 J	0.00282 U	0.000276 U	0.000271 U	0.00210 U	0.000236 U	0.00111 U	0.00111 U	0.000288 U	0.000230 U	0.000224 U
	B-243-30	3/29/18	PES	ESC	30	9.9	S	0.000372 U	0.000316 U	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-243-35	3/29/18	PES	ESC	35	4.9	S	0.000379 U	0.000321 U	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	B-243-42	3/29/18	PES	ESC	42	-2.1	S	0.000374 U	0.000317 U	0.00276 U	0.000271 U	0.000266 U	0.00205 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	B-243-45	3/29/18	PES	ESC	45	-5.1	S	0.000371 U	0.000612 J	0.00274 U	0.000269 U	0.000263 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	B-243-50	3/29/18	PES	ESC	50	-10.1	S	0.000395 U	0.000335 U	0.00292 U	0.000286 U	0.000281 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	IW-908-50	3/29/18	PES	ESC	50 (dup)	-10.1	S	0.000387 U	0.000343 J	0.00286 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	B-243-55	3/29/18	PES	ESC	55	-15.1	S	0.000369 U	0.000313 U	0.00273 U	0.000268 U	0.000262 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000222 U	0.000217 U
	B-243-60	3/29/18	PES	ESC	60	-20.1	S	0.000391 U	0.000353 J	0.00289 U	0.000283 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000235 U	0.000230 U
	B-243-65	3/29/18	PES	ESC	65	-25.1	S	0.000376 U	0.000804 J	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	B-243-70	3/29/18	PES	ESC	70	-30.1	S	0.000397 U	0.000336 U	0.00293 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-243-75	3/29/18	PES	ESC	75	-35.1	S	0.000407 U	0.000346 U	0.00301 U	0.000295 U	0.000290 U	0.00224 U	0.000253 U	0.00119 U	0.00119 U	0.000307 U	0.000245 U	0.000239 U
	B-243-80	3/29/18	PES	ESC	80	-40.1	S	0.000415 U	0.000352 U	0.00307 U	0.000301 U	0.000295 U	0.00228 U	0.000258 U	0.00121 U	0.00121 U	0.000313 U	0.000250 U	0.000244 U
B-244	B-244-5	3/28/18	PES	ESC	5	33.8	S	0.000432 U	0.000366 U	0.00319 U	0.000313 U	0.000307 U	0.00267 J	0.000268 U	0.00126 U	0.00126 U	0.000326 U	0.000260 U	0.000254 U
	B-244-10	3/28/18	PES	ESC	10	28.8	S	0.000407 U	0.000346 U	0.00301 U	0.000295 U	0.000290 U	0.00224 U	0.000253 U	0.00119 U	0.00119 U	0.000307 U	0.000245 U	0.000239 U
	B-244-15	3/28/18	PES	ESC	15	23.8	S	0.000390 U	0.000331 U	0.00289 U	0.000283 U	0.000277 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-244-20	3/28/18	PES	ESC	20	18.8	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000241 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	B-244-25	3/28/18	PES	ESC	25	13.8	S	0.000362 U	0.000307 U	0.00268 U	0.000263 U	0.000257 U	0.00199 U	0.000224 U	0.00106 U	0.00106 U	0.000273 U	0.000218 U	0.000213 U
	B-244-30	3/28/18	PES	ESC	30	8.8	S	0.000374 U	0.000317 U	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-244 (continued)	B-244-35	3/28/18	PES	ESC	35	3.8	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
	B-244-40	3/28/18	PES	ESC	40	-1.2	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	B-244-42	3/28/18	PES	ESC	42	-3.2	S	0.00962 U	0.00816 U	0.0711 U	0.00698 U	0.00684 U	0.0529 U	0.00596 U	0.0281 U	0.0281 U	0.00726 U	0.00579 U	0.00565 U
	B-244-45	3/28/18	PES	ESC	45	-6.2	S	0.000385 U	0.000326 U	0.00285 U	0.000279 U	0.000273 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000290 U	0.000232 U	0.000226 U
	B-244-50	3/28/18	PES	ESC	50	-11.2	S	0.000378 U	0.000321 U	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000234 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U
	B-244-55	3/28/18	PES	ESC	55	-16.2	S	0.000377 U	0.000319 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	B-244-60	3/28/18	PES	ESC	60	-21.2	S	0.000382 U	0.000324 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-244-65	3/28/18	PES	ESC	65	-26.2	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	B-244-70	3/28/18	PES	ESC	70	-31.2	S	0.000371 U	0.000315 U	0.00275 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	IW-907-70	3/28/18	PES	ESC	70 (dup)	-31.2	S	0.000372 U	0.00100	0.00275 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
B-245	B-244-75	3/28/18	PES	ESC	75	-36.2	S	0.000392 U	0.000507	0.00290 U	0.000284 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
	B-244-80	3/28/18	PES	ESC	80	-41.2	S	0.000398 U	0.000649	0.00294 U	0.000288 U	0.000282 U	0.00219 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000234 U
	B-245-5	3/28/18	PES	ESC	5	34.9	V	0.000372 U	0.000383	0.00275 U	0.000270 U	0.000264 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-245-10	3/28/18	PES	ESC	10	29.9	S	0.000392 U	0.000333 U	0.00290 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
	B-245-15	3/28/18	PES	ESC	15	24.9	S	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-245-20	3/28/18	PES	ESC	20	19.9	S	0.000369 U	0.000509	0.00273 U	0.000268 U	0.000262 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000222 U	0.000217 U
	B-245-25	3/28/18	PES	ESC	25	14.9	S	0.000387 U	0.000403	0.00286 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	B-245-30	3/29/18	PES	ESC	30	9.9	S	0.000735 U	0.00113	0.00544 U	0.000533 U	0.000523 U	0.00404 U	0.000456 U	0.00215 U	0.00215 U	0.000555 U	0.000443 U	0.000433 U
	B-245-35	3/29/18	PES	ESC	35	4.9	S	0.000385 U	0.000326 U	0.00285 U	0.000279 U	0.000273 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000290 U	0.000232 U	0.000226 U
	B-245-40	3/29/18	PES	ESC	40	-0.1	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U
B-246	B-245-45	3/29/18	PES	ESC	45	-5.1	S	0.000380 U	0.000322 U	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	B-245-50	3/29/18	PES	ESC	50	-10.1	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	B-245-55	3/29/18	PES	ESC	55	-15.1	S	0.000385 U	0.000327 U	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
	B-245-60	3/29/18	PES	ESC	60	-20.1	S	0.000366 U	0.000311 U	0.00271 U	0.000266 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000221 U	0.000215 U
	B-245-65	3/29/18	PES	ESC	65	-25.1	S	0.000391 U	0.000332 U	0.00289 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
	B-245-70	3/29/18	PES	ESC	70	-30.1	S	0.000402 U	0.000341 U	0.00298 U	0.000292 U	0.000286 U	0.00221 U	0.000249 U	0.00118 U	0.00118 U	0.000303 U	0.000242 U	0.000236 U
	B-245-75	3/29/18	PES	ESC	75	-35.1	S	0.000385 U	0.000327 U	0.00285 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
	B-245-80	3/29/18	PES	ESC	80	-40.1	S	0.000396 U	0.000873 J	0.00293 U	0.000287 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-246-6	5/11/18	PES	ESC	6	33.9	S	0.0151 U	0.00126 U	0.00718 U	0.000415 U	0.00102 U	0.0119 U	0.000453 J	0.00788 U	0.00370 U	0.00456 U	0.00140 U	0.00300 U
	B-246-11	5/11/18	PES	ESC	11	28.9	S	0.0150 U	0.00125 U	0.00714 U	0.000413 U	0.00102 U	0.0118 U	0.000484 J	0.00784 U	0.00368 U	0.00453 U	0.00139 U	0.00299 U
B-246	B-246-15	5/11/18	PES	ESC	15	24.9	S	0.0144 U	0.00367 J	0.00684 U	0.000396 U	0.000975 U	0.0113 U	0.000419 J	0.00750 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	B-246-25	5/11/18	PES	ESC	25	14.9	S	0.0142 U	0.00160 J	0.00676 U	0.000391 U	0.000965 U	0.0112 U	0.000422 J	0.00742 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
	B-246-30	5/11/18	PES	ESC	30	9.9	S	0.0149 U	0.00348 J	0.00712 U	0.000412 U	0.00102 U	0.0118 U	0.000538 J	0.00781 U	0.00367 U	0.00452 U	0.00139 U	0.00298 U
	B-246-35	5/11/18	PES	ESC	35	4.9	S	0.0146 U	0.00122 U	0.00697 U	0.000403 U	0.000995 U	0.0115 U	0.000340 U	0.00765 U	0.00360 U	0.00443 U	0.00136 U	0.00292 U
	B-246-40	5/11/18	PES	ESC	40	-0.1	S	0.0144 U	0.00171 J	0.00685 U	0.000396 U	0.000977 U	0.0113 U	0.000376 J	0.00752 U	0.00353 U	0.00435 U	0.00134 U	0.00287 U
	B-246-43	5/11/18	PES	ESC	43	-3.1	S	0.0139 U	0.00209 J	0.00662 U	0.000383 U	0.000944 U	0.0109 U	0.000437 J	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	B-246-45	5/11/18	PES	ESC	45	-5.1	S	0.0153 U	0.00858 J	0.00729 U	0.000422 U	0.00104 U	0.0121 U	0.000356 U	0.00801 U	0.00376 U	0.00464 U	0.00143 U	0.00304 U
	B-246-50	5/11/18	PES	ESC	50	-10.1	S	0.0143 U	0.00197 J	0.00681 U	0.000394 U	0.000971 U	0.0113 U	0.000332 U	0.00747 U	0.00351 U	0.00432 U	0.00133 U	0.00285 U
	B-246-55	5/11/18	PES	ESC	55	-15.1	S	0.0145 U	0.00229 J	0.00693 U	0.000401 U	0.000988 U	0.0115 U	0.000338 U	0.00760 U	0.00357 U	0.00440 U	0.00135 U	0.00290 U
	B-246-60	5/11/18	PES	ESC	60	-20.1	S	0.0144 U	0.00222 J	0.00687 U	0.000397 U	0.000979 U	0.0113 U	0.000377 J	0.00754 U	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	B-246-65	5/11/18	PES	ESC	65	-25.1	S	0.0157 U	0.00253 J	0.00748 U	0.000433 U	0.00107 U	0.0124 U	0.000365 U	0.00821 U	0.00386 U	0.00475 U	0.00146 U	0.00313 U
	B-246-70	5/11/18	PES	ESC	70	-30.1	S	0.0141 U	0.00291 J	0.00672 U	0.000389 U	0.000959 U	0.0111 U	0.000596 J	0.00738 U	0.00347 U	0.00427 U	0.00131 U	0.00281 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-246 (continued)	B-246-75	5/11/18	PES	ESC	75	-35.1	S	0.0147 U	0.00301 J	0.00701 U	0.000406 U	0.00100 U	0.0116 U	0.000689 J	0.00769 U	0.00361 U	0.00445 U	0.00137 U	0.00293 U
	B-246-80	5/11/18	PES	ESC	80	-40.1	S	0.0143 U	0.00120 U	0.00683 U	0.000395 U	0.000975 U	0.0113 U	0.000343 J	0.00750 U	0.00352 U	0.00434 U	0.00133 U	0.00286 U
	B-926-100	5/11/18	PES	ESC	45 (dup)	-5.1	S	0.0190 U	0.00536 J	0.00906 U	0.000525 U	0.00129 U	0.0150 U	0.000771 J	0.00995 U	0.00467 U	0.00575 U	0.00177 U	0.00379 U
B-247	B-247-5	4/20/18	PES	ESC	5	34.7	S	0.000388 U	0.000329 U	0.00287 U	0.000282 U	0.000276 U	0.00213 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000228 U
	B-247-10	4/20/18	PES	ESC	10	29.7	S	0.000394 U	0.000334 U	0.00291 U	0.000286 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	B-247-15	4/20/18	PES	ESC	15	24.7	S	0.000379 U	0.00147 J	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	B-247-20	4/20/18	PES	ESC	20	19.7	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-247-25	4/20/18	PES	ESC	25	14.7	S	0.000372 U	0.000377 J	0.00275 U	0.000270 U	0.000264 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-247-30	4/20/18	PES	ESC	30	9.7	S	0.000377 U	0.000319 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	B-247-35	4/20/18	PES	ESC	35	4.7	S	0.000377 U	0.000320 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000222 U
	B-247-40	4/20/18	PES	ESC	40	-0.3	S	0.000384 U	0.00225 J	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000231 U	0.000226 U
	B-247-45	4/20/18	PES	ESC	45	-5.3	S	0.000370 U	0.00272 J	0.00273 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	B-247-50	4/20/18	PES	ESC	50	-10.3	S	0.000377 U	0.000319 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	B-247-55	4/20/18	PES	ESC	55	-15.3	S	0.000386 U	0.000393 J	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U
	B-247-60	4/20/18	PES	ESC	60	-20.3	S	0.000368 U	0.000312 U	0.00273 U	0.000267 U	0.000262 U	0.00203 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	B-247-65	4/20/18	PES	ESC	65	-25.3	S	0.000382 U	0.000492 J	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-247-70	4/20/18	PES	ESC	70	-30.3	S	0.000383 U	0.000325 U	0.00284 U	0.000278 U	0.000272 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-247-75	4/20/18	PES	ESC	75	-35.3	S	0.000391 U	0.000332 U	0.00289 U	0.000284 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
	B-247-80	4/20/18	PES	ESC	80	-40.3	S	0.000382 U	0.000943 J	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000225 U
	B-909-20	4/20/18	PES	ESC	80 (dup)	-40.3	S	0.000370 U	0.00202 J	0.00274 U	0.000268 U	0.000263 U	0.00204 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000218 U
B-248	B-248-5	4/23/18	PES	ESC	5	46.9	V	0.000390 U	0.000354 J	0.00289 U	0.000283 U	0.000277 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	B-248-10	4/23/18	PES	ESC	10	41.9	V	0.000381 U	0.000323 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000236 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	B-248-15	4/23/18	PES	ESC	15	36.9	V	0.0140 U	0.00117 U	0.00665 U	0.000385 U	0.000949 U	0.0110 U	0.000324 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B-248-20	4/23/18	PES	ESC	20	31.9	S	0.000370 U	0.00132 J	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	B-248-25	4/23/18	PES	ESC	25	26.9	S	0.0149 U	0.00124 U	0.00710 U	0.000411 U	0.00101 U	0.0117 U	0.000346 U	0.00779 U	0.00366 U	0.00451 U	0.00138 U	0.00297 U
	B-248-30	4/23/18	PES	ESC	30	21.9	S	0.000370 U	0.000314 U	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	B-248-35	4/23/18	PES	ESC	35	16.9	S	0.0138 U	0.00135 J	0.00655 U	0.000379 U	0.000935 U	0.0108 U	0.000698 J	0.00719 U	0.00338 U	0.00416 U	0.00128 U	0.00274 U
	B-248-40	4/23/18	PES	ESC	40	11.9	S	0.0142 U	0.00118 U	0.00675 U	0.000390 U	0.000962 U	0.0111 U	0.000329 U	0.00740 U	0.00348 U	0.00428 U	0.00132 U	0.00282 U
	B-248-45	4/23/18	PES	ESC	45	6.9	S	0.0145 U	0.00121 U	0.00691 U	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00758 U	0.00356 U	0.00439 U	0.00135 U	0.00289 U
	B-248-50	4/23/18	PES	ESC	50	1.9	S	0.0139 U	0.00407 J	0.00661 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	B-248-55	4/23/18	PES	ESC	55	-3.2	S	0.000405 U	0.000343 U	0.00299 U	0.000294 U	0.000288 U	0.00223 U	0.000251 U	0.00118 U	0.00118 U	0.000305 U	0.000244 U	0.000238 U
	B-248-60	4/23/18	PES	ESC	60	-8.2	S	0.0136 U	0.00114 U	0.00648 U	0.000375 U	0.000925 U	0.0107 U	0.000403 J	0.00712 U	0.00334 U	0.00412 U	0.00126 U	0.00271 U
	B-248-65	4/23/18	PES	ESC	65	-13.2	S	0.0156 U	0.00130 U	0.00744 U	0.000431 U	0.00106 U	0.0123 U	0.000363 U	0.00817 U	0.00384 U	0.00472 U	0.00145 U	0.00311 U
	B-248-70	4/23/18	PES	ESC	70	-18.2	S	0.0146 U	0.00122 U	0.00695 U	0.000402 U	0.000992 U	0.0115 U	0.000339 U	0.00763 U	0.00359 U	0.00441 U	0.00136 U	0.00291 U
	B-248-75	4/23/18	PES	ESC	75	-23.2	S	0.0143 U	0.00119 U	0.00680 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00746 U	0.00350 U	0.00431 U	0.00133 U	0.00284 U
	B-248-80	4/23/18	PES	ESC	80	-28.2	S	0.000411 U	0.000348 U	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000248 U	0.000242 U
	B-910-20	4/23/18	PES	ESC	80 (dup)	-28.2	S	0.000422 U	0.000358 U	0.00312 U	0.000306 U	0.000300 U	0.00232 U	0.000262 U	0.00123 U	0.00123 U	0.000318 U	0.000254 U	0.000248 U
	B-248-85	4/23/18	PES	ESC	85	-33.2	S	0.000415 U	0.00365 J	0.00307 U	0.000301 U	0.000295 U	0.00228 U	0.000257 U	0.00121 U	0.00121 U	0.000313 U	0.000250 U	0.000244 U
	B-248-90	4/23/18	PES	ESC	90	-38.2	S	0.000409 U	0.000347 U	0.00303 U	0.000297 U	0.000291 U	0.00225 U	0.000254 U	0.00120 U	0.00120 U	0.000309 U	0.000246 U	0.000240 U
	B-248-95	4/23/18	PES	ESC	95	-43.2	S	0.000426 U	0.000362 U	0.00315 U	0.000309 U	0.000303 U	0.00234 U	0.000264 U	0.00125 U	0.00125 U	0.000322 U	0.000257 U	0.000251 U
	B-248-100	4/23/18	PES	ESC	100	-48.2	S	0.000415 U	0.00263 J	0.00307 U	0.000301 U	0.000295 U	0.00228 U	0.000257 U	0.00121 U	0.00121 U	0.000313 U	0.000250 U	0.000244 U
	B-248-105	4/23/18	PES	ESC	105	-53.2	S	0.000370 U	0.000399 J	0.00273 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-248 (continued)	B-248-110 B-248-115	4/23/18 4/23/18	PES PES	ESC ESC	110 115	-58.2 -63.2	S S	0.0146 U 0.000400 U	0.00122 U 0.000339 U	0.00694 U 0.00296 U	0.000402 U 0.000290 U	0.000990 U 0.000284 U	0.0115 U 0.00220 U	0.000339 U 0.000248 U	0.00762 U 0.00117 U	0.00358 U 0.00117 U	0.00441 U 0.000302 U	0.00135 U 0.000241 U	0.00290 U 0.000235 U
B-249	B-249-5	10/15/18	PES	PACE	5	34.2	S	0.0133 U	0.00139 J	0.00632 U	0.000366 U	0.000902 U	0.0105 U	0.000308 U	0.00694 U	0.00326 U	0.00401 U	0.00123 U	0.00264 U
	B-249-8	10/15/18	PES	PACE	8	31.2	S	0.0143 U	0.00120 U	0.00683 U	0.000395 U	0.000974 U	0.0113 U	0.000333 U	0.00749 U	0.00352 U	0.00433 U	0.00133 U	0.00285 U
	B-249-15	10/15/18	PES	PACE	15	24.2	S	0.0147 U	0.00123 J	0.00701 U	0.000405 U	0.000999 U	0.0116 U	0.000342 U	0.00769 U	0.191	0.0247	0.00402 J	0.00293 U
	B-249-17	10/15/18	PES	PACE	17	22.2	S	0.0144 U	0.00120 U	0.00685 U	0.000396 U	0.000977 U	0.0113 U	0.000334 U	0.00752 U	0.00353 U	0.00435 U	0.00134 U	0.00286 U
	B-249-20	10/15/18	PES	PACE	20	19.2	S	0.0150 U	0.00125 U	0.00715 U	0.000414 U	0.00102 U	0.0118 U	0.000349 U	0.00785 U	0.00369 U	0.00454 U	0.00139 U	0.00299 U
B-250	B-250-2.5	10/15/18	PES	PACE	2.5	36.9	V	0.0140 U	0.00136 J	0.00668 U	0.000386 U	0.000953 U	0.0110 U	0.000326 U	0.00733 U	0.00345 U	0.00424 U	0.00130 U	0.00279 U
	B-250-8	10/15/18	PES	PACE	8	31.4	S	0.0141 U	0.00118 U	0.00674 U	0.000390 U	0.000961 U	0.0111 U	0.000328 U	0.00739 U	0.00347 U	0.00428 U	0.00131 U	0.00282 U
	B-250-10	10/15/18	PES	PACE	10	29.4	S	0.0141 U	0.00119 J	0.00673 U	0.000389 U	0.000960 U	0.0111 U	0.000328 U	0.00739 U	0.00347 U	0.00427 U	0.00131 U	0.00281 U
	B-250-13	10/15/18	PES	PACE	13	26.4	S	0.0143 U	0.00119 U	0.00680 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00746 U	0.00350 U	0.00431 U	0.00133 U	0.00284 U
	B-250-20	10/15/18	PES	PACE	20	19.4	S	0.0147 U	0.00134 J	0.00701 U	0.000405 U	0.00100 U	0.0116 U	0.000342 U	0.00769 U	0.00361 U	0.00445 U	0.00137 U	0.00293 U
	B-250-24	10/15/18	PES	PACE	24	15.4	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	B-250-30	10/16/18	PES	PACE	30	9.4	S	0.0138 U	0.00621 J	0.00660 U	0.000382 U	0.000941 U	0.0109 U	0.000322 U	0.00724 U	0.00340 U	0.00419 U	0.00129 U	0.00276 U
B-251	B-251-5	10/15/18	PES	PACE	5	34.3	S	0.0133 U	0.00111 U	0.00636 U	0.000368 U	0.000907 U	0.0105 U	0.000310 U	0.00698 U	0.00328 U	0.00403 U	0.00124 U	0.00266 U
	B-251-8	10/15/18	PES	PACE	8	31.3	S	0.0141 U	0.00118 U	0.00671 U	0.000388 U	0.000957 U	0.0111 U	0.000327 U	0.00737 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
	B-251-10	10/15/18	PES	PACE	10	29.3	S	0.0141 U	0.00118 U	0.00673 U	0.000389 U	0.000960 U	0.0111 U	0.000328 U	0.00739 U	0.00347 U	0.00427 U	0.00131 U	0.00281 U
	B-251-15	10/15/18	PES	PACE	15	24.3	S	0.0144 U	0.00120 U	0.00684 U	0.000396 U	0.000976 U	0.0113 U	0.000334 U	0.00751 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	B-251-20	10/15/18	PES	PACE	20	19.3	S	0.0149 U	0.00124 U	0.00708 U	0.000410 U	0.00101 U	0.0117 U	0.000345 U	0.00778 U	0.00365 U	0.00450 U	0.00138 U	0.00296 U
	B-251-25	10/15/18	PES	PACE	25	14.3	S	0.0146 U	0.00180 J	0.00695 U	0.000402 U	0.000991 U	0.0115 U	0.000339 U	0.00763 U	0.00358 U	0.00441 U	0.00136 U	0.00291 U
B-252	B-252-2.5	10/15/18	PES	PACE	2.5	36.7	V	0.0133 U	0.00228 J	0.00632 U	0.000366 U	0.000902 U	0.0104 U	0.000308 U	0.00853	0.00326 U	0.00401 U	0.00123 U	0.00264 U
	B-252-8	10/15/18	PES	PACE	8	31.2	S	0.0136 U	0.00113 U	0.00647 U	0.000374 U	0.000923 U	0.0107 U	0.000316 U	0.00710 U	0.00334 U	0.00411 U	0.00126 U	0.00271 U
	B-252-10	10/15/18	PES	PACE	10	29.2	S	0.0141 U	0.00177 J	0.00671 U	0.000388 U	0.000957 U	0.0111 U	0.000327 U	0.00736 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
	B-252-15	10/15/18	PES	PACE	15	24.2	S	0.0150 U	0.00125 U	0.00713 U	0.000412 U	0.00102 U	0.0118 U	0.000348 U	0.00782 U	0.00368 U	0.00452 U	0.00139 U	0.00298 U
	B-252-19	10/15/18	PES	PACE	19	20.2	S	0.0153 U	0.00128 U	0.00730 U	0.000422 U	0.00104 U	0.0121 U	0.000356 U	0.00801 U	0.00377 U	0.00463 U	0.00142 U	0.00305 U
	B-252-25	10/15/18	PES	PACE	25	14.2	S	0.0139 U	0.00116 U	0.00665 U	0.000384 U	0.000948 U	0.0110 U	0.000324 U	0.00729 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B-252-29	10/15/18	PES	PACE	29	10.2	S	0.0145 U	0.00121 U	0.00692 U	0.000400 U	0.000988 U	0.0114 U	0.000338 U	0.00760 U	0.00357 U	0.00439 U	0.00135 U	0.00290 U
B-253A	B-253A-5	10/18/18	PES	PACE	5	35.6	V	0.0145 U	0.00121 U	0.00689 U	0.000399 U	0.000983 U	0.0114 U	0.000336 U	0.00756 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	B-253A-8	10/18/18	PES	PACE	8	32.6	S	0.0143 U	0.00478 U	0.00681 U	0.000394 U	0.000972 U	0.0113 U	0.000332 U	0.00748 U	0.00351 U	0.00432 U	0.00133 U	0.00285 U
	B-253A-10	10/18/18	PES	PACE	10	30.6	S	0.0139 U	0.0116 U	0.00663 U	0.000383 U	0.000945 U	0.0110 U	0.000323 U	0.00727 U	0.00342 U	0.00421 U	0.00129 U	0.00277 U
	B-253A-15	10/18/18	PES	PACE	15	25.6	S	0.0143 U	0.0952 U	0.00679 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00746 U	0.00350 U	0.00431 U	0.00132 U	0.00284 U
	B-253A-20	10/18/18	PES	PACE	20	20.6	S	0.0140 U	0.00467 U	0.00666 U	0.000386 U	0.000951 U	0.0110 U	0.000325 U	0.00731 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U
B-254	B-254-5	10/16/18	PES	PACE	5	34.7	S	0.0152 U	0.00127 U	0.00724 U	0.000419 U	0.00103 U	0.0120 U	0.000353 U	0.00795 U	0.00374 U	0.00460 U	0.00141 U	0.00303 U
	B-254-10	10/16/18	PES	PACE	10	29.7	S	0.0144 U	0.00120 U	0.00687 U	0.000397 U	0.000980 U	0.0114 U	0.000335 U	0.00754 U	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	B-254-13.5	10/16/18	PES	PACE	13.5	26.2	S	0.0149 U	0.00289 J	0.00709 U	0.000410 U	0.00101 U	0.0117 U	0.000346 U	0.00779 U	0.00366 U	0.00450 U	0.00138 U	0.00297 U
	B-254-20	10/16/18	PES	PACE	20	19.7	S	0.0137 U	0.00515 J	0.00651 U	0.000377 U	0.000929 U	0.0108 U	0.000317 U	0.00714 U	0.00336 U	0.00413 U	0.00127 U	0.00272 U
	B-254-25	10/16/18	PES	PACE	25	14.7	S	0.0142 U	0.00486 J	0.00676 U	0.000391 U	0.000964 U	0.0112 U	0.000330 U	0.00742 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
B-254A	B-254A-27	10/19/18	PES	PACE	27	12.7	S	0.0138 U	0.00116 U	0.00661 U	0.000383 U	0.000943 U	0.0109 U	0.000322 U	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	B-254A-30	10/19/18	PES	PACE	30	9.7	S	0.0137 U	0.00540	0.00651 U	0.000377 U	0.000929 U	0.0108 U	0.000317 U	0.00715 U	0.00336 U	0.00413 U	0.00127 U	0.00272 U
	B-254A-35	10/19/18	PES	PACE	35	4.7	S	0.0134 U	0.00112 U	0.00637 U	0.000369 U	0.000909 U	0.0105 U	0.000311 U	0.00699 U	0.00329 U	0.00405 U	0.00124 U	0.00267 U
B-255	B-255-3.5	10/16/18	PES	PACE	3.5	36.3	S	0.0145 U	0.00578 J	0.00691 U	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00758 U	0.00356 U	0.00439 U	0.00135 U	0.00289 U
	B-255-8	10/16/18	PES	PACE	8	31.8	S	0.0147 U	0.00565 J	0.00701 U	0.000406 U	0.00100 U	0.0116 U	0.000342 U	0.00769 U	0.00362 U	0.00445 U	0.00137 U	0.00293 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-255 (continued)	B-255-15	10/16/18	PES	PACE	15	24.8	S	0.0138 U	0.00689 J	0.00659 U	0.000381 U	0.000940 U	0.0109 U	0.000321 U	0.00723 U	0.00340 U	0.00418 U	0.00129 U	0.00276 U
B-255A	B-255A-21	10/16/18	PES	PACE	21	18.8	S	0.0134 U	0.00438 J	0.00640 U	0.000370 U	0.000914 U	0.0106 U	0.000312 U	0.00703 U	0.00330 U	0.00406 U	0.00125 U	0.00268 U
B-256	B-256-2.5	10/16/18	PES	PACE	2.5	37.1	S	0.0149 U	0.00124 U	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00365 U	0.00449 U	0.00138 U	0.00296 U
	B-256-5	10/16/18	PES	PACE	5	34.6	S	0.0140 U	0.00347 J	0.00668 U	0.000387 U	0.000953 U	0.0110 U	0.000326 U	0.00734 U	0.00345 U	0.00424 U	0.00130 U	0.00279 U
	B-256-10	10/16/18	PES	PACE	10	29.6	S	0.0136 U	0.00527 J	0.00646 U	0.000374 U	0.000922 U	0.0107 U	0.000315 U	0.00710 U	0.00333 U	0.00410 U	0.00126 U	0.00270 U
	B-256-15	10/16/18	PES	PACE	15	24.6	S	0.0141 U	0.00313 J	0.00670 U	0.000387 U	0.000955 U	0.0111 U	0.000326 U	0.00735 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
B-257	B-256-18	10/16/18	PES	PACE	18	21.6	S	0.0141 U	0.00386 J	0.00669 U	0.000387 U	0.000955 U	0.0111 U	0.000326 U	0.00735 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
	B-257-5	10/17/18	PES	PACE	5	34.4	S	0.0154 U	0.00420 J	0.00732 U	0.000424 U	0.00104 U	0.0121 U	0.000357 U	0.00804 U	0.00378 U	0.00465 U	0.00143 U	0.00306 U
	B-257-10	10/17/18	PES	PACE	10	29.4	S	0.0142 U	0.00506 J	0.00676 U	0.000391 U	0.000964 U	0.0112 U	0.000329 U	0.00741 U	0.00348 U	0.00429 U	0.00132 U	0.00283 U
	B-257-15	10/17/18	PES	PACE	15	24.4	S	0.0148 U	0.00558 J	0.00703 U	0.000407 U	0.00100 U	0.0116 U	0.000343 U	0.00771 U	0.00362 U	0.00446 U	0.00137 U	0.00294 U
B-258	B-257-20	10/17/18	PES	PACE	20	19.4	S	0.0143 U	0.00569 J	0.00680 U	0.000393 U	0.000970 U	0.0112 U	0.000332 U	0.00746 U	0.00351 U	0.00432 U	0.00133 U	0.00284 U
	B-258-3	10/17/18	PES	PACE	3	36.2	V	0.0139 U	0.00671 J	0.00663 U	0.000384 U	0.000946 U	0.0110 U	0.000323 U	0.00728 U	0.00342 U	0.00421 U	0.00129 U	0.00277 U
	B-258-8	10/17/18	PES	PACE	8	31.2	S	0.0144 U	0.00121 U	0.00688 U	0.000398 U	0.000981 U	0.0114 U	0.000335 U	0.00755 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	B-258-10	10/17/18	PES	PACE	10	29.2	S	0.0152 U	0.00127 U	0.00724 U	0.000419 U	0.00103 U	0.0120 U	0.000353 U	0.00795 U	0.00373 U	0.00460 U	0.00141 U	0.00303 U
B-259	B-258-15	10/17/18	PES	PACE	15	24.2	S	0.0150 U	0.00125 U	0.00714 U	0.000826 U	0.00102 U	0.0118 U	0.00696 U	0.00784 U	0.00368 U	0.00453 U	0.00139 U	0.00299 U
	B-258-20	10/17/18	PES	PACE	20	19.2	S	0.0142 U	0.00118 U	0.00675 U	0.000391 U	0.000963 U	0.0112 U	0.000329 U	0.00741 U	0.00348 U	0.00429 U	0.00132 U	0.00282 U
	B-259-2.5	10/17/18	PES	PACE	2.5	36.7	V	0.0143 U	0.00602 J	0.00681 U	0.000394 U	0.000971 U	0.0113 U	0.000332 U	0.00747 U	0.00351 U	0.00432 U	0.00133 U	0.00285 U
	B-259-5	10/17/18	PES	PACE	5	34.2	S	0.0139 U	0.00116 U	0.00663 U	0.000384 U	0.000946 U	0.0110 U	0.000323 U	0.00728 U	0.00342 U	0.00421 U	0.00129 U	0.00277 U
B-260	B-259-10	10/17/18	PES	PACE	10	29.2	S	0.0146 U	0.00121 U	0.00693 U	0.000401 U	0.000989 U	0.0115 U	0.000338 U	0.00761 U	0.00358 U	0.00440 U	0.00135 U	0.00290 U
	B-259-15	10/17/18	PES	PACE	15	24.2	S	0.0149 U	0.00124 U	0.00710 U	0.000411 U	0.00101 U	0.0117 U	0.000346 U	0.00780 U	0.00366 U	0.00451 U	0.00139 U	0.00297 U
	B-259-20	10/17/18	PES	PACE	20	19.2	S	0.0142 U	0.00118 U	0.00676 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00742 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
	B-260-5	10/17/18	PES	PACE	5	34.2	S	0.0141 U	0.00118 U	0.00671 U	0.000388 U	0.000957 U	0.0111 U	0.000327 U	0.00736 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
B-261	B-260-8	10/17/18	PES	PACE	8	31.2	S	0.0143 U	0.00119 U	0.00679 U	0.000393 U	0.000968 U	0.0112 U	0.000331 U	0.00745 U	0.00350 U	0.00431 U	0.00132 U	0.00284 U
	B-260-10	10/17/18	PES	PACE	10	29.2	S	0.0146 U	0.00122 U	0.00694 U	0.000402 U	0.000990 U	0.0115 U	0.000339 U	0.00762 U	0.00358 U	0.00441 U	0.00135 U	0.00290 U
	B-260-15	10/17/18	PES	PACE	15	24.2	S	0.0147 U	0.00587 J	0.00703 U	0.000406 U	0.00100 U	0.0116 U	0.00343 U	0.00771 U	0.00362 U	0.00446 U	0.00137 U	0.00294 U
	B-260-20	10/17/18	PES	PACE	20	19.2	S	0.0140 U	0.00117 U	0.00669 U	0.00387 U	0.000954 U	0.0111 U	0.00326 U	0.00734 U	0.00345 U	0.00424 U	0.00130 U	0.00280 U
B-262	B-261-3	10/17/18	PES	PACE	3	36.9	S	0.0145 U	0.00385 J	0.00691 U	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00759 U	0.00357 U	0.00439 U	0.00135 U	0.00289 U
	B-261-5	10/17/18	PES	PACE	5	34.9	S	0.0144 U	0.00120 U	0.00685 U	0.0317 U	0.000977 U	0.0113 U	0.0267 U	0.00752 U	0.00353 U	0.00435 U	0.00134 U	0.00286 U
	B-261-8	10/17/18	PES	PACE	8	31.9	S	0.0152 U	0.00127 U	0.00725 U	0.00419 U	0.00103 U	0.0120 U	0.00354 U	0.00796 U	0.00374 U	0.00460 U	0.00141 U	0.00303 U
	B-261-10	10/17/18	PES	PACE	10	29.9	S	0.0146 U	0.00122 U	0.00697 U	0.0161 U	0.000994 U	0.0115 U	0.0136 U	0.00765 U	0.00359 U	0.00442 U	0.00136 U	0.00292 U
B-263	B-261-15	10/17/18	PES	PACE	15	24.9	S	0.0140 U	0.00116 U	0.00665 U	0.00769 U	0.000948 U	0.0110 U	0.00648 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B-261-20	10/17/18	PES	PACE	20	19.9	S	0.0143 U	0.00119 U	0.00680 U	0.0787 U	0.000970 U	0.0112 U	0.0663 U	0.00746 U	0.00351 U	0.00432 U	0.00321 J	0.00284 U
	B-262-5	10/17/18	PES	PACE	5	34.9	S	0.0150 U	0.00125 U	0.00713 U	0.000412 U	0.00102 U	0.0118 U	0.000348 U	0.00782 U	0.00764 J	0.00452 U	0.00139 U	0.00298 U
	B-262-8	10/17/18	PES	PACE	8	31.9	S	0.0140 U	0.00117 U	0.00665 U	0.000385 U	0.000949 U	0.0110 U	0.000324 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
B-263	B-262-10	10/17/18	PES	PACE	10	29.9	S	0.0141 U	0.00118 U	0.00674 U	0.000390 U	0.000961 U	0.0111 U	0.000329 U	0.00739 U	0.00347 U	0.00428 U	0.00131 U	0.00282 U
	B-262-15	10/17/18	PES	PACE	15	24.9	S	0.0139 U	0.00116 U	0.00664 U	0.000384 U	0.000947 U	0.0110 U	0.000324 U	0.00729 U	0.00342 U	0.00421 U	0.00130 U	0.00278 U
	B-262-20	10/17/18	PES	PACE	20	19.9	S	0.0150 U	0.00125 U	0.00712 U	0.000412 U	0.00102 U	0.0118 U	0.000347 U	0.00782 U	0.00367 U	0.00452 U	0.00139 U	0.00298 U
	B-263-3	10/18/18	PES	PACE	3	36.8	S	0.0156 U	0.00130 U	0.00741 U	0.000429 U	0.00106 U	0.0122 U	0.000361 U	0.00813 U	0.00382 U	0.00470 U	0.00144 U	0.00310 U
B-263	B-263-5	10/18/18	PES	PACE	5	34.8	S	0.0137 U	0.00115 U	0.00654 U	0.000378 U	0.000933 U	0.0108 U	0.000319 U	0.00718 U	0.00337 U	0.00415 U	0.00128 U	0.00273 U
	B-263-8	10/18/18	PES	PACE	8	31.8	S	0.0134 U	0.00112 U	0.00638 U	0.000369 U	0.000910 U	0.0105 U	0.000311 U	0.00700 U	0.00329 U	0.00405 U	0.00124 U	0.00267 U
	B-263-10	10/18/18	PES	PACE	10	29.8	S	0.0145 U	0.00121 U	0.00689 U	0.000398 U	0.000982 U	0.0114 U	0.000336 U	0.00756 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	B-263-15	10/18/18	PES	PACE	15	24.8	S	0.0139 U	0.00116 U	0.00660 U	0.000382 U	0.000942 U	0.0109 U	0.000322 U	0.00725 U	0.00341 U	0.00419 U	0.00129 U	0.00276 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-263 (continued)	B-263-18	10/18/18	PES	PACE	18	21.8	S	0.0138 U	0.00115 U	0.00656 U	0.000380 U	0.000936 U	0.0108 U	0.000320 U	0.00720 U	0.00338 U	0.00417 U	0.00128 U	0.00274 U
B-264	B-264-3	10/18/18	PES	PACE	3	36.8	S	0.0138 U	0.00115 U	0.00657 U	0.000380 U	0.000937 U	0.0109 U	0.000320 U	0.00721 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
	B-264-5	10/18/18	PES	PACE	5	34.8	S	0.0147 U	0.00123 U	0.00700 U	0.000405 U	0.000999 U	0.0116 U	0.000341 U	0.00768 U	0.00361 U	0.00444 U	0.00137 U	0.00293 U
	B-264-8	10/18/18	PES	PACE	8	31.8	S	0.0145 U	0.00121 U	0.00691 U	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00759 U	0.00357 U	0.00439 U	0.00135 U	0.00289 U
	B-264-10	10/18/18	PES	PACE	10	29.8	S	0.0140 U	0.00117 U	0.00667 U	0.000386 U	0.000951 U	0.0110 U	0.000325 U	0.00732 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U
	B-264-15	10/18/18	PES	PACE	15	24.8	S	0.0148 U	0.00123 U	0.00704 U	0.000407 U	0.00100 U	0.0116 U	0.000343 U	0.00773 U	0.00363 U	0.00447 U	0.00137 U	0.00294 U
	B-264-16	10/18/18	PES	PACE	16	23.8	S	0.0143 U	0.00119 U	0.00679 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00745 U	0.00350 U	0.00431 U	0.00132 U	0.00284 U
B-265	B-265-3	10/18/18	PES	PACE	3	36.8	S	0.0152 U	0.00126 U	0.00722 U	0.000418 U	0.00103 U	0.0119 U	0.000352 U	0.00792 U	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	B-265-5	10/18/18	PES	PACE	5	34.8	S	0.0147 U	0.0123 U	0.00701 U	0.000406 U	0.00100 U	0.0116 U	0.000342 U	0.00769 U	0.00362 U	0.00445 U	0.00137 U	0.00293 U
	B-265-8	10/18/18	PES	PACE	8	31.8	S	0.0142 U	0.0118 U	0.00675 U	0.000391 U	0.000963 U	0.0112 U	0.000329 U	0.00741 U	0.00348 U	0.00429 U	0.00132 U	0.00282 U
	B-265-10	10/18/18	PES	PACE	10	29.8	S	0.0140 U	0.00932 U	0.00665 U	0.000385 U	0.000949 U	0.0110 U	0.000324 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B-265-17.5	10/18/18	PES	PACE	18	22.3	S	0.0141 U	0.00117 U	0.00669 U	0.000387 U	0.000955 U	0.0111 U	0.000326 U	0.00735 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
	B-266-5	10/18/18	PES	PACE	5	35.7	S	0.0155 U	0.00663 U	0.00737 U	0.000426 U	0.00105 U	0.0122 U	0.000359 U	0.00809 U	0.00380 U	0.00468 U	0.00144 U	0.00308 U
B-266	B-266-8	10/18/18	PES	PACE	8	32.7	S	0.0162 U	0.00133 U	0.00769 U	0.000445 U	0.00110 U	0.0127 U	0.000376 U	0.00845 U	0.00397 U	0.00489 U	0.00150 U	0.00322 U
	B-266-10	10/18/18	PES	PACE	10	30.7	S	0.0204 U	0.00170 U	0.00974 U	0.000564 U	0.00139 U	0.0161 U	0.000475 U	0.0107 U	0.00502 U	0.00617 U	0.00189 U	0.00407 U
	B-266-15	10/18/18	PES	PACE	15	25.7	S	0.0169 U	0.0141 U	0.00807 U	0.000467 U	0.00115 U	0.0133 U	0.000393 U	0.00885 U	0.00416 U	0.00512 U	0.00158 U	0.00337 U
	B-266-20	10/18/18	PES	PACE	20	20.7	S	0.0142 U	0.0473 U	0.00674 U	0.000390 U	0.000962 U	0.0111 U	0.000329 U	0.00740 U	0.00348 U	0.00428 U	0.00132 U	0.00282 U
	B-267-2.5	10/18/18	PES	PACE	2.5	37.4	S	0.0153 U	0.00127 U	0.00727 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.00798 U	0.00375 U	0.00462 U	0.00142 U	0.00304 U
	B-267-5	10/18/18	PES	PACE	5	34.9	S	0.0139 U	0.00116 U	0.00660 U	0.000382 U	0.000941 U	0.0109 U	0.000322 U	0.00724 U	0.00340 U	0.00419 U	0.00129 U	0.00276 U
B-267	B-267-8	10/18/18	PES	PACE	8	31.9	S	0.0152 U	0.00506 U	0.00722 U	0.000418 U	0.00103 U	0.0119 U	0.000352 U	0.00792 U	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	B-267-10	10/18/18	PES	PACE	10	29.9	S	0.0144 U	0.00479 U	0.00684 U	0.000396 U	0.000975 U	0.0113 U	0.000333 U	0.00750 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	B-267-15	10/18/18	PES	PACE	15	24.9	S	0.284 U	0.0237 U	0.135 U	0.00782 U	0.0193 U	0.224 U	0.00659 U	0.149 U	0.0697 U	0.0858 U	0.0264 U	0.0566 U
	B-267-20	10/18/18	PES	PACE	20	19.9	S	0.316 U	0.0263 U	0.150 U	0.00870 U	0.0214 U	0.248 U	0.00733 U	0.165 U	0.0775 U	0.0954 U	0.0293 U	0.0629 U
CA-A10	CA-A10-21	09/04/19	PES	Fremont	21	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-A12-20	CA-A12-20-24	09/06/19	PES	Fremont	24	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CAA-C1	CAA-C1-43	08/27/19	PES	Fremont	43	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CAA-C2	CAA-C2-10	08/28/19	PES	Fremont	10	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B8	CA-B8-3	09/16/19	PES	Fremont	3	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B19	CA-B19-30	09/27/19	PES	Fremont	30	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B10	CA-B10-17	08/30/19	PES	Fremont	17	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-20	08/30/19	PES	Fremont	20	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-21	08/30/19	PES	Fremont	21	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-B10-25	08/30/19	PES	Fremont	25	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B11	CA-B11-27	09/05/19	PES	Fremont	27	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B18	CA-B18-20	10/26/19	PES	Fremont	20	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B20	CA-B20-31	09/30/19	PES	Fremont	31	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-1001-31	09/30/19	PES	Fremont	31 (dup)	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-C7	CA-C7-25	09/20/19	PES	Fremont	25	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-C8	CA-C8-35	09/03/19	PES	Fremont	35	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-C9	CA-C9-09	09/04/19	PES	Fremont	9	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-C10	CA-C10-17	09/06/19	PES	Fremont	17	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-C10-26	09/06/19	PES	Fremont	26	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-C13	CA-C13-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-D1	CA-D1-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-D2	CA-D2-31	09/16/19	PES	Fremont	31	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D2-50-52	09/17/19	PES	Fremont	52	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-D3	CA-D3-40	09/23/19	PES	Fremont	40	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-D4	CA-D4-51	09/19/19	PES	Fremont	51	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D4-54	09/19/19	PES	Fremont	54	-	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
CA-D5	CA-D5-14	09/03/19	PES	Fremont	14	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-22	09/03/19	PES	Fremont	22	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D5-26	09/03/19	PES	Fremont	26	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-D6	CA-D6-56	09/04/19	PES	Fremont	56	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	CA-D6-65	09/04/19	PES	Fremont	65	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-D7	CA-D7-15	09/05/19	PES	Fremont	15	-	S	-	-	-	-	-	-	-	-	-	-	-	-
DB01	DB01-10	3/18/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-20	3/18/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-30	3/18/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB01-40	3/18/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB02	DB02-10	3/18/13	SES	F&BI	10	26.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-15	3/18/13	SES	F&BI	15	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-20	3/18/13	SES	F&BI	20	16.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-30	3/18/13	SES	F&BI	30	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB02-40	3/18/13	SES	F&BI	40	-4.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB03	DB03-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-20	3/27/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-35	3/27/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-45	3/27/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-55	3/27/13	SES	F&BI	55	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB03-60	3/27/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB04	DB04-10	3/21/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-20	3/21/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-35	3/21/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-45	3/21/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-50	3/22/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB04-60	3/22/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB05	DB05-10	3/26/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-20	3/26/13	SES	F&BI	20	31.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-30	3/26/13	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-40	3/26/13	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-50	3/26/13	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-60	3/26/13	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB05-70	3/26/13	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-
DB06	DB06-10	3/25/13	SES	F&BI	10	41.8	V	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-25	3/25/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-35	3/25/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-45	3/25/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-55	3/25/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-65	3/25/13	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB06-75	3/25/13	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
DB07	DB07-05	3/27/13	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-15	3/27/13	SES	F&BI	15	25.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-25	3/27/13	SES	F&BI	25	15.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-35	3/28/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-45	3/28/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-50	3/28/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-60	3/28/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB07-70	3/28/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB08	DB08-10	3/20/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-20	3/20/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-35	3/20/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-45	3/20/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-50	3/21/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-60	3/21/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB08-70	3/21/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB09	DB09-10	3/19/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-20	3/19/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-30	3/19/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-40	3/19/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-50	3/19/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-60	3/19/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB09-70	3/19/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB10	DB10-10	3/29/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-20	3/29/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-35	3/29/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-45	3/29/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-50	4/1/13	SES	F&BI	50	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-60	4/1/13	SES	F&BI	60	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB10-70	4/1/13	SES	F&BI	70	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB11	DB11-15	4/2/13	SES	F&BI	15	36.8	V	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-25	4/2/13	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-35	4/2/13	SES	F&BI	35	16.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-45	4/2/13	SES	F&BI	45	6.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB11-55	4/2/13	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-
DB12	DB12-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-30	4/3/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB12-40	4/3/13	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-
DB13	DB13-10	4/3/13	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-20	4/3/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-35	4/3/13	SES	F&BI	35	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB13-45	4/3/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
DB14	DB14-10	4/4/13	SES	F&BI	10	31.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-20	4/4/13	SES	F&BI	20	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-30	4/4/13	SES	F&BI	30	11.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	DB14-40	4/4/13	SES	F&BI	40	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-
G-MW1	MW 1-3-8	7/20/01	GeoEng	NCA	8	31.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-8-20	7/20/01	GeoEng	NCA	20	19.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-11-27.5	7/20/01	GeoEng	NCA	27.5	11.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-13-32.5	7/20/01	GeoEng	NCA	32.5	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW 1-15-37.5	7/20/01	GeoEng	NCA	37.5	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-
G-MW3 (G-SB4 11)	SB4-4-10	7/20/01	GeoEng	NCA	10	29.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-7-17.5	7/20/01	GeoEng	NCA	17.5	22.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-13-32.5	7/20/01	GeoEng	NCA	32.5	7.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB4-15-37.5	7/20/01	GeoEng	NCA	37.5	2.1	S	-	-	-	-	-	-	-	-	-	-	-	-
IW06	IW06-25	1/15/16	SES	F&BI	25	26.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-30	1/15/16	SES	F&BI	30	21.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-40	1/15/16	SES	F&BI	40	11.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-50	1/15/16	SES	F&BI	50	1.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-55	1/15/16	SES	F&BI	55	-3.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-60	1/15/16	SES	F&BI	60	-8.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-65	1/15/16	SES	F&BI	65	-13.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-70	1/15/16	SES	F&BI	70	-18.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	IW06-75	1/15/16	SES	F&BI	75	-23.2	S	-	-	-	-	-	-	-	-	-	-	-	-
IW-1C (-23.9 to-38.9)	IW-1C-5	3/7/18	PES	ESC	5	34.1	S	0.000380 U	0.000322 U	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	IW-1C-15	3/7/18	PES	ESC	15	24.1	S	0.000402 U	0.000851 J	0.00297 U	0.000291 U	0.000285 U	0.00221 U	0.000249 U	0.00117 U	0.00117 U	0.000303 U	0.000242 U	0.000236 U
	IW-1C-25	3/7/18	PES	ESC	25	14.1	S	0.0812 U	0.0689 U	0.601 U	0.0589 U	0.0577 U	0.447 U	0.554 J	0.238 U	0.238 U	0.0613 U	0.0489 U	0.0477 U
	IW-1C-35	3/7/18	PES	ESC	35	4.1	S	0.000367 U	0.000311 U	0.00271 U	0.000266 U	0.000261 U	0.00202 U	0.000227 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
	IW-1C-45	3/7/18	PES	ESC	45	-5.9	S	0.000383 U	0.00151 J	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	IW-1C-55	3/7/18	PES	ESC	55	-15.9	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00211 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	IW-1C-65	3/7/18	PES	ESC	65	-25.9	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
	IW-1C-75	3/7/18	PES	ESC	75	-35.9	S	0.000411 U	0.000349 U	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000248 U	0.000242 U
IW-2C (-24.8 to-39.8)	IW-2C-5	3/7/18	PES	ESC	5	31.3	S	0.000422 U	0.00173 J	0.00312 U	0.000306 U	0.000300 U	0.00232 U	0.000262 U	0.00124 U	0.00124 U	0.000319 U	0.000254 U	0.000248 U
	IW-2C-15	3/7/18	PES	ESC	15	21.3	S	0.000409 U	0.000408 J	0.00302 U	0.000296 U	0.000290 U	0.00225 U	0.000253 U	0.00119 U	0.00119 U	0.000308 U	0.000246 U	0.000240 U
	IW-2C-25	3/7/18	PES	ESC	25	11.3	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000225 U
	IW-2C-35	3/7/18	PES	ESC	35	1.3	S	0.000431 U	0.000769 J	0.00319 U	0.000312 U	0.000306 U	0.00237 U	0.000267 U	0.00126 U	0.00126 U	0.000325 U	0.000259 U	0.000253 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
IW-2C (continued)	IW-2C-45	3/7/18	PES	ESC	45	-8.7	S	0.000371 U	0.000782 J	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	IW-2C-55	3/7/18	PES	ESC	55	-18.7	S	0.000398 U	0.00569 J	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000301 U	0.000240 U	0.000234 U
	IW-2C-65	3/7/18	PES	ESC	65	-28.7	S	0.000374 U	0.000317 U	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	IW-2C-75	3/7/18	PES	ESC	75	-38.7	S	0.000411 U	0.000348 U	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000247 U	0.000241 U
IW-3C (-24.9 to-39.9)	IW-3C-5	3/9/18	PES	ESC	5	34.1	S	0.000374 U	0.000317 U	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	IW-3C-15	3/9/18	PES	ESC	15	24.1	S	0.00991 U	0.00840 U	0.0732 U	0.00719 U	0.00705 U	0.0545 U	0.0700 J	0.0290 U	0.0290 U	0.00748 U	0.00597 U	0.00582 U
	IW-3C-25	3/9/18	PES	ESC	25	14.1	S	0.202 U	0.171 U	1.49 U	0.146 U	0.144 U	1.11 U	0.325 J	0.590 U	0.590 U	0.152 U	0.122 U	0.118 U
	IW-3C-35	3/9/18	PES	ESC	35	4.1	S	0.0760 U	0.0645 U	0.562 U	0.0551 U	0.0540 U	0.418 U	0.432 J	0.222 U	0.222 U	0.0573 U	0.0458 U	0.0447 U
	IW-3C-45	3/9/18	PES	ESC	45	-5.9	S	0.000394 U	0.000334 U	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000232 U
	IW-3C-55	3/9/18	PES	ESC	55	-15.9	S	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000241 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	IW-3C-65	3/9/18	PES	ESC	65	-25.9	S	0.000390 U	0.000331 U	0.00289 U	0.000283 U	0.000277 U	0.00214 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	IW-3C-75	3/9/18	PES	ESC	75	-35.9	S	0.000428 U	0.000363 U	0.00317 U	0.000311 U	0.000304 U	0.00235 U	0.000265 U	0.00125 U	0.00125 U	0.000323 U	0.000258 U	0.000252 U
	IW-3C-79	3/9/18	PES	ESC	79	-39.9	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000233 U
	IW-901-79	3/9/18	PES	ESC	79 (dup)	-39.9	S	0.000396 U	0.000335 U	0.00293 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000233 U
IW-7A (5.1 to-9.9)	IW-7A-5	3/16/18	PES	ESC	5	35.1	S	0.000424 U	0.00194 J	0.00314 U	0.000307 U	0.000301 U	0.00233 U	0.000263 U	0.00124 U	0.00124 U	0.000320 U	0.000313 J	0.000249 U
	IW-7A-10	3/16/18	PES	ESC	10	30.1	S	0.00424 U	0.00508 J	0.00267 U	0.000814 U	0.0505	0.0106 U	0.00133 U	0.00427 U	0.00972 U	0.279	0.131	0.170
	IW-7A-15	3/16/18	PES	ESC	15	25.1	S	0.0137 U	0.0716 J	0.102 U	0.00997 U	0.108	0.0756 U	0.00852 U	0.0402 U	0.375	0.373	0.499	0.182
	IW-7A-20	3/16/18	PES	ESC	20	20.1	S	0.00435 U	0.00181 U	0.00274 U	0.000836 U	0.00455	0.0109 U	0.00137 U	0.00438 U	0.00997 U	0.0127	0.0112	0.00877
	IW-7A-25	3/16/18	PES	ESC	25	15.1	S	0.000414 U	0.000647 J	0.00306 U	0.000300 U	0.000294 U	0.00228 U	0.000257 U	0.00121 U	0.00121 U	0.000313 U	0.000250 U	0.000243 U
	IW-7A-30	3/16/18	PES	ESC	30	10.1	S	0.000397 U	0.000969 J	0.00294 U	0.000288 U	0.000332 J	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000493 J	0.000333 J
	IW-7A-35	3/16/18	PES	ESC	35	5.1	S	0.00373 U	0.00155 U	0.00235 U	0.000716 U	0.00128 J	0.00933 U	0.00117 U	0.00375 U	0.00854 U	0.00331	0.00389	0.00190 J
	IW-7A-40	3/16/18	PES	ESC	40	0.1	S	0.000403 U	0.000341 U	0.00298 U	0.000292 U	0.000286 U	0.00221 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	IW-7A-45	3/16/18	PES	ESC	45	-4.9	S	0.000400 U	0.000339 U	0.00296 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000302 U	0.000241 U	0.000235 U
IW-8B (-9.8 to-24.8)	IW-7A-50	3/16/18	PES	ESC	50	-9.9	S	0.000380 U	0.000322 U	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	IW-8B-5	3/19/18	PES	ESC	5	34.2	S	0.000374 U	0.000317 U	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	IW-8B-10	3/19/18	PES	ESC	10	29.2	S	0.000369 U	0.000313 U	0.00273 U	0.000267 U	0.000262 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	IW-8B-15	3/19/18	PES	ESC	15	24.2	S	0.0984 U	0.0834 U	0.727 U	0.0714 U	0.0700 U	0.541 U	0.0610 U	0.288 U	0.288 U	0.0742 U	0.0593 U	0.0578 U
	IW-8B-20	3/19/18	PES	ESC	20	19.2	S	0.000375 U	0.000318 U	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	IW-8B-25	3/19/18	PES	ESC	25	14.2	S	0.000400 U	0.000339 U	0.00296 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000302 U	0.000241 U	0.000235 U
	IW-8B-30	3/19/18	PES	ESC	30	9.2	S	0.000384 U	0.000939 J	0.00284 U	0.000279 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000232 U	0.000226 U
	IW-8B-40	3/19/18	PES	ESC	40	-0.8	S	0.000381 U	0.000323 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000236 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	IW-8B-45	3/20/18	PES	ESC	45	-5.8	S	0.000381 U	0.00357 J	0.00282 U	0.000276 U	0.000271 U	0.00210 U	0.000236 U	0.00111 U	0.00111 U	0.000288 U	0.000230 U	0.000224 U
	IW-8B-50	3/20/18	PES	ESC	50	-10.8	S	0.000391 U	0.000332 U	0.00289 U	0.000284 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
	IW-8B-55	3/20/18	PES	ESC	55	-15.8	S	0.000369 U	0.00287 J	0.00273 U	0.000268 U	0.000262 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	IW-8B-60	3/20/18	PES	ESC	60	-20.8	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00115 U	0.00115 U	0.000295 U	0.000236 U	0.000230 U
	IW-8B-64	3/20/18	PES	ESC	64	-24.8	S	0.000386 U	0.000327 U	0.00285 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
IW-8C (-24.5 to-39.5)	IW-8C-5	3/14/18	PES	ESC	5	32.5	S	0.000587 U	0.00167 J	0.00434 U	0.000426 U	0.000417 U	0.00323 U	0.000364 U	0.00172 U	0.00335 J	0.000444 U	0.000353 U	0.000345 U
	IW-8C-10	3/14/18	PES	ESC	10	27.5	S	0.000592 U	0.00234 J	0.00438 U	0.000429 U	0.000420 U	0.00325 U	0.000367 U	0.00173 U	0.00446 U	0.000356 U	0.000348 U	
	IW-8C-15	3/14/18	PES	ESC	15	22.5	S	0.000402 U	0.000341 U	0.00298 U	0.000292 U	0.000287 U	0.00221 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000242 U	0.000237 U
	IW-8C-20	3/14/18	PES	ESC	20	17.5	S	0.000369 U	0.000313 U	0.00273 U	0.000267 U	0.000262 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	IW-8C-25	3/14/18	PES	ESC	25	12.5	S	0.000407 U	0.000345 U	0.00301 U	0.000295 U	0.000289 U	0.00224 U	0.000252 U	0.00119 U	0.00119 U	0.000307 U	0.000245 U	0.000239 U
	IW-8C-30	3/14/18	PES	ESC	30	7.5	S	0.000378 U	0.000321 U	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
IW-8C (continued)	IW-8C-35	3/14/18	PES	ESC	35	2.5	S	0.000396 U	0.000832 J	0.00293 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000233 U
	IW-8C-40	3/14/18	PES	ESC	40	-2.5	S	0.000394 U	0.000334 U	0.00291 U	0.000286 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	IW-8C-45	3/14/18	PES	ESC	45	-7.5	S	0.000386 U	0.000525 J	0.00285 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
	IW-8C-50	3/14/18	PES	ESC	50	-12.5	S	0.000402 U	0.000341 U	0.00297 U	0.000291 U	0.000286 U	0.00221 U	0.000249 U	0.00117 U	0.00128 J	0.000473 J	0.00101 J	0.000431 J
	IW-8C-55	3/14/18	PES	ESC	55	-17.5	S	0.000395 U	0.000335 U	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000529 J	0.000232 U
	IW-8C-60	3/14/18	PES	ESC	60	-22.5	S	0.000391 U	0.000331 U	0.00289 U	0.000283 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000235 U	0.000230 U
	IW-902-60	3/14/18	PES	ESC	60 (dup)	-22.5	S	0.000380 U	0.000322 U	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000229 U	0.000223 U
	IW-8C-65	3/14/18	PES	ESC	65	-27.5	S	0.000410 U	0.000348 U	0.00303 U	0.000297 U	0.000291 U	0.00225 U	0.000254 U	0.00120 U	0.00120 U	0.000309 U	0.000247 U	0.000241 U
	IW-8C-70	3/14/18	PES	ESC	70	-32.5	S	0.000406 U	0.000344 U	0.00300 U	0.000294 U	0.000288 U	0.00223 U	0.000252 U	0.00119 U	0.00119 U	0.000306 U	0.000245 U	0.000239 U
	IW-8C-75	3/14/18	PES	ESC	75	-37.5	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
IW-11D (-41.8 to-56.8)	IW-11D-10	4/19/18	PES	ESC	10	28.4	S	0.000472 U	0.000557 J	0.00349 U	0.000342 U	0.000335 U	0.00260 U	0.000293 U	0.00138 U	0.00138 U	0.000356 U	0.000284 U	0.000277 U
	IW-11D-15	4/19/18	PES	ESC	15	23.4	S	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	IW-11D-20	4/19/18	PES	ESC	20	18.4	S	0.000396 U	0.000335 U	0.00293 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000232 U
	IW-11D-25	4/19/18	PES	ESC	25	13.4	S	0.000374 U	0.000317 U	0.00276 U	0.000271 U	0.000266 U	0.00205 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	IW-11D-30	4/19/18	PES	ESC	30	8.4	S	0.000374 U	0.00282 J	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	IW-11D-35	4/19/18	PES	ESC	35	3.4	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000230 U
	IW-11D-40	4/19/18	PES	ESC	40	-1.6	S	0.000378 U	0.000320 U	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000234 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U
	IW-11D-45	4/19/18	PES	ESC	45	-6.6	S	0.00962 U	0.00816 U	0.0711 U	0.00698 U	0.00684 U	0.0529 U	0.00597 U	0.0281 U	0.0281 U	0.00726 U	0.00580 U	0.00565 U
	IW-11D-50	4/19/18	PES	ESC	50	-11.6	S	0.000367 U	0.00121 J	0.00272 U	0.000266 U	0.000261 U	0.00202 U	0.000228 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
	IW-11D-55	4/19/18	PES	ESC	55	-16.6	S	0.000405 U	0.000569 J	0.00300 U	0.000294 U	0.000288 U	0.00223 U	0.000251 U	0.00118 U	0.00118 U	0.000306 U	0.000244 U	0.000238 U
	IW-11D-60	4/19/18	PES	ESC	60	-21.6	S	0.000376 U	0.000700 J	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	IW-11D-65	4/19/18	PES	ESC	65	-26.6	S	0.000377 U	0.000319 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	IW-11D-70	4/19/18	PES	ESC	70	-31.6	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	IW-11D-75	4/19/18	PES	ESC	75	-36.6	S	0.000395 U	0.000422 J	0.00292 U	0.000286 U	0.000281 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	IW-11D-80	4/19/18	PES	ESC	80	-41.6	S	0.000384 U	0.000326 U	0.00284 U	0.000279 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000231 U	0.000226 U
	IW-11D-85	4/19/18	PES	ESC	85	-46.6	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	IW-11D-90	4/19/18	PES	ESC	90	-51.6	S	0.000387 U	0.000329 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	IW-11D-95	4/19/18	PES	ESC	95	-56.6	S	0.000401 U	0.000340 U	0.00296 U	0.000291 U	0.000285 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000302 U	0.000241 U	0.000236 U
IW-12D (-41.4 to-56.4)	IW-12D-42	9/14/18	PES	ESC	42	-3.5	S	0.0138 U	0.00115 U	0.00657 U	0.000380 U	0.000937 U	0.0109 U	0.000320 U	0.00721 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
	B-928-42	9/14/18	PES	ESC	42 (dup)	-3.5	S	0.0138 U	0.00115 U	0.00657 U	0.000380 U	0.000938 U	0.0109 U	0.000320 U	0.00721 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
	IW-12D-50	9/14/18	PES	ESC	50	-11.5	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.00902 J	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	IW-12D-60	9/14/18	PES	ESC	60	-21.5	S	0.0143 U	0.00119 U	0.00681 U	0.000394 U	0.000972 U	0.0113 U	0.000332 U	0.0109 J	0.00351 U	0.00433 U	0.00133 U	0.00285 U
	IW-12D-85	9/17/18	PES	ESC	85	-46.5	S	0.284 U	0.00118 U	0.00676 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00742 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
	IW-12D-95	9/17/18	PES	ESC	95	-56.5	S	0.0611 U	0.00282 J	0.00728 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.00799 U	0.00375 U	0.00462 U	0.00142 U	0.00304 U
IW-13D (-41.0 to-56.0)	IW-13D-80	9/18/18	PES	ESC	80	-40.8	S	1.13 U	0.00405 J	0.00668 U	0.000386 U	0.000952 U	0.0110 U	0.000325 U	0.00733 U	0.00344 U	0.00424 U	0.00130 U	0.00279 U
	IW-13D-85	9/18/18	PES	ESC	85	-45.8	S	0.0146 U	0.00122 U	0.00696 U	0.000403 U	0.000993 U	0.0115 U	0.000340 U	0.00764 U	0.00359 U	0.00442 U	0.00136 U	0.00291 U
	IW-13D-95	9/18/18	PES	ESC	95	-55.8	S	0.0153 U	0.00128 U	0.00728 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.00799 U	0.00376 U	0.00462 U	0.00142 U	0.00304 U
IW-14D (-41.0 to-56.0)	IW-14D-45	9/11/18	PES	ESC	45	-5.9	S	0.0133 U	0.00489 J	0.00634 U	0.000367 U	0.000904 U	0.0105 U	0.000309 U	0.0112	0.00327 U	0.00402 U	0.00124 U	0.00265 U
	IW-14D-55	9/11/18	PES	ESC	55	-15.9	S	0.0143 U	0.0479 U	0.00684 U	0.000395 U	0.000975 U	0.0113 U	0.000333 U	0.00750 U	0.00353 U	0.00434 U	0.00287 J	0.00286 U
	IW-14D-65	9/11/18	PES	ESC	65	-25.9	S	0.0143 U	0.00251 J	0.00679 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.0102	0.00350 U	0.00431 U	0.00132 U	0.00284 U
	IW-14D-75	9/11/18	PES	ESC	75	-35.9	S	0.0142 U	0.00162 J	0.00679 U	0.000393 U	0.000968 U	0.0112 U	0.000562 J	0.00858	0.00350 U	0.00431 U	0.00132 U	0.00284 U
	IW-14D-86	9/11/18	PES	ESC	86	-46.9	S	0.0140 U	0.00146 J	0.00666 U	0.000386 U	0.000951 U	0.0110 U	0.000325 U	0.00731 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
IW-14D (continued)	IW-14D-95	9/11/18	PES	ESC	95	-55.9	S	0.0144 U	0.00961 U	0.00685 U	0.000396 U	0.000978 U	0.0113 U	0.00135	0.00858	0.00353 U	0.00435 U	0.00134 U	0.00287 U
IW-15D (-41.9 to-56.9)	IW-15D-54	9/11/18	PES	ESC	54	-2.2	S	0.0136 U	0.00454 U	0.00647 U	0.000375 U	0.000923 U	0.0107 U	0.00144	0.00833	0.00334 U	0.00411 U	0.00126 U	0.00271 U
IW-16D (-41.5 to-56.2)	IW-16D-85	10/18/18	PES	PACE	85	-45.6	S	0.0592 U	0.00494 U	0.0282 U	0.00163 U	0.00402 U	0.0466 U	0.00137 U	0.0310 U	0.0146 U	0.0179 U	0.00550 U	0.0118 U
	IW-16D-90	10/18/18	PES	PACE	90	-50.6	S	0.0151 U	0.00126 U	0.00717 U	0.000415 U	0.00102 U	0.0119 U	0.000350 U	0.00787 U	0.00370 U	0.00455 U	0.00140 U	0.00300 U
	IW-16D-95	10/18/18	PES	PACE	95	-55.6	S	0.0615 U	0.00513 U	0.0293 U	0.00170 U	0.00418 U	0.0484 U	0.00143 U	0.0322 U	0.0151 U	0.0186 U	0.00571 U	0.0122 U
IW-19B (-10.6 to-25.6)	IW-19B-5	3/19/18	PES	ESC	5	32.4	S	0.000386 U	0.000327 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000232 U	0.000227 U
	IW-19B-10	3/19/18	PES	ESC	10	27.4	S	0.000421 U	0.000357 U	0.00311 U	0.000305 U	0.000299 U	0.00231 U	0.000261 U	0.00123 U	0.00123 U	0.000317 U	0.000253 U	0.000247 U
	IW-19B-15	3/19/18	PES	ESC	15	22.4	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000230 U
	IW-19B-20	3/19/18	PES	ESC	20	17.4	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	IW-19B-25	3/19/18	PES	ESC	25	12.4	S	0.000401 U	0.000340 U	0.00297 U	0.000291 U	0.000285 U	0.00221 U	0.000249 U	0.00117 U	0.00117 U	0.000303 U	0.000242 U	0.000236 U
	IW-19B-30	3/19/18	PES	ESC	30	7.4	S	0.000384 U	0.000793 J	0.00284 U	0.000279 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000231 U	0.000226 U
	IW-19B-35	3/19/18	PES	ESC	35	2.4	S	0.000379 U	0.00200 J	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	IW-19B-40	3/19/18	PES	ESC	40	-2.6	S	0.000395 U	0.000335 U	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	IW-19B-45	3/19/18	PES	ESC	45	-7.6	S	0.000417 U	0.000354 U	0.00309 U	0.000303 U	0.000297 U	0.00229 U	0.000259 U	0.00122 U	0.00122 U	0.000315 U	0.000251 U	0.000245 U
	IW-19B-50	3/19/18	PES	ESC	50	-12.6	S	0.000436 U	0.110	0.00322 U	0.000317 U	0.000310 U	0.00239 U	0.000270 U	0.00128 U	0.00128 U	0.000329 U	0.000263 U	0.000256 U
	IW-19B-55	3/19/18	PES	ESC	55	-17.6	S	0.000376 U	0.000325 J	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	IW-19B-60	3/19/18	PES	ESC	60	-22.6	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	IW-903-60	3/19/18	PES	ESC	60 (dup)	-22.6	S	0.000384 U	0.000326 U	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000231 U	0.000226 U
	IW-19B-63	3/19/18	PES	ESC	63	-25.6	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
IW-21B (-10.1 to-25.1)	IW-21B-5	3/6/18	PES	ESC	5	36.9	V	0.000618 U	0.000524 U	0.00457 U	0.000448 U	0.000439 U	0.00339 U	0.000383 U	0.00181 U	0.00181 U	0.000466 U	0.000372 U	0.000363 U
	IW-21B-10	3/6/18	PES	ESC	10	31.9	S	0.000417 U	0.00163 J	0.00308 U	0.000302 U	0.000296 U	0.00229 U	0.000258 U	0.00122 U	0.00122 U	0.000315 U	0.000251 U	0.000245 U
	IW-21B-20	3/6/18	PES	ESC	20	21.9	S	0.000411 U	0.000349 U	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000248 U	0.000242 U
	IW-21B-30	3/6/18	PES	ESC	30	11.9	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	IW-21B-40	3/6/18	PES	ESC	40	1.9	S	0.000378 U	0.000321 U	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000234 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U
	IW-21B-50	3/6/18	PES	ESC	50	-8.1	S	0.000370 U	0.000314 U	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	IW-21B-60	3/6/18	PES	ESC	60	-18.1	S	0.00969 U	0.00822 U	0.0716 U	0.00703 U	0.00689 U	0.0533 U	0.00601 U	0.0283 U	0.0283 U	0.00731 U	0.00584 U	0.00569 U
	IW-21B-67	3/6/18	PES	ESC	67	-25.1	S	0.000379 U	0.000321 U	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
IW-22C (-25.6 to-40.6)	IW-22C-62	8/31/18	PES	ESC	62	-23.1	S	0.0147 U	0.00122 U	0.00698 U	0.000404 U	0.000996 U	0.0115 U	0.000341 U	0.00766 U	0.00360 U	0.00443 U	0.00179 J	0.00292 U
	IW-22C-78	8/31/18	PES	ESC	78	-39.1	S	0.0154 U	0.00128 U	0.00733 U	0.000424 U	0.00105 U	0.0121 U	0.000357 U	0.00804 U	0.00378 U	0.00465 U	0.00143 U	0.00306 U
IW-23C (-27.0 to-42.0)	IW-23C-42	9/4/18	PES	ESC	42	-3.0	S	0.0152 U	0.00127 U	0.00724 U	0.000419 U	0.00186 J	0.0120 U	0.000353 U	0.00795 U	0.0229	0.00802 J	0.00809	0.00399 J
IW-24C (-26.1 to-41.1)	IW-24C-48	9/7/18	PES	ESC	48	-8.8	S	0.0144 U	0.00120 U	0.00684 U	0.000396 U	0.000975 U	0.0113 U	0.000333 U	0.00751 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	IW-24C-55	9/7/18	PES	ESC	55	-15.8	S	0.0151 U	0.00126 U	0.720 U	0.000417 U	0.00133 J	0.0119 U	0.000352 U	0.00790 U	0.00586 J	0.00478 J	0.00290 J	0.00301 U
	IW-24C-66	9/10/18	PES	ESC	66	-26.8	S	0.0157 U	0.00438 J	0.00748 U	0.000433 U	0.00161 J	0.0124 U	0.000365 U	0.00907	0.00746 J	0.00916 J	0.00663	0.00315 J
	IW-24C-75	9/10/18	PES	ESC	75	-35.8	S	0.0152 U	0.00126 U	0.00723 U	0.000418 U	0.00149 J	0.0120 U	0.000353 U	0.0112	0.00881 J	0.00998 J	0.00761	0.00336 J
	IW-24C-80	9/10/18	PES	ESC	80	-40.8	S	0.0140 U	0.0234 U	0.00669 U	0.000387 U	0.000955 U	0.0111 U	0.000326 U	0.00734 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
IW-27B (-8.1 to-23.1)	IW-27B-5	3/2/18	PES	ESC	5	37.0	V	0.000548 U	0.00103 J	0.00405 U	0.000397 U	0.000389 U	0.00301 U	0.000340 U	0.00160 U	0.00160 U	0.000414 U	0.000330 U	0.000322 U
	IW-27B-15	3/2/18	PES	ESC	15	27.0	S	0.000487 U	0.00233 J	0.00360 U	0.000353 U	0.000346 U	0.00268 U	0.000302 U	0.00142 U	0.00142 U	0.000367 U	0.000293 U	0.000286 U
	IW-27B-25	3/2/18	PES	ESC	25	17.0	S	0.000398 U	0.000337 U	0.00294 U	0.000288 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000240 U	0.000234 U
	IW-27B-35	3/2/18	PES	ESC	35	7.0	S	0.000391 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
IW-27C (-24.4 to-39.6)	IW-27C-45	9/10/18	PES	ESC	45	6.8	S	0.0142 U	0.0237 U	0.00677 U	0.000392 U	0.000966 U	0.0112 U	0.000330 U	0.00743 U	0.00349 U	0.00430 U	0.00132 U	0.00283 U
IW-28C (-26.6 to-41.7)	IW-28C-92	9/17/18	PES	ESC	92	-40.6	S	0.0552 U	0.00228 J	0.00658 U	0.000380 U	0.000938 U	0.0109 U	0.000321 U	0.00722 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
IW-39B (-9.8 to-24.8)	IW-39B-5	3/12/18	PES	ESC	5	35.2	V	0.000434 U	0.000368 U	0.00321 U	0.000315 U	0.000309 U	0.00239 U	0.000269 U	0.00127 U	0.00127 U	0.000328 U	0.000262 U	0.000255 U
	IW-39B-15	3/12/18	PES	ESC	15	25.2	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000271 U	0.00210 U	0.000236 U	0.00111 U	0.00111 U	0.000288 U	0.000230 U	0.000224 U
	IW-39B-25	3/12/18	PES	ESC	25	15.2	S	0.000407 U	0.000345 U	0.00301 U	0.000295 U	0.000289 U	0.00223 U	0.000252 U	0.00119 U	0.00119 U	0.000307 U	0.000245 U	0.000239 U
	IW-39B-35	3/12/18	PES	ESC	35	5.2	S	0.000376 U	0.000318 U	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	IW-39B-45	3/12/18	PES	ESC	45	-4.8	S	0.000383 U	0.000325 U	0.00284 U	0.000278 U	0.000272 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	IW-39B-55	3/12/18	PES	ESC	55	-14.8	S	0.00898 U	0.00761 U	0.0664 U	0.00651 U	0.00638 U	0.0494 U	0.00557 U	0.0263 U	0.0263 U	0.00677 U	0.00541 U	0.00527 U
IW-46B (-4.2 to-24.2)	IW-46B-5	3/20/18	PES	ESC	5	46.8	V	0.000384 U	0.000326 U	0.00284 U	0.000279 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000232 U	0.000226 U
	IW-46B-10	3/20/18	PES	ESC	10	41.8	V	0.000376 U	0.000319 U	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000226 U	0.000221 U
	IW-46B-15	3/20/18	PES	ESC	15	36.8	V	0.00946 U	0.00802 U	0.0699 U	0.00686 U	0.00673 U	0.0520 U	0.00586 U	0.0277 U	0.0277 U	0.00713 U	0.00570 U	0.00555 U
	IW-46B-20	3/20/18	PES	ESC	20	31.8	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000225 U
	IW-46B-25	3/20/18	PES	ESC	25	26.8	S	0.000378 U	0.000321 U	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000234 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U
	IW-46B-30	3/20/18	PES	ESC	30	21.8	S	0.000382 U	0.000324 U	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000230 U	0.000225 U
	IW-46B-35	3/20/18	PES	ESC	35	16.8	S	0.000414 U	0.000351 U	0.00306 U	0.000300 U	0.000294 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000312 U	0.000249 U	0.000243 U
	IW-904-35	3/20/18	PES	ESC	35 (dup)	16.8	S	0.000437 U	0.000371 U	0.00324 U	0.000317 U	0.000311 U	0.00240 U	0.000271 U	0.00128 U	0.00128 U	0.000330 U	0.000263 U	0.000257 U
	IW-46B-40	3/20/18	PES	ESC	40	11.8	S	0.000359 U	0.000618 J	0.00266 U	0.000261 U	0.000255 U	0.00198 U	0.000223 U	0.00105 U	0.00105 U	0.000271 U	0.000217 U	0.000211 U
	IW-46B-42	3/20/18	PES	ESC	42	9.8	S	0.000411 U	0.00177 J	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000248 U	0.000242 U
	IW-46B-45	3/20/18	PES	ESC	45	6.8	S	1.95 U	1.65 U	14.3 U	1.41 U	1.39 U	10.7 U	1.21 U	5.69 U	5.69 U	1.47 U	1.17 U	1.14 U
	IW-46B-50	3/20/18	PES	ESC	50	1.8	S	0.000342 U	0.000290 U	0.00253 U	0.000248 U	0.000243 U	0.00188 U	0.000212 U	0.00100 U	0.00100 U	0.000258 U	0.000206 U	0.000201 U
	IW-46B-55	3/20/18	PES	ESC	55	-3.2	S	0.000381 U	0.000323 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000236 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	IW-46B-60	3/20/18	PES	ESC	60	-8.2	S	0.000386 U	0.000328 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U
	IW-46B-65	3/20/18	PES	ESC	65	-13.2	S	0.000380 U	0.000322 U	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	IW-46B-70	3/20/18	PES	ESC	70	-18.2	S	0.000436 U	0.000370 U	0.00323 U	0.000316 U	0.000310 U	0.00240 U	0.000270 U	0.00128 U	0.00128 U	0.000329 U	0.000263 U	0.000256 U
IW-47B (-5.2 to-25.2)	IW-47B-5	3/22/18	PES	ESC	5	46.8	V	0.000403 U	0.000342 U	0.00298 U	0.000293 U	0.000287 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	IW-47B-10	3/22/18	PES	ESC	10	41.8	V	0.000402 U	0.000341 U	0.00298 U	0.000292 U	0.000286 U	0.00221 U	0.000249 U	0.00118 U	0.00118 U	0.000303 U	0.000242 U	0.000236 U
	IW-47B-15	3/22/18	PES	ESC	15	36.8	V	0.000382 U	0.000324 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	IW-47B-20	3/22/18	PES	ESC	20	31.8	S	0.000380 U	0.000322 U	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000229 U	0.000223 U
	IW-47B-25	3/22/18	PES	ESC	25	26.8	S	0.000387 U	0.000328 U	0.00286 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	IW-47B-30	3/22/18	PES	ESC	30	21.8	S	0.000383 U	0.000325 U	0.00284 U	0.000278 U	0.000272 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	IW-47B-35	3/22/18	PES	ESC	35	16.8	S	0.000376 U	0.000319 U	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	IW-47B-40	3/22/18	PES	ESC	40	11.8	S	0.000388 U	0.00235 J	0.00287 U	0.000282 U	0.000276 U	0.00213 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000228 U
	IW-47B-42	3/22/18	PES	ESC	42	9.8	S	0.000448 U	0.000702 J	0.00332 U	0.000325 U	0.000318 U	0.00246 U	0.000279 U	0.00131 U	0.00131 U	0.000339 U	0.000271 U	0.000264 U
	IW-47B-45	3/22/18	PES	ESC	45	6.8	S	0.000387 U	0.000328 U	0.00286 U	0.000280 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	IW-47B-50	3/22/18	PES	ESC	50	1.8	S	0.000402 U	0.000341 U	0.00297 U	0.000291 U	0.000285 U	0.00221 U	0.000249 U	0.00117 U	0.00117 U	0.000303 U	0.000242 U	0.000236 U
	IW-47B-55	3/22/18	PES	ESC	55	-3.2	S	0.000370 U	0.000313 U	0.00273 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	IW-47B-60	3/22/18	PES	ESC	60	-8.2	S	0.000391 U	0.000332 U	0.00289 U	0.000284 U	0.000278 U	0.00215 U	0.000242 U	0.00114 U	0.00114 U	0.000295 U	0.000236 U	0.000230 U
	IW-47B-65	3/22/18	PES	ESC	65	-13.2	S	0.000386 U	0.000327 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U
	IW-47B-70	3/22/18	PES	ESC	70	-18.2	S	0.000382 U	0.000324 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	IW-47B-75	3/22/18	PES	ESC	75	-23.2	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
IW-48B (-9.4 to-24.4)	IW-48B-5	3/23/18	PES	ESC	5	46.7	V	0.000395 U	0.000335 U	0.00292 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000232 U
	IW-48B-10	3/23/18	PES	ESC	10	41.7	V	0.000387 U	0.000328 U	0.00286 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	IW-48B-15	3/23/18	PES	ESC	15	36.7	V	0.000399 U	0.00319 J	0.00295 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000301 U	0.000241 U	0.000235 U
	IW-48B-20	3/23/18	PES	ESC	20	31.7	S	0.000376 U	0.000319 U	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	IW-48B-25	3/23/18	PES	ESC	25	26.7	S	0.000385 U	0.000327 U	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000290 U	0.000232 U	0.000226 U
	IW-48B-30	3/23/18	PES	ESC	30	21.7	S	0.000377 U	0.000320 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000222 U
	IW-48B-35	3/23/18	PES	ESC	35	16.7	S	0.000393 U	0.000334 U	0.00291 U	0.000285 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	IW-48B-40	3/23/18	PES	ESC	40	11.7	S	0.000373 U	0.00104 J	0.00276 U	0.000271 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000219 U
	IW-48B-42	3/23/18	PES	ESC	42	9.7	S	0.000377 U	0.000320 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000222 U
	IW-905-42	3/23/18	PES	ESC	42 (dup)	9.7	S	0.000374 U	0.000317 U	0.00276 U	0.000271 U	0.000265 U	0.00205 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	IW-48B-45	3/23/18	PES	ESC	45	6.7	S	0.000371 U	0.000315 U	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000224 U	0.000218 U
	IW-48B-50	3/23/18	PES	ESC	50	1.7	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00208 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	IW-48B-55	3/23/18	PES	ESC	55	-3.3	S	0.000371 U	0.000315 U	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	IW-48B-60	3/23/18	PES	ESC	60	-8.3	S	0.000378 U	0.000321 U	0.00280 U	0.000274 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000285 U	0.000228 U	0.000222 U
	IW-48B-65	3/23/18	PES	ESC	65	-13.3	S	0.000404 U	0.00151 J	0.00299 U	0.000293 U	0.000287 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000305 U	0.000243 U	0.000237 U
	IW-48B-70	3/23/18	PES	ESC	70	-18.3	S	0.000376 U	0.000319 U	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000226 U	0.000221 U
	IW-48B-75	3/23/18	PES	ESC	75	-23.3	S	0.000385 U	0.000476 J	0.00285 U	0.000279 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000232 U	0.000226 U
IW-50A (9.8 to-10.2)	IW-50A-5	3/27/18	PES	ESC	5	46.9	V	0.000390 U	0.00123 J	0.00289 U	0.000283 U	0.000277 U	0.00621 J	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	IW-50A-10	3/27/18	PES	ESC	10	41.9	V	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000271 U	0.00210 U	0.000236 U	0.00111 U	0.00111 U	0.000288 U	0.000230 U	0.000224 U
	IW-50A-15	3/27/18	PES	ESC	15	36.9	V	0.000376 U	0.000319 U	0.00278 U	0.000272 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	IW-50A-20	3/27/18	PES	ESC	20	31.9	S	0.000380 U	0.000322 U	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	IW-50A-25	3/27/18	PES	ESC	25	26.9	S	0.000370 U	0.000314 U	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000218 U
	IW-50A-30	3/27/18	PES	ESC	30	21.9	S	0.000371 U	0.000315 U	0.00275 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	IW-50A-35	3/27/18	PES	ESC	35	16.9	S	0.000372 U	0.00423 J	0.00275 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	IW-50A-40	3/27/18	PES	ESC	40	11.9	S	0.000378 U	0.000320 U	0.00280 U	0.000274 U	0.000268 U	0.00208 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000228 U	0.000222 U
	IW-50A-42	3/27/18	PES	ESC	42	9.9	S	0.000376 U	0.000319 U	0.00278 U	0.000272 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	IW-50A-45	3/27/18	PES	ESC	45	6.9	S	0.000379 U	0.000321 U	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	IW-50A-50	3/27/18	PES	ESC	50	1.9	S	0.000384 U	0.000325 U	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000226 U
	IW-906-50	3/27/18	PES	ESC	50 (dup)	1.9	S	0.000386 U	0.000327 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U
	IW-50A-55	3/27/18	PES	ESC	55	-3.2	S	0.000385 U	0.000326 U	0.00285 U	0.000279 U	0.000273 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000290 U	0.000232 U	0.000226 U
	IW-50A-60	3/27/18	PES	ESC	60	-8.2	S	0.000386 U	0.000328 U	0.00286 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000233 U	0.000227 U
IW-51A (9.9 to-10.1)	IW-51A-5	3/26/18	PES	ESC	5	46.9	V	0.000376 U	0.000319 U	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	IW-51A-10	3/26/18	PES	ESC	10	41.9	V	0.000373 U	0.000316 U	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000225 U	0.000219 U
	IW-51A-15	3/26/18	PES	ESC	15	36.9	V	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	IW-51A-20	3/26/18	PES	ESC	20	31.9	S	0.000371 U	0.000314 U	0.00274 U	0.000269 U	0.000263 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	IW-51A-25	3/26/18	PES	ESC	25	26.9	S	0.000472 U	0.000400 U	0.00349 U	0.000342 U	0.000335 U	0.00260 U	0.000292 U	0.00138 U	0.00138 U	0.000356 U	0.000285 U	0.000277 U
	IW-51A-30	3/26/18	PES	ESC	30	21.9	S	0.000369 U	0.000313 U	0.00273 U	0.000267 U	0.000262 U	0.00203 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000217 U
	IW-51A-35	3/26/18	PES	ESC	35	16.9	S	0.000372 U	0.000316 U	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	IW-51A-40	3/26/18	PES	ESC	40	11.9	S	0.000374 U	0.000317 U	0.00276 U	0.000271 U	0.000265 U	0.00205 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	IW-51A-42	3/26/18	PES	ESC	42	9.9	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U
	IW-51A-45	3/26/18	PES	ESC	45	6.9	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000271 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U
	IW-51A-50	3/26/18	PES	ESC	50	1.9	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000230 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
IW-51A (continued)	IW-51A-55	3/26/18	PES	ESC	55	-3.1	S	0.000392 U	0.000332 U	0.00290 U	0.000284 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000230 U
	IW-51A-60	3/26/18	PES	ESC	60	-8.1	S	0.000368 U	0.000312 U	0.00272 U	0.000267 U	0.000261 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	IW-51A-62	3/26/18	PES	ESC	62	-10.1	S	0.000372 U	0.000315 U	0.00275 U	0.000270 U	0.000264 U	0.00204 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
IW-53B (-11.1 to-26.1)	IW-53B-30	9/20/18	PES	ESC	30	5.3	S	0.138 U	0.00339 J	0.00658 U	0.000381 U	0.000939 U	0.0109 U	0.000321 U	0.00722 U	0.00339 U	0.00418 U	0.00128 U	0.00275 U
IW-54A (9.8 to-10.2)	IW-54A-8	9/12/18	PES	ESC	8	31.1	S	0.0147 U	0.00122 U	0.00698 U	0.000404 U	0.000996 U	0.0115 U	0.000340 U	0.00766 U	0.00360 U	0.00443 U	0.00136 U	0.00292 U
	IW-54A-49	9/12/18	PES	ESC	49	-9.9	S	0.0147 U	0.00123 U	0.00701 U	0.000405 U	0.00100 U	0.0116 U	0.000342 U	0.00867 J	0.00361 U	0.00445 U	0.00137 U	0.00293 U
IW-54B (-9.5 to-24.5)	IW-54B-8	9/5/18	PES	ESC	8	31.2	S	0.0139 U	0.00116 U	0.00660 U	0.000382 U	0.000956 J	0.0109 U	0.000322 U	0.00724 U	0.00340 U	0.00419 U	0.00358 J	0.00276 U
	IW-54B-13	9/6/18	PES	ESC	13	26.2	S	0.0141 U	0.00118 U	0.00671 U	0.000388 U	0.000957 U	0.0111 U	0.000327 U	0.00737 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
	IW-54B-21	9/6/18	PES	ESC	21	18.2	S	0.0139 U	0.00116 U	0.00660 U	0.000382 U	0.000942 U	0.0109 U	0.000322 U	0.00724 U	0.00340 U	0.00419 U	0.00129 U	0.00276 U
	IW-54B-33	9/6/18	PES	ESC	33	6.2	S	0.0159 U	0.00132 U	0.00756 U	0.000438 U	0.00108 U	0.0125 U	0.000369 U	0.00830 U	0.00390 U	0.00480 U	0.00147 U	0.00316 U
IW-55B (-12.0 to-27.0)	IW-55B-39	9/13/18	PES	ESC	39	12.8	S	0.0135 U	0.00113 U	0.00642 U	0.000372 U	0.000916 U	0.0106 U	0.000313 U	0.00906 J	0.00331 U	0.00408 U	0.00125 U	0.00269 U
	IW-55B-43	9/13/18	PES	ESC	43	8.8	S	0.0144 U	0.00120 U	0.00684 U	0.000396 U	0.000976 U	0.0113 U	0.000334 U	0.00751 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	IW-55B-61	9/13/18	PES	ESC	61	-9.2	S	0.0151 U	0.00126 U	0.00719 U	0.000416 U	0.00103 U	0.0119 U	0.000350 U	0.00789 U	0.00371 U	0.00456 U	0.00140 U	0.00301 U
IW-58A (3.9 to-11.1)	IW-58A-38	10/17/18	PES	PACE	38	1.2	S	0.0139 U	0.00116 U	0.00661 U	0.000383 U	0.000943 U	0.0109 U	0.000322 U	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	B-929-38	10/17/18	PES	PACE	38 (dup)	1.2	S	0.0143 U	0.00119 U	0.00681 U	0.000394 U	0.000972 U	0.0113 U	0.000332 U	0.00748 U	0.00351 U	0.00432 U	0.00133 U	0.00285 U
MW101 (B101) (-65.5 to-75.5)	B101-30	7/10/12	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-34	7/10/12	SES	F&BI	34	5.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-40	7/10/12	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-47	7/10/12	SES	F&BI	47	-7.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-48	7/10/12	SES	F&BI	48	-8.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-55	7/10/12	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-65	7/10/12	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-75	7/11/12	SES	F&BI	75	-35.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-81	7/11/12	SES	F&BI	81	-41.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-92	7/12/12	SES	F&BI	92	-52.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-97	7/12/12	SES	F&BI	97	-57.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-104	7/12/12	SES	F&BI	104	-64.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-114.5	7/12/12	SES	F&BI	114.5	-75.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-120	7/12/12	SES	F&BI	120	-80.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-131	7/12/12	SES	F&BI	131	-91.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-140	7/12/12	SES	F&BI	140	-100.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW130 (B130) (-30.9 to-40.9)	B130-10	3/1/16	SES	F&BI	10	29.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-20	3/1/16	SES	F&BI	20	19.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-30	3/1/16	SES	F&BI	30	9.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-40	3/1/16	SES	F&BI	40	-0.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-45	3/2/16	SES	F&BI	45	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-50	3/2/16	SES	F&BI	50	-10.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-55	3/2/16	SES	F&BI	55	-15.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-60	3/2/16	SES	F&BI	60	-20.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-65	3/2/16	SES	F&BI	65	-25.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B130-70	3/2/16	SES	F&BI	70	-30.5	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW130 (B130) (continued)	B130-75 B130-80	3/2/16 3/2/16	SES SES	F&BI F&BI	75 80	-35.5 -40.5	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
MW131 (B131) (-4.2 to-14.2)	B131-10	3/1/16	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B131-20	3/1/16	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B131-30	3/1/16	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B131-40	3/1/16	SES	F&BI	40	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B131-45 B131-55	3/2/16 3/2/16	SES SES	F&BI F&BI	45 55	-5.0 -15.0	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
MW-132 (-29.9 to-39.9)	MW-132-20	8/22/17	PES	ESC	20	20.1	S	0.000381 U	0.000323 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000236 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	MW-132-35	8/22/17	PES	ESC	35	5.1	S	0.000383 U	0.000324 U	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000230 U	0.000225 U
	MW-132-50	8/22/17	PES	ESC	50	-9.9	S	0.000370 U	0.00271 J	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	MW-132-55	8/23/17	PES	ESC	55	-14.9	S	0.0393 U	0.0333 U	0.291 U	0.0285 U	0.0279 U	0.216 U	0.159	0.115 U	0.115 U	0.0297 U	0.0501 J	0.0231 U
	MW-132-60	8/23/17	PES	ESC	60	-19.9	S	0.000368 U	0.000678 J	0.00272 U	0.000267 U	0.000262 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	MW-132-70 MW-132-83	8/23/17 8/23/17	PES PES	ESC ESC	70 83	-29.9 -42.9	S S	0.000417 U 0.000373 U	0.000499 J 0.000316 U	0.00308 U 0.00276 U	0.000302 U 0.000271 U	0.000296 U 0.000265 U	0.00229 U 0.00205 U	0.000258 U 0.000231 U	0.00122 U 0.00109 U	0.00122 U 0.00109 U	0.000315 U 0.000281 U	0.000251 U 0.000225 U	0.000245 U 0.000219 U
MW-133 (-88.9 to-98.9)	MW-133-20	8/15/17	PES	ESC	20	20.1	S	0.000403 U	0.00531 J	0.00298 U	0.000292 U	0.000286 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	MW-133-35	8/15/17	PES	ESC	35	5.1	S	0.000447 U	0.000379 U	0.00330 U	0.000324 U	0.000317 U	0.00245 U	0.000277 U	0.00131 U	0.00131 U	0.000337 U	0.000269 U	0.000262 U
	MW-133-45	8/15/17	PES	ESC	45	-4.9	S	0.000372 U	0.000378 J	0.00275 U	0.000270 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	MW-133-55	8/15/17	PES	ESC	55	-14.9	S	0.0837 U	0.0709 U	0.619 U	0.0607 U	0.0594 U	0.460 U	0.0801 J	0.245 U	0.245 U	0.0631 U	0.0504 U	0.0492 U
	MW-133-58	8/15/17	PES	ESC	58	-17.9	S	2.02 U	1.71 U	14.9 U	1.47 U	1.44 U	11.1 U	1.25 U	5.91 U	5.91 U	1.53 U	1.22 U	1.18 U
	MW-133-65	8/15/17	PES	ESC	65	-24.9	S	0.000396 U	0.000897 J	0.00293 U	0.000287 U	0.000281 U	0.00218 U	0.000245 U	0.00116 U	0.00116 U	0.000299 U	0.000238 U	0.000233 U
	MW-133-75	8/15/17	PES	ESC	75	-34.9	S	0.000398 U	0.000337 U	0.00294 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000240 U	0.000234 U
	MW-133-85	8/15/17	PES	ESC	85	-44.9	S	0.0100 U	0.00850 U	0.0741 U	0.00727 U	0.00713 U	0.0551 U	0.0772	0.0293 U	0.0293 U	0.00756 U	0.00604 U	0.00588 U
	MW-133-95	8/16/17	PES	ESC	95	-54.9	S	0.000398 U	0.000338 U	0.00295 U	0.000289 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000301 U	0.000240 U	0.000234 U
	MW-133-105	8/16/17	PES	ESC	105	-64.9	S	0.000412 U	0.000349 U	0.00305 U	0.000299 U	0.000293 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000311 U	0.000248 U	0.000242 U
	MW-133-120	8/16/17	PES	ESC	120	-79.9	S	0.00929 U	0.00788 U	0.0687 U	0.00674 U	0.00661 U	0.0511 U	0.0760	0.0272 U	0.0272 U	0.00701 U	0.00560 U	0.00546 U
	MW-133-130	8/16/17	PES	ESC	130	-89.9	S	0.000407 U	0.00262 J	0.00301 U	0.000295 U	0.000289 U	0.00224 U	0.000253 U	0.00119 U	0.00119 U	0.000307 U	0.000245 U	0.000239 U
	MW-133-135	8/16/17	PES	ESC	135	-94.9	S	0.000387 U	0.100	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000535 J	0.000915 J	0.000228 U
	MW-133-141	8/16/17	PES	ESC	141	-100.9	S	0.000385 U	0.0113	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000226 U
MW-134 (-38.6 to-48.6)	MW-134-20	8/29/17	PES	ESC	20	21.5	S	0.000450 U	0.000382 U	0.00333 U	0.000326 U	0.000320 U	0.00247 U	0.000279 U	0.00132 U	0.00132 U	0.000340 U	0.000271 U	0.000265 U
	MW-134-43	8/29/17	PES	ESC	43	-1.6	S	0.000397 U	0.000648 J	0.00294 U	0.00719 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	MW-134-50	8/29/17	PES	ESC	50	-8.6	S	0.000376 U	0.000319 U	0.00278 U	0.0273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000226 U	0.000221 U
	MW-134-60	8/29/17	PES	ESC	60	-18.6	S	0.000378 U	0.00136 J	0.00279 U	0.00685 U	0.000268 U	0.00208 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	MW-134-70	8/29/17	PES	ESC	70	-28.6	S	0.000436 U	0.00178 J	0.00323 U	0.000316 U	0.000310 U	0.00240 U	0.000270 U	0.00128 U	0.00128 U	0.000329 U	0.000263 U	0.000256 U
	MW-134-80	8/29/17	PES	ESC	80	-38.6	S	0.000366 U	0.00184 J	0.00271 U	0.000265 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000220 U	0.000215 U
	B-903-100	8/29/17	PES	ESC	80 (dup)	-38.6	S	0.000360 U	0.00103 J	0.00267 U	0.000261 U	0.000256 U	0.00198 U	0.000223 U	0.00105 U	0.00105 U	0.000272 U	0.000217 U	0.000212 U
	MW-134-90	8/29/17	PES	ESC	90	-48.6	S	0.000434 U	0.00494 J	0.00321 U	0.00787 U	0.000309 U	0.00239 U	0.000269 U	0.00127 U	0.00127 U	0.000328 U	0.000262 U	0.000255 U
MW-135 (-30.9 to-40.9)	MW-135-16	8/24/17	PES	ESC	14	25.1	S	0.0417 U	0.0354 U	0.309 U	0.0303 U	0.0628 J	0.229 U	0.0259 U	0.122 U	0.543 J	0.339	0.170	0.167
	MW-135-20	8/24/17	PES	ESC	20	19.1	S	0.00974 U	0.00826 U	0.0720 U	0.00706 U	0.00692 U	0.0535 U	0.00604 U	0.0285 U	0.0285 U	0.00735 U	0.00587 U	0.00572 U
	MW-135-30	8/24/17	PES	ESC	30	9.1	S	0.000363 U	0.000308 U	0.00269 U	0.000263 U	0.000278 J	0.00200 U	0.000225 U	0.00106 U	0.00253 J	0.000805 J	0.000769 J	0.000496 J
	MW-135-36	8/24/17	PES	ESC	36	3.1	S	0.000399 U	0.000339 U	0.00295 U	0.000290 U	0.000284 U	0.00219 U	0.000248 U	0.00117 U	0.00117 U	0.000301 U	0.000241 U	0.000235 U
	MW-135-40	8/24/17	PES	ESC	40	-0.9	S	0.000408 U	0.000346 U	0.00302 U	0.000296 U	0.000290 U	0.00224 U	0.000253 U	0.00119 U	0.00119 U	0.000308 U	0.000246 U	0.000240 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-135 (continued)	MW-135-45	8/24/17	PES	ESC	45	-5.9	S	0.000406 U	0.000344 U	0.003300 U	0.000294 U	0.000289 U	0.00223 U	0.000252 U	0.00119 U	0.00119 U	0.000306 U	0.000245 U	0.000239 U
	MW-135-55	8/24/17	PES	ESC	55	-15.9	S	0.000372 U	0.00123 J	0.00275 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	MW-135-65	8/24/17	PES	ESC	65	-25.9	S	0.000406 U	0.000344 U	0.003300 U	0.000294 U	0.000288 U	0.00223 U	0.000252 U	0.00119 U	0.00119 U	0.000306 U	0.000244 U	0.000239 U
	MW-135-80	8/24/17	PES	ESC	80	-40.9	S	0.000955 U	0.000324 U	0.00283 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
MW-136 (-32.7 to-42.7)	MW-136-35	8/28/17	PES	ESC	35	16.9	S	0.000360 U	0.00176 J	0.00266 U	0.000261 U	0.000256 U	0.00198 U	0.000223 U	0.00105 U	0.00105 U	0.000272 U	0.000217 U	0.000212 U
	B-902-15	8/28/17	PES	ESC	35 (dup)	16.9	S	0.000374 U	0.000689 J	0.00276 U	0.000271 U	0.000265 U	0.00205 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	MW-136-44	8/28/17	PES	ESC	44	7.9	S	0.000384 U	0.000656 J	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000231 U	0.000226 U
	MW-136-50	8/28/17	PES	ESC	50	1.9	S	0.000394 U	0.000453 J	0.00291 U	0.00713 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	MW-136-65	8/28/17	PES	ESC	65	-13.1	S	0.000372 U	0.00387 J	0.00275 U	0.000270 U	0.000264 U	0.00204 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	MW-136-75	8/28/17	PES	ESC	75	-23.1	S	0.000380 U	0.000322 U	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	MW-136-85	8/28/17	PES	ESC	85	-33.1	S	0.000382 U	0.000324 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	MW-136-95	8/28/17	PES	ESC	95	-43.1	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
MW-137 (-53.3 to-63.3)	MW-137-25	8/31/17	PES	ESC	25	26.7	S	0.000373 U	0.00162 J	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000225 U	0.000219 U
	MW-137-45	8/31/17	PES	ESC	45	6.7	S	0.00968 U	0.0117 J	0.0715 U	0.00702 U	0.00688 U	0.0532 U	0.00600 U	0.0283 U	0.0283 U	0.00730 U	0.00583 U	0.00568 U
	MW-137-75	8/31/17	PES	ESC	75	-23.3	S	0.000375 U	0.000318 U	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	MW-137-85	9/1/17	PES	ESC	85	-33.3	S	0.000410 U	0.00261 J	0.00303 U	0.000297 U	0.000291 U	0.00225 U	0.000254 U	0.00120 U	0.00120 U	0.000309 U	0.000247 U	0.000241 U
	MW-137-95	9/1/17	PES	ESC	95	-43.3	S	0.000366 U	0.00340 J	0.00271 U	0.000266 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000221 U	0.000215 U
	MW-137-115	9/1/17	PES	ESC	115	-63.3	S	0.000418 U	0.000355 U	0.00310 U	0.000303 U	0.000297 U	0.00230 U	0.000259 U	0.00122 U	0.00122 U	0.000316 U	0.000252 U	0.000246 U
MW-139 (-30.2 to-40.2)	MW-139-20	9/13/17	PES	ESC	20	19.8	S	0.000396 U	0.000335 U	0.00293 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000233 U
	MW-139-31	9/13/17	PES	ESC	31	8.8	S	0.000366 U	0.000310 U	0.00271 U	0.000265 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000220 U	0.000215 U
	MW-139-41	9/13/17	PES	ESC	41	-1.2	S	0.000367 U	0.00158 J	0.00272 U	0.000266 U	0.000261 U	0.00202 U	0.000228 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
	MW-139-51	9/13/17	PES	ESC	51	-11.2	S	0.000395 U	0.000675 J	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	MW-139-60	9/13/17	PES	ESC	60	-20.2	S	0.000367 U	0.000311 U	0.00272 U	0.000266 U	0.000261 U	0.00202 U	0.000228 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
	MW-139-70	9/13/17	PES	ESC	70	-30.2	S	0.000404 U	0.000342 U	0.00299 U	0.000293 U	0.000287 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	MW-139-80	9/13/17	PES	ESC	80	-40.2	S	0.000386 U	0.000328 U	0.00286 U	0.000280 U	0.000275 U	0.00212 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
MW-141 (-55.4 to-65.4)	MW-141-15	9/18/17	PES	ESC	15	24.6	S	0.000386 U	0.000327 U	0.00285 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
	MW-141-35	9/18/17	PES	ESC	35	4.6	S	0.000397 U	0.000542 J	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	MW-141-46	9/18/17	PES	ESC	46	-6.4	S	0.000374 U	0.00427 J	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	MW-141-56	9/18/17	PES	ESC	56	-16.4	S	0.000364 U	0.00226 J	0.00269 U	0.000264 U	0.000258 U	0.00200 U	0.000226 U	0.00106 U	0.00106 U	0.000274 U	0.000219 U	0.000214 U
	MW-141-65	9/18/17	PES	ESC	65	-25.4	S	0.000360 U	0.00497 J	0.00266 U	0.000261 U	0.000256 U	0.00198 U	0.000223 U	0.00105 U	0.00105 U	0.000271 U	0.000217 U	0.000211 U
	MW-141-75	9/18/17	PES	ESC	75	-35.4	S	0.000365 U	0.00845 J	0.00270 U	0.000264 U	0.000259 U	0.00200 U	0.000226 U	0.00107 U	0.00107 U	0.000275 U	0.000220 U	0.000214 U
	MW-141-85	9/18/17	PES	ESC	85	-45.4	S	0.000399 U	0.000898 J	0.00295 U	0.000290 U	0.000284 U	0.00220 U	0.000248 U	0.00117 U	0.00117 U	0.000301 U	0.000241 U	0.000235 U
	MW-141-95	9/18/17	PES	ESC	95	-55.4	S	0.000410 U	0.000347 U	0.00303 U	0.000297 U	0.000291 U	0.00225 U	0.000254 U	0.00120 U	0.00120 U	0.000309 U	0.000247 U	0.000241 U
	MW-141-105	9/19/17	PES	ESC	105	-65.4	S	0.000408 U	0.000346 U	0.00302 U	0.000296 U	0.000290 U	0.00224 U	0.000253 U	0.00119 U	0.00119 U	0.000308 U	0.000246 U	0.000240 U
MW-152 (-10.2 to-20.2)	MW-152-5	3/13/18	PES	ESC	5	34.1	S	0.000385 U	0.000327 U	0.00285 U	0.000279 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000226 U
	MW-152-15	3/13/18	PES	ESC	15	24.1	S	0.000379 U	0.000321 U	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	MW-152-25	3/13/18	PES	ESC	25	14.1	S	0.000371 U	0.000315 U	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	MW-152-35	3/13/18	PES	ESC	35	4.1	S	0.000375 U	0.000318 U	0.00277 U	0.000272 U	0.000266 U	0.00206 U	0.000232 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000220 U
	MW-152-45	3/13/18	PES	ESC	45	-5.9	S	0.000386 U	0.000925 J	0.00285 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000435 J	0.000851 J	0.000397 J
	MW-152-55	3/13/18	PES	ESC	55	-15.9	S	0.000387 U	0.000328 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	MW-152-60	3/13/18	PES	ESC	60	-20.9	S	0.000370 U	0.0102 J	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-162 (-61.6 to -71.6)	MW-162-48	1/28/19	PES	PACE	48	-9.6	S	0.275 U	0.0229 U	0.131 U	0.00757 U	0.0187 U	0.216 U	0.00638 U	0.144 U	0.0675 U	0.0831 U	0.0255 U	0.0547 U
	MW-162-50	1/28/19	PES	PACE	50	-11.6	S	0.0148 U	0.00124 U	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00364 U	0.00449 U	0.00138 U	0.00296 U
	B-930-50 (dup)	1/28/19	PES	PACE	50	-11.6	S	0.0141 U	0.00118 U	0.00673 U	0.000389 U	0.000959 U	0.0111 U	0.000328 U	0.00738 U	0.00347 U	0.00427 U	0.00131 U	0.00281 U
	MW-162-67	1/28/19	PES	PACE	67	-28.6	S	0.0148 U	0.00123 U	0.00703 U	0.000407 U	0.00100 U	0.0116 U	0.000343 U	0.00771 U	0.00362 U	0.00446 U	0.00137 U	0.00294 U
	MW-162-70	1/28/19	PES	PACE	70	-31.6	S	0.0142 U	0.00118 U	0.00675 U	0.000391 U	0.000963 U	0.0112 U	0.000329 U	0.00741 U	0.00348 U	0.00429 U	0.00132 U	0.00282 U
	MW-162-72	1/28/19	PES	PACE	72	-33.6	S	0.0137 U	0.00114 U	0.00653 U	0.000378 U	0.000931 U	0.0108 U	0.000318 U	0.00716 U	0.00337 U	0.00414 U	0.00127 U	0.00273 U
	MW-162-80	1/28/19	PES	PACE	80	-41.6	S	0.0141 U	0.00118 U	0.00673 U	0.000390 U	0.000960 U	0.0111 U	0.000328 U	0.00739 U	0.00347 U	0.00427 U	0.00131 U	0.00282 U
	MW-162-85	1/28/19	PES	PACE	85	-46.6	S	0.0144 U	0.00120 U	0.00685 U	0.000396 U	0.000977 U	0.0113 U	0.000334 U	0.00752 U	0.00353 U	0.00435 U	0.00134 U	0.00286 U
	MW-162-90	1/28/19	PES	PACE	90	-51.6	S	0.0144 U	0.00120 U	0.00684 U	0.000396 U	0.000975 U	0.0113 U	0.000333 U	0.00750 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	MW-162-95	1/28/19	PES	PACE	95	-56.6	S	0.0146 U	0.00122 U	0.00694 U	0.000402 U	0.000990 U	0.0115 U	0.000338 U	0.00870 J	0.00358 U	0.00441 U	0.00135 U	0.00290 U
	MW-162-100	1/28/19	PES	PACE	100	-61.6	S	0.0148 U	0.00124 U	0.00706 U	0.000409 U	0.00101 U	0.0117 U	0.000344 U	0.00775 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	MW-162-105	1/28/19	PES	PACE	105	-66.6	S	0.0143 U	0.00119 U	0.00680 U	0.000393 U	0.000970 U	0.0112 U	0.000332 U	0.00746 U	0.00351 U	0.00432 U	0.00133 U	0.00284 U
	MW-162-110	1/28/19	PES	PACE	110	-71.6	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000945 U	0.0109 U	0.000323 U	0.00727 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
MW-163 (-61.0 to -71.0)	MW-163-47	1/29/19	PES	PACE	47	-7.7	S	0.0142 U	0.00119 U	0.00677 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00743 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
	MW-163-50	1/29/19	PES	PACE	50	-10.7	S	0.0137 U	0.00115 U	0.00654 U	0.000378 U	0.000932 U	0.0108 U	0.000319 U	0.00717 U	0.00337 U	0.00415 U	0.00127 U	0.00273 U
	MW-163-55	1/29/19	PES	PACE	55	-15.7	S	0.0155 U	0.00130 U	0.00742 U	0.000429 U	0.00106 U	0.0123 U	0.000361 U	0.00814 U	0.00382 U	0.00471 U	0.00144 U	0.00310 U
	MW-163-60	1/29/19	PES	PACE	60	-20.7	S	0.0144 U	0.00120 U	0.00685 U	0.000396 U	0.000977 U	0.0113 U	0.000334 U	0.00752 U	0.00353 U	0.00435 U	0.00134 U	0.00286 U
	MW-163-80	1/29/19	PES	PACE	80	-40.7	S	0.0144 U	0.00121 U	0.00688 U	0.000398 U	0.000981 U	0.0114 U	0.000335 U	0.00755 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	MW-163-85	1/29/19	PES	PACE	85	-45.7	S	0.0150 U	0.00125 U	0.00716 U	0.000414 U	0.00102 U	0.0118 U	0.000349 U	0.00786 U	0.00369 U	0.00454 U	0.00140 U	0.00299 U
	MW-163-90	1/29/19	PES	PACE	90	-50.7	S	0.0138 U	0.00115 U	0.00656 U	0.000380 U	0.000936 U	0.0108 U	0.000320 U	0.00720 U	0.00338 U	0.00416 U	0.00128 U	0.00274 U
	MW-163-95	1/29/19	PES	PACE	95	-55.7	S	0.0151 U	0.00126 U	0.00717 U	0.000415 U	0.00102 U	0.0119 U	0.000350 U	0.00787 U	0.00370 U	0.00455 U	0.00140 U	0.00300 U
	MW-163-100	1/29/19	PES	PACE	100	-60.7	S	0.0146 U	0.00122 U	0.00695 U	0.000402 U	0.000991 U	0.0115 U	0.000339 U	0.00763 U	0.00358 U	0.00441 U	0.00136 U	0.00291 U
	MW-163-105	1/29/19	PES	PACE	105	-65.7	S	0.0133 U	0.00111 U	0.00635 U	0.000367 U	0.000906 U	0.0105 U	0.000310 U	0.00697 U	0.00328 U	0.00403 U	0.00124 U	0.00266 U
MW-164 (-59.9 to -69.9)	MW-164-80	1/24/19	PES	PACE	80	-40.3	S	0.0145 U	0.00121 U	0.00689 U	0.000399 U	0.000983 U	0.0114 U	0.000336 U	0.00756 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	MW-164-87	1/24/19	PES	PACE	87	-47.3	S	0.0142 U	0.00119 U	0.00677 U	0.000392 U	0.000966 U	0.0112 U	0.000330 U	0.00743 U	0.00349 U	0.00430 U	0.00132 U	0.00283 U
	MW-164-90	1/24/19	PES	PACE	90	-50.3	S	0.0149 U	0.00124 U	0.00709 U	0.000410 U	0.00101 U	0.0117 U	0.000346 U	0.00778 U	0.00365 U	0.00450 U	0.00138 U	0.00296 U
	MW-164-95	1/25/19	PES	PACE	95	-55.3	S	0.0152 U	0.00127 U	0.00723 U	0.000419 U	0.00103 U	0.0120 U	0.000353 U	0.00794 U	0.00373 U	0.00459 U	0.00141 U	0.00303 U
	MW-164-100	1/25/19	PES	PACE	100	-60.3	S	0.0159 U	0.00133 U	0.00756 U	0.000438 U	0.00108 U	0.0125 U	0.000369 U	0.00830 U	0.00390 U	0.00480 U	0.00148 U	0.00316 U
	MW-164-105	1/25/19	PES	PACE	105	-65.3	S	0.0141 U	0.00118 U	0.00671 U	0.000388 U	0.000957 U	0.0111 U	0.000327 U	0.00736 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
	MW-164-110	1/25/19	PES	PACE	110	-70.3	S	0.0140 U	0.00117 U	0.00667 U	0.000386 U	0.000952 U	0.0110 U	0.000325 U	0.00732 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U
	B-929-120	1/25/19	PES	PACE	110 (dup)	-70.3	S	0.0143 U	0.00119 U	0.00680 U	0.000393 U	0.000970 U	0.0112 U	0.000331 U	0.00746 U	0.00351 U	0.00431 U	0.00133 U	0.00284 U
MW-168 (-43.0 to -53.0)	MW-168-15	10/21/19	PES	Fremont	15	-3.8	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-171 (-27.6 to -37.6)	MW-171-24	09/24/19	PES	Fremont	24	-12.8	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-172 (-42.5 to -52.5)	MW-172-7	09/26/19	PES	Fremont	7	4.2	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-175 (-27.8 to -37.8)	MW-175-12	10/26/19	PES	Fremont	12	-1.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B-1002-12	10/26/19	PES	Fremont	12 (dup)	-1.3	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropyl/benzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-180 (-42.7 to -52.7)	MW-180-40	09/25/19	PES	Fremont	40	-28.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-24	09/25/19	PES	Fremont	24	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW-180-27	09/25/19	PES	Fremont	27	-15.2	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-181 (1.5 to -8.5)	MW-181-14	09/27/19	PES	Fremont	14	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-183 (-27.4 to -37.4)	MW-183-18	09/26/19	PES	Fremont	18	-6.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-184 (-42.5 to -52.5)	MW-184-20	09/26/19	PES	Fremont	20	-8.4	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-188 (-42.2 to -52.2)	MW-188-64	10/01/19	PES	Fremont	64	-52.4	S	-	-	-	-	-	-	-	-	-	-	-	-
P01	P01-05	2/12/14	SES	F&BI	5	35.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	P01-10	2/12/14	SES	F&BI	10	30.5	S	-	-	-	-	-	-	-	-	-	-	-	-
P02	P02-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	P02-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-05	2/12/14	SES	F&BI	5	34.5	S	-	-	-	-	-	-	-	-	-	-	-	-
P03	P03-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	-	-	-	-	-	-	-	-	-	-
P04	P04-05	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	P04-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
P05	P05-05	2/12/14	SES	F&BI	5	35.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	P05-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-
P06	P06-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	P06-10	2/12/14	SES	F&BI	10	30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
R-MW1	Unknown	10/22/92	Roux	Unknown	5	32.8	S	-	-	-	-	-	-	-	-	-	-	-	-
W-MW-03 (P-07)	SB-W-07-0135	1/26/12	WW	ARI	13.5-14	25.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0275	1/26/12	WW	ARI	27.5-28	11.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0335	1/26/12	WW	ARI	33.5-34	5.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0430	1/26/12	WW	ARI	43-43.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0530	1/26/12	WW	ARI	53-53.5	-14.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0630	1/26/12	WW	ARI	63-63.5	-24.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-07-0780	1/26/12	WW	ARI	78-78.5	-39.3	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl Isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene		
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25		
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3		
W-MW-04 (P-08)	SB-W-08-0090	1/28/12	WW	ARI	9-9.5	26.0	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-0155	1/28/12	WW	ARI	15.5-16	19.5	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-0265	1/28/12	WW	ARI	26.5-27	8.5	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-0380	1/28/12	WW	ARI	38-38.5	-3.0	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-0480	1/28/12	WW	ARI	48-48.5	-13.0	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-9480	1/28/12	WW	ARI	48-48.5 (dup)	-13.0	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-0590	1/28/12	WW	ARI	59-59.5	-24.0	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-0710	1/29/12	WW	ARI	71-71.5	-36.0	S	-	-	-	-	-	-	-	-	-	-	-	-		
	SB-W-08-0760	1/29/12	WW	ARI	76-76.5	-41.0	S	-	-	-	-	-	-	-	-	-	-	-	-		
All Data								Number of Analytes Measured	805	805	805	805	805	805	805	805	805	805	805		
								Number of Analytes Detected	0	220	0	0	15	2	30	13	17	18	28	16	
								Frequency of Detection	0.0%	27.3%	0.0%	0.0%	1.9%	0.2%	3.7%	1.6%	2.1%	2.2%	3.5%	2.0%	
								Maximum Detection	-	0.11	-	-	0.851	0.00621 J	0.554 J	0.0112	5.21	0.973	2.84	0.642	
								Minimum Detection	0.000342 U	0.00029 U	0.00235 U	0.000248 U	0.000243 U	0.00188 U	0.000212 U	0.001 U	0.001 U	0.000258 U	0.000206 U	0.000201 U	
								Number Of Vadose (V) Detections above SL	0	0	-	-	0	0	0	0	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	0	-	-	1	0	14	0	3	1	1	0	0
2017-2021								Number of Analytes Measured	805	805	805	805	805	805	805	805	805	805	805	805	
								Number of Analytes Detected	0	220	0	0	15	2	30	13	17	18	28	16	
								Frequency of Detection	0.0%	27.3%	0.0%	0.0%	1.9%	0.2%	3.7%	1.6%	2.1%	2.2%	3.5%	2.0%	
								Maximum Detection	-	0.11	-	-	0.851	0.00621 J	0.554 J	0.0112	5.21	0.973	2.84	0.642	
								Minimum Detection	0.000342 U	0.00029 U	0.00235 U	0.000248 U	0.000243 U	0.00188 U	0.000212 U	0.001 U	0.001 U	0.000258 U	0.000206 U	0.000201 U	
								Number Of Vadose (V) Detections above SL	0	0	-	-	0	0	0	0	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	0	-	-	1	0	14	0	3	1	1	0	0
Abbreviations:								Notes:													
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								All on-Property soil was excavated during Property redevelopment above elevations 0.7 to 10.7 feet, and CVOCs in soil between elevations +10 to 55 feet was treated.													
ARI = Analytical Resource, Incorporated, Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.													
B&V = Black Veatch								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.													
bgs = below ground surface								Well screen elevations provided below Sample Location. in parentheses when applicable.													
Comp = Composite Sample								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.													
dup = duplicate								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.													
EPJ = E.P.Johnson Construction Inc., and Environmental								Detected results shown in bold .													
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .													
F&BI = Friedman & Bruya, Inc.								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .													
GeoEng = GeoEngineers, Inc.								- = Not available or results not analyzed.													
HC = Hart Crowser, Inc.								A = Result reported as total petroleum hydrocarbons.													
NCA = North Creek Analytical, of Bothell, Washington								B = Analyte detected in an associated method blank.													
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.													
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.													
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.													
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.													
Roux = Roux Associates								q = Sample may contain gasoline or petroleum components. Chromatographic pattern indicates the presence of gasoline constituents.													
SES = SoundEarth Strategies, Inc.								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample													
TR = TR Corporation								T = Analyte also detected in trip blank.													
Urban = Urban Redevelopment LLC								U = Not detected at a concentration exceeding laboratory reporting limit													
WW = WW Environmental LLC								ve = Estimated value. The reported range exceeds the calibration range of the analysis.													
								w = Petroleum product eluting in the C8-C9 range													
								x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.													
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.													

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-1	B-1-13	6/23/00	TR	ARI	13	27.0	S	-	-	0.0012 U	0.0012 U	0.0012 U	-	-	0.0012 U	-	-	0.0012 U	0.0024 U
B-2	B-2-6.5	6/23/00	TR	ARI	6.5	33.5	S	-	-	0.017	0.0011 U	0.0011 U	-	-	0.0020	-	-	0.0011 U	0.0022 U
	B-2-11	6/23/00	TR	ARI	11	29.0	S	-	-	0.92	0.0012 U	0.0037	-	-	0.085	-	-	0.0012 U	0.0024 U
	B-2-16	6/23/00	TR	ARI	16	24.0	S	-	-	0.049	0.0011 U	0.0011 U	-	-	0.0011	-	-	0.0011 U	0.0022 U
B-3	B-3-12	6/23/00	TR	ARI	12	28.0	S	-	-	0.0013 U	0.0013 U	0.0013 U	-	-	0.0013 U	-	-	0.0013 U	0.0026 U
B-5	B-5-10	6/23/00	TR	ARI	10	30.0	S	-	-	0.0051	0.0011 U	0.0011 U	-	-	0.0011 U	-	-	0.0011 U	0.0022 U
	B-5-11.5	6/23/00	TR	ARI	11.5	28.5	S	-	-	0.12	0.0012 U	0.0012 U	-	-	0.0088	-	-	0.0012 U	0.0024 U
B-6	B-6-6	6/24/00	TR	ARI	6	34.0	S	-	-	0.0085	-	0.0012 U	-	-	0.0014	-	-	0.0012 U	-
	B-6-12	6/24/00	TR	ARI	12	28.0	S	-	-	0.0067	-	0.0012 U	-	-	0.0026	-	-	0.0012 U	-
	B-6-18	6/24/00	TR	ARI	18	22.0	S	-	-	2.3	-	0.0013 U	-	-	0.0078	-	-	0.0013 U	-
B-7	B-7-6	6/24/00	TR	ARI	6	34.0	S	-	-	0.031	-	0.0012 U	-	-	0.0029	-	-	0.0012 U	-
B-8	B-8-4	6/24/00	TR	ARI	4	36.0	S	-	-	0.092	-	0.0011 U	-	-	0.0006	-	-	0.0011 U	-
	B-8-8	6/24/00	TR	ARI	8	32.0	S	-	-	1.4	-	0.0011 U	-	-	0.017	-	-	0.0011 U	-
B-9	B-9-4	6/24/00	TR	ARI	4	36.0	S	-	-	170	-	1.6 U	-	-	1.6 U	-	-	1.6 U	-
	B-9-8	6/24/00	TR	ARI	8	32.0	S	-	-	4.8	-	0.0022	-	-	0.13	-	-	0.0012 U	-
B-10	B-10-12	6/24/00	TR	ARI	12	28.0	S	-	-	0.017	-	0.0011 U	-	-	0.0014	-	-	0.0011 U	-
B-201	G-201-10	6/19/17	PES	ESC	10	29.8	S	-	-	0.0679	0.00601 U	0.00120 U	-	-	0.00638	-	-	0.00120 U	0.00361 U
	G-201-30	6/19/17	PES	ESC	30	9.8	S	-	-	0.00264	0.00567 U	0.00761	-	-	0.00113 U	-	-	0.00113 U	0.00340 U
	G-201-35	6/19/17	PES	ESC	35	4.8	S	-	-	0.00471	0.00580 U	0.00200	-	-	0.00134	-	-	0.00116 U	0.00348 U
B-202	G-202-5	6/19/17	PES	ESC	5	34.2	S	-	-	0.108	0.00595 U	0.00119 U	-	-	0.00580	-	-	0.00119 U	0.00357 U
	G-202-20	6/19/17	PES	ESC	20	19.2	S	-	-	0.0632	0.00594 U	0.00119 U	-	-	0.00503	-	-	0.00119 U	0.00356 U
	G-202-50	6/19/17	PES	ESC	50	-10.8	S	-	-	0.00163	0.00662 U	0.00132 U	-	-	0.00132 U	-	-	0.00132 U	0.00397 U
B-203	G-203-5	6/20/17	PES	ESC	5	34.2	S	-	-	0.00115 U	0.0272	0.00115 U	-	-	0.00115 U	-	-	0.00115 U	0.0494
	G-203-25	6/20/17	PES	ESC	25	14.2	S	-	-	0.00241	0.00586 U	0.00117 U	-	-	0.00117 U	-	-	0.00117 U	0.00351 U
	G-203-40	6/20/17	PES	ESC	40	-0.8	S	-	-	0.910	0.00561 U	0.00197	-	-	0.0674	-	-	0.0438	0.00719
	G-203-50	6/20/17	PES	ESC	50	-10.8	S	-	-	0.903	0.00560 U	0.00112 U	-	-	0.0481	-	-	0.00337	0.00336 U
	G-203-80	6/20/17	PES	ESC	80	-40.8	S	-	-	0.00110 U	0.00548 U	0.00110 U	-	-	0.00110 U	-	-	0.00110 U	0.00329 U
B-204	G-204-20	6/20/17	PES	ESC	20	19.8	S	-	-	0.00116 U	0.00579 U	0.00116 U	-	-	0.00116 U	-	-	0.00116 U	0.00347 U
	G-204-40	6/20/17	PES	ESC	40	-0.2	S	-	-	0.0318	0.00563 U	0.00485	-	-	0.00545	-	-	0.981	0.00338 U
	G-204-45	6/20/17	PES	ESC	45	-5.2	S	-	-	0.0315	0.00606 U	0.00714	-	-	0.0101	-	-	2.94	0.00364 U
B-205	B-205-10	8/30/17	PES	ESC	10	30.3	S	0.0282 U	0.0248 U	0.0333 U	0.372 J	0.0318 U	0.0322 U	0.0938 U	0.0336 U	0.0461 U	0.288 U	0.0351 U	6.02
	B-205-55	8/30/17	PES	ESC	55	-14.7	S	0.000273 U	0.000241 U	0.0625	0.000507 U	0.000308 U	0.000312 U	0.000909 U	0.00923	0.000446 U	0.00279 U	0.00562	0.000815 U
	B-205-65	8/30/17	PES	ESC	65	-24.7	S	0.000248 U	0.000218 U	0.0296	0.000460 U	0.000280 U	0.000283 U	0.000824 U	0.00582	0.000405 U	0.00253 U	0.000378 J	0.000739 U
	B-205-75	8/30/17	PES	ESC	75	-34.7	S	0.000251 U	0.000221 U	0.00308 J	0.000465 U	0.000283 U	0.000286 U	0.000833 U	0.000399 J	0.000409 U	0.00256 U	0.000312 U	0.000748 U
	B-904-50	8/30/17	PES	ESC	75 (dup)	-34.7	S	0.000251 U	0.000221 U	0.00954 J	0.000466 U	0.000283 U	0.000286 U	0.000835 U	0.00234	0.000410 U	0.00256 U	0.000312 U	0.000749 U
B-206	B-206-15	8/14/17	PES	ESC	15	24.1	S	0.00673 U	0.00593 U	0.0715	0.0124 U	0.00825 J	0.00769 U	0.0223 U	0.00831 J	0.0110 U	0.0688 U	0.00838 U	0.0200 U
	B-206-30	8/14/17	PES	ESC	30	9.1	S	0.000268 U	0.000236 U	0.0522	0.000498 U	0.00230	0.000306 U	0.000892 U	0.0289	0.000438 U	0.00274 U	0.124	0.000801 U
	B-206-40	8/14/17	PES	ESC	40	-0.9	S	0.000247 U	0.000218 U	0.000306 J	0.000459 U	0.000279 U	0.000282 U	0.000822 U	0.000295 U	0.000404 U	0.00253 U	0.000308 U	0.000738 U
	B-206-49	8/14/17	PES	ESC	49	-9.9	S	0.000267 U	0.000235 U	17.2	0.000494 U	0.0132	0.000304 U	0.000886 U	2.28	0.000435 U	0.00272 U	0.154	0.000795 U
	B-206-52	8/14/17	PES	ESC	52	-12.9	S	0.000256 U	0.000225 U	0.0483	0.000474 U	0.000288 U	0.000292 U	0.000849 U	0.00790 J	0.000417 U	0.00261 U	0.000383 J	0.000762 U
	B-206-56	8/14/17	PES	ESC	56	-16.9	S	0.000257 U	0.000226 U	9.95 J	0.000477 U	0.000290 U	0.000293 U	0.000855 U	2.16	0.000420 U	0.00263 U	0.000558 J	0.000767 U
	B-206-59	8/14/17	PES	ESC	59	-19.9	S	0.000243 U	0.000214 U	0.00866 J	0.000451 U	0.000275 U	0.000278 U	0.000809 U	0.00248	0.000397 U	0.00249 U	0.000368 J	0.000726 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-206 (continued)	B-206-70	8/14/17	PES	ESC	70	-30.9	S	0.000255 U	0.000224 U	0.000301 U	0.000473 U	0.000288 U	0.000291 U	0.000848 U	0.000304 U	0.000416 U	0.00260 U	0.000317 U	0.000760 U
	B-206-80	8/14/17	PES	ESC	80	-40.9	S	0.000255 U	0.000225 U	0.00283 J	0.000473 U	0.000288 U	0.000291 U	0.000848 U	0.000304 U	0.000416 U	0.00261 U	0.000386 J	0.000761 U
B-207	B-207-30	8/25/17	PES	ESC	30	8.5	S	0.00665 U	0.00585 U	0.109	0.0123 U	0.00750 U	0.00759 U	0.0220 U	0.0373	0.0109 U	0.0679 U	0.00827 U	0.0198 U
	B-207-41	8/25/17	PES	ESC	41	-2.5	S	0.000265 U	0.000233 U	0.00152	0.000491 U	0.0024	0.000302 U	0.000881 U	0.000316 U	0.000433 U	0.00271 U	0.428	0.000790 U
	B-207-49	8/25/17	PES	ESC	49	-10.5	S	0.000261 U	0.000230 U	0.0325	0.000484 U	0.00359	0.000298 U	0.000868 U	0.00590	0.000426 U	0.00267 U	0.0261	0.000779 U
	B-207-55	8/25/17	PES	ESC	55	-16.5	S	0.000273 U	0.000241 U	0.0859	0.000507 U	0.0212	0.000312 U	0.000908 U	0.871	0.000446 U	0.00279 U	0.00887	0.000815 U
	B-207-60	8/25/17	PES	ESC	60	-21.5	S	0.000249 U	0.000219 U	0.000294 U	0.000462 U	0.000281 U	0.000284 U	0.000828 U	0.00743 U	0.000407 U	0.00254 U	0.000310 U	0.000743 U
	B-207-70	8/25/17	PES	ESC	70	-31.5	S	0.000267 U	0.000235 U	0.000315 U	0.000496 U	0.000301 U	0.000305 U	0.000888 U	0.00797 U	0.000436 U	0.00273 U	0.000332 U	0.000797 U
	B-207-80	8/25/17	PES	ESC	80	-41.5	S	0.000258 U	0.000227 U	173	0.000550 J	0.000601 J	0.000294 U	0.000857 U	1.23	0.000421 U	0.00263 U	0.00558	0.000769 U
	B-207-90	8/25/17	PES	ESC	90	-51.5	S	0.00643 U	0.00566 U	5.42	0.0119 U	0.00725 U	0.00734 U	0.0213 U	0.462	0.0105 U	0.0657 U	0.00800 U	0.0191 U
B-208	B-208-20	8/24/17	PES	ESC	20	18.8	S	0.000277 U	0.000243 U	0.00816 U	0.000513 U	0.000708 J	0.000316 U	0.000920 U	0.000689 J	0.000451 U	0.00282 U	0.00270	0.000825 U
	B-208-35	8/24/17	PES	ESC	35	3.8	S	0.000255 U	0.000224 U	0.0109 J	0.000472 U	0.00656	0.000291 U	0.000847 U	0.00162	0.000416 U	0.00260 U	0.00719	0.000760 U
	B-901-50	8/24/17	PES	ESC	35 (dup)	3.8	S	0.000265 U	0.000233 U	0.407 J	0.000491 U	0.00577	0.000302 U	0.000880 U	0.00118	0.000432 U	0.00270 U	0.00719	0.000789 U
	B-208-50	8/24/17	PES	ESC	50	-11.2	S	0.000258 U	0.000227 U	0.00150	0.000479 U	0.00455	0.000295 U	0.000859 U	0.000308 U	0.000422 U	0.00264 U	0.000321 U	0.000771 U
	B-208-60	8/24/17	PES	ESC	60	-21.2	S	0.000261 U	0.000229 U	0.000307 U	0.000483 U	0.000294 U	0.000297 U	0.000866 U	0.000311 U	0.000425 U	0.00266 U	0.000324 U	0.000777 U
	B-208-70	8/24/17	PES	ESC	70	-31.2	S	0.000261 U	0.000230 U	0.000308 U	0.000485 U	0.000295 U	0.000298 U	0.000869 U	0.000312 U	0.000427 U	0.00267 U	0.000325 U	0.000779 U
	B-208-80	8/24/17	PES	ESC	80	-41.2	S	0.000289 U	0.000255 U	0.000341 U	0.000537 U	0.000327 U	0.000330 U	0.000962 U	0.000345 U	0.000473 U	0.00296 U	0.000360 U	0.000864 U
B-209	B-209-20	8/25/17	PES	ESC	20	19.0	S	0.000272 U	0.000239 U	0.000424 J	0.000504 U	0.000402 J	0.000310 U	0.000904 U	0.000587 J	0.000444 U	0.00278 U	0.00168	0.000811 U
	B-209-35	8/25/17	PES	ESC	35	4.0	S	0.000250 U	0.000220 U	0.00682	0.000464 U	0.000840 J	0.000285 U	0.000831 U	0.00119	0.000408 U	0.00255 U	0.00915	0.000746 U
	B-209-50	8/25/17	PES	ESC	50	-11.0	S	0.000305 U	0.000269 U	0.000360 U	0.000566 U	0.000344 U	0.000348 U	0.00102 U	0.000364 U	0.000498 U	0.00312 U	0.000380 U	0.000911 U
	B-209-60	8/25/17	PES	ESC	60	-21.0	S	0.000269 U	0.000236 U	0.000317 U	0.000498 U	0.000303 U	0.000306 U	0.000893 U	0.000320 U	0.000438 U	0.00274 U	0.000334 U	0.000801 U
	B-209-70	8/25/17	PES	ESC	70	-31.0	S	0.000249 U	0.000220 U	0.000322 J	0.000462 U	0.000281 U	0.000285 U	0.000829 U	0.000297 U	0.000407 U	0.00255 U	0.000310 U	0.000744 U
	B-209-75	8/25/17	PES	ESC	75	-36.0	S	0.000248 U	0.000218 U	0.000293 U	0.000460 U	0.000280 U	0.000283 U	0.000825 U	0.000296 U	0.000405 U	0.00253 U	0.000309 U	0.000740 U
	B-209-80	8/25/17	PES	ESC	80	-41.0	S	0.000269 U	0.000237 U	0.000317 U	0.000499 U	0.000303 U	0.000307 U	0.000894 U	0.000321 U	0.000439 U	0.00275 U	0.000334 U	0.000802 U
B-210	B-210-6	8/21/17	PES	ESC	6	33.4	S	0.000276 U	0.000243 U	0.0313	0.000512 U	0.000311 U	0.000315 U	0.000917 U	0.00234	0.000450 U	0.00282 U	0.000343 U	0.000823 U
	B-210-15	8/21/17	PES	ESC	15	24.4	S	0.00634 U	0.00558 U	0.0730	0.0117 U	0.00715 U	0.00724 U	0.0210 U	0.0647	0.0103 U	0.0648 U	0.00789 U	0.0189 U
	B-210-20	8/21/17	PES	ESC	20	19.4	S	0.000261 U	0.000229 U	0.000307 U	0.000484 U	0.000294 U	0.000297 U	0.000867 U	0.000311 U	0.000426 U	0.00266 U	0.000499 J	0.000778 U
	B-210-35	8/21/17	PES	ESC	35	4.4	S	0.000270 U	0.000238 U	0.00789	0.000501 U	0.000305 U	0.000308 U	0.000898 U	0.00300	0.000441 U	0.00276 U	0.000336 U	0.000806 U
	B-210-46	8/21/17	PES	ESC	46	-6.6	S	0.000255 U	0.000224 U	0.000912 J	0.000473 U	0.00790	0.000291 U	0.000848 U	0.000376 J	0.000416 U	0.00260 U	0.00182 J	0.000760 U
	B-210-60	8/22/17	PES	ESC	60	-20.6	S	0.00628 U	0.00553 U	0.00741 U	0.0116 U	0.00708 U	0.00717 U	0.0208 U	0.00749 U	0.0102 U	0.0642 U	0.00781 U	0.0187 U
	B-210-70	8/22/17	PES	ESC	70	-30.6	S	0.000252 U	0.000222 U	0.000298 U	0.000468 U	0.000285 U	0.000288 U	0.000839 U	0.000301 U	0.000412 U	0.00258 U	0.000314 U	0.000753 U
	B-210-80	8/22/17	PES	ESC	80	-40.6	S	0.000258 U	0.000228 U	0.000305 U	0.000479 U	0.000292 U	0.000295 U	0.000859 U	0.000308 U	0.000422 U	0.00264 U	0.000485 J	0.000771 U
	B-900-20	8/22/17	PES	ESC	80 (dup)	-40.6	S	0.000278 U	0.000245 U	0.000328 U	0.000515 U	0.000314 U	0.000317 U	0.000924 U	0.000331 U	0.000454 U	0.00284 U	0.000346 U	0.000829 U
B-211	B-211-20	8/17/17	PES	ESC	20	19.8	S	0.000261 U	0.000230 U	0.0153	0.000485 U	0.00109 J	0.000298 U	0.000869 U	0.0202	0.000427 U	0.00267 U	0.000723 J	0.000779 U
	B-211-35	8/17/17	PES	ESC	35	4.8	S	0.000263 U	0.000232 U	0.000805 J	0.000489 U	0.000297 U	0.000301 U	0.000876 U	0.000314 U	0.000430 U	0.00269 U	0.000539 J	0.000786 U
	B-211-50	8/17/17	PES	ESC	50	-10.3	S	0.000253 U	0.000223 U	0.0235	0.000469 U	0.000512 J	0.000289 U	0.000841 U	0.000302 U	0.000413 U	0.00258 U	0.00127	0.000755 U
	B-211-57	8/17/17	PES	ESC	57	-17.3	S	0.000276 U	0.000243 U	0.0294 J	0.000512 U	0.00171	0.000315 U	0.000918 U	0.00212	0.000451 U	0.00282 U	0.00600	0.000823 U
	B-211-60	8/17/17	PES	ESC	60	-20.3	S	0.000270 U	0.000238 U	0.162	0.000500 U	0.0599	0.000308 U	0.000897 U	0.000907 J	0.000440 U	0.00276 U	1.15	0.000805 U
	B-211-65	8/18/17	PES	ESC	65	-25.3	S	0.000264 U	0.000233 U	7.42	0.00201 J	0.0110	0.000301 U	0.000878 U	1.15	0.000431 U	0.00270 U	0.0421	0.000788 U
	B-211-70	8/18/17	PES	ESC	70	-30.3	S	0.140 U	0.123 U	46.1	0.260 U	0.158 U	0.160 U	0.466 U	2.88	0.229 U	1.44 U	0.175 U	0.418 U
	B-211-80	8/18/17	PES	ESC	80	-40.3	S	0.00634 U	0.00558 U	9.34	0.0117 U	0.00715 U	0.00723 U	0.0210 U	0.495	0.0103 U	0.0648 U	0.00788 U	0.0188 U
	B-211-90	8/18/17	PES	ESC	90	-50.3	S	0.00682 U	0.00600 U	2.66	0.0126 U	0.0159 J	0.00779 U	0.0226 U	1.00	0.0111 U	0.0697 U	0.00849 U	0.0203 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-211 (continued)	B-211-100	8/18/17	PES	ESC	100	-60.3	S	0.000272 U	0.000239 U	0.000320 U	0.000504 U	0.000306 U	0.000310 U	0.000903 U	0.000324 U	0.000443 U	0.00277 U	0.000388 U	0.000810 U
	B-211-110	8/18/17	PES	ESC	110	-70.3	S	0.000258 U	0.000227 U	0.00132	0.000479 U	0.000291 U	0.000294 U	0.000858 U	0.000436 J	0.000421 U	0.00264 U	0.000321 U	0.000770 U
	B-211-120	8/21/17	PES	ESC	120	-80.3	S	0.000263 U	0.000231 U	0.000628 J	0.000487 U	0.000296 U	0.000300 U	0.000873 U	0.000423 J	0.000429 U	0.00268 U	0.000326 U	0.000783 U
B-216	B-216-20	9/1/17	PES	ESC	20	31.9	S	0.000252 U	0.000222 U	0.00134	0.000467 U	0.000284 U	0.000288 U	0.000838 U	0.000301 U	0.000411 U	0.00257 U	0.000313 U	0.000752 U
	B-216-40	9/1/17	PES	ESC	40	11.9	S	0.000254 U	0.000223 U	0.000299 U	0.000471 U	0.000286 U	0.000290 U	0.000844 U	0.000303 U	0.000414 U	0.00259 U	0.000316 U	0.000757 U
	B-216-50	9/1/17	PES	ESC	50	1.9	S	0.000253 U	0.000223 U	0.000298 U	0.000469 U	0.000285 U	0.000289 U	0.000841 U	0.000302 U	0.000413 U	0.00258 U	0.000315 U	0.000754 U
	B-216-55	9/1/17	PES	ESC	55	-3.1	S	0.000676 J	0.000232 U	0.0139	0.000228	0.000317 U	0.000301 U	0.000876 U	0.00182	0.000430 U	0.00269 U	0.00113	0.0189
	B-216-65	9/1/17	PES	ESC	65	-13.1	S	0.000281 U	0.000247 U	0.000331 U	0.000521 U	0.000317 U	0.000321 U	0.000934 U	0.000335 U	0.000459 U	0.00287 U	0.000349 U	0.000838 U
	B-216-85	9/1/17	PES	ESC	85	-33.1	S	0.000282 U	0.000248 U	0.000333 U	0.000655 J	0.000318 U	0.000322 U	0.000938 U	0.000336 U	0.000461 U	0.00288 U	0.000351 U	0.000842 U
	B-216-95	9/1/17	PES	ESC	95	-43.1	S	0.000266 U	0.000234 U	0.000314 U	0.000493 U	0.000300 U	0.000303 U	0.000884 U	0.000317 U	0.000434 U	0.00272 U	0.000331 U	0.000793 U
B-217	B-217-15	9/5/17	PES	ESC	15	36.8	V	0.000266 U	0.000234 U	0.0221	0.000493 U	0.000300 U	0.000303 U	0.000883 U	0.000317 U	0.000434 U	0.00271 U	0.000330 U	0.000792 U
	B-217-25	9/5/17	PES	ESC	25	26.8	S	0.000259 U	0.000228 U	0.0432	0.000481 U	0.000293 U	0.000296 U	0.000863 U	0.00122	0.000424 U	0.00265 U	0.000323 U	0.000774 U
	B-217-35	9/5/17	PES	ESC	35	16.8	S	0.000269 U	0.000236 U	0.000317 U	0.000498 U	0.000303 U	0.000306 U	0.000893 U	0.000320 U	0.000438 U	0.00274 U	0.000334 U	0.000801 U
	B-217-42	9/5/17	PES	ESC	42	9.8	S	0.000268 U	0.000236 U	152	0.000702 J	0.000334	0.000305 U	0.000890 U	0.150	0.000437 U	0.00273 U	0.464 J	0.000798 U
	B-217-55	9/5/17	PES	ESC	55	-3.2	S	0.000272 U	0.000239 U	0.000320 U	0.000504 U	0.000306 U	0.000310 U	0.000903 U	0.000324 U	0.000443 U	0.00277 U	0.00462	0.000810 U
	B-217-65	9/5/17	PES	ESC	65	-13.2	S	0.000269 U	0.000237 U	0.0255	0.000500 U	0.000366 J	0.000307 U	0.000896 U	0.00178	0.000440 U	0.00275 U	0.00259	0.000804 U
	B-217-75	9/5/17	PES	ESC	75	-23.2	S	0.000280 U	0.000247 U	0.000331 U	0.000520 U	0.000316 U	0.000320 U	0.000932 U	0.000334 U	0.000458 U	0.00286 U	0.000349 U	0.000836 U
	B-217-85	9/6/17	PES	ESC	85	-33.2	S	0.000267 U	0.000235 U	0.000314 U	0.000494 U	0.000301 U	0.000304 U	0.000886 U	0.000318 U	0.000435 U	0.00272 U	0.000332 U	0.000795 U
	B-217-95	9/6/17	PES	ESC	95	-43.2	S	0.000283 U	0.000249 U	0.00111 J	0.000525 U	0.000319 U	0.000323 U	0.000940 U	0.000337 U	0.000462 U	0.00289 U	0.000352 U	0.000844 U
	B-217-106	9/6/17	PES	ESC	106	-54.2	S	0.0287 U	0.0252 U	5.18	0.0532 U	0.0324 U	0.0327 U	0.0954 U	0.704	0.0468 U	0.293 U	0.0357 U	0.0855 U
	B-217-115	9/6/17	PES	ESC	115	-63.2	S	0.000270 U	0.000238 U	0.000319 U	0.000501 U	0.000305 U	0.000308 U	0.000898 U	0.000322 U	0.000441 U	0.00276 U	0.000336 U	0.000806 U
B-218	B-218-12.5	9/19/17	PES	ESC	12.5	25.6	S	0.000266 U	0.000235 U	0.0438	0.000494 U	0.0171	0.000304 U	0.000886 U	0.775	0.000435 U	0.00272 U	0.0281	0.000795 U
	B-218-19	9/19/17	PES	ESC	19	19.1	S	0.000266 U	0.000234 U	0.000476 J	0.000493 U	0.00346	0.000303 U	0.000883 U	0.00946 J	0.000434 U	0.00271 U	0.0286	0.000792 U
	B-218-25	9/19/17	PES	ESC	25	13.1	S	0.000271 U	0.000239 U	0.0104	0.000503 U	0.00124	0.000309 U	0.000901 U	0.0144	0.000442 U	0.00277 U	0.0449	0.000808 U
	B-218-40	9/19/17	PES	ESC	40	-1.9	S	0.0144 U	0.0126 U	0.421	0.0267 U	0.0724	0.0165 U	0.0479 U	0.255	0.0235 U	0.147 U	0.271	0.0429 U
	B-218-50	9/19/17	PES	ESC	50	-11.9	S	0.000250 U	0.000220 U	2.01 J	0.000463 U	0.0173	0.000285 U	0.000830 U	0.953 J	0.000407 U	0.00255 U	0.0144 J	0.000744 U
	B-913-70	9/19/17	PES	ESC	50 (dup)	-11.9	S	0.000248 U	0.000219 U	0.537 J	0.000461 U	0.0127	0.000283 U	0.000826 U	0.180 J	0.000406 U	0.00254 U	0.00427 J	0.000741 U
B-219	B-219-42	8/28/17	PES	ESC	42	-2.2	S	0.000255 U	0.000224 U	0.000857 J	0.000473 U	0.000288 U	0.000291 U	0.000847 U	0.000504 J	0.000416 U	0.00260 U	0.00214	0.000760 U
	B-219-50	8/28/17	PES	ESC	50	-10.2	S	0.000277 U	0.000244 U	0.0534 J	0.000514 U	0.00107 J	0.000316 U	0.000921 U	0.00555	0.000452 U	0.00283 U	0.156	0.000827 U
	B-219-60	8/28/17	PES	ESC	60	-20.2	S	0.000252 U	0.000222 U	0.000478 J	0.000467 U	0.000284 U	0.000287 U	0.000837 U	0.000300 U	0.000411 U	0.00257 U	0.00161	0.000751 U
	B-219-70	8/28/17	PES	ESC	70	-30.2	S	0.000267 U	0.000235 U	0.00134 J	0.000495 U	0.000301 U	0.000305 U	0.000888 U	0.000318 U	0.000436 U	0.00273 U	0.000670 J	0.000797 U
	B-219-80	8/28/17	PES	ESC	80	-40.2	S	0.000254 U	0.000224 U	0.000300 U	0.000471 U	0.00717 U	0.000290 U	0.000845 U	0.000303 U	0.000415 U	0.00260 U	0.000316 U	0.000758 U
B-220	B-220-15	9/20/17	PES	ESC	15	23.9	S	0.000266 U	0.000234 U	0.0351	0.000493	0.00163	0.000304 U	0.000885 U	0.0526	0.000434 U	0.00272 U	0.0771	0.000794 U
	B-220-29	9/20/17	PES	ESC	29	9.9	S	0.000272 U	0.000239 U	14.0	0.000672 J+	0.00550 J+	0.000310 U	0.000904 U	1.74	0.000444 U	0.00278 U	0.0490 J+	0.000811 U
	B-220-32	9/20/17	PES	ESC	32	6.9	S	0.000267 U	0.000235 U	6.52	0.000495 U	0.00784	0.000305 U	0.000888 U	0.692 J	0.000436 U	0.00273 U	0.143	0.000796 U
	B-220-40	9/20/17	PES	ESC	40	-1.1	S	0.000260 U	0.000229 U	38.9	0.000482 U	0.00562	0.000296 U	0.000864 U	5.82	0.000424 U	0.00265 U	0.132	0.000775 U
	B-220-50	9/20/17	PES	ESC	50	-11.1	S	0.000252 U	0.000222 U	18.5	0.000467 U	0.000658 J	0.000287 U	0.000837 U	2.03	0.000411 U	0.00257 U	0.00191	0.000751 U
	B-914-75	9/20/17	PES	ESC	50 (dup)	-11.1	S	0.000252 U	0.000222 U	15.5	0.000467 U	0.000689 J	0.000287 U	0.000837 U	1.25	0.000411 U	0.00257 U	0.00210	0.000751 U
B-221	B-221-16	9/20/17	PES	ESC	16	23.0	S	0.00686 U	0.00603 U	0.539	0.0127 U	0.00773 U	0.00783 U	0.0227 U	0.250	0.0112 U	0.0701 U	0.0805 U	0.0204 U
	B-221-22	9/20/17	PES	ESC	22	17.0	S	0.269 U	0.237 U	25.8	0.499 U	0.304 U	0.307 U	0.895 U	0.984 J	0.439 U	2.75 U	0.335 U	0.803 U
	B-221-33	9/20/17	PES	ESC	33	6.0	S	0.262 U	0.231 U	21.8	0.486 U	0.296 U	0.299 U	0.871 U	0.835 J	0.428 U	2.68 U	0.326 U	0.781 U
	B-221-37	9/20/17	PES	ESC	37	2.0	S	0.0550 U	0.0484 U	9.02	0.102 U	0.0621 U	0.0628 U	0.183 U	0.447	0.0898 U	0.562 U	0.0684 U	0.165 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-221 (continued)	B-915-80	9/20/17	PES	ESC	37 (dup)	2.0	S	0.0268 U	0.0236 U	7.54	0.0497 U	0.0303 U	0.0306 U	0.0892 U	0.400	0.0438 U	0.274 U	0.0334 U	0.0800 U
	B-221-45	9/20/17	PES	ESC	45	-6.0	S	2.57 U	2.26 U	8,270	4.76 U	2.90 U	2.93 U	8.53 U	4.43 J	4.19 U	26.2 U	3.19 U	7.66 U
	B-221-50	9/20/17	PES	ESC	50	-11.0	S	0.127 U	0.112 U	30.4	0.236 U	0.144 U	0.146 U	0.423 U	0.618	0.208 U	1.31 U	0.159 U	0.380 U
	B-221-60	9/20/17	PES	ESC	60	-21.0	S	0.129 U	0.114 U	14.5	0.240 U	0.146 U	0.148 U	0.430 U	0.865	0.211 U	1.33 U	0.161 U	0.386 U
	B-221-70	9/21/17	PES	ESC	70	-31.0	S	0.000258 U	0.000227 U	0.0853 J	0.000479 U	0.000291 U	0.000295 U	0.000859 U	0.00152	0.000422 U	0.00264 U	0.00153	0.000770 U
B-222	B-222-17	9/21/17	PES	ESC	17	22.2	S	0.000265 U	0.000234 U	1.01	0.000492 U	0.00481	0.000303 U	0.000882 U	0.815	0.000433 U	0.00271 U	0.00907	0.000791 U
	B-222-25	9/21/17	PES	ESC	25	14.2	S	0.000270 U	0.000238 U	0.714	0.000502 U	0.00171	0.000309 U	0.000899 U	0.130	0.000442 U	0.00276 U	0.0116	0.000807 U
	B-222-34	9/21/17	PES	ESC	34	5.2	S	0.000262 U	0.000231 U	0.0190 UJ	0.000486 U	0.000980 J	0.000299 U	0.000872 U	0.00506	0.000428 U	0.00268 U	0.0120	0.000782 U
	B-222-42	9/21/17	PES	ESC	42	-2.8	S	0.000290 U	0.000255 U	0.0557 J	0.000538 U	0.0431	0.000331 U	0.000965 U	0.00699	0.000474 U	0.00296 U	0.127	0.000866 U
	B-222-50	9/21/17	PES	ESC	50	-10.8	S	0.0125 U	0.0110 U	4.09	0.0233 U	0.0142 U	0.0144 U	0.0417 U	1.40 J	0.0205 U	0.129 U	0.0157 U	0.0374 U
	B-916-30	9/21/17	PES	ESC	50 (dup)	-10.8	S	0.000248 U	0.000218 U	4.34	0.000460	0.00183	0.000283 U	0.000825 U	0.172 J	0.000405 U	0.00253 U	0.000309 U	0.000740 U
B-223	B-223-16	9/21/17	PES	ESC	16	23.1	S	0.0553 U	0.0487 U	27.0	0.103 U	0.0624 U	0.0631 U	0.184 U	1.08	0.0903 U	0.565 U	0.0688 U	0.165 U
	B-223-22	9/21/17	PES	ESC	22	17.1	S	0.0534 U	0.0470 U	38.0	0.0991 U	0.0603 U	0.0610 U	0.178 U	0.453	0.0872 U	0.546 U	0.0665 U	0.160 U
	B-223-30	9/21/17	PES	ESC	30	9.1	S	6.44 U	5.67 U	5,560	11.9 U	7.27 U	7.35 U	21.4 U	7.68 U	10.5 U	65.8 U	8.01 U	19.2 U
	B-223-39	9/21/17	PES	ESC	39	0.1	S	0.000267 U	0.000235 U	4.68	0.000494 U	0.000883 J	0.000304 U	0.000886 U	0.0228	0.000435 U	0.00272 U	0.00775	0.000795 U
	B-223-47	9/21/17	PES	ESC	47	-7.9	S	0.000272 U	0.000239 U	2.17 J	0.000504 U	0.000307 U	0.000310 U	0.000903 U	0.00106 J	0.000444 U	0.00278 U	0.000338 U	0.000810 U
	B-917-57	9/21/17	PES	ESC	47 (dup)	-7.9	S	0.000251 U	0.000221 U	1.13 J	0.000466 U	0.000284 U	0.000287 U	0.000836 U	0.000520 J	0.000411 U	0.00257 U	0.000313 U	0.000750 U
B-224	B-224-6	11/27/17	PES	ESC	6	33.1	S	0.000253 U	0.000223 U	0.0208	0.000469 U	0.000285 U	0.000289 U	0.000841 U	0.00205	0.000413 U	0.00258 U	0.000315 U	0.000755 U
	B-224-11	11/27/17	PES	ESC	11	28.1	S	0.000625 U	0.000550 U	0.151	0.00174 J	0.0136	0.000713 U	0.00208 U	0.0404	0.00102 U	0.00638 U	0.0577	0.00186 U
	B-224-16	11/27/17	PES	ESC	16	23.1	S	0.000283 U	0.000249 U	0.0101	0.000525 U	0.000403 J	0.000323 U	0.000941 U	0.00374	0.000462 U	0.00289 U	0.0195	0.000844 U
	B-224-21.5	11/27/17	PES	ESC	21.5	17.6	S	0.000272 U	0.000239 U	2.71	0.000504 U	0.00140	0.000310 U	0.000903 U	0.0906	0.000444 U	0.00277 U	0.00460	0.000810 U
	B-224-26	11/27/17	PES	ESC	26	13.1	S	0.000309 U	0.000272 U	3.07	0.000574 U	0.00329	0.000352 U	0.00103 U	0.234	0.000504 U	0.00315 U	0.0154	0.000923 U
	B-224-31	11/27/17	PES	ESC	31	8.1	S	0.000274 U	0.000240 U	4.71	0.000508 U	0.00128	0.000312 U	0.000909 U	0.137	0.000446 U	0.00279 U	0.00773	0.000816 U
	B-224-36	11/27/17	PES	ESC	36	3.1	S	0.000260 U	0.000229 U	6.55	0.000482 U	0.00289	0.000296 U	0.000864 U	0.269	0.000424 U	0.00265 U	0.0255	0.000775 U
	B-224-60.5	11/27/17	PES	ESC	60.5	-21.4	S	0.000378 U	0.000333 U	0.151	0.000702 U	0.000427 U	0.000432 U	0.00126 U	0.00944	0.000618 U	0.00386 U	0.0103	0.00113 U
B-225	B-225-5	11/27/17	PES	ESC	5	34.1	S	0.000254 U	0.000223 U	0.0223	0.000471 U	0.000286 U	0.000290 U	0.000844 U	0.00239	0.000414 U	0.00259 U	0.000316 U	0.000757 U
	B-225-11	11/27/17	PES	ESC	11	28.1	S	0.000274 U	0.000241 U	0.0124	0.000508 U	0.000309 U	0.000312 U	0.000910 U	0.00394	0.000447 U	0.00280 U	0.000480 J	0.000816 U
	B-225-16	11/27/17	PES	ESC	16	23.1	S	0.00688 U	0.00606 U	4.26	0.0127 U	0.00776 U	0.00786 U	0.0228 U	0.353	0.0112 U	0.0703 U	0.0460	0.0205 U
	B-225-21	11/27/17	PES	ESC	21	18.1	S	0.00665 U	0.00585 U	1.11	0.0123 U	0.00750 U	0.00759 U	0.0221 U	0.0428	0.0109 U	0.0680 U	0.00828 U	0.0198 U
	B-225-26	11/27/17	PES	ESC	26	13.1	S	0.000275 U	0.000242 U	1.13	0.000510 U	0.000763 J	0.000314 U	0.000914 U	0.0370	0.000449 U	0.00281 U	0.00619	0.000820 U
	B-225-31	11/27/17	PES	ESC	31	8.1	S	0.000267 U	0.000235 U	1.09	0.000496 U	0.000751 J	0.000305 U	0.000889 U	0.0372	0.000437 U	0.00273 U	0.00550	0.000798 U
	B-225-36	11/27/17	PES	ESC	36	3.1	S	0.000288 U	0.000254 U	0.158	0.000535 U	0.000325 U	0.000329 U	0.000958 U	0.00696	0.000470 U	0.00294 U	0.000538 J	0.000860 U
B-226	B-226-6	11/28/17	PES	ESC	6	33.1	S	0.000282 U	0.000248 U	0.0227	0.000523 U	0.000318 U	0.000322 U	0.000937 U	0.00209	0.000460 U	0.00288 U	0.000350 U	0.000841 U
	B-226-11	11/28/17	PES	ESC	11	28.1	S	0.000265 U	0.000234 U	0.00869	0.000730 J	0.000299 U	0.000303 U	0.000882 U	0.00190	0.000433 U	0.00271 U	0.000805 J	0.000792 U
	B-226-16	11/28/17	PES	ESC	16	23.1	S	0.00656 U	0.00578 U	21.7 J	0.0121 U	0.0147 J	0.00749 U	0.0218 U	0.917 J	0.0107 U	0.0671 U	0.0557 J	0.0195 U
	B-920-35	11/28/17	PES	ESC	16 (dup)	23.1	S	0.000259 U	0.000228 U	10.6 J	0.000480 U	0.000613 J	0.000295 U	0.000861 U	0.0316 J	0.000423 U	0.00264 U	0.00141 J	0.000772 U
	B-226-21	11/28/17	PES	ESC	21	18.1	S	0.000267 U	0.000235 U	3.07	0.000494 U	0.000301 U	0.000304 U	0.000886 U	0.00779	0.000435 U	0.00272 U	0.000390 J	0.000795 U
	B-226-31.5	11/28/17	PES	ESC	31.5	7.6	S	0.000249 U	0.000219 U	4.80	0.000462 U	0.00128	0.000284 U	0.000828 U	0.0755	0.000407 U	0.00254 U	0.0102	0.000743 U
	B-226-40	11/28/17	PES	ESC	40	-0.9	S	0.000268 U	0.000236 U	1.75	0.000497 U	0.000939 J	0.000306 U	0.000891 U	0.0401	0.000437 U	0.00274 U	0.0188	0.000799 U
B-227	B-227-6	11/28/17	PES	ESC	6	33.1	S	0.000267 U	0.000235 U	0.0154	0.000496 U	0.000301 U	0.000305 U	0.000888 U	0.000798 J	0.000436 U	0.00273 U	0.000332 U	0.000797 U
	B-227-11	11/28/17	PES	ESC	11	28.1	S	0.000252 U	0.000222 U	0.141	0.000468 U	0.00143	0.000288 U	0.000839 U	0.0406	0.000412 U	0.00258 U	0.000314 U	0.000752 U
	B-227-16	11/28/17	PES	ESC	16	23.1	S	0.000268 U	0.000236 U	2.47	0.000497 U	0.00203	0.000306 U	0.000892 U	0.0804	0.000438 U	0.00274 U	0.00781	0.000800 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-227 (continued)	B-227-21	11/28/17	PES	ESC	21	18.1	S	0.000272 U	0.000239 U	7.18	0.000504 U	0.00290	0.000310 U	0.000903 U	0.311	0.000443 U	0.00277 U	0.0186	0.000810 U
	B-227-26	11/28/17	PES	ESC	26	13.1	S	0.000273 U	0.000240 U	7.86	0.000506 U	0.00186	0.000311 U	0.000906 U	0.124	0.000445 U	0.00278 U	0.00735	0.000813 U
	B-227-31	11/28/17	PES	ESC	31	8.1	S	0.000281 U	0.000247 U	8.38	0.000521 U	0.000628 J	0.000320 U	0.000933 U	0.0396	0.000458 U	0.00287 U	0.00446	0.000837 U
	B-227-36	11/28/17	PES	ESC	36	3.1	S	0.000269 U	0.000236 U	1.75	0.000498 U	0.00193	0.000306 U	0.000893 U	0.138	0.000438 U	0.00274 U	0.00169	0.000801 U
B-228	B-228-6	11/29/17	PES	ESC	6	33.1	S	0.000286 U	0.000252 U	0.0291	0.000531 U	0.000323 U	0.000327 U	0.000952 U	0.00216	0.000467 U	0.00292 U	0.000356 U	0.000854 U
	B-228-11	11/29/17	PES	ESC	11	28.1	S	0.000260 U	0.000229 U	0.00300	0.000482 U	0.000293 U	0.000297 U	0.000865 U	0.000709 J	0.000425 U	0.00266 U	0.000323 U	0.000776 U
	B-228-16	11/29/17	PES	ESC	16	23.1	S	0.000252 U	0.000222 U	203 J	0.000556 J	0.00385	0.000288 U	0.000838 U	0.680 J	0.000411 U	0.00257 U	0.00764	0.000752 U
	B-921-22	11/29/17	PES	ESC	16 (dup)	23.1	S	0.000269 U	0.000237 U	18.2 J	0.000672 J	0.00415	0.000307 U	0.000894 U	0.378 J	0.000439 U	0.00275 U	0.00840	0.000802 U
	B-228-21	11/29/17	PES	ESC	21	18.1	S	0.000265 U	0.000233 U	14.0	0.000491 U	0.000496 J	0.000302 U	0.000880 U	0.0594	0.000432 U	0.00270 U	0.000858 J	0.000789 U
	B-228-26	11/29/17	PES	ESC	26	13.1	S	0.000252 U	0.000222 U	10.2	0.000467 U	0.000777 J	0.000287 U	0.000837 U	0.0775	0.000411 U	0.00257 U	0.0127	0.000751 U
	B-228-31	11/29/17	PES	ESC	31	8.1	S	0.000260 U	0.000229 U	1.60	0.000482 U	0.000614 J	0.000296 U	0.000864 U	0.0786	0.000424 U	0.00265 U	0.0103	0.000775 U
	B-228-36	11/29/17	PES	ESC	36	3.1	S	0.000264 U	0.000233 U	0.101	0.000490 U	0.000603 J	0.000302 U	0.000879 U	0.0486	0.000432 U	0.00270 U	0.0217	0.000789 U
B-229	B-229-6	11/29/17	PES	ESC	6	33.1	S	0.000342 U	0.000301 U	0.769	0.000635 U	0.000386 U	0.000391 U	0.00114 U	0.0382	0.000559 U	0.00350 U	0.000426 U	0.00102 U
	B-229-11	11/29/17	PES	ESC	11	28.1	S	0.000332 U	0.000292 U	0.0366	0.00219 J	0.00148	0.000379 U	0.00110 U	0.00585	0.000542 U	0.00339 U	0.0272	0.000991 U
	B-229-16	11/29/17	PES	ESC	16	23.1	S	0.000279 U	0.000246 U	0.101	0.000517 U	0.000828 J	0.000318 U	0.000927 U	0.0138	0.000455 U	0.00285 U	0.00481	0.000832 U
	B-229-25	11/29/17	PES	ESC	25	14.1	S	0.000257 U	0.000226 U	2.50	0.000476 U	0.00195	0.000293 U	0.000853 U	0.510	0.000419 U	0.00262 U	0.0418	0.000765 U
	B-229-31	11/29/17	PES	ESC	31	8.1	S	0.000282 U	0.000248 U	4.99	0.000523 U	0.00384	0.000322 U	0.000938 U	1.53	0.000461 U	0.00288 U	0.105	0.000842 U
	B-229-36	11/29/17	PES	ESC	36	3.1	S	0.000257 U	0.000227 U	9.25	0.000477 U	0.00217	0.000294 U	0.000856 U	0.898	0.000420 U	0.00263 U	0.0609	0.000768 U
	B-229-41	11/29/17	PES	ESC	41	-1.9	S	0.000272 U	0.000240 U	64.0	0.000505 U	0.00377	0.000311 U	0.000906 U	0.384 J	0.000445 U	0.00278 U	0.126	0.000813 U
	B-229-45	11/29/17	PES	ESC	45	-5.9	S	0.000280 U	0.000246 U	158 J+	0.000519 U	0.000316 J+	0.000319 U	0.000931 U	0.0946 J+	0.000457 U	0.00286 U	0.00430 J+	0.000835 U
B-230	B-230-6	11/30/17	PES	ESC	6	33.1	S	0.000247 U	0.000217 U	0.0333	0.000458 U	0.000278 U	0.000282 U	0.000821 U	0.00215	0.000403 U	0.00252 U	0.000307 U	0.000736 U
	B-230-11	11/30/17	PES	ESC	11	28.1	S	0.000256 U	0.000225 U	0.00442	0.000474 U	0.000288 U	0.000292 U	0.000850 U	0.000709 J	0.000417 U	0.00261 U	0.00225	0.000762 U
	B-230-16	11/30/17	PES	ESC	16	23.1	S	0.0651 U	0.0573 U	1,100	0.120 U	0.0735 U	0.0744 U	0.216 U	9.17	0.106 U	0.666 U	0.0810 U	0.194 U
	B-230-21	11/30/17	PES	ESC	21	18.1	S	0.559 U	0.492 U	2,820 J	1.04 U	0.630 U	0.638 U	1.86 U	4.43 J	0.912 U	5.71 U	0.695 U	1.67 U
	B-922-15	11/30/17	PES	ESC	21 (dup)	18.1	S	0.283 U	0.249 U	165 J	0.524 U	0.319 U	0.322 U	0.940 U	0.505 J	0.461 U	2.89 U	0.351 U	0.843 U
	B-230-26	11/30/17	PES	ESC	26	13.1	S	0.701 U	0.617 U	607	1.29 U	0.791 U	0.801 U	2.32 U	0.836 U	1.14 U	7.17 U	0.872 U	2.09 U
	B-230-31	11/30/17	PES	ESC	31	8.1	S	0.291 U	0.256 U	105	0.540 U	0.328 U	0.332 U	0.968 U	0.603 J	0.475 U	2.97 U	0.362 U	0.868 U
	B-230-35	11/30/17	PES	ESC	35	4.1	S	0.0423 U	0.0372 U	25.4	0.0784 U	0.0477 U	0.0482 U	0.141 U	0.211	0.0690 U	0.432 U	0.0525 U	0.174 J
B-231	B-230-55	11/30/17	PES	ESC	55	-15.9	S	0.0702 U	0.0618 U	42.3	0.130 U	0.0792 U	0.0802 U	0.233 U	5.09	0.115 U	0.718 U	0.0874 U	0.209 U
	B-231-6	11/30/17	PES	ESC	6	33.1	S	0.000289 U	0.000254 U	0.0109	0.000535 U	0.000326 U	0.000329 U	0.000960 U	0.00146	0.000471 U	0.00295 U	0.000359 U	0.000861 U
	B-231-11	11/30/17	PES	ESC	11	28.1	S	0.000276 U	0.000243 U	0.0347	0.000512 U	0.000311 U	0.000315 U	0.000917 U	0.000346 J	0.000450 U	0.00282 U	0.000343 U	0.000823 U
	B-231-16	11/30/17	PES	ESC	16	23.1	S	0.00655 U	0.00577 U	0.438	0.0121 U	0.00739 U	0.00748 U	0.0217 U	0.118	0.0107 U	0.0670 U	0.0114 J	0.0195 U
	B-231-21	11/30/17	PES	ESC	21	18.1	S	0.0154 U	0.0136 U	0.728	0.0287 U	0.0174 U	0.0176 U	0.0514 U	0.180	0.0253 U	0.158 U	0.0458 J	0.0462 U
	B-231-26	11/30/17	PES	ESC	26	13.1	S	0.000272 U	0.000239 U	0.119	0.000504 U	0.000898 J	0.000310 U	0.000903 U	0.0177	0.000444 U	0.00278 U	0.00996	0.000811 U
	B-231-30	11/30/17	PES	ESC	30	9.1	S	0.000264 U	0.000232 U	0.0182	0.000490 U	0.000298 U	0.000301 U	0.000878 U	0.00140	0.000431 U	0.00270 U	0.00142	0.000787 U
	B-231-36	11/30/17	PES	ESC	36	3.1	S	0.000265 U	0.000234 U	0.0521	0.000492 U	0.000664 J	0.000303 U	0.000882 U	0.00158	0.000433 U	0.00271 U	0.118	0.000792 U
B-232	B-232-6	12/1/17	PES	ESC	6	33.1	S	0.000276 U	0.000243 U	0.00936	0.00268 J	0.000488 J	0.000315 U	0.000919 U	0.00224	0.000451 U	0.00282 U	0.00163	0.000825 J
	B-232-11	12/1/17	PES	ESC	11	28.1	S	0.000311 U	0.000274 U	0.00590 J+	0.000806 J+	0.000351 U	0.000355 U	0.00104 U	0.00169 J+	0.000508 U	0.00318 U	0.00346 J+	0.000929 U
	B-232-16	12/1/17	PES	ESC	16	23.1	S	0.000274 U	0.000241 U	0.000676 U	0.000508 U	0.000309 U	0.000313 U	0.000911 U	0.000327 U	0.000447 U	0.00280 U	0.00442	0.000817 U
	B-232-21	12/1/17	PES	ESC	21	18.1	S	0.000262 U	0.000231 U	0.0190	0.000486 U	0.00106 J	0.000299 U	0.000871 U	0.0216	0.000428 U	0.00267 U	0.00682	0.000781 U
	B-232-26	12/1/17	PES	ESC	26	13.1	S	0.00874 U	0.00770 U	11.1	0.0162 U	0.00987 U	0.00997 U	0.0291 U	0.763	0.0142 U	0.0893 U	0.0109 U	0.0261 U
	B-232-31	12/1/17	PES	ESC	31	8.1	S	0.000264 U	0.000233 U	4.27	0.000490 U	0.000524 J	0.000301 U	0.000878 U	0.0964	0.000431 U	0.00270 U	0.0110	0.000788 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-232 (continued)	B-232-36	12/1/17	PES	ESC	36	3.1	S	0.000277 U	0.000244 U	1.88	0.000514 U	0.000631 J	0.000316 U	0.000922 U	0.0913	0.000453 U	0.00283 U	0.0123	0.000827 U
B-233	B-233-6	12/1/17	PES	ESC	6	29.5	S	0.000253 U	0.000222 U	0.0192	0.000468 U	0.000285 U	0.000288 U	0.000840 U	0.00321	0.000412 U	0.00258 U	0.000314 U	0.000753 U
	B-233-11	12/1/17	PES	ESC	11	24.5	S	0.000652 U	0.000574 U	0.172 J+	0.00349 J+	0.000737 U	0.000745 U	0.00217 U	0.0579 J+	0.00107 U	0.00667 U	0.00824 J+	0.00194 U
	B-233-16	12/1/17	PES	ESC	16	19.5	S	0.000330 U	0.000291 U	0.0231	0.000612 U	0.000373 U	0.000377 U	0.00110 U	0.00524	0.000539 U	0.00337 U	0.00358	0.000985 U
	B-233-21	12/1/17	PES	ESC	21	14.5	S	0.00667 U	0.00588 U	8.23	0.0123 U	0.00859 J	0.00762 U	0.0221 U	0.434	0.0109 U	0.0682 U	0.0584	0.0199 U
	B-233-26	12/1/17	PES	ESC	26	9.5	S	0.0140 U	0.0123 U	9.90	0.0259 U	0.0158 U	0.0160 U	0.0465 U	2.55	0.0228 U	0.143 U	0.0261 J	0.0417 U
	B-233-31	12/1/17	PES	ESC	31	4.5	S	0.00727 U	0.00640 U	17.3	0.0134 U	0.00821 U	0.00831 U	0.0241 U	1.99	0.0119 U	0.0744 U	0.0519	0.0216 U
	B-233-36	12/1/17	PES	ESC	36	-0.5	S	0.00658 U	0.00580 U	6.26	0.0122 U	0.00743 U	0.00752 U	0.0218 U	0.474	0.0107 U	0.0673 U	0.0404	0.0196 U
B-234	B-234-11	12/4/17	PES	ESC	11	40.8	V	0.000272 U	0.000240 U	0.00155	0.000505 U	0.000307 U	0.000310 U	0.000905 U	0.000324 U	0.000444 U	0.00278 U	0.000338 U	0.000812 U
	B-234-30	12/4/17	PES	ESC	30	21.8	S	0.000248 U	0.000218 U	0.000292 U	0.000459 U	0.000279 U	0.000283 U	0.000824 U	0.000295 U	0.000404 U	0.00253 U	0.000308 U	0.000739 U
B-234A	B-234A-35	12/4/17	PES	ESC	35	16.8	S	0.000268 U	0.000236 U	0.000320 J	0.000498 U	0.000303 U	0.000306 U	0.000892 U	0.000320 U	0.000438 U	0.00274 U	0.000334 U	0.000801 U
	B-234A-40	12/4/17	PES	ESC	40	11.8	S	0.000252 U	0.000222 U	0.000501 J	0.000467 U	0.000284 U	0.000287 U	0.000837 U	0.000300 U	0.000411 U	0.00257 U	0.000313 U	0.000751 U
	B-234A-42	12/4/17	PES	ESC	42	9.8	S	0.000287 U	0.000252 U	0.0146	0.000532 U	0.00104 J	0.000327 U	0.000953 U	0.00180	0.000468 U	0.00293 U	0.343 J	0.000855 U
	B-924-30	12/4/17	PES	ESC	42 (dup)	9.8	S	0.000284 U	0.000250 U	0.0113	0.000527 U	0.00119 J	0.000324 U	0.000945 U	0.00161	0.000464 U	0.00290 U	0.167 J	0.000848 U
	B-234A-45	12/4/17	PES	ESC	45	6.8	S	0.000264 U	0.000232 U	0.0533	0.000489 U	0.000552 J	0.000301 U	0.000877 U	0.00364	0.000430 U	0.00269 U	0.106	0.000787 U
B-235	B-235-15	12/5/17	PES	ESC	15	36.8	V	0.000281 U	0.000247 U	0.0393	0.000521 U	0.000317 U	0.000320 U	0.000934 U	0.000776 J	0.000458 U	0.00287 U	0.000349 U	0.000838 U
	B-235-35	12/5/17	PES	ESC	35	16.8	S	0.000259 U	0.000228 U	0.0424	0.000480 U	0.000292 U	0.000296 U	0.000861 U	0.00527	0.000423 U	0.00265 U	0.000322 U	0.000773 U
	B-235-40	12/5/17	PES	ESC	40	11.8	S	0.000256 U	0.000226 U	2.24	0.000476 U	0.000289 U	0.000293 U	0.000853 U	0.0233	0.000419 U	0.00262 U	0.000319 U	0.000765 U
	B-235-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.0511 U	0.0450 U	18.9	0.0948 U	0.0577 U	0.0583 U	0.170 U	1.06	0.0834 U	0.522 U	0.0877 J	0.153 U
	B-235-45	12/5/17	PES	ESC	45	6.8	S	0.000264 U	0.000232 U	20.7	0.000506 J	0.000963 J	0.000301 U	0.000876 U	1.09	0.000430 U	0.00269 U	0.0885	0.000786 U
B-236	B-236-20	12/5/17	PES	ESC	20	31.8	S	0.000268 U	0.000236 U	0.0460	0.000496 U	0.000302 U	0.000305 U	0.000889 U	0.00164	0.000437 U	0.00273 U	0.000333 U	0.000798 U
	B-236-35	12/5/17	PES	ESC	35	16.8	S	0.000423 U	0.000373 U	0.00968	0.000786 U	0.000478 U	0.000484 U	0.00141 U	0.000310 U	0.000692 U	0.00433 U	0.000527 U	0.00127 U
	B-236-40	12/5/17	PES	ESC	40	11.8	S	0.000259 U	0.000228 U	0.0440	0.000480 U	0.000292 U	0.000295 U	0.000861 U	0.000826 J	0.000423 U	0.00264 U	0.00373	0.000772 U
	B-236-42.5	12/5/17	PES	ESC	42.5	9.3	S	0.274 U	0.242 U	16,400	0.509 U	0.310 U	0.313 U	0.912 U	72.5	0.448 U	2.80 U	0.407 J	0.819 U
	B-236-45	12/5/17	PES	ESC	45	6.8	S	0.0920 U	0.0809 U	31.0	0.170 U	0.104 U	0.105 U	0.305 U	0.335 J	0.150 U	0.938 U	0.114 U	0.274 U
B-237	B-237-5	12/6/17	PES	ESC	5	46.8	V	0.000273 U	0.000240 U	0.00814	0.000505 U	0.000307 U	0.000311 U	0.000906 U	0.000325 U	0.000445 U	0.00278 U	0.000339 U	0.000813 U
	B-237-35	12/6/17	PES	ESC	35	16.8	S	0.000273 U	0.000241 U	0.000770 J	0.000507 U	0.000308 U	0.000312 U	0.000909 U	0.000326 U	0.000446 U	0.00279 U	0.000340 U	0.000815 U
	B-237-40	12/6/17	PES	ESC	40	11.8	S	0.000251 U	0.000221 U	2.57	0.000466 U	0.000284 U	0.000287 U	0.000836 U	0.0163	0.000410 U	0.00257 U	0.000313 U	0.000750 U
	B-237-42	12/6/17	PES	ESC	42	9.8	S	0.000277 U	0.000243 U	24.1 J	0.000539 J	0.00338 J	0.000316 U	0.000919 U	0.746 J	0.000451 U	0.00282 U	0.290 J	0.000825 U
	B-925-41	12/6/17	PES	ESC	42 (dup)	9.8	S	0.0299 U	0.0263 U	53.0 J	0.0554 U	0.0337 U	0.0341 U	0.0993 U	1.86 J	0.0488 U	0.305 U	0.110 J	0.0891 U
	B-237-45	12/6/17	PES	ESC	45	6.8	S	0.000301 U	0.000265 U	10.9	0.000559 U	0.000848 J	0.000344 U	0.00100 U	0.0457	0.000492 U	0.00308 U	0.131	0.000899 U
B-238	B-238-6	12/6/17	PES	ESC	6	33.1	S	0.000273 U	0.000240 U	0.0262	0.000506 U	0.000308 U	0.000311 U	0.000907 U	0.00294	0.000445 U	0.00279 U	0.000339 U	0.000814 U
	B-238-11	12/6/17	PES	ESC	11	28.1	S	0.000272 U	0.000240 U	22.7	0.00774 J+	0.000705 J+	0.000311 U	0.000905 U	0.0724 J+	0.000444 U	0.00278 U	0.00193	0.000812 U
	B-238-16	12/6/17	PES	ESC	16	23.1	S	0.0669 U	0.0589 U	28.6	0.124 U	0.0755 U	0.0764 U	0.222 U	0.262 J	0.109 U	0.684 U	0.0833 U	0.199 U
	B-238-21	12/6/17	PES	ESC	21	18.1	S	0.261 U	0.230 U	156	0.484 U	0.295 U	0.298 U	0.868 U	0.311 U	0.426 U	2.67 U	0.325 U	0.779 U
	B-238-26	12/6/17	PES	ESC	26	13.1	S	0.000262 U	0.000230 U	3.04	0.000485 U	0.00236	0.000299 U	0.000870 U	0.303	0.000427 U	0.00267 U	0.0375	0.000781 U
	B-238-31	12/6/17	PES	ESC	31	8.1	S	0.000248 U	0.000218 U	1.02	0.000460 U	0.000537 J	0.000283 U	0.000825 U	0.0375	0.000405 U	0.00253 U	0.0210	0.000740 U
	B-238-36	12/6/17	PES	ESC	36	3.1	S	0.000274 U	0.000241 U	4.04	0.000508 U	0.000500 J	0.000313 U	0.000911 U	0.0399	0.000447 U	0.00280 U	0.0328	0.000817 U
B-239	B-239-5	4/3/18	PES	ESC	5	34.2	S	0.000278 U	0.000245 U	0.0292	0.000516 U	0.000314 U	0.000318 U	0.000926 U	0.00590	0.000454 U	0.00284 U	0.000346 U	0.000830 U
	B-239-10	4/3/18	PES	ESC	10	29.2	S	0.000276 U	0.000243 U	0.509	0.000512 U	0.000619 J	0.000315 U	0.000918 U	0.104	0.000451 U	0.00282 U	0.0159	0.000824 U
	B-239-15	4/3/18	PES	ESC	15	24.2	S	0.000266 U	0.000235 U	0.133	0.000494 U	0.000301 U	0.000304 U	0.000886 U	0.0428	0.000435 U	0.00272 U	0.00479	0.000795 U
	B-239-20	4/3/18	PES	ESC	20	19.2	S	0.000264 U	0.000232 U	0.00688	0.000490 U	0.000298 U	0.000301 U	0.000878 U	0.000781 J	0.000431 U	0.00270 U	0.000328 U	0.000788 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-239 (continued)	B-239-25	4/3/18	PES	ESC	25	14.2	S	0.000268 U	0.000236 U	0.00259	0.000497 U	0.000302 U	0.000306 U	0.000891 U	0.000327 J	0.000438 U	0.00274 U	0.000333 U	0.000800 U
	B-239-35	4/3/18	PES	ESC	35	4.2	S	0.000253 U	0.000223 U	0.0330	0.000470 U	0.000286 U	0.000289 U	0.000842 U	0.00550	0.000414 U	0.00259 U	0.000632 J	0.000756 U
	B-239-40	4/3/18	PES	ESC	40	-0.8	S	0.000265 U	0.000234 U	0.0414	0.000492 U	0.000299 U	0.000303 U	0.000883 U	0.00626	0.000433 U	0.00271 U	0.000769 J	0.000792 U
	B-239-45	4/3/18	PES	ESC	45	-5.8	S	0.000262 U	0.000231 U	0.000534 J	0.000486 U	0.000296 U	0.000299 U	0.000871 U	0.000313 U	0.000428 U	0.00268 U	0.000390 J	0.000782 U
	B-239-50	4/3/18	PES	ESC	50	-10.8	S	0.000258 U	0.000228 U	0.000777 J	0.000479 U	0.000292 U	0.000295 U	0.000859 U	0.000308 U	0.000422 U	0.00264 U	0.000321 U	0.000771 U
	B-909-50	4/3/18	PES	ESC	50 (dup)	-10.8	S	0.000260 U	0.000229 U	0.000448 J	0.000482 U	0.000293 U	0.000297 U	0.000865 U	0.000310 U	0.000424 U	0.00266 U	0.000323 U	0.000776 U
	B-239-55	4/3/18	PES	ESC	55	-15.8	S	0.000266 U	0.000234 U	0.000314 U	0.000494 U	0.000300 U	0.000304 U	0.000885 U	0.000317 U	0.000435 U	0.00272 U	0.000331 U	0.000794 U
	B-239-60	4/3/18	PES	ESC	60	-20.8	S	0.000262 U	0.000230 U	0.000309 U	0.000485 U	0.000295 U	0.000299 U	0.000870 U	0.000312 U	0.000427 U	0.00267 U	0.000325 U	0.000781 U
	B-239-65	4/3/18	PES	ESC	65	-25.8	S	0.000262 U	0.000230 U	0.000308 U	0.000485 U	0.000295 U	0.000298 U	0.000870 U	0.000312 U	0.000427 U	0.00267 U	0.000325 U	0.000780 U
	B-239-70	4/3/18	PES	ESC	70	-30.8	S	0.000261 U	0.000229 U	0.000926 J	0.000483 U	0.000294 U	0.000297 U	0.000867 U	0.000311 U	0.000426 U	0.00266 U	0.000324 U	0.000778 U
	B-239-75	4/3/18	PES	ESC	75	-35.8	S	0.000270 U	0.000237 U	0.000318 U	0.000500 U	0.000304 U	0.000308 U	0.000897 U	0.000322 U	0.000440 U	0.00275 U	0.000335 U	0.000805 U
	B-239-80	4/3/18	PES	ESC	80	-40.8	S	0.000268 U	0.000236 U	0.000316 U	0.000497 U	0.000302 U	0.000306 U	0.000890 U	0.000319 U	0.000437 U	0.00274 U	0.000333 U	0.000799 U
B-240	B-240-5	4/2/18	PES	ESC	5	34.2	S	0.000258 U	0.000227 U	0.0231	0.000479 U	0.000291 U	0.000295 U	0.000859 U	0.000308 U	0.000422 U	0.00264 U	0.000321 U	0.000770 U
	B-240-10	4/2/18	PES	ESC	10	29.2	S	0.000258 U	0.000227 U	1.25	0.000478 U	0.000635 J	0.000294 U	0.000858 U	0.0141	0.000421 U	0.00263 U	0.0427	0.000770 U
	B-240-15	4/2/18	PES	ESC	15	24.2	S	0.000268 U	0.000236 U	53.7	0.000498 U	0.000802 J	0.000306 U	0.000893 U	0.118	0.000438 U	0.00274 U	0.00418	0.000801 U
	B-240-20	4/2/18	PES	ESC	20	19.2	S	0.000272 U	0.000240 U	6.75	0.000505 U	0.000619 J	0.000311 U	0.000906 U	0.0715 J	0.000445 U	0.00278 U	0.0268	0.000813 U
	B-240-25	4/2/18	PES	ESC	25	14.2	S	0.0131 U	0.0115 U	5.18	0.0242 U	0.0147 U	0.0150 U	0.0435 U	0.214	0.0213 U	0.134 U	0.0421 J	0.0390 U
	B-240-30	4/2/18	PES	ESC	30	9.2	S	0.000282 U	0.000248 U	5.51	0.000523 U	0.00143	0.000322 U	0.000937 U	0.352	0.000460 U	0.00288 U	0.0480	0.000841 U
	B-240-35	4/2/18	PES	ESC	35	4.2	S	0.000281 U	0.000247 U	5.53	0.000521 U	0.00131	0.000321 U	0.000934 U	0.290	0.000459 U	0.00287 U	0.0447	0.000838 U
	B-240-42	4/2/18	PES	ESC	42	-2.8	S	0.000252 U	0.000222 U	0.204	0.000467 U	0.000284 U	0.000287 U	0.000838 U	0.00751 U	0.000411 U	0.00257 U	0.00225	0.000751 U
	B-240-45	4/2/18	PES	ESC	45	-5.8	S	0.000248 U	0.000218 U	0.00137	0.000460 U	0.000280 U	0.000283 U	0.000825 U	0.000296 U	0.000405 U	0.00253 U	0.000309 U	0.000740 U
	B-240-50	4/2/18	PES	ESC	50	-10.8	S	0.000264 U	0.000232 U	0.000311 U	0.000489 U	0.000297 U	0.000301 U	0.000876 U	0.000314 U	0.000430 U	0.00269 U	0.000328 U	0.000786 U
	B-240-55	4/2/18	PES	ESC	55	-15.8	S	0.000271 U	0.000239 U	0.0161	0.000503 U	0.000306 U	0.000310 U	0.000903 U	0.000513 J	0.000443 U	0.00277 U	0.000654 J	0.000810 U
	B-240-60	4/2/18	PES	ESC	60	-20.8	S	0.000272 U	0.000240 U	0.0323	0.000505 U	0.000307 U	0.000311 U	0.000906 U	0.00223	0.000445 U	0.00278 U	0.00133	0.000813 U
	B-240-65	4/2/18	PES	ESC	65	-25.8	S	0.000254 U	0.000223 U	0.0171	0.000471 U	0.000286 U	0.000289 U	0.000844 U	0.000760 J	0.000414 U	0.00259 U	0.000410 J	0.000757 U
	B-240-70	4/2/18	PES	ESC	70	-30.8	S	0.000271 U	0.000238 U	0.0621	0.000502 U	0.000305 U	0.000309 U	0.000900 U	0.00454	0.000442 U	0.00277 U	0.00117	0.000808 U
	B-240-75	4/2/18	PES	ESC	75	-35.8	S	0.000257 U	0.000226 U	0.00162	0.000477 U	0.000290 U	0.000293 U	0.000854 U	0.000773 J	0.000420 U	0.00262 U	0.000320 U	0.000767 U
	B-240-80	4/2/18	PES	ESC	80	-40.8	S	0.000266 U	0.000234 U	0.000376 J	0.000494 U	0.000300 U	0.000304 U	0.000885 U	0.000317 U	0.000435 U	0.00272 U	0.000331 U	0.000794 U
B-241	B-241-5	4/4/18	PES	ESC	5	34.1	S	0.000254 U	0.000223 U	0.0428	0.000479 U	0.000286 U	0.000290 U	0.000844 U	0.00500	0.000414 U	0.00259 U	0.000316 U	4.11
	B-241-10	4/4/18	PES	ESC	10	29.1	S	0.000265 U	0.000234 U	0.00116	0.000492 U	0.000357 J	0.000303 U	0.000882 U	0.000459 J	0.000433 U	0.00271 U	0.00320	0.000791 U
	B-241-15	4/4/18	PES	ESC	15	24.1	S	0.000261 U	0.000230 U	0.00106 J	0.000484 U	0.000295 U	0.000298 U	0.000868 U	0.000424 J	0.000426 U	0.00267 U	0.00335	0.000779 U
	B-241-20	4/4/18	PES	ESC	20	19.1	S	0.000285 U	0.000251 U	0.0273	0.000528 U	0.00274	0.000325 U	0.000947 U	0.0525	0.000465 U	0.00291 U	0.0648	0.000849 U
	B-241-25	4/4/18	PES	ESC	25	14.1	S	0.000264 U	0.000233 U	0.0148	0.000491 U	0.000298 U	0.000302 U	0.000879 U	0.00615	0.000432 U	0.00270 U	0.00779	0.000789 U
	B-241-30	4/3/18	PES	ESC	30	9.1	S	0.000262 U	0.000231 U	0.0422	0.000487 U	0.00315	0.000299 U	0.000873 U	0.0721	0.000428 U	0.00268 U	0.107	0.000783 U
	B-241-35	4/3/18	PES	ESC	35	4.1	S	0.000271 U	0.000238 U	0.00290 J+	0.000502 U	0.00103 J+	0.000309 U	0.000901 U	0.000891 J+	0.000442 U	0.00277 U	0.0114	0.000808 U
	B-241-40	4/3/18	PES	ESC	40	-0.9	S	0.000257 U	0.000226 U	0.00525	0.000476 U	0.000290 U	0.000293 U	0.000854 U	0.00280	0.000419 U	0.00262 U	0.00660	0.000766 U
	B-241-45	4/3/18	PES	ESC	45	-5.9	S	0.000258 U	0.000227 U	0.0263 J+	0.000478 U	0.0398	0.000294 U	0.000856 U	0.00580 J+	0.000421 U	0.00263 U	1.14	0.000768 U
	B-241-50	4/4/18	PES	ESC	50	-10.9	S	0.000264 U	0.000232 U	28.3	0.000489 U	0.0330	0.000301 U	0.000877 U	4.69	0.000430 U	0.00269 U	0.488	0.000787 U
	B-241-55	4/4/18	PES	ESC	55	-15.9	S	0.000272 U	0.000240 U	7.75	0.000505 U	0.00119	0.000311 U	0.000906 U	2.11	0.000445 U	0.00278 U	0.0575	0.000813 U
	B-241-60	4/3/18	PES	ESC	60	-20.9	S	0.000262 U	0.000231 U	0.0191	0.000486 U	0.000296 U	0.000299 U	0.000871 U	0.00284	0.000428 U	0.00268 U	0.00382	0.000782 U
	B-241-65	4/3/18	PES	ESC	65	-25.9	S	0.000277 U	0.000244 U	17.2	0.000883 J	0.000642 J	0.000316 U	0.000921 U	0.699	0.000452 U	0.00283 U	0.0156	0.000826 U
	B-241-70	4/3/18	PES	ESC	70	-30.9	S	0.000270 U	0.000238 U	0.0301	0.000501 U	0.000305 U	0.000308 U	0.000898 U	0.00161	0.000441 U	0.00276 U	0.00422	0.000806 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-241 (continued)	B-241-75 B-241-80	4/3/18 4/4/18	PES PES	ESC ESC	75 80	-35.9 -40.9	S S	0.000273 U 0.000269 U	0.000240 U 0.000237 U	0.147 J+ 0.0295	0.000506 U 0.000499 U	0.000813 J+ 0.000303 U	0.000311 U 0.000307 U	0.000907 U 0.000894 U	0.0513 J+ 0.00759	0.000445 U 0.000439 U	0.00279 U 0.00275 U	0.0301 J+ 0.00387	0.000814 U 0.000802 U
B-242	B-242-5	4/4/18	PES	ESC	5	33.8	S	0.000254 U	0.000224 U	0.0116	0.000471 U	0.000287 U	0.000290 U	0.000844 U	0.00647	0.000415 U	0.00259 U	0.000316 U	0.000758 U
	B-242-10	4/4/18	PES	ESC	10	28.8	S	0.000256 U	0.000225 U	0.0783	0.000475 U	0.000289 U	0.000292 U	0.000852 U	0.00835	0.000418 U	0.00262 U	0.000319 U	0.000764 U
	B-242-15	4/4/18	PES	ESC	15	23.8	S	0.000273 U	0.000240 U	1.97	0.000506 U	0.000308 U	0.000311 U	0.000907 U	0.0304	0.000445 U	0.00279 U	0.000339 U	0.000814 U
	B-242-20	4/4/18	PES	ESC	20	18.8	S	0.000265 U	0.000233 U	6.61	0.000492 U	0.000299 U	0.000303 U	0.000881 U	0.0335	0.000433 U	0.00271 U	0.000330 U	0.000791 U
	B-242-25	4/4/18	PES	ESC	25	13.8	S	0.0258 U	0.0227 U	2.05	0.0478 U	0.0291 U	0.0294 U	0.0858 U	0.0308 U	0.0421 U	0.263 U	0.0321 U	0.0769 U
	B-242-30	4/4/18	PES	ESC	30	8.8	S	0.000262 U	0.000230 U	0.205	0.000485 U	0.000295 U	0.000299 U	0.000870 U	0.000348 J	0.000427 U	0.00267 U	0.00828	0.000781 U
	B-242-35	4/4/18	PES	ESC	35	3.8	S	0.000269 U	0.000237 U	0.00754	0.000500 U	0.000304 U	0.000307 U	0.000896 U	0.000313 U	0.000440 U	0.00275 U	0.000335 U	0.000804 U
	B-242-40	4/4/18	PES	ESC	40	-1.2	S	0.000256 U	0.000225 U	0.0298	0.000475 U	0.000289 U	0.000292 U	0.000851 U	0.00181	0.000418 U	0.00261 U	0.000782 J	0.000764 U
	B-242-45	4/4/18	PES	ESC	45	-6.2	S	0.000271 U	0.000238 U	0.00909	0.000502 U	0.000305 U	0.000309 U	0.000900 U	0.000323 U	0.000442 U	0.00276 U	0.000337 U	0.000807 U
	B-242-50	4/4/18	PES	ESC	50	-11.2	S	0.000262 U	0.000231 U	0.0273	0.000486 U	0.000296 U	0.000299 U	0.000871 U	0.000312 U	0.000428 U	0.00268 U	0.000326 U	0.000782 U
	B-910-50	4/4/18	PES	ESC	50 (dup)	-11.2	S	0.000263 U	0.000231 U	0.0276	0.000487 U	0.000296 U	0.000300 U	0.000891 U	0.000320 U	0.000429 U	0.00268 U	0.000326 U	0.000783 U
	B-242-55	4/4/18	PES	ESC	55	-16.2	S	0.000257 U	0.000226 U	0.0300	0.000477 U	0.000290 U	0.000293 U	0.000855 U	0.000306 U	0.000420 U	0.00263 U	0.000320 U	0.000767 U
	B-242-60	4/4/18	PES	ESC	60	-21.2	S	0.000258 U	0.000227 U	0.0303	0.000479 U	0.000291 U	0.000294 U	0.000858 U	0.000308 U	0.000421 U	0.00264 U	0.000321 U	0.000770 U
	B-242-65	4/4/18	PES	ESC	65	-26.2	S	0.000253 U	0.000223 U	0.00172	0.000470 U	0.000286 U	0.000289 U	0.000843 U	0.000302 U	0.000414 U	0.00259 U	0.000315 U	0.000756 U
	B-242-70	4/4/18	PES	ESC	70	-31.2	S	0.000268 U	0.000236 U	0.000316 U	0.000497 U	0.000302 U	0.000306 U	0.000891 U	0.000320 U	0.000438 U	0.00274 U	0.000333 U	0.000799 U
	B-242-75	4/4/18	PES	ESC	75	-36.2	S	0.000260 U	0.000229 U	0.0478 J+	0.000481 U	0.000293 U	0.000296 U	0.000863 U	0.000770 J+	0.000424 U	0.00265 U	0.000323 U	0.000774 U
	B-242-80	4/4/18	PES	ESC	80	-41.2	S	0.000271 U	0.000239 U	0.00122	0.000503 U	0.000306 U	0.000309 U	0.000901 U	0.000323 U	0.000443 U	0.00277 U	0.000337 U	0.000809 U
B-243	B-243-5	3/29/18	PES	ESC	5	34.9	S	0.000272 U	0.000239 U	0.0560	0.000504 U	0.000307 U	0.000310 U	0.000904 U	0.000324 U	0.000444 U	0.00278 U	0.000338 U	0.000811 U
	B-243-10	3/29/18	PES	ESC	10	29.9	S	0.000266 U	0.000445 J	6.96	0.000493 U	0.000300 U	0.000303 U	0.000884 U	0.00115	0.000434 U	0.00271 U	0.000331 U	0.000793 U
	B-243-15	3/29/18	PES	ESC	15	24.9	S	0.00662 U	0.00583 U	0.888	0.0122 U	0.00747 U	0.00756 U	0.0220 U	0.00790 U	0.0108 U	0.0677 U	0.00824 U	0.0197 U
	B-243-20	3/29/18	PES	ESC	20	19.9	S	0.000270 U	0.000238 U	25.3	0.000500 U	0.000304 U	0.000308 U	0.000897 U	0.0563 J+	0.000440 U	0.00276 U	0.000336 U	0.000805 U
	B-243-25	3/29/18	PES	ESC	25	14.9	S	0.000261 U	0.000230 U	6.66	0.000484 U	0.000294 U	0.000298 U	0.000867 U	0.0547	0.000426 U	0.00266 U	0.000324 U	0.000778 U
	B-243-30	3/29/18	PES	ESC	30	9.9	S	0.000255 U	0.000224 U	6.12	0.000473 U	0.000287 U	0.000291 U	0.000847 U	0.0763	0.000416 U	0.00260 U	0.000317 U	0.000760 U
	B-243-35	3/29/18	PES	ESC	35	4.9	S	0.000259 U	0.000228 U	11.0	0.000481 U	0.000292 U	0.000296 U	0.000862 U	0.0967	0.000423 U	0.00265 U	0.000322 U	0.000773 U
	B-243-42	3/29/18	PES	ESC	42	-2.1	S	0.000256 U	0.000225 U	9.04	0.000474 U	0.000783 J	0.000292 U	0.000850 U	0.834	0.000417 U	0.00261 U	0.0160	0.000763 U
	B-243-45	3/29/18	PES	ESC	45	-5.1	S	0.000254 U	0.000223 U	12.2	0.000470 U	0.000462 J	0.000289 U	0.000843 U	1.87	0.000414 U	0.00259 U	0.00310	0.000756 U
	B-243-50	3/29/18	PES	ESC	50	-10.1	S	0.000270 U	0.000238 U	29.0 J	0.000501 U	0.00868	0.000308 U	0.000898 U	7.72	0.000441 U	0.00276 U	0.292	0.000806 U
	IW-908-50	3/29/18	PES	ESC	50 (dup)	-10.1	S	0.000265 U	0.000233 U	41.0 J	0.000500 J	0.0113	0.000302 U	0.000880 U	6.18	0.000432 U	0.00270 U	0.404 J	0.000790 U
	B-243-55	3/29/18	PES	ESC	55	-15.1	S	0.000253 U	0.000222 U	14.4	0.000469 U	0.00776	0.000288 U	0.000840 U	0.0810	0.000412 U	0.00258 U	0.307 J	0.000754 U
	B-243-60	3/29/18	PES	ESC	60	-20.1	S	0.000267 U	0.000235 U	10.3	0.000496 U	0.00479	0.000305 U	0.000889 U	2.34	0.000437 U	0.00273 U	0.181 J	0.000798 U
	B-243-65	3/29/18	PES	ESC	65	-25.1	S	0.000257 U	0.000226 U	1.49	0.000477 U	0.000888 J	0.000293 U	0.000854 U	0.205	0.000420 U	0.00262 U	0.0607 UJ	0.000767 U
	B-243-70	3/29/18	PES	ESC	70	-30.1	S	0.000271 U	0.000239 U	0.00378	0.000503 U	0.000306 U	0.000310 U	0.000902 U	0.000323 U	0.000443 U	0.00277 U	0.00207	0.000809 U
	B-243-75	3/29/18	PES	ESC	75	-35.1	S	0.000279 U	0.000245 U	0.0290	0.000517 U	0.000315 U	0.000318 U	0.000927 U	0.00173	0.000455 U	0.00285 U	0.000347 U	0.000832 U
	B-243-80	3/29/18	PES	ESC	80	-40.1	S	0.000284 U	0.000250 U	0.0300	0.000527 U	0.000321 U	0.000324 U	0.000945 U	0.00253	0.000464 U	0.00290 U	0.000385 J	0.000848 U
B-244	B-244-5	3/28/18	PES	ESC	5	33.8	S	0.000295 U	0.000260 U	0.0205	0.00127 J	0.000333 U	0.000337 U	0.000982 U	0.00511	0.000482 U	0.00302 U	0.00137	0.00133 J
	B-244-10	3/28/18	PES	ESC	10	28.8	S	0.000279 U	0.000245 U	0.00727	0.000594 J	0.000315 U	0.000318 U	0.000927 U	0.000767 J	0.000455 U	0.00285 U	0.000526 J	0.000832 U
	B-244-15	3/28/18	PES	ESC	15	23.8	S	0.000267 U	0.000235 U	0.00254	0.000495 U	0.000301 U	0.000305 U	0.000888 U	0.000615 J	0.000436 U	0.00273 U	0.00102 J	0.000796 U
	B-244-20	3/28/18	PES	ESC	20	18.8	S	0.000265 U	0.000234 U	0.000760 J	0.000492 U	0.000309 J	0.000303 U	0.000883 U	0.00185	0.000433 U	0.00271 U	0.000575 J	0.000792 U
	B-244-25	3/28/18	PES	ESC	25	13.8	S	0.000248 U	0.000218 U	0.000292 U	0.000459 U	0.000280 U	0.000283 U	0.000824 U	0.000296 J	0.000404 U	0.00253 U	0.00150	0.000739 U
	B-244-30	3/28/18	PES	ESC	30	8.8	S	0.000256 U	0.000225 U	0.00210	0.000475 U	0.00106 J	0.000292 U	0.000851 U	0.000305 U	0.000418 U	0.00261 U	0.00144	0.000763 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-244 (continued)	B-244-35	3/28/18	PES	ESC	35	3.8	S	0.000269 U	0.000237 U	0.0158	0.000498 U	0.00211	0.000307 U	0.000894 U	0.00357	0.000439 U	0.00275 U	0.00668	0.000802 U
	B-244-40	3/28/18	PES	ESC	40	-1.2	S	0.000258 U	0.000227 U	0.00131	0.000479 U	0.0665	0.000294 U	0.000858 U	0.000382 J	0.000421 U	0.00264 U	1.35	0.000770 U
	B-244-42	3/28/18	PES	ESC	42	-3.2	S	0.00658 U	0.00579 U	0.237	0.0122 U	0.0882 J	0.00752 U	0.0218 U	0.0208 J	0.0107 U	0.0673 U	0.256	0.0196 U
	B-244-45	3/28/18	PES	ESC	45	-6.2	S	0.000263 U	0.000232 U	0.0323	0.000488 U	0.0619	0.000301 U	0.000876 U	0.0212	0.000430 U	0.00269 U	0.858	0.000786 U
	B-244-50	3/28/18	PES	ESC	50	-11.2	S	0.000259 U	0.000228 U	0.0352	0.000480 U	0.0339	0.000295 U	0.000860 U	0.0107	0.000422 U	0.00264 U	0.0824	0.000772 U
	B-244-55	3/28/18	PES	ESC	55	-16.2	S	0.000258 U	0.000227 U	0.0635	0.000478 U	0.0502	0.000294 U	0.000857 U	0.0408	0.000421 U	0.00263 U	0.0120	0.000769 U
	B-244-60	3/28/18	PES	ESC	60	-21.2	S	0.000261 U	0.000230 U	5.05	0.000485 U	0.0297	0.000298 U	0.000869 U	0.127	0.000426 U	0.00267 U	0.0104	0.000779 U
	B-244-65	3/28/18	PES	ESC	65	-26.2	S	0.000265 U	0.000234 U	0.504	0.000670 J	0.0169	0.000303 U	0.000882 U	0.0970	0.000433 U	0.00271 U	0.0244	0.000791 U
	B-244-70	3/28/18	PES	ESC	70	-31.2	S	0.000254 U	0.000224 U	0.0620 J	0.000471 U	0.0240	0.000290 U	0.000845 U	0.0320 J	0.000415 U	0.00259 U	0.00878 J	0.000758 U
	IW-907-70	3/28/18	PES	ESC	70 (dup)	-31.2	S	0.000255 U	0.000224 U	0.0176 J	0.000472 U	0.0209	0.000291 U	0.000847 U	0.00987 J	0.000416 U	0.00260 U	0.0139 J	0.000760 U
B-245	B-244-75	3/28/18	PES	ESC	75	-36.2	S	0.000268 U	0.000236 U	0.00375	0.000498 U	0.00337	0.000306 U	0.000892 U	0.00183	0.000438 U	0.00274 U	0.0252	0.000801 U
	B-244-80	3/28/18	PES	ESC	80	-41.2	S	0.000272 U	0.000239 U	0.00219	0.000505 U	0.000314 J	0.000310 U	0.000904 U	0.000678 J	0.000444 U	0.00278 U	0.00399	0.000811 U
	B-245-5	3/28/18	PES	ESC	5	34.9	V	0.000255 U	0.000224 U	0.00371	0.000472 U	0.000287 U	0.000291 U	0.000847 U	0.000304 U	0.000416 U	0.00260 U	0.00142	0.000760 U
	B-245-10	3/28/18	PES	ESC	10	29.9	S	0.000268 U	0.000236 U	0.00419	0.000498 U	0.000303 U	0.000306 U	0.000893 U	0.000320 U	0.000438 U	0.00274 U	0.000334 U	0.000801 U
	B-245-15	3/28/18	PES	ESC	15	24.9	S	0.000271 U	0.000239 U	0.0317	0.000503 U	0.000306 U	0.000309 U	0.000902 U	0.00188	0.000443 U	0.00277 U	0.000458 J	0.000809 U
	B-245-20	3/28/18	PES	ESC	20	19.9	S	0.000253 U	0.000222 U	0.00746	0.000469 U	0.000285 U	0.000288 U	0.000840 U	0.000868 J	0.000413 U	0.00258 U	0.000458 J	0.000754 U
	B-245-25	3/28/18	PES	ESC	25	14.9	S	0.000265 U	0.000233 U	0.00364	0.000491 U	0.000299 U	0.000302 U	0.000880 U	0.000464 J	0.000432 U	0.00270 U	0.000466 J	0.000790 U
	B-245-30	3/29/18	PES	ESC	30	9.9	S	0.000504 U	0.000443 U	0.0737	0.000934 U	0.00437	0.000574 U	0.00166 U	0.145	0.000821 U	0.00513 U	0.224 J	0.00150
	B-245-35	3/29/18	PES	ESC	35	4.9	S	0.000263 U	0.000232 U	0.00623	0.000488 U	0.000297 U	0.000300 U	0.000875 U	0.00152	0.000430 U	0.00269 U	0.0194	0.000785 U
	B-245-40	3/29/18	PES	ESC	40	-0.1	S	0.000260 U	0.000229 U	0.0149	0.000483 U	0.000294 U	0.000297 U	0.000866 U	0.00287	0.000425 U	0.00266 U	0.0204	0.000777 U
B-246	B-245-45	3/29/18	PES	ESC	45	-5.1	S	0.000260 U	0.000229 U	0.00112	0.000482 U	0.000293 U	0.000297 U	0.000865 U	0.000720 J	0.000425 U	0.00266 U	0.00491	0.000776 U
	B-245-50	3/29/18	PES	ESC	50	-10.1	S	0.000265 U	0.000233 U	0.00546	0.000492 U	0.000299 U	0.000303 U	0.000882 U	0.00370	0.000433 U	0.00271 U	0.0398	0.000791 U
	B-245-55	3/29/18	PES	ESC	55	-15.1	S	0.000264 U	0.000232 U	0.00226	0.000489 U	0.000298 U	0.000301 U	0.000877 U	0.00313	0.000431 U	0.00269 U	0.00776	0.000787 U
	B-245-60	3/29/18	PES	ESC	60	-20.1	S	0.000251 U	0.000221 U	0.00176	0.000465 U	0.000283 U	0.000286 U	0.000833 U	0.00181	0.000409 U	0.00256 U	0.00999	0.000748 U
	B-245-65	3/29/18	PES	ESC	65	-25.1	S	0.000268 U	0.000236 U	0.000656 J	0.000497 U	0.000302 U	0.000305 U	0.000890 U	0.000449 J	0.000437 U	0.00273 U	0.00929	0.000799 U
	B-245-70	3/29/18	PES	ESC	70	-30.1	S	0.000275 U	0.000242 U	0.000325 U	0.000325 U	0.000311 U	0.000314 U	0.000915 U	0.000314 U	0.000449 U	0.00281 U	0.00151	0.000821 U
	B-245-75	3/29/18	PES	ESC	75	-35.1	S	0.000264 U	0.000232 U	0.000311 U	0.000489 U	0.000298 U	0.000301 U	0.000877 U	0.000314 U	0.000431 U	0.00269 U	0.000623 J	0.000787 U
	B-245-80	3/29/18	PES	ESC	80	-40.1	S	0.000271 U	0.000239 U	0.000320 U	0.000503 U	0.000306 U	0.000309 U	0.000901 U	0.000323 U	0.000443 U	0.00277 U	0.000863 J	0.000809 U
	B-246-6	5/11/18	PES	ESC	6	33.9	S	0.00324 U	0.00184 U	0.00396	0.00148 U	0.00170 U	0.00182 U	0.00166 U	0.00192	0.000593 U	0.00418 U	0.000811 U	0.00567 U
	B-246-11	5/11/18	PES	ESC	11	28.9	S	0.00322 U	0.00183 U	0.0271	0.00148 U	0.00169 U	0.00181 U	0.00165 U	0.00638	0.000590 U	0.00416 U	0.000807 U	0.00564 U
	B-246-15	5/11/18	PES	ESC	15	24.9	S	0.00309 U	0.00175 U	0.0616	0.00318 J	0.00162 U	0.00173 U	0.00158 U	0.0132	0.000565 U	0.00398 U	0.000772 U	0.00540 U
B-246	B-246-25	5/11/18	PES	ESC	25	14.9	S	0.00305 U	0.00173 U	12.7	0.00214 UJ	0.00745	0.00171 U	0.00157 U	0.448	0.000559 U	0.00394 U	0.000764 U	0.00534 U
	B-246-30	5/11/18	PES	ESC	30	9.9	S	0.00321 U	0.00182 U	6.98	0.00172 J	0.00860	0.00180 U	0.00165 U	0.162	0.000588 U	0.00414 U	0.0308	0.00563 U
	B-246-35	5/11/18	PES	ESC	35	4.9	S	0.00315 U	0.00179 U	0.00548	0.00144 U	0.00165 U	0.00176 U	0.00161 U	0.000461 U	0.000576 U	0.00406 U	0.000787 U	0.00551 U
	B-246-40	5/11/18	PES	ESC	40	-0.1	S	0.00309 U	0.00176 U	4.07	0.00142 U	0.00162 U	0.00173 U	0.00159 U	0.280	0.000566 U	0.00399 U	0.00735	0.00541 U
	B-246-43	5/11/18	PES	ESC	43	-3.1	S	0.00299 U	0.00169 U	0.00312	0.00143 J	0.00156 U	0.00167 U	0.00153 U	0.00780	0.000547 U	0.00385 U	0.00339	0.00523 U
	B-246-45	5/11/18	PES	ESC	45	-5.1	S	0.00329 U	0.00187 U	0.000836 U	0.00477 J	0.00172 U	0.00185 U	0.00169 U	0.000999 J	0.000603 U	0.00424 U	0.000823 U	0.00576 U
	B-246-50	5/11/18	PES	ESC	50	-10.1	S	0.00307 U	0.00174 U	0.00576	0.00215 J	0.00161 U	0.00172 U	0.00158 U	0.000767 J	0.000563 U	0.00396 U	0.000768 U	0.00538 U
	B-246-55	5/11/18	PES	ESC	55	-15.1	S	0.00313 U	0.00177 U	0.00372	0.00446 J	0.00164 U	0.00175 U	0.00160 U	0.000650 J	0.000573 U	0.00403 U	0.000782 U	0.00547 U
	B-246-60	5/11/18	PES	ESC	60	-20.1	S	0.00310 U	0.00176 U	0.00493	0.00208 J	0.00162 U	0.00174 U	0.00159 U	0.000723 J	0.000567 U	0.00399 U	0.000775 U	0.00542 U
	B-246-65	5/11/18	PES	ESC	65	-25.1	S	0.00338 U	0.00192 U	0.00178 J	0.00178 J	0.00177 U	0.00189 U	0.00173 U	0.000495 U	0.000618 U	0.00435 U	0.0154	0.00591 U
	B-246-70	5/11/18	PES	ESC	70	-30.1	S	0.00303 U	0.00172 U	0.223 J	0.00520 J	0.00159 UJ	0.00170 U	0.00156 U	0.239 J	0.000556 U	0.00391 U	0.00822 J	0.00531 UJ

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-246 (continued)	B-246-75	5/11/18	PES	ESC	75	-35.1	S	0.00316 U	0.00180 U	0.00130 J	0.00494 J	0.00166 U	0.00177 U	0.00162 U	0.000463 U	0.000579 U	0.00408 U	0.000791 U	0.00554 U
	B-246-80	5/11/18	PES	ESC	80	-40.1	S	0.00308 U	0.00175 U	0.000791 U	0.00141 U	0.00162 U	0.00173 U	0.00158 U	0.000452 U	0.000565 U	0.00398 U	0.000771 U	0.00540 U
	B-926-100	5/11/18	PES	ESC	45 (dup)	-5.1	S	0.00409 U	0.00232 U	0.0144 J	0.00231 J	0.00214 UJ	0.00230 U	0.00210 U	0.00359 J	0.000749 U	0.00527 U	0.00102 UJ	0.00716 UJ
B-247	B-247-5	4/20/18	PES	ESC	5	34.7	S	0.000266 U	0.000234 U	0.0594	0.000493 U	0.000491 J	0.000303 U	0.000883 U	0.00692	0.000434 U	0.00271 U	0.00114	0.000792 U
	B-247-10	4/20/18	PES	ESC	10	29.7	S	0.000269 U	0.000237 U	0.00586	0.000500 U	0.000304 U	0.000307 U	0.000896 U	0.00175	0.000440 U	0.00275 U	0.00173	0.000804 U
	B-247-15	4/20/18	PES	ESC	15	24.7	S	0.000260 U	0.000228 U	0.00415	0.000481 U	0.000293 U	0.000296 U	0.000863 U	0.00482	0.000424 U	0.00265 U	0.00221	0.000774 U
	B-247-20	4/20/18	PES	ESC	20	19.7	S	0.000261 U	0.000230 U	0.00432	0.000485 U	0.000295 U	0.000298 U	0.000869 U	0.000887 J	0.000427 U	0.00267 U	0.00718	0.000779 U
	B-247-25	4/20/18	PES	ESC	25	14.7	S	0.000255 U	0.000224 U	0.00244	0.000472 U	0.000287 U	0.000291 U	0.000847 U	0.000327 J	0.000416 U	0.00260 U	0.000411 J	0.000759 U
	B-247-30	4/20/18	PES	ESC	30	9.7	S	0.000258 U	0.000227 U	0.000984 J	0.000478 U	0.000291 U	0.000294 U	0.000857 U	0.000307 U	0.000421 U	0.00263 U	0.000651 J	0.000769 U
	B-247-35	4/20/18	PES	ESC	35	4.7	S	0.000258 U	0.000227 U	0.00128	0.000478 U	0.000452 J	0.000294 U	0.000857 U	0.000307 U	0.000421 U	0.00263 U	0.000321 U	0.000769 U
	B-247-40	4/20/18	PES	ESC	40	-0.3	S	0.000263 U	0.000231 U	0.00427	0.000487 U	0.000386 J	0.000300 U	0.000874 U	0.00104 J	0.000429 U	0.00268 U	0.000395 J	0.000784 U
	B-247-45	4/20/18	PES	ESC	45	-5.3	S	0.000253 U	0.000223 U	0.00230	0.000469 U	0.000306 J	0.000288 U	0.000841 U	0.000708 J	0.000413 U	0.00258 U	0.00279	0.000754 U
	B-247-50	4/20/18	PES	ESC	50	-10.3	S	0.000258 U	0.000227 U	0.000304 U	0.000478 U	0.0711	0.000294 U	0.000857 U	0.000307 U	0.000421 U	0.00263 U	0.779	0.000768 U
	B-247-55	4/20/18	PES	ESC	55	-15.3	S	0.000264 U	0.000233 U	0.000312 U	0.000490 U	0.000318 J	0.000302 U	0.000879 U	0.000315 U	0.000432 U	0.00270 U	0.0367	0.000788 U
	B-247-60	4/20/18	PES	ESC	60	-20.3	S	0.000252 U	0.000222 U	0.000297 U	0.000468 U	0.000984 J	0.000288 U	0.000838 U	0.000301 U	0.000412 U	0.00257 U	0.0672	0.000752 U
	B-247-65	4/20/18	PES	ESC	65	-25.3	S	0.000261 U	0.000230 U	0.00103 J	0.000484 U	0.000295 U	0.000298 U	0.000868 U	0.000311 U	0.000426 U	0.00267 U	0.000779 U	0.000779 U
	B-247-70	4/20/18	PES	ESC	70	-30.3	S	0.000262 U	0.000231 U	0.000309 U	0.000486 U	0.000296 U	0.000299 U	0.000872 U	0.000313 U	0.000428 U	0.00268 U	0.000326 U	0.000782 U
	B-247-75	4/20/18	PES	ESC	75	-35.3	S	0.000268 U	0.000236 U	0.000316 U	0.000496 U	0.000302 U	0.000305 U	0.000890 U	0.000319 U	0.000437 U	0.00273 U	0.0123	0.000798 U
	B-247-80	4/20/18	PES	ESC	80	-40.3	S	0.000262 U	0.000230 U	0.000309 U	0.000485 U	0.000295 U	0.000298 U	0.000870 U	0.000312 U	0.000427 U	0.00267 U	0.00344	0.000780 U
	B-909-20	4/20/18	PES	ESC	80 (dup)	-40.3	S	0.000253 U	0.000223 U	0.000299 U	0.000470 U	0.000286 U	0.000289 U	0.000842 U	0.000302 U	0.000413 U	0.00259 U	0.00310	0.000756 U
B-248	B-248-5	4/23/18	PES	ESC	5	46.9	V	0.000267 U	0.000235 U	0.00318	0.000495 U	0.000301 U	0.000305 U	0.000888 U	0.000318 UJ	0.000436 U	0.00273 U	0.000332 U	0.000797 U
	B-248-10	4/23/18	PES	ESC	10	41.9	V	0.000261 U	0.000230 U	0.0178	0.000484 U	0.000294 U	0.000298 U	0.000868 U	0.00126 J	0.000426 U	0.00266 U	0.000324 U	0.000778 UJ
	B-248-15	4/23/18	PES	ESC	15	36.9	V	0.00300 U	0.00170 U	0.118	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.00378	0.000550 U	0.00387 U	0.000751 U	0.00526 U
	B-248-20	4/23/18	PES	ESC	20	31.9	S	0.000253 U	0.000223 U	0.0238	0.00469 U	0.000286 U	0.000289 U	0.000841 U	0.00233 J	0.000413 U	0.00258 U	0.000315 U	0.000755 UJ
	B-248-25	4/23/18	PES	ESC	25	26.9	S	0.00320 U	0.00182 U	0.621	0.00147 U	0.00168 U	0.00180 U	0.00164 U	0.0667	0.000587 U	0.00413 U	0.000801 U	0.00561 U
	B-248-30	4/23/18	PES	ESC	30	21.9	S	0.000253 U	0.000223 U	0.00255 J	0.000469 U	0.000285 U	0.000289 U	0.000841 U	0.00297 J	0.000413 U	0.00258 U	0.000315 U	0.000755 UJ
	B-248-35	4/23/18	PES	ESC	35	16.9	S	0.00296 U	0.00168 U	0.122	0.00178 J	0.00155 U	0.00166 U	0.00152 U	0.0456	0.000542 U	0.00381 U	0.000740 U	0.00518 U
	B-248-40	4/23/18	PES	ESC	40	11.9	S	0.00304 U	0.00173 U	0.200	0.00139 U	0.00159 U	0.00171 U	0.00156 U	0.0599	0.000557 U	0.00392 U	0.00574	0.00533 U
	B-248-45	4/23/18	PES	ESC	45	6.9	S	0.00312 U	0.00177 U	0.0248	0.00143 J	0.00163 U	0.00175 U	0.00160 U	0.00566	0.000571 U	0.00402 U	0.000780 U	0.00546 U
	B-248-50	4/23/18	PES	ESC	50	1.9	S	0.00298 U	0.00169 U	0.0109 J-	0.00163 J-	0.00156 UJ	0.00167 U	0.00153 U	0.00177 J-	0.000547 U	0.00385 U	0.00167 U	0.00523 UJ
	B-248-55	4/23/18	PES	ESC	55	-3.2	S	0.000277 U	0.000244 U	0.000327 U	0.000514 U	0.000312 U	0.000316 U	0.000921 U	0.000330 UJ	0.000452 U	0.00283 U	0.000344 U	0.000826 UJ
	B-248-60	4/23/18	PES	ESC	60	-8.2	S	0.00293 U	0.00166 U	0.167	0.00134 U	0.0144	0.00164 U	0.00150 U	0.0244	0.000536 U	0.00377 U	0.0121	0.00512 U
	B-248-65	4/23/18	PES	ESC	65	-13.2	S	0.00336 U	0.00191 U	0.000861 U	0.00154 U	0.00176 U	0.00188 U	0.00172 U	0.000492 U	0.000615 U	0.00433 U	0.00629	0.00588 U
	B-248-70	4/23/18	PES	ESC	70	-18.2	S	0.00314 U	0.00178 U	0.000804 U	0.00144 U	0.00164 U	0.00176 U	0.00161 U	0.000460 U	0.000575 U	0.00404 U	0.00315	0.00549 U
	B-248-75	4/23/18	PES	ESC	75	-23.2	S	0.00307 U	0.00174 U	0.000786 UJ	0.00140 UJ	0.00161 UJ	0.00172 U	0.00157 U	0.000449 UJ	0.000562 U	0.00395 U	0.0124 J-	0.00537 UJ
	B-248-80	4/23/18	PES	ESC	80	-28.2	S	0.000281 U	0.000248 U	0.000332 UJ	0.000521 U	0.000317 U	0.000321 U	0.000935 U	0.000439 J	0.000459 U	0.00287 U	0.00140	0.000839 UJ
	B-910-20	4/23/18	PES	ESC	80 (dup)	-28.2	S	0.000289 U	0.000254 U	0.000341 U	0.000536 U	0.000326 U	0.000330 U	0.000960 U	0.000344 UJ	0.000471 U	0.00295 U	0.000581 J	0.000861 UJ
	B-248-85	4/23/18	PES	ESC	85	-33.2	S	0.000284 U	0.000250 U	0.000335 U	0.000527 U	0.000321 U	0.000324 U	0.000945 U	0.000339 UJ	0.000464 U	0.00290 U	0.000378 J	0.000848 UJ
	B-248-90	4/23/18	PES	ESC	90	-38.2	S	0.000280 U	0.000246 U	0.000330 U	0.000519 U	0.000316 U	0.000319 U	0.000931 U	0.000334 UJ	0.000457 U	0.00286 U	0.000348 U	0.000835 UJ
	B-248-95	4/23/18	PES	ESC	95	-43.2	S	0.000292 U	0.000257 U	0.000344 U	0.000541 U	0.000329 U	0.000333 U	0.000970 U	0.000348 UJ	0.000476 U	0.00298 U	0.000363 U	0.000870 UJ
	B-248-100	4/23/18	PES	ESC	100	-48.2	S	0.000284 U	0.000250 U	0.000335 U	0.000526 U	0.000320 U	0.000324 U	0.000944 U	0.000338 UJ	0.000463 U	0.00290 U	0.000881 J	0.000847 UJ
	B-248-105	4/23/18	PES	ESC	105	-53.2	S	0.000253 U	0.000223 U	0.0102	0.000469 U	0.00141	0.000289 U	0.000841 U	0.0562 J	0.000413 U	0.00258 U	0.000314 U	0.000754 UJ

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-248 (continued)	B-248-110 B-248-115	4/23/18 4/23/18	PES PES	ESC ESC	110 115	-58.2 -63.2	S S	0.00313 U 0.000274 U	0.00178 U 0.000241 U	0.00185 U 0.00125 UJ	0.00143 U 0.000507 U	0.00379 J 0.000309 U	0.00176 U 0.000312 U	0.00161 U 0.000910 U	0.0113 U 0.00615 J	0.000574 U 0.000447 U	0.00404 U 0.00279 U	0.000784 U 0.000418 J	0.00549 U 0.000816 UJ
B-249	B-249-5	10/15/18	PES	PACE	5	34.2	S	0.00285 U	0.00162 U	0.122 J	0.00131 U	0.00149 U	0.00160 U	0.00146 U	0.0109	0.000523 U	0.00368 U	0.000714 U	0.00500 U
	B-249-8	10/15/18	PES	PACE	8	31.2	S	0.00308 U	0.00175 U	0.949 J	0.00141 U	0.00161 U	0.00173 U	0.00158 U	0.0828	0.000564 U	0.00397 U	0.000771 U	0.00539 U
	B-249-15	10/15/18	PES	PACE	15	24.2	S	0.00316 U	0.00180 U	1.97 J	0.00236 J	0.00166 U	0.00177 U	0.00162 U	0.214	0.000579 U	0.00408 U	0.000791 U	0.00973
	B-249-17	10/15/18	PES	PACE	17	22.2	S	0.00309 U	0.00176 U	8.35 J	0.00142 U	0.00162 U	0.00173 U	0.00159 U	0.150	0.000566 U	0.00399 U	0.000773 U	0.00541 U
	B-249-20	10/15/18	PES	PACE	20	19.2	S	0.00323 U	0.00183 U	10.3	0.00148 U	0.00420 J	0.00181 U	0.00165 U	0.661	0.000591 U	0.00416 U	0.000807 U	0.00565 U
B-250	B-250-2.5	10/15/18	PES	PACE	2.5	36.9	V	0.00301 U	0.00171 U	0.701 J	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.00576	0.000552 U	0.00389 U	0.000754 U	0.00528 U
	B-250-8	10/15/18	PES	PACE	8	31.4	S	0.00304 U	0.00173 U	1.81 J	0.00139 U	0.00159 U	0.00170 U	0.00156 U	0.0269	0.000557 U	0.00392 U	0.000760 U	0.00532 U
	B-250-10	10/15/18	PES	PACE	10	29.4	S	0.00304 U	0.00172 U	21.7 J	0.00139 U	0.00166 J	0.00170 U	0.00156 U	0.0762	0.000556 U	0.00392 U	0.000760 U	0.00532 U
	B-250-13	10/15/18	PES	PACE	13	26.4	S	0.00307 U	0.00174 U	18.2 J	0.00140 U	0.00285 J	0.00172 U	0.00157 U	0.553	0.000562 U	0.00395 U	0.000767 U	0.00537 U
	B-250-20	10/15/18	PES	PACE	20	19.4	S	0.00316 U	0.00180 U	8.68 J	0.00145 U	0.00435 J	0.00177 U	0.00162 U	0.528	0.000579 U	0.00408 U	0.00304	0.00554 U
	B-250-24	10/15/18	PES	PACE	24	15.4	S	0.00299 U	0.00170 U	7.69	0.00137 U	0.00344 J	0.00167 U	0.00153 U	0.407	0.000547 U	0.00385 U	0.00318	0.00523 U
	B-250-30	10/16/18	PES	PACE	30	9.4	S	0.00298 U	0.00169 U	0.288	0.00259 J	0.0138	0.00167 U	0.00153 U	0.0519	0.000545 U	0.00384 U	0.358	0.00521 U
B-251	B-251-5	10/15/18	PES	PACE	5	34.3	S	0.00287 U	0.00163 U	0.0286	0.00131 U	0.00150 U	0.00161 U	0.00147 U	0.146	0.000525 U	0.00370 U	0.000718 R	0.00502 U
	B-251-8	10/15/18	PES	PACE	8	31.3	S	0.00303 U	0.00172 U	0.230	0.00139 U	0.00159 U	0.00170 U	0.00155 U	0.135	0.000555 U	0.00390 U	0.000758 U	0.00530 U
	B-251-10	10/15/18	PES	PACE	10	29.3	S	0.00304 U	0.00172 U	10.3	0.00139 U	0.00159 U	0.00170 U	0.00156 U	0.0501	0.000556 U	0.00392 U	0.000760 U	0.00532 U
	B-251-15	10/15/18	PES	PACE	15	24.3	S	0.00309 U	0.00175 U	12.0	0.00141 U	0.00162 U	0.00173 U	0.00158 U	0.102	0.000565 U	0.00398 U	0.000772 U	0.00540 U
	B-251-20	10/15/18	PES	PACE	20	19.3	S	0.00320 U	0.00182 U	6.66	0.00146 U	0.00167 U	0.00179 U	0.00164 U	0.154	0.000586 U	0.00412 U	0.000800 U	0.00560 U
	B-251-25	10/15/18	PES	PACE	25	14.3	S	0.00314 U	0.00178 U	6.09	0.00144 U	0.00164 U	0.00176 U	0.00161 U	0.512	0.000574 U	0.00404 U	0.000785 U	0.00549 U
B-252	B-252-2.5	10/15/18	PES	PACE	2.5	36.7	V	0.00285 U	0.00162 U	0.306	0.00131 U	0.00149 U	0.00160 U	0.00146 U	0.0201	0.000522 U	0.00368 U	0.000714 U	0.00499 U
	B-252-8	10/15/18	PES	PACE	8	31.2	S	0.00292 U	0.00166 U	0.0783	0.00134 U	0.00153 U	0.00164 U	0.00150 U	0.0156	0.000535 U	0.00377 U	0.000731 U	0.00511 U
	B-252-10	10/15/18	PES	PACE	10	29.2	S	0.00303 U	0.00172 U	0.356	0.00139 U	0.00159 U	0.00170 U	0.00155 U	0.0503	0.000554 U	0.00390 U	0.000757 U	0.00530 U
	B-252-15	10/15/18	PES	PACE	15	24.2	S	0.00322 U	0.00183 U	3.43	0.00147 U	0.00168 U	0.00180 U	0.00165 U	0.682	0.000589 U	0.00415 U	0.000805 U	0.00563 U
	B-252-19	10/15/18	PES	PACE	19	20.2	S	0.00330 U	0.00187 U	2.88	0.00151 U	0.00231 J	0.00185 U	0.00169 U	-	0.000603 U	0.00425 U	0.138 J	0.00577 U
	B-252-25	10/15/18	PES	PACE	25	14.2	S	0.00300 U	0.00170 U	1.35	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.266	0.000549 U	0.00387 U	0.00602	0.00525 U
	B-252-29	10/15/18	PES	PACE	29	10.2	S	0.00312 U	0.00177 U	1.99	0.00143 U	0.00656	0.00175 U	0.00160 U	0.483	0.000572 U	0.00403 U	0.00634	0.00547 U
B-253A	B-253A-5	10/18/18	PES	PACE	5	35.6	V	0.00311 U	0.00177 U	0.0116 J	0.00195 J	0.00163 U	0.00174 U	0.00159 U	0.0285	0.000569 U	0.00401 U	0.000778 U	0.00544 U
	B-253A-8	10/18/18	PES	PACE	8	32.6	S	0.00307 U	0.00175 U	0.917 J	0.00193 J	0.00161 U	0.00172 U	0.00158 U	0.00621	0.000563 U	0.00396 U	0.000769 U	0.00538 U
	B-253A-10	10/18/18	PES	PACE	10	30.6	S	0.00299 U	0.00170 U	2.29 J	0.00137 U	0.00157 U	0.00168 U	0.00153 U	0.00740	0.000548 U	0.00386 U	0.000748 U	0.00524 U
	B-253A-15	10/18/18	PES	PACE	15	25.6	S	0.00307 U	0.00174 U	15.7 J	0.00193 J	0.00161 U	0.00172 U	0.00157 U	0.0186 J	0.000561 U	0.00395 U	0.000767 U	0.00537 U
B-254	B-253A-20	10/18/18	PES	PACE	20	20.6	S	0.00301 U	0.00171 U	0.868 J	0.00138 U	0.00158 U	0.00169 U	0.00154 U	0.00529	0.000551 U	0.00388 U	0.000752 U	0.00526 U
	B-254-5	10/16/18	PES	PACE	5	34.7	S	0.00327 U	0.00186 U	9.35	0.00150 U	0.00171 U	0.00183 U	0.00168 U	0.0662	0.000599 U	0.00422 U	0.0654 U	0.00572 U
	B-254-10	10/16/18	PES	PACE	10	29.7	S	0.00310 U	0.00176 U	3.09	0.00142 U	0.00162 U	0.00174 U	0.00159 U	0.0173	0.000568 U	0.00400 U	0.0111 J	0.00543 U
	B-254-13.5	10/16/18	PES	PACE	13.5	26.2	S	0.00320 U	0.00182 U	42.2	0.00152 J	0.00740	0.00179 U	0.00164 U	0.353	0.000586 U	0.00413 U	0.320 U	0.00561 U
	B-254-20	10/16/18	PES	PACE	20	19.7	S	0.00294 U	0.00167 U	28.0	0.00134 U	0.00222 J	0.00165 U	0.00151 U	0.228	0.000538 U	0.00379 U	0.147 U	0.00514 U
B-254A	B-254-25	10/16/18	PES	PACE	25	14.7	S	0.00305 U	0.00173 U	46.7	0.00321 J	0.00449 J	0.00171 U	0.00156 U	0.681	0.000559 U	0.00393 U	0.305 U	0.00534 U
	B-254A-27	10/19/18	PES	PACE	27	12.7	S	0.00298 U	0.00169 U	0.0954	0.00161 J	0.00156 U	0.00167 U	0.00152 U	0.0118	0.000546 U	0.00385 U	0.0508	0.00522 U
	B-254A-30	10/19/18	PES	PACE	30	9.7	S	0.00294 U	0.00167 U	6.24	0.00166 J	0.00154 U	0.00165 U	0.00151 U	0.143	0.000538 U	0.00379 U	0.000735 U	0.00514 U
	B-254A-35	10/19/18	PES	PACE	35	4.7	S	0.00288 U	0.00163 U	0.0584 J	0.00132 UJ	0.00151 UJ	0.00161 U	0.00147 U	0.000679 J	0.000527 U	0.00371 U	0.0326 J	0.00504 UJ
B-255	B-255-3.5	10/16/18	PES	PACE	3.5	36.3	S	0.00312 U	0.00177 U	0.0927	0.00143 U	0.00163 U	0.00175 U	0.00160 U	0.00586	0.000571 U	0.00402 U	0.000780 U	0.00546 U
	B-255-8	10/16/18	PES	PACE	8	31.8	S	0.00316 U	0.00180 U	0.0420	0.00145 U	0.00166 U	0.00177 U	0.00162 U	0.0342	0.000579 U	0.00408 U	0.000791 U	0.00554 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-255 (continued)	B-255-15	10/16/18	PES	PACE	15	24.8	S	0.00297 U	0.00169 U	1.23	0.00136 U	0.00156 U	0.00167 U	0.00153 U	0.0362	0.000545 U	0.00384 U	0.00247 J	0.00521 U
B-255A	B-255A-21	10/16/18	PES	PACE	21	18.8	S	0.00289 U	0.00164 U	18.9	0.00132 U	0.00577	0.00162 U	0.00148 U	3.11	0.000529 U	0.00373 U	0.0532 J	0.00506 U
B-256	B-256-2.5	10/16/18	PES	PACE	2.5	37.1	S	0.00319 U	0.00181 U	0.0550	0.00146 U	0.00167 U	0.00179 U	0.00164 U	0.0532	0.000585 U	0.00412 U	0.0123	0.00559 U
	B-256-5	10/16/18	PES	PACE	5	34.6	S	0.00302 U	0.00171 U	0.0193	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.0162 J	0.000552 U	0.00389 U	0.0155	0.00528 U
	B-256-10	10/16/18	PES	PACE	10	29.6	S	0.00292 U	0.00166 U	0.589	0.00134 U	0.00197 J	0.00163 U	0.00150 U	0.182	0.000534 U	0.00376 U	0.0359	0.00511 U
	B-256-15	10/16/18	PES	PACE	15	24.6	S	0.00302 U	0.00172 U	0.324	0.00138 U	0.00510 J	0.00169 U	0.00155 U	0.0863	0.000553 U	0.00390 U	0.0715	0.00529 U
	B-256-18	10/16/18	PES	PACE	18	21.6	S	0.00302 U	0.00172 U	0.207	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.0126	0.000553 U	0.00390 U	0.0170	0.00529 U
B-257	B-257-5	10/17/18	PES	PACE	5	34.4	S	0.00331 U	0.00188 U	0.0333	0.00151 U	0.00173 U	0.00185 U	0.00170 U	0.0356	0.000605 U	0.00426 U	0.00478	0.00579 U
	B-257-10	10/17/18	PES	PACE	10	29.4	S	0.00305 U	0.00173 U	1.75	0.00140 U	0.00474 J	0.00171 U	0.00156 U	0.183	0.000558 U	0.00393 U	0.0252	0.00534 U
	B-257-15	10/17/18	PES	PACE	15	24.4	S	0.00317 U	0.00180 U	1.26	0.00145 U	0.00411 J	0.00178 U	0.00163 U	0.134	0.000581 U	0.00409 U	0.000793 U	0.00555 U
	B-257-20	10/17/18	PES	PACE	20	19.4	S	0.00307 U	0.00174 U	2.06	0.00140 U	0.00652	0.00172 U	0.00157 U	0.455	0.000562 U	0.00396 U	0.226	0.00537 U
B-258	B-258-3	10/17/18	PES	PACE	3	36.2	V	0.00299 U	0.00170 U	0.0198	0.00137 U	0.00157 U	0.00168 U	0.00153 U	0.00793	0.000548 U	0.00386 U	0.000748 U	0.00524 U
	B-258-8	10/17/18	PES	PACE	8	31.2	S	0.00310 U	0.00176 U	0.0619	0.00142 U	0.00163 U	0.00174 U	0.00159 U	0.00635	0.000569 U	0.00400 U	0.000777 U	0.00544 U
	B-258-10	10/17/18	PES	PACE	10	29.2	S	0.00327 U	0.00185 U	0.538	0.00150 U	0.00171 U	0.00183 U	0.00168 U	0.0149	0.000598 U	0.00421 U	0.000817 U	0.00572 U
	B-258-15	10/17/18	PES	PACE	15	24.2	S	0.00322 U	0.00183 U	16.2	0.00148 U	0.00169 U	0.00181 U	0.00165 U	0.0763	0.000590 U	0.00415 U	0.000806 U	0.00564 U
	B-258-20	10/17/18	PES	PACE	20	19.2	S	0.00305 U	0.00173 U	3.71	0.00140 U	0.00160 U	0.00171 U	0.00156 U	0.0117	0.000558 U	0.00393 U	0.000762 U	0.00533 U
B-259	B-259-2.5	10/17/18	PES	PACE	2.5	36.7	V	0.00307 U	0.00174 U	0.0784	0.00189 J	0.00161 U	0.00172 U	0.00158 U	0.00504	0.000563 U	0.00396 U	0.000769 U	0.00538 U
	B-259-5	10/17/18	PES	PACE	5	34.2	S	0.00299 U	0.00170 U	0.00933	0.00137 U	0.00157 U	0.00168 U	0.00153 U	0.00910	0.000548 U	0.00386 U	0.00121 J	0.00524 U
	B-259-10	10/17/18	PES	PACE	10	29.2	S	0.00313 U	0.00178 U	0.00535	0.00224 J	0.00164 U	0.00175 U	0.00160 U	0.00372	0.000573 U	0.00403 U	0.00257 J	0.00548 U
	B-259-15	10/17/18	PES	PACE	15	24.2	S	0.00321 U	0.00182 U	0.0251	0.00152 J	0.00395 J	0.00180 U	0.00164 U	0.0103	0.000587 U	0.00413 U	0.166	0.00561 U
	B-259-20	10/17/18	PES	PACE	20	19.2	S	0.00305 U	0.00173 U	0.697	0.00140 U	0.00160 U	0.00171 U	0.00156 U	0.253	0.000559 U	0.00393 U	0.0191	0.00534 U
B-260	B-260-5	10/17/18	PES	PACE	5	34.2	S	0.00303 U	0.00172 U	0.0785	0.00139 U	0.00159 U	0.00170 U	0.00155 U	0.00667	0.000554 U	0.00390 U	0.000757 U	0.00530 U
	B-260-8	10/17/18	PES	PACE	8	31.2	S	0.00306 U	0.00174 U	0.0294 J+	0.00153 J	0.00182 J	0.00172 U	0.00157 U	0.00771 J	0.000561 U	0.00395 U	0.00269 J	0.00536 U
	B-260-10	10/17/18	PES	PACE	10	29.2	S	0.00313 U	0.00178 U	0.0106	0.00143 U	0.00241 J	0.00176 U	0.00161 U	0.00211	0.000574 U	0.00404 U	0.0103	0.00549 U
	B-260-15	10/17/18	PES	PACE	15	24.2	S	0.00317 U	0.00180 U	9.92	0.00165 J	0.00349 J	0.00178 U	0.00163 U	1.98	0.000581 U	0.00409 U	0.0101	0.00555 U
	B-260-20	10/17/18	PES	PACE	20	19.2	S	0.00302 U	0.00171 U	8.23	0.00138 U	0.00158 U	0.00169 U	0.00155 U	1.38	0.000553 U	0.00389 U	0.00167 J	0.00528 U
B-261	B-261-3	10/17/18	PES	PACE	3	36.9	S	0.00312 U	0.00177 U	0.0198	0.00143 U	0.00163 U	0.00175 U	0.00160 U	0.000584 J	0.000571 U	0.00402 U	0.000780 U	0.00546 U
	B-261-5	10/17/18	PES	PACE	5	34.9	S	0.00309 U	0.00176 U	25.2 J+	0.00151 J	0.00162 U	0.00173 U	0.00159 U	0.0362 U	0.000566 U	0.00399 U	0.000773 U	0.00541 U
	B-261-8	10/17/18	PES	PACE	8	31.9	S	0.00327 U	0.00186 U	7.13	0.00144 U	0.00162 J	0.00171 U	0.00168 U	0.00479 U	0.000599 U	0.00422 U	0.000818 U	0.00573 U
	B-261-10	10/17/18	PES	PACE	10	29.9	S	0.00315 U	0.00179 U	25.3 J+	0.00144 U	0.00165 U	0.00176 U	0.00161 U	0.0184 U	0.000576 U	0.00406 U	0.000787 U	0.00551 U
	B-261-15	10/17/18	PES	PACE	15	24.9	S	0.00300 U	0.00170 U	13.1	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.0284	0.000549 U	0.00387 U	0.000750 U	0.00525 U
	B-261-20	10/17/18	PES	PACE	20	19.9	S	0.00307 U	0.00174 U	112 J+	0.00203 J	0.00200 J	0.00172 U	0.00157 U	0.908	0.000562 U	0.00396 U	0.000768 U	0.00537 U
B-262	B-262-5	10/17/18	PES	PACE	5	34.9	S	0.00322 U	0.00183 U	14.4 J	0.00858	0.00168 U	0.00180 U	0.00165 U	0.0142	0.000589 U	0.00415 U	0.000805 U	0.00775
	B-262-8	10/17/18	PES	PACE	8	31.9	S	0.00300 U	0.00170 U	0.612	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.00725	0.000550 U	0.00387 U	0.000751 U	0.00526 U
	B-262-10	10/17/18	PES	PACE	10	29.9	S	0.00304 U	0.00173 U	0.495	0.00139 U	0.00159 U	0.00170 U	0.00156 U	0.00390	0.000557 U	0.00392 U	0.000761 U	0.00532 U
	B-262-15	10/17/18	PES	PACE	15	24.9	S	0.00300 U	0.00170 U	1.81	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.0301	0.000549 U	0.00386 U	0.000750 U	0.00525 U
	B-262-20	10/17/18	PES	PACE	20	19.9	S	0.00321 U	0.00182 U	2.05 J	0.00147 U	0.00168 U	0.00180 U	0.00165 U	0.0634	0.000589 U	0.00414 U	0.000804 U	0.00563 U
B-263	B-263-3	10/18/18	PES	PACE	3	36.8	S	0.00334 U	0.00190 U	0.0143	0.00153 U	0.00175 U	0.00187 U	0.00171 U	0.000626 J	0.000612 U	0.00431 U	0.000836 U	0.00585 U
	B-263-5	10/18/18	PES	PACE	5	34.8	S	0.00295 U	0.00167 U	0.0302	0.00135 U	0.00155 U	0.00165 U	0.00151 U	0.00438	0.000540 U	0.00380 U	0.000738 U	0.00517 U
	B-263-8	10/18/18	PES	PACE	8	31.8	S	0.00288 U	0.00163 U	0.0301	0.00132 U	0.00151 U	0.00161 U	0.00148 U	0.00471	0.000527 U	0.00371 U	0.000720 U	0.00504 U
	B-263-10	10/18/18	PES	PACE	10	29.8	S	0.00311 U	0.00176 U	0.0321	0.00142 U	0.00163 U	0.00174 U	0.00159 U	0.00106 J	0.000569 U	0.00401 U	0.000777 U	0.00544 U
	B-263-15	10/18/18	PES	PACE	15	24.8	S	0.00298 U	0.00169 U	0.0558	0.00136 U	0.00156 U	0.00167 U	0.00153 U	0.00523	0.000546 U	0.00384 U	0.000746 U	0.00522 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-263 (continued)	B-263-18	10/18/18	PES	PACE	18	21.8	S	0.00296 U	0.00168 U	0.416	0.00136 U	0.00155 U	0.00166 U	0.00152 U	0.0154	0.000542 U	0.00382 U	0.00733	0.00519 U
B-264	B-264-3	10/18/18	PES	PACE	3	36.8	S	0.00296 U	0.00168 U	0.200	0.00136 U	0.00155 U	0.00166 U	0.00152 U	0.00630	0.000543 U	0.00382 U	0.000742 U	0.00519 U
	B-264-5	10/18/18	PES	PACE	5	34.8	S	0.00316 U	0.00179 U	0.0960	0.00145 U	0.00165 U	0.00177 U	0.00162 U	0.00185	0.000579 U	0.00407 U	0.000790 U	0.00553 U
	B-264-8	10/18/18	PES	PACE	8	31.8	S	0.00312 U	0.00177 U	0.415	0.00143 U	0.00163 U	0.00175 U	0.00160 U	0.00376	0.000571 U	0.00402 U	0.000781 U	0.00546 U
	B-264-10	10/18/18	PES	PACE	10	29.8	S	0.00301 U	0.00171 U	1.29	0.00138 U	0.00158 U	0.00169 U	0.00154 U	0.00533	0.000551 U	0.00388 U	0.000752 U	0.00527 U
	B-264-15	10/18/18	PES	PACE	15	24.8	S	0.00318 U	0.00180 U	0.663	0.00145 U	0.00166 U	0.00178 U	0.00163 U	0.00852	0.000582 U	0.00410 U	0.00303	0.00556 U
	B-264-16	10/18/18	PES	PACE	16	23.8	S	0.00306 U	0.00174 U	0.199	0.00291 J	0.00161 U	0.00172 U	0.00157 U	0.00250	0.000561 U	0.00395 U	0.000767 U	0.00537 U
B-265	B-265-3	10/18/18	PES	PACE	3	36.8	S	0.00326 U	0.00185 U	0.154	0.00150 J	0.00171 U	0.00183 U	0.00167 U	0.00198	0.000597 U	0.00420 U	0.000815 U	0.00570 U
	B-265-5	10/18/18	PES	PACE	5	34.8	S	0.00316 U	0.00180 U	1.57 UJ	0.00145 U	0.00166 U	0.00177 U	0.00162 U	0.00413	0.000579 U	0.00408 U	0.000791 U	0.00554 U
	B-265-8	10/18/18	PES	PACE	8	31.8	S	0.00305 U	0.00173 U	2.37 J	0.00140 U	0.00160 U	0.00171 U	0.00156 U	0.00473	0.000558 U	0.00393 U	0.000762 U	0.00534 U
	B-265-10	10/18/18	PES	PACE	10	29.8	S	0.00300 U	0.00170 U	1.15 J	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.00325	0.000550 U	0.00387 U	0.000751 U	0.00526 U
	B-265-17.5	10/18/18	PES	PACE	18	22.3	S	0.00302 U	0.00171 U	0.0155 J	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.000443 U	0.000553 U	0.00389 U	0.000756 U	0.00529 U
	B-266-5	10/18/18	PES	PACE	5	35.7	S	0.00333 U	0.00189 U	0.0153 J	0.00546 J	0.00174 U	0.00186 U	0.00171 U	0.00639	0.000609 U	0.00429 U	0.000832 U	0.00582 U
B-266	B-266-8	10/18/18	PES	PACE	8	32.7	S	0.00347 U	0.00197 U	0.00703 J	0.00302 J	0.00182 U	0.00194 U	0.00178 U	0.00919	0.000636 U	0.00448 U	0.000869 U	0.00609 U
	B-266-10	10/18/18	PES	PACE	10	30.7	S	0.00439 U	0.00249 U	0.00843 J	0.00201 U	0.00231 U	0.00247 U	0.00225 U	0.00315	0.000805 U	0.00566 U	0.00110 U	0.00769 U
	B-266-15	10/18/18	PES	PACE	15	25.7	S	0.00365 U	0.00207 U	1.79 J	0.00296 J	0.00191 U	0.00204 U	0.00186 U	0.00212	0.000667 U	0.00469 U	0.000911 U	0.00637 U
	B-266-20	10/18/18	PES	PACE	20	20.7	S	0.00304 U	0.00173 U	5.70 J	0.00330 J	0.00159 U	0.00171 U	0.00156 U	0.111	0.000557 U	0.00392 U	0.000761 U	0.00533 U
	B-267-2.5	10/18/18	PES	PACE	2.5	37.4	S	0.00328 U	0.00186 U	0.00171 J	0.00150 U	0.00172 U	0.00184 U	0.00168 U	0.000481 U	0.000601 U	0.00423 U	0.000821 U	0.00574 U
B-267	B-267-5	10/18/18	PES	PACE	5	34.9	S	0.00298 U	0.00169 U	0.138	0.00570	0.00156 U	0.00167 U	0.00153 U	0.000945 J	0.000545 U	0.00384 U	0.000745 U	0.00521 U
	B-267-8	10/18/18	PES	PACE	8	31.9	S	0.00326 U	0.00185 U	0.604 J	0.00149 U	0.00171 U	0.00183 U	0.00167 U	0.00123	0.000597 U	0.00420 U	0.000815 U	0.00570 U
	B-267-10	10/18/18	PES	PACE	10	29.9	S	0.00309 U	0.00175 U	0.517 J	0.00188 J	0.00162 U	0.00173 U	0.00158 U	0.00270	0.000565 U	0.00398 U	0.000772 U	0.00540 U
	B-267-15	10/18/18	PES	PACE	15	24.9	S	0.0610 U	0.0347 U	7.72	0.0279 U	0.0320 U	0.0342 U	0.0313 U	0.0853	0.0112 U	0.0787 U	0.0153 U	0.107 U
	B-267-20	10/18/18	PES	PACE	20	19.9	S	0.0678 U	0.0385 U	8.01	0.0310 U	0.0356 U	0.0381 U	0.0348 U	0.102	0.0124 U	0.0874 U	0.0170 U	0.119 U
CA-A10	CA-A10-21	09/04/19	PES	Fremont	21	-	S	-	-	4.68	-	-	-	-	0.427	-	-	0.239 U	-
CA-A12-20	CA-A12-20-24	09/06/19	PES	Fremont	24	-	S	-	-	35.0	-	-	-	-	2.41	-	-	0.224 U	-
CAA-C1	CAA-C1-43	08/27/19	PES	Fremont	43	-	S	-	-	0.261 U	-	-	-	-	0.209 U	-	-	0.261 U	-
CAA-C2	CAA-C2-10	08/28/19	PES	Fremont	10	-	S	-	-	0.278 U	-	-	-	-	0.222 U	-	-	0.278 U	-
CA-B8	CA-B8-3	09/16/19	PES	Fremont	3	-	S	-	-	2.98	-	-	-	-	0.232 U	-	-	0.290 U	-
CA-B19	CA-B19-30	09/27/19	PES	Fremont	30	-	S	-	-	-	-	-	-	-	-	-	-	-	-
CA-B10	CA-B10-17	08/30/19	PES	Fremont	17	-	S	-	-	1.31	-	-	-	-	0.191 U	-	-	0.239 U	-
	CA-B10-20	08/30/19	PES	Fremont	20	-	S	-	-	1,220	-	-	-	-	3.26	-	-	0.292	-
	CA-B10-21	08/30/19	PES	Fremont	21	-	S	-	-	13.7	-	-	-	-	0.168 J	-	-	0.280 U	-
	CA-B10-25	08/30/19	PES	Fremont	25	-	S	-	-	4.07	-	-	-	-	0.176 U	-	-	0.221 U	-
CA-B11	CA-B11-27	09/05/19	PES	Fremont	27	-	S	-	-	191	-	-	-	-	0.270	-	-	0.225 U	-
CA-B18	CA-B18-20	10/26/19	PES	Fremont	20	-	S	-	-	0.0961 J	-	-	-	-	0.168 U	-	-	0.210 U	-
CA-B20	CA-B20-31	09/30/19	PES	Fremont	31	-	S	-	-	0.141 J	-	-	-	-	0.186 U	-	-	0.232 U	-
	B-1001-31	09/30/19	PES	Fremont	31 (dup)	-	S	-	-	0.125 J	-	-	-	-	0.203 U	-	-	0.254 U	-
CA-C7	CA-C7-25	09/20/19	PES	Fremont	25	-	S	-	-	0.167 J	-	-	-	-	0.198 U	-	-	0.172 J	-
CA-C8	CA-C8-35	09/03/19	PES	Fremont	35	-	S	-	-	0.209 U	-	-	-	-	0.167 U	-	-	0.209 U	-
CA-C9	CA-C9-09	09/04/19	PES	Fremont	9	-	S	-	-	15.0	-	-	-	-	0.177 U	-	-	0.221 U	-
CA-C10	CA-C10-17	09/06/19	PES	Fremont	17	-	S	-	-	713	-	-	-	-	2.86	-	-	0.255 U	-
	CA-C10-26	09/06/19	PES	Fremont	26	-	S	-	-	0.249 J	-	-	-	-	0.233 U	-	-	0.291 U	-
CA-C13	CA-C13-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	0.290 U	-	-	-	-	0.232 U	-	-	0.290 U	-
CA-D1	CA-D1-Comp	09/11/19	PES	Fremont	Comp	-	S	-	-	0.260 U	-	-	-	-	0.208 U	-	-	0.260 U	-
CA-D2	CA-D2-31	09/16/19	PES	Fremont	31	-	S	-	-	26.0	-	-	-	-	0.202 U	-	-	0.253 U	-
	CA-D2-50-52	09/17/19	PES	Fremont	52	-	S	-	-	0.158 J	-	-	-	-	0.224 U	-	-	0.280 U	-
CA-D3	CA-D3-40	09/23/19	PES	Fremont	40	-	S	-	-	4.58	-	-	-	-	0.240	-	-	0.472	-
CA-D4	CA-D4-51	09/19/19	PES	Fremont	51	-	S	-	-	1.14	-	-	-	-	0.251 U	-	-	0.314 U	-
	CA-D4-54	09/19/19	PES	Fremont	54	-	S	-	-	1.84	-	-	-	-	0.121 J	-	-	0.282 U	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
CA-D5	CA-D5-14	09/03/19	PES	Fremont	14	-	S	-	-	9.08	-	-	-	-	0.177 U	-	-	0.221 U	-
	CA-D5-22	09/03/19	PES	Fremont	22	-	S	-	-	904	-	-	-	-	1.49	-	-	0.229 U	-
	CA-D5-26	09/03/19	PES	Fremont	26	-	S	-	-	9.24	-	-	-	-	0.646	-	-	0.226 U	-
CA-D6	CA-D6-56	09/04/19	PES	Fremont	56	-	S	-	-	22.3	-	-	-	-	0.173 J	-	-	0.303 U	-
	CA-D6-65	09/04/19	PES	Fremont	65	-	S	-	-	13.2	-	-	-	-	1.32	-	-	0.312 U	-
CA-D7	CA-D7-15	09/05/19	PES	Fremont	15	-	S	-	-	64.1	-	-	-	-	0.744	-	-	0.202 U	-
DB01	DB01-10	3/18/13	SES	F&BI	10	30.0	S	-	-	0.042	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB01-20	3/18/13	SES	F&BI	20	20.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB01-30	3/18/13	SES	F&BI	30	10.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB01-40	3/18/13	SES	F&BI	40	0.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
DB02	DB02-10	3/18/13	SES	F&BI	10	26.0	S	-	-	0.025 U	0.020 U	0.050 U	-	-	0.030 U	-	-	0.050 U	0.060 U
	DB02-15	3/18/13	SES	F&BI	15	21.0	S	-	-	-	0.020 U	-	-	-	-	-	-	-	0.060 U
	DB02-20	3/18/13	SES	F&BI	20	16.0	S	-	-	0.22	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB02-30	3/18/13	SES	F&BI	30	6.0	S	-	-	0.058	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB02-40	3/18/13	SES	F&BI	40	-4.0	S	-	-	2.0	-	0.050 U	-	-	0.060	-	-	0.050 U	-
DB03	DB03-05	3/27/13	SES	F&BI	5	35.0	S	-	-	0.061	-	0.10 U	-	-	0.060 U	-	-	0.10 U	-
	DB03-20	3/27/13	SES	F&BI	20	20.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB03-35	3/27/13	SES	F&BI	35	5.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB03-45	3/27/13	SES	F&BI	45	-5.0	S	-	-	2.7	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB03-55	3/27/13	SES	F&BI	55	-15.0	S	-	-	3.6	-	0.050 U	-	-	0.11	-	-	0.050 U	-
	DB03-60	3/27/13	SES	F&BI	60	-20.0	S	-	-	3.4	-	0.050 U	-	-	0.23	-	-	0.050 U	-
DB04	DB04-10	3/21/13	SES	F&BI	10	30.0	S	-	-	0.17	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB04-20	3/21/13	SES	F&BI	20	20.0	S	-	-	4.5	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB04-35	3/21/13	SES	F&BI	35	5.0	S	-	-	8.0	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB04-45	3/21/13	SES	F&BI	45	-5.0	S	-	-	0.28	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB04-50	3/22/13	SES	F&BI	50	-10.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB04-60	3/22/13	SES	F&BI	60	-20.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
DB05	DB05-10	3/26/13	SES	F&BI	10	41.8	V	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB05-20	3/26/13	SES	F&BI	20	31.8	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB05-30	3/26/13	SES	F&BI	30	21.8	S	-	-	3.2	-	0.050 U	-	-	0.040	-	-	0.050 U	-
	DB05-40	3/26/13	SES	F&BI	40	11.8	S	-	-	14	-	0.050 U	-	-	0.085	-	-	0.050 U	-
	DB05-50	3/26/13	SES	F&BI	50	1.8	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB05-60	3/26/13	SES	F&BI	60	-8.2	S	-	-	0.34	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB05-70	3/26/13	SES	F&BI	70	-18.2	S	-	-	0.033	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
DB06	DB06-10	3/25/13	SES	F&BI	10	41.8	V	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB06-25	3/25/13	SES	F&BI	25	26.8	S	-	-	0.98	-	0.050 U	-	-	0.033	-	-	0.050 U	-
	DB06-35	3/25/13	SES	F&BI	35	16.8	S	-	-	30	-	0.050 U	-	-	0.26	-	-	0.050 U	-
	DB06-45	3/25/13	SES	F&BI	45	6.8	S	-	-	1.3	-	0.050 U	-	-	0.036	-	-	0.050 U	-
	DB06-55	3/25/13	SES	F&BI	55	-3.2	S	-	-	0.027	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB06-65	3/25/13	SES	F&BI	65	-13.2	S	-	-	0.029	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB06-75	3/25/13	SES	F&BI	75	-23.2	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
DB07	DB07-05	3/27/13	SES	F&BI	5	35.0	S	-	-	2.7	-	0.050 U	-	-	0.084	-	-	0.050 U	-
	DB07-15	3/27/13	SES	F&BI	15	25.0	S	-	-	7.1	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB07-25	3/27/13	SES	F&BI	25	15.0	S	-	-	9.8	-	0.050 U	-	-	0.067	-	-	0.050 U	-
	DB07-35	3/28/13	SES	F&BI	35	5.0	S	-	-	16	-	0.050 U	-	-	0.088	-	-	0.050 U	-
	DB07-45	3/28/13	SES	F&BI	45	-5.0	S	-	-	13	-	0.050 U	-	-	0.72	-	-	0.050 U	-
	DB07-50	3/28/13	SES	F&BI	50	-10.0	S	-	-	7.3	-	0.050 U	-	-	0.19	-	-	0.050 U	-
	DB07-60	3/28/13	SES	F&BI	60	-20.0	S	-	-	1.5	-	0.050 U	-	-	0.92	-	-	0.050 U	-
	DB07-70	3/28/13	SES	F&BI	70	-30.0	S	-	-	5.0	-	0.050 U	-	-	0.96	-	-	0.050 U	-
DB08	DB08-10	3/20/13	SES	F&BI	10	30.0	S	-	-	0.048	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB08-20	3/20/13	SES	F&BI	20	20.0	S	-	-	4.0	-	0.050 U	-	-	0.19	-	-	0.050 U	-
	DB08-35	3/20/13	SES	F&BI	35	5.0	S	-	-	4.5	-	0.050 U	-	-	0.21	-	-	0.050 U	-
	DB08-45	3/20/13	SES	F&BI	45	-5.0	S	-	-	0.056	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB08-50	3/21/13	SES	F&BI	50	-10.0	S	-	-	4.2	-	0.050 U	-	-	0.25	-	-	0.050 U	-
	DB08-60	3/21/13	SES	F&BI	60	-20.0	S	-	-	0.51	-	0.050 U	-	-	0.20	-	-	0.050 U	-
	DB08-70	3/21/13	SES	F&BI	70	-30.0	S	-	-	0.41	-	0.050 U	-	-	0.040	-	-	0.050 U	-
DB09	DB09-10	3/19/13	SES	F&BI	10	30.0	S	-	-	0.027	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB09-20	3/19/13	SES	F&BI	20	20.0	S	-	-	0.15	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB09-30	3/19/13	SES	F&BI	30	10.0	S	-	-	6.1	-	0.050 U	-	-	0.22	-	-	0.050 U	-
	DB09-40	3/19/13	SES	F&BI	40	0.0	S	-	-	1.3	-	0.050 U	-	-	0.28	-	-	0.050 U	-
	DB09-50	3/19/13	SES	F&BI	50	-10.0	S	-	-	0.14	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB09-60	3/19/13	SES	F&BI	60	-20.0	S	-	-	0.031	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB09-70	3/19/13	SES	F&BI	70	-30.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
DB10	DB10-10	3/29/13	SES	F&BI	10	30.0	S	-	-	0.34	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB10-20	3/29/13	SES	F&BI	20	20.0	S	-	-	23	-	0.050 U	-	-	0.11	-	-	0.050 U	-
	DB10-35	3/29/13	SES	F&BI	35	5.0	S	-	-	35	-	0.50 U	-	-	0.40	-	-	0.50 U	-
	DB10-45	3/29/13	SES	F&BI	45	-5.0	S	-	-	57	-	0.50 U	-	-	0.30 U	-	-	0.50 U	-
	DB10-50	4/1/13	SES	F&BI	50	-10.0	S	-	-	52	-	0.050 U	-	-	0.26	-	-	0.050 U	-
	DB10-60	4/1/13	SES	F&BI	60	-20.0	S	-	-	2.0	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB10-70	4/1/13	SES	F&BI	70	-30.0	S	-	-	1.8	-	0.050 U	-	-	0.035	-	-	0.050 U	-
DB11	DB11-15	4/2/13	SES	F&BI	15	36.8	V	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB11-25	4/2/13	SES	F&BI	25	26.8	S	-	-	0.028	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB11-35	4/2/13	SES	F&BI	35	16.8	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB11-45	4/2/13	SES	F&BI	45	6.8	S	-	-	15	-	0.050 U	-	-	0.12	-	-	0.050 U	-
	DB11-55	4/2/13	SES	F&BI	55	-3.2	S	-	-	0.16	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
DB12	DB12-10	4/3/13	SES	F&BI	10	30.0	S	-	-	0.068	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB12-20	4/3/13	SES	F&BI	20	20.0	S	-	-	18	-	0.050 U	-	-	0.56	-	-	0.050 U	-
	DB12-30	4/3/13	SES	F&BI	30	10.0	S	-	-	6.7	-	0.050 U	-	-	0.032	-	-	0.050 U	-
	DB12-40	4/3/13	SES	F&BI	40	0.0	S	-	-	11	-	0.050 U	-	-	0.060	-	-	0.050 U	-
DB13	DB13-10	4/3/13	SES	F&BI	10	30.0	S	-	-	0.12	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB13-20	4/3/13	SES	F&BI	20	20.0	S	-	-	0.78	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB13-35	4/3/13	SES	F&BI	35	5.0	S	-	-	2.7	-	0.050 U	-	-	0.24	-	-	0.050 U	-
	DB13-45	4/3/13	SES	F&BI	45	-5.0	S	-	-	0.066	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
DB14	DB14-10	4/4/13	SES	F&BI	10	31.5	S	-	-	0.025 U	0.41	0.050 U	-	-	0.030 U	-	-	0.050 U	3.6
	DB14-20	4/4/13	SES	F&BI	20	21.5	S	-	-	0.025 U	0.078	0.050 U	-	-	0.030 U	-	-	0.050 U	1.0
	DB14-30	4/4/13	SES	F&BI	30	11.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	DB14-40	4/4/13	SES	F&BI	40	1.5	S	-	-	0.050	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
G-MW1	MW 1-3-8	7/20/01	GeoEng	NCA	8	31.0	S	-	-	20	0.018 U	0.013 U	-	-	0.023 U	-	-	0.013 U	0.054 U
	MW 1-8-20	7/20/01	GeoEng	NCA	20	19.0	S	-	-	237	0.018 U	0.013 U	-	-	0.062	-	-	0.013 U	0.054 U
	MW 1-11-27.5	7/20/01	GeoEng	NCA	27.5	11.5	S	-	-	16	0.018 U	0.013 U	-	-	0.071 J	-	-	0.013 U	0.054 U
	MW 1-13-32.5	7/20/01	GeoEng	NCA	32.5	6.5	S	-	-	33	0.036 U	0.026 U	-	-	0.39	-	-	0.026 U	0.11 U
	MW 1-15-37.5	7/20/01	GeoEng	NCA	37.5	1.5	S	-	-	0.68	0.018 U	0.013 U	-	-	0.023 U	-	-	0.013 U	0.054 U
G-MW3 (G-SB4 11)	SB4-4-10	7/20/01	GeoEng	NCA	10	29.6	S	-	-	0.53	0.018 U	0.013 U	-	-	0.023 U	-	-	0.013 U	0.054 U
	SB4-7-17.5	7/20/01	GeoEng	NCA	17.5	22.1	S	-	-	13	0.018 U	0.013 U	-	-	0.023 U	-	-	0.013 U	0.054 U
	SB4-13-32.5	7/20/01	GeoEng	NCA	32.5	7.1	S	-	-	5.7	0.018 U	0.013 U	-	-	0.18	-	-	0.013 U	0.054 U
	SB4-15-37.5	7/20/01	GeoEng	NCA	37.5	2.1	S	-	-	0.58	0.018 U	0.013 U	-	-	0.023 U	-	-	0.013 U	0.054 U
IW06	IW06-25	1/15/16	SES	F&BI	25	26.8	S	-	-	0.49 ve	-	0.005 U	-	-	0.010	-	-	0.005 U	-
	IW06-30	1/15/16	SES	F&BI	30	21.8	S	-	-	0.19	-	0.005 U	-	-	0.0080	-	-	0.005 U	-
	IW06-40	1/15/16	SES	F&BI	40	11.8	S	-	-	0.005 U	-	0.005 U	-	-	0.003 U	-	-	0.005 U	-
	IW06-50	1/15/16	SES	F&BI	50	1.8	S	-	-	0.071	-	0.005 U	-	-	0.003 U	-	-	0.005 U	-
	IW06-55	1/15/16	SES	F&BI	55	-3.2	S	-	-	0.018	-	0.005 U	-	-	0.003 U	-	-	0.005 U	-
	IW06-60	1/15/16	SES	F&BI	60	-8.2	S	-	-	0.005 U	-	0.005 U	-	-	0.003 U	-	-	0.005 U	-
	IW06-65	1/15/16	SES	F&BI	65	-13.2	S	-	-	0.017	-	0.005 U	-	-	0.003 U	-	-	0.005 U	-
	IW06-70	1/15/16	SES	F&BI	70	-18.2	S	-	-	0.005 UJ	-	0.005 U	-	-	0.003 U	-	-	0.005 U	-
	IW06-75	1/15/16	SES	F&BI	75	-23.2	S	-	-	0.019 J	-	0.005 UJ	-	-	0.003 UJ	-	-	0.005 UJ	-
IW-1C (-23.9 to-38.9)	IW-1C-5	3/7/18	PES	ESC	5	34.1	S	0.000260 U	0.000229 U	0.0399	0.000482 U	0.000293 U	0.000297 U	0.000864 U	0.00620	0.000424 U	0.00266 U	0.000323 U	0.000775 U
	IW-1C-15	3/7/18	PES	ESC	15	24.1	S	0.000275 U	0.000242 U	0.00145	0.000510 U	0.000310 U	0.000314 U	0.000914 U	0.000516 J	0.000449 U	0.00281 U	0.000790 J	0.000820 U
	IW-1C-25	3/7/18	PES	ESC	25	14.1	S	0.0556 U	0.0489 U	11.1	0.103 U	0.0627 U	0.0634 U	0.185 U	0.845	0.0907 U	0.568 U	0.0691 U	0.166 U
	IW-1C-35	3/7/18	PES	ESC	35	4.1	S	0.000251 U	0.000221 U	2.66	0.000465 U	0.00339	0.000286 U	0.000834 U	0.286	0.000410 U	0.00256 U	0.0511	0.000749 U
	IW-1C-45	3/7/18	PES	ESC	45	-5.9	S	0.000262 U	0.000231 U	3.09	0.000626 J	0.00107 J	0.000299 U	0.000871 U	0.0782	0.000428 U	0.00268 U	0.0238	0.000781 U
	IW-1C-55	3/7/18	PES	ESC	55	-15.9	S	0.000262 U	0.000231 U	1.30	0.000486 U	0.000342 J	0.000299 U	0.000871 U	0.00519	0.000428 U	0.00268 U	0.176	0.000782 U
	IW-1C-65	3/7/18	PES	ESC	65	-25.9	S	0.000269 U	0.000237 U	0.00241	0.000499 U	0.000303 U	0.000307 U	0.000894 U	0.00116	0.000439 U	0.00275 U	0.000334 U	0.000802 U
	IW-1C-75	3/7/18	PES	ESC	75	-35.9	S	0.000281 U	0.000248 U	0.00735	0.000696 J	0.000318 U	0.000321 U	0.000936 U	0.00116 J	0.000459 U	0.00287 U	0.00172	0.000840 U
IW-2C (-24.8 to-39.8)	IW-2C-5	3/7/18	PES	ESC	5	31.3	S	0.000289 U	0.000254 U	0.000478 J	0.000536 U	0.000363 J	0.000330 U	0.000961 U	0.000790 J	0.000472 U	0.00295 U	0.000593 J	0.000862 U
	IW-2C-15	3/7/18	PES	ESC	15	21.3	S	0.000280 U	0.000246 U	0.000330 U	0.000519 U	0.000315 U	0.000319 U	0.000930 U	0.000333 U	0.000456 U	0.00286 U	0.00186	0.000834 U
	IW-2C-25	3/7/18	PES	ESC	25	11.3	S	0.000261 U	0.000230 U	6.20	0.000485 U	0.00130	0.000298 U	0.000869 U	0.388	0.000427 U	0.00267 U	0.00850	0.000780 U
	IW-2C-35	3/7/18	PES	ESC	35	1.3	S	0.000295 U	0.000259 U	0.947	0.000547 U	0.000522 J	0.000336 U	0.000980 U	0.0403	0.000481 U	0.00301 U	0.00140	0.000879 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
IW-2C (continued)	IW-2C-45	3/7/18	PES	ESC	45	-8.7	S	0.000254 U	0.000223 U	8.84	0.000471 U	0.00232	0.000290 U	0.000844 U	0.611	0.000414 U	0.00259 U	0.0551	0.000757 U
	IW-2C-55	3/7/18	PES	ESC	55	-18.7	S	0.000273 U	0.000240 U	0.0381	0.000506 U	0.000308 U	0.000311 U	0.000906 U	0.00499	0.000445 U	0.00278 U	0.00598	0.000813 U
	IW-2C-65	3/7/18	PES	ESC	65	-28.7	S	0.000256 U	0.000225 U	0.00836	0.000725 J	0.000289 U	0.000292 U	0.000851 U	0.000755 J	0.000418 U	0.00261 U	0.00496	0.000763 U
	IW-2C-75	3/7/18	PES	ESC	75	-38.7	S	0.000281 U	0.000247 U	0.000331 U	0.000521 U	0.000317 U	0.000321 U	0.000934 U	0.000335 U	0.000459 U	0.00287 U	0.000350 U	0.000838 U
IW-3C (-24.9 to-39.9)	IW-3C-5	3/9/18	PES	ESC	5	34.1	S	0.000256 U	0.000225 U	0.0323	0.000475 U	0.000289 U	0.000292 U	0.000851 U	0.00162	0.000418 U	0.00261 U	0.000318 U	0.000763 U
	IW-3C-15	3/9/18	PES	ESC	15	24.1	S	0.00678 U	0.00597 U	1.36	0.0125 U	0.00765 U	0.00774 U	0.0225 U	0.0812	0.0111 U	0.0693 U	0.00964 J	0.0202 U
	IW-3C-25	3/9/18	PES	ESC	25	14.1	S	0.138 U	0.122 U	19.0	0.256 U	0.156 U	0.158 U	0.459 U	0.774	0.225 U	1.42 U	0.172 U	0.412 U
	IW-3C-35	3/9/18	PES	ESC	35	4.1	S	0.0520 U	0.0458 U	9.68	0.0965 U	0.0587 U	0.0593 U	0.173 U	0.456	0.0849 U	0.531 U	0.0932 J	0.156 U
	IW-3C-45	3/9/18	PES	ESC	45	-5.9	S	0.000270 U	0.000237 U	1.85	0.000500 U	0.00138 U	0.000308 U	0.000897 U	0.0926	0.000440 U	0.00275 U	0.0251	0.000805 U
	IW-3C-55	3/9/18	PES	ESC	55	-15.9	S	0.000266 U	0.000234 U	0.0387	0.000492 U	0.000300 U	0.000303 U	0.000883 U	0.00215	0.000433 U	0.00271 U	0.00140	0.000792 U
	IW-3C-65	3/9/18	PES	ESC	65	-25.9	S	0.000267 U	0.000235 U	0.0830	0.000495 U	0.000301 U	0.000305 U	0.000888 U	0.0128	0.000436 U	0.00273 U	0.00726	0.000796 U
	IW-3C-75	3/9/18	PES	ESC	75	-35.9	S	0.000293 U	0.000258 U	0.0413	0.000543 U	0.000331 U	0.000334 U	0.000974 U	0.00631	0.000478 U	0.00299 U	0.00484	0.000874 U
	IW-3C-79	3/9/18	PES	ESC	79	-39.9	S	0.000272 U	0.000239 U	0.00138	0.000504 U	0.000307 U	0.000310 U	0.000904 U	0.000324 U	0.000444 U	0.00278 U	0.000338 U	0.000811 U
	IW-901-79	3/9/18	PES	ESC	79 (dup)	-39.9	S	0.000271 U	0.000238 U	0.000319 U	0.000502 U	0.000305 U	0.000309 U	0.000900 U	0.000323 U	0.000442 U	0.00276 U	0.000337 U	0.000807 U
IW-7A (5.1 to-9.9)	IW-7A-5	3/16/18	PES	ESC	5	35.1	S	0.000290 U	0.000255 U	0.00171	0.000706	0.000327 U	0.000331 U	0.000964 U	0.000944 J	0.000473 U	0.00296 U	0.000638 J	0.00827
	IW-7A-10	3/16/18	PES	ESC	10	30.1	S	0.00161 U	0.00417	0.00163 U	0.0179	0.00246 U	0.00109 U	0.254	0.00145 U	0.00246 U	0.00367 U	0.00134 U	0.0686
	IW-7A-15	3/16/18	PES	ESC	15	25.1	S	0.00940 U	0.00828 U	0.0250 J	0.135 J	0.0106 U	0.0107 U	0.0312 U	0.0112 U	0.0154 U	0.0961 U	0.0117 U	0.389
	IW-7A-20	3/16/18	PES	ESC	20	20.1	S	0.00166 U	0.00152 U	0.00167 U	0.0250	0.00253 U	0.00112 U	0.00815 J	0.00149 U	0.00253 U	0.00376 U	0.00137 U	0.0170
	IW-7A-25	3/16/18	PES	ESC	25	15.1	S	0.000283 U	0.000250 U	0.000334 U	0.000526 U	0.000320 U	0.000323 U	0.000942 U	0.000338 U	0.000463 U	0.00289 U	0.000352 U	0.000845 U
	IW-7A-30	3/16/18	PES	ESC	30	10.1	S	0.000272 U	0.000239 U	0.00109 J	0.000845 J	0.000306 U	0.000310 U	0.000903 U	0.000495 J	0.000443 U	0.00277 U	0.000829 J	0.000810 U
	IW-7A-35	3/16/18	PES	ESC	35	5.1	S	0.00142 U	0.00130 U	0.00201 J	0.000752	0.00217 U	0.000960 U	0.00247 J	0.00128 U	0.00217 U	0.00322 U	0.00118 U	0.00575 U
	IW-7A-40	3/16/18	PES	ESC	40	0.1	S	0.000276 U	0.000243 U	0.00118	0.000511 U	0.000311 U	0.000314 U	0.000916 U	0.000393 J	0.000450 U	0.00281 U	0.000343 U	0.000822 U
	IW-7A-45	3/16/18	PES	ESC	45	-4.9	S	0.000274 U	0.000241 U	0.000910 J	0.000507 U	0.000309 U	0.000312 U	0.000909 U	0.000326 U	0.000446 U	0.00279 U	0.000340 U	0.000816 U
	IW-7A-50	3/16/18	PES	ESC	50	-9.9	S	0.000260 U	0.000229 U	0.0179	0.000482 U	0.000372 J	0.000297 U	0.000864 U	0.00761	0.000424 U	0.00265 U	0.00223	0.000775 U
IW-8B (-9.8 to-24.8)	IW-8B-5	3/19/18	PES	ESC	5	34.2	S	0.000256 U	0.000225 U	0.0342	0.000475 U	0.000289 U	0.000292 U	0.000852 U	0.00314	0.000418 U	0.00262 U	0.000319 U	0.000764 U
	IW-8B-10	3/19/18	PES	ESC	10	29.2	S	0.000252 U	0.000222 U	0.0432	0.000468 U	0.000285 U	0.000288 U	0.000839 U	0.00481	0.000412 U	0.00258 U	0.000314 U	0.000752 U
	IW-8B-15	3/19/18	PES	ESC	15	24.2	S	0.0673 U	0.0593 U	29.6	0.124 U	0.0760	0.0769 U	0.223 U	0.243 J	0.110 U	0.688 U	0.0838 U	0.200 U
	IW-8B-20	3/19/18	PES	ESC	20	19.2	S	0.000257 U	0.000226 U	23.9	0.000790 U	0.00141	0.000293 U	0.000854 U	0.105	0.000419 U	0.00262 U	0.00354	0.000766 U
	IW-8B-25	3/19/18	PES	ESC	25	14.2	S	0.000274 U	0.000241 U	4.80	0.000508 U	0.00107 J	0.000312 U	0.000910 U	0.109	0.000447 U	0.00280 U	0.0350	0.000817 U
	IW-8B-30	3/19/18	PES	ESC	30	9.2	S	0.000263 U	0.000232 U	2.56	0.000488 U	0.000461 J	0.000300 U	0.000874 U	0.0560	0.000429 U	0.00269 U	0.0153	0.000784 U
	IW-8B-40	3/19/18	PES	ESC	40	-0.8	S	0.000261 U	0.000230 U	0.0249	0.000484 U	0.000294 U	0.000298 U	0.000868 U	0.00131	0.000426 U	0.00267 U	0.00106 J	0.000779 U
	IW-8B-45	3/20/18	PES	ESC	45	-5.8	S	0.000261 U	0.000230 U	0.0424	0.000484 U	0.000294 U	0.000298 U	0.000867 U	0.00265	0.000426 U	0.00266 U	0.00141	0.000778 U
	IW-8B-50	3/20/18	PES	ESC	50	-10.8	S	0.000268 U	0.000236 U	0.0164	0.000496 U	0.000302 U	0.000305 U	0.000890 U	0.000972 J	0.000437 U	0.00273 U	0.000608 J	0.000798 U
	IW-8B-55	3/20/18	PES	ESC	55	-15.8	S	0.000252 U	0.000222 U	0.00501	0.000468 U	0.000285 U	0.000288 U	0.000839 U	0.000352 J	0.000412 U	0.00258 U	0.000393 J	0.000753 U
	IW-8B-60	3/20/18	PES	ESC	60	-20.8	S	0.000268 U	0.000236 U	0.00710	0.000497 U	0.000302 U	0.000306 U	0.000891 U	0.000382 J	0.000437 U	0.00274 U	0.000333 U	0.000799 U
	IW-8B-64	3/20/18	PES	ESC	64	-24.8	S	0.000264 U	0.000232 U	0.00679	0.000489 U	0.000298 U	0.000301 U	0.000877 U	0.000406 J	0.000431 U	0.00269 U	0.000328 U	0.000787 U
IW-8C (-24.5 to-39.5)	IW-8C-5	3/14/18	PES	ESC	5	32.5	S	0.000402 U	0.000353 U	5.81	0.000746 U	0.000693 J+	0.000458 U	0.00134 U	0.129 J+	0.000655 U	0.00410 U	0.00182 J+	0.00120 U
	IW-8C-10	3/14/18	PES	ESC	10	27.5	S	0.000405 U	0.000356 U	0.0394	0.000153 J	0.00192	0.000462 U	0.00135 U	0.00705	0.000661 U	0.00413 U	0.00710	0.00122 J
	IW-8C-15	3/14/18	PES	ESC	15	22.5	S	0.000276 U	0.000242 U	0.000583 J	0.000511 U	0.000311 U	0.000315 U	0.000917 U	0.000329 U	0.000450 U	0.00281 U	0.000342 U	0.000823 U
	IW-8C-20	3/14/18	PES	ESC	20	17.5	S	0.000252 U	0.000222 U	0.00474	0.000468 U	0.000285 U	0.000288 U	0.000839 U	0.000938 J	0.000412 U	0.00258 U	0.00100 J	0.000753 U
	IW-8C-25	3/14/18	PES	ESC	25	12.5	S	0.000279 U	0.000245 U	5.39	0.000517 U	0.00231	0.000318 U	0.000926 U	0.768	0.000455 U	0.00285 U	0.0426	0.000831 U
	IW-8C-30	3/14/18	PES	ESC	30	7.5	S	0.000259 U	0.000228 U	0.798	0.000480 U	0.00177	0.000295 U	0.000861 U	0.0947	0.000423 U	0.00264 U	0.0814	0.000772 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
IW-8C (continued)	IW-8C-35	3/14/18	PES	ESC	35	2.5	S	0.000271 U	0.000238 U	0.833	0.000502 U	0.000842 J	0.000309 U	0.000900 U	0.0474	0.000442 U	0.00276 U	0.0230	0.000807 U
	IW-8C-40	3/14/18	PES	ESC	40	-2.5	S	0.000269 U	0.000237 U	40.7	0.000500 U	0.00250	0.000307 U	0.000896 U	3.56	0.000440 U	0.00275 U	0.0684	0.000804 U
	IW-8C-45	3/14/18	PES	ESC	45	-7.5	S	0.000264 U	0.000232 U	1.05	0.000557 J	0.00889	0.000301 U	0.000878 U	0.327	0.000431 U	0.00270 U	0.164 J	0.000787 U
	IW-8C-50	3/14/18	PES	ESC	50	-12.5	S	0.000275 U	0.000242 U	105	0.0210 J+	0.0135 J+	0.000314 U	0.000914 U	3.06	0.000449 U	0.00281 U	0.101 J+	0.0244
	IW-8C-55	3/14/18	PES	ESC	55	-17.5	S	0.000270 U	0.000238 U	11.9	0.00402 J+	0.00620 J+	0.000308 U	0.000898 U	0.340 J	0.000441 U	0.00276 U	0.0531 J+	0.00330 J+
	IW-8C-60	3/14/18	PES	ESC	60	-22.5	S	0.000267 U	0.000235 U	10.8	0.000637 J	0.00132	0.000305 U	0.000889 U	0.275	0.000436 U	0.00273 U	0.0104	0.000798 U
	IW-902-60	3/14/18	PES	ESC	60 (dup)	-22.5	S	0.000260 U	0.000229 U	0.955	0.000482 U	0.000329 J	0.000296 U	0.000863 U	0.0566	0.000424 U	0.00265 U	0.00405	0.000775 U
	IW-8C-65	3/14/18	PES	ESC	65	-27.5	S	0.000281 U	0.000247 U	0.0191	0.000521 U	0.000317 U	0.000320 U	0.000933 U	0.000468 J	0.000458 U	0.00287 U	0.000360 J	0.000837 U
	IW-8C-70	3/14/18	PES	ESC	70	-32.5	S	0.000278 U	0.000245 U	1.96	0.000515 U	0.000313 U	0.000317 U	0.000924 U	0.0138	0.000453 U	0.00284 U	0.00139	0.000829 U
	IW-8C-75	3/14/18	PES	ESC	75	-37.5	S	0.000262 U	0.000231 U	0.0850	0.000486 U	0.000296 U	0.000299 U	0.000871 U	0.00383	0.000428 U	0.00268 U	0.000586 J	0.000781 U
IW-11D (-41.8 to-56.8)	IW-11D-10	4/19/18	PES	ESC	10	28.4	S	0.000323 U	0.000284 U	0.00183	0.00223 J	0.000364 U	0.000369 U	0.00107 U	0.000385 U	0.000527 U	0.00330 U	0.000402 U	0.000964 U
	IW-11D-15	4/19/18	PES	ESC	15	23.4	S	0.000271 U	0.000239 U	0.000320 U	0.000503 U	0.000306 U	0.000309 U	0.000902 U	0.000323 U	0.000443 U	0.00277 U	0.000337 U	0.000809 U
	IW-11D-20	4/19/18	PES	ESC	20	18.4	S	0.000271 U	0.000238 U	0.000319 U	0.000502 U	0.000305 U	0.000309 U	0.000900 U	0.000323 U	0.000442 U	0.00276 U	0.000337 U	0.000807 U
	IW-11D-25	4/19/18	PES	ESC	25	13.4	S	0.000256 U	0.000225 U	0.00342	0.000474 U	0.000288 U	0.000292 U	0.000850 U	0.00368	0.000417 U	0.00261 U	0.00161	0.000763 U
	IW-11D-30	4/19/18	PES	ESC	30	8.4	S	0.000256 U	0.000225 U	0.0362	0.000475 U	0.000289 U	0.000292 U	0.000851 U	0.00990	0.000418 U	0.00261 U	0.00215	0.000763 U
	IW-11D-35	4/19/18	PES	ESC	35	3.4	S	0.000268 U	0.000236 U	0.0167	0.000497 U	0.00208	0.000306 U	0.000891 U	0.0176	0.000438 U	0.00274 U	0.0389	0.000800 U
	IW-11D-40	4/19/18	PES	ESC	40	-1.6	S	0.000259 U	0.000228 U	0.00301	0.000480 U	0.00785	0.000295 U	0.000860 U	0.00143	0.000422 U	0.00264 U	0.113	0.000771 U
	IW-11D-45	4/19/18	PES	ESC	45	-6.6	S	0.00659 U	0.00580 U	0.227	0.0122 U	0.0576	0.00752 U	0.0218 U	0.144	0.0108 U	0.0673 U	0.506	0.0196 U
	IW-11D-50	4/19/18	PES	ESC	50	-11.6	S	0.000251 U	0.000221 U	0.115	0.000466 U	0.00602	0.000287 U	0.000835 U	0.387	0.000410 U	0.00257 U	0.0505	0.000749 U
	IW-11D-55	4/19/18	PES	ESC	55	-16.6	S	0.000277 U	0.000244 U	0.0281	0.000514 U	0.00127	0.000316 U	0.000922 U	0.0427	0.000453 U	0.00283 U	0.0113	0.000827 U
	IW-11D-60	4/19/18	PES	ESC	60	-21.6	S	0.000226 U	0.000226 U	0.00270	0.000477 U	0.000290 U	0.000293 U	0.000855 U	0.00337	0.000420 U	0.00263 U	0.000843 J	0.000767 U
	IW-11D-65	4/19/18	PES	ESC	65	-26.6	S	0.000258 U	0.000227 U	0.000793 J	0.000478 U	0.000291 U	0.000294 U	0.000857 U	0.000816 J	0.000421 U	0.00263 U	0.000321 U	0.000769 U
	IW-11D-70	4/19/18	PES	ESC	70	-31.6	S	0.000258 U	0.000227 U	2.23	0.000479 U	0.00132	0.000295 U	0.000859 U	1.80	0.000422 U	0.00264 U	0.00344	0.000770 U
	IW-11D-75	4/19/18	PES	ESC	75	-36.6	S	0.000270 U	0.000238 U	0.0140	0.000501 U	0.000725 J	0.000308 U	0.000898 U	0.0277	0.000441 U	0.00276 U	0.00270	0.000806 U
	IW-11D-80	4/19/18	PES	ESC	80	-41.6	S	0.000263 U	0.000231 U	0.000610 J	0.000488 U	0.000297 U	0.000300 U	0.000874 U	0.00104 J	0.000429 U	0.00269 U	0.000327 U	0.000784 U
	IW-11D-85	4/19/18	PES	ESC	85	-46.6	S	0.000269 U	0.000237 U	0.000317 U	0.000499 U	0.000303 U	0.000307 U	0.000894 U	0.000401 J	0.000439 U	0.00275 U	0.000335 U	0.000802 U
	IW-11D-90	4/19/18	PES	ESC	90	-51.6	S	0.000265 U	0.000233 U	0.00552	0.000492 U	0.000299 U	0.000303 U	0.000881 U	0.00374	0.000433 U	0.00271 U	0.00127	0.000791 U
	IW-11D-95	4/19/18	PES	ESC	95	-56.6	S	0.000274 U	0.000241 U	0.000323 U	0.000509 U	0.000309 U	0.000313 U	0.000912 U	0.000327 U	0.000448 U	0.00280 U	0.000341 U	0.000818 U
IW-12D (-41.4 to-56.4)	IW-12D-42	9/14/18	PES	ESC	42	-3.5	S	0.00296 U	0.00168 U	55.8	0.00188 J	0.00155 U	0.00166 U	0.00152 U	0.491	0.000543 U	0.00382 U	0.132	0.00519 U
	B-928-42	9/14/18	PES	ESC	42 (dup)	-3.5	S	0.00297 U	0.00168 U	50.8	0.00326 J	0.00155 U	0.00166 U	0.00152 U	0.401	0.000543 U	0.00382 U	0.105	0.00519 U
	IW-12D-50	9/14/18	PES	ESC	50	-11.5	S	0.00299 U	0.00170 U	54.4	0.00427 J	0.0126	0.00167 U	0.00153 U	1.51	0.000547 U	0.00385 U	0.0585	0.00523 U
	IW-12D-60	9/14/18	PES	ESC	60	-21.5	S	0.00307 U	0.00175 U	9.63	0.00436 J	0.00161 U	0.00172 U	0.00158 U	0.347	0.000563 U	0.00396 U	0.0123	0.00538 U
	IW-12D-85	9/17/18	PES	ESC	85	-46.5	S	0.00305 U	0.00173 U	8.01	0.00194 J	0.00160 U	0.00171 U	0.00156 U	0.0451	0.000559 U	0.00393 U	0.000763 U	0.00534 U
	IW-12D-95	9/17/18	PES	ESC	95	-56.5	S	0.00328 U	0.00186 U	0.942	0.00150 U	0.00172 U	0.00184 U	0.00168 U	0.00512	0.000601 U	0.00423 U	0.00139	0.00575 U
IW-13D (-41.0 to-56.0)	IW-13D-80	9/18/18	PES	ESC	80	-40.8	S	0.00301 U	0.00171 U	31.4	0.00447	0.00404	0.00169 U	0.00154 U	1.21	0.000552 U	0.00388 U	0.0191	0.00585
	IW-13D-85	9/18/18	PES	ESC	85	-45.8	S	0.00314 U	0.00178 U	0.205	0.00178	0.00499	0.00176 U	0.00161 U	0.202	0.000576 U	0.00405 U	0.000786 U	0.00550 U
	IW-13D-95	9/18/18	PES	ESC	95	-55.8	S	0.00329 U	0.00187 U	0.00194	0.00172 U	0.00171	0.00184 U	0.00168 U	0.00168	0.000602 U	0.00424 U	0.000822 U	0.00575 U
IW-14D (-41.0 to-56.0)	IW-14D-45	9/11/18	PES	ESC	45	-5.9	S	0.00572 U	0.00162 U	0.712	0.00131 U	0.00591 J	0.00160 U	0.00147 U	0.0173	0.000524 U	0.00369 U	0.0146	0.00501 U
	IW-14D-55	9/11/18	PES	ESC	55	-15.9	S	0.123 U	0.00175 U	56.7	0.00389 J	0.0111 UJ	0.00173 U	0.00158 U	4.36	0.000565 U	0.00398 U	0.0180	0.00540 U
	IW-14D-65	9/11/18	PES	ESC	65	-25.9	S	0.00306 U	0.00174 U	1.60	0.00166 J	0.00171 J	0.00172 U	0.00157 U	0.100	0.000561 U	0.00395 U	0.000767 U	0.00536 U
	IW-14D-75	9/11/18	PES	ESC	75	-35.9	S	0.00306 U	0.00174 U	0.0728	0.00304 J	0.00160 UJ	0.00600 J	0.00157 U	0.00797	0.000561 U	0.00395 U	0.000766 U	0.00536 U
	IW-14D-86	9/11/18	PES	ESC	86	-46.9	S	0.00301 U	0.00171 U	2.31	0.00291 J	0.00742 J	0.00731 J	0.00154 U	0.502	0.000551 U	0.00388 U	0.000752 U	0.00527 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
IW-14D (continued)	IW-14D-95	9/11/18	PES	ESC	95	-55.9	S	0.0247 U	0.00176 U	5.03	0.00318 J	0.00528 J	0.00173 U	0.00159 U	0.616	0.000566 U	0.00399 U	0.000774 U	0.00541 U
IW-15D (-41.9 to-56.9)	IW-15D-54	9/11/18	PES	ESC	54	-2.2	S	0.0117 U	0.00166 U	2.32	0.00333 J	0.00153 U	0.00164 U	0.00150 U	0.282	0.000535 U	0.00377 U	0.00390	0.00511 U
IW-16D (-41.5 to-56.2)	IW-16D-85	10/18/18	PES	PACE	85	-45.6	S	0.0127 U	0.00722 U	1.35	0.00897 J	0.00666 U	0.00713 U	0.00653 U	0.336	0.00233 U	0.0164 U	0.00318 U	0.0223 U
	IW-16D-90	10/18/18	PES	PACE	90	-50.6	S	0.00324 U	0.00184 U	0.0916	0.00148 U	0.00170 U	0.00181 U	0.00166 U	0.140	0.000593 U	0.00417 U	0.000810 U	0.00567 U
	IW-16D-95	10/18/18	PES	PACE	95	-55.6	S	0.0132 U	0.00751 U	1.47	0.00605 U	0.00693 U	0.00741 U	0.00678 U	0.564	0.00242 U	0.0171 U	0.00331 U	0.0231 U
IW-19B (-10.6 to-25.6)	IW-19B-5	3/19/18	PES	ESC	5	32.4	S	0.000265 U	0.000232 U	0.00478	0.000491 U	0.000298 U	0.000301 U	0.000879 U	0.000961 J	0.000431 U	0.00270 U	0.000328 U	0.000789 U
	IW-19B-10	3/19/18	PES	ESC	10	27.4	S	0.000288 U	0.000253 U	0.000340 U	0.000980 U	0.000325 U	0.000329 U	0.000957 U	0.000343 U	0.000470 U	0.00294 U	0.000358 U	0.000859 U
	IW-19B-15	3/19/18	PES	ESC	15	22.4	S	0.000268 U	0.000236 U	0.00104 J	0.000497 U	0.000302 U	0.000306 U	0.000891 U	0.000320 U	0.000438 U	0.00274 U	0.000333 U	0.000800 U
	IW-19B-20	3/19/18	PES	ESC	20	17.4	S	0.000261 U	0.000230 U	0.000942 J	0.000485 U	0.000295 U	0.000298 U	0.000869 U	0.000312 U	0.000427 U	0.00267 U	0.000325 U	0.000779 U
	IW-19B-25	3/19/18	PES	ESC	25	12.4	S	0.000275 U	0.000242 U	0.00166	0.000509 U	0.000310 U	0.000313 U	0.000913 U	0.000434 J	0.000448 U	0.00281 U	0.000342 U	0.000819 U
	IW-19B-30	3/19/18	PES	ESC	30	7.4	S	0.000263 U	0.000231 U	0.000310 U	0.000487 U	0.000297 U	0.000300 U	0.000874 U	0.000313 U	0.000429 U	0.00268 U	0.000327 U	0.000784 U
	IW-19B-35	3/19/18	PES	ESC	35	2.4	S	0.000260 U	0.000228 U	0.00134	0.000481 U	0.000293 U	0.000296 U	0.000863 U	0.000436 J	0.000424 U	0.00265 U	0.000323 U	0.000774 U
	IW-19B-40	3/19/18	PES	ESC	40	-2.6	S	0.000270 U	0.000238 U	0.000319 U	0.000501 U	0.000305 U	0.000308 U	0.000898 U	0.000322 U	0.000441 U	0.00276 U	0.00417	0.000806 U
	IW-19B-45	3/19/18	PES	ESC	45	-7.6	S	0.000286 U	0.000251 U	0.000337 U	0.000530 U	0.000322 U	0.000326 U	0.000949 U	0.000472 J	0.000466 U	0.00292 U	0.000514 J	0.000852 U
	IW-19B-50	3/19/18	PES	ESC	50	-12.6	S	0.000299 U	0.000263 U	0.00660	0.000646 U	0.00178	0.000341 U	0.000992 U	0.0168	0.000488 U	0.00305 U	0.0457	0.000891 U
	IW-19B-55	3/19/18	PES	ESC	55	-17.6	S	0.000257 U	0.000227 U	10.3	0.000478 U	0.0123	0.000294 U	0.000856 U	3.01	0.000420 U	0.00263 U	0.109	0.000768 U
	IW-19B-60	3/19/18	PES	ESC	60	-22.6	S	0.000258 U	0.000227 U	14.5 J	0.000479 U	0.0185	0.000295 U	0.000858 U	3.70	0.000421 U	0.00264 U	0.268	0.000770 U
	IW-903-60	3/19/18	PES	ESC	60 (dup)	-22.6	S	0.000263 U	0.000231 U	20.3 J	0.000487 U	0.0182	0.000300 U	0.000873 U	4.58	0.000429 U	0.00268 U	0.280	0.000784 U
	IW-19B-63	3/19/18	PES	ESC	63	-25.6	S	0.000262 U	0.000231 U	0.0326	0.000486 U	0.000296 U	0.000299 U	0.000871 U	0.0180	0.000428 U	0.00268 U	0.0108	0.000781 U
IW-21B (-10.1 to-25.1)	IW-21B-5	3/6/18	PES	ESC	5	36.9	V	0.000423 U	0.000372 U	0.0140	0.000784 U	0.000477 U	0.000482 U	0.00141 U	0.00659	0.000690 U	0.00432 U	0.000526 U	0.00126 U
	IW-21B-10	3/6/18	PES	ESC	10	31.9	S	0.000285 U	0.000251 U	0.0130	0.000529 U	0.000322 U	0.000325 U	0.000948 U	0.00524	0.000466 U	0.00291 U	0.000355 U	0.000851 U
	IW-21B-20	3/6/18	PES	ESC	20	21.9	S	0.000281 U	0.000248 U	0.000338 J	0.00128 J	0.000317 U	0.000321 U	0.000935 U	0.000335 U	0.000459 U	0.00287 U	0.000350 U	0.000839 U
	IW-21B-30	3/6/18	PES	ESC	30	11.9	S	0.000261 U	0.000230 U	0.000308 U	0.000485 U	0.000295 U	0.000298 U	0.000869 U	0.000312 U	0.000427 U	0.00267 U	0.000325 U	0.000779 U
	IW-21B-40	3/6/18	PES	ESC	40	1.9	S	0.000259 U	0.000228 U	0.00709	0.000480 U	0.00134	0.000295 U	0.000860 U	0.00187	0.000422 U	0.00264 U	0.0212	0.000772 U
	IW-21B-50	3/6/18	PES	ESC	50	-8.1	S	0.000253 U	0.000223 U	0.00382	0.000469 U	0.000587 J	0.000289 U	0.000841 U	0.00783	0.000413 U	0.00258 U	0.0338	0.000755 U
	IW-21B-60	3/6/18	PES	ESC	60	-18.1	S	0.00663 U	0.00584 U	10.5	0.0122 U	0.0341	0.00757 U	0.0220 U	3.82	0.0108 U	0.0678 U	0.0525	0.0197 U
	IW-21B-67	3/6/18	PES	ESC	67	-25.1	S	0.000259 U	0.000228 U	0.00196	0.000481 U	0.000295 J	0.000296 U	0.000862 U	0.00311	0.000423 U	0.00265 U	0.00878	0.000773 U
IW-22C (-25.6 to-40.6)	IW-22C-62	8/31/18	PES	ESC	62	-23.1	S	0.00315 U	0.00179 U	14.5	0.00954	0.00165 U	0.00177 U	0.00162 U	0.708	0.000577 U	0.00407 U	0.000789 U	0.219 U
	IW-22C-78	8/31/18	PES	ESC	78	-39.1	S	0.00331 U	0.00188 U	16.6	0.00182 J	0.00173 U	0.00185 U	0.00170 U	0.915	0.000606 U	0.00426 U	0.00698	0.231 U
IW-23C (-27.0 to-42.0)	IW-23C-42	9/4/18	PES	ESC	42	-3.0	S	0.00327 U	0.00248 J	308	0.00716	0.0116 J	0.00183 U	0.00168 U	0.929	0.000598 U	0.00421 U	0.532	2.29 U
IW-24C (-26.1 to-41.1)	IW-24C-48	9/7/18	PES	ESC	48	-8.8	S	0.00309 U	0.00175 U	0.313	0.00380 J	0.0101 J	0.00173 U	0.00158 U	0.0257	0.000565 U	0.00398 U	0.176 J-	0.0540 U
	IW-24C-55	9/7/18	PES	ESC	55	-15.8	S	0.00325 U	0.00213 J	140	0.00382 J	0.0424	0.00182 U	0.00167 U	0.882	0.000595 U	0.00419 U	0.000813 U	0.00785
	IW-24C-66	9/10/18	PES	ESC	66	-26.8	S	0.00338 U	0.00192 U	210	0.618 U	0.0248	0.00189 U	0.00173 U	1.54	0.000618 U	0.00435 U	0.000845 U	0.0121
	IW-24C-75	9/10/18	PES	ESC	75	-35.8	S	0.00326 U	0.00185 U	309	0.598 U	0.0228	0.00183 U	0.00167 U	2.12	0.000598 U	0.00421 U	0.000817 U	0.0127
	IW-24C-80	9/10/18	PES	ESC	80	-40.8	S	0.0604 U	0.00171 U	12.3	0.00148 J	0.00418 J	0.00169 U	0.00155 U	0.128	0.000553 U	0.00389 U	0.0312	0.00529 U
IW-27B (-8.1 to-23.1)	IW-27B-5	3/2/18	PES	ESC	5	37.0	V	0.000375 U	0.000330 U	0.0678	0.000695 U	0.000424 U	0.000428 U	0.00125 U	0.0248	0.000612 U	0.00383 U	0.000467 U	0.00112 U
	IW-27B-15	3/2/18	PES	ESC	15	27.0	S	0.000333 U	0.000293 U	0.0178	0.00124 J	0.000376 U	0.000380 U	0.00111 U	0.00435	0.000544 U	0.00340 U	0.000493 J	0.000994 U
	IW-27B-25	3/2/18	PES	ESC	25	17.0	S	0.000272 U	0.000240 U	0.000321 U	0.000505 U	0.000307 U	0.000311 U	0.000905 U	0.000324 U	0.000444 U	0.00278 U	0.000338 U	0.000812 U
	IW-27B-35	3/2/18	PES	ESC	35	7.0	S	0.000268 U	0.000236 U	0.00114 J	0.000497 U	0.120	0.000306 U	0.000890 U	0.000325 J	0.000437 U	0.00274 U	0.0195	0.000799 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
IW-27C (-24.4 to-39.6)	IW-27C-45	9/10/18	PES	ESC	45	6.8	S	0.0611 U	0.00173 U	18.6	0.00223 J	0.00239 J	0.00171 U	0.00157 U	0.178	0.000560 U	0.00394 U	0.0297	0.00535 U
IW-28C (-26.6 to-41.7)	IW-28C-92	9/17/18	PES	ESC	92	-40.6	S	0.00297 U	0.00168 U	0.983	0.00168	0.00155 U	0.00166 U	0.00152 U	0.00290	0.000544 U	0.00383 U	0.000742 U	0.00520 U
IW-39B (-9.8 to-24.8)	IW-39B-5	3/12/18	PES	ESC	5	35.2	V	0.000297 U	0.000262 U	0.0961	0.000551 U	0.000423 J	0.000339 U	0.000988 U	0.00856	0.000485 U	0.00303 U	0.000370 U	0.000886 U
	IW-39B-15	3/12/18	PES	ESC	15	25.2	S	0.000261 U	0.000230 U	0.000308 U	0.000484 U	0.000294 U	0.000298 U	0.000867 U	0.000311 U	0.000426 U	0.00266 U	0.000324 U	0.000778 U
	IW-39B-25	3/12/18	PES	ESC	25	15.2	S	0.000278 U	0.000245 U	0.0371	0.000516 U	0.000814 J	0.000317 U	0.000925 U	0.00557	0.000454 U	0.00284 U	0.000945 J	0.000830 U
	IW-39B-35	3/12/18	PES	ESC	35	5.2	S	0.000257 U	0.000226 U	0.00404	0.000477 U	0.000397 J	0.000293 U	0.000854 U	0.00185	0.000419 U	0.00262 U	0.00311	0.000766 U
	IW-39B-45	3/12/18	PES	ESC	45	-4.8	S	0.000262 U	0.000231 U	0.00336	0.000487 U	0.000296 U	0.000299 U	0.000872 U	0.00126	0.000428 U	0.00268 U	0.00592	0.000783 U
	IW-39B-55	3/12/18	PES	ESC	55	-14.8	S	0.00614 U	0.00541 U	0.0868	0.0113 U	0.0809	0.00701 U	0.0204 U	0.0219 J	0.0100 U	0.0628 U	0.0245 J	0.0183 U
IW-46B (-4.2 to-24.2)	IW-46B-5	3/20/18	PES	ESC	5	46.8	V	0.000263 U	0.000232 U	0.00450 J	0.000488 UJ	0.000297 UJ	0.000300 U	0.000875 U	0.000314 UJ	0.000429 U	0.00269 U	0.000327 UJ	0.000785 UJ
	IW-46B-10	3/20/18	PES	ESC	10	41.8	V	0.000257 U	0.000226 U	0.0223 J	0.000477 UJ	0.000290 UJ	0.000293 U	0.000855 U	0.000307 UJ	0.000420 U	0.00263 U	0.000320 UJ	0.000767 UJ
	IW-46B-15	3/20/18	PES	ESC	15	36.8	V	0.00647 U	0.00570 U	0.386 J	0.0119 UJ	0.00730 UJ	0.00739 U	0.0215 U	0.0108 J	0.0106 U	0.0661 U	0.00805 UJ	0.0192 UJ
	IW-46B-20	3/20/18	PES	ESC	20	31.8	S	0.000262 U	0.000230 U	0.0626 J	0.000485 UJ	0.000295 UJ	0.000299 U	0.000870 U	0.00127 J	0.000427 U	0.00267 U	0.000325 UJ	0.000780 UJ
	IW-46B-25	3/20/18	PES	ESC	25	26.8	S	0.000259 U	0.000228 U	20.1 J	0.000480 UJ	0.000292 UJ	0.000295 U	0.000860 U	0.0476 J	0.000422 U	0.00264 U	0.000784 J	0.000772 UJ
	IW-46B-30	3/20/18	PES	ESC	30	21.8	S	0.000262 U	0.000230 U	5.63 J	0.000485 UJ	0.000295 UJ	0.000299 U	0.000870 U	0.0134 J	0.000427 U	0.00267 U	0.000325 UJ	0.000781 UJ
	IW-46B-35	3/20/18	PES	ESC	35	16.8	S	0.000283 U	0.000249 U	0.00462 J	0.000525 UJ	0.000319 UJ	0.000323 U	0.000941 U	0.000338 UJ	0.000462 U	0.00289 U	0.000712 J	0.000844 UJ
	IW-904-35	3/20/18	PES	ESC	35 (dup)	16.8	S	0.000299 U	0.000263 U	0.0143 J	0.000555 UJ	0.000338 UJ	0.000341 U	0.000995 U	0.00219 J	0.000489 U	0.00306 U	0.000756 J	0.000893 UJ
	IW-46B-40	3/20/18	PES	ESC	40	11.8	S	0.000246 U	0.000217 U	2.36 J	0.000456 UJ	0.000278 UJ	0.000281 U	0.000818 U	0.0147 J	0.000402 U	0.00251 U	0.000306 UJ	0.000734 UJ
	IW-46B-42	3/20/18	PES	ESC	42	9.8	S	0.000281 U	0.000248 U	145 J	0.00189 J	0.00269 J	0.000321 U	0.000935 U	1.31 J	0.000459 U	0.00287 U	0.356 J	0.00187 J
	IW-46B-45	3/20/18	PES	ESC	45	6.8	S	1.33 U	1.17 U	261 J	2.47 UJ	1.50 UJ	1.52 U	4.43 U	1.59 J	2.17 U	13.7 U	1.66 UJ	3.97 UJ
	IW-46B-50	3/20/18	PES	ESC	50	1.8	S	0.000234 U	0.000206 U	2.31 J	0.000577 J	0.00309 J	0.000267 U	0.000778 U	0.0168 J	0.000382 U	0.00239 U	1.65 J	0.000698 UJ
	IW-46B-55	3/20/18	PES	ESC	55	-3.2	S	0.000261 U	0.000230 U	14.3 J	0.000484 UJ	0.000783 J	0.000298 U	0.000868 U	0.0266 J	0.000426 U	0.00267 U	0.0923 J	0.000778 UJ
	IW-46B-60	3/20/18	PES	ESC	60	-8.2	S	0.000264 U	0.000233 U	8.71 J	0.000490 UJ	0.00223 J	0.000302 U	0.000879 U	0.0393 J	0.000432 U	0.00270 U	0.908 J	0.000788 UJ
	IW-46B-65	3/20/18	PES	ESC	65	-13.2	S	0.000260 U	0.000229 U	1.78 J	0.000483 UJ	0.000435 J	0.000297 U	0.000865 U	0.00183 J	0.000425 U	0.00266 U	0.0639 J	0.000776 UJ
	IW-46B-70	3/20/18	PES	ESC	70	-18.2	S	0.000298 U	0.000263 U	2.79 J	0.000554 UJ	0.00185 J	0.000341 U	0.000992 U	0.0366 J	0.000487 U	0.00305 U	0.0252 J	0.000890 UJ
IW-47B (-5.2 to-25.2)	IW-47B-5	3/22/18	PES	ESC	5	46.8	V	0.000276 U	0.000243 U	0.0518	0.000512 UJ	0.000311 UJ	0.000315 U	0.000918 U	0.00121 J	0.000451 U	0.00282 U	0.000343 UJ	0.000823 UJ
	IW-47B-10	3/22/18	PES	ESC	10	41.8	V	0.000275 U	0.000242 U	0.0214 J	0.000511 UJ	0.000311 UJ	0.000314 U	0.000915 U	0.000935 J	0.000449 U	0.00281 U	0.000342 UJ	0.000821 UJ
	IW-47B-15	3/22/18	PES	ESC	15	36.8	V	0.000261 U	0.000230 U	0.00348 J	0.000485 UJ	0.000295 UJ	0.000298 U	0.000869 U	0.000312 UJ	0.000427 U	0.00267 U	0.000325 UJ	0.000779 UJ
	IW-47B-20	3/22/18	PES	ESC	20	31.8	S	0.000260 U	0.000229 U	0.0344 J	0.000482 UJ	0.000293 UJ	0.000296 U	0.000864 U	0.00453 J	0.000424 U	0.00265 U	0.000323 UJ	0.000775 UJ
	IW-47B-25	3/22/18	PES	ESC	25	26.8	S	0.000265 U	0.000233 U	0.0435 J	0.000491 UJ	0.000299 UJ	0.000302 U	0.000880 U	0.00663 J	0.000432 U	0.00270 U	0.000329 UJ	0.000790 UJ
	IW-47B-30	3/22/18	PES	ESC	30	21.8	S	0.000262 U	0.000231 U	0.00334 J	0.000487 UJ	0.000962 J	0.000299 U	0.000872 U	0.00136 J	0.000428 U	0.00268 U	0.000326 UJ	0.000783 UJ
	IW-47B-35	3/22/18	PES	ESC	35	16.8	S	0.000257 U	0.000227 U	0.00552 J	0.000477 UJ	0.000290 UJ	0.000294 U	0.000856 U	0.00173 J	0.000420 U	0.00263 U	0.000320 UJ	0.000768 UJ
	IW-47B-40	3/22/18	PES	ESC	40	11.8	S	0.000266 U	0.000234 U	0.0155 J	0.000493 UJ	0.000300 UJ	0.000303 U	0.000883 U	0.00284 J	0.000434 U	0.00271 U	0.00246 J	0.000792 UJ
	IW-47B-42	3/22/18	PES	ESC	42	9.8	S	0.000307 U	0.000271 U	0.196 J	0.000822 J	0.000346 UJ	0.000351 U	0.00102 U	0.0157 J	0.000502 U	0.00314 U	0.00137 J	0.000916 UJ
	IW-47B-45	3/22/18	PES	ESC	45	6.8	S	0.000265 U	0.000233 U	0.0192 J	0.000491 UJ	0.000473 J	0.000302 U	0.000880 U	0.00253 J	0.000432 U	0.00270 U	0.00224 J	0.000789 UJ
	IW-47B-50	3/22/18	PES	ESC	50	1.8	S	0.000275 U	0.000242 U	0.0102 J	0.000510 UJ	0.00397 J	0.000314 U	0.000914 U	0.00206 J	0.000449 U	0.00281 U	0.00131 J	0.000820 UJ
	IW-47B-55	3/22/18	PES	ESC	55	-3.2	S	0.000253 U	0.000223 U	0.0158 J	0.000469 UJ	0.00213 J	0.000289 U	0.000841 U	0.00209 J	0.000413 U	0.00258 U	0.105 J	0.000754 UJ
	IW-47B-60	3/22/18	PES	ESC	60	-8.2	S	0.000268 U	0.000236 U	0.0204 J	0.000496 UJ	0.000867 J	0.000305 U	0.000890 U	0.00194 J	0.000437 U	0.00273 U	0.0200 J	0.000798 UJ
	IW-47B-65	3/22/18	PES	ESC	65	-13.2	S	0.000264 U	0.000233 U	0.0244 J	0.000490 UJ	0.000369 J	0.000301 U	0.000878 U	0.00115 J	0.000431 U	0.00270 U	0.00491 J	0.000788 UJ
	IW-47B-70	3/22/18	PES	ESC	70	-18.2	S	0.000261 U	0.000230 U	0.0312 J	0.000485 UJ	0.00244 J	0.000298 U	0.000869 U	0.00264 J	0.000426 U	0.00267 U	0.0168 J	0.000779 UJ
	IW-47B-75	3/22/18	PES	ESC	75	-23.2	S	0.000260 U	0.000229 U	0.000331 J	0.000483 UJ	0.000294 UJ	0.000297 U	0.000866 U	0.000310 UJ	0.000425 U	0.00266 U	0.000324 UJ	0.000777 UJ

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
IW-48B (-9.4 to-24.4)	IW-48B-5	3/23/18	PES	ESC	5	46.7	V	0.000270 U	0.000238 U	0.0108	0.000502 U	0.000305 U	0.000309 U	0.000899 U	0.000322 U	0.000441 U	0.00276 U	0.000336 U	0.000807 U
	IW-48B-10	3/23/18	PES	ESC	10	41.7	V	0.000265 U	0.000233 U	0.00589	0.000491 U	0.000299 U	0.000302 U	0.000881 U	0.000316 U	0.000432 U	0.00271 U	0.000329 U	0.000790 U
	IW-48B-15	3/23/18	PES	ESC	15	36.7	V	0.000273 U	0.000241 U	0.0117	0.000507 U	0.000308 U	0.000312 U	0.000908 U	0.000326 U	0.000446 U	0.00279 U	0.000340 U	0.000815 U
	IW-48B-20	3/23/18	PES	ESC	20	31.7	S	0.000257 U	0.000227 U	0.0775	0.000478 U	0.000290 U	0.000294 U	0.000856 U	0.000543	0.000420 U	0.00263 U	0.000320 U	0.000768 U
	IW-48B-25	3/23/18	PES	ESC	25	26.7	S	0.000263 U	0.000232 U	0.924	0.000489 U	0.000297 U	0.000301 U	0.000876 U	0.0104	0.000430 U	0.00269 U	0.000328 U	0.000786 U
	IW-48B-30	3/23/18	PES	ESC	30	21.7	S	0.000258 U	0.000227 U	0.127 UJ	0.000478 U	0.000291 U	0.000294 U	0.000858 U	0.00751	0.000421 U	0.00263 U	0.000321 U	0.000769 U
	IW-48B-35	3/23/18	PES	ESC	35	16.7	S	0.000269 U	0.000237 U	0.00825 UJ	0.000499 U	0.000991 J	0.000307 U	0.000895 U	0.00215	0.000440 U	0.00275 U	0.000335 U	0.000803 U
	IW-48B-40	3/23/18	PES	ESC	40	11.7	S	0.000255 U	0.000225 U	0.0129 J	0.000474 U	0.000178	0.000291 U	0.000849 U	0.00267	0.000417 U	0.00261 U	0.000318 U	0.000762 U
	IW-48B-42	3/23/18	PES	ESC	42	9.7	S	0.000258 U	0.000227 U	0.00329 UJ	0.000478 U	0.000291 U	0.000294 U	0.000857 U	0.00150	0.000421 U	0.00263 U	0.000321 U	0.000769 U
	IW-905-42	3/23/18	PES	ESC	42 (dup)	9.7	S	0.000256 U	0.000225 U	0.00302	0.000474 U	0.000288 U	0.000292 U	0.000850 U	0.00122	0.000417 U	0.00261 U	0.000318 U	0.000763 U
	IW-48B-45	3/23/18	PES	ESC	45	6.7	S	0.000254 U	0.000224 U	0.000668 J	0.000471 U	0.000286 U	0.000290 U	0.000844 U	0.000303 U	0.000414 U	0.00259 U	0.000316 U	0.000757 U
	IW-48B-50	3/23/18	PES	ESC	50	1.7	S	0.000258 U	0.000227 U	0.00167 J	0.000479 U	0.00118	0.000295 U	0.000859 U	0.00101 J	0.000422 U	0.00264 U	0.000321 U	0.000770 U
	IW-48B-55	3/23/18	PES	ESC	55	-3.3	S	0.000254 U	0.000223 U	0.0683 J	0.000471 U	0.0204	0.000289 U	0.000875 U	0.0476	0.000415 U	0.00260 U	0.000480 J	0.000757 U
	IW-48B-60	3/23/18	PES	ESC	60	-8.3	S	0.000259 U	0.000228 U	8.37	0.000480 U	0.0176 J	0.000295 U	0.000861 U	0.191 J	0.000423 U	0.00264 U	0.00534	0.000772 U
	IW-48B-65	3/23/18	PES	ESC	65	-13.3	S	0.000276 U	0.000243 U	0.154	0.000513 U	0.00172	0.000315 U	0.000919 U	0.00448	0.000451 U	0.00282 U	0.00410	0.000825 U
	IW-48B-70	3/23/18	PES	ESC	70	-18.3	S	0.000257 U	0.000226 U	0.0158	0.000477 U	0.000290 U	0.000294 U	0.000855 U	0.000853 J	0.000420 U	0.00263 U	0.00248	0.000767 U
	IW-48B-75	3/23/18	PES	ESC	75	-23.3	S	0.000263 U	0.000232 U	24.4	0.000488 U	0.000968 J	0.000300 U	0.000875 U	0.932	0.000430 U	0.00269 U	0.00760	0.000785 U
IW-50A (9.8 to-10.2)	IW-50A-5	3/27/18	PES	ESC	5	46.9	V	0.000267 U	0.000235 U	0.0105	0.000495 U	0.000301 U	0.000305 U	0.000888 U	0.000318 U	0.000436 U	0.00273 U	0.000332 U	0.000797 U
	IW-50A-10	3/27/18	PES	ESC	10	41.9	V	0.000261 U	0.000230 U	0.00526	0.000484 U	0.000294 U	0.000298 U	0.000867 U	0.00365	0.000426 U	0.00266 U	0.000324 U	0.000778 U
	IW-50A-15	3/27/18	PES	ESC	15	36.9	V	0.000257 U	0.000226 U	0.00323	0.000477 U	0.000290 U	0.000293 U	0.000855 U	0.00225	0.000420 U	0.00263 U	0.000320 U	0.000767 U
	IW-50A-20	3/27/18	PES	ESC	20	31.9	S	0.000260 U	0.000229 U	0.00173	0.000482 U	0.000293 U	0.000297 U	0.000865 U	0.000310 U	0.000425 U	0.00266 U	0.000323 U	0.000776 U
	IW-50A-25	3/27/18	PES	ESC	25	26.9	S	0.000253 U	0.000223 U	0.0149	0.000470 U	0.000640 J	0.000289 U	0.000842 U	0.00376	0.000413 U	0.00259 U	0.000315 U	0.000755 U
	IW-50A-30	3/27/18	PES	ESC	30	21.9	S	0.000254 U	0.000224 U	0.00643	0.000471 U	0.000287 U	0.000290 U	0.000845 U	0.00146	0.000415 U	0.00260 U	0.000316 U	0.000758 U
	IW-50A-35	3/27/18	PES	ESC	35	16.9	S	0.000255 U	0.000224 U	0.00599	0.000473 U	0.000287 U	0.000291 U	0.000847 U	0.00158	0.000416 U	0.00260 U	0.000317 U	0.000760 U
	IW-50A-40	3/27/18	PES	ESC	40	11.9	S	0.000259 U	0.000228 U	0.00647	0.000480 U	0.000292 U	0.000295 U	0.000860 U	0.00188	0.000422 U	0.00264 U	0.000322 U	0.000771 U
	IW-50A-42	3/27/18	PES	ESC	42	9.9	S	0.000257 U	0.000226 U	0.0263	0.000477 U	0.000290 U	0.000293 U	0.000855 U	0.00273	0.000420 U	0.00263 U	0.00893	0.000767 U
	IW-50A-45	3/27/18	PES	ESC	45	6.9	S	0.000259 U	0.000228 U	2.10	0.000481 U	0.000292 U	0.000296 U	0.000861 U	0.0367	0.000423 U	0.00265 U	0.00501	0.000773 U
	IW-50A-50	3/27/18	PES	ESC	50	1.9	S	0.000263 U	0.000231 U	2.67 J	0.000487 U	0.000296 U	0.000300 U	0.000873 U	0.0210 J	0.000429 U	0.00268 U	0.0112	0.000783 U
	IW-906-50	3/27/18	PES	ESC	50 (dup)	1.9	S	0.000264 U	0.000233 U	0.0849 J	0.000490 U	0.000298 U	0.000301 U	0.000878 U	0.00989 J	0.000431 U	0.00270 U	0.0119	0.000788 U
	IW-50A-55	3/27/18	PES	ESC	55	-3.2	S	0.000263 U	0.000232 U	0.0127	0.000488 U	0.000297 U	0.000300 U	0.000876 U	0.00151	0.000430 U	0.00269 U	0.00993	0.000786 U
	IW-50A-60	3/27/18	PES	ESC	60	-8.2	S	0.000264 U	0.000233 U	0.00210	0.000490 U	0.000298 U	0.000302 U	0.000879 U	0.000315 U	0.000431 U	0.00270 U	0.00363	0.000788 U
IW-51A (9.9 to-10.1)	IW-51A-5	3/26/18	PES	ESC	5	46.9	V	0.000257 U	0.000227 U	0.00410	0.000477 U	0.000290 U	0.000294 U	0.000856 U	0.000307 U	0.000420 U	0.00263 U	0.000320 U	0.000768 U
	IW-51A-10	3/26/18	PES	ESC	10	41.9	V	0.000255 U	0.000225 U	0.00112	0.000473 U	0.000288 U	0.000291 U	0.000848 U	0.000304 U	0.000417 U	0.00261 U	0.000317 U	0.000761 U
	IW-51A-15	3/26/18	PES	ESC	15	36.9	V	0.000265 U	0.000234 U	0.00450	0.000492 U	0.000299 U	0.000303 U	0.000882 U	0.000316 U	0.000433 U	0.00271 U	0.000330 U	0.000792 U
	IW-51A-20	3/26/18	PES	ESC	20	31.9	S	0.000254 U	0.000223 U	0.00211	0.000470 U	0.000286 U	0.000289 U	0.000843 U	0.000302 U	0.000414 U	0.00259 U	0.000315 U	0.000756 U
	IW-51A-25	3/26/18	PES	ESC	25	26.9	S	0.000323 U	0.000285 U	5.20	0.000599 U	0.000506 J	0.000369 U	0.00107 U	0.0410	0.000527 U	0.00330 U	0.000401 U	0.000963 U
	IW-51A-30	3/26/18	PES	ESC	30	21.9	S	0.000252 U	0.000222 U	3.14	0.000468 U	0.000284 U	0.000288 U	0.000838 U	0.0147	0.000412 U	0.00258 U	0.000314 U	0.000752 U
	IW-51A-35	3/26/18	PES	ESC	35	16.9	S	0.000255 U	0.000224 U	0.00981	0.000473 U	0.000287 U	0.000291 U	0.000847 U	0.000304 U	0.000416 U	0.00260 U	0.000805 J	0.000760 U
	IW-51A-40	3/26/18	PES	ESC	40	11.9	S	0.000256 U	0.000225 U	0.101	0.000474 U	0.000872 J	0.000292 U	0.000850 U	0.00781	0.000417 U	0.00261 U	0.0155	0.000763 U
	IW-51A-42	3/26/18	PES	ESC	42	9.9	S	0.000260 U	0.000229 U	2.97	0.000483 U	0.00244	0.000297 U	0.000866 U	0.0397	0.000425 U	0.00266 U	0.0869 J	0.000777 U
	IW-51A-45	3/26/18	PES	ESC	45	6.9	S	0.000261 U	0.000229 U	0.125	0.000483 U	0.000294 U	0.000297 U	0.000866 U	0.000311 U	0.000425 U	0.00266 U	0.0448	0.000777 U
	IW-51A-50	3/26/18	PES	ESC	50	1.9	S	0.000268 U	0.000236 U	1.36	0.000497 U	0.000572 J	0.000306 U	0.000891 U	0.0165	0.000438 U	0.00274 U	0.00557	0.000800 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
IW-51A (continued)	IW-51A-55	3/26/18	PES	ESC	55	-3.1	S	0.000268 U	0.000236 U	0.103	0.000498 U	0.000303 U	0.000306 U	0.000892 U	0.00933	0.000438 U	0.00274 U	0.00612	0.000800 U
	IW-51A-60	3/26/18	PES	ESC	60	-8.1	S	0.000252 U	0.000222 U	0.000796 J	0.000467 U	0.000284 U	0.000287 U	0.000837 U	0.000300 U	0.000411 U	0.00257 U	0.000706 J	0.000751 U
	IW-51A-62	3/26/18	PES	ESC	62	-10.1	S	0.000255 U	0.000224 U	0.000824 J	0.000472 U	0.000287 U	0.000290 U	0.000846 U	0.000303 U	0.000415 U	0.00260 U	0.00354	0.000759 U
IW-53B (-11.1 to-26.1)	IW-53B-30	9/20/18	PES	ESC	30	5.3	S	0.00297 U	0.00169 U	1.74	0.00303 J	0.00381	0.00166 U	0.00152 U	0.152	0.000544 U	0.00383 U	0.00790	0.00520 U
IW-54A (9.8 to-10.2)	IW-54A-8	9/12/18	PES	ESC	8	31.1	S	0.00315 U	0.00179 U	48.1	0.00424 J	0.00165 U	0.00177 U	0.00162 U	0.0503	0.000577 U	0.00406 U	0.000778 U	0.00552 U
	IW-54A-49	9/12/18	PES	ESC	49	-9.9	S	0.00316 U	0.00180 U	0.0827	0.00537 J	0.00166 U	0.00177 U	0.00162 U	0.000463 U	0.000579 U	0.00408 U	0.000791 U	0.00554 U
IW-54B (-9.5 to-24.5)	IW-54B-8	9/5/18	PES	ESC	8	31.2	S	0.00298 U	0.00169 U	937	0.00476 J	0.00156 U	0.00167 U	0.00153 U	0.922 J	0.000545 U	0.00384 U	0.00293	10.4 U
	IW-54B-13	9/6/18	PES	ESC	13	26.2	S	0.00303 U	0.00172 U	2.21	0.00139 U	0.00159 U	0.00170 U	0.00155 U	0.0456	0.000555 U	0.00390 U	0.000758 U	0.0530 U
	IW-54B-21	9/6/18	PES	ESC	21	18.2	S	0.00298 U	0.00169 U	11.0	0.00277 J	0.00612 J	0.00167 U	0.00153 U	4.48	0.000546 U	0.00384 U	0.000745 U	0.104 U
	IW-54B-33	9/6/18	PES	ESC	33	6.2	S	0.00341 U	0.00193 U	0.0689	0.00246 J	0.00179 U	0.00191 U	0.00175 U	0.0349	0.000625 U	0.00440 U	0.0927	0.00592 U
IW-55B (-12.0 to-27.0)	IW-55B-39	9/13/18	PES	ESC	39	12.8	S	0.00290 U	0.00165 U	1.13	0.00173 J	0.00152 U	0.00162 U	0.00149 U	0.0340	0.000531 U	0.00374 U	0.000725 U	0.00508 U
	IW-55B-43	9/13/18	PES	ESC	43	8.8	S	0.00309 U	0.00175 U	47.1	0.00141 U	0.00162 U	0.00173 U	0.00158 U	1.04	0.000566 U	0.00398 U	0.0522	0.00541 U
	IW-55B-61	9/13/18	PES	ESC	61	-9.2	S	0.00324 U	0.00184 U	0.343	0.00745	0.0213	0.00182 U	0.00166 U	0.0155	0.000594 U	0.00418 U	0.341	0.00568 U
IW-58A (3.9 to-11.1)	IW-58A-38	10/17/18	PES	PACE	38	1.2	S	0.00298 U	0.00169 U	2.67 J	0.00206 J	0.0323	0.00167 U	0.00153 U	0.279	0.000547 U	0.00385 U	0.0128	0.00522 U
	B-929-38	10/17/18	PES	PACE	38 (dup)	1.2	S	0.00307 U	0.00175 U	2.31 J	0.00250 J	0.0456	0.00172 U	0.00158 U	0.201	0.000563 U	0.00396 U	0.0167	0.00538 U
MW101 (B101) (-65.5 to-75.5)	B101-30	7/10/12	SES	F&BI	30	9.5	S	-	-	24	-	0.050 U	-	-	0.12	-	-	0.050 U	-
	B101-34	7/10/12	SES	F&BI	34	5.5	S	-	-	8.4	-	0.050 U	-	-	0.033	-	-	0.050 U	-
	B101-40	7/10/12	SES	F&BI	40	-0.5	S	-	-	20	-	0.050 U	-	-	0.28	-	-	0.050 U	-
	B101-47	7/10/12	SES	F&BI	47	-7.5	S	-	-	7.2	-	0.050 U	-	-	0.20	-	-	0.050 U	-
	B101-48	7/10/12	SES	F&BI	48	-8.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B101-55	7/10/12	SES	F&BI	55	-15.5	S	-	-	4.2	-	0.050 U	-	-	0.084	-	-	0.050 U	-
	B101-65	7/10/12	SES	F&BI	65	-25.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-75	7/11/12	SES	F&BI	75	-35.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-81	7/11/12	SES	F&BI	81	-41.5	S	-	-	0.31	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-92	7/12/12	SES	F&BI	92	-52.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-97	7/12/12	SES	F&BI	97	-57.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-104	7/12/12	SES	F&BI	104	-64.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-114.5	7/12/12	SES	F&BI	114.5	-75.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-120	7/12/12	SES	F&BI	120	-80.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-131	7/12/12	SES	F&BI	131	-91.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	B101-140	7/12/12	SES	F&BI	140	-100.5	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
MW130 (B130) (-30.9 to-40.9)	B130-10	3/1/16	SES	F&BI	10	29.5	S	-	-	0.17	-	0.050 U	-	-	0.040	-	-	0.050 U	-
	B130-20	3/1/16	SES	F&BI	20	19.5	S	-	-	0.82	-	0.050 U	-	-	0.054	-	-	0.050 U	-
	B130-30	3/1/16	SES	F&BI	30	9.5	S	-	-	0.025 U	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B130-40	3/1/16	SES	F&BI	40	-0.5	S	-	-	0.032	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B130-45	3/2/16	SES	F&BI	45	-5.5	S	-	-	0.025 U	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B130-50	3/2/16	SES	F&BI	50	-10.5	S	-	-	0.025 U	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B130-55	3/2/16	SES	F&BI	55	-15.5	S	-	-	0.025 U	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B130-60	3/2/16	SES	F&BI	60	-20.5	S	-	-	0.086	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B130-65	3/2/16	SES	F&BI	65	-25.5	S	-	-	1.9	-	0.050 U	-	-	0.079	-	-	0.050 U	-
	B130-70	3/2/16	SES	F&BI	70	-30.5	S	-	-	37 ve	-	0.050 U	-	-	0.44	-	-	0.050 U	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW130 (B130) (continued)	B130-75 B130-80	3/2/16 3/2/16	SES SES	F&BI F&BI	75 80	-35.5 -40.5	S S	- -	- -	2.9 0.59	- -	0.050 U 0.050 U	- -	- -	0.058 0.020 U	- -	- -	0.050 U 0.050 U	- -
MW131 (B131) (-4.2 to-14.2)	B131-10	3/1/16	SES	F&BI	10	30.0	S	-	-	0.025 U	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B131-20	3/1/16	SES	F&BI	20	20.0	S	-	-	0.025 U	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B131-30	3/1/16	SES	F&BI	30	10.0	S	-	-	0.097	-	0.064	-	-	2.4	-	-	0.050 U	-
	B131-40	3/1/16	SES	F&BI	40	0.0	S	-	-	0.025 U	-	0.050 U	-	-	0.020 U	-	-	0.050 U	-
	B131-45 B131-55	3/2/16 3/2/16	SES SES	F&BI F&BI	45 55	-5.0 -15.0	S S	- -	- -	0.21 0.44	- -	0.050 U 0.050 U	- -	- -	0.036 0.60	- -	- -	0.050 U 0.050 U	- -
MW-132 (-29.9 to-39.9)	MW-132-20	8/22/17	PES	ESC	20	20.1	S	0.000261 U	0.000230 U	0.000312 J	0.000484 U	0.000443 J	0.000298 U	0.000868 U	0.000380 J	0.000426 U	0.00266 U	0.00217	0.000778 U
	MW-132-35	8/22/17	PES	ESC	35	5.1	S	0.000262 U	0.000230 U	0.00166	0.000486 U	0.000295 U	0.000299 U	0.000871 U	0.000312 U	0.000427 U	0.00267 U	0.00377 U	0.000781 U
	MW-132-50	8/22/17	PES	ESC	50	-9.9	S	0.000253 U	0.000223 U	0.109	0.000470 U	0.0405	0.000289 U	0.000842 U	0.153	0.000413 U	0.00259 U	0.00219	0.000755 U
	MW-132-55	8/23/17	PES	ESC	55	-14.9	S	0.0269 U	0.0237 U	385	0.0499 U	0.0725 J	0.0307 U	0.0895 U	9.63	0.0439 U	0.275 U	0.0335 U	0.0803 U
	MW-132-60	8/23/17	PES	ESC	60	-19.9	S	0.000252 U	0.000222 U	3.92	0.000467 U	0.000785 J	0.000288 U	0.000838 U	4.60	0.000411 U	0.00257 U	0.000808 J	0.000752 U
	MW-132-70	8/23/17	PES	ESC	70	-29.9	S	0.000285 U	0.000251 U	0.00905 J	0.000529 U	0.000322 U	0.000325 U	0.000948 U	0.00851 U	0.000466 U	0.00291 U	0.000355 U	0.000851 U
	MW-132-83	8/23/17	PES	ESC	83	-42.9	S	0.000255 U	0.000225 U	0.00753 U	0.000473 U	0.000288 U	0.000291 U	0.000849 U	0.000304 U	0.000417 U	0.00261 U	0.000317 U	0.000761 U
MW-133 (-88.9 to-98.9)	MW-133-20	8/15/17	PES	ESC	20	20.1	S	0.000276 U	0.000243 U	3.62	0.000511 U	0.000591 J	0.000315 U	0.000917 U	0.0688	0.000450 U	0.00282 U	0.000389 J	0.000823 U
	MW-133-35	8/15/17	PES	ESC	35	5.1	S	0.000306 U	0.000269 U	0.00901 U	0.000567 U	0.000345 U	0.000349 U	0.00102 U	0.000594 J	0.000499 U	0.00312 U	0.000380 U	0.000911 U
	MW-133-45	8/15/17	PES	ESC	45	-4.9	S	0.000254 U	0.000224 U	5.17	0.000472 U	0.00508	0.000290 U	0.000846 U	0.0309	0.000415 U	0.00260 U	0.323	0.000759 U
	MW-133-55	8/15/17	PES	ESC	55	-14.9	S	0.0572 U	0.0504 U	114	0.106 U	0.0646 U	0.0653 U	0.191 U	0.988	0.0935 U	0.585 U	0.0712 U	0.171 U
	MW-133-58	8/15/17	PES	ESC	58	-17.9	S	1.38 U	1.22 U	691	2.57 U	1.56 U	1.58 U	4.60 U	1.66 U	2.26 U	14.2 U	1.73 U	4.13 U
	MW-133-65	8/15/17	PES	ESC	65	-24.9	S	0.000271 U	0.000238 U	36.0	0.000502 U	0.00123	0.000309 U	0.000901 U	2.96	0.000442 U	0.00277 U	0.00631	0.000808 U
	MW-133-75	8/15/17	PES	ESC	75	-34.9	S	0.000272 U	0.000240 U	0.0468 J	0.000505 U	0.000307 U	0.000311 U	0.000905 U	0.000647 J	0.000444 U	0.00278 U	0.000339 U	0.000812 U
	MW-133-85	8/15/17	PES	ESC	85	-44.9	S	0.00686 U	0.00604 U	2.28	0.00774 U	0.00783 U	0.0227 U	0.146	0.0112 U	0.0701 U	0.00853 U	0.0204 U	
	MW-133-95	8/16/17	PES	ESC	95	-54.9	S	0.000273 U	0.000240 U	0.00127	0.000506 U	0.000308 U	0.000311 U	0.000906 U	0.000325 U	0.000445 U	0.00278 U	0.000339 U	0.000813 U
	MW-133-105	8/16/17	PES	ESC	105	-64.9	S	0.000282 U	0.000248 U	0.000345 J	0.000523 U	0.000318 U	0.000321 U	0.000937 U	0.000336 U	0.000460 U	0.00288 U	0.000350 U	0.000840 U
	MW-133-120	8/16/17	PES	ESC	120	-79.9	S	0.00636 U	0.00560 U	0.00750 U	0.0117 U	0.00717 U	0.00726 U	0.0211 U	0.00759 U	0.0104 U	0.0650 U	0.00791 U	0.0189 U
	MW-133-130	8/16/17	PES	ESC	130	-89.9	S	0.000279 U	0.000245 U	0.0119	0.000517 U	0.000314 U	0.000318 U	0.000927 U	0.00354	0.000455 U	0.00285 U	0.000347 U	0.000832 U
	MW-133-135	8/16/17	PES	ESC	135	-94.9	S	0.000429 J	0.000233 U	0.0107	0.0119	0.000299 U	0.000302 U	0.000881 U	0.000965 J	0.000433 U	0.00271 U	0.000330 U	0.00392
	MW-133-141	8/16/17	PES	ESC	141	-100.9	S	0.000264 U	0.000232 U	0.000311 U	0.000489 U	0.000297 U	0.000301 U	0.000876 U	0.000314 U	0.000430 U	0.00269 U	0.000328 U	0.000786 U
MW-134 (-38.6 to-48.6)	MW-134-20	8/29/17	PES	ESC	20	21.5	S	0.000308 U	0.000271 U	0.000363 U	0.000571 U	0.000347 U	0.000351 U	0.00102 U	0.000367 U	0.000503 U	0.00315 U	0.000383 U	0.000919 U
	MW-134-43	8/29/17	PES	ESC	43	-1.6	S	0.000272 U	0.000239 U	0.00863	0.000504 U	0.0111 J	0.000310 U	0.000903 U	0.0551	0.000443 U	0.00277 U	0.217	0.000810 U
	MW-134-50	8/29/17	PES	ESC	50	-8.6	S	0.000257 U	0.000226 U	17.9	0.000477 U	0.0290 U	0.000294 U	0.000855 U	2.34	0.000420 U	0.00263 U	0.0196	0.000767 U
	MW-134-60	8/29/17	PES	ESC	60	-18.6	S	0.000258 U	0.000227 U	0.0770	0.000479 U	0.00729 U	0.000295 U	0.000859 U	0.00544	0.000422 U	0.00264 U	0.0118	0.000771 U
	MW-134-70	8/29/17	PES	ESC	70	-28.6	S	0.000298 U	0.000263 U	0.0742	0.000554 U	0.000337 U	0.000341 U	0.000992 U	0.0111	0.000487 U	0.00305 U	0.0426	0.000890 U
	MW-134-80	8/29/17	PES	ESC	80	-38.6	S	0.000250 U	0.000220 U	0.0105 J	0.000464 U	0.000282 U	0.000286 U	0.000832 U	0.00316 J	0.000409 U	0.00256 U	0.00656 J	0.000746 U
	B-903-100	8/29/17	PES	ESC	80 (dup)	-38.6	S	0.000247 U	0.000217 U	0.0407 J	0.000457 U	0.000278 U	0.000281 U	0.000820 U	0.0132 J	0.000402 U	0.00252 U	0.0143 J	0.000735 U
MW-135 (-30.9 to-40.9)	MW-134-90	8/29/17	PES	ESC	90	-48.6	S	0.000297 U	0.000262 U	0.000676 J	0.000551 U	0.00838 U	0.000339 U	0.000988 U	0.000354 U	0.000485 U	0.00304 U	0.000370 U	0.000886 U
	MW-135-16	8/24/17	PES	ESC	14	25.1	S	0.0285 U	0.0271 J	933	0.166 J	0.700	0.0326 U	0.0949 U	113	0.0466 U	0.292 U	17.0	0.331 J
	MW-135-20	8/24/17	PES	ESC	20	19.1	S	0.00666 U	0.00587 U	1.73	0.0123 U	0.00752 U	0.00761 U	0.0221 U	0.461	0.0109 U	0.0681 U	0.0241 J	0.0198 U
	MW-135-30	8/24/17	PES	ESC	30	9.1	S	0.000249 U	0.000237 J	109	0.00159 J	0.00363	0.000284 U	0.000826 U	2.90	0.000406 U	0.00254 U	0.0430	0.00135 J
	MW-135-36	8/24/17	PES	ESC	36	3.1	S	0.000273 U	0.000241 U	20.1	0.000507 U	0.000907 J	0.000312 U	0.000908 U	0.0571	0.000446 U	0.00279 U	0.00962	0.000815 U
	MW-135-40	8/24/17	PES	ESC	40	-0.9	S	0.000279 U	0.000246 U	10.6	0.000518 U	0.00769	0.000318 U	0.000928 U	2.71	0.000456 U	0.00285 U	0.405	0.000832 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-135 (continued)	MW-135-45	8/24/17	PES	ESC	45	-5.9	S	0.000278 U	0.000245 U	69.7	0.000515 U	0.00859	0.000317 U	0.000924 U	3.10	0.000454 U	0.00284 U	0.00963	0.000829 U
	MW-135-55	8/24/17	PES	ESC	55	-15.9	S	0.000254 U	0.000224 U	8.68	0.000471 U	0.000287 U	0.000290 U	0.000845 U	0.0673	0.000415 U	0.00260 U	0.00105 J	0.000758 U
	MW-135-65	8/24/17	PES	ESC	65	-25.9	S	0.000278 U	0.000244 U	0.190	0.000515 U	0.000313 U	0.000317 U	0.000923 U	0.00881	0.000453 U	0.00284 U	0.000345 U	0.000828 U
	MW-135-80	8/24/17	PES	ESC	80	-40.9	S	0.000261 U	0.000230 U	0.0106	0.000485 U	0.000295 U	0.000298 U	0.000869 U	0.000372 J	0.000427 U	0.00267 U	0.000325 U	0.000780 U
MW-136 (-32.7 to-42.7)	MW-136-35	8/28/17	PES	ESC	35	16.9	S	0.000246 U	0.000217 U	0.00777	0.000457 U	0.000278 U	0.000281 U	0.000819 U	0.000437 J	0.000402 U	0.00252 U	0.000306 U	0.000735 U
	B-902-15	8/28/17	PES	ESC	35 (dup)	16.9	S	0.000256 U	0.000225 U	0.00621	0.000474 U	0.000288 U	0.000292 U	0.000850 U	0.000324 J	0.000417 U	0.00261 U	0.000318 U	0.000762 U
	MW-136-44	8/28/17	PES	ESC	44	7.9	S	0.000263 U	0.000231 U	0.0853 U	0.000487 U	0.000296 U	0.000300 U	0.000873 U	0.00255	0.000429 U	0.00268 U	0.000327 U	0.000783 U
	MW-136-50	8/28/17	PES	ESC	50	1.9	S	0.000269 U	0.000237 U	0.000318 U	0.000499 U	0.00759 U	0.000307 U	0.000895 U	0.000321 U	0.000440 U	0.00275 U	0.000335 U	0.000803 U
	MW-136-65	8/28/17	PES	ESC	65	-13.1	S	0.000254 U	0.000224 U	0.000300 U	0.000472 U	0.000287 U	0.000290 U	0.000846 U	0.000303 U	0.000415 U	0.00260 U	0.000316 U	0.000759 U
	MW-136-75	8/28/17	PES	ESC	75	-23.1	S	0.000260 U	0.000229 U	0.000307 U	0.000482 U	0.000293 U	0.000297 U	0.000864 U	0.000310 U	0.000424 U	0.00266 U	0.000323 U	0.000775 U
	MW-136-85	8/28/17	PES	ESC	85	-33.1	S	0.000261 U	0.000230 U	0.000308 U	0.000485 U	0.000295 U	0.000298 U	0.000869 U	0.000311 U	0.000426 U	0.00267 U	0.000325 U	0.000779 U
	MW-136-95	8/28/17	PES	ESC	95	-43.1	S	0.000262 U	0.000231 U	0.000309 U	0.000486 U	0.000295 U	0.000299 U	0.000871 U	0.000312 U	0.000427 U	0.00267 U	0.000326 U	0.000781 U
	MW-137-25	8/31/17	PES	ESC	25	26.7	S	0.000255 U	0.000225 U	0.00174	0.000473 U	0.000288 U	0.000291 U	0.000849 U	0.00245	0.000417 U	0.00261 U	0.000317 U	0.000761 U
MW-137 (-53.3 to-63.3)	MW-137-45	8/31/17	PES	ESC	45	6.7	S	0.00662 U	0.00583 U	0.00781 U	0.0122 U	0.00747 U	0.00756 U	0.0220 U	0.00790 U	0.0108 U	0.0677 U	0.00824 U	0.0197 U
	MW-137-75	8/31/17	PES	ESC	75	-23.3	S	0.000257 U	0.000226 U	0.000303 U	0.000477 U	0.000290 U	0.000293 U	0.000854 U	0.000306 U	0.000419 U	0.00262 U	0.000319 U	0.000766 U
	MW-137-85	9/1/17	PES	ESC	85	-33.3	S	0.000280 U	0.000247 U	0.000331 U	0.000520 U	0.000316 U	0.000320 U	0.000932 U	0.000334 U	0.000458 U	0.00286 U	0.000349 U	0.000837 U
	MW-137-95	9/1/17	PES	ESC	95	-43.3	S	0.000251 U	0.000221 U	0.000296 U	0.000465 U	0.000283 U	0.000286 U	0.000833 U	0.000299 U	0.000409 U	0.00256 U	0.000312 U	0.000747 U
	MW-137-115	9/1/17	PES	ESC	115	-63.3	S	0.000286 U	0.000252 U	0.000338 U	0.000531 U	0.000323 U	0.000327 U	0.000952 U	0.000341 U	0.000467 U	0.00292 U	0.000356 U	0.000854 U
	MW-139-20	9/13/17	PES	ESC	20	19.8	S	0.000271 U	0.000238 U	0.0138 J	0.000502 U	0.000305 U	0.000309 U	0.0276 U	0.000323 U	0.000442 U	0.00276 U	0.00397	0.000807 U
MW-139 (-30.2 to-40.2)	MW-139-31	9/13/17	PES	ESC	31	8.8	S	0.000250 U	0.000220 U	0.00308	0.000464 U	0.000282 U	0.000286 U	0.000832 U	0.000467 J	0.000409 U	0.00256 U	0.00139	0.000747 U
	MW-139-41	9/13/17	PES	ESC	41	-1.2	S	0.000251 U	0.000221 U	0.0126	0.000466 U	0.000287 U	0.000287 U	0.000836 U	0.00100 J	0.000410 U	0.00257 U	0.00209	0.000750 U
	MW-139-51	9/13/17	PES	ESC	51	-11.2	S	0.000270 U	0.000238 U	0.000397 J	0.000501 U	0.000305 U	0.000308 U	0.000898 U	0.000322 U	0.000441 U	0.00276 U	0.000336 U	0.000805 U
	MW-139-60	9/13/17	PES	ESC	60	-20.2	S	0.000251 U	0.000221 U	0.000296 U	0.000466 U	0.000284 U	0.000287 U	0.000836 U	0.000300 U	0.000410 U	0.00257 U	0.000313 U	0.000750 U
	MW-139-70	9/13/17	PES	ESC	70	-30.2	S	0.000276 U	0.000243 U	0.000326 U	0.000512 U	0.000312 U	0.000315 U	0.000918 U	0.000329 U	0.000451 U	0.00282 U	0.000343 U	0.000824 U
	MW-139-80	9/13/17	PES	ESC	80	-40.2	S	0.000264 U	0.000233 U	0.000780 U	0.000490 U	0.000298 U	0.000302 U	0.000929 U	0.000315 U	0.000432 U	0.00270 U	0.000329 U	0.000789 U
MW-141 (-55.4 to-65.4)	MW-141-15	9/18/17	PES	ESC	15	24.6	S	0.000264 U	0.000232 U	0.000311 U	0.000490 U	0.000298 U	0.000301 U	0.000878 U	0.000315 U	0.000431 U	0.00270 U	0.000388 J	0.000787 U
	MW-141-35	9/18/17	PES	ESC	35	4.6	S	0.000271 U	0.000239 U	0.000320 U	0.000504 U	0.000306 U	0.000310 U	0.000903 U	0.000324 U	0.000443 U	0.00277 U	0.000338 U	0.000810 U
	MW-141-46	9/18/17	PES	ESC	46	-6.4	S	0.000256 U	0.000225 U	0.000357 J	0.000475 U	0.000289 U	0.000292 U	0.000851 U	0.000424 J	0.000418 U	0.00261 U	0.00194	0.000763 U
	MW-141-56	9/18/17	PES	ESC	56	-16.4	S	0.000249 U	0.000219 U	0.000294 U	0.000462 U	0.000281 U	0.000284 U	0.000828 U	0.000297 U	0.000406 U	0.00254 U	0.000310 U	0.000742 U
	MW-141-65	9/18/17	PES	ESC	65	-25.4	S	0.000246 U	0.000217 U	0.000290 U	0.000457 U	0.000278 U	0.000281 U	0.000818 U	0.000293 U	0.000402 U	0.00251 U	0.000306 U	0.000734 U
	MW-141-75	9/18/17	PES	ESC	75	-35.4	S	0.000249 U	0.000220 U	0.000294 U	0.000463 U	0.000281 U	0.000285 U	0.000829 U	0.000297 U	0.000407 U	0.00255 U	0.000310 U	0.000744 U
	MW-141-85	9/18/17	PES	ESC	85	-45.4	S	0.000273 U	0.000241 U	0.000322 U	0.000507 U	0.000308 U	0.000312 U	0.000909 U	0.000326 U	0.000446 U	0.00279 U	0.000340 U	0.000815 U
	MW-141-95	9/18/17	PES	ESC	95	-55.4	S	0.000280 U	0.000247 U	0.000331 U	0.000520 U	0.000316 U	0.000320 U	0.000932 U	0.000334 U	0.000458 U	0.00286 U	0.000349 U	0.000836 U
	MW-141-105	9/19/17	PES	ESC	105	-65.4	S	0.000279 U	0.000246 U	0.000330 U	0.000518 U	0.000315 U	0.000319 U	0.000929 U	0.000333 U	0.000456 U	0.00285 U	0.000347 U	0.000833 U
MW-152 (-10.2 to-20.2)	MW-152-5	3/13/18	PES	ESC	5	34.1	S	0.000264 U	0.000232 U	0.116	0.000678 J	0.000297 U	0.000301 U	0.000877 U	0.000861 J	0.000430 U	0.00269 U	0.000328 U	0.00131 J
	MW-152-15	3/13/18	PES	ESC	15	24.1	S	0.000259 U	0.000228 U	6.12	0.000481 U	0.000292 U	0.000296 U	0.000862 U	0.101	0.000423 U	0.00265 U	0.000322 U	0.000773 U
	MW-152-25	3/13/18	PES	ESC	25	14.1	S	0.000254 U	0.000223 U	0.276	0.000471 U	0.00188	0.000290 U	0.000844 U	0.00768	0.000414 U	0.00259 U	0.00488	0.000757 U
	MW-152-35	3/13/18	PES	ESC	35	4.1	S	0.000257 U	0.000226 U	1.23	0.000476 U	0.00168	0.000293 U	0.000853 U	0.0203	0.000419 U	0.00262 U	0.0282	0.000765 U
	MW-152-45	3/13/18	PES	ESC	45	-5.9	S	0.000264 U	0.000252 J	122	0.000853 J	0.00382	0.000301 U	0.000877 U	0.532 J	0.000431 U	0.00269 U	1.06	0.00173 J
	MW-152-55	3/13/18	PES	ESC	55	-15.9	S	0.000265 U	0.000233 U	57.4	0.000571 J	0.0117	0.000302 U	0.000881 U	0.0545	0.000433 U	0.00271 U	0.0949	0.000791 U
	MW-152-60	3/13/18	PES	ESC	60	-20.9	S	0.000253 U	0.000223 U	3.92	0.000470 U	0.000850 J	0.000289 U	0.000842 U	0.00733	0.000413 U	0.00259 U	0.0100	0.000755 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-162 (-61.6 to -71.6)	MW-162-48	1/28/19	PES	PACE	48	-9.6	S	0.0591 U	0.0335 U	34.1	0.0270 U	0.0309 U	0.0331 U	0.0303 U	4.66	0.0108 U	0.0762 U	0.0148 U	0.103 U
	MW-162-50	1/28/19	PES	PACE	50	-11.6	S	0.00319 U	0.00181 U	5.26 J	0.00146 U	0.00213 J	0.00179 U	0.00164 U	1.11	0.000584 U	0.00411 U	0.00368	0.00558 U
	B-930-50 (dup)	1/28/19	PES	PACE	50	-11.6	S	0.00304 U	0.00172 U	13.7	0.00462 J	0.0107	0.00170 U	0.00156 U	5.91	0.000556 U	0.00391 U	0.0124	0.00531 U
	MW-162-67	1/28/19	PES	PACE	67	-28.6	S	0.00317 U	0.00180 U	9.41	0.00145 U	0.00166 U	0.00178 U	0.00163 U	0.900	0.000581 U	0.00409 U	0.000793 U	0.00555 U
	MW-162-70	1/28/19	PES	PACE	70	-31.6	S	0.00305 U	0.00173 U	21.7 J	0.00278 J	0.00593	0.00171 U	0.00156 U	1.67	0.000558 U	0.00393 U	0.0156	0.00534 U
	MW-162-72	1/28/19	PES	PACE	72	-33.6	S	0.00295 U	0.00167 U	11.6 J	0.00135 U	0.00154 U	0.00165 U	0.00151 U	0.613	0.000539 U	0.00380 U	0.00126 J	0.00516 U
	MW-162-80	1/28/19	PES	PACE	80	-41.6	S	0.00304 U	0.00173 U	0.150	0.00139 U	0.00256 J	0.00170 U	0.00156 U	0.0699	0.000556 U	0.00392 U	0.00787	0.00532 U
	MW-162-85	1/28/19	PES	PACE	85	-46.6	S	0.00309 U	0.00175 U	0.00281 J	0.00163 J	0.00162 U	0.00173 U	0.00158 U	0.00139	0.000566 U	0.00398 U	0.000773 U	0.00541 U
	MW-162-90	1/28/19	PES	PACE	90	-51.6	S	0.00309 U	0.00175 U	0.000964 J	0.00141 U	0.00162 U	0.00173 U	0.00158 U	0.00615	0.000565 U	0.00398 U	0.000772 U	0.00540 U
	MW-162-95	1/28/19	PES	PACE	95	-56.6	S	0.00313 U	0.00178 U	0.276 J	0.00143 U	0.00164 U	0.00176 U	0.00161 U	0.0152	0.000574 U	0.00404 U	0.000784 U	0.00548 U
	MW-162-100	1/28/19	PES	PACE	100	-61.6	S	0.00319 U	0.00181 U	0.00679 J	0.00146 U	0.00167 U	0.00179 U	0.00163 U	0.000467 U	0.000584 U	0.00411 U	0.000797 U	0.00558 U
	MW-162-105	1/28/19	PES	PACE	105	-66.6	S	0.00307 U	0.00174 U	0.0269 J	0.00141 U	0.00161 U	0.00172 U	0.00157 U	0.00349	0.000562 U	0.00396 U	0.000768 U	0.00537 U
	MW-162-110	1/28/19	PES	PACE	110	-71.6	S	0.00299 U	0.00170 U	0.00190 J	0.00137 U	0.00157 U	0.00167 U	0.00153 U	0.000438 U	0.000547 U	0.00385 U	0.000748 U	0.00523 U
MW-163 (-61.0 to -71.0)	MW-163-47	1/29/19	PES	PACE	47	-7.7	S	0.00305 U	0.00173 U	7.09 J	0.00160 J	0.0358	0.00171 U	0.00157 U	0.745	0.000559 U	0.00394 U	0.0322	0.00535 U
	MW-163-50	1/29/19	PES	PACE	50	-10.7	S	0.00295 U	0.00167 U	2.61 J	0.00254 J	0.132	0.00165 U	0.00151 U	0.128	0.000540 U	0.00380 U	0.189	0.00516 U
	MW-163-55	1/29/19	PES	PACE	55	-15.7	S	0.00335 U	0.00190 U	1.66 J	0.00286 J	0.0326	0.00187 U	0.00172 U	2.32	0.000613 U	0.00431 U	0.00971	0.00585 U
	MW-163-60	1/29/19	PES	PACE	60	-20.7	S	0.00309 U	0.00175 U	6.69 J	0.00189 J	0.0192	0.00173 U	0.00158 U	3.59 J	0.000566 U	0.00398 U	0.00599	0.00541 U
	MW-163-80	1/29/19	PES	PACE	80	-40.7	S	0.00310 U	0.00176 U	0.0191	0.00142 U	0.00306 J	0.00174 U	0.00159 U	0.0388	0.000569 U	0.00400 U	0.000777 U	0.00544 U
	MW-163-85	1/29/19	PES	PACE	85	-45.7	S	0.00323 U	0.00183 U	0.00202 J	0.00148 U	0.00169 U	0.00181 U	0.00166 U	0.000473 U	0.000592 U	0.00417 U	0.000808 U	0.00566 U
	MW-163-90	1/29/19	PES	PACE	90	-50.7	S	0.00296 U	0.00168 U	0.0806 J	0.00136 U	0.00614	0.00166 U	0.00152 U	0.0834	0.000542 U	0.00382 U	0.000741 U	0.00518 U
	MW-163-95	1/29/19	PES	PACE	95	-55.7	S	0.00324 U	0.00184 U	2.05	0.00264 J	0.00458 J	0.00181 U	0.00166 U	0.346	0.000593 U	0.00417 U	0.000810 U	0.00567 U
	MW-163-100	1/29/19	PES	PACE	100	-60.7	S	0.00314 U	0.00178 U	0.0109	0.00144 U	0.00164 U	0.00176 U	0.00161 U	0.00246	0.000574 U	0.00404 U	0.000784 U	0.00549 U
	MW-163-105	1/29/19	PES	PACE	105	-65.7	S	0.00287 U	0.00163 U	0.00124 J	0.00131 U	0.00150 U	0.00161 U	0.00147 U	0.00256	0.000525 U	0.00370 U	0.000717 U	0.00502 U
	MW-163-110	1/29/19	PES	PACE	110	-70.7	S	0.00302 U	0.00172 U	0.00134 J	0.00138 U	0.00158 U	0.00170 U	0.00155 U	0.000687 J	0.000554 U	0.00390 U	0.000757 U	0.00530 U
MW-164 (-59.9 to -69.9)	MW-164-80	1/24/19	PES	PACE	80	-40.3	S	0.00311 U	0.00176 U	0.00236 J	0.00142 U	0.00163 U	0.00174 U	0.00159 U	0.000455 U	0.000569 U	0.00401 U	0.0313	0.00544 U
	MW-164-87	1/24/19	PES	PACE	87	-47.3	S	0.00306 U	0.00174 U	0.00102 J	0.00140 U	0.00160 U	0.00171 U	0.00157 U	0.000448 U	0.000560 U	0.00394 U	0.0349	0.00535 U
	MW-164-90	1/24/19	PES	PACE	90	-50.3	S	0.00320 U	0.00182 U	0.428	0.00146 U	0.00250 J	0.00179 U	0.00164 U	0.0599	0.000586 U	0.00412 U	0.0101	0.00560 U
	MW-164-95	1/25/19	PES	PACE	95	-55.3	S	0.00326 U	0.00185 U	0.788	0.00149 U	0.00379 J	0.00183 U	0.00167 U	0.172	0.000598 U	0.00421 U	0.00420	0.00572 U
	MW-164-100	1/25/19	PES	PACE	100	-60.3	S	0.00341 U	0.00194 U	0.00777	0.00156 U	0.00179 U	0.00191 U	0.00175 U	0.0124	0.000625 U	0.00440 U	0.00145 J	0.00598 U
	MW-164-105	1/25/19	PES	PACE	105	-65.3	S	0.00303 U	0.00172 U	0.00369	0.00150 J	0.00159 U	0.00170 U	0.00155 U	0.000444 U	0.000555 U	0.00390 U	0.00428	0.00530 U
	MW-164-110	1/25/19	PES	PACE	110	-70.3	S	0.00301 U	0.00171 U	0.000772 U	0.00138 U	0.00158 U	0.00169 U	0.00154 U	0.000441 U	0.000551 U	0.00388 U	0.000753 U	0.00527 U
MW-168 (-43.0 to -53.0)	MW-168-15	10/21/19	PES	Fremont	15	-3.8	S	-	-	2.78	-	-	-	-	3.42	-	-	0.247 U	-
MW-171 (-27.6 to -37.6)	MW-171-24	09/24/19	PES	Fremont	24	-12.8	S	-	-	0.199 U	-	-	-	-	0.160 U	-	-	0.199 U	-
MW-172 (-42.5 to -52.5)	MW-172-7	09/26/19	PES	Fremont	7	4.2	S	-	-	0.235 U	-	-	-	-	0.188 U	-	-	0.235 U	-
MW-175 (-27.8 to -37.8)	MW-175-12	10/26/19	PES	Fremont	12	-1.3	S	-	-	0.237 U	-	-	-	-	0.190 U	-	-	0.237 U	-
	B-1002-12	10/26/19	PES	Fremont	12 (dup)	-1.3	S	-	-	0.233 U	-	-	-	-	0.187 U	-	-	0.233 U	-

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Nylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-180 (-42.7 to -52.7)	MW-180-40	09/25/19	PES	Fremont	40	-28.2	S	-	-	0.204	-	-	-	-	0.0997 U	-	-	0.125 U	-
	MW-180-24	09/25/19	PES	Fremont	24	-12.2	S	-	-	8,960	-	-	-	-	28.7	-	-	0.515	-
	MW-180-27	09/25/19	PES	Fremont	27	-15.2	S	-	-	12.8	-	-	-	-	0.0984 U	-	-	0.123 U	-
MW-181 (1.5 to -8.5)	MW-181-14	09/27/19	PES	Fremont	14	-2.5	S	-	-	0.270 U	-	-	-	-	0.216 U	-	-	0.270 U	-
MW-183 (-27.4 to -37.4)	MW-183-18	09/26/19	PES	Fremont	18	-6.5	S	-	-	0.250 U	-	-	-	-	0.200 U	-	-	0.250 U	-
MW-184 (-42.5 to -52.5)	MW-184-20	09/26/19	PES	Fremont	20	-8.4	S	-	-	0.273 U	-	-	-	-	0.218 U	-	-	0.273 U	-
MW-188 (-42.2 to -52.2)	MW-188-64	10/01/19	PES	Fremont	64	-52.4	S	-	-	0.251 U	-	-	-	-	0.200 U	-	-	0.251 U	-
P01	P01-05	2/12/14	SES	F&BI	5	35.5	S	-	-	-	0.020 U	-	-	-	-	-	-	-	0.060 U
	P01-10	2/12/14	SES	F&BI	10	30.5	S	-	-	-	0.020 U	-	-	-	-	-	-	-	0.060 U
P02	P02-05	2/12/14	SES	F&BI	5	34.5	S	-	-	0.16	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	P02-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	1.2	-	0.050 U	-	-	0.072	-	-	0.050 U	-
P03	P03-05	2/12/14	SES	F&BI	5	34.5	S	-	-	0.36	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
P03	P03-07.5	2/12/14	SES	F&BI	7.5	32.0	S	-	-	0.061	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
P04	P04-05	2/12/14	SES	F&BI	7.5	32.5	S	-	-	0.55	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	P04-10	2/12/14	SES	F&BI	10	30.0	S	-	-	0.025 U	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
P05	P05-05	2/12/14	SES	F&BI	5	35.0	S	-	-	0.049	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	P05-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	0.031	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
P06	P06-07.5	2/12/14	SES	F&BI	7.5	32.5	S	-	-	0.31	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
	P06-10	2/12/14	SES	F&BI	10	30.0	S	-	-	0.083	-	0.050 U	-	-	0.030 U	-	-	0.050 U	-
R-MW1	Unknown	10/22/92	Roux	Unknown	5	32.8	S	-	-	5.8	-	0.005 U	-	-	0.35	-	-	0.010 U	-
W-MW-03 (P-07)	SB-W-07-0135	1/26/12	WW	ARI	13.5-14	25.2	S	-	-	0.0038	0.0024	0.0009 U	-	-	0.0005 J	-	-	0.0009 U	0.0008 J
	SB-W-07-0275	1/26/12	WW	ARI	27.5-28	11.2	S	-	-	0.12	0.0013	0.0013	-	-	0.0053	-	-	0.0009 U	0.0018 U
	SB-W-07-0335	1/26/12	WW	ARI	33.5-34	5.2	S	-	-	18 B	0.0012	0.0008 U	-	-	0.050	-	-	0.0008 U	0.0004 J
	SB-W-07-0430	1/26/12	WW	ARI	43-43.5	-4.3	S	-	-	46 B	0.0009	0.0009	-	-	0.70	-	-	0.0008 U	0.0016 U
	SB-W-07-0530	1/26/12	WW	ARI	53-53.5	-14.3	S	-	-	18 B	0.0012	0.0009	-	-	1.1	-	-	0.0008 U	0.0016 U
	SB-W-07-0630	1/26/12	WW	ARI	63-63.5	-24.3	S	-	-	0.0012 B	0.0007 J	0.0010 U	-	-	0.0010 U	-	-	0.0010 U	0.0020 U
	SB-W-07-0780	1/26/12	WW	ARI	78-78.5	-39.3	S	-	-	0.0023 B	0.0004 J	0.0008 U	-	-	0.0008 U	-	-	0.0008 U	0.0016 U

Table G-1

On Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	–	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	–	0.002	0.79	2.3	0.004	0.83
W-MW-04 (P-08)	SB-W-08-0090	1/28/12	WW	ARI	9-9.5	26.0	S	–	–	9.5 T	0.27 U	0.22 J	–	–	2.3	–	–	0.71	0.54 U
	SB-W-08-0155	1/28/12	WW	ARI	15.5-16	19.5	S	–	–	0.38 T	0.0006 J	0.0039	–	–	0.11	–	–	0.12	0.0018 U
	SB-W-08-0265	1/28/12	WW	ARI	26.5-27	8.5	S	–	–	0.37 T	0.0006 J	0.0009 U	–	–	0.0052	–	–	0.0009 U	0.0019 U
	SB-W-08-0380	1/28/12	WW	ARI	38-38.5	-3.0	S	–	–	0.48 T	0.0008 U	–	–	–	0.0019	–	–	0.0008 U	0.0016 U
	SB-W-08-0480	1/28/12	WW	ARI	48-48.5	-13.0	S	–	–	0.025 T	0.0013	0.0009 U	–	–	0.0007 J	–	–	0.0009 U	0.0018 U
	SB-W-08-9480	1/28/12	WW	ARI	48-48.5 (dup)	-13.0	S	–	–	0.016 T	0.0008 J	0.0009 U	–	–	0.0009 U	–	–	0.0009 U	0.0018 U
	SB-W-08-0590	1/28/12	WW	ARI	59-59.5	-24.0	S	–	–	10 T	0.13 U	0.13 U	–	–	0.081 J	–	–	0.13 U	0.26 U
	SB-W-08-0710	1/29/12	WW	ARI	71-71.5	-36.0	S	–	–	9.4 T	0.20 U	0.20 U	–	–	0.33	–	–	0.20 U	0.40 U
	SB-W-08-0760	1/29/12	WW	ARI	76-76.5	-41.0	S	–	–	0.017 T	0.0009	0.0009 U	–	–	0.0009 U	–	–	0.0009 U	0.0018 U
All Data					Number of Analytes Measured			805	805	1,034	856	992	805	805	1,033	805	805	1,034	856
					Number of Analytes Detected			2	7	869	143	282	2	3	711	0	0	418	33
					Frequency of Detection			0.2%	0.9%	84.0%	16.7%	28.4%	0.2%	0.4%	68.8%	0.0%	0.0%	40.4%	3.9%
					Maximum Detection			0.000676 J	0.0271 J	16400	0.58	0.7	0.00731 J	0.254	113	–	–	17	6.02
					Minimum Detection			0.000234 U	0.000206 U	0.00029 U	0.000325 U	0.000275 U	0.000267 U	0.000778 U	0.000293 U	0.000382 U	0.00239 U	0.000306 UJ	0.0004 J
					Number Of Vadose (V) Detections above SL			0	0	8	0	0	0	–	1	0	0	0	0
					Number of Saturated (S) Detections above SL			0	0	710	3	26	2	–	557	0	0	273	4
2017-2021					Number of Analytes Measured			805	805	861	819	819	805	805	860	805	805	861	819
					Number of Analytes Detected			2	7	737	130	274	2	3	635	0	0	416	29
					Frequency of Detection			0.2%	0.9%	85.6%	15.9%	33.5%	0.2%	0.4%	73.8%	0.0%	0.0%	48.3%	3.5%
					Maximum Detection			0.000676 J	0.0271 J	16400	0.58	0.7	0.00731 J	0.254	113	–	–	17	6.02
					Minimum Detection			0.000234 U	0.000206 U	0.00029 U	0.000325 U	0.000275 U	0.000267 U	0.000778 U	0.000293 U	0.000382 U	0.00239 U	0.000306 UJ	0.000698 UJ
					Number Of Vadose (V) Detections above SL			0	0	8	0	0	0	–	1	0	0	0	0
					Number of Saturated (S) Detections above SL			0	0	581	2	24	2	–	488	0	0	271	2
Abbreviations:								Notes:											
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								All on-Property soil was excavated during Property redevelopment above elevations 0.7 to 10.7 feet, and CVOCs in soil between elevations +10 to 55 feet was treated.											
ARI = Analytical Resource, Incorporated, Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.											
B&V = Black Veatch								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.											
bgs = below ground surface								Well screen elevations provided below Sample Location. in parentheses when applicable.											
Comp = Composite Sample								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.											
dup = duplicate								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.											
EPJ = E.PJohnson Construction Inc., and Environmental								Detected results shown in bold .											
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .											
F&BI = Friedman & Bruya, Inc.								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .											
GeoEng = GeoEngineers, Inc.								– = Not available or results not analyzed.											
HC = Hart Crowser, Inc.								A = Result reported as total petroleum hydrocarbons.											
NCA = North Creek Analytical, of Bothell, Washington								B = Analyte detected in an associated method blank.											
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.											
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.											
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.											
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.											
Roux = Roux Associates								q = Sample may contain gasoline or petroleum components. Chromatographic pattern indicates the presence of gasoline constituents.											
SES = SoundEarth Strategies, Inc.								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample											
TR = TR Corporation								T = Analyte also detected in trip blank.											
Urban = Urban Redevelopment LLC								U = Not detected at a concentration exceeding laboratory reporting limit											
WW = WW Environmental LLC								ve = Estimated value. The reported range exceeds the calibration range of the analysis.											
								w = Petroleum product eluting in the C8-C9 range											
								x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.											
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.											

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
PRB-A3/PRB-C3	A3C3-3	01/16/19	PES	Pace	3	39.7	V	0.904 U	–	–	–	0.000533 U	0.000293 U	0.000416 U	0.000942 U	0.000720 U	0.000613 U	0.000533 U	0.000746 U	0.000666 U	0.00544 U
	A3C3-6	01/16/19	PES	Pace	6	36.7	V	0.973 U	–	–	–	0.000574 U	0.000315 U	0.000447 U	0.00101 U	0.000774 U	0.000660 U	0.000574 U	0.000803 U	0.000717 U	0.00585 U
	A3C3-8	01/16/19	PES	Pace	8	34.7	V	12.9	–	–	–	0.00100 U	0.000550 U	0.000780 U	0.00176 U	0.00135 U	0.00115 U	0.00100 U	0.00140 U	0.00125 U	0.0102 U
	A3C3-10	02/13/19	PES	Pace	10	32.7	S	3.52	–	–	–	0.000679 U	0.000373 U	0.000530 U	0.00120 U	0.000917 U	0.000781 U	0.000679 U	0.000951 U	0.000849 U	0.00693 U
	A3C3-15	02/13/19	PES	Pace	15	27.7	S	4.42	–	–	–	0.000578 U	0.000318 U	0.000451 U	0.00102 U	0.000780 U	0.000665 U	0.000578 U	0.000809 U	0.000722 U	0.00589 U
	A3C3-20	02/13/19	PES	Pace	20	22.7	S	1.38 J	–	–	–	0.000572 U	0.000315 U	0.000446 U	0.00101 U	0.000772 U	0.000658 U	0.000572 U	0.000801 U	0.000715 U	0.00584 U
	A3C3-25	02/13/19	PES	Pace	25	17.7	S	1.01 U	–	–	–	0.000596 U	0.000328 U	0.000465 U	0.00105 U	0.000805 U	0.000686 U	0.000596 U	0.000835 U	0.000746 U	0.00608 U
	A3C3-32	02/13/19	PES	Pace	32	10.7	S	1.37 J	–	–	–	0.000576 U	0.000317 U	0.000449 U	0.00102 U	0.000778 U	0.000663 U	0.000576 U	0.000807 U	0.000720 U	0.00588 U
	A3C3-35	02/13/19	PES	Pace	35	7.7	S	1.21 J	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.000998 U	0.000763 U	0.000650 U	0.000565 U	0.000791 U	0.000706 U	0.00576 U
	A3C3-40	02/13/19	PES	Pace	40	2.7	S	2.31 J	–	–	–	0.000615 U	0.000338 U	0.000480 U	0.00109 U	0.000831 U	0.000708 U	0.000615 U	0.000861 U	0.000769 U	0.00628 U
	A3C3-45	02/13/19	PES	Pace	45	-2.3	S	1.27 J	–	–	–	0.000567 U	0.000312 U	0.000443 U	0.00100 U	0.000766 U	0.000653 U	0.000567 U	0.000794 U	0.000709 U	0.00579 U
	A3C3-50	02/13/19	PES	Pace	50	-7.3	S	1.40 J	–	–	–	0.000590 U	0.000324 U	0.000460 U	0.00104 U	0.000796 U	0.000678 U	0.000590 U	0.000826 U	0.000737 U	0.00602 U
PRB-A9/PRB-C9	A9C9-3	01/21/19	PES	Pace	3	40.1	V	–	–	–	–	0.000844 U	0.000464 U	0.000658 U	0.00148 U	0.00114 U	0.000971 U	0.000844 U	0.00118 U	0.00105 U	0.00861 U
	A9C9-6	01/21/19	PES	Pace	6	37.1	V	–	–	–	–	0.000613 U	0.000337 U	0.000478 U	0.00108 U	0.000827 U	0.000704 U	0.000613 U	0.000858 U	0.000766 U	0.00625 U
	A9C9-10	01/21/19	PES	Pace	10	33.1	S	–	–	–	–	0.000578 U	0.000318 U	0.000451 U	0.00102 U	0.000780 U	0.000664 U	0.000578 U	0.000809 U	0.000722 U	0.00589 U
	A9C9-15	02/07/19	PES	Pace	15	28.1	S	–	–	–	–	0.000583 U	0.000321 U	0.000455 U	0.00103 U	0.000788 U	0.000671 U	0.000583 U	0.000817 U	0.000729 U	0.00595 U
	A9C9-20	02/07/19	PES	Pace	20	23.1	S	–	–	–	–	0.000575 U	0.000316 U	0.000448 U	0.00101 U	0.000776 U	0.000661 U	0.000575 U	0.000805 U	0.000718 U	0.00586 U
	A9C9-25	02/07/19	PES	Pace	25	18.1	S	–	–	–	–	0.000538 U	0.000296 U	0.000420 U	0.000950 U	0.000726 U	0.000619 U	0.000538 U	0.000753 U	0.000673 U	0.00549 U
	A9C9-32	02/07/19	PES	Pace	32	11.1	S	–	–	–	–	0.000534 U	0.000294 U	0.000417 U	0.000943 U	0.000721 U	0.000614 U	0.00349	0.000748 U	0.000668 U	0.00545 U
	A9C9-35	02/07/19	PES	Pace	35	8.1	S	–	–	–	–	0.000529 U	0.000291 U	0.000413 U	0.000934 U	0.000714 U	0.000609 U	0.000529 U	0.000741 U	0.000661 U	0.00540 U
	A9C9-40	02/07/19	PES	Pace	40	3.1	S	–	–	–	–	0.000536 U	0.000295 U	0.000418 U	0.000947 U	0.000724 U	0.000617 U	0.00636	0.000751 U	0.000670 U	0.00547 U
	A9C9-45	02/07/19	PES	Pace	45	-1.9	S	–	–	–	–	0.000523 U	0.000288 U	0.000408 U	0.000924 U	0.000706 U	0.000602 U	0.000523 U	0.000732 U	0.000654 U	0.00534 U
	A9C9-50	02/07/19	PES	Pace	50	-6.9	S	–	–	–	–	0.000538 U	0.000296 U	0.000419 U	0.000949 U	0.000726 U	0.000618 U	0.000538 U	0.000753 U	0.000672 U	0.00548 U
	B-931-50	02/07/19	PES	Pace	50 (dup)	-6.9	S	–	–	–	–	0.000538 U	0.000296 U	0.000420 U	0.000950 U	0.000727 U	0.000619 U	0.000538 U	0.000753 U	0.000673 U	0.00549 U
PRB-B1/PRB-D1	B1D1-11	01/17/19	PES	Pace	11	30.8	S	2.42 J	–	–	–	0.000584 U	0.000321 U	0.000456 U	0.00103 U	0.000789 U	0.000672 U	0.000584 U	0.000818 U	0.000730 U	0.00596 U
	B1D1-15	01/17/19	PES	Pace	15	26.8	S	1.67 J	–	–	–	0.000764 U	0.000420 U	0.000596 U	0.00135 U	0.00103 U	0.000879 U	0.000764 U	0.00107 U	0.000955 U	0.00780 U
	B1D1-20	01/17/19	PES	Pace	20	21.8	S	1.67 J	–	–	–	0.000614 U	0.000338 U	0.000479 U	0.00108 U	0.000829 U	0.000706 U	0.000614 U	0.000859 U	0.000767 U	0.00626 U
	B1D1-25	01/17/19	PES	Pace	25	16.8	S	1.89 J	–	–	–	0.000695 U	0.000382 U	0.000542 U	0.00123 U	0.000939 U	0.000800 U	0.000695 U	0.000974 U	0.000869 U	0.00709 U
	B1D1-31	01/17/19	PES	Pace	31	10.8	S	1.07 J	–	–	–	0.000544 U	0.000299 U	0.000424 U	0.000961 U	0.000735 U	0.000626 U	0.000544 U	0.000762 U	0.000680 U	0.00555 U
	B1D1-35	01/17/19	PES	Pace	35	6.8	S	1.05 J	–	–	–	0.000612 U	0.000337 U	0.000478 U	0.00108 U	0.000827 U	0.000704 U	0.000612 U	0.000857 U	0.000766 U	0.00625 U
	B1D1-40	01/17/19	PES	Pace	40	1.8	S	0.969 J	–	–	–	0.000559 U	0.000307 U	0.000436 U	0.000987 U	0.000755 U	0.000643 U	0.000559 U	0.000783 U	0.000699 U	0.00570 U
	B1D1-45	01/17/19	PES	Pace	45	-3.3	S	1.18 J	–	–	–	0.000572 U	0.000315 U	0.000446 U	0.00101 U	0.000773 U	0.000658 U	0.000572 U	0.000801 U	0.000715 U	0.00584 U
	B1D1-50	01/17/19	PES	Pace	50	-8.3	S	1.69 J	–	–	–	0.000578 U	0.000318 U	0.000450 U	0.00102 U	0.000780 U	0.000664 U	0.000578 U	0.000809 U	0.000722 U	0.00589 U
PRB-B2/PRB-D2	B2D2-3	01/16/19	PES	Pace	3	38.8	V	0.924 U	–	–	–	0.000545 U	0.000300 U	0.000425 U	0.000963 U	0.000736 U	0.000627 U	0.000545 U	0.000763 U	0.000681 U	0.00556 U
	B2D2-6	01/16/19	PES	Pace	6	35.8	V	4.28	–	–	–	0.000696 U	0.000383 U	0.000543 U	0.00123 U	0.000940 U	0.000801 U	0.000696 U	0.000975 U	0.000870 U	0.00710 U
	B2D2-10	01/21/19	PES	Pace	10	31.8	S	24.9	–	–	–	0.00109 U	0.000601 U	0.000845 U	0.00193 U	0.00148 U	0.00126 U	0.00108 U	0.00153 U	0.00137 U	0.0111 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
PRB-B4/PRB-D4	B4D4-3	01/17/19	PES	Pace	3	39.7	V	–	–	–	–	0.000566 U	0.000311 U	0.000441 U	0.000999 U	0.000764 U	0.000651 U	0.000566 U	0.000792 U	0.000707 U	0.00577 U
	B4D4-6	01/17/19	PES	Pace	6	36.7	V	–	–	–	–	0.000787 U	0.000432 U	0.000607 U	0.00139 U	0.00106 U	0.000904 U	0.000779 U	0.00110 U	0.000973 U	0.00803 U
	B4D4-10	01/17/19	PES	Pace	10	32.7	S	–	–	–	–	0.000635 U	0.000349 U	0.000495 U	0.00112 U	0.000857 U	0.000730 U	0.000635 U	0.000889 U	0.000794 U	0.00648 U
PRB-B5/PRB-D5	B5D5-10	02/14/19	PES	Pace	10	32.9	S	–	–	–	–	0.000586 U	0.000322 U	0.000457 U	–	0.000791 U	0.000674 U	0.000586 U	0.000820 U	0.000732 U	0.00598 U
	B5D5-15	02/14/19	PES	Pace	15	27.9	S	–	–	–	–	0.000582 U	0.000320 U	0.000454 U	–	0.000786 U	0.000669 U	0.000582 U	0.000815 U	0.000728 U	0.00594 U
	B5D5-20	02/14/19	PES	Pace	20	22.9	S	–	–	–	–	0.000584 U	0.000321 U	0.000456 U	0.00103 U	0.000788 U	0.000672 U	0.000584 U	0.000818 U	0.000730 U	0.00596 U
	B5D5-25	02/14/19	PES	Pace	25	17.9	S	–	–	–	–	0.000589 U	0.000324 U	0.000460 U	0.00104 U	0.000795 U	0.000677 U	0.000589 U	0.000825 U	0.000736 U	0.00601 U
	B5D5-32	02/14/19	PES	Pace	32	10.9	S	–	–	–	–	0.000568 U	0.000312 U	0.000443 U	0.00100 U	0.000767 U	0.000653 U	0.000568 U	0.000795 U	0.000710 U	0.00579 U
	B5D5-35	02/14/19	PES	Pace	35	7.9	S	–	–	–	–	0.000551 U	0.000303 U	0.000430 U	0.000973 U	0.000744 U	0.000633 U	0.000568 U	0.000771 U	0.000689 U	0.00562 U
	B5D5-40	02/14/19	PES	Pace	40	2.9	S	–	–	–	–	0.000551 U	0.000303 U	0.000430 U	0.000974 U	0.000744 U	0.000634 U	0.000568 U	0.000772 U	0.000689 U	0.00562 U
	B5D5-45	02/14/19	PES	Pace	45	-2.1	S	–	–	–	–	0.000538 U	0.000296 U	0.000419 U	0.000950 U	0.000726 U	0.000618 U	0.000538 U	0.000753 U	0.000672 U	0.00548 U
	B5D5-50	02/14/19	PES	Pace	50	-7.1	S	–	–	–	–	0.000521 U	0.000287 U	0.000407 U	0.000921 U	0.000704 U	0.000599 U	0.000521 U	0.000730 U	0.000652 U	0.00532 U
	B-932-50	02/14/19	PES	Pace	50 (dup)	-7.1	S	–	–	–	–	0.000531 U	0.000292 U	0.000414 U	0.000937 U	0.000716 U	0.000610 U	0.000531 U	0.000743 U	0.000663 U	0.00541 U
PRB-B6/PRB-D6	B6D6-17	02/20/19	PES	Pace	17	25.9	S	–	–	–	–	0.000575 U	0.000316 U	0.000448 U	0.00102 U	0.000776 U	0.000661 U	0.000575 U	0.000805 U	0.000719 U	0.00586 U
	B6D6-20	02/20/19	PES	Pace	20	22.9	S	–	–	–	–	0.000581 U	0.000319 U	0.000453 U	0.00103 U	0.000784 U	0.000668 U	0.000581 U	0.000813 U	0.000726 U	0.00592 U
	B6D6-25	02/20/19	PES	Pace	25	17.9	S	–	–	–	–	0.000595 U	0.000327 U	0.000464 U	0.00105 U	0.000803 U	0.000684 U	0.000595 U	0.000833 U	0.000744 U	0.00607 U
	B6D6-32	02/20/19	PES	Pace	32	10.9	S	–	–	–	–	0.000602 U	0.000331 U	0.000470 U	0.00106 U	0.000813 U	0.000693 U	0.000595 U	0.000843 U	0.000753 U	0.00614 U
	B6D6-35	02/20/19	PES	Pace	35	7.9	S	–	–	–	–	0.000543 U	0.000299 U	0.000423 U	0.000959 U	0.000733 U	0.000624 U	0.000535	0.000760 U	0.000678 U	0.00554 U
	B6D6-40	02/20/19	PES	Pace	40	2.9	S	–	–	–	–	0.000590 U	0.000325 U	0.000461 U	0.00104 U	0.000797 U	0.000679 U	0.000590 U	0.000827 U	0.000738 U	0.00602 U
	B6D6-45	02/20/19	PES	Pace	45	-2.1	S	–	–	–	–	0.00110 U	0.000607 U	0.000861 U	0.00195 U	0.00149 U	0.00127 U	0.000590 U	0.00155 U	0.00138 U	0.0113 U
	B6D6-50	02/20/19	PES	Pace	50	-7.1	S	–	–	–	–	0.000535 U	0.000294 U	0.000418 U	0.000945 U	0.000723 U	0.000616 U	0.000535 U	0.000749 U	0.000669 U	0.00546 U
	B-933-50	02/20/19	PES	Pace	50 (dup)	-7.1	S	–	–	–	–	0.000550 U	0.000303 U	0.000429 U	0.000971 U	0.000743 U	0.000633 U	0.000535 U	0.000770 U	0.000688 U	0.00561 U
PRB-B10/PRB-D10	B10D10-15	02/21/19	PES	Pace	15	30.1	S	–	–	–	–	0.000630 U	0.000347 U	0.000492 U	0.00111 U	0.000851 U	0.000725 U	0.000630 U	0.000883 U	0.000788 U	0.00643 U
	B10D10-20	02/21/19	PES	Pace	20	25.1	S	–	–	–	–	0.000604 U	0.000332 U	0.000471 U	0.00107 U	0.000815 U	0.000694 U	0.000604 U	0.000845 U	0.000755 U	0.00616 U
	B10D10-25	02/21/19	PES	Pace	25	20.1	S	–	–	–	–	0.000565 U	0.000311 U	0.000441 U	0.000998 U	0.000763 U	0.000650 U	0.000604 U	0.000791 U	0.000706 U	0.00576 U
	B10D10-30	02/21/19	PES	Pace	30	15.1	S	–	–	–	–	0.000561 U	0.000309 U	0.000438 U	0.000991 U	0.000758 U	0.000646 U	0.000604 U	0.000786 U	0.000702 U	0.00573 U
	B10D10-35	02/21/19	PES	Pace	35	10.1	S	–	–	–	–	0.000549 U	0.000302 U	0.000428 U	0.000969 U	0.000741 U	0.000631 U	0.000604 U	0.000768 U	0.000686 U	0.00560 U
	B10D10-40	02/21/19	PES	Pace	40	5.1	S	–	–	–	–	0.000571 U	0.000314 U	0.000445 U	0.00101 U	0.000771 U	0.000657 U	0.000604 U	0.000799 U	0.000714 U	0.00582 U
	B10D10-45	02/21/19	PES	Pace	45	0.1	S	–	–	–	–	0.00876 U	0.00482 U	0.00683 U	0.0155 U	0.0118 U	0.0101 U	0.00876 U	0.0122 U	0.0109 U	0.0893 U
	B10D10-50	02/21/19	PES	Pace	50	-4.9	S	–	–	–	–	0.000554 U	0.000305 U	0.000432 U	0.000978 U	0.000748 U	0.000637 U	0.000604 U	0.000775 U	0.000692 U	0.00565 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
PRB-B11/PRB-D11	B11D11-10	01/15/19	PES	Pace	10	35.1	V	–	–	–	–	0.000674 U	0.000370 U	0.000520 U	0.00119 U	0.000910 U	0.000775 U	0.000668 U	0.000944 U	0.000843 U	0.00688 U
	B11D11-15	01/15/19	PES	Pace	15	30.1	S	–	–	–	–	0.000544 U	0.000299 U	0.000425 U	0.000961 U	0.000735 U	0.000626 U	0.000544 U	0.000762 U	0.000680 U	0.00555 U
	B11D11-20	01/15/19	PES	Pace	20	25.1	S	–	–	–	–	0.000574 U	0.000316 U	0.000448 U	0.00101 U	0.000775 U	0.000660 U	0.000574 U	0.000804 U	0.000718 U	0.00586 U
	B11D11-27	01/15/19	PES	Pace	27	18.1	S	–	–	–	–	0.000549 U	0.000302 U	0.000428 U	0.000969 U	0.000741 U	0.000631 U	0.000549 U	0.000768 U	0.000686 U	0.00560 U
	B11D11-30	01/15/19	PES	Pace	30	15.1	S	–	–	–	–	0.000519 U	0.000286 U	0.000405 U	0.000917 U	0.000701 U	0.000597 U	0.000519 U	0.000727 U	0.000649 U	0.00529 U
	B11D11-35	01/15/19	PES	Pace	35	10.1	S	–	–	–	–	0.000559 U	0.000308 U	0.000436 U	0.000988 U	0.000755 U	0.000643 U	0.00171 J	0.000783 U	0.000699 U	0.00570 U
	B11D11-40	01/15/19	PES	Pace	40	5.1	S	–	–	–	–	0.000546 U	0.000300 U	0.000426 U	0.000964 U	0.000737 U	0.000628 U	0.000546 U	0.000764 U	0.000682 U	0.00557 U
	B11D11-46	01/15/19	PES	Pace	46	-0.9	S	–	–	–	–	0.000564 U	0.000310 U	0.000440 U	0.000995 U	0.000761 U	0.000648 U	0.000564 U	0.000789 U	0.000704 U	0.00575 U
	B-928-46	01/15/19	PES	Pace	46 (dup)	-0.9	S	–	–	–	–	0.000562 U	0.000309 U	0.000439 U	0.000993 U	0.000759 U	0.000647 U	0.000562 U	0.000787 U	0.000703 U	0.00574 U
PRB-B13/PRB-D13	B11D11-50	01/15/19	PES	Pace	50	-4.9	S	–	–	–	–	0.000667 U	0.000367 U	0.000520 U	0.00118 U	0.000900 U	0.000767 U	0.000667 U	0.000933 U	0.000833 U	0.00680 U
	B13D13-10	03/21/19	PES	Pace	10	37.5	V	–	–	–	–	0.000570 U	0.000314 U	0.000445 U	0.00101 U	0.000770 U	0.000656 U	0.000570 U	0.000798 U	0.000713 U	0.00582 U
	B13D13-20	03/21/19	PES	Pace	20	27.5	S	–	–	–	–	0.000592 U	0.000326 U	0.000462 U	0.00105 U	0.000800 U	0.000681 U	0.000592 U	0.000829 U	0.000740 U	0.00604 U
	B13D13-30	03/21/19	PES	Pace	30	17.5	S	–	–	–	–	0.000574 U	0.000316 U	0.000448 U	0.00101 U	0.000775 U	0.000661 U	0.000574 U	0.000804 U	0.000718 U	0.00586 U
	B13D13-40	03/21/19	PES	Pace	40	7.5	S	–	–	–	–	0.000534 U	0.000293 U	0.000416 U	0.000942 U	0.000720 U	0.000614 U	0.000534 U	0.000747 U	0.000667 U	0.00544 U
PRB-B16/PRB-D16	B13D13-50	03/21/19	PES	Pace	50	-2.5	S	–	–	–	–	0.000549 U	0.000302 U	0.000428 U	0.000970 U	0.000741 U	0.000632 U	0.000549 U	0.000769 U	0.000687 U	0.00560 U
	B16D16-15	03/13/19	PES	Pace	15	34.5	S	–	–	–	–	0.00235 U	0.00129 U	0.00183 U	0.00415 U	0.00317 U	0.00270 U	0.00235 U	0.00329 U	0.00294 U	0.0240 U
	B16D16-20	03/13/19	PES	Pace	20	29.5	S	–	–	–	–	0.000547 U	0.000301 U	0.000427 U	0.000966 U	0.000738 U	0.000629 U	0.000547 U	0.000766 U	0.000684 U	0.00558 U
	B16D16-25	03/13/19	PES	Pace	25	24.5	S	–	–	–	–	0.000536 U	0.000295 U	0.000418 U	0.000946 U	0.000723 U	0.000616 U	0.000536 U	0.000750 U	0.000669 U	0.00546 U
	B16D16-30	03/13/19	PES	Pace	30	19.5	S	–	–	–	–	0.000550 U	0.000302 U	0.000429 U	0.000970 U	0.000742 U	0.000632 U	0.000550 U	0.000769 U	0.000687 U	0.00560 U
	B16D16-35	03/13/19	PES	Pace	35	14.5	S	–	–	–	–	0.000550 U	0.000302 U	0.000429 U	0.000971 U	0.000742 U	0.000632 U	0.00288	0.000770 U	0.000687 U	0.00561 U
	B16D16-40	03/13/19	PES	Pace	40	9.5	S	–	–	–	–	0.000583 U	0.000321 U	0.000455 U	0.00103 U	0.000787 U	0.000670 U	0.00492	0.000816 U	0.000729 U	0.00595 U
	B16D16-45	03/13/19	PES	Pace	45	4.5	S	–	–	–	–	0.000534 U	0.000294 U	0.000417 U	0.000944 U	0.000721 U	0.000615 U	0.00152 J	0.000748 U	0.000668 U	0.00545 U
	B16D16-50	03/13/19	PES	Pace	50	-0.5	S	–	–	–	–	0.000544 U	0.000299 U	0.000424 U	0.000961 U	0.000734 U	0.000626 U	0.000721 J	0.000762 U	0.000680 U	0.00555 U
	B16D16-55	03/13/19	PES	Pace	55	-5.5	S	–	–	–	–	0.00246 U	0.00135 U	0.00191 U	0.00433 U	0.00331 U	0.00282 U	0.00246 U	0.00344 U	0.00307 U	0.0251 U
	B16D16-60	03/13/19	PES	Pace	60	-10.5	S	–	–	–	–	0.000532 U	0.000293 U	0.000415 U	0.000940 U	0.000718 U	0.000612 U	0.000532 U	0.000745 U	0.000665 U	0.00543 U
	B16D16-65	03/13/19	PES	Pace	65	-15.5	S	–	–	–	–	0.000547 U	0.000301 U	0.000427 U	0.000966 U	0.000739 U	0.000629 U	0.000547 U	0.000766 U	0.000684 U	0.00558 U
	B16D16-70	03/13/19	PES	Pace	70	-20.5	S	–	–	–	–	0.000560 U	0.000308 U	0.000437 U	0.000990 U	0.000757 U	0.000645 U	0.000560 U	0.000785 U	0.000701 U	0.00572 U
	B16D16-75	03/13/19	PES	Pace	75	-25.5	S	–	–	–	–	0.000549 U	0.000302 U	0.000428 U	0.000969 U	0.000741 U	0.000631 U	0.000549 U	0.000769 U	0.000686 U	0.00560 U
	B16D16-80	03/13/19	PES	Pace	80	-30.5	S	–	–	–	–	0.000558 U	0.000307 U	0.000435 U	0.000985 U	0.000753 U	0.000642 U	0.000558 U	0.000781 U	0.000697 U	0.00569 U
	B16D16-85	03/13/19	PES	Pace	85	-35.5	S	–	–	–	–	0.000555 U	0.000305 U	0.000433 U	0.000979 U	0.000749 U	0.000638 U	0.000555 U	0.000776 U	0.000693 U	0.00566 U
	B16D16-90	03/13/19	PES	Pace	90	-40.5	S	–	–	–	–	0.000565 U	0.000311 U	0.000440 U	0.000997 U	0.000762 U	0.000649 U	0.000565 U	0.000791 U	0.000706 U	0.00576 U
	B16D16-95	03/13/19	PES	Pace	95	-45.5	S	–	–	–	–	0.000582 U	0.000320 U	0.000454 U	0.00103 U	0.000786 U	0.000670 U	0.000582 U	0.000815 U	0.000728 U	0.00594 U
	B16D16-100	03/13/19	PES	Pace	100	-50.5	S	–	–	–	–	0.000579 U	0.000319 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
	B16D16-105	03/13/19	PES	Pace	105	-55.5	S	–	–	–	–	0.000570 U	0.000313 U	0.000445 U	0.00101 U	0.000769 U	0.000655 U	0.000570 U	0.000798 U	0.000712 U	0.00581 U
	B-934-105	03/13/19	PES	Pace	105 (dup)	-55.5	S	–	–	–	–	0.000571 U	0.000314 U	0.000445 U	0.00101 U	0.000770 U	0.000656 U	0.000571 U	0.000799 U	0.000713 U	0.00582 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07
PRB-B18/PRB-D18	B18D18-10	03/22/19	PES	Pace	10	41.0	V	–	–	–	–	0.000583 U	0.000321 U	0.000455 U	0.00103 U	0.000788 U	0.000671 U	0.000583 U	0.000817 U	0.000729 U	0.00595 U
	B18D18-20	03/22/19	PES	Pace	20	31.0	S	–	–	–	–	0.000556 U	0.000306 U	0.000434 U	0.000982 U	0.000751 U	0.000639 U	0.000556 U	0.000778 U	0.000695 U	0.00567 U
	B18D18-30	03/22/19	PES	Pace	30	21.0	S	–	–	–	–	0.000551 U	0.000303 U	0.000429 U	0.000972 U	0.000743 U	0.000633 U	0.000551 U	0.000771 U	0.000688 U	0.00562 U
	B18D18-40	03/22/19	PES	Pace	40	11.0	S	–	–	–	–	0.000552 U	0.000303 U	0.000430 U	0.000974 U	0.000745 U	0.000634 U	0.000552 U	0.000772 U	0.000690 U	0.00563 U
	B18D18-50	03/22/19	PES	Pace	50	1.0	S	–	–	–	–	0.000542 U	0.000298 U	0.000423 U	0.000957 U	0.000732 U	0.000623 U	0.000542 U	0.000759 U	0.000677 U	0.00553 U
PRB-B19/PRB-D19	B19D19-10	03/18/19	PES	Pace	10	42.5	V	–	–	–	–	0.000551 U	0.000303 U	0.000430 U	0.000973 U	0.000744 U	0.000634 U	0.000551 U	0.000772 U	0.000689 U	0.00562 U
	B19D19-15	03/18/19	PES	Pace	15	37.5	V	–	–	–	–	0.000617 U	0.000340 U	0.000481 U	0.00109 U	0.000833 U	0.000710 U	0.000617 U	0.000864 U	0.000770 U	0.00630 U
	B19D19-20	03/18/19	PES	Pace	20	32.5	S	–	–	–	–	0.000584 U	0.000321 U	0.000455 U	0.00103 U	0.000788 U	0.000671 U	0.000584 U	0.000817 U	0.000730 U	0.00595 U
	B19D19-25	03/18/19	PES	Pace	25	27.5	S	–	–	–	–	0.000620 U	0.000341 U	0.000483 U	0.00110 U	0.000837 U	0.000713 U	0.000620 U	0.000868 U	0.000775 U	0.00632 U
	B19D19-30	03/18/19	PES	Pace	30	22.5	S	–	–	–	–	0.000575 U	0.000316 U	0.000448 U	0.00101 U	0.000776 U	0.000661 U	0.000575 U	0.000805 U	0.000718 U	0.00586 U
	B19D19-35	03/18/19	PES	Pace	35	17.5	S	–	–	–	–	0.000567 U	0.000312 U	0.000442 U	0.00100 U	0.000765 U	0.000652 U	0.000567 U	0.000794 U	0.000709 U	0.00578 U
	B19D19-40	03/18/19	PES	Pace	40	12.5	S	–	–	–	–	0.000582 U	0.000320 U	0.000454 U	0.00103 U	0.000786 U	0.000670 U	0.000582 U	0.000815 U	0.000728 U	0.00594 U
	B19D19-45	03/18/19	PES	Pace	45	7.5	S	–	–	–	–	0.000579 U	0.000319 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00590 U
	B19D19-50	03/18/19	PES	Pace	50	2.5	S	–	–	–	–	0.000573 U	0.000315 U	0.000447 U	0.00101 U	0.000774 U	0.000659 U	0.000573 U	0.000803 U	0.000717 U	0.00585 U
	B19D19-55	03/18/19	PES	Pace	55	-2.5	S	–	–	–	–	0.000576 U	0.000317 U	0.000449 U	0.00102 U	0.000778 U	0.000663 U	0.000576 U	0.000807 U	0.000720 U	0.00588 U
	B19D19-60	03/18/19	PES	Pace	60	-7.5	S	–	–	–	–	0.000560 U	0.000308 U	0.000437 U	0.000989 U	0.000756 U	0.000644 U	0.000560 U	0.000784 U	0.000700 U	0.00571 U
	B19D19-65	03/18/19	PES	Pace	65	-12.5	S	–	–	–	–	0.000634 U	0.000349 U	0.000495 U	0.00112 U	0.000856 U	0.000729 U	0.000634 U	0.000888 U	0.000793 U	0.00648 U
	B19D19-70	03/18/19	PES	Pace	70	-17.5	S	–	–	–	–	0.000610 U	0.000336 U	0.000476 U	0.00108 U	0.000824 U	0.000702 U	0.000610 U	0.000854 U	0.000763 U	0.00622 U
	B19D19-75	03/18/19	PES	Pace	75	-22.5	S	–	–	–	–	0.000594 U	0.000327 U	0.000464 U	0.00105 U	0.000803 U	0.000684 U	0.000594 U	0.000832 U	0.000743 U	0.00606 U
	B19D19-80	03/18/19	PES	Pace	80	-27.5	S	–	–	–	–	0.000566 U	0.000311 U	0.000442 U	0.00100 U	0.000765 U	0.000651 U	0.000566 U	0.000793 U	0.000708 U	0.00578 U
	B19D19-85	03/18/19	PES	Pace	85	-32.5	S	–	–	–	–	0.000607 U	0.000334 U	0.000474 U	0.00107 U	0.000820 U	0.000698 U	0.000607 U	0.000850 U	0.000759 U	0.00619 U
	B19D19-90	03/18/19	PES	Pace	90	-37.5	S	–	–	–	–	0.000630 U	0.000346 U	0.000491 U	0.00111 U	0.000850 U	0.000724 U	0.000630 U	0.000881 U	0.000787 U	0.00642 U
	B19D19-95	03/18/19	PES	Pace	95	-42.5	S	–	–	–	–	0.000599 U	0.000330 U	0.000468 U	0.00106 U	0.000809 U	0.000689 U	0.000599 U	0.000839 U	0.000749 U	0.00611 U
	B19D19-100	03/18/19	PES	Pace	100	-47.5	S	–	–	–	–	0.000609 U	0.000335 U	0.000475 U	0.00108 U	0.000822 U	0.000700 U	0.000609 U	0.000852 U	0.000761 U	0.00621 U
	B19D19-105	03/18/19	PES	Pace	105	-52.5	S	–	–	–	–	0.000558 U	0.000307 U	0.000435 U	0.000985 U	0.000753 U	0.000641 U	0.000558 U	0.000781 U	0.000697 U	0.00569 U
	B19D19-110	03/18/19	PES	Pace	110	-57.5	S	–	–	–	–	0.000630 U	0.000346 U	0.000491 U	0.00111 U	0.000850 U	0.000724 U	0.000630 U	0.000881 U	0.000787 U	0.00642 U
	B-935-40	03/18/19	PES	Pace	110 (dup)	-57.5	S	–	–	–	–	0.000671 U	0.000369 U	0.000523 U	0.00118 U	0.000906 U	0.000772 U	0.000671 U	0.000939 U	0.000838 U	0.00685 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	–	0.20	2.4E-06	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	–	0.030	1.5E-07	
PRB-B21/PRB-D21	B21D21-10	03/25/19	PES	Pace	10	44.0	V	–	–	–	–	0.000573 U	0.000316 U	0.000447 U	0.00101 U	0.000774 U	0.000660 U	0.000573 U	0.000803 U	0.000716 U	0.00585 U	
	B21D21-20	03/25/19	PES	Pace	20	34.0	S	–	–	–	–	0.000592 U	0.000325 U	0.000461 U	0.00105 U	0.000799 U	0.000680 U	0.000592 U	0.000828 U	0.000739 U	0.00604 U	
	B21D21-30	03/25/19	PES	Pace	30	24.0	S	–	–	–	–	0.000539 U	0.000296 U	0.000420 U	0.000952 U	0.000728 U	0.000620 U	0.000539 U	0.000755 U	0.000674 U	0.00550 U	
	B21D21-40	03/25/19	PES	Pace	40	14.0	S	–	–	–	–	0.000554 U	0.000305 U	0.000432 U	0.000978 U	0.000748 U	0.000637 U	0.000554 U	0.000776 U	0.000693 U	0.00565 U	
	B21D21-50	03/25/19	PES	Pace	50	4.0	S	–	–	–	–	0.000566 U	0.000311 U	0.000442 U	0.00100 U	0.000765 U	0.000651 U	0.000566 U	0.000793 U	0.000708 U	0.00578 U	
	B21D21-60	03/26/19	PES	Pace	60	-6.0	S	–	–	–	–	0.000546 U	0.000300 U	0.000426 U	0.000964 U	0.000737 U	0.000628 U	0.000546 U	0.000764 U	0.000682 U	0.00557 U	
	B-936-60	03/26/19	PES	Pace	60 (dup)	-6.0	S	–	–	–	–	0.000547 U	0.000301 U	0.000427 U	0.000967 U	0.000739 U	0.000629 U	0.000547 U	0.000766 U	0.000684 U	0.00558 U	
All Data								Number of Analytes Measured	24	0	0	0	128	128	128	126	128	128	128	128	128	128
								Number of Analytes Detected	20	0	0	0	0	0	0	0	0	17	0	0	0	
								Frequency of Detection	83.3%	–	–	–	0.0%	0.0%	0.0%	0.0%	0.0%	13.3%	0.0%	0.0%	0.0%	
								Maximum Detection	24.9	–	–	–	–	–	–	–	–	0.00763	–	–	–	
								Minimum Detection	0.904 U	–	–	–	0.000519 U	0.000286 U	0.000405 U	0.000917 U	0.000701 U	0.000597 U	0.000519 U	0.000727 U	0.000649 U	0.00529 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	0	0	0	0	0	–	0	0
								Number of Saturated (S) Detections above SL	0	0	0	0	0	0	0	0	4	–	0	0		
2017-2021								Number of Analytes Measured	24	0	0	0	128	128	128	126	128	128	128	128	128	128
								Number of Analytes Detected	20	0	0	0	0	0	0	0	0	17	0	0	0	
								Frequency of Detection	83.3%	–	–	–	0.0%	0.0%	0.0%	0.0%	0.0%	13.3%	0.0%	0.0%	0.0%	
								Maximum Detection	24.9	–	–	–	–	–	–	–	–	0.00763	–	–	–	
								Minimum Detection	0.904 U	–	–	–	0.000519 U	0.000286 U	0.000405 U	0.000917 U	0.000701 U	0.000597 U	0.000519 U	0.000727 U	0.000649 U	0.00529 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	0	0	0	0	0	–	0	0
								Number of Saturated (S) Detections above SL	0	0	0	0	0	0	0	4	–	0	0			
Notes and Abbreviations: Soil between elevations +10 to 55 feet was treated. Petroleum Hydrocarbons (PHCs) analyzed by Ecology Method NWTPH-Gx. VOCs analyzed by EPA Method 8260C or D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. – = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. bgs = below ground surface dup = duplicate Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																						

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
PRB-A3/PRB-C3	A3C3-3	01/16/19	PES	Pace	3	39.7	V	0.00123 U	0.00514 U	0.00124 U	0.00544 U	0.000560 U	0.00155 U	0.000507 U	0.00135 U	0.00115 U	0.00181 U	0.00187 U	0.00210 U	0.000846 U
	A3C3-6	01/16/19	PES	Pace	6	36.7	V	0.00263 J	0.00553 U	0.00472 J	0.00585 U	0.000602 U	0.00166 U	0.000545 U	0.00146 U	0.00135 J	0.00195 U	0.00201 U	0.00226 U	0.000910 U
	A3C3-8	01/16/19	PES	Pace	8	34.7	V	0.00354 J	0.00964 U	0.00457 J	0.0102 U	0.00105 U	0.00290 U	0.000950 U	0.00254 U	0.00216 U	0.00340 U	0.00350 U	0.00394 U	0.00159 U
	A3C3-10	02/13/19	PES	Pace	10	32.7	S	0.00375 J	0.00655 U	0.00265 J	0.00693 U	0.000713 U	0.00197 U	0.000645 U	0.00172 U	0.00147 U	0.00231 U	0.00238 U	0.00268 U	0.00108 U
	A3C3-15	02/13/19	PES	Pace	15	27.7	S	0.00772	0.00557 U	0.00773	0.00589 U	0.000607 U	0.00168 U	0.000549 U	0.00147 U	0.00234 J	0.00196 U	0.00202 U	0.00228 U	0.000917 U
	A3C3-20	02/13/19	PES	Pace	20	22.7	S	0.00132 U	0.00551 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000543 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00225 U	0.000907 U
	A3C3-25	02/13/19	PES	Pace	25	17.7	S	0.00137 U	0.00575 U	0.00138 U	0.00608 U	0.000626 U	0.00173 U	0.000567 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000946 U
	A3C3-32	02/13/19	PES	Pace	32	10.7	S	0.00133 U	0.00555 U	0.00134 U	0.00588 U	0.000605 U	0.00167 U	0.000547 U	0.00146 U	0.00124 U	0.00196 U	0.00202 U	0.00227 U	0.000914 U
	A3C3-35	02/13/19	PES	Pace	35	7.7	S	0.00130 U	0.00545 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.00143 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	A3C3-40	02/13/19	PES	Pace	40	2.7	S	0.00142 U	0.00593 U	0.00143 U	0.00628 U	0.000646 U	0.00178 U	0.000585 U	0.00156 U	0.00133 U	0.00209 U	0.00215 U	0.00242 U	0.000976 U
	A3C3-45	02/13/19	PES	Pace	45	-2.3	S	0.00131 U	0.00547 U	0.00132 U	0.00579 U	0.000596 U	0.00165 U	0.000539 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000900 U
	A3C3-50	02/13/19	PES	Pace	50	-7.3	S	0.00136 U	0.00569 U	0.00137 U	0.00602 U	0.000619 U	0.00171 U	0.000560 U	0.00150 U	0.00127 U	0.00201 U	0.00206 U	0.00232 U	0.000936 U
PRB-A9/PRB-C9	A9C9-3	01/21/19	PES	Pace	3	40.1	V	0.00194 U	0.00813 U	0.00195 U	0.00861 U	0.000886 U	0.00244 U	0.000802 U	0.00214 U	0.00182 U	0.00287 U	0.00295 U	0.00332 U	0.00134 U
	A9C9-6	01/21/19	PES	Pace	6	37.1	V	0.00365 J	0.00590 U	0.00729	0.00625 U	0.000643 U	0.00178 U	0.000582 U	0.00156 U	0.00205 J	0.00208 U	0.00214 U	0.00241 U	0.000971 U
	A9C9-10	01/21/19	PES	Pace	10	33.1	S	0.00133 U	0.00557 U	0.00174 J	0.00589 U	0.000607 U	0.00168 U	0.000549 U	0.00147 U	0.00125 U	0.00196 U	0.00202 U	0.00228 U	0.000916 U
	A9C9-15	02/07/19	PES	Pace	15	28.1	S	0.00134 U	0.00562 U	0.00135 U	0.00595 U	0.000613 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000925 U
	A9C9-20	02/07/19	PES	Pace	20	23.1	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000603 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000911 U
	A9C9-25	02/07/19	PES	Pace	25	18.1	S	0.00124 U	0.00519 U	0.00125 U	0.00549 U	0.000565 U	0.00156 U	0.000511 U	0.00137 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000853 U
	A9C9-32	02/07/19	PES	Pace	32	11.1	S	0.00123 U	0.00515 U	0.00124 U	0.00545 U	0.000561 U	0.00155 U	0.000561 J	0.0136 U	0.00115 U	0.00182 U	0.00187 U	0.00210 U	0.000847 U
	A9C9-35	02/07/19	PES	Pace	35	8.1	S	0.00122 U	0.00510 U	0.00123 U	0.00540 U	0.000556 U	0.00153 U	0.000503 U	0.00134 U	0.00114 U	0.00180 U	0.00185 U	0.00208 U	0.000839 U
	A9C9-40	02/07/19	PES	Pace	40	3.1	S	0.00123 U	0.00517 U	0.00124 U	0.00547 U	0.000563 U	0.00156 U	0.000510 U	0.00136 U	0.00116 U	0.00182 U	0.00188 U	0.00211 U	0.000851 U
	A9C9-45	02/07/19	PES	Pace	45	-1.9	S	0.00120 U	0.00504 U	0.00121 U	0.00534 U	0.000549 U	0.00152 U	0.000497 U	0.00133 U	0.00113 U	0.00178 U	0.00183 U	0.00206 U	0.000830 U
	A9C9-50	02/07/19	PES	Pace	50	-6.9	S	0.00124 U	0.00518 U	0.00125 U	0.00548 U	0.000564 U	0.00156 U	0.000511 U	0.00137 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000853 U
	B-931-50	02/07/19	PES	Pace	50 (dup)	-6.9	S	0.00124 U	0.00519 U	0.00125 U	0.00549 U	0.000565 U	0.00156 U	0.000511 U	0.00137 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000854 U
PRB-B1/PRB-D1	B1D1-11	01/17/19	PES	Pace	11	30.8	S	0.00134 U	0.00563 U	0.00188 J	0.00596 U	0.000613 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00199 U	0.00204 U	0.00230 U	0.000927 U
	B1D1-15	01/17/19	PES	Pace	15	26.8	S	0.00176 U	0.00737 U	0.00177 U	0.00780 U	0.000803 U	0.00222 U	0.000726 U	0.00194 U	0.00165 U	0.00260 U	0.00268 U	0.00301 U	0.00121 U
	B1D1-20	01/17/19	PES	Pace	20	21.8	S	0.00141 U	0.00592 U	0.00142 U	0.00626 U	0.000644 U	0.00178 U	0.000583 U	0.00156 U	0.00133 U	0.00209 U	0.00215 U	0.00242 U	0.000973 U
	B1D1-25	01/17/19	PES	Pace	25	16.8	S	0.00160 U	0.00670 U	0.00161 U	0.00709 U	0.000730 U	0.00202 U	0.000661 U	0.00177 U	0.00150 U	0.00236 U	0.00243 U	0.00274 U	0.00110 U
	B1D1-31	01/17/19	PES	Pace	31	10.8	S	0.00125 U	0.00525 U	0.00126 U	0.00555 U	0.000571 U	0.00158 U	0.000517 U	0.00138 U	0.00118 U	0.00185 U	0.00190 U	0.00214 U	0.000863 U
	B1D1-35	01/17/19	PES	Pace	35	6.8	S	0.00141 U	0.00590 U	0.00142 U	0.00625 U	0.000643 U	0.00178 U	0.000582 U	0.00156 U	0.00132 U	0.00208 U	0.00214 U	0.00241 U	0.000971 U
	B1D1-40	01/17/19	PES	Pace	40	1.8	S	0.00129 U	0.00539 U	0.00130 U	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000886 U
	B1D1-45	01/17/19	PES	Pace	45	-3.3	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00225 U	0.000908 U
	B1D1-50	01/17/19	PES	Pace	50	-8.3	S	0.00133 U	0.00557 U	0.00134 U	0.00589 U	0.000606 U	0.00167 U	0.000549 U	0.00147 U	0.00125 U	0.00196 U	0.00202 U	0.00228 U	0.000916 U
PRB-B2/PRB-D2	B2D2-3	01/16/19	PES	Pace	3	38.8	V	0.00125 U	0.00525 U	0.00126 U	0.00556 U	0.000572 U	0.00158 U	0.000518 U	0.00138 U	0.00118 U	0.00185 U	0.00191 U	0.00215 U	0.000864 U
	B2D2-6	01/16/19	PES	Pace	6	35.8	V	0.00283 J	0.00671 U	0.00413 J	0.00710 U	0.000731 U	0.00202 U	0.000662 U	0.00177 U	0.00618 J	0.00237 U	0.00244 U	0.00274 U	0.00110 U
	B2D2-10	01/21/19	PES	Pace	10	31.8	S	0.0116 J	0.0105 U	0.0155	0.0111 U	0.00115 U	0.00316 U	0.00104 U	0.00277 U	0.00992 J	0.00371 U	0.00382 U	0.00430 U	0.00173 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	–	0.88	1.2	–
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	–	0.058	0.068	–
PRB-B4/PRB-D4	B4D4-3	01/17/19	PES	Pace	3	39.7	V	0.00130 U	0.00545 U	0.00131 U	0.00577 U	0.000594 U	0.00164 U	0.000537 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000897 U
	B4D4-6	01/17/19	PES	Pace	6	36.7	V	0.00254 J	0.00759 U	0.00312 J	0.00796 U	0.000826 U	0.00228 U	0.000747 U	0.00200 U	0.00171 U	0.00268 U	0.00275 U	0.00310 U	0.00125 U
	B4D4-10	01/17/19	PES	Pace	10	32.7	S	0.00277 J	0.00612 U	0.00409 J	0.00648 U	0.000667 U	0.00184 U	0.000603 U	0.00161 U	0.00183 J	0.00216 U	0.00222 U	0.00250 U	0.00101 U
PRB-B5/PRB-D5	B5D5-10	02/14/19	PES	Pace	10	32.9	S	0.00141 J	0.00565 U	0.00148 J	0.00598 U	0.000615 U	0.00170 U	0.000557 U	0.00149 U	–	–	0.00205 U	0.00231 U	0.000929 U
	B5D5-15	02/14/19	PES	Pace	15	27.9	S	–	0.00561 U	–	0.00594 U	0.000611 U	–	0.000553 U	–	–	0.00198 U	–	0.00229 U	0.000923 U
	B5D5-20	02/14/19	PES	Pace	20	22.9	S	0.00134 U	0.00563 U	0.00135 U	0.00596 U	0.000613 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00199 U	0.00204 U	0.00230 U	0.000926 U
	B5D5-25	02/14/19	PES	Pace	25	17.9	S	0.00135 U	0.00568 U	0.00137 U	0.00601 U	0.000619 U	0.00171 U	0.000560 U	0.00150 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000934 U
	B5D5-32	02/14/19	PES	Pace	32	10.9	S	0.00131 U	0.00548 U	0.00132 U	0.00579 U	0.000596 U	0.00165 U	0.000540 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000901 U
	B5D5-35	02/14/19	PES	Pace	35	7.9	S	0.00127 U	0.00531 U	0.00128 U	0.00562 U	0.000578 U	0.00160 U	0.000523 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000874 U
	B5D5-40	02/14/19	PES	Pace	40	2.9	S	0.00127 U	0.00532 U	0.00128 U	0.00562 U	0.000579 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000875 U
	B5D5-45	02/14/19	PES	Pace	45	-2.1	S	0.00124 U	0.00518 U	0.00125 U	0.00548 U	0.000565 U	0.00156 U	0.000511 U	0.00137 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000853 U
	B5D5-50	02/14/19	PES	Pace	50	-7.1	S	0.00120 U	0.00502 U	0.00146 J	0.00532 U	0.000547 U	0.00151 U	0.000495 U	0.00132 U	0.00113 U	0.00177 U	0.00182 U	0.00205 U	0.000827 U
	B-932-50	02/14/19	PES	Pace	50 (dup)	-7.1	S	0.00136 J	0.00511 U	0.00175 J	0.00541 U	0.000557 U	0.00154 U	0.000504 U	0.00135 U	0.00115 U	0.00180 U	0.00186 U	0.00209 U	0.000841 U
PRB-B6/PRB-D6	B6D6-17	02/20/19	PES	Pace	17	25.9	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000604 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000912 U
	B6D6-20	02/20/19	PES	Pace	20	22.9	S	0.00134 U	0.00560 U	0.00135 U	0.00592 U	0.000610 U	0.00168 U	0.000552 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00229 U	0.000921 U
	B6D6-25	02/20/19	PES	Pace	25	17.9	S	0.00137 U	0.00574 U	0.00138 U	0.00607 U	0.000625 U	0.00173 U	0.000565 U	0.00151 U	0.00129 U	0.00202 U	0.00208 U	0.00234 U	0.000944 U
	B6D6-32	02/20/19	PES	Pace	32	10.9	S	0.00139 U	0.00581 U	0.00140 U	0.00614 U	0.000632 U	0.00175 U	0.000572 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00237 U	0.000955 U
	B6D6-35	02/20/19	PES	Pace	35	7.9	S	0.00125 U	0.00523 U	0.00126 U	0.00554 U	0.000570 U	0.00157 U	0.00413 U	0.00138 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000861 U
	B6D6-40	02/20/19	PES	Pace	40	2.9	S	0.00136 U	0.00569 U	0.00137 U	0.00602 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000936 U
	B6D6-45	02/20/19	PES	Pace	45	-2.1	S	0.00254 U	0.0106 U	0.00256 U	0.0113 U	0.00116 U	0.00320 U	0.00105 U	0.00281 U	0.00239 U	0.00376 U	0.00387 U	0.00435 U	0.00176 U
	B6D6-50	02/20/19	PES	Pace	50	-7.1	S	0.00123 U	0.00516 U	0.00124 U	0.00546 U	0.000562 U	0.00155 U	0.000509 U	0.00136 U	0.00116 U	0.00182 U	0.00187 U	0.00211 U	0.000849 U
	B-933-50	02/20/19	PES	Pace	50 (dup)	-7.1	S	0.00127 U	0.00530 U	0.00128 U	0.00561 U	0.000578 U	0.00160 U	0.000523 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000872 U
PRB-B10/PRB-D10	B10D10-15	02/21/19	PES	Pace	15	30.1	S	0.00390 J	0.00608 U	0.00447 J	0.00643 U	0.000662 U	0.00183 U	0.000599 U	0.00160 U	0.00201 J	0.00214 U	0.00221 U	0.00248 U	0.00100 U
	B10D10-20	02/21/19	PES	Pace	20	25.1	S	0.00139 U	0.00582 U	0.00140 U	0.00616 U	0.000634 U	0.00175 U	0.000574 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00238 U	0.000958 U
	B10D10-25	02/21/19	PES	Pace	25	20.1	S	0.00130 U	0.00545 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	B10D10-30	02/21/19	PES	Pace	30	15.1	S	0.00129 U	0.00541 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.0107 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000890 U
	B10D10-35	02/21/19	PES	Pace	35	10.1	S	0.00126 U	0.00529 U	0.00127 U	0.00560 U	0.000576 U	0.00159 U	0.000521 U	0.00139 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000871 U
	B10D10-40	02/21/19	PES	Pace	40	5.1	S	0.00131 U	0.00550 U	0.00132 U	0.00582 U	0.000600 U	0.00166 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U
	B10D10-45	02/21/19	PES	Pace	45	0.1	S	0.0201 U	0.0844 U	0.0203 U	0.0893 U	0.00919 U	0.0254 U	0.00514 U	0.0223 U	0.0189 U	0.0297 U	0.0307 U	0.0345 U	0.0138 U
	B10D10-50	02/21/19	PES	Pace	50	-4.9	S	0.00127 U	0.00534 U	0.00128 U	0.00565 U	0.000581 U	0.00161 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000878 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
PRB-B11/PRB-D11	B11D11-10	01/15/19	PES	Pace	10	35.1	V	0.00154 U	0.00650 U	0.00156 U	0.00688 U	0.000708 U	0.00195 U	0.000640 U	0.00171 U	0.00146 U	0.00229 U	0.00236 U	0.00266 U	0.00107 U
	B11D11-15	01/15/19	PES	Pace	15	30.1	S	0.00125 U	0.00525 U	0.00126 U	0.00555 U	0.000572 U	0.00158 U	0.000517 U	0.00138 U	0.00118 U	0.00185 U	0.00191 U	0.00214 U	0.000863 U
	B11D11-20	01/15/19	PES	Pace	20	25.1	S	0.00132 U	0.00553 U	0.00133 U	0.00586 U	0.000603 U	0.00166 U	0.000545 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000910 U
	B11D11-27	01/15/19	PES	Pace	27	18.1	S	0.00126 U	0.00529 U	0.00127 U	0.00560 U	0.000576 U	0.00159 U	0.000521 U	0.00139 U	0.00118 U	0.00187 U	0.00192 U	0.00216 U	0.000870 U
	B11D11-30	01/15/19	PES	Pace	30	15.1	S	0.00119 U	0.00500 U	0.00144 J	0.00529 U	0.000545 U	0.00151 U	0.000493 U	0.00132 U	0.00112 U	0.00176 U	0.00182 U	0.00205 U	0.000823 U
	B11D11-35	01/15/19	PES	Pace	35	10.1	S	0.00129 U	0.00539 U	0.00131 J	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000887 U
	B11D11-40	01/15/19	PES	Pace	40	5.1	S	0.00126 U	0.00526 U	0.00127 U	0.00557 U	0.000573 U	0.00158 U	0.000518 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000866 U
	B11D11-46	01/15/19	PES	Pace	46	-0.9	S	0.00130 U	0.00543 U	0.00131 U	0.00575 U	0.000592 U	0.00163 U	0.000535 U	0.00143 U	0.00122 U	0.00192 U	0.00197 U	0.00222 U	0.000894 U
	B-928-46	01/15/19	PES	Pace	46 (dup)	-0.9	S	0.00129 U	0.00542 U	0.00130 U	0.00574 U	0.000591 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00222 U	0.000892 U
	B11D11-50	01/15/19	PES	Pace	50	-4.9	S	0.00153 U	0.00643 U	0.00192 J	0.00680 U	0.000699 U	0.00193 U	0.000634 U	0.00169 U	0.00144 U	0.00226 U	0.00234 U	0.00262 U	0.00106 U
PRB-B13/PRB-D13	B13D13-10	03/21/19	PES	Pace	10	37.5	V	0.00131 U	0.00550 U	0.00132 U	0.00582 U	0.000599 U	0.00165 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000904 U
	B13D13-20	03/21/19	PES	Pace	20	27.5	S	0.00136 U	0.00571 U	0.00137 U	0.00604 U	0.000622 U	0.00172 U	0.000563 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000939 U
	B13D13-30	03/21/19	PES	Pace	30	17.5	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000603 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000911 U
	B13D13-40	03/21/19	PES	Pace	40	7.5	S	0.00123 U	0.00514 U	0.00124 U	0.00544 U	0.000560 U	0.00155 U	0.000507 U	0.00136 U	0.00115 U	0.00181 U	0.00187 U	0.00210 U	0.000846 U
	B13D13-50	03/21/19	PES	Pace	50	-2.5	S	0.00126 U	0.00529 U	0.00127 U	0.00560 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000871 U
PRB-B16/PRB-D16	B16D16-15	03/13/19	PES	Pace	15	34.5	S	0.00540 U	0.0227 U	0.00636 J	0.0240 U	0.00247 U	0.00681 U	0.00223 U	0.00597 U	0.00507 U	0.00798 U	0.00822 U	0.00925 U	0.00372 U
	B16D16-20	03/13/19	PES	Pace	20	29.5	S	0.00126 U	0.00527 U	0.00127 U	0.00558 U	0.000574 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	B16D16-25	03/13/19	PES	Pace	25	24.5	S	0.00123 U	0.00516 U	0.00142 J	0.00546 U	0.000562 U	0.00155 U	0.000509 U	0.00136 U	0.00116 U	0.00182 U	0.00187 U	0.00211 U	0.000849 U
	B16D16-30	03/13/19	PES	Pace	30	19.5	S	0.00126 U	0.00530 U	0.00127 U	0.00560 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
	B16D16-35	03/13/19	PES	Pace	35	14.5	S	0.00126 U	0.00530 U	0.00128 U	0.00561 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
	B16D16-40	03/13/19	PES	Pace	40	9.5	S	0.00134 U	0.00562 U	0.00135 U	0.00595 U	0.000612 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000924 U
	B16D16-45	03/13/19	PES	Pace	45	4.5	S	0.00123 U	0.00515 U	0.00124 U	0.00545 U	0.000561 U	0.00155 U	0.000508 U	0.00136 U	0.00115 U	0.00182 U	0.00187 U	0.00211 U	0.000848 U
	B16D16-50	03/13/19	PES	Pace	50	-0.5	S	0.00125 U	0.00524 U	0.00242 J	0.00555 U	0.000571 U	0.00158 U	0.000517 U	0.00138 U	0.00118 U	0.00185 U	0.00190 U	0.00214 U	0.000863 U
	B16D16-55	03/13/19	PES	Pace	55	-5.5	S	0.00565 U	0.0237 U	0.00570 U	0.0251 U	0.00258 U	0.00712 U	0.00233 U	0.00623 U	0.00531 U	0.00835 U	0.00859 U	0.00967 U	0.00390 U
	B16D16-60	03/13/19	PES	Pace	60	-10.5	S	0.00122 U	0.00513 U	0.00136 J	0.00543 U	0.000559 U	0.00154 U	0.000505 U	0.00135 U	0.00115 U	0.00181 U	0.00186 U	0.00210 U	0.000844 U
	B16D16-65	03/13/19	PES	Pace	65	-15.5	S	0.00126 U	0.00527 U	0.00127 U	0.00558 U	0.000574 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00216 U	0.000868 U
	B16D16-70	03/13/19	PES	Pace	70	-20.5	S	0.00129 U	0.00540 U	0.00140 J	0.00572 U	0.000589 U	0.00163 U	0.000532 U	0.00142 U	0.00121 U	0.00191 U	0.00196 U	0.00221 U	0.000889 U
	B16D16-75	03/13/19	PES	Pace	75	-25.5	S	0.00126 U	0.00529 U	0.00127 U	0.00560 U	0.000576 U	0.00159 U	0.000521 U	0.00139 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000871 U
	B16D16-80	03/13/19	PES	Pace	80	-30.5	S	0.00128 U	0.00538 U	0.00129 U	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.00142 U	0.00120 U	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	B16D16-85	03/13/19	PES	Pace	85	-35.5	S	0.00128 U	0.00535 U	0.00129 U	0.00566 U	0.000582 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00189 U	0.00194 U	0.00219 U	0.000880 U
	B16D16-90	03/13/19	PES	Pace	90	-40.5	S	0.00130 U	0.00544 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000536 U	0.00143 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	B16D16-95	03/13/19	PES	Pace	95	-45.5	S	0.00134 U	0.00561 U	0.00135 U	0.00594 U	0.000611 U	0.00169 U	0.000553 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00229 U	0.000923 U
	B16D16-100	03/13/19	PES	Pace	100	-50.5	S	0.00133 U	0.00558 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000919 U
	B16D16-105	03/13/19	PES	Pace	105	-55.5	S	0.00131 U	0.00549 U	0.00132 U	0.00581 U	0.000598 U	0.00165 U	0.000541 U	0.00145 U	0.00123 U	0.00194 U	0.00199 U	0.00225 U	0.000904 U
	B-934-105	03/13/19	PES	Pace	105 (dup)	-55.5	S	0.00131 U	0.00550 U	0.00132 U	0.00582 U	0.000599 U	0.00165 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000905 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
PRB-B18/PRB-D18	B18D18-10	03/22/19	PES	Pace	10	41.0	V	0.00134 U	0.00562 U	0.00135 U	0.00595 U	0.000613 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000925 U
	B18D18-20	03/22/19	PES	Pace	20	31.0	S	0.00128 U	0.00536 U	0.00129 U	0.00567 U	0.000584 U	0.00161 U	0.000528 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000882 U
	B18D18-30	03/22/19	PES	Pace	30	21.0	S	0.00127 U	0.00531 U	0.00128 U	0.00562 U	0.000578 U	0.00160 U	0.000523 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000873 U
	B18D18-40	03/22/19	PES	Pace	40	11.0	S	0.00127 U	0.00532 U	0.00128 U	0.00563 U	0.000579 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00217 U	0.000875 U
	B18D18-50	03/22/19	PES	Pace	50	1.0	S	0.00125 U	0.00522 U	0.00126 U	0.00553 U	0.000569 U	0.00157 U	0.000515 U	0.00138 U	0.00117 U	0.00184 U	0.00190 U	0.00214 U	0.000859 U
PRB-B19/PRB-D19	B19D19-10	03/18/19	PES	Pace	10	42.5	V	0.00127 U	0.00531 U	0.00128 U	0.00562 U	0.000579 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000874 U
	B19D19-15	03/18/19	PES	Pace	15	37.5	V	0.00142 U	0.00595 U	0.00143 U	0.00630 U	0.000647 U	0.00179 U	0.000587 U	0.00157 U	0.00133 U	0.00209 U	0.00216 U	0.00243 U	0.000978 U
	B19D19-20	03/18/19	PES	Pace	20	32.5	S	0.00134 U	0.00563 U	0.00135 U	0.00595 U	0.000613 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000926 U
	B19D19-25	03/18/19	PES	Pace	25	27.5	S	0.00142 U	0.00597 U	0.00143 U	0.00632 U	0.000651 U	0.00180 U	0.000589 U	0.00157 U	0.00134 U	0.00211 U	0.00217 U	0.00244 U	0.000983 U
	B19D19-30	03/18/19	PES	Pace	30	22.5	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000603 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000911 U
	B19D19-35	03/18/19	PES	Pace	35	17.5	S	0.00130 U	0.00547 U	0.00132 U	0.00578 U	0.000595 U	0.00164 U	0.000539 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000899 U
	B19D19-40	03/18/19	PES	Pace	40	12.5	S	0.00134 U	0.00561 U	0.00135 U	0.00594 U	0.000612 U	0.00169 U	0.000553 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00229 U	0.000924 U
	B19D19-45	03/18/19	PES	Pace	45	7.5	S	0.00134 U	0.00558 U	0.00135 U	0.00590 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000919 U
	B19D19-50	03/18/19	PES	Pace	50	2.5	S	0.00132 U	0.00553 U	0.00133 U	0.00585 U	0.000602 U	0.00166 U	0.000545 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000909 U
	B19D19-55	03/18/19	PES	Pace	55	-2.5	S	0.00133 U	0.00555 U	0.00134 U	0.00588 U	0.000605 U	0.00167 U	0.000547 U	0.00146 U	0.00124 U	0.00196 U	0.00202 U	0.00227 U	0.000914 U
	B19D19-60	03/18/19	PES	Pace	60	-7.5	S	0.00129 U	0.00540 U	0.00130 U	0.00571 U	0.000588 U	0.00162 U	0.000532 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00221 U	0.000888 U
	B19D19-65	03/18/19	PES	Pace	65	-12.5	S	0.00146 U	0.00612 U	0.00147 U	0.00648 U	0.000666 U	0.00184 U	0.000602 U	0.00161 U	0.00138 U	0.00216 U	0.00222 U	0.00250 U	0.00101 U
	B19D19-70	03/18/19	PES	Pace	70	-17.5	S	0.00140 U	0.00588 U	0.00138 U	0.00197 J	0.000641 U	0.00177 U	0.000580 U	0.00155 U	0.00132 U	0.00207 U	0.00214 U	0.00240 U	0.000968 U
	B19D19-75	03/18/19	PES	Pace	75	-22.5	S	0.00136 U	0.00573 U	0.00138 U	0.00606 U	0.000624 U	0.00172 U	0.000565 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000943 U
	B19D19-80	03/18/19	PES	Pace	80	-27.5	S	0.00130 U	0.00546 U	0.00140 J	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000898 U
	B19D19-85	03/18/19	PES	Pace	85	-32.5	S	0.00140 U	0.00585 U	0.00141 U	0.00619 U	0.000638 U	0.00176 U	0.000577 U	0.00154 U	0.00131 U	0.00206 U	0.00213 U	0.00239 U	0.000963 U
	B19D19-90	03/18/19	PES	Pace	90	-37.5	S	0.00145 U	0.00607 U	0.00146 U	0.00642 U	0.000661 U	0.00182 U	0.000598 U	0.00160 U	0.00136 U	0.00214 U	0.00220 U	0.00248 U	0.000998 U
	B19D19-95	03/18/19	PES	Pace	95	-42.5	S	0.00138 U	0.00578 U	0.00139 U	0.00611 U	0.000629 U	0.00174 U	0.000569 U	0.00152 U	0.00129 U	0.00204 U	0.00210 U	0.00236 U	0.000951 U
	B19D19-100	03/18/19	PES	Pace	100	-47.5	S	0.00140 U	0.00587 U	0.00141 U	0.00621 U	0.000639 U	0.00176 U	0.000579 U	0.00154 U	0.00131 U	0.00207 U	0.00213 U	0.00240 U	0.000966 U
	B19D19-105	03/18/19	PES	Pace	105	-52.5	S	0.00128 U	0.00538 U	0.00129 U	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.00142 U	0.00120 U	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	B19D19-110	03/18/19	PES	Pace	110	-57.5	S	0.00145 U	0.00607 U	0.00146 U	0.00642 U	0.000661 U	0.00183 U	0.000598 U	0.00160 U	0.00136 U	0.00214 U	0.00220 U	0.00248 U	0.000998 U
	B-935-40	03/18/19	PES	Pace	110 (dup)	-57.5	S	0.00154 U	0.00646 U	0.00155 U	0.00685 U	0.000704 U	0.00195 U	0.000638 U	0.00170 U	0.00145 U	0.00228 U	0.00235 U	0.00265 U	0.00106 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane				
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	–	0.88	1.2	–				
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	–	0.058	0.068	–				
PRB-B21/PRB-D21	B21D21-10	03/25/19	PES	Pace	10	44.0	V	0.00132 U	0.00553 U	0.00133 U	0.00585 U	0.000601 U	0.00167 U	0.000545 U	0.00146 U	0.00123 U	0.00195 U	0.00201 U	0.00226 U	0.000909 U				
	B21D21-20	03/25/19	PES	Pace	20	34.0	S	0.00136 U	0.00570 U	0.00137 U	0.00604 U	0.000621 U	0.00172 U	0.000562 U	0.00150 U	0.00128 U	0.00202 U	0.00207 U	0.00233 U	0.000938 U				
	B21D21-30	03/25/19	PES	Pace	30	24.0	S	0.00124 U	0.00520 U	0.00125 U	0.00550 U	0.000566 U	0.00156 U	0.000512 U	0.00137 U	0.00116 U	0.00183 U	0.00189 U	0.00212 U	0.000855 U				
	B21D21-40	03/25/19	PES	Pace	40	14.0	S	0.00127 U	0.00534 U	0.00129 U	0.00565 U	0.000582 U	0.00161 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000879 U				
	B21D21-50	03/25/19	PES	Pace	50	4.0	S	0.00130 U	0.00546 U	0.00131 U	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000898 U				
	B21D21-60	03/26/19	PES	Pace	60	-6.0	S	0.00126 U	0.00526 U	0.00127 U	0.00557 U	0.000573 U	0.00158 U	0.000518 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000865 U				
	B-936-60	03/26/19	PES	Pace	60 (dup)	-6.0	S	0.00126 U	0.00528 U	0.00146 J	0.00558 U	0.000575 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000868 U				
All Data								Number of Analytes Measured		127	128	127	128	128	127	128	127	126	127	127	128	128		
								Number of Analytes Detected		11	0	24	0	0	0	0	7	0	0	0	0	0	0	0
								Frequency of Detection		8.7%	0.0%	18.9%	0.0%	0.0%	0.0%	0.8%	0.0%	5.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
								Maximum Detection		0.0116 J	–	0.0155	–	–	–	0.00771 J	–	0.00992 J	–	–	–	–	–	–
								Minimum Detection		0.00119 U	0.005 U	0.00121 U	0.00529 U	0.000545 U	0.00151 U	0.000493 U	0.00132 U	0.00112 U	0.00176 U	0.00182 U	0.00205 U	0.000823 U	0.000823 U	
								Number Of Vadose (V) Detections above SL		0	0	0	0	0	0	0	0	0	–	0	0	–	–	
								Number of Saturated (S) Detections above SL		0	0	0	0	0	0	1	0	0	–	0	0	–	–	
2017-2021								Number of Analytes Measured		127	128	127	128	128	127	128	127	126	127	127	128	128		
								Number of Analytes Detected		11	0	24	0	0	0	0	7	0	0	0	0	0	0	
								Frequency of Detection		8.7%	0.0%	18.9%	0.0%	0.0%	0.0%	0.8%	0.0%	5.6%	0.0%	0.0%	0.0%	0.0%	0.0%	
								Maximum Detection		0.0116 J	–	0.0155	–	–	–	0.00771 J	–	0.00992 J	–	–	–	–	–	
								Minimum Detection		0.00119 U	0.005 U	0.00121 U	0.00529 U	0.000545 U	0.00151 U	0.000493 U	0.00132 U	0.00112 U	0.00176 U	0.00182 U	0.00205 U	0.000823 U	0.000823 U	
								Number Of Vadose (V) Detections above SL		0	0	0	0	0	0	0	0	0	–	0	0	–	–	
								Number of Saturated (S) Detections above SL		0	0	0	0	0	0	1	0	0	–	0	0	–	–	
Notes and Abbreviations: Soil between elevations +10 to 55 feet was treated. Petroleum Hydrocarbons (PHCs) analyzed by Ecology Method NWTPH-Gx. VOCs analyzed by EPA Method 8260C or D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue . Detections above the screening level in the saturated zone are shown in bold and highlighted gray . – = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. bgs = below ground surface dup = duplicate Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																								

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
PRB-A3/PRB-C3	A3C3-3	01/16/19	PES	Pace	3	39.7	V	0.0194 J	0.000981 U	0.0107 U	0.00121 U	0.00248 U	0.0146 U	0.00203 U	0.000427 U	0.00112 U	0.00121 U	0.00638 U	0.00395 U	0.00433 U
	A3C3-6	01/16/19	PES	Pace	6	36.7	V	0.0143 U	0.00106 U	0.0115 U	0.00130 U	0.00267 U	0.0157 U	0.00218 U	0.000459 U	0.00120 U	0.00130 U	0.00686 U	0.00424 U	0.00466 U
	A3C3-8	01/16/19	PES	Pace	8	34.7	V	0.0251 U	0.00184 U	0.0200 U	0.00227 U	0.0289	0.0274 U	0.00380 U	0.00540	0.00210 U	0.00227 U	0.0120 U	0.00741 U	0.00813 U
	A3C3-10	02/13/19	PES	Pace	10	32.7	S	0.0170 U	0.00125 U	0.0136 U	0.00153 U	0.00474 J	0.0708	0.00258 U	0.00236	0.00143 U	0.00153 U	0.00812 U	0.00503 U	0.00895 J
	A3C3-15	02/13/19	PES	Pace	15	27.7	S	0.0144 U	0.00106 U	0.0116 U	0.00131 U	0.00775	0.0273 J	0.00220 U	0.00298	0.00121 U	0.00131 U	0.00691 U	0.00428 U	0.00665 J
	A3C3-20	02/13/19	PES	Pace	20	22.7	S	0.0310	0.00105 U	0.0114 U	0.00129 U	0.00267 U	0.0157 U	0.00217 U	0.000913 J	0.00120 U	0.00129 U	0.00684 U	0.00423 U	0.00465 U
	A3C3-25	02/13/19	PES	Pace	25	17.7	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0163 U	0.00227 U	0.000638 J	0.00125 U	0.00135 U	0.00713 U	0.00441 U	0.00484 U
	A3C3-32	02/13/19	PES	Pace	32	10.7	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0158 U	0.00219 U	0.000776 J	0.00121 U	0.00130 U	0.00689 U	0.00426 U	0.00468 U
	A3C3-35	02/13/19	PES	Pace	35	7.7	S	0.0205 J	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000572 J	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	A3C3-40	02/13/19	PES	Pace	40	2.7	S	0.0288 J	0.00113 U	0.0123 U	0.00139 U	0.00287 U	0.0169 U	0.00234 U	0.000654 J	0.00129 U	0.00139 U	0.00736 U	0.00455 U	0.00500 U
	A3C3-45	02/13/19	PES	Pace	45	-2.3	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00216 U	0.00108 J	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 U
	A3C3-50	02/13/19	PES	Pace	50	-7.3	S	0.0194 J	0.00109 U	0.0118 U	0.00133 U	0.00275 U	0.0162 U	0.00224 U	0.000509 J	0.00124 U	0.00133 U	0.00706 U	0.00437 U	0.00479 U
PRB-A9/PRB-C9	A9C9-3	01/21/19	PES	Pace	3	40.1	V	0.0467	0.00156 U	0.0169 U	0.00191 U	0.00489 J	0.0265 J	0.00320 U	0.141	0.00178 U	0.00191 U	0.0101 U	0.00624 U	0.00685 U
	A9C9-6	01/21/19	PES	Pace	6	37.1	V	0.0452	0.00113 U	0.0123 U	0.00138 U	0.00779	0.0248 J	0.00233 U	0.0153	0.00129 U	0.00138 U	0.00733 U	0.00453 U	0.00497 U
	A9C9-10	01/21/19	PES	Pace	10	33.1	S	0.0305	0.00106 U	0.0116 U	0.00131 U	0.00269 U	0.0336	0.00220 U	0.0228	0.00121 U	0.00131 U	0.00691 U	0.00428 U	0.00469 U
	A9C9-15	02/07/19	PES	Pace	15	28.1	S	0.0149 J	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0696	0.00222 U	0.00166	0.00123 U	0.00132 U	0.00698 U	0.00432 U	0.00474 U
	A9C9-20	02/07/19	PES	Pace	20	23.1	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0157 U	0.00218 U	0.000462 J	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00467 U
	A9C9-25	02/07/19	PES	Pace	25	18.1	S	0.0207 J	0.000990 U	0.0108 U	0.00122 U	0.00251 U	0.0147 U	0.00204 U	0.000430 U	0.00113 U	0.00122 U	0.00644 U	0.00398 U	0.00437 U
	A9C9-32	02/07/19	PES	Pace	32	11.1	S	0.0169 J	0.000983 U	0.0107 U	0.00121 U	0.00249 U	0.146 U	0.00203 U	0.000558 J	0.00112 U	0.00121 U	0.00639 U	0.00395 U	0.00434 U
	A9C9-35	02/07/19	PES	Pace	35	8.1	S	0.0132 U	0.000974 U	0.0106 U	0.00120 U	0.00247 U	0.0145 U	0.00201 U	0.000423 U	0.00111 U	0.00120 U	0.00633 U	0.00392 U	0.00430 U
	A9C9-40	02/07/19	PES	Pace	40	3.1	S	0.0209 J	0.000987 U	0.0107 U	0.00121 U	0.00250 U	0.0147 U	0.00204 U	0.000825 J	0.00113 U	0.00121 U	0.00641 U	0.00397 U	0.00436 U
	A9C9-45	02/07/19	PES	Pace	45	-1.9	S	0.0182 J	0.000963 U	0.0105 U	0.00118 U	0.00244 U	0.0143 U	0.00199 U	0.000500 J	0.00110 U	0.00118 U	0.00626 U	0.00387 U	0.00996 J
	A9C9-50	02/07/19	PES	Pace	50	-6.9	S	0.0166 J	0.000989 U	0.0108 U	0.00121 U	0.00250 U	0.0170 J	0.00204 U	0.000690 J	0.00113 U	0.00121 U	0.00643 U	0.00398 U	0.00436 U
	B-931-50	02/07/19	PES	Pace	50 (dup)	-6.9	S	0.0156 J	0.000990 U	0.0108 U	0.00122 U	0.00251 U	0.0147 U	0.00204 U	0.000725 J	0.00113 U	0.00122 U	0.00644 U	0.00398 U	0.00437 U
PRB-B1/PRB-D1	B1D1-11	01/17/19	PES	Pace	11	30.8	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.0141	0.0160 U	0.00222 U	0.00250	0.00123 U	0.00132 U	0.00699 U	0.00432 U	0.00474 U
	B1D1-15	01/17/19	PES	Pace	15	26.8	S	0.0191 U	0.00141 U	0.0153 U	0.00173 U	0.00356 U	0.0209 U	0.00290 U	0.000611 U	0.00161 U	0.00173 U	0.00914 U	0.00566 U	0.00621 U
	B1D1-20	01/17/19	PES	Pace	20	21.8	S	0.0153 U	0.00113 U	0.0123 U	0.00139 U	0.00286 U	0.0168 U	0.00233 U	0.000491 U	0.00129 U	0.00139 U	0.00734 U	0.00454 U	0.00498 U
	B1D1-25	01/17/19	PES	Pace	25	16.8	S	0.0174 U	0.00128 U	0.0139 U	0.00157 U	0.00324 U	0.0191 U	0.00264 U	0.000625 J	0.00146 U	0.00157 U	0.00832 U	0.00515 U	0.00565 U
	B1D1-31	01/17/19	PES	Pace	31	10.8	S	0.0136 U	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000435 U	0.00114 U	0.00123 U	0.00651 U	0.00403 U	0.00442 U
	B1D1-35	01/17/19	PES	Pace	35	6.8	S	0.0153 U	0.00113 U	0.0122 U	0.00138 U	0.00285 U	0.0168 U	0.00233 U	0.000490 U	0.00129 U	0.00138 U	0.00732 U	0.00453 U	0.00497 U
	B1D1-40	01/17/19	PES	Pace	40	1.8	S	0.0140 U	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00668 U	0.00414 U	0.00454 U
	B1D1-45	01/17/19	PES	Pace	45	-3.3	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00267 U	0.0157 U	0.00217 U	0.000458 U	0.00120 U	0.00129 U	0.00684 U	0.00423 U	0.00465 U
	B1D1-50	01/17/19	PES	Pace	50	-8.3	S	0.0144 U	0.00106 U	0.0116 U	0.00131 U	0.00269 U	0.0158 U	0.00219 U	0.000462 U	0.00121 U	0.00131 U	0.00691 U	0.00427 U	0.00469 U
PRB-B2/PRB-D2	B2D2-3	01/16/19	PES	Pace	3	38.8	V	0.0206 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000436 U	0.00114 U	0.00123 U	0.00652 U	0.00403 U	0.00443 U
	B2D2-6	01/16/19	PES	Pace	6	35.8	V	0.0174 U	0.00128 U	0.0139 U	0.00157 U	0.0695	0.0191 U	0.00265 U	0.0111	0.00146 U	0.00157 U	0.00833 U	0.00515 U	0.00565 U
	B2D2-10	01/21/19	PES	Pace	10	31.8	S	0.213	0.00200 U	0.0219 U	0.00246 U	0.118	0.168	0.00415 U	0.274	0.00230 U	0.00246 U	0.0131 U	0.00808 U	0.0228 J

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
PRB-B4/PRB-D4	B4D4-3	01/17/19	PES	Pace	3	39.7	V	0.0388	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00459 U
	B4D4-6	01/17/19	PES	Pace	6	36.7	V	0.0763	0.00145 U	0.0157 U	0.00178 U	0.0100	0.0215 U	0.00299 U	0.00961	0.00165 U	0.00178 U	0.00941 U	0.00582 U	0.00638 U
	B4D4-10	01/17/19	PES	Pace	10	32.7	S	0.0545	0.00117 U	0.0127 U	0.00144 U	0.00814	0.0174 U	0.00241 U	0.00245 J-	0.00133 U	0.00144 U	0.00759 U	0.00470 U	0.00913 J
PRB-B5/PRB-D5	B5D5-10	02/14/19	PES	Pace	10	32.9	S	-	-	-	-	0.00273 U	-	0.00223 U	0.00147	-	-	0.00701 U	0.00434 U	0.00476 U
	B5D5-15	02/14/19	PES	Pace	15	27.9	S	-	-	0.0116 U	-	0.00271 U	0.0160 U	0.00221 U	0.000466 U	0.00122 U	-	0.00696 U	0.00431 U	0.00473 U
	B5D5-20	02/14/19	PES	Pace	20	22.9	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0162 J	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00698 U	0.00432 U	0.00474 U
	B5D5-25	02/14/19	PES	Pace	25	17.9	S	0.0222 J	0.00108 U	0.0118 U	0.00133 U	0.00275 U	0.0161 U	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00705 U	0.00436 U	0.00478 U
	B5D5-32	02/14/19	PES	Pace	32	10.9	S	0.0316	0.00105 U	0.0114 U	0.00128 U	0.00265 U	0.0156 U	0.00216 U	0.000600 J	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 U
	B5D5-35	02/14/19	PES	Pace	35	7.9	S	-	0.00101 U	0.0110 U	0.00124 U	-	0.0151 U	0.00209 U	0.000735 J	0.00116 U	0.00124 U	0.00659 U	0.00408 U	0.00447 U
	B5D5-40	02/14/19	PES	Pace	40	2.9	S	0.0138 U	0.00101 U	0.0110 U	0.00125 U	0.00257 U	0.0151 U	0.00210 U	0.000878 J	0.00116 U	0.00125 U	0.00660 U	0.00408 U	0.00448 U
	B5D5-45	02/14/19	PES	Pace	45	-2.1	S	0.0134 U	0.000989 U	0.0108 U	0.00122 U	0.00251 U	0.0589 U	0.00204 U	0.000824 J	0.00113 U	0.00122 U	0.00643 U	0.00398 U	0.00437 U
	B5D5-50	02/14/19	PES	Pace	50	-7.1	S	0.0130 U	0.000959 U	0.0104 U	0.00118 U	0.00243 U	0.0143 U	0.00198 U	0.000797 J	0.00109 U	0.00118 U	0.00623 U	0.00386 U	0.00423 U
	B-932-50	02/14/19	PES	Pace	50 (dup)	-7.1	S	0.0438	0.000976 U	0.0106 U	0.00120 U	0.00247 U	0.0155 J	0.00202 U	0.000746 J	0.00111 U	0.00120 U	0.00635 U	0.00393 U	0.00431 U
PRB-B6/PRB-D6	B6D6-17	02/20/19	PES	Pace	17	25.9	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0157 U	0.00218 U	0.000460 U	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00467 U
	B6D6-20	02/20/19	PES	Pace	20	22.9	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00271 U	0.0159 U	0.00221 U	0.000465 U	0.00122 U	0.00131 U	0.00694 U	0.00430 U	0.00471 U
	B6D6-25	02/20/19	PES	Pace	25	17.9	S	0.0149 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0163 U	0.00226 U	0.000476 U	0.00125 U	0.00134 U	0.00712 U	0.00440 U	0.00483 U
	B6D6-32	02/20/19	PES	Pace	32	10.9	S	0.0151 U	0.00111 U	0.0120 U	0.00136 U	0.00281 U	0.0165 U	0.00229 U	0.000482 U	0.00126 U	0.00136 U	0.00720 U	0.00446 U	0.00489 U
	B6D6-35	02/20/19	PES	Pace	35	7.9	S	0.0136 U	0.000999 U	0.0109 U	0.00123 U	0.00253 U	0.0149 U	0.00206 U	0.000453 J	0.00114 U	0.00123 U	0.0519 U	0.00402 U	0.00441 U
	B6D6-40	02/20/19	PES	Pace	40	2.9	S	0.0148 U	0.00109 U	0.0118 U	0.00133 U	0.00275 U	0.0162 U	0.00224 U	0.000692 J	0.00124 U	0.00133 U	0.00706 U	0.00437 U	0.00479 U
	B6D6-45	02/20/19	PES	Pace	45	-2.1	S	0.0276 U	0.00203 U	0.0221 U	0.00250 U	0.00515 U	0.0303 U	0.00420 U	0.000884 U	0.00232 U	0.00250 U	0.0133 U	0.00817 U	0.00897 U
	B6D6-50	02/20/19	PES	Pace	50	-7.1	S	0.0134 U	0.000985 U	0.0107 U	0.00121 U	0.00249 U	0.0147 U	0.00203 U	0.000428 U	0.00112 U	0.00121 U	0.00640 U	0.00396 U	0.00435 U
	B-933-50	02/20/19	PES	Pace	50 (dup)	-7.1	S	0.0138 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0151 U	0.00209 U	0.000440 U	0.00116 U	0.00124 U	0.00658 U	0.00407 U	0.00447 U
PRB-B10/PRB-D10	B10D10-15	02/21/19	PES	Pace	15	30.1	S	0.0158 U	0.00116 U	0.0126 U	0.00142 U	0.00695	0.0173 U	0.00240 U	0.00843	0.00132 U	0.00142 U	0.00754 U	0.00466 U	0.00512 U
	B10D10-20	02/21/19	PES	Pace	20	25.1	S	0.0151 U	0.00111 U	0.0121 U	0.00136 U	0.00281 U	0.0165 U	0.00229 U	0.000483 U	0.00127 U	0.00136 U	0.00722 U	0.00447 U	0.00490 U
	B10D10-25	02/21/19	PES	Pace	25	20.1	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.0676 U	0.00418 U	0.00459 U
	B10D10-30	02/21/19	PES	Pace	30	15.1	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0154 U	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.135 U	0.00415 U	0.00456 U
	B10D10-35	02/21/19	PES	Pace	35	10.1	S	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0150 U	0.00209 U	0.000439 U	0.00115 U	0.00124 U	0.00656 U	0.00406 U	0.00446 U
	B10D10-40	02/21/19	PES	Pace	40	5.1	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0156 U	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00683 U	0.00423 U	0.00464 U
	B10D10-45	02/21/19	PES	Pace	45	0.1	S	0.218 U	0.0161 U	0.175 U	0.0198 U	0.0408 U	0.240 U	0.0333 U	0.00701 U	0.0184 U	0.0198 U	0.0647 U	0.0648 U	0.0711 U
	B10D10-50	02/21/19	PES	Pace	50	-4.9	S	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00210 U	0.000443 U	0.00116 U	0.00125 U	0.00662 U	0.00410 U	0.00450 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
PRB-B11/PRB-D11	B11D11-10	01/15/19	PES	Pace	10	35.1	V	0.0481	0.00124 U	0.0135 U	0.00152 U	0.00314 U	0.0961	0.00256 U	0.000539 U	0.00141 U	0.00152 U	0.00806 U	0.00499 U	0.00547 U
	B11D11-15	01/15/19	PES	Pace	15	30.1	S	0.0136 U	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0185 J	0.00207 U	0.000436 U	0.00114 U	0.00123 U	0.00651 U	0.00403 U	0.00442 U
	B11D11-20	01/15/19	PES	Pace	20	25.1	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0157 U	0.00218 U	0.000459 U	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00466 U
	B11D11-27	01/15/19	PES	Pace	27	18.1	S	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0150 U	0.00208 U	0.000439 U	0.00115 U	0.00124 U	0.00656 U	0.00406 U	0.00445 U
	B11D11-30	01/15/19	PES	Pace	30	15.1	S	0.0130 U	0.000955 U	0.0104 U	0.00117 U	0.00242 U	0.0167 J	0.00197 U	0.000415 U	0.00109 U	0.00117 U	0.00621 U	0.00384 U	0.00422 U
	B11D11-35	01/15/19	PES	Pace	35	10.1	S	0.0140 U	0.00103 U	0.0112 U	0.00126 U	0.00261 U	0.0347	0.00213 U	0.000469 J	0.00117 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
	B11D11-40	01/15/19	PES	Pace	40	5.1	S	0.0136 U	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0204 J	0.00207 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00443 U
	B11D11-46	01/15/19	PES	Pace	46	-0.9	S	0.0141 U	0.00104 U	0.0113 U	0.00127 U	0.00263 U	0.0274 J	0.00214 U	0.000451 U	0.00118 U	0.00127 U	0.00674 U	0.00417 U	0.00458 U
	B-928-46	01/15/19	PES	Pace	46 (dup)	-0.9	S	0.0141 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0274 J	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00673 U	0.00416 U	0.00457 U
PRB-B13/PRB-D13	B11D11-50	01/15/19	PES	Pace	50	-4.9	S	0.0166 U	0.00122 U	0.0133 U	0.00151 U	0.00310 U	0.0426	0.00254 U	0.000533 U	0.00140 U	0.00151 U	0.00798 U	0.00493 U	0.00541 U
	B13D13-10	03/21/19	PES	Pace	10	37.5	V	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0156 U	0.00217 U	0.000456 U	0.00120 U	0.00129 U	0.00682 U	0.00422 U	0.00463 U
	B13D13-20	03/21/19	PES	Pace	20	27.5	S	0.0148 U	0.00109 U	0.0118 U	0.00134 U	0.00276 U	0.0162 U	0.00225 U	0.000474 U	0.00124 U	0.00134 U	0.00708 U	0.00438 U	0.00481 U
	B13D13-30	03/21/19	PES	Pace	30	17.5	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0157 U	0.00218 U	0.000460 U	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00466 U
	B13D13-40	03/21/19	PES	Pace	40	7.5	S	0.0133 U	0.000982 U	0.0107 U	0.00121 U	0.00249 U	0.0274	0.00203 U	0.000427 U	0.00112 U	0.00121 U	0.00638 U	0.00395 U	0.00433 U
PRB-B16/PRB-D16	B13D13-50	03/21/19	PES	Pace	50	-2.5	S	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0150 U	0.00209 U	0.000439 U	0.00115 U	0.00124 U	0.00657 U	0.00406 U	0.00446 U
	B16D16-15	03/13/19	PES	Pace	15	34.5	S	0.0587 U	0.00432 U	0.0470 U	0.00531 U	0.0109 U	0.0908 J	0.00892 U	0.00188 U	0.00493 U	0.00531 U	0.0281 U	0.0174 U	0.0190 U
	B16D16-20	03/13/19	PES	Pace	20	29.5	S	0.0137 U	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	B16D16-25	03/13/19	PES	Pace	25	24.5	S	0.0265 J	0.000985 U	0.0107 U	0.00121 U	0.00250 U	0.0183 J	0.00203 U	0.000428 U	0.00112 U	0.00121 U	0.00640 U	0.00396 U	0.00435 U
	B16D16-30	03/13/19	PES	Pace	30	19.5	S	0.0402	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0196 J	0.00209 U	0.000440 U	0.00115 U	0.00124 U	0.00657 U	0.00407 U	0.00446 U
	B16D16-35	03/13/19	PES	Pace	35	14.5	S	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0151 U	0.00209 U	0.000599 J	0.00115 U	0.00124 U	0.00657 U	0.00407 U	0.00446 U
	B16D16-40	03/13/19	PES	Pace	40	9.5	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0278 J	0.00221 U	0.000466 U	0.00122 U	0.00132 U	0.00697 U	0.00431 U	0.00566 J
	B16D16-45	03/13/19	PES	Pace	45	4.5	S	0.0157 J	0.000983 U	0.0107 U	0.00121 U	0.00249 U	0.0226 J	0.00203 U	0.000428 U	0.00112 U	0.00121 U	0.00639 U	0.00395 U	0.00434 U
	B16D16-50	03/13/19	PES	Pace	50	-0.5	S	0.0680	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0334	0.00207 U	0.000448 J	0.00114 U	0.00123 U	0.00651 U	0.00403 U	0.00442 U
	B16D16-55	03/13/19	PES	Pace	55	-5.5	S	0.0614 U	0.00452 U	0.0491 U	0.00555 U	0.0114 U	0.110 J	0.00933 U	0.00196 U	0.00516 U	0.00555 U	0.0294 U	0.0181 U	0.0200 U
	B16D16-60	03/13/19	PES	Pace	60	-10.5	S	0.0133 U	0.000979 U	0.0106 U	0.00120 U	0.00248 U	0.0192 J	0.00202 U	0.000426 U	0.00112 U	0.00120 U	0.00636 U	0.00394 U	0.00501 J
	B16D16-65	03/13/19	PES	Pace	65	-15.5	S	0.0226 J	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0160 J	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	B16D16-70	03/13/19	PES	Pace	70	-20.5	S	0.0212 J	0.00103 U	0.0112 U	0.00127 U	0.00261 U	0.0287	0.00213 U	0.000766 J	0.00118 U	0.00127 U	0.00670 U	0.00415 U	0.00455 U
	B16D16-75	03/13/19	PES	Pace	75	-25.5	S	0.0215 J	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0346	0.00209 U	0.000674 J	0.00115 U	0.00124 U	0.00657 U	0.00406 U	0.00446 U
	B16D16-80	03/13/19	PES	Pace	80	-30.5	S	0.0147 J	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000446 U	0.00117 U	0.00126 U	0.00667 U	0.00413 U	0.00453 U
	B16D16-85	03/13/19	PES	Pace	85	-35.5	S	0.0236 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0289	0.00211 U	0.000468 J	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
	B16D16-90	03/13/19	PES	Pace	90	-40.5	S	0.0165 J	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0155 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00675 U	0.00418 U	0.00459 U
	B16D16-95	03/13/19	PES	Pace	95	-45.5	S	0.0171 J	0.00107 U	0.0116 U	0.00132 U	0.00271 U	0.0160 U	0.00221 U	0.000466 U	0.00122 U	0.00132 U	0.00696 U	0.00431 U	0.00473 U
	B16D16-100	03/13/19	PES	Pace	100	-50.5	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0216 J	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
	B16D16-105	03/13/19	PES	Pace	105	-55.5	S	0.0142 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0242 J	0.00217 U	0.000456 U	0.00120 U	0.00129 U	0.00682 U	0.00422 U	0.00463 U
	B-934-105	03/13/19	PES	Pace	105 (dup)	-55.5	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0624	0.00217 U	0.000456 U	0.00120 U	0.00129 U	0.00682 U	0.00422 U	0.00463 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
PRB-B18/PRB-D18	B18D18-10	03/22/19	PES	Pace	10	41.0	V	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0160 U	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00698 U	0.00432 U	0.00474 U
	B18D18-20	03/22/19	PES	Pace	20	31.0	S	0.116	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0152 U	0.00211 U	0.000467 J	0.00117 U	0.00126 U	0.00665 U	0.00411 U	0.00451 U
	B18D18-30	03/22/19	PES	Pace	30	21.0	S	0.0138 U	0.00101 U	0.0110 U	0.00124 U	0.00257 U	0.0492	0.00209 U	0.000548 J	0.00116 U	0.00124 U	0.00659 U	0.00407 U	0.00447 U
	B18D18-40	03/22/19	PES	Pace	40	11.0	S	0.0138 U	0.00102 U	0.0110 U	0.00125 U	0.00257 U	0.0166 J	0.00210 U	0.000441 U	0.00116 U	0.00125 U	0.00660 U	0.00408 U	0.00448 U
	B18D18-50	03/22/19	PES	Pace	50	1.0	S	0.0135 U	0.000997 U	0.0108 U	0.00122 U	0.00253 U	0.0148 U	0.00206 U	0.000434 U	0.00114 U	0.00122 U	0.00648 U	0.00401 U	0.00440 U
PRB-B19/PRB-D19	B19D19-10	03/18/19	PES	Pace	10	42.5	V	0.0138 U	0.00101 U	0.0110 U	0.00125 U	0.00257 U	0.0151 U	0.00209 U	0.000441 U	0.00116 U	0.00125 U	0.00659 U	0.00408 U	0.00447 U
	B19D19-15	03/18/19	PES	Pace	15	37.5	V	0.0154 U	0.00113 U	0.0123 U	0.00140 U	0.00287 U	0.0169 U	0.00234 U	0.000493 U	0.00129 U	0.00140 U	0.00738 U	0.00456 U	0.00500 U
	B19D19-20	03/18/19	PES	Pace	20	32.5	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0160 U	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00698 U	0.00432 U	0.00474 U
	B19D19-25	03/18/19	PES	Pace	25	27.5	S	0.0155 U	0.00114 U	0.0124 U	0.00140 U	0.00289 U	0.0170 U	0.00235 U	0.000496 U	0.00130 U	0.00140 U	0.00741 U	0.00459 U	0.00667 J
	B19D19-30	03/18/19	PES	Pace	30	22.5	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0157 U	0.00218 U	0.000460 U	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00467 U
	B19D19-35	03/18/19	PES	Pace	35	17.5	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.000454 U	0.00119 U	0.00128 U	0.00678 U	0.00420 U	0.00460 U
	B19D19-40	03/18/19	PES	Pace	40	12.5	S	0.0146 U	0.00107 U	0.0116 U	0.00132 U	0.00271 U	0.0160 U	0.00221 U	0.000466 U	0.00122 U	0.00132 U	0.00697 U	0.00431 U	0.00473 U
	B19D19-45	03/18/19	PES	Pace	45	7.5	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.311 U	0.00221 U	0.000463 U	0.00121 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
	B19D19-50	03/18/19	PES	Pace	50	2.5	S	0.0143 U	0.00105 U	0.0115 U	0.00130 U	0.00267 U	0.0157 U	0.00218 U	0.000779 J	0.00120 U	0.00130 U	0.00686 U	0.00424 U	0.00466 U
	B19D19-55	03/18/19	PES	Pace	55	-2.5	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0158 U	0.00219 U	0.000769 J	0.00121 U	0.00130 U	0.00689 U	0.00426 U	0.00468 U
	B19D19-60	03/18/19	PES	Pace	60	-7.5	S	0.0166 J	0.00103 U	0.0112 U	0.00127 U	0.00261 U	0.0153 U	0.00213 U	0.000448 U	0.00118 U	0.00127 U	0.00670 U	0.00415 U	0.00535 J
	B19D19-65	03/18/19	PES	Pace	65	-12.5	S	0.0159 U	0.00117 U	0.0127 U	0.00143 U	0.00295 U	0.0196 J	0.00241 U	0.000508 U	0.00133 U	0.00143 U	0.00759 U	0.00470 U	0.00515 U
	B19D19-70	03/18/19	PES	Pace	70	-17.5	S	0.0153 U	0.00112 U	0.0122 U	0.00138 U	0.00284 U	0.0167 U	0.00232 U	0.000488 U	0.00128 U	0.00138 U	0.00730 U	0.00452 U	0.00496 U
	B19D19-75	03/18/19	PES	Pace	75	-22.5	S	0.0148 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0162 U	0.00226 U	0.000475 U	0.00125 U	0.00134 U	0.00711 U	0.00440 U	0.00482 U
	B19D19-80	03/18/19	PES	Pace	80	-27.5	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
	B19D19-85	03/18/19	PES	Pace	85	-32.5	S	0.0152 U	0.00112 U	0.0121 U	0.00137 U	0.00283 U	0.0167 J	0.00231 U	0.000486 U	0.00128 U	0.00137 U	0.00726 U	0.00449 U	0.00493 U
	B19D19-90	03/18/19	PES	Pace	90	-37.5	S	0.0158 U	0.00116 U	0.0126 U	0.00142 U	0.00293 U	0.0242 J	0.00239 U	0.000504 U	0.00132 U	0.00142 U	0.00753 U	0.00466 U	0.00511 U
	B19D19-95	03/18/19	PES	Pace	95	-42.5	S	0.0150 U	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0164 U	0.00228 U	0.000479 U	0.00126 U	0.00135 U	0.00717 U	0.00444 U	0.00487 U
	B19D19-100	03/18/19	PES	Pace	100	-47.5	S	0.0152 U	0.00112 U	0.0122 U	0.00137 U	0.00283 U	0.0227 J	0.00231 U	0.000487 U	0.00128 U	0.00137 U	0.00728 U	0.00451 U	0.00494 U
	B19D19-105	03/18/19	PES	Pace	105	-52.5	S	0.0139 U	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0164 J	0.00212 U	0.000446 U	0.00117 U	0.00126 U	0.00667 U	0.00413 U	0.00453 U
	B19D19-110	03/18/19	PES	Pace	110	-57.5	S	0.0157 U	0.00116 U	0.0126 U	0.00142 U	0.00293 U	0.0247 J	0.00239 U	0.000504 U	0.00132 U	0.00142 U	0.00753 U	0.00466 U	0.00511 U
	B-935-40	03/18/19	PES	Pace	110 (dup)	-57.5	S	0.0167 U	0.00123 U	0.0134 U	0.00151 U	0.00313 U	0.0183 U	0.00255 U	0.000537 U	0.00140 U	0.00151 U	0.00803 U	0.00496 U	0.00544 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27	
PRB-B21/PRB-D21	B21D21-10	03/25/19	PES	Pace	10	44.0	V	0.0143 U	0.00105 U	0.0115 U	0.00130 U	0.00267 U	0.0157 U	0.00217 U	0.000459 U	0.00120 U	0.00130 U	0.00686 U	0.00424 U	0.00465 U	
	B21D21-20	03/25/19	PES	Pace	20	34.0	S	0.0148 U	0.00109 U	0.0118 U	0.00134 U	0.00276 U	0.0162 U	0.00225 U	0.000473 U	0.00124 U	0.00134 U	0.00708 U	0.00438 U	0.00480 U	
	B21D21-30	03/25/19	PES	Pace	30	24.0	S	0.0135 U	0.000992 U	0.0108 U	0.00122 U	0.00251 U	0.0261 J	0.00205 U	0.000431 U	0.00113 U	0.00122 U	0.00645 U	0.00399 U	0.0141	
	B21D21-40	03/25/19	PES	Pace	40	14.0	S	0.0139 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0227 J	0.00211 U	0.000443 U	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U	
	B21D21-50	03/25/19	PES	Pace	50	4.0	S	0.0353	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0361	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U	
	B21D21-60	03/26/19	PES	Pace	60	-6.0	S	0.0427	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0321	0.00207 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00443 U	
	B-936-60	03/26/19	PES	Pace	60 (dup)	-6.0	S	0.0321	0.00101 U	0.0109 U	0.00124 U	0.00255 U	-	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00655 U	0.00405 U	0.00444 U	
All Data								Number of Analytes Measured	125	126	127	126	127	127	128	128	127	126	128	128	128
								Number of Analytes Detected	37	0	0	0	11	43	0	44	0	0	0	10	
								Frequency of Detection	29.6%	0.0%	0.0%	0.0%	8.7%	33.9%	0.0%	34.4%	0.0%	0.0%	0.0%	7.8%	
								Maximum Detection	0.213	-	-	-	0.118	0.168	-	0.274	-	-	-	0.0228 J	
								Minimum Detection	0.013 U	0.000955 U	0.0104 U	0.00117 U	0.00242 U	0.0143 U	0.00197 U	0.000415 U	0.00109 U	0.00117 U	0.00621 U	0.00384 U	0.00422 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	-	0	0	1	0	-	0	0	
2017-2021								Number of Saturated (S) Detections above SL	0	0	0	-	-	0	0	7	0	-	0	0	0
								Number of Analytes Measured	125	126	127	126	127	127	128	128	127	126	128	128	
								Number of Analytes Detected	37	0	0	0	11	43	0	44	0	0	0	10	
								Frequency of Detection	29.6%	0.0%	0.0%	0.0%	8.7%	33.9%	0.0%	34.4%	0.0%	0.0%	0.0%	7.8%	
								Maximum Detection	0.213	-	-	-	0.118	0.168	-	0.274	-	-	-	0.0228 J	
								Minimum Detection	0.013 U	0.000955 U	0.0104 U	0.00117 U	0.00242 U	0.0143 U	0.00197 U	0.000415 U	0.00109 U	0.00117 U	0.00621 U	0.00384 U	0.00422 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	-	0	0	1	0	-	0	0	0
								Number of Saturated (S) Detections above SL	0	0	0	-	-	0	0	7	0	-	0	0	
								Notes and Abbreviations:													
								Soil between elevations +10 to 55 feet was treated.													
								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Method NWTPH-Gx.													
								VOCs analyzed by EPA Method 8260C or D.													
PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.																					
(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.																					
Detected results shown in bold.																					
Detections above the screening level in the vadose zone are shown in bold and highlighted blue.																					
Detections above the screening level in the saturated zone are shown in bold and highlighted gray.																					
- = Not available or results not analyzed.																					
J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.																					
J+ = The result is an estimated quantity, but the result may be biased high.																					
J- = The result is an estimated quantity, but the result may be biased low.																					
U = Not detected at a concentration exceeding laboratory reporting limit																					
z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.																					
bgs = below ground surface																					
dup = duplicate																					
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)																					
PES = PES Environmental, Inc.																					

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
PRB-A3/PRB-C3	A3C3-3	01/16/19	PES	Pace	3	39.7	V	0.00115 U	0.000611 U	0.000480 U	0.00115 U	0.000443 U	0.00148 U	0.000736 U	0.000723 U	0.00107 U	0.000840 U	0.000872 U	0.000565 U
	A3C3-6	01/16/19	PES	Pace	6	36.7	V	0.00124 U	0.000657 U	0.000516 U	0.00124 U	0.000476 U	0.00159 U	0.00343	0.000778 U	0.00115 U	0.000904 U	0.000938 U	0.00140 J
	A3C3-8	01/16/19	PES	Pace	8	34.7	V	0.00216 U	0.00115 U	0.000901 U	0.00216 U	0.000830 U	0.00277 U	0.00948	0.00136 U	0.00200 U	0.00158 U	0.00164 U	0.00311 J
	A3C3-10	02/13/19	PES	Pace	10	32.7	S	0.00147 U	0.000778 U	0.000611 U	0.00147 U	0.000564 U	0.00189 U	0.00175 J	0.000921 U	0.00136 U	0.00107 U	0.00111 U	0.00132 J
	A3C3-15	02/13/19	PES	Pace	15	27.7	S	0.00125 U	0.000662 U	0.000520 U	0.00125 U	0.000480 U	0.00161 U	0.000798 U	0.000784 U	0.00116 U	0.000911 U	0.000945 U	0.00379
	A3C3-20	02/13/19	PES	Pace	20	22.7	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000475 U	0.00159 U	0.000789 U	0.000776 U	0.00114 U	0.000902 U	0.000936 U	0.000606 U
	A3C3-25	02/13/19	PES	Pace	25	17.7	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.000495 U	0.00166 U	0.00390	0.000809 U	0.00119 U	0.000940 U	0.000976 U	0.000632 U
	A3C3-32	02/13/19	PES	Pace	32	10.7	S	0.00124 U	0.000660 U	0.000518 U	0.00124 U	0.000478 U	0.00160 U	0.119	0.000781 U	0.00115 U	0.000908 U	0.000942 U	0.000611 U
	A3C3-35	02/13/19	PES	Pace	35	7.7	S	0.00122 U	0.000647 U	0.000508 U	0.00122 U	0.000469 U	0.00157 U	0.0369	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.000599 U
	A3C3-40	02/13/19	PES	Pace	40	2.7	S	0.00133 U	0.000705 U	0.000554 U	0.00133 U	0.000511 U	0.00171 U	0.471	0.000834 U	0.00123 U	0.000970 U	0.00101 U	0.000652 U
PRB-A9/PRB-C9	A3C3-45	02/13/19	PES	Pace	45	-2.3	S	0.00123 U	0.000650 U	0.000511 U	0.00123 U	0.000471 U	0.00158 U	0.121	0.000769 U	0.00113 U	0.000894 U	0.000928 U	0.000602 U
	A3C3-50	02/13/19	PES	Pace	50	-7.3	S	0.00127 U	0.000676 U	0.000531 U	0.00127 U	0.000490 U	0.00164 U	0.108	0.000800 U	0.00118 U	0.000930 U	0.000965 U	0.000625 U
	A9C9-3	01/21/19	PES	Pace	3	40.1	V	0.00182 U	0.000968 U	0.000760 U	0.00182 U	0.000700 U	0.00234 U	0.00116 U	0.00114 U	0.00169 U	0.00133 U	0.00138 U	0.00160 J
	A9C9-6	01/21/19	PES	Pace	6	37.1	V	0.00132 U	0.000702 U	0.000551 U	0.00132 U	0.000508 U	0.00170 U	0.000845 U	0.000831 U	0.00123 U	0.000965 U	0.00100 U	0.00295 J
	A9C9-10	01/21/19	PES	Pace	10	33.1	S	0.00125 U	0.000662 U	0.000520 U	0.00125 U	0.000510 J	0.00161 U	0.00338	0.000784 U	0.00116 U	0.000911 U	0.000945 U	0.000632 J
	A9C9-15	02/07/19	PES	Pace	15	28.1	S	0.00126 U	0.000669 U	0.000525 U	0.00126 U	0.000484 U	0.00162 U	0.0243	0.000791 U	0.00117 U	0.000920 U	0.000955 U	0.000618 U
	A9C9-20	02/07/19	PES	Pace	20	23.1	S	0.00124 U	0.000659 U	0.000517 U	0.00124 U	0.000477 U	0.00160 U	0.00665	0.000779 U	0.00115 U	0.000906 U	0.000940 U	0.000609 U
	A9C9-25	02/07/19	PES	Pace	25	18.1	S	0.00116 U	0.000617 U	0.000484 U	0.00116 U	0.000447 U	0.00150 U	0.00881	0.000730 U	0.00108 U	0.000848 U	0.000880 U	0.000570 U
	A9C9-32	02/07/19	PES	Pace	32	11.1	S	0.00115 U	0.000612 U	0.000481 U	0.00115 U	0.000443 U	0.00148 U	1.04	0.000724 U	0.00107 U	0.000842 U	0.000874 U	0.000566 U
	A9C9-35	02/07/19	PES	Pace	35	8.1	S	0.00114 U	0.000606 U	0.000476 U	0.00114 U	0.000439 U	0.00147 U	0.167	0.000718 U	0.00106 U	0.000834 U	0.000866 U	0.000561 U
PRB-B1/PRB-D1	A9C9-40	02/07/19	PES	Pace	40	3.1	S	0.00116 U	0.000615 U	0.000483 U	0.00116 U	0.000445 U	0.00149 U	1.74	0.000727 U	0.00107 U	0.000845 U	0.000877 U	0.000569 U
	A9C9-45	02/07/19	PES	Pace	45	-1.9	S	0.00113 U	0.000600 U	0.000471 U	0.00113 U	0.000434 U	0.00145 U	0.0596	0.000709 U	0.00105 U	0.000825 U	0.000856 U	0.000555 U
	A9C9-50	02/07/19	PES	Pace	50	-6.9	S	0.00116 U	0.000616 U	0.000484 U	0.00116 U	0.000446 U	0.00149 U	0.0743	0.000729 U	0.00108 U	0.000847 U	0.000879 U	0.000570 U
	B-931-50	02/07/19	PES	Pace	50 (dup)	-6.9	S	0.00116 U	0.000617 U	0.000484 U	0.00116 U	0.000447 U	0.00150 U	0.0869	0.000730 U	0.00108 U	0.000848 U	0.000880 U	0.000570 U
	B1D1-11	01/17/19	PES	Pace	11	30.8	S	0.00126 U	0.000669 U	0.000526 U	0.00126 U	0.000485 U	0.00162 U	0.000806 U	0.000792 U	0.00117 U	0.000921 U	0.000956 U	0.00129 J
	B1D1-15	01/17/19	PES	Pace	15	26.8	S	0.00165 U	0.000876 U	0.000688 U	0.00165 U	0.000634 U	0.00212 U	0.00105 U	0.00104 U	0.00153 U	0.00120 U	0.00125 U	0.000810 U
	B1D1-20	01/17/19	PES	Pace	20	21.8	S	0.00133 U	0.000703 U	0.000552 U	0.00133 U	0.000509 U	0.00171 U	0.0236	0.000832 U	0.00123 U	0.000967 U	0.00100 U	0.000651 U
	B1D1-25	01/17/19	PES	Pace	25	16.8	S	0.00150 U	0.000797 U	0.000626 U	0.00150 U	0.000577 U	0.00193 U	0.148	0.000943 U	0.00139 U	0.00110 U	0.00114 U	0.000737 U
	B1D1-31	01/17/19	PES	Pace	31	10.8	S	0.00118 U	0.000624 U	0.000490 U	0.00118 U	0.000452 U	0.00151 U	0.0147	0.000738 U	0.00109 U	0.000858 U	0.000890 U	0.000577 U
	B1D1-35	01/17/19	PES	Pace	35	6.8	S	0.00132 U	0.000702 U	0.000551 U	0.00132 U	0.000508 U	0.00170 U	0.0194	0.000830 U	0.00122 U	0.000965 U	0.00100 U	0.000649 U
PRB-B2/PRB-D2	B1D1-40	01/17/19	PES	Pace	40	1.8	S	0.00121 U	0.000641 U	0.000503 U	0.00121 U	0.000464 U	0.00155 U	0.0157	0.000758 U	0.00112 U	0.000881 U	0.000914 U	0.000592 U
	B1D1-45	01/17/19	PES	Pace	45	-3.3	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000475 U	0.00159 U	0.0852	0.000776 U	0.00114 U	0.000902 U	0.000936 U	0.000607 U
	B1D1-50	01/17/19	PES	Pace	50	-8.3	S	0.00125 U	0.000662 U	0.000520 U	0.00125 U	0.000479 U	0.00161 U	0.199	0.000783 U	0.00116 U	0.000910 U	0.000945 U	0.000612 U
PRB-B2/PRB-D2	B2D2-3	01/16/19	PES	Pace	3	38.8	V	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.000452 U	0.00152 U	0.000752 U	0.000739 U	0.00109 U	0.000859 U	0.000892 U	0.000578 U
	B2D2-6	01/16/19	PES	Pace	6	35.8	V	0.00150 U	0.000798 U	0.000627 U	0.00150 U	0.000578 U	0.00194 U	0.000961 U	0.000944 U	0.00139 U	0.00110 U	0.00114 U	0.00256 J
	B2D2-10	01/21/19	PES	Pace	10	31.8	S	0.00235 U	0.00125 U	0.000985 U	0.00235 U	0.000907 U	0.00303 U	0.864	0.00148 U	0.00219 U	0.00172 U	0.00177 U	0.0240

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
PRB-B4/PRB-D4	B4D4-3	01/17/19	PES	Pace	3	39.7	V	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.000470 U	0.00157 U	0.000781 U	0.000767 U	0.00113 U	0.000891 U	0.000925 U	0.000600 U
	B4D4-6	01/17/19	PES	Pace	6	36.7	V	0.00171 U	0.000901 U	0.000709 U	0.00171 U	0.000653 U	0.00219 U	0.00697	0.00107 U	0.00157 U	0.00124 U	0.00127 U	0.00168 J
	B4D4-10	01/17/19	PES	Pace	10	32.7	S	0.00137 U	0.000728 U	0.000571 U	0.00137 U	0.000527 U	0.00177 U	0.0467 J-	0.000861 U	0.00127 U	0.00100 U	0.00104 U	0.00140 J-
PRB-B5/PRB-D5	B5D5-10	02/14/19	PES	Pace	10	32.9	S	–	0.000671 U	0.000527 U	–	0.000486 U	0.00163 U	0.0484	0.000794 U	–	0.000923 U	0.000958 U	0.000621 U
	B5D5-15	02/14/19	PES	Pace	15	27.9	S	–	0.000667 U	0.000524 U	–	0.000483 U	–	0.0104	0.000789 U	0.00116 U	0.000917 U	0.000952 U	0.000617 U
	B5D5-20	02/14/19	PES	Pace	20	22.9	S	0.00126 U	0.000669 U	0.000526 U	0.00126 U	0.000485 U	0.00162 U	0.0277	0.000792 U	0.00117 U	0.000920 U	0.000955 U	0.000619 U
	B5D5-25	02/14/19	PES	Pace	25	17.9	S	0.00127 U	0.000675 U	0.000530 U	0.00127 U	0.000489 U	0.00164 U	0.156	0.000799 U	0.00118 U	0.000928 U	0.000964 U	0.000624 U
	B5D5-32	02/14/19	PES	Pace	32	10.9	S	0.00123 U	0.000651 U	0.000511 U	0.00123 U	0.000471 U	0.00158 U	0.257	0.000770 U	0.00114 U	0.000895 U	0.000929 U	0.000602 U
	B5D5-35	02/14/19	PES	Pace	35	7.9	S	0.00119 U	0.000631 U	–	–	0.000457 U	–	0.924	0.000747 U	–	0.000868 U	0.000901 U	0.000584 U
	B5D5-40	02/14/19	PES	Pace	40	2.9	S	0.00119 U	0.000632 U	0.000496 U	0.00119 U	0.000458 U	0.00153 U	1.80	0.000748 U	0.00110 U	0.000869 U	0.000902 U	0.000585 U
	B5D5-45	02/14/19	PES	Pace	45	-2.1	S	0.00116 U	0.000616 U	0.000484 U	0.00116 U	0.000446 U	0.00149 U	0.712	0.000729 U	0.00108 U	0.000847 U	0.000880 U	0.000570 U
	B5D5-50	02/14/19	PES	Pace	50	-7.1	S	0.00113 U	0.000597 U	0.000469 U	0.00113 U	0.000433 U	0.00145 U	0.0246	0.000707 U	0.00104 U	0.000821 U	0.000853 U	0.000553 U
	B-932-50	02/14/19	PES	Pace	50 (dup)	-7.1	S	0.00115 U	0.000608 U	0.000477 U	0.00115 U	0.000440 U	0.00147 U	0.0260	0.000719 U	0.00106 U	0.000836 U	0.000868 U	0.000651 J
PRB-B6/PRB-D6	B6D6-17	02/20/19	PES	Pace	17	25.9	S	0.00124 U	0.000659 U	0.000517 U	0.00124 U	0.000477 U	0.00160 U	0.00388	0.000779 U	0.00115 U	0.000906 U	0.000940 U	0.000609 U
	B6D6-20	02/20/19	PES	Pace	20	22.9	S	0.00125 U	0.000665 U	0.000523 U	0.00125 U	0.000482 U	0.00161 U	0.0233	0.000787 U	0.00116 U	0.000915 U	0.000950 U	0.000615 U
	B6D6-25	02/20/19	PES	Pace	25	17.9	S	0.00129 U	0.000682 U	0.000536 U	0.00129 U	0.000494 U	0.00165 U	0.0372	0.000807 U	0.00119 U	0.000938 U	0.000974 U	0.000631 U
	B6D6-32	02/20/19	PES	Pace	32	10.9	S	0.00130 U	0.000690 U	0.000542 U	0.00130 U	0.000500 U	0.00167 U	0.402	0.000817 U	0.00120 U	0.000949 U	0.000985 U	0.000638 U
	B6D6-35	02/20/19	PES	Pace	35	7.9	S	0.00117 U	0.000622 U	0.000489 U	0.00117 U	0.000451 U	0.00151 U	0.420	0.000736 U	0.00109 U	0.000855 U	0.000888 U	0.000575 U
	B6D6-40	02/20/19	PES	Pace	40	2.9	S	0.00128 U	0.000677 U	0.000531 U	0.00128 U	0.000490 U	0.00164 U	0.0713	0.000801 U	0.00118 U	0.000931 U	0.000966 U	0.000626 U
	B6D6-45	02/20/19	PES	Pace	45	-2.1	S	0.00239 U	0.00127 U	0.000994 U	0.00239 U	0.000917 U	0.00307 U	1.82	0.00150 U	0.00221 U	0.00175 U	0.00181 U	0.00117 U
	B6D6-50	02/20/19	PES	Pace	50	-7.1	S	0.00116 U	0.000613 U	0.000482 U	0.00116 U	0.000444 U	0.00149 U	0.00754	0.000726 U	0.00107 U	0.000844 U	0.000876 U	0.000567 U
	B-933-50	02/20/19	PES	Pace	50 (dup)	-7.1	S	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000457 U	0.00153 U	0.552	0.000746 U	0.00110 U	0.000867 U	0.000900 U	0.000583 U
PRB-B10/PRB-D10	B10D10-15	02/21/19	PES	Pace	15	30.1	S	0.00136 U	0.000722 U	0.000567 U	0.00136 U	0.000523 U	0.00175 U	0.00105 J	0.000855 U	0.00126 U	0.000994 U	0.00103 U	0.00170 J
	B10D10-20	02/21/19	PES	Pace	20	25.1	S	0.00130 U	0.000692 U	0.000544 U	0.00130 U	0.000501 U	0.00168 U	0.339	0.000819 U	0.00121 U	0.000952 U	0.000988 U	0.000640 U
	B10D10-25	02/21/19	PES	Pace	25	20.1	S	0.00122 U	0.000647 U	0.000509 U	0.00122 U	0.000469 U	0.00157 U	0.196	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.000599 U
	B10D10-30	02/21/19	PES	Pace	30	15.1	S	0.00121 U	0.000643 U	0.000505 U	0.00121 U	0.000466 U	0.00156 U	0.409	0.000761 U	0.00112 U	0.000885 U	0.000919 U	0.000595 U
	B10D10-35	02/21/19	PES	Pace	35	10.1	S	0.00119 U	0.000629 U	0.000494 U	0.00119 U	0.000456 U	0.00153 U	0.995	0.000744 U	0.00110 U	0.000865 U	0.000898 U	0.000582 U
	B10D10-40	02/21/19	PES	Pace	40	5.1	S	0.00123 U	0.000654 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.694	0.000774 U	0.00114 U	0.000900 U	0.000934 U	0.000605 U
	B10D10-45	02/21/19	PES	Pace	45	0.1	S	0.0189 U	0.0100 U	0.00788 U	0.0189 U	0.00727 U	0.0243 U	0.209	0.0119 U	0.0175 U	0.0138 U	0.0143 U	0.00929 U
	B10D10-50	02/21/19	PES	Pace	50	-4.9	S	0.00120 U	0.000635 U	0.000498 U	0.00120 U	0.000460 U	0.00154 U	0.564	0.000751 U	0.00111 U	0.000873 U	0.000906 U	0.000587 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
PRB-B11/PRB-D11	B11D11-10	01/15/19	PES	Pace	10	35.1	V	0.00146 U	0.000772 U	0.000607 U	0.00146 U	0.000559 U	0.00188 U	0.000921 U	0.000913 U	0.00135 U	0.00106 U	0.00109 U	0.000783 J
	B11D11-15	01/15/19	PES	Pace	15	30.1	S	0.00118 U	0.000624 U	0.000490 U	0.00118 U	0.000452 U	0.00151 U	0.000436 U	0.000738 U	0.00109 U	0.000858 U	0.000891 U	0.000577 U
	B11D11-20	01/15/19	PES	Pace	20	25.1	S	0.00124 U	0.000658 U	0.000517 U	0.00124 U	0.000476 U	0.00160 U	0.0158 U	0.000778 U	0.00115 U	0.000905 U	0.000939 U	0.000608 U
	B11D11-27	01/15/19	PES	Pace	27	18.1	S	0.00118 U	0.000629 U	0.000494 U	0.00118 U	0.000455 U	0.00152 U	0.0292 U	0.000744 U	0.00110 U	0.000865 U	0.000897 U	0.000581 U
	B11D11-30	01/15/19	PES	Pace	30	15.1	S	0.00112 U	0.000595 U	0.000467 U	0.00112 U	0.000542 J	0.00144 U	0.0698 U	0.000704 U	0.00104 U	0.000818 U	0.000849 U	0.000550 U
	B11D11-35	01/15/19	PES	Pace	35	10.1	S	0.00121 U	0.000641 U	0.000503 U	0.00121 U	0.000511 J	0.00155 U	0.574 U	0.000758 U	0.00112 U	0.000881 U	0.000915 U	0.000593 U
	B11D11-40	01/15/19	PES	Pace	40	5.1	S	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.000549 J	0.00152 U	0.275 U	0.000740 U	0.00109 U	0.000860 U	0.000893 U	0.000578 U
	B11D11-46	01/15/19	PES	Pace	46	-0.9	S	0.00122 U	0.000646 U	0.000507 U	0.00122 U	0.000559 J	0.00157 U	0.105 U	0.000764 U	0.00113 U	0.000888 U	0.000922 U	0.000597 U
	B-928-46	01/15/19	PES	Pace	46 (dup)	-0.9	S	0.00121 U	0.000645 U	0.000506 U	0.00121 U	0.000594 J	0.00156 U	0.130 U	0.000763 U	0.00112 U	0.000886 U	0.000920 U	0.000596 U
	B11D11-50	01/15/19	PES	Pace	50	-4.9	S	0.00144 U	0.000764 U	0.000600 U	0.00144 U	0.000766 J	0.00186 U	0.0512 U	0.000904 U	0.00133 U	0.00105 U	0.00109 U	0.000707 U
PRB-B13/PRB-D13	B13D13-10	03/21/19	PES	Pace	10	37.5	V	0.00123 U	0.000653 U	0.000513 U	0.00123 U	0.000473 U	0.00159 U	0.000787 U	0.000773 U	0.00114 U	0.000899 U	0.000933 U	0.000604 U
	B13D13-20	03/21/19	PES	Pace	20	27.5	S	0.00128 U	0.000679 U	0.000533 U	0.00128 U	0.000492 U	0.00165 U	0.000817 U	0.000803 U	0.00118 U	0.000933 U	0.000969 U	0.000628 U
	B13D13-30	03/21/19	PES	Pace	30	17.5	S	0.00124 U	0.000658 U	0.000517 U	0.00124 U	0.000477 U	0.00160 U	0.0169 U	0.000779 U	0.00115 U	0.000905 U	0.000940 U	0.000609 U
	B13D13-40	03/21/19	PES	Pace	40	7.5	S	0.00115 U	0.000611 U	0.000480 U	0.00115 U	0.000443 U	0.00148 U	0.00174 J	0.000723 U	0.00107 U	0.000841 U	0.000873 U	0.000566 U
	B13D13-50	03/21/19	PES	Pace	50	-2.5	S	0.00119 U	0.000629 U	0.000494 U	0.00119 U	0.000456 U	0.00153 U	0.000758 U	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000582 U
PRB-B16/PRB-D16	B16D16-15	03/13/19	PES	Pace	15	34.5	S	0.00507 U	0.00269 U	0.00211 U	0.00507 U	0.00195 U	0.00653 U	0.00324 U	0.00318 U	0.00470 U	0.00370 U	0.00384 U	0.00249 U
	B16D16-20	03/13/19	PES	Pace	20	29.5	S	0.00118 U	0.000627 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	0.000755 U	0.000742 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
	B16D16-25	03/13/19	PES	Pace	25	24.5	S	0.00116 U	0.000614 U	0.000482 U	0.00116 U	0.000444 U	0.00149 U	0.00264 J	0.000726 U	0.00107 U	0.000844 U	0.000876 U	0.000665 J
	B16D16-30	03/13/19	PES	Pace	30	19.5	S	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000456 U	0.00153 U	0.00446 U	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000582 U
	B16D16-35	03/13/19	PES	Pace	35	14.5	S	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000456 U	0.00153 U	0.713 U	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000583 U
	B16D16-40	03/13/19	PES	Pace	40	9.5	S	0.00126 U	0.000668 U	0.000525 U	0.00126 U	0.000484 U	0.00162 U	2.31 U	0.000790 U	0.00117 U	0.000919 U	0.000954 U	0.000618 U
	B16D16-45	03/13/19	PES	Pace	45	4.5	S	0.00115 U	0.000612 U	0.000481 U	0.00115 U	0.000444 U	0.00149 U	0.665 U	0.000725 U	0.00107 U	0.000842 U	0.000874 U	0.000567 U
	B16D16-50	03/13/19	PES	Pace	50	-0.5	S	0.00118 U	0.000623 U	0.000490 U	0.00118 U	0.000452 U	0.00151 U	1.23 U	0.000738 U	0.00109 U	0.000857 U	0.000890 U	0.00109 J
	B16D16-55	03/13/19	PES	Pace	55	-5.5	S	0.00531 U	0.00282 U	0.00221 U	0.00531 U	0.00204 U	0.00682 U	0.00338 U	0.00333 U	0.00491 U	0.00386 U	0.00401 U	0.00260 U
	B16D16-60	03/13/19	PES	Pace	60	-10.5	S	0.00115 U	0.000610 U	0.000479 U	0.00115 U	0.000442 U	0.00148 U	0.000940 J	0.000721 U	0.00106 U	0.000839 U	0.000870 U	0.000564 U
	B16D16-65	03/13/19	PES	Pace	65	-15.5	S	0.00118 U	0.000627 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	0.000755 U	0.000742 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
	B16D16-70	03/13/19	PES	Pace	70	-20.5	S	0.00121 U	0.000642 U	0.000504 U	0.00121 U	0.000465 U	0.00156 U	0.000773 U	0.000760 U	0.00112 U	0.000883 U	0.000917 U	0.000594 U
	B16D16-75	03/13/19	PES	Pace	75	-25.5	S	0.00119 U	0.000629 U	0.000494 U	0.00119 U	0.000456 U	0.00153 U	0.000758 U	0.000744 U	0.00110 U	0.000865 U	0.000898 U	0.000582 U
	B16D16-80	03/13/19	PES	Pace	80	-30.5	S	0.00120 U	0.000639 U	0.000502 U	0.00120 U	0.000463 U	0.00155 U	0.000770 U	0.000756 U	0.00112 U	0.000879 U	0.000913 U	0.000591 U
	B16D16-85	03/13/19	PES	Pace	85	-35.5	S	0.00120 U	0.000636 U	0.000499 U	0.00120 U	0.000618 J	0.00154 U	0.000765 U	0.000752 U	0.00111 U	0.000874 U	0.000907 U	0.000588 U
	B16D16-90	03/13/19	PES	Pace	90	-40.5	S	0.00122 U	0.000647 U	0.000508 U	0.00122 U	0.000469 U	0.00157 U	0.000779 U	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.000599 U
	B16D16-95	03/13/19	PES	Pace	95	-45.5	S	0.00126 U	0.000667 U	0.000524 U	0.00126 U	0.000483 U	0.00162 U	0.000804 U	0.000790 U	0.00116 U	0.000918 U	0.000953 U	0.000617 U
	B16D16-100	03/13/19	PES	Pace	100	-50.5	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000481 U	0.00161 U	0.000799 U	0.000786 U	0.00116 U	0.000913 U	0.000948 U	0.000614 U
	B16D16-105	03/13/19	PES	Pace	105	-55.5	S	0.00123 U	0.000653 U	0.000513 U	0.00123 U	0.000473 U	0.00158 U	0.000787 U	0.000773 U	0.00114 U	0.000898 U	0.000932 U	0.000604 U
	B-934-105	03/13/19	PES	Pace	105 (dup)	-55.5	S	0.00123 U	0.000654 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.000787 U	0.000774 U	0.00114 U	0.000899 U	0.000933 U	0.000605 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
PRB-B18/PRB-D18	B18D18-10	03/22/19	PES	Pace	10	41.0	V	0.00126 U	0.000669 U	0.000525 U	0.00126 U	0.000484 U	0.00162 U	0.000805 U	0.000791 U	0.00117 U	0.000919 U	0.000954 U	0.000618 U
	B18D18-20	03/22/19	PES	Pace	20	31.0	S	0.00120 U	0.000637 U	0.000500 U	0.00120 U	0.000461 U	0.00155 U	0.0319	0.000754 U	0.00111 U	0.000876 U	0.000910 U	0.000589 U
	B18D18-30	03/22/19	PES	Pace	30	21.0	S	0.00119 U	0.000631 U	0.000496 U	0.00119 U	0.000457 U	0.00153 U	0.712	0.000747 U	0.00110 U	0.000868 U	0.000901 U	0.000584 U
	B18D18-40	03/22/19	PES	Pace	40	11.0	S	0.00119 U	0.000632 U	0.000497 U	0.00119 U	0.000458 U	0.00153 U	0.0174	0.000748 U	0.00110 U	0.000869 U	0.000903 U	0.000585 U
PRB-B19/PRB-D19	B18D18-50	03/22/19	PES	Pace	50	1.0	S	0.00117 U	0.000621 U	0.000488 U	0.00117 U	0.000450 U	0.00151 U	0.0255	0.000735 U	0.00108 U	0.000854 U	0.000887 U	0.000574 U
	B19D19-10	03/18/19	PES	Pace	10	42.5	V	0.00119 U	0.000632 U	0.000496 U	0.00119 U	0.000457 U	0.00153 U	0.000760 U	0.000747 U	0.00110 U	0.000869 U	0.000902 U	0.000584 U
	B19D19-15	03/18/19	PES	Pace	15	37.5	V	0.00133 U	0.000706 U	0.000555 U	0.00133 U	0.000512 U	0.00171 U	0.0310 J	0.000837 U	0.00123 U	0.000972 U	0.00101 U	0.000654 U
	B19D19-20	03/18/19	PES	Pace	20	32.5	S	0.00126 U	0.000669 U	0.000525 U	0.00126 U	0.000484 U	0.00162 U	0.00927 J	0.000791 U	0.00117 U	0.000920 U	0.000955 U	0.000619 U
	B19D19-25	03/18/19	PES	Pace	25	27.5	S	0.00134 U	0.000711 U	0.000558 U	0.00134 U	0.000514 U	0.00172 U	0.0500 J	0.000840 U	0.00124 U	0.000977 U	0.00101 U	0.000657 U
	B19D19-30	03/18/19	PES	Pace	30	22.5	S	0.00124 U	0.000659 U	0.000517 U	0.00124 U	0.000477 U	0.00160 U	0.0551 J	0.000779 U	0.00115 U	0.000906 U	0.000940 U	0.000609 U
	B19D19-35	03/18/19	PES	Pace	35	17.5	S	0.00122 U	0.000650 U	0.000510 U	0.00122 U	0.000471 U	0.00158 U	0.324 J	0.000769 U	0.00113 U	0.000893 U	0.000927 U	0.000601 U
	B19D19-40	03/18/19	PES	Pace	40	12.5	S	0.00126 U	0.000667 U	0.000524 U	0.00126 U	0.000483 U	0.00162 U	0.0658 J	0.000790 U	0.00116 U	0.000918 U	0.000953 U	0.000808 J
	B19D19-45	03/18/19	PES	Pace	45	7.5	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000481 U	0.00160 U	0.126 J	0.000785 U	0.00116 U	0.000913 U	0.000948 U	0.000614 U
	B19D19-50	03/18/19	PES	Pace	50	2.5	S	0.00124 U	0.000657 U	0.000516 U	0.00124 U	0.000476 U	0.00159 U	0.000791 U	0.000777 U	0.00115 U	0.000904 U	0.000938 U	0.000608 U
	B19D19-55	03/18/19	PES	Pace	55	-2.5	S	0.00124 U	0.000660 U	0.000519 U	0.00124 U	0.000478 U	0.00160 U	0.000795 U	0.000781 U	0.00115 U	0.000908 U	0.000943 U	0.000611 UJ
	B19D19-60	03/18/19	PES	Pace	60	-7.5	S	0.00121 U	0.000642 U	0.000504 U	0.00121 U	0.000465 U	0.00156 U	0.000773 U	0.000760 U	0.00112 U	0.000883 U	0.000916 U	0.000613 J
	B19D19-65	03/18/19	PES	Pace	65	-12.5	S	0.00138 U	0.000727 U	0.000572 U	0.00138 U	0.000527 U	0.00177 U	0.000875 U	0.000860 U	0.00127 U	0.00100 U	0.00104 U	0.000672 UJ
	B19D19-70	03/18/19	PES	Pace	70	-17.5	S	0.00132 U	0.000699 U	0.000549 U	0.00132 U	0.000507 U	0.00170 U	0.000842 U	0.000828 U	0.00122 U	0.000962 U	0.000998 U	0.000647 U
	B19D19-75	03/18/19	PES	Pace	75	-22.5	S	0.00128 U	0.000681 U	0.000534 U	0.00128 U	0.000493 U	0.00165 U	0.000820 U	0.000806 U	0.00119 U	0.000937 U	0.000972 U	0.000630 U
	B19D19-80	03/18/19	PES	Pace	80	-27.5	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000470 U	0.00157 U	0.000782 U	0.000768 U	0.00113 U	0.000893 U	0.000926 U	0.000600 U
	B19D19-85	03/18/19	PES	Pace	85	-32.5	S	0.00131 U	0.000696 U	0.000546 U	0.00131 U	0.000504 U	0.00169 U	0.000838 U	0.000823 U	0.00121 U	0.000957 U	0.000993 U	0.000644 U
	B19D19-90	03/18/19	PES	Pace	90	-37.5	S	0.00136 U	0.000721 U	0.000567 U	0.00136 U	0.000522 U	0.00175 U	0.000868 U	0.000853 U	0.00126 U	0.000992 U	0.00103 U	0.000667 U
	B19D19-95	03/18/19	PES	Pace	95	-42.5	S	0.00129 U	0.000687 U	0.000539 U	0.00129 U	0.000497 U	0.00167 U	0.000827 U	0.000813 U	0.00120 U	0.000945 U	0.000981 U	0.000635 U
	B19D19-100	03/18/19	PES	Pace	100	-47.5	S	0.00131 U	0.000698 U	0.000547 U	0.00131 U	0.000505 U	0.00169 U	0.000840 U	0.000826 U	0.00122 U	0.000960 U	0.000996 U	0.000645 U
	B19D19-105	03/18/19	PES	Pace	105	-52.5	S	0.00120 U	0.000639 U	0.000502 U	0.00120 U	0.000463 U	0.00155 U	0.000770 U	0.000756 U	0.00112 U	0.000879 U	0.000912 U	0.000591 U
	B19D19-110	03/18/19	PES	Pace	110	-57.5	S	0.00136 U	0.000721 U	0.000567 U	0.00136 U	0.000522 U	0.00175 U	0.000869 U	0.000854 U	0.00126 U	0.000992 U	0.00103 U	0.000667 U
	B-935-40	03/18/19	PES	Pace	110 (dup)	-57.5	S	0.00145 U	0.000768 U	0.000603 U	0.00145 U	0.000556 U	0.00187 U	0.000926 UJ	0.000910 U	0.00134 U	0.00106 U	0.00110 U	0.000712 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
PRB-B21/PRB-D21	B21D21-10	03/25/19	PES	Pace	10	44.0	V	0.00123 U	0.000657 U	0.000516 U	0.00123 U	0.000476 U	0.00159 U	0.000791 U	0.000778 U	0.00115 U	0.000903 U	0.000938 U	0.000608 U
	B21D21-20	03/25/19	PES	Pace	20	34.0	S	0.00128 U	0.000678 U	0.000532 U	0.00128 U	0.000491 U	0.00164 U	0.000816 U	0.000802 U	0.00118 U	0.000932 U	0.000967 U	0.000627 U
	B21D21-30	03/25/19	PES	Pace	30	24.0	S	0.00116 U	0.000618 U	0.000485 U	0.00116 U	0.000447 U	0.00150 U	0.000731 U	0.000731 U	0.00108 U	0.000850 U	0.000882 U	0.000571 U
	B21D21-40	03/25/19	PES	Pace	40	14.0	S	0.00120 U	0.000635 U	0.000499 U	0.00120 U	0.000460 U	0.00154 U	0.000765 U	0.000751 U	0.00111 U	0.000873 U	0.000906 U	0.000587 U
	B21D21-50	03/25/19	PES	Pace	50	4.0	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000470 U	0.00157 U	0.307	0.000768 U	0.00113 U	0.000893 U	0.000927 U	0.000600 U
	B21D21-60	03/26/19	PES	Pace	60	-6.0	S	0.00118 U	0.000625 U	0.000491 U	0.00118 U	0.000453 U	0.00152 U	0.0961 J	0.000740 U	0.00109 U	0.000860 U	0.000893 U	0.000578 U
	B-936-60	03/26/19	PES	Pace	60 (dup)	-6.0	S	0.00118 U	0.000627 U	0.000493 U	0.00118 U	0.000454 U	0.00152 U	0.180 J	0.000742 U	0.00109 U	0.000863 U	0.000895 U	0.000580 U
All Data								Number of Analytes Measured	126	128	127	125	128	126	128	126	128	128	128
								Number of Analytes Detected	0	0	0	0	7	0	84	0	0	0	18
								Frequency of Detection	0.0%	0.0%	0.0%	0.0%	5.5%	0.0%	65.6%	0.0%	0.0%	0.0%	14.1%
								Maximum Detection	–	–	–	–	0.000766 J	–	2.31	–	–	–	0.024
								Minimum Detection	0.00112 U	0.000595 U	0.000467 U	0.00112 U	0.000433 U	0.00144 U	0.000736 U	0.000704 U	0.00104 U	0.000818 U	0.000849 U
								Number Of Vadose (V) Detections above SL	0	0	0	–	0	–	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	0	0	–	0	–	70	0	0	0	0
2017-2021								Number of Analytes Measured	126	128	127	125	128	126	128	126	128	128	128
								Number of Analytes Detected	0	0	0	0	7	0	84	0	0	0	18
								Frequency of Detection	0.0%	0.0%	0.0%	0.0%	5.5%	0.0%	65.6%	0.0%	0.0%	0.0%	14.1%
								Maximum Detection	–	–	–	–	0.000766 J	–	2.31	–	–	–	0.024
								Minimum Detection	0.00112 U	0.000595 U	0.000467 U	0.00112 U	0.000433 U	0.00144 U	0.000736 U	0.000704 U	0.00104 U	0.000818 U	0.000849 U
								Number Of Vadose (V) Detections above SL	0	0	0	–	0	–	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	0	0	–	0	–	70	0	0	0	0
								Notes and Abbreviations: Soil between elevations +10 to 55 feet was treated. Petroleum Hydrocarbons (PHCs) analyzed by Ecology Method NWTPH-Gx. VOCs analyzed by EPA Method 8260C or D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue . Detections above the screening level in the saturated zone are shown in bold and highlighted gray . – = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. bgs = below ground surface dup = duplicate Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.											

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
PRB-A3/PRB-C3	A3C3-3	01/16/19	PES	Pace	3	39.7	V	0.0135 U	0.00684	0.00645 U	0.000373 U	0.000920 U	0.0107 U	0.000315 U	0.00708 U	0.00333 U	0.00409 U	0.00126 U	0.00270 U
	A3C3-6	01/16/19	PES	Pace	6	36.7	V	0.0146 U	0.116	0.00694 U	0.000401 U	0.000990 U	0.0115 U	0.000338 U	0.00762 U	0.00358 U	0.00441 U	0.00135 U	0.00290 U
	A3C3-8	01/16/19	PES	Pace	8	34.7	V	0.0254 U	0.269	0.0121 U	0.000700 U	0.00173 U	0.0200 U	0.000591 U	0.0133 U	0.00624 U	0.00769 U	0.00236 U	0.00506 U
	A3C3-10	02/13/19	PES	Pace	10	32.7	S	0.0172 U	0.0604	0.00822 U	0.000475 U	0.00117 U	0.0136 U	0.000401 U	0.00902 U	0.00766 J	0.00522 U	0.00160 U	0.00344 U
	A3C3-15	02/13/19	PES	Pace	15	27.7	S	0.0147 U	0.0771	0.00699 U	0.000405 U	0.00145 J	0.0116 U	0.000341 U	0.00767 U	0.0108 J	0.00444 U	0.00136 U	0.00292 U
	A3C3-20	02/13/19	PES	Pace	20	22.7	S	0.0145 U	0.00121 U	0.00692 U	0.000400 U	0.000987 U	0.0114 U	0.000338 U	0.00760 U	0.00357 U	0.00439 U	0.00135 U	0.00289 U
	A3C3-25	02/13/19	PES	Pace	25	17.7	S	0.0152 U	0.00126 U	0.00722 U	0.000418 U	0.00103 U	0.0119 U	0.000352 U	0.00792 U	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	A3C3-32	02/13/19	PES	Pace	32	10.7	S	0.0146 U	0.00122 U	0.00697 U	0.000403 U	0.000994 U	0.0115 U	0.000340 U	0.00765 U	0.00359 U	0.00442 U	0.00136 U	0.00292 U
	A3C3-35	02/13/19	PES	Pace	35	7.7	S	0.0143 U	0.00120 U	0.00684 U	0.000395 U	0.000975 U	0.0113 U	0.000333 U	0.00750 U	0.00352 U	0.00434 U	0.00133 U	0.00286 U
	A3C3-40	02/13/19	PES	Pace	40	2.7	S	0.0156 U	0.00130 U	0.00745 U	0.000431 U	0.00106 U	0.0123 U	0.000363 U	0.00817 U	0.00384 U	0.00473 U	0.00145 U	0.00311 U
	A3C3-45	02/13/19	PES	Pace	45	-2.3	S	0.0144 U	0.00120 U	0.00687 U	0.000397 U	0.000979 U	0.0113 U	0.000335 U	0.00754 U	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	A3C3-50	02/13/19	PES	Pace	50	-7.3	S	0.0150 U	0.00125 U	0.00714 U	0.000413 U	0.00102 U	0.0118 U	0.000348 U	0.00783 U	0.00368 U	0.00453 U	0.00139 U	0.00298 U
PRB-A9/PRB-C9	A9C9-3	01/21/19	PES	Pace	3	40.1	V	0.0214 U	0.0699	0.0102 U	0.000591 U	0.00146 U	0.0169 U	0.000498 U	0.0112 U	0.00527 U	0.00648 U	0.00199 U	0.00426 U
	A9C9-6	01/21/19	PES	Pace	6	37.1	V	0.0156 U	0.00687	0.00741 U	0.000429 U	0.00106 U	0.0123 U	0.000361 U	0.00813 U	0.00382 U	0.00470 U	0.00145 U	0.00310 U
	A9C9-10	01/21/19	PES	Pace	10	33.1	S	0.0147 U	0.00318 J	0.00699 U	0.000404 U	0.000997 U	0.0116 U	0.000341 U	0.00767 U	0.00361 U	0.00444 U	0.00136 U	0.00292 U
	A9C9-15	02/07/19	PES	Pace	15	28.1	S	0.0148 U	0.00124 U	0.00706 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00775 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	A9C9-20	02/07/19	PES	Pace	20	23.1	S	0.0146 U	0.00374 J	0.00695 U	0.000402 U	0.000992 U	0.0115 U	0.000339 U	0.00763 U	0.00359 U	0.00441 U	0.00136 U	0.00291 U
	A9C9-25	02/07/19	PES	Pace	25	18.1	S	0.0137 U	0.00114 U	0.00651 U	0.000377 U	0.000929 U	0.0108 U	0.000317 U	0.00715 U	0.00336 U	0.00413 U	0.00127 U	0.00272 U
	A9C9-32	02/07/19	PES	Pace	32	11.1	S	0.0136 U	0.00516 J	0.00646 U	0.000374 U	0.000922 U	0.0107 U	0.000315 U	0.00709 U	0.00333 U	0.00410 U	0.00126 U	0.00270 U
	A9C9-35	02/07/19	PES	Pace	35	8.1	S	0.0134 U	0.00317 J	0.00640 U	0.000370 U	0.000913 U	0.0106 U	0.000312 U	0.00703 U	0.00330 U	0.00406 U	0.00125 U	0.00268 U
	A9C9-40	02/07/19	PES	Pace	40	3.1	S	0.0136 U	0.00114 U	0.00649 U	0.000375 U	0.000926 U	0.0107 U	0.000316 U	0.00712 U	0.00335 U	0.00412 U	0.00127 U	0.00271 U
	A9C9-45	02/07/19	PES	Pace	45	-1.9	S	0.0133 U	0.00111 U	0.00633 U	0.000366 U	0.000903 U	0.0105 U	0.000435 J	0.00695 U	0.00326 U	0.00402 U	0.00123 U	0.00265 U
	A9C9-50	02/07/19	PES	Pace	50	-6.9	S	0.0137 U	0.00114 U	0.00650 U	0.000376 U	0.000928 U	0.0108 U	0.000357 J	0.00714 U	0.00335 U	0.00413 U	0.00127 U	0.00272 U
	B-931-50	02/07/19	PES	Pace	50 (dup)	-6.9	S	0.0137 U	0.00505 J	0.00651 U	0.000377 U	0.000929 U	0.0108 U	0.000318 U	0.00715 U	0.00336 U	0.00413 U	0.00127 U	0.00272 U
PRB-B1/PRB-D1	B1D1-11	01/17/19	PES	Pace	11	30.8	S	0.0148 U	0.0136	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00365 U	0.00449 U	0.00188 J	0.00296 U
	B1D1-15	01/17/19	PES	Pace	15	26.8	S	0.0194 U	0.00264 J	0.00925 U	0.000535 U	0.00132 U	0.0153 U	0.000451 U	0.0102 U	0.00477 U	0.00587 U	0.00180 U	0.00387 U
	B1D1-20	01/17/19	PES	Pace	20	21.8	S	0.0156 U	0.00443 J	0.00743 U	0.000430 U	0.00106 U	0.0123 U	0.000362 U	0.0104 J	0.00383 U	0.00471 U	0.00145 U	0.00311 U
	B1D1-25	01/17/19	PES	Pace	25	16.8	S	0.0177 U	0.00361 J	0.00841 U	0.000487 U	0.00120 U	0.0139 U	0.000410 U	0.00923 U	0.00434 U	0.00534 U	0.00164 U	0.00352 U
	B1D1-31	01/17/19	PES	Pace	31	10.8	S	0.0138 U	0.00115 U	0.00658 U	0.000381 U	0.000939 U	0.0109 U	0.000321 U	0.00723 U	0.00340 U	0.00418 U	0.00128 U	0.00275 U
	B1D1-35	01/17/19	PES	Pace	35	6.8	S	0.0156 U	0.00186 J	0.00741 U	0.000429 U	0.00106 U	0.0122 U	0.000361 U	0.00813 U	0.00382 U	0.00470 U	0.00145 U	0.00310 U
	B1D1-40	01/17/19	PES	Pace	40	1.8	S	0.0142 U	0.00244 J	0.00676 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00742 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
	B1D1-45	01/17/19	PES	Pace	45	-3.3	S	0.0145 U	0.00121 U	0.00692 U	0.000401 U	0.000988 U	0.0114 U	0.000338 U	0.00760 U	0.00357 U	0.00439 U	0.00135 U	0.00290 U
	B1D1-50	01/17/19	PES	Pace	50	-8.3	S	0.0147 U	0.00283 J	0.00699 U	0.000404 U	0.000997 U	0.0116 U	0.000341 U	0.00767 U	0.00360 U	0.00444 U	0.00136 U	0.00292 U
PRB-B2/PRB-D2	B2D2-3	01/16/19	PES	Pace	3	38.8	V	0.0138 U	0.00778	0.00660 U	0.000382 U	0.000941 U	0.0109 U	0.000322 U	0.00724 U	0.00340 U	0.00419 U	0.00129 U	0.00276 U
	B2D2-6	01/16/19	PES	Pace	6	35.8	V	0.0177 U	0.0982	0.00843 U	0.000487 U	0.00398	0.0139 U	0.000411 U	0.00925 U	0.00435 U	0.00535 U	0.00164 U	0.00352 U
	B2D2-10	01/21/19	PES	Pace	10	31.8	S	0.0277 U	1.22	0.0132 U	0.000759 U	0.00922	0.0219 U	0.000645 U	0.0145 U	0.00681 U	0.00839 U	0.00827 J	0.00553 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
PRB-B4/PRB-D4	B4D4-3	01/17/19	PES	Pace	3	39.7	V	0.0144 U	0.00346 J	0.00684 U	0.000396 U	0.000976 U	0.0113 U	0.000334 U	0.00751 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	B4D4-6	01/17/19	PES	Pace	6	36.7	V	0.0200 U	0.205	0.00951 U	0.000546 U	0.00136 U	0.0157 U	0.000465 U	0.0104 U	0.00487 U	0.00604 U	0.00185 U	0.00399 U
	B4D4-10	01/17/19	PES	Pace	10	32.7	S	0.0161 U	0.122	0.00768 U	0.000444 U	0.00117 J	0.0127 U	0.000375 U	0.00843 U	0.00918 J	0.00488 U	0.00150 U	0.00321 U
PRB-B5/PRB-D5	B5D5-10	02/14/19	PES	Pace	10	32.9	S	0.0149 U	0.0115	0.00709 U	0.000410 U	-	-	0.000346 U	0.00778 U	0.00366 U	0.00450 U	-	-
	B5D5-15	02/14/19	PES	Pace	15	27.9	S	-	0.00123 U	0.00704 U	0.000407 U	0.00100 U	0.0116 U	0.000343 U	0.00773 U	0.00363 U	0.00447 U	0.00137 U	0.00295 U
	B5D5-20	02/14/19	PES	Pace	20	22.9	S	0.0148 U	0.00124 U	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00364 U	0.00449 U	0.00138 U	0.00296 U
	B5D5-25	02/14/19	PES	Pace	25	17.9	S	0.0150 U	0.00125 U	0.00713 U	0.000412 U	0.00102 U	0.0118 U	0.000348 U	0.00782 U	0.00368 U	0.00452 U	0.00139 U	0.00298 U
	B5D5-32	02/14/19	PES	Pace	32	10.9	S	0.0144 U	0.00120 U	0.00687 U	0.000398 U	0.000980 U	0.0114 U	0.000335 U	0.00754 U	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	B5D5-35	02/14/19	PES	Pace	35	7.9	S	-	-	0.00666 U	-	0.000951 U	-	-	0.00731 U	-	0.00423 U	-	-
	B5D5-40	02/14/19	PES	Pace	40	2.9	S	0.0140 U	0.00117 U	0.00667 U	0.000386 U	0.000952 U	0.0110 U	0.000325 U	0.00732 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U
	B5D5-45	02/14/19	PES	Pace	45	-2.1	S	0.0137 U	0.00114 U	0.00651 U	0.000376 U	0.000928 U	0.0108 U	0.000317 U	0.00714 U	0.00336 U	0.00413 U	0.00127 U	0.00272 U
	B5D5-50	02/14/19	PES	Pace	50	-7.1	S	0.0132 U	0.00111 U	0.00631 U	0.000365 U	0.000900 U	0.0104 U	0.000308 U	0.00692 U	0.00325 U	0.00400 U	0.00123 U	0.00264 U
	B-932-50	02/14/19	PES	Pace	50 (dup)	-7.1	S	0.0135 U	0.00112 U	0.00642 U	0.000371 U	0.000916 U	0.0106 U	0.000313 U	0.00705 U	0.00331 U	0.00407 U	0.00125 U	0.00268 U
PRB-B6/PRB-D6	B6D6-17	02/20/19	PES	Pace	17	25.9	S	0.0146 U	0.00214 J	0.00696 U	0.000402 U	0.000992 U	0.0115 U	0.000339 U	0.00763 U	0.00359 U	0.00441 U	0.00136 U	0.00291 U
	B6D6-20	02/20/19	PES	Pace	20	22.9	S	0.0147 U	0.00123 U	0.00703 U	0.000406 U	0.00100 U	0.0116 U	0.000343 U	0.00771 U	0.00362 U	0.00446 U	0.00137 U	0.00294 U
	B6D6-25	02/20/19	PES	Pace	25	17.9	S	0.0151 U	0.00126 U	0.00720 U	0.000417 U	0.00103 U	0.0119 U	0.000351 U	0.00790 U	0.00371 U	0.00457 U	0.00140 U	0.00301 U
	B6D6-32	02/20/19	PES	Pace	32	10.9	S	0.0153 U	0.00133 J	0.00729 U	0.000422 U	0.00104 U	0.0120 U	0.000355 U	0.00800 U	0.00376 U	0.00463 U	0.00142 U	0.00305 U
	B6D6-35	02/20/19	PES	Pace	35	7.9	S	0.0138 U	0.00276 J	0.00657 U	0.000380 U	0.000937 U	0.0109 U	0.000320 U	0.00721 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
	B6D6-40	02/20/19	PES	Pace	40	2.9	S	0.0150 U	0.00213 J	0.00714 U	0.000413 U	0.00102 U	0.0118 U	0.000348 U	0.00784 U	0.00368 U	0.00453 U	0.00139 U	0.00299 U
	B6D6-45	02/20/19	PES	Pace	45	-2.1	S	0.0281 U	0.00347 J	0.0134 U	0.000773 U	0.00191 U	0.0221 U	0.000652 U	0.0147 U	0.00689 U	0.00848 U	0.00261 U	0.00559 U
	B6D6-50	02/20/19	PES	Pace	50	-7.1	S	0.0136 U	0.00281 J	0.00648 U	0.000375 U	0.000924 U	0.0107 U	0.000316 U	0.00711 U	0.00334 U	0.00411 U	0.00126 U	0.00271 U
	B-933-50	02/20/19	PES	Pace	50 (dup)	-7.1	S	0.0140 U	0.00182 J	0.00666 U	0.000385 U	0.000949 U	0.0110 U	0.000325 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
PRB-B10/PRB-D10	B10D10-15	02/21/19	PES	Pace	15	30.1	S	0.0160 U	0.00404 J	0.00763 U	0.000441 U	0.00109 U	0.0126 U	0.000372 U	0.00837 U	0.0173	0.00484 U	0.00149 U	0.00319 U
	B10D10-20	02/21/19	PES	Pace	20	25.1	S	0.0153 U	0.00135 J	0.00731 U	0.000423 U	0.00104 U	0.0121 U	0.000356 U	0.00802 U	0.00377 U	0.00464 U	0.00143 U	0.00306 U
	B10D10-25	02/21/19	PES	Pace	25	20.1	S	0.0144 U	0.00120 U	0.00684 U	0.000396 U	0.000975 U	0.0113 U	0.000333 U	0.00750 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	B10D10-30	02/21/19	PES	Pace	30	15.1	S	0.0143 U	0.00164 J	0.00679 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00746 U	0.00350 U	0.00431 U	0.00132 U	0.00284 U
	B10D10-35	02/21/19	PES	Pace	35	10.1	S	0.0139 U	0.00116 U	0.00664 U	0.000384 U	0.000947 U	0.0110 U	0.000324 U	0.00729 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B10D10-40	02/21/19	PES	Pace	40	5.1	S	0.0145 U	0.00199 J	0.00691 U	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00758 U	0.00356 U	0.00439 U	0.00135 U	0.00289 U
	B10D10-45	02/21/19	PES	Pace	45	0.1	S	0.223 U	0.0186 U	0.106 U	0.00613 U	0.0151 U	0.175 U	0.00517 U	0.117 U	0.0546 U	0.0673 U	0.0207 U	0.0443 U
	B10D10-50	02/21/19	PES	Pace	50	-4.9	S	0.0141 U	0.00142 J	0.00670 U	0.000388 U	0.000956 U	0.0111 U	0.000327 U	0.00735 U	0.00346 U	0.00425 U	0.00131 U	0.00280 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
PRB-B11/PRB-D11	B11D11-10	01/15/19	PES	Pace	10	35.1	V	0.0171 U	0.00142 U	0.00815 U	0.000467 U	0.00195 J	0.0135 U	0.000398 U	0.00894 U	0.00421 U	0.00518 U	0.00159 U	0.00341 U
	B11D11-15	01/15/19	PES	Pace	15	30.1	S	0.0138 U	0.00130 J	0.00659 U	0.000381 U	0.000940 U	0.0109 U	0.000321 U	0.00723 U	0.00340 U	0.00418 U	0.00128 U	0.00275 U
	B11D11-20	01/15/19	PES	Pace	20	25.1	S	0.0146 U	0.00122 U	0.00695 U	0.000402 U	0.000991 U	0.0115 U	0.000339 U	0.00762 U	0.00358 U	0.00441 U	0.00135 U	0.00290 U
	B11D11-27	01/15/19	PES	Pace	27	18.1	S	0.0139 U	0.00343 J	0.00664 U	0.000384 U	0.000947 U	0.0110 U	0.000324 U	0.00728 U	0.00342 U	0.00421 U	0.00129 U	0.00278 U
	B11D11-30	01/15/19	PES	Pace	30	15.1	S	0.0132 U	0.00158 J	0.00628 U	0.000363 U	0.000896 U	0.0104 U	0.000306 U	0.00689 U	0.00324 U	0.00399 U	0.00123 U	0.00263 U
	B11D11-35	01/15/19	PES	Pace	35	10.1	S	0.0142 U	0.00199 J	0.00677 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00743 U	0.00349 U	0.00430 U	0.00132 U	0.00283 U
	B11D11-40	01/15/19	PES	Pace	40	5.1	S	0.0139 U	0.00137 J	0.00660 U	0.000382 U	0.000942 U	0.0109 U	0.000322 U	0.00725 U	0.00341 U	0.00419 U	0.00129 U	0.00276 U
	B11D11-46	01/15/19	PES	Pace	46	-0.9	S	0.0143 U	0.00158 J	0.00682 U	0.000394 U	0.000973 U	0.0113 U	0.000332 U	0.00748 U	0.00352 U	0.00433 U	0.00133 U	0.00285 U
	B-928-46	01/15/19	PES	Pace	46 (dup)	-0.9	S	0.0143 U	0.00200 J	0.00681 U	0.000394 U	0.000971 U	0.0112 U	0.000332 U	0.00747 U	0.00351 U	0.00432 U	0.00133 U	0.00285 U
	B11D11-50	01/15/19	PES	Pace	50	-4.9	S	0.0169 U	0.00495 J	0.00806 U	0.000467 U	0.00115 U	0.0133 U	0.000393 U	0.00885 U	0.00416 U	0.00511 U	0.00157 U	0.00338 U
PRB-B13/PRB-D13	B13D13-10	03/21/19	PES	Pace	10	37.5	V	0.0145 U	0.00121 U	0.00690 U	0.000399 U	0.000984 U	0.0114 U	0.000336 U	0.00757 U	0.00356 U	0.00438 U	0.00135 U	0.00289 U
	B13D13-20	03/21/19	PES	Pace	20	27.5	S	0.0150 U	0.00126 U	0.00717 U	0.000415 U	0.00102 U	0.0118 U	0.000349 U	0.00787 U	0.00370 U	0.00455 U	0.00140 U	0.00300 U
	B13D13-30	03/21/19	PES	Pace	30	17.5	S	0.0146 U	0.00122 U	0.00695 U	0.000402 U	0.000991 U	0.0115 U	0.000339 U	0.00763 U	0.00358 U	0.00441 U	0.00136 U	0.00291 U
	B13D13-40	03/21/19	PES	Pace	40	7.5	S	0.0136 U	0.00113 U	0.00646 U	0.000373 U	0.000921 U	0.0107 U	0.000315 U	0.00708 U	0.00333 U	0.00410 U	0.00126 U	0.00270 U
	B13D13-50	03/21/19	PES	Pace	50	-2.5	S	0.0140 U	0.00116 U	0.00665 U	0.000384 U	0.000948 U	0.0110 U	0.000324 U	0.00729 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
PRB-B16/PRB-D16	B16D16-15	03/13/19	PES	Pace	15	34.5	S	0.0597 U	0.00498 U	0.0284 U	0.00164 U	0.00405 U	0.0470 U	0.00139 U	0.0312 U	0.0147 U	0.0181 U	0.00554 U	0.0119 U
	B16D16-20	03/13/19	PES	Pace	20	29.5	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	B16D16-25	03/13/19	PES	Pace	25	24.5	S	0.0136 U	0.00114 U	0.00648 U	0.000375 U	0.000924 U	0.0107 U	0.000316 U	0.00711 U	0.00334 U	0.00411 U	0.00126 U	0.00271 U
	B16D16-30	03/13/19	PES	Pace	30	19.5	S	0.0140 U	0.00116 U	0.00665 U	0.000385 U	0.000948 U	0.0110 U	0.000324 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B16D16-35	03/13/19	PES	Pace	35	14.5	S	0.0140 U	0.00117 U	0.00665 U	0.000385 U	0.000949 U	0.0110 U	0.000324 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B16D16-40	03/13/19	PES	Pace	40	9.5	S	0.0148 U	0.00124 U	0.00705 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00774 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	B16D16-45	03/13/19	PES	Pace	45	4.5	S	0.0136 U	0.00113 U	0.00647 U	0.000374 U	0.000922 U	0.0107 U	0.000315 U	0.00710 U	0.00333 U	0.00410 U	0.00126 U	0.00270 U
	B16D16-50	03/13/19	PES	Pace	50	-0.5	S	0.0138 U	0.00115 U	0.00658 U	0.000381 U	0.000939 U	0.0109 U	0.000321 U	0.00722 U	0.00339 U	0.00418 U	0.00128 U	0.00275 U
	B16D16-55	03/13/19	PES	Pace	55	-5.5	S	0.0623 U	0.00521 U	0.0297 U	0.00172 U	0.00424 U	0.0491 U	0.00145 U	0.0326 U	0.0154 U	0.0189 U	0.00580 U	0.0124 U
	B16D16-60	03/13/19	PES	Pace	60	-10.5	S	0.0135 U	0.00113 U	0.00644 U	0.000372 U	0.000918 U	0.0106 U	0.000314 U	0.00707 U	0.00332 U	0.00409 U	0.00126 U	0.00269 U
	B16D16-65	03/13/19	PES	Pace	65	-15.5	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.00727 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	B16D16-70	03/13/19	PES	Pace	70	-20.5	S	0.0142 U	0.00119 U	0.00678 U	0.000392 U	0.000967 U	0.0112 U	0.000331 U	0.00744 U	0.00350 U	0.00430 U	0.00132 U	0.00284 U
	B16D16-75	03/13/19	PES	Pace	75	-25.5	S	0.0139 U	0.00116 U	0.00664 U	0.000384 U	0.000947 U	0.0110 U	0.000324 U	0.00729 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	B16D16-80	03/13/19	PES	Pace	80	-30.5	S	0.0142 U	0.00118 U	0.00675 U	0.000390 U	0.000963 U	0.0112 U	0.000329 U	0.00741 U	0.00348 U	0.00428 U	0.00132 U	0.00282 U
	B16D16-85	03/13/19	PES	Pace	85	-35.5	S	0.0141 U	0.00118 U	0.00671 U	0.000388 U	0.000957 U	0.0111 U	0.000327 U	0.00737 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
	B16D16-90	03/13/19	PES	Pace	90	-40.5	S	0.0143 U	0.00120 U	0.00683 U	0.000395 U	0.000975 U	0.0113 U	0.000333 U	0.00750 U	0.00352 U	0.00434 U	0.00133 U	0.00286 U
	B16D16-95	03/13/19	PES	Pace	95	-45.5	S	0.0148 U	0.00123 U	0.00705 U	0.000408 U	0.00100 U	0.0116 U	0.000344 U	0.00773 U	0.00363 U	0.00447 U	0.00137 U	0.00295 U
	B16D16-100	03/13/19	PES	Pace	100	-50.5	S	0.0147 U	0.00123 U	0.00701 U	0.000406 U	0.00100 U	0.0116 U	0.000342 U	0.00769 U	0.00362 U	0.00445 U	0.00137 U	0.00293 U
	B16D16-105	03/13/19	PES	Pace	105	-55.5	S	0.0145 U	0.00121 U	0.00690 U	0.000399 U	0.000984 U	0.0114 U	0.000336 U	0.00757 U	0.00356 U	0.00438 U	0.00135 U	0.00288 U
	B-934-105	03/13/19	PES	Pace	105 (dup)	-55.5	S	0.0145 U	0.00121 U	0.00690 U	0.000399 U	0.000985 U	0.0114 U	0.000337 U	0.00758 U	0.00356 U	0.00438 U	0.00135 U	0.00289 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
PRB-B18/PRB-D18	B18D18-10	03/22/19	PES	Pace	10	41.0	V	0.0148 U	0.00737	0.00706 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00775 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	B18D18-20	03/22/19	PES	Pace	20	31.0	S	0.0141 U	0.00647	0.00673 U	0.000389 U	0.000960 U	0.0111 U	0.000328 U	0.00738 U	0.00347 U	0.00427 U	0.00131 U	0.00281 U
	B18D18-30	03/22/19	PES	Pace	30	21.0	S	0.0140 U	0.0142	0.00666 U	0.000385 U	0.000950 U	0.0110 U	0.000325 U	0.00731 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U
	B18D18-40	03/22/19	PES	Pace	40	11.0	S	0.0140 U	0.00226 J	0.00668 U	0.000386 U	0.000952 U	0.0110 U	0.000325 U	0.00733 U	0.00344 U	0.00424 U	0.00130 U	0.00279 U
	B18D18-50	03/22/19	PES	Pace	50	1.0	S	0.0138 U	0.00357 J	0.00656 U	0.000379 U	0.000935 U	0.0108 U	0.000320 U	0.00720 U	0.00338 U	0.00416 U	0.00128 U	0.00274 U
PRB-B19/PRB-D19	B19D19-10	03/18/19	PES	Pace	10	42.5	V	0.0140 U	0.00117 U	0.00667 U	0.000386 U	0.000951 U	0.0110 U	0.000325 U	0.00732 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U
	B19D19-15	03/18/19	PES	Pace	15	37.5	V	0.0157 U	0.00130 U	0.00746 U	0.000432 U	0.00106 U	0.0123 U	0.000364 U	0.00819 U	0.00385 U	0.00474 U	0.00145 U	0.00312 U
	B19D19-20	03/18/19	PES	Pace	20	32.5	S	0.0148 U	0.00124 U	0.00706 U	0.000409 U	0.00101 U	0.0117 U	0.000344 U	0.00775 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	B19D19-25	03/18/19	PES	Pace	25	27.5	S	0.0157 U	0.0102	0.00750 U	0.000434 U	0.00107 U	0.0124 U	0.000366 U	0.00823 U	0.00387 U	0.00476 U	0.00146 U	0.00313 U
	B19D19-30	03/18/19	PES	Pace	30	22.5	S	0.0146 U	0.0109	0.00695 U	0.000402 U	0.000992 U	0.0115 U	0.000339 U	0.00763 U	0.00359 U	0.00441 U	0.00136 U	0.00291 U
	B19D19-35	03/18/19	PES	Pace	35	17.5	S	0.0144 U	0.00120 U	0.00686 U	0.000397 U	0.000978 U	0.0113 U	0.000334 U	0.00753 U	0.00354 U	0.00435 U	0.00134 U	0.00287 U
	B19D19-40	03/18/19	PES	Pace	40	12.5	S	0.0148 U	0.0110	0.00705 U	0.000408 U	0.00101 U	0.0116 U	0.000344 U	0.00773 U	0.00363 U	0.00447 U	0.00137 U	0.00295 U
	B19D19-45	03/18/19	PES	Pace	45	7.5	S	0.0147 U	0.00123 U	0.00701 U	0.000405 U	0.00100 U	0.0116 U	0.000342 U	0.00769 U	0.00361 U	0.00444 U	0.00137 U	0.00293 U
	B19D19-50	03/18/19	PES	Pace	50	2.5	S	0.0146 U	0.0138	0.00694 U	0.000401 U	0.000990 U	0.0115 U	0.000338 U	0.00761 U	0.00358 U	0.00440 U	0.00135 U	0.00290 U
	B19D19-55	03/18/19	PES	Pace	55	-2.5	S	0.0146 U	0.00653	0.00697 U	0.000403 U	0.000994 U	0.0115 U	0.000340 U	0.00765 U	0.00360 U	0.00442 U	0.00136 U	0.00292 U
	B19D19-60	03/18/19	PES	Pace	60	-7.5	S	0.0142 U	0.00119 U	0.00678 U	0.000392 U	0.000967 U	0.0112 U	0.000331 U	0.00744 U	0.00350 U	0.00430 U	0.00132 U	0.00283 U
	B19D19-65	03/18/19	PES	Pace	65	-12.5	S	0.0161 U	0.00134 U	0.00767 U	0.000444 U	0.00109 U	0.0127 U	0.000375 U	0.00842 U	0.00396 U	0.00487 U	0.00149 U	0.00321 U
	B19D19-70	03/18/19	PES	Pace	70	-17.5	S	0.0155 U	0.00129 U	0.00738 U	0.000427 U	0.00188 J	0.0122 U	0.000360 U	0.00810 U	0.0177	0.00469 U	0.00769	0.00309 U
	B19D19-75	03/18/19	PES	Pace	75	-22.5	S	0.0151 U	0.00126 U	0.00719 U	0.000417 U	0.00103 U	0.0119 U	0.000351 U	0.00790 U	0.00535 J	0.00457 U	0.00256 J	0.00301 U
	B19D19-80	03/18/19	PES	Pace	80	-27.5	S	0.0144 U	0.00120 U	0.00685 U	0.000396 U	0.000977 U	0.0113 U	0.000334 U	0.00752 U	0.00353 U	0.00435 U	0.00134 U	0.00287 U
	B19D19-85	03/18/19	PES	Pace	85	-32.5	S	0.0154 U	0.00129 U	0.00735 U	0.000425 U	0.00105 U	0.0121 U	0.000358 U	0.00806 U	0.00379 U	0.00466 U	0.00143 U	0.00307 U
	B19D19-90	03/18/19	PES	Pace	90	-37.5	S	0.0160 U	0.0160	0.00761 U	0.000440 U	0.00109 U	0.0126 U	0.000372 U	0.00835 U	0.00393 U	0.00484 U	0.00148 U	0.00319 U
	B19D19-95	03/18/19	PES	Pace	95	-42.5	S	0.0152 U	0.00127 U	0.00725 U	0.000420 U	0.00103 U	0.0120 U	0.000354 U	0.00796 U	0.00374 U	0.00460 U	0.00141 U	0.00303 U
	B19D19-100	03/18/19	PES	Pace	100	-47.5	S	0.0154 U	0.00129 U	0.00737 U	0.000427 U	0.00105 U	0.0122 U	0.000359 U	0.00809 U	0.00380 U	0.00468 U	0.00143 U	0.00309 U
	B19D19-105	03/18/19	PES	Pace	105	-52.5	S	0.0142 U	0.00118 U	0.00675 U	0.000390 U	0.000963 U	0.0112 U	0.000329 U	0.00741 U	0.00348 U	0.00428 U	0.00132 U	0.00282 U
	B19D19-110	03/18/19	PES	Pace	110	-57.5	S	0.0160 U	0.00133 U	0.00762 U	0.000441 U	0.00109 U	0.0126 U	0.000371 U	0.00836 U	0.00418 J	0.00483 U	0.00149 U	0.00319 U
	B-935-40	03/18/19	PES	Pace	110 (dup)	-57.5	S	0.0170 U	0.00143 U	0.00811 U	0.000470 U	0.00116 U	0.0134 U	0.000396 U	0.00891 U	0.00419 U	0.00515 U	0.00159 U	0.00340 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	–	–	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	–	–	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
PRB-B21/PRB-D21	B21D21-10	03/25/19	PES	Pace	10	44.0	V	0.0146 U	0.00150 J	0.00693 U	0.000401 U	0.000990 U	0.0115 U	0.000339 U	0.0117 J	0.00358 U	0.00440 U	0.00135 U	0.00290 U
	B21D21-20	03/25/19	PES	Pace	20	34.0	S	0.0150 U	0.00134 J	0.00715 U	0.000414 U	0.00102 U	0.0118 U	0.000349 U	0.00925 J	0.00369 U	0.00455 U	0.00139 U	0.00299 U
	B21D21-30	03/25/19	PES	Pace	30	24.0	S	0.0137 U	0.00496 J	0.00652 U	0.000377 U	0.000930 U	0.0108 U	0.000318 U	0.00824 J	0.00336 U	0.00414 U	0.00127 U	0.00273 U
	B21D21-40	03/25/19	PES	Pace	40	14.0	S	0.0141 U	0.00370 J	0.00670 U	0.000388 U	0.000956 U	0.0111 U	0.000327 U	0.00949 J	0.00346 U	0.00426 U	0.00131 U	0.00280 U
	B21D21-50	03/25/19	PES	Pace	50	4.0	S	0.0144 U	0.00120 U	0.00685 U	0.000396 U	0.000978 U	0.0113 U	0.000334 U	0.0106 J	0.00353 U	0.00435 U	0.00134 U	0.00287 U
	B21D21-60	03/26/19	PES	Pace	60	-6.0	S	0.0139 U	0.00221 J	0.00660 U	0.000382 U	0.000942 U	0.0109 U	0.000322 U	0.00899 J	0.00341 U	0.00419 U	0.00129 U	0.00276 U
	B-936-60	03/26/19	PES	Pace	60 (dup)	-6.0	S	0.0139 U	0.00317 J	0.00662 U	0.000383 U	0.000945 U	0.0109 U	0.000323 U	0.0112 J	0.00342 U	0.00420 U	0.00129 U	0.00277 U
All Data								Number of Analytes Measured	126	127	128	127	127	127	128	127	128	126	126
								Number of Analytes Detected	0	59	0	0	6	0	2	7	7	0	4
								Frequency of Detection	0.0%	46.5%	0.0%	0.0%	4.7%	0.0%	1.6%	5.5%	5.5%	0.0%	3.2%
								Maximum Detection	–	1.22	–	–	0.00922	–	0.000435 J	0.0117 J	0.0177	–	0.00827 J
								Minimum Detection	0.0132 U	0.00111 U	0.00628 U	0.000363 U	0.000896 U	0.0104 U	0.000306 U	0.00689 U	0.00324 U	0.00399 U	0.00123 U
								Number Of Vadose (V) Detections above SL	0	0	–	–	0	0	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	0	–	–	0	0	0	0	0	0	0
2017-2021								Number of Analytes Measured	126	127	128	127	127	127	128	127	128	126	126
								Number of Analytes Detected	0	59	0	0	6	0	2	7	7	0	4
								Frequency of Detection	0.0%	46.5%	0.0%	0.0%	4.7%	0.0%	1.6%	5.5%	5.5%	0.0%	3.2%
								Maximum Detection	–	1.22	–	–	0.00922	–	0.000435 J	0.0117 J	0.0177	–	0.00827 J
								Minimum Detection	0.0132 U	0.00111 U	0.00628 U	0.000363 U	0.000896 U	0.0104 U	0.000306 U	0.00689 U	0.00324 U	0.00399 U	0.00123 U
								Number Of Vadose (V) Detections above SL	0	0	–	–	0	0	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	0	–	–	0	0	0	0	0	0	0
								Notes and Abbreviations: Soil between elevations +10 to 55 feet was treated. Petroleum Hydrocarbons (PHCs) analyzed by Ecology Method NWTPH-Gx. VOCs analyzed by EPA Method 8260C or D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. – = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. bgs = below ground surface dup = duplicate Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.											

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
PRB-A3/PRB-C3	A3C3-3	01/16/19	PES	Pace	3	39.7	V	0.00291 U	0.00165 U	0.00790	0.00283 J	0.00152 U	0.00163 U	0.00149 U	0.000766 J	0.000533 U	0.00375 U	0.000728 U	0.00510 U
	A3C3-6	01/16/19	PES	Pace	6	36.7	V	0.00313 U	0.00178 U	0.160	0.00350 J	0.00164 U	0.00176 U	0.00161 U	0.0214	0.000574 U	0.00404 U	0.000783 U	0.00548 U
	A3C3-8	01/16/19	PES	Pace	8	34.7	V	0.00547 U	0.00310 U	0.149	0.0380	0.00287 U	0.00306 U	0.00280 U	0.0396	0.00100 U	0.00704 U	0.00137 U	0.0142
	A3C3-10	02/13/19	PES	Pace	10	32.7	S	0.00371 U	0.00211 U	0.00298 J	0.00626 J	0.00194 U	0.00208 U	0.00190 U	0.000543 U	0.000679 U	0.00478 U	0.000928 U	0.00652 J
	A3C3-15	02/13/19	PES	Pace	15	27.7	S	0.00316 U	0.00179 U	0.00281 J	0.0167	0.00165 U	0.00177 U	0.00162 U	0.000462 U	0.000578 U	0.00407 U	0.000789 U	0.0136
	A3C3-20	02/13/19	PES	Pace	20	22.7	S	0.00312 U	0.00177 U	0.000801 U	0.00143 U	0.00164 U	0.00175 U	0.00160 U	0.000458 U	0.000572 U	0.00403 U	0.000781 U	0.00547 U
	A3C3-25	02/13/19	PES	Pace	25	17.7	S	0.00326 U	0.00185 U	0.000835 U	0.00149 U	0.00171 U	0.00183 U	0.00167 U	0.000477 U	0.000596 U	0.00420 U	0.000815 U	0.00570 U
	A3C3-32	02/13/19	PES	Pace	32	10.7	S	0.00315 U	0.00179 U	0.000807 U	0.00144 U	0.00169 J	0.00176 U	0.00161 U	0.000461 U	0.000576 U	0.00406 U	0.00675	0.00551 U
	A3C3-35	02/13/19	PES	Pace	35	7.7	S	0.00308 U	0.00175 U	0.00198 J	0.00158 J	0.00162 U	0.00173 U	0.00158 U	0.000452 U	0.000565 U	0.00398 U	0.000772 U	0.00540 U
	A3C3-40	02/13/19	PES	Pace	40	2.7	S	0.00336 U	0.00191 U	0.265	0.00156 J	0.00227 J	0.00188 U	0.00172 U	0.0163	0.000615 U	0.00433 U	0.000841 U	0.00588 U
	A3C3-45	02/13/19	PES	Pace	45	-2.3	S	0.00310 U	0.00176 U	0.000794 U	0.00196 J	0.00300 J	0.00174 U	0.00159 U	0.000454 U	0.000567 U	0.00400 U	0.000775 U	0.00543 U
	A3C3-50	02/13/19	PES	Pace	50	-7.3	S	0.00322 U	0.00183 U	0.0279	0.00167 J	0.00198 J	0.00181 U	0.00165 U	0.00163	0.000590 U	0.00415 U	0.0203	0.00564 U
PRB-A9/PRB-C9	A9C9-3	01/21/19	PES	Pace	3	40.1	V	0.00461 U	0.00262 U	0.109	0.0115	0.00242 U	0.00258 U	0.00236 U	0.000675 U	0.000844 U	0.00594 U	0.00115 U	0.00806 U
	A9C9-6	01/21/19	PES	Pace	6	37.1	V	0.00334 U	0.00190 U	0.00257 J	0.00773	0.00175 U	0.00187 U	0.00172 U	0.000490 U	0.000613 U	0.00431 U	0.000837 U	0.0170
	A9C9-10	01/21/19	PES	Pace	10	33.1	S	0.00315 U	0.00179 U	0.00251 J	0.00384 J	0.00165 U	0.00177 U	0.00162 U	0.000462 U	0.000578 U	0.00407 U	0.00102 J	0.00552 U
	A9C9-15	02/07/19	PES	Pace	15	28.1	S	0.00319 U	0.00181 U	0.0477	0.00146 U	0.00167 U	0.00179 U	0.00163 U	0.0296	0.000583 U	0.00411 U	0.000797 U	0.00558 U
	A9C9-20	02/07/19	PES	Pace	20	23.1	S	0.00314 U	0.00178 U	0.0190	0.00144 U	0.00164 U	0.00176 U	0.00161 U	0.00885	0.000575 U	0.00405 U	0.000785 U	0.00549 U
	A9C9-25	02/07/19	PES	Pace	25	18.1	S	0.00294 U	0.00167 U	0.0381	0.00135 U	0.00154 U	0.00165 U	0.00151 U	0.00731	0.000538 U	0.00379 U	0.00576	0.00514 U
	A9C9-32	02/07/19	PES	Pace	32	11.1	S	0.00292 U	0.00166 U	4.44	0.00160 J	0.00738	0.00163 U	0.00150 U	1.32	0.000534 U	0.00376 U	0.0872	0.00511 U
	A9C9-35	02/07/19	PES	Pace	35	8.1	S	0.00289 U	0.00164 U	0.187	0.00132 U	0.00170 J	0.00162 U	0.00148 U	0.248	0.000529 U	0.00373 U	0.00747	0.00506 U
	A9C9-40	02/07/19	PES	Pace	40	3.1	S	0.00293 U	0.00166 U	0.0243	0.00217 J	0.00383 J	0.00164 U	0.00150 U	0.153	0.000536 U	0.00378 U	0.0754	0.00513 U
	A9C9-45	02/07/19	PES	Pace	45	-1.9	S	0.00286 U	0.00162 U	0.00154 J	0.00140 J	0.00150 U	0.00160 U	0.00146 U	0.00275	0.000523 U	0.00368 U	0.0123	0.00500 U
	A9C9-50	02/07/19	PES	Pace	50	-6.9	S	0.00293 U	0.00167 U	0.415	0.00174 J	0.00183 J	0.00164 U	0.00151 U	0.0656	0.000538 U	0.00378 U	0.0124	0.00514 U
	B-931-50	02/07/19	PES	Pace	50 (dup)	-6.9	S	0.00294 U	0.00167 U	0.387	0.00181 J	0.00208 J	0.00165 U	0.00151 U	0.0732	0.000538 U	0.00379 U	0.0181	0.00514 U
PRB-B1/PRB-D1	B1D1-11	01/17/19	PES	Pace	11	30.8	S	0.00319 U	0.00181 U	0.00192 J	0.00261 J	0.00167 U	0.00179 U	0.00164 U	0.000467 U	0.000584 U	0.00411 U	0.000798 U	0.00558 U
	B1D1-15	01/17/19	PES	Pace	15	26.8	S	0.00417 U	0.00237 U	0.00107 U	0.00191 U	0.00219 U	0.00234 U	0.00214 U	0.000611 U	0.000764 U	0.00538 U	0.00104 U	0.00731 U
	B1D1-20	01/17/19	PES	Pace	20	21.8	S	0.00335 U	0.00190 U	0.00173 J	0.00153 U	0.00176 U	0.00188 U	0.00172 U	0.000491 U	0.000614 U	0.00432 U	0.000838 U	0.00587 U
	B1D1-25	01/17/19	PES	Pace	25	16.8	S	0.00380 U	0.00216 U	0.00783	0.00174 U	0.00304 J	0.00213 U	0.00195 U	0.0922	0.000695 U	0.00490 U	0.0596	0.00665 U
	B1D1-31	01/17/19	PES	Pace	31	10.8	S	0.00297 U	0.00169 U	0.0185	0.00136 U	0.00156 U	0.00166 U	0.00152 U	0.0176	0.000544 U	0.00383 U	0.00468	0.00520 U
	B1D1-35	01/17/19	PES	Pace	35	6.8	S	0.00334 U	0.00190 U	0.0505	0.00153 U	0.00175 U	0.00187 U	0.00171 U	0.0219	0.000612 U	0.00431 U	0.000837 U	0.00585 U
	B1D1-40	01/17/19	PES	Pace	40	1.8	S	0.00305 U	0.00173 U	0.123	0.00140 U	0.00160 U	0.00171 U	0.00157 U	0.0284	0.000559 U	0.00393 U	0.000764 U	0.00534 U
	B1D1-45	01/17/19	PES	Pace	45	-3.3	S	0.00312 U	0.00177 U	0.478	0.00143 U	0.00164 U	0.00175 U	0.00160 U	0.139	0.000572 U	0.00403 U	0.000989 J	0.00547 U
	B1D1-50	01/17/19	PES	Pace	50	-8.3	S	0.00315 U	0.00179 U	1.71	0.00144 U	0.00268 J	0.00177 U	0.00162 U	0.274	0.000578 U	0.00407 U	0.00154 J	0.00552 U
PRB-B2/PRB-D2	B2D2-3	01/16/19	PES	Pace	3	38.8	V	0.00298 U	0.00169 U	0.0133	0.00144 J	0.00156 U	0.00167 U	0.00153 U	0.000436 U	0.000545 U	0.00384 U	0.000745 U	0.00521 U
	B2D2-6	01/16/19	PES	Pace	6	35.8	V	0.00380 U	0.00216 U	0.180	0.00424 J	0.00199 U	0.00213 U	0.00195 U	0.000557 U	0.000696 U	0.00490 U	0.000951 U	0.0127
	B2D2-10	01/21/19	PES	Pace	10	31.8	S	0.00597 U	0.00338 U	0.00154 J	0.118	0.0366	0.00334 U	0.00303 U	0.00166 J	0.00109 U	0.00770 U	0.141	0.0516

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	–	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	–	0.002	0.79	2.3	0.004	0.83
PRB-B4/PRB-D4	B4D4-3	01/17/19	PES	Pace	3	39.7	V	0.00309 U	0.00175 U	0.000792 U	0.00141 U	0.00162 U	0.00173 U	0.00158 U	0.000453 U	0.000566 U	0.00398 U	0.000773 U	0.00541 U
	B4D4-6	01/17/19	PES	Pace	6	36.7	V	0.00429 U	0.00244 U	0.00605	0.00647 J	0.00225 U	0.00241 U	0.00218 U	0.00337	0.000787 U	0.00554 U	0.00371 J	0.00818 J
	B4D4-10	01/17/19	PES	Pace	10	32.7	S	0.00347 U	0.00197 U	0.00665 J-	0.00632 J-	0.00429 J-	0.00194 U	0.00178 U	0.00675 J-	0.000635 U	0.00447 U	0.0160 J-	0.00611 J-
PRB-B5/PRB-D5	B5D5-10	02/14/19	PES	Pace	10	32.9	S	0.00320 U	0.00182 U	0.140	0.00260 J	0.00325 J	–	–	0.00203	0.000586 U	0.00412 U	0.000800 U	0.00560 U
	B5D5-15	02/14/19	PES	Pace	15	27.9	S	0.00318 U	0.00180 U	0.00298	0.00146 U	0.00166 U	0.00178 U	0.00163 U	0.000466 U	0.000582 U	0.00410 U	0.000795 U	0.00557 U
	B5D5-20	02/14/19	PES	Pace	20	22.9	S	0.00319 U	0.00181 U	0.00166 J	0.00146 U	0.00167 U	0.00179 U	0.00164 U	0.000467 U	0.000584 U	0.00411 U	0.000798 U	0.00558 U
	B5D5-25	02/14/19	PES	Pace	25	17.9	S	0.00322 U	0.00183 U	0.0608	0.00147 U	0.00294 J	0.00180 U	0.00165 U	0.00455	0.000589 U	0.00415 U	0.00858	0.00563 U
	B5D5-32	02/14/19	PES	Pace	32	10.9	S	0.00310 U	0.00176 U	0.0382	0.00142 U	0.00280 J	0.00174 U	0.00159 U	0.00548	0.000568 U	0.00400 U	0.0169	0.00543 U
	B5D5-35	02/14/19	PES	Pace	35	7.9	S	–	–	0.200	0.00155 J	0.0482	–	–	0.000844 J	–	–	0.136	0.00527 U
	B5D5-40	02/14/19	PES	Pace	40	2.9	S	0.00301 U	0.00171 U	0.483	0.00144 J	0.0103	0.00169 U	0.00154 U	0.00165	0.000551 U	0.00388 U	0.219	0.00527 U
	B5D5-45	02/14/19	PES	Pace	45	-2.1	S	0.00294 U	0.00167 U	3.45	0.00148 J	0.00663	0.00165 U	0.00151 U	0.310	0.000538 U	0.00379 U	0.0802	0.00514 U
	B5D5-50	02/14/19	PES	Pace	50	-7.1	S	0.00285 U	0.00162 U	0.0112	0.00233 J	0.00149 U	0.00160 U	0.00146 U	0.00173	0.000521 U	0.00367 U	0.0158	0.00498 U
	B-932-50	02/14/19	PES	Pace	50 (dup)	-7.1	S	0.00290 U	0.00164 U	0.0148	0.00200 J	0.00152 U	0.00162 U	0.00149 U	0.00198	0.000531 U	0.00373 U	0.0223	0.00595 J
PRB-B6/PRB-D6	B6D6-17	02/20/19	PES	Pace	17	25.9	S	0.00314 U	0.00178 U	0.00641	0.00146 J	0.00164 U	0.00176 U	0.00161 U	0.00629	0.000575 U	0.00405 U	0.000785 U	0.00550 U
	B6D6-20	02/20/19	PES	Pace	20	22.9	S	0.00317 U	0.00180 U	0.00154 J	0.00201 J	0.00166 U	0.00178 U	0.00163 U	0.00333	0.000581 U	0.00409 U	0.000793 U	0.00555 U
	B6D6-25	02/20/19	PES	Pace	25	17.9	S	0.00325 U	0.00184 U	0.00806	0.00149 U	0.00170 U	0.00182 U	0.00167 U	0.00229	0.000595 U	0.00419 U	0.000813 U	0.00569 U
	B6D6-32	02/20/19	PES	Pace	32	10.9	S	0.00329 U	0.00187 U	0.441	0.00151 U	0.00889	0.00184 U	0.00169 U	0.147	0.000602 U	0.00424 U	0.000823 U	0.00576 U
	B6D6-35	02/20/19	PES	Pace	35	7.9	S	0.00296 U	0.00168 U	0.575	0.00140 J	0.0293	0.00166 U	0.00152 U	0.577	0.000543 U	0.00382 U	0.000741 U	0.00519 U
	B6D6-40	02/20/19	PES	Pace	40	2.9	S	0.00322 U	0.00183 U	0.00500	0.00187 J	0.00213 J	0.00181 U	0.00165 U	0.0210	0.000590 U	0.00416 U	0.000807 U	0.00564 U
	B6D6-45	02/20/19	PES	Pace	45	-2.1	S	0.00603 U	0.00342 U	0.193	0.00282 J	0.00347 J	0.00338 U	0.00309 U	0.316	0.00110 U	0.00778 U	0.00759	0.0106 U
	B6D6-50	02/20/19	PES	Pace	50	-7.1	S	0.00292 U	0.00166 U	0.00513	0.00156 J	0.00153 U	0.00164 U	0.00150 U	0.00153	0.000535 U	0.00377 U	0.000731 U	0.00512 U
	B-933-50	02/20/19	PES	Pace	50 (dup)	-7.1	S	0.00300 U	0.00171 U	0.285	0.00216 J	0.00224 J	0.00168 U	0.00154 U	0.264	0.000550 U	0.00387 U	0.000751 U	0.00526 U
PRB-B10/PRB-D10	B10D10-15	02/21/19	PES	Pace	15	30.1	S	0.00344 U	0.00195 U	0.0321	0.00787	0.00180 U	0.00193 U	0.00177 U	0.000504 U	0.000630 U	0.00444 U	0.000861 U	0.00656 J
	B10D10-20	02/21/19	PES	Pace	20	25.1	S	0.00330 U	0.00187 U	0.00726	0.00151 U	0.00334 J	0.00185 U	0.00169 U	0.00164	0.000604 U	0.00425 U	0.000825 U	0.00577 U
	B10D10-25	02/21/19	PES	Pace	25	20.1	S	0.00308 U	0.00175 U	1.89	0.00185 J	0.00652	0.00173 U	0.00158 U	0.419	0.000565 U	0.00398 U	0.000772 U	0.00540 U
	B10D10-30	02/21/19	PES	Pace	30	15.1	S	0.00307 U	0.00174 U	1.03	0.00140 U	0.00837	0.00172 U	0.00157 U	0.603	0.000561 U	0.00395 U	0.000767 U	0.00537 U
	B10D10-35	02/21/19	PES	Pace	35	10.1	S	0.00300 U	0.00170 U	0.0809	0.00154 J	0.00238 J	0.00168 U	0.00154 U	0.418	0.000549 U	0.00386 U	0.000750 U	0.00525 U
	B10D10-40	02/21/19	PES	Pace	40	5.1	S	0.00312 U	0.00177 U	0.0210	0.00166 J	0.00163 U	0.00175 U	0.00160 U	0.0552	0.000571 U	0.00402 U	0.000780 U	0.00546 U
	B10D10-45	02/21/19	PES	Pace	45	0.1	S	0.0478 U	0.0271 U	0.00757 U	0.0218 U	0.0251 U	0.0268 U	0.0245 U	0.0182	0.00876 U	0.0616 U	0.0120 U	0.0837 U
	B10D10-50	02/21/19	PES	Pace	50	-4.9	S	0.00302 U	0.00172 U	0.251	0.00146 J	0.00208 J	0.00169 U	0.00155 U	0.247	0.000554 U	0.00390 U	0.000756 U	0.00529 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
PRB-B11/PRB-D11	B11D11-10	01/15/19	PES	Pace	10	35.1	V	0.00368 U	0.00209 U	0.000944 U	0.0101	0.00193 U	0.00207 U	0.00186 U	0.000539 U	0.000674 U	0.00475 U	0.000921 U	0.00644 U
	B11D11-15	01/15/19	PES	Pace	15	30.1	S	0.00297 U	0.00169 U	0.00295	0.00136 U	0.00156 U	0.00167 U	0.00152 U	0.00351	0.000544 U	0.00383 U	0.000744 UJ	0.00520 U
	B11D11-20	01/15/19	PES	Pace	20	25.1	S	0.00313 U	0.00178 U	0.0526	0.00144 U	0.00164 U	0.00176 U	0.00161 U	0.0138	0.000574 U	0.00404 U	0.000784 UJ	0.00549 U
	B11D11-27	01/15/19	PES	Pace	27	18.1	S	0.00300 U	0.00170 U	1.77	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.0723	0.000549 U	0.00386 U	0.000749 U	0.00524 U
	B11D11-30	01/15/19	PES	Pace	30	15.1	S	0.00283 U	0.00161 U	4.42	0.00130 U	0.00410 J	0.00159 U	0.00145 U	0.226	0.000519 U	0.00365 U	0.000709 UJ	0.00496 U
	B11D11-35	01/15/19	PES	Pace	35	10.1	S	0.00305 U	0.00173 U	2.60	0.00160 J	0.00269 J	0.00171 U	0.00157 U	0.441	0.000559 U	0.00394 U	0.000764 UJ	0.00535 U
	B11D11-40	01/15/19	PES	Pace	40	5.1	S	0.00298 U	0.00169 U	0.0198	0.00136 U	0.00156 U	0.00167 U	0.00153 U	0.0156	0.000546 U	0.00384 U	0.000745 UJ	0.00522 U
	B11D11-46	01/15/19	PES	Pace	46	-0.9	S	0.00308 U	0.00175 U	1.13	0.00141 U	0.00185 J	0.00172 U	0.00158 U	0.273	0.000564 U	0.00397 U	0.000770 UJ	0.00539 U
	B-928-46	01/15/19	PES	Pace	46 (dup)	-0.9	S	0.00307 U	0.00174 U	1.43	0.00141 U	0.00216 J	0.00172 U	0.00157 U	0.332	0.000562 U	0.00396 U	0.000768 UJ	0.00538 U
	B11D11-50	01/15/19	PES	Pace	50	-4.9	S	0.00364 U	0.00207 U	0.0119	0.00238 J	0.00190 U	0.00204 U	0.00187 U	0.00177	0.000667 U	0.00469 U	0.000910 UJ	0.00637 U
PRB-B13/PRB-D13	B13D13-10	03/21/19	PES	Pace	10	37.5	V	0.00311 U	0.00177 U	0.000798 U	0.00143 U	0.00163 U	0.00174 U	0.00160 U	0.000456 U	0.000570 U	0.00401 U	0.000779 U	0.00545 U
	B13D13-20	03/21/19	PES	Pace	20	27.5	S	0.00323 U	0.00184 U	0.000829 U	0.00148 U	0.00169 U	0.00181 U	0.00166 U	0.000474 U	0.000592 U	0.00417 U	0.000809 U	0.00566 U
	B13D13-30	03/21/19	PES	Pace	30	17.5	S	0.00314 U	0.00178 U	0.0498	0.00144 U	0.00164 U	0.00176 U	0.00161 U	0.0117	0.000574 U	0.00404 U	0.000785 U	0.00549 U
	B13D13-40	03/21/19	PES	Pace	40	7.5	S	0.00291 U	0.00165 U	0.00300	0.00133 U	0.00153 U	0.00163 U	0.00149 U	0.000505 J	0.000534 U	0.00376 U	0.000729 U	0.00510 U
	B13D13-50	03/21/19	PES	Pace	50	-2.5	S	0.00300 U	0.00170 U	0.00784	0.00137 UJ	0.00157 U	0.00168 U	0.00154 U	0.00166 UJ	0.000549 U	0.00387 U	0.000750 UJ	0.00525 UJ
PRB-B16/PRB-D16	B16D16-15	03/13/19	PES	Pace	15	34.5	S	0.0128 U	0.00728 U	0.00329 U	0.00587 U	0.00672 U	0.00719 U	0.00658 U	0.00188 U	0.00235 U	0.0166 U	0.00321 U	0.0224 U
	B16D16-20	03/13/19	PES	Pace	20	29.5	S	0.00299 U	0.00170 U	0.0142	0.00137 U	0.00156 U	0.00167 U	0.00153 U	0.000603 J	0.000547 U	0.00385 U	0.000747 U	0.00523 U
	B16D16-25	03/13/19	PES	Pace	25	24.5	S	0.00292 U	0.00166 U	0.0242	0.00134 U	0.00153 U	0.00164 U	0.00150 U	0.00173	0.000536 U	0.00377 U	0.000732 U	0.00512 U
	B16D16-30	03/13/19	PES	Pace	30	19.5	S	0.00300 U	0.00170 U	0.0590	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.00431	0.000550 U	0.00387 U	0.000751 U	0.00525 U
	B16D16-35	03/13/19	PES	Pace	35	14.5	S	0.00300 U	0.00170 U	0.00319	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.0279	0.000550 U	0.00387 U	0.00599	0.00526 U
	B16D16-40	03/13/19	PES	Pace	40	9.5	S	0.00318 U	0.00181 U	0.321	0.00146 U	0.00788	0.00178 U	0.00163 U	0.0276	0.000583 U	0.00410 U	0.789	0.00557 U
	B16D16-45	03/13/19	PES	Pace	45	4.5	S	0.00292 U	0.00166 U	0.598	0.00134 U	0.00153 U	0.00164 U	0.00150 U	0.165	0.000534 U	0.00376 U	0.0503	0.00511 U
	B16D16-50	03/13/19	PES	Pace	50	-0.5	S	0.00297 U	0.00169 U	0.884	0.00247 J	0.00156 U	0.00166 U	0.00152 U	0.0610	0.000544 U	0.00383 U	0.0421	0.00520 U
	B16D16-55	03/13/19	PES	Pace	55	-5.5	S	0.0135 U	0.00761 U	0.00483 J	0.00614 U	0.00702 U	0.00752 U	0.00688 U	0.00196 U	0.00246 U	0.0173 U	0.00335 U	0.0235 U
	B16D16-60	03/13/19	PES	Pace	60	-10.5	S	0.00290 U	0.00165 U	0.00112 J	0.00152 J	0.00152 U	0.00163 U	0.00149 U	0.000426 U	0.000532 U	0.00375 U	0.000727 U	0.00509 U
	B16D16-65	03/13/19	PES	Pace	65	-15.5	S	0.00299 U	0.00170 U	0.000766 U	0.00137 U	0.00156 U	0.00167 U	0.00153 U	0.000438 U	0.000547 U	0.00385 U	0.000747 U	0.00523 U
	B16D16-70	03/13/19	PES	Pace	70	-20.5	S	0.00306 U	0.00174 U	0.000785 U	0.00207 J	0.00160 U	0.00172 U	0.00157 U	0.000448 U	0.000560 U	0.00395 U	0.000766 U	0.00536 U
	B16D16-75	03/13/19	PES	Pace	75	-25.5	S	0.00300 U	0.00170 U	0.000769 U	0.00359 J	0.00157 U	0.00168 U	0.00154 U	0.000439 U	0.000549 U	0.00386 U	0.000750 U	0.00525 U
	B16D16-80	03/13/19	PES	Pace	80	-30.5	S	0.00305 U	0.00173 U	0.000781 U	0.00139 U	0.00160 U	0.00171 U	0.00156 U	0.000446 U	0.000558 U	0.00393 U	0.000762 U	0.00533 U
	B16D16-85	03/13/19	PES	Pace	85	-35.5	S	0.00303 U	0.00172 U	0.000776 U	0.00139 U	0.00159 U	0.00170 U	0.00155 U	0.000444 U	0.000555 U	0.00390 U	0.000758 U	0.00530 U
	B16D16-90	03/13/19	PES	Pace	90	-40.5	S	0.00308 U	0.00175 U	0.000791 U	0.00141 U	0.00162 U	0.00173 U	0.00158 U	0.000452 U	0.000565 U	0.00398 U	0.000771 U	0.00540 U
	B16D16-95	03/13/19	PES	Pace	95	-45.5	S	0.00318 U	0.00180 U	0.000815 U	0.00146 U	0.00167 U	0.00178 U	0.00163 U	0.000466 U	0.000582 U	0.00410 U	0.000795 U	0.00557 U
	B16D16-100	03/13/19	PES	Pace	100	-50.5	S	0.00316 U	0.00180 U	0.000811 U	0.00145 U	0.00166 U	0.00177 U	0.00162 U	0.000463 U	0.000579 U	0.00408 U	0.000791 U	0.00554 U
	B16D16-105	03/13/19	PES	Pace	105	-55.5	S	0.00311 U	0.00177 U	0.000798 U	0.00142 U	0.00163 U	0.00174 U	0.00160 U	0.000456 U	0.000570 U	0.00401 U	0.000779 U	0.00545 U
	B-934-105	03/13/19	PES	Pace	105 (dup)	-55.5	S	0.00312 U	0.00177 U	0.000799 U	0.00143 U	0.00163 U	0.00175 U	0.00160 U	0.000456 U	0.000571 U	0.00402 U	0.000779 U	0.00545 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
PRB-B18/PRB-D18	B18D18-10	03/22/19	PES	Pace	10	41.0	V	0.00319 U	0.00181 U	0.00519	0.00146 U	0.00167 U	0.00179 U	0.00163 U	0.000467 UJ	0.000583 U	0.00411 U	0.000797 U	0.00558 U
	B18D18-20	03/22/19	PES	Pace	20	31.0	S	0.00304 U	0.00172 U	0.00911	0.00139 U	0.00159 U	0.00170 U	0.00156 U	0.000445 UJ	0.000556 U	0.00391 U	0.000760 U	0.00532 U
	B18D18-30	03/22/19	PES	Pace	30	21.0	S	0.00301 U	0.00171 U	0.253	0.00233 J	0.00168 J	0.00168 U	0.00154 U	0.00663 J	0.000551 U	0.00388 U	0.000752 U	0.00526 U
	B18D18-40	03/22/19	PES	Pace	40	11.0	S	0.00301 U	0.00171 U	0.0237	0.00138 U	0.00158 U	0.00169 U	0.00154 U	0.00331 J	0.000552 U	0.00388 U	0.000754 U	0.00527 U
	B18D18-50	03/22/19	PES	Pace	50	1.0	S	0.00296 U	0.00168 U	0.00688	0.00135 U	0.00155 U	0.00166 U	0.00152 U	0.00244 J	0.000542 U	0.00382 U	0.000740 U	0.00518 U
PRB-B19/PRB-D19	B19D19-10	03/18/19	PES	Pace	10	42.5	V	0.00301 U	0.00171 U	0.000772 U	0.00149 J	0.00158 U	0.00169 U	0.00154 U	0.000441 U	0.000551 U	0.00388 U	0.000753 U	0.00527 U
	B19D19-15	03/18/19	PES	Pace	15	37.5	V	0.00336 U	0.00191 U	0.0182	0.00154 U	0.00177 U	0.00189 U	0.00172 U	0.000493 U	0.000617 U	0.00434 U	0.000843 U	0.00590 U
	B19D19-20	03/18/19	PES	Pace	20	32.5	S	0.00319 U	0.00181 U	0.0251	0.00152 J	0.00167 U	0.00179 U	0.00163 U	0.000616 J	0.000584 U	0.00411 U	0.000797 U	0.00558 U
	B19D19-25	03/18/19	PES	Pace	25	27.5	S	0.00339 U	0.00192 U	2.38	0.00184 J	0.00177 U	0.00189 U	0.00173 U	0.221	0.000620 U	0.00436 U	0.000847 U	0.00592 U
	B19D19-30	03/18/19	PES	Pace	30	22.5	S	0.00314 U	0.00178 U	0.604	0.00171 J	0.00164 U	0.00176 U	0.00161 U	0.0272	0.000575 U	0.00405 U	0.000785 U	0.00549 U
	B19D19-35	03/18/19	PES	Pace	35	17.5	S	0.00310 U	0.00176 U	0.189	0.00142 U	0.00162 U	0.00173 U	0.00159 U	0.0189	0.000567 U	0.00399 U	0.0176	0.00542 U
	B19D19-40	03/18/19	PES	Pace	40	12.5	S	0.00318 U	0.00181 U	0.212 J	0.00188 J	0.00167 U	0.00178 U	0.00163 U	0.00993 J	0.000582 U	0.00410 U	0.000796 U	0.00557 U
	B19D19-45	03/18/19	PES	Pace	45	7.5	S	0.00316 U	0.00179 U	7.74	0.00145 U	0.00166 U	0.00177 U	0.00163 U	0.222	0.000579 U	0.00408 U	0.000791 U	0.00554 U
	B19D19-50	03/18/19	PES	Pace	50	2.5	S	0.00313 U	0.00178 U	0.00329	0.00247 J	0.00164 U	0.00175 U	0.00161 U	0.000459 U	0.000573 U	0.00404 U	0.000783 U	0.00548 U
	B19D19-55	03/18/19	PES	Pace	55	-2.5	S	0.00315 U	0.00179 U	0.000807 U	0.00173 J	0.00165 U	0.00176 U	0.00161 U	0.000461 U	0.000576 U	0.00406 U	0.000787 U	0.00551 UJ
	B19D19-60	03/18/19	PES	Pace	60	-7.5	S	0.00306 U	0.00174 U	0.000784 U	0.00253 J	0.00160 U	0.00171 U	0.00157 U	0.000448 U	0.000560 U	0.00394 U	0.000765 U	0.00536 U
	B19D19-65	03/18/19	PES	Pace	65	-12.5	S	0.00346 U	0.00197 U	0.000888 U	0.00244 J	0.00181 U	0.00194 U	0.00178 U	0.000508 U	0.000634 U	0.00447 U	0.000867 U	0.00606 U
	B19D19-70	03/18/19	PES	Pace	70	-17.5	S	0.00333 U	0.00189 U	0.00179 J	0.00181 J	0.00175 U	0.00187 U	0.00171 U	0.000488 U	0.000610 U	0.00430 U	0.000834 U	0.00583 U
	B19D19-75	03/18/19	PES	Pace	75	-22.5	S	0.00325 U	0.00184 U	0.000832 U	0.00148 U	0.00169 U	0.00181 U	0.00166 U	0.000475 U	0.000594 U	0.00419 U	0.000812 U	0.00568 U
	B19D19-80	03/18/19	PES	Pace	80	-27.5	S	0.00309 U	0.00176 U	0.000793 U	0.00142 U	0.00162 U	0.00173 U	0.00159 U	0.000453 U	0.000566 U	0.00399 U	0.000774 U	0.00541 U
	B19D19-85	03/18/19	PES	Pace	85	-32.5	S	0.00332 U	0.00188 U	0.000850 U	0.00152 U	0.00174 U	0.00186 U	0.00170 U	0.000486 U	0.000607 U	0.00427 U	0.000829 U	0.00580 U
	B19D19-90	03/18/19	PES	Pace	90	-37.5	S	0.00344 U	0.00195 U	0.000881 U	0.00213 J	0.00180 U	0.00193 U	0.00177 U	0.000504 U	0.000630 U	0.00444 U	0.000860 U	0.00601 U
	B19D19-95	03/18/19	PES	Pace	95	-42.5	S	0.00327 U	0.00186 U	0.000839 U	0.00150 U	0.00171 U	0.00183 U	0.00168 U	0.000479 U	0.000599 U	0.00422 U	0.000819 U	0.00573 U
	B19D19-100	03/18/19	PES	Pace	100	-47.5	S	0.00333 U	0.00188 U	0.000852 U	0.00159 J	0.00174 U	0.00186 U	0.00170 U	0.000487 U	0.000609 U	0.00429 U	0.000832 U	0.00582 U
	B19D19-105	03/18/19	PES	Pace	105	-52.5	S	0.00305 U	0.00173 U	0.000781 U	0.00139 U	0.00160 U	0.00171 U	0.00156 U	0.000446 U	0.000558 U	0.00393 U	0.000762 U	0.00533 U
	B19D19-110	03/18/19	PES	Pace	110	-57.5	S	0.00344 U	0.00195 U	0.000881 U	0.00157 U	0.00180 U	0.00193 U	0.00176 U	0.000504 U	0.000630 U	0.00443 U	0.000860 U	0.00602 U
	B-935-40	03/18/19	PES	Pace	110 (dup)	-57.5	S	0.00367 U	0.00208 U	0.000939 UJ	0.00167 U	0.00192 U	0.00206 U	0.00188 U	0.000537 UJ	0.000671 U	0.00473 U	0.000916 U	0.00641 U

Table G-2

Perimeter Injection Well Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total														
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	–	0.025	23	33	0.004	14														
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	–	0.002	0.79	2.3	0.004	0.83														
PRB-B21/PRB-D21	B21D21-10	03/25/19	PES	Pace	10	44.0	V	0.00313 U	0.00177 U	0.000803 U	0.00143 U	0.00164 U	0.00175 U	0.00160 U	0.000459 U	0.000573 U	0.00403 U	0.000783 U	0.00548 U														
	B21D21-20	03/25/19	PES	Pace	20	34.0	S	0.00323 U	0.00183 U	0.000828 U	0.00148 U	0.00169 U	0.00181 U	0.00165 U	0.000473 U	0.000592 U	0.00416 U	0.000808 U	0.00565 U														
	B21D21-30	03/25/19	PES	Pace	30	24.0	S	0.00294 U	0.00167 U	2.06	0.00135 U	0.00154 U	0.00165 U	0.00151 U	0.0810	0.000539 U	0.00379 U	0.000736 U	0.00515 U														
	B21D21-40	03/25/19	PES	Pace	40	14.0	S	0.00303 U	0.00172 U	0.00395	0.00139 U	0.00158 U	0.00170 U	0.00155 U	0.000443 U	0.000554 U	0.00390 U	0.000757 U	0.00530 U														
	B21D21-50	03/25/19	PES	Pace	50	4.0	S	0.00309 U	0.00176 U	0.600	0.00229 J	0.00162 U	0.00173 U	0.00159 U	0.00903	0.000566 U	0.00399 U	0.0933	0.00541 U														
	B21D21-60	03/26/19	PES	Pace	60	-6.0	S	0.00298 U	0.00169 U	0.00192 J	0.00136 U	0.00156 U	0.00167 U	0.00153 U	0.000437 U	0.000546 U	0.00384 U	0.0162 J	0.00522 U														
	B-936-60	03/26/19	PES	Pace	60 (dup)	-6.0	S	0.00299 U	0.00170 U	0.000766 U	0.00180 J	0.00157 U	0.00167 U	0.00153 U	0.000438 U	0.000547 U	0.00385 U	0.0601 J	0.00523 U														
All Data								Number of Analytes Measured		127		127		128		128		128		126		126		128		127		127		128		128	
								Number of Analytes Detected		0		0		94		59		32		0		0		72		0		0		30		9	
								Frequency of Detection		0.0%		0.0%		73.4%		46.1%		25.0%		0.0%		0.0%		56.3%		0.0%		0.0%		23.4%		7.0%	
								Maximum Detection		–		–		7.74		0.118		0.0482		–		1.32		–		–		0.789		0.0516			
								Minimum Detection		0.00283 U		0.00161 U		0.000766 U		0.0013 U		0.00149 U		0.00159 U		0.00145 U		0.000426 U		0.000519 U		0.00365 U		0.000709 UJ		0.00496 U	
								Number Of Vadose (V) Detections above SL		0		0		5		0		0		0		–		1		0		0		0		0	
2017-2021								Number of Saturated (S) Detections above SL		0		0		64		0		2		0		–		56		0		0		26		0	
								Number of Analytes Measured		127		127		128		128		128		126		126		128		127		127		128		128	
								Number of Analytes Detected		0		0		94		59		32		0		0		72		0		0		30		9	
								Frequency of Detection		0.0%		0.0%		73.4%		46.1%		25.0%		0.0%		0.0%		56.3%		0.0%		0.0%		23.4%		7.0%	
								Maximum Detection		–		–		7.74		0.118		0.0482		–		1.32		–		–		0.789		0.0516			
								Minimum Detection		0.00283 U		0.00161 U		0.000766 U		0.0013 U		0.00149 U		0.00159 U		0.00145 U		0.000426 U		0.000519 U		0.00365 U		0.000709 UJ		0.00496 U	
								Number Of Vadose (V) Detections above SL		0		0		5		0		0		–		1		0		0		0		0			
								Number of Saturated (S) Detections above SL		0		0		64		0		2		0		–		56		0		0		26		0	
								Notes and Abbreviations:																									
								Soil between elevations +10 to 55 feet was treated.																									
								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Method NWTPH-Gx.																									
								VOCs analyzed by EPA Method 8260C or D.																									
PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.																																	
(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.																																	
Detected results shown in bold.																																	
Detections above the screening level in the vadose zone are shown in bold and highlighted blue.																																	
Detections above the screening level in the saturated zone are shown in bold and highlighted gray.																																	
– = Not available or results not analyzed.																																	
J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.																																	
J+ = The result is an estimated quantity, but the result may be biased high.																																	
J- = The result is an estimated quantity, but the result may be biased low.																																	
U = Not detected at a concentration exceeding laboratory reporting limit																																	
z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.																																	
bgs = below ground surface																																	
dup = duplicate																																	
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)																																	
PES = PES Environmental, Inc.																																	

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
B-1A	B-1/S-2	12/01/89	HC	ARI	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2A	B-2/S-1	12/01/89	HC	ARI	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-212	B-212-15	09/08/17	PES	ESC	15	42.6	V	0.977 U	-	-	-	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000349 U	0.000365 U	0.000352 U	0.000853 U
	B-212-21	09/08/17	PES	ESC	21	36.6	S	63.0	-	-	-	0.000274 U	0.000297 U	0.000379 U	0.000288 U	0.000379 U	0.000207 U	0.000315 U	0.000329 U	0.000318 U	0.000770 U
	B-212-35	09/08/17	PES	ESC	35	22.6	S	1.98	-	-	-	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000330 U	0.000346 U	0.000334 U	0.000808 U
	B-212-45	09/08/17	PES	ESC	45	12.6	S	2.81	-	-	-	0.000276 U	0.000299 U	0.000382 U	0.000290 U	0.000382 U	0.000208 U	0.000317 U	0.000332 U	0.000320 U	0.000775 U
	B-907-25	09/08/17	PES	ESC	45 (dup)	12.6	S	1.16	-	-	-	0.00789 U	0.00855 U	0.0109	0.00827 U	0.0109	0.00595 U	0.00906 U	0.00947 U	0.00914 U	0.0221 U
	B-212-55	09/08/17	PES	ESC	55	2.6	S	-	-	-	-	0.000298 U	0.000323 U	0.000412 U	0.000313 U	0.000412 U	0.000225 U	0.000342 U	0.000358 U	0.000345 U	0.000836 U
	B-212-65	09/08/17	PES	ESC	65	-7.4	S	1.29	-	-	-	0.000306 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000860 U
	B-212-75	09/08/17	PES	ESC	75	-17.4	S	1.05 U	-	-	-	0.000307 U	0.000333 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000369 U	0.000356 U	0.000862 U
	B-212-85	09/11/17	PES	ESC	85	-27.4	S	0.0385 U	-	-	-	0.000300 U	0.000325 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000360 U	0.000347 U	0.000841 U
	B-212-95	09/11/17	PES	ESC	95	-37.4	S	0.0422 U	-	-	-	0.000345 U	0.000374 U	0.000477 U	0.000362 U	0.000477 U	0.000260 U	0.000396 U	0.000415 U	0.000400 U	0.000969 U
	B-212-100	09/11/17	PES	ESC	100	-42.4	S	0.0409 U	-	-	-	0.000319 U	0.000345 U	0.000440 U	0.000334 U	0.000440 U	0.000240 U	0.000366 U	0.000383 U	0.000369 U	0.000894 U
B-213	B-213-15	09/05/17	PES	ESC	15	42.4	V	-	-	-	-	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000367 U	0.000355 U	0.000859 U
	B-213-21.5	09/05/17	PES	ESC	22	35.9	S	-	-	-	-	0.000275 U	0.000298 U	0.000380 U	0.000289 U	0.000380 U	0.000207 U	0.000316 U	0.000330 U	0.000319 U	0.000772 U
	B-213-35	09/05/17	PES	ESC	35	22.4	S	-	-	-	-	0.000286 U	0.000310 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000802 U
	B-213-45	09/05/17	PES	ESC	45	12.4	S	-	-	-	-	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000336 U	0.000351 U	0.000339 U	0.000821 U
	B-213-55	09/05/17	PES	ESC	55	2.4	S	-	-	-	-	0.000287 U	0.000311 U	0.000397 U	0.000302 U	0.000397 U	0.000217 U	0.000330 U	0.000345 U	0.000333 U	0.000807 U
	B-213-65	09/05/17	PES	ESC	65	-7.6	S	-	-	-	-	0.000290 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000333 U	0.000349 U	0.000337 U	0.000815 U
	B-213-75	09/05/17	PES	ESC	75	-17.6	S	-	-	-	-	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000217 U	0.000331 U	0.000346 U	0.000334 U	0.000810 U
	B-213-85	09/05/17	PES	ESC	85	-27.6	S	-	-	-	-	0.000322 U	0.000349 U	0.000445 U	0.000338 U	0.000445 U	0.000243 U	0.000369 U	0.000386 U	0.000373 U	0.000903 U
	B-213-95	09/06/17	PES	ESC	95	-37.6	S	-	-	-	-	0.000326 U	0.000353 U	0.000451 U	0.000342 U	0.000451 U	0.000246 U	0.000374 U	0.000392 U	0.000378 U	0.000915 U
	B-213-105	09/06/17	PES	ESC	105	-47.6	S	-	-	-	-	0.000303 U	0.000329 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.000348 U	0.000364 U	0.000352 U	0.000851 U
	B-906-110	09/06/17	PES	ESC	105 (dup)	-47.6	S	-	-	-	-	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000348 U	0.000364 U	0.000351 U	0.000851 U
	B-213-115	09/06/17	PES	ESC	115	-57.6	S	-	-	-	-	0.000324 U	0.000351 U	0.000448 U	0.000340 U	0.000448 U	0.000244 U	0.000372 U	0.000389 U	0.000375 U	0.000909 U
	B-213-125	09/06/17	PES	ESC	125	-67.6	S	-	-	-	-	0.000391 U	0.000423 U	0.000540 U	0.000410 U	0.000540 U	0.000295 U	0.000448 U	0.000469 U	0.000453 U	0.001110 U
B-214	B-214-15	09/07/17	PES	ESC	15	42.4	V	-	-	-	-	0.000283 U	0.000307 U	0.000391 U	0.000297 U	0.000391 U	0.000213 U	0.000325 U	0.000340 U	0.000328 U	0.000795 U
	B-214-25	09/07/17	PES	ESC	25	32.4	S	-	-	-	-	0.000279 U	0.000302 U	0.000386 U	0.000293 U	0.000386 U	0.000210 U	0.000320 U	0.000335 U	0.000323 U	0.000783 U
	B-214-35	09/07/17	PES	ESC	35	22.4	S	-	-	-	-	0.000287 U	0.000311 U	0.000396 U	0.000301 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000805 U
	B-214-45	09/07/17	PES	ESC	45	12.4	S	-	-	-	-	0.000281 U	0.000304 U	0.000388 U	0.000295 U	0.000388 U	0.000212 U	0.000322 U	0.000337 U	0.000326 U	0.000789 U
	B-214-55	09/07/17	PES	ESC	55	2.4	S	-	-	-	-	0.000293 U	0.000318 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.000336 U	0.000352 U	0.000340 U	0.000823 U
	B-214-65	09/07/17	PES	ESC	65	-7.6	S	-	-	-	-	0.000340 U	0.000368 U	0.000470 U	0.000356 U	0.000470 U	0.000256 U	0.000390 U	0.000408 U	0.000394 U	0.000954 U
	B-214-75	09/07/17	PES	ESC	75	-17.6	S	-	-	-	-	0.000293 U	0.000318 U	0.000405 U	0.000308 U	0.000405 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000823 U
	B-214-85	09/07/17	PES	ESC	85	-27.6	S	-	-	-	-	0.000317 U	0.000344 U	0.000439 U	0.000333 U	0.000439 U	0.000239 U	0.000364 U	0.000381 U	0.000368 U	0.000891 U
	B-908-100	09/07/17	PES	ESC	85 (dup)	-27.6	S	-	-	-	-	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000222 U	0.000339 U	0.000354 U	0.000342 U	0.000828 U
	B-214-95	09/07/17	PES	ESC	95	-37.6	S	-	-	-	-	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000218 U	0.000333 U	0.000348 U	0.000336 U	0.000813 U
	B-214-105	09/07/17	PES	ESC	105	-47.6	S	-	-	-	-	0.000334 U	0.000362 U	0.000462 U	0.000351 U	0.000462 U	0.000252 U	0.000383 U	0.000401 U	0.000387 U	0.000938 U
	B-214-115	09/11/17	PES	ESC	115	-57.6	S	-	-	-	-	0.000322 U	0.000349 U	0.000445 U	0.000338 U	0.000445 U	0.000243 U	0.000370 U	0.000387 U	0.000373 U	0.000904 U
	B-214-120	09/11/17	PES	ESC	120	-62.6	S	-	-	-	-	0.000312 U	0.000338 U	0.000431 U	0.000327 U	0.000431 U	0.000235 U	0.000358 U	0.000374 U	0.000361 U	0.000875 U
B-215	B-215-15	09/12/17	PES	ESC	15	39.0	V	-	-	-	-	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	B-215-25	09/12/17	PES	ESC	25	29.0	S	-	-	-	-	0.000283 U	0.000306 U	0.000391 U	0.000296 U	0.000391 U	0.000213 U	0.000324 U	0.000339 U	0.000327 U	0.000793 U
	B-215-35	09/12/17	PES	ESC	35	19.0	S	-	-	-	-	0.000311 U	0.000337 U	0.000430 U	0.000327 U	0.000430 U	0.000235 U	0.000357 U	0.000374 U	0.000361 U	0.000874 U
	B-215-45	09/12/17	PES	ESC	45	9.0	S	-	-	-	-	0.000281 U	0.000304 U	0.000388 U	0.000295 U	0.000388 U	0.000212 U	0.000322 U	0.000337 U	0.000326 U	0.000788 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
B-215 (continued)	B-215-55	09/12/17	PES	ESC	55	-1.1	S	-	-	-	-	0.000292 U	0.000317 U	0.000404 U	0.000307 U	0.000404 U	0.000220 U	0.000336 U	0.000351 U	0.000339 U	0.000821 U
	B-215-65	09/12/17	PES	ESC	65	-11.1	S	-	-	-	-	0.00755 U	0.00818 U	0.0104 U	0.00791 U	0.0104 U	0.00570 U	0.0242 J	0.00906 U	0.00875 U	0.0212 U
	B-215-75	09/12/17	PES	ESC	75	-21.1	S	-	-	-	-	0.000291 U	0.000315 U	0.000403 U	0.000305 U	0.000403 U	0.000219 U	0.000334 U	0.000350 U	0.000337 U	0.000817 U
	B-215-85	09/13/17	PES	ESC	85	-31.1	S	-	-	-	-	0.000318 U	0.000345 U	0.000440 U	0.000334 U	0.000440 U	0.000240 U	0.000365 U	0.000382 U	0.000369 U	0.000893 U
	B-909-115	09/13/17	PES	ESC	85 (dup)	-31.1	S	-	-	-	-	0.000296 U	0.000320 U	0.000409 U	0.000310 U	0.000409 U	0.000223 U	0.000340 U	0.000355 U	0.000343 U	0.000830 U
	B-215-95	09/13/17	PES	ESC	95	-41.1	S	-	-	-	-	0.000316 U	0.000342 U	0.000437 U	0.000332 U	0.000437 U	0.000238 U	0.000363 U	0.000379 U	0.000366 U	0.000887 U
B-268	B-268-1	03/17/20	PES	PACE	1	-	V	1.05 U	-	-	-	0.000620 U	0.000341 U	0.000484 U	0.00110 U	0.000837 U	0.000713 U	0.000620 U	0.000868 U	0.000775 U	0.00633 U
B-269	B-269-1.5	03/17/20	PES	PACE	1.5	-	V	0.926 U	-	-	-	0.000546 U	0.000300 U	0.000426 U	0.000964 U	0.000737 U	0.000628 U	0.000546 U	0.000764 U	0.000683 U	0.00557 U
B-270	B-270-2	03/17/20	PES	PACE	2	-	V	82.5	114	4.03 U	114	0.000605 U	0.000333 U	0.000472 U	0.00107 U	0.000816 U	0.000695 U	0.000605 U	0.000847 U	0.000756 U	0.00617 U
B-271	B-271-1	03/17/20	PES	PACE	1	-	V	0.910 U	-	-	-	0.000537 U	0.000295 U	0.000419 U	0.000948 U	0.000725 U	0.000617 U	0.000537 U	0.000752 U	0.000671 U	0.00548 U
B-272	B-272-1	03/17/20	PES	PACE	1	-	V	1.00 U	-	-	-	0.000590 U	0.000324 U	0.000460 U	0.00104 U	0.000796 U	0.000678 U	0.000590 U	0.000825 U	0.000737 U	0.00601 U
	B-272-6	03/17/20	PES	PACE	6	-	V	1.05 U	-	-	-	0.000619 U	0.000340 U	0.000483 U	0.00109 U	0.000835 U	0.000712 U	0.000619 U	0.000866 U	0.000773 U	0.00631 U
B-273	B-273-1	03/17/20	PES	PACE	1	-	V	0.952 U	-	-	-	0.000561 U	0.000309 U	0.000438 U	0.000991 U	0.000758 U	0.000645 U	0.000561 U	0.000786 U	0.000701 U	0.00572 U
	B-273-3	03/17/20	PES	PACE	3	-	V	0.937 U	-	-	-	0.000553 U	0.000304 U	0.000431 U	0.000976 U	0.000746 U	0.000636 U	0.000553 U	0.000774 U	0.000691 U	0.00564 U
	B-273-6	03/17/20	PES	PACE	6	-	V	10.7	-	-	-	0.00111 U	0.000609 U	0.000864 U	0.00196 U	0.00150 U	0.00127 U	0.00111 U	0.00155 U	0.00139 U	0.0113 U
B-274	B-274-1	03/17/20	PES	PACE	1	-	V	0.954 U	-	-	-	0.000562 U	0.000309 U	0.000439 U	0.000993 U	0.000759 U	0.000647 U	0.000562 U	0.000787 U	0.000703 U	0.00574 U
	B-274-3	03/17/20	PES	PACE	3	-	V	0.918 U	-	-	-	0.000541 U	0.000298 U	0.000422 U	0.000956 U	0.000731 U	0.000623 U	0.000541 U	0.000758 U	0.000677 U	0.00552 U
	B-274-6	03/17/20	PES	PACE	6	-	V	10.7	-	-	-	0.000889 U	0.000490 U	0.000694 U	0.00158 U	0.00120 U	0.00102 U	0.000889 U	0.00124 U	0.00111 U	0.00906 U
B-275	B-275-1	03/17/20	PES	PACE	1	-	V	0.995 U	-	-	-	0.000587 U	0.000323 U	0.000458 U	0.00104 U	0.000792 U	0.000675 U	0.000587 U	0.000822 U	0.000734 U	0.00599 U
	B-275-6	03/17/20	PES	PACE	6	-	V	1.33 U	-	-	-	0.000926 U	0.000509 U	0.000723 U	0.00163 U	0.00125 U	0.00106 U	0.000926 U	0.00130 U	0.00116 U	0.00945 U
	B-275-9	03/17/20	PES	PACE	9	-	S	1.30 U	-	-	-	0.000769 U	0.000423 U	0.000600 U	0.00136 U	0.00104 U	0.000885 U	0.000769 U	0.00108 U	0.000962 U	0.00785 U
	B-275-10	03/17/20	PES	PACE	10	-	S	0.932 U	-	-	-	0.000550 U	0.000302 U	0.000429 U	0.000971 U	0.000742 U	0.000632 U	0.000550 U	0.000770 U	0.000687 U	0.00561 U
B-276	B-276-1	03/17/20	PES	PACE	1	-	V	1.03 U	-	-	-	0.000922 U	0.000507 U	0.000720 U	0.00163 U	0.00125 U	0.00106 U	0.000922 U	0.00129 U	0.00115 U	0.00941 U
	B-276-7	03/17/20	PES	PACE	7	-	V	0.938 U	-	-	-	0.000553 U	0.000304 U	0.000431 U	0.000977 U	0.000747 U	0.000636 U	0.000553 U	0.000774 U	0.000691 U	0.00564 U
	B-970-6	03/17/20	PES	PACE	7 (dup)	-	V	0.938 U	-	-	-	0.000553 U	0.000304 U	0.000432 U	0.000977 U	0.000747 U	0.000636 U	0.000553 U	0.000775 U	0.000692 U	0.00564 U
	B-276-11	03/17/20	PES	PACE	11	-	S	0.991 U	-	-	-	0.000584 U	0.000321 U	0.000456 U	0.00103 U	0.000788 U	0.000672 U	0.000584 U	0.000818 U	0.000730 U	0.00596 U
B-277	B-277-1	03/18/20	PES	PACE	1	-	V	1.07 U	-	-	-	0.000630 U	0.000347 U	0.000492 U	0.00111 U	0.000851 U	0.000725 U	0.000630 U	0.000882 U	0.000788 U	0.00643 U
	B-277-3	03/18/20	PES	PACE	3	-	V	0.932 U	-	-	-	0.000549 U	0.000302 U	0.000429 U	0.000970 U	0.000742 U	0.000632 U	0.000549 U	0.000769 U	0.000687 U	0.00560 U
	B-277-5	03/18/20	PES	PACE	5	-	V	1.40 U	-	-	-	0.000826 U	0.000454 U	0.000644 U	0.00146 U	0.00111 U	0.000950 U	0.000826 U	0.00116 U	0.00103 U	0.00842 U
	B-277-9.5	03/18/20	PES	PACE	9.5	-	V	1.72 J	-	-	-	0.00119 U	0.000654 U	0.000927 U	0.00209 U	0.00160 U	0.00137 U	0.00119 U	0.00166 U	0.00149 U	0.0121 U
	B-277-11	03/18/20	PES	PACE	11	-	S	1.13 J	-	-	-	0.000540 U	0.000297 U	0.000421 U	0.000953 U	0.000728 U	0.000620 U	0.000540 U	0.000755 U	0.000674 U	0.00550 U
B-278	B-278-3	03/18/20	PES	PACE	3	-	V	0.946 U	-	-	-	0.000558 U	0.000307 U	0.000435 U	0.000986 U	0.000753 U	0.000642 U	0.000558 U	0.000781 U	0.000698 U	0.00569 U
	B-278-6	03/18/20	PES	PACE	6	-	V	0.940 U	-	-	-	0.000554 U	0.000305 U	0.000432 U	0.000979 U	0.000749 U	0.000638 U	0.000554 U	0.000776 U	0.000693 U	0.00566 U
B-279	B-279-3	03/18/20	PES	PACE	3	-	V	0.962 U	-	-	-	0.000567 U	0.000312 U	0.000442 U	0.00100 U	0.000766 U	0.000652 U	0.000567 U	0.000794 U	0.000709 U	0.00578 U
	B-279-5	03/18/20	PES	PACE	5	-	V	0.948 U	-	-	-	0.000559 U	0.000308 U	0.000436 U	0.000987 U	0.000755 U	0.000643 U	0.000559 U	0.000783 U	0.000699 U	0.00570 U
	B-279-10	03/18/20	PES	PACE	10	-	V	0.921 U	-	-	-	0.000543 U	0.000299 U	0.000424 U	0.000959 U	0.000733 U	0.000625 U	0.000543 U	0.000761 U	0.000679 U	0.00554 U
B-280	B-280-4.5	03/18/20	PES	PACE	4.5	-	V	0.878 U	-	-	-	0.000518 U	0.000285 U	0.000404 U	0.000915 U	0.000699 U	0.000596 U	0.000518 U	0.000725 U	0.000647 U	0.00528 U
	B-280-6	03/18/20	PES	PACE	6	-	V	0.923 U	-	-	-	0.000544 U	0.000299 U	0.000424 U	0.000961 U	0.000734 U	0.000626 U	0.000544 U	0.000762 U	0.000680 U	0.00555 U
B-281	B-281-2	03/18/20	PES	PACE	2	-	V	0.887 U	-	-	-	0.000523 U	0.000287 U	0.000408 U	0.000923 U	0.000706 U	0.000601 U	0.000523 U	0.000732 U	0.000653 U	0.00533 U
	B-281-5	03/18/20	PES	PACE	5	-	V	0.961 U	-	-	-	0.000567 U	0.000312 U	0.000442 U	0.00100 U	0.000765 U	0.000652 U	0.000567 U	0.000793 U	0.000708 U	0.00578 U
B-282	B-282-2	03/18/20	PES	PACE	2	-	V	0.967 U	-	-	-	0.000570 U	0.000314 U	0.000445 U	0.00101 U	0.000770 U	0.000656 U	0.000570 U	0.000798 U	0.000713 U	0.00581 U
	B-282-4	03/18/20	PES	PACE	4	-	V	0.937 U	-	-	-	0.000552 U	0.000304 U	0.000431 U	0.000975 U	0.000746 U	0.000635 U	0.000552 U	0.000773 U	0.000690 U	0.00563 U
	B-971-5	03/18/20	PES	PACE	4 (dup)	-	V	0.903 U	-	-	-	0.000532 U	0.000293 U	0.000415 U	0.000940 U	0.000718 U	0.000612 U	0.000532 U	0.000745 U	0.000665 U	0.00543 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
B-283	B-283-0.5	08/19/20	PES	PACE	0.5	-	V	-	-	-	-	0.00114 UJ	0.00111 U	0.000836 U	0.000718 U	0.000907 U	0.000590 U	0.000729 U	0.000973 U	0.00882 UJ	0.00195 U
B-284	B-284-1	08/19/20	PES	PACE	1	-	V	-	-	-	-	0.00114 UJ	0.00111 U	0.000834 U	0.000716 U	0.000905 U	0.000589 U	0.000727 U	0.000971 U	0.00880 UJ	0.00194 U
B-285	B-285-1	08/19/20	PES	PACE	1	-	V	-	-	-	-	0.00124 UJ	0.00121 U	0.000908 U	0.000779 U	0.000985 U	0.000641 U	0.000791 U	0.00106 U	0.00958 UJ	0.00212 U
B-286	B-286-0.5	08/19/20	PES	PACE	0.5	-	V	-	-	-	-	0.00253 UJ	0.00245 U	0.00185 U	0.00159 U	0.00200 U	0.00131 U	0.00162 U	0.00215 U	0.0195 UJ	0.00431 U
B-287	B-287-1	08/19/20	PES	PACE	1	-	V	-	-	-	-	0.00247 UJ	0.00240 U	0.00181 U	0.00155 U	0.00196 U	0.00128 U	0.00157 U	0.00210 U	0.0191 UJ	0.00420 U
B-288	B-288-1	08/19/20	PES	PACE	1	-	V	-	-	-	-	0.00505 UJ	0.00490 U	0.00369 U	0.00317 U	0.00401 U	0.00261 U	0.00322 U	0.00430 U	0.0390 UJ	0.00861 U
B-289	B-289-0.5	08/19/20	PES	PACE	0.5	-	V	-	-	-	-	0.00412 UJ	0.00403 U	0.00303 U	0.00261 U	0.00329 U	0.00214 U	0.00264 U	0.00353 U	0.0320 UJ	0.00707 U
B-290	B-290-1	08/20/20	PES	PACE	1	-	V	-	-	-	-	0.00150 UJ	0.00145 U	0.00110 U	0.000942 U	0.00119 U	0.000774 U	0.000956 U	0.00127 U	0.0116 UJ	0.00255 U
B-291	B-291-1	08/20/20	PES	PACE	1	-	V	-	-	-	-	0.00129 UJ	0.00126 U	0.000942 U	0.000809 U	0.00102 U	0.000666 U	0.000821 U	0.00110 U	0.00994 UJ	0.00219 U
B-292	B-292-3	08/22/20	PES	PACE	3	-	V	-	-	-	-	0.00119 U	0.00116 U	0.000875 U	0.000751 U	0.000949 U	0.000618 U	0.000763 U	0.00102 U	0.00922 UJ	0.00204 U
	B-292-6	08/22/20	PES	PACE	6	-	V	-	-	-	-	0.00123 U	0.00120 U	0.000904 U	0.000776 U	0.000980 U	0.000638 U	0.000788 U	0.00105 U	0.00953 UJ	0.00211 U
	B-292-9	08/22/20	PES	PACE	9	-	V	-	-	-	-	0.00112 U	0.00109 U	0.000821 U	0.000706 U	0.000891 U	0.000580 U	0.000716 U	0.000956 U	0.00866 UJ	0.00191 U
	B-292-12	08/22/20	PES	PACE	12	-	V	-	-	-	-	0.00124 U	0.00121 U	0.000912 U	0.000784 U	0.000990 U	0.000645 U	0.000795 U	0.00106 U	0.00962 UJ	0.00213 U
B-293	B-293-1	08/26/20	PES	PACE	1	-	V	-	-	-	-	0.00105 U	0.00102 UJ	0.000770 U	0.000662 U	0.000836 U	0.000544 UJ	0.000672 UJ	0.000897 U	0.00813 UJ	0.00180 U
B-294	B-294-1	08/26/20	PES	PACE	1	-	V	-	-	-	-	0.00133 U	0.00130 UJ	0.000976 U	0.000838 U	0.00106 U	0.000689 UJ	0.000851 UJ	0.00114 U	0.0103 UJ	0.00227 U
	B-294-2	08/26/20	PES	PACE	2	-	V	-	-	-	-	0.00275 U	0.00268 UJ	0.00203 U	0.00173 U	0.00218 U	0.00143 UJ	0.00176 UJ	0.00234 U	0.0213 UJ	0.00470 U
	B-294-6	08/26/20	PES	PACE	6	-	V	-	-	-	-	0.00271 U	0.00263 UJ	0.00198 U	0.00170 U	0.00215 U	0.00140 UJ	0.00173 UJ	0.00232 U	0.0209 UJ	0.00463 U
	B-294-10	08/26/20	PES	PACE	10	-	S	-	-	-	-	0.00128 U	0.00124 UJ	0.000935 U	0.000803 U	0.00101 U	0.000661 UJ	0.000816 UJ	0.00109 U	0.00987 UJ	0.00218 U
B-295	B-295-1	08/26/20	PES	PACE	1	-	V	-	-	-	-	0.00114 U	0.00111 UJ	0.000837 U	0.000719 U	0.000908 U	0.000591 UJ	0.000729 UJ	0.000974 U	0.00882 UJ	0.00195 U
	B-295-3	08/26/20	PES	PACE	3	-	V	-	-	-	-	0.00169 U	0.00165 UJ	0.00124 U	0.00107 U	0.00135 U	0.000876 UJ	0.00108 UJ	0.00144 U	0.0131 UJ	0.00289 U
	B-295-7	08/26/20	PES	PACE	7	-	V	-	-	-	-	0.00142 U	0.00138 UJ	0.00104 U	0.000895 U	0.00113 U	0.000736 UJ	0.000908 UJ	0.00121 U	0.0110 UJ	0.00243 U
	B-295-10	08/26/20	PES	PACE	10	-	S	-	-	-	-	0.00133 U	0.00130 UJ	0.000977 U	0.000839 U	0.00106 U	0.000690 UJ	0.000852 UJ	0.00114 U	0.0103 UJ	0.00228 U
B-296	B-296-1	08/26/20	PES	PACE	1	-	V	-	-	-	-	0.00108 U	0.00105 UJ	0.000790 U	0.000678 U	0.000857 U	0.000558 UJ	0.000688 UJ	0.000919 U	0.00833 UJ	0.00184 U
B-297	B-297-1	08/26/20	PES	PACE	1	-	V	-	-	-	-	0.00117 U	0.00114 UJ	0.000856 U	0.000735 U	0.000929 U	0.000605 UJ	0.000747 UJ	0.000997 U	0.00903 UJ	0.00200 U
	B-297-3	08/26/20	PES	PACE	3	-	V	-	-	-	-	0.00109 U	0.00106 UJ	0.000798 U	0.000686 U	0.000866 U	0.000564 UJ	0.000696 UJ	0.000929 U	0.00842 UJ	0.00186 U
	B-500-1	08/26/20	PES	PACE	3 (dup)	-	V	-	-	-	-	0.00111 UJ	0.00108 U	0.000814 U	0.000700 U	0.000884 U	0.000575 U	0.000710 U	0.000948 U	0.00859 UJ	0.00190 U
	B-297-5	08/26/20	PES	PACE	5	-	V	-	-	-	-	0.00108 UJ	0.00105 U	0.000794 U	0.000682 U	0.000862 U	0.000561 U	0.000692 U	0.000924 U	0.00838 UJ	0.00185 U
B-298	B-298-5	08/26/20	PES	PACE	5	-	V	-	-	-	-	0.00100 UJ	0.000974 U	0.000733 U	0.000630 U	0.000796 U	0.000518 U	0.000639 U	0.000854 U	0.00773 UJ	0.00171 U
	B-298-6	08/26/20	PES	PACE	6	-	V	-	-	-	-	0.00120 UJ	0.00117 U	0.000882 U	0.000757 U	0.000957 U	0.000623 U	0.000769 U	0.00103 U	0.00930 UJ	0.00255 U
B-299	B-299-2	02/01/21	PES	PACE	2	-	V	1.12 U	-	-	-	0.00125 U	0.00122 U	0.000917 UJ	0.000788 U	0.000995 U	0.000648 U	0.000800 U	0.00107 U	0.00968 U	0.00214 UJ
	B-299-5.5	02/01/21	PES	PACE	5.5	-	V	1.01 U	-	-	-	0.00113 U	0.00110 U	0.000828 UJ	0.000712 U	0.000899 U	0.000585 U	0.000722 U	0.000964 U	0.00874 U	0.00193 UJ
	B-1003-10	02/01/21	PES	PACE	5.5 (dup)	-	V	1.05 U	-	-	-	0.00118 U	0.00114 U	0.000861 UJ	0.000740 U	0.000935 U	0.000609 U	0.000751 U	0.00100 U	0.00909 U	0.00201 UJ
B-300	B-300-2.5	02/01/21	PES	PACE	2.5	-	V	1.12 U	-	-	-	0.00125 U	0.00122 U	0.000919 UJ	0.000789 U	0.000996 U	0.000649 U	0.000801 U	0.00107 U	0.00969 U	0.00214 UJ
	B-300-5.5	02/01/21	PES	PACE	5.5	-	V	1.09 U	-	-	-	0.00122 U	0.00119 U	0.000896 UJ	0.000770 U	0.000972 U	0.000633 U	0.000782 U	0.00104 U	0.00945 U	0.00209 UJ
B-301	B-301-2	02/01/21	PES	PACE	2	-	V	1.09 U	-	-	-	0.00122 U	0.00118 U	0.000891 UJ	0.000766 U	0.000967 U	0.000630 U	0.000777 U	0.00104 U	0.00940 U	0.00208 UJ
	B-301-5	02/01/21	PES	PACE	5	-	V	1.15 U	-	-	-	0.00128 U	0.00125 U	0.000939 UJ	0.000807 U	0.00102 U	0.000664 U	0.000819 U	0.00109 U	0.00991 U	0.00219 UJ
B-302	B-302-2	02/01/21	PES	PACE	2	-	V	1.06 U	-	-	-	0.00119 U	0.00116 U	0.000870 UJ	0.000747 U	0.000944 U	0.000615 U	0.000758 U	0.00101 U	0.00917 U	0.00203 UJ
	B-302-4	02/01/21	PES	PACE	4	-	V	1.21 U	-	-	-	0.00135 U	0.00132 U	0.000992 UJ	0.000852 U	0.00108 U	0.000701 U	0.000865 U	0.00115 U	0.0105 U	0.00231 UJ
BB-5	S-6	03/09/97	B&V	Unknown	15-17	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-10	03/09/97	B&V	Unknown	25-27	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-7	S-4	04/06/97	B&V	Unknown	10-12	17.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
BB-8 (13.6 to 3.6)	S-8	06/06/97	B&V	Unknown	20-22	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-10	S-6	08/29/97	B&V	Unknown	15-17	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-12	S-3	03/18/98	B&V	Unknown	15-16.5	18.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-14	03/18/98	B&V	Unknown	45-46.5	-11.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-13	S-10	03/19/98	B&V	Unknown	25-27.5	1.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-16	03/19/98	B&V	Unknown	40-41.5	-13.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-14	S-2	03/03/98	B&V	Unknown	5-6.5	21.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-5	03/03/98	B&V	Unknown	12.5-14	14.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-9	03/03/98	B&V	Unknown	22.5-24	4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-12	03/03/98	B&V	Unknown	30-31.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-07	CHB-07-12.5-13.5	04/14/05	CH2M	ARI	12.5-13.5	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-07-5.0-7.0	04/14/08	CH2M	ARI	5-7	23.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-08	CHB-08-15.0-16.0	04/15/08	CH2M	ARI	15-16	14.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-09	CHB-09-20.0-21.5	04/16/08	CH2M	ARI	20-21.5	15.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-09-25.0-26.5	04/16/08	CH2M	ARI	25-26.5	10.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-1 (-9.7 to -29.7)	MW-1-1-2.5	08/22/14	GEI	Fremont	1	29.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-2 (4.0 to -6.0)	MW-2-2-5.0	08/23/14	GEI	Fremont	5	26.6	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-4-10.0	08/23/14	GEI	Fremont	10	21.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-8-20.0	08/23/14	GEI	Fremont	20	11.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-3 (-18.7 to -28.7)	MW-3-4-10.0	08/23/14	GEI	Fremont	10	20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-3-10-50.0	08/23/14	GEI	Fremont	50	-19.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-4	GEI-4-2-5.0	08/23/14	GEI	Fremont	5	26.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	GEI-4-5-12.5	08/23/14	GEI	Fremont	12.5	18.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1 (SCLB-3)	RS3-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-17.5	03/15/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-22.5/RS3-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-32.5	03/15/93	EPJ	OnSite	32.5	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2 (SCLB-4)	RS4-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-12.5/RS4-17.5	03/15/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-22.5/RS4-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3 (SCLB-5)	RS5-2.5/RS5-7.5 (Comp)	03/16/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-12.5/RS5-17.5 (Comp)	03/16/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-17.5	03/16/93	EPJ	OnSite	17.5	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-22.5	03/16/93	EPJ	OnSite	22.5	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-32.5	03/16/93	EPJ	OnSite	32.5	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-37.5	03/16/93	EPJ	OnSite	37.5	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-4 (SCLB-6)	RS6-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-17.5/RS6-22.5 (Comp)	03/17/93	EPJ	OnSite	17.5-22.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		03/17/93	EPJ	OnSite	27.5	12.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5 (SCLB-7)	RS7-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-17.5	03/17/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-22.5	03/17/93	EPJ	OnSite	22.5	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	MW6-25	10/11/93	Retec	ARI	25	13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	MW7-16.5	10/11/93	Retec	ARI	16.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW7-18.5	10/11/93	Retec	ARI	18.5	16.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8 (28.7 to 14.2)	MW8-20	10/18/93	Retec	AAL	20	13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9 (33.7 to 18.7)	MW9-17.5	10/18/93	Retec	AAL	17.5	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	MW10-17.5	10/19/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW102 (B102) (-65.8 to -75.8)	B102-20	07/17/12	SES	F&BI	20	29.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-30	07/17/12	SES	F&BI	30	19.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-38	07/17/12	SES	F&BI	38	11.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-40	07/17/12	SES	F&BI	40	9.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-49	07/17/12	SES	F&BI	49	0.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-60	07/17/12	SES	F&BI	60	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-70	07/18/12	SES	F&BI	70	-20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-80	07/19/12	SES	F&BI	80	-30.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-90	07/19/12	SES	F&BI	90	-40.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-100	07/20/12	SES	F&BI	100	-50.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-110	07/20/12	SES	F&BI	110	-60.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW103 (B103) (-67.6 to -77.6)	B103-10	07/25/12	SES	F&BI	10	25.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-18	07/25/12	SES	F&BI	18	17.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-30	07/25/12	SES	F&BI	30	5.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-40	07/25/12	SES	F&BI	40	-4.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-45	07/25/12	SES	F&BI	45	-9.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-55	07/25/12	SES	F&BI	55	-19.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-62.5	07/26/12	SES	F&BI	62.5	-26.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-75	07/26/12	SES	F&BI	75	-39.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-83	07/26/12	SES	F&BI	83	-47.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-95	07/26/12	SES	F&BI	95	-59.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-105	07/27/12	SES	F&BI	105	-69.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-113	07/27/12	SES	F&BI	113	-77.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW104 (B104) (-76.3 to -86.3)	B104-10	07/30/12	SES	F&BI	10	32.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-20	07/30/12	SES	F&BI	20	22.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-30	07/30/12	SES	F&BI	30	12.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-35	07/30/12	SES	F&BI	35	7.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-50	07/30/12	SES	F&BI	50	-7.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-60	07/31/12	SES	F&BI	60	-17.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-69	07/31/12	SES	F&BI	69	-26.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-80	07/31/12	SES	F&BI	80	-37.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-90	08/01/12	SES	F&BI	90	-47.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-100	08/01/12	SES	F&BI	100	-57.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-110	08/01/12	SES	F&BI	110	-67.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-120	08/01/12	SES	F&BI	120	-77.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-130	08/01/12	SES	F&BI	130	-87.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW105 (B105) (-85.8 to -95.8)	B105-10	08/06/12	SES	F&BI	10	34.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-20	08/06/12	SES	F&BI	20	24.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-30	08/06/12	SES	F&BI	30	14.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-40	08/08/12	SES	F&BI	40	4.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-50	08/08/12	SES	F&BI	50	-5.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-60	08/09/12	SES	F&BI	60	-15.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-70	08/09/12	SES	F&BI	70	-25.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-80	08/09/12	SES	F&BI	80	-35.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-90	08/10/12	SES	F&BI	90	-45.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-100	08/10/12	SES	F&BI	100	-55.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-110	08/10/12	SES	F&BI	110	-65.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-120	08/10/12	SES	F&BI	120	-75.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-130	08/10/12	SES	F&BI	130	-85.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW106 (B106) (-78.0 to -88.0)	B106-10	08/14/12	SES	F&BI	10	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-20	08/14/12	SES	F&BI	20	32.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-30	08/14/12	SES	F&BI	30	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-40	08/14/12	SES	F&BI	40	12.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-50	08/14/12	SES	F&BI	50	2.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-60	08/14/12	SES	F&BI	60	-8.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-70	08/15/12	SES	F&BI	70	-18.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-80	08/15/12	SES	F&BI	80	-28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-90	08/15/12	SES	F&BI	90	-38.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-100	08/15/12	SES	F&BI	100	-48.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-110	08/15/12	SES	F&BI	110	-58.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-120	08/15/12	SES	F&BI	120	-68.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-130	08/15/12	SES	F&BI	130	-78.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-140	08/15/12	SES	F&BI	140	-88.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW107 (B107) (8.8 to -1.2)	B107-05	03/12/12	SES	F&BI	5	38.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-15	03/12/12	SES	F&BI	15	28.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-25	03/12/12	SES	F&BI	25	18.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-35	03/12/12	SES	F&BI	35	8.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-45	03/12/12	SES	F&BI	45	-1.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW108 (B108) (-7.2 to -17.2)	B108-15	12/14/12	SES	F&BI	15	17.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-25	12/14/12	SES	F&BI	25	7.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-35	12/14/12	SES	F&BI	35	-2.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-45	12/14/12	SES	F&BI	45	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-50	12/14/12	SES	F&BI	50	-17.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW109 (B109) (0.0 to -10.0)	B109-05	04/12/12	SES	F&BI	5	30.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-15	04/12/12	SES	F&BI	15	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-25	04/12/12	SES	F&BI	25	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-35	04/12/12	SES	F&BI	35	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-45	04/12/12	SES	F&BI	45	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW110 (B110) (4.7 to -5.3)	B110-15	04/12/12	SES	F&BI	15	24.7	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-25	04/12/12	SES	F&BI	25	14.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-35	04/12/12	SES	F&BI	35	4.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-45	04/12/12	SES	F&BI	45	-5.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW111 (B111) (-33.5 to -43.5)	B111-10	05/12/12	SES	F&BI	10	26.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-20	05/12/12	SES	F&BI	20	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-30	05/12/12	SES	F&BI	30	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-38	05/12/12	SES	F&BI	38	-1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-50	05/12/12	SES	F&BI	50	-13.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-60	06/12/12	SES	F&BI	60	-23.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-70	06/12/12	SES	F&BI	70	-33.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-80	06/12/12	SES	F&BI	80	-43.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW112 (B112) (-17.5 to -27.5)	B112-10	11/12/12	SES	F&BI	10	47.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-20	11/12/12	SES	F&BI	20	37.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-30	11/12/12	SES	F&BI	30	27.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-40	11/12/12	SES	F&BI	40	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-50	11/12/12	SES	F&BI	50	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-60	11/12/12	SES	F&BI	60	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-75	11/12/12	SES	F&BI	75	-17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-85	12/12/12	SES	F&BI	85	-27.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW113 (B113) (-37.1 to -47.1)	B113-10	12/18/12	SES	F&BI	10	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-20	12/18/12	SES	F&BI	20	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-30	12/18/12	SES	F&BI	30	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-40	12/18/12	SES	F&BI	40	-7.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-50	12/18/12	SES	F&BI	50	-17.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW114 (B114) (10.8 to 0.8)	B114-15	10/12/12	SES	F&BI	15	30.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-25	10/12/12	SES	F&BI	25	20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-35	10/12/12	SES	F&BI	35	10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW114 (B114) (continued)	B114-40	10/12/12	SES	F&BI	40	5.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-45	10/12/12	SES	F&BI	45	0.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW115 (B115) (-0.9 to -10.9)	B115-10	12/13/12	SES	F&BI	10	24.1	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-15	12/13/12	SES	F&BI	15	19.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-25	12/13/12	SES	F&BI	25	9.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-35	12/13/12	SES	F&BI	35	-0.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-45	12/13/12	SES	F&BI	45	-10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW116 (B116) (-3.6 to -13.6)	B116-15	07/12/12	SES	F&BI	15	16.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-25	07/12/12	SES	F&BI	25	6.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-35	07/12/12	SES	F&BI	35	-3.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-45	07/12/12	SES	F&BI	45	-13.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW117 (B117) (16.9 to 1.9)	B117-10	02/04/13	SES	F&BI	10	46.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-20	02/04/13	SES	F&BI	20	36.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-30	02/04/13	SES	F&BI	30	26.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-40	02/04/13	SES	F&BI	40	16.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-50	02/04/13	SES	F&BI	50	6.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW118 (B118) (12.9 to 2.9)	B118-10	03/21/13	SES	F&BI	10	42.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-20	03/21/13	SES	F&BI	20	32.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-30	03/21/13	SES	F&BI	30	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-40	03/21/13	SES	F&BI	40	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-50	03/21/13	SES	F&BI	50	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW119 (B119) (2.4 to -7.7)	B119-10	03/21/13	SES	F&BI	10	27.4	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-20	03/21/13	SES	F&BI	20	17.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-30	03/21/13	SES	F&BI	30	7.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-40	03/21/13	SES	F&BI	40	-2.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW120 (B120) (0 to -10)	B120-20	12/16/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B120-30	12/16/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B120-45	12/16/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW121 (B121) (26.7 to 16.7)	B121-15	12/16/13	SES	F&BI	15	26.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B121-25	12/16/13	SES	F&BI	25	16.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW122 (B122) (-75 to -89)	B122-15	12/17/13	SES	F&BI	15	15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-25	12/17/13	SES	F&BI	25	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-40	12/17/13	SES	F&BI	40	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-45	12/17/13	SES	F&BI	45	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-50	12/17/13	SES	F&BI	50	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-60	12/17/13	SES	F&BI	60	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-70	12/17/13	SES	F&BI	70	-40.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-80	12/17/13	SES	F&BI	80	-50.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-100	12/17/13	SES	F&BI	100	-70.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW123 (B123) (-42.5 to -52.5)	B123-20	12/18/13	SES	F&BI	20	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW124 (B124) (-53.8 to -63.8)	B124-10	12/19/13	SES	F&BI	10	46.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-20	12/19/13	SES	F&BI	20	36.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-30	12/19/13	SES	F&BI	30	26.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-40	12/19/13	SES	F&BI	40	16.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-50	12/19/13	SES	F&BI	50	6.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-60	12/19/13	SES	F&BI	60	-3.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-70	12/19/13	SES	F&BI	70	-13.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-80	12/19/13	SES	F&BI	80	-23.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-90	12/19/13	SES	F&BI	90	-33.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-100	12/19/13	SES	F&BI	100	-43.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW125 (B125) (28.6 to 13.6)	B125-15	12/20/13	SES	F&BI	15	28.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B125-20	12/20/13	SES	F&BI	20	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B125-25	12/20/13	SES	F&BI	25	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B125-30	12/20/13	SES	F&BI	30	13.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW126 (B126) (-54.1 to -64.1)	B126-20	12/30/13	SES	F&BI	20	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-35	12/30/13	SES	F&BI	35	-4.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-45	12/30/13	SES	F&BI	45	-14.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-55	12/30/13	SES	F&BI	55	-24.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-60	12/31/13	SES	F&BI	60	-29.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-65	01/01/14	SES	F&BI	65	-34.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-75	01/02/14	SES	F&BI	75	-44.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-80	01/03/14	SES	F&BI	80	-49.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-85	01/04/14	SES	F&BI	85	-54.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-95	01/05/14	SES	F&BI	95	-64.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW127 (B127) (-1.0 to -11.0)	B127-15	12/31/13	SES	F&BI	15	24.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-25	12/31/13	SES	F&BI	25	14.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-40	12/31/13	SES	F&BI	40	-1.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-45	12/31/13	SES	F&BI	45	-6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-50	12/31/13	SES	F&BI	50	-11.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW128 (B128) (-30.8 to -40.8)	B128-25	01/09/14	SES	F&BI	25	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B128-45	01/09/14	SES	F&BI	45	-17.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B128-65	01/09/14	SES	F&BI	65	-37.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-138 (-47.5 to -57.5)	MW-138-15	09/12/17	PES	ESC	15	42.5	V	-	-	-	-	0.000314 U	0.000340 U	0.000434 U	0.000329 U	0.000434 U	0.000237 U	0.000360 U	0.000377 U	0.000364 U	0.000881 U
	MW-138-25	09/12/17	PES	ESC	25	32.5	S	-	-	-	-	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000349 U	0.000365 U	0.000352 U	0.000853 U
	MW-138-35	09/12/17	PES	ESC	35	22.5	S	-	-	-	-	0.000282 U	0.000306 U	0.000390 U	0.000296 U	0.000390 U	0.000213 U	0.000324 U	0.000339 U	0.000327 U	0.000792 U
	MW-138-45	09/12/17	PES	ESC	45	12.5	S	-	-	-	-	0.000279 U	0.000302 U	0.000386 U	0.000293 U	0.000386 U	0.000210 U	0.000320 U	0.000335 U	0.000323 U	0.000783 U
	MW-138-56	09/12/17	PES	ESC	56	1.5	S	-	-	-	-	0.000297 U	0.000322 U	0.000411 U	0.000312 U	0.000411 U	0.000224 U	0.000341 U	0.000357 U	0.000344 U	0.000833 U
	MW-138-65	09/13/17	PES	ESC	65	-7.5	S	-	-	-	-	0.000286 U	0.000309 U	0.000395 U	0.000300 U	0.000395 U	0.000215 U	0.000328 U	0.000343 U	0.000331 U	0.000801 U
	B-910-90	09/13/17	PES	ESC	65 (dup)	-7.5	S	-	-	-	-	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000367 U	0.000355 U	0.000859 U
	MW-138-75	09/13/17	PES	ESC	75	-17.5	S	-	-	-	-	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000816 U
	MW-138-85	09/13/17	PES	ESC	85	-27.5	S	-	-	-	-	0.000317 U	0.000344 U	0.000439 U	0.000333 U	0.000439 U	0.000239 U	0.000364 U	0.000381 U	0.000368 U	0.000891 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-138 (continued)	MW-138-95	09/13/17	PES	ESC	95	-37.5	S	-	-	-	-	0.000288 U	0.000312 U	0.000398 U	0.000302 U	0.000398 U	0.000217 U	0.000331 U	0.000346 U	0.000334 U	0.000808 U
	MW-138-105	09/13/17	PES	ESC	105	-47.5	S	-	-	-	-	0.000328 U	0.000356 U	0.000454 U	0.000345 U	0.000454 U	0.000248 U	0.000377 U	0.000394 U	0.000381 U	0.000922 U
	MW-138-115	09/14/17	PES	ESC	115	-57.5	S	-	-	-	-	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000231 U	0.000351 U	0.000367 U	0.000354 U	0.000858 U
MW-140 (-78.9 to -88.9)	MW-140-15	08/30/17	PES	ESC	15	35.6	V	-	-	-	-	0.000301 U	0.000326 U	0.000416 U	0.000316 U	0.000416 U	0.000227 U	0.000346 U	0.000361 U	0.000349 U	0.000845 U
	MW-140-25	08/30/17	PES	ESC	25	25.6	S	-	-	-	-	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	MW-140-35	08/30/17	PES	ESC	35	15.6	S	-	-	-	-	0.00769 U	0.00833 U	0.0106 U	0.00806 U	0.0106 U	0.00580 U	0.00883 U	0.00923 U	0.00891 U	0.0216 U
	MW-140-45	08/30/17	PES	ESC	45	5.6	S	-	-	-	-	0.000282 U	0.000305 U	0.000390 U	0.000296 U	0.000390 U	0.000212 U	0.000324 J	0.000338 U	0.000327 U	0.000791 U
	MW-140-55	08/30/17	PES	ESC	55	-4.4	S	-	-	-	-	0.000290 U	0.000314 U	0.000401 U	0.000304 U	0.000401 U	0.000218 U	0.000351 U	0.000348 U	0.000336 U	0.000813 U
	MW-140-65	08/30/17	PES	ESC	65	-14.4	S	-	-	-	-	0.000283 U	0.000306 U	0.000391 U	0.000297 U	0.000391 U	0.000213 U	0.000324 U	0.000339 U	0.000328 U	0.000793 U
	MW-140-75	08/30/17	PES	ESC	75	-24.4	S	-	-	-	-	0.00712 U	0.00771 U	0.00984 U	0.00746 U	0.00984 U	0.00537 U	0.00817 U	0.00854 U	0.00825 U	0.0200 U
	MW-140-90	08/30/17	PES	ESC	90	-39.4	S	-	-	-	-	0.000311 U	0.000336 U	0.000429 U	0.000326 U	0.000429 U	0.000234 U	0.000356 U	0.000373 U	0.000360 U	0.000872 U
	MW-140-110	08/31/17	PES	ESC	110	-59.4	S	-	-	-	-	0.000306 U	0.000331 U	0.000423 U	0.000321 U	0.000423 U	0.000230 U	0.000351 U	0.000367 U	0.000354 U	0.000858 U
	MW-140-130	08/31/17	PES	ESC	130	-79.4	S	-	-	-	-	0.000298 U	0.000323 U	0.000413 U	0.000313 U	0.000413 U	0.000225 U	0.000343 U	0.000358 U	0.000346 U	0.000838 U
	MW-140-140	08/31/17	PES	ESC	140	-89.4	S	-	-	-	-	0.00745 U	0.00808 U	0.0103 U	0.00782 U	0.0103 U	0.00562 U	0.00856 U	0.00894 U	0.00864 U	0.0209 U
MW-142 (2.4 to -7.6)	MW-142-5	04/12/18	PES	ESC	5	37.1	V	-	-	-	-	0.000318 U	0.000344 U	0.000439 U	0.000333 U	0.000439 U	0.000239 U	0.000365 U	0.000381 U	0.000368 U	0.000892 U
MW-143 (-27.7 to -37.7)	MW-143-10	04/11/18	PES	ESC	10	32.0	V	-	-	-	-	0.000366 U	0.000715 J	0.000506 U	0.000384 U	0.000506 U	0.000609 J	0.000420 U	0.000439 U	0.000424 U	0.00103 U
	MW-143-20	04/11/18	PES	ESC	20	22.0	S	-	-	-	-	0.000307 U	0.000332 U	0.000424 U	0.000322 U	0.000424 U	0.000231 U	0.000352 U	0.000368 U	0.000355 U	0.000861 U
	MW-143-30	04/11/18	PES	ESC	30	12.0	S	-	-	-	-	0.000301 U	0.000326 U	0.000416 U	0.000315 U	0.000416 U	0.000227 U	0.000345 U	0.000361 U	0.000348 U	0.000844 U
	MW-143-40	04/11/18	PES	ESC	40	2.0	S	-	-	-	-	0.000315 U	0.000341 U	0.000435 U	0.000330 U	0.000435 U	0.000237 U	0.000361 U	0.000378 U	0.000365 U	0.000884 U
	MW-143-50	04/11/18	PES	ESC	50	-8.0	S	-	-	-	-	0.000302 U	0.000328 U	0.000418 U	0.000317 U	0.000418 U	0.000228 U	0.000338 U	0.000363 U	0.000350 U	0.000849 U
	MW-143-60	04/11/18	PES	ESC	60	-18.0	S	-	-	-	-	0.000293 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000221 U	0.000337 U	0.000352 U	0.000340 U	0.000824 U
	MW-143-70	04/11/18	PES	ESC	70	-28.0	S	-	-	-	-	0.000290 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000333 U	0.000349 U	0.000337 U	0.000815 U
	MW-143-80	04/11/18	PES	ESC	80	-38.0	S	-	-	-	-	0.000300 U	0.000325 U	0.000415 U	0.000315 U	0.000415 U	0.000226 U	0.000344 U	0.000360 U	0.000348 U	0.000842 U
	MW-902-20	04/11/18	PES	ESC	80 (dup)	-38.0	S	-	-	-	-	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.000339 U	0.000355 U	0.000342 U	0.000829 U
MW-145 (-26.1 to -36.1)	MW-145-10	04/17/18	PES	ESC	10	33.5	V	-	-	-	-	0.000332 U	0.000359 U	0.000459 U	0.000348 U	0.000459 U	0.000250 U	0.000381 U	0.000398 U	0.000384 U	0.000931 U
	MW-145-20	04/17/18	PES	ESC	20	23.5	S	-	-	-	-	0.000308 U	0.000334 U	0.000426 U	0.000323 U	0.000426 U	0.000232 U	0.000354 U	0.000370 U	0.000357 U	0.000865 U
	MW-145-30	04/17/18	PES	ESC	30	13.5	S	-	-	-	-	0.000313 U	0.000339 U	0.000433 U	0.000328 U	0.000433 U	0.000236 U	0.000354 U	0.000376 U	0.000363 U	0.000879 U
	MW-145-40	04/17/18	PES	ESC	40	3.5	S	-	-	-	-	0.000294 U	0.000319 U	0.000407 U	0.000309 U	0.000407 U	0.000222 U	0.000338 U	0.000353 U	0.000341 U	0.000826 U
	MW-145-50	04/17/18	PES	ESC	50	-6.5	S	-	-	-	-	0.000289 U	0.000313 U	0.000400 U	0.000304 U	0.000400 U	0.000218 U	0.000332 U	0.000347 U	0.000335 U	0.000812 U
	MW-145-60	04/17/18	PES	ESC	60	-16.5	S	-	-	-	-	0.000291 U	0.000315 U	0.000402 U	0.000305 U	0.000402 U	0.000219 U	0.000334 U	0.000349 U	0.000337 U	0.000817 U
	MW-145-70	04/17/18	PES	ESC	70	-26.5	S	-	-	-	-	0.000320 U	0.000347 U	0.000443 U	0.000336 U	0.000443 U	0.000241 U	0.000368 U	0.000385 U	0.000371 U	0.000899 U
	MW-145-80	04/17/18	PES	ESC	80	-36.5	S	-	-	-	-	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.000348 U	0.000364 U	0.000351 U	0.000851 U
	MW-903-40	04/17/18	PES	ESC	80 (dup)	-36.5	S	-	-	-	-	0.000296 U	0.000321 U	0.000409 U	0.000311 U	0.000409 U	0.000223 U	0.000340 U	0.000356 U	0.000343 U	0.000831 U
MW-147 (-17.6 to -27.6)	MW-147-10	04/02/18	PES	ESC	10	41.9	V	-	-	-	-	0.000287 U	0.000311 U	0.000396 U	0.000301 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000805 U
	MW-147-20	04/02/18	PES	ESC	20	31.9	S	-	-	-	-	0.000285 U	0.000309 U	0.000394 U	0.000299 U	0.000394 U	0.000215 U	0.000327 U	0.000343 U	0.000331 U	0.000801 U
	MW-147-30	04/02/18	PES	ESC	30	21.9	S	-	-	-	-	0.000295 U	0.000319 U	0.000408 U	0.000309 U	0.000408 U	0.000222 U	0.000338 U	0.000354 U	0.000342 U	0.000827 U
	MW-147-40	04/02/18	PES	ESC	40	11.9	S	-	-	-	-	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000334 U	0.000350 U	0.000338 U	0.000818 U
	MW-147-50	04/02/18	PES	ESC	50	1.9	S	-	-	-	-	0.000292 U	0.000317 U	0.000404 U	0.000307 U	0.000404 U	0.000220 U	0.000336 U	0.000351 U	0.000339 U	0.000821 U
	MW-147-60	04/02/18	PES	ESC	60	-8.2	S	-	-	-	-	0.000284 U	0.000308 U	0.000392 U	0.000298 U	0.000392 U	0.000214 U	0.000326 U	0.000341 U	0.000329 U	0.000797 U
	MW-901-10	04/02/18	PES	ESC	60 (dup)	-8.2	S	-	-	-	-	0.000284 U	0.000308 U	0.000393 U	0.000298 U	0.000393 U	0.000214 U	0.000326 U	0.000341 U	0.000330 U	0.000798 U
	MW-147-70	04/02/18	PES	ESC	70	-18.2	S	-	-	-	-	0.000295 U	0.000320 U	0.000408 U	0.000310 U	0.000408 U	0.000223 U	0.000339 U	0.000355 U	0.000342 U	0.000829 U
	MW-147-80	04/02/18	PES	ESC	80	-28.2	S	-	-	-	-	0.000305 U	0.000331 U	0.000422 U	0.000321 U	0.000422 U	0.000230 U	0.000351 U	0.000367 U	0.000354 U	0.000857 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-148 (-25.7 to -35.7)	MW-148-11	04/09/18	PES	ESC	11	32.9	V	-	-	-	-	0.000305 U	0.000330 U	0.000421 U	0.000320 U	0.000421 U	0.000230 U	0.000350 U	0.000366 U	0.000353 U	0.000855 U
	MW-148-20	04/09/18	PES	ESC	20	23.9	S	-	-	-	-	0.000286 U	0.000310 U	0.000396 U	0.000300 U	0.000396 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000804 U
	MW-148-30	04/09/18	PES	ESC	30	13.9	S	-	-	-	-	0.000296 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000223 U	0.000340 U	0.000356 U	0.000344 U	0.000832 U
	MW-148-40	04/09/18	PES	ESC	40	3.9	S	-	-	-	-	0.000287 U	0.000311 U	0.000397 U	0.000301 U	0.000397 U	0.000216 U	0.000329 U	0.000344 U	0.000332 U	0.000805 U
	MW-148-50	04/09/18	PES	ESC	50	-6.1	S	-	-	-	-	0.000291 U	0.000315 U	0.000403 U	0.000306 U	0.000403 U	0.000219 U	0.000334 U	0.000350 U	0.000338 U	0.000817 U
	MW-148-60	04/09/18	PES	ESC	60	-16.1	S	-	-	-	-	0.000333 U	0.000361 U	0.000461 U	0.000350 U	0.000461 U	0.000251 U	0.000382 U	0.000400 U	0.000386 U	0.000935 U
	MW-148-70	04/09/18	PES	ESC	70	-26.1	S	-	-	-	-	0.000333 U	0.000360 U	0.000460 U	0.000349 U	0.000460 U	0.000251 U	0.000382 U	0.000399 U	0.000386 U	0.000934 U
	MW-148-80	04/09/18	PES	ESC	80	-36.1	S	-	-	-	-	0.000310 U	0.000336 U	0.000429 U	0.000326 U	0.000429 U	0.000234 U	0.000356 U	0.000373 U	0.000360 U	0.000871 U
MW-153 (-65.3 to -75.3)	MW-153-10	03/27/18	PES	ESC	10	44.4	V	-	-	-	-	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000226 U	0.000344 U	0.000359 U	0.000347 U	0.000840 U
	MW-153-20	03/27/18	PES	ESC	20	34.4	V	-	-	-	-	0.000289 U	0.000313 U	0.000399 U	0.000303 U	0.000399 U	0.000218 U	0.000332 U	0.000347 U	0.000335 U	0.000811 U
	MW-153-30	03/27/18	PES	ESC	30	24.4	S	-	-	-	-	0.000283 U	0.000307 U	0.000392 U	0.000297 U	0.000392 U	0.000213 U	0.000325 U	0.000340 U	0.000328 U	0.000795 U
	MW-153-40	03/27/18	PES	ESC	40	14.4	S	-	-	-	-	0.000299 U	0.000324 U	0.000414 U	0.000314 U	0.000414 U	0.000225 U	0.000343 U	0.000359 U	0.000347 U	0.000839 U
	MW-153-50	03/27/18	PES	ESC	50	4.4	S	-	-	-	-	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000336 U	0.000352 U	0.000339 U	0.000822 U
	MW-153-61	03/27/18	PES	ESC	61	-6.7	S	-	-	-	-	0.000300 U	0.000325 U	0.000415 U	0.000315 U	0.000415 U	0.000226 U	0.000344 U	0.000360 U	0.000348 U	0.000842 U
	MW-153-70	03/27/18	PES	ESC	70	-15.7	S	-	-	-	-	0.000294 U	0.000318 U	0.000406 U	0.000308 U	0.000406 U	0.000222 U	0.000337 U	0.000353 U	0.000341 U	0.000825 U
	MW-153-80	03/28/18	PES	ESC	80	-25.7	S	-	-	-	-	0.000291 U	0.000316 U	0.000403 U	0.000306 U	0.000403 U	0.000220 U	0.000334 U	0.000350 U	0.000338 U	0.000818 U
	MW-153-90	03/28/18	PES	ESC	90	-35.7	S	-	-	-	-	0.000318 U	0.000344 U	0.000440 U	0.000334 U	0.000440 U	0.000240 U	0.000365 U	0.000382 U	0.000369 U	0.000892 U
	MW-153-110	03/28/18	PES	ESC	110	-55.7	S	-	-	-	-	0.000311 U	0.000337 U	0.000430 U	0.000326 U	0.000430 U	0.000234 U	0.000357 U	0.000373 U	0.000360 U	0.000872 U
	MW-153-130	03/29/18	PES	ESC	130	-75.7	S	-	-	-	-	0.000303 U	0.000329 U	0.000419 U	0.000318 U	0.000419 U	0.000229 U	0.000348 U	0.000364 U	0.000352 U	0.000851 U
MW-158	MW-158-20	04/05/18	PES	ESC	20	21.1	S	0.0384 U	-	-	-	0.000299 U	0.000324 U	0.000413 U	0.000314 U	0.000413 U	0.000225 U	0.000343 U	0.000359 U	0.000347 U	0.000839 U
	MW-158-30	04/05/18	PES	ESC	30	11.1	S	1.50	-	-	-	0.0311 U	0.0337 U	0.0431 U	0.0327 U	0.0431 U	0.0235 U	0.0357 U	0.0374 U	0.0361 U	0.0874 U
MW-158A (-47.2 to -58.5)	MW-158A-40	04/05/18	PES	ESC	40	1.1	S	0.839	-	-	-	0.000325 U	0.000353 U	0.000450 U	0.000341 U	0.000450 U	0.000245 U	0.000568 J	0.000391 U	0.000377 U	0.000913 U
	MW-158A-50	04/05/18	PES	ESC	50	-8.9	S	0.194	-	-	-	0.000305 U	0.000331 U	0.000422 U	0.000320 U	0.000422 U	0.000230 U	0.000421 J	0.000367 U	0.000354 U	0.000857 U
	MW-158A-60	04/05/18	PES	ESC	60	-18.9	S	0.319	-	-	-	0.000304 U	0.000329 U	0.000420 U	0.000319 U	0.000420 U	0.000229 U	0.000756 J	0.000365 U	0.000352 U	0.000853 U
	MW-158A-70	04/05/18	PES	ESC	70	-28.9	S	0.129	-	-	-	0.000296 U	0.000321 U	0.000410 U	0.000311 U	0.000410 U	0.000223 U	0.000692 J	0.000356 U	0.000343 U	0.000831 U
	MW-158A-80	04/06/18	PES	ESC	80	-38.9	S	0.0376 U	-	-	-	0.000293 U	0.000317 U	0.000405 U	0.000307 U	0.000405 U	0.000221 U	0.000336 U	0.000352 U	0.000339 U	0.000822 U
	MW-158A-90	04/06/18	PES	ESC	90	-48.9	S	0.0389 U	-	-	-	0.000303 U	0.000328 U	0.000419 U	0.000318 U	0.000419 U	0.000228 U	0.000348 U	0.000364 U	0.000351 U	0.000850 U
	MW-158A-100	04/06/18	PES	ESC	100	-58.9	S	0.0398 U	-	-	-	0.000310 U	0.000336 U	0.000429 U	0.000325 U	0.000429 U	0.000234 U	0.000356 U	0.000372 U	0.000360 U	0.000871 U
MW-159 (22.9 to 12.9)	MW-159-20	04/16/18	PES	ESC	20	22.8	S	-	-	-	-	0.000319 U	0.000346 U	0.000441 U	0.000335 U	0.000441 U	0.000241 U	0.000366 U	0.000383 U	0.000370 U	0.000896 U
	MW-159-30	04/16/18	PES	ESC	30	12.8	S	-	-	-	-	0.000322 U	0.000349 U	0.000445 U	0.000338 U	0.000445 U	0.000243 U	0.000425 J	0.000386 U	0.000373 U	0.000903 U
MW-160 (-76.5 to -86.5)	MW-160-11	05/08/18	PES	ESC	11	31.5	S	-	-	-	-	0.000812 U	0.000446 U	0.000634 U	0.001143 U	0.001110 U	0.000933 U	0.000812 U	0.001114 U	0.00136 J	0.00827 U
	MW-160-21	05/08/18	PES	ESC	21	21.5	S	-	-	-	-	0.000586 U	0.000322 U	0.000457 U	0.001104 U	0.000791 U	0.000674 U	0.000586 U	0.000821 U	0.000733 U	0.00598 U
	MW-160-31	05/08/18	PES	ESC	31	11.5	S	-	-	-	-	0.000606 U	0.000334 U	0.000473 U	0.001107 U	0.000819 U	0.000697 U	0.000606 U	0.000849 U	0.000758 U	0.00619 U
	MW-160-40	05/08/18	PES	ESC	40	2.5	S	-	-	-	-	0.000568 U	0.000312 U	0.000443 U	0.001100 U	0.000766 U	0.000653 U	0.000568 U	0.000795 U	0.000710 U	0.00579 U
	MW-160-50	05/08/18	PES	ESC	50	-7.5	S	-	-	-	-	0.000571 U	0.000314 U	0.000446 U	0.001101 U	0.000771 U	0.000657 U	0.000571 U	0.000800 U	0.000714 U	0.00583 U
	MW-160-55	05/08/18	PES	ESC	55	-12.5	S	-	-	-	-	0.000593 U	0.000326 U	0.000463 U	0.001105 U	0.000801 U	0.000682 U	0.000477	0.000830 U	0.000741 U	0.00605 U
	MW-160-60	05/08/18	PES	ESC	60	-17.5	S	-	-	-	-	0.000545 U	0.000300 U	0.000425 U	0.000962 U	0.000735 U	0.000626 U	0.00255 J	0.000763 U	0.000681 U	0.00556 U
	MW-160-70	05/08/18	PES	ESC	70	-27.5	S	-	-	-	-	0.000584 U	0.000321 U	0.000456 U	0.001103 U	0.000789 U	0.000672 U	0.000584 U	0.000818 U	0.000730 U	0.00596 U
	MW-160-90	05/08/18	PES	ESC	90	-47.5	S	-	-	-	-	0.000588 U	0.000324 U	0.000459 U	0.001104 U	0.000794 U	0.000677 U	0.000588 U	0.000824 U	0.000736 U	0.00600 U
	MW-160-100	05/08/18	PES	ESC	100	-57.5	S	-	-	-	-	0.000601 U	0.000331 U	0.000469 U	0.001106 U	0.000812 U	0.000692 U	0.000601 U	0.000842 U	0.000752 U	0.00614 U
	MW-160-110	05/08/18	PES	ESC	110	-67.5	S	-	-	-	-	0.000567 U	0.000312 U	0.000442 U	0.001100 U	0.000765 U	0.000652 U	0.000567 U	0.000794 U	0.000709 U	0.00578 U
	MW-160-125	05/10/18	PES	ESC	125	-82.5	S	-	-	-	-	0.000572 U	0.000315 U	0.000447 U	0.001101 U	0.000773 U	0.000658 U	0.000572 U	0.000801 U	0.000716 U	0.00584 U
	MW-160-127.5	05/10/18	PES	ESC	128	-85.0	S	-	-	-	-	0.000577 U	0.000318 U	0.000450 U	0.001102 U	0.000779 U	0.000664 U	0.000577 U	0.000808 U	0.000722 U	0.00589 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-161 (-78.9 to -88.9)	MW-161-11	05/14/18	PES	ESC	11	32.8	S	-	-	-	-	0.000615 U	0.000338 U	0.000480 U	0.00109 U	0.000830 U	0.000707 U	0.000615 U	0.000861 U	0.000768 U	0.00627 U
	MW-161-21	05/14/18	PES	ESC	21	22.8	S	-	-	-	-	0.000520 U	0.000286 U	0.000405 U	0.000918 U	0.000702 U	0.000598 U	0.000520 U	0.000728 U	0.000650 U	0.00530 U
	MW-161-31	05/14/18	PES	ESC	31	12.8	S	-	-	-	-	0.000572 U	0.000315 U	0.000446 U	0.00101 U	0.000773 U	0.000658 U	0.000572 U	0.000801 U	0.000715 U	0.00584 U
	MW-161-40	05/14/18	PES	ESC	40	3.8	S	-	-	-	-	0.000552 U	0.000304 U	0.000430 U	0.000975 U	0.000745 U	0.000635 U	0.000552 U	0.000773 U	0.000690 U	0.00563 U
	MW-161-50	05/14/18	PES	ESC	50	-6.2	S	-	-	-	-	0.000558 U	0.000307 U	0.000435 U	0.000985 U	0.000753 U	0.000642 U	0.000558 U	0.000781 U	0.000697 U	0.00569 U
	MW-161-60	05/14/18	PES	ESC	60	-16.2	S	-	-	-	-	0.000571 U	0.000314 U	0.000445 U	0.00101 U	0.000771 U	0.000657 U	0.000571 U	0.000800 U	0.000714 U	0.00583 U
	MW-161-70	05/14/18	PES	ESC	70	-26.2	S	-	-	-	-	0.000558 U	0.000307 U	0.000436 U	0.000986 U	0.000754 U	0.000642 U	0.000558 U	0.000782 U	0.000698 U	0.00570 U
	MW-161-80	05/14/18	PES	ESC	80	-36.2	S	-	-	-	-	0.000616 U	0.000339 U	0.000481 U	0.00109 U	0.000832 U	0.000709 U	0.000616 U	0.000863 U	0.000770 U	0.00629 U
	MW-161-90	05/14/18	PES	ESC	90	-46.2	S	-	-	-	-	0.000569 U	0.000313 U	0.000444 U	0.00100 U	0.000768 U	0.000654 U	0.000569 U	0.000797 U	0.000711 U	0.00580 U
	B-927-30	05/14/18	PES	ESC	90 (dup)	-46.2	S	-	-	-	-	0.000621 U	0.000341 U	0.000484 U	0.00110 U	0.000838 U	0.000714 U	0.000621 U	0.000869 U	0.000776 U	0.00633 U
	MW-161-100	05/14/18	PES	ESC	100	-56.2	S	-	-	-	-	0.000582 U	0.000320 U	0.000454 U	0.00103 U	0.000786 U	0.000670 U	0.000582 U	0.000815 U	0.000728 U	0.00594 U
	MW-161-110	05/14/18	PES	ESC	110	-66.2	S	-	-	-	-	0.000610 U	0.000335 U	0.000476 U	0.00108 U	0.000823 U	0.000701 U	0.000610 U	0.000854 U	0.000762 U	0.00622 U
	MW-161-120	05/14/18	PES	ESC	120	-76.2	S	-	-	-	-	0.000610 U	0.000336 U	0.000476 U	0.00108 U	0.000824 U	0.000702 U	0.000610 U	0.000854 U	0.000763 U	0.00622 U
	MW-161-130	05/14/18	PES	ESC	130	-86.2	S	-	-	-	-	0.000550 U	0.000302 U	0.000429 U	0.000971 U	0.000742 U	0.000632 U	0.000550 U	0.000770 U	0.000687 U	0.00561 U
	MW-161-140	05/15/18	PES	ESC	140	-96.2	S	-	-	-	-	0.000613 U	0.000337 U	0.000478 U	0.00108 U	0.000827 U	0.000705 U	0.000613 U	0.000858 U	0.000766 U	0.00625 U
MW-190 (-30.2 to -40.2)	MW-190-5	09/19/19	PES	PACE	5	43.7	V	1.03 J	-	-	-	0.000577 U	0.000317 U	0.000450 U	0.00102 U	0.000779 U	0.000663 U	0.000577 U	0.000807 U	0.000721 U	0.00588 U
	MW-190-10	09/19/19	PES	PACE	10	38.7	V	3.07 J	-	-	-	0.00103 U	0.000569 U	0.000806 U	0.00183 U	0.00140 U	0.00119 U	0.00103 U	0.00145 U	0.00129 U	0.0105 U
	MW-190-15	09/19/19	PES	PACE	15	33.7	S	1.12 U	-	-	-	0.000662 U	0.000364 U	0.000516 U	0.00117 U	0.000894 U	0.000761 U	0.000662 U	0.000927 U	0.000827 U	0.00675 U
	MW-190-20	09/19/19	PES	PACE	20	28.7	S	1.06 U	-	-	-	0.000622 U	0.000342 U	0.000485 U	0.00110 U	0.000840 U	0.000716 U	0.000622 U	0.000871 U	0.000778 U	0.00635 U
	MW-190-25	09/19/19	PES	PACE	25	23.7	S	0.995 U	-	-	-	0.000587 U	0.000323 U	0.000458 U	0.00104 U	0.000792 U	0.000675 U	0.000587 U	0.000822 U	0.000734 U	0.00599 U
	MW-190-30	09/19/19	PES	PACE	30	18.7	S	1.12 J	-	-	-	0.000524 U	0.000288 U	0.000409 U	0.000925 U	0.000707 U	0.000602 U	0.000524 U	0.000733 U	0.000655 U	0.00534 U
	MW-190-35	09/19/19	PES	PACE	35	13.7	S	1.17 J	-	-	-	0.000531 U	0.000292 U	0.000414 U	0.000938 U	0.000717 U	0.000611 U	0.000531 U	0.000744 U	0.000664 U	0.00542 U
	MW-190-40	09/19/19	PES	PACE	40	8.7	S	0.952 U	-	-	-	0.000561 U	0.000309 U	0.000438 U	0.000991 U	0.000758 U	0.000645 U	0.000561 U	0.000786 U	0.000702 U	0.00572 U
	MW-190-45	09/19/19	PES	PACE	45	3.7	S	0.970 U	-	-	-	0.000572 U	0.000314 U	0.000446 U	0.00101 U	0.000772 U	0.000657 U	0.000572 U	0.000800 U	0.000715 U	0.00583 U
	MW-190-50	09/19/19	PES	PACE	50	-1.4	S	1.79 J	-	-	-	0.000524 U	0.000288 U	0.000409 U	0.000925 U	0.000707 U	0.000602 U	0.000524 U	0.000733 U	0.000655 U	0.00534 U
	MW-190-55	09/19/19	PES	PACE	55	-6.4	S	1.44 J	-	-	-	0.000542 U	0.000298 U	0.000423 U	0.000958 U	0.000732 U	0.000624 U	0.000542 U	0.000759 U	0.000678 U	0.00553 U
	MW-190-60	09/19/19	PES	PACE	60	-11.4	S	1.39 J	-	-	-	0.000545 U	0.000300 U	0.000425 U	0.000962 U	0.000736 U	0.000627 U	0.000545 U	0.000763 U	0.000681 U	0.00556 U
	MW-2008-60	09/19/19	PES	PACE	60 (dup)	-11.4	S	1.18 J	-	-	-	0.000540 U	0.000297 U	0.000422 U	0.000954 U	0.000730 U	0.000622 U	0.000540 U	0.000757 U	0.000676 U	0.00551 U
	MW-190-65	09/19/19	PES	PACE	65	-16.4	S	1.65 J	-	-	-	0.000552 U	0.000304 U	0.000431 U	0.000975 U	0.000745 U	0.000635 U	0.000552 U	0.000773 U	0.000690 U	0.00563 U
	MW-190-70	09/19/19	PES	PACE	70	-21.4	S	0.943 J	-	-	-	0.000554 U	0.000305 U	0.000432 U	0.000978 U	0.000748 U	0.000637 U	0.000554 U	0.000775 U	0.000692 U	0.00565 U
	MW-190-75	09/19/19	PES	PACE	75	-26.4	S	0.927 U	-	-	-	0.000547 U	0.000301 U	0.000426 U	0.000965 U	0.000738 U	0.000629 U	0.000547 U	0.000765 U	0.000683 U	0.00558 U
	MW-190-80	09/19/19	PES	PACE	80	-31.4	S	1.49 J	-	-	-	0.000546 U	0.000300 U	0.000426 U	0.000964 U	0.000737 U	0.000628 U	0.000546 U	0.000764 U	0.000682 U	0.00557 U
	MW-190-85	09/19/19	PES	PACE	85	-36.4	S	1.23 J	-	-	-	0.000575 U	0.000316 U	0.000448 U	0.00102 U	0.000776 U	0.000661 U	0.000575 U	0.000805 U	0.000719 U	0.00586 U
	MW-190-87	09/19/19	PES	PACE	87	-38.4	S	1.02 J	-	-	-	0.000598 U	0.000329 U	0.000466 U	0.00106 U	0.000807 U	0.000687 U	0.000598 U	0.000837 U	0.000747 U	0.00609 U
MW-301 (35.6 to 25.6)	MW-301-6	09/20/19	PES	PACE	6	47.8	V	-	-	-	-	0.000586 U	0.000322 U	0.000457 U	0.00103 U	0.000791 U	0.000674 U	0.000586 U	0.000820 U	0.000732 U	0.00598 U
	MW-301-10	09/20/19	PES	PACE	10	43.8	V	-	-	-	-	0.000550 U	0.000302 U	0.000429 U	0.000971 U	0.000742 U	0.000632 U	0.000550 U	0.000770 U	0.000687 U	0.00561 U
	MW-301-15	09/20/19	PES	PACE	15	38.8	V	-	-	-	-	0.000568 U	0.000312 U	0.000443 U	0.00100 U	0.000766 U	0.000653 U	0.000568 U	0.000795 U	0.000710 U	0.00579 U
	MW-301-20	09/20/19	PES	PACE	20	33.8	S	-	-	-	-	0.00169 U	0.000929 U	0.00132 U	0.00298 U	0.00228 U	0.00194 U	0.00169 U	0.00236 U	0.00211 U	0.0172 U
	MW-301-25	09/20/19	PES	PACE	25	28.8	S	-	-	-	-	0.000568 U	0.000313 U	0.000443 U	0.00100 U	0.000767 U	0.000654 U	0.000568 U	0.000796 U	0.000710 U	0.00580 U
	MW-301-30	09/20/19	PES	PACE	30	23.8	S	-	-	-	-	0.000619 U	0.000340 U	0.000483 U	0.00109 U	0.000835 U	0.000711 U	0.000619 U	0.000866 U	0.000774 U	0.00631 U
MW-302 (3.0 to -7.0)	MW-302-5	10/01/19	PES	PACE	5	52.3	V	-	-	-	-	0.000585 U	0.000322 U	0.000457 U	0.00103 U	0.000790 U	0.000673 U	0.000585 U	0.000820 U	0.000732 U	0.00597 U
	MW-302-10	10/01/19	PES	PACE	10	47.3	V	-	-	-	-	0.000622 U	0.000342 U	0.000485 U	0.00110 U	0.000840 U	0.000715 U	0.000622 U	0.000871 U	0.000778 U	0.00635 U
	MW-302-15	10/01/19	PES	PACE	15	42.3	V	-	-	-	-	0.000682 U	0.000375 U	0.000531 U	0.00120 U	0.000921 U	0.000784 U	0.000682 U	0.000955 U	0.000852 U	0.00696 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-302 (continued)	MW-302-20	10/01/19	PES	PACE	20	37.3	S	-	-	-	-	0.000597 U	0.000328 U	0.000465 U	0.00105 U	0.000806 U	0.000686 U	0.000597 U	0.000835 U	0.000746 U	0.00609 U
	MW-302-25	10/01/19	PES	PACE	25	32.3	S	-	-	-	-	0.000560 U	0.000308 U	0.000437 U	0.000990 U	0.000756 U	0.000644 U	0.000560 U	0.000784 U	0.000700 U	0.00572 U
	MW-302-30	10/01/19	PES	PACE	30	27.3	S	-	-	-	-	0.000547 U	0.000301 U	0.000427 U	0.000966 U	0.000738 U	0.000629 U	0.000547 U	0.000766 U	0.000684 U	0.00558 U
	MW-302-35	10/01/19	PES	PACE	35	22.3	S	-	-	-	-	0.000537 U	0.000296 U	0.000419 U	0.000949 U	0.000725 U	0.000618 U	0.000537 U	0.000752 U	0.000672 U	0.00548 U
	MW-302-40	10/01/19	PES	PACE	40	17.3	S	-	-	-	-	0.000532 U	0.000293 U	0.000415 U	0.000939 U	0.000718 U	0.000612 U	0.000532 U	0.000745 U	0.000665 U	0.00542 U
	MW-302-45	10/01/19	PES	PACE	45	12.3	S	-	-	-	-	0.000596 U	0.000328 U	0.000465 U	0.00105 U	0.000804 U	0.000685 U	0.000596 U	0.000834 U	0.000745 U	0.00608 U
	MW-302-50	10/01/19	PES	PACE	50	7.3	S	-	-	-	-	0.000597 U	0.000328 U	0.000466 U	0.00105 U	0.000806 U	0.000687 U	0.000597 U	0.000836 U	0.000746 U	0.00609 U
	MW-302-55	10/01/19	PES	PACE	55	2.3	S	-	-	-	-	0.000568 U	0.000312 U	0.000443 U	0.00100 U	0.000767 U	0.000653 U	0.000568 U	0.000795 U	0.000710 U	0.00580 U
	MW-302-60	10/01/19	PES	PACE	60	-2.7	S	-	-	-	-	0.000711 U	0.000391 U	0.000554 U	0.00126 U	0.000959 U	0.000817 U	0.000711 U	0.000995 U	0.000888 U	0.00725 U
	MW-302-65	10/01/19	PES	PACE	65	-7.7	S	-	-	-	-	0.000586 U	0.000322 U	0.000457 U	0.00103 U	0.000791 U	0.000673 U	0.000586 U	0.000820 U	0.000732 U	0.00597 U
MW-304 (-47.6 to -57.6)	MW-2014-65	10/01/19	PES	PACE	65 (dup)	-7.7	S	-	-	-	-	0.000606 U	0.000333 U	0.000473 U	0.00107 U	0.000818 U	0.000697 U	0.000606 U	0.000849 U	0.000758 U	0.00618 U
	MW-304-5	10/01/19	PES	PACE	5	52.6	V	-	-	-	-	0.000563 U	0.000310 U	0.000439 U	0.000995 U	0.000760 U	0.000648 U	0.000563 U	0.000788 U	0.00121 J	0.00574 U
	MW-304-10	10/01/19	PES	PACE	10	47.6	V	-	-	-	-	0.000570 U	0.000313 U	0.000444 U	0.00101 U	0.000769 U	0.000655 U	0.000570 U	0.000798 U	0.000712 U	0.00581 U
	MW-304-15	10/01/19	PES	PACE	15	42.6	V	-	-	-	-	0.000595 U	0.000327 U	0.000464 U	0.00105 U	0.000803 U	0.000684 U	0.000595 U	0.000832 U	0.000743 U	0.00606 U
	MW-304-20	10/01/19	PES	PACE	20	37.6	S	-	-	-	-	0.000589 U	0.000324 U	0.000459 U	0.00104 U	0.000795 U	0.000677 U	0.000589 U	0.000824 U	0.000736 U	0.00601 U
	MW-304-25	10/01/19	PES	PACE	25	32.6	S	-	-	-	-	0.000547 U	0.000301 U	0.000427 U	0.000966 U	0.000738 U	0.000629 U	0.000547 U	0.000766 U	0.000684 U	0.00580 U
	MW-304-30	10/01/19	PES	PACE	30	27.6	S	-	-	-	-	0.000588 U	0.000323 U	0.000459 U	0.00104 U	0.000794 U	0.000676 U	0.000588 U	0.000823 U	0.000735 U	0.00600 U
	MW-304-40	10/01/19	PES	PACE	40	17.6	S	-	-	-	-	0.000543 U	0.000298 U	0.000423 U	0.000958 U	0.000732 U	0.000624 U	0.000543 U	0.000760 U	0.000678 U	0.00553 U
	MW-304-45	10/01/19	PES	PACE	45	12.6	S	-	-	-	-	0.000508 U	0.000279 U	0.000396 U	0.000897 U	0.000686 U	0.000584 U	0.000508 U	0.000711 U	0.000635 U	0.00518 U
	MW-304-50	10/01/19	PES	PACE	50	7.6	S	-	-	-	-	0.000538 U	0.000296 U	0.000420 U	0.000951 U	0.000727 U	0.000619 U	0.000538 U	0.000754 U	0.000673 U	0.00549 U
	MW-304-55	10/01/19	PES	PACE	55	2.6	S	-	-	-	-	0.000504 U	0.000277 U	0.000393 U	0.000890 U	0.000680 U	0.000580 U	0.000504 U	0.000706 U	0.000630 U	0.00514 U
	MW-304-60	10/01/19	PES	PACE	60	-2.4	S	-	-	-	-	0.000527 U	0.000290 U	0.000411 U	0.000931 U	0.000712 U	0.000606 U	0.000527 U	0.000738 U	0.000659 U	0.00538 U
	MW-304-65	10/01/19	PES	PACE	65	-7.4	S	-	-	-	-	0.000579 U	0.000318 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
	MW-304-70	10/01/19	PES	PACE	70	-12.4	S	-	-	-	-	0.000607 U	0.000334 U	0.000474 U	0.00107 U	0.000820 U	0.000699 U	0.000607 U	0.000850 U	0.000759 U	0.00620 U
	MW-304-75	10/01/19	PES	PACE	75	-17.4	S	-	-	-	-	0.000572 U	0.000315 U	0.000447 U	0.00101 U	0.000773 U	0.000658 U	0.000572 U	0.000801 U	0.000716 U	0.00584 U
	MW-304-80	10/01/19	PES	PACE	80	-22.4	S	-	-	-	-	0.000547 U	0.000301 U	0.000427 U	0.000966 U	0.000739 U	0.000629 U	0.000547 U	0.000766 U	0.000684 U	0.00558 U
	MW-304-85	10/01/19	PES	PACE	85	-27.4	S	-	-	-	-	0.000548 U	0.000301 U	0.000427 U	0.000967 U	0.000739 U	0.000630 U	0.000548 U	0.000767 U	0.000685 U	0.00559 U
	MW-304-90	10/01/19	PES	PACE	90	-32.4	S	-	-	-	-	0.000599 U	0.000330 U	0.000468 U	0.00106 U	0.000809 U	0.000689 U	0.000599 U	0.000839 U	0.000749 U	0.00611 U
	MW-304-95	10/01/19	PES	PACE	95	-37.4	S	-	-	-	-	0.000592 U	0.000326 U	0.000462 U	0.00105 U	0.000800 U	0.000681 U	0.000592 U	0.000829 U	0.000741 U	0.00604 U
MW-307 (-12.4 to -22.4)	MW-2009-95	10/01/19	PES	PACE	95 (dup)	-37.4	S	-	-	-	-	0.000601 U	0.000330 U	0.000469 U	0.00106 U	0.000811 U	0.000691 U	0.000601 U	0.000841 U	0.000751 U	0.00613 U
	MW-304-100	10/02/19	PES	PACE	100	-42.4	S	-	-	-	-	0.000589 U	0.000324 U	0.000460 U	0.00104 U	0.000796 U	0.000678 U	0.000589 U	0.000825 U	0.000737 U	0.00601 U
	MW-304-105	10/02/19	PES	PACE	105	-47.4	S	-	-	-	-	0.000585 U	0.000322 U	0.000456 U	0.00103 U	0.000790 U	0.000673 U	0.000585 U	0.000819 U	0.000731 U	0.00597 U
	MW-304-110	10/02/19	PES	PACE	110	-52.4	S	-	-	-	-	0.000632 U	0.000348 U	0.000493 U	0.00112 U	0.000853 U	0.000727 U	0.000632 U	0.000885 U	0.000790 U	0.00645 U
	MW-304-115	10/02/19	PES	PACE	115	-57.4	S	-	-	-	-	0.000583 U	0.000320 U	0.000454 U	0.00103 U	0.000786 U	0.000670 U	0.000583 U	0.000816 U	0.000728 U	0.00594 U
	MW-307-6	10/03/19	PES	PACE	6	54.5	V	-	-	-	-	0.000559 U	0.000307 U	0.000436 U	0.000987 U	0.000755 U	0.000643 U	0.000559 U	0.000783 U	0.000699 U	0.00570 U
	MW-307-10	10/03/19	PES	PACE	10	50.5	V	-	-	-	-	0.000576 U	0.000317 U	0.000449 U	0.00102 U	0.000778 U	0.000661 U	0.000576 U	0.000806 U	0.000720 U	0.00588 U
	MW-307-15	10/03/19	PES	PACE	15	45.5	V	-	-	-	-	0.000539 U	0.000296 U	0.000420 U	0.000951 U	0.000727 U	0.000620 U	0.000539 U	0.000754 U	0.000673 U	0.00549 U
	MW-307-20	10/03/19	PES	PACE	20	40.5	V	-	-	-	-	0.000535 U	0.000294 U	0.000417 U	0.000944 U	0.000722 U	0.000615 U	0.000535 U	0.000749 U	0.000668 U	0.00545 U
	MW-307-25	10/03/19	PES	PACE	25	35.5	S	-	-	-	-	0.000549 U	0.000302 U	0.000428 U	0.000969 U	0.000740 U	0.000631 U	0.000549 U	0.000768 U	0.000686 U	0.00559 U
MW-307-30	MW-307-30	10/03/19	PES	PACE	30	30.5	S	-	-	-	-	0.000737 U	0.000406 U	0.000575 U	0.00130 U	0.000995 U	0.000848 U	0.000737 U	0.00103 U	0.000921 U	0.00751 U
	MW-307-35	10/03/19	PES	PACE	35	25.5	S	-	-	-	-	0.000535 U	0.000294 U	0.000417 U	0.000945 U	0.000722 U	0.000615 U	0.000535 U	0.000749 U	0.000669 U	0.00546 U
	MW-307-40	10/03/19	PES	PACE	40	20.5	S	-	-	-	-	0.000571 U	0.000314 U	0.000445 U	0.00101 U	0.000771 U	0.000657 U	0.000571 U	0.000799 U	0.000714 U	0.00582 U
	MW-307-45	10/03/19	PES	PACE	45	15.5	S	-	-	-	-	0.000551 U	0.000303 U	0.000430 U	0.000974 U	0.000744 U	0.000634 U	0.000551 U	0.000772 U	0.000689 U	0.00563 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-307 (continued)	MW-307-50	10/03/19	PES	PACE	50	10.5	S	-	-	-	-	0.000556 U	0.000306 U	0.000434 U	0.000982 U	0.000751 U	0.000639 U	0.000556 U	0.000778 U	0.000695 U	0.00567 U
	MW-307-55	10/03/19	PES	PACE	55	5.5	S	-	-	-	-	0.000543 U	0.000299 U	0.000423 U	0.000959 U	0.000733 U	0.000624 U	0.000543 U	0.000760 U	0.000679 U	0.00554 U
	MW-307-60	10/03/19	PES	PACE	60	0.5	S	-	-	-	-	0.000565 U	0.000311 U	0.000440 U	0.000997 U	0.000762 U	0.000649 U	0.000565 U	0.000790 U	0.000706 U	0.00576 U
	MW-307-65	10/03/19	PES	PACE	65	-4.5	S	-	-	-	-	0.00115 U	0.000634 U	0.000898 U	0.00203 U	0.00155 U	0.00132 U	0.00115 U	0.00161 U	0.00144 U	0.0117 U
	MW-307-70	10/03/19	PES	PACE	70	-9.5	S	-	-	-	-	0.00573 U	0.00315 U	0.00447 U	0.0101 U	0.00773 U	0.00659 U	0.00573 U	0.00802 U	0.00716 U	0.0584 U
	MW-307-75	10/03/19	PES	PACE	75	-14.5	S	-	-	-	-	0.000551 U	0.000303 U	0.000430 U	0.000974 U	0.000744 U	0.000634 U	0.000551 U	0.000772 U	0.000689 U	0.00562 U
	MW-307-80	10/03/19	PES	PACE	80	-19.5	S	-	-	-	-	0.000584 U	0.000321 U	0.000456 U	0.00103 U	0.000788 U	0.000672 U	0.000584 U	0.000818 U	0.000731 U	0.00596 U
	MW-307-85	10/03/19	PES	PACE	85	-24.5	S	-	-	-	-	0.000573 U	0.000315 U	0.000447 U	0.00101 U	0.000773 U	0.000659 U	0.000573 U	0.000802 U	0.000716 U	0.00584 U
	MW-2016-85	10/03/19	PES	PACE	85 (dup)	-24.5	S	-	-	-	-	0.000540 U	0.000297 U	0.000421 U	0.000954 U	0.000729 U	0.000621 U	0.000540 U	0.000756 U	0.000675 U	0.00551 U
MW-309 (-32.0 to -42.0)	MW-309-5	09/19/19	PES	PACE	5	25.4	V	-	-	-	-	0.000597 U	0.000328 U	0.000465 U	0.00105 U	0.000805 U	0.000686 U	0.000597 U	0.000835 U	0.000746 U	0.00609 U
	MW-309-10	09/19/19	PES	PACE	10	20.4	S	389	99.0	162	261	0.0315 U	0.0173 U	0.0245 U	0.0555 U	0.0425 U	0.0362 U	0.0315 U	0.0440 U	0.0393 U	0.321 U
	MW-309-13.5	09/19/19	PES	PACE	13.5	16.9	S	15.6	5.04	4.07	5.04	0.000611 U	0.000336 U	0.000476 U	0.00108 U	0.000824 U	0.000702 U	0.000611 U	0.000855 U	0.000763 U	0.00623 U
	MW-309-15	09/19/19	PES	PACE	15	15.4	S	29.9	2.34	4.21	J	0.00471 U	0.00259 U	0.00367 U	0.00831 U	0.00636 U	0.00542 U	0.00471 U	0.00659 U	0.00589 U	0.0480 U
	MW-309-20	09/19/19	PES	PACE	20	10.4	S	-	-	-	-	0.000588 U	0.000324 U	0.000459 U	0.00104 U	0.000794 U	0.000677 U	0.000588 U	0.000824 U	0.000735 U	0.00600 U
	MW-309-25	09/19/19	PES	PACE	25	5.4	S	-	-	-	-	0.000591 U	0.000325 U	0.000461 U	0.00104 U	0.000797 U	0.000679 U	0.000591 U	0.000827 U	0.000738 U	0.00603 U
	MW-309-30	09/19/19	PES	PACE	30	0.4	S	-	-	-	-	0.000597 U	0.000328 U	0.000466 U	0.00105 U	0.000806 U	0.000687 U	0.000597 U	0.000836 U	0.000746 U	0.00609 U
	MW-309-35	09/19/19	PES	PACE	35	-4.6	S	-	-	-	-	0.000606 U	0.000333 U	0.000473 U	0.00107 U	0.000818 U	0.000697 U	0.000606 U	0.000849 U	0.000758 U	0.00618 U
	MW-309-40	09/19/19	PES	PACE	40	-9.6	S	-	-	-	-	0.000606 U	0.000333 U	0.000473 U	0.00107 U	0.000818 U	0.000697 U	0.000606 U	0.000849 U	0.000758 U	0.00618 U
	MW-309-45	09/19/19	PES	PACE	45	-14.6	S	-	-	-	-	0.000631 U	0.000347 U	0.000492 U	0.00111 U	0.000851 U	0.000725 U	0.000631 U	0.000883 U	0.000788 U	0.00643 U
	MW-309-50	09/19/19	PES	PACE	50	-19.6	S	-	-	-	-	0.000596 U	0.000328 U	0.000465 U	0.00105 U	0.000804 U	0.000685 U	0.000596 U	0.000834 U	0.000745 U	0.00608 U
	MW-309-55	09/19/19	PES	PACE	55	-24.6	S	-	-	-	-	0.000555 U	0.000305 U	0.000433 U	0.000980 U	0.000749 U	0.000638 U	0.000555 U	0.000777 U	0.000694 U	0.00566 U
	MW-309-60	09/19/19	PES	PACE	60	-29.6	S	-	-	-	-	0.000559 U	0.000307 U	0.000436 U	0.000986 U	0.000754 U	0.000642 U	0.000559 U	0.000782 U	0.000698 U	0.00569 U
	MW-309-65	09/19/19	PES	PACE	65	-34.6	S	-	-	-	-	0.000562 U	0.000309 U	0.000438 U	0.000992 U	0.000758 U	0.000646 U	0.000562 U	0.000786 U	0.000702 U	0.00573 U
	MW-309-70	09/19/19	PES	PACE	70	-39.6	S	-	-	-	-	0.000569 U	0.000313 U	0.000443 U	0.00100 U	0.000768 U	0.000654 U	0.000569 U	0.000796 U	0.000711 U	0.00580 U
	MW-309-75	09/19/19	PES	PACE	75	-44.6	S	-	-	-	-	0.000540 U	0.000297 U	0.000422 U	0.000954 U	0.000730 U	0.000621 U	0.000540 U	0.000757 U	0.000676 U	0.00551 U
MW-311 (-29.0 to -39.0)	MW-311-5	09/18/19	PES	PACE	5	28.1	V	-	-	-	-	0.000599 U	0.000329 U	0.000467 U	0.00106 U	0.000808 U	0.000688 U	0.000599 U	0.000838 U	0.000748 U	0.00610 U
	MW-311-10	09/18/19	PES	PACE	10	23.1	S	-	-	-	-	0.000576 U	0.000317 U	0.000449 U	0.00102 U	0.000777 U	0.000662 U	0.000576 U	0.000806 U	0.000719 U	0.00587 U
	MW-311-15	09/18/19	PES	PACE	15	18.1	S	-	-	-	-	0.00134 U	0.000738 U	0.00105 U	0.00237 U	0.00181 U	0.00154 U	0.00134 U	0.00188 U	0.00168 U	0.0137 U
	MW-311-20	09/18/19	PES	PACE	20	13.1	S	-	-	-	-	0.00140 U	0.000769 U	0.00109 U	0.00247 U	0.00189 U	0.00160 U	0.00140 U	0.00196 U	0.00175 U	0.0143 U
	MW-311-25	09/18/19	PES	PACE	25	8.1	S	-	-	-	-	0.00248 U	0.00137 U	0.00194 U	0.00438 U	0.00335 U	0.00286 U	0.00248 U	0.00348 U	0.00310 U	0.0253 U
	MW-311-30	09/18/19	PES	PACE	30	3.1	S	-	-	-	-	0.00132 U	0.000722 U	0.00102 U	0.00231 U	0.00177 U	0.00150 U	0.00132 U	0.00184 U	0.00164 U	0.0134 U
	MW-311-35	09/18/19	PES	PACE	35	-1.9	S	-	-	-	-	0.00117 U	0.000642 U	0.000910 U	0.00206 U	0.00157 U	0.00134 U	0.00117 U	0.00163 U	0.00146 U	0.0119 U
	MW-311-40	09/18/19	PES	PACE	40	-6.9	S	-	-	-	-	0.000586 U	0.000322 U	0.000457 U	0.00103 U	0.000791 U	0.000674 U	0.000586 U	0.000820 U	0.000732 U	0.00598 U
	MW-311-45	09/18/19	PES	PACE	45	-11.9	S	-	-	-	-	0.000628 U	0.000345 U	0.000490 U	0.00111 U	0.000847 U	0.000722 U	0.000838 J	0.000879 U	0.000784 U	0.00640 U
	MW-311-50	09/18/19	PES	PACE	50	-16.9	S	-	-	-	-	0.000584 U	0.000321 U	0.000455 U	0.00103 U	0.000788 U	0.000671 U	0.000999 J	0.000817 U	0.000730 U	0.00595 U
	MW-311-55	09/18/19	PES	PACE	55	-21.9	S	-	-	-	-	0.000553 U	0.000304 U	0.000431 U	0.000976 U	0.000746 U	0.000636 U	0.000508	0.000774 U	0.000691 U	0.00564 U
	MW-311-60	09/18/19	PES	PACE	60	-26.9	S	-	-	-	-	0.00110 U	0.000603 U	0.000855 U	0.00194 U	0.00148 U	0.00126 U	0.00110 U	0.00153 U	0.00137 U	0.0112 U
	MW-311-65	09/18/19	PES	PACE	65	-31.9	S	-	-	-	-	0.000530 U	0.000291 U	0.000413 U	0.000936 U	0.000715 U	0.000609 U	0.000530 U	0.000742 U	0.000662 U	0.00541 U
	MW-2005-65	09/18/19	PES	PACE	65 (dup)	-31.9	S	-	-	-	-	0.000549 U	0.000302 U	0.000428 U	0.000969 U	0.000740 U	0.000631 U	0.000549 U	0.000768 U	0.000686 U	0.00559 U
	MW-311-70	09/18/19	PES	PACE	70	-36.9	S	-	-	-	-	0.000551 U	0.000303 U	0.000430 U	0.000973 U	0.000744 U	0.000634 U	0.000551 U	0.000771 U	0.000689 U	0.00562 U
	MW-2007-70	09/18/19	PES	PACE	70 (dup)	-38.3	S	-	-	-	-	0.00107 U	0.000586 U	0.000831 U	0.00189 U	0.00144 U	0.00123 U	0.00107 U	0.00149 U	0.00133 U	0.0109 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07	
MW-312 (19.9 to 9.9)	MW-312-6	09/16/19	PES	PACE	6	29.6	V	-	-	-	-	0.000608 U	0.000335 U	0.000474 U	0.00107 U	0.000821 U	0.000700 U	0.000608 U	0.000852 U	0.000760 U	0.00620 U	
	MW-312-10	09/16/19	PES	PACE	10	25.6	V	-	-	-	-	0.00101 U	0.000559 U	0.000792 U	0.00180 U	0.00137 U	0.00117 U	0.00101 U	0.00142 U	0.00127 U	0.0103 U	
	MW-312-15	09/16/19	PES	PACE	15	20.6	S	-	-	-	-	0.000691 U	0.000380 U	0.000540 U	0.00122 U	0.000933 U	0.000795 U	0.000691 U	0.000968 U	0.000864 U	0.00705 U	
	MW-312-20	09/16/19	PES	PACE	20	15.6	S	-	-	-	-	0.000541 U	0.000298 U	0.000422 U	0.000955 U	0.000730 U	0.000622 U	0.000541 U	0.000757 U	0.000676 U	0.00552 U	
	MW-2004-20	09/16/19	PES	PACE	20	15.6	S	-	-	-	-	0.000577 U	0.000318 U	0.000450 U	0.00102 U	0.000779 U	0.000664 U	0.000577 U	0.000808 U	0.000722 U	0.00589 U	
	MW-312-25	09/16/19	PES	PACE	25	10.6	S	-	-	-	-	0.000559 U	0.000308 U	0.000436 U	0.000988 U	0.000755 U	0.000643 U	0.000559 U	0.000783 U	0.000699 U	0.00570 U	
MW-314 (-28.0 to -38.0)	MW-314-6	09/13/19	PES	PACE	6	33.8	V	-	-	-	-	0.000568 U	0.000312 U	0.000443 U	0.00100 U	0.000767 U	0.000653 U	0.000568 U	0.000795 U	0.000710 U	0.00579 U	
	MW-314-10	09/13/19	PES	PACE	10	29.8	V	-	-	-	-	0.000574 U	0.000316 U	0.000447 U	0.00101 U	0.000775 U	0.000660 U	0.000574 U	0.000803 U	0.000717 U	0.00586 U	
	MW-314-15	09/13/19	PES	PACE	15	24.8	V	-	-	-	-	0.000563 U	0.000309 U	0.000439 U	0.000993 U	0.000759 U	0.000647 U	0.000563 U	0.000788 U	0.000703 U	0.00574 U	
	MW-314-20	09/13/19	PES	PACE	20	19.8	S	-	-	-	-	0.000574 U	0.000316 U	0.000448 U	0.00101 U	0.000775 U	0.000660 U	0.000574 U	0.000803 U	0.000717 U	0.00585 U	
	MW-314-25	09/13/19	PES	PACE	25	14.8	S	-	-	-	-	0.000635 U	0.000349 U	0.000495 U	0.00112 U	0.000857 U	0.000730 U	0.000635 U	0.000889 U	0.000794 U	0.00648 U	
	MW-2002-25	09/13/19	PES	PACE	25	14.8	S	-	-	-	-	0.000631 U	0.000347 U	0.000492 U	0.00111 U	0.000852 U	0.000726 U	0.000631 U	0.000884 U	0.000789 U	0.00644 U	
	MW-314-30	09/13/19	PES	PACE	30	9.8	S	-	-	-	-	0.000622 U	0.000342 U	0.000485 U	0.00110 U	0.000840 U	0.000715 U	0.000622 U	0.000871 U	0.000778 U	0.00634 U	
	MW-314-35	09/13/19	PES	PACE	35	4.8	S	-	-	-	-	0.000536 U	0.000295 U	0.000418 U	0.000947 U	0.000724 U	0.000617 U	0.000536 U	0.000751 U	0.000670 U	0.00547 U	
	MW-314-40	09/13/19	PES	PACE	40	-0.2	S	-	-	-	-	0.000557 U	0.000307 U	0.000435 U	0.000985 U	0.000753 U	0.000641 U	0.000566 U	0.000780 U	0.000697 U	0.00569 U	
	MW-314-45	09/13/19	PES	PACE	45	-5.2	S	-	-	-	-	0.000553 U	0.000304 U	0.000432 U	0.000977 U	0.000747 U	0.000636 U	0.000553 U	0.000775 U	0.000692 U	0.00564 U	
	MW-314-50	09/13/19	PES	PACE	50	-10.2	S	-	-	-	-	0.000557 U	0.000306 U	0.000434 U	0.000983 U	0.000751 U	0.000640 U	0.000557 U	0.000779 U	0.000696 U	0.00568 U	
	MW-314-55	09/13/19	PES	PACE	55	-15.2	S	-	-	-	-	0.000604 U	0.000332 U	0.000471 U	0.00107 U	0.000815 U	0.000694 U	0.000604 U	0.000845 U	0.000755 U	0.00616 U	
	MW-314-60	09/13/19	PES	PACE	60	-20.2	S	-	-	-	-	0.000553 U	0.000304 U	0.000431 U	0.000977 U	0.000747 U	0.000636 U	0.000553 U	0.000774 U	0.000691 U	0.00564 U	
	MW-314-65	09/13/19	PES	PACE	65	-25.2	S	-	-	-	-	0.000568 U	0.000312 U	0.000443 U	0.00100 U	0.000766 U	0.000653 U	0.000568 U	0.000795 U	0.000710 U	0.00579 U	
	MW-314-70	09/13/19	PES	PACE	70	-30.2	S	-	-	-	-	0.00607 U	0.00334 U	0.00473 U	0.0107 U	0.00820 U	0.00699 U	0.00607 U	0.00851 U	0.00759 U	0.0620 U	
MW-314-75	09/13/19	PES	PACE	75	-35.2	S	-	-	-	-	0.00114 U	0.000628 U	0.000890 U	0.00202 U	0.00154 U	0.00131 U	0.00114 U	0.00160 U	0.00143 U	0.0116 U		
MW-314-80	09/13/19	PES	PACE	80	-40.2	S	-	-	-	-	0.000747 U	0.000411 U	0.000583 U	0.00132 U	0.00101 U	0.000859 U	0.000747 U	0.00105 U	0.000933 U	0.00761 U		
MW-316 (-10.0 to -20.0)	MW-316-5	09/09/19	PES	PACE	5	44.8	V	-	-	-	-	0.000541 U	0.000298 U	0.000422 U	0.000956 U	0.000731 U	0.000622 U	0.000541 U	0.000758 U	0.000677 U	0.00552 U	
	MW-316-10	09/09/19	PES	PACE	10	39.8	V	-	-	-	-	0.000566 U	0.000311 U	0.000441 U	0.000999 U	0.000764 U	0.000650 U	0.000566 U	0.000792 U	0.000707 U	0.00577 U	
	MW-316-15	09/09/19	PES	PACE	15	34.8	V	-	-	-	-	0.000562 U	0.000309 U	0.000439 U	0.000993 U	0.000759 U	0.000647 U	0.000562 U	0.000787 U	0.000703 U	0.00573 U	
	MW-316-20	09/09/19	PES	PACE	20	29.8	V	-	-	-	-	0.000539 U	0.000297 U	0.000421 U	0.000953 U	0.000728 U	0.000620 U	0.000539 U	0.000755 U	0.000674 U	0.00550 U	
	MW-316-25	09/09/19	PES	PACE	25	24.8	S	-	-	-	-	0.000567 U	0.000312 U	0.000442 U	0.00100 U	0.000766 U	0.000766 U	0.000317	0.000568 J	0.000794 U	0.000709 U	0.00579 U
	MW-316-30	09/09/19	PES	PACE	30	19.8	S	-	-	-	-	0.000555 U	0.000305 U	0.000433 U	0.000980 U	0.000749 U	0.000638 U	0.000555 U	0.000777 U	0.000693 U	0.00566 U	
	MW-316-35	09/09/19	PES	PACE	35	14.8	S	-	-	-	-	0.000564 U	0.000310 U	0.000440 U	0.000997 U	0.000762 U	0.000649 U	0.000564 U	0.000790 U	0.000706 U	0.00576 U	
	MW-316-40	09/09/19	PES	PACE	40	9.8	S	-	-	-	-	0.000569 U	0.000313 U	0.000444 U	0.00100 U	0.000768 U	0.000654 U	0.000569 U	0.000797 U	0.000711 U	0.00580 U	
	MW-316-45	09/09/19	PES	PACE	45	4.8	S	-	-	-	-	0.000556 U	0.000306 U	0.000434 U	0.000982 U	0.000751 U	0.000639 U	0.000556 U	0.000778 U	0.000695 U	0.00567 U	
	MW-316-50	09/09/19	PES	PACE	50	-0.2	S	-	-	-	-	0.000598 U	0.000329 U	0.000467 U	0.00106 U	0.000808 U	0.000688 U	0.000598 U	0.000838 U	0.000748 U	0.00610 U	
	MW-316-55	09/09/19	PES	PACE	55	-5.2	S	-	-	-	-	0.000566 U	0.000311 U	0.000442 U	0.00100 U	0.000764 U	0.000651 U	0.000566 U	0.000793 U	0.000708 U	0.00578 U	
	MW-316-60	09/09/19	PES	PACE	60	-10.2	S	-	-	-	-	0.000562 U	0.000309 U	0.000438 U	0.000993 U	0.000759 U	0.000646 U	0.000562 U	0.000787 U	0.000703 U	0.00573 U	
	MW-316-65	09/10/19	PES	PACE	65	-15.2	S	-	-	-	-	0.000748 U	0.000412 U	0.000584 U	0.00132 U	0.00101 U	0.000861 U	0.000748 U	0.00105 U	0.000935 U	0.00763 U	
	MW-2001-65	09/10/19	PES	PACE	65	-15.2	S	-	-	-	-	0.000592 U	0.000326 U	0.000462 U	0.00105 U	0.000799 U	0.000681 U	0.000592 U	0.000829 U	0.000740 U	0.00604 U	
	MW-316-70	09/10/19	PES	PACE	70	-20.2	S	-	-	-	-	0.000566 U	0.000311 U	0.000441 U	0.000999 U	0.000764 U	0.000651 U	0.000566 U	0.000792 U	0.000707 U	0.00577 U	
MW-319 (-42.8 to -52.8)	MW-319-6	09/18/19	PES	PACE	6	25.7	V	-	-	-	-	0.000580 U	0.000319 U	0.000452 U	0.00102 U	0.000783 U	0.000667 U	0.000580 U	0.000812 U	0.000725 U	0.00592 U	
	MW-319-10	09/18/19	PES	PACE	10	21.7	S	-	-	-	-	0.000576 U	0.000317 U	0.000450 U	0.00102 U	0.000778 U	0.000663 U	0.000576 U	0.000807 U	0.000721 U	0.00588 U	
	MW-319-15	09/18/19	PES	PACE	15	16.7	S	-	-	-	-	0.000573 U	0.000315 U	0.000447 U	0.00101 U	0.000773 U	0.000659 U	0.000573 U	0.000802 U	0.000716 U	0.00584 U	
	MW-319-20	09/18/19	PES	PACE	20	11.7	S	-	-	-	-	0.000619 U	0.000341 U	0.000483 U	0.00109 U	0.000836 U	0.000712 U	0.000619 U	0.000867 U	0.000774 U	0.00632 U	
	MW-319-30	09/18/19	PES	PACE	30	1.7	S	-	-	-	-	0.000571 U	0.000314 U	0.000446 U	0.00101 U	0.000771 U	0.000657 U	0.000571 U	0.000800 U	0.000714 U	0.00583 U	

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-319 (continued)	MW-319-35	09/18/19	PES	PACE	35	-3.3	S	-	-	-	-	0.000631 U	0.000347 U	0.000492 U	0.00111 U	0.000851 U	0.000725 U	0.000631 U	0.000883 U	0.000788 U	0.00643 U
	MW-319-40	09/18/19	PES	PACE	40	-8.3	S	-	-	-	-	0.000590 U	0.000325 U	0.000460 U	0.00104 U	0.000797 U	0.000679 U	0.000590 U	0.000826 U	0.000738 U	0.00602 U
	MW-319-45	09/18/19	PES	PACE	45	-13.3	S	-	-	-	-	0.000594 U	0.000327 U	0.000463 U	0.00105 U	0.000802 U	0.000683 U	0.000594 U	0.000831 U	0.000742 U	0.00606 U
	MW-319-50	09/18/19	PES	PACE	50	-18.3	S	-	-	-	-	0.000611 U	0.000336 U	0.000476 U	0.00108 U	0.000824 U	0.000702 U	0.000611 U	0.000855 U	0.000763 U	0.00623 U
	MW-319-55	09/18/19	PES	PACE	55	-23.3	S	-	-	-	-	0.000631 U	0.000347 U	0.000493 U	0.00112 U	0.000852 U	0.000726 U	0.000631 U	0.000884 U	0.000789 U	0.00644 U
	MW-319-60	09/18/19	PES	PACE	60	-28.3	S	-	-	-	-	0.000594 U	0.000327 U	0.000463 U	0.00105 U	0.000802 U	0.000683 U	0.000594 U	0.000831 U	0.000742 U	0.00606 U
	MW-319-65	09/18/19	PES	PACE	65	-33.3	S	-	-	-	-	0.000637 U	0.000351 U	0.000497 U	0.00113 U	0.000860 U	0.000733 U	0.000637 U	0.000892 U	0.000797 U	0.00650 U
	MW-319-70	09/18/19	PES	PACE	70	-38.3	S	-	-	-	-	0.000609 U	0.000335 U	0.000475 U	0.00108 U	0.000823 U	0.000701 U	0.000609 U	0.000853 U	0.000762 U	0.00621 U
	MW-2006-70	09/18/19	PES	PACE	70 (dup)	-36.9	S	-	-	-	-	0.000627 U	0.000345 U	0.000489 U	0.00111 U	0.000846 U	0.000721 U	0.000627 U	0.000877 U	0.000783 U	0.00639 U
	MW-319-75	09/18/19	PES	PACE	75	-43.3	S	-	-	-	-	0.000554 U	0.000305 U	0.000432 U	0.000978 U	0.000748 U	0.00211 J	0.00162 J	0.000775 U	0.000692 U	0.00565 U
MW-320 (18.6 to 8.6)	MW-320-19	09/29/19	PES	PACE	19	15.1	S	707	-	-	-	0.0112 U	0.00614 U	0.00871 U	0.0198 U	0.0151 U	0.0128 U	0.0112 U	0.0156 U	0.0140 U	0.114 U
	MW-320-27	09/29/19	PES	PACE	27	7.1	S	0.982 U	-	-	-	0.000579 U	0.000318 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
MW-323 (-65.4 to -75.4)	MW-323-10	09/28/19	PES	PACE	10	24.7	V	-	-	-	-	0.00122 U	0.00172 J	0.000951 U	0.00216 U	0.00165 U	0.00140 U	0.00122 U	0.00171 U	0.00152 U	0.0124 U
	MW-2012-10	09/28/19	PES	PACE	10 (dup)	24.7	V	-	-	-	-	0.000625 U	0.000344 U	0.000487 U	0.00110 U	0.000844 U	0.000719 U	0.000625 U	0.000875 U	0.000782 U	0.00637 U
	MW-323-15	09/28/19	PES	PACE	15	19.7	S	-	-	-	-	0.00115 U	0.000630 U	0.000895 U	0.00202 U	0.00155 U	0.00131 U	0.00115 U	0.00161 U	0.00144 U	0.0117 U
	MW-323-20	09/28/19	PES	PACE	20	14.7	S	-	-	-	-	0.000565 U	0.000311 U	0.000440 U	0.000997 U	0.000762 U	0.000649 U	0.000565 U	0.000790 U	0.000706 U	0.00576 U
	MW-323-25	09/28/19	PES	PACE	25	9.7	S	-	-	-	-	0.000570 U	0.000314 U	0.000445 U	0.00101 U	0.000770 U	0.000656 U	0.000570 U	0.000798 U	0.000713 U	0.00582 U
	MW-323-30	09/28/19	PES	PACE	30	4.7	S	-	-	-	-	0.00106 U	0.000584 U	0.000828 U	0.00188 U	0.00143 U	0.00122 U	0.00106 U	0.00149 U	0.00133 U	0.0108 U
	MW-323-35	09/28/19	PES	PACE	35	-0.4	S	-	-	-	-	0.000643 U	0.000353 U	0.000501 U	0.00113 U	0.000868 U	0.000739 U	0.000643 U	0.000900 U	0.000803 U	0.00655 U
	MW-323-40	09/28/19	PES	PACE	40	-5.4	S	-	-	-	-	0.000642 U	0.000353 U	0.000501 U	0.00113 U	0.000867 U	0.000738 U	0.000642 U	0.000899 U	0.000803 U	0.00655 U
	MW-323-45	09/28/19	PES	PACE	45	-10.4	S	-	-	-	-	0.000640 U	0.000352 U	0.000499 U	0.00113 U	0.000864 U	0.000736 U	0.000640 U	0.000896 U	0.000800 U	0.00652 U
	MW-323-50	09/28/19	PES	PACE	50	-15.4	S	-	-	-	-	0.000575 U	0.000317 U	0.000449 U	0.00102 U	0.000777 U	0.000662 U	0.000575 U	0.000806 U	0.000719 U	0.00587 U
	MW-323-55	09/28/19	PES	PACE	55	-20.4	S	-	-	-	-	0.000583 U	0.000320 U	0.000454 U	0.00103 U	0.000787 U	0.000670 U	0.000733 J	0.000816 U	0.000728 U	0.00594 U
	MW-323-60	09/28/19	PES	PACE	60	-25.4	S	-	-	-	-	0.000641 U	0.000353 U	0.000500 U	0.00113 U	0.000866 U	0.000737 U	0.00201 J	0.000897 U	0.000801 U	0.00654 U
	MW-2010-60	09/28/19	PES	PACE	60 (dup)	-25.4	S	-	-	-	-	0.000610 U	0.000335 U	0.000475 U	0.00108 U	0.000823 U	0.000701 U	0.000610 U	0.000853 U	0.000762 U	0.00622 U
	MW-323-65	09/28/19	PES	PACE	65	-30.4	S	-	-	-	-	0.000601 U	0.000330 U	0.000469 U	0.00106 U	0.000811 U	0.000691 U	0.000601 U	0.000841 U	0.000751 U	0.00613 U
	MW-323-70	09/28/19	PES	PACE	70	-35.4	S	-	-	-	-	0.0841 U	0.0462 U	0.0656 U	0.149 U	0.114 U	0.0967 U	0.0841 U	0.118 U	0.105 U	0.858 U
	MW-323-75	09/28/19	PES	PACE	75	-40.4	S	-	-	-	-	0.000588 U	0.000323 U	0.000458 U	0.00104 U	0.000793 U	0.000676 U	0.000588 U	0.000823 U	0.000734 U	0.00599 U
	MW-323-80	09/28/19	PES	PACE	80	-45.4	S	-	-	-	-	0.000565 U	0.000311 U	0.000441 U	0.000998 U	0.000763 U	0.000650 U	0.000565 U	0.000791 U	0.000706 U	0.00576 U
	MW-323-85	09/28/19	PES	PACE	85	-50.4	S	-	-	-	-	0.000599 U	0.000329 U	0.000467 U	0.00106 U	0.000808 U	0.000689 U	0.000599 U	0.000838 U	0.000748 U	0.00611 U
	MW-323-91	09/28/19	PES	PACE	91	-56.4	S	-	-	-	-	0.00142 U	0.000779 U	0.00111 U	0.00250 U	0.00192 U	0.00162 U	0.00142 U	0.00198 U	0.00177 U	0.0144 U
MW-324 (-32.1 to -42.1)	MW-323-95	09/28/19	PES	PACE	95	-60.4	S	-	-	-	-	0.000599 U	0.000330 U	0.000468 U	0.00106 U	0.000809 U	0.000689 U	0.000599 U	0.000839 U	0.000749 U	0.00611 U
	MW-323-99	09/28/19	PES	PACE	99	-64.4	S	-	-	-	-	0.000578 U	0.000318 U	0.000451 U	0.00102 U	0.000780 U	0.000665 U	0.000578 U	0.000809 U	0.000723 U	0.00590 U
	MW-323-105	09/28/19	PES	PACE	105	-70.4	S	-	-	-	-	0.000590 U	0.000325 U	0.000461 U	0.00104 U	0.000797 U	0.000679 U	0.000590 U	0.000827 U	0.000738 U	0.00602 U
	MW-323-110	09/28/19	PES	PACE	110	-75.4	S	-	-	-	-	0.00123 U	0.000674 U	0.000955 U	0.00217 U	0.00166 U	0.00141 U	0.00123 U	0.00171 U	0.00153 U	0.0125 U
	MW-324-6	09/12/19	PES	PACE	6	28.3	V	-	-	-	-	0.000562 U	0.000309 U	0.000439 U	0.000993 U	0.000759 U	0.000647 U	0.000562 U	0.000787 U	0.000703 U	0.00574 U
	MW-324-10	09/12/19	PES	PACE	10	24.3	V	-	-	-	-	0.000579 U	0.000318 U	0.000452 U	0.00102 U	0.000782 U	0.000666 U	0.000579 U	0.000811 U	0.000724 U	0.00591 U
	MW-324-15	09/12/19	PES	PACE	15	19.3	S	-	-	-	-	0.000546 U	0.000300 U	0.000426 U	0.000964 U	0.000737 U	0.000628 U	0.000546 U	0.000764 U	0.000683 U	0.00557 U
	MW-324-20	09/12/19	PES	PACE	20	14.3	S	-	-	-	-	0.000583 U	0.000321 U	0.000455 U	0.00103 U	0.000788 U	0.000671 U	0.000583 U	0.000817 U	0.000729 U	0.00595 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-324 (continued)	MW-324-35	09/12/19	PES	PACE	35	-0.7	S	-	-	-	-	0.000597 U	0.000328 U	0.000466 U	0.00105 U	0.000806 U	0.000686 U	0.000597 U	0.000836 U	0.000746 U	0.00609 U
	MW-324-40	09/12/19	PES	PACE	40	-5.7	S	-	-	-	-	0.000604 U	0.000332 U	0.000471 U	0.00107 U	0.000816 U	0.000695 U	0.000604 U	0.000846 U	0.000755 U	0.00616 U
	MW-324-45	09/12/19	PES	PACE	45	-10.7	S	-	-	-	-	0.000629 U	0.000346 U	0.000491 U	0.00111 U	0.000850 U	0.000724 U	0.000629 U	0.000881 U	0.000787 U	0.00642 U
	MW-324-50	09/12/19	PES	PACE	50	-15.7	S	-	-	-	-	0.000500 U	0.000275 U	0.000390 U	0.000883 U	0.000675 U	0.000575 U	0.000500 U	0.000700 U	0.000625 U	0.00510 U
	MW-324-55	09/12/19	PES	PACE	55	-20.7	S	-	-	-	-	0.000567 U	0.000312 U	0.000442 U	0.00100 U	0.000765 U	0.000652 U	0.000567 U	0.000793 U	0.000708 U	0.00578 U
	MW-324-60	09/12/19	PES	PACE	60	-25.7	S	-	-	-	-	0.000567 U	0.000312 U	0.000442 U	0.00100 U	0.000765 U	0.000652 U	0.000567 U	0.000793 U	0.000708 U	0.00578 U
	MW-324-65	09/12/19	PES	PACE	65	-30.7	S	-	-	-	-	0.000588 U	0.000324 U	0.000459 U	0.00104 U	0.000794 U	0.000677 U	0.000307 U	0.000823 U	0.000735 U	0.00600 U
	MW-324-70	09/12/19	PES	PACE	70	-35.7	S	-	-	-	-	0.000620 U	0.000342 U	0.000483 U	0.00110 U	0.000838 U	0.000714 U	0.00188 J	0.000868 U	0.000775 U	0.00633 U
	MW-324-75	09/12/19	PES	PACE	75	-40.7	S	-	-	-	-	0.000627 U	0.000345 U	0.000489 U	0.00111 U	0.000847 U	0.000721 U	0.00111 J	0.000878 U	0.000784 U	0.00640 U
	MW-324-80	09/12/19	PES	PACE	80	-45.7	S	-	-	-	-	0.000626 U	0.000344 U	0.000488 U	0.00111 U	0.000845 U	0.000720 U	0.00232 J	0.000876 U	0.000782 U	0.00638 U
MW-326 (-48.7 to -58.7)	MW-326-5	09/09/19	PES	PACE	5	36.3	V	-	-	-	-	0.000551 U	0.000303 U	0.000430 U	0.000973 U	0.000744 U	0.000634 U	0.000551 U	0.000771 U	0.000689 U	0.00562 U
	MW-326-10	09/09/19	PES	PACE	10	31.3	V	-	-	-	-	0.000665 U	0.000365 U	0.000519 U	0.00117 U	0.000898 U	0.000765 U	0.000665 U	0.000932 U	0.000832 U	0.00679 U
	MW-326-15	09/09/19	PES	PACE	15	26.3	V	-	-	-	-	0.000585 U	0.000322 U	0.000456 U	0.00103 U	0.000789 U	0.000672 U	0.000585 U	0.000819 U	0.000731 U	0.00596 U
	MW-326-20	09/09/19	PES	PACE	20	21.3	S	-	-	-	-	0.000585 U	0.000322 U	0.000457 U	0.00103 U	0.000790 U	0.000673 U	0.000585 U	0.000819 U	0.000732 U	0.00597 U
	MW-326-25	09/09/19	PES	PACE	25	16.3	S	-	-	-	-	0.000620 U	0.000341 U	0.000484 U	0.00110 U	0.000838 U	0.000714 U	0.000620 U	0.000869 U	0.000776 U	0.00633 U
	MW-326-30	09/09/19	PES	PACE	30	11.3	S	-	-	-	-	0.00203 U	0.00111 U	0.00158 U	0.00357 U	0.00273 U	0.00233 U	0.00203 U	0.00283 U	0.00253 U	0.0206 U
	MW-326-35	09/09/19	PES	PACE	35	6.3	S	-	-	-	-	0.000618 U	0.000340 U	0.000482 U	0.00109 U	0.000835 U	0.000711 U	0.000618 U	0.000866 U	0.000773 U	0.00631 U
	MW-326-40	09/09/19	PES	PACE	40	1.3	S	-	-	-	-	0.000596 U	0.000328 U	0.000465 U	0.00105 U	0.000805 U	0.000686 U	0.000596 U	0.000835 U	0.000745 U	0.00608 U
	MW-326-45	09/09/19	PES	PACE	45	-3.7	S	-	-	-	-	0.000602 U	0.000331 U	0.000470 U	0.00106 U	0.000813 U	0.000693 U	0.000602 U	0.000843 U	0.000753 U	0.00614 U
	MW-326-50	09/09/19	PES	PACE	50	-8.7	S	-	-	-	-	0.000572 U	0.000314 U	0.000446 U	0.00101 U	0.000772 U	0.000657 U	0.000572 U	0.000800 U	0.000715 U	0.00583 U
	MW-326-55	09/09/19	PES	PACE	55	-13.7	S	-	-	-	-	0.000608 U	0.000335 U	0.000474 U	0.00107 U	0.000821 U	0.000699 U	0.000608 U	0.000852 U	0.000760 U	0.00620 U
	MW-326-60	09/09/19	PES	PACE	60	-18.7	S	-	-	-	-	0.000543 U	0.000299 U	0.000424 U	0.000960 U	0.000734 U	0.000625 U	0.000543 U	0.000761 U	0.000679 U	0.00554 U
	MW-326-65	09/09/19	PES	PACE	65	-23.7	S	-	-	-	-	0.000580 U	0.000319 U	0.000452 U	0.00102 U	0.000782 U	0.000667 U	0.000580 U	0.000811 U	0.000724 U	0.00591 U
	MW-326-70	09/09/19	PES	PACE	70	-28.7	S	-	-	-	-	0.000609 U	0.000335 U	0.000475 U	0.00108 U	0.000822 U	0.000701 U	0.000609 U	0.000853 U	0.000762 U	0.00621 U
	MW-326-75	09/09/19	PES	PACE	75	-33.7	S	-	-	-	-	0.000606 U	0.000333 U	0.000473 U	0.00107 U	0.000818 U	0.000697 U	0.000606 U	0.000849 U	0.000758 U	0.00618 U
	MW-326-80	09/09/19	PES	PACE	80	-38.7	S	-	-	-	-	0.000594 U	0.000327 U	0.000464 U	0.00105 U	0.000802 U	0.000683 U	0.000594 U	0.000832 U	0.000743 U	0.00606 U
	MW-326-85	09/10/19	PES	PACE	85	-43.7	S	-	-	-	-	0.000584 U	0.000321 U	0.000456 U	0.00103 U	0.000789 U	0.000672 U	0.000584 U	0.000818 U	0.000730 U	0.00596 U
	MW-326-90	09/10/19	PES	PACE	90	-48.7	S	-	-	-	-	0.000589 U	0.000324 U	0.000459 U	0.00104 U	0.000795 U	0.000677 U	0.000589 U	0.000824 U	0.000736 U	0.00601 U
	MW-326-95	09/10/19	PES	PACE	95	-53.7	S	-	-	-	-	0.000562 U	0.000309 U	0.000438 U	0.000992 U	0.000758 U	0.000646 U	0.000562 U	0.000786 U	0.000702 U	0.00573 U
	MW-200I-95	09/10/19	PES	PACE	95 (dup)	-53.7	S	-	-	-	-	0.000570 U	0.000314 U	0.000445 U	0.00101 U	0.000770 U	0.000656 U	0.000570 U	0.000798 U	0.000713 U	0.00582 U
	MW-326-100	09/10/19	PES	PACE	100	-58.7	S	-	-	-	-	0.000604 U	0.000332 U	0.000471 U	0.00107 U	0.000816 U	0.000695 U	0.000604 U	0.000846 U	0.000755 U	0.00616 U
MW-328 (-36.1 to -46.1)	MW-328-5	09/16/19	PES	PACE	5	23.4	V	-	-	-	-	0.000594 U	0.000327 U	0.000464 U	0.00105 U	0.000802 U	0.000684 U	0.000594 U	0.000832 U	0.000743 U	0.00606 U
	MW-328-10	09/16/19	PES	PACE	10	18.4	S	-	-	-	-	0.000687 U	0.000378 U	0.000536 U	0.00121 U	0.000928 U	0.000790 U	0.000687 U	0.000962 U	0.000859 U	0.00701 U
	MW-328-15	09/16/19	PES	PACE	15	13.4	S	-	-	-	-	0.000614 U	0.000338 U	0.000479 U	0.00108 U	0.000829 U	0.000706 U	0.000614 U	0.000859 U	0.000767 U	0.00626 U
	MW-328-20	09/16/19	PES	PACE	20	8.4	S	-	-	-	-	0.000597 U	0.000328 U	0.000466 U	0.00105 U	0.000806 U	0.000687 U	0.000597 U	0.000836 U	0.000746 U	0.00609 U
	MW-328-30	09/16/19	PES	PACE	30	-1.6	S	-	-	-	-	0.0118 U	0.00648 U	0.00919 U	0.0209 U	0.0159 U	0.0135 U	0.0118 U	0.0165 U	0.0148 U	0.120 U
	MW-328-35	09/16/19	PES	PACE	35	-6.6	S	-	-	-	-	0.000643 U	0.000354 U	0.000501 U	0.00113 U	0.000868 U	0.000740 U	0.000643 U	0.000900 U	0.000803 U	0.00656 U
	MW-328-40	09/16/19	PES	PACE	40	-11.6	S	-	-	-	-	0.00146 U	0.000801 U	0.00114 U	0.00257 U	0.00197 U	0.00167 U	0.00146 U	0.00204 U	0.00182 U	0.0148 U
	MW-328-45	09/16/19	PES	PACE	45	-16.6	S	-	-	-	-	0.000617 U	0.000339 U	0.000481 U	0.00109 U	0.000832 U	0.000709 U	0.000617 U	0.000863 U	0.000771 U	0.00629 U
	MW-328-50	09/16/19	PES	PACE	50	-21.6	S	-	-	-	-	0.0183 U	0.0101 U	0.0144 U	0.0324 U	0.0247 U	0.0211 U	0.0183 U	0.0257 U	0.0230 U	0.187 U
	MW-328-55	09/16/19	PES	PACE	55	-26.6	S	-	-	-	-	0.000595 U	0.000327 U	0.000464 U	0.00105 U	0.000803 U	0.000684 U	0.000595 U	0.000833 U	0.000744 U	0.00607 U
	MW-328-60	09/16/19	PES	PACE	60	-31.6	S	-	-	-	-	0.000601 U	0.000331 U	0.000469 U	0.00106 U	0.000812 U	0.000691 U	0.000601 U	0.000842 U	0.000752 U	0.00613 U
	MW-328-65	09/16/19	PES	PACE	65	-36.6	S	-	-	-	-	0.000583 U	0.000321 U	0.000455 U	0.00103 U	0.000787 U	0.000670 U	0.000583 U	0.000816 U	0.000729 U	0.00595 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-328 (continued)	MW-328-70	09/16/19	PES	PACE	70	-41.6	S	-	-	-	-	0.000602 U	0.000331 U	0.000470 U	0.00106 U	0.000813 U	0.000692 U	0.000602 U	0.000843 U	0.000753 U	0.00614 U
	MW-328-75	09/16/19	PES	PACE	75	-46.6	S	-	-	-	-	0.000583 U	0.000321 U	0.000455 U	0.00103 U	0.000787 U	0.000671 U	0.000583 U	0.000816 U	0.000729 U	0.00595 U
	MW-328-80	09/16/19	PES	PACE	80	-51.6	S	-	-	-	-	0.000660 U	0.000363 U	0.000515 U	0.00116 U	0.000890 U	0.000759 U	0.000660 U	0.000923 U	0.000825 U	0.00673 U
MW-329 (-69.0 to -79.0)	MW-329-5	09/12/19	PES	PACE	5	24.3	V	-	-	-	-	0.000534 U	0.000294 U	0.000417 U	0.000944 U	0.000721 U	0.000615 U	0.000534 U	0.000748 U	0.000668 U	0.00545 U
	MW-329-10	09/12/19	PES	PACE	10	19.3	S	-	-	-	-	0.000526 U	0.000289 U	0.000410 U	0.000929 U	0.000710 U	0.000605 U	0.000526 U	0.000736 U	0.000657 U	0.00536 U
	MW-329-15	09/12/19	PES	PACE	15	14.3	S	-	-	-	-	0.000549 U	0.000302 U	0.000428 U	0.000969 U	0.000741 U	0.000631 U	0.000549 U	0.000769 U	0.000686 U	0.00560 U
	MW-329-20	09/12/19	PES	PACE	20	9.3	S	-	-	-	-	0.000691 U	0.000380 U	0.000783 J	0.00122 U	0.000933 U	0.000795 U	0.000691 U	0.000968 U	0.000864 U	0.00705 U
	MW-329-25	09/12/19	PES	PACE	25	4.3	S	-	-	-	-	0.000717 U	0.000394 U	0.000559 U	0.00127 U	0.000967 U	0.000824 U	0.000717 U	0.00100 U	0.000896 U	0.00731 U
	MW-329-30	09/12/19	PES	PACE	30	-0.7	S	-	-	-	-	0.000618 U	0.000340 U	0.000482 U	0.00109 U	0.000834 U	0.000710 U	0.000618 U	0.000865 U	0.000772 U	0.00630 U
	MW-329-35	09/12/19	PES	PACE	35	-5.7	S	-	-	-	-	0.000613 U	0.000337 U	0.000478 U	0.00108 U	0.000827 U	0.000705 U	0.000613 U	0.000858 U	0.000766 U	0.00625 U
	MW-329-40	09/12/19	PES	PACE	40	-10.7	S	-	-	-	-	0.000616 U	0.000339 U	0.000481 U	0.00109 U	0.000832 U	0.000709 U	0.000616 U	0.000863 U	0.000770 U	0.00629 U
	MW-329-45	09/12/19	PES	PACE	45	-15.7	S	-	-	-	-	0.000596 U	0.000328 U	0.000465 U	0.00105 U	0.000805 U	0.000686 U	0.000596 U	0.000835 U	0.000745 U	0.00608 U
	MW-329-50	09/12/19	PES	PACE	50	-20.7	S	-	-	-	-	0.000616 U	0.000339 U	0.000481 U	0.00109 U	0.000832 U	0.000709 U	0.000616 U	0.000863 U	0.000770 U	0.00629 U
	MW-2003-50	09/12/19	PES	PACE	50 (dup)	-20.7	S	-	-	-	-	0.000546 U	0.000300 U	0.000426 U	0.000965 U	0.000737 U	0.000628 U	0.000546 U	0.000765 U	0.000683 U	0.00557 U
	MW-329-55	09/12/19	PES	PACE	55	-25.7	S	-	-	-	-	0.000577 U	0.000317 U	0.000450 U	0.00102 U	0.000779 U	0.000664 U	0.000577 U	0.000808 U	0.000721 U	0.00589 U
	MW-329-60	09/12/19	PES	PACE	60	-30.7	S	-	-	-	-	0.000585 U	0.000322 U	0.000456 U	0.00103 U	0.000790 U	0.000673 U	0.000585 U	0.000819 U	0.000731 U	0.00597 U
	MW-329-65	09/12/19	PES	PACE	65	-35.7	S	-	-	-	-	0.000584 U	0.000321 U	0.000456 U	0.00103 U	0.000789 U	0.000672 U	0.000584 U	0.000818 U	0.000730 U	0.00596 U
	MW-329-70	09/12/19	PES	PACE	70	-40.7	S	-	-	-	-	0.000583 U	0.000320 U	0.000455 U	0.00103 U	0.000787 U	0.000670 U	0.000583 U	0.000816 U	0.000728 U	0.00594 U
	MW-329-75	09/12/19	PES	PACE	75	-45.7	S	-	-	-	-	0.000573 U	0.000315 U	0.000447 U	0.00101 U	0.000773 U	0.000659 U	0.000573 U	0.000802 U	0.000716 U	0.00584 U
	MW-329-80	09/12/19	PES	PACE	80	-50.7	S	-	-	-	-	0.000607 U	0.000334 U	0.000474 U	0.00107 U	0.000820 U	0.000698 U	0.000607 U	0.000850 U	0.000759 U	0.00620 U
	MW-329-85	09/12/19	PES	PACE	85	-55.7	S	-	-	-	-	0.000585 U	0.000322 U	0.000456 U	0.00103 U	0.000789 U	0.000672 U	0.000585 U	0.000818 U	0.000731 U	0.00596 U
	MW-329-90	09/12/19	PES	PACE	90	-60.7	S	-	-	-	-	0.000588 U	0.000323 U	0.000459 U	0.00104 U	0.000794 U	0.000676 U	0.000588 U	0.000823 U	0.000735 U	0.00600 U
	MW-329-95	09/12/19	PES	PACE	95	-65.7	S	-	-	-	-	0.000594 U	0.000327 U	0.000463 U	0.00105 U	0.000801 U	0.000683 U	0.000594 U	0.000831 U	0.000742 U	0.00606 U
	MW-329-100	09/12/19	PES	PACE	100	-70.7	S	-	-	-	-	0.000595 U	0.000327 U	0.000464 U	0.00105 U	0.000804 U	0.000685 U	0.000595 U	0.000833 U	0.000744 U	0.00607 U
	MW-329-105	09/12/19	PES	PACE	105	-75.7	S	-	-	-	-	0.000550 U	0.000303 U	0.000429 U	0.000972 U	0.000743 U	0.000633 U	0.000550 U	0.000771 U	0.000688 U	0.00561 U
	MW-329-110	09/12/19	PES	PACE	110	-80.7	S	-	-	-	-	0.000546 U	0.000300 U	0.000426 U	0.000965 U	0.000737 U	0.000628 U	0.000546 U	0.000765 U	0.000683 U	0.00557 U
MW-330	MW-330-6	04/20/20	PES	PACE	6	46.0	V	-	-	-	-	0.00108 U	0.00105 U	0.000789 U	0.000678 U	0.000856 U	0.000558 U	0.000688 U	0.000919 U	0.00833 U	0.00184 U
	MW-330-10	04/20/20	PES	PACE	10	42.0	V	-	-	-	-	0.00105 U	0.00102 U	0.000767 U	0.000659 U	0.000832 U	0.000542 U	0.000669 U	0.000893 U	0.00809 U	0.00179 U
	MW-330-11.5	04/20/20	PES	PACE	11.5	40.5	V	-	-	-	-	0.00111 U	0.00108 U	0.000810 U	0.000696 U	0.000879 U	0.000572 U	0.000707 U	0.000943 U	0.00855 U	0.00189 U
	MW-330-16	04/20/20	PES	PACE	16	36.0	V	-	-	-	-	0.00108 U	0.00105 U	0.000790 U	0.000678 U	0.000857 U	0.000558 U	0.000688 U	0.000919 U	0.00833 U	0.00184 U
	MW-330-21.5	04/20/20	PES	PACE	21.5	30.5	S	-	-	-	-	0.00101 U	0.000983 U	0.000740 U	0.000636 U	0.000803 U	0.000523 U	0.000645 U	0.000861 U	0.00780 U	0.00172 U
	MW-330-27	04/20/20	PES	PACE	27	25.0	S	-	-	-	-	0.00102 U	0.000992 U	0.000747 U	0.000642 U	0.000811 U	0.000528 U	0.000652 U	0.000870 U	0.00788 U	0.00174 U
	MW-330-32	04/20/20	PES	PACE	32	20.0	S	-	-	-	-	0.00102 U	0.000994 U	0.000749 U	0.000643 U	0.000812 U	0.000529 U	0.000653 U	0.000871 U	0.00790 U	0.00174 U
	MW-330-38	04/20/20	PES	PACE	38	14.0	S	-	-	-	-	0.00102 U	0.000993 U	0.000748 U	0.000642 U	0.000811 U	0.000528 U	0.000652 U	0.000870 U	0.00789 U	0.00174 U
	MW-330-42	04/20/20	PES	PACE	42	10.0	S	-	-	-	-	0.000993 U	0.000966 U	0.000728 U	0.000625 U	0.000789 U	0.000514 U	0.000634 U	0.000847 U	0.00767 U	0.00170 U
	MW-330-47	04/20/20	PES	PACE	47	5.0	S	-	-	-	-	0.00107 U	0.00104 U	0.000787 U	0.000676 U	0.000854 U	0.000556 U	0.000686 U	0.000916 U	0.00830 U	0.00183 U
	MW-330-52	04/20/20	PES	PACE	52	0.0	S	-	-	-	-	0.00104 U	0.00101 U	0.000763 U	0.000655 U	0.000828 U	0.000539 U	0.000665 U	0.000888 U	0.00805 U	0.00178 U
	MW-330-58	04/20/20	PES	PACE	58	-6.0	S	-	-	-	-	0.00103 U	0.00100 U	0.000756 U	0.000650 U	0.000820 U	0.000534 U	0.000659 U	0.000880 U	0.00798 U	0.00176 U
	MW-330-62	04/20/20	PES	PACE	62	-10.0	S	-	-	-	-	0.00104 U	0.00101 U	0.000763 U	0.000656 U	0.000828 U	0.000539 U	0.000666 U	0.000889 U	0.00805 U	0.00178 U
MW-331	MW-331-7	04/17/20	PES	PACE	7	24.2	V	49.7	-	-	-	0.00146 U	0.00143 U	0.00107 U	0.000922 U	0.00116 U	0.000758 U	0.000936 U	0.00125 U	0.0113 U	0.00250 U
	MW-331-11	04/17/20	PES	PACE	11	20.2	S	717	-	-	-	0.00849 U	0.00827 U	0.00623 U	0.00535 U	0.00675 U	0.00440 U	0.00543 U	0.00725 U	0.0656 U	0.0146 U
	MW-331-16	04/17/20	PES	PACE	16	15.2	S	7.34	-	-	-	0.00112 U	0.00109 U	0.000820 U	0.000705 U	0.000890 U	0.000580 U	0.000715 U	0.000955 U	0.00865 U	0.00191 U
	MW-331-20	04/17/20	PES	PACE	20	11.2	S	2.81 J	-	-	-	0.00110 U	0.00107 U	0.000803 U	0.000690 U	0.000871 U	0.000567 U	0.000700 U	0.000935 U	0.00847 U	0.00187 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-331 (continued)	MW-331-29.5	04/17/20	PES	PACE	29.5	1.7	S	1.85	-	-	-	0.00110 U	0.00107 U	0.000805 U	0.000692 U	0.000874 U	0.000569 U	0.000702 U	0.000938 U	0.00850 U	0.00188 U
	MW-331-35	04/17/20	PES	PACE	35	-3.8	S	-	-	-	-	0.00112 U	0.00109 U	0.000821 U	0.000705 U	0.000890 U	0.000580 U	0.000716 U	0.000955 U	0.00866 U	0.00191 U
	MW-2018-35	04/17/20	PES	PACE	35 (dup)	-3.8	S	-	-	-	-	0.00114 U	0.00111 U	0.000835 U	0.000717 U	0.000906 U	0.000590 U	0.000728 U	0.000972 U	0.00881 U	0.00195 U
	MW-331-40	04/17/20	PES	PACE	40	-8.8	S	-	-	-	-	0.00114 U	0.00111 U	0.000839 U	0.000720 U	0.000910 U	0.000592 U	0.000731 U	0.000976 U	0.00884 U	0.00195 U
	MW-331-45	04/17/20	PES	PACE	45	-13.8	S	-	-	-	-	0.00114 U	0.00111 U	0.000836 U	0.000718 U	0.000907 U	0.000590 U	0.000729 U	0.000973 U	0.00881 U	0.00195 U
MW-332	MW-332-7	04/17/20	PES	PACE	7	29.3	V	-	-	-	-	0.00106 U	0.00104 U	0.000779 U	0.000669 U	0.000846 U	0.000551 U	0.000680 U	0.000907 U	0.00822 U	0.00182 U
	MW-332-11	04/17/20	PES	PACE	11	25.3	V	-	-	-	-	0.00112 U	0.00109 U	0.000819 U	0.000703 U	0.000888 U	0.000578 U	0.000714 U	0.000953 U	0.00863 U	0.00191 U
	MW-332-16	04/17/20	PES	PACE	16	20.3	S	-	-	-	-	0.00109 U	0.00106 U	0.000802 U	0.000689 U	0.000870 U	0.000566 U	0.000699 U	0.000933 U	0.00846 U	0.00187 U
	MW-332-20	04/17/20	PES	PACE	20	16.3	S	-	-	-	-	0.00111 U	0.00108 U	0.000814 U	0.000700 U	0.000884 U	0.000575 U	0.000710 U	0.000948 U	0.00859 U	0.00190 U
	MW-332-25	04/17/20	PES	PACE	25	11.3	S	-	-	-	-	0.00115 U	0.00112 U	0.000843 U	0.000724 U	0.000915 U	0.000596 U	0.000735 U	0.000982 U	0.00889 U	0.00197 U
	MW-332-30	04/17/20	PES	PACE	30	6.3	S	-	-	-	-	0.00118 U	0.00114 U	0.000861 U	0.000740 U	0.000935 U	0.000609 U	0.000751 U	0.00100 U	0.00909 U	0.00201 U
MW-334	MW-334-6	04/16/20	PES	PACE	6	25.4	V	-	-	-	-	0.00115 U	0.00112 U	0.000844 U	0.000725 U	0.000916 U	0.000596 U	0.000736 U	0.000983 U	0.00890 U	0.00197 U
	MW-334-10	04/16/20	PES	PACE	10	21.4	V	8.53	-	-	-	0.00115 U	0.00112 U	0.000845 U	0.000726 U	0.000917 U	0.000597 U	0.000737 U	0.000984 U	0.00891 U	0.00197 U
	MW-334-13	04/16/20	PES	PACE	13	18.4	S	644	-	-	-	0.00853 U	0.00831 U	0.00626 U	0.00538 U	0.00679 U	0.00442 U	0.00546 U	0.00728 U	0.0660 U	0.0146 U
	MW-334-17	04/16/20	PES	PACE	17	14.4	S	16.5	-	-	-	0.000980 U	0.000954 U	0.000718 U	0.000617 U	0.000779 U	0.000507 U	0.000626 U	0.000836 U	0.00757 U	0.00167 U
	MW-334-23	04/16/20	PES	PACE	23	8.4	S	3.93	-	-	-	0.00113 U	0.00110 U	0.000827 U	0.000711 U	0.000897 U	0.000584 U	0.000721 U	0.000963 U	0.00872 U	0.00193 U
	MW-334-28	04/16/20	PES	PACE	28	3.4	S	-	-	-	-	0.00112 U	0.00109 U	0.000819 U	0.000703 U	0.000888 U	0.000578 U	0.000714 U	0.000953 U	0.00863 U	0.00191 U
	MW-334-35	04/16/20	PES	PACE	35	-3.6	S	-	-	-	-	0.00120 U	0.00117 U	0.000878 U	0.000755 U	0.000953 U	0.000621 U	0.000766 U	0.00102 U	0.00926 U	0.00205 U
	MW-334-40	04/16/20	PES	PACE	40	-8.6	S	-	-	-	-	0.00122 U	0.00119 U	0.000898 U	0.000771 U	0.000974 U	0.000634 U	0.000783 U	0.00104 U	0.00947 U	0.00209 U
	MW-334-45.5	04/16/20	PES	PACE	45.5	-14.1	S	-	-	-	-	0.00115 U	0.00112 U	0.000845 U	0.000726 U	0.000917 U	0.000597 U	0.000737 U	0.000984 U	0.00892 U	0.00197 U
	MW-334-50	04/16/20	PES	PACE	50	-18.6	S	-	-	-	-	0.00105 U	0.00102 U	0.000769 U	0.000661 U	0.000834 U	0.000543 U	0.000671 U	0.000895 U	0.00811 U	0.00179 U
	MW-334-54.5	04/16/20	PES	PACE	54.5	-23.1	S	-	-	-	-	0.00117 U	0.00114 U	0.000860 U	0.000739 U	0.000933 U	0.000608 U	0.000750 U	0.00100 U	0.00907 U	0.00200 U
	MW-334-60	04/16/20	PES	PACE	60	-28.6	S	-	-	-	-	0.00108 U	0.00105 U	0.000791 U	0.000680 U	0.000859 U	0.000559 U	0.000690 U	0.000921 U	0.00835 U	0.00184 U
	MW-334-63	04/16/20	PES	PACE	63	-31.6	S	-	-	-	-	0.00113 U	0.00110 U	0.000831 U	0.000714 U	0.000902 U	0.000587 U	0.000725 U	0.000968 U	0.00877 U	0.00194 U
MW-336	MW-336-7	04/22/20	PES	PACE	7	26.7	V	-	-	-	-	0.00106 U	0.00103 U	0.000775 U	0.000666 U	0.000841 U	0.000548 U	0.000676 U	0.000903 U	0.00818 U	0.00181 U
	MW-336-11.5	04/22/20	PES	PACE	11.5	22.2	V	-	-	-	-	0.00113 U	0.00110 U	0.000828 U	0.000711 U	0.000898 U	0.000585 U	0.000722 U	0.000963 U	0.00873 U	0.00193 U
	MW-2019-11.5	04/22/20	PES	PACE	11.5 (dup)	22.2	V	-	-	-	-	0.00116 U	0.00113 U	0.000946 J	0.000728 U	0.000919 U	0.000599 U	0.000739 U	0.000987 U	0.00894 U	0.00198 U
	MW-336-14.5	04/22/20	PES	PACE	14.5	19.2	V	-	-	-	-	0.00122 U	0.00118 U	0.000891 U	0.000765 U	0.000966 U	0.000629 U	0.000777 U	0.00104 U	0.00940 U	0.00208 U
	MW-336-20	04/22/20	PES	PACE	20	13.7	S	-	-	-	-	0.00116 U	0.00113 U	0.000851 U	0.000731 U	0.000923 U	0.000601 U	0.000742 U	0.000991 U	0.00898 U	0.00198 U
	MW-336-25	04/22/20	PES	PACE	25	8.7	S	-	-	-	-	0.00156 U	0.00152 U	0.00114 U	0.000983 U	0.00124 U	0.000808 U	0.000997 U	0.00133 U	0.0121 U	0.00267 U
	MW-336-30	04/22/20	PES	PACE	30	3.7	S	-	-	-	-	0.00144 U	0.00141 U	0.00106 U	0.000909 U	0.00115 U	0.000748 U	0.000923 U	0.00123 U	0.0112 U	0.00247 U
	MW-336-35	04/22/20	PES	PACE	35	-1.3	S	-	-	-	-	0.00116 U	0.00113 U	0.000853 U	0.000733 U	0.000925 U	0.000602 U	0.000744 U	0.000993 U	0.00899 U	0.00199 U
	MW-336-40	04/22/20	PES	PACE	40	-6.3	S	-	-	-	-	0.00114 U	0.00111 U	0.000838 U	0.000720 U	0.000909 U	0.000592 U	0.000731 U	0.000975 U	0.00884 U	0.00195 U
	MW-336-45	04/22/20	PES	PACE	45	-11.3	S	-	-	-	-	0.00126 U	0.00123 U	0.000923 U	0.000793 U	0.00100 U	0.000652 U	0.000805 U	0.00107 U	0.00973 U	0.00215 U
	MW-336-51	04/22/20	PES	PACE	51	-17.3	S	-	-	-	-	0.00109 U	0.00106 U	0.000800 U	0.000687 U	0.000868 U	0.000565 U	0.000698 U	0.000931 U	0.00844 U	0.00187 U
	MW-336-55	04/22/20	PES	PACE	55	-21.3	S	-	-	-	-	0.00108 U	0.00105 U	0.000794 U	0.000682 U	0.000861 U	0.000561 U	0.000692 U	0.000924 U	0.00837 U	0.00185 U
	MW-336-60	04/22/20	PES	PACE	60	-26.3	S	-	-	-	-	0.00111 U	0.00108 U	0.000816 U	0.000701 U	0.000885 U	0.000576 U	0.000711 U	0.000949 U	0.00860 U	0.00190 U
	MW-336-65	04/22/20	PES	PACE	65	-31.3	S	-	-	-	-	0.00111 U	0.00108 U	0.000811 U	0.000696 U	0.000880 U	0.000573 U	0.000707 U	0.000944 U	0.00855 U	0.00189 U
	MW-336-69	04/22/20	PES	PACE	69	-35.3	S	-	-	-	-	0.00118 U	0.00115 U	0.000864 U	0.000742 U	0.000937 U	0.000610 U	0.000753 U	0.00101 U	0.00911 U	0.00201 U
	MW-336-74.5	04/22/20	PES	PACE	74.5	-40.8	S	-	-	-	-	0.00110 U	0.00107 U	0.000809 U	0.000695 U	0.000878 U	0.000572 U	0.000705 U	0.000942 U	0.00853 U	0.00189 U
	MW-336-79	04/22/20	PES	PACE	79	-45.3	S	-	-	-	-	0.00114 U	0.00111 U	0.000834 U	0.000716 U	0.000905 U	0.000589 U	0.000727 U	0.000971 U	0.00879 U	0.00194 U
	MW-336-85	04/22/20	PES	PACE	85	-51.3	S	-	-	-	-	0.00114 U	0.00111 U	0.000835 U	0.000717 U	0.000906 U	0.000590 U	0.000728 U	0.000972 U	0.00881 U	0.00195 U
	MW-2021-85	05/04/20	PES	PACE	85 (dup)	-51.3	S	-	-	-	-	0.00109 U	0.00106 U	0.000800 U	0.000687 U	0.000868 U	0.000565 U	0.000698 U	0.000931 U	0.00844 U	0.00187 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MW-336 (continued)	MW-336-90	04/22/20	PES	PACE	90	-56.3	S	-	-	-	-	0.00114 U	0.00111 U	0.000838 U	0.000720 U	0.000909 U	0.000592 U	0.000731 U	0.000975 U	0.00884 U	0.00195 U
	MW-336-95	04/22/20	PES	PACE	95	-61.3	S	-	-	-	-	0.00114 U	0.00111 U	0.000835 U	0.000717 U	0.000906 U	0.000590 U	0.000728 U	0.000972 U	0.00881 U	0.00195 U
	MW-2020-95	04/22/20	PES	PACE	95 (dup)	-61.3	S	-	-	-	-	0.00113 U	0.00110 U	0.000828 U	0.000711 U	0.000898 U	0.000585 U	0.000722 U	0.000963 U	0.00873 U	0.00193 U
MW-338	MW-338-10	05/01/20	PES	PACE	10	17.8	S	-	-	-	-	0.00115 U	0.00112 U	0.000843 U	0.000724 U	0.000914 U	0.000595 U	0.000735 U	0.000981 U	0.00889 U	0.00196 U
	MW-338-15	05/01/20	PES	PACE	15	12.8	S	-	-	-	-	0.00125 U	0.00122 U	0.000919 U	0.000789 U	0.000997 U	0.000649 U	0.000801 U	0.00107 U	0.00969 U	0.00214 U
	MW-338-20	05/01/20	PES	PACE	20	7.8	S	-	-	-	-	0.00110 U	0.00107 U	0.000806 U	0.000692 U	0.000874 U	0.000569 U	0.000702 U	0.000938 U	0.00850 U	0.00188 U
	MW-338-23	05/01/20	PES	PACE	23	4.8	S	-	-	-	-	0.00120 U	0.00117 U	0.000883 U	0.000759 U	0.000958 U	0.000624 U	0.000770 U	0.00103 U	0.00931 U	0.00206 U
	MW-338-28	05/01/20	PES	PACE	28	-0.2	S	-	-	-	-	0.00119 U	0.00116 U	0.000874 U	0.000751 U	0.000948 U	0.000617 U	0.000762 U	0.00102 U	0.00922 U	0.00204 U
	MW-338-34	05/01/20	PES	PACE	34	-6.2	S	-	-	-	-	0.00106 U	0.00103 U	0.000777 U	0.000667 U	0.000843 U	0.000549 U	0.000677 U	0.000904 U	0.00819 U	0.00181 U
	MW-338-39	05/01/20	PES	PACE	39	-11.2	S	-	-	-	-	0.00115 U	0.00112 U	0.000842 U	0.000723 U	0.000913 U	0.000595 U	0.000734 U	0.000980 U	0.00888 U	0.00196 U
	MW-338-41	05/01/20	PES	PACE	41	-13.2	S	-	-	-	-	0.00117 U	0.00114 U	0.000857 U	0.000736 U	0.000930 U	0.000605 U	0.000747 U	0.000997 U	0.00904 U	0.00200 U
	MW-338-45	05/01/20	PES	PACE	45	-17.2	S	-	-	-	-	0.00116 U	0.00113 U	0.000848 U	0.000729 U	0.000920 U	0.000599 U	0.000740 U	0.000988 U	0.00895 U	0.00198 U
	MW-338-51	05/01/20	PES	PACE	51	-23.2	S	-	-	-	-	0.00117 U	0.00114 U	0.000861 U	0.000740 U	0.000934 U	0.000609 U	0.000751 U	0.00100 U	0.00908 U	0.00201 U
	MW-338-55	05/01/20	PES	PACE	55	-27.2	S	-	-	-	-	0.00109 U	0.00106 U	0.000798 U	0.000685 U	0.000866 U	0.000564 U	0.000696 U	0.000929 U	0.00841 U	0.00186 U
MW-341	MW-341-85	05/04/20	PES	PACE	85	-56.6	S	-	-	-	-	0.00108 U	0.00105 U	0.000790 U	0.000678 U	0.000857 U	0.000558 U	0.000688 U	0.000919 U	0.00833 U	0.00184 U
	MW-341-90	05/04/20	PES	PACE	90	-61.6	S	-	-	-	-	0.00107 U	0.00104 U	0.000782 U	0.000672 U	0.000848 U	0.000552 U	0.000682 U	0.000910 U	0.00825 U	0.00182 U
	MW-341-95	05/04/20	PES	PACE	95	-66.6	S	-	-	-	-	0.00110 U	0.00108 U	0.000810 U	0.000696 U	0.000879 U	0.000572 U	0.000706 U	0.000943 U	0.00854 U	0.00189 U
	MW-341-99	05/04/20	PES	PACE	99	-70.6	S	-	-	-	-	0.00111 U	0.00108 U	0.000815 U	0.000700 U	0.000884 U	0.000576 U	0.000710 U	0.000948 U	0.00859 U	0.00190 U
	MW-341-104	05/04/20	PES	PACE	104	-75.6	S	-	-	-	-	0.00113 U	0.00110 U	0.000829 U	0.000712 U	0.000899 U	0.000586 U	0.000723 U	0.000965 U	0.00874 U	0.00193 U
MW-343	MW-343-5	04/13/20	PES	PACE	5	22.6	V	-	-	-	-	0.00107 U	0.00104 U	0.000785 U	0.000674 U	0.000852 U	0.000555 U	0.000685 U	0.000914 U	0.00828 U	0.00183 U
	MW-343-10	04/13/20	PES	PACE	10	17.6	S	-	-	-	-	0.00112 U	0.00109 U	0.000823 U	0.000707 U	0.000893 U	0.000581 U	0.000717 U	0.000958 U	0.00868 U	0.00192 U
	MW-343-12.5	04/13/20	PES	PACE	12.5	15.1	S	-	-	-	-	0.00116 U	0.00113 U	0.000853 U	0.000732 U	0.000925 U	0.000602 U	0.000744 U	0.000993 U	0.00899 U	0.00199 U
	MW-343-17	04/13/20	PES	PACE	17	10.6	S	-	-	-	-	0.00109 U	0.00106 U	0.000800 U	0.000687 U	0.000867 U	0.000565 U	0.000697 U	0.000931 U	0.00843 U	0.00186 U
	MW-343-24	04/13/20	PES	PACE	24	3.6	S	-	-	-	-	0.00109 U	0.00106 U	0.000801 U	0.000688 U	0.000869 U	0.000566 U	0.000699 U	0.000933 U	0.00845 U	0.00187 U
	MW-343-28.5	04/13/20	PES	PACE	28.5	-0.9	S	-	-	-	-	0.00117 U	0.00114 U	0.000860 U	0.000739 U	0.000933 U	0.000607 U	0.000750 U	0.00100 U	0.00907 U	0.00200 U
	MW-343-35	04/13/20	PES	PACE	35	-7.4	S	-	-	-	-	0.00119 U	0.00115 U	0.000870 U	0.000747 U	0.000943 U	0.000614 U	0.000758 U	0.00101 U	0.00917 U	0.00203 U
	MW-343-38	04/13/20	PES	PACE	38	-10.4	S	-	-	-	-	0.00111 U	0.00108 U	0.000813 U	0.000698 U	0.000882 U	0.000574 U	0.000709 U	0.000946 U	0.00857 U	0.00190 U
	MW-343-44	04/13/20	PES	PACE	44	-16.4	S	-	-	-	-	0.00104 U	0.00102 U	0.000766 U	0.000658 U	0.000831 U	0.000541 U	0.000668 U	0.000892 U	0.00808 U	0.00179 U
	MW-343-47	04/13/20	PES	PACE	47	-19.4	S	-	-	-	-	0.00118 U	0.00115 U	0.000865 U	0.000743 U	0.000939 U	0.000611 U	0.000754 U	0.00101 U	0.00912 U	0.00202 U
	MW-343-51	04/13/20	PES	PACE	51	-23.4	S	-	-	-	-	0.00105 U	0.00103 U	0.000773 U	0.000664 U	0.000839 U	0.000546 U	0.000674 U	0.000900 U	0.00816 U	0.00180 U
	MW-343-55	04/13/20	PES	PACE	55	-27.4	S	-	-	-	-	0.00108 U	0.00105 U	0.000790 U	0.000679 U	0.000857 U	0.000558 U	0.000689 U	0.000920 U	0.00834 U	0.00184 U
	MW-343-62	04/13/20	PES	PACE	62	-34.4	S	-	-	-	-	0.00110 U	0.00107 U	0.000804 U	0.000691 U	0.000873 U	0.000568 U	0.000701 U	0.000936 U	0.00848 U	0.00187 U
	MW-343-68	04/13/20	PES	PACE	68	-40.4	S	-	-	-	-	0.00108 U	0.00105 U	0.000792 U	0.000681 U	0.000860 U	0.000560 U	0.000691 U	0.000922 U	0.00836 U	0.00185 U
	MW-343-73	04/13/20	PES	PACE	73	-45.4	S	-	-	-	-	0.00109 U	0.00106 U	0.000801 U	0.000688 U	0.000869 U	0.000566 U	0.000698 U	0.000932 U	0.00844 U	0.00187 U
	MW-343-79	04/13/20	PES	PACE	79	-51.4	S	-	-	-	-	0.00103 U	0.00100 U	0.000753 U	0.000647 U	0.000817 U	0.000532 U	0.000656 U	0.000876 U	0.00794 U	0.00175 U
	MW-343-82	04/13/20	PES	PACE	82	-54.4	S	-	-	-	-	0.00103 U	0.00100 U	0.000755 U	0.000648 U	0.000819 U	0.000533 U	0.000658 U	0.000878 U	0.00796 U	0.00176 U
	MW-343-86	04/13/20	PES	PACE	86	-58.4	S	-	-	-	-	0.00100 U	0.000978 U	0.000736 U	0.000632 U	0.000799 U	0.000520 U	0.000642 U	0.000857 U	0.00776 U	0.00172 U
	MW-343-93	04/13/20	PES	PACE	93	-65.4	S	-	-	-	-	0.00106 U	0.00103 U	0.000778 U	0.000669 U	0.000845 U	0.000550 U	0.000679 U	0.000906 U	0.00821 U	0.00181 U
	MW-343-99	04/13/20	PES	PACE	99	-71.4	S	-	-	-	-	0.00102 U	0.000991 U	0.000746 U	0.000641 U	0.000809 U	0.000527 U	0.000651 U	0.000868 U	0.00787 U	0.00174 U
	MW-343-102	04/14/20	PES	PACE	102	-74.4	S	-	-	-	-	0.00105 U	0.00102 U	0.000767 U	0.000659 U	0.000832 U	0.000542 U	0.000669 U	0.000892 U	0.00809 U	0.00179 U
	MW-2017-102	04/14/20	PES	PACE	102 (dup)	-74.4	S	-	-	-	-	0.00104 U	0.00101 U	0.000759 U	0.000652 U	0.000823 U	0.000536 U	0.000662 U	0.000883 U	0.00800 U	0.00177 U
	MW-343-106	04/14/20	PES	PACE	106	-78.4	S	-	-	-	-	0.00102 U	0.000990 U	0.000745 U	0.000640 U	0.000808 U	0.000526 U	0.000650 U	0.000867 U	0.00786 U	0.00174 U
	MW-343-108	04/14/20	PES	PACE	108	-80.4	S	-	-	-	-	0.00105 U	0.00102 U	0.000770 U	0.000662 U	0.000836 U	0.000544 U	0.000672 U	0.000897 U	0.00813 U	0.00180 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
PH22	PH22	04/17/18	PES	Fremont	0-3	-	V	-	-	-	-	0.0304 UJ	0.0304 U	0.0243 U	0.0243 UJ	-	0.0243 U	0.0243 U	0.0243 U	0.0243 U	0.0304 U
PH34	PH34	04/17/18	PES	Fremont	1.5-6.5	-	V	-	-	-	-	0.0240 UJ	0.0240 U	0.0192 U	0.0192 UJ	-	0.0192 U	0.0192 U	0.0192 U	0.0192 U	0.0240 U
PH38	PH38	04/17/18	PES	Fremont	1.5-4	-	V	-	-	-	-	0.0292 UJ	0.0292 U	0.0233 U	0.0233 UJ	-	0.0233 U	0.0233 U	0.0233 U	0.0233 U	0.0292 U
PH52	PH52	04/17/18	PES	Fremont	1-5	-	V	-	-	-	-	0.0282 UJ	0.0282 U	0.0226 U	0.0226 UJ	-	0.0226 U	0.0226 U	0.0226 U	0.0226 U	0.0282 U
PW-1	Composite	01/01/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PW-4	Composite	05/13/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW4	Unknown	10/22/92	Roux	Unknown	5	35.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	15	25.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	30	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW6 (33.3 to 23.3)	Unknown	10/27/92	Roux	Unknown	6	39.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	11	34.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	16	29.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RB1	RB1-17.5	10/18/93	Retec	AAL	17.5	18.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RB2	RB2-12.5	10/18/93	Retec	AAL	12.5	23.6	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RB2-17.5	10/18/93	Retec	AAL	17.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RB3	RB3-17.5	10/18/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B100	B-100, S1	06/10/02	Urban	F&BI	5-6.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-100, S2	06/10/02	Urban	F&BI	10-11.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B101	B-101- S1&2	06/17/02	Urban	F&BI	0-6	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-S3	06/17/02	Urban	F&BI	8	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B102	B102-S1	06/17/02	Urban	F&BI	0-3	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-S2	06/17/02	Urban	F&BI	4	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW101 (25.0 to 15.0)	MW101-S3	06/14/02	Urban	F&BI	16	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW102	MW-102, S1	06/10/02	Urban	F&BI	5-6.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-102, S2	06/10/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW103	MW103-S1&S2	06/14/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW105 (10.8 to 0.8)	MW-105, S2	06/10/02	Urban	F&BI	10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-105, S4	06/10/02	Urban	F&BI	20-21.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCLB-1	RS1-2.5/RS-1 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-12.5/RS1-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS-1 17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-22.5/RS-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCLB-2	RS2-2.5/RS-2 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-12.5/RS2-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-22.5/RS2-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
SSD-MW-1	MW-1 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-1 S-6	05/24/89	HC	Unknown	15-16.5	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-2	MW-2 S-3	05/24/89	HC	Unknown	7.5-9	31.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2 S-6	05/24/89	HC	Unknown	15-16.5	31.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-3	MW-3 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-3 S-5	05/24/89	HC	Unknown	12.5-14	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-4	MW-4 S-6	05/25/89	HC	Unknown	14.5-16	36.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-4 S-9	05/25/89	HC	Unknown	22-23	29.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SV-04	SV-04-6	06/29/20	PES	PACE	6	-	V	-	-	-	-	0.00123 U	0.00120 U	0.000901 U	0.000774 U	0.000977 U	0.000636 U	0.000785 U	0.00105 U	0.00950 U	0.00210 U
SV-05	SV-05-10	06/29/20	PES	PACE	10	-	V	-	-	-	-	0.00131 U	0.00128 U	0.000962 U	0.000827 U	0.00104 U	0.000680 U	0.000839 U	0.00112 U	0.0101 UJ	0.00224 U
SV-06	SV-06-6	06/29/20	PES	PACE	6	-	V	-	-	-	-	0.00121 U	0.00118 U	0.000887 U	0.000762 U	0.000962 U	0.000626 U	0.000773 U	0.00103 U	0.00935 UJ	0.00207 U
SV-07	SV-07-15	06/29/20	PES	PACE	15	-	V	-	-	-	-	0.00104 U	0.00101 U	0.000762 U	0.000654 U	0.000826 U	0.000538 U	0.000664 U	0.000887 U	0.00803 UJ	0.00178 U
SV-08	SV-08-6	06/30/20	PES	PACE	6	-	V	-	-	-	-	0.00132 U	0.00128 U	0.000966 U	0.000830 U	0.00105 U	0.000683 U	0.000843 U	0.00112 U	0.0102 UJ	0.00225 U
	SV-08-7.5	06/30/20	PES	PACE	7.5	-	V	-	-	-	-	0.00134 U	0.00131 U	0.000985 U	0.000846 U	0.00107 U	0.000696 U	0.000859 U	0.00115 U	0.0104 U	0.00230 U
SV-09	SV-09-5.5	07/01/20	PES	PACE	5.5	-	V	-	-	-	-	0.00125 U	0.00122 U	0.000920 U	0.000790 U	0.000998 U	0.000650 U	0.000802 U	0.00107 U	0.00970 U	0.00214 U
SV-10	SV-10-5.5	06/30/20	PES	PACE	5.5	-	V	-	-	-	-	0.00125 U	0.00122 U	0.000916 U	0.000787 U	0.000994 U	0.000647 U	0.000799 U	0.00107 U	0.00966 U	0.00214 U
SV-11	SV-11-10	06/30/20	PES	PACE	10	-	V	-	-	-	-	0.00127 U	0.00123 U	0.000929 U	0.000798 U	0.00101 U	0.000656 U	0.000810 U	0.00108 U	0.00980 U	0.00217 U
SV-12	SV-12-5.5	07/01/20	PES	PACE	5.5	-	V	-	-	-	-	0.00104 U	0.00101 U	0.000760 U	0.000653 U	0.000824 U	0.000537 U	0.000663 U	0.000884 U	0.00801 U	0.00177 U
SV-13	SV-13-10.5	07/01/20	PES	PACE	10.5	-	V	-	-	-	-	0.00122 U	0.00118 U	0.000891 U	0.000766 U	0.000967 U	0.000630 U	0.000777 U	0.00104 U	0.00940 U	0.00208 U
SV-14	SV-14-5.5	07/01/20	PES	PACE	5.5	-	V	-	-	-	-	0.00127 U	0.00123 U	0.000929 U	0.000798 U	0.00101 U	0.000656 U	0.000810 U	0.00108 U	0.00980 U	0.00217 U
SV-15	SV-15-13	07/01/20	PES	PACE	13	-	V	-	-	-	-	0.00123 U	0.00120 U	0.000902 U	0.000775 U	0.000979 U	0.000637 U	0.000786 U	0.00105 U	0.00951 U	0.00210 U
SV-16	SV-16-5	07/02/20	PES	PACE	5	-	V	-	-	-	-	0.00251 U	0.00244 U	0.00184 U	0.00159 U	0.00200 U	0.00130 U	0.00161 U	0.00215 U	0.0195 UJ	0.00431 U
	SV-100-5	07/02/20	PES	PACE	5 (dup)	-	V	-	-	-	-	0.00224 U	0.00219 U	0.00165 U	0.00142 U	0.00179 U	0.00117 U	0.00144 U	0.00192 U	0.0174 UJ	0.00385 U
SV-17	SV-17-4.5	07/02/20	PES	PACE	4.5	-	V	-	-	-	-	0.00186 U	0.00182 U	0.00137 U	0.00117 U	0.00148 U	0.000966 U	0.00119 U	0.00159 U	0.0144 U	0.00319 U
SV-18	SV-18-5.5	07/02/20	PES	PACE	5.5	-	V	-	-	-	-	0.00102 U	0.000995 U	0.000749 U	0.000643 U	0.000813 U	0.000529 U	0.000653 U	0.000872 U	0.00790 U	0.00175 U
SV-19	SV-19-5	07/09/20	PES	PACE	5	-	V	-	-	-	-	0.00102 U	0.000994 U	0.000748 U	0.000643 U	0.000812 U	0.000529 U	0.000653 U	0.000871 U	0.00789 U	0.00174 U
SV-20	SV-20-9	07/09/20	PES	PACE	9	-	V	-	-	-	-	0.00134 U	0.00131 U	0.000984 U	0.000845 U	0.00107 U	0.000695 U	0.000858 U	0.00115 U	0.0104 U	0.00229 U
SV-21	SV-21-6	07/09/20	PES	PACE	6	-	V	-	-	-	-	0.00104 U	0.00101 U	0.000762 U	0.000654 U	0.000826 U	0.000538 U	0.000664 U	0.000887 U	0.00803 U	0.00178 U
SV-22	SV-22-8.5	07/09/20	PES	PACE	8.5	-	V	-	-	-	-	0.00193 U	0.00188 U	0.00142 U	0.00122 U	0.00154 U	0.00100 U	0.00124 U	0.00165 U	0.0150 U	0.00331 U
SV-23	SV-23-4.5	07/09/20	PES	PACE	4.5	-	V	-	-	-	-	0.00143 U	0.00140 U	0.00105 U	0.000903 U	0.00114 U	0.000742 U	0.000916 U	0.00122 U	0.0111 U	0.00245 U
SV-24	SV-24-8	07/09/20	PES	PACE	8	-	V	-	-	-	-	0.00103 U	0.00100 U	0.000754 U	0.000648 U	0.000819 U	0.000533 U	0.000658 U	0.000878 U	0.00796 U	0.00176 U
SV-25	SV-25-4	07/10/20	PES	PACE	4	-	V	-	-	-	-	0.00125 U	0.00122 U	0.000915 U	0.000786 U	0.000993 U	0.000647 U	0.000798 U	0.00107 U	0.00965 U	0.00213 U
SV-26	SV-26-12	07/10/20	PES	PACE	12	-	V	-	-	-	-	0.00139 U	0.00135 U	0.00102 U	0.000874 U	0.00110 U	0.000719 U	0.000887 U	0.00118 U	0.0107 U	0.00237 U
SV-27	SV-27-5.5	07/10/20	PES	PACE	5.5	-	V	-	-	-	-	0.00124 U	0.00121 U	0.000912 U	0.000783 U	0.000989 U	0.000644 U	0.000795 U	0.00106 U	0.00962 U	0.00213 U
	SV-27-13.5	07/10/20	PES	PACE	13.5	-	V	-	-	-	-	0.00125 U	0.00121 U	0.000913 U	0.000784 U	0.000991 U	0.000645 U	0.000796 U	0.00106 U	0.00963 U	0.00213 U
TB-12	16	08/01/97	B&V	Unknown	62-63	-24.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TB-18	S-2	03/17/98	B&V	Unknown	5-6.5	38.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-8	03/17/98	B&V	Unknown	20-21.5	23.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-21	03/17/98	B&V	Unknown	57.5-59	1.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
T1	T1-2.5-071718	07/17/18	PES	Fremont	2.5	-	V	5.31 U	19.6 U	49.0 U	49.0 U	0.0265 U	0.0265 U	0.0212 U	0.0212 U	-	0.0212 U	0.0212 U	0.0212 U	0.0212 U	0.0265 U
T-2	T-2-071618	07/16/18	PES	Fremont	2	-	V	2.87 U	24.1 U	60.2 U	60.2 U	0.0143 U	0.0143 U	0.0115 U	0.0115 U	-	0.0115 U	0.0115 U	0.0115 U	0.0115 U	0.0143 U
T-2B	T-2B-071618	07/16/18	PES	Fremont	2	-	V	5.93 U	360	1,500	1,860	0.0297 U	0.0297 U	0.0237 U	0.0237 U	-	0.0237 U	0.0237 U	0.0237 U	0.0237 U	0.0297 U
T2	T2-6-071718	07/17/18	PES	Fremont	6	-	V	6.14 U	906	56.0 U	906	0.0307 U	0.0307 U	0.0245 U	0.0245 U	-	0.0245 U	0.0245 U	0.0245 U	0.0245 U	0.0307 U
T3	T3-3-071718	07/17/18	PES	Fremont	3	-	V	5.73 U	19.8 U	49.5 U	49.5 U	0.0287 U	0.0287 U	0.0229 U	0.0229 U	-	0.0229 U	0.0229 U	0.0229 U	0.0229 U	0.0287 U
T4	T4-6-071718	07/17/18	PES	Fremont	6	-	V	5.16 U	21.0 U	52.4 U	52.4 U	0.0258 U	0.0258 U	0.0206 U	0.0206 U	-	0.0206 U	0.0206 U	0.0206 U	0.0206 U	0.0258 U
T-5	T-5-071618	07/16/18	PES	Fremont	5	-	V	5.09 U	19.6 U	49.0 U	49.0 U	0.0255 U	0.0255 U	0.0204 U	0.0204 U	-	0.0204 U	0.0204 U	0.0204 U	0.0204 U	0.0255 U
T6	T6-4-071818	07/18/18	PES	Fremont	4	-	V	4.74 U	21.2 U	53.0 U	53.0 U	0.0237 U	0.0237 U	0.0189 U	0.0189 U	-	0.0189 U	0.0189 U	0.0189 U	0.0189 U	0.0237 U
T7	T7-7-071818	07/18/18	PES	Fremont	7	-	V	6.84 U	25.1 U	62.8 U	62.8 U	0.0342 U	0.0342 U	0.0274 U	0.0274 U	-	0.0274 U	0.0274 U	0.0274 U	0.0274 U	0.0342 U
T8	T8-3-072018	07/20/18	PES	Fremont	3	-	V	5.36 U	18.6 U	51.0	51.0	0.0268 U	0.0268 U	0.0214 U	0.0214 U	-	0.0214 U	0.0214 U	0.0214 U	0.0214 U	0.0268 U
T8	T8-6-072018	07/20/18	PES	Fremont	6	-	V	7.71 U	24.8 U	774	774	0.0377 U	0.0377 U	0.0301 U	0.0301 U	-	0.0301 U	0.0301 U	0.0301 U	0.0301 U	0.0377 U
T9	T9-3-072018	07/20/18	PES	Fremont	3	-	V	8.79	23.5 U	58.8 U	58.8 U	0.0437 U	0.0437 U	0.0350 U	0.0350 U	-	0.0350 U	0.0350 U	0.0350 U	0.0350 U	0.0437 U
T9	T9-3.5-072018	07/20/18	PES	Fremont	3.5	-	V	5.83 U	19.0 U	270	270	0.0291 U	0.0291 U	0.0233 U	0.0233 U	-	0.0233 U	0.0233 U	0.0233 U	0.0233 U	0.0291 U
T9	T9-6-072018	07/20/18	PES	Fremont	6	-	V	6.05 U	20.5 U	51.2 U	51.2 U	0.0303 U	0.0303 U	0.0242 U	0.0242 U	-	0.0242 U	0.0242 U	0.0242 U	0.0242 U	0.0303 U
T10	T10-3-072018	07/20/18	PES	Fremont	3	-	V	10.3 U	23.2 U	256	256	0.0513 U	0.0513 U	0.0411 U	0.0411 U	-	0.0411 U	0.0411 U	0.0411 U	0.0411 U	0.0513 U
T10	T10-6-072018	07/20/18	PES	Fremont	6	-	V	5.56 U	19.6 U	48.9 U	48.9 U	0.0278 U	0.0278 U	0.0222 U	0.0222 U	-	0.0222 U	0.0222 U	0.0222 U	0.0222 U	0.0278 U
T11	T11-3.5-073118	07/31/18	PES	Fremont	3.5	-	V	7.16 U	46.8 U	-	-	0.0358 U	0.0358 U	0.0286 U	0.0286 U	-	0.0286 U	0.0286 U	0.0286 U	0.0286 U	0.0358 U
T12	T12-3-091818	09/18/18	PES	Fremont	3	-	V	6.14 U	24.6 U	61.4 U	61.4 U	0.0307 U	0.0307 U	0.0245 U	0.0245 U	-	0.0245 U	0.0245 U	0.0245 U	0.0245 U	0.0307 U
T12	T12-7-091818	09/18/18	PES	Fremont	7	-	V	6.07 U	21.1 U	52.7 U	52.7 U	0.0303 U	0.0303 U	0.0243 U	0.0243 U	-	0.0243 U	0.0243 U	0.0243 U	0.0243 U	0.0303 U
T12	T12-7.5-073118	07/31/18	PES	Fremont	7.5	-	V	5.19 U	53.2 U	-	-	0.0259 U	0.0259 U	0.0207 U	0.0207 U	-	0.0207 U	0.0207 U	0.0207 U	0.0207 U	0.0259 U
T13	T13-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	5.67 U	20.1 U	50.2 U	50.2 U	0.0283 U	0.0283 U	0.0227 U	0.0227 U	-	0.0227 U	0.0227 U	0.0227 U	0.0227 U	0.0283 U
T13	T13-6.5-091818	09/18/18	PES	Fremont	6.5	-	V	5.00 U	20.7 U	51.6 U	51.6 U	0.0250 U	0.0250 U	0.0200 U	0.0200 U	-	0.0200 U	0.0200 U	0.0200 U	0.0200 U	0.0250 U
T14	T14-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	5.99 U	21.1 U	52.6 U	52.6 U	0.0300 U	0.0300 U	0.0240 U	0.0240 U	-	0.0240 U	0.0240 U	0.0240 U	0.0240 U	0.0300 U
T14	T14-7-091818	09/18/18	PES	Fremont	7	-	V	6.35 U	19.6 U	48.9 U	48.9 U	0.0318 U	0.0318 U	0.0254 U	0.0254 U	-	0.0254 U	0.0254 U	0.0254 U	0.0254 U	0.0318 U
TP-15	TP-15-3-092818	09/28/18	PES	Fremont	3	-	V	6.09 U	21.8 U	54.6 U	54.6 U	0.0304 U	0.0304 U	0.0244 U	0.0244 U	-	0.0244 U	0.0244 U	0.0244 U	0.0244 U	0.0304 U
TP-15	TP-15-6.5-092818	09/28/18	PES	Fremont	6.5	-	V	6.25 U	21.7 U	73.2	73.2	0.0313 U	0.0313 U	0.0250 U	0.0250 U	-	0.0250 U	0.0250 U	0.0250 U	0.0250 U	0.0313 U
TP-16	TP-16-3-092818	09/28/18	PES	Fremont	3	-	V	8.52 U	23.9 U	170	170	0.0426 U	0.0426 U	0.0341 U	0.0341 U	-	0.0341 U	0.0341 U	0.0341 U	0.0341 U	0.0426 U
TP-16	TP-16-6-092818	09/28/18	PES	Fremont	6	-	V	8.92 U	22.6 U	114	114	0.0446 U	0.0446 U	0.0357 U	0.0357 U	-	0.0357 U	0.0357 U	0.0357 U	0.0357 U	0.0446 U
TP-16	TP-16-9-092818	09/28/18	PES	Fremont	9	-	V	5.25 U	22.2 U	55.6 U	55.6 U	0.0263 U	0.0263 U	0.0210 U	0.0210 U	-	0.0210 U	0.0210 U	0.0210 U	0.0210 U	0.0263 U
TP-SD-01	TP-SD-01-2	06/03/19	PES	Fremont	2	-	V	4.29 U	19.2 U	47.9 U	47.9 U	0.0214 U	0.0214 U	0.0172 U	0.0172 U	-	0.0172 U	0.0172 U	0.0172 U	0.0172 U	0.0214 U
TP-SD-01	TP-SD-01-5	06/03/19	PES	Fremont	5	-	V	5.34 U	22.7 U	59.0	59.0	0.0267 U	0.0267 U	0.0213 U	0.0213 U	-	0.0213 U	0.0213 U	0.0213 U	0.0213 U	0.0267 U
TP-SD-04	TP-SD-04-2	06/03/19	PES	Fremont	2	-	V	5.04 U	21.1 U	52.6 U	52.6 U	0.0252 U	0.0252 U	0.0202 U	0.0202 U	-	0.0202 U	0.0202 U	0.0202 U	0.0202 U	0.0252 U
TP-SD-04	TP-SD-04-5	06/03/19	PES	Fremont	5	-	V	5.44 U	23.7 U	59.1 U	59.1 U	0.0272 U	0.0272 U	0.0218 U	0.0218 U	-	0.0218 U	0.0218 U	0.0218 U	0.0218 U	0.0272 U
TP-SD-05	TP-SD-05-2	06/03/19	PES	Fremont	2	-	V	5.17 U	22.0 U	55.1 U	55.1 U	0.0258 U	0.0258 U	0.0207 U	0.0207 U	-	0.0207 U	0.0207 U	0.0207 U	0.0207 U	0.0258 U
TP-SD-05	TP-SD-05-5	06/03/19	PES	Fremont	5	-	V	5.85 U	23.3 U	58.3 U	58.3 U	0.0292 U	0.0292 U	0.0234 U	0.0234 U	-	0.0234 U	0.0234 U	0.0234 U	0.0234 U	0.0292 U
TP-SD-06	TP-SD-06-2	06/03/19	PES	Fremont	2	-	V	6.88 U	18.8 U	47.0 U	47.0 U	0.0344 U	0.0344 U	0.0275 U	0.0275 U	-	0.0275 U	0.0275 U	0.0275 U	0.0275 U	0.0344 U
TP-SD-06	TP-SD-06-5	06/03/19	PES	Fremont	5	-	V	5.44 U	21.6 U	54.0 U	54.0 U	0.0272 U	0.0272 U	0.0218 U	0.0218 U	-	0.0218 U	0.0218 U	0.0218 U	0.0218 U	0.0272 U
TP-SD-07	TP-SD-07-2	06/03/19	PES	Fremont	2	-	V	4.35 U	20.8 U	52.0 U	52.0 U	0.0217 U	0.0217 U	0.0174 U	0.0174 U	-	0.0174 U	0.0174 U	0.0174 U	0.0174 U	0.0217 U
TP-SD-07	B-942-2	06/03/19	PES	Fremont	2 (dup)	-	V	4.66 U	19.8 U	49.5 U	49.5 U	0.0233 U	0.0233 U	0.0186 U	0.0186 U	-	0.0186 U	0.0186 U	0.0186 U	0.0186 U	0.0233 U
TP-SD-07	TP-SD-07-5	06/03/19	PES	Fremont	5	-	V	4.24 U	21.4 U	53.5 U	53.5 U	0.0212 U	0.0212 U	0.0169 U	0.0169 U	-	0.0169 U	0.0169 U	0.0169 U	0.0169 U	0.0212 U
TP-SD-08	TP-SD-08-2	06/03/19	PES	Fremont	2	-	V	4.83 U	21.2 U	52.9 U	52.9 U	0.0242 U	0.0242 U	0.0193 U	0.0193 U	-	0.0193 U	0.0193 U	0.0193 U	0.0193 U	0.0242 U
TP-SD-08	TP-SD-08-5	06/03/19	PES	Fremont	5	-	V	4.15 U	19.6 U	48.9 U	48.9 U	0.0207 U	0.0207 U	0.0166 U	0.0166 U	-	0.0166 U	0.0166 U	0.0166 U	0.0166 U	0.0207 U
TP-SD-08	TP-SD-08-8	06/03/19	PES	Fremont	8	-	S	4.98 U	21.6 U	54.1 U	54.1 U	0.0249 U	0.0249 U	0.0199 U	0.0199 U	-	0.0199 U	0.0199 U	0.0199 U	0.0199 U	0.0249 U
W-MW-01 (P-03) (-25.1 to -35.1)	SB-W-03-0160	01/27/12	WW	ARI	16-16.5	28.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0225	01/27/12	WW	ARI	22.5-23	21.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0315	01/27/12	WW	ARI	31.5-32	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0450	01/27/12	WW	ARI	45-45.5	-0.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0550	01/27/12	WW	ARI	55.5-56	-11.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07	
W-MW-01 (P-03) (continued)	SB-W-03-0645	01/27/12	WW	ARI	64.5-65	-20.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-03-0730	01/27/12	WW	ARI	73-73.5	-28.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
W-MW-02 (P-06) (-26.5 to -36.5)	SB-W-06-0900	01/29/12	WW	ARI	9-9.5	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0185	01/29/12	WW	ARI	18.5-19	24.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0305	01/30/12	WW	ARI	30.5-31	12.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0380	01/30/12	WW	ARI	38-38.5	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0405	01/30/12	WW	ARI	40.5-41	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0485	01/30/12	WW	ARI	48.5-49	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-9485	01/30/12	WW	ARI	48.5-49 (dup)	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0590	01/30/12	WW	ARI	59-59.5	-16.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0715	01/30/12	WW	ARI	71.5-72	-28.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0790	01/31/12	WW	ARI	79-79.5	-36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Data								Number of Analytes Measured	135	46	44	44	644	644	644	644	598	644	644	644	644	644
								Number of Analytes Detected	40	6	11	14	0	2	1	0	0	3	24	0	2	0
								Frequency of Detection	29.6%	13.0%	25.0%	31.8%	0.0%	0.3%	0.2%	0.0%	0.5%	3.7%	0.0%	0.3%	0.0%	
								Maximum Detection	717	906	1500	1860	-	0.00172 J	0.000946 J	-	0.00317	0.0242 J	-	0.00136 J	-	
								Minimum Detection	0.0376 U	2.34	4.03 U	5.04	0.000274 U	0.000275 U	0.000379 U	0.000288 U	0.000379 U	0.000207 U	0.000315 U	0.000329 U	0.000318 U	0.00077 U
								Number Of Vadose (V) Detections above SL	2	0	0	0	0	0	0	0	0	0	0	-	0	0
								Number of Saturated (S) Detections above SL	5	0	0	0	0	0	0	0	0	0	4	-	0	0
2017-2021								Number of Analytes Measured	135	46	44	44	644	644	644	644	598	644	644	644	644	644
								Number of Analytes Detected	40	6	11	14	0	2	1	0	0	3	24	0	2	0
								Frequency of Detection	29.6%	13.0%	25.0%	31.8%	0.0%	0.3%	0.2%	0.0%	0.5%	3.7%	0.0%	0.3%	0.0%	
								Maximum Detection	717	906	1500	1860	-	0.00172 J	0.000946 J	-	0.00317	0.0242 J	-	0.00136 J	-	
								Minimum Detection	0.0376 U	2.34	4.03 U	5.04	0.000274 U	0.000275 U	0.000379 U	0.000288 U	0.000379 U	0.000207 U	0.000315 U	0.000329 U	0.000318 U	0.00077 U
								Number Of Vadose (V) Detections above SL	2	0	0	0	0	0	0	0	0	0	0	-	0	0
								Number of Saturated (S) Detections above SL	5	0	0	0	0	0	0	0	0	0	4	-	0	0
Abbreviations:								Notes:														
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.														
ARI = Analytical Resource, Incorporated, Seattle, Washington								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.														
B&V = Black Veatch								Well screen elevations provided below Sample Location. in parentheses when applicable.														
bgs = below ground surface								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.														
Comp = Composite Sample								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.														
dup = duplicate								Detected results shown in bold .														
EPJ = E.PJohnson Construction Inc., and Environmental								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .														
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .														
F&BI = Friedman & Bruya, Inc.								- = Not available or results not analyzed.														
HC = Hart Crowser, Inc.								B = Analyte detected in an associated method blank.														
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.														
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.														
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.														
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.														
Roux = Roux Associates								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample														
Urban = Urban Redevelopment LLC								T = Analyte also detected in trip blank.														
WW = WW Environmental LLC								U = Not detected at a concentration exceeding laboratory reporting limit														
								ve = Estimated value. The reported range exceeds the calibration range of the analysis.														
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.														

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-1A	B-1/S-2	12/01/89	HC	ARI	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2A	B-2/S-1	12/01/89	HC	ARI	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-212	B-212-15	09/08/17	PES	ESC	15	42.6	V	0.000331 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	B-212-21	09/08/17	PES	ESC	21	36.6	S	0.0237 J	0.000403 U	0.0435	0.00109 U	0.000356 U	0.000317 U	0.000275 U	0.000372 U	0.000372 U	0.000248 U	0.000215 U	0.000235 U	0.000290 U
	B-212-35	09/08/17	PES	ESC	35	22.6	S	0.000313 U	0.000423 U	0.000230 U	0.00115 U	0.000374 U	0.000333 U	0.000289 U	0.000390 U	0.000290 U	0.000261 U	0.000226 U	0.000246 U	0.000304 U
	B-212-45	09/08/17	PES	ESC	45	12.6	S	0.000300 U	0.000406 U	0.000221 U	0.00110 U	0.000359 U	0.000319 U	0.000277 U	0.000375 U	0.000278 U	0.000250 U	0.000217 U	0.000236 U	0.000292 U
	B-907-25	09/08/17	PES	ESC	45 (dup)	12.6	S	0.00858 U	0.0116 U	0.00631 U	0.0313 U	0.0103 U	0.00911 U	0.00791 U	0.0107 U	0.00795 U	0.00715 U	0.00619 U	0.00675 U	0.00834 U
	B-212-55	09/08/17	PES	ESC	55	2.6	S	0.000324 U	0.000438 U	0.000238 U	0.00118 U	0.000387 U	0.000344 U	0.000299 U	0.000404 U	0.000300 U	0.000270 U	0.000234 U	0.000255 U	0.000315 U
	B-212-65	09/08/17	PES	ESC	65	-7.4	S	0.000333 U	0.000450 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000277 U	0.000240 U	0.000262 U	0.000324 U
	B-212-75	09/08/17	PES	ESC	75	-17.4	S	0.000334 U	0.000451 U	0.000245 U	0.00122 U	0.000399 U	0.000355 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000241 U	0.000263 U	0.000324 U
	B-212-85	09/11/17	PES	ESC	85	-27.4	S	0.000326 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000317 U
	B-212-95	09/11/17	PES	ESC	95	-37.4	S	0.000375 U	0.000507 U	0.000276 U	0.00137 U	0.000448 U	0.000399 U	0.000346 U	0.000468 U	0.000347 U	0.000313 U	0.000270 U	0.000295 U	0.000365 U
	B-212-100	09/11/17	PES	ESC	100	-42.4	S	0.000346 U	0.000468 U	0.000255 U	0.00127 U	0.000414 U	0.000368 U	0.000320 U	0.000432 U	0.000321 U	0.000288 U	0.000250 U	0.000273 U	0.000337 U
B-213	B-213-15	09/05/17	PES	ESC	15	42.4	V	0.000333 U	0.000450 U	0.000365 J	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	B-213-21.5	09/05/17	PES	ESC	22	35.9	S	0.0392	0.000404 U	0.0661	0.00109 U	0.000357 U	0.000318 U	0.000276 U	0.000373 U	0.0155	0.000249 U	0.000216 U	0.000236 U	0.000291 U
	B-213-35	09/05/17	PES	ESC	35	22.4	S	0.000311 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000302 U
	B-213-45	09/05/17	PES	ESC	45	12.4	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000229 U	0.000251 U	0.000309 U
	B-213-55	09/05/17	PES	ESC	55	2.4	S	0.000312 U	0.000422 U	0.000230 U	0.00114 U	0.000373 U	0.000332 U	0.000288 U	0.000390 U	0.000290 U	0.000260 U	0.000225 U	0.000246 U	0.000304 U
	B-213-65	09/05/17	PES	ESC	65	-7.6	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000377 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	B-213-75	09/05/17	PES	ESC	75	-17.6	S	0.000314 U	0.000424 U	0.000231 U	0.00115 U	0.000375 U	0.000333 U	0.000290 U	0.000391 U	0.000291 U	0.000261 U	0.000226 U	0.000247 U	0.000305 U
	B-213-85	09/05/17	PES	ESC	85	-27.6	S	0.000350 U	0.000473 U	0.000257 U	0.00128 U	0.000418 U	0.000372 U	0.000323 U	0.000436 U	0.000324 U	0.000291 U	0.000252 U	0.000276 U	0.000340 U
	B-213-95	09/06/17	PES	ESC	95	-37.6	S	0.000355 U	0.000479 U	0.000261 U	0.00130 U	0.000424 U	0.000377 U	0.000327 U	0.000442 U	0.000329 U	0.000295 U	0.000256 U	0.000279 U	0.000345 U
	B-213-105	09/06/17	PES	ESC	105	-47.6	S	0.000330 U	0.000446 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	B-906-110	09/06/17	PES	ESC	105 (dup)	-47.6	S	0.000330 U	0.000445 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000238 U	0.000259 U	0.000320 U
	B-213-115	09/06/17	PES	ESC	115	-57.6	S	0.000352 U	0.000476 U	0.000259 U	0.00129 U	0.000421 U	0.000374 U	0.000325 U	0.000439 U	0.000326 U	0.000293 U	0.000254 U	0.000277 U	0.000342 U
	B-213-125	09/06/17	PES	ESC	125	-67.6	S	0.000425 U	0.000575 U	0.000312 U	0.00156 U	0.000507 U	0.000452 U	0.000392 U	0.000530 U	0.000394 U	0.000354 U	0.000307 U	0.000334 U	0.000413 U
B-214	B-214-15	09/07/17	PES	ESC	15	42.4	V	0.000308 U	0.000416 U	0.000226 U	0.00113 U	0.000368 U	0.000327 U	0.000284 U	0.000384 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	B-214-25	09/07/17	PES	ESC	25	32.4	S	0.000303 U	0.000410 U	0.000223 U	0.00111 U	0.000363 U	0.000322 U	0.000280 U	0.000378 U	0.000281 U	0.000253 U	0.000219 U	0.000239 U	0.000295 U
	B-214-35	09/07/17	PES	ESC	35	22.4	S	0.000312 U	0.000421 U	0.000228 U	0.00114 U	0.000372 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000245 U	0.000303 U
	B-214-45	09/07/17	PES	ESC	45	12.4	S	0.000305 U	0.000413 U	0.000225 U	0.00112 U	0.000365 U	0.000325 U	0.000282 U	0.000381 U	0.000283 U	0.000254 U	0.000220 U	0.000241 U	0.000297 U
	B-214-55	09/07/17	PES	ESC	55	2.4	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000310 U
	B-214-65	09/07/17	PES	ESC	65	-7.6	S	0.000369 U	0.000499 U	0.000272 U	0.00135 U	0.000441 U	0.000393 U	0.000341 U	0.000461 U	0.000342 U	0.000308 U	0.000266 U	0.000291 U	0.000359 U
	B-214-75	09/07/17	PES	ESC	75	-17.6	S	0.000319 U	0.000431 U	0.000234 U	0.00117 U	0.000381 U	0.000339 U	0.000294 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	B-214-85	09/07/17	PES	ESC	85	-27.6	S	0.000345 U	0.000466 U	0.000254 U	0.00126 U	0.000412 U	0.000367 U	0.000319 U	0.000430 U	0.000320 U	0.000287 U	0.000249 U	0.000272 U	0.000335 U
	B-908-100	09/07/17	PES	ESC	85 (dup)	-27.6	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000253 U	0.000312 U
	B-214-95	09/07/17	PES	ESC	95	-37.6	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000377 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	B-214-105	09/07/17	PES	ESC	105	-47.6	S	0.000363 U	0.000491 U	0.000267 U	0.00133 U	0.000434 U	0.000386 U	0.000335 U	0.000453 U	0.000337 U	0.000302 U	0.000262 U	0.000286 U	0.000353 U
	B-214-115	09/11/17	PES	ESC	115	-57.6	S	0.000350 U	0.000473 U	0.000257 U	0.00128 U	0.000418 U	0.000372 U	0.000323 U	0.000437 U	0.000324 U	0.000292 U	0.000252 U	0.000276 U	0.000340 U
	B-214-120	09/11/17	PES	ESC	120	-62.6	S	0.000339 U	0.000458 U	0.000249 U	0.00124 U	0.000405 U	0.000360 U	0.000313 U	0.000423 U	0.000314 U	0.000282 U	0.000244 U	0.000267 U	0.000329 U
B-215	B-215-15	09/12/17	PES	ESC	15	39.0	V	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000303 U
	B-215-25	09/12/17	PES	ESC	25	29.0	S	0.000307 U	0.000415 U	0.000226 U	0.00112 U	0.000367 U	0.000326 U	0.000284 U	0.000383 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	B-215-35	09/12/17	PES	ESC	35	19.0	S	0.000338 U	0.000457 U	0.000249 U	0.00124 U	0.000404 U	0.000360 U	0.000312 U	0.000422 U	0.000314 U	0.000282 U	0.000244 U	0.000266 U	0.000329 U
	B-215-45	09/12/17	PES	ESC	45	9.0	S	0.000305 U	0.000413 U	0.000225 U	0.00112 U	0.000365 U	0.000325 U	0.000282 U	0.000381 U	0.000283 U	0.000254 U	0.000220 U	0.000240 U	0.000297 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-215 (continued)	B-215-55	09/12/17	PES	ESC	55	-1.1	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000293 U	0.000396 U	0.000295 U	0.000265 U	0.000229 U	0.000250 U	0.000309 U
	B-215-65	09/12/17	PES	ESC	65	-11.1	S	0.00821 U	0.0111 U	0.00604 U	0.0300 U	0.00981 U	0.00872 U	0.00757 U	0.0102 U	0.00761 U	0.00684 U	0.00592 U	0.00646 U	0.00798 U
	B-215-75	09/12/17	PES	ESC	75	-21.1	S	0.000316 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	B-215-85	09/13/17	PES	ESC	85	-31.1	S	0.000346 U	0.000468 U	0.000254 U	0.00127 U	0.000413 U	0.000368 U	0.000319 U	0.000432 U	0.000321 U	0.000288 U	0.000250 U	0.000272 U	0.000336 U
	B-909-115	09/13/17	PES	ESC	85 (dup)	-31.1	S	0.000322 U	0.000435 U	0.000236 U	0.00118 U	0.000384 U	0.000342 U	0.000297 U	0.000401 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
	B-215-95	09/13/17	PES	ESC	95	-41.1	S	0.000344 U	0.000464 U	0.000253 U	0.00126 U	0.000411 U	0.000365 U	0.000317 U	0.000428 U	0.000318 U	0.000286 U	0.000248 U	0.000271 U	0.000334 U
B-268	B-268-1	03/17/20	PES	PACE	1	-	V	0.00143 U	0.00598 U	0.00144 U	0.00633 U	0.000651 U	0.00180 U	0.000589 U	0.00158 U	0.00134 U	0.00211 U	0.00217 U	0.00244 U	0.000984 U
B-269	B-269-1.5	03/17/20	PES	PACE	1.5	-	V	0.0140	0.00526 U	0.0187	0.00557 U	0.000573 U	0.00158 U	0.000519 U	0.00139 U	0.00742	0.00186 U	0.00191 U	0.00215 U	0.000866 U
B-270	B-270-2	03/17/20	PES	PACE	2	-	V	0.166	0.00583 U	0.0133	0.00617 U	0.000635 U	0.00175 U	0.000575 U	0.00154 U	0.0947	0.00206 U	0.00212 U	0.00238 U	0.000959 U
B-271	B-271-1	03/17/20	PES	PACE	1	-	V	0.00126 J	0.00518 U	0.00125 U	0.00548 U	0.000564 U	0.00156 U	0.000510 U	0.00136 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000851 U
B-272	B-272-1	03/17/20	PES	PACE	1	-	V	0.00395 J	0.00568 U	0.00304 J	0.00601 U	0.000619 U	0.00171 U	0.000560 U	0.00150 U	0.00162 J	0.00200 U	0.00206 U	0.00232 U	0.000935 U
	B-272-6	03/17/20	PES	PACE	6	-	V	0.00142 U	0.00596 U	0.00144 U	0.00631 U	0.000650 U	0.00179 U	0.000588 U	0.00157 U	0.00134 U	0.00210 U	0.00217 U	0.00244 U	0.000981 U
B-273	B-273-1	03/17/20	PES	PACE	1	-	V	0.00258 J	0.00541 U	0.00259 J	0.00572 U	0.000589 U	0.00163 U	0.000533 U	0.00143 U	0.00128 J	0.00191 U	0.00196 U	0.00221 U	0.000890 U
	B-273-3	03/17/20	PES	PACE	3	-	V	0.00197 J	0.00533 U	0.00181 J	0.00564 U	0.000580 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00218 U	0.000876 U
	B-273-6	03/17/20	PES	PACE	6	-	V	0.00433 J	0.0107 U	0.00572 J	0.0113 U	0.00116 U	0.00321 U	0.00105 U	0.00282 U	0.00321 J	0.00377 U	0.00388 U	0.00437 U	0.00176 U
B-274	B-274-1	03/17/20	PES	PACE	1	-	V	0.00623	0.00542 U	0.00720	0.00574 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00260 J	0.00191 U	0.00197 U	0.00222 U	0.000892 U
	B-274-3	03/17/20	PES	PACE	3	-	V	0.00206 J	0.00522 U	0.00184 J	0.00552 U	0.000568 U	0.00157 U	0.000514 U	0.00138 U	0.00130 J	0.00184 U	0.00189 U	0.00213 U	0.000859 U
	B-274-6	03/17/20	PES	PACE	6	-	V	0.00608 J	0.00856 U	0.00667 J	0.00906 U	0.000934 U	0.00257 U	0.000845 U	0.00226 U	0.00298 J	0.00303 U	0.00312 U	0.00351 U	0.00141 U
B-275	B-275-1	03/17/20	PES	PACE	1	-	V	0.00143 J	0.00566 U	0.00136 U	0.00599 U	0.000616 U	0.00170 U	0.000558 U	0.00149 U	0.00127 U	0.00200 U	0.00205 U	0.00231 U	0.000931 U
	B-275-6	03/17/20	PES	PACE	6	-	V	0.0491	0.00893 U	0.0601	0.00945 U	0.000972 U	0.00269 U	0.000879 U	0.00234 U	0.0219	0.00315 U	0.00324 U	0.00365 U	0.00147 U
	B-275-9	03/17/20	PES	PACE	9	-	S	0.00306 J	0.00742 U	0.00182 J	0.00785 U	0.000808 U	0.00223 U	0.000731 U	0.00195 U	0.00166 U	0.00262 U	0.00269 U	0.00303 U	0.00122 U
	B-275-10	03/17/20	PES	PACE	10	-	S	0.00126 U	0.00530 U	0.00128 U	0.00561 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
B-276	B-276-1	03/17/20	PES	PACE	1	-	V	0.00212 U	0.00890 U	0.00214 U	0.00941 U	0.000969 U	0.00267 U	0.000876 U	0.00234 U	0.00199 U	0.00313 U	0.00323 U	0.00363 U	0.00147 U
	B-276-7	03/17/20	PES	PACE	7	-	V	0.00127 U	0.00533 U	0.00128 U	0.00564 U	0.000581 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00194 U	0.00218 U	0.000877 U
	B-970-6	03/17/20	PES	PACE	7 (dup)	-	V	0.00127 U	0.00533 U	0.00128 U	0.00564 U	0.000581 U	0.00160 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000878 U
	B-276-11	03/17/20	PES	PACE	11	-	S	0.00134 U	0.00563 U	0.00135 U	0.00596 U	0.000613 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00199 U	0.00204 U	0.00230 U	0.000926 U
B-277	B-277-1	03/18/20	PES	PACE	1	-	V	0.00145 U	0.00608 U	0.00146 U	0.00643 U	0.000662 U	0.00183 U	0.000599 U	0.00160 U	0.00136 U	0.00214 U	0.00221 U	0.00248 U	0.00100 U
	B-277-3	03/18/20	PES	PACE	3	-	V	0.00126 U	0.00530 U	0.00127 U	0.00560 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000871 U
	B-277-5	03/18/20	PES	PACE	5	-	V	0.00190 U	0.00796 U	0.00192 U	0.00842 U	0.000867 U	0.00239 U	0.000784 U	0.00210 U	0.00178 U	0.00281 U	0.00289 U	0.00325 U	0.00131 U
	B-277-9.5	03/18/20	PES	PACE	9.5	-	V	0.00874 J	0.0114 U	0.00790 J	0.0121 U	0.00125 U	0.00345 U	0.00113 U	0.00301 U	0.00291 J	0.00403 U	0.00417 U	0.00469 U	0.00189 U
	B-277-11	03/18/20	PES	PACE	11	-	S	0.00124 U	0.00520 U	0.00125 U	0.00550 U	0.000567 U	0.00156 U	0.000513 U	0.00137 U	0.00117 U	0.00183 U	0.00189 U	0.00213 U	0.000856 U
B-278	B-278-3	03/18/20	PES	PACE	3	-	V	0.00128 U	0.00538 U	0.00129 U	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.00142 U	0.00121 U	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	B-278-6	03/18/20	PES	PACE	6	-	V	0.00128 U	0.00534 U	0.00129 U	0.00566 U	0.000582 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00189 U	0.00194 U	0.00218 U	0.000879 U
B-279	B-279-3	03/18/20	PES	PACE	3	-	V	0.00130 U	0.00547 U	0.00132 U	0.00578 U	0.000595 U	0.00164 U	0.000539 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000899 U
	B-279-5	03/18/20	PES	PACE	5	-	V	0.00129 U	0.00539 U	0.00130 U	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000887 U
	B-279-10	03/18/20	PES	PACE	10	-	V	0.00125 U	0.00524 U	0.00126 U	0.00554 U	0.000570 U	0.00158 U	0.000516 U	0.00138 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000862 U
B-280	B-280-4.5	03/18/20	PES	PACE	4.5	-	V	0.00119 U	0.00499 U	0.00120 U	0.00528 U	0.000544 U	0.00150 U	0.000492 U	0.00132 U	0.00112 U	0.00176 U	0.00181 U	0.00204 U	0.000821 U
	B-280-6	03/18/20	PES	PACE	6	-	V	0.00125 U	0.00524 U	0.00126 U	0.00555 U	0.000571 U	0.00158 U	0.000517 U	0.00138 U	0.00118 U	0.00185 U	0.00190 U	0.00214 U	0.000863 U
B-281	B-281-2	03/18/20	PES	PACE	2	-	V	0.00170 J	0.00504 U	0.00121 U	0.00533 U	0.000549 U	0.00152 U	0.000497 U	0.00133 U	0.00113 U	0.00178 U	0.00183 U	0.00206 U	0.000829 U
	B-281-5	03/18/20	PES	PACE	5	-	V	0.00130 U	0.00546 U	0.00131 U	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000899 U
B-282	B-282-2	03/18/20	PES	PACE	2	-	V	0.00131 U	0.00550 U	0.00132 U	0.00581 U	0.000599 U	0.00165 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000904 U
	B-282-4	03/18/20	PES	PACE	4	-	V	0.00127 U	0.00532 U	0.00128 U	0.00563 U	0.000580 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00218 U	0.000876 U
	B-971-5	03/18/20	PES	PACE	4 (dup)	-	V	0.00122 U	0.00513 U	0.00123 U	0.00543 U	0.000559 U	0.00154 U	0.000506 U	0.00135 U	0.00115 U	0.00181 U	0.00186 U	0.00210 U	0.000844 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
B-283	B-283-0.5	08/19/20	PES	PACE	0.5	-	V	0.00597 J	0.00529 U	0.00257 J	0.00469 U	0.000779 U	0.000511 U	0.000781 U	0.00171 U	0.00317 J	0.000722 U	0.000603 U	0.000842 U	0.00166 U
B-284	B-284-1	08/19/20	PES	PACE	1	-	V	0.00296 J	0.00528 U	0.00630	0.00468 U	0.000778 U	0.000510 U	0.000779 U	0.00170 U	0.00240 U	0.000720 U	0.000601 U	0.000840 U	0.00166 U
B-285	B-285-1	08/19/20	PES	PACE	1	-	V	0.00444 J	0.00574 U	0.00434 J	0.00510 U	0.000846 U	0.000555 U	0.000847 U	0.00186 U	0.00261 U	0.000784 U	0.000654 U	0.000914 U	0.00180 U
B-286	B-286-0.5	08/19/20	PES	PACE	0.5	-	V	0.00472 J	0.0117 U	0.0118 J	0.0104 U	0.00172 U	0.00113 U	0.00172 U	0.00378 U	0.00532 U	0.00160 U	0.00133 U	0.00187 U	0.00367 U
B-287	B-287-1	08/19/20	PES	PACE	1	-	V	0.00411 U	0.0114 U	0.00411 U	0.0101 U	0.00168 U	0.00110 U	0.00169 U	0.00368 U	0.00520 U	0.00156 U	0.00130 U	0.00182 U	0.00359 U
B-288	B-288-1	08/19/20	PES	PACE	1	-	V	0.0206 J	0.0233 U	0.0616	0.0207 U	0.00344 U	0.00226 U	0.00344 U	0.00753 U	0.0194 J	0.00318 U	0.00266 U	0.00371 U	0.00731 U
B-289	B-289-0.5	08/19/20	PES	PACE	0.5	-	V	0.0175 J	0.0192 U	0.0198 J	0.0170 U	0.00283 U	0.00185 U	0.00283 U	0.00618 U	0.00873 U	0.00262 U	0.00219 U	0.00305 U	0.00602 U
B-290	B-290-1	08/20/20	PES	PACE	1	-	V	0.00591 J	0.00695 U	0.0108	0.00615 U	0.00102 U	0.000671 U	0.00102 U	0.00224 U	0.00367 J	0.000947 U	0.000790 U	0.00110 U	0.00218 U
B-291	B-291-1	08/20/20	PES	PACE	1	-	V	0.00299 J	0.00596 U	0.00441 J	0.00529 U	0.000878 U	0.000576 U	0.000879 U	0.00193 U	0.00271 U	0.000813 U	0.000679 U	0.000949 U	0.00187 U
B-292	B-292-3	08/22/20	PES	PACE	3	-	V	0.00199 U	0.00554 U	0.00199 U	0.00491 U	0.000815 U	0.000535 U	0.000817 U	0.00179 U	0.00252 U	0.000755 U	0.000630 U	0.000881 U	0.00174 U
	B-292-6	08/22/20	PES	PACE	6	-	V	0.00205 U	0.00572 U	0.00205 U	0.00507 U	0.000842 U	0.000553 U	0.000844 U	0.00185 U	0.00260 U	0.000780 U	0.000651 U	0.000910 U	0.00179 U
	B-292-9	08/22/20	PES	PACE	9	-	V	0.00187 U	0.00520 U	0.00187 U	0.00461 U	0.000766 U	0.000502 U	0.000767 U	0.00168 U	0.00236 U	0.000709 U	0.000592 U	0.000827 U	0.00163 U
	B-292-12	08/22/20	PES	PACE	12	-	V	0.00207 U	0.00578 U	0.00207 U	0.00512 U	0.000851 U	0.000558 U	0.000852 U	0.00186 U	0.00263 U	0.000788 U	0.000658 U	0.000919 U	0.00181 U
B-293	B-293-1	08/26/20	PES	PACE	1	-	V	0.00175 U	0.00488 U	0.00175 U	0.00432 U	0.000718 U	0.000471 U	0.000719 U	0.00157 U	0.00222 U	0.000665 U	0.000555 U	0.000776 U	0.00153 U
B-294	B-294-1	08/26/20	PES	PACE	1	-	V	0.0107	0.00618 U	0.0136	0.00547 U	0.000910 U	0.000597 U	0.000911 U	0.00199 U	0.00538 J	0.000842 U	0.000703 U	0.000983 U	0.00194 U
	B-294-2	08/26/20	PES	PACE	2	-	V	0.0592	0.0128 U	0.0590	0.0113 U	0.00188 U	0.00123 U	0.00188 U	0.00412 U	0.0278	0.00174 U	0.00146 U	0.00203 U	0.00402 U
	B-294-6	08/26/20	PES	PACE	6	-	V	0.00451 U	0.0126 U	0.00463 J	0.0111 U	0.00185 U	0.00121 U	0.00185 U	0.00405 U	0.00571 U	0.00171 U	0.00143 U	0.00200 U	0.00393 U
	B-294-10	08/26/20	PES	PACE	10	-	S	0.00213 U	0.00592 U	0.00213 U	0.00525 U	0.000872 U	0.000572 U	0.000873 U	0.00191 U	0.00269 U	0.000808 U	0.000674 U	0.000942 U	0.00186 U
B-295	B-295-1	08/26/20	PES	PACE	1	-	V	0.00190 U	0.00530 U	0.00190 U	0.00469 U	0.000780 U	0.000512 U	0.000781 U	0.00171 U	0.00241 U	0.000722 U	0.000603 U	0.000843 U	0.00166 U
	B-295-3	08/26/20	PES	PACE	3	-	V	0.00282 U	0.00785 U	0.00282 U	0.00696 U	0.00116 U	0.000758 U	0.00116 U	0.00253 U	0.00357 U	0.00107 U	0.000894 U	0.00125 U	0.00246 U
	B-295-7	08/26/20	PES	PACE	7	-	V	0.00237 U	0.00659 U	0.00348 J	0.00584 U	0.000971 U	0.000637 U	0.000972 U	0.00213 U	0.00300 U	0.000899 U	0.000751 U	0.00105 U	0.00207 U
	B-295-10	08/26/20	PES	PACE	10	-	S	0.00222 U	0.00618 U	0.00222 U	0.00548 U	0.000911 U	0.000597 U	0.000912 U	0.00200 U	0.00281 U	0.000843 U	0.000704 U	0.000984 U	0.00194 U
B-296	B-296-1	08/26/20	PES	PACE	1	-	V	0.00245 J	0.00500 U	0.00306 J	0.00443 U	0.000736 U	0.000483 U	0.000737 U	0.00161 U	0.00227 U	0.000682 U	0.000569 U	0.000795 U	0.00157 U
B-297	B-297-1	08/26/20	PES	PACE	1	-	V	0.00195 U	0.00542 U	0.00195 U	0.00480 U	0.000798 U	0.000524 U	0.000800 U	0.00175 U	0.00246 U	0.000739 U	0.000617 U	0.000862 U	0.00170 U
	B-297-3	08/26/20	PES	PACE	3	-	V	0.00181 U	0.00505 U	0.00181 U	0.00448 U	0.000744 U	0.000488 U	0.000746 U	0.00163 U	0.00230 U	0.000689 U	0.000576 U	0.000804 U	0.00159 U
	B-500-1	08/26/20	PES	PACE	3 (dup)	-	V	0.00185 U	0.00516 U	0.00185 U	0.00457 U	0.000759 U	0.000498 U	0.000761 U	0.00166 U	0.00234 U	0.000703 U	0.000587 U	0.000820 U	0.00162 U
	B-297-5	08/26/20	PES	PACE	5	-	V	0.00181 U	0.00503 U	0.00181 U	0.00446 U	0.000740 U	0.000486 U	0.000742 U	0.00162 U	0.00229 U	0.000686 U	0.000573 U	0.000800 U	0.00158 U
B-298	B-298-5	08/26/20	PES	PACE	5	-	V	0.00167 U	0.00464 U	0.00167 U	0.00412 U	0.000683 U	0.000448 U	0.000684 U	0.00149 U	0.00211 U	0.000633 U	0.000529 U	0.000739 U	0.00145 U
	B-298-6	08/26/20	PES	PACE	6	-	V	0.00280 J	0.00558 U	0.00835	0.00495 U	0.000823 U	0.000540 U	0.000824 U	0.00181 U	0.00254 J	0.000761 U	0.000636 U	0.000888 U	0.00175 U
B-299	B-299-2	02/01/21	PES	PACE	2	-	V	0.00209 U	0.00581 U	0.00209 U	0.00515 U	0.000855 U	0.000561 U	0.000857 U	0.00187 U	0.00264 U	0.000792 U	0.000661 U	0.000924 U	0.00182 U
	B-299-5.5	02/01/21	PES	PACE	5.5	-	V	0.00188 U	0.00524 U	0.00188 U	0.00465 U	0.000772 U	0.000507 U	0.000774 U	0.00169 U	0.00238 U	0.000715 U	0.000597 U	0.000834 U	0.00164 U
	B-1003-10	02/01/21	PES	PACE	5.5 (dup)	-	V	0.00196 U	0.00545 U	0.00196 U	0.00483 U	0.000803 U	0.000527 U	0.000804 U	0.00176 U	0.00248 U	0.000744 U	0.000621 U	0.000868 U	0.00171 U
B-300	B-300-2.5	02/01/21	PES	PACE	2.5	-	V	0.00209 U	0.00582 U	0.00225 J	0.00515 U	0.000856 U	0.000562 U	0.000858 U	0.00188 U	0.00264 U	0.000793 U	0.000662 U	0.000925 U	0.00182 U
	B-300-5.5	02/01/21	PES	PACE	5.5	-	V	0.00204 U	0.00567 U	0.00204 U	0.00503 U	0.000836 U	0.000548 U	0.000837 U	0.00183 U	0.00258 U	0.000774 U	0.000646 U	0.000903 U	0.00178 U
B-301	B-301-2	02/01/21	PES	PACE	2	-	V	0.00203 U	0.00564 U	0.00203 U	0.00500 U	0.000831 U	0.000545 U	0.000832 U	0.00182 U	0.00257 U	0.000770 U	0.000643 U	0.000898 U	0.00177 U
	B-301-5	02/01/21	PES	PACE	5	-	V	0.00214 U	0.00595 U	0.00214 U	0.00527 U	0.000876 U	0.000574 U	0.000877 U	0.00192 U	0.00270 U	0.000811 U	0.000677 U	0.000946 U	0.00187 U
B-302	B-302-2	02/01/21	PES	PACE	2	-	V	0.00198 U	0.00551 U	0.00198 U	0.00488 U	0.000811 U	0.000532 U	0.000812 U	0.00178 U	0.00250 U	0.000751 U	0.000627 U	0.000876 U	0.00173 U
	B-302-4	02/01/21	PES	PACE	4	-	V	0.00225 U	0.00628 U	0.00225 U	0.00556 U	0.000925 U	0.000606 U	0.000926 U	0.00203 U	0.00285 U	0.000856 U	0.000715 U	0.000999 U	0.00197 U
BB-5	S-6	03/09/97	B&V	Unknown	15-17	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-10	03/09/97	B&V	Unknown	25-27	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-7	S-4	04/06/97	B&V	Unknown	10-12	17.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
BB-8 (13.6 to 3.6)	S-8	06/06/97	B&V	Unknown	20-22	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-10	S-6	08/29/97	B&V	Unknown	15-17	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-12	S-3	03/18/98	B&V	Unknown	15-16.5	18.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-14	03/18/98	B&V	Unknown	45-46.5	-11.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-13	S-10	03/19/98	B&V	Unknown	25-27.5	1.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-16	03/19/98	B&V	Unknown	40-41.5	-13.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-14	S-2	03/03/98	B&V	Unknown	5-6.5	21.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-5	03/03/98	B&V	Unknown	12.5-14	14.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-9	03/03/98	B&V	Unknown	22.5-24	4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-12	03/03/98	B&V	Unknown	30-31.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-07	CHB-07-12.5-13.5	04/14/05	CH2M	ARI	12.5-13.5	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-07-5.0-7.0	04/14/08	CH2M	ARI	5-7	23.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-08	CHB-08-15.0-16.0	04/15/08	CH2M	ARI	15-16	14.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-09	CHB-09-20.0-21.5	04/16/08	CH2M	ARI	20-21.5	15.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-09-25.0-26.5	04/16/08	CH2M	ARI	25-26.5	10.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-1 (-9.7 to -29.7)	MW-1-1-2.5	08/22/14	GEI	Fremont	1	29.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-2 (4.0 to -6.0)	MW-2-2-5.0	08/23/14	GEI	Fremont	5	26.6	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-4-10.0	08/23/14	GEI	Fremont	10	21.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-8-20.0	08/23/14	GEI	Fremont	20	11.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-3 (-18.7 to -28.7)	MW-3-4-10.0	08/23/14	GEI	Fremont	10	20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-3-10-50.0	08/23/14	GEI	Fremont	50	-19.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-4	GEI-4-2-5.0	08/23/14	GEI	Fremont	5	26.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	GEI-4-5-12.5	08/23/14	GEI	Fremont	12.5	18.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-1 (SCLB-3)	RS3-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-17.5	03/15/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-22.5/RS3-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-32.5	03/15/93	EPJ	OnSite	32.5	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2 (SCLB-4)	RS3-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-12.5/RS4-17.5	03/15/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-22.5/RS4-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-3 (SCLB-5)	RS4-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-2.5/RS5-7.5 (Comp)	03/16/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-12.5/RS5-17.5 (Comp)	03/16/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-17.5	03/16/93	EPJ	OnSite	17.5	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-22.5	03/16/93	EPJ	OnSite	22.5	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-32.5	03/16/93	EPJ	OnSite	32.5	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-37.5	03/16/93	EPJ	OnSite	37.5	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-4 (SCLB-6)	RS6-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-17.5/RS6-22.5 (Comp)	03/17/93	EPJ	OnSite	17.5-22.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-27.5	03/17/93	EPJ	OnSite	27.5	12.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5 (SCLB-7)	RS7-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-17.5	03/17/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-22.5	03/17/93	EPJ	OnSite	22.5	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	MW6-25	10/11/93	Retec	ARI	25	13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	MW7-16.5	10/11/93	Retec	ARI	16.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW7-18.5	10/11/93	Retec	ARI	18.5	16.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-8 (28.7 to 14.2)	MW8-20	10/18/93	Retec	AAL	20	13.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9 (33.7 to 18.7)	MW9-17.5	10/18/93	Retec	AAL	17.5	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	MW10-17.5	10/19/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW102 (B102) (-65.8 to -75.8)	B102-20	07/17/12	SES	F&BI	20	29.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-30	07/17/12	SES	F&BI	30	19.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-38	07/17/12	SES	F&BI	38	11.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-40	07/17/12	SES	F&BI	40	9.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-49	07/17/12	SES	F&BI	49	0.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-60	07/17/12	SES	F&BI	60	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-70	07/18/12	SES	F&BI	70	-20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-80	07/19/12	SES	F&BI	80	-30.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-90	07/19/12	SES	F&BI	90	-40.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-100	07/20/12	SES	F&BI	100	-50.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-110	07/20/12	SES	F&BI	110	-60.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-120	07/23/12	SES	F&BI	120	-70.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW103 (B103) (-67.6 to -77.6)	B103-10	07/25/12	SES	F&BI	10	25.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-18	07/25/12	SES	F&BI	18	17.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-30	07/25/12	SES	F&BI	30	5.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-40	07/25/12	SES	F&BI	40	-4.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-45	07/25/12	SES	F&BI	45	-9.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-55	07/25/12	SES	F&BI	55	-19.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-62.5	07/26/12	SES	F&BI	62.5	-26.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-75	07/26/12	SES	F&BI	75	-39.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-83	07/26/12	SES	F&BI	83	-47.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-95	07/26/12	SES	F&BI	95	-59.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-105	07/27/12	SES	F&BI	105	-69.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-113	07/27/12	SES	F&BI	113	-77.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW104 (B104) (-76.3 to -86.3)	B104-10	07/30/12	SES	F&BI	10	32.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-20	07/30/12	SES	F&BI	20	22.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-30	07/30/12	SES	F&BI	30	12.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-35	07/30/12	SES	F&BI	35	7.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-50	07/30/12	SES	F&BI	50	-7.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-60	07/31/12	SES	F&BI	60	-17.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-69	07/31/12	SES	F&BI	69	-26.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-80	07/31/12	SES	F&BI	80	-37.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-90	08/01/12	SES	F&BI	90	-47.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-100	08/01/12	SES	F&BI	100	-57.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-110	08/01/12	SES	F&BI	110	-67.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-120	08/01/12	SES	F&BI	120	-77.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-130	08/01/12	SES	F&BI	130	-87.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW105 (B105) (-85.8 to -95.8)	B105-10	08/06/12	SES	F&BI	10	34.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-20	08/06/12	SES	F&BI	20	24.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-30	08/06/12	SES	F&BI	30	14.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-40	08/08/12	SES	F&BI	40	4.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-50	08/08/12	SES	F&BI	50	-5.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-60	08/09/12	SES	F&BI	60	-15.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-70	08/09/12	SES	F&BI	70	-25.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-80	08/09/12	SES	F&BI	80	-35.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-90	08/10/12	SES	F&BI	90	-45.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-100	08/10/12	SES	F&BI	100	-55.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-110	08/10/12	SES	F&BI	110	-65.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-120	08/10/12	SES	F&BI	120	-75.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-130	08/10/12	SES	F&BI	130	-85.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-138	08/10/12	SES	F&BI	138	-93.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW106 (B106) (-78.0 to -88.0)	B106-10	08/14/12	SES	F&BI	10	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-20	08/14/12	SES	F&BI	20	32.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-30	08/14/12	SES	F&BI	30	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-40	08/14/12	SES	F&BI	40	12.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-50	08/14/12	SES	F&BI	50	2.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-60	08/14/12	SES	F&BI	60	-8.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-70	08/15/12	SES	F&BI	70	-18.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-80	08/15/12	SES	F&BI	80	-28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-90	08/15/12	SES	F&BI	90	-38.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-100	08/15/12	SES	F&BI	100	-48.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-110	08/15/12	SES	F&BI	110	-58.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-120	08/15/12	SES	F&BI	120	-68.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-130	08/15/12	SES	F&BI	130	-78.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-140	08/15/12	SES	F&BI	140	-88.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW107 (B107) (8.8 to -1.2)	B107-05	03/12/12	SES	F&BI	5	38.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-15	03/12/12	SES	F&BI	15	28.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-25	03/12/12	SES	F&BI	25	18.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-35	03/12/12	SES	F&BI	35	8.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B107-45	03/12/12	SES	F&BI	45	-1.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW108 (B108) (-7.2 to -17.2)	B108-15	12/14/12	SES	F&BI	15	17.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-25	12/14/12	SES	F&BI	25	7.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-35	12/14/12	SES	F&BI	35	-2.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-45	12/14/12	SES	F&BI	45	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-50	12/14/12	SES	F&BI	50	-17.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW109 (B109) (0.0 to -10.0)	B109-05	04/12/12	SES	F&BI	5	30.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-15	04/12/12	SES	F&BI	15	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-25	04/12/12	SES	F&BI	25	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-35	04/12/12	SES	F&BI	35	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-45	04/12/12	SES	F&BI	45	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW110 (B110) (4.7 to -5.3)	B110-15	04/12/12	SES	F&BI	15	24.7	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-25	04/12/12	SES	F&BI	25	14.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-35	04/12/12	SES	F&BI	35	4.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-45	04/12/12	SES	F&BI	45	-5.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW111 (B111) (-33.5 to -43.5)	B111-10	05/12/12	SES	F&BI	10	26.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-20	05/12/12	SES	F&BI	20	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-30	05/12/12	SES	F&BI	30	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-38	05/12/12	SES	F&BI	38	-1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-50	05/12/12	SES	F&BI	50	-13.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-60	06/12/12	SES	F&BI	60	-23.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-70	06/12/12	SES	F&BI	70	-33.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-80	06/12/12	SES	F&BI	80	-43.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW112 (B112) (-17.5 to -27.5)	B112-10	11/12/12	SES	F&BI	10	47.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-20	11/12/12	SES	F&BI	20	37.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-30	11/12/12	SES	F&BI	30	27.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-40	11/12/12	SES	F&BI	40	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-50	11/12/12	SES	F&BI	50	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-60	11/12/12	SES	F&BI	60	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-75	11/12/12	SES	F&BI	75	-17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-85	12/12/12	SES	F&BI	85	-27.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW113 (B113) (-37.1 to -47.1)	B113-10	12/18/12	SES	F&BI	10	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-20	12/18/12	SES	F&BI	20	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-30	12/18/12	SES	F&BI	30	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-40	12/18/12	SES	F&BI	40	-7.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-50	12/18/12	SES	F&BI	50	-17.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW114 (B114) (10.8 to 0.8)	B114-15	10/12/12	SES	F&BI	15	30.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-25	10/12/12	SES	F&BI	25	20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-35	10/12/12	SES	F&BI	35	10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW114 (B114) (continued)	B114-40 B114-45	10/12/12 10/12/12	SES SES	F&BI F&BI	40 45	5.8 0.8	S S	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
MW115 (B115) (-0.9 to -10.9)	B115-10	12/13/12	SES	F&BI	10	24.1	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-15	12/13/12	SES	F&BI	15	19.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-25	12/13/12	SES	F&BI	25	9.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-35	12/13/12	SES	F&BI	35	-0.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-45	12/13/12	SES	F&BI	45	-10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW116 (B116) (-3.6 to -13.6)	B116-15	07/12/12	SES	F&BI	15	16.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-25	07/12/12	SES	F&BI	25	6.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-35	07/12/12	SES	F&BI	35	-3.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-45	07/12/12	SES	F&BI	45	-13.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW117 (B117) (16.9 to 1.9)	B117-10	02/04/13	SES	F&BI	10	46.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-20	02/04/13	SES	F&BI	20	36.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-30	02/04/13	SES	F&BI	30	26.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-40	02/04/13	SES	F&BI	40	16.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-50	02/04/13	SES	F&BI	50	6.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW118 (B118) (12.9 to 2.9)	B118-10	03/21/13	SES	F&BI	10	42.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-20	03/21/13	SES	F&BI	20	32.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-30	03/21/13	SES	F&BI	30	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-40	03/21/13	SES	F&BI	40	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-50	03/21/13	SES	F&BI	50	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW119 (B119) (2.4 to -7.7)	B119-10	03/21/13	SES	F&BI	10	27.4	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-20	03/21/13	SES	F&BI	20	17.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-30	03/21/13	SES	F&BI	30	7.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-40	03/21/13	SES	F&BI	40	-2.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW120 (B120) (0 to -10)	B120-20	12/16/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B120-30	12/16/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B120-45	12/16/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW121 (B121) (26.7 to 16.7)	B121-15	12/16/13	SES	F&BI	15	26.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B121-25	12/16/13	SES	F&BI	25	16.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW122 (B122) (-75 to -89)	B122-15	12/17/13	SES	F&BI	15	15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-25	12/17/13	SES	F&BI	25	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-40	12/17/13	SES	F&BI	40	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-45	12/17/13	SES	F&BI	45	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-50	12/17/13	SES	F&BI	50	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-60	12/17/13	SES	F&BI	60	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-70	12/17/13	SES	F&BI	70	-40.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-80	12/17/13	SES	F&BI	80	-50.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B122-100	12/17/13	SES	F&BI	100	-70.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW123 (B123) (-42.5 to -52.5)	B123-20	12/18/13	SES	F&BI	20	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW124 (B124) (-53.8 to -63.8)	B124-10	12/19/13	SES	F&BI	10	46.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-20	12/19/13	SES	F&BI	20	36.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-30	12/19/13	SES	F&BI	30	26.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-40	12/19/13	SES	F&BI	40	16.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-50	12/19/13	SES	F&BI	50	6.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-60	12/19/13	SES	F&BI	60	-3.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-70	12/19/13	SES	F&BI	70	-13.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-80	12/19/13	SES	F&BI	80	-23.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-90	12/19/13	SES	F&BI	90	-33.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-100	12/19/13	SES	F&BI	100	-43.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-110	12/19/13	SES	F&BI	110	-53.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-120	12/19/13	SES	F&BI	120	-63.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW125 (B125) (28.6 to 13.6)	B125-15	12/20/13	SES	F&BI	15	28.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B125-20	12/20/13	SES	F&BI	20	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B125-25	12/20/13	SES	F&BI	25	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B125-30	12/20/13	SES	F&BI	30	13.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW126 (B126) (-54.1 to -64.1)	B126-20	12/30/13	SES	F&BI	20	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-35	12/30/13	SES	F&BI	35	-4.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-45	12/30/13	SES	F&BI	45	-14.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-55	12/30/13	SES	F&BI	55	-24.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-60	12/31/13	SES	F&BI	60	-29.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-65	01/01/14	SES	F&BI	65	-34.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-75	01/02/14	SES	F&BI	75	-44.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-80	01/03/14	SES	F&BI	80	-49.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-85	01/04/14	SES	F&BI	85	-54.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-95	01/05/14	SES	F&BI	95	-64.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW127 (B127) (-1.0 to -11.0)	B127-15	12/31/13	SES	F&BI	15	24.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-25	12/31/13	SES	F&BI	25	14.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-40	12/31/13	SES	F&BI	40	-1.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-45	12/31/13	SES	F&BI	45	-6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-50	12/31/13	SES	F&BI	50	-11.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW128 (B128) (-30.8 to -40.8)	B128-25	01/09/14	SES	F&BI	25	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B128-45	01/09/14	SES	F&BI	45	-17.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B128-65	01/09/14	SES	F&BI	65	-37.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-138 (-47.5 to -57.5)	MW-138-15	09/12/17	PES	ESC	15	42.5	V	0.000341 U	0.000461 U	0.000251 U	0.00125 U	0.000408 U	0.000363 U	0.000315 U	0.000426 U	0.000316 U	0.000284 U	0.000246 U	0.000269 U	0.000332 U
	MW-138-25	09/12/17	PES	ESC	25	32.5	S	0.000330 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	MW-138-35	09/12/17	PES	ESC	35	22.5	S	0.000307 U	0.000415 U	0.000225 U	0.00112 U	0.000366 U	0.000326 U	0.000283 U	0.000383 U	0.000284 U	0.000255 U	0.000221 U	0.000241 U	0.000298 U
	MW-138-45	09/12/17	PES	ESC	45	12.5	S	0.000303 U	0.000410 U	0.000223 U	0.00111 U	0.000363 U	0.000322 U	0.000280 U	0.000378 U	0.000281 U	0.000253 U	0.000219 U	0.000239 U	0.000295 U
	MW-138-56	09/12/17	PES	ESC	56	1.5	S	0.000323 U	0.000436 U	0.000237 U	0.00118 U	0.000386 U	0.000343 U	0.000298 U	0.000403 U	0.000299 U	0.000269 U	0.000233 U	0.000254 U	0.000314 U
	MW-138-65	09/13/17	PES	ESC	65	-7.5	S	0.000310 U	0.000420 U	0.000228 U	0.00114 U	0.000371 U	0.000330 U	0.000287 U	0.000387 U	0.000288 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	B-910-90	09/13/17	PES	ESC	65 (dup)	-7.5	S	0.000333 U	0.000450 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	MW-138-75	09/13/17	PES	ESC	75	-17.5	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	MW-138-85	09/13/17	PES	ESC	85	-27.5	S	0.000345 U	0.000466 U	0.000254 U	0.00126 U	0.000412 U	0.000367 U	0.000319 U	0.000430 U	0.000320 U	0.000287 U	0.000249 U	0.000272 U	0.000335 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-138 (continued)	MW-138-95	09/13/17	PES	ESC	95	-37.5	S	0.000313 U	0.000423 U	0.000230 U	0.00115 U	0.000374 U	0.000333 U	0.000289 U	0.000390 U	0.000290 U	0.000261 U	0.000226 U	0.000247 U	0.000304 U
	MW-138-105	09/13/17	PES	ESC	105	-47.5	S	0.000357 U	0.000483 U	0.000262 U	0.00131 U	0.000427 U	0.000379 U	0.000330 U	0.000445 U	0.000331 U	0.000297 U	0.000257 U	0.000281 U	0.000347 U
	MW-138-115	09/14/17	PES	ESC	115	-57.5	S	0.000332 U	0.000449 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000307 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
MW-140 (-78.9 to -88.9)	MW-140-15	08/30/17	PES	ESC	15	35.6	V	0.000327 U	0.000442 U	0.000241 U	0.00120 U	0.000391 U	0.000348 U	0.000302 U	0.000408 U	0.000303 U	0.000273 U	0.000236 U	0.000258 U	0.000318 U
	MW-140-25	08/30/17	PES	ESC	25	25.6	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000288 U	0.000259 U	0.000224 U	0.000245 U	0.000303 U
	MW-140-35	08/30/17	PES	ESC	35	15.6	S	0.00837 U	0.0113 U	0.00615 U	0.0305 U	0.0100 U	0.00888 U	0.00771 U	0.0104 U	0.00775 U	0.00697 U	0.00604 U	0.00658 U	0.00813 U
	MW-140-45	08/30/17	PES	ESC	45	5.6	S	0.000306 U	0.000414 U	0.000225 U	0.00112 U	0.000366 U	0.000325 U	0.000283 U	0.000382 U	0.000284 U	0.000255 U	0.000221 U	0.000241 U	0.000298 U
	MW-140-55	08/30/17	PES	ESC	55	-4.4	S	0.000315 U	0.000426 U	0.000232 U	0.00115 U	0.000376 U	0.000335 U	0.000291 U	0.000393 U	0.000292 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	MW-140-65	08/30/17	PES	ESC	65	-14.4	S	0.000307 U	0.000415 U	0.000226 U	0.00112 U	0.000367 U	0.000327 U	0.000284 U	0.000383 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	MW-140-75	08/30/17	PES	ESC	75	-24.4	S	0.00774 U	0.0105 U	0.00569 U	0.0283 U	0.00925 U	0.00822 U	0.00714 U	0.00965 U	0.00717 U	0.00645 U	0.00559 U	0.00609 U	0.00753 U
	MW-140-90	08/30/17	PES	ESC	90	-39.4	S	0.000338 U	0.000456 U	0.000248 U	0.00124 U	0.000403 U	0.000359 U	0.000312 U	0.000421 U	0.000313 U	0.000281 U	0.000244 U	0.000266 U	0.000328 U
	MW-140-110	08/31/17	PES	ESC	110	-59.4	S	0.000332 U	0.000449 U	0.000244 U	0.00122 U	0.000397 U	0.000353 U	0.000291 U	0.000415 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U
	MW-140-130	08/31/17	PES	ESC	130	-79.4	S	0.000324 U	0.000439 U	0.000239 U	0.00119 U	0.000388 U	0.000345 U	0.000300 U	0.000405 U	0.000301 U	0.000270 U	0.000234 U	0.000256 U	0.000315 U
	MW-140-140	08/31/17	PES	ESC	140	-89.4	S	0.00811 U	0.0110 U	0.00596 U	0.0296 U	0.00969 U	0.00861 U	0.00748 U	0.0101 U	0.00751 U	0.00675 U	0.00585 U	0.00638 U	0.00788 U
MW-142 (2.4 to -7.6)	MW-142-5	04/12/18	PES	ESC	5	37.1	V	0.000345 U	0.000467 U	0.000254 U	0.00126 U	0.000413 U	0.000367 U	0.000319 U	0.000431 U	0.000320 U	0.000288 U	0.000249 U	0.000272 U	0.000336 U
MW-143 (-27.7 to -37.7)	MW-143-10	04/11/18	PES	ESC	10	32.0	V	0.000398 U	0.000538 U	0.000292 U	0.00146 U	0.000475 U	0.000423 U	0.000367 U	0.000496 U	0.000369 U	0.000331 U	0.000287 U	0.000313 U	0.000387 U
	MW-143-20	04/11/18	PES	ESC	20	22.0	S	0.000333 U	0.000451 U	0.000245 U	0.00122 U	0.000398 U	0.000354 U	0.000308 U	0.000416 U	0.000309 U	0.000278 U	0.000240 U	0.000263 U	0.000324 U
	MW-143-30	04/11/18	PES	ESC	30	12.0	S	0.000327 U	0.000442 U	0.000240 U	0.00120 U	0.000391 U	0.000347 U	0.000302 U	0.000408 U	0.000303 U	0.000272 U	0.000236 U	0.000257 U	0.000318 U
	MW-143-40	04/11/18	PES	ESC	40	2.0	S	0.000342 U	0.000463 U	0.000252 U	0.00125 U	0.000409 U	0.000364 U	0.000316 U	0.000427 U	0.000317 U	0.000285 U	0.000247 U	0.000270 U	0.000333 U
	MW-143-50	04/11/18	PES	ESC	50	-8.0	S	0.000329 U	0.000444 U	0.000242 U	0.00120 U	0.000393 U	0.000349 U	0.000304 U	0.000410 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	MW-143-60	04/11/18	PES	ESC	60	-18.0	S	0.000319 U	0.000431 U	0.000235 U	0.00117 U	0.000381 U	0.000339 U	0.000295 U	0.000398 U	0.000296 U	0.000266 U	0.000230 U	0.000251 U	0.000310 U
	MW-143-70	04/11/18	PES	ESC	70	-28.0	S	0.000316 U	0.000427 U	0.000232 U	0.00116 U	0.000377 U	0.000336 U	0.000292 U	0.000394 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000307 U
	MW-143-80	04/11/18	PES	ESC	80	-38.0	S	0.000326 U	0.000441 U	0.000240 U	0.00119 U	0.000390 U	0.000347 U	0.000301 U	0.000407 U	0.000302 U	0.000272 U	0.000235 U	0.000257 U	0.000317 U
	MW-902-20	04/11/18	PES	ESC	80 (dup)	-38.0	S	0.000321 U	0.000434 U	0.000236 U	0.00117 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000267 U	0.000232 U	0.000253 U	0.000312 U
MW-145 (-26.1 to -36.1)	MW-145-10	04/17/18	PES	ESC	10	33.5	V	0.000361 U	0.000487 U	0.000265 U	0.00132 U	0.000431 U	0.000383 U	0.000333 U	0.000450 U	0.000334 U	0.000300 U	0.000260 U	0.000284 U	0.000351 U
	MW-145-20	04/17/18	PES	ESC	20	23.5	S	0.000335 U	0.000453 U	0.000246 U	0.00123 U	0.000400 U	0.000356 U	0.000309 U	0.000418 U	0.000311 U	0.000279 U	0.000242 U	0.000264 U	0.000326 U
	MW-145-30	04/17/18	PES	ESC	30	13.5	S	0.000340 U	0.000460 U	0.000250 U	0.00125 U	0.000407 U	0.000362 U	0.000314 U	0.000425 U	0.000315 U	0.000283 U	0.000245 U	0.000268 U	0.000331 U
	MW-145-40	04/17/18	PES	ESC	40	3.5	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000231 U	0.000252 U	0.000311 U
	MW-145-50	04/17/18	PES	ESC	50	-6.5	S	0.000314 U	0.000425 U	0.000231 U	0.00115 U	0.000376 U	0.000334 U	0.000290 U	0.000392 U	0.000291 U	0.000262 U	0.000227 U	0.000248 U	0.000306 U
	MW-145-60	04/17/18	PES	ESC	60	-16.5	S	0.000316 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000263 U	0.000228 U	0.000249 U	0.000308 U
	MW-145-70	04/17/18	PES	ESC	70	-26.5	S	0.000348 U	0.000471 U	0.000256 U	0.00127 U	0.000416 U	0.000370 U	0.000321 U	0.000434 U	0.000323 U	0.000290 U	0.000251 U	0.000274 U	0.000338 U
	MW-145-80	04/17/18	PES	ESC	80	-36.5	S	0.000330 U	0.000446 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000306 U	0.000274 U	0.000238 U	0.000260 U	0.000320 U
	MW-903-40	04/17/18	PES	ESC	80 (dup)	-36.5	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000402 U	0.000298 U	0.000268 U	0.000232 U	0.000253 U	0.000313 U
MW-147 (-17.6 to -27.6)	MW-147-10	04/02/18	PES	ESC	10	41.9	V	0.000312 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000245 U	0.000303 U
	MW-147-20	04/02/18	PES	ESC	20	31.9	S	0.000310 U	0.000419 U	0.000228 U	0.00113 U	0.000371 U	0.000330 U	0.000286 U	0.000387 U	0.000287 U	0.000258 U	0.000224 U	0.000244 U	0.000302 U
	MW-147-30	04/02/18	PES	ESC	30	21.9	S	0.000320 U	0.000433 U	0.000236 U	0.00117 U	0.000383 U	0.000341 U	0.000296 U	0.000400 U	0.000297 U	0.000267 U	0.000231 U	0.000252 U	0.000312 U
	MW-147-40	04/02/18	PES	ESC	40	11.9	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000337 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	MW-147-50	04/02/18	PES	ESC	50	1.9	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000229 U	0.000250 U	0.000309 U
	MW-147-60	04/02/18	PES	ESC	60	-8.2	S	0.000309 U	0.000417 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000385 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	MW-901-10	04/02/18	PES	ESC	60 (dup)	-8.2	S	0.000309 U	0.000418 U	0.000227 U	0.00113 U	0.000369 U	0.000328 U	0.000285 U	0.000386 U	0.000286 U	0.000257 U	0.000223 U	0.000243 U	0.000300 U
	MW-147-70	04/02/18	PES	ESC	70	-18.2	S	0.000321 U	0.000434 U	0.000236 U	0.00118 U	0.000384 U	0.000341 U	0.000297 U	0.000401 U	0.000298 U	0.000267 U	0.000232 U	0.000253 U	0.000312 U
	MW-147-80	04/02/18	PES	ESC	80	-28.2	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000307 U	0.000414 U	0.000308 U	0.000277 U	0.000240 U	0.000262 U	0.000323 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-148 (-25.7 to -35.7)	MW-148-11	04/09/18	PES	ESC	11	32.9	V	0.000331 U	0.000448 U	0.000243 U	0.00121 U	0.000396 U	0.000352 U	0.000306 U	0.000413 U	0.000307 U	0.000276 U	0.000239 U	0.000261 U	0.000322 U
	MW-148-20	04/09/18	PES	ESC	20	23.9	S	0.000311 U	0.000421 U	0.000229 U	0.00114 U	0.000372 U	0.000331 U	0.000287 U	0.000388 U	0.000289 U	0.000259 U	0.000225 U	0.000245 U	0.000303 U
	MW-148-30	04/09/18	PES	ESC	30	13.9	S	0.000322 U	0.000436 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000298 U	0.000402 U	0.000299 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	MW-148-40	04/09/18	PES	ESC	40	3.9	S	0.000312 U	0.000421 U	0.000229 U	0.00114 U	0.000373 U	0.000331 U	0.000288 U	0.000389 U	0.000289 U	0.000260 U	0.000225 U	0.000246 U	0.000303 U
	MW-148-50	04/09/18	PES	ESC	50	-6.1	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000336 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	MW-148-60	04/09/18	PES	ESC	60	-16.1	S	0.000362 U	0.000490 U	0.000266 U	0.00132 U	0.000433 U	0.000385 U	0.000334 U	0.000452 U	0.000336 U	0.000302 U	0.000261 U	0.000285 U	0.000352 U
	MW-148-70	04/09/18	PES	ESC	70	-26.1	S	0.000362 U	0.000489 U	0.000266 U	0.00132 U	0.000432 U	0.000384 U	0.000334 U	0.000451 U	0.000335 U	0.000301 U	0.000261 U	0.000285 U	0.000352 U
	MW-148-80	04/09/18	PES	ESC	80	-36.1	S	0.000337 U	0.000456 U	0.000248 U	0.00123 U	0.000403 U	0.000358 U	0.000311 U	0.000421 U	0.000313 U	0.000281 U	0.000243 U	0.000266 U	0.000328 U
MW-153 (-65.3 to -75.3)	MW-153-10	03/27/18	PES	ESC	10	44.4	V	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000301 U	0.000406 U	0.000302 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	MW-153-20	03/27/18	PES	ESC	20	34.4	V	0.000314 U	0.000425 U	0.000231 U	0.00115 U	0.000375 U	0.000334 U	0.000290 U	0.000392 U	0.000291 U	0.000262 U	0.000227 U	0.000247 U	0.000305 U
	MW-153-30	03/27/18	PES	ESC	30	24.4	S	0.000308 U	0.000416 U	0.000226 U	0.00113 U	0.000368 U	0.000327 U	0.000284 U	0.000384 U	0.000285 U	0.000256 U	0.000222 U	0.000242 U	0.000299 U
	MW-153-40	03/27/18	PES	ESC	40	14.4	S	0.000325 U	0.000440 U	0.000239 U	0.00119 U	0.000389 U	0.000346 U	0.000300 U	0.000406 U	0.000301 U	0.000271 U	0.000235 U	0.000256 U	0.000316 U
	MW-153-50	03/27/18	PES	ESC	50	4.4	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000309 U
	MW-153-61	03/27/18	PES	ESC	61	-6.7	S	0.000326 U	0.000441 U	0.000240 U	0.00119 U	0.000390 U	0.000347 U	0.000301 U	0.000407 U	0.000302 U	0.000272 U	0.000235 U	0.000257 U	0.000317 U
	MW-153-70	03/27/18	PES	ESC	70	-15.7	S	0.000320 U	0.000432 U	0.000235 U	0.00117 U	0.000382 U	0.000340 U	0.000295 U	0.000399 U	0.000296 U	0.000266 U	0.000230 U	0.000252 U	0.000311 U
	MW-153-80	03/28/18	PES	ESC	80	-25.7	S	0.000317 U	0.000428 U	0.000233 U	0.00116 U	0.000378 U	0.000337 U	0.000292 U	0.000395 U	0.000293 U	0.000264 U	0.000228 U	0.000249 U	0.000308 U
	MW-153-90	03/28/18	PES	ESC	90	-35.7	S	0.000346 U	0.000467 U	0.000254 U	0.00126 U	0.000413 U	0.000367 U	0.000319 U	0.000431 U	0.000320 U	0.000288 U	0.000249 U	0.000272 U	0.000336 U
	MW-153-110	03/28/18	PES	ESC	110	-55.7	S	0.000338 U	0.000457 U	0.000248 U	0.00124 U	0.000404 U	0.000359 U	0.000312 U	0.000421 U	0.000313 U	0.000281 U	0.000244 U	0.000266 U	0.000328 U
	MW-153-130	03/29/18	PES	ESC	130	-75.7	S	0.000330 U	0.000446 U	0.000242 U	0.00121 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
MW-158	MW-158-20	04/05/18	PES	ESC	20	21.1	S	0.000325 U	0.000439 U	0.000239 U	0.00119 U	0.000389 U	0.000345 U	0.000300 U	0.000406 U	0.000301 U	0.000271 U	0.000234 U	0.000256 U	0.000316 U
	MW-158-30	04/05/18	PES	ESC	30	11.1	S	0.0339 U	0.0458 U	0.0317 J	0.124 U	0.0405 U	0.0360 U	0.0313 U	0.0422 U	0.0314 U	0.0282 U	0.0244 U	0.0267 U	0.0329 U
MW-158A (-47.2 to -58.5)	MW-158A-40	04/05/18	PES	ESC	40	1.1	S	0.000354 U	0.000478 U	0.000260 U	0.00129 U	0.000423 U	0.000376 U	0.000327 U	0.000441 U	0.000328 U	0.000295 U	0.000255 U	0.000279 U	0.000344 U
	MW-158A-50	04/05/18	PES	ESC	50	-8.9	S	0.000332 U	0.000449 U	0.000244 U	0.00121 U	0.000397 U	0.000353 U	0.000306 U	0.000414 U	0.000308 U	0.000276 U	0.000239 U	0.000261 U	0.000323 U
	MW-158A-60	04/05/18	PES	ESC	60	-18.9	S	0.000330 U	0.000447 U	0.000243 U	0.00121 U	0.000395 U	0.000351 U	0.000305 U	0.000412 U	0.000306 U	0.000275 U	0.000238 U	0.000260 U	0.000321 U
	MW-158A-70	04/05/18	PES	ESC	70	-28.9	S	0.000322 U	0.000435 U	0.000237 U	0.00118 U	0.000385 U	0.000342 U	0.000297 U	0.000402 U	0.000298 U	0.000268 U	0.000232 U	0.000254 U	0.000313 U
	MW-158A-80	04/06/18	PES	ESC	80	-38.9	S	0.000318 U	0.000430 U	0.000234 U	0.00116 U	0.000380 U	0.000338 U	0.000294 U	0.000397 U	0.000295 U	0.000265 U	0.000230 U	0.000251 U	0.000309 U
	MW-158A-90	04/06/18	PES	ESC	90	-48.9	S	0.000329 U	0.000445 U	0.000242 U	0.00120 U	0.000394 U	0.000350 U	0.000304 U	0.000411 U	0.000305 U	0.000274 U	0.000237 U	0.000259 U	0.000320 U
	MW-158A-100	04/06/18	PES	ESC	100	-58.9	S	0.000337 U	0.000456 U	0.000248 U	0.00123 U	0.000403 U	0.000358 U	0.000311 U	0.000421 U	0.000313 U	0.000281 U	0.000243 U	0.000266 U	0.000328 U
MW-159 (22.9 to 12.9)	MW-159-20	04/16/18	PES	ESC	20	22.8	S	0.000347 U	0.000469 U	0.000255 U	0.00127 U	0.000415 U	0.000369 U	0.000320 U	0.000433 U	0.000322 U	0.000289 U	0.000250 U	0.000273 U	0.000337 U
	MW-159-30	04/16/18	PES	ESC	30	12.8	S	0.000350 U	0.000473 U	0.000257 U	0.00128 U	0.000418 U	0.000372 U	0.000323 U	0.000436 U	0.000324 U	0.000291 U	0.000252 U	0.000275 U	0.000340 U
MW-160 (-76.5 to -86.5)	MW-160-11	05/08/18	PES	ESC	11	31.5	S	0.00187 U	0.00783 U	0.00188 U	0.00827 U	0.000852 U	0.00236 U	0.000771 U	0.00206 U	0.00175 U	0.00276 U	0.00284 U	0.00319 U	0.00129 U
	MW-160-21	05/08/18	PES	ESC	21	21.5	S	0.00135 U	0.00565 U	0.00136 U	0.00598 U	0.000615 U	0.00170 U	0.000557 U	0.00149 U	0.00127 U	0.00199 U	0.00205 U	0.00231 U	0.000930 U
	MW-160-31	05/08/18	PES	ESC	31	11.5	S	0.00139 U	0.00585 U	0.00141 U	0.00619 U	0.000637 U	0.00176 U	0.000576 U	0.00154 U	0.00131 U	0.00206 U	0.00212 U	0.00239 U	0.000962 U
	MW-160-40	05/08/18	PES	ESC	40	2.5	S	0.00131 U	0.00547 U	0.00132 U	0.00579 U	0.000596 U	0.00165 U	0.000539 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000900 U
	MW-160-50	05/08/18	PES	ESC	50	-7.5	S	0.00131 U	0.00551 U	0.00133 U	0.00583 U	0.000600 U	0.00166 U	0.000543 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U
	MW-160-55	05/08/18	PES	ESC	55	-12.5	S	0.00136 U	0.00572 U	0.00138 U	0.00605 U	0.000623 U	0.00172 U	0.000563 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000941 U
	MW-160-60	05/08/18	PES	ESC	60	-17.5	S	0.00125 U	0.00525 U	0.00138 J	0.00556 U	0.000572 U	0.00158 U	0.000518 U	0.00138 U	0.00118 U	0.00185 U	0.00191 U	0.00215 U	0.000864 U
	MW-160-70	05/08/18	PES	ESC	70	-27.5	S	0.00134 U	0.00563 U	0.00136 U	0.00596 U	0.000613 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00199 U	0.00204 U	0.00230 U	0.000926 U
	MW-160-90	05/08/18	PES	ESC	90	-47.5	S	0.00135 U	0.00567 U	0.00137 U	0.00600 U	0.000618 U	0.00171 U	0.000559 U	0.00149 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000933 U
	MW-160-100	05/08/18	PES	ESC	100	-57.5	S	0.00138 U	0.00580 U	0.00140 U	0.00614 U	0.000632 U	0.00174 U	0.000571 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00237 U	0.000954 U
	MW-160-110	05/08/18	PES	ESC	110	-67.5	S	0.00130 U	0.00547 U	0.00132 U	0.00578 U	0.000595 U	0.00164 U	0.000539 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000899 U
	MW-160-125	05/10/18	PES	ESC	125	-82.5	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00226 U	0.000908 U
	MW-160-127.5	05/10/18	PES	ESC	128	-85.0	S	0.00133 U	0.00557 U	0.00134 U	0.00589 U	0.000606 U	0.00167 U	0.000549 U	0.00147 U	0.00125 U	0.00196 U	0.00202 U	0.00227 U	0.000916 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-161 (-78.9 to -88.9)	MW-161-11	05/14/18	PES	ESC	11	32.8	S	0.00141 U	0.00593 U	0.00143 U	0.00627 U	0.000645 U	0.00178 U	0.000584 U	0.00156 U	0.00133 U	0.00209 U	0.00215 U	0.00242 U	0.000975 U
	MW-161-21	05/14/18	PES	ESC	21	22.8	S	0.00120 U	0.00501 U	0.00121 U	0.00530 U	0.000546 U	0.00151 U	0.000494 U	0.00132 U	0.00112 U	0.00177 U	0.00182 U	0.00205 U	0.000824 U
	MW-161-31	05/14/18	PES	ESC	31	12.8	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00226 U	0.000908 U
	MW-161-40	05/14/18	PES	ESC	40	3.8	S	0.00127 U	0.00532 U	0.00128 U	0.00563 U	0.000579 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00217 U	0.000875 U
	MW-161-50	05/14/18	PES	ESC	50	-6.2	S	0.00128 U	0.00538 U	0.00129 U	0.00569 U	0.000586 U	0.00162 U	0.000530 U	0.00142 U	0.00121 U	0.00190 U	0.00195 U	0.00220 U	0.000885 U
	MW-161-60	05/14/18	PES	ESC	60	-16.2	S	0.00131 U	0.00551 U	0.00132 U	0.00583 U	0.000600 U	0.00166 U	0.000543 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U
	MW-161-70	05/14/18	PES	ESC	70	-26.2	S	0.00128 U	0.00538 U	0.00130 U	0.00570 U	0.000586 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00195 U	0.00220 U	0.000886 U
	MW-161-80	05/14/18	PES	ESC	80	-36.2	S	0.00142 U	0.00594 U	0.00143 U	0.00629 U	0.000647 U	0.00179 U	0.000585 U	0.00157 U	0.00133 U	0.00210 U	0.00216 U	0.00243 U	0.000977 U
	MW-161-90	05/14/18	PES	ESC	90	-46.2	S	0.00131 U	0.00549 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000541 U	0.00145 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000902 U
	B-927-30	05/14/18	PES	ESC	90 (dup)	-46.2	S	0.00143 U	0.00599 U	0.00144 U	0.00633 U	0.000652 U	0.00180 U	0.000590 U	0.00158 U	0.00134 U	0.00211 U	0.00217 U	0.00245 U	0.000985 U
	MW-161-100	05/14/18	PES	ESC	100	-56.2	S	0.00134 U	0.00561 U	0.00135 U	0.00594 U	0.000611 U	0.00169 U	0.000553 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00229 U	0.000923 U
	MW-161-110	05/14/18	PES	ESC	110	-66.2	S	0.00140 U	0.00588 U	0.00142 U	0.00622 U	0.000640 U	0.00177 U	0.000579 U	0.00155 U	0.00132 U	0.00207 U	0.00213 U	0.00240 U	0.000967 U
	MW-161-120	05/14/18	PES	ESC	120	-76.2	S	0.00140 U	0.00588 U	0.00142 U	0.00622 U	0.000641 U	0.00177 U	0.000580 U	0.00155 U	0.00132 U	0.00207 U	0.00214 U	0.00240 U	0.000968 U
	MW-161-130	05/14/18	PES	ESC	130	-86.2	S	0.00126 U	0.00530 U	0.00128 U	0.00561 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
	MW-161-140	05/15/18	PES	ESC	140	-96.2	S	0.00141 U	0.00591 U	0.00142 U	0.00625 U	0.000644 U	0.00178 U	0.000582 U	0.00156 U	0.00132 U	0.00208 U	0.00215 U	0.00241 U	0.000972 U
MW-190 (-30.2 to -40.2)	MW-190-5	09/19/19	PES	PACE	5	43.7	V	0.00141 J	0.00556 U	0.00259 J	0.00588 U	0.000606 U	0.00167 U	0.000548 U	0.00146 U	0.00125 U	0.00196 U	0.00202 U	0.00227 U	0.000915 U
	MW-190-10	09/19/19	PES	PACE	10	38.7	V	0.00715 J	0.00997 U	0.0112	0.0105 U	0.00108 U	0.00299 U	0.000983 U	0.00262 U	0.00380 J	0.00352 U	0.00363 U	0.00407 U	0.00164 U
	MW-190-15	09/19/19	PES	PACE	15	33.7	S	0.00152 U	0.00638 U	0.00154 U	0.00675 U	0.000695 U	0.00192 U	0.000629 U	0.00168 U	0.00143 U	0.00225 U	0.00232 U	0.00261 U	0.00105 U
	MW-190-20	09/19/19	PES	PACE	20	28.7	S	0.00143 U	0.00600 U	0.00153 J	0.00635 U	0.000653 U	0.00180 U	0.000591 U	0.00158 U	0.00134 U	0.00212 U	0.00218 U	0.00245 U	0.000987 U
	MW-190-25	09/19/19	PES	PACE	25	23.7	S	0.00135 U	0.00566 U	0.00136 U	0.00599 U	0.000616 U	0.00170 U	0.000558 U	0.00149 U	0.00127 U	0.00200 U	0.00205 U	0.00231 U	0.000931 U
	MW-190-30	09/19/19	PES	PACE	30	18.7	S	0.00120 U	0.00505 U	0.00122 U	0.00534 U	0.000550 U	0.00152 U	0.000498 U	0.00133 U	0.00113 U	0.00178 U	0.00183 U	0.00206 U	0.000831 U
	MW-190-35	09/19/19	PES	PACE	35	13.7	S	0.00122 U	0.00512 U	0.00123 U	0.00542 U	0.000558 U	0.00154 U	0.000505 U	0.00135 U	0.00115 U	0.00181 U	0.00186 U	0.00209 U	0.000842 U
	MW-190-40	09/19/19	PES	PACE	40	8.7	S	0.00129 U	0.00541 U	0.00130 U	0.00572 U	0.000589 U	0.00163 U	0.000533 U	0.00143 U	0.00121 U	0.00191 U	0.00196 U	0.00221 U	0.000890 U
	MW-190-45	09/19/19	PES	PACE	45	3.7	S	0.00131 U	0.00551 U	0.00133 U	0.00583 U	0.000600 U	0.00166 U	0.000543 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000907 U
	MW-190-50	09/19/19	PES	PACE	50	-1.4	S	0.00120 U	0.00505 U	0.00122 U	0.00534 U	0.000550 U	0.00152 U	0.000498 U	0.00133 U	0.00113 U	0.00178 U	0.00183 U	0.00206 U	0.000831 U
	MW-190-55	09/19/19	PES	PACE	55	-6.4	S	0.00125 U	0.00523 U	0.00126 U	0.00553 U	0.000569 U	0.00157 U	0.000515 U	0.00138 U	0.00117 U	0.00184 U	0.00190 U	0.00214 U	0.000860 U
	MW-190-60	09/19/19	PES	PACE	60	-11.4	S	0.00125 U	0.00525 U	0.00126 U	0.00556 U	0.000572 U	0.00158 U	0.000518 U	0.00138 U	0.00118 U	0.00185 U	0.00191 U	0.00215 U	0.000864 U
	MW-2008-60	09/19/19	PES	PACE	60 (dup)	-11.4	S	0.00124 U	0.00521 U	0.00125 U	0.00551 U	0.000567 U	0.00157 U	0.000513 U	0.00137 U	0.00117 U	0.00184 U	0.00189 U	0.00213 U	0.000857 U
	MW-190-65	09/19/19	PES	PACE	65	-16.4	S	0.00127 U	0.00532 U	0.00140 J	0.00563 U	0.000580 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00218 U	0.000876 U
	MW-190-70	09/19/19	PES	PACE	70	-21.4	S	0.00127 U	0.00534 U	0.00128 U	0.00565 U	0.000582 U	0.00161 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000878 U
	MW-190-75	09/19/19	PES	PACE	75	-26.4	S	0.00126 U	0.00527 U	0.00127 U	0.00558 U	0.000574 U	0.00159 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	MW-190-80	09/19/19	PES	PACE	80	-31.4	S	0.00126 U	0.00526 U	0.00127 U	0.00557 U	0.000573 U	0.00158 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000866 U
	MW-190-85	09/19/19	PES	PACE	85	-36.4	S	0.00132 U	0.00554 U	0.00133 U	0.00586 U	0.000604 U	0.00167 U	0.000546 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000912 U
	MW-190-87	09/19/19	PES	PACE	87	-38.4	S	0.00137 U	0.00576 U	0.00139 U	0.00609 U	0.000627 U	0.00173 U	0.000568 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000948 U
MW-301 (35.6 to 25.6)	MW-301-6	09/20/19	PES	PACE	6	47.8	V	0.00135 U	0.00565 U	0.00137 J	0.00598 U	0.000615 U	0.00170 U	0.000557 U	0.00149 U	0.00127 U	0.00199 U	0.00205 U	0.00231 U	0.000929 U
	MW-301-10	09/20/19	PES	PACE	10	43.8	V	0.00126 U	0.00530 U	0.00128 U	0.00561 U	0.000577 U	0.00159 U	0.000522 U	0.00140 U	0.00119 U	0.00187 U	0.00192 U	0.00217 U	0.000872 U
	MW-301-15	09/20/19	PES	PACE	15	38.8	V	0.00131 U	0.00547 U	0.00132 U	0.00579 U	0.000596 U	0.00165 U	0.000539 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000900 U
	MW-301-20	09/20/19	PES	PACE	20	33.8	S	0.00388 U	0.0163 U	0.00392 U	0.0172 U	0.00177 U	0.00490 U	0.00161 U	0.00429 U	0.00364 U	0.00574 U	0.00592 U	0.00666 U	0.00268 U
	MW-301-25	09/20/19	PES	PACE	25	28.8	S	0.00131 U	0.00548 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000540 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000901 U
	MW-301-30	09/20/19	PES	PACE	30	23.8	S	0.00142 U	0.00597 U	0.00144 U	0.00631 U	0.000650 U	0.00179 U	0.000588 U	0.00157 U	0.00133 U	0.00210 U	0.00216 U	0.00243 U	0.000982 U
MW-302 (3.0 to -7.0)	MW-302-5	10/01/19	PES	PACE	5	52.3	V	0.00296 J	0.00564 U	0.00427 J	0.00597 U	0.000615 U	0.00170 U	0.000556 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00231 U	0.000929 U
	MW-302-10	10/01/19	PES	PACE	10	47.3	V	0.00143 U	0.00600 U	0.00144 U	0.00635 U	0.000653 U	0.00180 U	0.000591 U	0.00158 U	0.00134 U	0.00212 U	0.00218 U	0.00245 U	0.000987 U
	MW-302-15	10/01/19	PES	PACE	15	42.3	V	0.00156 U	0.00657 U	0.00159 U	0.00696 U	0.000716 U	0.00198 U	0.000648 U	0.00173 U	0.00147 U	0.00232 U	0.00239 U	0.00269 U	0.00108 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-302 (continued)	MW-302-20	10/01/19	PES	PACE	20	37.3	S	0.00137 U	0.00575 U	0.00138 U	0.00609 U	0.000627 U	0.00173 U	0.000567 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000946 U
	MW-302-25	10/01/19	PES	PACE	25	32.3	S	0.00129 U	0.00540 U	0.00130 U	0.00572 U	0.000588 U	0.00163 U	0.000532 U	0.00142 U	0.00121 U	0.00191 U	0.00196 U	0.00221 U	0.000889 U
	MW-302-30	10/01/19	PES	PACE	30	27.3	S	0.00126 U	0.00527 U	0.00127 U	0.00558 U	0.000574 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	MW-302-35	10/01/19	PES	PACE	35	22.3	S	0.00124 U	0.00518 U	0.00125 U	0.00548 U	0.000564 U	0.00156 U	0.000511 U	0.00136 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000852 U
	MW-302-40	10/01/19	PES	PACE	40	17.3	S	0.00122 U	0.00513 U	0.00123 U	0.00542 U	0.000558 U	0.00154 U	0.000505 U	0.00135 U	0.00115 U	0.00181 U	0.00186 U	0.00210 U	0.000844 U
	MW-302-45	10/01/19	PES	PACE	45	12.3	S	0.00137 U	0.00574 U	0.00138 U	0.00608 U	0.000626 U	0.00173 U	0.000566 U	0.00151 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000945 U
	MW-302-50	10/01/19	PES	PACE	50	7.3	S	0.00137 U	0.00576 U	0.00139 U	0.00609 U	0.000627 U	0.00173 U	0.000567 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000947 U
	MW-302-55	10/01/19	PES	PACE	55	2.3	S	0.00131 U	0.00548 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000540 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000901 U
	MW-302-60	10/01/19	PES	PACE	60	-2.7	S	0.00163 U	0.00685 U	0.00188 J	0.00725 U	0.000746 U	0.00206 U	0.000675 U	0.00180 U	0.00156 J	0.00242 U	0.00249 U	0.00280 U	0.00113 U
MW-304 (-47.6 to -57.6)	MW-302-65	10/01/19	PES	PACE	65	-7.7	S	0.00135 U	0.00564 U	0.00136 U	0.00597 U	0.000615 U	0.00170 U	0.000556 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00231 U	0.000929 U
	MW-2014-65	10/01/19	PES	PACE	65 (dup)	-7.7	S	0.00139 U	0.00584 U	0.00141 U	0.00618 U	0.000636 U	0.00176 U	0.000576 U	0.00154 U	0.00131 U	0.00206 U	0.00212 U	0.00239 U	0.000961 U
	MW-304-5	10/01/19	PES	PACE	5	52.6	V	0.00130 U	0.0199	0.00131 U	0.00574 U	0.000591 U	0.00163 U	0.000535 U	0.00143 U	0.00122 U	0.00191 U	0.00197 U	0.00222 U	0.000893 U
	MW-304-10	10/01/19	PES	PACE	10	47.6	V	0.00131 U	0.00549 U	0.00132 U	0.00581 U	0.000598 U	0.00165 U	0.000541 U	0.00145 U	0.00123 U	0.00194 U	0.00199 U	0.00224 U	0.000904 U
	MW-304-15	10/01/19	PES	PACE	15	42.6	V	0.00137 U	0.00573 U	0.00138 U	0.00606 U	0.000624 U	0.00172 U	0.000565 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000943 U
	MW-304-20	10/01/19	PES	PACE	20	37.6	S	0.00135 U	0.00568 U	0.00137 U	0.00601 U	0.000618 U	0.00171 U	0.000559 U	0.00150 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000934 U
	MW-304-25	10/01/19	PES	PACE	25	32.6	S	0.00126 U	0.00527 U	0.00127 U	0.00558 U	0.000574 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000867 U
	MW-304-30	10/01/19	PES	PACE	30	27.6	S	0.00135 U	0.00567 U	0.00136 U	0.00600 U	0.000618 U	0.00171 U	0.000559 U	0.00149 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000933 U
	MW-304-40	10/01/19	PES	PACE	40	17.6	S	0.00125 U	0.00523 U	0.00126 U	0.00553 U	0.000570 U	0.00157 U	0.000515 U	0.00138 U	0.00117 U	0.00184 U	0.00190 U	0.00214 U	0.000861 U
	MW-304-45	10/01/19	PES	PACE	45	12.6	S	0.00117 U	0.00490 U	0.00118 U	0.00518 U	0.000533 U	0.00147 U	0.000483 U	0.00129 U	0.00110 U	0.00173 U	0.00178 U	0.00200 U	0.000806 U
	MW-304-50	10/01/19	PES	PACE	50	7.6	S	0.00124 U	0.00519 U	0.00125 U	0.00549 U	0.000565 U	0.00156 U	0.000511 U	0.00137 U	0.00116 U	0.00183 U	0.00188 U	0.00212 U	0.000854 U
	MW-304-55	10/01/19	PES	PACE	55	2.6	S	0.00116 U	0.00486 U	0.00117 U	0.00514 U	0.000529 U	0.00146 U	0.000479 U	0.00128 U	0.00109 U	0.00171 U	0.00176 U	0.00199 U	0.000799 U
	MW-304-60	10/01/19	PES	PACE	60	-2.4	S	0.00121 U	0.00508 U	0.00122 U	0.00538 U	0.000554 U	0.00153 U	0.000501 U	0.00134 U	0.00114 U	0.00179 U	0.00185 U	0.00208 U	0.000836 U
	MW-304-65	10/01/19	PES	PACE	65	-7.4	S	0.00133 U	0.00558 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000918 U
	MW-304-70	10/01/19	PES	PACE	70	-12.4	S	0.00140 U	0.00586 U	0.00141 U	0.00620 U	0.000638 U	0.00176 U	0.000577 U	0.00154 U	0.00131 U	0.00207 U	0.00213 U	0.00239 U	0.000963 U
	MW-304-75	10/01/19	PES	PACE	75	-17.4	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00226 U	0.000908 U
	MW-304-80	10/01/19	PES	PACE	80	-22.4	S	0.00126 U	0.00528 U	0.00127 U	0.00558 U	0.000575 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000868 U
	MW-304-85	10/01/19	PES	PACE	85	-27.4	S	0.00126 U	0.00528 U	0.00127 U	0.00559 U	0.000575 U	0.00159 U	0.000520 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000869 U
	MW-304-90	10/01/19	PES	PACE	90	-32.4	S	0.00138 U	0.00578 U	0.00139 U	0.00611 U	0.000629 U	0.00174 U	0.000570 U	0.00152 U	0.00129 U	0.00204 U	0.00210 U	0.00236 U	0.000951 U
	MW-304-95	10/01/19	PES	PACE	95	-37.4	S	0.00136 U	0.00571 U	0.00137 U	0.00604 U	0.000622 U	0.00172 U	0.000563 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000940 U
	MW-2009-95	10/01/19	PES	PACE	95 (dup)	-37.4	S	0.00138 U	0.00579 U	0.00139 U	0.00613 U	0.000631 U	0.00174 U	0.000571 U	0.00153 U	0.00130 U	0.00204 U	0.00210 U	0.00237 U	0.000953 U
	MW-304-100	10/02/19	PES	PACE	100	-42.4	S	0.00136 U	0.00568 U	0.00137 U	0.00601 U	0.000619 U	0.00171 U	0.000560 U	0.00150 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000935 U
	MW-304-105	10/02/19	PES	PACE	105	-47.4	S	0.00135 U	0.00564 U	0.00136 U	0.00597 U	0.000614 U	0.00170 U	0.000556 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00231 U	0.000928 U
	MW-304-110	10/02/19	PES	PACE	110	-52.4	S	0.00145 U	0.00609 U	0.00147 U	0.00645 U	0.000664 U	0.00183 U	0.000601 U	0.00161 U	0.00137 U	0.00215 U	0.00221 U	0.00249 U	0.00100 U
	MW-304-115	10/02/19	PES	PACE	115	-57.4	S	0.00134 U	0.00562 U	0.00135 U	0.00594 U	0.000612 U	0.00169 U	0.000553 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000924 U
MW-307 (-12.4 to -22.4)	MW-307-6	10/03/19	PES	PACE	6	54.5	V	0.00129 U	0.00539 U	0.00130 U	0.00570 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000887 U
	MW-307-10	10/03/19	PES	PACE	10	50.5	V	0.00132 U	0.00555 U	0.00134 U	0.00588 U	0.000604 U	0.00167 U	0.000547 U	0.00147 U	0.00124 U	0.00195 U	0.00202 U	0.00227 U	0.000913 U
	MW-307-15	10/03/19	PES	PACE	15	45.5	V	0.00124 U	0.00519 U	0.00125 U	0.00549 U	0.000566 U	0.00156 U	0.000512 U	0.00137 U	0.00116 U	0.00183 U	0.00189 U	0.00212 U	0.000854 U
	MW-307-20	10/03/19	PES	PACE	20	40.5	V	0.00123 U	0.00515 U	0.00124 U	0.00545 U	0.000561 U	0.00155 U	0.000508 U	0.00136 U	0.00115 U	0.00182 U	0.00187 U	0.00211 U	0.000848 U
	MW-307-25	10/03/19	PES	PACE	25	35.5	S	0.00126 U	0.00529 U	0.00127 U	0.00559 U	0.000576 U	0.00159 U	0.000521 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000870 U
	MW-307-30	10/03/19	PES	PACE	30	30.5	S	0.00170 U	0.00710 U	0.00171 U	0.00751 U	0.000773 U	0.00214 U	0.000700 U	0.00187 U	0.00160 U	0.00250 U	0.00258 U	0.00290 U	0.00116 U
	MW-307-35	10/03/19	PES	PACE	35	25.5	S	0.00123 U	0.00516 U	0.00124 U	0.00546 U	0.000562 U	0.00155 U	0.000508 U	0.00136 U	0.00116 U	0.00182 U	0.00187 U	0.00211 U	0.000849 U
	MW-307-40	10/03/19	PES	PACE	40	20.5	S	0.00131 U	0.00550 U	0.00132 U	0.00582 U	0.000599 U	0.00166 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000905 U
	MW-307-45	10/03/19	PES	PACE	45	15.5	S	0.00127 U	0.00532 U	0.00128 U	0.00563 U	0.000579 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00217 U	0.000875 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-307 (continued)	MW-307-50	10/03/19	PES	PACE	50	10.5	S	0.00128 U	0.00536 U	0.00129 U	0.00567 U	0.000584 U	0.00161 U	0.000528 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000882 U
	MW-307-55	10/03/19	PES	PACE	55	5.5	S	0.00125 U	0.00523 U	0.00126 U	0.00554 U	0.000570 U	0.00157 U	0.000516 U	0.00138 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000861 U
	MW-307-60	10/03/19	PES	PACE	60	0.5	S	0.00130 U	0.00544 U	0.00217 J	0.00576 U	0.000593 U	0.00164 U	0.000536 U	0.00143 U	0.00122 U	0.00192 U	0.00198 U	0.00222 U	0.000896 U
	MW-307-65	10/03/19	PES	PACE	65	-4.5	S	0.00265 U	0.0111 U	0.00355 J	0.0117 U	0.00120 U	0.00333 U	0.00110 U	0.00293 U	0.00248 U	0.00392 U	0.00403 U	0.00454 U	0.00183 U
	MW-307-70	10/03/19	PES	PACE	70	-9.5	S	0.0132 U	0.0552 U	0.0133 U	0.0584 U	0.00601 U	0.0166 U	0.00544 U	0.0145 U	0.0123 U	0.0195 U	0.0200 U	0.0226 U	0.00909 U
	MW-307-75	10/03/19	PES	PACE	75	-14.5	S	0.00127 U	0.00532 U	0.00128 U	0.00562 U	0.000579 U	0.00160 U	0.000524 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000875 U
	MW-307-80	10/03/19	PES	PACE	80	-19.5	S	0.00134 U	0.00563 U	0.00186 J	0.00596 U	0.000614 U	0.00169 U	0.000555 U	0.00149 U	0.00126 U	0.00199 U	0.00204 U	0.00230 U	0.000927 U
	MW-307-85	10/03/19	PES	PACE	85	-24.5	S	0.00132 U	0.00552 U	0.00182 J	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00226 U	0.000908 U
	MW-2016-85	10/03/19	PES	PACE	85 (dup)	-24.5	S	0.00124 U	0.00521 U	0.00144 J	0.00551 U	0.000567 U	0.00157 U	0.000513 U	0.00137 U	0.00117 U	0.00184 U	0.00189 U	0.00213 U	0.000857 U
MW-309 (-32.0 to -42.0)	MW-309-5	09/19/19	PES	PACE	5	25.4	V	0.00159 J	0.00575 U	0.00362 J	0.00609 U	0.000626 U	0.00173 U	0.000567 U	0.00152 U	0.00143 J	0.00203 U	0.00209 U	0.00235 U	0.000946 U
	MW-309-10	09/19/19	PES	PACE	10	20.4	S	0.152 J	0.304 U	0.159 J	0.321 U	0.0330 U	0.0912 U	0.0299 U	0.0799 U	0.0680 U	0.107 U	0.110 U	0.124 U	0.0499 U
	MW-309-13.5	09/19/19	PES	PACE	13.5	16.9	S	0.0105	0.00589 U	0.00365 J	0.00623 U	0.000641 U	0.00177 U	0.000580 U	0.00155 U	0.00291 J	0.00208 U	0.00214 U	0.00241 U	0.000969 U
	MW-309-15	09/19/19	PES	PACE	15	15.4	S	0.130	0.0454 U	0.0333 J	0.0480 U	0.00494 U	0.0137 U	0.00447 U	0.0120 U	0.0458 J	0.0160 U	0.0165 U	0.0186 U	0.00746 U
	MW-309-20	09/19/19	PES	PACE	20	10.4	S	0.103	0.00567 U	0.0140	0.00600 U	0.000618 U	0.00171 U	0.000559 U	0.00149 U	0.0260	0.00200 U	0.00206 U	0.00232 U	0.000933 U
	MW-309-25	09/19/19	PES	PACE	25	5.4	S	0.0537	0.00569 U	0.0103	0.00603 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.0129	0.00201 U	0.00207 U	0.00233 U	0.000937 U
	MW-309-30	09/19/19	PES	PACE	30	0.4	S	0.00494 J	0.00576 U	0.00456 J	0.00609 U	0.000627 U	0.00173 U	0.000567 U	0.00152 U	0.00379 J	0.00203 U	0.00209 U	0.00235 U	0.000947 U
	MW-309-35	09/19/19	PES	PACE	35	-4.6	S	0.00139 U	0.00584 U	0.00141 U	0.00618 U	0.000636 U	0.00176 U	0.000576 U	0.00154 U	0.00131 U	0.00206 U	0.00212 U	0.00239 U	0.000961 U
	MW-309-40	09/19/19	PES	PACE	40	-9.6	S	0.00139 U	0.00584 U	0.00141 U	0.00618 U	0.000637 U	0.00176 U	0.000576 U	0.00154 U	0.00131 U	0.00206 U	0.00212 U	0.00239 U	0.000962 U
	MW-309-45	09/19/19	PES	PACE	45	-14.6	S	0.00145 U	0.00608 U	0.00146 U	0.00643 U	0.000662 U	0.00183 U	0.0128	0.00537 J	0.00136 U	0.00214 U	0.00221 U	0.00248 U	0.00100 U
	MW-309-50	09/19/19	PES	PACE	50	-19.6	S	0.00137 U	0.00574 U	0.00138 U	0.00608 U	0.000626 U	0.00173 U	0.000566 U	0.00151 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000945 U
	MW-309-55	09/19/19	PES	PACE	55	-24.6	S	0.00128 U	0.00535 U	0.00129 U	0.00566 U	0.000583 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00189 U	0.00194 U	0.00219 U	0.000880 U
	MW-309-60	09/19/19	PES	PACE	60	-29.6	S	0.00129 U	0.00538 U	0.00130 U	0.00569 U	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00120 U	0.00190 U	0.00196 U	0.00220 U	0.000886 U
	MW-309-65	09/19/19	PES	PACE	65	-34.6	S	0.00129 U	0.00541 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000891 U
	MW-309-70	09/19/19	PES	PACE	70	-39.6	S	0.00131 U	0.00548 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000540 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000902 U
	MW-309-75	09/19/19	PES	PACE	75	-44.6	S	0.00124 U	0.00521 U	0.00125 U	0.00551 U	0.000567 U	0.00157 U	0.000513 U	0.00137 U	0.00117 U	0.00184 U	0.00189 U	0.00213 U	0.000857 U
MW-311 (-29.0 to -39.0)	MW-311-5	09/18/19	PES	PACE	5	28.1	V	0.00172 J	0.00577 U	0.00139 U	0.00610 U	0.000628 U	0.00174 U	0.000569 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00236 U	0.000949 U
	MW-311-10	09/18/19	PES	PACE	10	23.1	S	0.00132 U	0.00555 U	0.00134 U	0.00587 U	0.000604 U	0.00167 U	0.000547 U	0.00146 U	0.00124 U	0.00196 U	0.00201 U	0.00227 U	0.000913 U
	MW-311-15	09/18/19	PES	PACE	15	18.1	S	0.00309 U	0.0129 U	0.00311 U	0.0137 U	0.00141 U	0.00389 U	0.00127 U	0.00341 U	0.00290 U	0.00456 U	0.00470 U	0.00529 U	0.00213 U
	MW-311-20	09/18/19	PES	PACE	20	13.1	S	0.00322 U	0.0135 U	0.00325 U	0.0143 U	0.00147 U	0.00406 U	0.00133 U	0.00356 U	0.00302 U	0.00476 U	0.00489 U	0.00552 U	0.00221 U
	MW-311-25	09/18/19	PES	PACE	25	8.1	S	0.00571 U	0.0240 U	0.00576 U	0.0253 U	0.00261 U	0.00720 U	0.00236 U	0.00631 U	0.00536 U	0.00844 U	0.00869 U	0.00979 U	0.00394 U
	MW-311-30	09/18/19	PES	PACE	30	3.1	S	0.00302 U	0.0126 U	0.00304 U	0.0134 U	0.00138 U	0.00381 U	0.00125 U	0.00333 U	0.00283 U	0.00446 U	0.00459 U	0.00517 U	0.00208 U
	MW-311-35	09/18/19	PES	PACE	35	-1.9	S	0.00268 U	0.0112 U	0.00271 U	0.0119 U	0.00122 U	0.00338 U	0.00111 U	0.00296 U	0.00252 U	0.00397 U	0.00408 U	0.00460 U	0.00185 U
	MW-311-40	09/18/19	PES	PACE	40	-6.9	S	0.00135 U	0.00565 U	0.00136 U	0.00598 U	0.000615 U	0.00170 U	0.000557 U	0.00149 U	0.00127 U	0.00199 U	0.00205 U	0.00231 U	0.000929 U
	MW-311-45	09/18/19	PES	PACE	45	-11.9	S	0.00144 U	0.00605 U	0.00146 U	0.00640 U	0.000659 U	0.00182 U	0.000596 U	0.00159 U	0.00136 U	0.00213 U	0.00220 U	0.00247 U	0.000995 U
	MW-311-50	09/18/19	PES	PACE	50	-16.9	S	0.00134 U	0.00563 U	0.00135 U	0.00595 U	0.000613 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000926 U
	MW-311-55	09/18/19	PES	PACE	55	-21.9	S	0.00127 U	0.00533 U	0.00128 U	0.00564 U	0.000580 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00193 U	0.00218 U	0.000877 U
	MW-311-60	09/18/19	PES	PACE	60	-26.9	S	0.00252 U	0.0106 U	0.00254 U	0.0112 U	0.00115 U	0.00318 U	0.00104 U	0.00278 U	0.00237 U	0.00373 U	0.00384 U	0.00432 U	0.00174 U
	MW-311-65	09/18/19	PES	PACE	65	-31.9	S	0.00122 U	0.00511 U	0.00123 U	0.00541 U	0.000556 U	0.00154 U	0.000503 U	0.00135 U	0.00114 U	0.00180 U	0.00185 U	0.00209 U	0.000840 U
	MW-2005-65	09/18/19	PES	PACE	65 (dup)	-31.9	S	0.00126 U	0.00529 U	0.00127 U	0.00559 U	0.000576 U	0.00159 U	0.000521 U	0.00139 U	0.00118 U	0.00186 U	0.00192 U	0.00216 U	0.000870 U
	MW-311-70	09/18/19	PES	PACE	70	-36.9	S	0.00127 U	0.00531 U	0.00128 U	0.00562 U	0.000578 U	0.00160 U	0.000523 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000874 U
	MW-2007-70	09/18/19	PES	PACE	70 (dup)	-38.3	S	0.00245 U	0.0103 U	0.00247 U	0.0109 U	0.00112 U	0.00309 U	0.00101 U	0.00271 U	0.00230 U	0.00362 U	0.00373 U	0.00420 U	0.00169 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-312 (19.9 to 9.9)	MW-312-6	09/16/19	PES	PACE	6	29.6	V	0.00176 J	0.00586 U	0.00182 J	0.00620 UJ	0.000639 U	0.00176 U	0.000578 U	0.00155 U	0.00131 U	0.00207 U	0.00213 U	0.00240 U	0.000965 U
	MW-312-10	09/16/19	PES	PACE	10	25.6	V	0.00233 U	0.00977 U	0.00235 U	0.0103 UJ	0.00106 U	0.00294 U	0.000965 U	0.00258 U	0.00219 U	0.00345 U	0.00356 U	0.00399 U	0.00161 U
	MW-312-15	09/16/19	PES	PACE	15	20.6	S	0.00854	0.00710 J	0.00499 J	0.00705 UJ	0.000726 U	0.00201 U	0.000657 U	0.00175 U	0.00149 U	0.00235 U	0.00242 U	0.00273 U	0.00110 U
	MW-312-20	09/16/19	PES	PACE	20	15.6	S	0.0176	0.0271	0.00126 U	0.00552 UJ	0.000568 U	0.00157 U	0.000514 U	0.00137 U	0.00117 U	0.00184 U	0.00189 U	0.00213 U	0.000858 U
	MW-2004-20	09/16/19	PES	PACE	20	15.6	S	0.00133 U	0.00557 U	0.00134 U	0.00589 UJ	0.000606 U	0.00167 U	0.000548 U	0.00147 U	0.00125 U	0.00196 U	0.00202 U	0.00227 U	0.000916 U
	MW-312-25	09/16/19	PES	PACE	25	10.6	S	0.0132	0.0169	0.00219 J	0.00570 UJ	0.000587 U	0.00162 U	0.000531 U	0.00142 U	0.00121 U	0.00190 U	0.00196 U	0.00220 U	0.000887 U
MW-314 (-28.0 to -38.0)	MW-314-6	09/13/19	PES	PACE	6	33.8	V	0.00365 J	0.00548 U	0.00465 J	0.00579 UJ	0.000596 U	0.00165 U	0.000540 U	0.00144 U	0.00156 J	0.00193 U	0.00199 U	0.00224 U	0.000901 U
	MW-314-10	09/13/19	PES	PACE	10	29.8	V	0.00132 U	0.00553 U	0.00133 U	0.00586 UJ	0.000602 U	0.00167 U	0.000546 U	0.00146 U	0.00123 U	0.00195 U	0.00201 U	0.00226 U	0.000909 U
	MW-314-15	09/13/19	PES	PACE	15	24.8	V	0.00129 U	0.00542 U	0.00131 U	0.00574 UJ	0.000591 U	0.00163 U	0.000534 U	0.00143 U	0.00122 U	0.00191 U	0.00197 U	0.00222 U	0.000892 U
	MW-314-20	09/13/19	PES	PACE	20	19.8	S	0.00132 U	0.00553 U	0.00133 U	0.00585 UJ	0.000602 U	0.00166 U	0.000545 U	0.00146 U	0.00124 U	0.00195 U	0.00201 U	0.00226 U	0.000910 U
	MW-314-25	09/13/19	PES	PACE	25	14.8	S	0.00146 U	0.00612 U	0.00147 U	0.00648 UJ	0.000667 U	0.00184 U	0.000603 U	0.00161 U	0.00137 U	0.00216 U	0.00222 U	0.00250 U	0.00101 U
	MW-2002-25	09/13/19	PES	PACE	25	14.8	S	0.00145 U	0.00609 U	0.00146 U	0.00644 UJ	0.000663 U	0.00183 U	0.000600 U	0.00160 U	0.00136 U	0.00215 U	0.00221 U	0.00249 U	0.00100 U
	MW-314-30	09/13/19	PES	PACE	30	9.8	S	0.00143 U	0.00600 U	0.00144 U	0.00634 UJ	0.000653 U	0.00180 U	0.000591 U	0.00158 U	0.00134 U	0.00211 U	0.00218 U	0.00245 U	0.000986 U
	MW-314-35	09/13/19	PES	PACE	35	4.8	S	0.00123 U	0.00517 U	0.00124 U	0.00547 UJ	0.000563 U	0.00156 U	0.000510 U	0.00136 U	0.00116 U	0.00182 U	0.00188 U	0.00211 U	0.000851 U
	MW-314-40	09/13/19	PES	PACE	40	-0.2	S	0.00128 U	0.00538 U	0.00129 U	0.00569 UJ	0.000585 U	0.00161 U	0.000530 U	0.00141 U	0.00120 U	0.00190 U	0.00195 U	0.00220 U	0.000884 U
	MW-314-45	09/13/19	PES	PACE	45	-5.2	S	0.00127 U	0.00533 U	0.00128 U	0.00564 UJ	0.000581 U	0.00160 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000878 U
	MW-314-50	09/13/19	PES	PACE	50	-10.2	S	0.00128 U	0.00537 U	0.00129 U	0.00568 UJ	0.000584 U	0.00161 U	0.000529 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000883 U
	MW-314-55	09/13/19	PES	PACE	55	-15.2	S	0.00139 U	0.00582 U	0.00140 U	0.00616 UJ	0.000634 U	0.00175 U	0.000574 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00238 U	0.000957 U
	MW-314-60	09/13/19	PES	PACE	60	-20.2	S	0.00127 U	0.00533 U	0.00128 U	0.00564 UJ	0.000581 U	0.00160 U	0.000525 U	0.00140 U	0.00119 U	0.00188 U	0.00194 U	0.00218 U	0.000877 U
	MW-314-65	09/13/19	PES	PACE	65	-25.2	S	0.00131 U	0.00547 U	0.00132 U	0.00579 UJ	0.000596 U	0.00165 U	0.000539 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000900 U
	MW-314-70	09/13/19	PES	PACE	70	-30.2	S	0.0140 U	0.0585 U	0.0141 U	0.0620 UJ	0.00638 U	0.0176 U	0.00577 U	0.0154 U	0.0132 U	0.0207 U	0.0212 U	0.0239 U	0.00964 U
	MW-314-75	09/13/19	PES	PACE	75	-35.2	S	0.00263 U	0.0110 U	0.00265 U	0.0116 UJ	0.00120 U	0.00331 U	0.00108 U	0.00290 U	0.00247 U	0.00388 U	0.00400 U	0.00450 U	0.00182 U
	MW-314-80	09/13/19	PES	PACE	80	-40.2	S	0.00172 U	0.00720 U	0.00173 U	0.00761 UJ	0.000784 U	0.00216 U	0.000709 U	0.00189 U	0.00161 U	0.00253 U	0.00261 U	0.00295 U	0.00118 U
MW-316 (-10.0 to -20.0)	MW-316-5	09/09/19	PES	PACE	5	44.8	V	0.00124 U	0.00522 U	0.00126 U	0.00552 U	0.000568 U	0.00157 U	0.000514 U	0.00137 U	0.00117 U	0.00184 U	0.00189 U	0.00213 U	0.000859 U
	MW-316-10	09/09/19	PES	PACE	10	39.8	V	0.00130 U	0.00545 U	0.00131 U	0.00577 U	0.000594 U	0.00164 U	0.000537 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000897 U
	MW-316-15	09/09/19	PES	PACE	15	34.8	V	0.00129 U	0.00542 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00222 U	0.000892 U
	MW-316-20	09/09/19	PES	PACE	20	29.8	V	0.00124 U	0.00520 U	0.00125 U	0.00550 U	0.000566 U	0.00156 U	0.000512 U	0.00137 U	0.00117 U	0.00183 U	0.00189 U	0.00213 U	0.000855 U
	MW-316-25	09/09/19	PES	PACE	25	24.8	S	0.00130 U	0.00547 U	0.00132 U	0.00579 U	0.000596 U	0.00165 U	0.000539 U	0.00144 U	0.00123 U	0.00193 U	0.00199 U	0.00223 U	0.000900 U
	MW-316-30	09/09/19	PES	PACE	30	19.8	S	0.00128 U	0.00535 U	0.00129 U	0.00566 U	0.000583 U	0.00161 U	0.000527 U	0.00141 U	0.00120 U	0.00189 U	0.00194 U	0.00219 U	0.000880 U
	MW-316-35	09/09/19	PES	PACE	35	14.8	S	0.00130 U	0.00544 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000536 U	0.00143 U	0.00122 U	0.00192 U	0.00198 U	0.00222 U	0.000895 U
	MW-316-40	09/09/19	PES	PACE	40	9.8	S	0.00131 U	0.00549 U	0.00132 U	0.00580 U	0.000597 U	0.00165 U	0.000541 U	0.00145 U	0.00123 U	0.00193 U	0.00199 U	0.00224 U	0.000902 U
	MW-316-45	09/09/19	PES	PACE	45	4.8	S	0.00128 U	0.00536 U	0.00129 U	0.00567 U	0.000584 U	0.00161 U	0.000528 U	0.00141 U	0.00120 U	0.00189 U	0.00195 U	0.00219 U	0.000882 U
	MW-316-50	09/09/19	PES	PACE	50	-0.2	S	0.00138 U	0.00577 U	0.00139 U	0.00610 UJ	0.000628 U	0.00173 U	0.000568 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00236 U	0.000949 U
	MW-316-55	09/09/19	PES	PACE	55	-5.2	S	0.00130 U	0.00546 U	0.00131 U	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000898 U
	MW-316-60	09/09/19	PES	PACE	60	-10.2	S	0.00129 U	0.00542 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000892 U
	MW-316-65	09/10/19	PES	PACE	65	-15.2	S	0.00172 U	0.00721 U	0.00173 U	0.00763 U	0.000786 U	0.00217 U	0.000711 U	0.00190 U	0.00161 U	0.00254 U	0.00262 U	0.00295 U	0.00119 U
	MW-2001-65	09/10/19	PES	PACE	65	-15.2	S	0.00136 U	0.00571 U	0.00137 U	0.00604 U	0.000622 U	0.00172 U	0.000563 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000939 U
	MW-316-70	09/10/19	PES	PACE	70	-20.2	S	0.00130 U	0.00545 U	0.00131 U	0.00577 U	0.000594 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000897 U
MW-319 (-42.8 to -52.8)	MW-319-6	09/18/19	PES	PACE	6	25.7	V	0.00452 J	0.00559 U	0.00522 J	0.00592 U	0.000609 U	0.00168 U	0.000551 U	0.00147 U	0.00157 J	0.00197 U	0.00203 U	0.00229 U	0.000920 U
	MW-319-10	09/18/19	PES	PACE	10	21.7	S	0.00133 U	0.00556 U	0.00134 U	0.00588 U	0.000605 U	0.00167 U	0.000548 U	0.00146 U	0.00125 U	0.00196 U	0.00202 U	0.00227 U	0.000914 U
	MW-319-15	09/18/19	PES	PACE	15	16.7	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00145 U	0.00124 U	0.00195 U	0.00200 U	0.00226 U	0.000908 U
	MW-319-20	09/18/19	PES	PACE	20	11.7	S	0.00142 U	0.00597 U	0.00144 U	0.00632 U	0.000650 U	0.00180 U	0.000588 U	0.00157 U	0.00134 U	0.00211 U	0.00217 U	0.00244 U	0.000982 U
	MW-319-30	09/18/19	PES	PACE	30	1.7	S	0.00131 U	0.00551 U	0.00133 U	0.00583 U	0.000600 U	0.00166 U	0.000543 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000906 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-319 (continued)	MW-319-35	09/18/19	PES	PACE	35	-3.3	S	0.00145 U	0.00608 U	0.00146 U	0.00643 U	0.000662 U	0.00183 U	0.000599 U	0.00160 U	0.00136 U	0.00214 U	0.00221 U	0.00248 U	0.00100 U
	MW-319-40	09/18/19	PES	PACE	40	-8.3	S	0.00136 U	0.00569 U	0.00137 U	0.00602 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.00127 U	0.00201 U	0.00207 U	0.00233 U	0.000936 U
	MW-319-45	09/18/19	PES	PACE	45	-13.3	S	0.00137 U	0.00572 U	0.00138 U	0.00606 U	0.000623 U	0.00172 U	0.000564 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000942 U
	MW-319-50	09/18/19	PES	PACE	50	-18.3	S	0.00140 U	0.00589 U	0.00142 U	0.00623 U	0.000641 U	0.00177 U	0.000580 U	0.00155 U	0.00132 U	0.00208 U	0.00214 U	0.00241 U	0.000968 U
	MW-319-55	09/18/19	PES	PACE	55	-23.3	S	0.00145 U	0.00609 U	0.00146 U	0.00644 U	0.000663 U	0.00183 U	0.000600 U	0.00160 U	0.00136 U	0.00215 U	0.00221 U	0.00249 U	0.00100 U
	MW-319-60	09/18/19	PES	PACE	60	-28.3	S	0.00137 U	0.00572 U	0.00138 U	0.00606 U	0.000623 U	0.00172 U	0.000564 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000942 U
	MW-319-65	09/18/19	PES	PACE	65	-33.3	S	0.00147 U	0.00614 U	0.00148 U	0.00650 U	0.000669 U	0.00185 U	0.000606 U	0.00162 U	0.00138 U	0.00217 U	0.00223 U	0.00251 U	0.00101 U
	MW-319-70	09/18/19	PES	PACE	70	-38.3	S	0.00140 U	0.00587 U	0.00141 U	0.00640 U	0.000640 U	0.00177 U	0.000579 U	0.00155 U	0.00132 U	0.00207 U	0.00213 U	0.00240 U	0.000966 U
	MW-2006-70	09/18/19	PES	PACE	70 (dup)	-36.9	S	0.00144 U	0.00604 U	0.00145 U	0.00639 U	0.000658 U	0.00182 U	0.000595 U	0.00159 U	0.00135 U	0.00213 U	0.00219 U	0.00247 U	0.000994 U
	MW-319-75	09/18/19	PES	PACE	75	-43.3	S	0.00127 U	0.00534 U	0.00128 U	0.00565 U	0.000582 U	0.00161 U	0.000526 U	0.00141 U	0.00120 U	0.00188 U	0.00194 U	0.00218 U	0.000878 U
MW-320 (18.6 to 8.6)	MW-319-80	09/18/19	PES	PACE	80	-48.3	S	0.00140 U	0.00586 U	0.00141 U	0.00620 U	0.000638 U	0.00176 U	0.000577 U	0.00154 U	0.00131 U	0.00207 U	0.00213 U	0.00239 U	0.000964 U
	MW-319-85	09/18/19	PES	PACE	85	-53.3	S	0.00138 U	0.00580 U	0.00140 U	0.00614 U	0.000632 U	0.00174 U	0.000571 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00237 U	0.000954 U
MW-323 (-65.4 to -75.4)	MW-320-19	09/29/19	PES	PACE	19	15.1	S	0.0257 U	0.108 U	0.0259 U	0.114 U	0.0117 U	0.0324 U	0.0106 U	0.0284 U	0.0241 U	0.0380 U	0.0391 U	0.0440 U	0.0178 U
	MW-320-27	09/29/19	PES	PACE	27	7.1	S	0.00133 U	0.00558 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000918 U
MW-323 (-65.4 to -75.4)	MW-323-10	09/28/19	PES	PACE	10	24.7	V	0.00280 U	0.0118 U	0.00283 U	0.0124 U	0.00128 U	0.00354 U	0.00116 U	0.00310 U	0.00263 U	0.00415 U	0.00427 U	0.00480 U	0.00194 U
	MW-2012-10	09/28/19	PES	PACE	10 (dup)	24.7	V	0.00144 U	0.00602 U	0.00145 U	0.00637 U	0.000656 U	0.00181 U	0.000594 U	0.00159 U	0.00135 U	0.00212 U	0.00219 U	0.00247 U	0.000991 U
	MW-323-15	09/28/19	PES	PACE	15	19.7	S	0.00264 U	0.0110 U	0.00266 U	0.0117 U	0.00120 U	0.00333 U	0.00109 U	0.00291 U	0.00247 U	0.00390 U	0.00401 U	0.00452 U	0.00182 U
	MW-323-20	09/28/19	PES	PACE	20	14.7	S	0.0136	0.00544 U	0.0193	0.00576 U	0.000593 U	0.00164 U	0.000536 U	0.00143 U	0.00251	0.00192 U	0.00198 U	0.00222 U	0.000895 U
	MW-323-25	09/28/19	PES	PACE	25	9.7	S	0.00131 U	0.00550 U	0.00146	0.00582 U	0.000599 U	0.00165 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000904 U
	MW-323-30	09/28/19	PES	PACE	30	4.7	S	0.00244 U	0.0102 U	0.00246 U	0.0108 U	0.00112 U	0.00308 U	0.00101 U	0.00270 U	0.00229 U	0.00361 U	0.00372 U	0.00418 U	0.00169 U
	MW-323-35	09/28/19	PES	PACE	35	-0.4	S	0.00148 U	0.00620 U	0.00149 U	0.00655 U	0.000675 U	0.00186 U	0.000611 U	0.00163 U	0.00139 U	0.00218 U	0.00225 U	0.00253 U	0.00102 U
	MW-323-40	09/28/19	PES	PACE	40	-5.4	S	0.00148 U	0.00619 U	0.00149 U	0.00655 U	0.000674 U	0.00186 U	0.000610 U	0.00163 U	0.00139 U	0.00218 U	0.00225 U	0.00253 U	0.00102 U
	MW-323-45	09/28/19	PES	PACE	45	-10.4	S	0.00147 U	0.00617 U	0.00148 U	0.00652 U	0.000672 U	0.00186 U	0.000608 U	0.00162 U	0.00138 U	0.00217 U	0.00224 U	0.00252 U	0.00101 U
	MW-323-50	09/28/19	PES	PACE	50	-15.4	S	0.00132 U	0.00555 U	0.00134 U	0.00587 U	0.000604 U	0.00167 U	0.000547 U	0.00146 U	0.00124 U	0.00196 U	0.00201 U	0.00227 U	0.000913 U
	MW-323-55	09/28/19	PES	PACE	55	-20.4	S	0.00134 U	0.00562 U	0.00135 U	0.00594 U	0.000612 U	0.00169 U	0.000553 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000924 U
	MW-323-60	09/28/19	PES	PACE	60	-25.4	S	0.00147 U	0.00618 U	0.00148 U	0.00654 U	0.000673 U	0.00185 U	0.000609 U	0.00162 U	0.00138 U	0.00218 U	0.00225 U	0.00253 U	0.00102 U
	MW-2010-60	09/28/19	PES	PACE	60 (dup)	-25.4	S	0.00140 U	0.00588 U	0.00141 U	0.00622 U	0.000640 U	0.00177 U	0.000579 U	0.00155 U	0.00132 U	0.00207 U	0.00213 U	0.00240 U	0.000967 U
	MW-323-65	09/28/19	PES	PACE	65	-30.4	S	0.00138 U	0.00579 U	0.00139 U	0.00613 U	0.000631 U	0.00174 U	0.000571 U	0.00153 U	0.00130 U	0.00204 U	0.00210 U	0.00237 U	0.000953 U
	MW-323-70	09/28/19	PES	PACE	70	-35.4	S	0.194 U	0.811 U	0.195 U	0.858 U	0.0884 U	0.244 U	0.0799 U	0.214 U	0.182 U	0.286 U	0.294 U	0.332 U	0.133 U
	MW-323-75	09/28/19	PES	PACE	75	-40.4	S	0.00135 U	0.00566 U	0.00136 U	0.00599 U	0.000617 U	0.00170 U	0.000558 U	0.00149 U	0.00127 U	0.00200 U	0.00206 U	0.00231 U	0.000932 U
	MW-323-80	09/28/19	PES	PACE	80	-45.4	S	0.00130 U	0.00545 U	0.00131 U	0.00576 U	0.000593 U	0.00164 U	0.000537 U	0.00144 U	0.00122 U	0.00192 U	0.00198 U	0.00223 U	0.000896 U
	MW-323-85	09/28/19	PES	PACE	85	-50.4	S	0.00138 U	0.00577 U	0.00139 U	0.00611 U	0.000629 U	0.00174 U	0.000569 U	0.00152 U	0.00129 U	0.00204 U	0.00210 U	0.00236 U	0.000950 U
	MW-323-91	09/28/19	PES	PACE	91	-56.4	S	0.00326 U	0.0137 U	0.00328 U	0.0144 U	0.00149 U	0.00410 U	0.00134 U	0.00360 U	0.00307 U	0.00481 U	0.00496 U	0.00558 U	0.00225 U
	MW-323-95	09/28/19	PES	PACE	95	-60.4	S	0.00138 U	0.00578 U	0.00139 U	0.00611 U	0.000629 U	0.00174 U	0.000569 U	0.00152 U	0.00129 U	0.00204 U	0.00210 U	0.00236 U	0.000951 U
MW-324 (-32.1 to -42.1)	MW-323-99	09/28/19	PES	PACE	99	-64.4	S	0.00133 U	0.00557 U	0.00134 U	0.00590 U	0.000607 U	0.00168 U	0.000549 U	0.00147 U	0.00125 U	0.00197 U	0.00202 U	0.00228 U	0.000917 U
	MW-323-105	09/28/19	PES	PACE	105	-70.4	S	0.00136 U	0.00569 U	0.00137 U	0.00602 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000936 U
	MW-323-110	09/28/19	PES	PACE	110	-75.4	S	0.00281 U	0.0118 U	0.00285 U	0.0125 U	0.00128 U	0.00355 U	0.00117 U	0.00311 U	0.00264 U	0.00416 U	0.00429 U	0.00483 U	0.00194 U
	MW-324-6	09/12/19	PES	PACE	6	28.3	V	0.00129 U	0.00542 U	0.00130 U	0.00574 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00222 U	0.000892 U
	MW-324-10	09/12/19	PES	PACE	10	24.3	V	0.00133 U	0.00558 U	0.00134 U	0.00591 U	0.000608 U	0.00168 U	0.000550 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000918 U
	MW-324-15	09/12/19	PES	PACE	15	19.3	S	0.00126 U	0.00526 U	0.00127 U	0.00557 U	0.000573 U	0.00158 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000866 U
MW-324	MW-324-20	09/12/19	PES	PACE	20	14.3	S	0.00134 U	0.00562 U	0.00135 U	0.00595 U	0.000613 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000925 U
	MW-324-25	09/12/19	PES	PACE	25	9.3	S	0.00136 U	0.00569 U	0.00137 U	0.00602 U	0.000620 U	0.00171 U	0.000561 U	0.00150 U	0.00128 U	0.00201 U	0.00207 U	0.00233 U	0.000936 U
	MW-324-30	09/12/19	PES	PACE	30	4.3	S	0.00141 U	0.00593 U	0.00142 U	0.00627 U	0.000646 U	0.00178 U	0.000583 U	0.00157 U	0.00133 U	0.00208 U	0.00214 U	0.00242 U	0.000975 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-324 (continued)	MW-324-35	09/12/19	PES	PACE	35	-0.7	S	0.00137 U	0.00575 U	0.00138 U	0.00609 U	0.000627 U	0.00173 U	0.000567 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000947 U
	MW-324-40	09/12/19	PES	PACE	40	-5.7	S	0.00139 U	0.00583 U	0.00140 U	0.00616 U	0.000635 U	0.00175 U	0.000574 U	0.00153 U	0.00131 U	0.00205 U	0.00212 U	0.00238 U	0.000958 U
	MW-324-45	09/12/19	PES	PACE	45	-10.7	S	0.00145 U	0.00607 U	0.00146 U	0.00642 U	0.000661 U	0.00183 U	0.000598 U	0.00160 U	0.00136 U	0.00214 U	0.00220 U	0.00248 U	0.000998 U
	MW-324-50	09/12/19	PES	PACE	50	-15.7	S	0.00115 U	0.00482 U	0.00116 U	0.00510 U	0.000525 U	0.00145 U	0.000475 U	0.00127 U	0.00108 U	0.00170 U	0.00175 U	0.00197 U	0.000793 U
	MW-324-55	09/12/19	PES	PACE	55	-20.7	S	0.00130 U	0.00546 U	0.00131 U	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000899 U
	MW-324-60	09/12/19	PES	PACE	60	-25.7	S	0.00130 U	0.00546 U	0.00131 U	0.00578 U	0.000595 U	0.00164 U	0.000538 U	0.00144 U	0.00122 U	0.00193 U	0.00198 U	0.00223 U	0.000899 U
	MW-324-65	09/12/19	PES	PACE	65	-30.7	S	0.00135 U	0.00567 U	0.00136 U	0.00600 U	0.000617 U	0.00170 U	0.000559 U	0.00149 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000933 U
	MW-324-70	09/12/19	PES	PACE	70	-35.7	S	0.00143 U	0.00598 U	0.00144 U	0.00633 U	0.000651 U	0.00180 U	0.000590 U	0.00158 U	0.00133 U	0.00211 U	0.00218 U	0.00245 U	0.000983 U
MW-326 (-48.7 to -58.7)	MW-324-75	09/12/19	PES	PACE	75	-40.7	S	0.00144 U	0.00604 U	0.00145 U	0.00640 U	0.000658 U	0.00182 U	0.000596 U	0.00159 U	0.00135 U	0.00213 U	0.00219 U	0.00247 U	0.000994 U
	MW-324-80	09/12/19	PES	PACE	80	-45.7	S	0.00144 U	0.00603 U	0.00145 U	0.00638 U	0.000657 U	0.00181 U	0.000594 U	0.00159 U	0.00135 U	0.00213 U	0.00219 U	0.00247 U	0.000992 U
	MW-326-5	09/09/19	PES	PACE	5	36.3	V	0.00216 J	0.00531 U	0.00325 J	0.00562 U	0.000579 U	0.00160 U	0.000523 U	0.00140 U	0.00151 J	0.00187 U	0.00193 U	0.00217 U	0.000874 U
	MW-326-10	09/09/19	PES	PACE	10	31.3	V	0.00153 U	0.00642 U	0.00155 U	0.00679 U	0.000699 U	0.00193 U	0.000632 U	0.00169 U	0.00143 U	0.00227 U	0.00232 U	0.00262 U	0.00106 U
	MW-326-15	09/09/19	PES	PACE	15	26.3	V	0.00134 U	0.00564 U	0.00136 U	0.00596 U	0.000614 U	0.00170 U	0.000555 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00230 U	0.000927 U
	MW-326-20	09/09/19	PES	PACE	20	21.3	S	0.00135 U	0.00564 U	0.00136 U	0.00597 U	0.000615 U	0.00170 U	0.000556 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00231 U	0.000928 U
	MW-326-25	09/09/19	PES	PACE	25	16.3	S	0.00143 U	0.00598 U	0.00144 U	0.00633 U	0.000651 U	0.00180 U	0.000589 U	0.00158 U	0.00134 U	0.00211 U	0.00217 U	0.00244 U	0.000984 U
	MW-326-30	09/09/19	PES	PACE	30	11.3	S	0.00464 U	0.0195 U	0.00469 U	0.0206 U	0.00213 U	0.00586 U	0.00191 U	0.00513 U	0.00437 U	0.00687 U	0.00707 U	0.00796 U	0.00320 U
	MW-326-35	09/09/19	PES	PACE	35	6.3	S	0.00142 U	0.00596 U	0.00143 U	0.00631 U	0.000649 U	0.00179 U	0.000587 U	0.00157 U	0.00134 U	0.00210 U	0.00216 U	0.00244 U	0.000981 U
	MW-326-40	09/09/19	PES	PACE	40	1.3	S	0.00137 U	0.00575 U	0.00138 U	0.00608 U	0.000626 U	0.00173 U	0.000566 U	0.00151 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000946 U
	MW-326-45	09/09/19	PES	PACE	45	-3.7	S	0.00139 U	0.00581 U	0.00140 U	0.00614 U	0.000632 U	0.00175 U	0.000572 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00237 U	0.000955 U
	MW-326-50	09/09/19	PES	PACE	50	-8.7	S	0.00131 U	0.00551 U	0.00133 U	0.00583 U	0.000600 U	0.00166 U	0.000543 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000907 U
	MW-326-55	09/09/19	PES	PACE	55	-13.7	S	0.00140 U	0.00586 U	0.00141 U	0.00620 U	0.000639 U	0.00176 U	0.000578 U	0.00154 U	0.00131 U	0.00207 U	0.00213 U	0.00240 U	0.000965 U
	MW-326-60	09/09/19	PES	PACE	60	-18.7	S	0.00125 U	0.00524 U	0.00126 U	0.00554 U	0.000571 U	0.00158 U	0.000516 U	0.00138 U	0.00117 U	0.00185 U	0.00190 U	0.00214 U	0.000862 U
	MW-326-65	09/09/19	PES	PACE	65	-23.7	S	0.00133 U	0.00559 U	0.00134 U	0.00591 U	0.000609 U	0.00168 U	0.000551 U	0.00147 U	0.00125 U	0.00197 U	0.00203 U	0.00228 U	0.000919 U
	MW-326-70	09/09/19	PES	PACE	70	-28.7	S	0.00140 U	0.00587 U	0.00141 U	0.00621 U	0.000640 U	0.00177 U	0.000579 U	0.00155 U	0.00132 U	0.00207 U	0.00213 U	0.00240 U	0.000966 U
	MW-326-75	09/09/19	PES	PACE	75	-33.7	S	0.00139 U	0.00584 U	0.00141 U	0.00618 U	0.000636 U	0.00176 U	0.000576 U	0.00154 U	0.00131 U	0.00206 U	0.00212 U	0.00239 U	0.000961 U
	MW-326-80	09/09/19	PES	PACE	80	-38.7	S	0.00137 U	0.00573 U	0.00138 U	0.00606 U	0.000624 U	0.00172 U	0.000565 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000943 U
	MW-326-85	09/10/19	PES	PACE	85	-43.7	S	0.00134 U	0.00563 U	0.00136 U	0.00596 U	0.000614 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00199 U	0.00205 U	0.00230 U	0.000927 U
MW-328 (-36.1 to -46.1)	MW-326-90	09/10/19	PES	PACE	90	-48.7	S	0.00135 U	0.00568 U	0.00137 U	0.00601 U	0.000618 U	0.00171 U	0.000559 U	0.00150 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000934 U
	MW-326-95	09/10/19	PES	PACE	95	-53.7	S	0.00129 U	0.00542 U	0.00130 U	0.00573 U	0.000590 U	0.00163 U	0.000534 U	0.00143 U	0.00121 U	0.00191 U	0.00197 U	0.00221 U	0.000891 U
	MW-200I-95	09/10/19	PES	PACE	95 (dup)	-53.7	S	0.00131 U	0.00550 U	0.00132 U	0.00582 U	0.000599 U	0.00165 U	0.000542 U	0.00145 U	0.00123 U	0.00194 U	0.00200 U	0.00225 U	0.000905 U
	MW-326-100	09/10/19	PES	PACE	100	-58.7	S	0.00139 U	0.00582 U	0.00140 U	0.00616 U	0.000634 U	0.00175 U	0.000574 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00238 U	0.000958 U
	MW-328-5	09/16/19	PES	PACE	5	23.4	V	0.00137 U	0.00573 U	0.00138 U	0.00606 U	0.000624 U	0.00172 U	0.000565 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000943 U
	MW-328-10	09/16/19	PES	PACE	10	18.4	S	0.00158 U	0.00662 U	0.00159 U	0.00701 U	0.000722 U	0.00199 U	0.000653 U	0.00175 U	0.00148 U	0.00234 U	0.00241 U	0.00271 U	0.00109 U
	MW-328-15	09/16/19	PES	PACE	15	13.4	S	0.00141 U	0.00592 U	0.00142 U	0.00626 U	0.000644 U	0.00178 U	0.000583 U	0.00156 U	0.00133 U	0.00209 U	0.00215 U	0.00242 U	0.000973 U
	MW-328-20	09/16/19	PES	PACE	20	8.4	S	0.00137 U	0.00576 U	0.00139 U	0.00609 U	0.000627 U	0.00173 U	0.000567 U	0.00152 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000947 U
	MW-328-30	09/16/19	PES	PACE	30	-1.6	S	0.0271 U	0.114 U	0.0274 U	0.120 U	0.0124 U	0.0341 U	0.0112 U	0.0299 U	0.0255 U	0.0401 U	0.0412 U	0.0465 U	0.0187 U
	MW-328-35	09/16/19	PES	PACE	35	-6.6	S	0.00148 U	0.00620 U	0.00149 U	0.00656 U	0.000674 U	0.00187 U	0.000611 U	0.00164 U	0.00138 U	0.00218 U	0.00226 U	0.00253 U	0.00102 U
MW-328	MW-328-40	09/16/19	PES	PACE	40	-11.6	S	0.00335 U	0.0140 U	0.00338 U	0.0148 U	0.00153 U	0.00422 U	0.00138 U	0.00370 U	0.00314 U	0.00495 U	0.00510 U	0.00574 U	0.00231 U
	MW-328-45	09/16/19	PES	PACE	45	-16.6	S	0.00142 U	0.00594 U	0.00143 U	0.00629 U	0.000647 U	0.00179 U	0.000586 U	0.00157 U	0.00133 U	0.00210 U	0.00216 U	0.00243 U	0.000978 U
	MW-328-50	09/16/19	PES	PACE	50	-21.6	S	0.0422 U	0.177 U	0.0426 U	0.187 U	0.0192 U	0.0532 U	0.0175 U	0.0467 U	0.0397 U	0.0624 U	0.0643 U	0.0723 U	0.0291 U
	MW-328-55	09/16/19	PES	PACE	55	-26.6	S	0.00137 U	0.00574 U	0.00138 U	0.00607 U	0.000625 U	0.00173 U	0.000565 U	0.00151 U	0.00129 U	0.00202 U	0.00208 U	0.00234 U	0.000944 U
	MW-328-60	09/16/19	PES	PACE	60	-31.6	S	0.00138 U	0.00580 U	0.00139 U	0.00613 U	0.000631 U	0.00174 U	0.000571 U	0.00153 U	0.00130 U	0.00204 U	0.00210 U	0.00237 U	0.000954 U
	MW-328-65	09/16/19	PES	PACE	65	-36.6	S	0.00134 U	0.00562 U	0.00135 U	0.00595 U	0.000612 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000925 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-328 (continued)	MW-328-70	09/16/19	PES	PACE	70	-41.6	S	0.00138 U	0.00580 U	0.00140 U	0.00614 U	0.000632 U	0.00175 U	0.000572 U	0.00153 U	0.00130 U	0.00205 U	0.00211 U	0.00237 U	0.000955 U
	MW-328-75	09/16/19	PES	PACE	75	-46.6	S	0.00134 U	0.00562 U	0.00135 U	0.00595 U	0.000612 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000925 U
	MW-328-80	09/16/19	PES	PACE	80	-51.6	S	0.00152 U	0.00636 U	0.00153 U	0.00673 U	0.000693 U	0.00191 U	0.000627 U	0.00168 U	0.00142 U	0.00224 U	0.00231 U	0.00260 U	0.00105 U
MW-329 (-69.0 to -79.0)	MW-329-5	09/12/19	PES	PACE	5	24.3	V	0.00123 U	0.00515 U	0.00124 U	0.00545 U	0.000561 U	0.00155 U	0.000508 U	0.00136 U	0.00115 U	0.00182 U	0.00187 U	0.00211 U	0.000848 U
	MW-329-10	09/12/19	PES	PACE	10	19.3	S	0.00121 U	0.00507 U	0.00122 U	0.00536 U	0.000552 U	0.00153 U	0.000500 U	0.00134 U	0.00114 U	0.00179 U	0.00184 U	0.00207 U	0.000834 U
	MW-329-15	09/12/19	PES	PACE	15	14.3	S	0.00126 U	0.00529 U	0.00127 U	0.00560 U	0.000576 U	0.00159 U	0.000522 U	0.00139 U	0.00119 U	0.00187 U	0.00192 U	0.00216 U	0.000871 U
	MW-329-20	09/12/19	PES	PACE	20	9.3	S	0.00159 U	0.00666 U	0.00160 U	0.00705 U	0.000726 U	0.00200 U	0.000657 U	0.00176 U	0.00149 U	0.00235 U	0.00242 U	0.00272 U	0.00110 U
	MW-329-25	09/12/19	PES	PACE	25	4.3	S	0.00165 U	0.00691 U	0.00166 U	0.00731 U	0.000752 U	0.00208 U	0.000681 U	0.00182 U	0.00155 U	0.00244 U	0.00251 U	0.00282 U	0.00114 U
	MW-329-30	09/12/19	PES	PACE	30	-0.7	S	0.00142 U	0.00595 U	0.00143 U	0.00630 U	0.000648 U	0.00179 U	0.000587 U	0.00157 U	0.00133 U	0.00210 U	0.00216 U	0.00243 U	0.000980 U
	MW-329-35	09/12/19	PES	PACE	35	-5.7	S	0.00141 U	0.00591 U	0.00142 U	0.00625 U	0.000643 U	0.00178 U	0.000582 U	0.00156 U	0.00132 U	0.00208 U	0.00214 U	0.00241 U	0.000972 U
	MW-329-40	09/12/19	PES	PACE	40	-10.7	S	0.00142 U	0.00594 U	0.00143 U	0.00629 U	0.000647 U	0.00179 U	0.000585 U	0.00157 U	0.00133 U	0.00210 U	0.00216 U	0.00243 U	0.000977 U
	MW-329-45	09/12/19	PES	PACE	45	-15.7	S	0.00137 U	0.00575 U	0.00138 U	0.00608 U	0.000626 U	0.00173 U	0.000567 U	0.00151 U	0.00129 U	0.00203 U	0.00209 U	0.00235 U	0.000946 U
	MW-329-50	09/12/19	PES	PACE	50	-20.7	S	0.00142 U	0.00594 U	0.00143 U	0.00629 U	0.000647 U	0.00179 U	0.000586 U	0.00157 U	0.00133 U	0.00210 U	0.00216 U	0.00243 U	0.000978 U
	MW-2003-50	09/12/19	PES	PACE	50 (dup)	-20.7	S	0.00126 U	0.00527 U	0.00127 U	0.00557 U	0.000574 U	0.00158 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000866 U
	MW-329-55	09/12/19	PES	PACE	55	-25.7	S	0.00133 U	0.00556 U	0.00134 U	0.00589 U	0.000606 U	0.00167 U	0.000548 U	0.00147 U	0.00125 U	0.00196 U	0.00202 U	0.00227 U	0.000915 U
	MW-329-60	09/12/19	PES	PACE	60	-30.7	S	0.00135 U	0.00564 U	0.00136 U	0.00597 U	0.000614 U	0.00170 U	0.000556 U	0.00149 U	0.00126 U	0.00199 U	0.00205 U	0.00230 U	0.000928 U
	MW-329-65	09/12/19	PES	PACE	65	-35.7	S	0.00134 U	0.00563 U	0.00136 U	0.00596 U	0.000613 U	0.00169 U	0.000555 U	0.00148 U	0.00126 U	0.00199 U	0.00204 U	0.00230 U	0.000927 U
	MW-329-70	09/12/19	PES	PACE	70	-40.7	S	0.00134 U	0.00562 U	0.00135 U	0.00594 U	0.000612 U	0.00169 U	0.000554 U	0.00148 U	0.00126 U	0.00198 U	0.00204 U	0.00230 U	0.000924 U
	MW-329-75	09/12/19	PES	PACE	75	-45.7	S	0.00132 U	0.00552 U	0.00133 U	0.00584 U	0.000601 U	0.00166 U	0.000544 U	0.00146 U	0.00124 U	0.00195 U	0.00200 U	0.00226 U	0.000909 U
	MW-329-80	09/12/19	PES	PACE	80	-50.7	S	0.00140 U	0.00586 U	0.00141 U	0.00620 U	0.000638 U	0.00176 U	0.000577 U	0.00154 U	0.00131 U	0.00207 U	0.00213 U	0.00239 U	0.000963 U
	MW-329-85	09/12/19	PES	PACE	85	-55.7	S	0.00134 U	0.00564 U	0.00136 U	0.00596 U	0.000614 U	0.00170 U	0.000555 U	0.00148 U	0.00126 U	0.00199 U	0.00205 U	0.00230 U	0.000927 U
	MW-329-90	09/12/19	PES	PACE	90	-60.7	S	0.00135 U	0.00567 U	0.00136 U	0.00600 U	0.000617 U	0.00170 U	0.000558 U	0.00149 U	0.00127 U	0.00200 U	0.00206 U	0.00232 U	0.000932 U
	MW-329-95	09/12/19	PES	PACE	95	-65.7	S	0.00137 U	0.00572 U	0.00138 U	0.00606 U	0.000623 U	0.00172 U	0.000564 U	0.00151 U	0.00128 U	0.00202 U	0.00208 U	0.00234 U	0.000942 U
	MW-329-100	09/12/19	PES	PACE	100	-70.7	S	0.00137 U	0.00574 U	0.00138 U	0.00607 U	0.000625 U	0.00173 U	0.000566 U	0.00151 U	0.00129 U	0.00202 U	0.00208 U	0.00235 U	0.000944 U
	MW-329-105	09/12/19	PES	PACE	105	-75.7	S	0.00127 U	0.00531 U	0.00128 U	0.00561 U	0.000578 U	0.00160 U	0.000523 U	0.00140 U	0.00119 U	0.00187 U	0.00193 U	0.00217 U	0.000873 U
	MW-329-110	09/12/19	PES	PACE	110	-80.7	S	0.00126 U	0.00527 U	0.00127 U	0.00557 U	0.000574 U	0.00158 U	0.000519 U	0.00139 U	0.00118 U	0.00186 U	0.00191 U	0.00215 U	0.000866 U
MW-330	MW-330-6	04/20/20	PES	PACE	6	46.0	V	0.00179 U	0.00500 U	0.00179 U	0.00443 U	0.000736 U	0.000483 U	0.000737 U	0.00161 U	0.00227 U	0.000681 U	0.000569 U	0.000795 U	0.00157 U
	MW-330-10	04/20/20	PES	PACE	10	42.0	V	0.00174 U	0.00485 U	0.00174 U	0.00430 U	0.000715 U	0.000469 U	0.000716 U	0.00157 U	0.00221 U	0.000662 U	0.000553 U	0.000772 U	0.00152 U
	MW-330-11.5	04/20/20	PES	PACE	11.5	40.5	V	0.00184 U	0.00513 U	0.00184 U	0.00455 U	0.000755 U	0.000495 U	0.000757 U	0.00166 U	0.00233 U	0.000700 U	0.000584 U	0.000816 U	0.00161 U
	MW-330-16	04/20/20	PES	PACE	16	36.0	V	0.00179 U	0.00500 U	0.00179 U	0.00443 U	0.000736 U	0.000483 U	0.000737 U	0.00161 U	0.00227 U	0.000682 U	0.000569 U	0.000795 U	0.00157 U
	MW-330-21.5	04/20/20	PES	PACE	21.5	30.5	S	0.00168 U	0.00469 U	0.00168 U	0.00415 U	0.000690 U	0.000453 U	0.000691 U	0.00151 U	0.00213 U	0.000639 U	0.000533 U	0.000745 U	0.00147 U
	MW-330-27	04/20/20	PES	PACE	27	25.0	S	0.00170 U	0.00473 U	0.00170 U	0.00419 U	0.000697 U	0.000457 U	0.000698 U	0.00153 U	0.00215 U	0.000645 U	0.000539 U	0.000753 U	0.00148 U
	MW-330-32	04/20/20	PES	PACE	32	20.0	S	0.00170 U	0.00474 U	0.00170 U	0.00420 U	0.000698 U	0.000458 U	0.000699 U	0.00153 U	0.00215 U	0.000646 U	0.000540 U	0.000754 U	0.00149 U
	MW-330-38	04/20/20	PES	PACE	38	14.0	S	0.00170 U	0.00473 U	0.00170 U	0.00420 U	0.000697 U	0.000457 U	0.000698 U	0.00153 U	0.00215 U	0.000646 U	0.000539 U	0.000753 U	0.00148 U
	MW-330-42	04/20/20	PES	PACE	42	10.0	S	0.00165 U	0.00461 U	0.00165 U	0.00408 U	0.000678 U	0.000445 U	0.000679 U	0.00149 U	0.00209 U	0.000628 U	0.000525 U	0.000733 U	0.00144 U
	MW-330-47	04/20/20	PES	PACE	47	5.0	S	0.00179 U	0.00498 U	0.00179 U	0.00441 U	0.000734 U	0.000481 U	0.000735 U	0.00161 U	0.00226 U	0.000679 U	0.000567 U	0.000792 U	0.00156 U
	MW-330-52	04/20/20	PES	PACE	52	0.0	S	0.00173 U	0.00483 U	0.00173 U	0.00428 U	0.000711 U	0.000467 U	0.000712 U	0.00156 U	0.00220 U	0.000659 U	0.000550 U	0.000768 U	0.00151 U
	MW-330-58	04/20/20	PES	PACE	58	-6.0	S	0.00172 U	0.00479 U	0.00172 U	0.00424 U	0.000705 U	0.000462 U	0.000706 U	0.00155 U	0.00218 U	0.000653 U	0.000545 U	0.000762 U	0.00150 U
	MW-330-62	04/20/20	PES	PACE	62	-10.0	S	0.00174 U	0.00483 U	0.00174 U	0.00428 U	0.000712 U	0.000467 U	0.000713 U	0.00156 U	0.00220 U	0.000659 U	0.000550 U	0.000769 U	0.00152 U
MW-331	MW-331-7	04/17/20	PES	PACE	7	24.2	V	0.0479	0.00679 U	0.124	0.00602 U	0.00100 U	0.000656 U	0.00100 U	0.00219 U	0.114	0.000926 U	0.000774 U	0.00108 U	0.00213 U
	MW-331-11	04/17/20	PES	PACE	11	20.2	S	0.512	0.0394 U	0.0557	0.0349 U	0.00580 U	0.00381 U	0.00581 U	0.0128 U	0.330	0.00538 U	0.00449 U	0.00627 U	0.0123 U
	MW-331-16	04/17/20	PES	PACE	16	15.2	S	0.0203	0.00519 U	0.00786	0.00460 U	0.000765 U	0.000502 U	0.000766 U	0.00168 U	0.00619	0.000708 U	0.000591 U	0.000826 U	0.00163 U
	MW-331-20	04/17/20	PES	PACE	20	11.2	S	0.00909	0.00508 U	0.00205	0.00451 U	0.000749 U	0.000491 U	0.000750 U	0.00164 U	0.00243	0.000693 U	0.000579 U	0.000809 U	0.00159 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-331 (continued)	MW-331-29.5	04/17/20	PES	PACE	29.5	1.7	S	0.00387 J	0.00510 U	0.00183 U	0.00452 U	0.000751 U	0.000493 U	0.000752 U	0.00165 U	0.00232 U	0.000695 U	0.000581 U	0.000811 U	0.00160 U
	MW-331-35	04/17/20	PES	PACE	35	-3.8	S	0.00187 U	0.00520 U	0.00187 U	0.00461 U	0.000765 U	0.000502 U	0.000766 U	0.00168 U	0.00236 U	0.000709 U	0.000592 U	0.000827 U	0.00163 U
	MW-2018-35	04/17/20	PES	PACE	35 (dup)	-3.8	S	0.00190 U	0.00529 UJ	0.00190 U	0.00469 U	0.000779 U	0.000511 U	0.000780 U	0.00171 U	0.00240 U	0.000721 U	0.000602 U	0.000841 U	0.00166 U
	MW-331-40	04/17/20	PES	PACE	40	-8.8	S	0.00191 U	0.00531 UJ	0.00191 U	0.00471 U	0.000782 U	0.000513 U	0.000783 U	0.00171 U	0.00241 U	0.000724 U	0.000604 U	0.000845 U	0.00166 U
	MW-331-45	04/17/20	PES	PACE	45	-13.8	S	0.00190 U	0.00529 UJ	0.00190 U	0.00469 U	0.000779 U	0.000511 U	0.000780 U	0.00171 U	0.00240 U	0.000721 U	0.000602 U	0.000842 U	0.00166 U
MW-332	MW-332-7	04/17/20	PES	PACE	7	29.3	V	0.00188 J	0.00493 U	0.00740	0.00437 U	0.000727 U	0.000477 U	0.000728 U	0.00159 U	0.00565	0.000673 U	0.000562 U	0.000785 U	0.00155 UJ
	MW-332-11	04/17/20	PES	PACE	11	25.3	V	0.00647	0.00518 U	0.00910	0.00459 U	0.000763 U	0.000501 U	0.000764 U	0.00167 U	0.00440 J	0.000707 U	0.000590 U	0.000824 U	0.00163 UJ
	MW-332-16	04/17/20	PES	PACE	16	20.3	S	0.00182 U	0.00508 U	0.00182 U	0.00450 U	0.000747 U	0.000490 U	0.000749 U	0.00164 U	0.00231 U	0.000692 U	0.000578 U	0.000807 U	0.00159 UJ
	MW-332-20	04/17/20	PES	PACE	20	16.3	S	0.00185 U	0.00516 U	0.00185 U	0.00457 U	0.000759 U	0.000498 U	0.000761 U	0.00166 U	0.00234 U	0.000703 U	0.000587 U	0.000820 U	0.00162 UJ
	MW-332-25	04/17/20	PES	PACE	25	11.3	S	0.00192 U	0.00534 U	0.00192 U	0.00473 U	0.000786 U	0.000516 U	0.000788 U	0.00172 U	0.00243 U	0.000728 U	0.000608 U	0.000849 U	0.00167 UJ
MW-334	MW-332-30	04/17/20	PES	PACE	30	6.3	S	0.00196 U	0.00545 U	0.00196 U	0.00483 U	0.000803 U	0.000527 U	0.000804 U	0.00176 U	0.00248 U	0.000744 U	0.000621 U	0.000868 U	0.00171 UJ
	MW-334-6	04/16/20	PES	PACE	6	25.4	V	0.00695	0.00535 U	0.00757	0.00474 U	0.000787 U	0.00746	0.000788 U	0.00173 U	0.00268 J	0.00129 J	0.000609 U	0.00813	0.00168 UJ
	MW-334-10	04/16/20	PES	PACE	10	21.4	V	0.00490 J	0.00535 U	0.0184	0.00474 U	0.000788 U	0.0345	0.000789 U	0.00173 U	0.00243 U	0.000730 U	0.000609 U	0.00255 J	0.00168 UJ
	MW-334-13	04/16/20	PES	PACE	13	18.4	S	0.160	0.0396 U	0.0369 J	0.0351 U	0.00583 U	0.196	0.00584 U	0.0128 U	0.0180 U	0.0133 J	0.00451 U	0.0559	0.0124 UJ
	MW-334-17	04/16/20	PES	PACE	17	14.4	S	0.00163 U	0.00455 U	0.00333 J	0.00403 U	0.000670 U	0.00804	0.000671 U	0.00147 U	0.00207 U	0.000620 U	0.000518 U	0.00271 J	0.00143 UJ
	MW-334-23	04/16/20	PES	PACE	23	8.4	S	0.00188 U	0.00524 U	0.00188 U	0.00464 U	0.000771 U	0.000506 U	0.000773 U	0.00169 U	0.00238 U	0.000714 U	0.000596 U	0.000833 U	0.00159 UJ
	MW-334-28	04/16/20	PES	PACE	28	3.4	S	0.00186 U	0.00518 U	0.00186 U	0.00459 U	0.000763 U	0.000501 U	0.000764 U	0.00167 U	0.00236 U	0.000707 U	0.000590 U	0.000824 U	0.00163 UJ
	MW-334-35	04/16/20	PES	PACE	35	-3.6	S	0.00200 U	0.00556 U	0.00200 U	0.00493 U	0.000819 U	0.000537 U	0.000820 U	0.00179 U	0.00253 U	0.000758 U	0.000633 U	0.000885 U	0.00174 UJ
	MW-334-40	04/16/20	PES	PACE	40	-8.6	S	0.00204 U	0.00568 U	0.00204 U	0.00504 U	0.000837 U	0.000549 U	0.000838 U	0.00183 U	0.00258 U	0.000775 U	0.000647 U	0.000904 U	0.00178 UJ
	MW-334-45.5	04/16/20	PES	PACE	45.5	-14.1	S	0.00192 U	0.00535 U	0.00192 U	0.00474 U	0.000788 U	0.000517 U	0.000790 U	0.00173 U	0.00243 U	0.000730 U	0.000609 U	0.000852 U	0.00168 UJ
	MW-334-50	04/16/20	PES	PACE	50	-18.6	S	0.00175 U	0.00487 U	0.00175 U	0.00432 U	0.000717 U	0.000470 U	0.000718 U	0.00157 U	0.00221 U	0.000664 U	0.000554 U	0.000775 U	0.00153 UJ
	MW-334-54.5	04/16/20	PES	PACE	54.5	-23.1	S	0.00195 U	0.00544 U	0.00195 U	0.00483 U	0.000802 U	0.000526 U	0.000803 U	0.00176 U	0.00247 U	0.000742 U	0.000620 U	0.000866 U	0.00171 UJ
	MW-334-60	04/16/20	PES	PACE	60	-28.6	S	0.00180 U	0.00501 U	0.00180 U	0.00444 U	0.000738 U	0.000484 U	0.000739 U	0.00162 U	0.00228 U	0.000683 U	0.000570 U	0.000797 U	0.00157 UJ
	MW-334-63	04/16/20	PES	PACE	63	-31.6	S	0.00189 U	0.00526 U	0.00189 U	0.00466 U	0.000775 U	0.000508 U	0.000776 U	0.00170 U	0.00239 U	0.000718 U	0.000599 U	0.000837 U	0.00165 UJ
MW-336	MW-336-7	04/22/20	PES	PACE	7	26.7	V	0.00176 U	0.00491 U	0.00176 U	0.00435 U	0.000723 U	0.000474 U	0.000724 U	0.00158 U	0.00223 U	0.000669 U	0.000559 U	0.000781 U	0.00154 U
	MW-336-11.5	04/22/20	PES	PACE	11.5	22.2	V	0.00188 U	0.00524 U	0.00188 U	0.00464 U	0.000772 U	0.000506 U	0.000773 U	0.00169 U	0.00238 U	0.000714 U	0.000597 U	0.000833 U	0.00164 U
	MW-2019-11.5	04/22/20	PES	PACE	11.5 (dup)	22.2	V	0.00193 U	0.00537 UJ	0.00193 U	0.00476 U	0.000790 U	0.000518 U	0.000791 U	0.0107	0.00244 U	0.000732 U	0.000611 U	0.000854 U	0.00168 U
	MW-336-14.5	04/22/20	PES	PACE	14.5	19.2	V	0.00203 U	0.00564 U	0.00203 U	0.00500 U	0.000831 U	0.000545 U	0.000832 U	0.00182 U	0.00256 U	0.000769 U	0.000642 U	0.000897 U	0.00177 U
	MW-336-20	04/22/20	PES	PACE	20	13.7	S	0.00193 U	0.00539 U	0.00193 U	0.00478 U	0.000794 U	0.000520 U	0.000795 U	0.00174 U	0.00245 U	0.000735 U	0.000613 U	0.000857 U	0.00169 U
	MW-336-25	04/22/20	PES	PACE	25	8.7	S	0.00260 U	0.00724 U	0.00260 U	0.00642 U	0.00107 U	0.000700 U	0.00107 U	0.00234 U	0.00329 U	0.000988 U	0.000825 U	0.00115 U	0.00227 U
	MW-336-30	04/22/20	PES	PACE	30	3.7	S	0.00241 U	0.00670 U	0.00241 U	0.00594 U	0.000987 U	0.000647 U	0.000988 U	0.00216 U	0.00305 U	0.000914 U	0.000763 U	0.00107 U	0.00210 U
	MW-336-35	04/22/20	PES	PACE	35	-1.3	S	0.00194 U	0.00540 U	0.00194 U	0.00479 U	0.000795 U	0.000521 U	0.000796 U	0.00174 U	0.00245 U	0.000736 U	0.000615 U	0.000859 U	0.00169 U
	MW-336-40	04/22/20	PES	PACE	40	-6.3	S	0.00190 U	0.00530 UJ	0.00190 U	0.00470 U	0.000781 U	0.000512 U	0.000782 U	0.00171 U	0.00241 U	0.000723 U	0.000604 U	0.000844 U	0.00166 U
	MW-336-45	04/22/20	PES	PACE	45	-11.3	S	0.00210 U	0.00584 UJ	0.00210 U	0.00518 U	0.000861 U	0.000564 U	0.000862 U	0.00189 U	0.00266 U	0.000797 U	0.000665 U	0.000930 U	0.00183 U
	MW-336-51	04/22/20	PES	PACE	51	-17.3	S	0.00182 U	0.00507 UJ	0.00182 U	0.00449 U	0.000746 U	0.000489 U	0.000747 U	0.00163 U	0.00230 U	0.000691 U	0.000577 U	0.000806 U	0.00159 U
	MW-336-55	04/22/20	PES	PACE	55	-21.3	S	0.00180 U	0.00503 UJ	0.00180 U	0.00446 U	0.000740 U	0.000485 U	0.000741 U	0.00162 U	0.00228 U	0.000685 U	0.000572 U	0.000800 U	0.00158 U
	MW-336-60	04/22/20	PES	PACE	60	-26.3	S	0.00185 U	0.00516 UJ	0.00185 U	0.00458 U	0.000761 U	0.000499 U	0.000762 U	0.00167 U	0.00235 U	0.000704 U	0.000588 U	0.000822 U	0.00162 U
	MW-336-65	04/22/20	PES	PACE	65	-31.3	S	0.00184 U	0.00513 UJ	0.00184 U	0.00455 U	0.000756 U	0.000496 U	0.000757 U	0.00166 U	0.00233 U	0.000700 U	0.000584 U	0.000817 U	0.00161 U
	MW-336-69	04/22/20	PES	PACE	69	-35.3	S	0.00196 U	0.00547 UJ	0.00196 U	0.00485 U	0.000805 U	0.000528 U	0.000807 U	0.00177 U	0.00249 U	0.000746 U	0.000623 U	0.000870 U	0.00172 U
	MW-336-74.5	04/22/20	PES	PACE	74.5	-40.8	S	0.00184 U	0.00512 UJ	0.00184 U	0.00454 U	0.000754 U	0.000495 U	0.000755 U	0.00165 U	0.00233 U	0.000698 U	0.000583 U	0.000815 U	0.00161 U
	MW-336-79	04/22/20	PES	PACE	79	-45.3	S	0.00190 U	0.00528 UJ	0.00190 U	0.00468 U	0.000778 U	0.000510 U	0.000779 U	0.00170 U	0.00240 U	0.000720 U	0.000601 U	0.000840 U	0.00166 U
	MW-336-85	04/22/20	PES	PACE	85	-51.3	S	0.00190 U	0.00529 UJ	0.00190 U	0.00469 U	0.000779 U	0.000511 U	0.000780 U	0.00171 U	0.00240 U	0.000721 U	0.000602 U	0.000841 U	0.00166 U
	MW-2021-85	05/04/20	PES	PACE	85 (dup)	-51.3	S	0.00182 U	0.00507 U	0.00182 U	0.00449 U	0.000746 U	0.000489 U	0.000747 U	0.00163 U	0.00230 U	0.000691 U	0.000577 U	0.000806 U	0.00159 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-336 (continued)	MW-336-90	04/22/20	PES	PACE	90	-56.3	S	0.00191 U	0.00531 U	0.00191 U	0.00470 U	0.000781 U	0.000512 U	0.000783 U	0.00171 U	0.00241 U	0.000723 U	0.000604 U	0.000844 U	0.00166 U
	MW-336-95	04/22/20	PES	PACE	95	-61.3	S	0.00190 U	0.00529 U	0.00190 U	0.00469 U	0.000779 U	0.000511 U	0.000780 U	0.0341	0.00240 U	0.000721 U	0.000602 U	0.000841 U	0.00166 U
	MW-2020-95	04/22/20	PES	PACE	95 (dup)	-61.3	S	0.00188 U	0.00524 U	0.00188 U	0.00464 U	0.000772 U	0.000506 U	0.000773 U	0.0260	0.00238 U	0.000714 U	0.000597 U	0.000834 U	0.00164 U
MW-338	MW-338-10	05/01/20	PES	PACE	10	17.8	S	0.00192 U	0.00534 U	0.00192 U	0.00473 U	0.000786 U	0.000515 U	0.000787 U	0.00172 U	0.00243 U	0.000728 U	0.000608 U	0.000849 U	0.00167 U
	MW-338-15	05/01/20	PES	PACE	15	12.8	S	0.00209 U	0.00582 U	0.00209 U	0.00516 U	0.000857 U	0.000562 U	0.000858 U	0.00188 U	0.00264 U	0.000793 U	0.000663 U	0.000926 U	0.00182 U
	MW-338-20	05/01/20	PES	PACE	20	7.8	S	0.00183 U	0.00510 U	0.00183 U	0.00452 U	0.000751 U	0.000493 U	0.000752 U	0.00165 U	0.00232 U	0.000695 U	0.000581 U	0.000811 U	0.00160 U
	MW-338-23	05/01/20	PES	PACE	23	4.8	S	0.00201 U	0.00559 U	0.00201 U	0.00496 U	0.000823 U	0.000540 U	0.000825 U	0.00180 U	0.00254 U	0.000762 U	0.000637 U	0.000890 U	0.00175 U
	MW-338-28	05/01/20	PES	PACE	28	-0.2	S	0.00199 U	0.00553 U	0.00199 U	0.00490 U	0.000815 U	0.000534 U	0.000816 U	0.00179 U	0.00252 U	0.000755 U	0.000630 U	0.000880 U	0.00174 U
	MW-338-34	05/01/20	PES	PACE	34	-6.2	S	0.00177 U	0.00492 U	0.00182 J	0.00436 U	0.000724 U	0.000475 U	0.000725 U	0.00159 U	0.00224 U	0.000671 U	0.000560 U	0.000782 U	0.00154 U
	MW-338-39	05/01/20	PES	PACE	39	-11.2	S	0.00191 U	0.00533 U	0.00191 U	0.00472 U	0.000785 U	0.000515 U	0.000786 U	0.00172 U	0.00242 U	0.000727 U	0.000607 U	0.000848 U	0.00167 U
	MW-338-41	05/01/20	PES	PACE	41	-13.2	S	0.00195 U	0.00542 U	0.00195 U	0.00481 U	0.000799 U	0.000524 U	0.000800 U	0.00175 U	0.00247 U	0.000740 U	0.000618 U	0.000863 U	0.00170 U
	MW-338-45	05/01/20	PES	PACE	45	-17.2	S	0.00193 U	0.00537 U	0.00193 U	0.00476 U	0.000791 U	0.000519 U	0.000792 U	0.00173 U	0.00244 U	0.000732 U	0.000612 U	0.000854 U	0.00168 U
	MW-338-51	05/01/20	PES	PACE	51	-23.2	S	0.00196 U	0.00545 U	0.00196 U	0.00483 U	0.000803 U	0.000527 U	0.000804 U	0.00176 U	0.00248 U	0.000744 U	0.000621 U	0.000868 U	0.00171 U
	MW-338-55	05/01/20	PES	PACE	55	-27.2	S	0.00181 U	0.00505 U	0.00181 U	0.00448 U	0.000744 U	0.000488 U	0.000745 U	0.00163 U	0.00230 U	0.000689 U	0.000575 U	0.000804 U	0.00158 U
MW-341	MW-341-85	05/04/20	PES	PACE	85	-56.6	S	0.00179 U	0.00500 U	0.00179 U	0.00443 U	0.000736 U	0.000483 U	0.000737 U	0.00161 U	0.00227 U	0.000682 U	0.000569 U	0.000795 U	0.00157 U
	MW-341-90	05/04/20	PES	PACE	90	-61.6	S	0.00178 U	0.00495 U	0.00178 U	0.00439 U	0.000729 U	0.000478 U	0.000730 U	0.00160 U	0.00225 U	0.000675 U	0.000564 U	0.000787 U	0.00155 U
	MW-341-95	05/04/20	PES	PACE	95	-66.6	S	0.00184 U	0.00513 U	0.00184 U	0.00454 U	0.000755 U	0.000495 U	0.000756 U	0.00165 U	0.00233 U	0.000699 U	0.000584 U	0.000816 U	0.00161 U
	MW-341-99	05/04/20	PES	PACE	99	-70.6	S	0.00185 U	0.00516 U	0.00185 U	0.00457 U	0.000760 U	0.000498 U	0.000761 U	0.00166 U	0.00234 U	0.000703 U	0.000587 U	0.000821 U	0.00162 U
	MW-341-104	05/04/20	PES	PACE	104	-75.6	S	0.00188 U	0.00525 U	0.00188 U	0.00465 U	0.000773 U	0.000507 U	0.000774 U	0.00169 U	0.00239 U	0.000716 U	0.000598 U	0.000835 U	0.00165 U
MW-343	MW-343-5	04/13/20	PES	PACE	5	22.6	V	0.00293 J	0.00497 U	0.00503 J	0.00441 U	0.000732 U	0.000480 U	0.000733 U	0.00160 U	0.00291 J	0.000678 U	0.000566 U	0.000791 U	0.00156 U
	MW-343-10	04/13/20	PES	PACE	10	17.6	S	0.00187 U	0.00521 U	0.00187 U	0.00462 U	0.000767 U	0.000503 U	0.000768 U	0.00168 U	0.00237 U	0.000710 U	0.000593 U	0.000829 U	0.00163 U
	MW-343-12.5	04/13/20	PES	PACE	12.5	15.1	S	0.00194 U	0.00540 U	0.00194 U	0.00479 U	0.000795 U	0.000521 U	0.000796 U	0.00174 U	0.00245 U	0.000736 U	0.000615 U	0.000859 U	0.00169 U
	MW-343-17	04/13/20	PES	PACE	17	10.6	S	0.00182 U	0.00506 U	0.00182 U	0.00449 U	0.000746 U	0.000489 U	0.000747 U	0.00163 U	0.00230 U	0.000690 U	0.000576 U	0.000805 U	0.00159 U
	MW-343-24	04/13/20	PES	PACE	24	3.6	S	0.00201 J	0.00507 U	0.00182 U	0.00450 U	0.000747 U	0.000490 U	0.000748 U	0.00164 U	0.00231 U	0.000692 U	0.000578 U	0.000807 U	0.00159 U
	MW-343-28.5	04/13/20	PES	PACE	28.5	-0.9	S	0.00195 U	0.00544 U	0.00195 U	0.00482 U	0.000802 U	0.000526 U	0.000803 U	0.00176 U	0.00247 U	0.000742 U	0.000620 U	0.000866 U	0.00171 U
	MW-343-35	04/13/20	PES	PACE	35	-7.4	S	0.00198 U	0.00551 U	0.00198 U	0.00488 U	0.000811 U	0.000532 U	0.000812 U	0.00178 U	0.00250 U	0.000751 U	0.000627 U	0.000876 U	0.00173 U
	MW-343-38	04/13/20	PES	PACE	38	-10.4	S	0.00185 U	0.00515 U	0.00185 U	0.00456 U	0.000758 U	0.000497 U	0.000759 U	0.00166 U	0.00234 U	0.000702 U	0.000586 U	0.000819 U	0.00161 U
	MW-343-44	04/13/20	PES	PACE	44	-16.4	S	0.00174 U	0.00485 U	0.00174 U	0.00430 U	0.000714 U	0.000468 U	0.000715 U	0.00157 U	0.00220 U	0.000661 U	0.000552 U	0.000772 U	0.00152 U
	MW-343-47	04/13/20	PES	PACE	47	-19.4	S	0.00197 U	0.00548 U	0.00197 U	0.00485 U	0.000807 U	0.000529 U	0.000808 U	0.00177 U	0.00249 U	0.000747 U	0.000624 U	0.000871 U	0.00172 U
	MW-343-51	04/13/20	PES	PACE	51	-23.4	S	0.00176 U	0.00490 U	0.00176 U	0.00434 U	0.000721 U	0.000473 U	0.000722 U	0.00158 U	0.00223 U	0.000668 U	0.000557 U	0.000779 U	0.00154 U
	MW-343-55	04/13/20	PES	PACE	55	-27.4	S	0.00180 U	0.00500 U	0.00180 U	0.00443 U	0.000737 U	0.000483 U	0.000738 U	0.00161 U	0.00227 U	0.000682 U	0.000570 U	0.000796 U	0.00157 U
	MW-343-62	04/13/20	PES	PACE	62	-34.4	S	0.00183 U	0.00509 U	0.00183 U	0.00451 U	0.000750 U	0.000492 U	0.000751 U	0.00164 U	0.00231 U	0.000694 U	0.000580 U	0.000810 U	0.00160 U
	MW-343-68	04/13/20	PES	PACE	68	-40.4	S	0.00180 U	0.00502 U	0.00180 U	0.00445 U	0.000739 U	0.000485 U	0.000740 U	0.00162 U	0.00228 U	0.000684 U	0.000571 U	0.000798 U	0.00157 U
	MW-343-73	04/13/20	PES	PACE	73	-45.4	S	0.00182 U	0.00507 U	0.00182 U	0.00449 U	0.000746 U	0.000490 U	0.000748 U	0.00164 U	0.00230 U	0.000691 U	0.000577 U	0.000806 U	0.00159 U
	MW-343-79	04/13/20	PES	PACE	79	-51.4	S	0.00171 U	0.00476 U	0.00171 U	0.00422 U	0.000702 U	0.000460 U	0.000703 U	0.00154 U	0.00217 U	0.000650 U	0.000543 U	0.000758 U	0.00149 U
	MW-343-82	04/13/20	PES	PACE	82	-54.4	S	0.00172 U	0.00478 U	0.00172 U	0.00423 U	0.000704 U	0.000461 U	0.000705 U	0.00154 U	0.00217 U	0.000652 U	0.000544 U	0.000760 U	0.00150 U
	MW-343-86	04/13/20	PES	PACE	86	-58.4	S	0.00167 U	0.00466 U	0.00167 U	0.00413 U	0.000686 U	0.000450 U	0.000687 U	0.00150 U	0.00212 U	0.000636 U	0.000531 U	0.000741 U	0.00146 U
	MW-343-93	04/13/20	PES	PACE	93	-65.4	S	0.00177 U	0.00493 U	0.00177 U	0.00437 U	0.000726 U	0.000476 U	0.000727 U	0.00159 U	0.00224 U	0.000672 U	0.000561 U	0.000784 U	0.00155 U
	MW-343-99	04/13/20	PES	PACE	99	-71.4	S	0.00170 U	0.00472 U	0.00170 U	0.00419 U	0.000696 U	0.000456 U	0.000697 U	0.00152 U	0.00215 U	0.000644 U	0.000538 U	0.000751 U	0.00148 U
	MW-343-102	04/14/20	PES	PACE	102	-74.4	S	0.00174 U	0.00485 U	0.00174 U	0.00430 U	0.000715 U	0.000469 U	0.000716 U	0.00157 U	0.00221 U	0.000662 U	0.000553 U	0.000772 U	0.00152 U
	MW-2017-102	04/14/20	PES	PACE	102 (dup)	-74.4	S	0.00173 U	0.00480 U	0.00173 U	0.00426 U	0.000708 U	0.000464 U	0.000709 U	0.00155 U	0.00218 U	0.000655 U	0.000547 U	0.000764 U	0.00151 U
	MW-343-106	04/14/20	PES	PACE	106	-78.4	S	0.00169 U	0.00472 U	0.00309 J	0.00418 U	0.000695 U	0.000456 U	0.000696 U	0.00152 U	0.00214 U	0.000643 U	0.000537 U	0.000750 U	0.00148 U
	MW-343-108	04/14/20	PES	PACE	108	-80.4	S	0.00175 U	0.00488 U	0.00182 J	0.00432 U	0.000718 U	0.000471 U	0.000719 U	0.00157 U	0.00222 U	0.000665 U	0.000555 U	0.000776 U	0.00153 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
PH22	PH22	04/17/18	PES	Fremont	0-3	-	V	-	0.0304 U	0.0243 U	0.608 UJ	0.00608 U	0.0243 U	0.0243 U	0.0243 U	0.0304 U	0.0243 U	0.0304 U	0.0243 U	0.122 UJ
PH34	PH34	04/17/18	PES	Fremont	1.5-6.5	-	V	-	0.0240 U	0.0192 U	0.481 UJ	0.00481 U	0.0192 U	0.0192 U	0.0192 U	0.0240 U	0.0192 U	0.0240 U	0.0192 U	0.0962 UJ
PH38	PH38	04/17/18	PES	Fremont	1.5-4	-	V	-	0.0292 U	0.0233 U	0.583 UJ	0.00583 U	0.0233 U	0.0233 U	0.0233 U	0.0292 U	0.0233 U	0.0292 U	0.0233 U	0.117 UJ
PH52	PH52	04/17/18	PES	Fremont	1-5	-	V	-	0.0282 U	0.0226 U	0.564 UJ	0.00564 U	0.0226 U	0.0226 U	0.0226 U	0.0282 U	0.0226 U	0.0282 U	0.0226 U	0.113 UJ
PW-1	Composite	01/01/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PW-4	Composite	05/13/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW4	Unknown	10/22/92	Roux	Unknown	5	35.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	15	25.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	30	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW6 (33.3 to 23.3)	Unknown	10/27/92	Roux	Unknown	6	39.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	11	34.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	16	29.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
RB1	RB1-17.5	10/18/93	Retec	AAL	17.5	18.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
RB2	RB2-12.5	10/18/93	Retec	AAL	12.5	23.6	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RB2-17.5	10/18/93	Retec	AAL	17.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
RB3	RB3-17.5	10/18/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B100	B-100, S1	06/10/02	Urban	F&BI	5-6.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B-100, S2	06/10/02	Urban	F&BI	10-11.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B101	B-101- S1&2	06/17/02	Urban	F&BI	0-6	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B101-S3	06/17/02	Urban	F&BI	8	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B102	B102-S1	06/17/02	Urban	F&BI	0-3	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-S2	06/17/02	Urban	F&BI	4	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW101 (25.0 to 15.0)	MW101-S3	06/14/02	Urban	F&BI	16	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW102	MW-102, S1	06/10/02	Urban	F&BI	5-6.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-102, S2	06/10/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW103	MW103-S1&S2	06/14/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW105 (10.8 to 0.8)	MW-105, S2	06/10/02	Urban	F&BI	10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-105, S4	06/10/02	Urban	F&BI	20-21.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SCLB-1	RS1-2.5/RS-1 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-12.5/RS1-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS-1 17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-22.5/RS-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SCLB-2	RS2-2.5/RS-2 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-12.5/RS2-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-22.5/RS2-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
SSD-MW-1	MW-1 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-1 S-6	05/24/89	HC	Unknown	15-16.5	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-2	MW-2 S-3	05/24/89	HC	Unknown	7.5-9	31.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2 S-6	05/24/89	HC	Unknown	15-16.5	31.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-3	MW-3 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-3 S-5	05/24/89	HC	Unknown	12.5-14	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-4	MW-4 S-6	05/25/89	HC	Unknown	14.5-16	36.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-4 S-9	05/25/89	HC	Unknown	22-23	29.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
SV-04	SV-04-6	06/29/20	PES	PACE	6	-	V	0.00205 U	0.00570 U	0.00205 U	0.00505 U	0.000840 U	0.000551 U	0.000841 U	0.00184 U	0.00259 U	0.000778 U	0.000649 U	0.000907 U	0.00179 U
SV-05	SV-05-10	06/29/20	PES	PACE	10	-	V	0.00219 U	0.00609 U	0.00219 U	0.00540 U	0.000897 U	0.000588 U	0.000899 U	0.00197 U	0.00277 U	0.000831 U	0.000694 U	0.000969 U	0.00191 U
SV-06	SV-06-6	06/29/20	PES	PACE	6	-	V	0.00202 U	0.00561 U	0.00202 U	0.00498 U	0.000827 U	0.000542 U	0.000828 U	0.00181 U	0.00255 U	0.000765 U	0.000639 U	0.000893 U	0.00176 U
SV-07	SV-07-15	06/29/20	PES	PACE	15	-	V	0.00173 U	0.00482 U	0.00173 U	0.00427 U	0.000710 U	0.000466 U	0.000711 U	0.00156 U	0.00219 U	0.000792 J	0.000549 U	0.000767 U	0.00151 U
SV-08	SV-08-6	06/30/20	PES	PACE	6	-	V	0.00254 J	0.00612 U	0.00261 J	0.00542 U	0.000901 U	0.00307 J	0.000902 U	0.00197 U	0.00278 U	0.000834 U	0.000697 U	0.000973 U	0.00192 U
	SV-08-7.5	06/30/20	PES	PACE	7.5	-	V	0.00224 U	0.00624 U	0.00224 U	0.00553 U	0.000918 U	0.000602 U	0.000920 U	0.00201 U	0.00283 U	0.000850 U	0.000710 U	0.000992 U	0.00196 U
SV-09	SV-09-5.5	07/01/20	PES	PACE	5.5	-	V	0.00209 U	0.00582 U	0.00209 U	0.00516 U	0.000858 U	0.000563 U	0.000859 U	0.00188 U	0.00265 U	0.000794 U	0.000663 U	0.000926 U	0.00183 U
SV-10	SV-10-5.5	06/30/20	PES	PACE	5.5	-	V	0.00208 U	0.00580 U	0.00208 U	0.00514 U	0.000854 U	0.000460 U	0.000856 U	0.00187 U	0.00264 U	0.000791 U	0.000660 U	0.000923 U	0.00182 U
SV-11	SV-11-10	06/30/20	PES	PACE	10	-	V	0.00211 U	0.00588 U	0.00211 U	0.00521 U	0.000866 U	0.000568 U	0.000868 U	0.00190 U	0.00267 U	0.000802 U	0.000670 U	0.000936 U	0.00185 U
SV-12	SV-12-5.5	07/01/20	PES	PACE	5.5	-	V	0.00173 U	0.00481 U	0.00173 U	0.00426 U	0.000708 U	0.000465 U	0.000710 U	0.00155 U	0.00219 U	0.000656 U	0.000548 U	0.000765 U	0.00151 U
SV-13	SV-13-10.5	07/01/20	PES	PACE	10.5	-	V	0.00203 U	0.00564 U	0.00203 U	0.00500 U	0.000831 U	0.000545 U	0.000832 U	0.00182 U	0.00256 U	0.000769 U	0.000643 U	0.000898 U	0.00177 U
SV-14	SV-14-5.5	07/01/20	PES	PACE	5.5	-	V	0.00211 U	0.00588 U	0.00211 U	0.00521 U	0.000866 U	0.000568 U	0.000868 U	0.00190 U	0.00267 U	0.000802 U	0.000670 U	0.000936 U	0.00184 U
SV-15	SV-15-13	07/01/20	PES	PACE	13	-	V	0.00205 U	0.00571 U	0.00205 U	0.00506 U	0.000841 U	0.000552 U	0.000842 U	0.00184 U	0.00260 U	0.000779 U	0.000650 U	0.000908 U	0.00179 U
SV-16	SV-16-5	07/02/20	PES	PACE	5	-	V	0.0321	0.0117 U	0.0356 J	0.0104 U	0.00172 U	0.00113 U	0.00172 U	0.00377 U	0.0206	0.00159 U	0.00133 U	0.00186 U	0.00366 U
	SV-100-5	07/02/20	PES	PACE	5 (dup)	-	V	0.0137 J	0.0104 U	0.0166	0.00925 U	0.00154 U	0.00101 U	0.00154 U	0.00338 U	0.0160	0.00143 U	0.00119 U	0.00166 U	0.00327 U
SV-17	SV-17-4.5	07/02/20	PES	PACE	4.5	-	V	0.0567	0.00865 U	0.0586	0.00767 U	0.00127 U	0.000835 U	0.00128 U	0.00278 U	0.0278	0.00118 U	0.000985 U	0.00138 U	0.00271 U
SV-18	SV-18-5.5	07/02/20	PES	PACE	5.5	-	V	0.00170 U	0.00474 U	0.00170 U	0.00420 U	0.000698 U	0.000458 U	0.000699 U	0.00153 U	0.00216 U	0.000647 U	0.000540 U	0.000754 U	0.00149 U
SV-19	SV-19-5	07/09/20	PES	PACE	5	-	V	0.00170 U	0.00474 U	0.00170 U	0.00420 U	0.000698 U	0.000458 U	0.000699 U	0.00153 U	0.00215 U	0.000646 U	0.000540 U	0.000754 U	0.00149 U
SV-20	SV-20-9	07/09/20	PES	PACE	9	-	V	0.00224 U	0.00623 U	0.00224 U	0.00552 U	0.000917 U	0.000602 U	0.000919 U	0.00201 U	0.00283 U	0.000849 U	0.000709 U	0.000991 U	0.00195 U
SV-21	SV-21-6	07/09/20	PES	PACE	6	-	V	0.00173 U	0.00482 U	0.00173 U	0.00427 U	0.000710 U	0.000466 U	0.000711 U	0.00156 U	0.00219 U	0.000658 U	0.000549 U	0.000767 U	0.00151 U
SV-22	SV-22-8.5	07/09/20	PES	PACE	8.5	-	V	0.00489 J	0.00898 U	0.00495 J	0.00796 U	0.00132 U	0.000869 U	0.00133 U	0.00291 U	0.00409 U	0.00123 U	0.00102 U	0.00143 U	0.00281 U
SV-23	SV-23-4.5	07/09/20	PES	PACE	4.5	-	V	0.00239 U	0.00665 U	0.00239 U	0.00590 U	0.000980 U	0.000643 U	0.000981 U	0.00215 U	0.00302 U	0.000907 U	0.000757 U	0.00106 U	0.00209 U
SV-24	SV-24-8	07/09/20	PES	PACE	8	-	V	0.00172 U	0.00478 U	0.00172 U	0.00423 U	0.000703 U	0.000461 U	0.000705 U	0.00154 U	0.00217 U	0.000651 U	0.000544 U	0.000760 U	0.00150 U
SV-25	SV-25-4	07/10/20	PES	PACE	4	-	V	0.00208 U	0.00580 U	0.00208 U	0.00514 U	0.000853 U	0.000560 U	0.000855 U	0.00187 U	0.00263 U	0.000790 U	0.000660 U	0.000922 U	0.00182 U
SV-26	SV-26-12	07/10/20	PES	PACE	12	-	V	0.00231 U	0.00644 U	0.00231 U	0.00571 U	0.000948 U	0.000622 U	0.000950 U	0.00208 U	0.00293 U	0.000878 U	0.000733 U	0.00102 U	0.00202 U
SV-27	SV-27-5.5	07/10/20	PES	PACE	5.5	-	V	0.00207 U	0.00577 U	0.00207 U	0.00512 U	0.000850 U	0.000558 U	0.000852 U	0.00186 U	0.00262 U	0.000787 U	0.000657 U	0.000919 U	0.00181 U
	SV-27-13.5	07/10/20	PES	PACE	13.5	-	V	0.00208 U	0.00578 U	0.00208 U	0.00512 U	0.000851 U	0.000558 U	0.000853 U	0.00187 U	0.00263 U	0.000788 U	0.000658 U	0.000920 U	0.00181 U
TB-12	16	08/01/97	B&V	Unknown	62-63	-24.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
TB-18	S-2	03/17/98	B&V	Unknown	5-6.5	38.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-8	03/17/98	B&V	Unknown	20-21.5	23.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-21	03/17/98	B&V	Unknown	57.5-59	1.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
T1	T1-2.5-071718	07/17/18	PES	Fremont	2.5	-	V	-	0.0265 U	0.0212 U	0.531 U	0.00531 U	0.0212 U	0.0212 U	0.0212 U	0.0265 U	0.0212 U	0.0265 U	0.0212 U	0.106 U
T-2	T-2-071618	07/16/18	PES	Fremont	2	-	V	-	0.0143 U	0.0115 U	0.287 U	0.00287 U	0.0115 U	0.0115 U	0.0115 U	0.0143 U	0.0115 U	0.0143 U	0.0115 U	0.0573 U
T-2B	T-2B-071618	07/16/18	PES	Fremont	2	-	V	-	0.0297 U	0.0237 U	0.593 U	0.00593 U	0.0237 U	0.0237 U	0.0237 U	0.0297 U	0.0237 U	0.0297 U	0.0237 U	0.119 U
T2	T2-6-071718	07/17/18	PES	Fremont	6	-	V	-	0.0307 U	0.0245 U	0.614 U	0.00614 U	0.0245 U	0.0245 U	0.0245 U	0.0307 U	0.0245 U	0.0307 U	0.0245 U	0.123 U
T3	T3-3-071718	07/17/18	PES	Fremont	3	-	V	-	0.0287 U	0.0229 U	0.573 U	0.00573 U	0.0229 U	0.0229 U	0.0229 U	0.0287 U	0.0229 U	0.0287 U	0.0229 U	0.115 U
T4	T4-6-071718	07/17/18	PES	Fremont	6	-	V	-	0.0258 U	0.0206 U	0.516 U	0.00516 U	0.0206 U	0.0206 U	0.0206 U	0.0258 U	0.0206 U	0.0258 U	0.0206 U	0.103 U
T-5	T-5-071618	07/16/18	PES	Fremont	5	-	V	-	0.0255 U	0.0204 U	0.509 U	0.00509 U	0.0204 U	0.0204 U	0.0204 U	0.0255 U	0.0204 U	0.0255 U	0.0204 U	0.102 U
T6	T6-4-071818	07/18/18	PES	Fremont	4	-	V	-	0.0237 U	0.0217 U	0.474 U	0.00474 U	0.0189 U	0.0189 U	0.0189 U	0.0237 U	0.0189 U	0.0237 U	0.0189 U	0.0947 U
T7	T7-7-071818	07/18/18	PES	Fremont	7	-	V	-	0.0342 U	0.0332 U	0.684 U	0.00684 U	0.0274 U	0.0274 U	0.0274 U	0.0342 U	0.0274 U	0.0342 U	0.0274 U	0.137 U
T8	T8-3-072018	07/20/18	PES	Fremont	3	-	V	-	0.0268 U	0.0214 U	0.536 U	0.00536 U	0.0214 U	0.0214 U	0.0214 U	0.0268 U	0.0214 U	0.0268 U	0.0214 U	0.107 U
T8	T8-6-072018	07/20/18	PES	Fremont	6	-	V	-	0.0377 U	0.0301 U	0.753 U	0.00753 U	0.0301 U	0.0301 U	0.0301 U	0.0377 U	0.0301 U	0.0377 U	0.0301 U	0.151 U
T9	T9-3-072018	07/20/18	PES	Fremont	3	-	V	-	0.0437 U	0.0350 U	0.875 U	0.00875 U	0.0350 U	0.0350 U	0.0350 U	0.0437 U	0.0350 U	0.0437 U	0.0350 U	0.175 U
T9	T9-3.5-072018	07/20/18	PES	Fremont	3.5	-	V	-	0.0291 U	0.0233 U	0.583 U	0.00583 U	0.0233 U	0.0233 U	0.0233 U	0.0291 U	0.0233 U	0.0291 U	0.0233 U	0.117 U
T9	T9-6-072018	07/20/18	PES	Fremont	6	-	V	-	0.0303 U	0.0242 U	0.605 U	0.00605 U	0.0242 U	0.0242 U	0.0242 U	0.0303 U	0.0242 U	0.0303 U	0.0242 U	0.121 U
T10	T10-3-072018	07/20/18	PES	Fremont	3	-	V	-	0.0513 U	0.0411 U	1.03 U	0.0103 U	0.0411 U	0.0411 U	0.0411 U	0.0513 U	0.0411 U	0.0513 U	0.0411 U	0.205 U
T10	T10-6-072018	07/20/18	PES	Fremont	6	-	V	-	0.0278 U	0.0303 U	0.556 U	0.00556 U	0.0222 U	0.0222 U	0.0222 U	0.0278 U	0.0222 U	0.0278 U	0.0222 U	0.111 U
T11	T11-3.5-073118	07/31/18	PES	Fremont	3.5	-	V	-	0.0358 U	0.0286 U	0.716 U	0.00716 U	0.0286 U	0.0286 U	0.0286 U	0.0358 U	0.0286 U	0.0358 U	0.0286 U	0.143 U
T12	T12-3-091818	09/18/18	PES	Fremont	3	-	V	-	0.0307 U	0.0245 U	0.614 U	0.00614 U	0.0245 U	0.0245 U	0.0245 U	0.0307 U	0.0245 U	0.0307 U	0.0245 U	0.123 U
T12	T12-7-091818	09/18/18	PES	Fremont	7	-	V	-	0.0303 U	0.0243 U	0.607 U	0.00607 U	0.0243 U	0.0243 U	0.0243 U	0.0303 U	0.0243 U	0.0303 U	0.0243 U	0.121 U
T12	T12-7.5-073118	07/31/18	PES	Fremont	7.5	-	V	-	0.0259 U	0.0207 U	0.519 U	0.00519 U	0.0207 U	0.0207 U	0.0207 U	0.0259 U	0.0207 U	0.0259 U	0.0207 U	0.104 U
T13	T13-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	-	0.0283 U	0.0227 U	0.567 U	0.00567 U	0.0227 U	0.0227 U	0.0227 U	0.0283 U	0.0227 U	0.0283 U	0.0227 U	0.113 U
T13	T13-6.5-091818	09/18/18	PES	Fremont	6.5	-	V	-	0.0250 U	0.0200 U	0.500 U	0.00500 U	0.0200 U	0.0200 U	0.0200 U	0.0250 U	0.0200 U	0.0250 U	0.0200 U	0.100 U
T14	T14-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	-	0.0300 U	0.0240 U	0.599 U	0.00599 U	0.0240 U	0.0240 U	0.0240 U	0.0300 U	0.0240 U	0.0300 U	0.0240 U	0.120 U
T14	T14-7-091818	09/18/18	PES	Fremont	7	-	V	-	0.0318 U	0.0254 U	0.635 U	0.00635 U	0.0254 U	0.0254 U	0.0254 U	0.0318 U	0.0254 U	0.0318 U	0.0254 U	0.127 U
TP-15	TP-15-3-092818	09/28/18	PES	Fremont	3	-	V	-	0.0304 U	0.0244 U	0.609 U	0.00609 U	0.0244 U	0.0244 U	0.0244 U	0.0304 U	0.0244 U	0.0304 U	0.0244 U	0.122 U
TP-15	TP-15-6.5-092818	09/28/18	PES	Fremont	6.5	-	V	-	0.0313 U	0.0250 U	0.625 U	0.00625 U	0.0250 U	0.0250 U	0.0250 U	0.0313 U	0.0250 U	0.0313 U	0.0250 U	0.125 U
TP-16	TP-16-3-092818	09/28/18	PES	Fremont	3	-	V	-	0.0426 U	0.0341 U	0.852 U	0.00852 U	0.0341 U	0.0341 U	0.0341 U	0.0426 U	0.0341 U	0.0426 U	0.0341 U	0.170 U
TP-16	TP-16-6-092818	09/28/18	PES	Fremont	6	-	V	-	0.0446 U	0.0357 U	0.892 U	0.00892 U	0.0357 U	0.0357 U	0.0357 U	0.0446 U	0.0357 U	0.0446 U	0.0357 U	0.178 U
TP-16	TP-16-9-092818	09/28/18	PES	Fremont	9	-	V	-	0.0263 U	0.0210 U	0.525 U	0.00525 U	0.0210 U	0.0210 U	0.0210 U	0.0263 U	0.0210 U	0.0263 U	0.0210 U	0.105 U
TP-SD-01	TP-SD-01-2	06/03/19	PES	Fremont	2	-	V	-	0.0214 U	0.0709 U	0.429 U	0.00429 U	0.0172 U	0.0172 U	0.0172 U	0.0326 U	0.0172 U	0.0214 U	0.0172 U	0.0858 U
TP-SD-01	TP-SD-01-5	06/03/19	PES	Fremont	5	-	V	-	0.0267 U	0.0213 U	0.534 U	0.00534 U	0.0213 U	0.0213 U	0.0213 U	0.0267 U	0.0213 U	0.0267 U	0.0213 U	0.107 U
TP-SD-04	TP-SD-04-2	06/03/19	PES	Fremont	2	-	V	-	0.0252 U	0.0202 U	0.504 U	0.00504 U	0.0202 U	0.0202 U	0.0202 U	0.0252 U	0.0202 U	0.0252 U	0.0202 U	0.101 U
TP-SD-04	TP-SD-04-5	06/03/19	PES	Fremont	5	-	V	-	0.0272 U	0.0218 U	0.544 U	0.00544 U	0.0218 U	0.0218 U	0.0218 U	0.0272 U	0.0218 U	0.0272 U	0.0218 U	0.109 U
TP-SD-05	TP-SD-05-2	06/03/19	PES	Fremont	2	-	V	-	0.0258 U	0.0207 U	0.517 U	0.00517 U	0.0207 U	0.0207 U	0.0207 U	0.0258 U	0.0207 U	0.0258 U	0.0207 U	0.103 U
TP-SD-05	TP-SD-05-5	06/03/19	PES	Fremont	5	-	V	-	0.0292 U	0.0234 U	0.585 U	0.00585 U	0.0234 U	0.0234 U	0.0234 U	0.0292 U	0.0234 U	0.0292 U	0.0234 U	0.117 U
TP-SD-06	TP-SD-06-2	06/03/19	PES	Fremont	2	-	V	-	0.0344 U	0.0275 U	0.688 U	0.00688 U	0.0275 U	0.0275 U	0.0275 U	0.0344 U	0.0275 U	0.0344 U	0.0275 U	0.138 U
TP-SD-06	TP-SD-06-5	06/03/19	PES	Fremont	5	-	V	-	0.0272 U	0.0218 U	0.544 U	0.00544 U	0.0218 U	0.0218 U	0.0218 U	0.0272 U	0.0218 U	0.0272 U	0.0218 U	0.109 U
TP-SD-07	TP-SD-07-2	06/03/19	PES	Fremont	2	-	V	-	0.0217 U	0.0174 U	0.435 U	0.00435 U	0.0174 U	0.0174 U	0.0174 U	0.0217 U	0.0174 U	0.0217 U	0.0174 U	0.0869 U
TP-SD-07	B-942-2	06/03/19	PES	Fremont	2 (dup)	-	V	-	0.0233 U	0.0186 U	0.466 U	0.00466 U	0.0186 U	0.0186 U	0.0186 U	0.0233 U	0.0186 U	0.0233 U	0.0186 U	0.0932 U
TP-SD-07	TP-SD-07-5	06/03/19	PES	Fremont	5	-	V	-	0.0212 U	0.0169 U	0.424 U	0.00424 U	0.0169 U	0.0169 U	0.0169 U	0.0212 U	0.0169 U	0.0212 U	0.0169 U	0.0847 U
TP-SD-08	TP-SD-08-2	06/03/19	PES	Fremont	2	-	V	-	0.0242 U	0.0193 U	0.483 U	0.00483 U	0.0193 U	0.0193 U	0.0193 U	0.0242 U	0.0193 U	0.0242 U	0.0193 U	0.0966 U
TP-SD-08	TP-SD-08-5	06/03/19	PES	Fremont	5	-	V	-	0.0207 U	0.0166 U	0.415 U	0.00415 U	0.0166 U	0.0166 U	0.0166 U	0.0207 U	0.0166 U	0.0207 U	0.0166 U	0.0829 U
TP-SD-08	TP-SD-08-8	06/03/19	PES	Fremont	8	-	S	-	0.0249 U	0.0199 U	0.498 U	0.00498 U	0.0199 U	0.0199 U	0.0199 U	0.0249 U	0.0199 U	0.0249 U	0.0199 U	0.0995 U
W-MW-01 (P-03) (-25.1 to -35.1)	SB-W-03-0160	01/27/12	WW	ARI	16-16.5	28.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0225	01/27/12	WW	ARI	22.5-23	21.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0315	01/27/12	WW	ARI	31.5-32	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0450	01/27/12	WW	ARI	45-45.5	-0.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0550	01/27/12	WW	ARI	55.5-56	-11.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	0.000081	0.000018	0.4	0.004	0.009	0.071	-	0.058	0.068	-
W-MW-01 (P-03) (continued)	SB-W-03-0645	01/27/12	WW	ARI	64.5-65	-20.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0730	01/27/12	WW	ARI	73-73.5	-28.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0900	01/29/12	WW	ARI	9-9.5	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0185	01/29/12	WW	ARI	18.5-19	24.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0305	01/30/12	WW	ARI	30.5-31	12.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0380	01/30/12	WW	ARI	38-38.5	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0405	01/30/12	WW	ARI	40.5-41	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0485	01/30/12	WW	ARI	48.5-49	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-9485	01/30/12	WW	ARI	48.5-49 (dup)	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
W-MW-02 (P-06) (-26.5 to -36.5)	SB-W-06-0590	01/30/12	WW	ARI	59-59.5	-16.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0715	01/30/12	WW	ARI	71.5-72	-28.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-06-0790	01/31/12	WW	ARI	79-79.5	-36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
All Data								Number of Analytes Measured	598	644	644	644	644	644	644	644	644	644	644	644
								Number of Analytes Detected	64	4	81	0	0	5	1	2	41	3	0	4
								Frequency of Detection	10.7%	0.6%	12.6%	0.0%	0.0%	0.8%	0.2%	0.3%	6.4%	0.5%	0.0%	0.6%
								Maximum Detection	0.512	0.0271	0.159 J	-	-	0.196	0.0128	0.0341	0.33	0.0133 J	-	0.0559
								Minimum Detection	0.0003 U	0.000403 U	0.000221 U	0.00109 U	0.000356 U	0.000317 U	0.000275 U	0.000372 U	0.000278 U	0.000248 U	0.000215 U	0.000235 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	0	0	-	0	0	-
								Number of Saturated (S) Detections above SL	5	0	1	0	0	1	1	1	-	0	0	-
2017-2021								Number of Analytes Measured	598	644	644	644	644	644	644	644	644	644	644	644
								Number of Analytes Detected	64	4	81	0	0	5	1	2	41	3	0	4
								Frequency of Detection	10.7%	0.6%	12.6%	0.0%	0.0%	0.8%	0.2%	0.3%	6.4%	0.5%	0.0%	0.6%
								Maximum Detection	0.512	0.0271	0.159 J	-	-	0.196	0.0128	0.0341	0.33	0.0133 J	-	0.0559
								Minimum Detection	0.0003 U	0.000403 U	0.000221 U	0.00109 U	0.000356 U	0.000317 U	0.000275 U	0.000372 U	0.000278 U	0.000248 U	0.000215 U	0.000235 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	0	0	-	0	0	-
								Number of Saturated (S) Detections above SL	5	0	1	0	0	1	1	1	-	0	0	-
Abbreviations: AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington ARI = Analytical Resource, Incorporated, Seattle, Washington B&V = Black Veatch bgs = below ground surface Comp = Composite Sample dup = duplicate EPJ = E.P.Johnson Construction Inc., and Environmental ESC = ESC Lab Services of Mt. Juliet, Tennessee F&BI = Friedman & Bruya, Inc. HC = Hart Crowser, Inc. OnSite = OnSite Environmental Inc., of Redmond, Washington Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc. Retec = Remediation Technologies, Inc. Roux = Roux Associates Urban = Urban Redevelopment LLC WW = WW Environmental LLC Notes: Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M. VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D. Well screen elevations provided below Sample Location. in parentheses when applicable. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. - = Not available or results not analyzed. B = Analyte detected in an associated method blank. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. ND = Not detected above laboratory reporting limit. Reporting limit not available. R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample T = Analyte also detected in trip blank. U = Not detected at a concentration exceeding laboratory reporting limit ve = Estimated value. The reported range exceeds the calibration range of the analysis. z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.																				

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-1A	B-1/S-2	12/01/89	HC	ARI	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2A	B-2/S-1	12/01/89	HC	ARI	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-212	B-212-15	09/08/17	PES	ESC	15	42.6	V	0.00539 U	0.000347 U	0.00158 U	0.000276 U	0.000235 U	0.0129 J	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.000255 U
	B-212-21	09/08/17	PES	ESC	21	36.6	S	0.0148	0.000313 U	0.00142 U	0.000249 U	0.00256	0.0605 J	0.00186 U	0.000346 J	0.000295 U	0.000405 U	0.000441 U	0.00139 U	0.00174
	B-212-35	09/08/17	PES	ESC	35	22.6	S	0.00510 U	0.000328 U	0.00149 U	0.000262 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000310 U	0.000425 U	0.000462 U	0.00146 U	0.000626 J
	B-212-45	09/08/17	PES	ESC	45	12.6	S	0.00512 J	0.000315 U	0.00143 U	0.000251 U	0.000213 U	0.0221 J	0.00187 U	0.000303 J	0.000297 U	0.000408 U	0.000444 U	0.00140 U	0.00195
	B-907-25	09/08/17	PES	ESC	45 (dup)	12.6	S	0.140 U	0.00899 U	0.0409 U	0.00717 U	0.00610 U	0.299 U	0.0536 U	0.00807 U	0.00849 U	0.0117 U	0.0127 U	0.0400 U	0.00660 U
	B-212-55	09/08/17	PES	ESC	55	2.6	S	0.00528 U	0.000340 U	0.00155 U	0.000271 U	0.000230 U	0.0113 U	0.00202 U	0.000305 U	0.000320 U	0.000440 U	0.000478 U	0.00151 U	0.000278 J
	B-212-65	09/08/17	PES	ESC	65	-7.4	S	0.00543 U	0.000349 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000313 U	0.000330 U	0.000453 U	0.000492 U	0.00156 U	0.00107 J
	B-212-75	09/08/17	PES	ESC	75	-17.4	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000237 U	0.0116 U	0.00208 U	0.000314 U	0.000330 U	0.000454 U	0.000493 U	0.00156 U	0.000919 J
	B-212-85	09/11/17	PES	ESC	85	-27.4	S	0.00531 U	0.000342 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000443 U	0.000481 U	0.00152 U	0.000454 J
	B-212-95	09/11/17	PES	ESC	95	-37.4	S	0.00611 U	0.000394 U	0.00179 U	0.000314 U	0.000267 U	0.0131 U	0.00234 U	0.000354 U	0.000371 U	0.000511 U	0.000554 U	0.00176 U	0.000289 U
	B-212-100	09/11/17	PES	ESC	100	-42.4	S	0.00565 U	0.000363 U	0.00165 U	0.000290 U	0.000246 U	0.0121 U	0.00216 U	0.000326 U	0.000343 U	0.000471 U	0.000512 U	0.00162 U	0.000267 U
B-213	B-213-15	09/05/17	PES	ESC	15	42.4	V	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000256 U
	B-213-21.5	09/05/17	PES	ESC	22	35.9	S	0.00736 J	0.000314 U	0.00143 U	0.000250 U	0.00445	0.0143 J	0.00187 U	0.000385 J	0.000296 U	0.000406 U	0.000442 U	0.00140 U	0.000932 J
	B-213-35	09/05/17	PES	ESC	35	22.4	S	0.00507 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000239 U
	B-213-45	09/05/17	PES	ESC	45	12.4	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000315 U	0.000432 U	0.000470 U	0.00149 U	0.000245 U
	B-213-55	09/05/17	PES	ESC	55	2.4	S	0.00509 U	0.000328 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00195 U	0.000294 U	0.000309 U	0.000425 U	0.000462 U	0.00146 U	0.000834 J
	B-213-65	09/05/17	PES	ESC	65	-7.6	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000467 U	0.00147 U	0.00140
	B-213-75	09/05/17	PES	ESC	75	-17.6	S	0.00511 U	0.000329 U	0.00150 U	0.000262 U	0.000223 U	0.0109 U	0.00196 U	0.000295 U	0.000310 U	0.000426 U	0.000463 U	0.00146 U	0.000242 U
	B-213-85	09/05/17	PES	ESC	85	-27.6	S	0.00571 U	0.000367 U	0.00167 U	0.000293 U	0.000249 U	0.0122 U	0.00218 U	0.000329 U	0.000346 U	0.000475 U	0.000517 U	0.00163 U	0.000882 J
	B-213-95	09/06/17	PES	ESC	95	-37.6	S	0.00578 U	0.000372 U	0.00169 U	0.000296 U	0.000252 U	0.0124 U	0.00221 U	0.000334 U	0.000351 U	0.000482 U	0.000524 U	0.00166 U	0.000273 U
	B-213-105	09/06/17	PES	ESC	105	-47.6	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
	B-906-110	09/06/17	PES	ESC	105 (dup)	-47.6	S	0.00537 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
	B-213-115	09/06/17	PES	ESC	115	-57.6	S	0.00574 U	0.000369 U	0.00168 U	0.000294 U	0.000250 U	0.0123 U	0.00219 U	0.000331 U	0.000348 U	0.000478 U	0.000520 U	0.00164 U	0.000271 U
	B-213-125	09/06/17	PES	ESC	125	-67.6	S	0.00692 U	0.000445 U	0.00202 U	0.000355 U	0.000302 U	0.0148 U	0.00265 U	0.000400 U	0.000420 U	0.000577 U	0.000628 U	0.00198 U	0.000628 J
B-214	B-214-15	09/07/17	PES	ESC	15	42.4	V	0.00502 U	0.000323 U	0.00147 U	0.000257 U	0.000219 U	0.0107 U	0.00192 U	0.000290 U	0.000305 U	0.000418 U	0.000455 U	0.00144 U	0.000244 J
	B-214-25	09/07/17	PES	ESC	25	32.4	S	0.00495 U	0.000318 U	0.00145 U	0.000254 U	0.000216 U	0.0106 U	0.00189 U	0.000285 U	0.000300 U	0.000412 U	0.000448 U	0.00142 U	0.000234 U
	B-214-35	09/07/17	PES	ESC	35	22.4	S	0.00508 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0139 J	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000240 U
	B-214-45	09/07/17	PES	ESC	45	12.4	S	0.00498 U	0.000320 U	0.00146 U	0.000255 U	0.000217 U	0.0202 J	0.00191 U	0.000287 U	0.000302 U	0.000415 U	0.000451 U	0.00143 U	0.000703 J
	B-214-55	09/07/17	PES	ESC	55	2.4	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0224 J	0.00199 U	0.000343 J	0.000315 U	0.000433 U	0.000471 U	0.00149 U	0.00159
	B-214-65	09/07/17	PES	ESC	65	-7.6	S	0.00602 U	0.000387 U	0.00176 U	0.000309 U	0.000263 U	0.0129 U	0.00230 U	0.000347 U	0.000366 U	0.000502 U	0.000546 U	0.00172 U	0.000284 U
	B-214-75	09/07/17	PES	ESC	75	-17.6	S	0.00520 U	0.000334 U	0.00152 U	0.000267 U	0.000227 U	0.0121 J	0.00199 U	0.000300 U	0.000316 U	0.000433 U	0.000471 U	0.00149 U	0.000650 J
	B-214-85	09/07/17	PES	ESC	85	-27.6	S	0.00563 U	0.000362 U	0.00165 U	0.000288 U	0.000245 U	0.0150 J	0.00215 U	0.000325 U	0.000341 U	0.000469 U	0.000510 U	0.00161 U	0.00148
	B-908-100	09/07/17	PES	ESC	85 (dup)	-27.6	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0230 J	0.00200 U	0.000302 U	0.000317 U	0.000436 U	0.000474 U	0.00150 U	0.00203
	B-214-95	09/07/17	PES	ESC	95	-37.6	S	0.00514 U	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0125 J	0.00196 U	0.000296 U	0.000312 U	0.000428 U	0.000465 U	0.00147 U	0.00135
	B-214-105	09/07/17	PES	ESC	105	-47.6	S	0.00592 U	0.000381 U	0.00173 U	0.000304 U	0.000258 U	0.0127 U	0.00226 U	0.000342 U	0.000359 U	0.000493 U	0.000537 U	0.00170 U	0.000280 U
	B-214-115	09/11/17	PES	ESC	115	-57.6	S	0.00571 U	0.000367 U	0.00167 U	0.000293 U	0.000249 U	0.0122 U	0.00218 U	0.000329 U	0.000346 U	0.000476 U	0.000517 U	0.00163 U	0.000270 U
	B-214-120	09/11/17	PES	ESC	120	-62.6	S	0.00553 U	0.000355 U	0.00162 U	0.000283 U	0.000241 U	0.0118 U	0.00211 U	0.000319 U	0.000335 U	0.000461 U	0.000501 U	0.00158 U	0.000261 U
B-215	B-215-15	09/12/17	PES	ESC	15	39.0	V	0.00508 U	0.000326 U	0.00149 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000240 U
	B-215-25	09/12/17	PES	ESC	25	29.0	S	0.00501 U	0.000322 U	0.00147 U	0.000257 U	0.000218 U	0.0107 U	0.00192 U	0.000289 U	0.000304 U	0.000417 U	0.000454 U	0.00143 U	0.000237 U
	B-215-35	09/12/17	PES	ESC	35	19.0	S	0.00552 U	0.000355 U	0.00162 U	0.000293 U	0.000241 U	0.0118 U	0.00211 U	0.000318 U	0.000335 U	0.000460 U	0.000500 U	0.00158 U	0.000261 U
	B-215-45	09/12/17	PES	ESC	45	9.0	S	0.00498 U	0.000320 U	0.00146 U	0.000255 U	0.000217 U	0.0106 U	0.00190 U	0.000287 U	0.000302 U	0.000415 U	0.000451 U	0.00143 U	0.000807 J

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-215 (continued)	B-215-55	09/12/17	PES	ESC	55	-1.1	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00198 U	0.000299 U	0.000315 U	0.000432 U	0.000470 U	0.00148 U	0.000688 J
	B-215-65	09/12/17	PES	ESC	65	-11.1	S	0.134 U	0.00860 U	0.0391 U	0.00686 U	0.00583 U	0.286 U	0.0512 U	0.00772 U	0.00812 U	0.0112 U	0.0121 U	0.0383 U	0.00631 U
	B-215-75	09/12/17	PES	ESC	75	-21.1	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000331 J
	B-215-85	09/13/17	PES	ESC	85	-31.1	S	0.00564 U	0.000363 U	0.00165 U	0.000289 U	0.000246 U	0.0121 U	0.00216 U	0.000325 U	0.000342 U	0.000470 U	0.000511 U	0.00162 U	0.000266 U
	B-909-115	09/13/17	PES	ESC	85 (dup)	-31.1	S	0.00524 U	0.000337 U	0.00154 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000318 U	0.000437 U	0.000475 U	0.00150 U	0.000492 J
	B-215-95	09/13/17	PES	ESC	95	-41.1	S	0.00560 U	0.000360 U	0.00164 U	0.000287 U	0.000244 U	0.0120 U	0.00214 U	0.000323 U	0.000340 U	0.000467 U	0.000507 U	0.00160 U	0.000265 U
B-268	B-268-1	03/17/20	PES	PACE	1	-	V	0.0155 U	0.00114 U	0.0124 U	0.00140 U	0.00289 U	0.0170 U	0.00236 U	0.000496 U	0.00130 U	0.00140 U	0.00742 U	0.00459 U	0.00504 U
B-269	B-269-1.5	03/17/20	PES	PACE	1.5	-	V	0.0137 U	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0150 U	0.00207 U	0.000755 J	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00443 U
B-270	B-270-2	03/17/20	PES	PACE	2	-	V	0.0151 U	0.00111 U	0.0121 U	0.00137 U	0.0129	0.0166 U	0.00230 U	0.000484 U	0.00127 U	0.00137 U	0.00723 U	0.00448 U	0.00491 U
B-271	B-271-1	03/17/20	PES	PACE	1	-	V	0.0458	0.000988 U	0.0107 U	0.00121 U	0.00250 U	0.0272	0.00204 U	0.000639 J	0.00113 U	0.00121 U	0.00642 U	0.00397 U	0.00436 U
B-272	B-272-1	03/17/20	PES	PACE	1	-	V	0.0147 U	0.00108 U	0.0118 U	0.00133 U	0.00275 U	0.0162 U	0.00224 U	0.182	0.00124 U	0.00133 U	0.00705 U	0.00436 U	0.00479 U
	B-272-6	03/17/20	PES	PACE	6	-	V	0.0249 J	0.00114 U	0.0124 U	0.00140 U	0.00288 U	0.0170 U	0.00235 U	0.0257	0.00130 U	0.00140 U	0.00740 U	0.00458 U	0.00502 U
B-273	B-273-1	03/17/20	PES	PACE	1	-	V	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00261 U	0.0154 U	0.00213 U	0.000744 J	0.00118 U	0.00127 U	0.00671 U	0.00415 U	0.00456 U
	B-273-3	03/17/20	PES	PACE	3	-	V	0.0166 J	0.00102 U	0.0111 U	0.00125 U	0.00487 J	0.0151 U	0.00210 U	0.000493 J	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00449 U
	B-273-6	03/17/20	PES	PACE	6	-	V	0.0278 U	0.00204 U	0.0222 U	0.00250 U	0.0549	0.0303 U	0.00421 U	0.0244	0.00232 U	0.00250 U	0.0133 U	0.00821 U	0.00900 U
B-274	B-274-1	03/17/20	PES	PACE	1	-	V	0.0141 U	0.00103 U	0.0112 U	0.00127 U	0.00586	0.0154 U	0.00214 U	0.00540	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00457 U
	B-274-3	03/17/20	PES	PACE	3	-	V	0.0177 J	0.000996 U	0.0108 U	0.00122 U	0.00252 U	0.0148 U	0.00206 U	0.000433 U	0.00114 U	0.00122 U	0.00648 U	0.00401 U	0.00440 U
	B-274-6	03/17/20	PES	PACE	6	-	V	0.0223 U	0.00164 U	0.0178 U	0.00201 U	0.00608 J	0.0243 U	0.00338 U	0.00315	0.00187 U	0.00201 U	0.0106 U	0.00658 U	0.00722 U
B-275	B-275-1	03/17/20	PES	PACE	1	-	V	0.0147 U	0.00108 U	0.0117 U	0.00133 U	0.00274 U	0.0161 U	0.00223 U	0.00200	0.00123 U	0.00133 U	0.00702 U	0.00434 U	0.00477 U
	B-275-6	03/17/20	PES	PACE	6	-	V	0.0658	0.00170 U	0.0185 U	0.00210 U	0.0705	0.0254 U	0.00352 U	0.0103	0.00195 U	0.00210 U	0.0111 U	0.00686 U	0.00751 U
	B-275-9	03/17/20	PES	PACE	9	-	S	0.0391	0.00142 U	0.0154 U	0.00174 U	0.0126	0.0211 U	0.00292 U	0.00112 J	0.00162 U	0.00174 U	0.00920 U	0.00569 U	0.0171 J
	B-275-10	03/17/20	PES	PACE	10	-	S	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0151 U	0.00209 U	0.000440 U	0.00115 U	0.00124 U	0.00658 U	0.00407 U	0.00446 U
B-276	B-276-1	03/17/20	PES	PACE	1	-	V	0.0231 U	0.00170 U	0.0184 U	0.00209 U	0.00430 U	0.0252 U	0.00351 U	0.000738 U	0.00194 U	0.00209 U	0.0110 U	0.00682 U	0.00749 U
	B-276-7	03/17/20	PES	PACE	7	-	V	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00210 U	0.000442 U	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00449 U
	B-970-6	03/17/20	PES	PACE	7 (dup)	-	V	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00210 U	0.000443 U	0.00116 U	0.00125 U	0.00662 U	0.00409 U	0.00449 U
	B-276-11	03/17/20	PES	PACE	11	-	S	0.0296	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0160 U	0.00222 U	0.000491 J	0.00123 U	0.00132 U	0.00699 U	0.00432 U	0.0125 J
B-277	B-277-1	03/18/20	PES	PACE	1	-	V	0.0193 J	0.00116 U	0.0126 U	0.00142 U	0.00294 U	0.0173 U	0.00239 U	0.000504 U	0.00132 U	0.00142 U	0.00754 U	0.00466 U	0.00512 U
	B-277-3	03/18/20	PES	PACE	3	-	V	0.0277	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0151 U	0.00209 U	0.000440 U	0.00115 U	0.00124 U	0.00657 U	0.00407 U	0.00446 U
	B-277-5	03/18/20	PES	PACE	5	-	V	0.0337 J	0.00152 U	0.0165 U	0.00187 U	0.00385 U	0.0226 U	0.00314 U	0.000661 U	0.00173 U	0.00187 U	0.00988 U	0.00611 U	0.00671 U
	B-277-9.5	03/18/20	PES	PACE	9.5	-	V	0.0656	0.00219 U	0.0238 U	0.00268 U	0.0331	0.0326 U	0.00452 U	0.00356	0.00249 U	0.00268 U	0.0142 U	0.00879 U	0.00966 U
	B-277-11	03/18/20	PES	PACE	11	-	S	0.0259 J	0.000993 U	0.0108 U	0.00122 U	0.00251 U	0.0148 U	0.00205 U	0.000432 U	0.00113 U	0.00122 U	0.00645 U	0.00399 U	0.00438 U
B-278	B-278-3	03/18/20	PES	PACE	3	-	V	0.0140 U	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000446 U	0.00117 U	0.00126 U	0.00667 U	0.00413 U	0.00453 U
	B-278-6	03/18/20	PES	PACE	6	-	V	0.0225 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0152 U	0.00211 U	0.000444 U	0.00116 U	0.00125 U	0.00663 U	0.00410 U	0.00450 U
B-279	B-279-3	03/18/20	PES	PACE	3	-	V	0.0202 J	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00216 U	0.000454 U	0.00119 U	0.00128 U	0.00678 U	0.00420 U	0.00460 U
	B-279-5	03/18/20	PES	PACE	5	-	V	0.0161 J	0.00103 U	0.0112 U	0.00126 U	0.00261 U	0.0153 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
	B-279-10	03/18/20	PES	PACE	10	-	V	0.0185 J	0.00100 U	0.0109 U	0.00123 U	0.00253 U	0.0149 U	0.00206 U	0.000435 U	0.00114 U	0.00123 U	0.00650 U	0.00402 U	0.00441 U
B-280	B-280-4.5	03/18/20	PES	PACE	4.5	-	V	0.0308	0.000953 U	0.0104 U	0.00117 U	0.00241 U	0.0142 U	0.00197 U	0.000414 U	0.00109 U	0.00117 U	0.00619 U	0.00383 U	0.00421 U
	B-280-6	03/18/20	PES	PACE	6	-	V	0.0211 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0149 U	0.00207 U	0.000435 U	0.00114 U	0.00123 U	0.00651 U	0.00403 U	0.00442 U
B-281	B-281-2	03/18/20	PES	PACE	2	-	V	0.0132 J	0.000962 U	0.0105 U	0.00118 U	0.00244 U	0.0143 U	0.00199 U	0.000418 U	0.00110 U	0.00118 U	0.00625 U	0.00387 U	0.00424 U
	B-281-5	03/18/20	PES	PACE	5	-	V	0.0228 J	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00678 U	0.00419 U	0.00460 U
B-282	B-282-2	03/18/20	PES	PACE	2	-	V	0.0154 J	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0156 U	0.00217 U	0.000456 U	0.00120 U	0.00129 U	0.00682 U	0.00422 U	0.00463 U
	B-282-4	03/18/20	PES	PACE	4	-	V	0.0154 J	0.00102 U	0.0110 U	0.00125 U	0.00257 U	0.0151 U	0.00210 U	0.000442 U	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00448 U
	B-971-5	03/18/20	PES	PACE	4 (dup)	-	V	0.0133 U	0.000979 U	0.0106 U	0.00120 U	0.00248 U	0.0146 U	0.00202 U	0.000426 U	0.00112 U	0.00120 U	0.00636 U	0.00394 U	0.00432 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
B-283	B-283-0.5	08/19/20	PES	PACE	0.5	-	V	0.0764 U	0.00104 U	0.00404 U	0.000541 U	0.00307 U	0.0439 U	0.00434 U	0.000562 U	0.00108 U	0.000678 U	0.00141 U	0.00237 U	0.000842 U
B-284	B-284-1	08/19/20	PES	PACE	1	-	V	0.0762 U	0.00104 U	0.00403 U	0.000540 U	0.00306 U	0.0551 J	0.00433 U	0.000560 U	0.00108 U	0.000677 U	0.00140 U	0.00236 U	0.000840 U
B-285	B-285-1	08/19/20	PES	PACE	1	-	V	0.0829 U	0.00113 U	0.00439 U	0.000587 U	0.00334 U	0.0931	0.00472 U	0.00252	0.00118 U	0.000736 U	0.00153 U	0.00257 U	0.000914 U
B-286	B-286-0.5	08/19/20	PES	PACE	0.5	-	V	0.169 U	0.00231 U	0.00893 U	0.00120 U	0.00679 U	0.103 J	0.00960 U	0.00651	0.00240 U	0.00150 U	0.00312 U	0.00525 U	0.00187 U
B-287	B-287-1	08/19/20	PES	PACE	1	-	V	0.165 U	0.00225 U	0.00873 U	0.00117 U	0.00663 U	0.0948 U	0.00938 U	0.00149 J	0.00234 U	0.00147 U	0.00303 U	0.00511 U	0.00182 U
B-288	B-288-1	08/19/20	PES	PACE	1	-	V	0.337 U	0.00460 U	0.0178 U	0.00239 U	0.0135 U	0.194 U	0.0191 U	0.0224	0.00479 U	0.00299 U	0.00620 U	0.0105 U	0.00371 U
B-289	B-289-0.5	08/19/20	PES	PACE	0.5	-	V	0.277 U	0.00377 U	0.0147 U	0.00196 U	0.0111 U	0.159 U	0.0158 U	0.00207 J	0.00393 U	0.00246 U	0.00509 U	0.00861 U	0.00305 U
B-290	B-290-1	08/20/20	PES	PACE	1	-	V	0.100 U	0.00136 U	0.00530 U	0.000711 U	0.00402 U	0.0708 J	0.00570 U	0.00628	0.00142 U	0.000890 U	0.00185 U	0.00311 U	0.00110 U
B-291	B-291-1	08/20/20	PES	PACE	1	-	V	0.0861 U	0.00117 U	0.00455 U	0.000610 U	0.00346 U	0.0495 U	0.00489 U	0.00302	0.00122 U	0.000765 U	0.00159 U	0.00267 U	0.000949 U
B-292	B-292-3	08/22/20	PES	PACE	3	-	V	0.0799 U	0.00109 U	0.00423 U	0.000566 U	0.00321 U	0.0459 U	0.00454 U	0.000588 U	0.00113 U	0.000710 U	0.00147 U	0.00248 U	0.000881 U
	B-292-6	08/22/20	PES	PACE	6	-	V	0.0826 U	0.00112 U	0.00437 U	0.000585 U	0.00332 U	0.0475 U	0.00469 U	0.000607 U	0.00117 U	0.000733 U	0.00152 U	0.00256 U	0.000910 U
	B-292-9	08/22/20	PES	PACE	9	-	V	0.0750 U	0.00102 U	0.00397 U	0.000532 U	0.00301 U	0.0431 U	0.00427 U	0.000552 U	0.00106 U	0.000667 U	0.00138 U	0.00233 U	0.000827 U
	B-292-12	08/22/20	PES	PACE	12	-	V	0.0834 U	0.00114 U	0.00441 U	0.000591 U	0.00335 U	0.0479 U	0.00474 U	0.000613 U	0.00118 U	0.000740 U	0.00154 U	0.00259 U	0.000919 U
B-293	B-293-1	08/26/20	PES	PACE	1	-	V	0.0704 U	0.000959 U	0.00372 U	0.000499 U	0.00283 U	0.0405 U	0.00400 U	0.000933 J	0.000998 U	0.000625 U	0.00130 U	0.00218 U	0.000776 U
B-294	B-294-1	08/26/20	PES	PACE	1	-	V	0.0891 U	0.00121 U	0.00472 U	0.000632 U	0.0110 U	0.0512 U	0.00507 U	0.125	0.00126 U	0.000792 U	0.00164 U	0.00277 U	0.000983 U
	B-294-2	08/26/20	PES	PACE	2	-	V	0.185 U	0.00252 U	0.00976 U	0.00131 U	0.0298 U	0.106 U	0.0105 U	3.50	0.00261 U	0.00164 U	0.00340 U	0.00572 U	0.00203 U
	B-294-6	08/26/20	PES	PACE	6	-	V	0.181 U	0.00246 U	0.00959 U	0.00128 U	0.00728 U	0.104 U	0.0103 U	0.0800	0.00256 U	0.00161 U	0.00333 U	0.00562 U	0.00200 U
	B-294-10	08/26/20	PES	PACE	10	-	S	0.0995 J	0.00116 U	0.00452 U	0.000606 U	0.00343 U	0.0491 U	0.00486 U	0.00115 J	0.00121 U	0.000759 U	0.00157 U	0.00265 U	0.000942 U
B-295	B-295-1	08/26/20	PES	PACE	1	-	V	0.0764 U	0.00104 U	0.00404 U	0.000542 U	0.00307 U	0.0439 U	0.00434 U	0.000562 U	0.00108 U	0.000679 U	0.00141 U	0.00237 U	0.000843 U
	B-295-3	08/26/20	PES	PACE	3	-	V	0.113 U	0.00154 U	0.00599 U	0.000803 U	0.00455 U	0.0651 U	0.00644 U	0.00155 J	0.00161 U	0.00101 U	0.00209 U	0.00351 U	0.00125 U
	B-295-7	08/26/20	PES	PACE	7	-	V	0.0951 U	0.00130 U	0.00503 U	0.000674 U	0.00382 U	0.0547 U	0.00541 U	0.00187	0.00135 U	0.000845 U	0.00175 U	0.00295 U	0.00105 U
	B-295-10	08/26/20	PES	PACE	10	-	S	0.0893 U	0.00122 U	0.00472 U	0.000633 U	0.00358 U	0.0513 U	0.00507 U	0.000922 J	0.00127 U	0.000793 U	0.00164 U	0.00277 U	0.000984 U
B-296	B-296-1	08/26/20	PES	PACE	1	-	V	0.0721 U	0.000983 U	0.00382 U	0.000511 U	0.00290 U	0.0415 U	0.00410 U	0.000531 U	0.00102 U	0.000641 U	0.00133 U	0.00224 U	0.000795 U
B-297	B-297-1	08/26/20	PES	PACE	1	-	V	0.0782 U	0.00107 U	0.00414 U	0.000554 U	0.00314 U	0.0450 U	0.00445 U	0.000575 U	0.00111 U	0.000695 U	0.00144 U	0.00243 U	0.000862 U
	B-297-3	08/26/20	PES	PACE	3	-	V	0.0729 U	0.000994 U	0.00386 U	0.000517 U	0.00293 U	0.0419 U	0.00415 U	0.00116	0.00103 U	0.000648 U	0.00134 U	0.00226 U	0.000804 U
	B-500-1	08/26/20	PES	PACE	3 (dup)	-	V	0.0744 U	0.00101 U	0.00394 U	0.000527 U	0.00299 U	0.0428 U	0.00423 U	0.000547 U	0.00105 U	0.000661 U	0.00137 U	0.00231 U	0.000820 U
	B-297-5	08/26/20	PES	PACE	5	-	V	0.0726 U	0.000988 U	0.00384 U	0.000514 U	0.00291 U	0.0417 U	0.00413 U	0.00117	0.00103 U	0.000645 U	0.00134 U	0.00225 U	0.000800 U
B-298	B-298-5	08/26/20	PES	PACE	5	-	V	0.0670 U	0.000913 U	0.00354 U	0.000475 U	0.00270 U	0.0386 U	0.00381 U	0.000493 U	0.000950 U	0.000596 U	0.00123 U	0.00208 U	0.000739 U
	B-298-6	08/26/20	PES	PACE	6	-	V	0.0806 U	0.00110 U	0.00426 U	0.000571 U	0.00324 U	0.0541 J	0.00458 U	0.00403	0.00114 U	0.000716 U	0.00148 U	0.00250 U	0.000888 U
B-299	B-299-2	02/01/21	PES	PACE	2	-	V	0.0910 U	0.00114 U	0.00444 U	0.000594 U	0.00337 U	0.0482 U	0.00477 U	0.000616 U	0.00119 U	0.000745 U	0.00154 U	0.00260 U	0.000924 U
	B-299-5.5	02/01/21	PES	PACE	5.5	-	V	0.0884 U	0.00103 U	0.00400 U	0.000536 U	0.00304 U	0.0435 U	0.00430 U	0.000557 U	0.00107 U	0.000672 U	0.00139 U	0.00235 U	0.000834 U
	B-1003-10	02/01/21	PES	PACE	5.5 (dup)	-	V	0.103 U	0.00107 U	0.00416 U	0.000558 U	0.00316 U	0.0452 U	0.00447 U	0.000579 U	0.00112 U	0.000699 U	0.00145 U	0.00244 U	0.000868 U
B-300	B-300-2.5	02/01/21	PES	PACE	2.5	-	V	0.0839 U	0.00114 U	0.00444 U	0.000595 U	0.00337 U	0.0482 U	0.00477 U	0.000617 U	0.00119 U	0.000745 U	0.00155 U	0.00260 U	0.000925 U
	B-300-5.5	02/01/21	PES	PACE	5.5	-	V	0.0837 U	0.00112 U	0.00433 U	0.000580 U	0.00329 U	0.0471 U	0.00466 U	0.000602 U	0.00116 U	0.000727 U	0.00151 U	0.00254 U	0.000903 U
B-301	B-301-2	02/01/21	PES	PACE	2	-	V	0.0839 U	0.00111 U	0.00431 U	0.000577 U	0.00327 U	0.0468 U	0.00463 U	0.000599 U	0.00115 U	0.000723 U	0.00150 U	0.00253 U	0.000898 U
	B-301-5	02/01/21	PES	PACE	5	-	V	0.0891 U	0.00117 U	0.00454 U	0.000608 U	0.00345 U	0.0493 U	0.00488 U	0.000631 U	0.00122 U	0.000762 U	0.00158 U	0.00266 U	0.000946 U
B-302	B-302-2	02/01/21	PES	PACE	2	-	V	0.0800 U	0.00108 U	0.00421 U	0.000563 U	0.00319 U	0.0457 U	0.00452 U	0.000584 U	0.00113 U	0.000706 U	0.00146 U	0.00247 U	0.000876 U
	B-302-4	02/01/21	PES	PACE	4	-	V	0.0963 U	0.00123 U	0.00479 U	0.000642 U	0.00364 U	0.0521 U	0.00515 U	0.000666 U	0.00128 U	0.000805 U	0.00167 U	0.00281 U	0.000999 U
BB-5	S-6	03/09/97	B&V	Unknown	15-17	34.0	V	-	-	-	-	-	-	-	ND	-	-	-	-	-
	S-10	03/09/97	B&V	Unknown	25-27	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-7	S-4	04/06/97	B&V	Unknown	10-12	17.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
BB-8 (13.6 to 3.6)	S-8	06/06/97	B&V	Unknown	20-22	23.6	S	-	-	-	-	-	-	-	ND	-	-	-	-	-
BB-10	S-6	08/29/97	B&V	Unknown	15-17	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
BB-12	S-3	03/18/98	B&V	Unknown	15-16.5	18.8	S	-	-	-	-	-	-	-	ND	-	-	-	-	-
	S-14	03/18/98	B&V	Unknown	45-46.5	-11.2	S	-	-	-	-	-	-	-	ND	-	-	-	-	-
BB-13	S-10	03/19/98	B&V	Unknown	25-27.5	1.9	S	-	-	-	-	-	-	-	ND	-	-	-	-	-
	S-16	03/19/98	B&V	Unknown	40-41.5	-13.1	S	-	-	-	-	-	-	-	ND	-	-	-	-	-
BB-14	S-2	03/03/98	B&V	Unknown	5-6.5	21.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-5	03/03/98	B&V	Unknown	12.5-14	14.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-9	03/03/98	B&V	Unknown	22.5-24	4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	S-12	03/03/98	B&V	Unknown	30-31.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-07	CHB-07-12.5-13.5	04/14/05	CH2M	ARI	12.5-13.5	16.5	S	-	-	-	-	-	-	-	0.0015	-	-	-	-	-
	CHB-07-5.0-7.0	04/14/08	CH2M	ARI	5-7	23.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
CHB-08	CHB-08-15.0-16.0	04/15/08	CH2M	ARI	15-16	14.1	S	-	-	-	-	-	-	-	0.0008 U	-	-	-	-	-
CHB-09	CHB-09-20.0-21.5	04/16/08	CH2M	ARI	20-21.5	15.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-09-25.0-26.5	04/16/08	CH2M	ARI	25-26.5	10.4	S	-	-	-	-	-	-	-	0.0012 U	-	-	-	-	-
GEI-MW-1 (-9.7 to -29.7)	MW-1-1-2.5	08/22/14	GEI	Fremont	1	29.5	V	-	-	-	-	-	-	-	0.0181 U	-	-	-	-	-
GEI-MW-2 (4.0 to -6.0)	MW-2-2-5.0	08/23/14	GEI	Fremont	5	26.6	V	-	-	-	-	-	-	-	0.0391 U	-	-	-	-	-
	MW-2-4-10.0	08/23/14	GEI	Fremont	10	21.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-8-20.0	08/23/14	GEI	Fremont	20	11.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-3 (-18.7 to -28.7)	MW-3-4-10.0	08/23/14	GEI	Fremont	10	20.8	S	-	-	-	-	-	-	-	0.0258 U	-	-	-	-	-
	MW-3-10-50.0	08/23/14	GEI	Fremont	50	-19.3	S	-	-	-	-	-	-	-	0.0166 U	-	-	-	-	-
GEI-4	GEI-4-2-5.0	08/23/14	GEI	Fremont	5	26.0	V	-	-	-	-	-	-	-	0.0214 U	-	-	-	-	-
	GEI-4-5-12.5	08/23/14	GEI	Fremont	12.5	18.5	S	-	-	-	-	-	-	-	0.0243 U	-	-	-	-	-
MW-1 (SCLB-3)	RS3-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-17.5	03/15/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-22.5/RS3-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	10 3.9 0.15 0.050 U	-	-	-	-	-
	RS3-32.5	03/15/93	EPJ	OnSite	32.5	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-2 (SCLB-4)	RS4-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-12.5/RS4-17.5	03/15/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	RS4-22.5/RS4-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	RS4-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW-3 (SCLB-5)	RS5-2.5/RS5-7.5 (Comp)	03/16/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-12.5/RS5-17.5 (Comp)	03/16/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	0.88	-	-	-	-	-
	RS5-17.5	03/16/93	EPJ	OnSite	17.5	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-22.5	03/16/93	EPJ	OnSite	22.5	16.5	S	-	-	-	-	-	-	-	0.2	-	-	-	-	-
	RS5-32.5	03/16/93	EPJ	OnSite	32.5	6.5	S	-	-	-	-	-	-	-	0.056 J	-	-	-	-	-
	RS5-37.5	03/16/93	EPJ	OnSite	37.5	1.5	S	-	-	-	-	-	-	-	0.050 U	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-4 (SCLB-6)	RS6-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-17.5/RS6-22.5 (Comp)	03/17/93	EPJ	OnSite	17.5-22.5	-	V	-	-	-	-	-	-	-	0.050 U	-	-	-	-	-
		03/17/93	EPJ	OnSite	27.5	12.5	S	-	-	-	-	-	-	-	0.050 U	-	-	-	-	-
MW-5 (SCLB-7)	RS7-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-17.5	03/17/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-22.5	03/17/93	EPJ	OnSite	22.5	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	MW6-25	10/11/93	Retec	ARI	25	13.2	S	-	-	-	-	-	-	-	3.5	-	-	-	-	-
MW-7	MW7-16.5	10/11/93	Retec	ARI	16.5	18.6	S	-	-	-	-	-	-	-	7.1	-	-	-	-	-
	MW7-18.5	10/11/93	Retec	ARI	18.5	16.6	S	-	-	-	-	-	-	-	2.2	-	-	-	-	-
MW-8 (28.7 to 14.2)	MW8-20	10/18/93	Retec	AAL	20	13.2	S	-	-	-	-	-	-	-	0.059 U	-	-	-	-	-
MW-9 (33.7 to 18.7)	MW9-17.5	10/18/93	Retec	AAL	17.5	23.6	S	-	-	-	-	-	-	-	0.068 U	-	-	-	-	-
MW-10	MW10-17.5	10/19/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	0.068 U	-	-	-	-	-
MW102 (B102) (-65.8 to -75.8)	B102-20	07/17/12	SES	F&BI	20	29.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-30	07/17/12	SES	F&BI	30	19.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-38	07/17/12	SES	F&BI	38	11.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-40	07/17/12	SES	F&BI	40	9.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-49	07/17/12	SES	F&BI	49	0.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-60	07/17/12	SES	F&BI	60	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-70	07/18/12	SES	F&BI	70	-20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-80	07/19/12	SES	F&BI	80	-30.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-90	07/19/12	SES	F&BI	90	-40.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-100	07/20/12	SES	F&BI	100	-50.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-110	07/20/12	SES	F&BI	110	-60.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B102-120	07/23/12	SES	F&BI	120	-70.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW103 (B103) (-67.6 to -77.6)	B103-10	07/25/12	SES	F&BI	10	25.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-18	07/25/12	SES	F&BI	18	17.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-30	07/25/12	SES	F&BI	30	5.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-40	07/25/12	SES	F&BI	40	-4.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-45	07/25/12	SES	F&BI	45	-9.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-55	07/25/12	SES	F&BI	55	-19.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-62.5	07/26/12	SES	F&BI	62.5	-26.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-75	07/26/12	SES	F&BI	75	-39.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-83	07/26/12	SES	F&BI	83	-47.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-95	07/26/12	SES	F&BI	95	-59.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-105	07/27/12	SES	F&BI	105	-69.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B103-113	07/27/12	SES	F&BI	113	-77.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW104 (B104) (-76.3 to -86.3)	B104-10	07/30/12	SES	F&BI	10	32.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-20	07/30/12	SES	F&BI	20	22.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-30	07/30/12	SES	F&BI	30	12.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-35	07/30/12	SES	F&BI	35	7.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-50	07/30/12	SES	F&BI	50	-7.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-60	07/31/12	SES	F&BI	60	-17.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-69	07/31/12	SES	F&BI	69	-26.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-80	07/31/12	SES	F&BI	80	-37.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-90	08/01/12	SES	F&BI	90	-47.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-100	08/01/12	SES	F&BI	100	-57.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-110	08/01/12	SES	F&BI	110	-67.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-120	08/01/12	SES	F&BI	120	-77.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B104-130	08/01/12	SES	F&BI	130	-87.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW105 (B105) (-85.8 to -95.8)	B105-10	08/06/12	SES	F&BI	10	34.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-20	08/06/12	SES	F&BI	20	24.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-30	08/06/12	SES	F&BI	30	14.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-40	08/08/12	SES	F&BI	40	4.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-50	08/08/12	SES	F&BI	50	-5.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-60	08/09/12	SES	F&BI	60	-15.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-70	08/09/12	SES	F&BI	70	-25.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-80	08/09/12	SES	F&BI	80	-35.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-90	08/10/12	SES	F&BI	90	-45.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-100	08/10/12	SES	F&BI	100	-55.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-110	08/10/12	SES	F&BI	110	-65.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-120	08/10/12	SES	F&BI	120	-75.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-130	08/10/12	SES	F&BI	130	-85.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B105-138	08/10/12	SES	F&BI	138	-93.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW106 (B106) (-78.0 to -88.0)	B106-10	08/14/12	SES	F&BI	10	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-20	08/14/12	SES	F&BI	20	32.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-30	08/14/12	SES	F&BI	30	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-40	08/14/12	SES	F&BI	40	12.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-50	08/14/12	SES	F&BI	50	2.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-60	08/14/12	SES	F&BI	60	-8.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-70	08/15/12	SES	F&BI	70	-18.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-80	08/15/12	SES	F&BI	80	-28.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-90	08/15/12	SES	F&BI	90	-38.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-100	08/15/12	SES	F&BI	100	-48.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-110	08/15/12	SES	F&BI	110	-58.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-120	08/15/12	SES	F&BI	120	-68.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-130	08/15/12	SES	F&BI	130	-78.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B106-140	08/15/12	SES	F&BI	140	-88.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW107 (B107) (8.8 to -1.2)	B107-05	03/12/12	SES	F&BI	5	38.8	V	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B107-15	03/12/12	SES	F&BI	15	28.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B107-25	03/12/12	SES	F&BI	25	18.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B107-35	03/12/12	SES	F&BI	35	8.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B107-45	03/12/12	SES	F&BI	45	-1.2	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
MW108 (B108) (-7.2 to -17.2)	B108-15	12/14/12	SES	F&BI	15	17.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-25	12/14/12	SES	F&BI	25	7.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-35	12/14/12	SES	F&BI	35	-2.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-45	12/14/12	SES	F&BI	45	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B108-50	12/14/12	SES	F&BI	50	-17.2	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW109 (B109) (0.0 to -10.0)	B109-05	04/12/12	SES	F&BI	5	30.0	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-15	04/12/12	SES	F&BI	15	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-25	04/12/12	SES	F&BI	25	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-35	04/12/12	SES	F&BI	35	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B109-45	04/12/12	SES	F&BI	45	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW110 (B110) (4.7 to -5.3)	B110-15	04/12/12	SES	F&BI	15	24.7	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-25	04/12/12	SES	F&BI	25	14.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-35	04/12/12	SES	F&BI	35	4.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B110-45	04/12/12	SES	F&BI	45	-5.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW111 (B111) (-33.5 to -43.5)	B111-10	05/12/12	SES	F&BI	10	26.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-20	05/12/12	SES	F&BI	20	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-30	05/12/12	SES	F&BI	30	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-38	05/12/12	SES	F&BI	38	-1.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-50	05/12/12	SES	F&BI	50	-13.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-60	06/12/12	SES	F&BI	60	-23.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-70	06/12/12	SES	F&BI	70	-33.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B111-80	06/12/12	SES	F&BI	80	-43.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW112 (B112) (-17.5 to -27.5)	B112-10	11/12/12	SES	F&BI	10	47.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-20	11/12/12	SES	F&BI	20	37.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-30	11/12/12	SES	F&BI	30	27.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-40	11/12/12	SES	F&BI	40	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-50	11/12/12	SES	F&BI	50	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-60	11/12/12	SES	F&BI	60	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-75	11/12/12	SES	F&BI	75	-17.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B112-85	12/12/12	SES	F&BI	85	-27.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW113 (B113) (-37.1 to -47.1)	B113-10	12/18/12	SES	F&BI	10	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-20	12/18/12	SES	F&BI	20	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-30	12/18/12	SES	F&BI	30	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-40	12/18/12	SES	F&BI	40	-7.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B113-50	12/18/12	SES	F&BI	50	-17.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW114 (B114) (10.8 to 0.8)	B114-15	10/12/12	SES	F&BI	15	30.8	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-25	10/12/12	SES	F&BI	25	20.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-35	10/12/12	SES	F&BI	35	10.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW114 (B114) (continued)	B114-40	10/12/12	SES	F&BI	40	5.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B114-45	10/12/12	SES	F&BI	45	0.8	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW115 (B115) (-0.9 to -10.9)	B115-10	12/13/12	SES	F&BI	10	24.1	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-15	12/13/12	SES	F&BI	15	19.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-25	12/13/12	SES	F&BI	25	9.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-35	12/13/12	SES	F&BI	35	-0.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B115-45	12/13/12	SES	F&BI	45	-10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW116 (B116) (-3.6 to -13.6)	B116-15	07/12/12	SES	F&BI	15	16.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-25	07/12/12	SES	F&BI	25	6.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-35	07/12/12	SES	F&BI	35	-3.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B116-45	07/12/12	SES	F&BI	45	-13.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW117 (B117) (16.9 to 1.9)	B117-10	02/04/13	SES	F&BI	10	46.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-20	02/04/13	SES	F&BI	20	36.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-30	02/04/13	SES	F&BI	30	26.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-40	02/04/13	SES	F&BI	40	16.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B117-50	02/04/13	SES	F&BI	50	6.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW118 (B118) (12.9 to 2.9)	B118-10	03/21/13	SES	F&BI	10	42.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-20	03/21/13	SES	F&BI	20	32.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-30	03/21/13	SES	F&BI	30	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-40	03/21/13	SES	F&BI	40	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B118-50	03/21/13	SES	F&BI	50	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW119 (B119) (2.4 to -7.7)	B119-10	03/21/13	SES	F&BI	10	27.4	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-20	03/21/13	SES	F&BI	20	17.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-30	03/21/13	SES	F&BI	30	7.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B119-40	03/21/13	SES	F&BI	40	-2.7	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW120 (B120) (0 to -10)	B120-20	12/16/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	0.3 U	-	-	-	-	-
	B120-30	12/16/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	0.3 U	-	-	-	-	-
	B120-45	12/16/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	0.3 U	-	-	-	-	-
MW121 (B121) (26.7 to 16.7)	B121-15	12/16/13	SES	F&BI	15	26.7	S	-	-	-	-	-	-	-	0.3 U	-	-	-	-	-
	B121-25	12/16/13	SES	F&BI	25	16.7	S	-	-	-	-	-	-	-	0.3 U	-	-	-	-	-
MW122 (B122) (-75 to -89)	B122-15	12/17/13	SES	F&BI	15	15.0	S	-	-	-	-	-	-	-	0.053	-	-	-	-	-
	B122-25	12/17/13	SES	F&BI	25	5.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B122-40	12/17/13	SES	F&BI	40	-10.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B122-45	12/17/13	SES	F&BI	45	-15.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B122-50	12/17/13	SES	F&BI	50	-20.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B122-60	12/17/13	SES	F&BI	60	-30.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B122-70	12/17/13	SES	F&BI	70	-40.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B122-80	12/17/13	SES	F&BI	80	-50.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B122-100	12/17/13	SES	F&BI	100	-70.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
MW123 (B123) (-42.5 to -52.5)	B123-20	12/18/13	SES	F&BI	20	7.5	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW124 (B124) (-53.8 to -63.8)	B124-10	12/19/13	SES	F&BI	10	46.2	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	B124-20	12/19/13	SES	F&BI	20	36.2	V	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-30	12/19/13	SES	F&BI	30	26.2	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-40	12/19/13	SES	F&BI	40	16.2	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-50	12/19/13	SES	F&BI	50	6.2	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-60	12/19/13	SES	F&BI	60	-3.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-70	12/19/13	SES	F&BI	70	-13.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-80	12/19/13	SES	F&BI	80	-23.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-90	12/19/13	SES	F&BI	90	-33.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-100	12/19/13	SES	F&BI	100	-43.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-110	12/19/13	SES	F&BI	110	-53.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B124-120	12/19/13	SES	F&BI	120	-63.8	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
MW125 (B125) (28.6 to 13.6)	B125-15	12/20/13	SES	F&BI	15	28.6	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B125-20	12/20/13	SES	F&BI	20	23.6	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B125-25	12/20/13	SES	F&BI	25	18.6	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B125-30	12/20/13	SES	F&BI	30	13.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW126 (B126) (-54.1 to -64.1)	B126-20	12/30/13	SES	F&BI	20	10.9	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B126-35	12/30/13	SES	F&BI	35	-4.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B126-45	12/30/13	SES	F&BI	45	-14.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B126-55	12/30/13	SES	F&BI	55	-24.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B126-60	12/31/13	SES	F&BI	60	-29.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-65	01/01/14	SES	F&BI	65	-34.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B126-75	01/02/14	SES	F&BI	75	-44.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B126-80	01/03/14	SES	F&BI	80	-49.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B126-85	01/04/14	SES	F&BI	85	-54.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B126-95	01/05/14	SES	F&BI	95	-64.1	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MW127 (B127) (-1.0 to -11.0)	B127-15	12/31/13	SES	F&BI	15	24.0	V	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B127-25	12/31/13	SES	F&BI	25	14.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B127-40	12/31/13	SES	F&BI	40	-1.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B127-45	12/31/13	SES	F&BI	45	-6.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	B127-50	12/31/13	SES	F&BI	50	-11.0	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
MW128 (B128) (-30.8 to -40.8)	B128-25	01/09/14	SES	F&BI	25	2.9	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B128-45	01/09/14	SES	F&BI	45	-17.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
	B128-65	01/09/14	SES	F&BI	65	-37.1	S	-	-	-	-	-	-	-	0.03 U	-	-	-	-	-
MW-138 (-47.5 to -57.5)	MW-138-15	09/12/17	PES	ESC	15	42.5	V	0.00556 U	0.000358 U	0.00163 U	0.000285 U	0.000243 U	0.0119 U	0.00213 U	0.000321 U	0.000338 U	0.000464 U	0.000504 U	0.00159 U	0.000263 U
	MW-138-25	09/12/17	PES	ESC	25	32.5	S	0.00539 U	0.000347 U	0.00158 U	0.000276 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.000254 U
	MW-138-35	09/12/17	PES	ESC	35	22.5	S	0.00500 U	0.000322 U	0.00146 U	0.000256 U	0.000218 U	0.0107 U	0.00191 U	0.000288 U	0.000303 U	0.000417 U	0.000453 U	0.00143 U	0.000435 J
	MW-138-45	09/12/17	PES	ESC	45	12.5	S	0.00495 U	0.000318 U	0.00145 U	0.000254 U	0.000216 U	0.0106 U	0.00189 U	0.000285 U	0.000300 U	0.000412 U	0.000448 U	0.00142 U	0.000913 J
	MW-138-56	09/12/17	PES	ESC	56	1.5	S	0.00526 U	0.000339 U	0.00154 U	0.000270 U	0.000229 U	0.0112 U	0.00201 U	0.000304 U	0.000319 U	0.000439 U	0.000477 U	0.00151 U	0.00276
	MW-138-65	09/13/17	PES	ESC	65	-7.5	S	0.00506 U	0.000326 U	0.00148 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000292 U	0.000307 U	0.000422 U	0.000459 U	0.00145 U	0.000333 J
	B-910-90	09/13/17	PES	ESC	65 (dup)	-7.5	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000476 J
	MW-138-75	09/13/17	PES	ESC	75	-17.5	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000225 U	0.0177 J	0.00197 U	0.000297 U	0.000313 U	0.000429 U	0.000467 U	0.00148 U	0.00122
	MW-138-85	09/13/17	PES	ESC	85	-27.5	S	0.00563 U	0.000362 U	0.00165 U	0.000289 U	0.000245 U	0.0124 J	0.00215 U	0.000325 U	0.000341 U	0.000469 U	0.000510 U	0.00161 U	0.000541 J

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-138 (continued)	MW-138-95	09/13/17	PES	ESC	95	-37.5	S	0.00510 U	0.000328 U	0.00149 U	0.000262 U	0.000223 U	0.0189 J	0.00195 U	0.000295 U	0.000310 U	0.000425 U	0.000462 U	0.00146 U	0.000930 J
	MW-138-105	09/13/17	PES	ESC	105	-47.5	S	0.00582 U	0.000374 U	0.00170 U	0.000299 U	0.000254 U	0.0124 U	0.00223 U	0.000336 U	0.000353 U	0.000485 U	0.000527 U	0.00167 U	0.000275 U
	MW-138-115	09/14/17	PES	ESC	115	-57.5	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000256 U
MW-140 (-78.9 to -88.9)	MW-140-15	08/30/17	PES	ESC	15	35.6	V	0.00534 U	0.000343 U	0.00156 U	0.000274 U	0.000233 U	0.0114 U	0.00204 U	0.000308 U	0.000324 U	0.000445 U	0.000484 U	0.00153 U	0.000252 U
	MW-140-25	08/30/17	PES	ESC	25	25.6	S	0.00508 U	0.000326 U	0.00149 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000278 J
	MW-140-35	08/30/17	PES	ESC	35	15.6	S	0.136 U	0.00876 U	0.0398 U	0.00699 U	0.00594 U	0.291 U	0.0522 U	0.00786 U	0.00827 U	0.0114 U	0.0124 U	0.0390 U	0.00643 U
	MW-140-45	08/30/17	PES	ESC	45	5.6	S	0.00499 U	0.000321 U	0.00146 U	0.000256 U	0.000218 U	0.0107 U	0.00191 U	0.000288 U	0.000303 U	0.000416 U	0.000452 U	0.00143 U	0.000774 J
	MW-140-55	08/30/17	PES	ESC	55	-4.4	S	0.00514 U	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0110 U	0.00196 U	0.000379 J	0.000312 U	0.000428 U	0.000465 U	0.00147 U	0.00196
	MW-140-65	08/30/17	PES	ESC	65	-14.4	S	0.00501 U	0.000322 U	0.00147 U	0.000257 U	0.000218 U	0.0107 U	0.00192 U	0.000289 U	0.000304 U	0.000418 U	0.000454 U	0.00143 U	0.00384
	MW-140-75	08/30/17	PES	ESC	75	-24.4	S	0.126 U	0.00811 U	0.0369 U	0.00647 U	0.00550 U	0.270 U	0.0483 U	0.00728 U	0.00766 U	0.0105 U	0.0114 U	0.0361 U	0.00595 U
	MW-140-90	08/30/17	PES	ESC	90	-39.4	S	0.00551 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0118 U	0.00211 U	0.000318 U	0.000334 U	0.000459 U	0.000499 U	0.00158 U	0.000260 U
	MW-140-110	08/31/17	PES	ESC	110	-59.4	S	0.00542 U	0.000349 U	0.00159 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000313 U	0.000329 U	0.000452 U	0.000491 U	0.00155 U	0.000256 U
	MW-140-130	08/31/17	PES	ESC	130	-79.4	S	0.00529 U	0.000340 U	0.00155 U	0.000271 U	0.000231 U	0.0113 U	0.00202 U	0.000305 U	0.000321 U	0.000441 U	0.000479 U	0.00152 U	0.000250 U
	MW-140-140	08/31/17	PES	ESC	140	-89.4	S	0.132 U	0.00849 U	0.0386 U	0.00678 U	0.00576 U	0.282 U	0.0506 U	0.00762 U	0.00802 U	0.0110 U	0.0120 U	0.0378 U	0.00623 U
MW-142 (2.4 to -7.6)	MW-142-5	04/12/18	PES	ESC	5	37.1	V	0.00563 U	0.000362 U	0.00165 U	0.000289 U	0.000245 U	0.0120 U	0.00215 U	0.000392 J	0.000342 U	0.000469 U	0.000510 U	0.00161 U	0.000266 U
MW-143 (-27.7 to -37.7)	MW-143-10	04/11/18	PES	ESC	10	32.0	V	0.00649 U	0.000417 U	0.00190 U	0.000333 U	0.000283 U	0.0437 J	0.00248 U	0.00459	0.000394 U	0.000541 U	0.000588 U	0.00186 U	0.000789 J
	MW-143-20	04/11/18	PES	ESC	20	22.0	S	0.00544 U	0.000350 U	0.00159 U	0.000279 U	0.000329 J	0.0142 J	0.00208 U	0.000314 U	0.000330 U	0.000453 U	0.000493 U	0.00156 U	0.000833 J
	MW-143-30	04/11/18	PES	ESC	30	12.0	S	0.00533 U	0.000343 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00204 U	0.000307 U	0.000323 U	0.000444 U	0.000483 U	0.00153 U	0.000252 U
	MW-143-40	04/11/18	PES	ESC	40	2.0	S	0.00558 U	0.000359 U	0.00163 U	0.000286 U	0.000243 U	0.0119 U	0.00214 U	0.000322 U	0.000339 U	0.000465 U	0.000506 U	0.00160 U	0.000264 U
	MW-143-50	04/11/18	PES	ESC	50	-8.0	S	0.00536 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000309 U	0.000325 U	0.000447 U	0.000486 U	0.00153 U	0.000253 U
	MW-143-60	04/11/18	PES	ESC	60	-18.0	S	0.00520 U	0.000335 U	0.00152 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000300 U	0.000316 U	0.000433 U	0.000471 U	0.00149 U	0.000323 J
	MW-143-70	04/11/18	PES	ESC	70	-28.0	S	0.00515 U	0.000331 U	0.00151 U	0.000264 U	0.000224 U	0.0110 U	0.00197 U	0.000297 U	0.000312 U	0.000429 U	0.000466 U	0.00147 U	0.000487 J
	MW-143-80	04/11/18	PES	ESC	80	-38.0	S	0.00532 U	0.000342 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00203 U	0.000307 U	0.000323 U	0.000443 U	0.000482 U	0.00152 U	0.000283 J
	MW-902-20	04/11/18	PES	ESC	80 (dup)	-38.0	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000474 U	0.00150 U	0.000247 U
MW-145 (-26.1 to -36.1)	MW-145-10	04/17/18	PES	ESC	10	33.5	V	0.00588 U	0.000378 U	0.00172 U	0.000302 U	0.000256 U	0.0194 J	0.00225 U	0.000339 U	0.000357 U	0.000490 U	0.000533 U	0.00168 U	0.000278 U
	MW-145-20	04/17/18	PES	ESC	20	23.5	S	0.00546 U	0.000351 U	0.00160 U	0.000280 U	0.000238 U	0.0117 U	0.00209 U	0.000315 U	0.000332 U	0.000455 U	0.000495 U	0.00156 U	0.000258 U
	MW-145-30	04/17/18	PES	ESC	30	13.5	S	0.00555 U	0.000357 U	0.00162 U	0.000285 U	0.000242 U	0.0119 U	0.00212 U	0.000320 U	0.000337 U	0.000462 U	0.000503 U	0.00159 U	0.000262 U
	MW-145-40	04/17/18	PES	ESC	40	3.5	S	0.00537 J	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0144 J	0.00199 U	0.000301 U	0.000316 U	0.000435 U	0.000472 U	0.00149 U	0.000551 J
	MW-145-50	04/17/18	PES	ESC	50	-6.5	S	0.00735 J	0.000330 U	0.00150 U	0.000263 U	0.000224 U	0.0110 U	0.00196 U	0.000296 U	0.000311 U	0.000427 U	0.000465 U	0.00147 U	0.000242 U
	MW-145-60	04/17/18	PES	ESC	60	-16.5	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000467 U	0.00148 U	0.000244 U
	MW-145-70	04/17/18	PES	ESC	70	-26.5	S	0.00568 U	0.000365 U	0.00166 U	0.000291 U	0.000247 U	0.0121 U	0.00217 U	0.000327 U	0.000344 U	0.000473 U	0.000514 U	0.00163 U	0.000275 J
	MW-145-80	04/17/18	PES	ESC	80	-36.5	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
	MW-903-40	04/17/18	PES	ESC	80 (dup)	-36.5	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0125 J	0.00201 U	0.000303 U	0.000319 U	0.000437 U	0.000476 U	0.00150 U	0.000685 J
MW-147 (-17.6 to -27.6)	MW-147-10	04/02/18	PES	ESC	10	41.9	V	0.00508 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0111 J	0.00194 U	0.000566 J	0.000308 U	0.000424 U	0.000460 U	0.00146 U	0.000653 J
	MW-147-20	04/02/18	PES	ESC	20	31.9	S	0.00506 U	0.000325 U	0.00148 U	0.000259 U	0.000220 U	0.0108 U	0.00193 U	0.000292 U	0.000307 U	0.000421 U	0.000458 U	0.00145 U	0.00140
	MW-147-30	04/02/18	PES	ESC	30	21.9	S	0.00523 U	0.000336 U	0.00153 U	0.000268 U	0.000228 U	0.0112 U	0.00200 U	0.000301 U	0.000317 U	0.000435 U	0.000473 U	0.00150 U	0.000247 U
	MW-147-40	04/02/18	PES	ESC	40	11.9	S	0.00707 J	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0113 J	0.00198 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000405 J
	MW-147-50	04/02/18	PES	ESC	50	1.9	S	0.00518 U	0.000333 U	0.00152 U	0.000266 U	0.000226 U	0.0121 J	0.00198 U	0.000299 U	0.000315 U	0.000432 U	0.000470 U	0.00148 U	0.000245 U
	MW-147-60	04/02/18	PES	ESC	60	-8.2	S	0.00503 U	0.000324 U	0.00147 U	0.000258 U	0.000219 U	0.0145 J	0.00192 U	0.000290 U	0.000305 U	0.000419 U	0.000456 U	0.00144 U	0.000238 U
	MW-901-10	04/02/18	PES	ESC	60 (dup)	-8.2	S	0.00504 U	0.000324 U	0.00148 U	0.000258 U	0.000220 U	0.0193 J	0.00193 U	0.000291 U	0.000306 U	0.000420 U	0.000457 U	0.00144 U	0.000480 J
	MW-147-70	04/02/18	PES	ESC	70	-18.2	S	0.00524 U	0.000337 U	0.00153 U	0.000269 U	0.000228 U	0.0112 U	0.00200 U	0.000302 U	0.000318 U	0.000436 U	0.000475 U	0.00150 U	0.000247 U
	MW-147-80	04/02/18	PES	ESC	80	-28.2	S	0.00542 U	0.000348 U	0.00159 U	0.000278 U	0.000236 U	0.0159 J	0.00207 U	0.000312 U	0.000329 U	0.000451 U	0.000491 U	0.00155 U	0.000256 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-148 (-25.7 to -35.7)	MW-148-11	04/09/18	PES	ESC	11	32.9	V	0.00585 J	0.000347 U	0.00158 U	0.000277 U	0.000235 U	0.0266 J	0.00207 U	0.000728 J	0.000328 U	0.000450 U	0.000489 U	0.00155 U	0.00130
	MW-148-20	04/09/18	PES	ESC	20	23.9	S	0.00508 U	0.000327 U	0.00149 U	0.000260 U	0.000221 U	0.0108 U	0.00194 U	0.000293 U	0.000308 U	0.000423 U	0.000460 U	0.00145 U	0.000247 J
	MW-148-30	04/09/18	PES	ESC	30	13.9	S	0.00526 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.000248 U
	MW-148-40	04/09/18	PES	ESC	40	3.9	S	0.00508 U	0.000327 U	0.00149 U	0.000261 U	0.000222 U	0.0109 U	0.00194 U	0.000293 U	0.000309 U	0.000424 U	0.000461 U	0.00146 U	0.000261 J
	MW-148-50	04/09/18	PES	ESC	50	-6.1	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000256 J
	MW-148-60	04/09/18	PES	ESC	60	-16.1	S	0.00591 U	0.000380 U	0.00173 U	0.000303 U	0.000257 U	0.0126 U	0.00226 U	0.000341 U	0.000358 U	0.000492 U	0.000535 U	0.00169 U	0.000279 U
	MW-148-70	04/09/18	PES	ESC	70	-26.1	S	0.00590 U	0.000379 U	0.00173 U	0.000302 U	0.000257 U	0.0198 J	0.00226 U	0.000340 U	0.000358 U	0.000491 U	0.000534 U	0.00169 U	0.000395 J
	MW-148-80	04/09/18	PES	ESC	80	-36.1	S	0.00550 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0118 J	0.00210 U	0.000317 U	0.000334 U	0.000458 U	0.000498 U	0.00157 U	0.000260 U
MW-153 (-65.3 to -75.3)	MW-153-10	03/27/18	PES	ESC	10	44.4	V	0.00531 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000481 U	0.00152 U	0.000251 U
	MW-153-20	03/27/18	PES	ESC	20	34.4	V	0.00512 U	0.000329 U	0.00150 U	0.000263 U	0.000223 U	0.0109 U	0.00196 U	0.000296 U	0.000311 U	0.000427 U	0.000464 U	0.00147 U	0.000242 U
	MW-153-30	03/27/18	PES	ESC	30	24.4	S	0.00502 U	0.000323 U	0.00147 U	0.000257 U	0.000219 U	0.0107 U	0.00192 U	0.000290 U	0.000305 U	0.000418 U	0.000455 U	0.00144 U	0.000237 U
	MW-153-40	03/27/18	PES	ESC	40	14.4	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000306 U	0.000322 U	0.000442 U	0.000480 U	0.00152 U	0.000332 J
	MW-153-50	03/27/18	PES	ESC	50	4.4	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00199 U	0.000299 U	0.000315 U	0.000433 U	0.000470 U	0.00149 U	0.000245 U
	MW-153-61	03/27/18	PES	ESC	61	-6.7	S	0.00532 U	0.000342 U	0.00156 U	0.000273 U	0.000232 U	0.0114 U	0.00203 U	0.000307 U	0.000323 U	0.000443 U	0.000482 U	0.00152 U	0.000251 U
	MW-153-70	03/27/18	PES	ESC	70	-15.7	S	0.00521 U	0.000335 U	0.00153 U	0.000267 U	0.000227 U	0.0111 U	0.00199 U	0.000301 U	0.000316 U	0.000434 U	0.000472 U	0.00149 U	0.000246 U
	MW-153-80	03/28/18	PES	ESC	80	-25.7	S	0.00516 U	0.000332 U	0.00151 U	0.000265 U	0.000225 U	0.0110 U	0.00197 U	0.000298 U	0.000313 U	0.000430 U	0.000468 U	0.00148 U	0.000314 J
	MW-153-90	03/28/18	PES	ESC	90	-35.7	S	0.00564 U	0.000362 U	0.00165 U	0.000289 U	0.000246 U	0.0120 U	0.00216 U	0.000325 U	0.000342 U	0.000470 U	0.000511 U	0.00161 U	0.000436 J
	MW-153-110	03/28/18	PES	ESC	110	-55.7	S	0.00551 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0118 U	0.00211 U	0.000318 U	0.000334 U	0.000459 U	0.000499 U	0.00158 U	0.000319 J
	MW-153-130	03/29/18	PES	ESC	130	-75.7	S	0.00538 U	0.000346 U	0.00157 U	0.000276 U	0.000234 U	0.0115 U	0.00206 U	0.000310 U	0.000326 U	0.000448 U	0.000487 U	0.00154 U	0.000254 U
MW-158	MW-158-20	04/05/18	PES	ESC	20	21.1	S	0.00530 U	0.000341 U	0.00155 U	0.000272 U	0.000231 U	0.0113 U	0.00203 U	0.000322 U	0.000332 U	0.000442 U	0.000480 U	0.00152 U	0.000327 J
	MW-158-30	04/05/18	PES	ESC	30	11.1	S	0.552 U	0.0355 U	0.162 U	0.0283 U	0.0241 U	1.18 U	0.211 U	0.0318 U	0.0335 U	0.0460 U	0.0500 U	0.158 U	0.0261 U
MW-158A (-47.2 to -58.5)	MW-158A-40	04/05/18	PES	ESC	40	1.1	S	0.00577 U	0.000371 U	0.00169 U	0.000296 U	0.000251 U	0.0123 U	0.00221 U	0.000424 J	0.000350 U	0.000481 U	0.000523 U	0.00165 U	0.000620 J
	MW-158A-50	04/05/18	PES	ESC	50	-8.9	S	0.00541 U	0.000348 U	0.00158 U	0.000278 U	0.000236 U	0.0116 U	0.00207 U	0.000312 U	0.000328 U	0.000451 U	0.000490 U	0.00155 U	0.000264 J
	MW-158A-60	04/05/18	PES	ESC	60	-18.9	S	0.00539 U	0.000346 U	0.00158 U	0.000276 U	0.000235 U	0.0115 U	0.00206 U	0.000311 U	0.000327 U	0.000449 U	0.000488 U	0.00154 U	0.000254 U
	MW-158A-70	04/05/18	PES	ESC	70	-28.9	S	0.00525 U	0.000338 U	0.00154 U	0.000269 U	0.000229 U	0.0112 U	0.00201 U	0.000303 U	0.000319 U	0.000438 U	0.000476 U	0.00150 U	0.000277 J
	MW-158A-80	04/06/18	PES	ESC	80	-38.9	S	0.00519 U	0.000334 U	0.00152 U	0.000266 U	0.000226 U	0.0111 U	0.00199 U	0.000299 U	0.000315 U	0.000433 U	0.000470 U	0.00149 U	0.000245 U
	MW-158A-90	04/06/18	PES	ESC	90	-48.9	S	0.00537 U	0.000345 U	0.00157 U	0.000275 U	0.000234 U	0.0115 U	0.00205 U	0.000310 U	0.000326 U	0.000447 U	0.000486 U	0.00154 U	0.000254 U
	MW-158A-100	04/06/18	PES	ESC	100	-58.9	S	0.00550 U	0.000354 U	0.00161 U	0.000282 U	0.000240 U	0.0117 U	0.00210 U	0.000317 U	0.000334 U	0.000458 U	0.000498 U	0.00157 U	0.000260 U
MW-159 (22.9 to 12.9)	MW-159-20	04/16/18	PES	ESC	20	22.8	S	0.00566 U	0.000364 U	0.00166 U	0.000290 U	0.000247 U	0.0121 U	0.00216 U	0.000326 U	0.000343 U	0.000471 U	0.000513 U	0.00162 U	0.000697 J
	MW-159-30	04/16/18	PES	ESC	30	12.8	S	0.00570 U	0.000367 U	0.00167 U	0.000292 U	0.000249 U	0.0122 U	0.00218 U	0.000329 U	0.000346 U	0.000475 U	0.000517 U	0.00163 U	0.000269 U
MW-160 (-76.5 to -86.5)	MW-160-11	05/08/18	PES	ESC	11	31.5	S	0.0203 U	0.00149 U	0.0162 U	0.00183 U	0.00378 U	0.0290 J	0.00309 U	0.000649 U	0.00170 U	0.00183 U	0.00971 U	0.00601 U	0.00861 J
	MW-160-21	05/08/18	PES	ESC	21	21.5	S	0.0147 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0255 J	0.00223 U	0.000662 J	0.00123 U	0.00132 U	0.00701 U	0.00434 U	0.00476 U
	MW-160-31	05/08/18	PES	ESC	31	11.5	S	0.0152 U	0.00112 U	0.0121 U	0.00137 U	0.00283 U	0.0203 J	0.00230 U	0.000503 J	0.00127 U	0.00137 U	0.00725 U	0.00449 U	0.00492 U
	MW-160-40	05/08/18	PES	ESC	40	2.5	S	0.0142 U	0.00104 U	0.0114 U	0.00128 U	0.00265 U	0.0156 U	0.00216 U	0.000454 U	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 U
	MW-160-50	05/08/18	PES	ESC	50	-7.5	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0157 U	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00683 U	0.00423 U	0.00464 U
	MW-160-55	05/08/18	PES	ESC	55	-12.5	S	0.0148 U	0.00109 U	0.0119 U	0.00134 U	0.00276 U	0.0162 U	0.00225 U	0.000474 U	0.00125 U	0.00134 U	0.00709 U	0.00439 U	0.00482 U
	MW-160-60	05/08/18	PES	ESC	60	-17.5	S	0.0136 U	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0178 J	0.00207 U	0.00134	0.00114 U	0.00123 U	0.00652 U	0.00403 U	0.00442 U
	MW-160-70	05/08/18	PES	ESC	70	-27.5	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0208 J	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00699 U	0.00432 U	0.00474 U
	MW-160-90	05/08/18	PES	ESC	90	-47.5	S	0.0147 U	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.0176 J	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00704 U	0.00435 U	0.00478 U
	MW-160-100	05/08/18	PES	ESC	100	-57.5	S	0.0150 U	0.00111 U	0.0120 U	0.00136 U	0.00280 U	0.0165 U	0.00229 U	0.000481 U	0.00126 U	0.00136 U	0.00719 U	0.00445 U	0.00488 U
	MW-160-110	05/08/18	PES	ESC	110	-67.5	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0155 U	0.00215 U	0.000454 U	0.00119 U	0.00128 U	0.00678 U	0.00420 U	0.00460 U
	MW-160-125	05/10/18	PES	ESC	125	-82.5	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00267 U	0.0198 J	0.00218 U	0.000458 U	0.00120 U	0.00129 U	0.00685 U	0.00424 U	0.00465 U
	MW-160-127.5	05/10/18	PES	ESC	128	-85.0	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00269 U	0.0158 U	0.00219 U	0.000462 U	0.00121 U	0.00130 U	0.00691 U	0.00427 U	0.00469 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-161 (-78.9 to -88.9)	MW-161-11	05/14/18	PES	ESC	11	32.8	S	0.0154 U	0.00113 U	-	0.00139 U	0.00286 U	0.0168 U	0.00234 U	0.00123 U	0.00129 U	-	0.00735 U	0.00455 U	-
	MW-161-21	05/14/18	PES	ESC	21	22.8	S	0.0130 U	0.000956 U	-	0.00117 U	0.00242 U	0.0142 U	0.00198 U	0.00104 U	0.00109 U	-	0.00622 U	0.00385 U	-
	MW-161-31	05/14/18	PES	ESC	31	12.8	S	0.0143 U	0.00105 U	-	0.00129 U	0.00267 U	0.0157 U	0.00218 U	0.00114 U	0.00120 U	-	0.00685 U	0.00424 U	-
	MW-161-40	05/14/18	PES	ESC	40	3.8	S	0.0138 U	0.00102 U	-	0.00125 U	0.00257 U	0.0151 U	0.00210 U	0.00110 U	0.00116 U	-	0.00660 U	0.00408 U	-
	MW-161-50	05/14/18	PES	ESC	50	-6.2	S	0.0139 U	0.00103 U	-	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.00112 U	0.00117 U	-	0.00667 U	0.00413 U	-
	MW-161-60	05/14/18	PES	ESC	60	-16.2	S	0.0143 U	0.00105 U	-	0.00129 U	0.00266 U	0.0156 U	0.00217 U	0.00114 U	0.00120 U	-	0.00683 U	0.00423 U	-
	MW-161-70	05/14/18	PES	ESC	70	-26.2	S	0.0140 U	0.00103 U	-	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.00112 U	0.00117 U	-	0.00668 U	0.00413 U	-
	MW-161-80	05/14/18	PES	ESC	80	-36.2	S	0.0154 U	0.00113 U	-	0.00139 U	0.00287 U	0.0169 U	0.00234 U	0.00123 U	0.00129 U	-	0.00737 U	0.00456 U	-
	MW-161-90	05/14/18	PES	ESC	90	-46.2	S	0.0142 U	0.00105 U	-	0.00129 U	0.00265 U	0.0156 U	0.00216 U	0.00114 U	0.00119 U	-	0.00681 U	0.00421 U	-
	B-927-30	05/14/18	PES	ESC	90 (dup)	-46.2	S	0.0155 U	0.00114 U	-	0.00140 U	0.00289 U	0.0170 U	0.00236 U	0.00124 U	0.00130 U	-	0.00743 U	0.00459 U	-
	MW-161-100	05/14/18	PES	ESC	100	-56.2	S	0.0146 U	0.00107 U	-	0.00132 U	0.00271 U	0.0160 U	0.00221 U	0.00116 U	0.00122 U	-	0.00696 U	0.00431 U	-
	MW-161-110	05/14/18	PES	ESC	110	-66.2	S	0.0152 U	0.00112 U	-	0.00138 U	0.00284 U	0.0167 U	0.00232 U	0.00122 U	0.00128 U	-	0.00729 U	0.00451 U	-
	MW-161-120	05/14/18	PES	ESC	120	-76.2	S	0.0153 U	0.00112 U	-	0.00138 U	0.00284 U	0.0167 U	0.00232 U	0.00122 U	0.00128 U	-	0.00730 U	0.00451 U	-
	MW-161-130	05/14/18	PES	ESC	130	-86.2	S	0.0137 U	0.00101 U	-	0.00124 U	0.00256 U	0.0151 U	0.00209 U	0.00110 U	0.00115 U	-	0.00658 U	0.00407 U	-
	MW-161-140	05/15/18	PES	ESC	140	-96.2	S	0.0153 U	0.00113 U	0.0123 U	0.00139 U	0.00286 U	0.0168 U	0.00233 U	0.000580 J	0.00129 U	0.00139 U	0.00733 U	0.00454 U	0.00498 U
MW-190 (-30.2 to -40.2)	MW-190-5	09/19/19	PES	PACE	5	43.7	V	0.0188 J	0.00106 U	0.0115 U	0.00130 U	0.00269 U	0.0289	0.00219 U	0.000741 J	0.00121 U	0.00130 U	0.00690 U	0.00427 U	0.00468 U
	MW-190-10	09/19/19	PES	PACE	10	38.7	V	0.0597	0.00191 U	0.0207 U	0.00234 U	0.0104	0.0911	0.00393 U	0.00553	0.00216 U	0.00234 U	0.0124 U	0.00765 U	0.00840 U
	MW-190-15	09/19/19	PES	PACE	15	33.7	S	0.0360	0.00122 U	0.0132 U	0.00150 U	0.00308 U	0.0618	0.00252 U	0.000530 U	0.00139 U	0.00150 U	0.00792 U	0.00490 U	0.00537 U
	MW-190-20	09/19/19	PES	PACE	20	28.7	S	0.0454	0.00115 U	0.0124 U	0.00141 U	0.00290 U	0.0748	0.00236 U	0.00144	0.00131 U	0.00141 U	0.00744 U	0.00461 U	0.00676 J
	MW-190-25	09/19/19	PES	PACE	25	23.7	S	0.0238 J	0.00108 U	0.0117 U	0.00133 U	0.00273 U	0.0414	0.00223 U	0.000484 J	0.00123 U	0.00133 U	0.00702 U	0.00434 U	0.00477 U
	MW-190-30	09/19/19	PES	PACE	30	18.7	S	0.0201 J	0.000964 U	0.0105 U	0.00118 U	0.00244 U	0.0348	0.00199 U	0.000419 U	0.00110 U	0.00118 U	0.00627 U	0.00388 U	0.00425 U
	MW-190-35	09/19/19	PES	PACE	35	13.7	S	0.0213 J	0.000977 U	0.0106 U	0.00120 U	0.00248 U	0.0352	0.00202 U	0.000425 U	0.00112 U	0.00120 U	0.00635 U	0.00393 U	0.00431 U
	MW-190-40	09/19/19	PES	PACE	40	8.7	S	0.0157 J	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0313	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00671 U	0.00415 U	0.00456 U
	MW-190-45	09/19/19	PES	PACE	45	3.7	S	0.0151 J	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0282 J	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00684 U	0.00423 U	0.00464 U
	MW-190-50	09/19/19	PES	PACE	50	-1.4	S	0.0208 J	0.000964 U	0.0105 U	0.00118 U	0.00244 U	0.0337	0.00199 U	0.000610 J	0.00110 U	0.00118 U	0.00626 U	0.00388 U	0.00425 U
	MW-190-55	09/19/19	PES	PACE	55	-6.4	S	0.0189 J	0.000998 U	0.0108 U	0.00123 U	0.00253 U	0.0295	0.00206 U	0.000459 J	0.00114 U	0.00123 U	0.00649 U	0.00401 U	0.00440 U
	MW-190-60	09/19/19	PES	PACE	60	-11.4	S	0.0149 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0266 J	0.00207 U	0.000462 J	0.00114 U	0.00123 U	0.00652 U	0.00403 U	0.00442 U
	MW-2008-60	09/19/19	PES	PACE	60 (dup)	-11.4	S	0.0135 U	0.000994 U	0.0108 U	0.00122 U	0.00252 U	0.0356	0.00205 U	0.000432 U	0.00113 U	0.00122 U	0.00646 U	0.00400 U	0.00439 U
	MW-190-65	09/19/19	PES	PACE	65	-16.4	S	0.0163 J	0.00102 U	0.0110 U	0.00125 U	0.00257 U	0.0369	0.00210 U	0.000683 J	0.00116 U	0.00125 U	0.00660 U	0.00409 U	0.00448 U
	MW-190-70	09/19/19	PES	PACE	70	-21.4	S	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0402	0.00210 U	0.000443 U	0.00116 U	0.00125 U	0.00662 U	0.00410 U	0.00450 U
	MW-190-75	09/19/19	PES	PACE	75	-26.4	S	0.0137 U	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0363	0.00208 U	0.000437 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	MW-190-80	09/19/19	PES	PACE	80	-31.4	S	0.0136 U	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0540	0.00207 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00443 U
	MW-190-85	09/19/19	PES	PACE	85	-36.4	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0590	0.00218 U	0.000460 U	0.00121 U	0.00130 U	0.00687 U	0.00425 U	0.00467 U
	MW-190-87	09/19/19	PES	PACE	87	-38.4	S	0.0149 U	0.00110 U	0.0120 U	0.00135 U	0.00278 U	0.0578	0.00227 U	0.000521 J	0.00125 U	0.00135 U	0.00715 U	0.00442 U	0.00485 U
MW-301 (35.6 to 25.6)	MW-301-6	09/20/19	PES	PACE	6	47.8	V	0.0224 J	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0409	0.00223 U	0.000469 U	0.00123 U	0.00132 U	0.00701 U	0.00434 U	0.00476 U
	MW-301-10	09/20/19	PES	PACE	10	43.8	V	0.0226 J	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0380	0.00209 U	0.000440 U	0.00115 U	0.00124 U	0.00658 U	0.00407 U	0.00446 U
	MW-301-15	09/20/19	PES	PACE	15	38.8	V	0.0300	0.00104 U	0.0114 U	0.00128 U	0.00265 U	0.0512	0.00216 U	0.000454 U	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 U
	MW-301-20	09/20/19	PES	PACE	20	33.8	S	0.0453 J	0.00310 U	0.0338 U	0.00382 U	0.00787 U	0.118	0.00642 U	0.00135 U	0.00355 U	0.00382 U	0.0202 U	0.0125 U	0.0137 U
	MW-301-25	09/20/19	PES	PACE	25	28.8	S	0.0291	0.00105 U	0.0114 U	0.00128 U	0.00265 U	0.0408	0.00216 U	0.000455 U	0.00119 U	0.00128 U	0.00680 U	0.00421 U	0.00461 U
	MW-301-30	09/20/19	PES	PACE	30	23.8	S	0.0301 J	0.00113 U	0.0124 U	0.00139 U	0.00288 U	0.0652	0.00235 U	0.000495 U	0.00130 U	0.00139 U	0.00740 U	0.00458 U	0.00502 U
MW-302 (3.0 to -7.0)	MW-302-5	10/01/19	PES	PACE	5	52.3	V	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0289 J	0.00222 U	0.000468 U	0.00123 U	0.00132 U	0.00700 U	0.00433 U	0.00475 U
	MW-302-10	10/01/19	PES	PACE	10	47.3	V	0.0156 U	0.00114 U	0.0124 U	0.00141 U	0.00290 U	0.0170 U	0.00236 U	0.000498 U	0.00131 U	0.00141 U	0.00744 U	0.00460 U	0.00505 U
	MW-302-15	10/01/19	PES	PACE	15	42.3	V	0.0170 U	0.00126 U	0.0136 U	0.00154 U	0.00317 U	0.0476	0.00259 U	0.000545 U	0.00143 U	0.00154 U	0.00816 U	0.00504 U	0.00554 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-302 (continued)	MW-302-20	10/01/19	PES	PACE	20	37.3	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0267 J	0.00227 U	0.000477 U	0.00125 U	0.00135 U	0.00714 U	0.00442 U	0.00485 U
	MW-302-25	10/01/19	PES	PACE	25	32.3	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00261 U	0.0168 J	0.00213 U	0.000448 U	0.00118 U	0.00127 U	0.00670 U	0.00415 U	0.00455 U
	MW-302-30	10/01/19	PES	PACE	30	27.3	S	0.0137 U	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	MW-302-35	10/01/19	PES	PACE	35	22.3	S	0.0134 U	0.000989 U	0.0107 U	0.00121 U	0.00250 U	0.0299	0.00204 U	0.000430 U	0.00113 U	0.00121 U	0.00643 U	0.00398 U	0.00436 U
	MW-302-40	10/01/19	PES	PACE	40	17.3	S	0.0133 U	0.000979 U	0.0106 U	0.00120 U	0.00248 U	0.0200 J	0.00202 U	0.000425 U	0.00112 U	0.00120 U	0.00636 U	0.00394 U	0.00432 U
	MW-302-45	10/01/19	PES	PACE	45	12.3	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0581	0.00226 U	0.000477 U	0.00125 U	0.00135 U	0.00712 U	0.00441 U	0.00484 U
	MW-302-50	10/01/19	PES	PACE	50	7.3	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0540	0.00227 U	0.000478 U	0.00125 U	0.00135 U	0.00714 U	0.00442 U	0.00485 U
	MW-302-55	10/01/19	PES	PACE	55	2.3	S	0.0142 U	0.00105 U	0.0114 U	0.00128 U	0.00265 U	0.0182 J	0.00216 U	0.000455 U	0.00119 U	0.00128 U	0.00680 U	0.00420 U	0.00497 J
	MW-302-60	10/01/19	PES	PACE	60	-2.7	S	0.0178 U	0.00130 U	0.0142 U	0.00161 U	0.00332 U	0.0342 J	0.00270 U	0.000569 U	0.00149 U	0.00161 U	0.00850 U	0.00526 U	0.00643 J
MW-304 (-47.6 to -57.6)	MW-302-65	10/01/19	PES	PACE	65	-7.7	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0529	0.00223 U	0.000468 U	0.00123 U	0.00132 U	0.00700 U	0.00433 U	0.00475 U
	MW-2014-65	10/01/19	PES	PACE	65 (dup)	-7.7	S	0.0252 J	0.00112 U	0.0121 U	0.00137 U	0.00282 U	0.0515	0.00230 U	0.000485 U	0.00127 U	0.00137 U	0.00725 U	0.00449 U	0.00492 U
	MW-304-5	10/01/19	PES	PACE	5	52.6	V	0.0178 J	0.00104 U	0.0113 U	0.00127 U	0.00262 U	0.0154 U	0.00214 U	0.000451 U	0.00118 U	0.00127 U	0.00674 U	0.00417 U	0.00457 U
	MW-304-10	10/01/19	PES	PACE	10	47.6	V	0.0216 J	0.00105 U	0.0114 U	0.00129 U	0.00265 U	0.0156 U	0.00216 U	0.000456 U	0.00120 U	0.00129 U	0.00681 U	0.00422 U	0.00463 U
	MW-304-15	10/01/19	PES	PACE	15	42.6	V	0.0241 J	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0163 U	0.00226 U	0.000476 U	0.00125 U	0.00134 U	0.00711 U	0.00440 U	0.00483 U
	MW-304-20	10/01/19	PES	PACE	20	37.6	S	0.0364	0.00108 U	0.0118 U	0.00133 U	0.00579 J	0.0333	0.00224 U	0.00166	0.00124 U	0.00133 U	0.00704 U	0.00436 U	0.00478 U
	MW-304-25	10/01/19	PES	PACE	25	32.6	S	0.0254 J	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00654 U	0.00405 U	0.00444 U
	MW-304-30	10/01/19	PES	PACE	30	27.6	S	0.0222 J	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.0161 U	0.00223 U	0.000470 U	0.00124 U	0.00133 U	0.00703 U	0.00435 U	0.00478 U
	MW-304-40	10/01/19	PES	PACE	40	17.6	S	0.0220 J	0.000998 U	0.0109 U	0.00123 U	0.00253 U	0.0149 U	0.00206 U	0.000434 U	0.00114 U	0.00123 U	0.00649 U	0.00402 U	0.00441 U
	MW-304-45	10/01/19	PES	PACE	45	12.6	S	0.0207 J	0.000935 U	0.0102 U	0.00115 U	0.00237 U	0.0139 U	0.00193 U	0.000406 U	0.00107 U	0.00115 U	0.00607 U	0.00376 U	0.00412 U
	MW-304-50	10/01/19	PES	PACE	50	7.6	S	0.0173 J	0.000991 U	0.0108 U	0.00122 U	0.00251 U	0.0147 U	0.00205 U	0.000431 U	0.00113 U	0.00122 U	0.00644 U	0.00398 U	0.00437 U
	MW-304-55	10/01/19	PES	PACE	55	2.6	S	0.0163 J	0.000927 U	0.0101 U	0.00114 U	0.00235 U	0.0138 U	0.00192 U	0.000403 U	0.00106 U	0.00114 U	0.00603 U	0.00373 U	0.00409 U
	MW-304-60	10/01/19	PES	PACE	60	-2.4	S	0.0183 J	0.000970 U	0.0105 U	0.00119 U	0.00246 U	0.0144 U	0.00200 U	0.000423 J	0.00111 U	0.00119 U	0.00631 U	0.00390 U	0.00428 U
	MW-304-65	10/01/19	PES	PACE	65	-7.4	S	0.0199 J	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0159 U	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
	MW-304-70	10/01/19	PES	PACE	70	-12.4	S	0.0198 J	0.00112 U	0.0121 U	0.00137 U	0.00283 U	0.0166 U	0.00231 U	0.000486 U	0.00128 U	0.00137 U	0.00726 U	0.00449 U	0.00493 U
	MW-304-75	10/01/19	PES	PACE	75	-17.4	S	0.0396	0.00105 U	0.0114 U	0.00129 U	0.00267 U	0.0157 U	0.00218 U	0.000458 U	0.00120 U	0.00129 U	0.00685 U	0.00424 U	0.00465 U
	MW-304-80	10/01/19	PES	PACE	80	-22.4	S	0.0204 J	0.00101 U	0.0109 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00655 U	0.00405 U	0.00444 U
	MW-304-85	10/01/19	PES	PACE	85	-27.4	S	0.0196 J	0.00101 U	0.0110 U	0.00124 U	0.00255 U	0.0150 U	0.00208 U	0.000438 U	0.00115 U	0.00124 U	0.00655 U	0.00405 U	0.00445 U
	MW-304-90	10/01/19	PES	PACE	90	-32.4	S	0.0287 J	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0164 U	0.00228 U	0.000480 U	0.00126 U	0.00135 U	0.00717 U	0.00444 U	0.00487 U
	MW-304-95	10/01/19	PES	PACE	95	-37.4	S	0.0148 U	0.00109 U	0.0118 U	0.00134 U	0.00276 U	0.0162 UJ	0.00225 U	0.000474 U	0.00124 U	0.00134 U	0.00709 U	0.00438 U	0.00481 U
	MW-2009-95	10/01/19	PES	PACE	95 (dup)	-37.4	S	0.0150 U	0.00111 U	0.0120 U	0.00136 U	0.00280 U	0.0165 UJ	0.00228 U	0.000481 U	0.00126 U	0.00136 U	0.00718 U	0.00444 U	0.00488 U
	MW-304-100	10/02/19	PES	PACE	100	-42.4	S	0.0147 U	0.00108 U	0.0118 U	0.00133 U	0.00275 U	0.0161 UJ	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00705 U	0.00436 U	0.00479 U
	MW-304-105	10/02/19	PES	PACE	105	-47.4	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0160 UJ	0.00222 U	0.000468 U	0.00123 U	0.00132 U	0.00700 U	0.00433 U	0.00475 U
	MW-304-110	10/02/19	PES	PACE	110	-52.4	S	0.0327	0.00116 U	0.0126 U	0.00143 U	0.00295 U	0.0173 U	0.00240 U	0.000506 U	0.00133 U	0.00143 U	0.00756 U	0.00468 U	0.00513 U
	MW-304-115	10/02/19	PES	PACE	115	-57.4	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00271 U	0.0160 UJ	0.00221 U	0.000466 U	0.00122 U	0.00132 U	0.00697 U	0.00431 U	0.00473 U
MW-307 (-12.4 to -22.4)	MW-307-6	10/03/19	PES	PACE	6	54.5	V	0.0171 J	0.00103 U	0.0112 U	0.00126 U	0.00260 U	0.0153 U	0.00212 U	0.000447 U	0.00117 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
	MW-307-10	10/03/19	PES	PACE	10	50.5	V	0.0262 J	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0253 J	0.00218 U	0.000462 J	0.00121 U	0.00130 U	0.00689 U	0.00426 U	0.00467 U
	MW-307-15	10/03/19	PES	PACE	15	45.5	V	0.0135 U	0.000991 U	0.0108 U	0.00122 U	0.00251 U	0.0148 U	0.00205 U	0.000431 U	0.00113 U	0.00122 U	0.00644 U	0.00399 U	0.00437 U
	MW-307-20	10/03/19	PES	PACE	20	40.5	V	0.0139 J	0.000984 U	0.0107 U	0.00121 U	0.00249 U	0.0146 U	0.00203 U	0.000428 U	0.00112 U	0.00121 U	0.00639 U	0.00396 U	0.00434 U
	MW-307-25	10/03/19	PES	PACE	25	35.5	S	0.0137 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0150 U	0.00208 U	0.000439 U	0.00115 U	0.00124 U	0.00656 U	0.00406 U	0.00445 U
	MW-307-30	10/03/19	PES	PACE	30	30.5	S	0.0184 U	0.00135 U	0.0147 U	0.00166 U	0.00344 U	0.0202 U	0.00280 U	0.000589 U	0.00155 U	0.00166 U	0.00881 U	0.00545 U	0.00598 U
	MW-307-35	10/03/19	PES	PACE	35	25.5	S	0.0154 J	0.000984 U	0.0107 U	0.00121 U	0.00249 U	0.0147 U	0.00203 U	0.000428 U	0.00112 U	0.00121 U	0.00640 U	0.00396 U	0.00434 U
	MW-307-40	10/03/19	PES	PACE	40	20.5	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0164 J	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00683 U	0.00422 U	0.00464 U
MW-307-45	MW-307-45	10/03/19	PES	PACE	45	15.5	S	0.0160 J	0.00101 U	0.0110 U	0.00125 U	0.00257 U	0.0151 U	0.00210 U	0.000441 U	0.00116 U	0.00125 U	0.00660 U	0.00408 U	0.00448 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-307 (continued)	MW-307-50	10/03/19	PES	PACE	50	10.5	S	0.0181 J	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0152 U	0.00211 U	0.000445 U	0.00117 U	0.00126 U	0.00665 U	0.00411 U	0.00451 U
	MW-307-55	10/03/19	PES	PACE	55	5.5	S	0.0201 J	0.000999 U	0.0109 U	0.00123 U	0.00253 U	0.0149 U	0.00206 U	0.000434 U	0.00114 U	0.00123 U	0.00649 U	0.00402 U	0.00441 U
	MW-307-60	10/03/19	PES	PACE	60	0.5	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0209 U	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00675 U	0.00418 U	0.00458 U
	MW-307-65	10/03/19	PES	PACE	65	-4.5	S	0.0288 U	0.00212 U	0.0230 U	0.00260 U	0.00537 U	0.0867 J	0.00438 U	0.000921 U	0.00242 U	0.00260 U	0.0138 U	0.00852 U	0.00935 U
	MW-307-70	10/03/19	PES	PACE	70	-9.5	S	0.143 U	0.0105 U	0.115 U	0.0130 U	0.0267 U	0.242 U	0.0218 U	0.00458 U	0.0120 U	0.0130 U	0.0685 U	0.0424 U	0.0465 U
	MW-307-75	10/03/19	PES	PACE	75	-14.5	S	0.0174 J	0.00101 U	0.0110 U	0.00125 U	0.00257 U	0.0351 J	0.00210 U	0.000441 U	0.00116 U	0.00125 U	0.00659 U	0.00408 U	0.00448 U
	MW-307-80	10/03/19	PES	PACE	80	-19.5	S	0.0201 J	0.00108 U	0.0117 U	0.00132 U	0.00272 U	0.0731 J	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00699 U	0.00432 U	0.00474 U
	MW-307-85	10/03/19	PES	PACE	85	-24.5	S	0.0314	0.00105 U	0.0115 U	0.00129 U	0.00267 U	0.0667 J	0.00218 U	0.000836 J	0.00120 U	0.00129 U	0.00685 U	0.00424 U	0.00864 J
	MW-2016-85	10/03/19	PES	PACE	85 (dup)	-24.5	S	0.0274	0.000994 U	0.0108 U	0.00122 U	0.00252 U	0.0650 J	0.00205 U	0.000722 J	0.00113 U	0.00122 U	0.00646 U	0.00400 U	0.00439 U
MW-309 (-32.0 to -42.0)	MW-309-5	09/19/19	PES	PACE	5	25.4	V	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.0120	0.149	0.00227 U	0.000514	0.00125 U	0.00135 U	0.00714 U	0.00441 U	0.00484 U
	MW-309-10	09/19/19	PES	PACE	10	20.4	S	0.787 U	0.0579 U	0.629 U	0.0711 U	0.147 U	2.72	0.120 U	0.117	0.0661 U	0.0711 U	0.376 U	0.233 U	0.255 U
	MW-309-13.5	09/19/19	PES	PACE	13.5	16.9	S	0.0153 U	0.00112 U	0.0122 U	0.00138 U	0.00285 U	0.0645 U	0.00232 U	0.00485	0.00128 U	0.00138 U	0.00730 U	0.00452 U	0.00496 U
	MW-309-15	09/19/19	PES	PACE	15	15.4	S	0.118 U	0.00866 U	0.0942 U	0.0106 U	0.0219 U	0.591	0.0179 U	0.0766	0.00989 U	0.0106 U	0.0563 U	0.0348 U	0.0383 U
	MW-309-20	09/19/19	PES	PACE	20	10.4	S	0.0147 U	0.00108 U	0.0118 U	0.00133 U	0.00409 J	0.242	0.00224 U	0.150	0.00124 U	0.00133 U	0.00704 U	0.00435 U	0.00478 U
	MW-309-25	09/19/19	PES	PACE	25	5.4	S	0.0148 U	0.00109 U	0.0118 U	0.00134 U	0.00444 J	0.0961	0.00224 U	0.0796	0.00124 U	0.00134 U	0.00707 U	0.00437 U	0.00480 U
	MW-309-30	09/19/19	PES	PACE	30	0.4	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0899	0.00227 U	0.000545	0.00125 U	0.00135 U	0.00714 U	0.00442 U	0.00485 U
	MW-309-35	09/19/19	PES	PACE	35	-4.6	S	0.0152 U	0.00112 U	0.0121 U	0.00137 U	0.00282 U	0.0166 U	0.00230 U	0.0286	0.00127 U	0.00137 U	0.00725 U	0.00449 U	0.00492 U
	MW-309-40	09/19/19	PES	PACE	40	-9.6	S	0.0152 U	0.00112 U	0.0121 U	0.00137 U	0.00283 U	0.0415 U	0.00230 U	0.0387	0.00127 U	0.00137 U	0.00725 U	0.00449 U	0.00492 U
	MW-309-45	09/19/19	PES	PACE	45	-14.6	S	0.0158 U	0.00116 U	0.0126 U	0.00143 U	0.00294 U	0.0472 U	0.00240 U	0.00557	0.00132 U	0.00143 U	0.00754 U	0.00467 U	0.00512 U
	MW-309-50	09/19/19	PES	PACE	50	-19.6	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0229 U	0.00226 U	0.000477 U	0.00125 U	0.00135 U	0.00713 U	0.00441 U	0.00484 U
	MW-309-55	09/19/19	PES	PACE	55	-24.6	S	0.0139 U	0.00102 U	0.0111 U	0.00125 U	0.00259 U	0.0295 U	0.00211 U	0.000444 U	0.00117 U	0.00125 U	0.00664 U	0.00411 U	0.00451 U
	MW-309-60	09/19/19	PES	PACE	60	-29.6	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00260 U	0.0399 U	0.00213 U	0.000447 U	0.00117 U	0.00127 U	0.00668 U	0.00414 U	0.00453 U
	MW-309-65	09/19/19	PES	PACE	65	-34.6	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0571 U	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	MW-309-70	09/19/19	PES	PACE	70	-39.6	S	0.0142 U	0.00105 U	0.0114 U	0.00128 U	0.00265 U	0.0391 U	0.00216 U	0.000455 U	0.00119 U	0.00128 U	0.00680 U	0.00421 U	0.00462 U
	MW-309-75	09/19/19	PES	PACE	75	-44.6	S	0.0135 U	0.000994 U	0.0108 U	0.00122 U	0.00252 U	0.0493 U	0.00205 U	0.000432 U	0.00113 U	0.00122 U	0.00646 U	0.00400 U	0.00439 U
MW-311 (-29.0 to -39.0)	MW-311-5	09/18/19	PES	PACE	5	28.1	V	0.0150 U	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0791	0.00227 U	0.000644 J	0.00126 U	0.00135 U	0.00716 U	0.00443 U	0.00486 U
	MW-311-10	09/18/19	PES	PACE	10	23.1	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0194 J	0.00219 U	0.000460 U	0.00121 U	0.00130 U	0.00688 U	0.00426 U	0.00467 U
	MW-311-15	09/18/19	PES	PACE	15	18.1	S	0.0335 U	0.00247 U	0.0268 U	0.00303 U	0.00625 U	0.0509 J	0.00510 U	0.00107 U	0.00282 U	0.00303 U	0.0161 U	0.00993 U	0.0109 U
	MW-311-20	09/18/19	PES	PACE	20	13.1	S	0.0351 U	0.00258 U	0.0280 U	0.00317 U	0.00774 J	0.0986	0.00531 U	0.00112 U	0.00293 U	0.00317 U	0.0167 U	0.0104 U	0.0114 U
	MW-311-25	09/18/19	PES	PACE	25	8.1	S	0.0621 U	0.00457 U	0.0497 U	0.00561 U	0.0116 U	0.138	0.00944 U	0.00199 U	0.00522 U	0.00561 U	0.0297 U	0.0184 U	0.0201 U
	MW-311-30	09/18/19	PES	PACE	30	3.1	S	0.0328 U	0.00242 U	0.0263 U	0.00296 U	0.00612 U	0.0360 U	0.00498 U	0.00105 U	0.00275 U	0.00296 U	0.0157 U	0.00972 U	0.0107 U
	MW-311-35	09/18/19	PES	PACE	35	-1.9	S	0.0292 U	0.00215 U	0.0233 U	0.00264 U	0.00544 U	0.0793	0.00443 U	0.000933 U	0.00245 U	0.00264 U	0.0140 U	0.00863 U	0.00947 U
	MW-311-40	09/18/19	PES	PACE	40	-6.9	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0604	0.00223 U	0.000752 J	0.00123 U	0.00132 U	0.00701 U	0.00434 U	0.00476 U
	MW-311-45	09/18/19	PES	PACE	45	-11.9	S	0.0157 U	0.00115 U	0.0126 U	0.00142 U	0.00292 U	0.0437	0.00238 U	0.000502 U	0.00132 U	0.00142 U	0.00751 U	0.00464 U	0.00510 U
	MW-311-50	09/18/19	PES	PACE	50	-16.9	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0416	0.00222 U	0.000485 J	0.00123 U	0.00132 U	0.00698 U	0.00432 U	0.00474 U
	MW-311-55	09/18/19	PES	PACE	55	-21.9	S	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0466	0.00210 U	0.000690 J	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00449 U
	MW-311-60	09/18/19	PES	PACE	60	-26.9	S	0.0274 U	0.00202 U	0.0219 U	0.00248 U	0.00511 U	0.0887	0.00416 U	0.000877 U	0.00230 U	0.00248 U	0.0131 U	0.00811 U	0.00890 U
	MW-311-65	09/18/19	PES	PACE	65	-31.9	S	0.0132 U	0.000975 U	0.0106 U	0.00120 U	0.00247 U	0.0265	0.00201 U	0.000424 U	0.00111 U	0.00120 U	0.00634 U	0.00392 U	0.00430 U
	MW-2005-65	09/18/19	PES	PACE	65 (dup)	-31.9	S	0.0153 J	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0422	0.00208 U	0.000507 J	0.00115 U	0.00124 U	0.00656 U	0.00406 U	0.00445 U
	MW-311-70	09/18/19	PES	PACE	70	-36.9	S	0.0138 U	0.00101 U	0.0110 U	0.00125 U	0.00257 U	0.0230 J	0.00209 U	0.000441 U	0.00116 U	0.00125 U	0.00659 U	0.00408 U	0.00447 U
	MW-2007-70	09/18/19	PES	PACE	70 (dup)	-38.3	S	0.0266 U	0.00196 U	0.0213 U	0.00241 U	0.00496 U	0.0828	0.00405 U	0.00100 J	0.00224 U	0.00241 U	0.0128 U	0.00788 U	0.00865 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-312 (19.9 to 9.9)	MW-312-6	09/16/19	PES	PACE	6	29.6	V	0.0152 U	0.00112 U	0.0122 UJ	0.00137 U	0.00283 U	0.0391	0.00231 UJ	0.000742 J	0.00128 U	0.00137 U	0.00728 U	0.00450 U	0.00494 U
	MW-312-10	09/16/19	PES	PACE	10	25.6	V	0.0306 J	0.00187 U	0.0203 UJ	0.00230 U	0.00474 U	0.187	0.00386 UJ	0.00135 J	0.00214 U	0.00230 U	0.0121 U	0.00751 U	0.00824 U
	MW-312-15	09/16/19	PES	PACE	15	20.6	S	0.0173 U	0.00127 U	0.0138 UJ	0.00157 U	0.00449 J	0.0511	0.00263 UJ	0.00168	0.00145 U	0.00157 U	0.00827 U	0.00512 U	0.00561 U
	MW-312-20	09/16/19	PES	PACE	20	15.6	S	0.0135 U	0.000995 U	0.0108 UJ	0.00122 U	0.00252 U	0.0328	0.00206 UJ	0.000433 U	0.00114 U	0.00122 U	0.00647 U	0.00400 U	0.00439 U
	MW-2004-20	09/16/19	PES	PACE	20	15.6	S	0.0168 J	0.00106 U	0.0115 UJ	0.00130 U	0.00269 U	0.0620	0.00219 UJ	0.000462 U	0.00121 U	0.00130 U	0.00690 U	0.00427 U	0.00469 U
	MW-312-25	09/16/19	PES	PACE	25	10.6	S	0.0263 J	0.00103 U	0.0112 UJ	0.00126 U	0.00261 U	0.0944	0.00213 UJ	0.00102 J	0.00117 U	0.00126 U	0.00669 U	0.00414 U	0.00454 U
MW-314 (-28.0 to -38.0)	MW-314-6	09/13/19	PES	PACE	6	33.8	V	0.0191 J	0.00105 U	0.0114 U	0.00128 U	0.00265 U	0.0664	0.00216 U	0.000909 J	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 U
	MW-314-10	09/13/19	PES	PACE	10	29.8	V	0.0286 J	0.00106 U	0.0115 U	0.00130 U	0.00267 U	0.0406	0.00218 U	0.000459 U	0.00120 U	0.00130 U	0.00686 U	0.00424 U	0.00465 U
	MW-314-15	09/13/19	PES	PACE	15	24.8	V	0.0245 J	0.00104 U	0.0113 U	0.00127 U	0.00262 U	0.0326	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00673 U	0.00416 U	0.00457 U
	MW-314-20	09/13/19	PES	PACE	20	19.8	S	0.0267 J	0.00106 U	0.0115 U	0.00130 U	0.00267 U	0.0362	0.00218 U	0.000940 J	0.00120 U	0.00130 U	0.00686 U	0.00425 U	0.00466 U
	MW-314-25	09/13/19	PES	PACE	25	14.8	S	0.0257 J	0.00117 U	0.0127 U	0.00143 U	0.00296 U	0.0284 J	0.00241 U	0.000508 U	0.00133 U	0.00143 U	0.00759 U	0.00470 U	0.00516 U
	MW-2002-25	09/13/19	PES	PACE	25	14.8	S	0.0158 UJ	0.00116 U	0.0126 U	0.00143 U	0.00294 U	0.0406	0.00240 UJ	0.000505 U	0.00143 U	0.00143 U	0.00755 U	0.00467 U	0.00513 UJ
	MW-314-30	09/13/19	PES	PACE	30	9.8	S	0.0244 J	0.00114 U	0.0124 U	0.00141 U	0.00290 U	0.0320	0.00236 U	0.000498 U	0.00131 U	0.00141 U	0.00744 U	0.00460 U	0.00505 U
	MW-314-35	09/13/19	PES	PACE	35	4.8	S	0.0203 J	0.000987 U	0.0107 U	0.00121 U	0.00250 U	0.0380	0.00204 U	0.000429 U	0.00113 U	0.00121 U	0.00641 U	0.00397 U	0.00436 U
	MW-314-40	09/13/19	PES	PACE	40	-0.2	S	0.0311	0.00103 U	0.0111 U	0.00126 U	0.00259 U	0.0401	0.00212 U	0.000446 U	0.00117 U	0.00126 U	0.00667 U	0.00413 U	0.00453 U
	MW-314-45	09/13/19	PES	PACE	45	-5.2	S	0.0187 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0406	0.00210 U	0.000799 J	0.00116 U	0.00125 U	0.00662 U	0.00410 U	0.00449 U
	MW-314-50	09/13/19	PES	PACE	50	-10.2	S	0.0173 J	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0353	0.00212 U	0.000445 U	0.00117 U	0.00126 U	0.00666 U	0.00412 U	0.00452 U
	MW-314-55	09/13/19	PES	PACE	55	-15.2	S	0.0189 J	0.00111 U	0.0121 U	0.00136 U	0.00281 U	0.0283 J	0.00229 U	0.000483 U	0.00127 U	0.00136 U	0.00722 U	0.00447 U	0.00490 U
	MW-314-60	09/13/19	PES	PACE	60	-20.2	S	0.0205 J	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0305	0.00210 U	0.000442 U	0.00116 U	0.00125 U	0.00661 U	0.00409 U	0.00449 U
	MW-314-65	09/13/19	PES	PACE	65	-25.2	S	0.0149 J	0.00104 U	0.0114 U	0.00128 U	0.00265 U	0.0316	0.00216 UJ	0.000454 U	0.00119 U	0.00128 U	0.00679 U	0.00420 U	0.00461 UJ
	MW-314-70	09/13/19	PES	PACE	70	-30.2	S	0.152 U	0.0112 U	0.122 UJ	0.0137 U	0.00284 U	0.253 J	0.0231 UJ	0.000486 U	0.0127 U	0.0137 U	0.0727 U	0.0449 U	0.0494 U
	MW-314-75	09/13/19	PES	PACE	75	-35.2	S	0.0285 UJ	0.00210 U	0.0228 U	0.00258 U	0.00532 U	0.0484 J	0.00434 UJ	0.000913 U	0.00240 U	0.00258 U	0.0137 U	0.00845 U	0.00927 UJ
	MW-314-80	09/13/19	PES	PACE	80	-40.2	S	0.0187 UJ	0.00137 U	0.0149 U	0.00168 U	0.00348 U	0.0667	0.00284 UJ	0.000597 U	0.00157 U	0.00168 U	0.00893 U	0.00552 U	0.00607 UJ
MW-316 (-10.0 to -20.0)	MW-316-5	09/09/19	PES	PACE	5	44.8	V	0.0135 U	0.000996 U	0.0108 U	0.00122 U	0.00252 U	0.0267 U	0.00206 U	0.000433 U	0.00114 U	0.00122 U	0.00647 U	0.00401 U	0.00440 U
	MW-316-10	09/09/19	PES	PACE	10	39.8	V	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0346	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00459 U
	MW-316-15	09/09/19	PES	PACE	15	34.8	V	0.0141 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0171 U	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00457 U
	MW-316-20	09/09/19	PES	PACE	20	29.8	V	0.0135 U	0.000992 U	0.0108 U	0.00122 U	0.00251 U	0.0282	0.00205 U	0.000431 U	0.00113 U	0.00122 U	0.00645 U	0.00399 U	0.00438 U
	MW-316-25	09/09/19	PES	PACE	25	24.8	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0400	0.00216 U	0.000454 U	0.00119 U	0.00128 U	0.00678 U	0.00420 U	0.00461 U
	MW-316-30	09/09/19	PES	PACE	30	19.8	S	0.0139 U	0.00102 U	0.0111 U	0.00125 U	0.00259 U	0.0301	0.00211 U	0.000444 U	0.00117 U	0.00125 U	0.00664 U	0.00411 U	0.00450 U
	MW-316-35	09/09/19	PES	PACE	35	14.8	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0212 U	0.00214 U	0.000452 U	0.00119 U	0.00128 U	0.00675 U	0.00418 U	0.00458 U
	MW-316-40	09/09/19	PES	PACE	40	9.8	S	0.0142 U	0.00105 U	0.0114 U	0.00129 U	0.00265 U	0.0202 U	0.00216 U	0.000455 U	0.00119 U	0.00129 U	0.00681 U	0.00421 U	0.00462 U
	MW-316-45	09/09/19	PES	PACE	45	4.8	S	0.0139 U	0.00102 U	0.0111 U	0.00126 U	0.00259 U	0.0246 U	0.00211 U	0.000445 U	0.00117 U	0.00126 U	0.00665 U	0.00411 U	0.00451 U
	MW-316-50	09/09/19	PES	PACE	50	-0.2	S	0.0150 U	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0273 U	0.00227 UJ	0.000479 U	0.00126 U	0.00135 U	0.00716 U	0.00443 U	0.00486 U
	MW-316-55	09/09/19	PES	PACE	55	-5.2	S	0.0142 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0174 U	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00460 U
	MW-316-60	09/09/19	PES	PACE	60	-10.2	S	0.0141 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0250 U	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	MW-316-65	09/10/19	PES	PACE	65	-15.2	S	0.0187 U	0.00137 U	0.0150 U	0.00169 U	0.00349 U	0.0243 U	0.00285 U	0.000599 U	0.00158 U	0.00169 U	0.00895 U	0.00553 U	0.00608 U
	MW-2001-65	09/10/19	PES	PACE	65	-15.2	S	0.0148 U	0.00109 U	0.0118 U	0.00134 U	0.00276 U	0.0474	0.00225 U	0.000474 U	0.00124 U	0.00134 U	0.00708 U	0.00438 U	0.00481 U
	MW-316-70	09/10/19	PES	PACE	70	-20.2	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0392	0.00215 U	0.000453 U	0.00119 U	0.00128 U	0.00677 U	0.00419 U	0.00459 U
MW-319 (-42.8 to -52.8)	MW-319-6	09/18/19	PES	PACE	6	25.7	V	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.105	0.00220 UJ	0.000468 J	0.00122 U	0.00131 U	0.00694 U	0.00429 U	0.00471 U
	MW-319-10	09/18/19	PES	PACE	10	21.7	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00269 U	0.0480	0.00219 UJ	0.000461 U	0.00121 U	0.00130 U	0.00689 U	0.00427 U	0.00468 U
	MW-319-15	09/18/19	PES	PACE	15	16.7	S	0.0143 U	0.00105 U	0.0115 U	0.00129 U	0.00267 U	0.0449	0.00218 UJ	0.000458 U	0.00120 U	0.00129 U	0.00685 U	0.00424 U	0.00465 U
	MW-319-20	09/18/19	PES	PACE	20	11.7	S	0.0155 U	0.00114 U	0.0124 U	0.00140 U	0.00289 U	0.0170 U	0.00235 UJ	0.000495 U	0.00130 U	0.00140 U	0.00741 U	0.00458 U	0.00503 U
	MW-319-30	09/18/19	PES	PACE	30	1.7	S	0.0143 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0418	0.00217 UJ	0.000457 U	0.00120 U	0.00129 U	0.00683 U	0.00423 U	0.00464 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-319 (continued)	MW-319-35	09/18/19	PES	PACE	35	-3.3	S	0.0158 U	0.00116 U	0.0126 U	0.00142 U	0.00294 U	0.0739	0.00240 UJ	0.00112 J	0.00132 U	0.00142 U	0.00754 U	0.00467 U	0.00512 U
	MW-319-40	09/18/19	PES	PACE	40	-8.3	S	0.0148 U	0.00109 U	0.0118 U	0.00133 U	0.00275 U	0.0429	0.00224 UJ	0.000472 U	0.00124 U	0.00133 U	0.00706 U	0.00437 U	0.00479 U
	MW-319-45	09/18/19	PES	PACE	45	-13.3	S	0.0148 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0414	0.00226 UJ	0.000475 U	0.00125 U	0.00134 U	0.00710 U	0.00439 U	0.00482 U
	MW-319-50	09/18/19	PES	PACE	50	-18.3	S	0.0153 U	0.00112 U	0.0122 U	0.00138 U	0.00285 U	0.0568	0.00232 UJ	0.0772	0.00128 U	0.00138 U	0.00730 U	0.00452 U	0.00496 U
	MW-319-55	09/18/19	PES	PACE	55	-23.3	S	0.0158 U	0.00116 U	0.0126 U	0.00143 U	0.00294 U	0.0173 U	0.00240 UJ	0.0431	0.00133 U	0.00143 U	0.00755 U	0.00467 U	0.00513 U
	MW-319-60	09/18/19	PES	PACE	60	-28.3	S	0.0148 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0603	0.00226 UJ	0.0132	0.00125 U	0.00134 U	0.00710 U	0.00439 U	0.00482 U
	MW-319-65	09/18/19	PES	PACE	65	-33.3	S	0.0159 U	0.00117 U	0.0127 U	0.00144 U	0.00297 U	0.0593	0.00242 UJ	0.00411	0.00134 U	0.00144 U	0.00762 U	0.00472 U	0.00518 U
	MW-319-70	09/18/19	PES	PACE	70	-38.3	S	0.0152 U	0.00112 U	0.0122 U	0.00138 U	0.00284 U	0.0167 U	0.00232 UJ	0.000487 U	0.00128 U	0.00138 U	0.00729 U	0.00451 U	0.00495 U
	MW-2006-70	09/18/19	PES	PACE	70 (dup)	-36.9	S	0.0157 U	0.00115 U	0.0125 U	0.00142 U	0.00292 U	0.0439	0.00238 UJ	0.000501 U	0.00132 U	0.00142 U	0.00749 U	0.00464 U	0.00509 U
	MW-319-75	09/18/19	PES	PACE	75	-43.3	S	0.0138 U	0.00102 U	0.0111 U	0.00125 U	0.00258 U	0.0499	0.00210 UJ	0.000448 J	0.00116 U	0.00125 U	0.00662 U	0.00410 U	0.00450 U
MW-320 (18.6 to 8.6)	MW-320-19	09/29/19	PES	PACE	19	15.1	S	0.279 U	0.0206 U	0.223 U	0.0252 U	0.0520 U	0.427 J	0.0424 U	0.00894 U	0.0235 U	0.0252 U	0.134 U	0.0827 U	0.0907 U
	MW-320-27	09/29/19	PES	PACE	27	7.1	S	0.0186 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0159 U	0.00396 J	0.000463 U	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00470 U
MW-323 (-65.4 to -75.4)	MW-323-10	09/28/19	PES	PACE	10	24.7	V	0.0305 U	0.00224 U	0.0244 U	0.00276 U	0.00568 U	0.0425 J	0.00463 U	0.0151	0.00256 U	0.00276 U	0.0146 U	0.00902 U	0.00990 U
	MW-2012-10	09/28/19	PES	PACE	10 (dup)	24.7	V	0.0250 J	0.00115 U	0.0125 U	0.00141 U	0.00291 U	0.0237 J	0.00237 U	0.000500 U	0.00131 U	0.00141 U	0.00748 U	0.00462 U	0.00508 U
	MW-323-15	09/28/19	PES	PACE	15	19.7	S	0.0369 U	0.00211 U	0.0229 U	0.00260 U	0.00534 U	0.0497 J	0.00436 U	0.00140 J	0.00240 U	0.00260 U	0.0137 U	0.00848 U	0.00930 U
	MW-323-20	09/28/19	PES	PACE	20	14.7	S	0.0141 U	0.00104 U	0.0113 U	0.00128 U	0.00307 J	0.0155 U	0.00215 U	0.00348	0.00119 U	0.00128 U	0.00675 U	0.00418 U	0.00458 U
	MW-323-25	09/28/19	PES	PACE	25	9.7	S	0.0187 U	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0156 U	0.00217 U	0.000456 U	0.00120 U	0.00129 U	0.00682 U	0.00422 U	0.00463 U
	MW-323-30	09/28/19	PES	PACE	30	4.7	S	0.0265 U	0.00195 U	0.0212 U	0.00240 U	0.00495 U	0.0460 J	0.00404 U	0.000850 U	0.00223 U	0.00240 U	0.0127 U	0.00786 U	0.00862 U
	MW-323-35	09/28/19	PES	PACE	35	-0.4	S	0.0204 U	0.00118 U	0.0129 U	0.00145 U	0.00299 U	0.0190 J	0.00244 U	0.000514 U	0.00135 U	0.00145 U	0.00769 U	0.00476 U	0.00522 U
	MW-323-40	09/28/19	PES	PACE	40	-5.4	S	0.0176 U	0.00118 U	0.0128 U	0.00145 U	0.00299 U	0.0176 U	0.00244 U	0.000514 U	0.00135 U	0.00145 U	0.00768 U	0.00475 U	0.00521 U
	MW-323-45	09/28/19	PES	PACE	45	-10.4	S	0.0179 U	0.00118 U	0.0128 U	0.00145 U	0.00298 U	0.0209 J	0.00243 U	0.000512 U	0.00134 U	0.00145 U	0.00765 U	0.00473 U	0.00519 U
	MW-323-50	09/28/19	PES	PACE	50	-15.4	S	0.0208 U	0.00106 U	0.0115 U	0.00130 U	0.00268 U	0.0295	0.00219 U	0.000730 J	0.00121 U	0.00130 U	0.00688 U	0.00426 U	0.00467 U
	MW-323-55	09/28/19	PES	PACE	55	-20.4	S	0.0205 U	0.00107 U	0.0117 U	0.00132 U	0.00271 U	0.0273 J	0.00221 U	0.00179	0.00122 U	0.00132 U	0.00697 U	0.00431 U	0.00473 U
	MW-323-60	09/28/19	PES	PACE	60	-25.4	S	0.0282 U	0.00118 U	0.0128 U	0.00145 U	0.00298 U	0.0619	0.00244 U	0.000767 J	0.00135 U	0.00145 U	0.00767 U	0.00475 U	0.00520 U
	MW-2010-60	09/28/19	PES	PACE	60 (dup)	-25.4	S	0.0233 U	0.00112 U	0.0122 U	0.00138 U	0.00284 U	0.0362	0.00232 U	0.000488 U	0.00128 U	0.00138 U	0.00729 U	0.00451 U	0.00495 U
	MW-323-65	09/28/19	PES	PACE	65	-30.4	S	0.0161 U	0.00111 U	0.0120 U	0.00136 U	0.00280 U	0.0165 U	0.00228 U	0.000481 U	0.00126 U	0.00136 U	0.00719 U	0.00445 U	0.00488 U
	MW-323-70	09/28/19	PES	PACE	70	-35.4	S	2.11 U	0.155 U	1.68 U	0.190 U	0.392 U	3.86 J	0.320 U	0.0673 U	0.177 U	0.190 U	0.622 U	0.683 U	
	MW-323-75	09/28/19	PES	PACE	75	-40.4	S	0.0221 U	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.0297	0.00223 U	0.000470 U	0.00123 U	0.00133 U	0.00703 U	0.00435 U	0.00477 U
	MW-323-80	09/28/19	PES	PACE	80	-45.4	S	0.0191 U	0.00104 U	0.0113 U	0.00128 U	0.00263 U	0.0164 J	0.00215 U	0.000452 U	0.00119 U	0.00128 U	0.00676 U	0.00418 U	0.00459 U
	MW-323-85	09/28/19	PES	PACE	85	-50.4	S	0.0196 U	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0234 J	0.00457 J	0.000479 U	0.00126 U	0.00135 U	0.00716 U	0.00443 U	0.00486 U
	MW-323-91	09/28/19	PES	PACE	91	-56.4	S	0.0390 U	0.00260 U	0.0283 U	0.00320 U	0.00661 U	0.0966	0.00539 U	0.000113 U	0.00298 U	0.00320 U	0.0170 U	0.0105 U	0.0115 U
	MW-323-95	09/28/19	PES	PACE	95	-60.4	S	0.0215 U	0.00110 U	0.0120 U	0.00135 U	0.00279 U	0.0212 J	0.00228 U	0.000480 U	0.00126 U	0.00135 U	0.00717 U	0.00444 U	0.00487 U
MW-324 (-32.1 to -42.1)	MW-324-6	09/12/19	PES	PACE	6	28.3	V	0.0182 J	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0221 J	0.00214 U	0.000450 U	0.00118 U	0.00127 U	0.00673 U	0.00416 U	0.00457 U
	MW-324-10	09/12/19	PES	PACE	10	24.3	V	0.0242 J	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0322	0.00220 U	0.000463 U	0.00122 U	0.00131 U	0.00692 U	0.00428 U	0.00470 U
	MW-324-15	09/12/19	PES	PACE	15	19.3	S	0.0240 J	0.00100 U	0.0109 U	0.00123 U	0.00254 U	0.0335	0.00207 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00443 U
	MW-324-20	09/12/19	PES	PACE	20	14.3	S	0.0229 J	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0388	0.00222 U	0.00362	0.00123 U	0.00132 U	0.00698 U	0.00432 U	0.0117 J
	MW-324-25	09/12/19	PES	PACE	25	9.3	S	0.0198 J	0.00109 U	0.0118 U	0.00133 U	0.00275 U	0.0328	0.00224 U	0.00177	0.00124 U	0.00133 U	0.00706 U	0.00437 U	0.00479 U
	MW-324-30	09/12/19	PES	PACE	30	4.3	S	0.0253 J	0.00113 U	0.0123 U	0.00139 U	0.00287 U	0.0418	0.00234 U	0.000492 U	0.00129 U	0.00139 U	0.00735 U	0.00454 U	0.00499 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-324 (continued)	MW-324-35	09/12/19	PES	PACE	35	-0.7	S	0.0229 J	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0249 J	0.00227 U	0.000478 U	0.00125 U	0.00135 U	0.00714 U	0.00442 U	0.00485 U
	MW-324-40	09/12/19	PES	PACE	40	-5.7	S	0.0232 J	0.00111 U	0.0121 U	0.00137 U	0.00282 U	0.0299 J	0.00230 U	0.000483 U	0.00127 U	0.00137 U	0.00723 U	0.00447 U	0.00491 U
	MW-324-45	09/12/19	PES	PACE	45	-10.7	S	0.0283 J	0.00116 U	0.0126 U	0.00142 U	0.00293 U	0.0383 J	0.00239 U	0.000503 U	0.00132 U	0.00142 U	0.00753 U	0.00466 U	0.00511 U
	MW-324-50	09/12/19	PES	PACE	50	-15.7	S	0.0187 J	0.000920 U	0.0100 U	0.00113 U	0.00233 U	0.0237 J	0.00190 U	0.000400 U	0.00105 U	0.00113 U	0.00598 U	0.00370 U	0.00406 U
	MW-324-55	09/12/19	PES	PACE	55	-20.7	S	0.0223 J	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0299 J	0.00215 U	0.0148 J	0.00119 U	0.00128 U	0.00678 U	0.00419 U	0.00460 U
	MW-324-60	09/12/19	PES	PACE	60	-25.7	S	0.0233 J	0.00104 U	0.0113 U	0.00128 U	0.00264 U	0.0418 J	0.00215 U	0.00992 J	0.00119 U	0.00128 U	0.00678 U	0.00419 U	0.00460 U
	MW-324-65	09/12/19	PES	PACE	65	-30.7	S	0.0251 J	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.0439 J	0.00224 U	0.00303 J	0.00123 U	0.00133 U	0.00703 U	0.00436 U	0.00478 U
	MW-324-70	09/12/19	PES	PACE	70	-35.7	S	0.0256 J	0.00114 U	0.0124 U	0.00140 U	0.00289 U	0.0383 J	0.00235 U	0.00121 J	0.00130 U	0.00140 U	0.00742 U	0.00459 U	0.00503 U
MW-326 (-48.7 to -58.7)	MW-324-75	09/12/19	PES	PACE	75	-40.7	S	0.0230 J	0.00115 U	0.0125 U	0.00142 U	0.00292 U	0.0359 J	0.00238 U	0.000555 J	0.00132 U	0.00142 U	0.00750 U	0.00464 U	0.00509 U
	MW-324-80	09/12/19	PES	PACE	80	-45.7	S	0.0282 J	0.00115 U	0.0125 U	0.00141 U	0.00292 U	0.0508 J	0.00238 U	0.000689 J	0.00131 U	0.00141 U	0.00748 U	0.00463 U	0.00508 U
	MW-326-5	09/09/19	PES	PACE	5	36.3	V	0.0138 U	0.00101 U	0.0110 U	0.00125 U	0.00257 U	0.0283 J	0.00209 U	0.000274 J	0.00116 U	0.00125 U	0.00659 U	0.00408 U	0.00447 U
	MW-326-10	09/09/19	PES	PACE	10	31.3	V	0.0223 J	0.00122 U	0.0133 U	0.00150 U	0.00310 U	0.0420 J	0.00253 U	0.000532 U	0.00140 U	0.00150 U	0.00796 U	0.00493 U	0.00540 U
	MW-326-15	09/09/19	PES	PACE	15	26.3	V	0.0197 J	0.00108 U	0.0117 U	0.00132 U	0.00272 U	0.0298 J	0.00222 U	0.000468 U	0.00123 U	0.00132 U	0.00699 U	0.00433 U	0.00475 U
	MW-326-20	09/09/19	PES	PACE	20	21.3	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0215 U	0.00222 U	0.000468 U	0.00123 U	0.00132 U	0.00700 U	0.00433 U	0.00475 U
	MW-326-25	09/09/19	PES	PACE	25	16.3	S	0.0155 U	0.00114 U	0.0124 U	0.00140 U	0.00289 U	0.0213 U	0.00236 U	0.000496 U	0.00130 U	0.00140 U	0.00742 U	0.00459 U	0.00504 U
	MW-326-30	09/09/19	PES	PACE	30	11.3	S	0.0505 U	0.00372 U	0.0404 U	0.00457 U	0.00941 U	0.105 J	0.00768 U	0.00161 U	0.00424 U	0.00457 U	0.0241 U	0.0150 U	0.0164 U
	MW-326-35	09/09/19	PES	PACE	35	6.3	S	0.0175 J	0.00114 U	0.0124 U	0.00140 U	0.00288 U	0.0416 J	0.00235 U	0.000495 U	0.00130 U	0.00140 U	0.00740 U	0.00458 U	0.00502 U
	MW-326-40	09/09/19	PES	PACE	40	1.3	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0437 J	0.00227 U	0.000477 U	0.00125 U	0.00135 U	0.00713 U	0.00441 U	0.00484 U
	MW-326-45	09/09/19	PES	PACE	45	-3.7	S	0.0151 U	0.00111 U	0.0120 U	0.00136 U	0.00281 U	0.0165 U	0.00229 U	0.000482 U	0.00126 U	0.00136 U	0.00720 U	0.00446 U	0.00489 U
	MW-326-50	09/09/19	PES	PACE	50	-8.7	S	0.0161 J	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0157 U	0.00217 U	0.000457 U	0.00120 U	0.00129 U	0.00684 U	0.00423 U	0.00464 U
	MW-326-55	09/09/19	PES	PACE	55	-13.7	S	0.0152 U	0.00112 U	0.0122 U	0.00137 U	0.00283 U	0.0280 U	0.00231 U	0.000487 U	0.00128 U	0.00137 U	0.00727 U	0.00450 U	0.00494 U
	MW-326-60	09/09/19	PES	PACE	60	-18.7	S	0.0221 U	0.00100 U	0.0109 U	0.00123 U	0.00253 U	0.0283 J	0.00206 U	0.000435 U	0.00114 U	0.00123 U	0.00650 U	0.00402 U	0.00441 U
	MW-326-65	09/09/19	PES	PACE	65	-23.7	S	0.0145 U	0.00107 U	0.0116 U	0.00131 U	0.00270 U	0.0224 J	0.00220 U	0.000517 J	0.00122 U	0.00131 U	0.00693 U	0.00429 U	0.00471 U
	MW-326-70	09/09/19	PES	PACE	70	-28.7	S	0.0152 U	0.00112 U	0.0122 U	0.00138 U	0.00284 U	0.0284 J	0.00232 U	0.000487 U	0.00128 U	0.00138 U	0.00729 U	0.00451 U	0.00495 U
	MW-326-75	09/09/19	PES	PACE	75	-33.7	S	0.0152 U	0.00112 U	0.0121 U	0.00137 U	0.00282 U	0.0166 U	0.00230 U	0.000485 U	0.00127 U	0.00137 U	0.00725 U	0.00449 U	0.00492 U
	MW-326-80	09/09/19	PES	PACE	80	-38.7	S	0.0149 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0163 U	0.00226 U	0.000475 U	0.00125 U	0.00134 U	0.00711 U	0.00440 U	0.00483 U
	MW-326-85	09/10/19	PES	PACE	85	-43.7	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00272 U	0.0195 J	0.00222 U	0.000467 U	0.00123 U	0.00132 U	0.00699 U	0.00432 U	0.00474 U
MW-328 (-36.1 to -46.1)	MW-326-90	09/10/19	PES	PACE	90	-48.7	S	0.0237 J	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.0543 J	0.00224 U	0.000471 U	0.00124 U	0.00133 U	0.00704 U	0.00436 U	0.00478 U
	MW-326-95	09/10/19	PES	PACE	95	-53.7	S	0.0140 U	0.00103 U	0.0112 U	0.00127 U	0.00262 U	0.0322 J	0.00213 U	0.000449 U	0.00118 U	0.00127 U	0.00672 U	0.00416 U	0.00456 U
	MW-2001-95	09/10/19	PES	PACE	95 (dup)	-53.7	S	0.0147 J	0.00105 U	0.0114 U	0.00129 U	0.00266 U	0.0188 U	0.00217 U	0.000456 U	0.00120 U	0.00129 U	0.00682 U	0.00422 U	0.00463 U
	MW-326-100	09/10/19	PES	PACE	100	-58.7	S	0.0151 U	0.00111 U	0.0121 U	0.00137 U	0.00282 U	0.0166 U	0.00230 U	0.000483 U	0.00127 U	0.00137 U	0.00722 U	0.00447 U	0.00491 U
	MW-328-5	09/16/19	PES	PACE	5	23.4	V	0.0149 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0551 J	0.00226 U	0.000476 U	0.00125 U	0.00134 U	0.00711 U	0.00440 U	0.00483 U
	MW-328-10	09/16/19	PES	PACE	10	18.4	S	0.0178 J	0.00126 U	0.0137 U	0.00155 U	0.00320 U	0.0559 J	0.00261 U	0.000550 U	0.00144 U	0.00155 U	0.00822 U	0.00509 U	0.00558 U
	MW-328-15	09/16/19	PES	PACE	15	13.4	S	0.0153 U	0.00113 U	0.0123 U	0.00139 U	0.00286 U	0.0297 J	0.00233 U	0.000491 U	0.00129 U	0.00139 U	0.00734 U	0.00454 U	0.00498 U
	MW-328-20	09/16/19	PES	PACE	20	8.4	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00631 J	0.0234 J	0.00227 U	0.000985 J	0.00125 U	0.00135 U	0.00714 U	0.00442 U	0.00485 U
	MW-328-30	09/16/19	PES	PACE	30	-1.6	S	0.295 U	0.0216 U	0.236 U	0.0266 U	0.0550 U	0.988 J	0.0448 U	0.00943 U	0.0247 U	0.0266 U	0.141 U	0.0872 U	0.0957 U
	MW-328-35	09/16/19	PES	PACE	35	-6.6	S	0.0240 J	0.00118 U	0.0129 U	0.00145 U	0.00376 J	0.0851 J	0.00244 U	0.00117 J	0.00135 U	0.00145 U	0.00769 U	0.00475 U	0.00521 U
	MW-328-40	09/16/19	PES	PACE	40	-11.6	S	0.0972 J	0.00268 U	0.0291 U	0.00329 U	0.00678 U	0.437 J	0.00553 U	0.00116 U	0.00306 U	0.00329 U	0.0174 U	0.0108 U	0.0118 U
	MW-328-45	09/16/19	PES	PACE	45	-16.6	S	0.0154 U	0.00113 U	0.0123 U	0.00139 U	0.00287 U	0.0423 J	0.00234 U	0.000493 U	0.00129 U	0.00139 U	0.00737 U	0.00456 U	0.00501 U
	MW-328-50	09/16/19	PES	PACE	50	-21.6	S	0.459 U	0.0337 U	0.367 U	0.0414 U	0.0855 U	1.39 J	0.0698 U	0.0147 U	0.0386 U	0.0414 U	0.220 U	0.136 U	0.149 U
	MW-328-55	09/16/19	PES	PACE	55	-26.6	S	0.0199 J	0.00110 U	0.0119 U	0.00134 U	0.00277 U	0.0665 J	0.00226 U	0.000476 U	0.00125 U	0.00134 U	0.00712 U	0.00440 U	0.00483 U
	MW-328-60	09/16/19	PES	PACE	60	-31.6	S	0.0150 U	0.00111 U	0.0120 U	0.00136 U	0.00280 U	0.0339 J	0.00228 U	0.000481 U	0.00126 U	0.00136 U	0.00719 U	0.00445 U	0.00488 U
	MW-328-65	09/16/19	PES	PACE	65	-36.6	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0345 J	0.00222 U	0.000466 U	0.00122 U	0.00132 U	0.00697 U	0.00431 U	0.00473 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-328 (continued)	MW-328-70	09/16/19	PES	PACE	70	-41.6	S	0.0151 U	0.00111 U	0.0120 U	0.00136 U	0.00281 U	0.0381	0.00229 U	0.0250	0.00126 U	0.00136 U	0.00720 U	0.00446 U	0.00489 U
	MW-328-75	09/16/19	PES	PACE	75	-46.6	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0426	0.00222 U	0.0475	0.00122 U	0.00132 U	0.00697 U	0.00432 U	0.00474 U
	MW-328-80	09/16/19	PES	PACE	80	-51.6	S	0.0165 U	0.00121 U	0.0132 U	0.00149 U	0.00307 U	0.0557	0.00251 U	0.0407	0.00139 U	0.00149 U	0.00789 U	0.00488 U	0.00536 U
MW-329 (-69.0 to -79.0)	MW-329-5	09/12/19	PES	PACE	5	24.3	V	0.0134 U	0.000983 U	0.0107 U	0.00121 U	0.00249 U	0.0146 U	0.00203 U	0.000428 U	0.00112 U	0.00121 U	0.00639 U	0.00395 U	0.00434 U
	MW-329-10	09/12/19	PES	PACE	10	19.3	S	0.0194 U	0.000968 U	0.0105 U	0.00119 U	0.00245 U	0.0282	0.00200 U	0.000421 U	0.00110 U	0.00119 U	0.00629 U	0.00389 U	0.00427 U
	MW-329-15	09/12/19	PES	PACE	15	14.3	S	0.0140 U	0.00101 U	0.0110 U	0.00124 U	0.00256 U	0.0205 J	0.00209 U	0.000439 U	0.00115 U	0.00124 U	0.00657 U	0.00406 U	0.00446 U
	MW-329-20	09/12/19	PES	PACE	20	9.3	S	0.0202 U	0.00127 U	0.0138 U	0.00156 U	0.00322 U	0.0384	0.00263 U	0.00199	0.00145 U	0.00156 U	0.00827 U	0.00511 U	0.00561 U
	MW-329-25	09/12/19	PES	PACE	25	4.3	S	0.0179 U	0.00132 U	0.0143 U	0.00162 U	0.00334 U	0.0205 U	0.00272 U	0.000573 U	0.00150 U	0.00162 U	0.00857 U	0.00530 U	0.00582 U
	MW-329-30	09/12/19	PES	PACE	30	-0.7	S	0.0154 U	0.00114 U	0.0124 U	0.00140 U	0.00288 U	0.0169 U	0.00235 U	0.00404	0.00130 U	0.00140 U	0.00739 U	0.00457 U	0.00501 U
	MW-329-35	09/12/19	PES	PACE	35	-5.7	S	0.0153 U	0.00113 U	0.0123 U	0.00138 U	0.00286 U	0.0237 U	0.00233 U	0.000490 U	0.00129 U	0.00138 U	0.00733 U	0.00453 U	0.00498 U
	MW-329-40	09/12/19	PES	PACE	40	-10.7	S	0.0154 U	0.00113 U	0.0123 U	0.00139 U	0.00287 U	0.0263 U	0.00234 U	0.000493 U	0.00129 U	0.00139 U	0.00737 U	0.00456 U	0.00500 U
	MW-329-45	09/12/19	PES	PACE	45	-15.7	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00278 U	0.0249 U	0.00227 U	0.000477 U	0.00125 U	0.00135 U	0.00713 U	0.00441 U	0.00484 U
	MW-329-50	09/12/19	PES	PACE	50	-20.7	S	0.0154 U	0.00113 U	0.0123 U	0.00139 U	0.00287 U	0.0176 U	0.00234 U	0.000493 U	0.00129 U	0.00139 U	0.00737 U	0.00456 U	0.00500 U
	MW-2003-50	09/12/19	PES	PACE	50 (dup)	-20.7	S	0.0137 U	0.00101 U	0.0109 U	0.00123 U	0.00255 U	0.0391	0.00208 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00444 U
	MW-329-55	09/12/19	PES	PACE	55	-25.7	S	0.0144 U	0.00106 U	0.0115 U	0.00130 U	0.00269 U	0.0158 U	0.00219 U	0.000462 U	0.00121 U	0.00130 U	0.00690 U	0.00427 U	0.00469 U
	MW-329-60	09/12/19	PES	PACE	60	-30.7	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00273 U	0.0199 U	0.00222 U	0.00207	0.00123 U	0.00132 U	0.00700 U	0.00433 U	0.00474 U
	MW-329-65	09/12/19	PES	PACE	65	-35.7	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00272 U	0.0349	0.00222 U	0.0241	0.00123 U	0.00132 U	0.00699 U	0.00432 U	0.00474 U
	MW-329-70	09/12/19	PES	PACE	70	-40.7	S	0.0146 U	0.00107 U	0.0117 U	0.00132 U	0.00272 U	0.0228 U	0.00221 U	0.0340	0.00122 U	0.00132 U	0.00697 U	0.00431 U	0.00473 U
	MW-329-75	09/12/19	PES	PACE	75	-45.7	S	0.0143 U	0.00105 U	0.0115 U	0.00129 U	0.00267 U	0.0246 U	0.00218 U	0.0265	0.00120 U	0.00129 U	0.00685 U	0.00424 U	0.00465 U
	MW-329-80	09/12/19	PES	PACE	80	-50.7	S	0.0156 J	0.00112 U	0.0121 U	0.00137 U	0.00283 U	0.0719	0.00231 U	0.0240	0.00128 U	0.00137 U	0.00726 U	0.00449 U	0.00493 U
	MW-329-85	09/12/19	PES	PACE	85	-55.7	S	0.0146 U	0.00108 U	0.0117 U	0.00132 U	0.00272 U	0.0261 U	0.00222 U	0.0597	0.00123 U	0.00132 U	0.00699 U	0.00433 U	0.00475 U
	MW-329-90	09/12/19	PES	PACE	90	-60.7	S	0.0147 U	0.00108 U	0.0118 U	0.00133 U	0.00274 U	0.0333	0.00223 U	0.0182	0.00123 U	0.00133 U	0.00703 U	0.00435 U	0.00477 U
	MW-329-95	09/12/19	PES	PACE	95	-65.7	S	0.0148 U	0.00109 U	0.0119 U	0.00134 U	0.00277 U	0.0168 U	0.00226 U	0.000753 J	0.00125 U	0.00134 U	0.00710 U	0.00439 U	0.00482 U
	MW-329-100	09/12/19	PES	PACE	100	-70.7	S	0.0149 U	0.00110 U	0.0119 U	0.00135 U	0.00277 U	0.0195 U	0.00226 U	0.000476 U	0.00125 U	0.00135 U	0.00712 U	0.00441 U	0.00483 U
	MW-329-105	09/12/19	PES	PACE	105	-75.7	S	0.0138 U	0.00101 U	0.0110 U	0.00124 U	0.00257 U	0.0170 U	0.00209 U	0.000440 U	0.00116 U	0.00124 U	0.00658 U	0.00407 U	0.00447 U
	MW-329-110	09/12/19	PES	PACE	110	-80.7	S	0.0137 U	0.00101 U	0.0109 U	0.00123 U	0.00255 U	0.0150 U	0.00208 U	0.000437 U	0.00115 U	0.00123 U	0.00653 U	0.00404 U	0.00444 U
MW-330	MW-330-6	04/20/20	PES	PACE	6	46.0	V	0.0721 U	0.000982 U	0.00382 U	0.000511 U	0.00290 U	0.0415 U	0.00410 U	0.000530 U	0.00102 U	0.000641 U	0.00133 U	0.00224 U	0.000795 U
	MW-330-10	04/20/20	PES	PACE	10	42.0	V	0.0701 U	0.000954 U	0.00371 U	0.000497 U	0.00281 U	0.0403 U	0.00398 U	0.00202	0.000993 U	0.000622 U	0.00129 U	0.00217 U	0.000772 U
	MW-330-11.5	04/20/20	PES	PACE	11.5	40.5	V	0.0740 U	0.00101 U	0.00392 U	0.000525 U	0.00281 U	2.51	0.0470 J	0.00421 U	0.000544 U	0.00105 U	0.000658 U	0.00136 U	0.00230 U
	MW-330-16	04/20/20	PES	PACE	16	36.0	V	0.0721 U	0.000983 U	0.00382 U	0.000511 U	0.00365 J	0.0415 U	0.00410 U	0.000531 U	0.00102 U	0.000641 U	0.00133 U	0.00224 U	0.000795 U
	MW-330-21.5	04/20/20	PES	PACE	21.5	30.5	S	0.0676 U	0.000921 U	0.00358 U	0.000479 U	0.00272 U	0.0389 U	0.00384 U	0.000497 U	0.000958 U	0.000601 U	0.00125 U	0.00210 U	0.000745 U
	MW-330-27	04/20/20	PES	PACE	27	25.0	S	0.0683 U	0.000930 U	0.00361 U	0.000484 U	0.00274 U	0.0392 U	0.00388 U	0.000502 U	0.000968 U	0.000606 U	0.00126 U	0.00212 U	0.000753 U
	MW-330-32	04/20/20	PES	PACE	32	20.0	S	0.0684 U	0.000932 U	0.00362 U	0.000485 U	0.00275 U	0.0393 U	0.00389 U	0.000503 U	0.000969 U	0.000607 U	0.00126 U	0.00212 U	0.000754 U
	MW-330-38	04/20/20	PES	PACE	38	14.0	S	0.0683 U	0.000931 U	0.00361 U	0.000484 U	0.00274 U	0.0393 U	0.00388 U	0.000502 U	0.000968 U	0.000607 U	0.00126 U	0.00212 U	0.000753 U
	MW-330-42	04/20/20	PES	PACE	42	10.0	S	0.0665 U	0.000906 U	0.00352 U	0.000471 U	0.00267 U	0.0382 U	0.00378 U	0.000489 U	0.000942 U	0.000590 U	0.00122 U	0.00206 U	0.00310 J
	MW-330-47	04/20/20	PES	PACE	47	5.0	S	0.0719 U	0.000979 U	0.00380 U	0.000509 U	0.00289 U	0.0413 U	0.00409 U	0.000529 U	0.00102 U	0.000638 U	0.00132 U	0.00223 U	0.00231 J
	MW-330-52	04/20/20	PES	PACE	52	0.0	S	0.0697 U	0.000949 U	0.00369 U	0.000494 U	0.00280 U	0.0401 U	0.00396 U	0.000513 U	0.000988 U	0.000619 U	0.00128 U	0.00216 U	0.00138 J
	MW-330-58	04/20/20	PES	PACE	58	-6.0	S	0.0691 U	0.000941 U	0.00366 U	0.000490 U	0.00277 U	0.0397 U	0.00393 U	0.000508 U	0.000979 U	0.000614 U	0.00127 U	0.00214 U	0.00466 J
	MW-330-62	04/20/20	PES	PACE	62	-10.0	S	0.0697 U	0.000950 U	0.00369 U	0.000494 U	0.00280 U	0.0401 U	0.00396 U	0.000513 U	0.000989 U	0.000619 U	0.00129 U	0.00216 U	0.000769 U
MW-331	MW-331-7	04/17/20	PES	PACE	7	24.2	V	0.181	0.00134 U	0.0122 J	0.000695 U	0.108	0.246	0.00557 U	0.259	0.00139 U	0.000871 U	0.00181 U	0.00304 U	0.0239
	MW-331-11	04/17/20	PES	PACE	11	20.2	S	0.569 U	0.00775 U	0.0301 U	0.00403 U	1.32	0.327 U	0.0324 U	0.00419 U	0.00807 U	0.00505 U	0.0105 U	0.0177 U	0.00627 U
	MW-331-16	04/17/20	PES	PACE	16	15.2	S	0.0750 U	0.00102 U	0.00397 U	0.000531 U	0.0110	0.431 U	0.00426 U	0.00993	0.00106 U	0.000666 U	0.00138 U	0.00233 U	0.00107 J
	MW-331-20	04/17/20	PES	PACE	20	11.2	S	0.0734 U	0.00100 U	0.00388 U	0.000520 U	0.00295 U	0.0422 U	0.0289	0.0244	0.00104 U	0.000652 U	0.00135 U	0.00228 U	0.000809 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-331 (continued)	MW-331-29.5	04/17/20	PES	PACE	29.5	1.7	S	0.0736 U	0.00100 U	0.00389 U	0.000522 U	0.00296 U	0.0423 U	0.00418 U	0.0618	0.00104 U	0.000654 U	0.00136 U	0.00228 U	0.000811 U
	MW-331-35	04/17/20	PES	PACE	35	-3.8	S	0.0750 U	0.00102 U	0.00397 U	0.000531 U	0.00301 U	0.0431 U	0.00426 U	0.000552 U	0.00106 U	0.000666 U	0.00138 U	0.00233 U	0.000827 U
	MW-2018-35	04/17/20	PES	PACE	35 (dup)	-3.8	S	0.0763 U	0.00104 U	0.00404 U	0.000541 U	0.00306 U	0.0439 U	0.00434 U	0.000561 U	0.00108 U	0.000678 U	0.00141 U	0.00237 U	0.000841 U
	MW-331-40	04/17/20	PES	PACE	40	-8.8	S	0.0766 U	0.00104 U	0.00405 U	0.000543 U	0.00308 U	0.0440 U	0.00436 U	0.000668 J	0.00109 U	0.000680 U	0.00141 U	0.00238 U	0.000845 U
	MW-331-45	04/17/20	PES	PACE	45	-13.8	S	0.0764 U	0.00104 U	0.00404 U	0.000541 U	0.00307 U	0.0439 U	0.00434 U	0.000562 U	0.00108 U	0.000678 U	0.00141 U	0.00237 U	0.000842 U
MW-332	MW-332-7	04/17/20	PES	PACE	7	29.3	V	0.0712 U	0.000970 U	0.00377 U	0.000505 U	0.00286 U	0.0409 U	0.00405 U	0.00384	0.00101 U	0.000632 U	0.00131 U	0.00221 U	0.00133 J
	MW-332-11	04/17/20	PES	PACE	11	25.3	V	0.0748 U	0.00102 U	0.00396 U	0.000530 U	0.00300 U	0.0430 U	0.00425 U	0.00539	0.00106 U	0.000664 U	0.00138 U	0.00232 U	0.000824 U
	MW-332-16	04/17/20	PES	PACE	16	20.3	S	0.0733 U	0.000998 U	0.00388 U	0.000519 U	0.00294 U	0.0421 U	0.00416 U	0.00223	0.00104 U	0.000651 U	0.00135 U	0.00227 U	0.000807 U
	MW-332-20	04/17/20	PES	PACE	20	16.3	S	0.0744 U	0.00101 U	0.00394 U	0.000527 U	0.00299 U	0.0428 U	0.00423 U	0.00100 J	0.00105 U	0.000661 U	0.00137 U	0.00231 U	0.000820 U
	MW-332-25	04/17/20	PES	PACE	25	11.3	S	0.0771 U	0.00105 U	0.00408 U	0.000546 U	0.00309 U	0.0443 U	0.00438 U	0.000567 U	0.00109 U	0.000684 U	0.00142 U	0.00239 U	0.000849 U
MW-334	MW-332-30	04/17/20	PES	PACE	30	6.3	S	0.0787 U	0.00107 U	0.00416 U	0.000558 U	0.00316 U	0.0452 U	0.00447 U	0.000579 U	0.00112 U	0.000699 U	0.00145 U	0.00244 U	0.000868 U
	MW-334-6	04/16/20	PES	PACE	6	25.4	V	0.0771 U	0.00105 U	0.00408 U	0.000547 U	0.00310 U	0.0443 U	0.00439 U	0.00108 J	0.00109 U	0.000685 U	0.00142 U	0.00239 U	0.00300 J
	MW-334-10	04/16/20	PES	PACE	10	21.4	V	0.0772 U	0.00105 U	0.00409 U	0.000547 U	0.961	0.0495 J	0.00439 U	0.000568 U	0.00109 U	0.000686 U	0.00142 U	0.00240 U	0.0153
	MW-334-13	04/16/20	PES	PACE	13	18.4	S	0.572 U	0.00779 U	0.0303 U	0.00405 U	0.0230 U	0.329 U	0.0325 U	0.00421 U	0.00810 U	0.00508 U	0.0105 U	0.0178 U	0.00630 U
	MW-334-17	04/16/20	PES	PACE	17	14.4	S	0.0656 U	0.000894 U	0.00347 U	0.000465 U	0.0361	0.0377 U	0.00373 U	0.000483 U	0.000930 U	0.000583 U	0.00121 U	0.00204 U	0.000723 U
	MW-334-23	04/16/20	PES	PACE	23	8.4	S	0.0756 U	0.00103 U	0.00400 U	0.000536 U	0.0110	0.0434 U	0.00430 U	0.000177	0.00107 U	0.000671 U	0.00139 U	0.00234 U	0.00530 J
	MW-334-28	04/16/20	PES	PACE	28	3.4	S	0.0748 U	0.00102 U	0.00396 U	0.000530 U	0.00844	0.0430 U	0.00425 U	0.000841 J	0.00106 U	0.000664 U	0.00138 U	0.00232 U	0.00314 J
	MW-334-35	04/16/20	PES	PACE	35	-3.6	S	0.0803 U	0.00109 U	0.00425 U	0.000569 U	0.00322 U	0.0461 U	0.00456 U	0.000590 U	0.00114 U	0.000713 U	0.00148 U	0.00249 U	0.000885 U
	MW-334-40	04/16/20	PES	PACE	40	-8.6	S	0.0820 U	0.00112 U	0.00434 U	0.000581 U	0.00329 U	0.0471 U	0.00466 U	0.000603 U	0.00116 U	0.000728 U	0.00151 U	0.00254 U	0.00128 J
	MW-334-45.5	04/16/20	PES	PACE	45.5	-14.1	S	0.0772 U	0.00105 U	0.00409 U	0.000547 U	0.00310 U	0.0444 U	0.00439 U	0.000568 U	0.00109 U	0.000686 U	0.00142 U	0.00240 U	0.000852 U
	MW-334-50	04/16/20	PES	PACE	50	-18.6	S	0.0703 U	0.000957 U	0.00372 U	0.000498 U	0.00282 U	0.0404 U	0.00399 U	0.000517 U	0.000996 U	0.000624 U	0.00129 U	0.00218 U	0.000775 U
	MW-334-54.5	04/16/20	PES	PACE	54.5	-23.1	S	0.0786 U	0.00107 U	0.00416 U	0.000557 U	0.00316 U	0.0452 U	0.00447 U	0.000578 U	0.00111 U	0.000698 U	0.00145 U	0.00244 U	0.00131 J
	MW-334-60	04/16/20	PES	PACE	60	-28.6	S	0.0723 U	0.000985 U	0.00383 U	0.000512 U	0.00290 U	0.0416 U	0.00411 U	0.000532 U	0.00102 U	0.000642 U	0.00133 U	0.00224 U	0.000797 U
	MW-334-63	04/16/20	PES	PACE	63	-31.6	S	0.0759 U	0.00103 U	0.00402 U	0.000538 U	0.00305 U	0.0437 U	0.00432 U	0.000794 J	0.00108 U	0.000675 U	0.00140 U	0.00236 U	0.000837 U
MW-336	MW-336-7	04/22/20	PES	PACE	7	26.7	V	0.0708 U	0.000965 U	0.00375 U	0.000502 U	0.00284 U	0.0407 U	0.00403 U	0.000521 U	0.00100 U	0.000629 U	0.00131 U	0.00220 U	0.000781 U
	MW-336-11.5	04/22/20	PES	PACE	11.5	22.2	V	0.0756 U	0.00103 U	0.00400 U	0.000536 U	0.461 J	0.0435 U	0.00430 U	0.000556 U	0.00107 U	0.000672 U	0.00139 U	0.00235 U	0.00658 J
	MW-2019-11.5	04/22/20	PES	PACE	11.5 (dup)	22.2	V	0.0774 U	0.00105 U	0.00410 U	0.000474 J	0.184 J	0.0445 U	0.00440 U	0.000570 U	0.00110 U	0.000688 U	0.00143 U	0.00240 U	0.00409 J
	MW-336-14.5	04/22/20	PES	PACE	14.5	19.2	V	0.0814 U	0.00111 U	0.00431 U	0.000577 U	0.00660	0.0468 U	0.00463 U	0.000599 U	0.00115 U	0.000723 U	0.00150 U	0.00253 U	0.000897 U
	MW-336-20	04/22/20	PES	PACE	20	13.7	S	0.0778 U	0.00106 U	0.00411 U	0.000551 U	0.00312 U	0.0447 U	0.00442 U	0.000572 U	0.00110 U	0.000691 U	0.00143 U	0.00241 U	0.000857 U
	MW-336-25	04/22/20	PES	PACE	25	8.7	S	0.131 J	0.00142 U	0.00553 U	0.000741 U	0.00420 U	0.105 J	0.00594 U	0.000769 U	0.00148 U	0.000928 U	0.00193 U	0.00324 U	0.00115 U
	MW-336-30	04/22/20	PES	PACE	30	3.7	S	0.0967 U	0.00132 U	0.00512 U	0.000685 U	0.00388 U	0.0556 U	0.00550 U	0.000711 U	0.00137 U	0.000859 U	0.00178 U	0.00300 U	0.00107 U
	MW-336-35	04/22/20	PES	PACE	35	-1.3	S	0.0779 U	0.00106 U	0.00412 U	0.000552 U	0.00313 U	0.0448 U	0.00443 U	0.000573 U	0.00110 U	0.000692 U	0.00144 U	0.00242 U	0.000859 U
	MW-336-40	04/22/20	PES	PACE	40	-6.3	S	0.0766 U	0.00104 U	0.00405 U	0.000543 U	0.00307 U	0.0440 U	0.00435 U	0.000563 U	0.00109 U	0.000680 U	0.00141 U	0.00238 U	0.000844 U
	MW-336-45	04/22/20	PES	PACE	45	-11.3	S	0.0843 U	0.00115 U	0.00446 U	0.000598 U	0.00339 U	0.0485 U	0.00479 U	0.000620 U	0.00120 U	0.000749 U	0.00155 U	0.00262 U	0.000930 U
	MW-336-51	04/22/20	PES	PACE	51	-17.3	S	0.0731 U	0.000996 U	0.00387 U	0.000518 U	0.00294 U	0.0420 U	0.00416 U	0.00149	0.00104 U	0.000649 U	0.00135 U	0.00227 U	0.000806 U
	MW-336-55	04/22/20	PES	PACE	55	-21.3	S	0.0725 U	0.000988 U	0.00384 U	0.000514 U	0.00291 U	0.0417 U	0.00412 U	0.00153	0.00103 U	0.000644 U	0.00134 U	0.00225 U	0.000800 U
	MW-336-60	04/22/20	PES	PACE	60	-26.3	S	0.0813 J	0.00102 U	0.00394 U	0.000528 U	0.00299 U	0.0428 U	0.00424 U	0.000548 U	0.00106 U	0.000662 U	0.00137 U	0.00231 U	0.000822 U
	MW-336-65	04/22/20	PES	PACE	65	-31.3	S	0.0741 U	0.00101 U	0.00392 U	0.000525 U	0.00297 U	0.0426 U	0.00421 U	0.000545 U	0.00105 U	0.000658 U	0.00136 U	0.00230 U	0.000817 U
	MW-336-69	04/22/20	PES	PACE	69	-35.3	S	0.0789 U	0.00108 U	0.00418 U	0.000559 U	0.00317 U	0.0454 U	0.00449 U	0.000580 U	0.00112 U	0.000701 U	0.00145 U	0.00245 U	0.000870 U
	MW-336-74.5	04/22/20	PES	PACE	74.5	-40.8	S	0.0739 U	0.00101 U	0.00391 U	0.000524 U	0.00297 U	0.0425 U	0.00420 U	0.000544 U	0.00105 U	0.000656 U	0.00136 U	0.00229 U	0.000815 U
	MW-336-79	04/22/20	PES	PACE	79	-45.3	S	0.0762 U	0.00104 U	0.00403 U	0.000540 U	0.00306 U	0.0438 U	0.00433 U	0.000560 U	0.00108 U	0.000677 U	0.00140 U	0.00236 U	0.000840 U
	MW-336-85	04/22/20	PES	PACE	85	-51.3	S	0.0763 U	0.00104 U	0.00404 U	0.000541 U	0.00306 U	0.0439 U	0.00434 U	0.000561 U	0.00108 U	0.000678 U	0.00141 U	0.00237 U	0.000841 U
	MW-2021-85	05/04/20	PES	PACE	85 (dup)	-51.3	S	0.0731 U	0.000996 U	0.00387 U	0.000518 U	0.00294 U	0.0420 U	0.00416 U	0.0226	0.00104 U	0.000649 U	0.00135 U	0.00227 U	0.000806 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MW-336 (continued)	MW-336-90	04/22/20	PES	PACE	90	-56.3	S	0.0766 U	0.00104 U	0.00405 U	0.000543 U	0.00307 U	0.0440 U	0.00435 U	0.000563 U	0.00109 U	0.000680 U	0.00141 U	0.00238 U	0.000844 U
	MW-336-95	04/22/20	PES	PACE	95	-61.3	S	0.0763 U	0.00104 U	0.00404 U	0.000541 U	0.00306 U	0.0439 U	0.00434 U	0.000561 U	0.00108 U	0.000678 U	0.00141 U	0.00237 U	0.000841 U
	MW-2020-95	04/22/20	PES	PACE	95 (dup)	-61.3	S	0.0756 U	0.00103 U	0.00400 U	0.000536 U	0.00304 U	0.0435 U	0.00430 U	0.000556 U	0.00107 U	0.000672 U	0.00139 U	0.00235 U	0.000834 U
MW-338	MW-338-10	05/01/20	PES	PACE	10	17.8	S	0.0770 U	0.00105 U	0.00407 U	0.000546 U	0.00309 U	0.0443 U	0.00438 U	0.000566 U	0.00109 U	0.000684 U	0.00142 U	0.00239 U	0.000849 U
	MW-338-15	05/01/20	PES	PACE	15	12.8	S	0.0840 U	0.00114 U	0.00444 U	0.000595 U	0.00337 U	0.0483 U	0.00477 U	0.000618 U	0.00119 U	0.000746 U	0.00155 U	0.00261 U	0.000926 U
	MW-338-20	05/01/20	PES	PACE	20	7.8	S	0.0736 U	0.00100 U	0.00389 U	0.000522 U	0.00296 U	0.0423 U	0.00418 U	0.000541 U	0.00104 U	0.000654 U	0.00136 U	0.00228 U	0.000811 U
	MW-338-23	05/01/20	PES	PACE	23	4.8	S	0.0807 U	0.00110 U	0.00427 U	0.000572 U	0.00324 U	0.0464 U	0.00459 U	0.000593 U	0.00114 U	0.000717 U	0.00149 U	0.00250 U	0.000890 U
	MW-338-28	05/01/20	PES	PACE	28	-0.2	S	0.0799 U	0.00109 U	0.00423 U	0.000566 U	0.00321 U	0.0459 U	0.00454 U	0.000587 U	0.00113 U	0.000709 U	0.00147 U	0.00248 U	0.000880 U
	MW-338-34	05/01/20	PES	PACE	34	-6.2	S	0.0710 U	0.000967 U	0.00376 U	0.000503 U	0.00285 U	0.0408 U	0.00403 U	0.000782 J	0.00101 U	0.000630 U	0.00131 U	0.00220 U	0.00182 J
	MW-338-39	05/01/20	PES	PACE	39	-11.2	S	0.0769 U	0.00105 U	0.00407 U	0.000545 U	0.00309 U	0.0442 U	0.00437 U	0.000566 U	0.00109 U	0.000683 U	0.00142 U	0.00239 U	0.000848 U
	MW-338-41	05/01/20	PES	PACE	41	-13.2	S	0.0783 U	0.00107 U	0.00414 U	0.000555 U	0.00314 U	0.0450 U	0.00445 U	0.000576 U	0.00111 U	0.000695 U	0.00144 U	0.00243 U	0.000863 U
	MW-338-45	05/01/20	PES	PACE	45	-17.2	S	0.0775 U	0.00106 U	0.00410 U	0.000549 U	0.00311 U	0.0446 U	0.00441 U	0.000570 U	0.00110 U	0.000688 U	0.00143 U	0.00240 U	0.000854 U
	MW-338-51	05/01/20	PES	PACE	51	-23.2	S	0.0787 U	0.00107 U	0.00416 U	0.000558 U	0.00316 U	0.0452 U	0.00447 U	0.000579 U	0.00112 U	0.000699 U	0.00145 U	0.00244 U	0.000868 U
	MW-338-55	05/01/20	PES	PACE	55	-27.2	S	0.0729 U	0.000993 U	0.00386 U	0.000517 U	0.00293 U	0.0419 U	0.00414 U	0.000536 U	0.00103 U	0.000647 U	0.00134 U	0.00226 U	0.000804 U
MW-341	MW-341-85	05/04/20	PES	PACE	85	-56.6	S	0.0721 U	0.000983 U	0.00382 U	0.000511 U	0.00290 U	0.0415 U	0.00410 U	0.0194	0.00102 U	0.000641 U	0.00133 U	0.00224 U	0.000795 U
	MW-341-90	05/04/20	PES	PACE	90	-61.6	S	0.0714 U	0.000973 U	0.00378 U	0.000506 U	0.00287 U	0.0411 U	0.00406 U	0.0278	0.00101 U	0.000634 U	0.00132 U	0.00222 U	0.000787 U
	MW-341-95	05/04/20	PES	PACE	95	-66.6	S	0.0740 U	0.00101 U	0.00391 U	0.000524 U	0.00297 U	0.0425 U	0.00421 U	0.0491	0.00105 U	0.000657 U	0.00136 U	0.00230 U	0.000816 U
	MW-341-99	05/04/20	PES	PACE	99	-70.6	S	0.0744 U	0.00101 U	0.00394 U	0.000528 U	0.00299 U	0.0428 U	0.00423 U	0.0400	0.00106 U	0.000661 U	0.00137 U	0.00231 U	0.000821 U
	MW-341-104	05/04/20	PES	PACE	104	-75.6	S	0.0757 U	0.00103 U	0.00401 U	0.000537 U	0.00304 U	0.0435 U	0.00431 U	0.0315	0.00107 U	0.000673 U	0.00140 U	0.00235 U	0.000835 U
MW-343	MW-343-5	04/13/20	PES	PACE	5	22.6	V	0.0717 U	0.000977 U	0.00380 U	0.000508 U	0.00439 J	0.0412 U	0.00408 U	0.119	0.00102 U	0.000637 U	0.00132 U	0.00223 U	0.00147 J
	MW-343-10	04/13/20	PES	PACE	10	17.6	S	0.0752 U	0.00102 U	0.00398 U	0.000533 U	0.00302 U	0.0432 U	0.00427 U	0.0536	0.00107 U	0.000668 U	0.00139 U	0.00233 U	0.00176 J
	MW-343-12.5	04/13/20	PES	PACE	12.5	15.1	S	0.0779 U	0.00106 U	0.00412 U	0.000552 U	0.00313 U	0.0448 U	0.00443 U	0.000573 U	0.00110 U	0.000692 U	0.00144 U	0.00242 U	0.000859 U
	MW-343-17	04/13/20	PES	PACE	17	10.6	S	0.0872 J	0.000995 U	0.00387 U	0.000518 U	0.00293 U	0.0420 U	0.00415 U	0.000537 U	0.00104 U	0.000649 U	0.00135 U	0.00227 U	0.000805 U
	MW-343-24	04/13/20	PES	PACE	24	3.6	S	0.0732 U	0.000997 U	0.00387 U	0.000519 U	0.00319 J	0.0421 U	0.00416 U	0.00400	0.00104 U	0.000650 U	0.00135 U	0.00227 U	0.00340 J
	MW-343-28.5	04/13/20	PES	PACE	28.5	-0.9	S	0.0786 U	0.00107 U	0.00416 U	0.000557 U	0.0107	0.0452 U	0.00447 U	0.00116 J	0.00111 U	0.000698 U	0.00145 U	0.00244 U	0.000866 U
	MW-343-35	04/13/20	PES	PACE	35	-7.4	S	0.0795 U	0.00108 U	0.00420 U	0.000563 U	0.00319 U	0.0457 U	0.00452 U	0.000584 U	0.00113 U	0.000706 U	0.00146 U	0.00247 U	0.000876 U
	MW-343-38	04/13/20	PES	PACE	38	-10.4	S	0.0743 U	0.00101 U	0.00393 U	0.000526 U	0.00298 U	0.0427 U	0.00422 U	0.000546 U	0.00105 U	0.000660 U	0.00137 U	0.00230 U	0.000819 U
	MW-343-44	04/13/20	PES	PACE	44	-16.4	S	0.0700 U	0.000953 U	0.00370 U	0.000496 U	0.00281 U	0.0402 U	0.00398 U	0.000515 U	0.000992 U	0.000622 U	0.00129 U	0.00217 U	0.000772 U
	MW-343-47	04/13/20	PES	PACE	47	-19.4	S	0.0790 U	0.00108 U	0.00418 U	0.000560 U	0.00317 U	0.0454 U	0.00449 U	0.000581 U	0.00112 U	0.000702 U	0.00146 U	0.00245 U	0.000871 U
	MW-343-51	04/13/20	PES	PACE	51	-23.4	S	0.0706 U	0.000962 U	0.00374 U	0.000501 U	0.00284 U	0.0406 U	0.00402 U	0.000520 U	0.00100 U	0.000627 U	0.00130 U	0.00219 U	0.000779 U
	MW-343-55	04/13/20	PES	PACE	55	-27.4	S	0.0722 U	0.000984 U	0.00382 U	0.000512 U	0.00290 U	0.0415 U	0.00411 U	0.000531 U	0.00102 U	0.000641 U	0.00133 U	0.00224 U	0.000796 U
	MW-343-62	04/13/20	PES	PACE	62	-34.4	S	0.0735 U	0.00100 U	0.00389 U	0.000521 U	0.00295 U	0.0422 U	0.00418 U	0.000572 J	0.00104 U	0.000653 U	0.00135 U	0.00228 U	0.000810 U
	MW-343-68	04/13/20	PES	PACE	68	-40.4	S	0.0724 U	0.000986 U	0.00383 U	0.000513 U	0.00291 U	0.0416 U	0.00412 U	0.000532 U	0.00103 U	0.000643 U	0.00133 U	0.00225 U	0.000798 U
	MW-343-73	04/13/20	PES	PACE	73	-45.4	S	0.0731 U	0.000996 U	0.00387 U	0.000518 U	0.00294 U	0.0420 U	0.00416 U	0.000727 J	0.00104 U	0.000650 U	0.00135 U	0.00227 U	0.000806 U
	MW-343-79	04/13/20	PES	PACE	79	-51.4	S	0.0688 U	0.000937 U	0.00364 U	0.000487 U	0.00276 U	0.0395 U	0.00391 U	0.000856 J	0.000975 U	0.000611 U	0.00127 U	0.00213 U	0.000758 U
	MW-343-82	04/13/20	PES	PACE	82	-54.4	S	0.0690 U	0.000939 U	0.00365 U	0.000489 U	0.00277 U	0.0396 U	0.00392 U	0.000828 J	0.000977 U	0.000612 U	0.00127 U	0.00214 U	0.000760 U
	MW-343-86	04/13/20	PES	PACE	86	-58.4	S	0.0673 U	0.000916 U	0.00356 U	0.000477 U	0.00270 U	0.0387 U	0.00382 U	0.000495 U	0.000953 U	0.000597 U	0.00124 U	0.00209 U	0.000741 U
	MW-343-93	04/13/20	PES	PACE	93	-65.4	S	0.0711 U	0.000969 U	0.00376 U	0.000504 U	0.00286 U	0.0409 U	0.00404 U	0.000523 U	0.00101 U	0.000632 U	0.00131 U	0.00221 U	0.000784 U
	MW-343-99	04/13/20	PES	PACE	99	-71.4	S	0.0682 U	0.000929 U	0.00361 U	0.000483 U	0.00274 U	0.0392 U	0.00388 U	0.000501 U	0.000966 U	0.000605 U	0.00126 U	0.00211 U	0.000751 U
	MW-343-102	04/14/20	PES	PACE	102	-74.4	S	0.0701 U	0.000954 U	0.00371 U	0.000496 U	0.00281 U	0.0403 U	0.00398 U	0.00125	0.000993 U	0.000622 U	0.00129 U	0.00217 U	0.00110 J
	MW-2017-102	04/14/20	PES	PACE	102 (dup)	-74.4	S	0.0693 U	0.000945 U	0.00367 U	0.000491 U	0.00278 U	0.0399 U	0.00394 U	0.00202	0.000983 U	0.000616 U	0.00128 U	0.00215 U	0.000764 U
	MW-343-106	04/14/20	PES	PACE	106	-78.4	S	0.0681 U	0.000927 U	0.00360 U	0.000482 U	0.00273 U	0.0391 U	0.00387 U	0.00459	0.000965 U	0.000605 U	0.00125 U	0.00211 U	0.000750 U
	MW-343-108	04/14/20	PES	PACE	108	-80.4	S	0.0704 U	0.000959 U	0.00372 U	0.000499 U	0.00283 U	0.0405 U	0.00400 U	0.00360	0.000998 U	0.000625 U	0.00130 U	0.00218 U	0.000776 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
PH22	PH22	04/17/18	PES	Fremont	0-3	-	V	-	0.0304 U	-	0.0304 U	0.0608 U	-	-	0.0243 U	0.0243 U	-	0.0608 U	0.0608 UJ	-
PH34	PH34	04/17/18	PES	Fremont	1.5-6.5	-	V	-	0.0240 U	-	0.0240 U	0.0481 U	-	-	0.0192 U	0.0192 U	-	0.0481 U	0.0481 UJ	-
PH38	PH38	04/17/18	PES	Fremont	1.5-4	-	V	-	0.0292 U	-	0.0292 U	0.0583 U	-	-	0.0233 U	0.0233 U	-	0.0583 U	0.0583 UJ	-
PH52	PH52	04/17/18	PES	Fremont	1-5	-	V	-	0.0282 U	-	0.0282 U	0.0564 U	-	-	0.0226 U	0.0226 U	-	0.0564 U	0.0564 UJ	-
PW-1	Composite	01/01/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PW-4	Composite	05/13/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	ND	-	-	-	-	-
R-MW4	Unknown	10/22/92	Roux	Unknown	5	35.9	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	15	25.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	30	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW6 (33.3 to 23.3)	Unknown	10/27/92	Roux	Unknown	6	39.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	11	34.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	16	29.3	S	-	-	-	-	-	-	-	-	-	-	-	-	-
RB1	RB1-17.5	10/18/93	Retec	AAL	17.5	18.4	S	-	-	-	-	-	-	-	0.063 U	-	-	-	-	-
RB2	RB2-12.5	10/18/93	Retec	AAL	12.5	23.6	V	-	-	-	-	-	-	-	0.062 U	-	-	-	-	-
	RB2-17.5	10/18/93	Retec	AAL	17.5	18.6	S	-	-	-	-	-	-	-	0.045 J	-	-	-	-	-
RB3	RB3-17.5	10/18/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	0.061 U	-	-	-	-	-
SCL-B100	B-100, S1	06/10/02	Urban	F&BI	5-6.5	-	V	-	-	-	-	-	-	-	0.02 U	-	-	-	-	-
	B-100, S2	06/10/02	Urban	F&BI	10-11.5	-	V	-	-	-	-	-	-	-	0.02 U	-	-	-	-	-
SCL-B101	B-101- S1&2	06/17/02	Urban	F&BI	0-6	-	V	-	-	-	-	-	-	-	0.02 U	-	-	-	-	-
	B101-S3	06/17/02	Urban	F&BI	8	-	V	-	-	-	-	-	-	-	0.02 U	-	-	-	-	-
SCL-B102	B102-S1	06/17/02	Urban	F&BI	0-3	-	V	-	-	-	-	-	-	-	0.03	-	-	-	-	-
	B102-S2	06/17/02	Urban	F&BI	4	-	V	-	-	-	-	-	-	-	0.02 U	-	-	-	-	-
SCL-MW101 (25.0 to 15.0)	MW101-S3	06/14/02	Urban	F&BI	16	-	S	-	-	-	-	-	-	-	0.07	-	-	-	-	-
SCL-MW102	MW-102, S1	06/10/02	Urban	F&BI	5-6.5	-	S	-	-	-	-	-	-	-	0.67	-	-	-	-	-
	MW-102, S2	06/10/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	0.05	-	-	-	-	-
SCL-MW103	MW103-S1&S2	06/14/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	0.02 U	-	-	-	-	-
SCL-MW105 (10.8 to 0.8)	MW-105, S2	06/10/02	Urban	F&BI	10-11.5	-	S	-	-	-	-	-	-	-	2.1	-	-	-	-	-
SCLB-1	MW-105, S4	06/10/02	Urban	F&BI	20-21.5	-	S	-	-	-	-	-	-	-	0.05	-	-	-	-	-
	RS1-2.5/RS-1 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-12.5/RS1-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	2.0	-	-	-	-	-
	RS-1 17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-22.5/RS-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	0.089 J	-	-	-	-	-
	RS1-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	0.18	-	-	-	-	-
SCLB-2	RS1-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	0.050 U	-	-	-	-	-
	RS2-2.5/RS-2 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-12.5/RS2-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	4.0	-	-	-	-	-
	RS2-17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-22.5/RS2-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	0.8	-	-	-	-	-
	RS2-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	1.5	-	-	-	-	-
RS2-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	0.74	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
SSD-MW-1	MW-1 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
	MW-1 S-6	05/24/89	HC	Unknown	15-16.5	24.0	S	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
SSD-MW-2	MW-2 S-3	05/24/89	HC	Unknown	7.5-9	31.0	V	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
	MW-2 S-6	05/24/89	HC	Unknown	15-16.5	31.0	V	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
SSD-MW-3	MW-3 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
	MW-3 S-5	05/24/89	HC	Unknown	12.5-14	34.0	V	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
SSD-MW-4	MW-4 S-6	05/25/89	HC	Unknown	14.5-16	36.8	V	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
	MW-4 S-9	05/25/89	HC	Unknown	22-23	29.5	S	-	-	-	-	-	-	-	0.01 U	-	-	-	-	-
SV-04	SV-04-6	06/29/20	PES	PACE	6	-	V	0.0823 U	0.00112 U	0.00435 U	0.000583 U	0.00330 U	0.0473 U	0.00468 U	0.000605 U	0.00117 U	0.000731 U	0.00152 U	0.00255 U	0.000907 U
SV-05	SV-05-10	06/29/20	PES	PACE	10	-	V	0.0879 U	0.00120 U	0.00465 U	0.000623 U	0.00353 U	0.0505 U	0.00500 U	0.000647 U	0.00125 U	0.000781 U	0.00162 U	0.00273 U	0.000969 U
SV-06	SV-06-6	06/29/20	PES	PACE	6	-	V	0.0810 U	0.00110 U	0.00429 U	0.000574 U	0.00325 U	0.0466 U	0.00461 U	0.000596 U	0.00115 U	0.000720 U	0.00149 U	0.00251 U	0.000893 U
SV-07	SV-07-15	06/29/20	PES	PACE	15	-	V	0.0696 U	0.000948 U	0.00368 U	0.000493 U	0.00279 U	0.0400 U	0.00396 U	0.000512 U	0.000986 U	0.000618 U	0.00128 U	0.00216 U	0.000767 U
SV-08	SV-08-6	06/30/20	PES	PACE	6	-	V	0.0883 U	0.00120 U	0.00467 U	0.000626 U	0.00355 U	0.0508 U	0.00502 U	0.00156	0.00125 U	0.000784 U	0.00163 U	0.00274 U	0.000973 U
	SV-08-7.5	06/30/20	PES	PACE	7.5	-	V	0.0900 U	0.00123 U	0.00476 U	0.000638 U	0.00361 U	0.0517 U	0.00512 U	0.000662 U	0.00128 U	0.000799 U	0.00166 U	0.00279 U	0.000992 U
SV-09	SV-09-5.5	07/01/20	PES	PACE	5.5	-	V	0.0840 U	0.00114 U	0.00445 U	0.000596 U	0.00338 U	0.0483 U	0.00478 U	0.000618 U	0.00119 U	0.000746 U	0.00155 U	0.00261 U	0.000926 U
SV-10	SV-10-5.5	06/30/20	PES	PACE	5.5	-	V	0.0837 U	0.00114 U	0.00443 U	0.000593 U	0.00336 U	0.0481 U	0.00476 U	0.000616 U	0.00119 U	0.000743 U	0.00154 U	0.00260 U	0.000923 U
SV-11	SV-11-10	06/30/20	PES	PACE	10	-	V	0.0849 U	0.00116 U	0.00449 U	0.000602 U	0.00341 U	0.0488 U	0.00483 U	0.000864 J	0.00120 U	0.000754 U	0.00156 U	0.00263 U	0.000936 U
SV-12	SV-12-5.5	07/01/20	PES	PACE	5.5	-	V	0.0694 U	0.000946 U	0.00367 U	0.000492 U	0.00279 U	0.0399 U	0.00395 U	0.0781	0.000984 U	0.000617 U	0.00128 U	0.00215 U	0.000765 U
SV-13	SV-13-10.5	07/01/20	PES	PACE	10.5	-	V	0.0814 U	0.00111 U	0.00431 U	0.000577 U	0.00327 U	0.0468 U	0.00463 U	0.000828 J	0.00115 U	0.000723 U	0.00150 U	0.00253 U	0.000898 U
SV-14	SV-14-5.5	07/01/20	PES	PACE	5.5	-	V	0.0849 U	0.00116 U	0.00449 U	0.000602 U	0.00341 U	0.0488 U	0.00483 U	0.000624 U	0.00120 U	0.000754 U	0.00156 U	0.00263 U	0.000936 U
SV-15	SV-15-13	07/01/20	PES	PACE	13	-	V	0.0824 U	0.00112 U	0.00436 U	0.000584 U	0.00331 U	0.0474 U	0.00468 U	0.000606 U	0.00117 U	0.000732 U	0.00152 U	0.00256 U	0.000908 U
SV-16	SV-16-5	07/02/20	PES	PACE	5	-	V	0.254 J	0.00230 U	0.00892 U	0.00119 U	0.950 J	0.0969 U	0.00959 U	0.0310	0.00240 U	0.00150 U	0.00310 U	0.00524 U	0.00186 U
	SV-100-5	07/02/20	PES	PACE	5 (dup)	-	V	0.151 U	0.00205 U	0.00798 U	0.00107 U	1.34 J	0.0867 U	0.00858 U	0.0271	0.00214 U	0.00134 U	0.00278 U	0.00468 U	0.00166 U
SV-17	SV-17-4.5	07/02/20	PES	PACE	4.5	-	V	0.125 U	0.00170 U	0.00660 U	0.000886 U	0.0428	0.0719 U	0.00711 U	0.0148	0.00177 U	0.00111 U	0.00230 U	0.00388 U	0.00138 U
SV-18	SV-18-5.5	07/02/20	PES	PACE	5.5	-	V	0.0684 U	0.000932 U	0.00362 U	0.000485 U	0.00275 U	0.0393 U	0.00389 U	0.000503 U	0.000970 U	0.000608 U	0.00126 U	0.00212 U	0.000754 U
SV-19	SV-19-5	07/09/20	PES	PACE	5	-	V	0.0684 U	0.000932 U	0.00362 U	0.000485 U	0.00275 U	0.0393 U	0.00389 U	0.00338	0.000969 U	0.000607 U	0.00126 U	0.00212 U	0.000754 U
SV-20	SV-20-9	07/09/20	PES	PACE	9	-	V	0.0899 U	0.00122 U	0.00476 U	0.000637 U	0.00361 U	0.0517 U	0.00511 U	0.000661 U	0.00127 U	0.000798 U	0.00166 U	0.00279 U	0.000991 U
SV-21	SV-21-6	07/09/20	PES	PACE	6	-	V	0.0696 U	0.000948 U	0.00368 U	0.000493 U	0.00279 U	0.0400 U	0.00396 U	0.000512 U	0.000986 U	0.000618 U	0.00128 U	0.00216 U	0.000767 U
SV-22	SV-22-8.5	07/09/20	PES	PACE	8.5	-	V	0.130 U	0.00177 U	0.00686 U	0.000919 U	0.0157	0.0746 U	0.00738 U	0.00128 J	0.00184 U	0.00115 U	0.00239 U	0.00403 U	0.00143 U
SV-23	SV-23-4.5	07/09/20	PES	PACE	4.5	-	V	0.0960 U	0.00131 U	0.00508 U	0.000680 U	0.00386 U	0.0552 U	0.00546 U	0.000706 U	0.00136 U	0.000853 U	0.00177 U	0.00298 U	0.00177 J
SV-24	SV-24-8	07/09/20	PES	PACE	8	-	V	0.0689 U	0.000939 U	0.00365 U	0.000488 U	0.00277 U	0.0396 U	0.00392 U	0.000507 U	0.000977 U	0.000612 U	0.00127 U	0.00214 U	0.000760 U
SV-25	SV-25-4	07/10/20	PES	PACE	4	-	V	0.0836 U	0.00114 U	0.00443 U	0.000593 U	0.00336 U	0.0481 U	0.00475 U	0.000615 U	0.00119 U	0.000743 U	0.00154 U	0.00259 U	0.000922 U
SV-26	SV-26-12	07/10/20	PES	PACE	12	-	V	0.0929 U	0.00127 U	0.00492 U	0.000659 U	0.00373 U	0.0534 U	0.00528 U	0.000684 U	0.00132 U	0.000825 U	0.00171 U	0.00288 U	0.00102 U
SV-27	SV-27-5.5	07/10/20	PES	PACE	5.5	-	V	0.0833 U	0.00114 U	0.00441 U	0.000591 U	0.00335 U	0.0479 U	0.00474 U	0.000613 U	0.00118 U	0.000740 U	0.00154 U	0.00259 U	0.000919 U
	SV-27-13.5	07/10/20	PES	PACE	13.5	-	V	0.107 J	0.00114 U	0.00441 U	0.000591 U	0.00335 U	0.0480 U	0.00474 U	0.000614 U	0.00118 U	0.000741 U	0.00154 U	0.00259 U	0.000920 U
TB-12	16	08/01/97	B&V	Unknown	62-63	-24.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-
TB-18	S-2	03/17/98	B&V	Unknown	5-6.5	38.3	V	-	-	-	-	-	-	-	ND	-	-	-	-	-
	S-8	03/17/98	B&V	Unknown	20-21.5	23.3	S	-	-	-	-	-	-	-	ND	-	-	-	-	-
	S-21	03/17/98	B&V	Unknown	57.5-59	1.2	S	-	-	-	-	-	-	-	ND	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
T1	T1-2.5-071718	07/17/18	PES	Fremont	2.5	-	V	0.265 U	0.0265 U	-	0.0265 U	0.0531 U	-	-	0.0212 U	0.0212 U	-	0.0531 U	0.0531 U	-
T-2	T-2-071618	07/16/18	PES	Fremont	2	-	V	0.143 U	0.0143 U	-	0.0143 U	0.0287 U	-	-	0.0115 U	0.0115 U	-	0.0287 U	0.0287 U	-
T-2B	T-2B-071618	07/16/18	PES	Fremont	2	-	V	0.297 U	0.0297 U	-	0.0297 U	0.0593 U	-	-	0.0237 U	0.0237 U	-	0.0593 U	0.0593 U	-
T2	T2-6-071718	07/17/18	PES	Fremont	6	-	V	0.307 U	0.0307 U	-	0.0307 U	0.0614 U	-	-	0.0245 U	0.0245 U	-	0.0614 U	0.0614 U	-
T3	T3-3-071718	07/17/18	PES	Fremont	3	-	V	0.287 U	0.0287 U	-	0.0287 U	0.0573 U	-	-	0.0229 U	0.0229 U	-	0.0573 U	0.0573 U	-
T4	T4-6-071718	07/17/18	PES	Fremont	6	-	V	0.258 U	0.0258 U	-	0.0258 U	0.0516 U	-	-	0.0206 U	0.0206 U	-	0.0516 U	0.0516 U	-
T-5	T-5-071618	07/16/18	PES	Fremont	5	-	V	0.255 U	0.0255 U	-	0.0255 U	0.0509 U	-	-	0.0696	0.0204 U	-	0.0509 U	0.0509 U	-
T6	T6-4-071818	07/18/18	PES	Fremont	4	-	V	0.237 U	0.0237 U	-	0.0237 U	0.0474 U	-	-	0.0189 U	0.0189 U	-	0.0474 U	0.0474 U	-
T7	T7-7-071818	07/18/18	PES	Fremont	7	-	V	0.342 U	0.0342 U	-	0.0342 U	0.0684 U	-	-	0.0717	0.0274 U	-	0.0684 U	0.0684 U	-
T8	T8-3-072018	07/20/18	PES	Fremont	3	-	V	0.268 U	0.0268 U	-	0.0268 U	0.0536 U	-	-	0.0214 U	0.0214 U	-	0.0536 U	0.0536 U	-
T8	T8-6-072018	07/20/18	PES	Fremont	6	-	V	0.377 U	0.0377 U	-	0.0377 U	0.0753 U	-	-	0.0301 U	0.0301 U	-	0.0753 U	0.0753 U	-
T9	T9-3-072018	07/20/18	PES	Fremont	3	-	V	0.437 U	0.0437 U	-	0.0437 U	0.0875 U	-	-	0.0931	0.0350 U	-	0.0875 U	0.0875 U	-
T9	T9-3.5-072018	07/20/18	PES	Fremont	3.5	-	V	0.291 U	0.0291 U	-	0.0291 U	0.0583 U	-	-	0.183	0.0233 U	-	0.0583 U	0.0583 U	-
T9	T9-6-072018	07/20/18	PES	Fremont	6	-	V	0.303 U	0.0303 U	-	0.0303 U	0.0605 U	-	-	0.173	0.0242 U	-	0.0605 U	0.0605 U	-
T10	T10-3-072018	07/20/18	PES	Fremont	3	-	V	0.513 U	0.0513 U	-	0.0513 U	0.103 U	-	-	0.300	0.0411 U	-	0.103 U	0.103 U	-
T10	T10-6-072018	07/20/18	PES	Fremont	6	-	V	0.278 U	0.0278 U	-	0.0278 U	0.0556 U	-	-	0.0222 U	0.0222 U	-	0.0556 U	0.0556 U	-
T11	T11-3.5-073118	07/31/18	PES	Fremont	3.5	-	V	-	0.0358 U	-	0.0358 U	0.0716 U	-	-	0.0286 U	0.0286 U	-	0.0716 U	0.0716 U	-
T12	T12-3-091818	09/18/18	PES	Fremont	3	-	V	-	0.0307 U	-	0.0307 U	0.0614 U	-	-	0.0245 U	0.0245 U	-	0.0614 U	0.0614 U	-
T12	T12-7-091818	09/18/18	PES	Fremont	7	-	V	-	0.0303 U	-	0.0303 U	0.0607 U	-	-	0.0243 U	0.0243 U	-	0.0607 U	0.0607 U	-
T12	T12-7.5-073118	07/31/18	PES	Fremont	7.5	-	V	-	0.0259 U	-	0.0259 U	0.0519 U	-	-	0.0207 U	0.0207 U	-	0.0519 U	0.0519 U	-
T13	T13-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	-	0.0283 U	-	0.0283 U	0.0567 U	-	-	0.0227 U	0.0227 U	-	0.0567 U	0.0567 U	-
T13	T13-6.5-091818	09/18/18	PES	Fremont	6.5	-	V	-	0.0250 U	-	0.0250 U	0.0500 U	-	-	0.0200 U	0.0200 U	-	0.0500 U	0.0500 U	-
T14	T14-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	-	0.0300 U	-	0.0300 U	0.0599 U	-	-	0.0240 U	0.0240 U	-	0.0599 U	0.0599 U	-
T14	T14-7-091818	09/18/18	PES	Fremont	7	-	V	-	0.0318 U	-	0.0318 U	0.0635 U	-	-	0.0254 U	0.0254 U	-	0.0635 U	0.0635 U	-
TP-15	TP-15-3-092818	09/28/18	PES	Fremont	3	-	V	-	0.0304 U	-	0.0304 U	0.0609 U	-	-	0.0244 U	0.0244 U	-	0.0609 U	0.0609 U	-
TP-15	TP-15-6.5-092818	09/28/18	PES	Fremont	6.5	-	V	-	0.0313 U	-	0.0313 U	0.0625 U	-	-	0.0250 U	0.0250 U	-	0.0625 U	0.0625 U	-
TP-16	TP-16-3-092818	09/28/18	PES	Fremont	3	-	V	-	0.0426 U	-	0.0426 U	0.0852 U	-	-	0.0341 U	0.0341 U	-	0.0852 U	0.0852 U	-
TP-16	TP-16-6-092818	09/28/18	PES	Fremont	6	-	V	-	0.0446 U	-	0.0446 U	0.0892 U	-	-	0.0357 U	0.0357 U	-	0.0892 U	0.0892 U	-
TP-16	TP-16-9-092818	09/28/18	PES	Fremont	9	-	V	-	0.0263 U	-	0.0263 U	0.0525 U	-	-	0.0210 U	0.0210 U	-	0.0525 U	0.0525 U	-
TP-SD-01	TP-SD-01-2	06/03/19	PES	Fremont	2	-	V	-	0.0214 U	-	0.0214 U	0.0429 U	-	-	0.0172 U	0.0172 U	-	0.0429 U	0.0429 U	-
TP-SD-01	TP-SD-01-5	06/03/19	PES	Fremont	5	-	V	-	0.0267 U	-	0.0267 U	0.0534 U	-	-	0.0213 U	0.0213 U	-	0.0534 U	0.0534 U	-
TP-SD-04	TP-SD-04-2	06/03/19	PES	Fremont	2	-	V	-	0.0252 U	-	0.0252 U	0.0504 U	-	-	0.0202 U	0.0202 U	-	0.0504 U	0.0504 U	-
TP-SD-04	TP-SD-04-5	06/03/19	PES	Fremont	5	-	V	-	0.0272 U	-	0.0272 U	0.0544 U	-	-	0.0642	0.0218 U	-	0.0544 U	0.0544 U	-
TP-SD-05	TP-SD-05-2	06/03/19	PES	Fremont	2	-	V	-	0.0258 U	-	0.0258 U	0.0517 U	-	-	0.0372	0.0207 U	-	0.0517 U	0.0517 U	-
TP-SD-05	TP-SD-05-5	06/03/19	PES	Fremont	5	-	V	-	0.0292 U	-	0.0292 U	0.0585 U	-	-	0.605	0.0234 U	-	0.0585 U	0.0585 U	-
TP-SD-06	TP-SD-06-2	06/03/19	PES	Fremont	2	-	V	-	0.0344 U	-	0.0344 U	0.0688 U	-	-	0.0275 U	0.0275 U	-	0.0688 U	0.0688 U	-
TP-SD-06	TP-SD-06-5	06/03/19	PES	Fremont	5	-	V	-	0.0272 U	-	0.0272 U	0.0544 U	-	-	0.0226	0.0218 U	-	0.0544 U	0.0544 U	-
TP-SD-07	TP-SD-07-2	06/03/19	PES	Fremont	2	-	V	-	0.0217 U	-	0.0217 U	0.0435 U	-	-	0.0174 U	0.0174 U	-	0.0435 U	0.0435 U	-
TP-SD-07	B-942-2	06/03/19	PES	Fremont	2 (dup)	-	V	-	0.0233 U	-	0.0233 U	0.0466 U	-	-	0.0186 U	0.0186 U	-	0.0466 U	0.0466 U	-
TP-SD-07	TP-SD-07-5	06/03/19	PES	Fremont	5	-	V	-	0.0212 U	-	0.0212 U	0.0424 U	-	-	0.0169 U	0.0169 U	-	0.0424 U	0.0424 U	-
TP-SD-08	TP-SD-08-2	06/03/19	PES	Fremont	2	-	V	-	0.0242 U	-	0.0242 U	0.0483 U	-	-	0.0193 U	0.0193 U	-	0.0483 U	0.0483 U	-
TP-SD-08	TP-SD-08-5	06/03/19	PES	Fremont	5	-	V	-	0.0207 U	-	0.0207 U	0.0415 U	-	-	0.0166 U	0.0166 U	-	0.0415 U	0.0415 U	-
TP-SD-08	TP-SD-08-8	06/03/19	PES	Fremont	8	-	S	-	0.0249 U	-	0.0249 U	0.0498 U	-	-	0.0199 U	0.0199 U	-	0.0498 U	0.0498 U	-
W-MW-01 (P-03) (-25.1 to -35.1)	SB-W-03-0160	01/27/12	WW	ARI	16-16.5	28.4	S	-	-	-	-	-	-	-	0.0010 U	-	-	-	-	-
	SB-W-03-0225	01/27/12	WW	ARI	22.5-23	21.9	S	-	-	-	-	-	-	-	0.0009 U	-	-	-	-	-
	SB-W-03-0315	01/27/12	WW	ARI	31.5-32	12.9	S	-	-	-	-	-	-	-	0.21 U	-	-	-	-	-
	SB-W-03-0450	01/27/12	WW	ARI	45-45.5	-0.6	S	-	-	-	-	-	-	-	0.0007 U	-	-	-	-	-
	SB-W-03-0550	01/27/12	WW	ARI	55.5-56	-11.1	S	-	-	-	-	-	-	-	0.045 U	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27	
W-MW-01 (P-03) (continued)	SB-W-03-0645	01/27/12	WW	ARI	64.5-65	-20.1	S	-	-	-	-	-	-	-	0.0008 U	-	-	-	-	-	
	SB-W-03-0730	01/27/12	WW	ARI	73-73.5	-28.6	S	-	-	-	-	-	-	-	0.0007 U	-	-	-	-	-	
W-MW-02 (P-06) (-26.5 to -36.5)	SB-W-06-0900	01/29/12	WW	ARI	9-9.5	34.0	S	-	-	-	-	-	-	-	0.0009 J	-	-	-	-	-	
	SB-W-06-0185	01/29/12	WW	ARI	18.5-19	24.5	S	-	-	-	-	-	-	-	0.0008 J	-	-	-	-	-	
	SB-W-06-0305	01/30/12	WW	ARI	30.5-31	12.6	S	-	-	-	-	-	-	-	0.27 U	-	-	-	-	-	
	SB-W-06-0380	01/30/12	WW	ARI	38-38.5	5.0	S	-	-	-	-	-	-	-	0.046 U	-	-	-	-	-	
	SB-W-06-0405	01/30/12	WW	ARI	40.5-41	2.5	S	-	-	-	-	-	-	-	0.036 U	-	-	-	-	-	
	SB-W-06-0485	01/30/12	WW	ARI	48.5-49	-5.5	S	-	-	-	-	-	-	-	0.0008 U	-	-	-	-	-	
	SB-W-06-9485	01/30/12	WW	ARI	48.5-49 (dup)	-5.5	S	-	-	-	-	-	-	-	0.0009 U	-	-	-	-	-	
	SB-W-06-0590	01/30/12	WW	ARI	59-59.5	-16.0	S	-	-	-	-	-	-	-	0.043 U	-	-	-	-	-	
	SB-W-06-0715	01/30/12	WW	ARI	71.5-72	-28.5	S	-	-	-	-	-	-	-	0.0008 U	-	-	-	-	-	
	SB-W-06-0790	01/31/12	WW	ARI	79-79.5	-36.0	S	-	-	-	-	-	-	-	0.0009 U	-	-	-	-	-	
All Data								Number of Analytes Measured	614	644	585	644	644	598	598	778	644	585	644	644	585
								Number of Analytes Detected	125	0	1	0	39	212	3	73	0	0	0	0	85
								Frequency of Detection	20.4%	0.0%	0.2%	0.0%	6.1%	35.5%	0.5%	9.4%	0.0%	0.0%	0.0%	0.0%	14.5%
								Maximum Detection	0.254 J	-	0.0122 U	0.00474 J	2.51	3.86 J	0.0289	10	-	-	-	-	0.0239
								Minimum Detection	0.00495 U	0.000313 U	0.00142 U	0.000249 U	0.000213 U	0.0106 U	0.00186 U	0.000285 U	0.000295 U	0.000405 U	0.000441 U	0.00139 U	0.000234 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	-	0	0	18	0	-	0	0	0
								Number of Saturated (S) Detections above SL	0	0	0	-	-	2	0	65	0	-	0	0	0
2017-2021								Number of Analytes Measured	614	644	585	644	644	598	598	644	644	585	644	585	
								Number of Analytes Detected	125	0	1	0	39	212	3	170	0	0	0	85	
								Frequency of Detection	20.4%	0.0%	0.2%	0.0%	6.1%	35.5%	0.5%	26.4%	0.0%	0.0%	0.0%	0.0%	14.5%
								Maximum Detection	0.254 J	-	0.0122 U	0.00474 J	2.51	3.86 J	0.0289	3.5	-	-	-	-	0.0239
								Minimum Detection	0.00495 U	0.000313 U	0.00142 U	0.000249 U	0.000213 U	0.0106 U	0.00186 U	0.000285 U	0.000295 U	0.000405 U	0.000441 U	0.00139 U	0.000234 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	-	0	0	17	0	-	0	0	0
								Number of Saturated (S) Detections above SL	0	0	0	-	-	2	0	42	0	-	0	0	0
Abbreviations:								Notes:													
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.													
ARI = Analytical Resource, Incorporated, Seattle, Washington								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.													
B&V = Black Veatch								Well screen elevations provided below Sample Location. in parentheses when applicable.													
bgs = below ground surface								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.													
Comp = Composite Sample								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.													
dup = duplicate								Detected results shown in bold.													
EPJ = E.PJohnson Construction Inc., and Environmental								Detections above the screening level in the vadose zone are shown in bold and highlighted blue.													
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the saturated zone are shown in bold and highlighted gray.													
F&BI = Friedman & Bruya, Inc.								- = Not available or results not analyzed.													
HC = Hart Crowser, Inc.								B = Analyte detected in an associated method blank.													
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.													
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.													
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.													
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.													
Roux = Roux Associates								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample													
Urban = Urban Redevelopment LLC								T = Analyte also detected in trip blank.													
WW = WW Environmental LLC								U = Not detected at a concentration exceeding laboratory reporting limit													
								ve = Estimated value. The reported range exceeds the calibration range of the analysis.													
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.													

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-1A	B-1/S-2	12/01/89	HC	ARI	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2A	B-2/S-1	12/01/89	HC	ARI	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-212	B-212-15	09/08/17	PES	ESC	15	42.6	V	0.000378 U	0.000244 U	0.000430 U	0.00109 U	0.000264 U	0.000432 U	0.000271 U	0.000302 U	0.000440 U	0.000293 U	0.000821 U	0.000342 U
	B-212-21	09/08/17	PES	ESC	21	36.6	S	0.000341 U	0.000220 U	0.000388 U	0.000983 U	0.000238 U	0.000390 U	0.000244 U	0.000272 U	0.000397 U	0.000264 U	0.000741 U	0.00103 J
	B-212-35	09/08/17	PES	ESC	35	22.6	S	0.000358 U	0.000231 U	0.000407 U	0.00103 U	0.000250 U	0.000409 U	0.000256 U	0.000286 U	0.000417 U	0.000277 U	0.000778 U	0.000324 U
	B-212-45	09/08/17	PES	ESC	45	12.6	S	0.000343 U	0.000222 U	0.000390 U	0.000990 U	0.000240 U	0.000392 U	0.000246 U	0.000274 U	0.000400 U	0.000266 U	0.000746 U	0.000311 U
	B-907-25	09/08/17	PES	ESC	45 (dup)	12.6	S	0.00980 U	0.00634 U	0.0111 U	0.0282 U	0.00684 U	0.0112 U	0.00703 U	0.00783 U	0.0114 U	0.00759 U	0.0213 U	0.00887 U
	B-212-55	09/08/17	PES	ESC		2.6	S	0.000370 U	0.000239 U	0.000421 U	0.00107 U	0.000258 U	0.000423 U	0.000265 U	0.000296 U	0.000431 U	0.000287 U	0.000804 U	0.000335 U
	B-212-65	09/08/17	PES	ESC	65	-7.4	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000435 U	0.000273 U	0.000304 U	0.000443 U	0.000295 U	0.000828 U	0.000345 U
	B-212-75	09/08/17	PES	ESC	75	-17.4	S	0.000381 U	0.000247 U	0.000434 U	0.00110 U	0.000266 U	0.000436 U	0.000273 U	0.000305 U	0.000444 U	0.000295 U	0.000829 U	0.000345 U
	B-212-85	09/11/17	PES	ESC	85	-27.4	S	0.000372 U	0.000241 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.000267 U	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
	B-212-95	09/11/17	PES	ESC	95	-37.4	S	0.000428 U	0.000278 U	0.000488 U	0.00124 U	0.000299 U	0.000491 U	0.000308 U	0.000342 U	0.000499 U	0.000333 U	0.000933 U	0.000389 U
	B-212-100	09/11/17	PES	ESC	100	-42.4	S	0.000396 U	0.000256 U	0.000450 U	0.00114 U	0.000276 U	0.000453 U	0.000284 U	0.000316 U	0.000461 U	0.000307 U	0.000860 U	0.000358 U
B-213	B-213-15	09/05/17	PES	ESC	15	42.4	V	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000265 U	0.000435 U	0.000272 U	0.000304 U	0.000443 U	0.000294 U	0.000826 U	0.000344 U
	B-213-21.5	09/05/17	PES	ESC	22	35.9	S	0.000342 U	0.000221 U	0.000389 U	0.000986 U	0.000239 U	0.000391 U	0.000245 U	0.000273 U	0.000398 U	0.000265 U	0.000743 U	0.000991 J
	B-213-35	09/05/17	PES	ESC	35	22.4	S	0.000355 U	0.000230 U	0.000404 U	0.00102 U	0.000248 U	0.000406 U	0.000254 U	0.000284 U	0.000414 U	0.000275 U	0.000772 U	0.000322 U
	B-213-45	09/05/17	PES	ESC	45	12.4	S	0.000364 U	0.000235 U	0.000413 U	0.00105 U	0.000254 U	0.000416 U	0.000260 U	0.000290 U	0.000423 U	0.000282 U	0.000790 U	0.000329 U
	B-213-55	09/05/17	PES	ESC	55	2.4	S	0.000357 U	0.000231 U	0.000406 U	0.00103 U	0.000249 U	0.000408 U	0.000256 U	0.000285 U	0.000416 U	0.000276 U	0.000776 U	0.000323 U
	B-213-65	09/05/17	PES	ESC	65	-7.6	S	0.000361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000413 U	0.000259 U	0.000288 U	0.000420 U	0.000279 U	0.000785 U	0.000327 U
	B-213-75	09/05/17	PES	ESC	75	-17.6	S	0.000358 U	0.000232 U	0.000408 U	0.00103 U	0.000250 U	0.000410 U	0.000257 U	0.000286 U	0.000417 U	0.000278 U	0.000779 U	0.000325 U
	B-213-85	09/05/17	PES	ESC	85	-27.6	S	0.000400 U	0.000258 U	0.000455 U	0.00115 U	0.000279 U	0.000457 U	0.000286 U	0.000319 U	0.000466 U	0.000310 U	0.000869 U	0.000362 U
	B-213-95	09/06/17	PES	ESC	95	-37.6	S	0.000405 U	0.000262 U	0.000461 U	0.00117 U	0.000283 U	0.000463 U	0.000290 U	0.000324 U	0.000472 U	0.000314 U	0.000881 U	0.000367 U
	B-213-105	09/06/17	PES	ESC	105	-47.6	S	0.000377 U	0.000244 U	0.000429 U	0.00109 U	0.000263 U	0.000431 U	0.000270 U	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
	B-906-110	09/06/17	PES	ESC	105 (dup)	-47.6	S	0.000377 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000431 U	0.000270 U	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
	B-213-115	09/06/17	PES	ESC		-57.6	S	0.000402 U	0.000260 U	0.000457 U	0.00116 U	0.000281 U	0.000460 U	0.000288 U	0.000321 U	0.000468 U	0.000311 U	0.000874 U	0.000364 U
	B-213-125	09/06/17	PES	ESC	125	-67.6	S	0.000485 U	0.000314 U	0.000552 U	0.00140 U	0.000339 U	0.000555 U	0.000348 U	0.000388 U	0.000566 U	0.000376 U	0.00106 U	0.000440 U
B-214	B-214-15	09/07/17	PES	ESC	15	42.4	V	0.000352 U	0.000227 U	0.000400 U	0.00101 U	0.000246 U	0.000402 U	0.000252 U	0.000281 U	0.000410 U	0.000272 U	0.000765 U	0.000318 U
	B-214-25	09/07/17	PES	ESC	25	32.4	S	0.000347 U	0.000224 U	0.000394 U	0.00100 U	0.000242 U	0.000396 U	0.000248 U	0.000277 U	0.000404 U	0.000268 U	0.000754 U	0.000314 U
	B-214-35	09/07/17	PES	ESC	35	22.4	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000407 U	0.000255 U	0.000284 U	0.000415 U	0.000276 U	0.000774 U	0.000322 U
	B-214-45	09/07/17	PES	ESC	45	12.4	S	0.000349 U	0.000226 U	0.000397 U	0.00101 U	0.000244 U	0.000399 U	0.000250 U	0.000279 U	0.000407 U	0.000270 U	0.000759 U	0.000316 U
	B-214-55	09/07/17	PES	ESC	55	2.4	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	0.000261 U	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	B-214-65	09/07/17	PES	ESC	65	-7.6	S	0.000422 U	0.000273 U	0.000480 U	0.00122 U	0.000295 U	0.000483 U	0.000302 U	0.000337 U	0.000492 U	0.000327 U	0.000918 U	0.000382 U
	B-214-75	09/07/17	PES	ESC	75	-17.6	S	0.000364 U	0.000236 U	0.000414 U	0.00105 U	0.000254 U	0.000417 U	0.000261 U	0.000291 U	0.000424 U	0.000282 U	0.000792 U	0.000330 U
	B-214-85	09/07/17	PES	ESC	85	-27.6	S	0.000394 U	0.000255 U	0.000448 U	0.00114 U	0.000275 U	0.000451 U	0.000282 U	0.000315 U	0.000459 U	0.000305 U	0.000857 U	0.000357 U
	B-908-100	09/07/17	PES	ESC	85 (dup)	-27.6	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000419 U	0.000263 U	0.000293 U	0.000427 U	0.000284 U	0.000797 U	0.000332 U
	B-214-95	09/07/17	PES	ESC		-37.6	S	0.000360 U	0.000233 U	0.000409 U	0.00104 U	0.000251 U	0.000412 U	0.000258 U	0.000288 U	0.000419 U	0.000279 U	0.000783 U	0.000326 U
	B-214-105	09/07/17	PES	ESC	105	-47.6	S	0.000415 U	0.000268 U	0.000472 U	0.00120 U	0.000290 U	0.000475 U	0.000297 U	0.000332 U	0.000483 U	0.000321 U	0.000902 U	0.000376 U
	B-214-115	09/11/17	PES	ESC	115	-57.6	S	0.000400 U	0.000259 U	0.000455 U	0.00115 U	0.000279 U	0.000457 U	0.000287 U	0.000320 U	0.000466 U	0.000310 U	0.000870 U	0.000362 U
	B-214-120	09/11/17	PES	ESC	120	-62.6	S	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000443 U	0.000278 U	0.000309 U	0.000451 U	0.000300 U	0.000842 U	0.000351 U
B-215	B-215-15	09/12/17	PES	ESC	15	39.0	V	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	0.000255 U	0.000284 U	0.000414 U	0.000275 U	0.000773 U	0.000322 U
	B-215-25	09/12/17	PES	ESC	25	29.0	S	0.000351 U	0.000227 U	0.000399 U	0.00101 U	0.000245 U	0.000401 U	0.000252 U	0.000280 U	0.000409 U	0.000272 U	0.000763 U	0.000318 U
	B-215-35	09/12/17	PES	ESC	35	19.0	S	0.000387 U	0.000250 U	0.000440 U	0.00112 U	0.000270 U	0.000442 U	0.000287 U	0.000309 U	0.000450 U	0.000299 U	0.000841 U	0.000350 U
	B-215-45	09/12/17	PES	ESC	45	9.0	S	0.000349 U	0.000226 U	0.000397 U	0.00101 U	0.000244 U	0.000399 U	0.000250 U	0.000279 U	0.000406 U	0.000270 U	0.000759 U	0.000316 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-215 (continued)	B-215-55	09/12/17	PES	ESC	55	-1.1	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000254 U	0.000415 U	0.000260 U	0.000290 U	0.000423 U	0.000281 U	0.000790 U	0.000329 U
	B-215-65	09/12/17	PES	ESC	65	-11.1	S	0.00938 U	0.00606 U	0.0107 U	0.0270 U	0.00654 U	0.0107 U	1.55	0.00749 U	0.0109 U	0.00726 U	0.0204 U	0.00849 U
	B-215-75	09/12/17	PES	ESC	75	-21.1	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000253 U	0.000414 U	0.000259 U	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000328 U
	B-215-85	09/13/17	PES	ESC	85	-31.1	S	0.000395 U	0.000256 U	0.000450 U	0.00114 U	0.000276 U	0.000452 U	0.000283 U	0.000316 U	0.000461 U	0.000306 U	0.000860 U	0.000358 U
	B-909-115	09/13/17	PES	ESC	85 (dup)	-31.1	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000420 U	0.000263 U	0.000294 U	0.000428 U	0.000285 U	0.000799 U	0.000333 U
	B-215-95	09/13/17	PES	ESC	95	-41.1	S	0.000393 U	0.000254 U	0.000446 U	0.00113 U	0.000274 U	0.000449 U	0.000281 U	0.000314 U	0.000457 U	0.000304 U	0.000853 U	0.000355 U
B-268	B-268-1	03/17/20	PES	PACE	1	-	V	0.00134 U	0.000711 U	0.000558 U	0.00134 U	0.000515 U	0.00172 U	0.000856 U	0.000841 U	0.00124 U	0.000977 U	0.00101 U	0.000657 U
B-269	B-269-1.5	03/17/20	PES	PACE	1.5	-	V	0.00118 U	0.000626 U	0.000491 U	0.00118 U	0.000453 U	0.00152 U	0.000754 U	0.000740 U	0.00109 U	0.000861 U	0.000893 U	0.00356
B-270	B-270-2	03/17/20	PES	PACE	2	-	V	0.00131 U	0.000693 U	0.000544 U	0.00131 U	0.000502 U	0.00168 U	0.000835 U	0.000820 U	0.00121 U	0.000953 U	0.000989 U	0.00163 J
B-271	B-271-1	03/17/20	PES	PACE	1	-	V	0.00116 U	0.000615 U	0.000483 U	0.00116 U	0.000446 U	0.00149 U	0.000741 U	0.000728 U	0.00107 U	0.000846 U	0.000878 U	0.000569 U
B-272	B-272-1	03/17/20	PES	PACE	1	-	V	0.00127 U	0.000676 U	0.000531 U	0.00127 U	0.000489 U	0.00164 U	0.000814 U	0.000799 U	0.00118 U	0.000929 U	0.000964 U	0.00311
	B-272-6	03/17/20	PES	PACE	6	-	V	0.00134 U	0.000709 U	0.000557 U	0.00134 U	0.000514 U	0.00172 U	0.000854 U	0.000839 U	0.00124 U	0.000975 U	0.00101 U	0.00103 J
B-273	B-273-1	03/17/20	PES	PACE	1	-	V	0.00121 U	0.000643 U	0.000505 U	0.00121 U	0.000466 U	0.00156 U	0.000774 U	0.000761 U	0.00112 U	0.000884 U	0.000918 U	0.000897 J
	B-273-3	03/17/20	PES	PACE	3	-	V	0.00119 U	0.000633 U	0.000497 U	0.00119 U	0.000459 U	0.00154 U	0.000763 U	0.000749 U	0.00111 U	0.000871 U	0.000904 U	0.000627 J
	B-273-6	03/17/20	PES	PACE	6	-	V	0.00240 U	0.00127 U	0.000997 U	0.00240 U	0.000920 U	0.00308 U	0.00271 J	0.00150 U	0.00222 U	0.00175 U	0.00181 U	0.00410 J
B-274	B-274-1	03/17/20	PES	PACE	1	-	V	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000467 U	0.00156 U	0.00215 J	0.000762 U	0.00112 U	0.000886 U	0.000920 U	0.00295
	B-274-3	03/17/20	PES	PACE	3	-	V	0.00117 U	0.000620 U	0.000487 U	0.00117 U	0.000449 U	0.00151 U	0.000747 U	0.000734 U	0.00108 U	0.000853 U	0.000886 U	0.000574 U
	B-274-6	03/17/20	PES	PACE	6	-	V	0.00192 U	0.00102 U	0.000800 U	0.00192 U	0.000738 U	0.00246 U	0.0270	0.00121 U	0.00178 U	0.00140 U	0.00146 U	0.00413 J
B-275	B-275-1	03/17/20	PES	PACE	1	-	V	0.00127 U	0.000673 U	0.000528 U	0.00127 U	0.000487 U	0.00163 U	0.000810 U	0.000796 U	0.00117 U	0.000925 U	0.000960 U	0.000622 U
	B-275-6	03/17/20	PES	PACE	6	-	V	0.00200 U	0.00106 U	0.000834 U	0.00200 U	0.000768 U	0.00258 U	0.0732	0.00125 U	0.00185 U	0.00145 U	0.00151 U	0.0343
	B-275-9	03/17/20	PES	PACE	9	-	S	0.00166 U	0.000882 U	0.000692 U	0.00166 U	0.000638 U	0.00214 U	0.00106 U	0.00104 U	0.00154 U	0.00121 U	0.00126 U	0.00163 J
	B-275-10	03/17/20	PES	PACE	10	-	S	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000456 U	0.00153 U	0.00123 J	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000583 U
B-276	B-276-1	03/17/20	PES	PACE	1	-	V	0.00199 U	0.00106 U	0.000830 U	0.00199 U	0.000766 U	0.00256 U	0.00127 U	0.00125 U	0.00184 U	0.00146 U	0.00150 U	0.000978 U
	B-276-7	03/17/20	PES	PACE	7	-	V	0.00119 U	0.000634 U	0.000498 U	0.00119 U	0.000459 U	0.00154 U	0.00751	0.000750 U	0.00111 U	0.000871 U	0.000905 U	0.000586 U
	B-970-6	03/17/20	PES	PACE	7 (dup)	-	V	0.00120 U	0.000634 U	0.000498 U	0.00120 U	0.000459 U	0.00154 U	0.00838	0.000750 U	0.00111 U	0.000872 U	0.000905 U	0.000587 U
	B-276-11	03/17/20	PES	PACE	11	-	S	0.00126 U	0.000669 U	0.000526 U	0.00126 U	0.000485 U	0.00162 U	0.00834	0.000792 U	0.00117 U	0.000920 U	0.000955 U	0.000619 U
B-277	B-277-1	03/18/20	PES	PACE	1	-	V	0.00136 U	0.000722 U	0.000567 U	0.00136 U	0.000971 J	0.00175 UJ	0.000870 U	0.000855 U	0.00126 U	0.000993 U	0.00103 U	0.000668 U
	B-277-3	03/18/20	PES	PACE	3	-	V	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.00107 J	0.00153 UJ	0.000758 U	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000582 U
	B-277-5	03/18/20	PES	PACE	5	-	V	0.00178 U	0.000946 U	0.000743 U	0.00178 U	0.00107 J	0.00230 UJ	0.00114 U	0.00112 U	0.00165 U	0.00130 U	0.00135 U	0.000875 U
	B-277-9.5	03/18/20	PES	PACE	9.5	-	V	0.00256 U	0.00136 U	0.00107 U	0.00256 U	0.0159	0.00330 UJ	0.192	0.00161 U	0.00238 U	0.00187 U	0.00194 U	0.00517 J
	B-277-11	03/18/20	PES	PACE	11	-	S	0.00117 U	0.000618 U	0.000486 U	0.00117 U	0.000690 J	0.00150 UJ	0.00615	0.000732 U	0.00108 U	0.000850 U	0.000883 U	0.000572 U
B-278	B-278-3	03/18/20	PES	PACE	3	-	V	0.00121 U	0.000640 U	0.000502 U	0.00121 U	0.00107 J	0.00155 UJ	0.000770 U	0.000757 U	0.00112 U	0.000880 U	0.000913 U	0.000592 U
	B-278-6	03/18/20	PES	PACE	6	-	V	0.00120 U	0.000635 U	0.000499 U	0.00120 U	0.000823 J	0.00154 UJ	0.000765 U	0.000752 U	0.00111 U	0.000874 U	0.000907 U	0.000588 U
B-279	B-279-3	03/18/20	PES	PACE	3	-	V	0.00122 U	0.000650 U	0.000510 U	0.00122 U	0.000845 J	0.00158 UJ	0.00101 J	0.000769 U	0.00113 U	0.000894 U	0.000928 U	0.000601 U
	B-279-5	03/18/20	PES	PACE	5	-	V	0.00121 U	0.000641 U	0.000503 U	0.00121 U	0.000819 J	0.00155 UJ	0.000772 U	0.000758 U	0.00112 U	0.000881 U	0.000915 U	0.000593 U
	B-279-10	03/18/20	PES	PACE	10	-	V	0.00117 U	0.000623 U	0.000489 U	0.00117 U	0.000451 U	0.00151 UJ	0.000750 U	0.000737 U	0.00109 U	0.000856 U	0.000889 U	0.000576 U
B-280	B-280-4.5	03/18/20	PES	PACE	4.5	-	V	0.00112 U	0.000593 U	0.000466 U	0.00112 U	0.000430 U	0.00144 UJ	0.000715 U	0.000702 U	0.00104 U	0.000816 U	0.000847 U	0.000549 U
	B-280-6	03/18/20	PES	PACE	6	-	V	0.00118 U	0.000623 U	0.000490 U	0.00118 U	0.000452 U	0.00151 UJ	0.000751 U	0.000738 U	0.00109 U	0.000857 U	0.000890 U	0.000577 U
B-281	B-281-2	03/18/20	PES	PACE	2	-	V	0.00113 U	0.000599 U	0.000470 U	0.00113 U	0.000784 J	0.00145 UJ	0.000721 U	0.000709 U	0.00105 U	0.000824 U	0.000855 U	0.000554 U
	B-281-5	03/18/20	PES	PACE	5	-	V	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000470 U	0.00158 UJ	0.000782 U	0.000768 U	0.00113 U	0.000893 U	0.000927 U	0.000601 U
B-282	B-282-2	03/18/20	PES	PACE	2	-	V	0.00123 U	0.000653 U	0.000513 U	0.00123 U	0.000473 U	0.00158 UJ	0.000787 U	0.000773 U	0.00114 U	0.000898 U	0.000933 U	0.000604 U
	B-282-4	03/18/20	PES	PACE	4	-	V	0.00119 U	0.000633 U	0.000497 U	0.00119 U	0.000458 U	0.00154 UJ	0.000762 U	0.000749 U	0.00110 U	0.000870 U	0.000904 U	0.000585 U
	B-971-5	03/18/20	PES	PACE	4 (dup)	-	V	0.00115 U	0.000610 U	0.000479 U	0.00115 U	0.000442 U	0.00148 U	0.000734 U	0.000722 U	0.00106 U	0.000839 U	0.000871 U	0.000564 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
B-283	B-283-0.5	08/19/20	PES	PACE	0.5	-	V	0.00108 U	0.000253 U	0.000736 U	0.00204 U	0.00124 U	0.00523 U	0.000883 U	0.000910 U	0.000902 U	0.000872 U	0.00194 U	0.000903 J
B-284	B-284-1	08/19/20	PES	PACE	1	-	V	0.00108 U	0.000252 U	0.000734 U	0.00204 U	0.00124 U	0.00522 U	0.000881 U	0.000908 U	0.000900 U	0.000870 U	0.00193 U	0.000900 J
B-285	B-285-1	08/19/20	PES	PACE	1	-	V	0.00118 U	0.000274 U	0.000800 U	0.00222 U	0.00135 U	0.00568 U	0.000959 U	0.000989 U	0.000980 U	0.000947 U	0.00211 U	0.00268 J
B-286	B-286-0.5	08/19/20	PES	PACE	0.5	-	V	0.00240 U	0.000558 U	0.00163 U	0.00453 U	0.00273 U	0.0116 U	0.00195 U	0.00201 U	0.00200 U	0.00192 U	0.00428 U	0.0110
B-287	B-287-1	08/19/20	PES	PACE	1	-	V	0.00234 U	0.000546 U	0.00159 U	0.00442 U	0.00268 U	0.0113 U	0.00191 U	0.00197 U	0.00195 U	0.00188 U	0.00418 U	0.00234 J
B-288	B-288-1	08/19/20	PES	PACE	1	-	V	0.00475 U	0.00111 U	0.00325 U	0.00902 U	0.00546 U	0.0231 U	0.00390 U	0.00401 U	0.00397 U	0.00386 U	0.00854 U	0.0479
B-289	B-289-0.5	08/19/20	PES	PACE	0.5	-	V	0.00392 U	0.000917 U	0.00267 U	0.00743 U	0.00449 U	0.0190 U	0.00320 U	0.00331 U	0.00327 U	0.00316 U	0.00703 U	0.00322 U
B-290	B-290-1	08/20/20	PES	PACE	1	-	V	0.00142 U	0.000331 U	0.000966 U	0.00268 U	0.00162 U	0.00687 U	0.00116 U	0.00119 U	0.00118 U	0.00115 U	0.00254 U	0.00860
B-291	B-291-1	08/20/20	PES	PACE	1	-	V	0.00121 U	0.000284 U	0.000830 U	0.00230 U	0.00140 U	0.00590 U	0.000995 U	0.00103 U	0.00102 U	0.000983 U	0.00218 U	0.00268 J
B-292	B-292-3	08/22/20	PES	PACE	3	-	V	0.00113 U	0.000264 U	0.000770 U	0.00214 U	0.00130 U	0.00547 U	0.000924 U	0.000953 U	0.000944 U	0.000912 U	0.00203 U	0.000927 U
	B-292-6	08/22/20	PES	PACE	6	-	V	0.00117 U	0.000273 U	0.000796 U	0.00221 U	0.00134 U	0.00566 U	0.000954 U	0.000984 U	0.000975 U	0.000943 U	0.00209 U	0.000958 U
	B-292-9	08/22/20	PES	PACE	9	-	V	0.00106 U	0.000248 U	0.000723 U	0.00201 U	0.00122 U	0.00514 U	0.000867 U	0.000895 U	0.000886 U	0.000857 U	0.00190 U	0.000871 U
	B-292-12	08/22/20	PES	PACE	12	-	V	0.00118 U	0.000276 U	0.000803 U	0.00223 U	0.00135 U	0.00571 U	0.000963 U	0.000994 U	0.000984 U	0.000952 U	0.00211 U	0.000967 U
B-293	B-293-1	08/26/20	PES	PACE	1	-	V	0.000995 UJ	0.000233 U	0.000678 U	0.00188 UJ	0.00114 UJ	0.00482 UJ	0.000814 U	0.000839 U	0.000831 U	0.000804 U	0.00178 U	0.000817 U
B-294	B-294-1	08/26/20	PES	PACE	1	-	V	0.00126 UJ	0.000295 U	0.000859 U	0.00239 UJ	0.00145 UJ	0.00611 UJ	0.00103 U	0.00106 U	0.00105 U	0.00102 U	0.00226 U	0.00438
	B-294-2	08/26/20	PES	PACE	2	-	V	0.00261 UJ	0.000611 U	0.00178 U	0.00495 UJ	0.00299 UJ	0.0126 UJ	0.00213 U	0.00220 U	0.00218 U	0.00211 U	0.00468 U	0.0277
	B-294-6	08/26/20	PES	PACE	6	-	V	0.00256 UJ	0.000600 U	0.00175 U	0.00486 UJ	0.00294 UJ	0.0124 UJ	0.00209 U	0.00215 U	0.00215 U	0.00207 U	0.00459 U	0.00250 J
	B-294-10	08/26/20	PES	PACE	10	-	S	0.00121 UJ	0.000283 U	0.000824 U	0.00229 UJ	0.00139 UJ	0.00585 UJ	0.000988 U	0.00102 U	0.00101 U	0.000976 U	0.00217 U	0.000992 U
B-295	B-295-1	08/26/20	PES	PACE	1	-	V	0.00108 UJ	0.000253 U	0.000737 U	0.00205 UJ	0.00124 UJ	0.00524 UJ	0.000883 U	0.000911 U	0.000903 U	0.000873 U	0.00194 U	0.000887 U
	B-295-3	08/26/20	PES	PACE	3	-	V	0.00160 UJ	0.000375 U	0.00109 U	0.00303 UJ	0.00184 UJ	0.00776 UJ	0.00131 U	0.00135 U	0.00134 U	0.00129 U	0.00287 U	0.00131 U
	B-295-7	08/26/20	PES	PACE	7	-	V	0.00135 UJ	0.000315 U	0.000917 U	0.00255 UJ	0.00154 UJ	0.00652 UJ	0.00110 U	0.00113 U	0.00112 U	0.00109 U	0.00241 U	0.00110 U
	B-295-10	08/26/20	PES	PACE	10	-	S	0.00126 UJ	0.000295 U	0.000860 U	0.00239 UJ	0.00145 UJ	0.00611 UJ	0.00423	0.00106 U	0.00105 U	0.00102 U	0.00226 U	0.00104 U
B-296	B-296-1	08/26/20	PES	PACE	1	-	V	0.00102 UJ	0.000239 U	0.000695 U	0.00193 UJ	0.00117 UJ	0.00494 UJ	0.000834 U	0.000860 U	0.000852 U	0.000824 U	0.00183 U	0.000837 U
B-297	B-297-1	08/26/20	PES	PACE	1	-	V	0.00111 UJ	0.000259 U	0.000754 U	0.00209 UJ	0.00127 UJ	0.00536 UJ	0.000904 U	0.000933 U	0.000924 U	0.000893 U	0.00198 U	0.000908 U
	B-297-3	08/26/20	PES	PACE	3	-	V	0.00103 UJ	0.000241 U	0.000703 U	0.00195 UJ	0.00118 UJ	0.00500 UJ	0.000843 U	0.000870 U	0.000862 U	0.000833 U	0.00185 U	0.000847 U
	B-500-1	08/26/20	PES	PACE	3 (dup)	-	V	0.00105 U	0.000246 U	0.000717 U	0.00199 U	0.00121 U	0.00510 U	0.000860 U	0.000887 U	0.000879 U	0.000850 U	0.00189 U	0.000864 U
	B-297-5	08/26/20	PES	PACE	5	-	V	0.00103 U	0.000240 U	0.000699 U	0.00194 U	0.00118 U	0.00497 U	0.000839 U	0.000865 U	0.000857 U	0.000828 U	0.00184 U	0.000842 U
B-298	B-298-5	08/26/20	PES	PACE	5	-	V	0.000948 U	0.000222 U	0.000646 U	0.00180 U	0.00109 U	0.00459 U	0.000774 U	0.000799 U	0.000791 U	0.000765 U	0.00170 U	0.000777 U
	B-298-6	08/26/20	PES	PACE	6	-	V	0.00114 U	0.000267 U	0.000776 U	0.00216 U	0.00131 U	0.00552 U	0.000931 U	0.000960 U	0.000952 U	0.000921 U	0.00204 U	0.00898
B-299	B-299-2	02/01/21	PES	PACE	2	-	V	0.00119 U	0.000277 U	0.000808 U	0.00224 U	0.00136 U	0.00574 U	0.000969 U	0.000999 U	0.000990 U	0.000957 U	0.00213 U	0.000973 U
	B-299-5.5	02/01/21	PES	PACE	5.5	-	V	0.00107 U	0.000250 U	0.000729 U	0.00203 U	0.00123 U	0.00518 U	0.000875 U	0.000902 U	0.000894 U	0.000864 U	0.00192 U	0.000878 U
	B-1003-10	02/01/21	PES	PACE	5.5 (dup)	-	V	0.00111 U	0.000260 U	0.000759 U	0.00211 U	0.00128 U	0.00539 U	0.000910 U	0.000938 U	0.000930 U	0.000899 U	0.00200 U	0.000913 U
B-300	B-300-2.5	02/01/21	PES	PACE	2.5	-	V	0.00119 U	0.000278 U	0.000809 U	0.00225 U	0.00136 U	0.00575 U	0.000970 U	0.00100 U	0.000991 U	0.000958 U	0.00213 U	0.000974 U
	B-300-5.5	02/01/21	PES	PACE	5.5	-	V	0.00116 U	0.000271 U	0.000789 U	0.00219 U	0.00133 U	0.00561 U	0.000947 U	0.000976 U	0.000967 U	0.000935 U	0.00208 U	0.000951 U
B-301	B-301-2	02/01/21	PES	PACE	2	-	V	0.00115 U	0.000269 U	0.000785 U	0.00218 U	0.00132 U	0.00558 U	0.000941 U	0.000971 U	0.000962 U	0.000930 U	0.00207 U	0.000945 U
	B-301-5	02/01/21	PES	PACE	5	-	V	0.00121 U	0.000284 U	0.000827 U	0.00230 U	0.00139 U	0.00588 U	0.000992 U	0.00102 U	0.00101 U	0.000980 U	0.00218 U	0.000996 U
B-302	B-302-2	02/01/21	PES	PACE	2	-	V	0.00112 U	0.000263 U	0.000766 U	0.00213 U	0.00129 U	0.00544 U	0.000919 U	0.000947 U	0.000939 U	0.000907 U	0.00202 U	0.000922 U
	B-302-4	02/01/21	PES	PACE	4	-	V	0.00128 U	0.000300 U	0.000873 U	0.00243 U	0.00147 U	0.00621 U	0.00105 U	0.00108 U	0.00107 U	0.00103 U	0.00230 U	0.00105 U
BB-5	S-6	03/09/97	B&V	Unknown	15-17	34.0	V	-	-	-	-	-	-	-	-	-	-	-	ND
	S-10	03/09/97	B&V	Unknown	25-27	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-
BB-7	S-4	04/06/97	B&V	Unknown	10-12	17.0	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
BB-8 (13.6 to 3.6)	S-8	06/06/97	B&V	Unknown	20-22	23.6	S	-	-	-	-	-	-	ND	-	-	-	-	ND
BB-10	S-6	08/29/97	B&V	Unknown	15-17	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-
BB-12	S-3	03/18/98	B&V	Unknown	15-16.5	18.8	S	-	-	-	-	-	-	ND	-	-	-	-	ND
	S-14	03/18/98	B&V	Unknown	45-46.5	-11.2	S	-	-	-	-	-	-	ND	-	-	-	-	ND
BB-13	S-10	03/19/98	B&V	Unknown	25-27.5	1.9	S	-	-	-	-	-	-	ND	-	-	-	-	ND
	S-16	03/19/98	B&V	Unknown	40-41.5	-13.1	S	-	-	-	-	-	-	ND	-	-	-	-	ND
BB-14	S-2	03/03/98	B&V	Unknown	5-6.5	21.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	S-5	03/03/98	B&V	Unknown	12.5-14	14.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	S-9	03/03/98	B&V	Unknown	22.5-24	4.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	S-12	03/03/98	B&V	Unknown	30-31.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-
CHB-07	CHB-07-12.5-13.5	04/14/05	CH2M	ARI	12.5-13.5	16.5	S	-	-	-	-	-	-	1.1	-	-	-	-	0.0011 U
	CHB-07-5.0-7.0	04/14/08	CH2M	ARI	5-7	23.5	S	-	-	-	-	-	-	-	-	-	-	-	-
CHB-08	CHB-08-15.0-16.0	04/15/08	CH2M	ARI	15-16	14.1	S	-	-	-	-	-	-	0.0008 U	-	-	-	-	0.0008 U
CHB-09	CHB-09-20.0-21.5	04/16/08	CH2M	ARI	20-21.5	15.4	S	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-09-25.0-26.5	04/16/08	CH2M	ARI	25-26.5	10.4	S	-	-	-	-	-	-	0.0012 U	-	-	-	-	0.0012 U
GEI-MW-1 (-9.7 to -29.7)	MW-1-1-2.5	08/22/14	GEI	Fremont	1	29.5	V	-	-	-	-	-	-	0.0181 U	-	-	-	-	0.0271 U
GEI-MW-2 (4.0 to -6.0)	MW-2-2-5.0	08/23/14	GEI	Fremont	5	26.6	V	-	-	-	-	-	-	0.0391 U	-	-	-	-	0.0587 U
	MW-2-4-10.0	08/23/14	GEI	Fremont	10	21.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-8-20.0	08/23/14	GEI	Fremont	20	11.6	S	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-3 (-18.7 to -28.7)	MW-3-4-10.0	08/23/14	GEI	Fremont	10	20.8	S	-	-	-	-	-	-	0.0258 U	-	-	-	-	0.0388 U
	MW-3-10-50.0	08/23/14	GEI	Fremont	50	-19.3	S	-	-	-	-	-	-	0.0166 U	-	-	-	-	0.0249 U
GEI-4	GEI-4-2-5.0	08/23/14	GEI	Fremont	5	26.0	V	-	-	-	-	-	-	0.0214 U	-	-	-	-	0.0321 U
	GEI-4-5-12.5	08/23/14	GEI	Fremont	12.5	18.5	S	-	-	-	-	-	-	0.0243 U	-	-	-	-	0.0365 U
MW-1 (SCLB-3)	RS3-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-17.5	03/15/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	3.7
	RS3-22.5/RS3-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.76
	RS3-32.5	03/15/93	EPJ	OnSite	32.5	7.5	S	-	-	-	-	-	-	-	-	-	-	-	0.050 U
	RS3-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	0.050 U
MW-2 (SCLB-4)	RS4-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-12.5/RS4-17.5	03/15/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.05 U
	RS4-22.5/RS4-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.05 U
	RS4-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	0.05 U
MW-3 (SCLB-5)	RS5-2.5/RS5-7.5 (Comp)	03/16/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-12.5/RS5-17.5 (Comp)	03/16/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.97
	RS5-17.5	03/16/93	EPJ	OnSite	17.5	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-22.5	03/16/93	EPJ	OnSite	22.5	16.5	S	-	-	-	-	-	-	-	-	-	-	-	0.33
	RS5-32.5	03/16/93	EPJ	OnSite	32.5	6.5	S	-	-	-	-	-	-	-	-	-	-	-	0.061
	RS5-37.5	03/16/93	EPJ	OnSite	37.5	1.5	S	-	-	-	-	-	-	-	-	-	-	-	0.050 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-4 (SCLB-6)	RS6-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-17.5/RS6-22.5 (Comp)	03/17/93	EPJ	OnSite	17.5-22.5	-	V	-	-	-	-	-	-	-	-	-	-	-	0.050 U
	RS6-27.5	03/17/93	EPJ	OnSite	27.5	12.5	S	-	-	-	-	-	-	-	-	-	-	-	0.050 U
MW-5 (SCLB-7)	RS7-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-17.5	03/17/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-22.5	03/17/93	EPJ	OnSite	22.5	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	MW6-25	10/11/93	Retec	ARI	25	13.2	S	-	-	-	-	-	-	-	-	-	-	-	0.44
MW-7	MW7-16.5	10/11/93	Retec	ARI	16.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	54
	MW7-18.5	10/11/93	Retec	ARI	18.5	16.6	S	-	-	-	-	-	-	-	-	-	-	-	12
MW-8 (28.7 to 14.2)	MW8-20	10/18/93	Retec	AAL	20	13.2	S	-	-	-	-	-	-	-	-	-	-	-	0.059 U
MW-9 (33.7 to 18.7)	MW9-17.5	10/18/93	Retec	AAL	17.5	23.6	S	-	-	-	-	-	-	-	-	-	-	-	0.068 U
MW-10	MW10-17.5	10/19/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	0.068 U
MW102 (B102) (-65.8 to -75.8)	B102-20	07/17/12	SES	F&BI	20	29.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-30	07/17/12	SES	F&BI	30	19.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-38	07/17/12	SES	F&BI	38	11.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-40	07/17/12	SES	F&BI	40	9.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-49	07/17/12	SES	F&BI	49	0.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-60	07/17/12	SES	F&BI	60	-10.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-70	07/18/12	SES	F&BI	70	-20.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-80	07/19/12	SES	F&BI	80	-30.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-90	07/19/12	SES	F&BI	90	-40.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-100	07/20/12	SES	F&BI	100	-50.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW103 (B103) (-67.6 to -77.6)	B102-110	07/20/12	SES	F&BI	110	-60.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B102-120	07/23/12	SES	F&BI	120	-70.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-10	07/25/12	SES	F&BI	10	25.9	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-18	07/25/12	SES	F&BI	18	17.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-30	07/25/12	SES	F&BI	30	5.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-40	07/25/12	SES	F&BI	40	-4.1	S	-	-	-	-	-	-	0.12	-	-	-	-	-
	B103-45	07/25/12	SES	F&BI	45	-9.1	S	-	-	-	-	-	-	0.24	-	-	-	-	-
	B103-55	07/25/12	SES	F&BI	55	-19.1	S	-	-	-	-	-	-	0.18	-	-	-	-	-
	B103-62.5	07/26/12	SES	F&BI	62.5	-26.6	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-75	07/26/12	SES	F&BI	75	-39.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-83	07/26/12	SES	F&BI	83	-47.1	S	-	-	-	-	-	-	0.12	-	-	-	-	-
	B103-95	07/26/12	SES	F&BI	95	-59.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-105	07/27/12	SES	F&BI	105	-69.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B103-113	07/27/12	SES	F&BI	113	-77.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW104 (B104) (-76.3 to -86.3)	B104-10	07/30/12	SES	F&BI	10	32.7	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-20	07/30/12	SES	F&BI	20	22.7	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-30	07/30/12	SES	F&BI	30	12.7	S	-	-	-	-	-	-	0.14	-	-	-	-	-
	B104-35	07/30/12	SES	F&BI	35	7.7	S	-	-	-	-	-	-	0.099	-	-	-	-	-
	B104-50	07/30/12	SES	F&BI	50	-7.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-60	07/31/12	SES	F&BI	60	-17.3	S	-	-	-	-	-	-	0.12	-	-	-	-	-
	B104-69	07/31/12	SES	F&BI	69	-26.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-80	07/31/12	SES	F&BI	80	-37.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-90	08/01/12	SES	F&BI	90	-47.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-100	08/01/12	SES	F&BI	100	-57.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-110	08/01/12	SES	F&BI	110	-67.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-120	08/01/12	SES	F&BI	120	-77.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B104-130	08/01/12	SES	F&BI	130	-87.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW105 (B105) (-85.8 to -95.8)	B105-10	08/06/12	SES	F&BI	10	34.2	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-20	08/06/12	SES	F&BI	20	24.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-30	08/06/12	SES	F&BI	30	14.2	S	-	-	-	-	-	-	0.086	-	-	-	-	-
	B105-40	08/08/12	SES	F&BI	40	4.2	S	-	-	-	-	-	-	0.22	-	-	-	-	-
	B105-50	08/08/12	SES	F&BI	50	-5.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-60	08/09/12	SES	F&BI	60	-15.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-70	08/09/12	SES	F&BI	70	-25.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-80	08/09/12	SES	F&BI	80	-35.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-90	08/10/12	SES	F&BI	90	-45.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-100	08/10/12	SES	F&BI	100	-55.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-110	08/10/12	SES	F&BI	110	-65.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-120	08/10/12	SES	F&BI	120	-75.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-130	08/10/12	SES	F&BI	130	-85.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B105-138	08/10/12	SES	F&BI	138	-93.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW106 (B106) (-78.0 to -88.0)	B106-10	08/14/12	SES	F&BI	10	42.0	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-20	08/14/12	SES	F&BI	20	32.0	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-30	08/14/12	SES	F&BI	30	22.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-40	08/14/12	SES	F&BI	40	12.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-50	08/14/12	SES	F&BI	50	2.0	S	-	-	-	-	-	-	0.11	-	-	-	-	-
	B106-60	08/14/12	SES	F&BI	60	-8.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-70	08/15/12	SES	F&BI	70	-18.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-80	08/15/12	SES	F&BI	80	-28.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-90	08/15/12	SES	F&BI	90	-38.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-100	08/15/12	SES	F&BI	100	-48.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-110	08/15/12	SES	F&BI	110	-58.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-120	08/15/12	SES	F&BI	120	-68.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-130	08/15/12	SES	F&BI	130	-78.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B106-140	08/15/12	SES	F&BI	140	-88.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW107 (B107) (8.8 to -1.2)	B107-05	03/12/12	SES	F&BI	5	38.8	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B107-15	03/12/12	SES	F&BI	15	28.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B107-25	03/12/12	SES	F&BI	25	18.8	S	-	-	-	-	-	-	0.060	-	-	-	-	0.05 U
	B107-35	03/12/12	SES	F&BI	35	8.8	S	-	-	-	-	-	-	0.37	-	-	-	-	0.05 U
	B107-45	03/12/12	SES	F&BI	45	-1.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
MW108 (B108) (-7.2 to -17.2)	B108-15	12/14/12	SES	F&BI	15	17.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B108-25	12/14/12	SES	F&BI	25	7.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B108-35	12/14/12	SES	F&BI	35	-2.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B108-45	12/14/12	SES	F&BI	45	-12.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B108-50	12/14/12	SES	F&BI	50	-17.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW109 (B109) (0.0 to -10.0)	B109-05	04/12/12	SES	F&BI	5	30.0	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B109-15	04/12/12	SES	F&BI	15	20.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B109-25	04/12/12	SES	F&BI	25	10.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B109-35	04/12/12	SES	F&BI	35	0.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B109-45	04/12/12	SES	F&BI	45	-10.0	S	-	-	-	-	-	-	0.15	-	-	-	-	-
MW110 (B110) (4.7 to -5.3)	B110-15	04/12/12	SES	F&BI	15	24.7	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B110-25	04/12/12	SES	F&BI	25	14.7	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B110-35	04/12/12	SES	F&BI	35	4.7	S	-	-	-	-	-	-	0.31	-	-	-	-	-
	B110-45	04/12/12	SES	F&BI	45	-5.3	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW111 (B111) (-33.5 to -43.5)	B111-10	05/12/12	SES	F&BI	10	26.5	V	-	-	-	-	-	-	0.1 U	-	-	-	-	-
	B111-20	05/12/12	SES	F&BI	20	16.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B111-30	05/12/12	SES	F&BI	30	6.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B111-38	05/12/12	SES	F&BI	38	-1.5	S	-	-	-	-	-	-	0.28	-	-	-	-	-
	B111-50	05/12/12	SES	F&BI	50	-13.5	S	-	-	-	-	-	-	0.11	-	-	-	-	-
	B111-60	06/12/12	SES	F&BI	60	-23.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B111-70	06/12/12	SES	F&BI	70	-33.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B111-80	06/12/12	SES	F&BI	80	-43.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW112 (B112) (-17.5 to -27.5)	B112-10	11/12/12	SES	F&BI	10	47.5	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B112-20	11/12/12	SES	F&BI	20	37.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B112-30	11/12/12	SES	F&BI	30	27.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B112-40	11/12/12	SES	F&BI	40	17.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B112-50	11/12/12	SES	F&BI	50	7.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B112-60	11/12/12	SES	F&BI	60	-2.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B112-75	11/12/12	SES	F&BI	75	-17.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B112-85	12/12/12	SES	F&BI	85	-27.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW113 (B113) (-37.1 to -47.1)	B113-10	12/18/12	SES	F&BI	10	22.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B113-20	12/18/12	SES	F&BI	20	12.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B113-30	12/18/12	SES	F&BI	30	2.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B113-40	12/18/12	SES	F&BI	40	-7.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B113-50	12/18/12	SES	F&BI	50	-17.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW114 (B114) (10.8 to 0.8)	B114-15	10/12/12	SES	F&BI	15	30.8	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B114-25	10/12/12	SES	F&BI	25	20.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B114-35	10/12/12	SES	F&BI	35	10.8	S	-	-	-	-	-	-	0.11	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW114 (B114) (continued)	B114-40	10/12/12	SES	F&BI	40	5.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B114-45	10/12/12	SES	F&BI	45	0.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW115 (B115) (-0.9 to -10.9)	B115-10	12/13/12	SES	F&BI	10	24.1	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B115-15	12/13/12	SES	F&BI	15	19.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B115-25	12/13/12	SES	F&BI	25	9.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B115-35	12/13/12	SES	F&BI	35	-0.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B115-45	12/13/12	SES	F&BI	45	-10.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW116 (B116) (-3.6 to -13.6)	B116-15	07/12/12	SES	F&BI	15	16.4	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B116-25	07/12/12	SES	F&BI	25	6.4	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B116-35	07/12/12	SES	F&BI	35	-3.6	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B116-45	07/12/12	SES	F&BI	45	-13.6	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW117 (B117) (16.9 to 1.9)	B117-10	02/04/13	SES	F&BI	10	46.9	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B117-20	02/04/13	SES	F&BI	20	36.9	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B117-30	02/04/13	SES	F&BI	30	26.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B117-40	02/04/13	SES	F&BI	40	16.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B117-50	02/04/13	SES	F&BI	50	6.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW118 (B118) (12.9 to 2.9)	B118-10	03/21/13	SES	F&BI	10	42.9	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B118-20	03/21/13	SES	F&BI	20	32.9	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B118-30	03/21/13	SES	F&BI	30	22.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B118-40	03/21/13	SES	F&BI	40	12.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B118-50	03/21/13	SES	F&BI	50	2.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW119 (B119) (2.4 to -7.7)	B119-10	03/21/13	SES	F&BI	10	27.4	V	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B119-20	03/21/13	SES	F&BI	20	17.4	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B119-30	03/21/13	SES	F&BI	30	7.4	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
	B119-40	03/21/13	SES	F&BI	40	-2.7	S	-	-	-	-	-	-	0.05 U	-	-	-	-	-
MW120 (B120) (0 to -10)	B120-20	12/16/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B120-30	12/16/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B120-45	12/16/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
MW121 (B121) (26.7 to 16.7)	B121-15	12/16/13	SES	F&BI	15	26.7	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B121-25	12/16/13	SES	F&BI	25	16.7	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
MW122 (B122) (-75 to -89)	B122-15	12/17/13	SES	F&BI	15	15.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B122-25	12/17/13	SES	F&BI	25	5.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B122-40	12/17/13	SES	F&BI	40	-10.0	S	-	-	-	-	-	-	0.22	-	-	-	-	0.05 U
	B122-45	12/17/13	SES	F&BI	45	-15.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B122-50	12/17/13	SES	F&BI	50	-20.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B122-60	12/17/13	SES	F&BI	60	-30.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B122-70	12/17/13	SES	F&BI	70	-40.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B122-80	12/17/13	SES	F&BI	80	-50.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B122-100	12/17/13	SES	F&BI	100	-70.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
MW123 (B123) (-42.5 to -52.5)	B123-20	12/18/13	SES	F&BI	20	7.5	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW124 (B124) (-53.8 to -63.8)	B124-10	12/19/13	SES	F&BI	10	46.2	V	-	-	-	-	-	-	-	-	-	-	-	-
	B124-20	12/19/13	SES	F&BI	20	36.2	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-30	12/19/13	SES	F&BI	30	26.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-40	12/19/13	SES	F&BI	40	16.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-50	12/19/13	SES	F&BI	50	6.2	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-60	12/19/13	SES	F&BI	60	-3.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-70	12/19/13	SES	F&BI	70	-13.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-80	12/19/13	SES	F&BI	80	-23.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-90	12/19/13	SES	F&BI	90	-33.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B124-100	12/19/13	SES	F&BI	100	-43.8	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
MW125 (B125) (28.6 to 13.6)	B125-15	12/20/13	SES	F&BI	15	28.6	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B125-20	12/20/13	SES	F&BI	20	23.6	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B125-25	12/20/13	SES	F&BI	25	18.6	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B125-30	12/20/13	SES	F&BI	30	13.6	S	-	-	-	-	-	-	-	-	-	-	-	-
MW126 (B126) (-54.1 to -64.1)	B126-20	12/30/13	SES	F&BI	20	10.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B126-35	12/30/13	SES	F&BI	35	-4.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B126-45	12/30/13	SES	F&BI	45	-14.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B126-55	12/30/13	SES	F&BI	55	-24.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B126-60	12/31/13	SES	F&BI	60	-29.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-65	01/01/14	SES	F&BI	65	-34.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B126-75	01/02/14	SES	F&BI	75	-44.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B126-80	01/03/14	SES	F&BI	80	-49.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-85	01/04/14	SES	F&BI	85	-54.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B126-95	01/05/14	SES	F&BI	95	-64.1	S	-	-	-	-	-	-	-	-	-	-	-	-
MW127 (B127) (-1.0 to -11.0)	B127-15	12/31/13	SES	F&BI	15	24.0	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B127-25	12/31/13	SES	F&BI	25	14.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B127-40	12/31/13	SES	F&BI	40	-1.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B127-45	12/31/13	SES	F&BI	45	-6.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B127-50	12/31/13	SES	F&BI	50	-11.0	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
MW128 (B128) (-30.8 to -40.8)	B128-25	01/09/14	SES	F&BI	25	2.9	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B128-45	01/09/14	SES	F&BI	45	-17.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
	B128-65	01/09/14	SES	F&BI	65	-37.1	S	-	-	-	-	-	-	0.05 U	-	-	-	-	0.05 U
MW-138 (-47.5 to -57.5)	MW-138-15	09/12/17	PES	ESC	15	42.5	V	0.000390 U	0.000252 U	0.000443 U	0.00112 U	0.000272 U	0.000446 U	0.000279 U	0.000311 U	0.000454 U	0.000302 U	0.000848 U	0.000353 U
	MW-138-25	09/12/17	PES	ESC	25	32.5	S	0.000378 U	0.000244 U	0.000429 U	0.00109 U	0.000264 U	0.000432 U	0.000271 U	0.000302 U	0.000440 U	0.000292 U	0.000821 U	0.000342 U
	MW-138-35	09/12/17	PES	ESC	35	22.5	S	0.000350 U	0.000227 U	0.000399 U	0.00101 U	0.000245 U	0.000401 U	0.000251 U	0.000280 U	0.000408 U	0.000271 U	0.000762 U	0.000317 U
	MW-138-45	09/12/17	PES	ESC	45	12.5	S	0.000347 U	0.000224 U	0.000394 U	0.00100 U	0.000242 U	0.000396 U	0.000248 U	0.000277 U	0.000404 U	0.000268 U	0.000754 U	0.000314 U
	MW-138-56	09/12/17	PES	ESC	56	1.5	S	0.000369 U	0.000238 U	0.000420 U	0.00106 U	0.000258 U	0.00179 J	0.000264 U	0.000295 U	0.000430 U	0.000286 U	0.000802 U	0.000334 U
	MW-138-65	09/13/17	PES	ESC	65	-7.5	S	0.000355 U	0.000229 U	0.000403 U	0.00102 U	0.000248 U	0.000406 U	0.000254 U	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	B-910-90	09/13/17	PES	ESC	65 (dup)	-7.5	S	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000265 U	0.000435 U	0.000272 U	0.000304 U	0.000443 U	0.000294 U	0.000826 U	0.000344 U
	MW-138-75	09/13/17	PES	ESC	75	-17.5	S	0.000361 U	0.000233 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.000259 U	0.000289 U	0.000421 U	0.000280 U	0.000785 U	0.000327 U
	MW-138-85	09/13/17	PES	ESC	85	-27.5	S	0.000394 U	0.000255 U	0.000448 U	0.00114 U	0.000275 U	0.000451 U	0.000283 U	0.000315 U	0.000459 U	0.000305 U	0.000857 U	0.000357 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-138 (continued)	MW-138-95	09/13/17	PES	ESC	95	-37.5	S	0.000358 U	0.000231 U	0.000407 U	0.00103 U	0.000250 U	0.000409 U	0.000256 U	0.000286 U	0.000417 U	0.000277 U	0.000778 U	0.000324 U
	MW-138-105	09/13/17	PES	ESC	105	-47.5	S	0.000408 U	0.000264 U	0.000464 U	0.00118 U	0.000285 U	0.000466 U	0.000292 U	0.000326 U	0.000475 U	0.000316 U	0.000887 U	0.000369 U
	MW-138-115	09/14/17	PES	ESC	115	-57.5	S	0.000380 U	0.000246 U	0.000432 U	0.00110 U	0.000265 U	0.000434 U	0.000272 U	0.000303 U	0.000443 U	0.000294 U	0.000826 U	0.000344 U
MW-140 (-78.9 to -88.9)	MW-140-15	08/30/17	PES	ESC	15	35.6	V	0.000374 U	0.000242 U	0.000425 U	0.00108 U	0.000261 U	0.000428 U	0.000268 U	0.000299 U	0.000436 U	0.000290 U	0.000813 U	0.000339 U
	MW-140-25	08/30/17	PES	ESC	25	25.6	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	0.00199	0.000284 U	0.000414 U	0.000275 U	0.000773 U	0.000322 U
	MW-140-35	08/30/17	PES	ESC	35	15.6	S	0.00955 U	0.00618 U	0.0109 U	0.0275 U	0.00666 U	0.0109 U	0.387	0.00763 U	0.0111 U	0.00740 U	0.0207 U	0.00865 U
	MW-140-45	08/30/17	PES	ESC	45	5.6	S	0.000350 U	0.000226 U	0.000398 U	0.00101 U	0.000244 U	0.000400 U	0.0431	0.000280 U	0.000408 U	0.000271 U	0.000761 U	0.000317 U
	MW-140-55	08/30/17	PES	ESC	55	-4.4	S	0.000360 U	0.000233 U	0.000409 U	0.00104 U	0.000251 U	0.000412 U	0.130	0.000288 U	0.000419 U	0.000279 U	0.000782 U	0.000326 U
	MW-140-65	08/30/17	PES	ESC	65	-14.4	S	0.000351 U	0.000227 U	0.000399 U	0.00101 U	0.000245 U	0.000402 U	0.000252 U	0.000281 U	0.000409 U	0.000272 U	0.000763 U	0.000318 U
	MW-140-75	08/30/17	PES	ESC	75	-24.4	S	0.00884 U	0.00572 U	0.0101 U	0.0255 U	0.00617 U	0.0101 U	0.00634 U	0.00706 U	0.0103 U	0.00685 U	0.0192 U	0.00800 U
	MW-140-90	08/30/17	PES	ESC	90	-39.4	S	0.000386 U	0.000249 U	0.000439 U	0.00111 U	0.000269 U	0.000441 U	0.000276 U	0.000308 U	0.000449 U	0.000299 U	0.000839 U	0.000349 U
	MW-140-110	08/31/17	PES	ESC	110	-59.4	S	0.000380 U	0.000245 U	0.000432 U	0.00110 U	0.000265 U	0.000434 U	0.000272 U	0.000303 U	0.000442 U	0.000294 U	0.000826 U	0.000344 U
	MW-140-130	08/31/17	PES	ESC	130	-79.4	S	0.000371 U	0.000240 U	0.000422 U	0.00107 U	0.000259 U	0.000424 U	0.000266 U	0.000296 U	0.000432 U	0.000287 U	0.000806 U	0.000336 U
	MW-140-140	08/31/17	PES	ESC	140	-89.4	S	0.00926 U	0.00599 U	0.0105 U	0.0267 U	0.00646 U	0.0106 U	0.00664 U	0.00740 U	0.0108 U	0.00717 U	0.0201 U	0.00838 U
MW-142 (2.4 to -7.6)	MW-142-5	04/12/18	PES	ESC	5	37.1	V	0.000395 U	0.000255 U	0.000449 U	0.00114 U	0.000276 U	0.000451 U	0.000283 U	0.000315 U	0.000460 U	0.000306 U	0.000858 U	0.000357 U
MW-143 (-27.7 to -37.7)	MW-143-10	04/11/18	PES	ESC	10	32.0	V	0.000455 U	0.000294 U	0.000517 U	0.00131 U	0.000317 U	0.000520 U	0.000326 U	0.000363 U	0.000530 U	0.000352 U	0.000988 U	0.000412 U
	MW-143-20	04/11/18	PES	ESC	20	22.0	S	0.000381 U	0.000246 U	0.000433 U	0.00110 U	0.000266 U	0.000436 U	0.000273 U	0.000304 U	0.000444 U	0.000295 U	0.000828 U	0.000345 U
	MW-143-30	04/11/18	PES	ESC	30	12.0	S	0.000373 U	0.000241 U	0.000425 U	0.00108 U	0.000261 U	0.000427 U	0.000547 J	0.000298 U	0.000435 U	0.000289 U	0.000812 U	0.000338 U
	MW-143-40	04/11/18	PES	ESC	40	2.0	S	0.000391 U	0.000253 U	0.000445 U	0.00113 U	0.000273 U	0.000447 U	0.00203	0.000313 U	0.000456 U	0.000303 U	0.000850 U	0.000354 U
	MW-143-50	04/11/18	PES	ESC	50	-8.0	S	0.000376 U	0.000243 U	0.000427 U	0.00108 U	0.000262 U	0.000429 U	0.207	0.000300 U	0.000438 U	0.000291 U	0.000817 U	0.000340 U
	MW-143-60	04/11/18	PES	ESC	60	-18.0	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000417 U	0.00285	0.000291 U	0.000425 U	0.000282 U	0.000792 U	0.000330 U
	MW-143-70	04/11/18	PES	ESC	70	-28.0	S	0.000361 U	0.000233 U	0.000410 U	0.00104 U	0.000252 U	0.000413 U	0.0182	0.000288 U	0.000420 U	0.000279 U	0.000784 U	0.000327 U
	MW-143-80	04/11/18	PES	ESC	80	-38.0	S	0.000373 U	0.000241 U	0.000424 U	0.00107 U	0.000260 U	0.000426 U	0.00361	0.000298 U	0.000434 U	0.000289 U	0.000810 U	0.000337 U
	MW-902-20	04/11/18	PES	ESC	80 (dup)	-38.0	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000420 U	0.00256	0.000293 U	0.000427 U	0.000284 U	0.000798 U	0.000332 U
MW-145 (-26.1 to -36.1)	MW-145-10	04/17/18	PES	ESC	10	33.5	V	0.000412 U	0.000266 U	0.000469 U	0.00119 U	0.000288 U	0.000471 U	0.000295 U	0.000329 U	0.000480 U	0.000319 U	0.000896 U	0.000373 U
	MW-145-20	04/17/18	PES	ESC	20	23.5	S	0.000383 U	0.000248 U	0.000435 U	0.00110 U	0.000267 U	0.000438 U	0.00765	0.000306 U	0.000446 U	0.000297 U	0.000832 U	0.000347 U
	MW-145-30	04/17/18	PES	ESC	30	13.5	S	0.000389 U	0.000251 U	0.000442 U	0.00112 U	0.000272 U	0.000445 U	0.100	0.000311 U	0.000453 U	0.000301 U	0.000846 U	0.000352 U
	MW-145-40	04/17/18	PES	ESC	40	3.5	S	0.000365 U	0.000236 U	0.000416 U	0.00105 U	0.000255 U	0.000418 U	0.0691	0.000292 U	0.000426 U	0.000283 U	0.000795 U	0.000331 U
	MW-145-50	04/17/18	PES	ESC	50	-6.5	S	0.000359 U	0.000232 U	0.000409 U	0.00104 U	0.000251 U	0.000411 U	0.00555	0.000287 U	0.000419 U	0.000278 U	0.000781 U	0.000325 U
	MW-145-60	04/17/18	PES	ESC	60	-16.5	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000252 U	0.000413 U	0.000259 U	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000327 U
	MW-145-70	04/17/18	PES	ESC	70	-26.5	S	0.000398 U	0.000257 U	0.000452 U	0.00115 U	0.000278 U	0.000455 U	0.000290 J	0.000318 U	0.000463 U	0.000308 U	0.000865 U	0.000360 U
	MW-145-80	04/17/18	PES	ESC	80	-36.5	S	0.000377 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000431 U	0.000380 J	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
	MW-903-40	04/17/18	PES	ESC	80 (dup)	-36.5	S	0.000368 U	0.000238 U	0.000418 U	0.00106 U	0.000257 U	0.000421 U	0.000384 J	0.000294 U	0.000428 U	0.000285 U	0.000800 U	0.000333 U
MW-147 (-17.6 to -27.6)	MW-147-10	04/02/18	PES	ESC	10	41.9	V	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000407 U	0.000255 U	0.000285 U	0.000415 U	0.000276 U	0.000774 U	0.000323 U
	MW-147-20	04/02/18	PES	ESC	20	31.9	S	0.000354 U	0.000229 U	0.000403 U	0.00102 U	0.000247 U	0.000405 U	0.000254 U	0.000283 U	0.000413 U	0.000275 U	0.000771 U	0.000321 U
	MW-147-30	04/02/18	PES	ESC	30	21.9	S	0.000366 U	0.000237 U	0.000416 U	0.00106 U	0.000256 U	0.000419 U	0.00239	0.000293 U	0.000427 U	0.000284 U	0.000796 U	0.000332 U
	MW-147-40	04/02/18	PES	ESC	40	11.9	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.00488	0.000289 U	0.000421 U	0.000280 U	0.000787 U	0.000328 U
	MW-147-50	04/02/18	PES	ESC	50	1.9	S	0.000363 U	0.000235 U	0.000413 U	0.00105 U	0.000254 U	0.000415 U	0.00432	0.000290 U	0.000423 U	0.000281 U	0.000790 U	0.000329 U
	MW-147-60	04/02/18	PES	ESC	60	-8.2	S	0.000353 U	0.000228 U	0.000401 U	0.00102 U	0.000246 U	0.000403 U	0.000696 J	0.000282 U	0.000411 U	0.000273 U	0.000767 U	0.000319 U
	MW-901-10	04/02/18	PES	ESC	60 (dup)	-8.2	S	0.000353 U	0.000228 U	0.000402 U	0.00102 U	0.000247 U	0.00101 J	0.000253 U	0.000282 U	0.000411 U	0.000274 U	0.000768 U	0.000320 U
	MW-147-70	04/02/18	PES	ESC	70	-18.2	S	0.000367 U	0.000237 U	0.000417 U	0.00106 U	0.000256 U	0.000420 U	0.000263 U	0.000293 U	0.000428 U	0.000284 U	0.000798 U	0.000332 U
	MW-147-80	04/02/18	PES	ESC	80	-28.2	S	0.000380 U	0.000245 U	0.000432 U	0.00109 U	0.000265 U	0.000434 U	0.000272 U	0.000303 U	0.000442 U	0.000294 U	0.000825 U	0.000334 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-148 (-25.7 to -35.7)	MW-148-11	04/09/18	PES	ESC	11	32.9	V	0.000378 U	0.000245 U	0.000430 U	0.00109 U	0.000264 U	0.000433 U	0.000271 U	0.000302 U	0.000441 U	0.000293 U	0.000823 U	0.000343 U
	MW-148-20	04/09/18	PES	ESC	20	23.9	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000248 U	0.000407 U	0.000255 U	0.000284 U	0.000414 U	0.000276 U	0.000773 U	0.000322 U
	MW-148-30	04/09/18	PES	ESC	30	13.9	S	0.000368 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.000421 U	0.000364	0.000294 U	0.000429 U	0.000285 U	0.000801 U	0.000334 U
	MW-148-40	04/09/18	PES	ESC	40	3.9	S	0.000356 U	0.000230 U	0.000405 U	0.00103 U	0.000249 U	0.000407 U	0.000113	0.000285 U	0.000415 U	0.000276 U	0.000775 U	0.000323 U
	MW-148-50	04/09/18	PES	ESC	50	-6.1	S	0.000362 U	0.000234 U	0.000411 U	0.00104 U	0.000253 U	0.000414 U	0.000259 U	0.000289 U	0.000421 U	0.000280 U	0.000786 U	0.000328 U
	MW-148-60	04/09/18	PES	ESC	60	-16.1	S	0.000414 U	0.000268 U	0.000471 U	0.00119 U	0.000289 U	0.000473 U	0.000297 U	0.000331 U	0.000482 U	0.000321 U	0.000900 U	0.000375 U
	MW-148-70	04/09/18	PES	ESC	70	-26.1	S	0.000413 U	0.000267 U	0.000470 U	0.00119 U	0.000289 U	0.000473 U	0.000380 J	0.000330 U	0.000481 U	0.000320 U	0.000898 U	0.000374 U
	MW-148-80	04/09/18	PES	ESC	80	-36.1	S	0.000385 U	0.000249 U	0.000438 U	0.00111 U	0.000269 U	0.000441 U	0.000314 J	0.000308 U	0.000449 U	0.000298 U	0.000838 U	0.000349 U
MW-153 (-65.3 to -75.3)	MW-153-10	03/27/18	PES	ESC	10	44.4	V	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000260 U	0.000425 U	0.000266 U	0.000297 U	0.000433 U	0.000288 U	0.000809 U	0.000337 U
	MW-153-20	03/27/18	PES	ESC	20	34.4	V	0.000359 U	0.000232 U	0.000408 U	0.00104 U	0.000251 U	0.000410 U	0.000257 U	0.000287 U	0.000418 U	0.000278 U	0.000780 U	0.000325 U
	MW-153-30	03/27/18	PES	ESC	30	24.4	S	0.000352 U	0.000227 U	0.000400 U	0.00101 U	0.000246 U	0.000402 U	0.000252 U	0.000281 U	0.000410 U	0.000272 U	0.000765 U	0.000319 U
	MW-153-40	03/27/18	PES	ESC	40	14.4	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000259 U	0.000425 U	0.000421	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000336 U
	MW-153-50	03/27/18	PES	ESC	50	4.4	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	0.000261 U	0.000291 U	0.000424 U	0.000282 U	0.000791 U	0.000329 U
	MW-153-61	03/27/18	PES	ESC	61	-6.7	S	0.000373 U	0.000241 U	0.000424 U	0.00108 U	0.000260 U	0.000426 U	0.000267 U	0.000298 U	0.000434 U	0.000289 U	0.000810 U	0.000338 U
	MW-153-70	03/27/18	PES	ESC	70	-15.7	S	0.000365 U	0.000236 U	0.000415 U	0.00105 U	0.000255 U	0.000418 U	0.000262 U	0.000292 U	0.000425 U	0.000283 U	0.000794 U	0.000331 U
	MW-153-80	03/28/18	PES	ESC	80	-25.7	S	0.000362 U	0.000234 U	0.000412 U	0.00104 U	0.000253 U	0.000414 U	0.000353 J	0.000289 U	0.000421 U	0.000280 U	0.000787 U	0.000328 U
	MW-153-90	03/28/18	PES	ESC	90	-35.7	S	0.000395 U	0.000255 U	0.000449 U	0.00114 U	0.000276 U	0.000452 U	0.000596 J	0.000316 U	0.000460 U	0.000306 U	0.000859 U	0.000358 U
	MW-153-110	03/28/18	PES	ESC	110	-55.7	S	0.000386 U	0.000249 U	0.000439 U	0.00111 U	0.000269 U	0.000441 U	0.000773 J	0.000308 U	0.000450 U	0.000299 U	0.000839 U	0.000350 U
	MW-153-130	03/29/18	PES	ESC	130	-75.7	S	0.000377 U	0.000244 U	0.000428 U	0.00109 U	0.000263 U	0.000431 U	0.000270 U	0.000301 U	0.000439 U	0.000292 U	0.000819 U	0.000341 U
MW-158	MW-158-20	04/05/18	PES	ESC	20	21.1	S	0.000372 U	0.000240 U	0.000423 U	0.00107 U	0.000259 U	0.000425 U	0.000266 U	0.000297 U	0.000433 U	0.000288 U	0.000808 U	0.000336 U
	MW-158-30	04/05/18	PES	ESC	30	11.1	S	0.0387 U	0.0250 U	0.0440 U	0.112 U	0.0270 U	0.0442 U	3.00	0.0309 U	0.0451 U	0.0300 U	0.0841 U	0.0350 U
MW-158A (-47.2 to -58.5)	MW-158A-40	04/05/18	PES	ESC	40	1.1	S	0.000404 U	0.000261 U	0.000460 U	0.00117 U	0.000282 U	0.000462 U	0.168	0.000323 U	0.000471 U	0.000313 U	0.000879 U	0.000366 U
	MW-158A-50	04/05/18	PES	ESC	50	-8.9	S	0.000379 U	0.000245 U	0.000431 U	0.00109 U	0.000265 U	0.000434 U	0.0631	0.000303 U	0.000442 U	0.000294 U	0.000824 U	0.000343 U
	MW-158A-60	04/05/18	PES	ESC	60	-18.9	S	0.000377 U	0.000244 U	0.000429 U	0.00109 U	0.000264 U	0.000432 U	0.111	0.000302 U	0.000440 U	0.000292 U	0.000821 U	0.000342 U
	MW-158A-70	04/05/18	PES	ESC	70	-28.9	S	0.000368 U	0.000238 U	0.000419 U	0.00106 U	0.000257 U	0.000421 U	0.946	0.000294 U	0.000429 U	0.000285 U	0.000800 U	0.000333 U
	MW-158A-80	04/06/18	PES	ESC	80	-38.9	S	0.000364 U	0.000235 U	0.000414 U	0.00105 U	0.000254 U	0.000416 U	0.00335	0.000291 U	0.000424 U	0.000282 U	0.000791 U	0.000329 U
	MW-158A-90	04/06/18	PES	ESC	90	-48.9	S	0.000376 U	0.000243 U	0.000428 U	0.00109 U	0.000263 U	0.000430 U	0.00789	0.000301 U	0.000438 U	0.000291 U	0.000818 U	0.000341 U
	MW-158A-100	04/06/18	PES	ESC	100	-58.9	S	0.000385 U	0.000249 U	0.000438 U	0.00111 U	0.000269 U	0.000441 U	0.00789	0.000308 U	0.000449 U	0.000298 U	0.000838 U	0.000349 U
MW-159 (22.9 to 12.9)	MW-159-20	04/16/18	PES	ESC	20	22.8	S	0.000397 U	0.000256 U	0.000451 U	0.00114 U	0.000277 U	0.000453 U	0.000284 U	0.000317 U	0.000462 U	0.000307 U	0.000862 U	0.000359 U
	MW-159-30	04/16/18	PES	ESC	30	12.8	S	0.000400 U	0.000258 U	0.000455 U	0.00115 U	0.000279 U	0.000457 U	0.0506	0.000319 U	0.000466 U	0.000310 U	0.000869 U	0.000362 U
MW-160 (-76.5 to -86.5)	MW-160-11	05/08/18	PES	ESC	11	31.5	S	0.00175 U	0.000929 U	0.000730 U	0.00175 U	0.000674 U	0.000225 U	0.00112 U	0.00110 U	0.00162 U	0.00128 U	0.00132 U	0.000860 U
	MW-160-21	05/08/18	PES	ESC	21	21.5	S	0.00127 U	0.000672 U	0.000527 U	0.00127 U	0.000486 U	0.00163 U	0.00357	0.000795 U	0.00117 U	0.000924 U	0.000959 U	0.000621 U
	MW-160-31	05/08/18	PES	ESC	31	11.5	S	0.00131 U	0.000695 U	0.000546 U	0.00131 U	0.000503 U	0.00169 U	0.000837 U	0.000822 U	0.00121 U	0.000956 U	0.000992 U	0.000643 U
	MW-160-40	05/08/18	PES	ESC	40	2.5	S	0.00123 U	0.000651 U	0.000511 U	0.00123 U	0.000471 U	0.00158 U	0.151	0.000770 U	0.00114 U	0.000895 U	0.000929 U	0.000602 U
	MW-160-50	05/08/18	PES	ESC	50	-7.5	S	0.00123 U	0.000655 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.00694	0.000775 U	0.00114 U	0.000900 U	0.000935 U	0.000606 U
	MW-160-55	05/08/18	PES	ESC	55	-12.5	S	0.00128 U	0.000680 U	0.000534 U	0.00128 U	0.000492 U	0.00165 U	1.50	0.000804 U	0.00119 U	0.000935 U	0.000970 U	0.000629 U
	MW-160-60	05/08/18	PES	ESC	60	-17.5	S	0.00118 U	0.000624 U	0.000490 U	0.00118 U	0.000452 U	0.00151 U	0.352	0.000739 U	0.00109 U	0.000859 U	0.000891 U	0.000699 J
	MW-160-70	05/08/18	PES	ESC	70	-27.5	S	0.00126 U	0.000669 U	0.000526 U	0.00126 U	0.000485 U	0.00162 U	0.00460	0.000792 U	0.00117 U	0.000921 U	0.000956 U	0.000619 U
	MW-160-90	05/08/18	PES	ESC	90	-47.5	S	0.00127 U	0.000674 U	0.000530 U	0.00127 U	0.000488 U	0.00164 U	0.00432	0.000798 U	0.00118 U	0.000927 U	0.000963 U	0.000624 U
	MW-160-100	05/08/18	PES	ESC	100	-57.5	S	0.00130 U	0.000689 U	0.000541 U	0.00130 U	0.000499 U	0.00167 U	0.00506	0.000816 U	0.00120 U	0.000948 U	0.000984 U	0.000638 U
	MW-160-110	05/08/18	PES	ESC	110	-67.5	S	0.00122 U	0.000650 U	0.000510 U	0.00122 U	0.000471 U	0.00158 U	0.0128	0.000769 U	0.00113 U	0.000894 U	0.000928 U	0.000601 U
	MW-160-125	05/10/18	PES	ESC	125	-82.5	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000475 U	0.00159 U	0.000832 J	0.000776 U	0.00114 U	0.000902 U	0.000937 U	0.000607 U
	MW-160-127.5	05/10/18	PES	ESC	128	-85.0	S	0.00125 U	0.000662 U	0.000520 U	0.00125 U	0.000479 U	0.00161 U	0.000797 U	0.000783 U	0.00115 U	0.000910 U	0.000945 U	0.000612 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-161 (-78.9 to -88.9)	MW-161-11	05/14/18	PES	ESC	11	32.8	S	0.00133 U	0.000705 U	0.000553 U	0.00133 U	0.000510 U	0.00171 U	0.00563	0.000834 U	0.00123 U	0.000969 U	0.00101 U	0.00307 U
	MW-161-21	05/14/18	PES	ESC	21	22.8	S	0.00112 U	0.000596 U	0.000468 U	0.00112 U	0.000431 U	0.00144 U	0.00364	0.000705 U	0.00104 U	0.000819 U	0.000850 U	0.00260 U
	MW-161-31	05/14/18	PES	ESC	31	12.8	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000475 U	0.00159 U	0.00387	0.000776 U	0.00114 U	0.000902 U	0.000936 U	0.00286 U
	MW-161-40	05/14/18	PES	ESC	40	3.8	S	0.00119 U	0.000632 U	0.000497 U	0.00119 U	0.000458 U	0.00153 U	0.376	0.000748 U	0.00110 U	0.000870 U	0.000903 U	0.00276 U
	MW-161-50	05/14/18	PES	ESC	50	-6.2	S	0.00121 U	0.000639 U	0.000502 U	0.00121 U	0.000463 U	0.00155 U	0.0356	0.000757 U	0.00112 U	0.000879 U	0.000913 U	0.00279 U
	MW-161-60	05/14/18	PES	ESC	60	-16.2	S	0.00123 U	0.000654 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.0316	0.000774 U	0.00114 U	0.000900 U	0.000934 U	0.00286 U
	MW-161-70	05/14/18	PES	ESC	70	-26.2	S	0.00121 U	0.000640 U	0.000503 U	0.00121 U	0.000463 U	0.00155 U	0.00279 U	0.000757 U	0.00112 U	0.000880 U	0.000914 U	0.00279 U
	MW-161-80	05/14/18	PES	ESC	80	-36.2	S	0.00133 U	0.000706 U	0.000555 U	0.00133 U	0.000512 U	0.00171 U	0.00308 U	0.000836 U	0.00123 U	0.000971 U	0.00101 U	0.00308 U
	MW-161-90	05/14/18	PES	ESC	90	-46.2	S	0.00123 U	0.000652 U	0.000512 U	0.00123 U	0.000472 U	0.00158 U	0.00285 U	0.000772 U	0.00114 U	0.000897 U	0.000931 U	0.00285 U
	B-927-30	05/14/18	PES	ESC	90 (dup)	-46.2	S	0.00134 U	0.000712 U	0.000559 U	0.00134 U	0.000515 U	0.00173 U	0.00310 U	0.000842 U	0.00124 U	0.000979 U	0.00102 U	0.00310 U
	MW-161-100	05/14/18	PES	ESC	100	-56.2	S	0.00126 U	0.000667 U	0.000524 U	0.00126 U	0.000483 U	0.00162 U	0.00291 U	0.000789 U	0.00116 U	0.000918 U	0.000952 U	0.00291 U
	MW-161-110	05/14/18	PES	ESC	110	-66.2	S	0.00132 U	0.000699 U	0.000549 U	0.00132 U	0.000506 U	0.00170 U	0.00305 U	0.000827 U	0.00122 U	0.000961 U	0.000998 U	0.00305 U
	MW-161-120	05/14/18	PES	ESC	120	-76.2	S	0.00132 U	0.000699 U	0.000549 U	0.00132 U	0.000506 U	0.00170 U	0.00305 U	0.000827 U	0.00122 U	0.000961 U	0.000998 U	0.00305 U
	MW-161-130	05/14/18	PES	ESC	130	-86.2	S	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000456 U	0.00153 U	0.00275 U	0.000746 U	0.00110 U	0.000867 U	0.000900 U	0.00275 U
	MW-161-140	05/15/18	PES	ESC	140	-96.2	S	0.00132 U	0.000702 U	0.000552 U	0.00132 U	0.000509 U	0.00170 U	0.000846 U	0.000831 U	0.00123 U	0.000966 U	0.00100 U	0.000650 U
MW-190 (-30.2 to -40.2)	MW-190-5	09/19/19	PES	PACE	5	43.7	V	0.00125 U	0.000661 U	0.000519 U	0.00125 U	0.000714 J	0.00160 U	0.000796 U	0.000782 U	0.00115 U	0.000909 U	0.000943 U	0.000611 U
	MW-190-10	09/19/19	PES	PACE	10	38.7	V	0.00223 U	0.00118 U	0.000930 U	0.00223 U	0.000859 U	0.00288 U	0.00143 U	0.000782 U	0.00115 U	0.000909 U	0.000943 U	0.000611 U
	MW-190-15	09/19/19	PES	PACE	15	33.7	S	0.00143 U	0.000759 U	0.000596 U	0.00143 U	0.000727 J	0.00184 U	0.000913 U	0.000898 U	0.00132 U	0.00104 U	0.00108 U	0.000702 U
	MW-190-20	09/19/19	PES	PACE	20	28.7	S	0.00134 U	0.000713 U	0.000560 U	0.00134 U	0.000922 J	0.00173 U	0.00477	0.000844 U	0.00124 U	0.000981 U	0.00102 U	0.00108 J
	MW-190-25	09/19/19	PES	PACE	25	23.7	S	0.00127 U	0.000673 U	0.000528 U	0.00127 U	0.000724 J	0.00163 U	0.00187 J	0.000796 U	0.00117 U	0.000925 U	0.000960 U	0.000622 U
	MW-190-30	09/19/19	PES	PACE	30	18.7	S	0.00113 U	0.000600 U	0.000471 U	0.00113 U	0.000696 J	0.00146 U	0.00418	0.000710 U	0.00105 U	0.000826 U	0.000857 U	0.000555 U
	MW-190-35	09/19/19	PES	PACE	35	13.7	S	0.00115 U	0.000609 U	0.000478 U	0.00115 U	0.000695 J	0.00148 U	0.00442	0.000720 U	0.00106 U	0.000837 U	0.000869 U	0.000563 U
	MW-190-40	09/19/19	PES	PACE	40	8.7	S	0.00121 U	0.000643 U	0.000505 U	0.00121 U	0.000916 J	0.00156 U	0.000775 U	0.000761 U	0.00112 U	0.000885 U	0.000918 U	0.000595 U
	MW-190-45	09/19/19	PES	PACE	45	3.7	S	0.00123 U	0.000655 U	0.000515 U	0.00123 U	0.000535 J	0.00159 U	0.000789 U	0.000775 U	0.00114 U	0.000901 U	0.000935 U	0.000606 U
	MW-190-50	09/19/19	PES	PACE	50	-1.4	S	0.00113 U	0.000600 U	0.000471 U	0.00113 U	0.000748 J	0.00146 U	0.000723 U	0.000710 U	0.00105 U	0.000825 U	0.000857 U	0.000555 U
	MW-190-55	09/19/19	PES	PACE	55	-6.4	S	0.00117 U	0.000621 U	0.000488 U	0.00117 U	0.000536 J	0.00151 U	0.0790	0.000735 U	0.00108 U	0.000855 U	0.000887 U	0.000575 U
	MW-190-60	09/19/19	PES	PACE	60	-11.4	S	0.00118 U	0.000624 U	0.000490 U	0.00118 U	0.000608 J	0.00151 U	0.00884 J	0.000739 U	0.00109 U	0.000859 U	0.000891 U	0.000578 U
	MW-2008-60	09/19/19	PES	PACE	60 (dup)	-11.4	S	0.00117 U	0.000619 U	0.000486 U	0.00117 U	0.000449 U	0.00150 U	0.0214 J	0.000733 U	0.00108 U	0.000852 U	0.000884 U	0.000573 U
	MW-190-65	09/19/19	PES	PACE	65	-16.4	S	0.00119 U	0.000633 U	0.000497 U	0.00119 U	0.000788 J	0.00153 U	0.000762 U	0.000749 U	0.00110 U	0.000870 U	0.000903 U	0.000853 J
	MW-190-70	09/19/19	PES	PACE	70	-21.4	S	0.00120 U	0.000635 U	0.000498 U	0.00120 U	0.000460 U	0.00154 U	0.000764 U	0.000751 U	0.00111 U	0.000873 U	0.000906 U	0.000587 U
	MW-190-75	09/19/19	PES	PACE	75	-26.4	S	0.00118 U	0.000626 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	0.000754 U	0.000741 U	0.00109 U	0.000862 U	0.000894 U	0.000579 U
	MW-190-80	09/19/19	PES	PACE	80	-31.4	S	0.00118 U	0.000626 U	0.000491 U	0.00118 U	0.000453 U	0.00152 U	0.000753 U	0.000740 U	0.00109 U	0.000860 U	0.000893 U	0.000579 U
	MW-190-85	09/19/19	PES	PACE	85	-36.4	S	0.00124 U	0.000659 U	0.000517 U	0.00124 U	0.000477 U	0.00160 U	0.000793 U	0.000779 U	0.00115 U	0.000906 U	0.000940 U	0.000609 U
	MW-190-87	09/19/19	PES	PACE	87	-38.4	S	0.00129 U	0.000685 U	0.000538 U	0.00129 U	0.000496 U	0.00166 U	0.000825 U	0.000810 U	0.00120 U	0.000942 U	0.000978 U	0.000633 U
MW-301 (35.6 to 25.6)	MW-301-6	09/20/19	PES	PACE	6	47.8	V	0.00127 U	0.000671 U	0.000527 U	0.00127 U	0.000796 J	0.00163 U	0.000809 U	0.000794 U	0.00117 U	0.000923 U	0.000959 U	0.000628 J
	MW-301-10	09/20/19	PES	PACE	10	43.8	V	0.00119 U	0.000630 U	0.000495 U	0.00119 U	0.000762 J	0.00153 U	0.000759 U	0.000745 U	0.00110 U	0.000866 U	0.000899 U	0.000583 U
	MW-301-15	09/20/19	PES	PACE	15	38.8	V	0.00123 U	0.000650 U	0.000511 U	0.00123 U	0.000848 J	0.00158 U	0.000783 U	0.000770 U	0.00114 U	0.000895 U	0.000929 U	0.000602 U
	MW-301-20	09/20/19	PES	PACE	20	33.8	S	0.00364 U	0.00194 U	0.00152 U	0.00364 U	0.00226 J	0.00470 U	0.00232 U	0.00229 U	0.00338 U	0.00266 U	0.00277 U	0.00178 U
	MW-301-25	09/20/19	PES	PACE	25	28.8	S	0.00123 U	0.000651 U	0.000511 U	0.00123 U	0.000822 J	0.00158 U	0.000784 U	0.000771 U	0.00114 U	0.000896 U	0.000930 U	0.00121 J
	MW-301-30	09/20/19	PES	PACE	30	23.8	S	0.00133 U	0.000709 U	0.000557 U	0.00133 U	0.00122 J	0.00172 U	0.000854 U	0.000839 U	0.00124 U	0.000975 U	0.00101 U	0.00111 J
MW-302 (3.0 to -7.0)	MW-302-5	10/01/19	PES	PACE	5	52.3	V	0.00126 U	0.000671 U	0.000527 U	0.00126 U	0.000913 J	0.00163 U	0.000808 U	0.000794 U	0.00117 U	0.000923 U	0.000958 U	0.00110 J
	MW-302-10	10/01/19	PES	PACE	10	47.3	V	0.00134 U	0.000713 U	0.000560 U	0.00134 U	0.000516 U	0.00173 U	0.000859 U	0.000844 U	0.00124 U	0.000980 U	0.00102 U	0.000659 U
	MW-302-15	10/01/19	PES	PACE	15	42.3	V	0.00147 U	0.000782 U	0.000614 U	0.00147 U	0.000565 U	0.00189 U	0.000940 U	0.000924 U	0.00136 U	0.00107 U	0.00112 U	0.000723 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-302 (continued)	MW-302-20	10/01/19	PES	PACE	20	37.3	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.000495 U	0.00166 U	0.000823 U	0.000809 U	0.00119 U	0.000940 U	0.000976 U	0.000632 U
	MW-302-25	10/01/19	PES	PACE	25	32.3	S	0.00121 U	0.000642 U	0.000504 U	0.00121 U	0.000465 U	0.00156 U	0.000773 U	0.000760 U	0.00112 U	0.000883 U	0.000917 U	0.000594 U
	MW-302-30	10/01/19	PES	PACE	30	27.3	S	0.00118 U	0.000627 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	0.000755 U	0.000742 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
	MW-302-35	10/01/19	PES	PACE	35	22.3	S	0.00116 U	0.000616 U	0.000484 U	0.00116 U	0.000446 U	0.00149 U	0.000742 U	0.000729 U	0.00107 U	0.000847 U	0.000879 U	0.000570 U
	MW-302-40	10/01/19	PES	PACE	40	17.3	S	0.00115 U	0.000610 U	0.000479 U	0.00115 U	0.000441 U	0.00148 U	0.000734 U	0.000721 U	0.00106 U	0.000838 U	0.000870 U	0.000564 U
	MW-302-45	10/01/19	PES	PACE	45	12.3	S	0.00129 U	0.000683 U	0.000536 U	0.00129 U	0.000494 U	0.00166 U	0.000822 U	0.000808 U	0.00119 U	0.000939 U	0.000975 U	0.000631 U
	MW-302-50	10/01/19	PES	PACE	50	7.3	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.000496 U	0.00166 U	0.000824 U	0.000810 U	0.00119 U	0.000941 U	0.000977 U	0.000633 U
	MW-302-55	10/01/19	PES	PACE	55	2.3	S	0.00123 U	0.000651 U	0.000511 U	0.00123 U	0.000472 U	0.00158 U	0.000784 U	0.000770 U	0.00114 U	0.000895 U	0.000930 U	0.000602 U
	MW-302-60	10/01/19	PES	PACE	60	-2.7	S	0.00154 U	0.000815 U	0.000640 U	0.00154 U	0.000590 U	0.00198 U	0.000981 U	0.000964 U	0.00142 U	0.00112 U	0.00116 U	0.00117 J
MW-304 (-47.6 to -57.6)	MW-302-65	10/01/19	PES	PACE	65	-7.7	S	0.00126 U	0.000671 U	0.000527 U	0.00126 U	0.000486 U	0.00163 U	0.000808 U	0.000794 U	0.00117 U	0.000923 U	0.000958 U	0.000621 U
	MW-2014-65	10/01/19	PES	PACE	65 (dup)	-7.7	S	0.00131 U	0.000695 U	0.000546 U	0.00131 U	0.000503 U	0.00169 U	0.000836 U	0.000822 U	0.00121 U	0.000955 U	0.000992 U	0.000643 U
	MW-304-5	10/01/19	PES	PACE	5	52.6	V	0.00122 U	0.000645 U	0.000507 U	0.00122 U	0.000467 U	0.00157 U	0.000777 U	0.000764 U	0.00113 U	0.000888 U	0.000921 U	0.000597 U
	MW-304-10	10/01/19	PES	PACE	10	47.6	V	0.00123 U	0.000653 U	0.000513 U	0.00123 U	0.000522 J	0.00158 U	0.000786 U	0.000773 U	0.00114 U	0.000898 U	0.000932 U	0.000604 U
	MW-304-15	10/01/19	PES	PACE	15	42.6	V	0.00128 U	0.000681 U	0.000535 U	0.00128 U	0.000493 U	0.00165 U	0.000820 U	0.000806 U	0.00119 U	0.000937 U	0.000973 U	0.000630 U
	MW-304-20	10/01/19	PES	PACE	20	37.6	S	0.00127 U	0.000675 U	0.000530 U	0.00127 U	0.000674 J	0.00164 U	0.000813 U	0.000799 U	0.00118 U	0.000928 U	0.000963 U	0.000624 U
	MW-304-25	10/01/19	PES	PACE	25	32.6	S	0.00118 U	0.000627 U	0.000492 U	0.00118 U	0.000454 U	0.00152 U	0.000755 U	0.000742 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
	MW-304-30	10/01/19	PES	PACE	30	27.6	S	0.00127 U	0.000674 U	0.000529 U	0.00127 U	0.000488 U	0.00163 U	0.000812 U	0.000797 U	0.00118 U	0.000927 U	0.000962 U	0.000623 U
	MW-304-40	10/01/19	PES	PACE	40	17.6	S	0.00117 U	0.000622 U	0.000488 U	0.00117 U	0.000450 U	0.00151 U	0.000749 U	0.000736 U	0.00109 U	0.000855 U	0.000888 U	0.000575 U
	MW-304-45	10/01/19	PES	PACE	45	12.6	S	0.00110 U	0.000582 U	0.000457 U	0.00110 U	0.000422 U	0.00141 U	0.000701 U	0.000689 U	0.00102 U	0.000800 U	0.000831 U	0.000538 U
	MW-304-50	10/01/19	PES	PACE	50	7.6	S	0.00116 U	0.000617 U	0.000484 U	0.00116 U	0.000503 J	0.00150 U	0.000743 U	0.000730 U	0.00108 U	0.000848 U	0.000881 U	0.000571 U
	MW-304-55	10/01/19	PES	PACE	55	2.6	S	0.00109 U	0.000578 U	0.000454 U	0.00109 U	0.000454 J	0.00140 U	0.000695 U	0.000683 U	0.00101 U	0.000794 U	0.000825 U	0.000534 U
	MW-304-60	10/01/19	PES	PACE	60	-2.4	S	0.00114 U	0.000604 U	0.000475 U	0.00114 U	0.000438 U	0.00147 U	0.000728 U	0.000715 U	0.00105 U	0.000831 U	0.000863 U	0.000559 U
	MW-304-65	10/01/19	PES	PACE	65	-7.4	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000481 U	0.00161 U	0.000799 U	0.000785 U	0.00116 U	0.000913 U	0.000947 U	0.000614 U
	MW-304-70	10/01/19	PES	PACE	70	-12.4	S	0.00131 U	0.000696 U	0.000547 U	0.00131 U	0.000504 U	0.00169 U	0.000838 U	0.000824 U	0.00121 U	0.000957 U	0.000994 U	0.000644 U
	MW-304-75	10/01/19	PES	PACE	75	-17.4	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000661 J	0.00159 U	0.000790 U	0.000776 U	0.00114 U	0.000902 U	0.000937 U	0.000619 J
	MW-304-80	10/01/19	PES	PACE	80	-22.4	S	0.00118 U	0.000627 U	0.000493 U	0.00118 U	0.000454 U	0.00152 U	0.000755 U	0.000742 U	0.00109 U	0.000862 U	0.000895 U	0.000580 U
	MW-304-85	10/01/19	PES	PACE	85	-27.4	S	0.00118 U	0.000628 U	0.000493 U	0.00118 U	0.000455 U	0.00152 U	0.000756 U	0.000743 U	0.00110 U	0.000863 U	0.000896 U	0.000580 U
	MW-304-90	10/01/19	PES	PACE	90	-32.4	S	0.00129 U	0.000687 U	0.000540 U	0.00129 U	0.000587 J	0.00167 U	0.000827 U	0.000813 U	0.00120 U	0.000945 U	0.000981 U	0.000635 U
	MW-304-95	10/01/19	PES	PACE	95	-37.4	S	0.00128 UJ	0.000679 U	0.000533 U	0.00128 U	0.000492 U	0.00165 U	0.000818 U	0.000803 U	0.00118 U	0.000934 U	0.000969 U	0.000628 U
	MW-2009-95	10/01/19	PES	PACE	95 (dup)	-37.4	S	0.00130 UJ	0.000688 U	0.000541 U	0.00130 U	0.000499 U	0.00167 U	0.000829 U	0.000814 U	0.00120 U	0.000947 U	0.000983 U	0.000637 U
	MW-304-100	10/02/19	PES	PACE	100	-42.4	S	0.00127 UJ	0.000675 U	0.000530 U	0.00127 U	0.000500 J	0.00164 U	0.000813 U	0.000799 U	0.00118 U	0.000929 U	0.000964 U	0.000625 U
	MW-304-105	10/02/19	PES	PACE	105	-47.4	S	0.00126 UJ	0.000671 U	0.000527 U	0.00126 U	0.000486 U	0.00163 U	0.000807 U	0.000793 U	0.00117 U	0.000922 U	0.000957 U	0.000620 U
	MW-304-110	10/02/19	PES	PACE	110	-52.4	S	0.00137 U	0.000725 U	0.000569 U	0.00137 U	0.000525 U	0.00176 UJ	0.000872 U	0.000857 U	0.00126 U	0.000996 U	0.00103 U	0.000699 J
	MW-304-115	10/02/19	PES	PACE	115	-57.4	S	0.00126 UJ	0.000668 U	0.000524 U	0.00126 U	0.000484 U	0.00162 U	0.000804 U	0.000790 U	0.00117 U	0.000918 U	0.000953 U	0.000617 U
MW-307 (-12.4 to -22.4)	MW-307-6	10/03/19	PES	PACE	6	54.5	V	0.00121 U	0.000641 U	0.000503 U	0.00121 U	0.000464 U	0.00155 U	0.000771 U	0.000758 U	0.00112 U	0.000881 U	0.000914 U	0.000603 J
	MW-307-10	10/03/19	PES	PACE	10	50.5	V	0.00124 U	0.000659 U	0.000518 U	0.00124 U	0.000843 J	0.00160 U	0.000794 U	0.000781 U	0.00115 U	0.000907 U	0.000942 U	0.000971 J
	MW-307-15	10/03/19	PES	PACE	15	45.5	V	0.00116 U	0.000617 U	0.000485 U	0.00116 U	0.000511 J	0.00150 U	0.000743 U	0.000731 U	0.00108 U	0.000849 U	0.000881 U	0.000571 U
	MW-307-20	10/03/19	PES	PACE	20	40.5	V	0.00115 U	0.000613 U	0.000481 U	0.00115 U	0.000716 J	0.00149 U	0.000738 U	0.000725 U	0.00107 U	0.000843 U	0.000875 U	0.000567 U
	MW-307-25	10/03/19	PES	PACE	25	35.5	S	0.00118 U	0.000629 U	0.000494 U	0.00118 U	0.000593 J	0.00152 U	0.000757 U	0.000744 U	0.00110 U	0.000864 U	0.000897 U	0.000581 U
	MW-307-30	10/03/19	PES	PACE	30	30.5	S	0.00160 U	0.000844 U	0.000664 U	0.00160 U	0.000776 J	0.00205 U	0.00102 U	0.000999 U	0.00147 U	0.00116 U	0.00121 U	0.000781 U
	MW-307-35	10/03/19	PES	PACE	35	25.5	S	0.00116 U	0.000613 U	0.000481 U	0.00116 U	0.000452 J	0.00149 U	0.000738 U	0.000725 U	0.00107 U	0.000843 U	0.000875 U	0.000567 U
	MW-307-40	10/03/19	PES	PACE	40	20.5	S	0.00123 U	0.000654 U	0.000514 U	0.00123 U	0.000730 J	0.00159 U	0.000788 U	0.000774 U	0.00114 U	0.000900 U	0.000934 U	0.000605 U
	MW-307-45	10/03/19	PES	PACE	45	15.5	S	0.00119 U	0.000632 U	0.000496 U	0.00119 U	0.000699 J	0.00153 U	0.000761 U	0.000748 U	0.00110 U	0.000869 U	0.000902 U	0.000585 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-307 (continued)	MW-307-50	10/03/19	PES	PACE	50	10.5	S	0.00120 U	0.000637 U	0.000500 U	0.00120 U	0.000736 J	0.00155 U	0.000767 U	0.000754 U	0.00111 U	0.000876 U	0.000910 U	0.000589 U
	MW-307-55	10/03/19	PES	PACE	55	5.5	S	0.00117 U	0.000622 U	0.000489 U	0.00117 U	0.000451 U	0.00151 U	0.000749 U	0.000736 U	0.00109 U	0.000856 U	0.000888 U	0.000575 U
	MW-307-60	10/03/19	PES	PACE	60	0.5	S	0.00122 U	0.000647 U	0.000508 U	0.00122 U	0.000469 U	0.00157 U	0.000779 U	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.000599 U
	MW-307-65	10/03/19	PES	PACE	65	-4.5	S	0.00248 U	0.00132 U	0.00104 U	0.00248 U	0.000955 U	0.00319 U	0.00159 U	0.00156 U	0.00230 U	0.00182 U	0.00188 U	0.00148 J
	MW-307-70	10/03/19	PES	PACE	70	-9.5	S	0.0123 U	0.00657 U	0.00516 U	0.0123 U	0.00476 U	0.0160 U	0.00791 U	0.00777 U	0.0115 U	0.00903 U	0.00937 U	0.00607 U
	MW-307-75	10/03/19	PES	PACE	75	-14.5	S	0.00119 U	0.000632 U	0.000496 U	0.00119 U	0.000458 U	0.00153 U	0.000761 U	0.000748 U	0.00110 U	0.000869 U	0.000902 U	0.000584 U
	MW-307-80	10/03/19	PES	PACE	80	-19.5	S	0.00126 U	0.000669 U	0.000526 U	0.00126 U	0.000484 U	0.00162 U	0.000807 U	0.000792 U	0.00117 U	0.000921 U	0.000956 U	0.000619 U
	MW-307-85	10/03/19	PES	PACE	85	-24.5	S	0.00124 U	0.000656 U	0.000516 U	0.00124 U	0.000475 U	0.00159 U	0.000790 U	0.000777 U	0.00115 U	0.000903 U	0.000937 U	0.000962 J
	MW-2016-85	10/03/19	PES	PACE	85 (dup)	-24.5	S	0.00117 U	0.000619 U	0.000486 U	0.00117 U	0.000448 U	0.00150 U	0.000745 U	0.000732 U	0.00108 U	0.000851 U	0.000884 U	0.000584 J
MW-309 (-32.0 to -42.0)	MW-309-5	09/19/19	PES	PACE	5	25.4	V	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.000577 U	0.00166 U	0.000823 U	0.000809 U	0.00119 U	0.000940 U	0.000976 U	0.00118 J
	MW-309-10	09/19/19	PES	PACE	10	20.4	S	0.0680 U	0.0360 U	0.0283 U	0.0680 U	0.0261 U	0.0875 U	0.0434 U	0.0426 U	0.0629 U	0.0496 U	0.0514 U	0.121 J
	MW-309-13.5	09/19/19	PES	PACE	13.5	16.9	S	0.00132 U	0.000700 U	0.000550 U	0.00132 U	0.00131 U	0.00170 U	0.000843 U	0.000828 U	0.00122 U	0.000962 U	0.000999 U	0.137
	MW-309-15	09/19/19	PES	PACE	15	15.4	S	0.0102 U	0.00539 U	0.00424 U	0.0102 U	0.00391 U	0.0131 U	0.00650 U	0.00638 U	0.00942 U	0.00742 U	0.00770 U	1.45
	MW-309-20	09/19/19	PES	PACE	20	10.4	S	0.00127 U	0.000674 U	0.000529 U	0.00127 U	0.000542 U	0.00164 U	0.000812 U	0.000798 U	0.00118 U	0.000927 U	0.000962 U	0.505
	MW-309-25	09/19/19	PES	PACE	25	5.4	S	0.00128 U	0.000677 U	0.000532 U	0.00128 U	0.000490 U	0.00164 U	0.000815 U	0.000801 U	0.00118 U	0.000931 U	0.000966 U	0.258
	MW-309-30	09/19/19	PES	PACE	30	0.4	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.00111 U	0.00166 U	0.000824 U	0.000810 U	0.00119 U	0.000941 U	0.000977 U	0.000553
	MW-309-35	09/19/19	PES	PACE	35	-4.6	S	0.00131 U	0.000695 U	0.000546 U	0.00131 U	0.000605 U	0.00169 U	0.000721	0.000822 U	0.00121 U	0.000955 U	0.000992 U	0.000977 J
	MW-309-40	09/19/19	PES	PACE	40	-9.6	S	0.00131 U	0.000695 U	0.000546 U	0.00131 U	0.000503 U	0.00169 U	0.170	0.000822 U	0.00121 U	0.000955 U	0.000992 U	0.00116 J
	MW-309-45	09/19/19	PES	PACE	45	-14.6	S	0.00136 U	0.000723 U	0.000568 U	0.00136 U	0.000686 U	0.00175 U	0.0154	0.000855 U	0.00126 U	0.000994 U	0.00103 U	0.000668 U
	MW-309-50	09/19/19	PES	PACE	50	-19.6	S	0.00129 U	0.000683 U	0.000536 U	0.00129 U	0.00111 U	0.00166 U	0.000822 U	0.000808 U	0.00119 U	0.000939 U	0.000975 U	0.000632 U
	MW-309-55	09/19/19	PES	PACE	55	-24.6	S	0.00120 U	0.000636 U	0.000500 U	0.00120 U	0.000645 U	0.00154 U	0.000184 J	0.000753 U	0.00111 U	0.000875 U	0.000908 U	0.00151 J
	MW-309-60	09/19/19	PES	PACE	60	-29.6	S	0.00120 U	0.000640 U	0.000503 U	0.00120 U	0.000714 U	0.00155 U	0.000771 U	0.000757 U	0.00112 U	0.000881 U	0.000914 U	0.000592 U
	MW-309-65	09/19/19	PES	PACE	65	-34.6	S	0.00121 U	0.000644 U	0.000505 U	0.00121 U	0.000593 U	0.00156 U	0.000775 U	0.000762 U	0.00112 U	0.000885 U	0.000919 U	0.000785 J
	MW-309-70	09/19/19	PES	PACE	70	-39.6	S	0.00123 U	0.000652 U	0.000512 U	0.00123 U	0.000674 U	0.00158 U	0.000785 U	0.000771 U	0.00114 U	0.000896 U	0.000930 U	0.000668 J
	MW-309-75	09/19/19	PES	PACE	75	-44.6	S	0.00117 U	0.000619 U	0.000486 U	0.00117 U	0.000449 U	0.00150 U	0.000746 U	0.000733 U	0.00108 U	0.000852 U	0.000884 U	0.000573 U
MW-311 (-29.0 to -39.0)	MW-311-5	09/18/19	PES	PACE	5	28.1	V	0.00129 U	0.000686 U	0.000539 U	0.00129 U	0.000497 U	0.00166 U	0.000826 U	0.000812 U	0.00120 U	0.000943 U	0.000979 U	0.000634 U
	MW-311-10	09/18/19	PES	PACE	10	23.1	S	0.00124 U	0.000660 U	0.000518 U	0.00124 U	0.000478 U	0.00160 U	0.000794 U	0.000780 U	0.00115 U	0.000907 U	0.000942 U	0.000610 U
	MW-311-15	09/18/19	PES	PACE	15	18.1	S	0.00290 U	0.00154 U	0.00121 U	0.00290 U	0.00111 U	0.00373 U	0.00185 U	0.00182 U	0.00268 U	0.00212 U	0.00220 U	0.00142 U
	MW-311-20	09/18/19	PES	PACE	20	13.1	S	0.00302 U	0.00160 U	0.00126 U	0.00302 U	0.00116 U	0.00389 U	0.00193 U	0.00190 U	0.00280 U	0.00220 U	0.00228 U	0.00148 U
	MW-311-25	09/18/19	PES	PACE	25	8.1	S	0.00536 U	0.00284 U	0.00224 U	0.00536 U	0.00206 U	0.00690 U	0.00343 U	0.00337 U	0.00497 U	0.00391 U	0.00406 U	0.00620 J
	MW-311-30	09/18/19	PES	PACE	30	3.1	S	0.00283 U	0.00150 U	0.00118 U	0.00283 U	0.00109 U	0.00365 U	0.00182 U	0.00178 U	0.00263 U	0.00207 U	0.00215 U	0.00392 J
	MW-311-35	09/18/19	PES	PACE	35	-1.9	S	0.00252 U	0.00134 U	0.00105 U	0.00252 U	0.000968 U	0.00324 U	0.00161 U	0.00159 U	0.00233 U	0.00184 U	0.00191 U	0.00252 J
	MW-311-40	09/18/19	PES	PACE	40	-6.9	S	0.00127 U	0.000672 U	0.000527 U	0.00127 U	0.000486 U	0.00163 U	0.000613	0.000795 U	0.00117 U	0.000924 U	0.000959 U	0.000683 J
	MW-311-45	09/18/19	PES	PACE	45	-11.9	S	0.00136 U	0.000719 U	0.000565 U	0.00136 U	0.000521 U	0.00174 U	0.265	0.000851 U	0.00126 U	0.000989 U	0.00103 U	0.000665 U
	MW-311-50	09/18/19	PES	PACE	50	-16.9	S	0.00126 U	0.000669 U	0.000525 U	0.00126 U	0.000485 U	0.00162 U	0.232	0.000792 U	0.00117 U	0.000920 U	0.000955 U	0.000619 U
	MW-311-55	09/18/19	PES	PACE	55	-21.9	S	0.00119 U	0.000633 U	0.000498 U	0.00119 U	0.000459 U	0.00154 U	0.545	0.000750 U	0.00111 U	0.000871 U	0.000904 U	0.000586 U
	MW-311-60	09/18/19	PES	PACE	60	-26.9	S	0.00237 U	0.00126 U	0.000986 U	0.00237 U	0.000910 U	0.00305 U	0.141	0.00149 U	0.00219 U	0.00173 U	0.00180 U	0.00131 J
	MW-311-65	09/18/19	PES	PACE	65	-31.9	S	0.00114 U	0.000607 U	0.000477 U	0.00114 U	0.000440 U	0.00147 U	0.00153 J	0.000719 U	0.00106 U	0.000835 U	0.000867 U	0.000562 U
	MW-2005-65	09/18/19	PES	PACE	65 (dup)	-31.9	S	0.00118 U	0.000629 U	0.000494 U	0.00118 U	0.000755 J	0.00152 U	0.000757 U	0.000744 U	0.00110 U	0.000864 U	0.000897 U	0.000641 J
	MW-311-70	09/18/19	PES	PACE	70	-36.9	S	0.00119 U	0.000631 U	0.000496 U	0.00119 U	0.000674 J	0.00153 U	0.000760 U	0.000747 U	0.00110 U	0.000868 U	0.000901 U	0.000584 U
	MW-2007-70	09/18/19	PES	PACE	70 (dup)	-38.3	S	0.00230 U	0.00123 U	0.000959 U	0.00230 U	0.00158 J	0.00296 U	0.00147 U	0.00145 U	0.00213 U	0.00168 U	0.00175 U	0.00168 J

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-312 (19.9 to 9.9)	MW-312-6	09/16/19	PES	PACE	6	29.6	V	0.00131 U	0.000697 U	0.000547 U	0.00131 U	0.000505 U	0.00169 U	0.000839 U	0.000825 U	0.00122 U	0.000959 U	0.000995 U	0.000645 U
	MW-312-10	09/16/19	PES	PACE	10	25.6	V	0.00219 U	0.00116 U	0.000913 U	0.00219 U	0.000842 U	0.00281 U	0.00140 U	0.00138 U	0.00203 U	0.00160 U	0.00166 U	0.00123 J
	MW-312-15	09/16/19	PES	PACE	15	20.6	S	0.00149 U	0.000792 U	0.000622 U	0.00149 U	0.000574 U	0.00191 U	0.00114 J	0.000937 U	0.00138 U	0.00109 U	0.00113 U	0.00573
	MW-312-20	09/16/19	PES	PACE	20	15.6	S	0.00117 U	0.000620 U	0.000487 U	0.00117 U	0.000449 U	0.00150 U	0.000747 U	0.000734 U	0.00108 U	0.000853 U	0.000885 U	0.000573 U
	MW-2004-20	09/16/19	PES	PACE	20	15.6	S	0.00125 U	0.000662 U	0.000520 U	0.00125 U	0.000479 U	0.00160 U	0.000797 U	0.000783 U	0.00115 U	0.000910 U	0.000944 U	0.000612 U
	MW-312-25	09/16/19	PES	PACE	25	10.6	S	0.00121 U	0.000641 U	0.000503 U	0.00121 U	0.000464 U	0.00155 U	0.000772 U	0.000758 U	0.00112 U	0.000881 U	0.000915 U	0.000593 U
MW-314 (-28.0 to -38.0)	MW-314-6	09/13/19	PES	PACE	6	33.8	V	0.00123 U	0.000651 U	0.000511 U	0.00123 U	0.000471 U	0.00158 U	0.000784 U	0.000770 U	0.00114 U	0.000895 U	0.000929 U	0.000803 J
	MW-314-10	09/13/19	PES	PACE	10	29.8	V	0.00123 U	0.000657 U	0.000516 U	0.00123 U	0.000476 U	0.00159 U	0.000791 U	0.000778 U	0.00115 U	0.000904 U	0.000938 U	0.000608 U
	MW-314-15	09/13/19	PES	PACE	15	24.8	V	0.00122 U	0.000645 U	0.000506 U	0.00122 U	0.000467 U	0.00156 U	0.000776 U	0.000763 U	0.00113 U	0.000887 U	0.000920 U	0.000596 U
	MW-314-20	09/13/19	PES	PACE	20	19.8	S	0.00124 U	0.000658 U	0.000516 U	0.00124 U	0.000729 J	0.00160 U	0.00292	0.000778 U	0.00115 U	0.000904 U	0.000939 U	0.000608 U
	MW-314-25	09/13/19	PES	PACE	25	14.8	S	0.00137 U	0.000728 U	0.000571 U	0.00137 U	0.000527 U	0.00177 U	0.00456	0.000861 U	0.00127 U	0.00100 U	0.00104 U	0.000673 U
	MW-2002-25	09/13/19	PES	PACE	25	14.8	S	0.00136 U	0.000723 U	0.000568 U	0.00136 U	0.000524 U	0.00175 U	0.00211 J	0.000856 U	0.00126 U	0.000995 U	0.00103 U	0.000669 U
	MW-314-30	09/13/19	PES	PACE	30	9.8	S	0.00134 U	0.000713 U	0.000560 U	0.00134 U	0.000627 J	0.00173 U	0.0481	0.000843 U	0.00124 U	0.000980 U	0.00102 U	0.000659 U
	MW-314-35	09/13/19	PES	PACE	35	4.8	S	0.00116 U	0.000615 U	0.000483 U	0.00116 U	0.000445 U	0.00149 U	0.776	0.000727 U	0.00107 U	0.000845 U	0.000877 U	0.000569 U
	MW-314-40	09/13/19	PES	PACE	40	-0.2	S	0.00120 U	0.000639 U	0.000501 U	0.00120 U	0.000463 U	0.00155 U	2.55	0.000756 U	0.00111 U	0.000879 U	0.000912 U	0.000591 U
	MW-314-45	09/13/19	PES	PACE	45	-5.2	S	0.00120 U	0.000634 U	0.000498 U	0.00120 U	0.000459 U	0.00154 U	0.00457	0.000750 U	0.00111 U	0.000872 U	0.000905 U	0.000587 U
	MW-314-50	09/13/19	PES	PACE	50	-10.2	S	0.00120 U	0.000638 U	0.000501 U	0.00120 U	0.000505 J	0.00155 U	0.313	0.000755 U	0.00111 U	0.000877 U	0.000911 U	0.000590 U
	MW-314-55	09/13/19	PES	PACE	55	-15.2	S	0.00130 U	0.000692 U	0.000543 U	0.00130 U	0.000501 U	0.00168 U	0.406	0.000819 U	0.00121 U	0.000951 U	0.000988 U	0.000640 U
	MW-314-60	09/13/19	PES	PACE	60	-20.2	S	0.00119 U	0.000634 U	0.000498 U	0.00119 U	0.000459 U	0.00154 U	0.102	0.000750 U	0.00111 U	0.000872 U	0.000905 U	0.000586 U
	MW-314-65	09/13/19	PES	PACE	65	-25.2	S	0.00123 U	0.000651 U	0.000511 U	0.00123 U	0.000471 U	0.00158 U	0.0843	0.000770 U	0.00114 U	0.000895 U	0.000929 U	0.000602 U
	MW-314-70	09/13/19	PES	PACE	70	-30.2	S	0.0132 U	0.000696 U	0.00547 U	0.0132 U	0.00505 U	0.0169 U	0.0502	0.00824 U	0.0122 U	0.00957 U	0.00994 U	0.00644 U
	MW-314-75	09/13/19	PES	PACE	75	-35.2	S	0.00247 U	0.00131 U	0.00103 U	0.00247 U	0.000948 U	0.00317 U	0.153	0.00155 U	0.00228 U	0.00180 U	0.00187 U	0.00121 U
	MW-314-80	09/13/19	PES	PACE	80	-40.2	S	0.00161 U	0.000856 U	0.000672 U	0.00161 U	0.000620 U	0.00208 U	0.139	0.00101 U	0.00149 U	0.00118 U	0.00122 U	0.000792 U
MW-316 (-10.0 to -20.0)	MW-316-5	09/09/19	PES	PACE	5	44.8	V	0.00117 U	0.000620 U	0.000487 U	0.00117 U	0.000580 U	0.00150 U	0.000747 U	0.000734 U	0.00108 U	0.000853 U	0.000886 U	0.000574 U
	MW-316-10	09/09/19	PES	PACE	10	39.8	V	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.00102 U	0.00157 U	0.000781 U	0.000767 U	0.00113 U	0.000891 U	0.000925 U	0.000600 U
	MW-316-15	09/09/19	PES	PACE	15	34.8	V	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000817 U	0.00156 U	0.000776 U	0.000762 U	0.00112 U	0.000886 U	0.000920 U	0.000596 U
	MW-316-20	09/09/19	PES	PACE	20	29.8	V	0.00117 U	0.000618 U	0.000485 U	0.00117 U	0.000702 U	0.00150 U	0.000744 U	0.000731 U	0.00108 U	0.000850 U	0.000882 U	0.000572 U
	MW-316-25	09/09/19	PES	PACE	25	24.8	S	0.00123 U	0.000650 U	0.000511 U	0.00123 U	0.000593 U	0.00158 U	0.00142 J	0.000769 U	0.00113 U	0.000894 U	0.000928 U	0.000601 U
	MW-316-30	09/09/19	PES	PACE	30	19.8	S	0.00120 U	0.000636 U	0.000499 U	0.00120 U	0.000984 U	0.00154 U	0.000766 U	0.000752 U	0.00111 U	0.000874 U	0.000908 U	0.000588 U
	MW-316-35	09/09/19	PES	PACE	35	14.8	S	0.00122 U	0.000647 U	0.000508 U	0.00122 U	0.000694 U	0.00157 U	0.000779 U	0.000765 U	0.00113 U	0.000890 U	0.000923 U	0.000598 U
	MW-316-40	09/09/19	PES	PACE	40	9.8	S	0.00123 U	0.000652 U	0.000512 U	0.00123 U	0.000542 U	0.00158 U	0.000785 U	0.000772 U	0.00114 U	0.000897 U	0.000931 U	0.000603 U
	MW-316-45	09/09/19	PES	PACE	45	4.8	S	0.00120 U	0.000637 U	0.000500 U	0.00120 U	0.000461 U	0.00155 U	0.000767 U	0.000754 U	0.00111 U	0.000876 U	0.000910 U	0.000589 U
	MW-316-50	09/09/19	PES	PACE	50	-0.2	S	0.00129 U	0.000686 U	0.000538 U	0.00129 U	0.000850 U	0.00166 U	0.000826 U	0.000811 U	0.00120 U	0.000943 U	0.000979 U	0.000634 U
	MW-316-55	09/09/19	PES	PACE	55	-5.2	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000744 U	0.00157 U	0.000781 U	0.000768 U	0.00113 U	0.000892 U	0.000926 U	0.000600 U
	MW-316-60	09/09/19	PES	PACE	60	-10.2	S	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000467 U	0.00156 U	0.000776 U	0.000762 U	0.00112 U	0.000886 U	0.000920 U	0.000596 U
	MW-316-65	09/10/19	PES	PACE	65	-15.2	S	0.00161 U	0.000857 U	0.000673 U	0.00161 U	0.00140 U	0.00207 U	0.00103 U	0.00101 U	0.00150 U	0.00118 U	0.00122 U	0.000794 U
	MW-2001-65	09/10/19	PES	PACE	65	-15.2	S	0.00128 U	0.000679 U	0.000533 U	0.00128 U	0.000801 U	0.00165 U	0.000817 U	0.000803 U	0.00118 U	0.000933 U	0.000969 U	0.000628 U
	MW-316-70	09/10/19	PES	PACE	70	-20.2	S	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.00103 U	0.00157 U	0.000781 U	0.000767 U	0.00113 U	0.000892 U	0.000926 U	0.000600 U
MW-319 (-42.8 to -52.8)	MW-319-6	09/18/19	PES	PACE	6	25.7	V	0.00125 U	0.000665 U	0.000522 U	0.00125 U	0.000482 U	0.00161 U	0.000801 U	0.000787 U	0.00116 U	0.000914 U	0.000949 U	0.00182 J
	MW-319-10	09/18/19	PES	PACE	10	21.7	S	0.00125 U	0.000661 U	0.000519 U	0.00125 U	0.000478 U	0.00160 U	0.000796 U	0.000782 U	0.00115 U	0.000909 U	0.000943 U	0.000611 U
	MW-319-15	09/18/19	PES	PACE	15	16.7	S	0.00124 U	0.000656 U	0.000515 U	0.00124 U	0.000475 U	0.00159 U	0.000790 U	0.000777 U	0.00115 U	0.000903 U	0.000937 U	0.000607 U
	MW-319-20	09/18/19	PES	PACE	20	11.7	S	0.00134 U	0.000710 U	0.000557 U	0.00134 U	0.000514 U	0.00172 U	0.000855 U	0.000840 U	0.00124 U	0.000976 U	0.00101 U	0.000656 U
	MW-319-30	09/18/19	PES	PACE	30	1.7	S	0.00123 U	0.000655 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.000789 U	0.000775 U	0.00114 U	0.000901 U	0.000935 U	0.000606 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-319 (continued)	MW-319-35	09/18/19	PES	PACE	35	-3.3	S	0.00136 U	0.000723 U	0.000567 U	0.00136 U	0.000523 U	0.00175 U	0.000870 U	0.000855 U	0.00126 U	0.000994 U	0.00103 U	0.000668 U
	MW-319-40	09/18/19	PES	PACE	40	-8.3	S	0.00127 U	0.000676 U	0.000531 U	0.00127 U	0.000490 U	0.00164 U	0.000815 U	0.000800 U	0.00118 U	0.000930 U	0.000966 U	0.000626 U
	MW-319-45	09/18/19	PES	PACE	45	-13.3	S	0.00128 U	0.000680 U	0.000534 U	0.00128 U	0.000493 U	0.00165 U	0.000819 U	0.000805 U	0.00119 U	0.000936 U	0.000971 U	0.000629 U
	MW-319-50	09/18/19	PES	PACE	50	-18.3	S	0.00132 U	0.000700 U	0.000549 U	0.00132 U	0.000507 U	0.00170 U	0.000843 U	0.000828 U	0.00122 U	0.000962 U	0.000999 U	0.000647 U
	MW-319-55	09/18/19	PES	PACE	55	-23.3	S	0.00136 U	0.000724 U	0.000568 U	0.00136 U	0.000524 U	0.00176 U	0.00211 J	0.000856 U	0.00126 U	0.000995 U	0.00103 U	0.00373
	MW-319-60	09/18/19	PES	PACE	60	-28.3	S	0.00128 U	0.000680 U	0.000534 U	0.00128 U	0.000493 U	0.00165 U	0.00497	0.000805 U	0.00119 U	0.000936 U	0.000971 U	0.00761
	MW-319-65	09/18/19	PES	PACE	65	-33.3	S	0.00138 U	0.000730 U	0.000574 U	0.00138 U	0.000529 U	0.00177 U	0.0139	0.000864 U	0.00127 U	0.00100 U	0.00104 U	0.00104 J
	MW-319-70	09/18/19	PES	PACE	70	-38.3	S	0.00132 U	0.000698 U	0.000548 U	0.00132 U	0.000506 U	0.00169 U	0.0396	0.000826 U	0.00122 U	0.000960 U	0.000997 U	0.000646 U
	MW-2006-70	09/18/19	PES	PACE	70 (dup)	-36.9	S	0.00135 U	0.000718 U	0.000564 U	0.00135 U	0.000520 U	0.00174 U	0.0434	0.000850 U	0.00125 U	0.000988 U	0.00103 U	0.000664 U
	MW-319-75	09/18/19	PES	PACE	75	-43.3	S	0.00120 U	0.000635 U	0.000498 U	0.00120 U	0.000460 U	0.00154 U	0.194	0.000751 U	0.00111 U	0.000873 U	0.000906 U	0.000587 U
MW-320 (18.6 to 8.6)	MW-320-19	09/29/19	PES	PACE	19	15.1	S	0.0241 U	0.0128 U	0.0101 U	0.0241 U	0.00927 U	0.0311 U	0.0154 U	0.0152 U	0.0223 U	0.0176 U	0.0183 U	0.0118 U
	MW-320-27	09/29/19	PES	PACE	27	7.1	S	0.00125 U	0.000664 U	0.000521 U	0.00125 U	0.000481 U	0.00161 U	0.000799 U	0.000785 U	0.00116 U	0.000913 U	0.000947 U	0.000614 U
MW-323 (-65.4 to -75.4)	MW-323-10	09/28/19	PES	PACE	10	24.7	V	0.00263 U	0.00140 U	0.00110 U	0.00263 U	0.00425 U	0.00339 U	0.0168	0.00166 U	0.00244 U	0.00193 U	0.00200 U	0.00129 U
	MW-2012-10	09/28/19	PES	PACE	10 (dup)	24.7	V	0.00135 U	0.000716 U	0.000562 U	0.00135 U	0.000519 U	0.00174 U	0.000862 U	0.000848 U	0.00125 U	0.000985 U	0.00102 U	0.000662 U
	MW-323-15	09/28/19	PES	PACE	15	19.7	S	0.00247 U	0.00131 U	0.00103 U	0.00247 U	0.00260 U	0.00319 U	0.00158 U	0.00155 U	0.00229 U	0.00181 U	0.00188 U	0.00121 U
	MW-323-20	09/28/19	PES	PACE	20	14.7	S	0.00122 U	0.000647 U	0.000508 U	0.00122 U	0.000469 U	0.00157 U	0.000998 J	0.000766 U	0.00113 U	0.000890 U	0.000924 U	0.0194
	MW-323-25	09/28/19	PES	PACE	25	9.7	S	0.00123 U	0.000653 U	0.000513 U	0.00123 U	0.000669 U	0.00159 U	0.00136 J	0.000773 U	0.00114 U	0.000899 U	0.000933 U	0.000604 U
	MW-323-30	09/28/19	PES	PACE	30	4.7	S	0.00229 U	0.00122 U	0.000956 U	0.00229 U	0.00143 U	0.00295 U	0.00335 J	0.00144 U	0.00212 U	0.00168 U	0.00174 U	0.00113 U
	MW-323-35	09/28/19	PES	PACE	35	-0.4	S	0.00139 U	0.000736 U	0.000578 U	0.00139 U	0.000952 U	0.00179 U	0.00305 J	0.000871 U	0.00129 U	0.00101 U	0.00105 U	0.000681 U
	MW-323-40	09/28/19	PES	PACE	40	-5.4	S	0.00139 U	0.000736 U	0.000578 U	0.00139 U	0.000690 U	0.00178 U	0.00321 J	0.000871 U	0.00128 U	0.00101 U	0.00105 U	0.000681 U
	MW-323-45	09/28/19	PES	PACE	45	-10.4	S	0.00138 U	0.000733 U	0.000576 U	0.00138 U	0.000531 U	0.00178 U	0.000883 U	0.000867 U	0.00128 U	0.00101 U	0.00105 U	0.000678 U
	MW-323-50	09/28/19	PES	PACE	50	-15.4	S	0.00124 U	0.000660 U	0.000518 U	0.00124 U	0.000478 U	0.00160 U	0.00257 J	0.000780 U	0.00115 U	0.000907 U	0.000942 U	0.000610 U
	MW-323-55	09/28/19	PES	PACE	55	-20.4	S	0.00126 U	0.000668 U	0.000524 U	0.00126 U	0.000484 U	0.00162 U	0.682	0.000790 U	0.00117 U	0.000918 U	0.000953 U	0.000618 U
	MW-323-60	09/28/19	PES	PACE	60	-25.4	S	0.00138 U	0.000735 U	0.000577 U	0.00138 U	0.000532 U	0.00178 U	2.13	0.000869 U	0.00128 U	0.00101 U	0.00105 U	0.00146 J
	MW-2010-60	09/28/19	PES	PACE	60 (dup)	-25.4	S	0.00132 U	0.000699 U	0.000549 U	0.00132 U	0.000506 U	0.00169 U	1.93	0.000827 U	0.00122 U	0.000961 U	0.000997 U	0.000646 U
	MW-323-65	09/28/19	PES	PACE	65	-30.4	S	0.00130 U	0.000689 U	0.000541 U	0.00130 U	0.000499 U	0.00167 U	3.03	0.000815 U	0.00120 U	0.000947 U	0.000983 U	0.000637 U
	MW-323-70	09/28/19	PES	PACE	70	-35.4	S	0.182 U	0.0963 U	0.0756 U	0.182 U	0.0698 U	0.234 U	0.116 U	0.114 U	0.168 U	0.133 U	0.138 U	0.0892 U
	MW-323-75	09/28/19	PES	PACE	75	-40.4	S	0.00127 U	0.000673 U	0.000529 U	0.00127 U	0.000488 U	0.00163 U	2.13	0.000797 U	0.00118 U	0.000926 U	0.000961 U	0.000623 U
	MW-323-80	09/28/19	PES	PACE	80	-45.4	S	0.00122 U	0.000648 U	0.000509 U	0.00122 U	0.000469 U	0.00157 U	0.453	0.000766 U	0.00113 U	0.000891 U	0.000924 U	0.000599 U
	MW-323-85	09/28/19	PES	PACE	85	-50.4	S	0.00129 U	0.000686 U	0.000539 U	0.00129 U	0.000497 U	0.00166 U	0.794	0.000812 U	0.00120 U	0.000944 U	0.000980 U	0.000635 U
	MW-323-91	09/28/19	PES	PACE	91	-56.4	S	0.00307 U	0.00162 U	0.00127 U	0.00307 U	0.00118 U	0.00393 U	1.61	0.00192 U	0.00283 U	0.00223 U	0.00232 U	0.00150 U
	MW-323-95	09/28/19	PES	PACE	95	-60.4	S	0.00129 U	0.000687 U	0.000539 U	0.00129 U	0.000498 U	0.00167 U	0.433	0.000813 U	0.00120 U	0.000945 U	0.000981 U	0.000635 U
	MW-323-99	09/28/19	PES	PACE	99	-64.4	S	0.00125 U	0.000662 U	0.000520 U	0.00125 U	0.000480 U	0.00161 U	0.325	0.000784 U	0.00116 U	0.000911 U	0.000946 U	0.000613 U
	MW-323-105	09/28/19	PES	PACE	105	-70.4	S	0.00128 U	0.000677 U	0.000531 U	0.00128 U	0.000490 U	0.00164 U	0.000815 U	0.000801 U	0.00118 U	0.000930 U	0.000966 U	0.000626 U
	MW-323-110	09/28/19	PES	PACE	110	-75.4	S	0.00264 U	0.00141 U	0.00110 U	0.00264 U	0.00102 U	0.00340 U	0.0150	0.00166 U	0.00245 U	0.00193 U	0.00201 U	0.00129 U
MW-324 (-32.1 to -42.1)	MW-324-6	09/12/19	PES	PACE	6	28.3	V	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000467 U	0.00156 U	0.000776 U	0.000763 U	0.00112 U	0.000886 U	0.000920 U	0.000596 U
	MW-324-10	09/12/19	PES	PACE	10	24.3	V	0.00125 U	0.000663 U	0.000521 U	0.00125 U	0.000661 J	0.00161 U	0.00566	0.000785 U	0.00116 U	0.000912 U	0.000947 U	0.000614 U
	MW-324-15	09/12/19	PES	PACE	15	19.3	S	0.00118 U	0.000626 U	0.000491 U	0.00118 U	0.000567 J	0.00152 U	0.000754 U	0.000740 U	0.00109 U	0.000861 U	0.000893 U	0.000579 U
	MW-324-20	09/12/19	PES	PACE	20	14.3	S	0.00126 U	0.000669 U	0.000525 U	0.00126 U	0.000484 U	0.00162 U	0.000805 U	0.000791 U	0.00117 U	0.000919 U	0.000954 U	0.000618 U
	MW-324-25	09/12/19	PES	PACE	25	9.3	S	0.00128 U	0.000676 U	0.000531 U	0.00128 U	0.000490 U	0.00164 U	0.0120	0.000800 U	0.00118 U	0.000930 U	0.000966 U	0.00114 J
	MW-324-30	09/12/19	PES	PACE	30	4.3	S	0.00133 U	0.000704 U	0.000553 U	0.00133 U	0.00112 J	0.00171 U	0.0354	0.000834 U	0.00123 U	0.000969 U	0.00100 U	0.000652 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-324 (continued)	MW-324-35	09/12/19	PES	PACE	35	-0.7	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.000495 U	0.00166 U	0.000860 J	0.000809 U	0.00119 U	0.000941 U	0.000977 U	0.000633 U
	MW-324-40	09/12/19	PES	PACE	40	-5.7	S	0.00131 U	0.000693 U	0.000544 U	0.00131 U	0.000502 U	0.00168 U	0.000834 U	0.000819 U	0.00121 U	0.000952 U	0.000989 U	0.000641 U
	MW-324-45	09/12/19	PES	PACE	45	-10.7	S	0.00136 U	0.000721 U	0.000566 U	0.00136 U	0.000522 U	0.00175 U	0.000905	0.000853 U	0.00126 U	0.000992 U	0.00103 U	0.000667 U
	MW-324-50	09/12/19	PES	PACE	50	-15.7	S	0.00108 U	0.000573 U	0.000450 U	0.00108 U	0.000415 U	0.00139 U	0.000690 U	0.000678 U	0.00100 U	0.000788 U	0.000818 U	0.000530 U
	MW-324-55	09/12/19	PES	PACE	55	-20.7	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000470 U	0.00158 U	0.0143	0.000768 U	0.00113 U	0.000893 U	0.000927 U	0.000601 U
	MW-324-60	09/12/19	PES	PACE	60	-25.7	S	0.00122 U	0.000649 U	0.000510 U	0.00122 U	0.000470 U	0.00158 U	0.213	0.000768 U	0.00113 U	0.000893 U	0.000927 U	0.000601 U
	MW-324-65	09/12/19	PES	PACE	65	-30.7	S	0.00127 U	0.000674 U	0.000529 U	0.00127 U	0.000488 U	0.00163 U	2.47	0.000798 U	0.00118 U	0.000927 U	0.000962 U	0.000623 U
	MW-324-70	09/12/19	PES	PACE	70	-35.7	S	0.00133 U	0.000710 U	0.000558 U	0.00133 U	0.000515 U	0.00172 U	2.15	0.000841 U	0.00124 U	0.000977 U	0.00101 U	0.000658 U
	MW-324-75	09/12/19	PES	PACE	75	-40.7	S	0.00135 U	0.000719 U	0.000564 U	0.00135 U	0.000520 U	0.00174 U	1.47	0.000850 U	0.00125 U	0.000988 U	0.00103 U	0.000665 U
	MW-324-80	09/12/19	PES	PACE	80	-45.7	S	0.00135 U	0.000717 U	0.000563 U	0.00135 U	0.000519 U	0.00174 U	2.01	0.000848 U	0.00125 U	0.000986 U	0.00102 U	0.000663 U
MW-326 (-48.7 to -58.7)	MW-326-5	09/09/19	PES	PACE	5	36.3	V	0.00119 U	0.000631 U	0.000496 U	0.00119 U	0.000457 U	0.00153 U	0.000760 U	0.000747 U	0.00110 U	0.000868 U	0.000901 U	0.00213 J
	MW-326-10	09/09/19	PES	PACE	10	31.3	V	0.00143 U	0.000762 U	0.000599 U	0.00143 U	0.000553 U	0.00185 U	0.000918 U	0.000902 U	0.00133 U	0.00105 U	0.00109 U	0.000705 U
	MW-326-15	09/09/19	PES	PACE	15	26.3	V	0.00126 U	0.000670 U	0.000526 U	0.00126 U	0.000485 U	0.00163 U	0.000807 U	0.000793 U	0.00117 U	0.000922 U	0.000957 U	0.000620 U
	MW-326-20	09/09/19	PES	PACE	20	21.3	S	0.00126 U	0.000671 U	0.000527 U	0.00126 U	0.000486 U	0.00163 U	0.000808 U	0.000794 U	0.00117 U	0.000922 U	0.000958 U	0.000620 U
	MW-326-25	09/09/19	PES	PACE	25	16.3	S	0.00134 U	0.000711 U	0.000558 U	0.00134 U	0.000515 U	0.00172 U	0.000856 U	0.000841 U	0.00124 U	0.000978 U	0.00102 U	0.000658 U
	MW-326-30	09/09/19	PES	PACE	30	11.3	S	0.00437 U	0.00231 U	0.00181 U	0.00437 U	0.00168 U	0.00562 U	0.00279 U	0.00274 U	0.00404 U	0.00318 U	0.00330 U	0.00214 U
	MW-326-35	09/09/19	PES	PACE	35	6.3	S	0.00134 U	0.000709 U	0.000557 U	0.00134 U	0.000513 U	0.00172 U	0.000853 U	0.000838 U	0.00124 U	0.000975 U	0.00101 U	0.000655 U
	MW-326-40	09/09/19	PES	PACE	40	1.3	S	0.00129 U	0.000683 U	0.000537 U	0.00129 U	0.000495 U	0.00166 U	0.000823 U	0.000809 U	0.00119 U	0.000940 U	0.000976 U	0.000632 U
	MW-326-45	09/09/19	PES	PACE	45	-3.7	S	0.00130 U	0.000690 U	0.000542 U	0.00130 U	0.000914 J	0.00167 U	0.0617	0.000817 U	0.00120 U	0.000949 U	0.000985 U	0.000638 U
	MW-326-50	09/09/19	PES	PACE	50	-8.7	S	0.00123 U	0.000655 U	0.000514 U	0.00123 U	0.000474 U	0.00159 U	0.00570	0.000775 U	0.00114 U	0.000901 U	0.000935 U	0.000606 U
	MW-326-55	09/09/19	PES	PACE	55	-13.7	S	0.00131 U	0.000697 U	0.000547 U	0.00131 U	0.000505 U	0.00169 U	0.0150	0.000825 U	0.00122 U	0.000959 U	0.000995 U	0.000645 U
	MW-326-60	09/09/19	PES	PACE	60	-18.7	S	0.00117 U	0.000623 U	0.000489 U	0.00117 U	0.000525 U	0.00151 U	0.00433	0.000737 U	0.00109 U	0.000856 U	0.000889 U	0.000576 U
	MW-326-65	09/09/19	PES	PACE	65	-23.7	S	0.00125 U	0.000664 U	0.000522 U	0.00125 U	0.000481 U	0.00161 U	0.00508	0.000786 U	0.00116 U	0.000913 U	0.000948 U	0.000614 U
	MW-326-70	09/09/19	PES	PACE	70	-28.7	S	0.00132 U	0.000698 U	0.000548 U	0.00132 U	0.000660 U	0.00169 U	0.00136 J	0.000826 U	0.00122 U	0.000960 U	0.000997 U	0.000646 U
	MW-326-75	09/09/19	PES	PACE	75	-33.7	S	0.00131 U	0.000695 U	0.000546 U	0.00131 U	0.000503 U	0.00169 U	0.000836 U	0.000822 U	0.00121 U	0.000955 U	0.000992 U	0.000643 U
	MW-326-80	09/09/19	PES	PACE	80	-38.7	S	0.00128 U	0.000681 U	0.000535 U	0.00128 U	0.000493 U	0.00165 U	0.000820 U	0.000806 U	0.00119 U	0.000937 U	0.000972 U	0.000630 U
	MW-326-85	09/10/19	PES	PACE	85	-43.7	S	0.00126 U	0.000670 U	0.000526 U	0.00126 U	0.000485 U	0.00162 U	0.000806 U	0.000792 U	0.00117 U	0.000921 U	0.000956 U	0.000619 U
	MW-326-90	09/10/19	PES	PACE	90	-48.7	S	0.00127 U	0.000675 U	0.000530 U	0.00127 U	0.000933 U	0.00164 U	0.000812 U	0.000798 U	0.00118 U	0.000928 U	0.000963 U	0.000624 U
	MW-326-95	09/10/19	PES	PACE	95	-53.7	S	0.00121 U	0.000644 U	0.000506 U	0.00121 U	0.000466 U	0.00156 U	0.000775 U	0.000762 U	0.00112 U	0.000885 U	0.000919 U	0.000595 U
	MW-200I-95	09/10/19	PES	PACE	95 (dup)	-53.7	S	0.00123 U	0.000654 U	0.000513 U	0.00123 U	0.000473 U	0.00159 U	0.000787 U	0.000773 U	0.00114 U	0.000899 U	0.000933 U	0.000891 J
	MW-326-100	09/10/19	PES	PACE	100	-58.7	S	0.00130 U	0.000692 U	0.000544 U	0.00130 U	0.000715 U	0.00168 U	0.000834 U	0.000819 U	0.00121 U	0.000952 U	0.000988 U	0.000640 U
MW-328 (-36.1 to -46.1)	MW-328-5	09/16/19	PES	PACE	5	23.4	V	0.00128 U	0.000681 U	0.000535 U	0.00128 U	0.000493 U	0.00165 U	0.000820 U	0.000806 U	0.00119 U	0.000937 U	0.000972 U	0.000952 J
	MW-328-10	09/16/19	PES	PACE	10	18.4	S	0.00148 U	0.000788 U	0.000618 U	0.00148 U	0.000570 U	0.00191 U	0.000948 U	0.000932 U	0.00137 U	0.00108 U	0.00112 U	0.000728 U
	MW-328-15	09/16/19	PES	PACE	15	13.4	S	0.00133 U	0.000703 U	0.000552 U	0.00133 U	0.000509 U	0.00171 U	0.000847 U	0.000832 U	0.00123 U	0.000967 U	0.00100 U	0.000651 U
	MW-328-20	09/16/19	PES	PACE	20	8.4	S	0.00129 U	0.000684 U	0.000537 U	0.00129 U	0.000496 U	0.00166 U	0.0304	0.000810 U	0.00119 U	0.000941 U	0.000977 U	0.000633 U
	MW-328-30	09/16/19	PES	PACE	30	-1.6	S	0.0255 U	0.0135 U	0.0106 U	0.0255 U	0.00978 U	0.0327 U	0.0163 U	0.0160 U	0.0236 U	0.0186 U	0.0192 U	0.0125 U
	MW-328-35	09/16/19	PES	PACE	35	-6.6	S	0.00138 U	0.000736 U	0.000578 U	0.00138 U	0.000533 U	0.00178 U	0.000886 U	0.000872 U	0.00129 U	0.00101 U	0.00105 U	0.000681 U
	MW-328-40	09/16/19	PES	PACE	40	-11.6	S	0.00314 U	0.00167 U	0.00131 U	0.00314 U	0.00121 U	0.00405 U	0.00201 U	0.00197 U	0.00291 U	0.00229 U	0.00238 U	0.00154 U
	MW-328-45	09/16/19	PES	PACE	45	-16.6	S	0.00133 U	0.000707 U	0.000555 U	0.00133 U	0.000512 U	0.00171 U	0.000851 U	0.000836 U	0.00123 U	0.000972 U	0.00101 U	0.000654 U
	MW-328-50	09/16/19	PES	PACE	50	-21.6	S	0.0397 U	0.0210 U	0.0165 U	0.0397 U	0.0152 U	0.0510 U	0.0253 U	0.0248 U	0.0367 U	0.0290 U	0.0300 U	0.0195 U
	MW-328-55	09/16/19	PES	PACE	55	-26.6	S	0.00129 U	0.000682 U	0.000536 U	0.00129 U	0.000538 J	0.00165 U	0.000821 U	0.000807 U	0.00119 U	0.000938 U	0.000974 U	0.000631 U
	MW-328-60	09/16/19	PES	PACE	60	-31.6	S	0.00130 U	0.000689 U	0.000541 U	0.00130 U	0.000499 U	0.00167 U	0.000830 U	0.000815 U	0.00120 U	0.000947 U	0.000984 U	0.000637 U
	MW-328-65	09/16/19	PES	PACE	65	-36.6	S	0.00126 U	0.000668 U	0.000525 U	0.00126 U	0.000484 U	0.00162 U	0.00706	0.000791 U	0.00117 U	0.000919 U	0.000954 U	0.000618 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-328 (continued)	MW-328-70	09/16/19	PES	PACE	70	-41.6	S	0.00130 U	0.000690 U	0.000542 U	0.00130 U	0.000500 U	0.00167 U	0.0265	0.000816 U	0.00120 U	0.000949 U	0.000985 U	0.000638 U
	MW-328-75	09/16/19	PES	PACE	75	-46.6	S	0.00126 U	0.000668 U	0.000525 U	0.00126 U	0.000484 U	0.00162 U	0.0192	0.000791 U	0.00117 U	0.000919 U	0.000954 U	0.000618 U
	MW-328-80	09/16/19	PES	PACE	80	-51.6	S	0.00142 U	0.000756 U	0.000594 U	0.00142 U	0.000547 U	0.00183 U	0.0204	0.000894 U	0.00132 U	0.00104 U	0.00108 U	0.000699 U
MW-329 (-69.0 to -79.0)	MW-329-5	09/12/19	PES	PACE	5	24.3	V	0.00115 U	0.000612 U	0.000481 U	0.00115 U	0.000444 U	0.00149 U	0.00156 J	0.000725 U	0.00107 U	0.000842 U	0.000874 U	0.000566 U
	MW-329-10	09/12/19	PES	PACE	10	19.3	S	0.00114 U	0.000603 U	0.000473 U	0.00114 U	0.000437 U	0.00146 U	0.000902 J	0.000713 U	0.00105 U	0.000829 U	0.000860 U	0.000558 U
	MW-329-15	09/12/19	PES	PACE	15	14.3	S	0.00119 U	0.000629 U	0.000494 U	0.00119 U	0.000572 J	0.00153 U	0.000758 U	0.000744 U	0.00110 U	0.000865 U	0.000898 U	0.000582 U
	MW-329-20	09/12/19	PES	PACE	20	9.3	S	0.00149 U	0.000792 U	0.000622 U	0.00149 U	0.000574 U	0.00192 U	0.000954 U	0.000937 U	0.00138 U	0.00109 U	0.00113 U	0.00123 J
	MW-329-25	09/12/19	PES	PACE	25	4.3	S	0.00155 U	0.000821 U	0.000645 U	0.00155 U	0.000595 U	0.00199 U	0.000989 U	0.000972 U	0.00143 U	0.00113 U	0.00117 U	0.000760 U
	MW-329-30	09/12/19	PES	PACE	30	-0.7	S	0.00133 U	0.000708 U	0.000556 U	0.00133 U	0.000522 U	0.00172 U	0.000852 U	0.000837 U	0.00124 U	0.000973 U	0.00101 U	0.000655 U
	MW-329-35	09/12/19	PES	PACE	35	-5.7	S	0.00132 U	0.000702 U	0.000551 U	0.00132 U	0.000509 U	0.00170 U	0.000846 U	0.000831 U	0.00123 U	0.000966 U	0.00100 U	0.000649 U
	MW-329-40	09/12/19	PES	PACE	40	-10.7	S	0.00133 U	0.000706 U	0.000555 U	0.00133 U	0.000512 U	0.00171 U	0.000850 U	0.000836 U	0.00123 U	0.000971 U	0.00101 U	0.000653 U
	MW-329-45	09/12/19	PES	PACE	45	-15.7	S	0.00129 U	0.000683 U	0.000537 U	0.00129 U	0.000495 U	0.00166 U	0.000809 U	0.000823 U	0.00119 U	0.000940 U	0.000976 U	0.000632 U
	MW-329-50	09/12/19	PES	PACE	50	-20.7	S	0.00133 U	0.000706 U	0.000555 U	0.00133 U	0.000512 U	0.00171 U	0.000851 U	0.000836 U	0.00123 U	0.000971 U	0.00101 U	0.000653 U
	MW-2003-50	09/12/19	PES	PACE	50 (dup)	-20.7	S	0.00118 U	0.000626 U	0.000492 U	0.00118 U	0.000453 U	0.00152 U	0.000754 U	0.000741 U	0.00109 U	0.000861 U	0.000894 U	0.000579 U
	MW-329-55	09/12/19	PES	PACE	55	-25.7	S	0.00125 U	0.000661 U	0.000519 U	0.00125 U	0.000479 U	0.00160 U	0.000797 U	0.000783 U	0.00115 U	0.000910 U	0.000944 U	0.000612 U
	MW-329-60	09/12/19	PES	PACE	60	-30.7	S	0.00126 U	0.000670 U	0.000526 U	0.00126 U	0.000485 U	0.00163 U	0.000793 J	0.000793 U	0.00117 U	0.000922 U	0.000957 U	0.000620 U
	MW-329-65	09/12/19	PES	PACE	65	-35.7	S	0.00126 U	0.000670 U	0.000526 U	0.00126 U	0.000485 U	0.00162 U	0.0140	0.000792 U	0.00117 U	0.000921 U	0.000956 U	0.000619 U
	MW-329-70	09/12/19	PES	PACE	70	-40.7	S	0.00126 U	0.000668 U	0.000524 U	0.00126 U	0.000484 U	0.00162 U	0.0403	0.000790 U	0.00117 U	0.000918 U	0.000953 U	0.000618 U
	MW-329-75	09/12/19	PES	PACE	75	-45.7	S	0.00124 U	0.000656 U	0.000516 U	0.00124 U	0.000475 U	0.00159 U	0.0637	0.000777 U	0.00115 U	0.000903 U	0.000937 U	0.000607 U
	MW-329-80	09/12/19	PES	PACE	80	-50.7	S	0.00131 U	0.000696 U	0.000547 U	0.00131 U	0.000504 U	0.00169 U	0.103	0.000824 U	0.00121 U	0.000957 U	0.000994 U	0.000644 U
	MW-329-85	09/12/19	PES	PACE	85	-55.7	S	0.00126 U	0.000670 U	0.000526 U	0.00126 U	0.000485 U	0.00163 U	0.261	0.000793 U	0.00117 U	0.000921 U	0.000956 U	0.000620 U
	MW-329-90	09/12/19	PES	PACE	90	-60.7	S	0.00127 U	0.000674 U	0.000529 U	0.00127 U	0.000488 U	0.00163 U	0.136	0.000797 U	0.00118 U	0.000926 U	0.000962 U	0.000623 U
	MW-329-95	09/12/19	PES	PACE	95	-65.7	S	0.00128 U	0.000680 U	0.000534 U	0.00128 U	0.000493 U	0.00165 U	0.0246	0.000805 U	0.00119 U	0.000936 U	0.000971 U	0.000629 U
MW-330	MW-329-100	09/12/19	PES	PACE	100	-70.7	S	0.00129 U	0.000682 U	0.000536 U	0.00129 U	0.000494 U	0.00166 U	0.0119	0.000807 U	0.00119 U	0.000938 U	0.000974 U	0.000631 U
	MW-329-105	09/12/19	PES	PACE	105	-75.7	S	0.00119 U	0.000631 U	0.000495 U	0.00119 U	0.000457 U	0.00153 U	0.00860	0.000746 U	0.00110 U	0.000868 U	0.000901 U	0.000583 U
	MW-329-110	09/12/19	PES	PACE	110	-80.7	S	0.00118 U	0.000626 U	0.000492 U	0.00118 U	0.000453 U	0.00152 U	0.000754 U	0.000741 U	0.00109 U	0.000861 U	0.000894 U	0.000579 U
	MW-330-6	04/20/20	PES	PACE	6	46.0	V	0.00102 U	0.000239 U	0.000695 U	0.00193 U	0.00117 U	0.00494 U	0.000834 U	0.000860 U	0.000852 U	0.000823 U	0.00183 U	0.000837 U
	MW-330-10	04/20/20	PES	PACE	10	42.0	V	0.000991 U	0.000232 U	0.000675 U	0.00188 U	0.00114 U	0.00480 U	0.000810 U	0.000835 U	0.000828 U	0.000800 U	0.00178 U	0.000813 U
	MW-330-11.5	04/20/20	PES	PACE	11.5	40.5	V	0.00105 U	0.000245 U	0.000713 U	0.00198 U	0.00120 U	0.00507 U	0.000856 U	0.000883 U	0.000874 U	0.000845 U	0.00188 U	0.000859 U
	MW-330-16	04/20/20	PES	PACE	16	36.0	V	0.00102 U	0.000239 U	0.000695 U	0.00193 U	0.00117 U	0.00494 U	0.000834 U	0.000860 U	0.000852 U	0.000824 U	0.00183 U	0.000837 U
	MW-330-21.5	04/20/20	PES	PACE	21.5	30.5	S	0.000956 U	0.000224 U	0.000652 U	0.00181 U	0.00110 U	0.00463 U	0.000782 U	0.000806 U	0.000799 U	0.000772 U	0.00171 U	0.000785 U
	MW-330-27	04/20/20	PES	PACE	27	25.0	S	0.000965 U	0.000226 U	0.000658 U	0.00183 U	0.00111 U	0.00468 U	0.000789 U	0.000814 U	0.000806 U	0.000779 U	0.00173 U	0.000792 U
	MW-330-32	04/20/20	PES	PACE	32	20.0	S	0.000967 U	0.000226 U	0.000659 U	0.00183 U	0.00111 U	0.00469 U	0.000791 U	0.000815 U	0.000808 U	0.000781 U	0.00173 U	0.000794 U
MW-331	MW-330-38	04/20/20	PES	PACE	38	14.0	S	0.000966 U	0.000226 U	0.000658 U	0.00183 U	0.00111 U	0.00468 U	0.000790 U	0.000814 U	0.000807 U	0.000780 U	0.00173 U	0.000793 U
	MW-330-42	04/20/20	PES	PACE	42	10.0	S	0.000940 U	0.000220 U	0.000641 U	0.00178 U	0.00108 U	0.00455 U	0.000768 U	0.000793 U	0.000785 U	0.000759 U	0.00169 U	0.000772 U
	MW-330-47	04/20/20	PES	PACE	47	5.0	S	0.00102 U	0.000238 U	0.000693 U	0.00192 U	0.00117 U	0.00492 U	0.000831 U	0.000857 U	0.000849 U	0.000821 U	0.00182 U	0.000834 U
	MW-330-52	04/20/20	PES	PACE	52	0.0	S	0.000986 U	0.000231 U	0.000672 U	0.00187 U	0.00113 U	0.00477 U	0.000806 U	0.000831 U	0.000823 U	0.000796 U	0.00177 U	0.000809 U
	MW-330-58	04/20/20	PES	PACE	58	-6.0	S	0.000977 U	0.000228 U	0.000666 U	0.00185 U	0.00112 U	0.00473 U	0.000799 U	0.000824 U	0.000816 U	0.000789 U	0.00175 U	0.000802 U
	MW-330-62	04/20/20	PES	PACE	62	-10.0	S	0.000986 U	0.000231 U	0.000672 U	0.00187 U	0.00113 U	0.00478 U	0.000806 U	0.000831 U	0.000824 U	0.000796 U	0.00177 U	0.000809 U
	MW-331-7	04/17/20	PES	PACE	7	24.2	V	0.00139 U	0.000324 U	0.000945 U	0.00262 U	0.00159 U	0.00672 U	0.00113 U	0.00117 U	0.00116 U	0.00112 U	0.00249 U	0.133
	MW-331-11	04/17/20	PES	PACE	11	20.2	S	0.00804 U	0.00188 U	0.00549 U	0.0152 U	0.00923 U	0.0390 U	0.00658 U	0.00679 U	0.00672 U	0.00650 U	0.0144 U	3.01
	MW-331-16	04/17/20	PES	PACE	16	15.2	S	0.00106 U	0.000248 U	0.000722 U	0.00201 U	0.00122 U	0.00513 U	0.000866 U	0.000894 U	0.000885 U	0.000856 U	0.00190 U	0.0752
	MW-331-20	04/17/20	PES	PACE	20	11.2	S	0.00104 U	0.000243 U	0.000707 U	0.00196 U	0.00119 U	0.00503 U	0.000848 U	0.000875 U	0.000867 U	0.000838 U	0.00186 U	0.00404

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-331 (continued)	MW-331-29.5	04/17/20	PES	PACE	29.5	1.7	S	0.00104 U	0.000243 U	0.000709 U	0.00197 U	0.00119 U	0.00504 U	0.000851 U	0.000877 U	0.000869 U	0.000840 U	0.00187 U	0.00189 J
	MW-331-35	04/17/20	PES	PACE	35	-3.8	S	0.00106 U	0.000248 U	0.000723 U	0.00201 U	0.00122 U	0.00514 U	0.000867 U	0.000894 U	0.000886 U	0.000856 U	0.00190 U	0.000870 U
	MW-2018-35	04/17/20	PES	PACE	35 (dup)	-3.8	S	0.00108 U	0.000252 U	0.000735 U	0.00204 U	0.00124 U	0.00523 U	0.000882 U	0.000910 U	0.000901 U	0.000871 U	0.00193 U	0.000885 U
	MW-331-40	04/17/20	PES	PACE	40	-8.8	S	0.00108 U	0.000253 U	0.000738 U	0.00205 U	0.00124 U	0.00525 U	0.000886 U	0.000913 U	0.000905 U	0.000875 U	0.00194 U	0.000889 U
	MW-331-45	04/17/20	PES	PACE	45	-13.8	S	0.00108 U	0.000253 U	0.000736 U	0.00204 U	0.00124 U	0.00523 U	0.000883 U	0.000910 U	0.000902 U	0.000872 U	0.00194 U	0.000886 U
MW-332	MW-332-7	04/17/20	PES	PACE	7	29.3	V	0.00101 U	0.000235 U	0.000686 U	0.00191 U	0.00116 U	0.00488 U	0.000823 U	0.000849 U	0.000841 U	0.000813 U	0.00181 U	0.00157 J
	MW-332-11	04/17/20	PES	PACE	11	25.3	V	0.00106 U	0.000247 U	0.000721 U	0.00200 U	0.00121 U	0.00512 U	0.000864 U	0.000892 U	0.000883 U	0.000854 U	0.00190 U	0.00137 J
	MW-332-16	04/17/20	PES	PACE	16	20.3	S	0.00104 U	0.000242 U	0.000706 U	0.00196 U	0.00119 U	0.00502 U	0.000873 U	0.000873 U	0.000865 U	0.000836 U	0.00186 U	0.000850 U
	MW-332-20	04/17/20	PES	PACE	20	16.3	S	0.00105 U	0.000246 U	0.000717 U	0.00199 U	0.00121 U	0.00510 U	0.000860 U	0.000887 U	0.000879 U	0.000850 U	0.00189 U	0.000864 U
	MW-332-25	04/17/20	PES	PACE	25	11.3	S	0.00109 U	0.000255 U	0.000743 U	0.00206 U	0.00136 U	0.00528 U	0.000891 U	0.000919 U	0.000910 U	0.000880 U	0.00195 U	0.000894 U
MW-334	MW-332-30	04/17/20	PES	PACE	30	6.3	S	0.00111 U	0.000260 U	0.000759 U	0.00211 U	0.00128 U	0.00539 U	0.000910 U	0.000938 U	0.000930 U	0.000899 U	0.00200 U	0.000914 U
	MW-334-6	04/16/20	PES	PACE	6	25.4	V	0.00109 U	0.000255 U	0.000743 U	0.00207 U	0.00125 U	0.00528 U	0.000892 U	0.000920 U	0.000911 U	0.000881 U	0.00196 U	0.000895 U
	MW-334-10	04/16/20	PES	PACE	10	21.4	V	0.00109 U	0.00224 J	0.000744 U	0.00207 U	0.00125 U	0.00529 U	0.000893 U	0.000921 U	0.000912 U	0.000882 U	0.00196 U	0.00150 J
	MW-334-13	04/16/20	PES	PACE	13	18.4	S	0.00808 U	0.0633	0.00552 U	0.0153 U	0.00927 U	0.0392 U	0.00661 U	0.00682 U	0.00675 U	0.00653 U	0.0145 U	0.00664 U
	MW-334-17	04/16/20	PES	PACE	17	14.4	S	0.000928 U	0.000622 J	0.000632 U	0.00176 U	0.00131 U	0.00450 U	0.000759 U	0.000782 U	0.000775 U	0.000749 U	0.00166 U	0.00116 J
	MW-334-23	04/16/20	PES	PACE	23	8.4	S	0.00107 U	0.000250 U	0.000728 U	0.00202 U	0.00123 U	0.00518 U	0.000874 U	0.000901 U	0.000893 U	0.000863 U	0.00192 U	0.000877 U
	MW-334-28	04/16/20	PES	PACE	28	3.4	S	0.00106 U	0.000247 U	0.000721 U	0.00200 U	0.00121 U	0.00512 U	0.000865 U	0.000892 U	0.000883 U	0.000854 U	0.00190 U	0.000868 U
	MW-334-35	04/16/20	PES	PACE	35	-3.6	S	0.00114 U	0.000265 U	0.000774 U	0.00215 U	0.00130 U	0.00550 U	0.000928 U	0.000957 U	0.000948 U	0.000916 U	0.00204 U	0.000932 U
	MW-334-40	04/16/20	PES	PACE	40	-8.6	S	0.00116 U	0.000271 U	0.000790 U	0.00220 U	0.00133 U	0.00562 U	0.000948 U	0.000978 U	0.000969 U	0.000936 U	0.00208 U	0.000952 U
	MW-334-45.5	04/16/20	PES	PACE	45.5	-14.1	S	0.00109 U	0.000255 U	0.000745 U	0.00207 U	0.00125 U	0.00529 U	0.000893 U	0.000921 U	0.000912 U	0.000882 U	0.00196 U	0.000897 U
	MW-334-50	04/16/20	PES	PACE	50	-18.6	S	0.000994 U	0.000232 U	0.000677 U	0.00188 U	0.00114 U	0.00481 U	0.000812 U	0.000838 U	0.000830 U	0.000802 U	0.00178 U	0.000816 U
	MW-334-54.5	04/16/20	PES	PACE	54.5	-23.1	S	0.00111 U	0.000260 U	0.000757 U	0.00210 U	0.00127 U	0.00538 U	0.000908 U	0.000937 U	0.000928 U	0.000897 U	0.00199 U	0.000912 U
	MW-334-60	04/16/20	PES	PACE	60	-28.6	S	0.00102 U	0.000239 U	0.000697 U	0.00194 U	0.00117 U	0.00495 U	0.000836 U	0.000862 U	0.000854 U	0.000826 U	0.00183 U	0.000839 U
	MW-334-63	04/16/20	PES	PACE	63	-31.6	S	0.00107 U	0.000251 U	0.000732 U	0.00203 U	0.00157 U	0.00520 U	0.000878 U	0.000905 U	0.000897 U	0.000867 U	0.00193 U	0.000881 U
MW-336	MW-336-7	04/22/20	PES	PACE	7	26.7	V	0.00100 U	0.000234 U	0.000683 U	0.00190 U	0.00115 U	0.00485 U	0.000819 U	0.000845 U	0.000837 U	0.000809 U	0.00180 U	0.000822 U
	MW-336-11.5	04/22/20	PES	PACE	11.5	22.2	V	0.00107 U	0.000250 U	0.000729 U	0.00202 U	0.00123 U	0.00518 U	0.000874 U	0.000901 U	0.000893 U	0.000863 U	0.00192 U	0.000878 U
	MW-2019-11.5	04/22/20	PES	PACE	11.5 (dup)	22.2	V	0.00110 U	0.000423 J	0.000746 U	0.00207 U	0.00126 U	0.00530 U	0.000895 U	0.000923 U	0.000915 U	0.000884 U	0.00196 U	0.000899 U
	MW-336-14.5	04/22/20	PES	PACE	14.5	19.2	V	0.00115 U	0.000269 U	0.000784 U	0.00218 U	0.00132 U	0.00558 U	0.000941 U	0.000970 U	0.000961 U	0.000929 U	0.00206 U	0.000945 U
	MW-336-20	04/22/20	PES	PACE	20	13.7	S	0.00110 U	0.000257 U	0.000749 U	0.00208 U	0.00126 U	0.00533 U	0.000899 U	0.000927 U	0.000918 U	0.000888 U	0.00197 U	0.000902 U
	MW-336-25	04/22/20	PES	PACE	25	8.7	S	0.00148 U	0.000346 U	0.00101 U	0.00280 U	0.00170 U	0.00716 U	0.00121 U	0.00125 U	0.00123 U	0.00119 U	0.00265 U	0.00121 U
	MW-336-30	04/22/20	PES	PACE	30	3.7	S	0.00137 U	0.000320 U	0.000932 U	0.00259 U	0.00157 U	0.00662 U	0.00112 U	0.00115 U	0.00114 U	0.00110 U	0.00245 U	0.00112 U
	MW-336-35	04/22/20	PES	PACE	35	-1.3	S	0.00110 U	0.000258 U	0.000751 U	0.00209 U	0.00126 U	0.00534 U	0.00302 J	0.000929 U	0.000920 U	0.000890 U	0.00198 U	0.000904 U
	MW-336-40	04/22/20	PES	PACE	40	-6.3	S	0.00108 U	0.000253 U	0.000738 U	0.00205 U	0.00124 U	0.00524 U	0.000885 U	0.000913 U	0.000904 U	0.000874 U	0.00194 U	0.000889 U
	MW-336-45	04/22/20	PES	PACE	45	-11.3	S	0.00119 U	0.000279 U	0.000813 U	0.00226 U	0.00137 U	0.00578 U	0.0159	0.00101 U	0.000996 U	0.000963 U	0.00214 U	0.000979 U
	MW-336-51	04/22/20	PES	PACE	51	-17.3	S	0.00103 U	0.000242 U	0.000705 U	0.00196 U	0.00119 U	0.00501 U	0.00694	0.000872 U	0.000863 U	0.000835 U	0.00185 U	0.000848 U
	MW-336-55	04/22/20	PES	PACE	55	-21.3	S	0.00103 U	0.000240 U	0.000699 U	0.00194 U	0.00118 U	0.00497 U	0.0138	0.000865 U	0.000857 U	0.000828 U	0.00184 U	0.000842 U
	MW-336-60	04/22/20	PES	PACE	60	-26.3	S	0.00105 U	0.000246 U	0.000718 U	0.00200 U	0.00121 U	0.00511 U	0.0379	0.000888 U	0.000880 U	0.000851 U	0.00189 U	0.000865 U
	MW-336-65	04/22/20	PES	PACE	65	-31.3	S	0.00105 U	0.000245 U	0.000714 U	0.00198 U	0.00120 U	0.00507 U	0.0419	0.000883 U	0.000875 U	0.000846 U	0.00188 U	0.000860 U
	MW-336-69	04/22/20	PES	PACE	69	-35.3	S	0.00112 U	0.000261 U	0.000761 U	0.00211 U	0.00128 U	0.00541 U	0.0743	0.000941 U	0.000932 U	0.000901 U	0.00200 U	0.000916 U
	MW-336-74.5	04/22/20	PES	PACE	74.5	-40.8	S	0.00105 U	0.000244 U	0.000712 U	0.00198 U	0.00120 U	0.00506 U	0.0517	0.000881 U	0.000873 U	0.000844 U	0.00187 U	0.000858 U
	MW-336-79	04/22/20	PES	PACE	79	-45.3	S	0.00108 U	0.000252 U	0.000734 U	0.00204 U	0.00124 U	0.00522 U	0.0673	0.000908 U	0.000900 U	0.000870 U	0.00193 U	0.000884 U
	MW-336-85	04/22/20	PES	PACE	85	-51.3	S	0.00108 U	0.000523 J	0.000736 U	0.00204 U	0.00124 U	0.00523 U	0.0560	0.000910 U	0.000901 U	0.000871 U	0.00193 U	0.000886 U
	MW-2021-85	05/04/20	PES	PACE	85 (dup)	-51.3	S	0.00103 U	0.000242 U	0.000705 U	0.00196 U	0.00119 U	0.00501 U	0.00774	0.000871 U	0.000863 U	0.000835 U	0.00185 U	0.000848 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-336 (continued)	MW-336-90	04/22/20	PES	PACE	90	-56.3	S	0.00108 U	0.000434 J	0.000738 U	0.00205 U	0.00124 U	0.00524 U	0.0382	0.000913 U	0.000904 U	0.000874 U	0.00194 U	0.000889 U
	MW-336-95	04/22/20	PES	PACE	95	-61.3	S	0.00108 U	0.000517 J	0.000735 U	0.00204 U	0.00124 U	0.00523 U	0.000882 U	0.000910 U	0.000901 U	0.000871 U	0.00193 U	0.000886 U
	MW-2020-95	04/22/20	PES	PACE	95 (dup)		S	0.00107 U	0.000512 J	0.000729 U	0.00202 U	0.00123 U	0.00518 U	0.000874 U	0.000901 U	0.000893 U	0.000863 U	0.00192 U	0.000878 U
MW-338	MW-338-10	05/01/20	PES	PACE	10	17.8	S	0.00109 U	0.000255 U	0.000742 U	0.00206 U	0.00125 U	0.00528 U	0.000890 U	0.000918 U	0.000910 U	0.000879 U	0.00195 U	0.000894 U
	MW-338-15	05/01/20	PES	PACE	15	12.8	S	0.00119 U	0.000278 U	0.000809 U	0.00225 U	0.00136 U	0.00575 U	0.000971 U	0.00100 U	0.000992 U	0.000959 U	0.00213 U	0.000975 U
	MW-338-20	05/01/20	PES	PACE	20	7.8	S	0.00104 U	0.000243 U	0.000709 U	0.00197 U	0.00119 U	0.00504 U	0.000851 U	0.000877 U	0.000869 U	0.000840 U	0.00187 U	0.000854 U
	MW-338-23	05/01/20	PES	PACE	23	4.8	S	0.00114 U	0.000267 U	0.000778 U	0.00216 U	0.00131 U	0.00553 U	0.000933 U	0.000962 U	0.000953 U	0.000921 U	0.00205 U	0.000937 U
	MW-338-28	05/01/20	PES	PACE	28	-0.2	S	0.00113 U	0.000264 U	0.000770 U	0.00214 U	0.00130 U	0.00547 U	0.000923 U	0.000952 U	0.000943 U	0.000912 U	0.00202 U	0.000927 U
	MW-338-34	05/01/20	PES	PACE	34	-6.2	S	0.00100 U	0.000235 U	0.000684 U	0.00190 U	0.00115 U	0.00486 U	0.000820 U	0.000846 U	0.000838 U	0.000810 U	0.00180 U	0.000824 U
	MW-338-39	05/01/20	PES	PACE	39	-11.2	S	0.00109 U	0.000254 U	0.000741 U	0.00206 U	0.00125 U	0.00527 U	0.000889 U	0.000917 U	0.000908 U	0.000878 U	0.00195 U	0.000893 U
	MW-338-41	05/01/20	PES	PACE	41	-13.2	S	0.00111 U	0.000259 U	0.000754 U	0.00210 U	0.00127 U	0.00536 U	0.000905 U	0.000933 U	0.000925 U	0.000894 U	0.00198 U	0.000909 U
	MW-338-45	05/01/20	PES	PACE	45	-17.2	S	0.00110 U	0.000256 U	0.000747 U	0.00208 U	0.00126 U	0.00531 U	0.000896 U	0.000924 U	0.000916 U	0.000885 U	0.00197 U	0.000900 U
	MW-338-51	05/01/20	PES	PACE	51	-23.2	S	0.00111 U	0.000260 U	0.000758 U	0.00211 U	0.00128 U	0.00539 U	0.000910 U	0.000938 U	0.000930 U	0.000899 U	0.00200 U	0.000913 U
	MW-338-55	05/01/20	PES	PACE	55	-27.2	S	0.00103 U	0.000241 U	0.000703 U	0.00195 U	0.00118 U	0.00499 U	0.000843 U	0.000869 U	0.000861 U	0.000832 U	0.00185 U	0.000846 U
MW-341	MW-341-85	05/04/20	PES	PACE	85	-56.6	S	0.00102 U	0.000239 U	0.000695 U	0.00193 U	0.00117 U	0.00494 U	0.00626	0.000860 U	0.000852 U	0.000824 U	0.00183 U	0.000837 U
	MW-341-90	05/04/20	PES	PACE	90	-61.6	S	0.00101 U	0.000236 U	0.000688 U	0.00191 U	0.00116 U	0.00489 U	0.0179	0.000852 U	0.000844 U	0.000816 U	0.00181 U	0.000829 U
	MW-341-95	05/04/20	PES	PACE	95	-66.6	S	0.00105 U	0.000245 U	0.000713 U	0.00198 U	0.00120 U	0.00507 U	0.0692	0.000882 U	0.000874 U	0.000845 U	0.00188 U	0.000859 U
	MW-341-99	05/04/20	PES	PACE	99	-70.6	S	0.00105 U	0.000246 U	0.000718 U	0.00199 U	0.00121 U	0.00510 U	0.0587	0.000888 U	0.000879 U	0.000850 U	0.00189 U	0.000864 U
MW-343	MW-341-104	05/04/20	PES	PACE	104	-75.6	S	0.00107 U	0.000250 U	0.000730 U	0.00203 U	0.00123 U	0.00519 U	0.0514	0.000903 U	0.000895 U	0.000865 U	0.00192 U	0.000879 U
	MW-343-5	04/13/20	PES	PACE	5	22.6	V	0.00101 U	0.000237 U	0.000691 U	0.00192 U	0.00116 U	0.00491 U	0.000829 U	0.000855 U	0.000847 U	0.000819 U	0.00182 U	0.0348
	MW-343-10	04/13/20	PES	PACE	10	17.6	S	0.00106 U	0.000249 U	0.000725 U	0.00201 U	0.00122 U	0.00515 U	0.000869 U	0.000896 U	0.000888 U	0.000858 U	0.00191 U	0.00373
	MW-343-12.5	04/13/20	PES	PACE	12.5	15.1	S	0.00110 U	0.000258 U	0.000751 U	0.00209 U	0.00126 U	0.00534 U	0.000901 U	0.000929 U	0.000920 U	0.000890 U	0.00198 U	0.000904 U
	MW-343-17	04/13/20	PES	PACE	17	10.6	S	0.00103 U	0.000242 U	0.000704 U	0.00196 U	0.00119 U	0.00500 U	0.000844 U	0.000871 U	0.000863 U	0.000834 U	0.00185 U	0.000848 U
	MW-343-24	04/13/20	PES	PACE	24	3.6	S	0.00104 U	0.000242 U	0.000706 U	0.00196 U	0.00119 U	0.00502 U	0.000846 U	0.000873 U	0.000865 U	0.000836 U	0.00186 U	0.00166 J
	MW-343-28.5	04/13/20	PES	PACE	28.5	-0.9	S	0.00111 U	0.000260 U	0.000757 U	0.00210 U	0.00127 U	0.00538 U	0.000908 U	0.000936 U	0.000928 U	0.000897 U	0.00199 U	0.000912 U
	MW-343-35	04/13/20	PES	PACE	35	-7.4	S	0.00112 U	0.000263 U	0.000766 U	0.00213 U	0.00129 U	0.00544 U	0.000918 U	0.000947 U	0.000938 U	0.000907 U	0.00201 U	0.000922 U
	MW-343-38	04/13/20	PES	PACE	38	-10.4	S	0.00105 U	0.000246 U	0.000716 U	0.00199 U	0.00120 U	0.00509 U	0.000859 U	0.000886 U	0.000877 U	0.000848 U	0.00188 U	0.000862 U
	MW-343-44	04/13/20	PES	PACE	44	-16.4	S	0.000990 U	0.000231 U	0.000675 U	0.00187 U	0.00114 U	0.00479 U	0.000809 U	0.000834 U	0.000827 U	0.000799 U	0.00177 U	0.000812 U
	MW-343-47	04/13/20	PES	PACE	47	-19.4	S	0.00112 U	0.000261 U	0.000762 U	0.00212 U	0.00128 U	0.00541 U	0.000914 U	0.000942 U	0.000934 U	0.000902 U	0.00200 U	0.000917 U
	MW-343-51	04/13/20	PES	PACE	51	-23.4	S	0.000999 U	0.000234 U	0.000681 U	0.00189 U	0.00115 U	0.00484 U	0.000817 U	0.000842 U	0.000834 U	0.000807 U	0.00179 U	0.000820 U
	MW-343-55	04/13/20	PES	PACE	55	-27.4	S	0.00102 U	0.000239 U	0.000696 U	0.00193 U	0.00117 U	0.00495 U	0.00202 J	0.000861 U	0.000853 U	0.000824 U	0.00183 U	0.000838 U
	MW-343-62	04/13/20	PES	PACE	62	-34.4	S	0.00104 U	0.000243 U	0.000708 U	0.00197 U	0.00119 U	0.00503 U	0.00389	0.000876 U	0.000868 U	0.000839 U	0.00186 U	0.000853 U
	MW-343-68	04/13/20	PES	PACE	68	-40.4	S	0.00102 U	0.000239 U	0.000698 U	0.00194 U	0.00117 U	0.00496 U	0.00841	0.000863 U	0.000855 U	0.000827 U	0.00184 U	0.000840 U
	MW-343-73	04/13/20	PES	PACE	73	-45.4	S	0.00103 U	0.000242 U	0.000705 U	0.00196 U	0.00119 U	0.00501 U	0.0158	0.000872 U	0.000864 U	0.000835 U	0.00185 U	0.000849 U
	MW-343-79	04/13/20	PES	PACE	79	-51.4	S	0.000972 U	0.000227 U	0.000663 U	0.00184 U	0.00112 U	0.00471 U	0.0144	0.000820 U	0.000812 U	0.000785 U	0.00174 U	0.000798 U
	MW-343-82	04/13/20	PES	PACE	82	-54.4	S	0.000975 U	0.000228 U	0.000665 U	0.00185 U	0.00112 U	0.00472 U	0.00844	0.000822 U	0.000814 U	0.000787 U	0.00175 U	0.000800 U
	MW-343-86	04/13/20	PES	PACE	86	-58.4	S	0.000951 U	0.000222 U	0.000648 U	0.00180 U	0.00109 U	0.00461 U	0.00200 J	0.000802 U	0.000794 U	0.000768 U	0.00171 U	0.000781 U
	MW-343-93	04/13/20	PES	PACE	93	-65.4	S	0.00101 U	0.000235 U	0.000686 U	0.00190 U	0.00115 U	0.00487 U	0.000822 U	0.000848 U	0.000840 U	0.000812 U	0.00180 U	0.000826 U
	MW-343-99	04/13/20	PES	PACE	99	-71.4	S	0.000964 U	0.000225 U	0.000657 U	0.00183 U	0.00111 U	0.00467 U	0.000788 U	0.000813 U	0.000805 U	0.000778 U	0.00173 U	0.000791 U
	MW-343-102	04/14/20	PES	PACE	102	-74.4	S	0.000991 U	0.000232 U	0.000675 U	0.00188 U	0.00114 U	0.00480 U	0.000810 U	0.000835 U	0.000827 U	0.000800 U	0.00178 U	0.00103 J
	MW-2017-102	04/14/20	PES	PACE	102 (dup)	-74.4	S	0.000981 U	0.000229 U	0.000668 U	0.00186 U	0.00112 U	0.00475 U	0.000802 U	0.000827 U	0.000819 U	0.000792 U	0.00176 U	0.000805 U
	MW-343-106	04/14/20	PES	PACE	106	-78.4	S	0.000963 U	0.000225 U	0.000656 U	0.00182 U	0.00110 U	0.00466 U	0.000787 U	0.000812 U	0.000804 U	0.000777 U	0.00173 U	0.00253 J
	MW-343-108	04/14/20	PES	PACE	108	-80.4	S	0.000995 U	0.000233 U	0.000678 U	0.00188 U	0.00114 U	0.00482 U	0.000814 U	0.000839 U	0.000831 U	0.000804 U	0.00178 U	0.00173 J

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
PH22	PH22	04/17/18	PES	Fremont	0-3	-	V	0.0304 U	0.0304 U	0.0304 U	0.0608 U	0.0243 U	0.0608 U	0.0243 U	0.0243 U	0.0243 U	0.0243 U	0.0243 U	0.0304 U
PH34	PH34	04/17/18	PES	Fremont	1.5-6.5	-	V	0.0240 U	0.0240 U	0.0240 U	0.0481 U	0.0192 U	0.0481 U	0.0192 U	0.0192 U	0.0192 U	0.0192 U	0.0192 U	0.0240 U
PH38	PH38	04/17/18	PES	Fremont	1.5-4	-	V	0.0292 U	0.0292 U	0.0292 U	0.0583 U	0.0233 U	0.0583 U	0.0233 U	0.0233 U	0.0233 U	0.0233 U	0.0233 U	0.0292 U
PH52	PH52	04/17/18	PES	Fremont	1-5	-	V	0.0282 U	0.0282 U	0.0282 U	0.0564 U	0.0226 U	0.0564 U	0.0226 U	0.0226 U	0.0226 U	0.0226 U	0.0226 U	0.0282 U
PW-1	Composite	01/01/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PW-4	Composite	05/13/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	ND	-	-	-	-	ND
R-MW4	Unknown	10/22/92	Roux	Unknown	5	35.9	V	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	15	25.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	30	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-
R-MW6 (33.3 to 23.3)	Unknown	10/27/92	Roux	Unknown	6	39.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	11	34.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	16	29.3	S	-	-	-	-	-	-	-	-	-	-	-	-
RB1	RB1-17.5	10/18/93	Retec	AAL	17.5	18.4	S	-	-	-	-	-	-	-	-	-	-	-	0.063 U
RB2	RB2-12.5	10/18/93	Retec	AAL	12.5	23.6	V	-	-	-	-	-	-	-	-	-	-	-	0.062 U
	RB2-17.5	10/18/93	Retec	AAL	17.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	0.058 J
RB3	RB3-17.5	10/18/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	0.061 U
SCL-B100	B-100, S1	06/10/02	Urban	F&BI	5-6.5	-	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.02 U
	B-100, S2	06/10/02	Urban	F&BI	10-11.5	-	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.02 U
SCL-B101	B-101- S1&2	06/17/02	Urban	F&BI	0-6	-	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.02 U
	B101-S3	06/17/02	Urban	F&BI	8	-	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.02 U
SCL-B102	B102-S1	06/17/02	Urban	F&BI	0-3	-	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.04
	B102-S2	06/17/02	Urban	F&BI	4	-	V	-	-	-	-	-	-	0.05 U	-	-	-	-	0.02 U
SCL-MW101 (25.0 to 15.0)	MW101-S3	06/14/02	Urban	F&BI	16	-	S	-	-	-	-	-	-	-	-	-	-	-	0.04
SCL-MW102	MW-102, S1	06/10/02	Urban	F&BI	5-6.5	-	S	-	-	-	-	-	-	-	-	-	-	-	1.0
	MW-102, S2	06/10/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.12
SCL-MW103	MW103-S1&S2	06/14/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.02 U
SCL-MW105 (10.8 to 0.8)	MW-105, S2	06/10/02	Urban	F&BI	10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	11
	MW-105, S4	06/10/02	Urban	F&BI	20-21.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.02 U
SCLB-1	RS1-2.5/RS-1 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-12.5/RS1-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	5.0
	RS-1 17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-22.5/RS-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.31
	RS1-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	0.96
	RS1-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	0.05 U
SCLB-2	RS2-2.5/RS-2 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-12.5/RS2-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	23
	RS2-17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-22.5/RS2-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	0.85
	RS2-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	1.4
	RS2-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	0.11

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
SSD-MW-1	MW-1 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	0.01
	MW-1 S-6	05/24/89	HC	Unknown	15-16.5	24.0	S	-	-	-	-	-	-	-	-	-	-	-	2.84
SSD-MW-2	MW-2 S-3	05/24/89	HC	Unknown	7.5-9	31.0	V	-	-	-	-	-	-	-	-	-	-	-	0.01
	MW-2 S-6	05/24/89	HC	Unknown	15-16.5	31.0	V	-	-	-	-	-	-	-	-	-	-	-	0.01
SSD-MW-3	MW-3 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	0.01
	MW-3 S-5	05/24/89	HC	Unknown	12.5-14	34.0	V	-	-	-	-	-	-	-	-	-	-	-	0.01
SSD-MW-4	MW-4 S-6	05/25/89	HC	Unknown	14.5-16	36.8	V	-	-	-	-	-	-	-	-	-	-	-	0.069
	MW-4 S-9	05/25/89	HC	Unknown	22-23	29.5	S	-	-	-	-	-	-	-	-	-	-	-	0.01
SV-04	SV-04-6	06/29/20	PES	PACE	6	-	V	0.00116 U	0.000272 U	0.000793 U	0.00220 U	0.00133 U	0.00564 U	0.000951 U	0.000981 U	0.000972 U	0.000940 U	0.00209 U	0.000955 U
SV-05	SV-05-10	06/29/20	PES	PACE	10	-	V	0.00124 U	0.000291 U	0.000847 U	0.00235 U	0.00143 U	0.00602 U	0.00102 U	0.00105 U	0.00104 U	0.00100 U	0.00223 U	0.00102 U
SV-06	SV-06-6	06/29/20	PES	PACE	6	-	V	0.00115 U	0.000268 U	0.000781 U	0.00217 U	0.00131 U	0.00555 U	0.000936 U	0.000966 U	0.000957 U	0.000925 U	0.00205 U	0.000940 U
SV-07	SV-07-15	06/29/20	PES	PACE	15	-	V	0.000984 U	0.000230 U	0.000671 U	0.00186 U	0.00113 U	0.00477 U	0.000804 U	0.000830 U	0.000822 U	0.000795 U	0.00176 U	0.000808 U
SV-08	SV-08-6	06/30/20	PES	PACE	6	-	V	0.00125 U	0.000292 U	0.000851 U	0.00236 U	0.00143 U	0.00605 U	0.00102 U	0.00105 U	0.00104 U	0.00101 U	0.00224 U	0.00452
	SV-08-7.5	06/30/20	PES	PACE	7.5	-	V	0.00127 U	0.000298 U	0.000867 U	0.00241 U	0.00146 U	0.00617 U	0.00104 U	0.00107 U	0.00106 U	0.00103 U	0.00228 U	0.00104 U
SV-09	SV-09-5.5	07/01/20	PES	PACE	5.5	-	V	0.00119 U	0.000278 U	0.000810 U	0.00225 U	0.00136 U	0.00576 U	0.000971 U	0.00100 U	0.000993 U	0.000960 U	0.00213 U	0.000975 U
SV-10	SV-10-5.5	06/30/20	PES	PACE	5.5	-	V	0.00118 U	0.000277 U	0.000807 U	0.00224 U	0.00136 U	0.00573 U	0.000968 U	0.000998 U	0.000989 U	0.000956 U	0.00212 U	0.000972 U
SV-11	SV-11-10	06/30/20	PES	PACE	10	-	V	0.00120 U	0.000281 U	0.000818 U	0.00227 U	0.00138 U	0.00582 U	0.000981 U	0.00101 U	0.00100 U	0.000969 U	0.00215 U	0.000985 U
SV-12	SV-12-5.5	07/01/20	PES	PACE	5.5	-	V	0.000982 U	0.000230 U	0.000669 U	0.00186 U	0.00113 U	0.00476 U	0.000802 U	0.000828 U	0.000820 U	0.000793 U	0.00176 U	0.00223 J
SV-13	SV-13-10.5	07/01/20	PES	PACE	10.5	-	V	0.00115 U	0.000269 U	0.000785 U	0.00218 U	0.00132 U	0.00558 U	0.000941 U	0.000971 U	0.000962 U	0.000930 U	0.00206 U	0.000945 U
SV-14	SV-14-5.5	07/01/20	PES	PACE	5.5	-	V	0.00120 U	0.000281 U	0.000818 U	0.00227 U	0.00138 U	0.00582 U	0.000981 U	0.00101 U	0.00100 U	0.000969 U	0.00215 U	0.000985 U
SV-15	SV-15-13	07/01/20	PES	PACE	13	-	V	0.00117 U	0.000273 U	0.000794 U	0.00221 U	0.00134 U	0.00565 U	0.000953 U	0.000982 U	0.000973 U	0.000941 U	0.00209 U	0.000956 U
SV-16	SV-16-5	07/02/20	PES	PACE	5	-	V	0.00237 U	0.000556 U	0.00163 U	0.00452 U	0.00272 U	0.0115 U	0.00195 U	0.00201 U	0.00199 U	0.00193 U	0.00428 U	0.0102 J
	SV-100-5	07/02/20	PES	PACE	5 (dup)	-	V	0.00213 U	0.000500 U	0.00145 U	0.00403 U	0.00244 U	0.0103 U	0.00174 U	0.00180 U	0.00178 U	0.00172 U	0.00383 U	0.00350 J
SV-17	SV-17-4.5	07/02/20	PES	PACE	4.5	-	V	0.00177 U	0.000413 U	0.00120 U	0.00335 U	0.00203 U	0.00855 U	0.00144 U	0.00149 U	0.00147 U	0.00143 U	0.00317 U	0.0104
SV-18	SV-18-5.5	07/02/20	PES	PACE	5.5	-	V	0.000968 U	0.000226 U	0.000660 U	0.00183 U	0.00111 U	0.00469 U	0.000791 U	0.000816 U	0.000808 U	0.000781 U	0.00173 U	0.000794 U
SV-19	SV-19-5	07/09/20	PES	PACE	5	-	V	0.000967 U	0.000226 U	0.000659 U	0.00183 U	0.00111 U	0.00468 U	0.000790 U	0.000815 U	0.000808 U	0.000781 U	0.00173 U	0.000794 U
SV-20	SV-20-9	07/09/20	PES	PACE	9	-	V	0.00127 U	0.000297 U	0.000866 U	0.00241 U	0.00146 U	0.00616 U	0.00104 U	0.00107 U	0.00106 U	0.00103 U	0.00228 U	0.00104 U
SV-21	SV-21-6	07/09/20	PES	PACE	6	-	V	0.000984 U	0.000230 U	0.000671 U	0.00186 U	0.00113 U	0.00477 U	0.000804 U	0.000830 U	0.000822 U	0.000795 U	0.00176 U	0.000808 U
SV-22	SV-22-8.5	07/09/20	PES	PACE	8.5	-	V	0.00183 U	0.000430 U	0.00125 U	0.00347 U	0.00210 U	0.00888 U	0.00150 U	0.00155 U	0.00153 U	0.00148 U	0.00330 U	0.00151 U
SV-23	SV-23-4.5	07/09/20	PES	PACE	4.5	-	V	0.00136 U	0.000318 U	0.000925 U	0.00257 U	0.00156 U	0.00658 U	0.00111 U	0.00114 U	0.00113 U	0.00110 U	0.00243 U	0.00111 U
SV-24	SV-24-8	07/09/20	PES	PACE	8	-	V	0.000975 U	0.000228 U	0.000664 U	0.00185 U	0.00112 U	0.00472 U	0.000797 U	0.000822 U	0.000814 U	0.000787 U	0.00175 U	0.000800 U
SV-25	SV-25-4	07/10/20	PES	PACE	4	-	V	0.00118 U	0.000277 U	0.000806 U	0.00224 U	0.00136 U	0.00573 U	0.000967 U	0.000997 U	0.000988 U	0.000955 U	0.00212 U	0.000971 U
SV-26	SV-26-12	07/10/20	PES	PACE	12	-	V	0.00131 U	0.000307 U	0.000896 U	0.00249 U	0.00151 U	0.00637 U	0.00107 U	0.00111 U	0.00110 U	0.00106 U	0.00236 U	0.00108 U
SV-27	SV-27-5.5	07/10/20	PES	PACE	5.5	-	V	0.00118 U	0.000276 U	0.000803 U	0.00223 U	0.00135 U	0.00571 U	0.000963 U	0.000993 U	0.000984 U	0.000951 U	0.00211 U	0.000967 U
	SV-27-13.5	07/10/20	PES	PACE	13.5	-	V	0.00118 U	0.000276 U	0.000804 U	0.00223 U	0.00135 U	0.00572 U	0.000964 U	0.000995 U	0.000985 U	0.000953 U	0.00212 U	0.000968 U
TB-12	16	08/01/97	B&V	Unknown	62-63	-24.5	S	-	-	-	-	-	-	-	-	-	-	-	-
TB-18	S-2	03/17/98	B&V	Unknown	5-6.5	38.3	V	-	-	-	-	-	-	ND	-	-	-	-	ND
	S-8	03/17/98	B&V	Unknown	20-21.5	23.3	S	-	-	-	-	-	-	ND	-	-	-	-	ND
	S-21	03/17/98	B&V	Unknown	57.5-59	1.2	S	-	-	-	-	-	-	ND	-	-	-	-	ND

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
T1	T1-2.5-071718	07/17/18	PES	Fremont	2.5	-	V	0.0265 U	0.0265 U	0.0265 U	0.0531 U	0.0212 U	0.0531 U	0.0212 U	0.0212 U	0.0212 U	0.0212 U	0.0212 U	0.0265 U
T-2	T-2-071618	07/16/18	PES	Fremont	2	-	V	0.0143 U	0.0143 U	0.0143 U	0.0287 U	0.0115 U	0.0287 U	0.0115 U	0.0115 U	0.0115 U	0.0115 U	0.0115 U	0.0143 U
T-2B	T-2B-071618	07/16/18	PES	Fremont	2	-	V	0.0297 U	0.0297 U	0.0297 U	0.0593 U	0.0237 U	0.0593 U	0.0237 U	0.0237 U	0.0237 U	0.0237 U	0.0237 U	0.0297 U
T2	T2-6-071718	07/17/18	PES	Fremont	6	-	V	0.0307 U	0.0307 U	0.0307 U	0.0614 U	0.0245 U	0.0614 U	0.0245 U	0.0245 U	0.0245 U	0.0245 U	0.0245 U	0.0307 U
T3	T3-3-071718	07/17/18	PES	Fremont	3	-	V	0.0287 U	0.0287 U	0.0287 U	0.0573 U	0.0229 U	0.0573 U	0.0229 U	0.0229 U	0.0229 U	0.0229 U	0.0229 U	0.0287 U
T4	T4-6-071718	07/17/18	PES	Fremont	6	-	V	0.0258 U	0.0258 U	0.0258 U	0.0516 U	0.0206 U	0.0516 U	0.0206 U	0.0206 U	0.0206 U	0.0206 U	0.0206 U	0.0258 U
T-5	T-5-071618	07/16/18	PES	Fremont	5	-	V	0.0255 U	0.0255 U	0.0255 U	0.0509 U	0.0204 U	0.0509 U	0.0204 U	0.0204 U	0.0204 U	0.0204 U	0.0204 U	0.0255 U
T6	T6-4-071818	07/18/18	PES	Fremont	4	-	V	0.0237 U	0.0237 U	0.0237 U	0.0474 U	0.0189 U	0.0474 U	0.0189 U	0.0189 U	0.0189 U	0.0189 U	0.0189 U	0.0237 U
T7	T7-7-071818	07/18/18	PES	Fremont	7	-	V	0.0342 U	0.0342 U	0.0342 U	0.0684 U	0.0274 U	0.0684 U	0.0274 U	0.0274 U	0.0274 U	0.0274 U	0.0274 U	0.0342 U
T8	T8-3-072018	07/20/18	PES	Fremont	3	-	V	0.0268 U	0.0268 U	0.0268 U	0.0536 U	0.0214 U	0.0536 U	0.0214 U	0.0214 U	0.0214 U	0.0214 U	0.0214 U	0.0268 U
T8	T8-6-072018	07/20/18	PES	Fremont	6	-	V	0.0377 U	0.0377 U	0.0377 U	0.0753 U	0.0301 U	0.0753 U	0.0301 U	0.0301 U	0.0301 U	0.0301 U	0.0301 U	0.0377 U
T9	T9-3-072018	07/20/18	PES	Fremont	3	-	V	0.0437 U	0.0437 U	0.0437 U	0.0875 U	0.0350 U	0.0875 U	0.0350 U	0.0350 U	0.0350 U	0.0350 U	0.0350 U	0.0437 U
T9	T9-3.5-072018	07/20/18	PES	Fremont	3.5	-	V	0.0291 U	0.0291 U	0.0291 U	0.0583 U	0.0233 U	0.0583 U	0.0233 U	0.0233 U	0.0233 U	0.0233 U	0.0233 U	0.0291 U
T9	T9-6-072018	07/20/18	PES	Fremont	6	-	V	0.0303 U	0.0303 U	0.0303 U	0.0605 U	0.0242 U	0.0605 U	0.0242 U	0.0242 U	0.0242 U	0.0242 U	0.0242 U	0.0311
T10	T10-3-072018	07/20/18	PES	Fremont	3	-	V	0.0513 U	0.0513 U	0.0513 U	0.103 U	0.0411 U	0.103 U	0.0411 U	0.0411 U	0.0411 U	0.0411 U	0.0411 U	0.0528
T10	T10-6-072018	07/20/18	PES	Fremont	6	-	V	0.0278 U	0.0278 U	0.0278 U	0.0556 U	0.0222 U	0.0556 U	0.0222 U	0.0222 U	0.0222 U	0.0222 U	0.0222 U	0.0278 U
T11	T11-3.5-073118	07/31/18	PES	Fremont	3.5	-	V	0.0358 U	0.0358 U	0.0358 U	0.0716 U	0.0286 U	0.0716 U	0.0286 U	0.0286 U	0.0286 U	0.0286 U	0.0286 U	0.0358 U
T12	T12-3-091818	09/18/18	PES	Fremont	3	-	V	0.0307 U	0.0307 U	0.0307 U	0.0614 U	0.0245 U	0.0614 U	0.0245 U	0.0245 U	0.0245 U	0.0245 U	0.0245 U	0.0307 U
T12	T12-7-091818	09/18/18	PES	Fremont	7	-	V	0.0303 U	0.0303 U	0.0303 U	0.0607 U	0.0243 U	0.0607 U	0.0243 U	0.0243 U	0.0243 U	0.0243 U	0.0243 U	0.0303 U
T12	T12-7.5-073118	07/31/18	PES	Fremont	7.5	-	V	0.0259 U	0.0259 U	0.0259 U	0.0519 U	0.0207 U	0.0519 U	0.0207 U	0.0207 U	0.0207 U	0.0207 U	0.0207 U	0.0259 U
T13	T13-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	0.0283 U	0.0283 U	0.0283 U	0.0567 U	0.0227 U	0.0567 U	0.0227 U	0.0227 U	0.0227 U	0.0227 U	0.0227 U	0.0283 U
T13	T13-6.5-091818	09/18/18	PES	Fremont	6.5	-	V	0.0250 U	0.0250 U	0.0250 U	0.0500 U	0.0200 U	0.0500 U	0.0200 U	0.0200 U	0.0200 U	0.0200 U	0.0200 U	0.0250 U
T14	T14-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	0.0300 U	0.0300 U	0.0300 U	0.0599 U	0.0240 U	0.0599 U	0.0240 U	0.0240 U	0.0240 U	0.0240 U	0.0240 U	0.0300 U
T14	T14-7-091818	09/18/18	PES	Fremont	7	-	V	0.0318 U	0.0318 U	0.0318 U	0.0635 U	0.0254 U	0.0635 U	0.0254 U	0.0254 U	0.0254 U	0.0254 U	0.0254 U	0.0318 U
TP-15	TP-15-3-092818	09/28/18	PES	Fremont	3	-	V	0.0304 U	0.0304 U	0.0304 U	0.0609 U	0.0244 U	0.0609 U	0.0244 U	0.0244 U	0.0244 U	0.0244 U	0.0244 U	0.0304 U
TP-15	TP-15-6.5-092818	09/28/18	PES	Fremont	6.5	-	V	0.0313 U	0.0313 U	0.0313 U	0.0625 U	0.0250 U	0.0625 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U	0.0250 U	0.0313 U
TP-16	TP-16-3-092818	09/28/18	PES	Fremont	3	-	V	0.0426 U	0.0426 U	0.0426 U	0.0852 U	0.0341 U	0.0852 U	0.0341 U	0.0341 U	0.0341 U	0.0341 U	0.0341 U	0.0426 U
TP-16	TP-16-6-092818	09/28/18	PES	Fremont	6	-	V	0.0446 U	0.0446 U	0.0446 U	0.0892 U	0.0357 U	0.0892 U	0.0357 U	0.0357 U	0.0357 U	0.0357 U	0.0357 U	0.0446 U
TP-16	TP-16-9-092818	09/28/18	PES	Fremont	9	-	V	0.0263 U	0.0263 U	0.0263 U	0.0525 U	0.0210 U	0.0525 U	0.0210 U	0.0210 U	0.0210 U	0.0210 U	0.0210 U	0.0263 U
TP-SD-01	TP-SD-01-2	06/03/19	PES	Fremont	2	-	V	0.0214 U	0.0214 U	0.0214 U	0.0429 U	0.0172 U	0.0429 U	0.0172 U	0.0172 U	0.0172 U	0.0172 U	0.0172 U	0.0736
TP-SD-01	TP-SD-01-5	06/03/19	PES	Fremont	5	-	V	0.0267 U	0.0267 U	0.0267 U	0.0534 U	0.0213 U	0.0534 U	0.0213 U	0.0213 U	0.0213 U	0.0213 U	0.0213 U	0.0267 U
TP-SD-04	TP-SD-04-2	06/03/19	PES	Fremont	2	-	V	0.0252 U	0.0252 U	0.0252 U	0.0504 U	0.0202 U	0.0504 U	0.0202 U	0.0202 U	0.0202 U	0.0202 U	0.0202 U	0.0252 U
TP-SD-04	TP-SD-04-5	06/03/19	PES	Fremont	5	-	V	0.0272 U	0.0272 U	0.0272 U	0.0544 U	0.0218 U	0.0544 U	0.0218 U	0.0218 U	0.0218 U	0.0218 U	0.0218 U	0.0272 U
TP-SD-05	TP-SD-05-2	06/03/19	PES	Fremont	2	-	V	0.0258 U	0.0258 U	0.0258 U	0.0517 U	0.0207 U	0.0517 U	0.0207 U	0.0207 U	0.0207 U	0.0207 U	0.0207 U	0.0258 U
TP-SD-05	TP-SD-05-5	06/03/19	PES	Fremont	5	-	V	0.0292 U	0.0292 U	0.0292 U	0.0585 U	0.0234 U	0.0585 U	0.0234 U	0.0234 U	0.0234 U	0.0234 U	0.0234 U	0.0292 U
TP-SD-06	TP-SD-06-2	06/03/19	PES	Fremont	2	-	V	0.0344 U	0.0344 U	0.0344 U	0.0688 U	0.0275 U	0.0688 U	0.0275 U	0.0275 U	0.0275 U	0.0275 U	0.0275 U	0.0344 U
TP-SD-06	TP-SD-06-5	06/03/19	PES	Fremont	5	-	V	0.0272 U	0.0272 U	0.0272 U	0.0544 U	0.0218 U	0.0544 U	0.0218 U	0.0218 U	0.0218 U	0.0218 U	0.0218 U	0.0272 U
TP-SD-07	TP-SD-07-2	06/03/19	PES	Fremont	2	-	V	0.0217 U	0.0217 U	0.0217 U	0.0435 U	0.0174 U	0.0435 U	0.0174 U	0.0174 U	0.0174 U	0.0174 U	0.0174 U	0.0217 U
TP-SD-07	B-942-2	06/03/19	PES	Fremont	2 (dup)	-	V	0.0233 U	0.0233 U	0.0233 U	0.0466 U	0.0186 U	0.0466 U	0.0186 U	0.0186 U	0.0186 U	0.0186 U	0.0186 U	0.0233 U
TP-SD-07	TP-SD-07-5	06/03/19	PES	Fremont	5	-	V	0.0212 U	0.0212 U	0.0212 U	0.0424 U	0.0169 U	0.0424 U	0.0169 U	0.0169 U	0.0169 U	0.0169 U	0.0169 U	0.0212 U
TP-SD-08	TP-SD-08-2	06/03/19	PES	Fremont	2	-	V	0.0242 U	0.0242 U	0.0242 U	0.0483 U	0.0193 U	0.0483 U	0.0193 U	0.0193 U	0.0193 U	0.0193 U	0.0193 U	0.0242 U
TP-SD-08	TP-SD-08-5	06/03/19	PES	Fremont	5	-	V	0.0207 U	0.0207 U	0.0207 U	0.0415 U	0.0166 U	0.0415 U	0.0166 U	0.0166 U	0.0166 U	0.0166 U	0.0166 U	0.0207 U
TP-SD-08	TP-SD-08-8	06/03/19	PES	Fremont	8	-	S	0.0249 U	0.0249 U	0.0249 U	0.0498 U	0.0199 U	0.0498 U	0.0199 U	0.0199 U	0.0199 U	0.0199 U	0.0199 U	0.0249 U
W-MW-01 (P-03) (-25.1 to -35.1)	SB-W-03-0160	01/27/12	WW	ARI	16-16.5	28.4	S	-	-	-	-	-	-	0.0006 J	-	-	-	-	0.0010 U
	SB-W-03-0225	01/27/12	WW	ARI	22.5-23	21.9	S	-	-	-	-	-	-	0.0021	-	-	-	-	0.0009 U
	SB-W-03-0315	01/27/12	WW	ARI	31.5-32	12.9	S	-	-	-	-	-	-	0.48	-	-	-	-	0.21 U
	SB-W-03-0450	01/27/12	WW	ARI	45-45.5	-0.6	S	-	-	-	-	-	-	0.041	-	-	-	-	0.0007 U
	SB-W-03-0550	01/27/12	WW	ARI	55.5-56	-11.1	S	-	-	-	-	-	-	0.13	-	-	-	-	0.045 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34	
W-MW-01 (P-03) (continued)	SB-W-03-0645	01/27/12	WW	ARI	64.5-65	-20.1	S	-	-	-	-	-	-	0.0008 U	-	-	-	-	0.0008 U	
	SB-W-03-0730	01/27/12	WW	ARI	73-73.5	-28.6	S	-	-	-	-	-	-	0.025	-	-	-	-	0.0007 U	
W-MW-02 (P-06) (-26.5 to -36.5)	SB-W-06-0900	01/29/12	WW	ARI	9-9.5	34.0	S	-	-	-	-	-	-	0.0013 U	-	-	-	-	0.0013 U	
	SB-W-06-0185	01/29/12	WW	ARI	18.5-19	24.5	S	-	-	-	-	-	-	0.0009 U	-	-	-	-	0.0009 U	
	SB-W-06-0305	01/30/12	WW	ARI	30.5-31	12.6	S	-	-	-	-	-	-	0.4	-	-	-	-	0.27 U	
	SB-W-06-0380	01/30/12	WW	ARI	38-38.5	5.0	S	-	-	-	-	-	-	0.52	-	-	-	-	0.046 U	
	SB-W-06-0405	01/30/12	WW	ARI	40.5-41	2.5	S	-	-	-	-	-	-	0.15	-	-	-	-	0.036 U	
	SB-W-06-0485	01/30/12	WW	ARI	48.5-49	-5.5	S	-	-	-	-	-	-	0.0009	-	-	-	-	0.0008 U	
	SB-W-06-9485	01/30/12	WW	ARI	48.5-49 (dup)	-5.5	S	-	-	-	-	-	-	0.0010	-	-	-	-	0.0009 U	
	SB-W-06-0590	01/30/12	WW	ARI	59-59.5	-16.0	S	-	-	-	-	-	-	0.043 U	-	-	-	-	0.043 U	
	SB-W-06-0715	01/30/12	WW	ARI	71.5-72	-28.5	S	-	-	-	-	-	-	0.0008 U	-	-	-	-	0.0008 U	
	SB-W-06-0790	01/31/12	WW	ARI	79-79.5	-36.0	S	-	-	-	-	-	-	0.0009 U	-	-	-	-	0.0009 U	
All Data								Number of Analytes Measured	644	644	644	644	644	859	646	646	646	644	778	
								Number of Analytes Detected	0	6	0	0	55	1	2	0	0	0	0	-8
								Frequency of Detection	0.0%	0.9%	0.0%	0.0%	8.5%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	-1.0%
								Maximum Detection	-	0.0633	-	-	0.0159	0.00179 J	3.03	-	-	-	-	54
								Minimum Detection	0.000341 U	0.00022 U	0.000388 U	0.000983 U	0.000238 U	0.00039 U	0.000244 UJ	0.000272 U	0.000397 U	0.000264 U	0.000741 U	0.000311 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	0	-	1	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	1	0	-	0	-	136	0	0	0	17	
2017-2021								Number of Analytes Measured	644	644	644	644	644	644	644	644	644	644	644	
								Number of Analytes Detected	0	6	0	0	55	1	179	0	0	0	0	93
								Frequency of Detection	0.0%	0.9%	0.0%	0.0%	8.5%	0.2%	27.8%	0.0%	0.0%	0.0%	0.0%	14.4%
								Maximum Detection	-	0.0633	-	-	0.0159	0.00179 J	3.03	-	-	-	-	3.01
								Minimum Detection	0.000341 U	0.00022 U	0.000388 U	0.000983 U	0.000238 U	0.00039 U	0.000244 UJ	0.000272 U	0.000397 U	0.000264 U	0.000741 U	0.000311 U
								Number Of Vadose (V) Detections above SL	0	0	0	-	0	-	1	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	1	0	-	0	-	110	0	0	3		
Abbreviations:								Notes:												
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.												
ARI = Analytical Resource, Incorporated, Seattle, Washington								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.												
B&V = Black Veatch								Well screen elevations provided below Sample Location. in parentheses when applicable.												
bgs = below ground surface								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.												
Comp = Composite Sample								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.												
dup = duplicate								Detected results shown in bold .												
EPJ = E.PJohnson Construction Inc., and Environmental								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .												
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .												
F&BI = Friedman & Bruya, Inc.								- = Not available or results not analyzed.												
HC = Hart Crowser, Inc.								B = Analyte detected in an associated method blank.												
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.												
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.												
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.												
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.												
Roux = Roux Associates								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample												
Urban = Urban Redevelopment LLC								T = Analyte also detected in trip blank.												
WW = WW Environmental LLC								U = Not detected at a concentration exceeding laboratory reporting limit												
								ve = Estimated value. The reported range exceeds the calibration range of the analysis.												
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.												

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-1A	B-1/S-2	12/01/89	HC	ARI	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2A	B-2/S-1	12/01/89	HC	ARI	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-212	B-212-15	09/08/17	PES	ESC	15	42.6	V	0.000394 U	0.000334 U	0.00291 U	0.000286 U	0.000280 U	0.00217 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000232 U
	B-212-21	09/08/17	PES	ESC	21	36.6	S	0.000355 U	0.000301 U	0.00263 U	0.000258 U	0.00134 U	0.00195 U	0.000220 U	0.00104 U	0.0257 U	0.00372 U	0.00280 U	0.00234 U
	B-212-35	09/08/17	PES	ESC	35	22.6	S	0.000373 U	0.00122 J	0.00276 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000225 U	0.000219 U
	B-212-45	09/08/17	PES	ESC	45	12.6	S	0.000358 U	0.0126 U	0.00265 U	0.000259 U	0.000254 U	0.00197 U	0.000222 U	0.00105 U	0.00105 U	0.000270 U	0.000216 U	0.000210 U
	B-907-25	09/08/17	PES	ESC	45 (dup)	12.6	S	0.0102 U	0.00867 U	0.0755 U	0.00741 U	0.00727 U	0.0562 U	0.00634 U	0.0299 U	0.0299 U	0.00771 U	0.00616 U	0.00600 U
	B-212-55	09/08/17	PES	ESC	55	2.6	S	0.000386 U	0.000327 U	0.00285 U	0.000280 U	0.000274 U	0.00212 U	0.000239 U	0.00113 U	0.00113 U	0.000291 U	0.000232 U	0.000227 U
	B-212-65	09/08/17	PES	ESC	65	-7.4	S	0.000397 U	0.00322 J	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-212-75	09/08/17	PES	ESC	75	-17.4	S	0.000398 U	0.00125 J	0.00294 U	0.000288 U	0.000283 U	0.00219 U	0.000247 U	0.00116 U	0.00116 U	0.000300 U	0.000240 U	0.000234 U
	B-212-85	09/11/17	PES	ESC	85	-27.4	S	0.00970 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000241 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	B-212-95	09/11/17	PES	ESC	95	-37.4	S	0.000447 U	0.000379 U	0.00331 U	0.000324 U	0.000318 U	0.00245 U	0.000278 U	0.00131 U	0.00131 U	0.000337 U	0.000269 U	0.000263 U
	B-212-100	09/11/17	PES	ESC	100	-42.4	S	0.000413 U	0.000350 U	0.00305 U	0.000299 U	0.000293 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000311 U	0.000249 U	0.000243 U
B-213	B-213-15	09/05/17	PES	ESC	15	42.4	V	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	B-213-21.5	09/05/17	PES	ESC	22	35.9	S	0.000356 U	0.0375 J	0.00264 U	0.000258 U	0.00198 U	0.00196 U	0.000221 U	0.00104 U	0.0239 U	0.00519 U	0.00457 U	0.00362 U
	B-213-35	09/05/17	PES	ESC	35	22.4	S	0.000370 U	0.000314 U	0.00274 U	0.000268 U	0.000263 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000218 U
	B-213-45	09/05/17	PES	ESC	45	12.4	S	0.000379 U	0.000321 U	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	B-213-55	09/05/17	PES	ESC	55	2.4	S	0.000372 U	0.0237 J	0.00275 U	0.000270 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000224 U	0.000219 U
	B-213-65	09/05/17	PES	ESC	65	-7.6	S	0.000376 U	0.0107 J	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	B-213-75	09/05/17	PES	ESC	75	-17.6	S	0.000374 U	0.000317 U	0.00276 U	0.000271 U	0.000266 U	0.00205 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	B-213-85	09/05/17	PES	ESC	85	-27.6	S	0.000417 U	0.000354 U	0.00308 U	0.000302 U	0.000296 U	0.00229 U	0.000258 U	0.00122 U	0.00122 U	0.000315 U	0.000251 U	0.000245 U
	B-213-95	09/06/17	PES	ESC	95	-37.6	S	0.000422 U	0.000358 U	0.00313 U	0.000306 U	0.000300 U	0.00232 U	0.000262 U	0.00124 U	0.00124 U	0.000319 U	0.000254 U	0.000248 U
	B-213-105	09/06/17	PES	ESC	105	-47.6	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
	B-906-110	09/06/17	PES	ESC	105 (dup)	-47.6	S	0.000393 U	0.000333 U	0.00290 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
	B-213-115	09/06/17	PES	ESC	115	-57.6	S	0.000419 U	0.000356 U	0.00310 U	0.000304 U	0.000298 U	0.00231 U	0.000260 U	0.00123 U	0.00123 U	0.000316 U	0.000253 U	0.000246 U
	B-213-125	09/06/17	PES	ESC	125	-67.6	S	0.000506 U	0.000429 U	0.00374 U	0.000367 U	0.000359 U	0.00279 U	0.000314 U	0.00148 U	0.00148 U	0.000382 U	0.000305 U	0.000297 U
B-214	B-214-15	09/07/17	PES	ESC	15	42.4	V	0.000367 U	0.000311 U	0.00271 U	0.000266 U	0.000261 U	0.00202 U	0.000227 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
	B-214-25	09/07/17	PES	ESC	25	32.4	S	0.000361 U	0.000623 J	0.00267 U	0.000262 U	0.000257 U	0.00199 U	0.000224 U	0.00106 U	0.00106 U	0.000273 U	0.000218 U	0.000212 U
	B-214-35	09/07/17	PES	ESC	35	22.4	S	0.000371 U	0.000315 U	0.00275 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	B-214-45	09/07/17	PES	ESC	45	12.4	S	0.000364 U	0.00110 J	0.00269 U	0.000264 U	0.000259 U	0.00200 U	0.000226 U	0.00106 U	0.00106 U	0.000275 U	0.000219 U	0.000214 U
	B-214-55	09/07/17	PES	ESC	55	2.4	S	0.000380 U	0.00245 J	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000229 U	0.000223 U
	B-214-65	09/07/17	PES	ESC	65	-7.6	S	0.000440 U	0.000373 U	0.00326 U	0.000319 U	0.000313 U	0.00242 U	0.000273 U	0.00129 U	0.00129 U	0.000332 U	0.000265 U	0.000259 U
	B-214-75	09/07/17	PES	ESC	75	-17.6	S	0.000380 U	0.000642 J	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	B-214-85	09/07/17	PES	ESC	85	-27.6	S	0.000411 U	0.000620 J	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000248 U	0.000242 U
	B-908-100	09/07/17	PES	ESC	85 (dup)	-27.6	S	0.000382 U	0.000668 J	0.00283 U	0.000277 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000225 U
	B-214-95	09/07/17	PES	ESC	95	-37.6	S	0.000375 U	0.00343 J	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	B-214-105	09/07/17	PES	ESC	105	-47.6	S	0.000433 U	0.000426 J	0.00320 U	0.000314 U	0.000307 U	0.00238 U	0.000268 U	0.00127 U	0.00127 U	0.000326 U	0.000261 U	0.000254 U
	B-214-115	09/11/17	PES	ESC	115	-57.6	S	0.000417 U	0.000354 U	0.00309 U	0.000302 U	0.000296 U	0.00229 U	0.000259 U	0.00122 U	0.00122 U	0.000315 U	0.000251 U	0.000245 U
	B-214-120	09/11/17	PES	ESC	120	-62.6	S	0.000404 U	0.000342 U	0.00299 U	0.000293 U	0.000287 U	0.00222 U	0.000250 U	0.00118 U	0.00118 U	0.000305 U	0.000243 U	0.000237 U
B-215	B-215-15	09/12/17	PES	ESC	15	39.0	V	0.000371 U	0.000333 J	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	B-215-25	09/12/17	PES	ESC	25	29.0	S	0.000366 U	0.000310 U	0.00271 U	0.000265 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000220 U	0.000215 U
	B-215-35	09/12/17	PES	ESC	35	19.0	S	0.000403 U	0.000447 J	0.00298 U	0.000292 U	0.000286 U	0.00222 U	0.000259 U	0.00118 U	0.00118 U	0.000304 U	0.000243 U	0.000237 U
	B-215-45	09/12/17	PES	ESC	45	9.0	S	0.000364 U	0.00329 J	0.00269 U	0.000264 U	0.000259 U	0.00200 U	0.000226 U	0.00106 U	0.00106 U	0.000275 U	0.000219 U	0.000214 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-215 (continued)	B-215-55	09/12/17	PES	ESC	55	-1.1	S	0.000379 U	0.000446 J	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	B-215-65	09/12/17	PES	ESC	65	-11.1	S	0.00978 U	0.000829 U	0.0723 U	0.00709 U	0.00695 U	0.0538 U	0.00606 U	0.0286 U	0.0286 U	0.00738 U	0.00589 U	0.00574 U
	B-215-75	09/12/17	PES	ESC	75	-21.1	S	0.000377 U	0.000320 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	B-215-85	09/13/17	PES	ESC	85	-31.1	S	0.000412 U	0.000350 U	0.00305 U	0.000299 U	0.000293 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000311 U	0.000248 U	0.000242 U
	B-909-115	09/13/17	PES	ESC	85 (dup)	-31.1	S	0.000383 U	0.000472 J	0.00283 U	0.000278 U	0.000272 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	B-215-95	09/13/17	PES	ESC	95	-41.1	S	0.000409 U	0.000347 U	0.00303 U	0.000297 U	0.000291 U	0.00225 U	0.000254 U	0.00120 U	0.00120 U	0.000309 U	0.000247 U	0.000241 U
B-268	B-268-1	03/17/20	PES	PACE	1	-	V	0.0158 U	0.00131 U	0.00750 U	0.000434 U	0.00107 U	0.0124 U	0.000366 U	0.00824 U	0.00387 U	0.00476 U	0.00146 U	0.00314 U
B-269	B-269-1.5	03/17/20	PES	PACE	1.5	-	V	0.0139 U	0.00615	0.00661 U	0.000382 U	0.00112 J	0.0109 U	0.000322 U	0.00725 U	0.00867 J	0.00419 U	0.00159 J	0.00276 U
B-270	B-270-2	03/17/20	PES	PACE	2	-	V	0.0154 U	0.00128 U	0.00732 U	0.000423 U	0.00347	0.0121 U	0.000357 U	0.00803 U	0.00377 U	0.0254	0.00824	0.0275
B-271	B-271-1	03/17/20	PES	PACE	1	-	V	0.0136 U	0.00114 U	0.00650 U	0.000376 U	0.000927 U	0.0107 U	0.000317 U	0.00713 U	0.00335 U	0.00412 U	0.00127 U	0.00272 U
B-272	B-272-1	03/17/20	PES	PACE	1	-	V	0.0150 U	0.0355	0.00713 U	0.000413 U	0.00102 U	0.0118 U	0.000348 U	0.00783 U	0.0129 J	0.00453 U	0.00139 U	0.00298 U
	B-272-6	03/17/20	PES	PACE	6	-	V	0.0157 U	0.00902	0.00749 U	0.000433 U	0.00107 U	0.0124 U	0.000326 U	0.00822 U	0.00386 U	0.00475 U	0.00146 U	0.00313 U
B-273	B-273-1	03/17/20	PES	PACE	1	-	V	0.0143 U	0.00119 U	0.00679 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00745 U	0.00646 J	0.00431 U	0.00132 U	0.00284 U
	B-273-3	03/17/20	PES	PACE	3	-	V	0.0140 U	0.103	0.00669 U	0.000387 U	0.000954 U	0.0111 U	0.000326 U	0.00734 U	0.00345 U	0.00424 U	0.00130 U	0.00280 U
	B-273-6	03/17/20	PES	PACE	6	-	V	0.0282 U	0.635	0.0134 U	0.000777 U	0.00199 J	0.0222 U	0.000655 U	0.0147 U	0.00692 U	0.00851 U	0.00261 U	0.00561 U
B-274	B-274-1	03/17/20	PES	PACE	1	-	V	0.0143 U	0.0904	0.00680 U	0.000394 U	0.000971 U	0.0112 U	0.000332 U	0.00747 U	0.0180	0.00432 U	0.00171 J	0.00285 U
	B-274-3	03/17/20	PES	PACE	3	-	V	0.0138 U	0.0243	0.00655 U	0.000379 U	0.000934 U	0.0108 U	0.000319 U	0.00719 U	0.00338 U	0.00416 U	0.00128 U	0.00274 U
	B-274-6	03/17/20	PES	PACE	6	-	V	0.0226 U	0.967	0.0108 U	0.000622 U	0.00153 U	0.0178 U	0.000524 U	0.0118 U	0.00555 U	0.00683 U	0.00211 U	0.00449 U
B-275	B-275-1	03/17/20	PES	PACE	1	-	V	0.0149 U	0.00923	0.00710 U	0.000411 U	0.00101 U	0.0117 U	0.000346 U	0.00779 U	0.00366 U	0.00451 U	0.00139 U	0.00297 U
	B-275-6	03/17/20	PES	PACE	6	-	V	0.0234 U	0.568	0.0112 U	0.000649 U	0.00852	0.0185 U	0.000546 U	0.0123 U	0.0429	0.00949 J	0.0113	0.00469 U
	B-275-9	03/17/20	PES	PACE	9	-	S	0.0195 U	0.0189	0.00931 U	0.000538 U	0.00133 U	0.0154 U	0.0102 U	0.0102 U	0.00814 J	0.00591 U	0.00182 U	0.00389 U
	B-275-10	03/17/20	PES	PACE	10	-	S	0.0140 U	0.00531 J	0.00665 U	0.000385 U	0.000949 U	0.0110 U	0.000324 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
B-276	B-276-1	03/17/20	PES	PACE	1	-	V	0.0234 U	0.00336 J	0.0112 U	0.000646 U	0.00159 U	0.0184 U	0.000544 U	0.0123 U	0.00575 U	0.00709 U	0.00217 U	0.00467 U
	B-276-7	03/17/20	PES	PACE	7	-	V	0.0140 U	0.00117 U	0.00669 U	0.000387 U	0.000954 U	0.0111 U	0.000326 U	0.00734 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
	B-970-6	03/17/20	PES	PACE	7 (dup)	-	V	0.0141 U	0.00117 U	0.00669 U	0.000387 U	0.000955 U	0.0111 U	0.000326 U	0.00735 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
	B-276-11	03/17/20	PES	PACE	11	-	S	0.0148 U	0.00869	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.0395	0.00449 U	0.00138 U	0.00296 U
B-277	B-277-1	03/18/20	PES	PACE	1	-	V	0.0160 U	0.00134 U	0.00763 U	0.000441 U	0.00109 U	0.0126 U	0.000372 U	0.00837 U	0.00421 J	0.00484 U	0.00149 U	0.00319 U
	B-277-3	03/18/20	PES	PACE	3	-	V	0.0140 U	0.00116 U	0.00665 U	0.000385 U	0.000948 U	0.0110 U	0.000324 U	0.00730 U	0.00373 J	0.00422 U	0.00130 U	0.00278 U
	B-277-5	03/18/20	PES	PACE	5	-	V	0.0210 U	0.00175 U	0.00999 U	0.000578 U	0.00143 U	0.0165 U	0.000487 U	0.0110 U	0.00515 U	0.00634 U	0.00195 U	0.00418 U
	B-277-9.5	03/18/20	PES	PACE	9.5	-	V	0.0301 U	0.00760 J	0.0144 U	0.000832 U	0.00206 U	0.0238 U	0.000701 U	0.0158 U	0.0109 J	0.00912 U	0.00281 U	0.00601 U
	B-277-11	03/18/20	PES	PACE	11	-	S	0.0137 U	0.00114 U	0.00653 U	0.000378 U	0.000931 U	0.0108 U	0.000318 U	0.00717 U	0.00337 U	0.00414 U	0.00127 U	0.00273 U
B-278	B-278-3	03/18/20	PES	PACE	3	-	V	0.0142 U	0.00118 U	0.00675 U	0.000391 U	0.000963 U	0.0112 U	0.000329 U	0.00741 U	0.00358 J	0.00429 U	0.00132 U	0.00282 U
	B-278-6	03/18/20	PES	PACE	6	-	V	0.0141 U	0.00118 U	0.00671 U	0.000388 U	0.000957 U	0.0111 U	0.000327 U	0.00736 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
B-279	B-279-3	03/18/20	PES	PACE	3	-	V	0.0144 U	0.00120 U	0.00686 U	0.000397 U	0.000979 U	0.0113 U	0.000335 U	0.00753 U	0.00366 J	0.00436 U	0.00134 U	0.00287 U
	B-279-5	03/18/20	PES	PACE	5	-	V	0.0142 U	0.00119 U	0.00677 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00742 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
	B-279-10	03/18/20	PES	PACE	10	-	V	0.0138 U	0.00115 U	0.00657 U	0.000380 U	0.000938 U	0.0109 U	0.000321 U	0.00721 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
B-280	B-280-4.5	03/18/20	PES	PACE	4.5	-	V	0.0132 U	0.00110 U	0.00627 U	0.000363 U	0.000894 U	0.0104 U	0.000306 U	0.00688 U	0.00323 U	0.00398 U	0.00122 U	0.00262 U
	B-280-6	03/18/20	PES	PACE	6	-	V	0.0138 U	0.00115 U	0.00658 U	0.000381 U	0.000939 U	0.0109 U	0.000321 U	0.00722 U	0.00339 U	0.00418 U	0.00128 U	0.00275 U
B-281	B-281-2	03/18/20	PES	PACE	2	-	V	0.0133 U	0.00111 U	0.00632 U	0.000366 U	0.000902 U	0.0105 U	0.000308 U	0.00694 U	0.00433 J	0.00401 U	0.00123 U	0.00264 U
	B-281-5	03/18/20	PES	PACE	5	-	V	0.0144 U	0.00120 U	0.00686 U	0.000397 U	0.000978 U	0.0113 U	0.000334 U	0.00753 U	0.00373 J	0.00435 U	0.00134 U	0.00287 U
B-282	B-282-2	03/18/20	PES	PACE	2	-	V	0.0145 U	0.00121 U	0.00690 U	0.000399 U	0.000984 U	0.0114 U	0.000336 U	0.00757 U	0.00367 J	0.00438 U	0.00135 U	0.00288 U
	B-282-4	03/18/20	PES	PACE	4	-	V	0.0140 U	0.00117 U	0.00668 U	0.000387 U	0.000953 U	0.0110 U	0.000326 U	0.00733 U	0.00345 U	0.00424 U	0.00130 U	0.00279 U
	B-971-5	03/18/20	PES	PACE	4 (dup)	-	V	0.0135 U	0.00113 U	0.00644 U	0.000372 U	0.000918 U	0.0106 U	0.000314 U	0.00707 U	0.00332 U	0.00409 U	0.00126 U	0.00269 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
B-283	B-283-0.5	08/19/20	PES	PACE	0.5	-	V	0.00722 U	0.00272 U	0.00279 U	0.000493 U	0.000511 U	0.00274 U	0.000421 U	0.00799 U	0.00587 U	0.00631 U	0.00114 U	0.00346 U
B-284	B-284-1	08/19/20	PES	PACE	1	-	V	0.00720 U	0.00271 U	0.00278 U	0.000492 U	0.000510 U	0.00274 U	0.000420 U	0.00797 U	0.00586 U	0.00630 U	0.00114 U	0.00346 U
B-285	B-285-1	08/19/20	PES	PACE	1	-	V	0.00784 U	0.00295 U	0.00303 U	0.000535 U	0.00392	0.00298 U	0.000457 U	0.00867 U	0.00637 U	0.00686 U	0.00340 J	0.00376 U
B-286	B-286-0.5	08/19/20	PES	PACE	0.5	-	V	0.0160 U	0.0107 J	0.00617 U	0.00109 U	0.00113 U	0.00607 U	0.000932 U	0.0176 U	0.0130 U	0.0140 U	0.00253 U	0.00766 U
B-287	B-287-1	08/19/20	PES	PACE	1	-	V	0.0156 U	0.00587 U	0.00602 U	0.00107 U	0.00110 U	0.00593 U	0.000909 U	0.0173 U	0.0127 U	0.0136 U	0.00247 U	0.00749 U
B-288	B-288-1	08/19/20	PES	PACE	1	-	V	0.0318 U	0.0430	0.0123 U	0.00217 U	0.00318 J	0.0121 U	0.00186 U	0.0353 U	0.0259 U	0.0279 U	0.0211 J	0.0153 U
B-289	B-289-0.5	08/19/20	PES	PACE	0.5	-	V	0.0262 U	0.00986 U	0.0101 U	0.00179 U	0.00185 U	0.00994 U	0.00153 U	0.0290 U	0.0213 U	0.0229 U	0.00416 U	0.0126 U
B-290	B-290-1	08/20/20	PES	PACE	1	-	V	0.00947 U	0.00974	0.00366 U	0.000647 U	0.000671 U	0.00360 U	0.000553 U	0.0105 U	0.00770 U	0.00829 U	0.00225 J	0.00454 U
B-291	B-291-1	08/20/20	PES	PACE	1	-	V	0.00813 U	0.00306 U	0.00314 U	0.000555 U	0.000576 U	0.00309 U	0.000475 U	0.00900 U	0.0130 J	0.00712 U	0.00129 U	0.00390 U
B-292	B-292-3	08/22/20	PES	PACE	3	-	V	0.00755 U	0.00284 U	0.00292 U	0.000516 U	0.000535 U	0.00287 U	0.000440 U	0.00836 U	0.00614 U	0.00661 U	0.00120 U	0.00362 U
	B-292-6	08/22/20	PES	PACE	6	-	V	0.00780 U	0.00294 U	0.00302 U	0.000533 U	0.000553 U	0.00296 U	0.000455 U	0.00863 U	0.00634 U	0.00683 U	0.00124 U	0.00374 U
	B-292-9	08/22/20	PES	PACE	9	-	V	0.00709 U	0.00267 U	0.00274 U	0.000485 U	0.000502 U	0.00269 U	0.000414 U	0.00785 U	0.00577 U	0.00620 U	0.00112 U	0.00340 U
	B-292-12	08/22/20	PES	PACE	12	-	V	0.00788 U	0.00297 U	0.00305 U	0.000538 U	0.000558 U	0.00299 U	0.000459 U	0.00872 U	0.00641 U	0.00689 U	0.00125 U	0.00378 U
B-293	B-293-1	08/26/20	PES	PACE	1	-	V	0.00665 U	0.00251 U	0.00257 U	0.000454 U	0.000471 U	0.00253 U	0.000388 U	0.00736 U	0.0286 U	0.00582 U	0.00105 U	0.00319 U
B-294	B-294-1	08/26/20	PES	PACE	1	-	V	0.00842 U	0.0216	0.00326 U	0.000575 U	0.00199 J	0.00320 U	0.000491 U	0.00932 U	0.0431 J	0.00737 U	0.00222 J	0.00404 U
	B-294-2	08/26/20	PES	PACE	2	-	V	0.0174 U	0.159	0.00675 U	0.00119 U	0.0105	0.00662 U	0.00102 U	0.0194 U	0.110 J	0.0153 U	0.0224	0.00944 U
	B-294-6	08/26/20	PES	PACE	6	-	V	0.0171 U	0.00827 J	0.00662 U	0.00117 U	0.00121 U	0.00651 U	0.000999 U	0.0189 U	0.0792 J	0.0150 U	0.00271 U	0.00821 U
	B-294-10	08/26/20	PES	PACE	10	-	S	0.00808 U	0.00304 U	0.00312 U	0.000552 U	0.000572 U	0.00307 U	0.000471 U	0.00894 U	0.0304 U	0.00707 U	0.00128 U	0.00388 U
B-295	B-295-1	08/26/20	PES	PACE	1	-	V	0.00722 U	0.00272 U	0.00279 U	0.000493 U	0.000512 U	0.00274 U	0.000421 U	0.00799 U	0.0250 U	0.00632 U	0.00114 U	0.00347 U
	B-295-3	08/26/20	PES	PACE	3	-	V	0.0107 U	0.00567 J	0.00414 U	0.000731 U	0.000758 U	0.00407 U	0.000624 U	0.0118 U	0.0432 J	0.00937 U	0.00169 U	0.00514 U
	B-295-7	08/26/20	PES	PACE	7	-	V	0.00899 U	0.0150	0.00348 U	0.000614 U	0.000637 U	0.00342 U	0.000524 U	0.00995 U	0.0334 U	0.00787 U	0.00142 U	0.00432 U
	B-295-10	08/26/20	PES	PACE	10	-	S	0.00843 U	0.0170	0.00326 U	0.000576 U	0.000597 U	0.00320 U	0.000492 U	0.00933 U	0.0287 U	0.00738 U	0.00134 U	0.00405 U
B-296	B-296-1	08/26/20	PES	PACE	1	-	V	0.00682 U	0.00257 U	0.00264 U	0.000466 U	0.000483 U	0.00259 U	0.000398 U	0.00754 U	0.0307 U	0.00596 U	0.00108 U	0.00327 U
B-297	B-297-1	08/26/20	PES	PACE	1	-	V	0.00739 U	0.00278 U	0.00286 U	0.000505 U	0.000524 U	0.00281 U	0.000431 U	0.00818 U	0.00601 U	0.00647 U	0.00117 U	0.00355 U
	B-297-3	08/26/20	PES	PACE	3	-	V	0.00689 U	0.00335 J	0.00267 U	0.000471 U	0.000488 U	0.00262 U	0.000402 U	0.00763 U	0.00561 U	0.00603 U	0.00109 U	0.00331 U
	B-500-1	08/26/20	PES	PACE	3 (dup)	-	V	0.00703 U	0.00265 U	0.00272 U	0.000480 U	0.000498 U	0.00267 U	0.000410 U	0.00778 U	0.0268 U	0.00615 U	0.00111 U	0.00338 U
	B-297-5	08/26/20	PES	PACE	5	-	V	0.00686 U	0.00429 J	0.00265 U	0.000469 U	0.000486 U	0.00261 U	0.000400 U	0.00759 U	0.00999 J	0.00600 U	0.00109 U	0.00329 U
B-298	B-298-5	08/26/20	PES	PACE	5	-	V	0.00633 U	0.00238 U	0.00244 U	0.000433 U	0.000448 U	0.00240 U	0.000369 U	0.00701 U	0.0322 U	0.00554 U	0.00100 U	0.00304 U
	B-298-6	08/26/20	PES	PACE	6	-	V	0.00761 U	0.0115	0.00295 U	0.000521 U	0.000540 U	0.00289 U	0.000635 J	0.00843 U	0.0404	0.00666 U	0.00156 J	0.00366 U
B-299	B-299-2	02/01/21	PES	PACE	2	-	V	0.00792 U	0.00298 U	0.00306 U	0.000541 U	0.000561 U	0.00301 U	0.000462 U	0.00877 U	0.00644 U	0.00693 U	0.00125 U	0.00380 U
	B-299-5.5	02/01/21	PES	PACE	5.5	-	V	0.00715 U	0.00269 U	0.00277 U	0.000489 U	0.000507 U	0.00272 U	0.000417 U	0.00791 U	0.00582 U	0.00626 U	0.00113 U	0.00343 U
	B-1003-10	02/01/21	PES	PACE	5.5 (dup)	-	V	0.00744 U	0.00280 U	0.00288 U	0.000508 U	0.000527 U	0.00283 U	0.000434 U	0.00823 U	0.00605 U	0.00651 U	0.00118 U	0.00357 U
B-300	B-300-2.5	02/01/21	PES	PACE	2.5	-	V	0.00793 U	0.00299 U	0.00307 U	0.000542 U	0.000562 U	0.00301 U	0.000463 U	0.00878 U	0.00645 U	0.00694 U	0.00126 U	0.00381 U
	B-300-5.5	02/01/21	PES	PACE	5.5	-	V	0.00774 U	0.00291 U	0.00299 U	0.000529 U	0.000548 U	0.00294 U	0.000451 U	0.00856 U	0.00629 U	0.00677 U	0.00123 U	0.00371 U
B-301	B-301-2	02/01/21	PES	PACE	2	-	V	0.00770 U	0.00290 U	0.00298 U	0.000526 U	0.000545 U	0.00292 U	0.000449 U	0.00852 U	0.00626 U	0.00673 U	0.00122 U	0.00369 U
	B-301-5	02/01/21	PES	PACE	5	-	V	0.00811 U	0.00305 U	0.00314 U	0.000554 U	0.000574 U	0.00308 U	0.000473 U	0.00897 U	0.00660 U	0.00710 U	0.00128 U	0.00389 U
B-302	B-302-2	02/01/21	PES	PACE	2	-	V	0.00751 U	0.00283 U	0.00290 U	0.000513 U	0.000532 U	0.00285 U	0.000438 U	0.00831 U	0.00611 U	0.00657 U	0.00119 U	0.00360 U
	B-302-4	02/01/21	PES	PACE	4	-	V	0.00856 U	0.00322 U	0.00331 U	0.000585 U	0.000606 U	0.00325 U	0.000499 U	0.00947 U	0.00696 U	0.00749 U	0.00136 U	0.00411 U
BB-5	S-6	03/09/97	B&V	Unknown	15-17	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	S-10	03/09/97	B&V	Unknown	25-27	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-
BB-7	S-4	04/06/97	B&V	Unknown	10-12	17.0	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
BB-8 (13.6 to 3.6)	S-8	06/06/97	B&V	Unknown	20-22	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-
BB-10	S-6	08/29/97	B&V	Unknown	15-17	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-
BB-12	S-3	03/18/98	B&V	Unknown	15-16.5	18.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	S-14	03/18/98	B&V	Unknown	45-46.5	-11.2	S	-	-	-	-	-	-	-	-	-	-	-	-
BB-13	S-10	03/19/98	B&V	Unknown	25-27.5	1.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	S-16	03/19/98	B&V	Unknown	40-41.5	-13.1	S	-	-	-	-	-	-	-	-	-	-	-	-
BB-14	S-2	03/03/98	B&V	Unknown	5-6.5	21.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	S-5	03/03/98	B&V	Unknown	12.5-14	14.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	S-9	03/03/98	B&V	Unknown	22.5-24	4.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	S-12	03/03/98	B&V	Unknown	30-31.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-
CHB-07	CHB-07-12.5-13.5	04/14/05	CH2M	ARI	12.5-13.5	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-07-5.0-7.0	04/14/08	CH2M	ARI	5-7	23.5	S	-	-	-	-	-	-	-	-	-	-	-	-
CHB-08	CHB-08-15.0-16.0	04/15/08	CH2M	ARI	15-16	14.1	S	-	-	-	-	-	-	-	-	-	-	-	-
CHB-09	CHB-09-20.0-21.5	04/16/08	CH2M	ARI	20-21.5	15.4	S	-	-	-	-	-	-	-	-	-	-	-	-
	CHB-09-25.0-26.5	04/16/08	CH2M	ARI	25-26.5	10.4	S	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-1 (-9.7 to -29.7)	MW-1-1-2.5	08/22/14	GEI	Fremont	1	29.5	V	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-2 (4.0 to -6.0)	MW-2-2-5.0	08/23/14	GEI	Fremont	5	26.6	V	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-4-10.0	08/23/14	GEI	Fremont	10	21.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2-8-20.0	08/23/14	GEI	Fremont	20	11.6	S	-	-	-	-	-	-	-	-	-	-	-	-
GEI-MW-3 (-18.7 to -28.7)	MW-3-4-10.0	08/23/14	GEI	Fremont	10	20.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW-3-10-50.0	08/23/14	GEI	Fremont	50	-19.3	S	-	-	-	-	-	-	-	-	-	-	-	-
GEI-4	GEI-4-2-5.0	08/23/14	GEI	Fremont	5	26.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	GEI-4-5-12.5	08/23/14	GEI	Fremont	12.5	18.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-1 (SCLB-3)	RS3-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-17.5	03/15/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-22.5/RS3-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-32.5	03/15/93	EPJ	OnSite	32.5	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS3-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-2 (SCLB-4)	RS4-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-12.5/RS4-17.5	03/15/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-22.5/RS4-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS4-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-3 (SCLB-5)	RS5-2.5/RS5-7.5 (Comp)	03/16/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-12.5/RS5-17.5 (Comp)	03/16/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-17.5	03/16/93	EPJ	OnSite	17.5	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-22.5	03/16/93	EPJ	OnSite	22.5	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-32.5	03/16/93	EPJ	OnSite	32.5	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS5-37.5	03/16/93	EPJ	OnSite	37.5	1.5	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-4 (SCLB-6)	RS6-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-17.5/RS6-22.5 (Comp)	03/17/93	EPJ	OnSite	17.5-22.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
		03/17/93	EPJ	OnSite	27.5	12.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-5 (SCLB-7)	RS7-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-17.5	03/17/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-22.5	03/17/93	EPJ	OnSite	22.5	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	MW6-25	10/11/93	Retec	ARI	25	13.2	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-7	MW7-16.5	10/11/93	Retec	ARI	16.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW7-18.5	10/11/93	Retec	ARI	18.5	16.6	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-8 (28.7 to 14.2)	MW8-20	10/18/93	Retec	AAL	20	13.2	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-9 (33.7 to 18.7)	MW9-17.5	10/18/93	Retec	AAL	17.5	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	MW10-17.5	10/19/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW102 (B102) (-65.8 to -75.8)	B102-20	07/17/12	SES	F&BI	20	29.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-30	07/17/12	SES	F&BI	30	19.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-38	07/17/12	SES	F&BI	38	11.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-40	07/17/12	SES	F&BI	40	9.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-49	07/17/12	SES	F&BI	49	0.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-60	07/17/12	SES	F&BI	60	-10.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-70	07/18/12	SES	F&BI	70	-20.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-80	07/19/12	SES	F&BI	80	-30.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-90	07/19/12	SES	F&BI	90	-40.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-100	07/20/12	SES	F&BI	100	-50.8	S	-	-	-	-	-	-	-	-	-	-	-	-
MW103 (B103) (-67.6 to -77.6)	B102-110	07/20/12	SES	F&BI	110	-60.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-120	07/23/12	SES	F&BI	120	-70.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-10	07/25/12	SES	F&BI	10	25.9	V	-	-	-	-	-	-	-	-	-	-	-	-
	B103-18	07/25/12	SES	F&BI	18	17.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-30	07/25/12	SES	F&BI	30	5.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-40	07/25/12	SES	F&BI	40	-4.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-45	07/25/12	SES	F&BI	45	-9.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-55	07/25/12	SES	F&BI	55	-19.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-62.5	07/26/12	SES	F&BI	62.5	-26.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-75	07/26/12	SES	F&BI	75	-39.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-83	07/26/12	SES	F&BI	83	-47.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-95	07/26/12	SES	F&BI	95	-59.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-105	07/27/12	SES	F&BI	105	-69.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B103-113	07/27/12	SES	F&BI	113	-77.1	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW104 (B104) (-76.3 to -86.3)	B104-10	07/30/12	SES	F&BI	10	32.7	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-20	07/30/12	SES	F&BI	20	22.7	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-30	07/30/12	SES	F&BI	30	12.7	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-35	07/30/12	SES	F&BI	35	7.7	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-50	07/30/12	SES	F&BI	50	-7.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-60	07/31/12	SES	F&BI	60	-17.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-69	07/31/12	SES	F&BI	69	-26.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-80	07/31/12	SES	F&BI	80	-37.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-90	08/01/12	SES	F&BI	90	-47.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-100	08/01/12	SES	F&BI	100	-57.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-110	08/01/12	SES	F&BI	110	-67.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-120	08/01/12	SES	F&BI	120	-77.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	B104-130	08/01/12	SES	F&BI	130	-87.3	S	-	-	-	-	-	-	-	-	-	-	-	-
MW105 (B105) (-85.8 to -95.8)	B105-10	08/06/12	SES	F&BI	10	34.2	V	-	-	-	-	-	-	-	-	-	-	-	-
	B105-20	08/06/12	SES	F&BI	20	24.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-30	08/06/12	SES	F&BI	30	14.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-40	08/08/12	SES	F&BI	40	4.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-50	08/08/12	SES	F&BI	50	-5.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-60	08/09/12	SES	F&BI	60	-15.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-70	08/09/12	SES	F&BI	70	-25.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-80	08/09/12	SES	F&BI	80	-35.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-90	08/10/12	SES	F&BI	90	-45.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-100	08/10/12	SES	F&BI	100	-55.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-110	08/10/12	SES	F&BI	110	-65.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-120	08/10/12	SES	F&BI	120	-75.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-130	08/10/12	SES	F&BI	130	-85.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B105-138	08/10/12	SES	F&BI	138	-93.8	S	-	-	-	-	-	-	-	-	-	-	-	-
MW106 (B106) (-78.0 to -88.0)	B106-10	08/14/12	SES	F&BI	10	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	B106-20	08/14/12	SES	F&BI	20	32.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	B106-30	08/14/12	SES	F&BI	30	22.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-40	08/14/12	SES	F&BI	40	12.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-50	08/14/12	SES	F&BI	50	2.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-60	08/14/12	SES	F&BI	60	-8.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-70	08/15/12	SES	F&BI	70	-18.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-80	08/15/12	SES	F&BI	80	-28.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-90	08/15/12	SES	F&BI	90	-38.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-100	08/15/12	SES	F&BI	100	-48.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-110	08/15/12	SES	F&BI	110	-58.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-120	08/15/12	SES	F&BI	120	-68.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-130	08/15/12	SES	F&BI	130	-78.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B106-140	08/15/12	SES	F&BI	140	-88.0	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW107 (B107) (8.8 to -1.2)	B107-05	03/12/12	SES	F&BI	5	38.8	V	-	-	-	-	-	-	-	-	-	-	-	-
	B107-15	03/12/12	SES	F&BI	15	28.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B107-25	03/12/12	SES	F&BI	25	18.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B107-35	03/12/12	SES	F&BI	35	8.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B107-45	03/12/12	SES	F&BI	45	-1.2	S	-	-	-	-	-	-	-	-	-	-	-	-
MW108 (B108) (-7.2 to -17.2)	B108-15	12/14/12	SES	F&BI	15	17.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B108-25	12/14/12	SES	F&BI	25	7.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B108-35	12/14/12	SES	F&BI	35	-2.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B108-45	12/14/12	SES	F&BI	45	-12.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B108-50	12/14/12	SES	F&BI	50	-17.2	S	-	-	-	-	-	-	-	-	-	-	-	-
MW109 (B109) (0.0 to -10.0)	B109-05	04/12/12	SES	F&BI	5	30.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	B109-15	04/12/12	SES	F&BI	15	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B109-25	04/12/12	SES	F&BI	25	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B109-35	04/12/12	SES	F&BI	35	0.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B109-45	04/12/12	SES	F&BI	45	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
MW110 (B110) (4.7 to -5.3)	B110-15	04/12/12	SES	F&BI	15	24.7	V	-	-	-	-	-	-	-	-	-	-	-	-
	B110-25	04/12/12	SES	F&BI	25	14.7	S	-	-	-	-	-	-	-	-	-	-	-	-
	B110-35	04/12/12	SES	F&BI	35	4.7	S	-	-	-	-	-	-	-	-	-	-	-	-
	B110-45	04/12/12	SES	F&BI	45	-5.3	S	-	-	-	-	-	-	-	-	-	-	-	-
MW111 (B111) (-33.5 to -43.5)	B111-10	05/12/12	SES	F&BI	10	26.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	B111-20	05/12/12	SES	F&BI	20	16.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B111-30	05/12/12	SES	F&BI	30	6.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B111-38	05/12/12	SES	F&BI	38	-1.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B111-50	05/12/12	SES	F&BI	50	-13.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B111-60	06/12/12	SES	F&BI	60	-23.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B111-70	06/12/12	SES	F&BI	70	-33.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B111-80	06/12/12	SES	F&BI	80	-43.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW112 (B112) (-17.5 to -27.5)	B112-10	11/12/12	SES	F&BI	10	47.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	B112-20	11/12/12	SES	F&BI	20	37.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B112-30	11/12/12	SES	F&BI	30	27.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B112-40	11/12/12	SES	F&BI	40	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B112-50	11/12/12	SES	F&BI	50	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B112-60	11/12/12	SES	F&BI	60	-2.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B112-75	11/12/12	SES	F&BI	75	-17.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	B112-85	12/12/12	SES	F&BI	85	-27.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW113 (B113) (-37.1 to -47.1)	B113-10	12/18/12	SES	F&BI	10	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B113-20	12/18/12	SES	F&BI	20	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B113-30	12/18/12	SES	F&BI	30	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B113-40	12/18/12	SES	F&BI	40	-7.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B113-50	12/18/12	SES	F&BI	50	-17.1	S	-	-	-	-	-	-	-	-	-	-	-	-
MW114 (B114) (10.8 to 0.8)	B114-15	10/12/12	SES	F&BI	15	30.8	V	-	-	-	-	-	-	-	-	-	-	-	-
	B114-25	10/12/12	SES	F&BI	25	20.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B114-35	10/12/12	SES	F&BI	35	10.8	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW114 (B114) (continued)	B114-40	10/12/12	SES	F&BI	40	5.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B114-45	10/12/12	SES	F&BI	45	0.8	S	-	-	-	-	-	-	-	-	-	-	-	-
MW115 (B115) (-0.9 to -10.9)	B115-10	12/13/12	SES	F&BI	10	24.1	V	-	-	-	-	-	-	-	-	-	-	-	-
	B115-15	12/13/12	SES	F&BI	15	19.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B115-25	12/13/12	SES	F&BI	25	9.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B115-35	12/13/12	SES	F&BI	35	-0.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B115-45	12/13/12	SES	F&BI	45	-10.9	S	-	-	-	-	-	-	-	-	-	-	-	-
MW116 (B116) (-3.6 to -13.6)	B116-15	07/12/12	SES	F&BI	15	16.4	S	-	-	-	-	-	-	-	-	-	-	-	-
	B116-25	07/12/12	SES	F&BI	25	6.4	S	-	-	-	-	-	-	-	-	-	-	-	-
	B116-35	07/12/12	SES	F&BI	35	-3.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	B116-45	07/12/12	SES	F&BI	45	-13.6	S	-	-	-	-	-	-	-	-	-	-	-	-
MW117 (B117) (16.9 to 1.9)	B117-10	02/04/13	SES	F&BI	10	46.9	V	-	-	-	-	-	-	-	-	-	-	-	-
	B117-20	02/04/13	SES	F&BI	20	36.9	V	-	-	-	-	-	-	-	-	-	-	-	-
	B117-30	02/04/13	SES	F&BI	30	26.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B117-40	02/04/13	SES	F&BI	40	16.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B117-50	02/04/13	SES	F&BI	50	6.9	S	-	-	-	-	-	-	-	-	-	-	-	-
MW118 (B118) (12.9 to 2.9)	B118-10	03/21/13	SES	F&BI	10	42.9	V	-	-	-	-	-	-	-	-	-	-	-	-
	B118-20	03/21/13	SES	F&BI	20	32.9	V	-	-	-	-	-	-	-	-	-	-	-	-
	B118-30	03/21/13	SES	F&BI	30	22.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B118-40	03/21/13	SES	F&BI	40	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B118-50	03/21/13	SES	F&BI	50	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-
MW119 (B119) (2.4 to -7.7)	B119-10	03/21/13	SES	F&BI	10	27.4	V	-	-	-	-	-	-	-	-	-	-	-	-
	B119-20	03/21/13	SES	F&BI	20	17.4	S	-	-	-	-	-	-	-	-	-	-	-	-
	B119-30	03/21/13	SES	F&BI	30	7.4	S	-	-	-	-	-	-	-	-	-	-	-	-
	B119-40	03/21/13	SES	F&BI	40	-2.7	S	-	-	-	-	-	-	-	-	-	-	-	-
MW120 (B120) (0 to -10)	B120-20	12/16/13	SES	F&BI	20	20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B120-30	12/16/13	SES	F&BI	30	10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B120-45	12/16/13	SES	F&BI	45	-5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
MW121 (B121) (26.7 to 16.7)	B121-15	12/16/13	SES	F&BI	15	26.7	S	-	-	-	-	-	-	-	-	-	-	-	-
	B121-25	12/16/13	SES	F&BI	25	16.7	S	-	-	-	-	-	-	-	-	-	-	-	-
MW122 (B122) (-75 to -89)	B122-15	12/17/13	SES	F&BI	15	15.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-25	12/17/13	SES	F&BI	25	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-40	12/17/13	SES	F&BI	40	-10.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-45	12/17/13	SES	F&BI	45	-15.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-50	12/17/13	SES	F&BI	50	-20.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-60	12/17/13	SES	F&BI	60	-30.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-70	12/17/13	SES	F&BI	70	-40.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-80	12/17/13	SES	F&BI	80	-50.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B122-100	12/17/13	SES	F&BI	100	-70.0	S	-	-	-	-	-	-	-	-	-	-	-	-
MW123 (B123) (-42.5 to -52.5)	B123-20	12/18/13	SES	F&BI	20	7.5	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW124 (B124) (-53.8 to -63.8)	B124-10	12/19/13	SES	F&BI	10	46.2	V	-	-	-	-	-	-	-	-	-	-	-	-
	B124-20	12/19/13	SES	F&BI	20	36.2	V	-	-	-	-	-	-	-	-	-	-	-	-
	B124-30	12/19/13	SES	F&BI	30	26.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B124-40	12/19/13	SES	F&BI	40	16.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B124-50	12/19/13	SES	F&BI	50	6.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B124-60	12/19/13	SES	F&BI	60	-3.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B124-70	12/19/13	SES	F&BI	70	-13.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B124-80	12/19/13	SES	F&BI	80	-23.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B124-90	12/19/13	SES	F&BI	90	-33.8	S	-	-	-	-	-	-	-	-	-	-	-	-
	B124-100	12/19/13	SES	F&BI	100	-43.8	S	-	-	-	-	-	-	-	-	-	-	-	-
MW125 (B125) (28.6 to 13.6)	B125-15	12/20/13	SES	F&BI	15	28.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	B125-20	12/20/13	SES	F&BI	20	23.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	B125-25	12/20/13	SES	F&BI	25	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	B125-30	12/20/13	SES	F&BI	30	13.6	S	-	-	-	-	-	-	-	-	-	-	-	-
MW126 (B126) (-54.1 to -64.1)	B126-20	12/30/13	SES	F&BI	20	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-35	12/30/13	SES	F&BI	35	-4.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-45	12/30/13	SES	F&BI	45	-14.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-55	12/30/13	SES	F&BI	55	-24.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-60	12/31/13	SES	F&BI	60	-29.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-65	01/01/14	SES	F&BI	65	-34.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-75	01/02/14	SES	F&BI	75	-44.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-80	01/03/14	SES	F&BI	80	-49.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-85	01/04/14	SES	F&BI	85	-54.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-95	01/05/14	SES	F&BI	95	-64.1	S	-	-	-	-	-	-	-	-	-	-	-	-
MW127 (B127) (-1.0 to -11.0)	B127-15	12/31/13	SES	F&BI	15	24.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	B127-25	12/31/13	SES	F&BI	25	14.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B127-40	12/31/13	SES	F&BI	40	-1.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B127-45	12/31/13	SES	F&BI	45	-6.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B127-50	12/31/13	SES	F&BI	50	-11.0	S	-	-	-	-	-	-	-	-	-	-	-	-
MW128 (B128) (-30.8 to -40.8)	B128-25	01/09/14	SES	F&BI	25	2.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	B128-45	01/09/14	SES	F&BI	45	-17.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B128-65	01/09/14	SES	F&BI	65	-37.1	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-138 (-47.5 to -57.5)	MW-138-15	09/12/17	PES	ESC	15	42.5	V	0.000407 U	0.000345 U	0.00301 U	0.000295 U	0.000289 U	0.00223 U	0.000252 U	0.00119 U	0.00119 U	0.000307 U	0.000245 U	0.000239 U
	MW-138-25	09/12/17	PES	ESC	25	32.5	S	0.000394 U	0.000334 U	0.00291 U	0.000285 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	MW-138-35	09/12/17	PES	ESC	35	22.5	S	0.000365 U	0.000310 U	0.00270 U	0.000265 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000220 U	0.000215 U
	MW-138-45	09/12/17	PES	ESC	45	12.5	S	0.000362 U	0.000307 U	0.00267 U	0.000262 U	0.000257 U	0.00199 U	0.000224 U	0.00106 U	0.00106 U	0.000273 U	0.000218 U	0.000212 U
	MW-138-56	09/12/17	PES	ESC	56	1.5	S	0.000385 U	0.00365 J	0.00285 U	0.000279 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000232 U	0.000226 U
	MW-138-65	09/13/17	PES	ESC	65	-7.5	S	0.000370 U	0.000387 J	0.00274 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	B-910-90	09/13/17	PES	ESC	65 (dup)	-7.5	S	0.000396 U	0.000629 J	0.00293 U	0.000287 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	MW-138-75	09/13/17	PES	ESC	75	-17.5	S	0.000377 U	0.00110 J	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	MW-138-85	09/13/17	PES	ESC	85	-27.5	S	0.000411 U	0.000349 U	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000248 U	0.000242 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-138 (continued)	MW-138-95	09/13/17	PES	ESC	95	-37.5	S	0.000373 U	0.000316 U	0.00276 U	0.000271 U	0.000265 U	0.00205 U	0.000231 U	0.00109 U	0.00109 U	0.000281 U	0.000225 U	0.000219 U
	MW-138-105	09/13/17	PES	ESC	105	-47.5	S	0.000425 U	0.000361 U	0.00315 U	0.000308 U	0.000302 U	0.00234 U	0.000264 U	0.00124 U	0.00124 U	0.000321 U	0.000256 U	0.000250 U
	MW-138-115	09/14/17	PES	ESC	115	-57.5	S	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000281 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
MW-140 (-78.9 to -88.9)	MW-140-15	08/30/17	PES	ESC	15	35.6	V	0.000390 U	0.000331 U	0.00289 U	0.000283 U	0.000277 U	0.00214 U	0.000242 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	MW-140-25	08/30/17	PES	ESC	25	25.6	S	0.000371 U	0.000406 J	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	MW-140-35	08/30/17	PES	ESC	35	15.6	S	0.00996 U	0.00845 U	0.0736 U	0.00722 U	0.00708 U	0.0548 U	0.00618 U	0.0291 U	0.0291 U	0.00752 U	0.00600 U	0.00585 U
	MW-140-45	08/30/17	PES	ESC	45	5.6	S	0.000365 U	0.00107 J	0.00270 U	0.000265 U	0.000259 U	0.00201 U	0.000226 U	0.00107 U	0.00107 U	0.000275 U	0.000220 U	0.000215 U
	MW-140-55	08/30/17	PES	ESC	55	-4.4	S	0.000375 U	0.0134	0.00278 U	0.000272 U	0.000267 U	0.00206 U	0.000233 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000221 U
	MW-140-65	08/30/17	PES	ESC	65	-14.4	S	0.000366 U	0.00870 J	0.00271 U	0.000266 U	0.000260 U	0.00201 U	0.000227 U	0.00107 U	0.00107 U	0.000276 U	0.000221 U	0.000215 U
	MW-140-75	08/30/17	PES	ESC	75	-24.4	S	0.00922 U	0.00782 U	0.0682 U	0.00669 U	0.00656 U	0.0507 U	0.00683 J	0.0270 U	0.0270 U	0.00696 U	0.00555 U	0.00541 U
	MW-140-90	08/30/17	PES	ESC	90	-39.4	S	0.000402 U	0.00188 J	0.00298 U	0.000292 U	0.000286 U	0.00221 U	0.000249 U	0.00118 U	0.00118 U	0.000303 U	0.000242 U	0.000236 U
	MW-140-110	08/31/17	PES	ESC	110	-59.4	S	0.000396 U	0.000364 J	0.00293 U	0.000287 U	0.000281 U	0.00218 U	0.000245 U	0.00116 U	0.00116 U	0.000299 U	0.000239 U	0.000233 U
	MW-140-130	08/31/17	PES	ESC	130	-79.4	S	0.000387 U	0.000357 J	0.00286 U	0.000280 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000227 U
	MW-140-140	08/31/17	PES	ESC	140	-89.4	S	0.00966 U	0.0157 J	0.0714 U	0.00700 U	0.00687 U	0.0531 U	0.00599 U	0.0282 U	0.0282 U	0.00728 U	0.00582 U	0.00567 U
MW-142 (2.4 to -7.6)	MW-142-5	04/12/18	PES	ESC	5	37.1	V	0.000412 U	0.000349 U	0.00304 U	0.000298 U	0.000292 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000310 U	0.000248 U	0.000242 U
MW-143 (-27.7 to -37.7)	MW-143-10	04/11/18	PES	ESC	10	32.0	V	0.000474 U	0.00289 J	0.00351 U	0.000344 U	0.000337 U	0.00261 U	0.000294 U	0.00139 U	0.00139 U	0.000358 U	0.000286 U	0.000279 U
	MW-143-20	04/11/18	PES	ESC	20	22.0	S	0.000397 U	0.000337 U	0.00294 U	0.000288 U	0.000282 U	0.00218 U	0.000246 U	0.00116 U	0.00116 U	0.000300 U	0.000239 U	0.000233 U
	MW-143-30	04/11/18	PES	ESC	30	12.0	S	0.000389 U	0.000330 U	0.00288 U	0.000282 U	0.000277 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000294 U	0.000235 U	0.000229 U
	MW-143-40	04/11/18	PES	ESC	40	2.0	S	0.000408 U	0.00257 J	0.00302 U	0.000296 U	0.000290 U	0.00224 U	0.000253 U	0.00119 U	0.00119 U	0.000308 U	0.000246 U	0.000240 U
	MW-143-50	04/11/18	PES	ESC	50	-8.0	S	0.000392 U	0.000594 J	0.00290 U	0.000284 U	0.000278 U	0.00215 U	0.000236 U	0.00115 U	0.00115 U	0.000295 U	0.000236 U	0.000230 U
	MW-143-60	04/11/18	PES	ESC	60	-18.0	S	0.000380 U	0.000322 U	0.00281 U	0.000276 U	0.000270 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000223 U
	MW-143-70	04/11/18	PES	ESC	70	-28.0	S	0.000376 U	0.000319 U	0.00278 U	0.000273 U	0.000267 U	0.00207 U	0.000233 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000221 U
	MW-143-80	04/11/18	PES	ESC	80	-38.0	S	0.000389 U	0.000330 U	0.00287 U	0.000282 U	0.000276 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000228 U
	MW-902-20	04/11/18	PES	ESC	80 (dup)	-38.0	S	0.000383 U	0.000474 J	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
MW-145 (-26.1 to -36.1)	MW-145-10	04/17/18	PES	ESC	10	33.5	V	0.000430 U	0.000364 U	0.00318 U	0.000312 U	0.000305 U	0.00236 U	0.000266 U	0.00126 U	0.00126 U	0.000324 U	0.000259 U	0.000253 U
	MW-145-20	04/17/18	PES	ESC	20	23.5	S	0.000399 U	0.000339 U	0.00295 U	0.000290 U	0.000284 U	0.00219 U	0.000248 U	0.00117 U	0.00117 U	0.000301 U	0.000241 U	0.000235 U
	MW-145-30	04/17/18	PES	ESC	30	13.5	S	0.000406 U	0.000344 U	0.00300 U	0.000294 U	0.000288 U	0.00223 U	0.000251 U	0.00119 U	0.00119 U	0.000306 U	0.000244 U	0.000238 U
	MW-145-40	04/17/18	PES	ESC	40	3.5	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000271 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000230 U	0.000224 U
	MW-145-50	04/17/18	PES	ESC	50	-6.5	S	0.000375 U	0.000318 U	0.00277 U	0.000272 U	0.000266 U	0.00206 U	0.000232 U	0.00110 U	0.00110 U	0.000283 U	0.000226 U	0.000220 U
	MW-145-60	04/17/18	PES	ESC	60	-16.5	S	0.000377 U	0.000320 U	0.00279 U	0.000273 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000284 U	0.000227 U	0.000222 U
	MW-145-70	04/17/18	PES	ESC	70	-26.5	S	0.000415 U	0.000352 U	0.00307 U	0.000301 U	0.000295 U	0.00228 U	0.000257 U	0.00121 U	0.00121 U	0.000313 U	0.000250 U	0.000244 U
	MW-145-80	04/17/18	PES	ESC	80	-36.5	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
	MW-903-40	04/17/18	PES	ESC	80 (dup)	-36.5	S	0.000384 U	0.000325 U	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
MW-147 (-17.6 to -27.6)	MW-147-10	04/02/18	PES	ESC	10	41.9	V	0.000371 U	0.000315 U	0.00275 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	MW-147-20	04/02/18	PES	ESC	20	31.9	S	0.000370 U	0.000313 U	0.00273 U	0.000268 U	0.000263 U	0.00203 U	0.000229 U	0.00108 U	0.00108 U	0.000279 U	0.000223 U	0.000217 U
	MW-147-30	04/02/18	PES	ESC	30	21.9	S	0.000382 U	0.000324 U	0.00282 U	0.000277 U	0.000271 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000288 U	0.000230 U	0.000224 U
	MW-147-40	04/02/18	PES	ESC	40	11.9	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	MW-147-50	04/02/18	PES	ESC	50	1.9	S	0.000379 U	0.000321 U	0.00280 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	MW-147-60	04/02/18	PES	ESC	60	-8.2	S	0.000368 U	0.000312 U	0.00272 U	0.000267 U	0.000261 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000277 U	0.000221 U	0.000216 U
	MW-901-10	04/02/18	PES	ESC	60 (dup)	-8.2	S	0.000368 U	0.00203 J	0.00272 U	0.000267 U	0.000262 U	0.00202 U	0.000228 U	0.00108 U	0.00108 U	0.000278 U	0.000222 U	0.000216 U
	MW-147-70	04/02/18	PES	ESC	70	-18.2	S	0.000383 U	0.000325 U	0.00283 U	0.000278 U	0.000272 U	0.00210 U	0.000237 U	0.00112 U	0.00112 U	0.000289 U	0.000231 U	0.000225 U
	MW-147-80	04/02/18	PES	ESC	80	-28.2	S	0.000396 U	0.000336 U	0.00293 U	0.000287 U	0.000281 U	0.00218 U	0.000245 U	0.00116 U	0.00116 U	0.000299 U	0.000238 U	0.000233 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-148 (-25.7 to -35.7)	MW-148-11	04/09/18	PES	ESC	11	32.9	V	0.000395 U	0.00937 J	0.00292 U	0.000286 U	0.000280 U	0.00217 U	0.000245 U	0.00115 U	0.00115 U	0.000298 U	0.000238 U	0.000232 U
	MW-148-20	04/09/18	PES	ESC	20	23.9	S	0.000371 U	0.000315 U	0.00274 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00108 U	0.00108 U	0.000280 U	0.000223 U	0.000218 U
	MW-148-30	04/09/18	PES	ESC	30	13.9	S	0.000384 U	0.000376 J	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000231 U	0.000226 U
	MW-148-40	04/09/18	PES	ESC	40	3.9	S	0.000372 U	0.000315 U	0.00275 U	0.000269 U	0.000264 U	0.00204 U	0.000230 U	0.00109 U	0.00109 U	0.000280 U	0.000224 U	0.000218 U
	MW-148-50	04/09/18	PES	ESC	50	-6.1	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	MW-148-60	04/09/18	PES	ESC	60	-16.1	S	0.000432 U	0.000366 U	0.00319 U	0.000313 U	0.000307 U	0.00237 U	0.000268 U	0.00126 U	0.00126 U	0.000326 U	0.000260 U	0.000254 U
	MW-148-70	04/09/18	PES	ESC	70	-26.1	S	0.000431 U	0.00557 J	0.00319 U	0.000313 U	0.000306 U	0.00237 U	0.000267 U	0.00126 U	0.00126 U	0.000325 U	0.000260 U	0.000253 U
	MW-148-80	04/09/18	PES	ESC	80	-36.1	S	0.000402 U	0.00183 J	0.00297 U	0.000291 U	0.000286 U	0.00221 U	0.000249 U	0.00118 U	0.00118 U	0.000303 U	0.000242 U	0.000236 U
MW-153 (-65.3 to -75.3)	MW-153-10	03/27/18	PES	ESC	10	44.4	V	0.000388 U	0.000329 U	0.00287 U	0.000281 U	0.000276 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000293 U	0.000234 U	0.000228 U
	MW-153-20	03/27/18	PES	ESC	20	34.4	V	0.000374 U	0.000317 U	0.00277 U	0.000271 U	0.000266 U	0.00206 U	0.000232 U	0.00109 U	0.00109 U	0.000282 U	0.000225 U	0.000220 U
	MW-153-30	03/27/18	PES	ESC	30	24.4	S	0.000367 U	0.000311 U	0.00271 U	0.000266 U	0.000261 U	0.00202 U	0.000227 U	0.00107 U	0.00107 U	0.000277 U	0.000221 U	0.000216 U
	MW-153-40	03/27/18	PES	ESC	40	14.4	S	0.000387 U	0.000329 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	MW-153-50	03/27/18	PES	ESC	50	4.4	S	0.000379 U	0.000322 U	0.00281 U	0.000275 U	0.000270 U	0.00209 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	MW-153-61	03/27/18	PES	ESC	61	-6.7	S	0.000389 U	0.000330 U	0.00288 U	0.000282 U	0.000276 U	0.00214 U	0.000241 U	0.00114 U	0.00114 U	0.000293 U	0.000234 U	0.000228 U
	MW-153-70	03/27/18	PES	ESC	70	-15.7	S	0.000381 U	0.000323 U	0.00282 U	0.000276 U	0.000271 U	0.00209 U	0.000236 U	0.00111 U	0.00111 U	0.000287 U	0.000229 U	0.000224 U
	MW-153-80	03/28/18	PES	ESC	80	-25.7	S	0.000377 U	0.000320 U	0.00279 U	0.000274 U	0.000268 U	0.00207 U	0.000234 U	0.00110 U	0.00110 U	0.000285 U	0.000227 U	0.000222 U
	MW-153-90	03/28/18	PES	ESC	90	-35.7	S	0.000412 U	0.000349 U	0.00305 U	0.000299 U	0.000293 U	0.00226 U	0.000255 U	0.00120 U	0.00120 U	0.000311 U	0.000248 U	0.000242 U
	MW-153-110	03/28/18	PES	ESC	110	-55.7	S	0.000402 U	0.000341 U	0.00298 U	0.000292 U	0.000286 U	0.00221 U	0.000249 U	0.00118 U	0.00118 U	0.000304 U	0.000242 U	0.000237 U
	MW-153-130	03/29/18	PES	ESC	130	-75.7	S	0.000393 U	0.000333 U	0.00291 U	0.000285 U	0.000279 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000296 U	0.000237 U	0.000231 U
MW-158	MW-158-20	04/05/18	PES	ESC	20	21.1	S	0.000387 U	0.000328 U	0.00287 U	0.000281 U	0.000275 U	0.00213 U	0.000240 U	0.00113 U	0.00113 U	0.000292 U	0.000233 U	0.000228 U
	MW-158-30	04/05/18	PES	ESC	30	11.1	S	0.0403 U	0.0342 U	0.298 U	0.0293 U	0.0287 U	0.222 U	0.0250 U	0.118 U	0.118 U	0.0304 U	0.0243 U	0.0237 U
MW-158A (-47.2 to -58.5)	MW-158A-40	04/05/18	PES	ESC	40	1.1	S	0.000422 U	0.000357 U	0.00312 U	0.000306 U	0.000300 U	0.00232 U	0.000261 U	0.00123 U	0.00123 U	0.000318 U	0.000254 U	0.000248 U
	MW-158A-50	04/05/18	PES	ESC	50	-8.9	S	0.000395 U	0.000335 U	0.00293 U	0.000287 U	0.000281 U	0.00217 U	0.000245 U	0.00116 U	0.00116 U	0.000298 U	0.000238 U	0.000232 U
	MW-158A-60	04/05/18	PES	ESC	60	-18.9	S	0.000394 U	0.000334 U	0.00291 U	0.000285 U	0.000280 U	0.00216 U	0.000244 U	0.00115 U	0.00115 U	0.000297 U	0.000237 U	0.000231 U
	MW-158A-70	04/05/18	PES	ESC	70	-28.9	S	0.000384 U	0.000325 U	0.00284 U	0.000278 U	0.000273 U	0.00211 U	0.000238 U	0.00112 U	0.00112 U	0.000290 U	0.000231 U	0.000226 U
	MW-158A-80	04/06/18	PES	ESC	80	-38.9	S	0.000379 U	0.000322 U	0.00281 U	0.000275 U	0.000269 U	0.00208 U	0.000235 U	0.00111 U	0.00111 U	0.000286 U	0.000228 U	0.000223 U
	MW-158A-90	04/06/18	PES	ESC	90	-48.9	S	0.000392 U	0.000333 U	0.00290 U	0.000285 U	0.000279 U	0.00216 U	0.000243 U	0.00115 U	0.00115 U	0.000296 U	0.000236 U	0.000231 U
	MW-158A-100	04/06/18	PES	ESC	100	-58.9	S	0.000402 U	0.000341 U	0.00297 U	0.000291 U	0.000286 U	0.00221 U	0.000249 U	0.00117 U	0.00117 U	0.000303 U	0.000242 U	0.000236 U
MW-159 (22.9 to 12.9)	MW-159-20	04/16/18	PES	ESC	20	22.8	S	0.000413 U	0.000351 U	0.00306 U	0.000300 U	0.000294 U	0.00227 U	0.000256 U	0.00121 U	0.00121 U	0.000312 U	0.000249 U	0.000243 U
	MW-159-30	04/16/18	PES	ESC	30	12.8	S	0.000417 U	0.000353 U	0.00308 U	0.000302 U	0.000296 U	0.00229 U	0.000258 U	0.00122 U	0.00122 U	0.000314 U	0.000251 U	0.000245 U
MW-160 (-76.5 to -86.5)	MW-160-11	05/08/18	PES	ESC	11	31.5	S	0.0206 U	0.00171 U	0.00982 U	0.000568 U	0.00140 U	0.0162 U	0.000479 U	0.0108 U	0.00507 U	0.00623 U	0.00191 U	0.00411 U
	MW-160-21	05/08/18	PES	ESC	21	21.5	S	0.0149 U	0.00124 U	0.00709 U	0.000410 U	0.00101 U	0.0117 U	0.000346 U	0.00778 U	0.00366 U	0.00450 U	0.00138 U	0.00297 U
	MW-160-31	05/08/18	PES	ESC	31	11.5	S	0.0154 U	0.00129 U	0.00734 U	0.000425 U	0.00105 U	0.0121 U	0.000358 U	0.00805 U	0.00378 U	0.00466 U	0.00143 U	0.00307 U
	MW-160-40	05/08/18	PES	ESC	40	2.5	S	0.0144 U	0.00120 U	0.00687 U	0.000397 U	0.000980 U	0.0114 U	0.000335 U	0.00754 U	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	MW-160-50	05/08/18	PES	ESC	50	-7.5	S	0.0145 U	0.00121 U	0.00691 U	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00759 U	0.00356 U	0.00439 U	0.00135 U	0.00289 U
	MW-160-55	05/08/18	PES	ESC	55	-12.5	S	0.0151 U	0.0101 U	0.00718 U	0.000415 U	0.00102 U	0.0119 U	0.000350 U	0.00788 U	0.00370 U	0.00455 U	0.00140 U	0.00300 U
	MW-160-60	05/08/18	PES	ESC	60	-17.5	S	0.0138 U	0.00115 U	0.00659 U	0.000381 U	0.000940 U	0.0109 U	0.000321 U	0.00723 U	0.00340 U	0.00418 U	0.00129 U	0.00276 U
	MW-160-70	05/08/18	PES	ESC	70	-27.5	S	0.0148 U	0.00124 U	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00364 U	0.00449 U	0.00138 U	0.00296 U
	MW-160-90	05/08/18	PES	ESC	90	-47.5	S	0.0149 U	0.00125 U	0.00712 U	0.000412 U	0.00102 U	0.0118 U	0.000347 U	0.00781 U	0.00367 U	0.00452 U	0.00139 U	0.00298 U
	MW-160-100	05/08/18	PES	ESC	100	-57.5	S	0.0153 U	0.00128 U	0.00728 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.00799 U	0.00375 U	0.00462 U	0.00142 U	0.00304 U
	MW-160-110	05/08/18	PES	ESC	110	-67.5	S	0.0144 U	0.00297 J	0.00686 U	0.000397 U	0.000979 U	0.0113 U	0.000335 U	0.00753 U	0.00354 U	0.00435 U	0.00134 U	0.00287 U
	MW-160-125	05/10/18	PES	ESC	125	-82.5	S	0.0145 U	0.00395 J	0.00693 U	0.000401 U	0.000988 U	0.0114 U	0.000338 U	0.00760 U	0.00357 U	0.00440 U	0.00135 U	0.00290 U
	MW-160-127.5	05/10/18	PES	ESC	128	-85.0	S	0.0147 U	0.00122 U	0.00699 U	0.000404 U	0.000997 U	0.0115 U	0.000468 J	0.00767 U	0.00360 U	0.00443 U	0.00136 U	0.00292 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-161 (-78.9 to -88.9)	MW-161-11	05/14/18	PES	ESC	11	32.8	S	0.0156 U	-	-	0.000430 U	0.00106 U	0.0123 U	0.000363 U	0.00816 U	0.00384 U	0.00472 U	0.00145 U	0.00311 U
	MW-161-21	05/14/18	PES	ESC	21	22.8	S	0.0132 U	-	-	0.000364 U	0.000897 U	0.0104 U	0.000307 U	0.00690 U	0.00324 U	0.00399 U	0.00123 U	0.00263 U
	MW-161-31	05/14/18	PES	ESC	31	12.8	S	0.0145 U	-	-	0.000401 U	0.000988 U	0.0114 U	0.000338 U	0.00760 U	0.00357 U	0.00440 U	0.00135 U	0.00290 U
	MW-161-40	05/14/18	PES	ESC	40	3.8	S	0.0140 U	-	-	0.000386 U	0.000952 U	0.0110 U	0.000326 U	0.00733 U	0.00344 U	0.00424 U	0.00130 U	0.00279 U
	MW-161-50	05/14/18	PES	ESC	50	-6.2	S	0.0142 U	-	-	0.000391 U	0.000963 U	0.0112 U	0.000329 U	0.00741 U	0.00348 U	0.00429 U	0.00132 U	0.00282 U
	MW-161-60	05/14/18	PES	ESC	60	-16.2	S	0.0145 U	-	-	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00758 U	0.00356 U	0.00439 U	0.00135 U	0.00289 U
	MW-161-70	05/14/18	PES	ESC	70	-26.2	S	0.0142 U	-	-	0.000391 U	0.000964 U	0.0112 U	0.000329 U	0.00742 U	0.00348 U	0.00429 U	0.00132 U	0.00283 U
	MW-161-80	05/14/18	PES	ESC	80	-36.2	S	0.0157 U	-	-	0.000431 U	0.00106 U	0.0123 U	0.000364 U	0.00818 U	0.00385 U	0.00473 U	0.00145 U	0.00312 U
	MW-161-90	05/14/18	PES	ESC	90	-46.2	S	0.0145 U	-	-	0.000398 U	0.000982 U	0.0114 U	0.000336 U	0.00756 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	B-927-30	05/14/18	PES	ESC	90 (dup)	-46.2	S	0.0158 U	-	-	0.000435 U	0.00107 U	0.0124 U	0.000366 U	0.00825 U	0.00387 U	0.00477 U	0.00147 U	0.00314 U
	MW-161-100	05/14/18	PES	ESC	100	-56.2	S	0.0148 U	-	-	0.000408 U	0.00100 U	0.0116 U	0.000343 U	0.00773 U	0.00363 U	0.00447 U	0.00137 U	0.00295 U
	MW-161-110	05/14/18	PES	ESC	110	-66.2	S	0.0155 U	-	-	0.000427 U	0.00105 U	0.0122 U	0.000360 U	0.00810 U	0.00381 U	0.00468 U	0.00144 U	0.00309 U
	MW-161-120	05/14/18	PES	ESC	120	-76.2	S	0.0155 U	-	-	0.000427 U	0.00105 U	0.0122 U	0.000360 U	0.00810 U	0.00381 U	0.00469 U	0.00144 U	0.00309 U
	MW-161-130	05/14/18	PES	ESC	130	-86.2	S	0.0140 U	-	-	0.000385 U	0.000949 U	0.0110 U	0.000324 U	0.00730 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	MW-161-140	05/15/18	PES	ESC	140	-96.2	S	0.0156 U	0.00130 U	0.00742 U	0.000429 U	0.00106 U	0.0123 U	0.000362 U	0.00814 U	0.00382 U	0.00471 U	0.00145 U	0.00310 U
MW-190 (-30.2 to -40.2)	MW-190-5	09/19/19	PES	PACE	5	43.7	V	0.0146 U	0.0166	0.00698 U	0.000404 U	0.000995 U	0.0115 U	0.000340 U	0.00766 U	0.00360 U	0.00443 U	0.00136 U	0.00292 U
	MW-190-10	09/19/19	PES	PACE	10	38.7	V	0.0262 U	0.0365	0.0125 U	0.000724 U	0.00178 U	0.0207 U	0.000611 U	0.0140 J	0.00646 U	0.00794 U	0.00243 U	0.00523 U
	MW-190-15	09/19/19	PES	PACE	15	33.7	S	0.0168 U	0.0229	0.00801 U	0.000463 U	0.00114 U	0.0132 U	0.000391 U	0.00879 U	0.00413 U	0.00508 U	0.00156 U	0.00335 U
	MW-190-20	09/19/19	PES	PACE	20	28.7	S	0.0158 U	0.0303	0.00753 U	0.000436 U	0.00113 J	0.0124 U	0.000367 U	0.00826 U	0.00388 U	0.00478 U	0.00147 U	0.00315 U
	MW-190-25	09/19/19	PES	PACE	25	23.7	S	0.0149 U	0.0252	0.00710 U	0.000411 U	0.00101 U	0.0117 U	0.000380 J	0.00805 J	0.00366 U	0.00451 U	0.00139 U	0.00297 U
	MW-190-30	09/19/19	PES	PACE	30	18.7	S	0.0133 U	0.0224	0.00634 U	0.000367 U	0.000904 U	0.0105 U	0.000309 U	0.00719 J	0.00327 U	0.00402 U	0.00124 U	0.00265 U
	MW-190-35	09/19/19	PES	PACE	35	13.7	S	0.0135 U	0.0211	0.00643 U	0.000372 U	0.000917 U	0.0106 U	0.000313 U	0.00739 J	0.00331 U	0.00408 U	0.00125 U	0.00269 U
	MW-190-40	09/19/19	PES	PACE	40	8.7	S	0.0143 U	0.0192	0.00679 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00745 U	0.00350 U	0.00431 U	0.00132 U	0.00284 U
	MW-190-45	09/19/19	PES	PACE	45	3.7	S	0.0145 U	0.0119	0.00692 U	0.000400 U	0.000987 U	0.0114 U	0.000337 U	0.00759 U	0.00357 U	0.00439 U	0.00135 U	0.00289 U
	MW-190-50	09/19/19	PES	PACE	50	-1.4	S	0.0133 U	0.0233	0.00634 U	0.000367 U	0.000904 U	0.0105 U	0.000309 U	0.00833 J	0.00327 U	0.00402 U	0.00124 U	0.00265 U
	MW-190-55	09/19/19	PES	PACE	55	-6.4	S	0.0138 U	0.0429	0.00656 U	0.000380 U	0.000936 U	0.0108 U	0.000320 U	0.00853 J	0.00338 U	0.00416 U	0.00128 U	0.00274 U
	MW-190-60	09/19/19	PES	PACE	60	-11.4	S	0.0138 U	0.0107	0.00659 U	0.000381 U	0.000940 U	0.0109 U	0.000321 U	0.00805 J	0.00340 U	0.00418 U	0.00129 U	0.00276 U
	MW-2008-60	09/19/19	PES	PACE	60 (dup)	-11.4	S	0.0137 U	0.0131	0.00654 U	0.000378 U	0.000933 U	0.0108 U	0.000319 U	0.0108 J	0.00337 U	0.00415 U	0.00128 U	0.00273 U
	MW-190-65	09/19/19	PES	PACE	65	-16.4	S	0.0140 U	0.0267	0.00668 U	0.000387 U	0.000953 U	0.0110 U	0.000326 U	0.0104 J	0.00345 U	0.00424 U	0.00130 U	0.00279 U
	MW-190-70	09/19/19	PES	PACE	70	-21.4	S	0.0141 U	0.00117 U	0.00670 U	0.000388 U	0.000956 U	0.0111 U	0.000327 U	0.0122 J	0.00346 U	0.00425 U	0.00131 U	0.00280 U
	MW-190-75	09/19/19	PES	PACE	75	-26.4	S	0.0139 U	0.00849	0.00661 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.0117 J	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	MW-190-80	09/19/19	PES	PACE	80	-31.4	S	0.0139 U	0.0119	0.00661 U	0.000382 U	0.000942 U	0.0109 U	0.000322 U	0.0139 J	0.00341 U	0.00419 U	0.00129 U	0.00276 U
	MW-190-85	09/19/19	PES	PACE	85	-36.4	S	0.0146 U	0.00122 U	0.00696 U	0.000402 U	0.000992 U	0.0115 U	0.000339 U	0.0138 J	0.00359 U	0.00441 U	0.00136 U	0.00291 U
	MW-190-87	09/19/19	PES	PACE	87	-38.4	S	0.0152 U	0.0123	0.00723 U	0.000418 U	0.00103 U	0.0120 U	0.000353 U	0.0131 J	0.00373 U	0.00459 U	0.00141 U	0.00302 U
MW-301 (35.6 to 25.6)	MW-301-6	09/20/19	PES	PACE	6	47.8	V	0.0149 U	0.00124 U	0.00709 U	0.000410 U	0.00101 U	0.0117 U	0.000346 U	0.00778 U	0.00366 U	0.00450 U	0.00138 U	0.00296 U
	MW-301-10	09/20/19	PES	PACE	10	43.8	V	0.0140 U	0.00117 U	0.00665 U	0.000385 U	0.000949 U	0.0110 U	0.000324 U	0.00866 J	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	MW-301-15	09/20/19	PES	PACE	15	38.8	V	0.0144 U	0.00120 U	0.00687 U	0.000397 U	0.000980 U	0.0114 U	0.000335 U	0.00859 J	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	MW-301-20	09/20/19	PES	PACE	20	33.8	S	0.0429 U	0.00358 U	0.0205 U	0.00118 U	0.00291 U	0.0338 U	0.000997 U	0.0297 J	0.0105 U	0.0129 U	0.00399 U	0.00854 U
	MW-301-25	09/20/19	PES	PACE	25	28.8	S	0.0144 U	0.00120 U	0.00688 U	0.000398 U	0.000981 U	0.0114 U	0.000532 J	0.00891 J	0.00355 U	0.00436 U	0.00134 U	0.00288 U
	MW-301-30	09/20/19	PES	PACE	30	23.8	S	0.0157 U	0.00131 U	0.00749 U	0.000433 U	0.00107 U	0.0124 U	0.000365 U	0.0124 J	0.00386 U	0.00475 U	0.00146 U	0.00313 U
MW-302 (3.0 to -7.0)	MW-302-5	10/01/19	PES	PACE	5	52.3	V	0.0149 U	0.00507 J	0.00708 U	0.000410 U	0.00101 U	0.0117 U	0.000345 U	0.00778 U	0.00365 U	0.00450 U	0.00138 U	0.00296 U
	MW-302-10	10/01/19	PES	PACE	10	47.3	V	0.0158 U	0.00132 U	0.00753 U	0.000435 U	0.00107 U	0.0124 U	0.000367 U	0.00826 U	0.00388 U	0.00478 U	0.00147 U	0.00315 U
	MW-302-15	10/01/19	PES	PACE	15	42.3	V	0.0173 U	0.00145 U	0.00825 U	0.000477 U	0.00118 U	0.0136 U	0.000402 U	0.00905 U	0.00426 U	0.00523 U	0.00161 U	0.00344 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-302 (continued)	MW-302-20	10/01/19	PES	PACE	20	37.3	S	0.0152 U	0.00126 U	0.00722 U	0.000418 U	0.00103 U	0.0119 U	0.000352 U	0.00792 U	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	MW-302-25	10/01/19	PES	PACE	25	32.3	S	0.0142 U	0.00119 U	0.00678 U	0.000392 U	0.000967 U	0.0112 U	0.000331 U	0.00744 U	0.00350 U	0.00430 U	0.00132 U	0.00284 U
	MW-302-30	10/01/19	PES	PACE	30	27.3	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	MW-302-35	10/01/19	PES	PACE	35	22.3	S	0.0136 U	0.00114 U	0.00650 U	0.000376 U	0.000928 U	0.0107 U	0.000317 U	0.00714 U	0.00335 U	0.00413 U	0.00127 U	0.00272 U
	MW-302-40	10/01/19	PES	PACE	40	17.3	S	0.0135 U	0.00113 U	0.00644 U	0.000372 U	0.000918 U	0.0106 U	0.000314 U	0.00706 U	0.00332 U	0.00408 U	0.00126 U	0.00269 U
	MW-302-45	10/01/19	PES	PACE	45	12.3	S	0.0151 U	0.00126 U	0.00721 U	0.000417 U	0.00103 U	0.0119 U	0.000351 U	0.00791 U	0.00372 U	0.00458 U	0.00141 U	0.00301 U
	MW-302-50	10/01/19	PES	PACE	50	7.3	S	0.0152 U	0.0105 J	0.00722 U	0.000418 U	0.00103 U	0.0119 U	0.000352 U	0.00793 U	0.00373 U	0.00459 U	0.00141 U	0.00302 U
	MW-302-55	10/01/19	PES	PACE	55	2.3	S	0.0144 U	0.00120 U	0.00687 U	0.000398 U	0.000981 U	0.0114 U	0.000335 U	0.00755 U	0.00355 U	0.00436 U	0.00134 U	0.00287 U
	MW-302-60	10/01/19	PES	PACE	60	-2.7	S	0.0180 U	0.00150 U	0.00860 U	0.000497 U	0.00123 U	0.0142 U	0.000419 U	0.00944 U	0.00443 U	0.00546 U	0.00168 U	0.00360 U
MW-304 (-47.6 to -57.6)	MW-302-65	10/01/19	PES	PACE	65	-7.7	S	0.0149 U	0.00124 U	0.00709 U	0.000410 U	0.00101 U	0.0117 U	0.000345 U	0.00778 U	0.00365 U	0.00450 U	0.00138 U	0.00296 U
	MW-2014-65	10/01/19	PES	PACE	65 (dup)	-7.7	S	0.0154 U	0.00129 U	0.00733 U	0.000424 U	0.00105 U	0.0121 U	0.000358 U	0.00805 U	0.00378 U	0.00466 U	0.00143 U	0.00307 U
	MW-304-5	10/01/19	PES	PACE	5	52.6	V	0.0143 U	0.00119 U	0.00681 U	0.000394 U	0.000972 U	0.0113 U	0.000332 U	0.00748 U	0.00356 U	0.00433 U	0.00133 U	0.00285 U
	MW-304-10	10/01/19	PES	PACE	10	47.6	V	0.0145 U	0.00121 U	0.00689 U	0.000399 U	0.000983 U	0.0114 U	0.000336 U	0.00757 U	0.00356 U	0.00438 U	0.00134 U	0.00288 U
	MW-304-15	10/01/19	PES	PACE	15	42.6	V	0.0151 U	0.00126 U	0.00719 U	0.000416 U	0.00103 U	0.0119 U	0.000351 U	0.00790 U	0.00371 U	0.00457 U	0.00140 U	0.00301 U
	MW-304-20	10/01/19	PES	PACE	20	37.6	S	0.0150 U	0.00125 U	0.00713 U	0.000412 U	0.00102 U	0.0118 U	0.000347 U	0.00782 U	0.00367 U	0.00452 U	0.00139 U	0.00298 U
	MW-304-25	10/01/19	PES	PACE	25	32.6	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000944 U	0.0109 U	0.000323 U	0.00726 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	MW-304-30	10/01/19	PES	PACE	30	27.6	S	0.0149 U	0.00125 U	0.00712 U	0.000412 U	0.00102 U	0.0118 U	0.000347 U	0.00781 U	0.00367 U	0.00452 U	0.00139 U	0.00298 U
	MW-304-40	10/01/19	PES	PACE	40	17.6	S	0.0138 U	0.00115 U	0.00657 U	0.000380 U	0.000936 U	0.0109 U	0.000320 U	0.00721 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
	MW-304-45	10/01/19	PES	PACE	45	12.6	S	0.0129 U	0.00108 U	0.00615 U	0.000356 U	0.000877 U	0.0102 U	0.000300 U	0.00675 U	0.00317 U	0.00390 U	0.00120 U	0.00257 U
	MW-304-50	10/01/19	PES	PACE	50	7.6	S	0.0137 U	0.00114 U	0.00651 U	0.000377 U	0.000929 U	0.0108 U	0.000318 U	0.00715 U	0.00336 U	0.00413 U	0.00127 U	0.00272 U
	MW-304-55	10/01/19	PES	PACE	55	2.6	S	0.0128 U	0.00107 U	0.00610 U	0.000353 U	0.000870 U	0.0101 U	0.000297 U	0.00669 U	0.00314 U	0.00387 U	0.00119 U	0.00255 U
	MW-304-60	10/01/19	PES	PACE	60	-2.4	S	0.0134 U	0.00452 J	0.00638 U	0.000369 U	0.000910 U	0.0105 U	0.000311 U	0.00700 U	0.00329 U	0.00405 U	0.00124 U	0.00267 U
	MW-304-65	10/01/19	PES	PACE	65	-7.4	S	0.0147 U	0.00123 U	0.00701 U	0.000405 U	0.000999 U	0.0116 U	0.000342 U	0.00769 U	0.00361 U	0.00445 U	0.00137 U	0.00293 U
	MW-304-70	10/01/19	PES	PACE	70	-12.4	S	0.0154 U	0.00129 U	0.00735 U	0.000425 U	0.00105 U	0.0121 U	0.000358 U	0.00807 U	0.00379 U	0.00467 U	0.00143 U	0.00307 U
	MW-304-75	10/01/19	PES	PACE	75	-17.4	S	0.0145 U	0.00121 U	0.00693 U	0.000401 U	0.000988 U	0.0114 U	0.000338 U	0.00789 J	0.00357 U	0.00440 U	0.00135 U	0.00290 U
	MW-304-80	10/01/19	PES	PACE	80	-22.4	S	0.0139 U	0.00116 U	0.00662 U	0.000383 U	0.000945 U	0.0109 U	0.000323 U	0.00727 U	0.00341 U	0.00420 U	0.00129 U	0.00277 U
	MW-304-85	10/01/19	PES	PACE	85	-27.4	S	0.0139 U	0.00116 U	0.00663 U	0.000383 U	0.000945 U	0.0110 U	0.000323 U	0.00727 U	0.00342 U	0.00421 U	0.00129 U	0.00277 U
	MW-304-90	10/01/19	PES	PACE	90	-32.4	S	0.0152 U	0.00127 U	0.00725 U	0.000420 U	0.00103 U	0.0120 U	0.000354 U	0.00796 U	0.00374 U	0.00460 U	0.00141 U	0.00303 U
	MW-304-95	10/01/19	PES	PACE	95	-37.4	S	0.0150 U	0.00126 U	0.00717 U	0.000415 U	0.00102 U	0.0118 U	0.000350 U	0.00787 U	0.00370 U	0.00455 U	0.00140 U	0.00300 U
MW-307 (-12.4 to -22.4)	MW-2009-95	10/01/19	PES	PACE	95 (dup)	-37.4	S	0.0153 U	0.00127 U	0.00727 U	0.000420 U	0.00104 U	0.0120 U	0.000354 U	0.00798 U	0.00375 U	0.00461 U	0.00142 U	0.00304 U
	MW-304-100	10/02/19	PES	PACE	100	-42.4	S	0.0150 U	0.00125 U	0.00713 U	0.000413 U	0.00102 U	0.0118 U	0.000348 U	0.00783 U	0.00368 U	0.00453 U	0.00139 U	0.00298 U
	MW-304-105	10/02/19	PES	PACE	105	-47.4	S	0.0149 U	0.00124 U	0.00708 U	0.000410 U	0.00101 U	0.0117 U	0.000345 U	0.00777 U	0.00365 U	0.00449 U	0.00138 U	0.00296 U
	MW-304-110	10/02/19	PES	PACE	110	-52.4	S	0.0161 U	0.00134 U	0.00765 U	0.000443 U	0.00109 U	0.0126 U	0.000373 U	0.00840 U	0.00394 U	0.00486 U	0.00149 U	0.00320 U
	MW-304-115	10/02/19	PES	PACE	115	-57.4	S	0.0148 U	0.00123 U	0.00705 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00774 U	0.00364 U	0.00447 U	0.00137 U	0.00295 U
	MW-307-6	10/03/19	PES	PACE	6	54.5	V	0.0142 U	0.00119 U	0.00676 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00742 U	0.00349 U	0.00429 U	0.00132 U	0.00283 U
	MW-307-10	10/03/19	PES	PACE	10	50.5	V	0.0147 U	0.00122 U	0.00696 U	0.000403 U	0.000994 U	0.0115 U	0.000604 J	0.00765 U	0.00359 U	0.00442 U	0.00136 U	0.00291 U
	MW-307-15	10/03/19	PES	PACE	15	45.5	V	0.0137 U	0.0147	0.00652 U	0.000377 U	0.000930 U	0.0108 U	0.000318 U	0.00715 U	0.00336 U	0.00414 U	0.00127 U	0.00273 U
	MW-307-20	10/03/19	PES	PACE	20	40.5	V	0.0136 U	0.00113 U	0.00647 U	0.000374 U	0.000923 U	0.0107 U	0.000366 J	0.00710 U	0.00334 U	0.00411 U	0.00126 U	0.00271 U
MW-307-25	MW-307-25	10/03/19	PES	PACE	25	35.5	S	0.0139 U	0.0218	0.00664 U	0.000384 U	0.000947 U	0.0110 U	0.000324 U	0.00728 U	0.00342 U	0.00421 U	0.00129 U	0.00278 U
	MW-307-30	10/03/19	PES	PACE	30	30.5	S	0.0187 U	0.0151	0.00892 U	0.000516 U	0.00127 U	0.0147 U	0.000483 J	0.00978 U	0.00460 U	0.00566 U	0.00174 U	0.00372 U
	MW-307-35	10/03/19	PES	PACE	35	25.5	S	0.0136 U	0.0162	0.00647 U	0.000374 U	0.000923 U	0.0107 U	0.000316 U	0.00710 U	0.00334 U	0.00411 U	0.00126 U	0.00271 U
	MW-307-40	10/03/19	PES	PACE	40	20.5	S	0.0145 U	0.00121 U	0.00691 U	0.000400 U	0.000985 U	0.0114 U	0.000337 U	0.00758 U	0.00356 U	0.00438 U	0.00135 U	0.00289 U
	MW-307-45	10/03/19	PES	PACE	45	15.5	S	0.0140 U	0.00990	0.00667 U	0.000386 U	0.000952 U	0.0110 U	0.000325 U	0.00732 U	0.00344 U	0.00424 U	0.00130 U	0.00279 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-307 (continued)	MW-307-50	10/03/19	PES	PACE	50	10.5	S	0.0141 U	0.00118 U	0.00673 U	0.000389 U	0.000960 U	0.0111 U	0.000328 U	0.00738 U	0.00347 U	0.00427 U	0.00131 U	0.00281 U
	MW-307-55	10/03/19	PES	PACE	55	5.5	S	0.0138 U	0.00115 U	0.00657 U	0.000380 U	0.000937 U	0.0109 U	0.000320 U	0.00721 U	0.00339 U	0.00417 U	0.00128 U	0.00275 U
	MW-307-60	10/03/19	PES	PACE	60	0.5	S	0.0143 U	0.00120 U	0.00683 U	0.000395 U	0.000975 U	0.0113 U	0.000333 U	0.00750 U	0.00352 U	0.00434 U	0.00133 U	0.00286 U
	MW-307-65	10/03/19	PES	PACE	65	-4.5	S	0.0293 U	0.0272	0.0139 U	0.000806 U	0.00199 U	0.0230 U	0.000679 U	0.0153 U	0.00719 U	0.00884 U	0.00272 U	0.00582 U
	MW-307-70	10/03/19	PES	PACE	70	-9.5	S	0.145 U	0.0121 U	0.0693 U	0.00401 U	0.00989 U	0.115 U	0.00338 U	0.0761 U	0.0357 U	0.0440 U	0.0135 U	0.0290 U
	MW-307-75	10/03/19	PES	PACE	75	-14.5	S	0.0140 U	0.0176	0.00667 U	0.000386 U	0.000952 U	0.0110 U	0.000325 U	0.00732 U	0.00344 U	0.00423 U	0.00130 U	0.00279 U
	MW-307-80	10/03/19	PES	PACE	80	-19.5	S	0.0149 U	0.0315	0.00707 U	0.000410 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00364 U	0.00449 U	0.00138 U	0.00296 U
	MW-307-85	10/03/19	PES	PACE	85	-24.5	S	0.0145 U	0.00121 U	0.00693 U	0.000401 U	0.000989 U	0.0115 U	0.000338 U	0.00761 U	0.00357 U	0.00440 U	0.00135 U	0.00290 U
	MW-2016-85	10/03/19	PES	PACE	85 (dup)	-24.5	S	0.0137 U	0.00115 U	0.00654 U	0.000378 U	0.000932 U	0.0108 U	0.000319 U	0.00717 U	0.00337 U	0.00415 U	0.00127 U	0.00273 U
MW-309 (-32.0 to -42.0)	MW-309-5	09/19/19	PES	PACE	5	25.4	V	0.0152 U	0.0435	0.00722 U	0.000418 U	0.00147 J	0.0119 U	0.000352 U	0.00792 U	0.0426	0.00458 U	0.00223 J	0.00302 U
	MW-309-10	09/19/19	PES	PACE	10	20.4	S	0.799 U	0.568	0.381 U	0.0220 U	0.793	0.629 U	0.0186 U	0.418 U	0.305 J	0.856	2.05	0.374 J
	MW-309-13.5	09/19/19	PES	PACE	13.5	16.9	S	0.0155 U	0.0617	0.00739 U	0.000427 U	0.0235	0.0122 U	0.000360 U	0.00811 U	0.185	0.0215	0.0842	0.00672 J
	MW-309-15	09/19/19	PES	PACE	15	15.4	S	0.120 U	0.343	0.0570 U	0.00330 U	0.212	0.0942 U	0.00278 U	0.0625 U	0.963	0.0361 U	0.807	0.0279 J
	MW-309-20	09/19/19	PES	PACE	20	10.4	S	0.0149 U	0.0872	0.00712 U	0.000412 U	0.164	0.0118 U	0.000347 U	0.00781 U	0.0961	0.00452 U	0.221	0.00632 J
	MW-309-25	09/19/19	PES	PACE	25	5.4	S	0.0150 U	0.0465	0.00715 U	0.000414 U	0.0811	0.0118 U	0.000349 U	0.00784 U	0.117	0.0283	0.146	0.0105 J
	MW-309-30	09/19/19	PES	PACE	30	0.4	S	0.0152 U	0.00640	0.00722 U	0.000418 U	0.0215	0.0119 U	0.000352 U	0.00793 U	0.0193	0.0229	0.126	0.0114 J
	MW-309-35	09/19/19	PES	PACE	35	-4.6	S	0.0154 U	0.00516 J	0.00733 U	0.000424 U	0.00105 U	0.0121 U	0.000358 U	0.00805 U	0.00378 U	0.00466 U	0.00143 U	0.00307 U
	MW-309-40	09/19/19	PES	PACE	40	-9.6	S	0.0154 U	0.00129 U	0.00734 U	0.000424 U	0.00828	0.0121 U	0.000358 U	0.00805 U	0.00378 U	0.00466 U	0.00143 U	0.00307 U
	MW-309-45	09/19/19	PES	PACE	45	-14.6	S	0.0160 U	0.00134 U	0.00763 U	0.000441 U	0.00109 U	0.0126 U	0.000372 U	0.00838 U	0.00394 U	0.00484 U	0.00149 U	0.00319 U
	MW-309-50	09/19/19	PES	PACE	50	-19.6	S	0.0151 U	0.00126 U	0.00721 U	0.000417 U	0.00103 U	0.0119 U	0.000352 U	0.00791 U	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	MW-309-55	09/19/19	PES	PACE	55	-24.6	S	0.0141 U	0.00152 J	0.00672 U	0.000389 U	0.000958 U	0.0111 U	0.000327 U	0.00737 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
	MW-309-60	09/19/19	PES	PACE	60	-29.6	S	0.0142 U	0.00377 J	0.00676 U	0.000391 U	0.000965 U	0.0112 U	0.000330 U	0.00741 U	0.00348 U	0.00429 U	0.00132 U	0.00283 U
	MW-309-65	09/19/19	PES	PACE	65	-34.6	S	0.0143 U	0.00641	0.00680 U	0.000393 U	0.000969 U	0.0112 U	0.000331 U	0.00746 U	0.00350 U	0.00431 U	0.00133 U	0.00284 U
	MW-309-70	09/19/19	PES	PACE	70	-39.6	S	0.0144 U	0.00121 U	0.00688 U	0.000398 U	0.000981 U	0.0114 U	0.000335 U	0.00755 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	MW-309-75	09/19/19	PES	PACE	75	-44.6	S	0.0137 U	0.00807	0.00654 U	0.000378 U	0.000933 U	0.0108 U	0.000319 U	0.00718 U	0.00337 U	0.00415 U	0.00128 U	0.00273 U
MW-311 (-29.0 to -39.0)	MW-311-5	09/18/19	PES	PACE	5	28.1	V	0.0152 U	0.00436 J	0.00724 U	0.000419 U	0.00103 U	0.0120 U	0.000353 U	0.0128 J	0.00453 J	0.00460 U	0.00141 U	0.00303 U
	MW-311-10	09/18/19	PES	PACE	10	23.1	S	0.0146 U	0.00437 J	0.00696 U	0.000403 U	0.000993 U	0.0115 U	0.000340 U	0.0113 J	0.00359 U	0.00442 U	0.00136 U	0.00291 U
	MW-311-15	09/18/19	PES	PACE	15	18.1	S	0.0341 U	0.00284 UJ	0.0162 U	0.000939 U	0.00232 U	0.0268 U	0.000792 U	0.0273 J	0.00837 U	0.0103 U	0.00317 U	0.00679 U
	MW-311-20	09/18/19	PES	PACE	20	13.1	S	0.0356 U	0.0118 J	0.0170 U	0.000980 U	0.00242 U	0.0280 U	0.000826 U	0.0263 J	0.00874 U	0.0107 U	0.00330 U	0.00708 U
	MW-311-25	09/18/19	PES	PACE	25	8.1	S	0.0631 U	0.00527 UJ	0.0301 U	0.00174 U	0.00428 U	0.0497 U	0.00147 U	0.0517 J	0.0155 U	0.0191 U	0.00586 U	0.0125 U
	MW-311-30	09/18/19	PES	PACE	30	3.1	S	0.0333 U	0.00279 UJ	0.0158 U	0.000918 U	0.00227 U	0.0263 U	0.000775 U	0.0284 J	0.00819 U	0.0101 U	0.00310 U	0.00664 U
	MW-311-35	09/18/19	PES	PACE	35	-1.9	S	0.0296 U	0.00247 UJ	0.0141 U	0.000816 U	0.00202 U	0.0233 U	0.000688 U	0.0250 J	0.00728 U	0.00896 U	0.00275 U	0.00590 U
	MW-311-40	09/18/19	PES	PACE	40	-6.9	S	0.0149 U	0.00799	0.00709 U	0.000410 U	0.00101 U	0.0117 U	0.000346 U	0.0153 J	0.00366 U	0.00450 U	0.00138 U	0.00297 U
	MW-311-45	09/18/19	PES	PACE	45	-11.9	S	0.0159 U	0.00133 UJ	0.00759 U	0.000439 U	0.00108 U	0.0126 U	0.000370 U	0.0116 J	0.00392 U	0.00482 U	0.00148 U	0.00318 U
	MW-311-50	09/18/19	PES	PACE	50	-16.9	S	0.0148 U	0.00800	0.00706 U	0.000409 U	0.00101 U	0.0117 U	0.000344 U	0.0130 J	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	MW-311-55	09/18/19	PES	PACE	55	-21.9	S	0.0140 U	0.00470 J	0.00669 U	0.000387 U	0.000954 U	0.0111 U	0.000326 U	0.00939 J	0.00345 U	0.00425 U	0.00130 U	0.00280 U
	MW-311-60	09/18/19	PES	PACE	60	-26.9	S	0.0278 U	0.00232 UJ	0.0133 U	0.000767 U	0.00190 U	0.0219 U	0.000647 U	0.0261 J	0.00684 U	0.00842 U	0.00259 U	0.00554 U
	MW-311-65	09/18/19	PES	PACE	65	-31.9	S	0.0135 U	0.00513 J	0.00641 U	0.000371 U	0.000915 U	0.0106 U	0.000313 U	0.00862 J	0.00331 U	0.00407 U	0.00125 U	0.00268 U
	MW-2005-65	09/18/19	PES	PACE	65 (dup)	-31.9	S	0.0139 U	0.00116 U	0.00664 U	0.000384 U	0.000947 U	0.0110 U	0.000324 U	0.00728 U	0.00342 U	0.00421 U	0.00129 U	0.00278 U
	MW-311-70	09/18/19	PES	PACE	70	-36.9	S	0.0140 U	0.00117 U	0.00667 U	0.000386 U	0.000951 U	0.0110 U	0.000325 U	0.00961 J	0.00344 U	0.00423 U	0.00130 U	0.00279 U
	MW-2007-70	09/18/19	PES	PACE	70 (dup)	-38.3	S	0.0271 U	0.00226 U	0.0129 U	0.000746 U	0.00184 U	0.0213 U	0.000629 U	0.0185 J	0.00665 U	0.00818 U	0.00251 U	0.00539 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-312 (19.9 to 9.9)	MW-312-6	09/16/19	PES	PACE	6	29.6	V	0.0155 U	0.00129 U	0.00736 U	0.000426 U	0.00105 U	0.0122 U	0.000359 U	0.00808 U	0.00380 U	0.00467 U	0.00144 U	0.00308 U
	MW-312-10	09/16/19	PES	PACE	10	25.6	V	0.0258 U	0.00215 U	0.0123 U	0.000710 U	0.00175 U	0.0203 U	0.000598 U	0.0135 U	0.00634 U	0.00780 U	0.00239 U	0.00513 U
	MW-312-15	09/16/19	PES	PACE	15	20.6	S	0.0175 U	0.00146 U	0.00836 U	0.000484 U	0.00299 J	0.0138 U	0.000408 U	0.00917 U	0.00533 J	0.0240	0.0288	0.00548 J
	MW-312-20	09/16/19	PES	PACE	20	15.6	S	0.0137 U	0.00655 U	0.00655 U	0.000379 U	0.000934 U	0.0108 U	0.000319 U	0.00718 U	0.00338 U	0.00365	0.00128 U	0.0340
	MW-2004-20	09/16/19	PES	PACE	20	15.6	S	0.0147 U	0.00122 U	0.00699 U	0.000404 U	0.000996 U	0.0115 U	0.000341 U	0.00767 U	0.00360 U	0.00443 U	0.00136 U	0.00292 U
	MW-312-25	09/16/19	PES	PACE	25	10.6	S	0.0142 U	0.00119 U	0.00677 U	0.000392 U	0.00244 J	0.0112 U	0.000330 U	0.00743 U	0.00349 U	0.0153	0.00132 U	0.0161
MW-314 (-28.0 to -38.0)	MW-314-6	09/13/19	PES	PACE	6	33.8	V	0.0144 U	0.00120 U	0.00687 U	0.000398 U	0.000980 U	0.0114 U	0.000335 U	0.00754 U	0.00398 J	0.00436 U	0.00134 U	0.00287 U
	MW-314-10	09/13/19	PES	PACE	10	29.8	V	0.0146 U	0.00121 U	0.00694 U	0.000402 U	0.000990 U	0.0115 U	0.000339 U	0.00762 U	0.00358 U	0.00441 U	0.00135 U	0.00290 U
	MW-314-15	09/13/19	PES	PACE	15	24.8	V	0.0143 U	0.00119 U	0.00681 U	0.000394 U	0.000971 U	0.0113 U	0.000332 U	0.00747 U	0.00351 U	0.00432 U	0.00133 U	0.00285 U
	MW-314-20	09/13/19	PES	PACE	20	19.8	S	0.0146 U	0.00122 U	0.00694 U	0.000402 U	0.000990 U	0.0115 U	0.000339 U	0.00762 U	0.00358 U	0.00441 U	0.00135 U	0.00290 U
	MW-314-25	09/13/19	PES	PACE	25	14.8	S	0.0161 U	0.00135 U	0.00768 U	0.000444 U	0.00110 U	0.0127 U	0.000375 U	0.00843 U	0.00396 U	0.00488 U	0.00150 U	0.00321 U
	MW-2002-25	09/13/19	PES	PACE	25	14.8	S	0.0160 U	0.00134 U	0.00764 U	0.000442 U	0.00109 U	0.0126 U	0.000372 U	0.00999 J	0.00394 U	0.00485 U	0.00149 U	0.00319 U
	MW-314-30	09/13/19	PES	PACE	30	9.8	S	0.0158 U	0.00132 U	0.00753 U	0.000435 U	0.00107 U	0.0124 U	0.000367 U	0.00826 U	0.00388 U	0.00478 U	0.00147 U	0.00315 U
	MW-314-35	09/13/19	PES	PACE	35	4.8	S	0.0136 U	0.00114 U	0.00649 U	0.000375 U	0.000926 U	0.0107 U	0.000316 U	0.00784 J	0.00335 U	0.00412 U	0.00127 U	0.00271 U
	MW-314-40	09/13/19	PES	PACE	40	-0.2	S	0.0141 U	0.00118 U	0.00674 U	0.000391 U	0.000963 U	0.0111 U	0.000329 U	0.00741 U	0.00348 U	0.00428 U	0.00131 U	0.00283 U
	MW-314-45	09/13/19	PES	PACE	45	-5.2	S	0.0141 U	0.00117 U	0.00670 U	0.000387 U	0.000955 U	0.0111 U	0.000327 U	0.00735 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
	MW-314-50	09/13/19	PES	PACE	50	-10.2	S	0.0141 U	0.00118 U	0.00674 U	0.000390 U	0.000961 U	0.0111 U	0.000328 U	0.00739 U	0.00347 U	0.00428 U	0.00131 U	0.00282 U
	MW-314-55	09/13/19	PES	PACE	55	-15.2	S	0.0153 U	0.00128 U	0.00730 U	0.000423 U	0.00104 U	0.0121 U	0.000356 U	0.00802 U	0.00377 U	0.00464 U	0.00142 U	0.00305 U
	MW-314-60	09/13/19	PES	PACE	60	-20.2	S	0.0140 U	0.0106	0.00669 U	0.000387 U	0.000955 U	0.0111 U	0.000326 U	0.00734 U	0.00345 U	0.00425 U	0.00131 U	0.00280 U
	MW-314-65	09/13/19	PES	PACE	65	-25.2	S	0.0144 U	0.00120 U	0.00687 U	0.000397 U	0.000980 U	0.0114 U	0.000335 U	0.0108 J	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	MW-314-70	09/13/19	PES	PACE	70	-30.2	S	0.154 U	0.0128 U	0.0735 U	0.00425 U	0.0105 U	0.122 U	0.00358 U	0.0806 U	0.0379 U	0.0467 U	0.0143 U	0.0307 U
	MW-314-75	09/13/19	PES	PACE	75	-35.2	S	0.0290 U	0.00242 U	0.0138 U	0.000799 U	0.00198 U	0.0228 U	0.000674 U	0.0169 J	0.00712 U	0.00877 U	0.00269 U	0.00578 U
	MW-314-80	09/13/19	PES	PACE	80	-40.2	S	0.0189 U	0.00159 U	0.00904 U	0.000523 U	0.00129 U	0.0149 U	0.000440 U	0.0169 J	0.00465 U	0.00573 U	0.00176 U	0.00377 U
MW-316 (-10.0 to -20.0)	MW-316-5	09/09/19	PES	PACE	5	44.8	V	0.0137 U	0.00567	0.00655 U	0.000379 U	0.000934 U	0.0108 U	0.000319 U	0.0126 U	0.00338 U	0.00416 U	0.00128 U	0.00274 U
	MW-316-10	09/09/19	PES	PACE	10	39.8	V	0.0144 U	0.00978	0.00684 U	0.000396 U	0.000976 U	0.0113 U	0.000334 U	0.0161 U	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	MW-316-15	09/09/19	PES	PACE	15	34.8	V	0.0143 U	0.00364 J	0.00680 U	0.000394 U	0.000970 U	0.0112 U	0.000332 U	0.0110 U	0.00351 U	0.00432 U	0.00133 U	0.00284 U
	MW-316-20	09/09/19	PES	PACE	20	29.8	V	0.0137 U	0.00400 J	0.00653 U	0.000378 U	0.000931 U	0.0108 U	0.000318 U	0.0111 U	0.00337 U	0.00414 U	0.00127 U	0.00273 U
	MW-316-25	09/09/19	PES	PACE	25	24.8	S	0.0144 U	0.00626	0.00686 U	0.000397 U	0.000979 U	0.0113 U	0.000335 U	0.0116 U	0.00354 U	0.00436 U	0.00134 U	0.00287 U
	MW-316-30	09/09/19	PES	PACE	30	19.8	S	0.0141 U	0.00285 J	0.00671 U	0.000388 U	0.000958 U	0.0111 U	0.000327 U	0.0125 U	0.00346 U	0.00426 U	0.00131 U	0.00281 U
	MW-316-35	09/09/19	PES	PACE	35	14.8	S	0.0143 U	0.00409 J	0.00683 U	0.000395 U	0.000974 U	0.0113 U	0.000333 U	0.0119 U	0.00352 U	0.00433 U	0.00133 U	0.00286 U
	MW-316-40	09/09/19	PES	PACE	40	9.8	S	0.0145 U	0.00485 J	0.00688 U	0.000398 U	0.000982 U	0.0114 U	0.000336 U	0.00847 U	0.00355 U	0.00437 U	0.00134 U	0.00288 U
	MW-316-45	09/09/19	PES	PACE	45	4.8	S	0.0141 U	0.00338 J	0.00673 U	0.000389 U	0.000960 U	0.0111 U	0.000328 U	0.0104 U	0.00347 U	0.00427 U	0.00131 U	0.00281 U
	MW-316-50	09/09/19	PES	PACE	50	-0.2	S	0.0152 U	0.00718	0.00724 U	0.000419 U	0.00103 U	0.0120 U	0.000353 U	0.0176 U	0.00373 U	0.00459 U	0.00141 U	0.00303 U
	MW-316-55	09/09/19	PES	PACE	55	-5.2	S	0.0144 U	0.00267 J	0.00685 U	0.000396 U	0.000977 U	0.0113 U	0.000334 U	0.0121 U	0.00353 U	0.00435 U	0.00134 U	0.00287 U
	MW-316-60	09/09/19	PES	PACE	60	-10.2	S	0.0143 U	0.00484 J	0.00680 U	0.000394 U	0.000970 U	0.0112 U	0.000332 U	0.0110 U	0.00351 U	0.00432 U	0.00133 U	0.00284 U
	MW-316-65	09/10/19	PES	PACE	65	-15.2	S	0.0190 U	0.00602 J	0.00906 U	0.000524 U	0.00129 U	0.0150 U	0.000441 U	0.0209 U	0.00467 U	0.00575 U	0.00177 U	0.00379 U
	MW-2001-65	09/10/19	PES	PACE	65	-15.2	S	0.0150 U	0.00357 J	0.00717 U	0.000415 U	0.00102 U	0.0118 U	0.000349 U	0.0137 U	0.00370 U	0.00455 U	0.00140 U	0.00300 U
	MW-316-70	09/10/19	PES	PACE	70	-20.2	S	0.0144 U	0.00431 J	0.00685 U	0.000396 U	0.000977 U	0.0113 U	0.000334 U	0.0125 U	0.00353 U	0.00435 U	0.00134 U	0.00286 U
MW-319 (-42.8 to -52.8)	MW-319-6	09/18/19	PES	PACE	6	25.7	V	0.0147 U	0.0157	0.00702 U	0.000406 U	0.00100 U	0.0116 U	0.000342 U	0.0139 J	0.00362 U	0.00446 U	0.00137 U	0.00294 U
	MW-319-10	09/18/19	PES	PACE	10	21.7	S	0.0146 U	0.0384	0.00698 U	0.000404 U	0.000995 U	0.0115 U	0.000340 U	0.00934 J	0.00360 U	0.00443 U	0.00136 U	0.00292 U
	MW-319-15	09/18/19	PES	PACE	15	16.7	S	0.0145 U	0.0376	0.00693 U	0.000401 U	0.000989 U	0.0115 U	0.000338 U	0.00832 J	0.00357 U	0.00440 U	0.00135 U	0.00290 U
	MW-319-20	09/18/19	PES	PACE	20	11.7	S	0.0157 U	0.0117	0.00749 U	0.000434 U	0.00107 U	0.0124 U	0.000365 U	0.00945 J	0.00386 U	0.00476 U	0.00146 U	0.00313 U
	MW-319-30	09/18/19	PES	PACE	30	1.7	S	0.0145 U	0.00567 J	0.00691 U	0.000400 U	0.000986 U	0.0114 U	0.000337 U	0.00924 J	0.00357 U	0.00439 U	0.00135 U	0.00289 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-319 (continued)	MW-319-35	09/18/19	PES	PACE	35	-3.3	S	0.0160 U	0.0300	0.00763 U	0.000441 U	0.00109 U	0.0126 U	0.000372 U	0.00950 J	0.00502 J	0.00484 U	0.00149 U	0.00319 U
	MW-319-40	09/18/19	PES	PACE	40	-8.3	S	0.0150 U	0.0254	0.00714 U	0.000413 U	0.00102 U	0.0118 U	0.000348 U	0.00804 J	0.00368 U	0.00453 U	0.00139 U	0.00299 U
	MW-319-45	09/18/19	PES	PACE	45	-13.3	S	0.0151 U	0.00532 J	0.00718 U	0.000416 U	0.00102 U	0.0119 U	0.000350 U	0.00814 J	0.00371 U	0.00456 U	0.00140 U	0.00300 U
	MW-319-50	09/18/19	PES	PACE	50	-18.3	S	0.0155 U	0.0245	0.00739 U	0.000427 U	0.00105 U	0.0122 U	0.000360 U	0.0122 J	0.00381 U	0.00469 U	0.00144 U	0.00309 U
	MW-319-55	09/18/19	PES	PACE	55	-23.3	S	0.0160 U	0.00237 J	0.00764 U	0.000442 U	0.00109 U	0.0126 U	0.000373 U	0.0109 J	0.00394 U	0.00485 U	0.00149 U	0.00320 U
	MW-319-60	09/18/19	PES	PACE	60	-28.3	S	0.0151 U	0.0341	0.00718 U	0.000416 U	0.00102 U	0.0119 U	0.000350 U	0.00996 J	0.00371 U	0.00456 U	0.00140 U	0.00300 U
	MW-319-65	09/18/19	PES	PACE	65	-33.3	S	0.0162 U	0.0394	0.00771 U	0.000446 U	0.00110 U	0.0127 U	0.000376 U	0.0124 J	0.00398 U	0.00490 U	0.00150 U	0.00323 U
	MW-319-70	09/18/19	PES	PACE	70	-38.3	S	0.0155 U	0.0362	0.00737 U	0.000426 U	0.00105 U	0.0122 U	0.000359 U	0.00934 J	0.00380 U	0.00468 U	0.00144 U	0.00308 U
	MW-2006-70	09/18/19	PES	PACE	70 (dup)	-36.9	S	0.0159 U	0.0305	0.00758 U	0.000439 U	0.00108 U	0.0125 U	0.000370 U	0.0135 J	0.00391 U	0.00481 U	0.00148 U	0.00317 U
	MW-319-75	09/18/19	PES	PACE	75	-43.3	S	0.0141 U	0.0194	0.00670 U	0.000388 U	0.000956 U	0.0111 U	0.000327 U	0.00915 J	0.00346 U	0.00425 U	0.00131 U	0.00280 U
MW-320 (18.6 to 8.6)	MW-319-80	09/18/19	PES	PACE	80	-48.3	S	0.0154 U	0.0217	0.00735 U	0.000425 U	0.00105 U	0.0122 U	0.000359 U	0.0102 J	0.00379 U	0.00467 U	0.00143 U	0.00308 U
	MW-319-85	09/18/19	PES	PACE	85	-53.3	S	0.0153 U	0.0273	0.00728 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.0113 J	0.00375 U	0.00462 U	0.00142 U	0.00304 U
MW-323 (-65.4 to -75.4)	MW-320-19	09/29/19	PES	PACE	19	15.1	S	0.284 U	0.0237 U	0.135 U	0.00782 U	1.35	0.223 U	0.00659 U	0.166 J	0.0697 U	0.264 J	1.81	1.75
	MW-320-27	09/29/19	PES	PACE	27	7.1	S	0.0147 U	0.0255	0.00701 U	0.000405 U	0.000999 U	0.0116 U	0.000342 U	0.00804 J	0.00361 U	0.00445 U	0.00137 U	0.00293 U
MW-323 (-65.4 to -75.4)	MW-323-10	09/28/19	PES	PACE	10	24.7	V	0.0310 U	0.00258 U	0.0148 U	0.000853 U	0.00211 U	0.0244 U	0.000719 U	0.0165 U	0.00761 U	0.00936 U	0.00288 U	0.00617 U
	MW-2012-10	09/28/19	PES	PACE	10 (dup)	24.7	V	0.0159 U	0.0259	0.00756 U	0.000437 U	0.00108 U	0.0125 U	0.000369 U	0.0109 J	0.00390 U	0.00480 U	0.00148 U	0.00316 U
	MW-323-15	09/28/19	PES	PACE	15	19.7	S	0.0291 U	0.00243 U	0.0138 U	0.000802 U	0.00198 U	0.0229 U	0.000677 U	0.0172 U	0.00715 U	0.00880 U	0.00271 U	0.00580 U
	MW-323-20	09/28/19	PES	PACE	20	14.7	S	0.0143 U	0.0473	0.00683 U	0.000395 U	0.00451	0.0113 U	0.000333 U	0.00750 U	0.00629 J	0.00502 J	0.0216	0.00286 U
	MW-323-25	09/28/19	PES	PACE	25	9.7	S	0.0145 U	0.00121 U	0.00690 U	0.000399 U	0.000984 U	0.0114 U	0.000336 U	0.00789 U	0.00356 U	0.00438 U	0.00135 U	0.00288 U
	MW-323-30	09/28/19	PES	PACE	30	4.7	S	0.0270 U	0.00225 U	0.0128 U	0.000743 U	0.00184 U	0.0212 U	0.000627 U	0.0142 U	0.00663 U	0.00816 U	0.00251 U	0.00537 U
	MW-323-35	09/28/19	PES	PACE	35	-0.4	S	0.0163 U	0.00136 U	0.00778 U	0.000450 U	0.00111 U	0.0129 U	0.000379 U	0.00906 U	0.00401 U	0.00494 U	0.00152 U	0.00325 U
	MW-323-40	09/28/19	PES	PACE	40	-5.4	S	0.0163 U	0.00998	0.00777 U	0.000449 U	0.00111 U	0.0128 U	0.000379 U	0.00984 U	0.00401 U	0.00493 U	0.00152 U	0.00325 U
	MW-323-45	09/28/19	PES	PACE	45	-10.4	S	0.0162 U	0.0265	0.00774 U	0.000448 U	0.00110 U	0.0128 U	0.000377 U	0.00850 U	0.0120 J	0.00491 U	0.00151 U	0.00324 U
	MW-323-50	09/28/19	PES	PACE	50	-15.4	S	0.0146 U	0.0373	0.00696 U	0.000403 U	0.000993 U	0.0115 U	0.000340 U	0.00764 U	0.00359 U	0.00442 U	0.00136 U	0.00291 U
	MW-323-55	09/28/19	PES	PACE	55	-20.4	S	0.0148 U	0.0289	0.00705 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.0102 U	0.00364 U	0.00447 U	0.00137 U	0.00295 U
	MW-323-60	09/28/19	PES	PACE	60	-25.4	S	0.0162 U	0.0289	0.00775 U	0.000448 U	0.00111 U	0.0128 U	0.000378 U	0.0133 U	0.00400 U	0.00492 U	0.00151 U	0.00325 U
	MW-2010-60	09/28/19	PES	PACE	60 (dup)	-25.4	S	0.0155 U	0.0300	0.00738 U	0.000427 U	0.00105 U	0.0122 U	0.000360 U	0.0105 J	0.00380 U	0.00468 U	0.00144 U	0.00308 U
	MW-323-65	09/28/19	PES	PACE	65	-30.4	S	0.0153 U	0.0130	0.00727 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.0101 J	0.00375 U	0.00461 U	0.00142 U	0.00304 U
	MW-323-70	09/28/19	PES	PACE	70	-35.4	S	2.14 U	0.178 U	1.02 U	0.0589 U	0.145 U	1.68 U	0.0496 U	1.15 J	27.6 R	0.646 U	0.198 U	0.426 U
	MW-323-75	09/28/19	PES	PACE	75	-40.4	S	0.0149 U	0.0159	0.00711 U	0.000411 U	0.00101 U	0.0118 U	0.000347 U	0.00973 J	0.00367 U	0.00451 U	0.00139 U	0.00297 U
	MW-323-80	09/28/19	PES	PACE	80	-45.4	S	0.0144 U	0.0278	0.00684 U	0.000396 U	0.000975 U	0.0113 U	0.000333 U	0.00919 J	0.00353 U	0.00434 U	0.00133 U	0.00286 U
	MW-323-85	09/28/19	PES	PACE	85	-50.4	S	0.0152 U	0.0298	0.00725 U	0.000419 U	0.00103 U	0.0120 U	0.000353 U	0.00795 U	0.00374 U	0.00460 U	0.00141 U	0.00303 U
	MW-323-91	09/28/19	PES	PACE	91	-56.4	S	0.0360 U	0.0145	0.0171 U	0.000992 U	0.00244 U	0.0283 U	0.000835 U	0.0253 J	0.00884 U	0.0109 U	0.00335 U	0.00717 U
	MW-323-95	09/28/19	PES	PACE	95	-60.4	S	0.0152 U	0.0175	0.00725 U	0.000420 U	0.00103 U	0.0120 U	0.000354 U	0.00910 J	0.00374 U	0.00460 U	0.00141 U	0.00303 U
	MW-323-99	09/28/19	PES	PACE	99	-64.4	S	0.0147 U	0.0188	0.00699 U	0.000405 U	0.000998 U	0.0116 U	0.000341 U	0.00955 J	0.00361 U	0.00444 U	0.00136 U	0.00292 U
MW-324 (-32.1 to -42.1)	MW-323-105	09/28/19	PES	PACE	105	-70.4	S	0.0150 U	0.00978	0.00714 U	0.000413 U	0.00102 U	0.0118 U	0.000348 U	0.00784 U	0.00368 U	0.00453 U	0.00139 U	0.00299 U
	MW-323-110	09/28/19	PES	PACE	110	-75.4	S	0.0311 U	0.0179	0.0149 U	0.000858 U	0.00211 U	0.0245 U	0.000723 U	0.0183 J	0.00765 U	0.00940 U	0.00289 U	0.00619 U
	MW-324-6	09/12/19	PES	PACE	6	28.3	V	0.0143 U	0.00119 U	0.00680 U	0.000394 U	0.000971 U	0.0112 U	0.000332 U	0.00747 U	0.00351 U	0.00432 U	0.00133 U	0.00285 U
	MW-324-10	09/12/19	PES	PACE	10	24.3	V	0.0147 U	0.00123 U	0.00701 U	0.000405 U	0.000999 U	0.0116 U	0.000342 U	0.00841 J	0.00361 U	0.00445 U	0.00137 U	0.00293 U
	MW-324-15	09/12/19	PES	PACE	15	19.3	S	0.0139 U	0.00116 U	0.00661 U	0.000382 U	0.000942 U	0.0109 U	0.000322 U	0.00819 J	0.00341 U	0.00419 U	0.00129 U	0.00276 U
	MW-324-20	09/12/19	PES	PACE	20	14.3	S	0.0148 U	0.00124 U	0.00706 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00775 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	MW-324-25	09/12/19	PES	PACE	25	9.3	S	0.0150 U	0.00125 U	0.00714 U	0.000413 U	0.00102 U	0.0118 U	0.000348 U	0.00784 U	0.0117 J	0.00453 U	0.00139 U	0.00299 U
	MW-324-30	09/12/19	PES	PACE	30	4.3	S	0.0157 U	0.00130 U	0.00744 U	0.000430 U	0.00106 U	0.0123 U	0.000363 U	0.00986 J	0.00383 U	0.00472 U	0.00145 U	0.00311 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-324 (continued)	MW-324-35	09/12/19	PES	PACE	35	-0.7	S	0.0152 U	0.00127 U	0.00722 U	0.000418 U	0.00103 U	0.0119 U	0.000352 U	0.00793 U	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	MW-324-40	09/12/19	PES	PACE	40	-5.7	S	0.0153 U	0.00128 U	0.00731 U	0.000423 U	0.00104 U	0.0121 U	0.000357 U	0.00821 J	0.00377 U	0.00464 U	0.00143 U	0.00306 U
	MW-324-45	09/12/19	PES	PACE	45	-10.7	S	0.0160 U	0.0128	0.00762 U	0.000441 U	0.00109 U	0.0126 U	0.000371 U	0.00943 J	0.00393 U	0.00483 U	0.00149 U	0.00318 U
	MW-324-50	09/12/19	PES	PACE	50	-15.7	S	0.0127 U	0.00106 U	0.00605 U	0.000350 U	0.000863 U	0.0100 U	0.000295 U	0.00664 U	0.00312 U	0.00384 U	0.00118 U	0.00253 U
	MW-324-55	09/12/19	PES	PACE	55	-20.7	S	0.0144 U	0.00120 U	0.00686 U	0.000397 U	0.000978 U	0.0113 U	0.000334 U	0.00805 J	0.00354 U	0.00435 U	0.00134 U	0.00287 U
	MW-324-60	09/12/19	PES	PACE	60	-25.7	S	0.0144 U	0.0181	0.00686 U	0.000397 U	0.000978 U	0.0113 U	0.000334 U	0.00753 U	0.00354 U	0.00435 U	0.00134 U	0.00287 U
	MW-324-65	09/12/19	PES	PACE	65	-30.7	S	0.0149 U	0.00125 U	0.00712 U	0.000412 U	0.00102 U	0.0118 U	0.000347 U	0.0111 J	0.00367 U	0.00452 U	0.00139 U	0.00298 U
	MW-324-70	09/12/19	PES	PACE	70	-35.7	S	0.0158 U	0.00131 U	0.00750 U	0.000434 U	0.00107 U	0.0124 U	0.000366 U	0.00894 J	0.00387 U	0.00476 U	0.00146 U	0.00314 U
	MW-324-75	09/12/19	PES	PACE	75	-40.7	S	0.0159 U	0.00133 U	0.00759 U	0.000439 U	0.00108 U	0.0125 U	0.000370 U	0.00833 U	0.00391 U	0.00482 U	0.00148 U	0.00317 U
	MW-324-80	09/12/19	PES	PACE	80	-45.7	S	0.0159 U	0.00133 U	0.00757 U	0.000438 U	0.00108 U	0.0125 U	0.000369 U	0.0112 J	0.00390 U	0.00481 U	0.00148 U	0.00317 U
MW-326 (-48.7 to -58.7)	MW-326-5	09/09/19	PES	PACE	5	36.3	V	0.0140 U	0.00634	0.00667 U	0.000386 U	0.000951 U	0.0110 U	0.000325 U	0.00943 J	0.00452 J	0.00423 U	0.00130 U	0.00279 U
	MW-326-10	09/09/19	PES	PACE	10	31.3	V	0.0169 U	0.00462 J	0.00805 U	0.000466 U	0.00115 U	0.0133 U	0.000393 U	0.0129 J	0.00415 U	0.00511 U	0.00157 U	0.00336 U
	MW-326-15	09/09/19	PES	PACE	15	26.3	V	0.0149 U	0.00338 J	0.00708 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00875 J	0.00365 U	0.00449 U	0.00138 U	0.00296 U
	MW-326-20	09/09/19	PES	PACE	20	21.3	S	0.0149 U	0.00124 U	0.00708 U	0.000410 U	0.00101 U	0.0117 U	0.000345 U	0.00777 U	0.00365 U	0.00450 U	0.00138 U	0.00296 U
	MW-326-25	09/09/19	PES	PACE	25	16.3	S	0.0158 U	0.00347 J	0.00751 U	0.000434 U	0.00107 U	0.0124 U	0.000366 U	0.0105 J	0.00387 U	0.00477 U	0.00146 U	0.00314 U
	MW-326-30	09/09/19	PES	PACE	30	11.3	S	0.0513 U	0.00428 U	0.0244 U	0.00141 U	0.00349 U	0.0404 U	0.00119 U	0.0350 J	0.0126 U	0.0155 U	0.00477 U	0.0102 U
	MW-326-35	09/09/19	PES	PACE	35	6.3	S	0.0157 U	0.00352 J	0.00748 U	0.000433 U	0.00107 U	0.0124 U	0.000365 U	0.0120 J	0.00386 U	0.00475 U	0.00146 U	0.00313 U
	MW-326-40	09/09/19	PES	PACE	40	1.3	S	0.0151 U	0.00406 J	0.00721 U	0.000417 U	0.00103 U	0.0119 U	0.000352 U	0.00885 J	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	MW-326-45	09/09/19	PES	PACE	45	-3.7	S	0.0153 U	0.00229 J	0.00729 U	0.000422 U	0.00104 U	0.0120 U	0.000355 U	0.00974 J	0.00376 U	0.00462 U	0.00142 U	0.00305 U
	MW-326-50	09/09/19	PES	PACE	50	-8.7	S	0.0145 U	0.00121 U	0.00692 U	0.000400 U	0.000987 U	0.0114 U	0.000337 U	0.0118 J	0.00357 U	0.00439 U	0.00135 U	0.00289 U
	MW-326-55	09/09/19	PES	PACE	55	-13.7	S	0.0154 U	0.00564 J	0.00736 U	0.000426 U	0.00105 U	0.0122 U	0.000359 U	0.0149 J	0.00380 U	0.00467 U	0.00144 U	0.00308 U
	MW-326-60	09/09/19	PES	PACE	60	-18.7	S	0.0138 U	0.00115 U	0.00658 U	0.000380 U	0.000938 U	0.0109 U	0.000321 U	0.0105 J	0.00339 U	0.00417 U	0.00128 U	0.00275 U
	MW-326-65	09/09/19	PES	PACE	65	-23.7	S	0.0147 U	0.00400 J	0.00701 U	0.000406 U	0.00100 U	0.0116 U	0.000342 U	0.00785 U	0.00362 U	0.00445 U	0.00137 U	0.00293 U
	MW-326-70	09/09/19	PES	PACE	70	-28.7	S	0.0155 U	0.00325 J	0.00737 U	0.000426 U	0.00105 U	0.0122 U	0.000359 U	0.00839 U	0.00380 U	0.00468 U	0.00144 U	0.00308 U
	MW-326-75	09/09/19	PES	PACE	75	-33.7	S	0.0154 U	0.00330 J	0.00733 U	0.000424 U	0.00105 U	0.0121 U	0.000358 U	0.0122 U	0.00378 U	0.00466 U	0.00143 U	0.00307 U
	MW-326-80	09/09/19	PES	PACE	80	-38.7	S	0.0151 U	0.00388 J	0.00719 U	0.000416 U	0.00103 U	0.0119 U	0.000351 U	0.00789 U	0.00371 U	0.00456 U	0.00140 U	0.00301 U
	MW-326-85	09/10/19	PES	PACE	85	-43.7	S	0.0148 U	0.00124 U	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00365 U	0.00449 U	0.00138 U	0.00296 U
	MW-326-90	09/10/19	PES	PACE	90	-48.7	S	0.0150 U	0.00493 J	0.00712 U	0.000412 U	0.00102 U	0.0118 U	0.000347 U	0.0103 U	0.00367 U	0.00452 U	0.00139 U	0.00298 U
	MW-326-95	09/10/19	PES	PACE	95	-53.7	S	0.0143 U	0.00119 U	0.00680 U	0.000393 U	0.000970 U	0.0112 U	0.000331 U	0.00980 U	0.00351 U	0.00431 U	0.00133 U	0.00284 U
	MW-200I-95	09/10/19	PES	PACE	95 (dup)	-53.7	S	0.0145 U	0.00489 J	0.00690 U	0.000399 U	0.000984 U	0.0114 U	0.000336 U	0.00757 U	0.00356 U	0.00438 U	0.00135 U	0.00289 U
	MW-326-100	09/10/19	PES	PACE	100	-58.7	S	0.0153 U	0.00128 U	0.00731 U	0.000423 U	0.00104 U	0.0121 U	0.000356 U	0.0117 U	0.00377 U	0.00464 U	0.00143 U	0.00306 U
MW-328 (-36.1 to -46.1)	MW-328-5	09/16/19	PES	PACE	5	23.4	V	0.0151 U	0.00126 U	0.00719 U	0.000416 U	0.00103 U	0.0119 U	0.000351 U	0.00789 U	0.00371 U	0.00457 U	0.00140 U	0.00301 U
	MW-328-10	09/16/19	PES	PACE	10	18.4	S	0.0175 U	0.00146 U	0.00832 U	0.000481 U	0.00119 U	0.0137 U	0.000405 U	0.00913 U	0.00429 U	0.00528 U	0.00162 U	0.00348 U
	MW-328-15	09/16/19	PES	PACE	15	13.4	S	0.0156 U	0.00130 U	0.00743 U	0.000430 U	0.00106 U	0.0123 U	0.000362 U	0.00815 U	0.00383 U	0.00471 U	0.00145 U	0.00311 U
	MW-328-20	09/16/19	PES	PACE	20	8.4	S	0.0152 U	0.00127 U	0.00722 U	0.000418 U	0.00103 U	0.0119 U	0.000352 U	0.00793 U	0.00373 U	0.00459 U	0.00141 U	0.00302 U
	MW-328-30	09/16/19	PES	PACE	30	-1.6	S	0.299 U	0.130	0.143 U	0.00825 U	0.0204 U	0.236 U	0.00695 U	0.157 U	0.0736 U	0.0905 U	0.0278 U	0.0596 U
	MW-328-35	09/16/19	PES	PACE	35	-6.6	S	0.0164 U	0.00384 J	0.00777 U	0.000450 U	0.00111 U	0.0129 U	0.000380 U	0.00854 U	0.00401 U	0.00493 U	0.00152 U	0.00325 U
	MW-328-40	09/16/19	PES	PACE	40	-11.6	S	0.0370 U	0.00309 U	0.0176 U	0.00102 U	0.00251 U	0.0291 U	0.000859 U	0.0193 U	0.00908 U	0.0112 U	0.00344 U	0.00737 U
	MW-328-45	09/16/19	PES	PACE	45	-16.6	S	0.0157 U	0.00241 J	0.00746 U	0.000432 U	0.00106 U	0.0123 U	0.000364 U	0.00819 U	0.00385 U	0.00473 U	0.00146 U	0.00312 U
	MW-328-50	09/16/19	PES	PACE	50	-21.6	S	0.467 U	0.152 J	0.222 U	0.0129 U	0.0317 U	0.367 U	0.0108 U	0.243 U	0.115 U	0.141 U	0.0433 U	0.0929 U
	MW-328-55	09/16/19	PES	PACE	55	-26.6	S	0.0151 U	0.00126 U	0.00720 U	0.000417 U	0.00103 U	0.0119 U	0.000351 U	0.00790 U	0.00371 U	0.00457 U	0.00140 U	0.00301 U
	MW-328-60	09/16/19	PES	PACE	60	-31.6	S	0.0153 U	0.00311 J	0.00727 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.00798 U	0.00375 U	0.00462 U	0.00142 U	0.00304 U
	MW-328-65	09/16/19	PES	PACE	65	-36.6	S	0.0148 U	0.00536 J	0.00705 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00774 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-328 (continued)	MW-328-70	09/16/19	PES	PACE	70	-41.6	S	0.0153 U	0.00128 U	0.00728 U	0.000421 U	0.00104 U	0.0120 U	0.000355 U	0.00800 U	0.00376 U	0.00462 U	0.00142 U	0.00305 U
	MW-328-75	09/16/19	PES	PACE	75	-46.6	S	0.0148 U	0.00357 J	0.00706 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00774 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	MW-328-80	09/16/19	PES	PACE	80	-51.6	S	0.0168 U	0.00140 U	0.00798 U	0.000462 U	0.00114 U	0.0132 U	0.000389 U	0.00876 U	0.00412 U	0.00507 U	0.00156 U	0.00334 U
MW-329 (-69.0 to -79.0)	MW-329-5	09/12/19	PES	PACE	5	24.3	V	0.0136 U	0.00113 U	0.00647 U	0.000374 U	0.000922 U	0.0107 U	0.000315 U	0.00710 U	0.00333 U	0.00410 U	0.00126 U	0.00270 U
	MW-329-10	09/12/19	PES	PACE	10	19.3	S	0.0134 U	0.00112 U	0.00636 U	0.000368 U	0.000908 U	0.0105 U	0.000310 U	0.00698 U	0.00328 U	0.00404 U	0.00124 U	0.00266 U
	MW-329-15	09/12/19	PES	PACE	15	14.3	S	0.0139 U	0.00645	0.00664 U	0.000384 U	0.000948 U	0.0110 U	0.000324 U	0.00729 U	0.00343 U	0.00422 U	0.00130 U	0.00278 U
	MW-329-20	09/12/19	PES	PACE	20	9.3	S	0.0176 U	0.00147 U	0.00836 U	0.000791 J	0.00119 U	0.0138 U	0.000408 U	0.00918 U	0.00431 U	0.00531 U	0.00163 U	0.00350 U
	MW-329-25	09/12/19	PES	PACE	25	4.3	S	0.0182 U	0.00152 U	0.00867 U	0.000502 U	0.00124 U	0.0143 U	0.000423 U	0.0104 U	0.00447 U	0.00550 U	0.00169 U	0.00363 U
	MW-329-30	09/12/19	PES	PACE	30	-0.7	S	0.0157 U	0.00131 U	0.00747 U	0.000432 U	0.00107 U	0.0124 U	0.000364 U	0.0101 U	0.00385 U	0.00474 U	0.00146 U	0.00313 U
	MW-329-35	09/12/19	PES	PACE	35	-5.7	S	0.0156 U	0.00130 U	0.00741 U	0.000429 U	0.00106 U	0.0123 U	0.000361 U	0.00814 U	0.00382 U	0.00471 U	0.00145 U	0.00310 U
	MW-329-40	09/12/19	PES	PACE	40	-10.7	S	0.0157 U	0.00131 U	0.00746 U	0.000431 U	0.00106 U	0.0123 U	0.000364 U	0.00818 U	0.00385 U	0.00473 U	0.00145 U	0.00312 U
	MW-329-45	09/12/19	PES	PACE	45	-15.7	S	0.0151 U	0.00126 U	0.00722 U	0.000417 U	0.00103 U	0.0119 U	0.000352 U	0.00792 U	0.00372 U	0.00458 U	0.00141 U	0.00302 U
	MW-329-50	09/12/19	PES	PACE	50	-20.7	S	0.0157 U	0.00131 U	0.00746 U	0.000431 U	0.00106 U	0.0123 U	0.000364 U	0.00818 U	0.00385 U	0.00473 U	0.00145 U	0.00312 U
	MW-2003-50	09/12/19	PES	PACE	50 (dup)	-20.7	S	0.0139 U	0.00116 U	0.00661 U	0.000382 U	0.000943 U	0.0109 U	0.000322 U	0.00725 U	0.00341 U	0.00419 U	0.00129 U	0.00276 U
	MW-329-55	09/12/19	PES	PACE	55	-25.7	S	0.0147 U	0.00122 U	0.00698 U	0.000404 U	0.000996 U	0.0115 U	0.000341 U	0.00766 U	0.00360 U	0.00443 U	0.00136 U	0.00292 U
	MW-329-60	09/12/19	PES	PACE	60	-30.7	S	0.0149 U	0.00124 U	0.00708 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00777 U	0.00365 U	0.00449 U	0.00138 U	0.00296 U
	MW-329-65	09/12/19	PES	PACE	65	-35.7	S	0.0148 U	0.00124 U	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00365 U	0.00449 U	0.00138 U	0.00296 U
	MW-329-70	09/12/19	PES	PACE	70	-40.7	S	0.0148 U	0.00124 U	0.00705 U	0.000408 U	0.00101 U	0.0117 U	0.000344 U	0.00774 U	0.00364 U	0.00448 U	0.00138 U	0.00295 U
	MW-329-75	09/12/19	PES	PACE	75	-45.7	S	0.0146 U	0.00121 U	0.00693 U	0.000401 U	0.000989 U	0.0115 U	0.000338 U	0.00761 U	0.00357 U	0.00440 U	0.00135 U	0.00290 U
	MW-329-80	09/12/19	PES	PACE	80	-50.7	S	0.0154 U	0.00129 U	0.00735 U	0.000425 U	0.00105 U	0.0121 U	0.000358 U	0.00807 U	0.00379 U	0.00466 U	0.00143 U	0.00307 U
	MW-329-85	09/12/19	PES	PACE	85	-55.7	S	0.0148 U	0.00124 U	0.00707 U	0.000409 U	0.00101 U	0.0117 U	0.000345 U	0.00776 U	0.00365 U	0.00449 U	0.00138 U	0.00296 U
	MW-329-90	09/12/19	PES	PACE	90	-60.7	S	0.0149 U	0.00290 J	0.00711 U	0.000412 U	0.00101 U	0.0118 U	0.000347 U	0.00781 U	0.00367 U	0.00451 U	0.00139 U	0.00297 U
	MW-329-95	09/12/19	PES	PACE	95	-65.7	S	0.0151 U	0.00126 U	0.00718 U	0.000416 U	0.00102 U	0.0119 U	0.000350 U	0.00788 U	0.00370 U	0.00456 U	0.00140 U	0.00300 U
	MW-329-100	09/12/19	PES	PACE	100	-70.7	S	0.0151 U	0.00126 U	0.00720 U	0.000417 U	0.00103 U	0.0119 U	0.000351 U	0.00791 U	0.00371 U	0.00457 U	0.00140 U	0.00301 U
	MW-329-105	09/12/19	PES	PACE	105	-75.7	S	0.0140 U	0.00117 U	0.00666 U	0.000385 U	0.000950 U	0.0110 U	0.000325 U	0.00731 U	0.00343 U	0.00423 U	0.00130 U	0.00279 U
	MW-329-110	09/12/19	PES	PACE	110	-80.7	S	0.0139 U	0.00116 U	0.00661 U	0.000382 U	0.000943 U	0.0109 U	0.000322 U	0.00725 U	0.00341 U	0.00420 U	0.00129 U	0.00276 U
MW-330	MW-330-6	04/20/20	PES	PACE	6	46.0	V	0.00681 U	0.00257 U	0.00264 U	0.000466 U	0.000483 U	0.00259 U	0.000398 U	0.00754 U	0.00554 U	0.00596 U	0.00108 U	0.00327 U
	MW-330-10	04/20/20	PES	PACE	10	42.0	V	0.00662 U	0.00249 U	0.00256 U	0.000452 U	0.000469 U	0.00252 U	0.000386 U	0.00733 U	0.00538 U	0.00579 U	0.00105 U	0.00318 U
	MW-330-11.5	04/20/20	PES	PACE	11.5	40.5	V	0.00700 U	0.00263 U	0.00270 U	0.000478 U	0.000495 U	0.00266 U	0.000408 U	0.00774 U	0.00569 U	0.00612 U	0.00111 U	0.00336 U
	MW-330-16	04/20/20	PES	PACE	16	36.0	V	0.00682 U	0.00257 U	0.00264 U	0.000466 U	0.000483 U	0.00259 U	0.000398 U	0.00754 U	0.00554 U	0.00596 U	0.00108 U	0.00327 U
	MW-330-21.5	04/20/20	PES	PACE	21.5	30.5	S	0.00639 U	0.00241 U	0.00247 U	0.000437 U	0.000453 U	0.00243 U	0.000373 U	0.00707 U	0.00520 U	0.00559 U	0.00101 U	0.00307 U
	MW-330-27	04/20/20	PES	PACE	27	25.0	S	0.00645 U	0.00243 U	0.00249 U	0.000441 U	0.000457 U	0.00245 U	0.000376 U	0.00714 U	0.00525 U	0.00564 U	0.00102 U	0.00310 U
	MW-330-32	04/20/20	PES	PACE	32	20.0	S	0.00646 U	0.00243 U	0.00250 U	0.000442 U	0.000458 U	0.00246 U	0.000377 U	0.00715 U	0.00526 U	0.00565 U	0.00102 U	0.00310 U
	MW-330-38	04/20/20	PES	PACE	38	14.0	S	0.00646 U	0.00243 U	0.00250 U	0.000441 U	0.000457 U	0.00245 U	0.000377 U	0.00714 U	0.00525 U	0.00565 U	0.00102 U	0.00310 U
	MW-330-42	04/20/20	PES	PACE	42	10.0	S	0.00628 U	0.00237 U	0.00243 U	0.000429 U	0.000445 U	0.00239 U	0.000366 U	0.00695 U	0.00511 U	0.00550 U	0.000995 U	0.00302 U
	MW-330-47	04/20/20	PES	PACE	47	5.0	S	0.00679 U	0.00256 U	0.00263 U	0.000464 U	0.000481 U	0.00258 U	0.000396 U	0.00752 U	0.00552 U	0.00594 U	0.00108 U	0.00326 U
	MW-330-52	04/20/20	PES	PACE	52	0.0	S	0.00659 U	0.00248 U	0.00255 U	0.000450 U	0.000467 U	0.00250 U	0.000384 U	0.00729 U	0.00536 U	0.00576 U	0.00104 U	0.00316 U
	MW-330-58	04/20/20	PES	PACE	58	-6.0	S	0.00653 U	0.00246 U	0.00252 U	0.000446 U	0.000462 U	0.00248 U	0.000381 U	0.00722 U	0.00531 U	0.00571 U	0.00103 U	0.00313 U
MW-331	MW-330-62	04/20/20	PES	PACE	62	-10.0	S	0.00659 U	0.00248 U	0.00255 U	0.000450 U	0.000467 U	0.00250 U	0.000384 U	0.00729 U	0.00536 U	0.00577 U	0.00104 U	0.00316 U
	MW-331-7	04/17/20	PES	PACE	7	24.2	V	0.00926 U	0.889 J	0.00358 U	0.000633 U	0.0281	0.00352 U	0.000540 U	0.0103 U	0.0141 J	0.00811 U	0.0426	0.0205
	MW-331-11	04/17/20	PES	PACE	11	20.2	S	0.0538 U	3.06	0.0208 U	0.00367 U	4.94	0.0204 U	0.00314 U	0.0595 U	0.578	5.35	21.2	1.93
	MW-331-16	04/17/20	PES	PACE	16	15.2	S	0.00708 U	0.0879	0.00274 U	0.000484 U	0.137	0.00269 U	0.000413 U	0.00784 U	0.0284	0.0648	0.853	0.0335
	MW-331-20	04/17/20	PES	PACE	20	11.2	S	0.00693 U	0.0168	0.00268 U	0.000474 U	0.0417	0.00263 U	0.000404 U	0.00767 U	0.00564 U	0.00607 U	0.0704	0.00333 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-331 (continued)	MW-331-29.5	04/17/20	PES	PACE	29.5	1.7	S	0.00695 U	0.00262 U	0.00269 U	0.000475 U	0.00654	0.00264 U	0.000406 U	0.00770 U	0.00566 U	0.00608 U	0.00563 J	0.00334 U
	MW-331-35	04/17/20	PES	PACE	35	-3.8	S	0.00709 U	0.00267 U	0.00274 U	0.000484 U	0.000502 U	0.00269 U	0.000413 U	0.00784 U	0.00576 U	0.00620 U	0.00112 U	0.00340 U
	MW-2018-35	04/17/20	PES	PACE	35 (dup)	-3.8	S	0.00721 U	0.00272 U	0.00279 U	0.000493 U	0.000511 U	0.00274 U	0.000421 U	0.00798 U	0.00586 U	0.00631 U	0.00114 U	0.00346 U
	MW-331-40	04/17/20	PES	PACE	40	-8.8	S	0.00724 U	0.00273 U	0.00280 U	0.000495 U	0.000513 U	0.00275 U	0.000422 U	0.00801 U	0.00589 U	0.00633 U	0.00200 J	0.00347 U
	MW-331-45	04/17/20	PES	PACE	45	-13.8	S	0.00721 U	0.00272 U	0.00279 U	0.000493 U	0.000511 U	0.00274 U	0.000421 U	0.00798 U	0.00587 U	0.00631 U	0.00114 U	0.00346 U
MW-332	MW-332-7	04/17/20	PES	PACE	7	29.3	V	0.00673 U	0.00253 U	0.00260 U	0.000460 U	0.000477 U	0.00256 U	0.000392 U	0.00745 U	0.00547 U	0.00589 U	0.00107 U	0.00323 U
	MW-332-11	04/17/20	PES	PACE	11	25.3	V	0.00707 U	0.0204 J	0.00273 U	0.000483 U	0.000501 U	0.00269 U	0.000412 U	0.00782 U	0.00575 U	0.00618 U	0.00112 J	0.00339 U
	MW-332-16	04/17/20	PES	PACE	16	20.3	S	0.00692 U	0.00261 U	0.00268 U	0.000473 U	0.000490 U	0.00263 U	0.000404 U	0.00766 U	0.00563 U	0.00606 U	0.00110 U	0.00332 U
	MW-332-20	04/17/20	PES	PACE	20	16.3	S	0.00703 U	0.00265 U	0.00272 U	0.000480 U	0.000498 U	0.00267 U	0.000410 U	0.00778 U	0.00572 U	0.00615 U	0.00111 U	0.00338 U
	MW-332-25	04/17/20	PES	PACE	25	11.3	S	0.00728 U	0.00274 U	0.00282 U	0.000498 U	0.000516 U	0.00277 U	0.000425 U	0.00806 U	0.00592 U	0.00637 U	0.00115 U	0.00349 U
	MW-332-30	04/17/20	PES	PACE	30	6.3	S	0.00744 U	0.00280 U	0.00288 U	0.000508 U	0.000527 U	0.00283 U	0.000434 U	0.00823 U	0.00605 U	0.00651 U	0.00118 U	0.00357 U
MW-334	MW-334-6	04/16/20	PES	PACE	6	25.4	V	0.00729 U	0.00275 U	0.00282 U	0.000498 U	0.000516 U	0.00277 U	0.000425 U	0.00807 U	0.00952 J	0.00638 U	0.00121 J	0.00350 U
	MW-334-10	04/16/20	PES	PACE	10	21.4	V	0.00730 U	0.00275 U	0.00282 U	0.000499 U	0.00730	0.00277 U	0.000426 U	0.00808 U	0.00593 U	0.00638 U	0.0135	0.00666 J
	MW-334-13	04/16/20	PES	PACE	13	18.4	S	0.0540 U	0.0312 J	0.0209 U	0.00369 U	0.294	0.0205 U	0.00315 U	0.0598 U	0.0439 U	1.02	0.934	0.665
	MW-334-17	04/16/20	PES	PACE	17	14.4	S	0.00620 U	0.00234 U	0.00240 U	0.000424 U	0.00207 J	0.00236 U	0.000362 U	0.00686 U	0.0113 J	0.00543 J	0.00433 J	0.00442 J
	MW-334-23	04/16/20	PES	PACE	23	8.4	S	0.00714 U	0.00269 U	0.00276 U	0.000488 U	0.000506 U	0.00271 U	0.000417 U	0.00790 U	0.00793 J	0.00625 U	0.00113 U	0.00343 U
	MW-334-28	04/16/20	PES	PACE	28	3.4	S	0.00707 U	0.00266 U	0.00273 U	0.000483 U	0.000501 U	0.00269 U	0.000412 U	0.00782 U	0.00575 U	0.00618 U	0.00112 U	0.00339 U
	MW-334-35	04/16/20	PES	PACE	35	-3.6	S	0.00758 U	0.00286 U	0.00293 U	0.000518 U	0.000537 U	0.00288 U	0.000442 U	0.00839 U	0.00617 U	0.00664 U	0.00120 U	0.00364 U
	MW-334-40	04/16/20	PES	PACE	40	-8.6	S	0.00775 U	0.00292 U	0.00300 U	0.000530 U	0.000549 U	0.00294 U	0.000452 U	0.00858 U	0.00630 U	0.00678 U	0.00123 U	0.00372 U
	MW-334-45.5	04/16/20	PES	PACE	45.5	-14.1	S	0.00730 U	0.00275 U	0.00282 U	0.000499 U	0.000517 U	0.00277 U	0.000426 U	0.00808 U	0.00594 U	0.00639 U	0.00116 U	0.00350 U
	MW-334-50	04/16/20	PES	PACE	50	-18.6	S	0.00664 U	0.00250 U	0.00257 U	0.000454 U	0.000470 U	0.00252 U	0.000387 U	0.00735 U	0.00540 U	0.00581 U	0.00105 U	0.00319 U
	MW-334-54.5	04/16/20	PES	PACE	54.5	-23.1	S	0.00742 U	0.00280 U	0.00287 U	0.000507 U	0.000526 U	0.00282 U	0.000433 U	0.00822 U	0.00604 U	0.00650 U	0.00118 U	0.00356 U
	MW-334-60	04/16/20	PES	PACE	60	-28.6	S	0.00683 U	0.00257 U	0.00264 U	0.000467 U	0.000484 U	0.00260 U	0.000399 U	0.00756 U	0.00556 U	0.00598 U	0.00108 U	0.00328 U
	MW-334-63	04/16/20	PES	PACE	63	-31.6	S	0.00718 U	0.00270 U	0.00277 U	0.000490 U	0.000508 U	0.00273 U	0.000419 U	0.00794 U	0.00584 U	0.00628 U	0.00114 U	0.00344 U
MW-336	MW-336-7	04/22/20	PES	PACE	7	26.7	V	0.00669 U	0.00252 U	0.00259 U	0.000457 U	0.000474 U	0.00254 U	0.000390 U	0.00741 U	0.00544 U	0.00586 U	0.00106 U	0.00321 U
	MW-336-11.5	04/22/20	PES	PACE	11.5	22.2	V	0.00714 U	0.00269 U	0.00276 U	0.000488 U	0.000506 U	0.00271 U	0.000417 U	0.00791 U	0.00581 U	0.00625 U	0.00113 U	0.00343 U
	MW-2019-11.5	04/22/20	PES	PACE	11.5 (dup)	22.2	V	0.00732 U	0.00294 J	0.00283 U	0.000500 U	0.000665 J	0.00278 U	0.000427 U	0.00810 U	0.00595 U	0.0119 J	0.00116 U	0.00480 J
	MW-336-14.5	04/22/20	PES	PACE	14.5	19.2	V	0.00769 U	0.00290 U	0.00297 U	0.000526 U	0.000545 U	0.00292 U	0.000449 U	0.00851 U	0.00625 U	0.00673 U	0.00122 U	0.00369 U
	MW-336-20	04/22/20	PES	PACE	20	13.7	S	0.00735 U	0.00277 U	0.00284 U	0.000502 U	0.000520 U	0.00279 U	0.000429 U	0.00813 U	0.00598 U	0.00643 U	0.00116 U	0.00353 U
	MW-336-25	04/22/20	PES	PACE	25	8.7	S	0.00988 U	0.00372 U	0.00382 U	0.000675 U	0.000700 U	0.00375 U	0.000576 U	0.0109 U	0.00803 U	0.00864 U	0.00156 U	0.00474 U
	MW-336-30	04/22/20	PES	PACE	30	3.7	S	0.00914 U	0.00344 U	0.00353 U	0.000624 U	0.000647 U	0.00347 U	0.000533 U	0.0101 U	0.00743 U	0.00799 U	0.00145 U	0.00439 U
	MW-336-35	04/22/20	PES	PACE	35	-1.3	S	0.00736 U	0.00277 U	0.00285 U	0.000503 U	0.000521 U	0.00280 U	0.000429 U	0.00815 U	0.00599 U	0.00644 U	0.00117 U	0.00353 U
	MW-336-40	04/22/20	PES	PACE	40	-6.3	S	0.00723 U	0.00272 U	0.00280 U	0.000494 U	0.000512 U	0.00275 U	0.000422 U	0.00801 U	0.00588 U	0.00633 U	0.00115 U	0.00347 U
	MW-336-45	04/22/20	PES	PACE	45	-11.3	S	0.00797 U	0.00300 U	0.00308 U	0.000545 U	0.000564 U	0.00303 U	0.000465 U	0.00882 U	0.00648 U	0.00697 U	0.00126 U	0.00382 U
	MW-336-51	04/22/20	PES	PACE	51	-17.3	S	0.00691 U	0.00260 U	0.00267 U	0.000472 U	0.000489 U	0.00262 U	0.000403 U	0.00764 U	0.00562 U	0.00604 U	0.00109 U	0.00332 U
	MW-336-55	04/22/20	PES	PACE	55	-21.3	S	0.00685 U	0.00258 U	0.00265 U	0.000468 U	0.000485 U	0.00260 U	0.000400 U	0.00758 U	0.00557 U	0.00600 U	0.00109 U	0.00329 U
	MW-336-60	04/22/20	PES	PACE	60	-26.3	S	0.00704 U	0.00265 U	0.00272 U	0.000481 U	0.000499 U	0.00268 U	0.000411 U	0.00779 U	0.00573 U	0.00616 U	0.00111 U	0.00338 U
	MW-336-65	04/22/20	PES	PACE	65	-31.3	S	0.00700 U	0.00264 U	0.00271 U	0.000478 U	0.000496 U	0.00266 U	0.000408 U	0.00775 U	0.00569 U	0.00612 U	0.00111 U	0.00336 U
	MW-336-69	04/22/20	PES	PACE	69	-35.3	S	0.00746 U	0.00281 U	0.00288 U	0.000510 U	0.000528 U	0.00283 U	0.000435 U	0.00825 U	0.00607 U	0.00653 U	0.00118 U	0.00358 U
	MW-336-74.5	04/22/20	PES	PACE	74.5	-40.8	S	0.00698 U	0.00263 U	0.00270 U	0.000477 U	0.000495 U	0.00265 U	0.000407 U	0.00773 U	0.00568 U	0.00611 U	0.00111 U	0.00335 U
	MW-336-79	04/22/20	PES	PACE	79	-45.3	S	0.00720 U	0.00271 U	0.00278 U	0.000492 U	0.000510 U	0.00274 U	0.000420 U	0.00797 U	0.00586 U	0.00630 U	0.00114 U	0.00346 U
	MW-336-85	04/22/20	PES	PACE	85	-51.3	S	0.00721 U	0.00272 U	0.00279 U	0.000493 U	0.000511 U	0.00274 U	0.000421 U	0.00798 U	0.00586 U	0.00631 U	0.00114 U	0.00346 U
	MW-2021-85	05/04/20	PES	PACE	85 (dup)	-51.3	S	0.00691 U	0.00260 U	0.00267 U	0.000472 U	0.000489 U	0.00262 U	0.000403 U	0.00764 U	0.00562 U	0.00604 U	0.00109 U	0.00332 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MW-336 (continued)	MW-336-90	04/22/20	PES	PACE	90	-56.3	S	0.00723 U	0.00272 U	0.00280 U	0.000494 U	0.000512 U	0.00275 U	0.000422 U	0.00801 U	0.00588 U	0.00633 U	0.00115 U	0.00347 U
	MW-336-95	04/22/20	PES	PACE	95	-61.3	S	0.00721 U	0.00272 U	0.00279 U	0.000493 U	0.000511 U	0.00274 U	0.000421 U	0.00798 U	0.00586 U	0.00631 U	0.00114 U	0.00346 U
	MW-2020-95	04/22/20	PES	PACE	95 (dup)	-61.3	S	0.00714 U	0.00269 U	0.00276 U	0.000488 U	0.000506 U	0.00272 U	0.000417 U	0.00791 U	0.00581 U	0.00625 U	0.00113 U	0.00343 U
MW-338	MW-338-10	05/01/20	PES	PACE	10	17.8	S	0.00728 U	0.00274 U	0.00281 U	0.000497 U	0.000515 U	0.00277 U	0.000424 U	0.00805 U	0.00592 U	0.00637 U	0.00115 U	0.00349 U
	MW-338-15	05/01/20	PES	PACE	15	12.8	S	0.00793 U	0.00299 U	0.00307 U	0.000542 U	0.000562 U	0.00302 U	0.000463 U	0.00878 U	0.00645 U	0.00694 U	0.00126 U	0.00381 U
	MW-338-20	05/01/20	PES	PACE	20	7.8	S	0.00695 U	0.00262 U	0.00269 U	0.000475 U	0.000493 U	0.00264 U	0.000406 U	0.00770 U	0.00566 U	0.00608 U	0.00110 U	0.00334 U
	MW-338-23	05/01/20	PES	PACE	23	4.8	S	0.00762 U	0.00287 U	0.00295 U	0.000521 U	0.000540 U	0.00290 U	0.000445 U	0.00844 U	0.00620 U	0.00667 U	0.00121 U	0.00366 U
	MW-338-28	05/01/20	PES	PACE	28	-0.2	S	0.00755 U	0.00284 U	0.00292 U	0.000516 U	0.000534 U	0.00287 U	0.000440 U	0.00835 U	0.00614 U	0.00660 U	0.00119 U	0.00362 U
	MW-338-34	05/01/20	PES	PACE	34	-6.2	S	0.00671 U	0.00253 U	0.00259 U	0.000458 U	0.000475 U	0.00255 U	0.000391 U	0.00742 U	0.00545 U	0.00587 U	0.00106 U	0.00322 U
	MW-338-39	05/01/20	PES	PACE	39	-11.2	S	0.00727 U	0.00274 U	0.00281 U	0.000497 U	0.000515 U	0.00276 U	0.000424 U	0.00804 U	0.00591 U	0.00636 U	0.00115 U	0.00349 U
	MW-338-41	05/01/20	PES	PACE	41	-13.2	S	0.00740 U	0.00279 U	0.00286 U	0.000505 U	0.000524 U	0.00281 U	0.000431 U	0.00819 U	0.00602 U	0.00647 U	0.00117 U	0.00355 U
	MW-338-45	05/01/20	PES	PACE	45	-17.2	S	0.00732 U	0.00276 U	0.00283 U	0.000500 U	0.000519 U	0.00278 U	0.000427 U	0.00811 U	0.00596 U	0.00641 U	0.00116 U	0.00352 U
	MW-338-51	05/01/20	PES	PACE	51	-23.2	S	0.00744 U	0.00280 U	0.00288 U	0.000508 U	0.000527 U	0.00283 U	0.000434 U	0.00823 U	0.00605 U	0.00651 U	0.00118 U	0.00357 U
	MW-338-55	05/01/20	PES	PACE	55	-27.2	S	0.00689 U	0.00259 U	0.00266 U	0.000471 U	0.000488 U	0.00262 U	0.000402 U	0.00762 U	0.00560 U	0.00603 U	0.00109 U	0.00331 U
MW-341	MW-341-85	05/04/20	PES	PACE	85	-56.6	S	0.00682 U	0.00257 U	0.00264 U	0.000466 U	0.000483 U	0.00259 U	0.000398 U	0.00754 U	0.00554 U	0.00596 U	0.00108 U	0.00327 U
	MW-341-90	05/04/20	PES	PACE	90	-61.6	S	0.00675 U	0.00254 U	0.00261 U	0.000461 U	0.000478 U	0.00256 U	0.000394 U	0.00747 U	0.00549 U	0.00591 U	0.00107 U	0.00324 U
	MW-341-95	05/04/20	PES	PACE	95	-66.6	S	0.00699 U	0.00263 U	0.00270 U	0.000478 U	0.000495 U	0.00266 U	0.000408 U	0.00774 U	0.00569 U	0.00612 U	0.00111 U	0.00336 U
	MW-341-99	05/04/20	PES	PACE	99	-70.6	S	0.00703 U	0.00265 U	0.00272 U	0.000481 U	0.000498 U	0.00267 U	0.000410 U	0.00778 U	0.00572 U	0.00616 U	0.00111 U	0.00338 U
	MW-341-104	05/04/20	PES	PACE	104	-75.6	S	0.00716 U	0.00270 U	0.00277 U	0.000489 U	0.000507 U	0.00272 U	0.000417 U	0.00792 U	0.00582 U	0.00626 U	0.00113 U	0.00344 U
MW-343	MW-343-5	04/13/20	PES	PACE	5	22.6	V	0.00678 U	0.0198	0.00262 U	0.000463 U	0.00181 J	0.00258 U	0.000395 U	0.00750 U	0.00551 U	0.00593 U	0.00107 U	0.00325 U
	MW-343-10	04/13/20	PES	PACE	10	17.6	S	0.00710 U	0.0152	0.00275 U	0.000485 U	0.00136 J	0.00270 U	0.000414 U	0.00786 U	0.00572 J	0.00622 U	0.00112 U	0.00341 U
	MW-343-12.5	04/13/20	PES	PACE	12.5	15.1	S	0.00736 U	0.00277 U	0.00285 U	0.000503 U	0.000521 U	0.00280 U	0.000429 U	0.00815 U	0.00599 U	0.00644 U	0.00117 U	0.00353 U
	MW-343-17	04/13/20	PES	PACE	17	10.6	S	0.00690 U	0.00260 U	0.00267 U	0.000472 U	0.000489 U	0.00262 U	0.000403 U	0.00764 U	0.00810 J	0.00604 U	0.00109 U	0.00331 U
	MW-343-24	04/13/20	PES	PACE	24	3.6	S	0.00692 U	0.00261 U	0.00268 U	0.000473 U	0.000965 J	0.00263 U	0.000404 U	0.00766 U	0.0156	0.00605 U	0.00110 U	0.00332 U
	MW-343-28.5	04/13/20	PES	PACE	28.5	-0.9	S	0.00742 U	0.00280 U	0.00287 U	0.000507 U	0.000898 J	0.00282 U	0.000433 U	0.00821 U	0.0117 J	0.00649 U	0.00118 U	0.00356 U
	MW-343-35	04/13/20	PES	PACE	35	-7.4	S	0.00751 U	0.00283 U	0.00290 U	0.000513 U	0.000532 U	0.00285 U	0.000438 U	0.00831 U	0.00611 U	0.00657 U	0.00119 U	0.00360 U
	MW-343-38	04/13/20	PES	PACE	38	-10.4	S	0.00702 U	0.00264 U	0.00271 U	0.000480 U	0.000497 U	0.00267 U	0.000409 U	0.00777 U	0.00571 U	0.00614 U	0.00111 U	0.00337 U
	MW-343-44	04/13/20	PES	PACE	44	-16.4	S	0.00661 U	0.00249 U	0.00256 U	0.000452 U	0.000468 U	0.00251 U	0.000386 U	0.00732 U	0.00538 U	0.00579 U	0.00105 U	0.00317 U
	MW-343-47	04/13/20	PES	PACE	47	-19.4	S	0.00747 U	0.00281 U	0.00289 U	0.000510 U	0.000529 U	0.00284 U	0.000436 U	0.00827 U	0.00607 U	0.00654 U	0.00118 U	0.00359 U
	MW-343-51	04/13/20	PES	PACE	51	-23.4	S	0.00668 U	0.00251 U	0.00258 U	0.000456 U	0.000473 U	0.00254 U	0.000389 U	0.00739 U	0.00543 U	0.00584 U	0.00106 U	0.00320 U
	MW-343-55	04/13/20	PES	PACE	55	-27.4	S	0.00682 U	0.00257 U	0.00264 U	0.000466 U	0.000483 U	0.00259 U	0.000398 U	0.00755 U	0.00555 U	0.00597 U	0.00108 U	0.00327 U
	MW-343-62	04/13/20	PES	PACE	62	-34.4	S	0.00694 U	0.00262 U	0.00268 U	0.000474 U	0.000492 U	0.00264 U	0.000405 U	0.00768 U	0.00565 U	0.00608 U	0.00110 U	0.00333 U
	MW-343-68	04/13/20	PES	PACE	68	-40.4	S	0.00684 U	0.00258 U	0.00264 U	0.000467 U	0.000485 U	0.00260 U	0.000399 U	0.00757 U	0.00556 U	0.00599 U	0.00108 U	0.00328 U
	MW-343-73	04/13/20	PES	PACE	73	-45.4	S	0.00691 U	0.00260 U	0.00267 U	0.000472 U	0.000490 U	0.00263 U	0.000403 U	0.00765 U	0.00562 U	0.00605 U	0.00109 U	0.00332 U
	MW-343-79	04/13/20	PES	PACE	79	-51.4	S	0.00650 U	0.00245 U	0.00251 U	0.000444 U	0.000460 U	0.00247 U	0.000379 U	0.00719 U	0.00528 U	0.00569 U	0.00103 U	0.00312 U
	MW-343-82	04/13/20	PES	PACE	82	-54.4	S	0.00652 U	0.00245 U	0.00252 U	0.000445 U	0.000461 U	0.00248 U	0.000380 U	0.00721 U	0.00530 U	0.00570 U	0.00103 U	0.00313 U
	MW-343-86	04/13/20	PES	PACE	86	-58.4	S	0.00636 U	0.00239 U	0.00246 U	0.000434 U	0.000450 U	0.00241 U	0.000371 U	0.00703 U	0.00517 U	0.00556 U	0.00101 U	0.00305 U
	MW-343-93	04/13/20	PES	PACE	93	-65.4	S	0.00672 U	0.00253 U	0.00260 U	0.000459 U	0.000476 U	0.00255 U	0.000392 U	0.00744 U	0.00547 U	0.00588 U	0.00106 U	0.00323 U
	MW-343-99	04/13/20	PES	PACE	99	-71.4	S	0.00644 U	0.00243 U	0.00249 U	0.000440 U	0.000456 U	0.00245 U	0.000376 U	0.00713 U	0.00524 U	0.00564 U	0.00102 U	0.00309 U
	MW-343-102	04/14/20	PES	PACE	102	-74.4	S	0.00662 U	0.00249 U	0.00256 U	0.000452 U	0.000469 U	0.00252 U	0.000386 U	0.00732 U	0.00538 U	0.00579 U	0.00105 U	0.00318 U
	MW-2017-102	04/14/20	PES	PACE	102 (dup)	-74.4	S	0.00655 U	0.00452 J	0.00253 U	0.000448 U	0.000464 U	0.00249 U	0.000382 U	0.00725 U	0.00533 U	0.00573 U	0.00104 U	0.00314 U
	MW-343-106	04/14/20	PES	PACE	106	-78.4	S	0.00643 U	0.0163	0.00249 U	0.000440 U	0.000456 U	0.00244 U	0.000375 U	0.00712 U	0.00523 U	0.00563 U	0.00106 J	0.00309 U
	MW-343-108	04/14/20	PES	PACE	108	-80.4	S	0.00665 U	0.00787	0.00257 U	0.000454 U	0.000471 U	0.00253 U	0.000388 U	0.00736 U	0.00541 U	0.00582 U	0.00105 U	0.00319 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
PH22	PH22	04/17/18	PES	Fremont	0-3	-	V	0.0608 U	-	-	-	0.0304 U	-	0.0608 U	0.0243 U	0.0608 U	0.0304 U	0.0304 U	0.0608 U
PH34	PH34	04/17/18	PES	Fremont	1.5-6.5	-	V	0.0481 U	-	-	-	0.0240 U	-	0.0481 U	0.0192 U	0.0481 U	0.0240 U	0.0240 U	0.0481 U
PH38	PH38	04/17/18	PES	Fremont	1.5-4	-	V	0.0583 U	-	-	-	0.0292 U	-	0.0583 U	0.0233 U	0.0583 U	0.0292 U	0.0292 U	0.0583 U
PH52	PH52	04/17/18	PES	Fremont	1-5	-	V	0.0564 U	-	-	-	0.0282 U	-	0.0564 U	0.0226 U	0.0564 U	0.0282 U	0.0282 U	0.0564 U
PW-1	Composite	01/01/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PW-4	Composite	05/13/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
R-MW4	Unknown	10/22/92	Roux	Unknown	5	35.9	V	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	15	25.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/22/92	Roux	Unknown	30	10.9	S	-	-	-	-	-	-	-	-	-	-	-	-
R-MW6 (33.3 to 23.3)	Unknown	10/27/92	Roux	Unknown	6	39.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	11	34.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	10/27/92	Roux	Unknown	16	29.3	S	-	-	-	-	-	-	-	-	-	-	-	-
RB1	RB1-17.5	10/18/93	Retec	AAL	17.5	18.4	S	-	-	-	-	-	-	-	-	-	-	-	-
RB2	RB2-12.5	10/18/93	Retec	AAL	12.5	23.6	V	-	-	-	-	-	-	-	-	-	-	-	-
	RB2-17.5	10/18/93	Retec	AAL	17.5	18.6	S	-	-	-	-	-	-	-	-	-	-	-	-
RB3	RB3-17.5	10/18/93	Retec	AAL	17.5	20.5	S	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B100	B-100, S1	06/10/02	Urban	F&BI	5-6.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	B-100, S2	06/10/02	Urban	F&BI	10-11.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B101	B-101- S1&2	06/17/02	Urban	F&BI	0-6	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	B101-S3	06/17/02	Urban	F&BI	8	-	V	-	-	-	-	-	-	-	-	-	-	-	-
SCL-B102	B102-S1	06/17/02	Urban	F&BI	0-3	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	B102-S2	06/17/02	Urban	F&BI	4	-	V	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW101 (25.0 to 15.0)	MW101-S3	06/14/02	Urban	F&BI	16	-	S	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW102	MW-102, S1	06/10/02	Urban	F&BI	5-6.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW-102, S2	06/10/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW103	MW103-S1&S2	06/14/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
SCL-MW105 (10.8 to 0.8)	MW-105, S2	06/10/02	Urban	F&BI	10-11.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	MW-105, S4	06/10/02	Urban	F&BI	20-21.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
SCLB-1	RS1-2.5/RS-1 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-12.5/RS1-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS-1 17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-22.5/RS-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	-
SCLB-2	RS2-2.5/RS-2 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-12.5/RS2-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-22.5/RS2-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
SSD-MW-1	MW-1 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	MW-1 S-6	05/24/89	HC	Unknown	15-16.5	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-2	MW-2 S-3	05/24/89	HC	Unknown	7.5-9	31.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2 S-6	05/24/89	HC	Unknown	15-16.5	31.0	V	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-3	MW-3 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-
	MW-3 S-5	05/24/89	HC	Unknown	12.5-14	34.0	V	-	-	-	-	-	-	-	-	-	-	-	-
SSD-MW-4	MW-4 S-6	05/25/89	HC	Unknown	14.5-16	36.8	V	-	-	-	-	-	-	-	-	-	-	-	-
	MW-4 S-9	05/25/89	HC	Unknown	22-23	29.5	S	-	-	-	-	-	-	-	-	-	-	-	-
SV-04	SV-04-6	06/29/20	PES	PACE	6	-	V	0.00778 U	0.00293 U	0.00301 U	0.000531 U	0.000551 U	0.00295 U	0.000454 U	0.00860 U	0.00632 U	0.00680 U	0.00123 U	0.00373 U
SV-05	SV-05-10	06/29/20	PES	PACE	10	-	V	0.00831 U	0.00313 U	0.00321 U	0.000568 U	0.000588 U	0.00316 U	0.000485 U	0.00919 U	0.00676 U	0.00727 U	0.00132 U	0.00399 U
SV-06	SV-06-6	06/29/20	PES	PACE	6	-	V	0.00765 U	0.00288 U	0.00296 U	0.000523 U	0.000542 U	0.00291 U	0.000447 U	0.00847 U	0.00623 U	0.00670 U	0.00121 U	0.00367 U
SV-07	SV-07-15	06/29/20	PES	PACE	15	-	V	0.00658 U	0.00248 U	0.00254 U	0.000449 U	0.000466 U	0.00250 U	0.000728 U	0.00535 U	0.00575 U	0.00104 U	0.00316 U	0.00316 U
SV-08	SV-08-6	06/30/20	PES	PACE	6	-	V	0.00834 U	0.0112	0.00323 U	0.000570 U	0.00106 J	0.00317 U	0.000487 U	0.00923 U	0.00679 U	0.00730 U	0.00202 J	0.00400 U
	SV-08-7.5	06/30/20	PES	PACE	7.5	-	V	0.00850 U	0.00398 J	0.00329 U	0.000581 U	0.000602 U	0.00323 U	0.000496 U	0.00941 U	0.00692 U	0.00744 U	0.00135 U	0.00408 U
SV-09	SV-09-5.5	07/01/20	PES	PACE	5.5	-	V	0.00794 U	0.00299 U	0.00307 U	0.000543 U	0.000563 U	0.00302 U	0.000463 U	0.00879 U	0.00646 U	0.00695 U	0.00126 U	0.00381 U
SV-10	SV-10-5.5	06/30/20	PES	PACE	5.5	-	V	0.00791 U	0.00298 U	0.00306 U	0.000540 U	0.000560 U	0.00301 U	0.000461 U	0.00875 U	0.00643 U	0.00692 U	0.00125 U	0.00380 U
SV-11	SV-11-10	06/30/20	PES	PACE	10	-	V	0.00802 U	0.00302 U	0.00310 U	0.000548 U	0.000568 U	0.00305 U	0.000468 U	0.00888 U	0.00652 U	0.00702 U	0.00127 U	0.00385 U
SV-12	SV-12-5.5	07/01/20	PES	PACE	5.5	-	V	0.00656 U	0.00980	0.00254 U	0.000448 U	0.000465 U	0.00249 U	0.000383 U	0.00726 U	0.00534 U	0.00574 U	0.00104 U	0.00315 U
SV-13	SV-13-10.5	07/01/20	PES	PACE	10.5	-	V	0.00769 U	0.00290 U	0.00298 U	0.000526 U	0.000545 U	0.00292 U	0.000449 U	0.00852 U	0.00626 U	0.00673 U	0.00122 U	0.00369 U
SV-14	SV-14-5.5	07/01/20	PES	PACE	5.5	-	V	0.00802 U	0.00302 U	0.00310 U	0.000548 U	0.000568 U	0.00305 U	0.000468 U	0.00888 U	0.00652 U	0.00702 U	0.00127 U	0.00385 U
SV-15	SV-15-13	07/01/20	PES	PACE	13	-	V	0.00779 U	0.00293 U	0.00301 U	0.000532 U	0.000552 U	0.00296 U	0.000454 U	0.00862 U	0.00633 U	0.00681 U	0.00123 U	0.00374 U
SV-16	SV-16-5	07/02/20	PES	PACE	5	-	V	0.0159 U	0.0373 J	0.00615 U	0.00109 U	0.00843	0.00605 U	0.000929 U	0.0176 U	0.0190 J	0.0139 U	0.00782 J	0.00850 J
	SV-100-5	07/02/20	PES	PACE	5 (dup)	-	V	0.0143 U	0.0235 J	0.00551 U	0.000975 U	0.00500 J	0.00542 U	0.000831 U	0.0158 U	0.0120 J	0.0125 U	0.00350 J	0.00683 U
SV-17	SV-17-4.5	07/02/20	PES	PACE	4.5	-	V	0.0118 U	0.0539	0.00456 U	0.000806 U	0.00654	0.00448 U	0.000687 U	0.0131 U	0.0724	0.0103 U	0.00906 J	0.00606 J
SV-18	SV-18-5.5	07/02/20	PES	PACE	5.5	-	V	0.00647 U	0.00345 J	0.00250 U	0.000442 U	0.000458 U	0.00246 U	0.000377 U	0.00716 U	0.00526 U	0.00566 U	0.00102 U	0.00310 U
SV-19	SV-19-5	07/09/20	PES	PACE	5	-	V	0.00646 U	0.00243 U	0.00250 U	0.000442 U	0.000458 U	0.00246 U	0.000377 U	0.00715 U	0.00526 U	0.00565 U	0.00102 U	0.00310 U
SV-20	SV-20-9	07/09/20	PES	PACE	9	-	V	0.00849 U	0.00320 U	0.00328 U	0.000580 U	0.000602 U	0.00323 U	0.000495 U	0.00940 U	0.00691 U	0.00743 U	0.00134 U	0.00408 U
SV-21	SV-21-6	07/09/20	PES	PACE	6	-	V	0.00658 U	0.00248 U	0.00254 U	0.000449 U	0.000466 U	0.00250 U	0.000384 U	0.00728 U	0.00535 U	0.00575 U	0.00104 U	0.00316 U
SV-22	SV-22-8.5	07/09/20	PES	PACE	8.5	-	V	0.0123 U	0.00516 U	0.00474 U	0.000838 U	0.000869 U	0.00466 U	0.000715 U	0.0136 U	0.00996 U	0.0107 U	0.00195 U	0.00588 U
SV-23	SV-23-4.5	07/09/20	PES	PACE	4.5	-	V	0.00907 U	0.00342 U	0.00351 U	0.000620 U	0.000643 U	0.00345 U	0.000529 U	0.0100 U	0.00738 U	0.00794 U	0.00144 U	0.00435 U
SV-24	SV-24-8	07/09/20	PES	PACE	8	-	V	0.00651 U	0.00245 U	0.00252 U	0.000445 U	0.000461 U	0.00248 U	0.000380 U	0.00721 U	0.00530 U	0.00570 U	0.00103 U	0.00313 U
SV-25	SV-25-4	07/10/20	PES	PACE	4	-	V	0.00790 U	0.00298 U	0.00306 U	0.000540 U	0.000560 U	0.00300 U	0.000461 U	0.00875 U	0.00643 U	0.00691 U	0.00125 U	0.00379 U
SV-26	SV-26-12	07/10/20	PES	PACE	12	-	V	0.00878 U	0.00331 U	0.00340 U	0.000600 U	0.000622 U	0.00334 U	0.000512 U	0.00972 U	0.00714 U	0.00768 U	0.00139 U	0.00422 U
SV-27	SV-27-5.5	07/10/20	PES	PACE	5.5	-	V	0.00787 U	0.00297 U	0.00304 U	0.000538 U	0.000558 U	0.00299 U	0.000459 U	0.00871 U	0.00640 U	0.00689 U	0.00125 U	0.00378 U
	SV-27-13.5	07/10/20	PES	PACE	13.5	-	V	0.00788 U	0.00297 U	0.00305 U	0.000539 U	0.000558 U	0.00300 U	0.000460 U	0.00872 U	0.00641 U	0.00690 U	0.00125 U	0.00378 U
TB-12	16	08/01/97	B&V	Unknown	62-63	-24.5	S	-	-	-	-	-	-	-	-	-	-	-	-
TB-18	S-2	03/17/98	B&V	Unknown	5-6.5	38.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	S-8	03/17/98	B&V	Unknown	20-21.5	23.3	S	-	-	-	-	-	-	-	-	-	-	-	-
	S-21	03/17/98	B&V	Unknown	57.5-59	1.2	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
T1	T1-2.5-071718	07/17/18	PES	Fremont	2.5	-	V	0.0531 U	-	-	-	0.0265 U	-	0.0531 U	0.0212 U	0.0531 U	0.0265 U	0.0265 U	0.0531 U
T-2	T-2-071618	07/16/18	PES	Fremont	2	-	V	0.0287 U	-	-	-	0.0143 U	-	0.0287 U	0.0115 U	0.0287 U	0.0143 U	0.0143 U	0.0287 U
T-2B	T-2B-071618	07/16/18	PES	Fremont	2	-	V	0.0593 U	-	-	-	0.0297 U	-	0.0593 U	0.0237 U	0.0593 U	0.0297 U	0.0297 U	0.0593 U
T2	T2-6-071718	07/17/18	PES	Fremont	6	-	V	0.0614 U	-	-	-	0.0307 U	-	0.0614 U	0.0245 U	0.0614 U	0.0307 U	0.0307 U	0.0614 U
T3	T3-3-071718	07/17/18	PES	Fremont	3	-	V	0.0573 U	-	-	-	0.0287 U	-	0.0573 U	0.0229 U	0.0573 U	0.0287 U	0.0287 U	0.0573 U
T4	T4-6-071718	07/17/18	PES	Fremont	6	-	V	0.0516 U	-	-	-	0.0258 U	-	0.0516 U	0.0206 U	0.0516 U	0.0258 U	0.0258 U	0.0516 U
T-5	T-5-071618	07/16/18	PES	Fremont	5	-	V	0.0509 U	-	-	-	0.0255 U	-	0.0509 U	0.0204 U	0.0509 U	0.0255 U	0.0255 U	0.0509 U
T6	T6-4-071818	07/18/18	PES	Fremont	4	-	V	0.0474 U	-	-	-	0.0237 U	-	0.0474 U	0.0189 U	0.0474 U	0.0237 U	0.0237 U	0.0474 U
T7	T7-7-071818	07/18/18	PES	Fremont	7	-	V	0.0684 U	-	-	-	0.0342 U	-	0.0684 U	0.0274 U	0.0684 U	0.0342 U	0.0342 U	0.0684 U
T8	T8-3-072018	07/20/18	PES	Fremont	3	-	V	0.0536 U	-	-	-	0.0268 U	-	0.0536 U	0.0214 U	0.0536 U	0.0268 U	0.0268 U	0.0536 U
T8	T8-6-072018	07/20/18	PES	Fremont	6	-	V	0.0753 U	-	-	-	0.0377 U	-	0.0753 U	0.0301 U	0.0753 U	0.0377 U	0.0377 U	0.0753 U
T9	T9-3-072018	07/20/18	PES	Fremont	3	-	V	0.0875 U	-	-	-	0.0437 U	-	0.0875 U	0.0350 U	0.0875 U	0.0437 U	0.0437 U	0.0875 U
T9	T9-3.5-072018	07/20/18	PES	Fremont	3.5	-	V	0.0583 U	-	-	-	0.0291 U	-	0.0583 U	0.0233 U	0.404	0.0291 U	0.0291 U	0.0583 U
T9	T9-6-072018	07/20/18	PES	Fremont	6	-	V	0.0605 U	-	-	-	0.0303 U	-	0.0605 U	0.0242 U	0.0605 U	0.0303 U	0.0303 U	0.0605 U
T10	T10-3-072018	07/20/18	PES	Fremont	3	-	V	0.103 U	-	-	-	0.0513 U	-	0.103 U	0.0411 U	0.103 U	0.0513 U	0.0513 U	0.103 U
T10	T10-6-072018	07/20/18	PES	Fremont	6	-	V	0.0556 U	-	-	-	0.0278 U	-	0.0556 U	0.0222 U	0.0556 U	0.0278 U	0.0278 U	0.0556 U
T11	T11-3.5-073118	07/31/18	PES	Fremont	3.5	-	V	0.0716 U	-	-	-	0.0358 U	-	0.0716 U	0.0286 U	0.0716 U	0.0358 U	0.0358 U	0.0716 U
T12	T12-3-091818	09/18/18	PES	Fremont	3	-	V	0.0614 U	-	-	-	0.0307 U	-	0.0614 U	0.0245 U	0.0614 U	0.0307 U	0.0307 U	0.0614 U
T12	T12-7-091818	09/18/18	PES	Fremont	7	-	V	0.0607 U	-	-	-	0.0303 U	-	0.0607 U	0.0243 U	0.0607 U	0.0303 U	0.0303 U	0.0607 U
T12	T12-7.5-073118	07/31/18	PES	Fremont	7.5	-	V	0.0519 U	-	-	-	0.0259 U	-	0.0519 U	0.0207 U	0.0519 U	0.0259 U	0.0259 U	0.0519 U
T13	T13-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	0.0567 U	-	-	-	0.0283 U	-	0.0567 U	0.0227 U	0.0567 U	0.0283 U	0.0283 U	0.0567 U
T13	T13-6.5-091818	09/18/18	PES	Fremont	6.5	-	V	0.0500 U	-	-	-	0.0250 U	-	0.0500 U	0.0200 U	0.0500 U	0.0250 U	0.0250 U	0.0500 U
T14	T14-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	0.0599 U	-	-	-	0.0300 U	-	0.0599 U	0.0240 U	0.0599 U	0.0300 U	0.0300 U	0.0599 U
T14	T14-7-091818	09/18/18	PES	Fremont	7	-	V	0.0635 U	-	-	-	0.0318 U	-	0.0635 U	0.0254 U	0.0635 U	0.0318 U	0.0318 U	0.0635 U
TP-15	TP-15-3-092818	09/28/18	PES	Fremont	3	-	V	0.0609 U	-	-	-	0.0304 U	-	0.0609 U	0.0244 U	0.0609 U	0.0304 U	0.0304 U	0.0609 U
TP-15	TP-15-6.5-092818	09/28/18	PES	Fremont	6.5	-	V	0.0625 U	-	-	-	0.0313 U	-	0.0625 U	0.0250 U	0.0625 U	0.0313 U	0.0313 U	0.0625 U
TP-16	TP-16-3-092818	09/28/18	PES	Fremont	3	-	V	0.0852 U	-	-	-	0.0426 U	-	0.0852 U	0.0341 U	0.0852 U	0.0426 U	0.0426 U	0.0852 U
TP-16	TP-16-6-092818	09/28/18	PES	Fremont	6	-	V	0.0892 U	-	-	-	0.0446 U	-	0.0892 U	0.0357 U	0.0892 U	0.0446 U	0.0446 U	0.0892 U
TP-16	TP-16-9-092818	09/28/18	PES	Fremont	9	-	V	0.0525 U	-	-	-	0.0263 U	-	0.0525 U	0.0210 U	0.0525 U	0.0263 U	0.0263 U	0.0525 U
TP-SD-01	TP-SD-01-2	06/03/19	PES	Fremont	2	-	V	0.0429 U	-	-	-	0.0214 U	-	0.0429 U	0.0172 U	0.0429 U	0.0214 U	0.0214 U	0.0429 U
TP-SD-01	TP-SD-01-5	06/03/19	PES	Fremont	5	-	V	0.0534 U	-	-	-	0.0267 U	-	0.0534 U	0.0213 U	0.0534 U	0.0267 U	0.0267 U	0.0534 U
TP-SD-04	TP-SD-04-2	06/03/19	PES	Fremont	2	-	V	0.0504 U	-	-	-	0.0252 U	-	0.0504 U	0.0202 U	0.0504 U	0.0252 U	0.0252 U	0.0504 U
TP-SD-04	TP-SD-04-5	06/03/19	PES	Fremont	5	-	V	0.0544 U	-	-	-	0.0272 U	-	0.0544 U	0.0218 U	0.0544 U	0.0272 U	0.0272 U	0.0544 U
TP-SD-05	TP-SD-05-2	06/03/19	PES	Fremont	2	-	V	0.0517 U	-	-	-	0.0258 U	-	0.0517 U	0.0207 U	0.114	0.0258 U	0.0258 U	0.0517 U
TP-SD-05	TP-SD-05-5	06/03/19	PES	Fremont	5	-	V	0.0585 U	-	-	-	0.0292 U	-	0.0585 U	0.0234 U	0.0665	0.0292 U	0.0292 U	0.0585 U
TP-SD-06	TP-SD-06-2	06/03/19	PES	Fremont	2	-	V	0.0688 U	-	-	-	0.0344 U	-	0.0688 U	0.0275 U	0.0688 U	0.0344 U	0.0344 U	0.0688 U
TP-SD-06	TP-SD-06-5	06/03/19	PES	Fremont	5	-	V	0.0544 U	-	-	-	0.0272 U	-	0.0544 U	0.0218 U	0.0544 U	0.0272 U	0.0272 U	0.0544 U
TP-SD-07	TP-SD-07-2	06/03/19	PES	Fremont	2	-	V	0.0435 U	-	-	-	0.0217 U	-	0.0435 U	0.0174 U	0.0435 U	0.0217 U	0.0217 U	0.0435 U
TP-SD-07	B-942-2	06/03/19	PES	Fremont	2 (dup)	-	V	0.0466 U	-	-	-	0.0233 U	-	0.0466 U	0.0186 U	0.0466 U	0.0233 U	0.0233 U	0.0466 U
TP-SD-07	TP-SD-07-5	06/03/19	PES	Fremont	5	-	V	0.0424 U	-	-	-	0.0212 U	-	0.0424 U	0.0169 U	0.0424 U	0.0212 U	0.0212 U	0.0424 U
TP-SD-08	TP-SD-08-2	06/03/19	PES	Fremont	2	-	V	0.0483 U	-	-	-	0.0242 U	-	0.0483 U	0.0193 U	0.0483 U	0.0242 U	0.0242 U	0.0483 U
TP-SD-08	TP-SD-08-5	06/03/19	PES	Fremont	5	-	V	0.0415 U	-	-	-	0.0207 U	-	0.0415 U	0.0166 U	0.0415 U	0.0207 U	0.0207 U	0.0415 U
TP-SD-08	TP-SD-08-8	06/03/19	PES	Fremont	8	-	S	0.0498 U	-	-	-	0.0249 U	-	0.0498 U	0.0199 U	0.0498 U	0.0249 U	0.0249 U	0.0498 U
W-MW-01 (P-03) (-25.1 to -35.1)	SB-W-03-0160	01/27/12	WW	ARI	16-16.5	28.4	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0225	01/27/12	WW	ARI	22.5-23	21.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0315	01/27/12	WW	ARI	31.5-32	12.9	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0450	01/27/12	WW	ARI	45-45.5	-0.6	S	-	-	-	-	-	-	-	-	-	-	-	-
	SB-W-03-0550	01/27/12	WW	ARI	55.5-56	-11.1	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3	
W-MW-01 (P-03) (continued)	SB-W-03-0645	01/27/12	WW	ARI	64.5-65	-20.1	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-03-0730	01/27/12	WW	ARI	73-73.5	-28.6	S	-	-	-	-	-	-	-	-	-	-	-	-	
W-MW-02 (P-06) (-26.5 to -36.5)	SB-W-06-0900	01/29/12	WW	ARI	9-9.5	34.0	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0185	01/29/12	WW	ARI	18.5-19	24.5	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0305	01/30/12	WW	ARI	30.5-31	12.6	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0380	01/30/12	WW	ARI	38-38.5	5.0	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0405	01/30/12	WW	ARI	40.5-41	2.5	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0485	01/30/12	WW	ARI	48.5-49	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-9485	01/30/12	WW	ARI	48.5-49 (dup)	-5.5	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0590	01/30/12	WW	ARI	59-59.5	-16.0	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0715	01/30/12	WW	ARI	71.5-72	-28.5	S	-	-	-	-	-	-	-	-	-	-	-	-	
	SB-W-06-0790	01/31/12	WW	ARI	79-79.5	-36.0	S	-	-	-	-	-	-	-	-	-	-	-	-	
All Data								Number of Analytes Measured	644	585	585	598	646	598	644	644	644	644	644	644
								Number of Analytes Detected	0	200	0	1	38	0	8	84	56	17	37	21
								Frequency of Detection	0.0%	34.2%	0.0%	0.2%	5.9%	0.0%	1.2%	13.0%	8.7%	2.6%	5.7%	3.3%
								Maximum Detection	-	3.06	-	0.000791 J	4.94	-	0.00683 J	1.15 J	27.6 R	5.35	21.2	1.93
								Minimum Detection	0.000355 U	0.000301 U	0.0024 U	0.000258 U	0.000254 U	0.00195 U	0.00022 U	0.00104 U	0.00105 U	0.00027 U	0.000216 U	0.00021 U
								Number Of Vadose (V) Detections above SL	0	0	-	-	0	0	0	0	0	0	0	
								Number of Saturated (S) Detections above SL	0	1	-	-	3	0	0	3	4	3	4	2
2017-2021								Number of Analytes Measured	644	585	585	598	644	598	644	644	644	644	644	644
								Number of Analytes Detected	0	200	0	1	38	0	8	84	56	17	37	21
								Frequency of Detection	0.0%	34.2%	0.0%	0.2%	5.9%	0.0%	1.2%	13.0%	8.7%	2.6%	5.7%	3.3%
								Maximum Detection	-	3.06	-	0.000791 J	4.94	-	0.00683 J	1.15 J	27.6 R	5.35	21.2	1.93
								Minimum Detection	0.000355 U	0.000301 U	0.0024 U	0.000258 U	0.000254 U	0.00195 U	0.00022 U	0.00104 U	0.00105 U	0.00027 U	0.000216 U	0.00021 U
								Number Of Vadose (V) Detections above SL	0	0	-	-	0	0	0	0	0	0		
								Number of Saturated (S) Detections above SL	0	1	-	-	3	0	0	3	4	3	4	2
Abbreviations:								Notes:												
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.												
ARI = Analytical Resource, Incorporated, Seattle, Washington								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.												
B&V = Black Veatch								Well screen elevations provided below Sample Location. in parentheses when applicable.												
bgs = below ground surface								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.												
Comp = Composite Sample								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.												
dup = duplicate								Detected results shown in bold .												
EPJ = E.PJohnson Construction Inc., and Environmental								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .												
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .												
F&BI = Friedman & Bruya, Inc.								- = Not available or results not analyzed.												
HC = Hart Crowser, Inc.								B = Analyte detected in an associated method blank.												
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.												
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.												
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.												
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.												
Roux = Roux Associates								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample												
Urban = Urban Redevelopment LLC								T = Analyte also detected in trip blank.												
WW = WW Environmental LLC								U = Not detected at a concentration exceeding laboratory reporting limit												
								ve = Estimated value. The reported range exceeds the calibration range of the analysis.												
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.												

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-1A	B-1/S-2	12/01/89	HC	ARI	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-2A	B-2/S-1	12/01/89	HC	ARI	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-212	B-212-15	09/08/17	PES	ESC	15	42.6	V	0.000270 U	0.000237 U	0.000318 U	0.000500 U	0.000304 U	0.000308 U	0.000896 U	0.000321 U	0.000440 U	0.00275 U	0.000335 U	0.000804 U
	B-212-21	09/08/17	PES	ESC	21	36.6	S	0.000243 U	0.000214 U	0.000490 J	0.000649 J	0.000274 U	0.000277 U	0.000808 U	0.000290 U	0.000397 U	0.00248 U	0.000302 U	0.0131
	B-212-35	09/08/17	PES	ESC	35	22.6	S	0.000255 U	0.000225 U	0.000955 J	0.000473 U	0.000288 U	0.000291 U	0.000848 U	0.000304 U	0.000417 U	0.00261 U	0.000317 U	0.000761 U
	B-212-45	09/08/17	PES	ESC	45	12.6	S	0.000245 U	0.000216 U	0.000289 U	0.000454 U	0.000276 U	0.000279 U	0.000814 U	0.000292 U	0.000400 U	0.00250 U	0.000304 U	0.000730 U
	B-907-25	09/08/17	PES	ESC	45 (dup)	12.6	S	0.00699 U	0.00616 U	0.00825 U	0.0129 U	0.00789 U	0.00799 U	0.0232 U	0.00834 U	0.0114 U	0.0715 U	0.00870 U	0.0208 U
	B-212-55	09/08/17	PES	ESC	55	2.6	S	0.000264 U	0.000232 U	0.000311 U	0.000490 U	0.000298 U	0.000301 U	0.000878 U	0.000315 U	0.000431 U	0.00270 U	0.000328 U	0.000787 U
	B-212-65	09/08/17	PES	ESC	65	-7.4	S	0.000272 U	0.000239 U	0.000320 U	0.000504 U	0.000306 U	0.000310 U	0.000903 U	0.000324 U	0.000443 U	0.00277 U	0.000338 U	0.000810 U
	B-212-75	09/08/17	PES	ESC	75	-17.4	S	0.000272 U	0.000240 U	0.000321 U	0.000505 U	0.000307 U	0.000311 U	0.000905 U	0.000324 U	0.000444 U	0.00278 U	0.000338 U	0.000812 U
	B-212-85	09/11/17	PES	ESC	85	-27.4	S	0.000266 U	0.000234 U	0.000313 U	0.000492 U	0.000300 U	0.000303 U	0.000883 U	0.000317 U	0.000433 U	0.00271 U	0.000330 U	0.000792 U
	B-212-95	09/11/17	PES	ESC	95	-37.4	S	0.000306 U	0.000269 U	0.000361 U	0.000568 U	0.000345 U	0.000349 U	0.001102 U	0.000365 U	0.000499 U	0.00313 U	0.000381 U	0.000913 U
	B-212-100	09/11/17	PES	ESC	100	-42.4	S	0.000282 U	0.000249 U	0.000333 U	0.000524 U	0.000319 U	0.000322 U	0.000939 U	0.000337 U	0.000461 U	0.00288 U	0.000351 U	0.000842 U
B-213	B-213-15	09/05/17	PES	ESC	15	42.4	V	0.000271 U	0.000239 U	0.00289	0.000503 U	0.000306 U	0.000309 U	0.000902 U	0.000323 U	0.000443 U	0.00277 U	0.000337 U	0.000809 U
	B-213-21.5	09/05/17	PES	ESC	22	35.9	S	0.000244 U	0.000215 U	0.00263	0.000540 J	0.000275 U	0.000278 U	0.000811 U	0.000291 U	0.000398 U	0.00249 U	0.000303 U	0.0126 J
	B-213-35	09/05/17	PES	ESC	35	22.4	S	0.000253 U	0.000223 U	0.000299 U	0.000470 U	0.000286 U	0.000289 U	0.000842 U	0.000302 U	0.000414 U	0.00259 U	0.000315 U	0.000756 U
	B-213-45	09/05/17	PES	ESC	45	12.4	S	0.000259 U	0.000228 U	0.000306 U	0.000481 U	0.000293 U	0.000296 U	0.000862 U	0.000309 U	0.000423 U	0.00265 U	0.000323 U	0.000774 U
	B-213-55	09/05/17	PES	ESC	55	2.4	S	0.000255 U	0.000224 U	0.000300 U	0.000472 U	0.000287 U	0.000291 U	0.000847 U	0.000304 U	0.000416 U	0.00260 U	0.000317 U	0.000760 U
	B-213-65	09/05/17	PES	ESC	65	-7.6	S	0.000257 U	0.000227 U	0.000304 U	0.000478 U	0.000290 U	0.000294 U	0.000856 U	0.000307 U	0.000420 U	0.00263 U	0.000320 U	0.000768 U
	B-213-75	09/05/17	PES	ESC	75	-17.6	S	0.000256 U	0.000225 U	0.000302 U	0.000474 U	0.000289 U	0.000292 U	0.000850 U	0.000305 U	0.000417 U	0.00261 U	0.000318 U	0.000763 U
	B-213-85	09/05/17	PES	ESC	85	-27.6	S	0.000285 U	0.000251 U	0.000336 U	0.000529 U	0.000322 U	0.000325 U	0.000948 U	0.000340 U	0.000466 U	0.00291 U	0.000355 U	0.000851 U
	B-213-95	09/06/17	PES	ESC	95	-37.6	S	0.000289 U	0.000254 U	0.000341 U	0.000536 U	0.000326 U	0.000330 U	0.000961 U	0.000345 U	0.000472 U	0.00295 U	0.000359 U	0.000862 U
	B-213-105	09/06/17	PES	ESC	105	-47.6	S	0.000269 U	0.000237 U	0.000317 U	0.000499 U	0.000303 U	0.000307 U	0.000894 U	0.000321 U	0.000439 U	0.00275 U	0.000334 U	0.000802 U
	B-906-110	09/06/17	PES	ESC	105 (dup)	-47.6	S	0.000269 U	0.000237 U	0.000317 U	0.000498 U	0.000303 U	0.000307 U	0.000893 U	0.000320 U	0.000439 U	0.00274 U	0.000334 U	0.000801 U
	B-213-115	09/06/17	PES	ESC	115	-57.6	S	0.000287 U	0.000253 U	0.000338 U	0.000532 U	0.000324 U	0.000327 U	0.000954 U	0.000342 U	0.000468 U	0.00293 U	0.000357 U	0.000856 U
	B-213-125	09/06/17	PES	ESC	125	-67.6	S	0.000346 U	0.000305 U	0.000408 U	0.000642 U	0.000391 U	0.000395 U	0.001115 U	0.000413 U	0.000566 U	0.00354 U	0.000431 U	0.00103 U
B-214	B-214-15	09/07/17	PES	ESC	15	42.4	V	0.000251 U	0.000221 U	0.000296 U	0.000465 U	0.000283 U	0.000286 U	0.000834 U	0.000299 U	0.000410 U	0.00256 U	0.000312 U	0.000748 U
	B-214-25	09/07/17	PES	ESC	25	32.4	S	0.000247 U	0.000218 U	0.000292 U	0.000459 U	0.000279 U	0.000282 U	0.000822 U	0.000295 U	0.000404 U	0.00253 U	0.000308 U	0.000738 U
	B-214-35	09/07/17	PES	ESC	35	22.4	S	0.000254 U	0.000224 U	0.000300 U	0.000471 U	0.000287 U	0.000290 U	0.000845 U	0.000303 U	0.000415 U	0.00260 U	0.000316 U	0.000758 U
	B-214-45	09/07/17	PES	ESC	45	12.4	S	0.000249 U	0.000219 U	0.000294 U	0.000462 U	0.000281 U	0.000284 U	0.000828 U	0.000297 U	0.000407 U	0.00254 U	0.000310 U	0.000743 U
	B-214-55	09/07/17	PES	ESC	55	2.4	S	0.000260 U	0.000229 U	0.000306 U	0.000482 U	0.000293 U	0.000296 U	0.000864 U	0.000310 U	0.000424 U	0.00265 U	0.000323 U	0.000775 U
	B-214-65	09/07/17	PES	ESC	65	-7.6	S	0.000301 U	0.000265 U	0.000355 U	0.000559 U	0.000340 U	0.000344 U	0.001100 U	0.000359 U	0.000492 U	0.00308 U	0.000375 U	0.000898 U
	B-214-75	09/07/17	PES	ESC	75	-17.6	S	0.000260 U	0.000229 U	0.000307 U	0.000482 U	0.000293 U	0.000297 U	0.000864 U	0.000310 U	0.000424 U	0.00266 U	0.000323 U	0.000775 U
	B-214-85	09/07/17	PES	ESC	85	-27.6	S	0.000281 U	0.000248 U	0.000332 U	0.000522 U	0.000317 U	0.000321 U	0.000935 U	0.000335 U	0.000459 U	0.00287 U	0.000350 U	0.000839 U
	B-908-100	09/07/17	PES	ESC	85 (dup)	-27.6	S	0.000262 U	0.000230 U	0.000309 U	0.000485 U	0.000295 U	0.000298 U	0.000870 U	0.000312 U	0.000427 U	0.00267 U	0.000325 U	0.000780 U
	B-214-95	09/07/17	PES	ESC	95	-37.6	S	0.000257 U	0.000226 U	0.000303 U	0.000476 U	0.000290 U	0.000293 U	0.000854 U	0.000306 U	0.000419 U	0.00262 U	0.000319 U	0.000766 U
	B-214-105	09/07/17	PES	ESC	105	-47.6	S	0.000296 U	0.000261 U	0.000349 U	0.000549 U	0.000334 U	0.000338 U	0.000984 U	0.000353 U	0.000483 U	0.00302 U	0.000368 U	0.000883 U
	B-214-115	09/11/17	PES	ESC	115	-57.6	S	0.000285 U	0.000251 U	0.000337 U	0.000529 U	0.000322 U	0.000326 U	0.000949 U	0.000340 U	0.000466 U	0.00292 U	0.000355 U	0.000851 U
	B-214-120	09/11/17	PES	ESC	120	-62.6	S	0.000276 U	0.000243 U	0.000326 U	0.000513 U	0.000312 U	0.000315 U	0.000919 U	0.000329 U	0.000451 U	0.00282 U	0.000344 U	0.000824 U
B-215	B-215-15	09/12/17	PES	ESC	15	39.0	V	0.000254 U	0.000223 U	0.000299 U	0.000471 U	0.000286 U	0.000290 U	0.000844 U	0.000303 U	0.000414 U	0.00259 U	0.000316 U	0.000757 U
	B-215-25	09/12/17	PES	ESC	25	29.0	S	0.000250 U	0.000220 U	0.00480	0.000464 U	0.000283 U	0.000286 U	0.000833 U	0.000299 U	0.000409 U	0.00256 U	0.000311 U	0.000747 U
	B-215-35	09/12/17	PES	ESC	35	19.0	S	0.000276 U	0.000243 U	0.0277	0.000512 U	0.000311 U	0.000315 U	0.000917 U	0.000195	0.000450 U	0.00282 U	0.000343 U	0.000823 U
	B-215-45	09/12/17	PES	ESC	45	9.0	S	0.000249 U	0.000219 U	0.000294 U	0.000462 U	0.000281 U	0.000284 U	0.000828 U	0.000297 U	0.000406 U	0.00254 U	0.000310 U	0.000743 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-215 (continued)	B-215-55	09/12/17	PES	ESC	55	-1.1	S	0.000259 U	0.000228 U	0.000306 U	0.000481 U	0.000292 U	0.000296 U	0.000862 U	0.000309 U	0.000423 U	0.00265 U	0.000322 U	0.000773 U
	B-215-65	09/12/17	PES	ESC	65	-11.1	S	0.00669 U	0.00589 U	11.1	0.0124 U	0.00755 U	0.00764 U	0.0222 U	1.02	0.0109 U	0.0684 U	0.00833 U	0.0199 U
	B-215-75	09/12/17	PES	ESC	75	-21.1	S	0.000258 U	0.000227 U	0.000304 U	0.000479 U	0.000291 U	0.000294 U	0.000858 U	0.000308 U	0.000421 U	0.00264 U	0.000321 U	0.000770 U
	B-215-85	09/13/17	PES	ESC	85	-31.1	S	0.000282 U	0.000248 U	0.000333 U	0.000523 U	0.000318 U	0.000322 U	0.000938 U	0.000336 U	0.000461 U	0.00288 U	0.000351 U	0.000841 U
	B-909-115	09/13/17	PES	ESC	85 (dup)	-31.1	S	0.000262 U	0.000231 U	0.000309 U	0.000486 U	0.000296 U	0.000299 U	0.000872 U	0.000313 U	0.000428 U	0.00268 U	0.000326 U	0.000782 U
	B-215-95	09/13/17	PES	ESC	95	-41.1	S	0.000280 U	0.000247 U	0.000330 U	0.000519 U	0.000316 U	0.000320 U	0.000931 U	0.000334 U	0.000457 U	0.00286 U	0.000348 U	0.000835 U
B-268	B-268-1	03/17/20	PES	PACE	1	-	V	0.00339 U	0.00192 U	0.00381	0.00155 U	0.00177 U	0.00190 U	0.00174 U	0.000496 U	0.000620 U	0.00437 U	0.000847 U	0.00593 U
B-269	B-269-1.5	03/17/20	PES	PACE	1.5	-	V	0.00298 U	0.00169 U	0.000764 U	0.0161	0.00156 U	0.00167 U	0.00153 U	0.000437 U	0.000546 U	0.00384 U	0.000746 U	0.0659
B-270	B-270-2	03/17/20	PES	PACE	2	-	V	0.00330 U	0.00187 U	0.000847 U	0.00151 U	0.00173 U	0.00185 U	0.00169 U	0.000484 U	0.000605 U	0.00426 U	0.000826 U	0.0269
B-271	B-271-1	03/17/20	PES	PACE	1	-	V	0.00293 U	0.00166 U	0.00661	0.00144 J	0.00154 U	0.00164 U	0.00150 U	0.000429 U	0.000537 U	0.00378 U	0.000733 U	0.00513 U
B-272	B-272-1	03/17/20	PES	PACE	1	-	V	0.00322 U	0.00183 U	0.0126	0.0400	0.00169 U	0.00180 U	0.00165 U	0.000472 U	0.000590 U	0.00415 U	0.000805 U	0.0141
	B-272-6	03/17/20	PES	PACE	6	-	V	0.00338 U	0.00192 U	0.0126	0.00613 J	0.00177 U	0.00189 U	0.00173 U	0.000495 U	0.000619 U	0.00436 U	0.000845 U	0.00592 U
B-273	B-273-1	03/17/20	PES	PACE	1	-	V	0.00306 U	0.00174 U	0.000786 U	0.00210 J	0.00160 U	0.00172 U	0.00157 U	0.000449 U	0.000561 U	0.00395 U	0.000767 U	0.00536 U
	B-273-3	03/17/20	PES	PACE	3	-	V	0.00302 U	0.00171 U	0.144	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.00179	0.000553 U	0.00389 U	0.000755 U	0.00528 U
	B-273-6	03/17/20	PES	PACE	6	-	V	0.00605 U	0.00344 U	0.220	0.0104 J	0.00317 U	0.00339 U	0.00311 U	0.00122 J	0.00111 U	0.00780 U	0.00151 U	0.0163
B-274	B-274-1	03/17/20	PES	PACE	1	-	V	0.00307 U	0.00174 U	0.00690	0.00750	0.00161 U	0.00172 U	0.00157 U	0.000450 U	0.000562 U	0.00396 U	0.000768 U	0.0144
	B-274-3	03/17/20	PES	PACE	3	-	V	0.00296 U	0.00168 U	0.0175	0.00135 U	0.00155 U	0.00166 U	0.00152 U	0.000433 U	0.000541 U	0.00381 U	0.000740 U	0.00518 U
	B-274-6	03/17/20	PES	PACE	6	-	V	0.00485 U	0.00276 U	0.134	0.0123	0.00401 J	0.00271 U	0.00250 U	0.00613	0.000889 U	0.00625 U	0.00121 U	0.0149
B-275	B-275-1	03/17/20	PES	PACE	1	-	V	0.00320 U	0.00182 U	0.110	0.00147 U	0.00168 U	0.00180 U	0.00164 U	0.00466	0.000587 U	0.00413 U	0.000802 U	0.00561 U
	B-275-6	03/17/20	PES	PACE	6	-	V	0.00506 U	0.00287 U	2.41	0.0938	0.00518 J	0.00284 U	0.00259 U	0.108	0.000926 U	0.00651 U	0.00126 U	0.189
	B-275-9	03/17/20	PES	PACE	9	-	S	0.00420 U	0.00238 U	0.00108 U	0.00665 J	0.00220 U	0.00235 U	0.00215 U	0.000615 U	0.000769 U	0.00542 U	0.00105 U	0.00735 U
	B-275-10	03/17/20	PES	PACE	10	-	S	0.00300 U	0.00170 U	0.0164	0.00142 J	0.00157 U	0.00168 U	0.00154 U	0.000440 U	0.000550 U	0.00387 U	0.000751 U	0.00526 U
B-276	B-276-1	03/17/20	PES	PACE	1	-	V	0.00504 U	0.00286 U	0.00336 J	0.00231 U	0.00263 U	0.00283 U	0.00259 U	0.000738 U	0.000922 U	0.00649 U	0.00126 U	0.00882 U
	B-276-7	03/17/20	PES	PACE	7	-	V	0.00302 U	0.00171 U	0.00811	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.00341	0.000553 U	0.00389 U	0.000755 U	0.00529 U
	B-970-6	03/17/20	PES	PACE	7 (dup)	-	V	0.00302 U	0.00172 U	0.00976	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.00361	0.000553 U	0.00390 U	0.000756 U	0.00529 U
	B-276-11	03/17/20	PES	PACE	11	-	S	0.00319 U	0.00181 U	0.000818 U	0.00217 J	0.00167 U	0.00179 U	0.00164 U	0.000467 U	0.000584 U	0.00411 U	0.00682	0.00558 U
B-277	B-277-1	03/18/20	PES	PACE	1	-	V	0.00344 U	0.00195 U	0.00434	0.00158 U	0.00180 U	0.00193 U	0.00176 U	0.000504 U	0.000630 U	0.00444 U	0.000861 U	0.00602 U
	B-277-3	03/18/20	PES	PACE	3	-	V	0.00300 U	0.00170 U	0.00327	0.00137 U	0.00157 U	0.00168 U	0.00154 U	0.000440 U	0.000549 U	0.00387 U	0.000751 U	0.00525 U
	B-277-5	03/18/20	PES	PACE	5	-	V	0.00451 U	0.00256 U	0.00401 J	0.00206 U	0.00236 U	0.00253 U	0.00231 U	0.000661 U	0.000826 U	0.00581 U	0.00113 U	0.00789 U
	B-277-9.5	03/18/20	PES	PACE	9.5	-	V	0.00649 U	0.00368 U	2.44	0.0644	0.0162	0.00363 U	0.00333 U	0.969	0.00119 U	0.00837 U	0.00162 U	0.0251
	B-277-11	03/18/20	PES	PACE	11	-	S	0.00295 U	0.00167 U	0.00190 J	0.00135 U	0.00154 U	0.00165 U	0.00151 U	0.000747 J	0.000540 U	0.00380 U	0.000737 U	0.00516 U
B-278	B-278-3	03/18/20	PES	PACE	3	-	V	0.00305 U	0.00173 U	0.288	0.00140 U	0.00160 U	0.00171 U	0.00156 U	0.00194	0.000558 U	0.00393 U	0.000762 U	0.00534 U
	B-278-6	03/18/20	PES	PACE	6	-	V	0.00303 U	0.00172 U	0.00924	0.00139 U	0.00159 U	0.00170 U	0.00155 U	0.000444 U	0.000554 U	0.00390 U	0.000757 U	0.00530 U
B-279	B-279-3	03/18/20	PES	PACE	3	-	V	0.00310 U	0.00176 U	0.235	0.00142 U	0.00162 U	0.00174 U	0.00159 U	0.0119	0.000567 U	0.00399 U	0.000775 U	0.00542 U
	B-279-5	03/18/20	PES	PACE	5	-	V	0.00305 U	0.00173 U	0.277	0.00140 U	0.00160 U	0.00171 U	0.00157 U	0.00906	0.000559 U	0.00394 U	0.000764 U	0.00534 U
	B-279-10	03/18/20	PES	PACE	10	-	V	0.00297 U	0.00168 U	0.0349	0.00136 U	0.00155 U	0.00166 U	0.00152 U	0.000435 U	0.000543 U	0.00382 U	0.000742 U	0.00519 U
B-280	B-280-4.5	03/18/20	PES	PACE	4.5	-	V	0.00283 U	0.00161 U	0.00185 J	0.00129 U	0.00148 U	0.00158 U	0.00145 U	0.000414 U	0.000518 U	0.00365 U	0.000707 U	0.00495 U
	B-280-6	03/18/20	PES	PACE	6	-	V	0.00297 U	0.00169 U	0.00510	0.00136 U	0.00156 U	0.00166 U	0.00152 U	0.000435 U	0.000544 U	0.00383 U	0.000743 U	0.00520 U
B-281	B-281-2	03/18/20	PES	PACE	2	-	V	0.00285 U	0.00162 U	0.0103	0.00131 U	0.00149 U	0.00160 U	0.00146 U	0.000418 U	0.000523 U	0.00368 U	0.000714 U	0.00500 U
	B-281-5	03/18/20	PES	PACE	5	-	V	0.00309 U	0.00176 U	0.0143	0.00142 U	0.00162 U	0.00173 U	0.00159 U	0.000453 U	0.000567 U	0.00399 U	0.000774 U	0.00542 U
B-282	B-282-2	03/18/20	PES	PACE	2	-	V	0.00311 U	0.00177 U	0.00386	0.00143 U	0.00163 U	0.00174 U	0.00160 U	0.000456 U	0.000570 U	0.00401 U	0.000779 U	0.00545 U
	B-282-4	03/18/20	PES	PACE	4	-	V	0.00302 U	0.00171 U	0.00214 J	0.00138 U	0.00158 U	0.00169 U	0.00155 U	0.000442 U	0.000552 U	0.00389 U	0.000754 U	0.00528 U
	B-971-5	03/18/20	PES	PACE	4 (dup)	-	V	0.00291 U	0.00165 U	0.00200 J	0.00133 U	0.00152 U	0.00163 U	0.00149 U	0.000426 U	0.000532 U	0.00375 U	0.000727 U	0.00509 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
B-283	B-283-0.5	08/19/20	PES	PACE	0.5	-	V	0.000275 U	0.00235 U	0.00108 U	0.00345 J	0.00125 U	0.00137 U	0.00224 U	0.000702 U	0.000995 U	0.00305 U	0.00140 U	0.00414 J
B-284	B-284-1	08/19/20	PES	PACE	1	-	V	0.00128 J	0.00234 U	0.00108 U	0.00156 U	0.00125 U	0.00137 U	0.00223 U	0.000701 U	0.000992 U	0.00305 U	0.00139 U	0.00490 J
B-285	B-285-1	08/19/20	PES	PACE	1	-	V	0.000299 U	0.00255 U	0.00437	0.00323 J	0.00136 U	0.00149 U	0.00243 U	0.000763 U	0.00108 U	0.00331 U	0.00151 U	0.00542 J
B-286	B-286-0.5	08/19/20	PES	PACE	0.5	-	V	0.000608 U	0.00519 U	0.00238 U	0.0970	0.00276 U	0.00303 U	0.00495 U	0.00156 U	0.00220 U	0.00676 U	0.00309 U	0.0567
B-287	B-287-1	08/19/20	PES	PACE	1	-	V	0.000595 U	0.00507 U	0.00422 J	0.0100 J	0.00271 U	0.00297 U	0.00483 U	0.00152 U	0.00215 U	0.00660 U	0.00301 U	0.0105 J
B-288	B-288-1	08/19/20	PES	PACE	1	-	V	0.00121 U	0.0104 U	0.0145	0.382	0.00553 U	0.00605 U	0.00987 U	0.00310 U	0.00438 U	0.0135 U	0.00616 U	0.241
B-289	B-289-0.5	08/19/20	PES	PACE	0.5	-	V	0.000998 U	0.00853 U	0.00391 U	0.0134 J	0.00453 U	0.00497 U	0.00812 U	0.00255 U	0.00361 U	0.0111 U	0.00505 U	0.0115 J
B-290	B-290-1	08/20/20	PES	PACE	1	-	V	0.00169 J	0.00308 U	0.00142 J	0.0690	0.00165 U	0.00179 U	0.00294 U	0.000922 U	0.00131 U	0.00401 U	0.00183 U	0.0439
B-291	B-291-1	08/20/20	PES	PACE	1	-	V	0.000813 J	0.00264 U	0.00121 U	0.0252	0.00141 U	0.00154 U	0.00252 U	0.000791 U	0.00112 U	0.00344 U	0.00158 U	0.0159
B-292	B-292-3	08/22/20	PES	PACE	3	-	V	0.000288 U	0.00245 U	0.00258 J	0.00164 U	0.00131 U	0.00143 U	0.00234 U	0.000735 U	0.00104 U	0.00320 U	0.00146 U	0.00111 U
	B-292-6	08/22/20	PES	PACE	6	-	V	0.000298 U	0.00254 U	0.00315 J	0.00169 U	0.00135 U	0.00148 U	0.00242 U	0.000759 U	0.00108 U	0.00330 U	0.00151 U	0.00114 U
	B-292-9	08/22/20	PES	PACE	9	-	V	0.000271 U	0.00230 U	0.00273 J	0.00154 U	0.00123 U	0.00135 U	0.00220 U	0.000690 U	0.000977 U	0.00300 U	0.00137 U	0.00104 U
	B-292-12	08/22/20	PES	PACE	12	-	V	0.000301 U	0.00256 U	0.00158 J	0.00171 U	0.00137 U	0.00150 U	0.00244 U	0.000767 U	0.00109 U	0.00333 U	0.00152 U	0.00130 J
B-293	B-293-1	08/26/20	PES	PACE	1	-	V	0.000254 UJ	0.00216 UJ	0.00365	0.00351 U	0.00115 UJ	0.00126 U	0.00206 U	0.000647 U	0.000917 UJ	0.00282 U	0.00129 U	0.00154 U
B-294	B-294-1	08/26/20	PES	PACE	1	-	V	0.000321 UJ	0.00274 UJ	0.0664	0.00762	0.00146 UJ	0.00160 U	0.00261 U	0.00143	0.00116 UJ	0.00357 U	0.00163 U	0.0233
	B-294-2	08/26/20	PES	PACE	2	-	V	0.000666 UJ	0.00567 UJ	0.518	0.0692	0.00303 UJ	0.00331 U	0.00541 U	0.00170 U	0.00240 UJ	0.00738 U	0.00336 U	0.139
	B-294-6	08/26/20	PES	PACE	6	-	V	0.000653 UJ	0.00556 UJ	0.0748	0.00449 U	0.00298 UJ	0.00325 U	0.00531 U	0.00167 U	0.00236 UJ	0.00726 U	0.00331 U	0.0106 U
	B-294-10	08/26/20	PES	PACE	10	-	S	0.000308 UJ	0.00262 UJ	0.00121 U	0.00672 U	0.00140 UJ	0.00153 U	0.00250 U	0.000786 U	0.00111 UJ	0.00342 U	0.00156 U	0.00191 U
B-295	B-295-1	08/26/20	PES	PACE	1	-	V	0.000276 UJ	0.00235 UJ	0.00220 J	0.00156 U	0.00125 UJ	0.00137 U	0.00224 U	0.000703 U	0.000995 UJ	0.00306 U	0.00140 U	0.00140 U
	B-295-3	08/26/20	PES	PACE	3	-	V	0.000409 UJ	0.00348 UJ	0.129	0.00232 U	0.00186 UJ	0.00203 U	0.00332 U	0.00104 U	0.00148 UJ	0.00453 U	0.00207 U	0.00466 U
	B-295-7	08/26/20	PES	PACE	7	-	V	0.000343 UJ	0.00292 UJ	0.0995	0.00361 U	0.00156 UJ	0.00171 U	0.00279 U	0.000875 U	0.00124 UJ	0.00381 U	0.00174 U	0.00811 U
	B-295-10	08/26/20	PES	PACE	10	-	S	0.000322 UJ	0.00274 UJ	0.00126 U	0.00703 U	0.00146 UJ	0.00160 U	0.00261 U	0.000821 U	0.00116 UJ	0.00357 U	0.00163 U	0.00231 U
B-296	B-296-1	08/26/20	PES	PACE	1	-	V	0.000260 UJ	0.00222 UJ	0.00102 U	0.00148 U	0.00118 UJ	0.00130 U	0.00211 U	0.000663 U	0.000939 UJ	0.00289 U	0.00132 U	0.00362 U
B-297	B-297-1	08/26/20	PES	PACE	1	-	V	0.000282 UJ	0.00240 UJ	0.00839	0.00160 U	0.00128 UJ	0.00140 U	0.00229 U	0.000719 U	0.00102 UJ	0.00313 U	0.00143 U	0.00108 U
	B-297-3	08/26/20	PES	PACE	3	-	V	0.000263 UJ	0.00224 UJ	0.0173	0.00304 U	0.00119 UJ	0.00131 U	0.00214 U	0.000671 U	0.000950 UJ	0.00292 U	0.00133 U	0.00137 U
	B-500-1	08/26/20	PES	PACE	3 (dup)	-	V	0.000268 U	0.00229 U	0.0162	0.00152 U	0.00122 U	0.00134 U	0.00218 U	0.000684 U	0.000969 U	0.00298 U	0.00136 U	0.00214 U
	B-297-5	08/26/20	PES	PACE	5	-	V	0.000262 U	0.00223 U	0.0181	0.00320 U	0.00119 U	0.00130 U	0.00213 U	0.000667 U	0.000945 U	0.00290 U	0.00133 U	0.00179 U
B-298	B-298-5	08/26/20	PES	PACE	5	-	V	0.000241 U	0.00206 U	0.000946 U	0.00208 U	0.00110 U	0.00120 U	0.00196 U	0.000616 U	0.000872 U	0.00269 U	0.00122 U	0.00343 U
	B-298-6	08/26/20	PES	PACE	6	-	V	0.00120 J	0.00247 U	0.00352	0.0757	0.00132 U	0.00145 U	0.00236 U	0.000741 U	0.00105 U	0.00323 U	0.00147 U	0.0430
B-299	B-299-2	02/01/21	PES	PACE	2	-	V	0.000302 U	0.00257 U	0.00118 U	0.00172 U	0.00137 U	0.00150 U	0.00246 UJ	0.000771 U	0.00109 U	0.00335 UJ	0.00153 U	0.00116 U
	B-299-5.5	02/01/21	PES	PACE	5.5	-	V	0.000273 U	0.00232 U	0.00126 J	0.00155 U	0.00124 U	0.00136 U	0.00222 UJ	0.000696 U	0.000986 U	0.00303 UJ	0.00138 U	0.00170 J
	B-1003-10	02/01/21	PES	PACE	5.5 (dup)	-	V	0.000284 U	0.00242 U	0.00214 J	0.00161 U	0.00129 U	0.00141 U	0.00231 UJ	0.000724 U	0.00103 U	0.00315 UJ	0.00144 U	0.00109 U
B-300	B-300-2.5	02/01/21	PES	PACE	2.5	-	V	0.000303 U	0.00258 U	0.00118 U	0.00172 U	0.00137 U	0.00151 U	0.00246 UJ	0.000772 U	0.00109 U	0.00336 UJ	0.00153 U	0.00608 J
	B-300-5.5	02/01/21	PES	PACE	5.5	-	V	0.000295 U	0.00251 U	0.00172 J	0.00168 U	0.00134 U	0.00147 U	0.00240 UJ	0.000753 U	0.00107 U	0.00328 UJ	0.00150 U	0.00113 U
B-301	B-301-2	02/01/21	PES	PACE	2	-	V	0.000294 U	0.00250 U	0.00156 J	0.00167 U	0.00133 U	0.00146 U	0.00239 UJ	0.000749 U	0.00106 U	0.00326 UJ	0.00149 U	0.00113 U
	B-301-5	02/01/21	PES	PACE	5	-	V	0.000310 U	0.00264 U	0.00141 J	0.00176 U	0.00141 U	0.00154 U	0.00251 UJ	0.000789 U	0.00112 U	0.00343 UJ	0.00157 U	0.00119 U
B-302	B-302-2	02/01/21	PES	PACE	2	-	V	0.000287 U	0.00244 U	0.00112 U	0.00163 U	0.00130 U	0.00143 U	0.00233 UJ	0.000731 U	0.00104 U	0.00318 UJ	0.00145 U	0.00110 U
	B-302-4	02/01/21	PES	PACE	4	-	V	0.000327 U	0.00278 U	0.00128 U	0.00185 U	0.00148 U	0.00163 U	0.00265 UJ	0.000833 U	0.00118 U	0.00362 UJ	0.00165 U	0.00126 U
BB-5	S-6	03/09/97	B&V	Unknown	15-17	34.0	V	-	-	-	ND	-	-	-	-	-	-	-	ND
	S-10	03/09/97	B&V	Unknown	25-27	24.0	S	-	-	-	-	-	-	-	-	-	-	-	-
BB-7	S-4	04/06/97	B&V	Unknown	10-12	17.0	S	-	-	-	-	-	-	-	-	-	-	-	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (dDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total			
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14			
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83			
BB-8 (13.6 to 3.6)	S-8	06/06/97	B&V	Unknown	20-22	23.6	S	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND			
BB-10	S-6	08/29/97	B&V	Unknown	15-17	42.0	V	-	-	-	-	-	-	-	-	-	-	-	-			
BB-12	S-3	03/18/98	B&V	Unknown	15-16.5	18.8	S	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND			
	S-14	03/18/98	B&V	Unknown	45-46.5	-11.2	S	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND			
BB-13	S-10	03/19/98	B&V	Unknown	25-27.5	1.9	S	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND			
	S-16	03/19/98	B&V	Unknown	40-41.5	-13.1	S	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND			
BB-14	S-2	03/03/98	B&V	Unknown	5-6.5	21.3	V	-	-	-	-	-	-	-	-	-	-	-	-			
	S-5	03/03/98	B&V	Unknown	12.5-14	14.3	S	-	-	-	-	-	-	-	-	-	-	-	-			
	S-9	03/03/98	B&V	Unknown	22.5-24	4.3	S	-	-	-	-	-	-	-	-	-	-	-	-			
	S-12	03/03/98	B&V	Unknown	30-31.5	-4.3	S	-	-	-	-	-	-	-	-	-	-	-	-			
CHB-07	CHB-07-12.5-13.5	04/14/05	CH2M	ARI	12.5-13.5	16.5	S	-	-	0.0011	U	0.0011	U	0.0083	-	0.0011	U	-	0.027	0.0022	U	
	CHB-07-5.0-7.0	04/14/08	CH2M	ARI	5-7	23.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-		
CHB-08	CHB-08-15.0-16.0	04/15/08	CH2M	ARI	15-16	14.1	S	-	-	0.0008	U	0.0008	U	0.0008	U	-	-	0.0008	U	0.0016	U	
CHB-09	CHB-09-20.0-21.5	04/16/08	CH2M	ARI	20-21.5	15.4	S	-	-	-	-	-	-	-	-	-	-	-	-	-		
	CHB-09-25.0-26.5	04/16/08	CH2M	ARI	25-26.5	10.4	S	-	-	0.0012	U	0.0012	U	0.0012	U	-	-	0.0012	U	0.0024	U	
GEI-MW-1 (-9.7 to -29.7)	MW-1-1-2.5	08/22/14	GEI	Fremont	1	29.5	V	-	-	0.0181	U	0.0181	U	-	-	0.0181	U	-	0.0181	U	18.1	U
GEI-MW-2 (4.0 to -6.0)	MW-2-2-5.0	08/23/14	GEI	Fremont	5	26.6	V	-	-	0.0391	U	0.0391	U	-	-	0.0391	U	-	0.0391	U	39.1	U
	MW-2-4-10.0	08/23/14	GEI	Fremont	10	21.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	MW-2-8-20.0	08/23/14	GEI	Fremont	20	11.6	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GEI-MW-3 (-18.7 to -28.7)	MW-3-4-10.0	08/23/14	GEI	Fremont	10	20.8	S	-	-	0.0258	U	0.0258	U	-	-	0.0258	U	-	0.0258	U	25.8	U
	MW-3-10-50.0	08/23/14	GEI	Fremont	50	-19.3	S	-	-	0.0166	U	0.0166	U	-	-	0.0166	U	-	0.0166	U	16.6	U
GEI-4	GEI-4-2-5.0	08/23/14	GEI	Fremont	5	26.0	V	-	-	0.0214	U	0.0214	U	-	-	0.0214	U	-	0.0214	U	21.4	U
	GEI-4-5-12.5	08/23/14	GEI	Fremont	12.5	18.5	S	-	-	0.0243	U	0.0243	U	-	-	0.0243	U	-	0.0243	U	24.3	U
MW-1 (SCLB-3)	RS3-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RS3-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RS3-17.5	03/15/93	EPJ	OnSite	17.5	22.5	S	-	-	-	7.3	-	-	-	-	-	-	-	-	15.8	-	
	RS3-22.5/RS3-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	-	0.8	-	-	-	-	-	-	-	-	2.49	-
		03/15/93	EPJ	OnSite	32.5	7.5	S	-	-	-	-	0.050	U	-	-	-	-	-	-	-	1.00	U
MW-2 (SCLB-4)	RS3-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	0.050	U	-	-	-	-	-	-	-	-	1.00	U
	RS4-2.5	03/15/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RS4-7.5	03/15/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RS4-12.5/RS4-17.5	03/15/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	0.05	U	-	-	-	-	-	-	-	-	0.05	U
	RS4-22.5/RS4-27.5 (Comp)	03/15/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	0.05	U	-	-	-	-	-	-	-	-	0.096	J
MW-3 (SCLB-5)	RS4-37.5	03/15/93	EPJ	OnSite	37.5	2.5	S	-	-	-	0.05	U	-	-	-	-	-	-	-	-	0.05	U
	RS5-2.5/RS5-7.5 (Comp)	03/16/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RS5-12.5/RS5-17.5 (Comp)	03/16/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	0.28	-	-	-	-	-	-	-	-	-	1.37	-
	RS5-17.5	03/16/93	EPJ	OnSite	17.5	21.5	S	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	RS5-22.5	03/16/93	EPJ	OnSite	22.5	16.5	S	-	-	-	0.099	J	-	-	-	-	-	-	-	-	0.446	-
	RS5-32.5	03/16/93	EPJ	OnSite	32.5	6.5	S	-	-	-	0.05	U	-	-	-	-	-	-	-	-	0.15	-
	RS5-37.5	03/16/93	EPJ	OnSite	37.5	1.5	S	-	-	-	0.050	U	-	-	-	-	-	-	-	-	1.00	U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (dDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-4 (SCLB-6)	RS6-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS6-17.5/RS6-22.5 (Comp)	03/17/93	EPJ	OnSite	17.5-22.5	-	V	-	-	-	0.050 U	-	-	-	-	-	-	-	0.092 J
	RS6-27.5	03/17/93	EPJ	OnSite	27.5	12.5	S	-	-	-	0.050 U	-	-	-	-	-	-	-	1.00 U
MW-5 (SCLB-7)	RS7-2.5	03/17/93	EPJ	OnSite	2.5	37.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-7.5	03/17/93	EPJ	OnSite	7.5	32.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-12.5	03/17/93	EPJ	OnSite	12.5	27.5	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-17.5	03/17/93	EPJ	OnSite	17.5	22.5	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS7-22.5	03/17/93	EPJ	OnSite	22.5	17.5	S	-	-	-	-	-	-	-	-	-	-	-	-
MW-6	MW6-25	10/11/93	Retec	ARI	25	13.2	S	-	-	-	0.23	-	-	-	-	-	-	-	0.93
MW-7	MW7-16.5	10/11/93	Retec	ARI	16.5	18.6	S	-	-	-	160	-	-	-	-	-	-	-	300
	MW7-18.5	10/11/93	Retec	ARI	18.5	16.6	S	-	-	-	30	-	-	-	-	-	-	-	62
MW-8 (28.7 to 14.2)	MW8-20	10/18/93	Retec	AAL	20	13.2	S	-	-	-	0.059 U	-	-	-	-	-	-	-	0.12 U
MW-9 (33.7 to 18.7)	MW9-17.5	10/18/93	Retec	AAL	17.5	23.6	S	-	-	-	0.068 U	-	-	-	-	-	-	-	0.14 U
MW-10	MW10-17.5	10/19/93	Retec	AAL	17.5	20.5	S	-	-	-	0.068 U	-	-	-	-	-	-	-	0.14 U
MW102 (B102) (-65.8 to -75.8)	B102-20	07/17/12	SES	F&BI	20	29.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-30	07/17/12	SES	F&BI	30	19.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-38	07/17/12	SES	F&BI	38	11.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-40	07/17/12	SES	F&BI	40	9.2	S	-	-	-	-	-	-	-	-	-	-	-	-
	B102-49	07/17/12	SES	F&BI	49	0.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-60	07/17/12	SES	F&BI	60	-10.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-70	07/18/12	SES	F&BI	70	-20.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-80	07/19/12	SES	F&BI	80	-30.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-90	07/19/12	SES	F&BI	90	-40.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-100	07/20/12	SES	F&BI	100	-50.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B102-110	07/20/12	SES	F&BI	110	-60.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW103 (B103) (-67.6 to -77.6)	B103-10	07/25/12	SES	F&BI	10	25.9	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-18	07/25/12	SES	F&BI	18	17.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-30	07/25/12	SES	F&BI	30	5.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-40	07/25/12	SES	F&BI	40	-4.1	S	-	-	4.6	-	0.05 U	-	-	0.77	-	-	0.05 U	-
	B103-45	07/25/12	SES	F&BI	45	-9.1	S	-	-	5.3	-	0.05 U	-	-	0.48	-	-	0.05 U	-
	B103-55	07/25/12	SES	F&BI	55	-19.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-62.5	07/26/12	SES	F&BI	62.5	-26.6	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-75	07/26/12	SES	F&BI	75	-39.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-83	07/26/12	SES	F&BI	83	-47.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-95	07/26/12	SES	F&BI	95	-59.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-105	07/27/12	SES	F&BI	105	-69.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B103-113	07/27/12	SES	F&BI	113	-77.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (dDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW104 (B104) (-76.3 to -86.3)	B104-10	07/30/12	SES	F&BI	10	32.7	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-20	07/30/12	SES	F&BI	20	22.7	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-30	07/30/12	SES	F&BI	30	12.7	S	-	-	1.8	-	0.05 U	-	-	0.086	-	-	0.05 U	-
	B104-35	07/30/12	SES	F&BI	35	7.7	S	-	-	7.1	-	0.05 U	-	-	0.23	-	-	0.05 U	-
	B104-50	07/30/12	SES	F&BI	50	-7.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-60	07/31/12	SES	F&BI	60	-17.3	S	-	-	2.1	-	0.05 U	-	-	0.21	-	-	0.05 U	-
	B104-69	07/31/12	SES	F&BI	69	-26.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-80	07/31/12	SES	F&BI	80	-37.3	S	-	-	0.12	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-90	08/01/12	SES	F&BI	90	-47.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-100	08/01/12	SES	F&BI	100	-57.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-110	08/01/12	SES	F&BI	110	-67.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-120	08/01/12	SES	F&BI	120	-77.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B104-130	08/01/12	SES	F&BI	130	-87.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW105 (B105) (-85.8 to -95.8)	B105-10	08/06/12	SES	F&BI	10	34.2	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-20	08/06/12	SES	F&BI	20	24.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-30	08/06/12	SES	F&BI	30	14.2	S	-	-	1.3	-	0.05 U	-	-	0.16	-	-	0.05 U	-
	B105-40	08/08/12	SES	F&BI	40	4.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-50	08/08/12	SES	F&BI	50	-5.8	S	-	-	0.18	-	0.05 U	-	-	0.040	-	-	0.05 U	-
	B105-60	08/09/12	SES	F&BI	60	-15.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-70	08/09/12	SES	F&BI	70	-25.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-80	08/09/12	SES	F&BI	80	-35.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-90	08/10/12	SES	F&BI	90	-45.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-100	08/10/12	SES	F&BI	100	-55.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-110	08/10/12	SES	F&BI	110	-65.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-120	08/10/12	SES	F&BI	120	-75.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B105-130	08/10/12	SES	F&BI	130	-85.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW106 (B106) (-78.0 to -88.0)	B106-10	08/14/12	SES	F&BI	10	42.0	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-20	08/14/12	SES	F&BI	20	32.0	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-30	08/14/12	SES	F&BI	30	22.0	S	-	-	0.038	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-40	08/14/12	SES	F&BI	40	12.0	S	-	-	3.1	-	0.05 U	-	-	0.15	-	-	0.05 U	-
	B106-50	08/14/12	SES	F&BI	50	2.0	S	-	-	0.73	-	0.05 U	-	-	0.17	-	-	0.05 U	-
	B106-60	08/14/12	SES	F&BI	60	-8.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-70	08/15/12	SES	F&BI	70	-18.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-80	08/15/12	SES	F&BI	80	-28.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-90	08/15/12	SES	F&BI	90	-38.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-100	08/15/12	SES	F&BI	100	-48.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-110	08/15/12	SES	F&BI	110	-58.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-120	08/15/12	SES	F&BI	120	-68.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-130	08/15/12	SES	F&BI	130	-78.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B106-140	08/15/12	SES	F&BI	140	-88.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW107 (B107) (8.8 to -1.2)	B107-05	03/12/12	SES	F&BI	5	38.8	V	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B107-15	03/12/12	SES	F&BI	15	28.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B107-25	03/12/12	SES	F&BI	25	18.8	S	-	-	0.60	0.05 U	0.05 U	-	-	0.063	-	-	0.05 U	0.15 U
	B107-35	03/12/12	SES	F&BI	35	8.8	S	-	-	19	0.05 U	0.05 U	-	-	0.59	-	-	0.05 U	0.15 U
	B107-45	03/12/12	SES	F&BI	45	-1.2	S	-	-	0.028	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
MW108 (B108) (-7.2 to -17.2)	B108-15	12/14/12	SES	F&BI	15	17.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B108-25	12/14/12	SES	F&BI	25	7.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B108-35	12/14/12	SES	F&BI	35	-2.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B108-45	12/14/12	SES	F&BI	45	-12.2	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B108-50	12/14/12	SES	F&BI	50	-17.2	S	-	-	0.037	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW109 (B109) (0.0 to -10.0)	B109-05	04/12/12	SES	F&BI	5	30.0	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B109-15	04/12/12	SES	F&BI	15	20.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B109-25	04/12/12	SES	F&BI	25	10.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B109-35	04/12/12	SES	F&BI	35	0.0	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B109-45	04/12/12	SES	F&BI	45	-10.0	S	-	-	1.6	-	0.05 U	-	-	0.94	-	-	0.05 U	-
MW110 (B110) (4.7 to -5.3)	B110-15	04/12/12	SES	F&BI	15	24.7	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B110-25	04/12/12	SES	F&BI	25	14.7	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B110-35	04/12/12	SES	F&BI	35	4.7	S	-	-	3.4	-	0.05 U	-	-	0.21	-	-	0.05 U	-
	B110-45	04/12/12	SES	F&BI	45	-5.3	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW111 (B111) (-33.5 to -43.5)	B111-10	05/12/12	SES	F&BI	10	26.5	V	-	-	0.05 U	-	0.1 U	-	-	0.06 U	-	-	0.1 U	-
	B111-20	05/12/12	SES	F&BI	20	16.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B111-30	05/12/12	SES	F&BI	30	6.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B111-38	05/12/12	SES	F&BI	38	-1.5	S	-	-	0.078	-	0.05 U	-	-	0.40	-	-	0.05 U	-
	B111-50	05/12/12	SES	F&BI	50	-13.5	S	-	-	1.4	-	0.05 U	-	-	0.56	-	-	0.05 U	-
	B111-60	06/12/12	SES	F&BI	60	-23.5	S	-	-	0.085	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B111-70	06/12/12	SES	F&BI	70	-33.5	S	-	-	0.033	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B111-80	06/12/12	SES	F&BI	80	-43.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW112 (B112) (-17.5 to -27.5)	B112-10	11/12/12	SES	F&BI	10	47.5	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B112-20	11/12/12	SES	F&BI	20	37.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B112-30	11/12/12	SES	F&BI	30	27.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B112-40	11/12/12	SES	F&BI	40	17.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B112-50	11/12/12	SES	F&BI	50	7.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B112-60	11/12/12	SES	F&BI	60	-2.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B112-75	11/12/12	SES	F&BI	75	-17.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B112-85	12/12/12	SES	F&BI	85	-27.5	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW113 (B113) (-37.1 to -47.1)	B113-10	12/18/12	SES	F&BI	10	22.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B113-20	12/18/12	SES	F&BI	20	12.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B113-30	12/18/12	SES	F&BI	30	2.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B113-40	12/18/12	SES	F&BI	40	-7.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B113-50	12/18/12	SES	F&BI	50	-17.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW114 (B114) (10.8 to 0.8)	B114-15	10/12/12	SES	F&BI	15	30.8	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B114-25	10/12/12	SES	F&BI	25	20.8	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B114-35	10/12/12	SES	F&BI	35	10.8	S	-	-	8.8	-	0.05 U	-	-	0.45	-	-	0.05 U	-

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (dDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW114 (B114) (continued)	B114-40	10/12/12	SES	F&BI	40	5.8	S	-	-	0.59	-	0.05 U	-	-	0.071	-	-	0.05 U	-
	B114-45	10/12/12	SES	F&BI	45	0.8	S	-	-	0.25	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW115 (B115) (-0.9 to -10.9)	B115-10	12/13/12	SES	F&BI	10	24.1	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B115-15	12/13/12	SES	F&BI	15	19.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B115-25	12/13/12	SES	F&BI	25	9.1	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B115-35	12/13/12	SES	F&BI	35	-0.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B115-45	12/13/12	SES	F&BI	45	-10.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW116 (B116) (-3.6 to -13.6)	B116-15	07/12/12	SES	F&BI	15	16.4	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B116-25	07/12/12	SES	F&BI	25	6.4	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B116-35	07/12/12	SES	F&BI	35	-3.6	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B116-45	07/12/12	SES	F&BI	45	-13.6	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW117 (B117) (16.9 to 1.9)	B117-10	02/04/13	SES	F&BI	10	46.9	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B117-20	02/04/13	SES	F&BI	20	36.9	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B117-30	02/04/13	SES	F&BI	30	26.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B117-40	02/04/13	SES	F&BI	40	16.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B117-50	02/04/13	SES	F&BI	50	6.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW118 (B118) (12.9 to 2.9)	B118-10	03/21/13	SES	F&BI	10	42.9	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B118-20	03/21/13	SES	F&BI	20	32.9	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B118-30	03/21/13	SES	F&BI	30	22.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B118-40	03/21/13	SES	F&BI	40	12.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B118-50	03/21/13	SES	F&BI	50	2.9	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW119 (B119) (2.4 to -7.7)	B119-10	03/21/13	SES	F&BI	10	27.4	V	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B119-20	03/21/13	SES	F&BI	20	17.4	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B119-30	03/21/13	SES	F&BI	30	7.4	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
	B119-40	03/21/13	SES	F&BI	40	-2.7	S	-	-	0.025 U	-	0.05 U	-	-	0.03 U	-	-	0.05 U	-
MW120 (B120) (0 to -10)	B120-20	12/16/13	SES	F&BI	20	20.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B120-30	12/16/13	SES	F&BI	30	10.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B120-45	12/16/13	SES	F&BI	45	-5.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
MW121 (B121) (26.7 to 16.7)	B121-15	12/16/13	SES	F&BI	15	26.7	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B121-25	12/16/13	SES	F&BI	25	16.7	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
MW122 (B122) (-75 to -89)	B122-15	12/17/13	SES	F&BI	15	15.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-25	12/17/13	SES	F&BI	25	5.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-40	12/17/13	SES	F&BI	40	-10.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-45	12/17/13	SES	F&BI	45	-15.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-50	12/17/13	SES	F&BI	50	-20.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-60	12/17/13	SES	F&BI	60	-30.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-70	12/17/13	SES	F&BI	70	-40.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-80	12/17/13	SES	F&BI	80	-50.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B122-100	12/17/13	SES	F&BI	100	-70.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
MW123 (B123) (-42.5 to -52.5)	B123-20	12/18/13	SES	F&BI	20	7.5	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW124 (B124) (-53.8 to -63.8)	B124-10	12/19/13	SES	F&BI	10	46.2	V	-	-	-	-	-	-	-	-	-	-	-	-
	B124-20	12/19/13	SES	F&BI	20	36.2	V	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-30	12/19/13	SES	F&BI	30	26.2	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-40	12/19/13	SES	F&BI	40	16.2	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-50	12/19/13	SES	F&BI	50	6.2	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-60	12/19/13	SES	F&BI	60	-3.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-70	12/19/13	SES	F&BI	70	-13.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-80	12/19/13	SES	F&BI	80	-23.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-90	12/19/13	SES	F&BI	90	-33.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-100	12/19/13	SES	F&BI	100	-43.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-110	12/19/13	SES	F&BI	110	-53.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B124-120	12/19/13	SES	F&BI	120	-63.8	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
MW125 (B125) (28.6 to 13.6)	B125-15	12/20/13	SES	F&BI	15	28.6	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B125-20	12/20/13	SES	F&BI	20	23.6	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B125-25	12/20/13	SES	F&BI	25	18.6	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B125-30	12/20/13	SES	F&BI	30	13.6	S	-	-	-	-	-	-	-	-	-	-	-	-
MW126 (B126) (-54.1 to -64.1)	B126-20	12/30/13	SES	F&BI	20	10.9	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B126-35	12/30/13	SES	F&BI	35	-4.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B126-45	12/30/13	SES	F&BI	45	-14.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B126-55	12/30/13	SES	F&BI	55	-24.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B126-60	12/31/13	SES	F&BI	60	-29.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-65	01/01/14	SES	F&BI	65	-34.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B126-75	01/02/14	SES	F&BI	75	-44.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B126-80	01/03/14	SES	F&BI	80	-49.1	S	-	-	-	-	-	-	-	-	-	-	-	-
	B126-85	01/04/14	SES	F&BI	85	-54.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B126-95	01/05/14	SES	F&BI	95	-64.1	S	-	-	-	-	-	-	-	-	-	-	-	-
MW127 (B127) (-1.0 to -11.0)	B127-15	12/31/13	SES	F&BI	15	24.0	V	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B127-25	12/31/13	SES	F&BI	25	14.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B127-40	12/31/13	SES	F&BI	40	-1.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B127-45	12/31/13	SES	F&BI	45	-6.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	B127-50	12/31/13	SES	F&BI	50	-11.0	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
MW128 (B128) (-30.8 to -40.8)	B128-25	01/09/14	SES	F&BI	25	2.9	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B128-45	01/09/14	SES	F&BI	45	-17.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
	B128-65	01/09/14	SES	F&BI	65	-37.1	S	-	-	0.025 U	0.05 U	0.05 U	-	-	0.03 U	-	-	0.05 U	0.15 U
MW-138 (-47.5 to -57.5)	MW-138-15	09/12/17	PES	ESC	15	42.5	V	0.000278 U	0.000245 U	0.000328 U	0.000516 U	0.000314 U	0.000317 U	0.000925 U	0.000332 U	0.000454 U	0.00284 U	0.000346 U	0.000830 U
	MW-138-25	09/12/17	PES	ESC	25	32.5	S	0.000269 U	0.000237 U	0.000318 U	0.000500 U	0.000304 U	0.000307 U	0.000896 U	0.000321 U	0.000440 U	0.00275 U	0.000335 U	0.000804 U
	MW-138-35	09/12/17	PES	ESC	35	22.5	S	0.000250 U	0.000220 U	0.000295 U	0.000464 U	0.000282 U	0.000285 U	0.000831 U	0.000298 U	0.000408 U	0.00255 U	0.000311 U	0.000746 U
	MW-138-45	09/12/17	PES	ESC	45	12.5	S	0.000247 U	0.000218 U	0.000292 U	0.000459 U	0.000279 U	0.000282 U	0.000822 U	0.000295 U	0.000404 U	0.00253 U	0.000308 U	0.000738 U
	MW-138-56	09/12/17	PES	ESC	56	1.5	S	0.000263 U	0.000232 U	0.000310 U	0.000488 U	0.000297 U	0.000300 U	0.000875 U	0.000314 U	0.000430 U	0.00269 U	0.000327 U	0.000785 U
	MW-138-65	09/13/17	PES	ESC	65	-7.5	S	0.000253 U	0.000223 U	0.000299 U	0.000469 U	0.000286 R	0.000289 U	0.000841 U	0.000302 U	0.000413 U	0.00258 U	0.000315 R	0.000755 U
	B-910-90	09/13/17	PES	ESC	65 (dup)	-7.5	S	0.000271 U	0.000239 U	0.000320 U	0.000503 U	0.000306 R	0.000309 U	0.000901 U	0.000323 U	0.000443 U	0.00277 U	0.000337 R	0.000809 U
	MW-138-75	09/13/17	PES	ESC	75	-17.5	S	0.000258 U	0.000227 U	0.000304 U	0.000478 U	0.000291 U	0.000294 U	0.000857 U	0.000307 U	0.000421 U	0.00263 U	0.000320 U	0.000769 U
	MW-138-85	09/13/17	PES	ESC	85	-27.5	S	0.000281 U	0.000248 U	0.000332 U	0.000522 U	0.000317 U	0.000321 U	0.000935 U	0.000335 U	0.000459 U	0.00287 U	0.000350 U	0.000839 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-138 (continued)	MW-138-95	09/13/17	PES	ESC	95	-37.5	S	0.000255 U	0.000225 U	0.000301 U	0.000473 U	0.000288 U	0.000291 U	0.000849 U	0.000304 U	0.000417 U	0.00261 U	0.000317 U	0.000761 U
	MW-138-105	09/13/17	PES	ESC	105	-47.5	S	0.000291 U	0.000256 U	0.000343 U	0.000540 U	0.000328 U	0.000332 U	0.000968 U	0.000347 U	0.000475 U	0.00297 U	0.000362 U	0.000868 U
	MW-138-115	09/14/17	PES	ESC	115	-57.5	S	0.000271 U	0.000239 U	0.000320 U	0.000503 U	0.000306 U	0.000309 U	0.000901 U	0.000323 U	0.000443 U	0.00277 U	0.000337 U	0.000809 U
MW-140 (-78.9 to -88.9)	MW-140-15	08/30/17	PES	ESC	15	35.6	V	0.000267 U	0.000235 U	0.000315 U	0.000495 U	0.000301 U	0.000304 U	0.000887 U	0.000318 U	0.000436 U	0.00273 U	0.000332 U	0.000796 U
	MW-140-25	08/30/17	PES	ESC	25	25.6	S	0.000254 U	0.000223 U	0.147	0.000471 U	0.000286 U	0.000290 U	0.000844 U	0.0107	0.000414 U	0.00259 U	0.000316 U	0.000757 U
	MW-140-35	08/30/17	PES	ESC	35	15.6	S	0.00682 U	0.00600 U	15.1	0.0126 U	0.00769 U	0.00778 U	0.0226 U	0.629	0.0111 U	0.0697 U	0.0107 J	0.0203 U
	MW-140-45	08/30/17	PES	ESC	45	5.6	S	0.000250 U	0.000220 U	4.27	0.000463 U	0.000282 U	0.000285 U	0.000830 U	0.0793	0.000408 U	0.00255 U	0.00160	0.000745 U
	MW-140-55	08/30/17	PES	ESC	55	-4.4	S	0.000257 U	0.000226 U	1.56	0.000498 J	0.000500 J	0.000293 U	0.000854 U	0.0496	0.000419 U	0.00262 U	0.00990	0.000766 U
	MW-140-65	08/30/17	PES	ESC	65	-14.4	S	0.000251 U	0.000221 U	0.00746 U	0.000465 U	0.000283 U	0.000286 U	0.000833 U	0.000299 U	0.000409 U	0.00256 U	0.000312 U	0.000747 U
	MW-140-75	08/30/17	PES	ESC	75	-24.4	S	0.00631 U	0.00555 U	0.00744 U	0.0116 U	0.00712 U	0.00720 U	0.0209 U	0.00753 U	0.0103 U	0.0645 U	0.00785 U	0.0188 U
	MW-140-90	08/30/17	PES	ESC	90	-39.4	S	0.000275 U	0.000242 U	0.000325 U	0.000511 U	0.000311 U	0.000314 U	0.000915 U	0.000328 U	0.000449 U	0.00281 U	0.000342 U	0.000821 U
	MW-140-110	08/31/17	PES	ESC	110	-59.4	S	0.000271 U	0.000239 U	0.000320 U	0.000503 U	0.000306 U	0.000309 U	0.000901 U	0.000323 U	0.000442 U	0.00277 U	0.000337 U	0.000808 U
	MW-140-130	08/31/17	PES	ESC	130	-79.4	S	0.000265 U	0.000233 U	0.000312 U	0.000491 U	0.000298 U	0.000302 U	0.000880 U	0.000315 U	0.000432 U	0.00270 U	0.000329 U	0.000789 U
	MW-140-140	08/31/17	PES	ESC	140	-89.4	S	0.00661 U	0.00582 U	0.00779 U	0.0122 U	0.00745 U	0.00754 U	0.0219 U	0.00788 U	0.0108 U	0.0675 U	0.00822 U	0.0197 U
MW-142 (2.4 to -7.6)	MW-142-5	04/12/18	PES	ESC	5	37.1	V	0.000282 U	0.000248 U	0.000332 U	0.000522 U	0.000318 U	0.000321 U	0.000936 U	0.000336 U	0.000460 U	0.00288 U	0.000350 U	0.000840 U
MW-143 (-27.7 to -37.7)	MW-143-10	04/11/18	PES	ESC	10	32.0	V	0.000324 U	0.000286 U	0.000499 J	0.000602 U	0.000366 U	0.000370 U	0.00108 U	0.000387 U	0.000530 U	0.00331 U	0.000403 U	0.000968 U
	MW-143-20	04/11/18	PES	ESC	20	22.0	S	0.000272 U	0.000239 U	0.000321 U	0.000504 U	0.000307 U	0.000310 U	0.000904 U	0.000324 U	0.000444 U	0.00278 U	0.000338 U	0.000811 U
	MW-143-30	04/11/18	PES	ESC	30	12.0	S	0.000266 U	0.000235 U	0.000314 U	0.000494 U	0.000301 U	0.000304 U	0.000886 U	0.000318 U	0.000435 U	0.00272 U	0.000928 J	0.000795 U
	MW-143-40	04/11/18	PES	ESC	40	2.0	S	0.000279 U	0.000246 U	0.000329 U	0.000518 U	0.000315 U	0.000318 U	0.000928 U	0.000333 U	0.000456 U	0.00285 U	0.000521 J	0.000833 U
	MW-143-50	04/11/18	PES	ESC	50	-8.0	S	0.000268 U	0.000236 U	0.000589	0.000497 U	0.000117	0.000306 U	0.000891 U	0.000729	0.000438 U	0.00274 U	0.00227	0.000799 U
	MW-143-60	04/11/18	PES	ESC	60	-18.0	S	0.000260 U	0.000229 U	0.00270	0.000482 U	0.00136	0.000297 U	0.000865 U	0.000443 J	0.000425 U	0.00266 U	0.656	0.000776 U
	MW-143-70	04/11/18	PES	ESC	70	-28.0	S	0.000257 U	0.000227 U	0.00164	0.000477 U	0.000290 U	0.000294 U	0.000856 U	0.00106 J	0.000420 U	0.00263 U	0.0137	0.000768 U
	MW-143-80	04/11/18	PES	ESC	80	-38.0	S	0.000266 U	0.000234 U	0.000314 U	0.000493 U	0.000300 U	0.000303 U	0.000884 U	0.000317 U	0.000434 U	0.00272 U	0.00320	0.000793 U
	MW-902-20	04/11/18	PES	ESC	80 (dup)	-38.0	S	0.000262 U	0.000231 U	0.000309 U	0.000486 U	0.000295 U	0.000299 U	0.000871 U	0.000312 U	0.000427 U	0.00267 U	0.00587	0.000781 U
MW-145 (-26.1 to -36.1)	MW-145-10	04/17/18	PES	ESC	10	33.5	V	0.000294 U	0.000259 U	0.000347 U	0.000545 U	0.000332 U	0.000335 U	0.000977 U	0.000351 U	0.000480 U	0.00300 U	0.000366 U	0.000877 U
	MW-145-20	04/17/18	PES	ESC	20	23.5	S	0.000273 U	0.000241 U	0.000505 J	0.000507 U	0.000308 U	0.000312 U	0.000908 U	0.000332 J	0.000446 U	0.00279 U	0.000340 U	0.000815 U
	MW-145-30	04/17/18	PES	ESC	30	13.5	S	0.000277 U	0.000244 U	0.790	0.000515 U	0.00118 J	0.000317 U	0.000923 U	0.0668	0.000453 U	0.00283 U	0.000345 U	0.000828 U
	MW-145-40	04/17/18	PES	ESC	40	3.5	S	0.000261 U	0.000230 U	0.00641	0.000484 U	0.000294 U	0.000298 U	0.000867 U	0.00474	0.000426 U	0.00266 U	0.0160	0.000778 U
	MW-145-50	04/17/18	PES	ESC	50	-6.5	S	0.000256 U	0.000226 U	0.00390	0.000476 U	0.000289 U	0.000293 U	0.000852 U	0.00180	0.000419 U	0.00262 U	0.00329	0.00329
	MW-145-60	04/17/18	PES	ESC	60	-16.5	S	0.000258 U	0.000227 U	0.000304 U	0.000478 U	0.000291 U	0.000294 U	0.000858 U	0.000308 U	0.000421 U	0.00263 U	0.00255	0.000769 U
	MW-145-70	04/17/18	PES	ESC	70	-26.5	S	0.000284 U	0.000250 U	0.000335 U	0.000526 U	0.000320 U	0.000324 U	0.000944 U	0.000338 U	0.000463 U	0.00290 U	0.000544 J	0.000847 U
	MW-145-80	04/17/18	PES	ESC	80	-36.5	S	0.000269 U	0.000237 U	0.000464 J	0.000498 U	0.000303 U	0.000307 U	0.000894 U	0.000320 U	0.000439 U	0.00274 U	0.000723 J	0.000802 U
MW-147 (-17.6 to -27.6)	MW-903-40	04/17/18	PES	ESC	80 (dup)	-36.5	S	0.000262 U	0.000231 U	0.000450 J	0.000487 U	0.000296 U	0.000299 U	0.000873 U	0.000313 U	0.000428 U	0.00268 U	0.00180	0.000783 U
	MW-147-10	04/02/18	PES	ESC	10	41.9	V	0.000254 U	0.000224 U	0.000697 J	0.000471 U	0.000287 U	0.000290 U	0.000845 U	0.000303 U	0.000415 U	0.00260 U	0.000316 U	0.000758 U
	MW-147-20	04/02/18	PES	ESC	20	31.9	S	0.000253 U	0.000223 U	0.000759 J	0.000469 U	0.000285 U	0.000289 U	0.000841 U	0.000302 U	0.000413 U	0.00258 U	0.000314 U	0.000754 U
	MW-147-30	04/02/18	PES	ESC	30	21.9	S	0.000261 U	0.000230 U	0.0238	0.000485 U	0.000295 U	0.000298 U	0.000869 U	0.00330	0.000427 U	0.00267 U	0.000325 U	0.000779 U
	MW-147-40	04/02/18	PES	ESC	40	11.9	S	0.000258 U	0.000227 U	0.0146	0.000479 U	0.000291 U	0.000295 U	0.000858 U	0.00118	0.000421 U	0.00264 U	0.0615	0.000770 U
	MW-147-50	04/02/18	PES	ESC	50	1.9	S	0.000259 U	0.000228 U	0.00175	0.000481 U	0.000292 U	0.000296 U	0.000862 U	0.00105 J	0.000423 U	0.00265 U	0.00322	0.000773 U
	MW-147-60	04/02/18	PES	ESC	60	-8.2	S	0.000252 U	0.000221 U	0.000607 J	0.000467 U	0.000284 U	0.000287 U	0.000837 U	0.000300 U	0.000411 U	0.00257 U	0.000313 U	0.000751 U
	MW-901-10	04/02/18	PES	ESC	60 (dup)	-8.2	S	0.000252 U	0.000222 U	0.000377 J	0.000467 U	0.000284 U	0.000288 U	0.000838 U	0.000300 U	0.000411 U	0.00257 U	0.000313 U	0.000752 U
	MW-147-70	04/02/18	PES	ESC	70	-18.2	S	0.000262 U	0.000231 U	0.000309 U	0.000486 U	0.000295 U	0.000299 U	0.000871 U	0.000312 U	0.000428 U	0.00267 U	0.000502 J	0.000781 U
MW-147-80	MW-147-80	04/02/18	PES	ESC	80	-28.2	S	0.000271 U	0.000238 U	0.000319 U	0.000502 U	0.000305 U	0.000309 U	0.000900 U	0.000323 U	0.000442 U	0.00277 U	0.000337 U	0.000808 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-148 (-25.7 to -35.7)	MW-148-11	04/09/18	PES	ESC	11	32.9	V	0.000270 U	0.000238 U	0.000318 U	0.000501 U	0.000305 U	0.000308 U	0.000089 U	0.000322 U	0.000441 U	0.00276 U	0.000336 U	0.000805 U
	MW-148-20	04/09/18	PES	ESC	20	23.9	S	0.000254 U	0.000223 U	0.00188	0.000471 U	0.000286 U	0.000290 U	0.000844 U	0.000303 U	0.000414 U	0.00259 U	0.000316 U	0.000757 U
	MW-148-30	04/09/18	PES	ESC	30	13.9	S	0.000263 U	0.000231 U	0.000310 U	0.000487 U	0.000296 U	0.000300 U	0.000874 U	0.000313 U	0.000429 U	0.00268 U	0.0144	0.000784 U
	MW-148-40	04/09/18	PES	ESC	40	3.9	S	0.000254 U	0.000224 U	0.000801 J	0.000471 U	0.000287 U	0.000290 U	0.000845 U	0.000551 J	0.000415 U	0.00260 U	0.000316 U	0.000758 U
	MW-148-50	04/09/18	PES	ESC	50	-6.1	S	0.000258 U	0.000227 U	0.000304 U	0.000479 U	0.000291 U	0.000294 U	0.000858 U	0.000308 U	0.000421 U	0.00264 U	0.000321 U	0.000770 U
	MW-148-60	04/09/18	PES	ESC	60	-16.1	S	0.000295 U	0.000260 U	0.000348 U	0.000548 U	0.000333 U	0.000337 U	0.000982 U	0.000352 U	0.000482 U	0.00302 U	0.000367 U	0.000881 U
	MW-148-70	04/09/18	PES	ESC	70	-26.1	S	0.000295 U	0.000260 U	0.000618 J	0.000547 U	0.000333 U	0.000336 U	0.000980 U	0.000352 U	0.000481 U	0.00301 U	0.000367 U	0.000880 U
	MW-148-80	04/09/18	PES	ESC	80	-36.1	S	0.000275 U	0.000242 U	0.000585 J	0.000510 U	0.000310 U	0.000314 U	0.000914 U	0.000328 U	0.000449 U	0.00281 U	0.000342 U	0.000820 U
MW-153 (-65.3 to -75.3)	MW-153-10	03/27/18	PES	ESC	10	44.4	V	0.000265 U	0.000234 U	0.000313 U	0.000492 U	0.000299 U	0.000303 U	0.000882 U	0.000316 U	0.000433 U	0.00271 U	0.000330 U	0.000792 U
	MW-153-20	03/27/18	PES	ESC	20	34.4	V	0.000256 U	0.000225 U	0.000561 J	0.000475 U	0.000289 U	0.000292 U	0.000852 U	0.000305 U	0.000418 U	0.00262 U	0.000318 U	0.000764 U
	MW-153-30	03/27/18	PES	ESC	30	24.4	S	0.000251 U	0.000221 U	0.000296 U	0.000466 U	0.000283 U	0.000286 U	0.000835 U	0.000299 U	0.000410 U	0.00256 U	0.000312 U	0.000749 U
	MW-153-40	03/27/18	PES	ESC	40	14.4	S	0.000265 U	0.000233 U	0.000313 U	0.000492 U	0.000299 U	0.000302 U	0.000881 U	0.000486 J	0.000433 U	0.00271 U	0.000330 U	0.000791 U
	MW-153-50	03/27/18	PES	ESC	50	4.4	S	0.000260 U	0.000228 U	0.000306 U	0.000481 U	0.000293 U	0.000296 U	0.000863 U	0.000309 U	0.000424 U	0.00265 U	0.00767	0.000774 U
	MW-153-61	03/27/18	PES	ESC	61	-6.7	S	0.000266 U	0.000234 U	0.000314 U	0.000493 U	0.000300 U	0.000303 U	0.000884 U	0.000317 U	0.000434 U	0.00272 U	0.000344 J	0.000793 U
	MW-153-70	03/27/18	PES	ESC	70	-15.7	S	0.000261 U	0.000229 U	0.000307 U	0.000483 U	0.000294 U	0.000297 U	0.000866 U	0.000311 U	0.000425 U	0.00266 U	0.000902 J	0.000777 U
	MW-153-80	03/28/18	PES	ESC	80	-25.7	S	0.000258 U	0.000227 U	0.000305 U	0.000479 U	0.000291 U	0.000295 U	0.000858 U	0.000308 U	0.000421 U	0.00264 U	0.00148	0.000770 U
	MW-153-90	03/28/18	PES	ESC	90	-35.7	S	0.000282 U	0.000248 U	0.000799 J	0.000523 U	0.000318 U	0.000322 U	0.000937 U	0.000336 U	0.000460 U	0.00288 U	0.00176	0.000841 U
	MW-153-110	03/28/18	PES	ESC	110	-55.7	S	0.000275 U	0.000242 U	0.00254	0.000511 U	0.000311 U	0.000314 U	0.000916 U	0.000328 U	0.000450 U	0.00281 U	0.00311	0.000821 U
	MW-153-130	03/29/18	PES	ESC	130	-75.7	S	0.000269 U	0.000237 U	0.000648 J	0.000499 U	0.000303 U	0.000307 U	0.000894 U	0.000321 U	0.000439 U	0.00275 U	0.000334 U	0.000802 U
MW-158	MW-158-20	04/05/18	PES	ESC	20	21.1	S	0.000265 U	0.000233 U	0.000313 U	0.000492 U	0.000299 U	0.000302 U	0.000881 U	0.000316 U	0.000433 U	0.00271 U	0.000330 U	0.000791 U
	MW-158-30	04/05/18	PES	ESC	30	11.1	S	0.0276 U	0.0243 U	15.1	0.0512	0.0311 U	0.0315 U	0.0918 U	3.57	0.0451 U	0.282 U	0.382	0.0823 U
MW-158A (-47.2 to -58.5)	MW-158A-40	04/05/18	PES	ESC	40	1.1	S	0.000288 U	0.000254 U	1.76	0.000626 J	0.000547 J	0.000329 U	0.000959 U	0.684	0.000471 U	0.00295 U	0.00972	0.000860 U
	MW-158A-50	04/05/18	PES	ESC	50	-8.9	S	0.000271 U	0.000238 U	0.922	0.000502 U	0.000423 J	0.000309 U	0.000900 U	0.0628	0.000442 U	0.00276 U	0.000709 J	0.000807 U
	MW-158A-60	04/05/18	PES	ESC	60	-18.9	S	0.000269 U	0.000237 U	4.08	0.000499 U	0.000810 J	0.000307 U	0.000895 U	0.0528	0.000440 U	0.00275 U	0.000703 J	0.000803 U
	MW-158A-70	04/05/18	PES	ESC	70	-28.9	S	0.000263 U	0.000231 U	0.00466	0.000487 U	0.000460 J	0.000300 U	0.000873 U	0.0431	0.000429 U	0.00268 U	0.0164	0.000783 U
	MW-158A-80	04/06/18	PES	ESC	80	-38.9	S	0.000260 U	0.000228 U	0.00242	0.000481 U	0.000293 U	0.000296 U	0.000863 U	0.000599 J	0.000424 U	0.00265 U	0.000339 J	0.000774 U
	MW-158A-90	04/06/18	PES	ESC	90	-48.9	S	0.000268 U	0.000236 U	0.00622	0.000498 U	0.000303 U	0.000306 U	0.000893 U	0.00209	0.000438 U	0.00274 U	0.00160	0.000801 U
	MW-158A-100	04/06/18	PES	ESC	100	-58.9	S	0.000275 U	0.000242 U	0.00683	0.000510 U	0.000310 U	0.000314 U	0.000914 U	0.00229	0.000449 U	0.00281 U	0.000880 J	0.000820 U
MW-159 (22.9 to 12.9)	MW-159-20	04/16/18	PES	ESC	20	22.8	S	0.000283 U	0.000249 U	0.000334 U	0.000525 U	0.000319 U	0.000323 U	0.000941 U	0.000337 U	0.000462 U	0.00289 U	0.000352 U	0.000844 U
	MW-159-30	04/16/18	PES	ESC	30	12.8	S	0.000285 U	0.000251 U	0.0196	0.000529 U	0.000365 J	0.000325 U	0.000948 U	0.0234	0.000466 U	0.00291 U	0.000355 U	0.000851 U
MW-160 (-76.5 to -86.5)	MW-160-11	05/08/18	PES	ESC	11	31.5	S	0.00442 U	0.00251 U	0.00114 U	0.00635 J	0.00232 U	0.00249 U	0.00228 U	0.000649 U	0.000812 U	0.00571 U	0.00110 U	0.00776 U
	MW-160-21	05/08/18	PES	ESC	21	21.5	S	0.00320 U	0.00182 U	0.000966 J	0.00421 J	0.00168 U	0.00179 U	0.00164 U	0.000469 U	0.000586 U	0.00413 U	0.000801 U	0.00560 U
	MW-160-31	05/08/18	PES	ESC	31	11.5	S	0.00331 U	0.00188 U	0.000849 U	0.00285 J	0.00173 U	0.00186 U	0.00170 U	0.000485 U	0.000606 U	0.00427 U	0.000828 U	0.00580 U
	MW-160-40	05/08/18	PES	ESC	40	2.5	S	0.00310 U	0.00176 U	0.281	0.00196 J	0.00373 J	0.00174 U	0.00159 U	0.100	0.000568 U	0.00400 U	0.000775 U	0.00543 U
	MW-160-50	05/08/18	PES	ESC	50	-7.5	S	0.00312 U	0.00177 U	0.00276 J	0.00144 J	0.00163 U	0.00175 U	0.00160 U	0.000714 J	0.000571 U	0.00402 U	0.000780 U	0.00546 U
	MW-160-55	05/08/18	PES	ESC	55	-12.5	S	0.00324 U	0.00184 U	6.27	0.00185 J	0.0221	0.00181 U	0.00166 U	1.11	0.000593 U	0.00418 U	0.0107	0.00567 U
	MW-160-60	05/08/18	PES	ESC	60	-17.5	S	0.00297 U	0.00169 U	0.111	0.00595	0.00162 J	0.00167 U	0.00153 U	0.0907	0.000545 U	0.00384 U	0.000744 U	0.00521 U
	MW-160-70	05/08/18	PES	ESC	70	-27.5	S	0.00319 U	0.00181 U	0.00208 J	0.00221 J	0.00167 U	0.00179 U	0.00164 U	0.00150	0.000584 U	0.00411 U	0.000798 U	0.00558 U
	MW-160-90	05/08/18	PES	ESC	90	-47.5	S	0.00321 U	0.00182 U	0.000824 U	0.00240 J	0.00168 U	0.00180 U	0.00165 U	0.00151	0.000588 U	0.00414 U	0.000804 U	0.00563 U
	MW-160-100	05/08/18	PES	ESC	100	-57.5	S	0.00328 U	0.00186 U	0.000842 U	0.00150 U	0.00172 U	0.00184 U	0.00168 U	0.00153	0.000601 U	0.00423 U	0.000822 U	0.00575 U
	MW-160-110	05/08/18	PES	ESC	110	-67.5	S	0.00310 U	0.00176 U	0.0113	0.00144 J	0.00162 U	0.00173 U	0.00159 U	0.00478	0.000567 U	0.00399 U	0.000774 U	0.00542 U
	MW-160-125	05/10/18	PES	ESC	125	-82.5	S	0.00313 U	0.00177 U	0.00262 J	0.00265 J	0.00164 U	0.00175 U	0.00160 U	0.000576 J	0.000572 U	0.00403 U	0.000782 U	0.00547 U
	MW-160-127.5	05/10/18	PES	ESC	128	-85.0	S	0.00315 U	0.00179 U	0.000808 U	0.00144 U	0.00165 U	0.00177 U	0.00162 U	0.000462 U	0.000577 U	0.00406 U	0.000789 U	0.00552 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-161 (-78.9 to -88.9)	MW-161-11	05/14/18	PES	ESC	11	32.8	S	0.00336 U	0.00191 U	0.00523	0.00615 U	0.00615 U	0.00188 U	-	0.00123 U	0.000615 U	-	0.00307 U	0.00799 U
	MW-161-21	05/14/18	PES	ESC	21	22.8	S	0.00284 U	0.00161 U	0.00260 U	0.00520 U	0.00520 U	0.00159 U	-	0.00104 U	0.000520 U	-	0.00260 U	0.00676 U
	MW-161-31	05/14/18	PES	ESC	31	12.8	S	0.00313 U	0.00177 U	0.0159	0.00572 U	0.00572 U	0.00175 U	-	0.00196	0.000572 U	-	0.00286 U	0.00744 U
	MW-161-40	05/14/18	PES	ESC	40	3.8	S	0.00301 U	0.00171 U	0.00438	0.00552 U	0.00552 U	0.00169 U	-	0.00132	0.000552 U	-	0.00276 U	0.00717 U
	MW-161-50	05/14/18	PES	ESC	50	-6.2	S	0.00305 U	0.00173 U	0.0173	0.00558 U	0.00558 U	0.00171 U	-	0.00956	0.000558 U	-	0.00279 U	0.00725 U
	MW-161-60	05/14/18	PES	ESC	60	-16.2	S	0.00312 U	0.00177 U	0.0356	0.00571 U	0.00571 U	0.00175 U	-	0.00328	0.000571 U	-	0.00286 U	0.00742 U
	MW-161-70	05/14/18	PES	ESC	70	-26.2	S	0.00305 U	0.00173 U	0.00279 U	0.00558 U	0.00558 U	0.00171 U	-	0.00112 U	0.000558 U	-	0.00279 U	0.00726 U
	MW-161-80	05/14/18	PES	ESC	80	-36.2	S	0.00337 U	0.00191 U	0.00308 U	0.00616 U	0.00616 U	0.00189 U	-	0.00123 U	0.000616 U	-	0.00308 U	0.00801 U
	MW-161-90	05/14/18	PES	ESC	90	-46.2	S	0.00311 U	0.00176 U	0.00285 U	0.00569 U	0.00569 U	0.00174 U	-	0.00114 U	0.000569 U	-	0.00285 U	0.00740 U
	B-927-30	05/14/18	PES	ESC	90 (dup)	-46.2	S	0.00339 U	0.00192 U	0.00310 U	0.00621 U	0.00621 U	0.00190 U	-	0.00124 U	0.000621 U	-	0.00310 U	0.00807 U
	MW-161-100	05/14/18	PES	ESC	100	-56.2	S	0.00318 U	0.00180 U	0.00291 U	0.00582 U	0.00582 U	0.00178 U	-	0.00116 U	0.000582 U	-	0.00291 U	0.00757 U
	MW-161-110	05/14/18	PES	ESC	110	-66.2	S	0.00333 U	0.00189 U	0.00305 U	0.00610 U	0.00610 U	0.00187 U	-	0.00122 U	0.000610 U	-	0.00305 U	0.00793 U
	MW-161-120	05/14/18	PES	ESC	120	-76.2	S	0.00333 U	0.00189 U	0.00305 U	0.00610 U	0.00610 U	0.00187 U	-	0.00122 U	0.000610 U	-	0.00305 U	0.00793 U
	MW-161-130	05/14/18	PES	ESC	130	-86.2	S	0.00300 U	0.00170 U	0.0307	0.00550 U	0.00550 U	0.00168 U	-	0.0114	0.000550 U	-	0.00275 U	0.00715 U
MW-190 (-30.2 to -40.2)	MW-161-140	05/15/18	PES	ESC	140	-96.2	S	0.00335 U	0.00190 U	0.00858 U	0.00175 J	0.00175 U	0.00188 U	0.00172 U	0.000490 U	0.000613 U	0.00431 U	0.000837 U	0.00586 U
	MW-190-5	09/19/19	PES	PACE	5	43.7	V	0.00315 U	0.00179 U	0.0166	0.00891	0.00165 U	0.00176 U	0.00161 U	0.000461 U	0.000577 U	0.00406 U	0.000788 U	0.00551 U
	MW-190-10	09/19/19	PES	PACE	10	38.7	V	0.00565 U	0.00321 U	0.0965	0.0371	0.00296 U	0.00317 U	0.00289 U	0.000827 U	0.001103 U	0.00728 U	0.00141 U	0.0280
	MW-190-15	09/19/19	PES	PACE	15	33.7	S	0.00361 U	0.00205 U	0.000927 U	0.0200	0.00189 U	0.00203 U	0.00185 U	0.000530 U	0.000662 U	0.00466 U	0.000904 U	0.00633 U
	MW-190-20	09/19/19	PES	PACE	20	28.7	S	0.00340 U	0.00193 U	0.000871 U	0.0172	0.00178 U	0.00190 U	0.00174 U	0.000498 U	0.000622 U	0.00438 U	0.00116 J	0.00595 U
	MW-190-25	09/19/19	PES	PACE	25	23.7	S	0.00320 U	0.00182 U	0.000822 U	0.0138	0.00168 U	0.00180 U	0.00164 U	0.000470 U	0.000587 U	0.00413 U	0.000802 U	0.00561 U
	MW-190-30	09/19/19	PES	PACE	30	18.7	S	0.00286 U	0.00162 U	0.0585	0.0122	0.00150 U	0.00160 U	0.00147 U	0.0109	0.000524 U	0.00369 U	0.000716 U	0.00501 U
	MW-190-35	09/19/19	PES	PACE	35	13.7	S	0.00290 U	0.00165 U	0.0786	0.00948	0.00152 U	0.00163 U	0.00149 U	0.0108	0.000531 U	0.00374 U	0.000726 U	0.00508 U
	MW-190-40	09/19/19	PES	PACE	40	8.7	S	0.00306 U	0.00174 U	0.0108	0.0117	0.00161 U	0.00172 U	0.00157 U	0.00134	0.000561 U	0.00395 U	0.000767 U	0.00537 U
	MW-190-45	09/19/19	PES	PACE	45	3.7	S	0.00312 U	0.00177 U	0.000800 U	0.00557 J	0.00163 U	0.00175 U	0.00160 U	0.000457 U	0.000572 U	0.00402 U	0.000781 U	0.00547 U
	MW-190-50	09/19/19	PES	PACE	50	-1.4	S	0.00286 U	0.00162 U	0.00158 J	0.0175	0.00150 U	0.00160 U	0.00147 U	0.000419 U	0.000524 U	0.00369 U	0.000715 U	0.00501 U
	MW-190-55	09/19/19	PES	PACE	55	-6.4	S	0.00296 U	0.00168 U	0.000759 U	0.00877	0.00155 U	0.00166 U	0.00152 U	0.000434 U	0.00272	0.00382 U	0.00676	0.00518 U
	MW-190-60	09/19/19	PES	PACE	60	-11.4	S	0.00297 U	0.00169 U	0.00369 J	0.00549	0.00156 U	0.00167 U	0.00153 U	0.000436 U	0.000545 U	0.00384 U	0.0173	0.00521 U
	MW-2008-60	09/19/19	PES	PACE	60 (dup)	-11.4	S	0.00295 U	0.00168 U	0.00950 J	0.0129	0.00155 U	0.00165 U	0.00151 U	0.000432 U	0.000540 U	0.00380 U	0.0138	0.00517 U
	MW-190-65	09/19/19	PES	PACE	65	-16.4	S	0.00301 U	0.00171 U	0.000773 U	0.0191	0.00158 U	0.00169 U	0.00155 U	0.000442 U	0.000552 U	0.00389 U	0.000754 U	0.00528 U
	MW-190-70	09/19/19	PES	PACE	70	-21.4	S	0.00302 U	0.00172 U	0.000775 U	0.00717	0.00158 U	0.00169 U	0.00155 U	0.000443 U	0.000554 U	0.00390 U	0.000757 U	0.00529 U
	MW-190-75	09/19/19	PES	PACE	75	-26.4	S	0.00298 U	0.00169 U	0.000765 U	0.00803	0.00156 U	0.00167 U	0.00153 U	0.000437 U	0.000547 U	0.00385 U	0.000747 U	0.00523 U
	MW-190-80	09/19/19	PES	PACE	80	-31.4	S	0.00298 U	0.00169 U	0.00132 J	0.0117	0.00156 U	0.00167 U	0.00153 U	0.000437 U	0.000546 U	0.00384 U	0.000746 U	0.00522 U
	MW-190-85	09/19/19	PES	PACE	85	-36.4	S	0.00314 U	0.00178 U	0.000805 U	0.00843	0.00164 U	0.00176 U	0.00161 U	0.000460 U	0.000575 U	0.00405 U	0.000785 U	0.00550 U
MW-301 (35.6 to 25.6)	MW-190-87	09/19/19	PES	PACE	87	-38.4	S	0.00326 U	0.00185 U	0.000837 U	0.00903	0.00171 U	0.00183 U	0.00167 U	0.000478 U	0.000598 U	0.00421 U	0.000816 U	0.00571 U
	MW-301-6	09/20/19	PES	PACE	6	47.8	V	0.00320 U	0.00182 U	0.00260 J	0.0191	0.00168 U	0.00179 U	0.00164 U	0.000469 U	0.000586 U	0.00412 U	0.000800 U	0.00560 U
	MW-301-10	09/20/19	PES	PACE	10	43.8	V	0.00300 U	0.00170 U	0.00463 J	0.00321 J	0.00157 U	0.00168 U	0.00154 U	0.000440 U	0.000550 U	0.00387 U	0.000751 U	0.00526 U
	MW-301-15	09/20/19	PES	PACE	15	38.8	V	0.00310 U	0.00176 U	0.00396 J	0.0258	0.00162 U	0.00174 U	0.00159 U	0.000454 U	0.000568 U	0.00400 U	0.000775 U	0.00543 U
	MW-301-20	09/20/19	PES	PACE	20	33.8	S	0.00922 U	0.00523 U	0.00927 J	0.0402	0.00483 U	0.00516 U	0.00473 U	0.000135 U	0.00169 U	0.0119 U	0.00231 U	0.0162 U
	MW-301-25	09/20/19	PES	PACE	25	28.8	S	0.00310 U	0.00176 U	0.0326 J	0.0329	0.00163 U	0.00174 U	0.00159 U	0.00173	0.000568 U	0.00400 U	0.000776 U	0.00543 U
MW-302 (3.0 to -7.0)	MW-301-30	09/20/19	PES	PACE	30	23.8	S	0.00338 U	0.00191 U	0.0141 J	0.0376	0.00177 U	0.00189 U	0.00174 U	0.000495 U	0.000619 U	0.00436 U	0.000845 U	0.00592 U
	MW-302-5	10/01/19	PES	PACE	5	52.3	V	0.00320 U	0.00182 U	0.0461	0.00938	0.00167 U	0.00179 U	0.00164 U	0.000468 U	0.000585 U	0.00412 U	0.000800 U	0.00584 J
	MW-302-10	10/01/19	PES	PACE	10	47.3	V	0.00340 U	0.00193 U	0.000871 U	0.00156 U	0.00178 U	0.00190 U	0.00174 U	0.000498 U	0.000622 U	0.00438 U	0.000850 U	0.00595 U
	MW-302-15	10/01/19	PES	PACE	15	42.3	V	0.00373 U	0.00212 U	0.00215 J	0.0142	0.00195 U	0.00208 U	0.00190 U	0.000545 U	0.000682 U	0.00480 U	0.000931 U	0.00651 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-302 (continued)	MW-302-20	10/01/19	PES	PACE	20	37.3	S	0.00326 U	0.00185 U	0.00541	0.00524 J	0.00171 U	0.00183 U	0.00167 U	0.000477 U	0.000597 U	0.00420 UJ	0.000815 U	0.00570 U
	MW-302-25	10/01/19	PES	PACE	25	32.3	S	0.00306 U	0.00174 U	0.000784 U	0.00443 J	0.00160 U	0.00171 U	0.00157 U	0.000448 U	0.000560 U	0.00394 UJ	0.000765 U	0.00536 U
	MW-302-30	10/01/19	PES	PACE	30	27.3	S	0.00299 U	0.00170 U	0.000766 U	0.00287 J	0.00156 U	0.00167 U	0.00153 U	0.000438 U	0.000547 U	0.00385 UJ	0.000747 U	0.00523 U
	MW-302-35	10/01/19	PES	PACE	35	22.3	S	0.00293 U	0.00167 U	0.000752 U	0.00440 J	0.00154 U	0.00164 U	0.00150 U	0.000430 U	0.000537 U	0.00378 UJ	0.000734 U	0.00514 U
	MW-302-40	10/01/19	PES	PACE	40	17.3	S	0.00290 U	0.00165 U	0.000745 U	0.00484 J	0.00152 U	0.00163 U	0.00149 U	0.000425 U	0.000532 U	0.00374 UJ	0.000727 U	0.00508 U
	MW-302-45	10/01/19	PES	PACE	45	12.3	S	0.00325 U	0.00185 U	0.000834 U	0.0222	0.00170 U	0.00182 U	0.00167 U	0.000477 U	0.000596 U	0.00419 UJ	0.000814 U	0.00570 U
	MW-302-50	10/01/19	PES	PACE	50	7.3	S	0.00326 U	0.00185 U	0.000836 U	0.0158	0.00171 U	0.00183 U	0.00167 U	0.000478 U	0.000597 U	0.00420 UJ	0.000816 U	0.00571 U
	MW-302-55	10/01/19	PES	PACE	55	2.3	S	0.00310 U	0.00176 U	0.000795 U	0.00449 J	0.00162 U	0.00174 U	0.00159 U	0.000455 U	0.000568 U	0.00400 UJ	0.000776 U	0.00543 U
	MW-302-60	10/01/19	PES	PACE	60	-2.7	S	0.00389 U	0.00220 U	0.000995 U	0.0216	0.00204 U	0.00218 U	0.00199 U	0.000569 U	0.000711 U	0.00500 UJ	0.000971 U	0.00680 U
MW-304 (-47.6 to -57.6)	MW-302-65	10/01/19	PES	PACE	65	-7.7	S	0.00320 U	0.00182 U	0.000820 U	0.00508 J	0.00167 U	0.00179 U	0.00164 U	0.000468 U	0.000586 U	0.00412 UJ	0.000800 U	0.00560 U
	MW-2014-65	10/01/19	PES	PACE	65 (dup)	-7.7	S	0.00331 U	0.00188 U	0.000849 U	0.0138	0.00173 U	0.00185 U	0.00170 U	0.000485 U	0.000606 U	0.00427 UJ	0.000828 U	0.00579 U
	MW-304-5	10/01/19	PES	PACE	5	52.6	V	0.00307 U	0.00175 U	0.0250	0.00212 J	0.00161 U	0.00172 U	0.00158 U	0.000451 U	0.000563 U	0.00396 U	0.000769 U	0.00538 U
	MW-304-10	10/01/19	PES	PACE	10	47.6	V	0.00311 U	0.00177 U	0.0198	0.00202 J	0.00163 U	0.00174 U	0.00160 U	0.000456 U	0.000570 U	0.00401 U	0.000778 U	0.00545 U
	MW-304-15	10/01/19	PES	PACE	15	42.6	V	0.00325 U	0.00184 U	0.00806	0.00149 U	0.00170 U	0.00182 U	0.00166 U	0.000476 U	0.000595 U	0.00419 U	0.000812 U	0.00568 U
	MW-304-20	10/01/19	PES	PACE	20	37.6	S	0.00322 U	0.00183 U	0.000824 U	0.00496 J	0.00168 U	0.00180 U	0.00165 U	0.000471 U	0.000589 U	0.00415 U	0.000804 U	0.00563 U
	MW-304-25	10/01/19	PES	PACE	25	32.6	S	0.00299 U	0.00170 U	0.000766 U	0.00137 U	0.00156 U	0.00167 U	0.00153 U	0.000438 U	0.000547 U	0.00385 U	0.000747 U	0.00523 U
	MW-304-30	10/01/19	PES	PACE	30	27.6	S	0.00321 U	0.00182 U	0.000823 U	0.00147 U	0.00168 U	0.00180 U	0.00165 U	0.000470 U	0.000588 U	0.00414 U	0.000803 U	0.00562 U
	MW-304-40	10/01/19	PES	PACE	40	17.6	S	0.00296 U	0.00168 U	0.000760 U	0.00211 J	0.00155 U	0.00166 U	0.00152 U	0.000434 U	0.000543 U	0.00382 U	0.000741 U	0.00519 U
	MW-304-45	10/01/19	PES	PACE	45	12.6	S	0.00277 U	0.00157 U	0.000711 U	0.00130 J	0.00145 U	0.00155 U	0.00142 U	0.000406 U	0.000508 U	0.00358 U	0.000694 U	0.00486 U
	MW-304-50	10/01/19	PES	PACE	50	7.6	S	0.00294 U	0.00167 U	0.000754 U	0.00241 J	0.00154 U	0.00165 U	0.00151 U	0.000431 U	0.000538 U	0.00379 U	0.000735 U	0.00515 U
	MW-304-55	10/01/19	PES	PACE	55	2.6	S	0.00275 U	0.00156 U	0.000706 U	0.00212 J	0.00144 U	0.00154 U	0.00141 U	0.000403 U	0.000504 U	0.00355 U	0.000688 U	0.00482 U
	MW-304-60	10/01/19	PES	PACE	60	-2.4	S	0.00288 U	0.00163 U	0.000738 U	0.00355 J	0.00151 U	0.00161 U	0.00148 U	0.000422 U	0.000527 U	0.00371 U	0.000720 U	0.00504 U
	MW-304-65	10/01/19	PES	PACE	65	-7.4	S	0.00316 U	0.00180 U	0.000811 U	0.00168 J	0.00166 U	0.00177 U	0.00162 U	0.000463 U	0.000579 U	0.00408 U	0.000791 U	0.00554 U
	MW-304-70	10/01/19	PES	PACE	70	-12.4	S	0.00332 U	0.00188 U	0.000850 U	0.00270 J	0.00174 U	0.00186 U	0.00170 U	0.000486 U	0.000607 U	0.00428 U	0.000830 U	0.00581 U
	MW-304-75	10/01/19	PES	PACE	75	-17.4	S	0.00313 U	0.00177 U	0.000801 U	0.0284	0.00185 J	0.00175 U	0.00160 U	0.000458 U	0.000572 U	0.00403 U	0.000782 U	0.00547 U
	MW-304-80	10/01/19	PES	PACE	80	-22.4	S	0.00299 U	0.00170 U	0.000766 U	0.00188 J	0.00157 U	0.00167 U	0.00153 U	0.000438 U	0.000547 U	0.00385 U	0.000748 U	0.00523 U
	MW-304-85	10/01/19	PES	PACE	85	-27.4	S	0.00299 U	0.00170 U	0.000767 U	0.00264 J	0.00157 U	0.00168 U	0.00153 U	0.000438 U	0.000548 U	0.00386 U	0.000748 U	0.00524 U
	MW-304-90	10/01/19	PES	PACE	90	-32.4	S	0.00327 U	0.00186 U	0.000839 U	0.00223 J	0.00171 U	0.00183 U	0.00168 U	0.000480 U	0.000599 U	0.00422 U	0.000819 U	0.00573 U
	MW-304-95	10/01/19	PES	PACE	95	-37.4	S	0.00323 U	0.00184 U	0.000829 U	0.00263 J	0.00169 U	0.00181 U	0.00166 U	0.000474 U	0.000592 U	0.00417 UJ	0.000809 U	0.00566 U
MW-307 (-12.4 to -22.4)	MW-2009-95	10/01/19	PES	PACE	95 (dup)	-37.4	S	0.00328 U	0.00186 U	0.000841 U	0.00217 J	0.00172 U	0.00184 U	0.00168 U	0.000481 U	0.000601 U	0.00423 UJ	0.000820 U	0.00574 U
	MW-304-100	10/02/19	PES	PACE	100	-42.4	S	0.00322 U	0.00183 U	0.000825 U	0.00206 J	0.00169 U	0.00180 U	0.00165 U	0.000471 U	0.000589 U	0.00415 UJ	0.000805 U	0.00563 U
	MW-304-105	10/02/19	PES	PACE	105	-47.4	S	0.00319 U	0.00181 U	0.000819 U	0.00166 J	0.00167 U	0.00179 U	0.00164 U	0.000468 U	0.000585 U	0.00412 UJ	0.000799 U	0.00559 U
	MW-304-110	10/02/19	PES	PACE	110	-52.4	S	0.00345 U	0.00196 U	0.000885 U	0.00321 J	0.00181 U	0.00193 U	0.00177 U	0.000506 U	0.000632 U	0.00445 UJ	0.000864 U	0.00604 U
	MW-304-115	10/02/19	PES	PACE	115	-57.4	S	0.00318 U	0.00181 U	0.000816 U	0.00223 J	0.00167 U	0.00178 U	0.00163 U	0.000466 U	0.000583 U	0.00410 UJ	0.000796 U	0.00557 U
	MW-307-6	10/03/19	PES	PACE	6	54.5	V	0.00305 U	0.00173 U	0.000783 U	0.0131	0.00160 U	0.00171 U	0.00157 U	0.000447 U	0.000559 U	0.00394 U	0.000764 U	0.00534 U
	MW-307-10	10/03/19	PES	PACE	10	50.5	V	0.00314 U	0.00178 U	0.000806 U	0.0260	0.00165 U	0.00176 U	0.00161 U	0.000460 U	0.000576 U	0.00405 U	0.000786 U	0.00551 U
	MW-307-15	10/03/19	PES	PACE	15	45.5	V	0.00294 U	0.00167 U	0.000754 U	0.00403 J	0.00154 U	0.00165 U	0.00151 U	0.000431 U	0.000539 U	0.00379 U	0.000736 U	0.00515 U
	MW-307-20	10/03/19	PES	PACE	20	40.5	V	0.00292 U	0.00166 U	0.000749 U	0.00602	0.00153 U	0.00164 U	0.00150 U	0.000428 U	0.000535 U	0.00376 U	0.000730 U	0.00511 U
MW-307	MW-307-25	10/03/19	PES	PACE	25	35.5	S	0.00299 U	0.00170 U	0.000768 U	0.00675	0.00157 U	0.00168 U	0.00154 U	0.000439 U	0.000549 U	0.00386 U	0.000749 U	0.00524 U
	MW-307-30	10/03/19	PES	PACE	30	30.5	S	0.00402 U	0.00228 U	0.001103 U	0.0148	0.00211 U	0.00225 U	0.00206 U	0.000589 U	0.000737 U	0.00519 U	0.00101 U	0.00705 U
	MW-307-35	10/03/19	PES	PACE	35	25.5	S	0.00292 U	0.00166 U	0.000749 U	0.0111	0.00153 U	0.00164 U	0.00150 U	0.000428 U	0.000535 U	0.00377 U	0.000731 U	0.00511 U
	MW-307-40	10/03/19	PES	PACE	40	20.5	S	0.00312 U	0.00177 U	0.000799 U	0.00815	0.00163 U	0.00175 U	0.00160 U	0.000457 U	0.000571 U	0.00402 U	0.000780 U	0.00546 U
	MW-307-45	10/03/19	PES	PACE	45	15.5	S	0.00301 U	0.00171 U	0.000772 U	0.00846	0.00158 U	0.00169 U	0.00154 U	0.000441 U	0.000551 U	0.00388 U	0.000753 U	0.00527 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83	
MW-307 (continued)	MW-307-50	10/03/19	PES	PACE	50	10.5	S	0.00304 U	0.00172 U	0.000778 U	0.0157	0.00159 U	0.00170 U	0.00156 U	0.000445 U	0.000556 U	0.00391 U	0.000759 U	0.00532 U	
	MW-307-55	10/03/19	PES	PACE	55	5.5	S	0.00296 U	0.00168 U	0.000760 U	0.0104	0.00155 U	0.00166 U	0.00152 U	0.000434 U	0.000543 U	0.00382 U	0.000742 U	0.00519 U	
	MW-307-60	10/03/19	PES	PACE	60	0.5	S	0.00308 U	0.00175 U	0.000790 U	0.00583	0.00161 U	0.00173 U	0.00158 U	0.000452 U	0.000565 U	0.00397 U	0.000771 U	0.00540 U	
	MW-307-65	10/03/19	PES	PACE	65	-4.5	S	0.00628 U	0.00357 U	0.00161 U	0.0687	0.00329 U	0.00352 U	0.00323 U	0.000921 U	0.00115 U	0.00810 U	0.00157 U	0.0110 U	
	MW-307-70	10/03/19	PES	PACE	70	-9.5	S	0.0313 U	0.0177 U	0.00802 U	0.0561 J	0.0164 U	0.0175 U	0.0161 U	0.00458 U	0.00573 U	0.0403 U	0.00782 U	0.0547 U	
	MW-307-75	10/03/19	PES	PACE	75	-14.5	S	0.00301 U	0.00171 U	0.000772 U	0.0160	0.00158 U	0.00169 U	0.00154 U	0.000441 U	0.000551 U	0.00388 U	0.000753 U	0.00527 U	
	MW-307-80	10/03/19	PES	PACE	80	-19.5	S	0.00319 U	0.00182 U	0.000818 U	0.0261	0.00167 U	0.00179 U	0.00163 U	0.000467 U	0.000584 U	0.00412 U	0.000798 U	0.00558 U	
	MW-307-85	10/03/19	PES	PACE	85	-24.5	S	0.00313 U	0.00178 U	0.000802 U	0.0293	0.00164 U	0.00175 U	0.00160 U	0.000458 U	0.000573 U	0.00403 U	0.000782 U	0.00548 U	
	MW-2016-85	10/03/19	PES	PACE	85 (dup)	-24.5	S	0.00295 U	0.00167 U	0.000756 U	0.0113	0.00154 U	0.00165 U	0.00151 U	0.000432 U	0.000540 U	0.00380 U	0.000738 U	0.00516 U	
MW-309 (-32.0 to -42.0)	MW-309-5	09/19/19	PES	PACE	5	25.4	V	0.00326 U	0.00185 U	0.00188 J	0.0102	0.00171 U	0.00183 U	0.00167 U	0.000477 U	0.000597 U	0.00420 U	0.000815 U	0.00734 J	
	MW-309-10	09/19/19	PES	PACE	10	20.4	S	0.171 U	0.0975 U	0.0440 U	0.0787 U	0.0900 U	0.0963 U	0.0881 U	0.0252 U	0.0315 U	0.222 U	0.0429 U	0.400 J	
	MW-309-13.5	09/19/19	PES	PACE	13.5	16.9	S	0.00333 U	0.00189 U	0.000855 U	0.00153 U	0.00175 U	0.00187 U	0.00171 U	0.000489 U	0.000611 U	0.00430 U	0.000834 U	0.00584 U	
	MW-309-15	09/19/19	PES	PACE	15	15.4	S	0.0257 U	0.0146 U	0.00659 U	0.0503	0.0134 U	0.0144 U	0.0132 U	0.00377 U	0.00471 U	0.0332 U	0.00643 U	0.174	
	MW-309-20	09/19/19	PES	PACE	20	10.4	S	0.00321 U	0.00182 U	0.000824 U	0.0593	0.00168 U	0.00180 U	0.00165 U	0.000471 U	0.000588 U	0.00414 U	0.000804 U	0.252	
	MW-309-25	09/19/19	PES	PACE	25	5.4	S	0.00323 U	0.00183 U	0.000827 U	0.0132	0.00169 U	0.00181 U	0.00165 U	0.000473 U	0.000591 U	0.00416 U	0.000807 U	0.0896	
	MW-309-30	09/19/19	PES	PACE	30	0.4	S	0.00326 U	0.00185 U	0.000836 U	0.0250	0.00171 U	0.00183 U	0.00167 U	0.000478 U	0.000597 U	0.00420 U	0.000816 U	0.0159	
	MW-309-35	09/19/19	PES	PACE	35	-4.6	S	0.00331 U	0.00188 U	0.000849 U	0.0200	0.00173 U	0.00185 U	0.00170 U	0.000485 U	0.00150 J	0.00427 U	0.000828 U	0.00579 U	
	MW-309-40	09/19/19	PES	PACE	40	-9.6	S	0.00331 U	0.00188 U	0.000849 U	0.0381	0.00173 U	0.00186 U	0.00170 U	0.000485 U	0.000606 U	0.00427 U	0.000828 U	0.00580 U	
	MW-309-45	09/19/19	PES	PACE	45	-14.6	S	0.00344 U	0.00196 U	0.000883 U	0.0229	0.00180 U	0.00193 U	0.00177 U	0.000505 U	0.000631 U	0.00444 U	0.000861 U	0.00603 U	
	MW-309-50	09/19/19	PES	PACE	50	-19.6	S	0.00325 U	0.00185 U	0.000834 U	0.00149 U	0.00170 U	0.00182 U	0.00167 U	0.000477 U	0.000596 U	0.00420 U	0.000814 U	0.00570 U	
	MW-309-55	09/19/19	PES	PACE	55	-24.6	S	0.00303 U	0.00172 U	0.000777 U	0.0257	0.00159 U	0.00170 U	0.00155 U	0.000444 U	0.000555 U	0.00391 U	0.000758 U	0.00583 J	
	MW-309-60	09/19/19	PES	PACE	60	-29.6	S	0.00305 U	0.00173 U	0.000782 U	0.0170	0.00160 U	0.00171 U	0.00157 U	0.000447 U	0.000559 U	0.00393 U	0.000763 U	0.00534 U	
	MW-309-65	09/19/19	PES	PACE	65	-34.6	S	0.00307 U	0.00174 U	0.000786 U	0.0164	0.00161 U	0.00172 U	0.00157 U	0.000449 U	0.000562 U	0.00395 U	0.000767 U	0.00537 U	
	MW-309-70	09/19/19	PES	PACE	70	-39.6	S	0.00310 U	0.00176 U	0.000796 U	0.0129	0.00163 U	0.00174 U	0.00159 U	0.000455 U	0.000569 U	0.00400 U	0.000777 U	0.00544 U	
	MW-309-75	09/19/19	PES	PACE	75	-44.6	S	0.00295 U	0.00168 U	0.000757 U	0.0100	0.00155 U	0.00165 U	0.00151 U	0.000432 U	0.000540 U	0.00380 U	0.000738 U	0.00517 U	
MW-311 (-29.0 to -39.0)	MW-311-5	09/18/19	PES	PACE	5	28.1	V	0.00327 U	0.00186 U	0.00286 J	0.00756	0.00171 U	0.00183 U	0.00168 U	0.000479 U	0.000599 U	0.00421 U	0.000818 U	0.00572 U	
	MW-311-10	09/18/19	PES	PACE	10	23.1	S	0.00314 U	0.00178 U	0.000806 U	0.00875	0.00165 U	0.00176 U	0.00161 U	0.000460 U	0.000576 U	0.00405 U	0.000786 U	0.00550 U	
	MW-311-15	09/18/19	PES	PACE	15	18.1	S	0.00733 U	0.00416 U	0.00188 U	0.0223	0.00384 U	0.00411 U	0.00376 U	0.00107 U	0.00134 U	0.00945 U	0.00184 U	0.0128 U	
	MW-311-20	09/18/19	PES	PACE	20	13.1	S	0.00764 U	0.00433 U	0.00196 U	0.0469	0.00399 U	0.00428 U	0.00391 U	0.00112 U	0.00140 U	0.00985 U	0.00192 U	0.0134 U	
	MW-311-25	09/18/19	PES	PACE	25	8.1	S	0.0135 U	0.00770 U	0.00348 U	0.196	0.00710 U	0.00760 U	0.00695 U	0.00199 U	0.00248 U	0.0175 U	0.00339 U	0.0237 U	
	MW-311-30	09/18/19	PES	PACE	30	3.1	S	0.00717 U	0.00407 U	0.00184 U	0.0804	0.00376 U	0.00401 U	0.00368 U	0.00105 U	0.00132 U	0.00924 U	0.00179 U	0.0180	
	MW-311-35	09/18/19	PES	PACE	35	-1.9	S	0.00637 U	0.00362 U	0.00163 U	0.0325	0.00334 U	0.00357 U	0.00327 U	0.000933 U	0.00117 U	0.00821 U	0.00160 U	0.0112 U	
	MW-311-40	09/18/19	PES	PACE	40	-6.9	S	0.00320 U	0.00182 U	0.000777 U	0.00251 J	0.0152	0.00168 U	0.00179 U	0.00164 U	0.000304	0.000586 U	0.00413 U	0.000800 U	0.00560 U
	MW-311-45	09/18/19	PES	PACE	45	-11.9	S	0.00343 U	0.00195 U	1.25	0.00613 J	0.00184 J	0.00192 U	0.00176 U	0.169	0.000628 U	0.00442 U	0.000857 U	0.00600 U	
	MW-311-50	09/18/19	PES	PACE	50	-16.9	S	0.00319 U	0.00181 U	1.31	0.0181	0.00195 J	0.00179 U	0.00163 U	0.151	0.000584 U	0.00411 U	0.000797 U	0.00558 U	
	MW-311-55	09/18/19	PES	PACE	55	-21.9	S	0.00302 U	0.00171 U	2.31	0.0106	0.00191 J	0.00169 U	0.00155 U	0.895	0.000553 U	0.00389 U	0.0235	0.00528 U	
	MW-311-60	09/18/19	PES	PACE	60	-26.9	S	0.00598 U	0.00340 U	0.00274 J	0.0290	0.00313 U	0.00335 U	0.00307 U	0.0106	0.00110 U	0.00771 U	0.0232	0.0105 U	
	MW-311-65	09/18/19	PES	PACE	65	-31.9	S	0.00289 U	0.00164 U	0.000742 U	0.0112	0.00152 U	0.00162 U	0.00148 U	0.000817 J	0.000530 U	0.00373 U	0.00565	0.00507 U	
	MW-2005-65	09/18/19	PES	PACE	65 (dup)	-31.9	S	0.00299 U	0.00170 U	0.00113 J	0.0123	0.00157 U	0.00168 U	0.00154 U	0.000439 U	0.000549 U	0.00386 U	0.00442	0.00524 U	
	MW-311-70	09/18/19	PES	PACE	70	-36.9	S	0.00301 U	0.00171 U	0.00142 J	0.00420 J	0.00158 U	0.00169 U	0.00154 U	0.000483 J	0.000551 U	0.00388 U	0.000753 U	0.00527 U	
	MW-2007-70	09/18/19	PES	PACE	70 (dup)	-38.3	S	0.00582 U	0.00330 U	0.00375 J	0.0366	0.00305 U	0.00326 U	0.00298 U	0.000852 U	0.00107 U	0.00750 U	0.00146 U	0.0102 U	

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-312 (19.9 to 9.9)	MW-312-6	09/16/19	PES	PACE	6	29.6	V	0.00332 U	0.00189 U	0.000852 U	0.00946	0.00174 U	0.00186 U	0.00170 U	0.000487 U	0.000608 U	0.00428 U	0.000831 U	0.00582 U
	MW-312-10	09/16/19	PES	PACE	10	25.6	V	0.00554 U	0.00315 U	0.00142 U	0.0225	0.00290 U	0.00310 U	0.00285 U	0.000812 U	0.00101 U	0.00714 U	0.00139 U	0.00970 U
	MW-312-15	09/16/19	PES	PACE	15	20.6	S	0.00378 U	0.00214 U	0.000968 U	0.0408	0.00198 U	0.00211 U	0.00194 U	0.000553 U	0.000691 U	0.00487 U	0.000944 U	0.0241
	MW-312-20	09/16/19	PES	PACE	20	15.6	S	0.00295 U	0.00168 U	0.000757 U	0.00520 J	0.00155 U	0.00166 U	0.00151 U	0.000433 U	0.000541 U	0.00381 U	0.000739 U	0.00517 U
	MW-2004-20	09/16/19	PES	PACE	20	15.6	S	0.00315 U	0.00179 U	0.000808 U	0.00987	0.00165 U	0.00177 U	0.00162 U	0.000462 U	0.000577 U	0.00406 U	0.000789 U	0.00552 U
	MW-312-25	09/16/19	PES	PACE	25	10.6	S	0.00305 U	0.00173 U	0.000783 U	0.00658	0.00160 U	0.00171 U	0.00157 U	0.000447 U	0.000559 U	0.00394 U	0.000764 U	0.00660 J
MW-314 (-28.0 to -38.0)	MW-314-6	09/13/19	PES	PACE	6	33.8	V	0.00310 U	0.00176 U	0.00325	0.00468 J	0.00162 U	0.00174 U	0.00159 U	0.000454 U	0.000568 U	0.00400 U	0.000776 U	0.00561 J
	MW-314-10	09/13/19	PES	PACE	10	29.8	V	0.00313 U	0.00178 U	0.000803 U	0.00970	0.00165 U	0.00175 U	0.00160 U	0.000459 U	0.000574 U	0.00404 U	0.000784 U	0.00549 U
	MW-314-15	09/13/19	PES	PACE	15	24.8	V	0.00307 U	0.00174 U	0.000788 U	0.0101	0.00161 U	0.00172 U	0.00158 U	0.000450 U	0.000563 U	0.00396 U	0.000768 U	0.00538 U
	MW-314-20	09/13/19	PES	PACE	20	19.8	S	0.00313 U	0.00178 U	0.000803 U	0.00875	0.00164 U	0.00176 U	0.00161 U	0.00105 J	0.000574 U	0.00404 U	0.000784 U	0.00549 U
	MW-314-25	09/13/19	PES	PACE	25	14.8	S	0.00347 U	0.00197 U	0.000889 U	0.00372 J	0.00182 U	0.00194 U	0.00178 U	0.000508 U	0.000635 U	0.00447 U	0.00563	0.00607 U
	MW-2002-25	09/13/19	PES	PACE	25	14.8	S	0.00345 U	0.00196 U	0.000884 U	0.00170 J	0.00181 U	0.00193 U	0.00177 U	0.000505 U	0.000631 U	0.00444 U	0.000862 U	0.00603 U
	MW-314-30	09/13/19	PES	PACE	30	9.8	S	0.00340 U	0.00193 U	0.0637	0.00696	0.00178 U	0.00190 U	0.00174 U	0.116	0.000622 U	0.00438 U	0.00230 J	0.00595 U
	MW-314-35	09/13/19	PES	PACE	35	4.8	S	0.00293 U	0.00166 U	1.14	0.0118	0.00420 J	0.00164 U	0.00150 U	0.449	0.000536 U	0.00378 U	0.0238	0.00513 U
	MW-314-40	09/13/19	PES	PACE	40	-0.2	S	0.00305 U	0.00172 U	0.0258	0.00627	0.00469 J	0.00170 U	0.00156 U	0.199	0.000557 U	0.00393 U	0.0515	0.00533 U
	MW-314-45	09/13/19	PES	PACE	45	-5.2	S	0.00302 U	0.00172 U	0.00151 J	0.00815	0.00158 U	0.00169 U	0.00155 U	0.00106 J	0.000553 U	0.00390 U	0.00391	0.00529 U
	MW-314-50	09/13/19	PES	PACE	50	-10.2	S	0.00304 U	0.00173 U	0.000779 U	0.00713	0.00159 U	0.00170 U	0.00156 U	0.000445 U	0.000557 U	0.00392 U	0.000760 U	0.00532 U
	MW-314-55	09/13/19	PES	PACE	55	-15.2	S	0.00330 U	0.00187 U	0.000845 U	0.00644	0.00173 U	0.00185 U	0.00169 U	0.000483 U	0.000604 U	0.00425 U	0.0756	0.00577 U
	MW-314-60	09/13/19	PES	PACE	60	-20.2	S	0.00302 U	0.00171 U	0.000774 U	0.00757	0.00158 U	0.00169 U	0.00155 U	0.000442 U	0.000553 U	0.00389 U	0.0239	0.00529 U
	MW-314-65	09/13/19	PES	PACE	65	-25.2	S	0.00310 U	0.00176 U	0.000795 U	0.00364 J	0.00162 U	0.00174 U	0.00159 U	0.000454 U	0.000568 U	0.00400 U	0.000775 U	0.00543 U
	MW-314-70	09/13/19	PES	PACE	70	-30.2	S	0.0332 U	0.0189 U	0.298	0.0338 J	0.0174 U	0.0185 U	0.0170 U	0.138	0.00607 U	0.0428 U	0.00830 U	0.0581 U
	MW-314-75	09/13/19	PES	PACE	75	-35.2	S	0.00623 U	0.00354 U	0.0441	0.00677 J	0.00327 U	0.00349 U	0.00320 U	0.124	0.00114 U	0.00804 U	0.00156 U	0.0109 U
	MW-314-80	09/13/19	PES	PACE	80	-40.2	S	0.00408 U	0.00232 U	0.0160	0.00446 J	0.00213 U	0.00228 U	0.00209 U	0.100	0.000747 U	0.00525 U	0.00102 U	0.00713 U
MW-316 (-10.0 to -20.0)	MW-316-5	09/09/19	PES	PACE	5	44.8	V	0.00296 U	0.00168 U	0.000758 U	0.00780	0.00155 U	0.00166 U	0.00152 U	0.000433 U	0.000541 U	0.00381 U	0.000739 U	0.00517 U
	MW-316-10	09/09/19	PES	PACE	10	39.8	V	0.00309 U	0.00175 U	0.000792 U	0.0197	0.00162 U	0.00173 U	0.00158 U	0.000453 U	0.00346	0.00398 U	0.000773 U	0.00541 U
	MW-316-15	09/09/19	PES	PACE	15	34.8	V	0.00307 U	0.00174 U	0.000787 U	0.00457 J	0.00161 U	0.00172 U	0.00157 U	0.000450 U	0.00179 J	0.00396 U	0.000768 U	0.00537 U
	MW-316-20	09/09/19	PES	PACE	20	29.8	V	0.00294 U	0.00167 U	0.00305	0.00535 J	0.00154 U	0.00165 U	0.00151 U	0.000431 U	0.00182 J	0.00380 U	0.000737 U	0.00516 U
	MW-316-25	09/09/19	PES	PACE	25	24.8	S	0.00310 U	0.00176 U	0.000794 U	0.00791	0.00162 U	0.00174 U	0.00159 U	0.000454 U	0.00190 J	0.00399 U	0.000775 U	0.00542 U
	MW-316-30	09/09/19	PES	PACE	30	19.8	S	0.00303 U	0.00172 U	0.000777 U	0.00612	0.00159 U	0.00170 U	0.00155 U	0.000444 U	0.000555 U	0.00391 U	0.000758 U	0.00530 U
	MW-316-35	09/09/19	PES	PACE	35	14.8	S	0.00308 U	0.00175 U	0.000790 U	0.00707	0.00161 U	0.00173 U	0.00158 U	0.000452 U	0.00170 J	0.00397 U	0.000771 U	0.00540 U
	MW-316-40	09/09/19	PES	PACE	40	9.8	S	0.00311 U	0.00176 U	0.000797 U	0.00483 J	0.00163 U	0.00174 U	0.00159 U	0.000455 U	0.000569 U	0.00401 U	0.000777 U	0.00544 U
	MW-316-45	09/09/19	PES	PACE	45	4.8	S	0.00304 U	0.00172 U	0.000778 U	0.00703	0.00159 U	0.00170 U	0.00156 U	0.000445 U	0.00156 J	0.00391 U	0.000759 U	0.00532 U
	MW-316-50	09/09/19	PES	PACE	50	-0.2	S	0.00327 U	0.00185 U	0.000838 U	0.0112	0.00171 U	0.00183 U	0.00168 U	0.000479 U	0.00236 J	0.00421 U	0.000817 U	0.00572 U
	MW-316-55	09/09/19	PES	PACE	55	-5.2	S	0.00309 U	0.00176 U	0.000793 U	0.00464 J	0.00162 U	0.00173 U	0.00159 U	0.000453 U	0.000566 U	0.00399 U	0.000774 U	0.00541 U
	MW-316-60	09/09/19	PES	PACE	60	-10.2	S	0.00307 U	0.00174 U	0.000787 U	0.00596	0.00161 U	0.00172 U	0.00157 U	0.000450 U	0.00162 J	0.00396 U	0.000768 U	0.00537 U
	MW-316-65	09/10/19	PES	PACE	65	-15.2	S	0.00408 U	0.00232 U	0.00105	0.0131	0.00214 U	0.00229 U	0.00210 U	0.000599 U	0.00346 J	0.00527 U	0.00102 U	0.00715 U
	MW-2001-65	09/10/19	PES	PACE	65	-15.2	S	0.00323 U	0.00184 U	0.000829 U	0.00811	0.00169 U	0.00181 U	0.00166 U	0.000474 U	0.000592 U	0.00417 U	0.000809 U	0.00566 U
	MW-316-70	09/10/19	PES	PACE	70	-20.2	S	0.00309 U	0.00175 U	0.000792 U	0.00694	0.00162 U	0.00173 U	0.00158 U	0.000453 U	0.00167 J	0.00398 U	0.000773 U	0.00541 U
MW-319 (-42.8 to -52.8)	MW-319-6	09/18/19	PES	PACE	6	25.7	V	0.00317 U	0.00180 U	0.000812 U	0.0154	0.00166 U	0.00178 U	0.00162 U	0.000464 U	0.000580 U	0.00408 U	0.000792 U	0.0102
	MW-319-10	09/18/19	PES	PACE	10	21.7	S	0.00315 U	0.00179 U	0.00247 J	0.00939	0.00165 U	0.00176 U	0.00161 U	0.000461 U	0.00658	0.00406 U	0.000787 U	0.00551 U
	MW-319-15	09/18/19	PES	PACE	15	16.7	S	0.00313 U	0.00178 U	0.000802 U	0.0147	0.00164 U	0.00175 U	0.00160 U	0.000458 U	0.00647	0.00403 U	0.000782 U	0.00548 U
	MW-319-20	09/18/19	PES	PACE	20	11.7	S	0.00338 U	0.00192 U	0.000867 U	0.00844	0.00177 U	0.00190 U	0.00173 U	0.000495 U	0.00313	0.00436 U	0.000846 U	0.00592 U
	MW-319-30	09/18/19	PES	PACE	30	1.7	S	0.00312 U	0.00177 U	0.000800 U	0.0140	0.00163 U	0.00175 U	0.00160 U	0.000457 U	0.00188 J	0.00402 U	0.000781 U	0.00546 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -Cl)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-319 (continued)	MW-319-35	09/18/19	PES	PACE	35	-3.3	S	0.00344 U	0.00195 U	0.000883 U	0.0151	0.00180 U	0.00193 U	0.00177 U	0.000504 U	0.00661	0.00444 U	0.000861 U	0.00603 U
	MW-319-40	09/18/19	PES	PACE	40	-8.3	S	0.00322 U	0.00183 U	0.000826 U	0.00939	0.00169 U	0.00181 U	0.00165 U	0.000472 U	0.00495	0.00416 U	0.000806 U	0.00564 U
	MW-319-45	09/18/19	PES	PACE	45	-13.3	S	0.00324 U	0.00184 U	0.000831 U	0.00874	0.00170 U	0.00182 U	0.00166 U	0.000475 U	0.00186 J	0.00418 U	0.000811 U	0.00568 U
	MW-319-50	09/18/19	PES	PACE	50	-18.3	S	0.00333 U	0.00189 U	0.000855 U	0.00662	0.00175 U	0.00187 U	0.00171 U	0.000488 U	0.00575	0.00430 U	0.000834 U	0.00584 U
	MW-319-55	09/18/19	PES	PACE	55	-23.3	S	0.00345 U	0.00196 U	0.000884 U	0.0279	0.00181 U	0.00193 U	0.00177 U	0.000505 U	0.000631 U	0.00445 U	0.000863 U	0.0102
	MW-319-60	09/18/19	PES	PACE	60	-28.3	S	0.00324 U	0.00184 U	0.000831 U	0.0130	0.00170 U	0.00182 U	0.00166 U	0.000475 U	0.00578	0.00418 U	0.000811 U	0.0217
	MW-319-65	09/18/19	PES	PACE	65	-33.3	S	0.00348 U	0.00198 U	0.0230	0.0141	0.00182 U	0.00195 U	0.00178 U	0.00875	0.00817	0.00449 U	0.000871 U	0.00713 J
	MW-319-70	09/18/19	PES	PACE	70	-38.3	S	0.00333 U	0.00189 U	0.000853 U	0.0148	0.00174 U	0.00186 U	0.00171 U	0.000487 U	0.00749	0.00429 U	0.000832 U	0.00582 U
	MW-2006-70	09/18/19	PES	PACE	70 (dup)	-36.9	S	0.00342 U	0.00194 U	0.000894 J	0.0128	0.00179 U	0.00192 U	0.00175 U	0.000501 U	0.00788	0.00441 U	0.000856 U	0.00599 U
	MW-319-75	09/18/19	PES	PACE	75	-43.3	S	0.00302 U	0.00172 U	0.0181	0.00954	0.00158 U	0.00169 U	0.00155 U	0.00318	0.00458	0.00390 U	0.000757 U	0.00529 U
	MW-319-80	09/18/19	PES	PACE	80	-48.3	S	0.00332 U	0.00188 U	0.0693	0.00815	0.00174 U	0.00186 U	0.00170 U	0.0662	0.00576	0.00428 U	0.000830 U	0.00581 U
	MW-319-85	09/18/19	PES	PACE	85	-53.3	S	0.00328 U	0.00186 U	0.0387	0.0106	0.00172 U	0.00184 U	0.00168 U	0.0562	0.00588	0.00423 U	0.000822 U	0.00575 U
MW-320 (18.6 to 8.6)	MW-320-19	09/29/19	PES	PACE	19	15.1	S	0.0610 U	0.0875 J	0.0156 U	0.0279 U	0.0319 U	0.0342 U	0.0313 U	0.00894 U	0.0112 U	0.0786 U	0.0153 U	0.107 U
	MW-320-27	09/29/19	PES	PACE	27	7.1	S	0.00316 U	0.00180 U	0.000811 U	0.0110	0.00166 U	0.00177 U	0.00162 U	0.000463 U	0.000579 U	0.00408 U	0.000791 U	0.00554 U
MW-323 (-65.4 to -75.4)	MW-323-10	09/28/19	PES	PACE	10	24.7	V	0.00666 U	0.00378 U	0.0312	0.0310	0.00349 U	0.00373 U	0.00341 U	0.000975 U	0.00122 U	0.00858 U	0.00167 U	0.0117 U
	MW-2012-10	09/28/19	PES	PACE	10 (dup)	24.7	V	0.00341 U	0.00194 U	0.000875 U	0.0132	0.00178 U	0.00191 U	0.00175 U	0.000500 U	0.000625 U	0.00440 U	0.000853 U	0.00598 U
	MW-323-15	09/28/19	PES	PACE	15	19.7	V	0.00626 U	0.00355 U	0.0106	0.0548	0.00328 U	0.00351 U	0.00321 U	0.000917 U	0.00115 U	0.00807 U	0.00156 U	0.0110 U
	MW-323-20	09/28/19	PES	PACE	20	14.7	S	0.00308 U	0.00175 U	0.000790 U	0.0313	0.00161 U	0.00173 U	0.00158 U	0.000452 U	0.000565 U	0.00397 U	0.000771 U	0.0535
	MW-323-25	09/28/19	PES	PACE	25	9.7	S	0.00311 U	0.00177 U	0.000798 U	0.0107	0.00163 U	0.00174 U	0.00160 U	0.000456 U	0.000570 U	0.00401 U	0.000779 U	0.00545 U
	MW-323-30	09/28/19	PES	PACE	30	4.7	S	0.00580 U	0.00329 U	0.00149 U	0.0475	0.00304 U	0.00325 U	0.00297 U	0.000850 U	0.00106 U	0.00748 U	0.00145 U	0.0102 U
	MW-323-35	09/28/19	PES	PACE	35	-0.4	S	0.00351 U	0.00199 U	0.000900 U	0.0141	0.00184 U	0.00197 U	0.00180 U	0.000514 U	0.000643 U	0.00452 U	0.000878 U	0.00614 U
	MW-323-40	09/28/19	PES	PACE	40	-5.4	S	0.00351 U	0.00199 U	0.000899 U	0.0104	0.00184 U	0.00196 U	0.00180 U	0.000514 U	0.000642 U	0.00452 U	0.000877 U	0.00614 U
	MW-323-45	09/28/19	PES	PACE	45	-10.4	S	0.00349 U	0.00198 U	0.000896 U	0.0145	0.00183 U	0.00196 U	0.00179 U	0.000512 U	0.000640 U	0.00450 U	0.000874 U	0.00612 U
	MW-323-50	09/28/19	PES	PACE	50	-15.4	S	0.00314 U	0.00178 U	0.000806 U	0.0193	0.00165 U	0.00176 U	0.00161 U	0.00121	0.000575 U	0.00405 U	0.000786 U	0.00550 U
	MW-323-55	09/28/19	PES	PACE	55	-20.4	S	0.00318 U	0.00181 U	0.120	0.0178	0.00530 J	0.00178 U	0.00163 U	0.0144	0.000583 U	0.00410 U	0.00604	0.00557 U
	MW-323-60	09/28/19	PES	PACE	60	-25.4	S	0.00350 U	0.00199 U	0.0806	0.0510	0.0110	0.00197 U	0.00179 U	0.0165	0.000641 U	0.00452 U	0.0218	0.00613 U
	MW-2010-60	09/28/19	PES	PACE	60 (dup)	-25.4	S	0.00333 U	0.00189 U	0.0928	0.0171	0.00987	0.00187 U	0.00171 U	0.0177	0.000610 U	0.00429 U	0.0239	0.00583 U
	MW-323-65	09/28/19	PES	PACE	65	-30.4	S	0.00328 U	0.00186 U	0.0696	0.00820	0.0114	0.00184 U	0.00168 U	0.0520	0.000601 U	0.00423 U	0.0403	0.00574 U
	MW-323-70	09/28/19	PES	PACE	70	-35.4	S	0.459 U	0.260 U	0.118 U	0.211 U	0.241 U	0.258 U	0.236 U	0.0673 U	0.0841 U	0.592 U	0.115 U	0.804 U
	MW-323-75	09/28/19	PES	PACE	75	-40.4	S	0.00321 U	0.00182 U	0.0408	0.0181	0.00790	0.00180 U	0.00165 U	0.0322	0.000588 U	0.00414 U	0.0186	0.00562 U
	MW-323-80	09/28/19	PES	PACE	80	-45.4	S	0.00309 U	0.00175 U	0.0303	0.0101	0.00162 U	0.00173 U	0.00158 U	0.321	0.000565 U	0.00398 U	0.00582	0.00540 U
	MW-323-85	09/28/19	PES	PACE	85	-50.4	S	0.00327 U	0.00186 U	0.0231	0.0140	0.00811	0.00183 U	0.00168 U	0.416	0.000599 U	0.00422 U	0.0151	0.00572 U
	MW-323-91	09/28/19	PES	PACE	91	-56.4	S	0.00773 U	0.00440 U	0.0125	0.0482	0.00405 U	0.00434 U	0.00397 U	0.0990	0.00142 U	0.00998 U	0.0225	0.0136 U
	MW-323-95	09/28/19	PES	PACE	95	-60.4	S	0.00327 U	0.00186 U	0.00833	0.00831	0.00171 U	0.00183 U	0.00168 U	0.0303	0.000599 U	0.00422 U	0.0195	0.00573 U
	MW-323-99	09/28/19	PES	PACE	99	-64.4	S	0.00316 U	0.00179 U	0.000809 U	0.00869	0.00165 U	0.00177 U	0.00162 U	0.0115	0.000578 U	0.00407 U	0.0146	0.00553 U
MW-324 (-32.1 to -42.1)	MW-324-105	09/28/19	PES	PACE	105	-70.4	S	0.00322 U	0.00183 U	0.000827 U	0.00492 J	0.00169 U	0.00181 U	0.00165 U	0.000472 U	0.000590 U	0.00416 U	0.000806 U	0.00564 U
	MW-323-110	09/28/19	PES	PACE	110	-75.4	S	0.00669 U	0.00380 U	0.00171 U	0.0546	0.00351 U	0.00374 U	0.00343 U	0.000980 U	0.00123 U	0.00862 U	0.00168 U	0.0117 U
	MW-324-6	09/12/19	PES	PACE	6	28.3	V	0.00307 U	0.00174 U	0.000787 U	0.00454 J	0.00161 U	0.00172 U	0.00157 U	0.000450 U	0.000562 U	0.00396 U	0.000768 U	0.00538 U
	MW-324-10	09/12/19	PES	PACE	10	24.3	V	0.00316 U	0.00179 U	0.00158 J	0.00790	0.00166 U	0.00177 U	0.00162 U	0.000463 U	0.000579 U	0.00408 U	0.000791 U	0.00553 U
	MW-324-15	09/12/19	PES	PACE	15	19.3	S	0.00298 U	0.00169 U	0.000764 U	0.00601	0.00156 U	0.00167 U	0.00153 U	0.000437 U	0.000546 U	0.00384 U	0.000746 U	0.00522 U
	MW-324-20	09/12/19	PES	PACE	20	14.3	S	0.00319 U	0.00181 U	0.000817 U	0.00659	0.00167 U	0.00179 U	0.00163 U	0.000467 U	0.000583 U	0.00411 U	0.000797 U	0.00558 U
MW-324-25	09/12/19	PES	PACE	25	9.3	S	0.00322 U	0.00183 U	0.000826 U	0.0111	0.00169 U	0.00181 U	0.00181 U	0.00165 U	0.000472 U	0.000590 U	0.00416 U	0.000806 U	0.00688 J
	MW-324-30	09/12/19	PES	PACE	30	4.3	S	0.00335 U	0.00190 U	0.000860 U	0.0128	0.00176 U	0.00188 U	0.00172 U	0.000492 U	0.000615 U	0.00433 U	0.000840 U	0.00588 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-324 (continued)	MW-324-35	09/12/19	PES	PACE	35	-0.7	S	0.00326 U	0.00185 U	0.000836 U	0.00528 J	0.00171 U	0.00183 U	0.00167 U	0.000478 U	0.000597 U	0.00420 U	0.000815 U	0.00571 U
	MW-324-40	09/12/19	PES	PACE	40	-5.7	S	0.00330 U	0.00187 U	0.000846 U	0.00569 J	0.00173 U	0.00185 U	0.00169 U	0.000483 U	0.000604 U	0.00425 U	0.000826 U	0.00578 U
	MW-324-45	09/12/19	PES	PACE	45	-10.7	S	0.00344 U	0.00195 U	0.000881 U	0.00913	0.00180 U	0.00193 U	0.00176 U	0.000503 U	0.000629 U	0.00443 U	0.000860 U	0.00602 U
	MW-324-50	09/12/19	PES	PACE	50	-15.7	S	0.00273 U	0.00155 U	0.000700 U	0.00369 J	0.00143 U	0.00153 U	0.00140 U	0.000400 U	0.000500 U	0.00352 U	0.000683 U	0.00478 U
	MW-324-55	09/12/19	PES	PACE	55	-20.7	S	0.00309 U	0.00176 U	0.000793 U	0.00501 J	0.00162 U	0.00173 U	0.00159 U	0.000453 U	0.000567 U	0.00399 U	0.00110 J	0.00542 U
	MW-324-60	09/12/19	PES	PACE	60	-25.7	S	0.00309 U	0.00176 U	0.000793 U	0.00977	0.00171 J	0.00173 U	0.00159 U	0.000453 U	0.000567 U	0.00399 U	0.0200	0.00542 U
	MW-324-65	09/12/19	PES	PACE	65	-30.7	S	0.00321 U	0.00182 U	0.0115	0.0132	0.0113	0.00179 U	0.00164 U	0.0441	0.000588 U	0.00415 U	0.0467	0.00563 U
	MW-324-70	09/12/19	PES	PACE	70	-35.7	S	0.00338 U	0.00192 U	0.00674	0.00820	0.00850	0.00190 U	0.00173 U	0.0806	0.000620 U	0.00437 U	0.0218	0.00593 U
MW-326 (-48.7 to -58.7)	MW-324-75	09/12/19	PES	PACE	75	-40.7	S	0.00342 U	0.00194 U	0.0516	0.00848	0.00586 J	0.00192 U	0.00176 U	0.0194	0.000627 U	0.00441 U	0.00486	0.00599 U
	MW-324-80	09/12/19	PES	PACE	80	-45.7	S	0.00342 U	0.00194 U	0.000876 U	0.0129	0.00696	0.00191 U	0.00175 U	0.000501 U	0.000626 U	0.00440 U	0.0106	0.00598 U
	MW-326-5	09/09/19	PES	PACE	5	36.3	V	0.00301 U	0.00171 U	0.000771 U	0.00961	0.00158 U	0.00169 U	0.00154 U	0.000441 U	0.00358	0.00388 U	0.000753 U	0.00846
	MW-326-10	09/09/19	PES	PACE	10	31.3	V	0.00363 U	0.00206 U	0.000932 U	0.00821	0.00191 U	0.00203 U	0.00186 U	0.000532 U	0.00306 J	0.00468 U	0.000909 U	0.00636 U
	MW-326-15	09/09/19	PES	PACE	15	26.3	V	0.00319 U	0.00181 U	0.000819 U	0.00821	0.00167 U	0.00179 U	0.00164 U	0.000468 U	0.000585 U	0.00412 U	0.000799 U	0.00559 U
	MW-326-20	09/09/19	PES	PACE	20	21.3	S	0.00320 U	0.00181 U	0.000819 U	0.00613	0.00167 U	0.00179 U	0.00164 U	0.000468 U	0.00261 J	0.00412 U	0.000800 U	0.00560 U
	MW-326-25	09/09/19	PES	PACE	25	16.3	S	0.00339 U	0.00192 U	0.000869 U	0.00595 J	0.00177 U	0.00190 U	0.00174 U	0.000496 U	0.00253 J	0.00437 U	0.000848 U	0.00593 U
	MW-326-30	09/09/19	PES	PACE	30	11.3	S	0.0110 U	0.00627 U	0.00283 U	0.0174 J	0.00578 U	0.00618 U	0.00566 U	0.00161 U	0.00203 U	0.0143 U	0.00277 U	0.0193 U
	MW-326-35	09/09/19	PES	PACE	35	6.3	S	0.00338 U	0.00192 U	0.000866 U	0.00819	0.00177 U	0.00189 U	0.00173 U	0.000495 U	0.000618 U	0.00435 U	0.000845 U	0.00591 U
	MW-326-40	09/09/19	PES	PACE	40	1.3	S	0.00326 U	0.00185 U	0.000835 U	0.00812	0.00171 U	0.00182 U	0.00167 U	0.000477 U	0.00319	0.00420 U	0.000815 U	0.00570 U
	MW-326-45	09/09/19	PES	PACE	45	-3.7	S	0.00329 U	0.00187 U	0.000843 U	0.00790	0.00172 U	0.00184 U	0.00169 U	0.00169	0.00224 J	0.00424 U	0.000823 U	0.00576 U
	MW-326-50	09/09/19	PES	PACE	50	-8.7	S	0.00312 U	0.00177 U	0.101 J	0.00480 J	0.00163 U	0.00175 U	0.00160 U	0.0145	0.00227 J	0.00402 U	0.000781 U	0.00546 U
	MW-326-55	09/09/19	PES	PACE	55	-13.7	S	0.00332 U	0.00189 U	0.00106 U	0.0143	0.00174 U	0.00186 U	0.00170 U	0.000487 U	0.00346	0.00428 U	0.000831 U	0.00581 U
	MW-326-60	09/09/19	PES	PACE	60	-18.7	S	0.00297 U	0.00168 U	0.000761 U	0.00380 J	0.00155 U	0.00166 U	0.00152 U	0.000435 U	0.000543 U	0.00383 U	0.000742 U	0.00520 U
	MW-326-65	09/09/19	PES	PACE	65	-23.7	S	0.00316 U	0.00180 U	0.00753	0.00667	0.00166 U	0.00177 U	0.00162 U	0.00243	0.000580 U	0.00408 U	0.000792 U	0.00554 U
	MW-326-70	09/09/19	PES	PACE	70	-28.7	S	0.00333 U	0.00189 U	0.000853 U	0.00699	0.00174 U	0.00186 U	0.00171 U	0.000487 U	0.00210 J	0.00429 U	0.000832 U	0.00582 U
	MW-326-75	09/09/19	PES	PACE	75	-33.7	S	0.00331 U	0.00188 U	0.000849 U	0.00783	0.00173 U	0.00185 U	0.00170 U	0.000485 U	0.000606 U	0.00427 U	0.000828 U	0.00579 U
	MW-326-80	09/09/19	PES	PACE	80	-38.7	S	0.00324 U	0.00184 U	0.000832 U	0.00436 J	0.00170 U	0.00182 U	0.00166 U	0.000475 U	0.00217 J	0.00418 U	0.000812 U	0.00568 U
	MW-326-85	09/10/19	PES	PACE	85	-43.7	S	0.00319 U	0.00181 U	0.000818 U	0.00342 J	0.00167 U	0.00179 U	0.00164 U	0.000467 U	0.000584 U	0.00411 U	0.000798 U	0.00559 U
MW-328 (-36.1 to -46.1)	MW-328-5	09/16/19	PES	PACE	5	23.4	V	0.00325 U	0.00184 U	0.000832 U	0.0262	0.00170 U	0.00182 U	0.00166 U	0.000476 U	0.000594 U	0.00418 U	0.000812 U	0.00568 U
	MW-328-10	09/16/19	PES	PACE	10	18.4	S	0.00375 U	0.00213 U	0.000962 U	0.00851	0.00197 U	0.00210 U	0.00192 U	0.000550 U	0.000687 U	0.00484 U	0.000939 U	0.00657 U
	MW-328-15	09/16/19	PES	PACE	15	13.4	S	0.00335 U	0.00190 U	0.000859 U	0.00559 J	0.00176 U	0.00188 U	0.00172 U	0.000491 U	0.000614 U	0.00432 U	0.000838 U	0.00587 U
	MW-328-20	09/16/19	PES	PACE	20	8.4	S	0.00326 U	0.00185 U	0.000836 U	0.0178	0.00171 U	0.00183 U	0.00167 U	0.000478 U	0.000597 U	0.00420 U	0.000816 U	0.00571 U
	MW-328-30	09/16/19	PES	PACE	30	-1.6	S	0.0644 U	0.0365 U	0.0165 U	0.207	0.0337 U	0.0360 U	0.0330 U	0.00943 U	0.0466 J	0.0830 U	0.0160 U	0.113 U
	MW-328-35	09/16/19	PES	PACE	35	-6.6	S	0.00350 U	0.00199 U	0.000900 U	0.00781	0.00184 U	0.00196 U	0.00179 U	0.000514 U	0.000643 U	0.00452 U	0.000878 U	0.00615 U
	MW-328-40	09/16/19	PES	PACE	40	-11.6	S	0.00795 U	0.00451 U	0.00204 U	0.00849 J	0.00416 U	0.00445 U	0.00408 U	0.00116 U	0.00146 U	0.0102 U	0.00199 U	0.0139 U
	MW-328-45	09/16/19	PES	PACE	45	-16.6	S	0.00337 U	0.00191 U	0.000863 U	0.00519 J	0.00176 U	0.00189 U	0.00173 U	0.000493 U	0.00134 J	0.00434 U	0.000842 U	0.00589 U
	MW-328-50	09/16/19	PES	PACE	50	-21.6	S	0.100 U	0.0569 U	0.0257 U	0.299	0.0524 U	0.0562 U	0.0514 U	0.0147 U	0.0638 J	0.130 U	0.0251 U	0.175 U
	MW-328-55	09/16/19	PES	PACE	55	-26.6	S	0.00325 U	0.00184 U	0.000833 U	0.00690	0.00170 U	0.00182 U	0.00167 U	0.000476 U	0.000595 U	0.00419 U	0.000813 U	0.00569 U
MW-328-60	MW-328-60	09/16/19	PES	PACE	60	-31.6	S	0.00328 U	0.00186 U	0.000842 U	0.00798	0.00172 U	0.00184 U	0.00168 U	0.000481 U	0.000601 U	0.00423 U	0.000821 U	0.00575 U
	MW-328-65	09/16/19	PES	PACE	65	-36.6	S	0.00318 U	0.00181 U	0.000816 U	0.00736	0.00167 U	0.00178 U	0.00163 U	0.000466 U	0.000583 U	0.00410 U	0.000796 U	0.00557 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-328 (continued)	MW-328-70	09/16/19	PES	PACE	70	-41.6	S	0.00329 U	0.00187 U	0.000843 U	0.00601 J	0.00172 U	0.00184 U	0.00169 U	0.000482 U	0.000602 U	0.00424 U	0.000822 U	0.00576 U
	MW-328-75	09/16/19	PES	PACE	75	-46.6	S	0.00318 U	0.00181 U	0.000816 U	0.00701 J	0.00167 U	0.00178 U	0.00163 U	0.000467 U	0.000583 U	0.00411 U	0.000797 U	0.00558 U
	MW-328-80	09/16/19	PES	PACE	80	-51.6	S	0.00360 U	0.00204 U	0.000923 U	0.00605 J	0.00189 U	0.00202 U	0.00185 U	0.000528 U	0.000660 U	0.00464 U	0.000901 U	0.00631 U
MW-329 (-69.0 to -79.0)	MW-329-5	09/12/19	PES	PACE	5	24.3	V	0.00292 U	0.00166 U	0.000748 U	0.00386 J	0.00153 U	0.00164 U	0.00150 U	0.000428 U	0.000534 U	0.00376 U	0.000730 U	0.00511 U
	MW-329-10	09/12/19	PES	PACE	10	19.3	S	0.00287 U	0.00163 U	0.000736 U	0.0318 J	0.00150 U	0.00161 U	0.00147 U	0.000421 U	0.000526 U	0.00370 U	0.000718 U	0.00503 U
	MW-329-15	09/12/19	PES	PACE	15	14.3	S	0.00300 U	0.00170 U	0.000769 U	0.00428 J	0.00157 U	0.00168 U	0.00154 U	0.000439 U	0.000549 U	0.00386 U	0.000750 U	0.00525 U
	MW-329-20	09/12/19	PES	PACE	20	9.3	S	0.00377 U	0.00214 U	0.000968 U	0.00671 J	0.00198 U	0.00212 U	0.00194 U	0.000553 U	0.000691 U	0.00487 U	0.000944 U	0.00687 J
	MW-329-25	09/12/19	PES	PACE	25	4.3	S	0.00391 U	0.00222 U	0.00100 U	0.00417 J	0.00205 U	0.00219 U	0.00201 U	0.000573 U	0.000717 U	0.00504 U	0.000979 U	0.00685 U
	MW-329-30	09/12/19	PES	PACE	30	-0.7	S	0.00337 U	0.00191 U	0.000865 U	0.00491 J	0.00177 U	0.00189 U	0.00173 U	0.000494 U	0.000618 U	0.00435 U	0.000844 U	0.00590 U
	MW-329-35	09/12/19	PES	PACE	35	-5.7	S	0.00335 U	0.00190 U	0.000858 U	0.00574 J	0.00175 U	0.00187 U	0.00172 U	0.000490 U	0.00169 J	0.00431 U	0.000837 U	0.00586 U
	MW-329-40	09/12/19	PES	PACE	40	-10.7	S	0.00336 U	0.00191 U	0.000863 U	0.00891 J	0.00176 U	0.00189 U	0.00173 U	0.000493 U	0.000616 U	0.00434 U	0.000842 U	0.00589 U
	MW-329-45	09/12/19	PES	PACE	45	-15.7	S	0.00326 U	0.00185 U	0.000835 U	0.00430 J	0.00171 U	0.00182 U	0.00167 U	0.000477 U	0.000596 U	0.00420 U	0.000815 U	0.00570 U
	MW-329-50	09/12/19	PES	PACE	50	-20.7	S	0.00337 U	0.00191 U	0.000863 U	0.00912 J	0.00176 U	0.00189 U	0.00173 U	0.000493 U	0.000616 U	0.00434 U	0.000842 U	0.00589 U
	MW-2003-50	09/12/19	PES	PACE	50 (dup)	-20.7	S	0.00298 U	0.00169 U	0.000765 U	0.00455 J	0.00156 U	0.00167 U	0.00153 U	0.000437 U	0.000546 U	0.00385 U	0.000746 U	0.00522 U
	MW-329-55	09/12/19	PES	PACE	55	-25.7	S	0.00315 U	0.00179 U	0.000808 U	0.00740 J	0.00165 U	0.00177 U	0.00162 U	0.000462 U	0.000577 U	0.00406 U	0.000788 U	0.00552 U
	MW-329-60	09/12/19	PES	PACE	60	-30.7	S	0.00391 U	0.00181 U	0.000819 U	0.00462 J	0.00167 U	0.00179 U	0.00164 U	0.000468 U	0.000585 U	0.00412 U	0.000799 U	0.00559 U
	MW-329-65	09/12/19	PES	PACE	65	-35.7	S	0.00319 U	0.00181 U	0.000818 U	0.00466 J	0.00167 U	0.00179 U	0.00164 U	0.000467 U	0.000584 U	0.00411 U	0.000798 U	0.00559 U
	MW-329-70	09/12/19	PES	PACE	70	-40.7	S	0.00318 U	0.00181 U	0.000816 U	0.00431 J	0.00167 U	0.00178 U	0.00163 U	0.000466 U	0.000583 U	0.00410 U	0.0167 J	0.00557 U
	MW-329-75	09/12/19	PES	PACE	75	-45.7	S	0.00313 U	0.00178 U	0.000802 U	0.0104 J	0.00164 U	0.00175 U	0.00160 U	0.000458 U	0.000573 U	0.00403 U	0.000783 U	0.00548 U
	MW-329-80	09/12/19	PES	PACE	80	-50.7	S	0.00332 U	0.00188 U	0.000850 U	0.00376 J	0.00174 U	0.00186 U	0.00170 U	0.000486 U	0.000607 U	0.00428 U	0.000830 U	0.00581 U
	MW-329-85	09/12/19	PES	PACE	85	-55.7	S	0.00319 U	0.00181 U	0.000818 U	0.00654 J	0.00167 U	0.00179 U	0.00164 U	0.000468 U	0.000585 U	0.00412 U	0.0751 J	0.00559 U
	MW-329-90	09/12/19	PES	PACE	90	-60.7	S	0.00321 U	0.00182 U	0.000823 U	0.00704 J	0.00168 U	0.00180 U	0.00165 U	0.000470 U	0.000588 U	0.00414 U	0.000803 U	0.00562 U
	MW-329-95	09/12/19	PES	PACE	95	-65.7	S	0.00324 U	0.00184 U	0.000831 U	0.00569 J	0.00170 U	0.00182 U	0.00166 U	0.000475 U	0.000594 U	0.00418 U	0.000811 U	0.00568 U
	MW-329-100	09/12/19	PES	PACE	100	-70.7	S	0.00325 U	0.00185 U	0.000833 U	0.00926 J	0.00170 U	0.00182 U	0.00167 U	0.000476 U	0.000595 U	0.00419 U	0.000813 U	0.00569 U
	MW-329-105	09/12/19	PES	PACE	105	-75.7	S	0.00301 U	0.00171 U	0.000771 U	0.00362 J	0.00157 U	0.00168 U	0.00154 U	0.000440 U	0.000550 U	0.00388 U	0.000752 U	0.00526 U
	MW-329-110	09/12/19	PES	PACE	110	-80.7	S	0.00298 U	0.00169 U	0.000765 U	0.00137 U	0.00156 U	0.00167 U	0.00153 U	0.000437 U	0.000546 U	0.00385 U	0.000746 U	0.00522 U
MW-330	MW-330-6	04/20/20	PES	PACE	6	46.0	V	0.000260 U	0.00221 U	0.00102 U	0.00148 U	0.00118 U	0.00129 U	0.00211 U	0.000663 U	0.000939 U	0.00288 U	0.00132 U	0.00100 U
	MW-330-10	04/20/20	PES	PACE	10	42.0	V	0.000253 U	0.00215 U	0.000989 U	0.00717 J	0.00115 U	0.00126 U	0.00205 U	0.000644 U	0.000913 U	0.00280 U	0.00128 U	0.00404 J
	MW-330-11.5	04/20/20	PES	PACE	11.5	40.5	V	0.000267 U	0.00227 U	0.00104 U	0.00152 U	0.00121 U	0.00133 U	0.00217 U	0.000681 U	0.000964 U	0.00296 U	0.00135 U	0.00103 U
	MW-330-16	04/20/20	PES	PACE	16	36.0	V	0.000260 U	0.00222 U	0.00102 U	0.00260 J	0.00118 U	0.00130 U	0.00211 U	0.000663 U	0.000940 U	0.00289 U	0.00132 U	0.00100 U
	MW-330-21.5	04/20/20	PES	PACE	21.5	30.5	S	0.000244 U	0.00208 U	0.000954 U	0.00138 U	0.00111 U	0.00121 U	0.00198 U	0.00194 J	0.000881 U	0.00270 U	0.00124 U	0.000937 U
	MW-330-27	04/20/20	PES	PACE	27	25.0	S	0.000246 U	0.00210 U	0.000963 U	0.00140 U	0.00112 U	0.00123 U	0.00200 U	0.00335 J	0.000889 U	0.00273 U	0.00125 U	0.000946 U
	MW-330-32	04/20/20	PES	PACE	32	20.0	S	0.000247 U	0.00210 U	0.00128 J	0.00140 U	0.00112 U	0.00123 U	0.00200 U	0.00868 J	0.000891 U	0.00274 U	0.00125 U	0.000948 U
	MW-330-38	04/20/20	PES	PACE	38	14.0	S	0.000246 U	0.00210 U	0.000964 U	0.00140 U	0.00112 U	0.00123 U	0.00200 U	0.000628 U	0.000890 U	0.00273 U	0.00125 U	0.000947 U
	MW-330-42	04/20/20	PES	PACE	42	10.0	S	0.000240 U	0.00204 U	0.000938 U	0.00136 U	0.00109 U	0.00119 U	0.00195 U	0.000611 U	0.000866 U	0.00266 U	0.00121 U	0.00161 J
	MW-330-47	04/20/20	PES	PACE	47	5.0	S	0.000259 U	0.00221 U	0.00101 U	0.00147 U	0.00118 U	0.00129 U	0.00211 U	0.000661 U	0.000936 U	0.00288 U	0.00131 U	0.000996 U
	MW-330-52	04/20/20	PES	PACE	52	0.0	S	0.000251 U	0.00214 U	0.000984 U	0.00272 J	0.00114 U	0.00125 U	0.00204 U	0.000641 U	0.000908 U	0.00279 U	0.00127 U	0.00382 J
MW-331	MW-331-7	04/17/20	PES	PACE	7	24.2	V	0.000354 U	0.00301 U	0.00138 U	0.126 J	0.00161 U	0.00176 U	0.0202 J	0.000902 U	0.00128 U	0.0588 J	0.00179 U	0.891 J
	MW-331-11	04/17/20	PES	PACE	11	20.2	S	0.00205 U	0.0213 J	0.00803 U	0.0116 U	0.00932 U	0.0102 U	0.456 J	0.00523 U	0.00742 U	0.0227 U	0.0104 U	0.612 J
	MW-331-16	04/17/20	PES	PACE	16	15.2	S	0.000249 U	0.00230 U	0.00106 U	0.00643 J	0.00123 U	0.00135 U	0.00220 U	0.000689 U	0.000976 U	0.00300 U	0.00137 U	0.0511 J
	MW-331-20	04/17/20	PES	PACE	20	11.2	S	0.000265 U	0.00225 U	0.00104 U	0.00564 J	0.00120 U	0.00132 U	0.00215 U	0.000675 U	0.000956 U	0.00294 U	0.00134 U	0.0336 J

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-331 (continued)	MW-331-29.5	04/17/20	PES	PACE	29.5	1.7	S	0.00167 J	0.00226 U	0.00104 U	0.00724 J	0.00121 U	0.00132 U	0.00216 U	0.000677 U	0.000958 U	0.00294 U	0.00134 U	0.00932 J
	MW-331-35	04/17/20	PES	PACE	35	-3.8	S	0.000270 U	0.00230 U	0.00106 U	0.00154 U	0.00123 U	0.00135 U	0.00220 U	0.000690 U	0.000977 U	0.00300 U	0.00137 U	0.00196 J
	MW-2018-35	04/17/20	PES	PACE	35 (dup)	-3.8	S	0.000275 U	0.00234 U	0.00108 U	0.00156 U	0.00125 U	0.00137 U	0.00223 U	0.000702 U	0.000994 U	0.00305 U	0.00139 U	0.00142 J
	MW-331-40	04/17/20	PES	PACE	40	-8.8	S	0.000276 U	0.00235 U	0.00108 U	0.00157 U	0.00125 U	0.00138 U	0.00224 U	0.000705 U	0.000998 U	0.00306 U	0.00140 U	0.00176 J
	MW-331-45	04/17/20	PES	PACE	45	-13.8	S	0.000275 U	0.00234 U	0.00108 U	0.00156 U	0.00125 U	0.00137 U	0.00224 U	0.000702 U	0.000994 U	0.00305 U	0.00139 U	0.00170 J
	MW-332-7	04/17/20	PES	PACE	7	29.3	V	0.00155 J	0.00219 U	0.00835 J	0.00963 J	0.00117 U	0.00128 U	0.00209 U	0.000655 U	0.000927 U	0.00285 U	0.00130 U	0.0289 J
	MW-332-11	04/17/20	PES	PACE	11	25.3	V	0.000270 U	0.00230 U	0.00309 J	0.00790 J	0.00122 U	0.00134 U	0.00219 U	0.000688 U	0.000974 U	0.00299 U	0.00137 U	0.0199 J
	MW-332-16	04/17/20	PES	PACE	16	20.3	S	0.000264 U	0.00225 U	0.00161 J	0.0121 J	0.00120 U	0.00132 U	0.00215 U	0.000674 U	0.000954 U	0.00293 U	0.00134 U	0.00232 J
	MW-332-20	04/17/20	PES	PACE	20	16.3	S	0.000268 U	0.00229 U	0.00105 U	0.00648 J	0.00122 U	0.00134 U	0.00218 U	0.000684 U	0.000969 U	0.00298 U	0.00136 U	0.00156 J
	MW-332-25	04/17/20	PES	PACE	25	11.3	S	0.000278 U	0.00237 U	0.00109 U	0.00158 U	0.00126 U	0.00138 U	0.00226 U	0.000709 U	0.00100 U	0.00308 U	0.00141 U	0.00107 U
	MW-332-30	04/17/20	PES	PACE	30	6.3	S	0.000284 U	0.00242 U	0.00111 U	0.00161 U	0.00129 U	0.00141 U	0.00231 U	0.000724 U	0.00103 U	0.00315 U	0.00144 U	0.00109 U
MW-334	MW-334-6	04/16/20	PES	PACE	6	25.4	V	0.000278 U	0.00237 U	0.00163 J	0.00335 J	0.00126 U	0.00138 U	0.0124 J	0.000709 U	0.00100 U	0.00309 U	0.00141 U	0.00773 J
	MW-334-10	04/16/20	PES	PACE	10	21.4	V	0.000279 U	0.00237 U	0.00109 U	0.00452 J	0.00126 U	0.00139 U	0.00226 U	0.000710 U	0.00101 U	0.00309 U	0.00141 U	0.00677 J
	MW-334-13	04/16/20	PES	PACE	13	18.4	S	0.00206 U	0.0421 J	0.00807 U	0.0117 U	0.00936 U	0.0103 U	0.332 J	0.00526 U	0.00745 U	0.0228 U	0.0104 U	0.0684 J
	MW-334-17	04/16/20	PES	PACE	17	14.4	S	0.00349 J	0.00202 U	0.000926 U	0.0102 J	0.00107 U	0.00118 U	0.00324 J	0.000604 U	0.000855 U	0.00262 U	0.00120 U	0.00349 J
	MW-334-23	04/16/20	PES	PACE	23	8.4	S	0.000273 U	0.00232 U	0.00107 U	0.00155 U	0.00124 U	0.00136 U	0.00221 U	0.000695 U	0.000984 U	0.00302 U	0.00138 U	0.00275 J
	MW-334-28	04/16/20	PES	PACE	28	3.4	S	0.000270 U	0.00230 U	0.00106 U	0.00446 J	0.00122 U	0.00134 U	0.00254 J	0.000688 U	0.000974 U	0.00299 U	0.00137 U	0.00171 J
	MW-334-35	04/16/20	PES	PACE	35	-3.6	S	0.000289 U	0.00246 U	0.00113 U	0.00164 U	0.00131 U	0.00144 U	0.00235 U	0.000738 U	0.00105 U	0.00321 U	0.00147 U	0.00111 U
	MW-334-40	04/16/20	PES	PACE	40	-8.6	S	0.000296 U	0.00252 U	0.00116 U	0.00168 U	0.00134 U	0.00147 U	0.00240 U	0.000754 U	0.00107 U	0.00328 U	0.00150 U	0.00114 U
	MW-334-45.5	04/16/20	PES	PACE	45.5	-14.1	S	0.000279 U	0.00237 U	0.00109 U	0.00158 U	0.00127 U	0.00139 U	0.00226 U	0.000710 U	0.00101 U	0.00309 U	0.00141 U	0.00107 U
	MW-334-50	04/16/20	PES	PACE	50	-18.6	S	0.000253 U	0.00216 U	0.000992 U	0.00144 U	0.00115 U	0.00126 U	0.00206 U	0.000646 U	0.000915 U	0.00281 U	0.00128 U	0.000974 U
	MW-334-54.5	04/16/20	PES	PACE	54.5	-23.1	S	0.000283 U	0.00241 U	0.00111 U	0.00161 U	0.00129 U	0.00141 U	0.00230 U	0.000723 U	0.00102 U	0.00314 U	0.00144 U	0.00109 U
	MW-334-60	04/16/20	PES	PACE	60	-28.6	S	0.000261 U	0.00222 U	0.00102 U	0.00148 U	0.00118 U	0.00130 U	0.00212 U	0.000665 U	0.000942 U	0.00289 U	0.00132 U	0.00100 U
	MW-334-63	04/16/20	PES	PACE	63	-31.6	S	0.000274 U	0.00233 U	0.00107 U	0.00155 U	0.00124 U	0.00136 U	0.00240 J	0.000698 U	0.000989 U	0.00304 U	0.00139 U	0.00127 J
	MW-336-7	04/22/20	PES	PACE	7	26.7	V	0.000255 U	0.00218 U	0.00100 U	0.00145 U	0.00116 U	0.00127 U	0.00208 U	0.000652 U	0.000923 U	0.00283 U	0.00129 U	0.000982 U
	MW-336-11.5	04/22/20	PES	PACE	11.5	22.2	V	0.000273 U	0.00232 U	0.00107 U	0.00195 J	0.00124 U	0.00136 U	0.00221 U	0.000695 U	0.000985 U	0.00302 U	0.00138 U	0.00105 U
	MW-2019-11.5	04/22/20	PES	PACE	11.5 (dup)	22.2	V	0.00272 J	0.00238 U	0.00109 U	0.00239 J	0.00127 U	0.00139 U	0.00227 U	0.000712 U	0.00101 U	0.00310 U	0.00141 U	0.00107 U
	MW-336-14.5	04/22/20	PES	PACE	14.5	19.2	V	0.000294 U	0.00250 U	0.00115 U	0.00167 U	0.00133 U	0.00146 U	0.00238 U	0.000749 U	0.00106 U	0.00326 U	0.00149 U	0.00113 U
	MW-336-20	04/22/20	PES	PACE	20	13.7	S	0.000280 U	0.00239 U	0.00110 U	0.00159 U	0.00127 U	0.00140 U	0.00228 U	0.000715 U	0.00101 U	0.00311 U	0.00142 U	0.00108 U
	MW-336-25	04/22/20	PES	PACE	25	8.7	S	0.000377 U	0.00321 U	0.00147 U	0.00214 U	0.00171 U	0.00188 U	0.00306 U	0.000961 U	0.00136 U	0.00418 U	0.00191 U	0.00145 U
	MW-336-30	04/22/20	PES	PACE	30	3.7	S	0.000349 U	0.00297 U	0.00262 J	0.00198 U	0.00158 U	0.00174 U	0.00283 U	0.000889 U	0.00126 U	0.00387 U	0.00177 U	0.00134 U
	MW-336-35	04/22/20	PES	PACE	35	-1.3	S	0.000281 U	0.00239 U	0.00110 U	0.00193 J	0.00128 U	0.00140 U	0.00228 U	0.000717 U	0.00101 U	0.00312 U	0.00142 U	0.00108 U
	MW-336-40	04/22/20	PES	PACE	40	-6.3	S	0.000276 U	0.00235 U	0.00108 U	0.00174 J	0.00125 U	0.00137 U	0.00224 U	0.000704 U	0.000997 U	0.00306 U	0.00140 U	0.00106 U
	MW-336-45	04/22/20	PES	PACE	45	-11.3	S	0.000304 U	0.00259 U	0.00119 U	0.00173 U	0.00138 U	0.00151 U	0.00247 U	0.00301 J	0.00110 U	0.00337 U	0.00154 U	0.00117 U
	MW-336-51	04/22/20	PES	PACE	51	-17.3	S	0.000264 U	0.00225 U	0.00103 U	0.00150 U	0.00120 U	0.00131 U	0.00214 U	0.00297 J	0.000952 U	0.00292 U	0.00134 U	0.00101 U
	MW-336-55	04/22/20	PES	PACE	55	-21.3	S	0.000262 U	0.00223 U	0.00129 J	0.00151 J	0.00119 U	0.00130 U	0.00212 U	0.00609 J	0.000945 U	0.00290 U	0.00133 U	0.00101 U
	MW-336-60	04/22/20	PES	PACE	60	-26.3	S	0.000269 U	0.00229 U	0.0527 J	0.00153 U	0.00122 U	0.00134 U	0.00218 U	0.0750 J	0.000971 U	0.00298 U	0.00136 U	0.00103 U
	MW-336-65	04/22/20	PES	PACE	65	-31.3	S	0.000267 U	0.00227 U	0.148 J	0.00152 U	0.00121 U	0.00133 U	0.00217 U	0.125 J	0.000965 U	0.00296 U	0.00135 U	0.00103 U
	MW-336-69	04/22/20	PES	PACE	69	-35.3	S	0.000285 U	0.00242 U	0.0849 J	0.00162 U	0.00129 U	0.00142 U	0.00231 U	0.116 J	0.00103 U	0.00316 U	0.00144 U	0.00109 U
	MW-336-74.5	04/22/20	PES	PACE	74.5	-40.8	S	0.000267 U	0.00227 U	0.00104 U	0.00151 U	0.00121 U	0.00133 U	0.00216 U	0.000680 U	0.000963 U	0.00296 U	0.00135 U	0.00102 U
	MW-336-79	04/22/20	PES	PACE	79	-45.3	S	0.000275 U	0.00234 U	0.00108 U	0.00156 U	0.00125 U	0.00137 U	0.00223 U	0.000701 U	0.000992 U	0.00305 U	0.00139 U	0.00106 U
	MW-336-85	04/22/20	PES	PACE	85	-51.3	S	0.000275 U	0.00234 U	0.00108 U	0.00214 J	0.00125 U	0.00137 U	0.00224 U	0.000702 U	0.000994 U	0.00305 U	0.00139 U	0.00106 U
	MW-2021-85	05/04/20	PES	PACE	85 (dup)	-51.3	S	0.000264 U	0.00224 U	0.0670 J	0.00150 U	0.00120 U	0.00131 U	0.00214 U	0.0132 J	0.000952 U	0.00292 U	0.00134 U	0.00101 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MW-336 (continued)	MW-336-90	04/22/20	PES	PACE	90	-56.3	S	0.000276 U	0.00235 U	0.00108 U	0.00210 J	0.00125 U	0.00137 U	0.00224 U	0.000704 U	0.000997 U	0.00306 U	0.00140 U	0.00106 U
	MW-336-95	04/22/20	PES	PACE	95	-61.3	S	0.000275 U	0.00234 U	0.00108 U	0.00156 U	0.00125 U	0.00137 U	0.00224 U	0.000702 U	0.000994 U	0.00305 U	0.00139 U	0.00106 U
	MW-2020-95	04/22/20	PES	PACE	95 (dup)	-61.3	S	0.000273 U	0.00232 U	0.00107 U	0.00155 U	0.00124 U	0.00136 U	0.00221 U	0.000695 U	0.000985 U	0.00302 U	0.00138 U	0.00105 U
MW-338	MW-338-10	05/01/20	PES	PACE	10	17.8	S	0.000278 U	0.00236 U	0.00109 U	0.00158 U	0.00126 U	0.00138 U	0.00226 U	0.000708 U	0.00100 U	0.00308 U	0.00141 U	0.00107 U
	MW-338-15	05/01/20	PES	PACE	15	12.8	S	0.000303 U	0.00258 U	0.00118 U	0.00262 J	0.00138 U	0.00151 U	0.00246 U	0.000772 U	0.00109 U	0.00336 U	0.00153 U	0.00116 U
	MW-338-20	05/01/20	PES	PACE	20	7.8	S	0.000265 U	0.00226 U	0.00104 U	0.00151 U	0.00121 U	0.00132 U	0.00216 U	0.000677 U	0.000959 U	0.00294 U	0.00134 U	0.00102 U
	MW-338-23	05/01/20	PES	PACE	23	4.8	S	0.000291 U	0.00248 U	0.00114 U	0.00165 U	0.00132 U	0.00145 U	0.00236 U	0.000742 U	0.00105 U	0.00323 U	0.00147 U	0.00112 U
	MW-338-28	05/01/20	PES	PACE	28	-0.2	S	0.000288 U	0.00245 U	0.00113 U	0.00163 U	0.00131 U	0.00143 U	0.00234 U	0.000734 U	0.00104 U	0.00319 U	0.00146 U	0.00111 U
	MW-338-34	05/01/20	PES	PACE	34	-6.2	S	0.000256 U	0.00218 U	0.00100 U	0.00219 J	0.00116 U	0.00127 U	0.00208 U	0.000653 U	0.000924 U	0.00284 U	0.00130 U	0.00329 J
	MW-338-39	05/01/20	PES	PACE	39	-11.2	S	0.000277 U	0.00236 U	0.00109 U	0.00157 U	0.00126 U	0.00138 U	0.00225 U	0.000707 U	0.00100 U	0.00308 U	0.00140 U	0.00107 U
	MW-338-41	05/01/20	PES	PACE	41	-13.2	S	0.000282 U	0.00240 U	0.00110 U	0.00160 U	0.00128 U	0.00141 U	0.00229 U	0.000720 U	0.00102 U	0.00313 U	0.00143 U	0.00108 U
	MW-338-45	05/01/20	PES	PACE	45	-17.2	S	0.000280 U	0.00238 U	0.00109 U	0.00159 U	0.00127 U	0.00139 U	0.00227 U	0.000713 U	0.00101 U	0.00310 U	0.00142 U	0.00107 U
	MW-338-51	05/01/20	PES	PACE	51	-23.2	S	0.000284 U	0.00242 U	0.00111 U	0.00161 U	0.00129 U	0.00141 U	0.00231 U	0.000724 U	0.00102 U	0.00315 U	0.00144 U	0.00109 U
	MW-338-55	05/01/20	PES	PACE	55	-27.2	S	0.000263 U	0.00224 U	0.00103 U	0.00149 U	0.00119 U	0.00131 U	0.00214 U	0.000670 U	0.000949 U	0.00292 U	0.00133 U	0.00101 U
MW-341	MW-341-85	05/04/20	PES	PACE	85	-56.6	S	0.000260 U	0.00222 U	0.0488	0.00148 U	0.00118 U	0.00130 U	0.00211 U	0.00855	0.000940 U	0.00289 U	0.00132 U	0.00100 U
	MW-341-90	05/04/20	PES	PACE	90	-61.6	S	0.000258 U	0.00219 U	0.0603	0.00146 U	0.00117 U	0.00128 U	0.00209 U	0.0549	0.000930 U	0.00286 U	0.00130 U	0.000990 U
	MW-341-95	05/04/20	PES	PACE	95	-66.6	S	0.000267 U	0.00227 U	0.00104 U	0.00151 U	0.00121 U	0.00133 U	0.00217 U	0.000680 U	0.000964 U	0.00296 U	0.00135 U	0.00103 U
	MW-341-99	05/04/20	PES	PACE	99	-70.6	S	0.000268 U	0.00229 U	0.00105 U	0.00152 U	0.00122 U	0.00134 U	0.00218 U	0.000685 U	0.000970 U	0.00298 U	0.00136 U	0.00103 U
	MW-341-104	05/04/20	PES	PACE	104	-75.6	S	0.000273 U	0.00233 U	0.00107 U	0.00155 U	0.00124 U	0.00136 U	0.00222 U	0.000697 U	0.000986 U	0.00303 U	0.00138 U	0.00105 U
MW-343	MW-343-5	04/13/20	PES	PACE	5	22.6	V	0.000259 U	0.00220 U	0.00101 U	0.0154	0.00117 U	0.00129 U	0.00210 U	0.000660 U	0.000934 U	0.00287 U	0.00131 U	0.0811
	MW-343-10	04/13/20	PES	PACE	10	17.6	S	0.000271 U	0.00231 U	0.00106 U	0.00605	0.00123 U	0.00135 U	0.00220 U	0.000691 U	0.000979 U	0.00301 U	0.00137 U	0.00855
	MW-343-12.5	04/13/20	PES	PACE	12.5	15.1	S	0.000281 U	0.00239 U	0.00110 U	0.00160 U	0.00128 U	0.00140 U	0.00228 U	0.000717 U	0.00101 U	0.00312 U	0.00142 U	0.00108 U
	MW-343-17	04/13/20	PES	PACE	17	10.6	S	0.000263 U	0.00224 U	0.00103 U	0.00795	0.00120 U	0.00131 U	0.00214 U	0.000672 U	0.000951 U	0.00292 U	0.00133 U	0.00101 U
	MW-343-24	04/13/20	PES	PACE	24	3.6	S	0.000264 U	0.00225 U	0.00103 U	0.0190	0.00120 U	0.00131 U	0.00214 U	0.000673 U	0.000954 U	0.00293 U	0.00134 U	0.00490 J
	MW-343-28.5	04/13/20	PES	PACE	28.5	-0.9	S	0.000283 U	0.00241 U	0.00111 U	0.0209	0.00129 U	0.00141 U	0.00230 U	0.000722 U	0.00102 U	0.00314 U	0.00143 U	0.00109 U
	MW-343-35	04/13/20	PES	PACE	35	-7.4	S	0.000287 U	0.00244 U	0.00112 U	0.00277 J	0.00130 U	0.00143 U	0.00233 U	0.000731 U	0.00103 U	0.00318 U	0.00145 U	0.00110 U
	MW-343-38	04/13/20	PES	PACE	38	-10.4	S	0.000268 U	0.00228 U	0.00105 U	0.00152 U	0.00122 U	0.00133 U	0.00218 U	0.000683 U	0.000967 U	0.00297 U	0.00136 U	0.00103 U
	MW-343-44	04/13/20	PES	PACE	44	-16.4	S	0.000252 U	0.00215 U	0.000988 U	0.00143 U	0.00115 U	0.00126 U	0.00205 U	0.000644 U	0.000912 U	0.00280 U	0.00128 U	0.000970 U
	MW-343-47	04/13/20	PES	PACE	47	-19.4	S	0.000285 U	0.00243 U	0.00112 U	0.00162 U	0.00129 U	0.00142 U	0.00232 U	0.000727 U	0.00103 U	0.00316 U	0.00144 U	0.00110 U
	MW-343-51	04/13/20	PES	PACE	51	-23.4	S	0.000255 U	0.00217 U	0.000997 U	0.00145 U	0.00116 U	0.00127 U	0.00207 U	0.000650 U	0.000920 U	0.00283 U	0.00129 U	0.000979 U
	MW-343-55	04/13/20	PES	PACE	55	-27.4	S	0.000260 U	0.00222 U	0.00102 U	0.00148 U	0.00118 U	0.00130 U	0.00212 U	0.000664 U	0.000940 U	0.00289 U	0.00132 U	0.00100 U
	MW-343-62	04/13/20	PES	PACE	62	-34.4	S	0.000265 U	0.00226 U	0.00104 U	0.00150 U	0.00120 U	0.00132 U	0.00215 U	0.000676 U	0.000957 U	0.00294 U	0.00134 U	0.00102 U
	MW-343-68	04/13/20	PES	PACE	68	-40.4	S	0.000261 U	0.00222 U	0.00102 U	0.00148 U	0.00119 U	0.00130 U	0.00212 U	0.000666 U	0.000943 U	0.00290 U	0.00132 U	0.00100 U
	MW-343-73	04/13/20	PES	PACE	73	-45.4	S	0.000264 U	0.00225 U	0.00103 U	0.00150 U	0.00120 U	0.00131 U	0.00214 U	0.000673 U	0.000953 U	0.00293 U	0.00134 U	0.00101 U
	MW-343-79	04/13/20	PES	PACE	79	-51.4	S	0.000248 U	0.00211 U	0.000970 U	0.00141 U	0.00113 U	0.00123 U	0.00201 U	0.000632 U	0.000896 U	0.00275 U	0.00126 U	0.000953 U
	MW-343-82	04/13/20	PES	PACE	82	-54.4	S	0.000249 U	0.00212 U	0.000973 U	0.00141 U	0.00113 U	0.00124 U	0.00202 U	0.000634 U	0.000898 U	0.00276 U	0.00126 U	0.000956 U
	MW-343-86	04/13/20	PES	PACE	86	-58.4	S	0.000243 U	0.00207 U	0.000949 U	0.00138 U	0.00110 U	0.00121 U	0.00197 U	0.000619 U	0.000876 U	0.00269 U	0.00123 U	0.000932 U
	MW-343-93	04/13/20	PES	PACE	93	-65.4	S	0.000257 U	0.00218 U	0.00100 U	0.00336 J	0.00116 U	0.00128 U	0.00208 U	0.000654 U	0.000926 U	0.00285 U	0.00130 U	0.000986 U
	MW-343-99	04/13/20	PES	PACE	99	-71.4	S	0.000246 U	0.00209 U	0.000962 U	0.00140 U	0.00112 U	0.00122 U	0.00200 U	0.000627 U	0.000888 U	0.00273 U	0.00125 U	0.000945 U
	MW-343-102	04/14/20	PES	PACE	102	-74.4	S	0.000253 U	0.00215 U	0.000988 U	0.00314 J	0.00115 U	0.00126 U	0.00205 U	0.000644 U	0.000912 U	0.00280 U	0.00128 U	0.00169 J
	MW-2017-102	04/14/20	PES	PACE	102 (dup)	-74.4	S	0.000250 U	0.00213 U	0.000978 U	0.00442 J	0.00114 U	0.00124 U	0.00203 U	0.000638 U	0.000903 U	0.00277 U	0.00127 U	0.00297 J
	MW-343-106	04/14/20	PES	PACE	106	-78.4	S	0.000289 J	0.00209 U	0.000961 U	0.00864	0.00112 U	0.00122 U	0.00199 U	0.000626 U	0.000887 U	0.00272 U	0.00124 U	0.00681 J
	MW-343-108	04/14/20	PES	PACE	108	-80.4	S	0.000254 U	0.00216 U	0.000993 U	0.00672	0.00115 U	0.00126 U	0.00206 U	0.000647 U	0.000917 U	0.00282 U	0.00129 U	0.00550 J

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
PH22	PH22	04/17/18	PES	Fremont	0-3	-	V	0.0304 U	0.0304 U	0.0304 U	0.0243 U	0.0243 U	0.0243 U	-	0.0243 U	0.0243 U	-	0.0304 U	0.0912 U
PH34	PH34	04/17/18	PES	Fremont	1.5-6.5	-	V	0.0240 U	0.0240 U	0.0240 U	0.0192 U	0.0192 U	0.0192 U	-	0.0192 U	0.0192 U	-	0.0240 U	0.0721 U
PH38	PH38	04/17/18	PES	Fremont	1.5-4	-	V	0.0292 U	0.0292 U	0.0292 U	0.0233 U	0.0233 U	0.0233 U	-	0.0233 U	0.0233 U	-	0.0292 U	0.0875 U
PH52	PH52	04/17/18	PES	Fremont	1-5	-	V	0.0282 U	0.0282 U	0.0282 U	0.0226 U	0.0226 U	0.0226 U	-	0.0226 U	0.0226 U	-	0.0282 U	0.0846 U
PW-1	Composite	01/01/98	B&V	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PW-4	Composite	05/13/98	B&V	Unknown	-	-	-	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND
R-MW4	Unknown	10/22/92	Roux	Unknown	5	35.9	V	-	-	0.005 U	-	0.005 U	-	-	0.005 U	-	-	0.010 U	-
	Unknown	10/22/92	Roux	Unknown	15	25.9	S	-	-	0.005 U	-	0.005 U	-	-	0.005 U	-	-	0.010 U	-
	Unknown	10/22/92	Roux	Unknown	30	10.9	S	-	-	0.005 U	-	0.005 U	-	-	0.005 U	-	-	0.010 U	-
R-MW6 (33.3 to 23.3)	Unknown	10/27/92	Roux	Unknown	6	39.3	V	-	-	0.005 U	-	0.005 U	-	-	0.005 U	-	-	0.010 U	-
	Unknown	10/27/92	Roux	Unknown	11	34.3	V	-	-	0.005 U	-	0.005 U	-	-	0.005 U	-	-	0.010 U	-
	Unknown	10/27/92	Roux	Unknown	16	29.3	S	-	-	0.005 U	-	0.005 U	-	-	0.005 U	-	-	0.010 U	-
RB1	RB1-17.5	10/18/93	Retec	AAL	17.5	18.4	S	-	-	-	0.063 U	-	-	-	-	-	-	-	0.13 U
RB2	RB2-12.5	10/18/93	Retec	AAL	12.5	23.6	V	-	-	-	0.062 U	-	-	-	-	-	-	-	0.012 U
	RB2-17.5	10/18/93	Retec	AAL	17.5	18.6	S	-	-	-	0.062 U	-	-	-	-	-	-	-	0.18
RB3	RB3-17.5	10/18/93	Retec	AAL	17.5	20.5	S	-	-	-	0.061 U	-	-	-	-	-	-	-	0.12 U
SCL-B100	B-100, S1	06/10/02	Urban	F&BI	5-6.5	-	V	-	-	0.05 U	0.02 U	0.05 U	-	-	0.05 U	-	-	0.05 U	0.02 U
	B-100, S2	06/10/02	Urban	F&BI	10-11.5	-	V	-	-	0.05 U	0.02 U	0.05 U	-	-	0.05 U	-	-	0.05 U	0.02 U
SCL-B101	B-101- S1&2	06/17/02	Urban	F&BI	0-6	-	V	-	-	0.05 U	0.02 U	0.05 U	-	-	0.05 U	-	-	0.05 U	0.02 U
	B101-S3	06/17/02	Urban	F&BI	8	-	V	-	-	0.05 U	0.02 U	0.05 U	-	-	0.05 U	-	-	0.05 U	0.02 U
SCL-B102	B102-S1	06/17/02	Urban	F&BI	0-3	-	V	-	-	0.05 U	0.09	0.05 U	-	-	0.05 U	-	-	0.05 U	0.13
	B102-S2	06/17/02	Urban	F&BI	4	-	V	-	-	0.05 U	0.02 U	0.05 U	-	-	0.05 U	-	-	0.05 U	0.02 U
SCL-MW101 (25.0 to 15.0)	MW101-S3	06/14/02	Urban	F&BI	16	-	S	-	-	-	0.02 U	-	-	-	-	-	-	-	0.05
SCL-MW102	MW-102, S1	06/10/02	Urban	F&BI	5-6.5	-	S	-	-	-	0.47	-	-	-	-	-	-	-	2.5
	MW-102, S2	06/10/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	0.02 U	-	-	-	-	-	-	-	0.07
SCL-MW103	MW103-S1&S2	06/14/02	Urban	F&BI	5-6.5, 10-11.5	-	S	-	-	-	0.02 U	-	-	-	-	-	-	-	0.02 U
SCL-MW105 (10.8 to 0.8)	MW-105, S2	06/10/02	Urban	F&BI	10-11.5	-	S	-	-	-	1.5	-	-	-	-	-	-	-	24
	MW-105, S4	06/10/02	Urban	F&BI	20-21.5	-	S	-	-	-	0.02 U	-	-	-	-	-	-	-	0.03
SCLB-1	RS1-2.5/RS-1 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-12.5/RS1-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	0.66	-	-	-	-	-	-	-	25.2 ve
	RS-1 17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS1-22.5/RS-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	0.14	-	-	-	-	-	-	-	1.53
	RS1-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	0.35	-	-	-	-	-	-	-	4.8
	RS1-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	0.05 U	-	-	-	-	-	-	-	1 U
SCLB-2	RS2-2.5/RS-2 7.5 (Comp)	03/12/93	EPJ	OnSite	2.5-7.5	-	V	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-12.5/RS2-17.5 (Comp)	03/12/93	EPJ	OnSite	12.5-17.5	-	S	-	-	-	24	-	-	-	-	-	-	-	115 ve
	RS2-17.5	03/12/93	EPJ	OnSite	17.5	21.0	S	-	-	-	-	-	-	-	-	-	-	-	-
	RS2-22.5/RS2-27.5 (Comp)	03/12/93	EPJ	OnSite	22.5-27.5	-	S	-	-	-	1.1	-	-	-	-	-	-	-	3.9
	RS2-32.5	03/12/93	EPJ	OnSite	32.5	6.0	S	-	-	-	2.7	-	-	-	-	-	-	-	6.8
	RS2-37.5	03/12/93	EPJ	OnSite	37.5	1.0	S	-	-	-	0.05 U	-	-	-	-	-	-	-	1.34

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
SSD-MW-1	MW-1 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	0.01 U	-	-	-	-	-	-	-	0.01 U
	MW-1 S-6	05/24/89	HC	Unknown	15-16.5	24.0	S	-	-	-	1.03	-	-	-	-	-	-	-	6.25
SSD-MW-2	MW-2 S-3	05/24/89	HC	Unknown	7.5-9	31.0	V	-	-	-	0.01 U	-	-	-	-	-	-	-	0.01 U
	MW-2 S-6	05/24/89	HC	Unknown	15-16.5	31.0	V	-	-	-	0.53	-	-	-	-	-	-	-	0.01 U
SSD-MW-3	MW-3 S-2	05/24/89	HC	Unknown	5-6.5	34.0	V	-	-	-	0.01 U	-	-	-	-	-	-	-	0.01 U
	MW-3 S-5	05/24/89	HC	Unknown	12.5-14	34.0	V	-	-	-	0.01 U	-	-	-	-	-	-	-	0.01 U
SSD-MW-4	MW-4 S-6	05/25/89	HC	Unknown	14.5-16	36.8	V	-	-	-	0.01 U	-	-	-	-	-	-	-	0.096
	MW-4 S-9	05/25/89	HC	Unknown	22-23	29.5	S	-	-	-	0.01 U	-	-	-	-	-	-	-	0.01 U
SV-04	SV-04-6	06/29/20	PES	PACE	6	-	V	0.000297 U	0.00253 U	0.00158 J	0.00168 U	0.00135 UJ	0.00148 U	0.00241 UJ	0.000757 U	0.00107 U	0.00329 U	0.00150 U	0.00114 U
SV-05	SV-05-10	06/29/20	PES	PACE	10	-	V	0.000317 U	0.00270 U	0.00184 J	0.00180 U	0.00144 U	0.00158 U	0.00258 U	0.000809 U	0.00114 U	0.00352 UJ	0.00161 U	0.00122 U
SV-06	SV-06-6	06/29/20	PES	PACE	6	-	V	0.000292 U	0.00249 U	0.00273 J	0.00166 U	0.00133 U	0.00145 U	0.00237 U	0.000745 U	0.00106 U	0.00324 UJ	0.00148 U	0.00112 U
SV-07	SV-07-15	06/29/20	PES	PACE	15	-	V	0.000251 U	0.00214 U	0.000982 U	0.00142 U	0.00114 U	0.00125 U	0.00204 U	0.000640 U	0.000906 U	0.00278 UJ	0.00127 U	0.000965 U
SV-08	SV-08-6	06/30/20	PES	PACE	6	-	V	0.000318 U	0.00271 U	0.00538	0.00495 J	0.00145 U	0.00159 U	0.00259 U	0.000812 U	0.00115 U	0.00353 UJ	0.00161 U	0.0259
	SV-08-7.5	06/30/20	PES	PACE	7.5	-	V	0.000325 U	0.00276 U	0.00127 U	0.00184 U	0.00147 UJ	0.00162 U	0.00264 UJ	0.000828 U	0.00117 U	0.00360 U	0.00164 U	0.00276 J
SV-09	SV-09-5.5	07/01/20	PES	PACE	5.5	-	V	0.000303 U	0.00258 U	0.00119 U	0.00172 U	0.00138 UJ	0.00151 U	0.00246 UJ	0.000773 U	0.00109 U	0.00336 U	0.00154 U	0.00116 U
SV-10	SV-10-5.5	06/30/20	PES	PACE	5.5	-	V	0.000302 U	0.00257 U	0.00118 U	0.00171 U	0.00137 UJ	0.00150 U	0.00245 UJ	0.000770 U	0.00109 U	0.00335 U	0.00153 U	0.00116 U
SV-11	SV-11-10	06/30/20	PES	PACE	10	-	V	0.000306 U	0.00261 U	0.00120 U	0.00174 U	0.00139 UJ	0.00152 U	0.00249 UJ	0.000781 U	0.00111 U	0.00340 U	0.00155 U	0.00118 U
SV-12	SV-12-5.5	07/01/20	PES	PACE	5.5	-	V	0.000250 U	0.00213 U	0.000980 U	0.0160	0.00114 UJ	0.00125 U	0.00203 UJ	0.000638 U	0.000904 U	0.00278 U	0.00127 U	0.00542 J
SV-13	SV-13-10.5	07/01/20	PES	PACE	10.5	-	V	0.000294 U	0.00250 U	0.00115 U	0.00167 U	0.00133 UJ	0.00146 U	0.00239 UJ	0.000749 U	0.00106 U	0.00326 U	0.00149 U	0.00113 U
SV-14	SV-14-5.5	07/01/20	PES	PACE	5.5	-	V	0.000306 U	0.00261 U	0.00120 U	0.00174 U	0.00139 UJ	0.00152 U	0.00249 UJ	0.000781 U	0.00111 U	0.00340 U	0.00155 U	0.00118 U
SV-15	SV-15-13	07/01/20	PES	PACE	13	-	V	0.000297 U	0.00253 U	0.00116 U	0.00169 U	0.00135 UJ	0.00148 U	0.00241 UJ	0.000758 U	0.00107 U	0.00330 U	0.00151 U	0.00114 U
SV-16	SV-16-5	07/02/20	PES	PACE	5	-	V	0.000608 U	0.00517 U	0.0237 J	0.0538 J	0.00277 UJ	0.00303 U	0.00494 UJ	0.00155 U	0.00220 U	0.00675 U	0.00307 U	0.0743 J
	SV-100-5	07/02/20	PES	PACE	5 (dup)	-	V	0.000545 U	0.00464 U	0.0175 J	0.0381 J	0.00246 UJ	0.00271 U	0.00441 UJ	0.00139 U	0.00197 U	0.00603 U	0.00276 U	0.0441 J
SV-17	SV-17-4.5	07/02/20	PES	PACE	4.5	-	V	0.000450 U	0.00384 U	0.00584	0.0678	0.00204 UJ	0.00224 U	0.00366 UJ	0.00115 U	0.00163 U	0.00500 U	0.00228 U	0.126
SV-18	SV-18-5.5	07/02/20	PES	PACE	5.5	-	V	0.000247 U	0.00210 U	0.000966 U	0.00140 U	0.00112 UJ	0.00123 U	0.00200 UJ	0.000629 U	0.000891 U	0.00274 U	0.00125 U	0.000948 U
SV-19	SV-19-5	07/09/20	PES	PACE	5	-	V	0.000247 U	0.00210 U	0.00169 J	0.00140 U	0.00112 U	0.00123 U	0.00200 U	0.000629 U	0.000891 U	0.00274 U	0.00125 U	0.000948 U
SV-20	SV-20-9	07/09/20	PES	PACE	9	-	V	0.000324 U	0.00276 U	0.00275 J	0.00184 U	0.00147 U	0.00161 U	0.00263 U	0.000827 U	0.00117 U	0.00360 U	0.00164 U	0.00125 U
SV-21	SV-21-6	07/09/20	PES	PACE	6	-	V	0.000251 U	0.00214 U	0.00117 J	0.00142 U	0.00114 U	0.00125 U	0.00204 U	0.000640 U	0.000906 U	0.00278 U	0.00127 U	0.000964 U
SV-22	SV-22-8.5	07/09/20	PES	PACE	8.5	-	V	0.000468 U	0.00399 U	0.00705	0.00520 J	0.00212 U	0.00233 U	0.00380 U	0.00119 U	0.00169 U	0.00518 U	0.00237 U	0.0113 J
SV-23	SV-23-4.5	07/09/20	PES	PACE	4.5	-	V	0.000346 U	0.00295 U	0.00135 U	0.00197 U	0.00157 U	0.00172 U	0.00281 U	0.000883 U	0.00125 U	0.00384 U	0.00175 U	0.00133 U
SV-24	SV-24-8	07/09/20	PES	PACE	8	-	V	0.000249 U	0.00212 U	0.000973 U	0.00141 U	0.00113 U	0.00124 U	0.00202 U	0.000634 U	0.000898 U	0.00276 U	0.00126 U	0.000955 U
SV-25	SV-25-4	07/10/20	PES	PACE	4	-	V	0.000302 U	0.00257 U	0.0100	0.00171 U	0.00137 U	0.00150 U	0.00245 U	0.000769 U	0.00109 U	0.00335 U	0.00153 U	0.00116 U
SV-26	SV-26-12	07/10/20	PES	PACE	12	-	V	0.000335 U	0.00285 U	0.00131 U	0.00190 U	0.00152 U	0.00167 U	0.00272 U	0.000855 U	0.00121 U	0.00372 U	0.00170 U	0.00129 U
SV-27	SV-27-5.5	07/10/20	PES	PACE	5.5	-	V	0.000301 U	0.00256 U	0.00118 U	0.00171 U	0.00136 U	0.00150 U	0.00244 U	0.000766 U	0.00109 U	0.00333 U	0.00152 U	0.00115 U
	SV-27-13.5	07/10/20	PES	PACE	13.5	-	V	0.000301 U	0.00256 U	0.00372	0.00171 U	0.00137 U	0.00150 U	0.00244 U	0.000767 U	0.00109 U	0.00334 U	0.00152 U	0.00116 U
TB-12	16	08/01/97	B&V	Unknown	62-63	-24.5	S	-	-	-	-	-	-	-	-	-	-	-	-
TB-18	S-2	03/17/98	B&V	Unknown	5-6.5	38.3	V	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND
	S-8	03/17/98	B&V	Unknown	20-21.5	23.3	S	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND
	S-21	03/17/98	B&V	Unknown	57.5-59	1.2	S	-	-	ND	ND	ND	-	-	ND	-	-	ND	ND

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (DCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CF ₃ -Cl)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
T1	T1-2.5-071718	07/17/18	PES	Fremont	2.5	-	V	0.0265 U	0.0265 U	0.0734	0.0212 U	0.0212 U	0.0212 U	-	0.0212 U	0.0212 U	-	0.0265 U	0.0796 U
T-2	T-2-071618	07/16/18	PES	Fremont	2	-	V	0.0143 U	0.0143 U	0.0143 U	0.0115 U	0.0115 U	0.0115 U	-	0.0115 U	0.0115 U	-	0.0143 U	0.0143 U
T-2B	T-2B-071618	07/16/18	PES	Fremont	2	-	V	0.0297 U	0.0297 U	0.0297 U	0.0237 U	0.0237 U	0.0237 U	-	0.0237 U	0.0237 U	-	0.0297 U	0.0297 U
T2	T2-6-071718	07/17/18	PES	Fremont	6	-	V	0.0307 U	0.0307 U	0.0524	0.0245 U	0.0245 U	0.0245 U	-	0.0245 U	0.0245 U	-	0.0307 U	0.0524
T3	T3-3-071718	07/17/18	PES	Fremont	3	-	V	0.0287 U	0.0287 U	0.0287 U	0.0229 U	0.0229 U	0.0229 U	-	0.0229 U	0.0229 U	-	0.0287 U	0.0287 U
T4	T4-6-071718	07/17/18	PES	Fremont	6	-	V	0.0258 U	0.0258 U	0.0258 U	0.0206 U	0.0206 U	0.0206 U	-	0.0206 U	0.0206 U	-	0.0258 U	0.0258 U
T-5	T-5-071618	07/16/18	PES	Fremont	5	-	V	0.0255 U	0.0255 U	0.0255 U	0.0204 U	0.0204 U	0.0204 U	-	0.0204 U	0.0204 U	-	0.0255 U	0.0255 U
T6	T6-4-071818	07/18/18	PES	Fremont	4	-	V	0.0237 U	0.0237 U	0.0237 U	0.0189 U	0.0189 U	0.0189 U	-	0.0189 U	0.0189 U	-	0.0237 U	0.0237 U
T7	T7-7-071818	07/18/18	PES	Fremont	7	-	V	0.0342 U	0.0342 U	0.0678	0.0274 U	0.0274 U	0.0274 U	-	0.0274 U	0.0274 U	-	0.0342 U	0.0678
T8	T8-3-072018	07/20/18	PES	Fremont	3	-	V	0.0268 U	0.0268 U	0.0268 U	0.0214 U	0.0214 U	0.0214 U	-	0.0214 U	0.0214 U	-	0.0268 U	0.0268 U
T8	T8-6-072018	07/20/18	PES	Fremont	6	-	V	0.0377 U	0.0377 U	0.0586	0.0301 U	0.0301 U	0.0301 U	-	0.0301 U	0.0301 U	-	0.0377 U	0.0586
T9	T9-3-072018	07/20/18	PES	Fremont	3	-	V	0.0437 U	0.0437 U	0.0437 U	0.0350 U	0.0350 U	0.0350 U	-	0.0350 U	0.0350 U	-	0.0437 U	0.0437 U
T9	T9-3.5-072018	07/20/18	PES	Fremont	3.5	-	V	0.0291 U	0.0291 U	0.0291 U	0.0233 U	0.0233 U	0.0233 U	-	0.0233 U	0.0233 U	-	0.0291 U	0.0291 U
T9	T9-6-072018	07/20/18	PES	Fremont	6	-	V	0.0303 U	0.0303 U	0.0303 U	0.0242 U	0.0242 U	0.0242 U	-	0.0242 U	0.0242 U	-	0.0303 U	0.0303 U
T10	T10-3-072018	07/20/18	PES	Fremont	3	-	V	0.0513 U	0.0513 U	0.0513 U	0.0461	0.0411 U	0.0411 U	-	0.0411 U	0.0411 U	-	0.0513 U	0.0513 U
T10	T10-6-072018	07/20/18	PES	Fremont	6	-	V	0.0278 U	0.0278 U	0.0278 U	0.0222 U	0.0222 U	0.0222 U	-	0.0222 U	0.0222 U	-	0.0278 U	0.0278 U
T11	T11-3.5-073118	07/31/18	PES	Fremont	3.5	-	V	0.0358 U	0.0358 U	0.0358 U	0.0286 U	0.0286 U	0.0286 U	-	0.0286 U	0.0286 U	-	0.0358 U	0.0358 U
T12	T12-3-091818	09/18/18	PES	Fremont	3	-	V	0.0307 U	0.0307 U	0.0307 U	0.0245 U	0.0245 U	0.0245 U	-	0.0245 U	0.0245 U	-	0.0307 U	0.0614 U
T12	T12-7-091818	09/18/18	PES	Fremont	7	-	V	0.0303 U	0.0303 U	0.0303 U	0.0243 U	0.0243 U	0.0243 U	-	0.0243 U	0.0243 U	-	0.0303 U	0.0607 U
T12	T12-7.5-073118	07/31/18	PES	Fremont	7.5	-	V	0.0259 U	0.0259 U	0.0259 U	0.0207 U	0.0207 U	0.0207 U	-	0.0207 U	0.0207 U	-	0.0259 U	0.0259 U
T13	T13-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	0.0283 U	0.0283 U	0.0323	0.0227 U	0.0227 U	0.0227 U	-	0.0227 U	0.0227 U	-	0.0283 U	0.0567 U
T13	T13-6.5-091818	09/18/18	PES	Fremont	6.5	-	V	0.0250 U	0.0250 U	0.154	0.0200 U	0.0200 U	0.0200 U	-	0.0200 U	0.0200 U	-	0.0250 U	0.0500 U
T14	T14-3.5-091818	09/18/18	PES	Fremont	3.5	-	V	0.0300 U	0.0300 U	0.0364	0.0240 U	0.0240 U	0.0240 U	-	0.0240 U	0.0240 U	-	0.0300 U	0.0599 U
T14	T14-7-091818	09/18/18	PES	Fremont	7	-	V	0.0318 U	0.0318 U	0.0353	0.0254 U	0.0254 U	0.0254 U	-	0.0254 U	0.0254 U	-	0.0318 U	0.0635 U
TP-15	TP-15-3-092818	09/28/18	PES	Fremont	3	-	V	0.0304 U	0.0304 U	0.0304 U	0.0244 U	0.0244 U	0.0244 U	-	0.0244 U	0.0244 U	-	0.0304 U	0.0609 U
TP-15	TP-15-6.5-092818	09/28/18	PES	Fremont	6.5	-	V	0.0313 U	0.0313 U	0.0313 U	0.0250 U	0.0250 U	0.0250 U	-	0.0250 U	0.0250 U	-	0.0313 U	0.0625 U
TP-16	TP-16-3-092818	09/28/18	PES	Fremont	3	-	V	0.0426 U	0.0426 U	0.0426 U	0.0341 U	0.0341 U	0.0341 U	-	0.0341 U	0.0341 U	-	0.0426 U	0.0426 U
TP-16	TP-16-6-092818	09/28/18	PES	Fremont	6	-	V	0.0446 U	0.0446 U	0.0446 U	0.0357 U	0.0357 U	0.0357 U	-	0.0357 U	0.0357 U	-	0.0446 U	0.0446 U
TP-16	TP-16-9-092818	09/28/18	PES	Fremont	9	-	V	0.0263 U	0.0263 U	0.0263 U	0.0210 U	0.0210 U	0.0210 U	-	0.0210 U	0.0210 U	-	0.0263 U	0.0263 U
TP-SD-01	TP-SD-01-2	06/03/19	PES	Fremont	2	-	V	0.0214 U	0.0214 U	0.0546	0.0196	0.0172 U	0.0172 U	-	0.0172 U	0.0172 U	-	0.0214 U	0.169
TP-SD-01	TP-SD-01-5	06/03/19	PES	Fremont	5	-	V	0.0267 U	0.0267 U	0.0267 U	0.0213 U	0.0213 U	0.0213 U	-	0.0213 U	0.0213 U	-	0.0267 U	0.0534 U
TP-SD-04	TP-SD-04-2	06/03/19	PES	Fremont	2	-	V	0.0252 U	0.0252 U	0.0252 U	0.0202 U	0.0202 U	0.0202 U	-	0.0202 U	0.0202 U	-	0.0252 U	0.0504 U
TP-SD-04	TP-SD-04-5	06/03/19	PES	Fremont	5	-	V	0.0272 U	0.0272 U	0.0272 U	0.0218 U	0.0218 U	0.0218 U	-	0.0218 U	0.0218 U	-	0.0272 U	0.0544 U
TP-SD-05	TP-SD-05-2	06/03/19	PES	Fremont	2	-	V	0.0258 U	0.0258 U	0.0258 U	0.0207 U	0.0207 U	0.0207 U	-	0.0207 U	0.0207 U	-	0.0258 U	0.0517 U
TP-SD-05	TP-SD-05-5	06/03/19	PES	Fremont	5	-	V	0.0292 U	0.0292 U	0.0292 U	0.0234 U	0.0234 U	0.0234 U	-	0.0234 U	0.0234 U	-	0.0292 U	0.0585 U
TP-SD-06	TP-SD-06-2	06/03/19	PES	Fremont	2	-	V	0.0344 U	0.0344 U	0.0344 U	0.0275 U	0.0275 U	0.0275 U	-	0.0275 U	0.0275 U	-	0.0344 U	0.0688 U
TP-SD-06	TP-SD-06-5	06/03/19	PES	Fremont	5	-	V	0.0272 U	0.0272 U	0.0272 U	0.0218 U	0.0218 U	0.0218 U	-	0.0218 U	0.0218 U	-	0.0272 U	0.0544 U
TP-SD-07	TP-SD-07-2	06/03/19	PES	Fremont	2	-	V	0.0217 U	0.0217 U	0.0217 U	0.0174 U	0.0174 U	0.0174 U	-	0.0174 U	0.0174 U	-	0.0217 U	0.0435 U
TP-SD-07	B-942-2	06/03/19	PES	Fremont	2 (dup)	-	V	0.0233 U	0.0233 U	0.0233 U	0.0186 U	0.0186 U	0.0186 U	-	0.0186 U	0.0186 U	-	0.0233 U	0.0466 U
TP-SD-07	TP-SD-07-5	06/03/19	PES	Fremont	5	-	V	0.0212 U	0.0212 U	0.0212 U	0.0169 U	0.0169 U	0.0169 U	-	0.0169 U	0.0169 U	-	0.0212 U	0.0424 U
TP-SD-08	TP-SD-08-2	06/03/19	PES	Fremont	2	-	V	0.0242 U	0.0242 U	0.0242 U	0.0193 U	0.0193 U	0.0193 U	-	0.0193 U	0.0193 U	-	0.0242 U	0.0483 U
TP-SD-08	TP-SD-08-5	06/03/19	PES	Fremont	5	-	V	0.0207 U	0.0207 U	0.0207 U	0.0166 U	0.0166 U	0.0166 U	-	0.0166 U	0.0166 U	-	0.0207 U	0.0415 U
TP-SD-08	TP-SD-08-8	06/03/19	PES	Fremont	8	-	S	0.0249 U	0.0249 U	0.0249 U	0.0199 U	0.0199 U	0.0199 U	-	0.0199 U	0.0199 U	-	0.0249 U	0.0498 U
W-MW-01 (P-03) (-25.1 to -35.1)	SB-W-03-0160	01/27/12	WW	ARI	16-16.5	28.4	S	-	-	0.0010 U	0.0006 J	0.0010 U	-	-	0.0010 U	-	-	0.0010 U	0.0020 U
	SB-W-03-0225	01/27/12	WW	ARI	22.5-23	21.9	S	-	-	0.03 B	0.0007 J	0.0009 U	-	-	0.0018	-	-	0.0009 U	0.0018 U
	SB-W-03-0315	01/27/12	WW	ARI	31.5-32	12.9	S	-	-	16 B	0.21 U	0.21 U	-	-	0.59	-	-	0.21 U	0.42 U
	SB-W-03-0450	01/27/12	WW	ARI	45-45.5	-0.6	S	-	-	0.38 B	0.0006 J	0.0005 J	-	-	0.022	-	-	0.0007 U	0.0014 U
	SB-W-03-0550	01/27/12	WW	ARI	55.5-56	-11.1	S	-	-	1.9 J	0.045 U	0.045 U	-	-	0.17	-	-	0.045 U	0.09 U

Table G-3

Off Property Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total												
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14												
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83												
W-MW-01 (P-03) (continued)	SB-W-03-0645	01/27/12	WW	ARI	64.5-65	-20.1	S	-	-	0.0008 U	0.0008 U	0.0008 U	-	-	0.0008 U	-	-	0.0008 U	0.0016 U												
	SB-W-03-0730	01/27/12	WW	ARI	73-73.5	-28.6	S	-	-	0.1 B	0.0006 J	0.0007 U	-	-	0.0081	-	-	0.0007 U	0.0014 U												
W-MW-02 (P-06) (-26.5 to -36.5)	SB-W-06-0900	01/29/12	WW	ARI	9-9.5	34.0	S	-	-	0.058 T	0.0013 U	0.0013 U	-	-	0.0081	-	-	0.0013 U	0.0026 U												
	SB-W-06-0185	01/29/12	WW	ARI	18.5-19	24.5	S	-	-	0.0009 UT	0.0006 J	0.0009 U	-	-	0.0009 U	-	-	0.0009 U	0.0018 U												
	SB-W-06-0305	01/30/12	WW	ARI	30.5-31	12.6	S	-	-	18	0.27 U	0.27 U	-	-	0.41	-	-	0.27 U	0.34 U												
	SB-W-06-0380	01/30/12	WW	ARI	38-38.5	5.0	S	-	-	0.14	0.046 U	0.046 U	-	-	0.057	-	-	0.046 U	0.092 U												
	SB-W-06-0405	01/30/12	WW	ARI	40.5-41	2.5	S	-	-	5.2	0.036 U	0.036 U	-	-	0.2	-	-	0.036 U	0.072 U												
	SB-W-06-0485	01/30/12	WW	ARI	48.5-49	-5.5	S	-	-	0.033	0.0008 U	0.0008 U	-	-	0.0007 J	-	-	0.0008 U	0.0016 U												
	SB-W-06-9485	01/30/12	WW	ARI	48.5-49 (dup)	-5.5	S	-	-	0.052	0.0009 U	0.0009 U	-	-	0.0011	-	-	0.0009 U	0.0018 U												
	SB-W-06-0590	01/30/12	WW	ARI	59-59.5	-16.0	S	-	-	0.53	0.043 U	0.043 U	-	-	0.037 J	-	-	0.043 U	0.086 U												
	SB-W-06-0715	01/30/12	WW	ARI	71.5-72	-28.5	S	-	-	0.0009	0.0008 U	0.0008 U	-	-	0.0008 U	-	-	0.0008 U	0.0016 U												
	SB-W-06-0790	01/31/12	WW	ARI	79-79.5	-36.0	S	-	-	0.0022	0.0009 U	0.0009 U	-	-	0.0009 U	-	-	0.0009 U	0.0018 U												
All Data					Number of Analytes Measured			644	644	865	778	859	644	585	865	644	585	865	778												
					Number of Analytes Detected			8	3	26	227	-172	0	7	-81	40	1	-146	-11												
					Frequency of Detection			1.2%	0.5%	3.0%	29.2%	-20.0%	0.0%	1.2%	-9.4%	6.2%	0.2%	-16.9%	-1.4%												
					Maximum Detection			0.0102	J	0.0875	J	19	160	0.0221	-	0.456	3.57	0.0638	J	0.0588	J	0.656	300								
					Minimum Detection			0.00024	U	0.000214	U	0.000289	U	0.000454	U	0.000274	U	0.000277	U	0.000808	U	0.00029	U	0.000397	U	0.00248	U	0.000302	U	0.00073	U
					Number Of Vadose (V) Detections above SL			0	0	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0							
					Number of Saturated (S) Detections above SL			0	0	102	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2017-2021					Number of Analytes Measured			644	644	644	644	644	644	585	644	644	585	644	644												
					Number of Analytes Detected			8	3	201	328	32	0	7	103	40	1	65	87												
					Frequency of Detection			1.2%	0.5%	31.2%	50.9%	5.0%	0.0%	1.2%	16.0%	6.2%	0.2%	10.1%	13.5%												
					Maximum Detection			0.0102	J	0.0875	J	15.1	0.382	0.0221	-	0.456	3.57	0.0638	J	0.0588	J	0.656	0.891								
					Minimum Detection			0.00024	U	0.000214	U	0.000289	U	0.000454	U	0.000274	U	0.000277	U	0.000808	U	0.00029	U	0.000397	U	0.00248	U	0.000302	U	0.00073	U
					Number Of Vadose (V) Detections above SL			0	0	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0							
					Number of Saturated (S) Detections above SL			0	0	67	1	0	0	0	0	0	0	0	0	0	0	0	0	0							
Abbreviations:								Notes:																							
AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington								Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-HCID, NWTPH-Gx, or NWTPH-Dx; or EPA Method 418.1, Method 8020, or Method 8015M.																							
ARI = Analytical Resource, Incorporated, Seattle, Washington								VOCs analyzed by EPA Methods 8010, 8020, 8021B, 624/8240, or 8260B/C/D.																							
B&V = Black Veatch								Well screen elevations provided below Sample Location. in parentheses when applicable.																							
bgs = below ground surface								PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave.																							
Comp = Composite Sample								(FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized.																							
dup = duplicate								Detected results shown in bold .																							
EPJ = E.P.Johnson Construction Inc., and Environmental								Detections above the screening level in the vadose zone are shown in bold and highlighted blue .																							
ESC = ESC Lab Services of Mt. Juliet, Tennessee								Detections above the screening level in the saturated zone are shown in bold and highlighted gray .																							
F&BI = Friedman & Bruya, Inc.								- = Not available or results not analyzed.																							
HC = Hart Crowser, Inc.								B = Analyte detected in an associated method blank.																							
OnSite = OnSite Environmental Inc., of Redmond, Washington								J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review.																							
Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC)								J+ = The result is an estimated quantity, but the result may be biased high.																							
PES = PES Environmental, Inc.								J- = The result is an estimated quantity, but the result may be biased low.																							
Retec = Remediation Technologies, Inc.								ND = Not detected above laboratory reporting limit. Reporting limit not available.																							
Roux = Roux Associates								R = The data is unusable. The sample result is rejected due to serious deficiencies in meeting QC criteria. The analyte may or may not be present in the sample																							
Urban = Urban Redevelopment LLC								T = Analyte also detected in trip blank.																							
WW = WW Environmental LLC								U = Not detected at a concentration exceeding laboratory reporting limit																							
								ve = Estimated value. The reported range exceeds the calibration range of the analysis.																							
								z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs.																							

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
615 Dexter Avenue																					
DGW-1	DGW1-10	03/06/19	HC	AAL	10	37	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-12.5	03/06/19	HC	AAL	12.5	34.5	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-15	03/06/19	HC	AAL	15	32	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-25	03/06/19	HC	AAL	25	22	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-30	03/06/19	HC	AAL	30	17	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-2	DGW2-5	03/04/19	HC	AAL	5	54	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-10	03/04/19	HC	AAL	10	49	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-25	03/04/19	HC	AAL	25	34	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-30	03/04/19	HC	AAL	30	29	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-3	DGW3-2.5	03/06/19	HC	AAL	2.5	44.5	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-12.5	03/06/19	HC	AAL	12.5	34.5	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-15	03/06/19	HC	AAL	15	32	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-20	03/06/19	HC	AAL	20	27	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-25	03/06/19	HC	AAL	25	22	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-4	DGW4-5	03/04/19	HC	AAL	5	60	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-10	03/04/19	HC	AAL	10	55	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-15	03/04/19	HC	AAL	15	50	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-20	03/04/19	HC	AAL	20	45	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-35	03/04/19	HC	AAL	35	30	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-50	03/04/19	HC	AAL	50	15	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-1S	DMW1S-5	03/05/19	HC	AAL	5	42	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-10	03/05/19	HC	AAL	10	37	V	29	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-12.5	03/05/19	HC	AAL	12.5	34.5	S	1,200	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-15	03/05/19	HC	AAL	15	32	S	67	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-20	03/05/19	HC	AAL	20	27	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-2S	DMW-2S-05	03/02/20	HC	AAL	5	51.03	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-2S-10	03/02/20	HC	AAL	10	46.03	V	83	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-2S-15	03/02/20	HC	AAL	15	41.03	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-2S-20	03/02/20	HC	AAL	20	36.03	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-2S-25	03/02/20	HC	AAL	25	31.03	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
DMW-3IA	DMW-3IA-5	02/27/20	HC	AAL	5	51.09	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-3IA-10	02/27/20	HC	AAL	10	46.09	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-3IA-15	02/27/20	HC	AAL	15	41.09	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-3IA-20	02/27/20	HC	AAL	20	36.09	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-3IA-25	02/27/20	HC	AAL	25	31.09	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
DMW-4S	DMW-4S-5	02/26/20	HC	AAL	5	56.76	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-4S-10	02/26/20	HC	AAL	10	51.76	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-4S-15	02/26/20	HC	AAL	15	46.76	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-4S-20	02/26/20	HC	AAL	20	41.76	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-4S-25	02/26/20	HC	AAL	25	36.76	S	35	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-4S-30	02/26/20	HC	AAL	30	31.76	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
DMW-5IA	DMW-5IA-5	02/28/20	HC	AAL	5	64.48	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-5IA-10	02/28/20	HC	AAL	10	59.48	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-5IA-15	02/28/20	HC	AAL	15	54.48	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-5IA-20	02/28/20	HC	AAL	20	49.48	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	DMW-5IA-25	02/28/20	HC	AAL	25	44.48	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
DPP-1	DPP1-5	03/04/19	HC	AAL	5	54.5	V	5.0 U	-	5.0 U	5.0 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-7.5	03/05/19	HC	AAL	7.5	52	V	-	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-10	03/04/19	HC	AAL	10	49.5	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-20	03/04/19	HC	AAL	20	39.5	V	-	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-2	DPP2-5	03/04/19	HC	AAL	5	54	V	-	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP2-10	03/04/19	HC	AAL	10	49	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-3	DPP3-5	03/05/19	HC	AAL	5	42	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-15	03/05/19	HC	AAL	15	32	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-30	03/05/19	HC	AAL	30	17	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-4	DPP4-10	03/04/19	HC	AAL	10	49	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-12.5	03/04/19	HC	AAL	12.5	46.5	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-17.5	03/04/19	HC	AAL	17.5	41.5	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-20	03/04/19	HC	AAL	20	39	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-5	DPP5-10	03/04/19	HC	AAL	10	49	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-17.5	03/04/19	HC	AAL	17.5	41.5	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-20	03/04/19	HC	AAL	20	39	V	-	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-6	DPP6-5	03/05/19	HC	AAL	5	42	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-7.5	03/05/19	HC	AAL	7.5	39.5	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-12.5	03/05/19	HC	AAL	12.5	34.5	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-17.5	03/05/19	HC	AAL	17.5	29.5	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)		Diesel Range Organics (DRO)		Oil Range Organics/Lube Oil (ORO)		DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30		2,000		2,000		2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30		2,000		2,000		2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07	
Seattle DOT Mercer Parcels																									
HMW-1IB	HMW1IB-7.5	03/12/19	HC	AAL	7.5	30.5	V	5.0	U	20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW1IB-15	03/12/19	HC	AAL	15	23	V	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW1IB-20.5	03/12/19	HC	AAL	20.5	18	S	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW1IB-27.5	03/12/19	HC	AAL	27.5	10.5	S	5.0	U	20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW1IB-50	03/12/19	HC	AAL	50	-12	S	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW1IB-65	03/12/19	HC	AAL	65	-27	S	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
HMW-2IB	HMW2IB-7.5	03/12/19	HC	AAL	7.5	39.5	V	5.0	U	20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW2IB-15	03/12/19	HC	AAL	15	32	V	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW2IB-22.5	03/12/19	HC	AAL	22.5	24.5	S	5.0	U	20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW2IB-30	03/12/19	HC	AAL	30	17	S	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW2IB-45	03/12/19	HC	AAL	45	2	S	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW2IB-65	03/12/19	HC	AAL	65	-18	S	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
HMW-3IA	HMW3IA-15	03/15/19	HC	AAL	15	40.5	V	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW3IA-20	03/15/19	HC	AAL	20	35.5	V	-		20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW3IA-22.5	03/15/19	HC	AAL	22.5	33	V	5.0	U	20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW3IA-25	03/15/19	HC	AAL	25	30.5	S	-		20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
HMW-4IA	HMW4IA-5	03/07/19	HC	AAL	5	51	V	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW4IA-7.5	03/07/19	HC	AAL	7.5	48.5	V	5.0	U	160		50	U	160		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW4IA-10	03/07/19	HC	AAL	10	46	V	-		-		-		-		0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
	HMW4IA-25	03/07/19	HC	AAL	25	31	S	-		20	U	50	U	50	U	0.050	U	0.050	U	0.050	U	0.050	U	0.050	U
HMW-5IB	HMW5IB-5	02/28/20	HC	AAL	5	53.44	V	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW5IB-10	02/28/20	HC	AAL	10	48.44	V	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW5IB-15	02/28/20	HC	AAL	15	43.44	V	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW5IB-20	02/28/20	HC	AAL	20	38.44	V	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW5IB-25	02/28/20	HC	AAL	25	33.44	V	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
HMW-6D	HMW-6D-5	03/02/20	HC	AAL	5	53.58	V	5.0	U	50	U	500		500		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6D-10	03/02/20	HC	AAL	10	48.58	V	5.0	U	50	U	440		440		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6D-15	03/02/20	HC	AAL	15	43.58	V	5.0	U	50	U	470		470		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6D-25	03/02/20	HC	AAL	25	33.58	V	5.0	U	50	U	490		490		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6D-30	03/02/20	HC	AAL	30	28.58	S	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6D-30-Dup	03/02/20	HC	AAL	30 (dup)	28.58	S	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
HMW-6IA	HMW-6IA-5	03/02/20	HC	AAL	5	53.65	V	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IA-10	03/02/20	HC	AAL	10	48.65	V	5.0	U	67	J	670		737	J	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IA-15	03/02/20	HC	AAL	15	43.65	V	5.0	U	61	J	600		661	J	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IA-20	03/02/20	HC	AAL	20	38.65	V	5.0	U	50	U	450		450		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IA-30	03/02/20	HC	AAL	30	28.65	S	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
HMW-6IB	HMW-6IB-5	03/03/20	HC	AAL	5	53.67	V	5.0	U	64	J	740		804	J	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IB-10	03/03/20	HC	AAL	10	48.67	V	5.0	U	50	U	350		350		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IB-10a	03/03/20	HC	AAL	10 (dup)	48.67	V	5.0	U	50	U	660		660		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IB-15	03/03/20	HC	AAL	15	43.67	V	5.0	U	59		720		779		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IB-20	03/03/20	HC	AAL	20	38.67	V	5.0	U	50	U	600		600		0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U
	HMW-6IB-25	03/03/20	HC	AAL	25	33.67	V	5.0	U	50	U	250	U	250	U	0.0050	U	0.0050	U	0.0050	U	0.0050	U	0.025	U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
HMW-7IB	HMW7IB-5	02/28/20	HC	AAL	5	53.69	V	5.0 U	69 J	760	829	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW7IB-10	02/28/20	HC	AAL	10	48.69	V	5.0 U	94 J	860	954 J	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW7IB-15	02/28/20	HC	AAL	15	43.69	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW7IB-20	02/28/20	HC	AAL	20	38.69	V	5.0 U	50 U	440	440	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW7IB-25	02/28/20	HC	AAL	25	33.69	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW7IB-25a	02/28/20	HC	AAL	25 (dup)	33.69	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-8IB	HMW-8IB-5	03/02/20	HC	AAL	5	52.97	V	5.0 U	68 J	520	588 J	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-8IB-10	03/02/20	HC	AAL	10	47.97	V	5.0 U	50 U	480	480	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-8IB-15	03/02/20	HC	AAL	15	42.97	V	5.0 U	58 J	590	648 J	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-8IB-20	03/02/20	HC	AAL	20	37.97	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-8IB-25	03/02/20	HC	AAL	25	32.97	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-8IB-25a	03/02/20	HC	AAL	25 (dup)	32.97	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-9D	HMW-9D-5	02/27/20	HC	AAL	5	50.32	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9D-10	02/27/20	HC	AAL	10	45.32	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9D-15	02/27/20	HC	AAL	15	40.32	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9D-20	02/27/20	HC	AAL	20	35.32	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9D-25	02/27/20	HC	AAL	25	30.32	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-9IA	HMW9IA-5	02/28/20	HC	AAL	5	50.26	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IA-10	02/28/20	HC	AAL	10	45.26	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IA-15	02/28/20	HC	AAL	15	40.26	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IA-20	02/28/20	HC	AAL	20	35.26	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IA-25	02/28/20	HC	AAL	25	30.26	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-9IB	HMW9IB-5	02/28/20	HC	AAL	5	50.36	V	5.0 U	50 U	1,100	1,100	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IB-13	02/28/20	HC	AAL	13	42.36	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IB-15	02/28/20	HC	AAL	15	40.36	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IB-20	02/28/20	HC	AAL	20	35.36	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW9IB-25	02/28/20	HC	AAL	25	30.36	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-9S	HMW-9S-5	03/02/20	HC	AAL	5	50.39	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9S-14	03/02/20	HC	AAL	14	41.39	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9S-17	03/02/20	HC	AAL	17	38.39	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9S-20	03/02/20	HC	AAL	20	35.39	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-9S-25	03/02/20	HC	AAL	25	30.39	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-10D	HMW-10D-5	03/05/20	HC	F&BI	5	43.16	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10D-10	03/05/20	HC	F&BI	10	38.16	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10D-15	03/05/20	HC	F&BI	15	33.16	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10D-15a	03/05/20	HC	F&BI	15 (dup)	33.16	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10D-20	03/05/20	HC	F&BI	20	28.16	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10D-25	03/05/20	HC	F&BI	25	23.16	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
HMW-10S	HMW10S-5	03/03/20	HC	F&BI	5	43.21	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10S-10	03/03/20	HC	F&BI	10	38.21	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10S-10a	03/03/20	HC	F&BI	10 (dup)	38.21	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10S-15	03/03/20	HC	F&BI	15	33.21	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-10S-20	03/03/20	HC	F&BI	20	28.21	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-11IB	HMW-10S-25	03/03/20	HC	F&BI	25	23.21	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11IB-5	02/24/20	HC	F&BI	5	34.7	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11IB-10	02/24/20	HC	F&BI	10	29.7	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11IB-15	02/24/20	HC	F&BI	15	24.7	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11IB-20	02/24/20	HC	F&BI	20	19.7	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-11S	HMW-11IB-25	02/24/20	HC	F&BI	25	14.7	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11S-5	02/25/20	HC	F&BI	5	36.47	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11S-10	02/25/20	HC	F&BI	10	31.47	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11S-15	02/25/20	HC	F&BI	15	26.47	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-11S-20	02/25/20	HC	F&BI	20	21.47	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-17S	HMW-11S-30	02/25/20	HC	F&BI	30	11.47	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-17S-5	09/03/20	HC	F&BI	5	52.21	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-17S-10	09/03/20	HC	F&BI	10	47.21	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-17S-15	09/03/20	HC	F&BI	15	42.21	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-17S-20	09/03/20	HC	F&BI	20	37.21	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-18S	HMW-17S-25	09/03/20	HC	F&BI	25	32.21	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-18S-5	09/03/20	HC	F&BI	5	52.61	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-18S-10	09/03/20	HC	F&BI	10	47.61	V	45	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-18S-15	09/03/20	HC	F&BI	15	42.61	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-18S-20	09/03/20	HC	F&BI	20	37.61	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-19S	HMW-18S-25	09/03/20	HC	F&BI	25	32.61	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-18S-30	09/03/20	HC	F&BI	30	27.61	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-19S-5	09/08/20	HC	F&BI	5	53.2	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-19S-10	09/08/20	HC	F&BI	10	48.2	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-19S-15	09/08/20	HC	F&BI	15	43.2	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
HMW-20S	HMW-19S-20	09/08/20	HC	F&BI	20	38.2	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-19S-26	09/08/20	HC	F&BI	26	32.2	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-19S-30	09/08/20	HC	F&BI	30	28.2	S	26	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-20S-5	09/08/20	HC	F&BI	5	48.81	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-20S-10	09/08/20	HC	F&BI	10	43.81	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-20S-15	09/08/20	HC	F&BI	15	38.81	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-20S-20	09/08/20	HC	F&BI	20	33.81	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-20S-25	09/08/20	HC	F&BI	25	28.81	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	HMW-20S-30	09/08/20	HC	F&BI	30	23.81	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MBB-1	MBB-1-5	02/27/20	HC	AAL	5	50.02	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-1-10	02/27/20	HC	AAL	10	45.02	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-1-15	02/27/20	HC	AAL	15	40.02	V	7.7	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-1-20	02/27/20	HC	AAL	20	35.02	V	570	50 U	250 U	250 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.25 U	0.050 U
	MBB-1-25	02/27/20	HC	AAL	25	30.02	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-2	MBB-2-5	02/27/20	HC	AAL	5	50.45	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-2-10	02/27/20	HC	AAL	10	45.45	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-2-15	02/27/20	HC	AAL	15	40.45	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-2-20	02/27/20	HC	AAL	20	35.45	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-2-20a	02/27/20	HC	AAL	20 (dup)	35.45	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-2-25	02/27/20	HC	AAL	25	30.45	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-3	MBB-3-5	02/27/20	HC	AAL	5	49.84	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-3-10	02/27/20	HC	AAL	10	44.84	V	350	50 U	250 U	250 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.25 U	0.050 U
	MBB-3-15	02/27/20	HC	AAL	15	39.84	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-3-20	02/27/20	HC	AAL	20	34.84	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-3-25	02/27/20	HC	AAL	25	29.84	S	52	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-4	MBB-4-5	02/27/20	HC	AAL	5	49.61	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-4-10	02/27/20	HC	AAL	10	44.61	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-4-10a	02/27/20	HC	AAL	10 (dup)	44.61	V	7.3	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-4-15	02/27/20	HC	AAL	15	39.61	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-4-20	02/27/20	HC	AAL	20	34.61	V	210	140	250 U	250 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.25 U	0.050 U
	MBB-4-25	02/27/20	HC	AAL	25	29.61	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-5	MBB-5-5	03/02/20	HC	AAL	5	45.3	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-5-10	03/02/20	HC	AAL	10	40.3	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-5-15	03/02/20	HC	AAL	15	35.3	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-5-20	03/02/20	HC	AAL	20	30.3	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-5-25	03/02/20	HC	AAL	25	25.3	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-6	MBB-6-5	03/03/20	HC	AAL	5	45.33	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-6-10	03/03/20	HC	AAL	10	40.33	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-6-15	03/03/20	HC	AAL	15	35.33	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-6-20	03/03/20	HC	AAL	20	30.33	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-6-25	03/03/20	HC	AAL	25	25.33	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-7	MBB-7-5	02/25/20	HC	AAL	5	44.41	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-7-10	02/25/20	HC	AAL	10	39.41	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-7-15	02/25/20	HC	AAL	15	34.41	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-7-20	02/25/20	HC	AAL	20	29.41	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-7-25	02/25/20	HC	AAL	25	24.41	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-8	MBB-8-5	02/26/20	HC	AAL	5	44.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-8-10	02/26/20	HC	AAL	10	39.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-8-15	02/26/20	HC	AAL	15	34.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-8-15 dup	02/26/20	HC	AAL	15 (dup)	34.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-8-20	02/26/20	HC	AAL	20	29.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-8-25	02/26/20	HC	AAL	25	24.66	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MBB-9	MBB-9-5	02/26/20	HC	AAL	5	42.55	V	5.0 U	50 U	320 U	320 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-9-10	02/26/20	HC	AAL	10	37.55	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-9-15	02/26/20	HC	AAL	15	32.55	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-9-20	02/26/20	HC	AAL	20	27.55	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-9-25	02/26/20	HC	AAL	25	22.55	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-10	MBB-10-5	02/26/20	HC	AAL	5	44.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-10-10	02/26/20	HC	AAL	10	39.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-10-15	02/26/20	HC	AAL	15	34.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-10-20	02/26/20	HC	AAL	20	29.66	V	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-10-25	02/26/20	HC	AAL	25	24.66	S	5.0 U	50 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-14	MBB-14-5	03/03/20	HC	AAL	5	42.15	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-14-10	03/03/20	HC	AAL	10	37.15	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-14-15	03/03/20	HC	AAL	15	32.15	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-14-20	03/03/20	HC	AAL	20	27.15	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-14-25	03/03/20	HC	AAL	25	22.15	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
MBB-15	MBB-15-5	03/04/20	HC	AAL	5	32.73	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-15-10	03/04/20	HC	AAL	10	27.73	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-15-15	03/04/20	HC	AAL	15	22.73	V	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-15-20	03/04/20	HC	AAL	20	17.73	S	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
	MBB-15-25	03/04/20	HC	AAL	25	12.73	S	-	50 U	250 U	250 U	-	-	-	-	-	-	-	-	-	-
MBB-16	MBB16-5	09/02/20	HC	F&BI	5	48.7	V	1,200	350	250 U	250 U	0.0050 U	0.0050 U	-	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB16-10	09/02/20	HC	F&BI	10	43.7	V	200	250 U	250 U	250 U	0.0050 U	0.0050 U	-	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB16-15	09/02/20	HC	F&BI	15	38.7	V	20	250 U	250 U	250 U	0.0050 U	0.0050 U	-	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB16-20	09/02/20	HC	F&BI	20	33.7	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	-	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-17	MBB17-5	09/01/20	HC	F&BI	5	49.88	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB17-10	09/01/20	HC	F&BI	10	44.88	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB17-15	09/01/20	HC	F&BI	15	39.88	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB17-25	09/01/20	HC	F&BI	25	29.88	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-18	MBB18-5	09/01/20	HC	F&BI	5	46.33	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB18-10	09/01/20	HC	F&BI	10	41.33	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB18-15	09/01/20	HC	F&BI	15	36.33	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB18-20	09/01/20	HC	F&BI	20	31.33	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-19	MBB19-5	09/01/20	HC	F&BI	5	46.68	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB19-10	09/01/20	HC	F&BI	10	41.68	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB19-15	09/01/20	HC	F&BI	15	36.68	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB19-20	09/01/20	HC	F&BI	20	31.68	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-20	MBB20-5	09/02/20	HC	F&BI	5	42.53	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB20-10	09/02/20	HC	F&BI	10	37.53	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB20-15	09/02/20	HC	F&BI	15	32.53	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB20-20	09/02/20	HC	F&BI	20	27.53	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MBB-21	MBB21-5	09/02/20	HC	F&BI	5	42.6	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB21-10	09/02/20	HC	F&BI	10	37.6	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB21-15	09/02/20	HC	F&BI	15	32.6	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB21-20	09/02/20	HC	F&BI	20	27.6	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-22	MBB-22-5	09/21/20	HC	F&BI	5	37.05	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-22-15	09/21/20	HC	F&BI	15	27.05	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-22-20	09/21/20	HC	F&BI	20	22.05	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-22-25	09/21/20	HC	F&BI	25	17.05	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-22-30	09/21/20	HC	F&BI	30	12.05	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-23	MBB-23-5	09/21/20	HC	F&BI	5	42.18	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-23-10	09/21/20	HC	F&BI	10	37.18	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-23-15	09/21/20	HC	F&BI	15	32.18	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-23-20	09/21/20	HC	F&BI	20	27.18	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBB-23-25	09/21/20	HC	F&BI	25	22.18	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBB-24	MBB-23-30	09/21/20	HC	F&BI	30	17.18	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MMB24-5	09/09/20	HC	F&BI	5	49.1	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MMB24-10	09/09/20	HC	F&BI	10	44.1	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MMB24-15	09/09/20	HC	F&BI	15	39.1	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MMB24-20	09/09/20	HC	F&BI	20	34.1	V	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MMB24-25	09/09/20	HC	F&BI	25	29.1	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
MBGW-1	MMB24-30	09/09/20	HC	F&BI	30	24.1	S	5.0 U	250 U	250 U	250 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	-	0.0050 U	0.0050 U	0.0050 U	0.025 U	0.0050 U
	MBGW1-5	03/06/19	HC	AAL	5	34.95	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-12.5	03/06/19	HC	AAL	12.5	27.45	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-17.5	03/06/19	HC	AAL	17.5	22.45	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-25	03/06/19	HC	AAL	25	14.95	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-2	MBGW1-30	03/06/19	HC	AAL	30	9.95	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-5	03/04/19	HC	AAL	5	41.11	V	-	20 U	50 U	50 U	-	-	-	-	-	-	-	-	-	-
	MBGW2-10	03/04/19	HC	AAL	10	36.11	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-12.5	03/04/19	HC	AAL	12.5	33.61	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-25	03/04/19	HC	AAL	25	21.11	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-3	MBGW2-30	03/04/19	HC	AAL	30	16.11	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-5	03/07/19	HC	AAL	5	42.77	V	-	20 U	50 U	50 U	-	-	-	-	-	-	-	-	-	-
	MBGW3-7.5	03/07/19	HC	AAL	7.5	40.27	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-10	03/07/19	HC	AAL	10	37.77	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-12.5	03/07/19	HC	AAL	12.5	35.27	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-25	03/07/19	HC	AAL	25	22.77	S	-	20 U	50 U	50 U	0.050 U	0.050 U	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-26	03/07/19	HC	AAL	26	21.77	S	5.0 U	20 U	50 U	50 U	-	-	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MBGW-4	MBGW4-5	03/06/19	HC	AAL	5	42.3	V	-	20 U	50 U	50 U	-	-	-	-	-	-	-	-	-	-
	MBGW4-7.5	03/06/19	HC	AAL	7.5	39.8	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-10	03/06/19	HC	AAL	10	37.3	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-12.5	03/06/19	HC	AAL	12.5	34.8	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-5	MBGW4-25	03/06/19	HC	AAL	25	22.3	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-10	03/11/19	HC	AAL	10	39.87	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-15	03/11/19	HC	AAL	15	34.87	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-20	03/11/19	HC	AAL	20	29.87	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-6	MBGW5-27.5	03/11/19	HC	AAL	27.5	22.37	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-45	03/11/19	HC	AAL	45	4.87	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-10	03/14/19	HC	AAL	10	42.5	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-15	03/14/19	HC	AAL	15	37.5	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-7	MBGW6-20	03/14/19	HC	AAL	20	32.5	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-30	03/14/19	HC	AAL	30	22.5	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW7-30	03/06/19	HC	AAL	30	23.76	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-10	03/15/19	HC	AAL	10	37.08	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-8	MBGW8-15	03/15/19	HC	AAL	15	32.08	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-25	03/15/19	HC	AAL	25	22.08	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-35	03/15/19	HC	AAL	35	12.08	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-10	03/13/19	HC	AAL	10	46.84	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-9	MBGW9-15	03/13/19	HC	AAL	15	41.84	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-20	03/13/19	HC	AAL	20	36.84	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-25	03/13/19	HC	AAL	25	31.84	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-30	03/13/19	HC	AAL	30	26.84	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-10	MBGW10-10	03/13/19	HC	AAL	10	45.25	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-15	03/13/19	HC	AAL	15	40.25	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-20	03/13/19	HC	AAL	20	35.25	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-25	03/13/19	HC	AAL	25	30.25	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-11	MBGW10-30	03/13/19	HC	AAL	30	25.25	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-5	03/12/19	HC	AAL	5	52.55	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-10	03/12/19	HC	AAL	10	47.55	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-5	03/15/19	HC	AAL	5	49.00	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-12	MBGW12-20	03/15/19	HC	AAL	20	34.00	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-25	03/15/19	HC	AAL	25	29.00	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-30	03/15/19	HC	AAL	30	24.00	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MBGW-13	MBGW13-5	03/14/19	HC	AAL	5	49.72	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-7.5	03/14/19	HC	AAL	7.5	47.22	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-10	03/14/19	HC	AAL	10	44.72	V	730 J	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-12.5	03/14/19	HC	AAL	12.5	42.22	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-15	03/14/19	HC	AAL	15	39.72	V	16	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-14	MBGW13-20	03/14/19	HC	AAL	20	34.72	V	5.0 U	-	5.0 U	5.0 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-10	03/06/19	HC	AAL	10	36.09	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-15	03/06/19	HC	AAL	15	31.09	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-20	03/06/19	HC	AAL	20	26.09	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-30	03/06/19	HC	AAL	30	16.09	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-16	MBGW16-10	03/08/19	HC	AAL	10	42.14	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-15	03/08/19	HC	AAL	15	37.14	V	-	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-30	03/08/19	HC	AAL	30	22.14	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-1	MBPP1-20	03/05/19	HC	AAL	20	25.28	V	5.0 UJ	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP1-25	03/05/19	HC	AAL	25	20.28	S	5.0 UJ	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-2	MBPP2-10	03/05/19	HC	AAL	10	34.46	V	5.0 UJ	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-20	03/05/19	HC	AAL	20	24.46	V	5.0 UJ	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-27.5	03/05/19	HC	AAL	27.5	16.96	S	5.0 UJ	-	5.0 UJ	5.0 UJ	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-3	MBPP3-10	03/06/19	HC	AAL	10	35.89	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-20	03/06/19	HC	AAL	20	25.89	V	-	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-25	03/06/19	HC	AAL	25	20.89	S	5.0 U	-	5.0 U	5.0 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-4	MBPP4-2.5	03/07/19	HC	AAL	2.5	45.84	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-10	03/07/19	HC	AAL	10	38.34	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-15	03/07/19	HC	AAL	15	33.34	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-17	03/07/19	HC	AAL	17	31.34	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-18	03/07/19	HC	AAL	18	30.34	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-5	MBPP5-10	03/07/19	HC	AAL	10	35.92	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-15	03/07/19	HC	AAL	15	30.92	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-17.5	03/07/19	HC	AAL	17.5	28.42	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-20	03/07/19	HC	AAL	20	25.92	S	5.0 U	-	5.0 U	5.0 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-25	03/07/19	HC	AAL	25	20.92	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-6	MBPP6-7.5	03/08/19	HC	AAL	7.5	44.76	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-10	03/08/19	HC	AAL	10	42.26	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-12.5	03/08/19	HC	AAL	12.5	39.76	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-15	03/08/19	HC	AAL	15	37.26	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07
MBPP-6 (continued)	MBPP6-17.5	03/08/19	HC	AAL	17.5	34.76	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-20	03/08/19	HC	AAL	20	32.26	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-25	03/08/19	HC	AAL	25	27.26	S	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-30	03/08/19	HC	AAL	30	22.26	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-7	MBPP7-5	03/08/19	HC	AAL	5	44.77	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-15	03/08/19	HC	AAL	15	34.77	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-23	03/08/19	HC	AAL	23	26.77	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-8	MBPP8-10	03/08/19	HC	AAL	10	47.52	V	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-15	03/08/19	HC	AAL	15	42.52	V	5.0 U	20 U	150	150	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-22.5	03/08/19	HC	AAL	22.5	35.02	V	-	-	-	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-30	03/08/19	HC	AAL	30	27.52	S	5.0 U	20 U	50 U	50 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MW-345	MW-345-41	05/20/21	PES	PACE	41	11.85	S	-	-	-	-	0.00117 U	0.00114 U	0.000857 U	0.000736 U	0.000930 U	0.000605 U	0.000747 U	0.000998 U	0.00904 U	0.00200 U
	MW-345-47	05/20/21	PES	PACE	47	5.85	S	-	-	-	-	0.00111 U	0.00108 U	0.000817 U	0.000702 U	0.000886 U	0.000577 U	0.000712 U	0.000951 U	0.00861 U	0.00190 U
	MW-2023-47	05/20/21	PES	PACE	47 (dup)	5.85	S	-	-	-	-	0.00137 U	0.00133 U	0.00101 U	0.000863 U	0.00109 U	0.000711 U	0.000877 U	0.00117 U	0.0106 U	0.00235 U
	MW-345-53	05/20/21	PES	PACE	53	-0.15	S	-	-	-	-	0.00111 U	0.00108 U	0.000813 U	0.000698 U	0.000882 U	0.000574 U	0.000709 U	0.000946 U	0.00857 U	0.00190 U
	MW-345-58	05/20/21	PES	PACE	58	-5.15	S	-	-	-	-	0.00138 U	0.00135 U	0.00102 U	0.000874 U	0.00110 U	0.000720 U	0.000888 U	0.00119 U	0.0107 U	0.00238 U
	MW-345-63	05/20/21	PES	PACE	63	-10.15	S	-	-	-	-	0.00127 U	0.00124 U	0.000933 U	0.000801 U	0.00101 U	0.000659 U	0.000813 U	0.00109 U	0.00984 U	0.00217 U
MW-346	MW-346-41.5	05/19/21	PES	PACE	41.5	10.28	S	-	-	-	-	0.00115 U	0.00112 U	0.000843 U	0.000725 U	0.000915 U	0.000596 U	0.00121 J	0.000982 U	0.00890 U	0.00197 U
	MW-346-47	05/19/21	PES	PACE	47	4.78	S	-	-	-	-	0.00111 U	0.00108 U	0.000814 U	0.000699 U	0.000883 U	0.000575 U	0.00111 J	0.000948 U	0.00859 U	0.00190 U
	MW-346-52	05/19/21	PES	PACE	52	-0.22	S	-	-	-	-	0.00111 U	0.00108 U	0.000812 U	0.000697 U	0.000880 U	0.000573 U	0.000708 U	0.000945 U	0.00856 U	0.00189 U
	MW-346-54.5	05/19/21	PES	PACE	54.5	-2.72	S	-	-	-	-	0.00460 U	0.00447 U	0.00337 U	0.00290 U	0.00366 U	0.00238 U	0.00293 U	0.00393 U	0.0355 U	0.00786 U
	MW-346-57.5	05/19/21	PES	PACE	57.5	-5.72	S	-	-	-	-	0.00111 U	0.00108 U	0.000812 U	0.000698 U	0.000881 U	0.000574 U	0.000708 U	0.000945 U	0.00857 U	0.00189 U
	MW-346-62	05/19/21	PES	PACE	62	-10.22	S	-	-	-	-	0.00121 U	0.00118 U	0.000888 U	0.000763 U	0.000964 U	0.000628 U	0.000775 U	0.00103 U	0.00937 U	0.00207 U
MW-347	MW-347-44.5	05/19/21	PES	PACE	44.5	8.29	S	-	-	-	-	0.00133 U	0.00130 U	0.000976 U	0.000838 U	0.00106 U	0.000690 U	0.00558	0.00114 U	0.0103 U	0.00228 U
	MW-2022-44.5	05/19/21	PES	PACE	44.5 (dup)	8.29	S	-	-	-	-	0.00124 U	0.00120 U	0.000907 U	0.000779 U	0.000984 U	0.000641 U	0.00525	0.00106 U	0.00957 U	0.00211 U
	MW-347-48	05/19/21	PES	PACE	48	4.79	S	-	-	-	-	0.00111 U	0.00108 U	0.000812 U	0.000698 U	0.000881 U	0.000574 U	0.000708 U	0.000945 U	0.00857 U	0.00189 U
	MW-347-54.5	05/19/21	PES	PACE	54.5	-1.71	S	-	-	-	-	0.00114 U	0.00111 U	0.000838 U	0.000719 U	0.000909 U	0.000592 U	0.000730 U	0.000975 U	0.00883 U	0.00195 U
	MW-347-58	05/19/21	PES	PACE	58	-5.21	S	-	-	-	-	0.00113 U	0.00110 U	0.000827 U	0.000711 U	0.000898 U	0.000584 U	0.000721 U	0.000963 U	0.00873 U	0.00193 U
	MW-347-65	05/19/21	PES	PACE	65	-12.21	S	-	-	-	-	0.00120 U	0.00117 U	0.000883 U	0.000759 U	0.000958 U	0.000624 U	0.000770 U	0.00103 U	0.00932 U	0.00206 U
MW-348	MW-348-41	05/18/21	PES	PACE	41	12.96	S	-	-	-	-	0.00122 U	0.00119 U	0.000893 U	0.000767 U	0.000969 U	0.000631 U	0.0173	0.00104 U	0.00942 U	0.00208 U
	MW-348-49	05/18/21	PES	PACE	49	4.96	S	-	-	-	-	0.00122 U	0.00119 U	0.000894 U	0.000768 U	0.000970 U	0.000632 U	0.00394	0.00104 U	0.00943 U	0.00208 U
	MW-348-54.5	05/18/21	PES	PACE	54.5	-0.54	S	-	-	-	-	0.00110 U	0.00107 U	0.000804 U	0.000691 U	0.000873 U	0.000568 U	0.000701 U	0.000936 U	0.00848 U	0.00187 U
	MW-348-60	05/18/21	PES	PACE	60	-6.04	S	-	-	-	-	0.00109 U	0.00106 U	0.000801 U	0.000688 U	0.000869 U	0.000566 U	0.000698 U	0.000932 U	0.00844 U	0.00187 U
	MW-348-65	05/18/21	PES	PACE	65	-11.04	S	-	-	-	-	0.00118 U	0.00115 U	0.000869 U	0.000746 U	0.000942 U	0.000614 U	0.000757 U	0.00101 U	0.00916 U	0.00202 U
	MW-348-69	05/18/21	PES	PACE	69	-15.04	S	-	-	-	-	0.00116 U	0.00113 U	0.000850 U	0.000730 U	0.000922 U	0.000600 U	0.000741 U	0.000989 U	0.00896 U	0.00198 U
MW-349	MW-349-49	05/17/21	PES	PACE	49	6.84	S	-	-	-	-	0.00121 U	0.00118 U	0.000890 U	0.000765 U	0.000966 U	0.000629 U	0.000776 U	0.00104 U	0.00939 U	0.00207 U
	MW-349-51	05/17/21	PES	PACE	51	4.84	S	-	-	-	-	0.00113 U	0.00110 U	0.000829 U	0.000712 U	0.000900 U	0.000586 U	0.000723 U	0.000965 U	0.00875 U	0.00193 U
	MW-349-56	05/17/21	PES	PACE	56	-0.16	S	-	-	-	-	0.00113 U	0.00110 U	0.000827 U	0.000711 U	0.000898 U	0.000585 U	0.000721 U	0.000963 U	0.00873 U	0.00193 U
	MW-349-61	05/17/21	PES	PACE	61	-5.16	S	-	-	-	-	0.00116 U	0.00112 U	0.000847 U	0.000727 U	0.000919 U	0.000598 U	0.000738 U	0.000986 U	0.00893 U	0.00197 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Oil Range Organics/Lube Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC-113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.0098	1.5	0.0040	0.017	7,600	0.041	0.046	-	0.20	2.4E-06	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								30	2,000	2,000	2,000	0.004	0.084	0.004	0.004	120	0.004	0.004	-	0.030	1.5E-07	
MW-349	MW-349-66	05/17/21	PES	PACE	66	-10.16	S	-	-	-	-	0.00116 U	0.00113 U	0.000847 U	0.000728 U	0.000919 U	0.000599 U	0.000739 U	0.000986 U	0.00893 U	0.00197 U	
(continued)	MW-349-68	05/17/21	PES	PACE	68	-12.16	S	-	-	-	-	0.00119 U	0.00116 U	0.000872 U	0.000749 U	0.000946 U	0.000616 U	0.000760 U	0.00101 U	0.00920 U	0.00203 U	
MW-350	MW-350-41	05/21/21	PES	PACE	41	16.77	S	-	-	-	-	0.00122 U	0.00119 U	0.000897 U	0.000770 U	0.000973 U	0.000634 U	0.000782 U	0.00104 U	0.00946 U	0.00209 U	
	MW-350-53	05/21/21	PES	PACE	53	4.77	S	-	-	-	-	0.00112 U	0.00109 U	0.000820 U	0.000705 U	0.000890 U	0.000580 U	0.000715 U	0.000955 U	0.00865 U	0.00191 U	
	MW-350-58	05/21/21	PES	PACE	58	-0.23	S	-	-	-	-	0.00111 U	0.00108 U	0.000814 U	0.000699 U	0.000883 U	0.000575 U	0.000709 U	0.000947 U	0.00858 U	0.00190 U	
	MW-350-64.5	05/21/21	PES	PACE	64.5	-6.73	S	-	-	-	-	0.00116 U	0.00113 U	0.000854 U	0.000733 U	0.000926 U	0.000603 U	0.000744 U	0.000994 U	0.00900 U	0.00199 U	
	MW-350-69	05/21/21	PES	PACE	69	-11.23	S	-	-	-	-	0.00120 U	0.00117 U	0.000881 U	0.000757 U	0.000956 U	0.000623 U	0.000769 U	0.00103 U	0.00930 U	0.00205 U	
All Data								Number of Analytes Measured	307	325	330	330	396	396	384	397	33	397	397	397	397	397
								Number of Analytes Detected	17	11	20	21	0	0	0	0	0	5	0	0	0	
								Frequency of Detection	5.5%	3.4%	6.1%	6.4%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%	
								Maximum Detection	1200	350	1100	1100	-	-	-	-	-	0.0173	-	-	-	
								Minimum Detection	5 U	20 U	5 U	5 U	0.00109 U	0.00106 U	0.0008 U	0.00069 U	0.00087 U	0.00057 U	0.0007 U	0.00093 U	0.00844 U	0.00187 U
								Number Of Vadose (V) Detections above SL	8	0	0	0	0	0	-8	0	0	0	0	-	0	-8
								Number of Saturated (S) Detections above SL	4	0	0	0	0	0	0	0	2	-	0	0	0	
2017-2021								Number of Analytes Measured	307	325	330	330	396	396	384	397	33	397	397	397	397	397
								Number of Analytes Detected	17	11	20	21	0	0	0	0	0	5	0	0	0	
								Frequency of Detection	5.5%	3.4%	6.1%	6.4%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%	
								Maximum Detection	1200	350	1100	1100	-	-	-	-	-	0.0173	-	-	-	
								Minimum Detection	5 U	20 U	5 U	5 U	0.00109 U	0.00106 U	0.0008 U	0.00069 U	0.00087 U	0.00057 U	0.0007 U	0.00093 U	0.00844 U	0.00187 U
								Number Of Vadose (V) Detections above SL	8	0	0	0	0	0	0	0	0	0	0	-	0	0
								Number of Saturated (S) Detections above SL	4	0	0	0	0	0	0	2	-	0	0	0		
<u>Notes and Abbreviations:</u> Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-Gx and NWTPH-Dx. VOCs analyzed by EPA Method 8260 C/D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. - = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington bgs = below ground surface dup = duplicate F&BI = Friedman & Bruya, Inc. HC = Hart Crowser, Inc. Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																						

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
615 Dexter Avenue																				
DGW-1	DGW1-10	03/06/19	HC	AAL	10	37	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-12.5	03/06/19	HC	AAL	12.5	34.5	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-15	03/06/19	HC	AAL	15	32	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-25	03/06/19	HC	AAL	25	22	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-30	03/06/19	HC	AAL	30	17	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-2	DGW2-5	03/04/19	HC	AAL	5	54	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-25	03/04/19	HC	AAL	25	34	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-30	03/04/19	HC	AAL	30	29	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-3	DGW3-2.5	03/06/19	HC	AAL	2.5	44.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-12.5	03/06/19	HC	AAL	12.5	34.5	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-15	03/06/19	HC	AAL	15	32	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-20	03/06/19	HC	AAL	20	27	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-25	03/06/19	HC	AAL	25	22	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-4	DGW4-5	03/04/19	HC	AAL	5	60	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-10	03/04/19	HC	AAL	10	55	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-15	03/04/19	HC	AAL	15	50	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-20	03/04/19	HC	AAL	20	45	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-35	03/04/19	HC	AAL	35	30	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-50	03/04/19	HC	AAL	50	15	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-1S	DMW1S-5	03/05/19	HC	AAL	5	42	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-10	03/05/19	HC	AAL	10	37	V	-	0.050 U	0.51	0.050 U	0.050 U	-	0.020 U	0.050 U	0.19	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-12.5	03/05/19	HC	AAL	12.5	34.5	S	-	0.050 U	13	0.050 U	0.050 U	-	0.020 U	0.050 U	6.2	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-15	03/05/19	HC	AAL	15	32	S	-	0.050 U	1.9	0.050 U	0.050 U	-	0.020 U	0.050 U	0.76	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-20	03/05/19	HC	AAL	20	27	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-2S	DMW-2S-05	03/02/20	HC	AAL	5	51.03	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-2S-10	03/02/20	HC	AAL	10	46.03	V	-	-	0.31 J	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-2S-15	03/02/20	HC	AAL	15	41.03	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-2S-20	03/02/20	HC	AAL	20	36.03	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-2S-25	03/02/20	HC	AAL	25	31.03	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
DMW-3IA	DMW-3IA-5	02/27/20	HC	AAL	5	51.09	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-3IA-10	02/27/20	HC	AAL	10	46.09	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-3IA-15	02/27/20	HC	AAL	15	41.09	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-3IA-20	02/27/20	HC	AAL	20	36.09	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-3IA-25	02/27/20	HC	AAL	25	31.09	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
DMW-4S	DMW-4S-5	02/26/20	HC	AAL	5	56.76	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-4S-10	02/26/20	HC	AAL	10	51.76	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-4S-15	02/26/20	HC	AAL	15	46.76	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-4S-20	02/26/20	HC	AAL	20	41.76	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-4S-25	02/26/20	HC	AAL	25	36.76	S	-	-	0.016	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-4S-30	02/26/20	HC	AAL	30	31.76	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
DMW-5IA	DMW-5IA-5	02/28/20	HC	AAL	5	64.48	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-5IA-10	02/28/20	HC	AAL	10	59.48	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-5IA-15	02/28/20	HC	AAL	15	54.48	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-5IA-20	02/28/20	HC	AAL	20	49.48	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	DMW-5IA-25	02/28/20	HC	AAL	25	44.48	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
DPP-1	DPP1-5	03/04/19	HC	AAL	5	54.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-7.5	03/05/19	HC	AAL	7.5	52	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-10	03/04/19	HC	AAL	10	49.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-20	03/04/19	HC	AAL	20	39.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-2	DPP2-5	03/04/19	HC	AAL	5	54	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP2-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-3	DPP3-5	03/05/19	HC	AAL	5	42	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-15	03/05/19	HC	AAL	15	32	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-30	03/05/19	HC	AAL	30	17	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-4	DPP4-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-12.5	03/04/19	HC	AAL	12.5	46.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-17.5	03/04/19	HC	AAL	17.5	41.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-20	03/04/19	HC	AAL	20	39	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-5	DPP5-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-17.5	03/04/19	HC	AAL	17.5	41.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-20	03/04/19	HC	AAL	20	39	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-6	DPP6-5	03/05/19	HC	AAL	5	42	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-7.5	03/05/19	HC	AAL	7.5	39.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-12.5	03/05/19	HC	AAL	12.5	34.5	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-17.5	03/05/19	HC	AAL	17.5	29.5	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
Seattle DOT Mercer Parcels																				
HMW-1IB	HMW1IB-7.5	03/12/19	HC	AAL	7.5	30.5	V	-	0.050 U	0.050 U	0.050 U	0.0050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-15	03/12/19	HC	AAL	15	23	V	-	0.050 U	0.050 U	0.050 U	0.0050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-20.5	03/12/19	HC	AAL	20.5	18	S	-	0.050 U	0.050 U	0.050 U	0.0050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-27.5	03/12/19	HC	AAL	27.5	10.5	S	-	0.050 U	0.050 U	0.050 U	0.0050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-50	03/12/19	HC	AAL	50	-12	S	-	0.050 U	0.050 U	0.050 U	0.0050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-65	03/12/19	HC	AAL	65	-27	S	-	0.050 U	0.050 U	0.050 U	0.0050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-2IB	HMW2IB-7.5	03/12/19	HC	AAL	7.5	39.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-15	03/12/19	HC	AAL	15	32	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-22.5	03/12/19	HC	AAL	22.5	24.5	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-30	03/12/19	HC	AAL	30	17	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-45	03/12/19	HC	AAL	45	2	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-65	03/12/19	HC	AAL	65	-18	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-3IA	HMW3IA-15	03/15/19	HC	AAL	15	40.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-20	03/15/19	HC	AAL	20	35.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-22.5	03/15/19	HC	AAL	22.5	33	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-25	03/15/19	HC	AAL	25	30.5	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-4IA	HMW4IA-5	03/07/19	HC	AAL	5	51	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-7.5	03/07/19	HC	AAL	7.5	48.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-10	03/07/19	HC	AAL	10	46	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-25	03/07/19	HC	AAL	25	31	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-5IB	HMW5IB-5	02/28/20	HC	AAL	5	53.44	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW5IB-10	02/28/20	HC	AAL	10	48.44	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW5IB-15	02/28/20	HC	AAL	15	43.44	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW5IB-20	02/28/20	HC	AAL	20	38.44	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW5IB-25	02/28/20	HC	AAL	25	33.44	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-6D	HMW-6D-5	03/02/20	HC	AAL	5	53.58	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6D-10	03/02/20	HC	AAL	10	48.58	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6D-15	03/02/20	HC	AAL	15	43.58	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6D-25	03/02/20	HC	AAL	25	33.58	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6D-30	03/02/20	HC	AAL	30	28.58	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6D-30-Dup	03/02/20	HC	AAL	30 (dup)	28.58	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-6IA	HMW-6IA-5	03/02/20	HC	AAL	5	53.65	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IA-10	03/02/20	HC	AAL	10	48.65	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IA-15	03/02/20	HC	AAL	15	43.65	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IA-20	03/02/20	HC	AAL	20	38.65	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IA-30	03/02/20	HC	AAL	30	28.65	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-6IB	HMW-6IB-5	03/03/20	HC	AAL	5	53.67	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IB-10	03/03/20	HC	AAL	10	48.67	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IB-10a	03/03/20	HC	AAL	10 (dup)	48.67	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IB-15	03/03/20	HC	AAL	15	43.67	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IB-20	03/03/20	HC	AAL	20	38.67	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-6IB-25	03/03/20	HC	AAL	25	33.67	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
HMW-7IB	HMW7IB-5	02/28/20	HC	AAL	5	53.69	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW7IB-10	02/28/20	HC	AAL	10	48.69	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW7IB-15	02/28/20	HC	AAL	15	43.69	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW7IB-20	02/28/20	HC	AAL	20	38.69	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW7IB-25	02/28/20	HC	AAL	25	33.69	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW7IB-25a	02/28/20	HC	AAL	25 (dup)	33.69	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-8IB	HMW-8IB-5	03/02/20	HC	AAL	5	52.97	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-8IB-10	03/02/20	HC	AAL	10	47.97	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-8IB-15	03/02/20	HC	AAL	15	42.97	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-8IB-20	03/02/20	HC	AAL	20	37.97	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-8IB-25	03/02/20	HC	AAL	25	32.97	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-8IB-25a	03/02/20	HC	AAL	25 (dup)	32.97	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-9D	HMW-9D-5	02/27/20	HC	AAL	5	50.32	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9D-10	02/27/20	HC	AAL	10	45.32	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9D-15	02/27/20	HC	AAL	15	40.32	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9D-20	02/27/20	HC	AAL	20	35.32	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9D-25	02/27/20	HC	AAL	25	30.32	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-9IA	HMW9IA-5	02/28/20	HC	AAL	5	50.26	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IA-10	02/28/20	HC	AAL	10	45.26	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IA-15	02/28/20	HC	AAL	15	40.26	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IA-20	02/28/20	HC	AAL	20	35.26	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IA-25	02/28/20	HC	AAL	25	30.26	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-9IB	HMW9IB-5	02/28/20	HC	AAL	5	50.36	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IB-13	02/28/20	HC	AAL	13	42.36	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IB-15	02/28/20	HC	AAL	15	40.36	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IB-20	02/28/20	HC	AAL	20	35.36	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW9IB-25	02/28/20	HC	AAL	25	30.36	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-9S	HMW-9S-5	03/02/20	HC	AAL	5	50.39	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9S-14	03/02/20	HC	AAL	14	41.39	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9S-17	03/02/20	HC	AAL	17	38.39	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9S-20	03/02/20	HC	AAL	20	35.39	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-9S-25	03/02/20	HC	AAL	25	30.39	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-10D	HMW-10D-5	03/05/20	HC	F&BI	5	43.16	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10D-10	03/05/20	HC	F&BI	10	38.16	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10D-15	03/05/20	HC	F&BI	15	33.16	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10D-15a	03/05/20	HC	F&BI	15 (dup)	33.16	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10D-20	03/05/20	HC	F&BI	20	28.16	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10D-25	03/05/20	HC	F&BI	25	23.16	S	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
HMW-10S	HMW10S-5	03/03/20	HC	F&BI	5	43.21	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10S-10	03/03/20	HC	F&BI	10	38.21	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10S-10a	03/03/20	HC	F&BI	10 (dup)	38.21	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10S-15	03/03/20	HC	F&BI	15	33.21	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-10S-20	03/03/20	HC	F&BI	20	28.21	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-11IB	HMW-10S-25	03/03/20	HC	F&BI	25	23.21	S	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11IB-5	02/24/20	HC	F&BI	5	34.7	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11IB-10	02/24/20	HC	F&BI	10	29.7	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11IB-15	02/24/20	HC	F&BI	15	24.7	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11IB-20	02/24/20	HC	F&BI	20	19.7	S	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-11S	HMW-11IB-25	02/24/20	HC	F&BI	25	14.7	S	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11S-5	02/25/20	HC	F&BI	5	36.47	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11S-10	02/25/20	HC	F&BI	10	31.47	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11S-15	02/25/20	HC	F&BI	15	26.47	V	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-11S-20	02/25/20	HC	F&BI	20	21.47	S	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-17S	HMW-11S-30	02/25/20	HC	F&BI	30	11.47	S	-	-	0.0050 U	0.050 U	-	0.0050 U	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-17S-5	09/03/20	HC	F&BI	5	52.21	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-17S-10	09/03/20	HC	F&BI	10	47.21	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-17S-15	09/03/20	HC	F&BI	15	42.21	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-17S-20	09/03/20	HC	F&BI	20	37.21	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-18S	HMW-17S-25	09/03/20	HC	F&BI	25	32.21	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-18S-5	09/03/20	HC	F&BI	5	52.61	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-18S-10	09/03/20	HC	F&BI	10	47.61	V	-	0.025 U	0.0068	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-18S-15	09/03/20	HC	F&BI	15	42.61	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-18S-20	09/03/20	HC	F&BI	20	37.61	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-19S	HMW-18S-25	09/03/20	HC	F&BI	25	32.61	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-18S-30	09/03/20	HC	F&BI	30	27.61	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-19S-5	09/08/20	HC	F&BI	5	53.2	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-19S-10	09/08/20	HC	F&BI	10	48.2	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-19S-15	09/08/20	HC	F&BI	15	43.2	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-20S	HMW-19S-20	09/08/20	HC	F&BI	20	38.2	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-19S-26	09/08/20	HC	F&BI	26	32.2	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-19S-30	09/08/20	HC	F&BI	30	28.2	S	-	0.025 U	0.11	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.030	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-20S-5	09/08/20	HC	F&BI	5	48.81	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-20S-10	09/08/20	HC	F&BI	10	43.81	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
HMW-20S	HMW-20S-15	09/08/20	HC	F&BI	15	38.81	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-20S-20	09/08/20	HC	F&BI	20	33.81	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-20S-25	09/08/20	HC	F&BI	25	28.81	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	HMW-20S-30	09/08/20	HC	F&BI	30	23.81	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MBB-1	MBB-1-5	02/27/20	HC	AAL	5	50.02	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-1-10	02/27/20	HC	AAL	10	45.02	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-1-15	02/27/20	HC	AAL	15	40.02	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-1-20	02/27/20	HC	AAL	20	35.02	V	-	-	1.9 J	0.50 U	0.050 U	-	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U
	MBB-1-25	02/27/20	HC	AAL	25	30.02	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-2	MBB-2-5	02/27/20	HC	AAL	5	50.45	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-2-10	02/27/20	HC	AAL	10	45.45	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-2-15	02/27/20	HC	AAL	15	40.45	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-2-20	02/27/20	HC	AAL	20	35.45	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-2-20a	02/27/20	HC	AAL	20 (dup)	35.45	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-3	MBB-2-25	02/27/20	HC	AAL	25	30.45	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-3-5	02/27/20	HC	AAL	5	49.84	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-3-10	02/27/20	HC	AAL	10	44.84	V	-	-	5.9 J	0.50 U	0.050 U	-	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U
	MBB-3-15	02/27/20	HC	AAL	15	39.84	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-3-20	02/27/20	HC	AAL	20	34.84	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-4	MBB-3-25	02/27/20	HC	AAL	25	29.84	S	-	-	0.096	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-4-5	02/27/20	HC	AAL	5	49.61	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-4-10	02/27/20	HC	AAL	10	44.61	V	-	-	0.022	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-4-10a	02/27/20	HC	AAL	10 (dup)	44.61	V	-	-	0.11	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-4-15	02/27/20	HC	AAL	15	39.61	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-5	MBB-4-20	02/27/20	HC	AAL	20	34.61	V	-	-	1.2 J	0.50 U	0.050 U	-	-	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U
	MBB-4-25	02/27/20	HC	AAL	25	29.61	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-5-5	03/02/20	HC	AAL	5	45.3	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-5-10	03/02/20	HC	AAL	10	40.3	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-5-15	03/02/20	HC	AAL	15	35.3	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-6	MBB-5-20	03/02/20	HC	AAL	20	30.3	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-5-25	03/02/20	HC	AAL	25	25.3	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-6-5	03/03/20	HC	AAL	5	45.33	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-6-10	03/03/20	HC	AAL	10	40.33	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-6-15	03/03/20	HC	AAL	15	35.33	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-7	MBB-6-20	03/03/20	HC	AAL	20	30.33	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-6-25	03/03/20	HC	AAL	25	25.33	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-7-5	02/25/20	HC	AAL	5	44.41	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-7-10	02/25/20	HC	AAL	10	39.41	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-7-15	02/25/20	HC	AAL	15	34.41	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-8	MBB-7-20	02/25/20	HC	AAL	20	29.41	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-7-25	02/25/20	HC	AAL	25	24.41	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-8-5	02/26/20	HC	AAL	5	44.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-8-10	02/26/20	HC	AAL	10	39.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-8-15	02/26/20	HC	AAL	15	34.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-8-15 dup	02/26/20	HC	AAL	15 (dup)	34.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-8-20	02/26/20	HC	AAL	20	29.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-8-25	02/26/20	HC	AAL	25	24.66	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MBB-9	MBB-9-5	02/26/20	HC	AAL	5	42.55	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-9-10	02/26/20	HC	AAL	10	37.55	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-9-15	02/26/20	HC	AAL	15	32.55	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-9-20	02/26/20	HC	AAL	20	27.55	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-9-25	02/26/20	HC	AAL	25	22.55	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-10	MBB-10-5	02/26/20	HC	AAL	5	44.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-10-10	02/26/20	HC	AAL	10	39.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-10-15	02/26/20	HC	AAL	15	34.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-10-20	02/26/20	HC	AAL	20	29.66	V	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-10-25	02/26/20	HC	AAL	25	24.66	S	-	-	0.0050 U	0.050 U	0.0050 U	-	-	0.0010 U	-	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-14	MBB-14-5	03/03/20	HC	AAL	5	42.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-10	03/03/20	HC	AAL	10	37.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-15	03/03/20	HC	AAL	15	32.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-20	03/03/20	HC	AAL	20	27.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-25	03/03/20	HC	AAL	25	22.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
MBB-15	MBB-15-5	03/04/20	HC	AAL	5	32.73	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-10	03/04/20	HC	AAL	10	27.73	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-15	03/04/20	HC	AAL	15	22.73	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-20	03/04/20	HC	AAL	20	17.73	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-25	03/04/20	HC	AAL	25	12.73	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MBB-16	MBB16-5	09/02/20	HC	F&BI	5	48.7	V	-	0.025 U	2.8	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	1.3	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB16-10	09/02/20	HC	F&BI	10	43.7	V	-	0.025 U	0.49	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.25	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB16-15	09/02/20	HC	F&BI	15	38.7	V	-	0.025 U	0.014	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0086	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB16-20	09/02/20	HC	F&BI	20	33.7	V	-	0.025 U	0.0081	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-17	MBB17-5	09/01/20	HC	F&BI	5	49.88	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB17-10	09/01/20	HC	F&BI	10	44.88	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB17-15	09/01/20	HC	F&BI	15	39.88	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB17-25	09/01/20	HC	F&BI	25	29.88	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-18	MBB18-5	09/01/20	HC	F&BI	5	46.33	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB18-10	09/01/20	HC	F&BI	10	41.33	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB18-15	09/01/20	HC	F&BI	15	36.33	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB18-20	09/01/20	HC	F&BI	20	31.33	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-19	MBB19-5	09/01/20	HC	F&BI	5	46.68	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB19-10	09/01/20	HC	F&BI	10	41.68	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB19-15	09/01/20	HC	F&BI	15	36.68	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB19-20	09/01/20	HC	F&BI	20	31.68	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-20	MBB20-5	09/02/20	HC	F&BI	5	42.53	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB20-10	09/02/20	HC	F&BI	10	37.53	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB20-15	09/02/20	HC	F&BI	15	32.53	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB20-20	09/02/20	HC	F&BI	20	27.53	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MBB-21	MBB21-5	09/02/20	HC	F&BI	5	42.6	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB21-10	09/02/20	HC	F&BI	10	37.6	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB21-15	09/02/20	HC	F&BI	15	32.6	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB21-20	09/02/20	HC	F&BI	20	27.6	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-22	MBB-22-5	09/21/20	HC	F&BI	5	37.05	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-22-15	09/21/20	HC	F&BI	15	27.05	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-22-20	09/21/20	HC	F&BI	20	22.05	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-22-25	09/21/20	HC	F&BI	25	17.05	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-23	MBB-23-5	09/21/20	HC	F&BI	5	42.18	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-23-10	09/21/20	HC	F&BI	10	37.18	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-23-15	09/21/20	HC	F&BI	15	32.18	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-23-20	09/21/20	HC	F&BI	20	27.18	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBB-24	MBB-23-25	09/21/20	HC	F&BI	25	22.18	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-23-30	09/21/20	HC	F&BI	30	17.18	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MMB24-5	09/09/20	HC	F&BI	5	49.1	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MMB24-10	09/09/20	HC	F&BI	10	44.1	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBGW-1	MMB24-15	09/09/20	HC	F&BI	15	39.1	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MMB24-20	09/09/20	HC	F&BI	20	34.1	V	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MMB24-25	09/09/20	HC	F&BI	25	29.1	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
	MMB24-30	09/09/20	HC	F&BI	30	24.1	S	-	0.025 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0010 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U
MBGW-2	MBGW1-5	03/06/19	HC	AAL	5	34.95	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-12.5	03/06/19	HC	AAL	12.5	27.45	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-17.5	03/06/19	HC	AAL	17.5	22.45	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-25	03/06/19	HC	AAL	25	14.95	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-3	MBGW1-30	03/06/19	HC	AAL	30	9.95	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-5	03/04/19	HC	AAL	5	41.11	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW2-10	03/04/19	HC	AAL	10	36.11	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-12.5	03/04/19	HC	AAL	12.5	33.61	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-3	MBGW2-25	03/04/19	HC	AAL	25	21.11	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-30	03/04/19	HC	AAL	30	16.11	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-5	03/07/19	HC	AAL	5	42.77	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW3-7.5	03/07/19	HC	AAL	7.5	40.27	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-3	MBGW3-10	03/07/19	HC	AAL	10	37.77	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-12.5	03/07/19	HC	AAL	12.5	35.27	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-25	03/07/19	HC	AAL	25	22.77	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-26	03/07/19	HC	AAL	26	21.77	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MBGW-4	MBGW4-5	03/06/19	HC	AAL	5	42.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW4-7.5	03/06/19	HC	AAL	7.5	39.8	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-10	03/06/19	HC	AAL	10	37.3	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-12.5	03/06/19	HC	AAL	12.5	34.8	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-5	MBGW4-25	03/06/19	HC	AAL	25	22.3	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-10	03/11/19	HC	AAL	10	39.87	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-15	03/11/19	HC	AAL	15	34.87	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-20	03/11/19	HC	AAL	20	29.87	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-6	MBGW5-27.5	03/11/19	HC	AAL	27.5	22.37	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-45	03/11/19	HC	AAL	45	4.87	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-10	03/14/19	HC	AAL	10	42.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-15	03/14/19	HC	AAL	15	37.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-7	MBGW6-20	03/14/19	HC	AAL	20	32.5	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-30	03/14/19	HC	AAL	30	22.5	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW7-30	03/06/19	HC	AAL	30	23.76	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-10	03/15/19	HC	AAL	10	37.08	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-8	MBGW8-15	03/15/19	HC	AAL	15	32.08	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-25	03/15/19	HC	AAL	25	22.08	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-35	03/15/19	HC	AAL	35	12.08	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-10	03/13/19	HC	AAL	10	46.84	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-9	MBGW9-15	03/13/19	HC	AAL	15	41.84	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-20	03/13/19	HC	AAL	20	36.84	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-25	03/13/19	HC	AAL	25	31.84	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-30	03/13/19	HC	AAL	30	26.84	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-10	MBGW10-10	03/13/19	HC	AAL	10	45.25	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-15	03/13/19	HC	AAL	15	40.25	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-20	03/13/19	HC	AAL	20	35.25	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-25	03/13/19	HC	AAL	25	30.25	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-11	MBGW10-30	03/13/19	HC	AAL	30	25.25	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-5	03/12/19	HC	AAL	5	52.55	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-10	03/12/19	HC	AAL	10	47.55	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-5	03/15/19	HC	AAL	5	49.00	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-12	MBGW12-20	03/15/19	HC	AAL	20	34.00	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-25	03/15/19	HC	AAL	25	29.00	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-30	03/15/19	HC	AAL	30	24.00	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MBGW-13	MBGW13-5	03/14/19	HC	AAL	5	49.72	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-7.5	03/14/19	HC	AAL	7.5	47.22	V	-	0.050 U	0.55 J	0.050 U	0.050 U	-	0.020 U	0.050 U	0.20 J	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-10	03/14/19	HC	AAL	10	44.72	V	-	0.050 U	15	0.050 U	0.050 U	-	0.020 U	0.050 U	5.7	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-12.5	03/14/19	HC	AAL	12.5	42.22	V	-	0.050 U	1.6 J	0.050 U	0.050 U	-	0.020 U	0.050 U	0.51 J	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-15	03/14/19	HC	AAL	15	39.72	V	-	0.050 U	0.21	0.050 U	0.050 U	-	0.020 U	0.050 U	0.079	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-14	MBGW13-20	03/14/19	HC	AAL	20	34.72	V	-	0.050 U	0.12 J	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-10	03/06/19	HC	AAL	10	36.09	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-15	03/06/19	HC	AAL	15	31.09	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-20	03/06/19	HC	AAL	20	26.09	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-16	MBGW14-30	03/06/19	HC	AAL	30	16.09	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-10	03/08/19	HC	AAL	10	42.14	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-15	03/08/19	HC	AAL	15	37.14	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-1	MBGW16-30	03/08/19	HC	AAL	30	22.14	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP1-20	03/05/19	HC	AAL	20	25.28	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-2	MBPP1-25	03/05/19	HC	AAL	25	20.28	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-10	03/05/19	HC	AAL	10	34.46	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-20	03/05/19	HC	AAL	20	24.46	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-3	MBPP2-27.5	03/05/19	HC	AAL	27.5	16.96	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-10	03/06/19	HC	AAL	10	35.89	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-20	03/06/19	HC	AAL	20	25.89	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-4	MBPP3-25	03/06/19	HC	AAL	25	20.89	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-2.5	03/07/19	HC	AAL	2.5	45.84	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-10	03/07/19	HC	AAL	10	38.34	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-15	03/07/19	HC	AAL	15	33.34	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-17	03/07/19	HC	AAL	17	31.34	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-5	MBPP4-18	03/07/19	HC	AAL	18	30.34	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-10	03/07/19	HC	AAL	10	35.92	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-15	03/07/19	HC	AAL	15	30.92	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-17.5	03/07/19	HC	AAL	17.5	28.42	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-20	03/07/19	HC	AAL	20	25.92	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-6	MBPP5-25	03/07/19	HC	AAL	25	20.92	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-7.5	03/08/19	HC	AAL	7.5	44.76	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-10	03/08/19	HC	AAL	10	42.26	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-12.5	03/08/19	HC	AAL	12.5	39.76	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-6	MBPP6-15	03/08/19	HC	AAL	15	37.26	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MBPP-6 (continued)	MBPP6-17.5	03/08/19	HC	AAL	17.5	34.76	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-20	03/08/19	HC	AAL	20	32.26	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-25	03/08/19	HC	AAL	25	27.26	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-30	03/08/19	HC	AAL	30	22.26	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-7	MBPP7-5	03/08/19	HC	AAL	5	44.77	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-15	03/08/19	HC	AAL	15	34.77	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-23	03/08/19	HC	AAL	23	26.77	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-8	MBPP8-10	03/08/19	HC	AAL	10	47.52	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-15	03/08/19	HC	AAL	15	42.52	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-22.5	03/08/19	HC	AAL	22.5	35.02	V	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-30	03/08/19	HC	AAL	30	27.52	S	-	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MW-345	MW-345-41	05/20/21	PES	PACE	41	11.85	S	0.00195 U	0.00543 U	0.00195 U	0.00481 U	0.000799 U	0.000524 U	0.000800 U	0.00175 U	0.00247 U	0.000740 U	0.000618 U	0.000863 U	0.00170 U
	MW-345-47	05/20/21	PES	PACE	47	5.85	S	0.00186 U	0.00517 U	0.00186 U	0.00458 U	0.000762 U	0.000499 U	0.000763 U	0.00167 U	0.00235 U	0.000705 U	0.000589 U	0.000823 U	0.00162 U
	MW-2023-47	05/20/21	PES	PACE	47 (dup)	5.85	S	0.00229 U	0.00637 U	0.00229 U	0.00564 U	0.000937 U	0.000615 U	0.000939 U	0.00205 U	0.00289 U	0.000868 U	0.000724 U	0.00101 U	0.00199 U
	MW-345-53	05/20/21	PES	PACE	53	-0.15	S	0.00185 U	0.00515 U	0.00185 U	0.00456 U	0.000758 U	0.000497 U	0.000759 U	0.00166 U	0.00234 U	0.000702 U	0.000586 U	0.000819 U	0.00161 U
	MW-345-58	05/20/21	PES	PACE	58	-5.15	S	0.00232 U	0.00645 U	0.00232 U	0.00571 U	0.000949 U	0.000623 U	0.000950 U	0.00208 U	0.00293 U	0.000879 U	0.000733 U	0.00103 U	0.00202 U
	MW-345-63	05/20/21	PES	PACE	63	-10.15	S	0.00212 U	0.00590 U	0.00212 U	0.00523 U	0.000870 U	0.000570 U	0.000871 U	0.00191 U	0.00268 U	0.000805 U	0.000672 U	0.000939 U	0.00185 U
MW-346	MW-346-41.5	05/19/21	PES	PACE	41.5	10.28	S	0.00192 U	0.00534 U	0.00192 U	0.00473 U	0.000786 U	0.000516 U	0.000788 U	0.00172 U	0.00243 U	0.000728 U	0.000608 U	0.000850 U	0.00167 U
	MW-346-47	05/19/21	PES	PACE	47	4.78	S	0.00185 U	0.00516 U	0.00185 U	0.00457 U	0.000759 U	0.000498 U	0.000760 U	0.00166 U	0.00234 U	0.000703 U	0.000587 U	0.000820 U	0.00162 U
	MW-346-52	05/19/21	PES	PACE	52	-0.22	S	0.00185 U	0.00514 U	0.00185 U	0.00455 U	0.000757 U	0.000496 U	0.000758 U	0.00166 U	0.00234 U	0.000701 U	0.000585 U	0.000817 U	0.00161 U
	MW-346-54.5	05/19/21	PES	PACE	54.5	-2.72	S	0.00766 U	0.0213 U	0.00766 U	0.0189 U	0.00314 U	0.00206 U	0.00315 U	0.00689 U	0.00970 U	0.00291 U	0.00243 U	0.00340 U	0.00669 U
	MW-346-57.5	05/19/21	PES	PACE	57.5	-5.72	S	0.00185 U	0.00514 U	0.00185 U	0.00456 U	0.000757 U	0.000497 U	0.000758 U	0.00166 U	0.00234 U	0.000701 U	0.000585 U	0.000818 U	0.00161 U
	MW-346-62	05/19/21	PES	PACE	62	-10.22	S	0.00202 U	0.00562 U	0.00202 U	0.00499 U	0.000828 U	0.000543 U	0.000830 U	0.00182 U	0.00256 U	0.000767 U	0.000640 U	0.000895 U	0.00176 U
MW-347	MW-347-44.5	05/19/21	PES	PACE	44.5	8.29	S	0.00222 U	0.00618 U	0.00222 U	0.00548 U	0.000910 U	0.000597 U	0.000911 U	0.00199 U	0.00281 U	0.000843 U	0.000704 U	0.000983 U	0.00194 U
	MW-2022-44.5	05/19/21	PES	PACE	44.5 (dup)	8.29	S	0.00206 U	0.00574 U	0.00206 U	0.00509 U	0.000846 U	0.000555 U	0.000847 U	0.00185 U	0.00261 U	0.000783 U	0.000654 U	0.000914 U	0.00180 U
	MW-347-48	05/19/21	PES	PACE	48	4.79	S	0.00185 U	0.00514 U	0.00185 U	0.00456 U	0.000757 U	0.000497 U	0.000758 U	0.00166 U	0.00234 U	0.000701 U	0.000585 U	0.000818 U	0.00161 U
	MW-347-54.5	05/19/21	PES	PACE	54.5	-1.71	S	0.00190 U	0.00530 U	0.00190 U	0.00470 U	0.000781 U	0.000512 U	0.000782 U	0.00171 U	0.00241 U	0.000723 U	0.000604 U	0.000844 U	0.00166 U
	MW-347-58	05/19/21	PES	PACE	58	-5.21	S	0.00188 U	0.00524 U	0.00188 U	0.00464 U	0.000771 U	0.000506 U	0.000773 U	0.00169 U	0.00238 U	0.000714 U	0.000596 U	0.000833 U	0.00164 U
	MW-347-65	05/19/21	PES	PACE	65	-12.21	S	0.00201 U	0.00559 U	0.00201 U	0.00496 U	0.000824 U	0.000540 U	0.000825 U	0.00180 U	0.00254 U	0.000763 U	0.000637 U	0.000890 U	0.00175 U
MW-348	MW-348-41	05/18/21	PES	PACE	41	12.96	S	0.00203 U	0.00565 U	0.00203 U	0.00501 U	0.000833 U	0.000546 U	0.000834 U	0.00182 U	0.00257 U	0.000771 U	0.000644 U	0.000900 U	0.00177 U
	MW-348-49	05/18/21	PES	PACE	49	4.96	S	0.00203 U	0.00566 U	0.00203 U	0.00502 U	0.000834 U	0.000547 U	0.000835 U	0.00183 U	0.00257 U	0.000772 U	0.000645 U	0.000901 U	0.00178 U
	MW-348-54.5	05/18/21	PES	PACE	54.5	-0.54	S	0.00183 U	0.00509 U	0.00183 U	0.00451 U	0.000750 U	0.000492 U	0.000751 U	0.00164 U	0.00231 U	0.000694 U	0.000580 U	0.000810 U	0.00160 U
	MW-348-60	05/18/21	PES	PACE	60	-6.04	S	0.00182 U	0.00507 U	0.00182 U	0.00449 U	0.000747 U	0.000490 U	0.000748 U	0.00164 U	0.00230 U	0.000691 U	0.000577 U	0.000806 U	0.00159 U
	MW-348-65	05/18/21	PES	PACE	65	-11.04	S	0.00197 U	0.00550 U	0.00197 U	0.00487 U	0.000810 U	0.000531 U	0.000811 U	0.00177 U	0.00250 U	0.000750 U	0.000626 U	0.000875 U	0.00172 U
	MW-348-69	05/18/21	PES	PACE	69	-15.04	S	0.00193 U	0.00538 U	0.00193 U	0.00477 U	0.000792 U	0.000520 U	0.000793 U	0.00174 U	0.00245 U	0.000734 U	0.000613 U	0.000856 U	0.00169 U
MW-349	MW-349-49	05/17/21	PES	PACE	49	6.84	S	0.00202 U	0.00563 U	0.00202 U	0.00499 U	0.000830 U	0.000544 U	0.000831 U	0.00182 U	0.00256 U	0.000768 U	0.000642 U	0.000896 U	0.00177 U
	MW-349-51	05/17/21	PES	PACE	51	4.84	S	0.00189 U	0.00525 U	0.00189 U	0.00465 U	0.000773 U	0.000507 U	0.000774 U	0.00169 U	0.00239 U	0.000716 U	0.000598 U	0.000835 U	0.00165 U
	MW-349-56	05/17/21	PES	PACE	56	-0.16	S	0.00188 U	0.00524 U	0.00188 U	0.00464 U	0.000771 U	0.000506 U	0.000773 U	0.00169 U	0.00238 U	0.000714 U	0.000596 U	0.000833 U	0.00164 U
	MW-349-61	05/17/21	PES	PACE	61	-5.16	S	0.00193 U	0.00536 U	0.00193 U	0.00475 U	0.000790 U	0.000518 U	0.000791 U	0.00173 U	0.00244 U	0.000731 U	0.000611 U	0.000853 U	0.00168 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	1,2,3-Trimethylbenzene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane (Ethylene Dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								1.3	0.56	1.3	0.0013	0.00027	7	0.023	0.025	1.3	-	0.88	1.2	-
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.073	0.03	0.072	8.1E-05	1.8E-05	0.4	0.004	0.009	0.071	-	0.058	0.068	-
MW-349 (continued)	MW-349-66	05/17/21	PES	PACE	66	-10.16	S	0.00193 U	0.00536 U	0.00193 U	0.00475 U	0.000790 U	0.000518 U	0.000791 U	0.00173 U	0.00244 U	0.000731 U	0.000611 U	0.000853 U	0.00168 U
	MW-349-68	05/17/21	PES	PACE	68	-12.16	S	0.00198 U	0.00552 U	0.00198 U	0.00489 U	0.000813 U	0.000533 U	0.000814 U	0.00178 U	0.00251 U	0.000753 U	0.000629 U	0.000878 U	0.00173 U
MW-350	MW-350-41	05/21/21	PES	PACE	41	16.77	S	1.05	0.00568 UJ	2.19	0.00503 U	0.000836 U	0.000548 U	0.000838 U	0.00183 U	0.746	0.000774 U	0.000647 U	0.000903 U	0.00178 U
	MW-350-53	05/21/21	PES	PACE	53	4.77	S	0.0119	0.00519 UJ	0.0144	0.00460 U	0.000765 U	0.000502 U	0.000766 U	0.00168 U	0.00916	0.000708 U	0.000591 U	0.000826 U	0.00163 U
	MW-350-58	05/21/21	PES	PACE	58	-0.23	S	0.00185 U	0.00515 UJ	0.00514 J	0.00457 U	0.000759 U	0.000498 U	0.000760 U	0.00166 U	0.00234 U	0.000702 U	0.000587 U	0.000820 U	0.00162 U
	MW-350-64.5	05/21/21	PES	PACE	64.5	-6.73	S	0.00194 U	0.00541 UJ	0.00194 U	0.00479 U	0.000796 U	0.000522 U	0.000797 U	0.00174 U	0.00246 U	0.000737 U	0.000615 U	0.000860 U	0.00170 U
	MW-350-69	05/21/21	PES	PACE	69	-11.23	S	0.0145	0.00558 UJ	0.0330	0.00495 U	0.000822 U	0.000539 U	0.000823 U	0.00180 U	0.0104	0.000761 U	0.000635 U	0.000888 U	0.00175 U
All Data								Number of Analytes Measured	33	256	397	397	377	123	256	397	256	397	397	397
								Number of Analytes Detected	3	0	25	0	0	0	0	14	0	0	0	0
								Frequency of Detection	9.1%	0.0%	6.3%	0.0%	0.0%	0.0%	0.0%	5.5%	0.0%	0.0%	0.0%	0.0%
								Maximum Detection	1.05	-	15	-	-	-	-	6.2	-	-	-	-
								Minimum Detection	0.00182 U	0.00507 U	0.00182 U	0.00449 U	0.00075 U	0.00049 U	0.00075 U	0.001 U	0.0023 U	0.00069 U	0.00058 U	0.00081 U
								Number Of Vadose (V) Detections above SL	0	0	5	-8	-6	0	0	2	-	0	0	-
								Number of Saturated (S) Detections above SL	1	0	5	0	0	0	0	3	-	0	0	-
2017-2021								Number of Analytes Measured	33	256	397	397	377	123	256	397	256	397	397	397
								Number of Analytes Detected	3	0	25	0	0	0	0	14	0	0	0	0
								Frequency of Detection	9.1%	0.0%	6.3%	0.0%	0.0%	0.0%	0.0%	5.5%	0.0%	0.0%	0.0%	0.0%
								Maximum Detection	1.05	-	15	-	-	-	-	6.2	-	-	-	-
								Minimum Detection	0.00182 U	0.00507 U	0.00182 U	0.00449 U	0.00075 U	0.00049 U	0.00075 U	0.001 U	0.0023 U	0.00069 U	0.00058 U	0.00081 U
								Number Of Vadose (V) Detections above SL	0	0	5	0	0	0	0	2	-	0	0	-
								Number of Saturated (S) Detections above SL	1	0	5	0	0	0	0	3	-	0	0	-
Notes and Abbreviations: Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-Gx and NWTPH-Dx. VOCs analyzed by EPA Method 8260 C/D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. - = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington bgs = below ground surface dup = duplicate F&BI = Friedman & Bruya, Inc. HC = Hart Crowser, Inc. Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																				

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
615 Dexter Avenue																				
DGW-1	DGW1-10	03/06/19	HC	AAL	10	37	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW1-12.5	03/06/19	HC	AAL	12.5	34.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW1-15	03/06/19	HC	AAL	15	32	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW1-25	03/06/19	HC	AAL	25	22	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW1-30	03/06/19	HC	AAL	30	17	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DGW-2	DGW2-5	03/04/19	HC	AAL	5	54	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW2-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW2-25	03/04/19	HC	AAL	25	34	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW2-30	03/04/19	HC	AAL	30	29	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DGW-3	DGW3-2.5	03/06/19	HC	AAL	2.5	44.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW3-12.5	03/06/19	HC	AAL	12.5	34.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW3-15	03/06/19	HC	AAL	15	32	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW3-20	03/06/19	HC	AAL	20	27	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW3-25	03/06/19	HC	AAL	25	22	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DGW-4	DGW4-5	03/04/19	HC	AAL	5	60	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW4-10	03/04/19	HC	AAL	10	55	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW4-15	03/04/19	HC	AAL	15	50	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW4-20	03/04/19	HC	AAL	20	45	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW4-35	03/04/19	HC	AAL	35	30	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DGW4-50	03/04/19	HC	AAL	50	15	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DMW-1S	DMW1S-5	03/05/19	HC	AAL	5	42	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DMW1S-10	03/05/19	HC	AAL	10	37	V	-	0.050 U	-	0.050 U	0.12	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DMW1S-12.5	03/05/19	HC	AAL	12.5	34.5	S	-	0.050 U	-	0.050 U	3.2	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DMW1S-15	03/05/19	HC	AAL	15	32	S	-	0.050 U	-	0.050 U	0.48	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DMW1S-20	03/05/19	HC	AAL	20	27	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DMW-2S	DMW-2S-05	03/02/20	HC	AAL	5	51.03	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-2S-10	03/02/20	HC	AAL	10	46.03	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-2S-15	03/02/20	HC	AAL	15	41.03	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-2S-20	03/02/20	HC	AAL	20	36.03	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-2S-25	03/02/20	HC	AAL	25	31.03	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
DMW-3IA	DMW-3IA-5	02/27/20	HC	AAL	5	51.09	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-3IA-10	02/27/20	HC	AAL	10	46.09	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-3IA-15	02/27/20	HC	AAL	15	41.09	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-3IA-20	02/27/20	HC	AAL	20	36.09	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-3IA-25	02/27/20	HC	AAL	25	31.09	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
DMW-4S	DMW-4S-5	02/26/20	HC	AAL	5	56.76	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	DMW-4S-10	02/26/20	HC	AAL	10	51.76	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	DMW-4S-15	02/26/20	HC	AAL	15	46.76	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	DMW-4S-20	02/26/20	HC	AAL	20	41.76	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	DMW-4S-25	02/26/20	HC	AAL	25	36.76	S	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	DMW-4S-30	02/26/20	HC	AAL	30	31.76	S	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
DMW-51A	DMW-51A-5	02/28/20	HC	AAL	5	64.48	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-51A-10	02/28/20	HC	AAL	10	59.48	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-51A-15	02/28/20	HC	AAL	15	54.48	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-51A-20	02/28/20	HC	AAL	20	49.48	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	DMW-51A-25	02/28/20	HC	AAL	25	44.48	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
DPP-1	DPP1-5	03/04/19	HC	AAL	5	54.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP1-7.5	03/05/19	HC	AAL	7.5	52	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP1-10	03/04/19	HC	AAL	10	49.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP1-20	03/04/19	HC	AAL	20	39.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DPP-2	DPP2-5	03/04/19	HC	AAL	5	54	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP2-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DPP-3	DPP3-5	03/05/19	HC	AAL	5	42	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP3-15	03/05/19	HC	AAL	15	32	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP3-30	03/05/19	HC	AAL	30	17	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DPP-4	DPP4-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP4-12.5	03/04/19	HC	AAL	12.5	46.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP4-17.5	03/04/19	HC	AAL	17.5	41.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP4-20	03/04/19	HC	AAL	20	39	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DPP-5	DPP5-10	03/04/19	HC	AAL	10	49	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP5-17.5	03/04/19	HC	AAL	17.5	41.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP5-20	03/04/19	HC	AAL	20	39	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
DPP-6	DPP6-5	03/05/19	HC	AAL	5	42	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP6-7.5	03/05/19	HC	AAL	7.5	39.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP6-12.5	03/05/19	HC	AAL	12.5	34.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	DPP6-17.5	03/05/19	HC	AAL	17.5	29.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
Seattle DOT Mercer Parcels																				
HMW-1IB	HMW1IB-7.5	03/12/19	HC	AAL	7.5	30.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW1IB-15	03/12/19	HC	AAL	15	23	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW1IB-20.5	03/12/19	HC	AAL	20.5	18	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW1IB-27.5	03/12/19	HC	AAL	27.5	10.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW1IB-50	03/12/19	HC	AAL	50	-12	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW1IB-65	03/12/19	HC	AAL	65	-27	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
HMW-2IB	HMW2IB-7.5	03/12/19	HC	AAL	7.5	39.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW2IB-15	03/12/19	HC	AAL	15	32	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW2IB-22.5	03/12/19	HC	AAL	22.5	24.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW2IB-30	03/12/19	HC	AAL	30	17	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW2IB-45	03/12/19	HC	AAL	45	2	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW2IB-65	03/12/19	HC	AAL	65	-18	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
HMW-3IA	HMW3IA-15	03/15/19	HC	AAL	15	40.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW3IA-20	03/15/19	HC	AAL	20	35.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW3IA-22.5	03/15/19	HC	AAL	22.5	33	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW3IA-25	03/15/19	HC	AAL	25	30.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
HMW-4IA	HMW4IA-5	03/07/19	HC	AAL	5	51	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW4IA-7.5	03/07/19	HC	AAL	7.5	48.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW4IA-10	03/07/19	HC	AAL	10	46	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	HMW4IA-25	03/07/19	HC	AAL	25	31	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
HMW-5IB	HMW5IB-5	02/28/20	HC	AAL	5	53.44	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW5IB-10	02/28/20	HC	AAL	10	48.44	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW5IB-15	02/28/20	HC	AAL	15	43.44	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW5IB-20	02/28/20	HC	AAL	20	38.44	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW5IB-25	02/28/20	HC	AAL	25	33.44	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-6D	HMW-6D-5	03/02/20	HC	AAL	5	53.58	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6D-10	03/02/20	HC	AAL	10	48.58	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6D-15	03/02/20	HC	AAL	15	43.58	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6D-25	03/02/20	HC	AAL	25	33.58	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6D-30	03/02/20	HC	AAL	30	28.58	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6D-30-Dup	03/02/20	HC	AAL	30 (dup)	28.58	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-6IA	HMW-6IA-5	03/02/20	HC	AAL	5	53.65	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IA-10	03/02/20	HC	AAL	10	48.65	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IA-15	03/02/20	HC	AAL	15	43.65	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IA-20	03/02/20	HC	AAL	20	38.65	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IA-30	03/02/20	HC	AAL	30	28.65	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-6IB	HMW-6IB-5	03/03/20	HC	AAL	5	53.67	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IB-10	03/03/20	HC	AAL	10	48.67	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IB-10a	03/03/20	HC	AAL	10 (dup)	48.67	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IB-15	03/03/20	HC	AAL	15	43.67	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IB-20	03/03/20	HC	AAL	20	38.67	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-6IB-25	03/03/20	HC	AAL	25	33.67	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
HMW-7IB	HMW7IB-5	02/28/20	HC	AAL	5	53.69	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW7IB-10	02/28/20	HC	AAL	10	48.69	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW7IB-15	02/28/20	HC	AAL	15	43.69	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW7IB-20	02/28/20	HC	AAL	20	38.69	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW7IB-25	02/28/20	HC	AAL	25	33.69	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW7IB-25a	02/28/20	HC	AAL	25 (dup)	33.69	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-8IB	HMW-8IB-5	03/02/20	HC	AAL	5	52.97	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-8IB-10	03/02/20	HC	AAL	10	47.97	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-8IB-15	03/02/20	HC	AAL	15	42.97	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-8IB-20	03/02/20	HC	AAL	20	37.97	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-8IB-25	03/02/20	HC	AAL	25	32.97	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-8IB-25a	03/02/20	HC	AAL	25 (dup)	32.97	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-9D	HMW-9D-5	02/27/20	HC	AAL	5	50.32	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9D-10	02/27/20	HC	AAL	10	45.32	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9D-15	02/27/20	HC	AAL	15	40.32	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9D-20	02/27/20	HC	AAL	20	35.32	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9D-25	02/27/20	HC	AAL	25	30.32	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-9IA	HMW9IA-5	02/28/20	HC	AAL	5	50.26	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IA-10	02/28/20	HC	AAL	10	45.26	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IA-15	02/28/20	HC	AAL	15	40.26	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IA-20	02/28/20	HC	AAL	20	35.26	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IA-25	02/28/20	HC	AAL	25	30.26	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-9IB	HMW9IB-5	02/28/20	HC	AAL	5	50.36	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IB-13	02/28/20	HC	AAL	13	42.36	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IB-15	02/28/20	HC	AAL	15	40.36	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IB-20	02/28/20	HC	AAL	20	35.36	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW9IB-25	02/28/20	HC	AAL	25	30.36	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-9S	HMW-9S-5	03/02/20	HC	AAL	5	50.39	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9S-14	03/02/20	HC	AAL	14	41.39	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9S-17	03/02/20	HC	AAL	17	38.39	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9S-20	03/02/20	HC	AAL	20	35.39	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-9S-25	03/02/20	HC	AAL	25	30.39	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-10D	HMW-10D-5	03/05/20	HC	F&BI	5	43.16	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10D-10	03/05/20	HC	F&BI	10	38.16	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10D-15	03/05/20	HC	F&BI	15	33.16	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10D-15a	03/05/20	HC	F&BI	15 (dup)	33.16	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10D-20	03/05/20	HC	F&BI	20	28.16	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10D-25	03/05/20	HC	F&BI	25	23.16	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
HMW-10S	HMW10S-5	03/03/20	HC	F&BI	5	43.21	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10S-10	03/03/20	HC	F&BI	10	38.21	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10S-10a	03/03/20	HC	F&BI	10 (dup)	38.21	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10S-15	03/03/20	HC	F&BI	15	33.21	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10S-20	03/03/20	HC	F&BI	20	28.21	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-10S-25	03/03/20	HC	F&BI	25	23.21	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-11IB	HMW-11IB-5	02/24/20	HC	F&BI	5	34.7	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11IB-10	02/24/20	HC	F&BI	10	29.7	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11IB-15	02/24/20	HC	F&BI	15	24.7	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11IB-20	02/24/20	HC	F&BI	20	19.7	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11IB-25	02/24/20	HC	F&BI	25	14.7	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-11S	HMW-11S-5	02/25/20	HC	F&BI	5	36.47	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11S-10	02/25/20	HC	F&BI	10	31.47	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11S-15	02/25/20	HC	F&BI	15	26.47	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11S-20	02/25/20	HC	F&BI	20	21.47	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	HMW-11S-30	02/25/20	HC	F&BI	30	11.47	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
HMW-17S	HMW-17S-5	09/03/20	HC	F&BI	5	52.21	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-17S-10	09/03/20	HC	F&BI	10	47.21	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-17S-15	09/03/20	HC	F&BI	15	42.21	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-17S-20	09/03/20	HC	F&BI	20	37.21	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-17S-25	09/03/20	HC	F&BI	25	32.21	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
HMW-18S	HMW-18S-5	09/03/20	HC	F&BI	5	52.61	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-18S-10	09/03/20	HC	F&BI	10	47.61	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-18S-15	09/03/20	HC	F&BI	15	42.61	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-18S-20	09/03/20	HC	F&BI	20	37.61	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-18S-25	09/03/20	HC	F&BI	25	32.61	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-18S-30	09/03/20	HC	F&BI	30	27.61	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
HMW-19S	HMW-19S-5	09/08/20	HC	F&BI	5	53.2	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-19S-10	09/08/20	HC	F&BI	10	48.2	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-19S-15	09/08/20	HC	F&BI	15	43.2	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-19S-20	09/08/20	HC	F&BI	20	38.2	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-19S-26	09/08/20	HC	F&BI	26	32.2	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-19S-30	09/08/20	HC	F&BI	30	28.2	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0060 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
HMW-20S	HMW-20S-5	09/08/20	HC	F&BI	5	48.81	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-20S-10	09/08/20	HC	F&BI	10	43.81	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-20S-15	09/08/20	HC	F&BI	15	38.81	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-20S-20	09/08/20	HC	F&BI	20	33.81	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-20S-25	09/08/20	HC	F&BI	25	28.81	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	HMW-20S-30	09/08/20	HC	F&BI	30	23.81	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MBB-1	MBB-1-5	02/27/20	HC	AAL	5	50.02	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-1-10	02/27/20	HC	AAL	10	45.02	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-1-15	02/27/20	HC	AAL	15	40.02	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-1-20	02/27/20	HC	AAL	20	35.02	V	-	0.050 U	-	0.050 U	-	-	-	0.030 U	-	-	-	-	-
	MBB-1-25	02/27/20	HC	AAL	25	30.02	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
MBB-2	MBB-2-5	02/27/20	HC	AAL	5	50.45	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-2-10	02/27/20	HC	AAL	10	45.45	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-2-15	02/27/20	HC	AAL	15	40.45	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-2-20	02/27/20	HC	AAL	20	35.45	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-2-20a	02/27/20	HC	AAL	20 (dup)	35.45	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-2-25	02/27/20	HC	AAL	25	30.45	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
MBB-3	MBB-3-5	02/27/20	HC	AAL	5	49.84	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-3-10	02/27/20	HC	AAL	10	44.84	V	-	0.050 U	-	0.050 U	-	-	-	0.030 U	-	-	-	-	-
	MBB-3-15	02/27/20	HC	AAL	15	39.84	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-3-20	02/27/20	HC	AAL	20	34.84	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-3-25	02/27/20	HC	AAL	25	29.84	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
MBB-4	MBB-4-5	02/27/20	HC	AAL	5	49.61	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-4-10	02/27/20	HC	AAL	10	44.61	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-4-10a	02/27/20	HC	AAL	10 (dup)	44.61	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-4-15	02/27/20	HC	AAL	15	39.61	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-4-20	02/27/20	HC	AAL	20	34.61	V	-	0.050 U	-	0.050 U	-	-	-	0.030 U	-	-	-	-	-
	MBB-4-25	02/27/20	HC	AAL	25	29.61	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
MBB-5	MBB-5-5	03/02/20	HC	AAL	5	45.3	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-5-10	03/02/20	HC	AAL	10	40.3	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-5-15	03/02/20	HC	AAL	15	35.3	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-5-20	03/02/20	HC	AAL	20	30.3	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-5-25	03/02/20	HC	AAL	25	25.3	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
MBB-6	MBB-6-5	03/03/20	HC	AAL	5	45.33	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-6-10	03/03/20	HC	AAL	10	40.33	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-6-15	03/03/20	HC	AAL	15	35.33	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-6-20	03/03/20	HC	AAL	20	30.33	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-6-25	03/03/20	HC	AAL	25	25.33	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
MBB-7	MBB-7-5	02/25/20	HC	AAL	5	44.41	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-7-10	02/25/20	HC	AAL	10	39.41	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-7-15	02/25/20	HC	AAL	15	34.41	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-7-20	02/25/20	HC	AAL	20	29.41	V	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
	MBB-7-25	02/25/20	HC	AAL	25	24.41	S	-	0.0050 U	-	0.0050 U	-	-	-	0.0030 U	-	-	-	-	-
MBB-8	MBB-8-5	02/26/20	HC	AAL	5	44.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-8-10	02/26/20	HC	AAL	10	39.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-8-15	02/26/20	HC	AAL	15	34.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-8-15 dup	02/26/20	HC	AAL	15 (dup)	34.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-8-20	02/26/20	HC	AAL	20	29.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-8-25	02/26/20	HC	AAL	25	24.66	S	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MBB-9	MBB-9-5	02/26/20	HC	AAL	5	42.55	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-9-10	02/26/20	HC	AAL	10	37.55	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-9-15	02/26/20	HC	AAL	15	32.55	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-9-20	02/26/20	HC	AAL	20	27.55	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-9-25	02/26/20	HC	AAL	25	22.55	S	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
MBB-10	MBB-10-5	02/26/20	HC	AAL	5	44.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-10-10	02/26/20	HC	AAL	10	39.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-10-15	02/26/20	HC	AAL	15	34.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-10-20	02/26/20	HC	AAL	20	29.66	V	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
	MBB-10-25	02/26/20	HC	AAL	25	24.66	S	-	0.0050 U	-	0.0050 U	-	-	-	0.020 U	-	-	-	-	-
MBB-14	MBB-14-5	03/03/20	HC	AAL	5	42.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-10	03/03/20	HC	AAL	10	37.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-15	03/03/20	HC	AAL	15	32.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-20	03/03/20	HC	AAL	20	27.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-25	03/03/20	HC	AAL	25	22.15	V	-	-	-	-	-	-	-	-	-	-	-	-	-
MBB-15	MBB-15-5	03/04/20	HC	AAL	5	32.73	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-10	03/04/20	HC	AAL	10	27.73	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-15	03/04/20	HC	AAL	15	22.73	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-20	03/04/20	HC	AAL	20	17.73	S	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-25	03/04/20	HC	AAL	25	12.73	S	-	-	-	-	-	-	-	-	-	-	-	-	-
MBB-16	MBB16-5	09/02/20	HC	F&BI	5	48.7	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.59	0.10 U	-	0.0060	0.0050 U	-	0.0050 U	0.050 U	-
	MBB16-10	09/02/20	HC	F&BI	10	43.7	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.16	0.10 U	-	0.011	0.0050 U	-	0.0050 U	0.050 U	-
	MBB16-15	09/02/20	HC	F&BI	15	38.7	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0059	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB16-20	09/02/20	HC	F&BI	20	33.7	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBB-17	MBB17-5	09/01/20	HC	F&BI	5	49.88	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB17-10	09/01/20	HC	F&BI	10	44.88	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB17-15	09/01/20	HC	F&BI	15	39.88	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB17-25	09/01/20	HC	F&BI	25	29.88	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBB-18	MBB18-5	09/01/20	HC	F&BI	5	46.33	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB18-10	09/01/20	HC	F&BI	10	41.33	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB18-15	09/01/20	HC	F&BI	15	36.33	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB18-20	09/01/20	HC	F&BI	20	31.33	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBB-19	MBB19-5	09/01/20	HC	F&BI	5	46.68	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB19-10	09/01/20	HC	F&BI	10	41.68	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB19-15	09/01/20	HC	F&BI	15	36.68	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB19-20	09/01/20	HC	F&BI	20	31.68	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	U	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBB-20	MBB20-5	09/02/20	HC	F&BI	5	42.53	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB20-10	09/02/20	HC	F&BI	10	37.53	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB20-15	09/02/20	HC	F&BI	15	32.53	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB20-20	09/02/20	HC	F&BI	20	27.53	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MBB-21	MBB21-5	09/02/20	HC	F&BI	5	42.6	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB21-10	09/02/20	HC	F&BI	10	37.6	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB21-15	09/02/20	HC	F&BI	15	32.6	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB21-20	09/02/20	HC	F&BI	20	27.6	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBB-22	MBB-22-5	09/21/20	HC	F&BI	5	37.05	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-22-15	09/21/20	HC	F&BI	15	27.05	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-22-20	09/21/20	HC	F&BI	20	22.05	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-22-25	09/21/20	HC	F&BI	25	17.05	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-22-30	09/21/20	HC	F&BI	30	12.05	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBB-23	MBB-23-5	09/21/20	HC	F&BI	5	42.18	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-23-10	09/21/20	HC	F&BI	10	37.18	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-23-15	09/21/20	HC	F&BI	15	32.18	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-23-20	09/21/20	HC	F&BI	20	27.18	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-23-25	09/21/20	HC	F&BI	25	22.18	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MBB-23-30	09/21/20	HC	F&BI	30	17.18	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBB-24	MMB24-5	09/09/20	HC	F&BI	5	49.1	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MMB24-10	09/09/20	HC	F&BI	10	44.1	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MMB24-15	09/09/20	HC	F&BI	15	39.1	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MMB24-20	09/09/20	HC	F&BI	20	34.1	V	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MMB24-25	09/09/20	HC	F&BI	25	29.1	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
	MMB24-30	09/09/20	HC	F&BI	30	24.1	S	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.10 U	-	0.0030 U	0.0050 U	-	0.0050 U	0.050 U	-
MBGW-1	MBGW1-5	03/06/19	HC	AAL	5	34.95	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW1-12.5	03/06/19	HC	AAL	12.5	27.45	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW1-17.5	03/06/19	HC	AAL	17.5	22.45	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW1-25	03/06/19	HC	AAL	25	14.95	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW1-30	03/06/19	HC	AAL	30	9.95	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-2	MBGW2-5	03/04/19	HC	AAL	5	41.11	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW2-10	03/04/19	HC	AAL	10	36.11	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW2-12.5	03/04/19	HC	AAL	12.5	33.61	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW2-25	03/04/19	HC	AAL	25	21.11	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW2-30	03/04/19	HC	AAL	30	16.11	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-3	MBGW3-5	03/07/19	HC	AAL	5	42.77	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW3-7.5	03/07/19	HC	AAL	7.5	40.27	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW3-10	03/07/19	HC	AAL	10	37.77	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW3-12.5	03/07/19	HC	AAL	12.5	35.27	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW3-25	03/07/19	HC	AAL	25	22.77	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW3-26	03/07/19	HC	AAL	26	21.77	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MBGW-4	MBGW4-5	03/06/19	HC	AAL	5	42.3	V	-	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW4-7.5	03/06/19	HC	AAL	7.5	39.8	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW4-10	03/06/19	HC	AAL	10	37.3	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW4-12.5	03/06/19	HC	AAL	12.5	34.8	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-5	MBGW4-25	03/06/19	HC	AAL	25	22.3	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW5-10	03/11/19	HC	AAL	10	39.87	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW5-15	03/11/19	HC	AAL	15	34.87	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW5-20	03/11/19	HC	AAL	20	29.87	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-6	MBGW5-27.5	03/11/19	HC	AAL	27.5	22.37	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW5-45	03/11/19	HC	AAL	45	4.87	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW6-10	03/14/19	HC	AAL	10	42.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW6-15	03/14/19	HC	AAL	15	37.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-7	MBGW6-20	03/14/19	HC	AAL	20	32.5	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW6-30	03/14/19	HC	AAL	30	22.5	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW7-30	03/06/19	HC	AAL	30	23.76	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW8-10	03/15/19	HC	AAL	10	37.08	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-8	MBGW8-15	03/15/19	HC	AAL	15	32.08	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW8-25	03/15/19	HC	AAL	25	22.08	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW8-35	03/15/19	HC	AAL	35	12.08	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW9-10	03/13/19	HC	AAL	10	46.84	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-9	MBGW9-15	03/13/19	HC	AAL	15	41.84	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW9-20	03/13/19	HC	AAL	20	36.84	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW9-25	03/13/19	HC	AAL	25	31.84	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW9-30	03/13/19	HC	AAL	30	26.84	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-10	MBGW10-10	03/13/19	HC	AAL	10	45.25	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW10-15	03/13/19	HC	AAL	15	40.25	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW10-20	03/13/19	HC	AAL	20	35.25	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW10-25	03/13/19	HC	AAL	25	30.25	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-11	MBGW10-30	03/13/19	HC	AAL	30	25.25	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW11-5	03/12/19	HC	AAL	5	52.55	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW11-10	03/12/19	HC	AAL	10	47.55	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW12-5	03/15/19	HC	AAL	5	49.00	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-12	MBGW12-20	03/15/19	HC	AAL	20	34.00	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW12-25	03/15/19	HC	AAL	25	29.00	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW12-30	03/15/19	HC	AAL	30	24.00	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MBGW-13	MBGW13-5	03/14/19	HC	AAL	5	49.72	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW13-7.5	03/14/19	HC	AAL	7.5	47.22	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW13-10	03/14/19	HC	AAL	10	44.72	V	-	0.050 U	-	0.050 U	0.97	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW13-12.5	03/14/19	HC	AAL	12.5	42.22	V	-	0.050 U	-	0.050 U	0.10 J	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW13-15	03/14/19	HC	AAL	15	39.72	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW13-20	03/14/19	HC	AAL	20	34.72	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-14	MBGW14-10	03/06/19	HC	AAL	10	36.09	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW14-15	03/06/19	HC	AAL	15	31.09	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW14-20	03/06/19	HC	AAL	20	26.09	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW14-30	03/06/19	HC	AAL	30	16.09	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBGW-16	MBGW16-10	03/08/19	HC	AAL	10	42.14	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW16-15	03/08/19	HC	AAL	15	37.14	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBGW16-30	03/08/19	HC	AAL	30	22.14	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-1	MBPP1-20	03/05/19	HC	AAL	20	25.28	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP1-25	03/05/19	HC	AAL	25	20.28	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-2	MBPP2-10	03/05/19	HC	AAL	10	34.46	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP2-20	03/05/19	HC	AAL	20	24.46	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP2-27.5	03/05/19	HC	AAL	27.5	16.96	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-3	MBPP3-10	03/06/19	HC	AAL	10	35.89	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP3-20	03/06/19	HC	AAL	20	25.89	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP3-25	03/06/19	HC	AAL	25	20.89	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-4	MBPP4-2.5	03/07/19	HC	AAL	2.5	45.84	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP4-10	03/07/19	HC	AAL	10	38.34	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP4-15	03/07/19	HC	AAL	15	33.34	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP4-17	03/07/19	HC	AAL	17	31.34	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP4-18	03/07/19	HC	AAL	18	30.34	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-5	MBPP5-10	03/07/19	HC	AAL	10	35.92	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP5-15	03/07/19	HC	AAL	15	30.92	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP5-17.5	03/07/19	HC	AAL	17.5	28.42	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP5-20	03/07/19	HC	AAL	20	25.92	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP5-25	03/07/19	HC	AAL	25	20.92	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-6	MBPP6-7.5	03/08/19	HC	AAL	7.5	44.76	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP6-10	03/08/19	HC	AAL	10	42.26	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP6-12.5	03/08/19	HC	AAL	12.5	39.76	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP6-15	03/08/19	HC	AAL	15	37.26	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27
MBPP-6 (continued)	MBPP6-17.5	03/08/19	HC	AAL	17.5	34.76	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP6-20	03/08/19	HC	AAL	20	32.26	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP6-25	03/08/19	HC	AAL	25	27.26	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP6-30	03/08/19	HC	AAL	30	22.26	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-7	MBPP7-5	03/08/19	HC	AAL	5	44.77	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP7-15	03/08/19	HC	AAL	15	34.77	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP7-23	03/08/19	HC	AAL	23	26.77	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MBPP-8	MBPP8-10	03/08/19	HC	AAL	10	47.52	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP8-15	03/08/19	HC	AAL	15	42.52	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP8-22.5	03/08/19	HC	AAL	22.5	35.02	V	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
	MBPP8-30	03/08/19	HC	AAL	30	27.52	S	-	0.050 U	-	0.050 U	0.050 U	-	-	0.020 U	0.050 U	-	0.050 U	0.050 U	-
MW-345	MW-345-41	05/20/21	PES	PACE	41	11.85	S	0.0783 U	0.00107 U	0.00414 U	0.000555 U	0.00314 U	0.0450 U	0.00445 U	0.000576 U	0.00111 U	0.000695 U	0.00144 U	0.00243 U	0.000863 U
	MW-345-47	05/20/21	PES	PACE	47	5.85	S	0.0746 U	0.00102 U	0.00395 U	0.000529 U	0.00300 U	0.0429 U	0.00424 U	0.000549 U	0.00106 U	0.000663 U	0.00137 U	0.00232 U	0.00116 J
	MW-2023-47	05/20/21	PES	PACE	47 (dup)	5.85	S	0.0918 U	0.00125 U	0.00486 U	0.000650 U	0.00369 U	0.0529 U	0.00522 U	0.000675 U	0.00130 U	0.000816 U	0.00170 U	0.00285 U	0.00101 U
	MW-345-53	05/20/21	PES	PACE	53	-0.15	S	0.0743 U	0.00101 U	0.00393 U	0.000526 U	0.00298 U	0.0427 U	0.00422 U	0.000546 U	0.00105 U	0.000660 U	0.00137 U	0.00230 U	0.000819 U
	MW-345-58	05/20/21	PES	PACE	58	-5.15	S	0.0929 U	0.00127 U	0.00492 U	0.000658 U	0.00374 U	0.0535 U	0.00528 U	0.000684 U	0.00131 U	0.000826 U	0.00172 U	0.00288 U	0.00611 J
	MW-345-63	05/20/21	PES	PACE	63	-10.15	S	0.0852 U	0.00116 U	0.00451 U	0.000604 U	0.00342 U	0.0490 U	0.00484 U	0.000627 U	0.00121 U	0.000757 U	0.00157 U	0.00264 U	0.000939 U
MW-346	MW-346-41.5	05/19/21	PES	PACE	41.5	10.28	S	0.0771 U	0.00105 U	0.00408 U	0.000546 U	0.00309 U	0.0443 U	0.00627 J	0.000567 U	0.00109 U	0.000685 U	0.00142 U	0.00239 U	0.00144 J
	MW-346-47	05/19/21	PES	PACE	47	4.78	S	0.0744 U	0.00101 U	0.00394 U	0.000527 U	0.00299 U	0.0428 U	0.00423 U	0.000547 U	0.00105 U	0.000661 U	0.00137 U	0.00231 U	0.00213 J
	MW-346-52	05/19/21	PES	PACE	52	-0.22	S	0.0742 U	0.00101 U	0.00392 U	0.000525 U	0.00298 U	0.0426 U	0.00422 U	0.000545 U	0.00105 U	0.000659 U	0.00137 U	0.00230 U	0.000817 U
	MW-346-54.5	05/19/21	PES	PACE	54.5	-2.72	S	0.308 U	0.00420 U	0.0162 U	0.00218 U	0.0124 U	0.177 U	0.0175 U	0.00227 U	0.00437 U	0.00274 U	0.00567 U	0.00956 U	0.00340 U
	MW-346-57.5	05/19/21	PES	PACE	57.5	-5.72	S	0.0742 U	0.00101 U	0.00393 U	0.000526 U	0.00298 U	0.0427 U	0.00422 U	0.000546 U	0.00105 U	0.000659 U	0.00137 U	0.00230 U	0.000818 U
	MW-346-62	05/19/21	PES	PACE	62	-10.22	S	0.0812 U	0.00111 U	0.0243 J	0.000575 U	0.00326 U	0.0467 U	0.00461 U	0.000597 U	0.00115 U	0.000721 U	0.00150 U	0.00252 U	0.000895 U
MW-347	MW-347-44.5	05/19/21	PES	PACE	44.5	8.29	S	0.0892 U	0.00121 U	0.00472 U	0.000632 U	0.00358 U	0.0513 U	0.00507 U	0.000656 U	0.00126 U	0.000792 U	0.00164 U	0.00277 U	0.000983 U
	MW-2022-44.5	05/19/21	PES	PACE	44.5 (dup)	8.29	S	0.0829 U	0.00113 U	0.00438 U	0.000587 U	0.00333 U	0.0476 U	0.00471 U	0.000609 U	0.00117 U	0.000736 U	0.00153 U	0.00257 U	0.000914 U
	MW-347-48	05/19/21	PES	PACE	48	4.79	S	0.0742 U	0.00101 U	0.00393 U	0.000526 U	0.00298 U	0.0427 U	0.00422 U	0.000546 U	0.00105 U	0.000659 U	0.00137 U	0.00230 U	0.000818 U
	MW-347-54.5	05/19/21	PES	PACE	54.5	-1.71	S	0.0765 U	0.00104 U	0.00405 U	0.000542 U	0.00307 U	0.0440 U	0.00435 U	0.000563 U	0.00108 U	0.000680 U	0.00141 U	0.00237 U	0.000844 U
	MW-347-58	05/19/21	PES	PACE	58	-5.21	S	0.0756 U	0.00103 U	0.00400 U	0.000536 U	0.00304 U	0.0434 U	0.00430 U	0.000836 J	0.00107 U	0.000671 U	0.00139 U	0.00235 U	0.00564 J
	MW-347-65	05/19/21	PES	PACE	65	-12.21	S	0.0807 U	0.00110 U	0.00427 U	0.000572 U	0.00324 U	0.0464 U	0.00459 U	0.000594 U	0.00114 U	0.000717 U	0.00149 U	0.00250 U	0.000890 U
MW-348	MW-348-41	05/18/21	PES	PACE	41	12.96	S	0.0816 U	0.00111 U	0.00432 U	0.000578 U	0.00328 U	0.0469 U	0.00464 U	0.000600 U	0.00116 U	0.000725 U	0.00150 U	0.00253 U	0.000900 U
	MW-348-49	05/18/21	PES	PACE	49	4.96	S	0.0817 U	0.00111 U	0.00432 U	0.000579 U	0.00328 U	0.0470 U	0.00465 U	0.000601 U	0.00116 U	0.000726 U	0.00151 U	0.00253 U	0.000901 U
	MW-348-54.5	05/18/21	PES	PACE	54.5	-0.54	S	0.0735 U	0.00100 U	0.00389 U	0.000521 U	0.00295 U	0.0422 U	0.00418 U	0.000540 U	0.00104 U	0.000653 U	0.00135 U	0.00228 U	0.000810 U
	MW-348-60	05/18/21	PES	PACE	60	-6.04	S	0.0732 U	0.000997 U	0.00387 U	0.000518 U	0.00294 U	0.0421 U	0.00416 U	0.000538 U	0.00104 U	0.000650 U	0.00135 U	0.00227 U	0.000806 U
	MW-348-65	05/18/21	PES	PACE	65	-11.04	S	0.0794 U	0.00108 U	0.00420 U	0.000562 U	0.00319 U	0.0456 U	0.00451 U	0.000584 U	0.00112 U	0.000705 U	0.00146 U	0.00246 U	0.000875 U
	MW-348-69	05/18/21	PES	PACE	69	-15.04	S	0.0776 U	0.00106 U	0.00411 U	0.000550 U	0.00312 U	0.0446 U	0.00441 U	0.000571 U	0.00110 U	0.000690 U	0.00143 U	0.00241 U	0.000856 U
MW-349	MW-349-49	05/17/21	PES	PACE	49	6.84	S	0.0813 U	0.00111 U	0.00430 U	0.000576 U	0.00327 U	0.0467 U	0.00462 U	0.000598 U	0.00115 U	0.000722 U	0.00150 U	0.00252 U	0.000896 U
	MW-349-51	05/17/21	PES	PACE	51	4.84	S	0.0758 U	0.00103 U	0.00401 U	0.000537 U	0.00304 U	0.0527 J	0.00431 U	0.000557 U	0.00107 U	0.000673 U	0.00140 U	0.00235 U	0.000835 U
	MW-349-56	05/17/21	PES	PACE	56	-0.16	S	0.0756 U	0.00103 U	0.00400 U	0.000536 U	0.00304 U	0.0435 U	0.00430 U	0.000556 U	0.00107 U	0.000671 U	0.00139 U	0.00235 U	0.000833 U
	MW-349-61	05/17/21	PES	PACE	61	-5.16	S	0.0774 U	0.00105 U	0.00409 U	0.000548 U	0.00311 U	0.0445 U	0.00440 U	0.000569 U	0.00110 U	0.000687 U	0.00143 U	0.00240 U	0.000853 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene	4-Isopropyltoluene (p-Isopropyltoluene)	Acetone	Acrylonitrile	Benzene	Bromobenzene	Bromochloromethane	Bromoform	Bromomethane	Carbon Disulfide	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								20	1.9	0.17	-	-	29	0.030	0.027	0.56	-	0.36	0.05	5	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								1.4	0.11	0.012	-	-	2.1	0.030	0.002	0.033	-	0.023	0.0033	0.27	
MW-349	MW-349-66	05/17/21	PES	PACE	66	-10.16	S	0.0774 U	0.00105 U	0.00410 U	0.000549 U	0.00311 U	0.0445 U	0.00440 U	0.000569 U	0.00110 U	0.000687 U	0.00143 U	0.00240 U	0.000853 U	
(continued)	MW-349-68	05/17/21	PES	PACE	68	-12.16	S	0.0797 U	0.00109 U	0.00422 U	0.000565 U	0.00320 U	0.0458 U	0.00453 U	0.000586 U	0.00113 U	0.000708 U	0.00147 U	0.00247 U	0.000878 U	
MW-350	MW-350-41	05/21/21	PES	PACE	41	16.77	S	0.0819 U	0.00112 U	0.00434 U	0.000581 U	0.119	0.0471 U	0.00466 U	0.0786	0.00116 U	0.000728 U	0.00151 U	0.00254 U	0.00210 J	
	MW-350-53	05/21/21	PES	PACE	53	4.77	S	0.0750 U	0.00102 U	0.00397 U	0.000531 U	0.00336 J	0.0431 U	0.00426 U	0.000551 U	0.00106 U	0.000666 U	0.00138 U	0.00233 U	0.000826 U	
	MW-350-58	05/21/21	PES	PACE	58	-0.23	S	0.0743 U	0.00101 U	0.00393 U	0.000527 U	0.00299 U	0.0427 U	0.00423 U	0.000547 U	0.00105 U	0.000660 U	0.00137 U	0.00231 U	0.000820 U	
	MW-350-64.5	05/21/21	PES	PACE	64.5	-6.73	S	0.0780 U	0.00106 U	0.00413 U	0.000553 U	0.00313 U	0.0448 U	0.00443 U	0.000574 U	0.00111 U	0.000693 U	0.00144 U	0.00242 U	0.00119 J	
	MW-350-69	05/21/21	PES	PACE	69	-11.23	S	0.0805 U	0.00110 U	0.00426 U	0.000571 U	0.00323 U	0.0463 U	0.00458 U	0.000690 J	0.00114 U	0.000715 U	0.00148 U	0.00250 U	0.00562 J	
All Data					Number of Analytes Measured			97	397	97	397	256	97	33	397	256	33	256	256	33	
					Number of Analytes Detected			0	0	1	0	12	1	1	5	0	0	0	0	8	
					Frequency of Detection			0.0%	0.0%	1.0%	0.0%	4.7%	1.0%	3.0%	1.3%	0.0%	0.0%	0.0%	0.0%	24.2%	
					Maximum Detection			-	-	0.0243 J	-	3.2	0.0527 J	0.00627 J	0.0786	-	-	-	-	0.00611 J	
					Minimum Detection			0.05 U	0.001 U	0.00387 U	0.00052 U	0.00294 U	0.0421 U	0.00416 U	0.000538 U	0.00104 U	0.00065 U	0.00135 U	0.00227 U	0.00081 U	
					Number Of Vadose (V) Detections above SL			0	0	0	-	-	0	0	0	0	-	0	0	0	
					Number of Saturated (S) Detections above SL			0	0	1	-	-	0	0	1	0	-	0	0	0	
2017-2021					Number of Analytes Measured			97	397	97	397	256	97	33	397	256	33	256	256	33	
					Number of Analytes Detected			0	0	1	0	12	1	1	5	0	0	0	0	8	
					Frequency of Detection			0.0%	0.0%	1.0%	0.0%	4.7%	1.0%	3.0%	1.3%	0.0%	0.0%	0.0%	0.0%	24.2%	
					Maximum Detection			-	-	0.0243 J	-	3.2	0.0527 J	0.00627 J	0.0786	-	-	-	-	0.00611 J	
					Minimum Detection			0.05 U	0.001 U	0.00387 U	0.00052 U	0.00294 U	0.0421 U	0.00416 U	0.000538 U	0.00104 U	0.00065 U	0.00135 U	0.00227 U	0.00081 U	
					Number Of Vadose (V) Detections above SL			0	0	0	-	-	0	0	0	0	-	0	0	0	
					Number of Saturated (S) Detections above SL			0	0	1	-	-	0	0	1	0	-	0	0	0	
Notes and Abbreviations: Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-Gx and NWTPH-Dx. VOCs analyzed by EPA Method 8260 C/D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. - = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington bgs = below ground surface dup = duplicate F&BI = Friedman & Bruya, Inc. HC = Hart Crowser, Inc. Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																					

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
615 Dexter Avenue																			
DGW-1	DGW1-10	03/06/19	HC	AAL	10	37	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-12.5	03/06/19	HC	AAL	12.5	34.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-15	03/06/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-25	03/06/19	HC	AAL	25	22	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-30	03/06/19	HC	AAL	30	17	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-2	DGW2-5	03/04/19	HC	AAL	5	54	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-25	03/04/19	HC	AAL	25	34	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-30	03/04/19	HC	AAL	30	29	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-3	DGW3-2.5	03/06/19	HC	AAL	2.5	44.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-12.5	03/06/19	HC	AAL	12.5	34.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-15	03/06/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-20	03/06/19	HC	AAL	20	27	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-25	03/06/19	HC	AAL	25	22	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-4	DGW4-5	03/04/19	HC	AAL	5	60	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-10	03/04/19	HC	AAL	10	55	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-15	03/04/19	HC	AAL	15	50	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-20	03/04/19	HC	AAL	20	45	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-35	03/04/19	HC	AAL	35	30	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-50	03/04/19	HC	AAL	50	15	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-1S	DMW1S-5	03/05/19	HC	AAL	5	42	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-10	03/05/19	HC	AAL	10	37	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.053
	DMW1S-12.5	03/05/19	HC	AAL	12.5	34.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	2.1
	DMW1S-15	03/05/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.12
	DMW1S-20	03/05/19	HC	AAL	20	27	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-2S	DMW-2S-05	03/02/20	HC	AAL	5	51.03	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-2S-10	03/02/20	HC	AAL	10	46.03	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-2S-15	03/02/20	HC	AAL	15	41.03	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-2S-20	03/02/20	HC	AAL	20	36.03	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-2S-25	03/02/20	HC	AAL	25	31.03	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
DMW-3IA	DMW-3IA-5	02/27/20	HC	AAL	5	51.09	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-3IA-10	02/27/20	HC	AAL	10	46.09	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-3IA-15	02/27/20	HC	AAL	15	41.09	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-3IA-20	02/27/20	HC	AAL	20	36.09	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-3IA-25	02/27/20	HC	AAL	25	31.09	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
DMW-4S	DMW-4S-5	02/26/20	HC	AAL	5	56.76	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.020 U
	DMW-4S-10	02/26/20	HC	AAL	10	51.76	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.020 U
	DMW-4S-15	02/26/20	HC	AAL	15	46.76	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.020 U
	DMW-4S-20	02/26/20	HC	AAL	20	41.76	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.020 U
	DMW-4S-25	02/26/20	HC	AAL	25	36.76	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.13
	DMW-4S-30	02/26/20	HC	AAL	30	31.76	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.020 U
DMW-51A	DMW-51A-5	02/28/20	HC	AAL	5	64.48	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-51A-10	02/28/20	HC	AAL	10	59.48	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-51A-15	02/28/20	HC	AAL	15	54.48	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-51A-20	02/28/20	HC	AAL	20	49.48	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	DMW-51A-25	02/28/20	HC	AAL	25	44.48	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
DPP-1	DPP1-5	03/04/19	HC	AAL	5	54.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-7.5	03/05/19	HC	AAL	7.5	52	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-10	03/04/19	HC	AAL	10	49.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-20	03/04/19	HC	AAL	20	39.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-2	DPP2-5	03/04/19	HC	AAL	5	54	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP2-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-3	DPP3-5	03/05/19	HC	AAL	5	42	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-15	03/05/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-30	03/05/19	HC	AAL	30	17	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-4	DPP4-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-12.5	03/04/19	HC	AAL	12.5	46.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-17.5	03/04/19	HC	AAL	17.5	41.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-20	03/04/19	HC	AAL	20	39	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-5	DPP5-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-17.5	03/04/19	HC	AAL	17.5	41.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-20	03/04/19	HC	AAL	20	39	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-6	DPP6-5	03/05/19	HC	AAL	5	42	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-7.5	03/05/19	HC	AAL	7.5	39.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-12.5	03/05/19	HC	AAL	12.5	34.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-17.5	03/05/19	HC	AAL	17.5	29.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
Seattle DOT Mercer Parcels																			
HMW-1IB	HMW1IB-7.5	03/12/19	HC	AAL	7.5	30.5	V	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-15	03/12/19	HC	AAL	15	23	V	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-20.5	03/12/19	HC	AAL	20.5	18	S	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-27.5	03/12/19	HC	AAL	27.5	10.5	S	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-50	03/12/19	HC	AAL	50	-12	S	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-65	03/12/19	HC	AAL	65	-27	S	0.050 U	0.050 U	-	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-2IB	HMW2IB-7.5	03/12/19	HC	AAL	7.5	39.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-15	03/12/19	HC	AAL	15	32	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-22.5	03/12/19	HC	AAL	22.5	24.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-30	03/12/19	HC	AAL	30	17	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-45	03/12/19	HC	AAL	45	2	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-65	03/12/19	HC	AAL	65	-18	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-3IA	HMW3IA-15	03/15/19	HC	AAL	15	40.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-20	03/15/19	HC	AAL	20	35.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-22.5	03/15/19	HC	AAL	22.5	33	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-25	03/15/19	HC	AAL	25	30.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-4IA	HMW4IA-5	03/07/19	HC	AAL	5	51	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-7.5	03/07/19	HC	AAL	7.5	48.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-10	03/07/19	HC	AAL	10	46	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-25	03/07/19	HC	AAL	25	31	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-5IB	HMW5IB-5	02/28/20	HC	AAL	5	53.44	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW5IB-10	02/28/20	HC	AAL	10	48.44	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW5IB-15	02/28/20	HC	AAL	15	43.44	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW5IB-20	02/28/20	HC	AAL	20	38.44	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW5IB-25	02/28/20	HC	AAL	25	33.44	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
HMW-6D	HMW-6D-5	03/02/20	HC	AAL	5	53.58	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6D-10	03/02/20	HC	AAL	10	48.58	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6D-15	03/02/20	HC	AAL	15	43.58	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6D-25	03/02/20	HC	AAL	25	33.58	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6D-30	03/02/20	HC	AAL	30	28.58	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6D-30-Dup	03/02/20	HC	AAL	30 (dup)	28.58	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
HMW-6IA	HMW-6IA-5	03/02/20	HC	AAL	5	53.65	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IA-10	03/02/20	HC	AAL	10	48.65	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IA-15	03/02/20	HC	AAL	15	43.65	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IA-20	03/02/20	HC	AAL	20	38.65	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IA-30	03/02/20	HC	AAL	30	28.65	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
HMW-6IB	HMW-6IB-5	03/03/20	HC	AAL	5	53.67	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IB-10	03/03/20	HC	AAL	10	48.67	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IB-10a	03/03/20	HC	AAL	10 (dup)	48.67	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IB-15	03/03/20	HC	AAL	15	43.67	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IB-20	03/03/20	HC	AAL	20	38.67	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U
	HMW-6IB-25	03/03/20	HC	AAL	25	33.67	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	-	-	0.0050 U	-	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
HMW-7IB	HMW7IB-5	02/28/20	HC	AAL	5	53.69	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW7IB-10	02/28/20	HC	AAL	10	48.69	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW7IB-15	02/28/20	HC	AAL	15	43.69	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW7IB-20	02/28/20	HC	AAL	20	38.69	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW7IB-25	02/28/20	HC	AAL	25	33.69	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW7IB-25a	02/28/20	HC	AAL	25 (dup)	33.69	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-8IB	HMW-8IB-5	03/02/20	HC	AAL	5	52.97	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-8IB-10	03/02/20	HC	AAL	10	47.97	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-8IB-15	03/02/20	HC	AAL	15	42.97	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-8IB-20	03/02/20	HC	AAL	20	37.97	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-8IB-25	03/02/20	HC	AAL	25	32.97	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-8IB-25a	03/02/20	HC	AAL	25 (dup)	32.97	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-9D	HMW-9D-5	02/27/20	HC	AAL	5	50.32	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9D-10	02/27/20	HC	AAL	10	45.32	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9D-15	02/27/20	HC	AAL	15	40.32	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9D-20	02/27/20	HC	AAL	20	35.32	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9D-25	02/27/20	HC	AAL	25	30.32	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-9IA	HMW9IA-5	02/28/20	HC	AAL	5	50.26	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IA-10	02/28/20	HC	AAL	10	45.26	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IA-15	02/28/20	HC	AAL	15	40.26	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IA-20	02/28/20	HC	AAL	20	35.26	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IA-25	02/28/20	HC	AAL	25	30.26	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-9IB	HMW9IB-5	02/28/20	HC	AAL	5	50.36	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IB-13	02/28/20	HC	AAL	13	42.36	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IB-15	02/28/20	HC	AAL	15	40.36	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IB-20	02/28/20	HC	AAL	20	35.36	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW9IB-25	02/28/20	HC	AAL	25	30.36	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-9S	HMW-9S-5	03/02/20	HC	AAL	5	50.39	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9S-14	03/02/20	HC	AAL	14	41.39	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9S-17	03/02/20	HC	AAL	17	38.39	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9S-20	03/02/20	HC	AAL	20	35.39	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-9S-25	03/02/20	HC	AAL	25	30.39	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-10D	HMW-10D-5	03/05/20	HC	F&BI	5	43.16	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10D-10	03/05/20	HC	F&BI	10	38.16	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10D-15	03/05/20	HC	F&BI	15	33.16	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10D-15a	03/05/20	HC	F&BI	15 (dup)	33.16	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10D-20	03/05/20	HC	F&BI	20	28.16	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10D-25	03/05/20	HC	F&BI	25	23.16	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
HMW-10S	HMW10S-5	03/03/20	HC	F&BI	5	43.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10S-10	03/03/20	HC	F&BI	10	38.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10S-10a	03/03/20	HC	F&BI	10 (dup)	38.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10S-15	03/03/20	HC	F&BI	15	33.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10S-20	03/03/20	HC	F&BI	20	28.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-10S-25	03/03/20	HC	F&BI	25	23.21	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-11IB	HMW-11IB-5	02/24/20	HC	F&BI	5	34.7	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11IB-10	02/24/20	HC	F&BI	10	29.7	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11IB-15	02/24/20	HC	F&BI	15	24.7	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11IB-20	02/24/20	HC	F&BI	20	19.7	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11IB-25	02/24/20	HC	F&BI	25	14.7	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-11S	HMW-11S-5	02/25/20	HC	F&BI	5	36.47	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11S-10	02/25/20	HC	F&BI	10	31.47	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11S-15	02/25/20	HC	F&BI	15	26.47	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11S-20	02/25/20	HC	F&BI	20	21.47	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	HMW-11S-30	02/25/20	HC	F&BI	30	11.47	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
HMW-17S	HMW-17S-5	09/03/20	HC	F&BI	5	52.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-17S-10	09/03/20	HC	F&BI	10	47.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-17S-15	09/03/20	HC	F&BI	15	42.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-17S-20	09/03/20	HC	F&BI	20	37.21	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-17S-25	09/03/20	HC	F&BI	25	32.21	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
HMW-18S	HMW-18S-5	09/03/20	HC	F&BI	5	52.61	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-18S-10	09/03/20	HC	F&BI	10	47.61	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-18S-15	09/03/20	HC	F&BI	15	42.61	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-18S-20	09/03/20	HC	F&BI	20	37.61	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-18S-25	09/03/20	HC	F&BI	25	32.61	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-18S-30	09/03/20	HC	F&BI	30	27.61	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
HMW-19S	HMW-19S-5	09/08/20	HC	F&BI	5	53.2	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-19S-10	09/08/20	HC	F&BI	10	48.2	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-19S-15	09/08/20	HC	F&BI	15	43.2	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-19S-20	09/08/20	HC	F&BI	20	38.2	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-19S-26	09/08/20	HC	F&BI	26	32.2	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-19S-30	09/08/20	HC	F&BI	30	28.2	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.013
HMW-20S	HMW-20S-5	09/08/20	HC	F&BI	5	48.81	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-20S-10	09/08/20	HC	F&BI	10	43.81	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-20S-15	09/08/20	HC	F&BI	15	38.81	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-20S-20	09/08/20	HC	F&BI	20	33.81	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-20S-25	09/08/20	HC	F&BI	25	28.81	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	HMW-20S-30	09/08/20	HC	F&BI	30	23.81	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
MBB-1	MBB-1-5	02/27/20	HC	AAL	5	50.02	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-1-10	02/27/20	HC	AAL	10	45.02	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-1-15	02/27/20	HC	AAL	15	40.02	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-1-20	02/27/20	HC	AAL	20	35.02	V	0.050 U	0.050 U	0.050 U	0.50 U	0.050 U	0.50 U	0.050 U	–	–	0.050 U	–	0.72
	MBB-1-25	02/27/20	HC	AAL	25	30.02	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
MBB-2	MBB-2-5	02/27/20	HC	AAL	5	50.45	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-2-10	02/27/20	HC	AAL	10	45.45	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-2-15	02/27/20	HC	AAL	15	40.45	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-2-20	02/27/20	HC	AAL	20	35.45	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-2-20a	02/27/20	HC	AAL	20 (dup)	35.45	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-2-25	02/27/20	HC	AAL	25	30.45	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
MBB-3	MBB-3-5	02/27/20	HC	AAL	5	49.84	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-3-10	02/27/20	HC	AAL	10	44.84	V	0.050 U	0.050 U	0.050 U	0.50 U	0.050 U	0.50 U	0.050 U	–	–	0.050 U	–	0.82 J
	MBB-3-15	02/27/20	HC	AAL	15	39.84	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-3-20	02/27/20	HC	AAL	20	34.84	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-3-25	02/27/20	HC	AAL	25	29.84	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.021
MBB-4	MBB-4-5	02/27/20	HC	AAL	5	49.61	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-4-10	02/27/20	HC	AAL	10	44.61	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0052
	MBB-4-10a	02/27/20	HC	AAL	10 (dup)	44.61	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.025
	MBB-4-15	02/27/20	HC	AAL	15	39.61	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-4-20	02/27/20	HC	AAL	20	34.61	V	0.050 U	0.050 U	0.050 U	0.50 U	0.050 U	0.50 U	0.050 U	–	–	0.050 U	–	0.15 J
	MBB-4-25	02/27/20	HC	AAL	25	29.61	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0060
MBB-5	MBB-5-5	03/02/20	HC	AAL	5	45.3	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-5-10	03/02/20	HC	AAL	10	40.3	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-5-15	03/02/20	HC	AAL	15	35.3	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-5-20	03/02/20	HC	AAL	20	30.3	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-5-25	03/02/20	HC	AAL	25	25.3	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
MBB-6	MBB-6-5	03/03/20	HC	AAL	5	45.33	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-6-10	03/03/20	HC	AAL	10	40.33	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-6-15	03/03/20	HC	AAL	15	35.33	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-6-20	03/03/20	HC	AAL	20	30.33	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-6-25	03/03/20	HC	AAL	25	25.33	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
MBB-7	MBB-7-5	02/25/20	HC	AAL	5	44.41	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-7-10	02/25/20	HC	AAL	10	39.41	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-7-15	02/25/20	HC	AAL	15	34.41	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-7-20	02/25/20	HC	AAL	20	29.41	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
	MBB-7-25	02/25/20	HC	AAL	25	24.41	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.0050 U
MBB-8	MBB-8-5	02/26/20	HC	AAL	5	44.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-8-10	02/26/20	HC	AAL	10	39.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-8-15	02/26/20	HC	AAL	15	34.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-8-15 dup	02/26/20	HC	AAL	15 (dup)	34.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-8-20	02/26/20	HC	AAL	20	29.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-8-25	02/26/20	HC	AAL	25	24.66	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
MBB-9	MBB-9-5	02/26/20	HC	AAL	5	42.55	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-9-10	02/26/20	HC	AAL	10	37.55	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-9-15	02/26/20	HC	AAL	15	32.55	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-9-20	02/26/20	HC	AAL	20	27.55	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-9-25	02/26/20	HC	AAL	25	22.55	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
MBB-10	MBB-10-5	02/26/20	HC	AAL	5	44.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-10-10	02/26/20	HC	AAL	10	39.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-10-15	02/26/20	HC	AAL	15	34.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-10-20	02/26/20	HC	AAL	20	29.66	V	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
	MBB-10-25	02/26/20	HC	AAL	25	24.66	S	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U	0.050 U	0.0050 U	–	–	0.0050 U	–	0.020 U
MBB-14	MBB-14-5	03/03/20	HC	AAL	5	42.15	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-14-10	03/03/20	HC	AAL	10	37.15	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-14-15	03/03/20	HC	AAL	15	32.15	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-14-20	03/03/20	HC	AAL	20	27.15	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-14-25	03/03/20	HC	AAL	25	22.15	V	–	–	–	–	–	–	–	–	–	–	–	–
MBB-15	MBB-15-5	03/04/20	HC	AAL	5	32.73	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-15-10	03/04/20	HC	AAL	10	27.73	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-15-15	03/04/20	HC	AAL	15	22.73	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-15-20	03/04/20	HC	AAL	20	17.73	S	–	–	–	–	–	–	–	–	–	–	–	–
	MBB-15-25	03/04/20	HC	AAL	25	12.73	S	–	–	–	–	–	–	–	–	–	–	–	–
MBB-16	MBB16-5	09/02/20	HC	F&BI	5	48.7	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.91
	MBB16-10	09/02/20	HC	F&BI	10	43.7	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.13
	MBB16-15	09/02/20	HC	F&BI	15	38.7	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.014
	MBB16-20	09/02/20	HC	F&BI	20	33.7	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBB-17	MBB17-5	09/01/20	HC	F&BI	5	49.88	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB17-10	09/01/20	HC	F&BI	10	44.88	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB17-15	09/01/20	HC	F&BI	15	39.88	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB17-25	09/01/20	HC	F&BI	25	29.88	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBB-18	MBB18-5	09/01/20	HC	F&BI	5	46.33	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB18-10	09/01/20	HC	F&BI	10	41.33	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB18-15	09/01/20	HC	F&BI	15	36.33	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB18-20	09/01/20	HC	F&BI	20	31.33	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBB-19	MBB19-5	09/01/20	HC	F&BI	5	46.68	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB19-10	09/01/20	HC	F&BI	10	41.68	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB19-15	09/01/20	HC	F&BI	15	36.68	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB19-20	09/01/20	HC	F&BI	20	31.68	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBB-20	MBB20-5	09/02/20	HC	F&BI	5	42.53	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB20-10	09/02/20	HC	F&BI	10	37.53	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB20-15	09/02/20	HC	F&BI	15	32.53	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB20-20	09/02/20	HC	F&BI	20	27.53	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
MBB-21	MBB21-5	09/02/20	HC	F&BI	5	42.6	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB21-10	09/02/20	HC	F&BI	10	37.6	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB21-15	09/02/20	HC	F&BI	15	32.6	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB21-20	09/02/20	HC	F&BI	20	27.6	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBB-22	MBB-22-5	09/21/20	HC	F&BI	5	37.05	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-22-15	09/21/20	HC	F&BI	15	27.05	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-22-20	09/21/20	HC	F&BI	20	22.05	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-22-25	09/21/20	HC	F&BI	25	17.05	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-22-30	09/21/20	HC	F&BI	30	12.05	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBB-23	MBB-23-5	09/21/20	HC	F&BI	5	42.18	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-23-10	09/21/20	HC	F&BI	10	37.18	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-23-15	09/21/20	HC	F&BI	15	32.18	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-23-20	09/21/20	HC	F&BI	20	27.18	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-23-25	09/21/20	HC	F&BI	25	22.18	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MBB-23-30	09/21/20	HC	F&BI	30	17.18	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.014	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBB-24	MMB24-5	09/09/20	HC	F&BI	5	49.1	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MMB24-10	09/09/20	HC	F&BI	10	44.1	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MMB24-15	09/09/20	HC	F&BI	15	39.1	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MMB24-20	09/09/20	HC	F&BI	20	34.1	V	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MMB24-25	09/09/20	HC	F&BI	25	29.1	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
	MMB24-30	09/09/20	HC	F&BI	30	24.1	S	0.0050 U	0.0050 U	–	0.050 U	0.0050 U	0.050 U	0.0050 U	0.0050 U	0.0050 U	0.0050 U	0.050 U	0.0050 U
MBGW-1	MBGW1-5	03/06/19	HC	AAL	5	34.95	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-12.5	03/06/19	HC	AAL	12.5	27.45	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-17.5	03/06/19	HC	AAL	17.5	22.45	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-25	03/06/19	HC	AAL	25	14.95	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-30	03/06/19	HC	AAL	30	9.95	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-2	MBGW2-5	03/04/19	HC	AAL	5	41.11	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBGW2-10	03/04/19	HC	AAL	10	36.11	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-12.5	03/04/19	HC	AAL	12.5	33.61	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-25	03/04/19	HC	AAL	25	21.11	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-30	03/04/19	HC	AAL	30	16.11	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-3	MBGW3-5	03/07/19	HC	AAL	5	42.77	V	–	–	–	–	–	–	–	–	–	–	–	–
	MBGW3-7.5	03/07/19	HC	AAL	7.5	40.27	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-10	03/07/19	HC	AAL	10	37.77	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-12.5	03/07/19	HC	AAL	12.5	35.27	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-25	03/07/19	HC	AAL	25	22.77	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-26	03/07/19	HC	AAL	26	21.77	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MBGW-4	MBGW4-5	03/06/19	HC	AAL	5	42.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW4-7.5	03/06/19	HC	AAL	7.5	39.8	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-10	03/06/19	HC	AAL	10	37.3	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-12.5	03/06/19	HC	AAL	12.5	34.8	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-5	MBGW4-25	03/06/19	HC	AAL	25	22.3	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-10	03/11/19	HC	AAL	10	39.87	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-15	03/11/19	HC	AAL	15	34.87	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-20	03/11/19	HC	AAL	20	29.87	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-27.5	03/11/19	HC	AAL	27.5	22.37	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-6	MBGW5-45	03/11/19	HC	AAL	45	4.87	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.26	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-10	03/14/19	HC	AAL	10	42.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-15	03/14/19	HC	AAL	15	37.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-20	03/14/19	HC	AAL	20	32.5	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-30	03/14/19	HC	AAL	30	22.5	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-7	MBGW7-30	03/06/19	HC	AAL	30	23.76	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-8	MBGW8-10	03/15/19	HC	AAL	10	37.08	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-15	03/15/19	HC	AAL	15	32.08	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-25	03/15/19	HC	AAL	25	22.08	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-35	03/15/19	HC	AAL	35	12.08	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-9	MBGW9-10	03/13/19	HC	AAL	10	46.84	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-15	03/13/19	HC	AAL	15	41.84	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-20	03/13/19	HC	AAL	20	36.84	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-25	03/13/19	HC	AAL	25	31.84	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-30	03/13/19	HC	AAL	30	26.84	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-10	MBGW10-10	03/13/19	HC	AAL	10	45.25	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-15	03/13/19	HC	AAL	15	40.25	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-20	03/13/19	HC	AAL	20	35.25	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-25	03/13/19	HC	AAL	25	30.25	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-30	03/13/19	HC	AAL	30	25.25	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-11	MBGW11-5	03/12/19	HC	AAL	5	52.55	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-10	03/12/19	HC	AAL	10	47.55	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-12	MBGW12-5	03/15/19	HC	AAL	5	49.00	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-20	03/15/19	HC	AAL	20	34.00	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-25	03/15/19	HC	AAL	25	29.00	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-30	03/15/19	HC	AAL	30	24.00	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MBGW-13	MBGW13-5	03/14/19	HC	AAL	5	49.72	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-7.5	03/14/19	HC	AAL	7.5	47.22	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.17 J
	MBGW13-10	03/14/19	HC	AAL	10	44.72	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	3.9
	MBGW13-12.5	03/14/19	HC	AAL	12.5	42.22	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.50 J
	MBGW13-15	03/14/19	HC	AAL	15	39.72	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.11
MBGW-14	MBGW13-20	03/14/19	HC	AAL	20	34.72	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.060 J
	MBGW14-10	03/06/19	HC	AAL	10	36.09	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-15	03/06/19	HC	AAL	15	31.09	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-20	03/06/19	HC	AAL	20	26.09	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-30	03/06/19	HC	AAL	30	16.09	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-16	MBGW16-10	03/08/19	HC	AAL	10	42.14	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-15	03/08/19	HC	AAL	15	37.14	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-30	03/08/19	HC	AAL	30	22.14	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-1	MBPP1-20	03/05/19	HC	AAL	20	25.28	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP1-25	03/05/19	HC	AAL	25	20.28	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-2	MBPP2-10	03/05/19	HC	AAL	10	34.46	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-20	03/05/19	HC	AAL	20	24.46	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-27.5	03/05/19	HC	AAL	27.5	16.96	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-3	MBPP3-10	03/06/19	HC	AAL	10	35.89	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-20	03/06/19	HC	AAL	20	25.89	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-25	03/06/19	HC	AAL	25	20.89	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-4	MBPP4-2.5	03/07/19	HC	AAL	2.5	45.84	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-10	03/07/19	HC	AAL	10	38.34	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-15	03/07/19	HC	AAL	15	33.34	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-17	03/07/19	HC	AAL	17	31.34	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-18	03/07/19	HC	AAL	18	30.34	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-5	MBPP5-10	03/07/19	HC	AAL	10	35.92	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-15	03/07/19	HC	AAL	15	30.92	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-17.5	03/07/19	HC	AAL	17.5	28.42	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-20	03/07/19	HC	AAL	20	25.92	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-25	03/07/19	HC	AAL	25	20.92	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-6	MBPP6-7.5	03/08/19	HC	AAL	7.5	44.76	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-10	03/08/19	HC	AAL	10	42.26	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-12.5	03/08/19	HC	AAL	12.5	39.76	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-15	03/08/19	HC	AAL	15	37.26	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	-	0.074	-	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	-	0.007	-	0.0052	0.00014	0.028	0.0024	0.53	0.34
MBPP-6 (continued)	MBPP6-17.5	03/08/19	HC	AAL	17.5	34.76	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-20	03/08/19	HC	AAL	20	32.26	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-25	03/08/19	HC	AAL	25	27.26	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-30	03/08/19	HC	AAL	30	22.26	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-7	MBPP7-5	03/08/19	HC	AAL	5	44.77	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-15	03/08/19	HC	AAL	15	34.77	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-23	03/08/19	HC	AAL	23	26.77	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-8	MBPP8-10	03/08/19	HC	AAL	10	47.52	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-15	03/08/19	HC	AAL	15	42.52	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-22.5	03/08/19	HC	AAL	22.5	35.02	V	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-30	03/08/19	HC	AAL	30	27.52	S	0.050 U	0.050 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U
MW-345	MW-345-41	05/20/21	PES	PACE	41	11.85	S	0.00111 U	0.000259 U	0.000755 U	0.00210 U	0.00127 U	0.00536 U	0.984	0.000933 U	0.000925 U	0.000894 U	0.00199 U	0.000909 U
	MW-345-47	05/20/21	PES	PACE	47	5.85	S	0.00106 U	0.000247 U	0.000719 U	0.00200 U	0.00121 U	0.00511 U	0.0973	0.000890 U	0.000881 U	0.000852 U	0.00189 U	0.000866 U
	MW-2023-47	05/20/21	PES	PACE	47 (dup)	5.85	S	0.00130 U	0.000304 U	0.000885 U	0.00246 U	0.00149 U	0.00629 U	0.122	0.00109 U	0.00109 U	0.00105 U	0.00232 U	0.00107 U
	MW-345-53	05/20/21	PES	PACE	53	-0.15	S	0.00105 U	0.000246 U	0.000716 U	0.00199 U	0.00120 U	0.00509 U	0.000859 U	0.000886 U	0.000877 U	0.000848 U	0.00188 U	0.000862 U
	MW-345-58	05/20/21	PES	PACE	58	-5.15	S	0.00131 U	0.000308 U	0.000896 U	0.00249 U	0.00151 U	0.00636 U	0.108	0.00111 U	0.00110 U	0.00106 U	0.00235 U	0.00108 U
	MW-345-63	05/20/21	PES	PACE	63	-10.15	S	0.00120 U	0.000282 U	0.000821 U	0.00228 U	0.00138 U	0.00584 U	0.000985 U	0.00102 U	0.00101 U	0.000973 U	0.00216 U	0.000989 U
MW-346	MW-346-41.5	05/19/21	PES	PACE	41.5	10.28	S	0.00109 U	0.000255 U	0.000743 U	0.00206 U	0.00125 U	0.00528 U	0.661	0.000919 U	0.000910 U	0.000880 U	0.00195 U	0.000894 U
	MW-346-47	05/19/21	PES	PACE	47	4.78	S	0.00105 U	0.000246 U	0.000717 U	0.00199 U	0.00121 U	0.00510 U	0.148	0.000887 U	0.000879 U	0.000849 U	0.00189 U	0.000864 U
	MW-346-52	05/19/21	PES	PACE	52	-0.22	S	0.00105 U	0.000245 U	0.000715 U	0.00199 U	0.00120 U	0.00508 U	0.0516	0.000884 U	0.000876 U	0.000847 U	0.00188 U	0.000861 U
	MW-346-54.5	05/19/21	PES	PACE	54.5	-2.72	S	0.00435 U	0.00102 U	0.00297 U	0.00825 U	0.00500 U	0.0211 U	0.0694	0.00367 U	0.00364 U	0.00352 U	0.00781 U	0.00358 U
	MW-346-57.5	05/19/21	PES	PACE	57.5	-5.72	S	0.00105 U	0.000245 U	0.000715 U	0.00199 U	0.00120 U	0.00508 U	0.000858 U	0.000885 U	0.000876 U	0.000847 U	0.00188 U	0.000861 U
	MW-346-62	05/19/21	PES	PACE	62	-10.22	S	0.00115 U	0.000268 U	0.000782 U	0.00217 U	0.00132 U	0.00556 U	0.00167 J	0.000968 U	0.000959 U	0.000927 U	0.00206 U	0.000942 U
MW-347	MW-347-44.5	05/19/21	PES	PACE	44.5	8.29	S	0.00126 U	0.000295 U	0.000859 U	0.00239 U	0.00145 U	0.00611 U	0.954	0.00106 U	0.00105 U	0.00102 U	0.00226 U	0.00104 U
	MW-2022-44.5	05/19/21	PES	PACE	44.5 (dup)	8.29	S	0.00117 U	0.000274 U	0.000799 U	0.00222 U	0.00134 U	0.00568 U	0.753	0.000988 U	0.000979 U	0.000946 U	0.00210 U	0.000962 U
	MW-347-48	05/19/21	PES	PACE	48	4.79	S	0.00105 U	0.000245 U	0.000715 U	0.00199 U	0.00120 U	0.00508 U	0.000858 U	0.000885 U	0.000876 U	0.000847 U	0.00188 U	0.000861 U
	MW-347-54.5	05/19/21	PES	PACE	54.5	-1.71	S	0.00108 U	0.000253 U	0.000738 U	0.00205 U	0.00124 U	0.00524 U	0.00202 J	0.000912 U	0.000904 U	0.000874 U	0.00194 U	0.000888 U
	MW-347-58	05/19/21	PES	PACE	58	-5.21	S	0.00107 U	0.000250 U	0.000729 U	0.00202 U	0.00123 U	0.00518 U	0.0781	0.000901 U	0.000893 U	0.000863 U	0.00192 U	0.000877 U
	MW-347-65	05/19/21	PES	PACE	65	-12.21	S	0.00114 U	0.000267 U	0.000778 U	0.00216 U	0.00131 U	0.00553 U	0.00183 J	0.000962 U	0.000953 U	0.000921 U	0.00205 U	0.000937 U
MW-348	MW-348-41	05/18/21	PES	PACE	41	12.96	S	0.00115 U	0.000270 U	0.000786 U	0.00218 U	0.00132 U	0.00559 U	6.55	0.000973 U	0.000964 U	0.000932 U	0.00207 U	0.000947 U
	MW-348-49	05/18/21	PES	PACE	49	4.96	S	0.00116 U	0.000270 U	0.000787 U	0.00219 U	0.00133 U	0.00560 U	0.472	0.000974 U	0.000965 U	0.000933 U	0.00207 U	0.000948 U
	MW-348-54.5	05/18/21	PES	PACE	54.5	-0.54	S	0.00104 U	0.000243 U	0.000708 U	0.00197 U	0.00119 U	0.00503 U	0.0299	0.000876 U	0.000868 U	0.000839 U	0.00186 U	0.000853 U
	MW-348-60	05/18/21	PES	PACE	60	-6.04	S	0.00103 U	0.000242 U	0.000705 U	0.00196 U	0.00119 U	0.00501 U	0.0190	0.000872 U	0.000864 U	0.000835 U	0.00185 U	0.000849 U
	MW-348-65	05/18/21	PES	PACE	65	-11.04	S	0.00112 U	0.000262 U	0.000765 U	0.00212 U	0.00129 U	0.00544 U	0.00259 J	0.000946 U	0.000937 U	0.000906 U	0.00201 U	0.000921 U
	MW-348-69	05/18/21	PES	PACE	69	-15.04	S	0.00110 U	0.000257 U	0.000748 U	0.00208 U	0.00126 U	0.00532 U	0.0198	0.000926 U	0.000917 U	0.000886 U	0.00197 U	0.000901 U
MW-349	MW-349-49	05/17/21	PES	PACE	49	6.84	S	0.00115 U	0.000269 U	0.000784 U	0.00218 U	0.00132 U	0.00557 U	0.572	0.000969 U	0.000961 U	0.000928 U	0.00206 U	0.000944 U
	MW-349-51	05/17/21	PES	PACE	51	4.84	S	0.00107 U	0.000251 U	0.000730 U	0.00203 U	0.00123 U	0.00519 U	0.0675	0.000903 U	0.000895 U	0.000865 U	0.00192 U	0.00101 J
	MW-349-56	05/17/21	PES	PACE	56	-0.16	S	0.00107 U	0.000250 U	0.000729 U	0.00202 U	0.00123 U	0.00518 U	0.00200 J	0.000901 U	0.000893 U	0.000863 U	0.00192 U	0.000877 U
	MW-349-61	05/17/21	PES	PACE	61	-5.16	S	0.00109 U	0.000256 U	0.000746 U	0.00207 U	0.00126 U	0.00530 U	0.000894 U	0.000922 U	0.000914 U	0.000883 U	0.00196 U	0.000898 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Carbon Tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	Chloromethane	Cis-1,2-Dichloroethene (cDCE)	Cis-1,3-Dichloropropene	Dibromomethane	Dichlorobromomethane	Dichlorodifluoromethane (CFC-12)	Ethylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.042	0.86	0.028	–	0.074	–	0.078	0.0023	0.42	0.036	38	5.9
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.0022	0.051	0.004	–	0.007	–	0.0052	0.00014	0.028	0.0024	0.53	0.34
MW-349 (continued)	MW-349-66	05/17/21	PES	PACE	66	-10.16	S	0.00109 U	0.000256 U	0.000746 U	0.00207 U	0.00126 U	0.00530 U	0.000895 U	0.000923 U	0.000914 U	0.000884 U	0.00196 U	0.000898 U
	MW-349-68	05/17/21	PES	PACE	68	-12.16	S	0.00113 U	0.000263 U	0.000768 U	0.00213 U	0.00129 U	0.00546 U	0.00213 J	0.000950 U	0.000941 U	0.000910 U	0.00202 U	0.000925 U
MW-350	MW-350-41	05/21/21	PES	PACE	41	16.77	S	0.00116 U	0.000271 U	0.000790 U	0.00219 U	0.00133 U	0.00561 U	0.000947 U	0.000977 U	0.000968 U	0.000936 U	0.00208 U	0.920
	MW-350-53	05/21/21	PES	PACE	53	4.77	S	0.00106 U	0.000248 U	0.000722 U	0.00201 U	0.00122 U	0.00513 U	0.000866 U	0.000894 U	0.000885 U	0.000856 U	0.00190 U	0.00117 J
	MW-350-58	05/21/21	PES	PACE	58	-0.23	S	0.00105 U	0.000246 U	0.000716 U	0.00199 U	0.00121 U	0.00509 U	0.000859 U	0.000886 U	0.000878 U	0.000849 U	0.00188 U	0.000863 U
	MW-350-64.5	05/21/21	PES	PACE	64.5	-6.73	S	0.00110 U	0.000258 U	0.000752 U	0.00209 U	0.00127 U	0.00534 U	0.000902 U	0.000930 U	0.000921 U	0.000891 U	0.00198 U	0.000905 U
	MW-350-69	05/21/21	PES	PACE	69	-11.23	S	0.00114 U	0.000266 U	0.000776 U	0.00216 U	0.00131 U	0.00552 U	0.000931 U	0.000960 U	0.000951 U	0.000919 U	0.00204 U	0.00834
All Data								397	397	307	397	397	397	397	256	256	397	256	397
								0	0	0	0	0	0	24	0	0	0	0	24
								0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.0%	0.0%	0.0%	0.0%	0.0%	6.0%
								–	–	–	–	–	–	6.55	–	–	–	–	3.9
								0.00103 U	0.00024 U	0.00071 U	0.00196 U	0.00119 U	0.00501 U	0.00086 U	0.00087 U	0.00086 U	0.00084 U	0.00185 U	0.00085 U
								0	0	0	–	0	–	0	0	0	0	0	0
								0	0	0	–	0	–	18	0	0	0	0	2
2017-2021								397	397	307	397	397	397	397	256	256	397	256	397
								0	0	0	0	0	0	24	0	0	0	0	24
								0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.0%	0.0%	0.0%	0.0%	0.0%	6.0%
								–	–	–	–	–	–	6.55	–	–	–	–	3.9
								0.00103 U	0.00024 U	0.00071 U	0.00196 U	0.00119 U	0.00501 U	0.00086 U	0.00087 U	0.00086 U	0.00084 U	0.00185 U	0.00085 U
								0	0	0	–	0	–	0	0	0	0	0	0
								0	0	0	–	0	–	18	0	0	0	0	2
Notes and Abbreviations: Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-Gx and NWTPH-Dx. VOCs analyzed by EPA Method 8260 C/D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. – = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington bgs = below ground surface dup = duplicate F&BI = Friedman & Bruya, Inc. HC = Hart Crowser, Inc. Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																			

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
615 Dexter Avenue																			
DGW-1	DGW1-10	03/06/19	HC	AAL	10	37	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	1.0 U	0.050 U	0.050 U	0.050 U
	DGW1-12.5	03/06/19	HC	AAL	12.5	34.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-15	03/06/19	HC	AAL	15	32	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-25	03/06/19	HC	AAL	25	22	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-30	03/06/19	HC	AAL	30	17	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-2	DGW2-5	03/04/19	HC	AAL	5	54	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-10	03/04/19	HC	AAL	10	49	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-25	03/04/19	HC	AAL	25	34	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-30	03/04/19	HC	AAL	30	29	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-3	DGW3-2.5	03/06/19	HC	AAL	2.5	44.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-12.5	03/06/19	HC	AAL	12.5	34.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-15	03/06/19	HC	AAL	15	32	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-20	03/06/19	HC	AAL	20	27	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-25	03/06/19	HC	AAL	25	22	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-4	DGW4-5	03/04/19	HC	AAL	5	60	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-10	03/04/19	HC	AAL	10	55	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-15	03/04/19	HC	AAL	15	50	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-20	03/04/19	HC	AAL	20	45	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-35	03/04/19	HC	AAL	35	30	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-50	03/04/19	HC	AAL	50	15	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-1S	DMW1S-5	03/05/19	HC	AAL	5	42	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-10	03/05/19	HC	AAL	10	37	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.18	0.11	0.071
	DMW1S-12.5	03/05/19	HC	AAL	12.5	34.5	S	0.050 U	-	-	-	1.5	-	0.10 U	0.020 U	0.050 U	0.82	3.2	1.9
	DMW1S-15	03/05/19	HC	AAL	15	32	S	0.050 U	-	-	-	0.12	-	0.10 U	0.020 U	1.0 U	0.58	0.28	0.25
	DMW1S-20	03/05/19	HC	AAL	20	27	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-2S	DMW-2S-05	03/02/20	HC	AAL	5	51.03	V	0.025 UJ	-	-	-	-	-	-	0.029 J	-	-	-	-
	DMW-2S-10	03/02/20	HC	AAL	10	46.03	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-2S-15	03/02/20	HC	AAL	15	41.03	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-2S-20	03/02/20	HC	AAL	20	36.03	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-2S-25	03/02/20	HC	AAL	25	31.03	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
DMW-3IA	DMW-3IA-5	02/27/20	HC	AAL	5	51.09	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-3IA-10	02/27/20	HC	AAL	10	46.09	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-3IA-15	02/27/20	HC	AAL	15	41.09	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-3IA-20	02/27/20	HC	AAL	20	36.09	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-3IA-25	02/27/20	HC	AAL	25	31.09	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
DMW-4S	DMW-4S-5	02/26/20	HC	AAL	5	56.76	V	0.025 U	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	DMW-4S-10	02/26/20	HC	AAL	10	51.76	V	0.025 U	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	DMW-4S-15	02/26/20	HC	AAL	15	46.76	V	0.025 U	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	DMW-4S-20	02/26/20	HC	AAL	20	41.76	V	0.025 U	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	DMW-4S-25	02/26/20	HC	AAL	25	36.76	S	0.025 U	-	-	-	-	-	-	0.020 UJ	0.014	-	-	-
	DMW-4S-30	02/26/20	HC	AAL	30	31.76	S	0.025 U	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
DMW-51A	DMW-51A-5	02/28/20	HC	AAL	5	64.48	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-51A-10	02/28/20	HC	AAL	10	59.48	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-51A-15	02/28/20	HC	AAL	15	54.48	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-51A-20	02/28/20	HC	AAL	20	49.48	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	DMW-51A-25	02/28/20	HC	AAL	25	44.48	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
DPP-1	DPP1-5	03/04/19	HC	AAL	5	54.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-7.5	03/05/19	HC	AAL	7.5	52	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-10	03/04/19	HC	AAL	10	49.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-20	03/04/19	HC	AAL	20	39.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-2	DPP2-5	03/04/19	HC	AAL	5	54	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP2-10	03/04/19	HC	AAL	10	49	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-3	DPP3-5	03/05/19	HC	AAL	5	42	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-15	03/05/19	HC	AAL	15	32	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-30	03/05/19	HC	AAL	30	17	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-4	DPP4-10	03/04/19	HC	AAL	10	49	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-12.5	03/04/19	HC	AAL	12.5	46.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-17.5	03/04/19	HC	AAL	17.5	41.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-20	03/04/19	HC	AAL	20	39	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-5	DPP5-10	03/04/19	HC	AAL	10	49	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-17.5	03/04/19	HC	AAL	17.5	41.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-20	03/04/19	HC	AAL	20	39	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-6	DPP6-5	03/05/19	HC	AAL	5	42	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-7.5	03/05/19	HC	AAL	7.5	39.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-12.5	03/05/19	HC	AAL	12.5	34.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-17.5	03/05/19	HC	AAL	17.5	29.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
Seattle DOT Mercer Parcels																			
HMW-1IB	HMW1IB-7.5	03/12/19	HC	AAL	7.5	30.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-15	03/12/19	HC	AAL	15	23	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-20.5	03/12/19	HC	AAL	20.5	18	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-27.5	03/12/19	HC	AAL	27.5	10.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-50	03/12/19	HC	AAL	50	-12	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW1IB-65	03/12/19	HC	AAL	65	-27	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-2IB	HMW2IB-7.5	03/12/19	HC	AAL	7.5	39.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-15	03/12/19	HC	AAL	15	32	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-22.5	03/12/19	HC	AAL	22.5	24.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-30	03/12/19	HC	AAL	30	17	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-45	03/12/19	HC	AAL	45	2	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-65	03/12/19	HC	AAL	65	-18	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-3IA	HMW3IA-15	03/15/19	HC	AAL	15	40.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-20	03/15/19	HC	AAL	20	35.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-22.5	03/15/19	HC	AAL	22.5	33	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-25	03/15/19	HC	AAL	25	30.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-4IA	HMW4IA-5	03/07/19	HC	AAL	5	51	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-7.5	03/07/19	HC	AAL	7.5	48.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	1.0 U	0.050 U	0.050 U	0.050 U
	HMW4IA-10	03/07/19	HC	AAL	10	46	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-25	03/07/19	HC	AAL	25	31	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-5IB	HMW5IB-5	02/28/20	HC	AAL	5	53.44	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	HMW5IB-10	02/28/20	HC	AAL	10	48.44	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	HMW5IB-15	02/28/20	HC	AAL	15	43.44	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	HMW5IB-20	02/28/20	HC	AAL	20	38.44	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	HMW5IB-25	02/28/20	HC	AAL	25	33.44	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
HMW-6D	HMW-6D-5	03/02/20	HC	AAL	5	53.58	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6D-10	03/02/20	HC	AAL	10	48.58	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6D-15	03/02/20	HC	AAL	15	43.58	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6D-25	03/02/20	HC	AAL	25	33.58	V	0.025 UJ	-	-	-	-	-	-	0.028 J	0.050 U	-	-	-
	HMW-6D-30	03/02/20	HC	AAL	30	28.58	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	HMW-6D-30-Dup	03/02/20	HC	AAL	30 (dup)	28.58	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-6IA	HMW-6IA-5	03/02/20	HC	AAL	5	53.65	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IA-10	03/02/20	HC	AAL	10	48.65	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IA-15	03/02/20	HC	AAL	15	43.65	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IA-20	03/02/20	HC	AAL	20	38.65	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IA-30	03/02/20	HC	AAL	30	28.65	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
HMW-6IB	HMW-6IB-5	03/03/20	HC	AAL	5	53.67	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IB-10	03/03/20	HC	AAL	10	48.67	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IB-10a	03/03/20	HC	AAL	10 (dup)	48.67	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-6IB-15	03/03/20	HC	AAL	15	43.67	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IB-20	03/03/20	HC	AAL	20	38.67	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-6IB-25	03/03/20	HC	AAL	25	33.67	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
HMW-7IB	HMW7IB-5	02/28/20	HC	AAL	5	53.69	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW7IB-10	02/28/20	HC	AAL	10	48.69	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW7IB-15	02/28/20	HC	AAL	15	43.69	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW7IB-20	02/28/20	HC	AAL	20	38.69	V	0.025 UJ	-	-	-	-	-	-	0.024 J	0.050 U	-	-	-
	HMW7IB-25	02/28/20	HC	AAL	25	33.69	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW7IB-25a	02/28/20	HC	AAL	25 (dup)	33.69	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-8IB	HMW-8IB-5	03/02/20	HC	AAL	5	52.97	V	0.025 UJ	-	-	-	-	-	-	0.024 J	0.050 U	-	-	-
	HMW-8IB-10	03/02/20	HC	AAL	10	47.97	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-8IB-15	03/02/20	HC	AAL	15	42.97	V	0.025 UJ	-	-	-	-	-	-	0.037 J	0.050 U	-	-	-
	HMW-8IB-20	03/02/20	HC	AAL	20	37.97	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.050 U	-	-	-
	HMW-8IB-25	03/02/20	HC	AAL	25	32.97	V	0.025 UJ	-	-	-	-	-	-	0.024 J	0.010 U	-	-	-
	HMW-8IB-25a	03/02/20	HC	AAL	25 (dup)	32.97	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-9D	HMW-9D-5	02/27/20	HC	AAL	5	50.32	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-9D-10	02/27/20	HC	AAL	10	45.32	V	0.025 UJ	-	-	-	-	-	-	0.027 J	-	-	-	-
	HMW-9D-15	02/27/20	HC	AAL	15	40.32	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-9D-20	02/27/20	HC	AAL	20	35.32	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-9D-25	02/27/20	HC	AAL	25	30.32	S	0.025 UJ	-	-	-	-	-	-	0.022 J	-	-	-	-
HMW-9IA	HMW9IA-5	02/28/20	HC	AAL	5	50.26	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW9IA-10	02/28/20	HC	AAL	10	45.26	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW9IA-15	02/28/20	HC	AAL	15	40.26	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW9IA-20	02/28/20	HC	AAL	20	35.26	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW9IA-25	02/28/20	HC	AAL	25	30.26	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-9IB	HMW9IB-5	02/28/20	HC	AAL	5	50.36	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW9IB-13	02/28/20	HC	AAL	13	42.36	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW9IB-15	02/28/20	HC	AAL	15	40.36	V	0.025 UJ	-	-	-	-	-	-	0.032 J	-	-	-	-
	HMW9IB-20	02/28/20	HC	AAL	20	35.36	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW9IB-25	02/28/20	HC	AAL	25	30.36	S	0.025 UJ	-	-	-	-	-	-	0.032 J	-	-	-	-
HMW-9S	HMW-9S-5	03/02/20	HC	AAL	5	50.39	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-9S-14	03/02/20	HC	AAL	14	41.39	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-9S-17	03/02/20	HC	AAL	17	38.39	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-9S-20	03/02/20	HC	AAL	20	35.39	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-9S-25	03/02/20	HC	AAL	25	30.39	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-10D	HMW-10D-5	03/05/20	HC	F&BI	5	43.16	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10D-10	03/05/20	HC	F&BI	10	38.16	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10D-15	03/05/20	HC	F&BI	15	33.16	V	0.025 UJ	-	-	-	-	-	-	0.030 J	-	-	-	-
	HMW-10D-15a	03/05/20	HC	F&BI	15 (dup)	33.16	V	0.025 UJ	-	-	-	-	-	-	0.024 J	-	-	-	-
	HMW-10D-20	03/05/20	HC	F&BI	20	28.16	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10D-25	03/05/20	HC	F&BI	25	23.16	S	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
HMW-10S	HMW10S-5	03/03/20	HC	F&BI	5	43.21	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10S-10	03/03/20	HC	F&BI	10	38.21	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10S-10a	03/03/20	HC	F&BI	10 (dup)	38.21	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10S-15	03/03/20	HC	F&BI	15	33.21	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10S-20	03/03/20	HC	F&BI	20	28.21	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-10S-25	03/03/20	HC	F&BI	25	23.21	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-11IB	HMW-11IB-5	02/24/20	HC	F&BI	5	34.7	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-11IB-10	02/24/20	HC	F&BI	10	29.7	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-11IB-15	02/24/20	HC	F&BI	15	24.7	V	0.025 UJ	-	-	-	-	-	-	0.21 J	-	-	-	-
	HMW-11IB-20	02/24/20	HC	F&BI	20	19.7	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-11IB-25	02/24/20	HC	F&BI	25	14.7	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-11S	HMW-11S-5	02/25/20	HC	F&BI	5	36.47	V	0.025 UJ	-	-	-	-	-	-	0.020 J	-	-	-	-
	HMW-11S-10	02/25/20	HC	F&BI	10	31.47	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-11S-15	02/25/20	HC	F&BI	15	26.47	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-11S-20	02/25/20	HC	F&BI	20	21.47	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	HMW-11S-30	02/25/20	HC	F&BI	30	11.47	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
HMW-17S	HMW-17S-5	09/03/20	HC	F&BI	5	52.21	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.015 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-17S-10	09/03/20	HC	F&BI	10	47.21	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0081 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-17S-15	09/03/20	HC	F&BI	15	42.21	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	HMW-17S-20	09/03/20	HC	F&BI	20	37.21	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.020 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-17S-25	09/03/20	HC	F&BI	25	32.21	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.012 J	0.0050 U	-	0.0050 U	0.0050 U
HMW-18S	HMW-18S-5	09/03/20	HC	F&BI	5	52.61	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	HMW-18S-10	09/03/20	HC	F&BI	10	47.61	V	0.025 U	0.025 U	-	-	0.0079	0.050 U	0.0050 U	0.018 J	0.0050 U	-	0.0077	0.011
	HMW-18S-15	09/03/20	HC	F&BI	15	42.61	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.016 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-18S-20	09/03/20	HC	F&BI	20	37.61	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	HMW-18S-25	09/03/20	HC	F&BI	25	32.61	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.026 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-18S-30	09/03/20	HC	F&BI	30	27.61	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.019 J	0.0050 U	-	0.0050 U	0.0050 U
HMW-19S	HMW-19S-5	09/08/20	HC	F&BI	5	53.2	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.025 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-19S-10	09/08/20	HC	F&BI	10	48.2	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.011 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-19S-15	09/08/20	HC	F&BI	15	43.2	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.017 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-19S-20	09/08/20	HC	F&BI	20	38.2	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.023 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-19S-26	09/08/20	HC	F&BI	26	32.2	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.011 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-19S-30	09/08/20	HC	F&BI	30	28.2	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.036	-	0.0099	0.0050 U
HMW-20S	HMW-20S-5	09/08/20	HC	F&BI	5	48.81	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
	HMW-20S-10	09/08/20	HC	F&BI	10	43.81	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0092 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-20S-15	09/08/20	HC	F&BI	15	38.81	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	HMW-20S-20	09/08/20	HC	F&BI	20	33.81	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.010 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-20S-25	09/08/20	HC	F&BI	25	28.81	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0096 J	0.0050 U	-	0.0050 U	0.0050 U
	HMW-20S-30	09/08/20	HC	F&BI	30	23.81	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MBB-1	MBB-1-5	02/27/20	HC	AAL	5	50.02	V	0.025 UJ	-	-	-	-	-	-	0.020 J	0.010 U	-	-	-
	MBB-1-10	02/27/20	HC	AAL	10	45.02	V	0.025 UJ	-	-	-	-	-	-	0.023 J	0.010 U	-	-	-
	MBB-1-15	02/27/20	HC	AAL	15	40.02	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-1-20	02/27/20	HC	AAL	20	35.02	V	0.25 UJ	-	-	-	-	-	-	0.50 UJ	0.024	-	-	-
	MBB-1-25	02/27/20	HC	AAL	25	30.02	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
MBB-2	MBB-2-5	02/27/20	HC	AAL	5	50.45	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-2-10	02/27/20	HC	AAL	10	45.45	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-2-15	02/27/20	HC	AAL	15	40.45	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-2-20	02/27/20	HC	AAL	20	35.45	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-2-20a	02/27/20	HC	AAL	20 (dup)	35.45	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-2-25	02/27/20	HC	AAL	25	30.45	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
MBB-3	MBB-3-5	02/27/20	HC	AAL	5	49.84	V	0.025 UJ	-	-	-	-	-	-	0.024 J	0.010 U	-	-	-
	MBB-3-10	02/27/20	HC	AAL	10	44.84	V	0.25 UJ	-	-	-	-	-	-	0.50 UJ	0.010 U	-	-	-
	MBB-3-15	02/27/20	HC	AAL	15	39.84	V	0.025 U	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-3-20	02/27/20	HC	AAL	20	34.84	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-3-25	02/27/20	HC	AAL	25	29.84	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.092	-	-	-
MBB-4	MBB-4-5	02/27/20	HC	AAL	5	49.61	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-4-10	02/27/20	HC	AAL	10	44.61	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.011	-	-	-
	MBB-4-10a	02/27/20	HC	AAL	10 (dup)	44.61	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-4-15	02/27/20	HC	AAL	15	39.61	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
	MBB-4-20	02/27/20	HC	AAL	20	34.61	V	0.25 UJ	-	-	-	-	-	-	0.50 UJ	0.74	-	-	-
	MBB-4-25	02/27/20	HC	AAL	25	29.61	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	0.010 U	-	-	-
MBB-5	MBB-5-5	03/02/20	HC	AAL	5	45.3	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-5-10	03/02/20	HC	AAL	10	40.3	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-5-15	03/02/20	HC	AAL	15	35.3	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-5-20	03/02/20	HC	AAL	20	30.3	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-5-25	03/02/20	HC	AAL	25	25.3	S	0.025 UJ	-	-	-	-	-	-	0.021 J	-	-	-	-
MBB-6	MBB-6-5	03/03/20	HC	AAL	5	45.33	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-6-10	03/03/20	HC	AAL	10	40.33	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-6-15	03/03/20	HC	AAL	15	35.33	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-6-20	03/03/20	HC	AAL	20	30.33	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-6-25	03/03/20	HC	AAL	25	25.33	S	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
MBB-7	MBB-7-5	02/25/20	HC	AAL	5	44.41	V	0.025 UJ	-	-	-	-	-	-	0.020 J	-	-	-	-
	MBB-7-10	02/25/20	HC	AAL	10	39.41	V	0.025 UJ	-	-	-	-	-	-	0.021 J	-	-	-	-
	MBB-7-15	02/25/20	HC	AAL	15	34.41	V	0.025 UJ	-	-	-	-	-	-	0.025 J	-	-	-	-
	MBB-7-20	02/25/20	HC	AAL	20	29.41	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-7-25	02/25/20	HC	AAL	25	24.41	S	0.025 UJ	-	-	-	-	-	-	0.036 J	-	-	-	-
MBB-8	MBB-8-5	02/26/20	HC	AAL	5	44.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-8-10	02/26/20	HC	AAL	10	39.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-8-15	02/26/20	HC	AAL	15	34.66	V	0.025 U	-	-	-	-	-	-	0.030 J	-	-	-	-
	MBB-8-15 dup	02/26/20	HC	AAL	15 (dup)	34.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-8-20	02/26/20	HC	AAL	20	29.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-8-25	02/26/20	HC	AAL	25	24.66	S	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MBB-9	MBB-9-5	02/26/20	HC	AAL	5	42.55	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-9-10	02/26/20	HC	AAL	10	37.55	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-9-15	02/26/20	HC	AAL	15	32.55	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-9-20	02/26/20	HC	AAL	20	27.55	V	0.025 UJ	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-9-25	02/26/20	HC	AAL	25	22.55	S	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
MBB-10	MBB-10-5	02/26/20	HC	AAL	5	44.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-10-10	02/26/20	HC	AAL	10	39.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-10-15	02/26/20	HC	AAL	15	34.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-10-20	02/26/20	HC	AAL	20	29.66	V	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
	MBB-10-25	02/26/20	HC	AAL	25	24.66	S	0.025 U	-	-	-	-	-	-	0.020 UJ	-	-	-	-
MBB-14	MBB-14-5	03/03/20	HC	AAL	5	42.15	V	-	-	-	-	-	-	-	-	0.050 U	-	-	-
	MBB-14-10	03/03/20	HC	AAL	10	37.15	V	-	-	-	-	-	-	-	-	0.028	-	-	-
	MBB-14-15	03/03/20	HC	AAL	15	32.15	V	-	-	-	-	-	-	-	-	0.010 U	-	-	-
	MBB-14-20	03/03/20	HC	AAL	20	27.15	V	-	-	-	-	-	-	-	-	0.010 U	-	-	-
	MBB-14-25	03/03/20	HC	AAL	25	22.15	V	-	-	-	-	-	-	-	-	0.010 U	-	-	-
MBB-15	MBB-15-5	03/04/20	HC	AAL	5	32.73	V	-	-	-	-	-	-	-	-	0.010 U	-	-	-
	MBB-15-10	03/04/20	HC	AAL	10	27.73	V	-	-	-	-	-	-	-	-	0.010 U	-	-	-
	MBB-15-15	03/04/20	HC	AAL	15	22.73	V	-	-	-	-	-	-	-	-	0.010 U	-	-	-
	MBB-15-20	03/04/20	HC	AAL	20	17.73	S	-	-	-	-	-	-	-	-	0.010 U	-	-	-
	MBB-15-25	03/04/20	HC	AAL	25	12.73	S	-	-	-	-	-	-	-	-	0.010 U	-	-	-
MBB-16	MBB16-5	09/02/20	HC	F&BI	5	48.7	V	0.025 U	0.25 U	-	-	0.55	0.050 U	0.0050 U	0.043	1.9	-	1.2	0.42
	MBB16-10	09/02/20	HC	F&BI	10	43.7	V	0.025 U	0.25 U	-	-	0.075	0.050 U	0.0050 U	0.032	0.22	-	0.17	0.0050 U
	MBB16-15	09/02/20	HC	F&BI	15	38.7	V	0.025 U	0.025 U	-	-	0.0062	0.050 U	0.0050 U	0.039	0.024	-	0.010	0.0050 U
	MBB16-20	09/02/20	HC	F&BI	20	33.7	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.049	0.0057	-	0.0050 U	0.0050 U
MBB-17	MBB17-5	09/01/20	HC	F&BI	5	49.88	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
	MBB17-10	09/01/20	HC	F&BI	10	44.88	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
	MBB17-15	09/01/20	HC	F&BI	15	39.88	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
	MBB17-25	09/01/20	HC	F&BI	25	29.88	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
MBB-18	MBB18-5	09/01/20	HC	F&BI	5	46.33	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0062	-	0.0050 U	0.0050 U
	MBB18-10	09/01/20	HC	F&BI	10	41.33	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.12 J	0.0050 U	-	0.0050 U	0.0050 U
	MBB18-15	09/01/20	HC	F&BI	15	36.33	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
	MBB18-20	09/01/20	HC	F&BI	20	31.33	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
MBB-19	MBB19-5	09/01/20	HC	F&BI	5	46.68	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
	MBB19-10	09/01/20	HC	F&BI	10	41.68	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
	MBB19-15	09/01/20	HC	F&BI	15	36.68	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.022 J	0.0050 U	-	0.0050 U	0.0050 U
	MBB19-20	09/01/20	HC	F&BI	20	31.68	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.022 J	0.0050 U	-	0.0050 U	0.0050 U
MBB-20	MBB20-5	09/02/20	HC	F&BI	5	42.53	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.067	0.0050 U	-	0.0050 U	0.0050 U
	MBB20-10	09/02/20	HC	F&BI	10	37.53	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.12	0.0050 U	-	0.0050 U	0.0050 U
	MBB20-15	09/02/20	HC	F&BI	15	32.53	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.096	0.0050 U	-	0.0050 U	0.0050 U
	MBB20-20	09/02/20	HC	F&BI	20	27.53	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MBB-21	MBB21-5	09/02/20	HC	F&BI	5	42.6	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.057	0.0050 U	-	0.0050 U	0.0050 U
	MBB21-10	09/02/20	HC	F&BI	10	37.6	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.084	0.0050 U	-	0.0050 U	0.0050 U
	MBB21-15	09/02/20	HC	F&BI	15	32.6	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.080	0.0050 U	-	0.0050 U	0.0050 U
	MBB21-20	09/02/20	HC	F&BI	20	27.6	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.062	0.0050 U	-	0.0050 U	0.0050 U
MBB-22	MBB-22-5	09/21/20	HC	F&BI	5	37.05	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MBB-22-15	09/21/20	HC	F&BI	15	27.05	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MBB-22-20	09/21/20	HC	F&BI	20	22.05	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MBB-22-25	09/21/20	HC	F&BI	25	17.05	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.067 J	0.0050 U	-	0.0050 U	0.0050 U
	MBB-22-30	09/21/20	HC	F&BI	30	12.05	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
MBB-23	MBB-23-5	09/21/20	HC	F&BI	5	42.18	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0096 J	0.0050 U	-	0.0050 U	0.0050 U
	MBB-23-10	09/21/20	HC	F&BI	10	37.18	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.013 J	0.019	-	0.0050 U	0.0050 U
	MBB-23-15	09/21/20	HC	F&BI	15	32.18	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MBB-23-20	09/21/20	HC	F&BI	20	27.18	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.029 J	0.0050 U	-	0.0050 U	0.0050 U
	MBB-23-25	09/21/20	HC	F&BI	25	22.18	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MBB-23-30	09/21/20	HC	F&BI	30	17.18	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.078 J	0.0050 U	-	0.0050 U	0.0050 U
MBB-24	MMB24-5	09/09/20	HC	F&BI	5	49.1	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.030 J	0.0050 U	-	0.0050 U	0.0050 U
	MMB24-10	09/09/20	HC	F&BI	10	44.1	V	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.011 J	0.0050 U	-	0.0050 U	0.0050 U
	MMB24-15	09/09/20	HC	F&BI	15	39.1	V	0.025 U	0.025 UJ	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MMB24-20	09/09/20	HC	F&BI	20	34.1	V	0.025 U	0.025 UJ	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MMB24-25	09/09/20	HC	F&BI	25	29.1	S	0.025 U	0.025 UJ	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 UJ	0.0050 U	-	0.0050 U	0.0050 U
	MMB24-30	09/09/20	HC	F&BI	30	24.1	S	0.025 U	0.025 U	-	-	0.0050 U	0.050 U	0.0050 U	0.0078 U	0.0050 U	-	0.0050 U	0.0050 U
MBGW-1	MBGW1-5	03/06/19	HC	AAL	5	34.95	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-12.5	03/06/19	HC	AAL	12.5	27.45	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-17.5	03/06/19	HC	AAL	17.5	22.45	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-25	03/06/19	HC	AAL	25	14.95	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	1.0 U	0.050 U	0.050 U	0.050 U
	MBGW1-30	03/06/19	HC	AAL	30	9.95	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-2	MBGW2-5	03/04/19	HC	AAL	5	41.11	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW2-10	03/04/19	HC	AAL	10	36.11	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-12.5	03/04/19	HC	AAL	12.5	33.61	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-25	03/04/19	HC	AAL	25	21.11	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	1.0 U	0.050 U	0.050 U	0.050 U
	MBGW2-30	03/04/19	HC	AAL	30	16.11	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	1.0 U	0.050 U	0.050 U	0.050 U
MBGW-3	MBGW3-5	03/07/19	HC	AAL	5	42.77	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW3-7.5	03/07/19	HC	AAL	7.5	40.27	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-10	03/07/19	HC	AAL	10	37.77	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-12.5	03/07/19	HC	AAL	12.5	35.27	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	-	0.050 U	0.050 U	0.050 U
	MBGW3-25	03/07/19	HC	AAL	25	22.77	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-26	03/07/19	HC	AAL	26	21.77	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	1.0 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MBGW-4	MBGW4-5	03/06/19	HC	AAL	5	42.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW4-7.5	03/06/19	HC	AAL	7.5	39.8	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-10	03/06/19	HC	AAL	10	37.3	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-12.5	03/06/19	HC	AAL	12.5	34.8	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-5	MBGW4-25	03/06/19	HC	AAL	25	22.3	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-10	03/11/19	HC	AAL	10	39.87	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-15	03/11/19	HC	AAL	15	34.87	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-20	03/11/19	HC	AAL	20	29.87	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-6	MBGW5-27.5	03/11/19	HC	AAL	27.5	22.37	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-45	03/11/19	HC	AAL	45	4.87	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-10	03/14/19	HC	AAL	10	42.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-15	03/14/19	HC	AAL	15	37.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-7	MBGW6-20	03/14/19	HC	AAL	20	32.5	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-30	03/14/19	HC	AAL	30	22.5	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW7-30	03/06/19	HC	AAL	30	23.76	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-10	03/15/19	HC	AAL	10	37.08	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-8	MBGW8-15	03/15/19	HC	AAL	15	32.08	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-25	03/15/19	HC	AAL	25	22.08	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-35	03/15/19	HC	AAL	35	12.08	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-10	03/13/19	HC	AAL	10	46.84	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-9	MBGW9-15	03/13/19	HC	AAL	15	41.84	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-20	03/13/19	HC	AAL	20	36.84	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-25	03/13/19	HC	AAL	25	31.84	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-30	03/13/19	HC	AAL	30	26.84	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-10	MBGW10-10	03/13/19	HC	AAL	10	45.25	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-15	03/13/19	HC	AAL	15	40.25	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-20	03/13/19	HC	AAL	20	35.25	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-25	03/13/19	HC	AAL	25	30.25	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-11	MBGW10-30	03/13/19	HC	AAL	30	25.25	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-5	03/12/19	HC	AAL	5	52.55	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-10	03/12/19	HC	AAL	10	47.55	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-5	03/15/19	HC	AAL	5	49.00	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-12	MBGW12-20	03/15/19	HC	AAL	20	34.00	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-25	03/15/19	HC	AAL	25	29.00	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-30	03/15/19	HC	AAL	30	24.00	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MBGW-13	MBGW13-5	03/14/19	HC	AAL	5	49.72	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-7.5	03/14/19	HC	AAL	7.5	47.22	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.055 J	0.10 J	0.050 U
	MBGW13-10	03/14/19	HC	AAL	10	44.72	V	0.050 U	-	-	-	0.97	-	0.10 U	0.020 U	0.050 U	2.2	3.0	0.050 U
	MBGW13-12.5	03/14/19	HC	AAL	12.5	42.22	V	0.050 U	-	-	-	0.085 J	-	0.10 U	0.020 U	0.050 U	0.23 J	0.25 J	0.050 U
	MBGW13-15	03/14/19	HC	AAL	15	39.72	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-14	MBGW13-20	03/14/19	HC	AAL	20	34.72	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-10	03/06/19	HC	AAL	10	36.09	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-15	03/06/19	HC	AAL	15	31.09	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-20	03/06/19	HC	AAL	20	26.09	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-30	03/06/19	HC	AAL	30	16.09	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-16	MBGW16-10	03/08/19	HC	AAL	10	42.14	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-15	03/08/19	HC	AAL	15	37.14	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-30	03/08/19	HC	AAL	30	22.14	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-1	MBPP1-20	03/05/19	HC	AAL	20	25.28	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP1-25	03/05/19	HC	AAL	25	20.28	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-2	MBPP2-10	03/05/19	HC	AAL	10	34.46	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-20	03/05/19	HC	AAL	20	24.46	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-27.5	03/05/19	HC	AAL	27.5	16.96	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-3	MBPP3-10	03/06/19	HC	AAL	10	35.89	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-20	03/06/19	HC	AAL	20	25.89	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-25	03/06/19	HC	AAL	25	20.89	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-4	MBPP4-2.5	03/07/19	HC	AAL	2.5	45.84	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-10	03/07/19	HC	AAL	10	38.34	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-15	03/07/19	HC	AAL	15	33.34	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-17	03/07/19	HC	AAL	17	31.34	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-18	03/07/19	HC	AAL	18	30.34	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-5	MBPP5-10	03/07/19	HC	AAL	10	35.92	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-15	03/07/19	HC	AAL	15	30.92	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-17.5	03/07/19	HC	AAL	17.5	28.42	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-20	03/07/19	HC	AAL	20	25.92	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-25	03/07/19	HC	AAL	25	20.92	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-6	MBPP6-7.5	03/08/19	HC	AAL	7.5	44.76	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-10	03/08/19	HC	AAL	10	42.26	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-12.5	03/08/19	HC	AAL	12.5	39.76	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-15	03/08/19	HC	AAL	15	37.26	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3
MBPP-6 (continued)	MBPP6-17.5	03/08/19	HC	AAL	17.5	34.76	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-20	03/08/19	HC	AAL	20	32.26	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-25	03/08/19	HC	AAL	25	27.26	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-30	03/08/19	HC	AAL	30	22.26	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-7	MBPP7-5	03/08/19	HC	AAL	5	44.77	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-15	03/08/19	HC	AAL	15	34.77	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-23	03/08/19	HC	AAL	23	26.77	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-8	MBPP8-10	03/08/19	HC	AAL	10	47.52	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-15	03/08/19	HC	AAL	15	42.52	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-22.5	03/08/19	HC	AAL	22.5	35.02	V	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-30	03/08/19	HC	AAL	30	27.52	S	0.050 U	-	-	-	0.050 U	-	0.10 U	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MW-345	MW-345-41	05/20/21	PES	PACE	41	11.85	S	0.00740 U	0.00279 U	0.00286 U	0.000506 U	0.000524 U	0.00281 U	0.000432 U	0.00819 U	0.00602 U	0.00647 U	0.00117 U	0.00355 U
	MW-345-47	05/20/21	PES	PACE	47	5.85	S	0.00705 U	0.00549 J	0.00273 U	0.000482 U	0.000499 U	0.00268 U	0.000411 U	0.00780 U	0.00573 U	0.00617 U	0.00112 U	0.00338 U
	MW-2023-47	05/20/21	PES	PACE	47 (dup)	5.85	S	0.00868 U	0.00327 U	0.00336 U	0.000593 U	0.000615 U	0.00330 U	0.000507 U	0.00960 U	0.00706 U	0.00760 U	0.00138 U	0.00417 U
	MW-345-53	05/20/21	PES	PACE	53	-0.15	S	0.00702 U	0.00264 U	0.00271 U	0.000480 U	0.000497 U	0.00267 U	0.000409 U	0.00777 U	0.00571 U	0.00614 U	0.00111 U	0.00337 U
	MW-345-58	05/20/21	PES	PACE	58	-5.15	S	0.00879 U	0.0100	0.00340 U	0.000601 U	0.000623 U	0.00334 U	0.000513 U	0.00972 U	0.00715 U	0.00769 U	0.00140 U	0.00422 U
	MW-345-63	05/20/21	PES	PACE	63	-10.15	S	0.00805 U	0.00303 U	0.00311 U	0.000550 U	0.000570 U	0.00306 U	0.000470 U	0.00891 U	0.00655 U	0.00704 U	0.00127 U	0.00386 U
MW-346	MW-346-41.5	05/19/21	PES	PACE	41.5	10.28	S	0.00728 U	0.00274 U	0.00282 U	0.000498 U	0.000516 U	0.00277 U	0.000425 U	0.00806 U	0.00592 U	0.00637 U	0.00115 U	0.00350 U
	MW-346-47	05/19/21	PES	PACE	47	4.78	S	0.00703 U	0.00486 J	0.00272 U	0.000480 U	0.000498 U	0.00267 U	0.000410 U	0.00778 U	0.00572 U	0.00615 U	0.00111 U	0.00337 U
	MW-346-52	05/19/21	PES	PACE	52	-0.22	S	0.00701 U	0.00447 J	0.00271 U	0.000479 U	0.000496 U	0.00266 U	0.000409 U	0.00775 U	0.00570 U	0.00613 U	0.00111 U	0.00336 U
	MW-346-54.5	05/19/21	PES	PACE	54.5	-2.72	S	0.0291 U	0.0244	0.0113 U	0.00199 U	0.00206 U	0.0111 U	0.00170 U	0.0323 U	0.0236 U	0.0255 U	0.00461 U	0.0139 U
	MW-346-57.5	05/19/21	PES	PACE	57.5	-5.72	S	0.00701 U	0.00264 U	0.00271 U	0.000479 U	0.000497 U	0.00266 U	0.000409 U	0.00776 U	0.00570 U	0.00614 U	0.00111 U	0.00337 U
	MW-346-62	05/19/21	PES	PACE	62	-10.22	S	0.00767 U	0.00289 U	0.00297 U	0.000524 U	0.000543 U	0.00291 U	0.000447 U	0.00849 U	0.00624 U	0.00671 U	0.00121 U	0.00368 U
MW-347	MW-347-44.5	05/19/21	PES	PACE	44.5	8.29	S	0.00843 U	0.00317 U	0.00326 U	0.000576 U	0.000597 U	0.00320 U	0.000492 U	0.00933 U	0.00685 U	0.00737 U	0.00133 U	0.00404 U
	MW-2022-44.5	05/19/21	PES	PACE	44.5 (dup)	8.29	S	0.00783 U	0.00295 U	0.00303 U	0.000535 U	0.000555 U	0.00298 U	0.000457 U	0.00867 U	0.00637 U	0.00685 U	0.00124 U	0.00376 U
	MW-347-48	05/19/21	PES	PACE	48	4.79	S	0.00701 U	0.00264 U	0.00271 U	0.000479 U	0.000497 U	0.00266 U	0.000409 U	0.00776 U	0.00570 U	0.00613 U	0.00111 U	0.00337 U
	MW-347-54.5	05/19/21	PES	PACE	54.5	-1.71	S	0.00723 U	0.00272 U	0.00280 U	0.000494 U	0.000512 U	0.00275 U	0.000422 U	0.00800 U	0.00588 U	0.00633 U	0.00114 U	0.00347 U
	MW-347-58	05/19/21	PES	PACE	58	-5.21	S	0.00714 U	0.0112	0.00276 U	0.000488 U	0.000506 U	0.00271 U	0.000417 U	0.00790 U	0.00581 U	0.00625 U	0.00113 U	0.00343 U
	MW-347-65	05/19/21	PES	PACE	65	-12.21	S	0.00763 U	0.00287 U	0.00295 U	0.000521 U	0.000540 U	0.00290 U	0.000445 U	0.00844 U	0.00620 U	0.00667 U	0.00121 U	0.00366 U
MW-348	MW-348-41	05/18/21	PES	PACE	41	12.96	S	0.00771 U	0.00290 U	0.00298 U	0.000527 U	0.000546 U	0.00293 U	0.000450 U	0.00853 U	0.00627 U	0.00675 U	0.00122 U	0.00370 U
	MW-348-49	05/18/21	PES	PACE	49	4.96	S	0.00772 U	0.00291 U	0.00299 U	0.000528 U	0.000547 U	0.00293 U	0.000450 U	0.00854 U	0.00628 U	0.00676 U	0.00122 U	0.00371 U
	MW-348-54.5	05/18/21	PES	PACE	54.5	-0.54	S	0.00694 U	0.00262 U	0.00268 U	0.000474 U	0.000492 U	0.00264 U	0.000405 U	0.00768 U	0.00565 U	0.00608 U	0.00110 U	0.00333 U
	MW-348-60	05/18/21	PES	PACE	60	-6.04	S	0.00691 U	0.00260 U	0.00267 U	0.000472 U	0.000490 U	0.00263 U	0.000403 U	0.00765 U	0.00562 U	0.00605 U	0.00109 U	0.00332 U
	MW-348-65	05/18/21	PES	PACE	65	-11.04	S	0.00750 U	0.00282 U	0.00290 U	0.000512 U	0.000531 U	0.00285 U	0.000437 U	0.00830 U	0.00610 U	0.00656 U	0.00119 U	0.00360 U
	MW-348-69	05/18/21	PES	PACE	69	-15.04	S	0.00734 U	0.00276 U	0.00284 U	0.000501 U	0.000520 U	0.00279 U	0.000428 U	0.00812 U	0.00597 U	0.00642 U	0.00116 U	0.00352 U
MW-349	MW-349-49	05/17/21	PES	PACE	49	6.84	S	0.00768 U	0.00289 U	0.00297 U	0.000525 U	0.000544 U	0.00292 U	0.000448 U	0.00850 U	0.00625 U	0.00672 U	0.00122 U	0.00369 U
	MW-349-51	05/17/21	PES	PACE	51	4.84	S	0.00716 U	0.00270 U	0.00277 U	0.000489 U	0.000507 U	0.00272 U	0.000418 U	0.00792 U	0.00582 U	0.00626 U	0.00113 U	0.00344 U
	MW-349-56	05/17/21	PES	PACE	56	-0.16	S	0.00714 U	0.00269 U	0.00276 U	0.000488 U	0.000506 U	0.00271 U	0.000417 U	0.00791 U	0.00581 U	0.00625 U	0.00113 U	0.00343 U
	MW-349-61	05/17/21	PES	PACE	61	-5.16	S	0.00731 U	0.00275 U	0.00283 U	0.000500 U	0.000518 U	0.00278 U	0.000426 U	0.00809 U	0.00595 U	0.00640 U	0.00116 U	0.00351 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Hexachlorobutadiene	Hexane (n-Hexane)	Iodomethane (Methyl Iodide)	Isopropyl ether (di-Isopropyl ether)	Isopropylbenzene (Cumene)	Methyl isobutyl ketone (4-Methyl-2-pentanone/ MIBK)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	Sec-Butylbenzene	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								0.6	72	-	-	15	2.7	0.1	0.040	4.5	14	16	25	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.03	1.8	-	-	0.79	0.19	0.0072	0.040	0.24	0.71	0.88	1.3	
MW-349 (continued)	MW-349-66	05/17/21	PES	PACE	66	-10.16	S	0.00731 U	0.00275 U	0.00283 U	0.000500 U	0.000518 U	0.00278 U	0.000427 U	0.00809 U	0.00595 U	0.00640 U	0.00116 U	0.00351 U	
	MW-349-68	05/17/21	PES	PACE	68	-12.16	S	0.00753 U	0.00284 U	0.00291 U	0.000514 U	0.000533 U	0.00286 U	0.000439 U	0.00833 U	0.00612 U	0.00659 U	0.00119 U	0.00361 U	
MW-350	MW-350-41	05/21/21	PES	PACE	41	16.77	S	0.00774 U	2.77	0.00299 U	0.000529 U	0.199	0.00294 U	0.000452 U	0.00857 U	0.408	0.185	0.346	0.0648	
	MW-350-53	05/21/21	PES	PACE	53	4.77	S	0.00708 U	0.0162	0.00274 U	0.000484 U	0.00104 J	0.00269 U	0.000413 U	0.00784 U	0.0229	0.00620 U	0.00392 J	0.00340 U	
	MW-350-58	05/21/21	PES	PACE	58	-0.23	S	0.00702 U	0.00265 U	0.00272 U	0.000480 U	0.000498 U	0.00267 U	0.000410 U	0.00777 U	0.00571 U	0.00615 U	0.00111 U	0.00337 U	
	MW-350-64.5	05/21/21	PES	PACE	64.5	-6.73	S	0.00737 U	0.00278 U	0.00285 U	0.000504 U	0.000522 U	0.00280 U	0.000430 U	0.00816 U	0.00599 U	0.00645 U	0.00117 U	0.00354 U	
	MW-350-69	05/21/21	PES	PACE	69	-11.23	S	0.00761 U	0.0214	0.00294 U	0.000520 U	0.00155 J	0.00289 U	0.000444 U	0.00842 U	0.00883 J	0.00666 U	0.00487 J	0.00365 U	
All Data								Number of Analytes Measured	397	97	33	33	256	97	256	397	321	192	256	256
								Number of Analytes Detected	0	9	0	0	11	0	0	59	16	7	14	6
								Frequency of Detection	0.0%	9.3%	0.0%	0.0%	4.3%	0.0%	0.0%	14.9%	5.0%	3.6%	5.5%	2.3%
								Maximum Detection	-	2.77	-	-	1.5	-	-	0.21 J	1.9	2.2	3.2	1.9
								Minimum Detection	0.00691 U	0.0026 U	0.00267 U	0.00047 U	0.00049 U	0.00263 U	0.0004 U	0.00765 U	0.005 U	0.00605 U	0.00109 U	0.00332 U
								Number Of Vadose (V) Detections above SL	0	0	-	-	0	0	11	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	1	-	-	1	0	2	1	1	1	1	
2017-2021								Number of Analytes Measured	397	97	33	33	256	97	256	397	321	192	256	256
								Number of Analytes Detected	0	9	0	0	11	0	0	59	16	7	14	6
								Frequency of Detection	0.0%	9.3%	0.0%	0.0%	4.3%	0.0%	0.0%	14.9%	5.0%	3.6%	5.5%	2.3%
								Maximum Detection	-	2.77	-	-	1.5	-	-	0.21 J	1.9	2.2	3.2	1.9
								Minimum Detection	0.00691 U	0.0026 U	0.00267 U	0.00047 U	0.00049 U	0.00263 U	0.0004 U	0.00765 U	0.005 U	0.00605 U	0.00109 U	0.00332 U
								Number Of Vadose (V) Detections above SL	0	0	-	-	0	0	11	0	0	0	0	0
								Number of Saturated (S) Detections above SL	0	1	-	-	1	0	2	1	1	1		
Notes and Abbreviations: Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-Gx and NWTPH-Dx. VOCs analyzed by EPA Method 8260 C/D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. - = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington bgs = below ground surface dup = duplicate F&BI = Friedman & Bruya, Inc. HC = Hart Crowser, Inc. Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																				

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
615 Dexter Avenue																			
DGW-1	DGW1-10	03/06/19	HC	AAL	10	37	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-12.5	03/06/19	HC	AAL	12.5	34.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-15	03/06/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-25	03/06/19	HC	AAL	25	22	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW1-30	03/06/19	HC	AAL	30	17	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-2	DGW2-5	03/04/19	HC	AAL	5	54	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-25	03/04/19	HC	AAL	25	34	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW2-30	03/04/19	HC	AAL	30	29	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-3	DGW3-2.5	03/06/19	HC	AAL	2.5	44.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-12.5	03/06/19	HC	AAL	12.5	34.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-15	03/06/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-20	03/06/19	HC	AAL	20	27	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW3-25	03/06/19	HC	AAL	25	22	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DGW-4	DGW4-5	03/04/19	HC	AAL	5	60	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-10	03/04/19	HC	AAL	10	55	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-15	03/04/19	HC	AAL	15	50	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-20	03/04/19	HC	AAL	20	45	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-35	03/04/19	HC	AAL	35	30	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DGW4-50	03/04/19	HC	AAL	50	15	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-1S	DMW1S-5	03/05/19	HC	AAL	5	42	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DMW1S-10	03/05/19	HC	AAL	10	37	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.071
	DMW1S-12.5	03/05/19	HC	AAL	12.5	34.5	S	0.050 U	0.105	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	4.4
	DMW1S-15	03/05/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.20
	DMW1S-20	03/05/19	HC	AAL	20	27	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DMW-2S	DMW-2S-05	03/02/20	HC	AAL	5	51.03	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-2S-10	03/02/20	HC	AAL	10	46.03	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-2S-15	03/02/20	HC	AAL	15	41.03	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-2S-20	03/02/20	HC	AAL	20	36.03	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-2S-25	03/02/20	HC	AAL	25	31.03	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
DMW-3IA	DMW-3IA-5	02/27/20	HC	AAL	5	51.09	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-3IA-10	02/27/20	HC	AAL	10	46.09	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-3IA-15	02/27/20	HC	AAL	15	41.09	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-3IA-20	02/27/20	HC	AAL	20	36.09	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-3IA-25	02/27/20	HC	AAL	25	31.09	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
DMW-4S	DMW-4S-5	02/26/20	HC	AAL	5	56.76	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	DMW-4S-10	02/26/20	HC	AAL	10	51.76	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	DMW-4S-15	02/26/20	HC	AAL	15	46.76	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	DMW-4S-20	02/26/20	HC	AAL	20	41.76	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	DMW-4S-25	02/26/20	HC	AAL	25	36.76	S	-	-	0.025 U	0.046	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.25
	DMW-4S-30	02/26/20	HC	AAL	30	31.76	S	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
DMW-5IA	DMW-5IA-5	02/28/20	HC	AAL	5	64.48	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-5IA-10	02/28/20	HC	AAL	10	59.48	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-5IA-15	02/28/20	HC	AAL	15	54.48	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-5IA-20	02/28/20	HC	AAL	20	49.48	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	DMW-5IA-25	02/28/20	HC	AAL	25	44.48	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
DPP-1	DPP1-5	03/04/19	HC	AAL	5	54.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-7.5	03/05/19	HC	AAL	7.5	52	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-10	03/04/19	HC	AAL	10	49.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP1-20	03/04/19	HC	AAL	20	39.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-2	DPP2-5	03/04/19	HC	AAL	5	54	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP2-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-3	DPP3-5	03/05/19	HC	AAL	5	42	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-15	03/05/19	HC	AAL	15	32	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP3-30	03/05/19	HC	AAL	30	17	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-4	DPP4-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-12.5	03/04/19	HC	AAL	12.5	46.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-17.5	03/04/19	HC	AAL	17.5	41.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP4-20	03/04/19	HC	AAL	20	39	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-5	DPP5-10	03/04/19	HC	AAL	10	49	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-17.5	03/04/19	HC	AAL	17.5	41.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP5-20	03/04/19	HC	AAL	20	39	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
DPP-6	DPP6-5	03/05/19	HC	AAL	5	42	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-7.5	03/05/19	HC	AAL	7.5	39.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-12.5	03/05/19	HC	AAL	12.5	34.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	DPP6-17.5	03/05/19	HC	AAL	17.5	29.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
Seattle DOT Mercer Parcels																			
HMW-1IB	HMW1IB-7.5	03/12/19	HC	AAL	7.5	30.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	-	0.050 U	0.050 U
	HMW1IB-15	03/12/19	HC	AAL	15	23	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	-	0.050 U	0.050 U
	HMW1IB-20.5	03/12/19	HC	AAL	20.5	18	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	-	0.050 U	0.050 U
	HMW1IB-27.5	03/12/19	HC	AAL	27.5	10.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	-	0.050 U	0.050 U
	HMW1IB-50	03/12/19	HC	AAL	50	-12	S	0.050 U	0.050 U	0.12 J	0.050 U	0.050 U	0.050 U	-	0.024 J	0.050 U	-	0.050 U	0.050 U
	HMW1IB-65	03/12/19	HC	AAL	65	-27	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	-	0.050 U	0.050 U
HMW-2IB	HMW2IB-7.5	03/12/19	HC	AAL	7.5	39.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-15	03/12/19	HC	AAL	15	32	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-22.5	03/12/19	HC	AAL	22.5	24.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-30	03/12/19	HC	AAL	30	17	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-45	03/12/19	HC	AAL	45	2	S	0.050 U	0.050 U	0.12 J	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW2IB-65	03/12/19	HC	AAL	65	-18	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-3IA	HMW3IA-15	03/15/19	HC	AAL	15	40.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-20	03/15/19	HC	AAL	20	35.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-22.5	03/15/19	HC	AAL	22.5	33	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW3IA-25	03/15/19	HC	AAL	25	30.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-4IA	HMW4IA-5	03/07/19	HC	AAL	5	51	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-7.5	03/07/19	HC	AAL	7.5	48.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-10	03/07/19	HC	AAL	10	46	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	HMW4IA-25	03/07/19	HC	AAL	25	31	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
HMW-5IB	HMW5IB-5	02/28/20	HC	AAL	5	53.44	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW5IB-10	02/28/20	HC	AAL	10	48.44	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW5IB-15	02/28/20	HC	AAL	15	43.44	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW5IB-20	02/28/20	HC	AAL	20	38.44	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW5IB-25	02/28/20	HC	AAL	25	33.44	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-6D	HMW-6D-5	03/02/20	HC	AAL	5	53.58	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6D-10	03/02/20	HC	AAL	10	48.58	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6D-15	03/02/20	HC	AAL	15	43.58	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6D-25	03/02/20	HC	AAL	25	33.58	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6D-30	03/02/20	HC	AAL	30	28.58	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6D-30-Dup	03/02/20	HC	AAL	30 (dup)	28.58	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-6IA	HMW-6IA-5	03/02/20	HC	AAL	5	53.65	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IA-10	03/02/20	HC	AAL	10	48.65	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IA-15	03/02/20	HC	AAL	15	43.65	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IA-20	03/02/20	HC	AAL	20	38.65	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IA-30	03/02/20	HC	AAL	30	28.65	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-6IB	HMW-6IB-5	03/03/20	HC	AAL	5	53.67	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IB-10	03/03/20	HC	AAL	10	48.67	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IB-10a	03/03/20	HC	AAL	10 (dup)	48.67	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IB-15	03/03/20	HC	AAL	15	43.67	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IB-20	03/03/20	HC	AAL	20	38.67	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-6IB-25	03/03/20	HC	AAL	25	33.67	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
HMW-7IB	HMW7IB-5	02/28/20	HC	AAL	5	53.69	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW7IB-10	02/28/20	HC	AAL	10	48.69	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW7IB-15	02/28/20	HC	AAL	15	43.69	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW7IB-20	02/28/20	HC	AAL	20	38.69	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW7IB-25	02/28/20	HC	AAL	25	33.69	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW7IB-25a	02/28/20	HC	AAL	25 (dup)	33.69	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-8IB	HMW-8IB-5	03/02/20	HC	AAL	5	52.97	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-8IB-10	03/02/20	HC	AAL	10	47.97	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-8IB-15	03/02/20	HC	AAL	15	42.97	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-8IB-20	03/02/20	HC	AAL	20	37.97	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-8IB-25	03/02/20	HC	AAL	25	32.97	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-8IB-25a	03/02/20	HC	AAL	25 (dup)	32.97	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-9D	HMW-9D-5	02/27/20	HC	AAL	5	50.32	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9D-10	02/27/20	HC	AAL	10	45.32	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9D-15	02/27/20	HC	AAL	15	40.32	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9D-20	02/27/20	HC	AAL	20	35.32	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9D-25	02/27/20	HC	AAL	25	30.32	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-9IA	HMW9IA-5	02/28/20	HC	AAL	5	50.26	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IA-10	02/28/20	HC	AAL	10	45.26	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IA-15	02/28/20	HC	AAL	15	40.26	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IA-20	02/28/20	HC	AAL	20	35.26	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IA-25	02/28/20	HC	AAL	25	30.26	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-9IB	HMW9IB-5	02/28/20	HC	AAL	5	50.36	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IB-13	02/28/20	HC	AAL	13	42.36	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IB-15	02/28/20	HC	AAL	15	40.36	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IB-20	02/28/20	HC	AAL	20	35.36	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW9IB-25	02/28/20	HC	AAL	25	30.36	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-9S	HMW-9S-5	03/02/20	HC	AAL	5	50.39	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9S-14	03/02/20	HC	AAL	14	41.39	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9S-17	03/02/20	HC	AAL	17	38.39	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9S-20	03/02/20	HC	AAL	20	35.39	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	HMW-9S-25	03/02/20	HC	AAL	25	30.39	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
HMW-10D	HMW-10D-5	03/05/20	HC	F&BI	5	43.16	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10D-10	03/05/20	HC	F&BI	10	38.16	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10D-15	03/05/20	HC	F&BI	15	33.16	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10D-15a	03/05/20	HC	F&BI	15 (dup)	33.16	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10D-20	03/05/20	HC	F&BI	20	28.16	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10D-25	03/05/20	HC	F&BI	25	23.16	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
HMW-10S	HMW10S-5	03/03/20	HC	F&BI	5	43.21	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10S-10	03/03/20	HC	F&BI	10	38.21	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10S-10a	03/03/20	HC	F&BI	10 (dup)	38.21	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10S-15	03/03/20	HC	F&BI	15	33.21	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10S-20	03/03/20	HC	F&BI	20	28.21	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-10S-25	03/03/20	HC	F&BI	25	23.21	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
HMW-11IB	HMW-11IB-5	02/24/20	HC	F&BI	5	34.7	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11IB-10	02/24/20	HC	F&BI	10	29.7	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11IB-15	02/24/20	HC	F&BI	15	24.7	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11IB-20	02/24/20	HC	F&BI	20	19.7	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11IB-25	02/24/20	HC	F&BI	25	14.7	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
HMW-11S	HMW-11S-5	02/25/20	HC	F&BI	5	36.47	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11S-10	02/25/20	HC	F&BI	10	31.47	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11S-15	02/25/20	HC	F&BI	15	26.47	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11S-20	02/25/20	HC	F&BI	20	21.47	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-11S-30	02/25/20	HC	F&BI	30	11.47	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
HMW-17S	HMW-17S-5	09/03/20	HC	F&BI	5	52.21	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-17S-10	09/03/20	HC	F&BI	10	47.21	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-17S-15	09/03/20	HC	F&BI	15	42.21	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-17S-20	09/03/20	HC	F&BI	20	37.21	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-17S-25	09/03/20	HC	F&BI	25	32.21	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
HMW-18S	HMW-18S-5	09/03/20	HC	F&BI	5	52.61	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-18S-10	09/03/20	HC	F&BI	10	47.61	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-18S-15	09/03/20	HC	F&BI	15	42.61	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-18S-20	09/03/20	HC	F&BI	20	37.61	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-18S-25	09/03/20	HC	F&BI	25	32.61	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-18S-30	09/03/20	HC	F&BI	30	27.61	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
HMW-19S	HMW-19S-5	09/08/20	HC	F&BI	5	53.2	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-19S-10	09/08/20	HC	F&BI	10	48.2	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-19S-15	09/08/20	HC	F&BI	15	43.2	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-19S-20	09/08/20	HC	F&BI	20	38.2	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-19S-26	09/08/20	HC	F&BI	26	32.2	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-19S-30	09/08/20	HC	F&BI	30	28.2	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
HMW-20S	HMW-20S-5	09/08/20	HC	F&BI	5	48.81	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-20S-10	09/08/20	HC	F&BI	10	43.81	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-20S-15	09/08/20	HC	F&BI	15	38.81	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-20S-20	09/08/20	HC	F&BI	20	33.81	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-20S-25	09/08/20	HC	F&BI	25	28.81	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	HMW-20S-30	09/08/20	HC	F&BI	30	23.81	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
																			0.044

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MBB-1	MBB-1-5	02/27/20	HC	AAL	5	50.02	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-1-10	02/27/20	HC	AAL	10	45.02	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-1-15	02/27/20	HC	AAL	15	40.02	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-1-20	02/27/20	HC	AAL	20	35.02	V	-	-	0.025 U	0.050 U	0.050 U	-	-	0.020 U	0.50 U	0.050 U	0.050 U	0.34
	MBB-1-25	02/27/20	HC	AAL	25	30.02	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0050 U
MBB-2	MBB-2-5	02/27/20	HC	AAL	5	50.45	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-2-10	02/27/20	HC	AAL	10	45.45	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-2-15	02/27/20	HC	AAL	15	40.45	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-2-20	02/27/20	HC	AAL	20	35.45	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-2-20a	02/27/20	HC	AAL	20 (dup)	35.45	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-2-25	02/27/20	HC	AAL	25	30.45	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
MBB-3	MBB-3-5	02/27/20	HC	AAL	5	49.84	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-3-10	02/27/20	HC	AAL	10	44.84	V	-	-	0.025 U	0.093	0.050 U	-	-	0.020 U	0.50 U	0.050 U	0.050 U	3.0 J
	MBB-3-15	02/27/20	HC	AAL	15	39.84	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-3-20	02/27/20	HC	AAL	20	34.84	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0050 U
	MBB-3-25	02/27/20	HC	AAL	25	29.84	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.045
MBB-4	MBB-4-5	02/27/20	HC	AAL	5	49.61	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-4-10	02/27/20	HC	AAL	10	44.61	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.0183
	MBB-4-10a	02/27/20	HC	AAL	10 (dup)	44.61	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.050
	MBB-4-15	02/27/20	HC	AAL	15	39.61	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-4-20	02/27/20	HC	AAL	20	34.61	V	-	-	0.025 U	0.050 U	0.050 U	-	-	0.020 U	0.50 U	0.050 U	0.050 U	0.69 J
	MBB-4-25	02/27/20	HC	AAL	25	29.61	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
MBB-5	MBB-5-5	03/02/20	HC	AAL	5	45.3	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-5-10	03/02/20	HC	AAL	10	40.3	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-5-15	03/02/20	HC	AAL	15	35.3	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-5-20	03/02/20	HC	AAL	20	30.3	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-5-25	03/02/20	HC	AAL	25	25.3	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
MBB-6	MBB-6-5	03/03/20	HC	AAL	5	45.33	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-6-10	03/03/20	HC	AAL	10	40.33	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-6-15	03/03/20	HC	AAL	15	35.33	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-6-20	03/03/20	HC	AAL	20	30.33	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-6-25	03/03/20	HC	AAL	25	25.33	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
MBB-7	MBB-7-5	02/25/20	HC	AAL	5	44.41	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-7-10	02/25/20	HC	AAL	10	39.41	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-7-15	02/25/20	HC	AAL	15	34.41	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-7-20	02/25/20	HC	AAL	20	29.41	V	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
	MBB-7-25	02/25/20	HC	AAL	25	24.41	S	-	-	0.025 U	0.0050 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.010 U
MBB-8	MBB-8-5	02/26/20	HC	AAL	5	44.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-8-10	02/26/20	HC	AAL	10	39.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-8-15	02/26/20	HC	AAL	15	34.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-8-15 dup	02/26/20	HC	AAL	15 (dup)	34.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-8-20	02/26/20	HC	AAL	20	29.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-8-25	02/26/20	HC	AAL	25	24.66	S	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MBB-9	MBB-9-5	02/26/20	HC	AAL	5	42.55	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-9-10	02/26/20	HC	AAL	10	37.55	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-9-15	02/26/20	HC	AAL	15	32.55	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-9-20	02/26/20	HC	AAL	20	27.55	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-9-25	02/26/20	HC	AAL	25	22.55	S	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
MBB-10	MBB-10-5	02/26/20	HC	AAL	5	44.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-10-10	02/26/20	HC	AAL	10	39.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-10-15	02/26/20	HC	AAL	15	34.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-10-20	02/26/20	HC	AAL	20	29.66	V	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
	MBB-10-25	02/26/20	HC	AAL	25	24.66	S	-	-	0.025 U	0.020 U	0.0010 U	-	-	0.030 U	0.050 U	0.0050 U	0.0050 U	0.060 U
MBB-14	MBB-14-5	03/03/20	HC	AAL	5	42.15	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-10	03/03/20	HC	AAL	10	37.15	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-15	03/03/20	HC	AAL	15	32.15	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-20	03/03/20	HC	AAL	20	27.15	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-14-25	03/03/20	HC	AAL	25	22.15	V	-	-	-	-	-	-	-	-	-	-	-	-
MBB-15	MBB-15-5	03/04/20	HC	AAL	5	32.73	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-10	03/04/20	HC	AAL	10	27.73	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-15	03/04/20	HC	AAL	15	22.73	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-20	03/04/20	HC	AAL	20	17.73	S	-	-	-	-	-	-	-	-	-	-	-	-
	MBB-15-25	03/04/20	HC	AAL	25	12.73	S	-	-	-	-	-	-	-	-	-	-	-	-
MBB-16	MBB16-5	09/02/20	HC	F&BI	5	48.7	V	0.0050 U	0.018	0.025 U	0.018	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.26
	MBB16-10	09/02/20	HC	F&BI	10	43.7	V	0.0050 U	0.0050 U	0.025 U	0.032	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.13
	MBB16-15	09/02/20	HC	F&BI	15	38.7	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB16-20	09/02/20	HC	F&BI	20	33.7	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBB-17	MBB17-5	09/01/20	HC	F&BI	5	49.88	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB17-10	09/01/20	HC	F&BI	10	44.88	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB17-15	09/01/20	HC	F&BI	15	39.88	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB17-25	09/01/20	HC	F&BI	25	29.88	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBB-18	MBB18-5	09/01/20	HC	F&BI	5	46.33	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB18-10	09/01/20	HC	F&BI	10	41.33	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB18-15	09/01/20	HC	F&BI	15	36.33	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB18-20	09/01/20	HC	F&BI	20	31.33	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBB-19	MBB19-5	09/01/20	HC	F&BI	5	46.68	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB19-10	09/01/20	HC	F&BI	10	41.68	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB19-15	09/01/20	HC	F&BI	15	36.68	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB19-20	09/01/20	HC	F&BI	20	31.68	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBB-20	MBB20-5	09/02/20	HC	F&BI	5	42.53	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB20-10	09/02/20	HC	F&BI	10	37.53	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB20-15	09/02/20	HC	F&BI	15	32.53	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB20-20	09/02/20	HC	F&BI	20	27.53	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MBB-21	MBB21-5	09/02/20	HC	F&BI	5	42.6	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB21-10	09/02/20	HC	F&BI	10	37.6	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB21-15	09/02/20	HC	F&BI	15	32.6	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB21-20	09/02/20	HC	F&BI	20	27.6	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBB-22	MBB-22-5	09/21/20	HC	F&BI	5	37.05	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-22-15	09/21/20	HC	F&BI	15	27.05	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-22-20	09/21/20	HC	F&BI	20	22.05	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-22-25	09/21/20	HC	F&BI	25	17.05	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-22-30	09/21/20	HC	F&BI	30	12.05	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBB-23	MBB-23-5	09/21/20	HC	F&BI	5	42.18	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-23-10	09/21/20	HC	F&BI	10	37.18	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-23-15	09/21/20	HC	F&BI	15	32.18	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-23-20	09/21/20	HC	F&BI	20	27.18	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-23-25	09/21/20	HC	F&BI	25	22.18	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MBB-23-30	09/21/20	HC	F&BI	30	17.18	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBB-24	MMB24-5	09/09/20	HC	F&BI	5	49.1	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MMB24-10	09/09/20	HC	F&BI	10	44.1	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MMB24-15	09/09/20	HC	F&BI	15	39.1	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MMB24-20	09/09/20	HC	F&BI	20	34.1	V	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MMB24-25	09/09/20	HC	F&BI	25	29.1	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
	MMB24-30	09/09/20	HC	F&BI	30	24.1	S	0.0050 U	0.0050 U	0.025 U	0.0050 U	0.0010 U	0.0050 U	-	0.030 U	0.050 U	-	0.0050 U	0.010 U
MBGW-1	MBGW1-5	03/06/19	HC	AAL	5	34.95	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	- U
	MBGW1-12.5	03/06/19	HC	AAL	12.5	27.45	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-17.5	03/06/19	HC	AAL	17.5	22.45	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-25	03/06/19	HC	AAL	25	14.95	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW1-30	03/06/19	HC	AAL	30	9.95	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-2	MBGW2-5	03/04/19	HC	AAL	5	41.11	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW2-10	03/04/19	HC	AAL	10	36.11	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-12.5	03/04/19	HC	AAL	12.5	33.61	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-25	03/04/19	HC	AAL	25	21.11	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW2-30	03/04/19	HC	AAL	30	16.11	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-3	MBGW3-5	03/07/19	HC	AAL	5	42.77	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW3-7.5	03/07/19	HC	AAL	7.5	40.27	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-10	03/07/19	HC	AAL	10	37.77	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-12.5	03/07/19	HC	AAL	12.5	35.27	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-25	03/07/19	HC	AAL	25	22.77	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW3-26	03/07/19	HC	AAL	26	21.77	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MBGW-4	MBGW4-5	03/06/19	HC	AAL	5	42.3	V	-	-	-	-	-	-	-	-	-	-	-	-
	MBGW4-7.5	03/06/19	HC	AAL	7.5	39.8	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-10	03/06/19	HC	AAL	10	37.3	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW4-12.5	03/06/19	HC	AAL	12.5	34.8	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-5	MBGW4-25	03/06/19	HC	AAL	25	22.3	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-10	03/11/19	HC	AAL	10	39.87	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-15	03/11/19	HC	AAL	15	34.87	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-20	03/11/19	HC	AAL	20	29.87	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW5-27.5	03/11/19	HC	AAL	27.5	22.37	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-6	MBGW5-45	03/11/19	HC	AAL	45	4.87	S	0.050 U	0.050 U	3.4	0.050 U	0.050 U	0.050 U	-	0.47	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-10	03/14/19	HC	AAL	10	42.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-15	03/14/19	HC	AAL	15	37.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-20	03/14/19	HC	AAL	20	32.5	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW6-30	03/14/19	HC	AAL	30	22.5	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-7	MBGW7-30	03/06/19	HC	AAL	30	23.76	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-8	MBGW8-10	03/15/19	HC	AAL	10	37.08	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-15	03/15/19	HC	AAL	15	32.08	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-25	03/15/19	HC	AAL	25	22.08	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW8-35	03/15/19	HC	AAL	35	12.08	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-9	MBGW9-10	03/13/19	HC	AAL	10	46.84	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-15	03/13/19	HC	AAL	15	41.84	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-20	03/13/19	HC	AAL	20	36.84	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-25	03/13/19	HC	AAL	25	31.84	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW9-30	03/13/19	HC	AAL	30	26.84	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-10	MBGW10-10	03/13/19	HC	AAL	10	45.25	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-15	03/13/19	HC	AAL	15	40.25	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-20	03/13/19	HC	AAL	20	35.25	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-25	03/13/19	HC	AAL	25	30.25	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW10-30	03/13/19	HC	AAL	30	25.25	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-11	MBGW11-5	03/12/19	HC	AAL	5	52.55	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW11-10	03/12/19	HC	AAL	10	47.55	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-12	MBGW12-5	03/15/19	HC	AAL	5	49.00	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-20	03/15/19	HC	AAL	20	34.00	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-25	03/15/19	HC	AAL	25	29.00	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW12-30	03/15/19	HC	AAL	30	24.00	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MBGW-13	MBGW13-5	03/14/19	HC	AAL	5	49.72	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW13-7.5	03/14/19	HC	AAL	7.5	47.22	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.19 J
	MBGW13-10	03/14/19	HC	AAL	10	44.72	V	0.050 U	0.050 U	0.050 U	0.14	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	7.0
	MBGW13-12.5	03/14/19	HC	AAL	12.5	42.22	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.63 J
	MBGW13-15	03/14/19	HC	AAL	15	39.72	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-14	MBGW13-20	03/14/19	HC	AAL	20	34.72	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-10	03/06/19	HC	AAL	10	36.09	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-15	03/06/19	HC	AAL	15	31.09	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-20	03/06/19	HC	AAL	20	26.09	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW14-30	03/06/19	HC	AAL	30	16.09	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBGW-16	MBGW16-10	03/08/19	HC	AAL	10	42.14	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-15	03/08/19	HC	AAL	15	37.14	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBGW16-30	03/08/19	HC	AAL	30	22.14	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-1	MBPP1-20	03/05/19	HC	AAL	20	25.28	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP1-25	03/05/19	HC	AAL	25	20.28	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-2	MBPP2-10	03/05/19	HC	AAL	10	34.46	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-20	03/05/19	HC	AAL	20	24.46	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP2-27.5	03/05/19	HC	AAL	27.5	16.96	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-3	MBPP3-10	03/06/19	HC	AAL	10	35.89	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-20	03/06/19	HC	AAL	20	25.89	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP3-25	03/06/19	HC	AAL	25	20.89	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-4	MBPP4-2.5	03/07/19	HC	AAL	2.5	45.84	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-10	03/07/19	HC	AAL	10	38.34	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-15	03/07/19	HC	AAL	15	33.34	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-17	03/07/19	HC	AAL	17	31.34	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP4-18	03/07/19	HC	AAL	18	30.34	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-5	MBPP5-10	03/07/19	HC	AAL	10	35.92	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-15	03/07/19	HC	AAL	15	30.92	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-17.5	03/07/19	HC	AAL	17.5	28.42	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-20	03/07/19	HC	AAL	20	25.92	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP5-25	03/07/19	HC	AAL	25	20.92	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-6	MBPP6-7.5	03/08/19	HC	AAL	7.5	44.76	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-10	03/08/19	HC	AAL	10	42.26	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-12.5	03/08/19	HC	AAL	12.5	39.76	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-15	03/08/19	HC	AAL	15	37.26	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (feet NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83
MBPP-6 (continued)	MBPP6-17.5	03/08/19	HC	AAL	17.5	34.76	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-20	03/08/19	HC	AAL	20	32.26	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-25	03/08/19	HC	AAL	25	27.26	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP6-30	03/08/19	HC	AAL	30	22.26	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-7	MBPP7-5	03/08/19	HC	AAL	5	44.77	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-15	03/08/19	HC	AAL	15	34.77	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP7-23	03/08/19	HC	AAL	23	26.77	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MBPP-8	MBPP8-10	03/08/19	HC	AAL	10	47.52	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-15	03/08/19	HC	AAL	15	42.52	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-22.5	03/08/19	HC	AAL	22.5	35.02	V	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
	MBPP8-30	03/08/19	HC	AAL	30	27.52	S	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	0.050 U	-	0.020 U	0.050 U	0.050 U	0.050 U	0.050 U
MW-345	MW-345-41	05/20/21	PES	PACE	41	11.85	S	0.000282 U	0.00240 U	0.275	0.00160 U	0.00746	0.00141 U	0.00229 U	0.0273	0.00102 U	0.00313 U	0.189	0.00109 U
	MW-345-47	05/20/21	PES	PACE	47	5.85	S	0.000555 J	0.00229 U	0.0228 J	0.00220 U	0.00122 U	0.00134 U	0.00219 U	0.00257	0.000972 U	0.00299 U	0.181	0.00103 U
	MW-2023-47	05/20/21	PES	PACE	47 (dup)	5.85	S	0.000331 U	0.00282 U	0.00622 J	0.00188 U	0.00150 U	0.00165 U	0.00269 U	0.00105 J	0.00120 U	0.00368 U	0.136	0.00128 U
	MW-345-53	05/20/21	PES	PACE	53	-0.15	S	0.000268 U	0.00228 U	0.00105 U	0.00152 U	0.00122 U	0.00133 U	0.00218 U	0.000683 U	0.000967 U	0.00297 U	0.00136 U	0.00103 U
	MW-345-58	05/20/21	PES	PACE	58	-5.15	S	0.000336 U	0.00286 U	0.181	0.00259 U	0.00152 U	0.00167 U	0.00272 U	0.0175	0.00121 U	0.00372 U	0.0184	0.00129 U
	MW-345-63	05/20/21	PES	PACE	63	-10.15	S	0.000307 U	0.00262 U	0.00120 U	0.00174 U	0.00140 U	0.00153 U	0.00250 U	0.000784 U	0.00111 U	0.00341 U	0.00156 U	0.00118 U
MW-346	MW-346-41.5	05/19/21	PES	PACE	41.5	10.28	S	0.000278 U	0.00237 U	4.43	0.00187 U	0.00216 J	0.00138 U	0.00226 U	0.415	0.00100 U	0.00541 J	0.124	0.00161 U
	MW-346-47	05/19/21	PES	PACE	47	4.78	S	0.000268 U	0.00228 U	1.98	0.00170 U	0.00122 U	0.00134 U	0.00218 U	0.228	0.000969 U	0.00298 U	0.0149	0.00191 U
	MW-346-52	05/19/21	PES	PACE	52	-0.22	S	0.000267 U	0.00228 U	0.736	0.00152 U	0.00121 U	0.00133 U	0.00217 U	0.0726	0.000966 U	0.00297 U	0.00481	0.00103 U
	MW-346-54.5	05/19/21	PES	PACE	54.5	-2.72	S	0.00111 U	0.00946 U	0.483	0.00631 U	0.00504 U	0.00553 U	0.00902 U	0.0531	0.00401 U	0.0194 J	0.00563 U	0.00469 U
	MW-346-57.5	05/19/21	PES	PACE	57.5	-5.72	S	0.000268 U	0.00228 U	0.00118 J	0.00152 U	0.00122 U	0.00133 U	0.00217 U	0.000682 U	0.000966 U	0.00297 U	0.00136 U	0.00103 U
	MW-346-62	05/19/21	PES	PACE	62	-10.22	S	0.000293 U	0.00249 U	0.0119	0.00166 U	0.00133 U	0.00146 U	0.00238 U	0.00165	0.00106 U	0.00556 J	0.00148 U	0.00112 U
MW-347	MW-347-44.5	05/19/21	PES	PACE	44.5	8.29	S	0.000322 U	0.00274 U	1.36	0.00183 U	0.00465 J	0.00160 U	0.00261 U	0.699 J	0.00116 U	0.00357 U	0.466 J	0.00124 U
	MW-2022-44.5	05/19/21	PES	PACE	44.5 (dup)	8.29	S	0.000299 U	0.00254 U	1.08	0.00170 U	0.00442 J	0.00149 U	0.00243 U	0.509 J	0.00108 U	0.00331 U	0.321 J	0.00115 U
	MW-347-48	05/19/21	PES	PACE	48	4.79	S	0.000268 U	0.00228 U	0.00171 J	0.00152 U	0.00122 U	0.00133 U	0.00217 U	0.000682 U	0.000966 U	0.00297 U	0.00136 U	0.00103 U
	MW-347-54.5	05/19/21	PES	PACE	54.5	-1.71	S	0.000276 U	0.00235 U	0.00129 J	0.00157 U	0.00125 U	0.00137 U	0.00224 U	0.000733 J	0.000997 U	0.00637 J	0.00140 U	0.00129 U
	MW-347-58	05/19/21	PES	PACE	58	-5.21	S	0.000273 U	0.00232 U	0.138	0.00404 U	0.00124 U	0.00136 U	0.00221 U	0.0215	0.000984 U	0.00576 J	0.0150	0.00211 U
	MW-347-65	05/19/21	PES	PACE	65	-12.21	S	0.000291 U	0.00248 U	0.00224 J	0.00165 U	0.00132 U	0.00145 U	0.00236 U	0.000742 U	0.00105 U	0.00580 J	0.00147 U	0.00112 U
MW-348	MW-348-41	05/18/21	PES	PACE	41	12.96	S	0.000294 U	0.00251 U	0.749	0.00167 U	0.0186	0.00146 U	0.00239 U	0.249	0.00106 U	0.00326 U	0.569	0.00113 U
	MW-348-49	05/18/21	PES	PACE	49	4.96	S	0.000295 U	0.00251 U	2.48	0.00167 U	0.00134 U	0.00147 U	0.00239 U	0.421	0.00106 U	0.00327 U	0.0668	0.00113 U
	MW-348-54.5	05/18/21	PES	PACE	54.5	-0.54	S	0.000265 U	0.00226 U	0.0324	0.00150 U	0.00120 U	0.00132 U	0.00215 U	0.00636	0.000957 U	0.00294 U	0.00172 J	0.00102 U
	MW-348-60	05/18/21	PES	PACE	60	-6.04	S	0.000264 U	0.00225 U	0.00803	0.00157 U	0.00120 U	0.00131 U	0.00214 U	0.00294	0.000953 U	0.00293 U	0.00134 U	0.00123 U
	MW-348-65	05/18/21	PES	PACE	65	-11.04	S	0.000286 U	0.00244 U	0.00157 J	0.00162 U	0.00130 U	0.00142 U	0.00232 U	0.000740 J	0.00103 U	0.00317 U	0.00145 U	0.00110 U
	MW-348-69	05/18/21	PES	PACE	69	-15.04	S	0.000280 U	0.00238 U	0.00913	0.00260 U	0.00127 U	0.00139 U	0.00227 U	0.00300	0.00101 U	0.00311 U	0.00142 U	0.00108 U
MW-349	MW-349-49	05/17/21	PES	PACE	49	6.84	S	0.000293 U	0.00250 U	1.05	0.00166 U	0.00133 U	0.00146 U	0.00238 U	0.209	0.00106 U	0.00325 U	0.0752	0.00113 U
	MW-349-51	05/17/21	PES	PACE	51	4.84	S	0.000273 U	0.00233 U	0.00546	0.0114	0.00124 U	0.00136 U	0.00222 U	0.00274	0.000987 U	0.00303 U	0.00802	0.00105 U
	MW-349-56	05/17/21	PES	PACE	56	-0.16	S	0.000273 U	0.00232 U	0.00107 U	0.00206 U	0.00124 U	0.00136 U	0.00221 U	0.000695 U	0.000985 U	0.00302 U	0.00138 U	0.00105 U
	MW-349-61	05/17/21	PES	PACE	61	-5.16	S	0.000279 U	0.00238 U	0.00109 U	0.00158 U	0.00127 U	0.00139 U	0.00227 U	0.000712 U	0.00101 U	0.00310 U	0.00141 U	0.00107 U

Table G-4
615 Dexter and SDOT Mercer Soil Results for Petroleum Hydrocarbons and VOCs
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Sample ID	Sample Date	Sampled By	Lab	Sample Depth (ft bgs)	Sample Elevation (ft NAVD 88)	Water Table Status (V/S)	Styrene	Tert-Butylbenzene	Tetrachloroethene (PCE)	Toluene	Trans-1,2-Dichloroethene (tDCE)	Trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Acetate	Vinyl Chloride	Xylenes, Total	
Vadose Zone (V) Preliminary Cleanup Level (PCUL)								2.2	19	0.050	4.5	0.52	0.0023	-	0.025	23	33	0.004	14	
Saturated Zone (S) Preliminary Cleanup Level (PCUL)								0.12	1	0.0050	0.27	0.032	0.00014	-	0.002	0.79	2.3	0.004	0.83	
MW-349	MW-349-66	05/17/21	PES	PACE	66	-10.16	S	0.000279 U	0.00238 U	0.00109 U	0.00160 U	0.00127 U	0.00139 U	0.00227 U	0.000712 U	0.00101 U	0.00310 U	0.00141 U	0.00126 U	
(continued)	MW-349-68	05/17/21	PES	PACE	68	-12.16	S	0.000287 U	0.00245 U	0.00112 U	0.00396 U	0.00130 U	0.00143 U	0.00233 U	0.000733 U	0.00104 U	0.00319 U	0.00146 U	0.00110 U	
MW-350	MW-350-41	05/21/21	PES	PACE	41	16.77	S	0.000296 U	0.00252 U	0.00116 U	0.852	0.00134 U	0.00147 U	0.00240 U	0.000754 U	0.00107 U	0.00328 U	0.00150 U	4.90	
	MW-350-53	05/21/21	PES	PACE	53	4.77	S	0.000270 U	0.00230 U	0.00106 U	0.00153 U	0.00123 U	0.00135 U	0.00220 U	0.000689 U	0.000976 U	0.00300 U	0.00137 U	0.00682 J	
	MW-350-58	05/21/21	PES	PACE	58	-0.23	S	0.000268 U	0.00228 U	0.00105 U	0.00152 U	0.00122 U	0.00133 U	0.00218 U	0.000684 U	0.000968 U	0.00297 U	0.00136 U	0.00173 J	
	MW-350-64.5	05/21/21	PES	PACE	64.5	-6.73	S	0.000281 U	0.00240 U	0.00110 U	0.00201 U	0.00128 U	0.00140 U	0.00228 U	0.000717 U	0.00102 U	0.00312 U	0.00143 U	0.00190 J	
	MW-350-69	05/21/21	PES	PACE	69	-11.23	S	0.000290 U	0.00247 U	0.00114 U	0.00992	0.00132 U	0.00145 U	0.00236 U	0.000741 U	0.00105 U	0.00322 U	0.00147 U	0.0384	
All Data								Number of Analytes Measured	256	256	397	397	397	256	33	397	397	307	397	396
								Number of Analytes Detected	1	2	25	8	4	0	0	21	0	6	13	19
								Frequency of Detection	0.4%	0.8%	6.3%	2.0%	1.0%	0.0%	0.0%	5.3%	0.0%	2.0%	3.3%	4.8%
								Maximum Detection	0.000555 J	0.105	4.43	0.852	0.0186	-	-	0.699 J	-	0.0194 J	0.569	7
								Minimum Detection	0.000264 U	0.00225 U	0.00105 U	0.0015 U	0.001 U	0.00131 U	0.00214 U	0.000682 U	0.00095 U	0.00293 U	0.00134 U	0.00102 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	-8	0	0	-8	0	
								Number of Saturated (S) Detections above SL	0	0	20	1	0	0	-	18	0	0	12	2
2017-2021								Number of Analytes Measured	256	256	397	397	397	256	33	397	397	307	397	396
								Number of Analytes Detected	1	2	25	8	4	0	0	21	0	6	13	19
								Frequency of Detection	0.4%	0.8%	6.3%	2.0%	1.0%	0.0%	0.0%	5.3%	0.0%	2.0%	3.3%	4.8%
								Maximum Detection	0.000555 J	0.105	4.43	0.852	0.0186	-	-	0.699 J	-	0.0194 J	0.569	7
								Minimum Detection	0.000264 U	0.00225 U	0.00105 U	0.0015 U	0.001 U	0.00131 U	0.00214 U	0.000682 U	0.00095 U	0.00293 U	0.00134 U	0.00102 U
								Number Of Vadose (V) Detections above SL	0	0	0	0	0	0	-	0	0	0	0	
								Number of Saturated (S) Detections above SL	0	0	20	1	0	0	-	18	0	0	12	2
<u>Notes and Abbreviations:</u> Petroleum Hydrocarbons (PHCs) analyzed by Ecology Methods NWTPH-Gx and NWTPH-Dx. VOCs analyzed by EPA Method 8260 C/D. PCUL = Preliminary Cleanup Level from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. PCULs based on the practical quantitation limits (PQLs) italicized. Detected results shown in bold. Detections above the screening level in the vadose zone are shown in bold and highlighted blue. Detections above the screening level in the saturated zone are shown in bold and highlighted gray. - = Not available or results not analyzed. J = The reported concentration is an estimate based on detectable results between the method detection limit and reporting limit, laboratory QA/QC, or data validation review. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. U = Not detected at a concentration exceeding laboratory reporting limit z = Gasoline/petroleum detection result is likely elevated due to high detections of CVOCs. AAL = Alden Analytical Laboratories, Inc., of Seattle, Washington bgs = below ground surface dup = duplicate F&BI = Friedman & Bruya, Inc. HC = Hart Crowser, Inc. Pace = Pace Analytical of Mt. Juliet, Tennessee (formerly ESC) PES = PES Environmental, Inc.																				

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
Shallow Water Bearing Zone																		
DMW-1S	615 Dexter, SE quadrant	03/25/19 ^a	Unknown	350	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
		03/25/19 ^a	Unknown	300	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
		03/18/20 ^a	Unknown	1,800	580 J	250 U	580 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
DMW-2S	615 Dexter, SE quadrant	03/18/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
DMW-4S	Alley S of SE quadrant of 615 Dexter	03/19/20 ^a	Unknown	670	790 J	250 U	790 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
DMW-5IA	Alley S of 615 Dexter	03/19/20 ^a	Unknown	100 U	760 J	250 U	760 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
DMW-6	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
F5	Property, NW quadrant Decommissioned March, 2019	03/28/17	Peristaltic	234 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/22/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
F9	Property, NE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/22/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
F13	Property, NE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/22/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/05/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
FMW-143	9th Ave N ROW, E side	07/30/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 UJ	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/22/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		05/14/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		07/22/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
G12	Property, NE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.55	0.128 U	0.164 U	0.247 U	0.0739 U
		06/30/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.31	0.128 U	0.164 U	0.247 U	0.0739 U
HMW-1S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a 03/11/20 ^a	Peristaltic Unknown	100 U 100 U	200 U 200 J	500 U 250 U	500 U 200 J	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	– –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.04 UJ	– –
HMW-2S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a 03/12/20 ^a	Peristaltic Unknown	100 U 100 U	200 U 56 J	500 U 260 U	500 U 56 J	1.0 U 0.20 U	1.0 U 0.20	1.0 U 0.20 U	1.0 U 0.20 U	– –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.03 UJ	– –
HMW-9S	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	100 U	61 J	250 U	61 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.03 UJ	–
HMW-10S	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	100 U	66 J	250 U	66 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.03 UJ	–
HMW-11S	SDOT Mercer Parcels, SE quadrant	03/11/20 ^a	Unknown	100 U	620 J	250 U	620 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
HMW-20S	SDOT Mercer Parcels, NW quadrant	9/18/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.080 U	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
HMW-21S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	50 U	250 U	250 U	–	–	–	–	–	–	–	–	–	–	–
HMW-22S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	62 U	250 U	250 U	–	–	–	–	–	–	–	–	–	–	–
J5	Property, SW quadrant	03/21/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic	– – 207 zJ+	– – –	– – –	– – –	0.120 U 0.120 U 0.120 U	0.0940 U 0.0940 U 0.0940 U	0.130 U 0.130 U 0.130 U	0.186 U 0.186 U 0.186 U	0.164 U 0.164 U 0.164 U	0.114 U 0.114 U 0.114 U	0.453 J 0.425 J 0.371 J	0.128 U 0.128 U 0.128 U	0.164 U 0.164 U 0.164 U	0.247 U 0.247 U 0.247 U	0.0739 U 0.0739 U 0.0739 U
Decommissioned March, 2019																		
J15 (dup)	Property, SE quadrant	03/27/17 06/26/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic Peristaltic	– – – 41.2 J	– – – –	– – – –	– – – –	0.120 U 0.120 U 0.120 U 0.120 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U	0.130 U 0.130 U 0.130 U 0.130 U	0.186 U 0.186 U 0.186 U 0.186 U	0.164 U 0.164 U 0.164 U 0.164 U	0.114 U 0.114 U 0.114 U 0.114 U	1.78 1.84 1.81 1.10	0.128 U 0.128 U 0.128 U 0.128 U	0.164 U 0.164 U 0.164 U 0.164 U	0.247 U 0.247 U 0.247 U 0.247 U	0.0739 U 0.0739 U 0.0739 U 0.0739 U
Decommissioned March, 2019																		
K8	Property, SW quadrant	03/21/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic	– – 156 zJ+	– – –	– – –	– – –	0.120 U 0.120 U 0.120 U	0.0940 U 0.0940 U 0.0940 U	0.130 U 0.130 U 0.130 U	0.186 U 0.186 U 0.186 U	0.164 U 0.164 U 0.164 U	0.114 U 0.114 U 0.114 U	1.47 1.34 0.822	0.128 U 0.128 U 0.128 U	0.164 U 0.164 U 0.164 U	0.247 U 0.247 U 0.247 U	0.0739 U 0.0739 U 0.0739 U
Decommissioned March, 2019																		
M15 (dup)	Property, SE quadrant	03/27/17 03/27/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic Peristaltic	– – – 31.6 U	– – – –	– – – –	– – – –	0.120 U 0.120 U 0.120 U 0.120 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U	0.130 U 0.130 U 0.130 U 0.130 U	0.186 U 0.186 U 0.186 U 0.186 U	0.164 U 0.164 U 0.164 U 0.164 U	0.114 U 0.114 U 0.114 U 0.114 U	0.631 0.588 0.508 0.198 J	0.128 U 0.128 U 0.128 U 0.128 U	0.164 U 0.164 U 0.164 U 0.164 U	0.247 U 0.247 U 0.247 U 0.247 U	0.0739 U 0.0739 U 0.0739 U 0.0739 U
Decommissioned March, 2019																		
MW-8	Seattle Roy Aloha Shops, N end	03/20/17 04/13/18 07/18/19 10/10/19 01/16/20 05/06/20 07/14/20	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	– – 31.6 U – – – –	– – – – – – –	– – – – – – –	– – – – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.147 U 0.0200 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.149 U 0.0110 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.133 U 0.0156 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.158 U 0.0353 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.180 U 0.0270 U	0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 0.100 U 0.0230 U	0.188 U 0.188 U 0.188 U 0.188 U 0.188 U 0.188 U 0.0200 U	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.142 U 0.0280 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.0250 U	0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.237 U 0.204 U	0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.104 U 0.0460 U
MW-9 (dup)	8th Ave N ROW, E side	03/20/17 06/20/17 06/20/17 04/05/18 01/21/19 04/26/19 07/16/19 10/17/19 11/24/20 02/05/21 05/12/21 05/12/21	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	52.8 J 31.6 U 31.6 U 32.9 J 31.6 U 121 zJ+ 57.4 U 62.0 U 41.0 J 73.2 U 31.6 U 31.6 U	– – – – – – – – – – – –	– – – – – – – – – – – –	– – – – – – – – – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.0200 U 0.0200 U 0.0200 U 0.0200 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.298 J 0.0940 U 0.0940 U 0.0110 U 0.0110 U 0.0110 U 0.0110 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.0156 U 0.0156 U 0.0156 U 0.0156 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.0353 U 0.0353 U 0.0353 U 0.0353 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.465 J 0.164 U 0.164 U 0.0270 U 0.0270 U 0.0270 U 0.0270 U	0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 1.57 0.114 U 0.114 U 0.0230 U 0.0230 U 0.0230 U 0.0230 U	0.188 U 0.188 U 0.188 U 0.188 U 0.188 U 0.893 0.188 U 0.188 U 0.0200 U 0.0200 U 0.0200 U 0.0200 U	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.0280 U 0.0280 U 0.0280 U 0.0280 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.0250 U 0.0250 U 0.0250 U 0.0250 U	0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.204 U 0.204 U 0.204 U 0.204 U	0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0460 U 0.0460 U 0.0460 U 0.0460 U
MW121	8th Ave N ROW, E side	03/28/17 06/20/17 04/05/18	Peristaltic Peristaltic Peristaltic	– – 31.6 U	– – –	– – –	– – –	0.120 U 0.120 U 0.120 U	0.0940 U 0.0940 U 0.0940 U	0.130 U 0.130 U 0.130 U	0.186 U 0.186 U 0.186 U	0.164 U 0.164 U 0.164 U	0.114 U 0.114 U 0.114 U	0.188 U 0.188 U 0.188 U	0.128 U 0.128 U 0.128 U	0.164 U 0.164 U 0.164 U	0.247 U 0.247 U 0.247 U	0.0739 U 0.0739 U 0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW121 (continued)		01/31/19	Peristaltic	38.0 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/29/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/19/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		11/30/20	Bladder	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0320 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/05/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0430 J	0.0270 J	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/12/21	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0280 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
(dup)		05/12/21	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW125	Valley Street ROW, N side	03/22/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/28/17	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/06/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/18/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/18/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 UJ	0.130 U	0.186 U	0.164 UJ	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/20	Bladder	51.1 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		11/17/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.110 J
		02/02/21	Peristaltic	38.5 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/11/21	Peristaltic	46.2 U	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/11/21	Peristaltic	33.2 U	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-154	Roy St ROW S side	04/30/18	Bladder	32.1 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/24/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/15/19	Bladder	68.0 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/14/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/30/20	Bladder	47.5 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/10/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/08/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/10/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-155	Roy Street ROW, S side	04/27/18	Peristaltic	60.9 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.249 J	0.128 U	0.164 U	0.247 U	0.0739 U
		07/23/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/16/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Bladder	44.9 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/05/20	Bladder	31.6 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		08/03/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/11/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-159	8th Ave N ROW, E side	04/26/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/26/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/26/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-159 (continued)		07/22/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/20	Bladder	33.9 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		11/11/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/08/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/11/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-210 ^c	Valley Street ROW, N side	03/30/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/21/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/09/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/11/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.262 U
		04/09/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/07/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-214 (dup)	Valley Street ROW, S side	03/30/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/30/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/09/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/11/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	2.69
		01/20/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/07/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-301 (dup)	Valley Street ROW, S side	11/30/20	Bladder	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/30/20	Bladder	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/05/21	Bladder	43.3 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/14/21	Bladder	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/14/21	Bladder	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-305	Roy St ROW, S side	10/15/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/15/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/28/20	Bladder	54.4 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/06/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/18/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-310 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/14/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/08/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		08/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		08/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/06/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/03/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/22/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		08/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0350 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/11/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-312 (continued)		05/03/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0290 J	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/14/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		05/04/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW-320	9th Ave N ROW, W side	10/07/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/29/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/28/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 UJ	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		11/12/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/20/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-332	Roy St ROW, N side	05/04/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/30/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/12/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/20/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW-337	Lake Union Park, N end	05/07/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 UJ	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 UJ	0.104 U
		07/23/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/10/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-339 (dup)	Lake Union Park, S end	05/14/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		05/14/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		07/23/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
N7	Property, SW quadrant Decommissioned March, 2019	03/30/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.773	0.128 U	0.164 U	0.247 U	0.0739 U
		06/27/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.00	0.128 U	0.164 U	0.247 U	0.0739 U
R-MW2	Property, NE quadrant Decommissioned March, 2019	03/21/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/15/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/18	Peristaltic	38.0 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
R-MW3	Property, NE quadrant Decommissioned March, 2019	03/21/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/28/17	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/04/18	Peristaltic	33.7 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
R-MW5	Dexter Ave N ROW, E side	03/23/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/16/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/11/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/03/19	Peristaltic	81.5 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/22/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/16/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/21/19	Bladder	95.3 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/24/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
R-MW5 (continued) (dup)		11/18/20	Bladder	43.8 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/11/21	Bladder	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/11/21	Bladder	45.1 J	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/17/21	Bladder	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
R-MW6	8th Ave N ROW, E side	03/21/17	Peristaltic	42.8 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/20/17	Peristaltic	38.5 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.337 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/06/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.347 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/25/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.310 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/25/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/01/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0260 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/03/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/17/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.206	0.0280 U	0.0250 U	0.204 U	0.0460 U
SCL-MW101	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	1.50
		06/14/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	2.03
		04/06/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	3.51
		10/09/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	7.95
		01/17/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	2.93
		04/07/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	1.93
		11/24/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	2.92
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.631
SCL-MW105	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	–	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	0.940 U	0.640 U	0.820 U	1.24 U	8.81
		06/15/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	9.29
		04/06/18	Peristaltic	–	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	1.88 U	1.28 U	1.64 U	2.47 U	7.86
		10/10/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	14.4
		01/17/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	12.2
		04/01/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	8.88
		07/24/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	9.87
SCS-2 (dup)	Seattle Roy Aloha Shops, N End	03/20/17	Peristaltic	1,660	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	59.3
		06/12/17	Peristaltic	901	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	51.2
		04/13/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	12.5
		07/18/19	Peristaltic	2,190 J+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	88.3
		07/18/19	Peristaltic	2,320 J+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	82.3
		10/10/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	119
		01/16/20	Peristaltic	–	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	1.88 U	1.28 U	1.64 U	2.47 U	68.4
Intermediate A Water-Bearing Zone																		
BB-8 (dup)	Roy Street ROW, S side	03/22/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/14/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/11/18	Peristaltic	40.9 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/11/18	Peristaltic	41.5 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/19	Peristaltic	99.6 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.403 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
BB-8 (continued) (dup) (dup) (dup)		07/17/19	Bladder	112 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/22/19	Bladder	176 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/22/19	Bladder	174 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/12/20	Bladder	101 zJ+	–	–	–	0.147 U	0.149 U	0.133 UJ	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.227	0.0280 U	0.0250 U	0.204 UJ	0.0460 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.229	0.0280 U	0.0250 U	0.204 UJ	0.0460 U
		11/17/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.553	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/11/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 UJ	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 UJ
		06/07/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0490 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
DMW-3IA	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
FMW-142	9th Ave N ROW, E side	07/29/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 UJ	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/22/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		04/28/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/08/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
GEI-1 (dup)	Block 37, SW quadrant	03/24/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/13/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.200 J
		04/22/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/16/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/21/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/22/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		04/29/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		04/29/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/30/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
GEI-MW-1	Block 79 East, N end	01/23/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/29/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		08/07/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/10/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/13/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
HC-4	601 Dexter, NE quadrant	04/12/19 ^a	Unknown	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
HMW-2IA	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
		03/12/20 ^a	Unknown	160	51 U	250 U	250 U	2.0 U	2.0 U	2.0 U	2.0 U	–	2.0 U	1.5	2.0 U	2.0 U	0.30 UJ	–
HMW-3IA	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
		03/13/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–
HMW-6IA	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	100 U	160 J	250 U	160 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.04 UJ	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
HMW-9IA	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a 06/02/21	Unknown Bladder	100 U –	50 U –	250 U –	250 U –	0.20 U 0.0200 U	0.20 U 0.0110 U	0.20 U 0.0156 U	0.20 U 0.0353 U	– 0.0270 U	0.20 U 0.0230 U	0.20 U 0.265	0.20 U 0.0280 U	0.20 U 0.0250 U	0.04 UJ 0.204 U	– 0.0460 U
HMW-20IA	SDOT Mercer Parcels, NW quadrant	09/18/20 ^a 06/02/21	Unknown Bladder	100 U –	50 U –	250 U –	250 U –	0.20 U 0.0200 U	0.20 U 0.0110 U	0.20 U 0.0156 U	0.20 U 0.0353 U	– 0.0270 U	0.20 U 0.139	2.5 10.9	0.20 U 0.0280 U	0.20 U 0.0250 U	0.080 UJ 0.204 U	– 0.0460 U
MW107	8th Ave N ROW, W side	03/27/17 06/19/17 04/09/18 01/30/19 05/01/19 07/22/19 10/15/19 01/28/20 04/03/20 07/31/20 12/01/20 02/02/21 06/02/21	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder Bladder Bladder Peristaltic Peristaltic Peristaltic	– – – 663 zJ+ 481 zJ+ 210 zJ+ 365 zJ+ 1,890 zJ+ 1,420 zJ+ – – – –	– – – – – – – – – – – – –	– – – – – – – – – – – – –	– – – – – – – – – – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 2.40 U 0.120 U 0.500 U 0.500 U 0.0200 U 0.0200 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 1.88 U 0.0940 U 0.275 U 0.275 U 0.0110 U 0.0110 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 2.60 U 0.130 U 0.390 U 0.390 U 0.0156 U 0.0156 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 3.72 U 0.186 U 0.883 U 0.883 U 0.0353 U 0.0353 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 3.28 U 0.164 U 0.675 U 0.675 U 0.0270 U 0.0270 U	0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 2.28 U 0.114 U 0.575 U 0.575 U 0.0230 U 0.0230 U	0.188 U 0.188 U 0.188 U 9.01 13.0 0.825 3.27 22.1 14.5 1.19 J 0.500 U 0.0200 U	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 2.56 U 0.128 U 0.700 U 0.700 U 0.0280 U 0.0280 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 3.28 U 0.164 U 0.625 U 0.625 U 0.0250 U 0.0250 U	0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 4.94 U 0.247 U 5.10 U 5.10 U 0.204 U 0.204 U	0.0739 U 0.0739 U 0.0739 U 0.0739 UJ 0.0739 U 0.0739 U 0.0739 U 1.48 U 0.0739 U 1.15 U 1.15 U 0.0460 U 0.0460 U
MW108	Alley E of Seattle Roy Aloha Shops	03/28/17 06/27/17 04/06/18 04/06/18 01/22/19 04/29/19 07/15/19 10/10/19 01/14/20 04/22/20 07/16/20 07/16/20 11/04/20 02/09/21 05/03/21	Peristaltic Bladder Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder Bladder Peristaltic Peristaltic	– – – – – – – – – – – – – – –	– – – – – – – – – – – – – – –	– – – – – – – – – – – – – – –	– – – – – – – – – – – – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 3.00 U 3.68 U 0.500 U 0.0200 U 0.500 U 0.100 U 0.100 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 2.35 U 3.73 U 0.275 U 0.0110 U 0.275 U 0.0550 U 0.0550 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 3.25 U 3.33 U 0.390 UJ 0.0156 UJ 0.390 U 0.0780 U 0.0780 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 4.65 U 3.95 U 0.883 U 0.0353 U 0.883 U 0.177 U 0.177 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 4.10 U 3.95 U 0.675 U 0.0270 U 0.675 U 0.135 U 0.135 U	0.114 U 0.114 U 0.285 J 0.251 J 0.114 U 0.114 U 0.114 U 0.114 U 2.85 U 2.50 U 0.575 U 0.139 0.575 U 0.115 U 0.115 U	0.588 0.512 11.9 11.2 10.1 3.57 4.09 9.11 4.70 U 4.70 U 1.63 J 2.03 0.500 U 1.25 1.46	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 3.20 U 3.55 U 0.700 U 0.0280 U 0.700 U 0.140 U 0.140 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 4.10 UJ 4.10 U 0.625 U 0.0250 U 0.625 UJ 0.125 U 0.125 U	0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 6.17 U 5.93 U 5.10 U 0.204 U 5.10 U 1.02 U 1.02 U	0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 1.85 U 2.60 U 1.15 U 0.926 1.15 U 0.230 U 0.230 U
MW109	Alley E of Seattle Roy Aloha Shops	03/29/17 06/27/17 04/06/18 01/23/19 04/29/19 07/15/19 10/15/19 01/21/20 04/22/20 07/06/20 11/02/20	Peristaltic Bladder Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder	– – – – – – – – – – –	– – – – – – – – – – –	– – – – – – – – – – –	– – – – – – – – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 0.147 U 0.0200 U 0.0200 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.149 U 0.0110 U 0.0110 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 UJ 0.130 U 0.130 U 0.133 U 0.0156 U 0.0156 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 UJ 0.186 U 0.186 U 0.158 U 0.0353 U 0.0353 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.180 U 0.0270 U 0.0270 U	0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 0.100 U 0.0230 J 0.0230 U	0.188 U 0.583 1.21 0.739 0.188 U 0.188 U 0.768 0.188 U 0.188 U 0.116 0.0900 J	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.142 U 0.0280 U 0.0280 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 0.0250 U 0.0250 U	0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 0.237 U 0.204 U 0.204 U	0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.104 U 0.0460 U 0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW109 (continued)		02/09/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0250 J	0.0420 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/03/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW110 (dup)	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	5.23	0.128 U	0.164 U	0.247 U	0.0739 U
		06/27/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	5.30	0.128 U	0.164 U	0.247 U	0.0739 U
		04/09/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	5.17	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	6.44	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	6.88	0.128 U	0.164 U	0.247 U	0.0739 U
		04/26/19	Bladder	–	–	–	–	0.120 U	4.70 U	0.130 U	0.186 U	0.164 U	5.70 U	7.03	0.128 U	0.164 U	0.247 U	0.0739 U
		07/15/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	8.44	0.128 U	0.164 U	0.247 U	0.0739 U
		10/15/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 UJ	0.186 UJ	0.164 U	0.114 U	5.01	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Bladder	–	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	1.21 J	0.640 U	0.820 U	1.23 U	0.369 U
		04/22/20	Bladder	–	–	–	–	0.735 U	0.745 U	0.665 U	0.790 U	0.900 U	0.500 U	5.46	0.710 U	0.820 U	1.19 U	0.520 U
		07/16/20	Bladder	–	–	–	–	0.100 U	0.0550 U	0.0780 UJ	0.177 U	0.135 U	0.115 U	4.23	0.140 U	0.125 U	1.02 U	0.230 U
		11/04/20	Bladder	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	5.82	1.40 U	1.25 UJ	10.2 U	2.30 U
		02/09/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	3.21	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/04/21	Bladder	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	1.92	0.280 U	0.250 U	2.04 U	0.460 U
MW115	9th Ave N ROW, W side	03/22/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/22/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/11/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/30/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 UJ
		07/17/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/22/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/05/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		07/28/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 UJ	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		11/12/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/12/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW116	9th Ave N ROW, W side	03/21/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/16/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/11/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/30/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 UJ
		07/17/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/31/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 UJ	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/29/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/28/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 UJ	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		11/12/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/11/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW119	9th Ave N ROW, W side	03/29/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/28/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/05/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW119 (continued)		01/21/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/29/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/19/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/10/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		11/11/19 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/14/20 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		07/28/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
(split)		12/03/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/10/21 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/20/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW120	8th Ave N ROW, E side	03/28/17	Peristaltic	–	–	–	–	0.120 U	0.277 J	0.130 U	0.186 U	0.417 J	1.88	0.303 J	0.128 U	0.164 U	0.247 U	0.0739 U
		06/28/17	Bladder	–	–	–	–	0.120 U	0.278 J	0.130 U	0.186 U	0.418 J	1.57	0.251 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/09/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.501	0.471 J	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/24/19	Peristaltic	105 zJ+	–	–	–	0.120 U	0.255 J	0.130 U	0.186 U	0.394 J	1.61	0.883	0.128 U	0.164 U	0.247 U	0.0739 U
		05/03/19	Peristaltic	111 J+	–	–	–	0.120 U	0.261 J	0.130 U	0.186 U	0.477 J	1.70	0.812	0.128 U	0.164 U	0.247 U	0.0739 U
		05/03/19	Peristaltic	138 J+	–	–	–	0.120 U	0.290 J	0.130 U	0.186 U	0.412 J	1.76	0.866	0.128 U	0.164 U	0.247 U	0.0739 U
		07/16/19	Peristaltic	152 zJ+	–	–	–	0.120 U	0.302 J	0.130 U	0.186 U	0.631	1.43	0.738	0.128 U	0.164 U	0.247 U	0.0739 U
		10/17/19	Bladder	106 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	1.52	0.552	0.128 U	0.164 U	0.247 U	0.0739 U
		10/17/19	Bladder	113 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	1.29	0.478 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Bladder	124 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	1.80	0.586	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/20	Bladder	481 zJ+	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	1.47	0.341 J	0.142 U	0.164 U	0.237 U	0.104 U
		07/14/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0870 J	1.37	0.412	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/30/20	Bladder	–	–	–	–	0.0200 U	0.164	0.0156 U	0.0353 U	0.321	2.17	0.565	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/30/20	Bladder	–	–	–	–	0.0200 U	0.179	0.0156 U	0.0353 U	0.338	2.15	0.557	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/05/21	Peristaltic	–	–	–	–	0.0200 U	0.243 J	0.0156 U	0.0353 U	0.479	2.60	0.650 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/12/21	Peristaltic	–	–	–	–	0.0200 U	0.163	0.0156 U	0.0353 U	0.242	2.09	0.425	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW127	8th Ave N ROW, E side	08/01/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.542	0.495 J	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/17/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.547	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Bladder	61.3 U	–	–	–	0.120 U	0.111 J	0.130 U	0.186 U	0.425 J	0.568	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/20	Bladder	121 zJ+	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.446 J	0.511	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/14/20	Bladder	–	–	–	–	0.0200 U	0.136	0.0156 U	0.0353 U	0.477	0.421	0.0620 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		07/14/20	Bladder	–	–	–	–	0.0200 U	0.148	0.0156 U	0.0353 U	0.500	0.420	0.0770 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/13/20	Bladder	–	–	–	–	0.0200 U	0.0917 J	0.0156 U	0.0353 U	0.458 J	0.366	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/11/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.194	0.394	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene	
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80	
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410	
MW131	Property, SE quadrant	03/27/17	Peristaltic	91.9 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		06/20/17	Peristaltic	31.6 U	–	–	–	0.600 U	0.0940 U	0.650 U	0.930 U	0.820 U	0.570 U	0.940 U	0.640 U	0.820 U	1.24 U	0.370 U	
		04/16/18	Peristaltic	55.3 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/25/18	Peristaltic	57.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		12/12/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/29/19	Peristaltic	43.7 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		03/11/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
Decommissioned March, 2019																			
MW-142	8th Ave N ROW, E side	04/27/18	Peristaltic	49.3 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.244 J	0.128 U	0.164 U	0.247 U	0.0739 U	
(dup)		01/28/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/28/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/24/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		07/25/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/16/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
(dup)		01/22/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.235 J	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/24/20	Bladder	62.4 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.221 J	0.142 U	0.164 U	0.237 U	0.104 U	
		07/30/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.626 J	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		11/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0250 J	0.905	0.0280 U	0.0250 U	0.204 U	0.0460 U	
	11/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0310 J	1.09 J+	0.0280 U	0.0250 U	0.204 U	0.0460 U		
(dup)	02/08/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.370	0.0280 U	0.0250 U	0.204 U	0.0460 U		
	05/19/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.175	0.0280 U	0.0250 U	0.204 U	0.331		
	MW-144	8th Ave N ROW, E side	04/27/18	Peristaltic	364 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.15	0.128 U	0.164 U	0.247 U	0.0739 U
	01/28/19		Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
	04/23/19		Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
Decommissioned December 2019																			
MW-144R	8th Ave N ROW, E side	12/16/19	Bladder	325 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.589	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/21/20	Bladder	60.7 J	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	1.88 U	1.28 U	1.64 U	2.47 U	0.739 U	
		04/02/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		08/03/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		11/23/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		02/02/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		05/12/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
MW-146	Roy St ROW, S side	04/30/18	Bladder	597 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	4.02	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/22/19	Peristaltic	509 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	4.44	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/24/19	Bladder	88.0 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.04	0.128 U	0.164 U	0.247 U	0.0739 U	
		07/19/19	Bladder	46.3 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.15	0.128 U	0.164 U	0.247 U	0.0739 U	
		07/19/19	Bladder	262 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.37	0.128 U	0.164 U	0.247 U	0.0739 U	
	(dup)	10/14/19	Bladder	1,310 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.83	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/24/20	Bladder	1,140 zJ+	–	–	–	12.0 U	9.40 U	13.0 U	18.6 U	16.4 U	11.4 U	18.8 U	12.8 U	16.4 U	24.7 U	7.39 U	
		(dup)	01/24/20	Bladder	423 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.59	0.128 U	0.164 U	0.247 U	0.0739 U
			04/30/20	Bladder	1,080 zJ+	–	–	–	14.7 U	14.9 U	13.3 U	15.8 U	18.0 U	10.0 U	18.8 U	14.2 U	16.4 U	23.7 U	10.4 U
			07/09/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	3.77	0.0280 U	0.0250 U	0.204 U	0.0460 U
(split)	11/10/20	Bladder	2,850 zJ+	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	5.58 J-	1.40 U	1.25 U	10.2 U	2.30 U		
	11/10/20	Bladder	100 U	50.0 U	250 U	250 U	500 U	500 U	500 U	500 U	–	500 U	500 U	500 U	500 U	500 U	–		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-146 (continued)		02/08/21 05/04/21	Peristaltic Bladder	– –	– –	– –	– –	0.0200 U 1.00 U	0.0110 U 0.550 U	0.0156 U 0.780 UJ	0.0353 U 1.77 U	0.0270 U 1.35 U	0.0230 U 1.15 U	3.02 1.00 U	0.0280 U 1.40 U	0.0250 U 1.25 UJ	0.204 U 10.2 U	0.0460 U 2.30 U
MW-149	Property, NE quadrant	04/10/18	Peristaltic	11,700 zJ+	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	35.5	0.640 U	0.820 U	1.24 U	0.465 J
(dup)		10/25/18	Peristaltic	4,570 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	25.7	0.128 U	0.164 U	0.247 U	0.0739 U
		12/13/18	Peristaltic	11,400 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	30.4	0.128 U	0.164 U	0.247 U	0.178 J
		12/13/18	Peristaltic	11,400 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	31.1	0.128 U	0.164 U	0.247 U	0.182 J
		01/29/19	Peristaltic	14,400 zJ+	–	–	–	12.0 U	9.40 U	13.0 U	18.6 U	16.4 U	11.4 U	18.8 U	12.8 U	16.4 U	24.7 U	7.39 UJ
		03/13/19	Peristaltic	15,300 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	34.0	0.128 U	0.164 U	0.247 U	0.338 J
Decommissioned March, 2019																		
MW-151	Property, SW quadrant	04/10/18 10/25/18 12/14/18 01/31/19 03/12/19	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	74.6 U 99.4 U 1,040 zJ+ 340 zJ+ 143 zJ+	– – – – –	– – – – –	– – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.120 U	0.0940 UJ 0.0940 U 0.0940 U 0.0940 U 0.0940 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U	0.164 UJ 0.164 U 0.164 U 0.164 U 0.164 U	0.114 UJ 0.114 U 0.114 U 0.114 U 0.114 U	0.188 UJ 0.188 U 7.05 3.15 0.188 U	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U	0.247 U 0.247 U 0.247 U 0.247 U 0.247 U	0.0739 UJ 0.0739 U 0.0739 U 0.0739 U 0.0739 U
Decommissioned March, 2019																		
MW-156	8th Ave N ROW, E side	04/26/18 01/24/19 04/24/19 04/24/19 07/22/19 10/17/19 01/20/20 04/24/20 07/15/20 11/11/20 02/08/21 05/10/21	Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder Bladder Bladder Bladder Peristaltic Bladder	1,690 zJ+ 1,480 zJ+ 2,570 zJ+ 2,600 zJ+ 3,100 zJ+ 1,450 zJ+ 2,160 zJ+ 770 zJ+ – – – –	– – – – – – – – – – – –	– – – – – – – – – – – –	– – – – – – – – – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.120 U 1.20 U 1.20 U 7.35 U 1.00 U 0.0200 U 0.200 U 1.00 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.940 U 0.940 U 7.45 U 0.550 U 0.0110 U 0.110 U 0.550 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 1.30 U 1.30 U 6.65 U 0.780 U 0.0156 U 0.156 U 0.780 UJ	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 1.86 U 1.86 U 7.90 U 1.77 U 0.0353 U 0.353 U 1.77 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 1.64 U 1.64 U 9.00 U 1.35 U 0.0270 U 0.270 U 1.35 U	0.114 U 0.114 U 0.114 U 0.114 U 0.114 U 1.14 U 1.14 U 5.00 U 1.15 U 0.361 0.230 U 1.15 U	20.7 14.1 12.3 11.8 13.2 6.70 7.48 9.40 U 6.40 3.10 2.58 2.65 J	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 1.28 U 1.28 U 7.10 U 1.40 U 0.0280 U 0.280 U 1.40 U	0.164 U 0.164 U 0.164 U 0.164 U 0.164 U 1.64 U 1.64 U 8.20 U 1.25 U 0.0250 U 0.250 U 1.25 U	0.247 U 0.247 U 0.247 U 0.247 U 0.247 U 2.47 U 2.47 U 11.9 U 10.2 U 0.204 U 2.04 U 10.2 U	0.0739 U 0.0739 UJ 0.0739 U 0.0739 U 0.0739 U 0.739 U 0.739 U 5.20 U 2.30 U 0.0460 U 0.460 U 2.30 U
MW-189	Valley St ROW, S side	10/14/19 01/23/20 04/03/20 04/03/20 08/04/20 11/17/20 02/03/21 05/14/21	Bladder Bladder Bladder Bladder Bladder Bladder Bladder Bladder	31.6 U 31.6 U 31.6 U 31.6 U – – – –	– – – – – – – –	– – – – – – – –	– – – – – – – –	0.120 U 0.120 U 0.120 U 0.120 U 0.0200 U 0.0200 U 0.0200 U 0.0200 U	0.0940 U 0.0940 U 0.0940 U 0.0940 U 0.0110 U 0.0110 U 0.0110 U 0.0110 U	0.130 U 0.130 U 0.130 U 0.130 U 0.0156 U 0.0156 U 0.0156 U 0.0156 U	0.186 U 0.186 U 0.186 U 0.186 U 0.0353 U 0.0353 U 0.0353 U 0.0353 U	0.164 U 0.164 U 0.164 U 0.164 U 0.0270 U 0.0270 U 0.0270 U 0.0270 U	0.114 U 0.114 U 0.114 U 0.114 U 0.0230 U 0.0230 U 0.0230 U 0.0230 U	0.188 U 0.188 U 0.188 U 0.188 U 0.0200 U 0.0200 U 0.0200 U 0.0200 U	0.128 U 0.128 U 0.128 U 0.128 U 0.0280 U 0.0280 U 0.0280 U 0.0280 U	0.164 U 0.164 U 0.164 U 0.164 U 0.0250 U 0.0250 UJ 0.0250 UJ 0.0250 U	0.247 U 0.247 U 0.247 U 0.247 U 0.204 U 0.204 U 0.204 U 0.204 U	0.0739 U 0.0739 U 0.0739 U 0.0739 U 0.0460 U 0.0460 U 0.0460 U 0.0460 U
MW-302	Dexter Ave N ROW	10/21/19 01/24/20 05/07/20 07/28/20 11/17/20 05/17/21	Bladder Bladder Bladder Bladder Bladder Bladder	98.5 J 31.6 U 31.6 U – – –	– – – – – –	– – – – – –	– – – – – –	0.120 U 0.120 U 0.147 U 0.147 U 0.0200 U 0.0200 U	0.0940 U 0.0940 U 0.149 U 0.149 U 0.0110 U 0.0110 U	0.130 U 0.130 U 0.133 UJ 0.133 U 0.0156 U 0.0156 U	0.186 U 0.186 U 0.158 U 0.158 U 0.0353 U 0.0353 U	0.164 U 0.164 U 0.180 U 0.180 UJ 0.0270 U 0.0270 U	0.114 U 0.114 U 0.100 U 0.100 U 0.0230 U 0.0230 U	0.188 U 0.188 U 0.188 U 0.188 U 0.0200 U 0.0200 U	0.128 U 0.128 U 0.142 U 0.142 U 0.0280 U 0.0280 U	0.164 U 0.164 U 0.164 U 0.164 U 0.0250 UJ 0.0250 U	0.247 U 0.247 U 0.237 UJ 0.237 U 0.204 U 0.204 U	0.0739 U 0.0739 U 0.104 U 0.104 U 0.0460 U 0.0460 U
MW-306	Dexter Ave N ROW, E side	10/15/19 01/16/20	Bladder Bladder	31.6 U 34.3 U	– –	– –	– –	0.120 U 0.120 U	0.0940 U 0.0940 U	0.130 UJ 0.130 U	0.186 UJ 0.186 U	0.164 U 0.164 U	0.114 U 0.114 U	0.188 U 0.188 U	0.128 U 0.128 U	0.164 U 0.164 U	0.247 U 0.247 U	0.0739 U 0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-306 (continued)		04/28/20	Bladder	42.7 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/29/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/06/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/18/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/08/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0710 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.106 J
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-315	Mercer St ROW, N side	10/03/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/24/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.154 J
		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/17/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-317	9th Ave N ROW, W side	10/09/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/27/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/30/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0651 J
		11/10/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/19/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-325	Mercer St ROW, N side	10/03/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/21/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/23/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/08/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-327	Lake Union Park, S end	10/02/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/09/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/07/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-330 (dup) (dup)	Valley St ROW, N side	05/14/20	Bladder	31.6 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		05/14/20	Bladder	31.6 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		07/16/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		12/01/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 UJ	0.0460 UJ
		12/01/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 UJ	0.0460 UJ
		05/25/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.953	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.916	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	1.08	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.831	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-333	900 Roy St, S end	04/29/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/18/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-344	SDOT Mercer Parcels,	06/01/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
Intermediate B Water-Bearing Zone																		
FMW-141 (dup) (split)	Alley E of Seattle Roy Aloha Shops	07/26/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/30/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.51 J	0.128 U	0.164 U	0.247 U	0.0739 U
		10/30/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	4.63 J	0.128 U	0.164 U	0.247 U	0.0739 U
		11/11/19 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Bladder	–	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	1.01 J	0.640 U	0.820 U	1.23 U	0.369 U
		01/14/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/17/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	–	–	–	–	0.735 U	0.745 U	0.665 U	0.790 U	0.900 U	0.500 U	0.940 U	0.710 U	0.820 U	1.19 U	0.520 U
		05/19/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/22/20	Bladder	–	–	–	–	0.400 U	0.220 U	0.312 U	0.706 U	0.540 U	0.460 U	1.72 J	0.560 U	0.500 U	4.08 U	0.920 U
		07/28/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.727	0.0280 U	0.0250 U	0.204 U	0.0460 U
		12/03/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/03/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
HMW-11B	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
		03/10/20 ^a	Unknown	100 U	60 U	300 U	300 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.040 U	–
HMW-21B	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
		03/12/20 ^a	Unknown	100 U	51 U	260 U	260 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.030 U	–
HMW-41A	SDOT Mercer Parcels, SW quadrant	03/25/19 ^a	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–
		03/10/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.040 U	–
HMW-51B	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.030 U	–
HMW-61B	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	100 U	83 J	250 U	83 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.040 U	–
HMW-71B	SDOT Mercer Parcels, SW quadrant	03/12/20 ^a	Unknown	100 U	52 U	260 U	260 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.030 U	–
HMW-81B	SDOT Mercer Parcels, SW quadrant	03/11/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.040 U	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
HMW-9IB	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a	Unknown	580 J	60 J	250 U	60 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	13	0.20 U	0.20 U	0.040 U	–
		01/26/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0340 J	6.03 J+	0.0280 U	0.0250 U	0.204 U	0.0460 U
		06/02/21	Bladder	–	–	–	–	2.00 U	1.10 U	1.56 U	3.53 U	2.70 U	2.30 U	5.30 J	2.80 U	2.50 U	20.4 U	4.60 U
HMW-11IB	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	100 U	74 J	250 U	74 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.030 U	–
MW111	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/14/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/06/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/22/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/15/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/14/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/06/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.232	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.358	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/09/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.121	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/03/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0420 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW112	Dexter Ave N ROW, W side	03/22/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/16/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/12/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/21/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/22/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/16/19	Bladder	31.7 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/21/19	Bladder	96.6 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/24/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/07/20	Bladder	31.6 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/17/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/11/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/14/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW126	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/15/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/06/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/22/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/29/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/18/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/15/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/15/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/14/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.199 J
		04/09/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
(dup)																		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW126 (continued) (dup)		07/24/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 UJ	0.0460 U
		11/09/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/10/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 UJ	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 UJ
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW130 (dup)	Property, NW quadrant	03/29/17	Bladder	8,890 zJ+	–	–	–	2.40 U	1.88 U	2.60 U	3.72 U	3.28 U	2.28 U	102	2.56 U	3.28 U	4.94 U	1.48 U
		06/30/17	Bladder	10,300 zJ+	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	94.3	1.28 U	1.64 U	2.47 U	0.739 U
		06/30/17	Bladder	15,000 zJ+	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	85.0	1.28 U	1.64 U	2.47 U	0.739 U
		05/21/18	Bladder	19,700 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	124	0.128 U	0.164 U	0.247 U	0.502
		12/17/18	Bladder	16,400 zJ+	–	–	–	6.00 U	4.70 U	6.50 U	9.30 U	8.20 U	5.70 U	124	6.40 U	8.20 U	12.4 U	3.70 U
		01/31/19	Bladder	22,400 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	130	0.128 U	0.164 U	0.247 U	0.622
Decommissioned March, 2019																		
MW-132	Property, SE quadrant	09/25/17	Bladder	95.9 U	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	0.940 U	0.640 U	0.820 U	1.24 U	0.370 U
		04/26/18	Bladder	2,630 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	18.1	0.128 U	0.164 U	0.247 U	0.0739 U
		10/25/18	Peristaltic	48.3 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/13/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.450 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/31/19	Peristaltic	104 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.366 J	0.128 U	0.164 U	0.247 U	0.0739 U
		03/11/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
Decommissioned March, 2019																		
MW-134	Property, NE quadrant	09/22/17	Bladder	–	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	0.940 U	0.640 U	0.820 U	1.24 U	0.370 U
		04/16/18	Peristaltic	42.1 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/25/18	Bladder	38.2 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/12/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/28/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 UJ
		03/12/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
Decommissioned March, 2019																		
MW-135	Property, NE quadrant	09/25/17	Bladder	10,900 zJ+	–	–	–	12.0 U	9.40 U	13.0 U	18.6 U	16.4 U	11.4 U	87.2	12.8 U	16.4 U	24.7 U	7.39 U
		04/25/18	Peristaltic	347,000 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.512	188	0.128 U	0.164 U	0.247 U	1.12
		10/25/18	Peristaltic	31,800 zJ+	–	–	–	3.00 U	2.35 U	3.25 U	4.65 U	4.10 U	2.85 U	167	3.20 U	4.10 U	6.18 U	1.85 U
		12/13/18	Peristaltic	80,000 zJ+	–	–	–	6.00 U	4.70 U	6.50 U	9.30 U	8.20 U	5.70 U	240	6.40 U	8.20 U	12.4 U	3.70 U
		01/31/19	Bladder	42,700 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.396 J	225 J	0.128 U	0.164 U	0.247 U	1.08 J
		03/13/19	Bladder	32,700 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.347 J	173	0.128 U	0.164 U	0.247 U	1.07
Decommissioned March, 2019																		
MW-136 (dup)	Property, SW quadrant	09/25/17	Bladder	55.2 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/16/18	Submersible	256	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	4.40
		10/29/18	Bladder	31.9 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/13/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		02/01/19	Bladder	44.5 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/12/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/12/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
Decommissioned March, 2019																		
MW-139	Property, SE quadrant	09/25/17	Bladder	62.2 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/25/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/25/18	Peristaltic	47.4 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/12/18	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene	
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80	
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410	
MW-139 (continued)	Decommissioned March, 2019	01/28/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 UJ	
		03/11/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
MW-143	8th Ave N ROW, E side	04/30/18	Peristaltic	154	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.342 J	0.128 U	0.164 U	0.247 U	0.192 J	
		01/29/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 UJ	
		04/24/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		07/19/19	Bladder	31.6	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/16/19	Bladder	2,000 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	8.47	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/22/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/24/20	Bladder	88.2 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U	
		07/29/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		11/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.589	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		02/08/21	Peristaltic	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	6.60	1.40 U	1.25 U	10.2 U	2.30 U	
		05/19/21	Bladder	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 UJ	1.15 U	7.15	1.40 U	1.25 U	10.2 U	2.30 U	
MW-145	8th Ave N ROW, E side	04/27/18	Bladder	52.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/29/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 UJ	
		04/26/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
Decommissioned December 2019																			
MW-145R	8th Ave N ROW, E side	12/16/19	Bladder	140 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/21/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/02/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		08/03/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		11/23/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U	
		02/05/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U	
MW-147 (dup) (split)	Roy St ROW, S side	05/12/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		05/01/18	Bladder	484 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	4.59	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/22/19	Bladder	663 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	6.83	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/23/19	Bladder	139 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.75	0.128 U	0.164 U	0.247 U	0.0739 U	
		07/18/19	Bladder	175 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.33	0.128 U	0.164 U	0.247 U	1.48 U	
		07/18/19	Bladder	170 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.30	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/14/19	Bladder	513 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.92	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/24/20	Bladder	1,200 zJ+	–	–	–	3.00 U	2.35 U	3.25 U	4.65 U	4.10 U	2.85 U	4.70 U	3.20 U	4.10 U	6.17 U	1.85 U	
		04/29/20	Bladder	1,150 zJ+	–	–	–	3.68 U	3.73 U	3.33 U	3.95 U	4.50 U	2.50 U	4.70 U	3.55 U	4.10 U	5.93 U	2.60 U	
		07/09/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0510 J	4.11	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		11/10/20	Bladder	2,930 zJ+	–	–	–	2.00 U	1.10 U	1.56 U	3.53 U	2.70 U	2.30 U	2.00 UJ	2.80 U	2.50 U	20.4 U	4.60 U	
		11/10/20	Bladder	100 U	50.0 U	250 U	250 U	500 U	500 U	500 U	500 U	–	500 U	500 U	500 U	500 U	500 U	–	
		02/09/21	Bladder	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	3.20 J	1.40 U	1.25 U	10.2 U	2.30 U	
05/04/21	Bladder	–	–	–	–	2.00 U	1.10 U	1.56 UJ	3.53 U	2.70 U	2.30 U	2.00 U	2.80 U	2.50 UJ	20.4 U	4.60 U			
MW-148 (dup)	Roy St ROW, S side	05/01/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		05/01/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/23/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/26/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		07/22/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/16/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-148 (continued)		01/20/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/30/20	Bladder	36.8 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/15/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/11/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-150	Property, NW quadrant	04/10/18	Peristaltic	7,040 z	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	36.9	0.128 U	0.164 U	0.247 U	0.0739 U
		10/25/18	Peristaltic	14,600 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	61.9	0.128 U	0.164 U	0.247 U	0.317 J
		12/12/18	Peristaltic	17,500 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	74.5	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/19	Peristaltic	11,900 zJ+	–	–	–	12.0 U	9.40 U	13.0 U	18.6 U	16.4 U	11.4 U	35.9 J	12.8 U	16.4 U	24.7 U	7.39 UJ
		03/13/19	Peristaltic	7,540 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	19.1	0.128 U	0.164 U	0.247 U	0.0739 U
Decommissioned March, 2019				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MW-152	Property, SW quadrant	04/10/18	Peristaltic	40,600 z	–	–	–	2.40 U	1.88 U	2.60 U	3.72 U	3.28 U	2.28 U	107	2.56 U	3.28 U	4.94 U	1.91 J
		10/26/18	Peristaltic	36,700 zJ+	–	–	–	6.00 U	4.70 U	6.50 U	9.30 U	8.20 U	5.70 U	86.9	6.40 U	8.20 U	12.4 U	3.70 U
		12/14/18	Peristaltic	47,300 zJ+	–	–	–	3.00 U	2.35 U	3.25 U	4.65 U	4.10 U	2.85 U	108 J+	3.20 U	4.10 U	6.18 U	1.85 U
		01/31/19	Peristaltic	44,300 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	86.3	0.128 U	0.164 U	0.247 U	0.932
		03/12/19	Peristaltic	55,900 zJ+	–	–	–	3.00 U	2.35 U	3.25 U	4.65 U	4.10 U	2.85 U	112	3.20 U	4.10 U	6.18 U	1.85 U
Decommissioned March, 2019				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MW-157	8th Ave N ROW, E side	04/26/18	Peristaltic	65.7 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/24/19	Peristaltic	1,870 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	16.7	0.128 U	0.164 U	0.247 U	0.0739 UJ
		04/24/19	Peristaltic	3,210 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	11.7	0.128 U	0.164 U	0.247 U	0.0739 U
		07/22/19	Bladder	3,880 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	17.5	0.128 U	0.164 U	0.247 U	0.0739 U
		10/16/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Bladder	1,650 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	7.81	0.128 U	0.164 U	0.247 U	0.0739 U
		04/24/20	Bladder	756 zJ+	–	–	–	2.94 U	2.98 U	2.66 U	3.16 U	3.60 UJ	2.00 U	3.76 U	2.84 U	3.28 U	4.74 U	2.08 U
		07/15/20	Bladder	–	–	–	–	0.400 U	0.220 U	0.312 U	0.706 U	0.540 U	0.460 U	3.28	0.560 U	0.500 U	4.08 U	0.920 U
		11/23/20	Bladder	–	–	–	–	0.400 U	0.220 U	0.312 U	0.706 U	0.540 U	0.460 U	15.6 J+	0.560 U	0.500 UJ	4.08 U	0.920 U
MW-190	Valley Street ROW, S side	10/14/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		08/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/18/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0430 J	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/03/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/14/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-303	Dexter Ave N ROW, E side	10/21/19	Submersible	99.6 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/24/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/07/20	Bladder	41.5 J	–	–	–	0.147 U	0.149 U	0.133 UJ	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 UJ	0.104 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/17/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/18/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-307	Roy St ROW, S side	10/11/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/15/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/28/20	Bladder	146 zJ+	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/29/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-307 (continued)		11/06/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/18/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/08/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0430 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0300 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.665 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/14/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.281 J	0.128 U	0.164 UJ	0.247 U	0.0739 U
		04/23/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		07/16/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0450 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/03/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-314 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	3.21	0.128 U	0.164 U	0.247 U	0.0739 U
		01/15/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.74	0.128 U	0.164 U	0.247 U	0.0739 U
		01/15/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.95	0.128 U	0.164 U	0.247 U	0.0739 U
		04/22/20	Bladder	–	–	–	–	1.47 U	1.49 U	1.33 U	1.58 U	1.80 U	1.00 U	4.90 J	1.42 U	1.64 U	2.37 U	1.04 U
		07/16/20	Bladder	–	–	–	–	2.00 U	1.10 U	1.56 UJ	3.53 U	2.70 U	2.30 U	9.60 J	2.80 U	2.50 U	20.4 U	4.60 U
		11/04/20	Bladder	–	–	–	–	2.00 U	1.10 U	1.56 U	3.53 U	2.70 U	2.30 U	13.6	2.80 U	2.50 UJ	20.4 U	4.60 U
		05/03/21	Bladder	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	1.00 U	1.40 U	1.25 U	10.2 U	2.30 U
MW-316	Mercer St ROW, N side	10/02/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/21/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/17/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-318	9th Ave N ROW, W side	10/08/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.490 J	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.521	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/27/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.222 J	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/30/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0964 J	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/12/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/19/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-322	9th Ave N ROW, W side	10/07/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.23	0.128 U	0.164 U	0.247 U	0.0739 U
		01/21/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	7.05	0.128 U	0.164 U	0.247 U	0.0739 U
		04/29/20	Bladder	–	–	–	–	14.7 U	14.9 U	13.3 U	15.8 U	18.0 U	10.0 U	18.8 U	14.2 U	16.4 U	23.7 U	10.4 U
		07/07/20	Bladder	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.700 J	9.85	0.280 U	0.250 U	2.04 U	0.460 U
		11/24/20	Bladder	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.510 J	3.17	0.280 U	0.250 U	2.04 U	0.460 U
		05/19/21	Peristaltic	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 UJ	0.640 J	4.04	0.280 U	0.250 U	2.04 U	0.460 U
MW-334	900 Roy St, S end	04/24/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/07/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-334 (continued)		11/05/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/13/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-335	Mercer St ROW, N side	05/01/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.726	0.142 U	0.164 U	0.237 U	0.104 U
		07/08/20	Bladder	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	0.200 U	0.280 U	0.250 U	2.04 U	0.460 U
		11/02/20	Bladder	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	2.02	0.280 U	0.250 U	2.04 U	0.460 U
		02/10/21	Bladder	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	1.93	0.280 U	0.250 U	2.04 U	0.460 U
		05/26/21	Peristaltic	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	0.200 U	0.280 U	0.250 U	2.04 U	0.460 U
MW-338	Lake Union Park, N end	05/07/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/23/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/10/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-340	Lake Union Park, S end	05/12/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/17/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/13/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-345	SDOT Mercer Parcels,	06/01/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-346 (dup)	SDOT Mercer Parcels, NW quadrant	06/02/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0590 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		06/02/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0610 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-347	SDOT Mercer Parcels,	06/01/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.147	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-348	SDOT Mercer Parcels,	06/01/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0940 J	1.29	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-349	SDOT Mercer Parcels,	06/01/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-350	SDOT Mercer Parcels,	06/01/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	20.9 J
W-MW-01	8th Ave N ROW, W side	03/30/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/19/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/13/18	Bladder	37.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/29/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/13/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/25/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/11/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/25/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/23/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/15/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/27/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/03/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/31/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0630 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/03/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0320 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/17/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0480 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
W-MW-02	8th Ave N ROW, W side	03/27/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/19/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

**Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene												
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80												
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410												
W-MW-02 (continued) (dup)		06/12/18	Bladder	31.6	U	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		10/26/18	Peristaltic	90.2	UJ	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		10/26/18	Peristaltic	246	J+	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		12/12/18	Peristaltic	158	UJ	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		01/25/19	Peristaltic	37.4	J	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		03/11/19	Peristaltic	31.6	U	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		04/23/19	Peristaltic	429	zJ+	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	1.96	–	0.128	U	0.164	U	0.247	U	0.0739	U
		07/23/19	Bladder	31.6	U	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		10/18/19	Bladder	316	U	–	–	–	0.120	U	0.0940	UJ	0.130	U	0.186	U	0.164	UJ	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		01/28/20	Bladder	31.6	U	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U
		04/01/20	Bladder	31.6	U	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	UJ	0.247	U	0.0739	U
		07/31/20	Bladder	–	–	–	–	–	–	0.0200	U	0.0110	U	0.0156	U	0.0353	U	0.0270	U	0.0230	U	0.0200	UJ	0.0280	U	0.0250	U	0.204	U	0.0460
Deep Water-Bearing Zone																														
FMW-129	SDOT Mercer Parcels, NE quadrant	04/10/17	Peristaltic	–	–	–	–	–	0.470	U	0.650	U	0.930	U	0.820	U	0.570	U	4.86	–	0.640	U	0.820	U	1.24	U	0.370	U		
		06/23/17	Bladder	–	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	1.37	–	0.128	U	0.164	U	0.247	U	0.0739	U
		05/01/19	Peristaltic	–	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	1.26	–	0.128	U	0.164	U	0.247	U	0.0739	U
		07/16/19	Bladder	–	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	1.69	–	0.128	U	0.164	U	0.247	U	0.0739	U
		10/21/19	Peristaltic	141	zJ+	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	1.62	–	0.128	U	0.164	U	0.247	U	0.0739	U
		11/12/19 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		01/14/20	Bladder	–	–	–	–	–	1.20	U	0.940	U	1.30	U	1.86	U	1.64	U	1.14	U	1.88	U	1.28	U	1.64	UJ	2.47	U	0.739	U
		01/14/20 ^u	Bladder	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		03/25/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		04/27/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		05/06/20	Bladder	–	–	–	–	–	0.147	U	0.149	U	0.133	U	0.158	U	0.180	U	0.100	U	0.589	–	0.142	U	0.164	U	0.237	U	0.104	U
05/19/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
07/10/20	Bladder	–	–	–	–	–	0.0200	U	0.0110	U	0.0156	U	0.0353	U	0.0270	U	0.0230	U	0.331	–	0.0280	U	0.0250	UJ	0.204	U	0.0460	U		
07/28/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
09/17/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
(split)		11/10/20	Bladder	–	–	–	–	0.0200	U	0.0110	U	0.0156	U	0.0353	U	0.0270	U	0.0230	U	0.219	–	0.0280	U	0.0250	U	0.204	U	0.0460	U	
		12/03/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		02/10/21	Peristaltic	–	–	–	–	–	0.0200	U	0.0110	U	0.0156	U	0.0353	UJ	0.0270	U	0.0230	U	0.0200	U	0.0280	U	0.0250	U	0.204	U	0.0460	UJ
		02/10/21 ^u	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
(dup)		05/26/21	Bladder	–	–	–	–	0.0200	U	0.0110	U	0.0156	U	0.0353	U	0.0270	U	0.0230	U	2.11	–	0.0280	U	0.0250	U	0.204	U	0.0460	U	
		05/26/21	Bladder	–	–	–	–	0.0200	U	0.0110	U	0.0156	U	0.0353	U	0.0270	U	0.0230	U	2.27	–	0.0280	U	0.0250	U	0.204	U	0.0460	U	
FMW-131	Block 37, SE quadrant	03/24/17	Peristaltic	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U	
		06/23/17	Bladder	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U	
		12/18/17 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		04/22/19	Peristaltic	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U	
		10/21/19	Peristaltic	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	U	0.247	U	0.0739	U	
		01/22/20	Peristaltic	–	–	–	–	0.120	U	0.0940	U	0.130	U	0.186	U	0.164	U	0.114	U	0.188	U	0.128	U	0.164	UJ	0.247	U	0.0739	U	
		04/29/20	Peristaltic	–	–	–	–	0.147	U	0.149	U	0.133	U	0.158	U	0.180	U	0.100	U	0.188	U	0.142	U	0.164	U	0.237	U	0.104	U	
		07/30/20	Bladder	–	–	–	–	0.0200	U	0.0110	U	0.0156	U	0.0353	U	0.0270	U	0.0230	U	0.0200	UJ	0.0280	U	0.0250	U	0.204	U	0.0460	U	
		08/26/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
FMW-131 (continued)		11/19/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0680 J	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^p	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0400 J	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/13/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0270 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
FMW-137	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/06/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/06/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 UJ	0.0739 U
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		05/06/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/31/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/12/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0350 J	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		06/02/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0390 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
FMW-138	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/6/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/8/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FMW-3D	Terry Ave N ROW, E side	03/24/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/23/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
FMW-140	900 Roy St, S end	07/17/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 UJ	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		11/12/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.510	1.19	0.128 U	0.164 UJ	0.247 U	0.0739 U
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.370 J	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/07/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.703	0.0780 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		07/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/13/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.279	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/18/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.146	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
GEI-2	Block 37, NW quadrant	03/24/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/23/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/29/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/22/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/16/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/21/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		02/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/29/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		06/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/30/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		08/26/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/19/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0240 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/13/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
HMW-1D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a 03/09/20 ^a	Peristaltic Unknown	100 U 140	200 U 94 J	500 U 250 U	500 U 94 J	1.0 U 20 U	1.0 U 20 U	1.0 U 20 U	1.0 U 20 U	– –	1.0 U 20 U	1.0 U 20 U	1.0 U 20 U	1.0 U 20 U	1.0 U 4.0 U	– –
HMW-2D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a 03/12/20 ^a	Peristaltic Unknown	100 U 100 U	200 U 86 J	500 U 250 U	500 U 86 J	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	– –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.03 U	– –
HMW-3D	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a 03/13/20 ^a	Peristaltic Unknown	100 U 100 U	200 U 480 J	500 U 250 U	500 U 480 J	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	– –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.04 U	– –
HMW-6D	SDOT Mercer Parcels, SW quadrant	03/16/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.03 U	–
HMW-9D	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	100 U	230 J	250 U	230 J	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.03 U	–
HMW-10D	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	0.03 U	–
MW102	Valley Street ROW, S side	03/29/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/15/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/25/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/24/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/01/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/18/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW102 (continued) (dup)		11/14/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		08/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		08/04/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/18/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/03/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW103	Alley E of Seattle Roy Aloha Shops	05/14/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		03/23/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.195 J	3.69	0.128 U	0.164 U	0.247 U	0.0739 U
		06/14/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.98	0.128 U	0.164 U	0.247 U	0.0739 U
		04/06/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.396 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/22/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.22	0.128 U	0.164 U	0.247 U	0.0739 U
		07/15/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.36	0.128 U	0.164 U	0.247 U	0.0739 U
		10/14/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.08	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.479 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.305 J	0.142 U	0.164 U	0.237 U	0.104 U
		04/23/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.291 J	0.142 U	0.164 U	0.237 U	0.272 J
		07/06/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.169	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.111	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/10/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.190	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/03/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.554	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW104	8th Ave N ROW, W side	03/30/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/30/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.387 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/09/18	Peristaltic	81.3 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.16	0.128 U	0.164 U	0.247 U	0.0739 U
		10/26/18	Bladder	1,570 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.374 J	0.128 U	0.164 U	0.247 U	0.0739 U
		12/13/18	Bladder	54.0 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.16	0.128 U	0.164 U	0.247 U	0.0739 U
		02/01/19	Bladder	191 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.415 J	0.128 U	0.164 U	0.247 U	0.0739 U
		03/13/19	Bladder	124 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	4.72	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/19	Bladder	174 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	5.86	0.128 U	0.164 U	0.247 U	0.0739 U
		07/22/19	Bladder	50.4 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	5.38	0.128 U	0.164 U	0.247 U	0.0739 U
		10/18/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.799	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/20	Bladder	447 ZJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.02	0.128 U	0.164 U	0.247 U	0.0739 U
		04/01/20	Bladder	92.4 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	6.47	0.128 U	0.164 U	0.247 U	0.0739 U
		07/31/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.45 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		07/31/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.46 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/17/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.80	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/10/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.34	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW105	Roy Street ROW, S side	04/21/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/14/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/11/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.225 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

**Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2,2,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene	
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80	
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410	
MW105 (continued) (dup)		07/17/19	Bladder	37.8 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/22/19	Bladder	96.4 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/22/19	Bladder	90.8 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/20/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		05/12/20	Bladder	52.7 J	–	–	–	0.147 U	0.149 U	0.133 UJ	0.158 U	0.180 U	0.100 U	0.194 J	0.142 U	0.164 UJ	0.237 U	0.104 U	
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.539	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		11/17/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.961	0.0280 U	0.0250 UJ	0.204 U	0.0460 U	
		02/11/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 UJ	0.0270 U	0.0230 U	1.07	0.0280 U	0.0250 U	0.204 U	0.0460 UJ	
		06/07/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	1.50	0.0280 U	0.0250 U	0.204 U	0.0460 U	
MW106	SDOT Mercer Parcels, NW quadrant	04/14/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		06/30/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		05/04/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		04/26/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		07/19/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		10/18/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 UJ	0.130 U	0.186 U	0.164 UJ	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
		01/14/20	Bladder	33.1 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U	
		05/06/20	Bladder	32.3 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U	
		05/06/20	Bladder	48.8 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U	
		07/10/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		11/10/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
		(dup)	11/10/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		(dup)	02/12/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		(dup)	02/12/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		(dup)	05/13/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		MW113	9th Ave N ROW, W side	03/22/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	10.7	0.128 U	0.164 U	0.247 U
06/16/17	Bladder			–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	5.93	0.128 U	0.164 U	0.247 U	0.0739 U	
04/11/18	Peristaltic			–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	7.83	0.128 U	0.164 U	0.247 U	0.0739 U	
01/30/19	Peristaltic			–	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.620 U	0.570 U	8.61	0.640 U	0.820 U	1.24 U	0.370 UJ	
02/07/19	Peristaltic			3,100 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.141 J	9.92	0.128 U	0.164 U	0.247 U	0.0739 U	
07/17/19	Peristaltic			2,560 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	3.40	0.128 U	0.164 U	0.247 U	0.0739 U	
10/22/19	Peristaltic			–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.78	0.128 U	0.164 U	0.247 U	0.0739 U	
11/11/19°	Peristaltic			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
01/14/20	Bladder			–	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	15.0	1.28 U	1.64 UJ	2.47 U	0.739 U	
01/14/20°	Peristaltic			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
02/18/20°	Peristaltic			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
03/24/20°	Unknown			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
04/27/20	Peristaltic			–	–	–	–	14.7 U	14.9 U	13.3 U	15.8 U	18.0 U	10.0 U	18.8 U	14.2 U	16.4 U	23.7 U	10.4 U	
04/27/20°	Peristaltic			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
05/19/20°	Unknown			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
07/28/20	Bladder			–	–	–	–	14.7 U	14.9 U	13.3 U	15.8 U	18.0 UJ	10.0 U	18.8 U	14.2 U	16.4 U	23.7 U	10.4 U	
07/28/20°	Unknown			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
09/17/20°	Unknown			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	Bladder			–	–	–	–	2.00 U	1.10 U	1.56 U	3.53 U	2.70 U	2.30 U	3.00 J	2.80 U	2.50 U	20.4 U	4.60 U	

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1,1-Trichloroethane (1,1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW113 (continued) (split)		12/03/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0630 J	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/10/21 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.999	4.28	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW122	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/14/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/06/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/14/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/07/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/24/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/06/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/03/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW123	Westlake Ave N ROW, W side	04/01/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/24/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/14/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.159 J	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/18/19	Peristaltic	–	–	–	–	0.120 U	0.0940 UJ	0.130 U	0.186 U	0.164 UJ	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/22/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		05/05/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 UJ	0.237 U	0.104 U
		07/30/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.102	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/12/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.103	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/26/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW124 (dup)	Valley Street ROW, S side	03/29/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/29/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/15/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/13/18	Bladder	39.4 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/11/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/30/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/03/20	Bladder	38.9 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		08/03/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 UJ	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/18/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		06/08/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW128 (dup)	Westlake Ave N ROW, E side	03/29/17	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		06/21/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/09/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/30/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/18/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/11/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/11/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		11/11/19 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/20/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW128 (continued) (split)		04/27/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		06/29/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0730 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		06/29/20°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		08/26/20°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/09/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0570 J	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		12/20/20°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-133	Property, SW quadrant	09/25/17	Bladder	41.2 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.87	0.128 U	0.164 U	0.247 U	0.0739 U
		04/25/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.899	0.128 U	0.164 U	0.247 U	0.0739 U
		10/26/18	Bladder	458 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.619	0.128 U	0.164 U	0.247 U	0.0739 U
		12/12/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.67	0.128 U	0.164 U	0.247 U	0.0739 U
		02/01/19	Bladder	46.4 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.94	0.128 U	0.164 U	0.247 U	0.0739 U
		03/13/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.33	0.128 U	0.164 U	0.247 U	0.0739 U
Decommissioned March, 2019																		
MW-137	Property, SW quadrant	09/25/17	Bladder	58.5 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/12/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/26/18	Bladder	86.9 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/12/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		02/01/19	Bladder	58.4 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/11/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
Decommissioned March, 2019																		
MW-138	Dexter Ave N ROW, E side	09/21/17	Bladder	63.3 J	–	–	–	0.240 U	0.188 U	0.260 U	0.372 U	0.328 U	0.228 U	0.376 U	0.256 U	0.328 U	0.494 U	0.148 U
		04/11/18	Bladder	91.1 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/29/18	Bladder	38.5 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/17/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/03/19	Bladder	31.6 U	1.05 U	–	1.05 U	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/14/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/22/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/19/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/21/19	Bladder	92.7 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/27/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/08/20	Bladder	53.4 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/18/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/11/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		06/07/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-140 (dup)	Roy Street ROW, E side	09/22/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.226 J	0.128 U	0.164 U	0.247 U	0.0739 U
		09/22/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.211 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/12/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.355 J+	0.128 U	0.164 U	0.247 U	0.0739 U
MW-141	Property, SE quadrant	09/22/17	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/12/18	Submersible	326 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.389 J+	0.128 U	0.164 U	0.247 U	0.0739 U
		10/25/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		12/12/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-141 (continued)	Decommissioned March, 2019	01/30/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		03/11/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
MW-153	Roy St ROW, S side	05/01/18	Bladder	31.6 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
(dup)		01/22/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/24/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/24/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/22/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.139 J
		10/15/19	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
(dup)		01/21/20	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/30/20	Bladder	38.2 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/15/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/09/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/09/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/10/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-158A	8th Ave N ROW, E side	04/30/18	Bladder	101	–	–	–	–	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.189 J	0.128 U	0.164 U	0.247 U	0.0739 U
01/24/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
04/25/19		Bladder	31.6 U	–	–	–	–	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
07/19/19		Bladder	31.6 U	–	–	–	–	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
10/16/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
01/21/20		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
04/24/20		Bladder	38.0 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U	
07/15/20		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
11/23/20		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
02/02/21		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
05/10/21		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U	
MW-160	8th Ave N ROW, W side	05/21/18	Bladder	51.0 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
01/25/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
05/01/19		Bladder	31.6 U	–	–	–	–	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
07/23/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
10/17/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
01/29/20		Bladder	35.0 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
04/01/20		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U	
08/03/20		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.316	0.0280 U	0.0250 U	0.204 U	0.0460 U	
11/30/20		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.483	0.0280 U	0.0250 U	0.204 U	0.0460 U	
02/05/21		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.302 J	0.0280 U	0.0250 U	0.204 U	0.0460 U	
05/12/21		Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.119	0.0280 U	0.0250 U	0.204 U	0.0460 U	
MW-161	8th Ave N ROW, W side	05/21/18	Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.779	0.128 U	0.164 U	0.247 U	0.0739 U
01/25/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.489 J	0.128 U	0.164 U	0.247 U	0.0739 U	
05/01/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.517	0.128 U	0.164 U	0.247 U	0.0739 U	
07/18/19		Bladder	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.609	0.128 U	0.164 U	0.247 U	0.0739 U	
10/14/19		Bladder	54.7 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.451 J	0.128 U	0.164 U	0.247 U	0.0739 U	
01/28/20		Bladder	72.8 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.33	0.128 U	0.164 U	0.247 U	0.0739 U	

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-161 (continued)		04/03/20	Bladder	49.3 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.67	0.128 U	0.164 U	0.247 U	0.0739 U
		07/31/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.97 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		12/01/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	4.27	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/05/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	5.03 J	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/25/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.94	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW-162	Property, NE quadrant Decommissioned March, 2019	02/05/19	Bladder	–	–	–	–	1.00 U	1.00 U	1.00 U	1.00 U	–	1.00 U	4.23	1.00 U	4.00 U	1.00 U	1.00 U
		03/12/19	Peristaltic	690 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.39	0.128 U	0.164 U	0.247 U	0.0739 U
MW-163	Property, NW quadrant (dup) Decommissioned March, 2019	02/05/19	Bladder	–	–	–	–	1.00 U	1.00 U	1.00 U	1.00 U	–	1.00 U	9.12	1.00 U	4.00 U	1.00 U	1.00 U
		02/05/19	Bladder	–	–	–	–	1.00 U	1.00 U	1.00 U	1.00 U	–	1.00 U	9.31	1.00 U	4.00 U	1.00 U	1.00 U
		03/12/19	Bladder	319 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	14.1	0.128 U	0.164 U	0.247 U	0.0739 U
MW-164	Property, SW quadrant Decommissioned March, 2019	02/05/19	Bladder	–	–	–	–	1.00 U	1.00 U	1.00 U	1.00 U	–	1.00 U	8.74	1.00 U	4.00 U	1.00 U	1.00 U
		03/12/19	Bladder	565 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	8.58	0.128 U	0.164 U	0.247 U	0.0739 U
MW-304	Dexter Ave N ROW, E side	10/21/19	Bladder	97.9 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/27/20	Bladder	42.2 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/07/20	Bladder	31.6 U	–	–	–	0.147 U	0.149 U	0.133 UJ	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 UJ	0.104 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/18/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-319	9th Ave N ROW, W side	10/08/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.641	0.292 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/16/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.667	0.281 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/27/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.438 J	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/27/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.246	0.138	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/12/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.176	0.143	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-323	9th Ave N ROW, W side	05/19/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 UJ	0.270	0.156	0.0280 U	0.0250 U	0.204 U	0.0460 U
		10/09/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.276 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.12	0.128 U	0.164 U	0.247 U	0.0739 U
		04/23/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/07/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0670 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-324	Roy St ROW, N side	11/24/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0780 J	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/20/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.686	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		10/02/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.53	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Peristaltic	–	–	–	–	6.00 U	4.70 U	6.50 U	9.30 U	8.20 U	5.70 U	9.40 U	6.40 U	8.20 U	12.3 U	3.69 U
		04/24/20	Bladder	–	–	–	–	7.35 U	7.45 U	6.65 U	7.90 U	9.00 U	5.00 U	9.40 U	7.10 U	8.20 U	11.9 U	5.20 U
MW-326	Mercer Street ROW, N side	07/07/20	Bladder	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	6.60	1.40 U	1.25 U	10.2 U	2.30 U
		11/13/20	Bladder	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	7.97 J-	1.40 U	1.25 U	10.2 U	2.30 U
		05/20/21	Peristaltic	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	6.05	1.40 U	1.25 UJ	10.2 U	2.30 U
		10/03/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/21/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/23/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-326 (continued)		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/09/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/18/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-328	Lake Union Park, S end	10/02/19	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/17/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/08/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/07/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-329 (dup)	Westlake Ave N ROW, E side	10/03/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		10/03/19	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/20/20	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/27/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		08/03/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0290 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0440 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-336	Mercer St ROW, N side	05/05/20	Bladder	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/08/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.139	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/02/20	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.203	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/10/21	Bladder	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/26/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-341	Lake Union Park, S end	05/12/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/07/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0840 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/09/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0440 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/25/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-342	Valley St ROW, S side	05/04/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/30/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/17/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		06/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-343	Valley St ROW, S side	05/04/20	Peristaltic	–	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/30/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/24/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		06/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
Treatment Zone A Wells																		
IW-4A	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	8.95	0.128 U	0.164 U	0.247 U	0.0739 U
IW-7A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
IW-9A	Property, NW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.85	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
IW-18A	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	12.9	0.128 U	0.164 U	0.247 U	0.372 J
IW-22A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.07	0.128 U	0.164 U	0.247 U	0.0739 U
IW-37A	Property, SW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
IW-41A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	1.48	0.128 U	0.164 U	0.247 U	0.157 J
IW-42A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	13.7	0.128 U	0.164 U	0.247 U	0.930
IW-45A	Property, SW quadrant Decommissioned March, 2019	04/04/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	19.6	0.128 U	0.164 U	0.247 U	0.289 J
IW-46A	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
IW-48A	Property, SE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
MW-165	Property, NE quadrant	11/04/19	Peristaltic	3,940 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	8.92	0.128 U	0.164 U	0.247 U	0.0739 U
(dup)		01/30/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/01/20	Peristaltic	74.3 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.253	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.516	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.553	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	1.19	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/06/21	Flowing	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	0.200 U	0.280 U	0.250 U	2.04 U	0.460 U
MW-169	Property, SW quadrant	11/05/19	Peristaltic	83.4 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.197 J	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/20	Peristaltic	158 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/05/20	Peristaltic	158 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/10/20	Peristaltic	2,400 zJ+	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/03/20	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/17/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/07/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW-173	Property, SE quadrant	11/01/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/28/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/01/20	Peristaltic	31.6 U	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-173 (continued)		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/05/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW-177	Property, SW quadrant	11/06/19	Peristaltic	127,000 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	268	0.128 U	0.164 U	247 UJ	1.96
		01/24/20	Peristaltic	89,400 zJ+	–	–	–	6.00 U	4.70 U	6.50 U	9.30 U	8.20 U	5.70 U	120	6.40 U	8.20 U	12.3 U	3.69 U
		04/01/20	Peristaltic	77,100 zJ+	–	–	–	600 U	470 U	650 U	930 U	820 U	570 U	940 U	640 U	820 UJ	1,230 U	370 U
		07/10/20	Peristaltic	92,500 zJ+	–	–	–	100 U	55.0 U	78.0 U	177 U	135 U	115 U	100 U	140 U	125 U	1,020 U	230 U
		11/03/20	Flowing	–	–	–	–	20.0 U	11.0 U	15.6 U	35.3 U	27.0 U	23.0 U	20.0 U	28.0 U	25.0 U	204.0 U	46.0 U
		02/18/21	Flowing	–	–	–	–	4.00 U	2.20 U	3.12 U	7.06 U	5.40 U	4.60 U	34.4	5.60 U	5.00 UJ	40.8 U	9.20 U
		05/06/21	Flowing	–	–	–	–	4.00 U	2.20 U	3.12 UJ	7.06 U	5.40 U	4.60 U	38.2	5.60 U	5.00 UJ	40.8 U	9.20 U
MW-181	Property, SW quadrant	11/08/19	Peristaltic	23,900 zJ+	–	–	–	0.120 U	0.470 U	0.130 U	0.186 U	0.820 U	0.570 U	116	0.128 U	0.164 U	123 UJ	0.369 U
		01/27/20	Peristaltic	9,090 zJ+	–	–	–	60.0 U	47.0 U	65.0 U	93.0 U	82.0 U	57.0 U	94.0 U	64.0 U	82.0 U	123 U	36.9 U
		04/01/20	Peristaltic	12,200 zJ+	–	–	–	60.0 U	47.0 U	65.0 U	93.0 U	82.0 U	57.0 U	94.0 U	64.0 U	82.0 UJ	123 U	36.9 U
		07/08/20	Peristaltic	15,400 zJ+	–	–	–	10.0 U	5.50 U	7.80 U	17.7 U	13.5 U	11.5 U	31.0 J	14.0 U	12.5 U	102 U	23.0 U
		11/04/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	8.27	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/19/21	Flowing	–	–	–	–	2.00 U	1.10 U	1.56 U	3.53 U	2.70 U	2.30 U	9.60 J	2.80 U	2.50 UJ	20.4 U	4.60 U
		05/06/21	Peristaltic	–	–	–	–	2.00 U	1.10 U	1.56 UJ	3.53 U	2.70 U	2.30 U	12.2	2.80 U	2.50 UJ	20.4 U	4.60 U
MW-185	Property, SE quadrant	10/31/19	Flowing	446 zJ+	–	–	–	0.120 U	0.0940 U	0.130 UJ	0.186 U	0.164 U	0.114 U	0.897	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		04/02/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/08/20	Peristaltic	56.3 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/04/20	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/16/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/07/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0390 J	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
Treatment Zone B Wells																		
IW-3B	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	9.84	0.128 U	0.164 U	0.247 U	0.0739 U
IW-6B	Property, SW quadrant Decommissioned March, 2019	04/02/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	12.2	0.128 U	0.164 U	0.247 U	0.0739 U
IW-8B	Property, SW quadrant Decommissioned March, 2019	03/30/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
IW-17B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	184	0.128 U	0.164 U	0.247 U	1.05
IW-21B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	14.3	0.128 U	0.164 U	0.247 U	0.0739 U
IW-22B	Property, NW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	–	–	–	–	2.40 U	1.88 U	2.60 U	3.72 U	3.28 U	2.28 U	62.7	2.56 U	3.28 U	4.94 U	1.48 U
IW-24B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	149 J	0.128 U	0.164 U	0.247 U	1.61 J+
IW-28B	Property, NW quadrant Decommissioned March, 2019	04/09/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
IW-33B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	–	–	–	–	0.120 U	1.88 U	0.130 U	0.186 U	0.164 U	0.114 U	49.7	0.128 U	0.164 U	0.247 U	0.0739 U
IW-37B	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	4.56	0.128 U	0.164 U	0.247 U	0.0739 U
IW-45B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.641	0.128 U	0.164 U	0.247 U	0.0739 U
IW-47B	Property, SW quadrant Decommissioned March, 2019	04/10/18	Bladder	–	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	92.7	0.640 U	0.820 U	1.24 U	0.370 U
IW-49B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	3.52	0.128 U	0.164 U	0.247 U	0.0739 U
IW-51B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
MW-166	Property, NE quadrant	11/04/19	Peristaltic	4,360 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	7.81	0.128 U	0.164 U	0.247 U	0.0739 U
(dup)		01/30/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/01/20	Peristaltic	49.1 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0420 J	0.0280 U	0.0250 U	0.204 U	0.0460 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	9.04	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Flowing	–	–	–	–	10.0 U	5.50 U	7.80 U	17.7 U	13.5 U	11.5 U	19.0 J	14.0 U	12.5 U	102 U	23.0 U
		05/05/21	Flowing	–	–	–	–	4.00 U	2.20 U	3.12 U	7.06 U	5.40 U	4.60 U	4.00 U	5.60 U	5.00 U	40.8 U	9.20 U
MW-170	Property, SW quadrant	11/05/19	Peristaltic	22,700 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	73.1	0.128 U	0.164 U	0.247 U	0.315 J
		01/23/20	Peristaltic	20,000 zJ+	–	–	–	3.00 U	2.35 U	3.25 U	4.65 U	4.10 U	2.85 U	63.6	3.20 U	4.10 U	6.17 U	1.85 U
		04/02/20	Peristaltic	17,000 zJ+	–	–	–	60.0 U	47.0 U	65.0 U	93.0 U	82.0 U	57.0 U	94.0 U	64.0 U	82.0 U	123 U	36.9 U
		07/09/20	Peristaltic	24,300 zJ+	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	82.9	0.280 U	0.250 U	2.04 U	0.460 U
		11/03/20	Peristaltic	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	30.7	0.280 U	0.250 U	2.04 U	0.460 U
		02/17/21	Peristaltic	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	18.7	0.280 U	0.250 U	2.04 U	0.460 U
		05/07/21	Peristaltic	–	–	–	–	10.0 U	5.50 U	7.80 U	17.7 U	13.5 U	11.5 U	15.5 J	14.0 U	12.5 U	102 U	23.0 U
MW-174	Property, SE quadrant	11/01/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/28/20	Peristaltic	531 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/01/20	Peristaltic	51.1 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/05/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-178	Property, SW quadrant	11/06/19	Peristaltic	249 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	4.94 U	0.0739 U
		01/24/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	31.7 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/10/20	Peristaltic	66.6 zJ+	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/03/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	4.54	0.0280 U	0.0250 U	0.204 U	0.0670 J
		02/18/21	Peristaltic	–	–	–	–	0.400 U	0.220 U	0.312 U	0.706 U	0.540 U	0.460 U	3.02	0.560 U	0.500 U	4.08 U	0.920 U
		05/06/21	Peristaltic	–	–	–	–	0.400 U	0.220 U	0.312 U	0.706 U	0.540 U	0.460 U	3.66	0.560 U	0.500 U	4.08 U	0.920 U
MW-182	Property, SW quadrant	11/08/19	Peristaltic	14,100 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	15.0	0.128 U	0.164 U	123 U	0.506 U
		01/27/20	Peristaltic	2,420 zJ+	–	–	–	60.0 U	47.0 U	65.0 U	93.0 U	82.0 U	57.0 U	94.0 U	64.0 U	82.0 U	123 U	36.9 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-182 (continued)		04/01/20	Peristaltic	1,760 zJ+	–	–	–	6.00 U	4.70 U	6.50 U	9.30 U	8.20 U	5.70 U	9.40 U	6.40 U	8.20 U	12.3 U	3.69 U
		07/08/20	Peristaltic	1,000 zJ+	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	2.45 J	1.40 U	1.25 U	10.2 U	2.30 U
		11/04/20	Peristaltic	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	72.3	1.40 U	1.25 UJ	10.2 U	2.30 U
		02/19/21	Peristaltic	–	–	–	–	10.0 U	5.50 U	7.80 U	17.7 U	13.5 U	11.5 U	163	14.0 U	12.5 U	102 U	23.0 U
		05/06/21	Peristaltic	–	–	–	–	40.0 U	22.0 U	31.2 U	70.6 U	54.0 U	46.0 U	92.0 J	56.0 U	50.0 UJ	408 U	92.0 UJ
		05/06/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	98.5	0.0280 U	0.0250 UJ	0.204 U	3.62 J
MW-186	Property, SE quadrant	10/31/19	Flowing	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 UJ	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/20	Peristaltic	42.7 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/08/20	Peristaltic	54.3 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0660 J
		11/04/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/16/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
05/07/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U		
Treatment Zone C Wells																		
IW-1C	Property, NE quadrant Decommissioned March, 2019	03/29/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
IW-4C	Property, NE quadrant Decommissioned March, 2019	04/26/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	9.35	0.128 U	0.164 U	0.247 U	0.311 J
IW-8C	Property, NE quadrant Decommissioned March, 2019	04/04/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	11.3	0.128 U	0.164 U	0.247 U	0.712
IW-9C	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	55.4	0.128 U	0.164 U	0.247 U	0.0739 U
IW-13C	Property, SW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	4.12 J	0.128 U	0.164 U	0.247 U	0.0739 U
IW-15C	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	–	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	103	1.28 U	1.64 U	2.47 U	0.739 U
IW-19C	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.201 J	0.128 U	0.164 U	0.247 U	0.0739 U
IW-20C (dup)	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	64.8	0.128 U	0.164 U	0.247 U	0.0739 U
		03/30/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.143 J	69.0	0.128 U	0.164 U	0.247 U	0.0739 U
MW-167	Property, NE quadrant	11/04/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/28/20	Peristaltic	57.8 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		05/01/20	Peristaltic	68.3 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		05/05/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW-171	Property, SW quadrant	11/05/19	Peristaltic	371 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.923	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	35.3 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-171 (continued) (dup)		11/03/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0330 J	0.180	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/17/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0290 J	7.56	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/17/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	7.50	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/07/21	Peristaltic	–	–	–	–	1.00 U	0.550 U	0.780 U	1.77 U	1.35 U	1.15 U	9.60	1.40 U	1.25 UJ	10.2 U	2.30 U
MW-175	Property, SE quadrant	11/01/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.661	0.128 U	0.164 U	0.247 U	0.0739 U
		01/28/20	Peristaltic	66.5 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 UJ	0.247 U	0.0739 U
		05/01/20	Peristaltic	65.8 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
MW-179	Property, SW quadrant	05/05/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 UJ	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		11/06/19	Peristaltic	2,310 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.148 J	13.0	0.128 U	0.164 U	24.7 UJ	0.0739 U
		01/27/20	Peristaltic	501 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	2.51	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	424 zJ+	–	–	–	2.40 U	1.88 U	2.60 U	3.72 U	3.28 U	2.28 U	3.76 U	2.56 U	3.28 UJ	4.94 U	1.48 U
		07/10/20	Peristaltic	924 zJ+	–	–	–	0.400 U	0.220 U	0.312 U	0.706 U	0.540 U	0.460 U	2.06	0.560 U	0.500 U	4.08 U	0.920 U
		11/03/20	Peristaltic	–	–	–	–	0.400 U	0.220 U	0.312 U	0.706 U	0.540 U	0.460 U	24.3	0.560 U	0.500 UJ	4.08 U	0.920 U
MW-183	Property, SW quadrant	02/18/21	Peristaltic	–	–	–	–	10.0 U	5.50 U	7.80 U	17.7 U	13.5 U	11.5 U	170	14.0 U	12.5 U	102 U	23.0 U
		05/06/21	Peristaltic	–	–	–	–	5.00 U	2.75 U	3.90 U	8.83 U	6.75 U	5.75 U	5.00 U	7.00 U	6.25 U	51.0 U	11.5 U
		11/08/19	Peristaltic	45.0 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 UJ	0.0739 U
		01/27/20	Peristaltic	41.5 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/08/20	Peristaltic	76.2 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-187	Property, SE quadrant	11/04/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	3.48	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/19/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	16.2	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/06/21	Peristaltic	–	–	–	–	2.00 U	1.10 U	1.56 U	3.53 U	2.70 U	2.30 U	10.5	2.80 U	2.50 U	20.4 U	4.60 U
		11/01/19	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/20	Peristaltic	39.3 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
Treatment Zone D Wells		07/08/20	Peristaltic	55.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0710 J
		11/04/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/16/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/07/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		IW-1D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	–	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	98.8	1.28 U	1.64 U
IW-3D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.168 J	61.5	0.128 U	0.164 U	0.247 U	0.145 J
IW-4D	Property, SW quadrant Decommissioned March, 2019	03/29/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
IW-6D	Property, SW quadrant Decommissioned March, 2019	04/03/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
IW-8D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	50.3	0.128 U	0.164 U	0.247 U	0.201 J
IW-9D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	30.8	0.128 U	0.164 U	0.247 U	0.0739 U
IW-11D	Property, NE quadrant Decommissioned March, 2019	05/01/18	Bladder	–	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	18.0	0.128 U	0.164 U	0.247 U	0.0739 U
MW-168	Property, NE quadrant	11/04/19	Peristaltic	65.0 J	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/31/20	Flowing	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/01/20	Peristaltic	76.0 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/05/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-172	Property, SW quadrant	11/05/19	Flowing	4,960 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.305 J	32.0	0.128 U	0.164 U	0.247 U	0.0739 U
		01/23/20	Flowing	10,700 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.330 J	50.6	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	5,310 zJ+	–	–	–	60.0 U	47.0 U	65.0 U	93.0 U	82.0 U	57.0 U	94.0 U	64.0 U	82.0 U	123 U	36.9 U
		07/09/20	Peristaltic	4,430 zJ+	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.270	66.1	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/03/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.309	85.5	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/17/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.137	89.8	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/07/21	Peristaltic	–	–	–	–	2.00 U	1.10 U	1.56 U	3.53 U	2.70 U	2.30 U	27.8	2.80 U	2.50 U	20.4 U	4.60 U
MW-176	Property, SE quadrant	11/01/19	Flowing	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/28/20	Flowing	48.0 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/28/20	Flowing	74.7 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		05/01/20	Peristaltic	83.5 J	–	–	–	0.147 U	0.149 U	0.133 U	0.158 U	0.180 U	0.100 U	0.188 U	0.142 U	0.164 U	0.237 U	0.104 U
		07/09/20	Peristaltic	31.6 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/05/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/04/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/05/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-180	Property, SW quadrant	11/06/19	Flowing	220 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.940 U	0.128 U	0.164 U	1.23 U	0.0739 U
		01/24/20	Peristaltic	186 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.293 J	0.128 U	0.164 U	0.247 U	0.0739 U
		04/01/20	Peristaltic	69.1 U	–	–	–	0.600 U	0.470 U	0.650 U	0.930 U	0.820 U	0.570 U	0.940 U	0.640 U	0.820 U	1.23 U	0.369 U
		07/10/20	Peristaltic	122 zJ+	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.163	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/03/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.468	0.0280 U	0.0250 U	0.204 U	0.0460 U
		02/18/21	Flowing	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.59	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/06/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	2.14	0.0280 U	0.0250 U	0.204 U	0.0460 U
MW-184	Property, SW quadrant	11/08/19	Flowing	2,310 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	16.0	0.128 U	0.164 U	24.7 U	0.0739 U
		01/27/20	Flowing	462 zJ+	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	6.84	0.128 U	0.164 U	0.247 U	0.0739 U
		04/01/20	Peristaltic	212 zJ+	–	–	–	1.20 U	0.940 U	1.30 U	1.86 U	1.64 U	1.14 U	1.88 U	1.28 U	1.64 U	2.47 U	0.739 U
		07/08/20	Peristaltic	260 zJ+	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	3.41	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/04/20	Peristaltic	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	3.77	0.280 U	0.250 U	2.04 U	0.460 U
		02/19/21	Flowing	–	–	–	–	0.200 U	0.110 U	0.156 U	0.353 U	0.270 U	0.230 U	19.2	0.280 U	0.250 U	2.04 U	0.460 U
		05/06/21	Peristaltic	–	–	–	–	0.100 U	0.0550 U	0.0780 U	0.177 U	0.135 U	0.115 U	1.82	0.140 U	0.125 U	1.02 U	0.230 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Heavy Oil (ORO)	DRO + ORO	1,1,1,2-Tetrachloroethane	1,1,1-Trichloroethane (1,1,1-TCA)	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane (CFC 113)	1,1-Dichloroethane	1,1-Dichloroethene	1,1-Dichloropropene	1,2,3-Trichlorobenzene	1,2,3-Trichloropropane	1,2,3-Trimethylbenzene
Preliminary Cleanup Level (PCUL)				800	500	500	500	1.7	200	0.22	3.0	240,000	7.7	7.0	–	6.4	0.00038	80
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	–	–	–	7.1	5,500	6.2	4.6	180	11	130	–	–	–	410
MW-188	Property, SE quadrant	10/31/19	Flowing	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 UJ	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		01/29/20	Flowing	31.9 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		04/02/20	Peristaltic	31.6 U	–	–	–	0.120 U	0.0940 U	0.130 U	0.186 U	0.164 U	0.114 U	0.188 U	0.128 U	0.164 U	0.247 U	0.0739 U
		07/08/20	Peristaltic	61.9 U	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		11/04/20	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
		02/16/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 U	0.204 U	0.0460 U
		05/07/21	Peristaltic	–	–	–	–	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.0280 U	0.0250 UJ	0.204 U	0.0460 U
Number of Analytes Measured				518	50	49	50	1,265	1,270	1,270	1,270	1,221	1,270	1,270	1,270	1,270	1,225	
Number of Analytes Detected				196	16	0	16	0	13	0	0	17	86	394	0	2	0	61
Frequency of Detection				38%	32%	0%	32%	0%	1%	0%	0%	1%	7%	31%	0%	0.2%	0%	5%
Maximum Detection				2,320 J+	790 J	–	790 J	–	0.302 J	–	–	0.631	2.60	268	–	0.456	–	119
Minimum Detection				31.6 U	1.05 U	250 U	1.05 U	0.0200 U	0.0110 U	0.0156 U	0.0353 U	0.0270 U	0.0230 U	0.0200 U	0.028 U	0.0250 U	0.030 UJ	0.0460 U
Number of Detections Above SL				4	4	0	4	0	0	0	0	0	0	125	–	0	0	2
Frequency of Detection Above SL				1%	8%	0%	8%	0%	0%	0%	0%	0%	0%	10%	–	0%	0%	0.2%
Notes: Gasoline Range Organics Analyzed by NWTPH-Gx. Diesel Range Organics and Heavy Oil analyzed by NWTPH-Dx. VOCs analyzed by EPA Method 8260C or 8260D. Results shown in micrograms per liter (µg/L). PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. All groundwater sampling performed by PES Environmental, Inc. unless otherwise indicated. a = Results provided by Hart Crowser. b = Results provided by Farallon Consulting. c = Select sample results for MW-210 incorrectly identified with location SMW-3 on lab reports and sampling forms. (split) = Split samples collected consecutively. (dup) = Field duplicate sample. – = Not analyzed, results not available, or information not applicable. Detected results shown in bold . Detections above the groundwater PCUL level are shown in bold and highlighted in gray . Shallow Zone detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange . Shallow Zone detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange . U = Not detected at or above the laboratory method detection limit (MDL); detections above the MDL but below the laboratory reported detection limit (RDL) are qualified with a "J." J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. z = Elevated chlorinated VOCs detected within the GRO elution range. No discernible petroleum pattern present. Project level qualifier assigned per laboratory review. GRO results above the screening level and qualified with "z" are not considered in the Maximum Detection and are not included in the Number of Detections Above SL.																		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
Shallow Water Bearing Zone																			
DMW-1S	615 Dexter, SE quadrant	03/25/19 ^a	Unknown	1.0 U	1.0 U	1.0 U	0.01 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
		03/25/19 ^a	Unknown	1.0 U	1.0 U	1.0 U	0.01 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
		03/18/20 ^a	Unknown	–	0.44	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
DMW-2S	615 Dexter, SE quadrant	03/18/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
DMW-4S	Alley S of SE quadrant of 615 Dexter	03/19/20 ^a	Unknown	–	7.1	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
DMW-5IA	Alley S of 615 Dexter	03/19/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
DMW-6	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
F5	Property, NW quadrant	03/28/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	93.1 J 41.2	0.111 U	0.757 U	0.0972 U
		06/22/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U		0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
F9	Property, NE quadrant	03/27/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/22/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
F13	Property, NE quadrant	03/27/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/22/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/05/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
FMW-143	9th Ave N ROW, E side	07/30/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/14/20	Bladder	0.481 U	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/22/20	Bladder	0.193 U	0.117 J	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
G12	Property, NE quadrant	03/27/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/30/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
HMW-1S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	0.010 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
		03/11/20 ^a	Unknown	–	0.20 U	0.11 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-2S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	0.010 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
		03/12/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-9S	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-10S	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-11S	SDOT Mercer Parcels, SE quadrant	03/11/20 ^a	Unknown	–	0.20 U	0.11 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-20S	SDOT Mercer Parcels, NW quadrant	9/18/20 ^a	Unknown	1.0 U	0.20 U	3.0 U	1.0 U	0.20 U	1.0 U	0.20 U	1 U	0.20 U	0.20 U	0.20 U	0.20 U	20 UJ	0.20 U	–	0.20 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
HMW-21S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
HMW-22S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
J5	Property, SW quadrant	03/21/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U	0.123 U 0.123 U 0.123 U	0.325 U 0.325 U 0.325 U	0.193 U 0.193 U 0.193 U	0.101 U 0.101 U 0.101 U	0.108 U 0.108 U 0.108 U	0.190 U 0.190 U 0.190 U	0.124 U 0.124 U 0.124 U	0.130 U 0.130 U 0.130 U	0.147 U 0.147 U 0.147 U	0.121 U 0.121 U 0.121 U	0.0929 U 0.0929 U 0.0929 U	1.28 U 1.28 U 1.28 U	0.111 U 0.111 U 0.111 U	0.757 U 0.757 U 0.757 U	0.0972 U 0.0972 U 0.0972 U
Decommissioned March, 2019																			
J15	Property, SE quadrant	03/27/17 06/26/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U 0.355 U	0.123 U 0.123 U 0.123 U 0.123 U	0.325 U 0.325 U 0.325 U 0.325 U	0.193 U 0.193 U 0.193 U 0.193 U	0.101 U 0.101 U 0.101 U 0.101 U	0.108 U 0.108 U 0.108 U 0.108 U	0.190 U 0.190 U 0.190 U 0.190 U	0.124 U 0.124 U 0.124 U 0.124 U	0.130 U 0.130 U 0.130 U 0.130 U	0.147 U 0.147 U 0.147 U 0.147 U	0.121 U 0.121 U 0.121 U 0.121 U	0.0929 U 0.0929 U 0.0929 U 0.0929 U	1.28 U 1.28 U 1.28 U 1.28 U	0.111 U 0.111 U 0.111 U 0.111 U	0.757 U 0.757 U 0.757 U 0.757 U	0.0972 U 0.0972 U 0.0972 U 0.0972 U
Decommissioned March, 2019																			
K8	Property, SW quadrant	03/21/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U	0.123 U 0.123 U 0.123 U	0.325 U 0.325 U 0.325 U	0.193 U 0.193 U 0.193 U	0.101 U 0.101 U 0.101 U	0.108 U 0.108 U 0.108 U	0.190 U 0.190 U 0.190 U	0.124 U 0.124 U 0.124 U	0.130 U 0.130 U 0.130 U	0.147 U 0.147 U 0.147 U	0.121 U 0.121 U 0.121 U	0.0929 U 0.0929 U 0.0929 U	1.28 U 1.28 U 1.28 U	0.111 U 0.111 U 0.111 U	0.757 U 0.757 U 0.757 U	0.0972 U 0.0972 U 0.0972 U
Decommissioned March, 2019																			
M15 (dup)	Property, SE quadrant	03/27/17 03/27/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U 0.355 U	0.123 U 0.123 U 0.123 U 0.123 U	0.325 U 0.325 U 0.325 U 0.325 U	0.193 U 0.193 U 0.193 U 0.193 U	0.101 U 0.101 U 0.101 U 0.101 U	0.108 U 0.108 U 0.108 U 0.108 U	0.190 U 0.190 U 0.190 U 0.190 U	0.124 U 0.124 U 0.124 U 0.124 U	0.130 U 0.130 U 0.130 U 0.130 U	0.147 U 0.147 U 0.147 U 0.147 U	0.121 U 0.121 U 0.121 U 0.121 U	0.0929 U 0.0929 U 0.0929 U 0.0929 U	1.28 U 1.28 U 1.28 U 1.28 U	0.111 U 0.111 U 0.111 U 0.111 U	0.757 U 0.757 U 0.757 U 0.757 U	0.0972 U 0.0972 U 0.0972 U 0.0972 U
Decommissioned March, 2019																			
MW-8	Seattle Roy Aloha Shops, N end	03/20/17 04/13/18 07/18/19 10/10/19 01/16/20 05/06/20 07/14/20	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U 0.355 U 0.355 U 0.481 U 0.193 U	0.123 U 0.123 U 0.123 U 0.123 U 0.123 U 0.322 U 0.0464 U	0.325 U 0.325 U 0.325 U 0.325 U 0.325 U 0.276 U 0.204 U	0.193 U 0.193 U 0.193 U 0.193 U 0.193 U 0.126 U 0.0210 U	0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.107 U 0.0580 U	0.108 U 0.108 U 0.108 U 0.108 U 0.108 U 0.0819 U 0.0190 U	0.190 U 0.190 U 0.190 U 0.190 U 0.190 U 0.149 U 0.0508 U	0.124 U 0.124 U 0.124 U 0.124 U 0.124 U 0.104 U 0.0432 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.299 U 0.0680 U	0.147 U 0.147 U 0.147 U 0.147 U 0.147 U 0.109 U 0.0700 U	0.121 U 0.121 U 0.121 U 0.121 U 0.121 U 0.120 U 0.0788 U	0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.161 U 0.0317 U	1.28 U 1.28 U 1.28 U 1.28 U 1.28 U 1.19 U 0.500 U	0.111 U 0.111 U 0.111 U 0.111 U 0.111 U 0.106 U 0.0368 U	0.757 U 0.757 U 0.757 U 0.757 U 0.757 U 0.787 U –	0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.114 U 0.0452 U
MW-9 (dup)	8th Ave N ROW, E side	03/20/17 06/20/17 06/20/17 04/05/18 01/21/19 04/26/19 07/16/19 10/17/19 11/24/20 02/05/21 05/12/21 05/12/21	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U 0.355 U 0.355 U 0.355 U 0.355 U 0.355 U 0.193 U 0.193 U 0.193 U 0.193 U	0.123 U 0.123 U 0.123 U 0.123 U 0.123 U 0.123 U 0.123 U 0.123 U 0.0464 U 0.0730 J 0.0464 U	0.325 U 0.325 U 0.325 U 0.325 U 0.325 U 0.325 U 0.325 U 0.325 U 0.204 U 0.204 U 0.204 U	0.193 U 0.193 U 0.193 U 0.193 U 0.193 U 0.193 U 0.193 U 0.193 U 0.0210 U 0.0210 U 0.0210 U	0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.0580 U 0.0580 U 0.0580 U	0.108 U 0.108 U 0.108 U 0.108 U 0.108 U 0.108 U 0.108 U 0.108 U 0.0190 U 0.0190 U 0.0190 U	0.190 U 0.190 U 0.190 U 0.190 U 0.190 U 0.190 U 0.190 U 0.190 U 0.0508 U 0.0508 U 0.0508 U	0.124 U 0.124 U 0.124 U 0.124 U 0.124 U 0.124 U 0.124 U 0.124 U 0.0432 U 0.0432 U 0.0432 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 0.0680 U 0.0680 U 0.0680 U	0.147 U 0.147 U 0.147 U 0.147 U 0.147 U 0.147 U 0.147 U 0.147 U 0.0700 U 0.0700 U 0.0700 U	0.121 U 0.121 U 0.121 U 0.121 U 0.121 U 0.121 U 0.121 U 0.121 U 0.0788 U 0.0788 U 0.0788 U	0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0317 U 0.0317 U 0.0317 U	1.28 U 1.28 U 1.28 U 1.28 U 1.28 U 1.28 U 1.28 U 1.28 U 0.500 U 0.500 U 0.500 U	0.111 U 0.111 U 0.111 U 0.111 U 0.111 U 0.111 U 0.111 U 0.111 U 0.0368 U 0.0368 U 0.0368 U	0.757 U 0.757 U 0.757 U 0.757 U 0.757 U 0.757 U 0.757 U 0.757 U – – –	0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0452 U 0.0452 U 0.0452 U
MW121	8th Ave N ROW, E side	03/28/17 06/20/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U	0.123 U 0.123 U 0.123 U	0.325 U 0.325 U 0.325 U	0.193 U 0.193 U 0.193 U	0.101 U 0.101 U 0.101 U	0.108 U 0.108 U 0.108 U	0.190 U 0.190 U 0.190 U	0.124 U 0.124 U 0.124 U	0.130 U 0.130 U 0.130 U	0.147 U 0.147 U 0.147 U	0.121 U 0.121 U 0.121 U	0.0929 U 0.0929 U 0.0929 U	1.28 U 1.28 U 1.28 U	0.111 U 0.111 U 0.111 U	0.757 U 0.757 U 0.757 U	0.0972 U 0.0972 U 0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW121 (continued)		01/31/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/19/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.133 J	0.147 U	0.121 U	0.0929 UJ	1.28 U	0.111 U	0.757 U	0.0972 U
		11/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/05/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/12/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
(dup)		05/12/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW125	Valley Street ROW, N side	03/22/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/28/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/18/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 UJ	1.28 U	0.111 U	0.757 U	0.0972 U
		10/18/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/29/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		11/17/20	Bladder	0.193 U	0.169 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 UJ	0.0368 U	–	0.0452 U
		02/02/21	Peristaltic	0.193 U	0.0640 J	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/11/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/11/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-154	Roy St ROW S side	04/30/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/14/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/21/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/30/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/10/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 UJ	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/08/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/10/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-155	Roy Street ROW, S side	04/27/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/05/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		08/03/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/11/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-159	8th Ave N ROW, E side	04/26/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/26/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/26/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-159 (continued)		07/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/29/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		11/11/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/08/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/11/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-210 ^c	Valley Street ROW, N side	03/30/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/21/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		04/09/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 UJ	0.0972 U
		01/17/20	Peristaltic	0.355 U	0.193 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/09/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/07/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 UJ	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-214 (dup)	Valley Street ROW, S side	03/30/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/30/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/09/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/11/19	Peristaltic	0.355 U	0.174 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/20/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.30 J	0.111 U	0.757 U	0.0972 U
		04/07/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/06/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0440 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-301 (dup)	Valley Street ROW, S side	11/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/05/21	Bladder	0.193 UJ	0.0970 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/14/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/14/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-305	Roy St ROW, S side	10/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 UJ	0.108 U	0.190 U	0.124 U	0.130 UJ	0.147 UJ	0.121 UJ	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/15/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 UJ	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/06/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/18/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0720 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-310 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/14/20	Peristaltic	0.355 U	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/08/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		08/04/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		08/04/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/06/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/03/21	Peristaltic	0.193 U	0.223	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/21/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		08/04/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/11/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.563 J	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-312 (continued)		05/03/21	Peristaltic	0.193 U	0.203	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/14/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/04/21	Bladder	0.193 U	0.106 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-320	9th Ave N ROW, W side	10/07/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		11/12/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/20/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-332	Roy St ROW, N side	05/04/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/12/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/20/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-337	Lake Union Park, N end	05/07/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/23/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/10/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0500 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-339 (dup)	Lake Union Park, S end	05/14/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		05/14/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/23/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
N7	Property, SW quadrant Decommissioned March, 2019	03/30/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/27/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
R-MW2	Property, NE quadrant Decommissioned March, 2019	03/21/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/15/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.199 J	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.141 J	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
R-MW3	Property, NE quadrant Decommissioned March, 2019	03/21/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/28/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/04/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.144 J	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
R-MW5	Dexter Ave N ROW, E side	03/23/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/16/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/11/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/03/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/21/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/24/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
R-MW5 (continued) (dup)		11/18/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/11/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		02/11/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/17/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
R-MW6	8th Ave N ROW, E side	03/21/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/20/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/25/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/25/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/01/20	Peristaltic	0.193 U	0.109 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.665 J	0.0368 U	–	0.0452 U
		02/03/21	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/17/21	Peristaltic	0.193 U	0.0980 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
SCL-MW101	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.355 U	4.84	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/14/17	Peristaltic	0.355 U	1.12	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.185 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	1.70	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/09/19	Peristaltic	0.355 U	4.11	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.379 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Peristaltic	0.355 U	2.48	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.500 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/07/20	Peristaltic	0.355 U	0.970	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.149 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	3.78 U	0.0972 U
		11/24/20	Peristaltic	0.193 U	0.734	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.290	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	0.757 U	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.582	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.164 J	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
SCL-MW105	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	1.78 U	0.615 U	1.62 U	0.965 U	0.505 U	0.540 U	0.950 U	3.51	0.650 U	0.735 U	0.605 U	0.464 U	6.40 U	0.555 U	0.757 U	0.486 U
		06/15/17	Peristaltic	0.355 U	0.562	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	3.45	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	3.55 U	1.23 U	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	2.77 J	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
		10/10/19	Peristaltic	0.355 U	0.510	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	5.00	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Peristaltic	0.355 U	0.477 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	3.53	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/01/20	Peristaltic	0.355 UJ	0.329 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	2.50	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/24/20	Peristaltic	0.193 U	0.275	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	2.72	0.0680 U	0.0700 UJ	0.0788 UJ	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
SCS-2 (dup)	Seattle Roy Aloha Shops, N End	03/20/17	Peristaltic	0.355 U	60.3	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	5.36	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/12/17	Peristaltic	0.355 U	41.7	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	2.83	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/13/18	Peristaltic	0.355 U	23.3	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	2.65	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		07/18/19	Peristaltic	0.355 U	157	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	12.8	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/18/19	Peristaltic	0.355 U	145	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	11.6	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/10/19	Peristaltic	0.355 U	130	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	8.19	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/16/20	Peristaltic	3.55 U	11.5	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
Intermediate A Water-Bearing Zone																			
BB-8 (dup)	Roy Street ROW, S side	03/22/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/14/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/11/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		04/11/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
BB-8 (continued) (dup) (dup) (dup)		07/17/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/12/20	Bladder	0.481 UJ	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 UJ	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 UJ	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/17/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 UJ	0.0368 U	–	0.0452 U
		02/11/21	Peristaltic	0.193 U	0.140 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
FMW-142	9th Ave N ROW, E side	06/07/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.433	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		03/18/20 ^a	Unknown	–	0.39	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
		07/29/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.355 U	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/08/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		07/29/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GEI-1 (dup)	Block 37, SW quadrant	03/24/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/13/17	Bladder	0.355 U	0.200 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		04/29/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0432 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		07/30/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0432 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
GEI-MW-1	Block 79 East, N end	01/23/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		08/07/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/10/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/13/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
HC-4	601 Dexter, NE quadrant	04/12/19 ^a	Unknown	1.0 U	1.0 U	1.0 U	0.01 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
HMW-2IA	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	0.010 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
		03/12/20 ^a	Unknown	–	2.0 U	8.0 UJ	–	2.0 U	–	2.0 U	–	2.0 U	2.0 U	2.0 U	2.0 U	–	2.0 U	–	2.0 U
HMW-3IA	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	0.010 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
		03/13/20 ^a	Unknown	–	0.39	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-6IA	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
HMW-9IA	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a 06/02/21	Unknown Bladder	– 0.193 U	0.20 U 0.0464 U	0.80 UJ 0.204 U	– 0.0210 U	0.20 U 0.0580 U	– 0.185	0.20 U 0.0508 U	– 0.0432 U	0.20 U 0.0680 U	0.20 U 0.0700 U	0.20 U 0.0788 U	0.20 U 0.0317 U	– 0.500 U	0.20 U 0.0368 U	– –	0.20 U 0.0452 U
HMW-20IA	SDOT Mercer Parcels, NW quadrant	09/18/20 ^a 06/02/21	Unknown Bladder	1.0 U 0.193 U	0.20 U 0.0464 U	3.0 UJ 0.204 U	1.0 U 0.0210 U	0.20 U 0.0580 U	1.0 U 0.0270 J	0.20 U 0.0508 U	1.0 U 0.0432 U	0.20 U 0.0680 U	0.20 U 0.0700 U	0.20 U 0.0788 U	0.20 U 0.0317 U	20 UJ 0.500 U	0.20 U 0.0368 U	– –	– 0.0452 U
MW107	8th Ave N ROW, W side	03/27/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.787 U	0.0972 U
		06/19/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.787 U	0.0972 U
		04/09/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.787 U	0.0972 U
		01/30/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.787 U	0.0972 U
		05/01/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.787 U	0.0972 U
		07/22/19	Bladder	0.355 U	0.144 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.787 U	0.0972 U
		10/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.787 U	0.0972 U
		01/28/20	Bladder	7.10 U	2.46 U	6.50 U	3.86 U	2.02 U	2.16 U	3.80 U	2.48 U	2.60 U	2.94 U	2.42 U	1.86 U	25.6 U	2.22 U	15.1 U	1.94 U
		04/03/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 UJ	0.0929 U	1.28 UJ	0.111 U	–	0.0972 U
		07/31/20	Bladder	4.83 U	1.16 U	5.10 U	0.525 U	1.45 U	0.475 U	1.27 U	1.08 U	1.70 U	1.75 U	1.97 U	0.793 UJ	12.5 U	0.920 U	–	1.13 U
		12/01/20	Peristaltic	4.83 U	1.16 U	5.10 U	0.525 U	1.45 U	0.475 U	1.27 U	1.08 U	1.70 U	1.75 U	1.97 U	0.793 U	32.9	0.920 U	–	1.13 U
		02/02/21	Peristaltic	0.193 U	0.130 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		06/02/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0640 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW108 (dup) (dup)	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/27/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/15/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/10/19	Peristaltic	0.355 U	0.392 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/14/20	Peristaltic	8.88 U	3.08 U	8.13 UJ	4.83 U	2.53 U	2.70 U	4.75 U	3.10 U	3.25 U	3.68 U	3.03 U	2.32 U	32.0 U	2.78 U	18.9 U	2.43 U
		04/22/20	Bladder	12.0 U	8.05 U	6.90 U	3.15 U	2.68 U	2.05 U	3.73 U	2.60 U	7.48 U	2.73 U	3.00 U	4.03 U	29.8 U	2.65 U	19.7 U	2.85 U
		07/16/20	Bladder	4.83 U	1.16 U	5.10 U	0.525 U	1.45 U	0.475 U	1.27 U	1.08 U	1.70 U	1.75 U	1.97 U	0.793 U	12.5 U	0.920 U	–	1.13 U
		07/16/20	Bladder	0.193 U	0.0730 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.229	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Bladder	4.83 U	1.16 U	5.10 U	0.525 U	1.45 U	0.475 U	1.27 U	1.08 U	1.70 U	1.75 U	1.97 U	0.793 U	12.5 U	0.920 U	–	1.13 U
		02/09/21	Peristaltic	0.965 U	0.232 U	1.02 U	0.105 U	0.290 U	0.0950 U	0.254 U	0.216 U	0.340 U	0.350 U	0.394 U	0.159 U	2.50 U	0.184 U	–	0.226 U
		05/03/21	Peristaltic	0.965 U	0.232 U	1.02 U	0.105 U	0.290 U	0.0950 U	0.254 U	0.216 U	0.340 U	0.350 U	0.394 U	0.159 U	2.50 U	0.184 U	–	0.226 U
MW109	Alley E of Seattle Roy Aloha Shops	03/29/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/27/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/15/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/15/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 UJ	0.108 U	0.190 U	0.124 U	0.130 UJ	0.147 UJ	0.121 UJ	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/06/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW109 (continued)		02/09/21	Bladder	0.193 U	0.0710 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/03/21	Peristaltic	0.193 U	0.228	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW110 (dup)	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/27/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		04/09/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/26/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 UJ	0.108 U	0.190 U	0.124 U	0.130 UJ	0.147 UJ	0.121 UJ	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/16/20	Bladder	1.78 U	0.615 U	1.63 U	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.465 U	6.40 U	0.555 U	3.78 U	0.486 U
		04/22/20	Bladder	2.41 U	1.61 U	1.38 U	0.630 U	0.535 U	0.409 U	0.745 U	0.520 U	1.49 U	0.545 U	0.600 U	0.805 U	5.95 U	0.530 U	3.94 U	0.570 U
		07/16/20	Bladder	0.965 U	0.232 U	1.02 U	0.105 U	0.290 U	0.0950 U	0.254 U	0.216 U	0.340 U	0.350 U	0.394 U	0.159 U	2.50 U	0.184 U	–	0.226 U
		11/04/20	Bladder	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
		02/09/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Bladder	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.320 J	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
MW115	9th Ave N ROW, W side	03/22/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/22/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/11/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/30/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		07/17/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/05/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 UJ	1.19 U	0.106 U	0.787 U	0.114 U
		11/12/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/12/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW116	9th Ave N ROW, W side	03/21/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/16/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/11/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/30/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		07/17/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/31/19	Peristaltic	0.355 U	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 UJ	1.19 U	0.106 U	0.787 U	0.114 U
		11/12/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/11/21	Peristaltic	0.193 U	0.143 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW119	9th Ave N ROW, W side	03/29/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/28/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/05/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW119 (continued)		01/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/19/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/10/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		11/11/19 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/14/20 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0290 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		07/28/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
(split)		12/03/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/10/21 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/20/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW120	8th Ave N ROW, E side	03/28/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.768	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/28/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.211 J	0.762	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/09/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/24/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.756	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/03/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/03/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/16/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.271 J	0.746	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/17/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.605	1.12 J	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/17/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.485 J	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.751	1.20	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	1.07	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/14/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.895	1.11	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.511	0.781	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.502	0.933	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/05/21	Peristaltic	0.193 U	0.0960 J	0.204 U	0.0210 U	0.0580 U	0.423	0.860	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/12/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.311	0.689	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW127	8th Ave N ROW, E side	08/01/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/17/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/14/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0970 J	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		07/14/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0860 J	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/13/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0576 J	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/11/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0750 J	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW131	Property, SE quadrant	03/27/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/20/17	Peristaltic	1.78 U	0.615 U	1.62 U	0.965 U	0.505 U	0.540 UJ	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.464 U	6.40 UJ	0.555 U	3.78 U	0.486 U
		04/16/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	13.2	0.111 U	0.757 U	0.0972 U
		10/25/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	2.26 J	0.111 U	0.757 U	0.0972 U
		12/12/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	3.89 J	0.111 U	0.757 U	0.0972 U
		01/29/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	3.81 J	0.111 U	0.757 U	0.0972 U
		03/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	25.4	0.111 U	1.26 J	0.0972 U
Decommissioned March, 2019																			
MW-142	8th Ave N ROW, E side	04/27/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
(dup)		01/28/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/25/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
(dup)		01/22/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/20	Bladder	0.481 UJ	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0395 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		11/24/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/24/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/08/21	Peristaltic	0.193 U	0.145 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	23.2 J	0.0368 U	–	0.0452 U
		05/19/21	Peristaltic	0.193 U	0.737 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.184 J	0.0680 U	0.0700 U	0.0788 U	0.0317 U	15.8 J+	0.0368 U	–	0.0452 U
MW-144	8th Ave N ROW, E side	04/27/18	Peristaltic	0.355 U	0.145 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	3.85 J	0.111 U	0.757 U	0.0972 U
		01/28/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned December 2019																			
MW-144R	8th Ave N ROW, E side	12/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	2.23 J	0.111 U	0.757 U	0.0972 U
		01/21/20	Bladder	3.55 U	1.23 U	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
		04/02/20	Bladder	0.355 UJ	0.123 UJ	0.325 UJ	0.193 UJ	0.101 UJ	0.108 UJ	0.190 UJ	0.124 UJ	0.130 UJ	0.147 UJ	0.121 UJ	0.0929 UJ	2.50 J	0.111 UJ	0.757 UJ	0.0972 UJ
		08/03/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/23/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/02/21	Peristaltic	0.193 U	0.0730 J	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/12/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-146	Roy St ROW, S side	04/30/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/19/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 UJ	1.28 U	0.111 U	0.757 U	0.0972 U
		07/19/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 UJ	1.28 U	0.111 U	0.757 U	0.0972 U
		10/14/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/24/20	Bladder	35.5 U	12.3 U	32.5 U	19.3 U	10.1 U	10.8 U	19.0 U	12.4 U	13.0 U	14.7 U	12.1 U	9.29 U	128 U	11.1 U	75.7 U	9.72 U
		01/24/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/30/20	Bladder	48.1 U	32.2 U	27.6 U	12.6 U	10.7 U	8.19 U	14.9 U	10.4 U	29.9 U	10.9 U	12.0 U	16.1 U	119 U	10.6 U	78.7 U	11.4 U
		07/09/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/10/20	Bladder	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 UJ	1.84 U	–	2.26 U
		(split)	11/10/20	Bladder	500 U	500 U	5,000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	10,000 U	500 U	5,000 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-146 (continued)		02/08/21 05/04/21	Peristaltic Bladder	0.193 U 9.65 UJ	0.0464 U 2.32 U	0.204 U 10.2 U	0.0210 U 1.05 U	0.0580 U 2.90 U	0.0190 U 0.950 U	0.0508 U 2.54 U	0.0432 U 2.16 U	0.0680 U 3.40 U	0.0700 U 3.50 U	0.0788 U 3.94 U	0.0317 U 1.59 U	0.500 U 25.0 U	0.0368 U 1.84 U	– –	0.0452 U 2.26 U
MW-149 (dup)	Property, NE quadrant	04/10/18 10/25/18 12/13/18 12/13/18 01/29/19 03/13/19	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	1.78 U 0.355 U 0.355 U 0.355 U 35.5 U 0.355 U	1.37 J 0.139 J 0.451 J 0.476 J 12.3 U 0.524	1.62 U 0.325 U 0.325 U 0.325 U 32.5 U 0.325 U	0.965 U 0.193 U 0.193 U 0.193 U 19.3 U 0.193 U	0.505 U 0.101 U 0.101 U 0.101 U 10.1 U 0.101 U	0.540 U 0.108 UJ 0.108 U 0.108 U 10.8 U 0.108 U	0.950 U 0.190 U 0.190 U 0.190 U 19.0 U 0.190 U	0.620 U 0.124 U 0.144 J 0.124 U 12.4 U 0.159 J	0.650 U 0.130 U 0.130 U 0.130 U 13.0 U 0.130 U	0.735 U 0.147 U 0.147 U 0.147 U 14.7 U 0.147 U	0.605 U 0.121 U 0.121 U 0.121 U 12.1 U 0.121 U	0.464 U 0.0929 U 0.0929 U 0.0929 U 9.29 U 0.0929 U	6.40 U 1.28 UJ 1.28 U 1.28 U 128 UJ 44.9	0.555 U 0.111 U 0.111 U 0.111 U 11.1 U 0.111 U	3.78 U 0.757 U 0.757 U 0.757 U 75.7 U 0.757 U	0.486 U 0.0972 U 0.0972 U 0.0972 U 9.72 U 0.0972 U
MW-151	Property, SW quadrant	04/10/18 10/25/18 12/14/18 01/31/19 03/12/19	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.355 U 0.355 U 0.355 U 0.355 U 0.355 U	0.123 UJ 0.123 U 0.123 U 0.123 U 0.123 U	0.325 U 0.325 U 0.325 U 0.325 U 0.325 U	0.193 U 0.193 U 0.193 U 0.193 U 0.193 U	0.101 UJ 0.101 U 0.101 U 0.101 U 0.101 U	0.108 UJ 0.108 UJ 0.108 U 0.108 U 0.108 U	0.190 UJ 0.190 U 0.190 U 0.190 U 0.190 U	0.124 UJ 0.124 U 0.124 U 0.124 U 0.124 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U	0.147 U 0.147 U 0.147 U 0.147 U 0.147 U	0.121 UJ 0.121 U 0.121 U 0.121 U 0.121 U	0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0929 U	9.14 J- 31.7 J 4.26 J 1.71 J 23.3	0.111 U 0.111 U 0.111 U 0.111 U 0.111 U	0.757 U 0.757 U 0.757 U 0.757 U 0.757 U	0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0972 U
MW-156 (dup)	8th Ave N ROW, E side	04/26/18 01/24/19 04/24/19 04/24/19 07/22/19 10/17/19 01/20/20 04/24/20 07/15/20 11/11/20 02/08/21 05/10/21	Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder Bladder Bladder Bladder Peristaltic Bladder	0.355 U 0.355 U 0.355 U 0.355 U 0.355 U 3.55 U 3.55 U 24.1 UJ 9.65 U 0.193 U 1.93 U 9.65 U	0.123 U 0.123 U 0.123 U 0.123 U 0.123 U 1.36 J 1.23 U 16.1 U 2.32 U 0.0464 U 0.464 U 2.32 U	0.325 U 0.325 U 0.325 U 0.325 U 0.325 U 3.25 U 3.25 U 13.8 UJ 10.2 UJ 0.204 U 2.04 U 10.2 U	0.193 U 0.193 U 0.193 U 0.193 U 0.193 U 1.93 U 1.93 U 6.30 U 1.05 U 0.0210 U 0.210 U 1.05 U	0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 1.01 U 1.01 U 5.35 U 2.90 U 0.0580 U 0.580 U 2.90 U	0.108 U 0.108 U 0.108 U 0.108 U 0.108 U 1.08 U 1.08 U 4.09 U 0.950 U 0.183 0.190 U 0.950 U	0.190 U 0.190 U 0.190 U 0.190 U 0.190 U 1.90 U 1.90 U 7.45 U 2.54 U 0.331 0.508 U 2.54 U	0.124 U 0.124 U 0.124 U 0.124 U 0.124 U 1.24 U 1.24 U 5.20 U 2.16 U 0.0432 U 0.432 U 2.16 U	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U 1.30 U 1.30 U 14.9 U 3.40 U 0.0680 U 0.680 U 3.40 U	0.147 U 0.147 U 0.147 U 0.147 U 0.147 U 1.47 U 1.47 U 5.45 U 3.50 U 0.0700 U 0.700 U 3.50 U	0.121 U 0.121 U 0.121 U 0.121 U 0.121 U 1.21 U 1.21 U 6.00 U 3.94 U 0.0788 U 0.788 U 3.94 U	0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.929 U 0.929 U 8.05 U 1.59 U 0.0317 U 0.317 U 1.59 U	1.28 U 1.28 U 1.28 U 1.28 U 1.28 U 12.8 U 12.8 U 59.5 U 25.0 U 0.500 U 5.00 U 25.0 U	0.111 U 0.111 U 0.111 U 0.111 U 0.111 U 1.11 U 1.11 U 5.30 U 1.84 U 0.0368 U 0.368 U 1.84 U	0.757 U 0.757 U 0.757 U 0.757 U 0.757 U 7.57 U 7.57 U 39.4 U – – – –	0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.972 U 0.972 U 5.70 U 2.26 U 0.0452 U 0.452 U 2.26 U
MW-189 (dup)	Valley St ROW, S side	10/14/19 01/23/20 04/03/20 04/03/20 08/04/20 11/17/20 02/03/21 05/14/21	Bladder Bladder Bladder Bladder Bladder Bladder Bladder Bladder	0.355 U 0.355 U 0.355 U 0.355 U 0.193 U 0.193 U 0.193 U 0.193 U	0.123 U 0.123 U 0.123 U 0.123 U 0.0464 U 0.0464 U 0.0464 U 0.0464 U	0.325 U 0.325 U 0.325 U 0.325 U 0.204 UJ 0.204 U 0.204 UJ 0.204 U	0.193 U 0.193 U 0.193 U 0.193 U 0.0210 U 0.0210 U 0.0210 U 0.0210 U	0.101 U 0.101 U 0.101 U 0.101 U 0.0580 U 0.0580 U 0.0580 U 0.0580 U	0.108 U 0.108 U 0.108 U 0.108 U 0.0190 U 0.0190 U 0.0190 U 0.0190 U	0.190 U 0.190 U 0.190 U 0.190 U 0.0508 U 0.0508 U 0.0508 U 0.0508 U	0.124 U 0.124 U 0.124 U 0.124 U 0.0432 U 0.0432 U 0.0432 U 0.0432 U	0.130 U 0.130 U 0.130 U 0.130 U 0.0680 U 0.0680 U 0.0680 U 0.0680 U	0.147 U 0.147 U 0.147 U 0.147 U 0.0700 UJ 0.0700 U 0.0700 U 0.0700 U	0.121 U 0.121 U 0.121 UJ 0.121 UJ 0.0788 U 0.0788 U 0.0788 U 0.0788 U	0.0929 U 0.0929 U 0.0929 U 0.0929 U 0.0317 U 0.0317 U 0.0317 U 0.0317 U	1.28 UJ 1.28 U 1.28 UJ 1.28 UJ 0.500 U 0.500 UJ 0.500 U 0.500 U	0.111 U 0.111 U 0.111 U 0.111 U 0.0368 U 0.0368 U 0.0368 U 0.0368 U	0.757 UJ 0.757 U 0.757 U 0.757 U – – – –	0.0972 U 0.0972 U 0.0972 U 0.0972 U 0.0452 U 0.0452 U 0.0452 U 0.0452 U
MW-302	Dexter Ave N ROW	10/21/19 01/24/20 05/07/20 07/28/20 11/17/20 05/17/21	Bladder Bladder Bladder Bladder Bladder Bladder	0.355 U 0.355 U 0.481 U 0.481 U 0.193 U 0.193 U	0.123 U 0.123 U 0.322 UJ 0.322 U 0.0464 U 0.0464 U	0.325 U 0.325 U 0.276 U 0.276 U 0.204 U 0.204 U	0.193 U 0.193 U 0.126 U 0.126 U 0.0210 U 0.0210 U	0.101 U 0.101 U 0.107 U 0.107 U 0.0580 U 0.0580 U	0.108 U 0.108 U 0.0819 U 0.0819 U 0.0190 U 0.0190 U	0.190 U 0.190 U 0.149 U 0.149 U 0.0508 U 0.0508 U	0.124 U 0.124 U 0.104 UJ 0.104 U 0.0432 U 0.0432 U	0.130 U 0.130 U 0.299 U 0.299 U 0.0680 U 0.0680 U	0.147 U 0.147 U 0.109 U 0.109 U 0.0700 U 0.0700 U	0.121 U 0.121 U 0.120 U 0.120 U 0.0788 U 0.0788 U	0.0929 U 0.0929 U 0.161 U 0.161 UJ 0.0317 U 0.0317 U	1.28 U 1.28 U 1.19 U 1.19 U 0.500 UJ 0.500 U	0.111 U 0.111 U 0.106 UJ 0.106 U 0.0368 U 0.0368 U	0.757 U 0.757 U 0.787 U 0.787 U – –	0.0972 U 0.0972 U 0.114 UJ 0.114 U 0.0452 U 0.0452 U
MW-306	Dexter Ave N ROW, E side	10/15/19 01/16/20	Bladder Bladder	0.355 U 0.355 U	0.123 U 0.123 U	0.325 U 0.325 U	0.193 U 0.193 U	0.101 UJ 0.101 U	0.108 U 0.108 U	0.190 U 0.190 U	0.124 U 0.124 U	0.130 UJ 0.130 U	0.147 UJ 0.147 U	0.121 UJ 0.121 U	0.0929 U 0.0929 U	1.28 U 1.28 U	0.111 U 0.111 U	0.757 U 0.757 U	0.0972 U 0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-306 (continued)		04/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/29/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/06/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/18/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.133 J	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/16/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/08/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/06/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/06/20	Peristaltic	0.193 U	0.0797 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-315	Mercer St ROW, N side	10/03/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/16/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/20	Bladder	0.481 UJ	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/24/20	Bladder	0.193 U	0.326	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.112 J	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/17/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-317	9th Ave N ROW, W side	10/09/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/16/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/27/20	Bladder	0.481 UJ	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Peristaltic	0.193 U	0.170 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		11/10/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/19/21	Peristaltic	0.193 U	0.101 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-325	Mercer St ROW, N side	10/03/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/21/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 UJ	1.19 U	0.106 U	0.787 U	0.114 U
		07/23/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/08/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-327	Lake Union Park, S end	10/02/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/09/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/07/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 UJ	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-330 (dup)	Valley St ROW, N side	05/14/20	Bladder	0.481 U	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		05/14/20	Bladder	0.481 U	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/16/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		12/01/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		12/01/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Bladder	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	Peristaltic	0.481 UJ	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/06/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0380 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/06/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-333	900 Roy St, S end	04/29/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/24/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 UJ	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/18/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-344	SDOT Mercer Parcels,	06/01/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
Intermediate B Water-Bearing Zone																			
FMW-141 (dup) (split)	Alley E of Seattle Roy Aloha Shops	07/26/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/30/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/30/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		11/11/19 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Bladder	1.78 U	0.615 U	1.63 U	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.465 U	6.40 U	0.555 U	3.78 U	0.486 U
		01/14/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/17/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	2.41 U	1.61 U	1.38 U	0.630 U	0.535 U	0.409 U	0.745 U	0.520 U	1.49 U	0.545 U	0.600 U	0.805 U	5.95 U	0.530 U	3.94 U	0.570 U
		05/19/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/22/20	Bladder	3.86 U	0.928 U	4.08 UJ	0.420 U	1.16 U	0.380 U	1.02 U	0.864 U	1.36 U	1.40 U	1.58 U	0.634 U	10.0 U	0.736 U	–	0.904 U
		07/28/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		12/03/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/03/21	Peristaltic	0.193 U	0.133 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
HMW-1IB	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	0.010 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.00 U	–	1.0 U
		03/10/20 ^a	Unknown	–	0.20 U	0.11 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-2IB	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	0.010 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.00 U	–	1.0 U
		03/12/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-4IA	SDOT Mercer Parcels, SW quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	0.010 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	–	1.0 U
		03/10/20 ^a	Unknown	–	0.20 U	0.11 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-5IB	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-6IB	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-7IB	SDOT Mercer Parcels, SW quadrant	03/12/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-8IB	SDOT Mercer Parcels, SW quadrant	03/11/20 ^a	Unknown	–	0.20 U	0.11 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
HMW-9IB	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
		01/26/21	Bladder	0.193 U	0.125 J	0.204 U	0.0210 U	0.0580 U	0.858	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		06/02/21	Bladder	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	2.60 J	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U
HMW-11IB	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
MW111	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/14/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/15/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/14/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/16/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/20	Bladder	0.481 UJ	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/06/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/09/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/03/21	Bladder	0.193 U	0.195 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW112	Dexter Ave N ROW, W side	03/22/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/16/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/21/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/21/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/24/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/07/20	Bladder	0.481 U	0.322 UJ	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 UJ	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 UJ	0.787 U	0.114 UJ
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/17/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 UJ	0.0368 U	–	0.0452 U
		02/11/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		05/14/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW126 (dup)	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/15/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/18/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 UJ	0.147 UJ	0.121 UJ	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 UJ	0.108 U	0.190 U	0.124 U	0.130 UJ	0.147 UJ	0.121 UJ	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/14/20	Peristaltic	0.355 U	0.291 J	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/09/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW126 (continued)		07/24/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 UJ	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/10/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW130 (dup)	Property, NW quadrant	03/29/17	Bladder	7.10 U	2.46 U	6.50 U	3.86 U	2.02 U	2.16 U	3.80 U	12.9 U	2.60 U	2.94 U	2.42 U	1.86 U	25.6 U	2.22 U	15.1 U	1.94 U
		06/30/17	Bladder	3.55 U	1.23 U	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
		06/30/17	Bladder	3.55 U	1.23 U	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
		05/21/18	Bladder	0.355 U	0.816	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.303 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/17/18	Bladder	17.8 U	6.15 U	16.2 U	9.65 U	5.05 U	5.40 U	9.50 U	6.20 U	6.50 U	7.35 U	6.05 U	4.64 U	64.0 U	5.55 U	37.8 U	4.86 U
		01/31/19	Bladder	0.355 U	1.09	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.394 J	0.130 U	0.147 U	0.121 U	0.128 J	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
MW-132	Property, SE quadrant	09/25/17	Bladder	1.78 U	0.615 U	1.62 U	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.464 U	6.40 U	0.555 U	3.78 U	0.486 U
		04/26/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/25/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/13/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/31/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
MW-134	Property, NE quadrant	09/22/17	Bladder	1.78 U	0.615 U	1.62 U	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.464 U	6.40 U	0.555 U	3.78 U	0.486 U
		04/16/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/25/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/12/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
MW-135	Property, NE quadrant	09/25/17	Bladder	35.5 U	12.3 U	32.5 U	19.3 U	10.1 U	10.8 U	19.0 U	12.4 U	13.0 U	14.7 U	12.1 U	9.29 U	128 U	11.1 U	75.7 U	9.72 U
		04/25/18	Peristaltic	0.355 U	2.26	0.325 U	0.193 U	0.143 J	0.108 U	0.190 U	0.708	0.130 U	0.147 U	0.121 U	0.0929 U	2.24 J	0.111 U	0.757 U	0.0972 U
		10/25/18	Peristaltic	8.88 U	3.08 U	8.12 U	4.82 U	2.52 U	2.70 UJ	4.75 U	3.10 U	3.25 U	3.68 U	3.02 U	2.32 U	32.0 UJ	2.78 U	18.9 U	2.43 U
		12/13/18	Peristaltic	17.8 U	6.15 U	16.2 U	9.65 U	5.05 U	5.40 U	9.50 U	6.20 U	6.50 U	7.35 U	6.05 U	4.64 U	64.0 U	5.55 U	37.8 U	4.86 U
		01/31/19	Bladder	0.355 U	2.50 J	0.325 U	0.193 U	0.147 J	0.108 U	0.190 U	0.786 J	0.130 U	0.147 U	0.121 U	0.0929 U	4.87 J	0.111 U	0.757 U	0.0972 U
		03/13/19	Bladder	0.355 U	2.09	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.655	0.130 U	0.147 U	0.121 U	0.0929 U	6.73	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
MW-136 (dup)	Property, SW quadrant	09/25/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.43 J	0.111 U	0.757 U	0.0972 U
		04/16/18	Submersible	0.355 U	17.4	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	5.31	0.130 U	0.147 U	0.121 U	0.0929 U	76.4	0.111 U	0.757 U	0.0972 U
		10/29/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/13/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		02/01/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/12/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
MW-139	Property, SE quadrant	09/25/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/25/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	2.67 J	0.111 U	0.757 U	0.0972 U
		10/25/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/12/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-139 (continued)		01/28/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned March, 2019																			
MW-143	8th Ave N ROW, E side	04/30/18	Peristaltic	0.355 U	0.482 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.173 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.81 J	0.111 U	0.757 U	0.0972 U
		01/29/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/19/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/22/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/29/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/24/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/08/21	Peristaltic	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
		05/19/21	Bladder	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
		MW-145	8th Ave N ROW, E side	04/27/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U
01/29/19	Bladder			0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
04/26/19	Bladder			0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
Decommissioned December 2019																			
MW-145R	8th Ave N ROW, E side	12/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		08/03/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/23/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/05/21	Peristaltic	0.193 U	0.128 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/12/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-147 (dup)	Roy St ROW, S side	05/01/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/18/19	Bladder	0.355 U	2.46 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/18/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/14/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/24/20	Bladder	8.88 U	3.08 U	8.13 U	4.83 U	2.53 U	2.70 U	4.75 U	3.10 U	3.25 U	3.68 U	3.03 U	2.32 U	32.0 U	2.78 U	18.9 U	2.43 U
		04/29/20	Bladder	12.0 U	8.05 U	6.90 U	3.15 U	2.68 U	2.05 U	3.73 U	2.60 U	7.48 U	2.73 U	3.00 U	4.03 U	29.8 U	2.65 U	19.7 U	2.85 U
		07/09/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/10/20	Bladder	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U
		11/10/20	Bladder	500 U	500 U	5,000 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	10,000 U	500 U	5,000 U	500 U
		02/09/21	Bladder	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
05/04/21	Bladder	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U		
MW-148 (dup)	Roy St ROW, S side	05/01/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/26/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-148 (continued)		01/20/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/30/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.757 U	0.114 U
		07/15/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	0.787 U	0.0452 U
		11/11/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-150	Property, NW quadrant	04/10/18	Peristaltic	0.355 U	0.272 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/25/18	Peristaltic	0.355 U	0.576	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.162 J	0.130 U	0.147 U	0.121 U	0.0929 U	3.56 J	0.111 U	0.757 U	0.0972 U
		12/12/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/29/19	Peristaltic	35.5 U	12.3 U	32.5 U	19.3 U	10.1 U	10.8 U	19.0 U	12.4 U	13.0 U	14.7 U	12.1 U	9.29 U	128 U	11.1 U	75.7 U	9.72 U
		03/13/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	12.8	0.111 U	0.757 U	0.0972 U
	Decommissioned March, 2019																		
MW-152	Property, SW quadrant	04/10/18	Peristaltic	7.10 U	3.63 J	6.50 U	3.86 U	2.02 U	2.16 U	3.80 U	2.48 U	2.60 U	2.94 U	2.42 U	1.86 U	25.6 U	2.22 U	15.1 U	1.94 U
		10/26/18	Peristaltic	17.8 U	6.15 U	16.2 U	9.65 U	5.05 U	5.40 U	9.50 U	6.20 U	6.50 U	7.35 U	6.05 U	4.64 U	213 J	5.55 U	37.8 U	4.86 U
		12/14/18	Peristaltic	8.88 U	3.49 U	8.12 U	4.82 U	2.52 U	2.70 U	4.75 U	3.10 U	3.25 U	3.68 U	3.02 U	2.32 U	32.0 U	2.78 U	18.9 U	2.43 U
		01/31/19	Peristaltic	0.355 U	2.37	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.615	0.130 U	0.147 U	0.121 U	0.0929 U	9.01	0.111 U	0.757 U	0.0972 U
		03/12/19	Peristaltic	8.88 U	3.08 U	8.12 U	4.82 U	2.52 U	2.70 U	4.75 U	3.10 U	3.25 U	3.68 U	3.02 U	2.32 U	37.0 J	2.78 U	18.9 U	2.43 U
Decommissioned March, 2019																			
MW-157	8th Ave N ROW, E side	04/26/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/24/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/20	Bladder	9.62 U	6.44 U	5.52 U	2.52 U	2.14 U	1.64 U	2.98 U	2.08 U	5.98 U	2.18 U	2.40 U	3.22 U	23.8 U	2.12 U	15.7 U	2.28 U
		07/15/20	Bladder	3.86 U	1.30 J	4.08 U	0.420 U	1.16 U	0.380 U	1.02 U	0.864 U	1.36 U	1.40 U	1.58 U	0.634 U	10.0 U	0.736 U	–	0.904 U
		11/23/20	Bladder	3.86 U	0.928 U	4.08 U	0.420 U	1.16 U	0.380 U	1.02 U	0.864 U	1.36 U	1.40 U	1.58 U	0.634 U	456	0.736 U	–	0.904 U
MW-190	Valley Street ROW, S side	10/14/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		08/04/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/18/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/03/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/14/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-303	Dexter Ave N ROW, E side	10/21/19	Submersible	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.48 J	0.111 U	0.757 U	0.0972 U
		01/24/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/07/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/17/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/18/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-307	Roy St ROW, S side	10/11/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/15/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/29/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-307 (continued)		11/06/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/18/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/16/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/08/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/06/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/06/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	2.39 J	0.111 U	0.757 U	0.0972 U
		01/14/20	Peristaltic	0.355 U	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/20	Bladder	0.481 UJ	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/16/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/03/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-314 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/15/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/15/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/20	Bladder	4.81 U	3.22 U	2.76 U	1.26 U	1.07 U	0.819 U	1.49 U	1.04 U	2.99 U	1.09 U	1.20 U	1.61 U	11.9 U	1.06 U	7.87 U	1.14 U
		07/16/20	Bladder	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U
		11/04/20	Bladder	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U
		05/03/21	Bladder	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
MW-316	Mercer St ROW, N side	10/02/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/16/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/21/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/24/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/17/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-318	9th Ave N ROW, W side	10/08/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	1.55	0.274 J	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/16/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	1.40	0.298 J	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/27/20	Bladder	0.481 UJ	0.322 U	0.276 UJ	0.126 U	0.107 U	0.578	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.207	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		11/12/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/19/21	Peristaltic	0.193 U	0.0660 U	0.204 U	0.0210 U	0.0580 U	0.104	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-322	9th Ave N ROW, W side	10/07/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/21/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/29/20	Bladder	48.1 U	32.2 U	27.6 U	12.6 U	10.7 U	8.19 U	14.9 U	10.4 U	29.9 U	10.9 U	12.0 U	16.1 U	119 U	10.6 U	78.7 U	11.4 U
		07/07/20	Bladder	1.93 U	0.464 U	2.04 UJ	0.210 U	0.580 U	0.720 J	0.710 J	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		11/24/20	Bladder	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	2.15	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		05/19/21	Peristaltic	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	1.15	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
MW-334	900 Roy St, S end	04/24/20	Bladder	0.481 UJ	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/07/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 UJ	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-334 (continued)		11/05/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/13/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-335	Mercer St ROW, N side	05/01/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/08/20	Bladder	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		11/02/20	Bladder	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		02/10/21	Bladder	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		05/26/21	Peristaltic	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
MW-338	Lake Union Park, N end	05/07/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/23/20	Peristaltic	0.193 U	0.0800 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/10/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-340	Lake Union Park, S end	05/12/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/17/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/13/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-345	SDOT Mercer Parcels,	06/01/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-346 (dup)	SDOT Mercer Parcels, NW quadrant	06/02/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		06/02/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-347	SDOT Mercer Parcels,	06/01/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-348	SDOT Mercer Parcels,	06/01/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-349	SDOT Mercer Parcels,	06/01/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	3.47 U	0.0368 U	–	0.0452 U
MW-350	SDOT Mercer Parcels,	06/01/21	Bladder	0.193 U	34.8	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	13.2	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
W-MW-01	8th Ave N ROW, W side	03/30/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/19/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/13/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/29/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/13/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/25/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/11/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/25/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/27/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/03/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/31/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/24/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	2.98	0.0368 U	–	0.0452 U
		02/03/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	34.2	0.0368 U	–	0.0452 U
		05/17/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	135	0.0368 U	–	0.0452 U
W-MW-02	8th Ave N ROW, W side	03/27/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	13.8	0.111 U	0.757 U	0.0972 U
		06/19/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	3.57 J	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
W-MW-02 (continued) (dup)		06/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	2.73 J	0.111 U	0.757 U	0.0972 U
		10/26/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		10/26/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/12/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/25/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/18/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/01/20	Bladder	0.355 UJ	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/31/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
Deep Water-Bearing Zone																			
FMW-129 (split)	SDOT Mercer Parcels, NE quadrant	04/10/17	Peristaltic	1.78 U	0.615 U	1.62 U	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.464 U	6.40 U	0.555 U	3.78 U	0.486 U
		06/23/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/16/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		11/12/19"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Bladder	3.55 U	1.23 U	3.25 UJ	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
		01/14/20"	Bladder	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/18/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/06/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		05/19/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/10/20	Bladder	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		07/28/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/10/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		12/03/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/10/21"	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
05/26/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U		
05/26/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U		
FMW-131	Block 37, SE quadrant	03/24/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/23/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/18/17 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.787 U	0.0972 U
		04/29/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	–	0.114 U
		07/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		08/26/20"	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
FMW-131 (continued)		11/19/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	0.193 U	0.143 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		05/13/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
FMW-137	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/06/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/06/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/06/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 UJ	1.19 U	0.106 U	0.787 U	0.114 U
		07/31/20	Bladder	0.193 U	0.0987 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		11/24/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/12/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		06/02/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
FMW-138	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/6/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/8/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FMW-3D	Terry Ave N ROW, E side	03/24/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/23/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
FMW-140	900 Roy St, S end	07/17/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.355 U	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.50 J	0.111 U	0.757 U	0.0972 U
		11/12/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.239 J	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/07/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 UJ	0.445	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		07/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/13/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.478	0.110 J	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 UJ	0.0368 U	–	0.0452 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/18/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.139	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
GEI-2	Block 37, NW quadrant	03/24/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		06/23/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/29/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/16/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/21/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		02/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/29/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		06/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/30/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		08/26/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/19/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	0.193 U	0.188 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		05/13/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
HMW-1D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a 03/09/20 ^a	Peristaltic Unknown	1.0 U –	1.0 U 20 U	1.0 U 75 UJ	0.010 U –	1.0 U 20 U	1.0 U –	1.0 U 20 U	1.0 U –	1.0 U 20 U	1.0 U 20 U	1.0 U 20 U	1.0 U 20 U	– –	1.0 U 20 U	– –	1.0 U 20 U
HMW-2D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a 03/12/20 ^a	Peristaltic Unknown	1.0 U –	1.0 U 0.20 U	1.0 U 0.80 UJ	0.010 U –	1.0 U 0.20 U	1.0 U –	1.0 U 0.20 U	1.0 U –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	– –	1.0 U 0.20 U	– –	1.0 U 0.20 U
HMW-3D	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a 03/13/20 ^a	Peristaltic Unknown	1.0 U –	1.0 U 0.20 U	1.0 U 0.80 UJ	0.010 U –	1.0 U 0.20 U	1.0 U –	1.0 U 0.20 U	1.0 U –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U 0.20 U	– –	1.0 U 0.20 U	– –	1.0 U 0.20 U
HMW-6D	SDOT Mercer Parcels, SW quadrant	03/16/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-9D	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
HMW-10D	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	0.20 U	0.80 UJ	–	0.20 U	–	0.20 U	–	0.20 U	0.20 U	0.20 U	0.20 U	–	0.20 U	–	0.20 U
MW102	Valley Street ROW, S side	03/29/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/15/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/25/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/24/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/18/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW102 (continued) (dup)		11/14/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		08/04/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		08/04/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 UJ	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/18/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/03/21	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
(dup)		05/14/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		03/23/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/14/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	8.78	0.111 U	0.757 U	0.0972 U
		04/22/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/15/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/14/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/16/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/20	Bladder	0.481 UJ	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		04/23/20	Bladder	0.481 UJ	0.492 J	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/06/20	Bladder	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0370 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/10/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/03/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
(dup)	8th Ave N ROW, W side	03/30/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/30/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/09/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/26/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/13/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		02/01/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	68.5	0.111 U	0.757 U	0.0972 U
		03/13/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	2.04 J	0.111 U	0.757 U	0.0972 U
		04/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	4.72 J	0.111 U	0.757 U	0.0972 U
		07/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/18/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/29/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/01/20	Bladder	0.355 UJ	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/31/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		07/31/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		11/17/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 UJ	0.0368 U	–	0.0452 U
		02/10/21	Bladder	0.193 U	0.0830 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW105	Roy Street ROW, S side	04/21/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/14/17	Bladder	0.355 U	0.216 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/11/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		01/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

**Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene		
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	-	160	75	-	4,800	160	40	-		
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	-	-	2,600	4.2	10	170	-	-	4.9	-	1.7E+06	-	7,300	-		
MW105 (continued) (dup)		07/17/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		10/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		10/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		01/20/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		05/12/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U		
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		11/17/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		02/11/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		06/07/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
MW106	SDOT Mercer Parcels, NW quadrant	04/14/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		06/30/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		05/04/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		04/26/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		07/19/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		10/18/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		01/14/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
		05/06/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U		
		05/06/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U		
		07/10/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		11/10/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		11/10/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		02/12/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		02/12/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		05/13/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	-	0.0452 U		
		MW113	9th Ave N ROW, W side	03/22/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.240 J	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
				06/16/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
04/11/18	Peristaltic			0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
01/30/19	Peristaltic			1.78 U	0.615 U	1.62 U	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.464 U	6.40 U	0.555 U	3.78 U	0.486 U		
02/07/19	Peristaltic			0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
07/17/19	Peristaltic			0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
10/22/19	Peristaltic			0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U		
11/11/19°	Peristaltic			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
01/14/20	Bladder			3.55 U	1.23 U	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	78.7 U	0.972 U		
01/14/20°	Peristaltic			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
02/18/20°	Unknown			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
03/24/20°	Unknown			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
04/27/20	Peristaltic			48.1 U	32.2 U	27.6 U	12.6 U	10.7 U	8.19 U	14.9 U	10.4 U	29.9 U	10.9 U	12.0 U	16.1 U	119 U	10.6 U	-	11.4 U		
04/27/20°	Peristaltic			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
05/19/20°	Unknown			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
07/28/20	Bladder			48.1 U	32.2 U	27.6 U	12.6 U	10.7 U	8.19 U	14.9 U	10.4 U	29.9 U	10.9 U	12.0 U	16.1 U	119 U	10.6 U	-	11.4 U		
07/28/20°	Unknown			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
09/17/20°	Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
11/24/20	Bladder	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	-	4.52 U				

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW113 (continued) (split)		12/03/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		02/10/21 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/25/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.237	0.376	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW122	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/14/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/06/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/14/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/17/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/07/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/24/20	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/06/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/03/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW123	Westlake Ave N ROW, W side	04/01/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/24/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/14/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/18/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/22/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/05/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Peristaltic	0.193 U	0.127 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		11/12/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 UJ	0.0368 U	–	0.0452 U
		05/26/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW124 (dup)	Valley Street ROW, S side	03/29/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/29/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/15/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/13/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/11/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		01/30/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/03/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 UJ	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		08/03/20	Bladder	0.193 U	0.0532 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		11/18/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW128 (dup)	Westlake Ave N ROW, E side	06/08/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		03/29/17	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		06/21/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		04/09/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/30/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/18/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		10/11/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 UJ	0.0972 U
		11/11/19 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0.757 U	–
		01/20/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.787 U	0.0972 U
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW128 (continued) (split)		04/27/20	Peristaltic	0.481 UJ	0.322 U	0.276 UJ	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	–	0.114 U
		06/29/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		06/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		08/26/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/09/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		12/20/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MW-133	Property, SW quadrant	09/25/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/25/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/26/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		02/01/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/13/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		Decommissioned March, 2019																	
MW-137	Property, SW quadrant	09/25/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		10/26/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		02/01/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/11/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		Decommissioned March, 2019																	
MW-138	Dexter Ave N ROW, E side	09/21/17	Bladder	0.710 U	0.246 U	0.650 U	0.386 U	0.202 U	0.216 U	0.380 U	0.248 U	0.260 U	0.294 U	0.242 U	0.186 U	2.56 U	0.222 U	1.51 U	0.194 U
		04/11/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		10/29/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		12/17/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/03/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/14/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/19/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 UJ	1.28 U	0.111 U	0.757 U	0.0972 U
		10/21/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/27/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/08/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/18/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/11/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 UJ	0.500 U	0.0368 U	–	0.0452 U
		06/07/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-140 (dup)	Roy Street ROW, E side	09/22/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		09/22/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	–	0.0972 U
MW-141	Property, SE quadrant	09/22/17	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/12/18	Submersible	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		10/25/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 UJ	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 UJ	0.111 U	0.757 U	0.0972 U
		12/12/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-141 (continued)	Decommissioned March, 2019	01/30/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/11/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
MW-153	Roy St ROW, S side	05/01/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
(dup)		01/22/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/24/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/22/19	Bladder	0.355 U	0.225 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.141 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
(dup)	10/15/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
	01/21/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
	04/30/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U	
	07/15/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
	11/09/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
	02/09/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
	02/09/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
	05/10/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
	MW-158A	8th Ave N ROW, E side	04/30/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U
01/24/19	Bladder		0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
04/25/19	Bladder		0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
07/19/19	Bladder		0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
10/16/19	Bladder		0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
01/21/20	Bladder		0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
04/24/20	Bladder		0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U	
07/15/20	Bladder		0.193 U	0.0660 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
11/23/20	Bladder		0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
02/02/21	Bladder		0.193 U	0.0870 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
05/10/21	Bladder		0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
MW-160	8th Ave N ROW, W side	05/21/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
01/25/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
05/01/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
07/23/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
10/17/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
01/29/20		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
04/01/20		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
08/03/20		Bladder	0.193 U	0.0510 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
11/30/20		Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
02/05/21		Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
05/12/21		Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U	
MW-161	8th Ave N ROW, W side	05/21/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
01/25/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
05/01/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
07/18/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
10/14/19		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	
01/28/20		Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U	

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-161 (continued)		04/03/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/31/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		12/01/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/05/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-162	Property, NE quadrant Decommissioned March, 2019	02/05/19	Bladder	2.00 U	1.00 U	1.00 U	0.250 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	2.00 U	–	1.00 U	–	1.00 U
		03/12/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	–	0.0972 U
MW-163	Property, NW quadrant (dup) Decommissioned March, 2019	02/05/19	Bladder	2.00 U	1.00 U	1.00 U	0.250 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	2.00 U	–	1.00 U	–	1.00 U
		02/05/19	Bladder	2.00 U	1.00 U	1.00 U	0.250 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	2.00 U	–	1.00 U	–	1.00 U
		03/12/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	–	0.0972 U
MW-164	Property, SW quadrant Decommissioned March, 2019	02/05/19	Bladder	2.00 U	1.00 U	1.00 U	0.250 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U	2.00 U	–	1.00 U	–	1.00 U
		03/12/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	–	0.0972 U
MW-304	Dexter Ave N ROW, E side	10/21/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/27/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/07/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/18/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-319	9th Ave N ROW, W side	10/08/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.140 J	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/16/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/27/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/27/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/12/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-323	9th Ave N ROW, W side	05/19/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0660 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		10/09/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/23/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/07/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-324	Roy St ROW, N side	11/24/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/20/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		10/02/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Peristaltic	17.8 U	6.15 U	16.3 U	9.65 U	5.05 U	5.40 U	9.50 U	6.20 U	6.50 U	7.35 U	6.05 U	4.65 U	64.0 U	5.55 U	37.9 U	4.86 U
		04/24/20	Bladder	24.1 U	16.1 U	13.8 U	6.30 U	5.35 U	4.09 U	7.45 U	5.20 U	14.9 U	5.45 U	6.00 U	8.05 U	59.5 U	5.30 U	39.4 U	5.70 U
MW-326	Mercer Street ROW, N side	07/07/20	Bladder	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
		11/13/20	Bladder	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
		05/20/21	Peristaltic	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
		10/03/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
MW-326	Mercer Street ROW, N side	04/21/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/23/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-326 (continued)		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/09/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/18/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-328	Lake Union Park, S end	10/02/19	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/17/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/08/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/07/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-329 (dup)	Westlake Ave N ROW, E side	10/03/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		10/03/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/20/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/27/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		08/03/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-336	Mercer St ROW, N side	05/05/20	Bladder	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/08/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0330 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/02/20	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/10/21	Bladder	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/26/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-341	Lake Union Park, S end	05/12/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/07/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/25/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-342	Valley St ROW, S side	05/04/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Peristaltic	0.193 U	0.0959 J	0.204 U	0.0210 U	0.0580 U	0.0380 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/17/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		06/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-343	Valley St ROW, S side	05/04/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/30/20	Peristaltic	0.193 U	0.117 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/24/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		06/04/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
Treatment Zone A Wells																			
IW-4A	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-7A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-9A	Property, NW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
IW-18A	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.355 U	0.984	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.293 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-22A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-37A	Property, SW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-41A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.355 U	2.46 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-42A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.355 U	30.8 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.403 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-45A	Property, SW quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.355 U	0.490 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.138 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-46A	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-48A	Property, SE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	119	0.111 U	0.757 U	0.0972 U
MW-165	Property, NE quadrant	11/04/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
(dup)		01/30/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	23.5	0.106 U	0.787 U	0.114 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	1.30	0.0368 U	–	0.0452 U
		11/05/20	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	1.44	0.0368 U	–	0.0452 U
		02/04/21	Flowing	0.193 U	0.0920 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	1.12	0.0368 U	–	0.0452 U
MW-169	Property, SW quadrant	05/06/21	Flowing	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.380 J	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		11/05/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/05/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/10/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/03/20	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-173	Property, SE quadrant	02/17/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/07/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/01/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-173 (continued)		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/04/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/05/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-177	Property, SW quadrant	11/06/19	Peristaltic	0.355 U	3.88	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	1.24	0.130 U	0.147 U	0.121 U	0.0929 U	10.3	0.111 U	0.757 U	0.0972 U
		01/24/20	Peristaltic	17.8 U	6.15 U	16.3 U	9.65 U	5.05 U	5.40 U	9.50 U	6.20 U	6.50 U	7.35 U	6.05 U	4.65 U	64.0 U	5.55 U	0.757 U	4.86 U
		04/01/20	Peristaltic	1,780 U	615 U	1,630 U	965 U	505 U	540 U	950 U	620 U	650 U	735 U	605 U	465 U	6,400 U	555 U	37.9 U	486 U
		07/10/20	Peristaltic	965 U	232 U	1,020 U	105 U	290 U	95.0 U	254 U	216 U	340 U	350 U	394 U	159 U	2,500 U	184 U	3,780 U	226 U
		11/03/20	Flowing	193 U	46.4 U	204.0 U	21.0 U	58.0 U	19.0 U	50.8 U	43.2 U	68.0 U	70.0 U	78.8 U	31.7 U	500 U	36.8 U	–	45.2 U
		02/18/21	Flowing	38.6 U	9.28 U	40.8 U	4.20 U	11.6 U	3.80 U	10.2 U	8.64 U	13.6 U	14.0 U	15.8 U	6.34 U	100 U	7.36 U	–	9.04 U
		05/06/21	Flowing	38.6 U	9.28 U	40.8 U	4.20 U	11.6 U	3.80 U	10.2 U	8.64 U	13.6 U	14.0 U	15.8 U	6.34 U	100 U	7.36 U	–	9.04 U
MW-181	Property, SW quadrant	11/08/19	Peristaltic	0.355 U	0.615 U	0.325 U	0.193 U	0.505 U	0.540 U	0.950 U	0.620 U	0.130 U	0.147 U	0.605 U	0.0929 U	6.40 U	0.111 U	0.757 U	0.0972 U
		01/27/20	Peristaltic	178 U	61.5 U	163.0 U	96.5 U	50.5 U	54.0 U	95.0 U	62.0 U	65.0 U	73.5 U	60.5 U	46.5 U	640 U	55.5 U	3.78 U	48.6 U
		04/01/20	Peristaltic	178 U	61.5 U	163.0 U	96.5 U	50.5 U	54.0 U	95.0 U	62.0 U	65.0 U	73.5 U	60.5 U	46.5 U	640 U	55.5 U	379 U	48.6 U
		07/08/20	Peristaltic	96.5 U	23.2 U	102.0 U	10.5 U	29.0 U	9.50 U	25.4 U	21.6 U	34.0 U	35.0 U	39.4 U	15.9 U	250 U	18.4 U	379 U	22.6 U
		11/04/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	1.53	0.0368 U	–	0.0452 U
		02/19/21	Flowing	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U
		05/06/21	Peristaltic	19.3 U	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U
MW-185	Property, SE quadrant	10/31/19	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	16.0	0.111 U	0.757 U	0.0972 U
		01/29/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	31.0	0.111 U	0.925 J	0.0972 U
		04/02/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/08/20	Peristaltic	0.193 U	0.0720 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/16/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/07/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
Treatment Zone B Wells																			
IW-3B	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-6B	Property, SW quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.355 U	0.212 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-8B	Property, SW quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-17B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.355 U	2.04	0.325 U	0.193 U	0.134 J	0.108 U	0.190 U	0.613	0.130 U	0.147 U	0.121 U	0.0929 U	2.93 J	0.111 U	0.757 U	0.0972 U
IW-21B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-22B	Property, NW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	7.10 U	5.42 J	6.50 U	3.86 U	2.02 U	2.16 U	3.80 U	2.48 U	2.60 U	2.94 U	2.42 U	1.86 U	25.6 U	2.22 U	15.1 U	1.94 U
IW-24B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.355 U	3.07 J+	0.325 U	0.193 U	0.172 J+	0.108 U	0.190 U	0.906 J+	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-28B	Property, NW quadrant Decommissioned March, 2019	04/09/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
IW-33B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.35 J	0.111 U	0.757 U	0.0972 U
IW-37B	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-45B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-47B	Property, SW quadrant Decommissioned March, 2019	04/10/18	Bladder	1.78 U	123 U	1.62 U	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.464 U	11.5 J	0.555 U	3.78 U	0.486 U
IW-49B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	33.1	0.111 U	–	0.0972 U
IW-51B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.43 J	0.111 U	–	0.0972 U
MW-166	Property, NE quadrant	11/04/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	19.6	0.111 U	0.757 U	0.0972 U
(dup)		01/30/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	26.2	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/04/21	Flowing	96.5 UJ	23.2 U	102 U	10.5 U	29.0 U	9.50 U	25.4 U	21.6 U	34.0 U	35.0 U	39.4 U	15.9 U	250 U	18.4 U	–	22.6 U
		05/05/21	Flowing	38.6 U	9.28 UJ	40.8 U	4.20 U	11.6 U	3.80 U	10.2 U	8.64 U	13.6 U	14.0 U	15.8 U	6.34 U	100 U	7.36 U	–	9.04 UJ
MW-170	Property, SW quadrant	11/05/19	Peristaltic	0.355 U	0.437 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.154 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/20	Peristaltic	8.88 U	3.08 U	8.13 U	4.83 U	2.53 U	2.70 U	4.75 U	3.10 U	3.25 U	3.68 U	3.03 U	2.32 U	32.0 U	2.78 U	18.9 U	2.43 U
		04/02/20	Peristaltic	178 U	61.5 U	163.0 U	96.5 U	50.5 U	54.0 U	95.0 U	62.0 U	65.0 U	73.5 U	60.5 U	46.5 U	640 U	55.5 U	379 U	48.6 U
		07/09/20	Peristaltic	1.93 U	0.850 J	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		11/03/20	Peristaltic	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		02/17/21	Peristaltic	1.93 U	1.46 J	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		05/07/21	Peristaltic	96.5 UJ	23.2 U	102 U	10.5 U	29.0 U	9.50 U	25.4 U	21.6 U	34.0 U	35.0 U	39.4 U	15.9 U	250 U	18.4 U	–	22.6 U
MW-174	Property, SE quadrant	11/01/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/04/21	Flowing	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/05/21	Flowing	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-178	Property, SW quadrant	11/06/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	165	0.111 U	3.30 J	0.0972 U
		01/24/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	200	0.111 U	3.36 J	0.0972 U
		04/02/20	Peristaltic	0.355 UJ	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	23.1	0.111 U	0.757 U	0.0972 U
		07/10/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 UJ	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/03/20	Peristaltic	0.193 U	0.114 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	3.29 J	0.0368 U	–	0.0452 U
		02/18/21	Peristaltic	3.86 U	0.928 U	4.08 U	0.420 U	1.16 U	0.380 U	1.02 U	0.864 U	1.36 U	1.40 U	1.58 U	0.634 U	10.0 U	0.736 U	–	0.904 U
		05/06/21	Peristaltic	3.86 UJ	0.928 U	4.08 U	0.420 U	1.16 U	0.380 U	1.02 U	0.864 U	1.36 U	1.40 U	1.58 U	0.634 U	10.0 U	0.736 U	–	0.904 U
MW-182	Property, SW quadrant	11/08/19	Peristaltic	0.355 U	0.326 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	88.9	0.111 U	1.26 J	0.0972 U
		01/27/20	Peristaltic	178 U	61.5 U	163.0 U	96.5 U	50.5 U	54.0 U	95.0 U	62.0 U	65.0 U	73.5 U	60.5 U	46.5 U	640 U	55.5 U	379 U	48.6 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-182 (continued)		04/01/20	Peristaltic	17.8 U	6.15 U	16.3 U	9.65 U	5.05 U	5.40 U	9.50 U	6.20 U	6.50 U	7.35 U	6.05 U	4.65 U	64.0 U	5.55 U	37.9 U	4.86 U
		07/08/20	Peristaltic	9.65 U	2.32 U	10.2 U	1.05 U	2.90 U	2.20 J	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
		11/04/20	Peristaltic	9.65 U	3.05 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	32.9 J	1.84 U	–	2.26 U
		02/19/21	Peristaltic	96.5 U	23.2 U	102 U	10.5 U	29.0 U	9.50 U	25.4 U	21.6 U	34.0 U	35.0 U	39.4 U	15.9 U	250 U	18.4 U	–	22.6 U
		05/06/21	Peristaltic	386 U	92.8 U	408 U	42.0 U	116 U	38.0 U	102 U	86.4 U	136 U	140 U	158 U	63.4 U	1,000 U	73.6 U	–	90.4 U
			Peristaltic	0.193 U	4.95 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	1.07 J	0.0680 U	0.0700 U	0.0788 U	0.0317 U	9.37 J	0.0368 U	–	0.0452 U
MW-186	Property, SE quadrant	10/31/19	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/29/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/08/20	Peristaltic	0.193 U	0.105 J	0.204 U	0.0210 U	0.0580 U	0.0330 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/16/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/07/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
Treatment Zone C Wells																			
IW-1C	Property, NE quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-4C	Property, NE quadrant Decommissioned March, 2019	04/26/18	Peristaltic	0.355 U	0.642	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.207 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-8C	Property, NE quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.355 U	1.28	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.376 J	0.130 U	0.147 U	0.121 U	0.0929 U	2.06 J	0.111 U	0.757 U	0.0972 U
IW-9C	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-13C	Property, SW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-15C	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	3.55 U	1.23 U	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
IW-19C	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-20C (dup)	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		03/30/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
MW-167	Property, NE quadrant	11/04/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/04/21	Peristaltic	0.193 U	0.0650 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0560 J	0.500 U	0.0368 U	–	0.0452 U
		05/05/21	Peristaltic	0.193 U	0.124 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-171	Property, SW quadrant	11/05/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.34 J	0.111 U	0.757 U	0.0972 U
		01/23/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-171 (continued) (dup)		11/03/20	Peristaltic	0.193 U	0.0900 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/17/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/17/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/07/21	Peristaltic	9.65 UJ	2.32 U	10.2 U	1.05 U	2.90 U	0.950 U	2.54 U	2.16 U	3.40 U	3.50 U	3.94 U	1.59 U	25.0 U	1.84 U	–	2.26 U
MW-175	Property, SE quadrant	11/01/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/20	Peristaltic	0.355 UJ	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/09/20	Peristaltic	0.193 U	0.0650 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/04/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/05/21	Peristaltic	0.193 UJ	0.0820 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-179	Property, SW quadrant	11/06/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	30.6	0.111 U	0.757 U	0.0972 U
		01/27/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	22.2	0.111 U	0.757 U	0.0972 U
		04/02/20	Peristaltic	7.10 UJ	2.46 U	6.50 UJ	3.86 U	2.02 U	2.16 U	3.80 U	2.48 U	2.60 U	2.94 U	2.42 U	1.86 U	25.6 U	2.22 U	15.1 U	1.94 U
		07/10/20	Peristaltic	3.86 U	0.928 U	4.08 U	0.420 U	1.16 UJ	0.380 U	1.02 U	0.864 U	1.36 U	1.40 U	1.58 U	0.634 U	10.0 U	0.736 U	–	0.904 U
		11/03/20	Peristaltic	3.86 U	0.928 U	4.08 U	0.420 U	1.16 U	0.380 U	1.02 U	0.864 U	1.36 U	1.40 U	1.58 U	0.634 U	10.0 U	0.736 U	–	0.904 U
		02/18/21	Peristaltic	96.5 U	23.2 U	102 U	10.5 U	29.0 U	9.50 U	25.4 U	21.6 U	34.0 U	35.0 U	39.4 U	15.9 U	250 U	18.4 U	–	22.6 U
		05/06/21	Peristaltic	48.3 U	11.6 UJ	51.0 U	5.25 U	14.5 U	4.75 U	12.7 U	10.8 U	17.0 U	17.5 U	19.7 U	7.93 U	125 U	9.20 U	–	11.3 UJ
MW-183	Property, SW quadrant	11/08/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/27/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/08/20	Peristaltic	0.193 U	0.110 J	0.204 UJ	0.0210 U	0.0580 U	0.0480 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Peristaltic	0.193 U	0.0625 UJ	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/19/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/06/21	Peristaltic	19.3 U	4.64 UJ	20.4 U	2.10 U	5.80 U	3.10 J	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 UJ
MW-187	Property, SE quadrant	11/01/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/29/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/08/20	Peristaltic	0.193 U	0.105 J	0.204 UJ	0.0210 U	0.0580 U	0.0480 J	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Peristaltic	0.193 U	0.0516 UJ	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/16/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/07/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
Treatment Zone D Wells																			
IW-1D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	3.55 U	2.23 J	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	13.9 J	1.11 U	7.57 U	0.972 U
IW-3D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	0.355 U	0.391 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.134 J	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-4D	Property, SW quadrant Decommissioned March, 2019	03/29/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-6D	Property, SW quadrant Decommissioned March, 2019	04/03/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
IW-8D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.355 U	0.289 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-9D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.355 U	0.142 J	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
IW-11D	Property, NE quadrant Decommissioned March, 2019	05/01/18	Bladder	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
MW-168	Property, NE quadrant	11/04/19	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/31/20	Flowing	0.355 UJ	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	3.86	0.0368 U	–	0.0452 U
		02/04/21	Peristaltic	0.193 U	0.0464 U	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/05/21	Peristaltic	0.193 UJ	0.112 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-172	Property, SW quadrant	11/05/19	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/23/20	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Peristaltic	178.0 U	61.5 U	163.0 U	96.5 U	50.5 U	54.0 U	95.0 U	62.0 U	65.0 U	73.5 U	60.5 U	46.5 U	640 U	55.5 U	379 U	48.6 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/03/20	Peristaltic	0.193 U	0.0640 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/17/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/07/21	Peristaltic	19.3 UJ	4.64 U	20.4 U	2.10 U	5.80 U	1.90 U	5.08 U	4.32 U	6.80 U	7.00 U	7.88 U	3.17 U	50.0 U	3.68 U	–	4.52 U
MW-176	Property, SE quadrant	11/01/19	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/20	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/28/20	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		05/01/20	Peristaltic	0.481 U	0.322 U	0.276 U	0.126 U	0.107 U	0.0819 U	0.149 U	0.104 U	0.299 U	0.109 U	0.120 U	0.161 U	1.19 U	0.106 U	0.787 U	0.114 U
		07/09/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/05/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/04/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/05/21	Peristaltic	0.193 UJ	0.0830 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-180	Property, SW quadrant	11/06/19	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	55.1	0.111 U	0.757 U	0.0972 U
		01/24/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	33.4	0.111 U	0.757 U	0.0972 U
		04/01/20	Peristaltic	1.78 UJ	0.615 U	1.63 UJ	0.965 U	0.505 U	0.540 U	0.950 U	0.620 U	0.650 U	0.735 U	0.605 U	0.465 U	24.0 J	0.555 U	3.78 U	0.486 U
		07/10/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 UJ	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/03/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/18/21	Flowing	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/06/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
MW-184	Property, SW quadrant	11/08/19	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/27/20	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/01/20	Peristaltic	3.55 U	1.23 U	3.25 U	1.93 U	1.01 U	1.08 U	1.90 U	1.24 U	1.30 U	1.47 U	1.21 U	0.929 U	12.8 U	1.11 U	7.57 U	0.972 U
		07/08/20	Peristaltic	0.193 U	0.0690 J	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Peristaltic	1.93 U	0.464 U	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		02/19/21	Flowing	1.93 UJ	0.464 U	2.04 U	0.210 U	0.580 U	0.190 U	0.508 U	0.432 U	0.680 U	0.700 U	0.788 U	0.317 U	5.00 U	0.368 U	–	0.452 U
		05/06/21	Peristaltic	0.965 U	0.232 UJ	1.02 U	0.105 U	0.290 U	0.0950 U	0.254 U	0.216 U	0.340 U	0.350 U	0.394 U	0.159 U	2.50 U	0.184 U	–	0.226 UJ

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromo-3-Chloropropane	1,2-Dibromoethane	1,2-Dichlorobenzene	1,2-Dichloroethane (EDC)	1,2-Dichloropropane	1,3,5-Trimethylbenzene	1,3-Dichlorobenzene	1,3-Dichloropropane	1,4-Dichlorobenzene	2,2-Dichloropropane	2-Butanone (Methyl Ethyl Ketone/MEK)	2-Chlorotoluene	2-Hexanone	4-Chlorotoluene
Preliminary Cleanup Level (PCUL)				15	80	0.20	0.050	600	4.8	5.0	80	–	160	75	–	4,800	160	40	–
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				38	240	–	–	2,600	4.2	10	170	–	–	4.9	–	1.7E+06	–	7,300	–
MW-188	Property, SE quadrant	10/31/19	Flowing	0.355 U	0.123 U	0.325 UJ	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		01/29/20	Flowing	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		04/02/20	Peristaltic	0.355 U	0.123 U	0.325 U	0.193 U	0.101 U	0.108 U	0.190 U	0.124 U	0.130 U	0.147 U	0.121 U	0.0929 U	1.28 U	0.111 U	0.757 U	0.0972 U
		07/08/20	Peristaltic	0.193 U	0.0680 J	0.204 UJ	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		11/04/20	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		02/16/21	Peristaltic	0.193 U	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
		05/07/21	Peristaltic	0.193 UJ	0.0464 U	0.204 U	0.0210 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	–	0.0452 U
Number of Analytes Measured				1,240	1,270	1,270	1,240	1,270	1,240	1,270	1,240	1,270	1,270	1,270	1,223	1,270	775	1,269	
Number of Analytes Detected				0	114	0	0	4	50	24	43	1	0	1	2	78	0	5	0
Frequency of Detection				0%	9%	0%	0%	0.3%	4%	2%	3%	0.1%	0%	0.1%	0.2%	6%	0%	1%	0%
Maximum Detection				–	157	–	–	0.172 J+	3.10 J	1.20	13.2	0.133 J	–	0.144 J	0.128 J	456	–	3.36 J	–
Minimum Detection				0.193 U	0.0464 U	0.110 UJ	0.010 U	0.0580 U	0.0190 U	0.0508 U	0.0432 U	0.0680 U	0.0700 U	0.0788 U	0.0317 U	0.500 U	0.0368 U	0.757 U	0.0452 U
Number of Detections Above SL				0	2	0	0	0	0	0	0	–	0	0	–	0	0	0	–
Frequency of Detection Above SL				0%	0%	0%	0%	0%	0%	0%	0%	–	0%	0%	–	0%	0%	0%	–
Notes: Gasoline Range Organics Analyzed by NWTPH-Gx. Diesel Range Organics and Heavy Oil analyzed by NWTPH-Dx. VOCs analyzed by EPA Method 8260C or 8260D. Results shown in micrograms per liter (µg/L). PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. All groundwater sampling performed by PES Environmental, Inc. unless otherwise indicated. a = Results provided by Hart Crowser. b = Results provided by Farallon Consulting. c = Select sample results for MW-210 incorrectly identified with location SMW-3 on lab reports and sampling forms. (split) = Split samples collected consecutively. (dup) = Field duplicate sample. – = Not analyzed, results not available, or information not applicable. Detected results shown in bold . Detections above the groundwater PCUL level are shown in bold and highlighted in gray . Shallow Zone detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange . Shallow Zone detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange . U = Not detected at or above the laboratory method detection limit (MDL); detections above the MDL but below the laboratory reported detection limit (RDL) are qualified with a "J." J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. z = Elevated chlorinated VOCs detected within the GRO elution range. No discernible petroleum pattern present. Project level qualifier assigned per laboratory review. GRO results above the screening level and qualified with "z" are not considered in the Maximum Detection and are not included in the Number of Detections Above SL.																			

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
Shallow Water Bearing Zone																			
DMW-1S	615 Dexter, SE quadrant	03/25/19 ^a	Unknown	1.5	–	–	–	–	1.5	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/25/19 ^a	Unknown	2.5	–	–	–	–	1.8	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/18/20 ^a	Unknown	–	–	–	–	–	2.9	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
DMW-2S	615 Dexter, SE quadrant	03/18/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
DMW-4S	Alley S of SE quadrant of 615 Dexter	03/19/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
DMW-5IA	Alley S of 615 Dexter	03/19/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
DMW-6	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
F5	Property, NW quadrant Decommissioned March, 2019	03/28/17	Peristaltic	0.138 U	0.888 J	38.3	0.873 U	–	0.515	0.133 U	0.0800 U	0.186 U	0.157 U	0.202 J	0.159 U	0.140 U	0.128 U	0.769	0.0860 U
		06/22/17	Peristaltic	0.138 U	0.823 U	37.9	0.873 U	–	0.374 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	2.89	0.0860 U
F9	Property, NE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	0.138 U	0.823 U	1.40 J	0.873 U	–	0.529	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/22/17	Peristaltic	0.138 U	0.823 U	1.74 J	0.873 U	–	0.471 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
F13	Property, NE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	0.138 U	0.823 U	1.42 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/22/17	Peristaltic	0.138 U	0.823 U	1.38 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/05/18	Peristaltic	0.138 U	0.823 U	2.35 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.136 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
FMW-143	9th Ave N ROW, E side	07/30/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.138 U	0.823 U	1.15 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/22/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/14/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/22/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
G12	Property, NE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	0.138 U	0.823 U	2.71 J	0.873 U	–	0.243 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.344 J	0.0860 U
		06/30/17	Peristaltic	0.138 U	0.823 U	1.65 J	0.873 U	–	0.282 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.539 J	0.0860 U
HMW-1S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/11/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-2S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/12/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.26
HMW-9S	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-10S	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.26
HMW-11S	SDOT Mercer Parcels, SE quadrant	03/11/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.26
HMW-20S	SDOT Mercer Parcels, NW quadrant	9/18/20 ^a	Unknown	1.0 U	10 U	50 U	–	–	0.20 U	1.0 U	0.20 U	5.0 U	5.0 U	–	0.20 U	0.20 U	0.50 U	0.20 U	0.20 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
HMW-21S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
HMW-22S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
J5	Property, SW quadrant	03/21/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.138 U 0.138 U 0.138 U	0.823 U 0.823 U 0.823 U	3.24 U 1.15 J 2.25 U	0.873 U 0.873 U 0.873 U	– – –	0.580 0.252 J 0.638	0.133 U 0.133 U 0.133 U	0.0800 U 0.0800 U 0.0800 U	0.186 U 0.186 U 0.186 U	0.157 U 0.157 U 0.157 U	0.101 U 0.101 UJ 0.101 U	0.159 U 0.159 U 0.159 U	0.140 U 0.140 U 0.140 U	0.128 U 0.128 U 0.128 U	0.141 U 0.141 U 1.09 J	0.0860 U 0.0860 U 0.0860 U
J15 (dup)	Property, SE quadrant	03/27/17 06/26/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic Peristaltic	0.138 U 0.138 U 0.138 U 0.138 U	0.823 U 0.823 U 0.823 U 0.823 U	1.82 J 1.49 J 1.91 J 7.35 J	0.873 U 0.873 U 0.873 U 0.873 U	– – – –	0.188 J 0.173 J 0.173 J 0.0896 U	0.133 U 0.133 U 0.133 U 0.133 U	0.0800 U 0.0800 U 0.0800 U 0.0800 U	0.186 U 0.186 U 0.186 U 0.186 U	0.157 U 0.157 U 0.157 U 0.157 U	0.101 U 0.101 UJ 0.101 UJ 0.101 U	0.159 U 0.159 U 0.159 U 0.159 U	0.140 U 0.140 U 0.140 U 0.140 U	0.128 U 0.128 U 0.128 U 0.128 U	0.141 U 0.141 U 0.141 U 0.141 U	0.0860 U 0.0860 U 0.0860 U 0.0860 U
K8	Property, SW quadrant	03/21/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.138 U 0.138 U 0.138 U	0.823 U 0.823 U 0.823 U	3.26 U 1.07 J 2.89 U	0.873 U 0.873 U 0.873 U	– – –	0.239 J 0.246 J 0.251 J	0.133 U 0.133 U 0.133 U	0.0800 U 0.0800 U 0.0800 U	0.186 U 0.186 U 0.186 U	0.157 U 0.157 U 0.157 U	0.101 U 0.101 UJ 0.101 U	0.159 U 0.159 U 0.159 U	0.140 U 0.140 U 0.140 U	0.128 U 0.128 U 0.128 U	0.141 U 0.141 U 0.141 U	0.0860 U 0.0860 U 0.0860 U
M15 (dup)	Property, SE quadrant	03/27/17 03/27/17 06/26/17 04/05/18	Peristaltic Peristaltic Peristaltic Peristaltic	0.138 U 0.138 U 0.138 U 0.138 U	0.823 U 0.823 U 0.823 U 0.823 U	1.45 J 1.79 J 1.05 U 2.37 U	0.873 U 0.873 U 0.873 U 0.873 U	– – – –	0.0896 U 0.0896 U 0.0896 U 0.0896 U	0.133 U 0.133 U 0.133 U 0.133 U	0.0800 U 0.0800 U 0.0800 U 0.0800 U	0.186 U 0.186 U 0.186 U 0.186 U	0.157 U 0.157 U 0.157 U 0.157 U	0.101 U 0.101 U 0.101 UJ 0.144 U	0.159 U 0.159 U 0.159 U 0.159 U	0.140 U 0.140 U 0.140 U 0.140 U	0.128 U 0.128 U 0.128 U 0.128 U	0.141 U 0.196 J 0.141 U 2.81	0.0860 U 0.0860 U 0.0860 U 0.0860 U
MW-8	Seattle Roy Aloha Shops, N end	03/20/17 04/13/18 07/18/19 10/10/19 01/16/20 05/06/20 07/14/20	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.138 U 0.138 U 0.138 U 0.138 U 0.138 U 0.120 U 0.0932 U	0.823 U 0.823 U 0.823 U 0.823 UJ 0.823 U 0.478 U 0.400 U	3.68 U 2.85 J 2.98 UJ 1.05 UJ 1.05 U 11.3 UJ 0.548 U	0.873 U 0.873 U 0.873 U 0.873 U 0.873 U 0.671 U 0.0760 U	– – – – – – 0.580 U	0.145 J 0.0896 U 0.0896 U 0.0896 U 0.156 J 0.0941 U 0.0160 U	0.133 U 0.133 U 0.133 U 0.133 U 0.133 U 0.118 U 0.0420 U	0.0800 U 0.0800 U 0.0800 U 0.0800 U 0.0800 U 0.136 U 0.0315 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.129 U 0.239 U	0.157 U 0.157 U 0.157 U 0.157 U 0.157 UJ 0.605 U 0.148 U	0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.0962 U –	0.159 U 0.159 U 0.159 U 0.159 U 0.159 U 0.128 U 0.0432 U	0.140 U 0.140 U 0.140 U 0.140 U 0.140 U 0.117 U 0.0229 U	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.140 U 0.0180 U	0.141 U 0.141 U 0.141 U 0.141 U 0.141 U 0.192 U 0.0432 U	0.0860 U 0.0860 U 0.0860 U 0.0860 U 0.0860 U 0.111 U 0.0166 U
MW-9 (dup)	8th Ave N ROW, E side	03/20/17 06/20/17 06/20/17 04/05/18 01/21/19 04/26/19 07/16/19 10/17/19 11/24/20 02/05/21 05/12/21 05/12/21	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.138 U 0.138 U 0.138 U 0.138 U 0.138 U 0.138 U 0.138 U 0.138 U 0.0932 U 0.0932 U 0.0932 U 0.0932 U	0.823 U 0.823 U 0.823 U 0.823 U 0.823 U 0.823 U 0.823 U 0.823 U 0.400 U 0.400 U 0.400 U 0.400 U	4.08 U 1.05 U 1.05 U 1.05 U 1.05 U 1.05 U 2.40 U 1.05 UJ 6.84 J+ 0.548 U 3.55 J+ 0.548 UJ	0.873 U 0.873 U 0.873 U 0.873 U 0.873 U 0.873 U 0.873 U 0.873 U 0.0760 U 0.0760 U 0.0760 U 0.0760 U	– – – – – – – – 0.580 U 0.580 U 0.580 U 0.580 U	0.0896 U 0.0896 U 0.0896 U 0.0896 U 0.0896 U 0.0896 U 0.0896 U 0.0896 U 0.0250 J 0.0420 0.0290 J 0.0280 J	0.133 U 0.133 U 0.133 U 0.133 U 0.133 U 0.133 U 0.133 UJ 0.133 UJ 0.0420 U 0.0420 U 0.0420 U 0.0420 U	0.0800 U 0.0800 U 0.0800 U 0.0800 U 0.0800 U 0.0800 U 0.0800 U 0.0800 U 0.0315 U 0.0315 U 0.0315 U 0.0315 U	0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.186 U 0.239 U 0.239 U 0.239 U 0.239 U	0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 UJ 0.157 U 0.157 U 0.148 U 0.148 U 0.148 U 0.148 U	0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.101 U 0.101 U – – – –	0.159 U 0.159 U 0.159 U 0.159 U 0.159 U 0.159 U 0.159 U 0.159 U 0.0432 U 0.0432 U 0.0432 U 0.0432 U	0.140 U 0.140 U 0.140 U 0.140 U 0.140 U 0.140 U 0.140 U 0.140 U 0.0229 U 0.0229 U 0.0229 U 0.0229 U	0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.128 U 0.0180 U 0.0180 U 0.0180 U 0.0180 U	0.141 U 0.141 U 0.141 U 0.141 U 0.141 U 0.141 U 0.141 U 0.141 U 0.0432 U 0.0432 U 0.0432 U 0.0432 U	0.0860 U 0.0860 U 0.0860 U 0.0860 U 0.0860 U 0.0860 U 0.0860 U 0.0860 U 0.0166 U 0.0166 U 0.0166 U 0.0166 U
MW121	8th Ave N ROW, E side	03/28/17 06/20/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.138 U 0.138 U 0.138 U	0.823 U 0.823 U 0.823 U	2.32 J 1.05 U 2.74 U	0.873 U 0.873 U 0.873 U	– – –	0.0896 U 0.186 J 0.0896 U	0.133 U 0.133 U 0.133 U	0.0800 U 0.0800 U 0.0800 U	0.186 U 0.186 U 0.186 U	0.157 U 0.157 U 0.157 U	0.101 U 0.101 U 0.101 U	0.159 U 0.159 U 0.159 U	0.140 U 0.140 U 0.140 U	0.128 U 0.128 U 0.128 U	0.141 U 0.141 U 0.141 U	0.0860 U 0.0860 U 0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW121 (continued)		01/31/19	Peristaltic	0.138 U	0.823 U	7.53 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/19	Peristaltic	0.138 U	0.823 U	4.49 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/19/19	Peristaltic	0.138 U	0.823 U	1.70 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/30/20	Bladder	0.0932 U	0.400 U	5.49 J+	0.0760 U	0.580 U	0.0290 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/05/21	Peristaltic	0.0932 U	0.400 U	3.27 U	0.0760 U	0.580 U	0.0850 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/12/21	Peristaltic	0.0932 U	0.400 U	5.76 J+	0.0760 U	0.580 U	0.0260 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
(dup)		05/12/21	Peristaltic	0.0932 U	0.400 U	4.04 J	0.0760 U	0.580 U	0.0290 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW125	Valley Street ROW, N side	03/22/17	Peristaltic	0.138 U	0.823 U	3.20 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/28/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.33 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/19	Peristaltic	0.138 U	0.823 U	1.66 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/19	Peristaltic	0.138 U	0.823 U	6.93 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/18/19	Peristaltic	0.138 U	0.823 U	1.89 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/18/19	Bladder	0.138 U	0.823 U	1.79 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/29/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/17/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/02/21	Peristaltic	0.0932 U	0.400 U	1.98 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/11/21	Peristaltic	0.0932 U	0.400 U	1.77 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/11/21	Peristaltic	0.0932 U	0.400 U	1.99 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-154	Roy St ROW S side	04/30/18	Bladder	0.138 U	0.823 U	12.9 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/24/19	Bladder	0.138 U	0.823 U	2.68 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.369 J	0.0860 U
		07/15/19	Bladder	0.138 U	0.823 U	3.42 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/14/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/30/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/10/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0230 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.117
		02/08/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0220 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/10/21	Bladder	0.0932 U	0.400 U	1.04 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-155	Roy Street ROW, S side	04/27/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/19	Peristaltic	0.138 U	0.823 U	1.86 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/23/19	Bladder	0.138 U	0.823 U	1.69 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/16/19	Bladder	0.138 U	0.823 U	1.06 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/05/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		08/03/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0310 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/11/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-159	8th Ave N ROW, E side	04/26/18	Peristaltic	0.138 U	0.823 U	1.86 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/19	Peristaltic	0.138 U	0.823 U	1.98 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/26/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.179 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/26/19	Bladder	0.138 U	0.823 U	1.65 U	0.873 U	–	0.193 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-159 (continued)		07/22/19	Bladder	0.138 U	0.823 U	2.13 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/29/20	Bladder	0.138 U	0.823 U	1.19 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/11/20	Bladder	0.0932 U	0.400 UJ	2.27 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/08/21	Peristaltic	0.0932 U	0.400 U	6.07 J	0.0760 U	0.580 U	0.0340 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/11/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0200 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
MW-210 ^c	Valley Street ROW, N side	03/30/17	Peristaltic	0.138 U	0.823 U	1.40 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/21/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/18	Peristaltic	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/11/19	Peristaltic	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/09/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/07/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 UJ	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-214 (dup)	Valley Street ROW, S side	03/30/17	Peristaltic	0.138 U	0.823 U	1.75 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/30/17	Peristaltic	0.138 U	0.823 U	1.27 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/18	Peristaltic	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/11/19	Peristaltic	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	1.95	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Peristaltic	0.138 U	0.823 U	7.48 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/07/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/06/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-301 (dup)	Valley Street ROW, S side	11/30/20	Bladder	0.0932 U	0.400 U	1.25 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.524
		11/30/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.515
		02/05/21	Bladder	0.0932 U	0.400 U	1.46 U	0.0760 U	0.580 U	0.0790	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0770 J
		05/14/21	Bladder	0.0932 U	0.400 U	1.73 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.209
		05/14/21	Bladder	0.0932 U	0.400 U	2.23 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.250
MW-305	Roy St ROW, S side	10/15/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 UJ	0.141 U	0.0860 U
		01/15/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.273 J	0.117 U	0.140 U	0.192 U	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/06/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0314 J	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.118 J	0.0229 U	0.0180 U	0.0432 UJ	0.0515 J
		05/18/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
MW-310 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.138 U	0.823 U	1.91 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/14/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/08/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		08/04/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0270 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		08/04/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0360 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/06/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0275 J	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
		05/03/21	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 UJ	0.580 U	0.0420	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.138 U	0.823 UJ	1.53 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/22/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		08/04/20	Bladder	0.0932 U	0.400 U	3.29	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/11/20	Bladder	0.0932 U	0.400 UJ	2.42 J-	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-312 (continued)		05/03/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0260 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/14/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/04/21	Bladder	0.0932 U	0.400 U	2.16	0.0760 U	0.580 U	0.0300 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-320	9th Ave N ROW, W side	10/07/19	Peristaltic	0.138 U	0.823 U	2.81 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Peristaltic	0.138 U	0.823 U	1.59 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		11/12/20	Bladder	0.0932 U	0.400 UJ	0.783 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
05/20/21	Peristaltic	0.0932 U	0.400 U	1.74 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U		
MW-332	Roy St ROW, N side	05/04/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/30/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/12/20	Bladder	0.0932 U	0.400 U	0.618 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/20/21	Peristaltic	0.0932 U	0.400 U	1.63 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-337	Lake Union Park, N end	05/07/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 UJ	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 UJ	0.111 U
		07/23/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/10/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0190 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 UJ	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-339 (dup)	Lake Union Park, S end	05/14/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 UJ	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		05/14/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 UJ	0.605 U	0.0964 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/23/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0190 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/25/21	Peristaltic	0.0932 U	0.400 U	2.75	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
N7	Property, SW quadrant	03/30/17	Peristaltic	0.138 U	0.823 U	2.16 U	0.873 U	–	0.178 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/27/17	Peristaltic	0.138 U	0.823 U	1.41 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.313 J	0.0860 U
R-MW2	Property, NE quadrant	03/21/17	Peristaltic	0.138 U	0.823 U	3.29 U	0.873 U	–	0.272 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/15/17	Peristaltic	0.138 U	0.823 U	1.48 J	0.873 U	–	0.694	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/02/18	Peristaltic	0.138 U	0.823 U	3.51 J	0.873 U	–	0.568	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
R-MW3	Property, NE quadrant	03/21/17	Peristaltic	0.138 U	0.823 U	14.3 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/28/17	Peristaltic	0.138 U	0.823 U	5.00 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/04/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
R-MW5	Dexter Ave N ROW, E side	03/23/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/16/17	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/11/18	Bladder	0.138 U	0.823 UJ	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/03/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/22/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	1.28
		07/16/19	Bladder	0.138 U	0.823 U	1.65 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.152 J
		10/21/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 UJ	–	0.0896 U	0.133 U	0.0800 UJ	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/20	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
R-MW5 (continued) (dup)		11/18/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/11/21	Bladder	0.0932 U	0.400 U	1.45 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/11/21	Bladder	0.0932 U	0.400 U	2.31 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/17/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.296
R-MW6	8th Ave N ROW, E side	03/21/17	Peristaltic	0.138 U	0.823 U	3.14 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.977	0.0860 U
		06/20/17	Peristaltic	0.138 U	0.823 UJ	1.05 U	0.873 U	–	0.167 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.55 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/25/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.142 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/25/19	Peristaltic	0.138 U	0.823 U	2.91 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		12/01/20	Peristaltic	0.0932 U	0.400 U	5.51 J-	0.0760 U	0.580 U	0.0490	0.0420 U	0.0315 UJ	0.239 U	0.148 U	–	0.0432 UJ	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/03/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.132
		05/17/21	Peristaltic	0.0932 U	0.400 U	2.19 J+	0.0760 U	0.580 U	0.0770	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
SCL-MW101	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	6.74	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/14/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	18.6	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	10.6	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/09/19	Peristaltic	0.312 J	0.823 U	1.05 U	0.873 U	–	11.2	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Peristaltic	0.138 U	0.823 U	7.66 J	0.873 U	–	15.4	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/07/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	7.26	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/24/20	Peristaltic	0.218	0.400 U	0.548 U	0.0760 U	0.580 U	14.6	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 UJ	0.580 U	6.04	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
SCL-MW105	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.915 J	4.12 U	5.25 U	4.36 U	–	257	0.665 U	0.400 U	0.930 U	0.785 U	0.505 U	0.795 U	0.700 U	0.640 U	0.705 U	20.9
		06/15/17	Peristaltic	1.08	0.823 U	1.05 UJ	0.873 U	–	208	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	1.38 U	8.23 U	10.5 U	8.73 U	–	181	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
		10/10/19	Peristaltic	1.96	0.823 U	1.05 U	0.873 U	–	133	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Peristaltic	1.01	0.823 U	1.05 U	0.873 U	–	142	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/01/20	Peristaltic	0.721	0.823 U	1.05 U	0.873 U	–	95.1	0.133 U	0.0800 U	0.186 UJ	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/24/20	Peristaltic	1.26	0.400 U	0.548 U	0.0760 U	0.580 U	86.6	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
SCS-2 (dup)	Seattle Roy Aloha Shops, N End	03/20/17	Peristaltic	0.379 J	0.823 U	78.8	0.873 U	–	51.8	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/12/17	Peristaltic	0.298 J	0.823 U	7.95 J	0.873 U	–	58.9	0.133 U	0.0800 U	0.186 U	0.157 U	0.147 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/13/18	Peristaltic	0.547	0.823 U	24.1 J	0.873 U	–	44.3	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/18/19	Peristaltic	0.760	0.823 U	1.05 U	0.873 U	–	15.5	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/18/19	Peristaltic	0.698	0.823 U	1.05 U	0.873 U	–	15.0	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/10/19	Peristaltic	0.676	0.823 U	1.05 U	0.873 U	–	20.3	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Peristaltic	1.38 U	8.23 U	10.5 U	8.73 U	–	16.9	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
Intermediate A Water-Bearing Zone																			
BB-8 (dup)	Roy Street ROW, S side	03/22/17	Peristaltic	0.138 U	0.823 U	2.52 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/14/17	Peristaltic	0.138 U	0.823 U	1.50 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/11/18	Peristaltic	0.138 U	0.823 UJ	1.16 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/11/18	Peristaltic	0.138 U	0.823 UJ	1.25 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/19	Peristaltic	0.138 U	0.823 U	2.03 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
BB-8 (continued) (dup) (dup) (dup)		07/17/19	Bladder	0.138 U	0.823 U	2.06 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/22/19	Bladder	0.138 U	0.823 U	1.24 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 UJ	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/22/19	Bladder	0.138 U	0.823 U	1.77 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 UJ	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/12/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0570	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		07/27/20	Bladder	0.0932 U	0.400 U	1.66 U	0.0760 U	0.580 U	0.0660	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/17/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0950	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/11/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0490	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/07/21	Bladder	0.0932 U	0.400 U	1.67	0.0760 U	0.580 U	0.0190 J	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
DMW-3IA	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
FMW-142	9th Ave N ROW, E side	07/29/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.138 U	0.823 U	3.11 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.0894	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/22/20	Peristaltic	0.138 U	0.823 U	1.20 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/08/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/04/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/25/21	Peristaltic	0.0932 U	0.400 U	1.38	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
GEI-1 (dup)	Block 37, SW quadrant	03/24/17	Peristaltic	0.138 U	0.823 U	2.90 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/13/17	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/22/19	Peristaltic	0.138 U	0.823 U	1.91 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/16/19	Bladder	0.138 U	0.823 U	2.32 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/21/19	Peristaltic	0.138 U	0.823 UJ	1.45 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/22/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		04/29/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/30/20	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
GEI-MW-1	Block 79 East, N end	01/23/20	Peristaltic	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		08/07/20	Peristaltic	0.0932 U	0.400 U	3.48 J	0.0760 U	0.580 U	0.0320 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/10/20	Peristaltic	0.0932 U	0.400 UJ	0.578 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U		0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/13/21	Peristaltic	0.0932 U	0.400 U	1.23 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
HC-4	601 Dexter, NE quadrant	04/12/19 ^a	Unknown	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
HMW-2IA	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/12/20 ^a	Unknown	–	–	–	–	–	2.0 U	–	2.0 U	–	–		2.0 U	2.0 U	2.0 U	2.0 U	2.0 U
HMW-3IA	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/13/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–		0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-6IA	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
HMW-9IA	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a 06/02/21	Unknown Bladder	– 0.0932 U	– 0.400 U	– 1.81	– 0.0760 U	– 0.580 U	0.20 U 0.0450	– 0.0420 U	0.20 U 0.0315 U	– 0.239 U	– 0.148 UJ	– –	0.20 U 0.0432 U	0.20 U 0.0229 U	0.20 U 0.0180 U	0.20 UJ 0.0432 U	0.20 U 0.0166 U
HMW-20IA	SDOT Mercer Parcels, NW quadrant	09/18/20 ^a 06/02/21	Unknown Bladder	1.0 U 0.0932 U	– 0.400 U	– 1.56	– 0.0760 U	– 0.580 U	– 0.0840	– 0.0420 U	– 0.0315 U	– 0.239 U	– 0.148 UJ	– –	– 0.0432 U	– 0.0229 U	0.50 U 0.0180 U	0.20 U 0.0432 U	0.20 U 0.0166 U
MW107	8th Ave N ROW, W side	03/27/17	Peristaltic	0.138 U	0.823 U	11.0 J	0.873 U	–	0.204 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.406 J	0.0860 U
		06/19/17	Peristaltic	0.138 U	0.823 UJ	2.99 J	0.873 U	–	0.238 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.162 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/18	Peristaltic	0.138 U	0.823 U	59.3 J	0.873 U	–	0.193 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	4.31	0.0860 U
		01/30/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.215 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	3.52	0.0860 U
		05/01/19	Peristaltic	0.138 U	0.823 U	5.66 U	0.873 U	–	0.188 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	4.02 J	0.0860 U
		07/22/19	Bladder	0.138 U	0.823 U	1.28 J	0.873 U	–	0.188 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	3.61	0.0860 U
		10/15/19	Bladder	0.138 U	0.823 U	1.21 J	0.873 U	–	0.167 J	0.133 UJ	0.0800 U	0.186 U	0.157 U	0.342 J	0.159 U	0.140 U	0.128 U	3.45	0.0860 U
		01/28/20	Bladder	2.76 U	16.5 U	21.0 U	17.5 U	–	1.79 U	2.66 U	1.60 U	3.72 U	3.14 U	2.02 U	3.18 U	2.80 U	2.56 U	2.82 U	1.72 U
		04/03/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.298 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	2.32 J	0.0860 U
		07/31/20	Bladder	2.33 U	10.0 U	13.7 UJ	1.90 U	14.5 U	0.400 U	1.05 U	0.788 U	5.98 U	3.70 UJ	–	1.08 U	0.573 U	0.450 U	1.08 U	0.415 U
		12/01/20	Peristaltic	2.33 U	10.0 U	76.3 J+	1.90 U	14.5 U	1.65	1.05 U	0.788 U	5.98 U	3.70 U	–	1.08 U	0.573 U	0.450 U	1.08 U	0.415 U
		02/02/21	Peristaltic	0.0932 U	2.97	6.13	0.0760 U	0.580 U	0.112	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/02/21	Peristaltic	0.0932 U	1.16	3.74	0.0760 U	0.580 U	0.0960	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.251	0.0166 U
MW108 (dup) (dup)	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.138 U	0.823 U	1.40 J	0.873 U	–	1.59	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/27/17	Bladder	0.138 U	0.823 U	2.03 J	0.873 U	–	1.26	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.16 U	0.873 U	–	4.00	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.595 J	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.11 U	0.873 U	–	3.83	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/22/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	1.67	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/19	Peristaltic	0.138 U	0.823 U	3.41 U	0.873 U	–	3.20	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/15/19	Peristaltic	0.138 U	0.823 U	1.90 U	0.873 U	–	2.90	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/10/19	Peristaltic	0.138 U	0.823 U	1.73 J	0.873 U	–	3.16	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/14/20	Peristaltic	3.45 U	20.6 U	26.3 U	21.8 U	–	4.55 J	3.33 U	2.00 U	4.65 U	3.93 U	2.53 U	3.97 U	3.50 U	3.20 U	3.53 U	2.15 U
		04/22/20	Bladder	3.00 U	12.0 U	282 U	16.8 U	–	25.6	2.95 U	3.40 U	3.22 U	15.1 U	–	3.20 U	2.93 U	3.50 U	4.80 U	2.78 U
		07/16/20	Bladder	2.33 U	10.0 U	13.7 U	1.90 U	14.5 U	29.7	1.05 U	0.788 U	5.98 U	3.70 U	–	1.08 U	0.573 U	0.450 U	1.08 U	1.15 J
		07/16/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	34.3	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/04/20	Bladder	2.33 U	10.0 U	98.4 J-	1.90 U	14.5 U	46.6	1.05 U	0.788 U	5.98 U	3.70 U	–	1.08 U	0.573 U	0.450 U	1.08 U	0.415 U
		02/09/21	Peristaltic	0.466 U	2.00 U	2.74 U	0.380 U	2.90 U	2.89	0.210 U	0.158 U	1.20 U	0.740 U	–	0.216 U	0.115 U	0.0900 U	0.216 U	0.0830 U
		05/03/21	Peristaltic	0.466 U	2.00 U	2.74 UJ	0.380 UJ	2.90 U	2.28	0.210 U	0.158 U	1.20 U	0.740 U	–	0.216 U	0.115 U	0.0900 U	0.216 U	0.0830 U
MW109	Alley E of Seattle Roy Aloha Shops	03/29/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/27/17	Bladder	0.138 U	0.823 U	1.20 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Peristaltic	0.138 U	0.823 U	1.54 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/19	Peristaltic	0.138 U	0.823 U	3.78 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/15/19	Peristaltic	0.138 U	0.823 U	1.78 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/15/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 UJ	0.141 U	0.0860 U
		01/21/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/22/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/06/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0340 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0550	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW109 (continued)		02/09/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0520	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/03/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0430	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW110 (dup)	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.138 U	0.823 U	2.62 U	0.873 U	–	0.330 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/27/17	Bladder	0.138 U	0.823 U	2.62 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/18	Bladder	0.138 U	0.823 U	1.55 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/26/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.291 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	7.05 U	0.0860 U
		07/15/19	Bladder	0.138 U	0.823 U	2.38 U	0.873 U	–	0.285 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/15/19	Bladder	0.138 U	0.823 U	1.11 J	0.873 U	–	0.233 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Bladder	0.690 U	4.12 U	5.25 U	4.37 U	–	0.448 U	0.665 U	0.400 U	0.930 U	0.785 U	0.505 U	0.795 U	0.700 U	0.640 U	0.705 U	0.430 U
		04/22/20	Bladder	0.600 U	2.39 U	56.5 U	3.36 U	–	0.487 J	0.590 U	0.680 U	0.645 U	3.03 U	0.481 U	0.640 U	0.585 U	0.700 U	0.960 U	0.555 U
		07/16/20	Bladder	0.466 U	2.00 U	2.74 U	0.380 U	2.90 U	0.335	0.210 U	0.158 U	1.20 U	0.740 U	–	0.216 U	0.115 U	0.0900 U	0.216 U	0.0830 U
		11/04/20	Bladder	4.66 U	20.0 U	179 J-	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	1.39 J
		02/09/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.125	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Bladder	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.160 U	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
MW115	9th Ave N ROW, W side	03/22/17	Peristaltic	0.138 U	0.823 U	2.67 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/22/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/11/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/30/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/17/19	Peristaltic	0.138 U	0.823 U	2.55 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/22/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/05/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		11/12/20	Bladder	0.0932 U	0.400 U	0.691 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/12/21	Bladder	0.0932 U	0.400 U	3.76 U	0.0760 U	0.580 U	0.0330 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/25/21	Peristaltic	0.0932 U	0.400 U	1.34	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW116	9th Ave N ROW, W side	03/21/17	Peristaltic	0.138 U	0.823 U	3.32 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/16/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/11/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/30/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/17/19	Peristaltic	0.138 U	0.823 U	1.28 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/31/19	Peristaltic	0.138 U	0.823 U	3.74 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		11/12/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/11/21	Peristaltic	0.0932 U	0.400 U	1.12 J+	0.0760 U	0.580 U	0.0370 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/25/21	Peristaltic	0.0932 U	0.400 U	1.34	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW119	9th Ave N ROW, W side	03/29/17	Peristaltic	0.138 U	0.823 U	1.28 J	0.873 U	–	0.139 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/28/17	Bladder	0.138 U	0.823 U	3.73 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/05/18	Peristaltic	0.138 U	0.823 U	2.04 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW119 (continued)		01/21/19	Peristaltic	0.138 U	0.823 U	4.46 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/19	Peristaltic	0.138 U	0.823 U	1.90 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/19/19	Peristaltic	0.138 U	0.823 U	5.73 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/10/19	Peristaltic	0.138 U	0.823 U	1.20 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/11/19 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/14/20 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0430	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		07/28/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/20	Bladder	0.0932 U	0.400 U	0.936 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/03/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		(split)	02/10/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0470	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U
02/10/21 ^o	Peristaltic		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
05/20/21	Bladder		0.0932 U	0.400 U	2.27	0.0760 U	0.580 U	0.0410	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U	
MW120	8th Ave N ROW, E side	03/28/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/28/17	Bladder	0.138 U	0.823 U	3.40 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/18	Peristaltic	0.138 U	0.823 U	1.83 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/03/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/03/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.142 J
		07/16/19	Peristaltic	0.138 U	0.823 U	2.01 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/17/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/17/19	Bladder	0.138 U	0.823 U	1.20 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0983 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/14/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0680	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/30/20	Bladder	0.0932 U	0.400 U	1.06 J+	0.0760 U	0.580 U	0.0560	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/30/20	Bladder	0.0932 U	0.400 U	2.21 J+	0.0760 U	0.580 U	0.0580	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0590 J
		02/05/21	Peristaltic	0.0932 U	0.400 U	1.20 U	0.0760 U	0.580 U	0.0500	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0810 J
		05/12/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0220 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0570 J
		MW127	8th Ave N ROW, E side	08/01/19	Peristaltic	0.138 U	0.823 U	1.59 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U
10/17/19	Bladder			0.138 U	0.823 U	1.43 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
01/17/20	Bladder			0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
04/23/20	Bladder			0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
07/14/20	Bladder			0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
07/14/20	Bladder			0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
11/13/20	Bladder			0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0453	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
05/11/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW131	Property, SE quadrant	03/27/17	Peristaltic	0.138 U	0.823 U	1.93 J	0.873 U	–	0.199 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.462 J	0.0860 U
		06/20/17	Peristaltic	0.690 U	4.12 U	5.25 U	4.36 U	–	0.448 U	0.665 U	0.400 U	0.930 U	0.785 U	0.505 U	0.795 U	0.140 U	0.640 U	0.705 U	0.430 U
		04/16/18	Peristaltic	0.138 U	0.823 U	58.4	0.873 U	–	0.142 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/25/18	Peristaltic	0.138 U	0.823 U	6.30 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.152 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		12/12/18	Peristaltic	0.138 U	0.823 U	8.19 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/29/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.182 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.367 J	0.0860 U
		03/11/19	Peristaltic	0.138 U	0.823 U	52.6	0.873 U	–	0.152 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.386 J	0.0860 U
Decommissioned March, 2019																			
MW-142	8th Ave N ROW, E side	04/27/18	Peristaltic	0.138 U	0.823 U	1.40 J	0.873 U	–	0.514	0.113 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
(dup)		01/28/19	Peristaltic	0.138 U	0.823 U	6.98 U	0.873 U	–	0.442 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/28/19	Peristaltic	0.138 U	0.823 U	8.44 U	0.873 U	–	0.410 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/24/19	Peristaltic	0.138 U	0.823 U	2.52 J	0.873 U	–	0.361 J	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
07/25/19		Bladder	0.138 U	0.823 U	2.50 U	0.873 U	–	0.413 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.465 U	0.128 U	0.141 U	0.300 U	
10/16/19		Bladder	0.138 U	0.823 U	1.46 U	0.873 U	–	0.380 J	0.133 UJ	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U	
01/22/20		Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.438 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U	
04/24/20		Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.359 J	0.118 U	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U	
07/30/20		Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.451	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U	
(dup)		11/24/20	Bladder	0.0932 U	0.400 U	1.69 J+	0.0760 U	0.580 U	0.408	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/24/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.509	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/08/21	Peristaltic	0.0932 U	0.400 U	6.10 J	0.0760 U	0.580 U	0.327	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/19/21	Peristaltic	0.0932 U	0.400 U	3.80 J+	0.0760 U	0.580 U	0.320	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
MW-144		8th Ave N ROW, E side	04/27/18	Peristaltic	0.138 U	0.823 U	2.44 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U
	01/28/19		Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.716	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
	04/23/19		Peristaltic	0.138 U	0.823 U	2.38 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.210 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
Decommissioned December 2019																			
MW-144R	8th Ave N ROW, E side	12/16/19	Bladder	0.138 U	0.823 U	3.99 U	0.873 U		0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.470 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/20	Bladder	1.38 U	8.23 U	10.5 U	8.73 U		0.896 U	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 UJ	0.860 U
		04/02/20	Bladder	0.138 UJ	0.823 UJ	9.03 U	0.873 UJ		0.0896 UJ	0.133 UJ	0.0800 UJ	0.186 UJ	0.157 UJ	0.283 J	0.159 UJ	0.140 UJ	0.128 UJ	0.141 UJ	0.0860 UJ
		08/03/20	Bladder	0.0932 U	0.400 U	28.4 J	0.0760 U	0.580 U	0.0510	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.431 J	0.0166 U
		11/23/20	Bladder	0.0932 U	0.400 U	27.4 J+	0.0760 U	0.580 U	0.0440	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/02/21	Peristaltic	0.0932 U	0.400 U	55.7	0.0760 U	0.580 U	0.0460	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.405 J	0.0166 U
		05/12/21	Peristaltic	0.0932 U	0.400 U	25.7	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.237	0.0610 J
MW-146	Roy St ROW, S side	04/30/18	Bladder	0.138 U	0.823 U	4.54 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	1.05 J	0.0860 U
		01/22/19	Peristaltic	0.138 U	0.823 U	1.98 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	1.60 J	0.0860 U
		04/24/19	Bladder	0.138 U	0.823 U	1.58 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.719 J	0.0860 U
		07/19/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/19/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/14/19	Bladder	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/20	Bladder	13.8 U	82.3 U	105 UJ	87.3 U	–	8.96 U	13.3 U	8.00 U	18.6 U	15.7 U	10.1 U	15.9 U	14.0 U	12.8 U	14.1 U	8.60 U
		01/24/20	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/30/20	Bladder	12.0 U	47.8 U	1,130 UJ	67.1 U	–	9.41 U	11.8 U	13.6 U	12.9 U	60.5 U	9.62 UJ	12.8 U	11.7 U	14.0 U	19.2 U	11.1 U
		07/09/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0740	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
(split)		11/10/20	Bladder	4.66 U	20.0 UJ	27.4 UJ	3.80 UJ	29.0 U	0.842 J	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		11/10/20	Bladder	500 U	5,000 U	25,000 U	–	–	170 U	500 U	500 U	2,500 U	2,500 U	–	500 U	500 U	500 U	500 U	500 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-146 (continued)		02/08/21	Peristaltic	0.0932 U	0.400 U	3.21 J	0.0760 U	0.580 U	0.105	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Bladder	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
MW-149 (dup)	Property, NE quadrant	04/10/18	Peristaltic	0.690 U	4.12 U	5.25 U	4.36 U	–	44.8 U	0.665 U	0.400 U	0.930 U	0.785 U	0.505 UJ	0.795 U	0.700 U	0.640 U	28.8	0.430 U
		10/25/18	Peristaltic	0.138 U	0.823 U	1.71 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.181 J	0.159 U	0.140 U	0.128 U	14.2 J	0.395 J
		12/13/18	Peristaltic	0.138 U	0.823 U	525 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	10.3	0.776
		12/13/18	Peristaltic	0.138 U	0.823 U	525 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	10.6	0.747
		01/29/19	Peristaltic	13.8 U	82.3 U	105 U	87.3 U	–	8.96 U	13.3 U	8.00 U	18.6 U	15.7 U	10.1 U	15.9 U	14.0 U	12.8 U	14.1 U	8.60 U
		03/13/19	Peristaltic	0.138 U	0.823 U	17.2 J	0.873 U	–	0.222 J	0.133 U	0.0800 U	0.186 U	0.157 U	1.38	0.159 U	0.140 U	0.128 U	14.1	0.270 J
	Decommissioned March, 2019																		
MW-151	Property, SW quadrant	04/10/18	Peristaltic	0.138 UJ	0.823 UJ	52.0 J-	0.873 U	–	0.253 J	0.133 U	0.0800 U	0.186 U	0.157 U	1.15 J-	0.159 U	0.140 UJ	0.128 U	0.141 UJ	0.0860 UJ
		10/25/18	Peristaltic	0.138 U	0.823 U	107 J	0.873 U	–	0.167 J	0.133 U	0.0800 U	0.186 U	0.157 U	9.13	0.159 U	0.140 U	0.128 U	0.141 UJ	1.02
		12/14/18	Peristaltic	0.138 U	0.823 U	16.6 J	0.873 U	–	0.342 J	0.133 U	0.0800 U	0.186 U	0.157 U	4.43	0.159 U	0.140 U	0.128 U	2.63	0.285 J
		01/31/19	Peristaltic	0.138 U	0.823 U	14.0 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.344 J	0.159 U	0.140 U	0.128 U	6.11	0.0860 U
		03/12/19	Peristaltic	0.138 U	0.823 U	34.5	0.873 U	–	0.159 J	0.133 U	0.0800 U	0.186 U	0.157 U	1.55	0.159 U	0.140 U	0.128 U	10.4	0.0860 U
	Decommissioned March, 2019																		
MW-156 (dup)	8th Ave N ROW, E side	04/26/18	Peristaltic	0.138 U	0.823 U	3.25 U	0.873 U	–	0.283 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/24/19	Peristaltic	0.138 U	0.823 U	2.00 J	0.873 U	–	0.339 J	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/24/19	Peristaltic	0.138 U	0.823 U	2.50 J	0.873 U	–	0.330 J	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/22/19	Bladder	0.138 U	0.823 U	4.94 J	0.873 U	–	0.492 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/17/19	Bladder	1.38 U	8.23 U	12.9 U	8.73 U	–	0.896 U	1.33 UJ	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
		01/20/20	Bladder	1.38 U	8.23 U	10.5 U	8.73 U	–	1.64 J	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
		04/24/20	Bladder	6.00 U	23.9 U	565 U	33.6 U	–	4.71 U	5.90 U	6.80 U	6.45 U	30.3 UJ	4.81 U	6.40 U	5.85 U	7.00 U	9.60 U	5.55 U
		07/15/20	Bladder	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	1.60 J	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		11/11/20	Bladder	0.0932 U	0.400 UJ	0.548 UJ	0.0760 U	0.580 U	0.149	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/08/21	Peristaltic	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.240 J	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
		05/10/21	Bladder	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 UJ	0.830 U
MW-189 (dup)	Valley St ROW, S side	10/14/19	Bladder	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.362 J	0.0860 U
		01/23/20	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/03/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/03/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		08/04/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/17/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.287	0.0166 U
		02/03/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.95 J	0.0166 U
MW-302	Dexter Ave N ROW	05/14/21	Bladder	0.0932 U	0.400 U	1.09 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	2.99	0.0166 U
		10/21/19	Bladder	0.138 U	0.823 U	1.19 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 UJ	0.186 U	0.157 U	0.357 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/20	Bladder	0.138 U	0.823 U	1.21 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.718	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/07/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 UJ	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 UJ	0.111 U
		07/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		11/17/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0480	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-306	Dexter Ave N ROW, E side	05/17/21	Bladder	0.0932 U	0.400 U	1.01 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		10/15/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 UJ	0.141 U	0.0860 U
		01/16/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-306 (continued)		04/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/29/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/06/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/18/21	Bladder	0.0932 U	0.400 U	1.25 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.236	0.0229 U	0.0180 U	0.0432 U	0.0980 J
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.138 U	0.823 U	1.27 J	0.873 U	–	12.5	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Peristaltic	0.138 U	0.823 U	2.33 J	0.873 U	–	29.3	0.133 U	0.0800 U	0.186 U	0.157 U	0.713	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/08/20	Peristaltic	0.138 U	0.823 U	1.42 J	0.873 U	–	21.2	0.133 U	0.0800 U	0.186 U	0.157 U	3.85	0.159 U	0.140 U	0.128 U	0.141 U	0.230 J
		07/06/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	15.4	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/06/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	38.4	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	20.8	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-315	Mercer St ROW, N side	10/03/19	Bladder	0.138 U	0.823 U	3.36 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Bladder	0.138 U	0.823 U	1.06 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/24/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.430 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/24/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0430	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/02/20	Bladder	0.0932 U	0.400 U	2.05 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/17/21	Bladder	0.0932 U	0.400 U	1.27 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-317	9th Ave N ROW, W side	10/09/19	Peristaltic	0.138 U	0.823 U	1.66 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Peristaltic	0.138 U	0.823 U	1.55 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/27/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/30/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0457	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/10/20	Peristaltic	0.0932 U	0.400 U	1.56 J-	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/19/21	Peristaltic	0.0932 U	0.400 U	2.01 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-325	Mercer St ROW, N side	10/03/19	Bladder	0.138 U	0.823 U	1.57 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/21/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/23/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0190 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/08/21	Bladder	0.0932 U	0.400 U	2.49 J	0.0760 U	0.580 U	0.0650	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-327	Lake Union Park, S end	10/02/19	Bladder	0.138 U	0.823 U	2.99 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/07/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0200 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/25/21	Peristaltic	0.0932 U	0.400 U	1.40	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-330 (dup)	Valley St ROW, N side	05/14/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.125 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		05/14/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.142 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/16/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0500	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/01/20	Bladder	0.0932 U	0.400 U	0.741 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/01/20	Bladder	0.0932 U	0.400 U	1.30 J-	0.0760 U	0.580 U	0.0200 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
(dup)		05/25/21	Bladder	0.0932 U	0.400 U	3.78 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.226 J	0.118 U	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/06/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0610	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/06/20	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0407	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 UJ	0.580 U	0.0240 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-333	900 Roy St, S end	04/29/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/24/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0200 J	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Bladder	0.0932 U	0.400 U	0.938 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/18/21	Peristaltic	0.0932 U	0.400 U	26.3 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
MW-344	SDOT Mercer Parcels,	06/01/21	Bladder	0.0932 U	0.400 U	1.10 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
Intermediate B Water-Bearing Zone																			
FMW-141 (dup) (split)	Alley E of Seattle Roy Aloha Shops	07/26/19 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/30/19	Peristaltic	0.138 U	0.823 U	105 U	0.873 U	–	0.230 J	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/30/19	Peristaltic	0.138 U	0.823 U	105 U	0.873 U	–	0.212 J	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/11/19 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Bladder	0.690 U	4.12 U	5.25 U	4.37 U	–	0.448 U	0.665 U	0.400 U	0.930 U	0.785 U	0.505 UJ	0.795 U	0.700 U	0.640 U	0.705 U	0.430 U
		01/14/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/17/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	0.600 U	2.39 U	56.5 U	3.36 U	–	0.471 U	0.590 U	0.680 U	0.645 U	3.03 U	0.481 UJ	0.640 U	0.585 U	0.700 U	0.960 U	0.555 U
		05/19/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/22/20	Bladder	1.86 U	8.00 U	11.0 U	1.52 U	11.6 U	0.320 U	0.840 U	0.630 U	4.78 U	2.96 U	–	0.864 U	0.458 U	0.360 U	0.864 U	0.332 U
		07/28/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0620	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/03/20 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^b	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/03/21	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 UJ	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
HMW-1IB	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/10/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-2IB	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/12/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-4IA	SDOT Mercer Parcels, SW quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/10/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-5IB	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-6IB	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-7IB	SDOT Mercer Parcels, SW quadrant	03/12/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-8IB	SDOT Mercer Parcels, SW quadrant	03/11/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
HMW-9IB	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
		01/26/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0760	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/02/21	Bladder	9.32 U	40.0 U	54.8 U	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U
HMW-11IB	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.26
MW111	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.138 U	0.823 U	3.09 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/14/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.201 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/22/19	Peristaltic	0.138 U	0.823 U	1.17 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.255 J	0.0860 U
		07/15/19	Peristaltic	0.138 U	0.823 U	2.55 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.275 J	0.0860 U
		10/14/19	Peristaltic	0.138 U	0.823 U	1.25 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/06/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0210 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0230 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/09/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0420	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/03/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0430	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW112	Dexter Ave N ROW, W side	03/22/17	Bladder	0.138 U	0.823 U	2.80 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/16/17	Bladder	0.138 U	8.50	9.22 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/12/18	Bladder	0.138 U	2.35 J+	6.34 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/21/18	Bladder	0.138 U	1.06 J	1.50 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/22/19	Bladder	0.138 U	0.823 U	2.37 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/16/19	Bladder	0.138 U	0.823 U	2.24 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/21/19	Bladder	0.138 U	0.823 U	2.72 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/20	Bladder	0.138 U	0.823 U	2.33 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/07/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/17/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0270 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/11/21	Bladder	0.0932 U	0.400 U	1.41 U	0.0760 U	0.580 U	0.0200 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/14/21	Bladder	0.0932 U	0.400 U	1.08 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW126 (dup)	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.148 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.826
		06/15/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	2.06 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.155 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/22/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/19	Peristaltic	0.138 U	0.823 U	2.18 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/18/19	Peristaltic	0.138 U	0.823 U	1.96 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/15/19	Bladder	0.138 U	0.823 U	1.30 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/15/19	Bladder	0.138 U	0.823 U	1.34 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/14/20	Peristaltic	0.138 U	0.823 U	4.16 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW126 (continued)		07/24/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0210 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/10/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW130 (dup)	Property, NW quadrant	03/29/17	Bladder	2.76 U	16.5 U	23.7 J	17.5 U	–	1.79 U	2.66 U	1.60 U	3.72 U	3.14 U	2.02 U	3.18 U	2.80 U	2.56 U	2.82 U	1.72 U
		06/30/17	Bladder	1.38 U	8.23 U	10.5 U	8.73 U	–	0.896 U	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
		06/30/17	Bladder	1.38 U	8.23 U	10.5 U	8.73 U	–	0.896 U	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
		05/21/18	Bladder	0.138 U	0.823 U	3.48 J	0.873 U	–	0.403 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/17/18	Bladder	6.90 U	41.2 U	65.0 J	43.6 U	–	4.48 U	6.65 U	4.00 U	9.30 U	7.85 U	5.74 J	7.95 U	7.00 U	6.40 U	7.05 U	4.30 U
		01/31/19	Bladder	0.138 U	0.823 U	9.13 J	0.873 U	–	0.377 J	0.133 U	0.0800 U	0.186 U	0.157 U	4.57	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
MW-132	Property, SE quadrant	09/25/17	Bladder	0.690 U	4.12 U	5.91 J	4.36 U	–	0.448 U	0.665 U	0.400 U	0.930 U	0.785 U	0.505 U	0.795 U	0.700 U	0.640 U	0.705 U	0.430 U
		04/26/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.422 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/25/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/13/18	Peristaltic	0.138 U	0.823 U	5.25 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/31/19	Peristaltic	0.138 U	0.823 U	7.79 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/11/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
MW-134	Property, NE quadrant	09/22/17	Bladder	0.690 U	4.12 U	5.64 U	4.36 U	–	0.448 U	0.665 U	0.400 U	0.930 U	0.785 U	0.505 U	0.795 U	0.700 U	0.640 U	0.705 U	0.430 U
		04/16/18	Peristaltic	0.138 U	0.823 U	3.11 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.874	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/25/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/12/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/28/19	Bladder	0.138 U	0.823 U	7.59 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/12/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
MW-135	Property, NE quadrant	09/25/17	Bladder	13.8 U	82.3 U	105 U	87.3 U	–	8.96 U	13.3 U	8.00 U	18.6 U	15.7 U	10.1 U	15.9 U	14.0 U	12.8 U	14.1 U	8.60 U
		04/25/18	Peristaltic	0.138 U	0.823 U	9.87 J	0.873 U	–	0.434 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.591	0.159 U	0.140 U	0.128 U	0.553 J	0.0860 U
		10/25/18	Peristaltic	3.45 U	20.6 U	26.2 U	21.8 U	–	2.24 U	3.32 U	2.00 U	4.65 U	3.92 U	2.52 U	3.98 U	3.50 U	3.20 U	3.52 U	2.15 U
		12/13/18	Peristaltic	6.90 U	41.2 U	2620 U	43.6 U	–	4.48 U	6.65 U	4.00 U	9.30 U	7.85 U	5.05 U	7.95 U	7.00 U	6.40 U	7.05 U	4.30 U
		01/31/19	Bladder	0.195 J	0.823 U	27.6 J	0.873 U	–	0.695 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.462 J	0.159 U	0.140 U	0.128 U	1.40 J	0.0860 U
		03/13/19	Bladder	0.138 U	0.823 U	30.5	0.873 U	–	0.496 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.707	0.159 U	0.140 U	0.128 U	2.69	0.0860 U
Decommissioned March, 2019																			
MW-136 (dup)	Property, SW quadrant	09/25/17	Bladder	0.138 U	0.823 U	7.30 J	0.873 U	–	0.332 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.685	0.159 U	0.140 U	0.128 U	0.141 U	0.198 J
		04/16/18	Submersible	0.573	0.823 U	14.5 J	0.873 U	–	0.260 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.378 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/29/18	Bladder	0.138 U	0.823 U	1.75 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/13/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		02/01/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/12/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
MW-139	Property, SE quadrant	09/25/17	Bladder	0.138 U	0.823 U	2.87 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.18	0.159 U	0.140 U	0.128 U	0.141 U	1.33
		04/25/18	Peristaltic	0.138 U	0.823 U	4.71 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/25/18	Peristaltic	0.138 U	0.823 U	1.08 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.156 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/12/18	Peristaltic	0.138 U	0.823 U	1.89 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-139 (continued)	Decommissioned March, 2019	01/28/19	Peristaltic	0.138 U	0.823 U	7.66 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/11/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.385 J	0.0860 U
MW-143	8th Ave N ROW, E side	04/30/18	Peristaltic	0.138 U	0.823 U	6.00 J	0.873 U	–	0.244 J	0.133 U	0.0800 U	0.186 U	0.157 U	1.45	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/29/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.141 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.226 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/24/19	Peristaltic	0.138 U	0.823 U	2.44 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.308 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/19/19	Bladder	0.138 U	0.823 U	2.80 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/16/19	Bladder	0.138 U	0.823 U	1.18 U	0.873 U	–	0.211 J	0.133 UJ	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/22/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/24/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/29/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0401	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/24/20	Bladder	0.0932 U	0.400 U	1.24 J+	0.0760 U	0.580 U	0.584	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/08/21	Peristaltic	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		05/19/21	Bladder	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 UJ	–	2.16 U	1.15 U	0.900 U	2.16 UJ	0.830 U
MW-145	8th Ave N ROW, E side	04/27/18	Bladder	0.138 U	0.823 U	6.71 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/29/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/26/19	Bladder	0.138 U	0.823 U	3.01 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.365 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
Decommissioned December 2019																			
MW-145R	8th Ave N ROW, E side	12/16/19	Bladder	0.138 U	0.823 U	1.35 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/20	Bladder	0.138 U	0.823 U	1.41 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.299 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/02/20	Bladder	0.138 U	0.823 U	3.73 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.398 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		08/03/20	Bladder	0.0932 U	0.400 U	0.808 J	0.0760 U	0.580 U	0.0190 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/23/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/05/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.159	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
	05/12/21	Bladder	0.0932 U	0.400 U	1.06 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U	
MW-147	Roy St ROW, S side	05/01/18	Bladder	0.138 U	0.823 U	3.16 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	2.01 J	0.0860 U
		01/22/19	Bladder	0.138 U	0.823 U	1.51 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
(dup)		04/23/19	Bladder	0.138 U	0.823 U	1.91 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/18/19	Bladder	0.138 U	0.823 U	2.11 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/18/19	Bladder	0.138 U	0.823 U	2.34 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/14/19	Bladder	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
(split)		01/24/20	Bladder	3.45 U	20.6 U	26.3 UJ	21.8 U	–	2.24 U	3.33 U	2.00 U	4.65 U	3.93 U	2.53 U	3.97 U	3.50 U	3.20 U	3.53 U	2.15 U
		04/29/20	Bladder	3.00 U	12.0 U	282 U	16.8 U	–	2.35 U	2.95 U	3.40 U	3.22 U	15.1 U	2.41 UJ	3.20 U	2.93 U	3.50 U	4.80 U	2.78 U
		07/09/20	Bladder	0.0932 U	0.400 U	1.48	0.0760 U	0.580 U	0.0890	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/10/20	Bladder	9.32 U	40.0 UJ	54.8 UJ	7.60 UJ	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U
		11/10/20	Bladder	500 U	5,000 U	25,000 U	–	–	170 U	500 U	500 U	2,500 U	2,500 U	–	500 U	500 U	500 U	500 U	500 U
		02/09/21	Bladder	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		05/04/21	Bladder	9.32 U	40.0 U	54.8 U	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U
MW-148 (dup)	Roy St ROW, S side	05/01/18	Bladder	0.138 U	0.823 U	6.56 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.01	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/18	Bladder	0.138 U	0.823 U	5.73 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.14	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Bladder	0.138 U	0.823 U	1.90 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/26/19	Bladder	0.138 U	0.823 U	1.70 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.198 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/22/19	Bladder	0.138 U	0.823 U	2.48 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/16/19	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 UJ	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-148 (continued)		01/20/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/30/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 UJ	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/15/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/11/20	Bladder	0.0932 U	0.400 UJ	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-150	Property, NW quadrant	04/10/18	Peristaltic	0.138 U	0.823 U	1.72 J	0.873 U	–	22.4 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.02 J	0.159 U	0.140 U	0.128 U	4.08	0.0860 U
		10/25/18	Peristaltic	0.138 U	0.823 U	9.83 J	0.873 U	–	0.413 J	0.133 U	0.0800 U	0.186 U	0.157 U	1.76	0.159 U	0.140 U	0.128 U	0.141 UJ	0.591
		12/12/18	Peristaltic	0.138 U	0.823 U	262 U	0.873 U	–	0.429 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	3.42	0.132 J
		01/29/19	Peristaltic	13.8 U	82.3 U	105 U	87.3 U	–	8.96 U	13.3 U	8.00 U	18.6 U	15.7 U	10.1 U	15.9 U	14.0 U	12.8 U	14.1 U	8.60 U
	Decommissioned March, 2019	03/13/19	Peristaltic	0.138 U	0.823 U	7.76 J	0.873 U	–	0.165 J	0.133 U	0.0800 U	0.186 U	0.157 U	1.63	0.159 U	0.140 U	0.128 U	2.94	0.210 J
MW-152	Property, SW quadrant	04/10/18	Peristaltic	2.76 U	16.5 U	22.5 J	17.5 U	–	224 U	2.66 U	1.60 U	3.72 U	3.14 U	2.02 UJ	3.18 U	2.80 U	2.56 U	2.82 U	1.72 U
		10/26/18	Peristaltic	6.90 U	41.2 U	65.4 J	43.6 U	–	4.48 U	6.65 U	4.00 U	9.30 U	7.85 U	5.05 U	7.95 U	7.00 U	6.40 U	7.05 UJ	4.46 J
		12/14/18	Peristaltic	3.45 U	20.6 U	26.2 U	21.8 U	–	2.24 U	3.32 U	2.00 U	4.65 U	3.92 U	13.7 J+	3.98 U	3.50 U	3.20 U	3.52 U	2.15 U
		01/31/19	Peristaltic	0.196 J	0.823 U	30.9	0.873 U	–	0.416 J	0.133 U	0.0800 U	0.186 U	0.157 U	16.4	0.159 U	0.140 U	0.128 U	0.141 U	0.137 J
	Decommissioned March, 2019	03/12/19	Peristaltic	3.45 U	20.6 U	51.5 J	21.8 U	–	2.24 U	3.32 U	2.00 U	4.65 U	3.92 U	11.3 J	3.98 U	3.50 U	3.20 U	3.52 U	2.15 U
MW-157	8th Ave N ROW, E side	04/26/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/19	Peristaltic	0.138 U	0.823 U	1.31 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.505 J	0.0860 U
		04/24/19	Peristaltic	0.138 U	0.823 U	3.28 U	0.873 U	–	0.254 J	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.137 J	0.159 U	0.140 U	0.128 U	0.752 J	0.0860 U
		07/22/19	Bladder	0.138 U	0.823 U	2.65 J	0.873 U	–	0.327 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/16/19	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 UJ	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.308 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/24/20	Bladder	2.40 U	9.56 UJ	226 U	13.4 UJ	–	1.88 U	2.36 U	2.72 U	2.58 U	12.1 U	1.92 UJ	2.56 U	2.34 U	2.80 U	3.84 U	2.22 U
		07/15/20	Bladder	1.86 U	8.00 U	11.0 U	1.52 U	11.6 U	0.480 J	0.840 U	0.630 U	4.78 U	2.96 U	–	0.864 U	0.458 U	0.360 U	0.864 U	0.332 U
		11/23/20	Bladder	1.86 U	8.00 U	11.0 U	1.52 U	11.6 U	0.740 U	0.840 U	0.630 U	4.78 U	2.96 U	–	0.864 U	0.458 U	0.360 U	0.864 U	0.332 U
MW-190	Valley Street ROW, S side	10/14/19	Bladder	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/20	Bladder	0.138 U	0.823 U	1.84 J	0.873 U	–	0.150 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.625	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/02/20	Bladder	0.138 U	0.823 U	2.03 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	1.63	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		08/04/20	Bladder	0.0932 U	0.400 U	0.846 J	0.0760 U	0.580 U	0.0270 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/18/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/03/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/14/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-303	Dexter Ave N ROW, E side	10/21/19	Submersible	0.138 U	0.823 U	2.03 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 UJ	0.186 U	0.157 U	0.224 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/20	Bladder	0.138 U	0.823 U	2.64 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.941	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/07/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 UJ	0.136 U	0.129 U	0.605 UJ	0.385 J	0.128 U	0.117 U	0.140 U	0.192 UJ	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/17/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-307	Roy St ROW, S side	05/18/21	Bladder	0.0932 U	0.400 U	1.02 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
		10/11/19	Bladder	0.138 U	0.823 UJ	1.17 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/15/20	Bladder	0.138 U	0.823 U	1.22 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	6.72	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.172 J	0.118 U	0.136 U	0.129 U	0.605 U	6.95 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/29/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0211 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-307 (continued)		11/06/20	Bladder	0.0932 U	0.400 U	0.643 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/18/21	Bladder	0.0932 U	0.400 U	1.26 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.295 J	0.133 U	0.0800 U	0.186 U	0.157 U	5.84	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Peristaltic	0.138 U	0.823 U	1.14 J	0.873 U	–	0.585	0.133 U	0.0800 U	0.186 U	0.157 U	0.950	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/08/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	1.92	0.133 U	0.0800 U	0.186 U	0.157 U	0.446 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/06/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.524	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/06/20	Peristaltic	0.0932 U	0.400 U	0.582 J-	0.0760 U	0.580 U	0.473	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.252	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.138 U	0.823 U	3.51 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.343 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/14/20	Peristaltic	0.138 U	0.823 U	2.13 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	2.05	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	1.15	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/16/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0650	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/04/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0287 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/03/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-314 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/15/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/15/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/22/20	Bladder	1.20 U	4.78 U	113 U	6.71 U	–	0.941 U	1.18 U	1.36 U	1.29 U	6.05 U	0.962 U	1.28 U	1.17 U	1.40 U	1.92 U	1.11 U
		07/16/20	Bladder	9.32 U	40.0 U	54.8 U	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U
		11/04/20	Bladder	9.32 U	40.0 U	364 J-	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U
		05/03/21	Bladder	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
MW-316	Mercer St ROW, N side	10/02/19	Bladder	0.138 U	0.823 U	2.73 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.485 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.814	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/21/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.642	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/24/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0250 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0190 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/17/21	Bladder	0.0932 U	0.400 U	1.42 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-318	9th Ave N ROW, W side	10/08/19	Bladder	0.138 U	0.823 U	1.15 U	0.873 U	–	5.75	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	25.4	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/27/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	22.6	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/30/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	5.79	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/12/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	4.20	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/19/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	3.97	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-322	9th Ave N ROW, W side	10/07/19	Peristaltic	0.138 U	0.823 U	3.40 U	0.873 U	–	7.12	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/21/20	Peristaltic	0.138 U	0.823 U	1.19 J	0.873 U	–	7.41	0.133 U	0.0800 U	0.186 U	0.157 U	0.295 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/29/20	Bladder	12.0 U	47.8 U	1,130 U	67.1 U	–	15.5 J	11.8 U	13.6 U	12.9 U	60.5 U	9.62 U	12.8 U	11.7 U	14.0 U	19.2 U	11.1 U
		07/07/20	Bladder	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	28.8	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.600 J
		11/24/20	Bladder	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	23.9	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
		05/19/21	Peristaltic	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	22.4	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
MW-334	900 Roy St, S end	04/24/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/07/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-334 (continued)		11/05/20	Bladder	0.0932 U	0.400 U	0.777 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/13/21	Peristaltic	0.0932 U	0.400 U	1.61 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-335	Mercer St ROW, N side	05/01/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.113 J	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/08/20	Bladder	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.160 U	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
		11/02/20	Bladder	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.380 J	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
		02/10/21	Bladder	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.790	0.420 U	1.76	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
		05/26/21	Peristaltic	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.930	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
MW-338	Lake Union Park, N end	05/07/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/23/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/10/20	Peristaltic	0.0932 U	0.400 U	1.31 J-	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-340	Lake Union Park, S end	05/12/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/17/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0450 J
		05/13/21	Peristaltic	0.0932 U	0.400 U	1.13 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.162
MW-345	SDOT Mercer Parcels,	06/01/21	Bladder	0.0932 U	0.400 U	1.52 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-346 (dup)	SDOT Mercer Parcels, NW quadrant	06/02/21	Bladder	0.0932 U	0.400 U	2.30	0.0760 U	0.580 U	0.0290 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/02/21	Bladder	0.0932 U	0.400 U	2.34	0.0760 U	0.580 U	0.0290 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-347	SDOT Mercer Parcels,	06/01/21	Bladder	0.0932 U	0.400 U	3.27 U	0.0760 U	0.580 U	0.0300 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.316
MW-348	SDOT Mercer Parcels,	06/01/21	Bladder	0.0932 U	0.400 U	1.69 U	0.0760 U	0.580 U	0.0190 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-349	SDOT Mercer Parcels,	06/01/21	Bladder	0.0932 U	0.400 U	12.9 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-350	SDOT Mercer Parcels,	06/01/21	Bladder	1.13	0.400 U	0.548 U	0.0760 U	0.580 U	1.16	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
W-MW-01	8th Ave N ROW, W side	03/30/17	Peristaltic	0.138 U	0.823 U	1.56 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/19/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.158 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/13/18	Bladder	0.138 U	0.823 U	1.20 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.184 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/29/18	Bladder	0.138 U	0.823 U	1.39 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/13/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/25/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/11/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/25/19	Bladder	0.138 U	0.823 U	2.03 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/23/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/15/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/27/20	Bladder	0.138 U	0.823 U	1.65 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/03/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/31/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/24/20	Bladder	0.0932 U	0.400 U	2.84 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/03/21	Bladder	0.0932 U	0.400 U	4.83	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/17/21	Bladder	0.0932 U	0.400 U	13.0 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
W-MW-02	8th Ave N ROW, W side	03/27/17	Peristaltic	0.138 U	0.823 U	19.3 J	0.873 U	–	0.270 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.204 J	0.0860 U
		06/19/17	Bladder	0.138 U	0.929 J	8.12 J	0.873 U	–	0.307 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.386 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

**Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

[illegible]

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
FMW-131 (continued)		11/19/20	Bladder	0.0932 U	0.400 U	2.73 J+	0.0760 U	0.580 U	0.0850	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	0.0932 U	0.400 U	2.25 U	0.0760 U	0.580 U	0.0900	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/13/21	Peristaltic	0.0932 U	0.400 U	1.11 J+	0.0760 U	0.580 U	0.0650	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
FMW-137	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/06/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/06/19	Peristaltic	0.138 U	0.823 U	1.32 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.990	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/06/20	Bladder	0.120 U	0.478 U	11.3 UJ	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/31/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/24/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/12/21	Bladder	0.0932 U	0.400 U	1.71 U	0.0760 U	0.580 U	0.0330 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/02/21	Peristaltic	0.0932 U	0.400 U	0.645 J	0.0760 U	0.580 U	0.0240 J	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
FMW-138	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/6/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/8/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FMW-3D	Terry Ave N ROW, E side	03/24/17	Peristaltic	0.138 U	0.823 U	1.89 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/23/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 UJ	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
FMW-140	900 Roy St, S end	07/17/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.138 U	0.823 U	5.97 J	0.873 UJ	–	18.5	0.133 U	0.0800 U	0.186 U	0.157 U	3.49	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/12/19 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.138 U	0.823 U	9.51 J	0.873 U	–	39.6	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	43.3	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/07/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 UJ	0.580 U	37.6	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		07/29/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/13/20	Bladder	0.0932 U	0.400 UJ	0.607 J	0.0760 UJ	0.580 U	44.1	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/04/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/18/21	Peristaltic	0.0932 U	0.400 U	1.35 J+	0.0760 U	0.580 U	41.0	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
GEI-2	Block 37, NW quadrant	03/24/17	Peristaltic	0.138 U	0.823 U	1.74 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/23/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/29/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/22/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	1.05	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/16/19	Peristaltic	0.138 U	0.823 U	1.77 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/21/19	Peristaltic	0.138 U	0.823 U	1.37 J	0.873 U	–	3.80	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/11/19 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		02/17/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/29/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	2.22	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		05/19/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		06/29/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/29/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/30/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	1.76	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		08/26/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/19/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	2.97	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/04/20 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^u	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	0.0932 U	0.400 U	2.95 U	0.0760 U	0.580 U	2.79	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/13/21	Peristaltic	0.0932 U	0.400 U	1.85 J+	0.0760 U	0.580 U	2.19	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
HMW-1D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/09/20 ^a	Unknown	–	–	–	–	–	20 U	–	20 U	–	–	–	20 U	20 U	20 U	20 U	20 U
HMW-2D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/12/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-3D	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a	Peristaltic	1.0 U	–	–	–	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/13/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-6D	SDOT Mercer Parcels, SW quadrant	03/16/20 ^a	Unknown	–	–	–	–	–	0.42	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.42
HMW-9D	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	–	–	–	–	0.21	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
HMW-10D	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	–	–	–	–	0.20 U	–	0.20 U	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.34
MW102	Valley Street ROW, S side	03/29/17	Bladder	0.138 U	0.823 U	1.36 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.161 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/15/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/25/18	Bladder	0.138 U	0.823 U	3.43 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/19	Bladder	0.138 U	0.823 U	1.75 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.158 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/18/19	Bladder	0.138 U	0.823 U	2.74 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW102 (continued) (dup)		11/14/19	Bladder	0.138 U	0.823 U	1.19 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/20	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/20	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/02/20	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		08/04/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		08/04/20	Bladder	0.0932 U	0.400 U	1.03 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/18/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/03/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/14/21	Bladder	0.0932 U	0.400 U	1.19 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW103	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.138 U	0.823 U	2.87 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.301 J	0.0860 U
		06/14/17	Bladder	0.138 U	0.823 U	1.76 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.25 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.132 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Peristaltic	0.138 U	0.823 U	23.0 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/22/19	Peristaltic	0.138 U	0.823 U	1.66 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/15/19	Peristaltic	0.138 U	0.823 U	2.13 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/14/19	Peristaltic	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		04/23/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/06/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0210 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0270 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/10/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0200 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/03/21	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 UJ	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW104	8th Ave N ROW, W side	03/30/17	Peristaltic	0.138 U	0.823 U	1.84 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/30/17	Bladder	0.138 U	0.823 U	1.45 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/18	Peristaltic	0.138 U	0.823 U	3.33 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.147 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/26/18	Bladder	0.138 U	0.823 U	2.91 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.675	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		12/13/18	Bladder	0.138 U	0.823 U	2.23 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.243 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		02/01/19	Bladder	0.138 U	0.823 U	72.7	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.179 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/13/19	Bladder	0.138 U	0.823 U	9.26 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.232 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/19	Bladder	0.138 U	0.823 U	23.4 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/22/19	Bladder	0.138 U	0.823 U	4.88 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/18/19	Bladder	0.138 U	0.823 U	2.88 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/29/20	Bladder	0.138 U	0.823 U	11.3 J	0.873 U	–	0.167 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/01/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 UJ	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/31/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		07/31/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/17/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.551	0.0166 U
		02/10/21	Bladder	0.0932 U	0.400 U	1.91	0.0760 U	0.580 U	0.0450	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.20	0.0166 U
MW105	Roy Street ROW, S side	04/21/17	Bladder	0.138 U	0.823 U	1.44 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.192 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/14/17	Bladder	0.138 U	0.823 U	1.18 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/11/18	Bladder	0.138 U	0.823 UJ	4.51 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/19	Bladder	0.138 U	0.823 U	1.73 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/19	Bladder	0.138 U	0.823 U	1.22 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW105 (continued) (dup)		07/17/19	Bladder	0.138 U	0.823 U	2.18 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/22/19	Bladder	0.138 U	0.823 U	1.40 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/22/19	Bladder	0.138 U	0.823 U	1.47 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/12/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/17/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/11/21	Bladder	0.0932 U	0.400 U	1.89 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/07/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW106	SDOT Mercer Parcels, NW quadrant	04/14/17	Bladder	0.138 U	0.823 U	1.53 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.641	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/30/17	Bladder	0.138 U	0.823 U	1.65 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/04/18	Bladder	0.138 U	0.823 U	6.52 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	–	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/26/19	Bladder	0.138 U	0.823 U	1.65 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.142 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/19/19	Bladder	0.138 U	0.823 U	2.16 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/18/19	Bladder	0.138 U	0.823 U	2.01 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/14/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/06/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		05/06/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/10/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/10/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/10/20	Bladder	0.0932 U	0.400 U	0.731 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/12/21	Bladder	0.0932 U	0.400 U	1.34 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/12/21	Bladder	0.0932 U	0.400 U	1.63 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/13/21	Bladder	0.0932 U	0.400 U	1.47 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		MW113	9th Ave N ROW, W side	03/22/17	Peristaltic	0.138 U	0.823 U	3.28 U	0.873 U	–	2.60	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U
06/16/17	Bladder			0.138 U	0.823 U	1.90 J	0.873 U	–	0.468 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
04/11/18	Peristaltic			0.138 U	0.823 U	1.05 U	0.873 U	–	0.880	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
01/30/19	Peristaltic			0.690 U	4.12 U	5.25 U	4.36 U	–	1.02 J	0.665 U	0.400 U	0.930 U	0.785 U	0.505 U	0.795 U	0.700 U	0.640 U	0.705 U	0.430 U
02/07/19	Peristaltic			0.138 U	0.823 U	2.79 J	0.873 U	–	0.811	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
07/17/19	Peristaltic			0.138 U	0.823 U	2.54 J	0.873 U	–	0.172 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.226 J
10/22/19	Peristaltic			0.138 U	0.823 U	1.45 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.239 J
11/11/19 ^o	Peristaltic			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
01/14/20	Bladder			1.38 U	8.23 U	10.5 U	8.73 U	–	0.896 U	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
01/14/20 ^o	Peristaltic			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
02/18/20 ^o	Unknown			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
03/24/20 ^o	Unknown			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
04/27/20	Peristaltic			12.0 U	47.8 U	1,130 U	67.1 U	–	9.41 U	11.8 U	13.6 U	12.9 U	60.5 U	9.62 U	12.8 U	11.7 U	14.0 U	19.2 U	11.1 U
04/27/20 ^o	Peristaltic			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
05/19/20 ^o	Unknown			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(split)	07/28/20			Bladder	12.0 U	47.8 U	1,130 U	67.1 U	–	9.41 U	11.8 U	13.6 U	12.9 U	60.5 U	9.62 U	12.8 U	11.7 U	14.0 U	19.2 U
	07/28/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	09/17/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		11/24/20	Bladder	9.32 U	40.0 U	54.8 U	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW113 (continued) (split)		12/03/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21	Peristaltic	0.0932 U	0.400 U	1.65 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/10/21 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/25/21	Peristaltic	0.0932 U	0.400 U	2.19	0.0760 U	0.580 U	0.331	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW122	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.138 U	0.823 U	1.11 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/14/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/06/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/14/19	Peristaltic	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/07/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/24/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/06/20	Peristaltic	0.0932 U	0.400 U	0.854 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/03/21	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 UJ	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW123	Westlake Ave N ROW, W side	04/01/17	Peristaltic	0.138 U	0.823 U	2.83 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/24/17	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/14/18	Peristaltic	0.138 U	0.823 U	2.82 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/18/19	Peristaltic	0.138 U	0.823 U	3.19 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/22/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/05/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/30/20	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0388 J	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/12/20	Peristaltic	0.0932 U	0.400 UJ	0.640 J	0.0760 UJ	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/26/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW124 (dup)	Valley Street ROW, S side	03/29/17	Bladder	0.138 U	0.823 U	1.35 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	1.37
		03/29/17	Bladder	0.138 U	0.823 U	1.21 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	1.30
		06/15/17	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.614
		04/13/18	Bladder	0.138 U	0.823 U	2.58 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.224 J
		10/11/19	Bladder	0.138 U	0.823 UJ	9.24 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	1.06
		01/30/20	Bladder	0.138 U	0.823 U	1.53 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.510
		04/03/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		08/03/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/18/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/08/21	Bladder	0.0932 U	0.400 U	1.76	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.126
MW128 (dup)	Westlake Ave N ROW, E side	03/29/17	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		06/21/17	Bladder	0.138 U	0.823 U	1.07 J	0.873 U	–	3.84	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/09/18	Peristaltic	0.138 U	0.823 U	1.05 UJ	0.873 U	–	28.3	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/30/18 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/18/19	Peristaltic	0.138 U	0.823 U	2.24 J	0.873 U	–	12.2	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/11/19	Peristaltic	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	0.984	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/11/19	Peristaltic	0.138 U	0.823 UJ	1.05 UJ	0.873 UJ	–	1.34	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		11/11/19 ^o	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/20/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	17.8	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		02/18/20 ^o	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW128 (continued) (split)		04/27/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	18.3	0.118 U	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		06/29/20	Peristaltic	0.0932 U	0.400 U	1.64	0.0760 U	0.580 U	16.9	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 UJ	0.0229 U	0.0180 UJ	0.0432 U	0.0166 U
		06/29/20°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		08/26/20°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/09/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	17.0	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		12/20/20°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21°	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
05/25/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	14.2	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
MW-133	Property, SW quadrant	09/25/17	Bladder	0.138 U	0.823 U	2.02 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.439 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/25/18	Bladder	0.138 U	0.823 U	3.72 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.236 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/26/18	Bladder	0.138 U	0.823 U	1.14 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.205 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		12/12/18	Bladder	0.138 U	0.823 U	1.76 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		02/01/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/13/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
MW-137	Property, SW quadrant	09/25/17	Bladder	0.138 U	0.823 U	2.84 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	2.27	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/12/18	Bladder	0.138 U	0.823 UJ	3.31 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.210 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/26/18	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.282 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		12/12/18	Bladder	0.138 U	0.823 U	1.62 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		02/01/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.114 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/11/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
Decommissioned March, 2019																			
MW-138	Dexter Ave N ROW, E side	09/21/17	Bladder	0.276 U	1.65 U	5.55 J	1.75 U	–	0.179 U	0.266 U	0.160 U	0.372 U	0.314 U	0.202 U	0.318 U	0.280 U	0.256 U	0.282 U	0.172 U
		04/11/18	Bladder	0.138 U	0.823 UJ	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.214 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/29/18	Bladder	0.138 U	0.823 U	1.23 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		12/17/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.382 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/03/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		03/14/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.286 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/22/19	Bladder	0.138 U	0.823 U	2.56 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.405 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/19/19	Bladder	0.138 U	0.823 U	1.82 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/21/19	Bladder	0.138 U	0.823 U	1.23 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 UJ	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/27/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/08/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/18/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/11/21	Bladder	0.0932 U	0.400 U	1.27 U	0.0760 U	0.580 U	0.0240 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/07/21	Bladder	0.0932 U	0.400 U	1.53	0.0760 U	0.580 U	0.100	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-140 (dup)	Roy Street ROW, E side	09/22/17	Bladder	0.138 U	0.823 U	2.11 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		09/22/17	Bladder	0.138 U	0.823 U	3.74 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/12/18	Bladder	0.138 U	0.823 UJ	2.13 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.699 J+	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
MW-141	Property, SE quadrant	09/22/17	Bladder	0.138 U	0.823 U	4.56 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/12/18	Submersible	0.138 U	0.823 UJ	1.38 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.305 J+
		10/25/18	Bladder	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.317 J	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		12/12/18	Bladder	0.138 U	0.823 U	1.11 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform	
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14	
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2	
MW-141 (continued)	Decommissioned March, 2019	01/30/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U	
		03/11/19	Bladder	0.138 U	0.823 U	1.24 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U	
MW-153	Roy St ROW, S side	05/01/18	Bladder	0.138 U	0.823 U	2.65 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	4.54	0.159 U	0.140 U	0.128 U	0.141 U	0.870	
(dup)		01/22/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U	
	04/24/19	Bladder	0.138 U	0.823 U	3.82 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.394 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
	04/24/19	Bladder	0.138 U	0.823 U	2.21 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.303 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
	07/22/19	Bladder	0.138 U	0.823 U	1.98 J	0.873 U	–	0.177 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.250 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
(dup)	10/15/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
	01/21/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
	04/30/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U		
	07/15/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
	11/09/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
	02/09/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0200 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
	02/09/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0220 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
	05/10/21	Bladder	0.0932 U	0.400 U	1.09 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
	MW-158A	8th Ave N ROW, E side	04/30/18	Bladder	0.138 U	0.823 U	5.00 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.580	0.159 U	0.140 U	0.128 U	0.141 U	1.29
	01/24/19		Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.491 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U	
04/25/19	Bladder		0.138 U	0.823 U	3.23 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.351 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
07/19/19	Bladder		0.138 U	0.823 U	1.79 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.437 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
10/16/19	Bladder		0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
01/21/20	Bladder		0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
04/24/20	Bladder		0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.152 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U		
07/15/20	Bladder		0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0520	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
11/23/20	Bladder		0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0240 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
02/02/21	Bladder		0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0270 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
05/10/21	Bladder		0.0932 U	0.400 U	1.05 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U		
MW-160	8th Ave N ROW, W side		05/21/18	Bladder	0.138 U	0.823 U	2.05 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.186 J
01/25/19		Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
05/01/19		Bladder	0.138 U	0.823 U	4.06 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
07/23/19		Bladder	0.138 U	0.823 U	1.98 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
10/17/19		Bladder	0.138 U	0.823 U	3.26 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
01/29/20		Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
04/01/20		Bladder	0.138 U	0.823 U	5.85 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
08/03/20		Bladder	0.0932 U	0.400 U	0.606 J	0.0760 U	0.580 U	0.0180 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.929 J	0.0166 U		
11/30/20		Bladder	0.0932 U	0.400 U	1.67 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.31	0.0166 U		
02/05/21		Bladder	0.0932 U	0.400 U	1.52 U	0.0760 U	0.580 U	0.0310 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.16 J	0.0166 U		
05/12/21		Bladder	0.0932 U	0.400 U	1.90	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.497	0.0166 U		
MW-161		8th Ave N ROW, W side	05/21/18	Bladder	0.138 U	0.823 U	1.83 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
01/25/19	Bladder		0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
05/01/19	Bladder		0.138 U	0.823 U	1.21 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
07/18/19	Bladder		0.138 U	0.823 U	2.22 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
10/14/19	Bladder		0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		
01/28/20	Bladder		0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-161 (continued)		04/03/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/31/20	Bladder	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.881	0.0166 U
		12/01/20	Bladder	0.0932 U	0.400 U	1.42 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.15	0.0166 U
		02/05/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.37 J	0.0166 U
		05/25/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.676	0.0166 U
MW-162	Property, NE quadrant Decommissioned March, 2019	02/05/19	Bladder	1.00 U	–	–	–	–	1.00 U	1.00 U	1.00 U	2.00 U	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
		03/12/19	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.521
MW-163	Property, NW quadrant (dup) Decommissioned March, 2019	02/05/19	Bladder	1.00 U	–	–	–	–	1.00 U	1.00 U	1.00 U	2.00 U	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
		02/05/19	Bladder	1.00 U	–	–	–	–	1.00 U	1.00 U	1.00 U	2.00 U	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
		03/12/19	Bladder	0.138 U	0.823 U	1.13 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.248 J	0.159 U	0.140 U	0.128 U	0.141 U	0.436 J
MW-164	Property, SW quadrant Decommissioned March, 2019	02/05/19	Bladder	1.00 U	–	–	–	–	1.00 U	1.00 U	1.00 U	2.00 U	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	3.83
		03/12/19	Bladder	0.138 U	0.823 U	1.27 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.07	0.159 U	0.140 U	0.128 U	0.141 U	2.99
MW-304	Dexter Ave N ROW, E side	10/21/19	Bladder	0.138 U	0.823 U	1.66 J	0.873 UJ	–	0.0896 U	0.133 U	0.0800 UJ	0.186 U	0.157 U	0.290 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/27/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.870	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/07/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 UJ	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 UJ	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/18/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
MW-319	9th Ave N ROW, W side	10/08/19	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.505	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/16/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.01	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/27/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/27/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0336 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/12/20	Bladder	0.0932 U	0.400 UJ	0.548 UJ	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
MW-323	9th Ave N ROW, W side	05/19/21	Peristaltic	0.0932 U	0.400 U	1.01 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
		10/09/19	Peristaltic	0.138 U	0.823 U	2.67 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/23/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/07/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 UJ	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-324	Roy St ROW, N side	11/24/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/20/21	Peristaltic	0.0932 U	0.400 U	1.38 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		10/02/19	Bladder	0.138 U	0.823 U	6.39 U	0.873 U	–	0.401 J	0.133 U	0.0800 U	0.186 U	0.157 U	5.63	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Peristaltic	6.90 U	41.2 U	114 J	43.7 U	–	4.48 U	6.65 U	4.00 U	9.30 U	7.85 U	5.05 U	7.95 U	7.00 U	6.40 U	7.05 U	4.30 U
		04/24/20	Bladder	6.00 U	23.9 U	565 U	33.6 U	–	4.71 U	5.90 U	6.80 U	6.45 U	30.3 UJ	4.81 U	6.40 U	5.85 U	7.00 U	9.60 U	5.55 U
MW-326	Mercer Street ROW, N side	07/07/20	Bladder	4.66 U	20.0 U	27.4 U	3.80 UJ	29.0 U	1.25 J	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		11/13/20	Bladder	4.66 U	20.0 UJ	27.4 UJ	3.80 UJ	29.0 U	2.51	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		05/20/21	Peristaltic	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		10/03/19	Bladder	0.138 U	0.823 U	4.34 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	4.09	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.113 J	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.792	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/21/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.108 J	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/23/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0390 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-326 (continued)		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0740	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/09/21	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0680	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/18/21	Bladder	0.0932 U	0.400 U	1.20 J+	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
MW-328	Lake Union Park, S end	10/02/19	Bladder	0.138 U	0.823 U	2.16 U	0.873 U	–	17.0	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/17/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	17.6	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		04/08/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	9.53	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/07/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 UJ	0.580 U	10.3	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.630	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/25/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	6.19	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-329 (dup)	Westlake Ave N ROW, E side	10/03/19	Peristaltic	0.138 U	0.823 U	3.15 U	0.873 U	–	0.206 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		10/03/19	Peristaltic	0.138 U	0.823 U	3.08 U	0.873 U	–	0.215 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/20/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.279 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/27/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.704	0.118 U	0.136 U	0.129 U	0.605 UJ	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		08/03/20	Bladder	0.0932 U	0.400 U	0.630 J	0.0760 U	0.580 U	0.628	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.862	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-336	Mercer St ROW, N side	05/05/20	Bladder	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/08/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0490	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/02/20	Bladder	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.215	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/10/21	Bladder	0.0932 U	0.400 U	1.64	0.0760 U	0.580 U	0.0660	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/26/21	Peristaltic	0.0932 U	0.400 U	1.11	0.0760 U	0.580 U	0.128	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-341	Lake Union Park, S end	05/12/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	16.2	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/07/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 UJ	0.580 U	15.6	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/09/20	Peristaltic	0.0932 U	0.400 U	2.51	0.0760 U	0.580 U	9.87	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/25/21	Peristaltic	0.0932 U	0.400 U	3.69	0.0760 U	0.580 U	17.6	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-342	Valley St ROW, S side	05/04/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.643	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/30/20	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.316	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/17/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.113	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/04/21	Peristaltic	0.0932 U	0.400 U	0.852 J	0.0760 U	0.580 U	0.526	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-343	Valley St ROW, S side	05/04/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.114 J	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/30/20	Peristaltic	0.0932 U	0.400 U	0.548 UJ	0.0760 U	0.580 U	0.0471	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/24/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		06/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.139	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
Treatment Zone A Wells																			
IW-4A	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.138 U	0.823 U	2.01 U	0.873 U	–	0.205 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	17.2	0.526
IW-7A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.138 U	0.823 U	4.08 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.144 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-9A	Property, NW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.138 U	0.823 U	2.70 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	4.90	0.173 J

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
IW-18A	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.138 U	0.823 U	2.19 U	0.873 U	–	0.306 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	3.63	0.292 J
IW-22A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.138 U	0.823 U	3.74 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.395 J	0.0860 U
IW-37A	Property, SW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.138 U	0.823 U	1.64 U	0.873 U	–	0.157 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-41A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.138 U	0.823 U	7.16 J	0.873 U	–	1.79 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.256 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-42A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.138 U	0.823 U	1.94 J	0.873 U	–	22.4 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.186 J	0.159 U	0.140 U	0.128 U	1.75 J	0.0860 U
IW-45A	Property, SW quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.202 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.143 J	0.159 U	0.140 U	0.128 U	4.93	0.0860 U
IW-46A	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.138 U	0.823 U	188	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.152 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-48A	Property, SE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.138 U	0.823 U	117	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
MW-165	Property, NE quadrant	11/04/19	Peristaltic	0.138 U	0.823 U	16.1 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.357 J	0.159 U	0.140 U	0.128 U	0.723 J	0.0860 U
(dup)		01/30/20	Peristaltic	0.138 U	0.823 U	3.58 U	0.873 U	–	0.176 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.162 J	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	7.42	0.0760 U	0.580 U	0.0900	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Flowing	0.0932 U	0.400 U	5.04	0.0760 U	0.580 U	0.138	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Flowing	0.0932 U	0.402 J	5.40	0.0760 U	0.580 U	0.152	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Flowing	0.0932 U	0.400 U	3.43 U	7.60 U	0.580 U	0.183	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/06/21	Flowing	0.932 U	4.00 U	8.04 U	0.760 U	5.80 U	0.160 U	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
MW-169	Property, SW quadrant	11/05/19	Peristaltic	0.138 U	0.823 U	11.7 J	0.873 U	–	0.130 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.962	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/20	Peristaltic	0.138 U	0.823 U	2.10 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.508	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/05/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.127 J	0.118 U	0.136 U	0.129 U	0.605 U	0.527	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/10/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0830	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/03/20	Flowing	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.113	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/17/21	Flowing	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.106	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/07/21	Flowing	0.0932 U	0.400 U	1.53	0.0760 U	0.580 U	0.0800	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-173	Property, SE quadrant	11/01/19	Peristaltic	0.138 U	0.823 U	3.84 J	0.873 U	–	0.141 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.850
		01/28/20	Peristaltic	0.138 U	0.823 U	2.88 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.139 J	0.118 U	0.136 U	0.129 U	0.605 U	0.168 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-173 (continued)		07/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.103	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Flowing	0.0932 U	0.400 U	0.873 J	0.0760 U	0.580 U	0.179	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Flowing	0.0932 U	0.400 U	1.15 U	0.0760 U	0.580 U	0.242	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/05/21	Flowing	0.0932 U	0.400 U	1.78 U	0.0760 U	0.580 U	0.199	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-177	Property, SW quadrant	11/06/19	Peristaltic	0.138 U	0.823 U	15.0 J	0.873 U	–	0.744	0.133 U	0.0800 U	0.186 U	157 U	38.3	0.159 U	0.140 U	0.128 U	6.29	0.0860 U
		01/24/20	Peristaltic	6.90 U	41.2 U	72.6 J	43.7 U	–	4.48 U	6.65 U	4.00 U	9.30 U	7.85 U	5.05 U	7.95 U	7.00 U	6.40 U	7.05 U	4.30 U
		04/01/20	Peristaltic	690 U	4,110 U	5,380 J	4,370 U	–	448 U	665 U	400 U	930 U	785 U	505 U	795 U	700 U	640 U	705 U	430 U
		07/10/20	Peristaltic	466 U	2,000 U	2,740 U	380 U	2,900 U	80.0 U	210 U	158 U	1,200 U	740 U	–	216 U	115 U	90.0 U	216 U	83.0 U
		11/03/20	Flowing	93.2 U	400 U	548 U	76.0 U	580.0 U	16.0 U	42.0 U	31.5 U	239.0 U	148 U	–	43.2 U	22.9 U	18.0 U	43.2 U	16.6 U
		02/18/21	Flowing	18.6 U	80.0 U	110 U	15.2 U	116 U	3.20 U	8.40 U	6.30 U	47.8 U	29.6 U	–	8.64 U	4.58 U	3.60 U	50.2	3.32 U
		05/06/21	Flowing	18.6 U	80.0 U	110 U	15.2 U	116 U	3.20 U	8.40 U	6.30 U	47.8 U	29.6 U	–	8.64 U	4.58 U	3.60 U	47.6	3.32 U
MW-181	Property, SW quadrant	11/08/19	Peristaltic	0.690 U	4.12 U	24.4 J	0.873 U	–	0.672 J	0.133 U	0.0800 U	0.186 U	78.5 U	3.91	0.159 U	0.700 U	0.128 U	0.705 U	0.430 U
		01/27/20	Peristaltic	69.0 U	412 U	525 U	437.0 U	–	44.8 U	66.5 U	40.0 U	93.0 U	78.5 U	50.5 U	79.5 U	70.0 U	64.0 U	70.5 U	43.0 U
		04/01/20	Peristaltic	69.0 U	412 U	647 J	437.0 U	–	44.8 U	66.5 U	40.0 U	93.0 U	78.5 U	50.5 U	79.5 U	70.0 U	64.0 U	70.5 U	43.0 U
		07/08/20	Peristaltic	46.6 U	200 U	274 U	38.0 U	290.0 U	8.00 U	21.0 U	15.8 U	120.0 U	74.0 U	–	21.6 U	11.5 U	9.00 U	21.6 U	8.30 U
		11/04/20	Peristaltic	0.0932 U	0.777 J	6.48	0.0760 U	0.580 U	0.336	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/19/21	Flowing	9.32 U	40.0 U	54.8 U	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U
05/06/21	Peristaltic	9.32 U	40.0 U	112	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U		
MW-185	Property, SE quadrant	10/31/19	Flowing	0.138 U	0.823 U	79.4	0.873 U	–	0.140 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.930 J	0.504
		01/29/20	Peristaltic	0.138 U	1.15 J	108	0.873 U	–	0.228 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.325 J	0.0860 U
		04/02/20	Peristaltic	0.138 U	1.00 J	2.34 J	0.873 U	–	0.192 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.168 J	0.159 U	0.140 U	0.128 U	0.309 J	0.0860 U
		07/08/20	Peristaltic	0.0932 U	0.864 J	3.06	0.0760 U	0.580 U	0.127	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.650	0.0166 U
		11/04/20	Flowing	0.0932 U	0.426 J	0.922 J-	0.0760 U	0.580 U	0.148	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.422	0.0166 U
		02/16/21	Flowing	0.0932 U	0.400 U	5.00 J+	0.0760 U	0.580 U	0.117	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/07/21	Flowing	0.0932 U	0.400 U	0.782 J	0.0760 U	0.580 U	0.112	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
Treatment Zone B Wells																			
IW-3B	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.138 U	0.823 U	1.82 U	0.873 U	–	0.158 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	15.0	0.0860 U
IW-6B	Property, SW quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.138 U	0.823 U	2.27 J	0.873 U	–	0.350 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-8B	Property, SW quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.138 U	0.823 U	2.33 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-17B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.141 J	0.823 U	8.11 U	0.873 U	–	0.838	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	5.32	0.0860 U
IW-21B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.138 U	0.823 U	1.92 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	3.64	0.159 U	0.140 U	0.128 U	1.28 J	0.182 J
IW-22B	Property, NW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	2.76 U	16.5 U	21.0 U	17.5 U	–	1.79 U	2.66 U	1.60 U	3.72 U	3.14 U	2.02 U	3.18 U	2.80 U	2.56 U	2.82 U	1.72 U
IW-24B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.266 J+	0.823 U	5.27 U	0.873 U	–	0.754 J+	0.133 U	0.0800 U	0.186 U	0.157 U	0.806 J+	0.159 U	0.278 J+	0.128 U	3.05 J+	0.0860 U
IW-28B	Property, NW quadrant Decommissioned March, 2019	04/09/18	Peristaltic	0.138 U	0.823 U	7.35 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
IW-33B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.138 U	0.823 U	2.69 J	0.873 U	–	0.560	0.133 U	0.0800 U	0.186 U	0.157 U	0.915	0.159 U	0.140 U	0.128 U	0.141 U	0.200 J
IW-37B	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.138 U	0.823 U	3.13 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.447 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-45B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.138 U	0.823 U	1.12 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.168 J	0.159 U	0.140 U	0.128 U	0.552 J	0.0860 U
IW-47B	Property, SW quadrant Decommissioned March, 2019	04/10/18	Bladder	0.690 U	4.12 U	51.7 J	4.36 U	–	89.6 U	0.665 U	0.400 U	0.930 U	0.785 U	1.08 J	0.795 U	0.700 U	0.640 U	0.705 U	0.430 U
IW-49B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.138 U	0.823 U	221	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-51B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.138 U	0.823 U	4.66 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.944	0.159 U	0.140 U	0.128 U	0.292 J	0.0860 U
MW-166	Property, NE quadrant	11/04/19	Peristaltic	0.138 U	0.823 U	46.4	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.41	0.159 U	0.140 U	0.128 U	1.33 J	0.278 J
(dup)		01/30/20	Peristaltic	0.138 U	0.823 U	20.5 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.309 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0963 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	2.73 J	0.0760 U	0.580 U	0.0400 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	4.04 J	0.0760 U	0.580 U	0.0460	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Peristaltic	0.0932 U	0.400 U	2.40	0.0760 U	0.580 U	0.0909	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Flowing	46.6 U	200 U	274 U	38.0 U	290 U	8.00 U	21.0 U	15.8 U	120 U	74.0 U	–	21.6 U	11.5 U	9.00 U	21.6 U	8.30 U
		05/05/21	Flowing	18.6 U	80.0 U	110 U	15.2 U	116 U	3.20 U	8.40 U	6.30 U	47.8 U	29.6 U	–	8.64 U	4.58 U	3.60 U	8.64 U	3.32 U
MW-170	Property, SW quadrant	11/05/19	Peristaltic	0.138 U	0.823 U	8.46 J	0.873 U	–	0.269 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/23/20	Peristaltic	3.45 U	20.6 U	26.3 U	21.8 U	–	2.24 U	3.33 U	2.00 U	4.65 U	3.93 U	2.53 U	3.97 U	3.50 U	3.20 U	3.53 U	2.15 U
		04/02/20	Peristaltic	69.0 U	412 U	1,040 J	437.0 U	–	44.8 U	66.5 U	40.0 U	93.0 U	78.5 U	50.5 U	79.5 U	70.0 U	64.0 U	70.5 U	43.0 U
		07/09/20	Peristaltic	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.450	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
		11/03/20	Peristaltic	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.290 J	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	0.432 U	0.166 U
		02/17/21	Peristaltic	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.320 J	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	28.5 J+	0.166 U
		05/07/21	Peristaltic	46.6 U	200 U	529	38.0 U	290 U	8.00 U	21.0 U	15.8 U	120 U	74.0 U	–	21.6 U	11.5 U	9.00 U	21.6 U	8.30 U
MW-174	Property, SE quadrant	11/01/19	Peristaltic	0.138 U	0.823 U	3.56 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	1.28
		01/28/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.149 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Flowing	0.0932 U	0.400 U	0.562 J	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Flowing	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.102 J	0.0166 U
		05/05/21	Flowing	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.341	0.0166 U
MW-178	Property, SW quadrant	11/06/19	Peristaltic	0.138 U	0.823 U	245	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	3.14 U	1.16	0.159 U	0.140 U	0.128 U	0.141 U	0.362 J
		01/24/20	Peristaltic	0.138 U	1.99 J	410 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.265 J	0.0860 U
		04/02/20	Peristaltic	0.138 U	1.73 J	28.6	0.873 U	–	0.150 J	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		07/10/20	Peristaltic	0.0932 U	1.32	6.27	0.0760 U	0.580 U	0.0510	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.492	0.0166 U
		11/03/20	Peristaltic	0.0932 U	0.672 J	12.8 J	0.0760 U	0.580 U	0.282	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/18/21	Peristaltic	1.86 U	8.00 U	29.5	1.52 U	11.6 U	0.500 J	0.840 U	0.630 U	4.78 U	2.96 U	–	0.864 U	0.458 U	0.360 U	0.864 U	0.332 U
		05/06/21	Peristaltic	1.86 U	8.00 U	11.0 U	1.52 U	11.6 U	0.320 U	0.840 U	0.630 U	4.78 U	2.96 U	–	0.864 U	0.458 U	0.360 U	0.864 U	0.332 U
MW-182	Property, SW quadrant	11/08/19	Peristaltic	0.138 U	0.823 U	56.6	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	78.5 U	2.06	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/27/20	Peristaltic	69.0 U	412 U	525 U	437.0 U	–	44.8 U	66.5 U	40.0 U	93.0 U	78.5 U	50.5 U	79.5 U	70.0 U	64.0 U	70.5 U	43.0 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-182 (continued)		04/01/20	Peristaltic	6.90 U	41.2 U	52.5 U	43.7 U	–	4.48 U	6.65 U	4.00 U	9.30 U	7.85 U	5.05 U	7.95 U	7.00 U	6.40 U	7.05 U	4.30 U
		07/08/20	Peristaltic	4.66 U	20.0 U	27.4 U	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		11/04/20	Peristaltic	4.66 U	20.0 U	211	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
		02/19/21	Peristaltic	46.6 U	200 U	667	38.0 U	290 U	8.00 U	21.0 U	15.8 U	120 U	74.0 U	–	21.6 U	11.5 U	9.00 U	21.6 U	8.30 U
		05/06/21	Peristaltic	186 U	800 U	2,080	152 U	1,160 U	32.0 U	84.0 U	63.0 U	478 U	296 U	–	86.4 U	45.8 U	36.0 U	86.4 U	33.2 U
		05/06/21	Peristaltic	0.220	0.400 U	9.11	0.0760 U	0.580 U	0.362	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-186	Property, SE quadrant	10/31/19	Flowing	0.138 U	0.823 U	4.13	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.170
		01/29/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
		04/02/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
		07/08/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/04/20	Peristaltic	0.0932 U	0.400 U	0.816	0.0760 U	0.580 U	0.0379	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/16/21	Flowing	0.0932 U	0.400 U	2.04 U	0.0760 U	0.580 U	0.0570	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/07/21	Flowing	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0440	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
Treatment Zone C Wells																			
IW-1C	Property, NE quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.138 U	0.823 U	2.31 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	2.19	0.159 U	0.140 U	0.128 U	0.372	0.511
IW-4C	Property, NE quadrant Decommissioned March, 2019	04/26/18	Peristaltic	0.138 U	0.823 U	2.54 U	0.873 U	–	0.158	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
IW-8C	Property, NE quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.138 U	0.823 U	8.17	0.873 U	–	0.276	0.133 U	0.0800 U	0.186 U	0.157 U	0.850	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
IW-9C	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.138 U	0.823 U	3.49	0.873 U	–	0.285	0.133 U	0.0800 U	0.186 U	0.157 U	1.07	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
IW-13C	Property, SW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	0.138 U	0.823 U	2.64	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.287	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
IW-15C	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	1.38 U	8.23 U	17.7 U	8.73 U	–	0.896 U	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860
IW-19C	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
IW-20C (dup)	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	0.138 U	0.823 U	5.01 U	0.873 U	–	0.208	0.133 U	0.0800 U	0.186 U	0.157 U	0.734	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
		03/30/18	Bladder	0.138 U	0.823 U	6.11 U	0.873 U	–	0.198	0.133 U	0.0800 U	0.186 U	0.157 U	0.803	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
MW-167	Property, NE quadrant	11/04/19	Peristaltic	0.138 U	0.823 U	1,120	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.15	0.159 U	0.140 U	0.128 U	0.141 U	0.131
		01/28/20	Peristaltic	0.138 U	0.823 U	3.89	0.873 U	–	0.100	0.133 U	0.0800 U	0.186 U	0.157 U	1.76	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0967	0.118 U	0.136 U	0.129 U	0.605 U	0.738	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	4.16	0.0760 U	0.580 U	0.0440	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Peristaltic	0.0932 U	0.400 U	0.818	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Peristaltic	0.0932 U	0.400 U	1.09 U	0.0760 U	0.580 U	0.0340 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/05/21	Peristaltic	0.0932 U	0.400 U	1.23	0.0760 U	0.580 U	0.0250	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-171	Property, SW quadrant	11/05/19	Peristaltic	0.138 U	0.823 U	1,130	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.332	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
		01/23/20	Peristaltic	0.138 U	0.823 U	1.94	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.595	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
		04/02/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.494	0.159 U	0.140 U	0.128 U	0.141 U	0.0860
		07/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0280	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-171 (continued) (dup)		11/03/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0440	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/17/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.101	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.54 J	0.0166 U
		02/17/21	Peristaltic	0.0932 U	0.400 U	2.12 U	0.0760 U	0.580 U	0.0880	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 UJ	0.0166 U
		05/07/21	Peristaltic	4.66 U	20.0 U	55.3	3.80 U	29.0 U	0.800 U	2.10 U	1.58 U	12.0 U	7.40 U	–	2.16 U	1.15 U	0.900 U	2.16 U	0.830 U
MW-175	Property, SE quadrant	11/01/19	Peristaltic	0.138 U	0.823 U	12.5 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.573	0.159 U	0.140 U	0.128 U	0.141 U	0.810
		01/28/20	Peristaltic	0.138 U	0.823 U	15.7 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.18	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.137 J	0.118 U	0.136 U	0.129 U	0.605 U	0.338 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	10.0	0.0760 U	0.580 U	0.0420	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Peristaltic	0.0932 U	0.400 U	1.08	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0400 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/05/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0270 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-179	Property, SW quadrant	11/06/19	Peristaltic	0.138 U	0.823 U	19.1 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	15.7 U	4.06	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/27/20	Peristaltic	0.138 U	0.823 U	18.0 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.289 J	0.159 U	0.140 U	0.128 U	4.62	0.0860 U
		04/02/20	Peristaltic	2.76 U	16.5 U	44.3 J	17.5 U	–	1.79 U	2.66 U	1.60 U	3.72 UJ	3.14 UJ	2.02 U	3.18 U	2.80 U	2.56 U	23.3 J	1.72 U
		07/10/20	Peristaltic	1.86 U	8.00 U	11.0 U	1.52 U	11.6 U	0.320 U	0.840 U	0.630 U	4.78 U	2.96 U	–	0.864 U	0.458 U	0.360 U	23.9	0.332 U
		11/03/20	Peristaltic	1.86 U	8.00 U	11.0 U	1.52 U	11.6 U	0.320 U	0.840 U	0.630 U	4.78 U	2.96 U	–	0.864 U	0.458 U	0.360 U	0.864 U	0.332 U
		02/18/21	Peristaltic	46.6 U	200 U	524	38.0 U	290 U	8.00 U	21.0 U	15.8 U	120 U	74.0 U	–	21.6 U	11.5 U	9.00 U	21.6 U	8.30 U
		05/06/21	Peristaltic	23.3 U	100 U	137 U	19.0 U	145 U	4.00 U	10.5 U	7.88 U	59.8 U	37.0 U	–	10.8 U	5.73 U	4.50 U	10.8 UJ	4.15 U
MW-183	Property, SW quadrant	11/08/19	Peristaltic	0.138 U	0.823 U	15.4 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.597	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/27/20	Peristaltic	0.138 U	0.823 U	75.8	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.304 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/02/20	Peristaltic	0.138 U	0.823 U	32.3	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.576	0.159 UJ	0.140 U	0.128 U	0.141 U	0.0860 U
		07/08/20	Peristaltic	0.0932 U	0.400 U	1.51	0.0760 U	0.580 U	0.0270 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/04/20	Peristaltic	0.0932 U	0.400 U	0.580 J-	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 UJ	–	0.0432 U	0.0229 U	0.0180 U	2.58 J	0.0166 U
		02/19/21	Peristaltic	0.0932 U	0.400 U	1.94 U	0.0760 U	0.580 U	0.0510	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/06/21	Peristaltic	9.32 U	40.0 U	54.8 U	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 UJ	1.66 U
MW-187	Property, SE quadrant	11/01/19	Peristaltic	0.138 U	0.823 U	12.3 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.353 J	0.159 U	0.140 U	0.128 U	0.141 U	0.223 J
		01/29/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/02/20	Peristaltic	0.138 U	0.823 U	1.05 UJ	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 UJ	0.101 U	0.159 U	0.140 U	0.128 U	0.141 UJ	0.0860 U
		07/08/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.121 J	0.0166 U
		11/04/20	Peristaltic	0.0932 U	0.400 U	1.10 J-	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.111 J	0.0166 U
		02/16/21	Peristaltic	0.0932 U	0.400 U	2.20 U	0.0760 U	0.580 U	0.0430	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/07/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
Treatment Zone D Wells																			
IW-1D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	1.38 U	8.23 U	29.1 J	8.73 U	–	0.896 U	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.968 J
IW-3D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	0.138 U	0.823 U	5.37 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	3.26	0.159 U	0.140 U	0.128 U	0.141 U	0.408 J
IW-4D	Property, SW quadrant Decommissioned March, 2019	03/29/18	Bladder	0.138 U	0.823 U	2.02 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	3.06	0.159 U	0.140 U	0.128 U	0.141 U	0.242 J
IW-6D	Property, SW quadrant Decommissioned March, 2019	04/03/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	3.29	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
IW-8D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	1.17	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-9D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.138 U	0.823 U	4.46 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.969	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
IW-11D	Property, NE quadrant Decommissioned March, 2019	05/01/18	Bladder	0.138 U	0.823 U	3.92 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.792	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
MW-168	Property, NE quadrant	11/04/19	Peristaltic	0.138 U	0.823 U	1.38 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.219 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/31/20	Flowing	0.138 U	0.823 U	1.70 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.198 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.104 J	0.118 U	0.136 U	0.129 U	0.605 U	0.244 J	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	8.47	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Peristaltic	0.0932 U	0.559 J	20.3	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0200 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/05/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0210 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-172	Property, SW quadrant	11/05/19	Flowing	0.138 U	0.823 U	1.97 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.244 J
		01/23/20	Flowing	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.155 J
		04/02/20	Peristaltic	69.0 U	412 U	930 J	437.0 U	–	44.8 U	66.5 U	40.0 U	93.0 U	78.5 U	50.5 U	79.5 U	70.0 U	64.0 U	70.5 U	43.0 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0550	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/03/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0830	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.133
		02/17/21	Flowing	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0490	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	8.22 J+	0.0680 J
		05/07/21	Peristaltic	9.32 U	40.0 U	54.8 U	7.60 U	58.0 U	1.60 U	4.20 U	3.15 U	23.9 U	14.8 U	–	4.32 U	2.29 U	1.80 U	4.32 U	1.66 U
MW-176	Property, SE quadrant	11/01/19	Flowing	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.195 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/28/20	Flowing	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.247 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/28/20	Flowing	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.158 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		05/01/20	Peristaltic	0.120 U	0.478 U	11.3 U	0.671 U	–	0.0941 U	0.118 U	0.136 U	0.129 U	0.605 U	0.0962 U	0.128 U	0.117 U	0.140 U	0.192 U	0.111 U
		07/09/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/05/20	Peristaltic	0.0932 U	0.400 U	1.36	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/04/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0280 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		05/05/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
MW-180	Property, SW quadrant	11/06/19	Flowing	0.138 U	0.823 U	12.0 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.785 U	3.81	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/24/20	Peristaltic	0.138 U	0.823 U	4.52 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.469 J	0.159 U	0.140 U	0.128 U	6.73 J	0.0860 U
		04/01/20	Peristaltic	0.690 U	4.12 U	9.35 U	4.37 U	–	0.448 U	0.665 U	0.400 U	0.930 U	0.785 U	0.505 U	0.795 U	0.700 U	0.640 U	0.705 U	0.430 U
		07/10/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	3.23	0.0166 U
		11/03/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	2.66	0.0166 U
		02/18/21	Flowing	0.0932 U	0.400 U	1.24 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	5.00	0.0166 U
		05/06/21	Peristaltic	0.0932 U	0.400 U	1.96	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	5.21	0.0166 U
MW-184	Property, SW quadrant	11/08/19	Flowing	0.138 U	0.823 U	1.38 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	15.7 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/27/20	Flowing	0.138 U	0.823 U	3.31 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/01/20	Peristaltic	1.38 U	8.23 U	10.5 U	8.73 U	–	0.896 U	1.33 U	0.800 U	1.86 U	1.57 U	1.01 U	1.59 U	1.40 U	1.28 U	1.41 U	0.860 U
		07/08/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/04/20	Peristaltic	0.932 U	4.00 U	39.9 J-	0.760 U	5.80 U	0.160 U	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	9.41	0.166 U
		02/19/21	Flowing	0.932 U	4.00 U	5.48 U	0.760 U	5.80 U	0.160 U	0.420 U	0.315 U	2.39 U	1.48 U	–	0.432 U	0.229 U	0.180 U	33.8	0.166 U
		05/06/21	Peristaltic	0.466 U	2.00 U	2.74 U	0.380 U	2.90 U	0.0800 U	0.210 U	0.158 U	1.20 U	0.740 U	–	0.216 U	0.115 U	0.0900 U	0.216 U	0.0830 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	4-Isopropyltoluene (p-Isopropyltoluene)	4-Methyl-2-pentanone (Methyl Isobutyl Ketone/MIBK)	Acetone	Acrylonitrile	Allyl chloride	Benzene	Bromobenzene	Bromodichloromethane	Bromoform	Bromomethane	Carbon Disulfide	Carbon tetrachloride	Chlorobenzene	Chlorodibromomethane	Chloroethane (Ethyl Chloride)	Chloroform
Preliminary Cleanup Level (PCUL)				–	640	7,200	0.81	2.1	5.0	64	7.1	55	11	800	5	100	5.2	–	14
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	4.7E+05	1.5E+07	12	–	2.4	–	1.8	–	13	400	0.56	290	–	18,000	1.2
MW-188	Property, SE quadrant	10/31/19	Flowing	0.138 U	0.823 U	2.54 J	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		01/29/20	Flowing	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.348 J	0.159 U	0.140 U	0.128 U	0.141 U	0.0860 U
		04/02/20	Peristaltic	0.138 U	0.823 U	1.05 U	0.873 U	–	0.0896 U	0.133 U	0.0800 U	0.186 U	0.157 U	0.101 U	0.159 UJ	0.140 U	0.128 U	0.141 U	0.0860 U
		07/08/20	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		11/04/20	Peristaltic	0.0932 U	0.400 U	0.702 J-	0.0760 U	0.580 U	0.0161 J	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
		02/16/21	Peristaltic	0.0932 U	0.400 U	1.55 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	1.76 J+	0.0166 U
		05/07/21	Peristaltic	0.0932 U	0.400 U	0.548 U	0.0760 U	0.580 U	0.0160 U	0.0420 U	0.0315 U	0.239 U	0.148 U	–	0.0432 U	0.0229 U	0.0180 U	2.42	0.0166 U
Number of Analytes Measured				1,240	1,222	1,222	1,221	440	1,269	1,239	1,269	1,239	1,239	779	1,269	1,269	1,270	1,270	1,270
Number of Analytes Detected				21	17	419	0	0	409	0	1	0	0	176	3	1	0	107	78
Frequency of Detection				2%	1%	34%	0%	0%	32%	0%	0%	0%	0%	23%	0.2%	0.1%	0.0%	8%	6%
Maximum Detection				2.50	8.50	5,380 J	–	–	257	–	1.76	–	–	38.3	0.273 J	0.278 J+	–	50.2	20.9
Minimum Detection				0.0932 U	0.400 U	0.548 U	0.0760 U	0.5800 U	0.0160 U	0.0420 U	0.0315 U	0.129 UJ	0.148 U	0.0962 U	0.043 U	0.0229 U	0.0180 U	0.0432 U	0.0166 U
Number of Detections Above SL				–	0	0	0	0	62	0	0	0	0	0	0	0	0	–	1
Frequency of Detection Above SL				–	0%	0%	0%	0%	5%	0%	0.0%	0%	0%	0%	0%	0%	0%	–	0.1%
Notes: Gasoline Range Organics Analyzed by NWTPH-Gx. Diesel Range Organics and Heavy Oil analyzed by NWTPH-Dx. VOCs analyzed by EPA Method 8260C or 8260D. Results shown in micrograms per liter (µg/L). PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. All groundwater sampling performed by PES Environmental, Inc. unless otherwise indicated. a = Results provided by Hart Crowser. b = Results provided by Farallon Consulting. c = Select sample results for MW-210 incorrectly identified with location SMW-3 on lab reports and sampling forms. (split) = Split samples collected consecutively. (dup) = Field duplicate sample. – = Not analyzed, results not available, or information not applicable. Detected results shown in bold . Detections above the groundwater PCUL level are shown in bold and highlighted in gray . Shallow Zone detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange . Shallow Zone detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange . U = Not detected at or above the laboratory method detection limit (MDL); detections above the MDL but below the laboratory reported detection limit (RDL) are qualified with a "J." J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. z = Elevated chlorinated VOCs detected within the GRO elution range. No discernible petroleum pattern present. Project level qualifier assigned per laboratory review. GRO results above the screening level and qualified with "z" are not considered in the Maximum Detection and are not included in the Number of Detections Above SL.																			

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
Shallow Water Bearing Zone																				
DMW-1S	615 Dexter, SE quadrant	03/25/19 ^a 03/25/19 ^a 03/18/20 ^a	Unknown Unknown Unknown	1.0 U 1.0 U 2.0 U	1.0 U 1.0 U 0.20 U	1.0 U 1.0 U –	1.0 U 1.0 U –	– – –	– – –	1.0 U 1.0 U 12	1.0 U 1.0 U 0.20 U	– – –	– – –	1.0 U 1.0 U –	– – –	5.0 U 5.0 U –	1.0 U 1.0 U 5.0 U	1.0 U 1.0 U –	1.0 U 1.0 U –	1.0 U 1.0 U –
DMW-2S	615 Dexter, SE quadrant	03/18/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
DMW-4S	Alley S of SE quadrant of 615 Dexter	03/19/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	5.5	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–
DMW-5IA	Alley S of 615 Dexter	03/19/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
DMW-6	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
F5	Property, NW quadrant Decommissioned March, 2019	03/28/17 06/22/17	Peristaltic Peristaltic	0.153 U 0.153 U	516 10.4	0.0976 U 0.0976 U	0.117 U 0.117 U	0.127 U 0.127 U	– –	0.158 U 0.158 U	0.157 U 0.157 U	0.305 U 0.305 U	0.377 U 0.377 U	0.126 U 0.126 U	0.0924 U 0.0924 U	0.102 U 0.102 U	1.07 U 1.07 U	0.174 U 0.174 U	0.143 U 0.143 U	0.162 U 0.162 U
F9	Property, NE quadrant Decommissioned March, 2019	03/27/17 06/22/17	Peristaltic Peristaltic	0.153 U 0.153 U	0.158 J 6.10	0.0976 U 0.0976 U	0.117 U 0.117 U	0.127 U 0.127 U	– –	0.158 U 0.158 U	0.157 U 0.157 U	0.305 U 0.305 U	0.377 U 0.377 U	0.126 U 0.126 U	0.0924 U 0.0924 U	0.102 U 0.102 U	1.07 U 1.07 U	0.174 U 0.174 U	0.143 U 0.143 U	0.162 U 0.162 U
F13	Property, NE quadrant Decommissioned March, 2019	03/27/17 06/22/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.153 U 0.153 U 0.153 U	0.218 J 0.194 J 0.375 J	0.0976 U 0.0976 U 0.0976 U	0.117 U 0.117 U 0.117 U	0.127 U 0.127 U 0.127 U	– – –	0.158 U 0.158 U 0.158 U	0.157 U 0.157 U 0.157 U	0.305 U 0.305 U 0.305 U	0.377 U 0.377 U 0.377 U	0.126 U 0.126 U 0.126 U	0.0924 U 0.0924 U 0.0924 U	0.102 U 0.102 U 0.102 U	1.07 U 1.07 U 1.07 U	0.174 U 0.174 U 0.174 U	0.143 U 0.143 U 0.143 U	0.162 U 0.162 U 0.162 U
FMW-143	9th Ave N ROW, E side	07/30/19 ^a 10/31/19 01/22/20 05/14/20 07/22/20	Unknown Peristaltic Peristaltic Bladder Bladder	– 0.153 U 0.153 U 0.960 U 0.0556 U	0.20 U 0.0933 U 0.0933 U 0.126 U 0.0276 U	– 0.0976 U 0.0976 U 0.111 U 0.0271 U	– 0.117 U 0.117 U 0.122 U 0.0400 U	– 0.127 U 0.127 U 0.374 U 0.0327 U	– – – – 0.0170 U	– 0.158 U 0.158 U 0.137 U 0.0490 J	– 0.157 U 0.157 U 0.337 U 0.508 U	– 0.305 U 0.305 U 0.749 U –	– 0.377 U 0.377 U 0.554 U 0.242 U	– 0.126 U 0.126 U 0.105 U 0.0345 U	– 0.0924 U 0.0924 U 0.105 U 0.0140 U	– 0.102 U 0.102 U 0.101 U 0.0118 U	– 1.07 U 1.07 U 0.430 U 0.265 U	– 0.174 U 0.174 U 0.174 U 0.124 U	– 0.143 U 0.143 U 0.157 U 0.153 U	– 0.162 U 0.162 U 0.0993 U 0.0472 U
G12	Property, NE quadrant Decommissioned March, 2019	03/27/17 06/30/17	Peristaltic Peristaltic	0.153 U 0.153 U	95.9 115	0.0976 U 0.0976 U	0.117 U 0.117 U	0.127 U 0.127 U	– –	0.158 U 0.158 U	0.157 U 0.157 U	0.305 U 0.305 U	0.377 U 0.377 U	0.126 U 0.126 U	0.0924 U 0.0924 U	0.102 U 0.102 U	1.07 U 1.07 U	0.174 U 0.174 U	0.143 U 0.143 U	0.162 U 0.162 U
HMW-1S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a 03/11/20 ^a	Peristaltic Unknown	1.0 U 2.0 U	1.0 U 0.20 U	1.0 U –	1.0 U –	– –	– –	1.0 U 0.20 U	1.0 U 0.20 U	– –	– –	1.0 U –	– –	5.0 U –	1.0 U 5.0 U	1.0 U –	1.0 U –	1.0 U –
HMW-2S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a 03/12/20 ^a	Peristaltic Unknown	1.0 U 2.0 U	1.0 U 0.20 U	1.0 U –	1.0 U –	– –	– –	1.0 U 0.20 U	1.0 U 0.20 U	– –	– –	1.0 U –	– –	5.0 U –	1.0 U 5.0 U	1.0 U –	1.0 U –	1.0 U –
HMW-9S	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
HMW-10S	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
HMW-11S	SDOT Mercer Parcels, SE quadrant	03/11/20 ^a	Unknown	2.0 U	0.20	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
HMW-20S	SDOT Mercer Parcels, NW quadrant	9/18/20 ^a	Unknown	2.0 U	1.4	1.0 U	1.0 U	1.0 U	–	0.20 U	0.20 U	–	–	1.0 U	–	1.0 U	5.0 U	1.0 U	–	1.0 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
HMW-21S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
HMW-22S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
J5	Property, SW quadrant Decommissioned March, 2019	03/21/17	Peristaltic	0.153 U	253	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/26/17	Peristaltic	0.153 U	366	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/05/18	Peristaltic	0.153 U	222	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
J15 (dup)	Property, SE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	0.153 U	46.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/26/17	Peristaltic	0.153 U	39.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/26/17	Peristaltic	0.153 U	39.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/05/18	Peristaltic	0.153 U	26.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
K8	Property, SW quadrant Decommissioned March, 2019	03/21/17	Peristaltic	0.153 U	123	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/26/17	Peristaltic	0.153 U	140	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/05/18	Peristaltic	0.153 U	104	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
M15 (dup)	Property, SE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	0.153 U	32.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/27/17	Peristaltic	0.153 U	31.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/26/17	Peristaltic	0.153 U	25.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/05/18	Peristaltic	0.153 U	8.89	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-8	Seattle Roy Aloha Shops, N end	03/20/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.175 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.195 U	0.143 U	0.162 U
		04/13/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.341 J	0.143 U	0.162 U
		07/18/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/10/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.886 U	0.143 U	0.162 U
		01/16/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/06/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/14/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-9 (dup)	8th Ave N ROW, E side	03/20/17	Peristaltic	0.153 U	0.140 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.311 J	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/20/17	Peristaltic	0.153 U	0.214 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/20/17	Peristaltic	0.153 U	0.211 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/05/18	Peristaltic	0.153 U	0.246 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/26/19	Peristaltic	0.153 U	75.1	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/16/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/17/19	Peristaltic	0.153 U	0.786	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		11/24/20	Peristaltic	0.0556 U	0.221	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/05/21	Peristaltic	0.0556 U	0.121	0.0271 U	0.0400 U	0.0327 U	0.179	0.0510 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/12/21	Peristaltic	0.0556 U	0.117	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/12/21	Peristaltic	0.0556 U	0.119	0.0271 U	0.0400 U	0.0327 U	0.281 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW121	8th Ave N ROW, E side	03/28/17	Peristaltic	0.153 U	0.768	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/20/17	Peristaltic	0.153 U	1.13	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/05/18	Peristaltic	0.153 U	0.959	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW121 (continued)		01/31/19	Peristaltic	0.153 U	5.53	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/29/19	Peristaltic	0.153 UJ	5.39	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		07/19/19	Peristaltic	0.153 UJ	1.01	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		11/30/20	Bladder	0.0556 U	0.193	0.0271 U	0.0400 U	0.0327 U	0.199	0.0410 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/05/21	Peristaltic	0.0556 U	3.85	0.0271 U	0.0400 U	0.0327 U	0.189	0.0410 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/12/21	Peristaltic	0.0556 U	0.418	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0560 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
(dup)		05/12/21	Peristaltic	0.0556 U	0.380	0.0271 U	0.0400 U	0.0327 U	0.176	0.0580 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW125	Valley Street ROW, N side	03/22/17	Peristaltic	0.153 U	0.341 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/28/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/06/18	Peristaltic	0.153 U	0.278 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/18/19	Peristaltic	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/18/19	Bladder	0.153 U	0.496 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 UJ	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/20	Bladder	0.153 U	0.369 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		11/17/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.478 J	0.153 U	0.0472 U
		02/02/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.101	0.508 UJ	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		05/11/21	Peristaltic	0.0556 UJ	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/11/21	Peristaltic	0.0556 UJ	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-154	Roy St ROW S side	04/30/18	Bladder	0.153 U	1.77	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/19	Peristaltic	0.153 U	2.03	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/19	Bladder	0.153 U	1.76	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/15/19	Bladder	0.161 J	2.55	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/14/19	Bladder	0.153 U	1.40	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/21/20	Bladder	0.153 U	2.26	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/30/20	Bladder	0.960 U	2.58	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/10/20	Bladder	0.0556 U	1.83	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
		11/09/20	Bladder	0.0556 U	1.77	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/08/21	Bladder	0.0556 U	0.203	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.106	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/10/21	Bladder	0.0556 UJ	0.134	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-155	Roy Street ROW, S side	04/27/18	Peristaltic	0.153 U	0.466 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/19	Peristaltic	0.153 U	0.274 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/19	Peristaltic	0.153 U	71.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/23/19	Bladder	0.153 U	12.1	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/16/19	Bladder	0.153 UJ	36.2	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Bladder	0.153 U	12.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/05/20	Bladder	0.960 U	16.4	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		08/03/20	Bladder	0.0556 U	9.74	0.0271 UJ	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 UJ
		11/11/20	Bladder	0.0556 U	11.7	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-159	8th Ave N ROW, E side	04/26/18	Peristaltic	0.153 U	1.09	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/19	Peristaltic	0.153 U	0.651	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/26/19	Bladder	0.153 U	1.23	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
(dup)		04/26/19	Bladder	0.153 U	1.12	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-159 (continued)		07/22/19	Bladder	0.153 U	0.918	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/20	Bladder	0.153 U	0.811	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		11/11/20	Bladder	0.0556 U	0.561	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/08/21	Peristaltic	0.0556 U	0.525	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0860 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/11/21	Peristaltic	0.0556 UJ	0.518	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-210 ^c	Valley Street ROW, N side	03/30/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/21/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 UJ	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/09/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/11/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/17/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	2.44	0.0924 U	0.102 U	1.07 U	0.460 J	0.143 U	9.81
		04/09/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/07/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-214 (dup)	Valley Street ROW, S side	03/30/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/30/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/09/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/11/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.355 J	0.157 U	0.305 U	0.377 UJ	1.11	0.0924 U	0.102 U	1.07 U	4.32 J	0.143 U	0.521
		01/20/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.250 U	0.143 U	0.162 U
		04/07/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/06/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-301 (dup)	Valley Street ROW, S side	11/30/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/30/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/05/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.209	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/14/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/14/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-305	Roy St ROW, S side	10/15/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/15/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/28/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		07/27/20	Bladder	0.0556 U	0.0276 U	0.0271 UJ	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 UJ
		11/06/20	Bladder	0.0556 U	0.107	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0704 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/18/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-310 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.153 U	0.148 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.352 J	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/14/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.203 J	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/08/20	Peristaltic	0.153 U	0.193 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	2.04	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	1.38
		08/04/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 UJ	–	0.242 U	0.129	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		08/04/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 UJ	–	0.242 U	0.128	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/06/20	Bladder	0.0556 U	0.134	0.0271 U	0.0400 U	0.0327 U	0.0585 J	0.0212 U	0.508 U	–	0.242 U	0.0868 J	0.0445	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/03/21	Peristaltic	0.0556 U	0.203	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.138	0.508 U	–	0.242 U	0.236	0.0230 J	0.0118 U	0.265 U	0.124 U	0.153 U	0.162 J
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/21/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/22/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		08/04/20	Bladder	0.0556 U	0.0440 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/11/20	Bladder	0.0556 U	0.0820 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-312 (continued)		05/03/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0550 J	0.182	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.153 U	7.34	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/14/20	Bladder	0.153 U	2.67	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		05/04/21	Bladder	0.0556 U	2.31	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.160	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-320	9th Ave N ROW, W side	10/07/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	2.62	0.0924 U	0.102 U	1.07 U	0.174 U	0.200 J	3.22
		01/20/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	6.56	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	4.76
		04/29/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		07/28/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		11/12/20	Bladder	0.0556 U	0.0350 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
05/20/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.107	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
MW-332	Roy St ROW, N side	05/04/20	Bladder	0.960 U	0.419 J	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/30/20	Bladder	0.0556 U	0.110 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 UJ	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/12/20	Bladder	0.0556 U	0.202	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/20/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-337	Lake Union Park, N end	05/07/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 UJ
		07/23/20	Peristaltic	0.0556 U	0.0560 J	0.0271 U	0.0400 U	0.0327 U	0.0930 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/10/20	Peristaltic	0.0556 U	0.0870 J	0.0271 U	0.0400 U	0.0327 U	0.0940 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/04/21	Peristaltic	0.0556 U	0.0490 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-339 (dup)	Lake Union Park, S end	05/14/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		05/14/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/23/20	Peristaltic	0.0556 U	0.164	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/09/20	Peristaltic	0.0556 U	0.238	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	0.120	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
N7	Property, SW quadrant	03/30/17	Peristaltic	0.153 U	125	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.189 U	0.143 U	0.162 U
		06/27/17	Peristaltic	0.153 U	153	0.0976 U	0.117 U	0.127 U	–	0.158 UJ	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
Decommissioned March, 2019																				
R-MW2	Property, NE quadrant	03/21/17	Peristaltic	0.153 U	0.341 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/15/17	Peristaltic	0.153 U	0.682	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/18	Peristaltic	0.153 U	2.48	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
Decommissioned March, 2019																				
R-MW3	Property, NE quadrant	03/21/17	Peristaltic	0.153 U	0.575	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/28/17	Peristaltic	0.153 U	0.735	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/04/18	Peristaltic	0.153 U	1.35	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
Decommissioned March, 2019																				
R-MW5	Dexter Ave N ROW, E side	03/23/17	Peristaltic	0.153 U	0.933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/16/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/11/18	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/03/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/22/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/16/19	Bladder	0.153 U	0.131 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/21/19	Bladder	0.153 U	0.302 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/20	Bladder	0.153 U	0.265 J	0.0976 U	0.117 U	0.127 UJ	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
R-MW5 (continued) (dup)		11/18/20	Bladder	0.0556 U	0.505	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/11/21	Bladder	0.0556 U	0.357	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/11/21	Bladder	0.0556 U	0.382	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/17/21	Bladder	0.0556 U	0.186	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
R-MW6	8th Ave N ROW, E side	03/21/17	Peristaltic	0.153 U	20.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/20/17	Peristaltic	0.153 U	37.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/06/18	Peristaltic	0.153 U	19.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/25/19	Peristaltic	0.153 U	12.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/25/19	Peristaltic	0.153 U	11.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/01/20	Peristaltic	0.0556 U	2.15	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0670 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/03/21	Peristaltic	0.0556 U	1.22	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0810 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/17/21	Peristaltic	0.0556 U	12.2	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.129	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
SCL-MW101	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.598	0.157 U	0.612 J	0.377 U	19.3	0.0924 U	0.102 U	1.07 U	2.09	7.17	62.7
		06/14/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	17.1	0.157 U	3.39 J	0.377 U	29.9	0.0924 U	0.102 U	1.07 U	4.76	6.97	75.3
		04/06/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	11.7	0.157 U	4.87 J	0.377 U	29.7	0.0924 U	0.102 U	1.07 U	6.70	8.28	92.3
		10/09/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	16.6	0.157 U	4.81 J	0.377 U	49.9	0.0924 U	0.102 U	1.07 U	36.7	8.26	152
		01/17/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	1.61	0.157 U	0.305 U	0.377 U	37.2	0.133 J	0.102 U	1.07 U	0.174 U	14.2	125
		04/07/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	5.54	0.157 U	0.305 U	0.377 U	17.1	0.0924 U	0.102 U	1.07 U	9.28	4.08	39.9
		11/24/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	3.53	0.508 U	–	0.242 U	32.9	0.215 J+	0.0118 U	0.265 U	14.7 J-	10.1	88.9
		05/04/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0880 J	1.22	0.508 U	–	0.242 U	14.2	0.0570	0.0118 U	0.265 U	0.124 U	2.23	39.6
SCL-MW105	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.765 U	0.466 U	0.488 U	0.585 U	0.635 U	–	26.5	0.785 U	58.6	1.88 U	66.9	0.462 U	0.510 U	5.35 U	3.64	4.61	134
		06/15/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	109	0.157 U	65.1	0.377 U	67.3	0.0924 U	0.102 U	1.07 U	5.20	4.77	126
		04/06/18	Peristaltic	1.53 U	0.933 U	0.976 U	1.17 U	1.27 U	–	26.6	1.57 U	36.9 J	3.77 U	53.2	0.924 U	1.02 U	10.7 U	4.50 U	1.43	88.0
		10/10/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	41.0	0.157 U	55.0	0.377 U	149	0.0924 U	0.102 U	1.07 U	4.44	0.143 U	359
		01/17/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	54.6	0.157 U	0.305 U	0.377 U	97.7	0.0924 U	0.102 U	1.07 U	4.55	0.143 U	187
		04/01/20	Peristaltic	0.153 U	0.550	0.0976 U	0.117 U	0.127 U	–	47.4	0.157 U	24.0	0.377 U	72.5	0.0924 U	0.102 U	1.07 U	2.74 J	3.02	128
		07/24/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	35.1	0.508 U	–	0.242 U	97.0	0.0430	0.0118 U	0.265 U	3.49	4.24	185
SCS-2 (dup)	Seattle Roy Aloha Shops, N End	03/20/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	155	0.157 U	3.96	0.377 U	19.0	1.41	0.102 U	1.07 U	61.8 J	2.49	43.9
		06/12/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	141	0.157 U	4.86 J	0.377 U	16.3	1.07	0.102 U	1.07 U	54.3	1.97	34.2
		04/13/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	37.3	0.157 U	12.5 J	0.377 U	15.6	0.759	0.102 U	1.07 U	21.2	0.143 U	23.8
		07/18/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	141	0.157 U	12.6	0.377 U	18.7	0.893	0.102 U	1.07 U	115 J	3.10	46.2
		07/18/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	187	0.157 U	12.2	0.377 U	17.5	0.854	0.102 U	1.07 U	104 J	3.05	43.2
		10/10/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	307	0.157 U	14.1	0.377 U	28.7	0.813	0.102 U	1.07 U	89.5 J	0.143 U	58.4
		01/16/20	Peristaltic	1.53 U	0.933 U	0.976 U	1.17 U	1.27 U	–	135	1.57 U	3.05 U	3.77 U	10.9	0.924 U	1.02 U	10.7 U	94.2	1.43 U	30.2
			Intermediate A Water-Bearing Zone																	
BB-8 (dup)	Roy Street ROW, S side	03/22/17	Peristaltic	0.153 U	3.10	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/14/17	Peristaltic	0.153 U	12.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/11/18	Peristaltic	0.153 U	4.64 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/11/18	Peristaltic	0.153 U	6.28 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/19	Peristaltic	0.153 U	81.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/19	Peristaltic	0.153 U	7.57	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
BB-8 (continued) (dup) (dup) (dup)		07/17/19	Bladder	0.153 U	19.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		10/22/19	Bladder	0.153 U	31.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/22/19	Bladder	0.153 U	30.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Bladder	0.153 U	16.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Bladder	0.153 U	16.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/12/20	Bladder	0.960 U	17.6	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/27/20	Bladder	0.0556 U	26.3	0.0271 UJ	0.0400 U	0.0327 U	0.0170 U	0.0320 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0180 J	0.265 U	0.124 U	0.153 U	0.0472 UJ
		07/27/20	Bladder	0.0556 U	26.0	0.0271 UJ	0.0400 U	0.0327 U	0.0170 U	0.0710 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 UJ
		11/17/20	Bladder	0.0556 U	101	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/11/21	Peristaltic	0.0556 UJ	2.19	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.242	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		06/07/21	Bladder	0.0556 U	6.94	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
DMW-31A	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
FMW-142	9th Ave N ROW, E side	07/29/19 ^a	Unknown	–	0.36	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 UJ	0.174 U	0.143 UJ	0.162 U
		01/22/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/28/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		07/08/20	Bladder	0.0556 U	0.0320 J	0.0271 U	0.0400 U	0.0327 U	0.0510 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Bladder	0.0556 U	0.0977 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0670 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
GEI-1 (dup)	Block 37, SW quadrant	03/24/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.207 U	0.143 U	0.162 U
		06/13/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.244 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	1.02 J	0.143 U	0.162 U
		04/22/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.282 J	0.143 U	0.162 U
		07/16/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.189 J	0.143 U	0.162 U
		10/21/19	Peristaltic	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.239 J	0.143 U	0.162 U
		01/22/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/29/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		04/29/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		07/30/20	Peristaltic	0.0556 U	0.0276 UJ	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 UJ	0.0345 U	0.0386 J	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
GEI-MW-1	Block 79 East, N end	01/23/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 UJ	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/29/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.161 J	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		08/07/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 UJ	–	0.242 U	0.0345 U	0.0860 J	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/10/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.300 J+	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/13/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.339	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0800	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
HC-4	601 Dexter, NE quadrant	04/12/19 ^a	Unknown	1.0 U	1.0 U	1.0 U	1.0 U	–	–	1.0 U	1.0 U	–	–	1.0 U	–	–	–	0.10 U	–	–
HMW-21A	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	120	1.0 U	1.0 U	–	–	1.0 U	1.0 U	–	–	1.0 U	–	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/12/20 ^a	Unknown	20 U	180	–	–	–	–	2.0 U	2.0 U	–	–	–	–	–	50	–	–	–
HMW-31A	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a 03/13/20 ^a	Peristaltic Unknown	1.0 U 2.0 U	1.0 U 0.20 U	1.0 U –	1.0 U –	– –	– –	1.0 U 0.20 U	1.0 U 0.20 U	– –	– –	1.0 U –	– –	5.0 U –	1.0 U 5.0 U	1.0 U –	1.0 U –	1.0 U –
HMW-61A	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
HMW-9IA	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a 06/02/21	Unknown Bladder	2.0 U 0.0556 U	3.7 136	– 0.0271 U	– 0.0400 U	– 0.0327 U	– 0.0170 U	0.20 U 0.0212 U	0.20 U 0.508 U	– –	– 0.242 U	– 0.0345 U	– 0.267 J+	– 0.0118 U	5.0 U 0.265 U	– 0.124 U	– 0.153 U	– 0.0472 U
HMW-20IA	SDOT Mercer Parcels, NW quadrant	09/18/20 ^a 06/02/21	Unknown Bladder	2.0 U 0.0556 U	840 6,400	1.0 U 0.0271 U	1.0 U 0.0400 U	1.0 U 0.0327 U	– 0.0170 U	0.20 U 0.0212 U	0.20 U 0.508 U	– –	– 0.242 U	1.0 U 0.0345 U	– 0.0580 J+	1.0 U 0.0118 U	5.0 U 0.265 U	1.0 U 0.124 U	– 0.153 U	1.0 U 0.0472 U
MW107	8th Ave N ROW, W side	03/27/17 06/19/17 04/09/18 01/30/19 05/01/19 07/22/19 10/15/19 01/28/20 04/03/20 07/31/20 12/01/20 02/02/21 06/02/21	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder Bladder Bladder Peristaltic Peristaltic Peristaltic	0.153 U 0.153 U 0.153 U 0.153 U 0.153 UJ 0.153 U 0.153 UJ 3.06 U 0.153 U 1.39 U 1.39 U 0.0556 U 0.0556 U	6.82 7.29 72.1 J- 1,130 1,250 290 333 3,590 2,720 491 J 13.3 5.36 3.20	0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 1.95 U 0.0976 U 0.678 U 0.678 U 0.0271 U 0.0271 U	0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 2.34 U 0.117 U 1.00 U 1.00 U 0.0400 U 0.0400 U	0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 2.54 U 0.127 U 0.818 U 0.818 U 0.0327 U 0.0327 U	– – – – – – – – – 0.425 U 0.425 U 0.0170 U 0.0170 U	0.158 U 0.158 U 0.158 U 0.158 U 0.158 U 0.158 U 0.158 U 3.16 U 0.158 U 0.530 U 0.530 U 0.166 0.0212 U	0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 3.14 U 0.157 U 12.7 U 12.7 U 0.508 U 0.508 U	0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 6.10 U 0.305 U – – – –	0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 7.54 U 0.377 U 6.05 UJ 6.05 U 0.242 U 0.242 U	0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 2.52 U 0.126 U 0.863 U 0.863 U 0.0345 U 0.0345 U	0.0924 U 0.0924 UJ 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 1.85 U 0.0924 U 0.350 U 0.350 U 0.0140 U 0.0140 U	0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 2.04 U 0.102 U 0.295 U 0.295 U 0.0118 U 0.0118 U	1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 21.4 U 1.07 U 6.63 U 6.63 U 0.265 U 0.265 U	0.174 U 0.174 UJ 0.174 U 0.174 UJ 0.174 UJ 0.174 UJ 0.174 U 3.48 U 0.174 U 3.10 U 3.10 U 0.124 U 0.124 U	0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 2.86 U 0.143 U 3.83 U 3.83 U 0.153 U 0.153 U	0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 3.24 U 0.162 U 1.18 U 1.18 U 0.0472 U 0.0472 U
MW108	Alley E of Seattle Roy Aloha Shops	03/28/17 06/27/17 04/06/18 04/06/18 01/22/19 04/29/19 07/15/19 10/10/19 01/14/20 04/22/20 07/16/20 07/16/20 11/04/20 02/09/21 05/03/21	Peristaltic Bladder Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder Bladder Peristaltic Peristaltic	0.153 U 0.153 U 0.153 U 0.153 U 0.153 U 0.153 UJ 0.153 U 0.153 U 3.83 U 24.0 U 1.39 U 0.0556 U 1.39 U 0.278 U 0.278 U	278 165 1,030 1,020 1,180 970 918 1,080 749 178 216 264 413 269 491	0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 2.44 U 2.78 U 0.678 U 0.0271 U 0.678 U 0.136 U 0.136 U	0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 2.93 U 3.05 U 1.00 U 1.00 U 0.818 U 0.0400 U 1.00 U 0.200 U	0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 3.18 U 9.35 U 0.818 U 0.0327 U 0.818 U 0.164 U 0.164 U	– – – – – – – – – – 0.425 U 0.0170 U 0.425 U 0.0850 U 0.0850 U	0.158 U 0.158 UJ 0.158 UJ 0.158 UJ 0.158 U 0.158 U 0.158 U 0.327 J 3.95 U 3.43 U 0.530 U 0.0212 U 0.530 U 0.106 U 0.106 U	0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 3.93 U 8.43 U 12.7 U 0.508 U 12.7 U 2.54 U 2.54 U	0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 7.63 U 18.7 U – – – – –	0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 9.43 U 150 U 6.05 U 0.242 U 6.05 U 1.21 U 1.21 U	0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 3.15 U 2.63 U 0.863 U 0.671 0.863 U 0.173 U 0.173 U	0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 2.31 U 2.63 U 1.17 1.15 0.350 U 0.0700 U 0.0700 U	0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 2.55 U 2.53 U 0.295 U 0.257 0.295 U 0.0590 U 0.0590 U	1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 26.8 U 10.7 U 6.63 U 0.265 U 23.3 J 1.33 U 1.33 U	0.174 U 0.174 U 0.174 U 0.174 U 0.174 U 0.174 UJ 0.174 U 23.8 U 4.35 UJ 3.10 U 0.124 U 3.10 U 0.620 U 0.620 U	0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 3.58 U 3.93 U 3.83 U 0.153 U 3.83 U 0.765 U 0.765 U	0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.177 J 4.05 U 2.48 U 1.18 U 0.0472 U 1.18 U 0.236 U 0.236 U
MW109	Alley E of Seattle Roy Aloha Shops	03/29/17 06/27/17 04/06/18 01/23/19 04/29/19 07/15/19 10/15/19 01/21/20 04/22/20 07/06/20 11/02/20	Peristaltic Bladder Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder	0.153 U 0.153 U 0.153 U 0.153 U 0.153 UJ 0.153 U 0.153 U 0.153 U 0.960 U 0.0556 U 0.0556 U	12.6 163 629 403 4.78 30.8 397 10.4 46.8 45.4 32.1	0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.111 U 0.0271 U 0.0271 U	0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 0.122 U 0.0400 U 0.0400 U	0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 0.374 U 0.0327 U 0.0327 UJ	– – – – – – – – – 0.217 0.391	0.158 U 0.158 UJ 0.158 U 0.158 U 0.158 U 0.158 U 0.158 U 0.158 U 0.137 U 0.0212 U 0.0212 U	0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.157 U 0.337 U 0.508 U 0.508 U	0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 0.305 UJ 0.305 U 0.749 U – –	0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 6.00 U 0.242 U 0.242 U	0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 0.105 U 0.0345 U 0.0345 U	0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.105 U 0.0230 J 0.0140 U	0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 0.101 U 0.0118 U 0.0118 U	1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 0.430 U 0.265 U 0.265 U	0.174 U 0.174 U 0.174 U 0.174 UJ 0.174 U 0.174 U 0.174 U 0.174 U 0.174 U 0.124 U 0.124 U	0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 0.157 U 0.153 U 0.153 U	0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 0.0993 U 0.0472 U 0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW109 (continued)		02/09/21	Bladder	0.0556 U	9.89	0.0271 U	0.0400 U	0.0327 U	0.231	0.139	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/03/21	Peristaltic	0.0556 U	6.16	0.0271 U	0.0400 U	0.0327 U	0.138	0.154	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW110 (dup)	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.153 U	644	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/27/17	Bladder	0.153 U	1,120	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/09/18	Bladder	0.153 U	675 J-	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/19	Peristaltic	0.153 U	673	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/19	Peristaltic	0.153 U	718	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/26/19	Bladder	0.153 U	710	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/15/19	Bladder	0.153 U	578	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/15/19	Bladder	0.153 U	574	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Bladder	0.765 U	187	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.53 U	1.89 U	0.630 U	0.462 U	0.510 U	5.35 U	0.870 U	0.715 U	0.810 U
		04/22/20	Bladder	4.80 U	683	0.555 U	0.610 U	1.87 U	–	0.685 U	1.69 U	3.74 U	30.0 U	0.525 U	0.525 U	0.505 U	2.15 U	0.870 U	0.785 U	0.497 U
		07/16/20	Bladder	0.278 U	791	0.136 U	0.200 U	0.164 U	0.0850 U	0.106 U	2.54 U	–	1.21 U	0.173 U	0.0700 U	0.0590 U	1.33 U	0.620 U	0.765 U	0.236 U
		11/04/20	Bladder	2.78 U	894	1.36 U	2.00 U	1.64 U	7.07	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	46.0 J	6.20 U	7.65 U	2.36 U
		02/09/21	Bladder	0.0556 U	401	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.158	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/04/21	Bladder	0.556 U	334	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
MW115	9th Ave N ROW, W side	03/22/17	Peristaltic	0.153 U	0.643	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/22/17	Bladder	0.153 U	0.523	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/11/18	Peristaltic	0.153 U	0.272 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/30/19	Peristaltic	0.153 U	0.316 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/17/19	Peristaltic	0.153 U	0.787	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/22/19	Peristaltic	0.153 U	0.819	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Peristaltic	0.153 U	0.880	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/05/20	Bladder	0.960 U	0.654	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/28/20	Bladder	0.960 U	0.354 J	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		11/12/20	Bladder	0.0556 U	0.308	0.0271 U	0.0400 U	0.0327 U	0.195 J+	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/12/21	Bladder	0.0556 U	0.244	0.0271 U	0.0400 U	0.0327 U	0.306	0.0730 J	0.508 U	–	0.242 U	0.0345 U	0.0390 J	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	0.140	0.0271 U	0.0400 U	0.0327 U	0.298	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0420	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW116	9th Ave N ROW, W side	03/21/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/16/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/11/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/30/19	Bladder	0.153 U	0.655	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/17/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/31/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/29/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/28/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		11/12/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/11/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.161	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0470	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0170 J	0.0300 J	0.265 U	0.124 U	0.153 U	0.0472 U
MW119	9th Ave N ROW, W side	03/29/17	Peristaltic	0.153 U	42.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/28/17	Bladder	0.153 U	5.99	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/05/18	Peristaltic	0.153 U	18.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW119 (continued)		01/21/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/29/19	Peristaltic	0.153 UJ	10.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		07/19/19	Peristaltic	0.153 UJ	0.340 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/10/19	Peristaltic	0.153 U	12.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		11/11/19 ^o	Peristaltic	–	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Peristaltic	0.153 U	9.63	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/14/20 ^o	Peristaltic	–	7.4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/18/20 ^o	Unknown	–	6.6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^o	Unknown	–	4.7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20	Peristaltic	0.960 U	6.88	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		05/19/20 ^o	Unknown	–	6.1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/20	Bladder	0.0556 U	6.67	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		07/28/20 ^o	Unknown	–	7.5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	7.8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/20	Bladder	0.0556 U	12.9	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		12/03/20 ^o	Unknown	–	6.6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(split)		02/10/21	Peristaltic	0.0556 UJ	6.05	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/10/21 ^o	Peristaltic	–	5.0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/20/21	Bladder	0.0556 U	10.6	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW120	8th Ave N ROW, E side	03/28/17	Peristaltic	0.153 U	18.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/28/17	Bladder	0.153 U	16.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/09/18	Peristaltic	0.153 U	0.811	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/19	Peristaltic	0.153 U	60.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/03/19	Peristaltic	0.153 U	87.2	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/03/19	Peristaltic	0.153 U	89.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/16/19	Peristaltic	0.153 U	74.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/17/19	Bladder	0.153 U	48.8	0.0976 U	0.117 U	0.127 UJ	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/17/19	Bladder	0.153 U	49.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/17/20	Bladder	0.153 U	45.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 UJ	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/20	Bladder	0.960 U	41.0	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/14/20	Bladder	0.0556 U	28.8	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
		11/30/20	Bladder	0.0556 U	36.6	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0660 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/30/20	Bladder	0.0556 U	37.0	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/05/21	Peristaltic	0.0556 U	43.5	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0790 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/12/21	Peristaltic	0.0556 U	29.7	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW127	8th Ave N ROW, E side	08/01/19	Peristaltic	0.153 U	0.489 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/17/19	Bladder	0.153 UJ	0.656	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/17/20	Bladder	0.153 U	0.630	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/20	Bladder	0.960 U	0.861	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/14/20	Bladder	0.0556 U	0.683	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
		07/14/20	Bladder	0.0556 U	0.662	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
		11/13/20	Bladder	0.0556 UJ	0.898	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 UJ	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/11/21	Peristaltic	0.0556 UJ	0.737	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW131	Property, SE quadrant	03/27/17	Peristaltic	0.153 U	243	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/20/17	Peristaltic	0.765 U	2.55	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.52 U	1.88 U	0.630 U	0.462 U	0.510 U	5.35 U	0.870 U	0.715 U	0.810 U
		04/16/18	Peristaltic	0.153 U	10.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/25/18	Peristaltic	0.153 U	1.65	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/12/18	Peristaltic	6.51	1.20	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/19	Peristaltic	0.153 U	0.774	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/11/19	Peristaltic	0.153 U	0.250	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
Decommissioned March, 2019																				
MW-142	8th Ave N ROW, E side	04/27/18	Peristaltic	0.153 U	46.1	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
(dup)		01/28/19	Peristaltic	0.153 U	5.62	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/19	Peristaltic	0.153 U	5.67	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/19	Peristaltic	0.153 U	5.67	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
07/25/19		Bladder	0.153 U	7.70	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
10/16/19		Bladder	0.153 U	50.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
01/22/20		Bladder	0.153 U	45.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
(dup)	04/24/20	Bladder	0.960 U	53.6	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U	
	07/30/20	Bladder	0.0556 U	91.2	0.0271 U	0.0400 U	0.0327 U	0.267	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0322	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
	11/24/20	Bladder	0.0556 U	136	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0390 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
	11/24/20	Bladder	0.0556 U	142	0.0271 U	0.0400 U	0.0327 U	0.293	0.0340 U	0.508 U	–	0.242 U	0.0345 U	0.0350	0.0118 U	0.265 U	0.124 U	0.153 U	0.0480	0.0472 U
	02/08/21	Peristaltic	0.0556 U	80.5	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.220	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
05/19/21	Peristaltic	0.0556 U	31.6	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.106	0.508 U	–	0.242 U	0.0560	0.0140 U	0.0118 U	0.265 U	1.80	0.255	0.329		
MW-144	8th Ave N ROW, E side	04/27/18	Peristaltic	0.153 U	662	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/19	Peristaltic	0.153 U	10.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/19	Peristaltic	0.153 U	4.09	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
Decommissioned December 2019																				
MW-144R	8th Ave N ROW, E side	12/16/19	Bladder	0.153 U	251	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/20	Bladder	1.53 U	200	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 U	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U
		04/02/20	Bladder	0.153 U	2.01	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		08/03/20	Bladder	0.0556 U	0.459	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0670	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/23/20	Bladder	0.0556 U	0.500	0.0271 U	0.0400 U	0.0327 U	0.0360	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/02/21	Peristaltic	0.0556 U	0.450	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.150	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/12/21	Peristaltic	0.0556 U	0.405	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-146	Roy St ROW, S side	04/30/18	Bladder	0.153 U	900	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/22/19	Peristaltic	0.153 U	1,080	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/19	Bladder	0.153 U	257	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/19/19	Bladder	0.153 U	257	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/19/19	Bladder	0.153 U	371	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/14/19	Bladder	0.153 U	1,350	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/20	Bladder	15.3 U	1,460	9.76 U	11.7 U	12.7 U	–	15.8 U	15.7 U	30.5 U	37.7 U	12.6 U	9.24 U	10.2 U	107 U	17.4 U	14.3 U	16.2 U
(dup)	01/24/20	Bladder	0.153 U	1,510	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
	04/30/20	Bladder	96.0 U	2,100	11.1 U	12.2 U	37.4 U	–	13.7 U	33.7 U	74.9 U	55.4 U	10.5 U	10.5 U	10.1 U	43.0 U	17.4 U	15.7 U	9.93 U	
	07/09/20	Bladder	0.0556 U	2,750	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
(split)	Roy St ROW, S side	11/10/20	Bladder	2.78 U	3,900	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
		11/10/20	Bladder	5,000 U	3,800	500 U	500 U	500 U	–	500 U	500 U	2,500 U	–	500 U	–	500 U	2,500 U	500 U	–	500 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-146 (continued)		02/08/21 05/04/21	Peristaltic Bladder	0.0556 U 2.78 U	2,690 536	0.0271 U 1.36 U	0.0400 U 2.00 U	0.0327 U 1.64 U	0.0170 U 0.850 U	0.183 1.06 U	0.508 U 25.4 U	– –	0.242 U 12.1 U	0.0345 U 1.73 U	0.0140 U 0.700 U	0.0118 U 0.590 U	0.265 U 13.3 U	0.124 U 6.20 U	0.153 U 7.65 U	0.0472 U 2.36 U
MW-149 (dup)	Property, NE quadrant	04/10/18 10/25/18 12/13/18 12/13/18 01/29/19 03/13/19	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.765 U 30.6 U 0.153 U 0.153 U 15.3 U 0.153 U	10,500 3,320 5,150 5,210 4,350 30,800	0.488 U 0.0976 U 0.0976 U 0.0976 U 9.76 U 0.0976 U	0.585 U 0.117 U 0.117 U 0.117 U 11.7 U 0.117 U	0.635 U 25.4 U 0.127 U 0.127 U 12.7 U 0.127 U	– – – – – –	0.813 J 0.158 U 0.158 U 0.158 U 15.8 U 0.843	0.785 U 0.157 U 0.157 U 0.157 U 15.7 U 0.157 U	1.52 UJ 0.305 U 0.305 U 0.305 U 30.5 U 0.305 U	1.88 U 0.377 U 0.377 U 0.377 U 37.7 U 0.377 U	0.630 U 0.126 U 0.126 U 0.126 U 12.6 U 0.126 U	0.462 U 0.0924 U 0.0924 U 0.0924 U 9.24 U 0.0924 U	0.510 U 0.102 U 0.102 U 0.102 U 10.2 U 0.102 U	5.35 U 1.07 U 1.07 U 1.07 U 107 U 1.07 U	0.870 U 0.174 UJ 0.174 U 0.174 U 17.4 UJ 0.174 U	0.715 U 0.143 UJ 0.143 U 0.143 U 14.3 U 0.143 U	0.810 UJ 0.162 U 0.164 J 0.164 J 16.2 U 0.162 U
Decommissioned March, 2019																				
MW-151	Property, SW quadrant	04/10/18 10/25/18 12/14/18 01/31/19 03/12/19	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.153 UJ 0.153 U 0.153 U 0.153 U 0.153 U	59.1 J- 5.80 1,690 466 196	0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U	0.117 U 0.117 U 0.117 U 0.117 U 0.117 U	0.127 U 0.127 U 0.127 U 0.127 U 0.127 U	– – – – –	0.158 UJ 0.158 U 0.158 U 0.158 U 4.88	0.157 U 0.157 U 0.157 U 0.157 U 0.157 U	0.305 UJ 0.305 U 0.305 U 0.560 J 0.589 J	0.377 U 0.377 U 0.377 U 0.377 U 0.377 U	0.126 UJ 0.126 U 0.126 U 0.126 U 0.126 U	0.0924 UJ 0.0924 U 0.0924 U 0.0924 U 0.0924 U	0.102 UJ 0.102 U 0.102 U 0.102 U 0.102 U	1.07 UJ 1.07 U 1.07 U 1.07 U 1.07 U	0.174 UJ 0.174 UJ 0.174 U 0.174 U 0.174 U	0.143 UJ 0.143 UJ 0.143 U 0.143 U 0.143 U	0.162 UJ 0.162 U 0.162 U 0.162 U 0.162 U
Decommissioned March, 2019																				
MW-156 (dup)	8th Ave N ROW, E side	04/26/18 01/24/19 04/24/19 04/24/19 07/22/19 10/17/19 01/20/20 04/24/20 07/15/20 11/11/20 02/08/21 05/10/21	Peristaltic Peristaltic Peristaltic Peristaltic Bladder Bladder Bladder Bladder Bladder Bladder Peristaltic Bladder	0.153 U 0.153 U 0.153 U 0.153 U 0.153 U 1.53 UJ 1.53 U 48.0 U 2.78 U 0.0556 U 0.556 U 2.78 UJ	2,850 2,050 1,770 1,760 2,310 1,420 1,590 1,240 1,040 850 703 580	0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.976 U 0.976 U 5.55 U 1.36 U 0.0271 U 0.271 U 1.36 U	0.117 U 0.117 U 0.117 U 0.117 U 0.117 U 1.17 U 1.17 U 6.10 U 2.00 U 0.0400 U 0.400 U 2.00 U	0.127 U 0.127 U 0.127 U 0.127 U 0.127 U 1.27 U 1.27 U 18.7 U 1.64 U 0.0327 U 0.327 U 1.64 U	– – – – – – – – – 0.850 U 0.170 U 0.850 U	0.158 U 0.158 U 0.158 U 0.158 U 0.158 U 1.58 U 1.58 U 6.85 U 1.06 U 0.0212 U 0.212 U 1.06 U	0.305 U 0.305 U 0.305 U 0.305 U 0.305 U 3.05 U 3.05 U 37.4 U – – – –	0.377 U 0.377 U 0.377 U 0.377 U 0.377 U 3.77 U 3.77 U 300 U 12.1 U 0.242 U 2.42 U 12.1 U	0.126 U 0.126 U 0.126 U 0.126 U 0.126 U 1.26 U 1.26 U 5.25 U 1.73 U 0.0345 U 0.345 U 1.73 U	0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.924 U 0.924 U 5.25 U 0.700 U 0.0140 U 0.140 U 0.700 U	0.102 U 0.102 U 0.102 U 0.102 U 0.102 U 1.02 U 1.02 U 5.05 U 0.590 U 0.0118 U 0.118 U 0.590 U	1.07 U 1.07 U 1.07 U 1.07 U 1.07 U 10.7 U 10.7 U 21.5 U 13.3 U 0.265 U 2.65 U 18.2 J	0.174 U 0.174 U 0.174 U 0.174 U 0.174 U 1.74 U 1.74 U 8.70 U 6.20 U 0.124 U 1.24 U 6.20 U	0.143 U 0.143 U 0.143 U 0.143 U 0.143 U 1.43 U 1.43 U 7.85 U 7.65 U 0.153 U 1.53 U 7.65 U	0.162 U 0.162 U 0.162 U 0.162 U 0.162 U 1.62 U 1.62 U 4.97 U 2.36 U 0.0472 U 0.472 U 2.36 U	
MW-189 (dup)	Valley St ROW, S side	10/14/19 01/23/20 04/03/20 04/03/20 08/04/20 11/17/20 02/03/21 05/14/21	Bladder Bladder Bladder Bladder Bladder Bladder Bladder Bladder	0.153 U 0.153 U 0.153 U 0.153 U 0.0556 U 0.0556 U 0.0556 U 0.0556 U	2.23 0.514 0.435 U 0.449 U 0.115 0.0910 J 1.74 6.63	0.0976 U 0.0976 U 0.0976 U 0.0976 U 0.0271 UJ 0.0271 U 0.0271 U 0.0271 U	0.117 U 0.117 U 0.117 U 0.117 U 0.0400 U 0.0400 U 0.0400 U 0.0400 U	0.127 U 0.127 UJ 0.127 U 0.127 U 0.0327 U 0.0327 U 0.0327 UJ 0.0327 U	– – – – 0.0170 U 0.0170 U 0.0170 U 0.0170 U	0.158 U 0.158 U 0.158 U 0.158 U 0.0240 J 0.508 U 0.0212 U 0.508 UJ 0.508 U	0.157 U 0.157 U 0.157 U 0.157 U 0.508 U – – – –	0.305 U 0.305 U 0.305 U 0.305 U – – – – –	0.377 UJ 0.377 U 0.377 U 0.377 U 0.242 U 0.242 U 0.242 U 0.242 U 0.242 U	0.126 U 0.126 U 0.126 U 0.126 U 0.0345 U 0.0345 U 0.0345 U 0.0345 U 0.0345 U	0.0924 U 0.0924 U 0.0924 U 0.0924 U 0.0140 U 0.0140 U 0.0140 U 0.0140 U 0.0140 U	0.102 U 0.102 U 0.102 U 0.102 U 0.0118 U 0.0118 U 0.0118 U 0.0118 U 0.0118 U	1.07 U 1.07 U 1.07 U 1.07 U 0.265 U 0.265 U 0.265 U 0.265 U 0.265 U	0.174 UJ 0.174 U 0.174 U 0.174 U 0.124 U 0.124 UJ 0.124 UJ 0.124 U 0.124 U	0.143 U 0.143 U 0.143 U 0.143 U 0.153 U 0.153 U 0.153 U 0.153 U 0.153 U	0.162 U 0.162 U 0.162 U 0.162 U 0.0472 UJ 0.0472 U 0.0472 U 0.0472 U 0.0472 U
MW-302	Dexter Ave N ROW	10/21/19 01/24/20 05/07/20 07/28/20 11/17/20 05/17/21	Bladder Bladder Bladder Bladder Bladder Bladder	0.153 U 0.153 U 0.960 U 0.960 U 0.0556 U 0.0556 U	0.0933 U 0.0933 U 0.126 U 0.126 U 0.0276 U 0.0276 U	0.0976 U 0.0976 U 0.111 U 0.111 U 0.0271 U 0.0271 U	0.117 U 0.117 U 0.122 U 0.122 U 0.0400 U 0.0400 U	0.127 U 0.127 UJ 0.374 U 0.374 U 0.0327 U 0.0327 U	– – – – 0.0170 U 0.0170 U	0.158 U 0.158 U 0.137 U 0.137 U 0.0600 J 0.0212 U	0.157 U 0.157 U 0.337 U 0.337 U 0.508 U 0.508 U	0.305 U 0.305 U 0.749 U 0.749 U – –	0.377 U 0.377 U 0.554 U 0.554 UJ 0.242 U 0.242 U	0.126 U 0.126 U 0.105 U 0.105 U 0.0345 U 0.0345 U	0.0924 U 0.0924 U 0.105 U 0.105 U 0.0140 U 0.0140 U	0.102 U 0.102 U 0.101 U 0.101 U 0.0118 U 0.0118 U	1.07 U 1.07 U 0.430 U 0.430 U 0.265 U 0.265 U	0.174 U 0.174 U 0.174 UJ 0.174 U 0.124 U 0.124 U	0.143 U 0.143 U 0.157 U 0.157 U 0.153 U 0.153 U	0.162 U 0.162 U 0.0993 UJ 0.0993 U 0.0472 U 0.0472 U
MW-306	Dexter Ave N ROW, E side	10/15/19 01/16/20	Bladder Bladder	0.153 U 0.153 U	0.0933 U 0.0933 U	0.0976 U 0.0976 U	0.117 U 0.117 U	0.127 U 0.127 U	– –	0.158 U 0.158 U	0.157 U 0.157 U	0.305 UJ 0.305 U	0.377 U 0.377 U	0.126 U 0.126 U	0.0924 U 0.0924 U	0.102 U 0.102 U	1.07 U 1.07 U	0.174 U 0.174 U	0.143 U 0.143 U	0.162 U 0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-306 (continued)		04/28/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/29/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/06/20	Bladder	0.0556 U	0.0418 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/18/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.153 U	38.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Peristaltic	0.153 U	11.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.675	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/08/20	Peristaltic	0.153 U	12.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.582	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/06/20	Peristaltic	0.0556 U	16.0	0.0271 U	0.0400 U	0.0327 U	0.253	0.0620 J	0.508 U	–	0.242 U	1.83	0.105	0.0118 U	0.265 U	0.124 U	0.153 U	0.229
		11/06/20	Peristaltic	0.0556 U	6.38	0.0271 U	0.0400 U	0.0327 U	0.356	0.115	0.508 U	–	0.242 U	5.05	0.245	0.0118 U	0.265 U	0.124 U	0.153 U	0.845
		05/04/21	Peristaltic	0.0556 U	3.98	0.0271 U	0.0400 U	0.0327 U	0.105	0.104	0.508 U	–	0.242 U	3.77	0.0760	0.0500	0.265 U	0.124 U	0.153 U	0.735
MW-315	Mercer St ROW, N side	10/03/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/24/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0760 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.558	0.153 U	0.0472 U
		11/02/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0460 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/17/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-317	9th Ave N ROW, W side	10/09/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.136 J	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/27/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/30/20	Peristaltic	0.0556 U	0.0545 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.205	0.508 U	–	0.242 U	0.0345 U	0.0431	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/10/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/19/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.135	0.0640	0.265 U	0.274 J	0.153 U	0.0472 U
MW-325	Mercer St ROW, N side	10/03/19	Bladder	0.153 U	0.607	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/17/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/21/20	Bladder	0.960 U	0.696	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/23/20	Bladder	0.0556 U	0.262	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0450 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/02/20	Bladder	0.0556 U	0.802	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/08/21	Bladder	0.0556 U	1.50	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.230	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-327	Lake Union Park, S end	10/02/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/17/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/09/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/07/20	Peristaltic	0.0556 U	0.0580 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/09/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0340 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-330 (dup) (dup)	Valley St ROW, N side	05/14/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		05/14/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/16/20	Bladder	0.0556 U	0.0583 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0690 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		12/01/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.113	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		12/01/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.127	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.257 J	0.337 UJ	0.749 U	6.00 U	0.604	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	1.64
		07/06/20	Peristaltic	0.0556 U	0.0460 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0340 J	0.508 U	–	0.242 U	0.0770 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.196 J
		11/06/20	Peristaltic	0.0556 U	0.0728 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0354 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0566 J
		05/04/21	Peristaltic	0.0556 U	0.0370 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-333	900 Roy St, S end	04/29/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.189 J	0.337 U	0.749 U	0.554 UJ	0.105 U	0.158 J	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		07/24/20	Bladder	0.0556 U	0.0276 U	0.0271 UJ	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.239	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 UJ
		11/05/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.217	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/18/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.276	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-344	SDOT Mercer Parcels,	06/01/21	Bladder	0.0556 U	8.50	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
Intermediate B Water-Bearing Zone																				
FMW-141 (dup) (split)	Alley E of Seattle Roy Aloha Shops	07/26/19 ^a	Unknown	–	6,200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/30/19	Peristaltic	0.153 UJ	1,200 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/30/19	Peristaltic	0.153 UJ	2,250 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		11/11/19 ^b	Unknown	–	3,500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20	Bladder	0.765 U	414	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.53 UJ	1.89 U	0.630 U	0.462 U	0.510 U	5.35 U	0.903 U	0.715 U	0.810 U
		01/14/20 ^b	Unknown	–	250	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/17/20 ^b	Unknown	–	280	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/24/20 ^b	Unknown	–	1,200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^b	Unknown	–	440	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	4.80 U	1,300	0.555 U	0.610 U	1.87 U	–	0.685 U	1.69 U	3.74 U	2.77 UJ	0.525 U	0.525 U	0.505 U	2.15 UJ	0.870 U	0.785 U	0.497 U
		05/19/20 ^b	Unknown	–	2,400	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/22/20	Bladder	1.11 U	790	0.542 U	0.800 U	0.654 U	0.340 U	0.424 U	10.2 U	–	4.84 U	0.690 U	0.280 U	0.236 U	5.30 U	2.48 U	3.06 U	0.944 U
		07/28/20 ^b	Unknown	–	8,100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^b	Unknown	–	600	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/02/20	Bladder	2.80	276	0.0271 U	0.0400 U	0.0327 UJ	0.325	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		12/03/20 ^b	Unknown	–	68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^b	Unknown	–	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/03/21	Peristaltic	0.0556 U	5.41	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0800 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
HMW-11B	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	22	1.0 U	1.0 U	–	–	1.0 U	1.0 U	–	–	1.0 U	–	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/10/20 ^a	Unknown	2.0 U	16	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
HMW-21B	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	1.0 U	–	–	1.0 U	1.0 U	–	–	1.0 U	–	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/12/20 ^a	Unknown	2.0 U	0.59	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
HMW-41A	SDOT Mercer Parcels, SW quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	1.0 U	–	–	1.0 U	1.0 U	–	–	1.0 U	–	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U
		03/10/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–
HMW-51B	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–
HMW-61B	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–
HMW-71B	SDOT Mercer Parcels, SW quadrant	03/12/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–
HMW-81B	SDOT Mercer Parcels, SW quadrant	03/11/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
HMW-9IB	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a	Unknown	2.0 U	9,100	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
		01/26/21	Bladder	0.0556 U	3,360	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.218	0.508 U	–	24.2 UJ	0.0345 U	1.45	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		06/02/21	Bladder	5.56 U	3,060	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U
HMW-11IB	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	2.0 U	3.6	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
MW111	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.153 U	1.40	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.306 J	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/14/17	Bladder	0.153 U	1.24	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/06/18	Peristaltic	0.153 U	16.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/19	Peristaltic	0.153 U	1.70	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/22/19	Peristaltic	0.153 U	3.18	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/15/19	Peristaltic	0.153 U	0.596	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/14/19	Peristaltic	0.153 U	0.413 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/16/20	Bladder	0.153 U	5.08	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/20	Bladder	0.960 U	24.3	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/06/20	Bladder	0.0556 U	27.1	0.0271 U	0.0400 U	0.0327 U	0.0990 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/02/20	Bladder	0.0556 U	56.2	0.0271 U	0.0400 U	0.0327 UJ	0.103	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/09/21	Bladder	0.0556 U	14.5	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.103	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/03/21	Bladder	0.0556 U	5.80	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.174 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW112	Dexter Ave N ROW, W side	03/22/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/16/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/12/18	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/21/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/22/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/16/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/21/19	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 UJ	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/07/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 UJ
		07/27/20	Bladder	0.0556 UJ	0.0276 U	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0221 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/17/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/11/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		05/14/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW126 (dup)	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.153 U	0.283 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.466 J	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/15/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.179 J	0.157 U	0.305 U	0.377 U	0.245 J	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.636
		04/06/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/22/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/29/19	Peristaltic	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		07/18/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		10/15/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/15/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/14/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.162 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	1.09 U	0.143 U	0.162 U
		04/09/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW126 (continued) (dup)		07/24/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/09/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/10/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/04/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0450 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.203
		05/04/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW130 (dup)	Property, NW quadrant	03/29/17	Bladder	3.06 U	7,880	1.95 U	2.34 U	2.54 U	–	3.16 U	3.14 U	6.10 U	7.54 U	2.52 U	1.85 U	2.04 U	21.4 U	3.48 U	2.86 U	3.24 U
		06/30/17	Bladder	1.53 U	20,100	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 U	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U
		06/30/17	Bladder	1.53 U	21,300	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 U	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U
		05/21/18	Bladder	0.153 U	29,500	0.0976 U	0.117 U	0.127 U	–	0.227 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.241 J	0.143 U	0.162 U
		12/17/18	Bladder	7.65 U	26,400	4.88 U	5.85 U	6.35 U	–	7.90 U	7.85 U	15.2 U	18.8 U	6.30 U	4.62 U	5.10 U	53.5 U	8.70 U	7.15 U	8.10 U
		01/31/19	Bladder	0.153 U	27,700	0.0976 U	0.117 U	0.127 U	–	0.279 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.204 J	0.143 U	0.162 U
	Decommissioned March, 2019																			
MW-132	Property, SE quadrant	09/25/17	Bladder	0.765 U	196	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.52 U	1.88 U	0.630 U	0.462 U	0.510 U	5.35 U	0.870 U	0.715 U	0.810 U
		04/26/18	Bladder	0.153 U	3,300	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/25/18	Peristaltic	0.153 U	12.1	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/13/18	Peristaltic	0.153 U	39.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/31/19	Peristaltic	0.153 U	108	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/11/19	Peristaltic	0.153 U	22.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
	Decommissioned March, 2019																			
MW-134	Property, NE quadrant	09/22/17	Bladder	0.765 U	86.2	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.52 U	1.88 U	0.630 U	0.462 U	0.510 U	5.35 U	0.870 U	0.715 U	0.810 U
		04/16/18	Peristaltic	0.153 U	0.287 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/25/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/12/18	Bladder	0.153 U	0.259 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/19	Bladder	0.153 U	0.609	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/12/19	Bladder	0.153 U	0.550	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
	Decommissioned March, 2019																			
MW-135	Property, NE quadrant	09/25/17	Bladder	15.3 U	16,100	9.76 U	11.7 U	12.7 U	–	15.8 U	15.7 U	30.5 U	37.7 U	12.6 U	9.24 U	10.2 U	107 U	17.4 U	14.3 U	16.2 U
		04/25/18	Peristaltic	0.153 U	27,700	0.0976 U	0.117 U	0.127 U	–	0.484 J	0.157 U	0.305 U	0.377 U	0.145 J	0.0924 U	0.102 U	1.07 U	0.469 J	0.143 U	0.348 J
		10/25/18	Peristaltic	153 U	40,400	2.44 U	2.92 U	127.00 U	–	3.95 U	3.92 U	7.62 U	9.42 U	3.15 U	2.31 U	2.55 U	26.8 U	4.35 U	3.58 U	4.05 U
		12/13/18	Peristaltic	7.65 U	42,100	4.88 U	5.85 U	6.35 U	–	7.90 U	7.85 U	15.2 U	18.8 U	6.30 U	4.62 U	5.10 U	53.5 U	8.70 U	7.15 U	8.10 U
		01/31/19	Bladder	0.153 U	37,400	0.0976 U	0.117 U	0.127 U	–	0.571 J	0.157 U	0.305 U	0.377 U	0.136 J	0.0924 U	0.102 U	1.07 U	0.227 J	0.143 U	0.376 J
		03/13/19	Bladder	0.153 U	37,200	0.0976 U	0.117 U	0.127 U	–	0.329 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.327 J	0.143 U	0.322 J
	Decommissioned March, 2019																			
MW-136 (dup)	Property, SW quadrant	09/25/17	Bladder	0.153 U	18.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/16/18	Submersible	0.153 U	4.73	0.0976 U	0.117 U	0.127 U	–	4.83	0.157 U	0.305 U	0.377 U	0.582	0.0924 U	0.102 U	1.07 U	1.18 J	0.143 U	2.04
		10/29/18	Bladder	0.153 U	1.44	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.461	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/13/18	Bladder	0.153 U	0.962	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		02/01/19	Bladder	0.153 U	0.851	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/12/19	Bladder	0.153 U	0.330 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/12/19	Bladder	0.153 U	0.378 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
	Decommissioned March, 2019																			
MW-139	Property, SE quadrant	09/25/17	Bladder	0.153 U	1.42	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.10 J	0.174 U	0.143 U	0.162 U
		04/25/18	Peristaltic	0.153 U	0.175 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/25/18	Peristaltic	0.153 U	0.454 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/12/18	Peristaltic	0.153 U	0.216 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-139 (continued)	Decommissioned March, 2019	01/28/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/11/19	Peristaltic	0.153 U	0.187 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-143	8th Ave N ROW, E side	04/30/18	Peristaltic	0.153 U	129	0.0976 U	0.117 U	0.127 U	–	0.212 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/19	Bladder	0.153 U	0.241 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/19/19	Bladder	0.153 UJ	0.309 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/16/19	Bladder	0.153 U	2,510	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/22/20	Bladder	0.153 U	0.171 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/20	Bladder	0.960 U	0.135 J	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/29/20	Bladder	0.0556 U	0.0754 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0229 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/24/20	Bladder	0.0556 U	113	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0610 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/08/21	Peristaltic	2.78 U	3,260	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
		05/19/21	Bladder	2.78 U	4,240	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
MW-145	8th Ave N ROW, E side	04/27/18	Bladder	0.153 U	2.29	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/19	Bladder	0.153 U	0.316 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/26/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
Decommissioned December 2019																				
MW-145R	8th Ave N ROW, E side	12/16/19	Bladder	0.153 U	0.193 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/20	Bladder	0.153 U	0.230 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Bladder	0.153 U	0.293 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		08/03/20	Bladder	0.0556 U	0.228	0.0271 UJ	0.0400 U	0.0327 U	0.0170 U	0.0460 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 UJ
		11/23/20	Bladder	0.0556 U	0.151	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		02/05/21	Peristaltic	0.0556 U	0.0680 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.300	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-147 (dup)	Roy St ROW, S side	05/01/18	Bladder	0.153 U	399	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/22/19	Bladder	0.153 U	1,230	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/19	Bladder	0.153 U	322	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/18/19	Bladder	0.153 U	219	0.0976 U	0.117 U	0.127 U	–	3.16 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	5.94 J	0.143 U	3.24 U
		07/18/19	Bladder	0.153 U	286	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/14/19	Bladder	0.153 U	597	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/24/20	Bladder	3.83 U	1,100	2.44 U	2.93 U	3.18 UJ	–	3.95 U	3.93 U	7.63 U	9.43 U	3.15 U	2.31 U	2.55 U	26.8 U	4.35 U	3.58 U	4.05 U
		04/29/20	Bladder	24.0 U	2,410	2.78 U	3.05 U	9.35 U	–	3.43 U	8.43 U	18.7 U	13.9 UJ	2.63 U	2.63 U	2.53 U	10.7 UJ	4.35 U	3.93 U	2.48 U
		07/09/20	Bladder	0.0556 U	2,220	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/10/20	Bladder	5.56 UJ	3,740	2.71 U	4.00 U	3.27 U	1.70 UJ	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 UJ	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U
		(split)	11/10/20	Bladder	5,000 U	3,500	500 U	500 U	500 U	–	500 U	500 U	2,500 U	–	500 U	–	500 U	2,500 U	500 U	–
02/09/21	Bladder		2.78 U	1,750	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U	
05/04/21	Bladder		5.56 U	1,300	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U	
MW-148 (dup)	Roy St ROW, S side	05/01/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/01/18	Bladder	0.153 U	0.216 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/26/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/22/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/16/19	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-148 (continued)		01/20/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/30/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/15/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/11/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-150	Property, NW quadrant	04/10/18	Peristaltic	0.153 U	9,710	0.0976 U	0.117 U	0.127 U	–	39.5 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	43.5 U	0.143 U	0.162 U
		10/25/18	Peristaltic	76.5 U	17,700	0.0976 U	0.117 U	63.5 U	–	0.226 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.209 J	0.143 U	0.162 U
		12/12/18	Peristaltic	0.153 U	32,800	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.24 J	0.174 U	0.143 U	0.162 U
		01/29/19	Peristaltic	15.3 U	18,100	9.76 U	11.7 U	12.7 U	–	15.8 U	15.7 U	30.5 U	37.7 U	12.6 U	9.24 U	10.2 U	107 U	17.4 U	14.3 U	16.2 U
		03/13/19	Peristaltic	0.153 U	15,000	0.0976 U	0.117 U	0.127 U	–	0.185 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
	Decommissioned March, 2019																			
MW-152	Property, SW quadrant	04/10/18	Peristaltic	3.06 U	35,300	1.95 U	2.34 U	2.54 U	–	3.27 J	3.14 U	6.10 U	7.54 U	2.52 U	1.85 U	2.04 U	21.4 U	3.48 U	2.86 U	3.24 U
		10/26/18	Peristaltic	306 U	73,000	4.88 U	5.85 U	254.00 U	–	7.90 U	7.85 U	15.2 U	18.8 U	6.30 U	4.62 U	5.10 U	53.5 U	8.70 U	7.15 U	8.10 U
		12/14/18	Peristaltic	3.82 U	77,100 J+	2.44 U	2.92 U	3.18 U	–	3.95 U	3.92 U	7.62 U	9.42 U	3.15 U	2.31 U	2.55 U	26.8 U	4.35 U	3.58 U	4.05 U
		01/31/19	Peristaltic	0.153 U	58,400	0.0976 U	0.117 U	0.127 U	–	0.342 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.266 J	0.143 U	0.281 J
		03/12/19	Peristaltic	3.82 U	127,000	2.44 U	2.92 U	3.18 U	–	3.95 U	3.92 U	7.62 U	9.42 U	3.15 U	2.31 U	2.55 U	26.8 U	4.35 U	3.58 U	4.05 U
Decommissioned March, 2019																				
MW-157	8th Ave N ROW, E side	04/26/18	Peristaltic	0.153 U	10.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/19	Peristaltic	0.153 U	4,250	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/19	Peristaltic	0.153 U	3,550	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/22/19	Bladder	0.153 U	4,530	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/16/19	Bladder	0.153 U	0.188 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Bladder	0.153 U	2,040	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/24/20	Bladder	19.2 U	1,040	2.22 U	2.44 U	7.48 U	–	2.74 U	6.74 U	15.0 U	11.1 U	2.10 U	2.10 U	2.02 U	8.60 U	3.48 U	3.14 U	1.99 U
		07/15/20	Bladder	1.11 U	888	0.542 U	0.800 U	0.654 U	0.340 U	0.424 U	10.2 U	–	4.84 U	0.690 U	0.280 U	0.236 U	5.30 U	2.48 U	3.06 U	0.944 U
		11/23/20	Bladder	1.11 U	2,770	0.542 U	0.800 U	0.654 U	0.340 U	0.424 U	10.2 U	–	4.84 U	0.690 U	0.280 U	0.236 U	5.30 U	2.48 U	3.06 U	0.944 U
MW-190	Valley Street ROW, S side	10/14/19	Bladder	0.153 U	7.78	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/20	Bladder	0.153 U	0.389 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Bladder	0.153 U	2.13	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		08/04/20	Bladder	0.0556 U	1.74	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0330 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/18/20	Bladder	0.0556 U	21.8	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/03/21	Bladder	0.0556 U	12.5	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0450 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/14/21	Bladder	0.0556 U	8.12	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0330 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-303	Dexter Ave N ROW, E side	10/21/19	Submersible	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/07/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/27/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0263 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/17/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/18/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-307	Roy St ROW, S side	10/11/19	Bladder	0.153 U	0.935	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/15/20	Bladder	0.153 U	0.172 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/28/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/29/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-307 (continued)		11/06/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/18/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	Peristaltic	0.153 U	1.47	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Peristaltic	0.153 U	0.487 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/08/20	Peristaltic	0.153 U	0.231 J	0.0976 U	0.117 U	0.127 U	–	0.239 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/06/20	Peristaltic	0.0556 U	0.170	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0640 J	0.508 U	–	0.242 U	0.0490 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/06/20	Peristaltic	0.0556 U	0.187	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0388 J	0.508 U	–	0.242 U	0.0465 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/04/21	Peristaltic	0.0556 U	0.212	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.153 U	173	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/14/20	Peristaltic	0.153 U	75.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/20	Bladder	0.960 U	45.8	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/16/20	Bladder	0.0556 U	5.24	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Bladder	0.0556 U	2.66	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0319 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/03/21	Peristaltic	0.0556 U	0.981	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0510 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-314 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.153 U	491	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/15/20	Bladder	0.153 U	596	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/15/20	Bladder	0.153 U	569	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/22/20	Bladder	9.60 U	3,190	1.11 U	1.22 U	3.74 U	–	1.37 U	3.37 U	7.49 U	60.0 U	1.05 U	1.05 U	1.01 U	4.30 U	3.69 J	1.57 U	0.993 U
		07/16/20	Bladder	5.56 U	4,020	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U
		11/04/20	Bladder	5.56 U	4,240	2.71 U	4.00 U	3.27 U	16.1	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	89.3 J	12.4 U	15.3 U	4.72 U
		05/03/21	Bladder	2.78 U	977	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
MW-316	Mercer St ROW, N side	10/02/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/21/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/24/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/02/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/17/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-318	9th Ave N ROW, W side	10/08/19	Bladder	0.153 U	6.52	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Peristaltic	0.153 U	9.86	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/27/20	Bladder	0.960 U	2.08	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.243 J	0.250 J	0.430 U	0.174 U	0.157 U	0.0993 U
		07/30/20	Bladder	0.0556 U	0.525 J	0.0271 U	0.0400 U	0.0327 U	0.569	0.0775 J	0.508 U	–	0.242 U	0.0345 U	0.199	0.116	0.265 U	0.124 U	0.153 U	0.0472 U
		11/12/20	Bladder	0.0556 U	0.499	0.0271 U	0.0400 U	0.0327 U	1.20 J+	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.330	0.270	0.265 U	0.124 U	0.153 U	0.0472 U
		05/19/21	Peristaltic	0.0556 U	0.570	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.303	0.0810	0.265 U	0.124 U	0.153 U	0.0472 U
MW-322	9th Ave N ROW, W side	10/07/19	Peristaltic	0.153 U	497	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.112 J	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/21/20	Peristaltic	0.153 U	2,740	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/29/20	Bladder	96.0 U	1,510	11.1 U	12.2 U	37.4 U	–	13.7 U	33.7 U	74.9 U	55.4 U	10.5 U	10.5 U	10.1 U	43.0 U	17.4 U	15.7 U	9.93 U
		07/07/20	Bladder	0.556 U	547	0.271 U	0.400 U	0.327 U	0.400 J	0.212 U	5.08 U	–	2.42 U	0.345 U	0.250 J	0.400 J	2.65 U	1.24 U	1.53 U	0.472 U
		11/24/20	Bladder	0.556 U	257	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
		05/19/21	Peristaltic	0.556 U	496	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.520	1.18	2.65 U	1.24 U	1.53 U	0.472 U
MW-334	900 Roy St, S end	04/24/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/07/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-334 (continued)		11/05/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/13/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-335	Mercer St ROW, N side	05/01/20	Bladder	0.960 U	138	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/08/20	Bladder	0.556 U	89.2	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
		11/02/20	Bladder	0.556 U	1,160	0.271 U	0.400 U	0.327 UJ	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
		02/10/21	Bladder	0.556 UJ	1,350	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
		05/26/21	Peristaltic	0.556 U	1,490	0.271 U	0.400 U	0.327 U	0.170 UJ	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 UJ	0.118 U	2.65 U	1.24 U	1.53 UJ	0.472 U
MW-338	Lake Union Park, N end	05/07/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 UJ
		07/23/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0720 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/10/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/04/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-340	Lake Union Park, S end	05/12/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/17/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/09/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/13/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-345	SDOT Mercer Parcels,	06/01/21	Bladder	0.0556 U	13.9	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
MW-346 (dup)	SDOT Mercer Parcels, NW quadrant	06/02/21	Bladder	0.0556 U	18.1	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		06/02/21	Bladder	0.0556 U	18.3	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-347	SDOT Mercer Parcels,	06/01/21	Bladder	0.0556 U	123	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
MW-348	SDOT Mercer Parcels,	06/01/21	Bladder	0.0556 U	104	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
MW-349	SDOT Mercer Parcels,	06/01/21	Bladder	0.0556 U	7.23	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0400 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
MW-350	SDOT Mercer Parcels,	06/01/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	11.5	0.508 U	–	0.242 U	2.67	0.0140 U	0.0118 U	0.265 U	4.60 J-	0.756	5.12
W-MW-01	8th Ave N ROW, W side	03/30/17	Peristaltic	0.153 U	0.491 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/19/17	Bladder	0.153 U	0.320 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/13/18	Bladder	0.153 U	1.31	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/29/18	Bladder	0.153 U	0.629	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.659	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/13/18	Bladder	0.153 U	0.538	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/25/19	Bladder	0.153 U	0.459 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/11/19	Bladder	0.153 U	0.396 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/25/19	Bladder	0.153 U	0.572	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.211 J	0.143 U	0.162 U
		07/23/19	Bladder	0.153 U	0.547	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.211 J	0.143 U	0.162 U
		10/15/19	Bladder	0.153 U	0.408 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/27/20	Bladder	0.153 U	0.553	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/03/20	Bladder	0.153 U	0.588	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/31/20	Bladder	0.0556 U	0.431 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 UJ	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/24/20	Bladder	0.0556 U	0.451	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		02/03/21	Bladder	0.0556 U	0.495	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0212 U	0.508 UJ	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		05/17/21	Bladder	0.0556 U	0.367	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
W-MW-02	8th Ave N ROW, W side	03/27/17	Peristaltic	0.153 U	33.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/19/17	Bladder	0.153 U	18.2	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U

Table G-5

**Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene		
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800		
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300		
W-MW-02 (continued) (dup)		06/12/18	Bladder	0.153 U	4.72	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		10/26/18	Peristaltic	0.153 U	2.01	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		10/26/18	Peristaltic	0.153 U	2.11 J+	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		12/12/18	Peristaltic	0.153 U	1.80	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		01/25/19	Peristaltic	0.153 U	1.83	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		03/11/19	Peristaltic	0.153 U	2.41	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		04/23/19	Peristaltic	0.153 U	672	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		07/23/19	Bladder	0.153 U	3.30	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		10/18/19	Bladder	0.153 U	2.07	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		01/28/20	Bladder	0.153 U	1.52	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		04/01/20	Bladder	0.153 U	1.44	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		07/31/20	Bladder	0.0556 U	1.39 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
Deep Water-Bearing Zone																						
FMW-129	SDOT Mercer Parcels, NE quadrant	04/10/17	Peristaltic	0.765 U	1,420	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.52 U	18.8 U	0.630 U	0.462 U	0.510 U	5.35 U	1.42 J	0.715 U	0.810 U		
		06/23/17	Bladder	0.153 U	474	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	5.35 U	0.174 U	0.143 U	0.162 U		
		05/01/19	Peristaltic	0.153 U	372	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		07/16/19	Bladder	0.153 U	272	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		10/21/19	Peristaltic	0.153 U	350	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		11/12/19"	Unknown	–	340	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		01/14/20	Bladder	1.53 U	385	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 U	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U		
		01/14/20"	Bladder	–	290	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		02/18/20"	Unknown	–	310	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		03/25/20"	Unknown	–	290	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		04/27/20"	Unknown	–	190	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		05/06/20	Bladder	0.960 U	157	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U		
(split)		05/19/20"	Unknown	–	120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		07/10/20	Bladder	0.0556 U	92.5	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		07/28/20"	Unknown	–	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		09/17/20"	Unknown	–	70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		11/10/20	Bladder	0.0556 U	58.8	0.0271 U	0.0400 U	0.0327 U	0.0809 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		12/03/20"	Unknown	–	57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		02/10/21	Peristaltic	0.0556 U	42.5	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		02/10/21"	Peristaltic	–	31	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		05/26/21	Bladder	0.0556 U	517	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		05/26/21	Bladder	0.0556 U	526	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		FMW-131	Block 37, SE quadrant	03/24/17	Peristaltic	0.153 U	45.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.273 U	0.143 U	0.162 U
				06/23/17	Bladder	0.153 U	3.61	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
12/18/17 ^b	Unknown			–	0.61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
04/22/19	Peristaltic			0.153 U	10.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
10/21/19	Peristaltic			0.153 U	10.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
01/22/20	Peristaltic			0.153 U	15.1	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
04/29/20	Peristaltic			0.960 U	13.9	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U		
07/30/20	Bladder			0.0556 U	6.73 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
08/26/20"	Unknown			–	6.5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
FMW-131 (continued)		11/19/20	Bladder	0.0556 U	7.91	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		12/04/20 ^o	Unknown	–	3.5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^o	Unknown	–	0.27	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	0.0556 U	7.89	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.172	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		05/13/21	Peristaltic	0.0556 U	9.83	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0230 J	0.0170 J	0.265 U	0.124 U	0.153 U	0.0472 U
FMW-137	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	1.2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	1.1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/06/19 ^o	Unknown	–	1.3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/08/19 ^o	Unknown	–	1.3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	1.1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/06/19	Peristaltic	0.153 U	1.27	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		11/11/19 ^o	Unknown	–	1.3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.153 U	1.99	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		05/06/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/31/20	Bladder	0.0556 U	0.0343 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.137	0.508 U	–	0.242 UJ	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/24/20	Bladder	0.0556 U	0.0540 J	0.0271 U	0.0400 U	0.0327 U	0.0460 J	0.0480 U	0.508 U	–	0.242 U	0.119	0.0140 U	0.0118 U	0.265 U	0.658 J-	0.315 J	0.0472 U
		02/12/21	Bladder	0.0556 U	2.66	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0800 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		06/02/21	Peristaltic	0.0556 U	2.99	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0420 J+	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
FMW-138	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	0.29	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		12/28/18 ^o	Unknown	–	0.34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/6/19 ^o	Unknown	–	0.38	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/8/19 ^o	Unknown	–	0.34	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/14/19 ^o	Unknown	–	0.33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/11/19 ^o	Unknown	–	0.37	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FMW-3D	Terry Ave N ROW, E side	03/24/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/23/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
FMW-140	900 Roy St, S end	07/17/19 ^o	Unknown	–	280	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		10/31/19	Peristaltic	0.153 U	0.160 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.327 J	0.200 J	1.07 UJ	0.174 U	0.143 UJ	0.162 U
		11/12/19 ^o	Unknown	–	310	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	340	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.153 U	406	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.492 J	0.453 J	1.07 U	0.174 UJ	0.143 U	0.162 U
		02/18/20 ^o	Unknown	–	280	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^o	Unknown	–	100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^o	Unknown	–	33	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/28/20	Bladder	0.960 U	27.1	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.479 J	0.333 J	0.430 U	0.174 U	0.157 U	0.0993 U
		05/19/20 ^o	Unknown	–	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/07/20	Bladder	0.0556 U	8.76	0.0271 U	0.0400 U	0.0327 U	0.458	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.507	0.685	0.265 U	0.124 U	0.153 U	0.0472 U
		07/29/20 ^o	Unknown	–	9.7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	25	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/13/20	Bladder	0.0556 UJ	6.15	0.0271 U	0.0400 U	0.0327 U	0.394	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.189 J-	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		12/04/20 ^o	Unknown	–	3.3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21 ^o	Unknown	–	0.72	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/18/21	Peristaltic	0.0556 U	2.12	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.299	0.0330 J	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
GEI-2	Block 37, NW quadrant	03/24/17	Peristaltic	0.153 U	2.25	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.271 U	0.143 U	0.162 U
		06/23/17	Bladder	0.153 U	16.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.130 J	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/29/18 ^o	Unknown	–	6.7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/22/19	Peristaltic	0.153 U	11.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.217 J	0.154 J	1.07 U	0.174 U	0.143 U	0.162 U
		07/16/19	Peristaltic	0.153 U	1.37	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/21/19	Peristaltic	0.153 UJ	20.1	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.194 J	0.252 J	1.07 U	0.174 U	0.143 U	0.162 U
		11/11/19 ^o	Unknown	–	18	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/14/20 ^o	Unknown	–	2.0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/22/20	Peristaltic	0.153 U	0.308 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		02/17/20 ^o	Unknown	–	5.6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		03/25/20 ^o	Unknown	–	4.3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/27/20 ^o	Unknown	–	3.2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		04/29/20	Peristaltic	0.960 U	4.49	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 UJ	0.105 U	0.105 U	0.101 U	0.430 UJ	0.174 U	0.157 U	0.0993 U
		05/19/20 ^o	Unknown	–	2.7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		06/29/20 ^o	Unknown	–	1.6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/29/20 ^o	Unknown	–	1.3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/30/20	Bladder	0.0556 U	1.38 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 UJ	0.0345 U	0.0492	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		08/26/20 ^o	Unknown	–	0.20 U	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		09/17/20 ^o	Unknown	–	1.0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/19/20	Bladder	0.0556 U	0.997	0.0271 U	0.0400 U	0.0327 U	0.103	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0670 J+	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		12/04/20 ^o	Unknown	–	0.52	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ^o	Unknown	–	0.43	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/12/21	Peristaltic	0.0556 U	0.711	0.0271 U	0.0400 U	0.0327 U	0.0640 J	0.216	0.508 U	–	0.242 U	0.0345 U	0.0570	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		05/13/21	Peristaltic	0.0556 U	0.379	0.0271 U	0.0400 U	0.0327 U	0.0520 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0560	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
HMW-1D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a 03/09/20 ^a	Peristaltic Unknown	1.0 U 200 U	410 910	1.0 U –	1.0 U –	– –	– –	1.0 U 20 U	1.0 U 20 U	– –	– –	1.0 U –	– –	5.0 U –	1.0 U 500 U	1.0 U –	1.0 U –	1.0 U –
HMW-2D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a 03/12/20 ^a	Peristaltic Unknown	1.0 U 2.0 U	1.0 U 1.1	1.0 U –	1.0 U –	– –	– –	1.0 U 0.20 U	1.0 U 0.20 U	– –	– –	1.0 U –	– –	5.0 U –	1.0 U 5.0 U	1.0 U –	1.0 U –	1.0 U –
HMW-3D	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a 03/13/20 ^a	Peristaltic Unknown	1.0 U 2.0 U	1.0 U 0.20 UJ	1.0 U –	1.0 U –	– –	– –	1.0 U 0.20 U	1.0 U 0.20 U	– –	– –	1.0 U –	– –	5.0 U –	1.0 U 5.0 U	1.0 U –	1.0 U –	1.0 U –
HMW-6D	SDOT Mercer Parcels, SW quadrant	03/16/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	0.40 U	–	–
HMW-9D	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	2.0 U	5.1	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
HMW-10D	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	2.0 U	0.20 U	–	–	–	–	0.20 U	0.20 U	–	–	–	–	–	5.0 U	–	–	–
MW102	Valley Street ROW, S side	03/29/17	Bladder	0.153 U	0.223 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/15/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/25/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/01/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/18/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	2.11 J	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW102 (continued) (dup)		11/14/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		08/04/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		08/04/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0340 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/18/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/03/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0390 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW103	Alley E of Seattle Roy Aloha Shops	05/14/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		03/23/17	Peristaltic	0.153 U	240	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/14/17	Bladder	0.153 U	120	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/06/18	Peristaltic	0.153 U	32.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/19	Peristaltic	0.153 U	11.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/22/19	Peristaltic	0.153 U	88.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/15/19	Peristaltic	0.153 U	118	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/14/19	Peristaltic	0.153 U	91.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Bladder	0.153 U	40.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/20	Bladder	0.960 U	12.8	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		04/23/20	Bladder	0.960 U	12.9	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/06/20	Bladder	0.0556 U	4.21	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/02/20	Bladder	0.0556 U	2.75	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/10/21	Bladder	0.0556 U	9.05	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0450 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/03/21	Bladder	0.0556 U	34.0	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW104	8th Ave N ROW, W side	03/30/17	Peristaltic	0.153 U	3.97	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.217 U	0.143 U	0.162 U
		06/30/17	Bladder	0.153 U	1.54	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/09/18	Peristaltic	0.153 U	176	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/26/18	Bladder	0.153 U	71.2	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/13/18	Bladder	0.153 U	48.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		02/01/19	Bladder	0.153 U	30.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/13/19	Bladder	0.153 U	83.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/19	Bladder	0.153 U	162	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/22/19	Bladder	0.153 U	160	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/18/19	Bladder	0.153 U	16.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/20	Bladder	0.153 U	44.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/01/20	Bladder	0.153 U	21.1	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/31/20	Bladder	0.0556 U	12.8 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		07/31/20	Bladder	0.0556 U	12.6 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/17/20	Bladder	0.0556 U	28.6	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/10/21	Bladder	0.0556 U	43.9	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.225	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW105	Roy Street ROW, S side	04/21/17	Bladder	0.153 U	0.155 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/14/17	Bladder	0.153 U	0.180 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	1.41 J	0.143 U	0.162 U
		04/11/18	Bladder	0.153 U	1.67	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/19	Bladder	0.153 U	1.51	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/19	Bladder	0.153 U	0.917	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

**Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene	
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800	
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300	
MW105 (continued) (dup)		07/17/19	Bladder	0.153 U	0.891	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		10/22/19	Bladder	0.153 U	0.945	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		10/22/19	Bladder	0.153 U	0.720	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		01/20/20	Bladder	0.153 U	1.38	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		05/12/20	Bladder	0.960 U	0.805	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U	
		07/27/20	Bladder	0.0556 U	1.56	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
		11/17/20	Peristaltic	0.0556 U	4.83	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
		02/11/21	Bladder	0.0556 U	6.78	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0690 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
		06/07/21	Bladder	0.0556 U	11.5	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0490 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
MW106	SDOT Mercer Parcels, NW quadrant	04/14/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		06/30/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		05/04/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	–	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.305 U	
		04/26/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		07/19/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		10/18/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		01/14/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		05/06/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U	
		05/06/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U	
	(dup)	07/10/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
		11/10/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
		(dup)	11/10/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
			02/12/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
	(dup)	02/12/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
		05/13/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U	
	MW113	9th Ave N ROW, W side	03/22/17	Peristaltic	0.153 U	7,280	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
			06/16/17	Bladder	0.153 U	4,750	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
04/11/18			Peristaltic	0.153 U	3,720	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
01/30/19			Peristaltic	0.765 U	6,330	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.52 U	1.88 U	0.630 U	0.462 U	0.510 U	5.35 U	0.870 U	0.715 U	0.810 U	
02/07/19			Peristaltic	0.153 U	6,990	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
07/17/19			Peristaltic	0.153 U	4,940	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
10/22/19			Peristaltic	0.153 U	1,420	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
11/11/19 ^o			Peristaltic	–	8,200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
01/14/20			Bladder	1.53 U	10,300	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 U	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U	
(split)		01/14/20 ^o	Peristaltic	–	8,000	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		02/18/20 ^o	Unknown	–	9,600	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		03/24/20 ^o	Unknown	–	4,100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		04/27/20	Peristaltic	96.0 U	4,320	11.1 U	12.2 U	37.4 U	–	13.7 U	33.7 U	74.9 U	600.0 U	10.5 U	10.5 U	10.1 U	43.0 U	17.4 U	15.7 U	9.93 U	
		04/27/20 ^o	Peristaltic	–	3,500	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
(split)		05/19/20 ^o	Unknown	–	3,700	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		07/28/20	Bladder	96.0 U	3,100	11.1 U	12.2 U	37.4 U	–	13.7 U	33.7 U	74.9 U	55.4 U	10.5 U	10.5 U	10.1 U	43.0 U	17.4 U	15.7 U	9.93 U	
		07/28/20 ^o	Unknown	–	2,300	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		09/17/20 ^o	Unknown	–	1,900	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		11/24/20	Bladder	5.56 U	1,290	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U	

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW113 (continued) (split)		12/03/20 ^o	Unknown	–	540	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/10/21	Peristaltic	0.0556 U	39.1	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		02/10/21 ^o	Peristaltic	–	26	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		05/25/21	Peristaltic	0.0556 U	1,380	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0810	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW122	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/14/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.382 J
		04/06/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/14/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/17/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 UJ	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/07/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/24/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/06/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/03/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW123	Westlake Ave N ROW, W side	04/01/17	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.141 J	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/24/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/14/18	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/18/19	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 UJ	0.163 J	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/22/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.144 J	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		05/05/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/30/20	Peristaltic	0.0556 U	0.0276 UJ	0.0271 U	0.0400 U	0.0327 U	0.213	0.141	0.508 U	–	0.242 UJ	0.0345 U	0.0318 J	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/12/20	Peristaltic	0.0556 UJ	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.112	0.0217 J	0.508 U	–	0.242 U	0.0345 U	0.0222 J	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/26/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 UJ	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 UJ	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
MW124 (dup)	Valley Street ROW, S side	03/29/17	Bladder	0.153 U	0.661	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/29/17	Bladder	0.153 U	0.600	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/15/17	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/13/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/11/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		01/30/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/03/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		08/03/20	Bladder	0.0556 U	0.0276 UJ	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.102	0.508 U	–	0.242 UJ	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/18/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		06/08/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW128 (dup)	Westlake Ave N ROW, E side	03/29/17	Peristaltic	0.153 U	7.16	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		06/21/17	Bladder	0.153 U	109	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		04/09/18	Peristaltic	0.153 U	3.07	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		12/30/18 ^o	Unknown	–	5.0	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		07/18/19	Peristaltic	0.153 U	1.88	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.161 J	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		10/11/19	Peristaltic	0.153 U	0.619	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		10/11/19	Peristaltic	0.153 U	0.841	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.137 J	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		11/11/19 ^o	Peristaltic	–	1.4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		01/20/20	Peristaltic	0.153 U	1.67	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.182 J	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		02/18/20 ^o	Unknown	–	1.4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW128 (continued) (split)		04/27/20	Peristaltic	0.960 U	1.04	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.119 J	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		06/29/20	Peristaltic	0.0556 U	0.618	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 UJ	–	0.242 U	0.0345 U	0.0840	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		06/29/20 ⁿ	Unknown	–	0.51	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		08/26/20 ⁿ	Unknown	–	0.46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		11/09/20	Bladder	0.0556 U	0.671	0.0271 U	0.0400 U	0.0327 U	0.0810 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.127	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		12/20/20 ⁿ	Unknown	–	0.40	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		02/11/21 ⁿ	Unknown	–	0.40 U	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
05/25/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 UJ	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 UJ	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U		
MW-133	Property, SW quadrant	09/25/17	Bladder	0.153 U	13.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	1.07 J	0.143 U	0.162 U
		04/25/18	Bladder	0.153 U	10.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.739 J	0.143 U	0.162 U
		10/26/18	Bladder	0.153 U	7.94	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.411 J	0.143 U	0.162 U
		12/12/18	Bladder	0.233 J	7.88	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.251 J	0.143 U	0.162 U
		02/01/19	Bladder	0.153 U	12.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/13/19	Bladder	0.153 U	7.48	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		Decommissioned March, 2019																		
MW-137	Property, SW quadrant	09/25/17	Bladder	0.153 U	62.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/12/18	Bladder	0.153 UJ	1.79	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/26/18	Bladder	0.153 U	0.893 J+	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		12/12/18	Bladder	0.153 U	0.437 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		02/01/19	Bladder	0.153 U	0.616	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/11/19	Bladder	0.153 U	0.275 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		Decommissioned March, 2019																		
MW-138	Dexter Ave N ROW, E side	09/21/17	Bladder	0.306 U	0.187 U	0.195 U	0.234 U	0.254 U	–	0.316 U	0.314 U	1.91 J	0.754 U	0.252 U	0.185 U	0.204 U	2.14 U	0.348 U	0.286 U	0.324 U
		04/11/18	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/29/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.609	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		12/17/18	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/03/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/14/19	Bladder	0.153 U	0.262 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/22/19	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/19/19	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/21/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/27/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/08/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.184 J	0.157 U	0.0993 U
		07/27/20	Bladder	0.0556 UJ	0.0276 U	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0657 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/18/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		02/11/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.105	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		06/07/21	Bladder	0.0556 U	0.0730 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0370 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-140 (dup)	Roy Street ROW, E side	09/22/17	Bladder	0.754 J	0.477 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		09/22/17	Bladder	2.13	0.523	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/12/18	Bladder	0.153 UJ	2.47 J+	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-141	Property, SE quadrant	09/22/17	Bladder	2.07	0.345 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/12/18	Submersible	0.153 UJ	91.6 J+	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 UJ	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/25/18	Bladder	0.153 U	3.10	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 UJ	0.162 U
		12/12/18	Bladder	0.153 U	1.46	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene		
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800		
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300		
MW-141 (continued)	Decommissioned March, 2019	01/30/19	Bladder	0.153 U	0.479 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		03/11/19	Bladder	0.153 U	1.30	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
MW-153	Roy St ROW, S side	05/01/18	Bladder	0.153 U	0.612	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
(dup)		01/22/19	Bladder	0.153 U	1.41	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
	04/24/19	Bladder	0.153 U	1.07	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
	04/24/19	Bladder	0.153 U	0.975	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
	07/22/19	Bladder	0.153 U	0.384 J	0.0976 U	0.117 U	0.127 U	–	0.227 J	0.157 U	0.305 U	0.377 U	0.134 J	0.0924 U	0.102 U	1.07 U	0.174 U	0.162 J	0.162 U			
	10/15/19	Bladder	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
(dup)	(dup)	01/21/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U		
		04/30/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U		
		07/15/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		11/09/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		02/09/21	Bladder	0.0556 U	0.105	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.147	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		02/09/21	Bladder	0.0556 U	0.107	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.160	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		05/10/21	Bladder	0.0556 UJ	0.101	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0430 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U		
		MW-158A	8th Ave N ROW, E side	04/30/18	Bladder	0.153 U	59.6 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/19		Bladder	0.153 U	2.54	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
		04/25/19		Bladder	0.153 U	0.974	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
07/19/19	Bladder	0.153 UJ		0.290 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
10/16/19	Bladder	0.153 UJ		0.848	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
01/21/20	Bladder	0.153 U		0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.269 J	0.143 U	0.162 U			
04/24/20	Bladder	0.960 U		1.15	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U			
07/15/20	Bladder	0.0556 U		0.379	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U			
11/23/20	Bladder	0.0556 U		0.127	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U			
02/02/21	Bladder	0.0556 U		0.0890 J	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.197	0.508 UJ	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U			
05/10/21	Bladder	0.0556 UJ		0.0900 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U			
MW-160	8th Ave N ROW, W side	05/21/18		Bladder	0.153 U	2.96	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U	
01/25/19		Bladder	0.153 U	5.08	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
05/01/19		Bladder	0.153 U	2.58	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
07/23/19		Bladder	0.153 U	0.217 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
10/17/19		Bladder	0.153 UJ	0.445 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
01/29/20		Bladder	0.153 U	0.176 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
04/01/20		Bladder	0.153 UJ	2.09	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U			
08/03/20		Bladder	0.0556 U	15.2	0.0271 UJ	0.0400 U	0.0327 U	0.0170 U	0.0670 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 UJ			
11/30/20		Bladder	0.0556 U	43.2	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.108	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U			
02/05/21		Bladder	0.0556 U	26.4	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.177	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U			
05/12/21		Bladder	0.0556 U	11.1	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U			
MW-161		8th Ave N ROW, W side	05/21/18	Bladder	0.153 U	1.89	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U	
01/25/19	Bladder		0.153 U	1.26	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U			
05/01/19	Bladder		0.153 UJ	1.15	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U			
07/18/19	Bladder		0.153 U	1.58	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.353 J	0.143 U	0.162 U			
10/14/19	Bladder		0.153 U	1.30	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U			
01/28/20	Bladder		0.153 U	9.02	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U			

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-161 (continued)		04/03/20	Bladder	0.153 U	23.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/31/20	Bladder	0.0556 U	59.2 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		12/01/20	Bladder	0.0556 U	84.2	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/05/21	Bladder	0.0556 U	85.8	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Bladder	0.0556 U	69.8	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-162	Property, NE quadrant Decommissioned March, 2019	02/05/19	Bladder	2.00 U	1,070	1.00 U	1.00 U	1.00 U	–	1.00 U	4.00 U	–	–	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
		03/12/19	Peristaltic	0.153 U	758	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-163	Property, NW quadrant (dup) Decommissioned March, 2019	02/05/19	Bladder	2.00 U	42.2	1.00 U	1.00 U	1.00 U	–	1.00 U	4.00 U	–	–	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
		02/05/19	Bladder	2.00 U	40.3	1.00 U	1.00 U	1.00 U	–	1.00 U	4.00 U	–	–	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
		03/12/19	Bladder	0.153 U	56.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-164	Property, SW quadrant Decommissioned March, 2019	02/05/19	Bladder	2.00 U	385	1.00 U	1.00 U	1.00 U	–	1.00 U	4.00 U	–	–	1.00 U	–	1.00 U	1.00 U	1.00 U	1.00 U	1.00 U
		03/12/19	Bladder	0.153 U	529	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-304	Dexter Ave N ROW, E side	10/21/19	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/27/20	Bladder	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/07/20	Bladder	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/27/20	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/18/21	Bladder	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-319	9th Ave N ROW, W side	10/08/19	Bladder	0.153 U	53.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/16/20	Peristaltic	0.153 U	63.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/27/20	Bladder	0.960 U	54.1	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/27/20	Bladder	0.0556 U	49.2	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0450 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/12/20	Bladder	0.0556 U	47.6	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-323	9th Ave N ROW, W side	05/19/21	Peristaltic	0.0556 U	37.4	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		10/09/19	Peristaltic	0.153 U	66.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.308 J	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Peristaltic	0.153 U	229	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/23/20	Bladder	0.960 U	5.11	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/07/20	Bladder	0.0556 U	2.55	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-324	Roy St ROW, N side	11/24/20	Bladder	0.0556 U	2.68	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/20/21	Peristaltic	0.0556 U	115	0.0271 U	0.0400 U	0.0327 U	0.0460 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		10/02/19	Bladder	0.153 U	1,550	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Peristaltic	7.65 U	3,170	4.88 U	5.85 U	6.35 U	–	7.90 U	7.85 U	15.3 U	18.9 U	6.30 U	4.62 U	5.10 U	53.5 U	8.70 U	7.15 U	8.10 U
		04/24/20	Bladder	48.0 U	8,520	5.55 U	6.10 U	18.7 U	–	6.85 U	16.9 U	37.4 U	300 U	5.25 U	5.25 U	5.05 U	21.5 U	8.70 U	7.85 U	4.97 U
MW-326	Mercer Street ROW, N side	07/07/20	Bladder	2.78 U	8,410	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
		11/13/20	Bladder	2.78 U	7,210	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
		05/20/21	Peristaltic	2.78 U	3,470	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
		10/03/19	Bladder	0.153 U	6.87	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/17/20	Bladder	0.153 U	9.38	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.371 J	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-326	Mercer Street ROW, N side	04/21/20	Bladder	0.960 U	0.971	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	6.00 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/23/20	Bladder	0.0556 U	0.277	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-326 (continued)		11/02/20	Bladder	0.0556 U	0.224	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/09/21	Bladder	0.0556 U	3.40	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0570 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/18/21	Bladder	0.0556 U	3.53	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-328	Lake Union Park, S end	10/02/19	Bladder	0.153 U	1.26	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/17/20	Peristaltic	0.153 U	1.03	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 UJ	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/08/20	Peristaltic	0.153 U	0.631	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/07/20	Peristaltic	0.0556 U	1.03	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0570	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/09/20	Peristaltic	0.0556 U	0.607	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 UJ	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0400 J	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
MW-329 (dup)	Westlake Ave N ROW, E side	10/03/19	Peristaltic	0.153 U	9.25	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		10/03/19	Peristaltic	0.153 U	9.26	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/20/20	Peristaltic	0.153 U	11.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/27/20	Bladder	0.960 U	17.5	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	6.00 U	0.105 U	0.113 J	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		08/03/20	Bladder	0.0556 U	14.7	0.0271 UJ	0.0400 U	0.0327 U	0.0923 J	0.0290 J	0.508 U	–	0.242 U	0.0345 U	0.167	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 UJ
		11/09/20	Bladder	0.0556 U	21.0	0.0271 U	0.0400 U	0.0327 U	0.139	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.174	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	15.2	0.0271 U	0.0400 U	0.0327 U	0.0170 UJ	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.109 UJ	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
MW-336	Mercer St ROW, N side	05/05/20	Bladder	0.960 U	57.1	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/08/20	Bladder	0.0556 U	61.1	0.0271 U	0.0400 U	0.0327 U	0.0570 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/02/20	Bladder	0.0556 U	137	0.0271 U	0.0400 U	0.0327 UJ	0.0730 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/10/21	Bladder	0.0556 UJ	107	0.0271 U	0.0400 U	0.0327 U	0.0510 J	0.0550 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/26/21	Peristaltic	0.0556 U	150	0.0271 U	0.0400 U	0.0327 U	0.0170 UJ	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 UJ	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
MW-341	Lake Union Park, S end	05/12/20	Peristaltic	0.960 U	41.4	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 UJ	0.749 U	0.554 U	0.105 U	0.179 J	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/07/20	Peristaltic	0.0556 U	32.9	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.146	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/09/20	Peristaltic	0.0556 U	25.1	0.0271 U	0.0400 U	0.0327 U	0.0510 J	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.127	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/25/21	Peristaltic	0.0556 U	2.43	0.0271 U	0.0400 U	0.0327 U	0.121	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.148	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-342	Valley St ROW, S side	05/04/20	Peristaltic	0.960 U	1.34	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.261 J	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/30/20	Peristaltic	0.0556 U	5.56 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.116	0.508 U	–	0.242 UJ	0.0345 U	0.0172 J	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/17/20	Peristaltic	0.0556 U	1.22	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		06/04/21	Peristaltic	0.0556 U	6.45	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-343	Valley St ROW, S side	05/04/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/30/20	Peristaltic	0.0556 U	0.0276 UJ	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.163	0.508 U	–	0.242 UJ	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/24/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		06/04/21	Peristaltic	0.0556 U	3.17	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
Treatment Zone A Wells																				
IW-4A	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.153 U	2,010	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-7A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.153 U	8.74	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-9A	Property, NW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.153 U	510	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
IW-18A	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.153 U	3,680	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.258 J	0.143 U	0.186 J
IW-22A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.153 U	128	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-37A	Property, SW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.153 U	10.5	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-41A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.153 U	510	0.0976 U	0.117 U	0.127 U	–	3.16 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.184 J	1.07 U	3.48 U	0.143 U	0.162 UJ
IW-42A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.153 U	10,500	0.0976 U	0.117 U	0.127 U	–	39.5 U	0.157 U	0.305 UJ	0.377 U	0.174 J	0.0924 U	25.5 U	1.07 U	43.5 U	0.143 U	0.372 J
IW-45A	Property, SW quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.153 U	18,800	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.235 J	0.143 U	0.162 U
IW-46A	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.153 U	8.86	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-48A	Property, SE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.153 U	1.16	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-165	Property, NE quadrant	11/04/19	Peristaltic	0.153 UJ	4,180	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
(dup)		01/30/20	Peristaltic	0.153 U	6.89	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	61.4	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/09/20	Peristaltic	0.0556 U	40.8	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Flowing	0.0556 U	578	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Flowing	0.0556 U	578	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Flowing	5.56 U	1,570	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0800 J	0.508 UJ	–	0.242 U	0.0630 J	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		05/06/21	Flowing	0.556 U	260	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 UJ	0.472 UJ
MW-169	Property, SW quadrant	11/05/19	Peristaltic	0.153 UJ	48.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/20	Peristaltic	0.153 U	0.665 J	0.0976 U	0.117 U	0.127 UJ	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/05/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	1.32 J	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.176 J	0.157 U	0.0993 U
		07/10/20	Peristaltic	0.0556 U	0.194	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.105	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
		11/03/20	Flowing	0.0556 U	0.853	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/17/21	Flowing	0.0556 U	0.158	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/07/21	Flowing	0.0556 U	0.0680 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-173	Property, SE quadrant	11/01/19	Peristaltic	0.153 UJ	15.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/20	Peristaltic	0.153 U	5.48	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	0.493 J	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-173 (continued)		07/09/20	Peristaltic	0.0556 U	0.402	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Flowing	0.0556 U	0.616	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Flowing	0.0556 U	0.272	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0380 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/05/21	Flowing	0.0556 U	0.142 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.106	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-177	Property, SW quadrant	11/06/19	Peristaltic	0.153 U	131,000	0.0976 U	0.117 U	0.127 U	–	0.579	0.157 U	0.305 U	0.377 U	0.184 J	0.0924 U	0.102 U	1.07 U	0.677 J	0.143 U	0.558
		01/24/20	Peristaltic	7.65 U	99,800	4.88 U	5.85 U	6.35 U	–	7.90 U	7.85 U	15.3 U	18.9 U	6.30 U	4.62 U	5.10 U	53.5 U	8.70 U	7.15 U	8.10 U
		04/01/20	Peristaltic	765 U	123,000	488 U	585 U	635 U	–	790 U	785 U	1,530 U	1,890 U	630 U	462 U	510 U	5,350 U	870 U	715 U	810 U
		07/10/20	Peristaltic	278 U	76,100	136 U	200 U	164 U	85.0 U	106 U	2,540 U	–	1,210 U	172 U	70.0 U	59.0 U	1,330 U	620 U	765 U	236 U
		11/03/20	Flowing	55.6 U	16,900	27.1 U	40.0 U	32.7 U	17.0 U	21.2 U	508.0 U	–	242.0 U	34.5 U	14.0 U	11.8 U	265 U	124 U	153 U	47.2 U
		02/18/21	Flowing	11.1 U	12,800	5.42 U	8.00 U	6.54 U	3.40 U	4.24 U	102 U	–	48.4 U	6.90 U	2.80 U	2.36 U	53.0 U	24.8 U	30.6 U	9.44 U
		05/06/21	Flowing	11.1 U	11,800	5.42 U	8.00 U	6.54 U	3.40 U	4.24 U	102 U	–	48.4 U	6.90 U	2.80 U	2.36 U	53.0 U	24.8 U	30.6 U	9.44 U
MW-181	Property, SW quadrant	11/08/19	Peristaltic	0.765 U	30,800	0.0976 U	0.117 U	0.127 U	–	0.790 U	0.157 U	1.53 U	0.377 U	0.630 U	0.462 U	0.510 U	5.35 U	0.870 U	0.715 U	0.810 U
		01/27/20	Peristaltic	76.5 U	18,400	48.8 U	58.5 U	63.5 U	–	79.0 U	78.5 U	153 U	189.0 U	63.0 U	46.2 U	51.0 U	535 U	87.0 U	71.5 U	81.0 U
		04/01/20	Peristaltic	76.5 U	24,300	48.8 U	58.5 U	63.5 U	–	79.0 U	78.5 U	153 U	189.0 U	63.0 U	46.2 U	51.0 U	535 U	87.0 U	71.5 U	81.0 U
		07/08/20	Peristaltic	27.8 U	11,100	13.6 U	20.0 U	16.4 U	8.50 U	10.6 U	254.0 U	–	121.0 U	17.2 U	7.00 U	5.90 U	133 U	62.0 U	76.5 U	23.6 U
		11/04/20	Peristaltic	0.0556 U	1,360	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/19/21	Flowing	5.56 U	1,460	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U
		05/06/21	Peristaltic	5.56 U	381	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U
MW-185	Property, SE quadrant	10/31/19	Flowing	0.153 U	547	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/20	Peristaltic	0.153 U	1.09	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	0.153 U	1.18	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/08/20	Peristaltic	0.0556 U	0.752	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0630 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Flowing	0.0556 U	0.351	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/16/21	Flowing	0.0556 U	0.203	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/07/21	Flowing	0.0556 U	0.257 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
Treatment Zone B Wells																				
IW-3B	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.153 U	3,170	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-6B	Property, SW quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.153 U	2,270	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-8B	Property, SW quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.153 U	6.43	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-17B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.153 U	51,400	0.0976 U	0.117 U	0.127 U	–	0.451 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.480 J	0.143 U	0.307 J
IW-21B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.153 U	4,600	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-22B	Property, NW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	3.06 U	26,600	1.95 U	2.34 U	2.54 U	–	3.16 U	3.14 U	6.10 U	7.54 U	2.52 U	1.85 U	2.04 U	21.4 U	3.48 U	2.86 U	3.24 U
IW-24B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.153 U	48,200	0.0976 U	0.117 U	0.127 U	–	0.777 J+	0.157 U	0.305 U	0.377 U	0.158 J+	0.0924 U	0.102 U	1.07 U	0.975 J+	0.143 U	0.429 J+
IW-28B	Property, NW quadrant Decommissioned March, 2019	04/09/18	Peristaltic	0.153 U	19.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
IW-33B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.153 U	18,200	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-37B	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.153 U	3,240	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-45B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.153 U	213	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-47B	Property, SW quadrant Decommissioned March, 2019	04/10/18	Bladder	0.765 U	40,900	0.488 U	0.585 U	0.635 U	–	158 U	0.785 U	1.52 U	1.88 U	0.630 U	0.462 U	0.510 U	5.35 U	174 U	0.715 U	0.810 U
IW-49B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.153 U	974	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.197 J	0.143 U	0.162 U
IW-51B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.153 U	4.60	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.208 J	0.143 U	0.162 U
MW-166	Property, NE quadrant	11/04/19	Peristaltic	0.153 U	5,130	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
(dup)		01/30/20	Peristaltic	0.153 U	118	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	20.4	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/09/20	Peristaltic	0.0556 U	21.7	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0510 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		07/09/20	Peristaltic	0.0556 U	24.3	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Peristaltic	0.0556 U	6,090	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Flowing	27.8 U	9,810	13.6 U	20.0 U	16.4 U	8.50 U	10.6 U	254 U	–	121 U	17.2 U	7.00 U	5.90 U	133 U	62.0 U	76.5 U	23.6 U
		05/05/21	Flowing	11.1 U	7,150	5.42 U	8.00 U	6.54 U	3.40 U	4.24 U	102 U	–	48.4 U	6.90 U	2.80 U	2.36 U	53.0 U	24.8 U	30.6 U	9.44 U
MW-170	Property, SW quadrant	11/05/19	Peristaltic	0.153 U	27,600	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/20	Peristaltic	3.83 U	21,900	2.44 U	2.93 U	3.18 U	–	3.95 U	3.93 U	7.63 U	9.43 U	3.15 U	2.31 U	2.55 U	26.8 U	4.35 U	3.58 U	4.05 U
		04/02/20	Peristaltic	76.5 U	30,900	48.8 U	58.5 U	63.5 U	–	79.0 U	78.5 U	153 U	189.0 U	63.0 U	46.2 U	51.0 U	535 U	87.0 U	71.5 U	81.0 U
		07/09/20	Peristaltic	0.556 U	32,700	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
		11/03/20	Peristaltic	0.556 U	9,090	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
		02/17/21	Peristaltic	0.556 U	5,450	0.271 U	0.400 U	0.327 U	0.170 U	0.700 J	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 U	1.53 U	0.472 U
		05/07/21	Peristaltic	27.8 U	3,980	13.6 U	20.0 U	16.4 U	8.50 U	10.6 U	254 U	–	121 U	17.2 U	7.00 U	5.90 U	133 U	62.0 U	76.5 U	23.6 U
MW-174	Property, SE quadrant	11/01/19	Peristaltic	0.153 U	0.286 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/20	Peristaltic	0.153 U	0.484 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	0.877	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 U	0.157 U	0.0993 U
		07/09/20	Peristaltic	0.0556 U	1.19	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Flowing	0.0556 U	0.609	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Flowing	0.0556 U	0.247	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/05/21	Flowing	0.0556 U	0.245	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-178	Property, SW quadrant	11/06/19	Peristaltic	0.153 U	5.28 J	0.0976 U	0.117 U	0.127 U	–	0.321 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/20	Peristaltic	0.153 U	0.565	0.0976 U	0.117 U	0.127 U	–	0.245 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	0.153 U	1.03	0.0976 U	0.117 U	0.127 U	–	0.202 J	0.157 U	0.305 U	0.377 U	0.351 J	0.0924 U	0.102 U	1.07 U	0.204 U	0.143 U	0.965
		07/10/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.102	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0560	0.265 U	0.124 U	0.153 U	0.0472 U
		11/03/20	Peristaltic	7.95	54.3	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0700 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/18/21	Peristaltic	1.11 U	2,540	0.542 U	0.800 U	0.654 U	0.340 U	0.424 U	10.2 U	–	4.84 U	0.690 U	0.280 U	0.236 U	5.30 U	2.48 U	3.06 U	0.944 U
		05/06/21	Peristaltic	1.11 U	1,620	0.542 U	0.800 U	0.654 U	0.340 U	0.424 U	10.2 U	–	4.84 U	0.690 U	0.280 U	0.236 U	5.30 U	2.48 U	3.06 U	0.944 U
MW-182	Property, SW quadrant	11/08/19	Peristaltic	0.153 U	19,200	0.0976 U	0.117 U	0.127 U	–	0.344 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.215 J	0.143 U	0.162 U
		01/27/20	Peristaltic	76.5 U	4,500	48.8 U	58.5 U	63.5 U	–	79.0 U	78.5 U	153 U	189.0 U	63.0 U	46.2 U	51.0 U	535 U	87.0 U	71.5 U	81.0 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-182 (continued)		04/01/20	Peristaltic	7.65 U	2,600	4.88 U	5.85 U	6.35 U	–	7.90 U	7.85 U	15.3 UJ	18.9 U	6.30 U	4.62 U	5.10 U	53.5 U	8.70 U	7.15 U	8.10 U
		07/08/20	Peristaltic	2.78 U	715	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
		11/04/20	Peristaltic	2.78 U	84,900	1.36 U	2.00 U	1.64 U	6.70	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	46.2 J	6.20 U	7.65 U	2.36 U
		02/19/21	Peristaltic	27.8 U	87,400	13.6 U	20.0 U	16.4 U	8.50 U	10.6 U	254 U	–	121 U	17.2 U	7.00 U	5.90 U	133 U	62.0 U	76.5 U	23.6 U
		05/06/21	Peristaltic	111 U	68,400	54.2 U	80.0 U	65.4 U	34.0 U	42.4 UJ	1,020 U	–	484 U	69.0 UJ	28.0 U	23.6 U	530 U	248 UJ	306 U	94.4 UJ
		05/06/21	Peristaltic	0.0556 U	64,900	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.530 J	0.508 U	–	0.242 U	0.123 J	0.0140 U	0.0118 U	0.265 U	2.58 J	0.388 J	0.332 J
MW-186	Property, SE quadrant	10/31/19	Flowing	0.153 U	4.15	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/20	Peristaltic	0.153 U	0.777	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	0.153 U	0.476 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/08/20	Peristaltic	0.0556 U	0.101	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.107	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Peristaltic	0.0556 U	0.552	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/16/21	Flowing	0.0556 U	0.459	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/07/21	Flowing	0.0556 U	0.393	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
Treatment Zone C Wells																				
IW-1C	Property, NE quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.153 U	12.7	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-4C	Property, NE quadrant Decommissioned March, 2019	04/26/18	Peristaltic	0.153 U	5,080	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-8C	Property, NE quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.153 U	4,160	0.0976 U	0.117 U	0.127 U	–	0.206 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.580 J	0.143 U	0.164 J
IW-9C	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.153 U	20,400	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-13C	Property, SW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	0.153 U	412	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-15C	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	1.53 U	26,800	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 UJ	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U
IW-19C	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.153 U	103	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-20C (dup)	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	0.153 U	6,830	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		03/30/18	Bladder	0.153 U	6,690	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-167	Property, NE quadrant	11/04/19	Peristaltic	0.153 UJ	14.6	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/20	Peristaltic	0.153 U	8.08	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	0.715	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/09/20	Peristaltic	0.0556 U	0.473	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0870 J	0.508 U	–	0.242 U	0.0650 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
		11/05/20	Peristaltic	0.0556 U	0.675	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Peristaltic	0.0556 U	0.470	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0590 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/05/21	Peristaltic	0.0556 U	0.353	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0920 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-171	Property, SW quadrant	11/05/19	Peristaltic	0.153 UJ	509	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/20	Peristaltic	0.153 U	81.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	0.153 U	11.4	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/09/20	Peristaltic	0.0556 U	1.53	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-171 (continued) (dup)		11/03/20	Peristaltic	0.0556 U	32.6	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/17/21	Peristaltic	0.0556 U	588 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0910 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/17/21	Peristaltic	0.0556 U	878 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0610 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/07/21	Peristaltic	2.78 U	1,050	1.36 U	2.00 U	1.64 U	0.850 U	1.06 U	25.4 U	–	12.1 U	1.73 U	0.700 U	0.590 U	13.3 U	6.20 U	7.65 U	2.36 U
MW-175	Property, SE quadrant	11/01/19	Peristaltic	0.153 UJ	258	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/20	Peristaltic	0.153 U	8.95	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 UJ	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	0.478 J	0.111 U	0.122 U	0.374 U	–	0.186 J	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/09/20	Peristaltic	0.0556 U	0.400	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Peristaltic	0.0556 U	0.744	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Peristaltic	0.0556 U	0.698	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0450 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/05/21	Peristaltic	0.0556 U	0.305	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0570 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-179	Property, SW quadrant	11/06/19	Peristaltic	0.153 U	3,780	0.0976 U	0.117 U	0.127 U	–	0.273 J	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/27/20	Peristaltic	0.153 U	941	0.0976 U	0.117 U	0.127 U	–	0.198 J	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	3.06 UJ	817	1.95 U	2.34 U	2.54 U	–	3.16 U	3.14 U	6.10 U	7.54 UJ	2.52 U	1.85 U	2.04 U	21.4 U	3.48 UJ	2.86 U	3.24 U
		07/10/20	Peristaltic	1.11 U	939	0.542 U	0.800 U	0.654 U	0.340 U	0.424 U	10.2 U	–	4.84 U	0.690 U	0.280 U	0.236 U	5.30 U	2.48 U	3.06 UJ	0.944 U
		11/03/20	Peristaltic	1.11 U	17,700	0.542 U	0.800 U	0.654 UJ	0.340 U	0.424 U	10.2 U	–	4.84 U	0.690 U	0.280 U	0.236 U	5.30 U	2.48 U	3.06 U	0.944 U
		02/18/21	Peristaltic	27.8 U	16,600	13.6 U	20.0 U	16.4 U	8.50 U	10.6 U	254 U	–	121 U	17.2 U	7.00 U	5.90 U	133 U	62.0 U	76.5 U	23.6 U
		05/06/21	Peristaltic	13.9 U	4,960	6.78 U	10.0 U	8.18 U	4.25 U	5.30 U	127 U	–	60.5 U	8.63 U	3.50 U	2.95 U	66.3 U	31.0 U	38.3 UJ	11.8 UJ
MW-183	Property, SW quadrant	11/08/19	Peristaltic	0.153 U	59.9	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/27/20	Peristaltic	0.153 U	21.8	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	0.153 U	3.03	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/08/20	Peristaltic	0.0556 U	0.893	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.128	0.508 U	–	0.242 U	0.0370 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Peristaltic	0.0556 U	752	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/19/21	Peristaltic	0.0556 U	4,950	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/06/21	Peristaltic	5.56 U	4,470	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 UJ	4.72 UJ
MW-187	Property, SE quadrant	11/01/19	Peristaltic	0.153 UJ	2.34	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.306 J	0.143 U	0.162 U
		01/29/20	Peristaltic	0.153 U	0.319 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	0.153 U	0.234 J	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/08/20	Peristaltic	0.0556 U	0.123	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.126	0.508 U	–	0.242 U	0.0390 J	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Peristaltic	0.0556 U	0.631	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0250 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/16/21	Peristaltic	0.0556 U	0.241	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0870 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/07/21	Peristaltic	0.0556 U	0.185 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
Treatment Zone D Wells																				
IW-1D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	1.53 U	5,920	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 U	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U
IW-3D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	0.153 U	9,860	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-4D	Property, SW quadrant Decommissioned March, 2019	03/29/18	Bladder	0.153 U	5.29	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 UJ	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-6D	Property, SW quadrant Decommissioned March, 2019	04/03/18	Bladder	0.153 U	2.97	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
IW-8D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.153 U	3,200	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-9D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.153 U	3,380	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
IW-11D	Property, NE quadrant Decommissioned March, 2019	05/01/18	Bladder	0.153 U	1,640	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
MW-168	Property, NE quadrant	11/04/19	Peristaltic	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/31/20	Flowing	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.361 U	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.161 J	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.339 J	0.157 U	0.0993 U
		07/09/20	Peristaltic	0.0556 U	0.175	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Peristaltic	0.0556 U	1.92	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Peristaltic	0.0556 U	0.490	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0480 J	0.508 UJ	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 UJ	0.153 U	0.0472 U
		05/05/21	Peristaltic	0.0556 U	1.29	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0970 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-172	Property, SW quadrant	11/05/19	Flowing	0.153 UJ	643	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/23/20	Flowing	0.153 U	623	0.0976 U	0.117 U	0.127 UJ	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	76.5 U	452	48.8 U	58.5 U	63.5 U	–	79.0 U	78.5 U	153 U	189.0 U	63.0 U	46.2 U	51.0 U	535 U	87.0 U	71.5 U	81.0 U
		07/09/20	Peristaltic	0.0556 U	668	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/03/20	Peristaltic	0.0556 U	582	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.177	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/17/21	Flowing	0.0556 U	955	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0680 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/07/21	Peristaltic	5.56 U	538	2.71 U	4.00 U	3.27 U	1.70 U	2.12 U	50.8 U	–	24.2 U	3.45 U	1.40 U	1.18 U	26.5 U	12.4 U	15.3 U	4.72 U
MW-176	Property, SE quadrant	11/01/19	Flowing	0.153 UJ	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/20	Flowing	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/28/20	Flowing	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		05/01/20	Peristaltic	0.960 U	0.126 U	0.111 U	0.122 U	0.374 U	–	0.137 U	0.337 U	0.749 U	0.554 U	0.105 U	0.105 U	0.101 U	0.430 U	0.174 UJ	0.157 U	0.0993 U
		07/09/20	Peristaltic	0.0556 U	0.0300 J	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/05/20	Peristaltic	0.0556 U	1.22	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/04/21	Peristaltic	0.0556 U	1.28	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/05/21	Peristaltic	0.0556 U	0.816	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0570 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-180	Property, SW quadrant	11/06/19	Flowing	0.153 U	155	0.0976 U	0.117 U	0.127 U	–	0.247 J	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/24/20	Peristaltic	0.153 U	222	0.0976 U	0.117 U	0.127 U	–	0.184 J	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/01/20	Peristaltic	0.765 UJ	89.9	0.488 U	0.585 U	0.635 U	–	0.790 U	0.785 U	1.53 U	1.89 UJ	0.630 U	0.462 U	0.510 U	5.35 U	0.870 UJ	0.715 U	0.810 U
		07/10/20	Peristaltic	0.0556 U	50.7	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 UJ	0.0472 U
		11/03/20	Peristaltic	0.0556 U	156	0.0271 U	0.0400 U	0.0327 UJ	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/18/21	Flowing	0.0556 U	162	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/06/21	Peristaltic	0.0556 U	407	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0370 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
MW-184	Property, SW quadrant	11/08/19	Flowing	0.153 U	79.0	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/27/20	Flowing	0.153 U	22.3	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 UJ	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/01/20	Peristaltic	1.53 U	370	0.976 U	1.17 U	1.27 U	–	1.58 U	1.57 U	3.05 UJ	3.77 U	1.26 U	0.924 U	1.02 U	10.7 U	1.74 U	1.43 U	1.62 U
		07/08/20	Peristaltic	0.0556 U	75.7	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Peristaltic	0.556 U	134	0.271 U	0.400 U	0.327 U	1.36	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	9.02 J	1.24 U	1.53 U	0.472 U
		02/19/21	Flowing	0.556 U	432	0.271 U	0.400 U	0.327 U	0.170 U	0.212 U	5.08 U	–	2.42 U	0.345 U	0.140 U	0.118 U	2.65 U	1.24 UJ	1.53 U	0.472 U
		05/06/21	Peristaltic	0.278 U	101	0.136 U	0.200 U	0.164 U	0.0850 U	0.106 U	2.54 U	–	1.21 U	0.173 U	0.0700 U	0.0590 U	1.33 U	0.620 U	0.765 UJ	0.236 UJ

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Dibromomethane	Dichlorodifluoromethane (CFC-12)	Ethyl Ether	Ethylbenzene	Hexachloro-1,3-butadiene	Hexane (n-Hexane)	Iodomethane	Isopropylbenzene (Cumene)	Isopropyl ether (di-isopropyl ether)	Methyl tert-butyl ether (MTBE)	Methylene Chloride	Naphthalene	n-Butylbenzene	n-Propylbenzene
Preliminary Cleanup Level (PCUL)				–	16	0.44	80	1,600	1,600	700	0.56	480	–	800	–	24	5	160	400	800
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				150	–	–	–	6	–	1,200	–	8	–	720	–	600	4,800	8.9	–	2,300
MW-188	Property, SE quadrant	10/31/19	Flowing	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		01/29/20	Flowing	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		04/02/20	Peristaltic	0.153 U	0.0933 U	0.0976 U	0.117 U	0.127 U	–	0.158 U	0.157 U	0.305 U	0.377 U	0.126 U	0.0924 U	0.102 U	1.07 U	0.174 U	0.143 U	0.162 U
		07/08/20	Peristaltic	0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0830 J	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		11/04/20	Peristaltic	0.0556 U	0.220	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		02/16/21	Peristaltic	0.0556 U	0.589	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
		05/07/21	Peristaltic	0.0556 U	0.448	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.508 U	–	0.242 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.124 U	0.153 U	0.0472 U
Number of Analytes Measured				1,270	1,349	1,240	1,240	1,227	440	1,270	1,270	780	1,221	1,240	1,221	1,239	1,269	1,248	1,237	1,239
Number of Analytes Detected				7	1003	0	0	0	52	176	0	22	3	63	76	21	9	67	21	52
Frequency of Detection				1%	74%	0%	0%	0%	12%	14%	0%	3%	0.2%	5%	6%	2%	1%	5%	2%	4%
Maximum Detection				7.95	131,000	–	–	–	16.1	307	–	65.1	1	149	1.45	1.180 U	89.3 J	115 J	14.2	359
Minimum Detection				0.0556 U	0.0276 U	0.0271 U	0.0400 U	0.0327 U	0.0170 U	0.0212 U	0.1570 U	0.305 U	0.2420 U	0.0345 U	0.0140 U	0.0118 U	0.265 U	0.100 U	0.143 U	0.0472 U
Number of Detections Above SL				–	471	0	0	0	0	0	0	0	–	0	–	0	7	0	0	0
Frequency of Detection Above SL				–	35%	0%	0%	0%	0%	0%	0%	0%	–	0%	–	0%	1%	0%	0%	0%
Notes:				Gasoline Range Organics Analyzed by NWTPH-Gx. Diesel Range Organics and Heavy Oil analyzed by NWTPH-Dx. VOCs analyzed by EPA Method 8260C or 8260D. Results shown in micrograms per liter (µg/L). PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. All groundwater sampling performed by PES Environmental, Inc. unless otherwise indicated. a = Results provided by Hart Crowser. b = Results provided by Farallon Consulting. c = Select sample results for MW-210 incorrectly identified with location SMW-3 on lab reports and sampling forms. (split) = Split samples collected consecutively. (dup) = Field duplicate sample. – = Not analyzed, results not available, or information not applicable. Detected results shown in bold. Detections above the groundwater PCUL level are shown in bold and highlighted in gray. Shallow Zone detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange. Shallow Zone detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange. U = Not detected at or above the laboratory method detection limit (MDL); detections above the MDL but below the laboratory reported detection limit (RDL) are qualified with a "J." J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. z = Elevated chlorinated VOCs detected within the GRO elution range. No discernible petroleum pattern present. Project level qualifier assigned per laboratory review. GRO results above the screening level and qualified with "z" are not considered in the Maximum Detection and are not included in the Number of Detections Above SL.																

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (DCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
Shallow Water Bearing Zone																
DMW-1S	615 Dexter, SE quadrant	03/25/19 ^a 03/25/19 ^a 03/18/20 ^a	Unknown Unknown Unknown	1.0 U 1.0 U –	1.0 U 1.0 U –	1.0 U 1.0 U –	1.0 U 1.0 U 0.20 U	– – –	1.0 U 1.0 U 1.6	1.0 U 1.0 U 0.20 U	1.0 U 1.0 U –	– – –	1.0 U 1.0 U 0.20 U	1.0 U 1.0 U 0.20 UJ	0.20 U 0.20 U 0.20 U	1.0 U 1.0 U 1.8
DMW-2S	615 Dexter, SE quadrant	03/18/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
DMW-4S	Alley S of SE quadrant of 615 Dexter	03/19/20 ^a	Unknown	–	–	–	0.20 U	–	0.26	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	3.0
DMW-5IA	Alley S of 615 Dexter	03/19/20 ^a	Unknown	–	–	–	0.20 U	–	0.64	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
DMW-6	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
F5	Property, NW quadrant Decommissioned March, 2019	03/28/17 06/22/17	Peristaltic Peristaltic	0.134 U 0.134 U	0.117 U 0.117 U	0.183 U 0.183 U	0.199 U 0.199 U	– –	0.727 U 0.708	4.31 0.485 J	0.222 U 0.222 U	0.257 U 0.257 U	0.241 J 0.153 U	0.130 U 0.130 U	90.6 63.9	0.316 U 0.316 U
F9	Property, NE quadrant Decommissioned March, 2019	03/27/17 06/22/17	Peristaltic Peristaltic	0.134 U 0.134 U	0.117 U 0.117 U	0.183 U 0.183 U	0.199 U 0.199 U	– –	2.04 1.70	0.539 0.610	0.222 U 0.222 U	0.257 U 0.257 U	0.153 U 0.153 U	0.130 U 0.130 U	0.118 U 3.57	0.316 U 0.316 U
F13	Property, NE quadrant Decommissioned March, 2019	03/27/17 06/22/17 04/05/18	Peristaltic Peristaltic Peristaltic	0.134 U 0.134 U 0.134 U	0.117 U 0.117 U 0.117 U	0.183 U 0.183 U 0.183 U	0.199 U 0.199 U 20.3	– – –	0.412 U 0.412 U 0.412 U	0.152 U 0.152 U 0.152 U	0.222 U 0.222 U 0.222 U	0.257 U 0.257 U 0.257 U	0.153 U 0.153 U 0.346 J	0.130 U 0.130 U 0.130 U	0.936 1.32 0.843	0.316 U 0.316 U 0.316 U
FMW-143	9th Ave N ROW, E side	07/30/19 ^a 10/31/19 01/22/20 05/14/20 07/22/20	Unknown Peristaltic Peristaltic Bladder Bladder	– 0.134 U 0.134 U 0.125 U 0.101 U	– 0.117 U 0.117 U 0.118 U 0.109 U	– 0.183 U 0.183 U 0.127 U 0.0620 U	0.20 U 0.199 U 0.199 U 0.300 U 0.0280 U	– – – – 0.0900 UJ	– 0.412 U 0.412 U 0.319 J 0.146 J	0.20 U 0.152 U 0.152 U 0.149 U 0.0572 U	– 0.222 U 0.222 U 0.118 U 0.0612 U	– 0.257 UJ 0.257 U 0.467 UJ 0.0560 UJ	0.20 U 0.153 U 0.153 U 0.190 U 0.0160 U	– 0.130 U 0.130 U 0.160 U 0.0200 U	0.20 U 0.118 U 0.118 U 0.234 U 0.0273 U	– 0.316 U 0.316 U 0.201 J 0.331
G12	Property, NE quadrant Decommissioned March, 2019	03/27/17 06/30/17	Peristaltic Peristaltic	0.134 U 0.134 U	0.117 U 0.117 U	0.183 U 0.183 U	0.199 U 0.199 U	– –	0.412 U 0.412 U	1.97 2.94	0.222 U 0.222 U	0.257 U 0.257 U	0.233 J 0.323 J	0.130 U 0.130 U	28.4 31.5	0.316 U 0.316 U
HMW-1S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a 03/11/20 ^a	Peristaltic Unknown	1.0 U –	1.0 U –	1.0 U –	1.0 U 0.20 U	– –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U –	– –	1.0 U 0.20 U	1.0 U 0.20 UJ	0.20 U 0.20 U	1.0 U 0.40 U
HMW-2S	SDOT Mercer Parcels, NE quadrant	3/25/19 ^a 03/12/20 ^a	Peristaltic Unknown	1.0 U –	1.0 U –	1.0 U –	1.0 U 0.20 U	– –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U –	– –	1.0 U 0.20 U	1.0 U 0.20 UJ	0.20 U 0.20 U	1.0 U 0.40 U
HMW-9S	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
HMW-10S	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
HMW-11S	SDOT Mercer Parcels, SE quadrant	03/11/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
HMW-20S	SDOT Mercer Parcels, NW quadrant	9/18/20 ^a	Unknown	1.0 U	1.0 U	0.20 U	4.7	–	0.20 U	0.20 U	1.0 U	–	0.38	0.20 U	0.99	0.40 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
HMW-21S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–
HMW-22S	SDOT Mercer Parcels, SE quadrant	11/3/20 ^a	Unknown	–	–	–	–	–	–	–	–	–	–	–	–	–
J5	Property, SW quadrant Decommissioned March, 2019	03/21/17	Peristaltic	0.134 U	0.117 U	0.183 U	285	–	0.412 U	1.73	0.222 U	0.257 U	78.5	0.130 U	29.6	0.316 U
		06/26/17	Peristaltic	0.134 U	0.117 U	0.183 U	36.1	–	0.506	1.94	0.222 U	0.257 U	37.1	0.130 U	77.7	0.316 U
		04/05/18	Peristaltic	0.134 U	0.117 U	0.183 U	267	–	0.412 U	1.00	0.222 U	0.257 U	70.5	0.130 U	17.6	0.316 U
(dup) J15	Property, SE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.495 J	1.18	0.222 U	0.257 U	0.153 U	0.130 U	6.99	0.316 U
		06/26/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.459 J	1.06	0.222 U	0.257 U	0.153 U	0.130 U	6.30	0.316 U
		06/26/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.551	1.03	0.222 U	0.257 U	0.153 U	0.130 U	6.73	0.316 U
		04/05/18	Peristaltic	0.134 U	0.117 U	0.183 U	12.8	–	0.412 U	0.709	0.222 U	0.257 U	0.358 J	0.130 U	6.07	0.316 U
K8	Property, SW quadrant Decommissioned March, 2019	03/21/17	Peristaltic	0.134 U	0.117 U	0.183 U	82.5	–	0.412 U	0.680	0.222 U	0.257 U	22.0	0.130 U	0.461 J	0.316 U
		06/26/17	Peristaltic	0.134 U	0.117 U	0.183 U	67.9	–	0.412 U	0.750	0.222 U	0.257 U	28.7	0.130 U	0.456 J	0.316 U
		04/05/18	Peristaltic	0.134 U	0.117 U	0.183 U	229	–	0.412 U	0.750	0.222 U	0.257 U	26.3	0.130 U	1.45	0.316 U
(dup) M15	Property, SE quadrant Decommissioned March, 2019	03/27/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.561	0.222 U	0.257 U	0.733	0.130 U	13.2	0.316 U
		03/27/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.513	0.222 U	0.257 U	0.670	0.130 U	12.0	0.316 U
		06/26/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.233 J	–	0.412 U	0.523	0.222 U	0.257 U	1.80	0.130 U	15.0	0.316 U
		04/05/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.300 J	0.222 U	0.257 U	0.563	0.130 U	11.1	0.316 U
MW-8	Seattle Roy Aloha Shops, N end	03/20/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/13/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.570	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		07/18/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/10/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.167 J	0.130 U	0.118 U	0.316 U
		01/16/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	1.96	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.569 J
		05/06/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/14/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.161 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
(dup) MW-9	8th Ave N ROW, E side	03/20/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.324 J	0.316 U
		06/20/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.562	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/20/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.548	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/05/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.58	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.210 J	0.316 U
		01/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/26/19	Peristaltic	0.134 U	0.117 U	0.183 U	157	–	0.412 U	0.261 J	0.222 U	0.257 U	45.2	0.130 U	0.861 U	0.316 U
		07/16/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.619	0.316 U
		10/17/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.416 J	0.316 U
		11/24/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0800 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.288	0.191 U
		02/05/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.117	0.0900 U	0.241	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.138 J	0.321
		05/12/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.223 J	0.191 U
		05/12/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW121	8th Ave N ROW, E side	03/28/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	5.82	0.316 U
		06/20/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.774	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	7.68	0.316 U
		04/05/18	Peristaltic	0.134 U	0.117 U	0.183 U	2.93	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	6.45	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW121 (continued)		01/31/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	19.8	0.316 U
		04/29/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	15.2 J	0.316 U
		07/19/19	Peristaltic	0.134 U	0.117 UJ	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	5.04	0.316 U
		11/30/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0670 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	1.73	0.272
		02/05/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0460 J	0.258 U	0.240	0.0572 U	0.0612 U	0.0560 U	0.0530	0.0200 U	5.64 J	0.247 J
		05/12/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.484	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	1.79	0.346
(dup)		05/12/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0490 J	0.473 J	0.448	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	1.67	0.351
MW125	Valley Street ROW, N side	03/22/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.285 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/28/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.580	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.118 UJ	0.316 U
		07/18/19	Peristaltic	0.134 U	0.117 UJ	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		10/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 UJ	0.130 U	0.118 U	0.316 U
		01/29/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		11/17/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0910 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/02/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.158 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.716
		05/11/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 UJ	0.191 U
		05/11/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 UJ	0.191 U
MW-154	Roy St ROW S side	04/30/18	Bladder	0.134 U	0.117 U	0.183 U	4.46	–	0.412 U	0.152 U	0.222 U	0.257 U	0.230 J	0.130 U	7.48	0.316 U
		01/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	1.70	–	0.412 U	0.152 U	0.222 U	0.257 U	0.330 J	0.130 U	3.52	0.316 U
		04/24/19	Bladder	0.134 U	0.117 U	0.183 U	1.02	–	0.412 U	0.152 U	0.222 U	0.257 U	0.214 J	0.130 UJ	0.797	0.316 U
		07/15/19	Bladder	0.134 U	0.117 U	0.183 U	69.5	–	0.412 U	0.152 U	0.222 U	0.257 UJ	5.75	0.130 UJ	0.211 J	0.316 U
		10/14/19	Bladder	0.134 U	0.117 U	0.183 U	4.99	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.445 J	0.130 U	0.118 U	0.316 U
		01/21/20	Bladder	0.134 U	0.117 U	0.183 U	11.6	–	0.412 U	0.152 U	0.222 U	0.257 U	0.999	0.130 U	0.118 U	0.316 U
		04/30/20	Bladder	0.125 U	0.118 U	0.127 U	12.1	–	0.278 U	0.149 U	0.118 U	0.467 U	1.06	0.160 U	0.234 U	0.174 U
		07/10/20	Bladder	0.101 U	0.109 U	0.0620 U	10.9	0.0900 U	0.771	0.0572 U	0.0612 U	0.0560 UJ	0.786	0.0200 U	0.0273 U	0.191 U
		11/09/20	Bladder	0.101 U	0.109 U	0.0620 U	73.9	0.0900 U	0.317	0.0572 U	0.0612 U	0.121 J	6.84	0.0200 U	0.0273 U	0.191 U
		02/08/21	Bladder	0.101 U	0.109 U	0.0620 U	4.72 J	0.0900 U	0.794	0.0572 U	0.0612 U	0.0560 U	0.501	0.0200 U	0.0273 U	0.593
		05/10/21	Bladder	0.101 U	0.109 U	0.0620 U	3.41	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.453	0.0200 UJ	0.0273 UJ	0.191 U
MW-155	Roy Street ROW, S side	04/27/18	Peristaltic	0.134 U	0.117 U	0.183 U	3.48	–	0.412 U	0.152 U	0.222 U	0.257 U	0.334 J	0.130 U	0.447 J	0.316 U
		01/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	3.72	–	0.412 U	0.152 U	0.222 U	0.257 U	0.581	0.130 U	0.118 U	0.316 U
		04/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	14.6	–	0.412 U	0.152 U	0.222 U	0.257 U	4.75	0.130 UJ	6.54 J	0.316 U
		07/23/19	Bladder	0.134 U	0.117 U	0.183 U	92.7	–	0.412 U	0.152 U	0.222 U	0.257 U	19.9	0.130 UJ	0.350 J	0.316 U
		10/16/19	Bladder	0.134 U	0.117 U	0.183 U	121	–	0.412 U	0.160 U	0.222 U	0.257 UJ	27.6	0.130 U	0.118 U	0.316 U
		01/20/20	Bladder	0.134 U	0.117 U	0.183 U	98.3	–	0.412 U	0.152 U	0.222 U	0.257 U	21.8	0.130 U	0.118 U	0.316 U
		05/05/20	Bladder	0.125 U	0.118 U	0.127 U	140	–	0.278 U	0.158 J	0.118 U	0.467 UJ	27.3	0.160 U	0.234 U	0.174 U
		08/03/20	Bladder	0.101 U	0.109 U	0.0620 U	63.4	0.0900 U	0.355	0.216	0.0612 U	0.0560 UJ	28.0	0.0200 U	0.0273 U	0.191 U
		11/11/20	Bladder	0.101 U	0.109 U	0.0620 U	119	0.0900 U	0.0500 UJ	0.108 J	0.0612 U	0.0560 UJ	26.0	0.0200 U	0.190 J+	0.191 U
MW-159	8th Ave N ROW, E side	04/26/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.964	–	0.412 U	0.152 U	0.222 U	0.257 U	0.358 J	0.130 U	0.118 U	0.316 U
(dup)		01/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.666	0.316 U
		04/26/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	1.03 J	0.316 U
(dup)		04/26/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	1.04 J	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-159 (continued)		07/22/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.691	0.316 U
		01/29/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		11/11/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.457 J-	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.214 J+	0.191 U
		02/08/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.126 J	0.0900 U	0.182 J	0.0572 U	0.0612 U	0.0560 U	0.0380 J	0.0200 U	0.504 J	0.486
		05/11/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0360 J	0.0200 UJ	0.350 J-	0.191 U
MW-210 ^c	Valley Street ROW, N side	03/30/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 UJ	0.316 U
		06/21/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 UJ	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/09/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/17/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 UJ	0.316 U
		04/09/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		07/07/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-214 (dup)	Valley Street ROW, S side	03/30/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		03/30/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/09/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.725	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/11/19	Peristaltic	0.384 J	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/20/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/07/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		07/06/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-301 (dup)	Valley Street ROW, S side	11/30/20	Bladder	0.101 U	0.109 U	0.0620 U	1.96	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.157	0.0200 U	0.0273 U	0.196 J
		11/30/20	Bladder	0.101 U	0.109 U	0.0620 U	1.94	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.156	0.0200 U	0.0273 U	0.202 J
		02/05/21	Bladder	0.101 U	0.109 U	0.0620 U	1.62	0.558 J-	1.44	0.0572 U	0.0612 U	0.0560 U	0.101	0.0200 U	0.0273 U	1.17
		05/14/21	Bladder	0.101 U	0.109 U	0.0620 U	1.85	0.0900 U	0.0930 U	0.0572 U	0.0612 U	0.0560 U	0.110	0.0200 U	0.0273 U	0.191 U
		05/14/21	Bladder	0.101 U	0.109 U	0.0620 U	1.81	0.398 J	0.108 U	0.0572 U	0.0612 U	0.0560 U	0.108	0.0200 U	0.0273 U	0.191 U
MW-305	Roy St ROW, S side	10/15/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/15/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.199 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/06/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.234	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/18/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.109 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-310 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/14/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/08/20	Peristaltic	0.354 J	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		08/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.982	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		08/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.959	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/06/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.348	0.0572 U	0.0612 U	0.0560 UJ	0.0554	0.0200 U	0.0273 UJ	0.191 U
		05/03/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.413	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.909
MW-312	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/21/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	1.22	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.713 J
		04/22/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		08/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0690 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/11/20	Bladder	0.101 U	0.109 U	0.0620 U	0.137	0.150 J	1.12 J-	0.0572 U	0.0612 U	0.0560 UJ	0.0407	0.0200 U	0.0273 U	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-312 (continued)		05/03/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	1.33	0.748	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	1.07
MW-313	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	1.09	0.316 U
		01/14/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	2.59	0.316 U
		05/04/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.824	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.524	0.946
MW-320	9th Ave N ROW, W side	10/07/19	Peristaltic	2.82	0.117 U	1.89	0.199 U	–	0.459 J	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/20/20	Peristaltic	2.96	0.117 U	1.54	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/29/20	Bladder	0.125 U	0.118 U	0.865	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		11/12/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.338 J-	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/20/21	Peristaltic	0.207 J	0.109 U	1.13	0.0280 U	0.0900 U	0.0520 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-332	Roy St ROW, N side	05/04/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	0.234 U	0.174 U
		07/30/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0500 U	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.145	0.191 U
		11/12/20	Bladder	0.101 U	0.109 U	0.0620 U	0.112	0.0900 U	0.584 J-	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.102 J+	0.191 U
		05/20/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0710 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-337	Lake Union Park, N end	05/07/20	Peristaltic	0.125 UJ	0.118 U	0.127 UJ	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/23/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.145 J	0.0572 U	0.0612 U	0.0560 UJ	0.0260 J	0.0200 U	0.0273 U	0.191 U
		11/10/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.360 J	0.0500 U	0.0572 U	0.0612 U	0.122 J	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0670 J	0.191 U
MW-339 (dup)	Lake Union Park, S end	05/14/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	0.234 U	0.174 U
		05/14/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	0.234 U	0.174 U
		07/23/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0280 J	0.0200 U	0.0273 U	0.191 U
		11/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.116 J	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
N7	Property, SW quadrant	03/30/17	Peristaltic	0.134 U	0.117 U	0.183 U	280	–	0.412 U	0.396 J	0.222 U	0.257 U	50.4	0.130 U	0.310 J	0.316 U
		06/27/17	Peristaltic	0.134 U	0.117 U	0.183 U	205	–	0.412 U	0.955	0.222 U	0.257 U	85.1	0.130 U	0.386 J	0.316 U
Decommissioned March, 2019																
R-MW2	Property, NE quadrant	03/21/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.522	0.316 U
		06/15/17	Peristaltic	0.180 J	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.609	0.316 U
		04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.866	–	0.412 U	0.152 U	0.222 U	0.257 U	0.620	0.130 U	1.33	0.316 U
Decommissioned March, 2019																
R-MW3	Property, NE quadrant	03/21/17	Peristaltic	0.134 U	0.117 U	0.183 U	1.38	–	0.412 U	0.152 U	0.222 U	0.257 U	0.714	0.130 U	0.118 U	0.316 U
		06/28/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.834	–	0.412 U	0.152 U	0.222 U	0.257 U	0.582	0.130 U	0.424 J	0.316 U
		04/04/18	Peristaltic	0.134 U	0.117 U	0.183 U	16.4	–	0.412 U	0.152 U	0.222 U	0.257 U	0.972	0.130 U	0.214 J	0.316 U
Decommissioned March, 2019																
R-MW5	Dexter Ave N ROW, E side	03/23/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.338 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.186 J	0.130 U	0.118 U	0.316 U
		06/16/17	Bladder	0.134 U	0.117 U	0.183 U	0.257 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.245 J	0.130 U	0.118 U	0.316 U
		04/11/18	Bladder	0.134 U	0.117 U	0.183 U	0.621	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/03/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.477 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.499 J	–	0.428 J	0.152 U	0.222 U	0.257 U	0.155 J	0.130 UJ	0.118 UJ	0.316 U
		07/16/19	Bladder	0.134 U	0.117 U	0.183 U	0.736	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 UJ	0.118 U	0.316 U
		10/21/19	Bladder	0.134 U	0.117 U	0.183 U	0.523	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/24/20	Bladder	0.134 U	0.117 U	0.183 U	0.931	–	0.412 U	0.152 U	0.222 U	0.257 U	0.374 J	0.130 U	0.118 U	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
R-MW5 (continued) (dup)		11/18/20	Bladder	0.101 U	0.109 U	0.0620 U	0.607	0.166 J	0.205	0.0572 U	0.0612 U	0.0560 U	0.318	0.0200 U	0.0273 U	0.191 U
		02/11/21	Bladder	0.101 U	0.109 U	0.0620 U	0.741	0.224 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.271	0.0200 U	0.0273 U	0.191 U
		02/11/21	Bladder	0.101 U	0.109 U	0.0620 U	0.990	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.286	0.0200 U	0.0273 U	0.191 U
		05/17/21	Bladder	0.101 U	0.109 U	0.0620 U	0.671	0.0900 U	0.147 J	0.0572 U	0.0612 U	0.0560 U	0.232	0.0200 U	0.0273 U	0.191 U
R-MW6	8th Ave N ROW, E side	03/21/17	Peristaltic	0.134 U	0.117 U	0.183 U	1.08	–	0.412 U	0.242 J	0.222 U	0.257 U	3.17	0.130 U	8.65	0.316 U
		06/20/17	Peristaltic	0.134 U	0.117 U	0.183 U	1.19	–	0.619	0.445 J	0.222 U	0.257 U	0.878	0.130 U	43.9	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.85	–	0.412 U	0.277 J	0.222 U	0.257 U	2.24	0.130 U	26.9	0.316 U
		01/25/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.328 J	–	0.412 U	0.152 U	0.222 U	0.257 U	1.07	0.130 U	9.14	0.316 U
		04/25/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.168 J	0.222 U	0.257 U	0.370 J	0.130 UJ	7.16 J	0.316 U
		12/01/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.670	0.476 J	0.336	0.0572 U	0.0612 U	0.0560 UJ	1.07	0.0200 UJ	0.583	0.513
		02/03/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.371	0.0900 U	0.198 J	0.0572 U	0.0612 U	0.0560 U	0.341	0.0200 U	0.248	0.550
		05/17/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0670 J	0.0900 U	1.02	0.0930 J	0.0612 U	0.0560 U	0.349	0.0200 UJ	2.86	0.696
SCL-MW101	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	7.33	0.117 U	0.183 U	0.199 U	–	0.624 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	2.08
		06/14/17	Peristaltic	8.01	0.117 U	0.219 J	0.199 U	–	1.68	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	3.50
		04/06/18	Peristaltic	10.1	0.117 U	0.248 J	0.199 U	–	1.24	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	3.32
		10/09/19	Peristaltic	14.4	0.117 U	0.365 J	0.199 U	–	2.39	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	3.77
		01/17/20	Peristaltic	15.6	0.117 U	0.183 U	0.199 U	–	0.611	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 UJ	3.66
		04/07/20	Peristaltic	5.16	0.117 U	0.186 J	0.199 U	–	0.868	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	1.74
		11/24/20	Peristaltic	13.6	0.109 U	0.290	0.0280 U	0.0900 U	1.24	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	3.95
		05/04/21	Peristaltic	5.17	0.109 U	0.168 J	0.0280 U	0.0900 U	0.395	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	1.48
SCL-MW105	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	3.67	0.585 U	0.915 U	0.995 U	–	16.3	0.760 U	1.11 U	1.28 U	0.765 U	0.650 U	0.590 U	33.9
		06/15/17	Peristaltic	4.25	0.117 U	0.183 U	0.199 U	–	14.3	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	40.8
		04/06/18	Peristaltic	2.31 J	1.17 U	1.83 U	1.99 U	–	12.1	1.52 U	2.22 U	2.57 U	1.53 U	1.30 U	1.18 U	28.4
		10/10/19	Peristaltic	8.08	0.117 U	0.260 J	0.199 U	–	15.5	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	34.6
		01/17/20	Peristaltic	5.10	0.117 U	0.183 U	0.199 U	–	14.9	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 UJ	28.6
		04/01/20	Peristaltic	3.00	0.117 U	0.183 U	0.199 U	–	11.3	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	23.4
		07/24/20	Peristaltic	4.48	0.109 U	0.192 J	0.0280 U	0.0900 UJ	12.0	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	22.5
SCS-2 (dup)	Seattle Roy Aloha Shops, N End	03/20/17	Peristaltic	2.02	0.117 U	0.183 U	0.199 U	–	9.54	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	181
		06/12/17	Peristaltic	1.78	0.117 U	0.183 U	0.199 U	–	4.49	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	70.4
		04/13/18	Peristaltic	2.09	0.117 U	0.183 U	0.199 U	–	5.18	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	47.7
		07/18/19	Peristaltic	2.39	0.117 U	0.183 U	0.199 U	–	3.71	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	149
		07/18/19	Peristaltic	2.44	0.117 U	0.183 U	0.199 U	–	3.37	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.242 J	131
		10/10/19	Peristaltic	2.75	0.117 U	0.183 U	0.199 U	–	6.00	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	123
		01/16/20	Peristaltic	1.34 U	1.17 U	1.83 U	1.99 U	–	5.00 J	1.52 U	2.22 U	2.57 U	1.53 U	1.30 U	1.18 U	32.2
Intermediate A Water-Bearing Zone																
BB-8 (dup)	Roy Street ROW, S side	03/22/17	Peristaltic	0.134 U	0.117 U	0.183 U	30.4	–	0.412 U	0.152 U	0.222 U	0.257 U	4.95	0.130 U	0.118 U	0.316 U
		06/14/17	Peristaltic	0.134 U	0.117 U	0.183 U	26.0	–	0.412 U	0.155 J	0.222 U	0.257 U	8.57	0.130 U	0.118 U	0.316 U
		04/11/18	Peristaltic	0.134 U	0.117 U	0.183 U	33.7 J	–	0.412 U	0.152 U	0.222 U	0.257 U	6.13 J	0.130 U	0.118 U	0.316 U
		04/11/18	Peristaltic	0.134 U	0.117 U	0.183 U	46.8 J	–	0.412 U	0.152 U	0.222 U	0.257 U	8.41 J	0.130 U	0.118 U	0.316 U
		01/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	133	–	0.412 U	0.402 J	0.222 U	0.257 U	43.1	0.130 U	0.618	0.316 U
		04/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	48.8	–	0.412 U	0.152 U	0.222 U	0.257 U	9.09	0.130 UJ	0.118 UJ	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
BB-8 (continued) (dup) (dup) (dup)		07/17/19	Bladder	0.134 U	0.117 U	0.183 U	169	–	0.412 U	0.262 J	0.222 U	0.257 UJ	28.9	0.130 U	0.118 U	0.316 U
		10/22/19	Bladder	0.134 U	0.117 U	0.183 U	135	–	0.412 U	0.398 J	0.222 U	0.257 UJ	46.6	0.130 U	0.162 J	0.316 U
		10/22/19	Bladder	0.134 U	0.117 U	0.183 U	169	–	0.412 U	0.426 J	0.222 U	0.257 UJ	48.3	0.130 U	0.152 J	0.316 U
		01/20/20	Bladder	0.134 U	0.117 U	0.183 U	138	–	0.412 U	0.232 J	0.222 U	0.257 U	25.4	0.130 U	0.118 U	0.316 U
		01/20/20	Bladder	0.134 U	0.117 U	0.183 U	132	–	0.412 U	0.199 J	0.222 U	0.257 U	24.6	0.130 U	0.118 U	0.316 U
		05/12/20	Bladder	0.125 U	0.118 U	0.127 U	142	–	0.682	0.282 J	0.118 U	0.467 U	30.8	0.160 U	0.234 U	0.387 J
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	165	0.0900 UJ	0.268 J	0.531	0.0612 U	0.0560 UJ	46.8	0.0200 U	0.0273 U	0.217 J
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	162	0.0900 UJ	0.470 J	0.496	0.0612 U	0.0560 UJ	45.5	0.0200 U	0.194	0.306
		11/17/20	Bladder	0.101 U	0.109 U	0.0620 U	215	0.0900 UJ	0.339	0.802	0.0612 U	0.0560 U	107 J+	0.0200 U	0.302	0.191 U
		02/11/21	Peristaltic	0.101 U	0.109 U	0.0620 U	20.1	0.0900 U	1.58	0.0572 U	0.0612 U	0.0560 U	3.83	0.0200 U	0.0273 U	1.28
		06/07/21	Bladder	0.101 U	0.109 U	0.0620 U	54.4	0.0900 U	0.0500 U	0.0980 J	0.0612 U	0.0560 U	12.3	0.0200 U	0.0790 J	0.191 U
DMW-31A	615 Dexter, NE quadrant	03/18/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
FMW-142	9th Ave N ROW, E side	07/29/19 ^a	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.38	–	0.20 U	–
		10/31/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/22/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/08/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	1.37	0.0572 U	0.0612 UJ	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.179 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.221 J	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
GEI-1 (dup)	Block 37, SW quadrant	03/24/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/13/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.118 UJ	0.316 U
		07/16/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 UJ	0.118 U	0.316 U
		10/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/22/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/29/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.254 J
		04/29/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.286 J	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/30/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.142 J	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
GEI-MW-1	Block 79 East, N end	01/23/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.230 J	0.130 U	0.118 U	0.316 U
		04/29/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	1.06	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.938 J
		08/07/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.162 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/10/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.435 J-	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.316
		05/13/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
HC-4	601 Dexter, NE quadrant	04/12/19 ^a	Unknown	–	–	–	1.0 U	–	1.0 U	1.0 U	–	–	1.0 U	1.0 U	0.20 U	1.0 U
HMW-21A	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	240	–	1.0 U	1.0 U	1.0 U	1.0 U	74	1.0 U	1.2	1.0 U
		03/12/20 ^a	Unknown	–	–	–	210	–	2.0 U	2.0 U	–	–	69	2.0 UJ	2.0 U	4.0 U
HMW-31A	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a 03/13/20 ^a	Peristaltic Unknown	1.0 U –	1.0 U –	1.0 U –	1.0 U 0.20 U	– –	1.0 U 0.20 U	1.0 U 0.20 U	1.0 U –	1.0 U –	1.0 U 0.20 U	1.0 U 0.20 UJ	0.20 U 0.20 U	1.0 U 0.40 U
HMW-61A	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
HMW-9IA	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a 06/02/21	Unknown Bladder	– 0.101 U	– 0.109 U	– 0.0620 U	0.42 0.243	– 0.0900 U	0.20 U 0.0850 J	0.20 U 0.197 J	– 0.0612 U	– 0.0560 U	0.23 0.916	0.20 UJ 0.0200 U	0.95 196	0.40 U 0.191 U
HMW-20IA	SDOT Mercer Parcels, NW quadrant	09/18/20 ^a 06/02/21	Unknown Bladder	– 0.101 U	1.0 U 0.109 U	0.20 U 0.0620 U	5.5 1.37	– 0.0900 U	0.20 U 0.152 J	2.5 17.1	1.0 U 0.0612 U	– 0.0560 U	18 31.9	0.20 U 0.0200 U	520 5,940	0.40 U 0.191 U
MW107	8th Ave N ROW, W side	03/27/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.224 J	–	0.690 J	14.0	0.222 U	0.257 U	0.370 J	0.130 U	34.5	0.316 U
		06/19/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.700	12.6	0.222 U	0.257 U	0.290 J	0.130 U	15.0	0.316 U
		04/09/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.879 J-	–	0.412 U	10.5	0.222 U	0.257 U	0.581 J-	0.130 U	123	0.316 U
		01/30/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.715 J+	14.4	0.222 U	0.257 U	41.1	0.130 U	474	0.316 U
		05/01/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	14.1	0.222 U	0.257 U	99.9	0.130 UJ	374	0.316 U
		07/22/19	Bladder	0.134 U	0.117 U	0.183 U	1.99 U	–	0.758	7.08	0.222 U	0.257 U	2.62 J	0.130 UJ	307	0.609 J
		10/15/19	Bladder	0.134 U	0.117 U	0.183 U	41.7	–	0.572	7.04	0.222 U	0.257 UJ	138	0.130 U	216	0.316 U
		01/28/20	Bladder	2.68 U	2.34 U	3.66 U	3.98 U	–	8.24 U	22.2	4.44 U	5.14 U	168	2.60 U	674	6.32 U
		04/03/20	Bladder	0.134 U	0.117 U	0.183 U	63.8	–	0.412 U	15.4	0.222 U	0.257 U	700	0.130 U	216	0.316 U
		07/31/20	Bladder	2.53 U	2.73 U	1.55 U	0.700 U	5.86 J	1.25 U	5.36 J	1.53 U	1.40 UJ	6.98	0.500 UJ	378	4.78 U
		12/01/20	Peristaltic	2.53 U	2.73 U	1.55 U	0.700 U	124	4.45 J	5.85	1.53 U	1.40 U	0.400 U	0.500 U	0.682 U	4.81 J
		02/02/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0510 J	46.0	0.704	6.09	0.0612 U	0.0560 U	0.266	0.0200 U	1.80	1.04
		06/02/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0590 J	32.2	0.580	3.98	0.0612 U	0.0560 U	0.336	0.0200 U	1.16	0.191 U
MW108	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.134 U	0.117 U	0.183 U	73.1	–	0.479 U	0.899	0.222 U	0.257 U	12.5	0.130 U	52.3	0.316 U
(dup)		06/27/17	Bladder	0.134 U	0.117 U	0.183 U	194	–	0.479 U	0.748	0.222 U	0.257 U	22.1	0.130 U	52.8	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	1,970	–	0.599	7.13	0.222 U	0.257 U	284	0.130 U	217	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	1,980	–	0.597	7.91	0.222 U	0.257 U	287	0.130 U	231	0.316 U
		01/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	4,190	–	0.562	6.03	0.222 U	0.257 U	587	0.130 U	90.8	0.316 U
(dup)		04/29/19	Peristaltic	0.134 U	0.117 U	0.183 U	419	–	0.412 U	3.22	0.222 U	0.257 U	171	0.130 UJ	125 J	0.316 U
		07/15/19	Peristaltic	0.134 U	0.117 U	0.183 U	567	–	0.412 U	3.48	0.222 U	0.257 UJ	189	0.130 UJ	197	0.316 U
		10/10/19	Peristaltic	0.134 U	0.117 U	0.183 U	524	–	0.412 U	5.55	0.222 U	0.257 U	483	0.130 U	194	0.316 U
		01/14/20	Peristaltic	3.35 U	2.93 U	4.58 U	243	–	10.3 U	3.80 U	5.55 U	6.43 U	235	3.25 U	224	7.90 U
		04/22/20	Bladder	3.13 U	2.95 U	3.18 U	53.1	–	6.95 U	3.73 U	2.95 U	11.7 U	96.3	4.00 U	19.3	4.35 U
		07/16/20	Bladder	2.53 U	2.73 U	1.55 U	189	5.98 J	1.73 J	1.88 J	1.53 U	1.40 UJ	162	0.500 U	11.3	4.78 U
		07/16/20	Bladder	0.101 U	0.109 U	0.0620 U	226 J	0.0900 U	2.20	2.37	0.0612 U	0.0560 UJ	170	0.0200 U	16.5	3.06
		11/04/20	Bladder	2.53 U	2.73 U	1.55 U	10.2	2.25 UJ	2.12 J	1.43 U	1.53 U	1.40 UJ	32.6	0.500 U	107	6.15 J
		02/09/21	Peristaltic	0.505 U	0.545 U	0.310 U	238 J	0.450 U	0.440 J	1.48	0.306 U	0.280 U	106	0.100 U	172 J	0.955 U
		05/03/21	Peristaltic	0.505 U	0.545 U	0.310 U	182	0.450 U	0.290 J	1.92	0.306 U	0.280 U	91.9	0.100 U	140	0.955 U
MW109	Alley E of Seattle Roy Aloha Shops	03/29/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.198 J	0.130 U	3.49	0.316 U
		06/27/17	Bladder	0.134 U	0.117 U	0.183 U	9.69 J	–	0.412 U	1.17	0.222 U	0.257 U	141	0.130 U	6.06	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.99 UJ	–	0.412 U	3.34	0.222 U	0.257 U	210	0.130 U	42.2	0.316 U
		01/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.995 U	–	0.412 U	2.08	0.222 U	0.257 U	43.8	0.130 U	36.8	0.316 U
		04/29/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	3.06 J	0.316 U
		07/15/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.199 J	0.222 U	0.257 UJ	0.265 J	0.130 UJ	24.4	0.316 U
		10/15/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.891	0.222 U	0.257 UJ	1.03	0.130 U	109	0.316 U
		01/21/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.782	0.152 U	0.222 U	0.257 U	0.372 J	0.130 U	1.02	0.316 U
		04/22/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.229 J	0.118 U	0.467 U	0.190 U	0.160 U	15.2	0.174 U
		07/06/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.967	0.293	0.0612 U	0.0560 UJ	0.162	0.0200 U	12.4	0.191 U
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.105 J	0.220	0.0612 U	0.0560 U	0.126	0.0200 U	14.5	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW109 (continued)		02/09/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.634	0.125 J	0.0612 U	0.0560 U	0.0860	0.0200 U	13.7 J	0.791
		05/03/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.751	0.0572 U	0.0612 U	0.0560 U	0.0550	0.0200 U	3.49	0.987
MW110 (dup)	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.134 U	0.117 U	0.183 U	1,070	–	0.412 U	4.72	0.222 U	0.257 U	389	0.130 U	1.45	0.316 U
		06/27/17	Bladder	0.134 U	0.117 U	0.183 U	259	–	0.412 U	2.66	0.222 U	0.257 U	176	0.130 U	152	0.316 U
		04/09/18	Bladder	0.134 U	0.164 J	0.183 U	375 J-	–	0.412 U	3.72	0.222 U	0.257 U	253 J-	0.130 U	3.54	0.316 U
		01/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	1,260	–	0.412 U	5.83	0.222 U	0.257 U	490	0.130 U	1.39	0.316 U
		01/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	1,120	–	0.412 U	6.49	0.222 U	0.257 U	499	0.130 U	1.51	0.316 U
		04/26/19	Bladder	0.134 U	0.117 U	0.183 U	1,500	–	0.412 U	5.59	0.222 U	0.257 U	613	0.130 UJ	0.900 J	0.316 U
		07/15/19	Bladder	0.134 U	0.117 U	0.183 U	1,220	–	0.412 U	5.87	0.222 U	0.257 UJ	455	0.130 UJ	1.26	0.316 U
		10/15/19	Bladder	0.134 U	0.117 U	0.183 U	1,180	–	0.412 U	3.86	0.222 U	0.257 UJ	498	0.130 U	0.853	0.316 U
		01/16/20	Bladder	0.670 U	0.585 U	0.915 U	459	–	2.06 U	1.95 J	1.11 U	1.29 U	176	0.650 U	0.706 J	1.58 U
		04/22/20	Bladder	0.625 U	0.590 U	0.635 U	946	–	1.39 U	4.25	0.590 U	2.34 U	384	0.800 U	5.06	0.870 U
		07/16/20	Bladder	0.505 U	0.545 U	0.310 U	741	1.73 J	0.465 J	7.79	0.306 U	0.280 UJ	349	0.100 U	12.5	0.955 U
		11/04/20	Bladder	5.05 U	5.45 U	3.10 U	640	4.50 UJ	2.50 U	2.96 J	3.06 U	2.80 UJ	343	1.00 U	29.6	9.55 U
		02/09/21	Bladder	0.101 U	0.109 U	0.0620 U	602	0.805	0.784	2.99	0.0612 U	0.0560 U	302 J+	0.0200 U	0.833 J	0.791
		05/04/21	Bladder	1.01 U	1.09 U	0.620 U	484	1.50 J	0.730 J	2.27	0.612 U	0.560 U	214	0.200 U	0.273 U	1.91 U
MW115	9th Ave N ROW, W side	03/22/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	15.7	0.316 U
		06/22/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	8.45	0.316 U
		04/11/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	5.81	0.316 U
		01/30/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	12.4	0.316 U
		07/17/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	24.3	0.316 U
		10/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	23.2	0.316 U
		01/20/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	26.9	0.316 U
		05/05/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	8.86	0.174 U
		07/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	1.16	0.174 U
		11/12/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.221 J-	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.808 J+	0.191 U
		02/12/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.515	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	1.02	0.453
		05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0540 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.989	0.191 U
MW116	9th Ave N ROW, W side	03/21/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/16/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.303 J	0.130 U	0.118 U	0.316 U
		04/11/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/30/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		07/17/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		10/31/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/21/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.775	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.351 J
		04/29/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		11/12/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 UJ	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/11/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0480 J	0.0900 UJ	1.23	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.968
		05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0560 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW119	9th Ave N ROW, W side	03/29/17	Peristaltic	0.134 U	0.117 U	0.183 U	5.47	–	0.412 U	0.334 J	0.222 U	0.257 U	10.7	0.130 U	0.272 J	0.316 U
		06/28/17	Bladder	0.134 U	0.117 U	0.183 U	19.0	–	0.726	0.167 J	0.222 U	0.257 U	12.4	0.130 U	0.118 U	0.562 J
		04/05/18	Peristaltic	0.134 U	0.117 U	0.183 U	2.14	–	0.412 U	0.203 J	0.222 U	0.257 U	3.02	0.130 U	0.118 U	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total		
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600		
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320		
MW119 (continued)		01/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	1.24	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U		
		04/29/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.224 J	–	0.412 U	0.161 J	0.222 U	0.257 U	1.12	0.130 UJ	0.118 UJ	0.316 U		
(split)		07/19/19	Peristaltic	0.134 U	0.117 UJ	0.183 U	0.303 J	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U		
		10/10/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.876	–	0.412 U	0.159 J	0.222 U	0.257 U	7.54	0.130 U	0.118 U	0.316 U		
		11/11/19"	Peristaltic	–	–	–	3.7	–	–	0.20 U	–	–	9.5	–	0.20 U	–		
		01/14/20	Peristaltic	0.134 U	0.117 U	0.183 U	5.90	–	0.412 U	0.152 U	0.222 U	0.257 U	5.81	0.130 U	0.118 U	0.316 U		
		01/14/20"	Peristaltic	–	–	–	4.8	–	–	0.20 U	–	–	5.1	–	0.20 U	–		
		02/18/20"	Unknown	–	–	–	1.3	–	–	0.20 U	–	–	2.5	–	0.20 U	–		
		03/24/20"	Unknown	–	–	–	0.24	–	–	0.20 U	–	–	0.87	–	0.20 U	–		
		04/27/20	Peristaltic	0.125 U	0.118 UJ	0.127 U	0.595	–	0.278 U	0.149 U	0.118 U	0.467 UJ	1.62	0.160 U	0.234 U	0.174 U		
		05/19/20"	Unknown	–	–	–	0.91	–	–	0.20 U	–	–	2.8	–	0.20 U	–		
		07/08/20	Bladder	0.101 U	0.109 U	0.0620 U	0.306	0.227	0.644	0.163	0.0612 U	0.0560 UJ	1.96	0.0200 U	0.0480 J	0.191 U		
(split)		07/28/20"	Unknown	–	–	–	0.92	–	–	0.20 U	–	–	2.6	–	0.20 U	–		
		09/17/20"	Unknown	–	–	–	0.27	–	–	0.20 U	–	–	1.8	–	0.20 U	–		
		11/11/20	Bladder	0.101 U	0.109 U	0.0620 U	0.420	0.0900 U	0.0500 UJ	0.0983 J	0.0612 U	0.0560 UJ	2.63	0.0200 U	0.212 J+	0.191 U		
		12/03/20"	Unknown	–	–	–	0.28	–	–	0.20 U	–	–	1.2	–	0.20 U	–		
		02/10/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0410 J	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.511	0.0200 U	0.134	0.191 U		
		02/10/21"	Peristaltic	–	–	–	0.20 U	–	–	0.20 U	–	–	0.46	–	0.20 U	–		
		05/20/21	Bladder	0.101 U	0.109 U	0.0620 U	0.210	0.353 U	0.0710 U	0.165 J	0.0612 U	0.0560 U	1.70	0.0200 UJ	0.252	0.191 U		
		MW120	8th Ave N ROW, E side	03/28/17	Peristaltic	0.134 U	0.117 U	0.183 U	13.9	–	0.458 U	0.152 U	0.222 U	0.257 U	5.81	0.130 U	0.871	0.316 U
		06/28/17		Bladder	0.134 U	0.117 U	0.183 U	18.0	–	0.412 U	0.152 U	0.222 U	0.257 U	6.97	0.130 U	0.988	0.316 U	
		(dup)		04/09/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
01/24/19	Peristaltic			0.134 U	0.117 U	0.183 U	125	–	0.412 U	0.194 J	0.222 U	0.257 U	34.3	0.130 U	1.64	0.316 U		
05/03/19	Peristaltic			0.134 U	0.117 U	0.183 U	155	–	0.412 U	0.258 J	0.222 U	0.257 U	46.9	0.130 U	1.28	0.316 U		
05/03/19	Peristaltic			0.134 U	0.117 U	0.183 U	182	–	0.412 U	0.227 J	0.222 U	0.257 U	51.1	0.130 U	1.30	0.316 U		
07/16/19	Peristaltic			0.134 U	0.117 U	0.183 U	134	–	0.412 U	0.217 J	0.222 U	0.257 UJ	40.1	0.130 UJ	1.01	0.316 U		
(dup)	10/17/19	Bladder		0.134 U	0.117 U	0.183 U	61.5	–	0.412 U	0.220 J	0.222 U	0.257 U	22.3	0.130 U	2.31	0.316 U		
	10/17/19	Bladder		0.134 U	0.117 U	0.183 U	73.9	–	0.412 U	0.243 J	0.222 U	0.257 UJ	26.9	0.130 U	2.25	0.316 U		
	01/17/20	Bladder		0.134 U	0.117 U	0.183 U	61.2	–	0.412 U	0.241 J	0.222 U	0.257 U	21.6	0.130 U	2.38 J	0.316 U		
(dup)	04/23/20	Bladder		0.125 U	0.118 U	0.127 U	39.7	–	0.278 U	0.154 J	0.118 U	0.467 U	15.4	0.160 U	2.92	0.174 U		
	07/14/20	Bladder		0.101 U	0.109 U	0.0620 U	44.0	0.154 J	0.511	0.249	0.0612 U	0.0560 UJ	16.2	0.0200 U	2.78	0.191 U		
	11/30/20	Bladder		0.101 U	0.109 U	0.0620 U	39.3	0.0900 U	0.208	0.188 J	0.0612 U	0.0560 U	15.6	0.0200 U	1.47	0.435		
	11/30/20	Bladder		0.101 U	0.109 U	0.0620 U	44.4	0.0900 U	0.172 J	0.196 J	0.0612 U	0.0560 U	16.2	0.0200 U	1.52	0.376		
	02/05/21	Peristaltic		0.101 U	0.109 U	0.0620 U	41.6	0.251 U	0.332	0.212 J	0.0612 U	0.0560 U	17.4	0.0200 U	1.17 J	0.516		
	05/12/21	Peristaltic		0.101 U	0.109 U	0.0620 U	31.7	–	0.137 J	0.151 J	0.0612 U	0.0560 U	13.8	0.0200 U	0.633	0.191 U		
	MW127	8th Ave N ROW, E side		08/01/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
10/17/19	Bladder			0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U		
01/17/20	Bladder			0.134 U	0.117 U	0.183 U	0.199 U	–	0.689	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 UJ	0.342 J		
04/23/20	Bladder			0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U		
(dup)	07/14/20		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.274 J	0.360	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0790 J	0.191 U		
	07/14/20		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.304 J	0.375	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0730 J	0.191 U		
	11/13/20		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0726 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U		
	05/11/21		Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0740 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 UJ	0.191 U		

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW131	Property, SE quadrant	03/27/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.462 J	0.981	0.222 U	0.257 U	0.153 U	0.130 U	804	0.316 U
		06/20/17	Peristaltic	0.670 U	0.585 U	0.915 U	0.995 U	–	2.06 U	0.760 U	1.11 U	1.28 U	0.765 U	0.650 U	435	1.58 U
		04/16/18	Peristaltic	0.134 U	0.117 U	0.183 U	7.05	–	0.412 U	0.276 J	0.222 U	0.257 U	3.25	0.130 U	18.0	0.316 U
		10/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.895	–	0.412 U	0.152 U	0.222 U	0.257 U	0.347 J	0.130 U	1.83	0.316 U
		12/12/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.172 J	0.130 U	1.39	0.316 U
		01/29/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.516 J+	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.539	0.316 U
		03/11/19	Peristaltic	0.134 U	0.145 J	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
Decommissioned March, 2019																
MW-142	8th Ave N ROW, E side	04/27/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.523	–	0.412 U	0.474 J	0.222 U	0.257 U	1.40	0.130 U	17.2 J	0.316 U
(dup)		01/28/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	3.45	0.316 U
		01/28/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.208 J	0.130 U	3.38	0.316 U
		04/24/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.156 J	0.130 UJ	4.39 J	0.316 U
		07/25/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.169 J	0.222 U	0.257 U	0.218 J	0.130 U	6.57	0.316 U
		10/16/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.282 U	0.222 U	0.257 UJ	0.360 J	0.130 U	11.3	0.316 U
(dup)		01/22/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.379 J	0.222 U	0.257 U	0.311 J	0.130 U	8.19	0.316 U
		04/24/20	Bladder	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.278 U	0.454 J	0.118 U	0.467 UJ	0.206 J	0.160 U	9.14	0.174 U
		07/30/20	Bladder	0.101 U	0.109 U	0.0620 U	3.34	0.0900 UJ	0.0790 J	0.472 J	0.0612 U	0.0560 UJ	9.74	0.0200 UJ	6.05	0.191 U
		11/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.164	2.53	0.0850 U	0.734	0.0612 U	0.0560 U	24.5	0.0200 U	34.6	0.258 U
	11/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.163	2.81 J+	0.0930 U	0.827	0.0612 U	0.0560 U	22.2	0.0200 U	46.1	0.265	
02/08/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0940 J	14.6	1.42	0.498	0.0612 U	0.0560 U	1.11	0.0200 U	33.9 J	1.18		
05/19/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	7.95 J+	0.143 U	0.361	0.0612 U	0.0560 U	0.243	0.0200 UJ	10.1	0.343		
MW-144	8th Ave N ROW, E side	04/27/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.86	–	1.40	4.65	0.222 U	0.257 U	3.31	0.130 U	888	0.316 U
		01/28/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.489 J	0.222 U	0.257 U	0.251 J	0.130 U	40.4	0.316 U
		04/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.472 J	0.222 U	0.257 U	0.158 J	0.130 UJ	7.30 J	0.316 U
Decommissioned December 2019																
MW-144R	8th Ave N ROW, E side	12/16/19	Bladder	0.134 U	0.117 U	0.183 U	11.0	–	0.412 U	0.818	0.222 U	0.257 UJ	11.5	0.130 U	71.6	0.316 U
		01/21/20	Bladder	1.34 U	1.17 U	1.83 U	1.99 U	–	4.12 U	1.52 U	2.22 U	2.57 U	1.53 U	1.30 U	90.2	3.16 U
		04/02/20	Bladder	0.134 UJ	0.117 UJ	0.183 UJ	0.199 UJ	–	0.412 UJ	0.152 UJ	0.222 UJ	0.257 UJ	0.153 UJ	0.130 UJ	14.1 J-	0.316 UJ
		08/03/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0500 J	0.0900 U	1.53	0.0572 U	0.0612 U	0.0560 UJ	0.0960	0.0200 U	1.58 J	0.341
		11/23/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0420 J	0.0900 U	0.101 U	0.0572 U	0.0612 U	0.0560 U	0.0840	0.0200 U	0.411	0.191 U
		02/02/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.393	0.0572 U	0.0612 U	0.0560 U	0.0750	0.0200 U	0.632	1.03
		05/12/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.420 J	0.0990 J	0.0572 U	0.0612 U	0.0560 U	0.0690	0.0200 U	0.365	0.191 U
MW-146	Roy St ROW, S side	04/30/18	Bladder	0.134 U	0.117 U	0.183 U	3.56	–	0.412 U	6.12	0.222 U	0.257 U	48.4	0.130 U	2,100	0.316 U
		01/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	2.29	–	0.412 U	7.25	0.222 U	0.257 U	21.6	0.130 U	1,370	0.316 U
		04/24/19	Bladder	0.134 U	0.117 U	0.183 U	1.50	–	0.412 U	1.94	0.222 U	0.257 U	12.4	0.130 UJ	383	0.316 U
		07/19/19	Bladder	0.134 U	0.117 UJ	0.183 U	3.08	–	0.412 U	3.29	0.222 U	0.257 UJ	14.4	0.130 U	580 J	0.316 U
		07/19/19	Bladder	0.134 U	0.117 UJ	0.183 U	2.80	–	0.412 U	3.50	0.222 U	0.257 UJ	15.9	0.130 U	842 J	0.316 U
		10/14/19	Bladder	0.134 U	0.117 U	0.183 U	2.03	–	0.412 U	7.85	0.222 U	0.257 UJ	6.77	0.130 U	2,830	0.316 U
	(dup)	01/24/20	Bladder	13.4 U	11.7 U	18.3 U	21.1 J	–	41.2 U	15.2 U	22.2 U	25.7 U	15.3 U	13.0 U	3,900	31.6 U
		01/24/20	Bladder	0.134 U	0.117 U	0.183 U	1.39 J	–	0.412 U	8.45	0.222 U	0.257 U	4.80	0.130 U	5,800	0.316 U
		04/30/20	Bladder	12.5 U	11.8 U	12.7 U	30.0 U	–	27.8 U	14.9 U	11.8 U	46.7 U	19.0 U	16.0 U	6,040	17.4 U
		07/09/20	Bladder	0.101 U	0.109 U	0.0620 U	0.781	0.0900 U	1.13	15.5	0.0612 U	0.0560 UJ	3.17	0.0200 U	8,610	0.191 U
		11/10/20	Bladder	5.05 U	5.45 U	3.10 U	1.40 U	4.50 UJ	2.50 U	12.5	3.06 U	2.80 UJ	2.60	1.00 U	4,930	9.55 U
		11/10/20	Bladder	500 U	500 U	500 U	500 U	–	500 U	500 U	500 U	–	500 U	500 U	5,200	1,500 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-146 (continued)		02/08/21 05/04/21	Peristaltic Bladder	0.101 U 5.05 U	0.109 U 5.45 U	0.0620 U 3.10 U	0.704 J 1.40 U	0.0900 U 4.50 U	1.26 2.50 U	8.01 6.30 J	0.0612 U 3.06 U	0.0560 U 2.80 U	3.52 0.800 U	0.0200 U 1.00 U	3,910 4,310	0.958 9.55 U
MW-149	Property, NE quadrant	04/10/18	Peristaltic	0.670 U	0.585 UJ	0.915 U	19,200	–	2.06 U	29.8	1.11 U	1.28 U	8,050	0.650 U	863	1.64 J
(dup)		10/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	6,100	–	0.412 U	15.3	0.222 U	51.4 U	2,720	0.130 U	100	0.316 U
		12/13/18	Peristaltic	0.134 U	0.117 U	0.183 U	23,300	–	0.717	18.2	0.222 U	0.257 U	5,470	0.130 U	253	0.414 J
		12/13/18	Peristaltic	0.134 U	0.117 U	0.183 U	24,500	–	0.717	18.2	0.222 U	0.257 U	5,780	0.130 U	243 J	0.392 J
		01/29/19	Peristaltic	13.4 U	11.7 U	18.3 U	23,700	–	41.2 U	15.2 U	22.2 U	25.7 U	3,800	13.0 U	155	31.6 U
		03/13/19	Peristaltic	0.134 U	0.117 U	0.183 U	2,630	–	0.862	129	0.222 U	0.257 U	2,770	0.130 U	285	0.490 J
Decommissioned March, 2019																
MW-151	Property, SW quadrant	04/10/18 10/25/18 12/14/18 01/31/19 03/12/19	Peristaltic Peristaltic Peristaltic Peristaltic Peristaltic	0.134 UJ 0.134 U 0.134 U 0.134 U 0.134 U	0.117 UJ 0.117 U 0.117 U 0.117 U 0.117 U	0.183 UJ 0.183 U 0.183 U 0.183 U 0.183 U	1.13 2.28 1,460 106 0.981	– – – – –	0.412 UJ 0.412 U 0.440 J 0.412 U 0.412 U	0.388 J- 0.346 J 4.56 3.52 1.60	0.222 U 0.222 U 0.222 U 0.222 U 0.222 U	0.257 U 0.257 U 0.257 U 0.257 U 0.257 U	0.310 J 1.38 155 40.4 1.36	0.130 U 0.130 U 0.130 U 0.130 U 0.130 U	11.4 7.70 530 158 24.9	0.316 U 0.316 U 0.316 U 0.316 U 0.316 U
Decommissioned March, 2019																
MW-156	8th Ave N ROW, E side	04/26/18	Peristaltic	0.134 U	0.117 U	0.183 U	9.95 UJ	–	0.479 J	9.97	0.222 U	0.257 U	581	0.130 U	407	0.316 U
(dup)		01/24/19	Peristaltic	0.134 U	0.117 U	0.183 U	1,720	–	0.412 U	11.5	0.222 U	25.7 U	723	0.130 U	11.8 U	0.316 U
		04/24/19	Peristaltic	0.134 U	0.117 U	0.183 U	1,430	–	0.412 U	9.41	0.222 U	0.257 U	727	0.130 UJ	3.21 J	0.316 U
		04/24/19	Peristaltic	0.134 U	0.117 U	0.183 U	1,440	–	0.412 U	9.31	0.222 U	0.257 U	717	0.130 UJ	3.34 J	0.316 U
		07/22/19	Bladder	0.134 U	0.117 U	0.183 U	232	–	0.412 U	14.5	0.222 U	0.257 U	1,270	0.130 UJ	82.0	0.316 U
		10/17/19	Bladder	1.34 U	1.17 U	1.83 U	682	–	4.12 U	6.04	2.22 U	2.57 UJ	430	1.30 U	51.1	3.16 U
		01/20/20	Bladder	1.34 U	1.17 U	1.83 U	792	–	4.12 U	7.04	2.22 U	2.57 U	534	1.30 U	99.6	3.16 U
		04/24/20	Bladder	6.25 U	5.90 UJ	6.35 U	347	–	13.9 U	7.45 U	5.90 U	23.4 UJ	355	8.00 U	104	8.70 U
		07/15/20	Bladder	5.05 U	5.45 U	3.10 U	597	4.50 U	2.50 U	6.50 J	3.06 U	2.80 UJ	486	1.00 U	110	9.55 U
		11/11/20	Bladder	0.101 U	0.109 U	0.0620 U	719	0.872	0.453	4.29 J-	0.0612 U	0.0560 UJ	363	0.0200 U	2.14 J+	0.191 U
		02/08/21	Peristaltic	1.01 U	1.09 U	0.620 U	492 J	0.900 U	0.540 J	4.04	0.612 U	0.560 U	228	0.200 U	0.273 U	1.91 U
		05/10/21	Bladder	5.05 U	5.45 U	3.10 U	442	4.50 U	2.50 U	2.86 U	3.06 U	2.80 UJ	184	1.00 UJ	1.36 UJ	9.55 U
	MW-189	Valley St ROW, S side	10/14/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	18.2
(dup)		01/23/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.501	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	3.01	0.316 U
		04/03/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	1.58	0.316 U
		04/03/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	1.55	0.316 U
		08/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.300	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.879 J	0.207 J
		11/17/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0620 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	1.13	0.191 U
		02/03/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.121 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	28.1	0.226 J
		05/14/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0640 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	45.0	0.191 U
MW-302	Dexter Ave N ROW	10/21/19 01/24/20 05/07/20 07/28/20 11/17/20 05/17/21	Bladder Bladder Bladder Bladder Bladder Bladder	0.134 U 0.134 U 0.125 UJ 0.125 U 0.101 U 0.101 U	0.117 U 0.117 U 0.118 U 0.118 U 0.109 U 0.109 U	0.183 U 0.183 U 0.127 UJ 0.127 U 0.0620 U 0.0620 U	0.199 U 0.353 J 0.300 U 0.300 U 0.0280 U 0.0280 U	– – – – 0.0900 UJ 0.0900 U	0.412 U 0.412 U 0.308 J 0.278 U 0.743 0.0860 J	0.152 U 0.152 U 0.149 U 0.149 U 0.0572 U 0.0572 U	0.222 U 0.222 U 0.118 U 0.118 U 0.0612 U 0.0612 U	0.257 UJ 0.257 U 0.467 U 0.467 U 0.0560 U 0.0560 U	0.153 U 0.130 U 0.160 U 0.160 U 0.0160 U 0.0200 U	0.130 U 0.118 U 0.234 U 0.234 U 0.0273 U 0.0273 U	0.316 U 0.316 U 0.174 U 0.174 U 0.243 J 0.191 U	
MW-306	Dexter Ave N ROW, E side	10/15/19 01/16/20	Bladder Bladder	0.134 U 0.134 U	0.117 U 0.117 U	0.183 U 0.183 U	0.199 U 0.199 U	– –	0.412 U 0.412 U	0.152 U 0.152 U	0.222 U 0.222 U	0.257 UJ 0.257 U	0.153 U 0.153 U	0.130 U 0.130 U	0.118 U 0.118 U	0.316 U 0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-306 (continued)		04/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/29/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.362	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/06/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.182 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/18/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0550 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-308	Alley E of Seattle Roy Aloha Shops	10/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	4.38	0.492 J	0.222 U	0.257 U	0.153 U	0.130 U	20.3	0.316 U
		01/16/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.411 J	0.222 U	0.257 U	0.153 U	0.130 U	16.3	0.316 U
		04/08/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.360 J	0.222 U	0.257 U	0.153 U	0.130 U	12.9	0.316 U
		07/06/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.304 J	0.174 J	0.608	0.0612 U	0.0560 U	0.0160 U	0.0200 U	6.98	0.191 U
		11/06/20	Peristaltic	0.159 J	0.109 U	0.0620 U	0.0324 J	0.0900 U	0.480	0.260	0.0612 U	0.0560 U	0.0160 U	0.0200 U	2.73	0.516
		05/04/21	Peristaltic	0.116 J	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.186 J	0.219	0.0612 U	0.0560 U	0.0160 U	0.0200 U	11.7	0.332
MW-315	Mercer St ROW, N side	10/03/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/16/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/24/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.632	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.437
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.162 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.198 J
		05/17/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.167 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-317	9th Ave N ROW, W side	10/09/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/16/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/27/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/30/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.98	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	1.36
		11/10/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.836 J-	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.419
		05/19/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-325	Mercer St ROW, N side	10/03/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/17/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/21/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/23/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.298	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.256 J
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/08/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	2.03	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	1.10
MW-327	Lake Union Park, S end	10/02/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/17/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/09/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		07/07/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.260	0.0900 U	0.351	0.0572 U	0.0612 U	0.0560 U	0.267	0.0200 U	0.0273 U	0.191 U
		11/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.173 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.219 J
		05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-330 (dup) (dup)	Valley St ROW, N side	05/14/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.580	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.278 J
		05/14/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.547	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.278 J
		07/16/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0625 J	0.0900 U	2.49	0.0572 U	0.0612 U	0.0560 U	0.0646	0.0200 U	0.0273 U	0.263
		12/01/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.215	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.801
		12/01/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.212	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.789
		05/25/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.202 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-331	Alley E of Seattle Roy Aloha Shops	04/24/20	Peristaltic	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	0.249 J	0.174 U
		07/06/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.306	0.191 U
		11/06/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.230	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.264	0.219 J
		05/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.339	0.191 U
MW-333	900 Roy St, S end	04/29/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	1.08	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.854 J
		07/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.253	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/05/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.253	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/18/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0870 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-344	SDOT Mercer Parcels,	06/01/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0920 U	0.0900 U	0.0700 J	0.0572 U	0.0612 U	0.0560 U	0.0940	0.0200 UJ	9.95	0.191 U
Intermediate B Water-Bearing Zone																
FMW-141 (dup) (split)	Alley E of Seattle Roy Aloha Shops	07/26/19 ^a	Unknown	–	–	–	30 U	–	–	30 U	–	–	2,800	–	820	–
		10/30/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	7.13 J	0.222 U	0.257 UJ	2.18 J	0.130 U	1,760	0.316 U
		10/30/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	10.5 J	0.222 U	0.257 UJ	12.7 J	0.130 U	1,710	0.316 U
		11/11/19 ^b	Unknown	–	–	–	20 U	–	–	20 U	–	–	20 U	–	2,900	–
		01/14/20	Bladder	0.670 U	0.585 U	0.915 U	0.995 U	–	2.06 U	1.98 J	1.11 U	1.29 UJ	2.91	0.650 U	532	1.58 U
		01/14/20 ^b	Unknown	–	–	–	4.0 U	–	–	4.0 U	–	–	4.0 U	–	380	–
		02/17/20 ^b	Unknown	–	–	–	2.0 U	–	–	2.0 U	–	–	2.0 U	–	240	–
		03/24/20 ^b	Unknown	–	–	–	10 U	–	–	10 U	–	–	10 U	–	820	–
		04/27/20 ^b	Unknown	–	–	–	2.0 U	–	–	–	–	–	6.5	–	490	–
		04/28/20	Bladder	0.625 U	0.590 U	0.635 U	1.50 U	–	1.39 U	4.62	0.590 U	2.34 U	3.08	0.800 U	468	0.870 U
		05/19/20 ^b	Unknown	–	–	–	20 U	–	–	20 U	–	–	20 U	–	910	–
		07/22/20	Bladder	2.02 U	2.18 U	1.24 U	0.560 U	1.80 U	1.00 U	3.19 J	1.22 U	1.12 UJ	2.30	0.400 U	561	3.82 U
		07/28/20 ^b	Unknown	–	–	–	10 U	–	–	10 U	–	–	10 U	–	780	–
		09/17/20 ^b	Unknown	–	–	–	4.0 U	–	–	4.0 U	–	–	4.0 U	–	620	–
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.430	1.31	0.0612 U	0.0560 U	0.766	0.0200 U	489	0.191 U
		12/03/20 ^b	Unknown	–	–	–	1.0 U	–	–	1.0 U	–	–	1.0 U	–	190	–
		02/10/21 ^b	Unknown	–	–	–	1.0 U	–	–	1.0 U	–	–	1.0 U	–	180	–
		05/03/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.560	0.0200 U	0.218	0.508
HMW-11B	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	20	–	1.0 U	1.0 U	1.0 U	–	6.7	1.0 U	0.20 U	1.0 U
		03/10/20 ^a	Unknown	–	–	–	13	–	0.20 U	0.20 U	–	–	5.6	0.20 UJ	0.20 U	0.40 U
HMW-21B	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	1.0 U	–	3.4	1.0 U	1.0 U	–	1.0 U	1.0 U	0.20 U	1.0 U
		03/12/20 ^a	Unknown	–	–	–	0.38	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
HMW-41A	SDOT Mercer Parcels, SW quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	3.6	1.0 U
		03/10/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.41	0.40 U
HMW-51B	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
HMW-61B	SDOT Mercer Parcels, SW quadrant	03/13/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
HMW-71B	SDOT Mercer Parcels, SW quadrant	03/12/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U
HMW-81B	SDOT Mercer Parcels, SW quadrant	03/11/20 ^a	Unknown	–	–	–	0.20 U	–	0.22	0.20 U	–	–	0.20 U	0.20 UJ	0.20 U	0.40 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
HMW-9IB	SDOT Mercer Parcels, SW quadrant	03/19/20 ^a	Unknown	–	–	–	660	–	0.23	8.3	–	–	420	0.20 UJ	1,900	0.40 U
		01/26/21	Bladder	0.101 U	0.109 U	0.0620 U	32.1 J+	0.249 J	0.590	4.24 J+	0.0612 U	0.0560 U	112	0.0200 U	1,400	1.21
		06/02/21	Bladder	10.1 U	10.9 U	6.20 U	16.2	9.00 U	5.00 U	6.30 J	6.12 U	5.60 U	81.6	2.00 U	1,230	19.1 U
HMW-11IB	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	–	–	6.9	–	0.20 U	0.20 U	–	–	2.5	0.20 UJ	0.20 U	0.40 U
MW111	Alley E of Seattle Roy Aloha Shops	03/23/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	5.22	0.316 U
		06/14/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.408 J	0.130 U	3.22	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.618	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	121	0.316 U
		01/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.492 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.176 J	0.130 U	37.6	0.316 U
		04/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	19.5 J	0.316 U
		07/15/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 UJ	15.0	0.316 U
		10/14/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	8.63	0.316 U
		01/16/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	34.0	0.316 U
		04/23/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	112	0.174 U
		07/06/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	2.63	0.0572 U	0.0612 U	0.0560 UJ	0.140	0.0200 U	116	0.191 U
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.225	0.0572 U	0.0612 U	0.0560 U	0.161	0.0200 U	118	0.191 U
		02/09/21	Bladder	0.101 U	0.109 U	0.0620 U	0.320 J	0.0900 U	0.955	0.0720 J	0.0612 U	0.0560 U	0.0800 U	0.0200 U	112	0.606
		05/03/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.880	0.0572 U	0.0612 U	0.0560 U	0.0790	0.0200 U	44.3	1.21
MW112	Dexter Ave N ROW, W side	03/22/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/16/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/12/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		12/21/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/22/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.118 UJ	0.316 U
		07/16/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 UJ	0.118 U	0.316 U
		10/21/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/24/20	Bladder	0.134 U	0.117 U	0.183 U	0.248 J	–	1.24	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/07/20	Bladder	0.125 UJ	0.118 U	0.127 UJ	0.300 U	–	0.390 J	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	1.93	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
		11/17/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.322	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/11/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.152 U	0.112 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/14/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0600 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW126	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.563 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/15/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/29/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.118 UJ	0.316 U
		07/18/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		10/15/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		10/15/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/14/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.441 J
		04/09/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
(dup)																

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW126 (continued) (dup)		07/24/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/10/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW130 (dup)	Property, NW quadrant	03/29/17	Bladder	2.68 U	2.34 U	3.66 U	721	–	8.24 U	39.3	4.44 U	5.14 U	830	2.60 U	186	6.32 U
		06/30/17	Bladder	1.34 U	1.17 U	1.83 U	6,760 J	–	4.12 U	55.6	2.22 U	2.57 U	4,020	1.30 U	597	3.16 U
		06/30/17	Bladder	1.34 U	1.17 U	1.83 U	11,100 J	–	4.12 U	57.3	2.22 U	2.57 U	5,310	1.30 U	549	3.16 U
		05/21/18	Bladder	0.134 U	0.117 U	0.183 U	13,500	–	1.37	114	0.222 U	0.257 U	7,400	0.130 U	1,650	1.12 J
		12/17/18	Bladder	6.70 U	5.85 U	9.15 U	9,650	–	20.6 U	83.5	11.1 U	12.8 U	3,220	6.50 U	1,420	15.8 U
		01/31/19	Bladder	0.134 U	0.117 U	0.183 U	23,700	–	1.51 J+	107	0.222 U	0.257 U	4,640	0.130 U	1,740	1.22 J
	Decommissioned March, 2019															
MW-132	Property, SE quadrant	09/25/17	Bladder	0.670 U	0.585 U	0.915 U	0.995 U	–	2.06 U	0.760 U	1.11 U	1.28 U	1.95 J	0.650 U	1.76 J	1.58 U
		04/26/18	Bladder	0.134 U	0.117 U	0.183 U	2,830	–	0.412 U	16.3	0.222 U	0.257 U	840	0.130 U	10.2	0.316 U
		10/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	3.53	–	0.412 U	0.254 J	0.222 U	0.257 U	0.750	0.130 U	158	0.316 U
		12/13/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.995 U	–	0.412 U	0.497 J	0.222 U	0.257 U	0.765 U	0.130 U	199	0.316 U
		01/31/19	Peristaltic	0.134 U	0.117 U	0.183 U	22.9	–	0.412 U	0.506	0.222 U	0.257 U	1.95	0.130 U	269	0.316 U
		03/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	7.03	–	0.412 U	0.302 J	0.222 U	0.257 U	1.22	0.130 U	57.3	0.316 U
	Decommissioned March, 2019															
MW-134	Property, NE quadrant	09/22/17	Bladder	0.670 U	0.585 U	0.915 U	0.995 U	–	2.06 U	0.760 U	1.11 U	1.28 U	0.765 U	0.650 U	229	1.58 U
		04/16/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.49	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	68.6	0.316 U
		10/25/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	20.9	0.316 U
		12/12/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	21.9	0.316 U
		01/28/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	32.4	0.316 U
		03/12/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	17.7	0.316 U
	Decommissioned March, 2019															
MW-135	Property, NE quadrant	09/25/17	Bladder	13.4 U	11.7 U	18.3 U	10,400	–	41.2 U	15.2 U	22.2 U	25.7 U	2,480	13.0 U	82.0 J	31.6 U
		04/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	75,800	–	3.09	30.7	0.222 U	0.257 U	7,890	0.130 U	989	2.61
		10/25/18	Peristaltic	3.35 U	2.92 U	4.58 U	45,900	–	10.3 U	54.4	5.55 U	257 U	8,330	3.25 U	1,170	7.90 U
		12/13/18	Peristaltic	6.70 U	5.85 U	9.15 U	97,200	–	20.6 U	66.6	11.1 U	12.8 U	11,000	6.50 U	1,380	15.8 U
		01/31/19	Bladder	0.134 U	0.117 U	0.183 U	56,500	–	5.12 J+	68.6 J	0.222 U	0.257 U	9,530	0.130 U	1,090	3.43 J
		03/13/19	Bladder	0.134 U	0.117 U	0.183 U	57,300	–	2.43	74.3	0.222 U	0.257 U	8,150	0.130 U	706	1.90
	Decommissioned March, 2019															
MW-136 (dup)	Property, SW quadrant	09/25/17	Bladder	0.134 U	0.117 U	0.183 U	15.4	–	0.412 U	0.152 U	0.222 U	0.257 U	10.7	0.130 U	0.118 U	0.316 U
		04/16/18	Submersible	0.175 J	0.117 U	0.183 U	2.59	–	1.83	0.152 U	0.222 U	0.257 U	0.365 J	0.130 U	8.57	25.9
		10/29/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.177 J	0.130 U	0.236 J	0.316 U
		12/13/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.237 J	0.130 U	0.118 U	0.316 U
		02/01/19	Bladder	0.134 U	0.117 U	0.183 U	1.26	–	0.412 U	0.152 U	0.222 U	0.257 U	0.293 U	0.130 U	0.186 J	0.316 U
		03/12/19	Bladder	0.134 U	0.117 U	0.183 U	0.206 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		03/12/19	Bladder	0.134 U	0.117 U	0.183 U	0.262 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
	Decommissioned March, 2019															
MW-139	Property, SE quadrant	09/25/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.516	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.246 J	0.316 U
		04/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.29	–	0.412 U	0.152 U	0.222 U	0.257 U	0.282 J	0.130 U	0.118 U	0.316 U
		12/12/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-139 (continued)	Decommissioned March, 2019	01/28/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		03/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	5.77	0.316 U
MW-143	8th Ave N ROW, E side	04/30/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.797	0.512	0.222 U	0.257 U	0.153 U	0.130 U	193	1.08 J
		01/29/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/24/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		07/19/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/16/19	Bladder	0.134 U	0.117 U	0.183 U	2.35	–	0.412 U	11.0	0.222 U	0.257 U	28.0	0.130 U	1,180	0.316 U
		01/22/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.254 J	0.316 U
		04/24/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/29/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0307 J	0.0900 U	1.63	0.0572 U	0.0612 U	0.0560 U	0.0167 J	0.0200 U	0.0273 U	0.191 U
		11/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.203	0.633	0.0612 U	0.0560 U	9.64	0.0200 U	26.0	0.474
		02/08/21	Peristaltic	5.05 U	5.45 U	3.10 U	1.40 U	4.50 U	3.00 J	14.1	3.06 U	2.80 U	0.800 U	1.00 U	514 J	9.55 U
		05/19/21	Bladder	5.05 U	5.45 U	3.10 U	1.40 U	4.50 U	2.50 U	21.6	3.06 U	2.80 U	0.800 U	1.00 U	1,200	9.55 U
MW-145	8th Ave N ROW, E side	04/27/18	Bladder	0.134 U	0.117 U	0.183 U	0.305 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.212 J	0.130 U	3.88 J	0.316 U
		01/29/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.335 J	0.316 U
		04/26/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.392 J	0.316 U
Decommissioned December 2019																
MW-145R	8th Ave N ROW, E side	12/16/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/21/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/02/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		08/03/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0570 J	0.0900 U	1.45	0.0572 U	0.0612 U	0.0560 U	0.0270 J	0.0200 U	0.0273 U	0.191 U
		11/23/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0570 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/05/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	2.79	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	1.65
MW-147 (dup) (split)	Roy St ROW, S side	05/01/18	Bladder	0.134 U	0.117 U	0.183 U	19.8	–	0.412 U	2.09	0.222 U	0.257 U	83.4	0.130 U	1,150	0.316 U
		01/22/19	Bladder	0.134 U	0.117 U	0.183 U	98.2	–	0.412 U	2.88	0.222 U	0.257 U	179	0.130 U	738	0.316 U
		04/23/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	1.47	0.222 U	0.257 U	5.13	0.130 U	499	0.316 U
		07/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	2.49	0.222 U	0.257 U	4.79	0.130 U	446	6.32 U
		07/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	2.12	0.222 U	0.257 U	4.72	0.130 U	425	0.316 U
		10/14/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	2.91	0.222 U	0.257 U	3.38	0.130 U	1,410	0.316 U
		01/24/20	Bladder	3.35 U	2.93 U	4.58 U	4.98 U	–	10.3 U	3.80 U	5.55 U	6.43 U	4.63 J	3.25 U	1,340	7.90 U
		04/29/20	Bladder	3.13 U	2.95 U	3.18 U	7.50 U	–	6.95 U	3.90 J	2.95 U	11.7 U	5.10 J	4.00 U	3,470	4.35 U
		07/09/20	Bladder	0.101 U	0.109 U	0.0620 U	4.29	0.0900 U	3.52	11.9	0.0612 U	0.0560 U	12.4	0.0200 U	6,970	0.191 U
		11/10/20	Bladder	10.1 U	10.9 U	6.20 U	2.80 U	9.00 U	5.00 U	9.23 J	6.12 U	5.60 U	4.73	2.00 U	7,290	19.1 U
		11/10/20	Bladder	500 U	500 U	500 U	500 U	–	500 U	500 U	500 U	–	500 U	500 U	7,400	1,500 U
		02/09/21	Bladder	5.05 U	5.45 U	3.10 U	1.40 U	4.50 U	2.50 U	7.80 J	3.06 U	2.80 U	9.90	1.00 U	3,450 J	9.55 U
05/04/21	Bladder	10.1 U	10.9 U	6.20 U	2.80 U	9.00 U	5.00 U	5.72 U	6.12 U	5.60 U	3.00 J	2.00 U	2,200	19.1 U		
MW-148 (dup)	Roy St ROW, S side	05/01/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/01/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/23/19	Bladder	0.134 U	0.117 U	0.183 U	1.24	–	0.412 U	0.152 U	0.222 U	0.257 U	0.347 J	0.130 U	0.118 U	0.316 U
		04/26/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.277 J	0.316 U
		07/22/19	Bladder	0.134 U	0.117 U	0.183 U	0.415 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.253 J	0.316 U
		10/16/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.463 J	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-148 (continued)		01/20/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.163 J	0.130 U	0.305 J	0.316 U
		04/30/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/15/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.32	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.224	0.191 U
		11/11/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.310 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-150	Property, NW quadrant	04/10/18	Peristaltic	0.134 U	0.117 UJ	0.183 U	2,500	–	1.63	21.1	0.222 U	0.257 U	3,200	0.130 U	766	79.0 U
		10/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	15,200	–	2.53	49.7	0.222 U	128 U	8,800	0.130 U	1,430	1.13 J
		12/12/18	Peristaltic	0.134 U	0.117 U	0.183 U	75.6	–	1.04	242	0.222 U	0.257 U	533	0.130 U	2,040	0.316 U
		01/29/19	Peristaltic	13.4 U	11.7 U	18.3 U	303	–	41.2 U	36.7 J	22.2 U	25.7 U	548	13.0 U	1,370	31.6 U
		03/13/19	Peristaltic	0.134 U	0.117 U	0.183 U	36.0	–	0.412 U	50.5	0.222 U	0.257 U	262	0.130 U	479	0.316 U
Decommissioned March, 2019																
MW-152	Property, SW quadrant	04/10/18	Peristaltic	2.68 U	2.34 UJ	3.66 U	67,300	–	8.24 U	42.1	4.44 U	5.14 U	6,550	2.60 U	3,660	790 U
		10/26/18	Peristaltic	6.70 U	5.85 U	9.15 U	1,960	–	20.6 U	109	11.1 U	514 U	3,150	6.50 U	4,510	15.8 U
		12/14/18	Peristaltic	3.35 U	2.92 U	4.58 U	23,600 J+	–	10.3 U	134 J+	5.55 U	6.42 U	6,870 J+	3.25 U	7,830 J+	7.90 U
		01/31/19	Peristaltic	0.134 U	0.117 U	0.183 U	38,300	–	2.61 J+	101	0.222 U	0.257 U	3,920	0.130 U	9,600	2.10
		03/12/19	Peristaltic	3.35 U	2.92 U	4.58 U	398 U	–	10.3 U	781	5.55 U	6.42 U	18,700	3.25 U	11,000	7.90 U
Decommissioned March, 2019																
MW-157	8th Ave N ROW, E side	04/26/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.950	–	0.412 U	0.246 J	0.222 U	0.257 U	0.240 J	0.130 U	104	0.316 U
		01/24/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	14.2	0.222 U	51.4 U	1.65	0.130 U	674	0.316 U
		04/24/19	Peristaltic	0.134 U	0.117 U	0.183 U	9.95 U	–	0.412 U	15.9	0.222 U	0.257 U	8.52 J	0.130 UJ	622	0.316 U
		07/22/19	Bladder	0.134 U	0.117 U	0.183 U	19.9 U	–	0.412 U	18.4	0.222 U	0.257 U	27.6	0.130 UJ	666	0.316 U
		10/16/19	Bladder	0.134 U	0.141 J	0.183 U	0.199 U	–	0.561	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/20/20	Bladder	0.134 U	0.117 U	0.183 U	39.4	–	0.412 U	8.95	0.222 U	0.257 U	109	0.130 U	941	0.316 U
		04/24/20	Bladder	2.50 U	2.36 U	2.54 U	6.00 U	–	5.56 U	8.86 J	2.36 U	9.34 UJ	3.80 U	3.20 U	980	3.48 U
		07/15/20	Bladder	2.02 U	2.18 U	1.24 U	0.560 U	1.80 U	1.00 U	7.20	1.22 U	1.12 UJ	3.06	0.400 U	668	3.82 U
		11/23/20	Bladder	2.02 U	2.18 U	1.24 U	3.04	1.80 U	1.00 U	9.98	1.22 U	1.12 U	24.7	0.400 U	528	3.82 U
MW-190	Valley Street ROW, S side	10/14/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.994	0.316 U
		01/23/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	1.57	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.344 J
		04/02/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	1.81	0.316 U
		08/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	2.09	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	3.77 J	0.191 U
		11/18/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0820 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	64.9	0.191 U
		02/03/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.164 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	68.4	0.252 J
05/14/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.149 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	32.2	0.195 J		
MW-303	Dexter Ave N ROW, E side	10/21/19	Submersible	0.134 U	0.117 U	0.183 U	0.199 U	–	1.63	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/24/20	Bladder	0.134 U	0.117 U	0.183 U	0.313 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 J	0.130 U	0.118 U	0.316 U
		05/07/20	Bladder	0.125 UJ	0.118 U	0.127 UJ	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.56	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
		11/17/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0750 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/18/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.240	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-307	Roy St ROW, S side	10/11/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	1.05	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.289 J	0.316 U
		01/15/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.452 J	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/29/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0492 J	0.0900 U	0.780	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-307 (continued)		11/06/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.427	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/18/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.272	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-309	Alley E of Seattle Roy Aloha Shops	10/14/19	Peristaltic	0.134 U	0.117 U	0.183 U	1.11	–	2.01	0.152 U	0.222 U	0.257 UJ	0.497 J	0.130 U	6.37	0.316 U
		01/16/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	12.6	0.316 U
		04/08/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	12.6	0.316 U
		07/06/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0930 J	0.0900 UJ	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	16.0	0.191 U
		11/06/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0726 J	0.0900 UJ	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	10.5	0.191 U
		05/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0370 J	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	13.1	0.191 U
MW-311	Alley E of Seattle Roy Aloha Shops	10/10/19	Peristaltic	0.134 U	0.117 U	0.183 U	20.4	–	0.412 U	0.221 J	0.222 U	0.257 U	46.1	0.130 U	25.1	0.316 U
		01/14/20	Peristaltic	0.134 U	0.117 U	0.183 U	1.99	–	0.412 U	0.204 J	0.222 U	0.257 U	11.4	0.130 U	13.6	0.316 U
		04/23/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.624	0.160 U	10.9	0.174 U
		07/16/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0470 J	0.0900 U	3.39	0.144 J	0.0612 U	0.0560 UJ	0.334	0.0200 U	24.0	0.191 U
		11/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.169	0.0900 UJ	0.578	0.0593 J	0.0612 U	0.0560 UJ	0.524	0.0200 U	13.5	0.191 U
		05/03/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0660 J	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.361	0.0200 U	4.68	0.249 J
MW-314 (dup)	Alley E of Seattle Roy Aloha Shops	10/10/19	Bladder	0.134 U	0.117 U	0.183 U	26.1	–	0.412 U	1.63	0.222 U	0.257 U	106	0.130 U	43.6	0.316 U
		01/15/20	Bladder	0.134 U	0.117 U	0.183 U	22.7	–	0.412 U	2.12	0.222 U	0.257 U	98.3	0.130 U	17.9	0.316 U
		01/15/20	Bladder	0.134 U	0.117 U	0.183 U	19.8	–	0.412 U	1.85	0.222 U	0.257 U	88.5	0.130 U	17.9	0.316 U
		04/22/20	Bladder	1.25 U	1.18 U	1.27 U	3.00 U	–	2.78 U	14.8	1.18 U	4.67 U	229	1.60 U	410	1.74 U
		07/16/20	Bladder	10.1 U	10.9 U	6.20 U	4.20 J	21.6 J	5.00 U	22.3	6.12 U	5.60 UJ	313	2.00 U	442	19.1 U
		11/04/20	Bladder	10.1 U	10.9 U	6.20 U	13.2	9.00 UJ	5.00 U	16.4 J	6.12 U	5.60 UJ	807	2.00 U	360	19.1 U
		05/03/21	Bladder	5.05 U	5.45 U	3.10 U	1.40 U	4.50 U	2.50 U	3.15 J	3.06 U	2.80 U	54.5	1.00 U	42.9	9.55 U
MW-316	Mercer St ROW, N side	10/02/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.570	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/16/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/21/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.362	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.120 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/17/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.220	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-318	9th Ave N ROW, W side	10/08/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.495 J	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	8.65	0.316 U
		01/16/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.519	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	31.0	0.316 U
		04/27/20	Bladder	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	3.84	0.174 U
		07/30/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.117 J	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.941	0.191 U
		11/12/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.224 J-	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.865 J+	0.229 J
		05/19/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.108 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	1.56	0.257 J
MW-322	9th Ave N ROW, W side	10/07/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.699	–	0.612	1.17	0.222 U	0.257 U	21.0	0.130 U	268	0.316 U
		01/21/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.218 J	–	0.955	6.06	0.222 U	0.257 U	8.62	0.130 U	221	0.316 U
		04/29/20	Bladder	12.5 U	11.8 U	12.7 U	30.0 U	–	27.8 U	14.9 U	11.8 U	46.7 U	661	16.0 U	280	17.4 U
		07/07/20	Bladder	1.01 U	1.09 U	0.620 U	117	0.900 U	0.970 J	3.91	0.612 U	0.560 UJ	494	0.200 U	123	1.91 U
		11/24/20	Bladder	1.01 U	1.09 U	0.620 U	3.35	0.900 U	0.550 U	1.35 J	0.612 U	0.560 U	70.9	0.200 U	41.2	1.91 U
		05/19/21	Peristaltic	1.01 U	1.09 U	0.620 U	8.80	0.900 U	0.500 U	2.41	0.612 U	0.560 U	259	0.200 UJ	43.0	1.91 U
MW-334	900 Roy St, S end	04/24/20	Bladder	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	0.234 U	0.174 U
		07/07/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.61	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-334 (continued)		11/05/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.195 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/13/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.143 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-335	Mercer St ROW, N side	05/01/20	Bladder	0.125 U	0.118 U	0.127 U	295	–	0.278 U	1.11	0.118 U	0.467 U	294	0.160 U	0.234 U	0.174 U
		07/08/20	Bladder	1.01 U	1.09 U	0.620 U	203	0.900 U	1.40 J	0.572 U	0.612 U	0.560 UJ	215	0.200 U	0.273 U	1.91 U
		11/02/20	Bladder	1.01 U	1.09 U	0.620 U	235 J	0.900 UJ	0.500 U	3.16	0.612 U	0.560 U	302	0.200 U	5.08	1.91 U
		02/10/21	Bladder	1.01 U	1.09 U	0.620 U	135	0.900 U	0.500 U	6.34	0.612 U	0.560 U	230	0.200 U	0.273 U	1.91 U
		05/26/21	Peristaltic	1.01 U	1.09 U	0.620 U	58.2	0.900 U	0.500 U	4.06	0.612 U	0.560 U	131 J+	0.200 U	0.273 U	1.91 U
MW-338	Lake Union Park, N end	05/07/20	Peristaltic	0.125 UJ	0.118 U	0.127 UJ	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/23/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.16	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.617
		11/10/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 UJ	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-340	Lake Union Park, S end	05/12/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.428 J	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.635 J
		07/17/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.115 J	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/13/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW-345	SDOT Mercer Parcels,	06/01/21	Bladder	0.101 U	0.109 U	0.0620 U	0.717	0.0900 U	0.176 J	0.0600 J	0.0612 U	0.0560 U	0.456	0.0200 UJ	8.76	0.191 U
MW-346 (dup)	SDOT Mercer Parcels, NW quadrant	06/02/21	Bladder	0.101 U	0.109 U	0.0620 U	25.3	0.0900 U	0.206	0.0572 U	0.0612 U	0.0560 U	6.09	0.0200 U	1.90	0.191 U
		06/02/21	Bladder	0.101 U	0.109 U	0.0620 U	25.1	0.0900 U	0.194 J	0.0572 U	0.0612 U	0.0560 U	6.16	0.0200 U	1.93	0.191 U
MW-347	SDOT Mercer Parcels,	06/01/21	Bladder	0.101 U	0.109 U	0.0620 U	5.19	0.0900 U	0.346	0.291	0.0612 U	0.0560 U	3.83	0.0200 UJ	66.9	0.191 U
MW-348	SDOT Mercer Parcels,	06/01/21	Bladder	0.101 U	0.109 U	0.0620 U	12.6	0.0900 U	0.170 J	0.107 J	0.0612 U	0.0560 U	8.62	0.0200 UJ	55.4	0.191 U
MW-349	SDOT Mercer Parcels,	06/01/21	Bladder	0.101 U	0.109 U	0.0620 U	0.611	0.0900 U	2.60	0.0572 U	0.0612 U	0.0560 U	0.474	0.0200 UJ	11.6	0.191 J
MW-350	SDOT Mercer Parcels,	06/01/21	Bladder	0.730	0.109 U	0.0620 U	0.0280 U	0.0900 U	10.9	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	56.7
W-MW-01	8th Ave N ROW, W side	03/30/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.330 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.203 J	0.130 U	1.83	0.316 U
		06/19/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.931	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	1.09	0.316 U
		04/13/18	Bladder	0.134 U	0.117 U	0.183 U	5.33	–	0.412 U	0.152 U	0.222 U	0.257 U	1.68	0.130 U	8.79	0.316 U
		10/29/18	Bladder	0.134 U	0.242 J	0.183 U	0.220 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.696	0.130 U	3.90	0.316 U
		12/13/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	1.77	0.130 U	3.86	0.316 U
		01/25/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.587	0.130 U	5.46	0.316 U
		03/11/19	Bladder	0.134 U	0.117 U	0.183 U	0.520	–	0.412 U	0.152 U	0.222 U	0.257 U	0.301 J	0.130 U	7.24	0.316 U
		04/25/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.373 J	0.130 UJ	6.61 J	0.316 U
		07/23/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.304 J	0.130 UJ	9.00	0.316 U
		10/15/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.350 J	0.130 U	7.36	0.316 U
		01/27/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.349 J	0.130 U	5.16	0.316 U
		04/03/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.244 J	0.130 U	3.79	0.316 U
		07/31/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0742 J	4.22 J	0.0500 U	0.0572 UJ	0.0612 U	0.0560 UJ	0.299	0.0200 UJ	2.98	0.191 U
		11/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	18.1 J+	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.214	0.0200 U	5.82	0.191 U
		02/03/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	13.3	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.191	0.0200 U	3.62	0.191 U
		05/17/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	21.0	0.828	0.0572 U	0.0612 U	0.0560 U	0.197	0.0200 U	9.41	0.191 U
W-MW-02	8th Ave N ROW, W side	03/27/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.961 J	2.16	0.222 U	0.257 U	0.259 J	0.130 U	36.4	0.316 U
		06/19/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.970	0.746	0.222 U	0.257 U	0.153 U	0.130 U	25.6	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
W-MW-02 (continued) (dup)		06/12/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.829	0.279 J	0.222 U	0.257 U	0.153 U	0.130 U	4.95	0.316 U
		10/26/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.641	0.410 J	0.222 U	0.257 U	0.153 U	0.130 U	1.41	0.316 U
		10/26/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.587	0.435 J	0.222 U	0.257 U	0.153 U	0.130 U	1.80	0.316 U
		12/12/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	1.05	0.463 J	0.222 U	0.257 U	0.153 U	0.130 U	2.30	0.316 U
		01/25/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	2.09	0.263 J	0.222 U	0.257 U	0.153 U	0.130 U	2.01	0.316 U
		03/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	1.12	0.316 J	0.222 U	0.257 U	0.153 U	0.130 U	2.43	0.316 U
		04/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.560	2.35	0.222 U	0.257 U	40.1	0.130 UJ	81.0 J	0.316 U
		07/23/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	1.35	0.386 J	0.222 U	0.257 U	0.153 U	0.130 UJ	6.79	0.316 U
		10/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	1.79	0.278 J	0.222 U	0.257 U	0.153 UJ	0.130 U	3.56	0.316 U
		01/28/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	2.93	0.252 J	0.222 U	0.257 U	0.153 U	0.130 U	1.70	0.316 U
		04/01/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	2.51	0.166 J	0.222 U	0.257 UJ	0.153 U	0.130 U	1.42	0.316 U
07/31/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.844 J	0.387	0.204 J	0.0612 U	0.0560 UJ	0.136	0.0200 UJ	1.08	0.191 U		
Deep Water-Bearing Zone																
FMW-129	SDOT Mercer Parcels, NE quadrant	04/10/17	Peristaltic	0.670 U	0.585 U	0.915 U	194	–	2.06 U	5.05	1.11 U	1.28 U	492	0.650 U	0.885 J	1.58 U
		06/23/17	Bladder	0.134 U	0.117 U	0.183 U	81.1	–	0.412 U	1.21	0.222 U	0.257 U	182	0.130 U	4.13	0.316 U
		05/01/19	Peristaltic	0.134 U	0.117 U	0.183 U	101	–	0.412 U	1.22	0.222 U	0.257 U	166	0.130 UJ	0.590 U	0.316 U
		07/16/19	Bladder	0.134 U	0.117 U	0.183 U	159	–	0.412 U	1.61	0.222 U	0.257 UJ	84.1	0.130 UJ	0.296 J	0.316 U
		10/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	114	–	0.412 U	1.61	0.222 U	0.257 UJ	198	0.130 U	0.259 J	0.316 U
		11/12/19°	Unknown	–	–	–	79	–	–	2.0 U	–	–	130	–	2.0 U	–
		01/14/20	Bladder	1.34 U	1.17 U	1.83 U	113	–	4.12 U	1.60 J	2.22 U	2.57 U	170	1.30 U	1.18 U	3.16 U
		01/14/20°	Bladder	–	–	–	130	–	–	2.0 U	–	–	170	–	2.0 U	–
		02/18/20°	Unknown	–	–	–	110	–	–	2.0 U	–	–	170	–	2.0 U	–
		03/25/20°	Unknown	–	–	–	88	–	–	2.0 U	–	–	140	–	2.6	–
		04/27/20°	Unknown	–	–	–	74	–	–	1.0 U	–	–	88	–	1.0 U	–
(split)		05/06/20	Bladder	0.125 U	0.118 U	0.127 U	34.6	–	0.278 U	0.433 J	0.118 U	0.467 U	61.9	0.160 U	14.2	0.174 U
		05/19/20°	Unknown	–	–	–	18	–	–	1.0 U	–	–	42	–	6.5	–
		07/10/20	Bladder	0.101 U	0.109 U	0.0620 U	10.8	0.155 J	1.47	0.224	0.0612 U	0.0560 UJ	27.1	0.0200 U	0.430	0.191 U
		07/28/20°	Unknown	–	–	–	5.4	–	–	0.80 U	–	–	11	–	0.80 U	–
		09/17/20°	Unknown	–	–	–	6.1	–	–	0.40 U	–	–	13	–	0.40 U	–
		11/10/20	Bladder	0.101 U	0.109 U	0.0620 U	6.43	0.0900 U	0.136 J-	0.135 J	0.0612 U	0.0560 UJ	22.3	0.0200 U	8.49 J+	0.191 U
		12/03/20°	Unknown	–	–	–	9.0	–	0.40 U	–	–	–	14	–	0.40 U	–
		02/10/21	Peristaltic	0.101 U	0.109 U	0.0620 U	2.42	0.0900 U	0.0500 U	0.276	0.0612 U	0.0560 U	4.97	0.0200 U	0.0273 U	0.191 U
		02/10/21°	Peristaltic	–	–	–	1.9	–	–	0.20 U	–	–	4.6	–	0.20 U	–
		05/26/21	Bladder	0.101 U	0.109 U	0.0620 U	91.1	0.0900 U	0.0860 U	1.53	0.0612 U	0.0560 U	197	0.0200 U	0.0273 U	0.191 U
		05/26/21	Bladder	0.101 U	0.109 U	0.0620 U	97.2	0.0900 U	0.102 U	1.56	0.0612 U	0.0560 U	201	0.0200 U	0.0273 U	0.191 U
FMW-131	Block 37, SE quadrant	03/24/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.249 J	0.316 U
		06/23/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.264 J	0.316 U
		12/18/17 ^b	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		04/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.195 J	0.316 U
		10/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.140 J	0.316 U
		01/22/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.162 J	0.316 U
		04/29/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.954	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.309 J	0.726 J
		07/30/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0500 J	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.147	0.191 U
		08/26/20°	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
FMW-131 (continued)		11/19/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0520 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.109	0.191 U
		12/04/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		02/11/21 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		02/12/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0450 J	0.0900 UJ	1.04	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.287	0.952
		05/13/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.115 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.428	0.191 U
FMW-137	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		12/28/18 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		05/06/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		07/08/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		10/14/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		11/06/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		11/11/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		01/22/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.506	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/06/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/31/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.884	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 U	0.637
		11/24/20	Bladder	0.277 J	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0900 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.294
		02/12/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.448	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0920 J	0.442
		06/02/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
FMW-138	Alley E of Block 38 West	11/20/18 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		12/28/18 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		05/6/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		07/8/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		10/14/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		11/11/19 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
FMW-3D	Terry Ave N ROW, E side	03/24/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/23/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
FMW-140	900 Roy St, S end	07/17/19 ^o	Unknown	–	–	–	2.0 U	–	–	0.20 U	–	–	2.0 U	–	320	–
		10/31/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	1.43	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	189	0.316 U
		11/12/19 ^o	Unknown	–	–	–	4.0 U	–	–	0.20 U	–	–	4.0 U	–	510	–
		01/14/20 ^o	Unknown	–	–	–	4.0 U	–	–	0.20 U	–	–	4.0 U	–	460	–
		01/22/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.729	0.222 U	0.257 U	0.153 U	0.130 U	527	0.316 U
		02/18/20 ^o	Unknown	–	–	–	4.0 U	–	–	0.20 U	–	–	4.0 U	–	530	–
		03/25/20 ^o	Unknown	–	–	–	2.0 U	–	–	0.20 U	–	–	2.0 U	–	290	–
		04/27/20 ^o	Unknown	–	–	–	1.0 U	–	–	0.20 U	–	–	1.0 U	–	130	–
		04/28/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.217 J	0.118 U	0.467 U	0.190 U	0.160 U	147	0.174 U
		05/19/20 ^o	Unknown	–	–	–	1.0 U	–	–	0.20 U	–	–	1.0 U	–	130	–
		07/07/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	2.79	0.202	0.0612 U	0.0560 U	0.0160 U	0.0200 U	188	0.191 U
		07/29/20 ^o	Unknown	–	–	–	1.0 U	–	–	0.20 U	–	–	1.0 U	–	170	–
		09/17/20 ^o	Unknown	–	–	–	1.0 U	–	–	0.20 U	–	–	1.0 U	–	43	–
		11/13/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.147 J	0.0665 J	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	30.8	0.191 U
		12/04/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	18	–
		02/10/21 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	3.2	–
		05/18/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.152 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	15.8	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
GEI-2	Block 37, NW quadrant	03/24/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	6.94	0.316 U
		06/23/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	127	0.316 U
		12/29/18 ^o	Unknown	–	–	–	0.40 U	–	–	0.40 U	–	–	0.40 U	–	60	–
		04/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	57.7 J	0.316 U
		07/16/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	46.4	0.316 U
		10/21/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	88.2	0.316 U
		11/11/19 ^o	Unknown	–	–	–	1.0 U	–	–	1.0 U	–	–	1.0 U	–	92	–
		01/14/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	36	–
		01/22/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.192 J	0.130 U	0.118 U	0.316 U
		02/17/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	34	–
		03/25/20 ^o	Unknown	–	–	–	0.40 U	–	–	0.40 U	–	–	0.40 U	–	52	–
		04/27/20 ^o	Unknown	–	–	–	0.40 U	–	–	0.40 U	–	–	0.40 U	–	50	–
		04/29/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	67.8	0.174 U
		05/19/20 ^o	Unknown	–	–	–	0.40 U	–	–	0.40 U	–	–	0.40 U	–	55	–
		06/29/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	33	–
		07/29/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	46	–
		07/30/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0707 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	44.9	0.191 U
		08/26/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	0.20 U	–
		09/17/20 ^o	Unknown	–	–	–	0.40 U	–	–	0.40 U	–	–	0.40 U	–	48	–
		11/19/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	42.7	0.191 U
		12/04/20 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	21	–
		02/11/21 ^o	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	16	–
		02/12/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.282 U	1.22	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	18.4	1.09
		05/13/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.149 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	9.14	0.191 U
HMW-1D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	3.4	–	1.0 U	1.2	1.0 U	–	27	1.0 U	4.0	1.0 U
		03/09/20 ^a	Unknown	–	–	–	21	–	20 U	20 U	–	–	110	20 U	6.0 U	40 U
HMW-2D	SDOT Mercer Parcels, NE quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	1.0 U	–	1.0 U	1.0 U	0.20 U	1.0 U
		03/12/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 U	0.20 U	0.40 U
HMW-3D	SDOT Mercer Parcels, NW quadrant	03/25/19 ^a	Peristaltic	1.0 U	1.0 U	1.0 U	1.0 U	–	1.1	1.0 U	1.0 U	–	1.0 U	1.0 U	0.20 U	1.0 U
		03/13/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 U	0.20 U	0.40 U
HMW-6D	SDOT Mercer Parcels, SW quadrant	03/16/20 ^a	Unknown	–	–	–	0.20 U	–	0.64	0.20 U	–	–	0.20 U	0.20 U	0.20 U	0.40 U
HMW-9D	SDOT Mercer Parcels, SW quadrant	03/17/20 ^a	Unknown	–	–	–	0.89	–	0.42	0.20 U	–	–	0.20 U	0.20 U	0.97	0.40 U
HMW-10D	SDOT Mercer Parcels, SE quadrant	03/16/20 ^a	Unknown	–	–	–	0.20 U	–	0.20 U	0.20 U	–	–	0.20 U	0.20 U	0.20 U	0.40 U
MW102	Valley Street ROW, S side	03/29/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/15/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/25/18	Bladder	0.134 U	0.117 U	0.183 U	0.352 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/24/19	Bladder	0.134 U	0.117 U	0.183 U	0.220 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/01/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		07/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW102 (continued) (dup)		11/14/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/23/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/23/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/02/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		08/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.00	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		08/04/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.880	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/18/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0710 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/03/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0880 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.282
(dup)	Alley E of Seattle Roy Aloha Shops	05/14/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.196 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		03/23/17	Peristaltic	0.134 U	0.117 U	0.183 U	1.99 U	–	0.464 J	0.405 J	0.222 U	0.257 U	23.1	0.130 U	157	0.316 U
		06/14/17	Bladder	0.134 U	0.117 U	0.183 U	0.626	–	0.412 U	0.369 J	0.222 U	0.257 U	23.0	0.130 U	69.2	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	1.81	0.130 U	22.4	0.316 U
		01/23/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.365 J	–	1.35	0.152 U	0.222 U	0.257 U	1.48	0.130 U	6.68	0.316 U
		04/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.209 J	0.222 U	0.257 U	3.09	0.130 UJ	32.3 J	0.316 U
		07/15/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.232 J	0.222 U	0.257 UJ	2.37	0.130 UJ	55.4	0.316 U
		10/14/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.158 J	0.222 U	0.257 UJ	0.153 U	0.130 U	51.8	0.316 U
		01/16/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	77.9	0.316 U
		04/23/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.233 J	0.160 U	4.80	0.174 U
		04/23/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.244 J	0.160 U	4.71	0.433 U
		07/06/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	2.12	0.0572 UJ	0.0612 U	0.0560 UJ	0.185	0.0200 U	2.18	0.191 U
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.158 J	0.0590 J	0.0612 U	0.0560 U	0.0800	0.0200 U	2.22	0.191 U
		02/10/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.542	0.0572 U	0.0612 U	0.0560 U	0.602	0.0200 U	5.37	0.433
		05/03/21	Bladder	0.101 U	0.109 U	0.0620 U	0.569	0.0900 U	0.0950 J	0.108 J	0.0612 U	0.0560 U	8.73	0.0200 U	15.8	0.191 U
(dup)	8th Ave N ROW, W side	03/30/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/30/17	Bladder	0.134 U	0.117 U	0.183 U	5.83	–	0.903	0.152 U	0.222 U	0.257 U	5.21	0.130 U	0.118 U	0.396 J
		04/09/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.541	–	0.412 U	1.02	0.222 U	0.257 U	2.00	0.130 U	32.3	0.316 U
		10/26/18	Bladder	0.134 U	0.117 U	0.183 U	1.87 J+	–	0.618 J+	0.257 J	0.222 U	0.257 U	2.94 J+	0.130 U	43.5	0.316 U
		12/13/18	Bladder	0.134 U	0.117 U	0.183 U	0.381 J	–	0.412 U	0.559	0.222 U	0.257 U	2.36	0.130 U	43.8	0.316 U
		02/01/19	Bladder	0.134 U	0.117 U	0.183 U	12.1	–	0.412 U	0.326 J	0.222 U	0.257 U	3.22	0.130 U	32.4	0.316 U
		03/13/19	Bladder	0.134 U	0.117 U	0.183 U	31.6	–	0.455 J	1.93	0.222 U	0.257 U	75.7	0.130 U	25.9	0.316 U
		04/23/19	Bladder	0.134 U	0.117 U	0.183 U	15.9	–	0.412 U	2.49	0.222 U	0.257 U	56.9	0.130 UJ	21.1 J	0.316 U
		07/22/19	Bladder	0.134 U	0.117 U	0.183 U	0.282 J	–	0.412 U	2.10	0.222 U	0.257 U	28.3	0.130 U	57.1	0.316 U
		10/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.329 J	0.222 U	0.257 U	1.54 J	0.130 U	33.2	0.316 U
		01/29/20	Bladder	0.134 U	0.117 U	0.183 U	0.894	–	0.412 U	0.481 J	0.222 U	0.257 U	6.44	0.130 U	31.7	0.316 U
		04/01/20	Bladder	0.134 U	0.117 U	0.183 U	53.1	–	0.412 U	2.50	0.222 U	0.257 UJ	108	0.130 U	4.63	0.316 U
		07/31/20	Bladder	0.101 U	0.109 U	0.0620 U	18.8	1.19 J	0.251	1.01 J	0.0612 U	0.0560 UJ	55.0	0.0200 UJ	2.68	0.191 U
		07/31/20	Bladder	0.101 U	0.109 U	0.0620 U	19.2	1.17 J	0.242	1.04 J	0.0612 U	0.0560 UJ	55.0	0.0200 UJ	2.65	0.191 U
		11/17/20	Bladder	0.101 U	0.109 U	0.0620 U	10.6	2.43 J-	0.0730 J	1.61	0.0612 U	0.0560 U	59.5 J+	0.0200 U	4.68	0.191 U
		02/10/21	Bladder	0.101 U	0.109 U	0.0620 U	1.52	3.54 J+	2.03	1.15	0.0612 U	0.0560 U	29.8	0.0200 U	9.58	1.18
MW105	Roy Street ROW, S side	04/21/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.544 J	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	1.95	0.316 U
		06/14/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.356 J	0.130 U	0.514	0.316 U
		04/11/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.205 J	0.316 U
		01/23/19	Bladder	0.134 U	0.117 U	0.183 U	0.790	–	0.412 U	0.152 U	0.222 U	0.257 U	0.317 J	0.130 U	0.392 J	0.316 U
		04/23/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.238 J	0.316 U

Table G-5

**Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW105 (continued) (dup)		07/17/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.265 J	0.316 U
		10/22/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.214 J	0.316 U
		10/22/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/20/20	Bladder	0.134 U	0.117 U	0.183 U	0.208 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.348 J	0.130 U	0.568	0.316 U
		05/12/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.635	0.149 U	0.118 U	0.467 U	1.02	0.160 U	0.234 U	0.193 J
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	0.324	0.0900 U	1.25	0.0983 J	0.0612 U	0.0560 U	2.12	0.0200 U	0.135	0.191 U
		11/17/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.553	0.0900 U	0.139 J	0.248	0.0612 U	0.0560 U	4.95 J+	0.0200 U	0.150	0.191 U
		02/11/21	Bladder	0.101 U	0.109 U	0.0620 U	0.335	0.0900 U	0.373	0.403	0.0612 U	0.0560 U	3.53	0.0200 U	0.178	0.528
06/07/21	Bladder	0.101 U	0.109 U	0.0620 U	0.128	0.0900 U	1.09	0.300	0.0612 U	0.0560 U	1.37	0.0200 U	0.359	0.234 J		
MW106	SDOT Mercer Parcels, NW quadrant	04/14/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/30/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.419 J	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/04/18	Bladder	0.134 U	0.273 J	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/26/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		07/19/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/14/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/06/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		05/06/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/10/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.74	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/10/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.415 J-	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.233 J
		11/10/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.339 J-	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.216 J
		02/12/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/12/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/13/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0570 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW113	9th Ave N ROW, W side	03/22/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	25.4	0.222 U	0.257 U	27.1	0.130 U	63.5	0.316 U
		06/16/17	Bladder	0.134 U	0.117 U	0.183 U	0.522	–	0.412 U	28.2	0.222 U	0.257 U	148	0.130 U	53.3	0.316 U
		04/11/18	Peristaltic	0.134 U	0.117 U	0.183 U	191	–	0.412 U	21.3	0.222 U	0.257 U	1,100	0.130 U	34.9	0.316 U
		01/30/19	Peristaltic	0.670 U	0.585 U	0.915 U	0.995 U	–	2.06 U	22.8	1.11 U	1.28 U	2.81	0.650 U	34.8	1.58 U
		02/07/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	25.7	0.222 U	0.257 U	1.77	0.130 U	46.0	0.316 U
		07/17/19	Peristaltic	0.134 U	0.117 U	0.183 U	3.14	–	0.412 U	13.1	0.222 U	0.257 U	20.4	0.130 U	103	0.316 U
		10/22/19	Peristaltic	0.134 U	0.117 U	0.183 U	1.99 U	–	0.412 U	4.45	0.222 U	0.257 U	6.77	0.130 U	66.2	0.316 U
		11/11/19°	Peristaltic	–	–	–	50 U	–	–	50 U	–	–	50 U	–	950	–
		01/14/20	Bladder	1.34 U	1.17 U	1.83 U	1.99 U	–	4.12 U	32.9	2.22 U	2.57 U	1.53 U	1.30 U	1,410	3.16 U
		01/14/20°	Peristaltic	–	–	–	50 U	–	–	50 U	–	–	50 U	–	1,400	–
		02/18/20°	Unknown	–	–	–	50 U	–	–	50 U	–	–	50 U	–	1,800	–
		03/24/20°	Unknown	–	–	–	20 U	–	–	20 U	–	–	20 U	–	200	–
		04/27/20	Peristaltic	12.5 U	11.8 U	12.7 U	30.0 U	–	27.8 U	14.9 U	11.8 U	46.7 U	19.0 U	16.0 U	75.9	17.4 U
		04/27/20°	Peristaltic	–	–	–	20 U	–	–	20 U	–	–	20 U	–	94	–
		05/19/20°	Unknown	–	–	–	20 U	–	–	20 U	–	–	20 U	–	110	–
		07/28/20	Bladder	12.5 U	11.8 U	12.7 U	212	–	27.8 U	14.9 U	11.8 U	46.7 U	1,540	16.0 U	76.0	17.4 U
		07/28/20°	Unknown	–	–	–	170	–	–	10 U	–	–	1,300	–	82	–
		09/17/20°	Unknown	–	–	–	390	–	–	10 U	–	–	1,500	–	45	–
		11/24/20	Bladder	10.1 U	10.9 U	6.20 U	706	9.00 U	5.00 U	8.30 J	6.12 U	5.60 U	1,380	2.00 U	11.9	19.1 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW113 (continued) (split)		12/03/20 ^o	Unknown	–	–	–	480	–	–	4.0 U	–	–	800	–	6.4	–
		02/10/21	Peristaltic	0.101 U	0.109 U	0.0620 U	3.04	0.183 J	0.0500 U	0.0780 J	0.0612 U	0.0560 U	4.18	0.0200 U	0.0710 J	0.191 U
		02/10/21 ^o	Peristaltic	–	–	–	2.7	–	–	0.20 U	–	–	8.4	–	0.20 U	–
		05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	249	0.0900 U	0.127 U	8.60	0.0612 U	0.0560 U	944	0.0200 UJ	6.91	0.191 U
MW122	Alley E of Seattle Roy Aloha Shops	03/28/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/14/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.162 J	0.130 U	0.118 U	0.316 U
		04/06/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/14/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.223 J	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/17/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 UJ	0.316 U
		04/07/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		07/24/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0540 J	0.0900 U	0.0880 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		11/06/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U
		05/03/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0360 J	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW123	Westlake Ave N ROW, W side	04/01/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		06/24/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/14/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.284 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/18/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 UJ	0.130 U	0.118 U	0.316 U
		01/22/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/05/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.293 J	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	0.234 U	0.174 U
		07/30/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	1.62	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 U	0.948
		11/12/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.296	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.236 J
		05/26/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
MW124 (dup)	Valley Street ROW, S side	03/29/17	Bladder	0.134 U	0.117 U	0.183 U	1.60	–	0.785 U	0.152 U	0.222 U	0.257 U	0.596	0.130 U	0.118 U	0.316 U
		03/29/17	Bladder	0.134 U	0.117 U	0.183 U	1.22	–	0.675 U	0.152 U	0.222 U	0.257 U	0.433	0.130 U	0.118 U	0.316 U
		06/15/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/13/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/11/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/30/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/03/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		08/03/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	1.14	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 U	0.526
		11/18/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0480 J	0.0900 U	0.464	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		06/08/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0480 J	0.0900 U	0.111 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW128 (dup)	Westlake Ave N ROW, E side	03/29/17	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	72.4	0.316 U
		06/21/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.541	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	195	0.316 U
		04/09/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	31.0	0.316 U
		12/30/18 ^o	Unknown	–	–	–	1.0 U	–	–	1.0 U	–	–	1.0 U	–	110	–
		07/18/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	108	0.316 U
		10/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	13.3 J	0.316 U
		10/11/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	24.1 J	0.316 U
		11/11/19 ^o	Peristaltic	–	–	–	0.40 U	–	–	0.40 U	–	–	0.40 U	–	60	–
		01/20/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	47.4	0.316 U
		02/18/20 ^o	Unknown	–	–	–	0.40 U	–	–	0.40 U	–	–	0.40 U	–	54	–

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW128 (continued) (split)		04/27/20	Peristaltic	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	53.2	0.174 U
		06/29/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	31.3	0.191 U
		06/29/20°	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	34	–
		08/26/20°	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	29	–
		11/09/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.132 J	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	56.1	0.191 U
		12/20/20°	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	34	–
		02/11/21°	Unknown	–	–	–	0.20 U	–	–	0.20 U	–	–	0.20 U	–	29	–
MW-133	Property, SW quadrant	05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	37.3	0.191 U
		09/25/17	Bladder	0.134 U	0.117 U	0.183 U	12.7	–	0.748	1.13	0.222 U	0.257 U	16.2	0.130 U	0.239 J	0.316 U
		04/25/18	Bladder	0.134 U	0.117 U	0.183 U	0.646	–	0.837	0.315 J	0.222 U	0.257 U	0.516	0.130 U	3.51	0.316 U
		10/26/18	Bladder	0.134 U	0.117 U	0.183 U	1.92 J+	–	0.412 U	0.257 J	0.222 U	0.257 U	1.63 J+	0.130 U	3.43	0.316 U
		12/12/18	Bladder	0.134 U	0.117 U	0.183 U	1.71	–	0.412 U	0.454 J	0.222 U	0.257 U	2.75	0.130 U	5.95	0.316 U
		02/01/19	Bladder	0.134 U	0.117 U	0.183 U	22.4	–	0.412 U	0.588	0.222 U	0.257 U	9.29	0.130 U	4.36	0.316 U
	03/13/19	Bladder	0.134 U	0.117 U	0.183 U	4.45	–	0.412 U	0.483 J	0.222 U	0.257 U	5.92	0.130 U	10.8	0.316 U	
Decommissioned March, 2019																
MW-137	Property, SW quadrant	09/25/17	Bladder	0.134 U	0.117 U	0.183 U	15.0	–	3.90	0.152 U	0.222 U	0.257 U	19.1	0.130 U	0.118 U	0.316 U
		04/12/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	4.26	0.316 U
		10/26/18	Bladder	0.134 U	0.117 U	0.183 U	0.896 J+	–	0.412 U	0.152 U	0.222 U	0.257 U	0.463 U	0.130 U	0.118 U	0.316 U
		12/12/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.357 J	0.316 U
		02/01/19	Bladder	0.134 U	0.117 U	0.183 U	1.48	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.365 J	0.316 U
		03/11/19	Bladder	0.134 U	0.117 U	0.183 U	0.344 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.179 J	0.316 U
	Decommissioned March, 2019															
MW-138	Dexter Ave N ROW, E side	09/21/17	Bladder	0.268 U	0.234 U	0.366 U	0.398 U	–	2.60	0.304 U	0.444 U	0.514 U	0.306 U	0.260 U	0.236 U	0.632 U
		04/11/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		10/29/18	Bladder	0.134 U	0.146 J	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.169 J	0.316 U
		12/17/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/03/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.442 J	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		03/14/19	Bladder	0.134 U	0.117 U	0.183 U	1.49	–	0.412 U	0.152 U	0.222 U	0.257 U	0.167 J	0.130 U	0.118 U	0.316 U
		04/22/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.118 UJ	0.316 U
		07/19/19	Bladder	0.134 U	0.117 UJ	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		10/21/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/27/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/08/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.468	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.356
		11/18/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U
		02/11/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.481	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.686
		06/07/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.589	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0760 J	0.191 U
MW-140 (dup)	Roy Street ROW, E side	09/22/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.450 J	0.130 U	0.118 U	0.316 U
		09/22/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.456 J	0.130 U	0.118 U	0.316 U
		04/12/18	Bladder	0.134 U	0.178 J+	0.183 U	0.402 J+	–	0.412 U	0.152 U	0.222 U	0.257 U	0.572 J+	0.130 U	0.246 J+	0.316 U
MW-141	Property, SE quadrant	09/22/17	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.941	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.457 J	0.316 U
		04/12/18	Submersible	0.134 U	0.117 U	0.183 U	71.3 J+	–	0.412 U	5.68 J+	0.222 U	0.257 U	25.6 J+	0.130 U	7.01 J+	0.316 U
		10/25/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		12/12/18	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.520	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total	
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600	
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320	
MW-141 (continued)	Decommissioned March, 2019	01/30/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U	
		03/11/19	Bladder	0.134 U	0.117 U	0.183 U	0.701	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.557	0.316 U	
MW-153	Roy St ROW, S side	05/01/18	Bladder	0.134 U	0.117 U	0.183 U	0.756	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	9.56	0.316 U	
01/22/19		Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	15.9	0.316 U		
04/24/19		Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	2.69 J	0.316 U		
04/24/19		Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	1.66 J	0.316 U		
07/22/19		Bladder	0.159 J	0.117 U	0.183 U	0.199 U	–	0.716	0.152 U	0.222 U	0.257 U	0.190 J	0.130 UJ	0.235 J	0.819 J		
10/15/19		Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U		
01/21/20		Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U		
04/30/20		Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U		
07/15/20		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.79	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.191 U		
11/09/20		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.314	0.0572 U	0.0612 U	0.131 J	0.0160 U	0.0200 U	0.333	0.191 U		
02/09/21		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.860	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	2.42	1.01		
02/09/21		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.918	0.0680 J	0.0612 U	0.0560 U	0.0160 U	0.0200 U	2.48	1.02		
05/10/21		Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	1.15 J-	0.323		
MW-158A		8th Ave N ROW, E side	04/30/18	Bladder	0.134 U	0.117 U	0.183 U	17.7	–	2.66	0.205 J	0.222 U	0.257 U	18.7	0.130 U	8.91	0.316 U
			01/24/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.325 J	0.130 U	7.58	0.316 U
			04/25/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.240 J	0.130 UJ	3.08 J	0.316 U
			07/19/19	Bladder	0.134 U	0.117 UJ	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.177 J	0.130 U	1.24	0.316 U
			10/16/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.318 J	0.130 U	2.18	0.316 U
			01/21/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.195 J	0.316 U
			04/24/20	Bladder	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	0.251 J	0.160 U	1.45	0.174 U
			07/15/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.11	0.0572 U	0.0612 U	0.0560 UJ	0.247	0.0200 U	0.882	0.366
			11/23/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.104 U	0.0572 U	0.0612 U	0.0560 U	0.0840	0.0200 U	0.447	0.191 U
			02/02/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.532	0.0572 U	0.0612 U	0.0560 U	0.0680	0.0200 U	0.526	1.17
			05/10/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0750 J	0.0572 U	0.0612 U	0.0560 UJ	0.0920	0.0200 UJ	0.326 J-	0.191 U
MW-160	8th Ave N ROW, W side	05/21/18	Bladder	0.134 U	0.117 U	0.183 U	0.380 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.835	0.130 U	0.118 U	0.342 J	
		01/25/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.263 J	0.130 U	0.118 U	0.316 U	
		05/01/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.513	0.130 UJ	0.118 UJ	0.316 U	
		07/23/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 UJ	0.326 J	0.316 U	
		10/17/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U	
		01/29/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.195 J	0.130 U	0.744	0.316 U	
		04/01/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	3.18	0.130 U	0.118 U	0.316 U	
		08/03/20	Bladder	0.101 U	0.109 U	0.0620 U	0.203	0.0900 U	1.04	0.144 J	0.0612 U	0.0560 UJ	3.61	0.0200 U	1.17 J	0.321	
		11/30/20	Bladder	0.101 U	0.109 U	0.0620 U	0.828	0.0900 U	0.177 J	0.228	0.0612 U	0.0560 U	10.2	0.0200 U	3.59	0.827	
		02/05/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0550 J	0.229 U	0.526	0.192 J+	0.0612 U	0.0560 U	1.65	0.0200 U	17.1 J	1.17	
		05/12/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.237	0.0700 J	0.0612 U	0.0560 U	0.353	0.0200 U	4.05	0.191 U	
MW-161	8th Ave N ROW, W side	05/21/18	Bladder	0.134 U	0.117 U	0.183 U	2.01	–	0.412 U	0.152 U	0.222 U	0.257 U	1.79	0.130 U	0.118 U	0.329 J	
		01/25/19	Bladder	0.134 U	0.117 U	0.183 U	0.472 J	–	0.412 U	0.152 U	0.222 U	0.257 U	1.66	0.130 U	0.118 U	0.316 U	
		05/01/19	Bladder	0.134 U	0.117 U	0.183 U	0.482 J	–	0.412 U	0.152 U	0.222 U	0.257 U	1.66	0.130 UJ	0.118 UJ	0.316 U	
		07/18/19	Bladder	0.134 U	0.117 U	0.183 U	0.264 J	–	0.412 U	0.152 U	0.222 U	0.257 UJ	1.53	0.130 U	0.118 U	0.316 U	
		10/14/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.978	0.130 U	0.118 U	0.316 U	
		01/28/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.388 J	0.222 U	0.257 U	6.05	0.130 U	1.10	0.316 U	

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-161 (continued)		04/03/20	Bladder	0.134 U	0.117 U	0.183 U	16.7	–	0.412 U	1.27	0.222 U	0.257 U	27.0	0.130 U	1.92	0.316 U
		07/31/20	Bladder	0.101 U	0.109 U	0.0620 U	40.6	0.0900 UJ	0.0536 J	1.17 J	0.0612 U	0.0560 UJ	42.5	0.0200 UJ	4.27	0.191 U
		12/01/20	Bladder	0.101 U	0.109 U	0.0620 U	49.0	0.0900 U	0.0740 J	1.74	0.0612 U	0.0560 U	50.3	0.0200 U	5.47	0.191 U
		02/05/21	Bladder	0.101 U	0.109 U	0.0620 U	24.4	0.0900 UJ	0.0590 J	2.32 J	0.0612 U	0.0560 U	55.8	0.0200 U	9.28 J	0.191 U
		05/25/21	Bladder	0.101 U	0.109 U	0.0620 U	1.08	0.0900 U	0.165 U	1.11	0.0612 U	0.0560 U	28.3	0.0200 UJ	5.35	0.191 U
MW-162	Property, NE quadrant Decommissioned March, 2019	02/05/19	Bladder	1.00 U	1.00 U	1.00 U	2,800	–	1.00 U	9.58	1.00 U	–	613	1.00 U	128	1.00 U
		03/12/19	Peristaltic	0.134 U	0.117 U	0.183 U	613	–	0.412 U	2.63	0.222 U	0.257 U	538	0.130 U	46.5	0.316 U
MW-163	Property, NW quadrant (dup) Decommissioned March, 2019	02/05/19	Bladder	1.00 U	1.00 U	1.00 U	218	–	1.00 U	1.00 U	1.00 U	–	150	1.00 U	2.95	1.00 U
		02/05/19	Bladder	1.00 U	1.00 U	1.00 U	220	–	1.00 U	1.00 U	1.00 U	–	153	1.00 U	3.45	1.00 U
		03/12/19	Bladder	0.134 U	0.117 U	0.183 U	282	–	0.412 U	2.87	0.222 U	0.257 U	334	0.130 U	1.10	0.316 U
MW-164	Property, SW quadrant Decommissioned March, 2019	02/05/19	Bladder	1.00 U	1.00 U	1.00 U	871	–	1.80	3.41	1.00 U	–	372	1.00 U	4.41	1.00 U
		03/12/19	Bladder	0.134 U	0.117 U	0.183 U	444	–	0.412 U	4.24	0.222 U	0.257 U	327	0.130 U	7.80	0.316 U
MW-304	Dexter Ave N ROW, E side	10/21/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.728	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	0.118 U	0.316 U
		01/27/20	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/07/20	Bladder	0.125 UJ	0.118 U	0.127 UJ	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.174 U
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	2.63	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
		05/18/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.357	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	0.0273 U	0.191 U
MW-319	9th Ave N ROW, W side	10/08/19	Bladder	0.134 U	0.117 U	0.183 U	0.609	–	0.412 U	0.152 U	0.222 U	0.257 U	8.12	0.130 U	5.76	0.316 U
		01/16/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.414 J	–	0.412 U	0.152 U	0.222 U	0.257 U	11.4	0.130 U	6.78	0.316 U
		04/27/20	Bladder	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 UJ	10.7	0.160 U	4.52	0.174 U
		07/27/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0933 J	0.0900 U	0.399	0.0806 J	0.0612 U	0.0560 U	13.6	0.0200 UJ	4.77	0.207 J
		11/12/20	Bladder	0.101 U	0.109 U	0.0620 U	0.110	0.0900 U	0.0500 UJ	0.0572 U	0.0612 U	0.0560 UJ	13.9	0.0200 U	4.58 J+	0.191 U
05/19/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0900 J	0.0900 U	0.0700 U	0.104 J	0.0612 U	0.0560 U	8.52	0.0200 UJ	4.16	0.191 U		
MW-323	9th Ave N ROW, W side	10/09/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	4.97	0.152 U	0.222 U	0.257 U	0.891	0.130 U	13.4	0.316 U
		01/20/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.549	0.152 U	0.222 U	0.257 U	0.178 J	0.130 U	64.9	0.316 U
		04/23/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	4.14	0.174 U
		07/07/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.76	0.0572 U	0.0612 U	0.0560 U	0.0300 J	0.0200 U	4.58	0.191 U
		11/24/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0960 U	0.0572 U	0.0612 U	0.0560 U	0.0260 J	0.0200 U	4.89	0.191 U
05/20/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.114 U	0.111 J	0.0612 U	0.0560 U	0.0900	0.0200 UJ	31.4	0.191 U		
MW-324	Roy St ROW, N side	10/02/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	5.45	3.21	0.222 U	0.257 U	0.642	0.130 U	61.9	0.316 U
		01/20/20	Peristaltic	6.70 U	5.85 U	9.15 U	9.95 U	–	20.6 U	7.60 U	11.1 U	12.9 U	7.65 U	6.50 U	113	15.8 U
		04/24/20	Bladder	6.25 U	5.90 UJ	6.35 U	15.0 U	–	13.9 U	16.8 J	5.90 U	23.4 UJ	9.50 U	8.00 U	362	8.70 U
		07/07/20	Bladder	5.05 U	5.45 U	3.10 U	1.40 U	4.50 U	2.50 U	13.6	3.06 U	2.80 U	0.800 U	1.00 U	244	9.55 U
		11/13/20	Bladder	5.05 U	5.45 U	3.10 U	1.40 U	4.50 UJ	2.50 U	13.7	3.06 U	2.80 UJ	0.800 U	1.00 U	184	9.55 U
05/20/21	Peristaltic	5.05 U	5.45 U	3.10 U	1.40 U	4.50 U	2.50 U	10.5	3.06 U	2.80 U	1.95 J	1.00 UJ	45.6	9.55 U		
MW-326	Mercer Street ROW, N side	10/03/19	Bladder	0.134 U	0.117 U	0.183 U	0.769	–	1.31	0.152 U	0.222 U	0.257 U	0.297 J	0.130 U	0.118 U	0.316 U
		01/17/20	Bladder	0.134 U	0.117 U	0.183 U	0.834	–	0.412 U	0.152 U	0.222 U	0.257 U	0.470 J	0.130 U	0.118 UJ	0.316 U
		04/21/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.515 J	0.174 U
		07/23/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.120 J	0.0572 U	0.0612 U	0.0560 UJ	0.0430	0.0200 U	0.201	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total		
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600		
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320		
MW-326 (continued)		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.165 J	0.0572 U	0.0612 U	0.0560 U	0.0260 J	0.0200 U	0.332	0.191 U		
		02/09/21	Bladder	0.101 U	0.109 U	0.0620 U	0.183	0.0900 U	0.540	0.0572 U	0.0612 U	0.0560 U	0.263 J+	0.0200 U	0.182 J	0.427		
		05/18/21	Bladder	0.101 U	0.109 U	0.0620 U	0.219	0.0900 U	0.206	0.0572 U	0.0612 U	0.0560 U	0.496	0.0200 UJ	0.109	0.191 U		
MW-328	Lake Union Park, S end	10/02/19	Bladder	0.134 U	0.117 U	0.183 U	0.199 U	–	0.535	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	23.3	0.316 U		
		01/17/20	Peristaltic	0.134 U	0.117 U	0.183 U	1.66	–	0.448 J	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	13.1 J	0.316 U		
		04/08/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 UJ	0.153 U	0.130 U	11.1	0.316 U		
		07/07/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	20.7	0.191 U		
		11/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	7.99	0.191 U		
		05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0540 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	8.57	0.191 U		
MW-329 (dup)	Westlake Ave N ROW, E side	10/03/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.435 J	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	28.8	0.316 U		
		10/03/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	29.2	0.316 U		
		01/20/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	26.2	0.316 U		
		04/27/20	Bladder	0.125 U	0.118 UJ	0.127 U	0.300 U	–	0.434 J	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	23.6	0.174 U		
		08/03/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	1.06	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	32.2	0.191 U		
		11/09/20	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.106 J	0.0572 U	0.0612 U	0.116 J	0.0160 U	0.0200 U	23.0	0.191 U		
MW-336	Mercer St ROW, N side	05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	23.0	0.191 U		
		05/05/20	Bladder	0.125 U	0.118 U	0.127 U	0.300 U	–	0.318 J	0.149 U	0.118 U	0.467 UJ	0.304 J	0.160 U	6.03	0.174 U		
		07/08/20	Bladder	0.101 U	0.109 U	0.0620 U	0.600	0.0900 UJ	1.21	0.127	0.0612 U	0.0560 UJ	6.08	0.0200 U	7.71	0.191 U		
		11/02/20	Bladder	0.101 U	0.109 U	0.0620 U	0.172	0.170 J	0.301	0.0910 J	0.0612 U	0.0560 U	3.52	0.0200 U	5.80	0.191 U		
		02/10/21	Bladder	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.328	0.189 J	0.0612 U	0.0560 U	1.86	0.0200 U	8.18	0.225 J		
MW-341	Lake Union Park, S end	05/26/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.120	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	3.12 J+	0.0200 U	10.7	0.191 U		
		05/12/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	10.4	0.174 U		
		07/07/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0500	0.0200 U	9.86	0.191 U		
		11/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0740 J	0.0900 U	0.167 J	0.0572 U	0.0612 U	0.0560 U	0.102	0.0200 U	5.99	0.191 U		
MW-342	Valley St ROW, S side	05/25/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	2.71 J+	0.105 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 UJ	26.7	0.191 U		
		05/04/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.366 J	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	1.51	0.174 U		
		07/30/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	1.24	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	3.12	0.723		
		11/17/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	1.87	0.191 U		
MW-343	Valley St ROW, S side	06/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	2.54	0.191 U		
		05/04/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.620	0.149 U	0.118 U	0.467 UJ	0.190 U	0.160 U	0.234 U	0.207 J		
		07/30/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	1.57	0.0572 UJ	0.0612 U	0.0560 UJ	0.0160 U	0.0200 UJ	0.0273 U	0.931		
		11/24/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.191 U		
MW-343	Valley St ROW, S side	06/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	3.81	0.191 U		
		Treatment Zone A Wells																
		IW-4A	Property, NW quadrant	03/28/18	Peristaltic	0.134 U	0.117 U	0.183 U	9,470	–	0.589	9.77	0.222 U	0.257 U	1,100	0.130 U	306	0.316 U
			Decommissioned March, 2019															
IW-7A	Property, NE quadrant	04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.335 J	–	0.412 U	0.295 J	0.222 U	0.257 U	2.09	0.130 U	1.20	0.316 U		
	Decommissioned March, 2019																	
IW-9A	Property, NW quadrant	03/29/18	Peristaltic	0.134 U	0.117 U	0.183 U	3,230	–	0.412 U	2.36	0.222 U	0.257 U	299	0.130 U	102	0.316 U		
	Decommissioned March, 2019																	

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
IW-18A	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.134 U	0.117 U	0.183 U	16,500	–	2.07	13.6	0.222 U	0.257 U	3,300	0.130 U	478	0.507 J
IW-22A	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	3.88	–	0.412 U	6.88	0.222 U	0.257 U	0.153 U	0.130 U	232	0.316 U
IW-37A	Property, SW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.419 J	0.222 U	0.257 U	0.153 U	0.130 U	55.9	0.316 U
IW-41A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.134 U	0.117 UJ	0.183 U	37.3	–	0.412 U	1.89	0.222 U	0.257 U	28.0	0.130 U	78.2	6.32 U
IW-42A	Property, SW quadrant Decommissioned March, 2019	04/10/18	Peristaltic	0.134 U	0.117 UJ	0.183 U	7,700	–	0.726	14.5	0.222 U	0.257 U	1,840	0.130 U	1,280	79.0 U
IW-45A	Property, SW quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.134 U	0.117 U	0.183 U	9,250	–	0.749	14.5	0.222 U	0.257 U	7,460	0.130 U	2,020	0.361 J
IW-46A	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.200 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	284	0.316 U
IW-48A	Property, SE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.425 J	–	0.412 U	1.04	0.222 U	0.257 U	0.622	0.130 U	16.3	0.316 U
MW-165	Property, NE quadrant	11/04/19	Peristaltic	0.134 U	0.117 U	0.183 U	3.95	–	0.412 U	91.1	0.222 U	0.257 U	20.2	0.130 U	642	0.316 U
(dup)		01/30/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	2.56	0.222 U	0.257 U	0.153 U	0.130 U	9.64	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.423 J	–	0.311 J	2.19	0.118 U	0.467 U	0.353 J	0.160 U	24.3	0.174 U
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.130	0.0900 U	0.389	3.78	0.0612 U	0.0560 UJ	0.250	0.0200 U	77.3	0.191 U
		11/05/20	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	1.46 U	0.633	12.6	0.0612 U	0.0560 UJ	0.276	0.0200 U	1,160	0.191 U
		11/05/20	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	1.50 U	0.625	13.0	0.0612 U	0.0560 UJ	0.280	0.0200 U	1,170	0.191 U
		02/04/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	10.1	1.30	23.5	0.0612 U	0.0560 U	0.167	0.0200 U	1,690	0.369
		05/06/21	Flowing	1.01 U	1.09 U	0.620 UJ	0.280 U	7.75	0.820 U	15.2	0.612 U	0.560 UJ	0.160 U	0.200 U	301	1.91 U
MW-169	Property, SW quadrant	11/05/19	Peristaltic	0.134 U	0.117 U	0.183 U	2.72	–	0.412 U	11.9	0.222 U	0.257 U	1.15	0.130 U	1,500	0.316 U
		01/23/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.995 U	–	0.412 U	6.97	0.222 U	0.257 U	1.51 J	0.130 U	275	0.316 U
		05/05/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.388 J	2.20	0.118 U	0.467 U	0.190 U	0.160 U	40.5	0.493 J
		07/10/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0390 J	0.265 J	1.01	3.06	0.0612 U	0.0560 UJ	0.0490	0.0200 U	77.9	0.834
		11/03/20	Flowing	0.101 U	0.109 U	0.0620 U	6.26	0.0900 UJ	0.123 J	1.00	0.0612 U	0.0560 U	1.78	0.0200 U	5.57	0.191 U
		02/17/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0570 J	0.704	0.0612 U	0.0560 U	0.0460	0.0200 U	1.72	0.191 U
		05/07/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	2.23	0.179 U	0.469	0.0612 U	0.0560 UJ	0.0340 J	0.0200 U	0.680	0.191 U
MW-173	Property, SE quadrant	11/01/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.704	–	0.412 U	2.31	0.222 U	0.257 U	0.484 J	0.130 U	67.2	0.316 U
		01/28/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	2.43	0.222 U	0.257 U	0.302 J	0.130 U	116	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	1.88	0.118 U	0.467 U	0.190 U	0.160 U	7.87	0.225 J

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-173 (continued)		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.360	0.0900 U	0.632	2.87	0.0612 U	0.0560 UJ	0.218	0.0200 U	26.2	0.371
		11/05/20	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	0.844	0.0500 U	3.30	0.0612 U	0.0560 UJ	0.0865	0.0200 U	105	0.191 U
		02/04/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	13.5	0.191 J	3.85	0.0612 U	0.0560 U	0.0520	0.0200 U	33.6	0.191 U
		05/05/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	9.19	0.192 U	2.68	0.0612 U	0.0560 U	0.0530	0.0200 U	15.8	0.229 J
MW-177	Property, SW quadrant	11/06/19	Peristaltic	0.161 J	0.117 U	0.183 U	3,180	–	4.14	395 J	0.222 U	0.257 UJ	1,710	0.130 U	11,000	2.77
		01/24/20	Peristaltic	6.70 U	5.85 U	9.15 U	26,400	–	20.6 U	265	11.1 U	12.9 U	7,440	6.50 U	8,440	15.8 U
		04/01/20	Peristaltic	670 U	585 U	915 U	27,900	–	2,060 U	760 U	1,110 U	1,290 UJ	6,980	650 U	9,860	1,580 U
		07/10/20	Peristaltic	505 U	545 U	310 U	29,400	450 U	250 U	345 J	306 U	280 UJ	6,520	100 U	9,450	955 U
		11/03/20	Flowing	101 U	109 U	62.0 U	7,170	90.0 U	50.0 U	57.2 U	61.2 U	56.0 UJ	861	20.0 U	6,740	191 U
		02/18/21	Flowing	20.2 U	21.8 U	12.4 U	10,900	18.0 U	10.0 U	50.0	12.2 U	11.2 U	2,010	4.00 U	6,310	38.2 U
		05/06/21	Flowing	20.2 U	21.8 U	12.4 U	10,100	18.0 U	10.0 U	50.2	12.2 U	11.2 U	2,440	4.00 U	4,900	38.2 U
MW-181	Property, SW quadrant	11/08/19	Peristaltic	0.670 U	0.585 U	0.915 U	99.5 U	–	2.06 U	237	0.222 U	0.257 UJ	76.5 U	0.130 U	10,700	1.58 U
		01/27/20	Peristaltic	67.0 U	58.5 U	91.5 U	99.5 U	–	206 U	151 J	111 U	129.0 U	76.5 U	65.0 U	9,660	158 U
		04/01/20	Peristaltic	67.0 U	58.5 U	91.5 U	99.5 U	–	206 U	120 J	111 U	129.0 UJ	76.5 U	65.0 U	10,000	158 U
		07/08/20	Peristaltic	50.5 U	54.5 U	31.0 U	14.0 U	45.0 UJ	25.0 U	121	30.6 U	28.0 UJ	8.00 U	10.0 U	6,150	95.5 U
		11/04/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.409 J-	0.188 J	58.9	0.0612 U	0.0560 UJ	0.147	0.0200 U	6,650	0.191 U
		02/19/21	Flowing	10.1 U	10.9 U	6.20 U	2.80 U	9.00 U	5.00 U	43.4	6.12 U	5.60 U	1.60 U	2.00 U	7,850	19.1 U
		05/06/21	Peristaltic	10.1 U	10.9 U	6.20 U	23.8	9.00 U	5.00 U	23.2	6.12 U	5.60 U	1.60 U	2.00 U	6,960	19.1 U
MW-185	Property, SE quadrant	10/31/19	Flowing	0.134 U	0.117 U	0.183 U	2.57	–	0.412 U	5.47	0.222 U	0.257 U	3.51	0.130 U	179	0.316 U
		01/29/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	1.52	0.222 U	0.257 U	0.153 U	0.130 U	1.66	0.316 U
		04/02/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.729	0.222 U	0.257 U	0.153 U	0.130 U	0.512	0.316 U
		07/08/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0570 J	2.24 J	0.545	0.375	0.0612 U	0.0560 UJ	0.0760	0.0200 U	0.883	0.432
		11/04/20	Flowing	0.101 U	0.109 U	0.0620 U	0.0313 J	6.76 J-	0.0656 J	0.0586 J	0.0612 U	0.0560 UJ	0.0895	0.0200 U	0.900	0.191 U
		02/16/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	4.60	0.0550 J	0.0572 U	0.0612 U	0.0560 U	0.0790	0.0200 U	1.19 J+	0.191 U
		05/07/21	Flowing	0.101 U	0.109 U	0.0620 U	0.168	2.42	0.0640 U	0.0820 J	0.0612 U	0.0560 UJ	0.0870	0.0200 U	4.73	0.191 U
Treatment Zone B Wells																
IW-3B	Property, NW quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.134 U	0.117 U	0.183 U	360	–	0.446 J	10.7	0.222 U	0.257 U	459	0.130 U	395	0.316 U
IW-6B	Property, SW quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	590	–	0.453 J	13.6	0.222 U	0.257 U	847	0.130 U	24.1	0.316 U
IW-8B	Property, SW quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.134 U	0.117 U	0.183 U	25.2	–	0.412 U	0.152 U	0.222 U	0.257 U	21.8	0.130 U	0.403 J	0.316 U
IW-17B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.134 U	0.117 U	0.183 U	60,100	–	3.71	228 J	0.222 U	0.257 U	11,500	0.130 U	3,230	2.54
IW-21B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.51	–	0.438 J	58.5	0.222 U	0.257 U	148	0.130 U	1,200	0.316 U
IW-22B	Property, NW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	2.68 U	2.34 U	3.66 U	62,600	–	17.7	128	4.44 U	5.14 U	6,000	2.60 U	9,680	6.32 U
IW-24B	Property, NE quadrant Decommissioned March, 2019	03/30/18	Peristaltic	0.134 U	0.117 U	0.183 U	48,800	–	6.26 J+	274	0.222 U	0.257 U	20,100	0.130 U	2,040	4.55
IW-28B	Property, NW quadrant Decommissioned March, 2019	04/09/18	Peristaltic	0.134 U	0.117 U	0.183 U	4.71	–	0.412 U	0.174 J	0.222 U	0.257 U	2.42	0.130 U	3.66	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
IW-33B	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	31.6	–	2.30	228	0.222 U	0.257 U	1,800	0.130 U	2,410	0.316 U
IW-37B	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.82	–	0.412 U	33.0	0.222 U	0.257 U	0.497 J	0.130 U	2,420	0.316 U
IW-45B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	7.09	0.222 U	0.257 U	0.215 J	0.130 U	150	0.316 U
IW-47B	Property, SW quadrant Decommissioned March, 2019	04/10/18	Bladder	0.670 U	0.585 UJ	0.915 U	144	–	2.06 U	46.3	1.11 U	1.28 U	170	0.650 U	3,360	316 U
IW-49B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.307 J	–	0.412 U	1.49	0.222 U	0.257 U	0.572	0.130 U	668	0.316 U
IW-51B	Property, SE quadrant Decommissioned March, 2019	03/28/18	Peristaltic	0.134 U	0.117 U	0.183 U	0.437 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.817	0.130 U	20.5	0.316 U
MW-166	Property, NE quadrant	11/04/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.526	47.0	0.222 U	0.257 U	0.467 J	0.130 U	1,420	0.316 U
(dup)		01/30/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	11.4	0.222 U	0.257 U	0.153 U	0.130 U	250	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.278 U	2.03	0.118 U	0.467 U	0.190 U	0.160 U	29.5	0.174 U
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	2.31	1.13	1.41	0.0612 U	0.0560 UJ	0.0520	0.0200 U	42.3	0.605
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.130	2.24	1.04	1.50	0.0612 U	0.0560 UJ	0.0930	0.0200 U	45.1	0.602
		11/05/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.855	0.143 J	27.4	0.0612 U	0.0560 UJ	0.271	0.0200 U	3,380	0.191 U
		02/04/21	Flowing	50.5 U	54.5 U	31.0 U	14.0 U	45.0 UJ	25.0 U	63.0 J+	30.6 U	28.0 U	8.00 U	10.0 U	3,760 J	95.5 U
		05/05/21	Flowing	20.2 U	21.8 U	12.4 UJ	5.60 U	18.0 U	10.0 U	42.4	12.2 U	11.2 UJ	3.20 U	4.00 U	2,020	38.2 U
MW-170	Property, SW quadrant	11/05/19	Peristaltic	0.134 U	0.117 U	0.183 U	105	–	0.916	172	0.222 U	0.257 U	125	0.130 U	6,710	0.796 J
		01/23/20	Peristaltic	3.35 U	2.93 U	4.58 U	7,070	–	10.3 U	136	5.55 U	6.43 U	5,780	3.25 U	5,920	7.90 U
		04/02/20	Peristaltic	67.0 U	58.5 U	91.5 U	2,470	–	206 U	160 J	111 U	129 UJ	3,100	65.0 U	5,940	158 U
		07/09/20	Peristaltic	1.01 U	1.09 U	0.620 U	2,340	0.900 U	2.54	211	0.612 U	0.560 UJ	3,050	0.200 U	7,520	1.91 U
		11/03/20	Peristaltic	1.01 U	1.09 U	0.620 U	17.6 J	0.900 UJ	0.500 U	160	0.612 U	0.560 U	18.3	0.200 U	11,500	1.91 U
		02/17/21	Peristaltic	1.01 U	1.09 U	0.620 U	0.730 J	0.900 U	0.670 J	156	0.612 U	0.560 U	4.90	0.200 U	14,400	2.82
		05/07/21	Peristaltic	50.5 U	54.5 U	31.0 U	14.0 U	45.0 U	25.0 U	178	30.6 U	28.0 UJ	8.00 U	10.0 U	12,000	95.5 U
MW-174	Property, SE quadrant	11/01/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	1.07	0.222 U	0.257 U	0.153 U	0.130 U	6.85	0.316 U
		01/28/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	1.05	0.222 U	0.257 U	0.153 U	0.130 U	0.529	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.701	0.653	0.118 U	0.467 U	0.190 U	0.160 U	1.04	0.710 J
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.259	0.0900 U	0.901	1.31	0.0612 U	0.0560 UJ	0.184	0.0200 U	2.32	0.511
		11/05/20	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	2.05	0.0612 U	0.0560 UJ	0.177	0.0200 U	3.11	0.191 U
		02/04/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0400 J	0.0900 U	0.121 J	1.17	0.0612 U	0.0560 U	0.0980	0.0200 U	2.38	0.191 U
		05/05/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0500 U	0.911	0.0612 U	0.0560 U	0.102	0.0200 U	1.85	0.191 U
MW-178	Property, SW quadrant	11/06/19	Peristaltic	0.134 U	0.117 U	0.183 U	3.98 U	–	0.477 J	24.6	0.222 U	0.257 UJ	3.06 U	0.130 U	877	0.316 U
		01/24/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	9.15	0.222 U	0.257 U	0.153 U	0.130 U	2.14	0.383 J
		04/02/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	4.20	0.222 U	0.257 UJ	0.153 U	0.130 U	2.79	0.316 U
		07/10/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.784	1.12	3.35	0.0612 U	0.0560 UJ	0.0750	0.0200 U	0.562	0.749
		11/03/20	Peristaltic	0.101 U	0.109 U	0.0620 U	1.41 J	0.0900 UJ	0.524	44.0	0.0612 U	0.0560 U	0.895	0.0200 U	15.3	0.414
		02/18/21	Peristaltic	2.02 U	2.18 U	1.24 U	2.40	4.24 J	1.00 U	34.3	1.22 U	1.12 U	0.840	0.400 U	1,230	3.82 U
		05/06/21	Peristaltic	2.02 U	2.18 U	1.24 U	10.3	1.80 U	1.00 U	33.6	1.22 U	1.12 U	0.320 U	0.400 U	2,680	3.82 U
MW-182	Property, SW quadrant	11/08/19	Peristaltic	0.134 U	0.117 U	0.183 U	1,570	–	0.519	89.4 J	0.222 U	0.257 UJ	794	0.130 U	1,560	0.573 J
		01/27/20	Peristaltic	67.0 U	58.5 U	91.5 U	160 J	–	206 U	76.0 U	111 U	129 U	115 J	65.0 U	1,550	158 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-182 (continued)		04/01/20	Peristaltic	6.70 U	5.85 U	9.15 U	1,480	–	20.6 U	25.0 J	11.1 U	12.9 U	169	6.50 U	2,040	15.8 U
		07/08/20	Peristaltic	5.05 U	5.45 U	3.10 U	126	4.50 UJ	2.50 U	16.2	3.06 U	2.80 UJ	28.0	1.00 U	1,350	9.55 U
		11/04/20	Peristaltic	5.05 U	5.45 U	3.10 U	208	4.50 UJ	2.51 J	281	3.06 U	2.80 UJ	226	1.00 U	18,900	9.55 U
		02/19/21	Peristaltic	50.5 U	54.5 U	31.0 U	259	45.0 U	25.0 U	269	30.6 U	28.0 U	99.5	10.0 U	31,100	95.5 U
		05/06/21	Peristaltic	202 U	218 U	124 U	6,650	180 U	100 UJ	226 J	122 U	112 UJ	384	40.0 U	31,000	382 UJ
		05/06/21	Peristaltic	0.176 J	0.109 U	0.0620 U	8,900	0.0900 U	1.05 J	195	0.0612 U	0.0560 U	469	0.0200 U	30,600	2.99 J
MW-186	Property, SE quadrant	10/31/19	Flowing	0.134 U	0.117 U	0.183 U	0.199 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	23.4	0.316 U
		01/29/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	28.2	0.316 U
		04/02/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.205 U	0.130 U	5.93	0.316 U
		07/08/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.264 J	1.91	0.0572 U	0.0612 U	0.0560 UJ	0.0850	0.0200 U	4.02	0.688
		11/04/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.574 J-	0.112 J	1.06	0.0612 U	0.0560 UJ	0.177	0.0200 U	2.26	0.191 U
		02/16/21	Flowing	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.0770 J	1.26	0.0612 U	0.0560 U	0.143	0.0200 U	6.52 J+	0.191 U
		05/07/21	Flowing	0.101 U	0.109 U	0.0620 U	0.179	1.07	0.0950 U	0.892	0.0612 U	0.0560 UJ	0.123	0.0200 U	4.67	0.191 U
Treatment Zone C Wells																
IW-1C	Property, NE quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.134 U	0.117 U	0.183 U	5.07	–	0.524	0.152 U	0.222 U	0.257 U	56.5	0.130 U	1.69	0.316 U
IW-4C	Property, NE quadrant Decommissioned March, 2019	04/26/18	Peristaltic	0.134 U	0.117 U	0.183 U	22,300	–	0.918	2.17	0.222 U	0.257 U	1,860	0.130 U	29.7	0.647 J
IW-8C	Property, NE quadrant Decommissioned March, 2019	04/04/18	Peristaltic	0.134 U	0.117 U	0.183 U	27,400	–	2.77	9.22	0.222 U	0.257 U	1,160	0.130 U	169	1.54
IW-9C	Property, NE quadrant Decommissioned March, 2019	04/02/18	Peristaltic	0.134 U	0.117 U	0.183 U	3.15	–	0.690	107	0.222 U	0.257 U	49.7	0.130 U	3,780	0.316 U
IW-13C	Property, SW quadrant Decommissioned March, 2019	04/25/18	Peristaltic	0.134 U	0.117 U	0.183 U	155	–	0.412 U	0.292 J	0.222 U	0.257 U	111	0.130 U	30.0	0.316 U
IW-15C	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	1.34 U	1.17 U	1.83 U	670	–	4.12 U	51.3	2.22 U	2.57 U	166	1.30 U	7,350	3.16 U
IW-19C	Property, SW quadrant Decommissioned March, 2019	03/29/18	Peristaltic	0.134 U	0.117 U	0.183 U	1.12	–	0.412 U	0.305 J	0.222 U	0.257 U	0.192 J	0.130 U	168	0.316 U
IW-20C (dup)	Property, SW quadrant Decommissioned March, 2019	03/30/18	Bladder	0.134 U	0.117 U	0.183 U	721	–	1.54	9.44	0.222 U	0.257 U	1,020	0.130 U	111	0.316 U
		03/30/18	Bladder	0.134 U	0.117 U	0.183 U	678	–	1.53	10.2	0.222 U	0.257 U	1,020	0.130 U	111	0.316 U
MW-167	Property, NE quadrant	11/04/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.326 J	–	0.567	0.599	0.222 U	0.257 U	0.297 J	0.130 U	17.3	0.316 U
		01/28/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.158 J	0.222 U	0.257 U	0.153 U	0.130 U	11.5	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.693	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.641	0.629 J
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.721	2.23	0.0572 U	0.0612 U	0.0560 UJ	0.0670	0.0200 U	0.948	0.926
		11/05/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.462 U	0.255	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.897	0.191 U
		02/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0600 J	0.335 U	0.349	0.0572 U	0.0612 U	0.0560 U	0.0480	0.0200 U	2.22 J	0.345
		05/05/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.544	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	1.06	0.565
MW-171	Property, SW quadrant	11/05/19	Peristaltic	0.134 U	0.117 U	0.183 U	1.99 U	–	0.497 J	1.47	0.222 U	0.257 U	1.53 U	0.130 U	13.3	0.316 U
		01/23/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.407 J	–	0.412 U	0.281 J	0.222 U	0.257 UJ	0.687	0.130 U	20.7	0.316 U
		04/02/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.255 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.257 U	0.130 U	26.2	0.316 U
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.103	0.0900 U	0.0850 J	0.0572 U	0.0612 U	0.0560 UJ	0.288	0.0200 U	8.43	0.191 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-171 (continued) (dup)		11/03/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0460 J	0.0900 UJ	0.175 J	0.289	0.0612 U	0.0560 U	0.277	0.0200 U	56.1	0.234 J
		02/17/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.101 J+	0.0900 U	1.14	4.50	0.0612 U	0.0560 U	1.02	0.0200 U	396 J	0.290
		02/17/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0540 J	0.0900 U	1.16	4.72	0.0612 U	0.0560 U	0.901	0.0200 U	891 J	0.332
		05/07/21	Peristaltic	5.05 U	5.45 U	3.10 U	1.40 U	4.50 U	2.50 U	5.35 J	3.06 U	2.80 UJ	0.800 U	1.00 U	907	9.55 U
MW-175	Property, SE quadrant	11/01/19	Peristaltic	0.134 U	0.117 U	0.183 U	1.25	–	0.671	6.03	0.222 U	0.257 U	1.73	0.130 U	41.5	0.316 U
		01/28/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.479 J	0.222 U	0.257 U	0.153 U	0.130 U	10.3	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.950	0.188 J	0.118 U	0.467 U	0.190 U	0.160 U	5.75	0.971 J
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.196	0.0900 U	2.19	0.0572 U	0.0612 U	0.0560 UJ	0.0830	0.0200 U	1.65	1.17
		11/05/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.105 U	0.204	1.99	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	3.58	0.191 U
		02/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.208 U	0.221	5.29 J	0.0612 U	0.0560 U	0.0480	0.0200 U	2.55 J	0.248 J
		05/05/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.307	3.60	0.0612 U	0.0560 U	0.0240 J	0.0200 U	1.12	0.398
MW-179	Property, SW quadrant	11/06/19	Peristaltic	0.134 U	0.117 U	0.183 U	50.5	–	0.443 J	15.2 U	0.222 U	0.257 UJ	46.2 J	0.130 U	533	0.316 U
		01/27/20	Peristaltic	0.134 U	0.117 U	0.183 U	38.8	–	0.412 U	7.07	0.222 U	0.257 U	33.3	0.130 U	156	0.316 U
		04/02/20	Peristaltic	2.68 U	2.34 U	3.66 U	62.3	–	8.24 U	5.99 J	4.44 U	5.14 UJ	45.0	2.60 U	152	6.32 U
		07/10/20	Peristaltic	2.02 U	2.18 U	1.24 U	27.3	3.40 J	1.00 U	7.40	1.22 U	1.12 UJ	19.6	0.400 U	105	3.82 U
		11/03/20	Peristaltic	2.02 U	2.18 U	1.24 U	36.1 J	1.80 UJ	1.00 U	45.5	1.22 U	1.12 U	19.6	0.400 U	1,670	3.82 U
		02/18/21	Peristaltic	50.5 U	54.5 U	31.0 U	489	45.0 U	25.0 U	279	30.6 U	28.0 U	110	10.0 U	31,300	95.5 U
		05/06/21	Peristaltic	25.3 U	27.3 U	15.5 UJ	7.00 U	22.5 U	12.5 U	29.5 J	15.3 U	14.0 UJ	21.3	5.00 U	5,860	47.8 U
MW-183	Property, SW quadrant	11/08/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.459 J	0.167 J	0.222 U	0.257 UJ	0.193 J	0.130 U	4.29	0.316 U
		01/27/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.237 J	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	15.5	0.369 J
		04/02/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 UJ	0.130 U	10.0	0.316 U
		07/08/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0750 J	0.170 J	2.39	0.0572 U	0.0612 U	0.0560 UJ	0.0630	0.0200 U	4.24	0.844
		11/04/20	Peristaltic	0.101 U	0.109 U	0.0620 U	22.5	0.0900 UJ	0.140 J	1.83	0.0612 U	0.0560 UJ	34.7	0.0200 U	208	0.191 U
		02/19/21	Peristaltic	0.101 U	0.109 U	0.0620 U	2.28	0.0900 U	0.131 J	12.3	0.0612 U	0.0560 U	17.3	0.0200 U	2,260	0.191 U
		05/06/21	Peristaltic	10.1 U	10.9 U	6.20 UJ	2.80 U	9.00 U	5.00 U	12.5 J	6.12 U	5.60 UJ	1.60 U	2.00 U	2,340	19.1 U
MW-187	Property, SE quadrant	11/01/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	2.80	0.316 U
		01/29/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.254 J	0.316 U
		04/02/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		07/08/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	2.40	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	1.18
		11/04/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.298	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.519	0.213 J
		02/16/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0780 J	0.0900 U	1.16	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	2.57 J+	0.310
		05/07/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.124 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	1.77	0.191 U
Treatment Zone D Wells																
IW-1D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	1.34 U	1.17 U	1.83 U	64,100	–	6.74	16.0	2.22 U	2.57 U	2,830	1.30 U	118	3.16 U
IW-3D	Property, NE quadrant Decommissioned March, 2019	04/03/18	Bladder	0.134 U	0.117 U	0.183 U	4,240	–	1.28	16.4	0.222 U	0.257 U	4,600	0.130 U	37.1	0.409 J
IW-4D	Property, SW quadrant Decommissioned March, 2019	03/29/18	Bladder	0.134 U	0.117 U	0.183 U	2.86	–	0.604	0.152 U	0.222 U	0.257 U	0.653	0.130 U	2.56	0.316 U
IW-6D	Property, SW quadrant Decommissioned March, 2019	04/03/18	Bladder	0.134 U	0.117 U	0.183 U	16.3	–	0.412 U	0.152 U	0.222 U	0.257 U	0.826	0.130 U	1.27	0.316 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
IW-8D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.134 U	0.188 J	0.183 U	6,010	–	0.412 U	39.1	0.222 U	0.257 U	4,310	0.130 U	631	0.384 J
IW-9D	Property, SW quadrant Decommissioned March, 2019	04/04/18	Bladder	0.134 U	0.117 U	0.183 U	3,610	–	1.12	10.0	0.222 U	0.257 U	1,510	0.130 U	31.6	0.316 U
IW-11D	Property, NE quadrant Decommissioned March, 2019	05/01/18	Bladder	0.134 U	0.117 U	0.183 U	18.9	–	0.643	2.27	0.222 U	0.257 U	282	0.130 U	34.1	0.316 U
MW-168	Property, NE quadrant	11/04/19	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/31/20	Flowing	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.827	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.712 J
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.147	0.0900 U	2.61	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	1.20
		11/05/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.314	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.407	0.191 U
		02/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.616	0.296	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.324	0.276
		05/05/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	1.11	0.667	0.0572 U	0.0612 U	0.0560 U	0.0320 J	0.0200 U	0.185	0.602
MW-172	Property, SW quadrant	11/05/19	Flowing	0.134 U	0.117 U	0.183 U	8,810	–	0.460 J	22.8	0.222 U	0.257 U	3,280	0.130 U	2.64	0.316 U
		01/23/20	Flowing	0.134 U	0.117 U	0.183 U	31,100	–	1.02	38.1	0.222 U	0.257 U	10,100	0.130 U	59.0 U	0.550 J
		04/02/20	Peristaltic	67.0 U	58.5 U	91.5 U	9,670	–	206 U	76.0 U	111 U	129.0 U	4,480	65.0 U	59.0 U	158 U
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	6,570	0.0900 U	0.757	56.9	0.0612 U	0.0560 U	4,660	0.0200 U	5.57	0.402
		11/03/20	Peristaltic	0.101 U	0.109 U	0.0620 U	5,780	0.0900 U	0.750	44.1	0.0612 U	0.0560 U	4,130	0.0200 U	12.9	0.565
		02/17/21	Flowing	0.101 U	0.109 U	0.0620 U	5,370	0.0900 U	0.481	44.3	0.0612 U	0.0560 U	3,740	0.0200 U	179	0.216 J
		05/07/21	Peristaltic	10.1 U	10.9 U	6.20 U	1,100	9.00 U	5.00 U	20.4	6.12 U	5.60 U	1,410	2.00 U	21.0	19.1 U
MW-176	Property, SE quadrant	11/01/19	Flowing	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/28/20	Flowing	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/28/20	Flowing	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		05/01/20	Peristaltic	0.125 U	0.118 U	0.127 U	0.300 U	–	0.831	0.149 U	0.118 U	0.467 U	0.190 U	0.160 U	0.234 U	0.684 J
		07/09/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.709	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	0.0273 U	0.294
		11/05/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.157 U	0.204	1.64	0.0612 U	0.0560 U	0.0160 U	0.0200 U	2.92	0.191 U
		02/04/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.191 U	0.146 J	3.64 J	0.0612 U	0.0560 U	0.0360 J	0.0200 U	1.51 J	0.191 U
		05/05/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.350	2.73	0.0612 U	0.0560 U	0.0320 J	0.0200 U	0.858	0.385
MW-180	Property, SW quadrant	11/06/19	Flowing	0.134 U	0.117 U	0.183 U	2.10 J	–	0.412 U	0.760 U	0.222 U	0.257 U	1.87 J	0.130 U	76.6	0.316 U
		01/24/20	Peristaltic	0.134 U	0.117 U	0.183 U	2.80	–	0.412 U	1.20	0.222 U	0.257 U	3.18	0.130 U	146	0.316 U
		04/01/20	Peristaltic	0.670 U	0.585 U	0.915 U	0.995 U	–	2.06 U	0.760 U	1.11 U	1.29 U	0.765 U	0.650 U	22.9	1.58 U
		07/10/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.614	0.187 J	0.0500 U	0.628	0.0612 U	0.0560 U	1.58	0.0200 U	17.8	0.191 U
		11/03/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.335	0.0900 U	0.0840 J	1.31	0.0612 U	0.0560 U	1.08	0.0200 U	59.0	0.191 U
		02/18/21	Flowing	0.101 U	0.109 U	0.0620 U	46.8	0.235 J	0.0500 U	3.46	0.0612 U	0.0560 U	8.00	0.0200 U	308	0.191 U
		05/06/21	Peristaltic	0.101 U	0.109 U	0.0620 U	1.29	0.0900 U	0.204	2.83	0.0612 U	0.0560 U	1.68	0.0200 U	237	0.195 J
MW-184	Property, SW quadrant	11/08/19	Flowing	0.134 U	0.117 U	0.183 U	1,590	–	0.412 U	2.77	0.222 U	0.257 U	733	0.130 U	11.8 U	0.316 U
		01/27/20	Flowing	0.134 U	0.117 U	0.183 U	886	–	0.412 U	1.65	0.222 U	0.257 U	325	0.130 U	0.287 J	0.316 U
		04/01/20	Peristaltic	1.34 U	1.17 U	1.83 U	1.99 U	–	4.12 U	1.52 U	2.22 U	2.57 U	1.53 U	1.30 U	1.18 U	3.16 U
		07/08/20	Peristaltic	0.101 U	0.109 U	0.0620 U	154	0.0900 U	1.04	0.646	0.0612 U	0.0560 U	88.4	0.0200 U	0.971	0.411
		11/04/20	Peristaltic	1.01 U	1.09 U	0.620 U	162	0.900 U	0.500 U	1.52 J	0.612 U	0.560 U	102	0.200 U	3.97	1.91 U
		02/19/21	Flowing	1.01 U	1.09 U	0.620 U	305	0.900 U	0.500 U	5.52	0.612 U	0.560 U	271	0.200 U	8.80	1.91 U
		05/06/21	Peristaltic	0.505 U	0.545 U	0.310 U	46.2	0.450 U	0.250 U	0.690 J	0.306 U	0.280 U	47.2	0.100 U	31.4	0.955 U

Table G-5

Petroleum Hydrocarbons and VOCs in Groundwater – 2017 through 2021
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Property	Sample Date	Sampling Method	sec-Butylbenzene	Styrene	tert-Butylbenzene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trans-1,4-Dichloro-2-butene	Trichloroethene (TCE)	Trichlorofluoromethane (CFC-11)	Vinyl Chloride (VC)	Xylenes, Total
Preliminary Cleanup Level (PCUL)				800	100	800	5.0	7,200	640	100	0.44	–	4.0	2,400	0.29	1,600
Groundwater Screening Level for Vapor Intrusion (Shallow Zone Only)				–	8,200	–	24	520,000	15,000	77	–	–	1.4	120	0.35	320
MW-188	Property, SE quadrant	10/31/19	Flowing	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		01/29/20	Flowing	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 U	0.130 U	0.118 U	0.316 U
		04/02/20	Peristaltic	0.134 U	0.117 U	0.183 U	0.199 U	–	0.412 U	0.152 U	0.222 U	0.257 U	0.153 UJ	0.130 U	0.118 U	0.316 U
		07/08/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	1.86	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.786
		11/04/20	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.149 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.197	0.224 J
		02/16/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0600 J	0.0900 U	0.352	0.0572 U	0.0612 U	0.0560 U	0.0160 U	0.0200 U	5.14 J+	0.191 U
		05/07/21	Peristaltic	0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 U	0.130 J	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	2.14	0.191 U
Number of Analytes Measured				1,238	1,239	1,239	1,349	439	1,270	1,348	1,239	1,224	1,349	1,270	1,349	1,270
Number of Analytes Detected				33	8	12	516	64	462	480	0	6	630	0	839	204
Frequency of Detection				3%	1%	1%	38%	15%	36%	36%	0%	0%	47%	0%	62%	16%
Maximum Detection				15.6	0.273 J	1.890	97,200	124	17.7	781	–	0 J	20,100	–	31,300	181
Minimum Detection				0.101 U	0.109 U	0.0620 U	0.0280 U	0.0900 UJ	0.050 U	0.0572 U	0.0612 U	0.0560 UJ	0.0160 U	0.0200 U	0.0273 U	0.174 U
Number of Detections Above SL				0	0	0	269	0	0	31	0	–	322	0	776	0
Frequency of Detection Above SL				0%	0%	0%	20%	0%	0%	2%	0%	–	24%	0%	58%	0.0%
Notes:																
Gasoline Range Organics Analyzed by NWTPH-Gx.																
Diesel Range Organics and Heavy Oil analyzed by NWTPH-Dx.																
VOCs analyzed by EPA Method 8260C or 8260D.																
Results shown in micrograms per liter (µg/L).																
PCULs and Screening Levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.																
All groundwater sampling performed by PES Environmental, Inc. unless otherwise indicated.																
a = Results provided by Hart Crowser.																
b = Results provided by Farallon Consulting.																
c = Select sample results for MW-210 incorrectly identified with location SMW-3 on lab reports and sampling forms.																
(split) = Split samples collected consecutively.																
(dup) = Field duplicate sample.																
– = Not analyzed, results not available, or information not applicable.																
Detected results shown in bold.																
Detections above the groundwater PCUL level are shown in bold and highlighted in gray.																
Shallow Zone detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange.																
Shallow Zone detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange.																
U = Not detected at or above the laboratory method detection limit (MDL); detections above the MDL but below the laboratory reported detection limit (RDL) are qualified with a "J."																
J = The identification of the analyte is acceptable; the reported value is an estimate.																
J+ = The result is an estimated quantity, but the result may be biased high.																
J- = The result is an estimated quantity, but the result may be biased low.																
z = Elevated chlorinated VOCs detected within the GRO elution range. No discernible petroleum pattern present. Project level qualifier assigned per laboratory review.																
GRO results above the screening level and qualified with "z" are not considered in the Maximum Detection and are not included in the Number of Detections Above SL.																

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																											
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC			
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29			
Groundwater Screening Level for Vapor Intrusion					–		–		–		–		2.4		15,000		1,200		320		24		1.4		–		77		0.35			
DMW-1S (38.8 to 28.8)	615 Dexter, SE quadrant	03/25/19	HC	Unknown	350		200 U		500 U		200 U		1.5		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		0.20 U			
		03/25/19	HC	Unknown	300		200 U		500 U		200 U		1.8		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		1.0 U		0.20 U			
		03/18/20	HC	Peristaltic	1,800		580 J		250 U		580 J		2.9		1.6		12		1.8		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U			
DMW-2S (30.7 to 20.7)	615 Dexter, SE quadrant	03/18/20	HC	Peristaltic	100 U		50 U		250 U		50 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U			
DMW-4S (38.5 to 28.5)	Alley S of SE quadrant of 615 Dexter	03/19/20	HC	Peristaltic	670		790 J		250 U		790 J		0.20 U		0.26		5.5		3.0		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U			
DMW-5IA (29.4 to 19.4)	Alley S of 615 Dexter	03/19/20	HC	Submersible	100 U		760 J		250 U		760 J		0.20 U		0.64		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U			
DMW-6 (32.1 to 22.1)	615 Dexter, NE quadrant	03/18/20	HC	Submersible	100 U		50 U		250 U		50 U		0.20 U		0.20 U		0.20 U		0.40 U		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U			
F5 (29.1 to -1.0)	Property, NW quadrant	07/19/13	SES	Peristaltic	–		–		–		–		–		–		–		–		120,000		50		700		5.2		4.2			
		10/24/13	SES	Peristaltic	–		–		–		–		–		–		–		–		21,000		1,200		1,000		1,000		200 U			
		03/28/17	PES	Peristaltic	234 zJ+		–		–		–		0.515		0.727 U		0.158 U		0.316 U		0.199 U		0.241 J		516		4.31		90.6			
		06/22/17	PES	Peristaltic	31.6 U		–		–		–		0.374 J		0.708		0.158 U		0.316 U		0.199 U		0.485		10.4		0.485 J		63.9			
		Decommissioned March 2019																														
F9 (28.5 to -1.5)	Property, NE quadrant	07/19/13	SES	Peristaltic	–		–		–		–		–		–		–		–		140,000		3,400		50		8.6		78			
		06/16/15	SES	Peristaltic	–		–		–		–		–		–		–		–		3.7		1.8		680		12		74			
		10/19/15	SES	Peristaltic	–		–		–		–		–		–		–		–		15.0		6.6		840		13		75			
		02/01/16	SES	Peristaltic	–		–		–		–		–		–		–		–		2.9		1 U		1.3		1 U		20			
		03/27/17	PES	Peristaltic	31.6 U		–		–		–		0.529		2.04		0.158 U		0.316 U		0.199 U		0.153 U		0.158 J		0.539		0.118 U			
		06/22/17	PES	Peristaltic	31.6 U		–		–		–		0.471 J		1.70		0.158 U		0.316 U		0.199 U		0.153 U		6.10		0.485		3.57			
		Decommissioned March 2019																														
F13 (28.4 to -1.6)	Property, NE quadrant	07/19/13	SES	Peristaltic	–		–		–		–		–		–		–		–		2,900		280		370		100 U		49			
		10/24/13	SES	Peristaltic	–		–		–		–		–		–		–		–		7,300		3,100		490		50 U		10 U			
		11/18/13	SES	Peristaltic	–		–		–		–		–		–		–		–		67,000		6,600		3,200		85		48			
		12/12/13	SES	Peristaltic	–		–		–		–		–		–		–		–		50		340		670		10 U		20			
		03/07/14	SES	Peristaltic	–		–		–		–		–		–		–		–		84		11		10		1 U		0.36			
		06/16/15	SES	Peristaltic	–		–		–		–		–		–		–		–		8.4		1 U		1.8		1 U		0.31			
		10/19/15	SES	Peristaltic	–		–		–		–		–		–		–		–		1 U		2.0		210		2.3		4.1			
		02/02/16	SES	Peristaltic	–		–		–		–		–		–		–		–		3.4		1 U		1 U		1 U		0.97			
		03/27/17	PES	Peristaltic	31.6 U		–		–		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.218 J		0.152 U		0.936	
		06/22/17	PES	Peristaltic	31.6 U		–		–		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.194 J		0.152 U		1.32	
		04/05/18	PES	Peristaltic	31.6 U		–		–		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		20.3		0.346 J		0.375 J		0.152 U		0.843	
		Decommissioned March 2019																														
FMW-143 (10.0 to 5.0)	9th Ave N ROW, E side	07/30/19	Farallon	Unknown	–		–		–		–		–		–		–		–		0.20 U		0.20 U		0.20 U		0.20 U		0.20 U			
		10/31/19	PES	Peristaltic	–		–		–		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U	
		01/22/20	PES	Peristaltic	–		–		–		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U	
		05/14/20	PES	Bladder	–		–		–		–		–		0.0941 U		0.319 J		0.137 U		0.201 J		0.300 U		0.190 U		0.126 U		0.149 U		0.234 U	
		07/22/20	PES	Bladder	–		–		–		–		–		0.0160 U		0.146 J		0.0490 J		0.331		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U	

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
G12 (29.4 to -0.6)	Property, NE quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		10/24/13	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		11/18/13	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		03/27/17	PES	Peristaltic	–	–	–	–	–	0.243	J	0.412	U	0.158	U	0.316	U	0.199	U	0.233	J	95.9	1.97	–	–	–	–	–		
		06/30/17	PES	Peristaltic	–	–	–	–	–	0.282	J	0.412	U	0.158	U	0.316	U	0.199	U	0.323	J	115	2.94	–	–	–	–	–		
		Decommissioned March 2019				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
G-MW2 (31 to 21)	Property	07/24/01	GeoE	Peristaltic	–	–	–	–	0.375	–	48.3	E	2.01	–	12.88	–	176,000	–	237	g	129	g	1.02	–	–	–	–	–		
		01/29/09	DOF	Peristaltic	39,600	qp	–	–	–	20.0	U	20.0	U	20.0	U	48.9	–	59,000	f	210	–	373	–	1.33	–	–	–	–		
		06/02/11	SES	Peristaltic	59,000	xy	200	250	U	200	350	U	1,000	U	1,000	U	3,000	U	150,000	–	1,000	U	1,000	U	1,000	U	200	U		
		09/06/12	SES	Peristaltic	–	–	–	–	–	0.35	U	12	–	1.1	–	4.7	–	150,000	–	320	–	260	–	1.4	–	–	–	–		
		Decommissioned				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
HMW-1S (16.0 to 6.0)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100	U	–	–	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	0.2	U		
		03/11/20	HC	Peristaltic	100	U	200	J	250	U	200	J	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-2S (27.6 to 17.6)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100	U	–	–	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	0.2	U		
		03/12/20	HC	Peristaltic	100	U	56	J	260	U	56	J	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-9S (30.4 to 20.4)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100	U	61	J	250	U	61	J	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-10S (23.5 to 13.5)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100	U	66	J	250	U	66	J	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-11S (16.5 to 6.5)	Seattle DOT Mercer Parcels, SE quadrant	03/11/20	HC	Submersible	100	U	620	J	250	U	620	J	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-17S (22.2 to 12.2)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	Unknown	100	U	50	U	–	50	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U			
HMW-18S (22.6 to 12.6)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	Unknown	100	U	50	U	–	50	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U			
HMW-19S (23.2 to 13.2)	Seattle DOT Mercer Parcels, NW quadrant	09/17/20	HC	Unknown	170	–	50	U	–	50	U	0.20	U	0.20	U	0.20	U	0.60	–	0.20	U	0.20	U	0.20	U	0.20	U			
HMW-20S (28.8 to 18.8)	Seattle DOT Mercer Parcels, NW quadrant	09/18/20	HC	Unknown	100	U	50	U	–	50	U	0.20	U	0.20	U	0.20	U	0.40	U	4.7	–	0.38	–	1.4	0.20	U	0.99			
HMW-21S (8.2 to -1.8)	Seattle DOT Mercer Parcels, SE quadrant	11/03/20	HC	Unknown	–	–	50	U	–	50	U	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
HMW-22S (11.8 to 1.8)	Seattle DOT Mercer Parcels, SE quadrant	11/03/20	HC	Unknown	–	–	62	U	–	62	U	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
J5 (29.8 to -0.2)	Property, SW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		10/24/13	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		06/16/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		10/19/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		03/21/17	PES	Peristaltic	–	–	–	–	–	0.580	–	0.412	U	0.158	U	0.316	U	285	–	78.5	–	253	–	1.73	–	–	–	–		
		06/26/17	PES	Peristaltic	–	–	–	–	–	0.252	J	0.506	–	0.158	U	0.316	U	36.1	–	37.1	–	366	–	1.94	–	–	–			
		04/05/18	PES	Peristaltic	207	–	–	–	–	0.638	–	0.412	U	0.158	U	0.316	U	267	–	70.5	–	222	–	1.00	–	–	–			
		Decommissioned March 2019				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																					
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0	4.0	16	100	0.29	
J15 (28.7 to -1.3) (duplicate)	Property, SE quadrant	07/19/13	SES	Peristaltic	–		–		–		–		–		–		–		4,100	220	580	6.8		20		
		10/24/13	SES	Peristaltic	–		–		–		–		–		–		–		10,000	50	680	100	U	20	U	
		03/07/14	SES	Peristaltic	–		–		–		–		–		–		–		2,200	170	120	50	U	10	U	
		06/16/15	SES	Peristaltic	–		–		–		–		–		–		–		9.0	12	310	8.8		3.1		
		10/19/15	SES	Peristaltic	–		–		–		–		–		–		–		3.6	1	5	3.0		1.7		
		02/02/16	SES	Peristaltic	–		–		–		–		–		–		–		2.4	1	35	1	U	0.39		
		03/27/17	PES	Peristaltic	–		–		–		0.188 J	0.495 J	0.158	U	0.316	U	0.199	U	0.153	U	43.3	1.18		6.99		
		06/26/17	PES	Peristaltic	–		–		–		0.173 J	0.459 J	0.158	U	0.316	U	0.199	U	0.153	U	39.8	1.06		6.30		
		06/26/17	PES	Peristaltic	–		–		–		0.173 J	0.551	0.158	U	0.316	U	0.199	U	0.153	U	39.3	1.03		6.73		
		04/05/18	PES	Peristaltic	41.2 J		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	12.8	0.358 J	26.3	0.709		6.07		
		Decommissioned March 2019																								
		K8 (29.9 to -0.1)	Property, SW quadrant	07/19/13	SES	Peristaltic	–		–		–		–		–		–		8,700	330	1,400	5.6		6.3		
06/17/15	SES			Peristaltic	–		–		–		–		–		–		63	16	500	67		2	U			
10/19/15	SES			Peristaltic	–		–		–		–		–		–		360	82	43	3.2		0.44				
02/01/16	SES			Peristaltic	–		–		–		–		–		–		250	44	82	1.8		0.31				
03/21/17	PES			Peristaltic	–		–		–		0.239 J	0.412	U	0.158	U	0.316	U	82.5	22.0	123	0.680		0.461 J			
06/26/17	PES			Peristaltic	–		–		–		0.246 J	0.412	U	0.158	U	0.316	U	67.9	28.7	140	0.750		0.456 J			
04/05/18	PES			Peristaltic	156 zJ+		–		–		0.251 J	0.412	U	0.158	U	0.316	U	229	26.3	104	0.750		1.45			
Decommissioned March 2019																										
M15 (29.5 to -0.5) (duplicate)	Property, SE quadrant	07/19/13	SES	Peristaltic	–		–		–		–		–		–		3,200	5	180	1.7		0.22				
		10/24/13	SES	Peristaltic	–		–		–		–		–		–		56,000	50	770	50	U	10	U			
		03/07/14	SES	Peristaltic	–		–		–		–		–		–		2,100	190	290	2.9		2.60				
		06/16/15	SES	Peristaltic	–		–		–		–		–		–		58	44	76	2.7		1.1				
		10/19/15	SES	Peristaltic	–		–		–		–		–		–		48	29	5	2.3		0.74				
		02/02/16	SES	Peristaltic	–		–		–		–		–		–		11	10	84	1.8		0.39				
		03/27/17	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.733	32.7	0.561	13.2		
		03/27/17	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.670	31.7	0.513	12.0		
		06/26/17	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.233 J	1.80	25.8	0.523	15.0			
		04/05/18	PES	Peristaltic	31.6 U		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.563	8.89	0.300 J	11.1		
		Decommissioned March 2019																								
MW-1 (--)	800 Aloha St Parcel	03/22/93	EPJ	Bailer	5,100		500	U	1000	U	500	U	10,000	270	480	427	–	–	–	–	–	–	–			
		06/17/93	Retec	Unknown	–		–		–		–		20,000	14,000	840	6,700	–	–	–	–	–	–	–			
		Decommissioned October 1993																								
MW-2 (--)	8th Ave North ROW	03/22/93	EPJ	Bailer	650		500	U	1000	U	500	U	100	42	24	67	–	–	–	–	–	–	–			
		06/17/93	Retec	Unknown	–		–		–		–		28	7.2	1	U	2	U	170	1,400	9,300	25	50			
		Decommissioned October 1993																								
MW-3 (--)	800 Aloha St Parcel	03/22/93	EPJ	Bailer	27,000		500	U	1000	U	500	U	1,500	3,300	690	3,500	–	–	–	–	–	–	–			
		06/17/93	Retec	Unknown	–		–		–		–		4,800	21,000	1,900	12,300	–	–	–	–	–	–	–			
		Decommissioned October 1993																								
MW-4 (--)	Seattle Roy Aloha Shops, N end	03/22/93	EPJ	Bailer	940		500	U	1000	U	500	U	82	390	39	108	–	–	–	–	–	–	–			
		06/17/93	Retec	Unknown	–		–		–		–		1	U	1	U	1	U	2	U	–	–	–	–		
		Decommissioned October 1993																								
MW-5 (--)	8th Ave North ROW	03/22/93	EPJ	Bailer	670		500	U	1000	U	500	U	49	140	9.8	80	–	–	–	–	–	–	–			
		06/17/93	Retec	Unknown	–		–		–		–		1	U	1	U	1	U	2	U	–	–	–	–		
		Decommissioned October 1993																								

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																								
					GRO	DRO		ORO	DRO+ORO	Benzene		Toluene		Ethylbenzene	Total Xylenes		PCE	TCE		cDCE		tDCE		VC					
Preliminary Cleanup Level (PCUL)					800	500		500	500	5.0	640		700	1,600		5.0	4.0		16		100		0.29						
MW-6 (31.2 to 16.2)	Seattle Roy Aloha Shops, N end	10/12/93	Retec	Unknown	150,000	–		–	–	9,100	6,800		2,600	7,300		–	–	–	–	–	–	–	–	–					
		10/26/93	Retec	Unknown	100,000	–		–	–	17,000	14,000		1,400	500		–	–	–	–	–	–	–	–	–					
		01/25/94	Retec	Unknown	66,000	–		–	–	8,800	4,600		1,500	8,100		–	–	–	–	–	–	–	–	–					
		04/25/94	Retec	Unknown	120,000	–		–	–	15,000	7,200		2,600	13,300		–	–	–	–	–	–	–	–	–					
		09/15/94	Retec	Unknown	56,000	–		–	–	15,000	2,000		1,500	7,100		–	–	–	–	–	–	–	–	–					
		06/20/02	Urban	Unknown	8,500	–		–	–	1,900	14		250	53		–	–	–	–	–	–	–	–	–					
MW-7 (26.1 to 16.1)	Seattle Roy Aloha Shops, N end	10/12/93	Retec	Unknown	75,000	–		–	–	20,000	22,000		3,000	15,000		–	–	–	–	–	–	–	–	–					
		10/26/93	Retec	Unknown	74,000	–		–	–	8,300	7,400		50	8,300		–	–	–	–	–	–	–	–						
		01/25/94	Retec	Unknown	53,000	–		–	–	1,600	2,700		1,400	5,100		–	–	–	–	–	–	–	–						
		04/25/94	Retec	Unknown	140,000	–		–	–	3,900	7,400		3,100	14,100		–	–	–	–	–	–	–	–						
		09/15/94	Retec	Unknown	66,000	–		–	–	3,400	2,700		1,900	7,700		–	–	–	–	–	–	–	–						
		09/15/94	Retec	Unknown	77,000	–		–	–	3,600	3,000		2,100	8,700		–	–	–	–	–	–	–	–						
MW-8 (28.7 to 14.2) (duplicate) (duplicate)	Seattle Roy Aloha Shops, N end	06/20/02	Urban	Unknown	8,400	–		–	–	650	37		470	150		–	–	–	–	–	–	–	–	–					
		10/26/93	Retec	Unknown	280	J	–		–	–	19	1		1	U	48	–	–	–	–	–	–	–	–					
		01/25/94	Retec	Unknown	230		–		–	–	13	0.7		J	1	U	4.5	–	–	–	–	–	–	–					
		01/25/94	Retec	Unknown	210		–		–	–	12	0.6		J	1	U	3.7	–	–	–	–	–	–	–					
		04/25/94	Retec	Unknown	250	U	–		–	–	2.2	1		U	1	U	1.7	–	–	–	–	–	–	–					
		09/15/94	Retec	Unknown	210	J	–		–	–	1	U	0.5	J	1	U	1.6	J	–	–	–	–	–	–					
		09/15/94	Retec	Unknown	250	J	–		–	–	1	U	0.5	J	1	U	1.7	J	–	–	–	–	–	–					
		06/21/02	Urban	Unknown	50	U	–		–	–	1	U	1	U	1	U	1	U	–	–	–	–	–	–					
		03/20/17	PES	Peristaltic	–	U	–		–	–	0.145	J	0.412	U	0.175	J	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		04/13/18	PES	Peristaltic	–		–		–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.570		0.153	U	0.0933	U	0.152	U	0.118	U	
		07/18/19	PES	Peristaltic	31.6		–		–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		10/10/19	PES	Peristaltic	–		–		–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.167	J	0.0933	U	0.152	U	0.118	U	
		01/16/20	PES	Peristaltic	–		–		–	–	0.156	J	1.96		0.158	U	0.569	J	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		05/06/20	PES	Peristaltic	–		–		–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U	
		07/14/20	PES	Peristaltic	–		–		–	–	0.0160	U	0.161	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
MW-9 (34.1 to 19.1)	8th Ave N ROW, E side	10/26/93	Retec	Unknown	210		J	–		–	–	9.5	1.3		1		U	2	U	–	–	–	–	–	–	–	–	–	
		01/25/94	Retec	Unknown	250	U	–		–	–	5.7	1.1		1		U	2	U	–	–	–	–	–	–	–	–			
		04/25/94	Retec	Unknown	250	U	–		–	–	0.001	U	1	U	1	U	2	U	–	–	–	–	–	–	–	–			
		09/15/94	Retec	Unknown	250	U	–		–	–	3.5	0.6		J	1	U	2	U	–	–	–	–	–	–	–	–			
		06/20/02	Urban	Unknown	50	U	–		–	–	1	U	1	U	1	U	2	U	1	U	1	U	1	U	1	U	1	U	
		06/02/11	SES	Peristaltic	100	U	150	x	250	U	150	x	1	U	1	U	1	U	3	U	–	–	–	–	–	–	–	–	
		09/04/12	SES	Peristaltic	–	–			–	–	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.61	U	
		12/16/13	SES	Peristaltic	100	U			250	U	50	U	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U	

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
MW-9 (continued) (duplicate)		03/20/17	PES	Peristaltic	52.8	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.140	J	0.152	U	0.324	J		
		06/20/17	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.562		0.158	U	0.316	U	0.199	U	0.153	U	0.214	J	0.152	U	0.118	U		
		06/20/17	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.548		0.158	U	0.316	U	0.199	U	0.153	U	0.211	J	0.152	U	0.118	U		
		04/05/18	PES	Peristaltic	32.9	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.58		0.153	U	0.246	J	0.152	U	0.210	J		
		01/21/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/26/19	PES	Peristaltic	121	zJ+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	157		45.2		75.1		0.261	J	0.861	UJ		
		07/16/19	PES	Peristaltic	57.4	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.619			
		10/17/19	PES	Peristaltic	62.0	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.786		0.152	U	0.416	J		
		11/24/20	PES	Peristaltic	41.0	J	–	–	–	–	0.0250	J	0.0800	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.221		0.0572	U	0.288			
		02/05/21	PES	Peristaltic	73.2	U	–	–	–	–	0.0420		0.241		0.0510	J	0.321		0.117		0.0160	U	0.121		0.0572	U	0.138	J		
		05/12/21	PES	Peristaltic	31.6	U	–	–	–	–	0.0290	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.117		0.0572	U	0.223	J		
		(duplicate)	05/12/21	PES	Peristaltic	31.6	U	–	–	–	–	0.0280	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.119		0.0572	U	0.0273	UJ	
MW-10 (31.0 to 16.0)	Seattle Roy Aloha Shops, N end	10/26/93	Retec	Unknown	250	U	–	–	–	–	1	U	1.3		1	U	2	U	–	–	–	–	–	–	–	–	–	–		
		01/25/94	Retec	Unknown	190	J	–	–	–	–	–	1	U	3.2		1	U	2	U	–	–	–	–	–	–	–	–	–		
		04/25/94	Retec	Unknown	250	U	–	–	–	–	–	1	U	2.5		1	U	2	U	–	–	–	–	–	–	–	–	–		
		09/15/94	Retec	Unknown	250	U	–	–	–	–	–	1	U	0.9	J	1	U	2	U	–	–	–	–	–	–	–	–	–		
		06/20/02	Urban	Unknown	50	U	–	–	–	–	–	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U	1	U	
MW121 (26.7 to 16.7)	8th Ave N ROW, E side	12/26/13	SES	Peristaltic	100	U	200	x	250	U	200	x	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	1.3	
		03/28/17	PES	Peristaltic	–		–		–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.768		0.152	U	5.82		
		06/20/17	PES	Peristaltic	–		–		–	–	–	0.186	J	0.774		0.158	U	0.316	U	0.199	U	0.153	U	1.13		0.152	U	7.68		
		04/05/18	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	2.93		0.153	U	0.959		0.152	U	6.45		
		01/31/19	PES	Peristaltic	38.0	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	5.53		0.152	U	19.8		
		04/29/19	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	5.39		0.152	U	15.2	J	
		07/19/19	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	5.39		0.152	U	15.2	J	
		07/19/19	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.01		0.152	U	5.04		
		11/30/20	PES	Bladder	31.6	U	–	–	–	–	–	0.0290	J	0.0670	J	0.0410	J	0.272		0.0280	U	0.0160	U	0.193		0.0572	U	1.73		
		02/05/21	PES	Peristaltic	41.1	U	–	–	–	–	–	0.0850		0.240		0.0410	J	0.247	J	0.0460	J	0.0530		3.85		0.0572	U	5.64	J	
		05/12/21	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0260	J	0.484		0.0560	J	0.346		0.0280	U	0.0160	U	0.418		0.0572	U	1.79		
(duplicate)	05/12/21	PES	Peristaltic	31.6	U	–	–	–	–	0.0290	J	0.448		0.0580	J	0.351		0.0490	J	0.0160	U	0.380		0.0572	U	1.67				
MW125 (28.6 to 13.6)	Valley St ROW, N side	12/26/13	SES	Peristaltic	100	U	300	x	250	U	300	x	1.4		1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U
		03/22/17	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.285	J	0.153	U	0.341	J	0.152	U	0.118	U	
		06/28/17	PES	Bladder	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		04/06/18	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.580		0.153	U	0.278	J	0.152	U	0.118	U	
		01/21/19	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		04/23/19	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ	
		07/18/19	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		10/18/19	PES	Bladder	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.496	J	0.152	U	0.118	U	
		01/29/20	PES	Bladder	51.1	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.369	J	0.152	U	0.118	U	
		11/17/20	PES	Bladder	–		–		–	–	–	0.0160	U	0.0910	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		02/02/21	PES	Peristaltic	38.5	U	–	–	–	–	–	0.0160	U	0.158	J	0.101		0.716		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U	
		05/11/21	PES	Peristaltic	46.2	U	–	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	UJ	
		(duplicate)	05/11/21	PES	Peristaltic	33.2	U	–	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	UJ
MW-154 (27.8 to 17.9)	Roy St ROW, S side	04/30/18	PES	Bladder	32.1	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	4.46		0.230	J	1.77		0.152	U	7.48			
		01/21/19	PES	Peristaltic	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.70		0.330	J	2.03		0.152	U	3.52		
		04/24/19	PES	Bladder	31.6	U	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.02		0.214	J	1.76		0.152	U	0.797		

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																								
					GRO		DRO		ORO	DRO+ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE	tDCE	VC				
Preliminary Cleanup Level (PCUL)					800		500		500	500	5.0		640		700		1,600		5.0	4.0	16	100	0.29						
MW-154 (continued)		07/15/19	PES	Bladder	68.0	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	69.5	5.75	2.55	0.152	U	0.211	J				
		10/14/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	4.99	0.445	J	1.40	0.152	U	0.118	U			
		01/21/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	11.6	0.999		2.26	0.152	U	0.118	U			
		04/30/20	PES	Bladder	47.5	J	–	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	12.1	1.06		2.58	0.149	U	0.234	U			
		07/10/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.771		0.0212	U	0.191	U	10.9	0.786		1.83	0.0572	U	0.0273	U			
		11/09/20	PES	Bladder	–		–	–	–	–	0.0230	J	0.317		0.0212	U	0.191	U	73.9	6.84		1.77	0.0572	U	0.0273	U			
		02/08/21	PES	Bladder	–		–	–	–	–	0.0220	J	0.794		0.106		0.593		4.72	J	0.501	0.203	0.0572	U	0.0273	U			
		05/10/21	PES	Bladder	–		–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	3.41	0.453		0.134	0.0572	U	0.0273	UJ			
MW-155 (24.4 to 14.4)	Roy St ROW, S side	04/27/18	PES	Peristaltic	60.9	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	3.48	0.334	J	0.466	J	0.152	U	0.447	J		
		01/21/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	3.72	0.581		0.274	J	0.152	U	0.118	U		
		04/23/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	14.6	4.75		71.9		0.152	U	6.54	J		
		07/23/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	92.7	19.9		12.1		0.152	U	0.350	J		
		10/16/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	121	27.6		36.2		0.160	J	0.118	U		
		01/20/20	PES	Bladder	44.9	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	98.3	21.8		12.7		0.152	U	0.118	U		
		05/05/20	PES	Bladder	31.6	U	–	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	140	27.3		16.4		0.158	J	0.234	U		
		08/03/20	PES	Bladder	–		–	–	–	–	0.0310	J	0.355		0.0212	U	0.191	U	63.4	28.0		9.74		0.216		0.0273	UJ		
		11/11/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.0500	U	0.0212	UJ	0.191	U	119	26.0		11.7		0.108	J	0.190	J+		
MW-159 (22.9 to 12.9) (duplicate)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.964	0.358	J	1.09		0.152	U	0.118	U		
		01/21/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.651		0.152	U	0.666		
		04/26/19	PES	Bladder	31.6	U	–	–	–	–	0.179	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.23		0.152	U	1.03	J	
		04/26/19	PES	Bladder	31.6	U	–	–	–	–	0.193	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.12		0.152	U	1.04	J	
		07/22/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.918		0.152	U	0.691		
		01/29/20	PES	Bladder	33.9	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.811		0.152	U	0.118	U	
		11/11/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.457	J-	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.561		0.0572	U	0.214	J+	
		02/08/21	PES	Peristaltic	–		–	–	–	–	0.0340	J	0.182	J	0.0860	J	0.486		0.126	J	0.0380	J	0.525		0.0572	U	0.504	J	
		05/11/21	PES	Peristaltic	–		–	–	–	–	0.0200	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0360	J	0.518		0.0572	U	0.350	J-	
MW-210 ^a (17.1 to 7.1)	Valley St ROW, N side	03/30/17	PES	Peristaltic	–		–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ	
		06/21/17	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/09/18	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/11/19	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/17/20	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ
		04/09/20	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/07/20	PES	Peristaltic	–		–	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-214 (duplicate) (20.8 to 10.8)	Valley St ROW, S side	03/30/17	PES	Peristaltic	–		–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		03/30/17	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/09/18	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.725	0.153	U	0.0933	U	0.152	U	0.118	U	
		10/11/19	PES	Peristaltic	–		–	–	–	–	–	1.95	0.412	U	0.355	J	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U	
		01/20/20	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/07/20	PES	Peristaltic	–		–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/06/20	PES	Peristaltic	–		–	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-301 (duplicate) (35.6 to 25.6) (duplicate)	Valley St ROW, S side	11/30/20	PES	Bladder	31.6	U	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.196	J	1.96		0.157		0.0276	U	0.0572	U	0.0273	U	
		11/30/20	PES	Bladder	31.6	U	–	–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.202	J	1.94		0.156		0.0276	U	0.0572	U	0.0273	U
		02/05/21	PES	Bladder	43.3	U	–	–	–	–	–	0.0790		1.44		0.209		1.17		1.62		0.101		0.0276	U	0.0572	U	0.0273	U
		05/14/21	PES	Bladder	31.6	U	–	–	–	–	–	0.0160	U	0.0930	U	0.0212	U	0.191	U	1.85		0.110		0.0276	U	0.0572	U	0.0273	U
		05/14/21	PES	Bladder	31.6	U	–	–	–	–	–	0.0160	U	0.108	U	0.0212	U	0.191	U	1.81		0.108		0.0276	U	0.0572	U	0.0273	U

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																											
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC			
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29			
MW-305 (37.4 to 27.4)	Roy St ROW, S side	10/15/19	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		01/15/20	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/28/20	PES	Bladder	54.4	J	–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/27/20	PES	Bladder	–		–		–		–		0.0160	U	0.199	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		11/06/20	PES	Bladder	–		–		–		–		0.0314	J	0.234		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.107		0.0572	U	0.0273	U		
		05/18/21	PES	Bladder	–		–		–		–		0.0160	U	0.109	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
MW-310 (19.2 to 9.2) (duplicate)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.148	J	0.152	U	0.118	U		
		01/14/20	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/08/20	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.193	J	0.152	U	0.118	U		
		08/04/20	PES	Bladder	–		–		–		–		0.0270	J	0.982		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		08/04/20	PES	Bladder	–		–		–		–		0.0360	J	0.959		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		11/06/20	PES	Bladder	–		–		–		–		0.0275	J	0.348		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0554		0.134		0.0572	U	0.0273	U
		05/03/21	PES	Peristaltic	–		–		–		–		0.0420		0.413		0.138		0.909		0.0280	U	0.0160	U	0.203		0.0572	U	0.0273	U		
MW-312 (19.9 to 9.9)	Alley E of Seattle Roy Aloha Shops	10/11/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		01/21/20	PES	Peristaltic	–		–		–		–		0.0896	U	1.22		0.158	U	0.713	J	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/22/20	PES	Bladder	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		08/04/20	PES	Bladder	–		–		–		–		0.0160	U	0.0690	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0440	J	0.0572	U	0.0273	U		
		11/11/20	PES	Bladder	–		–		–		–		0.0160	U	1.12	J-	0.0212	U	0.191	U	0.137		0.0407		0.0820	J	0.0572	U	0.0273	U		
		05/03/21	PES	Peristaltic	–		–		–		–		0.0260	J	0.748		0.182		1.07		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
MW-313 (20.4 to 10.4)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Bladder	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	7.34		0.152	U	1.09			
		01/14/20	PES	Bladder	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	2.67		0.152	U	2.59			
		05/04/21	PES	Bladder	–		–		–		–		0.0300	J	0.824		0.160		0.946		0.0280	U	0.0160	U	2.31		0.0572	U	0.524			
MW-320 (18.6 to 8.6)	9th Ave N ROW, W side	10/07/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.459	J	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		01/20/20	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/29/20	PES	Bladder	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/28/20	PES	Bladder	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		11/12/20	PES	Bladder	–		–		–		–		0.0160	U	0.338	J-	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0350	J	0.0572	U	0.0273	U		
		05/20/21	PES	Peristaltic	–		–		–		–		0.0160	U	0.0520	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
MW-332 (16.0 to 6.0)	Roy St ROW, N side	05/04/20	PES	Bladder	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.419	J	0.149	U	0.234	U		
		07/30/20	PES	Bladder	–		–		–		–		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.110	J	0.0572	UJ	0.145			
		11/12/20	PES	Bladder	–		–		–		–		0.0160	U	0.584	J-	0.0212	U	0.191	U	0.112		0.0160	U	0.202		0.0572	U	0.102	J+		
		05/20/21	PES	Peristaltic	–		–		–		–		0.0160	U	0.0710	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
MW-337 (18.1 to 8.1)	Lake Union Park, N end	05/07/20	PES	Peristaltic	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/23/20	PES	Peristaltic	–		–		–		–		0.0160	U	0.145	J	0.0212	U	0.191	U	0.0280	U	0.0260	J	0.0560	J	0.0572	U	0.0273	U		
		11/10/20	PES	Peristaltic	–		–		–		–		0.0190	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0870	J	0.0572	U	0.0273	U		
		05/04/21	PES	Peristaltic	–		–		–		–		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0490	J	0.0572	U	0.0670	J		
MW-339 (duplicate) (18.2 to 8.2)	Lake Union Park, S end	05/14/20	PES	Peristaltic	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		05/14/20	PES	Peristaltic	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/23/20	PES	Peristaltic	–		–		–		–		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0280	J	0.164		0.0572	U	0.0273	U		
		11/09/20	PES	Peristaltic	–		–		–		–		0.0190	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.238		0.0572	U	0.0273	U		
		05/25/21	PES	Peristaltic	–		–		–		–		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.120		0.0572	U	0.0273	U		

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
N7 (41.8 to 11.8)	Property, SW quadrant	07/19/13	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	640	50	18	1	U	0.2	U									
		10/19/15	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	2,900	99	9.9	1	U	0.2	U									
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	–	–	230	79	1,700	2.9		0.92										
		03/30/17	PES	Peristaltic	–	–	–	–	0.178	J	0.412	U	0.158	U	0.316	U	280	50.4	125	0.396	J	0.310	J							
		06/27/17	PES	Peristaltic	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	205	85.1	153	0.955		0.386	J							
		Decommissioned March 2019																												
R-MW1 (33.8 to 23.8)	Property	10/24/92	Roux	Unknown	57	1,345	6,000	7,345	1	1	0.5	U	0.5	U	5	U	5	U	–	5	U	100								
		10/24/92	DOF	Unknown	53	26,000	12,000	3,800	0.61	0.83	0.50	U	1.0	U	4.2	0.82	12.0	c	–		170									
		10/24/92	Roux	Unknown	54	290	5,000	5000	0.58	1	0.5	U	0.5	U	2.3	2	U	14	–		140									
		01/29/09	DOF	Peristaltic	50.0	U	–	–	–	0.500	U	0.500	U	0.500	U	1.00	U	17.1	4.26	1.60	0.200	U	0.630							
		06/02/11	SES	Peristaltic	100	U	1,000	x	740	1,740	x	0.35	U	1	U	3	U	7.9	2.7	1.9	1	U	0.68							
		09/05/12	SES	Peristaltic	–	–	–	–	0.35	U	1	U	1	U	3	U	16	3.6	2.1	1	U	2.20								
Decommissioned																														
R-MW2 (36.7 to 26.7)	Property, NE quadrant	10/24/92	Roux	Unknown	4,200	34	2,000	2,034	684	17	301	403	5	U	5	U	–	5	U	5	U									
		10/24/92	DOF	Unknown	4,000	16,000	25,000	41,000	310	0.50	U	140	180	–	–	–	–	–	–											
		01/29/09	DOF	Peristaltic	657	–	–	–	0.500	U	0.557	0.513	2.08	5.05	0.200	U	0.200	U	0.200	U	0.200	U								
		06/02/11	SES	Peristaltic	1,700	3,100	290	x	3,390	x	19	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U					
		09/04/12	SES	Peristaltic	–	–	–	–	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U				
		03/21/17	PES	Peristaltic	–	–	–	–	0.272	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.341	J	0.152	U	0.522					
		06/15/17	PES	Peristaltic	–	–	–	–	0.694		0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.682		0.152	U	0.609					
		04/02/18	PES	Peristaltic	38.0	U	–	–	–	0.568		0.412	U	0.158	U	0.316	U	0.866	0.620	2.48	0.152	U	1.33							
Decommissioned March 2019																														
R-MW3 (34.7 to 24.7)	Property, NE quadrant	10/24/92	Roux	Unknown	87	3,015	1,200	4,215	0.5	U	0.5	U	0.5	U	0.5	U	–	5	U	5	U	5	U							
		10/24/92	DOF	Unknown	50	U	–	–	–	0.50	U	0.50	U	0.50	U	1.0	U	–	–	–	–	–	–							
		01/29/09	DOF	Peristaltic	50.0	U	–	–	–	0.500	U	0.500	U	0.500	U	1.00	U	4.26	0.200	U	0.200	U	0.200	U	0.200	U				
		06/02/11	SES	Peristaltic	100	U	240	x	250	U	240	x	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U		
		09/04/12	SES	Peristaltic	–	–	–	–	0.35	U	1	U	1	U	3	U	6.4	1	U	1	U	1	U	1	U	0.2	U			
		03/21/17	PES	Peristaltic	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.38	0.714	0.575	0.152	U	0.118	U						
		06/28/17	PES	Peristaltic	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.834	0.582	0.735	0.152	U	0.424	J						
		04/04/18	PES	Peristaltic	33.7	J	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	16.4	0.972	1.35	0.152	U	0.214	J						
Decommissioned March 2019																														
R-MW4 (25.9 to 10.9)	Roy St ROW	10/24/92	Roux	Unknown	410	201	1000	U	201	0.5	U	2	1	4	814	64	–	5	U	5	U									
		10/24/92	DOF	Unknown	640	–	–	–	–	0.5	U	1.8	0.5	U	3.1	31	2.8	2.0	U	–		2.0	U							
Decommissioned before 2009																														
R-MW5 (42.4 to 27.4)	Dexter Ave N ROW, E side	10/28/92	Roux	Unknown	93	86	1000	U	86	0.5	U	1	0.5	U	0.5	U	0.5	U	0.5	U	–	0.5	U							
		01/29/09	DOF	Peristaltic	50	U	–	–	–	0.500	U	0.500	U	0.500	U	1.00	U	0.800	0.200	U	0.200	U	0.200	U						
		06/02/11	SES	Peristaltic	100	U	50	U	250	U	50	U	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U		
		09/05/12	SES	Peristaltic	–	–	–	–	–	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	1	U	0.2	U	
		12/18/13	SES	Peristaltic	100	U	50	U	250	U	50	U	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U
		03/23/17	PES	Peristaltic	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.338	J	0.186	J	0.0933	U	0.152	U	0.118	U			
		06/16/17	PES	Bladder	–	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.257	J	0.245	J	0.0933	U	0.152	U	0.118	U			
		04/11/18	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.621	0.153	U	0.0933	U	0.152	U	0.118	U			
		01/03/19	PES	Peristaltic	81.5	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.477	J	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/22/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.428	J	0.158	U	0.316	U	0.499	J	0.155	J	0.0933	U	0.152	U	0.118	U	J	
		07/16/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.736	0.153	U	0.131	J	0.152	U	0.118	U			
		10/21/19	PES	Bladder	95.3	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.523	0.153	U	0.302	J	0.152	U	0.118	U			

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
R-MW5 (continued) (duplicate)		01/24/20	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.931		0.374	J	0.265	J	0.152	U	0.118	U
		11/18/20	PES	Bladder	43.8	U	–		–		–		0.0160	U	0.205		0.0212	U	0.191	U	0.607		0.318		0.505		0.0572	U	0.0273	U
		02/11/21	PES	Bladder	31.6	U	–		–		–		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.741		0.271		0.357		0.0572	U	0.0273	U
		02/11/21	PES	Bladder	45.1	J	–		–		–		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.990		0.286		0.382		0.0572	U	0.0273	U
		05/17/21	PES	Bladder	31.6	U	–		–		–		0.0160	U	0.147	J	0.0212	U	0.191	U	0.671		0.232		0.186		0.0572	U	0.0273	U
R-MW6 (33.3 to 23.3)	8th Ave N ROW, W side	10/28/92	Roux	Unknown	50	U	50	U	1000	U	50	U	0.5	U	2		0.5	U	2		4,500		920		2,600		–		240	
		11/03/92	DOF	Unknown	–		–		–		–		–		–		–		–		690		160		620		–		40	U
		01/29/09	DOF	Peristaltic	50.0	U	–		–		–		0.500	U	0.500	U	0.500	U	1.00	U	1.78		0.200	U	2.64		0.200	U	2.75	
		05/03/10	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	1.2		1	U	2.8	
		06/02/11	SES	Peristaltic	100	U	120	x	250	U	120	x	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	2.1	
		09/05/12	SES	Peristaltic	–		–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U
		03/21/17	PES	Peristaltic	42.8	J	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	1.08		3.17		20.0		0.242	J	8.65	
		06/20/17	PES	Peristaltic	38.5		–		–		–		0.167	J	0.619		0.158	U	0.316	U	1.19		0.878		37.3		0.445	J	43.9	
		04/06/18	PES	Peristaltic	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	1.85		2.24		19.4		0.277	J	26.9	
		01/25/19	PES	Peristaltic	–		–		–		–		0.142	J	0.412	U	0.158	U	0.316	U	0.328	J	1.07		12.5		0.152	U	9.14	
		04/25/19	PES	Peristaltic	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.370	J	11.8		0.168	J	7.16	J
		12/01/20	PES	Peristaltic	–		–		–		–		0.0490		0.336		0.0670	J	0.513		0.670		1.07		2.15		0.0572	U	0.583	
		02/03/21	PES	Peristaltic	–		–		–		–		0.0160	U	0.198	J	0.0810	J	0.550		0.371		0.341		1.22		0.0572	U	0.248	
		05/17/21	PES	Peristaltic	–		–		–		–		0.0770		1.02		0.129		0.696		0.0670	J	0.349		12.2		0.0930	J	2.86	
SCL-MW101 (25.5 to 15.5)	Alley E of Seattle Roy Aloha Shops	03/28/17	PES	Peristaltic	–		–		–		–		6.74		0.624	U	0.598		2.08		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		06/14/17	PES	Peristaltic	–		–		–		–		18.6		1.68		17.1		3.50		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/06/18	PES	Peristaltic	–		–		–		–		10.6		1.24		11.7		3.32		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/09/19	PES	Peristaltic	–		–		–		–		11.2		2.39		16.6		3.77		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/17/20	PES	Peristaltic	–		–		–		–		15.4		0.611		1.61		3.66		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ
		04/07/20	PES	Peristaltic	–		–		–		–		7.26		0.868		5.54		1.74		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		11/24/20	PES	Peristaltic	–		–		–		–		14.6		1.24		3.53		3.95		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
05/04/21	PES	Peristaltic	–		–		–		–		6.04		0.395		1.22		1.48		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
SCL-MW105 (11.1 to 1.1)	Alley E of Seattle Roy Aloha Shops	03/28/17	PES	Peristaltic	–		–		–		–		257		16.3		26.5		33.9		0.995	U	0.765	U	0.466	U	0.760	U	0.590	U
		06/15/17	PES	Peristaltic	–		–		–		–		208		14.3		109		40.8		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/06/18	PES	Peristaltic	–		–		–		–		181		12.1		26.6		28.4		1.99	U	1.53	U	0.933	U	1.52	U	1.18	U
		10/10/19	PES	Peristaltic	–		–		–		–		133		15.5		41.0		34.6		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/17/20	PES	Peristaltic	–		–		–		–		142		14.9		54.6		28.6		0.199	U	0.153	U	0.0933	U	0.152	U	0.118	UJ
		04/01/20	PES	Peristaltic	–		–		–		–		95.1		11.3		47.4		23.4		0.199	U	0.153	U	0.550		0.152	U	0.118	U
		07/24/20	PES	Peristaltic	–		–		–		–		86.6		12.0		35.1		22.5		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U

Table G-6

Petroleum Hydrocarbons and CVOCs in Shallow Zone Groundwater
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
SCS-2 (28.2 to 18.2) (duplicate)	Seattle Roy Aloha Shops, N end	03/20/17	PES	Peristaltic	1,660	–	–	–	51.8	9.54	155	181	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		06/12/17	PES	Peristaltic	901	–	–	–	58.9	4.49	141	70.4	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/13/18	PES	Peristaltic	–	–	–	–	44.3	5.18	37.3	47.7	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		07/18/19	PES	Peristaltic	2,190 J+	–	–	–	15.5	3.71	141	149	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		07/18/19	PES	Peristaltic	2,320 J+	–	–	–	15.0	3.37	187	131	0.199 U	0.153 U	0.0933 U	0.152 U	0.242 J	
		10/10/19	PES	Peristaltic	–	–	–	–	20.3	6.00	307	123	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/16/20	PES	Peristaltic	–	–	–	–	16.9	5.00 J	135	32.2	1.99 U	1.53 U	0.933 U	1.52 U	1.18 U	
Number of Analytes Measured					162	18	12	18	211	211	211	211	212	212	212	212	212	
Number of Analytes Detected					60	8	0	8	71	71	41	43	70	70	114	30	72	
Frequency of Detection					37%	44%	0%	44%	34%	34%	19%	20%	33%	33%	54%	14%	34%	
Maximum Detection					150,000	790 J	–	790 J	257	16.3	307	181	285	85.1	516	4.31	90.6	
Minimum Detection					31.6 U	50.0 U	250 U	50.0 U	0.0160 U	0.0500 U	0.0212 U	0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
Number of Analytes Detected Above PCUL					4	4	0	4	21	0	0	0	24	18	23	0	60	
Frequency of Detection Above PCUL					2%	22%	0%	22%	10%	0%	0%	0%	11%	8%	11%	0%	28%	
Notes: PCULs and screening levels from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. Detected results are shown in bold. Detections above the groundwater PCUL level are shown in bold and highlighted in gray. Detections above the groundwater screening level for soil vapor are shown in bold and highlighted in orange. Detections above the groundwater PCUL and screening level for soil vapor are shown in bold highlighted in grayish-orange. cDCE = cis-1,2-Dichloroethene. DOF = Dalton, Olmsted & Fuglevand, Inc. DRO = Diesel-range organics. (duplicate) = field duplicate. EPJ = EP Johnson Construction Inc. and Environmental GeoE = GeoEngineers, Inc. GRO = Gasoline-range organics. HC = Hart Crowser. ORO = Oil-range organics. PCE = Perchloroethylene (tetrachloroethene). Retec = Remediation Technologies, Inc. Roux = Roux Associates. ROW = Right of way. SES = SoundEarth Strategies, Inc. TCE = Trichloroethene. tDCE = trans-1,2-Dichloroethene. Urban = Urban Redevelopment LLC. VC = Vinyl chloride. Well screen elevations indicated below Sample Location in parentheses. (--) = Well screen elevation unknown. a = Select sample results for MW-210 incorrectly identified with location SMW-3 on lab reports and sampling forms. Laboratory and Results Notes: Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. – = Not analyzed or results not available. B = The same analyte is found in the associated blank. c = Reported as total 1,2,-DCE (sum of cis,-1,2- and trans,1-2-DCE isomers). E = Estimated value. The reported range exceeds the calibration range of the analysis. f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank. g = Estimated value. The reported range exceeds the calibration range of the analysis. J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. qp = Hydrocarbon result partly due to individual peak(s) in quantitation range. U = Not detected at or above the laboratory method detection limit (MDL). x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation. y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis. z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs. Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021. Groundwater statistics for GRO exclude "z" qualified data.																		

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
BB-5 (--)	Seattle DOT Mercer Parcels, SE quadrant	11/17/97 Decommissioned	B&V	Bailer	250	U	630	U	630	U	630	U	ND		ND		ND		ND		ND		ND		1.1		ND		ND	
BB-7 (--)	Valley St ROW, N side	11/17/97 Decommissioned	B&V	Bailer	250	U	630	U	630	U	630	U	ND		ND		ND		ND		ND		ND		ND		ND		ND	
BB-8 (14.0 to 4.0)	Roy St ROW, S side	06/24/97	B&V	Bailer	200	U	500	U	1000	U	500	U	1.8		1.3		1.0	U	1.0	U	11,000		1,500		4,200		14		280	
		01/29/09	DOF	Unknown	499		–		–		–		0.694		0.500	U	0.500	U	1.00	U	896	f	258		441		2.45		1.48	
(duplicate)		05/03/10	SES	Peristaltic	–		–		–		–		–		–		–		–		510		120		110		1	U	0.27	
		06/02/11	SES	Peristaltic	130	xy	50	U	250	U	50	U	0.35	U	1	U	1	U	3	U	170		59		44		1	U	0.2	U
		09/05/12	SES	Peristaltic	–		–		–		–		0.35	U	1	U	1	U	3	U	200		41		28		1	U	0.2	U
		12/29/13	SES	Bladder	–		–		–		–		0.35	U	1	U	1	U	3	U	200		38		24		1	U	0.2	U
		06/17/15	SES	Peristaltic	–		–		–		–		–		–		–		–		170		40		37		10	U	2.0	
		03/22/17	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	30.4		4.95		3.10		0.152	U	0.118	U
		06/14/17	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	26.0		8.57		12.6		0.155	J	0.118	U
		04/11/18	PES	Peristaltic	40.9	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	33.7	J	6.13	J	4.64	J	0.152	U	0.118	U
		04/11/18	PES	Peristaltic	41.5	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	46.8	J	8.41	J	6.28	J	0.152	U	0.118	U
		01/23/19	PES	Peristaltic	99.6	J	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	133		43.1		81.5		0.402	J	0.618	
(duplicate)		04/23/19	PES	Peristaltic	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	48.8		9.09		7.57		0.152	U	0.118	U
		07/17/19	PES	Bladder	112	zJ+	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	169		28.9		19.3		0.262	J	0.118	U
		10/22/19	PES	Bladder	176	zJ+	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	135		46.6		31.8		0.398	J	0.162	J
(duplicate)		10/22/19	PES	Bladder	174	zJ+	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	169		48.3		30.4		0.426	J	0.152	J
		01/20/20	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	138		25.4		16.5		0.232	J	0.118	U
(duplicate)		01/20/20	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	132		24.6		16.0		0.199	J	0.118	U
		05/12/20	PES	Bladder	101	zJ+	–		–		–		0.0941	U	0.682		0.137	U	0.387	J	142		30.8		17.6		0.282	J	0.234	U
		07/27/20	PES	Bladder	–		–		–		–		0.0570		0.268		0.0320	J	0.217	J	165		46.8		26.3		0.531		0.0273	U
		07/27/20	PES	Bladder	–		–		–		–		0.0660		0.470		0.0710	J	0.306		162		45.5		26.0		0.496		0.194	
		11/17/20	PES	Bladder	–		–		–		–		0.0950		0.339		0.0212	U	0.191	U	215		107	J+	101		0.802		0.302	
		02/11/21	PES	Peristaltic	–		–		–		–		0.0490		1.58		0.242		1.28		20.1		3.83		2.19		0.0572	U	0.0273	U
		06/07/21	PES	Bladder	–		–		–		–		0.0190	J	0.0500	U	0.0212	U	0.191	U	54.4		12.3		6.94		0.0980	J	0.0790	J
BB-8A (--)	Roy St ROW, S side	01/29/09	DOF	Peristaltic	669		–		–		–		0.500	U	0.500	U	0.500	U	1.00	U	1,290	f	285		549		2.96		3.86	
		05/03/10	SES	Peristaltic	–		–		–		–		–		–		–		–		810		180		140		1.6		0.78	
		06/02/11 Decommissioned	SES	Peristaltic	380	xy	50	U	250	U	50	U	3.5	U	10	U	10	U	30	U	710		170		170		10	U	2	U
BB-12 (--)	9th Ave N ROW, center	05/19/98	B&V	Bailer	250	U	630	U	630	U	630	U	ND		ND		ND		ND		ND		ND		540		ND		380	
		05/02/10 Decommissioned	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U
BB-12A (--)	9th Ave N ROW, center	05/02/10 Decommissioned	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U
DMW-3IA (16.8 to 6.8)	615 Dexter, NE quadrant	03/18/20	HC	Submersible	100	U	50	U	250	U	50	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U
FMW-142 (2.4 to -7.6)	9th Ave N ROW, E side	07/26/19	Farallon	Unknown	–		–		–		–		–		–		–		–		0.20	U	0.38		0.36		0.20	U	0.20	U
		10/31/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/22/20	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/28/20	PES	Bladder	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/08/20	PES	Bladder	–		–		–		–		0.0160	U	1.37		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0320	J	0.0572	U	0.0273	U
		11/04/20	PES	Bladder	–		–		–		–		0.0160	U	0.179	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0977	J	0.0572	U	0.0273	U
		05/25/21	PES	Peristaltic	–		–		–		–		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
GEI-1 (1.2 to -8.9) (duplicate)	Block 37, SW quadrant	03/24/17	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U													
		06/13/17	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.244 J	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U													
		04/22/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U													
		07/16/19	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U													
		10/21/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U													
		01/22/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U													
		04/29/20	PES	Peristaltic	–	–	–	–	0.0941 U	0.278 U	0.137 U	0.254 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U													
		04/29/20	PES	Peristaltic	–	–	–	–	0.0941 U	0.286 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U													
		07/30/20	PES	Peristaltic	–	–	–	–	0.0160 U	0.142 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U													
GEI-MW-1 (-9.7 to -29.7)	Block 79 East, N end	09/06/14	GeoE	Peristaltic	50.0 U	50.0 U	100 U	50.0 U	1.00 U	1.00 U	–	1.00 U	0.250	0.240	1.00 U	0.500 U	0.200 U													
		01/23/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.230 J	0.0933 U	0.152 U	0.118 U													
		04/29/20	PES	Peristaltic	–	–	–	–	0.0941 U	1.06	0.161 J	0.938 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U													
		08/07/20	PES	Peristaltic	–	–	–	–	0.0320 J	0.162 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U													
		11/10/20	PES	Peristaltic	–	–	–	–	0.0160 U	0.435 J-	0.0212 U	0.316	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U													
		05/13/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U													
GEI-MW-2	Block 79 East, S end	09/06/14	GeoE	Peristaltic	28.9	50.0 U	100 U	50.0 U	14.1	4.44	–	1.00 U	1.00 U	0.410	1.00 U	0.500 U	1.34													
GEI-MW-3	Block 79 East, S end	09/06/14	GeoE	Peristaltic	50.0 U	50.0 U	100 U	50.0 U	1.00 U	9.03	–	1.00 U	1.00 U	0.610	1.00 U	0.500 U	3.14													
G-MW1 (9.0 to 4.0) (duplicate)	Property	07/24/01	GeoE	Peristaltic	–	–	–	–	0.449	17.6 E	0.798	5.52	85,500	1,130	23.3 g	0.956	74.5 g													
		01/29/09	DOF	Peristaltic	41,300 qp	–	–	–	20.0 U	20.0 U	28.6	55.1	78,400 f	1,160	34.4	1.49	0.200 U													
		06/03/11	SES	Peristaltic	29,000 x	92 x	250 U	92 x	–	–	–	–	78,000	1,100	22	–	33													
		09/06/12	SES	Peristaltic	–	–	–	–	0.35 U	7.4	1 U	1.1	66,000	1,100	32	1.5	35													
		09/06/12	SES	Peristaltic	–	–	–	–	0.35 U	7.6	1 U	1.0	64,000	1,100	30	1.4	33													
		Decommissioned																												
G-MW3 (13.6 to 3.6)	Property	07/24/01	GeoE	Peristaltic	–	–	–	–	0.524	6.93 E	0.459	2.10	47,700	385 g	0.200 U	3.71	42.5 g													
		12/10/04	DOF	Bailer	–	–	–	–	2 U	7	2 U	2	220,000	1,200	570	6	19													
		01/29/09	DOF	Peristaltic	26,600 qp	–	–	–	12.5 U	12.5 U	12.5 U	25.0 U	64,000 f	1,580	4,050	13.9	0.200 U													
		06/02/11	SES	Peristaltic	19,000 xy	210 x	250 U	210 x	350 U	1,000 U	1,000 U	3,000 U	33,000	1,400	1,500	1000 U	290													
		09/06/12	SES	Peristaltic	–	–	–	–	0.35 U	1.5	1 U	3 U	31,000	1,200	1,600	5.9	290													
		Decommissioned																												
HMW-2IA (10.8 to 0.8)	Seattle DOT Mercer Parcels NE quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	200 U	1.0 U	1.0 U	1.0 U	1.0 U	240	74	120	1.0 U	1.2													
		03/12/20	HC	Unknown	160	51 U	250 U	51 U	2.0 U	2.0 U	2.0 U	4.0 U	210	69	180	2.0 U	2.0 U													
HMW-3IA (20.2 to 10.2)	Seattle DOT Mercer Parcels NW quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	200 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U													
		03/13/20	HC	Unknown	190	150 J	250 U	150 J	1.4	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U													
HMW-6IA (21.2 to 11.2)	Seattle DOT Mercer Parcels SW quadrant	03/13/20	HC	Unknown	100 U	160 J	250 U	160 J	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U													
HMW-9IA (18.6 to 8.6)	Seattle DOT Mercer Parcels SW quadrant	03/19/20	HC	Unknown	100 U	50 U	250 U	50 U	0.20 U	0.20 U	0.20 U	0.40 U	0.42	0.23	3.7	0.20 U	0.95													
		06/02/21	PES	Bladder	–	–	–	–	0.0450	0.0850 J	0.0212 U	0.191 U	0.243	0.916	136	0.197 J	196													
HMW-20IA (12.8 to 2.8)	Seattle DOT Mercer Parcels NW quadrant	09/18/20	HC	Unknown	100 U	50 U	–	50 U	0.20 U	0.20 U	0.20 U	0.40 U	5.5	18	840	2.5	520													
		06/02/21	PES	Bladder	–	–	–	–	0.0840	0.152 J	0.0212 U	0.191 U	1.37	31.9	6,400	17.1	5,940													
MW107 (duplicate) (8.8 to -1.2)	8th Ave N ROW, W side	12/21/12	SES	Peristaltic	240,000 xy	190 x	250 U	190 x	3.5 U	10 U	10 U	30 U	47,000	2,800	5,100	41	200													
		12/21/12	SES	Peristaltic	–	–	–	–	–	–	–	–	50,000	3,000	5,200	44	270													
		12/16/13	SES	Peristaltic	–	–	–	–	0.37 U	1.8	1 U	3.3	32,000	2,400	4,000	34	76													

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)													
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
MW107 (continued)		06/17/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1,900	5,000	5,000	100 U	40
		10/20/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	2,300	5,100	3,600	60	27
		11/10/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	620	3,800	4,400	54	31
		12/11/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1,200	4,200	4,200	57	22
		01/08/16	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1,000	3,600	3,900	50	20
		02/01/16	SES	Peristaltic	—	—	—	—	—	—	—	—	—	61	220	10,000	33	73
		03/27/17	PES	Peristaltic	—	—	—	—	0.204 J	0.690 J	0.158 U	0.316 U	0.224 J	0.370 J	6.82	14.0	34.5	
		06/19/17	PES	Peristaltic	—	—	—	—	0.238 J	0.700	0.158 U	0.316 U	0.199 U	0.290 J	7.29	12.6	15.0	
		04/09/18	PES	Peristaltic	—	—	—	—	0.193 J	0.412 U	0.158 U	0.316 U	0.879 J-	0.581 J-	72.1 J-	10.5	123	
		01/30/19	PES	Peristaltic	663 zJ+	—	—	—	0.215 J	0.715	0.158 U	0.316 U	0.199 U	41.1	1,130	14.4	474	
		05/01/19	PES	Peristaltic	481 zJ+	—	—	—	0.188 J	0.412 U	0.158 U	0.316 U	0.199 U	99.9	1,250	14.1	374	
		07/22/19	PES	Bladder	210 zJ+	—	—	—	0.188 J	0.758	0.158 U	0.609 J	1.99 U	2.62 J	290	7.08	307	
		10/15/19	PES	Bladder	365 zJ+	—	—	—	0.167 J	0.572	0.158 U	0.316 U	41.7	138	333	7.04	216	
		01/28/20	PES	Bladder	1,890 zJ+	—	—	—	1.79 U	8.24 U	3.16 U	6.32 U	3.98 U	168	3,590	22.2	674	
		04/03/20	PES	Bladder	1,420 zJ+	—	—	—	0.298 J	0.412 U	0.158 U	0.316 U	63.8	700	2,720	15.4	216	
		07/31/20	PES	Bladder	—	—	—	—	0.400 U	1.25 U	0.530 U	4.78 U	0.700 U	6.98 J	491 J	5.36	378	
		12/01/20	PES	Peristaltic	—	—	—	—	1.65	4.45 J	0.530 U	4.81 J	0.700 U	0.400 U	13.3	5.85	0.682 U	
		02/02/21	PES	Peristaltic	—	—	—	—	0.112	0.704	0.166	1.04	0.0510 J	0.266	5.36	6.09	1.80	
		06/02/21	PES	Peristaltic	—	—	—	—	0.0960	0.580	0.0212 U	0.191 U	0.0590 J	0.336	3.20	3.98	1.16	
MW108 (-7.2 to -17.2)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Peristaltic	—	—	—	—	—	—	—	—	3.4	1.8	400	2.1	210 pr	
		12/17/13	SES	Peristaltic	—	—	—	—	1.9	1 U	1 U	3 U	3.8	4.6	360	3.6	150	
		06/17/15	SES	Peristaltic	—	—	—	—	—	—	—	—	4.0	11	370	3.5	260	
		10/20/15	SES	Peristaltic	—	—	—	—	—	—	—	—	3.0	6.4	220	1.8	140	
		02/02/16	SES	Peristaltic	—	—	—	—	—	—	—	—	15	7.9	290	1.8	180	
		03/28/17	PES	Peristaltic	—	—	—	—	1.59	0.479 U	0.158 U	0.316 U	73.1	12.5	278	0.899	52.3	
		06/27/17	PES	Bladder	—	—	—	—	1.26	0.479 U	0.158 UJ	0.316 U	194	22.1	165	0.748	52.8	
		04/06/18	PES	Peristaltic	—	—	—	—	4.00	0.599	0.158 UJ	0.316 U	1,970	284	1,030	7.13	217	
		04/06/18	PES	Peristaltic	—	—	—	—	3.83	0.597	0.158 UJ	0.316 U	1,980	287	1,020	7.91	231	
		01/22/19	PES	Peristaltic	—	—	—	—	1.67	0.562	0.158 U	0.316 U	4,190	587	1,180	6.03	90.8	
		04/29/19	PES	Peristaltic	—	—	—	—	3.20	0.412 U	0.158 U	0.316 U	419	171	970	3.22	125 J	
		07/15/19	PES	Peristaltic	—	—	—	—	2.90	0.412 U	0.158 U	0.316 U	567	189	918	3.48	197	
		10/10/19	PES	Peristaltic	—	—	—	—	3.16	0.412 U	0.327 J	0.316 U	524	483	1,080	5.55	194	
		01/14/20	PES	Peristaltic	—	—	—	—	4.55 J	10.3 U	3.95 U	7.90 U	243	235	749	3.80 U	224	
		04/22/20	PES	Bladder	—	—	—	—	25.6	6.95 U	3.43 U	4.35 U	53.1	96.3	178	3.73 U	19.3	
		07/16/20	PES	Bladder	—	—	—	—	29.7	1.73 J	0.530 U	4.78 U	189 J	162	216	1.88 J	11.3	
		07/16/20	PES	Bladder	—	—	—	—	34.3	2.20	0.0212 U	3.06	226 J	170	264	2.37	16.5	
		11/04/20	PES	Bladder	—	—	—	—	46.6	2.12 J	0.530 U	6.15 J	10.2	32.6	413	1.43 U	107	
		02/09/21	PES	Peristaltic	—	—	—	—	2.89	0.440 J	0.106 U	0.955 U	238 J	106	269	1.48	172 J	
		05/03/21	PES	Peristaltic	—	—	—	—	2.28	0.290 J	0.106 U	0.955 U	182	91.9	491	1.92	140	
MW109 (0.0 to -10.0)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Peristaltic	—	—	—	—	—	—	—	—	91	64	18	1 U	1.5	
		12/17/13	SES	Peristaltic	—	—	—	—	0.35 U	1 U	1 U	3 U	4.0	18	310	1 U	27	
		06/17/15	SES	Peristaltic	—	—	—	—	—	—	—	—	370	890	520	1.2	26	
		10/20/15	SES	Peristaltic	—	—	—	—	—	—	—	—	230	790	400	20 U	22	
		02/02/16	SES	Peristaltic	—	—	—	—	—	—	—	—	34	330	270	1 U	19	
		03/29/17	PES	Peristaltic	—	—	—	—	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.198 J	12.6	0.152 U	3.49	
		06/27/17	PES	Bladder	—	—	—	—	0.0896 U	0.412 U	0.158 UJ	0.316 U	9.69 J	1.17	163	1.17	6.06	
		04/06/18	PES	Peristaltic	—	—	—	—	0.0896 U	0.412 U	0.158 U	0.316 U	1.99 UJ	210	629	3.34	42.2	

Table G-7

**Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																				
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC								
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29								
MW109 (continued)		01/23/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.995	U	43.8	403	2.08	36.8			
		04/29/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	4.78	0.152	U	3.06	J
		07/15/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.265	J	30.8	0.199	J	24.4	
		10/15/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	1.03		397	0.891		109	
		01/21/20	PES	Peristaltic	—	—	—	—	0.0896	U	0.782		0.158	U	0.316	U	0.199	U	0.372	J	10.4	0.152	U	1.02	
		04/22/20	PES	Bladder	—	—	—	—	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	46.8	0.229	J	15.2	
		07/06/20	PES	Bladder	—	—	—	—	0.0340	J	0.967		0.0212	U	0.191	U	0.0280	U	0.162		45.4	0.293		12.4	
		11/02/20	PES	Bladder	—	—	—	—	0.0550		0.105	J	0.0212	U	0.191	U	0.0280	U	0.126		32.1	0.220		14.5	
		02/09/21	PES	Bladder	—	—	—	—	0.0520		0.634		0.139		0.791		0.0280	U	0.0860		9.89	0.125	J	13.7	J
		05/03/21	PES	Peristaltic	—	—	—	—	0.0430		0.751		0.154		0.987		0.0280	U	0.0550		6.16	0.0572	U	3.49	
MW110 (4.7 to -5.3)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Bladder	—	—	—	—	—	—	—	—	—	1,100	220	470	3.0	33							
12/19/13		SES	Peristaltic	—	—	—	—	0.35	U	1	U	1	U	3	U	930	240	840	3.9	31					
04/22/15		SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	1,000	210	340	2.4	1							
06/17/15		SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	1,000	200	470	10	U	12						
10/20/15		SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	890	180	380	2.2		13						
02/01/16		SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	1,300	290	460	3.0		1.1						
03/23/17		PES	Peristaltic	—	—	—	—	0.330	J	0.412	U	0.158	U	0.316	U	1,070	389	644	4.72	1.45					
06/27/17		PES	Bladder	—	—	—	—	0.0896	U	0.412	U	0.158	UJ	0.316	U	259	176	1,120	2.66	152					
04/09/18		PES	Bladder	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	375	J-	253	J-	675	J-	3.72	3.54		
01/23/19		PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	1,260	490	673	5.83	1.39					
01/23/19		PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	1,120	499	718	6.49	1.51					
04/26/19		PES	Bladder	—	—	—	—	0.291	J	0.412	U	0.158	U	0.316	U	1,500	613	710	5.59	0.900	J				
07/15/19		PES	Bladder	—	—	—	—	0.285	J	0.412	U	0.158	U	0.316	U	1,220	455	578	5.87	1.26					
10/15/19		PES	Bladder	—	—	—	—	0.233	J	0.412	U	0.158	U	0.316	U	1,180	498	574	3.86		0.853				
01/16/20		PES	Bladder	—	—	—	—	0.448	U	2.06	U	0.790	U	1.58	U	459	176	187	1.95	J	0.706	J			
04/22/20		PES	Bladder	—	—	—	—	0.487	J	1.39	U	0.685	U	0.870	U	946	384	683	4.25		5.06				
07/16/20		PES	Bladder	—	—	—	—	0.335		0.465	J	0.106	U	0.955	U	741	349	791	7.79		12.5				
11/04/20		PES	Bladder	—	—	—	—	0.800	U	2.50	U	1.06	U	9.55	U	640	343	894	2.96	J	29.6				
02/09/21		PES	Bladder	—	—	—	—	0.125		0.784		0.158		0.791		602	302	J+	401	2.99		0.833	J		
05/04/21		PES	Bladder	—	—	—	—	0.160	U	0.730	J	0.212	U	1.91	U	484	214		334	2.27		0.273	U		
MW114 (10.8 to 0.8)	Seattle DOT Mercer Parcels NW quadrant	12/21/12	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1,400	290	260	1	U	14						
		12/18/13	SES	Peristaltic	—	—	—	—	17	U	50	U	50	U	8,400	1,300	640	50	U	22					
		Destroyed																							
MW115 (-0.6 to -10.6)	9th Ave N ROW, W side	12/13/12	SES	Peristaltic	—	—	—	—	—	—	—	—	—	15	1.1	3.0	1	U	2.6						
		12/21/12	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1	U	3.0		38	1	U	16				
		12/19/13	SES	Peristaltic	—	—	—	—	0.35	U	1	U	1	U	3	U	1	U	1	U	0.75				
		04/21/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1	U	17		170	1	U	20				
		06/25/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1	U	1	U	1	U	1	U	6.2			
		10/27/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1	U	1	U	1	U	1	U	0.31			
		02/03/16	SES	Peristaltic	—	—	—	—	—	—	—	—	—	1	U	1	U	1	U	1	U	2.3			
		03/22/17	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.643	0.152	U	15.7	
		06/22/17	PES	Bladder	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.523	0.152	U	8.45	
		04/11/18	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.272	J	0.152	U	5.81
		01/30/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.316	J	0.152	U	12.4
		07/17/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.787		0.152	U	24.3
		10/22/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.819		0.152	U	23.2
		01/20/20	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.880		0.152	U	26.9
		05/05/20	PES	Bladder	—	—	—	—	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.654		0.149	U	8.86

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
MW115 (continued)		07/28/20	PES	Bladder	–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.354	J	0.149	U	1.16			
		11/12/20	PES	Bladder	–		–		–		0.0160	U	0.221	J-	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.308		0.0572	U	0.808	J+		
		02/12/21	PES	Bladder	–		–		–		0.0330	J	0.515		0.0730	J	0.453		0.0280	U	0.0160	U	0.244		0.0572	U	1.02			
		05/25/21	PES	Peristaltic	–		–		–		0.0160	U	0.0540	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.140		0.0572	U	0.989			
MW116 (-3.1 to -13.1)	9th Ave N ROW, W side	12/07/12	SES	Peristaltic	–		–		–		–		–		–		–		6.8		1	U	1	U	1	U	0.2	U		
		12/21/12	SES	Peristaltic	–		–		–		–		–		–		–		2.7		1	U	1	U	1	U	0.2	U		
		12/19/13	SES	Peristaltic	–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U		
		06/25/15	SES	Peristaltic	–		–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U		
		10/27/15	SES	Peristaltic	–		–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U		
		02/03/16	SES	Peristaltic	–		–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U		
		03/21/17	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		06/16/17	PES	Bladder	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.303	J	0.0933	U	0.152	U	0.118	U		
		04/11/18	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		01/30/19	PES	Bladder	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.655		0.152	U	0.118	U		
		07/17/19	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		10/31/19	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		01/21/20	PES	Peristaltic	–		–		–		0.0896	U	0.775		0.158	U	0.351	J	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/29/20	PES	Bladder	–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/28/20	PES	Bladder	–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		11/12/20	PES	Bladder	–		–		–		0.0160	U	0.0500	UJ	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		02/11/21	PES	Peristaltic	–		–		–		0.0370	J	1.23		0.161		0.968		0.0480	J	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		05/25/21	PES	Peristaltic	–		–		–		0.0160	U	0.0560	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
MW117 (16.9 to 1.9)	Dexter Ave N ROW, E side	02/08/13	SES	Peristaltic	–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U				
		12/18/13 Destroyed	SES	Peristaltic	100	U	50	U	250	U	50	U	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U		
MW118 (12.9 to 2.9)	Mercer St ROW, N side	03/25/13	SES	Peristaltic	–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U				
		12/18/13 Destroyed	SES	Peristaltic	100	U	50	U	250	U	50	U	0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U		
MW119 (2.7 to -7.3) (split)	9th Ave N ROW, W side	03/25/13	SES	Peristaltic	–		–		–		–		–		–		1	U	1	U	3.3		1	U	0.2	U				
		12/19/13	SES	Peristaltic	–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	2.5		1	U	0.76			
		04/21/15	SES	Peristaltic	–		–		–		–		–		–		–		34		42		50		1	U	3.1			
		06/17/15	SES	Peristaltic	–		–		–		–		–		–		–		4.9		7.1		52		1	U	2.7			
		10/20/15	SES	Peristaltic	–		–		–		–		–		–		–		15		22		74		1	U	0.45			
		02/02/16	SES	Peristaltic	–		–		–		–		–		–		–		7.3		24		100		1	U	0.45			
		03/29/17	PES	Peristaltic	–		–		–		0.139		0.412	U	0.158	U	0.316	U	5.47		10.7		42.9		0.334	J	0.272	J		
		06/28/17	PES	Bladder	–		–		–		0.0896	U	0.726		0.158	U	0.562	J	19.0		12.4		5.99		0.167	J	0.118	U		
		04/05/18	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	2.14		3.02		18.3		0.203	J	0.118	U		
		01/21/19	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	1.24		0.153	U	0.0933	U	0.152	U	0.118	U		
		04/29/19	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.224	J	1.12		10.9		0.161	J	0.118	UJ		
		07/19/19	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.303	J	0.153	U	0.340	J	0.152	U	0.118	U		
		10/10/19	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.876		7.54		12.6		0.159	J	0.118	U		
		11/11/19	Farallon	Unknown	–		–		–		–		–		–		–		3.70		9.50		10		0.20	U	0.20	U		
		01/14/20	PES	Peristaltic	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	5.90		5.81		9.63		0.200	U	0.200	U		
		01/14/20	Farallon	Unknown	–		–		–		–		–		–		–		4.8		5.1		7.4		0.20	U	0.20	U		
		02/18/20	Farallon	Unknown	–		–		–		–		–		–		–		1.3		2.5		6.6		0.20	U	0.20	U		
		03/24/20	Farallon	Unknown	–		–		–		–		–		–		–		0.24		0.87		4.7		0.20	U	0.20	U		
04/27/20	PES	Peristaltic	–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.595		1.62		6.88		0.149	U	0.234	U				

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																										
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC		
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29		
MW119 (continued)		05/19/20	Farallon	Unknown	–		–		–		–		–		–		–		0.91		2.8		6.1		0.20	U		0.20	U		
		07/08/20	PES	Bladder	–		–		–		0.0430		0.644		0.0212	U	0.191	U	0.306		1.96		6.67		0.163		0.0480	J			
		07/28/20	Farallon	Unknown	–		–		–		–		–		–		–		0.92		2.6		7.5		0.20	U		0.20	U		
		09/17/20	Farallon	Unknown	–		–		–		–		–		–		–		0.27		1.8		7.8		0.20	U		0.20	U		
		11/11/20	PES	Bladder	–		–		–		0.0160	U	0.0500	UJ	0.0212	U	0.191	U	0.420		2.63		12.9		0.0983	J	0.212	J+			
		12/03/20	Farallon	Unknown	–		–		–		–		–		–		–		0.28		1.2		6.6		0.20	U		0.20	U		
		02/10/21	PES	Peristaltic	–		–		–		0.0470		0.0500	U	0.0212	U	0.191	U	0.0410	J	0.511		6.05		0.0572	U		0.134			
		02/10/21	Farallon	Unknown	–		–		–		–		–		–		–		0.20	U	0.46		5.0		0.20	U		0.20	U		
(split)		05/20/21	PES	Bladder	–		–		–		0.0410		0.0710	U	0.0212	U	0.191	U	0.210		1.70		10.6		0.165	J	0.252				
MW120 (0.0 to -10.0)	8th Ave N ROW, E side	12/19/13	SES	Peristaltic	100	U	50	U	440	x	50	U	0.35	U	1	U	1	U	3	U	2.8		2.3		19		1	U		9.6	
		06/16/15	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	4.3		1	U		0.2	U
		10/20/15	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1.1		5.2		1	U		0.94	
		02/01/16	SES	Peristaltic	–		–		–		–		–		–		–		–		1.3		1.6		6.7		1	U		1.1	
		03/28/17	PES	Peristaltic	–		–		–		0.0896	U	0.458	U	0.158	U	0.316	U	13.9		5.81		18.4		0.152	U		0.871			
		06/28/17	PES	Bladder	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	18.0		6.97		16.0		0.152	U		0.988			
		04/09/18	PES	Peristaltic	31.6	U	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.811		0.152	U		0.118	U		
		01/24/19	PES	Peristaltic	105	J+	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	125		34.3		60.5		0.194	J		1.64			
		05/03/19	PES	Peristaltic	111	J+	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	155		46.9		87.2		0.258	J		1.28			
		05/03/19	PES	Peristaltic	138	zJ+	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	182		51.1		89.0		0.227	J		1.30			
		07/16/19	PES	Peristaltic	152	zJ+	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	134		40.1		74.9		0.217	J		1.01			
		10/17/19	PES	Bladder	106	zJ+	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	61.5		22.3		48.8		0.220	J		2.31			
		10/17/19	PES	Bladder	113	zJ+	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	73.9		26.9		49.8		0.243	J		2.25			
		01/17/20	PES	Bladder	124	zJ+	–		–		0.0983	J	0.412	U	0.158	U	0.316	U	61.2		21.6		45.0		0.241	J		2.38	J		
		04/23/20	PES	Bladder	481	zJ+	–		–		0.0941	U	0.278	U	0.137	U	0.174	U	39.7		15.4		41.0		0.154	J		2.92			
		07/14/20	PES	Bladder	–		–		–		0.0680		0.511		0.0212	U	0.191	U	44.0		16.2		28.8		0.249			2.78			
		11/30/20	PES	Bladder	–		–		–		0.0560		0.208		0.0660	J	0.435		39.3		15.6		36.6		0.188	J		1.47			
		11/30/20	PES	Bladder	–		–		–		0.0580		0.172	J	0.0212	U	0.376		44.4		16.2		37.0		0.196	J		1.52			
		02/05/21	PES	Peristaltic	–		–		–		0.0500		0.332		0.0790	J	0.516		41.6		17.4		43.5		0.212	J		1.17	J		
		05/12/21	PES	Peristaltic	–		–		–		0.0220	J	0.137	J	0.0212	U	0.191	U	31.7		13.8		29.7		0.151	J		0.633			
MW127 (-1.0 to -11.0)	8th Ave N ROW, E side	01/03/14	SES	Peristaltic	–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	1	U		0.29	
		01/13/14	SES	Peristaltic	–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	1	U		0.30	
		08/01/19	PES	Peristaltic	31.6	U	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.489	J	0.152	U		0.118	U		
		10/17/19	PES	Bladder	31.6	U	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.656		0.152	U		0.118	U		
		01/17/20	PES	Bladder	61.3	U	–		–		0.0896	U	0.689		0.158	U	0.342	J	0.199	U	0.153	U	0.630		0.152	U		0.118	UJ		
		04/23/20	PES	Bladder	121	zJ+	–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.861		0.149	U		0.234	U		
		07/14/20	PES	Bladder	–		–		–		0.0160	U	0.360		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.683		0.0572	U		0.0790	J		
		07/14/20	PES	Bladder	–		–		–		0.0160	U	0.375		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.662		0.0572	U		0.0730	J		
		11/13/20	PES	Bladder	–		–		–		0.0453		0.0726	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.898		0.0572	U		0.0273	U		
		05/11/21	PES	Peristaltic	–		–		–		0.0160	U	0.0740	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.737		0.0572	U		0.0273	UJ		
MW131 (-4.6 to -14.6)	Property, SE quadrant	03/27/17	SES	Peristaltic	91.9	J	–		–		0.199	J	0.462	J	0.158	U	0.316	U	0.199	U	0.153	U	243		0.981			804			
		06/20/17	PES	Peristaltic	31.6	U	–		–		0.448	U	2.06	U	0.790	U	1.58	U	0.995	U	0.765	U	2.55		0.760	U		435			
		04/16/18	PES	Peristaltic	55.3	U	–		–		0.142	J	0.412	U	0.158	U	0.316	U	7.05		3.25		10.4		0.276	J		18.0			
		10/25/18	PES	Peristaltic	57.6	U	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.895		0.347	J	1.65	J+	0.152	U		1.83			
		12/12/18	PES	Peristaltic	31.6	U	–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.172	J	1.2		0.152	U		1.39			
		01/29/19	PES	Peristaltic	43.7	J	–		–		0.182	J	0.516	J+	0.158	U	0.316	U	0.199	U	0.153	U	0.774		0.152	U		0.539			
		03/11/19	PES	Peristaltic	31.6	U	–		–		0.152	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.250	J	0.152	U		0.118	U		
Decommissioned March 2019																															

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
MW-142 (2.4 to -7.6) (duplicate)	8th Ave N ROW, E side	04/27/18	PES	Peristaltic	49.3	U	–	–	–	–	0.514	J	0.412	U	0.158	U	0.316	U	0.523	J	1.40	J	46.1	J	0.474	J	17.2	J		
		01/28/19	PES	Peristaltic	31.6	U	–	–	–	–	0.442	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	5.62	J	0.152	U	3.45	J		
		01/28/19	PES	Peristaltic	31.6	U	–	–	–	–	0.410	J	0.412	U	0.158	U	0.316	U	0.199	U	0.208	J	5.67	J	0.152	U	3.38	J		
		04/24/19	PES	Peristaltic	31.6	U	–	–	–	–	0.361	J	0.412	U	0.158	U	0.316	U	0.199	U	0.156	J	5.67	J	0.152	U	4.39	J		
		07/25/19	PES	Bladder	31.6	U	–	–	–	–	0.413	J	0.412	U	0.158	U	0.316	U	0.199	U	0.218	J	7.70	J	0.169	J	6.57	J		
		10/16/19	PES	Bladder	31.6	U	–	–	–	–	0.380	J	0.412	U	0.158	U	0.316	U	0.199	U	0.360	J	50.4	J	0.282	J	11.3	J		
		01/22/20	PES	Bladder	31.6	U	–	–	–	–	0.438	J	0.412	U	0.158	U	0.316	U	0.199	U	0.311	J	45.6	J	0.379	J	8.19	J		
		04/24/20	PES	Bladder	62.4	U	–	–	–	–	0.359	J	0.278	U	0.137	U	0.174	U	0.300	U	0.206	J	53.6	J	0.454	J	9.14	J		
		07/30/20	PES	Bladder	–	–	–	–	–	–	0.451	J	0.0790	J	0.0212	U	0.191	U	3.34	J	9.74	J	91.2	J	0.472	J	6.05	J		
		11/24/20	PES	Bladder	–	–	–	–	–	–	0.408	J	0.0850	U	0.0390	U	0.258	J	0.164	J	24.5	J	136	J	0.734	J	34.6	J		
		11/24/20	PES	Bladder	–	–	–	–	–	–	0.509	J	0.0930	U	0.0340	U	0.265	U	0.163	J	22.2	J	142	J	0.827	J	46.1	J		
		02/08/21	PES	Peristaltic	–	–	–	–	–	–	0.327	J	1.42	J	0.220	J	1.18	J	0.0940	J	1.11	J	80.5	J	0.498	J	33.9	J		
		05/19/21	PES	Peristaltic	–	–	–	–	–	–	0.320	J	0.143	U	0.106	J	0.343	J	0.0280	U	0.243	J	31.6	J	0.361	J	10.1	J		
		MW-144 (3.9 to -6.1)	8th Ave N ROW, E side	04/27/18	PES	Peristaltic	364	J+	–	–	–	–	0.0896	U	1.40	J	0.158	U	0.316	U	1.86	J	3.31	J	662	J	4.65	J	888	J
01/28/19	PES			Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.251	J	10.4	J	0.489	J	40.4	J		
04/23/19	PES			Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.158	J	4.09	J	0.472	J	7.30	J		
Decommissioned December 2019																														
MW-144R (3.9 to -6.5)	8th Ave N ROW, E side	12/16/19	PES	Bladder	325	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	11.0	J	11.5	J	251	J	0.818	J	71.6	J		
		01/21/20	PES	Bladder	60.7	J	–	–	–	–	0.896	U	4.12	U	1.58	U	3.16	U	1.99	U	1.53	U	200	J	1.52	U	90.2	J		
		04/02/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	UJ	0.412	UJ	0.158	UJ	0.316	UJ	0.199	UJ	0.153	UJ	2.01	J	0.152	UJ	14.1	J-		
		08/03/20	PES	Bladder	–	–	–	–	–	–	0.0510	J	1.53	J	0.0670	J	0.341	J	0.0500	J	0.0960	J	0.459	J	0.0572	UJ	1.58	J		
		11/23/20	PES	Bladder	–	–	–	–	–	–	0.0440	J	0.101	U	0.0212	U	0.191	U	0.0420	J	0.0840	J	0.500	J	0.0572	U	0.411	J		
		02/02/21	PES	Peristaltic	–	–	–	–	–	–	0.0460	J	0.393	J	0.150	J	1.03	J	0.0280	U	0.0750	J	0.450	J	0.0572	U	0.632	J		
		05/12/21	PES	Peristaltic	–	–	–	–	–	–	0.0160	U	0.0990	J	0.0212	U	0.191	U	0.0280	U	0.0690	J	0.405	J	0.0572	U	0.365	J		
MW-146 (12.8 to 2.8) (duplicate) (duplicate) (split)	Roy St ROW, S side	04/30/18	PES	Bladder	597	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	3.56	J	48.4	J	900	J	6.12	J	2,100	J		
		01/22/19	PES	Peristaltic	509	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	2.29	J	21.6	J	1,080	J	7.25	J	1,370	J		
		04/24/19	PES	Bladder	88.0	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.50	J	12.4	J	257	J	1.94	J	383	J		
		07/19/19	PES	Bladder	46.3	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	3.08	J	14.4	J	257	J	3.29	J	580	J		
		07/19/19	PES	Bladder	262	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	2.80	J	15.9	J	371	J	3.50	J	842	J		
		10/14/19	PES	Bladder	1,310	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	2.03	J	6.77	J	1,350	J	7.85	J	2,830	J		
		01/24/20	PES	Bladder	1,140	J+	–	–	–	–	8.96	U	41.2	U	15.8	U	31.6	U	21.1	J	15.3	U	1,460	J	15.2	U	3,900	J		
		01/24/20	PES	Bladder	423	ZJ+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.39	J	4.80	J	1,510	J	8.45	J	5,800	J		
		04/30/20	PES	Bladder	1,080	J+	–	–	–	–	9.41	U	27.8	U	13.7	U	17.4	U	30.0	U	19.0	U	2,100	J	14.9	U	6,040	J		
		07/09/20	PES	Bladder	–	–	–	–	–	–	0.0740	J	1.13	J	0.0212	U	0.191	U	0.781	J	3.17	J	2,750	J	15.5	J	8,610	J		
		11/10/20	PES	Bladder	2,850	J+	–	–	–	–	0.842	J	2.50	U	1.06	U	9.55	U	1.40	U	2.60	J	3,900	J	12.5	J	4,930	J		
		11/10/20	HC	Bladder	100	U	50	U	250	U	50	U	170	U	500	U	500	U	1,500	U	500	U	500	U	3,800	J	500	U	5,200	J
		02/08/21	PES	Peristaltic	–	–	–	–	–	–	0.105	J	1.26	J	0.183	J	0.958	J	0.704	J	3.52	J	2,690	J	8.01	J	3,910	J		
		05/04/21	PES	Bladder	–	–	–	–	–	–	0.800	U	2.50	U	1.06	U	9.55	U	1.40	U	0.800	U	536	J	6.30	J	4,310	J		
MW-149 (0.7 to -9.3) (duplicate)	Property, NE quadrant	04/10/18	PES	Peristaltic	11,700	J+	–	–	–	–	44.8	U	2.06	U	0.813	J	1.64	J	19,200	J	8,050	J	10,500	J	29.8	J	863	J		
		10/25/18	PES	Peristaltic	4,570	J+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	6,100	J	2,720	J	3,320	J	15.3	J	100	J		
		12/13/18	PES	Peristaltic	11,400	J+	–	–	–	–	0.0896	U	0.717	J	0.158	U	0.414	J	23,300	J	5,470	J	5,150	J	18.2	J	253	J		
		12/13/18	PES	Peristaltic	11,400	J+	–	–	–	–	0.0896	U	0.717	J	0.158	U	0.392	J	24,500	J	5,780	J	5,210	J	18.2	J	243	J		
		01/29/19	PES	Peristaltic	14,400	J+	–	–	–	–	8.96	U	41.2	U	15.8	U	31.6	U	23,700	J	3,800	J	4,350	J	15.2	U	155	J		
		03/13/19	PES	Peristaltic	15,300	J+	–	–	–	–	0.222	J	0.862	J	0.843	J	0.490	J	2,630	J	2,770	J	30,800	J	129	J	285	J		
Decommissioned March 2019																														
MW-151 (4.9 to -5.1)	Property, SW quadrant	04/10/18	PES	Peristaltic	74.6	U	–	–	–	–	0.253	J	0.412	UJ	0.158	UJ	0.316	U	1.13	J	0.310	J	59.1	J-	0.388	J-	11.4	J		
		10/25/18	PES	Peristaltic	99.4	U	–	–	–	–	0.167	J	0.412	U	0.158	U	0.316	U	2.28	J	1.38	J	5.80	J	0.346	J	7.7	J		
		12/14/18	PES	Peristaltic	1,040	J+	–	–	–	–	0.342	J	0.440	J	0.158	U	0.316	U	1,460	J	155	J	1,690	J	4.56	J	530	J		

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																						
					GRO		DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC									
Preliminary Cleanup Level (PCUL)					800		500	500	500	5.0		640	700		1,600		5.0	4.0	16	100	0.29						
MW-151 (continued)		01/31/19	PES	Peristaltic	340	zJ+	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	106	40.4	466	3.52	158					
		03/12/19	PES	Peristaltic	143	zJ+	—	—	—	0.159	J	0.412	U	4.88		0.316	U	0.981	1.36	196	1.60	24.9					
		Decommissioned March 2019																									
MW-156 (2.0 to -8.0) (duplicate)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	1,690	zJ+	—	—	—	0.283	J	0.479	J	0.158	U	0.316	U	9.95	U	581	2,850	9.97	407				
		01/24/19	PES	Peristaltic	1,480	zJ+	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	1,720		723	2,050	11.5	11.8	U			
		04/24/19	PES	Peristaltic	2,570	zJ+	—	—	—	0.339	J	0.412	U	0.158	U	0.316	U	1,430		727	1,770	9.41	3.21	J			
		04/24/19	PES	Peristaltic	2,600	zJ+	—	—	—	0.330	J	0.412	U	0.158	U	0.316	U	1,440		717	1,760	9.31	3.34	J			
		07/22/19	PES	Bladder	3,100	zJ+	—	—	—	0.492	J	0.412	U	0.158	U	0.316	U	232		1,270	2,310	14.5	82.0				
		10/17/19	PES	Bladder	1,450	zJ+	—	—	—	0.896	U	4.12	U	1.58	U	3.16	U	682		430	1,420	6.04	51.1				
		01/20/20	PES	Bladder	2,160	zJ+	—	—	—	1.64	J	4.12	U	1.58	U	3.16	U	792		534	1,590	7.04	99.6				
		04/24/20	PES	Bladder	770	zJ+	—	—	—	4.71	U	13.9	U	6.85	U	8.70	U	347		355	1,240	7.45	U	104			
		07/15/20	PES	Bladder	—		—	—	—	1.60	J	2.50	U	1.06	U	9.55	U	597		486	1,040	6.50	J	110			
		11/11/20	PES	Bladder	—		—	—	—	0.149		0.453	J-	0.0212	U	0.191	U	719		363	850	4.29	2.14	J+			
		02/08/21	PES	Peristaltic	—		—	—	—	0.240	J	0.540	J	0.212	U	1.91	U	492	J	228	703	4.04	0.273	U			
		05/10/21	PES	Bladder	—		—	—	—	0.800	U	2.50	U	1.06	U	9.55	U	442		184	580	2.86	U	1.36	UJ		
MW-189 (-1.2 to -11.2) (duplicate)	Valley St ROW, S side	10/14/19	PES	Bladder	31.6	U	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	2.23	0.152	U	18.2		
		01/23/20	PES	Bladder	31.6	U	—	—	—	0.0896	U	0.501		0.158	U	0.316	U	0.199	U	0.153	U	0.514	0.152	U	3.01		
		04/03/20	PES	Bladder	31.6	U	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.435	U	0.152	U	1.58	
		04/03/20	PES	Bladder	31.6	U	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.449	U	0.152	U	1.55	
		08/04/20	PES	Bladder	—		—	—	—	0.0160	U	0.300		0.0240	J	0.207	J	0.0280	U	0.0160	U	0.115	0.0572	UJ	0.879	J	
		11/17/20	PES	Bladder	—		—	—	—	0.0160	U	0.0620	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0910	J	0.0572	U	1.13	
		02/03/21	PES	Bladder	—		—	—	—	0.0160	U	0.121	J	0.0212	U	0.226	J	0.0280	U	0.0160	U	1.74	0.0572	U	28.1		
		05/14/21	PES	Bladder	—		—	—	—	0.0160	U	0.0640	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	6.63	0.0572	U	45.0		
MW-302 (3.0 to -7.0)	Dexter Ave N ROW, E side	10/21/19	PES	Bladder	98.5	J	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/24/20	PES	Bladder	31.6	U	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.353	J	0.164	J	0.0933	U	0.152	U	0.118	U
		05/07/20	PES	Bladder	31.6	U	—	—	—	0.0941	U	0.308	J	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/28/20	PES	Bladder	—		—	—	—	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		11/17/20	PES	Bladder	—		—	—	—	0.0480		0.743		0.0600	J	0.243	J	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/17/21	PES	Bladder	—		—	—	—	0.0160	U	0.0860	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-306 (17.2 to 7.2)	Roy St ROW, S side	10/15/19	PES	Bladder	31.6	U	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/16/20	PES	Bladder	34.3	U	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/28/20	PES	Bladder	42.7	J	—	—	—	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/29/20	PES	Bladder	—		—	—	—	0.0160	U	0.362		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/06/20	PES	Bladder	—		—	—	—	0.0160	U	0.182	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0418	J	0.0572	U	0.0273	UJ
		05/18/21	PES	Bladder	—		—	—	—	0.0160	U	0.0550	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW-308 (-4.7 to -14.7)	Alley E of Seattle Roy Aloha Shops	10/11/19	PES	Peristaltic	—		—	—	—	12.5		4.38		0.158	U	0.316	U	0.199	U	0.153	U	38.9		0.492	J	20.3	
		01/16/20	PES	Peristaltic	—		—	—	—	29.3		0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	11.9		0.411	J	16.3	
		04/08/20	PES	Peristaltic	—		—	—	—	21.2		0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	12.5		0.360	J	12.9	
		07/06/20	PES	Peristaltic	—		—	—	—	15.4		0.174	J	0.0620	J	0.191	U	0.0280	U	0.0160	U	16.0		0.608		6.98	
		11/06/20	PES	Peristaltic	—		—	—	—	38.4		0.480		0.115		0.516		0.0324	J	0.0160	U	6.38		0.260		2.73	
		05/04/21	PES	Peristaltic	—		—	—	—	20.8		0.186	J	0.104		0.332		0.0280	U	0.0160	U	3.98		0.219		11.7	
MW-315 (12.2 to 2.3)	Mercer St ROW, N side	10/03/19	PES	Bladder	—		—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/16/20	PES	Bladder	—		—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/24/20	PES	Bladder	—		—	—	—	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/24/20	PES	Bladder	—		—	—	—	0.0430		0.632		0.0760	J	0.437		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/02/20	PES	Bladder	—		—	—	—	0.0160	U	0.162	J	0.0460	J	0.198	J	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/17/21	PES	Bladder	—		—	—	—	0.0160	U	0.167	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)														
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
MW-317 (3.4 to -6.6)	9th Ave N ROW, W side	10/09/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/16/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/27/20	PES	Bladder	–	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/30/20	PES	Peristaltic	–	–	–	–	0.0457	1.98	0.205	1.36	0.0280 U	0.0160 U	0.0545 J	0.0572 U	0.0273 U		
		11/10/20	PES	Peristaltic	–	–	–	–	0.0160 U	0.836 J-	0.0212 U	0.419	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/19/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
MW-325 (7.0 to -3.0)	Mercer St ROW, N side	10/03/19	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.607	0.152 U	0.118 U		
		01/17/20	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/21/20	PES	Bladder	–	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.696	0.149 U	0.234 U		
		07/23/20	PES	Bladder	–	–	–	–	0.0190 J	0.298	0.0450 J	0.256 J	0.0280 U	0.0160 U	0.262	0.0572 U	0.0273 U		
		11/02/20	PES	Bladder	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.802	0.0572 U	0.0273 U		
		02/08/21	PES	Bladder	–	–	–	–	0.0650	2.03	0.230	1.10	0.0280 U	0.0160 U	1.50	0.0572 U	0.0273 U		
MW-327 (3.6 to -6.3)	Lake Union Park, S end	10/02/19	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/17/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/09/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		07/07/20	PES	Peristaltic	–	–	–	–	0.0160 U	0.351	0.0212 U	0.191 U	0.260	0.267	0.0580 J	0.0572 U	0.0273 U		
		11/09/20	PES	Peristaltic	–	–	–	–	0.0200 J	0.173 J	0.0340 J	0.219 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/25/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
MW-330 (duplicate) (-0.01 to -10.1) (duplicate)	Valley St ROW, N side	05/14/20	PES	Bladder	31.6 U	–	–	–	0.0941 U	0.580	0.137 U	0.278 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		05/14/20	PES	Bladder	31.6 U	–	–	–	0.0941 U	0.547	0.137 U	0.278 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/16/20	PES	Bladder	–	–	–	–	0.0500	2.49	0.0690 J	0.263	0.0625 J	0.0646	0.0583 J	0.0572 U	0.0273 U		
		12/01/20	PES	Bladder	–	–	–	–	0.0160 U	0.215	0.113	0.801	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		12/01/20	PES	Bladder	–	–	–	–	0.0200 J	0.212	0.127	0.789	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/25/21	PES	Bladder	–	–	–	–	0.0160 U	0.202 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
MW-331 (-4.3 to -14.3)	Alley E of Seattle Roy Aloha Shops	04/24/20	PES	Peristaltic	–	–	–	–	0.226 J	0.278 U	0.257 J	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.249 J		
		07/06/20	PES	Peristaltic	–	–	–	–	0.0610	0.0500 U	0.0340 J	0.191 U	0.0280 U	0.0160 U	0.046 J	0.0572 U	0.306		
		11/06/20	PES	Peristaltic	–	–	–	–	0.0407	0.230	0.0354 J	0.219 J	0.0280 U	0.0160 U	0.0728 J	0.0572 U	0.264		
		05/04/21	PES	Peristaltic	–	–	–	–	0.0240 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0370 J	0.0572 U	0.339		
MW-333 (-1.5 to -11.5)	900 Roy St, S end	04/29/20	PES	Bladder	–	–	–	–	0.0941 U	1.08	0.189 J	0.854 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/24/20	PES	Bladder	–	–	–	–	0.0200 J	0.253	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/05/20	PES	Bladder	–	–	–	–	0.0160 U	0.253	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/18/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0870 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		

Table G-7

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate A Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																	
					GRO	DRO		ORO		DRO+ORO		Benzene	Toluene	Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					800	500		500		500		5.0	640	700		1,600		5.0	4.0	16	100	0.29
MW-344 (13.6 to 3.6)	Seattle DOT Mercer Parcels	06/01/21	PES	Bladder	–	–		–		–		0.0160 U	0.0700 J	0.0212 U	0.191 U	0.0920 J	0.0940	8.50	0.0572 U		9.95	
Number of Analytes Measured					107	21		22		21		274	274	274		274	282	282	282	282	282	
Number of Analytes Detected					59	2		0		2		106	96	38		46	128	155	212	123	163	
Frequency of Detection					55%	10%		0%		10%		39%	35%	14%		17%	45%	55%	75%	44%	58%	
Maximum Detection					669	–		–		–		46.6	4.5 J	4.9		6.2 J	24,500	8,050	30,800	129.0	8,610	
Minimum Detection					28.9	50 U	100 U	50 U	0.0160 U	0.0500 U	0.0212 U	0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U					
Number of Analytes Detected Above SL					0	0		0		0		9	0	0		0	80	93	111	1	153	
Frequency of Detection Above SL					0%	0%		0%		0%		3%	0%	0%		0%	28%	33%	39%	0%	54%	
Notes: PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. Detected results are shown in bold . Detections above the groundwater PCUL level are shown in bold and highlighted in gray . B&V = Black & Veatch. cDCE = cis-1,2-Dichloroethene. DOF = Dalton, Olmsted & Fuglevand, Inc. DRO = Diesel-range organics. (duplicate) = field duplicate. GeoE = GeoEngineers Inc. GRO = Gasoline-range organics. HC = Hart Crowser. ORO = Oil-range organics. PCE = Perchloroethylene (Tetrachloroethene). ROW = right-of-way. SES = SES Strategies, Inc. TCE = Trichloroethene. tDCE = trans-1,2-Dichloroethene. VC = Vinyl chloride. WW = Windward. Well screen elevations indicated below Sample Location in parentheses. (--) = unknown screen elevation.													Laboratory and Results Notes: Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. – = Not analyzed or results not available. E = Estimated value. The reported range exceeds the calibration range of the analysis. f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank. g = Estimated value. The reported range exceeds the calibration range of the analysis. ht = The analysis was performed outside the method the method or client-specified holding time requirement. J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided. pr = The sample was received with incorrect preservation. The value reported should be considered an estimate. U = Not detected at or above the laboratory method detection limit (MDL). qp = Hydrocarbon result partly due to individual peak(s) in quantitation range. x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation. y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis. z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs. Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021. Groundwater statistics for GRO exclude "z" qualified data.									

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																								
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC				
Preliminary Cleanup Level					800		500		500		500		5.0		640		700		1,600		5.0	4.0	16	100	0.29				
BB-10	Dexter Ave North ROW	11/13/97	B&V	Bailer	250	U	630	U	630	U	630	U	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND					
BB-13 (--)	Westlake Ave North ROW	06/20/05	B&V	Bailer	250	U	630	U	630	U	630	U	ND	ND	ND	ND	ND	ND	ND	ND	2.6	ND	1.1						
		05/02/10	SES	Peristaltic	–		–		–		–		–	–	–	–	1	U	1	U	1	U	1	U	0.2	U			
Decommissioned Prior to 2017																													
BB-14 (--)	North Valley St ROW	06/20/05	B&V	Bailer	300	U	630	U	630	U	630	U	–	–	–	–	–	–	–	–	–	–	–	–					
Decommissioned Prior to 2017																													
FMW-141 (-12.1 to -22.1) (duplicate)	Alley E of Seattle Roy Aloha Shops	07/26/19	Farallon	Unknown	–		–		–		–		–	–	–	–	30	U	2,800	30	U	820							
		10/30/19	PES	Peristaltic	–		–		–		–		0.230	J	0.412	U	0.158	U	0.316	U	0.199	U	2.18	J	1,200	J	7.13	J	1,760
(split)		10/30/19	PES	Peristaltic	–		–		–		–		0.212	J	0.412	U	0.158	U	0.316	U	0.199	U	12.7	J	2,250	J	10.5	J	1,710
		11/11/19	Farallon	Unknown	–		–		–		–		–	–	–	–	20	U	20	U	3,500	20	U	2,900					
		01/14/20	PES	Bladder	–		–		–		–		0.448	U	2.06	U	0.790	U	1.58	U	0.995	U	2.91	414	1.98	J	532		
		01/14/20	Farallon	Bladder	–		–		–		–		–	–	–	–	4.0	U	4.0	U	250	4.0	U	380					
		02/17/20	Farallon	Unknown	–		–		–		–		–	–	–	–	2.0	U	2.0	U	280	2.0	U	240					
		03/24/20	Farallon	Unknown	–		–		–		–		–	–	–	–	10	U	10	U	1,200	10	U	820					
		04/27/20	Farallon	Unknown	–		–		–		–		–	–	–	–	2.0	U	6.5	440			490						
		04/28/20	PES	Bladder	–		–		–		–		0.471	U	1.39	U	0.685	U	0.870	U	1.50	U	3.08	1,300	4.62	468			
		05/19/20	Farallon	Unknown	–		–		–		–		–	–	–	–	20	U	20	U	2,400	20	U	910					
		07/22/20	PES	Bladder	–		–		–		–		0.320	U	1.00	U	0.424	U	3.82	U	0.560	U	2.30	790	3.19	J	561		
		07/28/20	Farallon	Unknown	–		–		–		–		–	–	–	–	10	U	10	U	8,100	10	U	780					
		09/17/20	Farallon	Unknown	–		–		–		–		–	–	–	–	4.0	U	4.0	U	600	4.0	U	620					
		11/02/20	PES	Bladder	–		–		–		–		0.0620	0.430	0.0212	U	0.191	U	0.0280	U	0.766	276	1.31	489					
		12/03/20	Farallon	Unknown	–		–		–		–		–	–	–	–	1.0	U	1.0	U	68	1.0	U	190					
		02/10/21	Farallon	Unknown	–		–		–		–		–	–	–	–	1.0	U	1.0	U	120	1.0	U	180					
		05/03/21	PES	Peristaltic	–		–		–		–		0.0160	U	0.0500	U	0.0800	U	0.508	0.0280	U	0.560	5.41	0.0572	U	0.218			
HMW-1IB (-16.0 to -26.0)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100	U	200	U	500	U	500	U	1.0	U	1.0	U	1.0	U	20	13	6.7	22	1.0	U	0.2	U			
		03/10/20	HC	Unknown	100	U	60	U	300	U	300	U	0.20	U	0.20	U	0.20	U	0.40	U	5.6	16	0.20	U	0.20	U			
HMW-2IB (-5.4 to -15.4)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100	U	200	U	500	U	500	U	1.0	U	3.4	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	0.2	U		
		03/12/20	HC	Submersible	100	U	51	U	260	U	260	U	0.20	U	0.20	U	0.20	U	0.40	U	0.38	0.20	U	0.59	0.20	U	0.20	U	
HMW-4IA (8.7 to -1.3)	Seattle DOT Mercer Parcels, SW quadrant	03/25/19	HC	Peristaltic	100	U	200	U	500	U	500	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	1.0	U	3.6		
		03/10/20	HC	Submersible	100	U	50	U	250	U	250	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.41		
HMW-5IB (8.7 to -1.3)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100	U	50	U	250	U	250	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	
HMW-6IB (8.7 to -1.3)	Seattle DOT Mercer Parcels, SW quadrant	03/13/20	HC	Submersible	100	U	83	J	250	U	83	J	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	
HMW-7IB (9.0 to -1.0)	Seattle DOT Mercer Parcels, SW quadrant	03/12/20	HC	Submersible	100	U	52	U	260	U	260	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	
HMW-8IB (7.5 to -2.5)	Seattle DOT Mercer Parcels, SW quadrant	03/11/20	HC	Submersible	100	U	50	U	250	U	250	U	0.20	U	0.22	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U		
HMW-9IB (-1.6 to -11.6)	Seattle DOT Mercer Parcels, SW quadrant	03/19/20	HC	Unknown	580	J	60	J	250	U	60	J	0.20	U	0.23	0.20	U	0.40	U	660	420	9,100	8.3	1,900					
		01/26/21	PES	Bladder	–		–		–		–		0.0760	0.590	0.218	1.21	32.1	J+	112	3,360	4.24	J+	1,400						
		06/02/21	PES	Bladder	–		–		–		–		1.60	U	5.00	U	2.12	U	19.1	U	16.2	81.6	3,060	6.30	J	1,230			

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC					
Preliminary Cleanup Level					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
HMW-11IB (-5.2 to -15.2)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100	U	74	J	250	U	74	J	0.20	U	0.20	U	0.20	U	0.40	U	6.9		2.5		3.6		0.20	U	0.20	U
HMW-15IB (-5.1 to -14.1)	Seattle DOT Mercer Parcels, SW quadrant	09/16/20	HC	Unknown	100	U	50	U	–		50	U	0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	0.20	U	0.20	U	0.20	U
HMW-16IB (2.0 to -8.0)	Seattle DOT Mercer Parcels, NW quadrant	09/18/20	HC	Unknown	100	U	210		–		210		0.20	U	0.20	U	0.20	U	0.40	U	0.20	U	0.20	U	3.3		0.20	U	15	
MW111 (-33.5 to -43.5)	Alley E of Seattle Roy Aloha Shops	12/21/12	SES	Bladder	–		–		–		–		–		–		–		–		110		32		37		1	U	1.8	
		12/17/13	SES	Peristaltic	–		–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	4.7		1	U	17	
		04/22/15	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	1.7		1	U	18	
		06/17/15	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	1.5		1	U	20	
		10/20/15	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	1	U	1	U	8.2	
		02/02/16	SES	Peristaltic	–		–		–		–		–		–		–		–		1	U	1	U	2.3		1	U	5.8	
		03/23/17	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.40		0.152	U	5.22	
		06/14/17	PES	Bladder	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.408	J	1.24		0.152	U	3.22	
		04/06/18	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.618		0.153	U	16.5		0.152	U	121	
		01/23/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.492	J	0.176	J	1.70		0.152	U	37.6	
		04/22/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	3.18		0.152	U	19.5	J
		07/15/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.596		0.152	U	15.0	
		10/14/19	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.413	J	0.152	U	8.63	
		01/16/20	PES	Bladder	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	5.08		0.152	U	34.0	
		04/23/20	PES	Bladder	–		–		–		–		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	24.3		0.149	U	112	
		07/06/20	PES	Bladder	–		–		–		–		0.0210	J	2.63		0.0212	U	0.191	U	0.0280	U	0.140		27.1		0.0572	U	116	
		11/02/20	PES	Bladder	–		–		–		–		0.0230	J	0.225		0.0212	U	0.191	U	0.0280	U	0.161		56.2		0.0572	U	118	
		02/09/21	PES	Bladder	–		–		–		–		0.0420		0.955		0.103		0.606		0.320	J	0.0800	U	14.5		0.0720	J	112	
		05/03/21	PES	Bladder	–		–		–		–		0.0430		0.880		0.174	U	1.21		0.0280	U	0.0790		5.80		0.0572	U	44.3	
MW112 (-17.2 to -27.2)	Dexter Ave N ROW, W side	01/00/00	SES	Bladder	–		–		–		–		–		–		–		–		1	U	1	U	1	U	1	U	0.2	U
		12/26/13	SES	Bladder	–		–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U
		03/22/17	PES	Bladder	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		06/16/17	PES	Bladder	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/12/18	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		12/21/18	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/22/19	PES	Bladder	31.6	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/16/19	PES	Bladder	31.7	U	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/21/19	PES	Bladder	96.6	J	–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/24/20	PES	Bladder	31.6	U	–		–		–		0.0896	U	1.24		0.158	U	0.316	U	0.248	J	0.153	U	0.0933	U	0.152	U	0.118	U
		05/07/20	PES	Bladder	31.6	U	–		–		–		0.0941	U	0.390	J	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/27/20	PES	Bladder	–		–		–		–		0.0160	U	1.93		0.0221	J	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/17/20	PES	Bladder	–		–		–		–		0.0270	J	0.322		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		02/11/21	PES	Bladder	–		–		–		–		0.0200	J	0.112	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/14/21	PES	Bladder	–		–		–		–		0.0160	U	0.0600	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW126 (-54.1 to -64.1)	Alley E of Seattle Roy Aloha Shops	01/03/14	SES	Peristaltic	–		–		–		–		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	1	U	0.2	U
		03/28/17	PES	Peristaltic	–		–		–		–		0.148	J	0.563	U	0.158	U	0.316	U	0.199	U	0.153	U	0.283	J	0.152	U	0.118	U
		06/15/17	PES	Bladder	–		–		–		–		0.0896	U	0.412	U	0.179	J	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/06/18	PES	Peristaltic	–		–		–		–		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)															
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC			
Preliminary Cleanup Level					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29			
MW126 (continued)		01/22/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		04/29/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
(duplicate)		07/18/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		10/15/19	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		10/15/19	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		01/14/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.162 J	0.441 J	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		04/09/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U			
		07/24/20	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		11/09/20	PES	Peristaltic	–	–	–	–	0.0210 J	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
(duplicate)		02/10/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/04/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
		05/04/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U			
MW130 (-30.9 to -40.9) (duplicate)	Property, NW quadrant	03/03/16	SES	Bladder	–	–	–	–	–	–	–	–	6,200	430	300	1 U	38			
		03/29/17	PES	Bladder	8,890 zJ+	–	–	–	1.79 U	8.24 U	3.16 U	6.32 U	721	830	7,880	39.3	186			
		06/30/17	PES	Bladder	10,300 zJ+	–	–	–	0.896 U	4.12 U	1.58 U	3.16 U	6,760 J	4,020	20,100	55.6	597			
		06/30/17	PES	Bladder	15,000 zJ+	–	–	–	0.896 U	4.12 U	1.58 U	3.16 U	11,100 J	5,310	21,300	57.3	549			
		05/21/18	PES	Bladder	19,700 zJ+	–	–	–	0.403 J	1.37	0.227 J	1.12 J	13,500	7,400	29,500	114	1,650			
		12/17/18	PES	Bladder	16,400 zJ+	–	–	–	4.48 U	20.6 U	7.90 U	15.8 U	9,650	3,220	26,400	83.5	1,420			
		01/31/19	PES	Bladder	22,400 zJ+	–	–	–	0.377 J	1.51 J+	0.279 J	1.22 J	23,700	4,640	27,700	107	1,740			
MW-132 (-29.9 to -39.9)	Property, SE quadrant	09/25/17	PES	Bladder	95.9 U	–	–	–	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	1.95 J	196	0.760 U	1.76 J			
		04/26/18	PES	Bladder	2,630 zJ+	–	–	–	0.422 J	0.412 U	0.158 U	0.32 U	2,830	840	3,300	16.3	10.2			
		10/25/18	PES	Peristaltic	48.3 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	3.53	0.750	12.1	0.254 J	158			
		12/13/18	PES	Peristaltic	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.995 U	0.765 U	39.8	0.497 J	199			
		01/31/19	PES	Peristaltic	104 zJ+	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	22.9	1.95	108	0.506	269			
		03/11/19	PES	Peristaltic	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	7.03	1.22	22.8	0.302 J	57.3			
MW-134 (-38.6 to -48.6)	Property, NE quadrant	09/22/17	PES	Bladder	–	–	–	–	0.448 U	2.06 U	0.790 U	1.58 U	0.995 U	0.765 U	86.2	0.760 U	229			
		04/16/18	PES	Peristaltic	42.1 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.49	0.153 U	0.287 J	0.152 U	68.6			
		10/25/18	PES	Bladder	38.2 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	20.9			
		12/12/18	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.259 J	0.152 U	21.9			
		01/28/19	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.609	0.152 U	32.4			
		03/12/19	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.550	0.152 U	17.7			
MW-135 (-30.9 to -40.9)	Property, NE quadrant	09/25/17	PES	Bladder	10,900 zJ+	–	–	–	8.96 U	41.2 U	15.8 U	31.6 U	10,400	2,480	16,100	15.2 U	82.0 J			
		04/25/18	PES	Peristaltic	347,000 zJ+	–	–	–	0.434 J	3.09	0.484 J	2.61	75,800	7,890	27,700	30.7	989			
		10/25/18	PES	Peristaltic	31,800 zJ+	–	–	–	2.24 U	10.3 U	3.95 U	7.90 U	45,900	8,330	40,400	54.4	1,170			
		12/13/18	PES	Peristaltic	80,000 zJ+	–	–	–	4.48 U	20.6 U	7.90 U	15.8 U	97,200	11,000	42,100	66.6	1,380			
		01/31/19	PES	Bladder	42,700 zJ+	–	–	–	0.695 J	5.12 J+	0.571 J	3.43 J	56,500	9,530	37,400	68.6	1,090			
		03/13/19	PES	Bladder	32,700 zJ+	–	–	–	0.496 J	2.43	0.329 J	1.90	57,300	8,150	37,200	74.3	706			
MW-136 (-32.7 to -42.7)	Property, SW quadrant	09/25/17	PES	Bladder	55.2 U	–	–	–	0.332 J	0.412 U	0.158 U	0.316 U	15.4	10.7	18.7	0.152 U	0.118 U			
		04/16/18	PES	Submersible	256	–	–	–	0.260 J	1.83	4.83	25.9	2.59	0.365 J	4.73	0.152 U	8.57			
		10/29/18	PES	Bladder	31.9 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.177 J	1.44	0.152 U	0.236 J			
		12/13/18	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.237 J	0.962	0.152 U	0.118 U			

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																							
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC			
Preliminary Cleanup Level					800		500		500		500		5.0		640		700		1,600		5.0	4.0	16	100	0.29			
MW-136 (continued) (duplicate)		02/01/19	PES	Bladder	44.5	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.26	0.293	U	0.851	0.152	U	0.186	J		
		03/12/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.206	J	0.153	U	0.330	J	0.152	U	0.118	U
		03/12/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.262	J	0.153	U	0.378	J	0.152	U	0.118	U
		Decommissioned March 2019																										
MW-139 (-30.2 to -40.2)	Property, SE quadrant	09/25/17	PES	Bladder	62.2	U	–	–	–	–	0.0896	U	0.516	U	0.158	U	0.316	U	0.199	U	0.153	U	1.42	0.152	U	0.246	J	
		04/25/18	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.175	J	0.152	U	0.118	U
		10/25/18	PES	Peristaltic	47.4	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.29	0.282	J	0.454	U	0.152	U	0.118	U	
		12/12/18	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.216	J	0.152	U	0.118	U
		01/28/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		03/11/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.187	J	0.152	U		5.77
		Decommissioned March 2019																										
MW-143 (-27.7 to -37.76)	8th Ave N ROW, E side	04/30/18	PES	Peristaltic	154		–	–	–	–	0.244	J	0.797		0.212	J	1.08	J	0.199	U	0.153	U	129	0.512		193		
		01/29/19	PES	Bladder	31.6	U	–	–	–	–	0.141	J	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.241	J	0.152	U	0.118	U
		04/24/19	PES	Peristaltic	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/19/19	PES	Bladder	31.6		–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.309	J	0.152	U	0.118	U
		10/16/19	PES	Bladder	2,000	zJ+	–	–	–	–	0.211	J	0.412	U	0.158	U	0.316	U	2.35		28.0		2,510		11.0		1,180	
		01/22/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.171	J	0.152	U	0.254	J
		04/24/20	PES	Bladder	88.2	U	–	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.135	J	0.149	U	0.234	U
		07/29/20	PES	Bladder	–		–	–	–	–	0.0401		1.63		0.0229	J	0.191	U	0.0307	J	0.0167	J	0.0754	J	0.0572	U	0.0273	U
		11/24/20	PES	Bladder	–		–	–	–	–	0.584		0.203		0.0610	U	0.474		0.0280	U	9.64		113		0.633		26.0	
		02/08/21	PES	Peristaltic	–		–	–	–	–	0.800	U	3.00	J	1.06	U	9.55	U	1.40	U	0.800	U	3,260		14.1		514	J
		05/19/21	PES	Bladder	–		–	–	–	–	0.800	U	2.50	U	1.06	U	9.55	U	1.40	U	0.800	U	4,240		21.6		1,200	
		MW-145 (-26.1 to -36.1)	8th Ave N ROW, E side	04/27/18	PES	Bladder	52.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.212	J	2.29	0.152	U	3.88
01/29/19	PES			Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.316	J	0.152	U	0.335	J
04/26/19	PES			Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.392	J
Decommissioned December 2019																												
MW-145R (-27.2 to -37.2)	8th Ave N ROW, E side	12/16/19	PES	Bladder	140	zJ+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.193	J	0.152	U	0.118	U
		01/21/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.230	J	0.152	U	0.118	U
		04/02/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.293	J	0.152	U	0.118	U
		08/03/20	PES	Bladder	–		–	–	–	–	0.0190	J	1.45		0.0460	J	0.191	U	0.0570	J	0.0270	J	0.228		0.0572	U	0.0273	U
		11/23/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.0570	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.151		0.0572	U	0.0273	U
		02/05/21	PES	Peristaltic	–		–	–	–	–	0.159		2.79		0.300		1.65		0.0280	U	0.0160	U	0.0680	J	0.0572	U	0.0273	U
		05/12/21	PES	Bladder	–		–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0760	J	0.0572	U	0.0273	U
MW-147 (-17.6 to -27.6) (duplicate) <																												

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
MW-148 (duplicate) (-25.7 to -35.7)	Roy St ROW, S side	05/01/18	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		05/01/18	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.216	J	0.152	U	0.118	U		
		01/23/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.24		0.347	J	0.0933	U	0.152	U	0.118	U		
		04/26/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.277	J		
		07/22/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.415	U	0.153	U	0.0933	U	0.152	U	0.253	J		
		10/16/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.463	J		
		01/20/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.163	J	0.0933	U	0.152	U	0.305	J		
		04/30/20	PES	Bladder	36.8	J	–	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/15/20	PES	Bladder	–		–	–	–	–	0.0160	U	1.32		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.224			
		11/11/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.310	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
MW-150 (-13.3 to -23.3)	Property, NE quadrant	04/10/18	PES	Peristaltic	7,040	zJ+	–	–	–	–	22.4	U	1.63		39.5	U	79.0	U	2,500		3,200		9,710		21.1		766			
		10/25/18	PES	Peristaltic	14,600	zJ+	–	–	–	–	0.413	J	2.53		0.226	J	1.13	J	15,200		8,800		17,700		49.7		1,430			
		12/12/18	PES	Peristaltic	17,500	zJ+	–	–	–	–	0.429	J	1.04		0.158	U	0.316	U	75.6		533		32,800		242		2,040			
		01/29/19	PES	Peristaltic	11,900	zJ+	–	–	–	–	8.96	U	41.2	U	15.8	U	31.6	U	303		548		18,100		36.7	J	1,370			
		03/13/19	PES	Peristaltic	7,540	zJ+	–	–	–	–	0.165	J	0.412	U	0.185	J	0.316	U	36.0		262		15,000		50.5		479			
Decommissioned March 2019																														
MW-152 (-10.2 to -20.2)	Property, SW quadrant	04/10/18	PES	Peristaltic	40,600	zJ+	–	–	–	–	224	U	8.24	U	3.27	J	790	U	67,300		6,550		35,300		42.1		3,660			
		10/26/18	PES	Peristaltic	36,700	zJ+	–	–	–	–	4.48	U	20.6	U	7.90	U	15.8	U	1,960		3,150		73,000		109		4,510			
		12/14/18	PES	Peristaltic	47,300	zJ+	–	–	–	–	2.24	U	10.3	U	3.95	U	7.90	U	23,600	J+	6,870	J+	77,100	J+	134	J+	7,830	J+		
		01/31/19	PES	Peristaltic	44,300	zJ+	–	–	–	–	0.416	J	2.61	J+	0.342	J	2.10		38,300		3,920		58,400		101		9,600			
		03/12/19	PES	Peristaltic	55,900	zJ+	–	–	–	–	2.24	U	10.3	U	3.95	U	7.90	U	398	U	18,700		127,000		781		11,000			
Decommissioned March 2019																														
MW-157 (-28.3 to -38.2)	8th Ave N ROW, E side	04/26/18	PES	Peristaltic	65.7	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.950		0.240	J	10.4		0.246	J	104			
		01/24/19	PES	Peristaltic	1,870	zJ+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	1.65		4,250		14.2		674			
		04/24/19	PES	Peristaltic	3,210	zJ+	–	–	–	–	0.254	J	0.412	U	0.158	U	0.316	U	9.95	U	8.52	J	3,550		15.9		622			
		07/22/19	PES	Bladder	3,880	zJ+	–	–	–	–	0.327	J	0.412	U	0.158	U	0.316	U	19.9	U	27.6		4,530		18.4		666			
		10/16/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.561		0.158	U	0.316	U	0.199	U	0.153	U	0.188	J	0.152	U	0.118	U		
		01/20/20	PES	Bladder	1,650	zJ+	–	–	–	–	0.308	J	0.412	U	0.158	U	0.316	U	39.4		109		2,040		8.95		941			
		04/24/20	PES	Bladder	756	zJ+	–	–	–	–	1.88	U	5.56	U	2.74	U	3.48	U	6.00	U	3.80	U	1,040		8.86	J	980			
		07/15/20	PES	Bladder	–		–	–	–	–	0.480	J	1.00	U	0.424	U	3.82	U	0.560	U	3.06		888		7.20		668			
		11/23/20	PES	Bladder	–		–	–	–	–	0.740	U	1.00	U	0.424	U	3.82	U	3.04		24.7		2,770		9.98		528			
MW-190 (-30.2 to -40.2)	Valley St ROW, S side	10/14/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	7.78		0.152	U	0.994			
		01/23/20	PES	Bladder	31.6	U	–	–	–	–	0.150	J	1.57		0.158	U	0.344	J	0.199	U	0.153	U	0.389	J	0.152	U	0.118	U		
		04/02/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	2.13		0.152	U	1.81			
		08/04/20	PES	Bladder	–		–	–	–	–	0.0270	J	2.09		0.0330	J	0.191	U	0.0280	U	0.0160	U	1.74		0.0572	U	3.77	J		
		11/18/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.0820	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	21.8		0.0572	U	64.9			
		02/03/21	PES	Bladder	–		–	–	–	–	0.0160	U	0.164	J	0.0450	J	0.252	J	0.0280	U	0.0160	U	12.5		0.0572	U	68.4			
		05/14/21																												

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)														
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
MW-307 (continued)		07/29/20	PES	Bladder	–	–	–	–	0.0211 J	0.780	0.0212 U	0.191 U	0.0492 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/06/20	PES	Bladder	–	–	–	–	0.0160 U	0.427	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/18/21	PES	Bladder	–	–	–	–	0.0160 U	0.272	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
MW-309 (-32.0 to -42.0)	Alley E of Seattle Roy Aloha Shops	10/14/19	PES	Peristaltic	–	–	–	–	0.295 J	2.01	0.158 U	0.316 U	1.11	0.497 J	1.47	0.152 U	6.37		
		01/16/20	PES	Peristaltic	–	–	–	–	0.585	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.487 J	0.152 U	12.6		
		04/08/20	PES	Peristaltic	–	–	–	–	1.92	0.412 U	0.239 J	0.316 U	0.199 U	0.153 U	0.231 J	0.152 U	12.6		
		07/06/20	PES	Peristaltic	–	–	–	–	0.524	0.0500 U	0.0640 J	0.191 U	0.0930 J	0.0160 U	0.170	0.0572 U	16.0		
		11/06/20	PES	Peristaltic	–	–	–	–	0.473	0.0500 U	0.0388 J	0.191 U	0.0726 J	0.0160 U	0.187	0.0572 U	10.5		
		05/04/21	PES	Peristaltic	–	–	–	–	0.252	0.0500 U	0.0212 U	0.191 U	0.0370 J	0.0160 U	0.212	0.0572 U	13.1		
MW-311 (-29.1 to -39.1)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	20.4	46.1	173	0.221 J	25.1		
		01/14/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.99	11.4	75.0	0.204 J	13.6		
		04/23/20	PES	Bladder	–	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.624	45.8	0.149 U	10.9		
		07/16/20	PES	Bladder	–	–	–	–	0.0650	3.39	0.0212 U	0.191 U	0.0470 J	0.334	5.24	0.144 J	24.0		
		11/04/20	PES	Bladder	–	–	–	–	0.0287 J	0.578	0.0319 J	0.191 U	0.169	0.524	2.66	0.0593 J	13.5		
		05/03/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0510 U	0.249 J	0.0660 J	0.361	0.981	0.0572 U	4.68		
MW-314 (-28.0 to -38.0) (duplicate)	Alley E of Seattle Roy Aloha Shops	10/10/19	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	26.1	106	491	1.63	43.6		
		01/15/20	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	22.7	98.3	596	2.12	17.9		
		01/15/20	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	19.8	88.5	569	1.85	17.9		
		04/22/20	PES	Bladder	–	–	–	–	0.941 U	2.78 U	1.37 U	1.74 U	3.00 U	229	3,190	14.8	410		
		07/16/20	PES	Bladder	–	–	–	–	1.60 U	5.00 U	2.12 U	19.1 U	4.20 J	313	4,020	22.3	442		
		11/04/20	PES	Bladder	–	–	–	–	1.60 U	5.00 U	2.12 U	19.1 U	13.2	807	4,240	16.4 J	360		
		05/03/21	PES	Bladder	–	–	–	–	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	54.5	977	3.15 J	42.9		
MW-316 (-10.0 to -20.0)	Mercer St ROW, N side	10/02/19	PES	Bladder	–	–	–	–	0.0896 U	0.570	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		01/16/20	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		04/21/20	PES	Bladder	–	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/24/20	PES	Bladder	–	–	–	–	0.0250 J	0.362	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		11/02/20	PES	Bladder	–	–	–	–	0.0190 J	0.120 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
		05/17/21	PES	Bladder	–	–	–	–	0.0160 U	0.220	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		
MW-318 (-23.1 to -33.1)	9th Ave N ROW, W side	10/08/19	PES	Bladder	–	–	–	–	5.75	0.495 J	0.158 U	0.316 U	0.199 U	0.153 U	6.52	0.152 U	8.65		
		01/16/20	PES	Peristaltic	–	–	–	–	25.4	0.519	0.158 U	0.316 U	0.199 U	0.153 U	9.86	0.152 U	31.0		
		04/27/20	PES	Bladder	–	–	–	–	22.6	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	2.08	0.149 U	3.84		
		07/30/20	PES	Bladder	–	–	–	–	5.79	0.117 J	0.0775 J	0.191 U	0.0280 U	0.0160 U	0.525 J	0.0572 U	0.941		
		11/12/20	PES	Bladder	–	–	–	–	4.20	0.224 J-	0.0212 U	0.229 J	0.0280 U	0.0160 U	0.499	0.0572 U	0.865 J+		
		05/19/21	PES	Peristaltic	–	–	–	–	3.97	0.108 U	0.0212 U	0.257 J	0.0280 U	0.0160 U	0.570	0.0572 U	1.56		
MW-322 (-21.3 to -31.3)	9th Ave N ROW, W side	10/07/19	PES	Peristaltic	–	–	–	–	7.12	0.612	0.158 U	0.316 U	0.699	21.0	497	1.17	268		
		01/21/20	PES	Peristaltic	–	–	–	–	7.41	0.955	0.158 U	0.316 U	0.218 J	8.62	2,740	6.06	221		
		04/29/20	PES	Bladder	–	–	–	–	15.5 J	27.8 U	13.7 U	17.4 U	30.0 U	661	1,510	14.9 U	280		
		07/07/20	PES	Bladder	–	–	–	–	28.8	0.970 J	0.212 U	1.91 U	117	494	547	3.91	123		
		11/24/20	PES	Bladder	–	–	–	–	23.9	0.550 U	0.212 U	1.91 U	3.35	70.9	257	1.35 J	41.2		
		05/19/21	PES	Peristaltic	–	–	–	–	22.4	0.500 U	0.212 U	1.91 U	8.80	259	496	2.41	43.0		
MW-334 (-21.7 to -31.7)	900 Roy St, S end	04/24/20	PES	Bladder	–	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U		
		07/07/20	PES	Bladder	–	–	–	–	0.0160 U	1.61	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U		

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																								
					GRO		DRO		ORO		DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE		tDCE		VC		
Preliminary Cleanup Level					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29
MW-334 (continued)		11/05/20	PES	Bladder	–		–		–		0.0160 U		0.195 J		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
		05/13/21	PES	Peristaltic	–		–		–		0.0160 U		0.143 J		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
MW-335 (-25.6 to -35.6)	Mercer St ROW, N side	05/01/20	PES	Bladder	–		–		–		0.113 J		0.278 U		0.137 U		0.174 U		295		294		138		1.11		0.234 U		
		07/08/20	PES	Bladder	–		–		–		0.160 U		1.40 J		0.212 U		1.91 U		203		215		89.2		0.572 U		0.273 U		
		11/02/20	PES	Bladder	–		–		–		0.380 J		0.500 U		0.212 U		1.91 U		235 J		302		1,160		3.16		5.08		
		02/10/21	PES	Bladder	–		–		–		0.790		0.500 U		0.212 U		1.91 U		135		230		1,350		6.34		0.273 U		
		05/26/21	PES	Peristaltic	–		–		–		0.930		0.500 U		0.212 U		1.91 U		58.2		131 J+		1,490		4.06		0.273 U		
MW-338 (-16.6 to -26.6)	Lake Union Park, N end	05/07/20	PES	Peristaltic	–		–		–		0.0941 U		0.278 U		0.137 U		0.174 U		0.300 U		0.190 U		0.126 U		0.149 U		0.234 U		
		07/23/20	PES	Peristaltic	–		–		–		0.0160 U		1.16		0.0720 J		0.617		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
		11/10/20	PES	Peristaltic	–		–		–		0.0160 U		0.0500 UJ		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
		05/04/21	PES	Peristaltic	–		–		–		0.0160 U		0.0500 U		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
MW-340 (-16.1 to -26.1)	Lake Union Park, S end	05/12/20	PES	Peristaltic	–		–		–		0.0941 U		0.428 J		0.137 U		0.635 J		0.300 U		0.190 U		0.126 U		0.149 U		0.234 U		
		07/17/20	PES	Peristaltic	–		–		–		0.0160 U		0.0500 U		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 UJ		0.0572 U		0.0273 U		
		11/09/20	PES	Peristaltic	–		–		–		0.0160 U		0.0500 U		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
		05/13/21	PES	Peristaltic	–		–		–		0.0160 U		0.0500 U		0.0212 U		0.191 U		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
MW-345	Seattle DOT Mercer Parcels	06/01/21	PES	Bladder	–		–		–		0.0160 U		0.176 J		0.0212 U		0.191 U		0.717		0.456		13.9		0.0600 J		8.76		
MW-346 (duplicate)	Seattle DOT Mercer Parcels NW quadrant	06/02/21	PES	Bladder	–		–		–		0.0290 J		0.206		0.0212 U		0.191 U		25.3		6.09		18.1		0.0572 U		1.90		
		06/02/21	PES	Bladder	–		–		–		0.0290 J		0.194 J		0.0212 U		0.191 U		25.1		6.16		18.3		0.0572 U		1.93		
MW-347	Seattle DOT Mercer Parcels	06/01/21	PES	Bladder	–		–		–		0.0300 J		0.346		0.0212 U		0.191 U		5.19		3.83		123		0.291		66.9		
MW-348	Seattle DOT Mercer Parcels	06/01/21	PES	Bladder	–		–		–		0.0190 J		0.170 J		0.0212 U		0.191 U		12.6		8.62		104		0.107 J		55.4		
MW-349	Seattle DOT Mercer Parcels	06/01/21	PES	Bladder	–		–		–		0.0160 U		2.60		0.0400 J		0.191 J		0.611		0.474		7.23		0.0572 U		11.6		
MW-350	Seattle DOT Mercer Parcels	06/01/21	PES	Bladder	–		–		–		1.16		10.9		11.5		56.7		0.0280 U		0.0160 U		0.0276 U		0.0572 U		0.0273 U		
PW-1 (--)	North Valley St ROW	1997 (8 hour)	B&V	Bailer	250 U		630 U		630 U		630 U		630 U		ND		ND		ND		ND		ND		ND		ND		
		1997 (Final)	B&V	Bailer	250 U		630 U		630 U		630 U		630 U		ND		ND		ND		ND		ND		ND		ND		
Decommissioned Prior to 2017																													
W-MW-01 (-25.1 to -35.1)	8th Ave N ROW, W side	02/02/12	WW	Bladder	–		–		–		20 U		0.1 J		0.2 U		0.6 U		46		3.9		11		0.2 U		0.5		
		09/06/12	SES	Peristaltic	–		–		–		0.35 U		1.7		1 U		3 U		1 U		1 U		2.0		1 U		2.8		
		06/17/15	SES	Peristaltic	–		–		–		–		–		–		–		1 U		1 U		1 U		1 U		0.46		
		10/20/15	SES	Peristaltic	–		–		–		–		–		–		–		1 U		1 U		1 U		1 U		0.88		
		01/08/16	SES	Peristaltic	–		–		–		–		–		–		–		1 U		1 U		1 U		1 U		2.5		
		02/01/16	SES	Peristaltic	–		–		–		–		–		–		–		1 U		1 U		1 U		1 U		2.8		
		03/30/17	PES	Peristaltic	–		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.330 J		0.203 J		0.491 J		0.152 U		1.83 J		
		06/19/17	PES	Bladder	–		–		–		0.158 J		0.931		0.158 U		0.316 U		0.199 U		0.153 U		0.320 J		0.152 U		1.09		
		04/13/18	PES	Bladder	37.6 U		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		5.33		1.68		1.31		0.152 U		8.79		
		10/29/18	PES	Bladder	31.6 U		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.220 J		0.696		0.629		0.152 U		3.90		
		12/13/18	PES	Bladder	31.6 U		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		1.77		0.538		0.152 U		3.86		
		01/25/19	PES	Bladder	31.6 U		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.199 U		0.587		0.459 J		0.152 U		5.46		
		03/11/19	PES	Bladder	31.6 U		–		–		0.0896 U		0.412 U		0.158 U		0.316 U		0.520		0.301 J		0.396 J		0.152 U		7.24		

Table G-8

**Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

[illegible]

Table G-8

Groundwater Petroleum Hydrocarbons and CVOCs in Intermediate B Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC				
Preliminary Cleanup Level					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29				
W-MW-04 ^a (-32.5 to -41.5)	Property	02/03/12	WW	Bladder	–	–	–	–	20 U	20 U	20 U	60 U	5,400	160	54	20 U	20 U				
		09/06/12	SES	Peristaltic	–	–	–	–	0.35 U	1 U	1 U	3 U	460	440	1,900	4.0	630				
		Decommissioned Prior to 2017																			
Number of Analytes Measured					135	20	18	20	263	263	263	263	273	273	273	273	273				
Number of Analytes Detected					50	4	0	4	74	89	31	26	86	123	197	92	178				
Frequency of Detection					37%	20%	0%	20%	28%	34%	12%	10%	32%	45%	72%	34%	65%				
Maximum Detection					580 J	–	–	–	28.8	10.9	11.5	56.7	97,200	18,700	127,000	781	11,000				
Minimum Detection					31.6 U	50 U	250 U	50 U	0.0160 U	0.0500 U	0.0212 U	0.1740 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U				
Number of Analytes Detected Above SL					0	0	0	0	10	0	0	0	48	67	101	7	169				
Frequency of Detection Above SL					0%	0%	0%	0%	4%	0%	0%	0%	18%	25%	37%	3%	62%				
Notes:										Laboratory and Results Notes:											
PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021.										Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M.											
Detected results are shown in bold .										VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry.											
Detections above the groundwater PCUL level are shown in bold and highlighted in gray .										– = Not analyzed or results not available.											
B&V = Black & Veatch.										E = Estimated value. The reported range exceeds the calibration range of the analysis.											
cDCE = cis-1,2-Dichloroethene.										f = Analyte was detected in the associated method blank. Analyte concentration in the sample is greater than 10x the concentration found in the method blank.											
DOF = Dalton, Olmsted & Fuglevand, Inc.										g = Estimated value. The reported range exceeds the calibration range of the analysis.											
DRO = Diesel-range organics.										ht = The analysis was performed outside the method the method or client-specified holding time requirement.											
GeoE = GeoEngineers Inc.										J = The identification of the analyte is acceptable; the reported value is an estimate.											
GRO = Gasoline-range organics.										J+ = The result is an estimated quantity, but the result may be biased high.											
HC = Hart Crowser.										J- = The result is an estimated quantity, but the result may be biased low.											
ORO = Oil-range organics.										ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided.											
PCE = Perchloroethylene (Tetrachloroethene).										pr = The sample was received with incorrect preservation. The value reported should be considered an estimate.											
ROW = right-of-way.										U = Not detected at or above the laboratory method detection limit (MDL).											
SES = SES Strategies, Inc.										qp = Hydrocarbon result partly due to individual peak(s) in quantitation range.											
TCE = Trichloroethene.										x = The sample chromatographic pattern does not resemble the fuel standard used for quantitation.											
tDCE = trans-1,2-Dichloroethene.										y = The GRO result in the sample is due to a pattern of peaks that is consistent with the chlorinated volatiles detected by the 8260C analysis.											
VC = Vinyl chloride.										z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.											
WW = Windward.										Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021.											
Well screen elevations indicated below Sample Location in parentheses.										Groundwater statistics for GRO exclude "z" qualified data.											
(--)= unknown screen elevation.																					
a = Monitoring well was installed at a 25 degree angle from the vertical point of penetration.																					

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
FMW-3D (-31.1 to -41.1)	Terry Ave N ROW, E side	03/24/17	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
		06/23/17	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U		
FMW-129 (-45.6 to -50.6)	Seattle DOT Mercer Parcels, NE quadrant	05/23/14	Farallon	Unknown	–	–	–	–	–	–	–	–	0.40	0.57	17	ND	7.6		
		10/20/15	SES	Peristaltic	–	–	–	–	–	–	–	–	25	39	250	1 U	0.2 U		
		02/02/16	SES	Peristaltic	–	–	–	–	–	–	–	–	13	61	240	1 U	0.330		
		04/10/17	PES	Peristaltic	–	–	–	–	0.448 U	2.06 U	0.790 U	1.58 U	194	492	1,420	5.05	0.885 J		
		06/23/17	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	81.1	182	474	1.21	0.413		
		05/01/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	101	166	372	1.22	0.590 U		
		07/16/19	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	159	84.1	272	1.61	0.296 J		
		10/21/19	PES	Peristaltic	141 zJ+	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	114	198	350	1.61	0.259 J	
		11/12/19	Farallon	Unknown	–	–	–	–	–	–	–	–	79	130	340	2.0 U	2.0 U		
		01/14/20	PES	Bladder	–	–	–	–	0.896 U	4.12 U	1.58 U	3.16 U	113	170	385	1.60 J	1.18 U		
		01/14/20	Farallon	Unknown	–	–	–	–	–	–	–	–	130	170	290	2.0 U	2.0 U		
		02/18/20	Farallon	Unknown	–	–	–	–	–	–	–	–	110	170	310	2.0 U	2.0 U		
		03/25/20	Farallon	Unknown	–	–	–	–	–	–	–	–	88	140	290	2.0 U	2.6		
		04/27/20	Farallon	Unknown	–	–	–	–	–	–	–	–	74	88	190	1.0 U	1.0 U		
		05/06/20	PES	Bladder	–	–	–	–	0.0941 U	0.278 U	0.137 U	0.174 U	34.6	61.9	157	0.433 J	14.2		
		05/19/20	Farallon	Unknown	–	–	–	–	–	–	–	–	18	42	120	1.0 U	6.5		
		07/10/20	PES	Bladder	–	–	–	–	0.0160 U	1.47	0.0212 U	0.191 U	10.8	27.1	92.5	0.224	0.430		
		07/28/20	Farallon	Unknown	–	–	–	–	–	–	–	–	5.4	11	100	0.80 U	0.80 U		
		09/17/20	Farallon	Unknown	–	–	–	–	–	–	–	–	6.1	13	70	0.40 U	0.40 U		
		11/10/20	PES	Bladder	–	–	–	–	0.0160 U	0.136 J-	0.0212 U	0.191 U	6.43	22.3	58.8	0.135 J	8.49 J+		
		12/03/20	Farallon	Unknown	–	–	–	–	–	–	–	–	9.0	14	57	0.40 U	0.40 U		
		(split)		02/10/21	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	2.42	4.97	42.5	0.276	0.0273 U
				02/10/21	Farallon	Peristaltic	–	–	–	–	–	–	–	1.9	4.6	31	0.20 U	0.20 U	
				05/26/21	PES	Bladder	–	–	–	–	0.0910	0.0860 U	0.0212 U	0.191 U	91.1	197	517	1.53	0.0273 U
		(duplicate)		05/26/21	PES	Bladder	–	–	–	–	0.127	0.102 U	0.0212 U	0.191 U	97.2	201	526	1.56	0.0273 U
FMW-131 (-34.7 to -44.7)	Block 37, SE quadrant	09/02/16	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	41	0.20 U	1.7		
		03/24/17	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	45.6	0.152 U	0.249 J		
		06/23/17	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.61	0.152 U	0.264 J		
		12/18/17	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.61	0.20 U	0.20 U		
		04/22/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	10.8	0.152 U	0.195 J		
		10/21/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	10.5	0.152 U	0.140 J		
		01/22/20	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	15.1	0.152 U	0.162 J		
		04/29/20	PES	Peristaltic	–	–	–	–	0.0941 U	0.954	0.137 U	0.726 J	0.300 U	0.190 U	13.9	0.149 U	0.309 J		
		07/30/20	PES	Bladder	–	–	–	–	0.0459	0.0500 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.73 J	0.0572 UJ	0.147		
		08/26/20	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	6.5	0.20 U	0.20 U		
		11/19/20	PES	Bladder	–	–	–	–	0.0850	0.0520 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	7.91	0.0572 U	0.109		
		12/04/20	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	3.5	0.20 U	0.20 U		
		02/11/21	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.27	0.20 U	0.20 U		
		02/12/21	PES	Peristaltic	–	–	–	–	0.0900	1.04	0.172	0.952	0.0450 J	0.0160 U	7.89	0.0572 U	0.287		
		05/13/21	PES	Peristaltic	–	–	–	–	0.0650	0.115 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	9.83	0.0572 U	0.428		
FMW-137 (-39.9 to -54.9)	Alley E of Block 38W	11/20/18	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.2	0.20 U	0.20 U		
		12/28/18	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.1	0.20 U	0.20 U		
		05/06/19	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.3	0.20 U	0.20 U		
		07/08/19	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.3	0.20 U	0.20 U		
		10/14/19	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	1.1	0.20 U	0.20 U		
		11/06/19	PES	Peristaltic	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.27	0.152 U	0.118 U		

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)																		
					GRO	DRO	ORO	DRO+ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE	tDCE	VC			
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0		640		700		1,600		5.0		4.0		16	100	0.29			
FMW-137 (continued)		11/11/19	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	1.3	0.20	U	0.20	U	
		01/22/20	PES	Peristaltic	–	–	–	–	0.0896	U	0.506	0.158		U	0.316	U	0.199	U	0.153	U	1.99	0.152	U	0.118	U	
		05/06/20	PES	Bladder	–	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/31/20	PES	Bladder	–	–	–	–	0.0160	U	0.884	0.137		0.637		0.0280	U	0.0160	U	0.0343	J	0.0572	U	0.0273	U	
		11/24/20	PES	Bladder	–	–	–	–	0.0160	U	0.0900	U	0.0480	U	0.294	0.0280	U	0.0160	U	0.0540	J	0.0572	U	0.0273	U	
		02/12/21	PES	Bladder	–	–	–	–	0.0330	J	0.448	0.0800		J	0.442	0.0280	U	0.0160	U	2.66	0.0572	U	0.0920	J		
		06/02/21	PES	Peristaltic	–	–	–	–	0.0240	J	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	2.99	0.0572	U	0.0273	U	
FMW-138 (-50.0 to -60.0)	Alley E of Block 38W	11/20/18	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	0.29	0.20	U	0.20	U	
		12/28/18	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	0.34	0.20	U	0.20	U	
		05/06/19	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	0.38	0.20	U	0.20	U	
		07/08/19	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	0.34	0.20	U	0.20	U	
		10/14/19	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	0.33	0.20	U	0.20	U	
		11/11/19	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	0.37	0.20	U	0.20	U	
FMW-140 (-38.0 to -48.0)	900 Roy St, S end	07/17/19	Farallon	Unknown	–	–	–	–	–		–		–		–		2.0	U	2.0	U	280	2.0	U	320		
		10/31/19	PES	Peristaltic	–	–	–	–	18.5	1.43		0.158		U	0.316	U	0.199	U	0.153	U	0.160	J	0.152	U	189	
		11/12/19	Farallon	Unknown	–	–	–	–	–		–		–		–		4.0	U	4.0	U	310	4.0	U	510		
		01/14/20	Farallon	Unknown	–	–	–	–	–		–		–		–		4.0	U	4.0	U	340	4.0	U	460		
		01/22/20	PES	Peristaltic	–	–	–	–	39.6	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	406	0.729	527				
		02/18/20	Farallon	Unknown	–	–	–	–	–		–		–		–		4.0	U	4.0	U	280	4.0	U	530		
		03/25/20	Farallon	Unknown	–	–	–	–	–		–		–		–		2.0	U	2.0	U	100	2.0	U	290		
		04/27/20	Farallon	Unknown	–	–	–	–	–		–		–		–		1.0	U	1.0	U	33	1.0	U	130		
		04/28/20	PES	Bladder	–	–	–	–	43.3	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	27.1	0.217	J	147			
		05/19/20	Farallon	Unknown	–	–	–	–	–		–		–		–		1.0	U	1.0	U	16	1.0	U	130		
		07/07/20	PES	Bladder	–	–	–	–	37.6	2.79	0.0212		U	0.191	U	0.0280	U	0.0160	U	8.76	0.202	188				
		07/29/20	Farallon	Unknown	–	–	–	–	–		–		–		–		1.0	U	1.0	U	9.7	1.0	U	170		
		09/17/20	Farallon	Unknown	–	–	–	–	–		–		–		–		1.0	U	1.0	U	25	1.0	U	43		
		11/13/20	PES	Bladder	–	–	–	–	44.1	0.147	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	6.15	0.0665	J	30.8			
		12/04/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	3.3	0.20	U	18		
		02/10/21	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	0.72	0.20	U	3.2		
		05/18/21	PES	Peristaltic	–	–	–	–	41.0	0.152	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	2.12	0.0572	U	15.8			
GEI-2 (-21.1 to -31.1)	Block 37, NW quadrant	03/24/17	PES	Peristaltic	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	2.25	0.152	U	6.94		
		06/23/17	PES	Bladder	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	16.3	0.152	U	127		
		12/29/18	Farallon	Unknown	–	–	–	–	–		–		–		–		0.40	U	0.40	U	6.7	0.40	U	60		
		04/22/19	PES	Peristaltic	–	–	–	–	1.05	0.412		U	0.158	U	0.316	U	0.199	U	0.153	U	11.5	0.152	U	57.7	J	
		07/16/19	PES	Peristaltic	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.37	0.152	U	46.4		
		10/21/19	PES	Peristaltic	–	–	–	–	3.80	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	20.1	0.152	U	88.2			
		11/11/19	Farallon	Unknown	–	–	–	–	–		–		–		–		1.0	U	1.0	U	18	1.0	U	92		
		01/14/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	2.0	0.20	U	36		
		01/22/20	PES	Peristaltic	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.192	J	0.308	J	0.152	U	0.118	U
		02/17/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	5.6	0.20	U	34		
		03/25/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.40	U	0.40	U	4.3	0.40	U	52		
		04/27/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.40	U	0.40	U	3.2	0.40	U	50		
		04/29/20	PES	Peristaltic	–	–	–	–	2.22	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	4.49	0.149	U	67.8			
		05/19/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.40	U	0.40	U	2.7	0.40	U	55		
		06/29/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	1.6	0.20	U	33		
		07/29/20	Farallon	Unknown	–	–	–	–	–		–		–		–		0.20	U	0.20	U	1.3	0.20	U	46		

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)										
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
GEI-2 (continued)		07/30/20	PES	Bladder	–	–	–	–	1.76	0.0707 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.38 J	0.0572 UJ	44.9	
		08/26/20	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
		09/17/20	Farallon	Unknown	–	–	–	–	–	–	–	–	0.40 U	0.40 U	1.0	0.40 U	48	
		11/19/20	PES	Bladder	–	–	–	–	2.97	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.997	0.0572 U	42.7	
		12/04/20	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.52	0.20 U	21	
		02/11/21	Farallon	Unknown	–	–	–	–	–	–	–	–	0.20 U	0.20 U	0.43	0.20 U	16	
		02/12/21	PES	Peristaltic	–	–	–	–	2.79	1.22	0.216	1.09	0.0280 U	0.0160 U	0.711	0.0572 U	18.4	
		05/13/21	PES	Peristaltic	–	–	–	–	2.19	0.149 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.379	0.0572 U	9.14	
HMW-1D (-41.9 to -51.9)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	3.4	27	410	1.2	4.0	
		03/09/20	HC	Submersible	140	94 J	250 U	94 J	20 U	20 U	20 U	40 U	21	110	910	20 U	6.0 U	
HMW-2D (-32.7 to -42.7)	Seattle DOT Mercer Parcels, NE quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U	
		03/12/20	HC	Submersible	100 U	86 J	250 U	86 J	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	1.1	0.20 U	0.20 U	
HMW-3D (-23.4 to -33.4)	Seattle DOT Mercer Parcels, NW quadrant	03/25/19	HC	Peristaltic	100 U	200 U	500 U	500 U	1.0 U	1.1	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.2 U	
		03/13/20	HC	Submersible	100 U	480 J	250 U	480 J	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 UJ	0.20 U	0.20 U	
HMW-6D (-21.1 to -31.1)	Seattle DOT Mercer Parcels, SW quadrant	03/16/20	HC	Submersible	100 U	50 U	250 U	250 U	0.42	0.64	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-9D (-24.4 to -34.4)	Seattle DOT Mercer Parcels, SW quadrant	03/17/20	HC	Submersible	100 U	230 J	250 U	230 J	0.21	0.42	0.20 U	0.40 U	0.89	0.20 U	5.1	0.20 U	0.97	
HMW-10D (-30.8 to -40.8)	Seattle DOT Mercer Parcels, SE quadrant	03/16/20	HC	Submersible	100 U	50 U	250 U	250 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-12D (-48.5 to -58.5)	Seattle DOT Mercer Parcels, NE quadrant	09/10/20	HC	–	100 U	50 U	–	50 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	200 J	0.22	3.9	
HMW-13D (-44.2 to -54.2)	Seattle DOT Mercer Parcels, SE quadrant	09/10/20	HC	–	100 U	50 U	–	50 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
HMW-14D (-23.7 to -33.7)	Seattle DOT Mercer Parcels, SE quadrant	09/16/20	HC	–	100 U	50 U	–	50 U	0.20 U	0.20 U	0.20 U	0.40 U	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U	
MW101 (-65.5 to -75.5)	Property, NE quadrant	07/20/12	SES	Bladder	–	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U	
		09/06/12	SES	Peristaltic	–	–	–	–	0.35 U	1.4	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	
		Decommissioned Prior to 2017																
MW102 (-65.8 to -75.8)	Valley St ROW, S side	08/16/12	SES	Peristaltic	–	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U	
		09/05/12	SES	Bladder	–	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	
		12/17/13	SES	Bladder	–	–	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U	
		10/27/15	SES	Bladder	–	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U	
		02/02/16	SES	Bladder	–	–	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U	
		03/29/17	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.289 J	0.152 U	0.118 U	
		06/15/17	PES	Bladder	–	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	
		04/25/18	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.352 J	0.153 U	0.0933 U	0.152 U	0.118 U	
		01/24/19	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.220 J	0.153 U	0.0933 U	0.152 U	0.118 U	
		05/01/19	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 UJ	
		07/18/19	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U	

Table G-9

**Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																									
					GRO		DRO	ORO	DRO+ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE		tDCE	VC							
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
MW102 (continued) (duplicate) (duplicate)		11/14/19	PES	Bladder	31.6	U	—		—		—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/23/20	PES	Bladder	31.6	U	—		—		—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/23/20	PES	Bladder	31.6	U	—		—		—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/02/20	PES	Bladder	31.6	U	—		—		—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		08/04/20	PES	Bladder	—		—		—		—		0.0160	U	1.00		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		08/04/20	PES	Bladder	—		—		—		—		0.0160	U	0.880		0.0340	J	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	UJ	0.0273	U
		11/18/20	PES	Bladder	—		—		—		—		0.0160	U	0.0710	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		02/03/21	PES	Bladder	—		—		—		—		0.0160	U	0.0880	J	0.0390	J	0.282		0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/14/21	PES	Bladder	—		—		—		—		0.0160	U	0.196	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW103 (-67.6 to -77.6) (duplicate) (duplicate) <																														

Table G-9

**Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method	Analytical Results (micrograms per liter)																							
					GRO		DRO	ORO	DRO+ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE		tDCE	VC					
Preliminary Cleanup Level (PCUL)					800		500		500																			
					447	zJ+	—	—	—		0.167	J	0.412	U	0.158	U	0.316	U	0.894	6.44	44.6	0.481	J	31.7				
MW104		01/29/20	PES	Bladder	92.4	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	53.1	108	21.1	2.50		4.63				
(continued)		04/01/20	PES	Bladder	—		—	—	—		0.0160	U	0.251		0.0212	U	0.191	U	18.8	55.0	12.8	J	1.01	2.68				
(duplicate)		07/31/20	PES	Bladder	—		—	—	—		0.0160	U	0.242		0.0212	U	0.191	U	19.2	55.0	12.6	J	1.04	J	2.65			
		07/31/20	PES	Bladder	—		—	—	—		0.0160	U	0.0730	J	0.0212	U	0.191	U	10.6	59.5	J+	28.6	1.61	4.68				
		11/17/20	PES	Bladder	—		—	—	—		0.0450		2.03		0.225		1.18		1.52	29.8	43.9	1.15		9.58				
		02/10/21	PES	Bladder	—		—	—	—																			
MW105	Roy St ROW, S side	08/16/12	SES	Peristaltic	—		—	—	—		—		—		—		—		1	U	1	U	1	U	0.32			
(-85.8 to -95.8)		09/05/12	SES	Peristaltic	—		—	—	—		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.23			
		12/29/13	SES	Bladder	—		—	—	—		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U		
		04/12/15	SES	Peristaltic	—		—	—	—		—		—		—		—		1.2	1.6	1	U	1	U	0.2	U		
		06/17/15	SES	Peristaltic	—		—	—	—		—		—		—		—		1	U	1	U	1	U	0.2	U		
		10/27/15	SES	Bladder	—		—	—	—		—		—		—		—		1	U	1	U	1	U	0.2	U		
		02/03/16	SES	Bladder	—		—	—	—		—		—		—		—		1	U	1	U	1	U	1.6			
		04/21/17	PES	Bladder	—		—	—	—		0.0896	U	0.544	J	0.158	U	0.316	U	0.199	U	0.153	U	0.155	J	0.152	U	1.95	
		06/14/17	PES	Bladder	—		—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.356	J	0.180	J	0.152	U	0.514	
		04/11/18	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.67	0.152	U	0.205	J	
		01/23/19	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.790	0.317	J	1.51	0.152	U	0.392	J		
		04/23/19	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.917	0.152	U	0.238	J	
		07/17/19	PES	Bladder	37.8	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.891	0.152	U	0.265	J	
		10/22/19	PES	Bladder	96.4	J	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.945	0.152	U	0.214	J	
(duplicate)		10/22/19	PES	Bladder	90.8	J	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.720	0.152	U	0.118	U	
		01/20/20	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.208	J	0.348	J	1.38	0.152	U	0.568		
		05/12/20	PES	Bladder	52.7	J	—	—	—		0.0941	U	0.635		0.137	U	0.193	J	0.300	U	1.02	0.805	0.149	U	0.234	U		
		07/27/20	PES	Bladder	—		—	—	—		0.0160	U	1.25		0.0212	U	0.191	U	0.324		2.12	1.56	0.0983	J	0.135			
		11/17/20	PES	Peristaltic	—		—	—	—		0.0160	U	0.139	J	0.0212	U	0.191	U	0.553		4.95	J+	4.83	0.248	0.150			
		02/11/21	PES	Bladder	—		—	—	—		0.0160	U	0.373		0.0690	J	0.528		0.335		3.53	6.78	0.403	0.178				
		06/07/21	PES	Bladder	—		—	—	—		0.161		1.09		0.0490	J	0.234	J	0.128		1.37	11.5	0.300	0.359				
MW106	Seattle DOT Mercer Parcels, NW quadrant	08/22/12	SES	Bladder	—		—	—	—		—		—		—		—		1	U	1	U	1	U	1	U		
(-78.0 to -88.0)		09/05/12	SES	Bladder	—		—	—	—		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U		
		12/17/13	SES	Bladder	—		—	—	—		0.35	U	1	U	1	U	3	U	1	U	1	U	1	U	0.2	U		
		10/27/15	SES	Bladder	—		—	—	—		—		—		—		—		1	U	1	U	1	U	0.2	U		
		02/02/16	SES	Bladder	—		—	—	—		—		—		—		—		1	U	1	U	1	U	0.2	U		
		04/14/17	PES	Bladder	—		—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		06/30/17	PES	Bladder	—		—	—	—		0.0896	U	0.419	J	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		05/04/18	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/26/19	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/19/19	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/18/19	PES	Bladder	31.6	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/14/20	PES	Bladder	33.1	U	—	—	—		0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		05/06/20	PES	Bladder	32.3	J	—	—	—		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
(duplicate)		05/06/20	PES	Bladder	48.8	J	—	—	—		0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/10/20	PES	Bladder	—		—	—	—		0.0160	U	1.74		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/10/20	PES	Bladder	—		—	—	—		0.0160	U	0.415	J-	0.0212	U	0.233	J	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
(duplicate)		11/10/20	PES	Bladder	—		—	—	—		0.0160	U	0.339	J-	0.0212	U	0.216	J	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		02/12/21	PES	Bladder	—		—	—	—		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
(duplicate)		02/12/21	PES	Bladder	—		—	—	—		0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/13/21	PES	Bladder	—		—	—	—		0.0160	U	0.0570	J	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)																		
					GRO	DRO	ORO	DRO+ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes	PCE		TCE	cDCE	tDCE	VC					
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0		640		700		1,600		5.0		4.0	16	100	0.29				
MW113 (-37.1 to -47.1)	9th Ave N ROW, W side	12/21/12	SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	1.3	i	440	5,500	4.1	150						
		12/19/13	SES	Peristaltic	—	—	—	—	—	0.35	U	1	U	1	U	1	U	13	140	1	U	0.41				
		06/25/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	1	U	19	670	1	U	17					
		10/27/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	1	U	4.5	670	1.2	17						
		02/03/16	SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	1	U	1.1	1,500	2.2	13						
		03/22/17	PES	Peristaltic	—	—	—	—	2.60		0.412	U	0.158	U	0.316	U	0.199	U	27.1	7,280	25.4	63.5				
		06/16/17	PES	Bladder	—	—	—	—	0.468	J	0.412	U	0.158	U	0.316	U	0.522	148	4,750	28.2	53.3					
		04/11/18	PES	Peristaltic	—	—	—	—	0.880		0.412	U	0.158	U	0.316	U	191	1,100	3,720	21.3	34.9					
		01/30/19	PES	Peristaltic	—	—	—	—	1.02	J	2.06	U	0.790	U	1.580	U	0.995	U	2.81	6,330	22.8	34.8				
		02/07/19	PES	Peristaltic	3,100	zJ+	—	—	0.811		0.412	U	0.158	U	0.316	U	0.199	U	1.77	6,990	25.7	46.0				
		07/17/19	PES	Peristaltic	2,560	zJ+	—	—	0.172	J	0.412	U	0.158	U	0.316	U	3.14	20.4	4,940	13.1	103					
		10/22/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	1.99	U	0.153	U	1,420	4.45	66.2			
		11/11/19	Farallon	Unknown	—	—	—	—	—	—	—	—	—	—	—	50	U	50	U	8,200	50	U	950			
		01/14/20	PES	Bladder	—	—	—	—	0.896	U	4.12	U	1.58	U	3.16	U	1.99	U	1.53	U	10,300	32.9	1,410			
		01/14/20	Farallon	Bladder	—	—	—	—	—	—	—	—	—	—	—	50	U	50	U	8,000	50	U	1,400			
		02/18/20	Farallon	Peristaltic	—	—	—	—	—	—	—	—	—	—	—	50	U	50	U	9,600	50	U	1,800			
		03/24/20	Farallon	Peristaltic	—	—	—	—	—	—	—	—	—	—	—	20	U	20	U	4,100	20	U	200			
		04/27/20	PES	Peristaltic	—	—	—	—	9.41	U	27.8	U	13.7	U	17.4	U	30.0	U	19.0	U	4,320	14.9	U	75.9		
		(split)		04/27/20	Farallon	Peristaltic	—	—	—	—	—	—	—	—	—	—	20	U	20	U	3,500	20	U	94		
05/19/20	Farallon			Unknown	—	—	—	—	—	—	—	—	—	—	20	U	20	U	3,700	20	U	110				
07/28/20	PES			Bladder	—	—	—	—	9.41	U	27.8	U	13.7	U	17.4	U	212	1,540	3,100	14.9	U	76.0				
07/28/20	Farallon			Bladder	—	—	—	—	—	—	—	—	—	—	—	170	1,300	2,300	10	U	82					
09/17/20	Farallon			Unknown	—	—	—	—	—	—	—	—	—	—	—	390	1,500	1,900	10	U	45					
(split)		11/24/20	PES	Bladder	—	—	—	—	1.60	U	5.00	U	2.12	U	19.1	U	706	1,380	1,290	8.30	J	11.9				
		12/03/20	Farallon	Unknown	—	—	—	—	—	—	—	—	—	—	—	480	800	540	4.0	U	6.4					
		02/10/21	PES	Peristaltic	—	—	—	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	3.04	4.18	39.1	0.0780	J	0.0710	J			
		02/10/21	Farallon	Peristaltic	—	—	—	—	—	—	—	—	—	—	—	2.7	8.4	26	0.20	U	0.20	U				
		05/25/21	PES	Peristaltic	—	—	—	—	0.331		0.127	U	0.0212	U	0.191	U	249	944	1,380	8.60	6.91					
MW122 (-75 to -89)	Alley E of Seattle Roy Aloha Shops	12/23/13	SES	Peristaltic	—	—	—	—	0.35	U	1	U	1	U	3	1	U	1	U	1	U	0.2	U			
		10/20/15	SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	—	1	U	1	U	1	U	0.2	U			
		02/02/16	SES	Peristaltic	—	—	—	—	—	—	—	—	—	—	—	1	U	1	U	1	U	0.2	U			
		03/28/17	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		06/14/17	PES	Bladder	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.162	J	0.0933	U	0.152	U	0.118	U
		04/06/18	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		10/14/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.289	J	0.153	U	0.0933	U	0.152	U	0.118	U
		01/17/20	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/07/20	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		07/24/20	PES	Peristaltic	—	—	—	—	0.0160	U	0.0880	J	0.0212	U	0.191	U	0.0540	J	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		11/06/20	PES	Peristaltic	—	—	—	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/03/21	PES	Peristaltic	—	—	—	—	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0360	J	0.0160	U	0.0276	U	0.0572	U	0.0273	U
MW123 (-42.5 to -52.5)	Westlake Ave N ROW, W side	12/23/13	SES	Peristaltic	—	—	—	—	0.35	U	1	U	1	U	3	1	U	1	U	1	U	0.2	U			
		04/01/17	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		06/24/17	PES	Bladder	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		04/14/18	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.284	J	0.153	U	0.0933	U	0.152	U	0.118	U
		10/18/19	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/22/20	PES	Peristaltic	—	—	—	—	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)															
					GRO		DRO	ORO	DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE	cDCE	tDCE
Preliminary Cleanup Level (PCUL)					800		500	500	500		5.0		640		700		1,600		5.0	4.0	16	100	0.29
MW123 (continued)		05/05/20	PES	Peristaltic	–		–	–	–		0.0941 U	0.293 J	0.137 U	0.174 U	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U				
		07/30/20	PES	Peristaltic	–		–	–	–		0.0388 J	1.62	0.141	0.948	0.0280 U	0.0160 U	0.0276 UJ	0.0572 U	0.0273 U				
		11/12/20	PES	Peristaltic	–		–	–	–		0.0160 U	0.296	0.0217 J	0.236 J	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U				
		05/26/21	PES	Peristaltic	–		–	–	–		0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U				
MW124 (-53.8 to -63.8) (duplicate)	Valley St ROW, S side	12/26/13	SES	Bladder	–		–	–	–		0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U				
		03/29/17	PES	Bladder	–		–	–	–		0.0896 U	0.785 U	0.158 U	0.316 U	1.60	0.596	0.661	0.152 U	0.118 U				
		03/29/17	PES	Bladder	–		–	–	–		0.0896 U	0.675 U	0.158 U	0.316 U	1.22	0.433	0.600	0.152 U	0.118 U				
		06/15/17	PES	Bladder	–		–	–	–		0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U				
		04/13/18	PES	Bladder	39.4 U	–	–	–	–		0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U				
		10/11/19	PES	Bladder	31.6 U	–	–	–	–		0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U				
		01/30/20	PES	Bladder	31.6 U	–	–	–	–		0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U				
		04/03/20	PES	Bladder	38.9 U	–	–	–	–		0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U				
		08/03/20	PES	Bladder	–	–	–	–	–		0.0160 U	1.14	0.102	0.526	0.0280 U	0.0160 U	0.0276 UJ	0.0572 UJ	0.0273 U				
		11/18/20	PES	Bladder	–	–	–	–	–		0.0160 U	0.464	0.0212 U	0.191 U	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U				
		06/08/21	PES	Bladder	–	–	–	–	–		0.0160 U	0.111 J	0.0212 U	0.191 U	0.0480 J	0.0160 U	0.0276 U	0.0572 U	0.0273 U				
MW128 (-30.8 to -40.8) (duplicate) (split)	Westlake Ave N ROW, E side	01/13/14	SES	Peristaltic	–		–	–	–		0.35 U	1.0 U	1.0 U	3.0 U	1.0 U	1.0 U	960 ve	1.0 U	290 ve				
		04/22/15	SES	Peristaltic	–		–	–	–		–	–	–	–	1.0 U	1.0 U	150	1.0 U	59				
		10/20/15	SES	Peristaltic	–		–	–	–		–	–	–	–	1.0 U	1.0 U	7.0	1.0 U	95				
		02/02/16	SES	Peristaltic	–		–	–	–		–	–	–	–	1.0 U	1.0 U	70	1.0 U	140				
		03/29/17	PES	Peristaltic	–		–	–	–		0.0896 U	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	7.16	0.152 U	72.4				
		06/21/17	PES	Bladder	–		–	–	–		3.84	0.541	0.158 U	0.316 U	0.199 U	0.153 U	109	0.152 U	195				
		04/09/18	PES	Peristaltic	–		–	–	–		28.3	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	3.07	0.152 U	31.0				
		12/30/18	Farallon	Unknown	–		–	–	–		–	–	–	–	1.0 U	1.0 U	5.0	1.0 U	110				
		07/18/19	PES	Peristaltic	–		–	–	–		12.2	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.88	0.152 U	108				
		10/11/19	PES	Peristaltic	–		–	–	–		0.984	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.619	0.152 U	13.3				
		10/11/19	PES	Peristaltic	–		–	–	–		1.34	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.841	0.152 U	24.1				
		11/11/19	Farallon	Unknown	–		–	–	–		–	–	–	–	0.40 U	0.40 U	1.4	0.40 U	60				
		01/20/20	PES	Peristaltic	–		–	–	–		17.8	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	1.67	0.152 U	47.4				
		02/18/20	Farallon	Peristaltic	–		–	–	–		–	–	–	–	0.40 U	0.40 U	1.4	0.40 U	54				
		04/27/20	PES	Peristaltic	–		–	–	–		18.3	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	1.04	0.149 U	53.2				
		06/29/20	PES	Peristaltic	–		–	–	–		16.9	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.618	0.0572 U	31.3				
		06/29/20	Farallon	Peristaltic	–		–	–	–		–	–	–	–	0.20 U	0.20 U	0.51	0.20 U	34				
		08/26/20	Farallon	Unknown	–		–	–	–		–	–	–	–	0.20 U	0.20 U	0.46	0.20 U	29				
		11/09/20	PES	Bladder	–		–	–	–		17.0	0.132 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.671	0.0572 U	56.1				
		12/20/20	Farallon	Unknown	–		–	–	–		–	–	–	–	0.20 U	0.20 U	0.40	0.20 U	46				
		02/11/21	Farallon	Unknown	–		–	–	–		–	–	–	–	0.40 U	0.40 U	0.40 U	0.40 U	55				
		05/25/21	PES	Peristaltic	–		–	–	–		14.2	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	37.3				
MW-133 (-88.9 to -98.9)	Property, SW quadrant	09/25/17	PES	Bladder	41.2 U	–	–	–	0.0896 U	0.748	0.158 U	0.316 U	12.7	16.2	13.3	1.13	0.239 J						
		04/25/18	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.837	0.158 U	0.316 U	0.646	0.516	10.7	0.315 J	3.51						
		10/26/18	PES	Bladder	458 zJ+	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.92 J+	1.63 J+	7.94	0.257 J	3.43						
		12/12/18	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	1.71	2.75	7.88	0.454 J	5.95						
		02/01/19	PES	Bladder	46.4 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	22.4	9.29	12.4	0.588	4.36						
		03/13/19	PES	Bladder	31.6 U	–	–	–	0.0896 U	0.412 U	0.158 U	0.316 U	4.45	5.92	7.48	0.483 J	10.8						
		Decommissioned March 2019																					

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)																						
					GRO		DRO	ORO	DRO+ORO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE	cDCE	tDCE	VC						
Preliminary Cleanup Level (PCUL)					800		500		500		500		5.0		640		700		1,600		5.0		4.0		16		100		0.29	
MW-137 (-53.3 to -63.3)	Property, SW quadrant	09/25/17	PES	Bladder	58.5	U	–	–	–	–	0.0896	U	3.90	0.158	U	0.316	U	15.0	19.1	62.0	0.152	U	0.118	U						
		04/12/18	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.79	0.152	U	4.26				
		10/26/18	PES	Bladder	86.9	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.896	J+	0.463	U	0.893	J+	0.152	U	0.118	U		
		12/12/18	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.437	J	0.152	U	0.357	J		
		02/01/19	PES	Bladder	58.4	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.48	0.153	U	0.616	0.152	U	0.365	J				
		03/11/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.344	J	0.153	U	0.275	J	0.152	U	0.179	J		
		Decommissioned March 2019																												
MW-138 (-47.5 to -57.5)	Dexter Ave N ROW, E side	09/21/17	PES	Bladder	63.3	J	–	–	–	–	0.179	U	2.60	0.316	U	0.632	U	0.398	U	0.306	U	0.187	U	0.304	U	0.236	U			
		04/11/18	PES	Bladder	91.1	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		10/29/18	PES	Bladder	38.5	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.169	J		
		01/03/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.442	J	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		03/14/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	1.49	0.167	J	0.262	J	0.152	U	0.118	U			
		04/22/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		07/19/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		10/21/19	PES	Bladder	92.7	J	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		01/27/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		05/08/20	PES	Bladder	53.4	U	–	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/27/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.468	0.0657	J	0.356	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U				
		11/18/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.0500	U	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U		
		02/11/21	PES	Bladder	–		–	–	–	–	0.0240	J	0.481	0.105	0.686	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U					
		06/07/21	PES	Bladder	–		–	–	–	–	0.100	0.589	0.0370	J	0.191	U	0.0280	U	0.0160	U	0.0730	J	0.0572	U	0.0760	J				
MW-140 (duplicate) (-78.9 to -88.9)	Roy St ROW, N side	09/22/17	PES	Bladder	–		–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.450	J	0.477	J	0.152	U	0.118	U			
		09/22/17	PES	Bladder	–		–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.456	J	0.523	0.152	U	0.118	U				
		04/12/18	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.402	J+	0.572	J+	2.47	J+	0.152	U	0.246	J+			
		Decommissioned September 2018																												
MW-141 (-55.4 to -65.4)	Property, SE quadrant	09/22/17	PES	Bladder	–		–	–	–	0.0896	U	0.941	0.158	U	0.316	U	0.199	U	0.153	U	0.345	J	0.152	U	0.457	J				
		04/12/18	PES	Submersible	326	zJ+	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	71.3	J+	25.6	J+	91.6	J+	5.68	J+	7.01	J+		
		10/25/18	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	3.10	0.152	U	0.118	U			
		12/12/18	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.46	0.152	U	0.520				
		01/30/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.479	J	0.152	U	0.118	U		
		03/11/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.701	0.153	U	1.30	0.152	U	0.557					
		Decommissioned March 2019																												
MW-153 (-65.3 to -75.3) (duplicate) (duplicate)	Roy St ROW, S side	05/01/18	PES	Bladder	31.6	J	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.756	0.153	U	0.612	0.152	U	9.56						
		01/22/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.41	0.152	U	15.9				
		04/24/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	1.07	0.152	U	2.69	J			
		04/24/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.975	0.152	U	1.66	J			
		07/22/19	PES	Bladder	31.6	U	–	–	–	–	0.177	J	0.716	0.227	J	0.819	J	0.199	U	0.190	J	0.384	J	0.152	U	0.235	J			
		10/15/19	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		01/21/20	PES	Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U		
		04/30/20	PES	Bladder	38.2	J	–	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U		
		07/15/20	PES	Bladder	–		–	–	–	–	0.0160	U	1.79	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U			
		11/09/20	PES	Bladder	–		–	–	–	–	0.0160	U	0.314	0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.333				
		02/09/21	PES	Bladder	–		–	–	–	–	0.0200	J	0.860	0.147	1.01	0.0280	U	0.0160	U	0.105	0.0572	U	2.42							
		02/09/21	PES	Bladder	–		–	–	–	–	0.0220	J	0.918	0.160	1.02	0.0280	U	0.0160	U	0.107	0.0680	J	2.48							
		05/10/21	PES	Bladder	–		–	–	–	–	0.0160	U	0.0500	U	0.0430	J	0.323	0.0280	U	0.0160	U	0.101	0.0572	U	1.15	J-				
		MW-158A (-47.2 to -58.5)	8th Ave N ROW, E side	04/30/18	PES	Bladder	101		–	–	–	0.0896	U	2.66	0.158	U	0.316	U	17.7	18.7	59.6	J	0.205	J	8.91					
01/24/19	PES			Bladder	31.6	U	–	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.325	J	2.54	0.152	U	7.58				
04/25/19	PES			Bladder	31.6	U	–	–	–																					

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)																			
					GRO		DRO	ORO	DRO+ORO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC					
Preliminary Cleanup Level (PCUL)					800		500	500	500	5.0		640		700		1,600		5.0	4.0	16	100	0.29					
MW-158A (continued)		07/19/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.177	J	0.290	J	0.152	U	1.24	
		10/16/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.318	J	0.848		0.152	U	2.18	
		01/21/20	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.195	J
		04/24/20	PES	Bladder	38.0	U	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.251	J	1.15		0.149	U	1.45	
		07/15/20	PES	Bladder	–		–	–	–	0.0520		1.11		0.0212	U	0.366		0.0280	U	0.247		0.379		0.0572	U	0.882	
		11/23/20	PES	Bladder	–		–	–	–	0.0240	U	0.104	U	0.0212	U	0.191	U	0.0280	U	0.0840		0.127		0.0572	U	0.447	
		02/02/21	PES	Bladder	–		–	–	–	0.0270	J	0.532		0.197		1.17		0.0280	U	0.0680	0.0890	J	0.0572	U	0.526		
		05/10/21	PES	Bladder	–		–	–	–	0.0160	U	0.0750	J	0.0212	U	0.191	U	0.0280	U	0.0920	0.0900	J	0.0572	U	0.326	J-	
MW-160 (-76.5 to -86.5)	8th Ave N ROW, W side	05/21/18	PES	Bladder	51.0	J	–	–	–	0.0896	U	0.412	U	0.158	U	0.342	J	0.380	J	0.835		2.96		0.152	U	0.118	U
		01/25/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.263	J	5.08		0.152	U	0.118	U
		05/01/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.513		2.58		0.152	U	0.118	UJ
		07/23/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.217	J	0.152	U	0.326	J
		10/17/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.445	J	0.152	U	0.118	U
		01/29/20	PES	Bladder	35.0	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.195	J	0.176	J	0.152	U	0.744	
		04/01/20	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	3.18		2.09		0.152	U	0.118	U
		08/03/20	PES	Bladder	–		–	–	–	0.0180	J	1.04		0.0670	J	0.321		0.203		3.61		15.2	0.144	J	1.17	J	
		11/30/20	PES	Bladder	–		–	–	–	0.0160	U	0.177	J	0.108		0.827		0.828		10.2		43.2	0.228		3.59		
		02/05/21	PES	Bladder	–		–	–	–	0.0310	U	0.526		0.177		1.17		0.0550	J	1.65		26.4	0.192	J+	17.1	J	
		05/12/21	PES	Bladder	–		–	–	–	0.0160	U	0.237		0.0212	U	0.191	U	0.0280	U	0.353		11.1	0.0700	J	4.05		
MW-161 (-78.9 to -88.9)	8th Ave N ROW, W side	05/21/18	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.329	J	2.01		1.79	1.89		0.152	U	0.118	U	
		01/25/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.472	J	1.66		1.26		0.152	U	0.118	U
		05/01/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.482	J	1.66		1.15		0.152	U	0.118	UJ
		07/18/19	PES	Bladder	31.6	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.264	J	1.53		1.58		0.152	U	0.118	U
		10/14/19	PES	Bladder	54.7	J	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.978		1.30		0.152	U	0.118	U
		01/28/20	PES	Bladder	72.8	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	6.05		9.02	0.388	J	1.10		
		04/03/20	PES	Bladder	49.3	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U		16.7	27.0	23.4	1.27		1.92			
		07/31/20	PES	Bladder	–		–	–	–	0.0160	U	0.0536	J	0.0212	U	0.191	U	40.6		42.5	59.2	J	1.17	J	4.27		
		12/01/20	PES	Bladder	–		–	–	–	0.0160	U	0.0740	J	0.0212	U	0.191	U	49.0		50.3	84.2	1.74		5.47			
		02/05/21	PES	Bladder	–		–	–	–	0.0160	U	0.0590	J	0.0212	U	0.191	U	24.4		55.8	85.8	2.32	J	9.28	J		
		05/25/21	PES	Bladder	–		–	–	–	0.0160	U	0.165	U	0.0212	U	0.191	U	1.08		28.3	69.8	1.11		5.35			
MW-162 (-61.6 to -71.6)	Property, NE quadrant	02/05/19	PES	Bladder	–		–	–	–	1.00	U	1.00	U	1.00	U	1.00	U	2,800	613	1,070	9.58		128				
		03/12/19	PES	Peristaltic	690	zJ+	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	613	538	758	2.63		46.5				
		Decommissioned March 2019																									
MW-163 (duplicate) (-61.0 to -71.0)	Property, NW quadrant	02/05/19	PES	Bladder	–		–	–	–	1.00	U	1.00	U	1.00	U	1.00	U	218	150	42.2	1.00	U	2.95				
		02/05/19	PES	Bladder	–		–	–	–	1.00	U	1.00	U	1.00	U	1.00	U	220	153	40.3	1.00	U	3.45				
		03/12/19	PES	Bladder	319	zJ+	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	282	334	56.9	2.87		1.10				
		Decommissioned March 2019																									
MW-164 (-59.9 to -69.9)	Property, SW quadrant	02/05/19	PES	Bladder	–		–	–	–	1.00	U	1.80		1.00	U	1.00	U	871	372	385	3.41		4.41				
		03/12/19	PES	Bladder	565	zJ+	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	444	327	529	4.24		7.80				
		Decommissioned March 2019																									
MW-304 (-47.6 to -57.6)	Dexter Ave N ROW, E side	10/21/19	PES	Bladder	97.9	J	–	–	–	0.0896	U	0.728		0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		01/27/20	PES	Bladder	42.2	U	–	–	–	0.0896	U	0.412	U	0.158	U	0.316	U	0.199	U	0.153	U	0.0933	U	0.152	U	0.118	U
		05/07/20	PES	Bladder	31.6	U	–	–	–	0.0941	U	0.278	U	0.137	U	0.174	U	0.300	U	0.190	U	0.126	U	0.149	U	0.234	U
		07/27/20	PES	Bladder	–		–	–	–	0.0160	U	2.63		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U
		05/18/21	PES	Bladder	–		–	–	–	0.0160	U	0.357		0.0212	U	0.191	U	0.0280	U	0.0160	U	0.0276	U	0.0572	U	0.0273	U

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)											
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC		
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29		
MW-319 (-42.8 to -52.8)	9th Ave N ROW, W side	10/08/19	PES	Bladder	—	—	—	—	0.0896 U	0.412 U	0.158 U	0.316 U	0.609	8.12	53.4	0.152 U	5.76		
		01/16/20	PES	Peristaltic	—	—	—	—	0.0896 U	0.412 U	0.158 U	0.316 U	0.414 J	11.4	63.7	0.152 U	6.78		
		04/27/20	PES	Bladder	—	—	—	—	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	10.7	54.1	0.149 U	4.52		
		07/27/20	PES	Bladder	—	—	—	—	0.0336 J	0.399	0.0450 J	0.207 J	0.0933 J	13.6	49.2	0.0806 J	4.77		
		11/12/20	PES	Bladder	—	—	—	—	0.0160 U	0.0500 UJ	0.0212 U	0.191 U	0.110	13.9	47.6	0.0572 U	4.58 J+		
		05/19/21	PES	Peristaltic	—	—	—	—	0.0160 U	0.0700 U	0.0212 U	0.191 U	0.0900 J	8.52	37.4	0.104 J	4.16		
MW-323 (-65.4 to -75.4)	9th Ave N ROW, W side	10/09/19	PES	Peristaltic	—	—	—	—	0.0896 U	4.97	0.158 U	0.316 U	0.199 U	0.891	66.5	0.152 U	13.4		
		01/20/20	PES	Peristaltic	—	—	—	—	0.0896 U	0.549	0.158 U	0.316 U	0.199 U	0.178 J	229	0.152 U	64.9		
		04/23/20	PES	Bladder	—	—	—	—	0.0941 U	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	5.11	0.149 U	4.14		
		07/07/20	PES	Bladder	—	—	—	—	0.0160 U	1.76	0.0212 U	0.191 U	0.0280 U	0.0300 J	2.55	0.0572 U	4.58		
		11/24/20	PES	Bladder	—	—	—	—	0.0160 U	0.0960 U	0.0212 U	0.191 U	0.0280 U	0.0260 J	2.68	0.0572 U	4.89		
		05/20/21	PES	Peristaltic	—	—	—	—	0.0160 U	0.114 U	0.0212 U	0.191 U	0.0280 U	0.0900	115	0.111 J	31.4		
MW-324 (-32.1 to -42.1)	Roy St ROW, N side	10/02/19	PES	Bladder	—	—	—	—	0.401 J	5.45	0.158 U	0.316 U	0.199 U	0.642	1,550	3.21	61.9		
		01/20/20	PES	Peristaltic	—	—	—	—	4.48 U	20.6 U	7.90 U	15.8 U	9.95 U	7.65 U	3,170	7.60 U	113		
		04/24/20	PES	Bladder	—	—	—	—	4.71 U	13.9 U	6.85 U	8.70 U	15.0 U	9.50 U	8,520	16.8 J	362		
		07/07/20	PES	Bladder	—	—	—	—	1.25 J	2.50 U	1.06 U	9.55 U	1.400 U	0.800 U	8,410	13.6	244		
		11/13/20	PES	Bladder	—	—	—	—	2.51	2.50 U	1.06 U	9.55 U	1.40 U	0.800 U	7,210	13.7	184		
		05/20/21	PES	Peristaltic	—	—	—	—	0.800 U	2.50 U	1.06 U	9.55 U	1.40 U	1.95 J	3,470	10.5	45.6		
MW-326 (-48.7 to -58.7)	Mercer St ROW, N side	10/03/19	PES	Bladder	—	—	—	—	0.0896 U	1.31	0.158 U	0.316 U	0.769	0.297 J	6.87	0.152 U	0.118 U		
		01/17/20	PES	Bladder	—	—	—	—	0.113 J	0.412 U	0.158 U	0.316 U	0.834	0.470 J	9.38	0.152 U	0.118 UJ		
		04/21/20	PES	Bladder	—	—	—	—	0.108 J	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	0.971	0.149 U	0.515 J		
		07/23/20	PES	Bladder	—	—	—	—	0.0390 J	0.120 J	0.0212 U	0.191 U	0.0280 U	0.0430	0.277	0.0572 U	0.201		
		11/02/20	PES	Bladder	—	—	—	—	0.0740	0.165 J	0.0212 U	0.191 U	0.0280 U	0.0260 J	0.224	0.0572 U	0.332		
		02/09/21	PES	Bladder	—	—	—	—	0.0680	0.540	0.0570 J	0.427	0.183	0.263 J+	3.40	0.0572 U	0.182 J		
		05/18/21	PES	Bladder	—	—	—	—	0.0160 U	0.206	0.0212 U	0.191 U	0.219	0.496	3.53	0.0572 U	0.109		
MW-328 (-36.1 to -46.1)	Lake Union Park, S end	10/02/19	PES	Bladder	—	—	—	—	17.0	0.535	0.158 U	0.316 U	0.199 U	0.153 U	1.26	0.152 U	23.3		
		01/17/20	PES	Peristaltic	—	—	—	—	17.6	0.448 J	0.158 U	0.316 U	1.66	0.153 U	1.03	0.152 U	13.1 J		
		04/08/20	PES	Peristaltic	—	—	—	—	9.53	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	0.631	0.152 U	11.1		
		07/07/20	PES	Peristaltic	—	—	—	—	10.3	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.03	0.0572 U	20.7		
		11/09/20	PES	Peristaltic	—	—	—	—	0.630	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.607	0.0572 U	7.99		
		05/25/21	PES	Peristaltic	—	—	—	—	6.19	0.0540 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	8.57		
MW-329 (duplicate) (-69.0 to -79.0)	Westlake Ave N ROW, E side	10/03/19	PES	Peristaltic	—	—	—	—	0.206 J	0.435 J	0.158 U	0.316 U	0.199 U	0.153 U	9.25	0.152 U	28.8		
		10/03/19	PES	Peristaltic	—	—	—	—	0.215 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	9.26	0.152 U	29.2		
		01/20/20	PES	Peristaltic	—	—	—	—	0.279 J	0.412 U	0.158 U	0.316 U	0.199 U	0.153 U	11.0	0.152 U	26.2		
		04/27/20	PES	Bladder	—	—	—	—	0.704	0.434 J	0.137 U	0.174 U	0.300 U	0.190 U	17.5	0.149 U	23.6		
		08/03/20	PES	Bladder	—	—	—	—	0.628	1.06	0.0290 J	0.191 U	0.0280 U	0.0160 U	14.7	0.0572 UJ	32.2		
		11/09/20	PES	Bladder	—	—	—	—	0.862	0.106 J	0.0212 U	0.191 U	0.0280 U	0.0160 U	21.0	0.0572 U	23.0		
		05/25/21	PES	Peristaltic	—	—	—	—	0.601	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	15.2	0.0572 U	23.0		
MW-336 (-51.6 to -61.6)	Mercer St ROW, N side	05/05/20	PES	Bladder	—	—	—	—	0.0941 U	0.318 J	0.137 U	0.174 U	0.300 U	0.304 J	57.1	0.149 U	6.03		
		07/08/20	PES	Bladder	—	—	—	—	0.0490	1.21	0.0212 U	0.191 U	0.600	6.08	61.1	0.127	7.71		
		11/02/20	PES	Bladder	—	—	—	—	0.215	0.301	0.0212 U	0.191 U	0.172	3.52	137	0.0910 J	5.80		
		02/10/21	PES	Bladder	—	—	—	—	0.0660	0.328	0.0550 J	0.225 J	0.0280 U	1.86	107	0.189 J	8.18		
		05/26/21	PES	Peristaltic	—	—	—	—	0.128	0.0500 U	0.0212 U	0.191 U	0.120	3.12 J+	150	0.0572 U	10.7		
MW-341 (-66.8 to -76.8)	Lake Union Park, S end	05/12/20	PES	Peristaltic	—	—	—	—	16.2	0.278 U	0.137 U	0.174 U	0.300 U	0.190 U	41.4	0.149 U	10.4		
		07/07/20	PES	Peristaltic	—	—	—	—	15.6	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0500	32.9	0.0572 U	9.86		
		11/09/20	PES	Peristaltic	—	—	—	—	9.87	0.167 J	0.0212 U	0.191 U	0.0740 J	0.102	25.1	0.0572 U	5.99		
		05/25/21	PES	Peristaltic	—	—	—	—	17.6	0.105 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	2.43	0.0572 U	26.7		

Table G-9

Groundwater Petroleum Hydrocarbons and CVOCs in Deep Zone Wells
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sampling Method				Analytical Results (micrograms per liter)										
					GRO	DRO	ORO	DRO+ORO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC	
Preliminary Cleanup Level (PCUL)					800	500	500	500	5.0	640	700	1,600	5.0	4.0	16	100	0.29	
MW-342 (-32.4 to -42.4)	Valley St ROW, S side	05/04/20	PES	Peristaltic	–	–	–	–	0.0941 U	0.366 J	0.137 U	0.174 U	0.300 U	0.190 U	1.34	0.149 U	1.51	
		07/30/20	PES	Peristaltic	–	–	–	–	0.316	1.24	0.116	0.723	0.0280 U	0.0160 U	5.56 J	0.0572 UJ	3.12	
		11/17/20	PES	Peristaltic	–	–	–	–	0.113	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	1.22	0.0572 U	1.87	
		06/04/21	PES	Peristaltic	–	–	–	–	0.526	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	6.45	0.0572 U	2.54	
MW-343 (-71.5 to -81.5)	Valley St ROW, S side	05/04/20	PES	Peristaltic	–	–	–	–	0.114 J	0.620	0.137 U	0.207 J	0.300 U	0.190 U	0.126 U	0.149 U	0.234 U	
		07/30/20	PES	Peristaltic	–	–	–	–	0.0471	1.57	0.163	0.931	0.0280 U	0.0160 U	0.0276 UJ	0.0572 UJ	0.0273 U	
		11/24/20	PES	Peristaltic	–	–	–	–	0.0160 U	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	0.0276 U	0.0572 U	0.0273 U	
		06/04/21	PES	Peristaltic	–	–	–	–	0.139	0.0500 U	0.0212 U	0.191 U	0.0280 U	0.0160 U	3.17	0.0572 U	3.81	
Number of Samples					111	12	9	12	316	316	316	316	377	377	377	377	377	
Number of Detections					28	4	0	4	88	107	28	35	113	144	289	86	237	
Frequency of Detection					25%	33%	0%	33%	28%	34%	9%	11%	30%	38%	77%	23%	63%	
Maximum					140	480	0	480	44.1	5.45	0.227 J	1.18	2,800	1,540	10,300	32.9	1,800	
Minimum					31.6 U	50 U	250 U	50 U	0.0160 U	0.0500 U	0.0212 U	0.174 U	0.0280 U	0.0160 U	0.0276 U	0.0572 UJ	0.0273 U	
Number of Samples Above SL					0	0	0	0	22	0	0	0	48	71	118	0	209	
Frequency of Detection Above SL					0%	0%	0%	0%	7%	0%	0%	0%	13%	19%	31%	0%	55%	
Notes: PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. Detected results shown in bold . Detections above the groundwater PCUL are shown in bold and highlighted in gray . Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. cDCE = cis-1,2-Dichloroethene. DRO = Diesel-range organics. GRO = Gasoline-range organics. HC = Hart Crowser. ORO = Oil-range organics. PCE = Perchloroethylene (Tetrachloroethene). ROW = right-of-way. SES = SES Strategies, Inc. TCE = Trichloroethene. tDCE = trans-1,2-Dichloroethene. VC = Vinyl chloride. Well screen elevations indicated below Sample Location in parentheses. (--) = unknown screen elevation.																		
Laboratory and Results Notes: Petroleum hydrocarbons analyzed by EPA Method 418.1, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx, or 8015-M. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. – = Not analyzed or results not available. i = The presence of the analyte indicated may be due to carryover from previous sample injections. J = The identification of the analyte is acceptable; the reported value is an estimate. J+ = The result is an estimated quantity, but the result may be biased high. J- = The result is an estimated quantity, but the result may be biased low. ND = Not detected at a concentration exceeding laboratory reporting limit; detection limit not provided. U = Not detected at or above the laboratory method detection limit (MDL). z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs. Groundwater statistics are for data collected during the Remediation Investigation, 2017-2021. Groundwater statistics for GRO exclude "z" qualified data.																		

Table G-10

Summary of Reconnaissance Groundwater Analytical Data
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sample Interval (FT BTOC)	Color Tec (µg/L)	Analytical Results (micrograms per liter, µg/L)																			
						GRO		Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE		TCE		cDCE		tDCE		VC	
Preliminary Cleanup Level (PCUL)					–	800		5.0		640		700		1,600		5.0		4		16		100		0.29	
On Property																									
B-2	Property	6/23/00	Retec	11.5	–	–	250 U		250 U		250 U		500 U		37,000		600		4,100		250 U		250 U		
B-6	Property	6/24/00	Retec	14.5	–	–	50 U		50 U		50 U		100 U		6,800		54		57		50 U		50 U		
B-7	Property	6/24/00	Retec	12.5	–	–	50 U		50 U		50 U		100 U		21,000		310		880		50 U		50 U		
B-8	Property	6/24/00	Retec	8	–	–	–		–		–		–		3,100		50 U		50 U		–		50 U		
B-9	Property	6/24/00	Retec	12	–	–	–		–		–		–		120,000		210		270		–		50 U		
B-10	Property	6/24/00	Retec	12.5	–	–	–		–		–		–		9,100		1,100		7,600		–		98		
B101/MW101	Property (duplicate)	7/11/12	SES	75 to 80	–	–	–		–		–		–		32		1 U		2.9		1 U		0.2 U		
		7/11/12	SES	75 to 80	–	–	–		–		–		–		150		6.1		25		1 U		1.1		
		7/12/12	SES	95 to 100	–	–	–		–		–		–		3.4		1 U		1 U		1 U		0.2 U		
		7/12/12	SES	110 to 120	–	–	–		–		–		–		1 U		1 U		1 U		1 U		0.2 U		
		7/12/12	SES	134 to 139	–	–	–		–		–		–		1 U		1 U		1 U		1 U		0.2 U		
B-205	Property, NE quadrant	8/30/17	PES	40 - 42	65,000	6,550 z		8.96 U		55.6		15.8 U		31.6 U		10,300		1,130		5,670		30.1 J		1,010	
B-211	Property, SW quadrant	8/18/17	PES	85 - 87 ^a	–	–	–		–		–		–		–		–		–		–		–		
		8/18/17	PES	100 - 102 ^b	900	–	–	–		–		–		–		–		–		–		–			
		8/21/17	PES	120 - 122	–	2,880 z		1.65		297		0.557		1.67		19.8		8.34		4.86		0.168 J		0.160 J	
DB01	Property	3/18/13	SES	35 to 40	–	–	–		–		–		–		1.4		1 U		2.4		1 U		0.2 U		
DB02	Property	3/18/13	SES	39 to 44	–	–	–		–		–		–		140		19		14.0		1 U		0.35		
DB03	Property	3/27/13	SES	55 to 60	–	–	–		–		–		–		6,700		420		420		1 U		12		
DB04	Property	3/22/13	SES	55 to 60	–	–	–		–		–		–		15		1 U		1 U		1 U		0.2 U		
DB05	Property	3/26/13	SES	65 to 70	–	–	–		–		–		–		1,400		11		1.7		1 U		0.2 U		
DB05A	Property	3/28/13	SES	40 to 45	–	–	–		–		–		–		230,000		790 ve		42		1 U		1.2		
DB06	Property	3/25/13	SES	75 to 80	–	–	–		–		–		–		170		4.4		5.0		1 U		0.2 U		
DB07	Property	3/28/13	SES	65 to 80	–	–	–		–		–		–		15,000		1,000 U		1,000 U		1,000 U		200 U		
DB08	Property	3/21/13	SES	65 to 70	–	–	–		–		–		–		7,300		1,100		1,300		10 U		38.0		
DB09	Property	3/19/13	SES	35 to40	–	–	–		–		–		–		5,000		400		700		3.1		4.8		
		3/19/13	SES	65 to 70	–	–	–		–		–		–		1,900		460		460		1 U		2.3		
DB10	Property	3/29/13	SES	35 to 40	–	–	–		–		–		–		200,000		1,700		1,000 U		1,000 U		200 U		
		4/1/13	SES	65 to 70	–	–	–		–		–		–		6,900		100 U		100 U		100 U		20 U		
DB12	Property	4/3/13	SES	10 to 15	–	–	–		–		–		–		170,000		4,800		3,100		2,000 U		400 U		
		4/3/13	SES	40 to 45	–	–	–		–		–		–		46,000		1,100		1,000 U		1,000 U		200 U		
DB13	Property	4/3/13	SES	10 to 15	–	–	–		–		–		–		2,500		100		160		1.8		0.2 U		
		4/3/13	SES	40 to 45	–	–	–		–		–		–		8,200		800 ve		430 ve		1 U		3.0		
DB14	Property	4/4/13	SES	10 to 15	–	7,200		100		40 U		90		130		–		–		–		–		–	
		4/4/13	SES	40 to 45	–	–		–		–		–		–		470		210		840		100 U		140	
IW06	Property	1/15/15	SES	70	–	–		–		–		–		–		1,600		33		73		1 U		2.3	
MW-133	Property, SW quadrant	8/15/17	PES	80 to 82	–	2,990 Jz		0.808		774		0.228 J		0.708 J		6,690		797		182		3.00		46.2	
		8/15/17	PES	90 to 92	–	2,210 Jz		64.3		711		1.44 J		2.92 J		413		34.4		22.2		0.760 U		1.56 J	
		8/16/17	PES	100.5 - 102.5 ^a	390	–		–		–		–		–		–		–		–		–		–	
MW-137	Property, SW quadrant	8/31/17	PES	76 - 78	<3	745		0.658 J		151		0.790 U		1.58 U		0.995 U		0.765 U		4.46		0.760 U		0.590 U	
		8/31/17	PES	76 - 78 (dup)	–	631		0.448 U		105		0.790 U		1.58 U		0.995 U		0.765 U		2.86		0.760 U		0.590 U	
		9/1/17	PES	107 - 109	<3	31.6 U		0.0896 U		41.1		0.158 U		0.316 U		0.199 U		0.153 U		0.0933 U		0.152 U		0.118 U	
MW-141	Property, SE quadrant	9/19/17	PES	105 - 107	<3	–		0.286 J		88.5		0.158 J		0.472 J		0.199 U		0.153 U		0.148 J		0.152 U		0.118 U	
W-MW-04	Property, NE quadrant	1/28/12	WW	10 to 20	–	–		0.7		0.2 J		0.2 U		0.3 J		19		8.4		37		0.4		37	
		1/28/12	WW	30 to 40	–	–		0.2		0.2 J		0.2 U		0.1 J		2,800		26		47		0.4		12	
		1/28/12	WW	50 to 60	–	–		0.4		0.6		0.1 J		0.6 J		12,000		230		270		0.2		3.4	

Table G-10

Summary of Reconnaissance Groundwater Analytical Data
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sample Interval (FT BTOC)	Color Tec (µg/L)	Analytical Results (micrograms per liter, µg/L)									
						GRO	Benzene	Toluene	Ethylbenzene	Total Xylenes	PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					–	800	5.0	640	700	1,600	5.0	4	16	100	0.29
Off Property															
B102/MW102	Property	7/17/12	SES	25 to 30	–	–	–	–	–	–	5.0	2.5	9.0	1 U	0.84
		7/17/12	SES	25 to 30	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		7/17/12	SES	45 to 50	–	–	–	–	–	–	1 U	1 U	2.4	1 U	0.20
		7/17/12	SES	45 to 50	–	–	–	–	–	–	1 U	1 U	1.2	1 U	0.2 U
		7/19/12	SES	85 to 90	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		7/19/12	SES	85 to 90	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
B103/MW103	Alley Between 8th and 9th Ave	7/25/12	SES	20 to 25	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		7/25/12	SES	20 to 25	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		7/25/12	SES	35 to 40	–	–	–	–	–	–	1,800	860	400	2.4	42
		7/25/12	SES	35 to 40	–	–	–	–	–	–	840	350	140	1 U	14
		7/26/12	SES	75 to 80	–	–	–	–	–	–	320	62	100	1 U	3.4
		7/26/12	SES	75 to 80	–	–	–	–	–	–	170	50	85	1 U	2.3
B104/MW104	8th Ave ROW	7/31/12	SES	55 to 60	–	–	0.77	3.4	1 U	3 U	900	150	480	1 U	17
		7/31/12	SES	75 to 80	–	–	1.0	2.6	1 U	3 U	220	45	180	1 U	6.1
		8/1/12	SES	95 to 100	–	–	–	–	–	–	15	5.3	11	1 U	0.24
B105/MW105	Roy St	8/9/12	SES	75 to 80	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
		8/10/12	SES	95 to 100	–	–	–	–	–	–	1 U	1 U	1 U	1 U	0.2 U
B106/MW106	SDOT property south of Roy Street	8/14/12	SES	30 to 35	–	–	–	–	–	–	8.2	1 U	1.0	1 U	0.36
		8/14/12	SES	45 to 50	–	–	–	–	–	–	1,100	110	210	1 U	20
		8/15/12	SES	85 to 90	–	–	–	–	–	–	19	2.3	9.7	1 U	0.62
B122/MW122	Alley East of 800 Aloha St	12/17/13	SES	25	–	–	29	1.5	2.5	3	1 U	1 U	1 U	1 U	0.2 U
		12/17/13	SES	40	–	–	13	1.2	1.9	3 U	1 U	1 U	120	1 U	14
		12/17/13	SES	85	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.72
B124/MW124	Valley St ROW	12/19/13	SES	45	–	170	0.35 U	1 U	7.1	49.7	1 U	1 U	1 U	1 U	0.2 U
		12/19/13	SES	60	–	–	0.35 U	1 U	20	144	1 U	1 U	1 U	1 U	0.2 U
		12/19/13	SES	100	–	–	0.35 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.2 U
B126/MW126	Alley E of 800 Aloha St	12/30/13	SES	40	–	–	3.5	2.4	3.6	3 U	1 U	1 U	1 U	1 U	0.2 U
B-213	Dexter Avenue North	9/6/17	PES	90 - 92	<3	712	3.22	436	0.158 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.424
CHB-07	Westlake Ave N ROW	4/14/08	CH2M	–	–	250 U	0.7	0.2 U	0.2 U	0.6 U	0.2 U	0.2 U	480	1.8	220
CHB-08	9th Ave N ROW	4/15/08	CH2M	–	–	250 U	0.2 U	0.2 U	0.2 U	0.6 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
CHB-09	9th Ave N ROW	4/16/08	CH2M	–	–	250 U	0.3	0.3	0.2 U	0.6 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
MW-138	Dexter Avenue North	9/14/17	PES	115 - 117	<3	–	0.275 J	10.4	1.58 U	0.316 U	0.199 U	0.153 U	0.0933 U	0.152 U	0.118 U
RS-20	800 Aloha Street Parcel	3/5/93	EPJ	–	–	99,000	96	230	1,500	7,000	5 U	–	–	–	–
SCL-B101	800 Aloha Street Parcel	6/17/02	Urban	–	–	50 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1.0 U
SCL-B102	800 Aloha Street Parcel	6/17/02	Urban	–	–	150	1 U	1 U	1 U	3	1 U	1 U	1 U	1 U	1.0 U

Table G-10

Summary of Reconnaissance Groundwater Analytical Data
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Area Location	Sample Date	Sampled By	Sample Interval (FT BTOC)	Color Tec (µg/L)	Analytical Results (micrograms per liter, µg/L)													
						GRO	Benzene		Toluene		Ethylbenzene		Total Xylenes		PCE	TCE	cDCE	tDCE	VC
Preliminary Cleanup Level (PCUL)					–	800	5.0		640		700		1,600	5.0	4	16	100	0.29	
W-MW-02	8th Ave ROW	1/30/12	WW	10 to 20	–	–	0.2	U	0.2	U	0.2	U	0.2	U	1.6	1.4	8.0	0.3	0.3
		1/30/12	WW	30 to 40	–	–	20	U	20	U	20	U	60	U	24,000	940	1,700	13 J	70
		1/30/12	WW	50 to 60	–	–	20	U	20	U	20	U	60	U	7,200	1,300	1,800	20 U	85
Notes: PCULs from Washington State Department of Ecology, Memorandum from P. Tomlinson to TCP File for American Linen Supply Co. Dexter Ave. (FSID 3573, CSID 12004) re: Development of site-specific preliminary cleanup levels, December 14, 2021. B&V = Black & Veatch. cDCE = cis-1,2-Dichloroethene. CH2M = CH2M HILL. EPJ = E.P. Johnson Construction Inc., and Environmental. DRO = Diesel-range organics. FTBTOC = feet below top of casing. Farallon = Farallon Consulting, LLC. GRO = Gasoline-range organics. HC = Hart Crowser, Inc.. ORO = Oil-range organics. PCE = Perchloroethylene (Tetrachloroethene). Retec = Remediation Technologies, Inc. ROW = right-of-way. SES = SoundEarth Strategies, Inc. TCE = Trichloroethene. tDCE = trans-1,2-Dichloroethene. Urban = Urban Redevelopment. VC = Vinyl chloride.										Laboratory and Results Notes: Petroleum hydrocarbons analyzed by EPA Method 418.1 or 8015-M, NWTPH-HCID, or NWTPH-Gx, NWTPH-Dx. VOCs analyzed by EPA Method 601, 8010S, 8015, 8020, 8021B, 8240, 8260B, 8260C, or 8260D, or by Purge and Trap Gas Chromatogram/Mass Spectrometry. Detected results are shown in bold . Detected results above the groundwater PCUL are shown in bold and highlighted in gray . – = Not analyzed or not measured. a = Sample extremely turbid; held at lab. b = Insufficient groundwater volume for laboratory analysis; ColorTec test run instead. i = The presence of the analyte indicated may be due to carryover from previous sample injections. J = Estimated concentration. ND = not detected at a concentration exceeding laboratory reporting limit; detection limit not provided. U = Not detected at a concentration exceeding laboratory reporting limit. ve = Estimated value. The reported range exceeds the calibration range of the analysis. z = No/low level gasoline/petroleum detection; result is likely elevated due to high detections of CVOCs.									

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2,2-Trichlorotrifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromoethane (ethylene dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (ethylene dichloride)	1,2-Dichloropropane	1,2-Dichlorotetrafluoroethane	1,3,5-Trimethylbenzene	1,3-Butadiene	1,3-Dichlorobenzene	1,4-Dichlorobenzene
Screening Level				76,000	1.4	3.0	76,000	52	3,000	30	910	0.14	3,000	3.2	23	–	910	2.8	–	7.6
SV01 (30.4 to 29.9) (duplicate)	8th Avenue North	SV01-20130311	03/11/13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV01-092518	09/25/18	96.7	2.75 U	2.18 U	3.07 U	6.92	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV01-092518-D	09/25/18	93.2	2.75 U	2.18 U	3.07 U	6.54	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV01-020619	02/06/19	22.0	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV01-042919	04/29/19	11.0	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV01-042919-D	04/29/19	12.6	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV-01-071919	07/19/19	49.9	2.75 U	2.18 U	3.07 U	3.03	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV-01-071919-D	07/19/19	58.3	2.75 U	2.18 U	3.07 U	3.57	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV01-110119	11/01/19	19.7	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV01-110119-D	11/01/19	68.5	1.37 U	1.09 U	1.53 U	3.42	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV01-012720	01/27/20	11.2 J	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV01-012720-D	01/27/20	37.2 J	1.37 U	1.09 U	1.53 U	1.80 J	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV01-071520	07/15/20	54.4	1.37 U	1.09 U	1.53 U	2.97	0.793 U	4.66 U	21.6	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	4.14	4.43 U	1.20 U	1.20 U
		SV-01-110820	11/08/20	52.3	1.37 U	1.09 U	1.53 U	3.10	0.793 U	4.66 U	2.29	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV01-020721	02/07/21	27.3	1.37 U	1.09 U	1.53 U	7.50	0.793 U	4.66 U	2.39	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV01-051221	05/12/21	5.71	1.37 U	1.09 U	1.53 U	12.1	0.923	4.66 U	4.24	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.23	4.43 U	1.20 U	1.20 U
(duplicate)		SV-907-051121	05/11/21	6.64	1.37 U	1.09 U	1.53 U	14.1	0.793 U	4.66 U	5.40	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.67	4.43 U	1.20 U	1.20 U
SV02 (32.1 to 31.6)	8th Avenue North	SV02-20130311	03/11/13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV02-092518	09/25/18	2.18 U	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	9.01	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	2.39	8.85 U	2.40 U	2.40 U
		SV02-020619	02/06/19	2.18 U	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV02-042919	04/29/19	2.18 U	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV-02-071919	07/19/19	2.66	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV02-110119	11/01/19	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV03 (31.8 to 31.3)	8th Avenue North	SV02-071720	07/17/20	1.18	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	5.25	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.72	4.43 U	1.20 U	1.20 U
		SV03-20130311	03/11/13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV03-092518	09/25/18	2.18 U	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	2.49	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV03-020619	02/06/19	2.18 U	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	1.96 U	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
SV-04 (38.6 to 38.1)	Roy Street	SV03-042919	04/29/19	2.18 U	2.75 U	2.18 U	3.07 U	1.60 U	1.59 U	9.33 U	4.60	3.08 U	2.40 U	1.62 U	1.85 U	2.80 U	1.96 U	8.85 U	2.40 U	2.40 U
		SV-04-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.996	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-05 (31.6 to 31.1)	Roy Street	SV-04-111020	11/10/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-05-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	3.82	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.07	4.43 U	1.20 U	1.20 U
SV-06 (47.9 to 47.4)	Roy Street	SV-05-111020	11/10/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.60	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-06-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-06-111020	11/10/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-06-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.36	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-06-050621	05/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,4-Dioxane	2,2,4-Trimethylpentane	2-Butanone (MEK)	2-Chlorotoluene	2-Propanol (isopropanol)	4-Ethyltoluene	4-Methyl-2-pentanone (MIBK)	Acetone	Allyl chloride	Benzene	Benzyl chloride	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene
Screening Level				17	–	76,000	–	–	–	46,000	470,000	14	11	1.7	2.3	76	76	11,000	14	760
SV01 (30.4 to 29.9) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate)	8th Avenue North	SV01-20130311	03/11/13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV01-092518	09/25/18	6.59 J	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	27.4	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV01-092518-D	09/25/18	1.44 UJ	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	20.3	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV01-020619	02/06/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	5.94 U	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV01-042919	04/29/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	11.3	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV01-042919-D	04/29/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	13.6	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV-01-071919	07/19/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	17.8	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV-01-071919-D	07/19/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	8.07	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV01-110119	11/01/19	0.721 U	0.934 U	3.69 U	1.03 U	16.3	0.982 U	5.12 U	27.6	0.626 U	0.719	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV01-110119-D	11/01/19	0.796	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	20.7	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV01-012720	01/27/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	21.5 J	0.626 U	0.776	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV01-012720-D	01/27/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.42 J	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV01-071520	07/15/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	8.25	5.12 U	12.5	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	1.15	1.26 U	0.924 U
		SV-01-110820	11/08/20	0.721 U	0.934 U	3.69 U	1.03 U	10.5	0.982 U	5.12 U	6.94	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	4.05	1.26 U	0.924 U
		SV01-020721	02/07/21	0.721 U	186	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	2.97 U	0.626 U	7.54	1.04 U	1.34 U	6.21 U	0.776 U	7.59	1.26 U	0.924 U
		SV01-051221	05/12/21	0.721 U	412	3.69 U	1.03 U	3.07 UJ	0.982 U	5.12 U	2.97 U	0.626 U	12.2	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV-907-051121	05/11/21	0.721 U	406	5.69	1.03 U	7.69 J	0.982 U	5.12 U	2.97 U	0.626 U	14.5	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
SV02 (32.1 to 31.6)	8th Avenue North	SV02-20130311	03/11/13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV02-092518	09/25/18	2.70	1.87 U	7.37 U	2.06 U	19.5	3.05	10.2 U	73.2	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV02-020619	02/06/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	27.3	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV02-042919	04/29/19	1.44 U	1.87 U	7.37 U	2.06 U	6.60	1.96 U	10.2 U	14.0	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV-02-071919	07/19/19	6.52	1.87 U	12.2	2.06 U	50.8	1.96 U	10.2 U	114	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV02-110119	11/01/19	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	2.97 U	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
SV03 (31.8 to 31.3)	8th Avenue North	SV02-071720	07/17/20	0.721 U	2.20	3.69 U	1.03 U	3.79	4.37	5.12 U	13.2	0.626 U	1.01	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV03-20130311	03/11/13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV03-092518	09/25/18	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	18.6	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV03-020619	02/06/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	22.4	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
SV-04 (38.6 to 38.1)	Roy Street	SV03-042919	04/29/19	1.44 U	1.87 U	7.37 U	2.06 U	6.15 U	1.96 U	10.2 U	23.9	1.25 U	1.28 U	2.08 U	2.68 U	12.4 U	1.55 U	1.24 U	2.52 U	1.85 U
		SV-04-071620	07/16/20	0.721 U	0.934 U	3.69 U	1.03 U	5.01	0.982 U	5.12 U	17.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	12.4	1.26 U	0.924 U
SV-05 (31.6 to 31.1)	Roy Street	SV-04-111020	11/10/20	1.47	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	40.6	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	8.96	1.26 U	0.924 U
		SV-05-071620	07/16/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	1.53	5.12 U	14.7	0.626 U	3.71	1.04 U	1.34 U	6.21 U	0.776 U	132	1.26 U	0.924 U
SV-06 (47.9 to 47.4)	Roy Street	SV-05-111020	11/10/20	1.12	2.15	3.69 U	1.03 U	7.42	0.982 U	5.12 U	16.1	0.626 U	1.24	1.04 U	1.34 U	6.21 U	0.776 U	49.2	1.26 U	0.924 U
		SV-06-071620	07/16/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	11.3	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	10.5	2.30	0.924 U
		SV-06-111020	11/10/20	1.43	0.934 U	13.2	1.03 U	3.07 U	0.982 U	5.12 U	49.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	4.45	2.23	0.924 U
		SV-06-020321	02/03/21	0.721 U	1.04	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.32	0.626 U	1.01	1.04 U	1.34 U	6.21 U	0.776 U	4.26	1.26 U	0.924 U
SV-06 (47.9 to 47.4)	Roy Street	SV-06-050621	05/06/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	7.01	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.40	0.924 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Cyclohexane	Dibromochloromethane	Dichlorodifluoromethane	Ethanol	Ethylbenzene	Heptane	Hexachloro-1,3-butadiene	Isopropylbenzene (cumene)	m&p-Xylene	Methyl butyl ketone (2-hexanone)	Methyl methacrylate	Methyl tert-butyl ether (MTBE)
Screening Level				150,000	3.6	1,400	–	–	91,000	–	1,500	–	15,000	6,100	3.8	6,100	1,500	460	11,000	320
SV01 (30.4 to 29.9) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate)	8th Avenue North	SV01-20130311	03/11/13	–	–	–	0.31	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV01-092518	09/25/18	1.06 U	2.32	0.826 U	1.59 U	1.82 U	1.38 U	3.40 U	1.98 U	27.5	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV01-092518-D	09/25/18	1.06 U	2.04	0.826 U	1.59 U	1.82 U	1.38 U	3.40 U	1.98 U	23.2	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV01-020619	02/06/19	1.06 U	1.95 U	0.826 U	1.59 U	1.82 U	1.38 U	3.40 U	1.98 U	7.11	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV01-042919	04/29/19	1.06 U	1.95 U	0.826 U	1.59 U	1.82 U	1.38 U	3.40 U	2.11	24.6	1.73 U	1.64 U	13.5 U	1.97 U	3.60	10.2 U	1.64 U	1.44 U
		SV01-042919-D	04/29/19	1.06 U	1.95 U	0.861	1.59 U	1.82 U	1.38 U	3.40 U	2.04	28.7	1.73 U	1.64 U	13.5 U	1.97 U	4.03	10.2 U	1.64 U	1.44 U
		SV-01-071919	07/19/19	1.06 U	1.95 U	0.826 U	1.59 U	1.82 U	1.38 U	3.40 U	2.18	9.97	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV-01-071919-D	07/19/19	1.06 U	1.95 U	0.826 U	1.59 U	1.82 U	1.38 U	3.40 U	2.03	6.80	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV01-110119	11/01/19	0.528 U	0.973 U	0.793	0.793 U	0.908 U	0.689 U	1.70 U	2.41	42.0	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV01-110119-D	11/01/19	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	19.2	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV01-012720	01/27/20	0.528 U	0.973 U	0.865 J	0.793 U	0.908 U	1.55 J	1.70 U	2.18	37.0 J	0.867 U	1.61 J	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV01-012720-D	01/27/20	0.528 U	0.973 U	0.413 UJ	0.793 U	0.908 U	0.689 UJ	1.70 U	1.53	4.30 J	0.867 U	0.818 UJ	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV01-071520	07/15/20	0.528 U	0.973 U	0.843	0.793 U	0.908 U	0.689 U	1.70 U	2.27	16.4	1.27	0.818 U	6.73 U	0.983 U	5.68	5.11 U	0.819 U	0.721 U
		SV-01-110820	11/08/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.43	28.3	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV01-020721	02/07/21	0.528 U	0.973 U	0.413 U	1.09	0.908 U	31.8	1.70 U	0.989 U	5.43	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV01-051221	05/12/21	0.528 U	0.973 U	0.413 U	8.60	0.908 U	67.2	1.70 U	1.02	58.6 J	2.90	0.818 U	6.73 U	0.983 U	8.54	5.11 U	0.819 U	0.721 U
		SV-907-051121	05/11/21	0.528 U	0.973 U	0.413 U	9.99	0.908 U	78.9	1.70 U	0.989 U	82.0 J	3.52	0.818 U	6.73 U	0.983 U	11.1	5.11 U	0.819 U	0.721 U
SV02 (32.1 to 31.6)	8th Avenue North	SV02-20130311	03/11/13	–	–	–	0.12 U	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV02-092518	09/25/18	1.06 U	1.95 U	1.23	1.59 U	1.82 U	1.38 U	3.40 U	2.22	21.7	1.73 U	1.64 U	13.5 U	1.97 U	5.58	10.2 U	1.64 U	1.44 U
		SV02-020619	02/06/19	1.06 U	1.95 U	1.18	1.59 U	1.82 U	1.38 U	3.40 U	2.47	56.9	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV02-042919	04/29/19	1.06 U	1.95 U	0.851	1.59 U	1.82 U	1.38 U	3.40 U	2.42	26.0	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV-02-071919	07/19/19	1.06 U	1.95 U	1.89	1.59 U	1.82 U	1.38 U	3.40 U	2.85	11.1	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	2.60	1.44 U
		SV02-110119	11/01/19	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	31.3	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV03 (31.8 to 31.3)	8th Avenue North	SV02-071720	07/17/20	0.528 U	0.973 U	0.768	0.793 U	0.908 U	2.93	1.70 U	2.08	39.4	2.01	2.45	6.73 U	0.983 U	14.5	5.11 U	0.819 U	0.721 U
		SV03-20130311	03/11/13	–	–	–	0.12 U	–	–	–	–	–	–	–	–	–	–	–	–	–
		SV03-092518	09/25/18	1.06 U	1.95 U	0.826 U	1.59 U	1.82 U	1.38 U	3.40 U	1.98 U	26.1	1.73 U	1.64 U	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
SV-04 (38.6 to 38.1)	Roy Street	SV03-020619	02/06/19	1.06 U	1.95 U	1.68	1.59 U	1.82 U	1.38 U	3.40 U	1.98 U	19.0	1.73 U	3.3	13.5 U	1.97 U	3.47 U	10.2 U	1.64 U	1.44 U
		SV03-042919	04/29/19	1.06 U	1.95 U	1.44	1.59 U	1.82 U	1.38 U	3.40 U	2.25	39.6	1.73 U	1.64 U	13.5 U	1.97 U	4.36	10.2 U	1.64 U	1.44 U
SV-05 (31.6 to 31.1)	Roy Street	SV-04-071620	07/16/20	0.528 U	0.973 U	1.21	0.793 U	0.908 U	0.689 U	1.70 U	3.05	25.6	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-04-111020	11/10/20	0.528 U	0.973 U	0.595	0.793 U	0.908 U	3.07	1.70 U	2.14	21.5	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-06 (47.9 to 47.4)	Roy Street	SV-05-071620	07/16/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	1.88	1.70 U	3.09	16.5	1.71	0.818 U	6.73 U	0.983 U	4.42	5.11 U	0.819 U	0.721 U
		SV-05-111020	11/10/20	0.528 U	0.973 U	1.14	0.793 U	0.908 U	1.79	1.70 U	2.07	39.6	1.48	0.818 U	6.73 U	0.983 U	3.74	5.11 U	0.819 U	0.721 U
SV-06 (47.9 to 47.4)	Roy Street	SV-06-071620	07/16/20	0.528 U	1.62	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	3.03	7.09	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-06-111020	11/10/20	0.528 U	0.973 U	0.690	0.793 U	0.908 U	0.689 U	1.70 U	3.17	10.1	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-06-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	1.43	1.70 U	3.03	18.0	0.867 U	0.818 U	6.73 U	0.983 U	2.49	5.11 U	0.819 U	0.721 U
		SV-06-050621	05/06/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.76	21.1	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Methylene chloride	Naphthalene	n-Hexane (hexane)	o-Xylene	Propene	Styrene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (DCE)	trans-1,3-Dichloropropene	Trichloroethene (TCE)	Trichlorofluoromethane	Vinyl acetate	Vinyl bromide (bromoethene)	Vinyl chloride
Screening Level				2,200	2.5	11,000	1,500	–	15,000	320	30,000	76,000	610	–	11	11,000	3,000	5.6	9.5
SV01 (30.4 to 29.9) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate) (duplicate)	8th Avenue North	SV01-20130311	03/11/13	–	–	–	–	–	–	1.5	–	–	0.58 U	–	0.16 U	–	–	–	0.71
		SV01-092518	09/25/18	1.40	6.60 U	1.41 U	1.73 U	1.38 U	1.70 U	2.72 UJ	3.64 J	1.51 U	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV01-092518-D	09/25/18	1.39 U	6.60 U	1.41 U	1.73 U	1.38 U	1.70 U	137 J	1.18 UJ	1.51 U	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV01-020619	02/06/19	2.35	6.60 U	1.41 U	1.73 U	1.38 U	1.70 U	2.72 U	1.18 U	1.83	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV01-042919	04/29/19	7.00	6.60 U	1.46	1.73 U	1.38 U	1.70 U	2.72 U	1.18 U	6.41	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV01-042919-D	04/29/19	11.1	6.60 U	1.87	1.73 U	1.55	1.70 U	2.72 U	1.18 U	6.74	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV-01-071919	07/19/19	1.90	6.60 U	1.41 U	1.73 U	1.38	1.70 U	2.72 U	1.18 U	2.06	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV-01-071919-D	07/19/19	1.39 U	6.60 U	1.41 U	1.73 U	1.38 U	1.70 U	2.72 U	1.18 U	1.51 U	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV01-110119	11/01/19	24.9	3.30 U	7.90	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	5.39	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV01-110119-D	11/01/19	0.694 U	3.30 U	0.705 U	0.867 U	0.689 U	0.851 U	2.75	0.590 U	1.62	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV01-012720	01/27/20	0.705	3.30 U	1.88 J	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	2.65 J	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV01-012720-D	01/27/20	0.694 U	3.30 U	0.705 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	0.753 UJ	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV01-071520	07/15/20	0.694 U	3.30 U	2.22 U	2.42	0.689 U	0.851 U	1.79	0.590 U	3.71	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-01-110820	11/08/20	3.10	3.30 U	3.77	0.867 U	0.689 U	0.851 U	1.55	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV01-020721	02/07/21	0.694 U	3.30 U	14.5	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	180
		SV01-051221	05/12/21	0.694 U	3.30 U	2.22 U	3.60	2.15 U	0.851 U	2.76	0.590 UJ	12.6 J	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	409
		SV-907-051121	05/11/21	0.694 U	3.30 U	2.22 U	4.55	2.15 U	0.851 U	2.97	15.2 J	18.3 J	0.816	0.908 U	1.19	1.12 U	0.704 U	0.875 U	473
SV02 (32.1 to 31.6)	8th Avenue North	SV02-20130311	03/11/13	–	–	–	–	–	–	2.3	–	–	0.61 U	–	0.17 U	–	–	–	0.040 U
		SV02-092518	09/25/18	3.81	6.60 U	2.32	2.76	8.03	1.70 U	2.72 U	1.87	1.83	1.59 U	1.82 U	2.14 U	4.35	1.41 U	1.75 U	1.02 U
		SV02-020619	02/06/19	3.27	6.60 U	1.99	1.73 U	1.38 U	1.70 U	2.72 U	1.18 U	3.16	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV02-042919	04/29/19	9.58	6.60 U	1.71	1.73 U	1.47	1.70 U	2.72 U	1.18 U	4.08	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV-02-071919	07/19/19	1.39 U	6.60 U	1.41 U	1.73 U	1.38 U	1.70 U	31.3	5.06	2.92	1.59 U	1.82 U	2.14 U	3.13	1.41 U	1.75 U	1.02 U
		SV02-110119	11/01/19	4.44	3.30 U	1.09	0.867 U	0.689 U	0.851 U	14.5	0.590 U	1.45	0.793 U	0.908 U	1.07 U	4.78	0.704 U	0.875 U	0.511 U
SV03 (31.8 to 31.3)	8th Avenue North	SV02-071720	07/17/20	0.816	3.30 U	3.51	5.25	0.689 U	0.851 U	9.51	0.590 U	9.08	0.793 U	0.908 U	1.07 U	17.1	0.704 U	0.875 U	0.511 U
		SV03-20130311	03/11/13	–	–	–	–	–	–	4.6	–	–	0.58 U	–	0.39	–	–	–	0.037 U
		SV03-092518	09/25/18	1.39 U	6.60 U	1.41 U	1.73 U	2.75	1.70 U	2.72 U	1.180 U	2.15	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV03-020619	02/06/19	2.53	6.60 U	12.2	1.73 U	1.38 U	1.70 U	2.72 U	1.180 U	1.73	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
SV-04 (38.6 to 38.1)	Roy Street	SV03-042919	04/29/19	2.69	6.60 U	1.41 U	1.90	1.38 U	1.70 U	2.72 U	1.180 U	2.03	1.59 U	1.82 U	2.14 U	2.25 U	1.41 U	1.75 U	1.02 U
		SV-04-071620	07/16/20	2.24	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	31.8	0.590 U	4.14	0.793 U	0.908 U	1.07 U	4.62	0.704 U	0.875 U	0.511 U
SV-05 (31.6 to 31.1)	Roy Street	SV-04-111020	11/10/20	1.15	3.30 U	2.22 U	0.867 U	0.828	0.851 U	21.8	2.67	1.88 U	0.793 U	0.908 U	1.07 U	4.99	0.704 U	0.875 U	0.511 U
		SV-05-071620	07/16/20	3.05	3.30 U	2.22 U	2.34	53.0	0.851 U	34.5	0.590 U	9.83	0.793 U	0.908 U	1.07 U	5.14	0.704 U	0.875 U	0.511 U
SV-06 (47.9 to 47.4)	Roy Street	SV-05-111020	11/10/20	2.00	3.30 U	3.32	1.63	4.58	0.851 U	55.2	2.64	7.99	0.793 U	0.908 U	1.07 U	5.28	0.704 U	0.875 U	0.511 U
		SV-06-071620	07/16/20	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	105	0.590 U	0.78	0.793 U	0.908 U	1.07 U	3.37	0.704 U	0.875 U	0.511 U
		SV-06-111020	11/10/20	0.694 U	3.30 U	2.22 U	0.867 U	0.832	0.851 U	79.4	0.708	1.88 U	0.793 U	0.908 U	1.07 U	3.11	0.704 U	0.875 U	0.511 U
		SV-06-020321	02/03/21	0.694 U	3.30 U	2.22 U	0.867 U	4.13	0.851 U	58.3	0.590 U	5.99	0.793 U	0.908 U	1.07 U	2.29	0.704 U	0.875 U	0.511 U
SV-06 (47.9 to 47.4)	Roy Street	SV-06-050621	05/06/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	61.8	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	2.15	0.704 U	0.875 U	0.511 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromoethane (ethylene dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (ethylene dichloride)	1,2-Dichloropropane	1,2-Dichlorotetrafluoroethane	1,3,5-Trimethylbenzene	1,3-Butadiene	1,3-Dichlorobenzene	1,4-Dichlorobenzene
Screening Level				76,000	1.4	3.0	76,000	52	3,000	30	910	0.14	3,000	3.2	23	–	910	2.8	–	7.6
SV-07 (duplicate) (38.9 to 38.4)	Roy Street	SV-07-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	4.75 J	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.33	4.43 U	1.20 U	1.20 U
		SV-901-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.22 J	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-07-111020	11/10/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.00	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-07-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.10	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.39
		SV-07-050621	05/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.03	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-08 (31.4 to 30.9)	8th Avenue North	SV-08-071420	07/14/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.12	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-08-110220	11/02/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.74	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-08-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-08-050521	05/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.88	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-09 (duplicate) (35.3 to 34.8) (duplicate)	8th Avenue North	SV-09-071420	07/14/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	3.36	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-900-071420	07/14/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	3.23	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-09-110220	11/02/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.14	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-09-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-904-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-09-050521	05/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.49	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-10 (46.3 to 45.8)	Valley Street	SV-10-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	5.55	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	2.13	4.43 U	1.20 U	1.20 U
		SV-10-110820	11/08/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.34	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-10-020521	02/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.25	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-10-050521	05/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.59	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-11 (37.4 to 36.9) (duplicate)	Valley Street	SV-11-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.20	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-11-110820	11/08/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-902-110820	11/08/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-11-020621	02/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-11-050521	05/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-12 (39.1 to 38.6)	Valley Street	SV-12-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.65	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-12-110820	11/08/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-12-020521	02/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-12-050221	05/02/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.73	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-13 (32.9 to 32.4)	Valley Street	SV-13-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.20	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-13-110820	11/08/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-13-020521	02/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.60	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-14 (35.4 to 34.9)	Roy Street	SV-14-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	39.9	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	12.2	4.43 U	1.20 U	1.20 U
		SV-14-120220	12/02/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.86	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-14-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-14-050421	05/04/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-15 (28.5 to 28.0)	Roy Street	SV-15-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.26	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-15-120220	12/02/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-15-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.62	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-15-050421	05/04/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.01	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,4-Dioxane	2,2,4-Trimethylpentane	2-Butanone (MEK)	2-Chlorotoluene	2-Propanol (isopropanol)	4-Ethyltoluene	4-Methyl-2-pentanone (MIBK)	Acetone	Allyl chloride	Benzene	Benzyl chloride	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene
Screening Level				17	–	76,000	–	–	–	46,000	470,000	14	11	1.7	2.3	76	76	11,000	14	760
SV-07 (duplicate) (38.9 to 38.4)	Roy Street	SV-07-071620	07/16/20	0.721 U	0.934 U	3.86	1.03 U	3.07 U	2.99 J	5.12 U	11.0	0.626 U	6.07	1.04 U	1.34 U	6.21 U	0.776 U	52.9	6.80	0.924 U
		SV-901-071620	07/16/20	0.721 U	0.934 U	4.28	1.03 U	3.98	0.982 UJ	5.12 U	12.9	0.626 U	5.81	1.04 U	1.34 U	6.21 U	0.776 U	48.6	6.68	0.924 U
		SV-07-111020	11/10/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	8.93	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.73	7.43	0.924 U
		SV-07-020321	02/03/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	5.16	0.626 U	0.974	1.04 U	1.34 U	6.21 U	0.776 U	3.89	5.35	0.924 U
		SV-07-050621	05/06/21	0.721 U	0.934 U	3.69 U	1.03 U	4.10	0.982 U	5.12 U	10.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	12.0	4.79	0.924 U
SV-08 (31.4 to 30.9)	8th Avenue North	SV-08-071420	07/14/20	0.721 U	0.934 U	3.69 U	1.03 U	3.22	0.982 U	5.12 U	15.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.26	1.26 U	0.924 U
		SV-08-110220	11/02/20	0.721 U	0.934 U	3.69 U	1.03 U	16.9	0.982 U	5.12 U	12.7	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	11.4	1.26 U	0.924 U
		SV-08-020321	02/03/21	0.721 U	1.65	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.32	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	10.6	1.26 U	0.924 U
		SV-08-050521	05/05/21	0.721 U	1.60	8.58	1.03 U	28.0	0.982 U	5.12 U	25.4	0.626 U	0.754	1.04 U	1.34 U	6.21 U	0.776 U	39.8	1.26 U	0.924 U
SV-09 (duplicate) (35.3 to 34.8) (duplicate)	8th Avenue North	SV-09-071420	07/14/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	1.88	5.12 U	11.4	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.44	1.26 U	0.924 U
		SV-900-071420	07/14/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	1.48	5.12 U	10.1	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	9.93	1.26 U	0.924 U
		SV-09-110220	11/02/20	0.721 U	0.934 U	3.69 U	1.03 U	12.3	0.982 U	5.12 U	7.51	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.26	1.26 U	0.924 U
		SV-09-020321	02/03/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.51	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	3.05	1.26 U	0.924 U
		SV-904-020321	02/03/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	5.85	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	1.79	1.26 U	0.924 U
		SV-09-050521	05/05/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	5.54	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	9.28	1.26 U	0.924 U
SV-10 (46.3 to 45.8)	Valley Street	SV-10-071620	07/16/20	0.721 U	1.00	7.58	1.03 U	3.07 U	2.53	5.12 U	35.9	0.626 U	0.891	1.04 U	1.34 U	6.21 U	1.45	140	2.88	0.924 U
		SV-10-110820	11/08/20	0.721 U	0.934 U	3.69 U	1.03 U	10.2	0.982 U	5.12 U	14.6	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.48	2.54	0.924 U
		SV-10-020521	02/05/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.75	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	3.08	1.26 U	0.924 U
		SV-10-050521	05/05/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	7.39	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	8.87	1.26 U	0.924 U
SV-11 (37.4 to 36.9) (duplicate)	Valley Street	SV-11-071620	07/16/20	0.721 U	1.36	3.69	1.03 U	3.07 U	1.01	5.12 U	18.4	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	22.9	1.26 U	0.924 U
		SV-11-110820	11/08/20	0.721 U	3.17	3.69 U	1.03 U	5.43	0.982 U	5.12 U	7.91 J	0.626 U	0.719	1.04 U	1.34 U	6.21 U	0.776 U	3.77	1.26 U	0.924 U
		SV-902-110820	11/08/20	0.721 U	3.89	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.25 J	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	4.20	1.26 U	0.924 U
		SV-11-020621	02/06/21	2.66	1.03	4.42	1.03 U	6.00	0.982 U	5.12 U	15.4	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	10.5	1.26 U	0.924 U
		SV-11-050521	05/05/21	0.721 U	0.958	277	1.03 U	3.07 U	0.982 U	5.12 U	57.7	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	12.0	1.26 U	0.924 U
SV-12 (39.1 to 38.6)	Valley Street	SV-12-071620	07/16/20	0.721 U	0.934 U	4.31	1.03 U	5.21	0.982 U	5.12 U	14.4	0.626 U	0.811	1.04 U	1.34 U	6.21 U	0.776 U	16.5	1.26 U	0.924 U
		SV-12-110820	11/08/20	0.721 U	0.934 U	3.69 U	1.03 U	11.9	0.982 U	5.12 U	5.89	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.10	1.26 U	0.924 U
		SV-12-020521	02/05/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	7.37	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.63	1.26 U	0.924 U
		SV-12-050221	05/02/21	0.721 U	0.934 U	3.75	1.03 U	19.3	0.982 U	5.12 U	10.1	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
SV-13 (32.9 to 32.4)	Valley Street	SV-13-071620	07/16/20	1.79	0.934 U	4.31	1.03 U	5.65	0.982 U	5.12 U	36.4	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	12.0	1.26 U	0.924 U
		SV-13-110820	11/08/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	42.8	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.35	1.26 U	0.924 U
		SV-13-020521	02/05/21	3.68	0.934 U	8.52	1.03 U	4.42	0.982 U	5.12 U	30.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	7.41	1.26 U	0.924 U
SV-14 (35.4 to 34.9)	Roy Street	SV-14-071620	07/16/20	0.721 U	0.934 U	15.4	1.30	33.4	9.37	5.12 U	114	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	17.1	1.26 U	0.924 U
		SV-14-120220	12/02/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	3.92	0.626 U	0.639 U	1.04 U	1.34 U	6.21 UJ	0.776 U	9.90	1.26 U	0.924 U
		SV-14-020321	02/03/21	0.757	0.934 U	3.69 U	1.03 U	3.27	0.982 U	5.12 U	10.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.38	1.26 U	0.924 U
		SV-14-050421	05/04/21	1.87	0.934 U	7.37	1.03 U	4.42	0.982 U	5.12 U	38.3	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	23.7	1.26 U	0.924 U
SV-15 (28.5 to 28.0)	Roy Street	SV-15-071620	07/16/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	12.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	10.6	1.26 U	0.924 U
		SV-15-120220	12/02/20	0.721 U	0.934 U	4.10	1.03 U	27.5	0.982 U	5.12 U	17.6	0.626 U	0.639 U	1.04 U	1.34 U	6.21 UJ	0.776 U	4.14	1.26 U	0.924 U
		SV-15-020321	02/03/21	0.721 U	1.19	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	41.6	0.626 U	0.898	1.04 U	1.34 U	6.21 U	0.776 U	6.10	1.26 U	0.924 U
		SV-15-050421	05/04/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	31.1	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	30.0	1.26 U	0.924 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Cyclohexane	Dibromochloromethane	Dichlorodifluoromethane	Ethanol	Ethylbenzene	Heptane	Hexachloro-1,3-butadiene	Isopropylbenzene (cumene)	m&p-Xylene	Methyl butyl ketone (2-hexanone)	Methyl methacrylate	Methyl tert-butyl ether (MTBE)
Screening Level				150,000	3.6	1,400	–	–	91,000	–	1,500	–	15,000	6,100	3.8	6,100	1,500	460	11,000	320
SV-07 (duplicate) (38.9 to 38.4)	Roy Street	SV-07-071620	07/16/20	0.528 U	0.973 U	24.2	0.793 U	0.908 U	51.3	1.70 U	2.73	9.13 J	1.45	0.818 U	6.73 U	0.983 U	6.55 J	5.11 U	0.819 U	0.721 U
		SV-901-071620	07/16/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	49.9	1.70 U	2.78	44.5 J	1.02	1.81	6.73 U	0.983 U	2.43 J	5.11 U	0.819 U	0.721 U
		SV-07-111020	11/10/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	3.22	20.7	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-07-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.61	45.4	0.867 U	0.818 U	6.73 U	0.983 U	2.61	5.11 U	0.819 U	0.721 U
		SV-07-050621	05/06/21	0.528 U	0.973 U	0.537	0.793 U	0.908 U	0.689 U	1.70 U	2.45	48.6	0.867 U	0.818 U	6.73 U	0.983 U	1.83	5.11 U	0.819 U	0.721 U
SV-08 (31.4 to 30.9)	8th Avenue North	SV-08-071420	07/14/20	0.528 U	0.973 U	1.20	0.793 U	0.908 U	0.689 U	1.70 U	2.68	28.5	0.867 U	0.818 U	6.73 U	0.983 U	2.10	5.11 U	0.819 U	0.721 U
		SV-08-110220	11/02/20	0.528 U	3.11	0.547	0.793 U	0.908 U	0.689 U	1.70 U	1.50	90.5	0.867 U	1.01	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-08-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.41	18.3	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-08-050521	05/05/21	0.528 U	0.973 U	1.18	0.793 U	0.908 U	1.27	1.70 U	1.55	447 J	0.910	1.39	6.73 U	0.983 U	3.32	5.11 U	0.819 U	0.721 U
SV-09 (duplicate) (35.3 to 34.8) (duplicate)	8th Avenue North	SV-09-071420	07/14/20	0.528 U	0.973 U	1.17	0.793 U	0.908 U	0.689 U	1.70 U	2.94	17.0	0.871	0.818 U	6.73 U	0.983 U	2.57	5.11 U	0.819 U	0.721 U
		SV-900-071420	07/14/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.88	16.5	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-09-110220	11/02/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	1.05	1.70 U	1.17	60.7	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-09-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.71	9.97	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-904-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.79	11.5	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-09-050521	05/05/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.98	12.1	0.867 U	0.818 U	6.73 U	0.983 U	2.46	5.11 U	0.819 U	0.721 U
SV-10 (46.3 to 45.8)	Valley Street	SV-10-071620	07/16/20	0.528 U	3.70	2.06	0.793 U	0.908 U	1.37	1.70 U	2.78	9.90	0.984	3.46	6.73 U	0.983 U	5.12	5.11 U	0.819 U	0.721 U
		SV-10-110820	11/08/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.31	23.4	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-10-020521	02/05/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.727	1.70 U	1.68	10.5	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-10-050521	05/05/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.830	1.70 U	1.84	23.2	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-11 (37.4 to 36.9) (duplicate)	Valley Street	SV-11-071620	07/16/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	30.2	1.02	0.818 U	6.73 U	0.983 U	1.74	5.11 U	0.819 U	0.721 U
		SV-11-110820	11/08/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	48.3 J	1.24	0.834	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-902-110820	11/08/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	12.7 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-11-020621	02/06/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	52.6	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-11-050521	05/05/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	15.0	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-12 (39.1 to 38.6)	Valley Street	SV-12-071620	07/16/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	51.9	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-12-110820	11/08/20	0.528 U	0.973 U	0.413 U	1.20	0.908 U	0.689 U	1.70 U	2.32	33.4	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-12-020521	02/05/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.899	1.70 U	1.86	18.0	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-12-050221	05/02/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.08	354 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-13 (32.9 to 32.4)	Valley Street	SV-13-071620	07/16/20	0.528 U	5.69	1.02	0.793 U	0.908 U	0.689 U	1.70 U	1.90	59.0	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-13-110820	11/08/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.16	98.4	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-13-020521	02/05/21	0.528 U	7.69	6.61	0.793 U	0.908 U	0.689 U	1.70 U	1.69	35.3	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-14 (35.4 to 34.9)	Roy Street	SV-14-071620	07/16/20	0.528 U	0.973 U	1.63	0.793 U	0.908 U	1.09	1.70 U	2.91	41.3	2.26	0.818 U	6.73 U	0.983 U	10.4	5.11 U	0.819 U	0.721 U
		SV-14-120220	12/02/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.67	12.4	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-14-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.88	20.6	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-14-050421	05/04/21	0.528 U	0.973 U	0.506	0.793 U	0.908 U	2.03	1.70 U	1.86	18.2	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-15 (28.5 to 28.0)	Roy Street	SV-15-071620	07/16/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	19.4	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-15-120220	12/02/20	0.528 U	0.973 U	0.535	0.793 U	0.908 U	0.740	1.70 U	2.00	64.3	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-15-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.94	23.9	0.945	0.982	6.73 U	0.983 U	3.25	5.11 U	0.819 U	0.721 U
		SV-15-050421	05/04/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	1.29	1.70 U	1.47	14.0	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Methylene chloride	Naphthalene	n-Hexane (hexane)	o-Xylene	Propene	Styrene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (DCE)	trans-1,3-Dichloropropene	Trichloroethene (TCE)	Trichlorofluoromethane	Vinyl acetate	Vinyl bromide (bromoethene)	Vinyl chloride
Screening Level				2,200	2.5	11,000	1,500	–	15,000	320	30,000	76,000	610	–	11	11,000	3,000	5.6	9.5
SV-07 (duplicate) (38.9 to 38.4)	Roy Street	SV-07-071620	07/16/20	0.694 U	3.30 U	6.73	2.73	456	0.851 U	43.5	0.590 UJ	6.93	0.793 U	0.908 U	1.07 U	3.00	0.704 U	0.875 U	0.511 U
		SV-901-071620	07/16/20	0.694 U	3.30 U	5.82	1.33	401	0.851 U	42.5	0.590 UJ	12.1	0.793 U	0.908 U	1.18	2.96	0.704 U	0.875 U	0.511 U
		SV-07-111020	11/10/20	2.21	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	51.6	0.590 U	1.88 U	0.793 U	0.908 U	1.32	3.39	0.704 U	0.875 U	0.511 U
		SV-07-020321	02/03/21	2.83	3.30 U	2.27	1.02	0.689 U	0.851 U	30.3	0.590 U	4.60	0.793 U	0.908 U	1.07 U	2.50	0.704 U	0.875 U	0.511 U
		SV-07-050621	05/06/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	26.4	1.54	1.88 U	0.793 U	0.908 U	1.07 U	2.11	0.704 U	0.875 U	0.511 U
SV-08 (31.4 to 30.9)	8th Avenue North	SV-08-071420	07/14/20	2.95	3.30 U	2.22 U	0.919	0.689 U	0.851 U	2.91	0.590 U	6.03	0.793 U	0.908 U	1.07 U	1.52	0.704 U	0.875 U	0.511 U
		SV-08-110220	11/02/20	8.26	3.30 U	4.62	0.867 U	0.689 U	0.851 U	14.6	0.590 U	2.99	0.793 U	0.908 U	1.07 U	1.97	0.704 U	0.875 U	0.511 U
		SV-08-020321	02/03/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	6.26	0.590 U	2.49	0.793 U	0.908 U	1.07 U	1.29	0.704 U	0.875 U	0.511 U
		SV-08-050521	05/05/21	0.747	3.30 U	2.72	1.09	2.15 U	0.851 U	7.06	20.1	8.51	0.793 U	0.908 U	1.07 U	1.42	0.704 U	0.875 U	0.511 U
SV-09 (duplicate) (35.3 to 34.8) (duplicate)	8th Avenue North	SV-09-071420	07/14/20	12.9	3.30 U	4.58	0.993	0.689 U	0.851 U	20.2	0.590 U	3.76	0.793 U	0.908 U	1.07 U	2.84	0.704 U	0.875 U	0.511 U
		SV-900-071420	07/14/20	3.51	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	28.3	0.590 U	3.09	0.793 U	0.908 U	1.07 U	3.34	0.704 U	0.875 U	0.511 U
		SV-09-110220	11/02/20	1.56	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	9.30	0.590 U	6.48	0.793 U	0.908 U	17.4	1.51	0.704 U	0.875 U	0.511 U
		SV-09-020321	02/03/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	6.99	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.74	0.704 U	0.875 U	0.511 U
		SV-904-020321	02/03/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	6.93	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.76	0.704 U	0.875 U	0.511 U
		SV-09-050521	05/05/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	1.42	12.6	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	2.37	0.704 U	0.875 U	0.511 U
SV-10 (46.3 to 45.8)	Valley Street	SV-10-071620	07/16/20	1.44	3.30 U	2.96	2.12	7.23	0.851 U	7.13	0.590 U	4.37	0.793 U	0.908 U	1.07 U	1.66	0.704 U	0.875 U	0.511 U
		SV-10-110820	11/08/20	2.49	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	5.17	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.47	0.704 U	0.875 U	0.511 U
		SV-10-020521	02/05/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.89	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-10-050521	05/05/21	0.694 U	3.30 U	2.58	0.867 U	2.15 U	0.851 U	3.27	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
SV-11 (37.4 to 36.9) (duplicate)	Valley Street	SV-11-071620	07/16/20	1.31	3.30 U	2.22 U	0.867	0.689 U	0.851 U	55.8	0.590 U	3.35	0.793 U	0.908 U	1.43	1.12 U	0.704 U	0.875 U	0.511 U
		SV-11-110820	11/08/20	3.51 J	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	2.85	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-902-110820	11/08/20	1.79 J	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-11-020621	02/06/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-11-050521	05/05/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	3.03	120	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
SV-12 (39.1 to 38.6)	Valley Street	SV-12-071620	07/16/20	1.21	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	7.40	0.590 U	6.40	0.793 U	0.908 U	1.07 U	1.88	0.704 U	0.875 U	0.511 U
		SV-12-110820	11/08/20	3.47	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	3.19	0.590 U	1.88 U	0.793 U	0.908 U	2.14	1.90	0.704 U	0.875 U	0.511 U
		SV-12-020521	02/05/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.72	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-12-050221	05/02/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	2.41	3.51	3.92	0.793 U	0.908 U	1.07 U	1.42	0.704 U	0.875 U	0.511 U
SV-13 (32.9 to 32.4)	Valley Street	SV-13-071620	07/16/20	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	3.23	1.04	9.57	0.793 U	0.908 U	1.07 U	1.64	0.704 U	0.875 U	0.511 U
		SV-13-110820	11/08/20	3.47	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	3.46	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	2.51	0.704 U	0.875 U	0.511 U
		SV-13-020521	02/05/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	2.62	5.90	1.88 U	0.793 U	0.908 U	1.07 U	1.17	0.704 U	0.875 U	0.511 U
SV-14 (35.4 to 34.9)	Roy Street	SV-14-071620	07/16/20	0.694 U	11.3	12.5	5.20	1.57	0.851 U	3.61	0.590 U	6.48	0.793 U	0.908 U	1.07 U	6.01	0.704 U	0.875 U	0.511 U
		SV-14-120220	12/02/20	1.74	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	2.11	0.793 U	0.908 U	1.07 U	5.36	0.704 U	0.875 U	0.511 U
		SV-14-020321	02/03/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	3.70	0.704 U	0.875 U	0.511 U
		SV-14-050421	05/04/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	1.42	1.96	1.88 U	0.793 U	0.908 U	1.07 U	4.55	0.704 U	0.875 U	0.511 U
SV-15 (28.5 to 28.0)	Roy Street	SV-15-071620	07/16/20	2.79	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	3.88	0.793 U	0.908 U	1.07 U	4.89	0.704 U	0.875 U	0.511 U
		SV-15-120220	12/02/20	4.20	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	26.0	0.793 U	0.908 U	1.07 U	4.50	0.704 U	0.875 U	0.511 U
		SV-15-020321	02/03/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.889	1.36 U	0.590 U	15.3	0.793 U	0.908 U	1.07 U	2.84	0.704 U	0.875 U	0.511 U
		SV-15-050421	05/04/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	1.36 U	0.970	1.88 U	0.793 U	0.908 U	1.07 U	2.66	0.704 U	0.875 U	31.7

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromoethane (ethylene dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (ethylene dichloride)	1,2-Dichloropropane	1,2-Dichlorotetrafluoroethane	1,3,5-Trimethylbenzene	1,3-Butadiene	1,3-Dichlorobenzene	1,4-Dichlorobenzene
Screening Level				76,000	1.4	3.0	76,000	52	3,000	30	910	0.14	3,000	3.2	23	–	910	2.8	–	7.6
SV-16 (37.5 to 37.0)	8th Avenue North	SV-16-071520	07/15/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.37	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-16-111920	11/19/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	8.79	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	2.23	4.43 U	1.20 U	1.20 U
		SV-16-020721	02/07/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.15	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-16-051021	05/10/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	3.72	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-17 (36.6 to 36.1)	8th Avenue North	SV-17-071620	07/16/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.78	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-17-110220	11/02/20	31.1	1.37 U	1.09 U	1.53 U	1.23	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-17-020721	02/07/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	3.96	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.38	4.43 U	1.20 U	1.20 U
		SV-17-050621	05/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-18 (36.6 to 36.1)	8th Avenue North	SV-18-071620	07/16/20	48.2	1.37 U	1.09 U	1.53 U	2.02	0.793 U	4.66 U	1.44	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-18-110220	11/02/20	115	1.37 U	1.09 U	1.53 U	4.37	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-18-020721	02/07/21	75.6	1.37 U	1.09 U	1.53 U	3.86	0.793 U	4.66 U	3.42	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.36	4.43 U	1.20 U	1.20 U
		SV-18-050621	05/06/21	105	1.37 U	1.09 U	1.53 U	4.89	0.793 U	4.66 U	3.67	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.01	4.43 U	1.20 U	1.20 U
SV-19 (29.7 to 29.2)	9th Avenue North	SV-19-071520	07/15/20	3.61	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.59	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-19-110820	11/08/20	1.76	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-19-020721	02/07/21	3.23	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-19-050421	05/04/21	3.37	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-20 (25.7 to 25.2)	9th Avenue North	SV-20-071520	07/15/20	3.62	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.95	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-20-110820	11/08/20	5.71	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-20-020721	02/07/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-20-050521	05/05/21	3.42	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-21 (29.8 to 29.3) (duplicate)	Alley Between 8th & 9th	SV-21-071520	07/15/20	5.49	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.11	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-21-110920	11/09/20	3.37	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-21-020321	02/03/21	1.56	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	3.88	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.36	4.43 U	1.20 U	1.90
		SV-21-050421	05/04/21	2.51	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-906-050421	05/04/21	2.67	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-22 (25.7 to 25.2)	Alley Between 8th & 9th	SV-22-071520	07/15/20	7.02	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.26	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-22-110920	11/09/20	5.15	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-22-020321	02/03/21	3.57	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-22-050421	05/04/21	2.86	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.09	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-23 (27.9 to 27.4)	Alley Between 8th & 9th	SV-23-071420	07/14/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.24	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-23-110920	11/09/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-23-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	3.65	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.12	4.43 U	1.20 U	1.20 U
		SV-23-050421	05/04/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
SV-24 (23.8 to 23.3)	Alley Between 8th & 9th	SV-24-071420	07/14/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-24-110920	11/09/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U
		SV-24-020321	02/03/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	448 J	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	127 J	4.43 U	1.20 U	1.20 U
		SV-24-050421	05/04/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,4-Dioxane	2,2,4-Trimethylpentane	2-Butanone (MEK)	2-Chlorotoluene	2-Propanol (isopropanol)	4-Ethyltoluene	4-Methyl-2-pentanone (MIBK)	Acetone	Allyl chloride	Benzene	Benzyl chloride	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene
Screening Level				17	–	76,000	–	–	–	46,000	470,000	14	11	1.7	2.3	76	76	11,000	14	760
SV-16 (37.5 to 37.0)	8th Avenue North	SV-16-071520	07/15/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	8.60	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	7.38	1.26 U	0.924 U
		SV-16-111920	11/19/20	1.31	0.934 U	4.07	1.03 U	3.07 U	0.982 U	5.12 U	32.1	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.23	1.26 U	0.924 U
		SV-16-020721	02/07/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	13.3	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.79	1.26 U	0.924 U
		SV-16-051021	05/10/21	0.721 U	0.934 U	14.7	1.03 U	3.39 U	0.982 U	5.12 U	9.24	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
SV-17 (36.6 to 36.1)	8th Avenue North	SV-17-071620	07/16/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	1.03	5.12 U	11.0	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	20.5	1.26 U	0.924 U
		SV-17-110220	11/02/20	0.721 U	0.934 U	3.69 U	1.03 U	5.68	0.982 U	5.12 U	10.0	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	16.6	1.26 U	0.924 U
		SV-17-020721	02/07/21	0.721 U	13.7	3.69 U	1.03 U	3.07 U	1.02	5.12 U	83.4	0.626 U	7.03	1.04 U	1.34 U	6.21 U	0.776 U	7.66	1.26 U	0.924 U
		SV-17-050621	05/06/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	6.34	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	25.2	1.26 U	0.924 U
SV-18 (36.6 to 36.1)	8th Avenue North	SV-18-071620	07/16/20	0.721 U	1.32	3.69 U	1.03 U	3.39	1.29	5.12 U	8.44	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	4.95	1.26 U	0.924 U
		SV-18-110220	11/02/20	1.03	0.934 U	3.69 U	1.03 U	3.42	0.982 U	5.12 U	11.6	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	13.2	1.26 U	0.924 U
		SV-18-020721	02/07/21	2.07	0.934 U	6.10	1.03 U	46.5	0.982 U	5.12 U	54.4	0.626 U	0.716	1.04 U	1.34 U	6.21 U	0.776 U	12.9	1.26 U	0.924 U
		SV-18-050621	05/06/21	0.721 U	5.28	4.75	1.03 U	18.7	0.982 U	5.12 U	33.5	0.626 U	4.92	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
SV-19 (29.7 to 29.2)	9th Avenue North	SV-19-071520	07/15/20	0.721 U	1.19	3.69 U	1.03 U	3.07 U	1.96	5.12 U	17.9	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	2.08	1.26 U	0.924 U
		SV-19-110820	11/08/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	2.97 U	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV-19-020721	02/07/21	6.27	0.934 U	19.2	1.03 U	26.5	0.982 U	5.12 U	30.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	4.08	1.26 U	0.924 U
		SV-19-050421	05/04/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	12.0	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	4.45	1.26 U	0.924 U
SV-20 (25.7 to 25.2)	9th Avenue North	SV-20-071520	07/15/20	0.721 U	0.934 U	18.4	1.03 U	3.07 U	2.33	5.12 U	9.89	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	2.95	1.26 U	0.924 U
		SV-20-110820	11/08/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	5.68	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.23	1.26 U	0.924 U
		SV-20-020721	02/07/21	0.721 U	0.934 U	5.34	1.03 U	3.07 U	0.982 U	5.12 U	39.2	0.626 U	8.82	1.04 U	1.34 U	6.21 U	0.776 U	27.8	1.26 U	0.924 U
		SV-20-050521	05/05/21	0.721 U	0.934 U	3.69 U	1.03 U	9.86	0.982 U	5.12 U	6.77	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	10.1	1.26 U	0.924 U
SV-21 (29.8 to 29.3) (duplicate)	Alley Between 8th & 9th	SV-21-071520	07/15/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	1.60	5.12 U	10.8	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	14.4	1.26 U	0.924 U
		SV-21-110920	11/09/20	0.721 U	0.934 U	3.69 U	1.03 U	4.84	0.982 U	5.12 U	5.13	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.94	1.26 U	0.924 U
		SV-21-020321	02/03/21	0.721 U	15.7	3.77	1.03 U	8.50	0.982 U	5.12 U	34.0	0.626 U	7.99	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV-21-050421	05/04/21	0.721 U	0.934 U	9.05	1.03 U	3.07 U	0.982 U	5.12 U	7.70 J	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV-906-050421	05/04/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	3.52 J	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
SV-22 (25.7 to 25.2)	Alley Between 8th & 9th	SV-22-071520	07/15/20	0.721 U	0.934 U	3.69 U	1.03 U	3.39	1.54	5.12 U	23.7	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	31.4	1.26 U	0.924 U
		SV-22-110920	11/09/20	0.721 U	0.934 U	3.69 U	1.03 U	11.9	0.982 U	5.12 U	2.97 U	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	10.2	1.26 U	0.924 U
		SV-22-020321	02/03/21	0.767	0.934 U	4.92	1.03 U	3.81	0.982 U	5.12 U	21.3	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	13.0	1.26 U	0.924 U
		SV-22-050421	05/04/21	0.721 U	1.28	6.07	1.03 U	17.9	0.982 U	5.12 U	17.8	0.626 U	0.639	1.04 U	1.34 U	6.21 U	0.776 U	30.0	1.26 U	0.924 U
SV-23 (27.9 to 27.4)	Alley Between 8th & 9th	SV-23-071420	07/14/20	0.721 U	0.934 U	3.69 U	1.03 U	4.01	1.02	5.12 U	10.3	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	11.1	1.26 U	0.924 U
		SV-23-110920	11/09/20	0.721 U	2.71	3.69 U	1.03 U	14.7	0.982 U	5.12 U	9.32	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	9.43	1.26 U	0.924 U
		SV-23-020321	02/03/21	0.721 U	8.41	3.69 U	1.03 U	5.73	0.982 U	5.12 U	8.98	0.626 U	5.30	1.04 U	1.34 U	6.21 U	0.776 U	11.4	1.26 U	0.924 U
		SV-23-050421	05/04/21	0.721 U	0.934 U	8.91	1.03 U	3.07 U	0.982 U	5.12 U	17.1	0.626 U	5.49	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
SV-24 (23.8 to 23.3)	Alley Between 8th & 9th	SV-24-071420	07/14/20	0.721 U	7570	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	11.5 J	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	9.03 J	1.26 U	0.924 U
		SV-24-110920	11/09/20	0.721 U	7990	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.09 J	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV-24-020321	02/03/21	0.721 U	5,050	3.69 U	1.03 U	3.07 U	108 J	5.12 U	3.61 J	0.626 U	273 J	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
		SV-24-050421	05/04/21	0.721 U	5,190	247 J	1.03 U	3.07 U	0.982 U	5.12 U	2.97 U	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Cyclohexane	Dibromochloromethane	Dichlorodifluoromethane	Ethanol	Ethylbenzene	Heptane	Hexachloro-1,3-butadiene	Isopropylbenzene (cumene)	m&p-Xylene	Methyl butyl ketone (2-hexanone)	Methyl methacrylate	Methyl tert-butyl ether (MTBE)
Screening Level				150,000	3.6	1,400	–	–	91,000	–	1,500	–	15,000	6,100	3.8	6,100	1,500	460	11,000	320
SV-16 (37.5 to 37.0)	8th Avenue North	SV-16-071520	07/15/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	3.18	26.8	0.867 U	0.818 U	6.73 U	0.983 U	2.34	5.11 U	0.819 U	0.721 U
		SV-16-111920	11/19/20	0.528 U	0.973 U	1.63	0.793 U	0.908 U	0.689 U	1.70 U	1.92	30.4	0.867 U	0.818 U	6.73 U	0.983 U	5.98	5.11 U	0.819 U	0.721 U
		SV-16-020721	02/07/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	6.68	1.70 U	2.49	31.1	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-16-051021	05/10/21	0.528 U	0.973 U	0.725	1.17	0.908 U	0.689 U	1.70 U	2.22	36.8	2.28	0.818 U	6.73 U	0.983 U	7.85	5.11 U	0.819 U	0.721 U
SV-17 (36.6 to 36.1)	8th Avenue North	SV-17-071620	07/16/20	0.528 U	9.00	0.413 U	0.793 U	0.908 U	0.758	1.70 U	2.64	13.9	0.867 U	1.30	6.73 U	0.983 U	2.72	5.11 U	0.819 U	0.721 U
		SV-17-110220	11/02/20	0.528 U	12.3	0.558	0.793 U	0.908 U	0.689 U	1.70 U	1.53	21.9	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-17-020721	02/07/21	0.528 U	33.7	0.413 U	0.793 U	0.908 U	9.75	1.70 U	2.23	42.4	2.28	10.1	6.73 U	0.983 U	8.11	5.11 U	0.819 U	0.721 U
		SV-17-050621	05/06/21	0.528 U	84.2	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.14	67.9	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-18 (36.6 to 36.1)	8th Avenue North	SV-18-071620	07/16/20	0.528 U	0.973 U	1.22	0.793 U	0.908 U	0.689 U	1.70 U	2.72	23.8	0.867 U	0.949	6.73 U	0.983 U	4.29	5.11 U	0.819 U	0.721 U
		SV-18-110220	11/02/20	0.528 U	12.9	0.640	0.793 U	0.908 U	0.689 U	1.70 U	1.03	18.2	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-18-020721	02/07/21	0.528 U	8.57	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.17	224 J+	1.08	0.818 U	6.73 U	0.983 U	3.58	5.11 U	0.819 U	0.721 U
		SV-18-050621	05/06/21	0.528 U	7.11	0.958	0.793 U	0.908 U	9.75	1.70 U	1.23	251 J	3.72	4.50	6.73 U	0.983 U	14.3	5.11 U	0.819 U	0.721 U
SV-19 (29.7 to 29.2)	9th Avenue North	SV-19-071520	07/15/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	30.1	17.3	0.902	1.07	6.73 U	0.983 U	5.51	5.11 U	0.819 U	0.721 U
		SV-19-110820	11/08/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	10.8	86.2	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-19-020721	02/07/21	0.528 U	0.973 U	0.485	0.793 U	0.908 U	6.16	1.70 U	31.4	47.3	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-19-050421	05/04/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	21.2	76.9	0.867 U	0.818 U	6.73 U	0.983 U	2.15	5.11 U	0.819 U	0.721 U
SV-20 (25.7 to 25.2)	9th Avenue North	SV-20-071520	07/15/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	38.1	16.1	1.02	0.818 U	6.73 U	0.983 U	4.31	5.11 U	0.819 U	0.721 U
		SV-20-110820	11/08/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	41.1	33.6	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-20-020721	02/07/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	73.0	1.70 U	0.989 U	11.6	0.871	19.7	6.73 U	0.983 U	2.58	5.11 U	0.819 U	0.721 U
		SV-20-050521	05/05/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	25.6	209 J	0.936	0.818 U	6.73 U	0.983 U	3.25	5.11 U	0.819 U	0.721 U
SV-21 (29.8 to 29.3) (duplicate)	Alley Between 8th & 9th	SV-21-071520	07/15/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	3.26	14.1	0.867 U	0.818 U	6.73 U	0.983 U	2.69	5.11 U	0.819 U	0.721 U
		SV-21-110920	11/09/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.91	19.2	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-21-020321	02/03/21	0.528 U	0.973 U	0.527	0.793 U	0.908 U	5.54	1.70 U	2.06	39.4	2.32	10.3	6.73 U	0.983 U	8.02	5.11 U	0.819 U	0.721 U
		SV-21-050421	05/04/21	0.528 U	0.973 U	0.492	0.793 U	0.908 U	0.689 U	1.70 U	1.93	55.8 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
SV-22 (25.7 to 25.2)	Alley Between 8th & 9th	SV-22-071520	07/15/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	11.1	0.867 U	0.875	6.73 U	0.983 U	3.43	5.11 U	0.819 U	0.721 U
		SV-22-110920	11/09/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	1.68	54.1	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-22-020321	02/03/21	0.528 U	0.973 U	0.744	0.793 U	0.908 U	0.689 U	1.70 U	1.68	12.9	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-22-050421	05/04/21	0.528 U	0.973 U	0.500	0.793 U	0.908 U	1.03	1.70 U	1.88	236 J	0.884	0.961	6.73 U	0.983 U	2.90	5.11 U	0.819 U	0.721 U
SV-23 (27.9 to 27.4)	Alley Between 8th & 9th	SV-23-071420	07/14/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	17.9	0.867 U	0.818 U	6.73 U	0.983 U	2.52	5.11 U	0.819 U	0.721 U
		SV-23-110920	11/09/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.971	1.70 U	1.48	37.9	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-23-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	4.92	1.70 U	1.48	45.4	1.90	6.22	6.73 U	0.983 U	6.59	5.11 U	0.819 U	0.721 U
		SV-23-050421	05/04/21	0.528 U	0.973 U	0.653	0.793 U	0.908 U	0.689 U	1.70 U	1.38	23.2	1.98	0.818 U	6.73 U	0.983 U	6.11	5.11 U	0.819 U	0.721 U
SV-24 (23.8 to 23.3)	Alley Between 8th & 9th	SV-24-071420	07/14/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	18.7 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-24-110920	11/09/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	11.0 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-24-020321	02/03/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	13.0 J	166 J	67.1 J	6.73 U	10.6 J	607 J	5.11 U	0.819 U	0.721 U
		SV-24-050421	05/04/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	0.989 U	6.88 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Methylene chloride	Naphthalene	n-Hexane (hexane)	o-Xylene	Propene	Styrene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (DCE)	trans-1,3-Dichloropropene	Trichloroethene (TCE)	Trichlorofluoromethane	Vinyl acetate	Vinyl bromide (bromoethene)	Vinyl chloride
Screening Level				2,200	2.5	11,000	1,500	–	15,000	320	30,000	76,000	610	–	11	11,000	3,000	5.6	9.5
SV-16 (37.5 to 37.0)	8th Avenue North	SV-16-071520	07/15/20	0.694 U	3.30 U	2.22 U	0.958	0.689 U	0.851 U	6.86	0.590 U	3.54	0.793 U	0.908 U	1.07 U	11.6	0.704 U	0.875 U	0.511 U
		SV-16-111920	11/19/20	0.694 U	3.30 U	2.22 U	2.24	0.689 U	0.851 U	4.20	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	8.65	0.704 U	0.875 U	0.511 U
		SV-16-020721	02/07/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	2.83	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	5.37	0.704 U	0.875 U	0.511 U
		SV-16-051021	05/10/21	0.694 U	3.30 U	2.22 U	2.51	2.15 U	0.851 U	153	16.3	1.88 U	1.29	0.908 U	12.8	4.96	0.704 U	0.875 U	0.511 U
SV-17 (36.6 to 36.1)	8th Avenue North	SV-17-071620	07/16/20	0.694 U	3.30 U	2.22 U	0.98	0.689 U	0.851 U	4.80	0.590 U	3.45	0.793 U	0.908 U	1.07 U	10.6	0.704 U	0.875 U	0.511 U
		SV-17-110220	11/02/20	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	6.65	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	5.84	0.704 U	0.875 U	0.511 U
		SV-17-020721	02/07/21	0.705	3.30 U	27.8	2.14	0.689 U	0.851 U	1.51	0.590 U	23.0	0.793 U	0.908 U	1.07 U	2.62	0.704 U	0.875 U	0.511 U
		SV-17-050621	05/06/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	1.79	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	3.03	0.704 U	0.875 U	0.511 U
SV-18 (36.6 to 36.1)	8th Avenue North	SV-18-071620	07/16/20	4.93	3.30 U	2.22 U	1.58	0.689 U	0.851 U	1.36 U	0.590 U	6.22	0.793 U	0.908 U	1.07 U	1.53	0.704 U	0.875 U	0.511 U
		SV-18-110220	11/02/20	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-18-020721	02/07/21	0.694 U	3.30 U	2.22 U	0.997	0.689 U	0.851 U	1.36 U	0.590 U	3.55	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-18-050621	05/06/21	1.14	3.30 U	8.81	4.60	2.15 U	0.851 U	1.36 U	0.590 U	33.4	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
SV-19 (29.7 to 29.2)	9th Avenue North	SV-19-071520	07/15/20	2.32	3.30 U	2.41	1.99	0.689 U	0.851 U	46.7	0.590 U	5.20	0.793 U	0.908 U	1.07 U	54.4	0.704 U	0.875 U	0.511 U
		SV-19-110820	11/08/20	4.48	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	15.1	0.590 U	4.86	0.793 U	0.908 U	1.07 U	19.8	0.704 U	0.875 U	0.511 U
		SV-19-020721	02/07/21	0.694 U	3.30 U	2.22 U	0.867 U	0.811	0.851 U	20.4	3.16	1.88 U	0.793 U	0.908 U	1.07 U	45.5	0.704 U	0.875 U	0.511 U
		SV-19-050421	05/04/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	29.8	2.90	3.03	0.793 U	0.908 U	1.07 U	39.2	0.704 U	0.875 U	0.511 U
SV-20 (25.7 to 25.2)	9th Avenue North	SV-20-071520	07/15/20	1.64	3.30 U	2.60	1.59	0.689 U	0.851 U	74.7	0.590 U	3.96	0.793 U	0.908 U	1.07 U	67.4	0.704 U	0.875 U	0.511 U
		SV-20-110820	11/08/20	0.795	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	99.8	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	80.9	0.704 U	0.875 U	0.511 U
		SV-20-020721	02/07/21	0.694 U	3.30 U	34.7	1.62	2.34	0.851 U	1.36 U	0.590 U	8.32	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-20-050521	05/05/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	49.4	1.75	1.88 U	0.793 U	0.908 U	1.07 U	45.4	0.704 U	0.875 U	0.511 U
SV-21 (29.8 to 29.3) (duplicate)	Alley Between 8th & 9th	SV-21-071520	07/15/20	0.694 U	3.30 U	2.22 U	0.915	0.689 U	0.851 U	36.4	0.590 U	3.92	0.793 U	0.908 U	1.07 U	4.10	0.704 U	0.875 U	0.511 U
		SV-21-110920	11/09/20	1.03	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	19.8	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.88	0.704 U	0.875 U	0.511 U
		SV-21-020321	02/03/21	1.39	3.30 U	30.0	2.13	1.86	0.851 U	7.81	0.590 U	17.1	0.793 U	0.908 U	6.38	1.12 U	0.704 U	0.875 U	0.511 U
		SV-21-050421	05/04/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	13.6	3.16 J	1.88 U	0.793 U	0.908 U	1.07 U	1.66	0.704 U	0.875 U	0.511 U
SV-22 (25.7 to 25.2)	Alley Between 8th & 9th	SV-22-071520	07/15/20	0.694 U	3.30 U	2.22 U	1.28	0.689 U	0.851 U	14.9	0.590 U	4.78	0.793 U	0.908 U	1.07 U	4.86	0.704 U	0.875 U	0.511 U
		SV-22-110920	11/09/20	15.9	3.30 U	5.89	0.867 U	0.689 U	0.851 U	11.1	0.590 U	2.26	0.793 U	0.908 U	1.07 U	2.50	0.704 U	0.875 U	0.511 U
		SV-22-020321	02/03/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	8.08	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.26	0.704 U	0.875 U	0.511 U
		SV-22-050421	05/04/21	0.694 U	3.30 U	3.51	0.906	2.15 U	0.851 U	7.26	13.4	10.5	0.793 U	0.908 U	1.07 U	1.50	0.704 U	0.875 U	0.511 U
SV-23 (27.9 to 27.4)	Alley Between 8th & 9th	SV-23-071420	07/14/20	2.99	3.30 U	2.22 U	0.98	0.689 U	0.851 U	9.30	0.590 U	4.52	0.793 U	0.908 U	1.07 U	2.23	0.704 U	0.875 U	0.511 U
		SV-23-110920	11/09/20	5.28	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	5.97	0.590 U	2.22	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-23-020321	02/03/21	0.694 U	3.30 U	18.4	1.82	0.689 U	0.851 U	3.23	0.590 U	11.2	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-23-050421	05/04/21	0.774	3.30 U	2.22 U	0.867 U	6.20	0.851 U	3.98	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
SV-24 (23.8 to 23.3)	Alley Between 8th & 9th	SV-24-071420	07/14/20	0.694 U	3.30 U	9.73 J	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	0.753 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-24-110920	11/09/20	0.694 U	19.7 J	19.6 J	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-24-020321	02/03/21	0.694 U	44.8 J	127 J	163 J	0.689 U	0.851 U	1.36 U	0.590 U	535	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
		SV-24-050421	05/04/21	0.694 U	3.30 U	7.30 J	0.867 U	2.15 U	0.851 U	1.36 U	0.590 U	2.21 J	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,1,1-Trichloroethane	1,1,2,2-Tetrachloroethane	1,1,2-Trichloroethane	1,1,2-Trichlorotrifluoroethane	1,1-Dichloroethane	1,1-Dichloroethene	1,2,4-Trichlorobenzene	1,2,4-Trimethylbenzene	1,2-Dibromoethane (ethylene dibromide)	1,2-Dichlorobenzene	1,2-Dichloroethane (ethylene dichloride)	1,2-Dichloropropane	1,2-Dichlorotetrafluoroethane	1,3,5-Trimethylbenzene	1,3-Butadiene	1,3-Dichlorobenzene	1,4-Dichlorobenzene	
Screening Level				76,000	1.4	3.0	76,000	52	3,000	30	910	0.14	3,000	3.2	23	–	910	2.8	–	7.6	
SV-25 (52.7 to 52.2) (duplicate)	Dexter Avenue North	SV-25-071520	07/15/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	9.33	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	2.62	4.43 U	1.20 U	1.20 U	
		SV-25-110920	11/09/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	10.5 J	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	2.12 J	4.43 U	1.20 U	1.20 U	
		SV-903-110920	11/09/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	6.38 J	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	1.49 J	4.43 U	1.20 U	1.20 U	
		SV-25-020621	02/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-25-050521	05/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	2.09	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
SV-26 (46.7 to 46.2)	Dexter Avenue North	SV-26-071520	07/15/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	9.87	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	3.16	4.43 U	1.20 U	1.20 U	
		SV-26-111120	11/11/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-26-050621	05/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.02	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
SV-27 (44.1 to 43.6) (duplicate)	Dexter Avenue North	SV-27-071520	07/15/20	1.25	1.37 U	1.09 U	1.57	0.802 U	0.793 U	4.66 U	1.82	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-27-110920	11/09/20	1.50	1.37 U	1.09 U	1.60	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-27-020621	02/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-905-020621	02/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-27-050521	05/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.01	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
SV-28 (53.1 to 52.6)	Dexter Avenue North	SV-28-071720	07/17/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.95	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-28-110920	11/09/20	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-28-020621	02/06/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.40	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
		SV-28-050521	05/05/21	1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	1.20	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
Number of Analytes Measured				113	113	113	113	113	113	113	113	113	113	113	113	113	113	113	113	113	
Number of Analytes Detected				34	0	0	2	11	1	0	64	0	0	0	0	0	0	18	0	0	2
Frequency of Detection				30.1%	0.0%	0.0%	1.8%	9.7%	0.9%	0.0%	56.6%	0.0%	0.0%	0.0%	0.0%	0.0%	15.9%	0.0%	0.0%	1.8%	
Maximum Detection				115	–	–	1.60	14.1	0.923	–	448 J	–	–	–	–	–	127 J	–	–	1.90	
Minimum Detection				1.09 U	1.37 U	1.09 U	1.53 U	0.802 U	0.793 U	4.66 U	0.982 U	1.54 U	1.20 U	0.810 U	0.924 U	1.40 U	0.982 U	4.43 U	1.20 U	1.20 U	
Number Of Detections above SL				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Frequency of Detection Above SL				0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
Notes:																					
Laboratory analyses conducted by Air Toxics Ltd. of Folsom, CA (2013 samples) and Pace Analytical of Mount Juliet, TN (2018-2021 samples).																					
Volatile Organic Compounds (VOCs) analyzed by EPA Method TO-15 or Modified TO-15 Low Level Analysis.																					
Analytical results in micrograms per cubic meter (µg/m3).																					
Screening levels based on CLARC, July 2021, Vapor Intrusion Method B table, Sub-Slab Soil Gas Screening Levels. See Appendix K for complete Screening Level evaluation.																					
Screening level for m&p-xylenes and o-xylenes is applicable to total xylenes.																					
Probe screen elevations indicated below sample probe in parentheses.																					
– = Screening level not established or results not available																					
U = Not detected at a concentration exceeding laboratory reporting limit.																					
Detected results shown in bold .																					
Detections exceeding the screening level are shown in bold and highlighted in gray .																					
J = The identification of the analyte is acceptable; the reported value is an estimate.																					
J = The identification of the analyte is acceptable; the reported value is an estimate and likely biased high.																					
(duplicate) = Field duplicate. Samples collected concurrently.																					
Samples collected by SoundEarth Strategies in 2013 were only analyzed for PCE, TCE, cDCE, tDCE, and VC																					

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	1,4-Dioxane	2,2,4-Trimethylpentane	2-Butanone (MEK)	2-Chlorotoluene	2-Propanol (isopropanol)	4-Ethyltoluene	4-Methyl-2-pentanone (MIBK)	Acetone	Allyl chloride	Benzene	Benzyl chloride	Bromodichloromethane	Bromoform	Bromomethane	Carbon disulfide	Carbon tetrachloride	Chlorobenzene
Screening Level				17	–	76,000	–	–	–	46,000	470,000	14	11	1.7	2.3	76	76	11,000	14	760
(SV-25 (52.7 to 52.2) (duplicate)	Dexter Avenue North	SV-25-071520	07/15/20	0.721 U	0.934 U	3.69 U	4.19	3.07 U	5.89	5.12 U	14.4	0.626 U	1.49	1.04 U	1.34 U	6.21 U	0.776 U	20.9	1.26 U	0.924 U
		SV-25-110920	11/09/20	0.721 U	2.61 J	3.69 U	1.03 U	3.07 UJ	2.61 J	5.12 U	9.03 J	0.626 U	1.01	1.04 U	1.34 U	6.21 U	0.776 U	0.622 UJ	1.26 U	0.924 U
		SV-903-110920	11/09/20	0.789	1.70 J	3.69 U	1.03 U	8.11 J	1.89 J	5.12 U	18.0 J	0.626 U	0.818	1.04 U	1.34 U	6.21 U	0.776 U	4.45 J	1.26 U	0.924 U
		SV-25-020621	02/06/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	9.17	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	5.01	1.26 U	0.924 U
		SV-25-050521	05/05/21	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	11.6	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	16.2	1.26 U	0.924 U
(SV-26 (46.7 to 46.2)	Dexter Avenue North	SV-26-071520	07/15/20	0.721 U	0.934 U	3.69 U	3.98	5.19	6.18	5.12 U	18.8	0.626 U	4.57	1.04 U	1.34 U	6.21 U	0.776 U	20.2	1.26 U	0.924 U
		SV-26-111120	11/11/20	1.21	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	24.7	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.07	1.26 U	0.924 U
		SV-26-050621	05/06/21	0.721 U	0.934 U	3.69 U	1.03 U	7.79 U	0.982 U	5.12 U	12.8	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	111	1.26 U	0.924 U
(SV-27 (44.1 to 43.6) (duplicate)	Dexter Avenue North	SV-27-071520	07/15/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	1.78	5.12 U	15.8	0.626 U	0.639 U	1.04 U	2.75	6.21 U	0.776 U	7.56	1.26 U	0.924 U
		SV-27-110920	11/09/20	14.9	0.934 U	5.54	1.03 U	5.73	0.982 U	5.12 U	73.0	0.626 U	0.661	1.04 U	2.13	6.21 U	0.776 U	5.20	1.26 U	0.924 U
		SV-27-020621	02/06/21	0.721 U	0.934 UJ	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	4.71 J	0.626 U	0.901 J	1.04 U	1.34 U	6.21 U	0.776 U	0.622 UJ	1.26 U	0.924 U
		SV-905-020621	02/06/21	0.721 U	27.2 J	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	15.2 J	0.626 U	4.25 J	1.04 U	1.34 U	6.21 U	0.776 U	44.8 J	1.26 U	0.924 U
		SV-27-050521	05/05/21	0.721 U	1.10	3.69 U	1.03 U	3.07 U	2.19	5.12 U	7.08	0.626 U	0.639 U	1.04 U	1.47	6.21 U	0.776 U	11.1	1.26 U	0.924 U
(SV-28 (53.1 to 52.6)	Dexter Avenue North	SV-28-071720	07/17/20	0.721 U	0.934 U	3.69 U	1.03 U	4.87	1.16	5.12 U	96.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	6.63	1.26 U	0.924 U
		SV-28-110920	11/09/20	0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	6.08	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	3.49	1.26 U	0.924 U
		SV-28-020621	02/06/21	0.721 U	0.934 U	3.69 U	1.03 U	4.01	0.982 U	5.12 U	17.8	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	4.89	1.26 U	0.924 U
		SV-28-050521	05/05/21	0.721 U	1.79	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	11.2	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	39.5	1.26 U	0.924 U
Number of Analytes Measured				113	113	113	113	113	113	113	113	113	113	113	113	113	113	113	113	113
Number of Analytes Detected				18	28	29	3	45	24	0	106	0	29	0	3	0	1	84	9	0
Frequency of Detection				15.9%	24.8%	25.7%	2.7%	39.8%	21.2%	0.0%	93.8%	0.0%	25.7%	0.0%	2.7%	0.0%	0.9%	74.3%	8.0%	0.0%
Maximum Detection				14.9	7,990	277	4.19	50.8	108 J	–	114	–	273 J	–	2.75	–	1.45	140	7.43	–
Minimum Detection				0.721 U	0.934 U	3.69 U	1.03 U	3.07 U	0.982 U	5.12 U	2.97 U	0.626 U	0.639 U	1.04 U	1.34 U	6.21 U	0.776 U	0.622 U	1.26 U	0.924 U
Number Of Detections above SL				0	0	0	0	3	0	0	0	0	2	0	1	0	0	0	0	0
Frequency of Detection Above SL				0.0%	0.0%	0.0%	0.0%	2.7%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%
Notes: Laboratory analyses conducted by Air Toxics Ltd. of Folsom, CA (2013 samples) and Pace Analytical of Mount Juliet, TN (2018-2021 samples). Volatile Organic Compounds (VOCs) analyzed by EPA Method TO-15 or Modified TO-15 Low Level Analysis. Analytical results in micrograms per cubic meter (µg/m3). Screening levels based on CLARC, July 2021, Vapor Intrusion Method B table, Sub-Slab Soil Gas Screening Levels. See Appendix K for complete Screening Level evaluation. Screening level for m&p-xylenes and o-xylenes is applicable to total xylenes. Probe screen elevations indicated below sample probe in parentheses. – = Screening level not established or results not available U = Not detected at a concentration exceeding laboratory reporting limit. Detected results shown in bold. Detections exceeding the screening level are shown in bold and highlighted in gray. J = The identification of the analyte is acceptable; the reported value is an estimate. J = The identification of the analyte is acceptable; the reported value is an estimate and likely biased high. (duplicate) = Field duplicate. Samples collected concurrently. Samples collected by SoundEarth Strategies in 2013 were only analyzed for PCE, TCE, cDCE, tDCE, and VC																				

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Chloroethane	Chloroform	Chloromethane	cis-1,2-Dichloroethene (cDCE)	cis-1,3-Dichloropropene	Cyclohexane	Dibromochloromethane	Dichlorodifluoromethane	Ethanol	Ethylbenzene	Heptane	Hexachloro-1,3-butadiene	Isopropylbenzene (cumene)	m&p-Xylene	Methyl butyl ketone (2-hexanone)	Methyl methacrylate	Methyl tert-butyl ether (MTBE)
Screening Level				150,000	3.6	1,400	–	–	91,000	–	1,500	–	15,000	6,100	3.8	6,100	1,500	460	11,000	320
SV-25 (52.7 to 52.2) (duplicate)	Dexter Avenue North	SV-25-071520	07/15/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	3.26	14.2	3.58	1.24	6.73 U	0.983 U	14.7	5.11 U	0.819 U	0.721 U
		SV-25-110920	11/09/20	0.528 U	0.973 U	1.25 J	0.793 U	0.908 U	0.868	1.70 U	2.58	25.8 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-903-110920	11/09/20	0.528 U	0.973 U	0.865 J	0.793 U	0.908 U	0.689 U	1.70 U	2.58	87.5 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-25-020621	02/06/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.15	15.9	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-25-050521	05/05/21	0.528 U	0.973 U	1.20	0.793 U	0.908 U	0.988	1.70 U	53.9	25.8	1.60	0.818 U	6.73 U	0.983 U	3.53	5.11 U	0.819 U	0.721 U
SV-26 (46.7 to 46.2)	Dexter Avenue North	SV-26-071520	07/15/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	3.60	20.2	3.85	9.98	6.73 U	0.983 U	13.0	5.11 U	0.819 U	0.721 U
		SV-26-111120	11/11/20	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.59	24.1	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-26-050621	05/06/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	1.55	1.70 U	2.94	84.3	0.867 U	0.818 U	6.73 U	0.983 U	2.01	5.11 U	23.9	0.721 U
SV-27 (44.1 to 43.6) (duplicate)	Dexter Avenue North	SV-27-071520	07/15/20	0.528 U	84.2	1.22	0.793 U	0.908 U	0.689 U	1.70 U	3.47	20.9	0.958	0.818 U	6.73 U	0.983 U	4.26	5.11 U	0.819 U	0.721 U
		SV-27-110920	11/09/20	0.528 U	63.8	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.88	52.6	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-27-020621	02/06/21	0.528 U	0.973 U	1.05 J	0.793 U	0.908 U	0.689 U	1.70 U	2.24	10.2 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-905-020621	02/06/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	19.9 J	1.70 U	1.77	6.81 J	0.867 U	22.2 J	6.73 U	0.983 U	2.13	5.11 U	0.819 U	0.721 U
		SV-27-050521	05/05/21	0.528 U	46.8	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.16	25.1	4.27	0.924	6.73 U	0.983 U	6.68	5.11 U	0.819 U	0.721 U
SV-28 (53.1 to 52.6)	Dexter Avenue North	SV-28-071720	07/17/20	0.528 U	1.73	0.832	0.793 U	0.908 U	0.802	1.70 U	2.37	51.9	0.915	0.818 U	6.73 U	0.983 U	2.81	5.11 U	0.819 U	0.721 U
		SV-28-110920	11/09/20	0.528 U	1.45	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.84	12.9	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-28-020621	02/06/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	15.4	1.70 U	2.11	30.7	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
		SV-28-050521	05/05/21	0.528 U	0.973 U	0.413 U	0.793 U	0.908 U	0.689 U	1.70 U	2.11	76.2	0.867 U	0.818 U	6.73 U	0.983 U	3.09	5.11 U	0.819 U	0.721 U
Number of Analytes Measured				113	113	113	116	113	113	113	113	113	113	113	113	113	113	113	113	113
Number of Analytes Detected				0	18	43	5	0	34	0	94	113	32	22	0	1	49	0	2	0
Frequency of Detection				0.0%	15.9%	38.1%	4.3%	0.0%	30.1%	0.0%	83.2%	#####	28.3%	19.5%	0.0%	0.9%	43.4%	0.0%	1.8%	0.0%
Maximum Detection				–	84.2	24.2	9.99	–	78.9	–	53.9	447 J	166 J	67.1 J	–	10.6 J	607 J	–	23.9	–
Minimum Detection				0.528 U	0.973 U	0.413 U	0.120 U	0.908 U	0.689 U	1.70 U	0.989 U	4.30 J	0.867 U	0.818 U	6.73 U	0.983 U	1.73 U	5.11 U	0.819 U	0.721 U
Number Of Detections above SL				0	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Frequency of Detection Above SL				0.0%	11.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Notes: Laboratory analyses conducted by Air Toxics Ltd. of Folsom, CA (2013 samples) and Pace Analytical of Mount Juliet, TN (2018-2021 samples). Volatile Organic Compounds (VOCs) analyzed by EPA Method TO-15 or Modified TO-15 Low Level Analysis. Analytical results in micrograms per cubic meter (µg/m3). Screening levels based on CLARC, July 2021, Vapor Intrusion Method B table, Sub-Slab Soil Gas Screening Levels. See Appendix K for complete Screening Level evaluation. Screening level for m&p-xylenes and o-xylenes is applicable to total xylenes. Probe screen elevations indicated below sample probe in parentheses. – = Screening level not established or results not available U = Not detected at a concentration exceeding laboratory reporting limit. Detected results shown in bold. Detections exceeding the screening level are shown in bold and highlighted in gray. J = The identification of the analyte is acceptable; the reported value is an estimate. J = The identification of the analyte is acceptable; the reported value is an estimate and likely biased high. (duplicate) = Field duplicate. Samples collected concurrently. Samples collected by SoundEarth Strategies in 2013 were only analyzed for PCE, TCE, cDCE, tDCE, and VC																				

Table G-11

Soil Vapor Analytical Results
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Sample Location	Location Description	Sample Name	Sample Date	Methylene chloride	Naphthalene	n-Hexane (hexane)	o-Xylene	Propene	Styrene	Tetrachloroethene (PCE)	Tetrahydrofuran	Toluene	trans-1,2-Dichloroethene (tDCE)	trans-1,3-Dichloropropene	Trichloroethene (TCE)	Trichlorofluoromethane	Vinyl acetate	Vinyl bromide (bromoethene)	Vinyl chloride
Screening Level				2,200	2.5	11,000	1,500	–	15,000	320	30,000	76,000	610	–	11	11,000	3,000	5.6	9.5
SV-25 (52.7 to 52.2) (duplicate)	Dexter Avenue North	SV-25-071520	07/15/20	0.694 U	3.30 U	2.22 U	4.94	0.689 U	0.851 U	215	0.590 U	14.2	0.793 U	0.908 U	1.07 U	6.52	0.704 U	0.875 U	0.511 U
		SV-25-110920	11/09/20	1.16	3.30 U	2.22 U	0.867 U	0.689 UJ	0.851 U	14.8 J	0.952	2.03	0.793 U	0.908 U	1.07 U	1.48 J	0.704 U	0.875 U	0.511 U
		SV-903-110920	11/09/20	1.53	3.30 U	2.22 U	0.867 U	1.58 J	0.851 U	54.0 J	0.708	2.09	0.793 U	0.908 U	1.07 U	2.33 J	0.704 U	0.875 U	0.511 U
		SV-25-020621	02/06/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	73.3	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	2.08	0.704 U	0.875 U	0.511 U
		SV-25-050521	05/05/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	121	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	4.11	0.704 U	0.875 U	0.511 U
SV-26 (46.7 to 46.2)	Dexter Avenue North	SV-26-071520	07/15/20	0.694 U	3.30 U	39.5	5.12	480	0.851 U	66.9	0.590 U	15.4	0.793 U	0.908 U	2.61	1.12 U	0.704 U	0.875 U	0.511 U
		SV-26-111120	11/11/20	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	105	1.11	1.88 U	0.793 U	0.908 U	2.37	1.44	0.704 U	0.875 U	0.511 U
		SV-26-050621	05/06/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	51.6	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.12 U	0.704 U	0.875 U	0.511 U
SV-27 (44.1 to 43.6) (duplicate)	Dexter Avenue North	SV-27-071520	07/15/20	0.694 U	3.30 U	2.22 U	1.60	0.689 U	0.851 U	95.7	0.590 U	5.09	0.793 U	0.908 U	1.07 U	3.07	0.704 U	0.875 U	0.511 U
		SV-27-110920	11/09/20	2.92	3.30 U	2.22 U	0.867 U	1.30	0.851 U	87.6	6.96	1.88 U	0.793 U	0.908 U	1.07 U	3.09	0.704 U	0.875 U	0.511 U
		SV-27-020621	02/06/21	0.694 U	3.30 U	2.22 UJ	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	1.88 UJ	0.793 U	0.908 U	1.07 U	1.16 J	0.704 U	0.875 U	0.511 U
		SV-905-020621	02/06/21	0.694 U	3.30 U	127 J	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	6.37 J	0.793 U	0.908 U	1.07 U	3.10 J	0.704 U	0.875 U	0.511 U
		SV-27-050521	05/05/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	65.9	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.84	0.704 U	0.875 U	0.511 U
SV-28 (53.1 to 52.6)	Dexter Avenue North	SV-28-071720	07/17/20	5.69	3.30 U	4.37	1.23	1.89	0.851 U	31.6	1.09	5.54	0.793 U	0.908 U	1.07 U	1.78	0.704 U	0.875 U	0.511 U
		SV-28-110920	11/09/20	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	79.4	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	2.09	0.704 U	0.875 U	0.511 U
		SV-28-020621	02/06/21	0.694 U	3.30 U	2.22 U	0.867 U	0.689 U	0.851 U	36.0	0.590 U	1.88 U	0.793 U	0.908 U	1.07 U	1.33	0.704 U	0.875 U	0.511 U
		SV-28-050521	05/05/21	0.694 U	3.30 U	2.22 U	0.867 U	2.15 U	0.851 U	55.7	4.28	4.60	0.793 U	0.908 U	1.07 U	1.76	0.704 U	0.875 U	0.511 U
Number of Analytes Measured				113	113	113	113	113	113	116	113	113	116	113	116	113	113	113	116
Number of Analytes Detected				51	3	35	37	19	2	85	25	67	1	0	9	77	0	0	4
Frequency of Detection				45.1%	2.7%	31.0%	32.7%	16.8%	1.8%	73.3%	22.1%	59.3%	0.9%	0.0%	7.8%	68.1%	0.0%	0.0%	3.4%
Maximum Detection				24.9	44.8 J	127 J	163 J	480	1.42	215	120	535	1.29	–	17.4	80.9	–	–	473
Minimum Detection				0.694 U	3.30 U	0.705 U	0.867 U	0.689 U	0.851 U	1.36 U	0.590 U	0.753 UJ	0.580 U	0.908 U	0.160 U	1.12 U	0.704 U	0.875 U	0.037 U
Number Of Detections above SL				0	3	0	0	0	0	0	0	0	0	0	2	0	0	0	3
Frequency of Detection Above SL				0.0%	2.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	0.0%	2.6%
Notes: Laboratory analyses conducted by Air Toxics Ltd. of Folsom, CA (2013 samples) and Pace Analytical of Mount Juliet, TN (2018-2021 samples). Volatile Organic Compounds (VOCs) analyzed by EPA Method TO-15 or Modified TO-15 Low Level Analysis. Analytical results in micrograms per cubic meter (µg/m3). Screening levels based on CLARC, July 2021, Vapor Intrusion Method B table, Sub-Slab Soil Gas Screening Levels. See Appendix K for complete Screening Level evaluation. Screening level for m&p-xylenes and o-xylenes is applicable to total xylenes. Probe screen elevations indicated below sample probe in parentheses. – = Screening level not established or results not available U = Not detected at a concentration exceeding laboratory reporting limit. Detected results shown in bold. Detections exceeding the screening level are shown in bold and highlighted in gray. J = The identification of the analyte is acceptable; the reported value is an estimate. J = The identification of the analyte is acceptable; the reported value is an estimate and likely biased high. (duplicate) = Field duplicate. Samples collected concurrently. Samples collected by SoundEarth Strategies in 2013 were only analyzed for PCE, TCE, cDCE, tDCE, and VC																			

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	B-205 (63 feet bgs)		B-206 (47 feet bgs)													
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$												
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—												
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0224	0.01355												
	¾"	0.9500	0.0000	0.00000	0.0221	0.02082												
	1/4"	0.6351	0.0034	0.00455	0.0108	0.01445												
	4,757 (No. 4)	0.4757	0.0092	0.01720	0.0118	0.02206												
Coarse Sand	3,364 (No. 6)	0.3364	0.0053	0.01368	0.0151	0.03898												
	2,000 (No. 10)	0.2000	0.0078	0.03156	0.0176	0.07121												
Medium Sand	1414 (No. 14)	0.1414	0.0038	0.02332	0.0129	0.07915												
	1000 (No. 18)	0.1000	0.0059	0.05118	0.0187	0.16220												
	707 (No. 25)	0.0707	0.0135	0.16555	0.0339	0.41571												
	500 (No. 35)	0.0500	0.0351	0.60849	0.0469	0.81306												
	420 (No. 40)	0.0420	0.0200	0.44240	0.0246	0.54415												
Fine Sand	354 (No. 45)	0.0354	0.0364	0.95643	0.0525	1.37946												
	250 (No. 60)	0.0250	0.1109	3.84025	0.0998	3.45588												
	177 (No. 80)	0.0177	0.1207	5.90739	0.0657	3.21554												
	125 (No. 120)	0.0125	0.1108	7.66826	0.0942	6.51941												
	74 (No. 200)	0.0074	0.1328	14.44952	0.1007	10.95683												
Silt and Clay	53 (No. 270)	0.0053	0.1280	20.99405	0.1222	20.04276												
	37 (No. 400)	0.0037	0.0965	22.43055	0.0844	19.61801												
	25	0.0025	0.0533	18.09968	0.0479	16.25578												
	15.6	0.00156	0.0533	28.07513	0.0479	25.21498												
	5	0.0005	0.0533	66.84813	0.0479	60.03797												
Sum			1.00	190.627	1.00	168.892												
Estimated Maximum k (cm/sec)				2.62E-03		3.33E-03												
Estimated Median k (cm/sec)				1.12E-03		1.43E-03												
Estimated Minimum k (cm/sec)				3.71E-04		4.73E-04												
% Gravel			1.3		6.7													
% Sand			60.3		58.3													
% Silt and Clay			38.5		35.0													
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: <table><tr><td>Rounded</td><td>6.1</td></tr><tr><td>Median</td><td>6.25</td></tr><tr><td>Worn</td><td>6.4</td></tr></table> 4. Estimated porosities: <table><tr><td>Maximum</td><td>0.40</td></tr><tr><td>Median</td><td>0.33</td></tr><tr><td>Minimum</td><td>0.25</td></tr></table>							Rounded	6.1	Median	6.25	Worn	6.4	Maximum	0.40	Median	0.33	Minimum	0.25
Rounded	6.1																	
Median	6.25																	
Worn	6.4																	
Maximum	0.40																	
Median	0.33																	
Minimum	0.25																	

Table G-12a

Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen	Screen	B-207 (50 feet bgs)		B-208 (56 - 57 feet bgs)													
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$												
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—												
Fine Gravel	½"	1.2501	0.1085	0.06561	0.0000	0.00000												
	¾"	0.9500	0.0089	0.00838	0.0253	0.02383												
	1/4"	0.6351	0.0107	0.01431	0.0173	0.02314												
	4,757 (No. 4)	0.4757	0.0053	0.00991	0.0056	0.01047												
Coarse Sand	3,364 (No. 6)	0.3364	0.0101	0.02607	0.0092	0.02375												
	2,000 (No. 10)	0.2000	0.0126	0.05098	0.0149	0.06029												
Medium Sand	1414 (No. 14)	0.1414	0.0082	0.05031	0.0103	0.06320												
	1000 (No. 18)	0.1000	0.0099	0.08587	0.0161	0.13965												
	707 (No. 25)	0.0707	0.0178	0.21828	0.0290	0.35563												
	500 (No. 35)	0.0500	0.0315	0.54608	0.0564	0.97775												
	420 (No. 40)	0.0420	0.0378	0.83613	0.0491	1.08609												
Fine Sand	354 (No. 45)	0.0354	0.0311	0.81717	0.0439	1.15349												
	250 (No. 60)	0.0250	0.1098	3.80216	0.1267	4.38738												
	177 (No. 80)	0.0177	0.0971	4.75234	0.0691	3.38194												
	125 (No. 120)	0.0125	0.1020	7.05923	0.1096	7.58522												
	74 (No. 200)	0.0074	0.0797	8.67189	0.0883	9.60763												
Silt and Clay	53 (No. 270)	0.0053	0.0997	16.35240	0.0992	16.27039												
	37 (No. 400)	0.0037	0.0799	18.57203	0.0894	20.78022												
	25	0.0025	0.0464	15.74672	0.0470	15.93903												
	15.6	0.00156	0.0464	24.42537	0.0470	24.72366												
	5	0.0005	0.0464	58.15787	0.0470	58.86813												
Sum			1.00	160.269	1.00	165.461												
Estimated Maximum k (cm/sec)				3.70E-03		3.47E-03												
Estimated Median k (cm/sec)				1.59E-03		1.49E-03												
Estimated Minimum k (cm/sec)				5.25E-04		4.93E-04												
% Gravel			13.3		4.8													
% Sand			54.8		62.3													
% Silt and Clay			31.9		33.0													
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: <table><tr><td>Rounded</td><td>6.1</td></tr><tr><td>Median</td><td>6.25</td></tr><tr><td>Worn</td><td>6.4</td></tr></table> 4. Estimated porosities: <table><tr><td>Maximum</td><td>0.40</td></tr><tr><td>Median</td><td>0.33</td></tr><tr><td>Minimum</td><td>0.25</td></tr></table>							Rounded	6.1	Median	6.25	Worn	6.4	Maximum	0.40	Median	0.33	Minimum	0.25
Rounded	6.1																	
Median	6.25																	
Worn	6.4																	
Maximum	0.40																	
Median	0.33																	
Minimum	0.25																	

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen Size (microns)	Screen Size (cm)	B-209 (57 feet bgs)		B-210 (59 - 60 feet bgs)													
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$												
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—												
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0378	0.02286												
	¾"	0.9500	0.0216	0.02035	0.0172	0.01620												
	1/4"	0.6351	0.0132	0.01766	0.0108	0.01445												
	4,757 (No. 4)	0.4757	0.0057	0.01065	0.0036	0.00673												
Coarse Sand	3,364 (No. 6)	0.3364	0.0056	0.01446	0.0016	0.00413												
	2,000 (No. 10)	0.2000	0.0154	0.06231	0.0047	0.01902												
Medium Sand	1414 (No. 14)	0.1414	0.0112	0.06872	0.0024	0.01473												
	1000 (No. 18)	0.1000	0.0155	0.13445	0.0050	0.04337												
	707 (No. 25)	0.0707	0.0265	0.32497	0.0090	0.11037												
	500 (No. 35)	0.0500	0.0392	0.67957	0.0246	0.42646												
	420 (No. 40)	0.0420	0.0436	0.96443	0.0293	0.64811												
Fine Sand	354 (No. 45)	0.0354	0.0358	0.94066	0.0248	0.65163												
	250 (No. 60)	0.0250	0.1037	3.59093	0.1053	3.64634												
	177 (No. 80)	0.0177	0.0893	4.37059	0.0801	3.92031												
	125 (No. 120)	0.0125	0.0910	6.29794	0.1150	7.95894												
	74 (No. 200)	0.0074	0.0807	8.78070	0.0864	9.40090												
Silt and Clay	53 (No. 270)	0.0053	0.1255	20.58401	0.1236	20.27238												
	37 (No. 400)	0.0037	0.0944	21.94242	0.0991	23.03489												
	25	0.0025	0.0607	20.58839	0.0732	24.84181												
	15.6	0.00156	0.0607	31.93546	0.0732	38.53312												
	5	0.0005	0.0607	76.03974	0.0732	91.74905												
Sum			1.00	197.368	1.00	225.336												
Estimated Maximum k (cm/sec)				2.44E-03		1.87E-03												
Estimated Median k (cm/sec)				1.05E-03		8.03E-04												
Estimated Minimum k (cm/sec)				3.46E-04		2.66E-04												
% Gravel			4.1		6.9													
% Sand			55.8		48.8													
% Silt and Clay			40.2		44.2													
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: <table><tr><td>Rounded</td><td>6.1</td></tr><tr><td>Median</td><td>6.25</td></tr><tr><td>Worn</td><td>6.4</td></tr></table> 4. Estimated porosities: <table><tr><td>Maximum</td><td>0.40</td></tr><tr><td>Median</td><td>0.33</td></tr><tr><td>Minimum</td><td>0.25</td></tr></table>							Rounded	6.1	Median	6.25	Worn	6.4	Maximum	0.40	Median	0.33	Minimum	0.25
Rounded	6.1																	
Median	6.25																	
Worn	6.4																	
Maximum	0.40																	
Median	0.33																	
Minimum	0.25																	

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	B-211 (83 feet bgs)		B-213 (99 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0161	0.00974	0.0193	0.01167
	¾"	0.9500	0.0100	0.00942	0.0000	0.00000
	1/4"	0.6351	0.0067	0.00896	0.0000	0.00000
	4,757 (No. 4)	0.4757	0.0209	0.03906	0.0117	0.02187
Coarse Sand	3,364 (No. 6)	0.3364	0.0110	0.02840	0.0067	0.01730
	2,000 (No. 10)	0.2000	0.0166	0.06717	0.0140	0.05665
Medium Sand	1414 (No. 14)	0.1414	0.0290	0.17794	0.0135	0.08283
	1000 (No. 18)	0.1000	0.0855	0.74163	0.0335	0.29058
	707 (No. 25)	0.0707	0.2184	2.67823	0.0921	1.12942
	500 (No. 35)	0.0500	0.2392	4.14676	0.1702	2.95058
	420 (No. 40)	0.0420	0.0654	1.44664	0.1217	2.69199
Fine Sand	354 (No. 45)	0.0354	0.1055	2.77206	0.0884	2.32275
	250 (No. 60)	0.0250	0.0733	2.53824	0.1524	5.27732
	177 (No. 80)	0.0177	0.0133	0.65094	0.0185	0.90544
	125 (No. 120)	0.0125	0.0350	2.42229	0.0842	5.82733
	74 (No. 200)	0.0074	0.0109	1.18599	0.0233	2.53520
Silt and Clay	53 (No. 270)	0.0053	0.0198	3.24752	0.0448	7.34792
	37 (No. 400)	0.0037	0.0069	1.60384	0.0251	5.83427
	25	0.0025	0.0055	1.85522	0.0269	9.12903
	15.6	0.00156	0.0055	2.87770	0.0269	14.16040
	5	0.0005	0.0055	6.85193	0.0269	33.71652
Sum			1.00	35.360	1.00	94.309
Estimated Maximum k (cm/sec)				7.60E-02		1.07E-02
Estimated Median k (cm/sec)				3.26E-02		4.59E-03
Estimated Minimum k (cm/sec)				1.08E-02		1.52E-03
% Gravel			5.4		3.1	
% Sand			90.3		81.9	
% Silt and Clay			4.3		15.1	

Notes:

1. Kozeny-Carman Equation:

$$k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$$

where Θ = total porosity

1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec)

f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless)

d_{li} = diameter of larger sieve in pair (cm)

d_{si} = diameter of smaller sieve in pair (cm)

SF = grain shape factor (dimensionless)

2. Frac retained = fraction (by weight) retained on screen

3. Estimated shape factors:

Rounded

6.1

Median

6.25

Worn

6.4

4. Estimated porosities:

Maximum

0.40

Median

0.33

Minimum

0.25

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen Size (microns)	Screen Size (cm)	B-216 (77 feet bgs)		B-217 (97 - 99 feet bgs)													
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$												
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—												
Fine Gravel	½"	1.2501	0.0000	0.00000	0.2494	0.15081												
	¾"	0.9500	0.0066	0.00622	0.0000	0.00000												
	1/4"	0.6351	0.0131	0.01752	0.0517	0.06915												
	4,757 (No. 4)	0.4757	0.0091	0.01701	0.0195	0.03645												
Coarse Sand	3,364 (No. 6)	0.3364	0.0025	0.00645	0.0124	0.03201												
	2,000 (No. 10)	0.2000	0.0109	0.04410	0.0253	0.10237												
Medium Sand	1414 (No. 14)	0.1414	0.0099	0.06074	0.0245	0.15033												
	1000 (No. 18)	0.1000	0.0139	0.12057	0.0441	0.38252												
	707 (No. 25)	0.0707	0.0251	0.30780	0.0742	0.90991												
	500 (No. 35)	0.0500	0.0375	0.65010	0.1594	2.76335												
	420 (No. 40)	0.0420	0.0350	0.77420	0.0823	1.82047												
Fine Sand	354 (No. 45)	0.0354	0.0309	0.81191	0.0436	1.14561												
	250 (No. 60)	0.0250	0.1635	5.66169	0.0681	2.35817												
	177 (No. 80)	0.0177	0.1164	5.69693	0.0153	0.74882												
	125 (No. 120)	0.0125	0.1125	7.78592	0.0394	2.72680												
	74 (No. 200)	0.0074	0.0922	10.03197	0.0216	2.35022												
Silt and Clay	53 (No. 270)	0.0053	0.0948	15.54872	0.0212	3.47714												
	37 (No. 400)	0.0037	0.0976	22.68623	0.0141	3.27742												
	25	0.0025	0.0429	14.54762	0.0113	3.82356												
	15.6	0.00156	0.0429	22.56539	0.0113	5.93087												
	5	0.0005	0.0429	53.72918	0.0113	14.12167												
Sum			1.00	161.070	1.00	46.378												
Estimated Maximum k (cm/sec)				3.66E-03		4.42E-02												
Estimated Median k (cm/sec)				1.57E-03		1.90E-02												
Estimated Minimum k (cm/sec)				5.20E-04		6.27E-03												
% Gravel			2.9		32.1													
% Sand			65.0		61.0													
% Silt and Clay			32.1		6.9													
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: <table><tr><td>Rounded</td><td>6.1</td></tr><tr><td>Median</td><td>6.25</td></tr><tr><td>Worn</td><td>6.4</td></tr></table> 4. Estimated porosities: <table><tr><td>Maximum</td><td>0.40</td></tr><tr><td>Median</td><td>0.33</td></tr><tr><td>Minimum</td><td>0.25</td></tr></table>							Rounded	6.1	Median	6.25	Worn	6.4	Maximum	0.40	Median	0.33	Minimum	0.25
Rounded	6.1																	
Median	6.25																	
Worn	6.4																	
Maximum	0.40																	
Median	0.33																	
Minimum	0.25																	

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	B-219 (73 feet bgs)		MW-132 (53 feet bgs)													
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$												
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—												
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0298	0.01802												
	¾"	0.9500	0.0214	0.02016	0.0000	0.00000												
	1/4"	0.6351	0.0085	0.01137	0.0037	0.00495												
	4,757 (No. 4)	0.4757	0.0115	0.02149	0.0103	0.01925												
Coarse Sand	3,364 (No. 6)	0.3364	0.0142	0.03666	0.0116	0.02995												
	2,000 (No. 10)	0.2000	0.0254	0.10277	0.0309	0.12502												
Medium Sand	1414 (No. 14)	0.1414	0.0156	0.09572	0.0186	0.11412												
	1000 (No. 18)	0.1000	0.0268	0.23246	0.0390	0.33829												
	707 (No. 25)	0.0707	0.0539	0.66097	0.0657	0.80568												
	500 (No. 35)	0.0500	0.0756	1.31060	0.0863	1.49609												
	420 (No. 40)	0.0420	0.0836	1.84922	0.0352	0.77862												
Fine Sand	354 (No. 45)	0.0354	0.0559	1.46880	0.0693	1.82089												
	250 (No. 60)	0.0250	0.1211	4.19346	0.1047	3.62556												
	177 (No. 80)	0.0177	0.0550	2.69185	0.0485	2.37372												
	125 (No. 120)	0.0125	0.1186	8.20809	0.0986	6.82393												
	74 (No. 200)	0.0074	0.0799	8.69365	0.0897	9.75996												
Silt and Clay	53 (No. 270)	0.0053	0.0721	11.82555	0.0726	11.90756												
	37 (No. 400)	0.0037	0.0609	14.15565	0.0519	12.06368												
	25	0.0025	0.0333	11.28968	0.0445	15.11323												
	15.6	0.00156	0.0333	17.51186	0.0445	23.44274												
	5	0.0005	0.0333	41.69652	0.0445	55.81819												
Sum			1.00	126.077	1.00	146.479												
Estimated Maximum k (cm/sec)				5.98E-03		4.43E-03												
Estimated Median k (cm/sec)				2.57E-03		1.90E-03												
Estimated Minimum k (cm/sec)				8.49E-04		6.29E-04												
% Gravel			4.1		4.4													
% Sand			72.6		69.8													
% Silt and Clay			23.3		25.8													
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: <table><tr><td>Rounded</td><td>6.1</td></tr><tr><td>Median</td><td>6.25</td></tr><tr><td>Worn</td><td>6.4</td></tr></table> 4. Estimated porosities: <table><tr><td>Maximum</td><td>0.40</td></tr><tr><td>Median</td><td>0.33</td></tr><tr><td>Minimum</td><td>0.25</td></tr></table>							Rounded	6.1	Median	6.25	Worn	6.4	Maximum	0.40	Median	0.33	Minimum	0.25
Rounded	6.1																	
Median	6.25																	
Worn	6.4																	
Maximum	0.40																	
Median	0.33																	
Minimum	0.25																	

Table G-12a

Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-133 (106 feet bgs)		MW-135 (50 feet bgs)	
			Frac Retained	$f_i / (d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i / (d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0906	—	0.0000	—
Fine Gravel	1/2"	1.2501	0.2316	0.14005	0.0000	0.00000
	3/8"	0.9500	0.0568	0.05351	0.0192	0.01809
	1/4"	0.6351	0.0844	0.11289	0.0223	0.02983
	4,757 (No. 4)	0.4757	0.0595	0.11121	0.0182	0.03402
Coarse Sand	3,364 (No. 6)	0.3364	0.0660	0.17038	0.0198	0.05111
	2,000 (No. 10)	0.2000	0.0800	0.32369	0.0462	0.18693
Medium Sand	1414 (No. 14)	0.1414	0.0393	0.24113	0.0361	0.22150
	1000 (No. 18)	0.1000	0.0326	0.28277	0.0574	0.49789
	707 (No. 25)	0.0707	0.0310	0.38015	0.0768	0.94180
	500 (No. 35)	0.0500	0.0252	0.43687	0.0898	1.55677
	420 (No. 40)	0.0420	0.0076	0.16811	0.0632	1.39798
Fine Sand	354 (No. 45)	0.0354	0.0206	0.54127	0.0520	1.36632
	250 (No. 60)	0.0250	0.0371	1.28470	0.1007	3.48705
	177 (No. 80)	0.0177	0.0108	0.52858	0.0478	2.33946
	125 (No. 120)	0.0125	0.0364	2.51918	0.0871	6.02803
	74 (No. 200)	0.0074	0.0247	2.68752	0.0734	7.98641
Silt and Clay	53 (No. 270)	0.0053	0.0176	2.88668	0.0587	9.62774
	37 (No. 400)	0.0037	0.0128	2.97524	0.0390	9.06519
	25	0.0025	0.0118	4.01587	0.0307	10.42994
	15.6	0.00156	0.0118	6.22917	0.0307	16.17830
	5	0.0005	0.0118	14.83193	0.0307	38.52123
Sum			1.00	40.921	1.00	109.966
Estimated Maximum k (cm/sec)				5.68E-02		7.86E-03
Estimated Median k (cm/sec)				2.44E-02		3.37E-03
Estimated Minimum k (cm/sec)				8.06E-03		1.12E-03
% Gravel			52.3		6.0	
% Sand			41.1		75.0	
% Silt and Clay			6.6		19.0	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3 / (1 - \Theta)^2] * (1.99 \times 10^4) / \{ (\Sigma [f_i / (d_{li}^{0.404} \times d_{si}^{0.595})])^2 * SF^2 \}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: Rounded 6.1 Median 6.25 Worn 6.4 4. Estimated porosities: Maximum 0.40 Median 0.33 Minimum 0.25						

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-137 (115 feet bgs)		MW-138 (65 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0554	0.03350	0.0467	0.02824
	¾"	0.9500	0.0090	0.00848	0.0113	0.01065
	1/4"	0.6351	0.0337	0.04508	0.0178	0.02381
	4,757 (No. 4)	0.4757	0.0137	0.02561	0.0204	0.03813
Coarse Sand	3,364 (No. 6)	0.3364	0.0107	0.02762	0.0243	0.06273
	2,000 (No. 10)	0.2000	0.0215	0.08699	0.0307	0.12422
Medium Sand	1414 (No. 14)	0.1414	0.0187	0.11474	0.0247	0.15155
	1000 (No. 18)	0.1000	0.0258	0.22379	0.0291	0.25241
	707 (No. 25)	0.0707	0.0536	0.65729	0.0444	0.54448
	500 (No. 35)	0.0500	0.1169	2.02657	0.0696	1.20658
	420 (No. 40)	0.0420	0.1216	2.68978	0.0466	1.03079
Fine Sand	354 (No. 45)	0.0354	0.1293	3.39742	0.0541	1.42150
	250 (No. 60)	0.0250	0.2037	7.05374	0.1479	5.12149
	177 (No. 80)	0.0177	0.0291	1.42423	0.1077	5.27113
	125 (No. 120)	0.0125	0.0509	3.52270	0.0931	6.44328
	74 (No. 200)	0.0074	0.0338	3.67767	0.0629	6.84394
Silt and Clay	53 (No. 270)	0.0053	0.0245	4.01839	0.0696	11.41551
	37 (No. 400)	0.0037	0.0140	3.25417	0.0448	10.41335
	25	0.0025	0.0114	3.86881	0.0181	6.14258
	15.6	0.00156	0.0114	6.00106	0.0181	9.52800
	5	0.0005	0.0114	14.28879	0.0181	22.68658
Sum			1.00	56.446	1.00	88.761
Estimated Maximum k (cm/sec)				2.98E-02		1.21E-02
Estimated Median k (cm/sec)				1.28E-02		5.18E-03
Estimated Minimum k (cm/sec)				4.24E-03		1.71E-03
% Gravel			11.2		9.6	
% Sand			81.6		73.5	
% Silt and Clay			7.3		16.9	
Notes:						
1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
2. Frac retained = fraction (by weight) retained on screen						
3. Estimated shape factors:						
					Rounded	6.1
					Median	6.25
					Worn	6.4
4. Estimated porosities:						
					Maximum	0.40
					Median	0.33
					Minimum	0.25

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-138 (115 feet bgs)		MW-139 (80 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.1147	0.06936	0.0000	0.00000
	¾"	0.9500	0.0404	0.03806	0.0000	0.00000
	1¼"	0.6351	0.0177	0.02367	0.0000	0.00000
	4,757 (No. 4)	0.4757	0.0245	0.04579	0.0032	0.00598
Coarse Sand	3,364 (No. 6)	0.3364	0.0161	0.04156	0.0019	0.00490
	2,000 (No. 10)	0.2000	0.0256	0.10358	0.0040	0.01618
Medium Sand	1414 (No. 14)	0.1414	0.0238	0.14603	0.0031	0.01902
	1000 (No. 18)	0.1000	0.0429	0.37211	0.0085	0.07373
	707 (No. 25)	0.0707	0.0787	0.96510	0.0403	0.49420
	500 (No. 35)	0.0500	0.1212	2.10112	0.1556	2.69747
	420 (No. 40)	0.0420	0.0895	1.97973	0.1689	3.73605
Fine Sand	354 (No. 45)	0.0354	0.0909	2.38844	0.1299	3.41318
	250 (No. 60)	0.0250	0.1487	5.14920	0.1631	5.64784
	177 (No. 80)	0.0177	0.0264	1.29209	0.0491	2.40309
	125 (No. 120)	0.0125	0.0356	2.46381	0.0594	4.11097
	74 (No. 200)	0.0074	0.0314	3.41653	0.0434	4.72221
Silt and Clay	53 (No. 270)	0.0053	0.0264	4.33002	0.0484	7.93837
	37 (No. 400)	0.0037	0.0118	2.74280	0.0377	8.76302
	25	0.0025	0.0113	3.83487	0.0279	9.45708
	15.6	0.00156	0.0113	5.94842	0.0279	14.66926
	5	0.0005	0.0113	14.16345	0.0279	34.92815
Sum			1.00	51.616	1.00	103.101
Estimated Maximum k (cm/sec)				3.57E-02		8.94E-03
Estimated Median k (cm/sec)				1.53E-02		3.84E-03
Estimated Minimum k (cm/sec)				5.07E-03		1.27E-03
% Gravel			19.7		0.3	
% Sand			73.1		82.7	
% Silt and Clay			7.2		17.0	
Notes:						
1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
2. Frac retained = fraction (by weight) retained on screen						
3. Estimated shape factors:						
					Rounded	6.1
					Median	6.25
					Worn	6.4
4. Estimated porosities:						
					Maximum	0.40
					Median	0.33
					Minimum	0.25

Table G-12a

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-140 (80 - 80.5 feet bgs)		MW-140 (100 feet bgs)													
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$												
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—												
Fine Gravel	½"	1.2501	0.0000	0.00000	0.1104	0.06676												
	¾"	0.9500	0.0345	0.03250	0.0388	0.03655												
	1/4"	0.6351	0.0238	0.03183	0.0269	0.03598												
	4,757 (No. 4)	0.4757	0.0091	0.01701	0.0085	0.01589												
Coarse Sand	3,364 (No. 6)	0.3364	0.0112	0.02891	0.0077	0.01988												
	2,000 (No. 10)	0.2000	0.0132	0.05341	0.0156	0.06312												
Medium Sand	1414 (No. 14)	0.1414	0.0097	0.05952	0.0219	0.13437												
	1000 (No. 18)	0.1000	0.0133	0.11536	0.0542	0.47013												
	707 (No. 25)	0.0707	0.0184	0.22564	0.1483	1.81860												
	500 (No. 35)	0.0500	0.0397	0.68824	0.1829	3.17074												
	420 (No. 40)	0.0420	0.0315	0.69678	0.0762	1.68553												
Fine Sand	354 (No. 45)	0.0354	0.0304	0.79877	0.0572	1.50296												
	250 (No. 60)	0.0250	0.1023	3.54245	0.1413	4.89295												
	177 (No. 80)	0.0177	0.0736	3.60218	0.0286	1.39976												
	125 (No. 120)	0.0125	0.0994	6.87929	0.0268	1.85478												
	74 (No. 200)	0.0074	0.1024	11.14180	0.0261	2.83985												
Silt and Clay	53 (No. 270)	0.0053	0.1257	20.61681	0.0111	1.82058												
	37 (No. 400)	0.0037	0.0726	16.87521	0.0051	1.18545												
	25	0.0025	0.0630	21.39156	0.0042	1.41404												
	15.6	0.00156	0.0630	33.18130	0.0042	2.19337												
	5	0.0005	0.0630	79.00613	0.0042	5.22251												
Sum			1.00	198.985	1.00	31.844												
Estimated Maximum k (cm/sec)				2.40E-03		9.38E-02												
Estimated Median k (cm/sec)				1.03E-03		4.02E-02												
Estimated Minimum k (cm/sec)				3.41E-04		1.33E-02												
% Gravel			6.7		18.5													
% Sand			54.5		78.7													
% Silt and Clay			38.7		2.9													
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carman coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: <table><tr><td>Rounded</td><td>6.1</td></tr><tr><td>Median</td><td>6.25</td></tr><tr><td>Worn</td><td>6.4</td></tr></table> 4. Estimated porosities: <table><tr><td>Maximum</td><td>0.40</td></tr><tr><td>Median</td><td>0.33</td></tr><tr><td>Minimum</td><td>0.25</td></tr></table>							Rounded	6.1	Median	6.25	Worn	6.4	Maximum	0.40	Median	0.33	Minimum	0.25
Rounded	6.1																	
Median	6.25																	
Worn	6.4																	
Maximum	0.40																	
Median	0.33																	
Minimum	0.25																	

Table G-12b

Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen Size (microns)	Screen Size (cm)	B-212 (54 feet bgs)		MW-136 (77 feet bgs)		MW-137 (50 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Gravel	1/4"	0.6351	0.000	—	0.000	—	0.000	—
	4,757 (No. 4)	0.4757	0.000	0.00000	0.000	0.00000	0.000	0.00000
Course Sand	3,364 (No. 6)	0.3364	0.000	0.00000	0.000	0.00000	0.000	0.00000
	2,000 (No. 10)	0.2000	0.000	0.00000	0.000	0.00000	0.000	0.00000
Medium Sand	1,189 (No. 16)	0.1189	0.000	0.00000	0.000	0.00000	0.000	0.00000
	841 (No. 20)	0.0841	0.000	0.00000	0.000	0.00000	0.000	0.00000
	707 (No. 25)	0.0707	0.000	0.00000	0.000	0.00000	0.000	0.00000
	595 (No. 30)	0.0595	0.000	0.00000	0.000	0.00000	0.000	0.00000
	500 (No. 35)	0.0500	0.000	0.00000	0.000	0.00000	0.000	0.00000
	420 (No. 40)	0.0420	0.000	0.00000	0.000	0.00000	0.000	0.00000
Fine Sand	354 (No. 45)	0.0354	0.000	0.00000	0.000	0.00000	0.000	0.00000
	297 (No. 50)	0.0297	0.000	0.00000	0.000	0.00000	0.000	0.00000
	250 (No. 60)	0.0250	0.000	0.00000	0.000	0.00000	0.000	0.00000
	210 (No. 70)	0.0210	0.000	0.00000	0.000	0.00000	0.000	0.00000
	177 (No. 80)	0.0177	0.000	0.00000	0.000	0.00000	0.000	0.00000
	149 (No. 100)	0.0149	0.000	0.00000	0.000	0.00000	0.000	0.00000
	125 (No. 120)	0.0125	0.0007	0.05194	0.0007	0.05194	0.000	0.00000
	105 (No. 140)	0.0105	0.0025	0.22089	0.0026	0.22973	0.000	0.00000
	88 (No. 170)	8.80E-03	0.0050	0.52655	0.0032	0.33699	0.0001	0.01053
	74 (No. 200)	7.40E-03	0.0081	1.01560	0.0021	0.26330	0.0006	0.07523
Silt	63 (No. 230)	6.30E-03	0.0128	1.89423	0.0014	0.20718	0.0018	0.26638
	53 (No. 270)	5.30E-03	0.0197	3.44817	0.0021	0.36757	0.0037	0.64763
	44.2 (No. 325)	4.42E-03	0.0276	5.77132	0.0042	0.87824	0.0066	1.38010
	37.2 (No. 400)	3.72E-03	0.0367	9.15045	0.0060	1.49599	0.0124	3.09170
	31.3 (No. 450)	3.13E-03	0.0458	13.56804	0.0069	2.04409	0.0206	6.10266
	25.0 (No. 500)	2.50E-03	0.0539	19.57107	0.0084	3.05004	0.0295	10.71144
	20.1 (No. 635)	2.01E-03	0.0766	34.67842	0.0157	7.10772	0.0485	21.95697
	15.6	1.56E-03	0.0817	46.97012	0.0244	14.02780	0.0585	33.63222
	11.0	1.10E-03	0.0931	72.99594	0.0358	28.06933	0.0750	58.80446
	7.81	7.81E-04	0.1275	141.14327	0.0735	81.36494	0.1235	136.71525
	5.00	5.00E-04	0.1094	181.34231	0.1069	177.19829	0.1316	218.14121

Table G-12b

Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen Size (microns)	Screen Size (cm)	B-212 (54 feet bgs)		MW-136 (77 feet bgs)		MW-137 (50 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Clay	1.95	1.95E-04	0.1044	362.86579	0.1623	564.11032	0.1517	527.26762
	0.977	0.0000977	0.1104	846.85260	0.3055	2343.41910	0.2019	1548.72772
	0.488	0.0000488	0.0502	769.44312	0.1532	2348.18099	0.0850	1302.84193
	0.375	0.0000375	0.0339	804.50637	0.0850	2017.19886	0.0491	1165.22899
Sum			1.00	3316.016	1.00	7589.602	1.00	5035.602
Estimated Maximum k (cm/sec)				8.65E-06		1.65E-06		3.75E-06
Estimated Median k (cm/sec)				3.71E-06		7.08E-07		1.61E-06
Estimated Minimum k (cm/sec)				1.23E-06		2.34E-07		5.32E-07
% Gravel			0.0		0.0		0.0	
% Sand			1.6		0.9		0.1	
% Silt			68.5		28.5		51.2	
% Clay			29.9		70.6		48.8	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2] * (1.99 \times 10^4) / \{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2 * SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: Rounded6.1 Median6.25 Worn6.4 4. Estimated porosities: Maximum0.40 Median0.33 Minimum0.25								

Table G-12c

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen Size (microns)	Screen Size (cm)	B-206 (48 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	2"	5.08	0.000	—
	1½"	3.81	0.000	0.00000
	1"	2.54	0.000	0.00000
	¾"	1.905	0.000	0.00000
Fine Gravel	½"	1.27	0.000	0.00000
	3/8"	0.9525	0.000	0.00000
	4,750 (No. 4)	0.4750	0.030	0.04765
Coarse Sand	2,000 (No. 10)	0.2000	0.056	0.19710
Medium Sand	850 (No. 20)	0.0850	0.072	0.59802
	425 (No. 40)	0.0425	0.163	2.88942
Fine Sand	250 (No. 60)	0.0250	0.236	7.59047
	150 (No. 100)	0.0150	0.154	8.31723
	75 (No. 200)	0.0075	0.089	8.92458
Silt	32	0.0032	0.065	14.31609
	22	0.0022	0.023	8.93112
	13	0.0013	0.031	19.15255
	9	0.0009	0.015	14.26540
	7	0.0007	0.012	15.37567
Clay	3.2	0.00032	0.015	33.89280
	1.3	0.00013	0.038	201.32917
Sum			1.00	335.827
Estimated Maximum k (cm/sec)				8.43E-04
Estimated Median k (cm/sec)				3.62E-04
Estimated Minimum k (cm/sec)				1.20E-04
% Gravel			3.0	
% Sand			77.0	
% Silt			14.6	
% Clay			5.3	

Notes:

1. Kozeny-Carman Equation:
$$k = [\Theta^3/(1-\Theta)^2]*(1.99\times10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$$
where
$$1.99 \times 10^4 = \text{constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec)}$$
$$f_i = \text{fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless)}$$
$$d_{li} = \text{diameter of larger sieve in pair (cm)}$$
$$d_{si} = \text{diameter of smaller sieve in pair (cm)}$$
$$SF = \text{grain shape factor (dimensionless)}$$

2. Frac retained = fraction (by weight) retained on screen

3. Estimated shape factors:

Rounded	6.1
Median	6.25
Worn	6.4

4. Estimated porosities:

Maximum	0.40
Median	0.33
Minimum	0.25

Table G-12d

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Suply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-145 (80 feet bgs)		MW-147 (81 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.2900	0.17536
	⅜"	0.9500	0.0080	0.00754	0.0880	0.08290
	¼"	0.6351	0.0260	0.03478	0.0960	0.12840
	4,757 (No. 4)	0.4757	0.0110	0.02056	0.0430	0.08037
Coarse Sand	3,364 (No. 6)	0.3364	0.0120	0.03098	0.0530	0.13682
	2,000 (No. 10)	0.2000	0.0160	0.06474	0.0480	0.19421
Medium Sand	1414 (No. 14)	0.1414	0.0120	0.07363	0.0290	0.17794
	1000 (No. 18)	0.1000	0.0120	0.10409	0.0260	0.22552
	707 (No. 25)	0.0707	0.0180	0.22073	0.0300	0.36789
	500 (No. 35)	0.0500	0.0350	0.60676	0.0430	0.74545
	420 (No. 40)	0.0420	0.0230	0.50876	0.0220	0.48664
Fine Sand	354 (No. 45)	0.0354	0.0330	0.86709	0.0250	0.65689
	250 (No. 60)	0.0250	0.0810	2.80487	0.0420	1.45438
	177 (No. 80)	0.0177	0.0710	3.47493	0.0260	1.27251
	125 (No. 120)	0.0125	0.0480	3.32199	0.0170	1.17654
Silt	5	0.0005	0.1530	82.72802	0.0240	12.97694
Clay	2	0.0002	0.1210	414.27492	0.0200	68.47519
	1	0.0001	0.1740	1302.96614	0.0130	97.34804
	0.5	0.00005	0.0920	1376.89453	0.0300	448.98735
	0.4	0.00004	0.0540	1221.19265	0.0350	791.51376
Sum			1.00	4410.198	1.00	1426.663
Estimated Maximum k (cm/sec)				4.89E-06		4.67E-05
Estimated Median k (cm/sec)				2.10E-06		2.00E-05
Estimated Minimum k (cm/sec)				6.94E-07		6.63E-06
% Gravel			4.5		51.7	
% Sand			36.1		36.1	
% Silt			15.3		2.4	
% Clay			44.1		9.8	

Notes:

1. Kozeny-Carman Equation:

$$k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$$

where Θ = total porosity

1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec)

f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless)

d_{li} = diameter of larger sieve in pair (cm)

d_{si} = diameter of smaller sieve in pair (cm)

SF = grain shape factor (dimensionless)

2. Frac retained = fraction (by weight) retained on screen

3. Estimated shape factors:

Rounded

Median

Worn

6.1

6.25

6.4

4. Estimated porosities:

Maximum

Median

Minimum

0.40

0.33

0.25

Table G-12d

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Suply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-153 (90 to 100 feet bgs)		MW-158A (100 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000
	¾"	0.9500	0.0010	0.00094	0.0400	0.03768
	1/4"	0.6351	0.0000	0.00000	0.1190	0.15917
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.1070	0.20000
Coarse Sand	3,364 (No. 6)	0.3364	0.0000	0.00000	0.1500	0.38723
	2,000 (No. 10)	0.2000	0.0020	0.00809	0.1660	0.67165
Medium Sand	1414 (No. 14)	0.1414	0.0060	0.03681	0.1320	0.80992
	1000 (No. 18)	0.1000	0.0160	0.13878	0.0730	0.63320
	707 (No. 25)	0.0707	0.0650	0.79709	0.0580	0.71125
	500 (No. 35)	0.0500	0.2310	4.00460	0.0270	0.46807
	420 (No. 40)	0.0420	0.1640	3.62766	0.0170	0.37604
Fine Sand	354 (No. 45)	0.0354	0.1590	4.17780	0.0090	0.23648
	250 (No. 60)	0.0250	0.1850	6.40619	0.0050	0.17314
	177 (No. 80)	0.0177	0.0680	3.32811	0.0040	0.19577
	125 (No. 120)	0.0125	0.0290	2.00704	0.0030	0.20762
Silt	5	0.0005	0.0240	12.97694	0.0490	26.49459
Clay	2	0.0002	0.0140	47.93264	0.0110	37.66136
	1	0.0001	0.0180	134.78960	0.0170	127.30129
	0.5	0.00005	0.0100	149.66245	0.0080	119.72996
	0.4	0.00004	0.0070	158.30275	0.0050	113.07339
Sum			1.00	528.198	1.00	429.528
Estimated Maximum k (cm/sec)				3.41E-04		5.15E-04
Estimated Median k (cm/sec)				1.46E-04		2.21E-04
Estimated Minimum k (cm/sec)				4.84E-05		7.31E-05
% Gravel			0.1		26.6	
% Sand			92.5		64.4	
% Silt			2.4		4.9	
% Clay			4.9		4.1	
Notes:						
1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
2. Frac retained = fraction (by weight) retained on screen						
3. Estimated shape factors:						
					Rounded	6.1
					Median	6.25
					Worn	6.4
4. Estimated porosities:						
					Maximum	0.40
					Median	0.33
					Minimum	0.25

Table G-12d

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Suply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-159 (25 feet bgs)		MW-160 (100 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000
	¾"	0.9500	0.0000	0.00000	0.0000	0.00000
	1/4"	0.6351	0.0000	0.00000	0.0000	0.00000
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0030	0.00561
Coarse Sand	3,364 (No. 6)	0.3364	0.0020	0.00516	0.0010	0.00258
	2,000 (No. 10)	0.2000	0.0110	0.04451	0.0020	0.00809
Medium Sand	1414 (No. 14)	0.1414	0.0130	0.07976	0.0020	0.01227
	1000 (No. 18)	0.1000	0.0120	0.10409	0.0050	0.04337
	707 (No. 25)	0.0707	0.0170	0.20847	0.0110	0.13489
	500 (No. 35)	0.0500	0.0370	0.64143	0.0430	0.74545
	420 (No. 40)	0.0420	0.0250	0.55300	0.0520	1.15023
Fine Sand	354 (No. 45)	0.0354	0.0340	0.89337	0.1010	2.65382
	250 (No. 60)	0.0250	0.0820	2.83950	0.3730	12.91627
	177 (No. 80)	0.0177	0.0860	4.20907	0.1750	8.56498
	125 (No. 120)	0.0125	0.0740	5.12140	0.0500	3.46041
Silt	5	0.0005	0.4180	226.01511	0.1190	64.34402
Clay	2	0.0002	0.0750	256.78197	0.0170	58.20391
	1	0.0001	0.0620	464.27529	0.0250	187.20778
	0.5	0.00005	0.0290	434.02110	0.0120	179.59494
	0.4	0.00004	0.0230	520.13761	0.0090	203.53211
Sum			1.00	1915.931	1.00	722.581
Estimated Maximum k (cm/sec)				2.59E-05		1.82E-04
Estimated Median k (cm/sec)				1.11E-05		7.81E-05
Estimated Minimum k (cm/sec)				3.68E-06		2.58E-05
% Gravel			0.0		0.3	
% Sand			39.3		81.5	
% Silt			41.8		11.9	
% Clay			18.9		6.3	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
3. Estimated shape factors:						
					Rounded	6.1
					Median	6.25
					Worn	6.4
4. Estimated porosities:						
					Maximum	0.40
					Median	0.33
					Minimum	0.25

Table G-12d

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Suply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-160 (127.5 feet bgs)		MW-161 (100 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0690	0.04172	0.0000	0.00000
	¾"	0.9500	0.0270	0.02544	0.0000	0.00000
	1/4"	0.6351	0.0590	0.07892	0.0090	0.01204
	4,757 (No. 4)	0.4757	0.0350	0.06542	0.0210	0.03925
Coarse Sand	3,364 (No. 6)	0.3364	0.0410	0.10584	0.0130	0.03356
	2,000 (No. 10)	0.2000	0.0700	0.28323	0.0210	0.08497
Medium Sand	1414 (No. 14)	0.1414	0.0540	0.33133	0.0170	0.10431
	1000 (No. 18)	0.1000	0.0480	0.41635	0.0260	0.22552
	707 (No. 25)	0.0707	0.0400	0.49052	0.0490	0.60089
	500 (No. 35)	0.0500	0.0480	0.83213	0.1080	1.87228
	420 (No. 40)	0.0420	0.0210	0.46452	0.1000	2.21199
Fine Sand	354 (No. 45)	0.0354	0.0240	0.63061	0.1570	4.12525
	250 (No. 60)	0.0250	0.0460	1.59289	0.2950	10.21528
	177 (No. 80)	0.0177	0.0380	1.85982	0.0930	4.55167
	125 (No. 120)	0.0125	0.0310	2.14545	0.0220	1.52258
Silt	5	0.0005	0.2120	114.62968	0.0260	14.05836
Clay	2	0.0002	0.0310	106.13655	0.0110	37.66136
	1	0.0001	0.0540	404.36880	0.0180	134.78960
	0.5	0.00005	0.0320	478.91984	0.0090	134.69620
	0.4	0.00004	0.0190	429.67890	0.0060	135.68807
Sum			1.00	1543.098	1.00	482.493
Estimated Maximum k (cm/sec)				3.99E-05		4.08E-04
Estimated Median k (cm/sec)				1.71E-05		1.75E-04
Estimated Minimum k (cm/sec)				5.67E-06		5.80E-05
% Gravel			19.0		3.0	
% Sand			46.1		90.1	
% Silt			21.2		2.6	
% Clay			13.6		4.4	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
3. Estimated shape factors:				Rounded	6.1	
				Median	6.25	
				Worn	6.4	
4. Estimated porosities:				Maximum	0.40	
				Median	0.33	
				Minimum	0.25	

Table G-12d

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-161 (140 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—
Fine Gravel	½"	1.2501	0.0150	0.00907
	⅜"	0.9500	0.0090	0.00848
	¼"	0.6351	0.0750	0.10032
	4,757 (No. 4)	0.4757	0.0550	0.10280
Coarse Sand	3,364 (No. 6)	0.3364	0.0640	0.16522
	2,000 (No. 10)	0.2000	0.0990	0.40056
Medium Sand	1414 (No. 14)	0.1414	0.0670	0.41109
	1000 (No. 18)	0.1000	0.0540	0.46839
	707 (No. 25)	0.0707	0.0430	0.52731
	500 (No. 35)	0.0500	0.0470	0.81479
	420 (No. 40)	0.0420	0.0200	0.44240
Fine Sand	354 (No. 45)	0.0354	0.0220	0.57806
	250 (No. 60)	0.0250	0.0420	1.45438
	177 (No. 80)	0.0177	0.0340	1.66405
	125 (No. 120)	0.0125	0.0270	1.86862
Silt	5	0.0005	0.2130	115.17038
Clay	2	0.0002	0.0240	82.17023
	1	0.0001	0.0450	336.97400
	0.5	0.00005	0.0270	404.08861
	0.4	0.00004	0.0170	384.44954
Sum			1.00	1331.868
Estimated Maximum k (cm/sec)				5.36E-05
Estimated Median k (cm/sec)				2.30E-05
Estimated Minimum k (cm/sec)				7.61E-06
% Gravel			15.4	
% Sand			51.9	
% Silt			21.3	
% Clay			11.3	
Notes: See previous page for notes.				

Table G-12e

Estimated Hydraulic Conductivity Based On Grain Size Analyses
 American Linen Supply Co Dexter Ave Site
 700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-190 (48 feet bgs)		MW-302 (33 feet bgs)		MW-302 (60 feet bgs)		MW-304 (81 feet bgs)		MW-304 (108 feet bgs)		MW-307 (44 feet bgs)		MW-309 (59 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0202	0.01219	0.0212	0.01281	0.0213	0.01288	0.0000	0.00000	0.0445	0.02689	0.0000	0.00000	0.0245	0.01484
	¾"	0.9500	0.0084	0.00790	0.0247	0.00328	0.0414	0.03896	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0095	0.00899
	¼"	0.6351	0.0224	0.02995	0.0191	0.02556	0.0279	0.03729	0.0000	0.00000	0.0266	0.03556	0.0140	0.01868	0.0233	0.03114
	4,757 (No. 4)	0.4757	0.0163	0.03044	0.0237	0.04422	0.0248	0.04635	0.0007	0.00137	0.0180	0.03367	0.0196	0.03657	0.0123	0.02297
Coarse Sand	3,364 (No. 6)	0.3364	0.0164	0.04237	0.0227	0.05859	0.0207	0.05342	0.0000	0.00000	0.0232	0.06000	0.0145	0.03748	0.0123	0.03179
	2,000 (No. 10)	0.2000	0.0260	0.10521	0.0381	0.15410	0.0241	0.09743	0.0003	0.00125	0.0424	0.17143	0.0253	0.10239	0.0206	0.08342
Medium Sand	1414 (No. 14)	0.1414	0.0204	0.12504	0.0256	0.15729	0.0205	0.12582	0.0005	0.00331	0.0500	0.30691	0.0209	0.12812	0.0150	0.09192
	1000 (No. 18)	0.1000	0.0200	0.17310	0.0253	0.21917	0.0208	0.18016	0.0010	0.00901	0.0977	0.84757	0.0226	0.19634	0.0138	0.11994
	707 (No. 25)	0.0707	0.0259	0.31806	0.0363	0.44563	0.0286	0.35114	0.0015	0.01793	0.2295	2.81485	0.0476	0.58387	0.0229	0.28114
	500 (No. 35)	0.0500	0.0417	0.72235	0.0600	1.04014	0.0487	0.84406	0.0012	0.02068	0.0940	1.62930	0.1180	2.04638	0.0423	0.73389
Fine Sand	420 (No. 40)	0.0420	0.0293	0.64849	0.0030	0.06605	0.0021	0.04744	0.0002	0.00340	0.0778	1.71997	0.0226	0.49989	0.0032	0.07114
	354 (No. 45)	0.0354	0.0544	1.42962	0.0685	1.79982	0.0632	1.66094	0.0003	0.00809	0.1230	3.23260	0.1245	3.27074	0.0001	0.00332
	250 (No. 60)	0.0250	0.0786	2.72144	0.1106	3.83077	0.0908	3.14268	0.0010	0.03465	0.0911	3.15292	0.2458	8.51329	0.0200	0.69256
	177 (No. 80)	0.01768	0.0709	3.47018	0.0897	4.39199	0.0753	3.68925	0.0017	0.08481	0.0289	1.41461	0.1095	5.36503	0.0649	3.17883
	149 (No. 100)	0.01487	0.0254	1.58639	0.2366	14.77235	0.0407	2.53906	0.0015	0.09612	0.0300	1.87200	0.0278	1.73832	0.0101	0.63030
	125 (No. 120)	0.0125	0.0271	1.87360	0.0173	1.19881	0.0241	1.67202	0.0000	-0.00037	0.0013	0.08989	0.0118	0.81817	0.0030	0.20772
	105 (No. 140)	0.01051	0.0216	1.78214	0.0138	1.13700	0.0201	1.65805	0.0010	0.08233	0.0008	0.06495	0.0066	0.54411	0.0030	0.24698
	88 (No. 170)	0.00884	0.0178	1.74617	0.0113	1.10697	0.0165	1.61831	0.0010	0.09788	0.0005	0.04790	0.0050	0.49010	0.0020	0.19577
	74 (No. 200)	0.00743	0.0157	1.83185	0.0098	1.14185	0.0139	1.62151	0.0005	0.05821	0.0004	0.05115	0.0053	0.61790	0.0025	0.29105
	63 (No. 230)	0.00625	0.0148	1.78451	0.0091	1.09569	0.0126	1.51894	0.0005	0.06015	0.0005	0.05767	0.0047	0.56625	0.0037	0.44506
	53 (No. 270)	0.00526	0.0148	2.12082	0.0087	1.24495	0.0125	1.79088	0.0026	0.37742	0.0005	0.06996	0.0029	0.41523	0.0289	4.13289
	44 (No. 325)	0.00442	0.0157	2.67586	0.0085	1.44668	0.0128	2.18115	0.0102	1.72950	0.0005	0.07812	0.0023	0.39169	0.0283	4.81317
	37 (No. 400)	0.00372	0.0175	3.54521	0.0086	1.73978	0.0137	2.77484	0.0126	2.54420	0.0005	0.09689	0.0041	0.82993	0.0281	5.68042
	31 (No. 450)	0.00313	0.0195	4.69469	0.0088	2.11566	0.0148	3.56243	0.0158	3.79759	0.0006	0.13434	0.0069	1.65987	0.0279	6.70248
	25 (No. 500)	0.0025	0.0210	6.19617	0.0089	2.62232	0.0158	4.66095	0.0193	5.69170	0.0006	0.18228	0.0084	2.47648	0.0276	8.12559
	20 (No. 635)	0.00201	0.0283	10.16374	0.0112	4.03101	0.0211	7.60326	0.0292	10.50119	0.0008	0.30166	0.0107	3.85336	0.0349	12.56036
	16	0.00156	0.0293	13.11991	0.0106	4.75603	0.0222	9.97273	0.0354	15.89012	0.0009	0.41189	0.0106	4.75889	0.0361	16.19828
	11	0.0011	0.0334	19.75023	0.0108	6.39651	0.0262	15.47681	0.0503	29.79438	0.0012	0.70917	0.0125	7.40781	0.0435	25.71783
	8	0.00078	0.0464	36.89550	0.0130	10.34491	0.0382	30.35501	0.0974	77.42039	0.0020	1.58804	0.0186	14.81008	0.0675	53.70640
	5	0.0005	0.0423	47.85095	0.0103	11.66290	0.0366	41.37938	0.1198	135.56936	0.0023	2.59864	0.0176	19.94081	0.0697	78.80542
Clay	2	0.0002	0.0443	54.66765	0.0098	12.10390	0.0403	49.71039	0.1581	195.09414	0.0028	3.45069	0.0185	22.86293	0.0821	101.31644
	1	0.0001	0.0609	456.29316	0.0127	95.17769	0.0585	438.19376	0.2568	1922.72423	0.0045	33.65063	0.0236	176.97190	0.1245	931.92415
	0.5	0.00005	0.0326	487.47541	0.0071	106.34542	0.0305	455.88562	0.1168	1748.08994	0.0025	37.36368	0.0105	157.36588	0.0590	883.21243
	0.4	0.00004	0.0206	466.88954	0.0045	101.84753	0.0185	419.20998	0.0626	1416.36030	0.0002	4.96832	0.0063	142.67222	0.0327	739.91703
Sum			1.00	1632.780	1.00	394.557	1.00	1503.713	1.00	5566.163	1.00	103.234	1.00	581.991	1.00	2880.196
Estimated Maximum k (cm/sec)				3.57E-05		6.11E-04		4.20E-05		3.07E-06		8.92E-03		2.81E-04		1.15E-05
Estimated Median k (cm/sec)				1.53E-05		2.62E-04		1.80E-05		1.32E-06		3.83E-03		1.20E-04		4.92E-06
Estimated Minimum k (cm/sec)				5.06E-06		8.67E-05		5.97E-06		4.36E-07		1.27E-03		3.98E-05		1.63E-06
% Gravel			6.7		8.9		11.5		0.1		8.9		3.4		7.0	
% Sand			49.1		76.9		51.0		1.2		89.1		80.8		23.6	
% Silt			28.3		10.9		22.7		39.3		1.0		9.9		39.6	
% Clay			15.8		3.4		14.8		59.4		1.0		5.9		29.8	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2] * (1.99 \times 10^4) / \{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2 * SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: Rounded 6.1 Median 6.25 Worn 6.4 4. Estimated porosities: Maximum 0.40 Median 0.33 Minimum 0.25																

Table G-12e

Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-311 (40 feet bgs)		MW-311 (48 feet bgs)		MW-314 (43 feet bgs)		MW-316 (37 feet bgs)		MW-316 (58 feet bgs)		MW-319 (28 feet bgs)		MW-322 (32 feet bgs)	
			Frac Retained	f _i /(d _{li} ^{0.404} x d _{si} ^{0.595})	Frac Retained	f _i /(d _{li} ^{0.404} x d _{si} ^{0.595})	Frac Retained	f _i /(d _{li} ^{0.404} x d _{si} ^{0.595})	Frac Retained	f _i /(d _{li} ^{0.404} x d _{si} ^{0.595})	Frac Retained	f _i /(d _{li} ^{0.404} x d _{si} ^{0.595})	Frac Retained	f _i /(d _{li} ^{0.404} x d _{si} ^{0.595})	Frac Retained	f _i /(d _{li} ^{0.404} x d _{si} ^{0.595})
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0161	0.00972	0.0557	0.03366	0.0727	0.04396	0.0184	0.01114
	⅜"	0.9500	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0185	0.01747	0.0000	0.00000	0.0336	0.03166	0.0133	0.01255
	¼"	0.6351	0.0000	0.00000	0.0000	0.00000	0.0108	0.01448	0.0096	0.01289	0.0665	0.08898	0.0693	0.09272	0.0198	0.02655
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0000	0.00000	0.0066	0.01230	0.0145	0.02701	0.0454	0.08479	0.0300	0.05611	0.0175	0.03262
Coarse Sand	3,364 (No. 6)	0.3364	0.0002	0.00056	0.0000	0.00000	0.0074	0.01918	0.0160	0.04118	0.0438	0.11315	0.0273	0.07039	0.0210	0.05430
	2,000 (No. 10)	0.2000	0.0007	0.00278	0.0004	0.00157	0.0157	0.06333	0.0247	0.09975	0.0681	0.27573	0.0321	0.13001	0.0350	0.14157
Medium Sand	1414 (No. 14)	0.1414	0.0004	0.00244	0.0001	0.00079	0.0108	0.06642	0.0172	0.10581	0.0418	0.25634	0.0201	0.12304	0.0267	0.16384
	1000 (No. 18)	0.1000	0.0003	0.00251	0.0003	0.00253	0.0111	0.09618	0.0191	0.16609	0.0392	0.34007	0.0191	0.16530	0.0222	0.19246
	707 (No. 25)	0.0707	0.0003	0.00399	0.0006	0.00794	0.0202	0.24720	0.0346	0.42396	0.0562	0.68925	0.0262	0.32100	0.0200	0.24543
	500 (No. 35)	0.0500	0.0003	0.00564	0.0001	0.00225	0.0414	0.71770	0.0700	1.21272	0.0702	1.21698	0.0469	0.81296	0.0276	0.47915
Fine Sand	420 (No. 40)	0.0420	0.0000	0.00080	0.0001	0.00143	0.0090	0.19868	0.0242	0.53460	0.0110	0.24239	0.0044	0.09659	0.0009	0.02010
	354 (No. 45)	0.0354	0.0009	0.02281	0.0017	0.04509	0.0518	1.36071	0.0754	1.98167	0.0630	1.65537	0.0234	0.61514	0.0267	0.70092
	250 (No. 60)	0.0250	0.0154	0.53476	0.0573	1.98471	0.0830	2.87428	0.1394	4.82651	0.0867	3.00156	0.0440	1.52364	0.0342	1.18398
	177 (No. 80)	0.01768	0.1199	5.86999	0.3394	16.62020	0.0711	3.48342	0.1044	5.11526	0.0474	2.32363	0.0710	3.47727	0.0389	1.90510
Silt	149 (No. 100)	0.01487	0.2221	13.86657	0.2230	13.92641	0.0979	6.11121	0.1428	8.91525	0.0135	0.84353	0.0475	2.96846	0.0388	2.42041
	125 (No. 120)	0.0125	0.1350	9.35018	0.1449	10.03549	0.0242	1.67879	0.0152	1.05318	0.0196	1.35846	0.0223	1.54606	0.0080	0.55073
	105 (No. 140)	0.01051	0.1220	10.04669	0.0948	7.80110	0.0232	1.91358	0.0117	0.96388	0.0126	1.03834	0.0178	1.46730	0.0107	0.88088
	88 (No. 170)	0.00884	0.0977	9.56608	0.0526	5.14648	0.0229	2.24580	0.0098	0.95993	0.0085	0.83284	0.0161	1.57797	0.0387	3.78809
	74 (No. 200)	0.00743	0.0733	8.53628	0.0270	3.14205	0.0230	2.68280	0.0090	1.04853	0.0066	0.76915	0.0158	1.84186	0.0041	0.47733
	63 (No. 230)	0.00625	0.0536	6.45052	0.0145	1.74374	0.0229	2.76033	0.0085	1.02335	0.0058	0.69849	0.0155	1.86722	0.0110	1.32340
	53 (No. 270)	0.00526	0.0388	5.54943	0.0088	1.25772	0.0225	3.22325	0.0084	1.20190	0.0052	0.74426	0.0152	2.17618	0.0141	2.01607
	44 (No. 325)	0.00442	0.0277	4.71213	0.0056	0.95194	0.0219	3.73145	0.0087	1.48057	0.0048	0.81711	0.0156	2.65642	0.0100	1.70062
	37 (No. 400)	0.00372	0.0193	3.90243	0.0036	0.72739	0.0216	4.37449	0.0093	1.88120	0.0048	0.97123	0.0170	3.44082	0.0024	0.48513
	31 (No. 450)	0.00313	0.0135	3.24399	0.0025	0.60030	0.0215	5.17464	0.0098	2.35584	0.0055	1.32255	0.0180	4.32965	0.0217	5.21285
Clay	25 (No. 500)	0.0025	0.0094	2.76825	0.0020	0.58856	0.0214	6.31229	0.0101	2.97559	0.0066	1.94503	0.0181	5.33569	0.0354	10.42199
	20 (No. 635)	0.00201	0.0081	2.91382	0.0021	0.75489	0.0273	9.80037	0.0132	4.75035	0.0100	3.59983	0.0227	8.17407	0.0326	11.72372
	16	0.00156	0.0053	2.37683	0.0017	0.76183	0.0281	12.57695	0.0137	6.14633	0.0122	5.47502	0.0227	10.19019	0.0287	12.86688
	11	0.0011	0.0043	2.54548	0.0017	1.00562	0.0330	19.50713	0.0156	9.23847	0.0164	9.71516	0.0251	14.87339	0.0141	8.34431
	8	0.00078	0.0048	3.81775	0.0023	1.82801	0.0479	38.07937	0.0226	17.98244	0.0278	22.12663	0.0337	26.83063	0.0200	15.90252
	5	0.0005	0.0040	4.52702	0.0021	2.37496	0.0449	50.78385	0.0218	24.68211	0.0297	33.63664	0.0309	35.00621	0.0151	17.08436
	2	0.0002	0.0042	5.18479	0.0022	2.71387	0.0476	58.73151	0.0240	29.63923	0.0348	42.98980	0.0342	42.26128	0.0692	85.39997
	1	0.0001	0.0070	52.43391	0.0033	24.70090	0.0627	469.66063	0.0344	257.77835	0.0489	366.54496	0.0517	386.89983	0.0976	730.71605
	0.5	0.00005	0.0063	94.31564	0.0036	53.85554	0.0292	436.34679	0.0172	257.59973	0.0204	305.61701	0.0253	379.13888	0.1291	1932.77864
	0.4	0.00004	0.0050	113.10733	0.0017	38.42858	0.0172	389.71293	0.0104	235.35741	0.0110	249.01048	0.0143	323.81086	0.0765	1729.49348
Sum			1.00	365.661	1.00	191.012	1.00	1534.562	1.00	881.608	1.00	1060.378	1.00	1263.953	1.00	4578.757
Estimated Maximum k (cm/sec)				7.11E-04		2.61E-03		4.04E-05		1.22E-04		8.46E-05		5.95E-05		4.53E-06
Estimated Median k (cm/sec)				3.05E-04		1.12E-03		1.73E-05		5.25E-05		3.63E-05		2.55E-05		1.95E-06
Estimated Minimum k (cm/sec)				1.01E-04		3.70E-04		5.73E-06		1.74E-05		1.20E-05		8.45E-06		6.44E-07
% Gravel			0.0		0.0		1.7		5.9		16.8		20.6		6.9	
% Sand			78.9		94.2		51.3		71.3		58.8		43.4		35.3	
% Silt			18.9		4.7		31.3		14.2		12.9		23.5		20.5	
% Clay			2.3		1.1		15.7		8.6		11.5		12.6		37.2	
Notes: 1. Kozeny-Carman Equation: k = [Θ³/(1-Θ)²]*(1.99x10⁴)/{Σ[f_i/(d_{li}^{0.404} x d_{si}^{0.595})]}²*SF²} where Θ = total porosity 1.99 x 10⁴ = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: Rounded 6.1 Median 6.25 Worn 6.4 Maximum 0.40 Median 0.33 Minimum 0.25 4. Estimated porosities:																

Table G-12e

Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-324 (30 feet bgs)		MW-324 (38 feet bgs)		MW-326 (39 feet bgs)		MW-328 (45 feet bgs)		MW-328 (70 feet bgs)		MW-329 (70 feet bgs)		MW-329 (105 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0622	0.03764
	⅜"	0.9500	0.0000	0.00000	0.0078	0.00733	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0000	0.00000	0.0518	0.04878
	¼"	0.6351	0.0000	0.00000	0.0186	0.02485	0.0007	0.00092	0.0013	0.00177	0.0000	0.00000	0.0000	0.00000	0.0756	0.10116
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0089	0.01661	0.0005	0.00087	0.0011	0.00205	0.0000	0.00000	0.0000	0.00000	0.0448	0.08380
Coarse Sand	3,364 (No. 6)	0.3364	0.0000	0.00000	0.0091	0.02361	0.0000	0.00000	0.0019	0.00500	0.0001	0.00038	0.0000	0.00000	0.0567	0.14649
	2,000 (No. 10)	0.2000	0.0003	0.00126	0.0142	0.05737	0.0005	0.00214	0.0035	0.01409	0.0006	0.00251	0.0037	0.01516	0.2154	0.87134
Medium Sand	1414 (No. 14)	0.1414	0.0003	0.00190	0.0101	0.06179	0.0005	0.00324	0.0023	0.01413	0.0008	0.00471	0.0190	0.11675	0.0586	0.35954
	1000 (No. 18)	0.1000	0.0005	0.00423	0.0093	0.08108	0.0006	0.00540	0.0029	0.02509	0.0019	0.01649	0.0437	0.37934	0.0588	0.51025
	707 (No. 25)	0.0707	0.0007	0.00870	0.0107	0.13131	0.0040	0.04882	0.0043	0.048561	0.0070	0.08561	0.0968	1.18726	0.0160	0.19607
	500 (No. 35)	0.0500	0.0011	0.01921	0.0139	0.24182	0.0216	0.37362	0.0087	0.15043	0.0299	0.51894	0.1518	2.63146	0.0110	0.19070
Fine Sand	420 (No. 40)	0.0420	0.0002	0.00392	0.0006	0.01408	0.0059	0.13070	0.0006	0.01242	0.0052	0.11400	0.0369	0.81526	0.0140	0.30968
	354 (No. 45)	0.0354	0.0022	0.05707	0.0170	0.44787	0.0342	0.89805	0.0217	0.57113	0.1134	2.98000	0.1764	4.63465	0.0070	0.18393
	250 (No. 60)	0.0250	0.0070	0.24097	0.0283	0.98007	0.1388	4.80518	0.0554	1.91768	0.3376	11.68951	0.2527	8.74994	0.0080	0.27702
	177 (No. 80)	0.01768	0.0103	0.50363	0.0450	2.20536	0.2974	14.56704	0.0667	3.26514	0.2724	13.34121	0.1337	6.55028	0.0199	0.97657
	149 (No. 100)	0.01487	0.0839	5.24122	0.0183	1.14508	0.2105	13.14233	0.3234	20.19519	0.1187	7.40963	0.0590	3.68189	0.0091	0.56950
	125 (No. 120)	0.0125	0.0146	1.01265	0.0021	0.14386	0.0984	6.81524	0.0406	2.80871	0.0379	2.62288	0.0071	0.49249	0.0076	0.52738
	105 (No. 140)	0.01051	0.0095	0.78054	0.0335	2.76098	0.0651	5.36098	0.0351	2.88600	0.0210	1.72797	0.0035	0.28866	0.0067	0.55279
	88 (No. 170)	0.00884	0.0105	1.02678	0.0304	2.97808	0.0381	3.73048	0.0318	3.10788	0.0119	1.16423	0.0019	0.18631	0.0062	0.60822
Silt	74 (No. 200)	0.00743	0.0098	1.13904	0.0268	3.12126	0.0213	2.48053	0.0298	3.47493	0.0072	0.83782	0.0011	0.12829	0.0061	0.71174
	63 (No. 230)	0.00625	0.0072	0.86157	0.0238	2.86307	0.0124	1.49228	0.0281	3.38611	0.0046	0.55315	0.0008	0.09281	0.0064	0.77168
	53 (No. 270)	0.00526	0.0053	0.76436	0.0219	3.12987	0.0078	1.11561	0.0258	3.69489	0.0031	0.44303	0.0006	0.08881	0.0067	0.96010
	44 (No. 325)	0.00442	0.0048	0.82334	0.0216	3.67138	0.0052	0.88459	0.0229	3.90066	0.0022	0.37395	0.0006	0.09370	0.0071	1.21010
	37 (No. 400)	0.00372	0.0052	1.06019	0.0237	4.79009	0.0038	0.76835	0.0200	4.04923	0.0018	0.36367	0.0005	0.10328	0.0079	1.60041
	31 (No. 450)	0.00313	0.0054	1.30841	0.0275	6.60922	0.0030	0.72089	0.0173	4.16253	0.0015	0.36016	0.0005	0.11792	0.0088	2.11863
	25 (No. 500)	0.0025	0.0055	1.63322	0.0317	9.34155	0.0024	0.70679	0.0149	4.39369	0.0014	0.41196	0.0005	0.14157	0.0096	2.83253
	20 (No. 635)	0.00201	0.0085	3.04692	0.0447	16.06912	0.0025	0.89933	0.0163	5.87125	0.0015	0.53917	0.0006	0.21616	0.0131	4.72145
	16	0.00156	0.0116	5.20023	0.0475	21.29300	0.0021	0.94176	0.0145	6.51111	0.0014	0.62734	0.0006	0.27397	0.0140	6.29037
	11	0.0011	0.0152	9.01326	0.0536	31.73196	0.0021	1.24314	0.0161	9.54317	0.0016	0.94640	0.0007	0.43279	0.0167	9.90477
	8	0.00078	0.0330	26.22511	0.0726	57.72428	0.0029	2.30656	0.0248	19.75073	0.0022	1.74840	0.0011	0.87622	0.0257	20.40011
	5	0.0005	0.0647	73.14982	0.0648	73.27665	0.0028	3.16891	0.0269	30.48382	0.0022	2.48787	0.0011	1.24680	0.0262	29.59502
Clay	2	0.0002	0.1281	158.08436	0.0681	84.01669	0.0031	3.82687	0.0337	41.53233	0.0024	2.96037	0.0012	1.48359	0.0311	38.34156
	1	0.0001	0.3097	2318.76011	0.0994	744.39482	0.0050	37.45279	0.0566	423.76761	0.0040	29.93828	0.0021	15.75381	0.0497	372.23916
	0.5	0.00005	0.1614	2415.27393	0.0575	861.09633	0.0039	58.38587	0.0316	472.19222	0.0032	47.86805	0.0016	23.98917	0.0261	389.98032
	0.4	0.00004	0.0835	1888.66235	0.0368	831.10477	0.0029	65.60225	0.0192	434.89767	0.0014	31.64473	0.0001	3.17176	0.0151	342.23457
Sum			1.00	6913.908	1.00	2765.555	1.00	231.882	1.00	1506.642	1.00	163.782	1.00	77.940	1.00	1230.463
Estimated Maximum k (cm/sec)				1.99E-06		1.24E-05		1.77E-03		4.19E-05		3.54E-03		1.57E-02		6.28E-05
Estimated Median k (cm/sec)				8.53E-07		5.33E-06		7.58E-04		1.80E-05		1.52E-03		6.71E-03		2.69E-05
Estimated Minimum k (cm/sec)				2.82E-07		1.76E-06		2.51E-04		5.95E-06		5.03E-04		2.22E-03		8.91E-06
% Gravel			0.0		3.5		0.1		0.2		0.0		0.0		23.4	
% Sand			15.1		27.0		93.7		62.9		96.6		98.7		50.1	
% Silt			16.7		43.3		4.7		22.8		2.3		0.8		14.2	
% Clay			68.3		26.2		1.5		14.1		1.1		0.5		12.2	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2] * (1.99 \times 10^{-4}) / \{ \Sigma [f_i / (d_{li}^{0.404} \times d_{si}^{0.595})] \}^2 * SF^2$ where Θ = total porosity 1.99×10^{-4} = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless) 2. Frac retained = fraction (by weight) retained on screen 3. Estimated shape factors: Rounded 6.1 Median 6.25 Worn 6.4 Maximum 0.40 Median 0.33 Minimum 0.25 4. Estimated porosities:																

Table G-12f

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-331 (44 to 45 feet bgs)		MW-334 (26 to 27 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000
	¾"	0.9500	0.0000	0.00000	0.0000	0.00000
	1¼"	0.6351	0.0000	0.00000	0.0012	0.00159
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0064	0.01201
Coarse Sand	3,364 (No. 6)	0.3364	0.0000	0.00000	0.0177	0.04567
	2,000 (No. 10)	0.2000	0.0004	0.00162	0.0291	0.11763
Medium Sand	1414 (No. 14)	0.1414	0.0004	0.00246	0.0468	0.28693
	1000 (No. 18)	0.1000	0.0014	0.01182	0.0695	0.60267
	707 (No. 25)	0.0707	0.0048	0.05923	0.0833	1.02099
	500 (No. 35)	0.0500	0.0005	0.00869	0.0651	1.12887
	420 (No. 40)	0.0420	0.0007	0.01507	0.0244	0.53923
Fine Sand	354 (No. 45)	0.0354	0.0021	0.05424	0.0738	1.93966
	250 (No. 60)	0.0250	0.0083	0.28592	0.1147	3.97192
	177 (No. 80)	0.0177	0.0332	1.62727	0.1234	6.03747
	125 (No. 120)	0.0125	0.0027	0.19002	0.0686	4.74791
	74 (No. 200)	0.0074	0.5401	58.76349	0.0924	10.04984
Silt	53 (No. 270)	0.0053	0.2915	47.80746	0.0893	14.64359
	37 (No. 400)	0.0037	0.0681	15.83395	0.0683	15.88006
Clay	18 (assumed)	0.0018	0.0458	18.91259	0.0262	10.80251
Sum			1.00	143.574	1.00	71.829
Estimated Maximum k (cm/sec)				4.61E-03		1.84E-02
Estimated Median k (cm/sec)				1.98E-03		7.90E-03
Estimated Minimum k (cm/sec)				6.55E-04		2.62E-03
% Gravel			0.0		0.8	
% Sand			59.5		80.9	
% Silt			36.0		15.8	
% Clay			4.6		2.6	
Notes:						
1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
2. Frac retained = fraction (by weight) retained on screen						
3. Estimated shape factors:						
					Rounded	6.1
					Median	6.25
					Worn	6.4
4. Estimated porosities:						
					Maximum	0.40
					Median	0.33
					Minimum	0.25

Table G-12f

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-335 (19 to 20 feet bgs)		MW-335 (39 to 40 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.1186	0.07170	0.0000	0.00000
	¾"	0.9500	0.0205	0.01931	0.0000	0.00000
	1¼"	0.6351	0.0173	0.02308	0.0000	0.00000
	4,757 (No. 4)	0.4757	0.0121	0.02263	0.0000	0.00000
Coarse Sand	3,364 (No. 6)	0.3364	0.0098	0.02519	0.0000	0.00000
	2,000 (No. 10)	0.2000	0.0116	0.04705	0.0020	0.00794
Medium Sand	1414 (No. 14)	0.1414	0.0176	0.10817	0.0057	0.03512
	1000 (No. 18)	0.1000	0.0412	0.35699	0.0128	0.11132
	707 (No. 25)	0.0707	0.0798	0.97858	0.0241	0.29495
	500 (No. 35)	0.0500	0.0559	0.96943	0.0053	0.09204
	420 (No. 40)	0.0420	0.0225	0.49836	0.0047	0.10314
Fine Sand	354 (No. 45)	0.0354	0.0740	1.94564	0.0102	0.26869
	250 (No. 60)	0.0250	0.1042	3.60676	0.0216	0.74816
	177 (No. 80)	0.0177	0.0805	3.94119	0.0302	1.47883
	125 (No. 120)	0.0125	0.0025	0.17389	0.0335	2.31802
	74 (No. 200)	0.0074	0.1241	13.50424	0.1298	14.12010
Silt	53 (No. 270)	0.0053	0.0576	9.44425	0.4388	71.96381
	37 (No. 400)	0.0037	0.0761	17.67995	0.1753	40.75039
Clay	18 (assumed)	0.0018	0.0742	30.59714	0.1061	43.76595
Sum			1.00	84.014	1.00	176.058
Estimated Maximum k (cm/sec)				1.35E-02		3.07E-03
Estimated Median k (cm/sec)				5.78E-03		1.32E-03
Estimated Minimum k (cm/sec)				1.91E-03		4.35E-04
% Gravel			16.8		0.0	
% Sand			62.4		28.0	
% Silt			13.4		61.4	
% Clay			7.4		10.6	
Notes:						
1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
2. Frac retained = fraction (by weight) retained on screen						
3. Estimated shape factors:						
					Rounded	6.1
					Median	6.25
					Worn	6.4
4. Estimated porosities:						
					Maximum	0.40
					Median	0.33
					Minimum	0.25

Table G-12f

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-335 (68 to 69 feet bgs)		MW-336 (23.5 to 24.5 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000
	¾"	0.9500	0.0000	0.00000	0.0000	0.00000
	1/4"	0.6351	0.0000	0.00000	0.0000	0.00000
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0000	0.00000
Coarse Sand	3,364 (No. 6)	0.3364	0.0000	0.00000	0.0009	0.00235
	2,000 (No. 10)	0.2000	0.0000	0.00000	0.0264	0.10670
Medium Sand	1414 (No. 14)	0.1414	0.0003	0.00172	0.0652	0.40019
	1000 (No. 18)	0.1000	0.0026	0.02254	0.0809	0.70198
	707 (No. 25)	0.0707	0.0179	0.22008	0.0789	0.96709
	500 (No. 35)	0.0500	0.1348	2.33650	0.0565	0.98023
	420 (No. 40)	0.0420	0.0715	1.58214	0.0114	0.25234
Fine Sand	354 (No. 45)	0.0354	0.2814	7.39408	0.0751	1.97223
	250 (No. 60)	0.0250	0.2385	8.25806	0.0778	2.69364
	177 (No. 80)	0.0177	0.0793	3.88212	0.0894	4.37762
	125 (No. 120)	0.0125	0.0028	0.19502	0.0080	0.55495
	74 (No. 200)	0.0074	0.0534	5.81239	0.1463	15.92029
Silt	53 (No. 270)	0.0053	0.0252	4.13334	0.0646	10.60267
	37 (No. 400)	0.0037	0.0439	10.20105	0.0494	11.47121
Clay	18 (assumed)	0.0018	0.0483	19.94781	0.1691	69.78905
Sum			1.00	63.987	1.00	120.793
Estimated Maximum k (cm/sec)				2.32E-02		6.52E-03
Estimated Median k (cm/sec)				9.96E-03		2.80E-03
Estimated Minimum k (cm/sec)				3.30E-03		9.25E-04
% Gravel			0.0		0.0	
% Sand			88.3		71.7	
% Silt			6.9		11.4	
% Clay			4.8		16.9	
Notes:						
1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
2. Frac retained = fraction (by weight) retained on screen						
3. Estimated shape factors:						
					Rounded	6.1
					Median	6.25
					Worn	6.4
4. Estimated porosities:						
					Maximum	0.40
					Median	0.33
					Minimum	0.25

Table G-12f

Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington

Particle Type	Screen	Screen	MW-336 (94 to 95 feet bgs)		MW-337 (15 to 15.5 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000
	¾"	0.9500	0.0000	0.00000	0.0333	0.03136
	1¼"	0.6351	0.0000	0.00000	0.0393	0.05256
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0291	0.05441
Coarse Sand	3,364 (No. 6)	0.3364	0.0002	0.00061	0.0273	0.07044
	2,000 (No. 10)	0.2000	0.0014	0.00563	0.0290	0.11721
Medium Sand	1414 (No. 14)	0.1414	0.0080	0.04900	0.0250	0.15346
	1000 (No. 18)	0.1000	0.0310	0.26882	0.0255	0.22157
	707 (No. 25)	0.0707	0.2047	2.50965	0.0316	0.38692
	500 (No. 35)	0.0500	0.1905	3.30239	0.0301	0.52265
	420 (No. 40)	0.0420	0.0179	0.39503	0.0160	0.35331
Fine Sand	354 (No. 45)	0.0354	0.2543	6.68161	0.0360	0.94557
	250 (No. 60)	0.0250	0.1320	4.57056	0.0559	1.93437
	177 (No. 80)	0.0177	0.0570	2.78892	0.0507	2.48258
	125 (No. 120)	0.0125	0.0024	0.16480	0.0039	0.26810
	74 (No. 200)	0.0074	0.0464	5.04423	0.0608	6.61258
Silt	53 (No. 270)	0.0053	0.0149	2.45145	0.0863	14.15296
	37 (No. 400)	0.0037	0.0095	2.19690	0.1748	40.63018
Clay	18 (assumed)	0.0018	0.0300	12.37243	0.2455	101.30390
Sum			1.00	42.802	1.00	170.294
Estimated Maximum k (cm/sec)				5.19E-02		3.28E-03
Estimated Median k (cm/sec)				2.23E-02		1.41E-03
Estimated Minimum k (cm/sec)				7.37E-03		4.65E-04
% Gravel			0.0		10.2	
% Sand			94.6		39.2	
% Silt			2.4		26.1	
% Clay			3.0		24.6	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
3. Estimated shape factors:						

Table G-12f

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-338 (47 to 48 feet bgs)		MW-338 (54 to 55 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0000	0.00000
	¾"	0.9500	0.0000	0.00000	0.0000	0.00000
	1/4"	0.6351	0.0000	0.00000	0.0000	0.00000
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0000	0.00000
Coarse Sand	3,364 (No. 6)	0.3364	0.0000	0.00000	0.0000	0.00000
	2,000 (No. 10)	0.2000	0.0000	0.00000	0.0008	0.00306
Medium Sand	1414 (No. 14)	0.1414	0.0002	0.00111	0.0002	0.00136
	1000 (No. 18)	0.1000	0.0013	0.01146	0.0010	0.00847
	707 (No. 25)	0.0707	0.0070	0.08606	0.0039	0.04768
	500 (No. 35)	0.0500	0.0020	0.03502	0.0102	0.17697
	420 (No. 40)	0.0420	0.0017	0.03781	0.0059	0.13084
Fine Sand	354 (No. 45)	0.0354	0.0033	0.08778	0.0353	0.92816
	250 (No. 60)	0.0250	0.0121	0.42058	0.0660	2.28433
	177 (No. 80)	0.0177	0.0241	1.18000	0.0814	3.98620
	125 (No. 120)	0.0125	0.0102	0.70436	0.0290	2.00602
	74 (No. 200)	0.0074	0.0825	8.97447	0.3269	35.56782
Silt	53 (No. 270)	0.0053	0.2079	34.09868	0.2737	44.88687
	37 (No. 400)	0.0037	0.2613	60.73620	0.0977	22.70056
Clay	18 (assumed)	0.0018	0.3863	159.39871	0.0681	28.09454
Sum			1.00	265.772	1.00	140.823
Estimated Maximum k (cm/sec)				1.35E-03		4.79E-03
Estimated Median k (cm/sec)				5.77E-04		2.06E-03
Estimated Minimum k (cm/sec)				1.91E-04		6.81E-04
% Gravel			0.0		0.0	
% Sand			14.5		56.1	
% Silt			46.9		37.1	
% Clay			38.6		6.8	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
3. Estimated shape factors:						

Table G-12f

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-340 (47 to 47.5 feet bgs)		MW-341 (90 to 91 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0000	—
Fine Gravel	½"	1.2501	0.0000	0.00000	0.0044	0.00266
	⅜"	0.9500	0.0000	0.00000	0.0179	0.01685
	¼"	0.6351	0.0000	0.00000	0.0555	0.07421
	4,757 (No. 4)	0.4757	0.0000	0.00000	0.0278	0.05196
Coarse Sand	3,364 (No. 6)	0.3364	0.0000	0.00000	0.0583	0.15060
	2,000 (No. 10)	0.2000	0.0004	0.00145	0.0791	0.31989
Medium Sand	1414 (No. 14)	0.1414	0.0002	0.00146	0.0536	0.32871
	1000 (No. 18)	0.1000	0.0005	0.00414	0.0667	0.57834
	707 (No. 25)	0.0707	0.0009	0.01097	0.0984	1.20639
	500 (No. 35)	0.0500	0.0016	0.02689	0.0713	1.23574
	420 (No. 40)	0.0420	0.0037	0.08183	0.1218	2.69447
Fine Sand	354 (No. 45)	0.0354	0.0176	0.46326	0.0991	2.60262
	250 (No. 60)	0.0250	0.0756	2.61872	0.1072	3.71272
	177 (No. 80)	0.0177	0.1027	5.02845	0.0923	4.51843
	125 (No. 120)	0.0125	0.0166	1.14999	0.0094	0.65155
	74 (No. 200)	0.0074	0.0896	9.75401	0.0308	3.35097
Silt	53 (No. 270)	0.0053	0.1386	22.72767	0.0032	0.52255
	37 (No. 400)	0.0037	0.2320	53.93411	0.0012	0.27353
Clay	18 (assumed)	0.0018	0.3199	132.00768	0.0022	0.88825
Sum			1.00	227.811	1.00	23.180
Estimated Maximum k (cm/sec)				1.83E-03		1.77E-01
Estimated Median k (cm/sec)				7.86E-04		7.59E-02
Estimated Minimum k (cm/sec)				2.60E-04		2.51E-02
% Gravel			0.0		10.6	
% Sand			30.9		88.8	
% Silt			37.1		0.4	
% Clay			32.0		0.2	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
3. Estimated shape factors:				Rounded	6.1	
				Median	6.25	
				Worn	6.4	
4. Estimated porosities:				Maximum	0.40	
				Median	0.33	
				Minimum	0.25	

Table G-12f

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen	Screen	MW-341 (102 to 103 feet bgs)		MW-343 (77 to 78 feet bgs)	
	Size (microns)	Size (cm)	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$	Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0000	—	0.0409	—
Fine Gravel	½"	1.2501	0.0053	0.00321	0.2721	0.16454
	¾"	0.9500	0.0000	0.00000	0.1223	0.11525
	1¼"	0.6351	0.0000	0.00000	0.1472	0.19690
	4,757 (No. 4)	0.4757	0.0002	0.00037	0.0674	0.12604
Coarse Sand	3,364 (No. 6)	0.3364	0.0000	0.00000	0.0601	0.15525
	2,000 (No. 10)	0.2000	0.0022	0.00891	0.0604	0.24425
Medium Sand	1414 (No. 14)	0.1414	0.0006	0.00338	0.0323	0.19836
	1000 (No. 18)	0.1000	0.0019	0.01649	0.0245	0.21291
	707 (No. 25)	0.0707	0.0052	0.06361	0.0189	0.23168
	500 (No. 35)	0.0500	0.0156	0.27008	0.0151	0.26194
	420 (No. 40)	0.0420	0.0177	0.39255	0.0052	0.11493
Fine Sand	354 (No. 45)	0.0354	0.0571	1.49924	0.0167	0.43770
	250 (No. 60)	0.0250	0.2379	8.23857	0.0278	0.96332
	177 (No. 80)	0.0177	0.2790	13.65437	0.0247	1.21099
	125 (No. 120)	0.0125	0.1032	7.14174	0.0043	0.29703
	74 (No. 200)	0.0074	0.1560	16.96860	0.0276	3.00315
Silt	53 (No. 270)	0.0053	0.0598	9.81596	0.0104	1.71296
	37 (No. 400)	0.0037	0.0485	11.27664	0.0072	1.67394
Clay	18 (assumed)	0.0018	0.0099	4.06816	0.0147	6.05892
Sum			1.00	73.422	1.00	17.380
Estimated Maximum k (cm/sec)				1.76E-02		3.15E-01
Estimated Median k (cm/sec)				7.57E-03		1.35E-01
Estimated Minimum k (cm/sec)				2.50E-03		4.47E-02
% Gravel			0.6		65.0	
% Sand			87.6		31.8	
% Silt			10.8		1.8	
% Clay			1.0		1.5	
Notes: 1. Kozeny-Carman Equation: $k = [\Theta^3/(1-\Theta)^2]*(1.99 \times 10^4)/\{(\Sigma[f_i/(d_{li}^{0.404} \times d_{si}^{0.595})])^2*SF^2\}$ where Θ = total porosity 1.99×10^4 = constant incorporating unit weight and viscosity of water and the empirical Kozeny-Carmon coefficient (1/cm-sec) f_i = fraction of particles retained on the smaller sieve of adjacent sieve pairs (dimensionless) d_{li} = diameter of larger sieve in pair (cm) d_{si} = diameter of smaller sieve in pair (cm) SF = grain shape factor (dimensionless)						
3. Estimated shape factors:						

Table G-12f

**Estimated Hydraulic Conductivity Based On Grain Size Analyses
American Linen Supply Co Dexter Ave Site
700 Dexter Avenue North, Seattle, Washington**

Particle Type	Screen Size (microns)	Screen Size (cm)	MW-343 (103 to 104 feet bgs)	
			Frac Retained	$f_i/(d_{li}^{0.404} \times d_{si}^{0.595})$
Coarse Gravel	1"	2.5002	0.0284	—
Fine Gravel	½"	1.2501	0.0876	0.05298
	⅜"	0.9500	0.0505	0.04759
	¼"	0.6351	0.0722	0.09660
	4,757 (No. 4)	0.4757	0.0505	0.09437
Coarse Sand	3,364 (No. 6)	0.3364	0.0478	0.12331
	2,000 (No. 10)	0.2000	0.0544	0.22006
Medium Sand	1414 (No. 14)	0.1414	0.0547	0.33532
	1000 (No. 18)	0.1000	0.0518	0.44944
	707 (No. 25)	0.0707	0.0959	1.17596
	500 (No. 35)	0.0500	0.0725	1.25717
	420 (No. 40)	0.0420	0.0460	1.01735
Fine Sand	354 (No. 45)	0.0354	0.0670	1.76166
	250 (No. 60)	0.0250	0.0814	2.81793
	177 (No. 80)	0.0177	0.0417	2.03941
	125 (No. 120)	0.0125	0.0156	1.07831
	74 (No. 200)	0.0074	0.0378	4.11789
Silt	53 (No. 270)	0.0053	0.0167	2.73992
	37 (No. 400)	0.0037	0.0136	3.17143
Clay	18 (assumed)	0.0018	0.0139	5.72787
Sum			1.00	28.325
Estimated Maximum k (cm/sec)				1.19E-01
Estimated Median k (cm/sec)				5.08E-02
Estimated Minimum k (cm/sec)				1.68E-02
% Gravel			28.9	
% Sand			66.7	
% Silt			3.0	
% Clay			1.4	
Notes: See previous page for notes.				