


**APPENDIX L**

**CVOC TIME-TREND PLOTS**


**Concentration vs Time**  
**FMW-143 (10 to 5 feet NAVD), 9th Ave N ROW, E Side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-8 (28.7 to 14.2 NAVD), Seattle Roy Aloha Shops, N end**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-9 (34.1 to 19.1 feet NAVD), 8th Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW121 (26.7 to 16.7 feet NAVD), 8th Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW125 (28.6 to 13.6 feet NAVD), Valley St ROW, N side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-154 (27.8 to 17.9 feet NAVD), Roy St ROW, S side**  
**American Linen Supply Co-Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-155 (24.4 to 14.4 feet NAVD), Roy St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-159 (22.9 to 12.9 feet NAVD), 8th Ave N, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-210 (17.1 to 7.1 feet NAVD), Valley St ROW, N side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-214 (20.8 to 10.8 feet NAVD), Valley St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-301 (35.6 to 25.6 feet NAVD), Valley St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-305 (37.4 to 27.4 feet NAVD), Roy St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-310 (19.2 to 9.2 feet NAVD), Alley E of Seattle Roy Aloha Shops**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-312 (19.9 to 9.9 feet NAVD), Alley E of Seattle Roy Aloha Shops**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-313 (20.4 to 10.4 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-320 (18.6 to 8.6 feet NAVD), 9th Ave N, W side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-332 (16.0 to 6.0 feet NAVD), Roy St ROW, N side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-337 (18.1 to 8.1 feet NAVD), Lake Union Park, N end American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-339 (18.2 to 8.2 feet NAVD), Lake Union Park, S end**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**R-MW5 (42.4 to 27.4 feet NAVD), Dexter Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**R-MW6 (33.3 to 23.3 feet NAVD), 8th Ave N ROW, W side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**SCL-MW101 (25.5 to 15.5 feet NAVD), Alley E of Seattle Roy Aloha Shops**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**SCL-MW105 (11.1 to 1.1 feet NAVD), Alley E of Seattle Roy Aloha Shops**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**SCS-2 (28.2 to 18.2 feet NAVD), Seattle Roy Aloha Shops, N end**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Cleanup Levels: PCE = 5 µg/L, TCE = 4 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time BB-8 (14.0 to 4.0 feet NAVD), Roy St ROW, S side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time FMW-142 (-4.2 to -9.6 feet NAVD), 9th Ave N ROW, E side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time GEI-MW-1 (-9.7 to -29.7 feet NAVD), Block 79 East, N end American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time GEI-1 (1.2 to -8.9 feet NAVD), Block 37, NW Quadrant American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW107 (8.8 to -1.2 feet NAVD), 8th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW108 (-7.2 to -17.2 feet NAVD), Alley E of Seattle Roy Aloho Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE =4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW109 (0.0 to -10.0 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/l, TCE = 4.0 µg/l, cDCE = 16 µg/l, and VC = 0.29 µg/l


### Concentration vs Time MW110 (4.7 to -5.3 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L TCE = 4.0 µg/L cDCE = 16 µg/L and VC = 0.29 µg/L


### Concentration vs Time MW115 (-0.6 to -10.6 feet NAVD), 9th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW116 (-3.1 to -13.1 feet NAVD) 9th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW119 (2.7 to -7.3 feet NAVD), 9th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW120 (0.0 to -10.0 feet NAVD), 8th Ave N ROW, E side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW127 (-1 to -11.0 feet NAVD), 8th Ave N ROW, E side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-142 (2.4 to -7.6 feet NAVD), 8th Ave N ROW, E side**  
**American Linen Supply Co-Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-144R (3.9 to -6.5 feet NAVD), 8th Ave N ROW, E side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-146 (12.8 to 2.8 feet NAVD), Roy St ROW, S side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-156 (2.0 to -8.0 feet NAVD), 8th Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-189 (-1.2 to -11.2 feet NAVD), Valley St ROW, S side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-302 (3.0 to -7.0 feet NAVD), Dexter Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-306 (17.2 to 7.2 feet NAVD), Roy St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-308 (-4.7 to -14.7 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-315 (12.2 to 2.3 feet NAVD), Mercer St ROW, N side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-317 (3.4 to -6.6 feet NAVD), 9th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-325 (7.0 to -3.0 feet NAVD), Mercer St ROW, N side**  
**American Linen Supply Co-Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-327 (3.6 to -6.3 feet NAVD), Lake Union Park, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-330 (0.0 to -10.0 feet NAVD), Valley St ROW, N side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-331 (-4.3 to -14.3 feet NAVD), Alley E of Seattle Roy Aloha Shops**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-333 (-1.5 to -11.5 feet NAVD), 900 Roy St, S end**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time FMW-141 (-12.1 to -22.1 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**HMW-9IB (-1.6 to -11.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant**  
**American Linen Supply Co–Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW111 (-33.5 to -43.5 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

### Concentration vs Time MW112 (-17.2 to -27.2 feet NAVD), Dexter Ave N ROW, W side American Linen Supply Co Dexter Ave Site




**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

### Concentration vs Time


**MW126 (-54.1 to -64.1 feet NAVD), Alley E of Seattle Roy Aloha Shops  
American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-143 (-27.7 to -37.6 feet NAVD), 8th Ave N ROW, E side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-145R (-27.2 to -37.2 feet NAVD), 8th Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-147 (-17.6 to -27.6 feet NAVD), Roy St ROW, S side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-148 (-25.7 to -35.7 feet NAVD), Roy St ROW, S side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-157 (-28.3 to -38.2 feet NAVD), 8th Ave N ROW, E side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-190 (-30.2 to -40.2 feet NAVD), Valley St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-303 (-13.8 to -23.8 feet NAVD), Dexter Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-307 (-12.4 to -22.4 feet NAVD), Roy St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-309 (-32.0 to -42.0 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-311 (-29.1 to -39.1 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-314 (-28.0 to -38.0 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-316 (-10.0 to -20.0 feet NAVD), Mercer St ROW, N side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-318 (-23.1 to -33.1 feet NAVD), 9th Ave N ROW, W side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-322 (-23.1 to -31.3 feet NAVD), 9th Avenue North American Linen Supply Co–Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-334 (-21.7 to -31.7 feet NAVD), 900 Roy Street, S end American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-335 (-25.6 to -35.6 feet NAVD), Mercer St ROW, N side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-338 (-16.6 to -26.6 feet NAVD), Lake Union Park, N end American Linen Supply Co Dexter Ave Site



**Notes:**


- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

### Concentration vs Time MW-340 (-16.1 to -26.1 feet NAVD), Lake Union Park, S end American Linen Supply Co-Dexter Ave Site



Notes:  
 1) All results detected below the laboratory MDLs are shown as hollow data points.  
 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-346 (-2.2 to -12.2 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Concentration vs Time**  
**MW-347 (-1.3 to -11.3 feet NAVD), Seattle DOT Mercer Parcels, NW quadrant**  
**American Linen Supply Co Dexter Ave Site**




**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

### Concentration vs Time

**MW-348 (-4.6 to -14.6 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant  
American Linen Supply Co Dexter Ave Site**




**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

### Concentration vs Time


**MW-349 (-2.8 to -12.8 feet NAVD), Seattle DOT Mercer Parcels, SW quadrant  
American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**W-MW-01 (-25.1 to -35.1 feet NAVD), 8th Ave N ROW, W side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time W-MW-02 (-26.3 to -36.3 feet NAVD), 8th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time FMW-129 (-45.6 to -50.6 feet NAVD), SDOT Mercer Parcels, NE Quadrant American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time FMW-131 (-34.7 to -44.7 feet NAVD), Block 37, SE Quadrant American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time FMW-137 (-39.9 to -54.9 feet NAVD), Alley E of Block 38W American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time FMW-140 (-38.0 to -48.0 feet NAVD), 900 Roy St, S end American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time GEI-2 (-21.1 to -31.1 feet NAVD), Block 37, SW quadrant American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW102 (-65.8 to -75.8 feet NAVD), Valley St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW103 (-67.6 to -77.6 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points.
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW104 (-76.3 to -86.3 feet NAVD), 8th Ave N ROW, W side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW105 (-85.8 to -95.8 feet NAVD), Roy St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW106 (-78.0 to -88.0 feet NAVD), SDOT Mercer Parcels, NW quadrant American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW113 (-37.1 to -47.1 feet NAVD), 9th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW122 (-75.0 to -89.0 feet NAVD), Alley E of Seattle Roy Aloha Shops American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW123 (-42.5 to -52.5 feet NAVD), Westlake Ave N ROW, W side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW124 (-53.8 to -63.8 feet NAVD), Valley St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW128 (-30.8 to -40.8 feet NAVD), Westlake Ave N ROW, E side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Concentration vs Time**  
**MW-138 (-47.5 to -57.5 feet NAVD), Dexter Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**




**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.




**Concentration vs Time**  
**MW-158A (-47.2 to -58.5 feet NAVD), 8th Ave N, ROW E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-160 (-76.5 to -86.5 feet NAVD), 8th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-161 (-78.9 to -89.9 feet NAVD), 8th Ave N ROW, W side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-304 (-47.6 to -57.6 feet NAVD), Dexter Avenue N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-319 (-42.8 to -52.8 feet NAVD), 9th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-323 (-65.4 to -75.4 feet NAVD), 9th Ave N ROW, W side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-324 (-32.1 to -42.1 feet NAVD), Roy St ROW, N side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-326 (-48.7 to -58.7 feet NAVD), Mercer St ROW, N side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-328 (-36.1 to -46.1 feet NAVD), Lake Union Park, S side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-329 (-69.0 to -79.0 feet NAVD), Westlake Ave N ROW, E side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-336 (-51.6 to -61.6 feet NAVD), Mercer St ROW, N side American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


### Concentration vs Time MW-341 (-66.8 to -76.8 feet NAVD), Lake Union Park, S end American Linen Supply Co Dexter Ave Site



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.


**Concentration vs Time**  
**MW-342 (-32.4 to -42.4 feet NAVD), Valley St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.

**Concentration vs Time**  
**MW-343 (-71.5 to -81.5 feet NAVD), Valley St ROW, S side**  
**American Linen Supply Co Dexter Ave Site**



**Notes:**

- 1) All results detected below the laboratory MDLs are shown as hollow data points .
- 2) Preliminary Screening Levels: PCE = 5.0 µg/L, TCE = 4.0 µg/L, cDCE = 16 µg/L, and VC = 0.29 µg/L.