



April 9, 2026

Zak Wall
Northwest Region Toxics Cleanup Program
Washington State Department of Ecology
PO Box 330316
Shoreline, Washington 98133

Via email: zak.wall@ecy.wa.gov

Regarding: Monthly Progress Report No. 23 (March 2026)
Spic N Span Cleaners Site
SCIDpda PPCD No. 24-2-05868-1
652 S Dearborn Street
Seattle, Washington
Apex Project 41593.006

Dear Zak:

This progress report was prepared by Apex Companies, LLC through its wholly owned subsidiary PBS Engineering and Environmental LLC (Apex) for the Spic N Span Cleaners site (Site), which has undergone thermal remediation and monitoring to ultimately facilitate redevelopment of the property into affordable housing by Seattle Chinatown International District Preservation and Development Authority (SCIDpda).

This progress report is being completed as a condition of the Prospective Purchaser Consent Decree (PPCD) signed between SCIDpda and the Washington State Department of Ecology (Ecology), filed March 18, 2024.

The following is a summary of project activities completed for March 2026.

A. On-Site Activities and Progress Made during Reporting Period

- Prepared monthly progress report for February 2026 and submitted it on March 10, 2026.
- Conducted first quarter groundwater monitoring event on March 16 and 17, 2026.

B. Deviations from Required Tasks

- There were no deviations of required tasks during the reporting period.

C. Description of Deviations from the Scope of Work and Schedule

- Not applicable.

D. Plan for Recovering Lost Time for Schedule Deviations

- Not applicable.

E. Raw Data Received from Laboratory

- Please see two lab reports for groundwater sampling from first quarter groundwater monitoring event conducted in March 2026.

F. List of Planned Activities for the Next Month

- Continue to make progress on the remedial investigation report.

Please feel free to contact me at 206.766.7640 or melanie.young@apexcos.com with any questions or comments.

Sincerely,

A handwritten signature in black ink that reads "Melanie L. Young". The signature is written in a cursive, flowing style.

Melanie Young, PE
Senior Environmental Engineer

cc: Josh Sellers Park, SCIDpda
Crystal Ng, SCIDpda



3600 Fremont Ave N
Seattle, WA 98103
T: (206) 352-3790
info.seattle@alliancetg.com

Apex Companies, LLC
Melanie Young
214 E Galer St, Suite 300
Seattle, WA 98102

RE: Spic N Span, 41593.006
Work Order Number: 2603437

March 25, 2026

Attention Melanie Young:

Alliance Technical Group, LLC - Seattle received 5 sample(s) on 3/16/2026 for the analyses presented in the following report.

Dissolved Gases by RSK-175
Ferrous Iron by SM3500-Fe B
Gasoline by NWTPH-Gx
Ion Chromatography by EPA 300.0
Total Alkalinity by EPA 310.2
Total Organic Carbon by SM 5310B
Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,

A handwritten signature in black ink, appearing to read "Brianna Barnes", is written over a light blue horizontal line.

Brianna Barnes
Project Manager

CC:
Brianne Goulet
Martine Pfefferwright

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 6.0 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Original

www.alliancetg.com



Date: 03/25/2026

CLIENT: Apex Companies, LLC
Project: Spic N Span
Work Order: 2603437

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2603437-001	MW-1	03/16/2026 12:30 PM	03/16/2026 4:26 PM
2603437-002	MW-2R	03/16/2026 2:05 PM	03/16/2026 4:26 PM
2603437-003	MW-5R	03/16/2026 12:10 PM	03/16/2026 4:26 PM
2603437-004	MW-10	03/16/2026 1:10 PM	03/16/2026 4:26 PM
2603437-005	MW-12	03/16/2026 1:50 PM	03/16/2026 4:26 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

Original

CLIENT: Apex Companies, LLC

Project: Spic N Span

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Client: Apex Companies, LLC

Collection Date: 3/16/2026 12:30:00 PM

Project: Spic N Span

Lab ID: 2603437-001

Matrix: Groundwater

Client Sample ID: MW-1

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10769

Analyst: BCA

Methane	0.00564	0.00500		mg/L	1	3/20/2026 9:10:00 AM
Ethene	ND	0.0100		mg/L	1	3/20/2026 9:10:00 AM
Ethane	ND	0.0100		mg/L	1	3/20/2026 9:10:00 AM

Gasoline by NWTPH-Gx

Batch ID: 51387

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/20/2026 3:32:33 AM
Surr: Toluene-d8	109	65 - 135		%Rec	1	3/20/2026 3:32:33 AM
Surr: 4-Bromofluorobenzene	108	65 - 135		%Rec	1	3/20/2026 3:32:33 AM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51387

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/20/2026 3:32:33 AM
Chloromethane	ND	1.00		µg/L	1	3/20/2026 3:32:33 AM
Vinyl chloride	ND	0.200		µg/L	1	3/20/2026 3:32:33 AM
Bromomethane	ND	2.00		µg/L	1	3/20/2026 3:32:33 AM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Chloroethane	ND	1.00		µg/L	1	3/20/2026 3:32:33 AM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Acetone	ND	5.00		µg/L	1	3/20/2026 3:32:33 AM
Methylene chloride	ND	2.00		µg/L	1	3/20/2026 3:32:33 AM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/20/2026 3:32:33 AM
Chloroform	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Carbon tetrachloride	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/20/2026 3:32:33 AM
Benzene	ND	0.200		µg/L	1	3/20/2026 3:32:33 AM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/20/2026 3:32:33 AM
Bromodichloromethane	ND	0.200		µg/L	1	3/20/2026 3:32:33 AM
Dibromomethane	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Toluene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM

Client: Apex Companies, LLC

Collection Date: 3/16/2026 12:30:00 PM

Project: Spic N Span

Lab ID: 2603437-001

Matrix: Groundwater

Client Sample ID: MW-1

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51387

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/20/2026 3:32:33 AM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Dibromochloromethane	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/20/2026 3:32:33 AM
Chlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Ethylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
m,p-Xylene	ND	1.00		µg/L	1	3/20/2026 3:32:33 AM
o-Xylene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Styrene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Isopropylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Bromoform	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/20/2026 3:32:33 AM
n-Propylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Bromobenzene	ND	0.200		µg/L	1	3/20/2026 3:32:33 AM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
2-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
4-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
tert-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/20/2026 3:32:33 AM
sec-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
n-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/20/2026 3:32:33 AM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 3:32:33 AM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/20/2026 3:32:33 AM
Naphthalene	ND	1.25		µg/L	1	3/20/2026 3:32:33 AM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/20/2026 3:32:33 AM
Surr: Dibromofluoromethane	97.9	79.9 - 122		%Rec	1	3/20/2026 3:32:33 AM
Surr: Toluene-d8	98.7	80 - 121		%Rec	1	3/20/2026 3:32:33 AM
Surr: 1-Bromo-4-fluorobenzene	99.0	79.7 - 120		%Rec	1	3/20/2026 3:32:33 AM

Analytical Report

Work Order: **2603437**
Date Reported: **3/25/2026**

Client: Apex Companies, LLC

Collection Date: 3/16/2026 12:30:00 PM

Project: Spic N Span

Lab ID: 2603437-001

Matrix: Groundwater

Client Sample ID: MW-1

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Ion Chromatography by EPA 300.0

Batch ID: 51354 Analyst: BB

Nitrate (as N)	0.460	0.200		mg/L	1	3/17/2026 9:47:00 PM
Nitrate (as N)+Nitrite (as N)	0.460	0.400		mg/L	1	3/17/2026 9:47:00 PM
Sulfate	7.50	1.00		mg/L	1	3/17/2026 9:47:00 PM

Ion Chromatography by EPA 300.0

Batch ID: 51446 Analyst: SS

Chloride	23.1	0.600		mg/L	1	3/24/2026 1:15:00 PM
----------	------	-------	--	------	---	----------------------

Total Organic Carbon by SM 5310B

Batch ID: R10775 Analyst: SLL

Total Organic Carbon	4.71	0.250		mg/L	1	3/23/2026 7:34:14 PM
----------------------	------	-------	--	------	---	----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777 Analyst: NR

Alkalinity, Total (As CaCO ₃)	27.4	2.50		mg/L	1	3/23/2026 1:36:00 PM
---	------	------	--	------	---	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10756 Analyst: BB

Ferrous Iron	0.318	0.150		mg/L	1	3/17/2026 11:03:09 AM
--------------	-------	-------	--	------	---	-----------------------

Client: Apex Companies, LLC

Collection Date: 3/16/2026 2:05:00 PM

Project: Spic N Span

Lab ID: 2603437-002

Matrix: Groundwater

Client Sample ID: MW-2R

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10769

Analyst: BCA

Methane	2.26	0.0500	D	mg/L	10	3/20/2026 10:03:00 AM
Ethene	ND	0.0100		mg/L	1	3/20/2026 9:12:00 AM
Ethane	ND	0.0100		mg/L	1	3/20/2026 9:12:00 AM

Gasoline by NWTPH-Gx

Batch ID: 51387

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/20/2026 3:57:51 AM
Surr: Toluene-d8	109	65 - 135		%Rec	1	3/20/2026 3:57:51 AM
Surr: 4-Bromofluorobenzene	110	65 - 135		%Rec	1	3/20/2026 3:57:51 AM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51387

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/20/2026 3:57:51 AM
Chloromethane	ND	1.00		µg/L	1	3/20/2026 3:57:51 AM
Vinyl chloride	ND	0.200		µg/L	1	3/20/2026 3:57:51 AM
Bromomethane	ND	2.00		µg/L	1	3/20/2026 3:57:51 AM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Chloroethane	ND	1.00		µg/L	1	3/20/2026 3:57:51 AM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Acetone	ND	5.00		µg/L	1	3/20/2026 3:57:51 AM
Methylene chloride	ND	2.00		µg/L	1	3/20/2026 3:57:51 AM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/20/2026 3:57:51 AM
Chloroform	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Carbon tetrachloride	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/20/2026 3:57:51 AM
Benzene	ND	0.200		µg/L	1	3/20/2026 3:57:51 AM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/20/2026 3:57:51 AM
Bromodichloromethane	ND	0.200		µg/L	1	3/20/2026 3:57:51 AM
Dibromomethane	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Toluene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM

Original

Client: Apex Companies, LLC

Collection Date: 3/16/2026 2:05:00 PM

Project: Spic N Span

Lab ID: 2603437-002

Matrix: Groundwater

Client Sample ID: MW-2R

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51387

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/20/2026 3:57:51 AM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Dibromochloromethane	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/20/2026 3:57:51 AM
Chlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Ethylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
m,p-Xylene	ND	1.00		µg/L	1	3/20/2026 3:57:51 AM
o-Xylene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Styrene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Isopropylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Bromoform	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/20/2026 3:57:51 AM
n-Propylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Bromobenzene	ND	0.200		µg/L	1	3/20/2026 3:57:51 AM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
2-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
4-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
tert-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/20/2026 3:57:51 AM
sec-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
n-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/20/2026 3:57:51 AM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 3:57:51 AM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/20/2026 3:57:51 AM
Naphthalene	ND	1.25		µg/L	1	3/20/2026 3:57:51 AM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/20/2026 3:57:51 AM
Surr: Dibromofluoromethane	99.2	79.9 - 122		%Rec	1	3/20/2026 3:57:51 AM
Surr: Toluene-d8	98.9	80 - 121		%Rec	1	3/20/2026 3:57:51 AM
Surr: 1-Bromo-4-fluorobenzene	100	79.7 - 120		%Rec	1	3/20/2026 3:57:51 AM

Client: Apex Companies, LLC

Collection Date: 3/16/2026 2:05:00 PM

Project: Spic N Span

Lab ID: 2603437-002

Matrix: Groundwater

Client Sample ID: MW-2R

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 51354		Analyst: BB
Nitrate (as N)	ND	0.200		mg/L	1	3/17/2026 10:56:00 PM
Nitrate (as N)+Nitrite (as N)	ND	0.400		mg/L	1	3/17/2026 10:56:00 PM
Sulfate	30.0	1.00		mg/L	1	3/17/2026 10:56:00 PM
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 51446		Analyst: SS
Chloride	40.2	0.600		mg/L	1	3/24/2026 1:27:00 PM
<u>Total Organic Carbon by SM 5310B</u>				Batch ID: R10775		Analyst: SLL
Total Organic Carbon	8.80	0.250		mg/L	1	3/23/2026 7:46:30 PM
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10777		Analyst: NR
Alkalinity, Total (As CaCO ₃)	290	25.0	D	mg/L	10	3/23/2026 3:45:00 PM
<u>Ferrous Iron by SM3500-Fe B</u>				Batch ID: R10756		Analyst: BB
Ferrous Iron	1.25	0.150		mg/L	1	3/17/2026 11:03:09 AM

Client: Apex Companies, LLC

Collection Date: 3/16/2026 12:10:00 PM

Project: Spic N Span

Lab ID: 2603437-003

Matrix: Groundwater

Client Sample ID: MW-5R

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10769

Analyst: BCA

Methane	2.65	0.100	D	mg/L	20	3/20/2026 10:06:00 AM
Ethene	ND	0.0100		mg/L	1	3/20/2026 9:15:00 AM
Ethane	ND	0.0100		mg/L	1	3/20/2026 9:15:00 AM

Gasoline by NWTPH-Gx

Batch ID: 51391

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/20/2026 4:23:10 AM
Surr: Toluene-d8	108	65 - 135		%Rec	1	3/20/2026 4:23:10 AM
Surr: 4-Bromofluorobenzene	112	65 - 135		%Rec	1	3/20/2026 4:23:10 AM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51391

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/20/2026 4:23:10 AM
Chloromethane	ND	1.00		µg/L	1	3/20/2026 4:23:10 AM
Vinyl chloride	ND	0.200		µg/L	1	3/20/2026 4:23:10 AM
Bromomethane	ND	2.00		µg/L	1	3/20/2026 4:23:10 AM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Chloroethane	ND	1.00		µg/L	1	3/20/2026 4:23:10 AM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Acetone	ND	5.00		µg/L	1	3/20/2026 4:23:10 AM
Methylene chloride	ND	2.00		µg/L	1	3/20/2026 4:23:10 AM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/20/2026 4:23:10 AM
Chloroform	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Carbon tetrachloride	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/20/2026 4:23:10 AM
Benzene	ND	0.200		µg/L	1	3/20/2026 4:23:10 AM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/20/2026 4:23:10 AM
Bromodichloromethane	ND	0.200		µg/L	1	3/20/2026 4:23:10 AM
Dibromomethane	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Toluene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM

Original

Client: Apex Companies, LLC

Collection Date: 3/16/2026 12:10:00 PM

Project: Spic N Span

Lab ID: 2603437-003

Matrix: Groundwater

Client Sample ID: MW-5R

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51391

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/20/2026 4:23:10 AM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Dibromochloromethane	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/20/2026 4:23:10 AM
Chlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Ethylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
m,p-Xylene	ND	1.00		µg/L	1	3/20/2026 4:23:10 AM
o-Xylene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Styrene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Isopropylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Bromoform	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/20/2026 4:23:10 AM
n-Propylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Bromobenzene	ND	0.200		µg/L	1	3/20/2026 4:23:10 AM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
2-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
4-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
tert-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/20/2026 4:23:10 AM
sec-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
n-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/20/2026 4:23:10 AM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 4:23:10 AM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/20/2026 4:23:10 AM
Naphthalene	ND	1.25		µg/L	1	3/20/2026 4:23:10 AM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/20/2026 4:23:10 AM
Surr: Dibromofluoromethane	99.0	79.9 - 122		%Rec	1	3/20/2026 4:23:10 AM
Surr: Toluene-d8	98.3	80 - 121		%Rec	1	3/20/2026 4:23:10 AM
Surr: 1-Bromo-4-fluorobenzene	100	79.7 - 120		%Rec	1	3/20/2026 4:23:10 AM

Analytical Report

Work Order: **2603437**
Date Reported: **3/25/2026**

Client: Apex Companies, LLC

Collection Date: 3/16/2026 12:10:00 PM

Project: Spic N Span

Lab ID: 2603437-003

Matrix: Groundwater

Client Sample ID: MW-5R

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 51354		Analyst: BB
Nitrate (as N)	ND	0.200		mg/L	1	3/17/2026 11:19:00 PM
Nitrate (as N)+Nitrite (as N)	ND	0.400		mg/L	1	3/17/2026 11:19:00 PM
Sulfate	28.6	1.00		mg/L	1	3/17/2026 11:19:00 PM
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 51446		Analyst: SS
Chloride	24.0	0.600		mg/L	1	3/24/2026 1:40:00 PM
<u>Total Organic Carbon by SM 5310B</u>				Batch ID: R10775		Analyst: SLL
Total Organic Carbon	9.98	0.250		mg/L	1	3/23/2026 8:09:50 PM
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10777		Analyst: NR
Alkalinity, Total (As CaCO ₃)	464	50.0	D	mg/L	20	3/23/2026 5:21:00 PM
<u>Ferrous Iron by SM3500-Fe B</u>				Batch ID: R10756		Analyst: BB
Ferrous Iron	1.40	0.150		mg/L	1	3/17/2026 11:03:09 AM

Client: Apex Companies, LLC

Collection Date: 3/16/2026 1:50:00 PM

Project: Spic N Span

Lab ID: 2603437-005

Matrix: Groundwater

Client Sample ID: MW-12

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10769

Analyst: BCA

Methane	0.0326	0.00500		mg/L	1	3/20/2026 9:19:00 AM
Ethene	ND	0.0100		mg/L	1	3/20/2026 9:19:00 AM
Ethane	ND	0.0100		mg/L	1	3/20/2026 9:19:00 AM

Gasoline by NWTPH-Gx

Batch ID: 51391

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/20/2026 4:48:30 AM
Surr: Toluene-d8	108	65 - 135		%Rec	1	3/20/2026 4:48:30 AM
Surr: 4-Bromofluorobenzene	108	65 - 135		%Rec	1	3/20/2026 4:48:30 AM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51391

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/20/2026 4:48:30 AM
Chloromethane	ND	1.00		µg/L	1	3/20/2026 4:48:30 AM
Vinyl chloride	ND	0.200		µg/L	1	3/20/2026 4:48:30 AM
Bromomethane	ND	2.00		µg/L	1	3/20/2026 4:48:30 AM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Chloroethane	ND	1.00		µg/L	1	3/20/2026 4:48:30 AM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Acetone	ND	5.00		µg/L	1	3/20/2026 4:48:30 AM
Methylene chloride	ND	2.00		µg/L	1	3/20/2026 4:48:30 AM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/20/2026 4:48:30 AM
Chloroform	1.38	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Carbon tetrachloride	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/20/2026 4:48:30 AM
Benzene	ND	0.200		µg/L	1	3/20/2026 4:48:30 AM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/20/2026 4:48:30 AM
Bromodichloromethane	ND	0.200		µg/L	1	3/20/2026 4:48:30 AM
Dibromomethane	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Toluene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM

Original

Client: Apex Companies, LLC

Collection Date: 3/16/2026 1:50:00 PM

Project: Spic N Span

Lab ID: 2603437-005

Matrix: Groundwater

Client Sample ID: MW-12

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 51391		Analyst: KJ
Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/20/2026 4:48:30 AM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Tetrachloroethene (PCE)	1.02	0.500		µg/L	1	3/20/2026 4:48:30 AM
Dibromochloromethane	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/20/2026 4:48:30 AM
Chlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Ethylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
m,p-Xylene	ND	1.00		µg/L	1	3/20/2026 4:48:30 AM
o-Xylene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Styrene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Isopropylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Bromoform	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/20/2026 4:48:30 AM
n-Propylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Bromobenzene	ND	0.200		µg/L	1	3/20/2026 4:48:30 AM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
2-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
4-Chlorotoluene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
tert-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/20/2026 4:48:30 AM
sec-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
n-Butylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/20/2026 4:48:30 AM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/20/2026 4:48:30 AM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/20/2026 4:48:30 AM
Naphthalene	ND	1.25		µg/L	1	3/20/2026 4:48:30 AM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/20/2026 4:48:30 AM
Surr: Dibromofluoromethane	100	79.9 - 122		%Rec	1	3/20/2026 4:48:30 AM
Surr: Toluene-d8	99.0	80 - 121		%Rec	1	3/20/2026 4:48:30 AM
Surr: 1-Bromo-4-fluorobenzene	99.3	79.7 - 120		%Rec	1	3/20/2026 4:48:30 AM

Analytical Report

Work Order: **2603437**
Date Reported: **3/25/2026**

Client: Apex Companies, LLC

Collection Date: 3/16/2026 1:50:00 PM

Project: Spic N Span

Lab ID: 2603437-005

Matrix: Groundwater

Client Sample ID: MW-12

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 51354		Analyst: BB
Nitrate (as N)	10.3	0.200	E	mg/L	1	3/17/2026 11:42:00 PM
<u>Ion Chromatography by EPA 300.0</u>				Batch ID: 51446		Analyst: SS
Chloride	240	3.00	D	mg/L	5	3/24/2026 1:53:00 PM
Nitrate (as N)	11.0	0.750	DH	mg/L	5	3/24/2026 1:53:00 PM
Nitrate (as N)+Nitrite (as N)	11.0	2.00	D	mg/L	5	3/24/2026 1:53:00 PM
Sulfate	57.0	5.00	D	mg/L	5	3/24/2026 1:53:00 PM
<u>Total Organic Carbon by SM 5310B</u>				Batch ID: R10775		Analyst: SLL
Total Organic Carbon	2.00	0.250		mg/L	1	3/23/2026 8:23:58 PM
<u>Total Alkalinity by EPA 310.2</u>				Batch ID: R10777		Analyst: NR
Alkalinity, Total (As CaCO ₃)	139	25.0	D	mg/L	10	3/23/2026 3:49:00 PM
<u>Ferrous Iron by SM3500-Fe B</u>				Batch ID: R10756		Analyst: BB
Ferrous Iron	1.51	0.150		mg/L	1	3/17/2026 11:03:09 AM

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: MB-107770	SampType: MBLK	Units: mg/L			Prep Date: 3/23/2026			RunNo: 107770			
Client ID: MBLKW	Batch ID: R107770				Analysis Date: 3/23/2026			SeqNo: 2244830			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	ND	2.50									

Sample ID: LCS-107770	SampType: LCS	Units: mg/L			Prep Date: 3/23/2026			RunNo: 107770			
Client ID: LCSW	Batch ID: R107770				Analysis Date: 3/23/2026			SeqNo: 2244831			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	25.0	2.50	25.00	0	99.9	80	134				

Sample ID: 2603437-001CDUP	SampType: DUP	Units: mg/L			Prep Date: 3/23/2026			RunNo: 107770			
Client ID: MW-1	Batch ID: R107770				Analysis Date: 3/23/2026			SeqNo: 2244848			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	30.8	2.50						27.39	11.7	20	

Sample ID: 2603437-002CDUP	SampType: DUP	Units: mg/L			Prep Date: 3/23/2026			RunNo: 107770			
Client ID: MW-2R	Batch ID: R107770				Analysis Date: 3/23/2026			SeqNo: 2244868			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Alkalinity, Total (As CaCO3)	309	25.0						290.0	6.28	20	D

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ferrous Iron by SM3500-Fe B

Sample ID: MB-R107569	SampType: MBLK	Units: mg/L		Prep Date: 3/17/2026	RunNo: 107569							
Client ID: MBLKW	Batch ID: R107569			Analysis Date: 3/17/2026	SeqNo: 2240338							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	ND	0.150										

Sample ID: LCS-R107569	SampType: LCS	Units: mg/L		Prep Date: 3/17/2026	RunNo: 107569							
Client ID: LCSW	Batch ID: R107569			Analysis Date: 3/17/2026	SeqNo: 2240339							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	0.400	0.150	0.4000	0	100	85	115					

Sample ID: 2603437-001BDUP	SampType: DUP	Units: mg/L		Prep Date: 3/17/2026	RunNo: 107569							
Client ID: MW-1	Batch ID: R107569			Analysis Date: 3/17/2026	SeqNo: 2240341							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	0.262	0.150						0.3183	19.3	20		

Sample ID: 2603437-001BMS	SampType: MS	Units: mg/L		Prep Date: 3/17/2026	RunNo: 107569							
Client ID: MW-1	Batch ID: R107569			Analysis Date: 3/17/2026	SeqNo: 2240342							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	0.634	0.150	0.4000	0.3183	78.8	70	130					

Sample ID: 2603437-001BMSD	SampType: MSD	Units: mg/L		Prep Date: 3/17/2026	RunNo: 107569							
Client ID: MW-1	Batch ID: R107569			Analysis Date: 3/17/2026	SeqNo: 2240343							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	0.651	0.150	0.4000	0.3183	83.1	70	130	0.6335	2.69	30		

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-51354		SampType: MBLK		Units: mg/L		Prep Date: 3/17/2026			RunNo: 107604			
Client ID: MBLKW		Batch ID: 51354					Analysis Date: 3/17/2026			SeqNo: 2241258		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N)	ND	0.200									
Nitrate (as N)+Nitrite (as N)	ND	0.400									
Sulfate	ND	1.00									

Sample ID: LCS-51354		SampType: LCS			Units: mg/L		Prep Date: 3/17/2026			RunNo: 107604		
Client ID: LCSW		Batch ID: 51354			Analysis Date: 3/17/2026			SeqNo: 2241259				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N)	0.726	0.200	0.7500	0	96.8	90	110				
Nitrate (as N)+Nitrite (as N)	1.46	0.400	1.500	0	97.3	90	110				
Sulfate	3.64	1.00	3.750	0	97.2	90	110				

Sample ID: 2603460-001ADUP		SampType: DUP			Units: mg/L		Prep Date: 3/17/2026			RunNo: 107604		
Client ID: BATCH		Batch ID: 51354			Analysis Date: 3/17/2026			SeqNo: 2241261				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N)	ND	0.200						0		20	
Nitrate (as N)+Nitrite (as N)	ND	0.400						0		20	
Sulfate	9.49	1.00						9.461	0.306	20	

Sample ID: 2603460-001AMS		SampType: MS			Units: mg/L		Prep Date: 3/17/2026			RunNo: 107604		
Client ID: BATCH		Batch ID: 51354			Analysis Date: 3/17/2026					SeqNo: 2241262		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N)	0.831	0.200	0.7500	0.1620	89.2	80	120				
Nitrate (as N)+Nitrite (as N)	1.54	0.400	1.500	0.1620	91.8	80	120				
Sulfate	13.2	1.00	3.750	9.461	98.6	80	120				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2603460-001AMSD		SampType: MSD			Units: mg/L		Prep Date: 3/17/2026		RunNo: 107604		
Client ID: BATCH		Batch ID: 51354			Analysis Date: 3/17/2026				SeqNo: 2241263		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as N)	0.773	0.200	0.7500	0.1620	81.5	80	120	0.8310	7.23	20	
Nitrate (as N)+Nitrite (as N)	1.39	0.400	1.500	0.1620	81.8	80	120	1.539	10.2	20	
Sulfate	12.9	1.00	3.750	9.461	90.5	80	120	13.16	2.33	20	

Sample ID: 2603460-002ADUP		SampType: DUP		Units: mg/L		Prep Date: 3/17/2026		RunNo: 107604			
Client ID: BATCH		Batch ID: 51354				Analysis Date: 3/17/2026		SeqNo: 2241265			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as N)	ND	0.200						0		20	
Nitrate (as N)+Nitrite (as N)	ND	0.400						0		20	
Sulfate	9.51	1.00						9.503	0.0736	20	

Sample ID: 2603460-002AMS		SampType: MS			Units: mg/L		Prep Date: 3/17/2026		RunNo: 107604		
Client ID: BATCH		Batch ID: 51354			Analysis Date: 3/17/2026				SeqNo: 2241266		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as N)	0.778	0.200	0.7500	0.1560	82.9	80	120				
Nitrate (as N)+Nitrite (as N)	1.40	0.400	1.500	0.1560	82.7	80	120				
Sulfate	12.9	1.00	3.750	9.503	90.0	80	120				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-51446	SampType: MBLK	Units: mg/L			Prep Date: 3/24/2026				RunNo: 107800			
Client ID: MBLKW	Batch ID: 51446					Analysis Date: 3/24/2026				SeqNo: 2245524		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	ND	0.600										
Nitrate (as N)	ND	0.150										
Nitrate (as N)+Nitrite (as N)	ND	0.400										
Sulfate	ND	1.00										

Sample ID: LCS-51446	SampType: LCS	Units: mg/L			Prep Date: 3/24/2026			RunNo: 107800			
Client ID: LCSW	Batch ID: 51446				Analysis Date: 3/24/2026			SeqNo: 2245525			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	9.57	0.600	10.00	0	95.7	90	110				
Nitrate (as N)	2.16	0.150	2.259	0	95.5	90	110				
Nitrate (as N)+Nitrite (as N)	5.10	0.400	5.304	0	96.1	90	110				
Sulfate	9.52	1.00	10.00	0	95.2	90	110				

Sample ID: 2603437-001CDUP		SampType: DUP		Units: mg/L		Prep Date: 3/24/2026			RunNo: 107800		
Client ID: MW-1		Batch ID: 51446					Analysis Date: 3/24/2026			SeqNo: 2245526	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	23.1	0.600						23.14	0.325	20	
Nitrate (as N)	0.494	0.150						0.4950	0.202	20	
Nitrate (as N)+Nitrite (as N)	0.494	0.400						0.4950	0.202	20	
Sulfate	8.05	1.00						8.067	0.211	20	

Sample ID: 2603437-001CMS	SampType: MS	Units: mg/L			Prep Date: 3/24/2026			RunNo: 107800			
Client ID: MW-1	Batch ID: 51446				Analysis Date: 3/24/2026			SeqNo: 2245527			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	32.3	0.600	10.00	23.14	91.7	80	120				
Nitrate (as N)	2.79	0.150	2.259	0.4950	101	80	120				
Nitrate (as N)+Nitrite (as N)	5.93	0.400	5.304	0.4950	102	80	120				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: 2603437-001CMS	SampType: MS	Units: mg/L			Prep Date: 3/24/2026			RunNo: 107800			
Client ID: MW-1	Batch ID: 51446				Analysis Date: 3/24/2026			SeqNo: 2245527			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Sulfate	18.1	1.00	10.00	8.067	100	80	120				
---------	------	------	-------	-------	-----	----	-----	--	--	--	--

Sample ID: 2603437-001CMSD		SampType: MSD		Units: mg/L		Prep Date: 3/24/2026			RunNo: 107800		
Client ID: MW-1		Batch ID: 51446		Analysis Date: 3/24/2026			SeqNo: 2245528				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Chloride	32.3	0.600	10.00	23.14	91.5	80	120	32.31	0.0557	20	
Nitrate (as N)	2.78	0.150	2.259	0.4950	101	80	120	2.787	0.287	20	
Nitrate (as N)+Nitrite (as N)	5.81	0.400	5.304	0.4950	100	80	120	5.928	1.98	20	
Sulfate	18.0	1.00	10.00	8.067	99.8	80	120	18.08	0.188	20	

Sample ID: 2603641-001DDUP		SampType: DUP			Units: mg/L		Prep Date: 3/24/2026			RunNo: 107800		
Client ID: BATCH		Batch ID: 51446			Analysis Date: 3/24/2026					SeqNo: 2245540		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Chloride	8.03	0.600						8.023	0.0374	20	
Nitrate (as N)	ND	0.150						0		20	
Nitrate (as N)+Nitrite (as N)	ND	0.400						0		20	
Sulfate	12.3	1.00						12.33	0.113	20	

Sample ID: 2603641-001DMS		SampType: MS		Units: mg/L		Prep Date: 3/24/2026			RunNo: 107800		
Client ID: BATCH		Batch ID: 51446		Analysis Date: 3/24/2026			SeqNo: 2245541				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Chloride	27.5	0.600	20.00	8.023	97.3	80	120				
Nitrate (as N)	4.66	0.150	4.518	0.05600	102	80	120				
Nitrate (as N)+Nitrite (as N)	10.3	0.400	10.61	0	97.1	80	120				
Sulfate	31.0	1.00	20.00	12.33	93.4	80	120				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Total Organic Carbon by SM 5310B

Sample ID: MB-107755		SampType: MBLK			Units: mg/L		Prep Date: 3/23/2026			RunNo: 107755		
Client ID: MBLKW		Batch ID: R107755			Analysis Date: 3/23/2026					SeqNo: 2244115		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Total Organic Carbon	ND	0.250									
----------------------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-107755		SampType: LCS			Units: mg/L		Prep Date: 3/23/2026			RunNo: 107755		
Client ID: LCSW		Batch ID: R107755			Analysis Date: 3/23/2026				SeqNo: 2244116			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Total Organic Carbon	23.0	0.250	23.26	0	98.8	85	115				
----------------------	------	-------	-------	---	------	----	-----	--	--	--	--

Sample ID: 2603278-001CMS		SampType: MS		Units: mg/L		Prep Date: 3/23/2026			RunNo: 107755		
Client ID: BATCH		Batch ID: R107755		Analysis Date: 3/23/2026			SeqNo: 2244118				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Organic Carbon	36.9	0.250	23.26	14.03	98.3	85	115				
----------------------	------	-------	-------	-------	------	----	-----	--	--	--	--

Sample ID: 2603278-001CMSD		SampType: MSD			Units: mg/L		Prep Date: 3/23/2026			RunNo: 107755		
Client ID: BATCH		Batch ID: R107755			Analysis Date: 3/23/2026				SeqNo: 2244119			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Total Organic Carbon	36.8	0.250	23.26	14.03	97.8	85	115	36.88	0.272	15	
----------------------	------	-------	-------	-------	------	----	-----	-------	-------	----	--

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: LCS-107691		SampType: LCS			Units: ppmv		Prep Date: 3/20/2026			RunNo: 107691		
Client ID: LCSW		Batch ID: R107691			Analysis Date: 3/20/2026			SeqNo: 2243060				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	957	0.00500	1,000	0	95.7	73.6	124				
Ethene	942	0.0100	1,000	0	94.2	76.3	122				
Ethane	963	0.0100	1,000	0	96.3	76.1	123				

Sample ID: MB-107691		SampType: MBLK			Units: mg/L		Prep Date: 3/20/2026			RunNo: 107691		
Client ID: MBLKW		Batch ID: R107691			Analysis Date: 3/20/2026					SeqNo: 2243059		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2603439-002EREP		SampType: REP		Units: mg/L		Prep Date: 3/20/2026			RunNo: 107691		
Client ID: BATCH		Batch ID: R107691					Analysis Date: 3/20/2026			SeqNo: 2243055	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Methane	0.140	0.00500						0.1612	14.3	20	
Ethene	ND	0.0100						0		20	
Ethane	0.0117	0.0100						0.01402	18.3	20	

Sample ID: 2603439-001EREP		SampType: REP		Units: mg/L		Prep Date: 3/20/2026			RunNo: 107691		
Client ID: BATCH		Batch ID: R107691					Analysis Date: 3/20/2026			SeqNo: 2243053	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Methane	2.29	0.100						2.177	5.21	20	D
Ethene	ND	0.200						0		20	D
Ethane	ND	0.200						0		20	D

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: 2603437-004EREP		SampType: REP		Units: mg/L		Prep Date: 3/20/2026			RunNo: 107691		
Client ID: MW-10		Batch ID: R107691		Analysis Date: 3/20/2026			SeqNo: 2243039				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	2.98	0.100						3.000	0.554	20	D
Ethene	ND	0.200						0		20	D
Ethane	ND	0.200						0		20	D

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Gasoline by NWTPH-Gx

Sample ID: LCS-51387		SampType: LCS			Units: µg/L		Prep Date: 3/19/2026			RunNo: 107722		
Client ID: LCSW		Batch ID: 51387			Analysis Date: 3/19/2026					SeqNo: 2243560		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Gasoline Range Organics	486	50.0	500.0	0	97.3	80	120				
Surr: Toluene-d8	25.1		25.00		100	80	120				
Surr: 4-Bromofluorobenzene	24.4		25.00		97.7	80	120				

Sample ID: MB-51387		SampType: MBLK			Units: µg/L		Prep Date: 3/19/2026			RunNo: 107722		
Client ID: MBLKW		Batch ID: 51387			Analysis Date: 3/19/2026					SeqNo: 2243551		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Gasoline Range Organics	ND	50.0									
Surr: Toluene-d8	26.8		25.00		107	65	135				
Surr: 4-Bromofluorobenzene	27.0		25.00		108	65	135				

Sample ID: 2603503-003ADUP		SampType: DUP			Units: µg/L		Prep Date: 3/19/2026			RunNo: 107722		
Client ID: BATCH		Batch ID: 51387			Analysis Date: 3/19/2026				SeqNo: 2243553			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Gasoline Range Organics	ND	50.0						0		30	
Surr: Toluene-d8	26.8		25.00		107	65	135		0		
Surr: 4-Bromofluorobenzene	26.8		25.00		107	65	135		0		

Sample ID: MB-51391	SampType: MBLK	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107679			
Client ID: MBLKW	Batch ID: 51391				Analysis Date: 3/19/2026			SeqNo: 2242700			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline Range Organics	ND	50.0									
Surr: Toluene-d8	26.8		25.00		107	65	135				
Surr: 4-Bromofluorobenzene	26.9		25.00		108	65	135				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Gasoline by NWTPH-Gx

Sample ID: 2603529-001ADUP	SampType: DUP	Units: µg/L				Prep Date: 3/19/2026			RunNo: 107679		
Client ID: BATCH	Batch ID: 51391					Analysis Date: 3/19/2026			SeqNo: 2242702		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics	ND	50.0						0		30	
Surr: Toluene-d8	27.2		25.00		109	65	135		0		
Surr: 4-Bromofluorobenzene	26.8		25.00		107	65	135		0		

Sample ID: LCS-51391	SampType: LCS	Units: µg/L				Prep Date: 3/19/2026			RunNo: 107679		
Client ID: LCSW	Batch ID: 51391					Analysis Date: 3/20/2026			SeqNo: 2242715		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics	593	50.0	500.0	0	119	80	120				
Surr: Toluene-d8	25.0		25.00		99.9	80	120				
Surr: 4-Bromofluorobenzene	24.1		25.00		96.6	80	120				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51387	SampType: LCS	Units: µg/L				Prep Date: 3/19/2026			RunNo: 107650		
Client ID: LCSW	Batch ID: 51387	Analysis Date: 3/19/2026							SeqNo: 2242224		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	22.4	1.00	20.00	0	112	80	120				
Chloromethane	21.2	1.00	20.00	0	106	80	120				
Vinyl chloride	22.0	0.200	20.00	0	110	80	120				
Bromomethane	23.7	2.00	20.00	0	118	80	120				
Trichlorofluoromethane (CFC-11)	22.1	0.500	20.00	0	111	80	120				
Chloroethane	20.4	1.00	20.00	0	102	80	120				
1,1-Dichloroethene	20.9	0.500	20.00	0	104	80	120				
Acetone	51.6	5.00	50.00	0	103	80	120				
Methylene chloride	20.1	2.00	20.00	0	101	80	120				
trans-1,2-Dichloroethene	19.9	0.500	20.00	0	99.5	80	120				
Methyl tert-butyl ether (MTBE)	20.3	0.500	20.00	0	102	80	120				
1,1-Dichloroethane	20.2	0.500	20.00	0	101	80	120				
cis-1,2-Dichloroethene	19.8	0.500	20.00	0	99.1	80	120				
2-Butanone (MEK)	49.0	5.00	50.00	0	98.0	80	120				
Chloroform	19.7	0.500	20.00	0	98.7	80	120				
1,1,1-Trichloroethane (TCA)	20.4	0.500	20.00	0	102	80	120				
1,1-Dichloropropene	20.8	0.500	20.00	0	104	80	120				
Carbon tetrachloride	21.1	0.500	20.00	0	105	80	120				
1,2-Dichloroethane (EDC)	18.8	0.200	20.00	0	94.0	80	120				
Benzene	18.9	0.200	20.00	0	94.6	80	120				
Trichloroethene (TCE)	18.3	0.500	20.00	0	91.4	80	120				
1,2-Dichloropropane	20.8	0.200	20.00	0	104	80	120				
Bromodichloromethane	19.7	0.200	20.00	0	98.4	80	120				
Dibromomethane	20.8	0.500	20.00	0	104	80	120				
cis-1,3-Dichloropropene	22.1	0.500	20.00	0	111	80	120				
Toluene	19.6	0.500	20.00	0	97.8	80	120				
trans-1,3-Dichloropropylene	20.3	0.500	20.00	0	102	80	120				
Methyl Isobutyl Ketone (MIBK)	45.8	2.50	50.00	0	91.7	80	120				
1,1,2-Trichloroethane	20.5	0.500	20.00	0	103	80	120				
1,3-Dichloropropane	19.2	0.500	20.00	0	95.8	80	120				
Tetrachloroethene (PCE)	20.5	0.500	20.00	0	103	80	120				
Dibromochloromethane	19.9	0.500	20.00	0	99.5	80	120				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51387	SampType: LCS	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107650			
Client ID: LCSW	Batch ID: 51387	Analysis Date: 3/19/2026						SeqNo: 2242224			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	20.2	0.500	20.00	0	101	80	120				
2-Hexanone (MBK)	48.8	1.25	50.00	0	97.5	80	120				
Chlorobenzene	19.0	0.500	20.00	0	94.8	80	120				
1,1,1,2-Tetrachloroethane	19.5	0.500	20.00	0	97.3	80	120				
Ethylbenzene	19.9	0.500	20.00	0	99.3	80	120				
m,p-Xylene	39.9	1.00	40.00	0	99.7	80	120				
o-Xylene	18.8	0.500	20.00	0	94.0	80	120				
Styrene	19.4	0.500	20.00	0	96.9	80	120				
Isopropylbenzene	19.6	0.500	20.00	0	98.2	80	120				
Bromoform	19.3	0.500	20.00	0	96.7	80	120				
1,1,2,2-Tetrachloroethane	20.7	0.200	20.00	0	103	80	120				
n-Propylbenzene	19.5	0.500	20.00	0	97.3	80	120				
Bromobenzene	18.6	0.200	20.00	0	93.1	80	120				
1,3,5-Trimethylbenzene	18.7	0.500	20.00	0	93.3	80	120				
2-Chlorotoluene	19.9	0.500	20.00	0	99.6	80	120				
4-Chlorotoluene	18.7	0.500	20.00	0	93.6	80	120				
tert-Butylbenzene	19.3	0.500	20.00	0	96.7	80	120				
1,2,3-Trichloropropane	18.6	0.500	20.00	0	92.8	80	120				
1,2,4-Trichlorobenzene	19.7	0.750	20.00	0	98.7	80	120				
sec-Butylbenzene	19.8	0.500	20.00	0	99.0	80	120				
4-Isopropyltoluene	19.4	0.500	20.00	0	96.9	80	120				
1,3-Dichlorobenzene	19.1	0.500	20.00	0	95.7	80	120				
1,4-Dichlorobenzene	19.7	0.500	20.00	0	98.4	80	120				
n-Butylbenzene	21.1	0.500	20.00	0	105	80	120				
1,2-Dichlorobenzene	19.2	0.500	20.00	0	96.0	80	120				
1,2-Dibromo-3-chloropropane	18.9	1.00	20.00	0	94.4	80	120				
1,2,4-Trimethylbenzene	19.8	0.500	20.00	0	99.0	80	120				
Hexachloro-1,3-butadiene	20.2	1.00	20.00	0	101	80	120				
Naphthalene	19.1	1.25	20.00	0	95.7	80	120				
1,2,3-Trichlorobenzene	18.7	1.00	20.00	0	93.6	80	120				
Surr: Dibromofluoromethane	25.4		25.00		102	79.9	122				
Surr: Toluene-d8	25.8		25.00		103	80	121				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51387	SampType: LCS	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107650			
Client ID: LCSW	Batch ID: 51387				Analysis Date: 3/19/2026			SeqNo: 2242224			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1-Bromo-4-fluorobenzene	24.2		25.00		97.0	79.7	120				

Sample ID: MB-51387	SampType: MBLK	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107650			
Client ID: MBLKW	Batch ID: 51387	Analysis Date: 3/19/2026						SeqNo: 2242220			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-51387	SampType: MBLK	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107650			
Client ID: MBLKW	Batch ID: 51387	Analysis Date: 3/19/2026						SeqNo: 2242220			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-51387		SampType: MBLK			Units: µg/L		Prep Date: 3/19/2026			RunNo: 107650		
Client ID: MBLKW		Batch ID: 51387						Analysis Date: 3/19/2026			SeqNo: 2242220	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.1		25.00		100	80	120				
Surr: Toluene-d8	25.1		25.00		100	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.2	80	120				

Sample ID: 2603503-003ADUP		SampType: DUP			Units: µg/L		Prep Date: 3/19/2026			RunNo: 107650		
Client ID: BATCH		Batch ID: 51387			Analysis Date: 3/19/2026			SeqNo: 2242223				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Dichlorodifluoromethane (CFC-12)	ND	1.00						0		30	
Chloromethane	ND	1.00						0		30	
Vinyl chloride	ND	0.200						0		30	
Bromomethane	ND	2.00						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0		30	
Chloroethane	ND	1.00						0		30	
1,1-Dichloroethene	ND	0.500						0		30	
Acetone	ND	5.00						0		30	
Methylene chloride	ND	2.00						0		30	
trans-1,2-Dichloroethene	ND	0.500						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0		30	
1,1-Dichloroethane	ND	0.500						0		30	
cis-1,2-Dichloroethene	ND	0.500						0		30	
2-Butanone (MEK)	ND	5.00						0		30	
Chloroform	ND	0.500						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0		30	
1,1-Dichloropropene	ND	0.500						0		30	
Carbon tetrachloride	ND	0.500						0		30	

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Volatile Organic Compounds by EPA 8260D

Sample ID: 2603503-003ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/19/2026			RunNo: 107650		
Client ID: BATCH		Batch ID: 51387					Analysis Date: 3/19/2026			SeqNo: 2242223	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane (EDC)	ND	0.200						0		30	
Benzene	ND	0.200						0		30	
Trichloroethene (TCE)	ND	0.500						0		30	
1,2-Dichloropropane	ND	0.200						0		30	
Bromodichloromethane	ND	0.200						0		30	
Dibromomethane	ND	0.500						0		30	
cis-1,3-Dichloropropene	ND	0.500						0		30	
Toluene	ND	0.500						0		30	
trans-1,3-Dichloropropylene	ND	0.500						0		30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0		30	
1,1,2-Trichloroethane	ND	0.500						0		30	
1,3-Dichloropropane	ND	0.500						0		30	
Tetrachloroethene (PCE)	ND	0.500						0		30	
Dibromochloromethane	ND	0.500						0		30	
1,2-Dibromoethane (EDB)	ND	0.500						0		30	
2-Hexanone (MBK)	ND	1.25						0		30	
Chlorobenzene	ND	0.500						0		30	
1,1,1,2-Tetrachloroethane	ND	0.500						0		30	
Ethylbenzene	ND	0.500						0		30	
m,p-Xylene	ND	1.00						0		30	
o-Xylene	ND	0.500						0		30	
Styrene	ND	0.500						0		30	
Isopropylbenzene	ND	0.500						0		30	
Bromoform	ND	0.500						0		30	
1,1,2,2-Tetrachloroethane	ND	0.200						0		30	
n-Propylbenzene	ND	0.500						0		30	
Bromobenzene	ND	0.200						0		30	
1,3,5-Trimethylbenzene	ND	0.500						0		30	
2-Chlorotoluene	ND	0.500						0		30	
4-Chlorotoluene	ND	0.500						0		30	
tert-Butylbenzene	ND	0.500						0		30	
1,2,3-Trichloropropane	ND	0.500						0		30	

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2603503-003ADUP	SampType: DUP	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107650			
Client ID: BATCH	Batch ID: 51387				Analysis Date: 3/19/2026			SeqNo: 2242223			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	ND	0.750						0		30	
sec-Butylbenzene	ND	0.500						0		30	
4-Isopropyltoluene	ND	0.500						0		30	
1,3-Dichlorobenzene	ND	0.500						0		30	
1,4-Dichlorobenzene	ND	0.500						0		30	
n-Butylbenzene	ND	0.500						0		30	
1,2-Dichlorobenzene	ND	0.500						0		30	
1,2-Dibromo-3-chloropropane	ND	1.00						0		30	
1,2,4-Trimethylbenzene	ND	0.500						0		30	
Hexachloro-1,3-butadiene	ND	1.00						0		30	
Naphthalene	ND	1.25						0		30	
1,2,3-Trichlorobenzene	ND	1.00						0		30	
Surr: Dibromofluoromethane	25.2		25.00		101	79.9	122		0		
Surr: Toluene-d8	25.2		25.00		101	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	24.7		25.00		98.9	79.7	120		0		

Sample ID: LCS-51391	SampType: LCS	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107681			
Client ID: LCSW	Batch ID: 51391				Analysis Date: 3/19/2026			SeqNo: 2242779			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	25.5	1.00	20.00	0	128	80	120				S
Chloromethane	20.4	1.00	20.00	0	102	80	120				
Vinyl chloride	21.5	0.200	20.00	0	108	80	120				
Bromomethane	17.2	2.00	20.00	0	86.1	80	120				
Trichlorofluoromethane (CFC-11)	25.3	0.500	20.00	0	126	80	120				S
Chloroethane	23.5	1.00	20.00	0	117	80	120				
1,1-Dichloroethene	23.6	0.500	20.00	0	118	80	120				
Acetone	65.1	5.00	50.00	0	130	80	120				S
Methylene chloride	22.6	2.00	20.00	0	113	80	120				
trans-1,2-Dichloroethene	22.4	0.500	20.00	0	112	80	120				
Methyl tert-butyl ether (MTBE)	24.1	0.500	20.00	0	120	80	120				S

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51391	SampType: LCS	Units: µg/L			Prep Date: 3/19/2026			RunNo: 107681			
Client ID: LCSW	Batch ID: 51391	Analysis Date: 3/19/2026						SeqNo: 2242779			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethane	23.1	0.500	20.00	0	115	80	120				
cis-1,2-Dichloroethene	22.6	0.500	20.00	0	113	80	120				
2-Butanone (MEK)	62.6	5.00	50.00	0	125	80	120				S
Chloroform	22.4	0.500	20.00	0	112	80	120				
1,1,1-Trichloroethane (TCA)	23.2	0.500	20.00	0	116	80	120				
1,1-Dichloropropene	23.9	0.500	20.00	0	119	80	120				
Carbon tetrachloride	24.2	0.500	20.00	0	121	80	120				S
1,2-Dichloroethane (EDC)	21.8	0.200	20.00	0	109	80	120				
Benzene	21.3	0.200	20.00	0	107	80	120				
Trichloroethene (TCE)	20.5	0.500	20.00	0	103	80	120				
1,2-Dichloropropane	23.8	0.200	20.00	0	119	80	120				
Bromodichloromethane	22.3	0.200	20.00	0	111	80	120				
Dibromomethane	24.3	0.500	20.00	0	121	80	120				S
cis-1,3-Dichloropropene	24.9	0.500	20.00	0	125	80	120				S
Toluene	21.9	0.500	20.00	0	110	80	120				
trans-1,3-Dichloropropylene	23.0	0.500	20.00	0	115	80	120				
Methyl Isobutyl Ketone (MIBK)	57.5	2.50	50.00	0	115	80	120				
1,1,2-Trichloroethane	24.1	0.500	20.00	0	121	80	120				S
1,3-Dichloropropane	22.7	0.500	20.00	0	113	80	120				
Tetrachloroethene (PCE)	23.1	0.500	20.00	0	115	80	120				
Dibromochloromethane	22.7	0.500	20.00	0	114	80	120				
1,2-Dibromoethane (EDB)	23.7	0.500	20.00	0	118	80	120				
2-Hexanone (MBK)	59.1	1.25	50.00	0	118	80	120				
Chlorobenzene	21.2	0.500	20.00	0	106	80	120				
1,1,1,2-Tetrachloroethane	21.7	0.500	20.00	0	108	80	120				
Ethylbenzene	22.4	0.500	20.00	0	112	80	120				
m,p-Xylene	44.5	1.00	40.00	0	111	80	120				
o-Xylene	20.9	0.500	20.00	0	105	80	120				
Styrene	21.7	0.500	20.00	0	108	80	120				
Isopropylbenzene	22.1	0.500	20.00	0	111	80	120				
Bromoform	22.6	0.500	20.00	0	113	80	120				
1,1,2,2-Tetrachloroethane	24.6	0.200	20.00	0	123	80	120				S

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51391	SampType: LCS	Units: µg/L				Prep Date: 3/19/2026			RunNo: 107681		
Client ID: LCSW	Batch ID: 51391	Analysis Date: 3/19/2026						SeqNo: 2242779			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
n-Propylbenzene	22.6	0.500	20.00	0	113	80	120				
Bromobenzene	20.9	0.200	20.00	0	104	80	120				
1,3,5-Trimethylbenzene	20.8	0.500	20.00	0	104	80	120				
2-Chlorotoluene	21.5	0.500	20.00	0	108	80	120				
4-Chlorotoluene	20.8	0.500	20.00	0	104	80	120				
tert-Butylbenzene	21.4	0.500	20.00	0	107	80	120				
1,2,3-Trichloropropane	22.4	0.500	20.00	0	112	80	120				
1,2,4-Trichlorobenzene	22.4	0.750	20.00	0	112	80	120				
sec-Butylbenzene	22.5	0.500	20.00	0	113	80	120				
4-Isopropyltoluene	21.6	0.500	20.00	0	108	80	120				
1,3-Dichlorobenzene	21.4	0.500	20.00	0	107	80	120				
1,4-Dichlorobenzene	22.2	0.500	20.00	0	111	80	120				
n-Butylbenzene	23.8	0.500	20.00	0	119	80	120				
1,2-Dichlorobenzene	21.6	0.500	20.00	0	108	80	120				
1,2-Dibromo-3-chloropropane	23.1	1.00	20.00	0	115	80	120				
1,2,4-Trimethylbenzene	22.1	0.500	20.00	0	111	80	120				
Hexachloro-1,3-butadiene	23.2	1.00	20.00	0	116	80	120				
Naphthalene	23.2	1.25	20.00	0	116	80	120				
1,2,3-Trichlorobenzene	22.3	1.00	20.00	0	112	80	120				
Surr: Dibromofluoromethane	25.6		25.00		103	79.9	122				
Surr: Toluene-d8	26.2		25.00		105	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.4		25.00		97.5	79.7	120				

NOTES:

S - Outlying spike recovery observed (high bias). Samples are non-detect; result meets QC requirements.

Sample ID: MB-51391	SampType: MBLK	Units: µg/L				Prep Date: 3/19/2026				RunNo: 107681		
Client ID: MBLKW	Batch ID: 51391					Analysis Date: 3/19/2026				SeqNo: 2242768		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Dichlorodifluoromethane (CFC-12)	ND	1.00										
Chloromethane	ND	1.00										
Vinyl chloride	ND	0.200										

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-51391	SampType: MBLK	Units: µg/L		Prep Date: 3/19/2026				RunNo: 107681			
Client ID: MBLKW	Batch ID: 51391	Analysis Date: 3/19/2026				SeqNo: 2242768					
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromomethane	ND	2.00									
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Volatile Organic Compounds by EPA 8260D

Sample ID: MB-51391	SampType: MBLK	Units: µg/L		Prep Date: 3/19/2026				RunNo: 107681			
Client ID: MBLKW	Batch ID: 51391	Analysis Date: 3/19/2026							SeqNo: 2242768		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	25.5		25.00		102	80	120				
Surr: Toluene-d8	25.2		25.00		101	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.8		25.00		99.2	80	120				

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2603529-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/19/2026			RunNo: 107681		
Client ID: BATCH		Batch ID: 51391					Analysis Date: 3/19/2026			SeqNo: 2242770	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00						0		30	
Chloromethane	ND	1.00						0		30	
Vinyl chloride	ND	0.200						0		30	
Bromomethane	ND	2.00						0		30	
Trichlorofluoromethane (CFC-11)	ND	0.500						0		30	
Chloroethane	ND	1.00						0		30	
1,1-Dichloroethene	ND	0.500						0		30	
Acetone	15.5	5.00						15.23	1.70	30	
Methylene chloride	ND	2.00						0		30	
trans-1,2-Dichloroethene	ND	0.500						0		30	
Methyl tert-butyl ether (MTBE)	ND	0.500						0		30	
1,1-Dichloroethane	ND	0.500						0		30	
cis-1,2-Dichloroethene	ND	0.500						0		30	
2-Butanone (MEK)	ND	5.00						0		30	
Chloroform	ND	0.500						0		30	
1,1,1-Trichloroethane (TCA)	ND	0.500						0		30	
1,1-Dichloropropene	ND	0.500						0		30	
Carbon tetrachloride	ND	0.500						0		30	
1,2-Dichloroethane (EDC)	ND	0.200						0		30	
Benzene	ND	0.200						0		30	
Trichloroethene (TCE)	ND	0.500						0		30	
1,2-Dichloropropane	ND	0.200						0		30	
Bromodichloromethane	ND	0.200						0		30	
Dibromomethane	ND	0.500						0		30	
cis-1,3-Dichloropropene	ND	0.500						0		30	
Toluene	ND	0.500						0		30	
trans-1,3-Dichloropropylene	ND	0.500						0		30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0		30	
1,1,2-Trichloroethane	ND	0.500						0		30	
1,3-Dichloropropane	ND	0.500						0		30	
Tetrachloroethene (PCE)	ND	0.500						0		30	
Dibromochloromethane	ND	0.500						0		30	

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2603529-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/19/2026			RunNo: 107681		
Client ID: BATCH		Batch ID: 51391		Analysis Date: 3/19/2026					SeqNo: 2242770		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	ND	0.500						0		30	
2-Hexanone (MBK)	ND	1.25						0		30	
Chlorobenzene	ND	0.500						0		30	
1,1,1,2-Tetrachloroethane	ND	0.500						0		30	
Ethylbenzene	ND	0.500						0		30	
m,p-Xylene	ND	1.00						0		30	
o-Xylene	2.16	0.500						2.110	2.14	30	
Styrene	ND	0.500						0		30	
Isopropylbenzene	ND	0.500						0		30	
Bromoform	ND	0.500						0		30	
1,1,2,2-Tetrachloroethane	ND	0.200						0		30	
n-Propylbenzene	ND	0.500						0		30	
Bromobenzene	ND	0.200						0		30	
1,3,5-Trimethylbenzene	ND	0.500						0		30	
2-Chlorotoluene	ND	0.500						0		30	
4-Chlorotoluene	ND	0.500						0		30	
tert-Butylbenzene	ND	0.500						0		30	
1,2,3-Trichloropropane	ND	0.500						0		30	
1,2,4-Trichlorobenzene	ND	0.750						0		30	
sec-Butylbenzene	ND	0.500						0		30	
4-Isopropyltoluene	ND	0.500						0		30	
1,3-Dichlorobenzene	ND	0.500						0		30	
1,4-Dichlorobenzene	ND	0.500						0		30	
n-Butylbenzene	ND	0.500						0		30	
1,2-Dichlorobenzene	ND	0.500						0		30	
1,2-Dibromo-3-chloropropane	ND	1.00						0		30	
1,2,4-Trimethylbenzene	ND	0.500						0		30	
Hexachloro-1,3-butadiene	ND	1.00						0		30	
Naphthalene	ND	1.25						0		30	
1,2,3-Trichlorobenzene	ND	1.00						0		30	
Surr: Dibromofluoromethane	25.6		25.00		102	79.9	122		0		
Surr: Toluene-d8	25.1		25.00		101	80	121		0		

Work Order: 2603437
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Volatile Organic Compounds by EPA 8260D

Sample ID: 2603529-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/19/2026		RunNo: 107681			
Client ID: BATCH		Batch ID: 51391				Analysis Date: 3/19/2026		SeqNo: 2242770			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1-Bromo-4-fluorobenzene	24.6		25.00		98.3	79.7	120		0		

Sample Log-In Check List

Client Name: **PBS**

Work Order Number: **2603437**

Logged by: **Clare Griggs**

Date Received: **3/16/2026 4:26:00 PM**

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☒ No ☐ NA ☐

Person Notified:		Date:	3/16/2026
By Whom:	Clare Griggs	Via:	☒ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:	Confirming COC/analyses/methods		
Client Instructions:	SM5310B okay for TOC, report full list VOCs		

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	2.0

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 3/10/20 Page: of:

Project Name: SPIC N SPAN

Project No: W1593.006

Collected by: Molly Strain

Location: Seattle WA

Report To (PM):

Laboratory Project No (Internal): 2603437

Special Remarks:

Ferrous Iron - ~~SM3500~~ - Fe B
- VOCs to include Naphthalene
- EPA 300 only Nitrate, Sulfate,
and chloride
- SM3500-175: only methane, Ethane,
Ethene

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Telephone:

City, State, Zip: Seattle WA

Address: 210 E Gale Street

Client: Apex Companies LLC

Email(s): melanie.young@apexco.com, brianne.guilet@apexco.com, martine.pfeffer@apexco.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DRO)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)	Anions (IC)**	Ferrous Iron	EPA 300.0	ESK-175	TOC (SM 5310C)	Alkalinity (EPA 310.5)	Comments
1 MW-1	3/10	12:30	GW	11	X	X									X	X	X	X			
2 MW-2R		14:05	GW	11	X	X									X	X	X	X			
3 MW-5R		12:10	GW	11	X	X									X	X	X	X			
4 MW-10		13:10	GW	11	X	X									X	X	X	X			
5 MW-12		13:50	GW	11	X	X									X	X	X	X			
6																					
7																					
8																					
9																					
10																					

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sn Sr Ti V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 3/10/20 Page: of:

Project Name: SPIC N SPAN

Project No: W1593.006

Collected by: Molly Strain

Location: Seattle WA

Report To (PM):

Laboratory Project No (Internal): 2603437

Special Remarks:

Ferrous Iron - ~~SM 5310C~~ - Fe B
- VOCs to include Naphthalene
- EPA 300 only Nitrate, Sulfate,
and chloride
- SM 125-175: only methane, Ethane,
Ethene

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (specify above) ☐ Return to client

Telephone:

City, State, Zip: Seattle WA

Address: 214 E Gale Street

Client: Apex Companies LLC

Email(s): melanie.young@apexco.com, brianne.guilet@apexco.com, martine.pfefferwirth@apexco.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCD)	Diesel/Heavy Oil Range Organics (DHO)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) Dissolved (D)	Anions (IC)**	Asbestos	Ferrous Iron	EPA 300.0	ESK-175	TOC (SM 5310C)	Alkalinity (EPA 310.5)	Comments
1 MW-1	3/10	12:30	GW	11	X												X	X	X	X		
2 MW-2R		14:05	GW	11	X												X	X	X	X		
3 MW-5R		12:10	GW	11	X												X	X	X	X		
4 MW-10		13:10	GW	11	X												X	X	X	X		
5 MW-12		13:50	GW	11	X		X										X	X	X	X		
6																						
7																						
8																						
9																						
10																						

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCRA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sn Sr Ti V Zn

***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide O-Phosphate Fluoride Nitrate+Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (specify)

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time

Relinquished (Signature)

Print Name

Date/Time

Received (Signature)

Print Name

Date/Time



3600 Fremont Ave N
Seattle, WA 98103
T: (206) 352-3790
info.seattle@alliancetg.com

Apex Companies, LLC
Melanie Young
214 E Galer St, Suite 300
Seattle, WA 98102

RE: Spic N Span, 41593.006
Work Order Number: 2603475

March 27, 2026

Attention Melanie Young:

Alliance Technical Group, LLC - Seattle received 11 sample(s) on 3/17/2026 for the analyses presented in the following report.

Dissolved Gases by RSK-175
Ferrous Iron by SM3500-Fe B
Gasoline by NWTPH-Gx
Ion Chromatography by EPA 300.0
Total Alkalinity by EPA 310.2
Total Organic Carbon by SM 5310B
Volatile Organic Compounds by EPA 8260D

All analyses were performed according to our accredited Quality Assurance program. Please contact the laboratory if you should have any questions about the results.

Alliance Technical Group is committed to accuracy, speed, and customer service. Thank you for choosing Alliance Technical Group's Seattle laboratory team for your analytical needs. We appreciate this opportunity to serve you!

Sincerely,

A handwritten signature in black ink, appearing to read "Brianna Barnes".

Brianna Barnes
Project Manager

CC:
Brianne Goulet
Martine Pfefferwright

DoD-ELAP Accreditation #79636 by PJLA, ISO/IEC 17025:2017 and QSM 6.0 for Environmental Testing
ORELAP Certification: WA 100009 (NELAP Recognized) for Environmental Testing
Washington State Department of Ecology Accredited for Environmental Testing, Lab ID C910

Original

www.alliancetg.com

CLIENT: Apex Companies, LLC
Project: Spic N Span
Work Order: 2603475

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2603475-001	MW-4	03/17/2026 2:30 PM	03/17/2026 4:32 PM
2603475-002	MW-6	03/17/2026 1:45 PM	03/17/2026 4:32 PM
2603475-003	MW-7	03/17/2026 10:10 AM	03/17/2026 4:32 PM
2603475-004	MW-8	03/17/2026 12:20 PM	03/17/2026 4:32 PM
2603475-005	MW-9	03/17/2026 11:40 AM	03/17/2026 4:32 PM
2603475-006	MW-13	03/17/2026 12:50 PM	03/17/2026 4:32 PM
2603475-007	MW-14	03/17/2026 10:20 AM	03/17/2026 4:32 PM
2603475-008	MW-15	03/17/2026 11:20 AM	03/17/2026 4:32 PM
2603475-009	Dup-1	03/17/2026 1:00 PM	03/17/2026 4:32 PM
2603475-010	Dup-2	03/17/2026 2:00 PM	03/17/2026 4:32 PM
2603475-011	Trip Blank	03/11/2026 3:46 PM	03/17/2026 4:32 PM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

CLIENT: Apex Companies, LLC

Project: Spic N Span

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate

Client: Apex Companies, LLC

Collection Date: 3/17/2026 2:30:00 PM

Project: Spic N Span

Lab ID: 2603475-001

Matrix: Groundwater

Client Sample ID: MW-4

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	2.03	0.100	D	mg/L	20	3/23/2026 2:59:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:11:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:11:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 6:03:35 PM
Surr: Toluene-d8	107	65 - 135		%Rec	1	3/25/2026 6:03:35 PM
Surr: 4-Bromofluorobenzene	108	65 - 135		%Rec	1	3/25/2026 6:03:35 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 6:03:35 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 6:03:35 PM
Vinyl chloride	5.32	0.200		µg/L	1	3/25/2026 6:03:35 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 6:03:35 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 6:03:35 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 6:03:35 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 6:03:35 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
cis-1,2-Dichloroethene	3.55	0.500		µg/L	1	3/25/2026 6:03:35 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 6:03:35 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 6:03:35 PM
Benzene	0.742	0.200		µg/L	1	3/25/2026 6:03:35 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 6:03:35 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 6:03:35 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 2:30:00 PM

Project: Spic N Span

Lab ID: 2603475-001

Matrix: Groundwater

Client Sample ID: MW-4

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 6:03:35 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 6:03:35 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 6:03:35 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 6:03:35 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 6:03:35 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 6:03:35 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 6:03:35 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 6:03:35 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 6:03:35 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 6:03:35 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 6:03:35 PM
Surr: Dibromofluoromethane	106	79.9 - 122		%Rec	1	3/25/2026 6:03:35 PM
Surr: Toluene-d8	104	80 - 121		%Rec	1	3/25/2026 6:03:35 PM
Surr: 1-Bromo-4-fluorobenzene	97.9	79.7 - 120		%Rec	1	3/25/2026 6:03:35 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 2:30:00 PM

Project: Spic N Span

Lab ID: 2603475-001

Matrix: Groundwater

Client Sample ID: MW-4

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200		mg/L	1	3/18/2026 6:00:00 PM
----------------	----	-------	--	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	27.1	0.600		mg/L	1	3/25/2026 10:37:00 PM
Sulfate	4.25	1.00		mg/L	1	3/25/2026 10:37:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	7.85	0.250		mg/L	1	3/25/2026 12:38:50 AM
----------------------	------	-------	--	------	---	-----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	309	25.0	D	mg/L	10	3/23/2026 3:55:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	1.05	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	------	-------	--	------	---	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 1:45:00 PM

Project: Spic N Span

Lab ID: 2603475-002

Matrix: Groundwater

Client Sample ID: MW-6

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	0.359	0.0100	D	mg/L	2	3/23/2026 3:03:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:13:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:13:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 6:54:11 PM
Surr: Toluene-d8	109	65 - 135		%Rec	1	3/25/2026 6:54:11 PM
Surr: 4-Bromofluorobenzene	106	65 - 135		%Rec	1	3/25/2026 6:54:11 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 6:54:11 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 6:54:11 PM
Vinyl chloride	0.431	0.200		µg/L	1	3/25/2026 6:54:11 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 6:54:11 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 6:54:11 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 6:54:11 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 6:54:11 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 6:54:11 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 6:54:11 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 6:54:11 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 6:54:11 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 6:54:11 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 1:45:00 PM

Project: Spic N Span

Lab ID: 2603475-002

Matrix: Groundwater

Client Sample ID: MW-6

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<u>Volatile Organic Compounds by EPA 8260D</u>				Batch ID: 51466		Analyst: KJ
Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 6:54:11 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 6:54:11 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 6:54:11 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 6:54:11 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 6:54:11 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 6:54:11 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 6:54:11 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 6:54:11 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 6:54:11 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 6:54:11 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 6:54:11 PM
Surr: Dibromofluoromethane	107	79.9 - 122		%Rec	1	3/25/2026 6:54:11 PM
Surr: Toluene-d8	104	80 - 121		%Rec	1	3/25/2026 6:54:11 PM
Surr: 1-Bromo-4-fluorobenzene	97.5	79.7 - 120		%Rec	1	3/25/2026 6:54:11 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 1:45:00 PM

Project: Spic N Span

Lab ID: 2603475-002

Matrix: Groundwater

Client Sample ID: MW-6

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200		mg/L	1	3/18/2026 6:23:00 PM
----------------	----	-------	--	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	7.45	0.600		mg/L	1	3/25/2026 10:50:00 PM
Sulfate	11.9	1.00		mg/L	1	3/25/2026 10:50:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	1.68	0.250		mg/L	1	3/25/2026 12:53:08 AM
----------------------	------	-------	--	------	---	-----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	285	25.0	D	mg/L	10	3/23/2026 3:56:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	1.26	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	------	-------	--	------	---	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 10:10:00 AM

Project: Spic N Span

Lab ID: 2603475-003

Matrix: Groundwater

Client Sample ID: MW-7

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	2.51	0.100	D	mg/L	20	3/23/2026 3:06:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:16:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:16:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 7:19:28 PM
Surr: Toluene-d8	108	65 - 135		%Rec	1	3/25/2026 7:19:28 PM
Surr: 4-Bromofluorobenzene	106	65 - 135		%Rec	1	3/25/2026 7:19:28 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	1.74	1.00		µg/L	1	3/25/2026 7:19:28 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 7:19:28 PM
Vinyl chloride	ND	0.200		µg/L	1	3/25/2026 7:19:28 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 7:19:28 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 7:19:28 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 7:19:28 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 7:19:28 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 7:19:28 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 7:19:28 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 7:19:28 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 7:19:28 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 7:19:28 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 10:10:00 AM

Project: Spic N Span

Lab ID: 2603475-003

Matrix: Groundwater

Client Sample ID: MW-7

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 7:19:28 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 7:19:28 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 7:19:28 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 7:19:28 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 7:19:28 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 7:19:28 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 7:19:28 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 7:19:28 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 7:19:28 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 7:19:28 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 7:19:28 PM
Surr: Dibromofluoromethane	107	79.9 - 122		%Rec	1	3/25/2026 7:19:28 PM
Surr: Toluene-d8	104	80 - 121		%Rec	1	3/25/2026 7:19:28 PM
Surr: 1-Bromo-4-fluorobenzene	97.1	79.7 - 120		%Rec	1	3/25/2026 7:19:28 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 10:10:00 AM

Project: Spic N Span

Lab ID: 2603475-003

Matrix: Groundwater

Client Sample ID: MW-7

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200		mg/L	1	3/18/2026 6:46:00 PM
----------------	----	-------	--	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	83.5	3.00	D	mg/L	5	3/27/2026 10:03:00 AM
Sulfate	3.44	1.00		mg/L	1	3/26/2026 6:37:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	8.17	0.250		mg/L	1	3/25/2026 1:07:26 AM
----------------------	------	-------	--	------	---	----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	557	50.0	D	mg/L	20	3/23/2026 5:22:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	4.14	0.375	D	mg/L	2.5	3/18/2026 9:19:13 AM
--------------	------	-------	---	------	-----	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 12:20:00 PM

Project: Spic N Span

Lab ID: 2603475-004

Matrix: Groundwater

Client Sample ID: MW-8

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774 Analyst: BCA

Methane	0.258	0.00500		mg/L	1	3/23/2026 2:18:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:18:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:18:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466 Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 7:44:46 PM
Surr: Toluene-d8	107	65 - 135		%Rec	1	3/25/2026 7:44:46 PM
Surr: 4-Bromofluorobenzene	106	65 - 135		%Rec	1	3/25/2026 7:44:46 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466 Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 7:44:46 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 7:44:46 PM
Vinyl chloride	ND	0.200		µg/L	1	3/25/2026 7:44:46 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 7:44:46 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 7:44:46 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 7:44:46 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 7:44:46 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 7:44:46 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 7:44:46 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 7:44:46 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 7:44:46 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 7:44:46 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 12:20:00 PM

Project: Spic N Span

Lab ID: 2603475-004

Matrix: Groundwater

Client Sample ID: MW-8

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 7:44:46 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 7:44:46 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 7:44:46 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 7:44:46 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 7:44:46 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 7:44:46 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 7:44:46 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 7:44:46 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 7:44:46 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 7:44:46 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 7:44:46 PM
Surr: Dibromofluoromethane	106	79.9 - 122		%Rec	1	3/25/2026 7:44:46 PM
Surr: Toluene-d8	103	80 - 121		%Rec	1	3/25/2026 7:44:46 PM
Surr: 1-Bromo-4-fluorobenzene	96.5	79.7 - 120		%Rec	1	3/25/2026 7:44:46 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 12:20:00 PM

Project: Spic N Span

Lab ID: 2603475-004

Matrix: Groundwater

Client Sample ID: MW-8

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200		mg/L	1	3/18/2026 7:09:00 PM
----------------	----	-------	--	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	24.7	0.600		mg/L	1	3/25/2026 11:02:00 PM
Sulfate	162	10.0	D	mg/L	10	3/25/2026 10:12:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	1.94	0.250		mg/L	1	3/24/2026 9:31:52 PM
----------------------	------	-------	--	------	---	----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	474	50.0	D	mg/L	20	3/23/2026 5:24:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	ND	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	----	-------	--	------	---	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 11:40:00 AM

Project: Spic N Span

Lab ID: 2603475-005

Matrix: Groundwater

Client Sample ID: MW-9

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	0.00744	0.00500		mg/L	1	3/23/2026 2:21:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:21:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:21:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 8:10:05 PM
Surr: Toluene-d8	108	65 - 135		%Rec	1	3/25/2026 8:10:05 PM
Surr: 4-Bromofluorobenzene	105	65 - 135		%Rec	1	3/25/2026 8:10:05 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 8:10:05 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 8:10:05 PM
Vinyl chloride	ND	0.200		µg/L	1	3/25/2026 8:10:05 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 8:10:05 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 8:10:05 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 8:10:05 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 8:10:05 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 8:10:05 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 8:10:05 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 8:10:05 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 8:10:05 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 8:10:05 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 11:40:00 AM

Project: Spic N Span

Lab ID: 2603475-005

Matrix: Groundwater

Client Sample ID: MW-9

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 8:10:05 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 8:10:05 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 8:10:05 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 8:10:05 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 8:10:05 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 8:10:05 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 8:10:05 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 8:10:05 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 8:10:05 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 8:10:05 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 8:10:05 PM
Surr: Dibromofluoromethane	105	79.9 - 122		%Rec	1	3/25/2026 8:10:05 PM
Surr: Toluene-d8	103	80 - 121		%Rec	1	3/25/2026 8:10:05 PM
Surr: 1-Bromo-4-fluorobenzene	96.8	79.7 - 120		%Rec	1	3/25/2026 8:10:05 PM

Analytical Report

Work Order: **2603475**
Date Reported: **3/27/2026**

Client: Apex Companies, LLC

Collection Date: 3/17/2026 11:40:00 AM

Project: Spic N Span

Lab ID: 2603475-005

Matrix: Groundwater

Client Sample ID: MW-9

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	19.5	0.200	E	mg/L	1	3/18/2026 7:32:00 PM
----------------	------	-------	---	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	47.3	0.600		mg/L	1	3/25/2026 11:15:00 PM
Nitrate (as N)	20.0	0.300	DH	mg/L	2	3/25/2026 10:25:00 PM
Sulfate	44.1	2.00	D	mg/L	2	3/25/2026 10:25:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	1.43	0.250		mg/L	1	3/24/2026 9:46:14 PM
----------------------	------	-------	--	------	---	----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	148	25.0	D	mg/L	10	3/23/2026 4:03:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	4.14	0.375	D	mg/L	2.5	3/18/2026 9:19:13 AM
--------------	------	-------	---	------	-----	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 12:50:00 PM

Project: Spic N Span

Lab ID: 2603475-006

Matrix: Groundwater

Client Sample ID: MW-13

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	6.48	0.500	D	mg/L	100	3/23/2026 3:17:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:23:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:23:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 8:35:24 PM
Surr: Toluene-d8	107	65 - 135		%Rec	1	3/25/2026 8:35:24 PM
Surr: 4-Bromofluorobenzene	106	65 - 135		%Rec	1	3/25/2026 8:35:24 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 8:35:24 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 8:35:24 PM
Vinyl chloride	0.835	0.200		µg/L	1	3/25/2026 8:35:24 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 8:35:24 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 8:35:24 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 8:35:24 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 8:35:24 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 8:35:24 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 8:35:24 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 8:35:24 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 8:35:24 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 8:35:24 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 12:50:00 PM

Project: Spic N Span

Lab ID: 2603475-006

Matrix: Groundwater

Client Sample ID: MW-13

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 8:35:24 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 8:35:24 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 8:35:24 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 8:35:24 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 8:35:24 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 8:35:24 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 8:35:24 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 8:35:24 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 8:35:24 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 8:35:24 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 8:35:24 PM
Surr: Dibromofluoromethane	106	79.9 - 122		%Rec	1	3/25/2026 8:35:24 PM
Surr: Toluene-d8	104	80 - 121		%Rec	1	3/25/2026 8:35:24 PM
Surr: 1-Bromo-4-fluorobenzene	97.6	79.7 - 120		%Rec	1	3/25/2026 8:35:24 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 12:50:00 PM

Project: Spic N Span

Lab ID: 2603475-006

Matrix: Groundwater

Client Sample ID: MW-13

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200		mg/L	1	3/18/2026 7:55:00 PM
----------------	----	-------	--	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	73.3	3.00	D	mg/L	5	3/27/2026 10:16:00 AM
Sulfate	ND	1.00		mg/L	1	3/26/2026 6:50:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	8.53	0.250		mg/L	1	3/24/2026 9:58:23 PM
----------------------	------	-------	--	------	---	----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	512	50.0	D	mg/L	20	3/23/2026 5:26:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	1.72	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	------	-------	--	------	---	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 10:20:00 AM

Project: Spic N Span

Lab ID: 2603475-007

Matrix: Groundwater

Client Sample ID: MW-14

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<u>Dissolved Gases by RSK-175</u>						
				Batch ID: R10774		Analyst: BCA
Methane	6.12	0.500	D	mg/L	100	3/23/2026 3:20:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:25:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:25:00 PM
<u>Gasoline by NWTPH-Gx</u>						
				Batch ID: 51466		Analyst: KJ
Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 9:00:43 PM
Surr: Toluene-d8	107	65 - 135		%Rec	1	3/25/2026 9:00:43 PM
Surr: 4-Bromofluorobenzene	105	65 - 135		%Rec	1	3/25/2026 9:00:43 PM
<u>Volatile Organic Compounds by EPA 8260D</u>						
				Batch ID: 51466		Analyst: KJ
Dichlorodifluoromethane (CFC-12)	2.23	1.00		µg/L	1	3/25/2026 9:00:43 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 9:00:43 PM
Vinyl chloride	0.235	0.200		µg/L	1	3/25/2026 9:00:43 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 9:00:43 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 9:00:43 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 9:00:43 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 9:00:43 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 9:00:43 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 9:00:43 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 9:00:43 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 9:00:43 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 9:00:43 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 10:20:00 AM

Project: Spic N Span

Lab ID: 2603475-007

Matrix: Groundwater

Client Sample ID: MW-14

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 9:00:43 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 9:00:43 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 9:00:43 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 9:00:43 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 9:00:43 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 9:00:43 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 9:00:43 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:00:43 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 9:00:43 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 9:00:43 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 9:00:43 PM
Surr: Dibromofluoromethane	106	79.9 - 122		%Rec	1	3/25/2026 9:00:43 PM
Surr: Toluene-d8	104	80 - 121		%Rec	1	3/25/2026 9:00:43 PM
Surr: 1-Bromo-4-fluorobenzene	96.1	79.7 - 120		%Rec	1	3/25/2026 9:00:43 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 10:20:00 AM

Project: Spic N Span

Lab ID: 2603475-007

Matrix: Groundwater

Client Sample ID: MW-14

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200		mg/L	1	3/18/2026 8:19:00 PM
----------------	----	-------	--	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	90.2	3.00	D	mg/L	5	3/27/2026 10:28:00 AM
Sulfate	ND	1.00		mg/L	1	3/26/2026 7:02:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10775

Analyst: SLL

Total Organic Carbon	13.7	0.250		mg/L	1	3/24/2026 12:56:19 AM
----------------------	------	-------	--	------	---	-----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	585	50.0	D	mg/L	20	3/23/2026 5:28:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	1.31	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	------	-------	--	------	---	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 11:20:00 AM

Project: Spic N Span

Lab ID: 2603475-008

Matrix: Groundwater

Client Sample ID: MW-15

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	0.953	0.0250	D	mg/L	5	3/23/2026 3:23:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:27:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:27:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 9:26:04 PM
Surr: Toluene-d8	108	65 - 135		%Rec	1	3/25/2026 9:26:04 PM
Surr: 4-Bromofluorobenzene	105	65 - 135		%Rec	1	3/25/2026 9:26:04 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 9:26:04 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 9:26:04 PM
Vinyl chloride	ND	0.200		µg/L	1	3/25/2026 9:26:04 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 9:26:04 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 9:26:04 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 9:26:04 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 9:26:04 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 9:26:04 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 9:26:04 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 9:26:04 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 9:26:04 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 9:26:04 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 11:20:00 AM

Project: Spic N Span

Lab ID: 2603475-008

Matrix: Groundwater

Client Sample ID: MW-15

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 9:26:04 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 9:26:04 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 9:26:04 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 9:26:04 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 9:26:04 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 9:26:04 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 9:26:04 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:26:04 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 9:26:04 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 9:26:04 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 9:26:04 PM
Surr: Dibromofluoromethane	106	79.9 - 122		%Rec	1	3/25/2026 9:26:04 PM
Surr: Toluene-d8	104	80 - 121		%Rec	1	3/25/2026 9:26:04 PM
Surr: 1-Bromo-4-fluorobenzene	95.6	79.7 - 120		%Rec	1	3/25/2026 9:26:04 PM

Client: Apex Companies, LLC

Collection Date: 3/17/2026 11:20:00 AM

Project: Spic N Span

Lab ID: 2603475-008

Matrix: Groundwater

Client Sample ID: MW-15

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	1.48	0.200		mg/L	1	3/18/2026 8:42:00 PM
----------------	------	-------	--	------	---	----------------------

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	45.2	0.600		mg/L	1	3/25/2026 11:28:00 PM
Sulfate	45.0	1.00		mg/L	1	3/25/2026 11:28:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	1.30	0.250		mg/L	1	3/24/2026 10:12:46 PM
----------------------	------	-------	--	------	---	-----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	284	25.0	D	mg/L	10	3/23/2026 4:09:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	0.154	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	-------	-------	--	------	---	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 1:00:00 PM

Project: Spic N Span

Lab ID: 2603475-009

Matrix: Groundwater

Client Sample ID: Dup-1

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	0.619	0.0250	D	mg/L	5	3/23/2026 3:26:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:30:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:30:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 9:51:21 PM
Surr: Toluene-d8	108	65 - 135		%Rec	1	3/25/2026 9:51:21 PM
Surr: 4-Bromofluorobenzene	104	65 - 135		%Rec	1	3/25/2026 9:51:21 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 9:51:21 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 9:51:21 PM
Vinyl chloride	0.403	0.200		µg/L	1	3/25/2026 9:51:21 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 9:51:21 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 9:51:21 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 9:51:21 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 9:51:21 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
cis-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 9:51:21 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 9:51:21 PM
Benzene	ND	0.200		µg/L	1	3/25/2026 9:51:21 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 9:51:21 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 9:51:21 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 1:00:00 PM

Project: Spic N Span

Lab ID: 2603475-009

Matrix: Groundwater

Client Sample ID: Dup-1

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 9:51:21 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 9:51:21 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 9:51:21 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 9:51:21 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 9:51:21 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 9:51:21 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 9:51:21 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 9:51:21 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 9:51:21 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 9:51:21 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 9:51:21 PM
Surr: Dibromofluoromethane	107	79.9 - 122		%Rec	1	3/25/2026 9:51:21 PM
Surr: Toluene-d8	104	80 - 121		%Rec	1	3/25/2026 9:51:21 PM
Surr: 1-Bromo-4-fluorobenzene	95.1	79.7 - 120		%Rec	1	3/25/2026 9:51:21 PM

Analytical Report

Work Order: **2603475**
Date Reported: **3/27/2026**

Client: Apex Companies, LLC

Collection Date: 3/17/2026 1:00:00 PM

Project: Spic N Span

Lab ID: 2603475-009

Matrix: Groundwater

Client Sample ID: Dup-1

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200	Q	mg/L	1	3/18/2026 9:51:00 PM
----------------	----	-------	---	------	---	----------------------

NOTES:

Q - Associated calibration verification is below acceptance criteria (87.5% recovery, nominal 90-110). Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	7.53	0.600		mg/L	1	3/26/2026 7:15:00 PM
Nitrate (as N)	ND	0.150	H	mg/L	1	3/26/2026 7:15:00 PM
Sulfate	11.7	1.00		mg/L	1	3/26/2026 7:15:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	1.76	0.250		mg/L	1	3/24/2026 10:27:04 PM
----------------------	------	-------	--	------	---	-----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	327	25.0	D	mg/L	10	3/23/2026 4:11:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	1.07	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	------	-------	--	------	---	----------------------

Client: Apex Companies, LLC

Collection Date: 3/17/2026 2:00:00 PM

Project: Spic N Span

Lab ID: 2603475-010

Matrix: Groundwater

Client Sample ID: Dup-2

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Dissolved Gases by RSK-175

Batch ID: R10774

Analyst: BCA

Methane	2.64	0.100	D	mg/L	20	3/23/2026 3:30:00 PM
Ethene	ND	0.0100		mg/L	1	3/23/2026 2:32:00 PM
Ethane	ND	0.0100		mg/L	1	3/23/2026 2:32:00 PM

Gasoline by NWTPH-Gx

Batch ID: 51466

Analyst: KJ

Gasoline Range Organics	ND	50.0		µg/L	1	3/25/2026 10:16:39 PM
Surr: Toluene-d8	108	65 - 135		%Rec	1	3/25/2026 10:16:39 PM
Surr: 4-Bromofluorobenzene	106	65 - 135		%Rec	1	3/25/2026 10:16:39 PM

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Dichlorodifluoromethane (CFC-12)	ND	1.00		µg/L	1	3/25/2026 10:16:39 PM
Chloromethane	ND	1.00		µg/L	1	3/25/2026 10:16:39 PM
Vinyl chloride	5.18	0.200		µg/L	1	3/25/2026 10:16:39 PM
Bromomethane	ND	2.00	Q	µg/L	1	3/25/2026 10:16:39 PM
Trichlorofluoromethane (CFC-11)	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Chloroethane	ND	1.00		µg/L	1	3/25/2026 10:16:39 PM
1,1-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Acetone	ND	5.00		µg/L	1	3/25/2026 10:16:39 PM
Methylene chloride	ND	2.00		µg/L	1	3/25/2026 10:16:39 PM
trans-1,2-Dichloroethene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Methyl tert-butyl ether (MTBE)	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,1-Dichloroethane	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
cis-1,2-Dichloroethene	3.55	0.500		µg/L	1	3/25/2026 10:16:39 PM
2-Butanone (MEK)	ND	5.00		µg/L	1	3/25/2026 10:16:39 PM
Chloroform	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,1,1-Trichloroethane (TCA)	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,1-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Carbon tetrachloride	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,2-Dichloroethane (EDC)	ND	0.200		µg/L	1	3/25/2026 10:16:39 PM
Benzene	0.804	0.200		µg/L	1	3/25/2026 10:16:39 PM
Trichloroethene (TCE)	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,2-Dichloropropane	ND	0.200		µg/L	1	3/25/2026 10:16:39 PM
Bromodichloromethane	ND	0.200		µg/L	1	3/25/2026 10:16:39 PM
Dibromomethane	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
cis-1,3-Dichloropropene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Toluene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
trans-1,3-Dichloropropylene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM

Original

Client: Apex Companies, LLC

Collection Date: 3/17/2026 2:00:00 PM

Project: Spic N Span

Lab ID: 2603475-010

Matrix: Groundwater

Client Sample ID: Dup-2

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

Methyl Isobutyl Ketone (MIBK)	ND	2.50		µg/L	1	3/25/2026 10:16:39 PM
1,1,2-Trichloroethane	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,3-Dichloropropane	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Tetrachloroethene (PCE)	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Dibromochloromethane	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,2-Dibromoethane (EDB)	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
2-Hexanone (MBK)	ND	1.25		µg/L	1	3/25/2026 10:16:39 PM
Chlorobenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,1,1,2-Tetrachloroethane	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Ethylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
m,p-Xylene	ND	1.00		µg/L	1	3/25/2026 10:16:39 PM
o-Xylene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Styrene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Isopropylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Bromoform	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,1,2,2-Tetrachloroethane	ND	0.200		µg/L	1	3/25/2026 10:16:39 PM
n-Propylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Bromobenzene	ND	0.200		µg/L	1	3/25/2026 10:16:39 PM
1,3,5-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
2-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
4-Chlorotoluene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
tert-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,2,3-Trichloropropane	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,2,4-Trichlorobenzene	ND	0.750		µg/L	1	3/25/2026 10:16:39 PM
sec-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
4-Isopropyltoluene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,3-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,4-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
n-Butylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,2-Dichlorobenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
1,2-Dibromo-3-chloropropane	ND	1.00		µg/L	1	3/25/2026 10:16:39 PM
1,2,4-Trimethylbenzene	ND	0.500		µg/L	1	3/25/2026 10:16:39 PM
Hexachloro-1,3-butadiene	ND	1.00		µg/L	1	3/25/2026 10:16:39 PM
Naphthalene	ND	1.25		µg/L	1	3/25/2026 10:16:39 PM
1,2,3-Trichlorobenzene	ND	1.00		µg/L	1	3/25/2026 10:16:39 PM
Surr: Dibromofluoromethane	106	79.9 - 122		%Rec	1	3/25/2026 10:16:39 PM
Surr: Toluene-d8	103	80 - 121		%Rec	1	3/25/2026 10:16:39 PM
Surr: 1-Bromo-4-fluorobenzene	97.0	79.7 - 120		%Rec	1	3/25/2026 10:16:39 PM

Analytical Report

Work Order: **2603475**
Date Reported: **3/27/2026**

Client: Apex Companies, LLC

Collection Date: 3/17/2026 2:00:00 PM

Project: Spic N Span

Lab ID: 2603475-010

Matrix: Groundwater

Client Sample ID: Dup-2

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Volatile Organic Compounds by EPA 8260D

Batch ID: 51466

Analyst: KJ

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51374

Analyst: BB

Nitrate (as N)	ND	0.200	Q	mg/L	1	3/18/2026 10:14:00 PM
----------------	----	-------	---	------	---	-----------------------

NOTES:

Q - Associated calibration verification is below acceptance criteria (87.5% recovery, nominal 90-110). Result may be low-biased.

Ion Chromatography by EPA 300.0

Batch ID: 51472

Analyst: BB

Chloride	27.1	0.600		mg/L	1	3/26/2026 7:28:00 PM
Nitrate (as N)	ND	0.150	H	mg/L	1	3/26/2026 7:28:00 PM
Sulfate	4.27	1.00		mg/L	1	3/26/2026 7:28:00 PM

Total Organic Carbon by SM 5310B

Batch ID: R10781

Analyst: SLL

Total Organic Carbon	8.06	0.250		mg/L	1	3/24/2026 10:41:22 PM
----------------------	------	-------	--	------	---	-----------------------

Total Alkalinity by EPA 310.2

Batch ID: R10777

Analyst: NR

Alkalinity, Total (As CaCO ₃)	280	25.0	D	mg/L	10	3/23/2026 4:13:00 PM
---	-----	------	---	------	----	----------------------

Ferrous Iron by SM3500-Fe B

Batch ID: R10759

Analyst: BB

Ferrous Iron	0.798	0.150		mg/L	1	3/18/2026 9:19:13 AM
--------------	-------	-------	--	------	---	----------------------

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Total Alkalinity by EPA 310.2

Sample ID: MB-107770		SampType: MBLK			Units: mg/L		Prep Date: 3/23/2026			RunNo: 107770		
Client ID: MBLKW		Batch ID: R107770			Analysis Date: 3/23/2026					SeqNo: 2244830		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	ND	2.50									
------------------------------	----	------	--	--	--	--	--	--	--	--	--

Sample ID: LCS-107770		SampType: LCS			Units: mg/L		Prep Date: 3/23/2026			RunNo: 107770		
Client ID: LCSW		Batch ID: R107770			Analysis Date: 3/23/2026				SeqNo: 2244831			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	25.0	2.50	25.00	0	99.9	80	134				
------------------------------	------	------	-------	---	------	----	-----	--	--	--	--

Sample ID: 2603437-001CDUP		SampType: DUP			Units: mg/L		Prep Date: 3/23/2026			RunNo: 107770		
Client ID: BATCH		Batch ID: R107770			Analysis Date: 3/23/2026					SeqNo: 2244848		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	30.8	2.50						27.39	11.7	20	
------------------------------	------	------	--	--	--	--	--	-------	------	----	--

Sample ID: 2603437-002CDUP		SampType: DUP			Units: mg/L		Prep Date: 3/23/2026			RunNo: 107770		
Client ID: BATCH		Batch ID: R107770			Analysis Date: 3/23/2026				SeqNo: 2244868			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Alkalinity, Total (As CaCO3)	309	25.0						290.0	6.28	20	D
------------------------------	-----	------	--	--	--	--	--	-------	------	----	---

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ferrous Iron by SM3500-Fe B

Sample ID: MB-R107597	SampType: MBLK	Units: mg/L		Prep Date: 3/18/2026	RunNo: 107597							
Client ID: MBLKW	Batch ID: R107597			Analysis Date: 3/18/2026	SeqNo: 2241086							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	ND	0.150										

Sample ID: LCS-R107597	SampType: LCS	Units: mg/L		Prep Date: 3/18/2026	RunNo: 107597							
Client ID: LCSW	Batch ID: R107597			Analysis Date: 3/18/2026	SeqNo: 2241087							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	0.405	0.150	0.4000	0	101	85	115					

Sample ID: 2603475-001EDUP	SampType: DUP	Units: mg/L		Prep Date: 3/18/2026	RunNo: 107597							
Client ID: MW-4	Batch ID: R107597			Analysis Date: 3/18/2026	SeqNo: 2241089							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	1.13	0.150						1.052	6.74	20		

Sample ID: 2603475-001EMS	SampType: MS	Units: mg/L		Prep Date: 3/18/2026	RunNo: 107597							
Client ID: MW-4	Batch ID: R107597			Analysis Date: 3/18/2026	SeqNo: 2241090							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	1.15	0.150	0.4000	1.052	24.8	70	130				S	

Sample ID: 2603475-001EMSD	SampType: MSD	Units: mg/L		Prep Date: 3/18/2026	RunNo: 107597							
Client ID: MW-4	Batch ID: R107597			Analysis Date: 3/18/2026	SeqNo: 2241091							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ferrous Iron	1.21	0.150	0.4000	1.052	39.9	70	130	1.152	5.11	30	S	

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-51374	SampType: MBLK	Units: mg/L	Prep Date: 3/18/2026	RunNo: 107851							
Client ID: MBLKW	Batch ID: 51374		Analysis Date: 3/17/2026	SeqNo: 2246431							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Nitrate (as N) ND 0.200

Sample ID: LCS-51374	SampType: LCS	Units: mg/L			Prep Date: 3/18/2026				RunNo: 107851			
Client ID: LCSW	Batch ID: 51374					Analysis Date: 3/17/2026				SeqNo: 2246432		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N) 0.726 0.200 0.7500 0 96.8 90 110

Sample ID: LCSD-51374		SampType: LCSD			Units: mg/L		Prep Date: 3/18/2026			RunNo: 107851		
Client ID: LCSW02		Batch ID: 51374			Analysis Date: 3/18/2026			SeqNo: 2246435				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N) 0.685 0.200 0.7500 0 91.3 90 110 0.7260 5.81 20

Sample ID: 2603187-007DDUP		SampType: DUP		Units: mg/L		Prep Date: 3/18/2026			RunNo: 107851		
Client ID: BATCH		Batch ID: 51374					Analysis Date: 3/19/2026			SeqNo: 2246451	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Nitrate (as N) ND 0.200 0 20 Q

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Sample ID: 2603187-007DMS		SampType: MS			Units: mg/L		Prep Date: 3/18/2026			RunNo: 107851		
Client ID: BATCH		Batch ID: 51374			Analysis Date: 3/19/2026				SeqNo: 2246452			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Nitrate (as N) 0.661 0.200 0.7500 0 88.1 80 120

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Ion Chromatography by EPA 300.0

Sample ID: MB-51472	SampType: MBLK	Units: mg/L			Prep Date: 3/25/2026				RunNo: 107856			
Client ID: MBLKW	Batch ID: 51472					Analysis Date: 3/25/2026				SeqNo: 2246536		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	ND	0.600										
Nitrate (as N)	ND	0.150										
Sulfate	ND	1.00										

Sample ID: 2603475-008BDUP	SampType: DUP	Units: mg/L			Prep Date: 3/25/2026			RunNo: 107856			
Client ID: MW-15	Batch ID: 51472				Analysis Date: 3/25/2026			SeqNo: 2246546			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	45.1	0.600						45.16	0.162	20	
Nitrate (as N)	1.48	0.150						1.482	0.270	20	H
Sulfate	44.9	1.00						44.98	0.169	20	

Sample ID: 2603475-008BMS	SampType: MS	Units: mg/L				Prep Date: 3/25/2026			RunNo: 107856		
Client ID: MW-15	Batch ID: 51472					Analysis Date: 3/26/2026			SeqNo: 2246549		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	52.5	0.600	10.00	45.16	73.0	80	120				ES
Nitrate (as N)	3.51	0.150	2.259	1.482	89.7	80	120				
Sulfate	52.1	1.00	10.00	44.98	71.7	80	120				ES

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Sample ID: 2603475-008BMSD	SampType: MSD	Units: mg/L				Prep Date: 3/25/2026			RunNo: 107856		
Client ID: MW-15	Batch ID: 51472					Analysis Date: 3/26/2026			SeqNo: 2246550		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	53.0	0.600	10.00	45.16	78.0	80	120	52.45	0.966	20	ES
Nitrate (as N)	3.64	0.150	2.259	1.482	95.5	80	120	3.509	3.66	20	
Sulfate	52.6	1.00	10.00	44.98	76.2	80	120	52.14	0.857	20	ES

NOTES:

S - Spiked amount was low relative to sample concentration. Outlying spike recoveries may be expected.

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Ion Chromatography by EPA 300.0

Sample ID: 2603521-001ADUP		SampType: DUP			Units: mg/L		Prep Date: 3/25/2026			RunNo: 107856		
Client ID: BATCH		Batch ID: 51472			Analysis Date: 3/26/2026			SeqNo: 2246557				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Chloride	2.52	0.600						2.511	0.437	20		
Nitrate (as N)	0.415	0.150						0.4170	0.481	20	H	
Sulfate	3.62	1.00						3.620	0.0553	20		

Sample ID: 2603521-001AMS		SampType: MS		Units: mg/L		Prep Date: 3/25/2026		RunNo: 107856			
Client ID: BATCH		Batch ID: 51472				Analysis Date: 3/26/2026		SeqNo: 2246558			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	12.4	0.600	10.00	2.511	98.6	80	120				
Nitrate (as N)	2.54	0.150	2.259	0.4170	94.1	80	120				
Sulfate	13.1	1.00	10.00	3.620	94.6	80	120				

Sample ID: LCS-51472		SampType: LCS		Units: mg/L		Prep Date: 3/25/2026		RunNo: 107856			
Client ID: LCSW		Batch ID: 51472				Analysis Date: 3/27/2026		SeqNo: 2246958			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloride	9.93	0.600	10.00	0	99.3	90	110				
Nitrate (as N)	2.13	0.150	2.259	0	94.2	90	110				
Sulfate	9.21	1.00	10.00	0	92.1	90	110				

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Total Organic Carbon by SM 5310B

Sample ID: MB-107755	SampType: MBLK	Units: mg/L		Prep Date: 3/23/2026	RunNo: 107755
Client ID: MBLKW	Batch ID: R107755	Analysis Date: 3/23/2026		SeqNo: 2244115	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Carbon	ND	0.250			

Sample ID: LCS-107755	SampType: LCS	Units: mg/L		Prep Date: 3/23/2026	RunNo: 107755
Client ID: LCSW	Batch ID: R107755	Analysis Date: 3/23/2026		SeqNo: 2244116	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Carbon	23.0	0.250	23.26	0	98.8 85 115

Sample ID: 2603278-001CMS	SampType: MS	Units: mg/L		Prep Date: 3/23/2026	RunNo: 107755
Client ID: BATCH	Batch ID: R107755	Analysis Date: 3/23/2026		SeqNo: 2244118	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Carbon	36.9	0.250	23.26	14.03	98.3 85 115

Sample ID: 2603278-001CMSD	SampType: MSD	Units: mg/L		Prep Date: 3/23/2026	RunNo: 107755
Client ID: BATCH	Batch ID: R107755	Analysis Date: 3/23/2026		SeqNo: 2244119	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Carbon	36.8	0.250	23.26	14.03	97.8 85 115 36.88 0.272 15

Sample ID: MB-107816	SampType: MBLK	Units: mg/L		Prep Date: 3/24/2026	RunNo: 107816
Client ID: MBLKW	Batch ID: R107816	Analysis Date: 3/24/2026		SeqNo: 2245629	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Total Organic Carbon	ND	0.250			

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Total Organic Carbon by SM 5310B

Sample ID: LCS-107816	SampType: LCS	Units: mg/L			Prep Date: 3/24/2026			RunNo: 107816			
Client ID: LCSW	Batch ID: R107816				Analysis Date: 3/24/2026			SeqNo: 2245630			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Organic Carbon	23.0	0.250	23.26	0	98.9	85	115				
----------------------	------	-------	-------	---	------	----	-----	--	--	--	--

Sample ID: 2603438-002CMS	SampType: MS	Units: mg/L			Prep Date: 3/24/2026			RunNo: 107816			
Client ID: BATCH	Batch ID: R107816				Analysis Date: 3/24/2026			SeqNo: 2245632			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Organic Carbon	24.6	0.250	23.26	1.456	99.5	85	115				
----------------------	------	-------	-------	-------	------	----	-----	--	--	--	--

Sample ID: 2603510-001CMS	SampType: MS	Units: mg/L			Prep Date: 3/24/2026			RunNo: 107816			
Client ID: BATCH	Batch ID: R107816				Analysis Date: 3/24/2026			SeqNo: 2245638			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Organic Carbon	35.9	0.250	23.26	12.61	100	85	115				
----------------------	------	-------	-------	-------	-----	----	-----	--	--	--	--

Sample ID: 2603510-001CMSD	SampType: MSD	Units: mg/L			Prep Date: 3/24/2026			RunNo: 107816			
Client ID: BATCH	Batch ID: R107816				Analysis Date: 3/24/2026			SeqNo: 2245639			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Total Organic Carbon	35.3	0.250	23.26	12.61	97.4	85	115	35.93	1.85	15	
----------------------	------	-------	-------	-------	------	----	-----	-------	------	----	--

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Dissolved Gases by RSK-175

Sample ID: LCS-107749		SampType: LCS		Units: ppmv		Prep Date: 3/23/2026			RunNo: 107749		
Client ID: LCSW		Batch ID: R107749					Analysis Date: 3/23/2026			SeqNo: 2244080	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	948	0.00500	1,000	0	94.8	73.6	124				
Ethene	899	0.0100	1,000	0	89.9	76.3	122				
Ethane	917	0.0100	1,000	0	91.7	76.1	123				

Sample ID: MB-107749	SampType: MBLK	Units: mg/L	Prep Date: 3/23/2026	RunNo: 107749							
Client ID: MBLKW	Batch ID: R107749		Analysis Date: 3/23/2026	SeqNo: 2244079							
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	ND	0.00500									
Ethene	ND	0.0100									
Ethane	ND	0.0100									

Sample ID: 2603475-010CREP		SampType: REP		Units: mg/L		Prep Date: 3/23/2026			RunNo: 107749		
Client ID: Dup-2		Batch ID: R107749					Analysis Date: 3/23/2026			SeqNo: 2244063	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	2.17	0.00500						2.069	4.72	20	
Ethene	ND	0.0100						0		20	
Ethane	ND	0.0100						0		20	

Sample ID: 2603475-003CREP		SampType: REP		Units: mg/L		Prep Date: 3/23/2026		RunNo: 107749			
Client ID: MW-7		Batch ID: R107749				Analysis Date: 3/23/2026		SeqNo: 2244050			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methane	2.95	0.100						2.507	16.4	20	D
Ethene	ND	0.200						0		20	D
Ethane	ND	0.200						0		20	D

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Gasoline by NWTPH-Gx

Sample ID: LCS-51466		SampType: LCS			Units: µg/L		Prep Date: 3/25/2026			RunNo: 107834		
Client ID: LCSW		Batch ID: 51466			Analysis Date: 3/25/2026			SeqNo: 2245994				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Gasoline Range Organics	470	50.0	500.0	0	94.1	80	120				
Surr: Toluene-d8	24.8		25.00		99.2	80	120				
Surr: 4-Bromofluorobenzene	23.8		25.00		95.4	80	120				

Sample ID: MB-51466		SampType: MBLK			Units: µg/L		Prep Date: 3/25/2026			RunNo: 107834		
Client ID: MBLKW		Batch ID: 51466			Analysis Date: 3/25/2026			SeqNo: 2245973				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Gasoline Range Organics	ND	50.0									
Surr: Toluene-d8	26.9		25.00		107	65	135				
Surr: 4-Bromofluorobenzene	26.7		25.00		107	65	135				

Sample ID: 2603372-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/25/2026			RunNo: 107834		
Client ID: BATCH		Batch ID: 51466					Analysis Date: 3/25/2026			SeqNo: 2245975	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline Range Organics	ND	50.0						0		30	
Surr: Toluene-d8	27.0		25.00		108	65	135		0		
Surr: 4-Bromofluorobenzene	26.4		25.00		106	65	135		0		

Sample ID: 2603475-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/25/2026			RunNo: 107834		
Client ID: MW-4		Batch ID: 51466					Analysis Date: 3/25/2026			SeqNo: 2245977	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Gasoline Range Organics	ND	50.0						0		30	
Surr: Toluene-d8	26.7		25.00		107	65	135		0		
Surr: 4-Bromofluorobenzene	27.2		25.00		109	65	135		0		

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Gasoline by NWTPH-Gx

Sample ID: 2603511-004AMS		SampType: MS		Units: µg/L		Prep Date: 3/25/2026		RunNo: 107834			
Client ID: BATCH		Batch ID: 51466				Analysis Date: 3/26/2026		SeqNo: 2245992			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline Range Organics	487	50.0	500.0	0	97.3	65	135				
Surr: Toluene-d8	25.5		25.00		102	65	135				
Surr: 4-Bromofluorobenzene	23.9		25.00		95.5	65	135				

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51466	SampType: LCS	Units: µg/L				Prep Date: 3/25/2026			RunNo: 107845		
Client ID: LCSW	Batch ID: 51466	Analysis Date: 3/25/2026						SeqNo: 2246291			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	23.2	1.00	20.00	0	116	80	120				
Chloromethane	21.1	1.00	20.00	0	106	80	120				
Vinyl chloride	21.0	0.200	20.00	0	105	80	120				
Bromomethane	15.3	2.00	20.00	0	76.7	80	120				S
Trichlorofluoromethane (CFC-11)	21.9	0.500	20.00	0	110	80	120				
Chloroethane	20.7	1.00	20.00	0	103	80	120				
1,1-Dichloroethene	20.6	0.500	20.00	0	103	80	120				
Acetone	42.9	5.00	50.00	0	85.8	80	120				
Methylene chloride	20.2	2.00	20.00	0	101	80	120				
trans-1,2-Dichloroethene	19.6	0.500	20.00	0	98.1	80	120				
Methyl tert-butyl ether (MTBE)	21.6	0.500	20.00	0	108	80	120				
1,1-Dichloroethane	20.6	0.500	20.00	0	103	80	120				
cis-1,2-Dichloroethene	19.8	0.500	20.00	0	99.1	80	120				
2-Butanone (MEK)	47.9	5.00	50.00	0	95.8	80	120				
Chloroform	19.9	0.500	20.00	0	99.5	80	120				
1,1,1-Trichloroethane (TCA)	20.1	0.500	20.00	0	101	80	120				
1,1-Dichloropropene	20.8	0.500	20.00	0	104	80	120				
Carbon tetrachloride	20.6	0.500	20.00	0	103	80	120				
1,2-Dichloroethane (EDC)	19.8	0.200	20.00	0	99.1	80	120				
Benzene	18.5	0.200	20.00	0	92.5	80	120				
Trichloroethene (TCE)	17.0	0.500	20.00	0	85.2	80	120				
1,2-Dichloropropane	21.1	0.200	20.00	0	105	80	120				
Bromodichloromethane	20.0	0.200	20.00	0	100	80	120				
Dibromomethane	21.8	0.500	20.00	0	109	80	120				
cis-1,3-Dichloropropene	22.4	0.500	20.00	0	112	80	120				
Toluene	19.0	0.500	20.00	0	95.1	80	120				
trans-1,3-Dichloropropylene	21.2	0.500	20.00	0	106	80	120				
Methyl Isobutyl Ketone (MIBK)	52.4	2.50	50.00	0	105	80	120				
1,1,2-Trichloroethane	21.1	0.500	20.00	0	106	80	120				
1,3-Dichloropropane	20.3	0.500	20.00	0	102	80	120				
Tetrachloroethene (PCE)	19.6	0.500	20.00	0	97.9	80	120				
Dibromochloromethane	20.7	0.500	20.00	0	103	80	120				

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51466	SampType: LCS	Units: µg/L				Prep Date: 3/25/2026			RunNo: 107845		
Client ID: LCSW	Batch ID: 51466	Analysis Date: 3/25/2026						SeqNo: 2246291			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane (EDB)	21.2	0.500	20.00	0	106	80	120				
2-Hexanone (MBK)	49.1	1.25	50.00	0	98.2	80	120				
Chlorobenzene	18.2	0.500	20.00	0	90.9	80	120				
1,1,1,2-Tetrachloroethane	18.6	0.500	20.00	0	93.0	80	120				
Ethylbenzene	19.2	0.500	20.00	0	96.1	80	120				
m,p-Xylene	38.2	1.00	40.00	0	95.5	80	120				
o-Xylene	17.9	0.500	20.00	0	89.5	80	120				
Styrene	18.8	0.500	20.00	0	93.8	80	120				
Isopropylbenzene	18.6	0.500	20.00	0	93.1	80	120				
Bromoform	20.0	0.500	20.00	0	99.9	80	120				
1,1,2,2-Tetrachloroethane	22.5	0.200	20.00	0	113	80	120				
n-Propylbenzene	19.3	0.500	20.00	0	96.4	80	120				
Bromobenzene	17.8	0.200	20.00	0	89.1	80	120				
1,3,5-Trimethylbenzene	17.9	0.500	20.00	0	89.5	80	120				
2-Chlorotoluene	18.3	0.500	20.00	0	91.5	80	120				
4-Chlorotoluene	17.9	0.500	20.00	0	89.3	80	120				
tert-Butylbenzene	17.9	0.500	20.00	0	89.5	80	120				
1,2,3-Trichloropropane	20.2	0.500	20.00	0	101	80	120				
1,2,4-Trichlorobenzene	19.5	0.750	20.00	0	97.5	80	120				
sec-Butylbenzene	18.9	0.500	20.00	0	94.6	80	120				
4-Isopropyltoluene	18.1	0.500	20.00	0	90.4	80	120				
1,3-Dichlorobenzene	18.5	0.500	20.00	0	92.3	80	120				
1,4-Dichlorobenzene	19.3	0.500	20.00	0	96.3	80	120				
n-Butylbenzene	20.8	0.500	20.00	0	104	80	120				
1,2-Dichlorobenzene	18.7	0.500	20.00	0	93.5	80	120				
1,2-Dibromo-3-chloropropane	20.8	1.00	20.00	0	104	80	120				
1,2,4-Trimethylbenzene	19.0	0.500	20.00	0	95.2	80	120				
Hexachloro-1,3-butadiene	19.6	1.00	20.00	0	98.0	80	120				
Naphthalene	20.4	1.25	20.00	0	102	80	120				
1,2,3-Trichlorobenzene	19.3	1.00	20.00	0	96.5	80	120				
Surr: Dibromofluoromethane	25.9		25.00		104	79.9	122				
Surr: Toluene-d8	26.4		25.00		106	80	121				

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: LCS-51466		SampType: LCS		Units: µg/L		Prep Date: 3/25/2026			RunNo: 107845		
Client ID: LCSW		Batch ID: 51466					Analysis Date: 3/25/2026			SeqNo: 2246291	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 1-Bromo-4-fluorobenzene	24.0		25.00		96.1	79.7	120				

NOTES:

S - Outlying spike recovery observed (low bias). Samples will be qualified with a Q.

Sample ID: MB-51466	SampType: MBLK	Units: µg/L			Prep Date: 3/25/2026			RunNo: 107845			
Client ID: MBLKW	Batch ID: 51466	Analysis Date: 3/25/2026						SeqNo: 2246268			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	ND	1.00									
Chloromethane	ND	1.00									
Vinyl chloride	ND	0.200									
Bromomethane	ND	2.00									Q
Trichlorofluoromethane (CFC-11)	ND	0.500									
Chloroethane	ND	1.00									
1,1-Dichloroethene	ND	0.500									
Acetone	ND	5.00									
Methylene chloride	ND	2.00									
trans-1,2-Dichloroethene	ND	0.500									
Methyl tert-butyl ether (MTBE)	ND	0.500									
1,1-Dichloroethane	ND	0.500									
cis-1,2-Dichloroethene	ND	0.500									
2-Butanone (MEK)	ND	5.00									
Chloroform	ND	0.500									
1,1,1-Trichloroethane (TCA)	ND	0.500									
1,1-Dichloropropene	ND	0.500									
Carbon tetrachloride	ND	0.500									
1,2-Dichloroethane (EDC)	ND	0.200									
Benzene	ND	0.200									
Trichloroethene (TCE)	ND	0.500									
1,2-Dichloropropane	ND	0.200									
Bromodichloromethane	ND	0.200									
Dibromomethane	ND	0.500									

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-51466	SampType: MBLK	Units: µg/L			Prep Date: 3/25/2026			RunNo: 107845			
Client ID: MBLKW	Batch ID: 51466	Analysis Date: 3/25/2026						SeqNo: 2246268			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
cis-1,3-Dichloropropene	ND	0.500									
Toluene	ND	0.500									
trans-1,3-Dichloropropylene	ND	0.500									
Methyl Isobutyl Ketone (MIBK)	ND	2.50									
1,1,2-Trichloroethane	ND	0.500									
1,3-Dichloropropane	ND	0.500									
Tetrachloroethene (PCE)	ND	0.500									
Dibromochloromethane	ND	0.500									
1,2-Dibromoethane (EDB)	ND	0.500									
2-Hexanone (MBK)	ND	1.25									
Chlorobenzene	ND	0.500									
1,1,1,2-Tetrachloroethane	ND	0.500									
Ethylbenzene	ND	0.500									
m,p-Xylene	ND	1.00									
o-Xylene	ND	0.500									
Styrene	ND	0.500									
Isopropylbenzene	ND	0.500									
Bromoform	ND	0.500									
1,1,2,2-Tetrachloroethane	ND	0.200									
n-Propylbenzene	ND	0.500									
Bromobenzene	ND	0.200									
1,3,5-Trimethylbenzene	ND	0.500									
2-Chlorotoluene	ND	0.500									
4-Chlorotoluene	ND	0.500									
tert-Butylbenzene	ND	0.500									
1,2,3-Trichloropropane	ND	0.500									
1,2,4-Trichlorobenzene	ND	0.750									
sec-Butylbenzene	ND	0.500									
4-Isopropyltoluene	ND	0.500									
1,3-Dichlorobenzene	ND	0.500									
1,4-Dichlorobenzene	ND	0.500									
n-Butylbenzene	ND	0.500									

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: MB-51466	SampType: MBLK	Units: µg/L			Prep Date: 3/25/2026			RunNo: 107845			
Client ID: MBLKW	Batch ID: 51466				Analysis Date: 3/25/2026			SeqNo: 2246268			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichlorobenzene	ND	0.500									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2,4-Trimethylbenzene	ND	0.500									
Hexachloro-1,3-butadiene	ND	1.00									
Naphthalene	ND	1.25									
1,2,3-Trichlorobenzene	ND	1.00									
Surr: Dibromofluoromethane	26.5		25.00		106	80	120				
Surr: Toluene-d8	25.5		25.00		102	80	120				
Surr: 1-Bromo-4-fluorobenzene	24.4		25.00		97.7	80	120				

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Sample ID: 2603475-001ADUP		SampType: DUP			Units: µg/L		Prep Date: 3/25/2026			RunNo: 107845		
Client ID: MW-4		Batch ID: 51466			Analysis Date: 3/25/2026			SeqNo: 2246270				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Dichlorodifluoromethane (CFC-12)	ND	1.00						0		30		
Chloromethane	ND	1.00						0		30		
Vinyl chloride	5.67	0.200						5.321	6.38	30		
Bromomethane	ND	2.00						0		30	Q	
Trichlorofluoromethane (CFC-11)	ND	0.500						0		30		
Chloroethane	ND	1.00						0		30		
1,1-Dichloroethene	ND	0.500						0		30		
Acetone	ND	5.00						0		30		
Methylene chloride	ND	2.00						0		30		
trans-1,2-Dichloroethene	ND	0.500						0		30		
Methyl tert-butyl ether (MTBE)	ND	0.500						0		30		
1,1-Dichloroethane	ND	0.500						0		30		
cis-1,2-Dichloroethene	3.73	0.500						3.550	4.90	30		
2-Butanone (MEK)	ND	5.00						0		30		
Chloroform	ND	0.500						0		30		
1,1,1-Trichloroethane (TCA)	ND	0.500						0		30		

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2603475-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/25/2026			RunNo: 107845		
Client ID: MW-4		Batch ID: 51466					Analysis Date: 3/25/2026			SeqNo: 2246270	
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloropropene	ND	0.500						0		30	
Carbon tetrachloride	ND	0.500						0		30	
1,2-Dichloroethane (EDC)	ND	0.200						0		30	
Benzene	0.806	0.200						0.7422	8.22	30	
Trichloroethene (TCE)	ND	0.500						0		30	
1,2-Dichloropropane	ND	0.200						0		30	
Bromodichloromethane	ND	0.200						0		30	
Dibromomethane	ND	0.500						0		30	
cis-1,3-Dichloropropene	ND	0.500						0		30	
Toluene	ND	0.500						0		30	
trans-1,3-Dichloropropylene	ND	0.500						0		30	
Methyl Isobutyl Ketone (MIBK)	ND	2.50						0		30	
1,1,2-Trichloroethane	ND	0.500						0		30	
1,3-Dichloropropane	ND	0.500						0		30	
Tetrachloroethene (PCE)	ND	0.500						0		30	
Dibromochloromethane	ND	0.500						0		30	
1,2-Dibromoethane (EDB)	ND	0.500						0		30	
2-Hexanone (MBK)	ND	1.25						0		30	
Chlorobenzene	ND	0.500						0		30	
1,1,1,2-Tetrachloroethane	ND	0.500						0		30	
Ethylbenzene	ND	0.500						0		30	
m,p-Xylene	ND	1.00						0		30	
o-Xylene	ND	0.500						0		30	
Styrene	ND	0.500						0		30	
Isopropylbenzene	ND	0.500						0		30	
Bromoform	ND	0.500						0		30	
1,1,2,2-Tetrachloroethane	ND	0.200						0		30	
n-Propylbenzene	ND	0.500						0		30	
Bromobenzene	ND	0.200						0		30	
1,3,5-Trimethylbenzene	ND	0.500						0		30	
2-Chlorotoluene	ND	0.500						0		30	
4-Chlorotoluene	ND	0.500						0		30	

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT

Volatile Organic Compounds by EPA 8260D

Sample ID: 2603475-001ADUP		SampType: DUP		Units: µg/L		Prep Date: 3/25/2026		RunNo: 107845			
Client ID: MW-4		Batch ID: 51466				Analysis Date: 3/25/2026		SeqNo: 2246270			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
tert-Butylbenzene	ND	0.500						0		30	
1,2,3-Trichloropropane	ND	0.500						0		30	
1,2,4-Trichlorobenzene	ND	0.750						0		30	
sec-Butylbenzene	ND	0.500						0		30	
4-Isopropyltoluene	ND	0.500						0		30	
1,3-Dichlorobenzene	ND	0.500						0		30	
1,4-Dichlorobenzene	ND	0.500						0		30	
n-Butylbenzene	ND	0.500						0		30	
1,2-Dichlorobenzene	ND	0.500						0		30	
1,2-Dibromo-3-chloropropane	ND	1.00						0		30	
1,2,4-Trimethylbenzene	ND	0.500						0		30	
Hexachloro-1,3-butadiene	ND	1.00						0		30	
Naphthalene	ND	1.25						0		30	
1,2,3-Trichlorobenzene	ND	1.00						0		30	
Surr: Dibromofluoromethane	26.6		25.00		106	79.9	122		0		
Surr: Toluene-d8	26.0		25.00		104	80	121		0		
Surr: 1-Bromo-4-fluorobenzene	24.7		25.00		98.7	79.7	120		0		

NOTES:

Q - Associated calibration verification is below acceptance criteria. Result may be low-biased.

Sample ID: 2603475-009AMS		SampType: MS		Units: µg/L		Prep Date: 3/25/2026		RunNo: 107845			
Client ID: Dup-1		Batch ID: 51466				Analysis Date: 3/26/2026		SeqNo: 2246285			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dichlorodifluoromethane (CFC-12)	27.6	1.00	20.00	0	138	61	156				
Chloromethane	23.3	1.00	20.00	0	117	58.6	153				
Vinyl chloride	26.5	0.200	20.00	0.4026	130	70.9	160				
Bromomethane	24.3	2.00	20.00	0	122	57	155				
Trichlorofluoromethane (CFC-11)	26.3	0.500	20.00	0	131	80	159				
Chloroethane	25.1	1.00	20.00	0	125	71.3	145				
1,1-Dichloroethene	24.2	0.500	20.00	0	121	80	160				
Acetone	42.0	5.00	50.00	0	84.0	12.9	126				

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Volatile Organic Compounds by EPA 8260D

Sample ID: 2603475-009AMS	SampType: MS	Units: µg/L				Prep Date: 3/25/2026			RunNo: 107845		
Client ID: Dup-1	Batch ID: 51466					Analysis Date: 3/26/2026			SeqNo: 2246285		
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methylene chloride	21.6	2.00	20.00	0	108	77.6	131				
trans-1,2-Dichloroethene	22.2	0.500	20.00	0	111	80	134				
Methyl tert-butyl ether (MTBE)	21.3	0.500	20.00	0	106	80	127				
1,1-Dichloroethane	22.8	0.500	20.00	0	114	80	129				
cis-1,2-Dichloroethene	21.9	0.500	20.00	0.3736	108	78.2	137				
2-Butanone (MEK)	45.6	5.00	50.00	0	91.3	32.5	130				
Chloroform	21.7	0.500	20.00	0	109	78.3	136				
1,1,1-Trichloroethane (TCA)	23.2	0.500	20.00	0	116	80	153				
1,1-Dichloropropene	24.1	0.500	20.00	0	120	80	153				
Carbon tetrachloride	24.2	0.500	20.00	0	121	80	156				
1,2-Dichloroethane (EDC)	20.5	0.200	20.00	0	102	77	133				
Benzene	20.2	0.200	20.00	0	101	80	134				
Trichloroethene (TCE)	18.6	0.500	20.00	0	93.1	80	133				
1,2-Dichloropropane	22.7	0.200	20.00	0	114	80	125				
Bromodichloromethane	21.4	0.200	20.00	0	107	80	124				
Dibromomethane	22.5	0.500	20.00	0	113	80	122				
cis-1,3-Dichloropropene	22.8	0.500	20.00	0	114	80	128				
Toluene	20.7	0.500	20.00	0	104	80	134				
trans-1,3-Dichloropropylene	21.0	0.500	20.00	0	105	78.6	136				
Methyl Isobutyl Ketone (MIBK)	50.1	2.50	50.00	0	100	61.1	145				
1,1,2-Trichloroethane	21.8	0.500	20.00	0	109	79.4	135				
1,3-Dichloropropane	21.1	0.500	20.00	0	106	80	126				
Tetrachloroethene (PCE)	21.9	0.500	20.00	0	110	80	153				
Dibromochloromethane	21.2	0.500	20.00	0	106	77.7	137				
1,2-Dibromoethane (EDB)	21.8	0.500	20.00	0	109	77.8	132				
2-Hexanone (MBK)	47.1	1.25	50.00	0	94.2	34.7	135				
Chlorobenzene	19.3	0.500	20.00	0	96.5	80	123				
1,1,1,2-Tetrachloroethane	19.7	0.500	20.00	0	98.4	80	125				
Ethylbenzene	21.1	0.500	20.00	0	106	80	125				
m,p-Xylene	41.7	1.00	40.00	0	104	80	124				
o-Xylene	19.2	0.500	20.00	0	96.0	80	122				
Styrene	19.8	0.500	20.00	0	98.8	80	122				

Work Order: 2603475
CLIENT: Apex Companies, LLC
Project: Spic N Span

QC SUMMARY REPORT
Volatile Organic Compounds by EPA 8260D

Sample ID: 2603475-009AMS		SampType: MS		Units: µg/L		Prep Date: 3/25/2026		RunNo: 107845			
Client ID: Dup-1		Batch ID: 51466				Analysis Date: 3/26/2026		SeqNo: 2246285			
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Isopropylbenzene	20.8	0.500	20.00	0	104	80	133				
Bromoform	20.0	0.500	20.00	0	100	80	125				
1,1,2,2-Tetrachloroethane	22.0	0.200	20.00	0	110	76.3	138				
n-Propylbenzene	20.8	0.500	20.00	0	104	80	134				
Bromobenzene	18.6	0.200	20.00	0	93.2	80	121				
1,3,5-Trimethylbenzene	19.2	0.500	20.00	0	96.1	80	126				
2-Chlorotoluene	20.6	0.500	20.00	0	103	80	124				
4-Chlorotoluene	18.9	0.500	20.00	0	94.7	80	123				
tert-Butylbenzene	19.9	0.500	20.00	0	99.6	80	131				
1,2,3-Trichloropropane	19.4	0.500	20.00	0	97.1	75.3	125				
1,2,4-Trichlorobenzene	19.5	0.750	20.00	0	97.4	71.2	129				
sec-Butylbenzene	21.2	0.500	20.00	0	106	80	137				
4-Isopropyltoluene	20.1	0.500	20.00	0	100	80	132				
1,3-Dichlorobenzene	19.5	0.500	20.00	0	97.7	80	120				
1,4-Dichlorobenzene	20.4	0.500	20.00	0	102	80	122				
n-Butylbenzene	22.9	0.500	20.00	0	115	79.5	138				
1,2-Dichlorobenzene	19.6	0.500	20.00	0	98.1	79	120				
1,2-Dibromo-3-chloropropane	19.7	1.00	20.00	0	98.7	69.6	137				
1,2,4-Trimethylbenzene	20.2	0.500	20.00	0	101	80	123				
Hexachloro-1,3-butadiene	21.4	1.00	20.00	0	107	74.3	148				
Naphthalene	19.9	1.25	20.00	0	99.7	74.3	124				
1,2,3-Trichlorobenzene	19.1	1.00	20.00	0	95.6	71.9	129				
Surr: Dibromofluoromethane	26.7		25.00		107	79.9	122				
Surr: Toluene-d8	27.0		25.00		108	80	121				
Surr: 1-Bromo-4-fluorobenzene	24.2		25.00		96.9	79.7	120				

Sample Log-In Check List

Client Name: **PBS**
Logged by: **Morgan Laughlin**

Work Order Number: **2603475**
Date Received: **3/17/2026 4:32:00 PM**

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Client

Log In

3. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes ☐ No ☐ Not Present ☒
4. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
5. Were all items received at a temperature of >2°C to 6°C * Yes ☒ No ☐ NA ☐
6. Sample(s) in proper container(s)? Yes ☒ No ☐
7. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
8. Are samples properly preserved? Yes ☒ No ☐
9. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
10. Is there headspace in the VOA vials? Yes ☐ No ☒ NA ☐
11. Did all samples containers arrive in good condition(unbroken)? Yes ☒ No ☐
12. Does paperwork match bottle labels? Yes ☒ No ☐
13. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
14. Is it clear what analyses were requested? Yes ☒ No ☐
15. Were all hold times (except field parameters, pH e.g.) able to be met? Yes ☒ No ☐

Special Handling (if applicable)

16. Was client notified of all discrepancies with this order? Yes ☒ No ☐ NA ☐

Person Notified: Martine Pfefferwright Date: 3/17/2026
By Whom: Morgan Laughlin Via: ☒ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding: Confirm "Dup-1" & "Dup-2" Times for Short Hold Tests
Client Instructions: Dup-1 = 13:00; Dup-2 = 14:00

17. Additional remarks:

Item Information

Item #	Temp °C
Sample	4.8

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 3/17/20 Page: 1 of 1

Project Name: Spic N Span

Project No: 415A3 006

Collected by: MR JMS

Location: 650 Dearborn St

Report To (PM): Melanie Young

Laboratory Project No (Internal): 2693475

Special Remarks:
- RSK-175: Only methanol, Ethanol, Ethene

- Ferrous Iron: SM3500 FeB

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (Specify above) ☐ Return to client

Email(s): melanie.young@apexcos.com, oriane.goulet@apexcos.com, martine.officewright@apexcos.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) / Dissolved (D)	Anions (IC)**	EDR (801.1)	RSK-175	TDC	Alkalinity (EPA 821.2)	Ferrous Iron	Comments
1 MW - 4	3/17/20	1430	GW	11	X	X							X	X	X	X	X	X			
2 MW - 6		1345			X	X							X	X	X	X	X				
3 MW - 7		1010			X	X							X	X	X	X	X				
4 MW - 8		1220			X	X							X	X	X	X	X				
5 MW - 9		1140			X	X							X	X	X	X	X				
6 MW - 13		1250			X	X							X	X	X	X	X				
7 MW - 14		1020			X	X							X	X	X	X	X				
8 MW - 15		1120			X	X							X	X	X	X	X				
9 Dup - 1					X	X							X	X	X	X	X				
10 Dup - 2					X	X							X	X	X	X	X				

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCB-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Tl Ti V Zn
Nitrate Nitrite Chloride Sulfate Bromide Iodide Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (Specify)

Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>M. J. Young</i>	Martine Officewright	3/17/20 1632	<i>M. J. Young</i>	Martine Officewright	3/17/20 1632
Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>M. J. Young</i>	Martine Officewright	3/17/20 1632	<i>M. J. Young</i>	Martine Officewright	3/17/20 1632



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790

Chain of Custody Record & Laboratory Services Agreement

Date: 3/17/26 Page: 1 of 1

Project Name: Spic N span

Project No: 415A3 006

Collected by: MR JMS

Location: 650 Dearborn St

Report To (PM): Melanie Young

Laboratory Project No (Internal): 2693475

Special Remarks:
- RSK-175: Only methanol, Ethanol, Ethene

- Ferrous Iron: 5M3500 FeB

Update per MP -ML 3/17/26

Disposal: Samples will be disposed in 30 days unless otherwise requested.
☐ Retain volume (Specify above) ☐ Return to client

Email(s): melanie.young@apexcos.com, oriane.goulet@apexcos.com, martine.offenberg@apexcos.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	# of Cont.	VOCs (EPA 8260 / 624)	BTEX	Gasoline Range Organics (GX)	Hydrocarbon Identification (HCID)	Diesel/Heavy Oil Range Organics (DX)	SVOCs (EPA 8270 / 625)	PAHs (EPA 8270 - SIM)	PCBs (EPA 8082 / 608)	Metals** (EPA 6020 / 200.8)	Total (T) / Dissolved (D)	Anions (IC)**	EDR (801.1)	RSK-175	TDC	Mikawilt (EPA 810.2)	Ferrous Iron	Comments
1 MW - 4	3/17/26	1430	GW	11	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
2 MW - 6		1345			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
3 MW - 7		1010			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
4 MW - 8		1220			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
5 MW - 9		1140			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
6 MW - 13		1250			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
7 MW - 14		1020			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
8 MW - 15		1120			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
9 Dup - 1		13:00			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		
10 Dup - 2		14:00			X	X	X	X	X	X	X	X	X	X	X	X	X	X	X		

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

**Metals (Circle): MTCA-5 RCHA-8 Priority Pollutants TAL Individual: Ag Al As B Ba Be Ca Cd Co Cr Cu Fe Hg K Mg Mn Mo Na Ni Pb Sb Se Sr Sn Ti Tl V Zn

**Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide Iodide O-Phosphate Fluoride Nitrate-Nitrite

Turn-around Time:
☒ Standard ☐ Next Day
☐ 3 Day ☐ Same Day
☐ 2 Day (Specify)

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above, that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>M. J. Young</i>	Martine Offenberg	3/17/26 1632	<i>M. J. Young</i>	Martine Offenberg	3/17/26 1632
Relinquished (Signature)	Print Name	Date/Time	Received (Signature)	Print Name	Date/Time
<i>M. J. Young</i>	Martine Offenberg	3/17/26 1632	<i>M. J. Young</i>	Martine Offenberg	3/17/26 1632