



REPORT

**QUARTERLY MONITORING REPORT
THIRD QUARTER 2025
RESERVE SILICA RECLAMATION SITE**

*Ecology Facility Site No. 2041/Cleanup Site No 4728
28131 Ravensdale-Black Diamond Road
Ravensdale, Washington 98051*

Submitted to:

Mr. Alan Noell and Mr. Tim O'Connor

Washington State Department of Ecology
Northwest Regional Office
15700 Dayton Ave. N.
Shoreline WA 98133

Submitted by:

WSP USA Inc.

18300 Redmond Way, Suite 200,
Redmond, Washington, USA 98052

+1 425 883-0777

31406578.0889-002-RPT-0

April 24, 2026

Distribution List

Electronic Only:

Alan L. Noell, Ecology

Tim O'Connor, Ecology

Chris Martin, Ecology

Yolanda Pon, Public Health - Seattle & King County

Jerome Cruz, Public Health - Seattle & King County

Teddy Taddese, King County Department of Local Services

Warren Clauss, King County Department of Local Services

Jeff Wright, Reserve Silica

Frank Melfi Jr, Reserve Silica

Marisa Floyd, Reserve Silica

Douglas Steding, Northwest Resource Law PLLC

Dave Cook, Geosyntec

Keith Woodburne, Geosyntec

Stephanie Voysey, Amrize

Greg Jacoby, McGavick Graves P.S.

Paula Jantzen, Ryan Whaley

Matt Wells, Tupper Mack Wells PLLC

Table of Contents

1.0 INTRODUCTION	1
2.0 BACKGROUND	1
2.1 Site Background	1
2.1.1 Lower Disposal Area Background	1
2.1.2 Dale Strip Pit Background	1
2.2 Interim Remedial Actions	2
2.2.1 LDA Cover Upgrade	2
2.2.2 LDA Seep Collection System Test Trenches	2
2.2.3 LDA Seep Collection Ditch and Seepage Treatment System	2
2.2.4 LDA Interceptor Trench	3
2.2.5 DSP Cover Upgrade	3
3.0 MONITORING PROGRAM	3
3.1 LDA Sampling Locations	3
3.2 DSP Sampling Locations	4
3.3 LDA Interceptor Trench	4
4.0 SAMPLING ACTIVITIES	4
4.1 Procedures	4
4.1.1 Water Level and Field Parameter Measurements	4
4.1.2 Laboratory Analysis	5
4.1.3 LDA Groundwater Sampling	5
4.1.4 LDA Surface Water Sampling	6
4.1.5 DSP Groundwater Sampling	7
4.1.6 LDA Interceptor Trench Sampling	7
5.0 RESULTS	7
6.0 OPERATIONS AND MAINTENANCE OF THE LEACHATE TREATMENT SYSTEM	8
7.0 LIMITATIONS	9

8.0 REFERENCES10**TABLES**

Table 1: Third Quarter 2025 Water Level Measurements

Table 2: Third Quarter 2025 Field Parameters and Analytical Data

Table 3: Interceptor Trench Discharge Monitoring

Table 4: Third Quarter 2025 Treatment System Metals Monitoring

FIGURES

Figure 1: Site Location Map

Figure 2: Monitoring Well and Surface Water Sampling Locations

Figure 3a: DSP Bedrock Groundwater Elevations

Figure 3b: LDA Bedrock Groundwater Elevations

Figure 3c: Shallow Groundwater Elevations

APPENDICES**APPENDIX A**

Summary Data Tables for Individual Wells and Monitoring Locations

APPENDIX B

LDA Shallow Monitoring Wells Data Graphs

APPENDIX C

Data Validation Report and Laboratory Analytical Results

APPENDIX D

Sample Integrity Data Sheets

1.0 INTRODUCTION

This report, prepared by WSP USA Inc. (WSP) for Holcim (US) Inc. (Holcim), presents the results of surface water and groundwater monitoring conducted at the Reserve Silica Reclamation Site (Site) during the third quarter of 2025. On June 20, 2025, Holcim changed its name to Amrize Cement Inc. (Amrize). The Site is located at 26000 Black Diamond Ravensdale Road in Ravensdale, Washington. The Site location is shown in Figure 1.

A Model Toxics Control Act (MTCA) Remedial Investigation/Feasibility Study (RI/FS) is being conducted at the Site under Agreed Order (AO) No. DE 16052. A Remedial Investigation/Feasibility Study Work Plan, Reserve Silica Reclamation Site, Ravensdale, Washington dated July 22, 2021 (RI/FS Work Plan), supporting Sampling and Analysis Plan (SAP), and Quality Assurance Project Plan (QAPP) (Golder 2021) describes the RI monitoring requirements and sampling procedures. The RI field sampling and testing were conducted from 2019 to 2024. The final RI report was issued on June 30, 2025 (WSP 2025). Groundwater and surface water monitoring at the Site during the third quarter of 2025 was conducted in accordance with the RI/FS Work Plan and supporting documents. Historical groundwater and surface water monitoring activities at the Site were conducted under the requirements of Post-Closure Care and Maintenance Permits issued by Public Health – Seattle and King County (Public Health). The third quarter monitoring event was conducted in September 2025.

2.0 BACKGROUND

2.1 Site Background

The following briefly describes the historical mining and reclamation activities that occurred at the Site and includes a discussion of the quarterly monitoring program.

2.1.1 Lower Disposal Area Background

The Lower Disposal Area (LDA) is a former open pit sand mine that was reclaimed by placing cement kiln dust (CKD) and other material into the mine excavation from June 1979 to October 1982. The LDA was filled with approximately 175,000 tons of CKD. Records indicate that a cap consisting of clay and up to 7 feet of overburden material from sand mining operations was placed over the CKD.

Historically, high-pH seepage surfaced along the slope west of the LDA. The outbreaks are primarily located along the northern half of the western boundary of the LDA, and records as early as 1987 indicate a leachate collection system was implemented for the LDA seepage. The leachate drained through low-lying, marshy areas and commingled with stormwater before flowing to the three Infiltration Ponds (the Infiltration Ponds as shown in Figure 2) near the Black Diamond Ravensdale Road (ARCADIS 2004). In 2013, a new seepage collection ditch was installed to intercept and collect the seepage (see Section 2.2.3 of this report), which then flowed inside a pipe to the Infiltration Ponds. In 2018, a water treatment system was constructed, and the high-pH water captured by the collection ditch is currently piped to the on-site treatment area for pH neutralization and dissolved metals removal. The treated water discharges from the treatment system to the Infiltration Ponds.

2.1.2 Dale Strip Pit Background

The Dale Strip Pit (DSP) was created to mine the Dale No. 4 coal seam from the surface starting in 1946. Prior to 1946, the coal seam was worked from an underground mine. The underground mining chutes were driven upward to the surface to provide ventilation and allow the transportation of timbers into the mine. Construction of the mine allowed groundwater to drain by gravity to the mine portal (Portal). The Portal has since collapsed, and now a pipe in the collapsed Portal allows water to continuously drain from the mine under a Washington State

Department of Ecology (Ecology) Sand and Gravel General Permit (Ecology 2005) with monitoring as described below. The Portal is located north of the LDA on the east side of the main haul road.

The DSP was approximately 1,800 feet long (north to south), an average of 140 feet wide (east to west), and an average of 40 feet deep. It was filled in the 1970s and 1980s with approximately 250,000 cubic yards of material, including CKD, borrow, and other materials, pursuant to a permit from Public Health. It is estimated that about one-third of the DSP was filled with CKD (ARCADIS 2004).

2.2 Interim Remedial Actions

2.2.1 LDA Cover Upgrade

During September and October 2007, the existing soil cover on the LDA was regraded to provide positive drainage at all locations, reduce overly steep slope areas, and place a minimum 2-foot-thick, clean soil cover over the entire area, including locations where CKD was exposed at the surface. The construction activities are described in the *Construction Summary Report, Lower Disposal Area Cover Upgrade, Reserve Silica Site, Reserve Silica Site, Ravensdale, Washington* dated July 25, 2008 (Golder 2008a).

2.2.2 LDA Seep Collection System Test Trenches

During September and October 2008, test trenches for collecting high-pH seepage were constructed (Golder 2008b). The purpose of this test system was to evaluate the feasibility of using a more extensive trench system to collect high-pH seepage that would otherwise discharge at the ground surface adjacent to the LDA. Details of the test trench construction are presented in the *Construction Summary Report, Seep Collection System Test Trenches, Reserve Silica Site, Ravensdale, Washington* dated March 6, 2009 (Golder 2009a).

Between October 2008 and September 2009, Golder monitored seepage flow rates from each of the two test trenches and the pipeline discharge once per month, on average. A summary of activities and results of this monitoring program is presented in the *Flow Monitoring Seep Collection System Test Trenches, Reserve Silica Site, Lower Disposal Area, Ravensdale, Washington* dated December 2009 (Golder 2009b).

2.2.3 LDA Seep Collection Ditch and Seepage Treatment System

In February 2013, a surface water collection ditch and concrete catch basin were constructed on the bench below the main access road on the west side of the LDA. This system was installed to capture leachate seeps emerging from the bank along the east side of the bench (west of the main access road) and direct them into the existing pipeline that carries flow from the test trenches to the Infiltration Ponds. In April 2015, the 4-inch-diameter pipeline from the catch basin to the Infiltration Ponds, approximately 1,000 feet in length, was replaced with a 12-inch-diameter pipeline to alleviate plugging issues.

In December 2017, the seepage collection trench was further extended approximately 100 feet to the north to collect additional seepage that was not previously captured. Seepage water was then redirected into a seepage treatment system, which was completed and started initial operations on September 28, 2018. The treatment system uses carbon dioxide (CO₂) sparging to neutralize pH levels and arsenic and lead adsorption using an iron-based adsorption media.

During the initial year of operation, the system operated intermittently, with system shutdowns occurring as various upgrades and modifications were completed to increase the long-term operational efficiency of the treatment system. The system began continuously operating in June 2019, with only minor shutdowns occurring to complete routine maintenance.

2.2.4 LDA Interceptor Trench

In September 2013, a gravel-filled interceptor trench that included a perforated drainpipe and vertical downgradient liner was installed south of the LDA to intercept clean groundwater moving in a northerly direction prior to encountering the CKD in the LDA.

2.2.5 DSP Cover Upgrade

Cover upgrade activities began at the DSP in November 2010 and were completed in July 2011. Cover upgrade activities included stripping surficial vegetation and topsoil, regrading the existing surface to establish positive drainage, placing low permeability soil to provide a minimum 2-foot-thick layer at all locations, filling the existing ditch along the northeast side of the DSP, replacing topsoil, and revegetating the cover surface.

3.0 MONITORING PROGRAM

The purpose of the quarterly monitoring activities performed in the third quarter of 2025 is to assess the groundwater and surface water conditions with respect to potential impact from the CKD placed in the LDA and the DSP. Groundwater and surface water monitoring for the third quarter of 2025 were performed in accordance with the Post-Closure Care and Maintenance permit SW-PR-0021065 issued by Public Health, and the RI/FS Work Plan (Golder 2021).

3.1 LDA Sampling Locations

The LDA groundwater and surface water sampling locations are shown in Figure 2. Monitoring well construction details are provided in Table 1. Shallow monitoring wells were installed near the LDA in July 2005 and are monitored to assess the shallow groundwater conditions with respect to potential impact from the CKD. Four of the wells (MW-1A, MW-2A, MW-5A, and MW-6A) are located around the Infiltration Ponds. MW-3A is located west of the high-pH seepage area. MW-4A, a well used to monitor background conditions, is located south and upgradient with respect to groundwater flow and surface water drainage of the high-pH seepage area. The Still Well is a 2-inch-diameter flush-mount well located within the high-pH seepage zone west of the LDA.

The following groundwater monitoring wells were installed in September 2021 to evaluate groundwater quality in and downgradient of the LDA as part of the RI:

- MW-7A and MW-8A were installed west and southwest of the Infiltration Ponds to evaluate groundwater gradients and groundwater quality.
- MW-9A and MW-10A are located west of the high-pH seepage area and the South Pond, near the western property boundary, to evaluate groundwater gradients and groundwater quality.

The LDA surface water sampling locations evaluate the high-pH seepage that occurs west of the LDA:

- The South Pond is a closed depression located west of the high-pH seepage area.
- The Weir is located north of the access road to monitoring well MW-3A, immediately below the discharge point from the wetlands. If no flow is observed at the Weir, the constructed wetlands upstream are the alternative sampling location.
- The Infiltration Ponds are located at the north end of the Site near Ravensdale-Black Diamond Road and receive treated water from the on-site seepage treatment system. The surface sample is collected from the southwest area of the Infiltration Ponds.

In 2006, bedrock monitoring wells were installed along the west side of the main access road, west of the LDA. The bedrock wells were installed to assess groundwater conditions in the bedrock immediately downgradient of the LDA. MWB-1LDA is located near the northern tip of the LDA, MWB-2LDA is located near the center of the LDA, and MWB-3 LDA is located near the southern end of the LDA. In accordance with the RI/FS Work Plan, field parameters are monitored in the LDA bedrock monitoring wells semi-annually, and the wells are sampled annually. Therefore, the LDA bedrock monitoring wells were not included in the third quarter 2025 monitoring.

3.2 DSP Sampling Locations

The DSP groundwater monitoring locations are shown in Figure 2. The DSP bedrock groundwater monitoring program includes four wells in the DSP area (MWB-1SDSP, MWB-1DDSP, MWB-5DSP, and MWB-6DSP), which evaluate groundwater quality beneath, upgradient, and downgradient of the DSP. Field parameters of groundwater discharging from the Portal are monitored semi-annually, and the Portal is sampled annually. The Portal was originally constructed to drain water from the Dale Strip Coal mine. Field parameters are monitored in the DSP bedrock monitoring wells semi-annually during first and third quarter monitoring events, and the wells are sampled annually during the first quarter monitoring event in accordance with the RI/FS Work Plan. There are two additional monitoring wells (MWB-2DSP and MWB-4SDSP) near the DSP area that are monitored semi-annually during the first and third quarter monitoring events for groundwater levels and field parameters only.

3.3 LDA Interceptor Trench

The purpose of the Interceptor Trench is to intercept clean shallow groundwater from the southern and southeast end of the LDA. The interceptor trench is approximately 220 feet and 20 feet; it is filled with gravel with a perforated drainage pipe in the bottom that discharges from the hillside to the south of the LDA. Monitoring is performed at the Interceptor Trench outfall for flow, pH, turbidity, and total dissolved solids. The purpose of the monitoring is to ensure that the trench is not collecting impacted groundwater.

4.0 SAMPLING ACTIVITIES

The following section summarizes the activities associated with the current monitoring event.

4.1 Procedures

4.1.1 Water Level and Field Parameter Measurements

Groundwater elevations were measured at all monitoring wells at the Site during the period of September 15 to 18, 2025, and are summarized in Table 1. Groundwater elevation contour maps are provided in Figures 3A through 3C.

Field parameters for groundwater and surface water were measured as part of the sampling activities described in the following sections. These measurements were performed with the following equipment:

- YSI ProDSS multimeter with pH, oxidation-reduction potential (ORP), conductivity, dissolved oxygen (DO), and temperature probes.
- Hach 2100Q Turbidimeter.

4.1.2 Laboratory Analysis

Laboratory analyses were performed on samples collected from the various locations described in the following sections. Although the analytic parameters varied between the types of samples, the following elements are common to all the sampling and analysis activities:

- The collected samples were transported to the laboratory within appropriate sample hold times following chain-of-custody protocols.
- The testing was performed by Analytical Resources, Inc. (ARI) of Tukwila, Washington.
- All samples were tested for the following parameters using the methods indicated:

Antimony	EPA Method 200.8
Arsenic	EPA Method 200.8
Lead	EPA Method 200.8
Potassium	EPA Method 6010D
Vanadium	EPA Method 200.8
Total Dissolved Solids (TDS)	SM 2540 C

- Interceptor Trench samples are tested for the following parameters using the method indicated:

pH	Field Measurement
TDS	SM 2540 C
Turbidity	Field Measurement

- Summaries of historical analytic data for the various sampling locations are presented in Appendix A. The data validation report and the laboratory analytical data packages are provided in Appendix C. Sampling Integrity Data Sheets (SIDS) are provided in Appendix D.

4.1.3 LDA Groundwater Sampling

WSP sampled groundwater from shallow groundwater monitoring wells outside of the LDA (MW-2A, MW-3A, MW-4A, MW-5A, MW-7A, and MW-10A) during the period of September 15 to 18, 2025. The water level in shallow groundwater monitoring well MW-6A was below the position of the pump; therefore, a sample could not be collected. Monitoring well MW-8A and Still Well were dry and could not be sampled. Sampling was attempted at monitoring wells MW-1A and MW-9A, but those wells contained insufficient water to purge and collect representative groundwater samples; therefore, no samples were collected. The following methods and procedures were used to collect groundwater samples:

- Depth to groundwater was measured in the wells prior to purging and sampling.
- Groundwater from monitoring wells MW-2A, MW-3A, MW-4A, MW-5A, MW-7A, and MW-10A was purged at a rate between approximately 100 and 500 milliliters (mL) per minute using a dedicated bladder pump or dedicated tubing connected to a peristaltic pump (if groundwater elevation allowed).
- Field parameters, including pH, conductivity, temperature, DO, ORP, and turbidity, were measured and recorded during purging at approximately five-minute intervals until parameters stabilized.
- Groundwater samples were collected directly from the dedicated sample tubing once the field parameters stabilized.

- A duplicate sample was collected from monitoring well MW-2A (labeled as MW-45A) for quality control purposes.
- Laboratory-provided containers were used to collect the samples. One 500-mL bottle preserved with nitric acid and one unpreserved 1-Liter (L) bottle were collected for each groundwater sample. The samples were then labeled and placed in a cooler with ice.
- The pH of the groundwater in some of the wells is occasionally greater than 10. Sampling protocol requires that the preserved samples for dissolved metals analysis have a pH of less than 2. To meet this requirement, the pH of the LDA groundwater samples collected for metals analysis was checked at the time of sample receipt at the laboratory and additional nitric acid was added until the pH was less than 2, if necessary.

All groundwater and quality control samples were analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

4.1.4 LDA Surface Water Sampling

WSP sampled LDA surface water locations on September 15 and 26, 2025. The South Pond and Weir surface water monitoring locations were observed to be dry, and no samples could be collected. WSP collected a sample from the Infiltration Ponds surface water monitoring location on September 16, 2025. The following methods and procedures were used to collect surface water samples:

- Field parameters, including pH, conductivity, temperature, DO, ORP, and turbidity, were measured and recorded. These parameters were measured and recorded at each of the surface water locations at the time of sample collection.
- Grab surface water samples were collected using dedicated sample tubing connected to a peristaltic pump.
- A duplicate sample was collected from the Infiltration Ponds (labeled as MW-35A) for quality control purposes.
- Laboratory-provided containers were used to collect the surface water samples. One 500-mL bottle preserved with nitric acid and one unpreserved 1-L bottle were collected for each surface water sample. The samples were labeled and placed in a cooler with ice.
- Sampling protocol requires that the preserved samples for dissolved metals analysis have a pH of less than 2. To meet this requirement, the pH of the LDA surface water samples collected for metals analysis was checked at the time of sample receipt at the laboratory and additional nitric acid was added until the pH was less than 2, if necessary.

All surface water and quality control samples were analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 2.

4.1.5 DSP Groundwater Sampling

WSP sampled groundwater from the DSP groundwater monitoring wells (MWB-1SDSP, MWB-1DDSP, MWB-2DSP, MWB-5DSP, and MWB-6DSP) and the Portal on September 15, 17, and 18, 2025. Monitoring well MWB-4SDSP could not be safely accessed due to a wasp nest. The following methods and procedures were used in collecting the groundwater samples:

- Groundwater from wells MWB-1SDSP, MWB-1DDSP, MWB-2DSP, MWB-5DSP, and MWB-6DSP was purged at a rate between approximately 100 and 500 mL per minute using the dedicated discharge tubing connected to the dedicated bladder pump.
- Field parameters including pH, conductivity, temperature, DO, ORP, and turbidity were measured and recorded during purging at approximately five-minute intervals until parameters stabilized.

No groundwater samples were collected for analytical testing during this period.

4.1.6 LDA Interceptor Trench Sampling

WSP sampled groundwater from the Interceptor Trench outfall on September 15, 2025. The following methods and procedures were used to collect the sample:

- Field pH, turbidity, and flow rate at the Interceptor Trench outfall were measured and recorded.
- Grab groundwater samples were collected from the Interceptor Trench by placing the sample bottles under the flow of the groundwater.
- Laboratory-provided containers were used to collect the sample for TDS lab analysis. One 1-L unpreserved bottle was collected. The sample was then labeled and placed in a cooler with ice.

The Interceptor Trench sample was analyzed for the parameters listed in Section 4.1.2. Field parameters and analytical data are presented in Table 3.

5.0 RESULTS

Analytical results from the September 2025 monitoring event are presented in Table 2. Table 3 presents the current and historical summary of the Interceptor Trench monitoring data. Historical analytical results summary tables for each sampling location are provided in Appendix A. Concentration trend graphs for pH, antimony, and arsenic in monitoring wells MW-3A, MW-4A, MW-5A, MW-6A, and MW-10A are provided in Appendix B. These concentrations were reported in at least one monitoring event since 2024 and have since declined or stabilized due to the effectiveness of the leachate treatment system.

All analytical data were subject to a data validation review. Data validation was conducted in accordance with the USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review (EPA 2020), the SAP, and the QAPP (Golder 2021). Data reporting qualifiers are included with the analytical results in Appendix A. The data validation review found that all the data was considered valid and usable. The data validation and raw analytical data packages provided by the laboratory are provided in Appendix C. Data collected during this sampling round will be combined with historical RI data to complete the evaluations and requirements of the RI/FS.

6.0 OPERATIONS AND MAINTENANCE OF THE LEACHATE TREATMENT SYSTEM

The leachate treatment system began start-up operations in September 2018. The system operated intermittently from December 2018 to May 2019 as the system upgrades were completed during that time, which included various upgrades and modifications to improve the system's long-term operating efficiency. The system began continuous operations in June 2019, with minor shutdowns occurring to complete routine maintenance and continued minor modifications to improve long-term operating efficiency.

Ecology's Water Quality Program has indicated that discharges from the treatment system to the Infiltration Ponds should be regulated under an individual State Waste Discharge Permit (SWDP). Reserve Silica submitted an application to obtain a SWDP in December 2024. SWDP No. ST0501373 was issued as a temporary permit effective February 14, 2025. Ecology anticipates finalizing the SWDP in 2026.

The treatment system includes a 4,200-gallon mixing tank (steel rectangular box-shaped tank) that receives the influent water coming from the seepage collection ditch and piping. Water from the tank constantly flows through the CO₂ sparge unit, which continuously monitors the pH of the water and activates CO₂ sparging when the water pH exceeds 8.5. CO₂ sparging continues until the pH reduces to 8. The sparged water is pumped back into the mixing tank to maintain the neutralized water within the tank. The influent flow, pumping from the tank and through the CO₂ sparge unit, and discharge from the sparge unit back into the tank are all specifically located in different areas of the mixing tank to provide constant circulation, effectively providing pH neutralization throughout the tank. The mixing tank contains a float switch-activated discharge pump that activates when the water reaches a set height within the tank and turns the pump off when the water is lowered to the desired height. Neutralized water pumped from the tank is discharged through filters and an iron-based adsorption media to remove arsenic. The adsorption media used is BayOxide, a fine granular iron media, which can reduce arsenic concentrations by more than 90% of the initial arsenic concentration. Arsenic has a high affinity to adsorb onto iron following neutralization of the pH. The BayOxide fine-grained iron medium provides significant surface area for adsorption to occur. The treated water is then discharged to the Infiltration Ponds.

The continuous pH monitoring system is connected to telemetry that sends pH readings and alerts to WSP engineers' cell phones if readings outside of the set ranges occur, allowing for response and troubleshooting. Routine inspections of the treatment system are conducted approximately once every two weeks. The inspections include routine maintenance activities such as cleaning scale off pump parts, hoses, and probes to sustain continued operations of the treatment system. The treatment system has been effective in reducing the pH of the seepage water to below 8 standard units and reducing metals concentrations before discharge to the Infiltration Ponds. Typical maintenance downtime of less than 1 day occasionally occurs. Optimization of the metals adsorption system continues, as calcium carbonate clogging of the adsorption system frequently arises. Table 4 provides the third quarter 2025 laboratory analytical data for samples collected: before the pH treatment tank (influent), pre-iron-based adsorption media, and post-iron-based adsorption media. The laboratory analytical report is provided in Appendix C.

The treatment system has been effective in reducing the impacts to groundwater in the immediate vicinity of the Infiltration Ponds that were historically observed in groundwater monitoring wells MW-5A and MW-6A. Additional modifications and improvements are anticipated to occur to the treatment system during the MTCA cleanup process to improve system performance and efficiency and achieve Site-specific cleanup standards that are protective of human health and the environment.

7.0 LIMITATIONS

WSP prepared this report for the exclusive use of Amrize and their authorized agents. It may also be submitted to regulatory agencies.

Within the limitations of scope, schedule, and budget, our services have been executed in accordance with generally accepted environmental science practices in this area at the time this report was prepared. No warranty or other conditions, express or implied, should be understood. This report was prepared, in part, based on previous investigations and data collected by others. WSP USA Inc. is not responsible for any data that were inaccurately reported by others and reproduced here.

8.0 REFERENCES

- ARCADIS (ARCADIS US Inc.). 2004. Lower Disposal Area and Dale Strip Pit Conceptual Design Plan, Reserve Silica Property, 28131 Black Diamond-Ravensdale Road, Ravensdale, Washington. April 28.
- Ecology (Washington State Department of Ecology). 2005. Sand and Gravel General Permit. Limit for Discharge to Ground Water. January 5.
- EPA (USEPA). 2020. National Functional Guidelines for Inorganic Superfund Data Review. Office of Superfund Remediation and Technology Innovation. OLEM 9240.1-66, EPA 542-R-20-006. November.
- Golder (Golder Associates Inc.). 2008a. Construction Summary Report, Lower Disposal Area Cover Upgrade, Reserve Silica Site, Reserve Silica Site, Ravensdale, Washington, July 25.
- Golder. 2008b. Draft Workplan for Seep Collection Test Trenches, Lower Disposal Area, Reserve Silica Site, Ravensdale, Washington. August 4.
- Golder. 2009a. Construction Summary Report, Seep Collection System Test Trenches, Reserve Silica Site, Ravensdale, Washington. March 6.
- Golder. 2009b. Flow Monitoring Seep Collection System Test Trenches, Reserve Silica Site, Lower Disposal Area, Ravensdale, Washington. December.
- Golder. 2021. Remedial Investigation/Feasibility Study Work Plan, Reserve Silica Reclamation Site, Ravensdale, Washington. July 22.
- WSP. 2025. Remedial Investigation Report, Reserve Silica Reclamation Site, Ravensdale, Washington. June 30.

Tables

Table 1: Third Quarter 2025 Water Level Measurements

Sample Area	Sample Location ID	Date Measured	Well Data				Water Levels		
			Total Well Depth (feet bgs)	Screened Interval (feet bgs)	Bentonite Seal (feet bgs)	Casing Diameter (inches)	TOC Elevation (feet NAVD88)	Depth to Water ¹ (feet btoc)	Groundwater Elevation (feet NAVD88)
LDA - Shallow Groundwater	MW-1A	9/17/2025	44	28-43	2-26	2	613.44	38.62	574.82
	MW-2A	9/16/2025	40	24-40	2-23	2	607.21	31.76	575.45
	MW-3A	9/15/2025	20	4-20	2-4	2	689.11	15.25	673.86
	MW-4A	9/15/2025	20	5-20	2-4	2	705.45	10.20	695.25
	MW-5A	9/17/2025	40	25-40	2-23	2	611.23	35.70	575.53
	MW-6A	9/16/2025	39	24-39	2-22	2	608.95	-	-
	MW-7A	9/18/2025	20	10-20	2-7	2	592.69	17.66	575.03
	MW-8A	9/15/2025	26	16-26	2-13	2	601.49	-	-
	MW-9A	9/16/2025	13	8-13	2-5	2	697.29	12.56	684.73
	MW-10A	9/15/2025	29	9-29	2-6	2	698.02	18.51	679.51
LDA - Bedrock Groundwater	MWB-1LDA	9/17/2025	135	115-135	2-105	2	704.68	24.41	680.27
	MWB-2LDA	9/17/2025	125	110-125	2-103	2	741.66	37.78	703.88
	MWB-3LDA	9/17/2025	145	125-145	2-115	2	744.19	5.80	738.39
DSP - Bedrock Groundwater	MWB-1SDSP	9/18/2025	160	150-160	138-148	2	936.29	50.75	885.54
	MWB-1DDSP	9/18/2025	265	255-265	243-253	2	935.37	62.95	872.42
	MWB-2DSP	9/17/2025	258	238-258	-	2	934.82	200.69	734.13
	MWB-4SDSP	9/18/2025	43	32-42.8	-	2	932.41	-	-
	MWB-5DSP	9/18/2025	83	73-83	2-61	2	935.05	30.85	894.82
	MWB-6DSP	9/17/2025	195	120-195	2-108	2	918.67	24.82	896.72

Notes:

- Not measured or not available
 feet bgs Feet below ground surface
 feet NAVD88 Feet in NAVD88 datum
 TOC Top of casing

1. Gauging was not performed in these monitoring wells due to the following reasons: DTW is below pump (MW-6A), well was dry (MW-8A), and wasp nest was found in the well (MW-4SDSP).

Table 2: Third Quarter 2025 Field Parameters and Analytical Data

Sample Area	Sample Location ID	Date Sampled	Field Parameters									Gen. Chem.	Metals (ug/L)				
			TOC Elevation (feet NAVD88)	Depth to Water (feet btoc)*	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony, Total	Arsenic, Total	Potassium, Total	Lead, Total	Vanadium, Total
Cleanup Level ^a			-	-	-	-	-	-	-	-	6.5-8.5	-	6	8	-	2.5	80
LDA - Shallow Groundwater	MW-1A ¹	9/17/2025	613.44	38.62	574.82	-	-	-	-	-	-	-	-	-	-	-	-
	MW-2A	9/16/2025	607.21	31.76	575.45	12.8	691.0	8.44	-184.4	1.28	6.59	380	0.75 U	1.07	22200	0.5 U	1.1
	MW-2A Duplicate (MW-45A)	9/16/2025	-	-	-	-	-	-	-	-	-	410	0.75 U	0.925 J	21700	0.5 U	1.1
	MW-3A	9/15/2025	689.11	15.25	673.86	13.0	1390.0	0.77	-604.2	4.81	6.51	796	0.75 U	6.61	100000	0.5 U	0.7 J
	MW-4A	9/15/2025	705.45	10.20	695.25	14.1	648.0	0.94	-496.2	4.50	6.18	347	0.75 U	0.5 U	1470	0.5 U	1.19
	MW-5A	9/17/2025	611.23	35.70	575.53	16.9	1972.0	8.27	-260.5	1.34	7.13	1410	1.68	1.49	288000	0.5 U	0.995 J
	MW-6A ²	9/16/2025	608.95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MW-7A	9/18/2025	592.69	17.66	575.03	14.1	887.0	2.28	-399.8	1.89	6.57	473	1	1.39	33300	0.5 U	1.3
	MW-8A ²	9/15/2025	601.49	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
	MW-9A ¹	9/16/2025	697.29	12.56	684.73	14.6	786.0	4.26	-347.5	-	6.87	-	-	-	-	-	-
	MW-10A	9/15/2025	698.02	18.51	679.51	11.0	381.2	1.40	445.9	0.87	6.97	194	0.75 U	0.945 J	1920	0.5 U	1.2
	Still Well	9/15/2025	-	-	-	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
LDA - Bedrock Groundwater ^b	MWB-1LDA	9/17/2025	704.68	24.41	680.27	13.4	399.7	0.96	-567.4	0.20	7.28	-	-	-	-	-	-
	MWB-2LDA	9/17/2025	741.66	37.78	703.88	14.6	367.5	1.30	-529.0	0.45	7.25	-	-	-	-	-	-
	MWB-3LDA	9/17/2025	744.19	5.80	738.39	13.0	235.0	4.79	-285.7	3.86	6.88	-	-	-	-	-	-
LDA- Surface Water	South Pond	9/15/2025	-	-	-	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
	Weir	9/15/2025	-	-	-	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
	Infiltration Ponds	9/16/2025	-	-	-	23.5	3623.0	2.58	-406.9	20.90	8.49	2430	7.15	17.2	881000	1.08	0.74 J
	Infiltration Ponds Duplicate (MW-35A)	9/16/2025	-	-	-	-	-	-	-	-	-	2740	7.15	17.1	872000	1.06	0.795 J

Table 2: Third Quarter 2025 Field Parameters and Analytical Data

Sample Area	Sample Location ID	Date Sampled	Field Parameters									Gen. Chem.	Metals (ug/L)				
			TOC Elevation (feet NAVD88)	Depth to Water (feet btoc)*	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony, Total	Arsenic, Total	Potassium, Total	Lead, Total	Vanadium, Total
DSP - Bedrock Groundwater ^b	MWB-1SDSP	9/18/2025	936.29	50.75	885.54	13.9	1815.0	2.59	-433.2	0.99	6.52	-	-	-	-	-	-
	MWB-1DDSP	9/18/2025	935.37	62.95	872.42	15.7	1289.0	1.14	-545.5	0.48	6.80	-	-	-	-	-	-
	MWB-2DSP	9/17/2025	934.82	200.69	734.13	12.4	600.0	6.81	-217.2	3.92	7.22	-	-	-	-	-	-
	MWB-4SDSP ²	9/18/2025	932.41	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MWB-5DSP	9/18/2025	935.05	30.85	894.82	15.4	951.0	1.45	-473.1	1.20	6.69	-	-	-	-	-	-
	MWB-6DSP	9/17/2025	918.67	24.82	896.72	11.7	454.3	0.69	-569.0	4.27	7.06	-	-	-	-	-	-
	MWB-6DSP Duplicate (MW-55A)	9/17/2025	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Portal	9/15/2025	-	-	-	13.0	853.0	5.96	-306.6	150.00	6.55	-	-	-	-	-	-

Notes:

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the PCUL.

- Not measured or not collected.

* Depth to water (DTW) measurements for all shallow wells collected on the same day; date noted is sampling date.

a CUL provided in Remedial Investigation Report (WSP 2025).

b LDA and DSP bedrock wells are monitored semi-annually

J Data validation code; estimated value.

U Data validation code; not detected at the Reporting Limit (RL).

DRY Location is dry. Unable to collect field parameters or samples.

°C Degrees Celsius

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet bmp Feet below measuring point

feet NAVD88 Feet in NAVD88 datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

1. No samples were collected in monitoring wells MW-1A and MW-9A because the wells ran dry during sampling.

2. Sample collection was not performed in these monitoring wells due to the following reasons: DTW is below pump (MW-6A), well was dry (MW-8A), and wasp nest was found in the well (MW-4SDSP).

Table 3: Interceptor Trench Discharge Monitoring

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
19-Oct-13	8:45	0.3	7.47	-	-
19-Nov-13	9:25	0.7	7.52	-	-
23-Dec-13	15:25	1.2	7.27	-	-
20-Jan-14	11:15	0.8	7.58	1	277
-	-	-	-	-	-
31-Mar-14	11:12	1	7.22	1.6	257
22-Apr-14	16:05	3.6	6.85	474	214
27-May-14	15:30	0.8	7.12	21.9	294
27-Jun-14	11:10	0.3	7.13	13.3	136
31-Jul-14	19:45	0.2	6.95	4.1	305
28-Aug-14	14:00	0.1	7.2	1.8	294
29-Sep-14	13:39	0.1	7.87	1.4	340
29-Oct-14	11:45	0.3	7.03	1.1	319
24-Nov-14	11:50	0.8	7.09	0.7	229
22-Dec-14	8:00	0.4	7.08	0.4	253
30-Jan-15 ¹	10:10	1.1	7.09	0.7	270
4-May-15	9:30	0.31	7.54	2.05	290
4-Aug-15	12:20	0.06	7.61	1.51	268
3-Nov-15	13:15	0.8	7.38	36.9	320
8-Feb-16	10:40	1.9	7.23	9.29	279
2-May-16	16:00	0.5	7.77	22.5	431
22-Aug-16	11:00	0.08	7.78	3.34	302
1-Nov-16	11:40	2.4	8.16	96.3	345
2-Feb-17	9:25	4.5	7.61	0.85	514
30-May-17	15:45	4.5	7.33	4.04	324
18-Aug-17	8:50	0.1	7.57	34	300
28-Feb-18	10:16	2.22	7.02	37.9	381
2-May-18	11:45	1.18	7.46	2.89	339
22-Aug-18	10:00	0.13	7.32	19.3	287
7-Nov-18	14:40	0.33	7.24	3.05	342
13-Mar-19	11:31	1.43	7.61	19.4	313
9-May-19	10:30	0.88	7.77	8.9	394
26-Aug-19	18:15	0.42	7.25	26.4	361
14-Nov-19	13:30	0.42	7.05	34.5	447
13-Feb-20	12:35	1.58	6.95	1.76	306
13-Aug-20	12:00	0.21	7.32	20.8	339
10-Dec-20	12:22	3.8	7.7	228	691
4-Mar-21	12:20	3.5	7.23	116	584
10-Jun-21	13:10	0.2	7.02	6.31	360
15-Oct-21	13:55	0.2	7.08	31	382
7-Jan-22	11:58	9.2	7.43	6.23	288
17-Mar-22	15:25	3.5	11.75 [^]	3.24	368
22-Jun-22	14:05	2.2	6.94	6.21	415

Table 3: Interceptor Trench Discharge Monitoring

Date Sampled	Time Sampled	Flow (gpm)	Field pH (standard units)	Turbidity (NTU)	Total Dissolved Solids (mg/L)
23-Sep-22	14:46	0.11	7.54	4.77	330
14-Dec-22	9:20	0.79	7.19	2.27	279
13-Mar-23	9:25	2.25	6.9	1.07	232
27-Jun-23	9:55	0.33	7.05	7.31	381
7-Sep-23	14:38	-	7.68	21.5	295
12-Dec-23	15:28	4.76	6.98	1.51	244
6-Mar-24	14:30	3.17	8.39	2.31	359
17-Jun-24	15:40	1.98	7.04	8.04	448
16-Sep-24	14:15	0.15	8.02	2.53	328
9-Dec-24	14:40	1.59	9.77	1.32	277
24-Mar-25	13:05	1.59	7.14	5.85	309
9-Jun-25	13:35	0.29	7.75	15.9	354
15-Sep-25	12:30	0.07	7.40	2.13	255

Notes:

-	Not measured or not available
^	pH values error, due to faulty pH probe.
gpm	Gallons per minute
mg/L	Milligrams per liter
NTU	Nephelometric Turbidity Unit



Table 4: Third Quarter 2025 Treatment System Metals Monitoring

Sample Location	Sample ID	Date Sampled	pH (standard units)	Total Antimony (ug/L)	Dissolved Antimony (ug/L)	Total Arsenic (ug/L)	Dissolved Arsenic (ug/L)	Total Lead (ug/L)	Dissolved Lead (ug/L)	Total Vanadium (ug/L)	Dissolved Vanadium (ug/L)
pH Tank Influent	Tank-Influent	18-Sep-25	12.14	28.2	27.8	11.1	11.0	64.2	67.7	1.16	1.04
pH Tank Effluent/Filter Media Influent	Sand-Effluent	18-Sep-25	8.38	28.7	28.6	10.0	10.2	13.9	13.4	1.11	0.815 J
Filter Media Effluent	As-Effluent	18-Sep-25	7.91	28.9	27.5	10.1	9.47	26.2	13.2	1.15	0.795

Notes:

J Estimated concentration value detected below the reporting limit.
 ug/L Micrograms per liter

Figures



LEGEND

REMEDIAL INVESTIGATION STUDY AREA



REFERENCE(S)

1. ASPECT CONSULTING (PROPERTY BOUNDARY)
2. ESRI (WASHINGTON STATE COUNTY BOUNDARY)
3. COORDINATE SYSTEM: NAD 1983 STATEPLANE WASHINGTON NORTH FIPS 4601 FEET
4. MAP SERVICE LAYER CREDITS: WORLD TOPOGRAPHIC MAP: SOURCES: ESRI, TOMTOM, GARMIN, FAO, NOAA, USGS, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY
WORLD STREET MAP: SOURCES: ESRI, TOMTOM, GARMIN, FAO, NOAA, USGS, (C) OPENSTREETMAP CONTRIBUTORS, AND THE GIS USER COMMUNITY
WORLD HILLSHADE: ESRI, NASA, NGA, USGS

CLIENT
AMRIZE


PROJECT
**THIRD QUARTER 2025 GROUNDWATER MONITORING
RAVENSDALE, WA**

TITLE
SITE LOCATION MAP

	CONSULTANT	YYYY-MM-DD	2026-02-01
	DESIGNED	KAS	
	PREPARED	KAS	
	REVIEWED	DE	
	APPROVED	JM	

PROJECT NO.	TASK	REV.	FIGURE
31406578.0889	2000	A	1

Path: \\wsp-pblan-net\USCentralData\USK_C300\Geomatics\HQ\CMR\Ravensdale\09_PROJECT\SUBS\NSP-31406578_0889_FSV2000_Quarterly\Q1\02_PRODUCTION\DWG\31406578_0889_2000_001.dwg | File Name: 31406578_0889_2000_001.dwg | Last Edited By: user700741 Date: 2026-01-30 Time: 12:01:40 PM | Printed By: USTR700741 Date: 2026-02-04 Time: 9:17:27 PM



LEGEND		
	MW-1A	SHALLOW MONITORING WELL
	MWB-1DDSP	BEDROCK MONITORING WELL
	P-14	LDA MONITORING WELL
		LDA SURFACE WATER SAMPLING LOCATION
		DSP BEDROCK SAMPLING LOCATION (PORTAL)
		INTERCEPTOR TRENCH SAMPLING LOCATION
	- x - x -	FENCE LINE
		REMEDIAL INVESTIGATION STUDY AREA

CLIENT
AMRIZE

CONSULTANT



YYYY-MM-DD	2026-02-05
DESIGNED	JR
PREPARED	TR
REVIEWED	DE
APPROVED	JM


PROJECT
THIRD QUARTER 2025 GROUNDWATER MONITORING
RAVENSDALE, WA

TITLE
**MONITORING WELL AND SURFACE WATER SAMPLING
LOCATIONS**

PROJECT NO.	TASK	REV.	FIGURE
31406578.0889	2000	A	2

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: ANSI D

Path: \\wsp-pjwsp-net\USCentralData\USX\31406578\0889_0002\002.dwg | File Name: 31406578_0889_0002.dwg | Last Edited By: user700741 | Date: 2026-02-04 | Time: 9:17:42 PM



- LEGEND**
- COVER AREA

MW-1A
SHALLOW MONITORING WELL

MWB-1DDSP
BEDROCK MONITORING WELL

P-14
LDA MONITORING WELL

LDA SURFACE WATER SAMPLING LOCATION

DSP BEDROCK SAMPLING LOCATION (PORTAL)

INTERCEPTOR TRENCH SAMPLING LOCATION

CONCEPTUAL GROUNDWATER FLOW DIRECTION

FENCE LINE

REMEDIAL INVESTIGATION STUDY AREA

CLIENT
AMRIZE

CONSULTANT



YYYY-MM-DD	2026-02-05
DESIGNED	JR
PREPARED	TR
REVIEWED	DE
APPROVED	JM

PROJECT
THIRD QUARTER 2025 GROUNDWATER MONITORING
RAVENSDALE, WA

TITLE
DSP BEDROCK GROUNDWATER ELEVATIONS

PROJECT NO.
31406578.0889


TASK
2000

REV.
A

FIGURE
3A

1" = 100' IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM A3S-D

Path: \\wsp-pblan-net\USCentralData\USK_C300\Geomatics\HQ\CMR\ Ravensdale\02_PROJECT\31406578.0889_0002.dwg | File Name: 31406578.0889_0002.dwg | Last Edited By: user707741 Date: 2026-02-04 Time: 9:17:45 PM



LEGEND

COVER AREA

LDA SURFACE WATER SAMPLING LOCATION

CONCEPTUAL GROUNDWATER FLOW DIRECTION

DSP BEDROCK SAMPLING LOCATION (PORTAL)

INTERCEPTOR TRENCH SAMPLING LOCATION

MW-1A SHALLOW MONITORING WELL

MWB-1DDSP BEDROCK MONITORING WELL

P-14 LDA MONITORING WELL

FENCE LINE

REMEDIAL INVESTIGATION STUDY AREA

CLIENT
AMRIZE

CONSULTANT

YYYY-MM-DD	2026-02-05
DESIGNED	JR
PREPARED	TR
REVIEWED	DE
APPROVED	JM

PROJECT
THIRD QUARTER 2025 GROUNDWATER MONITORING
RAVENSDALE, WA

TITLE
LDA BEDROCK GROUNDWATER ELEVATIONS

PROJECT NO. 31406578.0889	TASK 2000	REV. A	FIGURE 3B
------------------------------	--------------	-----------	---------------------

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: ANSI D

APPENDIX A

**Summary Data Tables for Individual
Wells and Monitoring Locations**

Appendix A-1

SUMMARY OF LOWER DISPOSAL AREA – SURFACE WATER SAMPLING RESULTS

**Table A-1a: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony ²	Arsenic	Lead ²	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
1-Feb-05	8.17	1315	-	-	8.13	9.95	874	-	84.9	4.99	-	-
9-Mar-05	14.04	1183	-	-	23.00	9.59	960	-	96.2	3.92	-	-
5-Apr-05	11.00	1115	-	-	43.70	9.80	800	-	62.3	3.21	-	-
10-May-05	14.91	1275	-	-	564.00	9.83	844	-	76.5	5 U	-	-
7-Jun-05	15.11	1140	-	-	239.00	9.61	804	-	84.3	5 U	-	-
15-Jul-05 ^a	23.56	1276	-	-	94.40	9.30	1100	-	92.5	4.14	-	-
15-Jul-05 ^b	-	-	-	-	-	-	874	-	99.9	3.82	-	-
9-Aug-05 ^a	19.05	1744	-	-	57.20	9.44	1000	-	123	5.1	-	-
9-Aug-05 ^b	-	-	-	-	-	-	1030	-	140	6.12	-	-
14-Sept-05 ^a	13.59	1154	-	-	99.80	8.97	790	-	110	3.54	-	-
14-Sept-05 ^b	-	-	-	-	-	-	806	-	118	5.18	-	-
5-Oct-05	14.82	970	-	-	82.70	8.98	736	-	89.3	2.83	-	-
9-Nov-05	8.43	1285	-	-	135.00	8.83	970	-	46	10 U	-	-
9-Dec-05	2.12	1361	-	-	14.20	9.71	980	-	64.6	3.11	-	-
19-Jan-06	6.66	728	7.96	-	64.70	10.13	470 J	-	40.7	2.29	-	-
16-Feb-06	2.63	624	9.75	30.3	25.20	8.54	530 J	-	13.3	1 U	-	-
15-Mar-06	7.16	639	11.61	236.8	23.10	9.22	530 J	-	22.5	1 U	-	-
7-Apr-06	11.91	1013	10.81	27.8	18.80	9.98	780	-	63.8	3.24	-	-
16-May-06	15.58	1160	7.58	50.6	16.50	9.57	950	-	77.9	2.49	-	-
23-Jun-06	18.63	1261	7.41	-	126.00	9.85	920	-	70.7	3.65	-	-
20-Jul-06	20.65	932	5.36	-35.1	279.00	8.94	980	-	108	3.48	-	-
22-Aug-06	15.65	860	7.64	86.5	218.00	9.22	760	-	116	3.84	-	-
26-Sep-06	21.86	903	8.98	-72.8	263.00	8.89	820	-	75.8	3.06	-	-
15-Nov-06	7.73	715	9.21	149.2	33.60	9.07	500	-	20.8	2.29	-	-
20-Dec-06	4.98	1082	9.05	86.3	9.29	9.78	680	-	51.3	2.67	-	-
24-Jan-07	2.12	1058	10.71	130.4	20.50	9.97	640 J	-	66.1	7.58	-	-
12-Feb-07	10.10	1218	12.40	-61.8	103.00	9.98	860	-	90.1	4.49	-	-
27-Mar-07	7.94	772	9.67	13.3	25.50	8.27	540 J	-	49.8	2.74	-	-
18-Apr-07	7.52	2418	9.23	84.4	58.10	11.73	1400	-	79.2	10.5	-	-
31-May-07	15.45	1879	6.47	-92.2	3.15	9.79	1300	-	165	8.11	-	-
20-Jun-07	24.18	1925	10.88	-52.1	251.00	10.24	1300 J	-	144	5.34	-	-
31-Jul-07	19.05	1418	5.97	-36.1	128.00	9.81	1200	-	140	7.23	-	-
29-Aug-07	18.00	1193	5.60	-35.4	158.00	9.29	1300 J	-	164	7.01	-	-
27-Sep-07	14.97	987	5.44	45.9	186.00	8.99	970	-	196	5.49	-	-
26-Oct-07	2.66	504	6.02	63.1	282.00	8.64	770 J	-	42.9	2.25	-	-
30-Nov-07	1.86	955	9.77	190.1	163.00	10.02	570	-	48.9	1.62	-	-
12-Dec-07	4.22	790	11.11	126.8	56.00	9.40	520	-	34.3	1.67	-	-
24-Jan-08	2.12	875	19.35	142.0	-	8.68	640	-	42.8	1.66	-	-
28-Feb-08	-	-	-	-	25.60	-	510	-	41.3	2.66	-	-
25-Mar-08	5.27	937	14.46	91.0	86.80	9.60	630	-	50.2	2.15	-	-
29-Apr-08	9.02	1079	10.56	190.8	61.30	9.87	670 J	-	66	2.87	-	-
20-May-08	15.42	1191	7.58	160.0	91.40	9.75	820	-	85.9	4.85	-	-
18-Jun-08	12.94	1124	9.62	167.3	76.90	9.65	810 J	-	77.6	3.67	-	-
26-Aug-08	15.95	880	3.75	53.5	490.00	8.00	650 J	-	76.9	1.64	144000	-
20-Nov-08	6.91	897	7.02	183.5	376.00	10.22	960	-	87.2	4.21	313000	-
12-Feb-09	1.29	-	13.72	-	10.20	10.52	800	-	118	5.84	271000	-
19-May-09	11.90	862	6.52	71.9	133.00	9.59	840 J	-	91.3	3.99	238000	-
18-Nov-09	5.70	852	6.61	185.9	68.00	9.88	490	-	40	4.4	160000	-
15-Dec-09	2.30	1162	8.22	460.1	63.30	9.97	640	-	71	7.2	220000	-
24-Mar-10	13.00	1299	5.83	408.2	13.00	10.48	1000	-	140	8.5	340000	-

**Table A-1a: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony ²	Arsenic	Lead ²	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
17-Jun-10	12.00	947	4.45	332.1	33.60	10.56	540	-	62	6.2	220000	-
22-Sep-10	15.60	1736	3.14	342.5	33.00	9.84	1300	-	130	21	360000	-
8-Dec-10	5.40	1382	7.73	371.1	12.10	10.75	870	-	100	12	300000	-
29-Mar-11	9.60	627	5.16	577.6	19.80	11.05	760 J	-	78	3.1	270000	-
21-Jun-11	21.00	1778	5.46	239.1	11.60	10.44	1700 J	-	78	11	340000	-
27-Sep-11	14.80	1382	3.98	239.8	33.40	9.58	1600	-	120	13	670000	-
14-Dec-11	3.10	1046	5.60	281.7	15.70	9.93	1100	-	87	14	330000	-
20-Mar-12	6.10	986	11.04	271.1	11.70	10.32	500	-	71	3.3	180000	-
19-Jun-12	14.80	862	7.83	352.2	38.80	9.57	500	-	64	3.7	180000	-
20-Sep-12	12.40	1961	1.81	419.0	10.30	9.43	4600 J	-	130	2.1	440000	-
19-Dec-12	4.10	1320	10.11	303.1	5.86	9.69	700	-	75	4.3	250000	-
25-Feb-13	7.10	1963	9.30	234.7	26.60	11.30	1000	-	90	6	370000	-
22-May-13	10.50	4380	7.72	411.7	202.00	12.56	1400	-	25	11	530000	-
21-Aug-13	20.10	12850	1.24	-2.3	18.20	12.18	3430	-	106	47.5	1180000	-
20-Nov-13	5.70	1198	8.03	131.9	22.20	10.23	704	-	41.3	6.2	260000	-
1-Apr-14	9.80	1708	9.77	136.4	8.79	12.26	832	-	24.1	3	317000	-
23-May-14	12.63	6574	8.63	120.8	-	12.61	2120	-	4.8	35.4	811000	-
13-Aug-14	18.99	3273	6.29	77.7	89.00	12.34	1660	-	71.4	6.3 J	548000	-
11-Nov-14	8.80	578	3.55	179.2	62.50	12.73	2000	-	56.7	20.4	739000	-
11-Feb-15	9.70	487	9.97	66.2	42.00	9.40	337	-	9.1	0.9	87700	-
4-May-15	14.30	4210	5.60	281.2	7.67	12.53	1670	-	35.3	7.4	589000	-
5-Aug-15	19.90	4890	5.14	18.8	89.80	11.79	3080	-	85.4	18.1	1150000	-
3-Nov-15	9.20	760	6.39	129.9	34.60	9.78	707	-	23.5	5.3	235000	-
9-Feb-16	10.20	-	10.29	100.3	8.01	12.78	1330	-	5.3	24.8	530000	-
2-May-16 ^d	-	-	-	-	-	-	2490	-	24	37 J-	996000	-
23-Aug-16	19.30	4250	3.95	386.5	46.30	11.76	2970	-	105	14.3	989000	-
1-Nov-16	11.70	229	9.26	185.2	48.90	10.33	508	-	12.6	0.792	164000	-
1-Feb-17	2.40	8890	10.78	26.1	3.17	13.36	2220	-	10.1	46.8	854000	-
30-May-17	14.70	6800	56.90	17.7	1.38	12.73	1720	-	1.75	31.6 J+	759000	-
17-Aug-17	18.10	5410	3.88	-19.5	14.90	11.93	3080	-	62.6	32.8	1150000	-
10-Nov-17	7.90	2016	7.72	64.4	30.70	12.00	1520	-	63	32.2	578000	-
27-Feb-18	5.70	5062	8.76	42.0	3.74	12.28	1620	-	15	54.6	678000	-
1-May-18	12.30	6620	5.25	-	1.94	12.73	2070	-	2.42	30.1 J+	745000	-
21-Aug-18	23.85	5058	2.95	106.0	5.62	11.64	3090	-	77.3	28.8	1200000	-
6-Nov-18	11.70	1078	3.50	-5.4	46.90	8.48	1180	-	6.03	5.44	359000 J+	-
13-Mar-19	3.90	331	8.08	183.7	29.10	10.72	455	-	11.9	2.21	185000	-
8-May-19	17.20	6113	6.38	6.4	6.17	12.39	2040	-	7.7	26.8	830000	-
26-Aug-19	24.22	4177	2.47	Note 1	7.21	9.12	2840	-	17.2 J	5.27 J	1020000	-
13-Nov-19	8.70	2523	1.61	-201.7	33.00	8.67	1930	-	32.5	4.44	726000	-
12-Feb-20	7.80	971	7.99	150.3	16.00	7.92	836	-	14.3	3.96	243000	-
12-Aug-20	18.30	3655	4.33	123.5	5.74	8.98	2570	-	20.8	2.59	988000	-
9-Dec-20	8.30	740	7.80	202.0	18.40	8.21	632	-	14.9	5.11	207000	-
3-Mar-21	8.30	1446	7.87	217.0	15.50	8.56	1310	-	35.3	6.11	509000	-
9-Jun-21	15.10	2963	4.88	174.9	4.37	8.79	2400	-	23.7	1.51	923000	-
13-Oct-21	9.30	2563	4.73	34.2	39.30	8.84	2610 J-	16.1	19.7	6.12	831000	3.11
5-Jan-22	1.20	510	9.85	236.4	14.00	8.01	679	6.32	12.1	6.31	226000	3.36
16-Mar-22	11.10	786	10.41	172.1	12.8	7.45	733	7.59	10.6	4.77	236000	1.82
23-Jun-22	14.90	1982	2.58	156.8	5.3	8.34	1650	8.5	10.2	3.44	549000	0.97
28-Sep-22	16.20	3251.00	7.06	-49.10	3.18	8.75	2730 J	24	5.88	1.11	1040000	0.516
5-Jan-23	8.80	1047.00	8.40	191.00	8.47	8.16	1560	18.8	26.7	2.49	567000	4.45

**Table A-1a: Summary of Lower Disposal Area - Surface Water Sampling Results - Infiltration Ponds #1
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony ²	Arsenic	Lead ²	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
13-Mar-23	7.20	1831.00	11.21	177.80	31.80	8.29	1050	8.27	16.3	5.8	401000	4
28-Jun-23	19.90	3514.00	4.58	91.00	4.73	8.64	2270	8.82	8.35	1.37	879000	0.935 J
8-Sep-23	19.50	3882.00	2.26	48.50	14.50	8.96	2550 J-	10.2	11.5	3.91	929000	0.929
15-Dec-23	6.90	2395.00	9.94	163.00	3.19	8.49	1240	22.7	15.3	2.16	447000	3.31
4-Mar-24	6.80	1477.00	7.24	237.40	9.50	8.17	1370 J	13.3	21.8	2.86	471000	3.16
18-Jun-24	15.80	3495.00	10.86	173.00	4.69	8.41	1370 J	9.87	9.58	0.162 J	775000	0.716
16-Sep-24	17.40	2932.00	8.39	228.90	24.30	8.30	2080	14.4	16.3	15.6	708000	2.63
11-Dec-24	3.70	2497.00	7.95	153.90	7.10	8.50	1610	14.9	22.0	2.82	556000	2.14
26-Mar-25	16.60	1839.00	10.48	181.60	150.00	8.31	1250	12.6	17.3	23.4	457000	1.94
11-Jun-25	19.90	3272.00	7.09	61.10	3.75	8.24	2080	8.5	13.9	1.00 U	790000	0.70 J
16-Sep-25	23.50	3623.00	2.58	-406.90	20.90	8.49	2430	7.15	17.2	1.08	881000	0.74 J

Notes:

1. Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a North Creek Analytical, Inc.

b Severn Trent Laboratories

c CUL provided in Remedial Investigation Report (WSP 2025).

d Field parameters for Infiltration Ponds #1 were inadvertently not collected during May 2016 sampling

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-1b: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)	Weir Flow Rate (gpm)	Total Dissolved Solids (mg/L)		Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	-	-	6	8	2.5	-	80
1-Feb-05	8.47	2205	-	-	6.24	10.23	-	1440	-	-	149	10.7	-	-
9-Mar-05	11.38	2054	-	-	7.80	10.15	2.64	1630	-	-	200	11.9	-	-
5-Apr-05	7.7	2169	-	-	7.99	10.42	10.00	1420	-	-	129	8.61	-	-
10-May-05	14.1	1912	-	-	562.00	9.87	25.00	1210	-	-	105	7.63	-	-
7-Jun-05	15.74	2588	-	-	11.60	10.03	6.82	1570	-	-	138	10.1	-	-
15-Jul-05 ^a	20.38	3184	-	-	8.91	10.36	0.94	3200	-	-	192	9.98	-	-
15-Jul-05 ^b	-	-	-	-	-	-	-	1990	-	-	189	10.8	-	-
9-Aug-05 ^a	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	-	DRY	DRY	-	-
9-Aug-05 ^b	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	-	DRY	DRY	-	-
14-Sept-05 ^a	15.60	3792	-	-	14.50	9.92	0.07	2800	-	-	208	57.8	-	-
14-Sept-05 ^b	-	-	-	-	-	-	-	2730	-	-	223	73.3	-	-
5-Oct-05	12.96	3237	-	-	4.99	9.89	0.32	2150	-	-	170	12.5	-	-
9-Nov-05	8.40	2545	-	-	13.80	9.64	7.50	1900	-	-	78.2	10 U	-	-
9-Dec-05	3.34	1377	-	-	8.03	10.43	5.00	1700	-	-	130	6.12	-	-
19-Jan-06	7.37	1424	7.92	-	12.20	10.61	7.50	1000 J	-	-	89.5	4.81	-	-
16-Feb-06	3.74	1680	12.19	*	14.60	10.78	7.50	1400 J	-	-	105	5.46	-	-
15-Mar-06	7.21	1634	12.61	194.4	7.44	10.63	5.28	1300 J	-	-	128	6.38	-	-
7-Apr-06	14.33	2055	8.54	55.3	9.21	10.84	3.17	1500	-	-	143	6.63	-	-
16-May-06	21.65	2474	6.09	11.6	9.37	10.69	0.83	2000	-	-	157	8.19	-	-
23-Jun-06	24.58	2820	6.66	-	15.40	11.64	0.63	1400	-	-	154	13.1	-	-
20-Jul-06	21.17	3291	8.56	-85.5	68.30	10.75	DRY*	2300	-	-	131	9.41	-	-
22-Aug-06	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	-	DRY	DRY	-	-
26-Sep-06	16.38	2997	3.00	-57.1	31.60	9.92	DRY*	2900	-	-	103	16.8	-	-
15-Nov-06	8.51	1708	8.16	-35.7	34.70	10.15	17.14	1200	-	-	67.4	8.07	-	-
20-Dec-06	5.07	1927	8.84	14.8	7.94	10.67	10.91	1200	-	-	99.7	4.78	-	-
24-Jan-07	2.30	1846	10.72	5.9	11.70	10.37	9.00	1100 J	-	-	126	16.1	-	-
12-Feb-07	9.26	1777	11.75	-91.3	26.70	10.56	6.00	1100	-	-	139	7.12	-	-
27-Mar-07	8.71	1219	9.18	-12.6	13.80	8.70	24.00	840 J	-	-	88.5	4.86	-	-
18-Apr-07	7.39	4563	8.65	41.0	16.80	12.12	9.00	2000	-	-	97.5	32.5	-	-
31-May-07	-	3916	6.33	-149.5	10.70	10.96	1.36	2100	-	-	275	22.9	-	-
20-Jun-07	22.59	3336	8.50	-20.4	42.50	10.46	0.29	2400 J	-	-	255	27.4	-	-
31-Jul-07	18.94	3915	7.85	-69.2	41.30	10.92	0.06	3300	-	-	236	12.6	-	-
29-Aug-07	21.52	2406	5.75	-5.3	24.10	9.72	DRY*	2300 J	-	-	129	8.45	-	-
27-Sep-07	13.88	2009	5.75	15.5	28.30	9.56	0.06	1600	-	-	207	4.37	-	-
26-Oct-07	7.68	1662	9.06	80.5	13.00	9.92	2.04	1800 J	-	-	132	7.53	-	-
30-Nov-07	4.34	2446	9.63	26.7	11.70	9.86	2.63	1600	-	-	135	8.27	-	-
12-Dec-07	5.88	2056	10.34	39.3	10.30	10.18	2.63	1500	-	-	105	5.73	-	-
24-Jan-08	3.05	1601	15.03	42.3	-	9.40	2.63	1000	-	-	87.4	4.06	-	-
28-Feb-08	-	-	-	-	9.22	-	4.13	1200	-	-	118	8.92	-	-
25-Mar-08	6.80	1622	12.37	95.1	16.40	9.98	5.25	1100	-	-	110	3.86	-	-
29-Apr-08	7.53	1997	9.10	137.4	11.90	10.29	7.50	1100 J	-	-	124	7.05	-	-
20-May-08	16.35	2504	9.03	77.4	32.90	10.92	7.50	1700	-	-	146	14.7	-	-
18-Jun-08	11.82	2925	8.32	68.3	25.70	11.14	1.69	1800 J	-	-	208	8.48	-	-
26-Aug-08	17.69	3376	7.98	62.8	41.10	10.43	0.84	2200 J	-	-	287	13.2	647000	-
20-Nov-08	8.10	1447	9.65	112.0	43.70	11.00	11.25	1400	-	-	121	16.2	485000	-
12-Feb-09	2.99	1214	14.46	-	14.60	10.93	4.06	1200	-	-	219	11.8	434000	-
19-May-09	13.05	1962	7.92	32.6	36.70	10.23	7.50	1800 J	-	-	210	13.7	521000	-
24-Sep-09	16.30	2792	1.59	263.8	13.70	8.82	DRY*	2400	-	-	130	53	730000	-
15-Dec-09	2.80	1702	7.47	343.0	-	10.18	6.67	1200	-	-	170	22	330000	-
24-Mar-10	13.80	2629	2.09	270.7	263.00	11.46	6.03	1800	-	-	180	20	600000	-
17-Jun-10	12.00	1876	0.01	-	157.00	10.76	14.15	1200	-	-	27	3.9	410000	-
20-Sep-10	11.40	3100	6.34	198.6	12.20	10.63	2.38	2800	-	-	250	40	580000	-
7-Dec-10	6.60	2455	4.03	154.0	11.00	11.61	16.69	1600	-	-	240	26	510000	-

**Table A-1b: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen-Chem Total Dissolved Solids (mg/L)	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)	Weir Flow Rate (gpm)		Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	-	6	8	2.5	-	80
30-Mar-11	8.10	848	0.22	136.1	31.50	13.08	58.61	940 J	-	91	9.9	330000	-
22-Jun-11	14.40	2286	5.68	164.2	13.20	11.28	5.68	2600 J	-	120	25	490000	-
27-Sep-11	16.20	1911	4.62	253.4	39.10	10.07	13.40	2100	-	170	45	880000	-
15-Dec-11	4.10	1439	7.40	139.4	10.60	10.33	6.65	1400	-	180	21	500000	-
20-Mar-12	5.20	1687	8.50	27.5	9.60	11.17	60.00	410	-	130	7.4	290000	-
18-Jun-12	14.70	2336	0.11	326.9	15.60	11.25	60.00	410	-	130	9.8	430000	-
20-Sep-12	15.30	2972	7.81	106.0	12.10	9.55	0.10	1400 J	-	130	2.2	450000	-
18-Dec-12	4.80	1908	9.34	-14.2	7.41	10.28	18.50	870	-	120	8.1	390000	-
26-Feb-13	5.80	6470	11.27	161.6	22.00	12.46	9.90	1800	-	99	62	710000	-
23-May-13	10.50	1625	9.14	291.8	14.40	9.93	4.84	980	-	94	21	310000	-
21-Aug-13	15.70	7260	7.69	51.6	9.00	10.71	0.32	2780	-	342	18.3	954000	-
19-Nov-13	8.10	2032	10.00	87.4	9.95	11.19	25.40	1270	-	70.8	16.9	487000	-
1-Apr-14	13.70	3420	9.11	129.4	59.00	12.57	20.77	1300	-	37.3	12	572000	-
23-May-14	12.83	986	11.63	105.7	-	9.36	-	822	-	47	13.9	274000	-
13-Aug-14	18.38	2000	5.52	63.6	8.93	8.02	2.00	1250	-	13.4	0.6	326000	-
11-Nov-14	6.70	259	9.77	164.8	4.27	8.09	1.50	955	-	19	0.2	315000	-
12-Feb-15	10.00	669	11.13	142.9	2.75	8.62	40.00	1490	-	14.9	1.8	155000	-
4-May-15	13.70	1293	8.69	181.7	155.00	9.38	0.09	1100	-	43.3	11.3	292000	-
5-Aug-15	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
3-Nov-15	9.70	1296	7.66	165.6	13.70	8.03	1.98	1200	-	11.4	0.8	355000	-
9-Feb-16	9.10	838	8.79	181.4	2.17	7.87	0.69	529	-	7.8	0.5 J+	145000	-
2-May-16	23.40	1126	6.16	128.1	7.59	7.63	DRY*	688	-	7.6	0.06 J-	162000	-
23-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
1-Nov-16	11.70	332	7.12	97.5	7.71	7.76	7.24	703	-	9.18	0.3	207000	-
1-Feb-17	2.30	925	11.55	39.1	2.04	7.71	0.30	567	-	4.9	0.09 J	135000	-
30-May-17	13.30	817	57.50	8.3	22.20	7.40	0.30	516	-	13.1	0.08 J+	94300	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
9-Nov-17	7.00	851	7.57	88.0	67.30	8.43	-	865	-	36.6	10.7	236000	-
27-Feb-18	5.50	498	10.68	106.0	5.39	8.60	-	503	-	9.7	1.23	127000	-
1-May-18	12.80	894	8.87	-	2.39	7.97	-	656	-	7.81	0.1 UJ	195000	-
21-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
7-Nov-18	8.50	1079	7.37	166.6	5.48	7.94	-	1030	-	15.7	0.089 J	322000 J+	-
11-Mar-19	5.00	525	9.79	146.3	1.28	7.76	-	541	-	4.21	0.1 U	133000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
14-Nov-19	7.40	842	4.10	214.3	19.00	7.74	DRY*	783	-	11.3	0.076 J	242000	-
12-Feb-20	7.20	401	8.41	-38.3	2.47	7.53	3.96	348	-	4.81	0.1 U	86900	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
10-Dec-20	7.20	581	6.72	185.0	0.96	7.80	8	560	-	5.13	0.1 U	126000	-
4-Mar-21	4.90	427	7.11	146.0	2.50	7.86	3	424	-	3.7	0.114	80600	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	4.90	269	10.81	211.8	15.90	7.63	300	228	5.52	4.33	0.698	50500	1
17-Mar-22	7.00	410	9.46	157.2	0.91	7.43	8	394	5.37	3.5	0.055 J	86000	1
21-Jun-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12-Sep-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-22	5.60	712	6.9	12.5	1.29	7.83	-	535	10.5	3.27	0.113 J+	111000	1.01
15-Mar-23	5.10	758.2	6.46	202.5	9.22	7.49	0.1	437	5.92	3.49	0.197	96000	0.825
26-Jun-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7-Sep-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
5-Mar-24	4.10	673	7.31	117.1	9.45	7.09	1.59	445	5.28	4.74	2.23	76800	1.16
17-Jun-24	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY

**Table A-1b: Summary of Lower Disposal Area - Surface Water Sampling Results - Weir
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters							Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (mV)	Turbidity (NTU)	pH (standard units)	Weir Flow Rate (gpm)		Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	-	6	8	2.5	-	80
16-Sep-24	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9-Dec-24	6.6	823	40.22	58.4	1.07	7.36	-	542	5.42	3.70	0.136 U	99800	0.67
24-Mar-25	10.2	680.7	802	175.7	7.31	7.41	-	449	4.35	2.89	0.2 U	87400	0.668
9-Jun-25	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15-Sep-25	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

* Sample collected from constructed wetland (alternative sampling location) upstream of weir

- Not analyzed or not available

DRY Weir dry; unable to collect field parameters or samples

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a North Creek Analytical, Inc.

b Severn Trent Laboratories

c CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

gpm Gallons per minute

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

**Table A-1c: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
1-Feb-05	7.13	9580	-	-	4.19	13.02	4080	-	174	24.3	-	-
9-Mar-05	14.28	9979	-	-	6.79	12.52	4640	-	240	42.1	-	-
5-Apr-05	9.90	10820	-	-	43.50	11.99	3830	-	133	9.85	-	-
10-May-05	15.10	6091	-	-	45.60	12.14	3270	-	92.9	25.5	-	-
7-Jun-05	14.49	8257	-	-	24.20	12.19	3780	-	132	24.7	-	-
15-Jul-05 ^a	18.34	6937	-	-	6.89	11.69	5000	-	281	31.8	-	-
15-Jul-05 ^b	-	-	-	-	-	-	4260	-	237	34.2	-	-
9-Aug-05 ^a	23.53	7654	-	-	17.1	10.26	6600	-	322	44.5	-	-
9-Aug-05 ^b	-	-	-	-	-	-	5580	-	340	37.1	-	-
14-Sept-05 ^a	18.55	6730	-	-	10.00	10.51	5100	-	235	19.3	-	-
14-Sept-05 ^b	-	-	-	-	-	-	4750	-	268	34.2	-	-
5-Oct-05	12.14	4323	-	-	17.60	9.80	3090	-	130	26.5	-	-
9-Nov-05	6.78	3784	-	-	11.80	11.12	2600	-	121	21.7	-	-
9-Dec-05	3.22	8745	-	-	12.90	12.85	3900	-	175	14.1	-	-
19-Jan-06	7.73	5215	5.43	-	13.30	12.52	2000 J	-	20.3	3.24	-	-
16-Feb-06	3.96	9342	8.97	231.2	9.08	12.30	4100 J	-	43	25.6	-	-
15-Mar-06	8.72	12910	9.59	222.1	7.64	12.60	5100 J	-	38.6	41.8	-	-
7-Apr-06	14.26	15220	6.90	18.9	3.65	12.92	5700	-	48.5	65.6	-	-
16-May-06	19.75	10880	2.61	33.8	15.40	12.46	5100	-	130	92.1	-	-
23-Jun-06	22.76	7586	2.98	-	14.10	12.65	5100	-	130	57.9	-	-
20-Jul-06	24.33	7457	0.73	-148.4	16.70	11.33	6400	-	272	51.3	-	-
22-Aug-06	15.03	7481	3.75	61.0	14.10	10.40	6100	-	318	33.2	-	-
26-Sep-06	17.30	8409	1.31	-312.4	15.10	12.38	5500	-	230	45.7	-	-
26-Oct-06	10.95	6075	4.10	-265.6	13.30	12.18	4600	-	243	41.5	-	-
15-Nov-06	8.07	5022	7.71	-152.7	21.50	12.24	2600	-	76.2	3.68	-	-
20-Dec-06	6.32	9148	5.73	-139.6	12.20	12.85	2900 J	-	46.1	1.28	-	-
24-Jan-07	2.15	12690	9.24	-98.4	9.74	13.10	3000 J	-	19.2	26.8	-	-
12-Feb-07	9.35	14110	8.43	-86.7	32.50	13.13	4700	-	96.2	83.5	-	-
27-Mar-07	9.16	10560	8.41	-46.2	7.42	11.31	2900 J	-	5.98	14.5	-	-
18-Apr-07	8.27	14570	8.32	10.8	10.30	12.79	5200	-	19.8	22.1	-	-
31-May-07	23.66	13410	6.42	-95.0	31.20	11.77	5100	-	78.4	50.4	-	-
20-Jun-07	26.35	10050	5.53	-195.7	27.90	12.29	5300 J	-	112	38.2	-	-
31-Jul-07	21.39	6666	4.76	-106.4	72.00	10.86	6300	-	208	68.8	-	-
29-Aug-07	22.61	6950	1.57	-193.4	61.80	12.05	6300 J	-	149	30.6	-	-
27-Sep-07	11.45	5059	2.66	-180.4	78.40	11.43	4800	-	190	17.4	-	-
26-Oct-07	6.98	4147	1.44	-204.7	39.50	12.48	3900 J	-	168	25.5	-	-
30-Nov-07	2.86	5030	8.50	-74.9	12.40	12.20	2600	-	121	14.3	-	-
12-Dec-07	4.45	3564	2.03	-141.8	20.70	10.93	2700	-	79.3	9.87	-	-
24-Jan-08	1.13	4859	4.10	-186.8	-	11.19	2200	-	86.1	6.79	-	-
28-Feb-08	-	-	-	-	18.10	-	2800	-	183	73.4	-	-
25-Mar-08	7.37	5413	7.88	-58.2	122.00	12.29	2900	-	182	13	-	-
29-Apr-08	8.43	3685	9.04	59.3	19.20	11.63	2400 J	-	152	16	-	-
20-May-08	18.03	3554	6.69	58.0	156.00	11.01	2100	-	137	38.3	-	-
18-Jun-08	13.01	5680	6.46	57.5	71.80	11.14	4000 J	-	279	34.4	-	-
26-Aug-08	18.02	2800	5.72	16.9	49.80	10.08	2500 J	-	91.7	18.6	557000	-
20-Nov-08	7.46	2011	9.04	38.3	23.60	10.49	2300	-	72.9	9.2	566000	-
12-Feb-09	1.63	1870	11.74	-	46.10	10.83	2300	-	129	17.2	738000	-
19-May-09	12.73	1895	5.37	-16.4	168.00	9.82	1700 J	-	78.9	11.3	515000	-

**Table A-1c: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
23-Sep-09	21.50	4190	0.09	175.1	14.40	9.70	4100	-	120	99	1300000	-
14-Dec-09	+	+	+	+	+	+	+	-	+	+	+	-
22-Mar-10	13.10	2480	-	342.0	15.60	10.05	1700	-	76	34	520000	-
17-Jun-10	13.40	2429	5.14	-	26.10	10.77	2100	-	120	89	630000	-
21-Sep-10	16.30	2733	1.10	216.8	21.50	9.81	2200	-	25	27	510000	-
8-Dec-10	6.00	1994	2.70	-	18.70	10.05	1400	-	53	18	490000	-
30-Mar-11	9.10	509	0.37	179.2	13.80	12.04	730 J	-	36	14	260000	-
21-Jun-11	21.60	2092	1.90	192.2	13.60	10.07	2800 J	-	62	29	380000	-
27-Sep-11	14.60	1516	9.34	220.4	32.50	9.34	1800	-	78	36	780000	-
15-Dec-11	3.00	1449	1.90	94.6	13.80	10.75	2100	-	140	74	630000	-
21-Mar-12	2.60	1088	8.10	285.7	13.10	9.95	780	-	30	7.2	240000	-
19-Jun-12	17.10	1747	5.54	345.3	10.80	9.93	780	-	70	29	400000	-
20-Sep-12	-	-	-	-	-	-	-	-	-	-	-	-
19-Dec-12	4.00	1771	6.37	104.0	6.12	10.71	1300	-	47	18	440000	-
26-Feb-13	6.90	3720	5.40	196.7	10.60	11.86	1100	-	140	39	690000	-
23-May-13	11.50	2335	5.21	323.5	44.10	12.48	1800	-	130	50	530000	-
22-Aug-13	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
19-Nov-13	8.20	1256	4.12	79.3	18.20	9.89	1260	-	39.8	20.4	487000	-
1-Apr-14	15.30	2053	4.42	130.9	772.00	11.27	1800	-	113	42.2	649000	-
23-May-14	14.15	2187	5.50	77.3	-	10.19	1860	-	112	23.6	623000	-
13-Aug-14	20.29	1298	5.35	40.1	24.80	9.63	949	-	44.9	22.8	306000	-
12-Nov-14	1.30	315	4.55	-0.5	22.10	10.45	2440	-	122	34.2	804000	-
12-Feb-15	11.10	1267	4.01	-8.2	23.90	10.20	905	-	27.2	9.6	320000	-
4-May-15	15.60	3200	4.35	240.5	9.21	10.42	2280	-	154	30.8	774000	-
5-Aug-15	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
3-Nov-15	8.30	1143	2.01	88.1	35.40	9.22	1050	-	28	28.2	364000	-
9-Feb-16	7.30	1672	3.45	95.9	7.79	10.45	1170	-	51 J+	34	410000	-
3-May-16	14.20	3150	3.61	335.2	63.80	10.35	2260	-	148	97.9 J-	777000	-
24-Aug-16	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
1-Nov-16	12.10	401	5.56	-65.9	15.00	9.43	742	-	21.9	14.1	356000	-
1-Feb-17	2.10	2064	4.82	5.0	17.80	10.27	1330	-	57.6	139	455000	-
31-May-17	14.50	2594	5.36	-	22.70	9.93	1920	-	105	51.5 J+	664000	-
17-Aug-17	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
9-Nov-17	6.50	1049	6.38	92.3	14.40	10.13	1260	-	58.8	53.4 J+	441000	-
27-Feb-18	6.50	1379	4.05	-71.0	6.11	10.94	865	-	61.7	47.7 J-	429000	-
2-May-18	11.60	2547	-	-	25.30	10.36	1860	-	85.9	26.7 J+	611000	-
22-Aug-18	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
7-Nov-18	9.70	995	6.72	126.8	20.60	9.15	1040	-	76	65.5 J+	33000 J+	-
11-Mar-19	10.60	1354	5.93	-18.7	7.19	10.31	1270	-	49.3	41.7	458000	-
9-May-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
26-Aug-19	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
14-Nov-19	8.70	1180	5.98	30.9	7.38	9.03	1120	-	67.2	76.4	418000	-
13-Feb-20	4.30	1032	2.51	-126.9	6.10	10.46	927	-	28.1	13	348000	-
13-Aug-20	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
10-Dec-20	5.60	1000	2.52	66.8	6.02	9.66	952	-	12	6.63	318000	-
4-Mar-21	8.10	1271	1.98	38.0	8.02	10.35	4820	-	50.6	35.7	435000	-
10-Jun-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	-	DRY	DRY	DRY	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY

Table A-1c: Summary of Lower Disposal Area - Surface Water Sampling Results - South Pond Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
6-Jan-22	4.50	305	10.57	-30.2	4.07	9.42	300	2.29	4.42	2.29	77100	4.27
17-Mar-22	8.80	997	8.53	-66.4	4.54	11.32	912	4.85	22.60	16.70	358000	37.80
21-Jun-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12-Sep-22	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-22	4.1	1319	8.1	-51.9	15.8	9.45	1170	17.5	40.5	33.1	384000	79.3
15-Mar-23	8.9	1467	10.36	-7.6	6.57	9.33	913	2.75	8.5	4.84	347000	12.3
26-Jun-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Sep-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-23	5.2	2217	7.86	-41.2	8.63	9	1180	3.98	21.1	15.8	394000	53.4
5-Mar-24	10.5	2327	7.99	-12.1	6.72	9.9	1220	3.99	21.6	15.2	435000	75.1
17-Jun-24	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
16-Sep-24	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
9-Dec-24	3.4	1407	43.39	122.1	7.18	8.68	929	2.99	10.9	6.18	300000	19.3
24-Mar-25	12.6	914	8.5	185.5	5.23	8.97	638	2.05	7.63	4.12	207000	12.6
9-Jun-25	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15-Sep-25	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

+ South Pond frozen; unable to collect field parameters or samples

DRY South Pond dry; unable to collect field parameters or samples

a North Creek Analytical, Inc.

b Severn Trent Laboratories

c CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Appendix A-2

SUMMARY OF LOWER DISPOSAL AREA - SHALLOW GROUNDWATER SAMPLING RESULTS

**Table A-2a: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-1A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Jul-05	35.43	578.01	15.17	883	-	-	358	7.03	664	-	8.47	2 U	-	-
9-Nov-05	31.83	581.61	10.77	1037	-	-	22.2	6.89	680	-	3.45	1 U	-	-
15-Feb-06	23.91	589.53	9.14	623	1.53	497.4	6.76	7.26	470 J	-	3.25	1 U	-	-
17-May-06	31.91	581.53	11.32	1029	1.33	121.6	10.3	7.18	600	-	5.18	1 U	-	-
23-Aug-06	35.35	578.09	19.21	481	5.97	60.4	6.3	6.67	340	-	1.7	1 U	-	-
14-Nov-06	20.00	593.44	10.35	635	4.55	95.1	22.2	7.23	550	-	3.07	1 U	-	-
14-Feb-07	29.29	584.15	11.13	435	3.88	85.6	32.1	6.76	260	-	2	1 U	-	-
30-May-07	32.90	580.54	10.30	545	6.63	145.7	6.93	6.81	320	-	2.48	1 U	-	-
27-Aug-07	35.68	577.76	10.49	428	7.13	76.7	8.65	6.95	260 J	-	1.87	1 U	-	-
29-Nov-07	32.75	580.69	10.10	625	7.14	144.3	12.2	6.96	340 J	-	2.32	1 U	-	-
27-Feb-08	27.83	585.61	-	-	-	-	19.6	-	320	-	2.58	1 U	-	-
20-May-08	31.86	581.58	10.22	471	6.38	177.0	109	6.48	290 J	-	2.24	1 U	-	-
27-Aug-08	36.04	577.40	9.84	427	7.40	118.4	63.6	7.08	260	-	2.05	1 U	23000	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	35.65	577.79	9.51	443	9.78	113.9	38	7.38	260 J	-	1.79	1 U	22900	-
20-Nov-08	25.62	587.82	9.49	563	6.11	231.0	5.48	7.18	430	-	3.68	1 U	106000	-
30-Dec-08	23.14	590.30	9.84	402	8.40	106.9	8.92	7.25	280 J	-	2.47	1 U	43900	-
15-Jan-09	20.66	592.78	8.40	336	9.65	229.6	1.07	6.88	290	-	2.25	1 U	35700	-
12-Feb-09	30.00	583.44	9.05	372	8.46	-	16.7	7.34	320	-	1.93	1 U	27000	-
12-Mar-09	31.30	582.14	9.13	409	8.60	174.9	15.8	7.03	340	-	1.66	1 U	20600	-
16-Apr-09	23.88	589.56	8.17	343	10.24	131.8	13.5	6.78	310	-	1.77	1 U	24600	-
19-May-09	30.50	582.94	8.99	392	8.69	82.6	23.7	7.75	340 J	-	1.56	1 U	19600	-
23-Jun-09	34.00	579.44	9.21	480	9.56	79.0	22.9	7.89	430	-	2 U	2 U	20000	-
23-Sep-09	37.12	576.32	11.30	336	6.90	368.3	21.3	6.73	240	-	2 U	0.18 J	14000	-
15-Dec-09	28.30	585.14	9.20	643	5.30	567.0	18	6.72	330	-	2 U	2 U	26000	-
24-Mar-10	30.03	583.41	9.80	562	5.72	545.9	5.04	6.74	370	-	1.9 J	2 U	19000	-
16-Jun-10	23.55	589.89	9.20	506	5.93	405.4	16.1	6.53	40 U	-	3.6	2 U	20000	-
21-Sep-10	35.89	577.55	10.40	593	4.82	288.5	117	6.96	370	-	2.6	0.23 J	19000	-
7-Dec-10	27.39	586.05	10.00	504	1.45	198.4	139	7.15	330	-	2.3	2 U	14000	-
29-Mar-11	29.76	583.68	8.10	247	2.47	169.0	6.81	7.14	300	-	2.4	2 U	15000	-
21-Jun-11	30.45	582.99	9.30	606	4.58	332.9	3.56	7.17	400 J	-	5 U	2 U	16000	-
27-Sep-11	36.65	576.79	9.90	366	7.27	356.2	2.18	6.85	310	-	5 U	2 U	17000	-
14-Dec-11	31.53	581.91	9.20	407	1.97	234.7	20.4	7.09	370	-	5 U	2 U	16000	-
20-Mar-12	21.60	591.84	7.70	561	7.06	385.4	4.8	7.18	280	-	2.3	0.4 U	16000	-
19-Jun-12	21.60	591.84	10.00	575	7.04	378.2	5.6	7.31	330	-	2.5	0.4 U	16000	-
19-Sep-12	36.42	577.02	11.30	561	8.76	286.0	2.49	7.02	310	-	2.4	0.4 U	17000	-
19-Dec-12	23.43	590.01	9.30	671	6.67	348.2	0.74	7.26	20 U	-	1.7	0.4 U	17000	-
25-Feb-13	29.32	584.12	8.00	572	9.51	337.0	26	7.28	300	-	2.5	0.4 U	16000	-
22-May-13	31.23	582.21	9.00	518	8.59	397.7	4.68	7.40	310	-	1.8	0.4 U	15000	-
21-Aug-13	37.02	576.42	10.20	534	9.27	152.7	1.46	7.11	227	-	1.2	0.1 U	14100	-
20-Nov-13	29.69	583.75	9.50	852	7.62	243.5	39.5	6.75	419	-	1.6	0.1 U	19900	-
1-Apr-14	23.29	590.15	8.90	347	7.60	248.1	2.54	7.30	247	-	2	0.1 U	16500	-
21-May-14	28.31	585.13	9.50	349	4.02	178.6	-	7.12	280	-	1.8	0.1 U	15100	-
13-Aug-14	36.52	576.92	12.10	441	9.22	51.9	6.2	7.10	283	-	1.4	0.1 U	15200	-
13-Nov-14	31.63	581.81	11.50	438	8.80	173.0	14.7	7.10	352	-	1.6	0.1 U	17100	-
11-Feb-15	23.02	590.42	9.40	498	3.89	98.1	10.5	7.72	319	-	9.1	0.3	42900	-
4-May-15	31.93	581.51	9.80	578	7.35	416.9	1.05	7.26	413	-	1.7	0.1 U	16000	-
6-Aug-15	37.65	575.79	10.70	447	0.17	71.6	49	7.21	343	-	3.9	0.1 U	10300	-
4-Nov-15	32.89	580.55	9.50	657	8.56	240.5	5.7	6.92	554	-	2.3	0.1 U	49300	-
10-Feb-16	25.39	588.05	9.80	322	7.36	204.8	3.21	7.31	202	-	2	0.1 U	22200	-
2-May-16	32.32	581.12	10.80	579	5.95	250.2	4.7	7.02	350	-	1.8	0.04 J	17800	-
23-Aug-16	37.66	575.78	11.00	488	1.34	459.9	259	7.08	413	-	3.88	0.07 J	14600	-
2-Nov-16	31.30	582.14	9.70	280	3.94	225.0	6.13	7.18	531	-	2.13	0.12	37700	-
1-Feb-17	29.01	584.43	8.60	510	5.26	187.7	0.97	7.04	270	-	1.47	0.1 U	19000	-
30-May-17	28.47	584.97	9.50	483	6.89	4.7	4.85	6.96	290	-	2.09	0.1 U	15700	-
17-Aug-17	36.30	577.14	10.50	536	3.79	82.5	6.44	6.96	283	-	1.55	0.1 U	15500	-
9-Nov-17	32.20	581.24	9.20	460	5.89	75.1	2.7	7.01	380	-	1.63	0.1 U	16300	-
27-Feb-18	25.18	588.26	8.90	215	7.35	121.6	6.04	6.31	186	-	1.72	0.1 U	15500	-

**Table A-2a: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-1A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
1-May-18	26.98	586.46	9.50	391	7.82	-	3.06	6.94	214	-	1.65	0.1 UJ	14100	-
21-Aug-18	37.29	576.15	10.02	266	7.37	75.6	129	6.84	215	-	1.51	0.1 U	13300	-
6-Nov-18	34.18	579.26	9.60	340	9.13	215.4	1	6.93	327	-	1.67	0.1 U	16600	-
11-Mar-19	27.75	585.69	8.90	323	5.65	185.3	4.29	6.94	269	-	1.36	0.1 U	14400	-
8-May-19	30.05	583.39	9.80	448	7.77	97.6	1.11	6.87	320	-	1.25	0.1 U	15100	-
26-Aug-19	37.02	576.42	9.83	329	1.16	Note 1	7.97	7.11	258	-	0.904	0.1 U	10700	-
13-Nov-19	35.13	578.31	9.20	376	5.50	144.0	8.26	6.87	320	-	1.23	0.1 U	15800	-
12-Feb-20	20.38	593.06	9.00	381	2.58	191.6	1.33	7.15	268	-	1.25	0.1 U	26600	-
12-Aug-20	36.61	576.83	9.50	285	5.01	198.7	0.8	6.96	214	-	1.14	0.1 U	14100	-
9-Dec-20	32.05	581.39	9.10	425	7.17	211.0	1.57	6.86	347	-	1.11	0.1 U	17100	-
3-Mar-21	27.01	586.43	8.60	383	5.71	248.0	0.6	6.83	299	-	1.16	0.1 U	17400	-
9-Jun-21	35.32	578.12	9.20	422	8.47	151.0	2.22	6.68	310	-	1.39	0.1 U	16300	-
12-Oct-21	33.84	579.60	9.30	329	9.07	160.8	1.55	6.34	236 J-	0.846	1.13	0.1 U	12500	0.801
5-Jan-22	25.20	588.24	9.20	344	7.96	170.2	0.67	6.54	255	1.06	1.02	0.1 U	18100	0.782
16-Mar-22	23.67	589.77	9.30	386	7.79	155.0	0.96	5.60	350	1.58	1.33	0.1 U	36800	0.887
23-Jun-22	27.91	585.53	9.80	356	7.21	152.8	2.55	6.93	281	1.08	1.04	0.1 U	16500	0.86
23-Sep-22	37.05	576.39	13.2	312.5	6.93	128.4	2.84	6.91	222	0.83	1.2	0.137	14100	0.786
13-Dec-22	32.35	581.09	9.4	394.6	8.79	99.3	0.31	6.77	234	0.955	1.13	0.1 U	14500	0.791
13-Mar-23	29.36	584.08	8	584.2	9.22	90.2	0.29	6.85	298	0.86	1.27	0.053 J	14000	0.935
28-Jun-23	34.78	578.66	9.4	527	9.69	277.4	0.85	6.68	363	0.87	1.18	0.1 U	16600	0.862
5-Sep-23	37.62	575.82	9.5	586.1	5.14	77.6	3.75	6.97	360 J-	0.41	3.82	0.586	13300	2.23
12-Dec-23	22.16	591.28	9.2	806	7.53	120.7	1.27	6.7	424	1.71	1.39	0.103 U	43400	0.986
4-Mar-24	26.79	586.65	8.4	437.2	8.26	194.8	0.42	6.56	274 J	0.83	1.02	0.103 U	13400	0.614
18-Jun-24	32.56	580.88	8.8	700	12.5	119.2	0.39	6.64	335	0.87	1.14	0.103 U	13900	0.684
16-Sep-24	36.11	577.33	9.5	366.8	9.72	174.4	0.64	6.51	205	0.668	0.996	0.103 U	10700	0.585 J
11-Dec-24	31.08	582.36	9	491.7	8.26	122.5	0.78	6.65	285	0.726	1.09	0.0680 U	12300	0.583
26-Mar-25	25	588.44	70.2	675.8	9.71	130.9	2.35	6.7	387	1.1	1.04	0.2 U	23500	0.634
11-Jun-25	34.45	578.99	9.7	695	8.28	114.3	0.75	6.71	374	0.775 J	1.16	0.5 U	14800	0.805 J
17-Sep-25	38.62	574.82	-	-	-	-	-	-	-	-	-	-	-	-

Notes:

Top of casing elevation (feet NAVD88): 613.44

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2b: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-2A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Jul-05	29.18	578.03	13.78	853	-	-	28.3	7.7	606	-	2 U	2 U	-	-
9-Nov-05	25.64	581.57	10.95	860	-	-	3.82	7.43	550	-	1.31	1 U	-	-
15-Feb-06	17.64	589.57	7.81	709	0.82	467.7	3.96	7.86	520 J	-	1.06	1 U	-	-
17-May-06	25.76	581.45	9.67	810	2.17	246.1	3.01	7.06	490	-	1.13	1 U	-	-
23-Aug-06	29.13	578.08	12.86	759	2.6	12	9.82	7.4	570	-	1.54	1 U	-	-
14-Nov-06	13.74	593.47	10.44	649	3.72	63.6	9.78	7.72	460	-	1.36	1 U	-	-
14-Feb-07	22.09	585.12	10.77	648	1.69	11.5	52.4	7.51	380	-	1.07	1 U	-	-
30-May-07	26.72	580.49	11.46	732	2.05	72.2	12.8	7.44	480	-	1.17	1 U	-	-
27-Aug-07	29.45	577.76	10.8	829	7.41	62.8	117	7.58	590 J	-	1.09	1 U	-	-
29-Nov-07	26.57	580.64	10.74	899	2	81.1	392	6.05	490	-	1.03	1 U	-	-
27-Feb-08	21.45	585.76	-	-	-	-	446	-	400	-	1.09	1 U	-	-
20-May-08	25.73	581.48	9.48	706	3.07	110.2	419	7.26	420 J	-	1.21	1 U	-	-
27-Aug-08	29.84	577.37	9.87	824	4.74	91.5	571	7.43	550 J	-	1.3	1 U	65100	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	29.13	578.08	9.76	820	4.56	53.6	227	7.33	520 J	-	1.3	1 U	76300	-
20-Nov-08	19.48	587.73	9.31	462	5.24	240.1	6.16	7.35	360	-	1.76	1 U	67000	-
30-Dec-08	16.93	590.28	9.85	480	6.18	66.8	56.1	7.35	390 J	-	1.55	1 U	61500	-
15-Jan-09	14.46	592.75	7.71	402	7.47	177.8	1.61	7.61	360	-	1.57	1 U	58500	-
12-Feb-09	23.84	583.37	9.63	-	8.72	-	74.9	7.54	390	-	1.3	1 U	48100	-
12-Mar-09	25.15	582.06	9.11	454	7.22	163.7	573	7.19	400	-	1.17	1 U	43100	-
16-Apr-09	17.72	589.49	8.4	417	8.27	126.4	128	7.26	400	-	1.4	1 U	48800	-
19-May-09	24.38	582.83	8.8	448	6.88	72	178	7.95	410 J	-	1.1	1 U	44000	-
23-Jun-09	27.85	579.36	8.95	507	7.76	61.9	256	8.07	490	-	2 U	2 U	39000	-
23-Sep-09	30.84	576.37	11.2	661	5.41	374.7	15	7.28	500	-	2 U	2 U	51000	-
15-Dec-09	22.10	585.11	9.5	720	5.1	579	39	6.92	380	-	2 U	2 U	42000	-
24-Mar-10	23.82	583.39	10	602	4.1	535.3	43.3	6.93	370	-	1.7 J	2 U	39000	-
17-Jun-10	17.45	589.76	9.3	547	4.06	-	157	6.57	350	-	3.9	2 U	39000	-
22-Sep-10	29.66	577.55	10.2	722	5.77	360.2	7.2	7.22	450	-	3.3	2 U	55000	-
8-Dec-10	22.10	585.11	9.9	566	6.69	-	64.6	7.09	350	-	2 U	2 U	35000	-
29-Mar-11	19.94	587.27	8.4	251.3	6.95	620	28	7.13	250 J	-	1.4 J	2 U	30000	-
21-Jun-11	24.25	582.96	9.9	628	5.23	344.3	37	7.29	410 J	-	5 U	2 U	28000	-
28-Sep-11	30.41	576.8	9.5	57.5	6.54	481.7	13.8	7.24	500	-	5 U	2 U	54000	-
14-Dec-11	25.35	581.86	9.3	441	3.86	346.5	386	7.26	440	-	5 U	2 U	29000	-
20-Mar-12	15.45	591.76	7.7	580	1.53	382	32.3	7.4	280	-	2.2	0.4 U	26000	-
19-Jun-12	23.88	583.33	9	590	1.85	388.1	55.7	7.74	320	-	2.5	0.4 U	23000	-
19-Sep-12	30.18	577.03	11.1	695	7.03	297	9.31	7.41	420	-	2.7	0.4 U	42000	-
19-Dec-12	17.24	589.97	9.4	704	6.33	317	55.2	7.4	310	-	1.7	0.4 U	25000	-
25-Feb-13	23.12	584.09	9.1	585	6.04	339	110	7.46	370	-	2.5	0.4 U	24000	-
22-May-13	25.05	582.16	8.6	537	8.41	391.5	12.3	7.51	310	-	1.9	0.4 U	22000	-
21-Aug-13	30.75	576.46	10.6	684	8.42	150.2	5.85	7.74	419	-	1.5	0.2	27700	-
20-Nov-13	23.51	583.7	9.6	513	6.19	230.4	32.1	6.81	364	-	1.3	0.1 U	27500	-
1-Apr-14	17.11	590.1	8.5	386	7.32	243.1	14.6	7.46	294	-	1.4	0.1 U	31700	-
21-May-14	22.07	585.14	9.1	365	6.02	212.7	-	6.93	273	-	1.3	0.1 U	24700	-
12-Aug-14	31.32	575.89	13.16	552	6.56	76.7	6.8	7.36	394	-	1.5	0.1 U	25300	-
13-Nov-14	25.48	581.73	12.3	459.5	7.22	189.8	7.2	7.19	367	-	1.4	0.1 U	25500	-
11-Feb-15	16.83	590.38	9.3	447	6.76	134.4	36.6	7.52	286	-	1.7	0.1 U	30400	-
4-May-15	25.78	581.43	10.2	619	6.27	407.1	7.7	7.36	382	-	1.4	0.1 U	25200	-
6-Aug-15	31.87	575.34	11.3	500	9.18	207.1	28.1	7.23	394	-	1.5	0.1 U	22000	-
4-Nov-15	26.74	580.47	9.9	481	8.76	222.6	16.8	6.88	381	-	1.1	0.1 U	21800	-
10-Feb-16	19.19	588.02	9	376	7.35	206	40.2	7.68	261	-	3.6	0.1 U	37100	-
2-May-16	26.14	581.07	11.3	552	3.19	194.5	87.8	7.35	344	-	2.1	0.01 J	31200	-
23-Aug-16	31.64	575.57	10.5	545	7.62	486.5	10.8	7.18	412	-	1.54	0.1 U	32600	-
2-Nov-16	25.12	582.09	10.2	220	4.01	238.9	245	7.19	431	-	1.4	0.1 U	30600	-
1-Feb-17	22.84	584.37	9.1	580	5.06	186.3	13.6	7.35	317	-	3.17	0.1 U	51100	-
30-May-17	22.31	584.9	9.4	520	7.01	4.99	40.2	7.18	322	-	1.78	0.1 U	34100	-
17-Aug-17	30.08	577.13	10.6	626	5.63	134.2	32.3	7.21	370	-	1.28	0.1 U	28900	-
9-Nov-17	26.04	581.17	9.8	479.5	5.79	74.4	68.8	7	391	-	1.39	0.1 U	25400	-
27-Feb-18	19.03	588.18	8.8	293.1	7.43	185.2	15.1	6.9	254	-	3.98	0.1 U	41900	-

**Table A-2b: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-2A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
1-May-18	20.84	586.37	9.1	531	7.46	-	25	7.35	316	-	3	0.1 UJ	40600	-
21-Aug-18	31.09	576.12	10.39	437	7.33	115.2	19.1	7.04	358	-	1.48	0.1 U	26900	-
6-Nov-18	28.00	579.21	9.7	420.1	8.17	210.3	6.74	6.97	418	-	1.3	0.1 U	23400	-
11-Mar-19	21.61	585.6	9	351.2	9.2	187.1	20.6	7.11	312	-	1.57	0.1 U	32700	-
8-May-19	23.88	583.33	9.8	443.1	8.05	109.6	7.79	7.06	316	-	1.66	0.1 U	32900	-
26-Aug-19	30.90	576.31	10.91	495	8.65	Note 1	12.7	6.91	394	-	1.28	0.1 U	21100	-
13-Nov-19	28.91	578.3	9.8	506	7.81	180.4	14.4	6.87	429	-	1.34	0.1 U	22900	-
12-Feb-20	14.21	593	8.1	319.3	9.95	189.3	14.6	7.27	277	-	1.95	0.1 U	56300	-
12-Aug-20	30.41	576.8	9.5	463.3	6.6	185.5	72.9	7.03	359	-	1.2	0.1 U	22400	-
9-Dec-20	25.91	581.3	9.4	533	6.44	213	9.96	6.97	400	-	1.38	0.49 J	26800	-
3-Mar-21	20.83	586.38	8.9	330	5.24	216.5	12.4	7.18	268	-	1.8	0.219	61100	-
9-Jun-21	29.14	578.07	9.1	459.8	8.65	193.6	1.34	6.88	360 J	-	1.25	0.058 J	21800	-
12-Oct-21	27.75	579.46	10.4	595	9.33	188.2	0.56	6.53	439 J-	1.19	1.1	0.1 U	21900	1.07
6-Jan-22	19.05	588.16	10.2	466.3	4.66	197.7	2.69	7.14	368	3.24	1.89	0.1 U	80700	1.19
16-Mar-22	17.54	589.67	8.4	304.1	9.88	154.6	6.43	6	291	3.26	1.85	0.218	60900	1.15
23-Jun-22	21.76	585.45	9.5	442.6	6.06	158.8	1.49	7.10	369	1.94	1.5	0.1 U	37500	1.15
23-Sep-22	30.87	576.34	11.2	471.5	8.5	190.3	2.04	6.82	351	0.923	1.17	0.13	23300	1.18
13-Dec-22	26.24	580.97	9.9	557	8.35	117.4	4.38	6.81	319	1.17	1.28 J	0.218 J+	21800	1.59
14-Mar-23	23.24	583.97	8.6	664.2	7.67	174.1	0.97	7.08	368	1.65	1.49	0.1 U	28800	1.03
28-Jun-23	28.64	578.57	10.5	521	9.26	275.7	2.1	6.79	361	1.05	1.12	0.371 J	19600	1.02
5-Sep-23	31.49	575.72	9.6	699	11.67	128.3	3.01	7.06	400 J-	0.74	1.1	0.383 J	19800	1.06
12-Dec-23	16.04	591.17	9.9	894	8.57	137	4.29	7.01	529	3.53	1.94	0.103 U	133000	1.5
4-Mar-24	20.65	586.56	8.9	505	8.82	218.3	1.74	6.87	360 J	2.27	1.39	0.103 U	71900	0.97
18-Jun-24	26.42	580.79	8.9	763	11.61	137.9	0.56	6.8	389	1.13	0.978	0.103 U	20500	0.954
16-Sep-24	30.4	576.81	10	667	9.64	200.7	2.02	6.67	396	0.934	1.28	0.103 U	19700	1.04
11-Dec-24	24.96	582.25	9.8	688	5.59	196.3	2.81	6.75	408	1.51	1.28	0.0680 U	38000	1.09
26-Mar-25	18.86	588.35	9.6	713	13.91	151.9	4.8	7.00	434	2.31	1.45	0.2 U	88700	0.996
11-Jun-25	28.34	578.87	9.6	632	7.72	122.5	1.55	6.79	353	0.84 J	1.08	0.5 U	20900	0.895 J
16-Sep-25	31.76	575.45	12.8	691	8.44	-184.4	1.28	6.59	380	0.75 U	1.07	0.5 U	22200	1.1

Notes:

Top of casing elevation (feet NAVD88): 607.21

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

* Dissolved Oxygen meter working incorrectly at the time of sample collection

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2c: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-3A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Jul-05	6.09	683.02	13.8	1124	-	-	30.3	6.96	922	-	2.41	2 U	-	-
10-Nov-05	5.50	683.61	10.8	1518	-	-	2.32	6.88	960	-	10.5	1 U	-	-
15-Feb-06	5.31	683.80	9.52	1357	0.46	217.4	58.2	6.33	930 J	-	6.66	1 U	-	-
16-May-06	6.25	682.86	10.4	1296	0.96	91	11.4	6.91	910	-	10.1	1 U	-	-
22-Aug-06	8.85	680.26	12.84	1362	1.28	-64.8	56	6.97	900	-	12.1	1 U	-	-
13-Nov-06	5.03	684.08	11.24	1392	2.12	-74.4	234	6.89	910	-	5.73	1 U	-	-
16-Feb-07	5.55	683.56	8.99	1155	0.75	-71.3	12.3	6.96	770	-	3.74	1 U	-	-
30-May-07	6.72	682.39	11.86	1297	0.75	-25.2	12.5	7.04	790	-	5.2	1 U	-	-
27-Aug-07	8.38	680.73	12.65	1483	0.71	-96.3	15.3	6.73	1100 J	-	8.74	1 U	-	-
28-Nov-07	5.66	683.45	10.47	1363	1.05	-72.9	26.9	7.31	730	-	4.24	1 U	-	-
27-Feb-08	5.57	683.54	-	-	-	-	121	-	860	-	9.76	1 U	-	-
19-May-08	5.94	683.17	9.39	1346	0.66	-52.6	20	6.93	820 J	-	6.64	1 U	-	-
26-Aug-08	6.44	682.67	12.15	1495	0.85	-53.6	5.85	6.88	820	-	3.42	1 U	30300	-
18-Nov-08	5.50	683.61	10.5	975	1.87	-67.4	225	6.93	880 J	-	7.48	1 U	62500	-
11-Feb-09	5.62	683.49	7.67	877	0.98	-	68	7.28	810	-	5.2	1 U	50600	-
19-May-09	5.60	683.51	8.52	847	0.91	-63.4	52	8.21	750 J	-	2.51	1 U	49500	-
22-Sep-09	8.36	680.75	15.7	1149	0.1	132.1	75.1	7.05	910	-	6.6	2 U	53000	-
17-Dec-09	4.59	684.52	8.9	1300	0.4	194	401	7.08	710	-	2 U	2 U	62000	-
24-Mar-10	5.40	683.71	11.2	1010	0.12	-	226	6.76	800	-	3.8	2 U	46000	-
16-Jun-10	5.27	683.84	10.1	1123	0.2	188	6.19	8.43	570	-	13	2 U	49000	-
21-Sep-10	6.01	683.10	12.7	1314	0.19	177.7	2.97	6.91	1,000	-	6.2	0.19 J	160000	-
7-Dec-10	5.23	683.88	9.7	1183	0.23	182.7	25.3	6.86	840	-	3.2	2 U	82000	-
30-Mar-11	5.04	684.07	8.3	498	0.28	174	4.93	7.89	700	-	3.6	2 U	36000	-
28-Sep-11	7.83	681.28	12.6	99	0.18	141.8	6.07	6.83	840	-	8.8	2 U	83000	-
15-Dec-11	5.40	683.71	9	785	0.6	179.8	24.4	6.98	760	-	4.5 J	2 U	73000	-
20-Mar-12	4.96	684.15	7.1	1092	0.16	22.6	12.1	7.11	470	-	5.2	2 U	73000	-
19-Jun-12	6.76	682.35	10.3	1077	0.11	198.6	11.3	7.07	660	-	12	0.4 U	78000	-
20-Sep-12	8.67	680.44	12.3	1235	0.15	111	1.96	6.99	710	-	11	0.05 J	100000	-
18-Dec-12	4.98	684.13	8.7	1450	0.3	-40.6	18.7	7.25	740	-	4.8	0.4 U	150000	-
26-Feb-13	5.25	683.86	7.8	1211	0.15	186.6	27.8	7.21	740	-	4.7	0.4 U	98000	-
23-May-13	6.56	682.55	9.9	1000	0.18	242.3	16.9	7.21	460	-	14	2.8	150000	-
21-Aug-13	9.01	680.10	12.1	917	0.12	-14.2	1.24	7.27	772	-	7.6	0.05 J	94000	-
19-Nov-13	6.09	683.02	9.9	697	0.07	61.8	2.93	6.77	852	-	12.3	0.2	169000	-
1-Apr-14	5.75	683.36	9	722	0.1	131.3	4.47	7.07	624	-	10.5	0.06 J	104000	-
22-May-14	5.80	683.31	9.8	580	1.08	185.3	-	6.85	494	-	5.2	0.1	66500	-
13-Aug-14	8.54	680.57	11.48	915	2.85	-67.6	8.16	7.09	740	-	6.9	0.1 U	116000	-
12-Nov-14	5.97	683.14	11.1	313.7	2.79	-85.1	15.3	6.87	744	-	6.9	0.1 U	89100	-
12-Feb-15	5.50	683.61	9.8	980	0.52	-54.5	1.28	7.04	696	-	4.2	0.1 U	73200	-
4-May-15	5.80	683.31	10.8	994	0.17	143.4	15.4	7.12	701	-	9.3	0.1 U	100000	-
5-Aug-15	10.12	678.99	12.6	881	0.13	-90.4	0.89	7.07	724	-	7.3	0.1 U	70300	-
3-Nov-15	5.30	683.81	12	865	1.23	105.5	5.06	6.97	1020	-	1.7	0.2	195000	-
9-Feb-16	5.14	683.97	9.1	954	0.55	154.6	4.82	7.03	625	-	3.4	0.1 U	92700	-
2-May-16	4.74	684.37	11.3	844	0.19	96.8	2.21	7.16	621	-	10.5	0.04 J	105000	-
23-Aug-16	9.04	680.07	13.2	946	0.03	156.2	3.48	6.97	924	-	8.19	0.09 J	148000	-
1-Nov-16	6.18	682.93	11.9	349	0.15	18.5	2.43	7.11	744	-	2.63	0.1 U	180000	-
1-Feb-17	5.91	683.20	7.5	1114	0.17	-67.4	6.05	7.08	694	-	6.4	0.1 U	100000	-
30-May-17	7.40	681.71	10.4	753	2.2	8.59	3.28	7.12	465	-	9.52	0.1 U	89300	-
17-Aug-17	9.71	679.40	12.4	1101	0.25	-60.2	3.39	7.01	737	-	8.47	0.1 U	72000	-
9-Nov-17	6.06	683.05	9.6	833	0.64	75.3	2.01	7.08	748	-	1.84	0.1 U	191000	-
27-Feb-18	5.16	683.95	7.6	791	0.21	-75.4	9.52	6.64	506	-	2.97	0.1 U	92000	-
1-May-18	5.41	683.70	10	847	0.93	-	5.82	7.36	547	-	3.81	0.1 UJ	120000	-
21-Aug-18	10.81	678.30	14.54	909	2.96	-17.2	1.67	6.92	722	-	6.48	0.1 U	101000	-
7-Nov-18	5.85	683.26	11.2	931	0.66	179	0.87	6.97	828	-	2.03	0.073 J	202000 J+	-
11-Mar-19	5.26	683.85	6.1	477.5	1.25	53.7	2.39	7.34	486	-	1.44	0.1 U	125000	-
9-May-19	5.44	683.67	10.2	678	3.72	-9.4	1.85	7.04	574	-	3.02	0.083 J	143000	-
26-Aug-19	9.30	679.81	13.96	1041	0.6	Note 1	0.02	6.83	843	-	6.15	0.1 U	142000	-
13-Nov-19	5.58	683.53	9.4	803	0.31	12.8	0.02	6.97	724	-	2.2	0.077 J	174000	-
12-Feb-20	5.10	684.01	7.8	349.3	0.37	-62.4	1.4	7.25	287	-	1.86	0.1 U	74200	-
13-Aug-20	9.33	679.78	11.8	884	0.64	-81.6	4.28	6.76	683	-	10.9	0.1 U	119000	-

**Table A-2c: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-3A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
10-Dec-20	5.08	684.03	8.5	688	3.06	210	0.9	7.29	566	-	2.36	0.159	128000	-
4-Mar-21	5.26	683.85	7	364	0.59	47	1.54	7.42	319	-	1.52	0.134	74200	-
9-Jun-21	6.24	682.87	11.4	706	0.96	-50.2	4.12	7.03	540	-	6.48	0.204	124000	-
12-Oct-21	5.34	683.77	12.3	1611	2.92	133.4	5.25	6.63	1070 J-	15.6	3.31	0.4	93200	2.14
6-Jan-22	5.10	684.01	7.5	269.6	2.33	189.1	1.84	7.38	242	8.89	2.04	0.265	53400	2.61
17-Mar-22	4.97	684.14	7.5	269.6	2.33	189.1	1.84	7.38	252	3.39	1.98	0.169	53200	0.88
21-Jun-22	5.21	683.9	11.2	439.4	0.19	181.3	0.66	7.03	368	0.966	3.66	0.075 J	75400	0.39
13-Sep-22	11.25	677.86	15.3	910	4.92	85.7	9.15	6.49	689	0.973	5.42	0.137	91100	0.507
12-Dec-22	5.32	683.79	7.7	817	4.09	205.2	1.29	7.15	475	9.5	1.72	0.115 J+	99800	1.26
15-Mar-23	5.02	684.09	6.1	669.2	1.38	203.9	0.95	7.34	393	5.15	2.42	0.147	91100	1.19
26-Jun-23	7.35	681.76	11.7	802	0.65	-21.3	4.65	6.78	699	5.91	11.7	0.558	144000	1.07
6-Sep-23	13.95	675.16	13.8	1227	2.17	18	3.14	6.89	747 J-	0.717	4.08	0.126	95900	0.483
13-Dec-23	5.14	683.97	9.4	712	4.35	43.8	2.87	6.73	343	4.61	3.7	0.208	82900	0.816
5-Mar-24	5.05	684.06	7.5	620	5.62	93.3	4.58	6.74	356	1.55	4.65	0.336	66200	0.604
17-Jun-24	5.61	683.5	10.6	983	5.34	-34.5	0.58	7.06	544	1.16	9.66	0.134 J	118000	0.454
17-Sep-24	11.40	677.71	11.9	1206	6.77	199.9	9.95	6.6	779	1.09	11	0.286	90500	0.785 J
9-Dec-24	5.06	684.05	8.6	939	59.6	50.6	2.65	7.1	592	6.83	3.39	0.146	125000	0.676
24-Mar-25	4.87	684.24	9.1	1104	0.83	181	9.52	6.66	712	1.42	3.37	0.2 U	104000	0.418
9-Jun-25	7.55	681.56	12.7	1015	0.37	-61.2	2.8	7.18	631	2.75	12.8	1.00 U	101000	0.745 J
15-Sep-25	15.25	673.86	13	1390	0.77	-604.2	4.81	6.51	796	0.75 U	6.61	0.5 U	100000	0.7 J

Notes:

Top of casing elevation (feet NAVD88): 689.11

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2d: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-4A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Jul-05	4.60	700.85	12.43	629	-	-	6.07	6.45	490	-	2 U	2 U	-	-
10-Nov-05	3.70	701.75	11.98	441	-	-	7.4	6.22	290	-	1 U	1 U	-	-
19-Jan-06	3.56	701.89	8.29	319	0.42	-	1.46	6.53	290 J	-	1 U	1 U	-	-
15-Feb-06	3.82	701.63	8.32	326	0.62	99.7	3.5	7.39	220 J	-	1 U	1 U	-	-
15-Mar-06	3.79	701.66	7.58	254	0.87	201.9	0.82	6.65	210 J	-	1 U	1 U	-	-
7-Apr-06	3.87	701.58	9.36	295	0.55	157.4	0.24	6.34	220	-	1 U	1 U	-	-
16-May-06	4.92	700.53	10.8	321	0.45	142.1	0.99	6.36	220	-	1 U	1 U	-	-
23-Jun-06	4.41	701.04	12.62	316	0.57	-	2.05	6.25	200	-	1 U	2.64	-	-
20-Jul-06	6.90	698.55	13.43	347	0.23	-20.9	0.32	6.11	120	-	1 U	1 U	-	-
22-Aug-06	8.46	696.99	13.68	406	0.9	153.5	2.2	6.13	280	-	1 U	1 U	-	-
26-Sep-06	6.50	698.95	14.59	417	2.47	-35.2	2.42	6.33	290	-	1 U	1 U	-	-
26-Oct-06	5.98	699.47	12.82	434	3.3	124.1	0.82	6.12	320	-	1 U	1 U	-	-
13-Nov-06	3.02	702.43	11.7	386	5.06	187.8	2.47	6.13	280	-	1 U	1 U	-	-
20-Dec-06	3.60	701.85	9.64	379	4.3	150.5	1.03	6.07	250	-	1 U	1 U	-	-
23-Jan-07	3.68	701.77	8.37	239	3.96	58.9	0.66	6.28	220	-	1 U	1 U	-	-
14-Feb-07	3.74	701.71	8.18	325	2.85	110.8	0.53	6.25	210	-	1 U	1 U	-	-
27-Mar-07	3.32	702.13	8.27	289	2.07	61.5	0.88	6.83	210 J	-	1 U	1 U	-	-
17-Apr-07	3.89	701.56	9.59	306	1.8	102.3	2.31	6.34	190	-	1 U	1 U	-	-
30-May-07	4.70	700.75	11.27	285	1.78	101.7	1.37	6.37	180	-	1 U	1 U	-	-
20-Jun-07	4.69	700.76	12.37	350	1.67	9.3	1.25	6.9	240 J	-	1 U	1 U	-	-
31-Jul-07	6.38	699.07	14.57	402	1.15	5.5	0.6	6.37	250	-	1.29	1 U	-	-
29-Aug-07	7.44	698.01	13.78	353	1.11	128.3	1.87	6.18	280 J	-	1 U	1 U	-	-
27-Sep-07	8.25	697.20	13.6	375	0.96	142.6	0.7	6.7	300	-	1 U	1 U	-	-
29-Nov-07	3.93	701.52	10.13	428	3.17	197.3	1.63	6.32	270	-	1 U	1 U	-	-
12-Dec-07	5.82	699.63	9.51	384	3.37	185	0.8	6.06	260	-	1 U	1 U	-	-
24-Jan-08	3.86	701.59	7.74	354	3.09	109	-	6.35	250	-	1 U	1 U	-	-
28-Feb-08	4.04	701.41	-	-	-	-	1.06	-	220	-	1 U	1 U	-	-
19-May-08	4.35	701.10	9.79	329	1.38	209.2	1.2	6.08	200 J	-	1 U	1 U	-	-
26-Aug-08	7.83	697.62	12.66	431	1.38	210.5	0.28	6.19	270	-	1 U	1 U	3000 U	-
18-Nov-08	3.64	701.81	10.43	235	3.95	217.5	0.66	6.03	210	-	1 U	1 U	3000 U	-
11-Feb-09	4.09	701.36	7.24	188	2.13	-	0.12	6.54	180	-	1 U	1 U	3000 U	-
19-May-09	3.79	701.66	8.19	173	1.28	111.9	1.78	7.18	170 J	-	1 U	1 U	3000 U	-
22-Sep-09	9.70	695.75	16.5	440	0.82	383.3	12.5	6.31	370 J	-	2 U	2 U	1200 J	-
17-Dec-09	3.47	701.98	9.2	311	4.37	470	16	6.25	110	-	2 U	2 U	700 J	-
24-Mar-10	3.87	701.58	9.4	410	0.34	204.8	30.7	6.65	240	-	0.81 J	2 U	1300 J	-
16-Jun-10	3.77	701.68	10.3	298	0.99	397.8	1.11	7.4	180	-	3.6	2 U	900 J	-
21-Sep-10	5.82	699.63	13.7	350	1.01	302.5	1.04	6.25	200	-	1.4 J	0.2 J	1200 J	-
7-Dec-10	3.83	701.62	9.6	283	0.72	405.6	0.42	6.16	190	-	2 U	2 U	800 J	-
30-Mar-11	3.91	701.54	8.2	133.3	0.51	248.2	0.29	9.87	140 J	-	0.35 J	2 U	5000	-
22-Jun-11	3.99	701.46	11	219.3	0.16	222.5	0.22	6.13	160	-	5 U	2 U	700 J	-
28-Sep-11	8.54	696.91	14.3	34.5	0.26	333.9	2.45	6.3	270	-	5 U	2 U	2100 J	-
15-Dec-11	4.12	701.33	9.4	217	1.15	414.3	2.74	6.28	200	-	5 U	2 U	1200 J	-
21-Mar-12	3.35	702.10	8.4	346	0.42	438.4	0.48	6.14	220	-	4.8	0.4 U	1300 J	-
19-Jun-12	3.78	701.67	11.3	290.1	0.09	314	0.46	6.28	170 J+	-	1.3	0.4 U	3300 U	-
20-Sep-12	8.53	696.92	14.4	419	0.26	309	1.07	6.39	240	-	1.6	0.4 U	2900 J	-
18-Dec-12	3.49	701.96	9.1	491	2.56	264.4	1.38	6.63	170	-	1 U	0.4 U	1200 J	-
26-Feb-13	3.91	701.54	8.4	324	2.59	404.2	1.01	7.03	140	-	1.1	0.4 U	3400	-
23-May-13	3.76	701.69	10.6	338	1.15	465.9	0.57	6.31	190	-	1 U	0.4 U	3300 U	-
22-Aug-13	8.28	697.17	13.1	284.2	0.33	32.2	0.89	6.34	220	-	0.4	0.1 U	1260	-
19-Nov-13	3.33	702.12	10.3	323	1.7	109.2	0.64	6.27	200	-	0.2	0.1 U	750	-
1-Apr-14	3.69	701.76	8.2	243.6	0.45	180.7	0.28	6.33	173	-	0.18 J	0.1 U	710	-
22-May-14	4.52	700.93	10.8	195	0.65	75	-	7.2	152	-	0.3	0.1	600	-
13-Aug-14	7.56	697.89	12.62	269	0.44	37.7	1.12	5.89	181	-	0.8	0.1 U	890	-
12-Nov-14	3.73	701.72	11.7	230.9	1.29	108.2	1.32	6.17	191	-	0.3	0.1 U	950	-
11-Feb-15	3.50	701.95	9.2	270.4	0.53	-34.2	0.73	6.3	170	-	0.2	0.1 U	680	-
4-May-15	4.69	700.76	10.9	249.5	0.28	378.1	0.57	6.29	341	-	0.2	0.1 U	610	-
5-Aug-15	9.44	696.01	13.9	316	0.72	-38.1	1.16	6.45	262	-	0.3	0.1 U	1230	-
3-Nov-15	4.21	701.24	11.8	192.2	8.59	205.6	5.39	6.34	166	-	0.2 J	0.1 U	790	-
9-Feb-16	3.82	701.63	9.2	291.8	4.61	230.7	0.49	6.45	164	-	0.17 J	0.1 U	790	-
3-May-16	4.61	700.84	10.9	310	2.39	253	1.01	6.34	178	-	0.3	0.01 J-	940	-

**Table A-2d: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-4A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
24-Aug-16	8.76	696.69	13.2	286.7	1.24	490.4	1.01	6.35	177	-	0.2 J	0.1 U	840	-
1-Nov-16	3.34	702.11	12.2	100	3.69	177.2	0.4	6.38	205	-	0.19 J	0.1 U	971	-
2-Feb-17	3.94	701.51	7.8	363	3.11	190	0.1	6.39	223	-	0.17 J	0.1 U	819	-
31-May-17	4.68	700.77	10.3	300	4.5	-	2.48	6.3	182	-	0.203	0.1 U	795	-
18-Aug-17	8.61	696.84	12.7	393	0.51	120.2	0.87	6.44	228	-	0.308	0.1 U	1300	-
10-Nov-17	3.58	701.87	11	264.4	3.88	56.5	0.76	6.01	217	-	0.186 J	0.1 U	669	-
27-Feb-18	3.76	701.69	8.3	302.1	3.19	221.1	0.55	6.29	238	-	0.176 J	0.1 U	875	-
2-May-18	4.02	701.43	10	343	3.02	-	0.59	6.36	215	-	0.15 J	0.1 UJ	980	-
22-Aug-18	9.35	696.10	12.17	330	1.99	142	2.31	6.27	265	-	0.315	0.1 U	1230	-
7-Nov-18	5.25	700.20	11.7	316.7	5.45	124.4	0.76	6.23	250	-	0.199 J	0.1 U	843	-
11-Mar-19	3.96	701.49	7.6	226.3	3.96	220.8	0.7	6.38	233	-	0.146 J	0.1 U	918	-
9-May-19	4.70	700.75	12.5	282.5	3.6	82.3	1.56	6.14	230	-	0.154 J	0.1 U	816	-
26-Aug-19	8.20	697.25	13.13	374	0.86	Note 1	0.02	6.3	264	-	0.3	0.1 U	928	-
14-Nov-19	4.35	701.10	10.8	309.4	3.19	109.5	0.02	6.15	240	-	0.251	0.1 U	894	-
13-Feb-20	3.70	701.75	7.9	283.7	2.98	102.2	0.91	6.18	283	-	0.176 J	0.1 U	859	-
13-Aug-20	7.73	697.72	13.5	334.3	0.62	58.3	0.51	6.19	238	-	0.711	0.1 U	921	-
10-Dec-20	3.45	702.00	9.8	364	6.11	169	1.56	6.51	297	-	0.296	0.1 U	1260	-
4-Mar-21	3.72	701.73	8.3	304	2.83	137	0.49	6.47	255	-	0.192 J	0.1 U	876	-
10-Jun-21	5.32	700.13	11.9	338.7	1.23	108.5	0.73	6.09	220	-	0.228	0.1 U	787	-
15-Oct-21	7.69	697.76	12.6	341.3	6.91	133.9	20.5	6.37	363 J-	0.18 J	0.99	0.151	1480	4.09
7-Jan-22	3.40	702.05	8.7	248.4	4.37	211.1	3.08	6.29	270	0.2 U	0.383	0.1 U	774 J	1.73
18-Mar-22	3.52	701.93	9.1	340.6	3.26	123.8	1.85	6.63	320	0.2 U	0.279	0.1 U	1140	1.53
22-Jun-22	3.83	701.62	10.1	327.8	1.36	114.5	0.46	6.36	263	0.2 U	0.201	0.1 U	666	1.16
14-Sep-22	8.9	696.55	13.4	389.4	2.46	87.6	2.53	6.02	330	0.2 U	0.385	0.1 U	1080	1.19
14-Dec-22	3.88	701.57	9.1	278	7.03	135.4	0.44	6.35	224	0.2 U	0.188 J	0.1 U	583	1.42
16-Mar-23	3.39	702.06	7.9	468.9	4.44	111.7	2.92	6.3	264	0.2 U	0.159 J	0.1 U	616	1.13
27-Jun-23	6.27	699.18	11.4	308.1	3.02	74.9	1.06	6.2	246	0.2 U	0.19 J	0.5 U	745	1.24
8-Sep-23	9.88	695.57	12.8	560.7	1.14	57.3	9.67	6.45	329 J-	0.101 U	0.317	0.0513 U	1170	1.14
14-Dec-23	3.78	701.67	9.7	497	6.6	227.1	1.2	6.37	255	0.202 U	0.218 J	0.257 U	527	1.25
7-Mar-24	3.72	701.73	8.7	576	4.82	171.9	0.66	6.37	320	0.202 U	0.4 U	0.103 U	708	1.18
17-Jun-24	4.00	701.45	10.8	451.3	6.22	77.4	0.62	6.26	226	0.202 U	0.18 J	0.103 U	452 J	0.85
17-Sep-24	8.33	697.12	12.2	576	6.2	132	1.9	6.38	304	0.202 U	0.482	0.103 U	931	2.42 J
12-Dec-24	3.67	701.78	9.5	583	0.59	153.2	0.95	6.35	341	0.150 U	0.338	0.0680 U	1180	0.864
24-Mar-25	3.42	702.03	9.3	558.7	2.28	91	6	6.39	324	0.3 U	0.3 J	0.2 U	1050	0.592
9-Jun-25	6.24	699.21	13.4	505	0.63	79.4	2.62	6.52	270	0.75 U	0.5 U	0.5 U	831	0.58 J
15-Sep-25	10.20	695.25	14.1	648	0.94	-496.2	4.5	6.18	347	0.75 U	0.5 U	0.5 U	1470	1.19

Notes:

Top of casing elevation (feet NAVD88): 705.45

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

Table A-2e: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-5A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Jul-05	33.33	577.90	12.02	956	-	-	496	7.34	600	-	2.01	2 U	-	-
10-Nov-05	29.62	581.61	11.24	1212	-	-	27.6	7.32	800	-	8.4	1 U	-	-
15-Feb-06	21.70	589.53	6.45	665	2.59	280.3	11.1	7.86	520 J	-	22.3	1 U	-	-
17-May-06	29.80	581.43	7.74	831	0.88	101.9	8.67	7.79	580	-	11	1 U	-	-
23-Aug-06	33.25	577.98	15.19	737	1.76	33.5	19.6	7.32	660	-	2.53	1 U	-	-
14-Nov-06	17.79	593.44	10.86	699	4.5	76.3	38.7	7.55	490	-	3.15	1 U	-	-
16-Feb-07	27.08	584.15	8.08	630	6.07	2.3	57.6	8.26	500	-	14.4	1 U	-	-
30-May-07	30.75	580.48	9.6	894	2.59	13.3	13.4	7.76	540	-	8.43	1 U	-	-
29-Aug-07	33.60	577.63	9.56	684	7.64	67	-	7.1	670 J	-	1.97	1 U	-	-
29-Nov-07	30.60	580.63	11	1075	3.53	151.5	23.5	8.37	560	-	5.17	1 U	-	-
27-Feb-08	25.68	585.55	-	-	-	-	29.9	-	400	-	10.7	1 U	-	-
20-May-08	29.73	581.50	7.93	768	4.27	180.7	77.8	7.39	480 J	-	5.67	1 U	-	-
27-Aug-08	33.97	577.26	10.17	862	4.07	81.2	-	7.43	540 J	-	1.17	1 U	87500	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	33.55	577.68	8.89	845	5.39	86.3	852	7.53	440 J	-	1.03	1 U	90700	-
20-Nov-08	23.48	587.75	9.34	577	5.27	234.3	9.48	7.5	470	-	6.24	2 U	138000	-
30-Dec-08	20.88	590.35	8.39	510	8.89	99	44.8	8.02	430 J	-	14.2	1.11	138000	-
15-Jan-09	18.50	592.73	4.97	347	8.9	154.8	17.2	8.47	380	-	24.4	1 U	104000	-
12-Feb-09	27.90	583.33	8.47	-	10.21	-	22	7.6	420 J	-	6.11	1 U	99000	-
12-Mar-09	29.19	582.04	7.47	521	6.15	171.7	26.8	7.39	480	-	8.97	1 U	124000	-
16-Apr-09	21.70	589.53	6.99	456	7.6	151.6	72.7	8.66	470	-	28.2	1.01	126000	-
19-May-09	28.37	582.86	8.08	509	6.38	64.4	31.3	8.07	450 J	-	9.19	1 U	105000	-
23-Jun-09	31.95	579.28	8.84	551	5.97	69.1	74.3	8.28	500	-	4.3	2 U	71000	-
24-Sep-09	35.29	575.94	11.7	714	2.28	371.9	258	7.26	550 J	-	0.76 J	0.17 J	88000	-
15-Dec-09	26.11	585.12	8.6	928	2.89	544	89	7.14	450	-	1.1 J	2 U	110000	-
24-Mar-10	27.86	583.37	8.3	697	3.52	505.1	18.1	7.47	450	-	23	0.46 J	110000	-
16-Jun-10	21.35	589.88	10.7	783	2.07	379	41.4	7.73	340	-	53	0.0021	150000	-
22-Sep-10	33.88	577.35	10.4	938	4.3	467.1	7.93	7.1	620	-	5	2 U	100000	-
7-Dec-10	25.22	586.01	10.2	781	3.86	353.7	11.1	7.39	500	-	12	0.53 J	130000	-
29-Mar-11	23.59	587.64	7	354	3.47	708	22.22	9.52	440 J	-	63	1.4 J	140000	-
21-Jun-11	28.33	582.90	11.6	1000	2.22	285.3	10.6	9.06	1100 J	-	43	1.2 J	180000	-
27-Sep-11	34.70	576.53	12.7	641	1.46	307.2	12.8	7.3	680	-	5 U	0.23 J	100000	-
14-Dec-11	29.46	581.77	9.5	691	1.95	757.1	9.69	7.35	690	-	6.9	0.18 J	180000	-
20-Mar-12	19.50	591.73	6.2	841	3.98	320.2	8.52	8.25	350	-	26	1 J	140000	-
19-Jun-12	27.91	583.32	10.2	800	3.22	365.9	2.76	7.66	510	-	8.7	0.4 U	120000	-
20-Sep-12	34.53	576.70	11	859	0.73	387	46.8	7.64	530	-	2.6	0.4 U	100000	-
19-Dec-12	21.26	589.97	8.9	983	1.73	279	778	7.71	530	-	11	0.62	180000	-
25-Feb-13	27.19	584.04	7.5	682	7.61	330.5	4.36	7.85	380	-	13	0.15 J	74000	-
22-May-13	29.09	582.14	8.8	828	3.88	411.4	8.11	8.29	350	-	25	0.53	100000	-
21-Aug-13	35.15	576.08	17.1	1248	3.41	114.2	144	7.78	1060	-	1.5	0.05 J	95000	-
20-Nov-13	27.45	583.78	10	1032	4.13	196.5	31.7	7.18	699	-	14.5	1.4	202000	-
1-Apr-14	21.08	590.15	8.4	567	3.04	168.2	15.7	10.24	413	-	62.7	1.5	150000	-
21-May-14	26.11	585.12	10.3	670	0.49	198.4	-	7.45	565	-	95	1.6	166000	-
12-Aug-14	34.56	576.67	14.07	812	3.64	87.7	1519	7.51	560	-	3	0.1 U	107000	-
13-Nov-14	29.48	581.75	12.9	1135	3.5	241.7	10.46	7.69	956	-	20.8	0.1	295000	-
11-Feb-15	20.81	590.42	7.7	619	6.17	81.4	18	9.63	430	-	39.2	1.3	126000	-
4-May-15	29.80	581.43	10.5	924	2.54	361.3	8.7	9.74	623	-	42.3	0.5	192000	-
6-Aug-15	36.08	575.15	12.8	781	2.4	129.6	261	7.24	DRY	-	DRY	DRY	DRY	-
4-Nov-15	30.80	580.43	10.7	1234	4.98	205.6	11.8	7.13	1130	-	6.6	0.3	318000	-
10-Feb-16	23.56	587.67	6.4	602	1.62	197.7	11.9	10.19	451	-	132	1.4	148000	-
2-May-16	30.19	581.04	11.5	1008	0.8	110.6	9.76	10.14	751	-	171	2.7 J	232000	-
23-Aug-16	35.79	575.44	13.1	729	2	436.2	51.4	7.2	1010	-	4.01	0.1 U	137000	-
2-Nov-16	29.06	582.17	10.9	570	4.98	103.1	32.1	7.55	1180	-	11.2	0.56	372000	-
1-Feb-17	26.86	584.37	8.1	992	2.21	99.7	7.19	9.73	632	-	109	0.971	194000	-
30-May-17	26.86	584.37	10.5	814	6.12	5.83	5.74	9.73	487	-	42.5	0.36 J+	168000	-
17-Aug-17	34.23	577.00	11.7	1054	5.43	125.1	5.68	7.65	731	-	6.52	0.1 U	156000	-
10-Nov-17	29.96	581.27	10	1077	4.65	85.2	10.5	7.18	953	-	5.82	0.338	308000	-
27-Feb-18	23.02	588.21	7.7	584	1.91	120.4	12.6	9.96	530	-	86.3	0.642	174000	-

Table A-2e: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-5A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
1-May-18	24.85	586.38	9.1	1082	2.16	-	11.8	10.34	682	-	113	0.775 J+	196000	-
21-Aug-18	35.17	576.06	14.83	1095	4.02	131	123	7.4	936	-	3.65	0.1 U	214000	-
6-Nov-18	32.00	579.23	10.3	1192	5.93	198.1	2.35	7.49	1200	-	4.87	0.077 J	163000 J+	-
13-Mar-19	25.12	586.11	7.4	695	2.19	189.7	15.8	9.48	632	-	44.1	0.633	200000	-
8-May-19	27.89	583.34	10.7	844	4.95	60.5	5.19	9.3	697	-	41.9	0.677	182000	-
26-Aug-19	35.02	576.21	11.89	1111	1.52	Note 1	22.9	7.26	995	-	2.46	0.1 U	177000	-
13-Nov-19	33.00	578.23	9.8	932	5.27	66.1	0.02	7.18	776	-	3.89	0.1 U	211000	-
12-Feb-20	18.23	593.00	7	533	7.58	140.4	10.6	8.32	463	-	6.31	0.145	183000	-
12-Aug-20	34.50	576.73	11.2	1381	-	4	125	7.52	1250	-	5.37	0.1 U	333000	-
9-Dec-20	29.90	581.33	9.8	1105	4.51	222	8.32	7.29	897	-	3.12	0.295	263000	-
3-Mar-21	24.81	586.42	9.2	899	3.04	225	3.09	7.6	792	-	3.74	0.132	247000	-
9-Jun-21	33.20	578.03	9.3	875	5.23	184	1.26	7.27	700	-	2.62	0.063 J	205000	-
13-Oct-21	31.70	579.53	9.5	1934	5.97	194	9.56	7.22	DRY	DRY	DRY	DRY	DRY	DRY
5-Jan-22	23.00	588.23	9.2	972	4.7	271.1	1.4	7.18	829	6.42	3.38	0.085 J	252000	1.8
16-Mar-22	21.48	589.75	7.8	724	7.0	187	2.65	6.6	711	6.01	4.02	0.11	223000	1.52
23-Jun-22	25.74	585.49	9.6	969	3.5	173.1	1.13	7.38	881	5.49	3.29	0.093 J	251000	1.82
23-Sep-22	35	576.23	11.5	1640	3.45	223.6	1.35	7.42	1720	4.57	3.21	0.156 J	455000	1.58
13-Dec-22	30.22	581.01	10.4	928	7.08	109.2	2.27	7.04	634	3.54	1.89	0.105 J+	173000	1.25
13-Mar-23	27.15	584.08	8.1	1685	5.49	172.5	1.43	7.47	1090	5.83	3.39	0.068 J	318000	1.64
26-Jun-23	32.57	578.66	11.1	1559	4.28	74.7	1.29	7.49	1510	6.99	4.55	0.2 U	475000	2.17
5-Sep-23	35.67	575.56	Insufficient depth of water to sample											
12-Dec-23	19.96	591.27	9.7	1260	6.44	152.6	2.92	7.07	847	4.62	2.69	0.103 U	225000	1.71
4-Mar-24	24.62	586.61	8.4	1191	6.08	237	0.63	7.35	984 J	6.37	4.28	0.103 U	294000	1.62
18-Jun-24	30.41	580.82	9.9	2586	8.65	176.1	0.88	7.51	1430	7.1	3.91	0.103 U	456000	1.81
16-Sep-24	34.45	576.78	10.8	1940	7.65	228.6	4.82	7.54	1340	6.16	4.56	0.244	986000	1.82
11-Dec-24	28.94	582.29	9.7	1717	3.17	194.8	3.04	7.15	1090	5.52	2.66	0.165	317000	1.6
26-Mar-25	22.77	588.46	8.1	1449	8.6	178.5	2.84	7.24	912	4.63	3.31	0.2 U	272000	1.43
11-Jun-25	32.35	578.88	10.1	1229	5.8	91.2	0.27	7.31	727	3.22	2.01	0.5 U	203000	0.985 J
17-Sep-25	35.70	575.53	16.9	1972	8.27	-260.5	1.34	7.13	1410	1.68	1.49	0.5 U	288000	0.995 J

Notes:

Top of casing elevation (feet NAVD88): 611.23

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

DRY Well went dry during sampling. Unable to collect sample.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2f: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-6A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Jul-05	30.89	578.06	15.26	735	-	-	303	7.6	612	-	2 U	2 U	-	-
10-Nov-05	27.25	581.70	11.79	700	-	-	13.7	7.51	460	-	2.16	1 U	-	-
15-Feb-06	19.42	589.53	6.17	759	2	162.9	9.42	8.27	550 J	-	7.54	1 U	-	-
17-May-06	27.55	581.40	11.99	835	1.31	248.3	4.16	7.46	550	-	11	1 U	-	-
23-Aug-06	30.99	577.96	15.92	862	1.6	-26.4	15.5	7.4	810	-	1.34	1 U	-	-
14-Nov-06	15.30	593.65	10.56	712	4.59	84.1	14.5	7.32	500	-	1.71	1 U	-	-
16-Feb-07	24.22	584.73	8.49	581	3.64	38.6	139	7.21	420	-	1.6	1 U	-	-
30-May-07	28.50	580.45	13.93	1092	2.72	180.7	210	7.4	740	-	16.2	1 U	-	-
29-Aug-07	31.34	577.61	10.15	701	4.48	84.8	662	7.8	620 J	-	1.41	1 U	-	-
29-Nov-07	28.32	580.63	11.3	731	6.23	154	-	6.26	420	-	1.78	1 U	-	-
27-Feb-08	23.42	585.53	-	-	-	-	-	-	410	-	1.47	1 U	-	-
20-May-08	27.49	581.46	8.14	791	3.93	176.5	-	7.64	540 J	-	8.18	1 U	-	-
27-Aug-08	31.72	577.23	9.33	776	4.83	142	-	7.32	660 J	-	1.86	1 U	109000	-
26-Sep-08	Test Trench Drain Line Installed													
16-Oct-08	31.29	577.66	9.17	923	4.6	115.4	-	7.13	590 J	-	1.85	1 U	106000	-
20-Nov-08	21.18	587.77	9.7	578	5.22	249.4	11.7	7.4	460	-	4.42	2 U	110000	-
30-Dec-08	18.64	590.31	8.45	448	9.27	137.9	75.8	7.89	370 J	-	11.9	1.14	106000	-
15-Jan-09	16.23	592.72	6.84	344	9.25	181.9	2.77	7.47	320	-	4.88	1 U	72900	-
12-Feb-09	25.64	583.31	7.89	-	10.82	-	71.7	7.7	420	-	11	1 U	103000	-
12-Mar-09	26.92	582.03	7.27	524	8.31	166.7	116	7.76	500	-	23.5	1 U	125000	-
16-Apr-09	19.46	589.49	7.33	406	7.57	182.8	91.8	8.33	430	-	24.1	1.09	101000	-
19-May-09	26.10	582.85	9.07	554	6.39	65.6	161	8.32	550 J	-	13.4	1 U	115000	-
23-Jun-09	29.67	579.28	9.51	522	6.05	71.4	-	8.17	540	-	3.1	2 U	74000	-
24-Sep-09	32.93	576.02	10.6	745	4.02	361.3	29.8	7.27	560 J	-	0.28 J	2 U	100000	-
15-Dec-09	23.87	585.08	9.5	815	4.2	556	20	7.15	450	-	2 U	2 U	120000	-
24-Mar-10	25.61	583.34	8.5	704	4.93	205.6	20.5	8.53	490	-	47	0.9 J	140000	-
16-Jun-10	19.11	589.84	10.4	553	4.79	399.8	13.4	7.22	310	-	16	2 U	90000	-
22-Sep-10	31.61	577.34	11.3	1019	3.89	413.8	20.3	7.1	770	-	6.2	0.24 J	130000	-
8-Dec-10	23.10	585.85	87.9	751	6.24	437.1	9.55	8.77	520	-	43	1.3 J	130000	-
29-Mar-11	21.32	587.63	7.1	303	4.76	809.4	13.4	9.35	350 J	-	43	0.55 J	110000	-
21-Jun-11	26.04	582.91	11.2	840	3.24	300.2	8.5	8.4	790	-	18	0.58 J	110000	-
28-Sep-11	32.43	576.52	10.9	66.6	3.92	415.6	8.32	7.3	590	-	5 U	0.19 J	110000	-
14-Dec-11	27.19	581.76	9	605	1.56	329.9	21.9	7.89	570	-	11	0.79 J	150000	-
20-Mar-12	17.23	591.72	6.7	639	5.03	362.5	59.9	7.79	200	-	17	2 U	79000	-
19-Jun-12	25.63	583.32	9.6	681	5.24	373.2	5.94	7.43	430	-	7.4	0.4 U	76000	-
19-Sep-12	32.12	576.83	11.7	786	3.49	290	7.36	7.38	460	-	5.7	0.4 U	81000	-
19-Dec-12	19.00	589.95	8.9	977	4.55	308	26.9	7.98	440	-	20	1.3	150000	-
25-Feb-13	24.93	584.02	7.1	766	7.59	306.9	6.18	8.2	450	-	34	0.73	120000	-
22-May-13	26.84	582.11	9.1	705	3.94	412.9	5.97	9.33	430	-	43	0.52	140000	-
21-Aug-13	32.84	576.11	11.2	879	4.54	110.2	8.28	8.28	548	-	9.5	0.1 U	106000	-
20-Nov-13	25.21	583.74	11.1	1264	4.69	201.4	30.8	7.55	640	-	24.9	1.9	163000	-
1-Apr-14	18.81	590.14	8.4	448	3.5	194.9	14.7	8.87	342	-	14.8	0.3	78400	-
21-May-14	23.84	585.11	10.6	122	1.32	199.3	-	8.46	352	-	18	0.2	80400	-
13-Aug-14	32.25	576.70	12.46	796	5.77	54	8.01	8.68	628	-	16.1	0.1 U	165000	-
13-Nov-14	27.21	581.74	13.3	837	4.02	234.3	11.4	8.63	711	-	44.1	0.4	203000	-
11-Feb-15	18.54	590.41	8.4	609	1.75	16	87.4	9.71	435	-	36.2	1	117000	-
4-May-15	27.52	581.43	9.9	974	3.27	356.5	12.3	10.14	654	-	41.6	0.5	199000	-
6-Aug-15	33.98	574.97	11.7	822	1.77	113.7	4.02	8.83	670	-	19.1	0.1 U	210000	-
4-Nov-15	28.51	580.44	11.7	1207	4.85	206.3	21.2	7.48	1090	-	7.7	1	370000	-
10-Feb-16	20.96	587.99	6.9	712	2.3	145.8	20.1	10.82	575	-	121	1.1	173000	-
2-May-16	28.91	580.04	10.6	1856	0.19	111.2	15.6	11.53	1010	-	199	2.5 J-	347000	-
23-Aug-16	33.58	575.37	11.4	1241	0.43	462	8.89	9.51	1150	-	38.9	0.341	349000	-
2-Nov-16	26.92	582.03	11.6	409	5.05	14.4	40.6	9.15	911	-	25.6	1.49	297000	-
1-Feb-17	24.61	584.34	6.2	1757	2.34	72.1	11.7	11.97	880	-	141	0.336	283000	-
30-May-17	24.56	584.39	10.8	1026	2.45	5.69	16.9	10.5	629	-	72.8	0.52 J+	210000	-
17-Aug-17	32.04	576.91	13.1	1019	3.94	87.3	42.7	9.36	726	-	20.3	0.15	219000	-
10-Nov-17	27.72	581.23	11.6	1090	4.17	109.6	38.2	9.12	931	-	24.3	2.77	356000	-
27-Feb-18	20.78	588.17	7	823	3.99	59.3	12	11.29	635	-	99.3	0.561	203000	-
1-May-18	22.58	586.37	8.9	1442	3.52	-	17.7	11.49	817	-	119	0.831 J+	250000	-
21-Aug-18	33.09	575.86	13.18	1153	1.01	139.8	9.68	10.06	989	-	53.6	0.345	334000	-
6-Nov-18	29.74	579.21	11.1	1719	3.85	218.4	6.49	8.13	1860	-	3.04	0.367	701000 J+	-

**Table A-2f: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-6A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
13-Mar-19	22.90	586.05	5.8	748	5.04	145.7	32	10.55	737	-	39.1	0.455	246000	-
8-May-19	25.63	583.32	9.1	936	5.95	75.9	7.6	10.38	747	-	54.7	1.27	246000	-
26-Aug-19	32.90	576.05	11.18	1622	0.88	Note 1	6.57	8.97	1510	-	18.8	0.507	478000	-
13-Nov-19	30.92	578.03	10.2	1320	1.45	172.7	5.1	8.33	1140	-	6.31	0.1 U	422000	-
12-Feb-20	15.95	593.00	7.7	437.7	1.4	150.6	19.7	8.13	379	-	2.12	0.1 U	122000	-
12-Aug-20	32.30	576.65	11	2360	2.25	162.9	13.4	8.16	2060	-	6.28	0.088 J	709000	-
9-Dec-20	27.60	581.35	10.8	1750	1.95	209	22	8.22	1500	-	3.14	0.984	539000	-
3-Mar-21	22.58	586.37	7.1	760	1.74	208	5.6	8.04	722	-	3.09	0.307	243000	-
9-Jun-21	31.07	577.88	9.8	2077	4.83	197.3	1.81	8.08	1900	-	5.03	0.094 J	707000	-
13-Oct-21	29.39	579.56	11.2	2509	4.77	188.6	13.1	7.64	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	20.72	588.23	7.3	1136	8.21	229.4	2.04	7.98	1040	7.89	2.41	0.115	333000	0.912
16-Mar-22	19.23	589.72	7.3	828	7.3	176.4	3.63	7.57	808	7.90	2.85	0.155	255000	0.935
23-Jun-22	23.49	585.46	11.2	916	3.74	163.1	0.76	7.66	836	7.00	2.09	0.073 J	265000	0.977
23-Sep-22	32.92	576.03	14.8	2281	3.73	199.3	2.05	8.05	2150	7.64	4.97	0.2 U	646000	2.52
13-Dec-22	27.98	580.97	12.4	1915	6.1	80.4	3.77	7.98	1350	12.4	5.64	0.865 J+	495000	1.26
14-Mar-23	24.91	584.04	6.8	2029	8.44	212.6	0.76	7.71	1190	6.7	1.87	0.1 U	387000	0.801
28-Jun-23	30.50	578.45	11	1640	2.57	222.4	1.22	7.78	1310	7.07	3.92	0.052 J	446000	1.73
5-Sep-23	Below Pump	-	11.6	2869	4.79	184.9	4.83	7.9	1930 J-	7.37	4.56	0.1	566000	2.33
12-Dec-23	17.75	591.2	9.4	1170	7.75	137.3	4.99	7.33	766	6.48	2.09	0.254	266000	1
4-Mar-24	22.36	586.59	7.3	1215	7.46	232.5	0.84	7.59	1070 J	7.92	2.83	0.103 U	359000	0.928
18-Jun-24	28.14	580.81	7.72	1515	11.01	176	0.49	7.72	784	5.06	1.49	0.103 U	270000	0.458
16-Sep-24	32.34	576.61	11.4	2433	8.03	235.6	2.04	7.74	1830	6.33	3.87	0.103 U	495000	1.76
11-Dec-24	26.68	582.27	10.4	2032	4.94	164.9	1.75	7.5	1360	8.89	2.23	0.176	444000	0.898
26-Mar-25	20.57	588.38	7.1	1623	9.61	181.5	9.06	7.5	977	6.55	2.1	0.2 U	328000	0.972
11-Jun-25	30.06	578.89	9.5	1203	6.8	92	0.84	7.5	731	3.59	1.42	0.5 U	245000	0.62 J
16-Sep-25	Below Pump	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:

Top of casing elevation (feet NAVD88): 608.95

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

DRY Well went dry during sampling. Unable to collect sample.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2g: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-7A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
13-Oct-21	13.61	579.08	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
10-Jan-22	4.73	587.96	7.00	467	5.45	197.0	2.99	7.34	419	3.89	2.07	0.1 U	98000	1.04
21-Mar-22	3.21	589.48	7.3	691	6.38	66.2	1.52	7.46	632	6.23	2.88	0.071 J	179000	1.34
22-Jun-22	7.45	585.24	12	541	1.88	107.5	0.47	7.21	387	2.91	1.78	0.1 U	65500	1.19
14-Sep-22	16.9	575.79	13.6	548	4.46	141	0.5	6.31	444	1.63	1.49	0.1 U	54000	1.16
14-Dec-22	12	580.69	8	514	5.35	170.1	0.41	7.07	335	1.64	1.18	0.1 U	42700	0.798
17-Mar-23	8.90	583.79	5.3	755	2.7	205.3	0.85	7.16	412	1.51	1.45	0.1 U	55300	0.774
28-Jun-23	14.57	578.12	13	561	0.46	119.6	0.42	6.83	364	0.785	1.24	0.407	26200	1.02
7-Sep-23	17.51	575.18	12	868	4.05	44	0.47	6.87	493 J-	1.3	1.43	0.0513 U	35100	1.07
15-Dec-23	2.53	590.16	9.2	1163	6.27	354.3	4.79	7.22	577	4.03	1.95	0.103 U	113000	1.25
6-Mar-24	6.52	586.17	6.4	850	7.35	254.1	0.66	7.24	588	3.01	2.14	0.103 U	111000	0.97
17-Jun-24	12.25	580.44	11.8	810	6.53	154.4	0.35	6.83	405	0.924	1.44	0.103 U	29800	0.996
17-Sep-24	16.38	576.31	15.2	762	7.57	175.9	2.53	6.97	445	1.29	1.7	0.103 U	28100	1.31
12-Dec-24	10.61	582.08	14.1	887	2.28	-399.8	1.89	6.57	473	1	1.39	0.5 U	33300	1.3
27-Mar-25	4.19	588.50	7	667.8	1.47	117.6	3.87	7.06	397	0.628	1.43	0.2 U	23400	0.552
10-Jun-25	14.10	578.59	12	755	1.38	79.8	1.98	6.95	401	0.95 J	1.64	0.5 U	39600	1.09
18-Sep-25	17.66	575.03	14.1	887	2.28	-399.8	1.89	6.57	473	1	1.39	0.5 U	33300	1.3

Notes:

Top of casing elevation (feet NAVD88): 592.69

1. Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

2. Values for Depth to Water and Groundwater Elevation from the Q1 2025 and Q2 2025 reports were corrected.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

^a CUL provided in Remedial Investigation Report (WSP 2025).

DRY Well went dry during sampling. Unable to collect sample.

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J- Data validation code; estimated value with low bias

°C Degrees Celsius

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2h: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-8A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
13-Oct-21	23.91	577.58	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
6-Jan-22	13.55	587.94	9.5	670	3.99	239.1	4.50	7.05	595	5.21	6.64	0.1 U	169000	3.87
21-Mar-22	12.11	589.38	8.0	587	7.13	45	3.32	7.71	536	4.76	7.48	0.1 U	163000	3.84
22-Jun-22	16.4	585.09	9.4	773	2.99	96	0.94	7.22	699	5.17	8.13	0.1 U	197000	4.73
12-Sep-22	26	575.49	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
13-Dec-22	21.16	580.33	10.4	1011	6.13	122.1	1.22	7.07	721	4.53	5.37	0.1 U	205000	3.61
17-Mar-23	17.86	583.63	9.2	1216	4.6	214.5	0.8	7.19	714	4.71	7.2	0.1 U	218000	4.22
28-Jun-23	24.08	577.41	10.2	845	1.85	176.3	0.58	7.19	656	4.03	5.91	0.1 U	189000	3.62
7-Sep-23	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
15-Dec-23	11.34	590.15	9.8	1434	5.3	348.7	6.22	6.89	760	4.1	5.52	0.148 J	220000	3.64
6-Mar-24	15.41	586.08	8.3	926	8.1	304.5	0.74	7.06	622	4.93	6.67	0.103 U	159000	3.44
17-Jun-24	21.53	579.96	10.1	1378	8.54	167.8	0.83	7.14	719	4.28	5.97	0.103 U	195000	3.38
17-Sep-24	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
12-Dec-24	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
27-Mar-25	13.05	588.44	8.4	136.9	8.80	147.60	3.30	7.01	477	3.02	4.54	0.2 U	131000	2.25
10-Jun-25	23.52	577.97	-	-	-	-	-	-	487	3.11	4.55	0.5 U	116000	2.57
15-Sep-25	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY

Notes:

Top of casing elevation (feet NAVD88): 601.49

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

^a CUL provided in Remedial Investigation Report (WSP 2025).

DRY Well dry; unable to collect field parameters or samples

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

°C Degrees Celsius

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2i: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-9A
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Oct-21	4.38	692.91	12.20	956	1.45	-93.2	2.70	7.11	981 J-	0.659	4.79	0.139	16000	1.2
7-Jan-22	2.45	694.84	8.50	381	4.86	189.9	1.43	6.95	404	0.181 J	1.02	0.056 J	2910	1.03
18-Mar-22	2.38	694.91	8.50	423	5.19	138.3	1.17	7.16	403	0.154 J	0.788	0.1 U	2470	0.776
22-Jun-22	2.38	694.91	10.5	485.8	4.42	72.8	0.85	6.89	399	0.244	0.656	0.052 J	2130	0.916
14-Sep-22	8.7	688.59	13.5	509	3.84	130.2	1.09	6.44	441	0.154 J	1.05	0.1 U	2780	1.13
14-Dec-22	2.5	694.79	8	413.5	7.42	135.6	0.53	6.91	328	0.132 J	0.599	0.1 U	1630	0.867
16-Mar-23	2.39	694.9	6.6	556.2	5.25	120.9	1.6	6.85	337	0.119 J	0.508	0.1 U	1660	0.812
27-Jun-23	5.19	692.1	11.1	468.4	2.6	44.3	7.31	6.72	379	0.123 J	0.832	0.5 U	2120	1.3
8-Sep-23	11.47	685.82	Insufficient depth of water to sample											
13-Dec-23	2.48	694.81	9.1	623	6.85	127.8	3.2	6.4	297	0.202 U	0.47	0.103 U	1420	0.846
7-Mar-24	2.58	694.71	7.6	610	6.61	186.2	1.46	6.89	360	0.202 U	0.436	0.103 U	1790	0.64 J
17-Sep-24	7.55	689.74	13.2	593	7.28	161.8	1.02	6.96	321	0.234 J	0.54	0.103 U	2350	1
12-Dec-24	12.56	684.73	14.6	786	4.26	-347.5	-	6.87	-	-	-	-	-	-
24-Mar-25	2.54	694.75	8.7	551.8	3.64	115.5	2.68	6.73	358	0.3 U	0.358 J	0.2 U	1650	0.636
9-Jun-25	4.37	692.92	13	558	1.73	90.8	0.82	6.96	318	0.75 U	0.5 U	1.76	2280	0.74 J
16-Sep-25	12.56	684.73	14.6	786	4.26	-347.5	-	6.87	-	-	-	-	-	-

Notes:

Top of casing elevation (feet NAVD88): 697.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J- Data validation code; estimated value with low bias

°C Degrees Celsius

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

Table A-2j: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Well MW-10A
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)				
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Oct-21	19.04	678.98	10.7	390	4.24	-115.0	27.80	7.93	383 J-	0.705	4.04	0.383	9700	2.87
6-Jan-22	5.55	692.47	9.3	168	7.06	94.6	6.90	7.50	141	0.151 J	1.13	0.109	2660	1.03
17-Mar-22	5.39	692.63	9.4	151	7.12	95.1	6.21	6.50	139	0.2 U	0.91	0.061 J	1880	0.807
21-Jun-22	5.89	692.13	11.5	114.9	7.92	191.1	4.48	6.80	116	0.2 U	0.764	0.081 J	1150	1.02
13-Sep-22	14.24	683.78	12	221.3	6.64	189.1	3.74	6.78	195	0.201	1.54	0.082 J	2350	1.56
13-Dec-22	14.93	683.09	9.8	395.9	4.71	179.4	5.19	7.34	200	0.173 J	1.3	0.1 U	2060	1.1
15-Mar-23	5.64	692.38	8.4	179.4	8.78	145.7	2.07	6.85	108	0.2 U	0.541	0.1 U	892	0.727
26-Jun-23	9.63	688.39	11.1	102.6	9.22	143.6	4.69	6.19	108	0.2 U	0.579	0.168 J	823	1
6-Sep-23	17.39	680.63	10.6	335	2.5	-26.6	4.58	7.51	205 J-	0.224	1.45	0.12	2310	1.4
13-Dec-23	6.01	692.01	10.3	247.7	9.01	154.4	4.23	6.3	111	0.202 U	0.596	0.103 U	977	0.746
5-Mar-24	5.33	692.69	8.9	180.6	9.04	162.6	5.3	6.31	106	0.202 U	0.44	0.103 U	777	0.556 U
17-Jun-24	7.15	690.87	9.8	197.4	12.65	198.6	3.18	6.4	115	0.202 U	0.548	0.104 J	883	0.806
17-Sep-24	15.56	682.46	10.7	287.2	8.25	153	0.87	6.7	182	0.202 U	1.2	0.103 U	1770	1.34
9-Dec-24	5.86	692.16	9.7	199.4	19.79	44.1	2.45	7	136	0.150 U	0.435	0.0680 U	841	0.89
24-Mar-25	5.14	692.88	9.8	183.3	8.76	104	6.03	6.48	113	0.3 U	0.39 J	0.2 U	862	0.666
9-Jun-25	9.25	688.77	13.2	176	8.27	106.7	1.91	6.88	107	0.75 U	0.5 U	0.5 U	758	0.71 J
15-Sep-25	18.51	679.51	11	381.2	1.4	445.9	0.87	6.97	194	0.75 U	0.945 J	0.5 U	1920	1.2

Notes:

Top of casing elevation (feet NAVD88): 698.02

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

^a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J- Data validation code; estimated value with low bias

°C Degrees Celsius

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-2k: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Still Well
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
1-Feb-05	8.1	10658	-	-	6.59	12.87	2860	-	49.9	5.52	-	-
9-Mar-05	13.23	7393	-	-	7.42	12.51	2860	-	115	14.7	-	-
5-Apr-05	9.5	11310	-	-	10.9	12.44	2900	-	55.6	11.6	-	-
10-May-05	13.99	11871	-	-	3.6	12.53	2810	-	55.4	12.5	-	-
7-Jun-05	13.83	10888	-	-	22.6	12.54	2490	-	5 U	5 U	-	-
15-Jul-05 ^a	18.21	11331	-	-	14.8	12.5	3800	-	2.72	6.07	-	-
15-Jul-05 ^b	-	-	-	-	-	-	2540	-	39.8	7.57	-	-
9-Aug-05 ^a	21.45	12087	-	-	17.9	11.78	3500	-	120	10.9	-	-
9-Aug-05 ^b	-	-	-	-	-	-	2820	-	91.5	9.53	-	-
14-Sept-05 ^a	17.38	9507	-	-	14	12.36	3600	-	118	11.2	-	-
14-Sept-05 ^b	-	-	-	-	-	-	2830	-	115	14.4	-	-
5-Oct-05	13.31	11481	-	-	62.7	12.47	3020	-	85.2	11.9	-	-
9-Nov-05	9.58	14417	-	-	11	12.34	3400	-	74	10 U	-	-
9-Dec-05	6.18	7138	-	-	12.5	12.82	2800	-	14.5	1.07	-	-
19-Jan-06	8.66	8265	1.74	-	11.8	13.06	1900 J	-	15.2 J	1 U	-	-
16-Feb-06	8.13	9019	2.81	195.6	6.16	12.27	3200 J	-	13.4 J	1.89	-	-
15-Mar-06	7.98	9033	0.79	114.8	8.93	12.6	3300 J	-	2.36	2.5 J	-	-
7-Apr-06	9.98	10450	0.57	34.8	6.08	12.51	3400	-	15.2	2.83	-	-
16-May-06	12.79	11060	0.14	45.4	9.28	12.4	3500	-	4.04	1.59	-	-
23-Jun-06	13.29	11680	0.44	-	14.6	12.9	3600	-	52.6	16.5	-	-
20-Jul-06	16.2	12240	0.14	-217.8	10.4	12.47	4300	-	19.3	3.57	-	-
22-Aug-06	17.14	10920	1.22	-146	13.3	12.66	3800	-	144	9.14 J	-	-
26-Sep-06	15.72	9599	0.42	-263.3	61.4	12.59	3800	-	123	4.63	-	-
15-Nov-06	10.58	12040	1.82	149.2	188	12.87	3400	-	30.6 J	4.5	-	-
20-Dec-06	8.85	10990	0.71	-152	32.8	13.02	2600 J	-	52.6	13	-	-
24-Jan-07	8.29	10440	0.97	-139.8	13.7	13.05	2500 J	-	58.6	13.1	-	-
12-Feb-07	8.88	10590	0.86	-125.8	56.4	13.06	3400	-	61.3	14	-	-
27-Mar-07	9.45	9163	1.25	-42.4	18.4	11.53	2900 J	-	44.1	1.81	-	-
18-Apr-07	8.9	8155	2.63	2.3	37.2	12.77	3300 J	-	29.3	1.98	-	-
31-May-07	20.12	11050	5.3	-153.9	9.31	11.59	2800 J	-	48.5	15.1 J	-	-
20-Jun-07	18.28	12000	5.41	-122.5	16.1	12.04	4300 J	-	26.8	2.33	-	-
31-Jul-07	16.53	12200	1.7	-151.6	24.8	12.48	6000	-	87.6	1.03	-	-
29-Aug-07	17	9570	1.12	-183.1	268	12.78	4600 J	-	106	9.46	-	-
27-Sep-07	14.49	8263	52.4	-183	211	12.42	2800	-	125	15.4	-	-
26-Oct-07	9.49	6144	4.88	-147.2	92.4	12.85	3300 J	-	124	24.9	-	-
30-Nov-07	5.53	7703	2.13	-122.6	127	12.67	2200	-	174	14.1	-	-
12-Dec-07	5.24	11609	3.43	-144.8	116	12.6	4100	-	110	11.3	-	-
24-Jan-08	3.73	9649	13.81	-138	-	10.74	2500	-	101	9.74	-	-
28-Feb-08	-	-	-	-	51.2	-	2900	-	58.5	12.6	-	-
25-Mar-08	7.06	8623	5.52	-11.2	17.4	11.26	3400	-	74.3	10.4	-	-
29-Apr-08	9.74	11332	4.29	-1.3	27.7	12.82	3000 J	-	76.6	13.3	-	-
20-May-08	14.53	11955	1.74	-35.8	72.7	12.82	3400	-	87.3	15.1	-	-
18-Jun-08	12.77	10267	3.34	-27	34	12.86	3200 J	-	63.2	16.9	-	-
26-Aug-08	15.86	7703	1.06	-72.8	38.3	12.67	2600 J	-	430	35	759000	-
20-Nov-08	9.59	8762	0.91	-65.6	74.1	13.32	3500	-	70	16.8	848000	-
12-Feb-09	3.25	554	14.29	-	108	13.03	550	-	47.2	13.7	551000	-
19-May-09	11.53	276	8.8	26	43.4	9.83	2500 J	-	37.8	15	689000	-
22-Sep-09	12.47	9760	1.5	159.1	625	12.47	3000	-	160	37	990000	-
15-Dec-09	5.2	11650	1.9	237	26.3	12.85	3000	-	86	21	900000 J	-
22-Mar-10	9.7	1035	-	182	19.4	12.58	3000	-	73	17	870000	-

**Table A-2k: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Still Well
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
17-Jun-10	11.7	9610	0.08	-	6.59	12.48	2700	-	66	15	780000	-
21-Sep-10	15	6710	1.26	152.6	140	12.29	2400	-	300	39	570000	-
8-Dec-10	8.3	10110	1	-	5.44	12.63	2600	-	64	10	860000	-
30-Mar-11	8.6	4810	0.46	136.3	13.7	14.31	2500 J	-	65	9.6	720000	-
21-Jun-11	16.6	10420	1.63	111.9	3.4	12.36	5200	-	60	9.1	770000	-
28-Sep-11	14.8	5270	2.34	70	66.7	12.17	2200	-	220	11	1000000	-
15-Dec-11	6	7330	2.47	104.2	18.3	13.09	2800	-	83	2.9	880000	-
21-Mar-12	5.5	11040	3.15	294.2	12	12.39	2600	-	67	4.7	760000	-
19-Jun-12	5.5	11040	3.15	294.2	12	12.39	2600	-	58	6.7	690000	-
20-Sep-12	16.1	9560	3.27	76	10.7	12.35	2900	-	84	3	830000	-
19-Dec-12	4.1	1320	10.11	303.1	5.86	9.69	700	-	75	4.3	250000	-
26-Feb-13	7.3	9950	1.77	161.8	25.5	12.66	2000	-	70	0.29 J	720000	-
23-May-13	11.5	8040	2.23	266.8	22.7	12.47	2500	-	57	3.4	690000	-
22-Aug-13	17.4	8810	2.42	10.8	38.5	12.79	2590	-	57.8	1.5	863000	-
19-Nov-13	9	7090	2.47	79	62.8	12.54	2720	-	52.5	4.2	909000	-
1-Apr-14	10.3	6080	0.55	128.2	37.1	6.08	1890	-	54.6	1.1	687000	-
22-May-14	13.6	7360	1.22	34.4	-	11.75	2330	-	60.9	2	689000	-
13-Aug-14	18.26	7844	0.33	1.2	7.3	12.53	2770	-	70	2.1	849000	-
12-Nov-14	9	585	3.17	-47.8	17.5	12.93	2450	-	83.2	3.9	837000	-
12-Feb-15	10.7	7540	2.68	-18.6	9.64	12.71	2150	-	51.6	0.3	690000	-
4-May-15	12.9	9140	2.73	110.4	26.8	13.02	2520	-	54.6	0.22 J	734000	-
5-Aug-15	19.5	8060	2.58	-29.8	61.1	12.62	2980	-	63.9	1.7	898000	-
3-Nov-15	11.1	5150	0.37	38.6	171	8.93	1840	-	109	21.7	747000	-
9-Feb-16	9.7	7390	0.78	80.8	7.79	13.07	2170	-	53.6	1.2	601000	-
3-May-16	14.7	7530	1.4	358.1	2.65	12.98	2480	-	54.2	1.7 J-	711000	-
22-Aug-16	20.5	7.91	2.1	-	59	12.95	2780	-	91.3	5.87	831000	-
1-Nov-16	12.3	2884	2.66	-72.1	19.1	13.17	2620	-	46.2	9.64	841000	-
31-Jan-17	7.4	8510	2.37	-167	7.35	13.17	2050	-	52.5	1.19	582000	-
31-May-17	14.6	7500	2.44	-	4.17	12.89	1900	-	45.4	0.68 J+	615000	-
17-Aug-17	18.3	8460	3.35	-84	15.9	12.79	2680	-	56.8	2.14	750000	-
9-Nov-17	8.2	7215	3.48	90.9	18.2	12.65	2360	-	62.1	3.52	822000	-
27-Feb-18	6.6	5312	3.75	2.3	2.49	12.11	1970	-	50.2	7.53	521000	-
2-May-18	11.1	8260	1.7	-	13	12.92	2360	-	43.4	21.7 J+	552000	-
21-Aug-18	20.22	6260	4.71	-42.1	5.84	12.58	2100	-	52.2	0.138	629000	-
7-Nov-18	9.7	995	6.72	126.8	20.6	9.15	1880	-	644	80.2	502000 J+	-
11-Mar-19	10.6	1354	5.93	-18.7	7.19	10.31	1710	-	52.8	21.2	501000	-
9-May-19	13.8	6973	6.4	18.1	16.7	12.36	1980	-	41.6	13.4	521000	-
26-Aug-19	17.8	6405	3.91	Note 1	5.15	12.56	2570	-	42.5	15.4	722000	-
14-Nov-19	9.7	6065	0.41	-53.3	12	12.67	1750	-	167	23.9	563000	-
13-Feb-20	7.6	4936	0.37	-139	2.56	12.66	1630	-	48.6	6.08	490000	-
13-Aug-20	15	6817	2.55	-42.8	2.02	12.39	2620	-	41.9	0.86	659000	-
10-Dec-20	8.8	4534	0.55	-26.2	5.87	12.79	1670	-	82.7	11.1	510000	-
4-Mar-21	7.7	4728	0.05	-42	0.85	11.94	1470	-	61.8	1.49	512000	-
9-Jun-21	13.4	5213	0.89	-148.4	4.06	12.56	1600	-	91.7	5.72	471000	-
13-Oct-21	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY
7-Jan-22	8.8	4103	2.53	55.4	3.04	12.88	1900	8.39	50.3	4.26	486000	3.34
17-Mar-22	9	4955	7.42	153.1	1.88	13.71	2070	8.23	51.7	5.88	517000	3.02
21-Jun-22	15.4	5090	2.53	156.3	3.4	11.96	2180	9.34	51.6	3.08	465000	3.7
14-Sep-22	16.6	6728	6	68	44.5	12.33	2480	7.82	52.3	6.96	669000	3.47
13-Dec-22	7.7	1419	7.42	-92.9	9.97	11.6	967	71	125	9.95	309000	11.1

**Table A-2k: Summary of Lower Disposal Area - Shallow Groundwater Sampling Results - Still Well
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters						Gen-Chem	Metals (ug/L)				
	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation-Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Antimony	Arsenic	Lead	Potassium	Vanadium
Cleanup Level ^c	-	-	-	-	-	6.5-8.5	-	6	8	2.5	-	80
15-Mar-23	7.5	7393	3.03	77	42	12.72	2070	10.1	39.1	6.26	478000	3.06
28-Jun-23	15.6	6301	2.79	-109.2	3.74	12.33	2240	27.6	42.1	0.977	450000	4.49
6-Sep-23	17.2	5942	2.55	-53.7	10.5	12.46	1740 J-	271	78.5	4.35	541000	18.1
15-Dec-23	10.3	4630	9.48	81.6	6.81	12.38	1120	25.5	35.8	4.91	367000	2.87
5-Mar-24	8.3	7467	8.51	-23	9.33	12.39	1700	7.25	50.1	4.7	434000	2.9
18-Jun-24	13.4	5636	10.88	95	3.5	12.21	1700	16.8	48.5	5.82	408000	2.88
17-Sep-24	14.6	3389	8	165.4	18.6	12.49	1640	65.7	35.9	5.94	453000	4.82
9-Dec-24	8.5	6405	58.07	14.8	7.24	12.33	1310	24.2	45.7	3.47	404000	2.68
24-Mar-25	9.5	6490	0.76	212.8	9.89	12.47	1700	5.14	45.1	0.77	375000	2.11
11-Jun-25	16.1	7004	0.91	-124	4.67	12.54	1450	23.2	42.7	1.00 U	408000	2.49
15-Sep-25	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY	DRY

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not analyzed or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a North Creek Analytical, Inc.

b Severn Trent Laboratories

c CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

J- Data validation code; estimated value with low bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

Appendix A-3

SUMMARY OF LOWER DISPOSAL AREA - BEDROCK GROUNDWATER SAMPLING RESULTS

**Table A-3a: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-1LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
19-Dec-06	26.51	678.17	10.96	546	0.43	-115.4	1.05	7.70	310	151	1 U	-
14-Feb-07	26.08	678.60	10.62	397	1.02	-90.8	3.07	7.53	240	160	1 U	-
31-May-07	25.96	678.72	10.83	386	0.36	-172.8	4.20	8.20	220	122	1 U	-
27-Aug-07	25.66	679.02	10.97	372	0.76	-128.2	1.08	7.51	240	89.9	1 U	-
28-Nov-07	26.81	677.87	10.56	371	0.42	-121.2	1.29	8.03	220	88.3	1 U	-
27-Feb-08	25.80	678.88	10.62	371	2.01	-	1.07	-	230	80.9	1 U	3000 U
20-May-08	25.62	679.06	10.61	391	0.36	-53.0	1.11	7.28	230	64.3	1 U	-
27-Aug-08	26.14	678.54	10.58	394	0.50	-63.9	1.02	7.35	230 J	64	1 U	3000 U
19-Nov-08	25.16	679.52	10.33	269	0.45	-88.6	0.48	7.51	230	59.6	1 U	3000 U
11-Feb-09	25.08	679.60	10.04	268	0.48	-	0.97	7.89	230	56	1 U	3000 U
18-May-09	24.83	679.85	10.10	271	0.42	-50.5	1.81	8.05	230 J	46.6	1 U	3000 U
24-Sep-09	26.32	678.36	11.80	323	0.24	202.0	3.59	7.57	260	27	2 U	1100 J
17-Dec-09	25.06	679.62	10.10	370	0.94	179.0	4.16	7.77	<40	34	2 U	1200 J
23-Mar-10	24.83	679.85	10.90	344	0.21	397.4	3.17	7.57	240	25	2 U	1300 J
15-Jun-10	24.38	680.30	10.50	355	0.08	195.5	0.42	7.66	150	27	2 U	1100 J
20-Sep-10	25.74	678.94	10.50	354	0.06	192.9	0.20	7.65	200	22	2 U	1100 J
6-Dec-10	24.59	680.09	10.00	347	0.09	99.3	0.17	7.86	230	22	2 U	1000 J
28-Mar-11	24.01	680.67	10.00	173	0.16	90.6	0.88	7.58	200	22	2 U	1000 J
20-Jun-11	24.11	680.57	10.30	330	0.07	121.5	0.17	7.65	250	22	2 U	900 J
26-Sep-11	25.39	679.29	10.40	2906	0.06	123.6	0.43	7.65	280	15	2 U	1100 J
14-Dec-11	24.61	680.07	9.90	245	0.10	193.8	1.76	7.57	230	21	2 U	1200 J
21-Mar-12	23.70	680.98	10.10	392	0.07	392.0	0.22	7.47	240	23	2 U	1100 J
18-Jun-12	23.90	680.78	10.50	383	0.02	342.8	0.30	7.67	230	20	0.4 U	3300 U
18-Dec-12	23.59	681.09	10.10	492	0.00	-45.7	0.16	7.70	92	17	0.4 U	1200 J
25-Feb-13	23.73	680.95	9.90	377	0.00	177.1	0.37	7.53	270 J	19	0.4 U	1000 J
22-May-13	23.85	680.83	9.90	398	0.00	430.4	0.44	7.73	290	17	0.4 U	3300 U
21-Aug-13	25.34	679.34	10.40	467	0.01	-31.7	0.55	7.68	238	16.8	0.08 J	1060
19-Nov-13	24.25	680.43	10.10	361	0.00	70.3	0.32	7.30	232	15.7	0.1 U	1040
31-Mar-14	22.36	682.32	10.70	286	0.01	107.4	0.21	7.79	211	13.8	0.1 U	1020
21-May-14	23.29	681.39	8.54	271	1.35	54.3	-	7.14	198	13.1	0.1 U	1000
12-Aug-14	24.87	679.81	14.79	335	0.41	-16.0	2.02	7.05	216	11.9	0.1 U	1010
11-Nov-14	24.96	679.72	10.10	262	0.79	11.1	1.51	7.49	221	13.6	0.1 U	1090
10-Feb-15	23.23	681.45	10.40	319	0.25	-114.0	0.36	7.70	240	13.3	0.1 U	960
4-May-15	23.62	681.06	10.20	370	0.05	175.1	0.16	7.70	224	11.7	0.1 U	960
4-Aug-15	25.30	679.38	11.00	279	0.06	-30.5	0.72	7.72	234	14.4	0.1 U	990
4-Nov-15	25.35	679.33	10.60	263	0.00	51.2	0.46	7.46	233	11	0.1 U	1150
8-Feb-16	23.03	681.65	10.20	319	0.03	206.5	0.20	7.77	210	12.1	0.1 U	1050
2-May-16	23.49	681.19	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	25.00	679.68	11.10	323	0.02	-55.2	1.10	7.64	Monitored Annually ¹			
1-Nov-16	24.29	680.39	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	23.06	681.62	10.20	391	0.05	169.3	0.13	7.66	223	11.9	0.1 U	1030
30-May-17	22.45	682.23	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	24.27	680.41	10.70	385	0.15	123.4	0.40	7.64	Monitored Annually ¹			
9-Nov-17	37.78	680.27	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	22.04	682.64	10.10	276	0.20	-96.4	0.25	7.44	221	10.8	0.1 U	951
1-May-18	22.11	682.57	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	24.42	680.26	11.37	277	5.25	-59.6	0.18	7.61	Monitored Annually ¹			
6-Nov-18	24.57	680.11	Monitored Semi-Annually ¹						Monitored Annually ¹			
11-Mar-19	22.61	682.07	10.10	248	0.60	-70.8	0.68	7.60	224	8.74	0.1 U	1070
8-May-19	22.68	682.00	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	24.54	680.14	11.45	282	0.58	Note 1	0.04	7.30	Monitored Annually ¹			

**Table A-3a: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-1LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
13-Nov-19	24.15	680.53	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Feb-20	22.04	682.64	10.10	280	0.34	-133.4	0.57	7.51	207	8.82	0.1 U	1050
13-Aug-20	23.92	680.76	11.00	284	0.60	-113.5	0.44	7.55	Monitored Annually ¹			
9-Dec-20	23.35	681.33	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	22.01	682.67	10.20	266	0.04	-50.0	0.42	7.64	214	10.5	0.1 U	1120
10-Jun-21	23.17	681.51	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	24.41	680.27	10.90	327.2	0.91	-76.1	0.33	7.48	Monitored Annually ¹			
5-Jan-22	22.00	682.68	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Mar-22	21.89	682.79	10.7	259.6	1.24	-60.4	0.22	6.52	220	8.2	0.1 U	925
21-Jun-22	21.58	683.1	Monitored Semi-Annually ¹						Monitored Annually ¹			
12-Sep-22	23.51	681.17	11.3	263.3	2.86	-7.4	0.37	6.76	Monitored Annually ¹			
12-Dec-22	23.51	681.17	Monitored Semi-Annually ¹						Monitored Annually ¹			
15-Mar-23	22.00	682.68	10.3	372.2	0.17	-86.5	0.13	7.66	221	8.35	0.1 U	864
27-Jun-23	22.85	681.83	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Sep-23	24.14	680.54	11.6	385.5	2.01	-50.9	1.44	7.73	Monitored Annually ¹			
15-Dec-23	22.74	681.94	Monitored Semi-Annually ¹						Monitored Annually ¹			
4-Mar-24	21.68	683	10.2	320.6	3.65	-29.8	0.3	7.38	243 J	9.13	0.103 U	857
18-Jun-24	22.16	682.52	Monitored Semi-Annually ¹						Monitored Annually ¹			
18-Sep-24	23.85	680.83	11	363.3	7.57	131.2	0.42	7.49	Monitored Annually ¹			
9-Dec-24	-	-	Monitored Semi-Annually ¹						Monitored Annually ¹			
26-Mar-25	21.47	683.21	11.9	369.3	0.37	62.2	3.28	7.35	222	6.55	0.2 U	933
11-Jun-25	-	-	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Sep-25	24.41	680.27	13.4	399.7	0.96	-567.4	0.2	7.28	Monitored Annually ¹			

Notes:

Top of casing elevation (feet NAVD88): 704.68

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

Table A-3b: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-2LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
19-Dec-06	36.82	704.84	12.15	394	0.57	114.6	1.84	7.58	230	8.49	1 U	-
14-Feb-07	36.30	705.36	11.69	339	1.40	-85.7	2.72	7.39	200	6.09	1 U	-
31-May-07	36.93	704.73	12.13	346	0.20	-223.7	3.04	8.28	210	6.95	1 U	-
27-Aug-07	37.99	703.67	12.18	336	0.49	-169.7	0.84	7.54	210	7.49	1 U	-
28-Nov-07	37.89	703.77	11.82	338	0.28	-146.6	1.32	7.93	250	6.91	1 U	-
27-Feb-08	37.24	704.42	11.87	340	0.23	-	0.87	7.41	210	7.46	1 U	3000 U
20-May-08	37.31	704.35	11.91	359	0.23	-86.6	0.67	7.27	200	6.31	1 U	-
27-Aug-08	38.37	703.29	11.84	362	0.35	-77.6	0.70	7.21	210 J	6.36	1 U	3000 U
19-Nov-08	37.50	704.16	11.53	254	0.44	-105.9	2.08	7.45	200	5.86	1 U	3000 U
11-Feb-09	37.10	704.56	11.25	254	0.48	-	0.63	7.91	220	5.61	1 U	3000 U
18-May-09	37.00	704.66	11.42	258	0.42	-71.9	1.11	8.00	210 J	5.17	1 U	3000 U
25-Sep-09	38.88	702.78	13.10	297	0.14	140.7	3.09	7.54	230	6.5	2 U	1200 J
17-Dec-09	37.19	704.47	10.80	341	0.51	129.0	4.85	7.71	74	4.3	2 U	1100 J
23-Mar-10	36.60	705.06	12.60	323	0.27	355.0	5.28	7.54	110	7.6	2 U	1200 J
15-Jun-10	36.25	705.41	11.40	326	0.08	171.1	-	7.62	98	8.8	2 U	1100 J
20-Sep-10	37.85	703.81	11.60	324	0.08	144.0	0.16	7.61	160	6.5	2 U	1200 J
6-Dec-10	36.60	705.06	11.00	319	0.21	78.3	0.20	7.81	210	2.9	2 U	900 J
29-Mar-11	35.98	705.68	11.20	156	0.15	215.0	0.75	7.48	200	5.6	2 U	1500 J
21-Jun-11	36.34	705.32	11.80	352	0.06	101.5	0.24	7.59	220	5 U	2 U	1000 J
27-Sep-11	38.14	703.52	11.50	2484	0.06	114.4	0.45	7.60	220	5 U	2 U	1000 J
14-Dec-11	36.91	704.75	11.00	228	0.05	127.2	4.04	7.54	190	6.7	2 U	1200 J
21-Mar-12	35.68	705.98	11.00	359	0.05	93.9	0.30	7.43	210	6.9	2 U	1100 J
18-Jun-12	36.06	705.60	11.70	350	0.02	211.9	0.23	7.62	220	6.2	0.4 U	3300 U
18-Dec-12	34.88	706.78	10.90	463	0.00	-97.8	0.17	7.81	68	6	0.4 U	1200 J
25-Feb-13	35.70	705.96	10.90	347	0.09	112.6	0.27	7.56	190	6.6	0.4 U	1100 J
22-May-13	36.24	705.42	11.00	412	0.00	412.5	0.43	7.71	190	6	0.4 U	3300 U
20-Aug-13	38.13	703.53	12.20	406	0.02	-41.5	0.64	7.48	211	5.5	0.1 U	1030
19-Nov-13	36.56	705.10	11.10	344	0.01	43.6	0.32	7.35	206	5.2	0.1 U	1090
31-Mar-14	35.36	706.30	11.50	285	0.00	93.1	0.31	7.71	207	5.1	0.1 U	1100
22-May-14	35.80	705.86	10.05	260	0.24	17.5	-	7.22	186	5	0.1 U	1000
13-Aug-14	37.50	704.16	13.10	294	0.57	-37.5	3.28	7.19	190	5.4	0.1 U	1110
11-Nov-14	37.06	704.60	10.10	241	0.68	-39.7	2.10	7.48	206	5.4	0.1 U	1090
10-Feb-15	35.70	705.96	11.40	295	0.11	-123.2	2.11	7.69	206	5.1	0.1 U	1020
4-May-15	36.34	705.32	11.70	336	0.05	340.2	0.72	7.73	204	4.8	0.1 U	1040
4-Aug-15	38.42	703.24	12.70	263	0.04	-81.8	0.77	7.72	204	5.8	0.1 U	1040
4-Nov-15	37.81	703.85	11.60	244	0.04	26.9	2.13	7.45	201	4.7	0.1 U	1070
8-Feb-16	35.68	705.98	11.60	307	0.00	208.4	0.74	7.68	186	5.5	0.1 U	1110
2-May-16	36.03	705.63	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	37.92	703.74	12.20	306	0.02	-137.6	1.58	7.67	Monitored Annually ¹			
1-Nov-16	37.07	704.59	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	36.00	705.66	10.90	348	0.10	120.5	0.86	7.67	195	5.66	0.1 U	1110
30-May-17	35.44	706.22	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	37.69	703.97	12.30	356	0.14	-77.2	3.27	7.67	Monitored Annually ¹			
9-Nov-17	37.11	704.55	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	34.95	706.71	10.90	261	0.21	-115.5	0.80	7.48	205	5.69	0.1 U	992
1-May-18	35.11	706.55	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	37.90	703.76	12.31	262	1.64	-80.3	0.92	7.56	Monitored Annually ¹			
6-Nov-18	37.66	704.00	Monitored Semi-Annually ¹						Monitored Annually ¹			
12-Mar-19	35.68	705.98	10.70	239	0.58	-75.1	0.59	7.48	188	5.5	0.1 U	1080
8-May-19	35.86	705.80	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	37.85	703.81	12.30	265	0.43	Note 1	0.02	7.46	Monitored Annually ¹			
13-Nov-19	37.22	704.44	Monitored Semi-Annually ¹						Monitored Annually ¹			

**Table A-3b: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-2LDA Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
13-Feb-20	35.10	706.56	10.80	261	0.39	-135.9	0.96	7.50	185	5.45	0.1 U	1150
13-Aug-20	37.21	704.45	11.60	266	0.54	-118.2	1.35	7.50	Monitored Annually ¹			
9-Dec-20	36.55	705.11	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	35.02	706.64	11.10	255	0.04	-80.0	2.29	7.65	176	5.52	0.1 U	1090
10-Jun-21	36.29	705.37	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	37.76	703.90	11.70	308	3.66	-44.7	0.32	7.43	Monitored Annually ¹			
5-Jan-22	35.31	706.35	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Mar-22	34.52	707.14	11.6	244.3	2.84	-60.6	3.21	6.56	201	5.53	0.071 J	1060
21-Jun-22	34.7	706.96	Monitored Semi-Annually ¹						Monitored Annually ¹			
23-Sep-22	37	704.66	12.1	243.1	3.88	-17.8	0.54	7.47	Monitored Annually ¹			
12-Dec-22	36.41	705.25	Monitored Semi-Annually ¹						Monitored Annually ¹			
14-Mar-23	35.09	706.57	10.8	350.4	3.17	50.5	0.2	7.37	199	5.25	0.1 U	894
27-Jun-23	36.04	705.62	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Sep-23	37.74	703.92	12.9	354.5	1.99	-35.7	0.51	7.67	Monitored Annually ¹			
14-Dec-23	35.46	706.2	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Mar-24	34.60	707.06	10.8	320.7	5.8	84.9	0.52	7.39	218	5.24	0.103 U	952
18-Jun-24	35.20	706.46	Monitored Semi-Annually ¹						Monitored Annually ¹			
18-Sep-24	36.90	704.76	Monitored Semi-Annually ¹						Monitored Annually ¹			
9-Dec-24	-	-	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Mar-25	34.36	707.3	11.2	337.3	0.7	75.1	2.86	7.22	202	5.42	0.2 U	981
11-Jun-25	-	-	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Sep-25	37.78	703.88	14.6	367.5	1.3	-529	0.45	7.25	Monitored Annually ¹			

Notes:

Top of casing elevation (feet NAVD88): 741.66

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

Table A-3c: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-3LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet bfc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
19-Dec-06	7.08	737.11	11.37	670	0.42	-171.2	1.20	9.23	500	25.7	1 U	-
23-Jan-07	5.62	738.57	13.07	383	0.51	-275.0	1.53	8.63	270	18.4	1 U	-
14-Feb-07	5.81	738.38	12.57	328	1.09	-158.2	115.00	7.86	310	15.1	1 U	-
29-Mar-07	4.78	739.41	12.44	458	0.57	-140.8	4.25	7.78	260 J	37.9	1 U	-
17-Apr-07	4.86	739.33	12.79	389	0.27	-102.4	1.22	7.46	240	23	1 U	-
31-May-07	6.39	737.80	12.98	394	0.29	-223.8	3.32	8.14	240	21.2	1 U	-
20-Jun-07	6.86	737.33	13.41	412	6.10	-128.5	1.35	8.02	230 J	23.8	1 U	-
31-Jul-07	7.96	736.23	13.47	417	0.77	-174.1	0.92	7.64	250	18.9	1 U	-
27-Aug-07	8.50	735.69	12.84	395	0.46	-132.4	1.97	7.43	250	17.6	1 U	-
27-Sep-07	9.58	734.61	12.68	294	0.51	-133.8	0.53	7.87	250	19.3	1 U	-
26-Oct-07	9.65	734.54	12.49	288	0.84	-111.9	9.83	7.60	240 J	11	1 U	-
28-Nov-07	10.23	733.96	11.95	362	0.64	-86.1	1.58	7.87	200	17.8	1 U	-
12-Dec-07	9.66	734.53	11.83	334	0.26	-93.2	0.63	7.63	280 J	17.4	1 U	-
24-Jan-08	8.20	735.99	11.09	335	0.44	-108.3	-	7.46	220	19.2	1 U	-
26-Feb-08	7.61	736.58	12.26	337	0.48	-	2.40	7.45	210	22	1 U	3000 U
25-Mar-08	7.22	736.97	11.94	337	1.01	-48.6	2.80	7.51	210	17.8	1 U	-
29-Apr-08	6.75	737.44	12.53	332	0.77	-50.3	1.95	7.41	200 J	18.2	1 U	-
19-May-08	7.17	737.02	12.37	336	0.57	-57.2	2.19	7.34	200 J	18.7	1 U	-
18-Jun-08	7.26	736.93	12.11	323	0.48	-64.1	0.83	7.13	190 J	19.5	1 U	-
26-Aug-08	8.78	735.41	12.31	329	1.16	-36.5	2.89	7.30	200 J	17.7	1 U	3000 U
19-Nov-08	9.03	735.16	11.91	243	0.52	-93.1	1.69	7.40	190	18.2	1 U	3000 U
11-Feb-09	7.07	737.12	11.74	227	0.65	-	1.03	7.76	180	17.7	1 U	3000 U
18-May-09	6.50	737.69	12.11	225	0.67	-63.9	1.51	7.83	190 J	12.9	1 U	3000 U
17-Dec-09	8.39	735.80	11.50	301.0	0.44	110.0	3.10	7.71	270	23	2 U	1300 J
23-Mar-10	6.46	737.73	12.20	294.8	0.43	332.5	3.52	7.57	150 J	27	2 U	1300 J
16-Jun-10	5.34	738.85	11.10	281.7	0.05	117.0	-	7.71	160	27	2 U	1300 J
21-Sep-10	7.72	736.47	11.80	276.3	0.06	169.5	0.36	7.54	140	23	2 U	1300 J
7-Dec-10	6.48	737.71	11.00	263.0	0.15	77.2	0.38	7.58	180	20	2 U	1200 J
28-Mar-11	4.42	739.77	10.80	134.0	0.44	75.6	1.06	7.46	160 J	21	2 U	1700 J
20-Jun-11	4.76	739.43	12.10	252.7	0.07	68.4	0.13	7.48	200 J	16	2 U	1000 J
27-Sep-11	7.86	736.33	11.90	2064.0	0.04	102.6	0.37	7.48	170	18	2 U	1100 J
14-Dec-11	7.17	737.02	11.00	188.2	0.03	140.8	1.87	7.50	770	22	2 U	1300 J
21-Mar-12	4.68	739.51	10.70	297.8	0.07	130.6	0.41	7.39	170	21	2 U	1100 J
18-Jun-12	4.75	739.44	11.60	289.0	0.16	271.3	0.55	7.54	150 J+	19	0.4 U	3300 U
19-Sep-12	7.65	736.54	12.60	299.9	0.10	121.0	0.42	7.50	160	18	0.4 U	1100 J
18-Dec-12	5.58	738.61	10.90	384.0	0.03	15.6	1.39	7.50	200	19	0.4 U	1300 J
25-Feb-13	4.80	739.39	10.60	284.2	0.03	140.4	0.30	7.53	150	22	0.4 U	1200 J
22-May-13	4.81	739.38	11.00	294.9	0.14	387.7	0.52	7.61	160	18	0.4 U	3300 U
20-Aug-13	7.63	736.56	12.60	383.0	0.81	-8.4	0.80	7.26	164	16.7	0.1 U	1060
19-Nov-13	7.11	737.08	11.30	218.1	0.14	54.3	0.73	7.20	169	16.6	0.1 U	1130
1-Apr-14	4.08	740.11	10.70	222.6	0.15	158.5	1.12	7.50	168	13.3	0.1 U	1070
22-May-14	4.21	739.98	9.98	206.0	1.59	27.1	-	7.17	158	11.2	0.1 U	1000
13-Aug-14	6.95	737.24	13.50	237.0	1.14	9.8	4.70	6.92	154	10.5	0.1 U	990
12-Nov-14	6.04	738.15	8.40	185.1	0.28	-10.1	3.42	7.36	162	16.1	0.1 U	1050
11-Feb-15	4.62	739.57	11.50	205.1	1.20	68.1	1.32	7.41	169	9	0.1 U	1100
4-May-15	4.93	739.26	12.20	262.0	1.64	190.2	0.84	7.43	168	10.9	0.1 U	1010

Table A-3c: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-3LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoC)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
4-Aug-15	7.44	736.75	13.20	211.3	1.62	81.9	2.02	7.39	173	6.8	0.1 U	1020
5-Nov-15	8.14	736.05	12.50	186.0	1.49	166.9	1.87	7.10	162	3.5	0.1 U	1040
8-Feb-16	3.20	740.99	11.70	240.5	2.13	196.9	0.88	7.23	150	11.2	0.1 U	980
2-May-16	3.77	740.42	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-16	6.81	737.38	13.10	238.0	2.40	168.5	2.39	7.41	Monitored Annually ¹			
1-Nov-16	6.59	737.60	Monitored Semi-Annually ¹						Monitored Annually ¹			
31-Jan-17	4.02	740.17	11.30	265.8	2.79	218.2	1.39	7.34	154	3.23	0.1 U	953
30-May-17	2.32	741.87	Monitored Semi-Annually ¹						Monitored Annually ¹			
16-Aug-17	5.48	738.71	13.20	258.4	3.54	92.2	2.50	7.41	Monitored Annually ¹			
9-Nov-17	6.00	738.19	Monitored Semi-Annually ¹						Monitored Annually ¹			
28-Feb-18	1.13	743.06	10.80	186.9	4.11	142.0	1.83	7.18	159	2.53	0.1 U	848
1-May-18	1.60	742.59	Monitored Semi-Annually ¹						Monitored Annually ¹			
22-Aug-18	5.93	738.26	13.55	194	7.63	16.9	0.77	7.11	Monitored Annually ¹			
6-Nov-18	6.78	737.41	Monitored Semi-Annually ¹						Monitored Annually ¹			
12-Mar-19	2.32	741.87	10.50	166	4.32	167.7	1.34	7.14	149	1.87	0.1 U	953
8-May-19	2.57	741.62	Monitored Semi-Annually ¹						Monitored Annually ¹			
27-Aug-19	5.76	738.43	13.62	192	3.94	Note 1	0.02	7.09	Monitored Annually ¹			
13-Nov-19	6.00	738.19	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Feb-20	1.69	742.50	10.70	180	3.20	88.5	1.21	7.11	140	1.69	0.1 U	915
13-Aug-20	4.59	739.60	13.60	188.7	4.26	50.3	1.60	7.19	Monitored Annually ¹			
9-Dec-20	4.22	739.97	Monitored Semi-Annually ¹						Monitored Annually ¹			
5-Mar-21	1.06	743.13	10.90	172.0	3.43	132	0.69	7.26	136	1.84	0.1 U	877
10-Jun-21	3.46	740.73	Monitored Semi-Annually ¹						Monitored Annually ¹			
13-Oct-21	6.17	738.02	12.90	215.1	4.10	148.3	0.96	7.05	Monitored Annually ¹			
5-Jan-22	0.80	743.39	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Mar-22	0.2	743.99	11.4	166.1	5.44	58.3	0.79	7.54	151	1.58	0.1 U	1200
21-Jun-22	0.54	743.65	Monitored Semi-Annually ¹						Monitored Annually ¹			
23-Sep-22	4	740.19	13.8	178.6	5.66	172	5.55	6.63	Monitored Annually ¹			
12-Dec-22	4.48	739.71	Monitored Semi-Annually ¹						Monitored Annually ¹			
14-Mar-23	1.11	743.08	11	254.9	0.8	-29.8	0.29	7.51	146	7.37	0.1 U	786
27-Jun-23	2.73	741.46	Monitored Semi-Annually ¹						Monitored Annually ¹			
6-Sep-23	5.21	738.98	15.1	240.1	2.85	0.7	1.57	7.22	Monitored Annually ¹			
15-Dec-23	2.74	741.45	Monitored Semi-Annually ¹						Monitored Annually ¹			
7-Mar-24	0.19	744	10.8	272.7	3.09	-27.9	1.15	6.93	138	6.36	0.174 J	796
18-Jun-24	1.35	742.84	Monitored Semi-Annually ¹						Monitored Annually ¹			
18-Sep-24	4.55	739.64	14	227	7.5	123.4	1.66	7.09	Monitored Annually ¹			
9-Dec-24	-	-	Monitored Semi-Annually ¹						Monitored Annually ¹			

Table A-3c: Summary of Lower Disposal Area - Bedrock Groundwater Sampling Results
- Well MWB-3LDA Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoC)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
27-Mar-25	0.70	743.49	11.2	215.6	3.64	65.1	3.76	6.65	143	4.52	0.2 U	892
11-Jun-25	-	-	Monitored Semi-Annually ¹						Monitored Annually ¹			
17-Sep-25	5.80	738.39	13	235	4.79	-285.7	3.86	6.88	Monitored Annually ¹			

Notes:

Top of casing elevation (feet NAVD88): 744.19

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

Appendix A-4

SUMMARY OF DALE STRIP PIT - BEDROCK GROUNDWATER SAMPLING RESULTS

**Table A-4a: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
2-Dec-02	69.87	866.42	9.5	1690	-	-	-	7.29	910	46.6	2.68	-
3-Mar-03	36.83	899.46	11.5	1260	-	-	24.10	7.15	860	9.73	-	-
3-May-03	34.88	901.41	12.8	1520	-	-	38.00	7.09	950	-	-	-
3-Aug-03	52.02	884.27	19.19	1460	-	-	11.40	7.01	990	-	-	-
1-Nov-03	53.61	882.68	11.60	915	-	-	8.97	7.19	1010	8.58	0.695	-
1-Feb-04	32.75	903.54	11.52	1033	-	-	7.36	6.78	1060	-	-	-
1-May-04	42.50	893.79	14.87	1126	-	-	7.53	7.23	1020	-	-	-
1-Aug-04	49.26	887.03	13.72	1234	-	-	8.07	6.98	981	-	-	-
1-Nov-04	42.81	893.48	11.88	1429	-	-	9.06	6.92	1060	10	1 U	-
1-Feb-05	33.62	902.67	13.06	1615	-	-	7.11	7.01	1020	-	-	-
1-May-05	34.88	901.41	12.91	1459	-	-	6.54	6.85	1000	-	-	-
1-Aug-05	43.80	892.49	10.40	1472	-	-	10.40	6.80	1090	-	-	-
1-Nov-05	52.80	883.49	10.40	1458	-	-	6.02	6.64	1100	10.3	1 U	-
1-Feb-06	42.70	893.59	10.40	1343	1.10	48.3	11.10	7.08	1100 J	-	-	-
1-May-06	37.81	898.48	11.52	1686	1.64	49.2	10.50	6.83	1100	-	-	-
1-Aug-06	46.11	890.18	14.10	1357	2.33	43.0	10.70	7.11	1100	-	-	-
1-Nov-06	46.47	889.82	-	-	-	-	-	-	-	-	-	-
28-Dec-06	33.20	903.09	-	-	-	-	-	-	-	-	-	-
7-Feb-07	34.50	901.79	-	-	-	-	-	-	-	-	-	-
7-May-07	36.48	899.81	15.19	1484	0.52	-83.4	6.78	7.60	1100	-	-	-
7-Aug-07	47.57	888.72	11.21	1488	8.80	107.4	9.53	6.51	1200	-	-	-
27-Nov-07	51.25	885.04	13.60	1483	1.82	-129.5	434.00	7.11	1000 J	5.72	1 U	-
8-Feb-08	35.12	901.17	14.71	1489	3.11	-	10.20	6.97	1100	-	-	-
8-Aug-08	46.98	889.31	13.27	1617	2.49	105.3	5.32	6.96	1200 J	7.82	1 U	5570
1-Nov-08	43.35	892.94	11.17	1096	7.29	127.1	47.30	7.70	1100	9.8	1 U	5610
11-Feb-09	37.00	899.29	10.28	1112	4.15	-	7.68	7.25	1100	7.52	1 U	5560
9-May-09	36.53	899.76	13.87	1209	2.93	89.0	5.45	7.41	990 J	7.57	1 U	5580
24-Sep-09	53.61	882.68	12.10	1328	1.98	331.0	3.26	6.92	1200	7.9	2 U	5700
14-Dec-09	33.72	902.57	10.20	1519	0.55	393.0	2.82	6.99	1100	3.4	2 U	5700
22-Mar-10	35.11	901.18	10.90	1463	-	508.0	3.95	6.94	1200	10	2 U	5600
15-Jun-10	33.26	903.03	11.00	1485	0.20	210.3	1.50	7.02	1100	11	2 U	5900
20-Sep-10	45.81	890.48	11.30	1484	0.06	159.7	0.91	6.98	1100	9.1	0.48 J	6000
6-Dec-10	36.20	900.09	10.70	1494	0.08	35.4	0.24	7.21	1200	6.8	0.48 J	5200
28-Mar-11	35.07	901.22	10.70	749	0.08	136.8	0.16	6.88	1100	6.8	2 U	5500
20-Jun-11	38.53	897.76	11.40	1439	0.08	-19.2	0.21	6.99	1400	4.6 J	2 U	5500
26-Sep-11	50.43	885.86	11.20	1249	0.07	38.5	0.41	7.01	1200	4.5 J	2 U	5700
13-Dec-11	51.30	884.99	10.40	1308	0.06	50.3	2.03	7.07	530	7.6	2 U	6100
22-Mar-12	43.75	892.54	10.60	1695	0.08	125.1	0.28	6.99	1200	12	2 U	5700
18-Jun-12	44.86	891.43	Monitored Semiannually ¹									
18-Sep-12	55.74	880.55	12.90	1506	0.05	99.5	0.36	7.08	1300	10	0.4 U	5800
18-Dec-12	41.94	894.35	Monitored Semiannually ¹									
21-Feb-13	37.86	898.43	10.40	1730	0.02	131.5	0.41	7.27	1200	13	0.4 U	6300
22-May-13	39.34	896.95	Monitored Semiannually ¹									
20-Aug-13	49.40	886.89	11.90	1707	0.05	-37.6	0.69	7.00	1240	10.2	0.1 U	6000
19-Nov-13	44.94	891.35	Monitored Semiannually ¹									

**Table A-4a: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
31-Mar-14	33.31	902.98	11.20	1256	0.01	103.5	0.27	7.00	1200	13.1	0.1 U	6580
21-May-14	33.37	902.92	Monitored Semiannually ¹									
15-Aug-14	45.31	890.98	13.43	1467	0.71	-1.1	2.32	6.79	1150	13.4	0.1 U	6100
14-Nov-14	44.83	891.46	Monitored Semiannually ¹									
10-Feb-15	35.97	900.32	11.00	1423	0.04	-109.4	2.16	7.00	1200	13	0.1 U	6260
4-May-15	38.67	897.62	Monitored Semiannually ¹									
4-Aug-15	49.21	887.08	12.50	1253	0.04	-100.7	0.26	7.07	1230	13.9	0.1 U	6070
5-Nov-15	56.85	879.44	11.20	1159	0.02	57.4	0.91	6.75	1190	14.9	0.1 U	6990
8-Feb-16	33.02	903.27	11.60	1429	0.00	167.6	0.10	7.05	1190	19.4	0.1 U	6730
2-May-16	37.48	898.81	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-16	49.78	886.51	12.10	1232	0.06	-143.8	0.77	7.00	Monitored Annually ²			
1-Nov-16	47.49	888.80	Monitored Semiannually ²						Monitored Annually ²			
31-Jan-17	35.57	900.72	11.10	1620	0.05	-241.6	0.24	6.99	1260	21.8	0.1 U	6690
30-May-17	34.70	901.59	Monitored Semiannually ²						Monitored Annually ²			
16-Aug-17	44.32	891.97	11.90	1621	0.12	-144.5	0.47	6.97	Monitored Annually ²			
9-Nov-17	44.71	891.58	Monitored Semiannually ²						Monitored Annually ²			
28-Feb-18	32.04	904.25	10.70	1278	0.16	-58.5	0.11	6.82	1244	22.4	0.1 U	6530
1-May-18	33.99	902.30	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-18	47.95	888.34	11.97	1246	1.17	4.10	0.17	6.88	Monitored Annually ²			
6-Nov-18	52.94	883.35	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	33.09	903.20	10.40	1157	0.55	-23.0	0.62	6.81	1200	20.7	0.1 U	951
8-May-19	34.37	901.92	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	47.88	888.41	12.51	1314	0.15	Note 1	0.39	6.80	Monitored Annually ²			
13-Nov-19	47.03	889.26	Monitored Semiannually ²						Monitored Annually ²			
14-Feb-20	31.08	905.21	10.60	1249	0.38	-82.2	0.10	6.61	1230	18.3	0.1 U	6360
13-Aug-20	43.99	892.30	11.70	1176	0.56	-67.7	0.18	6.78	Monitored Annually ²			
9-Dec-20	39.67	896.62	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	34.96	901.33	11.00	1257	0.26	-38	0.24	6.95	1200	19.5	0.1 U	6150
10-Jun-21	42.65	893.64	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	55.97	880.32	11.7	858	0.86	-92.3	0.48	6.84	Monitored Annually ²			
5-Jan-22	33.64	902.65	Monitored Semiannually ²						Monitored Annually ²			
18-Mar-22	38.2	898.09	11.5	1096	1.17	-40.8	0.31	7.18	1260	16.6	0.1 U	6400
21-Jun-22	35.46	900.83	Monitored Semiannually ²						Monitored Annually ²			
13-Sep-22	44.37	891.92	11.8	1122	2.97	6.4	4.73	6.42	Monitored Annually ²			
12-Dec-22	42.96	893.33	Monitored Semiannually ²						Monitored Annually ²			
16-Mar-23	34.48	901.81	11.5	1633	0.21	-28.9	0.42	6.88	1200	16.5	0.1 U	5580
26-Jun-23	39.87	896.42	Monitored Semiannually ²						Monitored Annually ²			
5-Sep-23	47.77	888.52	11.9	1673	3.02	-1.4	3.03	6.99	Monitored Annually ²			
12-Dec-23	37.23	899.06	Monitored Semiannually ²						Monitored Annually ²			
8-Mar-24	33.71	902.58	11	1032	4.94	4.9	2.34	6.81	1270	16.5	0.103 U	5590
19-Jun-24	36.7	899.59	Monitored Semiannually ²						Monitored Annually ²			
18-Sep-24	46.01	890.28	11.7	1523	8.07	155.4	1.01	6.54	Monitored Annually ²			
9-Dec-24	-	-	Monitored Semiannually ²						Monitored Annually ²			

**Table A-4a: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1SDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
25-Mar-25	32.84	903.45	12.6	1651	0.92	69.1	1.97	6.81	1130	15.2	0.2 U	5430
11-Jun-25	-	-	Monitored Semiannually ²						Monitored Annually ²			
18-Sep-25	50.75	885.54	13.9	1815	2.59	-433.2	0.99	6.52	Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88): 936.29

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-4b: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
2-Dec-02	87.28	848.09	11.1	557	-	-	-	7.72	540	32.7	0.5 U	-
3-Mar-03	48.63	886.74	12.0	623	-	-	24.00	7.48	370	7.08	-	-
3-May-03	47.12	888.25	12.1	548	-	-	264.00	7.54	440	-	-	-
3-Aug-03	64.60	870.77	23.23	675	-	-	195.00	7.36	450	-	-	-
1-Nov-03	66.14	869.23	11.0	400	-	-	15.50	8.10	437	6.03	0.5 U	-
1-Feb-04	46.55	888.82	10.68	455	-	-	8.70	7.15	440	-	-	-
1-May-04	55.82	879.55	13.61	508	-	-	12.40	7.58	429	-	-	-
1-Aug-04	61.89	873.48	13.15	585	-	-	15.70	7.47	399	-	-	-
1-Nov-04	56.83	878.54	10.94	655	-	-	9.40	7.22	477	3.08	1 U	-
1-Feb-05	47.31	888.06	12.80	778	-	-	8.39	7.35	451	-	-	-
1-May-05	48.60	886.77	12.86	743	-	-	4.22	7.25	432	-	-	-
1-Aug-05	56.80	878.57	14.17	746	-	-	3.10	6.99	518	-	-	-
1-Nov-05	66.85	868.52	10.20	702	-	-	5.36	7.11	470	3.6	1 U	-
1-Feb-06	47.88	887.49	10.11	648	0.71	109.4	2.72	7.53	450 J	-	-	-
1-May-06	52.23	883.14	12.22	686	1.82	43.7	3.68	7.43	450	-	-	-
1-Aug-06	59.41	875.96	12.28	665	1.06	-74.0	14.20	7.36	480	-	-	-
1-Nov-06	61.84	873.53	-	-	-	-	-	-	-	-	-	-
28-Dec-06	48.26	887.11	-	-	-	-	-	-	-	-	-	-
7-Feb-07	49.64	885.73	-	-	-	-	-	-	-	-	-	-
7-May-07	53.24	882.13	12.44	722	0.74	-150.8	6.06	7.94	470	-	-	-
7-Aug-07	60.45	874.92	13.76	712	0.79	-50.0	4.53	7.28	500	-	-	-
27-Nov-07	63.40	871.97	14.41	711	0.45	-194.4	7.07	7.34	470 J	2.89	1 U	-
8-Feb-08	49.23	886.14	14.07	737	0.62	-	6.28	7.46	500	-	-	-
8-Aug-08	59.69	875.68	13.73	812	0.67	-24.7	9.33	7.37	560 J	2.26	1 U	3000 U
1-Nov-08	57.38	877.99	14.75	619	0.89	-42.5	4.40	7.45	480	2.22	1 U	3000 U
10-Feb-09	50.92	884.45	6.50	618	10.51	-	655.00	7.69 J	530	2.19	1 U	3010
9-May-09	51.25	884.12	13.95	637	2.21	39.3	5.87	7.74	540 J	2.42	1 U	3000 U
25-Sep-09	65.46	869.91	13.20	678	2.25	331.8	2.29	7.15	570	1.8 J	2 U	3300
17-Dec-09	49.40	885.97	10.60	794	0.99	224.0	3.97	7.58	440	0.7 J	2 U	3200 J
22-Mar-10	49.18	886.19	10.40	762	-	245.0	0.74	7.39	580	4.5	2 U	3200 J
15-Jun-10	46.88	888.49	12.10	762	0.05	142.1	0.47	7.50	420	5.5	2 U	3300
20-Sep-10	58.97	876.40	11.40	765	0.07	89.6	0.47	7.47	520	4.7	0.27 J	3400
6-Dec-10	50.66	884.71	10.20	763	0.19	58.9	0.32	7.72	550	1.3 J	2 U	3200 J
28-Mar-11	48.89	886.48	10.50	376	0.55	165.0	0.73	7.53	470	3.7	2 U	3000 J
20-Jun-11	52.13	883.24	13.40	718	0.45	-65.1	0.75	7.53	600 J	5 U	2 U	3500
26-Sep-11	63.02	872.35	11.80	633	1.73	-6.0	1.72	7.61	560	5 U	2 U	3500
13-Dec-11	63.88	871.49	8.60	678	0.69	-24.7	1.95	7.56	530	5.7	2 U	4100
22-Mar-12	56.96	878.41	5.60	877	1.89	-26.6	0.84	7.69	540	3.4	0.4 U	3000 J
18-Jun-12	58.01	877.36	Monitored Semiannually ¹									
18-Sep-12	67.78	867.59	26.30	838	3.62	12.4	1.27	7.70	540	3.1	0.4 U	3100 J
18-Dec-12	56.10	879.27	Monitored Semiannually ¹									
21-Feb-13	51.62	883.75	4.30	895	7.54	31.3	0.83	8.04	510	3.6	0.4 U	3600
22-May-13	53.14	882.23	Monitored Semiannually ¹									
20-Aug-13	62.35	873.02	12.30	526	0.08	-60.4	2.91	7.47	585	3.2	0.1 U	3200
19-Nov-13	58.70	876.67	Monitored Semiannually ¹									

Table A-4b: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP
Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)			
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium	
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-	
31-Mar-14	46.60	888.77	11.10	622	0.04	48.4	0.45	7.52	561	1.8	0.1 U	3340	
21-May-14	46.96	888.41	Monitored Semiannually ¹										
15-Aug-14	58.62	876.75	12.48	732	0.90	-62.4	2.04	7.16	564	2	0.2	3140	
14-Nov-14	59.59	875.78	Monitored Semiannually ¹										
10-Feb-15	49.61	885.76	10.90	717	0.03	-114.4	1.82	7.48	551	2.9	0.1 U	3270	
4-May-15	52.25	883.12	Monitored Semiannually ¹										
4-Aug-15	61.71	873.66	12.00	618	0.04	-115.0	0.35	7.56	552	3	0.1 U	3360	
5-Nov-15	68.72	866.65	11.10	625	0.05	27.5	1.26	7.21	603	1.6	0.1 U	3590	
8-Feb-16	46.93	888.44	11.40	794	0.00	155.1	0.17	7.57	599	2.1	0.1 U	3800	
2-May-16	50.77	884.60	Monitored Semiannually ²								Monitored Annually ²		
22-Aug-16	62.11	873.26	11.60	770	0.04	-251.0	0.86	7.50	Monitored Annually ²				
1-Nov-16	61.71	873.66	Monitored Semiannually ²								Monitored Annually ²		
31-Jan-17	49.02	886.35	10.60	916	0.13	-310.4	0.35	7.47	676	1.87	0.1 U	3410	
30-May-17	48.11	887.26	Monitored Semiannually ²								Monitored Annually ²		
16-Aug-17	57.17	878.20	11.80	898	0.12	-210.9	0.22	7.42	Monitored Annually ²				
9-Nov-17	58.71	876.66	Monitored Semiannually ²								Monitored Annually ²		
28-Feb-18	45.21	890.16	10.20	758	0.19	-166.6	0.20	7.26	694	2.87	0.1 U	3340	
1-May-18	47.40	887.97	Monitored Semiannually ²								Monitored Annually ²		
22-Aug-18	60.25	875.12	11.58	705	2.22	-153.0	0.14	7.37	Monitored Annually ²				
6-Nov-18	65.30	870.07	Monitored Semiannually ²								Monitored Annually ²		
12-Mar-19	46.35	889.02	9.80	707	0.58	-119.9	0.16	7.24	668	4.96	0.1 U	4210	
8-May-19	47.20	888.17	Monitored Semiannually ²								Monitored Annually ²		
27-Aug-19	59.87	875.50	11.95	762	0.39	Note 1	0.02	7.20	Monitored Annually ²				
13-Nov-19	60.20	875.17	Monitored Semiannually ²								Monitored Annually ²		
14-Feb-20	44.28	891.09	10.30	760	0.30	-169.3	1.09	7.11	717	4.56	0.1 U	4070	
13-Aug-20	57.57	877.80	11.10	739	0.91	-145.8	0.31	7.17	Monitored Annually ²				
9-Dec-20	54.25	881.12	Monitored Semiannually ²								Monitored Annually ²		
5-Mar-21	48.74	886.63	10.70	724	0.27	-222	0.61	7.36	592	4.06	0.1 U	3880	
10-Jun-21	59.90	875.47	Monitored Semiannually ²								Monitored Annually ²		
18-Oct-21	67.32	868.05	11.60	561	0.83	-149	0.33	7.23	Monitored Annually ²				
5-Jan-22	47.77	887.60	Monitored Semiannually ²								Monitored Annually ²		
18-Mar-22	48.37	887	11.3	741	1.2	-93.4	0.39	7.52	781	4.64	0.1 U	4240	
21-Jun-22	49.68	885.69	Monitored Semiannually ²								Monitored Annually ²		
13-Sep-22	57.47	877.9	11.9	778	2.5	-91	0.45	6.84	Monitored Annually ²				
12-Dec-22	57.68	877.69	Monitored Semiannually ²								Monitored Annually ²		
16-Mar-23	48.34	887.03	11.7	1110	0.29	-89.5	0.38	7.19	783	5.45	0.1 U	3870	
26-Jun-23	53.28	882.09	Monitored Semiannually ²								Monitored Annually ²		
5-Sep-23	60.34	875.03	11.7	1136	2.65	-49.8	1.99	7.38	Monitored Annually ²				
12-Dec-23	52.09	883.28	Monitored Semiannually ²								Monitored Annually ²		
8-Mar-24	47.77	887.6	11	746	4.16	-99.6	1.62	7.19	767	4.74	0.132 J	3990	
19-Jun-24	50.3	885.07	Monitored Semiannually ²								Monitored Annually ²		
18-Sep-24	58.65	876.72	14.8	1033	8.91	151.5	2.74	7.16	Monitored Annually ²				

**Table A-4b: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-1DDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
9-Dec-24	-	-	Monitored Semiannually ²						Monitored Annually ²			
25-Mar-25	46.73	888.64	15.7	1194	0.65	45.3	4.53	7.1	828	5.1	0.232	4280
11-Jun-25	-	-	Monitored Semiannually ²						Monitored Annually ²			
18-Sep-25	62.95	872.42	15.7	1289	1.14	-545.5	0.48	6.8	Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88): 935.37

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-4c: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet bfc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
18-Dec-06	20.56	914.49	11.30	1054	0.59	-10.5	6.76	7.01	630	4.46	1 U	-
7-Jan-07	18.48	916.57	12.53	700	0.61	-70.6	33.50	7.11	540	5.19	1 U	-
7-Feb-07	21.53	913.52	11.59	557	0.57	-59.1	33.50	6.88	530	5.19	1 U	-
7-Mar-07	15.34	919.71	11.71	817	0.45	-2.4	91.20	6.52	550 J	4.91	1 U	-
7-Apr-07	17.97	917.08	11.96	909	0.25	0.2	121.00	6.91	560	4.75	1 U	-
1-May-07	26.92	908.13	12.55	880	4.20	-14.3	63.70	7.13	540	4.9	1 U	-
7-Jun-07	29.94	905.11	13.12	1016	3.20	-5.6	3.58	7.52	600 J	4.37	1 U	-
7-Jul-07	35.27	899.78	13.00	910	1.74	-27.4	9.97	7.24	550	4.91	1 U	-
7-Aug-07	39.55	895.50	12.40	1065	0.92	-14.6	4.62	6.99	590	4.46	1 U	-
7-Sep-07	44.69	890.36	12.36	696	0.68	-33.3	3.22	7.29	590	4.92	1 U	-
26-Oct-07	38.90	896.15	11.46	667	0.56	-18.3	22.60	6.98	620 J	4.43	1 U	-
27-Nov-07	38.79	896.26	11.71	914	0.56	-46.7	3.32	6.91	560 J	4.9	1 U	-
12-Dec-07	35.33	899.72	12.61	909	0.53	-27.3	4.28	6.87	820	4.09	1 U	-
24-Jan-08	28.97	906.08	10.72	872	0.78	-49.1	-	7.14	550	4.72	1 U	-
8-Feb-08	26.00	909.05	11.25	888	0.44	-	4.18	6.85	550	4.5	1 U	-
8-Mar-08	26.03	909.02	10.94	915	0.59	-95.6	3.19	6.89	550	5.21	1 U	-
8-Apr-08	25.03	910.02	11.27	931	0.61	-20.1	3.44	6.89	550 J	4.88	1 U	-
8-May-08	27.33	907.72	11.68	949	0.68	-6.7	5.37	6.62	580 J	5.34	1 U	-
8-Jun-08	28.38	906.67	11.40	948	0.75	-50.4	1.59	6.68	580 J	4.45	1 U	-
8-Aug-08	39.80	895.25	11.80	970	0.68	-78.6	1.72	6.84	610 J	4.64	1 U	3000 U
1-Nov-08	33.96	901.09	11.20	682	0.63	-115.4	0.95	6.82	540	4.8	1 U	3000 U
10-Feb-09	25.56	909.49	10.54	671	0.71	-71.7	0.98	7.05	610	4.73	1 U	3000 U
9-May-09	25.79	909.26	11.23	682	0.55	-5.8	0.86	7.68	560 J	3.4	1 U	3000 U
14-Dec-09	30.45	904.60	9.80	901	0.18	200.0	0.70	6.96	450	1.7 J	2 U	2500 J
23-Mar-10	19.92	915.13	11.30	773	0.25	148.0	4.40	6.86	510	5.6	2 U	2600 J
15-Jun-10	16.74	918.31	11.00	838	0.10	202.3	2.89	7.01	860 J	8.2	2 U	2800 J
20-Sep-10	33.31	901.74	11.20	852	0.09	174.7	0.60	6.97	540	6.2	2 U	2700 J
6-Dec-10	19.81	915.24	10.80	838	0.10	30.5	0.47	7.17	530	3.8	2 U	2300 J
28-Mar-11	17.16	917.89	10.80	403	0.15	48.4	1.13	6.89	500 J	2.3	2 U	2300 J
20-Jun-11	18.95	916.10	11.10	775	0.05	-29.1	0.37	7.01	610 J	5 U	2 U	2400 J
26-Sep-11	33.71	901.34	11.20	690	0.03	-8.7	0.54	7	560	4.1 J	2 U	2800 J
13-Dec-11	24.48	910.57	10.50	730	0.05	93.6	1.92	7.07	520	6.1	2 U	2800 J
21-Mar-12	15.54	919.51	10.70	883	0.06	106.9	0.34	6.9	500	6.5	2 U	2400 J
19-Jun-12	17.01	918.04	Monitored Semiannually ¹									
19-Sep-12	29.82	905.23	11.90	877	0.00	122.0	0.47	7.08	490	6.9	0.4 U	2600 J
18-Dec-12	17.39	917.66	Monitored Semiannually ¹									
21-Feb-13	18.84	916.21	10.60	875	0.05	103.3	0.40	7.32	510	5.9	0.4 U	2600 J
22-May-13	20.25	914.80	Monitored Semiannually ¹									
20-Aug-13	30.15	904.90	12.10	530	0.06	-50.3	0.75	6.98	510	5.6	0.1 U	2500
19-Nov-13	22.73	912.32	Monitored Semiannually ¹									
31-Mar-14	15.50	919.55	11.30	574	0.06	95.7	0.53	7.15	447	5.6	0.1 U	2720
21-May-14	14.83	920.22	Monitored Semiannually ¹									
15-Aug-14	25.16	909.89	14.49	741	0.48	-24.0	2.92	6.87	477	5.9	0.1 U	2550
14-Nov-14	22.25	912.80	Monitored Semiannually ¹									

**Table A-4c: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (umhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
10-Feb-15	15.98	919.07	11.40	693	0.04	-117.5	0.80	7.13	503	5.9	0.1 U	2560
4-May-15	20.05	915.00	Monitored Semiannually ¹									
4-Aug-15	31.90	903.15	11.90	620	0.16	-71.1	0.47	7.13	517	6.4	0.1 U	2670
5-Nov-15	32.00	903.05	11.40	605	0.00	37.5	1.16	6.84	511	5.3	0.1 U	3060
8-Feb-16	17.13	917.92	11.80	720	0.00	160.4	0.08	7.34	480	6	0.1 U	3020
2-May-16	23.31	911.74	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-16	34.07	900.98	12.50	571	0.00	-	0.66	7.11	Monitored Annually ²			
1-Nov-16	26.04	909.01	Monitored Semiannually ²						Monitored Annually ²			
31-Jan-17	19.36	915.69	12.20	808	0.07	-219.2	0.30	7.21	509	6.76	0.1 U	2840
30-May-17	17.31	917.74	Monitored Semiannually ²						Monitored Annually ²			
16-Aug-17	28.13	906.92	12.40	826	0.12	-71.9	0.66	7.10	Monitored Annually ²			
9-Nov-17	27.17	907.88	Monitored Semiannually ²						Monitored Annually ²			
28-Feb-18	16.55	918.50	10.90	657	0.15	-97.6	0.35	7.02	528	5.39	0.1 U	2550
1-May-18	17.69	917.36	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-18	32.63	902.42	12.46	655	0.81	-46.4	0.26	7.01	Monitored Annually ²			
6-Nov-18	32.44	902.61	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	18.84	916.21	10.90	597	0.56	-28.1	0.86	6.96	512	4.51	0.1 U	2890
8-May-19	19.75	915.30	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	33.26	901.79	13.08	688	0.26	Note 1	0.02	6.89	Monitored Annually ²			
13-Nov-19	33.03	902.02	Monitored Semiannually ²						Monitored Annually ²			
14-Feb-20	16.70	918.35	10.90	626	0.34	-99.8	0.33	6.88	524	4.31	0.1 U	2650
13-Aug-20	27.37	907.68	11.80	619	0.55	-70.6	0.40	6.89	Monitored Annually ²			
9-Dec-20	24.68	910.37	Monitored Semiannually ²						Monitored Annually ²			
5-Mar-21	16.91	918.14	11.30	641	0.19	-77.0	0.45	7.09	473	4.84	0.1 U	2450
10-Jun-21	24.68	910.37	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	29.11	905.94	11.9	440.1	0.87	-86.2	0.35	6.96	Monitored Annually ²			
5-Jan-22	16.88	918.17	Monitored Semiannually ²						Monitored Annually ²			
21-Mar-22	17.14	917.91	11.3	601	1.28	-42.9	0.82	6.26	513	4.79	0.1 U	2560
21-Jun-22	17.25	917.80	Monitored Semiannually ²						Monitored Annually ²			
13-Sep-22	27.19	907.86	12.3	606	2.54	-3.7	1.49	6.74	Monitored Annually ²			
12-Dec-22	24.31	910.74	Monitored Semiannually ²						Monitored Annually ²			
16-Mar-23	18.62	916.43	11.7	846	0.21	-19.7	0.41	7.03	497	4.56	0.1 U	2570
26-Jun-23	22.23	912.82	Monitored Semiannually ²						Monitored Annually ²			
7-Sep-23	28.89	906.16	13.7	904	1.36	-54.9	0.76	7.03	Monitored Annually ²			
12-Dec-23	20.99	914.06	Monitored Semiannually ²						Monitored Annually ²			
8-Mar-24	17.79	917.26	11.1	711	4.7	10.8	0.35	6.97	500	4.95	0.103 U	2400
19-Jun-24	18.95	916.10	Monitored Semiannually ²						Monitored Annually ²			
18-Sep-24	27.07	907.98	13	778	7.82	143.3	2.96	7.09	Monitored Annually ²			
9-Dec-24	-	-	Monitored Semiannually ²						Monitored Annually ²			

**Table A-4c: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-5DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoC)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
25-Mar-25	17.73	917.32	14.8	890	1.2	31.5	3.2	7	502	5.43	0.2 U	2700
11-Jun-25	-	-	Monitored Semiannually ²						Monitored Annually ²			
18-Sep-25	30.85	904.20	15.4	951	1.45	-473.1	1.2	6.69	Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88): 935.05

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-4d: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
18-Dec-06	8.13	897.82	9.93	525	0.54	-54.5	0.61	7.78	300	5.37	1 U	-
7-Feb-07	9.40	896.55	11.79	479	1.19	-30.0	7.40	7.41	330	6.01	1 U	-
7-May-07	10.73	895.22	12.26	729	2.83	-103.6	16.40	7.63	480	10.1	1 U	-
7-Aug-07	15.14	890.81	11.42	882	0.75	-11.5	1.82	7.10	470	3.25	1 U	-
27-Nov-07	16.16	889.79	10.98	748	0.37	-47.9	0.83	6.99	440 J	2.82	1 U	-
8-Feb-08	9.66	896.29	11.01	645	0.31	-	0.90	7.05	380	2.68	1 U	-
8-May-08	10.34	895.61	11.27	665	0.64	13.4	1.52	6.93	380 J	2.40	1 U	-
8-Aug-08	14.17	891.78	11.23	683	0.72	-8.2	2.49	7.05	390 J	2.18	1 U	3000 U
1-Nov-08	12.98	892.97	10.61	488	0.60	-45.6	1.35	6.80	380	2.04	1 U	3000 U
10-Feb-09	9.64	896.31	10.32	398	0.52	-57.0	1.20	7.31	350	2.00	1 U	3000 U
9-May-09	9.91	896.04	10.50	405	0.73	-4.0	1.26	7.77	320 J	1.69	1 U	3000 U
23-Sep-09	17.16	888.79	12.50	541	0.25	216.2	5.38	7.14	400 J	0.91 J	2 U	1300 J
14-Dec-09	12.73	893.22	9.10	580	0.47	231.0	2.70	7.23	270	2 U	2 U	1300 J
22-Mar-10	9.62	896.33	10.90	504	-	321.7	3.50	7.22	320	2.00	2 U	1200 J
15-Jun-10	8.30	897.65	11.00	495	0.11	205.1	1.41	7.29	320	4.20	2 U	1300 J
20-Sep-10	14.90	891.05	10.90	560	0.10	187.2	0.28	7.29	270	3.00	2 U	1400 J
6-Dec-10	10.47	895.48	10.50	515	0.12	87.8	0.14	7.47	300	2 U	2 U	1100 J
28-Mar-11	8.71	897.24	10.30	241	0.19	58.9	1.86	7.19	300	2 U	2 U	1100 J
20-Jun-11	9.87	896.08	10.80	477	0.06	141.2	0.20	7.27	340	5 U	2 U	1100 J
26-Sep-11	14.82	891.13	10.80	467	0.05	114.8	0.92	7.26	380	5 U	2 U	1500 J
13-Dec-11	13.02	892.93	10.20	491	0.06	131.3	1.69	7.29	340	5 U	2 U	1600 J
21-Mar-12	8.13	897.82	10.20	550	0.09	160.0	0.07	7.14	310	2.50	0.4 U	1200 J
18-Jun-12	-	-	Monitored Semiannually ¹									
18-Dec-12	8.16	897.79	Monitored Semiannually ¹									
21-Feb-13	8.45	897.50	10.10	594	0.02	152.7	0.28	7.49	300	1.90	0.4 U	1300 J
22-May-13	9.36	896.59	Monitored Semiannually ¹									
20-Aug-13	13.28	892.67	11.70	478	0.01	-43.8	0.54	7.22	349 J	1.60	0.1 U	1300
19-Nov-13	9.71	896.24	Monitored Semiannually ¹									
31-Mar-14	8.42	897.53	10.70	455	0.06	166.1	0.27	7.35	315	1.40	0.1 U	1290
21-May-14	5.99	899.96	Monitored Semiannually ¹									
14-Aug-14	12.03	893.92	13.45	512	0.56	-21.4	1.99	6.95	317	1.70	0.1 U	1270
14-Nov-14	10.68	895.27	Monitored Semiannually ¹									
10-Feb-15	7.39	898.56	10.90	482	0.03	-86.2	0.59	7.32	337	1.40	0.1 U	1230
4-May-15	9.17	896.78	Monitored Semiannually ¹									
4-Aug-15	13.64	892.31	12.40	449	0.18	-81.7	0.27	7.33	385	1.70	0.1 U	1280
5-Nov-15	13.98	891.97	11.50	435	2.23	85.2	1.09	7.04	354	1.30	0.1 U	1470
8-Feb-16	6.74	899.21	11.50	495	0.03	187.2	0.25	7.39	297	1.40	0.1 U	1350
2-May-16	8.64	897.31	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-16	13.27	892.68	12.20	559	0.03	-52.7	0.80	7.28	Monitored Annually ²			
1-Nov-16	11.36	894.59	Monitored Semiannually ²						Monitored Annually ²			
31-Jan-17	7.91	898.04	10.90	539	0.08	124.4	0.18	7.31	321	1.48	0.1 U	1300
30-May-17	2.65	903.30	Monitored Semiannually ²						Monitored Annually ²			
16-Aug-17	12.08	893.87	12.10	573	0.12	-46.9	1.39	7.26	Monitored Annually ²			
9-Nov-17	11.70	894.25	Monitored Semiannually ²						Monitored Annually ²			
28-Feb-18	6.50	899.45	11.00	423	0.19	-61.0	0.18	7.12	138	1.56	0.1 U	1200
1-May-18	6.80	899.15	Monitored Semiannually ²						Monitored Annually ²			
22-Aug-18	13.47	892.48	11.61	441	7.44	26.6	0.21	7.11	Monitored Annually ²			
6-Nov-18	13.96	891.99	Monitored Semiannually ²						Monitored Annually ²			
12-Mar-19	7.30	898.65	10.30	363	0.56	-25.1	0.27	7.16	294	1.47	0.1 U	1340
8-May-19	7.77	898.18	Monitored Semiannually ²						Monitored Annually ²			
27-Aug-19	13.16	892.79	12.19	454	0.45	Note 1	0.02	7.05	Monitored Annually ²			
13-Nov-19	26.35	894.30	Monitored Semiannually ²						Monitored Annually ²			
13-Feb-20	20.79	899.86	10.60	387	0.39	-76.5	1.05	7.13	313	1.40	0.1 U	1330

**Table A-4d: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-6DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
13-Aug-20	25.94	894.71	11.70	403	0.65	-64.3	0.60	7.07	Monitored Annually ²			
9-Dec-20	24.06	896.59	Monitored Semiannually ²						Monitored Annually ²			
4-Mar-21	21.56	899.09	10.80	363	0.16	-9.0	1.29	7.30	280	1.10	0.1 U	1240
10-Jun-21	24.55	896.10	Monitored Semiannually ²						Monitored Annually ²			
18-Oct-21	28.08	892.57	11.6	273.8	0.96	-73.8	1.38	7.15	Monitored Annually ²			
5-Jan-22	21.36	899.29	Monitored Semiannually ²						Monitored Annually ²			
21-Mar-22	20.7	899.95	10.9	348.2	1.41	102.1	1.4	6.42	297	1.06	0.1 U	1090
21-Jun-22	21.51	899.14	Monitored Semiannually ²						Monitored Annually ²			
13-Sep-22	Well Damaged - Unable to Sample ³											
12-Dec-22	Well Damaged - Unable to Sample ³											
15-Mar-23	15.98	905.92	10.9	444.1	1.06	16.4	1.17	7.11	251	1.05	0.1 U	1110
26-Jun-23	21.56	900.24	Monitored Semiannually ²						Monitored Annually ²			
5-Sep-23	24.52	897.10	11.6	479	2.98	25.8	0.7	7.37	Monitored Annually ²			
12-Dec-23	19.65	902.47	Monitored Semiannually ²						Monitored Annually ²			
8-Mar-24	18.03	903.92	11	370.3	4.37	40	0.34	7.24	264	0.966	0.103 U	1070
18-Jun-24	18.60	903.24	Monitored Semiannually ²						Monitored Annually ²			
19-Sep-24	23.55	898.08	11.5	454.9	8.03	136.9	0.71	6.74	Monitored Annually ²			
9-Dec-24	-	-	Monitored Semiannually ²						Monitored Annually ²			
25-Mar-25	17.4	904.51	12.1	456.3	0.76	67.3	3.19	7.15	259	1.18	0.2 U	1110
11-Jun-25	-	-	Monitored Semiannually ²						Monitored Annually ²			
17-Sep-25	24.82	896.72	11.7	454.3	0.69	-569	4.27	7.06	Monitored Annually ²			

Notes:

Top of casing elevation (feet NAVD88) prior to raising casing: 905.95

Top of casing elevation (feet NAVD88) after raising casing (post-Q3 2019): 920.65

Top of casing elevation (feet NAVD88) repair (post-Q1 2023): 918.67

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021.

Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

3 MWB-6DSP was found damaged in July 2022. The well was repaired by late December 2022.

4 Values for Groundwater Elevation from the Q1 2024 and Q1 2025 reports were corrected.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

Table A-4e: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Portal Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
1-Mar-02	-	-	-	653	-	-	-	7.29	586	-	-	-
1-Jun-02	-	-	12	920	-	-	-	7.20	583	-	-	-
1-Sep-02	-	-	11	920	-	-	-	7.10	651	-	-	-
2-Dec-02	-	-	9.1	900	-	-	-	7.03	570	4.44	0.5 U	-
3-Mar-03	-	-	10.1	873	-	-	-	7.09	530	-	-	-
3-May-03	-	-	11.2	981	-	-	10.00	6.94	590	-	-	-
3-Aug-03	-	-	12.78	1030	-	-	13.00	7.17	630	-	-	-
1-Nov-03	-	-	10.2	569	-	-	4.65	7.53	592	3.33	0.5 U	-
1-Feb-04	-	-	9.31	568	-	-	5.41	6.85	560	-	-	-
1-May-04	-	-	10.93	952	-	-	5.98	7.12	615	-	-	-
1-Aug-04	-	-	12.10	835	-	-	6.29	7.11	601	-	-	-
1-Nov-04	-	-	10.20	941	-	-	6.58	6.94	656	3.41	1 U	-
1-Feb-05	-	-	10.52	889	-	-	8.72	7.41	541	-	-	-
1-May-05	-	-	13.08	953	-	-	8.15	7.31	548	-	-	-
1-Aug-05	-	-	11.08	988	-	-	7.40	7.23	644	-	-	-
1-Nov-05	-	-	9.53	958	-	-	8.58	7.61	640	3.15	1 U	-
1-Feb-06	-	-	9.23	669	7.88	*	7.93	6.78	450 J	-	-	-
1-May-06	-	-	11.49	947	7.60	38.5	10.40	7.01	570	-	-	-
1-Aug-06	-	-	10.52	835	8.82	-39.8	14.10	7.26	640	-	-	-
1-Nov-06	-	-	9.41	740	9.57	-32.2	12.50	7.23	510	2.45	1 U	-
7-Feb-07	-	-	9.90	815	10.99	-6.2	27.80	7.74	510	-	-	-
7-May-07	-	-	18.39	810	11.05	-6.2	11.80	7.61	510	-	-	-
7-Aug-07	-	-	10.42	870	8.72	-44.9	25.20	7.42	560	-	-	-
8-Feb-08	-	-	10.02	708	10.04	-	50.00	7.20	420	-	-	-
8-May-08	-	-	10.83	815	12.13	0.1	7.28	7.29	480 J	-	-	-
8-Aug-08	-	-	10.63	906	11.05	-5.6	11.00	7.05	560 J	3.69	1 U	41600
1-Nov-08	-	-	9.79	553	10.70	-21.1	16.90	7.40	460	3.2	1 U	35500
11-Feb-09	-	-	9.16	488	6.99	-	15.40	7.52	430	2.97	1 U	34200
9-May-09	-	-	9.64	522	10.56	13.4	9.77	7.39	440 J	2.01	1 U	32400
23-Sep-09	-	-	10.70	745	8.95	271.7	14.70	6.88	570	2 U	2 U	40000
15-Dec-09	-	-	8.60	713	5.20	279.0	12.50	6.67	350	2 U	2 U	30000
24-Mar-10	-	-	9.90	681	6.14	370.7	-	6.57	470	4.2	2 U	39000
17-Jun-10	-	-	10.00	623	9.58	-	26.30	7.50	380	5.9	2 U	28000
22-Sep-10	-	-	10.00	783	9.02	225.9	17.40	7.00	510	5.2	2 U	42000
7-Dec-10	-	-	9.90	662	9.15	186.0	13.60	6.95	450	2 U	2 U	32000
29-Mar-11	-	-	9.90	292	5.90	370.8	4.44	6.73	360 J	4.1	2 U	25000
20-Jun-11	-	-	10.50	591	6.42	219.1	4.44	7.01	420	5 U	2 U	26000
26-Sep-11	-	-	10.70	623	5.76	240.5	11.90	6.83	520	5 U	2 U	39000
15-Dec-11	-	-	8.80	472	4.92	310.4	7.32	6.78	430	4.7 J	2 U	32000
21-Mar-12	-	-	8.90	611	5.24	313.3	9.16	6.49	330	4.8	0.4 U	20000
18-Jun-12	Monitored Semiannually ¹											
18-Sep-12	-	-	14.20	652	9.70	148.0	20.80	7.48	450	5	0.4 U	29000
18-Dec-12	Monitored Semiannually ¹											
25-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25000
25-Feb-13	Monitored Semiannually ¹											
21-Feb-13	-	-	9.20	648	10.10	209.6	4.12	7.58	300	5	0.4 U	25000
22-May-13	Monitored Semiannually ¹											
20-Aug-13	-	-	10.80	635	9.31	170.1	8.46	7.11	458	3.9	0.1 U	32300

Table A-4e: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Portal Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
19-Nov-13	Monitored Semiannually ¹											
31-Mar-14	-	-	10.60	448	9.29	213.5	87.20	7.30	321	3.7	0.18 J	21100
21-May-14	Monitored Semiannually ¹											
15-Aug-14	-	-	10.01	595	10.01	-35.2	6.43	6.99	427	3.5	0.1 U	31500
14-Nov-14	Monitored Semiannually ¹											
10-Feb-15	-	-	10.60	515	9.88	183.5	6.84	7.26	363	2.8	0.07 J	27200
4-May-15	Monitored Semiannually ¹											
4-Aug-15	-	-	10.90	554	9.98	95.8	8.68	7.48	438	2.6	0.1 U	34700
5-Nov-15	-	-	10.30	503	10.24	177.6	13.40	7.46	449	2.8	0.1 U	31800
8-Feb-16	-	-	9.30	541	11.30	215.0	5.12	7.30	293	3.2	0.1 U	23100
-	Monitored Semiannually ²								Monitored Annually ²			
24-Aug-16	-	-	13.40	585	9.32	410.0	8.50	7.23	Monitored Annually ²			
1-Nov-16	-	-	10.90	242	9.13	51.4	7.57	7.41	Monitored Annually ²			
31-Jan-17	-	-	8.90	663	10.87	-57.4	6.23	7.50	3390	3.97	0.1 U	29200
-	Monitored Semiannually ²								Monitored Annually ²			
17-Aug-17	-	-	11.40	712	9.67	-12.4	9.87	7.30	Monitored Annually ²			
9-Nov-17	Monitored Semiannually ²								Monitored Annually ²			
27-Feb-18	-	-	9.50	427	9.94	-46.4	16.70	7.72	354	4.11	0.1 U	20400
1-May-18	Monitored Semiannually ²								Monitored Annually ²			
21-Aug-18	-	-	13.13	582	12.46	-23.0	23.10	7.24	Monitored Annually ²			
6-Nov-18	Monitored Semiannually ²								Monitored Annually ²			
12-Mar-19	-	-	8.00	406	11.35	-2.8	10.70	7.97	388	1.56	0.1 U	24700
8-May-19	Monitored Semiannually ²								Monitored Annually ²			
27-Aug-19	-	-	10.55	576	11.80	Note 1	154.00	6.78	Monitored Annually ²			
13-Nov-19	Monitored Semiannually ²								Monitored Annually ²			
13-Feb-20	-	-	9.20	382	9.19	-1.3	13.40	6.93	259	3.65	0.1 U	16700
13-Aug-20	-	-	10.10	569	10.01	-27.0	12.20	7.12	Monitored Annually ²			
9-Dec-20	Monitored Semiannually ²								Monitored Annually ²			
4-Mar-21	-	-	9.30	416	5.80	33.0	17.1	6.89	364	4.14	0.1 U	20000
10-Jun-21	Monitored Semiannually ²								Monitored Annually ²			
18-Oct-21	-	-	10.9	386.7	5.11	-28.4	86.1	6.45	Monitored Annually ²			
5-Jan-22	Monitored Semiannually ²								Monitored Annually ²			
16-Mar-22	-	-	12	402.9	6.78	70.7	19.8	5.81	348	5.32	0.1 U	18800
21-Jun-22	Monitored Semiannually ²								Monitored Annually ²			
14-Sep-22	-	-	12	521	7.29	39.1	93.8	6.7	Monitored Annually ²			
14-Dec-22	Monitored Semiannually ²								Monitored Annually ²			
16-Mar-23	-	-	10.8	667.5	6.16	76.1	8.99	6.86	383	5.08	0.1 U	27100
26-Jun-23	Monitored Semiannually ²								Monitored Annually ²			
7-Sep-23	-	-	10.5	769	7.66	-33.9	6.94	6.79	Monitored Annually ²			
15-Dec-23	Monitored Semiannually ²								Monitored Annually ²			
8-Mar-24	-	-	10.5	470.6	8.59	84	7.64	6.83	359	5.51	0.103 U	22800
19-Jun-24	-	-	Monitored Semiannually ²						Monitored Annually ²			

Table A-4e: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Portal Ravensdale Site, Ravensdale, Washington

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet msl)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
17-Sep-24	-	-	10.6	714	8.59	187.8	55.5	7.18	Monitored Annually ²			
9-Dec-24	-	-	Monitored Semiannually ²						Monitored Annually ²			
26-Mar-25	-	-	12.2	735	5.65	124.8	54	6.38	369	5.11	0.2 U	23800
11-Jun-25	-	-	Monitored Semiannually ²						Monitored Annually ²			
15-Sep-25	-	-	13	853	5.96	-306.6	150	6.55	Monitored Annually ²			

Notes:

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

* Measurement invalid and not shown

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated May 16, 2012

2 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-4f: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet bfc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
1-Mar-02	-	-	-	542	-	-	-	7.22	467	-	-	-
1-Jun-02	197.34	735.48	12.00	750	-	-	-	7.10	459	-	-	-
1-Sep-02	199.29	733.53	14.00	660	-	-	-	6.90	499	-	-	-
2-Dec-02	200.09	732.73	10.80	675	-	-	-	6.89	440	1 U	0.5 U	-
3-Mar-03	190.21	742.61	11.90	763	-	-	-	6.98	450	-	-	-
3-May-03	191.78	741.04	12.30	730	-	-	233.00	6.98	550	-	-	-
3-Aug-03	199.82	733.00	16.50	848	-	-	17.00	6.92	520	-	-	-
1-Nov-03	199.97	732.85	11.60	559	-	-	9.20	7.04	522	0.98	0.5 U	-
1-Feb-04	188.78	744.04	11.96	608	-	-	4.86	6.68	560	-	-	-
1-May-04	198.45	734.37	13.69	614	-	-	6.17	6.80	478	-	-	-
1-Aug-04	199.17	733.65	14.38	731	-	-	5.48	6.71	460	-	-	-
1-Nov-04	197.92	734.90	11.62	785	-	-	12.30	6.75	512	1 U	1 U	-
1-Feb-05	186.36	746.46	11.64	806	-	-	1.47	6.94	487	-	-	-
1-May-05	-	-	12.87	790	-	-	15.80	6.89	338	-	-	-
1-Aug-05	196.10	736.72	15.01	603	-	-	45.70	6.44	388	-	-	-
1-Nov-05	196.78	736.04	9.91	549	-	-	13.30	6.66	350	1 U	1 U	-
1-Feb-06	193.93	738.89	8.10	641	2.11	269.2	35.70	6.82	400 J	-	-	-
1-May-06	197.90	734.92	10.88	798	1.67	27.3	5.38	6.50	380	-	-	-
1-Aug-06	198.80	734.02	11.44	534	2.52	205.7	8.74	6.67	360	-	-	-
1-Nov-06	187.36	745.46	10.77	680	2.12	-19.9	18.90	7.06	430	1 U	1 U	-
28-Dec-06	192.37	740.45	-	-	-	-	-	-	-	-	-	-
7-Feb-07	197.46	735.36	10.24	621	0.64	-16.7	27.80	6.89	420	-	-	-
7-May-07	198.49	734.33	-	-	-	-	-	-	-	-	-	-
27-Nov-07	196.48	736.34	-	-	-	-	-	-	-	-	-	-
8-Feb-08	191.30	741.52	-	-	-	-	-	-	-	-	-	-
8-May-08	193.95	738.87	-	-	-	-	-	-	-	-	-	-
27-Sep-11	197.32	735.50	-	-	-	-	-	-	-	-	-	-
13-Dec-11	192.15	740.67	9.6	421	2.10	313.0	16.10	7.49	-	-	-	-
22-Mar-12	183.35	751.47	8.9	546	12.83	166.3	0.56	7.47	-	-	-	-
18-Jun-12	192.54	742.28	-	-	-	-	-	-	-	-	-	-
18-Sep-12	199.51	735.31	16.2	508	2.21	120.0	1.27	7.58	-	-	-	-
18-Dec-12	184.52	750.30	-	-	-	-	-	-	-	-	-	-
21-Feb-13	190.65	744.17	7.6	678	5.33	342.6	6.61	8.02	-	-	-	-
22-May-13	198.05	736.77	-	-	-	-	-	-	-	-	-	-
20-Aug-13	200.47	734.35	13.0	488	3.26	90.2	8.47	7.42	-	-	-	-
19-Nov-13	196.59	738.23	-	-	-	-	-	-	-	-	-	-
31-Mar-14	186.78	748.04	11.4	421	7.28	195.1	1.70	7.47	-	-	-	-
21-May-14	192.27	742.55	-	-	-	-	-	-	-	-	-	-
15-Aug-14	199.97	734.85	18.9	492	0.97	1.4	52.50	7.01	-	-	-	-
14-Nov-14	196.60	738.22	-	-	-	-	-	-	-	-	-	-
10-Feb-15	183.97	750.85	10.2	450	7.65	121.4	1.02	7.34	-	-	-	-
4-May-15	194.19	740.63	-	-	-	-	-	-	-	-	-	-
4-Aug-15	198.35	736.47	13.6	432	3.07	18.6	0.27	7.47	-	-	-	-
3-Nov-15	198.25	736.57	10.3	405	2.57	106.2	7.07	7.35	-	-	-	-

**Table A-4f: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet bfc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
8-Feb-16	188.43	746.39	12.5	536	2.77	189.8	0.25	7.78	-	-	-	-
2-May-16	195.72	739.10	Monitored Semiannually ¹						-	-	-	-
22-Aug-16	197.89	736.93	14.0	418	1.27	-123.1	4.36	7.32	-	-	-	-
1-Nov-16	195.49	739.33	Monitored Semiannually ¹						-	-	-	-
31-Jan-17	186.94	747.88	9.2	506	5.26	-45.4	0.38	7.45	-	-	-	-
30-May-17	190.62	744.20	Monitored Semiannually ¹						-	-	-	-
16-Aug-17	197.55	737.27	13.3	540	2.31	37.3	3.42	7.37	-	-	-	-
9-Nov-17	197.11	737.71	Monitored Semiannually ¹						-	-	-	-
28-Feb-18	185.96	748.86	10.1	390	5.95	204.7	1.62	7.15	-	-	-	-
1-May-18	184.95	749.87	Monitored Semiannually ¹						-	-	-	-
22-Aug-18	197.40	737.42	13.7	412	3.10	85.5	1.66	7.27	-	-	-	-
6-Nov-18	197.94	736.88	Monitored Semiannually ¹						-	-	-	-
12-Mar-19	182.84	751.98	8.7	332	6.25	148.4	1.93	7.28	-	-	-	-
8-May-19	185.36	749.46	Monitored Semiannually ¹						-	-	-	-
27-Aug-19	196.56	738.26	11.92	411	8.82	Note 1	0.02	7.28	-	-	-	-
13-Nov-19	196.74	738.08	Monitored Semiannually ¹						-	-	-	-
13-Feb-20	177.10	757.72	9.3	453	3.03	91.0	2.31	7.56	-	-	-	-
13-Aug-20	200.97	733.85	12.2	422	3.04	35.0	0.96	7.42	-	-	-	-
9-Dec-20	197.86	736.96	Monitored Semiannually ¹						-	-	-	-
5-Mar-21	197.42	737.40	10.0	398	3.79	112.0	1.17	7.37	-	-	-	-
10-Jun-21	199.94	734.88	Monitored Semiannually ¹						-	-	-	-
18-Oct-21	200.24	734.58	12.6	307.7	6.06	161.4	12.3	7.35	-	-	-	-
5-Jan-22	192.66	742.16	Monitored Semiannually ¹						-	-	-	-
21-Mar-22	193.68	741.14	9.6	369	7.04	125.6	5.95	6.63	-	-	-	-
21-Jun-22	191.33	743.49	Monitored Semiannually ¹						-	-	-	-
13-Sep-22	200.03	734.79	12.6	404.7	8.66	252.7	10.5	6.91	-	-	-	-
12-Dec-22	197.99	736.83	Monitored Semiannually ¹						-	-	-	-
15-Mar-23	192.63	742.19	11.4	591.7	2.44	41.8	5.56	7.53	-	-	-	-
26-Jun-23	198.92	735.9	Monitored Semiannually ¹						-	-	-	-
5-Sep-23	200.21	734.61	12.1	571.3	3.59	8.3	10.5	7.36	-	-	-	-
13-Dec-23	183.09	751.73	Monitored Semiannually ¹						-	-	-	-
6-Mar-24	192.55	742.27	9.1	577	8.66	35.4	4.3	7.75	-	-	-	-
19-Jun-24	194.6	740.22	Monitored Semiannually ¹						-	-	-	-
19-Sep-24	199.64	735.18	11.9	540	9.23	162.1	1.07	6.96	-	-	-	-
9-Dec-24	-	-	Monitored Semiannually ¹						-	-	-	-

**Table A-4f: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-2DSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoC)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
26-Mar-25	184	750.82	12.9	554.4	6.4	75.4	6.98	7.16	-	-	-	-
11-Jun-25	-	-	Monitored Semiannually ¹						-	-	-	-
17-Sep-25	200.69	734.13	12.4	600	6.81	-217.2	3.92	7.22	-	-	-	-

Notes:

Top of casing elevation (feet NAVD88) prior to raising casing: 932.82

Top of casing elevation (feet NAVD88) after raising casing (December 14, 2011): 934.82

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021. Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

U Data validation code; not detected at the Reporting Limit (RL)

J Data validation code; estimated value

J+ Data validation code; estimated value with positive bias

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts

NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well

**Table A-4g: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-4SDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
26-Sep-11	25.77	906.64	11.40	553	0.86	197.2	-	7.21	-	-	-	-
13-Dec-11	24.94	907.47	9.70	625	1.73	658.0	22.70	7.68	-	-	-	-
22-Mar-12	23.80	908.61	9.60	785	3.71	242.6	8.14	7.30	-	-	-	-
19-Jun-12	24.09	908.32	-	-	-	-	-	-	-	-	-	-
18-Sep-12	25.68	906.73	16.50	664	2.37	150.0	19.20	7.34	-	-	-	-
18-Dec-12	23.02	909.39	-	-	-	-	-	-	-	-	-	-
21-Feb-13	23.50	908.91	10.00	840	6.55	352.4	3.42	7.42	-	-	-	-
22-May-13	23.84	908.57	-	-	-	-	-	-	-	-	-	-
20-Aug-13	25.08	907.33	13.50	539	2.91	45.1	1.87	7.22	-	-	-	-
19-Nov-13	22.76	909.65	-	-	-	-	-	-	-	-	-	-
31-Mar-14	21.39	911.02	12.20	511	6.31	197.3	1.38	7.58	-	-	-	-
21-May-14	19.82	912.59	-	-	-	-	-	-	-	-	-	-
15-Aug-14	24.00	908.41	12.81	647	0.82	7.5	5.42	6.62	-	-	-	-
14-Nov-14	22.28	910.13	-	-	-	-	-	-	-	-	-	-
10-Feb-15	21.10	911.31	12.30	636	2.56	-71.9	1.11	7.11	-	-	-	-
4-May-15	22.65	909.76	-	-	-	-	-	-	-	-	-	-
5-Aug-15	24.65	907.76	13.50	563	3.21	116.4	55.20	7.42	-	-	-	-
3-Nov-15	23.87	908.54	12.20	493	4.65	114.4	5.78	7.52	-	-	-	-
8-Feb-16	19.39	913.02	15.80	670	3.92	163.5	5.06	7.59	-	-	-	-
2-May-16	20.99	911.42	Monitored Semiannually ¹						-	-	-	-
22-Aug-16	24.42	907.99	17.60	527	5.01	106.0	1.39	7.44	-	-	-	-
1-Nov-16	21.31	911.10	Monitored Semiannually ¹						-	-	-	-
31-Jan-17	21.11	911.30	12.10	680	2.75	-146.1	1.48	7.35	-	-	-	-
17-Aug-17	22.58	909.83	12.60	673	5.22	177.8	1.97	7.15	-	-	-	-
9-Nov-17	20.72	911.69	Monitored Semiannually ¹						-	-	-	-
28-Feb-18	17.09	915.32	11.10	509	8.34	29.0	0.72	7.37	-	-	-	-
1-May-18	17.76	914.65	Monitored Semiannually ¹						-	-	-	-
22-Aug-18	Could not be safely accessed due to wasp nests.								-	-	-	-
6-Nov-18	21.70	910.71	Monitored Semiannually ¹						-	-	-	-
12-Mar-19	18.30	914.11	10.10	215	9.65	18.9	0.39	7.86	-	-	-	-
8-May-19	19.09	913.32	Monitored Semiannually ¹						-	-	-	-
27-Aug-19	22.85	909.56	14.79	562	8.59	Note 1	3.60	7.80	-	-	-	-
13-Nov-19	21.95	910.46	Monitored Semiannually ¹						-	-	-	-
13-Feb-20	16.60	915.81	10.80	458	8.74	68.0	1.98	7.83	-	-	-	-
13-Aug-20	21.96	910.45	12.60	503	8.74	-39.8	1.89	7.83	-	-	-	-
9-Dec-20	20.58	911.83	Monitored Semiannually ¹						-	-	-	-
5-Mar-21	17.69	914.72	11.30	497	6.84	90.0	1.46	7.91	-	-	-	-
10-Jun-21	21.47	910.94	Monitored Semiannually ¹						-	-	-	-
18-Oct-21	23.22	909.19	13.5	368.9	8.47	130.8	1.36	7.63	-	-	-	-
5-Jan-22	17.66	914.75	Monitored Semiannually ¹						-	-	-	-
21-Mar-22	16.7	915.71	10.7	456.3	9.94	115.5	2.79	7.05	-	-	-	-
21-Jun-22	17.95	914.46	Monitored Semiannually ¹						-	-	-	-
13-Sep-22	21.6	910.81	15.3	531	7.87	90.3	1.45	7.53	-	-	-	-
12-Dec-22	19.02	913.39	Monitored Semiannually ¹						-	-	-	-

**Table A-4g: Summary of Dale Strip Pit - Bedrock Groundwater Sampling Results - Well MWB-4SDSP
Ravensdale Site, Ravensdale, Washington**

Date Sampled	Field Parameters								Gen. Chem.	Metals (ug/L)		
	Depth to Water (feet btoc)	Groundwater Elevation (feet NAVD88)	Temperature (°C)	Conductivity (µmhos/cm)	Dissolved Oxygen (mg/L)	Oxidation Reduction Potential (Rel mV)	Turbidity (NTU)	pH (standard units)	Total Dissolved Solids (mg/L)	Arsenic	Lead	Potassium
Cleanup Level ^a	-	-	-	-	-	-	-	6.5-8.5	-	8	2.5	-
15-Mar-23	17.46	914.95	12.3	668	8.07	57.4	2.67	7.85	-	-	-	-
26-Jun-23	19.98	912.43	Monitored Semiannually ¹						-	-	-	-
5-Sep-23	Could not be safely accessed due to wasp nests.								-	-	-	-
13-Dec-23	16.91	915.5	Monitored Semiannually ¹						-	-	-	-
8-Mar-24	15.77	916.64	10.9	558	8.79	90.8	0.74	7.82	-	-	-	-
19-Jun-24	18.55	913.86	Monitored Semiannually ¹						-	-	-	-
16-Sep-24	Could not be safely accessed due to wasp nests.								-	-	-	-
9-Dec-24	-	-	Monitored Semiannually ¹						-	-	-	-
26-Mar-25	15.10	917.31	12.8	649	10.58	76.9	2.71	7.8	-	-	-	-
11-Jun-25	-	-	Monitored Semiannually ¹						-	-	-	-
18-Sep-25	Could not be safely accessed due to wasp nests.								-	-	-	-

Notes:

Top of casing elevation (feet NAVD88) prior to DSP Cover Upgrade: 939.42

Top of casing elevation (feet NAVD88) after DSP Cover Upgrade (completed July 2011): 932.41

Dissolved metals were analyzed at the Site until December 2020 (Q4 2020). Total metals were analyzed for Q4 2020 and will continue to be analyzed moving forward. Iron and manganese are not included in the COPCs at the Site and are not analyzed beginning in Q2 2021.

Antimony and Vanadium were included as COPCs for surface water locations and shallow groundwater monitoring wells at the Site beginning in Q3 2021.

1 Reduction in monitoring frequency approved by Public Health – Seattle and King County in a letter to Golder Associates Inc. dated April 7, 2016, extended October 10, 2019. Field parameters collected semi-annually, analytical samples collected annually. Sampling schedule follows the Golder 2021 RI Work Plan starting in Q3 2021.

- Not measured or not available

Orange shaded values indicate parameter results above the Cleanup Level (CUL), except for pH, which could be above or below the CUL.

a CUL provided in Remedial Investigation Report (WSP 2025).

°C Degrees Celsius

Note 1 ORP measurements not available due to faulty sensor.

ug/L Micrograms per liter

µmhos/cm Micromhos per centimeter

feet NAVD88 Feet NAVD88 Datum

mg/L Milligrams per liter

mV Millivolts


NTU Nephelometric Turbidity Unit

TOC Top of casing inside PVC well


APPENDIX B

**LDA Shallow Monitoring Wells Data
Graphs**


LDA Shallow Monitoring Wells MW-3A




LDA Shallow Monitoring Wells MW-3A




LDA Shallow Monitoring Wells MW-4A




LDA Shallow Monitoring Wells MW-5A



LDA Shallow Monitoring Wells MW-6A



LDA Shallow Monitoring Wells MW-10A



APPENDIX C

**Data Validation Report and
Laboratory Analytical Results**

DATA VALIDATION CHECKLIST

Project Name:	Ravensdale Project
Project Number:	US-WSP-31406578.1731 Task 300
Sample Identification(s):	Infiltration Ponds-0925, MW-35A-0925, Interceptor Trench-0925, MW-2A-0925, MW-3A-0925, MW-4A-0925 (MS/MSD), MW-5A-0925, MW-7A-0925, MW-10A-0925, MW-45A-0925, MW-99-1-0925 (field blank), Tank – Influent, Sand – Effluent, and As - Effluent
Sample Date(s):	9/15/2025, 9/16/2025, 9/17/2025, and 9/18/2025
Sample Team:	Andrew Waser, WSP
Sample Matrix:	Aqueous
Analyzing Laboratory:	Analytical Resources, Inc. – Tukwila, WA
Analyses:	TDS (SM2540C); Total Metals: K, Pb, Sb, V (SW6010D, E200.8); As (E200.8 UCT-KED), Dissolved Metals: K, Pb, Sb, V (SW6010D, E200.8); As (E200.8 UCT-KED)
Laboratory Report No.:	25I0398, 25I0399

FIELD DATA PACKAGE DOCUMENTATION

Field Sampling Logs:	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Sampling dates noted		X		X	
2. Sampling team indicated		X		X	
3. Sampling identification traceable to location collected		X		X	
4. Sample location		X		X	
5. Collection technique (bailer, pump, etc.)		X		X	
6. Sample container type		X		X	
7. Preservation methods		X		X	
8. Chain-of-custody form completed		X		X	
9. Required analytical methods requested		X		X	
10. Field sample logs completed properly and signed		X		X	
11. Number and type of field QC samples collected		X		X	
12. Field equipment calibration		X		X	
13. Field equipment decontamination		X		X	

QC – quality control

COMMENTS:

ANALYTICAL DATA PACKAGE DOCUMENTATION**GENERAL INFORMATION**

	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Sample results		X		X	
2. Parameters analyzed		X		X	
3. Method of analysis		X		X	
4. Reporting limits of analysis		X		X	
5. Sample collection date		X		X	
6. Laboratory sample received date		X		X	
7. Sample preparation/extraction date		X		X	
8. Sample analysis date		X		X	
9. Copy of chain-of-custody form signed by lab sample custodian		X		X	
10. Narrative summary of QA or sample problems provided		X	X		

QA – quality assurance

COMMENTS:

- Samples Tank-Influent, Sand-Effluent, and As-Effluent were received with improper preservation requirements for dissolved metals upon receipt; however, it was confirmed by the lab that the samples were filtered and adjusted to a pH <2. Further action was not required other than to note.
- The COC listed two (2) bottles for sample MW-4A-0925 and the lab received six (6) bottles. The lab was able to proceed with analysis. Further action was not required other than to note.

INORGANIC ANALYSES

	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
Metals (EPA 6010/200.8) (E200.8 UCT-KED)					
1. Holding times		X		X	
2. Reporting limits		X		X	
3. Blanks		X		X	
a. Method blanks		X		X	
b. Equipment /Rinsate blanks		X		X	
4. Laboratory control sample (LCS) %R		X		X	
5. Matrix spike (MS) %R		X		X	
6. LCS duplicate (LCSD) %R		X		X	
7. MS duplicate (MSD) %R		X		X	
8. MS / MSD RPD		X		X	
9. LCS / LCSD RPD		X		X	
10. Laboratory Duplicate RPD		X		X	
11. Field duplicate comparison		X		X	

%R – percent recovery

RPD – relative percent difference

COMMENTS:

Performance was acceptable, with the following exceptions and/or notes:

- Field duplicates were as follows: MW-35A-0925 was a duplicate of Infiltration Ponds-0925, MW-45A-0925 was a duplicate of MW-2A-0925. All RPDs or absolute differences were within QC limits; qualifications were not required.
- Certain samples were analyzed at dilutions to bring sample concentrations within the instrument calibration range. Reporting limits were elevated proportional to the dilution when undiluted results were not provided by the laboratory. The National Functional Guidelines did not require qualification based on dilution, but the end user was alerted that the sensitivity of non-detect results were considered as part of the determination of the usability of the data.

GENERAL WET CHEMISTRY

TDS (SM 2540C)	Reported		Performance Acceptable		Not Required
	NO	YES	NO	YES	
1. Holding times		X	X		
2. Reporting limits		X		X	
3. Blanks		X		X	
a. Method blanks		X		X	
b. Equipment rinsate blanks		X		X	
4. Laboratory control sample (LCS) %R		X		X	
5. Matrix spike (MS) %R		X		X	
6. LCS duplicate (LCSD) %R		X		X	
7. MS duplicate (MSD) %R		X		X	
8. MS/MSD RPD		X		X	
9. LCS/LCSD RPD		X		X	
10. Laboratory Duplicate RPD		X		X	
11. Field duplicate comparison		X		X	

%R – percent recovery

RPD – relative percent difference

COMMENTS:

- Sample MW-99-1-0925 was analyzed outside of holding time for total dissolved solids (TDS). This was a field blank and did not require qualification.
- Field duplicates were as follows: MW-35A-0925 was a duplicate of Infiltration Ponds-0925, MW-45A-0925 was a duplicate of MW-2A-0925. All RPDs or absolute differences were within QC limits; qualifications were not required.

DATA VALIDATION CHECKLIST

SUMMARY AND DATA QUALIFIER CODES

Project Name:	Ravensdale Project
Project Number:	US-WSP-31406578.1731 Task 300
Sample Identification(s):	Infiltration Ponds-0925, MW-35A-0925, Interceptor Trench-0925, MW-2A-0925, MW-3A-0925, MW-4A-0925 (MS/MSD), MW-5A-0925, MW-7A-0925, MW-10A-0925, MW-45A-0925, MW-99-1-0925 (field blank), Tank – Influent, Sand – Effluent, and As - Effluent
Sample Date(s):	9/15/2025, 9/16/2025, 9/17/2025, and 9/18/2025
Sample Team:	Andrew Waser, WSP
Sample Matrix:	Aqueous
Analyzing Laboratory:	Analytical Resources, Inc. – Tukwila, WA
Analyses:	TDS (SM2540C); Total Metals: K, Pb, Sb, V (SW6010D, E200.8); As (E200.8 UCT-KED), Dissolved Metals: K, Pb, Sb, V (SW6010D, E200.8); As (E200.8 UCT-KED)
Laboratory Report No.:	25I0398, 25I0399

VALIDATION PERFORMED BY:	Julia Campbell, WSP
DATE:	10/16/2025
PEER REVIEW PERFORMED BY:	Michael Shadle, WSP
DATE:	10/21/2025

**Infiltration
Ponds** **MW-35A
Duplicate**

Analyte	Result	Result	RPD	Abs Diff	Unit	Qualifier	RL	MDL
Arsenic	17.2	17.1	1%	0.10	ug/L		1	0.5
Potassium	881	872	1%	9.00	mg/L		10	5
Lead	1.08	1.06	2%	0.02	ug/L		1	0.5
Antimony	7.15	7.15	0%	0.00	ug/L		1	0.75
Vanadium	0.74	0.795	7%	0.06	ug/L		1	0.5
Lead, Dissolved	9.05	9.13	1%	0.08	ug/L		1	0.75
Total Dissolved Solids	2430	2740	12%	310.00	mg/L		20	20
Antimony, Dissolved	7.84	7.98	2%	0.14	ug/L		1	0.5
Arsenic, Dissolved	16.4	16.1	2%	0.30	ug/L		1	0.5
Potassium, Dissolved	821	852	4%	31.00	mg/L		2	1
Vanadium, Dissolved	0.85	1.23	37%	0.38	ug/L		1	0.5

MW-2A **MW-45A
Duplicate**

Analyte	Result	Result	RPD	Abs Diff	Unit	Qualifier	RL	MDL
Arsenic	1.07	0.925	15%	0.15	ug/L		1	0.5
Potassium	22.2	21.7	2%	0.50	ug/L		0.5	0.25
Total Dissolved Solids	380	410	8%	30.00	mg/L		10	10
Vanadium	1.1	1.1	0%	0.00	ug/L		1	0.5



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

06 October 2025

Accounts Payable
WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER, BRITISH COLUMBIA V6Z 2M1

RE: Ravensdale (Ravensdale)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
25I0398

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Kelly Bottem, Client Services Manager



Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: 25I0398		Turn-around Requested:			Page: 1 of 2		 Analytical Resources, LLC Analytical Chemists and Consultants 4611 South 134th Place, Suite 100 Tukwila, WA 98168 206-695-6200 206-695-6201 (fax)					
ARI Client Company: WSP		Phone: (425) 221-4924			Date: 9/19				Ice Present? Yes			
Client Contact: Gary Zimmerman, Darilyn Espiritu					No. of Coolers: 2				Cooler Temps: 5.1, 3.1			
Client Project Name: Ravensdale												
Client Project #: Task 300 US-WSP-31406578.1731		Samplers: A. Waser T. Khair			Analysis Requested				Notes/Comments			
Sample ID	Date	Time	Matrix	No. Containers	Total Metals (As, Pb, Sb, V, W)	TDS	Dissolved Metals (As, Pb, Sb, V, W)					
Infiltration Ponds - 0925	9/16/25	1515	W	3	X	X	X					
MU-35A-0925	9/16/25	1520	W	3	X	X	X					
Interceptor Trench-0925	9/15/25	1230	W	2 1		X						
MW-2A-0925	9/16/25	1315	W	2	X	X						
MW-3A-0925	9/15/25	1150	W	2	X	X						
MW-4A-0925	9/15/25	1350	W	2	X	X				MS/MSD		
MW-5A-0925	9/17/25	1245	W	2	X	X						
MW-7A-0925	9/18/25	1320	W	2	X	X						
MW-10A-0925	9/15/25	1055	W	2	X	X						
MW-45A-0925	9/16/25	1320	W	2	X	X						
Comments/Special Instructions Please include PO, PN, and task ID on all invoices PO: P119363US001 PN: US-WSP-31406578.1731 Task: 300		Relinquished by: (Signature) <i>[Signature]</i>			Received by: (Signature) <i>Tat: Taylor</i>			Relinquished by:			Received by:	
		Printed Name: Andrew Waser			Printed Name: Tatiane Taylor			Printed Name:			Printed Name:	
		Company: WSP			Company: ARI			Company:			Company:	
		Date & Time: 9/19/25 0955			Date & Time: 9/19/25 9:55			Date & Time:			Date & Time:	

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.

Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: 25I0398	Turn-around Requested:	Page: 2 of 2
ARI Client Company: WSP	Phone: (425) 221-4929	Date: 9/19 Ice Present? Yes
Client Contact: Gary Zimmerman, Darilyn Espinosa	No. of Coolers: 2	Cooler Temps: 5.1, 3.1



Analytical Resources, LLC
Analytical Chemists and Consultants
4611 South 134th Place, Suite 100
Tukwila, WA 98168
206-695-6200 206-695-6201 (fax)

[illegible]

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Infiltration Ponds-0925	25I0398-01	Water	16-Sep-2025 15:15	19-Sep-2025 09:55
Infiltration Ponds-0925	25I0398-02	Water	16-Sep-2025 15:15	19-Sep-2025 09:55
MW-35A-0925	25I0398-03	Water	16-Sep-2025 15:20	19-Sep-2025 09:55
MW-35A-0925	25I0398-04	Water	16-Sep-2025 15:20	19-Sep-2025 09:55
Interceptor Trench-0925	25I0398-05	Water	15-Sep-2025 12:30	19-Sep-2025 09:55
MW-2A-0925	25I0398-06	Water	16-Sep-2025 13:15	19-Sep-2025 09:55
MW-3A-0925	25I0398-07	Water	15-Sep-2025 11:50	19-Sep-2025 09:55
MW-4A-0925	25I0398-08	Water	15-Sep-2025 13:50	19-Sep-2025 09:55
MW-5A-0925	25I0398-09	Water	17-Sep-2025 12:45	19-Sep-2025 09:55
MW-7A-0925	25I0398-10	Water	18-Sep-2025 13:20	19-Sep-2025 09:55
MW-10A-0925	25I0398-11	Water	15-Sep-2025 10:55	19-Sep-2025 09:55
MW-45A-0925	25I0398-12	Water	16-Sep-2025 13:20	19-Sep-2025 09:55
MW-99-1-0925	25I0398-13	Water	18-Sep-2025 12:20	19-Sep-2025 09:55



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Work Order Case Narrative

Client: WSP USA, Inc.
Project: Ravensdale
Work Order: 25I0398

Sample receipt

Samples as listed on the preceding page were received 19-Sep-2025 09:55 under ARI work order 25I0398. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Total and Dissolved Metals - EPA Method 200.8 and 6010D

The sample(s) were digested and analyzed within the recommended holding times.

Initial and continuing calibrations including interference checks were within method requirements for reported elements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times with the exception of 25I0398-13 which required a re-analysis outside of the holding time. The sample has been flagged with a "H" qualifier.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.



WORK ORDER

25I0398

Client: WSP USA, Inc.

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: Ravensdale

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25I0398-01 A	HDPE NM, 1000 mL		
25I0398-01 B	HDPE NM, 500 mL, 1:1 HNO3	<u>< 2 p</u>	
25I0398-02 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<u>11</u>	
25I0398-03 A	HDPE NM, 1000 mL		
25I0398-03 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-04 A	HDPE NM, 500 mL, 1:1 HNO3 (FF)	<u>11</u>	
25I0398-05 A	HDPE NM, 1000 mL		
25I0398-06 A	HDPE NM, 1000 mL		
25I0398-06 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-07 A	HDPE NM, 1000 mL		
25I0398-07 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-08 A	HDPE NM, 1000 mL		
25I0398-08 B	HDPE NM, 1000 mL		
25I0398-08 C	HDPE NM, 1000 mL		
25I0398-08 D	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-08 E	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-08 F	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-09 A	HDPE NM, 1000 mL		
25I0398-09 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-10 A	HDPE NM, 1000 mL		
25I0398-10 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-11 A	HDPE NM, 1000 mL		
25I0398-11 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-12 A	HDPE NM, 1000 mL		
25I0398-12 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	
25I0398-13 A	HDPE NM, 1000 mL		
25I0398-13 B	HDPE NM, 500 mL, 1:1 HNO3	<u>11</u>	

TT
Preservation Confirmed By

9/19/25
Date



Cooler Receipt Form

ARI Client: WSP

Project Name: Ravensdale

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 25I0398

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? _____

YES NO

Were custody papers included with the cooler? _____

YES NO

Were custody papers properly filled out (ink, signed, etc.) _____

YES NO

Temperature of Cooler(s) (°C) Time 9:55 3-1 5-1 _____

Temp Gun ID#: 8117

Was a temperature blank included in the cooler? _____

YES NO

Were coolers received between 0° - 6° (°C) _____

YES NO

Was sufficient ice used (if appropriate)? _____

NA YES NO

Cooler Accepted by: TT Date: 9/19/25 Time: 9:55

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? _____ Bubble Wrap Wet Ice Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? _____ YES NO

How were bottles sealed in plastic bags? _____ Individually Grouped Not

Did all bottles arrive in good condition (unbroken)? _____ YES NO

Were all bottle labels complete and legible? _____ YES NO

Did the number of containers listed on COC match with the number of containers received? _____ YES NO

Did all bottle labels and tags agree with custody papers? _____ YES NO

Were all bottles used correct for the requested analyses? _____ YES NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ... NA YES NO

Were all VOC vials free of air bubbles? _____ NA YES NO

Was sufficient amount of sample sent in each bottle? _____ YES NO

Date VOC Trip Blank was made at ARI: _____ NA

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: TT Date: 9/19/25 Time: 10:23 Labels checked by: TT

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

6 bottles (3 1L unpreserved, 3 500mL w/ HNO₃) for MW-44-0925,
COC lists 2 bottles

By: TT Date: 9/19/25



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Infiltration Ponds-0925
25I0398-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/16/2025 15:15

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/23/2025 20:34

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-01 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	5	0.750	1.00	7.15	ug/L	D
Lead	7439-92-1	5	0.500	1.00	1.08	ug/L	D
Vanadium	7440-62-2	5	0.500	1.00	0.740	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Infiltration Ponds-0925
25I0398-01 (Water)

Wet Chemistry

Method: SM 2540 C-11

Sampled: 09/16/2025 15:15

Instrument: BAL2 Analyst: RAL

Analyzed: 09/19/2025 14:41

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25I0398-01

Preparation Batch: BNI0428

Sample Size: 50 mL

Prepared: 09/19/2025

Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	20	20	2430	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Infiltration Ponds-0925
25I0398-01RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/16/2025 15:15

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 20:38

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-01RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	17.2	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Infiltration Ponds-0925
25I0398-01RE1 (Water)

Metals and Metallic Compounds

Method: EPA 6010D

Sampled: 09/16/2025 15:15

Instrument: ICP3 Analyst: SH

Analyzed: 10/03/2025 22:56

Sample Preparation:

Preparation Method: TWC EPA 3010A

Extract ID: 25I0398-01RE1 B 02

Preparation Batch: BNI0536

Sample Size: 25 mL

Prepared: 09/25/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	20	5.00	10.0	881	mg/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Infiltration Ponds-0925
25I0398-02 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8	Sampled: 09/16/2025 15:15
Instrument: ICPMS1 Analyst: HAL	Analyzed: 09/25/2025 01:14
Sample Preparation:	Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix
	Preparation Batch: BNI0503
	Sample Size: 25 mL
	Prepared: 09/24/2025
	Final Volume: 25 mL
	Extract ID: 25I0398-02 A 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony, Dissolved	7440-36-0	5	0.750	1.00	7.84	ug/L	D
Arsenic UCT, Dissolved	7440-38-2	5	0.500	1.00	16.4	ug/L	D
Lead, Dissolved	7439-92-1	5	0.500	1.00	0.905	ug/L	J, D
Vanadium, Dissolved	7440-62-2	5	0.500	1.00	0.850	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Infiltration Ponds-0925
25I0398-02RE1 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 6010D	Sampled: 09/16/2025 15:15
Instrument: ICP3 Analyst: SH	Analyzed: 10/03/2025 21:10
Sample Preparation:	Preparation Method: WMN (No Prep)
	Preparation Batch: BNI0555
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-02RE1 A 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium, Dissolved	7440-09-7	4	1.00	2.00	821	mg/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-35A-0925
25I0398-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/16/2025 15:20

Analyzed: 09/23/2025 20:39

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473
Prepared: 09/23/2025

Sample Size: 25 mL

Final Volume: 25 mL

Extract ID: 25I0398-03 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	7.15	ug/L	D
Lead	7439-92-1	5	0.500	1.00	1.06	ug/L	D
Vanadium	7440-62-2	5	0.500	1.00	0.795	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-35A-0925
25I0398-03 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/16/2025 15:20

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428 Sample Size: 50 mL
Prepared: 09/19/2025 Final Volume: 200 mL
Extract ID: 25I0398-03

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	20	20	2740	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-35A-0925
25I0398-03RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/16/2025 15:20

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 20:43

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-03RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	17.1	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-35A-0925
25I0398-03RE1 (Water)

Metals and Metallic Compounds

Method: EPA 6010D
Instrument: ICP3 Analyst: SH

Sampled: 09/16/2025 15:20

Analyzed: 10/03/2025 22:58

Sample Preparation: Preparation Method: TWC EPA 3010A
Preparation Batch: BNI0536
Prepared: 09/25/2025

Sample Size: 25 mL

Final Volume: 25 mL

Extract ID: 25I0398-03RE1 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	20	5.00	10.0	872	mg/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-35A-0925
25I0398-04 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8	Sampled: 09/16/2025 15:20
Instrument: ICPMS1 Analyst: HAL	Analyzed: 09/25/2025 01:09
Sample Preparation:	Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix
	Preparation Batch: BNI0503
	Sample Size: 25 mL
	Prepared: 09/24/2025
	Final Volume: 25 mL
	Extract ID: 25I0398-04 A 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony, Dissolved	7440-36-0	5	0.750	1.00	7.98	ug/L	D
Arsenic UCT, Dissolved	7440-38-2	5	0.500	1.00	16.1	ug/L	D
Lead, Dissolved	7439-92-1	5	0.500	1.00	9.13	ug/L	D
Vanadium, Dissolved	7440-62-2	5	0.500	1.00	1.23	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-35A-0925
25I0398-04RE1 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 6010D	Sampled: 09/16/2025 15:20
Instrument: ICP3 Analyst: SH	Analyzed: 10/03/2025 21:41
Sample Preparation:	Preparation Method: WMN (No Prep)
	Preparation Batch: BNI0555
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-04RE1 A 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium, Dissolved	7440-09-7	4	1.00	2.00	852	mg/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Interceptor Trench-0925
25I0398-05 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/15/2025 12:30

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428
Prepared: 09/19/2025

Sample Size: 100 mL
Final Volume: 200 mL

Extract ID: 25I0398-05

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	255	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-2A-0925
25I0398-06 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/16/2025 13:15

Analyzed: 09/23/2025 20:43

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473
Prepared: 09/23/2025

Sample Size: 25 mL

Final Volume: 25 mL

Extract ID: 25I0398-06 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	ND	ug/L	U
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	1.10	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-2A-0925
25I0398-06 (Water)

Metals and Metallic Compounds

Method: EPA 6010D
Instrument: ICP3 Analyst: SH

Sampled: 09/16/2025 13:15

Analyzed: 09/30/2025 18:27

Sample Preparation: Preparation Method: TWC EPA 3010A
Preparation Batch: BNI0536
Prepared: 09/25/2025

Sample Size: 25 mL
Final Volume: 25 mL

Extract ID: 25I0398-06 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	22.2	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-2A-0925
25I0398-06 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/16/2025 13:15

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428 Sample Size: 100 mL
Prepared: 09/19/2025 Final Volume: 200 mL

Extract ID: 25I0398-06

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	380	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-2A-0925
25I0398-06RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/16/2025 13:15

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 20:48

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-06RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	1.07	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-3A-0925
25I0398-07 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/15/2025 11:50

Analyzed: 09/23/2025 20:48

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473 Sample Size: 25 mL
Prepared: 09/23/2025 Final Volume: 25 mL

Extract ID: 25I0398-07 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	ND	ug/L	U
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	0.700	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-3A-0925
25I0398-07 (Water)

Metals and Metallic Compounds

Method: EPA 6010D	Sampled: 09/15/2025 11:50
Instrument: ICP3 Analyst: SH	Analyzed: 09/30/2025 18:30
Sample Preparation:	Preparation Method: TWC EPA 3010A
	Preparation Batch: BNI0536
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-07 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	100	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-3A-0925
25I0398-07 (Water)

Wet Chemistry

Method: SM 2540 C-11

Sampled: 09/15/2025 11:50

Instrument: BAL2 Analyst: RAL

Analyzed: 09/19/2025 14:41

Sample Preparation:

Preparation Method: No Prep Wet Chem

Extract ID: 25I0398-07

Preparation Batch: BNI0428

Sample Size: 75 mL

Prepared: 09/19/2025

Final Volume: 200 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	13	13	796	mg/L	



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: Ravensdale

Project Manager: Accounts Payable

Reported:

06-Oct-2025 10:18

MW-3A-0925

25I0398-07RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/15/2025 11:50

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 20:53

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-07RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	6.61	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-4A-0925
25I0398-08 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/15/2025 13:50

Analyzed: 09/23/2025 21:59

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473 Sample Size: 25 mL
Prepared: 09/23/2025 Final Volume: 25 mL

Extract ID: 25I0398-08 D 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	ND	ug/L	U
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	1.19	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-4A-0925
25I0398-08 (Water)

Metals and Metallic Compounds

Method: EPA 6010D	Sampled: 09/15/2025 13:50
Instrument: ICP3 Analyst: SH	Analyzed: 09/30/2025 17:52
Sample Preparation:	Preparation Method: TWC EPA 3010A
	Preparation Batch: BNI0536
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-08 D 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	1.47	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-4A-0925
25I0398-08 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/15/2025 13:50

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428
Prepared: 09/19/2025

Sample Size: 100 mL
Final Volume: 200 mL

Extract ID: 25I0398-08

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	347	mg/L	



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: Ravensdale

Project Manager: Accounts Payable

Reported:

06-Oct-2025 10:18

MW-4A-0925

25I0398-08RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/15/2025 13:50

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 22:22

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-08RE1 D 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	ND	ug/L	U



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-5A-0925
25I0398-09 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/17/2025 12:45

Analyzed: 09/23/2025 20:53

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473 Sample Size: 25 mL
Prepared: 09/23/2025 Final Volume: 25 mL

Extract ID: 25I0398-09 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	1.68	ug/L	D
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	0.995	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-5A-0925
25I0398-09 (Water)

Metals and Metallic Compounds

Method: EPA 6010D	Sampled: 09/17/2025 12:45
Instrument: ICP3 Analyst: SH	Analyzed: 09/30/2025 18:33
Sample Preparation:	Preparation Method: TWC EPA 3010A
	Preparation Batch: BNI0536
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-09 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	288	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-5A-0925
25I0398-09 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/17/2025 12:45

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428 Sample Size: 75 mL
Prepared: 09/19/2025 Final Volume: 200 mL

Extract ID: 25I0398-09

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	13	13	1410	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-5A-0925
25I0398-09RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/17/2025 12:45

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 20:57

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-09RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	1.49	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-7A-0925
25I0398-10 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/18/2025 13:20

Analyzed: 09/23/2025 20:58

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473 Sample Size: 25 mL
Prepared: 09/23/2025 Final Volume: 25 mL

Extract ID: 25I0398-10 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	1.00	ug/L	D
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	1.30	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-7A-0925
25I0398-10 (Water)

Metals and Metallic Compounds

Method: EPA 6010D	Sampled: 09/18/2025 13:20
Instrument: ICP3 Analyst: SH	Analyzed: 09/30/2025 18:36
Sample Preparation:	Preparation Method: TWC EPA 3010A
	Preparation Batch: BNI0536
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-10 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	33.3	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-7A-0925
25I0398-10 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/18/2025 13:20

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428 Sample Size: 100 mL
Prepared: 09/19/2025 Final Volume: 200 mL

Extract ID: 25I0398-10

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	473	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-7A-0925
25I0398-10RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/18/2025 13:20

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 21:02

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-10RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	1.39	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-10A-0925
25I0398-11 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/15/2025 10:55

Analyzed: 09/23/2025 21:03

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473 Sample Size: 25 mL
Prepared: 09/23/2025 Final Volume: 25 mL

Extract ID: 25I0398-11 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	ND	ug/L	U
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	1.20	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-10A-0925
25I0398-11 (Water)

Metals and Metallic Compounds

Method: EPA 6010D
Instrument: ICP3 Analyst: SH

Sampled: 09/15/2025 10:55

Analyzed: 09/30/2025 18:45

Sample Preparation: Preparation Method: TWC EPA 3010A
Preparation Batch: BNI0536
Prepared: 09/25/2025

Sample Size: 25 mL
Final Volume: 25 mL

Extract ID: 25I0398-11 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	1.92	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-10A-0925
25I0398-11 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/15/2025 10:55

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428 Sample Size: 200 mL
Prepared: 09/19/2025 Final Volume: 200 mL

Extract ID: 25I0398-11

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	5	5	194	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-10A-0925
25I0398-11RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/15/2025 10:55

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 21:07

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-11RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	0.945	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-45A-0925
25I0398-12 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/16/2025 13:20

Analyzed: 09/23/2025 21:08

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473 Sample Size: 25 mL
Prepared: 09/23/2025 Final Volume: 25 mL

Extract ID: 25I0398-12 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	ND	ug/L	U
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	1.10	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-45A-0925
25I0398-12 (Water)

Metals and Metallic Compounds

Method: EPA 6010D	Sampled: 09/16/2025 13:20
Instrument: ICP3 Analyst: SH	Analyzed: 09/30/2025 18:47
Sample Preparation:	Preparation Method: TWC EPA 3010A
	Preparation Batch: BNI0536
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-12 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	21.7	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-45A-0925
25I0398-12 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/16/2025 13:20

Analyzed: 09/19/2025 14:41

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0428
Prepared: 09/19/2025

Sample Size: 100 mL
Final Volume: 200 mL

Extract ID: 25I0398-12

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	10	10	410	mg/L	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-45A-0925
25I0398-12RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/16/2025 13:20

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 21:12

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-12RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	0.925	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-99-1-0925
25I0398-13 (Water)

Metals and Metallic Compounds

Method: EPA 200.8
Instrument: ICPMS1 Analyst: HAL

Sampled: 09/18/2025 12:20

Analyzed: 09/23/2025 21:13

Sample Preparation: Preparation Method: REN - EPA 3010A M
Preparation Batch: BNI0473 Sample Size: 25 mL
Prepared: 09/23/2025 Final Volume: 25 mL

Extract ID: 25I0398-13 B 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	ND	ug/L	U
Lead	7439-92-1	5	0.500	1.00	ND	ug/L	U
Vanadium	7440-62-2	5	0.500	1.00	ND	ug/L	U



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-99-1-0925
25I0398-13 (Water)

Metals and Metallic Compounds

Method: EPA 6010D	Sampled: 09/18/2025 12:20
Instrument: ICP3 Analyst: SH	Analyzed: 09/30/2025 18:50
Sample Preparation:	Preparation Method: TWC EPA 3010A
	Preparation Batch: BNI0536
	Prepared: 09/25/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0398-13 B 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Potassium	7440-09-7	1	0.250	0.500	ND	mg/L	U



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-99-1-0925
25I0398-13 (Water)

Wet Chemistry

Method: SM 2540 C-11
Instrument: BAL2 Analyst: RAL

Sampled: 09/18/2025 12:20

Analyzed: 09/26/2025 11:37

Sample Preparation: Preparation Method: No Prep Wet Chem
Preparation Batch: BNI0575 Sample Size: 200 mL
Prepared: 09/26/2025 Final Volume: 200 mL

Extract ID: 25I0398-13

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Dissolved Solids		1	5	5	ND	mg/L	H, U



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

MW-99-1-0925
25I0398-13RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/18/2025 12:20

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 21:17

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0398-13RE1 B 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	ND	ug/L	U



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BNI0473 - EPA 200.8 in Water

Instrument: ICPMS1 Analyst: HAL

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0473-BLK1)						Prepared: 23-Sep-2025 Analyzed: 23-Sep-2025 17:58						
Antimony	121	ND	0.150	0.200	ug/L							U
Arsenic UCT	75a UCT	ND	0.100	0.200	ug/L							U
Lead	208	ND	0.100	0.200	ug/L							U
Vanadium	51a	ND	0.100	0.200	ug/L							U
Blank (BNI0473-BLK2)						Prepared: 23-Sep-2025 Analyzed: 24-Sep-2025 18:34						
Antimony	121	ND	0.150	0.200	ug/L							U
Arsenic UCT	75a UCT	ND	0.100	0.200	ug/L							U
Lead	208	ND	0.100	0.200	ug/L							U
Vanadium	51a	ND	0.100	0.200	ug/L							U
LCS (BNI0473-BS1)						Prepared: 23-Sep-2025 Analyzed: 23-Sep-2025 18:13						
Antimony	121	25.0	0.150	0.200	ug/L	25.0		99.8	85-115			
Arsenic UCT	75a UCT	23.7	0.100	0.200	ug/L	25.0		94.9	85-115			
Lead	208	24.2	0.100	0.200	ug/L	25.0		97.0	85-115			
Vanadium	51a	25.3	0.100	0.200	ug/L	25.0		101	85-115			
LCS (BNI0473-BS2)						Prepared: 23-Sep-2025 Analyzed: 24-Sep-2025 18:43						
Antimony	121	25.1	0.150	0.200	ug/L	25.0		101	85-115			
Arsenic UCT	75a UCT	23.4	0.100	0.200	ug/L	25.0		93.7	85-115			
Lead	208	25.5	0.100	0.200	ug/L	25.0		102	85-115			
Vanadium	51a	23.5	0.100	0.200	ug/L	25.0		94.1	85-115			
Duplicate (BNI0473-DUP1)						Source: 25I0398-08 Prepared: 23-Sep-2025 Analyzed: 23-Sep-2025 22:04						
Lead	208	ND	0.500	1.00	ug/L		ND			20		U
Duplicate (BNI0473-DUP2)						Source: 25I0398-08 Prepared: 23-Sep-2025 Analyzed: 24-Sep-2025 22:27						
Lead	208	ND	0.500	1.00	ug/L		ND			20		U
Matrix Spike (BNI0473-MS1)						Source: 25I0398-08 Prepared: 23-Sep-2025 Analyzed: 23-Sep-2025 22:09						
Lead	208	23.7	0.500	1.00	ug/L	25.0	ND	94.8	75-125			D
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												
Matrix Spike (BNI0473-MS2)						Source: 25I0398-08 Prepared: 23-Sep-2025 Analyzed: 24-Sep-2025 22:31						
Lead	208	23.8	0.500	1.00	ug/L	25.0	ND	95.0	75-125			D
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												
Matrix Spike Dup (BNI0473-MSD1)						Source: 25I0398-08 Prepared: 23-Sep-2025 Analyzed: 23-Sep-2025 22:14						
Lead	208	28.3	0.500	1.00	ug/L	25.0	ND	113	75-125	17.60	20	D
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												
Matrix Spike Dup (BNI0473-MSD2)						Source: 25I0398-08 Prepared: 23-Sep-2025 Analyzed: 24-Sep-2025 22:36						
Lead	208	28.4	0.500	1.00	ug/L	25.0	ND	113	75-125	17.60	20	D
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BNI0536 - EPA 6010D in Water

Instrument: ICP3 Analyst: SH

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0536-BLK1)					Prepared: 25-Sep-2025 Analyzed: 30-Sep-2025 17:44						
Potassium	ND	0.250	0.500	mg/L							U
Blank (BNI0536-BLK2)					Prepared: 25-Sep-2025 Analyzed: 03-Oct-2025 22:10						
Potassium	ND	0.250	0.500	mg/L							U
LCS (BNI0536-BS1)					Prepared: 25-Sep-2025 Analyzed: 30-Sep-2025 17:49						
Potassium	10.2	0.250	0.500	mg/L	10.0		102	80-120			
LCS (BNI0536-BS2)					Prepared: 25-Sep-2025 Analyzed: 03-Oct-2025 22:16						
Potassium	10.2	0.250	0.500	mg/L	10.0		102	80-120			
Duplicate (BNI0536-DUP1)					Source: 25I0398-08 Prepared: 25-Sep-2025 Analyzed: 30-Sep-2025 17:55						
Potassium	1.62	0.250	0.500	mg/L		1.47			9.47	20	
Matrix Spike (BNI0536-MS1)					Source: 25I0398-08 Prepared: 25-Sep-2025 Analyzed: 30-Sep-2025 17:58						
Potassium	11.7	0.250	0.500	mg/L	10.0	1.47	102	75-125			
Recovery limits for target analytes in MS/MSD QC samples are advisory only.											
Matrix Spike Dup (BNI0536-MSD1)					Source: 25I0398-08 Prepared: 25-Sep-2025 Analyzed: 30-Sep-2025 18:01						
Potassium	11.3	0.250	0.500	mg/L	10.0	1.47	98.4	75-125	3.18	20	
Recovery limits for target analytes in MS/MSD QC samples are advisory only.											



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds (dissolved) - Quality Control

Batch BNI0503 - EPA 200.8 in Water

Instrument: ICPMS1 Analyst: HAL

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0503-BLK1)						Prepared: 24-Sep-2025 Analyzed: 25-Sep-2025 00:02						
Antimony, Dissolved	121	ND	0.150	0.200	ug/L							U
Arsenic UCT, Dissolved	75a UCT	ND	0.100	0.200	ug/L							U
Lead, Dissolved	208	ND	0.100	0.200	ug/L							U
Vanadium, Dissolved	51a	ND	0.100	0.200	ug/L							U
LCS (BNI0503-BS1)						Prepared: 24-Sep-2025 Analyzed: 25-Sep-2025 00:07						
Antimony, Dissolved	121	25.8	0.150	0.200	ug/L	25.0		103	85-115			
Arsenic UCT, Dissolved	75a UCT	25.0	0.100	0.200	ug/L	25.0		99.9	85-115			
Lead, Dissolved	208	25.7	0.100	0.200	ug/L	25.0		103	85-115			
Vanadium, Dissolved	51a	24.3	0.100	0.200	ug/L	25.0		97.3	85-115			
Duplicate (BNI0503-DUP1)						Source: 25I0398-02 Prepared: 24-Sep-2025 Analyzed: 25-Sep-2025 01:19						
Arsenic UCT, Dissolved	75a UCT	17.4	0.500	1.00	ug/L		16.4			5.76	20	D
Lead, Dissolved	208	1.05	0.500	1.00	ug/L		0.905			14.40	20	D
Matrix Spike (BNI0503-MS1)						Source: 25I0398-02 Prepared: 24-Sep-2025 Analyzed: 25-Sep-2025 01:23						
Arsenic UCT, Dissolved	75a UCT	43.4	0.500	1.00	ug/L	25.0	16.4	108	75-125			D
Lead, Dissolved	208	25.2	0.500	1.00	ug/L	25.0	0.905	97.0	75-125			D
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												
Matrix Spike Dup (BNI0503-MSD1)						Source: 25I0398-02 Prepared: 24-Sep-2025 Analyzed: 25-Sep-2025 01:28						
Arsenic UCT, Dissolved	75a UCT	41.5	0.500	1.00	ug/L	25.0	16.4	100	75-125	4.42	20	D
Lead, Dissolved	208	24.7	0.500	1.00	ug/L	25.0	0.905	95.3	75-125	1.66	20	D
Recovery limits for target analytes in MS/MSD QC samples are advisory only.												



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds (dissolved) - Quality Control

Batch BNI0555 - EPA 6010D in Water

Instrument: ICP3 Analyst: SH

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0555-BLK1)					Prepared: 25-Sep-2025 Analyzed: 30-Sep-2025 16:29					
Potassium, Dissolved	ND	0.250	0.500	mg/L						U
Blank (BNI0555-BLK2)					Prepared: 25-Sep-2025 Analyzed: 03-Oct-2025 20:53					
Potassium, Dissolved	ND	0.250	0.500	mg/L						U
LCS (BNI0555-BS1)					Prepared: 25-Sep-2025 Analyzed: 30-Sep-2025 16:32					
Potassium, Dissolved	11.6	0.255	0.510	mg/L	10.0	116	80-120			
LCS (BNI0555-BS2)					Prepared: 25-Sep-2025 Analyzed: 03-Oct-2025 20:55					
Potassium, Dissolved	11.7	0.255	0.510	mg/L	10.0	117	80-120			



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNI0428 - SM 2540 C-11 in Water

Instrument: BAL2 Analyst: RAL

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0428-BLK1)					Prepared: 19-Sep-2025 Analyzed: 19-Sep-2025 14:41					
Dissolved Solids	ND	5	5	mg/L						U
LCS (BNI0428-BS1)					Prepared: 19-Sep-2025 Analyzed: 19-Sep-2025 14:41					
Dissolved Solids	468	10	10	mg/L	500		93.6 90-110			
Duplicate (BNI0428-DUP1)					Source: 25I0398-01 Prepared: 19-Sep-2025 Analyzed: 19-Sep-2025 14:41					
Dissolved Solids	2620	20	20	mg/L		2430		7.36	20	



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Analysis by: Analytical Resources, LLC

Wet Chemistry - Quality Control

Batch BNI0575 - SM 2540 C-11 in Water

Instrument: BAL2 Analyst: RAL

QC Sample/Analyte	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0575-BLK1)					Prepared: 26-Sep-2025 Analyzed: 26-Sep-2025 11:37					
Dissolved Solids	ND	5	5	mg/L						U
LCS (BNI0575-BS1)					Prepared: 26-Sep-2025 Analyzed: 26-Sep-2025 11:37					
Dissolved Solids	476	10	10	mg/L	500		95.2 90-110			



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: Ravensdale
Project Manager: Accounts Payable

Reported:
06-Oct-2025 10:18

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 200.8 in Water

Antimony-121	DoD-ELAP,NELAP,WADOE,WA-DW
Arsenic-75a UCT	DoD-ELAP,NELAP,WADOE,WA-DW
Lead-208	DoD-ELAP,NELAP,WADOE,WA-DW
Vanadium-51a	DoD-ELAP,NELAP,WADOE,WA-DW
Antimony-121	DoD-ELAP,NELAP,WADOE
Arsenic-75a UCT	DoD-ELAP,NELAP,WADOE
Lead-208	DoD-ELAP,NELAP,WADOE
Vanadium-51a	DoD-ELAP,NELAP,WADOE

EPA 6010D in Water

Calcium	DoD-ELAP,NELAP,WADOE
Potassium	DoD-ELAP,NELAP,WADOE
Potassium	DoD-ELAP,NELAP,WADOE

SM 2540 C-11 in Water

Dissolved Solids	DoD-ELAP,WADOE,NELAP,WA-DW
------------------	----------------------------

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026
WA-DW	Ecology - Drinking Water	C558	06/30/2026



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: Ravensdale

Project Manager: Accounts Payable

Reported:

06-Oct-2025 10:18

Notes and Definitions

*	Flagged value is not within established control limits.
B	This analyte was detected in the method blank.
D	The reported value is from a dilution
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL)
H	Hold time violation - Hold time was exceeded.
HC	The natural concentration of the spiked analyte is so much greater than the concentration spiked that an accurate determination of spike recovery is not possible
J	Estimated concentration value detected below the reporting limit.
L	Analyte concentration is ≤ 5 times the reporting limit and the replicate control limit defaults to $\pm$ RL instead of 20% RPD
U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.



Analytical Resources, LLC
Analytical Chemists and Consultants
Tukwila, WA

07 October 2025

Accounts Payable
WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER, BRITISH COLUMBIA V6Z 2M1

RE: Ravensdale (US-WSP-31406578.4513)

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)
25I0399

Associated SDG ID(s)
N/A

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclose Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Kelly Bottem, Client Services Manager



Chain of Custody Record & Laboratory Analysis Request

ARI Assigned Number: 25I0399		Turn-around Requested:		Page: 1 of 1		 Analytical Resources, LLC Analytical Chemists and Consultants 4611 South 134th Place, Suite 100 Tukwila, WA 98168 206-695-6200 206-695-6201 (fax)																																																																																																																																																																														
ARI Client Company: WSP		Phone: (425) 221-4929		Date: 9/19/25				Ice Present? Yes																																																																																																																																																																												
Client Contact: Gary Zimmerman, Danilyn Espiritu				No. of Coolers: 2				Cooler Temps: 5.1, 3.1																																																																																																																																																																												
Client Project Name: Ravensdale O&M				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="8">Analysis Requested</th> <th>Notes/Comments</th> </tr> <tr> <th>Trace Metals (As, Pb, Sb, V)</th> <th>Dissolved Metals (As, Pb, Sb, V)</th> <th></th><th></th><th></th><th></th><th></th><th></th> <th></th> </tr> </thead> <tbody> <tr> <td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>X</td><td>X</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>						Analysis Requested								Notes/Comments	Trace Metals (As, Pb, Sb, V)	Dissolved Metals (As, Pb, Sb, V)								X	X								X	X								X	X																																																																																																																																					
Analysis Requested										Notes/Comments																																																																																																																																																																										
Trace Metals (As, Pb, Sb, V)	Dissolved Metals (As, Pb, Sb, V)																																																																																																																																																																																			
X	X																																																																																																																																																																																			
X	X																																																																																																																																																																																			
X	X																																																																																																																																																																																			
Client Project #: US-WSP-31406578-4513		Samplers: Alaser T. Khairi																																																																																																																																																																																		
Sample ID	Date	Time	Matrix	No. Containers																																																																																																																																																																																
Tank - Influent	9/18/25	1000	W	2	X	X																																																																																																																																																																														
Sand - Effluent	9/19/25	1005	W	2	X	X																																																																																																																																																																														
As - Effluent	9/18/25	1010	W	2	X	X																																																																																																																																																																														
Comments/Special Instructions Please include PO, PN, and task ID on all invoices PO: P1A363US001 PN: US-WSP-314065.4513 Task: OI					Relinquished by: (Signature) <i>[Signature]</i>		Received by: (Signature) <i>[Signature]</i>		Relinquished by: (Signature)		Received by: (Signature)																																																																																																																																																																									
					Printed Name: Andrew Laser		Printed Name: Tatiana Taylor		Printed Name:		Printed Name:																																																																																																																																																																									
					Company: WSP		Company: ARI		Company:		Company:																																																																																																																																																																									
					Date & Time: 9/19/25 0955		Date & Time: 9/19/25 9:55		Date & Time:		Date & Time:																																																																																																																																																																									

Limits of Liability: ARI will perform all requested services in accordance with appropriate methodology following ARI Standard Operating Procedures and the ARI Quality Assurance Program. This program meets standards for the industry. The total liability of ARI, its officers, agents, employees, or successors, arising out of or in connection with the requested services, shall not exceed the Invoiced amount for said services. The acceptance by the client of a proposal for services by ARI release ARI from any liability in excess thereof, notwithstanding any provision to the contrary in any contract, purchase order or co-signed agreement between ARI and the Client.

Sample Retention Policy: All samples submitted to ARI will be appropriately discarded no sooner than 90 days after receipt or 60 days after submission of hardcopy data, whichever is longer, unless alternate retention schedules have been established by work-order or contract.



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Tank - Influent	25I0399-01	Water	18-Sep-2025 10:00	19-Sep-2025 09:55
Tank - Influent	25I0399-02	Water	18-Sep-2025 10:00	19-Sep-2025 09:55
Sand - Effluent	25I0399-03	Water	18-Sep-2025 10:05	19-Sep-2025 09:55
Sand - Effluent	25I0399-04	Water	18-Sep-2025 10:05	19-Sep-2025 09:55
As - Effluent	25I0399-05	Water	18-Sep-2025 10:10	19-Sep-2025 09:55
As - Effluent	25I0399-06	Water	18-Sep-2025 10:10	19-Sep-2025 09:55



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: US-WSP-31406578.4513
Project Manager: Accounts Payable

Reported:
07-Oct-2025 17:29

Work Order Case Narrative

Client: WSP USA, Inc.
Project: Ravensdale
Project Number: US-WSP-31406578.4513
Work Order: 25I0399

Sample receipt

Samples as listed on the preceding page were received 19-Sep-2025 09:55 under ARI work order 25I0399. For details regarding sample receipt, please refer to the Cooler Receipt Form.

Total and Dissolved Metals - EPA Method 200.8

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations including interference checks were within method requirements for reported elements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.



WORK ORDER

25I0399

Client: WSP USA, Inc.

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#: <u>N000119</u>
25I0399-01 A	HDPE NM, 250mL HNO3	<2	P
25I0399-02 A	HDPE NM, 1000 mL	>2	Fail
25I0399-03 A	HDPE NM, 250mL HNO3	<2	P
25I0399-04 A	HDPE NM, 1000 mL	>2	Fail
25I0399-05 A	HDPE NM, 250mL HNO3	<2	P
25I0399-06 A	HDPE NM, 1000 mL	>2	Fail

NDT

Preservation Confirmed By

09/19/25

Date



Cooler Receipt Form

ARI Client: WSP

Project Name: Riversdale

COC No(s): _____ (NA)

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 2510399

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler? _____

YES (NO)

Were custody papers included with the cooler? _____

(YES) NO

Were custody papers properly filled out (ink, signed, etc.) _____

(YES) NO

Temperature of Cooler(s) (°C) Time 9:55 3.1 5.1 _____

Temp Gun ID#: 8117

Was a temperature blank included in the cooler? _____

YES (NO)

Were coolers received between 0° - 6° (°C) _____

(YES) NO

Was sufficient ice used (if appropriate)? _____

NA (YES) NO

Cooler Accepted by: TT Date: 9/19/25 Time: 9:55

Complete custody forms and attach all shipping documents

Log-In Phase:

What kind of packing material was used? _____

Bubble Wrap (Wet Ice) Gel Packs Baggies Foam Block N/A Other: _____

Are any samples that were out of temperature compliance documented in LIMS? _____

(YES) NO

How were bottles sealed in plastic bags? _____

Individually (Grouped) Not

Did all bottles arrive in good condition (unbroken)? _____

(YES) NO

Were all bottle labels complete and legible? _____

(YES) NO

Did the number of containers listed on COC match with the number of containers received? _____

(YES) NO

Did all bottle labels and tags agree with custody papers? _____

(YES) NO

Were all bottles used correct for the requested analyses? _____

(YES) NO

Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...

NA (YES) NO

Were all VOC vials free of air bubbles? _____

(NA) (YES) NO

Was sufficient amount of sample sent in each bottle? _____

(YES) NO

Date VOC Trip Blank was made at ARI: _____

(NA)

Were the sample(s) split by ARI? (NA)

YES

Date/Time: _____

Equipment: _____

Split by: _____

Samples Logged by: NDT Date: 09/19/25 Time: 10:21 Labels checked by: NDT

**** Notify Project Manager of discrepancies or concerns ****

Additional Notes, Discrepancies, & Resolutions:

By: _____

Date: _____



WORK ORDER

25I0399

Client: WSP USA, Inc.

Project Manager: Kelly Bottem

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Preservation Confirmation

Container ID	Container Type	pH	pH Paper Lot#:
25I0399-01 A	HDPE NM, 250mL HNO ₃	<2	N000119
25I0399-02 A	HDPE NM, 1000 mL	>2	①
25I0399-03 A	HDPE NM, 250mL HNO ₃	<2	②
25I0399-04 A	HDPE NM, 1000 mL	>2	①
25I0399-05 A	HDPE NM, 250mL HNO ₃	<2	②
25I0399-06 A	HDPE NM, 1000 mL	>2	①

NDT

Preservation Confirmed By

09/19/25

Date

① Filtered at 0.45 um and preserved to pH <2.0 with 1.75 ml conc. HNO₃ (N7372).
ML 09/19/25 1500

② Filtered at 0.45 um preserved to pH <2.0 with 0.75 ml conc. HNO₃ (N7372).
ML 09/19/25 1500



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

Tank - Influent
25I0399-01 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/18/2025 10:00

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/23/2025 21:45

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0399-01 A 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection	Reporting	Result	Units	Notes
			Limit	Limit			
Antimony	7440-36-0	5	0.750	1.00	28.2	ug/L	D
Lead	7439-92-1	5	0.500	1.00	64.2	ug/L	D
Vanadium	7440-62-2	5	0.500	1.00	1.16	ug/L	D



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

Tank - Influent
25I0399-01RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/18/2025 10:00

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 21:57

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0399-01RE1 A 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	11.1	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: US-WSP-31406578.4513
Project Manager: Accounts Payable

Reported:
07-Oct-2025 17:29

Tank - Influent
25I0399-02 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8	Sampled: 09/18/2025 10:00
Instrument: ICPMS1 Analyst: HAL	Analyzed: 10/02/2025 01:31
Sample Preparation:	Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix
	Preparation Batch: BNI0638
	Sample Size: 25 mL
	Prepared: 09/30/2025
	Final Volume: 25 mL
	Extract ID: 25I0399-02 A 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony, Dissolved	7440-36-0	5	0.750	1.00	27.8	ug/L	D
Arsenic UCT, Dissolved	7440-38-2	5	0.500	1.00	11.0	ug/L	D
Lead, Dissolved	7439-92-1	5	0.500	1.00	67.7	ug/L	D



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

Tank - Influent
25I0399-02RE1 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8

Sampled: 09/18/2025 10:00

Instrument: ICPMS1 Analyst: HAL

Analyzed: 10/04/2025 00:44

Sample Preparation:

Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Extract ID: 25I0399-02RE1 A 02

Preparation Batch: BNI0638

Sample Size: 25 mL

Prepared: 09/30/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Vanadium, Dissolved	7440-62-2	5	0.500	1.00	1.04	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: US-WSP-31406578.4513
Project Manager: Accounts Payable

Reported:
07-Oct-2025 17:29

Sand - Effluent
25I0399-03 (Water)

Metals and Metallic Compounds

Method: EPA 200.8	Sampled: 09/18/2025 10:05
Instrument: ICPMS1 Analyst: HAL	Analyzed: 09/23/2025 21:50
Sample Preparation:	Preparation Method: REN - EPA 3010A M
	Preparation Batch: BNI0473
	Prepared: 09/23/2025
	Sample Size: 25 mL
	Final Volume: 25 mL
	Extract ID: 25I0399-03 A 01

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	28.7	ug/L	D
Lead	7439-92-1	5	0.500	1.00	13.9	ug/L	D
Vanadium	7440-62-2	5	0.500	1.00	1.11	ug/L	D



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

Sand - Effluent
25I0399-03RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/18/2025 10:05

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 22:02

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0399-03RE1 A 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	10.0	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: US-WSP-31406578.4513
Project Manager: Accounts Payable

Reported:
07-Oct-2025 17:29

Sand - Effluent
25I0399-04 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8	Sampled: 09/18/2025 10:05
Instrument: ICPMS1 Analyst: HAL	Analyzed: 10/02/2025 02:03
Sample Preparation:	Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix
	Preparation Batch: BNI0638
	Sample Size: 25 mL
	Prepared: 09/30/2025
	Final Volume: 25 mL
	Extract ID: 25I0399-04 A 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony, Dissolved	7440-36-0	5	0.750	1.00	28.6	ug/L	D
Arsenic UCT, Dissolved	7440-38-2	5	0.500	1.00	10.2	ug/L	D
Lead, Dissolved	7439-92-1	5	0.500	1.00	13.4	ug/L	D



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

Sand - Effluent
25I0399-04RE1 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8

Sampled: 09/18/2025 10:05

Instrument: ICPMS1 Analyst: HAL

Analyzed: 10/02/2025 19:28

Sample Preparation:

Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Extract ID: 25I0399-04RE1 A 02

Preparation Batch: BNI0638

Sample Size: 25 mL

Prepared: 09/30/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Vanadium, Dissolved	7440-62-2	5	0.500	1.00	0.815	ug/L	J, D



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

As - Effluent
25I0399-05 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/18/2025 10:10

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/23/2025 21:54

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0399-05 A 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony	7440-36-0	5	0.750	1.00	28.9	ug/L	D
Lead	7439-92-1	5	0.500	1.00	26.2	ug/L	D
Vanadium	7440-62-2	5	0.500	1.00	1.15	ug/L	D



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

As - Effluent
25I0399-05RE1 (Water)

Metals and Metallic Compounds

Method: EPA 200.8

Sampled: 09/18/2025 10:10

Instrument: ICPMS1 Analyst: HAL

Analyzed: 09/24/2025 22:07

Sample Preparation:

Preparation Method: REN - EPA 3010A M

Extract ID: 25I0399-05RE1 A 01

Preparation Batch: BNI0473

Sample Size: 25 mL

Prepared: 09/23/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Arsenic UCT	7440-38-2	5	0.500	1.00	10.1	ug/L	D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: US-WSP-31406578.4513
Project Manager: Accounts Payable

Reported:
07-Oct-2025 17:29

As - Effluent
25I0399-06 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8	Sampled: 09/18/2025 10:10
Instrument: ICPMS1 Analyst: HAL	Analyzed: 10/02/2025 02:08
Sample Preparation:	Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix
	Preparation Batch: BNI0638
	Sample Size: 25 mL
	Prepared: 09/30/2025
	Final Volume: 25 mL
	Extract ID: 25I0399-06 A 02

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Antimony, Dissolved	7440-36-0	5	0.750	1.00	27.5	ug/L	D
Arsenic UCT, Dissolved	7440-38-2	5	0.500	1.00	9.47	ug/L	D
Lead, Dissolved	7439-92-1	5	0.500	1.00	13.2	ug/L	D



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

As - Effluent
25I0399-06RE1 (Water)

Metals and Metallic Compounds (dissolved)

Method: EPA 200.8

Sampled: 09/18/2025 10:10

Instrument: ICPMS1 Analyst: HAL

Analyzed: 10/02/2025 19:33

Sample Preparation:

Preparation Method: REN EPA 600/4-79-020 4.1.4 HNO3 matrix

Extract ID: 25I0399-06RE1 A 02

Preparation Batch: BNI0638

Sample Size: 25 mL

Prepared: 09/30/2025

Final Volume: 25 mL

Analyte	CAS Number	Dilution	Detection Limit	Reporting Limit	Result	Units	Notes
Vanadium, Dissolved	7440-62-2	5	0.500	1.00	0.795	ug/L	J, D



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: US-WSP-31406578.4513
Project Manager: Accounts Payable

Reported:
07-Oct-2025 17:29

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds - Quality Control

Batch BNI0473 - EPA 200.8 in Water

Instrument: ICPMS1 Analyst: HAL

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0473-BLK1)						Prepared: 23-Sep-2025 Analyzed: 23-Sep-2025 17:58						
Antimony	121	ND	0.150	0.200	ug/L							U
Arsenic UCT	75a UCT	ND	0.100	0.200	ug/L							U
Lead	208	ND	0.100	0.200	ug/L							U
Vanadium	51a	ND	0.100	0.200	ug/L							U
Blank (BNI0473-BLK2)						Prepared: 23-Sep-2025 Analyzed: 24-Sep-2025 18:34						
Antimony	121	ND	0.150	0.200	ug/L							U
Arsenic UCT	75a UCT	ND	0.100	0.200	ug/L							U
Lead	208	ND	0.100	0.200	ug/L							U
Vanadium	51a	ND	0.100	0.200	ug/L							U
LCS (BNI0473-BS1)						Prepared: 23-Sep-2025 Analyzed: 23-Sep-2025 18:13						
Antimony	121	25.0	0.150	0.200	ug/L	25.0		99.8	85-115			
Arsenic UCT	75a UCT	23.7	0.100	0.200	ug/L	25.0		94.9	85-115			
Lead	208	24.2	0.100	0.200	ug/L	25.0		97.0	85-115			
Vanadium	51a	25.3	0.100	0.200	ug/L	25.0		101	85-115			
LCS (BNI0473-BS2)						Prepared: 23-Sep-2025 Analyzed: 24-Sep-2025 18:43						
Antimony	121	25.1	0.150	0.200	ug/L	25.0		101	85-115			
Arsenic UCT	75a UCT	23.4	0.100	0.200	ug/L	25.0		93.7	85-115			
Lead	208	25.5	0.100	0.200	ug/L	25.0		102	85-115			
Vanadium	51a	23.5	0.100	0.200	ug/L	25.0		94.1	85-115			



WSP USA, Inc.
840 HOWE STREET, #1000
VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale
Project Number: US-WSP-31406578.4513
Project Manager: Accounts Payable

Reported:
07-Oct-2025 17:29

Analysis by: Analytical Resources, LLC

Metals and Metallic Compounds (dissolved) - Quality Control

Batch BNI0638 - EPA 200.8 in Water

Instrument: ICPMS1 Analyst: HAL

QC Sample/Analyte	Isotope	Result	Detection Limit	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Blank (BNI0638-BLK1)						Prepared: 30-Sep-2025 Analyzed: 02-Oct-2025 01:02						
Antimony, Dissolved	121	ND	0.150	0.200	ug/L							U
Arsenic UCT, Dissolved	75a UCT	ND	0.100	0.200	ug/L							U
Lead, Dissolved	208	ND	0.100	0.200	ug/L							U
Blank (BNI0638-BLK2)						Prepared: 30-Sep-2025 Analyzed: 02-Oct-2025 19:14						
Antimony, Dissolved	121	ND	0.150	0.200	ug/L							U
Arsenic UCT, Dissolved	75a UCT	ND	0.100	0.200	ug/L							U
Lead, Dissolved	208	ND	0.100	0.200	ug/L							U
Vanadium, Dissolved	51a	ND	0.100	0.200	ug/L							U
LCS (BNI0638-BS1)						Prepared: 30-Sep-2025 Analyzed: 02-Oct-2025 01:12						
Antimony, Dissolved	121	25.1	0.150	0.200	ug/L	25.0		100	85-115			
Arsenic UCT, Dissolved	75a UCT	24.9	0.100	0.200	ug/L	25.0		99.6	85-115			
Lead, Dissolved	208	27.0	0.100	0.200	ug/L	25.0		108	85-115			
LCS (BNI0638-BS2)						Prepared: 30-Sep-2025 Analyzed: 02-Oct-2025 19:24						
Vanadium, Dissolved	51a	26.7	0.100	0.200	ug/L	25.0		107	85-115			
Duplicate (BNI0638-DUP1)						Source: 25I0399-02 Prepared: 30-Sep-2025 Analyzed: 02-Oct-2025 01:35						
Antimony, Dissolved	121	32.4	0.750	1.00	ug/L		27.8			15.00	20	D
Arsenic UCT, Dissolved	75a UCT	11.4	0.500	1.00	ug/L		11.0			3.12	20	D
Lead, Dissolved	208	77.3	0.500	1.00	ug/L		67.7			13.30	20	D
Matrix Spike (BNI0638-MS1)						Source: 25I0399-02 Prepared: 30-Sep-2025 Analyzed: 02-Oct-2025 01:40						
Antimony, Dissolved	121	53.6	0.750	1.00	ug/L	25.0	27.8	103	75-125			D
Arsenic UCT, Dissolved	75a UCT	36.3	0.500	1.00	ug/L	25.0	11.0	101	75-125			D
Lead, Dissolved	208	90.9	0.500	1.00	ug/L	25.0	67.7	93.1	75-125			D

Recovery limits for target analytes in MS/MSD QC samples are advisory only.



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

Uncertified Analytes included in this Report

Analysis Matrix & Analyte

None

Certified Analyses included in this Report

Analysis Matrix & Analyte

Certification Codes

EPA 200.8 in Water

Antimony-121	DoD-ELAP,NELAP,WADOE,WA-DW
Arsenic-75a UCT	DoD-ELAP,NELAP,WADOE,WA-DW
Lead-208	DoD-ELAP,NELAP,WADOE,WA-DW
Vanadium-51a	DoD-ELAP,NELAP,WADOE,WA-DW
Antimony-121	DoD-ELAP,NELAP,WADOE
Arsenic-75a UCT	DoD-ELAP,NELAP,WADOE
Lead-208	DoD-ELAP,NELAP,WADOE
Vanadium-51a	DoD-ELAP,NELAP,WADOE

Certifications

Code	Description	Number	Expires
DoD-ELAP	DoD-Environmental Laboratory Accreditation Program, PJLA Testing	66169	01/31/2026
NELAP	ORELAP - Oregon Laboratory Accreditation Program	WA100006-018	05/12/2026
WADOE	WA Dept of Ecology	C558	06/30/2026
WA-DW	Ecology - Drinking Water	C558	06/30/2026



WSP USA, Inc.

840 HOWE STREET, #1000

VANCOUVER BRITISH COLUMBIA, V6Z 2M1

Project: Ravensdale

Project Number: US-WSP-31406578.4513

Project Manager: Accounts Payable

Reported:

07-Oct-2025 17:29

Notes and Definitions

*	Flagged value is not within established control limits.
B	This analyte was detected in the method blank.
D	The reported value is from a dilution
J	Estimated concentration value detected below the reporting limit.
U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference
[2C]	Indicates this result was quantified on the second column on a dual column analysis.
!	Indicates that ARL is NOT ACCREDITED for this parameter in samples logged as 'Drinking Water'
#	Indicates that ARL is NOT ACCREDITED for this parameter in this analysis and matrix.

APPENDIX D

Sample Integrity Data Sheets

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-7A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date September 18, 2025 **Time** 13:20

Media Groundwater **Station** MW-7A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 17.65 ft BTOC (September 18, 2025 12:57 PM); Well total depth at 20' BGS

Screen Interval: 10' - 20' BGS

Pump Intake: ~ 17' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-250 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-7A

Date 09/18/2025


Time Begin Purge 12:56

Time Collect Sample 13:20

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
17.68	13:00	6.63	909	14.3	3.91	-369.2	15.1
17.7	13:05	6.59	894	14.1	2.9	-396.4	11.7
17.7	13:10	6.58	892	14	2.61	-397.3	7.00
17.7	13:15	6.58	887	14	2.42	-399.2	3.35
17.7	13:20	6.57	887	14.1	2.28	-399.8	1.89

Comments:

Flow Rate: 100 mL/min

Sampler 

Date September 18, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-5DSP - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 18, 2025 **Time** _____

Media Groundwater **Station** MWB-5DSP

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 30.85 ft BTOC (September 18, 2025 12:10 PM); Well total depth at 83' BGS

Screen Interval: 73'- 83' BGS

Pump Intake: ~ 80' BGS

Sample Description Water parameters only, no sample taken.

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-5DSP

Date 09/18/2025


Time Begin Purge 12:10

Time Collect Sample -----

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
31.55	12:15	7.1	910	17.3	6.79	-387.9	7.30
31.85	12:20	6.75	949	16.3	2.94	-430.7	1.42
32.2	12:25	6.7	954	15.5	1.89	-457.8	1.44
32.6	12:30	6.69	951	15.4	1.45	-473.1	1.20

Comments: Water parameters only, no sample taken.

Flow Rate: 100 mL/min

Sampler 

Date September 18, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-1DDSP - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 18, 2025 **Time** _____

Media Groundwater **Station** MWB-1DDSP

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 62.95 ft BTOC (September 18, 2025 11:17 AM); Well total depth at 265' BGS

Screen Interval: 255'- 265' BGS

Pump Intake: ~ 260' BGS

Sample Description Water parameters only, no sample taken

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-1DDSP

Date 09/18/2025

Time Begin Purge 11:20

Time Collect Sample _____

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
63.8	11:35	7.52	1,110	19.8	9.24	-329.6	0.75
64.7	11:40	6.97	1,237	15.8	6.59	-385.6	0.89
65.7	11:45	6.81	1,282	15.3	2.21	-499.2	0.72
66.6	11:50	6.8	1,289	15.7	1.14	-545.5	0.48

Comments: Water parameters only, no sample taken

Flow Rate: 200 mL/min

Sampler 

Date September 18, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-1SDSP - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 18, 2025 **Time** 10:48

Media Groundwater **Station** MWB-1SDSP

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 50.75 ft BTOC (September 18, 2025 10:48 AM); Well total depth at 160' BGS

Screen Interval: 73'- 83' BGS

Pump Intake: ~ 80' BGS

Sample Description Water parameters only, no sample taken.

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-1SDSP

Date 09/18/2025


Time Begin Purge 10:48

Time Collect Sample 10:48

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
51.95	10:55	7.26	1,568	15.4	9.25	-261.4	0.59
52.95	11:00	6.6	1,790	14.1	4.81	-395.9	1.20
53.75	11:05	6.54	1,813	13.9	4.21	421.6	1.12
54.45	11:10	6.52	1,815	13.9	2.59	-433.2	0.99

Comments: Water parameters only, no sample taken.

Flow Rate: 300 mL/min

Sampler 

Date September 18, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-2DSP - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler _____

Date September 17, 2025 **Time** 15:25

Media Groundwater **Station** MWB-2DSP

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 200.69 ft BTOC (September 17, 2025 3:17 PM); Well total depth at 258' BGS

Screen Interval: 236'- 256' BGS

Pump Intake: N/A

Sample Description Water parameters only, no sample taken.

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-2DSP

Date 09/17/2025

Time Begin Purge 15:25

Time Collect Sample 15:25

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
200.69	15:25	7.22	600	12.4	6.81	-217.2	3.92

Comments: Water parameters only, no sample taken.

Flow Rate: _____ mL/min

Sampler 

Date September 17, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-6DSP / MW-55A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler _____

Date September 17, 2025 **Time** 14:48

Media Groundwater **Station** MWB-6DSP / MW-55A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 24.82 ft BTOC (September 17, 2025 2:47 PM); Well total depth at 195' BGS

Screen Interval: 120'- 195' BGS

Pump Intake: ~ 170' BGS

Sample Description Water parameters only, no sample taken.

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-6DSP / MW-55A

Date 09/17/2025

Time Begin Purge 14:48

Time Collect Sample 14:48

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
28.92	14:50	7.26	470.2	12.4	4.84	-374.6	0.57
29.8	14:55	7.06	454.7	11.8	0.97	-567.7	0.38
31.48	15:00	7.06	455.6	11.7	0.75	-588.7	1.09
32.85	15:05	7.06	454.3	11.7	0.69	-569.0	4.27

Comments: Water parameters only, no sample taken.

Flow Rate: 200 mL/min

Sampler 

Date September 17, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-3LDA - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 17, 2025 **Time** 14:14

Media Groundwater **Station** MWB-3LDA

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 5.8 ft BTOC (September 17, 2025 2:17 PM); Well total depth at 145' BGS

Screen Interval: 125'- 145' BGS

Pump Intake: ~ 135' BGS

Sample Description Water parameters only, no sample taken.

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-3LDA

Date 09/17/2025


Time Begin Purge 14:18

Time Collect Sample 14:14

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
9.25	14:20	7.22	237.1	13.7	6.33	-284.9	6.07
13.65	14:25	7.04	235.3	13.5	6.18	-264.9	9.80
17.9	14:30	6.96	234	13.2	5.45	274.4	6.26
21.3	14:35	6.88	235	13	4.79	-285.7	3.86

Comments: Water parameters only, no sample taken.

Flow Rate: 200 mL/min

Sampler 

Date September 17, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-2LDA - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 17, 2025 **Time** 13:45

Media Groundwater **Station** MWB-2LDA

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 37.78 ft BTOC (September 17, 2025 1:45 PM); Well total depth at 125' BGS

Screen Interval: 110'- 125' BGS

Pump Intake: ~ 120' BGS

Sample Description Water parameters only, no sample taken.

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-2LDA

Date 09/17/2025

Time Begin Purge 13:45

Time Collect Sample 13:45

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
38	13:50	7.53	388	18.8	7.21	-280.5	5.14
38.05	13:55	7.37	367.4	14.8	4.49	-350.7	1.11
38.15	14:00	7.27	367.3	14.7	2.22	-454.8	.82
38.2	14:05	7.25	367.5	14.6	1.3	-529.0	0.45

Comments: Water parameters only, no sample taken.

Flow Rate: 200 mL/min

Sampler 

Date September 17, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MWB-1LDA - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 17, 2025 **Time** 13:30

Media Groundwater **Station** MWB-1LDA

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 24.41 ft BTOC (September 17, 2025 1:10 PM); Well total depth at 135' BGS

Screen Interval: 115'- 135' BGS

Pump Intake: ~ 125' BGS

Sample Description Water parameters only, no sample taken.

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID MWB-1LDA

Date 09/17/2025

Time Begin Purge 13:11

Time Collect Sample 13:30

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
24.75	13:15	8.2	439.2	21.6	8.95	-293.4	6.57
25.15	13:20	7.39	399.3	13.4	4.37	392.1	0.69
25.35	13:25	7.29	399.2	13.6	1.45	-520.8	0.27
25.5	13:30	7.28	399.7	13.4	0.96	-567.4	0.20

Comments: Water parameters only, no sample taken.

Flow Rate: 200 mL/min

Sampler 

Date September 17, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-5A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 17, 2025 **Time** 12:45

Media Groundwater **Station** MW-5A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 35.7 ft BTOC (September 17, 2025 12:33 PM); Well total depth at 40' BGS

Screen Interval: 25'- 40' BGS

Pump Intake: ~ 38' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-250 mL	Total Metals	HDPE	HNO3
1-1000 mL	Total Dissolved Solids	HDPE	N/A

SAMPLE INTEGRITY DATA SHEET

Well ID MW-5A

Date 09/17/2025

Time Begin Purge 12:36

Time Collect Sample 12:45

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
36.2	12:40	7.13	1,972	16.9	8.27	-260.5	1.34

Comments:

Flow Rate: 100 mL/min

Sampler 

Date September 17, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-1A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 17, 2025 **Time** 11:40

Media Groundwater **Station** MW-1A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 38.62 ft BTOC (September 17, 2025 11:31 AM); Well total depth at 44' BGS

Screen Interval: 28' - 43' BGS

Pump Intake: ~ 39' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID	MW-1A
---------	-------

Date 09/17/2025

Time Begin Purge 11:33

Time Collect Sample 11:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
39	11:40	6.99	681	12.9	6.74	-303.2	245
39.15	11:45	6.61	616	11.9	6.65	-253.7	129
39.35	11:50	6.58	591	12.1	8.22	-247.9	120
39.65	11:55	6.58	588	13	8.62	-248.4	57
39.7	12:00	6.57	592	13.7	8.69	-251.3	58.9
39.9	12:05	6.58	593	14	8.59	-252.2	56.9
40	12:10	6.58	595	14.2	8.57	-255.0	58.9
40.1	12:15	6.58	596	14.2	8.41	-254.4	59.0
40.2	12:19	6.58	599	14.1	8.39	-257.5	63.1

Comments:

Flow Rate: _____ mL/min

Sampler _____

Date September 17, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-9A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date September 16, 2025 **Time** 15:54

Media Groundwater **Station** MW-9A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 12.56 ft BTOC (September 16, 2025 3:54 PM); Well total depth at 13' BGS

Screen Interval: 8' - 13' BGS

Pump Intake: ~ 10' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-250 mL	Total Metals	HDPE	HNO3
1-1000 mL	Total Dissolved Solids	HDPE	N/A

SAMPLE INTEGRITY DATA SHEET

Well ID	MW-9A
---------	-------

Date 09/16/2025

Time Begin Purge 15:55

Time Collect Sample 15:54

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
12.65	15:55	6.87	786	14.6	4.26	-347.5	

Comments:

Flow Rate: _____ mL/min

Sampler _____

Date September 16, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID Infiltration Ponds / MW-35A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler _____

Date September 16, 2025 **Time** 15:15

Media Surface Water **Station** Infiltration Ponds / MW-35A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (September 16, 2025 3:13 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID Infiltration Ponds / MW-35A

Date 09/16/2025

Time Begin Purge 15:15

Time Collect Sample 15:15

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	15:15	8.49	3,623	23.5	2.58	-406.9	20.9

Comments:

Flow Rate: _____ mL/min

Sampler 

Date September 16, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-5A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Disposable Bailer

Date September 16, 2025 **Time** 14:40

Media Groundwater **Station** MW-5A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 37.56 ft BTOC (September 16, 2025 2:10 PM); Well total depth at 40' BGS

Screen Interval: 25'- 40' BGS

Pump Intake: ~ 38' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-250 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-5A

Date 09/16/2025

Time Begin Purge 14:16

Time Collect Sample 14:40

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
36.3	14:20	7.18	1,604	14.5	5.2	-396.4	2.48
36.95	14:25	7.12	1,787	14.2	2.74	-429.6	2.25
37.8	14:30	7.09	1,800	13.7	2.53	-406.7	2.52
0	14:35	7.08	1,810	13.7	2.38	-400.5	2.45

Comments:

Flow Rate: 200 mL/min

Sampler 

Date September 16, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-2A / MW-45A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 16, 2025 **Time** 13:10

Media Groundwater **Station** MW-2A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 31.76 ft BTOC (September 16, 2025 12:36 PM); Well total depth at 40' BGS

Screen Interval: 24'- 40' BGS

Pump Intake: ~ 30' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-250 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-2A / MW-45A

Date 09/16/2025

Time Begin Purge 12:37


Time Collect Sample 13:10

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
31.75	12:45	6.8	690	12.6	8.54	-187.2	4.74
31.78	12:50	6.63	692	12.6	8.32	-183.9	4.76
31.8	12:55	6.61	693	12.4	8.35	-182.5	4.72
31.8	13:00	6.6	691	12.9	8.36	-184.5	2.35
31.8	13:05	6.59	691	12.8	8.44	-184.4	1.28

Comments:

Flow Rate: 100 mL/min

Duplicate sampled

Sampler 

Date September 16, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-1A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Bladder Pump (dedicated)

Date September 16, 2025 **Time** 10:26

Media Groundwater **Station** MW-1A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 37.66 ft BTOC (September 16, 2025 10:23 AM); Well total depth at 44' BGS

Screen Interval: 28' - 43' BGS

Pump Intake: ~ 39' BGS

Sample Description Water level below top of pump

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Metals	HDPE	HNO3
1-250 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID MW-1A

Date 09/16/2025

Time Begin Purge 10:26

Time Collect Sample 10:26

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
38.2	10:30	6.55	717	10.7	2.73	-526.9	0.12
38.35	10:35	6.57	690	12.3	1.88	-391.0	7.91
38.55	10:40	6.51	637	12.4	2.79	-346.3	6.31
38.75	10:45	6.5	636	12.9	2.56	-372.7	4.92
38.9	10:50	6.5	640	12.8	2.34	-383.4	3.38
39.95	10:55	6.51	654	13	2.1	-406.4	3.09
39.35	11:00	6.52	676	12.7	1.71	-444.5	3.40
39.42	11:05	6.53	682	13.2	1.47	-464.7	2.6
39.6	11:10	6.55	689	13.1	1.27	-479.2	2.53
38.5	11:18	6.56	705	12.8	1.16	-518.5	2.65
40	11:23	6.57	707	12.6	0.97	-536.0	2.96
0	11:28	6.58	710	12.6	0.95	-536.8	37.7
0	11:32	6.59	711	12.8	0.88	-545.0	23.6
0	11:35	6.59	713	12.9	0.85	-545.4	11.1
0	11:38	6.59	714	13.1	0.84	-550.7	17.1
0	11:42	6.59	718	12.8	0.82	-553.7	8.09
0	11:45	6.6	718	13.4	0.83	-558.2	9.16
0	11:48	6.6	718	13.7	0.83	-556.0	8.65
0	11:51	6.6	721	13.9	0.88	-547.1	16
	11:55	6.6	719	14.6	0.86	-533.7	34.5

SAMPLE INTEGRITY DATA SHEET

0	11:58	6.61	720	15.4	0.85	-535.4	59.4
0	12:01	6.62	721	15.8	0.84	-530.1	46.3
0	12:05	6.63	719	16	0.83	-531.0	113
	12:10	6.64	714	16.4	0.83	-528.7	449
	12:15	6.64	715	16.9	0.82	-536.7	999
	12:20	6.64	714	17.5	0.79	-541.5	999

Comments:

Flow Rate: 125 mL/min

Sampler _____

Date September 16, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID Portal - 0925

Sampling Location Surface Water Monitoring Point

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date September 15, 2025 **Time** 15:30

Media Surface Water **Station** Portal

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 0 ft BTOC (September 15, 2025 3:30 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID _____ Portal _____

Date 09/15/2025

Time Begin Purge 15:30

Time Collect Sample 15:30

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
	15:30	6.55	853	13	5.96	-306.6	150

Comments:

Flow Rate: 300 mL/min

Sampler 

Date September 15, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-9A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler _____

Date September 15, 2025 **Time** 14:48

Media Groundwater **Station** MW-9A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (September 15, 2025 2:48 PM); Well total depth at 13' BGS

Screen Interval: 8' - 13' BGS

Pump Intake: ~ 10' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
-		HDPE	

SAMPLE INTEGRITY DATA SHEET

Well ID	MW-9A
---------	-------

Date 09/15/2025

Time Begin Purge 14:48

Time Collect Sample 14:48

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
13.75	14:50	6.88	803	14.1	3.52	-331.1	5.10
13.85	14:53	6.75	809	12.9	3.22	-360.5	3.27
14.18	14:56	6.74	803	12.9	3.25	-337.2	155
14.5	15:00	6.74	812	12.6	2.87	-361.5	41.8
14.9	15:03	6.72	815	12.5	2.02	-406.7	12.6

Comments:

Flow Rate: _____ mL/min

Water level - DRY

Sampler _____

Date September 15, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-4A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date September 15, 2025 **Time** 13:50

Media Groundwater **Station** MW-4A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 10.2 ft BTOC (September 15, 2025 12:54 PM); Well total depth at 20' BGS

Screen Interval: 5' - 20' BGS

Pump Intake: ~ 12' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-250 mL	Total Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID	MW-4A
---------	-------

Date 09/15/2025

Time Begin Purge 12:53

Time Collect Sample 13:50

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
10.35	12:55	6.24	700	14.4	3.18	-565.6	7.16
10.5	13:00	6.21	687	13.7	1.08	-593.2	3.05
10.6	13:05	6.19	667	13.9	1.04	-547.9	2.07
10.65	13:10	6.17	655	14	1.21	-459.9	4.00
10.7	13:15	6.15	652	14.1	1.13	-507.8	2.43
10.8	13:20	6.14	649	14.5	0.96	-550.9	1.9
10.9	13:25	6.14	651	14	0.86	-572.7	1.36
11.05	13:30	6.14	649	13.9	0.84	-570.9	1.59
11.08	13:35	6.15	649	14.1	0.85	-554.4	2.01
25	13:40	6.16	645	14.1	0.9	-515.6	3.44
11.38	13:43	6.17	649	14.1	0.92	-502.9	4.31
11.45	13:46	6.18	648	14.1	0.94	-496.2	4.50

Comments:

Flow Rate: 150 mL/min

Sampler

Date September 15, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID Interceptor Trench - 0925

Sampling Location Surface Water Monitoring Point

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Grab

Date September 15, 2025 **Time** 12:30

Media Surface Water **Station** Interceptor Trench

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at ft BTOC (September 15, 2025 12:30 PM); Well total depth at N/A

Screen Interval: N/A

Pump Intake: N/A

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-1000 mL	Total Dissolved Solids	HDPE	N/A
1-250 mL	Dissolved Metals	HDPE	HNO3

SAMPLE INTEGRITY DATA SHEET

Well ID Interceptor Trench

Date 09/15/2025

Time Begin Purge 12:30

Time Collect Sample 12:30

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
5755	12:30	7.4	575	15.7	9.5	-241.6	2.13

Comments:

Flow Rate: 250 mL/min

Sampler 

Date September 15, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-3A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date September 15, 2025 **Time** 11:50

Media Groundwater **Station** MW-3A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 15.25 ft BTOC (September 15, 2025 11:21 AM); Well total depth at 20' BGS

Screen Interval: 4' - 20' BGS

Pump Intake: ~ 12' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-250 mL	Total Metals	HDPE	HNO3
1-1000 mL	Total Dissolved Solids	HDPE	N/A

SAMPLE INTEGRITY DATA SHEET

Well ID MW-3A

Date 09/15/2025


Time Begin Purge 11:22

Time Collect Sample 11:50

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
15.45	11:25	6.55	1,394	13.1	2.12	591.5	297
15.6	11:30	6.55	1,386	12.9	3.69	-582.3	129
15.85	11:35	6.43	1,379	12.9	1.13	-589.4	24.7
16.05	11:40	6.47	1,388	13	0.87	-588.9	8.48
16.2	11:45	6.51	1,390	13	0.77	-604.2	4.81

Comments:

Flow Rate: 200 mL/min

Sampler 

Date September 15, 2025

Supervisor _____

Date _____

SAMPLE INTEGRITY DATA SHEET

Plant/Site Ravensdale **Project No.** 152030402

Site Location Ravensdale, WA

Sample ID MW-10A - 0925

Sampling Location Monitoring Well

Technical Procedure Reference(s) Golder, Sampling and Analysis Plan; Quality Assurance Project Plan 2020

Type of Sampler Peristaltic Pump

Date September 15, 2025 **Time** 10:55

Media Groundwater **Station** MW-10A

Sample Type: grab time composite space composite

Sample Acquisition Measurements (depth, volume of static well water and purged water, etc.)

SWL: Depth to water at 18.51 ft BTOC (September 15, 2025 10:14 AM); Well total depth at 29' BGS

Screen Interval: 9' - 29' BGS

Pump Intake: ~ 25' BGS

Sample Description _____

Field Measurements on Sample (pH, conductivity, etc.) SEE FIELD PARAMETERS SHEET

Aliquot Amount	Analysis	Container	Preservation
1-250 mL	Total Metals	HDPE	HNO3
1-1000 mL	Total Dissolved Solids	HDPE	N/A

SAMPLE INTEGRITY DATA SHEET

Well ID MW-10A

Date 09/15/2025


Time Begin Purge 10:15

Time Collect Sample 10:55

Water Level (ft bmp)	Time	pH	Cond. (uS/cm)	Temp (°C)	DO (mg/L)	ORP (rel mV)	Turbidity (NTU)
19.03	10:20	6.74	357.7	10.8	1.53	-686.9	1.02
19.3	10:25	6.85	360.3	10.8	1.04	-688.6	0.71
19.61	10:30	6.88	361.6	10.9	0.91	-694.8	0.82
19.82	10:35	6.9	361.7	10.8	0.84	-675.9	0.82
20.16	10:40	6.95	371.7	10.9	1.15	-482.0	0.73
20.42	10:45	6.96	377.4	10.9	1.27	-477.6	0.92
20.66	10:50	6.97	381.2	11	1.4	445.9	0.87

Comments:

Flow Rate: 100 mL/min

Sampler 

Date September 15, 2025

Supervisor _____

Date _____

